


Habilitar e vincular número WA Cloud API no PABX

- 1) No sistema Omnichannel, acesse 'Configurações, Filas'. Em um número Cloud API do whatsapp clique no botão 'Configurar telefonia'.



[imagem1]

suportehabilis.atenderbem.com/base/config/queueslist

seuLOGO

Documentação da API + Adicionar

Filas

Pesquisar ...

ID	Fila	Número WA	Nome	Número	Tipo	Servidor	Última modificação	Funções
59	Cloud API 55388869...				WA	Autenticado	01/12/2025, 08:44	

Conexão Configurações Mensagens API e Webhooks Configurações de IA

Dados para autenticação

Token* ID do Número de Telefone

Dados para cadastro de webhook: https://suportehabilis.atenderbem.com/webhook/ Token de verificação: 093

Verificar saúde do número Configurar

Configuração de Telefonía

Status da Telefonía: Desabilitada

Visibilidade do Ícone de Chamada: Oculto

SIP Habilitado: Não

Habilitar Telefonía 3

Fechar

Habilitar Servidor


Salvar

74	Webchat - Testes				WE	Autenticado	13/09/2024, 12:22	
79	Teste				EM	Autenticado	30/12/2024, 15:23	
80	Telefonia 200			200	Telefonia	Desabilitado	06/02/2025, 08:39	

1 2

[imagem2]

- 2) Após habilitar a telefonia, será exibido algumas informações, servidor SIP e senha SIP. O nome do servidor tem que ter o sufixo 'direct'. Caso não apareça como no exemplo, refaça todo o processo.



[imagem]

3) Agora vá ao PABX, na aba 'Connectivity' vá para a opção 'Trunks'.
Clique em '+ Add Trunk'.

Trunks

This page is used to manage various

+ Add Trunk

Name	Tech	CallerID	Status	Actions
Modelol	pjsip		Disabled	
ONE_360	pjsip	3834410080	Enabled	
553891	pjsip	553891	Enabled	

Showing 1 to 3 of 3 rows

https://habilitest.pbxfacil.com.br/admin/config.php?display=trunks

INCREIBLE PBX®

Incredible PBX® and FreePBX® code is licensed pursuant to GPL.
Click here to review license terms and usage conditions/restrictions
Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC
FreePBX and Sangoma® are registered trademarks of Sangoma Technologies
Copyright © 2007-2025, Sangoma Technologies and Ward Mundy & Associates, LLC

INCREIBLE PBX®

[imagem]

habilistest.pbxfacil.com.br/admin/config.php?display=trunks

INCREIBLE

PBX

Admin

Applications

Connectivity

Dashboard

Reports

Settings

Trunks

This page is used to manage various system trunks

+ Add Trunk

+ Add SIP (chan_pjsip) Trunk

+ Add DAHDI Trunk

+ Add IAX2 Trunk

+ Add ENUM Trunk

+ Add DUNDI Trunk

+ Add Custom Trunk

Search

Tech	CallerID	Status	Actions
pjsip	383	Disabled	
pjsip	3834410080	Enabled	
pjsip	55389	Enabled	

Showing 1 to 3 of 3 rows

INCREIBLE

PBX

Incredible PBX® and FreePBX® code is licensed pursuant to GPL

Click here to review license terms and usage conditions/restrictions

Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC

FreePBX and Sangoma® are registered trademarks of Sangoma Technologies

Copyright © 2007-2025, Sangoma Technologies and Ward Mundy & Associates, LLC

INCREIBLE

PBX

https://habilistest.pbxfacil.com.br/admin/config.php?display=trunks&tech=PJSIP

[imagem]

6

- 4) Na aba 'Geral' em 'Trunk Name' e 'Outbound CallerID' preencha com o número do whatsapp respeitando os 12 dígitos - 551198761234

habilistest.pbxfacil.com.br/admin/config.php?display=trunks&tech=pjsip&extdisplay=OUT_3

Admin Applications Connectivity Dashboard Reports Settings

Edit Trunk

10

General Dialed Number Manipulation Rules pjsip Settings

Trunk Name 55389 11

Hide CallerID Yes No

Outbound CallerID 5538 12

CID Options Allow Any CID Block Foreign CIDs Remove CNAM Force Trunk CID

Maximum Channels 30

Asterisk Trunk Dial Options T

Override System

Continue if Busy Yes No

Disable Trunk Yes No

Monitor Trunk Failures Yes No

> Submit Duplicate Reset Delete

INCRECIBLE
PBX

Incredible PBX® and FreePBX® code is licensed pursuant to GPL.
Click here to review license terms and usage conditions/restrictions
Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC
FreePBX and Sangoma® are registered trademarks of Sangoma Technologies
Copyright © 2007-2025, Sangoma Technologies and Ward Mundy & Associates, LLC

INCRECIBLE
PBX

[imagem]

5) Na aba 'pjsip Settings', vá em 'Geral' e configure:

[pjsip-settings]

authentication: none

registration: none

sip-server: wa.meta.vc

context: from-pstn

transport: 0.0.0.0-tls

Na aba 'Advanced' configure:

[advanced]

match-inbound-authentication: Auth username

Media-encryption: srtp

Na aba 'Codec' configure:

[codec]

codec: opus

Clique em 'Submit' e 'Apply' para salvar as alterações.

Para visualizar todas essas informações é necessário rolar a página pois os outros parâmetros ficam mais abaixo na mesma página.

habilistest.pbxfacil.com.br/admin/config.php?display=trunks&tech=pjsip&extdisplay=OUT_3

Admin Applications Connectivity Dashboard Reports Settings

Edit Trunk

General Dialed Number Manipulation Rules pjsip Settings

PJSIP Settings

General Advanced Codecs

Username Authentication Disabled

Auth username Authentication Disabled

Secret Authentication Disabled

Authentication Outbound Inbound Both None

Registration Send Receive None

Language Code Português Brasil

SIP Server wa.meta.vc

SIP Server Port

Context from-pstn

Transport 0.0.0.0-tls

Submit Duplicate Reset Delete

INCREIBLE PBX®

Incredible PBX® and FreePBX® code is licensed pursuant to GPL
Click here to review license terms and usage conditions/restrictions
Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC
FreePBX and Sangoma® are registered trademarks of Sangoma Technologies
Copyright © 2007-2025, Sangoma Technologies and Ward Mundy & Associates, LLC

https://habilistest.pbxfacil.com.br/admin/config.php?displa...

← → ↻ 🏠 🌐 habilitest.pbxfacil.com.br/admin/config.php?display=trunks&tech=pjsip&extdisplay=OUT_3

2PBX Admin Applications Connectivity Dashboard Reports Settings 🔍 ⚙️

Edit Trunk

20 →

General Dialed Number Manipul **21** Rules pjsip Settings

PJSIP Settings

General Advanced **21** Codecs

DTMF Mode ⓘ	Auto		▼
Permanent Auth Rejection ⓘ	☒ Yes ☐ No		
Forbidden Retry Interval ⓘ	30		Seconds
Fatal Retry Interval ⓘ	30		Seconds
General Retry Interval ⓘ	60		Seconds
Expiration ⓘ	3600		Seconds
Max Retries ⓘ	10000		
Qualify Frequency ⓘ	60		Seconds
Outbound Proxy ⓘ			
User = Phone ⓘ	☒ Yes ☐ No		
Contact User ⓘ			
From Domain ⓘ			
From User ⓘ			
Client URI ⓘ			

» Submit Duplicate Reset Delete

← → 🏠 🌐 habilitest.pbxfacil.com.br/admin/config.php?display=trunks&tech=pjsip&extdisplay=OUT_3

INCREIBLE PBX Admin Applications Connectivity Dashboard Reports Settings 🔍 ⚙️

Match (Permit) ⓘ

Support Path ⓘ

Support T.38 UDPTL ⓘ

T.38 UDPTL Error Correction ⓘ

T.38 UDPTL NAT ⓘ

T.38 UDPTL MAXDATAGRAM ⓘ

Fax Detect ⓘ

Trust RPID/PAI ⓘ

Send RPID/PAI ⓘ

Send Private CallerID Information ⓘ

Match Inbound Authentication ⓘ 22

Inband Progress ⓘ

Direct Media ⓘ

Rewrite Contact ⓘ

RTP Symmetric ⓘ

Media Encryption ⓘ 23


Force rport ⓘ

Message Context ⓘ

»

INCREIBLE PBX Incredible PBX® and FreePBX® code is licensed pursuant to GPL
Click here to review license terms and usage conditions/restrictions
Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC
FreePBX and Sangoma® are registered trademarks of Sangoma Technologies
Copyright © 2007-2025, Sangoma Technologies and Ward Mundy & Associates, LLC

INCREIBLE PBX



[imagem]

6) Agora verifique os passos da documentação “PABX - Instalar Certificado - Meta” antes de prosseguir para o item “7”.

7) Se tudo ocorreu certo, vá para a aba ‘Reports’ e na opção ‘Asterisk Info’ o canal referente ao tronco ‘55389XXXXXX’ irá ficar marcado como ‘ONLINE’.

The screenshot shows the Asterisk Info page in the PBX admin interface. The page displays a table of channels with the following data:

Tech	Resource	Status	
PJSIP	2000	ONLINE	0
PJSIP	2001	OFFLINE	0
PJSIP	2002	ONLINE	0
PJSIP	2003	OFFLINE	0
PJSIP	1004	OFFLINE	0
PJSIP	7574	OFFLINE	0
PJSIP	6564	OFFLINE	0
PJSIP	7001	OFFLINE	0
IAX2	lax-fax0	OFFLINE	0
IAX2	lax-fax1	OFFLINE	0
IAX2	lax-fax2	OFFLINE	0
IAX2	lax-fax3	OFFLINE	0
PJSIP	ONE_360	ONLINE	0
PJSIP	5538	ONLINE	0
PJSIP	7077	OFFLINE	0
PJSIP	5000	OFFLINE	0
PJSIP	5002	OFFLINE	0

The channel with Tech PJSIP and Resource 5538 is highlighted with a red box and labeled 29. A dropdown menu is open for the Reports tab, showing options like Asterisk Info, Asterisk Logfiles, CDR Reports, Call Event Logging, PHP Info, Pesquisa de Satisfação, Print Extensions, and Weak Password Detection. The dropdown is labeled 28. The page title is Asterisk Info, and it mentions Current Asterisk Version: 16.0. The URL in the browser is https://habilitest.pbxfacil.com.br/admin/config.php?display=asteriskinfo.

[imagem]