


Instalar certificado - Meta

1) Acesso o PABX;

2) Vá na aba “Admin” e em “Certificate Management”;



The screenshot shows the Incredible PBX web interface. The browser address bar displays `pbxfacil.com.br/admin/config.php?display=certman`. The top navigation bar includes tabs for Admin, Applications, Connectivity, Dashboard, Reports, and Settings. A red circle with the number '1' highlights the 'Admin' tab. A dropdown menu is open from the 'Admin' tab, listing various administrative functions. A red circle with the number '2' highlights the 'Certificate Management' option in this menu. The main content area shows a table of certificates with columns for Description, Type, Default, and Action. Two certificates are listed: 'Default Self-Signed certificate' (Self Signed, Default) and a certificate for 'direct.pbxfacil.com.br' (Let's Encrypt). Below the table, there is a note about making a certificate the system default.

Description	Type	Default	Action
Default Self-Signed certificate	Self Signed	✓	 
direct.pbxfacil.com.br	Let's Encrypt		 

Click to make a certificate the system default
changes certificate settings in Advanced Settings ONLY. It will force said certificate to be the default for options in Advanced Settings that standard set of the certificate and it's key into /etc/asterisk/keys/integration for use by other applications

INCRECIBLE PBX®

Incredible PBX® and FreePBX® code is licensed pursuant to GPL.
Click here to review license terms and usage conditions/restrictions
Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC
FreePBX and Sangoma® are registered trademarks of Sangoma Technologies
Copyright © 2007-2023, Sangoma Technologies and Ward Mundy & Associates, LLC

<https://comunet.pbxfacil.com.br/admin/config.php?display...>

3) Depois escolha a opção “+ New Certificate” e “+ Generate Let’s Encrypt Certificate”;

What is Certificate Manager?

+ New Certificate + Generate CSR x Delete Self-Signed CA Import Locally

Search

	Description	Type	Default	Action
+ Generate Let's Encrypt Certificate				
+ Upload Certificate				
+ Generate Self-Signed Certificate				
t-direct.pbxfacil.com.br	t-direct.pbxfacil.com.br	Let's Encrypt		

Showing 1 to 2 of 2 rows

Hover over the 'Default' column and click to make a certificate the system default

Note: Making a certificate the 'default' changes certificate settings in Advanced Settings ONLY. It will force said certificate to be the default for options in Advanced Settings that require certificates. It will also place a standard set of the certificate and its key into /etc/asterisk/keys/integration for use by other applications

4) Preencha os dados conforme a imagem. Note que em “Certificate Host Name” irá ser o mesmo que foi gerado quando habilitou a telefonia no número do whatsapp API Oficial;

Important

Let's Encrypt certificate creation and validation requires unrestricted inbound http access on port 80 to the Let's Encrypt token directories. If security is managed by the PBX Firewall module, this process should be automatic. Alternate security methods and external firewalls will require manual configuration. For more information see: <https://wiki.sangoma.com/display/PPG/Certificate+Management+User+Guide>

Let's Encrypt Certificates are **automatically** updated by Incredible PBX when required (Approximately every 2 months). Do not install your own certificate updaters!

New Certificate

Certificate Host Name seupabx-direct.pbxfacil.com.br

Owners Email seuemail@email.com

Country Brazil

State/Province/Region Minas Gerais

Alternative Names

Challenge Over HTTP (Port 80)

Remove DST Root CA X3 ☒

Generate Certificate **Reset**

INCREIBLE PBX

Incredible PBX® and FreePBX® code is licensed pursuant to GPL
Click here to review license terms and usage conditions/restrictions
Incredible PBX is a registered trademark of Ward Mundy & Associates, LLC
FreePBX and Sangoma® are registered trademarks of Sangoma Technologies
Copyright © 2007-2025, Sangoma Technologies and Ward Mundy & Associates, LLC

5) Vá para a aba “Settings” e escolha a opção “Asterisk SIP Settings”. Na aba “SIP Settings (chan_pjsip)” em “TLS/SSL” escolha o certificado que foi criado e ajuste o “SSL Method” para “tlsv1_2”;

The screenshot shows the Asterisk SIP Settings web interface. The browser address bar displays `https://comunet.pbxfacil.com.br/admin/config.php?display=sipsettings`. The interface has a top navigation bar with tabs: Admin, Applications, Connectivity, Dashboard, Reports, and Settings. A red circle with the number 1 is placed over the Settings tab, with a red arrow pointing to it. A dropdown menu is open from the Settings tab, showing various configuration options. A red circle with the number 2 is placed over the 'Asterisk SIP Settings' option in the dropdown. The main content area is titled 'SIP Settings' and contains several sections. The 'General SIP Settings' section is active, showing 'SIP driver informations' and 'General SIP Settings [chan_pjsip]'. A red circle with the number 3 is placed over the 'General SIP Settings [chan_pjsip]' tab. Below this, the 'Misc PJSip Settings' section includes options like 'Allow Transports Reload', 'Enable Debug', 'Keep Alive Interval', 'Show Advanced Settings', and 'Endpoint Identifier Order'. The 'TLS/SSL/SRTP Settings' section includes 'Certificate Manager', 'SSL Method', 'Verify Client', and 'Verify Server'. A red circle with the number 4 is placed over the 'Certificate Manager' dropdown, which shows '-direct.pbxfacil.com.br'. A red circle with the number 5 is placed over the 'SSL Method' dropdown, which shows 'tlsv1_2'. Red arrows point from the circles 4 and 5 to their respective dropdown menus. The 'Transports' section at the bottom contains a note about the interface and Asterisk 16.0. At the bottom right, there are 'Submit' and 'Reset' buttons. The browser's address bar at the bottom shows the full URL: `https://comunet.pbxfacil.com.br/admin/config.php?display=sipsettings`.

6) Agora na aba “General SIP Settings” ajuste “Audio Codecs”, marque também o “opus”;

The screenshot shows the PBXfacil administration interface for SIP settings. The browser address bar displays `pbxfacil.com.br/admin/config.php?display=sipsettings`. The top navigation bar includes tabs for Admin, Applications, Connectivity, Dashboard, Reports, and Settings. The Settings dropdown menu is open, showing options like Advanced Settings, Asterisk IAX Settings, and Asterisk SIP Settings, which is highlighted with a red box and the number 2. The main content area is titled "SIP Settings" and contains a sub-tab "SIP Settings [chan_pjsip]". On the left, a sidebar lists various settings categories, with "Audio Codecs" expanded. The "Audio Codecs" section shows a list of codecs with checkboxes: opus (checked), alaw (checked), slin16 (checked), g726 (unchecked), g723 (unchecked), speex (unchecked), speex16 (unchecked), speex32 (unchecked), and g722 (unchecked). Red arrows and numbers indicate the steps: 1 points to the Settings menu, 2 points to Asterisk SIP Settings, 3 points to the SIP Settings sub-tab, 4 points to the opus checkbox, and 5 points to the alaw checkbox. The bottom of the page shows a URL `https://comunet.pbxfacil.com.br/admin/config.php?display=sipsettings` and buttons for Submit and Reset.

Annotations in the image:

- 1: Points to the Settings menu.
- 2: Points to Asterisk SIP Settings in the dropdown menu.
- 3: Points to the SIP Settings [chan_pjsip] sub-tab.
- 4: Points to the opus checkbox in the Audio Codecs list.
- 5: Points to the alaw checkbox in the Audio Codecs list.