

FILE SECRETARIAT DISSEMINATION		CLASSIFIED MESSAGE		TOTAL COPIES 10-1		ROUTING AND OR INITIALS SEEN BY	
SIGNATURE NOTED		SECRET (When Filled In)		GROUP 1		1	
ADVANCE COPY <input type="checkbox"/> ISSUED <input type="checkbox"/> SLOTTED		REPRODUCTION OF THIS COPY PROHIBITED		2		5	
				3		6	
				4		7	
						8	
BY _____ AT _____		DISEM BY <u>RY</u> PER _____					
ACTION NO. <u>TSD-ECO</u>		FILE VR <u>18/AN WHO. JDP. FI</u>					

- KONGOMAN/JP

S E C R E T 141955Z MAR 72 CITE MEXICO CITY 19236

DIRTECH INFO **PANTECH**, DIRECTOR

560483

AQUATIC XDAFGHAN KDFACTOR

REF A. NMMA-41502

B. **PANTECH 18798** (18 55 9398)

1. PLS PROCURE TWO 1800 MM CATADIOPTRIC LENSES

WITH CAMERAS AS REQUESTED REF A.

2. FOR **PANTECH** NOT NECESSARY PROCURE SPOTMATIC

UNLESS ADVISED DIFFERENTLY BY DIRTECH. GP-1.

S E C R E T

SECRET

SVP

PERSON/UNIT NOTIFIED		SECRET (When Filled In)		GROUP 1		GROUP 2		GROUP 3		GROUP 4	
ADVANCE COPY <input type="checkbox"/> ISSUED <input type="checkbox"/> SLOTTED <input type="checkbox"/>		REPRODUCTION OF THIS COPY PROHIBITED		1		2		3		4	
DISSEM: 33		PER: 7		5		6		7		8	
ACTION UNIT		FILE, VR		1A/AN		WHB		DOP		FI	
TIDE-66		ACTION NO.									

SECRET 211720Z OCT 71 SITE MEXICO CITY 18014 (ROSTEDT ACTING)
DIRTECH INFO DIRECTOR, **PANTECH**
AQUATIC/KDAFGHAN

2 OCT 1 451868 ✓

1. KDAFGHAN-1 HAS FOR YEARS USED BALSCOPE LENS WITH 20 X EYEPiece FOR ID PHOTOGRAPHY OF VISITORS AND EMPLOYEES ENTERING KDAACOUSTIC. TO IMPROVE QUALITY PHOTOGRAPHY AND INCREASE CAPABILITY DURING EVENING HOURS WHEN LIGHTING POOR STATION PREFERS A PHOTOGRAPHICALLY CORRECTED 1000 MM TELEPHOTE LENS FOR PROJECT. PLS ADVISE AVAILABILITY OF ABOVE LENS FROM WOACRE STOCK. IF PROJECT TO BE CHARGED FOR LENS NOTIFY STATION.

2. MKSPICE DOES NOT HAVE THIS TYPE LENS IN STOCK. GP-1.

SECRET

*no file in
KDAFGHAN - Support 726
-JE*

SECRET

*Shutler
Dance*

CABLE SECRETARIAT DISSEMINATION		CLASSIFIED MESSAGE	TOTAL COPIES	ROUTING AND OF INITIALS (NAME)	
SECRET		GROUP 1	18	5	
ADVANCE COPY <input type="checkbox"/> MISSED <input type="checkbox"/> NOTED <input type="checkbox"/>		EXCLUDED FROM DISSEMINATION	2	6	
REPRODUCTION OF THIS COPY PROHIBITED			3	7	
			4	8	
DIRECTOR BY 28					
RECEIVED		FILE, VR			
183		C/1503, C/1503, DDP, C/1503			

SECRET 222053Z OCT 70 CITE MEXICO CITY 4653

DIRTECH INFO **PARTECH**, DIRECTOR

RYBAT AQUATIC

REF: DIRTECH 0131 (IN 189977)

22 OCT 191057

M

1. FOLLOWING IS A LIST OF EQUIPMENT USED IN PROJECTS
(ONE EACH OF ITEMS LISTED):

A. **LILYNIC:**

TELESCOPE, BALSCOPE BAUSCH AND LOMB;

CAMERA, SP, 35 MM, EXAKTA W/O LENS;

CAMERA, PENTAX MDL H3V;

B. **LICALLA:**

TELESCOPE, S-E, BAUSCH AND LOMB., BALSCOPE;

CAMERA, SP, 35 MM, EXAKTA, W/O LENS;

C. **LIONION:**

BINOCULARS, 10Z50, TASCO, JAP MDL;

TELESCOPE, BAUSCH AND LOMB BALSCOPE SR.;

CAMERA, PENTAX 35 MM;

DRIER, PHOTO PAKORONY MDL 13.;

ENLARGER, LEITZ WEITZLER FOCNIAT 10;

MOTOROLA HANDIE-TALKIE FM RADIOPHONE;

2
Wheeler

SECRET

FILE: LIONION Sup

S E C R E T

Chief of Station, Mexico City
Attn: Walter W. CORNBURY
Chief of Station, Panama City

Chief, FOACRE

AQUATIC/LIONION
Technical Information

Reference: IDMA 31767 dated 11 April 1967

1. LIONION 1 photographic results continue to be satisfactory for all concerned. It is therefore advisable that no changes in procedure be made at this time.

2. It is apparent that LIONION 1 relayed the incorrect developing formula for the pulse camera film. Perhaps this error is due to his inactivity in processing such film for over a year. Since the conception of this operation all pulse camera film has been developed in Microdel X. On the other hand, Tri X film used in the LIONION 2 operation (Pentax camera and Baiscope) has traditionally been developed in Acufine.

3. All pulse camera film is processed at Headquarters by an automatic Huston system. Time and temperature information which the lab uses would be of little value to your development procedure. The results of your recent test indicate that it should be satisfactory for an occasional check on the equipment.

4. The difference between Plus X Negative and Plus X Pan film is worth only one half "f" stop, which should cause no problem if you decide to use the latter.

Albert J. LASCOFF

Distribution:

2 - COS/Mexico City
1 - COS/Panama City

Group 1 - Excluded from
automatic downgrading
and declassification

HMMS 5358

23 April 1967

S E C R E T

1 - TSD/Reg

1 - WH/1

1 - WH/2

1 - TSD/TOPS

2 - POB files

TSD/POB

RWH

ery

2378

WH/1

23 Apr

Mr. Stewart by phone x6955

WH/2

"

Mr. Hidalgo " x5421

TSD/TOPS

"

Mr. Roming in draft

TSD/COP

QUENTIN C. JOHNSON