
ENGINEERING BLUEPRINT / VERSION 0.7

Number-System Universe Construction Blueprint

An engineering blueprint from abstract number systems to dynamic spatial realisation

13 October 2026 • Team Unicorn • Exploratory / unverified

The Whole Number-System Universe Blueprint



Original user-supplied blueprint image, 13 October 2026; phase labels and framing preserved.

The overarching objective is an engineering realisation of an already-defined abstract number system. The integer stepping-stone line is its foundation—not the completed numerical universe.

Layer	Blueprint wording	Implementation meaning
The Blueprint — Abstract Number System	Integers, rationals, reals, operations and relations	The logical specification of what is to be represented
Phase I — Integer Foundation	+1 marking; unbounded integer stepping stones	Successor markers, correct labels, unlimited extension
Phase II — Structural Engineering	Prime-factor checksum; links, reuse, rearrangement	Cumulative certificates, layout and management
Phase III — Numerical Continuum	Rational and real representations between integers	Lazy interval access; division and completeness

Phase IV — Dynamic Mathematical Universe	3D construction, time, Fourier, morphogenesis	Dynamical spatial implementation and propagation

Sequence of layers versus concurrent construction

These phases specify logical layers, not four strictly serial milestones. Successor marking (I), inherited structural certification (II), and time-dependent gait/feedback (IV) operate concurrently from the outset. The numerical continuum (III) needs separately specified representations and completeness rules before it can be implemented.

Construction process: Team Unicorn Relay

Operation	Assignment	Acceptance criterion
설계 / **Design**	Pre-known destination n; choose leg count, candidate prime leg labels, phase, cadence and manufacturing cost	No hard-coded prime success rule
이동·인증 / **Transit**	Travel across and audit the previously certified prefix 0..n−1 using inherited certificates	0/1 exceptions; cache invariants
+1 마킹 / Marking	Final successor +1 from n−1 to n	Exactly one new marker
실수 구간 / **Interval**	Mark interval [n−1,n] as potentially addressable	Promise of representation, not creation of reals
귀환·개선 / **Handover**	Return performance, audit, control and layout information for next generation	Include return and redesign cost

Spatial and informational stack

Layer	Role
1D number line	The visible integer markers and exact successor order
Prime-factor graph	Inherited certificates, multiplicative relationships and caches
3D placement	Cubic placement and spherical expansion as testable hybrid components
4D dynamics	Separate elapsed time τ from generation index t; Fourier and feedback
HQ memory	Inherited state, design updates, time/coordination/entropy cost

Non-negotiable mathematical constraints

- The build implements representations of mathematical numbers; it does not create their mathematical existence.

- Infinity means no fixed finite extension limit, not completion of infinitely many individual markers in finite time.
- Integer markers alone do not implement the real continuum: representation and completion rules are additional.
- The leg count k need not be prime; prime-labelled individual legs do not imply stride equals prime value.
- Report wall-time, operation count, communication, re-layout, coordination and validation separately.

Next engineering milestones

- M1 Implement successor marking with genuinely inherited arithmetic certificates.
- M2 Introduce in-flight feedback using distance remaining to a known target.
- M3 Compare prime/composite/shuffled leg labels and 1–10-second vs 1–1M-target experiments.
- M4 Compare cubic/spherical/hybrid layouts under identical certified workloads.
- M5 Compare physical return, information-only relay and distributed HQ, including generational learning.