Exercise: Objects and Classes

Problems for exercises and homework for the "Technology Fundamentals" course @ SoftUni.

You can check your solutions in Judge.

1. Advertisement Message

Write a program that **generate random fake advertisement message** to extol some product. The messages must consist of 4 parts: **laudatory phrase** + **event** + **author** + **city**. Use the following predefined parts:

- **Phrases** – {"Excellent product.", "Such a great product.", "I always use that product.", "Best product of its category.", "Exceptional product.", "I can't live without this product."}
- **Events** – {"Now I feel good.", "I have succeeded with this product.", "Makes miracles. I am happy of the results!", "I cannot believe but now I feel awesome.", "Try it yourself, I am very satisfied.", "I feel great!"}
- **Authors** – {"Diana", "Petya", "Stella", "Elena", "Katya", "Iva", "Annie", "Eva"}
- **Cities** – {"Burgas", "Sofia", "Plovdiv", "Varna", "Ruse"}

The format of the output message is: **{phrase} {event} {author} – {city}**.

As an input, you take the **number of messages** to be generated. Print each random message at a separate line.

Examples

Input	Output
3	Such a great product. Now I feel good. Elena – Ruse Excelent product. Makes miracles. I am happy of the results! Katya – Varna Best product of its category. That makes miracles. Eva - Sofia

2. Articles

Create an article class with the following properties:

- **Title** – a string
- **Content** – a string
- **Author** – a string

The class should have a constructor and the following methods:

- **Edit (new content)** – change the old content with the new one
- **ChangeAuthor (new author)** – change the author
- **Rename (new title)** – change the title of the article
- override **ToString** – print the article in the following format:
  "{title} - {content}:{author}"

Write a program that reads an article in the following format **"{title}, {content}, {author}"**. On the next line, you will get a number **n**. On the next **n lines,** you will get one of the following commands: **"Edit: {new content}"; "ChangeAuthor: {new author}"; "Rename: {new title}"**. At the end, print the final article.

Follow us:

Example

Input	Output
some title, some content, some author 3 Edit: better content ChangeAuthor: better author Rename: better title	better title - better content: better author

3. Opinion Poll

Using the Person class, write a program that reads from the console **N** lines of personal information and then prints all people whose **age** is **more than 30** years, **sorted in alphabetical order**.

Note: you can use **stream()** to filter people.

Examples

Input	Output
3 Pesho 12 Stamat 31 Ivan 48	Ivan - 48 Stamat – 31
5 Nikolai 33 Yordan 88 Tosho 22 Lyubo 44 Stanislav 11	Lyubo - 44 Nikolai - 33 Yordan – 88

4. Articles 2.0

Change the program, so you can store a **list of articles**. You will not need the methods any more (**except the ToString method**). On the **first line**, you will get a number **n**. On the **next n lines**, you will get some **articles in the same format** as the previous task (**"{title}, {content}, {author}"**). Finally, you will get one of the **three inputs**: **"title", "content", "author"**. You need to **order the articles** alphabetically based on the command and **print them sorted by the given criteria**.

Example

Input	Output
2 Science, planets, Bill Article, content, Johnny title	Article - content: Johnny Science - planets: Bill
3 title1, C, author1 title2, B, author2	title3 – A: author3 title2 – B: author2 title1 – C: author1

SoftUni Foundation

Follow us:

`title3, A, author3` `content`	

5. Students

Write a program that receives an **n count of students** and **orders them by grade** (in **descending**). Each student should have **First name** (string), **Last name** (string) and **grade** (floating-point number).

Input

- First line will be a number **n**
- Next n lines you will get a student info in the format **"{first name} {second name} {grade}"**

Output

- Print each student in the following format **"{first name} {second name}: {grade}"**

Example

Input	Output
4 Lakia Eason 3.90 Prince Messing 5.49 Akiko Segers 4.85 Rocco Erben 6.00	Rocco Erben: 6.00 Prince Messing: 5.49 Akiko Segers: 4.85 Lakia Eason: 3.90

6. Vehicle Catalogue

You have to make a catalogue for vehicles. You will receive two types of vehicle – **car** or **truck**.

Until you receive the command "**End**" you will receive **lines** of **input** in the format:

```
{typeOfVehicle} {model} {color} {horsepower}
```

After the "**End**" command, you will start receiving **models** of **vehicles**. Print for every received vehicle its **data** in the format:

```
Type: {typeOfVehicle}
Model: {modelOfVehicle}
Color: {colorOfVehicle}
Horsepower: {horsepowerOfVehicle}
```

When you receive the command "**Close the Catalogue**", stop receiving input and print the **average horsepower** for the **cars** and for the **trucks** in the format:

"{typeOfVehicles} have average horsepower of {averageHorsepower}."

The **average horsepower** is calculated by **dividing** the **sum** of **horsepower** for **all** vehicles of the type by the **total count** of **vehicles** from the **same type**.

Format the answer to the **2nd decimal point**.

Constraints

- The type of vehicle will always be **car** or **truck**.
- You will not receive the **same model twice**.
- The received horsepower will be integer in the interval **[1…1000]**
- You will receive at most **50** vehicles.
- **Single** whitespace will be used for **separator**.

Examples

Input	Output
truck Man red 200 truck Mercedes blue 300 car Ford green 120 car Ferrari red 550 car Lamborghini orange 570 End Ferrari Ford Man Close the Catalogue	Type: Car Model: Ferrari Color: red Horsepower: 550 Type: Car Model: Ford Color: green Horsepower: 120 Type: Truck Model: Man Color: red Horsepower: 200 Cars have average horsepower of: 413.33. Trucks have average horsepower of: 250.00.

7. Order by Age

You will receive an **unknown** number of lines. On each line, you will receive array with **3** elements. **The first** element will be string and represents the name of the person. **The second** element will be a **string** and will represent the **ID** of the person. **The last** element will be an **integer** and represents the **age** of the person.

When you receive the command "**End**", stop taking input and print **all the people**, **ordered** by **age**.

Examples

Input	Output
Georgi 123456 20 Pesho 78911 15 Stefan 524244 10 End	Stefan with ID: 524244 is 10 years old. Pesho with ID: 78911 is 15 years old. Georgi with ID: 123456 is 20 years old.