

Semiconductor Weather Situation Report

Report type: Point-in-time (PIT) - 2026-09-25 17:47 UTC

Information cutoff: 2026-09-25 17:47 UTC. Reflects only signals received on or before the cutoff.

5 active events. Level after critic review where analyzed; rule level otherwise.

Level	Event	Region	Relevance	WDI	Sources	SOX view	Notified
WATCH	Typhoon:Bavi-26	taiwan	0.54	71 RED	1 feed, 0 outlets	-1.0%	WATCH
ADVISORY	Typhoon:Saudel-26	taiwan	0.71	56 ORANGE	1 feed, 0 outlets	-0.0%	-
ADVISORY	Typhoon:Dolphin-26	taiwan	0.72	51 ORANGE	1 feed, 0 outlets	-	-
ADVISORY	Typhoon:Noul-26	china	0.34	22 GREEN	1 feed, 0 outlets	-	-
ADVISORY	Hurricane:Unnamed (US)	us	0.07	7 GREEN	0 feed, 1 outlets	-	-

[WATCH] Typhoon:Bavi-26 - composite 0.35

Lead source: GDACS (1 hazard feed)

Corroboration: 1 signals, 0 news outlets | **Region:** taiwan | **Market lens:** semicon

Relevance to semicon: 0.54 / 1 (cosine similarity, signal text vs market context)

Exposure score: 0.35 / 1 (distance-decayed site criticality) | **Severity:** 3/3

Bottom line: Typhoon:Bavi-26 implies a base SOX move of -1.0% versus the S&P 500 over days, with evidence still limited.


What happened: GDACS reports Tropical Cyclone BAVI-26 on 2026-07-01. Supplied scoring notes flag a Red alert and semiconductor-site proximity, but no site impacts are confirmed.

Weather Disruption Index (WDI)


71 / 100 - RED

Block	Factor	Raw (0-10)	Weight
Severity	intensity	10.0	0.40
Severity	radius	9.0	0.20
Severity	duration	10.0	0.40
Severity total		9.8	
Vulnerability	concentration	8.8	0.40
Vulnerability	inventory buffers	1.5	0.20
Vulnerability	utility dependency	8.5	0.40
Vulnerability total		7.2	
WDI = severity x vulnerability		71	-

Severity total, by weighted factor



Vulnerability total, by weighted factor



Sites in the impact zone

Site	Type	Distance	Score
Hsinchu Science Park	fab	440 km	0.35
Central Taiwan Science Park (Taichung)	fab	500 km	0.32
Shanghai	fab	301 km	0.21
Wuxi	fab	310 km	0.17

Event and monitored chip sites



Historical precedents

Event	Date	Match	SOX +5d	SOX +20d	Shock mix
Typhoon Morakot, Taiwan	2009-08-07	1.00	-0.7%	-0.0%	Mixed (S1/D1)
Typhoon Soudelor, Taiwan	2015-08-07	1.00	+0.3%	+2.5%	Supply-led (S2/D0)
Typhoon Gaemi, Taiwan	2024-07-24	1.00	-7.3%	-4.5%	Supply-led (S3/D0)
Typhoon Krathon, Kaohsiung	2024-10-03	1.00	+2.9%	-0.8%	Mixed (S1/D0)

Match = type and region similarity (1.00 = same type, same region). SOX = semiconductor index vs S&P 500. Shock mix = supply vs demand evidence in each precedent's source article.

Projected market impact

Expected SOX vs S&P 500 over ~20 trading days: **-1.0%** (range -6.8% to +3.8%) | direction **negative** | confidence **low**. Rule baseline (match-weighted, severity-scaled): -1.0%.

Stock to watch for Typhoon:Bavi-26: TSMC (TSM), today's price on past-event paths



Segment	Tickers	Direction	Why
foundry	TSM	negative	Watch-list only; Taiwan fab disruption needs confirmed track, power, or flooding impacts.
memory	MU	negative	Watch-list only; memory risk needs verified Wuxi-area operations or logistics disruption.
equipment	ASML	negative	Tool and spares delays require confirmed airport, port, or service-route closures.
shipping	ZIM	mixed	Weather closures could delay schedules, but no port disruption is verified.

Market so far (vs S&P 500, as of 2026-09-25)

Ticker	Event window (<=20d)	Last 5 days
PHLX Semiconductor Index	-24.2%	+5.4%
TSMC	-19.1%	+2.6%
Micron	-33.5%	+5.5%
ASML	-19.5%	+2.5%
Intel	-38.9%	+13.3%
ZIM container shipping	-3.0%	-4.7%

Recommended actions

- **Monitor:** Track GDACS and official storm updates for movement toward semiconductor or logistics corridors.
- **Verify impacts:** Require confirmed company, utility, port, airport, rail, or road notices before treating nodes as affected.
- **Attribution:** Do not attribute the -24.2% SOX move to Typhoon:Bavi-26 without confirmed site impacts.

How we scored this

- 1 signals (1 hazard feed, 0 news from 0 outlets); composite 0.35 = exposure 0.35 x severity 3/3.
- Relevance = credibility-weighted cosine similarity of the top-10 signals vs the semiconductor market context (watchlist, node kinds, mechanisms), x3, capped at 1.
- WDI: severity (wind/alert, impact radius, duration) x vulnerability (site concentration, buffers, utility dependency per site type).
- Agents: triage gpt-5.4-mini; research, market analysis, critic (2 rounds, final: revise) and writing gpt-5.5. Level set by critic: WATCH (rules proposed WATCH).
- Caveat: automated early-warning signal, not investment or underwriting advice. Projections are precedent-derived estimates, not observed outcomes. Full evidence and agent trace in the JSON.

[ADVISORY] Typhoon:Saudel-26 - composite 0.21

Lead source: GDACS (1 hazard feed)

Corroboration: 1 signals, 0 news outlets | **Region:** taiwan | **Market lens:** semicon

Relevance to semicon: 0.71 / 1 (cosine similarity, signal text vs market context)

Exposure score: 0.31 / 1 (distance-decayed site criticality) | **Severity:** 2/3

Status: not notified (level ADVISORY below notify threshold WATCH). Monitoring brief only.

Bottom line: Typhoon:Saudel-26 is expected to have negligible SOX impact versus the S&P 500, with a base move of -0.0% over weeks.


What happened: GDACS classified Typhoon:Saudel-26 as an Orange-alert event in the Taiwan region. No evidence provided confirms fab shutdowns, port closures, power outages, flooding, or semiconductor casualties.

Weather Disruption Index (WDI)


56 / 100 - ORANGE

Block	Factor	Raw (0-10)	Weight
Severity	intensity	8.5	0.40
Severity	radius	9.0	0.20
Severity	duration	10.0	0.40
Severity total		9.2	
Vulnerability	concentration	6.5	0.40
Vulnerability	inventory buffers	2.6	0.20
Vulnerability	utility dependency	7.4	0.40
Vulnerability total		6.1	
WDI = severity x vulnerability		56	-

Severity total, by weighted factor



Vulnerability total, by weighted factor




Sites in the impact zone

Site	Type	Distance	Score
Taiwan Strait	chokepoint	215 km	0.31
Southern Taiwan Science Park (Tainan)	fab	303 km	0.20
Central Taiwan Science Park (Taichung)	fab	330 km	0.14
Kaohsiung	fab	319 km	0.14

Event and monitored chip sites



Impact zone



Historical precedents

Event	Date	Match	SOX +5d	SOX +20d	Shock mix
Typhoon Morakot, Taiwan	2009-08-07	1.00	-0.7%	-0.0%	Mixed (S1/D1)
Typhoon Soudelor, Taiwan	2015-08-07	1.00	+0.3%	+2.5%	Supply-led (S2/D0)
Typhoon Gaemi, Taiwan	2024-07-24	1.00	-7.3%	-4.5%	Supply-led (S3/D0)
Typhoon Krathon, Kaohsiung	2024-10-03	1.00	+2.9%	-0.8%	Mixed (S1/D0)

Match = type and region similarity (1.00 = same type, same region). SOX = semiconductor index vs S&P 500. Shock mix = supply vs demand evidence in each precedent's source article.

Projected market impact

Expected SOX vs S&P 500 over ~20 trading days: **-0.0%** (range -6.8% to +3.8%) | direction **negligible** | confidence **low**. Rule baseline (match-weighted, severity-scaled): -1.0%.

Stock to watch for Typhoon:Saudel-26: PHLX Semiconductor Index (SOX), today's price on past-event paths



Segment	Tickers	Direction	Why
foundry	TSM	negligible	No confirmed Taiwan fab outage; exposure is only conditional logistics or utility risk.
memory	MU	negligible	Taiwan-linked memory risk lacks confirmed power, fab, or shipment disruption.
equipment	ASML	negligible	Spare-parts or field-service delays remain unconfirmed and likely event-limited.
shipping	ZIM	mixed	Storm-related strait disruption is unconfirmed, while freight sentiment can diverge.

Market so far (vs S&P 500, as of 2026-09-25)

Ticker	Event window (<=20d)	Last 5 days
PHLX Semiconductor Index	-9.4%	+5.4%
TSMC	-1.9%	+2.6%

Ticker	Event window (<=20d)	Last 5 days
Micron	-6.3%	+5.5%
ASML	-13.4%	+2.5%
Intel	-4.1%	+13.3%
ZIM container shipping	+4.7%	-4.7%

Recommended actions

- **Monitor:** Check GDACS, JMA/CWB, and Taiwan port notices for current disruption evidence.
- **Company check:** Watch TSM, MU, ASE, science-park, and utility statements for delayed shutdown disclosures.
- **Attribution:** Treat ASML and broader SOX weakness as non-weather-driven unless logistics evidence appears.
- **Expedite:** Move critical spares only if ports, flights, or roads show confirmed suspensions.

How we scored this

- 1 signals (1 hazard feed, 0 news from 0 outlets); composite $0.21 = \text{exposure } 0.31 \times \text{severity } 2/3$.
- Relevance = credibility-weighted cosine similarity of the top-10 signals vs the semiconductor market context (watchlist, node kinds, mechanisms), x3, capped at 1.
- WDI: severity (wind/alert, impact radius, duration) x vulnerability (site concentration, buffers, utility dependency per site type).
- Agents: triage gpt-5.4-mini; research, market analysis, critic (2 rounds, final: revise) and writing gpt-5.5. Level set by critic: ADVISORY (rules proposed WATCH).
- Caveat: automated early-warning signal, not investment or underwriting advice. Projections are precedent-derived estimates, not observed outcomes. Full evidence and agent trace in the JSON.