

GConta API

Gestão de Conta

More information: <https://www.linkedin.com/in/ivan-santos-de-jesus-3790493a>

Contact Info: ivansjesus.ti@gmail.com

Version: v1

BasePath:

All rights reserved

<http://apache.org/licenses/LICENSE-2.0.html>

Access

Methods

[[Jump to Models](#)]

Table of Contents

[Conta](#)

- [PUT /api/BloquearConta/{id}](#)
- [POST /api/CriarConta](#)
- [GET /api/Saldo/{id}](#)

[Transacao](#)

- [POST /api/Deposito](#)
- [GET /api/Extrato/{id}](#)
- [GET /api/ExtratoPeriodo/{id}](#)
- [POST /api/Saque](#)

Conta

[Up](#)

PUT /api/BloquearConta/{id}

Bloqueia uma conta (`apiBloquearContaByldPut`)

Path parameters

id (required)

Path Parameter — format: int32

Return type

[ResponseApi](#)

Example data

Content-Type: application/json

```
{
  "success" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseApi](#)

400

Bad Request [ResponseErro](#)

[Up](#)

POST /api/CriarConta

Cria uma nova conta ([apiCriarContaPost](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json-patch+json
- application/json
- text/json
- application/*+json

Request body

conta [ContaViewModel](#) (optional)

Body Parameter —

Return type

[ResponseConta](#)

Example data

Content-Type: application/json

```
{
  "success" : true,
  "conta" : {
    "idPessoa" : 6,
    "idConta" : 0,
    "limiteSaqueDiario" : 1.4658129805029452,
    "tipoConta" : 5
  }
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseConta](#)

400

Bad Request [ResponseErro](#)

[Up](#)

GET /api/Saldo/{id}

Consulta o saldo da conta ([apiSaldoByIdGet](#))

Path parameters

id (required)

Path Parameter — format: int32

Return type

[ResponseApi](#)

Example data

Content-Type: application/json

```
{
  "success" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseApi](#)

400

Bad Request [ResponseErro](#)

Transacao

[Up](#)

POST /api/Deposito

Efetua um depósito ([apiDepositoPost](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json-patch+json
- application/json
- text/json
- application/*+json

Request body

deposito [TransacaoViewModel](#) (optional)

Body Parameter — transação de depósito

Return type

[ResponseApi](#)

Example data

Content-Type: application/json

```
{
  "success" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseApi](#)

400

Bad Request [ResponseErro](#)

[Up](#)

GET /api/Extrato/{id}

Obtem o Extrato da conta ([apiExtratoByIdGet](#))

Path parameters

id (required)

Path Parameter — id da Conta format: int32

Return type

[ResponseExtrato](#)

Example data

Content-Type: application/json

```
{
  "success" : true,
  "extrato" : [ {
    "idTransacao" : 0,
    "valor" : 6.027456183070403,
    "dataTransacao" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "idTransacao" : 0,
    "valor" : 6.027456183070403,
    "dataTransacao" : "2000-01-23T04:56:07.000+00:00"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseExtrato](#)

400

Bad Request [ResponseErro](#)

[Up](#)

GET /api/ExtratoPeriodo/{id}

Obtem o Extrato da conta por período ([apiExtratoPeriodoByIdGet](#))

Path parameters

id (required)

Path Parameter — id da Conta format: int32

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json-patch+json

- application/json
- text/json
- application/*+json

Request body

período [Período](#) (optional)
Body Parameter — Período

Return type

[ResponseExtrato](#)

Example data

Content-Type: application/json

```
{
  "success" : true,
  "extrato" : [ {
    "idTransacao" : 0,
    "valor" : 6.027456183070403,
    "dataTransacao" : "2000-01-23T04:56:07.000+00:00"
  }, {
    "idTransacao" : 0,
    "valor" : 6.027456183070403,
    "dataTransacao" : "2000-01-23T04:56:07.000+00:00"
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseExtrato](#)

400

Bad Request [ResponseErro](#)

[Up](#)

POST /api/Saque

Efetua um saque ([apiSaquePost](#))

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json-patch+json
- application/json
- text/json
- application/*+json

Request body

saque [TransacaoViewModel](#) (optional)
Body Parameter — transação de saque

Return type

[ResponseApi](#)

Example data

Content-Type: application/json

```
{
  "success" : true
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json

Responses

200

Success [ResponseApi](#)

400

Bad Request [ResponseErro](#)

Models

[[Jump to Methods](#)]

Table of Contents

1. [ContaViewModel -](#)
2. [ExtratoViewModel -](#)
3. [Periodo -](#)
4. [ResponseApi -](#)
5. [ResponseConta -](#)
6. [ResponseErro -](#)
7. [ResponseExtrato -](#)
8. [TransacaoViewModel -](#)

ContaViewModel -

[Up](#)

idConta (optional)

[Integer](#) format: int32

idPessoa (optional)

[Integer](#) format: int32

limiteSaqueDiario (optional)

[Double](#) format: double

tipoConta (optional)

[Integer](#) format: int32

ExtratoViewModel -

[Up](#)

idTransacao (optional)

[Integer](#) format: int32

dataTransacao (optional)

[Date](#) format: date-time

valor (optional)

[Double](#) format: double

Periodo -

[Up](#)

dtInicial (optional)

[Date](#) format: date-time

dtFinal (optional)

[Date](#) format: date-time

ResponseApi -

[Up](#)

success (optional)

[Boolean](#)

ResponseConta -

[Up](#)

success (optional)

[Boolean](#)

conta (optional)

[ContaViewModel](#)

ResponseErro -

[Up](#)

sucess (optional)

[Boolean](#)

errors (optional)

[array\[String\]](#)

ResponseExtrato -

[Up](#)

success (optional)

[Boolean](#)

extrato (optional)

[array\[ExtratoViewModel\]](#)

TransacaoViewModel -

[Up](#)

idConta (optional)

[Integer](#) format: int32

valor (optional)

[Double](#) format: double