

Tic Tac Toe

This API allows writing down marks on a Tic Tac Toe board and requesting the state of the board or of individual squares.

Version 1.0.0

Revisions

Date	Version	Author	Description
2024-06-01	1.0.0		
2024-06-15	1.1.0		
2024-07-01	1.2.0		

Summary

[OpenAPI JSON](https://raw.githubusercontent.com/OAI/learn.openapis.org/refs/heads/main/examples/v3.1/tictactoe.json): <https://raw.githubusercontent.com/OAI/learn.openapis.org/refs/heads/main/examples/v3.1/tictactoe.json>

Table of Contents

Gameplay

GET	/board	Get the whole board
GET	/board/{row}/{column}	Get a single board square
PUT	/board/{row}/{column}	Set a single board square

REST Api

GET /board

Get the whole board

Retrieves the current state of the board and the winner.

Responses

200 OK

Content-type: application/json

See referenced schema [status](#)

GET /board/{row}/{column}

Get a single board square

Retrieves the requested square.

Responses

200 OK

Content-type: application/json

See referenced schema [mark](#)

400 The provided parameters are incorrect

Content-type: text/html

See referenced schema [errorMessage](#)

PUT /board/{row}/{column}

Set a single board square

Places a mark on the board and retrieves the whole board and the winner (if any).

Responses

200 OK

Content-type: application/json

See referenced schema [status](#)

400 The provided parameters are incorrect

Content-type: text/html

See referenced schema [errorMessage](#)

Schemas

errorMessage

Type: string

Example:

"string"

coordinate

Type: integer

Example:

1

mark

Type: string

Example:

". "

board

Type: array

winner

Type: string

Example:

". "

status

Type: object

Properties

winner

Winner of the game. . means nobody has won yet.

See referenced schema [winner](#)

board

See referenced schema [board](#)

