

Tic Tac Toe

REST API Reference

This API allows writing down marks on a Tic Tac Toe board and requesting the state of the board or of individual squares.

Version 1.0.0

Revisions

Date	Version	Author	Description
2024-06-01	1.0.0		
2024-06-15	1.1.0		
2024-07-01	1.2.0		

Summary

[OpenAPI](#) JSON:

Table of Contents

Gameplay

GET	/board	Get the whole board
GET	/board/{row}/{column}	Get a single board square
PUT	/board/{row}/{column}	Set a single board square

REST Api

Get the whole board

Retrieves the current state of the board and the winner.

Method GET
Path /board

Responses

Response 200 OK
application/json for status See referenced schema [status](#)
200

Get a single board square

Retrieves the requested square.

Method GET
Path /board/{row}/{column}

Responses

Response 200 OK
application/json for status See referenced schema [mark](#)
200

Response 400 The provided parameters are incorrect
text/html for status 400 See referenced schema [errorMessage](#)

Set a single board square

Places a mark on the board and retrieves the whole board and the winner (if any).

Method PUT
Path /board/{row}/{column}

Request Body

Required Yes
Description No description available
Content-type application/json
Schema for application/json See referenced schema [mark](#)

Responses

Response 200 OK
application/json for status See referenced schema [status](#)
200

Response 400 The provided parameters are incorrect
text/html for status 400 See referenced schema [errorMessage](#)

Schemas

errorMessage

Type: string

Example:

"string"

coordinate

Type: integer

Example:

1

mark

Type: string

Example:

"."

board

Type: array

winner

Type: string

Example:

"."

status

Type: object

Properties

Name	Required	Type	Description
winner			Winner of the game. . means nobody has won yet. See referenced schema winner
board			 See referenced schema board

