

Pregled ukupnih ocjena

8 alata · Svi podaci + popravci



SEO analiza

Određišna
stranica za
Google AdsAEO / AI SEO
spremnostGEO /
Generativni
pretraživačiProvjera
neispravnih
vezaOptimizacija
slikaInterno
povezivanjeSitemap i
Robots.txt

SEO analiza

24 prolazi · 3 upoz · 0 grešaka

Ocjena 84

PROLAZI

Robots.txt

Pronađena važeća datoteka robots.txt

PROLAZI

XML Sitemap

Pronađen XML sitemap

PROLAZI

Naslov stranice

Naslov: "MagićMarinac"

PROLAZI

Meta opis

Duljina opisa: 126

PROLAZI

Duljina sadržaja

Stranica sadrži 1129 riječi

PROLAZI

H1 tagovi

Pronađeno 1 H1 tag

PROLAZI

Hijerarhija naslova

Stranica organizirana s H2 (21), H3 (9), H4 (4), H5 (0), H6 (0)

PROLAZI

Organizacija sadržaja

Pronađeno 9 popisa s točkama, 0 numerirani popisa

PROLAZI

Slike za razbijanje teksta

Pronađeno 27 slika za razbijanje tekstualnog sadržaja

PROLAZI

Alt oznake slika

100% slika ima alt oznake (27/27)

PROLAZI

Opisni nazivi datoteka

27/27 slika ima opisne nazive datoteka

UPOZORENJE

Točnost i ažurnost informacija

Pronađeno 0 datumskih elemenata

Popravlak:

Dodajte datum objave ili zadnje izmjene:

<meta property="article:published_time" content="2024-01-15T08:00:00Z">

<meta property="article:modified_time" content="2024-06-01T10:00:00Z">

Ili dodajte vidljivi datum u sadržaj.

PROLAZI Čista URL struktura

URL prati SEO-friendly strukturu

PROLAZI Kanonički URL

Kanonički URL postavljen: <https://magicmarinac.hr/>

PROLAZI Mobilni viewport

Viewport: width=device-width, initial-scale=1, shrink-to-fit=no, viewport-fit=cover

PROLAZI HTTPS sigurnost

Web-stranica koristi HTTPS

PROLAZI HTTP → HTTPS preusmjeravanje

HTTP preusmjerava na HTTPS (301)

PROLAZI WWW / Non-WWW preusmjeravanje

www verzija ispravno preusmjerava na non-www (301)

PROLAZI Lanac preusmjeravanja

Nema otkrivenih preusmjeravanja — URL se razrješava izravno

PROLAZI HTML tagovi za strukturu

35 oznaka naslova, 9 oznaka liste pronađeno

PROLAZI ARIA oznake

8/1 interaktivnih elemenata s ARIA oznakama

PROLAZI Alt tekst slika

27/27 slika ima alt tekst

UPOZORENJE Pokazatelji kontrasta boja

Nije pronađeno očito stiliziranje boja

PROLAZI Čitljivost teksta

Nije otkriven potencijalno mali tekst

UPOZORENJE Razmak između redova

Pronađeno 22 odlomaka — provjerite razmak između redova

PROLAZI Hijerarhija naslova

Pronađena ispravna hijerarhija naslova

PROLAZI Kvaliteta teksta sidra

35/35 veza ima opisni tekst sidra

PROLAZI TTFB — Clean URL

35ms je brzina odgovora za čisti URL

PROLAZI TTFB — With Ads Parameters

114ms je brzina odgovora s parametrima gclid i utm (+79ms u usporedbi s čistim URL-om)

PROLAZI CDN i rubno predmemoriranje

Cloudflare otkriven s aktivnim rubnim predmemoriranjem

PROLAZI

Fragmentacija predmemorije — User-Agent Vary

Predmemorija ne varira prema User-Agentu — dobro za konzistentnost Ads prometa

PROLAZI

Fragmentacija predmemorije — Query String

Parametri upita ne fragmentiraju predmemoriju — Ads promet može iskoristiti predmemorirane odgovore

PROLAZI

Lanac preusmjerenja

Nema preusmjerenja — stranica se poslužuje izravno

PROLAZI

Infrastruktura hostinga

Poslužitelj: cloudflare — bez pokazatelja dijeljenog hostinga

PROLAZI

Relevantnost ključnih riječi (Above Fold)

Ključne riječi naslova pronađene u vidljivom sadržaju — podudaranje poruke je snažno

PROLAZI

Vidljivost CTA-a bez pomicanja

CTA vidljiv iznad ruba: "Naši projekti Naši projekti"

PROLAZI

Stabilnost izgleda (CLS rizik)

Nisu otkriveni značajni rizici pomaka izgleda

PROLAZI

Podaci stvarnih korisnika (CrUX)

Dostignut limit zahtjeva PageSpeed Insights. CrUX podaci trenutno ne mogu biti dohvaćeni.

PROLAZI

JSON-LD strukturirani podaci

Pronađeno 2 shema: Organization, ProfessionalService, FAQPage

PROLAZI

FAQ schema markup

Otkriven FAQ schema markup — prikladan za rich results i AI ekstrakciju

PROLAZI

Naslovi u obliku pitanja

Pronađeno 9 naslov(a) u obliku pitanja: "Što je uključeno u standardnoj izradi web stranice?", "Radite li optimizaciju za AI pretrage, AEO i GEO?", "Koje su najbolje tvrtke za izradu web stranica u Hrvatskoj?"

PROLAZI

Odlomci s izravnim odgovorima

Pronađeno 13 odlomak(a) u idealnom rasponu od 40–300 znakova za AI ekstrakciju

UPOZORENJE

Popisi i strukturirani sadržaj

Popisi: Da, Tablice: Ne, Upute korak-po-korak: Ne



Popravlak:

STEP 1 — Add ordered lists for processes/steps:

```
<ol>
  <li>First, identify your target queries</li>
  <li>Research how AI currently answers them</li>
  <li>Create content that directly answers each query</li>
</ol>
```

STEP 2 — Add comparison tables for data-rich content:

```
<table>
  <thead>
    <tr><th>Feature</th><th>Option A</th><th>Option B</th></tr>
  </thead>
  <tbody>
    <tr><td>Price</td><td>$10/mo</td><td>$20/mo</td></tr>
    <tr><td>Storage</td><td>10 GB</td><td>50 GB</td></tr>
  </tbody>
</table>
```

STEP 3 — Add definition lists for glossary/terms:

```
<dl>
  <dt>AEO</dt>
  <dd>Answer Engine Optimization — optimizing content for AI search</dd>
</dl>
```

KRITIČNO

Signali autora i stručnosti (E-E-A-T)

Nema podataka o autoru | Nema datuma objave | Nema datuma zadnje izmjene | Stranica 'O nama' je povezana

Popravlak:

STEP 1 — Add author information to your content:

```
<div class="author-bio" itemprop="author" itemscope itemtype="https://schema.org/Person">
  
  <span itemprop="name">Author Name</span>
  <span itemprop="jobTitle">Senior SEO Specialist</span>
  <p>10+ years of experience in digital marketing...</p>
</div>
```

STEP 2 — Add publication and modified dates:

```
<time datetime="2025-01-15" itemprop="datePublished">January 15, 2025</time>
<time datetime="2025-02-10" itemprop="dateModified">Updated: February 10, 2025</time>
```

STEP 3 — Add author schema in JSON-LD:

Include "author": { "@type": "Person", "name": "...", "url": "..." } in your Article or WebPage schema.

STEP 4 — Create or link to an About page:

AI systems check for organizational authority pages.
Link to /about or /o-nama from your main navigation.

UPOZORENJE

Citati i reference izvora

Citati: 0, Vanjske poveznice na izvore: 4, Statistike prisutne: Ne



Popravak:

STEP 1 — Add inline citations to claims:
<p>According to a 2025 study by Research Corp, 75% of users prefer AI-generated summaries over traditional search results.</p>

STEP 2 — Use <cite> for formal references:
<blockquote>
<p>"AI search will account for 30% of all queries by 2026."</p>
<cite>— Gartner Research Report, 2025</cite>
</blockquote>

STEP 3 — Include original data and statistics:
• Include specific numbers, percentages, dates
• Reference the source and methodology
• Use data visualization (charts, tables) with descriptive alt text

STEP 4 — Add a References/Sources section:
<h2>Sources & References</h2>

Study Name — Organization, Year

PROLAZI

Semantička HTML struktura

Hijerarhija naslova: Ispravna | Semantički elementi: article, section, nav, footer, main | Sekcije: 11 | H1: 1, H2: 21, H3: 9

UPOZORENJE

Sadržaj (Table of Contents)

Pronađene 11 sekcije sadržaja, ali nema popisa sadržaja

Popravak:

STEP 1 — Add an HTML table of contents:
<nav aria-label="Table of contents">
<h2>Table of Contents</h2>

What Is AEO?
How Does It Work?
Implementation Steps

</nav>

Then add matching IDs to your headings:
<h2 id="section-1">What Is AEO?</h2>

STEP 2 — WordPress: Use a Table of Contents plugin
• Easy Table of Contents (automatic generation)
• Yoast SEO includes TOC blocks
• Rank Math has built-in TOC support

STEP 3 — For long content (1500+ words), always include a TOC.
AI systems use TOCs to understand content scope and jump to relevant sections.

PROLAZI

Shema organizacije / entiteta

Pronađena shema Organization/LocalBusiness — identitet entiteta uspostavljen

PROLAZI

Dostupnost AI crawlerima

Svim većim AI crawlerima je dozvoljen pristup vašem sadržaju

PROLAZI

Kvaliteta meta opisa

Meta opis: 126 znakova (idealno: 120–160)

PROLAZI

Open Graph metapodaci

Otkriveni Open Graph tagovi — dijeljenje sadržaja je optimizirano

PROLAZI

Kanonski URL

Kanonski URL deklariran — sprječava zabunu oko duplikatnog sadržaja

PROLAZI

Dubina i sveobuhvatnost sadržaja

Broj riječi: 1129 | Ocjena dubine sadržaja: 90/100 | Definicije: Ne

PROLAZI

Deklaracija jezika

Atribut jezika deklariran na <html> tagu

Popravlak: Uspostavite autoritet autora (E-E-A-T)

Nisu pronađeni podaci o autoru. AI sustavi daju prednost sadržaju od prepoznatljivih, vjerodostojnih autora s dokazanom stručnošću.

Popravlak: Dodajte popis sadržaja

Vaš sadržaj ima više sekcija, ali nema popisa sadržaja. Popis sadržaja pomaže AI sustavima razumjeti opseg sadržaja i navigirati do relevantnih sekcija.

PROLAZI

Akreditivi autora

Autor identificiran: Magićmarinac d.o.o.

PROLAZI

Vanjske reference

Pronađeno 4 vanjskih referenci na izvore

KRITIČNO

Citati stručnjaka i izvori

Nisu pronađeni citati stručnjaka ni atribucija

Popravlak:

STEP 1 — Pick 2–3 claims in your article that would benefit from expert authority (best practices, predictions, contested points). For each, find a relevant expert: an industry leader, a published academic, a senior in-house specialist, or a frequently cited source.

STEP 2 — Reach out for a 1–2 sentence quote (LinkedIn DM, email, podcast clip, public statement). Even repurposing an existing public quote with proper attribution is acceptable.

STEP 3 — Use a real <blockquote> with attribution — AI parsers look for this exact pattern:

```
<blockquote cite="https://source.com/article">
  <p>"Schema markup is now a baseline requirement, not a competitive advantage."</p>
  <footer>
    — <cite>Lily Ray, VP of SEO Strategy at Amsive Digital</cite>
  </footer>
</blockquote>
```

STEP 4 — Reference data from named studies in-line: "A 2024 Backlinko study of 11.8M Google search results found that..." Always include the year, the source organization, and the sample size when relevant.

STEP 5 — Add Quotation/ClaimReview JSON-LD schema for major quotes when applicable so AI engines can extract the speaker, the claim, and the source automatically.

UPOZORENJE

Originalno istraživanje

Nije otkriveno originalno istraživanje ni vlastiti podaci

Popravlak:

Original research is the single biggest differentiator in AI citations — generative engines preferentially cite the *primary source* of any data point.

STEP 1 — Audit what proprietary data you already have: customer survey results, anonymized usage analytics, A/B test outcomes, internal benchmarks, support ticket trends, conversion-rate data per channel.

STEP 2 — Pick one shareable dataset and publish a focused study. Minimum format:

- A clear methodology section (sample size, time period, how data was collected)
- 3–5 headline findings with specific numbers
- Charts/tables that visualize the data
- A downloadable PDF or CSV for transparency

STEP 3 — Mark it up clearly so AI engines recognize it as primary research:

```
<article itemscope itemtype="https://schema.org/Report">
  <h1 itemprop="name">2025 Croatian E-Commerce Conversion Benchmark Study</h1>
  <meta itemprop="datePublished" content="2025-03-01" />
  <p>Methodology: <span itemprop="description">Analyzed 1.2M sessions across 47 Croatian e-commerce sites...</span></p>
</article>
```

STEP 4 — Promote it: pitch journalists, share on LinkedIn with key stats, and link from your top-traffic pages so the study accumulates backlinks (which feeds back into AI authority signals).

PROLAZI**Čitljivost sadržaja**

Ocjena čitljivosti: 85/100, prosj. duljina rečenice: 18 riječi

PROLAZI**Sažimljivost za AI**

Sažimljivost: 100/100, 5 ekstraktibilnih isječaka

PROLAZI**Jasnoća odlomaka**

94% odlomaka je dobro veličine (10–80 riječi)

KRITIČNO**Statistike i podaci**

Nisu pronađene statistike ni kvantitativni podaci

Popravlak:

Pages with concrete numbers get cited 3–5× more often by AI engines than those with only general claims.

STEP 1 — Replace vague qualifiers with hard numbers wherever possible: "many users" → "73% of users"; "fast loading" → "loads in under 1.2 seconds"; "significant improvement" → "47% increase in conversions".

STEP 2 — Each long-form page should contain at least 5–8 specific data points. Sources to mine:

- Industry reports (Statista, Backlinko, Ahrefs, Semrush)
- Government data (gov, eu, eurostat)
- Academic studies (Google Scholar)
- Your own analytics, A/B tests, customer surveys

STEP 3 — Format numbers so AI parsers and screen readers handle them correctly:

```
<p>Mobile traffic accounted for <strong>62.5%</strong> of global page views in <time datetime="2024">2024</time>
(<a href="https://www.statista.com/...">Statista, 2024</a>).</p>
```

STEP 4 — When showing multiple data points, use a real HTML <table> with <thead>/<tbody> — AI engines extract these reliably and can cite individual rows.

UPOZORENJE**Originalni podaci i istraživanje**

Nisu otkriveni originalni podaci ni vlastito istraživanje

Popravlak:

STEP 1 — Take stock of the proprietary data you can publish: aggregated customer survey responses, anonymized analytics (CTR, conversion rate by segment), benchmark studies of your category, A/B-test outcomes, support-ticket trends.

STEP 2 — Pick ONE dataset and write a 1,000–1,500 word findings post. Required structure:

- Title that names the metric and the year ('2025 SaaS Onboarding Benchmark Report').
- Methodology paragraph (sample size, time window, segmentation).
- 3–5 headline findings, each its own H2 with a specific number.
- At least one chart (PNG with descriptive alt) or HTML <table>.
- Limitations / caveats section — increases trust, AI engines reward this.

STEP 3 — Make the data discoverable for AI:

<p>Our analysis of 1,247 Croatian SMB websites (Q1 2025) found that 68% ship without an SSL certificate on at least one subdomain.</p>

STEP 4 — Add Dataset/Report schema and link from at least 3 high-authority pages on your own site — internal linking accelerates indexation and AI citation.

UPOZORENJE**Jedinstveni uvidi i iskustvo**

Nema jedinstvenih uvida.

Popravlak:

Google's E-E-A-T framework added an extra E for "Experience" specifically because AI overviews reward first-hand accounts.

STEP 1 — Add at least one first-person passage per article that demonstrates real experience: "When we migrated our store to Shopify in 2023, we discovered...". Generic, voice-less content is the easiest for AI to dismiss.

STEP 2 — Include 2–3 specific anecdotes/examples per long article:

- A real customer name and outcome (with permission).
- A failure or counter-intuitive finding from your own work.
- A before/after metric you personally measured.

STEP 3 — Mark up first-person content so AI engines tag it as experiential:

```
<section itemscope itemtype="https://schema.org/Review">
  <p itemprop="reviewBody">After running this approach across 14 client sites, we saw an average...</p>
  <span itemprop="author" itemscope itemtype="https://schema.org/Person">
    <span itemprop="name">Marko Horvat</span></span>
</section>
```

STEP 4 — Avoid generic AI-written paragraphs that read identically to every other site in your space. Test by Googling a sentence in quotes — if 50 results come back, rewrite.

UPOZORENJE**Studije slučaja**

Nisu otkrivene studije slučaja ni konkretni primjeri

Popravlak:

STEP 1 — Pick 2–3 strongest customer wins and write each as a focused case study (600–1,000 words). Use this proven structure:

- Client + industry + size
- Challenge (with specific pain metrics)
- Approach (what you did, why, what you considered and rejected)
- Result (3–5 specific before/after metrics)
- Quote from the client

STEP 2 — Even within regular articles, embed mini-case-study callouts:

```
<aside class="mini-case" aria-label="Real-world example">
  <h3>Example: Walden Plants</h3>
  <p>By restructuring their product schema, organic traffic to category pages rose from 12,400 to 18,900 monthly sessions (+52%) in 90 days.</p>
</aside>
```

STEP 3 — Add CaseStudy / Article schema with publisher, datePublished, and customer mentions so AI engines can cite the specific case rather than just the parent article.

STEP 4 — Cross-link case studies from related solution/service pages — internal links from high-intent pages signal that the case is the primary proof for the surrounding claim.

PROLAZI Pokrivenost entiteta u naslovima

80% primarnih entiteta pojavljuje se u naslovima

PROLAZI Tematska dubina

Tematska dubina: 100/100 s 10 primarnih entiteta

PROLAZI Sadržaj u više formata

5 format(a) sadržaja: Images, Video, Interactive, Charts/Graphs, Lists

PROLAZI Vizualni sadržaj

27 slika, 1 videozapis(a)

UPOZORENJE Tablice strukturiranih podataka

Nisu pronađene tablice s podacima za strukturirani prikaz

Popravlak:

Tables are one of the highest-value formats for AI engines — generative answers often cite individual rows verbatim.

STEP 1 — Look for content already in your page that should be a table: comparisons, pricing, specs, schedules, before/after metrics, feature matrices.

STEP 2 — Convert to a real semantic `<table>`, NOT a CSS grid of `<div>`s — AI parsers ignore divs:

```
<table>
<caption>2025 Hosting Plan Comparison</caption>
<thead>
  <tr><th scope="col">Plan</th><th scope="col">Storage</th><th scope="col">Bandwidth</th><th scope="col">Price/
mo</th></tr>
</thead>
<tbody>
  <tr><th scope="row">Starter</th><td>10 GB</td><td>100 GB</td><td>€4.99</td></tr>
  <tr><th scope="row">Pro</th><td>50 GB</td><td>500 GB</td><td>€9.99</td></tr>
</tbody>
</table>
```

STEP 3 — Add Table-friendly schema where appropriate (Product schema for pricing tables, Dataset schema for benchmark tables, FAQPage schema if rows are Q&A).

STEP 4 — Keep tables under ~10 columns for parsability. For larger datasets, split into multiple focused tables, each with its own `<caption>`.**Popravlak: Popravite: Citati stručnjaka i izvori**

Uključite citate stručnjaka, podatke iz studija ili profesionalnu atribuciju.

Popravlak: Popravite: Statistike i podaci

Dodajte specifične brojeve, postotke i podatke kako bi sadržaj bio lakše citiran.

Popravlak: Poboljšajte: Originalno istraživanje

Uključite vlastite podatke, ankete ili originalne nalaze za diferencijaciju.

Popravlak: Poboljšajte: Originalni podaci i istraživanje

Uključite vlastite podatke, rezultate anketa ili jedinstvene nalaze.

Popravlak: Poboljšajte: Jedinstveni uvidi i iskustvo

Podijelite osobno iskustvo, jedinstvene perspektive ili vlastite uvide.



Provjera neispravnih veza

1 prolazi · 0 upoz · 0 grešaka

Ocjena 100

PROLAZI

20 Radi

22 Ukupno



Optimizacija slika

3 prolazi · 0 upoz · 0 grešaka

Ocjena 61

PROLAZI

Bez alt teksta

0 / 18

PROLAZI

Moderni format

10 / 18

PROLAZI

S alt tekstom

18 / 18

Popravlak: Dodajte loading="lazy" na 18 slike za poboljšanje brzine učitavanja stranice.

Primjer:

```

```

Napomena: Ne primjenjujte lazy loading na slike koje su iznad reza stranice.

Popravlak: Dodajte atribut srcset na 12 slike za responzivnu isporuku slika.

Primjer:

```

```

Popravlak: Konvertirajte 8 slike u WebP ili AVIF format za manje veličine datoteka.

Korištenjem <picture> elementa:

```
<picture>
<source srcset="photo.avif" type="image/avif">
<source srcset="photo.webp" type="image/webp">

</picture>
```

Konvertirajte s: `cwebp photo.jpg -o photo.webp`

Popravlak: Komprimirajte 3 prevelike slike (>200KB) za poboljšanje vremena učitavanja.

Alati: TinyPNG, ImageOptim ili Squoosh.app

Cilj: <100KB za većinu web slika

CLI: `npx @squoosh/cli --webp auto photo.jpg`



Interno povezivanje

3 prolazi · 0 upoz · 0 grešaka

Ocjena 90

PROLAZI

Opisne

33 / 33

PROLAZI

Generičke

0 / 33

PROLAZI

Jedinstvene veze

20 / 33

Popravlak: Dodajte duboke linkove na unutarne stranice (3+ razine dubine) za poboljšanje dubine crawlanja



Sitemap i Robots.txt

2 prolazi · 0 upoz · 0 grešaka

Ocjena 100

PROLAZI

Robots.txt

Pronađen

PROLAZI

Sitemap

Pronađen