



SEO analiza		24 prolazi · 3 upoz · 0 grešaka	Ocjena 84
PROLAZI	Robots.txt	Valid robots.txt file found	
PROLAZI	XML Sitemap	XML sitemap found	
PROLAZI	Page Title	Title: "MagićMarinac"	
PROLAZI	Meta Description	Description length: 126	
PROLAZI	Content Length	Page contains 1129 words	
PROLAZI	H1 Tags	1 H1 tag found	
PROLAZI	Heading Hierarchy	Page organized with H2s (21), H3s (9), H4s (4), H5s (0), H6s (0)	
PROLAZI	Content Organization	9 bullet lists, 0 numbered lists found	
PROLAZI	Images to Break Up Text	27 images found to break up text content	
PROLAZI	Image Alt Tags	100% of images have alt tags (27/27)	
PROLAZI	Keyword and Meta Filenames	27/27 images have descriptive filenames	
UPOZORENJE	Information Accurate and Up to Date	0 date elements found	
Popravlak: Add a publication or last-modified date: <meta property="article:published_time" content="2024-01-15T08:00:00Z"> <meta property="article:modified_time" content="2024-06-01T10:00:00Z"> Or add a visible date to your content.			

PROLAZI **Clean URL Structure**
URL follows SEO-friendly structure

PROLAZI **Canonical URL**
Canonical URL set: <https://magicmarinac.hr/>

PROLAZI **Mobile Viewport**
Viewport: width=device-width, initial-scale=1, shrink-to-fit=no, viewport-fit=cover

PROLAZI **HTTPS Security**
Website uses HTTPS

PROLAZI **HTTP → HTTPS Redirect**
HTTP redirects to HTTPS (301)

PROLAZI **WWW / Non-WWW Redirect**
www version correctly redirects to non-www (301)

PROLAZI **Redirect Chain**
No redirects detected — URL resolves directly

PROLAZI **HTML Tags for Structure**
35 heading tags, 9 list tags found

PROLAZI **ARIA Labels**
8/1 interactive elements with ARIA labels

PROLAZI **Image Alt Text**
27/27 images have alt text

UPOZORENJE **Color Contrast Indicators**
No obvious color styling found

PROLAZI **Text Readability**
No potentially small text detected

UPOZORENJE **Line Spacing**
22 paragraphs found - check line spacing

PROLAZI **Heading Hierarchy**
Proper heading hierarchy found

PROLAZI **Anchor Text Quality**
35/35 links have descriptive anchor text

PROLAZI **TTFB — Clean URL**
113ms response time for clean URL

PROLAZI **TTFB — With Ads Parameters**
34ms response time with gclid & utm parameters (-79ms vs clean URL)

PROLAZI **CDN & Edge Caching**
Cloudflare detected with edge caching active

Odredišna stranica za Google Ads

11 prolazi · 0 upoz · 0 grešaka

Ocjena 100

PROLAZI

Cache Fragmentation — User-Agent Vary

Cache does not vary by User-Agent — good for Ads traffic consistency

PROLAZI

Cache Fragmentation — Query String Busting

Query parameters do not fragment cache — Ads traffic can benefit from cached responses

PROLAZI

Redirect Chain

No redirects — page served directly

PROLAZI

Hosting Infrastructure

Server: cloudflare — no shared hosting indicators

PROLAZI

Keyword-to-Content Relevance (Above Fold)

Page title keywords found in above-the-fold content — message match is strong

PROLAZI

CTA Visibility Without Scroll

CTA visible above fold: "Naši projekti Naši projekti"

PROLAZI

Layout Stability (CLS Risk)

No major layout shift risks detected

PROLAZI

Real-User Field Data (CrUX)

PageSpeed Insights request limit reached. CrUX field data could not be retrieved at this time.

AEO / AI SEO spremnost

12 prolazi · 3 upoz · 1 grešaka

Ocjena 61

PROLAZI

JSON-LD Structured Data

Found 2 schema(s): Organization, ProfessionalService, FAQPage

PROLAZI

FAQ Schema Markup

FAQ schema markup detected — eligible for rich results and AI extraction

PROLAZI

Question-Based Headings

Found 9 question-format heading(s): "Što je uključeno u standardnoj izradi web stranice?", "Radite li optimizaciju za AI pretrage, AEO i GEO?", "Koje su najbolje tvrtke za izradu web stranica u Hrvatskoj?"

PROLAZI

Direct Answer Paragraphs

Found 13 paragraph(s) in the ideal 40-300 character range for AI extraction

UPOZORENJE

Lists and Structured Content

Lists: Yes, Tables: No, How-to content: No

Popravlak:

STEP 1 — Add ordered lists for processes/steps:

```
<ol>
  <li>First, identify your target queries</li>
  <li>Research how AI currently answers them</li>
  <li>Create content that directly answers each query</li>
</ol>
```

STEP 2 — Add comparison tables for data-rich content:

```
<table>
  <thead>
    <tr><th>Feature</th><th>Option A</th><th>Option B</th></tr>
  </thead>
  <tbody>
    <tr><td>Price</td><td>$10/mo</td><td>$20/mo</td></tr>
    <tr><td>Storage</td><td>10 GB</td><td>50 GB</td></tr>
  </tbody>
</table>
```

STEP 3 — Add definition lists for glossary/terms:

```
<dl>
  <dt>AEO</dt>
  <dd>Answer Engine Optimization — optimizing content for AI search</dd>
</dl>
```

KRITIČNO**Author & Expertise Signals (E-E-A-T)**

No author information | No publication date | No last modified date | About page linked

Popravlak:

STEP 1 — Add author information to your content:

```
<div class="author-bio" itemprop="author" itemscope itemtype="https://schema.org/Person">
  
  <span itemprop="name">Author Name</span>
  <span itemprop="jobTitle">Senior SEO Specialist</span>
  <p>10+ years of experience in digital marketing...</p>
</div>
```

STEP 2 — Add publication and modified dates:

```
<time datetime="2025-01-15" itemprop="datePublished">January 15, 2025</time>
<time datetime="2025-02-10" itemprop="dateModified">Updated: February 10, 2025</time>
```

STEP 3 — Add author schema in JSON-LD:

Include "author": { "@type": "Person", "name": "...", "url": "..." }
in your Article or WebPage schema.

STEP 4 — Create or link to an About page:

AI systems check for organizational authority pages.
Link to /about or /o-nama from your main navigation.

UPOZORENJE**Citations & Source References**

Citations: 0, External source links: 4, Statistics present: No

Popravlak:

STEP 1 — Add inline citations to claims:

<p>According to a 2025 study by Research Corp, 75% of users prefer AI-generated summaries over traditional search results.</p>

STEP 2 — Use <cite> for formal references:

```
<blockquote>
  <p>"AI search will account for 30% of all queries by 2026."</p>
  <cite>— Gartner Research Report, 2025</cite>
</blockquote>
```

STEP 3 — Include original data and statistics:

- Include specific numbers, percentages, dates
- Reference the source and methodology
- Use data visualization (charts, tables) with descriptive alt text

STEP 4 — Add a References/Sources section:

```
<h2>Sources & References</h2>
<ul>
  <li><a href="https://...">Study Name — Organization, Year</a></li>
</ul>
```

PROLAZI

Semantic HTML Structure

Heading hierarchy: Valid | Semantic elements: article, section, nav, footer, main | Sections: 11 | H1: 1, H2: 21, H3: 9

UPOZORENJE

Table of Contents

11 content sections found but no table of contents

Popravlak:

STEP 1 — Add an HTML table of contents:

```
<nav aria-label="Table of contents">
  <h2>Table of Contents</h2>
  <ol>
    <li><a href="#section-1">What Is AEO?</a></li>
    <li><a href="#section-2">How Does It Work?</a></li>
    <li><a href="#section-3">Implementation Steps</a></li>
  </ol>
</nav>
```

Then add matching IDs to your headings:

```
<h2 id="section-1">What Is AEO?</h2>
```

STEP 2 — WordPress: Use a Table of Contents plugin

- Easy Table of Contents (automatic generation)
- Yoast SEO includes TOC blocks
- Rank Math has built-in TOC support

STEP 3 — For long content (1500+ words), always include a TOC.

AI systems use TOCs to understand content scope and jump to relevant sections.

PROLAZI

Organization / Entity Schema

Organization/LocalBusiness schema found — entity identity established

PROLAZI

AI Crawler Accessibility

All major AI crawlers are allowed access to your content

PROLAZI

Meta Description Quality

Meta description: 126 characters (ideal: 120-160)

PROLAZI

Open Graph Metadata

Open Graph tags detected — content sharing optimized

PROLAZI

Canonical URL

Canonical URL declared — prevents duplicate content confusion

PROLAZI Content Depth & Comprehensiveness

Word count: 1129 | Content depth score: 90/100 | Definitions: No

PROLAZI Language Declaration

Language attribute declared on <html> tag

Popravlak: Establish Author Authority (E-E-A-T)

No author information found. AI systems prioritize content from identifiable, credible authors with demonstrable expertise.

Popravlak: Add Table of Contents

Your content has multiple sections but no table of contents. A TOC helps AI systems understand content scope and navigate to relevant sections.

PROLAZI Author Credentials

Author identified: Magićmarinac d.o.o.

PROLAZI External Citations

Found 4 external source citations

KRITIČNO Expert Quotes & Sources

No expert quotes or attribution found

Popravlak:

STEP 1 — Pick 2–3 claims in your article that would benefit from expert authority (best practices, predictions, contested points). For each, find a relevant expert: an industry leader, a published academic, a senior in-house specialist, or a frequently cited source.

STEP 2 — Reach out for a 1–2 sentence quote (LinkedIn DM, email, podcast clip, public statement). Even repurposing an existing public quote with proper attribution is acceptable.

STEP 3 — Use a real <blockquote> with attribution — AI parsers look for this exact pattern:

```
<blockquote cite="https://source.com/article">
  <p>"Schema markup is now a baseline requirement, not a competitive advantage."</p>
  <footer>
    — <cite>Lily Ray, VP of SEO Strategy at Amsive Digital</cite>
  </footer>
</blockquote>
```

STEP 4 — Reference data from named studies in-line: "A 2024 Backlinko study of 11.8M Google search results found that..." Always include the year, the source organization, and the sample size when relevant.

STEP 5 — Add Quotation/ClaimReview JSON-LD schema for major quotes when applicable so AI engines can extract the speaker, the claim, and the source automatically.

UPOZORENJE Original Research

No original research or proprietary data detected

Popravlak:

Original research is the single biggest differentiator in AI citations — generative engines preferentially cite the *primary source* of any data point.

STEP 1 — Audit what proprietary data you already have: customer survey results, anonymized usage analytics, A/B test outcomes, internal benchmarks, support ticket trends, conversion-rate data per channel.

STEP 2 — Pick one shareable dataset and publish a focused study. Minimum format:

- A clear methodology section (sample size, time period, how data was collected)
- 3–5 headline findings with specific numbers
- Charts/tables that visualize the data
- A downloadable PDF or CSV for transparency

STEP 3 — Mark it up clearly so AI engines recognize it as primary research:

```
<article itemscope itemtype="https://schema.org/Report">
  <h1 itemprop="name">2025 Croatian E-Commerce Conversion Benchmark Study</h1>
  <meta itemprop="datePublished" content="2025-03-01" />
  <p>Methodology: <span itemprop="description">Analyzed 1.2M sessions across 47 Croatian e-commerce sites...</span></p>
</article>
```

STEP 4 — Promote it: pitch journalists, share on LinkedIn with key stats, and link from your top-traffic pages so the study accumulates backlinks (which feeds back into AI authority signals).

PROLAZI

Content Readability

Readability score: 85/100, avg sentence length: 18 words

PROLAZI

AI Summarizability

Summarizability: 100/100, 5 extractable snippets

PROLAZI

Paragraph Clarity

94% of paragraphs are well-sized (10-80 words)

KRITIČNO

Statistics & Data

No statistics or quantitative data found

Popravlak:

Pages with concrete numbers get cited 3–5× more often by AI engines than those with only general claims.

STEP 1 — Replace vague qualifiers with hard numbers wherever possible: "many users" → "73% of users"; "fast loading" → "loads in under 1.2 seconds"; "significant improvement" → "47% increase in conversions".

STEP 2 — Each long-form page should contain at least 5–8 specific data points. Sources to mine:

- Industry reports (Statista, Backlinko, Ahrefs, Semrush)
- Government data (gov, eu, eurostat)
- Academic studies (Google Scholar)
- Your own analytics, A/B tests, customer surveys

STEP 3 — Format numbers so AI parsers and screen readers handle them correctly:

```
<p>Mobile traffic accounted for <strong>62.5%</strong> of global page views in <time datetime="2024">2024</time>
  (<a href="https://www.statista.com/...">Statista, 2024</a>).</p>
```

STEP 4 — When showing multiple data points, use a real HTML <table> with <thead>/<tbody> — AI engines extract these reliably and can cite individual rows.

UPOZORENJE

Original Data & Research

No original data or proprietary research detected

Popravak:

STEP 1 — Take stock of the proprietary data you can publish: aggregated customer survey responses, anonymized analytics (CTR, conversion rate by segment), benchmark studies of your category, A/B-test outcomes, support-ticket trends.

STEP 2 — Pick ONE dataset and write a 1,000–1,500 word findings post. Required structure:

- Title that names the metric and the year ('2025 SaaS Onboarding Benchmark Report').
- Methodology paragraph (sample size, time window, segmentation).
- 3–5 headline findings, each its own H2 with a specific number.
- At least one chart (PNG with descriptive alt) or HTML <table>.
- Limitations / caveats section — increases trust, AI engines reward this.

STEP 3 — Make the data discoverable for AI:

<p>Our analysis of 1,247 Croatian SMB websites (Q1 2025) found that 68% ship without an SSL certificate on at least one subdomain.</p>

STEP 4 — Add Dataset/Report schema and link from at least 3 high-authority pages on your own site — internal linking accelerates indexation and AI citation.

UPOZORENJE**Unique Insights & Experience**

No unique insights.

Popravak:

Google's E-E-A-T framework added an extra E for "Experience" specifically because AI overviews reward first-hand accounts.

STEP 1 — Add at least one first-person passage per article that demonstrates real experience: "When we migrated our store to Shopify in 2023, we discovered...". Generic, voice-less content is the easiest for AI to dismiss.

STEP 2 — Include 2–3 specific anecdotes/examples per long article:

- A real customer name and outcome (with permission).
- A failure or counter-intuitive finding from your own work.
- A before/after metric you personally measured.

STEP 3 — Mark up first-person content so AI engines tag it as experiential:

```
<section itemscope itemtype="https://schema.org/Review">
  <p itemprop="reviewBody">After running this approach across 14 client sites, we saw an average...</p>
  <span itemprop="author" itemscope itemtype="https://schema.org/Person">
    <span itemprop="name">Marko Horvat</span></span>
</section>
```

STEP 4 — Avoid generic AI-written paragraphs that read identically to every other site in your space. Test by Googling a sentence in quotes — if 50 results come back, rewrite.

UPOZORENJE**Case Studies**

No case studies or concrete examples detected

Popravak:

STEP 1 — Pick 2–3 strongest customer wins and write each as a focused case study (600–1,000 words). Use this proven structure:

- Client + industry + size
- Challenge (with specific pain metrics)
- Approach (what you did, why, what you considered and rejected)
- Result (3–5 specific before/after metrics)
- Quote from the client

STEP 2 — Even within regular articles, embed mini-case-study callouts:

```
<aside class="mini-case" aria-label="Real-world example">
  <h3>Example: Walden Plants</h3>
  <p>By restructuring their product schema, organic traffic to category pages rose from 12,400 to 18,900 monthly sessions (+52%) in 90 days.</p>
</aside>
```

STEP 3 — Add CaseStudy / Article schema with publisher, datePublished, and customer mentions so AI engines can cite the specific case rather than just the parent article.

STEP 4 — Cross-link case studies from related solution/service pages — internal links from high-intent pages signal that the case is the primary proof for the surrounding claim.

PROLAZI

Entity Coverage in Headings

80% of primary entities appear in headings

PROLAZI

Topical Depth

Topical depth: 100/100 with 10 primary entities

PROLAZI

Multi-Format Content

5 content format(s): Images, Video, Interactive, Charts/Graphs, Lists

PROLAZI

Visual Content

27 image(s), 1 video(s)

UPOZORENJE

Structured Data Tables

No data tables found for structured presentation

Popravlak:

Tables are one of the highest-value formats for AI engines — generative answers often cite individual rows verbatim.

STEP 1 — Look for content already in your page that should be a table: comparisons, pricing, specs, schedules, before/after metrics, feature matrices.

STEP 2 — Convert to a real semantic `<table>`, NOT a CSS grid of `<div>s` — AI parsers ignore `divs`:

```
<table>
<caption>2025 Hosting Plan Comparison</caption>
<thead>
  <tr><th scope="col">Plan</th><th scope="col">Storage</th><th scope="col">Bandwidth</th><th scope="col">Price/
mo</th></tr>
</thead>
<tbody>
  <tr><th scope="row">Starter</th><td>10 GB</td><td>100 GB</td><td>€4.99</td></tr>
  <tr><th scope="row">Pro</th><td>50 GB</td><td>500 GB</td><td>€9.99</td></tr>
</tbody>
</table>
```

STEP 3 — Add Table-friendly schema where appropriate (Product schema for pricing tables, Dataset schema for benchmark tables, FAQPage schema if rows are Q&A).

STEP 4 — Keep tables under ~10 columns for parsability. For larger datasets, split into multiple focused tables, each with its own `<caption>`.**Popravlak: Fix: Expert Quotes & Sources**

Include expert quotes, data from studies, or professional attribution.

Popravlak: Fix: Statistics & Data

Add specific numbers, percentages, and data to make content more citable.

Popravlak: Improve: Original Research

Include original data, surveys, or proprietary findings to differentiate.

Popravlak: Improve: Original Data & Research

Include proprietary data, survey results, or unique findings.

Popravlak: Improve: Unique Insights & Experience

Share personal experience, unique perspectives, or proprietary insights.



Provjera neispravnih veza

1 prolazi · 0 upoz · 0 grešaka

Ocjena 100

PROLAZI

20 Radi

22 Ukupno



Optimizacija slika

3 prolazi · 0 upoz · 0 grešaka

Ocjena 61

PROLAZI

Bez alt teksta

0 / 18

PROLAZI

Moderni format

10 / 18

PROLAZI

S alt tekstom

18 / 18

Popravlak: Add loading="lazy" to 18 images to improve page load speed.

Example:

```

```

Note: Don't lazy-load images that are above the fold.

Popravlak: Add srcset attribute to 12 images for responsive image delivery.

Example:

```

```

Popravlak: Convert 8 images to WebP or AVIF format for smaller file sizes.

Using <picture> element:

```
<picture>
  <source srcset="photo.avif" type="image/avif">
  <source srcset="photo.webp" type="image/webp">
  
</picture>
```

Convert with: cwebp photo.jpg -o photo.webp

Popravlak: Compress 3 oversized images (>200KB) to improve load time.

Tools: TinyPNG, ImageOptim, or Squoosh.app

Target: <100KB for most web images

CLI: npx @squoosh/cli --webp auto photo.jpg



Interno povezivanje

3 prolazi · 0 upoz · 0 grešaka

Ocjena 90

PROLAZI

Opisne

33 / 33

PROLAZI

Generičke

0 / 33

PROLAZI

Jedinstvene veze

20 / 33

Popravak: Add deep links to inner pages (3+ levels deep) to improve crawl depth



Sitemap i Robots.txt

2 prolazi · 0 upoz · 0 grešaka

Ocjena 100

PROLAZI

Robots.txt

Pronađen

PROLAZI

Sitemap

Pronađen