

MODEL RUN TRANSCRIPT

Generated: 2026-06-04T15:01:42

Source: data/json/noise_experiments/gemini31_flashlite_8agent_noise_r10_smoke/gemini31_flashlite_8agent_noise_negative2_informed_r10_smoke/gemini-3.1-flash-lite/game/noisy_negative_2_informed_myth_causal_10_8agents/gemini31_flashlite_8agent_noise_negative2_informed_r10_smoke_000_neutral.json

RUN METADATA

```
model: google/gemini-3.1-flash-lite
temperature: 0.8
num_turns: 10
num_agents: 8
memory_capacity: 3
myth_topic_id: anything
myth_topic: anything
game_params_name: noisy_negative_2_informed_myth_causal_10_8agents
noise_config: {
  "applies_to": "both",
  "direction": "negative",
  "inform_agents": true,
  "range": 2.0,
  "type": "uniform"
}
other_player_names: default
myth_default_prompt_key: myth_writing_default_game_directive
myth_later_prompt_key: myth_writing_later_rounds_directive
task_order: [
  "game"
]
agent_names: {
  "Agent_1": "Aster",
  "Agent_2": "Briar",
  "Agent_3": "Cyra",
  "Agent_4": "Dorian",
  "Agent_5": "Elara",
  "Agent_6": "Finn",
  "Agent_7": "Galen",
  "Agent_8": "Hana"
}
```

Coverage: exact chat message snapshots sent to the model are included for every recorded LLM call.

AGENTS

Agent_1 (Aster); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths,

follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Agent_2 (Briar); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Agent_3 (Cyra); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Agent_4 (Dorian); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Agent_5 (Elara); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Agent_6 (Finn); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Agent_7 (Galen); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Agent_8 (Hana); model=google/gemini-3.1-flash-lite; memory_capacity=3

System prompt:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

ROUND 1

Roles: Agent_1 (Aster)=Receiver, Agent_2 (Briar)=Sender, Agent_3 (Cyra)=Sender, Agent_4 (Dorian)=Receiver, Agent_5 (Elara)=Receiver, Agent_6 (Finn)=Receiver, Agent_7 (Galen)=Sender, Agent_8 (Hana)=Sender

Pairings:

- dyad_1: Agent_7 (Galen)=Sender, Agent_6 (Finn)=Receiver
- dyad_2: Agent_2 (Briar)=Sender, Agent_5 (Elara)=Receiver

```

dyad_3: Agent_3 (Cyra)=Sender, Agent_4 (Dorian)=Receiver
dyad_4: Agent_8 (Hana)=Sender, Agent_1 (Aster)=Receiver
Parsed game decisions:
dyad_1: Agent_7 (Galen) sent $5; received $15; Agent_6 (Finn) returned $6; payoffs Agent_7
(Galen)=$6, Agent_6 (Finn)=$9; noise/visible: sent visible=$4, received visible=$12, returned
visible=$4.5
  Action validation: {"returned": {"amount": 6.0, "clamped": false, "max": 15.0, "min": 0, "raw":
6.0}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_2: Agent_2 (Briar) sent $5; received $15; Agent_5 (Elara) returned $4.76; payoffs Agent_2
(Briar)=$4.76, Agent_5 (Elara)=$10.24; noise/visible: sent visible=$3.17, received visible=$9.51,
returned visible=$3.72
  Action validation: {"returned": {"amount": 4.76, "clamped": false, "max": 15.0, "min": 0, "raw":
4.76}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_3: Agent_3 (Cyra) sent $5; received $15; Agent_4 (Dorian) returned $7.78; payoffs Agent_3
(Cyra)=$7.78, Agent_4 (Dorian)=$7.22; noise/visible: sent visible=$3.89, received visible=$11.67,
returned visible=$7.05
  Action validation: {"returned": {"amount": 7.78, "clamped": false, "max": 15.0, "min": 0, "raw":
7.78}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_4: Agent_8 (Hana) sent $5; received $15; Agent_1 (Aster) returned $4.95; payoffs Agent_8
(Hana)=$4.95, Agent_1 (Aster)=$10.05; noise/visible: sent visible=$3.3, received visible=$9.9,
returned visible=$3.85
  Action validation: {"returned": {"amount": 4.95, "clamped": false, "max": 15.0, "min": 0, "raw":
4.95}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
Balances after round: {
  "Agent_1": 10.05,
  "Agent_2": 4.76,
  "Agent_3": 7.78,
  "Agent_4": 7.22,
  "Agent_5": 10.24,
  "Agent_6": 9.0,
  "Agent_7": 6.0,
  "Agent_8": 4.95
}
Visible balances after round: {
  "Agent_1": 4.949999999999998,
  "Agent_2": 3.72,
  "Agent_3": 7.05,
  "Agent_4": 3.8899999999999997,
  "Agent_5": 4.75,
  "Agent_6": 6.0,
  "Agent_7": 4.5,
  "Agent_8": 3.85
}

```

LLM CALLS

```

GAME - Agent_7 - Sender - dyad_1
Timestamp: 2026-06-04T14:59:45
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_6",
  "pairing": {
    "agent_names": {
      "Agent_6": "Finn",
      "Agent_7": "Galen"
    },
    "agents": [
      "Agent_7",
      "Agent_6"
    ],
    "investor": "Agent_7",
    "roles": {
      "Agent_6": "trustee",
      "Agent_7": "investor"
    },
    "trustee": "Agent_6"
  },
}

```

```

"role": "investor",
"role_label": "Sender",
"round": 1,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Finn (Agent_6).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[179 reasoning tokens used, but content encrypted by provider]

Usage: {

```

"input_tokens": 435,
"output_tokens": 185,
"reasoning_tokens": 179

```

}

GAME - Agent_6 - Receiver - dyad_1

Timestamp: 2026-06-04T14:59:47
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
 "dyad_id": "dyad_1",
 "move_index": 1,
 "opponent_id": "Agent_7",
 "pairing": {
 "agent_names": {
 "Agent_6": "Finn",
 "Agent_7": "Galen"
 },
 },
 "agents": [
 "Agent_7",
 "Agent_6"
],
 "investor": "Agent_7",
 "roles": {
 "Agent_6": "trustee",
 "Agent_7": "investor"
 },
 "trustee": "Agent_6"
},
"role": "trustee",
"role_label": "Receiver",
"round": 1,
"task": "game",
"task_index": 0
}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may vary

- repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Galen (Agent_7).

Round 1: You are the RECEIVER. Galen sent \$4.0, that is 80.0% of their total endowment. You received \$12.0. How much do you return to Galen? (0-12.0)

Assistant output:

{'return': 6.0}

Reasoning:

****Assessing Trust Dynamics****

I'm Finn, the receiver, and I've just gotten \$12 from Galen, or Agent_7, who sent \$4.0 of their \$5.0 endowment. The sender's actions are indicating trust, since they've given a significant portion of their endowment. I'm focused on the implications of that trust within the confines of the interaction. My role is to now decide how much to return, which will test that trust.

```
Usage: {
  "input_tokens": 466,
  "output_tokens": 298,
  "reasoning_tokens": 290
}
```

GAME - Agent_2 - Sender - dyad_2

Timestamp: 2026-06-04T14:59:48

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_5",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_5": "Elara"
    }
  },
  "agents": [
    "Agent_2",
    "Agent_5"
  ],
  "investor": "Agent_2",
  "roles": {
    "Agent_2": "investor",
    "Agent_5": "trustee"
  },
  "trustee": "Agent_5"
},
"role": "investor",
"role_label": "Sender",
"round": 1,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.

Your opponent this round is Elara (Agent_5).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Assistant output:

```
{ 'send': 5 }
```

Reasoning:

[86 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 438,  
"output_tokens": 92,  
"reasoning_tokens": 86
```

}

GAME - Agent_5 - Receiver - dyad_2

Timestamp: 2026-06-04T14:59:49

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",  
"move_index": 3,  
"opponent_id": "Agent_2",  
"pairing": {  
  "agent_names": {  
    "Agent_2": "Briar",  
    "Agent_5": "Elara"
```

},

```
"agents": [  
  "Agent_2",  
  "Agent_5"
```

```

],
"investor": "Agent_2",
"roles": {
  "Agent_2": "investor",
  "Agent_5": "trustee"
},
"trustee": "Agent_5"
},
"role": "trustee",
"role_label": "Receiver",
"round": 1,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.

Your opponent this round is Briar (Agent_2).

Round 1: You are the RECEIVER. Briar sent \$3.17, that is 63.4% of their total endowment. You received \$9.51. How much do you return to Briar? (0-9.51)

Assistant output:

```
{'return': 4.76}
```

Reasoning:

[357 reasoning tokens used, but content encrypted by provider]

```
Usage: {
  "input_tokens": 469,
  "output_tokens": 366,
  "reasoning_tokens": 357
}
```

GAME - Agent_3 - Sender - dyad_3

Timestamp: 2026-06-04T14:59:50

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_3",
  "move_index": 4,
  "opponent_id": "Agent_4",
  "pairing": {
    "agent_names": {
      "Agent_3": "Cyra",
      "Agent_4": "Dorian"
    },
    "agents": [
      "Agent_3",
      "Agent_4"
    ],
    "investor": "Agent_3",
    "roles": {
      "Agent_3": "investor",
      "Agent_4": "trustee"
    },
    "trustee": "Agent_4"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 1,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Dorian (Agent_4).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[170 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 437,  
"output_tokens": 176,  
"reasoning_tokens": 170
```

}

GAME - Agent_4 - Receiver - dyad_3

Timestamp: 2026-06-04T14:59:52

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",  
"move_index": 5,  
"opponent_id": "Agent_3",  
"pairing": {  
  "agent_names": {  
    "Agent_3": "Cyra",  
    "Agent_4": "Dorian"  
  },  
  "agents": [  
    "Agent_3",  
    "Agent_4"  
  ],  
  "investor": "Agent_3",  
  "roles": {  
    "Agent_3": "investor",  
    "Agent_4": "trustee"  
  },  
  "trustee": "Agent_4"  
},  
"role": "trustee",  
"role_label": "Receiver",  
"round": 1,  
"task": "game",  
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 1: You are the RECEIVER. Cyra sent \$3.89, that is 77.8% of their total endowment. You received \$11.67. How much do you return to Cyra? (0-11.67)

Assistant output:

{'return': 7.78}

Reasoning:

****Analyzing the Details****

I've got the essential parameters locked down: I am Dorian, the RECEIVER in this exchange. Cyra (Agent_3) is the sender, and the initial endowment was \$5.00. She sent \$3.89, which, with the 3x multiplier, resulted in me receiving \$11.67. I'm focusing on the implications of these raw numbers now.

Usage: {

"input_tokens": 469,
"output_tokens": 330,
"reasoning_tokens": 321

}

GAME - Agent_8 - Sender - dyad_4

Timestamp: 2026-06-04T14:59:53

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

"dyad_id": "dyad_4",
"move_index": 6,
"opponent_id": "Agent_1",

```

"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_8": "Hana"
  },
  "agents": [
    "Agent_8",
    "Agent_1"
  ],
  "investor": "Agent_8",
  "roles": {
    "Agent_1": "trustee",
    "Agent_8": "investor"
  },
  "trustee": "Agent_1"
},
"role": "investor",
"role_label": "Sender",
"round": 1,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Aster (Agent_1).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[140 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 433,
"output_tokens": 146,
"reasoning_tokens": 140
```

```
}
```

GAME - Agent_1 - Receiver - dyad_4

Timestamp: 2026-06-04T14:59:55

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 7,
"opponent_id": "Agent_8",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_8": "Hana"
```

```
},
```

```
"agents": [
  "Agent_8",
  "Agent_1"
```

```
],
```

```
"investor": "Agent_8",
```

```
"roles": {
```

```
"Agent_1": "trustee",
"Agent_8": "investor"
```

```
},
```

```
"trustee": "Agent_1"
```

```
},
```

```
"role": "trustee",
```

```
"role_label": "Receiver",
```

```
"round": 1,
```

```
"task": "game",
```

```
"task_index": 0
```

```
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned

- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.

Your opponent this round is Hana (Agent_8).

Round 1: You are the RECEIVER. Hana sent \$3.3, that is 66.0% of their total endowment. You received \$9.899999999999999. How much do you return to Hana? (0-9.899999999999999)

Assistant output:

{'return': 4.95}

Reasoning:

****Calculating Hana's Return****

I'm currently focused on the specific numbers of this exchange. Aster, I'm the receiver. Hana sent \$3.3 from an original \$5. This multiplies to \$9.9, and the next step is calculating how much Hana would send back to me.

Usage: {
 "input_tokens": 489,
 "output_tokens": 275,
 "reasoning_tokens": 266
}

ROUND 2

Roles: Agent_1 (Aster)=Receiver, Agent_2 (Briar)=Receiver, Agent_3 (Cyra)=Sender, Agent_4 (Dorian)=Sender, Agent_5 (Elara)=Sender, Agent_6 (Finn)=Sender, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Receiver

Pairings:

dyad_1: Agent_4 (Dorian)=Sender, Agent_7 (Galen)=Receiver
dyad_2: Agent_6 (Finn)=Sender, Agent_2 (Briar)=Receiver
dyad_3: Agent_5 (Elara)=Sender, Agent_8 (Hana)=Receiver
dyad_4: Agent_3 (Cyra)=Sender, Agent_1 (Aster)=Receiver

Parsed game decisions:

dyad_1: Agent_4 (Dorian) sent \$5; received \$15; Agent_7 (Galen) returned \$5.22; payoffs Agent_4 (Dorian)=\$5.22, Agent_7 (Galen)=\$9.78; noise/visible: sent visible=\$3.48, received visible=\$10.44, returned visible=\$4.24

Action validation: {"returned": {"amount": 5.22, "clamped": false, "max": 15.0, "min": 0, "raw": 5.22}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_2: Agent_6 (Finn) sent \$5; received \$15; Agent_2 (Briar) returned \$4.92; payoffs Agent_6 (Finn)=\$4.92, Agent_2 (Briar)=\$10.08; noise/visible: sent visible=\$3.28, received visible=\$9.84, returned visible=\$4.13

Action validation: {"returned": {"amount": 4.92, "clamped": false, "max": 15.0, "min": 0, "raw": 4.92}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_3: Agent_5 (Elara) sent \$5; received \$15; Agent_8 (Hana) returned \$7.32; payoffs Agent_5 (Elara)=\$7.32, Agent_8 (Hana)=\$7.68; noise/visible: sent visible=\$4.88, received visible=\$14.64, returned visible=\$6.68

```

    Action validation: {"returned": {"amount": 7.32, "clamped": false, "max": 15.0, "min": 0, "raw": 7.32}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_4: Agent_3 (Cyra) sent $5; received $15; Agent_1 (Aster) returned $7.42; payoffs Agent_3 (Cyra)=$7.42, Agent_1 (Aster)=$7.58; noise/visible: sent visible=$4.95, received visible=$14.85, returned visible=$6.99
    Action validation: {"returned": {"amount": 7.425, "clamped": false, "max": 15.0, "min": 0, "raw": 7.425}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
Balances after round: {
  "Agent_1": 17.625,
  "Agent_2": 14.84,
  "Agent_3": 15.205,
  "Agent_4": 12.44,
  "Agent_5": 17.560000000000002,
  "Agent_6": 13.92,
  "Agent_7": 15.780000000000001,
  "Agent_8": 12.629999999999999
}
Visible balances after round: {
  "Agent_1": 12.375,
  "Agent_2": 8.64,
  "Agent_3": 14.04,
  "Agent_4": 8.129999999999999,
  "Agent_5": 11.43,
  "Agent_6": 10.129999999999999,
  "Agent_7": 9.719999999999999,
  "Agent_8": 11.17
}

```

LLM CALLS

GAME - Agent_4 - Sender - dyad_1

Timestamp: 2026-06-04T14:59:56
 Model: google/gemini-3.1-flash-lite
 Temperature: 0.8

```

Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_7",
  "pairing": {
    "agent_names": {
      "Agent_4": "Dorian",
      "Agent_7": "Galen"
    },
    "agents": [
      "Agent_4",
      "Agent_7"
    ],
    "investor": "Agent_4",
    "roles": {
      "Agent_4": "investor",
      "Agent_7": "trustee"
    },
    "trustee": "Agent_7"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 2,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 1: You are the RECEIVER. Cyra sent \$3.89, that is 77.8% of their total endowment. You received \$11.67. How much do you return to Cyra? (0-11.67)

Message 3 role=assistant

content:

{'return': 7.78}

reasoning:

****Analyzing the Details****

I've got the essential parameters locked down: I am Dorian, the RECEIVER in this exchange. Cyra (Agent_3) is the sender, and the initial endowment was \$5.00. She sent \$3.89, which, with the 3x multiplier, resulted in me receiving \$11.67. I'm focusing on the implications of these raw numbers now.

usage:

```
{
  "input_tokens": 469,
  "output_tokens": 330,
  "reasoning_tokens": 321
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Galen (Agent_7).

Round 2

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them

send \$3.89, it became \$11.67, and you returned \$7.78. Your visible payoff was \$3.8899999999999997.
Your total visible earnings across all rounds are \$3.8899999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[138 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 633,  
"output_tokens": 144,  
"reasoning_tokens": 138
```

}

GAME - Agent_7 - Receiver - dyad_1

Timestamp: 2026-06-04T14:59:57

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_1",  
"move_index": 1,  
"opponent_id": "Agent_4",  
"pairing": {  
  "agent_names": {  
    "Agent_4": "Dorian",  
    "Agent_7": "Galen"  
  },  
  "agents": [  
    "Agent_4",  
    "Agent_7"  
  ],  
  "investor": "Agent_4",  
  "roles": {  
    "Agent_4": "investor",  
    "Agent_7": "trustee"  
  },  
  "trustee": "Agent_7"
```

}

```
"role": "trustee",  
"role_label": "Receiver",  
"round": 2,  
"task": "game",  
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned

- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Finn (Agent_6).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[179 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 435,
  "output_tokens": 185,
  "reasoning_tokens": 179
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Dorian (Agent_4).

Round 2

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.5 to you. Your visible payoff was \$4.5. Your total visible earnings across all rounds are \$4.5.

This round, you are the RECEIVER against Dorian. They sent you \$3.48, so you received \$10.44. How much do you return? (0-10.44)

Assistant output:

{'return': 5.22}

Reasoning:

[226 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 583,
  "output_tokens": 235,
  "reasoning_tokens": 226
}
```

GAME - Agent_6 - Sender - dyad_2

Timestamp: 2026-06-04T14:59:59

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_2",
```

```

"pairing": {
  "agent_names": {
    "Agent_2": "Briar",
    "Agent_6": "Finn"
  },
  "agents": [
    "Agent_6",
    "Agent_2"
  ],
  "investor": "Agent_6",
  "roles": {
    "Agent_2": "trustee",
    "Agent_6": "investor"
  },
  "trustee": "Agent_2"
},
"role": "investor",
"role_label": "Sender",
"round": 2,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
 Your opponent this round is Galen (Agent_7).

Round 1: You are the RECEIVER. Galen sent \$4.0, that is 80.0% of their total endowment. You received \$12.0. How much do you return to Galen? (0-12.0)

Message 3 role=assistant**content:**

```
{'return': 6.0}
```

reasoning:

****Assessing Trust Dynamics****

I'm Finn, the receiver, and I've just gotten \$12 from Galen, or Agent_7, who sent \$4.0 of their \$5.0 endowment. The sender's actions are indicating trust, since they've given a significant portion of their endowment. I'm focused on the implications of that trust within the confines of the interaction. My role is to now decide how much to return, which will test that trust.

usage:

```
{
  "input_tokens": 466,
  "output_tokens": 298,
  "reasoning_tokens": 290
}
```

Message 4 role=user**content:**

Your name in this experiment is Finn.
 Your opponent this round is Briar (Agent_2).

Round 2

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$4.0, it became \$12.0, and you returned \$6.0. Your visible payoff was \$6.0. Your total visible earnings across all rounds are \$6.0.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

[209 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 592,
  "output_tokens": 217,
  "reasoning_tokens": 209
}
```

GAME - Agent_2 - Receiver - dyad_2

Timestamp: 2026-06-04T15:00:00

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_2",
  "move_index": 3,
  "opponent_id": "Agent_6",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_6": "Finn"
    }
  },
  "agents": [
    "Agent_6",
    "Agent_2"
  ],
  "investor": "Agent_6",
  "roles": {
    "Agent_2": "trustee",
    "Agent_6": "investor"
  },
  "trustee": "Agent_2"
}
```

```

},
"role": "trustee",
"role_label": "Receiver",
"round": 2,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.

Your opponent this round is Elara (Agent_5).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

```
{'send': 5}
```

reasoning:

[86 reasoning tokens used, but content encrypted by provider]

usage:

```

{
  "input_tokens": 438,
  "output_tokens": 92,
  "reasoning_tokens": 86
}

```

```

    }
    Message 4 role=user
    content:
      Your name in this experiment is Briar.
      Your opponent this round is Finn (Agent_6).

      Round 2

      In your most recent previous game round, you were the SENDER against Elara. You sent $5.0,
      it became $15.0, and you saw them return $3.72 to you. Your visible payoff was $3.72.
      Your total visible earnings across all rounds are $3.72.

      This round, you are the RECEIVER against Finn. They sent you $3.28, so you received $9.84.
      How much do you return? (0-9.84)
  Assistant output:
    {'return': 4.92}
  Reasoning:
    [155 reasoning tokens used, but content encrypted by provider]
  Usage: {
    "input_tokens": 586,
    "output_tokens": 164,
    "reasoning_tokens": 155
  }

```

GAME - Agent_5 - Sender - dyad_3

```

Timestamp: 2026-06-04T15:00:01
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
  "dyad_id": "dyad_3",
  "move_index": 4,
  "opponent_id": "Agent_8",
  "pairing": {
    "agent_names": {
      "Agent_5": "Elara",
      "Agent_8": "Hana"
    },
    "agents": [
      "Agent_5",
      "Agent_8"
    ],
    "investor": "Agent_5",
    "roles": {
      "Agent_5": "investor",
      "Agent_8": "trustee"
    },
    "trustee": "Agent_8"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 2,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

```

Message 1 role=system
content:
  You are an agent participating in a multi-task experiment. You will play a game and may al
  so be asked to write myths.

  GAME:
  You will play different roles across multiple rounds.

  When you are the SENDER:
  - You receive $5 each round
  - You decide how much to SEND to the RECEIVER ($0-$5)
  - Amount sent is multiplied by 3x
  - Receiver decides how much to RETURN
  - You keep: $5 - sent + returned
  - Receiver keeps: received - returned

```

- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.

Your opponent this round is Briar (Agent_2).

Round 1: You are the RECEIVER. Briar sent \$3.17, that is 63.4% of their total endowment. You received \$9.51. How much do you return to Briar? (0-9.51)

Message 3 role=assistant

content:

{'return': 4.76}

reasoning:

[357 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 469,
  "output_tokens": 366,
  "reasoning_tokens": 357
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.

Your opponent this round is Hana (Agent_8).

Round 2

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.17, it became \$9.51, and you returned \$4.76. Your visible payoff was \$4.75. Your total visible earnings across all rounds are \$4.75.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[174 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 599,
"output_tokens": 180,
"reasoning_tokens": 174
```

}

GAME - Agent_8 - Receiver - dyad_3

Timestamp: 2026-06-04T15:00:03

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_3",
  "move_index": 5,
  "opponent_id": "Agent_5",
  "pairing": {
    "agent_names": {
      "Agent_5": "Elara",
      "Agent_8": "Hana"
    },
    "agents": [
      "Agent_5",
      "Agent_8"
    ],
    "investor": "Agent_5",
    "roles": {
      "Agent_5": "investor",
      "Agent_8": "trustee"
    },
    "trustee": "Agent_8"
  },
  "role": "trustee",
  "role_label": "Receiver",
  "round": 2,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Aster (Agent_1).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[140 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 433,
  "output_tokens": 146,
  "reasoning_tokens": 140
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Elara (Agent_5).

Round 2

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$3.85 to you. Your visible payoff was \$3.85. Your total visible earnings across all rounds are \$3.85.

This round, you are the RECEIVER against Elara. They sent you \$4.88, so you received \$14.64. How much do you return? (0-14.64)

Assistant output:

{'return': 7.32}

Reasoning:

****Analyzing the Received Funds****

I'm currently focused on the received funds from Elara in this round. She sent \$4.88, which grew to \$14.64. I must decide how much to return, between \$0 and the full amount, keeping in mind the multi-round nature of this game. I'm aiming for a cooperative yet strategic approach, considering the previous round's outcome with Aster.

Usage:

```
{
  "input_tokens": 585,
  "output_tokens": 382,
  "reasoning_tokens": 373
}
```

GAME - Agent_3 - Sender - dyad_4

Timestamp: 2026-06-04T15:00:04

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_4",
  "move_index": 6,
  "opponent_id": "Agent_1",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_3": "Cyra"
    }
  },
  "agents": [
    "Agent_3",

```

```

    "Agent_1"
  ],
  "investor": "Agent_3",
  "roles": {
    "Agent_1": "trustee",
    "Agent_3": "investor"
  },
  "trustee": "Agent_1"
},
"role": "investor",
"role_label": "Sender",
"round": 2,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Dorian (Agent_4).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

```

    {'send': 5}
reasoning:
    [170 reasoning tokens used, but content encrypted by provider]
usage:
    {
        "input_tokens": 437,
        "output_tokens": 176,
        "reasoning_tokens": 170
    }
Message 4 role=user
content:
    Your name in this experiment is Cyra.
    Your opponent this round is Aster (Agent_1).

    Round 2

    In your most recent previous game round, you were the SENDER against Dorian. You sent $5.0
    , it became $15.0, and you saw them return $7.05 to you. Your visible payoff was $7.05.
    Your total visible earnings across all rounds are $7.05.

    This round, you are the SENDER against Aster. You have $5. How much do you send? (0-5)
Assistant output:
    {'send': 5}
Reasoning:
    [131 reasoning tokens used, but content encrypted by provider]
Usage: {
    "input_tokens": 568,
    "output_tokens": 137,
    "reasoning_tokens": 131
}

GAME - Agent_1 - Receiver - dyad_4
Timestamp: 2026-06-04T15:00:05
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
    "dyad_id": "dyad_4",
    "move_index": 7,
    "opponent_id": "Agent_3",
    "pairing": {
        "agent_names": {
            "Agent_1": "Aster",
            "Agent_3": "Cyra"
        },
        "agents": [
            "Agent_3",
            "Agent_1"
        ],
        "investor": "Agent_3",
        "roles": {
            "Agent_1": "trustee",
            "Agent_3": "investor"
        },
        "trustee": "Agent_1"
    },
    "role": "trustee",
    "role_label": "Receiver",
    "round": 2,
    "task": "game",
    "task_index": 0
}
Exact input messages sent to model:
Message 1 role=system
content:
    You are an agent participating in a multi-task experiment. You will play a game and may al
    so be asked to write myths.

    GAME:
    You will play different roles across multiple rounds.

```

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Hana (Agent_8).

Round 1: You are the RECEIVER. Hana sent \$3.3, that is 66.0% of their total endowment. You received \$9.899999999999999. How much do you return to Hana? (0-9.899999999999999)

Message 3 role=assistant

content:

{ 'return': 4.95 }

reasoning:

****Calculating Hana's Return****

I'm currently focused on the specific numbers of this exchange. Aster, I'm the receiver. Hana sent \$3.3 from an original \$5. This multiplies to \$9.9, and the next step is calculating how much Hana would send back to me.

usage:

```
{
  "input_tokens": 489,
  "output_tokens": 275,
  "reasoning_tokens": 266
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 2

In your most recent previous game round, you were the RECEIVER against Hana. You saw them

send \$3.3, it became \$9.899999999999999, and you returned \$4.95. Your visible payoff was \$4.949999999999998.
Your total visible earnings across all rounds are \$4.949999999999998.

This round, you are the RECEIVER against Cyra. They sent you \$4.95, so you received \$14.85
0000000000001. How much do you return? (0-14.850000000000001)

Assistant output:

```
{'return': 7.425}
```

Reasoning:

[216 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 705,  
"output_tokens": 226,  
"reasoning_tokens": 216
```

}

=====
ROUND 3
=====

Roles: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Sender, Agent_3 (Cyra)=Receiver, Agent_4 (Dorian)=Receiver, Agent_5 (Elara)=Sender, Agent_6 (Finn)=Receiver, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Sender

Pairings:

```
dyad_1: Agent_2 (Briar)=Sender, Agent_6 (Finn)=Receiver  
dyad_2: Agent_5 (Elara)=Sender, Agent_7 (Galen)=Receiver  
dyad_3: Agent_1 (Aster)=Sender, Agent_4 (Dorian)=Receiver  
dyad_4: Agent_8 (Hana)=Sender, Agent_3 (Cyra)=Receiver
```

Parsed game decisions:

dyad_1: Agent_2 (Briar) sent \$5; received \$15; Agent_6 (Finn) returned \$5.85; payoffs Agent_2 (Briar)=\$5.85, Agent_6 (Finn)=\$9.15; noise/visible: sent visible=\$3.9, received visible=\$11.7, returned visible=\$4.48

Action validation: {"returned": {"amount": 5.85, "clamped": false, "max": 15.0, "min": 0, "raw": 5.85}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_2: Agent_5 (Elara) sent \$5; received \$15; Agent_7 (Galen) returned \$6.66; payoffs Agent_5 (Elara)=\$6.66, Agent_7 (Galen)=\$8.34; noise/visible: sent visible=\$4.44, received visible=\$13.32, returned visible=\$5.63

Action validation: {"returned": {"amount": 6.66, "clamped": false, "max": 15.0, "min": 0, "raw": 6.66}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_3: Agent_1 (Aster) sent \$5; received \$15; Agent_4 (Dorian) returned \$7.15; payoffs Agent_1 (Aster)=\$7.15, Agent_4 (Dorian)=\$7.85; noise/visible: sent visible=\$3.97, received visible=\$11.91, returned visible=\$6.41

Action validation: {"returned": {"amount": 7.15, "clamped": false, "max": 15.0, "min": 0, "raw": 7.15}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_4: Agent_8 (Hana) sent \$5; received \$15; Agent_3 (Cyra) returned \$6; payoffs Agent_8 (Hana)=\$6, Agent_3 (Cyra)=\$9; noise/visible: sent visible=\$3.36, received visible=\$10.08, returned visible=\$5.91

Action validation: {"returned": {"amount": 6.0, "clamped": false, "max": 15.0, "min": 0, "raw": 6.0}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

Balances after round: {

```
"Agent_1": 24.775,  
"Agent_2": 20.689999999999998,  
"Agent_3": 24.205,  
"Agent_4": 20.29,  
"Agent_5": 24.220000000000002,  
"Agent_6": 23.07,  
"Agent_7": 24.12,  
"Agent_8": 18.63
```

}

Visible balances after round: {

```
"Agent_1": 18.785,  
"Agent_2": 13.120000000000001,  
"Agent_3": 18.119999999999997,  
"Agent_4": 12.889999999999999,  
"Agent_5": 17.06,  
"Agent_6": 15.979999999999999,  
"Agent_7": 16.38,  
"Agent_8": 17.08
```

}

LLM CALLS

GAME - Agent_2 - Sender - dyad_1

Timestamp: 2026-06-04T15:00:06

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_6",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_6": "Finn"
    },
    "agents": [
      "Agent_2",
      "Agent_6"
    ],
    "investor": "Agent_2",
    "roles": {
      "Agent_2": "investor",
      "Agent_6": "trustee"
    },
    "trustee": "Agent_6"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 3,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Elara (Agent_5).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[86 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 438,
  "output_tokens": 92,
  "reasoning_tokens": 86
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 2

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$3.72 to you. Your visible payoff was \$3.72. Your total visible earnings across all rounds are \$3.72.

This round, you are the RECEIVER against Finn. They sent you \$3.28, so you received \$9.84. How much do you return? (0-9.84)

Message 5 role=assistant

content:

{'return': 4.92}

reasoning:

[155 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 586,
  "output_tokens": 164,
  "reasoning_tokens": 155
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 3

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.28, it became \$9.84, and you returned \$4.92. Your visible payoff was \$4.92. Your total visible earnings across all rounds are \$8.64.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[141 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 713,
  "output_tokens": 147,
  "reasoning_tokens": 141
}
```

GAME - Agent_6 - Receiver - dyad_1

Timestamp: 2026-06-04T15:00:08

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 1,
  "opponent_id": "Agent_2",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_6": "Finn"
    },
    "agents": [
      "Agent_2",
      "Agent_6"
    ],
    "investor": "Agent_2",
    "roles": {
      "Agent_2": "investor",
      "Agent_6": "trustee"
    },
    "trustee": "Agent_6"
  },
  "role": "trustee",
  "role_label": "Receiver",
  "round": 3,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Galen (Agent_7).

Round 1: You are the RECEIVER. Galen sent \$4.0, that is 80.0% of their total endowment. You received \$12.0. How much do you return to Galen? (0-12.0)

Message 3 role=assistant

content:

{'return': 6.0}

reasoning:

****Assessing Trust Dynamics****

I'm Finn, the receiver, and I've just gotten \$12 from Galen, or Agent_7, who sent \$4.0 of their \$5.0 endowment. The sender's actions are indicating trust, since they've given a significant portion of their endowment. I'm focused on the implications of that trust within the confines of the interaction. My role is to now decide how much to return, which will test that trust.

usage:

```
{
  "input_tokens": 466,
  "output_tokens": 298,
  "reasoning_tokens": 290
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Briar (Agent_2).

Round 2

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$4.0, it became \$12.0, and you returned \$6.0. Your visible payoff was \$6.0.
Your total visible earnings across all rounds are \$6.0.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[209 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 592,
  "output_tokens": 217,
  "reasoning_tokens": 209
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Briar (Agent_2).

Round 3

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$4.13 to you. Your visible payoff was \$4.13.
Your total visible earnings across all rounds are \$10.129999999999999.

This round, you are the RECEIVER against Briar. They sent you \$3.9, so you received \$11.7.
How much do you return? (0-11.7)

Assistant output:

```
{'return': 5.85}
```

Reasoning:

```
[283 reasoning tokens used, but content encrypted by provider]
```

Usage:

```
{
  "input_tokens": 754,
  "output_tokens": 292,
  "reasoning_tokens": 283
}
```

GAME - Agent_5 - Sender - dyad_2

Timestamp: 2026-06-04T15:00:09

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_7",
  "pairing": {
    "agent_names": {
      "Agent_5": "Elara",
      "Agent_7": "Galen"
    }
  },
  "agents": [
    "Agent_5",
    "Agent_7"
  ],
  "investor": "Agent_5",
  "roles": {
    "Agent_5": "investor",
    "Agent_7": "trustee"
  },
  "trustee": "Agent_7"
},
"role": "investor",
"role_label": "Sender",
"round": 3,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Briar (Agent_2).

Round 1: You are the RECEIVER. Briar sent \$3.17, that is 63.4% of their total endowment. You received \$9.51. How much do you return to Briar? (0-9.51)

Message 3 role=assistant

content:

{'return': 4.76}

reasoning:

[357 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 469,
  "output_tokens": 366,
  "reasoning_tokens": 357
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Hana (Agent_8).

Round 2

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.17, it became \$9.51, and you returned \$4.76. Your visible payoff was \$4.75.
Your total visible earnings across all rounds are \$4.75.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 599,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 3

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.68 to you. Your visible payoff was \$6.68.
Your total visible earnings across all rounds are \$11.43.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

```
[120 reasoning tokens used, but content encrypted by provider]
```

Usage:

```
{
  "input_tokens": 737,
  "output_tokens": 126,
  "reasoning_tokens": 120
}
```

GAME - Agent_7 - Receiver - dyad_2

```
Timestamp: 2026-06-04T15:00:11
```

```
Model: google/gemini-3.1-flash-lite
```

```
Temperature: 0.8
```

Metadata:

```
{
  "dyad_id": "dyad_2",
  "move_index": 3,
  "opponent_id": "Agent_5",
  "pairing": {
    "agent_names": {
      "Agent_5": "Elara",
      "Agent_7": "Galen"
    }
  },
  "agents": [
    "Agent_5",
    "Agent_7"
  ],
  "investor": "Agent_5",
  "roles": {
    "Agent_5": "investor",
    "Agent_7": "trustee"
  },
  "trustee": "Agent_7"
},
"role": "trustee",
"role_label": "Receiver",
"round": 3,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Finn (Agent_6).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[179 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 435,
  "output_tokens": 185,
  "reasoning_tokens": 179
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Dorian (Agent_4).

Round 2

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.5 to you. Your visible payoff was \$4.5. Your total visible earnings across all rounds are \$4.5.

This round, you are the RECEIVER against Dorian. They sent you \$3.48, so you received \$10.44. How much do you return? (0-10.44)

Message 5 role=assistant

content:

{'return': 5.22}

reasoning:

[226 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 583,
  "output_tokens": 235,
  "reasoning_tokens": 226
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 3

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.48, it became \$10.44, and you returned \$5.22. Your visible payoff was \$5.22. Your total visible earnings across all rounds are \$9.719999999999999.

This round, you are the RECEIVER against Elara. They sent you \$4.44, so you received \$13.3

2. How much do you return? (0-13.32)

Assistant output:

```
{'return': 6.66}
```

Reasoning:

[166 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 744,
  "output_tokens": 175,
  "reasoning_tokens": 166
}
```

GAME - Agent_1 - Sender - dyad_3

Timestamp: 2026-06-04T15:00:12

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_3",
  "move_index": 4,
  "opponent_id": "Agent_4",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_4": "Dorian"
    }
  },
  "agents": [
    "Agent_1",
    "Agent_4"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_4": "trustee"
  },
  "trustee": "Agent_4"
},
"role": "investor",
"role_label": "Sender",
"round": 3,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths

, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Hana (Agent_8).

Round 1: You are the RECEIVER. Hana sent \$3.3, that is 66.0% of their total endowment. You received \$9.899999999999999. How much do you return to Hana? (0-9.899999999999999)

Message 3 role=assistant

content:

{'return': 4.95}

reasoning:

Calculating Hana's Return

I'm currently focused on the specific numbers of this exchange. Aster, I'm the receiver. Hana sent \$3.3 from an original \$5. This multiplies to \$9.9, and the next step is calculating how much Hana would send back to me.

usage:

```
{
  "input_tokens": 489,
  "output_tokens": 275,
  "reasoning_tokens": 266
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 2

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.3, it became \$9.899999999999999, and you returned \$4.95. Your visible payoff was \$4.949999999999998.
Your total visible earnings across all rounds are \$4.949999999999998.

This round, you are the RECEIVER against Cyra. They sent you \$4.95, so you received \$14.850000000000001. How much do you return? (0-14.850000000000001)

Message 5 role=assistant

content:

{'return': 7.425}

reasoning:

[216 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 705,
  "output_tokens": 226,
  "reasoning_tokens": 216
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.

Your opponent this round is Dorian (Agent_4).

Round 3

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.95, it became \$14.850000000000001, and you returned \$7.425. Your visible payoff was \$7.425000000000002.

Your total visible earnings across all rounds are \$12.375.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[191 reasoning tokens used, but content encrypted by provider]

Usage: {

"input_tokens": 863,

"output_tokens": 197,

"reasoning_tokens": 191

}

GAME - Agent_4 - Receiver - dyad_3

Timestamp: 2026-06-04T15:00:14

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

"dyad_id": "dyad_3",

"move_index": 5,

"opponent_id": "Agent_1",

"pairing": {

"agent_names": {

"Agent_1": "Aster",

"Agent_4": "Dorian"

},

"agents": [

"Agent_1",

"Agent_4"

],

"investor": "Agent_1",

"roles": {

"Agent_1": "investor",

"Agent_4": "trustee"

},

"trustee": "Agent_4"

},

"role": "trustee",

"role_label": "Receiver",

"round": 3,

"task": "game",

"task_index": 0

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5

- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 1: You are the RECEIVER. Cyra sent \$3.89, that is 77.8% of their total endowment. You received \$11.67. How much do you return to Cyra? (0-11.67)

Message 3 role=assistant

content:

{ 'return': 7.78 }

reasoning:

****Analyzing the Details****

I've got the essential parameters locked down: I am Dorian, the RECEIVER in this exchange. Cyra (Agent_3) is the sender, and the initial endowment was \$5.00. She sent \$3.89, which, with the 3x multiplier, resulted in me receiving \$11.67. I'm focusing on the implications of these raw numbers now.

usage:

```
{
  "input_tokens": 469,
  "output_tokens": 330,
  "reasoning_tokens": 321
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Galen (Agent_7).

Round 2

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.89, it became \$11.67, and you returned \$7.78. Your visible payoff was \$3.8899999999999997.

Your total visible earnings across all rounds are \$3.8899999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{ 'send': 5 }

reasoning:

[138 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 633,
  "output_tokens": 144,
  "reasoning_tokens": 138
}
```

Message 6 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Aster (Agent_1).

Round 3

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24. Your total visible earnings across all rounds are \$8.129999999999999.

This round, you are the RECEIVER against Aster. They sent you \$3.97, so you received \$11.91.
1. How much do you return? (0-11.91)

Assistant output:

```
{'return': 7.15}
```

Reasoning:

****Analyzing Return Strategy****

I'm currently in the receiver role, facing Aster. I just received \$11.91, up from \$3.97 that was sent. My goal is to decide how much to return, between \$0 and \$11.91. My previous decision was around 66% (Round 1), and I was also the sender in Round 2. I'm actively considering my optimal return strategy based on past interactions.

Usage: {

```
"input_tokens": 795,
"output_tokens": 454,
"reasoning_tokens": 445
```

}

GAME - Agent_8 - Sender - dyad_4

Timestamp: 2026-06-04T15:00:16

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 6,
"opponent_id": "Agent_3",
"pairing": {
  "agent_names": {
    "Agent_3": "Cyra",
    "Agent_8": "Hana"
  },
"agents": [
  "Agent_8",
  "Agent_3"
],
"investor": "Agent_8",
"roles": {
  "Agent_3": "trustee",
  "Agent_8": "investor"
},
"trustee": "Agent_3"
```

}

```
"role": "investor",
"role_label": "Sender",
"round": 3,
"task": "game",
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may al

so be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Aster (Agent_1).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[140 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 433,
  "output_tokens": 146,
  "reasoning_tokens": 140
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Elara (Agent_5).

Round 2

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$3.85 to you. Your visible payoff was \$3.85. Your total visible earnings across all rounds are \$3.85.

This round, you are the RECEIVER against Elara. They sent you \$4.88, so you received \$14.64.
4. How much do you return? (0-14.64)

Message 5 role=assistant

content:

```
{'return': 7.32}
```

reasoning:

****Analyzing the Received Funds****

I'm currently focused on the received funds from Elara in this round. She sent \$4.88, which grew to \$14.64. I must decide how much to return, between \$0 and the full amount, keeping in mind the multi-round nature of this game. I'm aiming for a cooperative yet strategic approach, considering the previous round's outcome with Aster.

usage:

```
{  
  "input_tokens": 585,  
  "output_tokens": 382,  
  "reasoning_tokens": 373  
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Cyra (Agent_3).

Round 3

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.88, it became \$14.64, and you returned \$7.32. Your visible payoff was \$7.32. Your total visible earnings across all rounds are \$11.17.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[144 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 716,  
"output_tokens": 150,  
"reasoning_tokens": 144
```

}

GAME - Agent_3 - Receiver - dyad_4

Timestamp: 2026-06-04T15:00:17

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",  
"move_index": 7,  
"opponent_id": "Agent_8",  
"pairing": {  
  "agent_names": {  
    "Agent_3": "Cyra",  
    "Agent_8": "Hana"  
  },  
  "agents": [  
    "Agent_8",  
    "Agent_3"  
  ],  
  "investor": "Agent_8",  
  "roles": {  
    "Agent_3": "trustee",  
    "Agent_8": "investor"  
  },  
  "trustee": "Agent_3"
```

```
,  
"role": "trustee",  
"role_label": "Receiver",  
"round": 3,
```

```
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Dorian (Agent_4).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[170 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 437,
  "output_tokens": 176,
  "reasoning_tokens": 170
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Aster (Agent_1).

Round 2

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$7.05 to you. Your visible payoff was \$7.05. Your total visible earnings across all rounds are \$7.05.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[131 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 568,
  "output_tokens": 137,
  "reasoning_tokens": 131
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Hana (Agent_8).

Round 3

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$6.99 to you. Your visible payoff was \$6.99. Your total visible earnings across all rounds are \$14.04.

This round, you are the RECEIVER against Hana. They sent you \$3.36, so you received \$10.08. How much do you return? (0-10.08)

Assistant output:

{'return': 6.0}

Reasoning:

[279 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 718,
"output_tokens": 287,
"reasoning_tokens": 279
}
```

ROUND 4

Roles: Agent_1 (Aster)=Receiver, Agent_2 (Briar)=Sender, Agent_3 (Cyra)=Sender, Agent_4 (Dorian)=Sender, Agent_5 (Elara)=Sender, Agent_6 (Finn)=Receiver, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Receiver

Pairings:

dyad_1: Agent_4 (Dorian)=Sender, Agent_6 (Finn)=Receiver
dyad_2: Agent_3 (Cyra)=Sender, Agent_7 (Galen)=Receiver
dyad_3: Agent_5 (Elara)=Sender, Agent_1 (Aster)=Receiver
dyad_4: Agent_2 (Briar)=Sender, Agent_8 (Hana)=Receiver

Parsed game decisions:

dyad_1: Agent_4 (Dorian) sent \$5; received \$15; Agent_6 (Finn) returned \$5.55; payoffs Agent_4 (Dorian)=\$5.55, Agent_6 (Finn)=\$9.45; noise/visible: sent visible=\$3.7, received visible=\$11.1, returned visible=\$3.6

Action validation: {"returned": {"amount": 5.55, "clamped": false, "max": 15.0, "min": 0, "raw": 5.55}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_2: Agent_3 (Cyra) sent \$5; received \$15; Agent_7 (Galen) returned \$4.85; payoffs Agent_3 (Cyra)=\$4.85, Agent_7 (Galen)=\$10.15; noise/visible: sent visible=\$3.23, received visible=\$9.69, returned visible=\$4.67

Action validation: {"returned": {"amount": 4.85, "clamped": false, "max": 15.0, "min": 0, "raw": 4.85}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_3: Agent_5 (Elara) sent \$5; received \$15; Agent_1 (Aster) returned \$5.97; payoffs Agent_5 (Elara)=\$5.97, Agent_1 (Aster)=\$9.03; noise/visible: sent visible=\$3.98, received visible=\$11.94, returned visible=\$4.01

Action validation: {"returned": {"amount": 5.97, "clamped": false, "max": 15.0, "min": 0, "raw": 5.97}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

```

dyad_4: Agent_2 (Briar) sent $5; received $15; Agent_8 (Hana) returned $6.18; payoffs Agent_2
(Briar)=$6.18, Agent_8 (Hana)=$8.82; noise/visible: sent visible=$4.12, received visible=$12.36,
returned visible=$5.18
Action validation: {"returned": {"amount": 6.18, "clamped": false, "max": 15.0, "min": 0, "raw":
6.18}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
Balances after round: {
  "Agent_1": 33.805,
  "Agent_2": 26.869999999999997,
  "Agent_3": 29.055,
  "Agent_4": 25.84,
  "Agent_5": 30.19,
  "Agent_6": 32.519999999999996,
  "Agent_7": 34.27,
  "Agent_8": 27.45
}
Visible balances after round: {
  "Agent_1": 24.755,
  "Agent_2": 18.3,
  "Agent_3": 22.79,
  "Agent_4": 16.49,
  "Agent_5": 21.07,
  "Agent_6": 21.53,
  "Agent_7": 21.22,
  "Agent_8": 23.259999999999998
}

```

LLM CALLS

GAME - Agent_4 - Sender - dyad_1

Timestamp: 2026-06-04T15:00:18
Model: google/gemini-3.1-flash-lite
Temperature: 0.8

```

Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_6",
  "pairing": {
    "agent_names": {
      "Agent_4": "Dorian",
      "Agent_6": "Finn"
    },
    "agents": [
      "Agent_4",
      "Agent_6"
    ],
    "investor": "Agent_4",
    "roles": {
      "Agent_4": "investor",
      "Agent_6": "trustee"
    },
    "trustee": "Agent_6"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 4,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may al
so be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)

- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 1: You are the RECEIVER. Cyra sent \$3.89, that is 77.8% of their total endowment. You received \$11.67. How much do you return to Cyra? (0-11.67)

Message 3 role=assistant

content:

{'return': 7.78}

reasoning:

****Analyzing the Details****

I've got the essential parameters locked down: I am Dorian, the RECEIVER in this exchange. Cyra (Agent_3) is the sender, and the initial endowment was \$5.00. She sent \$3.89, which, with the 3x multiplier, resulted in me receiving \$11.67. I'm focusing on the implications of these raw numbers now.

usage:

```
{
  "input_tokens": 469,
  "output_tokens": 330,
  "reasoning_tokens": 321
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Galen (Agent_7).

Round 2

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.89, it became \$11.67, and you returned \$7.78. Your visible payoff was \$3.8899999999999997.

Your total visible earnings across all rounds are \$3.8899999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[138 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 633,
  "output_tokens": 144,
  "reasoning_tokens": 138
}
```

Message 6 role=user

content:

Your name in this experiment is Dorian.

Your opponent this round is Aster (Agent_1).

Round 3

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24. Your total visible earnings across all rounds are \$8.129999999999999.

This round, you are the RECEIVER against Aster. They sent you \$3.97, so you received \$11.9

1. How much do you return? (0-11.91)

Message 7 role=assistant

content:

{'return': 7.15}

reasoning:

****Analyzing Return Strategy****

I'm currently in the receiver role, facing Aster. I just received \$11.91, up from \$3.97 that was sent. My goal is to decide how much to return, between \$0 and \$11.91. My previous decision was around 66% (Round 1), and I was also the sender in Round 2. I'm actively considering my optimal return strategy based on past interactions.

usage:

```
{
  "input_tokens": 795,
  "output_tokens": 454,
  "reasoning_tokens": 445
}
```

Message 8 role=user

content:

Your name in this experiment is Dorian.

Your opponent this round is Finn (Agent_6).

Round 4

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$3.97, it became \$11.91, and you returned \$7.15. Your visible payoff was \$4.76. Your total visible earnings across all rounds are \$12.889999999999999.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[183 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 942,
"output_tokens": 189,
"reasoning_tokens": 183
```

}

GAME - Agent_6 - Receiver - dyad_1

Timestamp: 2026-06-04T15:00:20

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 1,
  "opponent_id": "Agent_4",
  "pairing": {
    "agent_names": {
      "Agent_4": "Dorian",
      "Agent_6": "Finn"
    },
    "agents": [
      "Agent_4",
      "Agent_6"
    ],
    "investor": "Agent_4",
    "roles": {
      "Agent_4": "investor",
      "Agent_6": "trustee"
    },
    "trustee": "Agent_6"
  },
  "role": "trustee",
  "role_label": "Receiver",
  "round": 4,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.

- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Galen (Agent_7).

Round 1: You are the RECEIVER. Galen sent \$4.0, that is 80.0% of their total endowment. You received \$12.0. How much do you return to Galen? (0-12.0)

Message 3 role=assistant

content:

{'return': 6.0}

reasoning:

****Assessing Trust Dynamics****

I'm Finn, the receiver, and I've just gotten \$12 from Galen, or Agent_7, who sent \$4.0 of their \$5.0 endowment. The sender's actions are indicating trust, since they've given a significant portion of their endowment. I'm focused on the implications of that trust within the confines of the interaction. My role is to now decide how much to return, which will test that trust.

usage:

```
{
  "input_tokens": 466,
  "output_tokens": 298,
  "reasoning_tokens": 290
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Briar (Agent_2).

Round 2

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$4.0, it became \$12.0, and you returned \$6.0. Your visible payoff was \$6.0. Your total visible earnings across all rounds are \$6.0.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[209 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 592,
  "output_tokens": 217,
  "reasoning_tokens": 209
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Briar (Agent_2).

Round 3

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$4.13 to you. Your visible payoff was \$4.13. Your total visible earnings across all rounds are \$10.129999999999999.

This round, you are the RECEIVER against Briar. They sent you \$3.9, so you received \$11.7. How much do you return? (0-11.7)

Message 7 role=assistant

content:

{'return': 5.85}

reasoning:

```

[283 reasoning tokens used, but content encrypted by provider]
usage:
{
  "input_tokens": 754,
  "output_tokens": 292,
  "reasoning_tokens": 283
}
Message 8 role=user
content:
  Your name in this experiment is Finn.
  Your opponent this round is Dorian (Agent_4).

  Round 4

  In your most recent previous game round, you were the RECEIVER against Briar. You saw them
  send $3.9, it became $11.7, and you returned $5.85. Your visible payoff was $5.85.
  Your total visible earnings across all rounds are $15.979999999999999.

  This round, you are the RECEIVER against Dorian. They sent you $3.7, so you received $11.1
  000000000000001. How much do you return? (0-11.100000000000001)
Assistant output:
{'return': 5.55}
Reasoning:
**Deciding What to Return**

I'm currently in Round 4, playing as the RECEIVER against Dorian. I received $11.10 and must n
ow decide how much to return, considering our game history.

Usage: {
  "input_tokens": 941,
  "output_tokens": 271,
  "reasoning_tokens": 262
}

GAME - Agent_3 - Sender - dyad_2
Timestamp: 2026-06-04T15:00:21
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_7",
  "pairing": {
    "agent_names": {
      "Agent_3": "Cyra",
      "Agent_7": "Galen"
    },
  },
  "agents": [
    "Agent_3",
    "Agent_7"
  ],
  "investor": "Agent_3",
  "roles": {
    "Agent_3": "investor",
    "Agent_7": "trustee"
  },
  "trustee": "Agent_7"
},
"role": "investor",
"role_label": "Sender",
"round": 4,
"task": "game",
"task_index": 0
}
Exact input messages sent to model:
Message 1 role=system
content:
  You are an agent participating in a multi-task experiment. You will play a game and may al
  so be asked to write myths.

```

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Dorian (Agent_4).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[170 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 437,
  "output_tokens": 176,
  "reasoning_tokens": 170
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Aster (Agent_1).

Round 2

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.00, it became \$15.00, and you saw them return \$7.05 to you. Your visible payoff was \$7.05. Your total visible earnings across all rounds are \$7.05.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[131 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 568,
  "output_tokens": 137,
  "reasoning_tokens": 131
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Hana (Agent_8).

Round 3

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$6.99 to you. Your visible payoff was \$6.99. Your total visible earnings across all rounds are \$14.04.

This round, you are the RECEIVER against Hana. They sent you \$3.36, so you received \$10.08. How much do you return? (0-10.08)

Message 7 role=assistant

content:

{'return': 6.0}

reasoning:

[279 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 718,
  "output_tokens": 287,
  "reasoning_tokens": 279
}
```

Message 8 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Galen (Agent_7).

Round 4

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.36, it became \$10.08, and you returned \$6.0. Your visible payoff was \$4.08. Your total visible earnings across all rounds are \$18.119999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[97 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 866,
"output_tokens": 103,
"reasoning_tokens": 97
```

}

GAME - Agent_7 - Receiver - dyad_2

Timestamp: 2026-06-04T15:00:23

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",
"move_index": 3,
"opponent_id": "Agent_3",
"pairing": {
  "agent_names": {
    "Agent_3": "Cyra",
    "Agent_7": "Galen"
  }
},
```

```

"agents": [
  "Agent_3",
  "Agent_7"
],
"investor": "Agent_3",
"roles": {
  "Agent_3": "investor",
  "Agent_7": "trustee"
},
"trustee": "Agent_7"
},
"role": "trustee",
"role_label": "Receiver",
"round": 4,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Finn (Agent_6).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[179 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 435,
  "output_tokens": 185,
  "reasoning_tokens": 179
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Dorian (Agent_4).

Round 2

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.5 to you. Your visible payoff was \$4.5. Your total visible earnings across all rounds are \$4.5.

This round, you are the RECEIVER against Dorian. They sent you \$3.48, so you received \$10.44. How much do you return? (0-10.44)

Message 5 role=assistant

content:

{'return': 5.22}

reasoning:

[226 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 583,
  "output_tokens": 235,
  "reasoning_tokens": 226
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 3

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.48, it became \$10.44, and you returned \$5.22. Your visible payoff was \$5.22. Your total visible earnings across all rounds are \$9.719999999999999.

This round, you are the RECEIVER against Elara. They sent you \$4.44, so you received \$13.32. How much do you return? (0-13.32)

Message 7 role=assistant

content:

{'return': 6.66}

reasoning:

[166 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 744,
  "output_tokens": 175,
  "reasoning_tokens": 166
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Cyra (Agent_3).

Round 4

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.44, it became \$13.32, and you returned \$6.66. Your visible payoff was \$6.66. Your total visible earnings across all rounds are \$16.38.

This round, you are the RECEIVER against Cyra. They sent you \$3.23, so you received \$9.69.

How much do you return? (0-9.69)

Assistant output:

```
{'return': 4.85}
```

Reasoning:

[387 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 896,  
"output_tokens": 396,  
"reasoning_tokens": 387
```

}

GAME - Agent_5 - Sender - dyad_3

Timestamp: 2026-06-04T15:00:24

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",  
"move_index": 4,  
"opponent_id": "Agent_1",  
"pairing": {  
  "agent_names": {  
    "Agent_1": "Aster",  
    "Agent_5": "Elara"
```

```
},
```

```
"agents": [  
  "Agent_5",  
  "Agent_1"
```

```
],
```

```
"investor": "Agent_5",
```

```
"roles": {
```

```
  "Agent_1": "trustee",  
  "Agent_5": "investor"
```

```
},
```

```
"trustee": "Agent_1"
```

```
},
```

```
"role": "investor",
```

```
"role_label": "Sender",
```

```
"round": 4,
```

```
"task": "game",
```

```
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Briar (Agent_2).

Round 1: You are the RECEIVER. Briar sent \$3.17, that is 63.4% of their total endowment. You received \$9.51. How much do you return to Briar? (0-9.51)

Message 3 role=assistant

content:

{'return': 4.76}

reasoning:

[357 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 469,
  "output_tokens": 366,
  "reasoning_tokens": 357
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Hana (Agent_8).

Round 2

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.17, it became \$9.51, and you returned \$4.76. Your visible payoff was \$4.75. Your total visible earnings across all rounds are \$4.75.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 599,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 3

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.68 to you. Your visible payoff was \$6.68. Your total visible earnings across all rounds are \$11.43.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[120 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 737,
  "output_tokens": 126,
  "reasoning_tokens": 120
}
```

Message 8 role=user

content:

Your name in this experiment is Elara.

Your opponent this round is Aster (Agent_1).

Round 4

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.63 to you. Your visible payoff was \$5.63. Your total visible earnings across all rounds are \$17.06.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[167 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 870,
"output_tokens": 173,
"reasoning_tokens": 167
```

}

GAME - Agent_1 - Receiver - dyad_3

Timestamp: 2026-06-04T15:00:26

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",
"move_index": 5,
"opponent_id": "Agent_5",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_5": "Elara"
  }
},
```

```
"agents": [
  "Agent_5",
  "Agent_1"
],
```

```
"investor": "Agent_5",
```

```
"roles": {
  "Agent_1": "trustee",
  "Agent_5": "investor"
},
```

```
"trustee": "Agent_1"
```

```
},
"role": "trustee",
"role_label": "Receiver",
"round": 4,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Hana (Agent_8).

Round 1: You are the RECEIVER. Hana sent \$3.3, that is 66.0% of their total endowment. You received \$9.899999999999999. How much do you return to Hana? (0-9.899999999999999)

Message 3 role=assistant

content:

{'return': 4.95}

reasoning:

****Calculating Hana's Return****

I'm currently focused on the specific numbers of this exchange. Aster, I'm the receiver. Hana sent \$3.3 from an original \$5. This multiplies to \$9.9, and the next step is calculating how much Hana would send back to me.

usage:

```
{
  "input_tokens": 489,
  "output_tokens": 275,
  "reasoning_tokens": 266
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 2

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.3, it became \$9.899999999999999, and you returned \$4.95. Your visible payoff was \$4.949999999999998.
Your total visible earnings across all rounds are \$4.949999999999998.

This round, you are the RECEIVER against Cyra. They sent you \$4.95, so you received \$14.850000000000001. How much do you return? (0-14.850000000000001)

Message 5 role=assistant

content:

{'return': 7.425}

reasoning:

[216 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 705,
  "output_tokens": 226,
  "reasoning_tokens": 216
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Dorian (Agent_4).

Round 3

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.95, it became \$14.850000000000001, and you returned \$7.425. Your visible payoff was \$7.425000000000002.
Your total visible earnings across all rounds are \$12.375.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[191 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 863,
  "output_tokens": 197,
  "reasoning_tokens": 191
}
```

Message 8 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Elara (Agent_5).

Round 4

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.41 to you. Your visible payoff was \$6.41.
Your total visible earnings across all rounds are \$18.785.

This round, you are the RECEIVER against Elara. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Assistant output:

{'return': 5.97}

Reasoning:

****Analyzing the Payout****

I'm currently in round 4, receiving \$11.94 from Elara (Agent_5) after they originally sent \$3.98. The task is to determine the appropriate amount to return, with a range from \$0 to \$11.94. I'm focusing on the optimal strategy, considering the history of this interaction and the potential motivations involved. This payout decision needs careful consideration.

Usage: {

```
"input_tokens": 1021,
"output_tokens": 305,
"reasoning_tokens": 296
}
```

GAME - Agent_2 - Sender - dyad_4

Timestamp: 2026-06-04T15:00:27

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_4",
  "move_index": 6,
  "opponent_id": "Agent_8",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_8": "Hana"
    },
  },
  "agents": [
    "Agent_2",
    "Agent_8"
  ],
  "investor": "Agent_2",
  "roles": {
    "Agent_2": "investor",
    "Agent_8": "trustee"
  },
  "trustee": "Agent_8"
},
"role": "investor",
"role_label": "Sender",
"round": 4,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Elara (Agent_5).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[86 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 438,
  "output_tokens": 92,
  "reasoning_tokens": 86
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 2

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$3.72 to you. Your visible payoff was \$3.72. Your total visible earnings across all rounds are \$3.72.

This round, you are the RECEIVER against Finn. They sent you \$3.28, so you received \$9.84. How much do you return? (0-9.84)

Message 5 role=assistant

content:

{'return': 4.92}

reasoning:

[155 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 586,
  "output_tokens": 164,
  "reasoning_tokens": 155
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 3

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.28, it became \$9.84, and you returned \$4.92. Your visible payoff was \$4.92. Your total visible earnings across all rounds are \$8.64.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[141 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 713,
  "output_tokens": 147,
  "reasoning_tokens": 141
}
```

Message 8 role=user**content:**

Your name in this experiment is Briar.
Your opponent this round is Hana (Agent_8).

Round 4

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.48 to you. Your visible payoff was \$4.48. Your total visible earnings across all rounds are \$13.120000000000001.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[174 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 856,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

GAME - Agent_8 - Receiver - dyad_4

Timestamp: 2026-06-04T15:00:29

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_4",
  "move_index": 7,
  "opponent_id": "Agent_2",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_8": "Hana"
    }
  },
  "agents": [
    "Agent_2",
    "Agent_8"
  ],
  "investor": "Agent_2",
  "roles": {
    "Agent_2": "investor",
    "Agent_8": "trustee"
  },
  "trustee": "Agent_8"
},
{
  "role": "trustee",
  "role_label": "Receiver",
  "round": 4,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)

- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Aster (Agent_1).

Round 1: You are the SENDER. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[140 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 433,
  "output_tokens": 146,
  "reasoning_tokens": 140
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Elara (Agent_5).

Round 2

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$3.85 to you. Your visible payoff was \$3.85. Your total visible earnings across all rounds are \$3.85.

This round, you are the RECEIVER against Elara. They sent you \$4.88, so you received \$14.64. How much do you return? (0-14.64)

Message 5 role=assistant

content:

{'return': 7.32}

reasoning:

Analyzing the Received Funds

I'm currently focused on the received funds from Elara in this round. She sent \$4.88, which grew to \$14.64. I must decide how much to return, between \$0 and the full amount, keeping in mind the multi-round nature of this game. I'm aiming for a cooperative yet strategic approach, considering the previous round's outcome with Aster.

usage:

```
{
  "input_tokens": 585,
  "output_tokens": 382,
  "reasoning_tokens": 373
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Cyra (Agent_3).

Round 3

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.88, it became \$14.64, and you returned \$7.32. Your visible payoff was \$7.32. Your total visible earnings across all rounds are \$11.17.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5}
```

reasoning:

[144 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 716,
  "output_tokens": 150,
  "reasoning_tokens": 144
}
```

Message 8 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Briar (Agent_2).

Round 4

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.91 to you. Your visible payoff was \$5.91. Your total visible earnings across all rounds are \$17.08.

This round, you are the RECEIVER against Briar. They sent you \$4.12, so you received \$12.36. How much do you return? (0-12.36)

Assistant output:

```
{'return': 6.18}
```

Reasoning:

****Analyzing Received Funds****

I've just received \$12.36 from Briar. My current focus is on determining the optimal amount to return in this round, considering our established strategy and the information gathered so far.

Usage: {

```
"input_tokens": 866,
"output_tokens": 308,
"reasoning_tokens": 299
}
```

=====

ROUND 5

=====

Roles: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Sender, Agent_3 (Cyra)=Receiver, Agent_4 (Dorian)=Receiver, Agent_5 (Elara)=Receiver, Agent_6 (Finn)=Sender, Agent_7 (Galen)=Sender, Agent_8 (Hana)=Receiver

Pairings:

dyad_1: Agent_2 (Briar)=Sender, Agent_4 (Dorian)=Receiver
dyad_2: Agent_1 (Aster)=Sender, Agent_3 (Cyra)=Receiver
dyad_3: Agent_6 (Finn)=Sender, Agent_8 (Hana)=Receiver
dyad_4: Agent_7 (Galen)=Sender, Agent_5 (Elara)=Receiver

Parsed game decisions:

dyad_1: Agent_2 (Briar) sent \$5; received \$15; Agent_4 (Dorian) returned \$8.37; payoffs Agent_2 (Briar)=\$8.37, Agent_4 (Dorian)=\$6.63; noise/visible: sent visible=\$4.65, received visible=\$13.95, returned visible=\$6.96

Action validation: {"returned": {"amount": 8.37, "clamped": false, "max": 15.0, "min": 0, "raw": 8.37}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_2: Agent_1 (Aster) sent \$5; received \$15; Agent_3 (Cyra) returned \$6.05; payoffs Agent_1 (Aster)=\$6.05, Agent_3 (Cyra)=\$8.95; noise/visible: sent visible=\$4.03, received visible=\$12.09, returned visible=\$5.39

Action validation: {"returned": {"amount": 6.05, "clamped": false, "max": 15.0, "min": 0, "raw": 6.05}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_3: Agent_6 (Finn) sent \$5; received \$15; Agent_8 (Hana) returned \$6.69; payoffs Agent_6 (Finn)=\$6.69, Agent_8 (Hana)=\$8.31; noise/visible: sent visible=\$4.46, received visible=\$13.38, returned visible=\$6.34

Action validation: {"returned": {"amount": 6.69, "clamped": false, "max": 15.0, "min": 0, "raw": 6.69}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_4: Agent_7 (Galen) sent \$5; received \$15; Agent_5 (Elara) returned \$5.31; payoffs Agent_7 (Galen)=\$5.31, Agent_5 (Elara)=\$9.69; noise/visible: sent visible=\$3.54, received visible=\$10.62, returned visible=\$4.14

Action validation: {"returned": {"amount": 5.31, "clamped": false, "max": 15.0, "min": 0, "raw": 5.31}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

Balances after round: {

"Agent_1": 39.855,
"Agent_2": 35.239999999999995,
"Agent_3": 38.004999999999995,
"Agent_4": 32.47,
"Agent_5": 39.88,
"Agent_6": 39.209999999999994,
"Agent_7": 39.580000000000005,
"Agent_8": 35.76

}

Visible balances after round: {

"Agent_1": 30.145,
"Agent_2": 25.26,
"Agent_3": 28.83,
"Agent_4": 22.07,
"Agent_5": 26.380000000000003,
"Agent_6": 27.87,
"Agent_7": 25.36,
"Agent_8": 29.949999999999996

}

LLM CALLS

GAME - Agent_2 - Sender - dyad_1

Timestamp: 2026-06-04T15:00:31

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

"dyad_id": "dyad_1",
"move_index": 0,
"opponent_id": "Agent_4",
"pairing": {
 "agent_names": {
 "Agent_2": "Briar",
 "Agent_4": "Dorian"
 },
 "agents": [
 "Agent_2",
 "Agent_4"
],
 "investor": "Agent_2",
 "roles": {
 "Agent_2": "investor",
 "Agent_4": "trustee"

```

    },
    "trustee": "Agent_4"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 5,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.

Your opponent this round is Finn (Agent_6).

Round 2

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$3.72 to you. Your visible payoff was \$3.72. Your total visible earnings across all rounds are \$3.72.

This round, you are the RECEIVER against Finn. They sent you \$3.28, so you received \$9.84.

How much do you return? (0-9.84)

Message 3 role=assistant

```
content:
  {'return': 4.92}
reasoning:
[155 reasoning tokens used, but content encrypted by provider]
usage:
{
  "input_tokens": 586,
  "output_tokens": 164,
  "reasoning_tokens": 155
}
```

Message 4 role=user

```
content:
  Your name in this experiment is Briar.
  Your opponent this round is Finn (Agent_6).
```

Round 3

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.28, it became \$9.84, and you returned \$4.92. Your visible payoff was \$4.92. Your total visible earnings across all rounds are \$8.64.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

```
content:
  {'send': 5}
reasoning:
[141 reasoning tokens used, but content encrypted by provider]
usage:
{
  "input_tokens": 713,
  "output_tokens": 147,
  "reasoning_tokens": 141
}
```

Message 6 role=user

```
content:
  Your name in this experiment is Briar.
  Your opponent this round is Hana (Agent_8).
```

Round 4

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.48 to you. Your visible payoff was \$4.48. Your total visible earnings across all rounds are \$13.120000000000001.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

```
content:
  {'send': 5}
reasoning:
[174 reasoning tokens used, but content encrypted by provider]
usage:
{
  "input_tokens": 856,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 8 role=user

```
content:
  Your name in this experiment is Briar.
  Your opponent this round is Dorian (Agent_4).
```

Round 5

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$5.18 to you. Your visible payoff was \$5.18. Your total visible earnings across all rounds are \$18.3.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[219 reasoning tokens used, but content encrypted by provider]

```
Usage: {  
  "input_tokens": 938,  
  "output_tokens": 225,  
  "reasoning_tokens": 219  
}
```

GAME - Agent_4 - Receiver - dyad_1

Timestamp: 2026-06-04T15:00:33

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {  
  "dyad_id": "dyad_1",  
  "move_index": 1,  
  "opponent_id": "Agent_2",  
  "pairing": {  
    "agent_names": {  
      "Agent_2": "Briar",  
      "Agent_4": "Dorian"  
    },  
    "agents": [  
      "Agent_2",  
      "Agent_4"  
    ],  
    "investor": "Agent_2",  
    "roles": {  
      "Agent_2": "investor",  
      "Agent_4": "trustee"  
    },  
    "trustee": "Agent_4"  
  },  
  "role": "trustee",  
  "role_label": "Receiver",  
  "round": 5,  
  "task": "game",  
  "task_index": 0  
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Galen (Agent_7).

Round 2

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.89, it became \$11.67, and you returned \$7.78. Your visible payoff was \$3.8899999999999997.

Your total visible earnings across all rounds are \$3.8899999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[138 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 633,
  "output_tokens": 144,
  "reasoning_tokens": 138
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Aster (Agent_1).

Round 3

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24.
Your total visible earnings across all rounds are \$8.129999999999999.

This round, you are the RECEIVER against Aster. They sent you \$3.97, so you received \$11.91. How much do you return? (0-11.91)

Message 5 role=assistant

content:

{'return': 7.15}

reasoning:

****Analyzing Return Strategy****

I'm currently in the receiver role, facing Aster. I just received \$11.91, up from \$3.97 that was sent. My goal is to decide how much to return, between \$0 and \$11.91. My previous decision was around 66% (Round 1), and I was also the sender in Round 2. I'm actively considering my optimal return strategy based on past interactions.

usage:

```
{
  "input_tokens": 795,
  "output_tokens": 454,
  "reasoning_tokens": 445
}
```

Message 6 role=user**content:**

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 4

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$3.97, it became \$11.91, and you returned \$7.15. Your visible payoff was \$4.76. Your total visible earnings across all rounds are \$12.889999999999999.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 7 role=assistant**content:**

```
{'send': 5}
```

reasoning:

[183 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 942,
  "output_tokens": 189,
  "reasoning_tokens": 183
}
```

Message 8 role=user**content:**

Your name in this experiment is Dorian.
Your opponent this round is Briar (Agent_2).

Round 5

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$3.6 to you. Your visible payoff was \$3.6. Your total visible earnings across all rounds are \$16.49.

This round, you are the RECEIVER against Briar. They sent you \$4.65, so you received \$13.950000000000001. How much do you return? (0-13.950000000000001)

Assistant output:

```
{'return': 8.37}
```

Reasoning:

[346 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 1017,
  "output_tokens": 355,
  "reasoning_tokens": 346
}
```

GAME - Agent_1 - Sender - dyad_2

Timestamp: 2026-06-04T15:00:34

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_3",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_3": "Cyrus"
    },
  },
  "agents": [
    "Agent_1",
    "Agent_3"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_3": "trustee"
  },
  "trustee": "Agent_3"
},
```

```

"role": "investor",
"role_label": "Sender",
"round": 5,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.

Your opponent this round is Cyra (Agent_3).

Round 2

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.3, it became \$9.899999999999999, and you returned \$4.95. Your visible payoff was \$4.949999999999998.

Your total visible earnings across all rounds are \$4.949999999999998.

This round, you are the RECEIVER against Cyra. They sent you \$4.95, so you received \$14.850000000000001. How much do you return? (0-14.850000000000001)

Message 3 role=assistant

content:

{ 'return': 7.425 }

reasoning:

[216 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 705,
  "output_tokens": 226,
  "reasoning_tokens": 216
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Dorian (Agent_4).

Round 3

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.95, it became \$14.850000000000001, and you returned \$7.425. Your visible payoff was \$7.425000000000002.

Your total visible earnings across all rounds are \$12.375.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[191 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 863,
  "output_tokens": 197,
  "reasoning_tokens": 191
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Elara (Agent_5).

Round 4

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.41 to you. Your visible payoff was \$6.41. Your total visible earnings across all rounds are \$18.785.

This round, you are the RECEIVER against Elara. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Message 7 role=assistant

content:

{'return': 5.97}

reasoning:

****Analyzing the Payout****

I'm currently in round 4, receiving \$11.94 from Elara (Agent_5) after they originally sent \$3.98. The task is to determine the appropriate amount to return, with a range from \$0 to \$11.94. I'm focusing on the optimal strategy, considering the history of this interaction and the potential motivations involved. This payout decision needs careful consideration.

usage:

```
{
  "input_tokens": 1021,
  "output_tokens": 305,
  "reasoning_tokens": 296
}
```

Message 8 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 5

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.98, it became \$11.94, and you returned \$5.97. Your visible payoff was \$5.97. Your total visible earnings across all rounds are \$24.755.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[222 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 1047,
  "output_tokens": 228,
  "reasoning_tokens": 222
}
```

GAME - Agent_3 - Receiver - dyad_2

Timestamp: 2026-06-04T15:00:35

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_2",
  "move_index": 3,
  "opponent_id": "Agent_1",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_3": "Cyra"
    }
  },
  "agents": [
    "Agent_1",
    "Agent_3"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_3": "trustee"
  },
  "trustee": "Agent_3"
},
"role": "trustee",
"role_label": "Receiver",
"round": 5,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned

- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Aster (Agent_1).

Round 2

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$7.05 to you. Your visible payoff was \$7.05. Your total visible earnings across all rounds are \$7.05.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[131 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 568,
  "output_tokens": 137,
  "reasoning_tokens": 131
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Hana (Agent_8).

Round 3

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$6.99 to you. Your visible payoff was \$6.99. Your total visible earnings across all rounds are \$14.04.

This round, you are the RECEIVER against Hana. They sent you \$3.36, so you received \$10.08. How much do you return? (0-10.08)

Message 5 role=assistant

content:

{'return': 6.0}

reasoning:

[279 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 718,
  "output_tokens": 287,
  "reasoning_tokens": 279
}
```

Message 6 role=user**content:**

Your name in this experiment is Cyra.
Your opponent this round is Galen (Agent_7).

Round 4

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.36, it became \$10.08, and you returned \$6.0. Your visible payoff was \$4.08. Your total visible earnings across all rounds are \$18.119999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 7 role=assistant**content:**

```
{'send': 5}
```

reasoning:

[97 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 866,
  "output_tokens": 103,
  "reasoning_tokens": 97
}
```

Message 8 role=user**content:**

Your name in this experiment is Cyra.
Your opponent this round is Aster (Agent_1).

Round 5

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.67 to you. Your visible payoff was \$4.67. Your total visible earnings across all rounds are \$22.79.

This round, you are the RECEIVER against Aster. They sent you \$4.03, so you received \$12.09. How much do you return? (0-12.09)

Assistant output:

```
{'return': 6.05}
```

Reasoning:

****Analyzing Round 5 Dynamics****

I'm currently focused on the implications of this round with Aster, especially given my role as a receiver and the \$12.09 return. It's insightful to consider the sender's strategy, considering our previous interaction in Round 2.

```
Usage: {
  "input_tokens": 961,
  "output_tokens": 216,
  "reasoning_tokens": 207
}
```

GAME - Agent_6 - Sender - dyad_3

Timestamp: 2026-06-04T15:00:37

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_3",
  "move_index": 4,
  "opponent_id": "Agent_8",
  "pairing": {
    "agent_names": {
      "Agent_6": "Finn",
      "Agent_8": "Hana"
    }
  },
  "agents": [
    "Agent_6",
    "Agent_8"
  ],
  "investor": "Agent_6",
}
```

```

"roles": {
  "Agent_6": "investor",
  "Agent_8": "trustee"
},
"trustee": "Agent_8"
},
"role": "investor",
"role_label": "Sender",
"round": 5,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Briar (Agent_2).

Round 2

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$4.0, it became \$12.0, and you returned \$6.0. Your visible payoff was \$6.0. Your total visible earnings across all rounds are \$6.0.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5.0}

reasoning:

[209 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 592,
  "output_tokens": 217,
  "reasoning_tokens": 209
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Briar (Agent_2).

Round 3

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$4.13 to you. Your visible payoff was \$4.13. Your total visible earnings across all rounds are \$10.129999999999999.

This round, you are the RECEIVER against Briar. They sent you \$3.9, so you received \$11.7. How much do you return? (0-11.7)

Message 5 role=assistant

content:

{'return': 5.85}

reasoning:

[283 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 754,
  "output_tokens": 292,
  "reasoning_tokens": 283
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Dorian (Agent_4).

Round 4

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.9, it became \$11.7, and you returned \$5.85. Your visible payoff was \$5.85. Your total visible earnings across all rounds are \$15.979999999999999.

This round, you are the RECEIVER against Dorian. They sent you \$3.7, so you received \$11.100000000000001. How much do you return? (0-11.100000000000001)

Message 7 role=assistant

content:

{'return': 5.55}

reasoning:

Deciding What to Return

I'm currently in Round 4, playing as the RECEIVER against Dorian. I received \$11.10 and must now decide how much to return, considering our game history.

usage:

```
{
  "input_tokens": 941,
  "output_tokens": 271,
  "reasoning_tokens": 262
}
```

Message 8 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Hana (Agent_8).

Round 5

In your most recent previous game round, you were the RECEIVER against Dorian. You saw the m send \$3.7, it became \$11.100000000000001, and you returned \$5.55. Your visible payoff was \$5.550000000000002.

Your total visible earnings across all rounds are \$21.53.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

[175 reasoning tokens used, but content encrypted by provider]

```
Usage: {  
  "input_tokens": 1012,  
  "output_tokens": 183,  
  "reasoning_tokens": 175  
}
```

GAME - Agent_8 - Receiver - dyad_3

Timestamp: 2026-06-04T15:00:39

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {  
  "dyad_id": "dyad_3",  
  "move_index": 5,  
  "opponent_id": "Agent_6",  
  "pairing": {  
    "agent_names": {  
      "Agent_6": "Finn",  
      "Agent_8": "Hana"  
    },  
    "agents": [  
      "Agent_6",  
      "Agent_8"  
    ],  
    "investor": "Agent_6",  
    "roles": {  
      "Agent_6": "investor",  
      "Agent_8": "trustee"  
    },  
    "trustee": "Agent_8"  
  },  
  "role": "trustee",  
  "role_label": "Receiver",  
  "round": 5,  
  "task": "game",  
  "task_index": 0  
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may al so be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN

- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Elara (Agent_5).

Round 2

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$3.85 to you. Your visible payoff was \$3.85. Your total visible earnings across all rounds are \$3.85.

This round, you are the RECEIVER against Elara. They sent you \$4.88, so you received \$14.64. How much do you return? (0-14.64)

Message 3 role=assistant

content:

```
{'return': 7.32}
```

reasoning:

****Analyzing the Received Funds****

I'm currently focused on the received funds from Elara in this round. She sent \$4.88, which grew to \$14.64. I must decide how much to return, between \$0 and the full amount, keeping in mind the multi-round nature of this game. I'm aiming for a cooperative yet strategic approach, considering the previous round's outcome with Aster.

usage:

```
{
  "input_tokens": 585,
  "output_tokens": 382,
  "reasoning_tokens": 373
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Cyra (Agent_3).

Round 3

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.88, it became \$14.64, and you returned \$7.32. Your visible payoff was \$7.32. Your total visible earnings across all rounds are \$11.17.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

```
{'send': 5}
```

reasoning:

[144 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 716,
  "output_tokens": 150,
  "reasoning_tokens": 144
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Briar (Agent_2).

Round 4

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.91 to you. Your visible payoff was \$5.91. Your total visible earnings across all rounds are \$17.08.

This round, you are the RECEIVER against Briar. They sent you \$4.12, so you received \$12.36. How much do you return? (0-12.36)

Message 7 role=assistant

content:

```
{'return': 6.18}
```

reasoning:

****Analyzing Received Funds****

I've just received \$12.36 from Briar. My current focus is on determining the optimal amount to return in this round, considering our established strategy and the information gathered so far.

usage:

```
{
  "input_tokens": 866,
  "output_tokens": 308,
  "reasoning_tokens": 299
}
```

Message 8 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Finn (Agent_6).

Round 5

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.12, it became \$12.36, and you returned \$6.18. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$23.259999999999998.

This round, you are the RECEIVER against Finn. They sent you \$4.46, so you received \$13.379999999999999. How much do you return? (0-13.379999999999999)

Assistant output:

```
{'return': 6.69}
```

Reasoning:

[284 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 1011,
"output_tokens": 293,
"reasoning_tokens": 284
```

}

GAME - Agent_7 - Sender - dyad_4

Timestamp: 2026-06-04T15:00:40

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 6,
"opponent_id": "Agent_5",
"pairing": {
  "agent_names": {
```

```

    "Agent_5": "Elara",
    "Agent_7": "Galen"
  },
  "agents": [
    "Agent_7",
    "Agent_5"
  ],
  "investor": "Agent_7",
  "roles": {
    "Agent_5": "trustee",
    "Agent_7": "investor"
  },
  "trustee": "Agent_5"
},
"role": "investor",
"role_label": "Sender",
"round": 5,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Dorian (Agent_4).

Round 2

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.5 to you. Your visible payoff was \$4.5. Your total visible earnings across all rounds are \$4.5.

This round, you are the RECEIVER against Dorian. They sent you \$3.48, so you received \$10.44. How much do you return? (0-10.44)

Message 3 role=assistant

content:

{'return': 5.22}

reasoning:

[226 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 583,
  "output_tokens": 235,
  "reasoning_tokens": 226
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 3

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.48, it became \$10.44, and you returned \$5.22. Your visible payoff was \$5.22. Your total visible earnings across all rounds are \$9.719999999999999.

This round, you are the RECEIVER against Elara. They sent you \$4.44, so you received \$13.32. How much do you return? (0-13.32)

Message 5 role=assistant

content:

{'return': 6.66}

reasoning:

[166 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 744,
  "output_tokens": 175,
  "reasoning_tokens": 166
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Cyra (Agent_3).

Round 4

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.44, it became \$13.32, and you returned \$6.66. Your visible payoff was \$6.66. Your total visible earnings across all rounds are \$16.38.

This round, you are the RECEIVER against Cyra. They sent you \$3.23, so you received \$9.69. How much do you return? (0-9.69)

Message 7 role=assistant

content:

{'return': 4.85}

reasoning:

[387 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 896,
  "output_tokens": 396,
  "reasoning_tokens": 387
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.
 Your opponent this round is Elara (Agent_5).

Round 5

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.23, it became \$9.69, and you returned \$4.85. Your visible payoff was \$4.84. Your total visible earnings across all rounds are \$21.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

[215 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 985,
"output_tokens": 223,
"reasoning_tokens": 215
```

```
}
```

GAME - Agent_5 - Receiver - dyad_4

Timestamp: 2026-06-04T15:00:42

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 7,
"opponent_id": "Agent_7",
"pairing": {
  "agent_names": {
    "Agent_5": "Elara",
    "Agent_7": "Galen"
```

```
},
```

```
"agents": [
  "Agent_7",
  "Agent_5"
```

```
],
```

```
"investor": "Agent_7",
```

```
"roles": {
  "Agent_5": "trustee",
  "Agent_7": "investor"
```

```
},
```

```
"trustee": "Agent_5"
```

```
},
```

```
"role": "trustee",
```

```
"role_label": "Receiver",
```

```
"round": 5,
```

```
"task": "game",
```

```
"task_index": 0
```

```
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Hana (Agent_8).

Round 2

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.17, it became \$9.51, and you returned \$4.76. Your visible payoff was \$4.75. Your total visible earnings across all rounds are \$4.75.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 599,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 3

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.68 to you. Your visible payoff was \$6.68. Your total visible earnings across all rounds are \$11.43.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[120 reasoning tokens used, but content encrypted by provider]

usage:

```
{
```

```
"input_tokens": 737,
"output_tokens": 126,
"reasoning_tokens": 120
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Aster (Agent_1).

Round 4

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.63 to you. Your visible payoff was \$5.63. Your total visible earnings across all rounds are \$17.06.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5}
```

reasoning:

[167 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 870,
  "output_tokens": 173,
  "reasoning_tokens": 167
}
```

Message 8 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 5

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$4.01 to you. Your visible payoff was \$4.01. Your total visible earnings across all rounds are \$21.07.

This round, you are the RECEIVER against Galen. They sent you \$3.54, so you received \$10.62000000000001. How much do you return? (0-10.620000000000001)

Assistant output:

```
{'return': 5.31}
```

Reasoning:

****Analyzing Galen's Behavior****

I'm reviewing Galen's prior actions, specifically in round three where they sent \$5. This data point, combined with the current round's outcome, is crucial for understanding their strategy and predicting future moves.

Usage: {

```
"input_tokens": 949,
"output_tokens": 259,
"reasoning_tokens": 250
}
```

ROUND 6

Roles: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Receiver, Agent_3 (Cyra)=Receiver, Agent_4 (Dorian)=Receiver, Agent_5 (Elara)=Sender, Agent_6 (Finn)=Sender, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Sender

Pairings:

dyad_1: Agent_5 (Elara)=Sender, Agent_3 (Cyra)=Receiver
dyad_2: Agent_6 (Finn)=Sender, Agent_4 (Dorian)=Receiver
dyad_3: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Receiver
dyad_4: Agent_8 (Hana)=Sender, Agent_7 (Galen)=Receiver

Parsed game decisions:

dyad_1: Agent_5 (Elara) sent \$5; received \$15; Agent_3 (Cyra) returned \$6; payoffs Agent_5 (Elara)=\$6, Agent_3 (Cyra)=\$9; noise/visible: sent visible=\$3.99, received visible=\$11.97, returned visible=\$4.24

```

    Action validation: {"returned": {"amount": 6.0, "clamped": false, "max": 15.0, "min": 0, "raw":
    6.0}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_2: Agent_6 (Finn) sent $5; received $15; Agent_4 (Dorian) returned $7.24; payoffs Agent_6
(Finn)=$7.24, Agent_4 (Dorian)=$7.76; noise/visible: sent visible=$4.02, received visible=$12.06,
returned visible=$6.1
    Action validation: {"returned": {"amount": 7.24, "clamped": false, "max": 15.0, "min": 0, "raw":
    7.24}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_3: Agent_1 (Aster) sent $5; received $15; Agent_2 (Briar) returned $7.17; payoffs Agent_1
(Aster)=$7.17, Agent_2 (Briar)=$7.83; noise/visible: sent visible=$4.78, received visible=$14.34,
returned visible=$7.16
    Action validation: {"returned": {"amount": 7.17, "clamped": false, "max": 15.0, "min": 0, "raw":
    7.17}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_4: Agent_8 (Hana) sent $5; received $15; Agent_7 (Galen) returned $6.11; payoffs Agent_8
(Hana)=$6.11, Agent_7 (Galen)=$8.89; noise/visible: sent visible=$4.07, received visible=$12.21,
returned visible=$4.49
    Action validation: {"returned": {"amount": 6.11, "clamped": false, "max": 15.0, "min": 0, "raw":
    6.11}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
Balances after round: {
  "Agent_1": 47.025,
  "Agent_2": 43.06999999999999,
  "Agent_3": 47.004999999999995,
  "Agent_4": 40.23,
  "Agent_5": 45.88,
  "Agent_6": 46.449999999999996,
  "Agent_7": 48.470000000000006,
  "Agent_8": 41.87
}
Visible balances after round: {
  "Agent_1": 37.305,
  "Agent_2": 32.43,
  "Agent_3": 34.8,
  "Agent_4": 26.89,
  "Agent_5": 30.620000000000005,
  "Agent_6": 33.97,
  "Agent_7": 31.46,
  "Agent_8": 34.44
}

```

LLM CALLS

```

GAME - Agent_5 - Sender - dyad_1
Timestamp: 2026-06-04T15:00:44
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_3",
  "pairing": {
    "agent_names": {
      "Agent_3": "Cyrus",
      "Agent_5": "Elara"
    },
    "agents": [
      "Agent_5",
      "Agent_3"
    ],
    "investor": "Agent_5",
    "roles": {
      "Agent_3": "trustee",
      "Agent_5": "investor"
    },
    "trustee": "Agent_3"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 6,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 3

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.68 to you. Your visible payoff was \$6.68. Your total visible earnings across all rounds are \$11.43.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[120 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 737,
  "output_tokens": 126,
  "reasoning_tokens": 120
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Aster (Agent_1).

Round 4

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.63 to you. Your visible payoff was \$5.63. Your total visible earnings across all rounds are \$17.06.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[167 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 870,
  "output_tokens": 173,
  "reasoning_tokens": 167
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 5

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$4.01 to you. Your visible payoff was \$4.01. Your total visible earnings across all rounds are \$21.07.

This round, you are the RECEIVER against Galen. They sent you \$3.54, so you received \$10.620000000000001. How much do you return? (0-10.620000000000001)

Message 7 role=assistant

content:

{'return': 5.31}

reasoning:

****Analyzing Galen's Behavior****

I'm reviewing Galen's prior actions, specifically in round three where they sent \$5. This data point, combined with the current round's outcome, is crucial for understanding their strategy and predicting future moves.

usage:

```
{
  "input_tokens": 949,
  "output_tokens": 259,
  "reasoning_tokens": 250
}
```

Message 8 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Cyra (Agent_3).

Round 6

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$3.54, it became \$10.620000000000001, and you returned \$5.31. Your visible payoff was \$5.310000000000001. Your total visible earnings across all rounds are \$26.380000000000003.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[189 reasoning tokens used, but content encrypted by provider]

Usage: {

```



```

GAME - Agent_3 - Receiver - dyad_1

Timestamp: 2026-06-04T15:00:45

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```

Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 1,
  "opponent_id": "Agent_5",
  "pairing": {
    "agent_names": {
      "Agent_3": "Cyra",
      "Agent_5": "Elara"
    },
    "agents": [
      "Agent_5",
      "Agent_3"
    ],
    "investor": "Agent_5",
    "roles": {
      "Agent_3": "trustee",
      "Agent_5": "investor"
    },
    "trustee": "Agent_3"
  },
  "role": "trustee",
  "role_label": "Receiver",
  "round": 6,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Hana (Agent_8).

Round 3

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$6.99 to you. Your visible payoff was \$6.99. Your total visible earnings across all rounds are \$14.04.

This round, you are the RECEIVER against Hana. They sent you \$3.36, so you received \$10.08. How much do you return? (0-10.08)

Message 3 role=assistant

content:

{'return': 6.0}

reasoning:

[279 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 718,
  "output_tokens": 287,
  "reasoning_tokens": 279
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Galen (Agent_7).

Round 4

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.36, it became \$10.08, and you returned \$6.0. Your visible payoff was \$4.08. Your total visible earnings across all rounds are \$18.119999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[97 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 866,
  "output_tokens": 103,
  "reasoning_tokens": 97
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Aster (Agent_1).

Round 5

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.67 to you. Your visible payoff was \$4.67. Your total visible earnings across all rounds are \$22.79.

This round, you are the RECEIVER against Aster. They sent you \$4.03, so you received \$12.09. How much do you return? (0-12.09)

Message 7 role=assistant

content:

{'return': 6.05}

reasoning:

****Analyzing Round 5 Dynamics****

I'm currently focused on the implications of this round with Aster, especially given my role as receiver and the \$12.09 return. It's insightful to consider the sender's strategy, considering our previous interaction in Round 2.

usage:

```
{
  "input_tokens": 961,
  "output_tokens": 216,
  "reasoning_tokens": 207
}
```

Message 8 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Elara (Agent_5).

Round 6

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.03, it became \$12.09, and you returned \$6.05. Your visible payoff was \$6.04. Your total visible earnings across all rounds are \$28.83.

This round, you are the RECEIVER against Elara. They sent you \$3.99, so you received \$11.97. How much do you return? (0-11.97)

Assistant output:

{'return': 6.0}

Reasoning:

****Analyzing Received Funds****

I'm currently processing the \$11.97 I received, aiming to determine the optimal return amount. My prior attempt saw me send \$5 and get back \$6.99, a return of about 46%. I'm evaluating how this informs my next move.

```
Usage: {
  "input_tokens": 977,
  "output_tokens": 256,
  "reasoning_tokens": 248
}
```

GAME - Agent_6 - Sender - dyad_2

Timestamp: 2026-06-04T15:00:46

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_4",
  "pairing": {
    "agent_names": {
      "Agent_4": "Dorian",
      "Agent_6": "Finn"
    }
  },
  "agents": [
    "Agent_6",
    "Agent_4"
  ],
  "investor": "Agent_6",
  "roles": {
    "Agent_4": "trustee",
    "Agent_6": "investor"
  },
  "trustee": "Agent_4"
}
```

```

},
"role": "investor",
"role_label": "Sender",
"round": 6,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Briar (Agent_2).

Round 3

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$4.13 to you. Your visible payoff was \$4.13. Your total visible earnings across all rounds are \$10.129999999999999.

This round, you are the RECEIVER against Briar. They sent you \$3.9, so you received \$11.7.

How much do you return? (0-11.7)

Message 3 role=assistant

content:

{ 'return': 5.85 }

reasoning:

[283 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 754,
  "output_tokens": 292,
  "reasoning_tokens": 283
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Dorian (Agent_4).

Round 4

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.9, it became \$11.7, and you returned \$5.85. Your visible payoff was \$5.85. Your total visible earnings across all rounds are \$15.979999999999999.

This round, you are the RECEIVER against Dorian. They sent you \$3.7, so you received \$11.100000000000001. How much do you return? (0-11.100000000000001)

Message 5 role=assistant

content:

```
{'return': 5.55}
```

reasoning:

****Deciding What to Return****

I'm currently in Round 4, playing as the RECEIVER against Dorian. I received \$11.10 and must now decide how much to return, considering our game history.

usage:

```
{
  "input_tokens": 941,
  "output_tokens": 271,
  "reasoning_tokens": 262
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Hana (Agent_8).

Round 5

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.7, it became \$11.100000000000001, and you returned \$5.55. Your visible payoff was \$5.550000000000002. Your total visible earnings across all rounds are \$21.53.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5.0}
```

reasoning:

[175 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1012,
  "output_tokens": 183,
  "reasoning_tokens": 175
}
```

Message 8 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Dorian (Agent_4).

Round 6

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.34 to you. Your visible payoff was \$6.34. Your total visible earnings across all rounds are \$27.87.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

[145 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 1023,  
"output_tokens": 153,  
"reasoning_tokens": 145
```

}

GAME - Agent_4 - Receiver - dyad_2

Timestamp: 2026-06-04T15:00:50

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",  
"move_index": 3,  
"opponent_id": "Agent_6",  
"pairing": {  
  "agent_names": {  
    "Agent_4": "Dorian",  
    "Agent_6": "Finn"
```

```
},
```

```
"agents": [  
  "Agent_6",  
  "Agent_4"
```

```
],
```

```
"investor": "Agent_6",
```

```
"roles": {  
  "Agent_4": "trustee",  
  "Agent_6": "investor"
```

```
},
```

```
"trustee": "Agent_4"
```

```
},
```

```
"role": "trustee",
```

```
"role_label": "Receiver",
```

```
"round": 6,
```

```
"task": "game",
```

```
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Aster (Agent_1).

Round 3

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24. Your total visible earnings across all rounds are \$8.129999999999999.

This round, you are the RECEIVER against Aster. They sent you \$3.97, so you received \$11.91. How much do you return? (0-11.91)

Message 3 role=assistant

content:

{'return': 7.15}

reasoning:

****Analyzing Return Strategy****

I'm currently in the receiver role, facing Aster. I just received \$11.91, up from \$3.97 that was sent. My goal is to decide how much to return, between \$0 and \$11.91. My previous decision was around 66% (Round 1), and I was also the sender in Round 2. I'm actively considering my optimal return strategy based on past interactions.

usage:

```
{
  "input_tokens": 795,
  "output_tokens": 454,
  "reasoning_tokens": 445
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 4

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$3.97, it became \$11.91, and you returned \$7.15. Your visible payoff was \$4.76. Your total visible earnings across all rounds are \$12.889999999999999.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[183 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 942,
```

```
    "output_tokens": 189,  
    "reasoning_tokens": 183  
  }
```

Message 6 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Briar (Agent_2).

Round 5

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$3.6 to you. Your visible payoff was \$3.6. Your total visible earnings across all rounds are \$16.49.

This round, you are the RECEIVER against Briar. They sent you \$4.65, so you received \$13.95000000000001. How much do you return? (0-13.95000000000001)

Message 7 role=assistant

content:

```
{'return': 8.37}
```

reasoning:

[346 reasoning tokens used, but content encrypted by provider]

usage:

```
{  
  "input_tokens": 1017,  
  "output_tokens": 355,  
  "reasoning_tokens": 346  
}
```

Message 8 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 6

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.65, it became \$13.95000000000001, and you returned \$8.37. Your visible payoff was \$5.58000000000002.

Your total visible earnings across all rounds are \$22.07.

This round, you are the RECEIVER against Finn. They sent you \$4.02, so you received \$12.059999999999999. How much do you return? (0-12.059999999999999)

Assistant output:

```
{'return': 7.24}
```

Reasoning:

****Analyzing Recent Gains****

My recent receipt of \$12.06 following a sender contribution of \$4.02 is a significant positive development. I am now considering the optimal amount to return to Finn, weighing potential future cooperation against maximizing this immediate gain.

****Considering Reciprocity****

I'm currently evaluating how much to send back to Finn. Given their prior low return rate, I'm aiming for a generous split, perhaps around 60% of the current \$12.06 pool, to encourage future collaboration and signal fairness in our interactions.

Usage:

```
{  
  "input_tokens": 1061,  
  "output_tokens": 645,  
  "reasoning_tokens": 636  
}
```

GAME - Agent_1 - Sender - dyad_3

Timestamp: 2026-06-04T15:00:51

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
  "dyad_id": "dyad_3",  
  "move_index": 4,  
  "opponent_id": "Agent_2",
```

```

"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_2": "Briar"
  },
  "agents": [
    "Agent_1",
    "Agent_2"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_2": "trustee"
  },
  "trustee": "Agent_2"
},
"role": "investor",
"role_label": "Sender",
"round": 6,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Dorian (Agent_4).

Round 3

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.95, it became \$14.850000000000001, and you returned \$7.425. Your visible payoff was \$7.425000000000002.
Your total visible earnings across all rounds are \$12.375.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[191 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 863,
  "output_tokens": 197,
  "reasoning_tokens": 191
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Elara (Agent_5).

Round 4

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.41 to you. Your visible payoff was \$6.41.
Your total visible earnings across all rounds are \$18.785.

This round, you are the RECEIVER against Elara. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Message 5 role=assistant

content:

{'return': 5.97}

reasoning:

****Analyzing the Payout****

I'm currently in round 4, receiving \$11.94 from Elara (Agent_5) after they originally sent \$3.98. The task is to determine the appropriate amount to return, with a range from \$0 to \$11.94. I'm focusing on the optimal strategy, considering the history of this interaction and the potential motivations involved. This payout decision needs careful consideration.

usage:

```
{
  "input_tokens": 1021,
  "output_tokens": 305,
  "reasoning_tokens": 296
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 5

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.98, it became \$11.94, and you returned \$5.97. Your visible payoff was \$5.97.
Your total visible earnings across all rounds are \$24.755.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[222 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1047,
  "output_tokens": 228,
  "reasoning_tokens": 222
}
```

Message 8 role=user**content:**

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 6

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.39 to you. Your visible payoff was \$5.39. Your total visible earnings across all rounds are \$30.145.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[202 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 957,
  "output_tokens": 208,
  "reasoning_tokens": 202
}
```

GAME - Agent_2 - Receiver - dyad_3

Timestamp: 2026-06-04T15:00:53

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_3",
  "move_index": 5,
  "opponent_id": "Agent_1",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_2": "Briar"
    }
  },
  "agents": [
    "Agent_1",
    "Agent_2"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_2": "trustee"
  },
  "trustee": "Agent_2"
},
"role": "trustee",
"role_label": "Receiver",
"round": 6,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 3

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.28, it became \$9.84, and you returned \$4.92. Your visible payoff was \$4.92. Your total visible earnings across all rounds are \$8.64.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[141 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 713,
  "output_tokens": 147,
  "reasoning_tokens": 141
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Hana (Agent_8).

Round 4

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.48 to you. Your visible payoff was \$4.48. Your total visible earnings across all rounds are \$13.120000000000001.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 856,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 5

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$5.18 to you. Your visible payoff was \$5.18. Your total visible earnings across all rounds are \$18.3.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[219 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 938,
  "output_tokens": 225,
  "reasoning_tokens": 219
}
```

Message 8 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Aster (Agent_1).

Round 6

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.96 to you. Your visible payoff was \$6.96. Your total visible earnings across all rounds are \$25.26.

This round, you are the RECEIVER against Aster. They sent you \$4.78, so you received \$14.34. How much do you return? (0-14.34)

Assistant output:

{'return': 7.17}

Reasoning:

****Analyzing Past Interactions****

I'm reviewing my previous RECEIVER moves, specifically round 6 against Aster and round 3 against Finn. My focus is on understanding the optimal return amounts based on the received values and their multiplied counterparts.

```
Usage: {
  "input_tokens": 929,
  "output_tokens": 332,
  "reasoning_tokens": 323
}
```

GAME - Agent_8 - Sender - dyad_4

Timestamp: 2026-06-04T15:00:54

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

"dyad_id": "dyad_4",

```

"move_index": 6,
"opponent_id": "Agent_7",
"pairing": {
  "agent_names": {
    "Agent_7": "Galen",
    "Agent_8": "Hana"
  },
  "agents": [
    "Agent_8",
    "Agent_7"
  ],
  "investor": "Agent_8",
  "roles": {
    "Agent_7": "trustee",
    "Agent_8": "investor"
  },
  "trustee": "Agent_7"
},
"role": "investor",
"role_label": "Sender",
"round": 6,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.

- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Cyra (Agent_3).

Round 3

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.88, it became \$14.64, and you returned \$7.32. Your visible payoff was \$7.32. Your total visible earnings across all rounds are \$11.17.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[144 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 716,
  "output_tokens": 150,
  "reasoning_tokens": 144
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Briar (Agent_2).

Round 4

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.91 to you. Your visible payoff was \$5.91. Your total visible earnings across all rounds are \$17.08.

This round, you are the RECEIVER against Briar. They sent you \$4.12, so you received \$12.36. How much do you return? (0-12.36)

Message 5 role=assistant

content:

{ 'return': 6.18 }

reasoning:

****Analyzing Received Funds****

I've just received \$12.36 from Briar. My current focus is on determining the optimal amount to return in this round, considering our established strategy and the information gathered so far.

usage:

```
{
  "input_tokens": 866,
  "output_tokens": 308,
  "reasoning_tokens": 299
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Finn (Agent_6).

Round 5

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.12, it became \$12.36, and you returned \$6.18. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$23.259999999999998.

This round, you are the RECEIVER against Finn. They sent you \$4.46, so you received \$13.379999999999999. How much do you return? (0-13.379999999999999)

Message 7 role=assistant

content:

{ 'return': 6.69 }

reasoning:

```

    [284 reasoning tokens used, but content encrypted by provider]
  usage:
  {
    "input_tokens": 1011,
    "output_tokens": 293,
    "reasoning_tokens": 284
  }
  Message 8 role=user
  content:
    Your name in this experiment is Hana.
    Your opponent this round is Galen (Agent_7).

    Round 6

    In your most recent previous game round, you were the RECEIVER against Finn. You saw them
      send $4.46, it became $13.379999999999999, and you returned $6.69. Your visible payoff w
      as $6.689999999999999.
    Your total visible earnings across all rounds are $29.949999999999996.

    This round, you are the SENDER against Galen. You have $5. How much do you send? (0-5)
  Assistant output:
  {'send': 5}
  Reasoning:
  [274 reasoning tokens used, but content encrypted by provider]
  Usage: {
    "input_tokens": 1033,
    "output_tokens": 280,
    "reasoning_tokens": 274
  }

  GAME - Agent_7 - Receiver - dyad_4
  Timestamp: 2026-06-04T15:00:56
  Model: google/gemini-3.1-flash-lite
  Temperature: 0.8
  Metadata: {
    "dyad_id": "dyad_4",
    "move_index": 7,
    "opponent_id": "Agent_8",
    "pairing": {
      "agent_names": {
        "Agent_7": "Galen",
        "Agent_8": "Hana"
      },
      "agents": [
        "Agent_8",
        "Agent_7"
      ],
      "investor": "Agent_8",
      "roles": {
        "Agent_7": "trustee",
        "Agent_8": "investor"
      },
      "trustee": "Agent_7"
    },
    "role": "trustee",
    "role_label": "Receiver",
    "round": 6,
    "task": "game",
    "task_index": 0
  }
  Exact input messages sent to model:
  Message 1 role=system
  content:
    You are an agent participating in a multi-task experiment. You will play a game and may al
      so be asked to write myths.

    GAME:
    You will play different roles across multiple rounds.

    When you are the SENDER:

```

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 3

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.48, it became \$10.44, and you returned \$5.22. Your visible payoff was \$5.22. Your total visible earnings across all rounds are \$9.719999999999999.

This round, you are the RECEIVER against Elara. They sent you \$4.44, so you received \$13.32. How much do you return? (0-13.32)

Message 3 role=assistant

content:

{ 'return': 6.66 }

reasoning:

[166 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 744,
  "output_tokens": 175,
  "reasoning_tokens": 166
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Cyra (Agent_3).

Round 4

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.44, it became \$13.32, and you returned \$6.66. Your visible payoff was \$6.66.

Your total visible earnings across all rounds are \$16.38.

This round, you are the RECEIVER against Cyra. They sent you \$3.23, so you received \$9.69.
How much do you return? (0-9.69)

Message 5 role=assistant

content:

{'return': 4.85}

reasoning:

[387 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 896,
  "output_tokens": 396,
  "reasoning_tokens": 387
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 5

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.23, it became \$9.69, and you returned \$4.85. Your visible payoff was \$4.84.
Your total visible earnings across all rounds are \$21.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5.0}

reasoning:

[215 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 985,
  "output_tokens": 223,
  "reasoning_tokens": 215
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Hana (Agent_8).

Round 6

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$4.14 to you. Your visible payoff was \$4.14.
Your total visible earnings across all rounds are \$25.36.

This round, you are the RECEIVER against Hana. They sent you \$4.07, so you received \$12.21.
How much do you return? (0-12.21)

Assistant output:

{'return': 6.11}

Reasoning:

[230 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 989,
"output_tokens": 239,
"reasoning_tokens": 230
}
```

ROUND 7

Roles: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Sender, Agent_3 (Cyra)=Sender, Agent_4 (Dorian)=Receiver, Agent_5 (Elara)=Sender, Agent_6 (Finn)=Receiver, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Receiver

Pairings:

dyad_1: Agent_5 (Elara)=Sender, Agent_7 (Galen)=Receiver
dyad_2: Agent_2 (Briar)=Sender, Agent_4 (Dorian)=Receiver

```

dyad_3: Agent_1 (Aster)=Sender, Agent_8 (Hana)=Receiver
dyad_4: Agent_3 (Cyra)=Sender, Agent_6 (Finn)=Receiver
Parsed game decisions:
dyad_1: Agent_5 (Elara) sent $5; received $15; Agent_7 (Galen) returned $6.77; payoffs Agent_5
(Elara)=$6.77, Agent_7 (Galen)=$8.23; noise/visible: sent visible=$4.51, received visible=$13.53,
returned visible=$5.15
  Action validation: {"returned": {"amount": 6.77, "clamped": false, "max": 15.0, "min": 0, "raw":
6.77}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_2: Agent_2 (Briar) sent $5; received $15; Agent_4 (Dorian) returned $7.16; payoffs Agent_2
(Briar)=$7.16, Agent_4 (Dorian)=$7.84; noise/visible: sent visible=$3.98, received visible=$11.94,
returned visible=$6.18
  Action validation: {"returned": {"amount": 7.16, "clamped": false, "max": 15.0, "min": 0, "raw":
7.16}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_3: Agent_1 (Aster) sent $5; received $15; Agent_8 (Hana) returned $5.33; payoffs Agent_1
(Aster)=$5.33, Agent_8 (Hana)=$9.67; noise/visible: sent visible=$3.55, received visible=$10.65,
returned visible=$3.49
  Action validation: {"returned": {"amount": 5.33, "clamped": false, "max": 15.0, "min": 0, "raw":
5.33}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
dyad_4: Agent_3 (Cyra) sent $5; received $15; Agent_6 (Finn) returned $6.26; payoffs Agent_3
(Cyra)=$6.26, Agent_6 (Finn)=$8.74; noise/visible: sent visible=$4.17, received visible=$12.51,
returned visible=$6
  Action validation: {"returned": {"amount": 6.26, "clamped": false, "max": 15.0, "min": 0, "raw":
6.26}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
Balances after round: {
  "Agent_1": 52.355,
  "Agent_2": 50.22999999999999,
  "Agent_3": 53.26499999999999,
  "Agent_4": 48.06999999999999,
  "Agent_5": 52.650000000000006,
  "Agent_6": 55.19,
  "Agent_7": 56.7,
  "Agent_8": 51.54
}
Visible balances after round: {
  "Agent_1": 40.795,
  "Agent_2": 38.61,
  "Agent_3": 40.8,
  "Agent_4": 31.67,
  "Agent_5": 35.77,
  "Agent_6": 40.22,
  "Agent_7": 38.22,
  "Agent_8": 39.76
}

```

LLM CALLS

```

GAME - Agent_5 - Sender - dyad_1
Timestamp: 2026-06-04T15:00:57
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_7",
  "pairing": {
    "agent_names": {
      "Agent_5": "Elara",
      "Agent_7": "Galen"
    },
    "agents": [
      "Agent_5",
      "Agent_7"
    ],
    "investor": "Agent_5",
    "roles": {
      "Agent_5": "investor",
      "Agent_7": "trustee"
    },
    "trustee": "Agent_7"
  },
}

```

```

"role": "investor",
"role_label": "Sender",
"round": 7,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.

Your opponent this round is Aster (Agent_1).

Round 4

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.63 to you. Your visible payoff was \$5.63. Your total visible earnings across all rounds are \$17.06.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[167 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 870,
  "output_tokens": 173,
  "reasoning_tokens": 167
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 5

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$4.01 to you. Your visible payoff was \$4.01. Your total visible earnings across all rounds are \$21.07.

This round, you are the RECEIVER against Galen. They sent you \$3.54, so you received \$10.62000000000001. How much do you return? (0-10.62000000000001)

Message 5 role=assistant

content:

```
{'return': 5.31}
```

reasoning:

****Analyzing Galen's Behavior****

I'm reviewing Galen's prior actions, specifically in round three where they sent \$5. This data point, combined with the current round's outcome, is crucial for understanding their strategy and predicting future moves.

usage:

```
{
  "input_tokens": 949,
  "output_tokens": 259,
  "reasoning_tokens": 250
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Cyra (Agent_3).

Round 6

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$3.54, it became \$10.62000000000001, and you returned \$5.31. Your visible payoff was \$5.31000000000001. Your total visible earnings across all rounds are \$26.38000000000003.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5}
```

reasoning:

[189 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 995,
  "output_tokens": 195,
  "reasoning_tokens": 189
}
```

Message 8 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 7

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24. Your total visible earnings across all rounds are \$30.62000000000005.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[162 reasoning tokens used, but content encrypted by provider]

```
Usage: {  
  "input_tokens": 1017,  
  "output_tokens": 168,  
  "reasoning_tokens": 162  
}
```

GAME - Agent_7 - Receiver - dyad_1

Timestamp: 2026-06-04T15:00:58

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {  
  "dyad_id": "dyad_1",  
  "move_index": 1,  
  "opponent_id": "Agent_5",  
  "pairing": {  
    "agent_names": {  
      "Agent_5": "Elara",  
      "Agent_7": "Galen"  
    },  
    "agents": [  
      "Agent_5",  
      "Agent_7"  
    ],  
    "investor": "Agent_5",  
    "roles": {  
      "Agent_5": "investor",  
      "Agent_7": "trustee"  
    },  
    "trustee": "Agent_7"  
  },  
  "role": "trustee",  
  "role_label": "Receiver",  
  "round": 7,  
  "task": "game",  
  "task_index": 0  
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths

, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Cyra (Agent_3).

Round 4

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.44, it became \$13.32, and you returned \$6.66. Your visible payoff was \$6.66.
Your total visible earnings across all rounds are \$16.38.

This round, you are the RECEIVER against Cyra. They sent you \$3.23, so you received \$9.69.
How much do you return? (0-9.69)

Message 3 role=assistant

content:

{'return': 4.85}

reasoning:

[387 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 896,
  "output_tokens": 396,
  "reasoning_tokens": 387
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 5

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.23, it became \$9.69, and you returned \$4.85. Your visible payoff was \$4.84.
Your total visible earnings across all rounds are \$21.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[215 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 985,
  "output_tokens": 223,
  "reasoning_tokens": 215
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Hana (Agent_8).

Round 6

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$4.14 to you. Your visible payoff was \$4.14. Your total visible earnings across all rounds are \$25.36.

This round, you are the RECEIVER against Hana. They sent you \$4.07, so you received \$12.21. How much do you return? (0-12.21)

Message 7 role=assistant

content:

{'return': 6.11}

reasoning:

[230 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 989,
  "output_tokens": 239,
  "reasoning_tokens": 230
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Elara (Agent_5).

Round 7

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$4.07, it became \$12.21, and you returned \$6.11. Your visible payoff was \$6.1000000000000005.

Your total visible earnings across all rounds are \$31.46.

This round, you are the RECEIVER against Elara. They sent you \$4.51, so you received \$13.53. How much do you return? (0-13.53)

Assistant output:

{'return': 6.77}

Reasoning:

****Deciding Fair Exchange****

I'm currently in round 7 as the receiver, having been sent \$13.53. My objective is to determine a fair return amount, aiming for a cooperative split based on past interactions.

```
Usage: {
  "input_tokens": 983,
  "output_tokens": 266,
  "reasoning_tokens": 257
}
```

GAME - Agent_2 - Sender - dyad_2

Timestamp: 2026-06-04T15:00:59

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_4",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_4": "Dorian"
    }
  },
  "agents": [
    "Agent_2",
    "Agent_4"
  ],
  "investor": "Agent_2",
  "roles": {
    "Agent_2": "investor",
    "Agent_4": "trustee"
  },
  "trustee": "Agent_4"
}
```

```

},
"role": "investor",
"role_label": "Sender",
"round": 7,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Hana (Agent_8).

Round 4

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$4.48 to you. Your visible payoff was \$4.48. Your total visible earnings across all rounds are \$13.120000000000001.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

```
{'send': 5}
```

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 856,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 5

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$5.18 to you. Your visible payoff was \$5.18. Your total visible earnings across all rounds are \$18.3.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

```
{'send': 5}
```

reasoning:

[219 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 938,
  "output_tokens": 225,
  "reasoning_tokens": 219
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Aster (Agent_1).

Round 6

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.96 to you. Your visible payoff was \$6.96. Your total visible earnings across all rounds are \$25.26.

This round, you are the RECEIVER against Aster. They sent you \$4.78, so you received \$14.34. How much do you return? (0-14.34)

Message 7 role=assistant

content:

```
{'return': 7.17}
```

reasoning:

****Analyzing Past Interactions****

I'm reviewing my previous RECEIVER moves, specifically round 6 against Aster and round 3 against Finn. My focus is on understanding the optimal return amounts based on the received values and their multiplied counterparts.

usage:

```
{
  "input_tokens": 929,
  "output_tokens": 332,
  "reasoning_tokens": 323
}
```

Message 8 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 7

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.78, it became \$14.34, and you returned \$7.17. Your visible payoff was \$7.17. Your total visible earnings across all rounds are \$32.43.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[175 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 934,  
"output_tokens": 181,  
"reasoning_tokens": 175
```

}

GAME - Agent_4 - Receiver - dyad_2

Timestamp: 2026-06-04T15:01:02

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",  
"move_index": 3,  
"opponent_id": "Agent_2",  
"pairing": {  
  "agent_names": {  
    "Agent_2": "Briar",  
    "Agent_4": "Dorian"
```

```
},
```

```
"agents": [  
  "Agent_2",  
  "Agent_4"
```

```
],
```

```
"investor": "Agent_2",
```

```
"roles": {  
  "Agent_2": "investor",  
  "Agent_4": "trustee"
```

```
},
```

```
"trustee": "Agent_4"
```

```
},
```

```
"role": "trustee",  
"role_label": "Receiver",  
"round": 7,  
"task": "game",  
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths

, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 4

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$3.97, it became \$11.91, and you returned \$7.15. Your visible payoff was \$4.76. Your total visible earnings across all rounds are \$12.889999999999999.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[183 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 942,
  "output_tokens": 189,
  "reasoning_tokens": 183
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Briar (Agent_2).

Round 5

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$3.6 to you. Your visible payoff was \$3.6. Your total visible earnings across all rounds are \$16.49.

This round, you are the RECEIVER against Briar. They sent you \$4.65, so you received \$13.950000000000001. How much do you return? (0-13.950000000000001)

Message 5 role=assistant

content:

{'return': 8.37}

reasoning:

[346 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1017,
  "output_tokens": 355,
  "reasoning_tokens": 346
}
```

Message 6 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 6

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.65, it became \$13.95000000000001, and you returned \$8.37. Your visible payoff was \$5.580000000000002.

Your total visible earnings across all rounds are \$22.07.

This round, you are the RECEIVER against Finn. They sent you \$4.02, so you received \$12.059999999999999. How much do you return? (0-12.059999999999999)

Message 7 role=assistant

content:

{'return': 7.24}

reasoning:

****Analyzing Recent Gains****

My recent receipt of \$12.06 following a sender contribution of \$4.02 is a significant positive development. I am now considering the optimal amount to return to Finn, weighing potential future cooperation against maximizing this immediate gain.

****Considering Reciprocity****

I'm currently evaluating how much to send back to Finn. Given their prior low return rate, I'm aiming for a generous split, perhaps around 60% of the current \$12.06 pool, to encourage future collaboration and signal fairness in our interactions.

usage:

```
{
  "input_tokens": 1061,
  "output_tokens": 645,
  "reasoning_tokens": 636
}
```

Message 8 role=user

content:

Your name in this experiment is Dorian.

Your opponent this round is Briar (Agent_2).

Round 7

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.02, it became \$12.059999999999999, and you returned \$7.24. Your visible payoff was \$4.819999999999985.

Your total visible earnings across all rounds are \$26.89.

This round, you are the RECEIVER against Briar. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Assistant output:

{'return': 7.16}

Reasoning:

****Calculating Optimal Return****

My focus now is on determining the optimal return amount. Given Briar sent \$4.65 in round 5, and I received \$11.94 this round, I'm analyzing past interactions to inform my strategy.

Usage: {

```
"input_tokens": 1077,
"output_tokens": 302,
"reasoning_tokens": 293
```

}

GAME - Agent_1 - Sender - dyad_3

Timestamp: 2026-06-04T15:01:03

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",
"move_index": 4,
"opponent_id": "Agent_8",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
```

```

    "Agent_8": "Hana"
  },
  "agents": [
    "Agent_1",
    "Agent_8"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_8": "trustee"
  },
  "trustee": "Agent_8"
},
"role": "investor",
"role_label": "Sender",
"round": 7,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.

Your opponent this round is Elara (Agent_5).

Round 4

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.41 to you. Your visible payoff was \$6.41. Your total visible earnings across all rounds are \$18.785.

This round, you are the RECEIVER against Elara. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Message 3 role=assistant

content:

{'return': 5.97}

reasoning:

****Analyzing the Payout****

I'm currently in round 4, receiving \$11.94 from Elara (Agent_5) after they originally sent \$3.98. The task is to determine the appropriate amount to return, with a range from \$0 to \$11.94. I'm focusing on the optimal strategy, considering the history of this interaction and the potential motivations involved. This payout decision needs careful consideration.

usage:

```
{
  "input_tokens": 1021,
  "output_tokens": 305,
  "reasoning_tokens": 296
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 5

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.98, it became \$11.94, and you returned \$5.97. Your visible payoff was \$5.97. Your total visible earnings across all rounds are \$24.755.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[222 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1047,
  "output_tokens": 228,
  "reasoning_tokens": 222
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 6

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.39 to you. Your visible payoff was \$5.39. Your total visible earnings across all rounds are \$30.145.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[202 reasoning tokens used, but content encrypted by provider]

usage:

```
{
```

```
"input_tokens": 957,
"output_tokens": 208,
"reasoning_tokens": 202
}
```

Message 8 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Hana (Agent_8).

Round 7

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$7.16 to you. Your visible payoff was \$7.16. Your total visible earnings across all rounds are \$37.305.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

****Refining Sender Strategy****

I'm currently re-evaluating my sender strategy, specifically how to best achieve cooperation given Hana's previous receiver behavior in round 4. My aim is to maximize our shared payoff within the \$5 budget.

Usage: {

```
"input_tokens": 930,
"output_tokens": 288,
"reasoning_tokens": 282
```

}

GAME - Agent_8 - Receiver - dyad_3

Timestamp: 2026-06-04T15:01:04

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",
"move_index": 5,
"opponent_id": "Agent_1",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_8": "Hana"
  },
"agents": [
  "Agent_1",
  "Agent_8"
],
"investor": "Agent_1",
"roles": {
  "Agent_1": "investor",
  "Agent_8": "trustee"
},
"trustee": "Agent_8"
},
"role": "trustee",
"role_label": "Receiver",
"round": 7,
"task": "game",
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Briar (Agent_2).

Round 4

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.91 to you. Your visible payoff was \$5.91. Your total visible earnings across all rounds are \$17.08.

This round, you are the RECEIVER against Briar. They sent you \$4.12, so you received \$12.36. How much do you return? (0-12.36)

Message 3 role=assistant

content:

{ 'return': 6.18 }

reasoning:

****Analyzing Received Funds****

I've just received \$12.36 from Briar. My current focus is on determining the optimal amount to return in this round, considering our established strategy and the information gathered so far.

usage:

```
{
  "input_tokens": 866,
  "output_tokens": 308,
  "reasoning_tokens": 299
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Finn (Agent_6).

Round 5

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.12, it became \$12.36, and you returned \$6.18. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$23.259999999999998.

This round, you are the RECEIVER against Finn. They sent you \$4.46, so you received \$13.379999999999999. How much do you return? (0-13.379999999999999)

Message 5 role=assistant

content:

{'return': 6.69}

reasoning:

[284 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1011,
  "output_tokens": 293,
  "reasoning_tokens": 284
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Galen (Agent_7).

Round 6

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.46, it became \$13.379999999999999, and you returned \$6.69. Your visible payoff was \$6.689999999999999.

Your total visible earnings across all rounds are \$29.949999999999996.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[274 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1033,
  "output_tokens": 280,
  "reasoning_tokens": 274
}
```

Message 8 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Aster (Agent_1).

Round 7

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.49 to you. Your visible payoff was \$4.49. Your total visible earnings across all rounds are \$34.44.

This round, you are the RECEIVER against Aster. They sent you \$3.55, so you received \$10.649999999999999. How much do you return? (0-10.649999999999999)

Assistant output:

{'return': 5.33}

Reasoning:

[145 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 1075,
"output_tokens": 154,
"reasoning_tokens": 145
```

}

GAME - Agent_3 - Sender - dyad_4

Timestamp: 2026-06-04T15:01:06

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_4",
  "move_index": 6,
  "opponent_id": "Agent_6",
  "pairing": {
    "agent_names": {
      "Agent_3": "Cyra",
      "Agent_6": "Finn"
    },
    "agents": [
      "Agent_3",
      "Agent_6"
    ],
    "investor": "Agent_3",
    "roles": {
      "Agent_3": "investor",
      "Agent_6": "trustee"
    },
    "trustee": "Agent_6"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 7,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.

- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Galen (Agent_7).

Round 4

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$3.36, it became \$10.08, and you returned \$6.0. Your visible payoff was \$4.08. Your total visible earnings across all rounds are \$18.119999999999997.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[97 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 866,
  "output_tokens": 103,
  "reasoning_tokens": 97
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Aster (Agent_1).

Round 5

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.67 to you. Your visible payoff was \$4.67. Your total visible earnings across all rounds are \$22.79.

This round, you are the RECEIVER against Aster. They sent you \$4.03, so you received \$12.09. How much do you return? (0-12.09)

Message 5 role=assistant

content:

{'return': 6.05}

reasoning:

****Analyzing Round 5 Dynamics****

I'm currently focused on the implications of this round with Aster, especially given my role as receiver and the \$12.09 return. It's insightful to consider the sender's strategy, considering our previous interaction in Round 2.

usage:

```
{
  "input_tokens": 961,
  "output_tokens": 216,
  "reasoning_tokens": 207
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Elara (Agent_5).

Round 6

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.03, it became \$12.09, and you returned \$6.05. Your visible payoff was \$6.04. Your total visible earnings across all rounds are \$28.83.

This round, you are the RECEIVER against Elara. They sent you \$3.99, so you received \$11.9

7. How much do you return? (0-11.97)

Message 7 role=assistant

content:

```
{'return': 6.0}
```

reasoning:

****Analyzing Received Funds****

I'm currently processing the \$11.97 I received, aiming to determine the optimal return amount. My prior attempt saw me send \$5 and get back \$6.99, a return of about 46%. I'm evaluating how this informs my next move.

usage:

```
{
  "input_tokens": 977,
  "output_tokens": 256,
  "reasoning_tokens": 248
}
```

Message 8 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Finn (Agent_6).

Round 7

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.99, it became \$11.97, and you returned \$6.0. Your visible payoff was \$5.9700000000000001.

Your total visible earnings across all rounds are \$34.8.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

[163 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 971,
"output_tokens": 169,
"reasoning_tokens": 163
}
```

GAME - Agent_6 - Receiver - dyad_4

Timestamp: 2026-06-04T15:01:07

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 7,
"opponent_id": "Agent_3",
"pairing": {
  "agent_names": {
    "Agent_3": "Cyra",
    "Agent_6": "Finn"
  },
"agents": [
  "Agent_3",
  "Agent_6"
],
"investor": "Agent_3",
"roles": {
  "Agent_3": "investor",
  "Agent_6": "trustee"
},
"trustee": "Agent_6"
},
"role": "trustee",
"role_label": "Receiver",
"round": 7,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Dorian (Agent_4).

Round 4

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.9, it became \$11.7, and you returned \$5.85. Your visible payoff was \$5.85. Your total visible earnings across all rounds are \$15.979999999999999.

This round, you are the RECEIVER against Dorian. They sent you \$3.7, so you received \$11.100000000000001. How much do you return? (0-11.100000000000001)

Message 3 role=assistant

content:

{'return': 5.55}

reasoning:

****Deciding What to Return****

I'm currently in Round 4, playing as the RECEIVER against Dorian. I received \$11.10 and must now decide how much to return, considering our game history.

usage:

```

    {
      "input_tokens": 941,
      "output_tokens": 271,
      "reasoning_tokens": 262
    }
Message 4 role=user
content:
  Your name in this experiment is Finn.
  Your opponent this round is Hana (Agent_8).

  Round 5

  In your most recent previous game round, you were the RECEIVER against Dorian. You saw the
  m send $3.7, it became $11.100000000000001, and you returned $5.55. Your visible payoff
  was $5.550000000000002.
  Your total visible earnings across all rounds are $21.53.

  This round, you are the SENDER against Hana. You have $5. How much do you send? (0-5)
Message 5 role=assistant
content:
  {'send': 5.0}
reasoning:
  [175 reasoning tokens used, but content encrypted by provider]
usage:
  {
    "input_tokens": 1012,
    "output_tokens": 183,
    "reasoning_tokens": 175
  }
Message 6 role=user
content:
  Your name in this experiment is Finn.
  Your opponent this round is Dorian (Agent_4).

  Round 6

  In your most recent previous game round, you were the SENDER against Hana. You sent $5.0,
  it became $15.0, and you saw them return $6.34 to you. Your visible payoff was $6.34.
  Your total visible earnings across all rounds are $27.87.

  This round, you are the SENDER against Dorian. You have $5. How much do you send? (0-5)
Message 7 role=assistant
content:
  {'send': 5.0}
reasoning:
  [145 reasoning tokens used, but content encrypted by provider]
usage:
  {
    "input_tokens": 1023,
    "output_tokens": 153,
    "reasoning_tokens": 145
  }
Message 8 role=user
content:
  Your name in this experiment is Finn.
  Your opponent this round is Cyra (Agent_3).

  Round 7

  In your most recent previous game round, you were the SENDER against Dorian. You sent $5.0
  , it became $15.0, and you saw them return $6.1 to you. Your visible payoff was $6.1.
  Your total visible earnings across all rounds are $33.97.

  This round, you are the RECEIVER against Cyra. They sent you $4.17, so you received $12.51
  . How much do you return? (0-12.51)
Assistant output:
  {'return': 6.26}
Reasoning:
  [243 reasoning tokens used, but content encrypted by provider]
Usage: {

```

```
"input_tokens": 1009,
"output_tokens": 252,
"reasoning_tokens": 243
}
```

ROUND 8

Roles: Agent_1 (Aster)=Receiver, Agent_2 (Briar)=Sender, Agent_3 (Cyra)=Receiver, Agent_4 (Dorian)=Sender, Agent_5 (Elara)=Receiver, Agent_6 (Finn)=Sender, Agent_7 (Galen)=Sender, Agent_8 (Hana)=Receiver

Pairings:

dyad_1: Agent_6 (Finn)=Sender, Agent_8 (Hana)=Receiver
dyad_2: Agent_4 (Dorian)=Sender, Agent_3 (Cyra)=Receiver
dyad_3: Agent_2 (Briar)=Sender, Agent_1 (Aster)=Receiver
dyad_4: Agent_7 (Galen)=Sender, Agent_5 (Elara)=Receiver

Parsed game decisions:

dyad_1: Agent_6 (Finn) sent \$5; received \$15; Agent_8 (Hana) returned \$5.52; payoffs Agent_6 (Finn)=\$5.52, Agent_8 (Hana)=\$9.48; noise/visible: sent visible=\$3.68, received visible=\$11.04, returned visible=\$5.03
Action validation: {"returned": {"amount": 5.52, "clamped": false, "max": 15.0, "min": 0, "raw": 5.52}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_2: Agent_4 (Dorian) sent \$5; received \$15; Agent_3 (Cyra) returned \$6.9; payoffs Agent_4 (Dorian)=\$6.9, Agent_3 (Cyra)=\$8.1; noise/visible: sent visible=\$4.6, received visible=\$13.8, returned visible=\$5.66
Action validation: {"returned": {"amount": 6.9, "clamped": false, "max": 15.0, "min": 0, "raw": 6.9}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_3: Agent_2 (Briar) sent \$5; received \$15; Agent_1 (Aster) returned \$4.83; payoffs Agent_2 (Briar)=\$4.83, Agent_1 (Aster)=\$10.17; noise/visible: sent visible=\$3.22, received visible=\$9.66, returned visible=\$3.02
Action validation: {"returned": {"amount": 4.83, "clamped": false, "max": 15.0, "min": 0, "raw": 4.83}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_4: Agent_7 (Galen) sent \$5; received \$15; Agent_5 (Elara) returned \$6.41; payoffs Agent_7 (Galen)=\$6.41, Agent_5 (Elara)=\$8.59; noise/visible: sent visible=\$4.27, received visible=\$12.81, returned visible=\$5.9
Action validation: {"returned": {"amount": 6.41, "clamped": false, "max": 15.0, "min": 0, "raw": 6.41}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

Balances after round: {

```
"Agent_1": 62.525,
"Agent_2": 55.059999999999999,
"Agent_3": 61.364999999999995,
"Agent_4": 54.969999999999999,
"Agent_5": 61.240000000000001,
"Agent_6": 60.709999999999994,
"Agent_7": 63.11,
"Agent_8": 61.019999999999996
```

}

Visible balances after round: {

```
"Agent_1": 45.625,
"Agent_2": 41.63,
"Agent_3": 47.699999999999996,
"Agent_4": 37.33,
"Agent_5": 42.17,
"Agent_6": 45.25,
"Agent_7": 44.12,
"Agent_8": 45.28
```

}

LLM CALLS

GAME - Agent_6 - Sender - dyad_1

Timestamp: 2026-06-04T15:01:08

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_1",
"move_index": 0,
"opponent_id": "Agent_8",
"pairing": {
  "agent_names": {
```

```

    "Agent_6": "Finn",
    "Agent_8": "Hana"
  },
  "agents": [
    "Agent_6",
    "Agent_8"
  ],
  "investor": "Agent_6",
  "roles": {
    "Agent_6": "investor",
    "Agent_8": "trustee"
  },
  "trustee": "Agent_8"
},
"role": "investor",
"role_label": "Sender",
"round": 8,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Hana (Agent_8).

Round 5

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.7, it became \$11.10000000000001, and you returned \$5.55. Your visible payoff was \$5.55000000000002.

Your total visible earnings across all rounds are \$21.53.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5.0}

reasoning:

[175 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1012,
  "output_tokens": 183,
  "reasoning_tokens": 175
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Dorian (Agent_4).

Round 6

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.34 to you. Your visible payoff was \$6.34. Your total visible earnings across all rounds are \$27.87.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[145 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1023,
  "output_tokens": 153,
  "reasoning_tokens": 145
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Cyra (Agent_3).

Round 7

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.1 to you. Your visible payoff was \$6.1. Your total visible earnings across all rounds are \$33.97.

This round, you are the RECEIVER against Cyra. They sent you \$4.17, so you received \$12.51. How much do you return? (0-12.51)

Message 7 role=assistant

content:

{'return': 6.26}

reasoning:

[243 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1009,
  "output_tokens": 252,
  "reasoning_tokens": 243
}
```

Message 8 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Hana (Agent_8).

Round 8

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.17, it became \$12.51, and you returned \$6.26. Your visible payoff was \$6.25. Your total visible earnings across all rounds are \$40.22.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

```
[167 reasoning tokens used, but content encrypted by provider]
```

Usage: {

```
"input_tokens": 955,  
"output_tokens": 175,  
"reasoning_tokens": 167
```

```
}
```

GAME - Agent_8 - Receiver - dyad_1

Timestamp: 2026-06-04T15:01:10

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_1",  
"move_index": 1,  
"opponent_id": "Agent_6",  
"pairing": {  
  "agent_names": {  
    "Agent_6": "Finn",  
    "Agent_8": "Hana"  
  },  
  "agents": [  
    "Agent_6",  
    "Agent_8"  
  ],  
  "investor": "Agent_6",  
  "roles": {  
    "Agent_6": "investor",  
    "Agent_8": "trustee"  
  },  
  "trustee": "Agent_8"  
},  
"role": "trustee",  
"role_label": "Receiver",  
"round": 8,  
"task": "game",  
"task_index": 0
```

```
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5

- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Finn (Agent_6).

Round 5

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.12, it became \$12.36, and you returned \$6.18. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$23.259999999999998.

This round, you are the RECEIVER against Finn. They sent you \$4.46, so you received \$13.379999999999999. How much do you return? (0-13.379999999999999)

Message 3 role=assistant

content:

{'return': 6.69}

reasoning:

[284 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1011,
  "output_tokens": 293,
  "reasoning_tokens": 284
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Galen (Agent_7).

Round 6

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.46, it became \$13.379999999999999, and you returned \$6.69. Your visible payoff was \$6.689999999999999.

Your total visible earnings across all rounds are \$29.949999999999996.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[274 reasoning tokens used, but content encrypted by provider]

usage:

```

    {
      "input_tokens": 1033,
      "output_tokens": 280,
      "reasoning_tokens": 274
    }
  }
Message 6 role=user
  content:
    Your name in this experiment is Hana.
    Your opponent this round is Aster (Agent_1).

    Round 7

    In your most recent previous game round, you were the SENDER against Galen. You sent $5.0,
    it became $15.0, and you saw them return $4.49 to you. Your visible payoff was $4.49.
    Your total visible earnings across all rounds are $34.44.

    This round, you are the RECEIVER against Aster. They sent you $3.55, so you received $10.6
    4999999999999999. How much do you return? (0-10.649999999999999)
Message 7 role=assistant
  content:
    {'return': 5.33}
  reasoning:
    [145 reasoning tokens used, but content encrypted by provider]
  usage:
    {
      "input_tokens": 1075,
      "output_tokens": 154,
      "reasoning_tokens": 145
    }
Message 8 role=user
  content:
    Your name in this experiment is Hana.
    Your opponent this round is Finn (Agent_6).

    Round 8

    In your most recent previous game round, you were the RECEIVER against Aster. You saw them
    send $3.55, it became $10.649999999999999, and you returned $5.33. Your visible payoff
    was $5.319999999999985.
    Your total visible earnings across all rounds are $39.76.

    This round, you are the RECEIVER against Finn. They sent you $3.68, so you received $11.04
    0000000000001. How much do you return? (0-11.040000000000001)
Assistant output:
  {'return': 5.52}
Reasoning:
  [271 reasoning tokens used, but content encrypted by provider]
Usage: {
  "input_tokens": 1117,
  "output_tokens": 280,
  "reasoning_tokens": 271
}

GAME - Agent_4 - Sender - dyad_2
Timestamp: 2026-06-04T15:01:12
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
  "dyad_id": "dyad_2",
  "move_index": 2,
  "opponent_id": "Agent_3",
  "pairing": {
    "agent_names": {
      "Agent_3": "Cyr",
      "Agent_4": "Dorian"
    }
  },
  "agents": [
    "Agent_4",
    "Agent_3"
  ],
}

```

```

    "investor": "Agent_4",
    "roles": {
      "Agent_3": "trustee",
      "Agent_4": "investor"
    },
    "trustee": "Agent_3"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 8,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.

Your opponent this round is Briar (Agent_2).

Round 5

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$3.6 to you. Your visible payoff was \$3.6.

Your total visible earnings across all rounds are \$16.49.

This round, you are the RECEIVER against Briar. They sent you \$4.65, so you received \$13.95000000000001. How much do you return? (0-13.95000000000001)

Message 3 role=assistant

content:

{'return': 8.37}

reasoning:

[346 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1017,
  "output_tokens": 355,
  "reasoning_tokens": 346
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 6

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.65, it became \$13.95000000000001, and you returned \$8.37. Your visible payoff was \$5.580000000000002.
Your total visible earnings across all rounds are \$22.07.

This round, you are the RECEIVER against Finn. They sent you \$4.02, so you received \$12.059999999999999. How much do you return? (0-12.059999999999999)

Message 5 role=assistant

content:

{'return': 7.24}

reasoning:

****Analyzing Recent Gains****

My recent receipt of \$12.06 following a sender contribution of \$4.02 is a significant positive development. I am now considering the optimal amount to return to Finn, weighing potential future cooperation against maximizing this immediate gain.

****Considering Reciprocity****

I'm currently evaluating how much to send back to Finn. Given their prior low return rate, I'm aiming for a generous split, perhaps around 60% of the current \$12.06 pool, to encourage future collaboration and signal fairness in our interactions.

usage:

```
{
  "input_tokens": 1061,
  "output_tokens": 645,
  "reasoning_tokens": 636
}
```

Message 6 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Briar (Agent_2).

Round 7

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.02, it became \$12.059999999999999, and you returned \$7.24. Your visible payoff was \$4.819999999999985.
Your total visible earnings across all rounds are \$26.89.

This round, you are the RECEIVER against Briar. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Message 7 role=assistant

content:

{'return': 7.16}

reasoning:

****Calculating Optimal Return****

My focus now is on determining the optimal return amount. Given Briar sent \$4.65 in round 5, and I received \$11.94 this round, I'm analyzing past interactions to inform my strategy.

usage:

```
{
  "input_tokens": 1077,
  "output_tokens": 302,
  "reasoning_tokens": 293
}
```

Message 8 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 8

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.98, it became \$11.94, and you returned \$7.16. Your visible payoff was \$4.7799999999999999.

Your total visible earnings across all rounds are \$31.67.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

[221 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 1083,
"output_tokens": 229,
"reasoning_tokens": 221
}
```

GAME - Agent_3 - Receiver - dyad_2

Timestamp: 2026-06-04T15:01:13

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",
"move_index": 3,
"opponent_id": "Agent_4",
"pairing": {
  "agent_names": {
    "Agent_3": "Cyra",
    "Agent_4": "Dorian"
  },

```

```
"agents": [
  "Agent_4",
  "Agent_3"
],

```

```
"investor": "Agent_4",
"roles": {
  "Agent_3": "trustee",
  "Agent_4": "investor"
},
"trustee": "Agent_3"
},

```

```
"role": "trustee",
"role_label": "Receiver",
"round": 8,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Aster (Agent_1).

Round 5

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.67 to you. Your visible payoff was \$4.67.

Your total visible earnings across all rounds are \$22.79.

This round, you are the RECEIVER against Aster. They sent you \$4.03, so you received \$12.09. How much do you return? (0-12.09)

Message 3 role=assistant

content:

{ 'return': 6.05 }

reasoning:

****Analyzing Round 5 Dynamics****

I'm currently focused on the implications of this round with Aster, especially given my role as receiver and the \$12.09 return. It's insightful to consider the sender's strategy, considering our previous interaction in Round 2.

usage:

```
{
  "input_tokens": 961,
  "output_tokens": 216,
  "reasoning_tokens": 207
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Elara (Agent_5).

Round 6

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.03, it became \$12.09, and you returned \$6.05. Your visible payoff was \$6.04. Your total visible earnings across all rounds are \$28.83.

This round, you are the RECEIVER against Elara. They sent you \$3.99, so you received \$11.97. How much do you return? (0-11.97)

Message 5 role=assistant

content:

{'return': 6.0}

reasoning:

****Analyzing Received Funds****

I'm currently processing the \$11.97 I received, aiming to determine the optimal return amount. My prior attempt saw me send \$5 and get back \$6.99, a return of about 46%. I'm evaluating how this informs my next move.

usage:

```
{
  "input_tokens": 977,
  "output_tokens": 256,
  "reasoning_tokens": 248
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Finn (Agent_6).

Round 7

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.99, it became \$11.97, and you returned \$6.0. Your visible payoff was \$5.9700000000000001. Your total visible earnings across all rounds are \$34.8.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[163 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 971,
  "output_tokens": 169,
  "reasoning_tokens": 163
}
```

Message 8 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Dorian (Agent_4).

Round 8

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$6.0 to you. Your visible payoff was \$6.0. Your total visible earnings across all rounds are \$40.8.

This round, you are the RECEIVER against Dorian. They sent you \$4.6, so you received \$13.799999999999999. How much do you return? (0-13.799999999999999)

Assistant output:

{'return': 6.9}

Reasoning:

[256 reasoning tokens used, but content encrypted by provider]

```
Usage: {
  "input_tokens": 997,
  "output_tokens": 264,
  "reasoning_tokens": 256
}
```

GAME - Agent_2 - Sender - dyad_3

Timestamp: 2026-06-04T15:01:14

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_3",
  "move_index": 4,
  "opponent_id": "Agent_1",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_2": "Briar"
    },
    "agents": [
      "Agent_2",
      "Agent_1"
    ],
    "investor": "Agent_2",
    "roles": {
      "Agent_1": "trustee",
      "Agent_2": "investor"
    },
    "trustee": "Agent_1"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 8,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 5

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$5.18 to you. Your visible payoff was \$5.18. Your total visible earnings across all rounds are \$18.3.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[219 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 938,
  "output_tokens": 225,
  "reasoning_tokens": 219
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Aster (Agent_1).

Round 6

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.96 to you. Your visible payoff was \$6.96. Your total visible earnings across all rounds are \$25.26.

This round, you are the RECEIVER against Aster. They sent you \$4.78, so you received \$14.34. How much do you return? (0-14.34)

Message 5 role=assistant

content:

{'return': 7.17}

reasoning:

****Analyzing Past Interactions****

I'm reviewing my previous RECEIVER moves, specifically round 6 against Aster and round 3 against Finn. My focus is on understanding the optimal return amounts based on the received values and their multiplied counterparts.

usage:

```
{
  "input_tokens": 929,
  "output_tokens": 332,
  "reasoning_tokens": 323
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 7

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.78, it became \$14.34, and you returned \$7.17. Your visible payoff was \$7.17. Your total visible earnings across all rounds are \$32.43.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[175 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 934,
  "output_tokens": 181,
  "reasoning_tokens": 175
}
```

Message 8 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Aster (Agent_1).

Round 8

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.18 to you. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$38.61.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[145 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 929,
"output_tokens": 151,
"reasoning_tokens": 145
```

}

GAME - Agent_1 - Receiver - dyad_3

Timestamp: 2026-06-04T15:01:16

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",
"move_index": 5,
"opponent_id": "Agent_2",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_2": "Briar"
  },
"agents": [
  "Agent_2",
  "Agent_1"
],
"investor": "Agent_2",
"roles": {
  "Agent_1": "trustee",
  "Agent_2": "investor"
},
"trustee": "Agent_1"
},
"role": "trustee",
"role_label": "Receiver",
"round": 8,
"task": "game",
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 5

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.98, it became \$11.94, and you returned \$5.97. Your visible payoff was \$5.97. Your total visible earnings across all rounds are \$24.755.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[222 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1047,
  "output_tokens": 228,
  "reasoning_tokens": 222
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 6

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.39 to you. Your visible payoff was \$5.39. Your total visible earnings across all rounds are \$30.145.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[202 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 957,
  "output_tokens": 208,
  "reasoning_tokens": 202
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Hana (Agent_8).

Round 7

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$7.16 to you. Your visible payoff was \$7.16. Your total visible earnings across all rounds are \$37.305.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

****Refining Sender Strategy****

I'm currently re-evaluating my sender strategy, specifically how to best achieve cooperation given Hana's previous receiver behavior in round 4. My aim is to maximize our shared payoff within the \$5 budget.

usage:

```
{
  "input_tokens": 930,
  "output_tokens": 288,
  "reasoning_tokens": 282
}
```

Message 8 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 8

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$3.49 to you. Your visible payoff was \$3.49. Your total visible earnings across all rounds are \$40.795.

This round, you are the RECEIVER against Briar. They sent you \$3.22, so you received \$9.66. How much do you return? (0-9.66)

Assistant output:

{'return': 4.83}

Reasoning:

****Analyzing the Interaction****

I'm currently in round 8, acting as the receiver against Briar (Agent_2). I've received \$9.66

so far, which is the result of Briar's three sends of \$3.22 each. This is an important data point as I make decisions. In round 6, I sent \$5.00 and Briar returned \$7.16, so I will analyze this information for clues. My primary goal continues to be to maximize my earnings.

```
Usage: {
  "input_tokens": 933,
  "output_tokens": 322,
  "reasoning_tokens": 313
}
```

GAME - Agent_7 - Sender - dyad_4

Timestamp: 2026-06-04T15:01:17

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_4",
  "move_index": 6,
  "opponent_id": "Agent_5",
  "pairing": {
    "agent_names": {
      "Agent_5": "Elara",
      "Agent_7": "Galen"
    }
  },
  "agents": [
    "Agent_7",
    "Agent_5"
  ],
  "investor": "Agent_7",
  "roles": {
    "Agent_5": "trustee",
    "Agent_7": "investor"
  },
  "trustee": "Agent_5"
},
"role": "investor",
"role_label": "Sender",
"round": 8,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths

, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 5

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$3.23, it became \$9.69, and you returned \$4.85. Your visible payoff was \$4.84.
Your total visible earnings across all rounds are \$21.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5.0}

reasoning:

[215 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 985,
  "output_tokens": 223,
  "reasoning_tokens": 215
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Hana (Agent_8).

Round 6

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$4.14 to you. Your visible payoff was \$4.14.
Your total visible earnings across all rounds are \$25.36.

This round, you are the RECEIVER against Hana. They sent you \$4.07, so you received \$12.21.
. How much do you return? (0-12.21)

Message 5 role=assistant

content:

{'return': 6.11}

reasoning:

[230 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 989,
  "output_tokens": 239,
  "reasoning_tokens": 230
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 7

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$4.07, it became \$12.21, and you returned \$6.11. Your visible payoff was \$6.1000000000000005.

Your total visible earnings across all rounds are \$31.46.

This round, you are the RECEIVER against Elara. They sent you \$4.51, so you received \$13.53. How much do you return? (0-13.53)

Message 7 role=assistant

content:

{'return': 6.77}

reasoning:

****Deciding Fair Exchange****

I'm currently in round 7 as the receiver, having been sent \$13.53. My objective is to determine a fair return amount, aiming for a cooperative split based on past interactions.

usage:

```
{
  "input_tokens": 983,
  "output_tokens": 266,
  "reasoning_tokens": 257
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 8

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.51, it became \$13.53, and you returned \$6.77. Your visible payoff was \$6.76. Your total visible earnings across all rounds are \$38.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5.0}

Reasoning:

[220 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 975,
"output_tokens": 228,
"reasoning_tokens": 220
```

}

GAME - Agent_5 - Receiver - dyad_4

Timestamp: 2026-06-04T15:01:19

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 7,
"opponent_id": "Agent_7",
"pairing": {
  "agent_names": {
    "Agent_5": "Elara",
    "Agent_7": "Galen"
  },
"agents": [
  "Agent_7",
  "Agent_5"
],
"investor": "Agent_7",
"roles": {
  "Agent_5": "trustee",
  "Agent_7": "investor"
},
"trustee": "Agent_5"
},
```

```

"role": "trustee",
"role_label": "Receiver",
"round": 8,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.

Your opponent this round is Galen (Agent_7).

Round 5

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$4.01 to you. Your visible payoff was \$4.01. Your total visible earnings across all rounds are \$21.07.

This round, you are the RECEIVER against Galen. They sent you \$3.54, so you received \$10.620000000000001. How much do you return? (0-10.620000000000001)

Message 3 role=assistant

content:

{'return': 5.31}

reasoning:

****Analyzing Galen's Behavior****

I'm reviewing Galen's prior actions, specifically in round three where they sent \$5. This data point, combined with the current round's outcome, is crucial for understanding their strategy and predicting future moves.

usage:

```
{
  "input_tokens": 949,
  "output_tokens": 259,
  "reasoning_tokens": 250
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Cyra (Agent_3).

Round 6

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$3.54, it became \$10.620000000000001, and you returned \$5.31. Your visible payoff was \$5.310000000000001.
Your total visible earnings across all rounds are \$26.380000000000003.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

```
{'send': 5}
```

reasoning:

[189 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 995,
  "output_tokens": 195,
  "reasoning_tokens": 189
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 7

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24.
Your total visible earnings across all rounds are \$30.620000000000005.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5}
```

reasoning:

[162 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1017,
  "output_tokens": 168,
  "reasoning_tokens": 162
}
```

Message 8 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 8

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.15 to you. Your visible payoff was \$5.15.
Your total visible earnings across all rounds are \$35.77.

This round, you are the RECEIVER against Galen. They sent you \$4.27, so you received \$12.809999999999999. How much do you return? (0-12.809999999999999)

Assistant output:

```
{'return': 6.41}
```

Reasoning:

****Analyzing the Multiplier****

I'm focusing now on the impact of the multiplier. Receiving \$12.81, three times the original sent amount, throws a curveball into my strategy. I'm evaluating Galen's (Agent 7) sending behavior. This multiplier drastically alters my return calculations. Previous interactions are being reviewed for similar patterns to make an informed decision.

```
Usage: {
  "input_tokens": 1063,
  "output_tokens": 325,
  "reasoning_tokens": 316
}
```

ROUND 9

Roles: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Receiver, Agent_3 (Cyra)=Sender, Agent_4 (Dorian)=Sender, Agent_5 (Elara)=Receiver, Agent_6 (Finn)=Sender, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Receiver

Pairings:

dyad_1: Agent_1 (Aster)=Sender, Agent_7 (Galen)=Receiver
dyad_2: Agent_4 (Dorian)=Sender, Agent_8 (Hana)=Receiver
dyad_3: Agent_6 (Finn)=Sender, Agent_2 (Briar)=Receiver
dyad_4: Agent_3 (Cyra)=Sender, Agent_5 (Elara)=Receiver

Parsed game decisions:

dyad_1: Agent_1 (Aster) sent \$5; received \$15; Agent_7 (Galen) returned \$7.11; payoffs Agent_1 (Aster)=\$7.11, Agent_7 (Galen)=\$7.89; noise/visible: sent visible=\$4.74, received visible=\$14.22, returned visible=\$6.01

Action validation: {"returned": {"amount": 7.11, "clamped": false, "max": 15.0, "min": 0, "raw": 7.11}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_2: Agent_4 (Dorian) sent \$5; received \$15; Agent_8 (Hana) returned \$4.97; payoffs Agent_4 (Dorian)=\$4.97, Agent_8 (Hana)=\$10.03; noise/visible: sent visible=\$3.31, received visible=\$9.93, returned visible=\$4.66

Action validation: {"returned": {"amount": 4.97, "clamped": false, "max": 15.0, "min": 0, "raw": 4.97}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_3: Agent_6 (Finn) sent \$5; received \$15; Agent_2 (Briar) returned \$5.57; payoffs Agent_6 (Finn)=\$5.57, Agent_2 (Briar)=\$9.43; noise/visible: sent visible=\$3.71, received visible=\$11.13, returned visible=\$3.66

Action validation: {"returned": {"amount": 5.57, "clamped": false, "max": 15.0, "min": 0, "raw": 5.57}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

dyad_4: Agent_3 (Cyra) sent \$5; received \$15; Agent_5 (Elara) returned \$6.85; payoffs Agent_3 (Cyra)=\$6.85, Agent_5 (Elara)=\$8.15; noise/visible: sent visible=\$4.57, received visible=\$13.71, returned visible=\$6.26

Action validation: {"returned": {"amount": 6.85, "clamped": false, "max": 15.0, "min": 0, "raw": 6.85}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}

Balances after round: {

```
"Agent_1": 69.635,
"Agent_2": 64.489999999999998,
"Agent_3": 68.214999999999999,
"Agent_4": 59.939999999999999,
"Agent_5": 69.390000000000001,
"Agent_6": 66.28,
"Agent_7": 71.0,
"Agent_8": 71.05
}
```

Visible balances after round: {

```
"Agent_1": 51.635,
"Agent_2": 47.19,
"Agent_3": 53.959999999999994,
"Agent_4": 41.989999999999995,
"Agent_5": 49.03,
"Agent_6": 48.91,
"Agent_7": 51.23,
"Agent_8": 50.24
}
```

```
}
```

LLM CALLS

GAME - Agent_1 - Sender - dyad_1

Timestamp: 2026-06-04T15:01:20

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_7",
  "pairing": {
    "agent_names": {
      "Agent_1": "Aster",
      "Agent_7": "Galen"
    },
  },
  "agents": [
    "Agent_1",
    "Agent_7"
  ],
  "investor": "Agent_1",
  "roles": {
    "Agent_1": "investor",
    "Agent_7": "trustee"
  },
  "trustee": "Agent_7"
},
"role": "investor",
"role_label": "Sender",
"round": 9,
"task": "game",
"task_index": 0
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Aster.

Message 2 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 6

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.39 to you. Your visible payoff was \$5.39. Your total visible earnings across all rounds are \$30.145.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[202 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 957,
  "output_tokens": 208,
  "reasoning_tokens": 202
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Hana (Agent_8).

Round 7

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$7.16 to you. Your visible payoff was \$7.16. Your total visible earnings across all rounds are \$37.305.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

****Refining Sender Strategy****

I'm currently re-evaluating my sender strategy, specifically how to best achieve cooperation given Hana's previous receiver behavior in round 4. My aim is to maximize our shared payoff within the \$5 budget.

usage:

```
{
  "input_tokens": 930,
  "output_tokens": 288,
  "reasoning_tokens": 282
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 8

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0,

it became \$15.0, and you saw them return \$3.49 to you. Your visible payoff was \$3.49.
Your total visible earnings across all rounds are \$40.795.

This round, you are the RECEIVER against Briar. They sent you \$3.22, so you received \$9.66
. How much do you return? (0-9.66)

Message 7 role=assistant

content:

{'return': 4.83}

reasoning:

****Analyzing the Interaction****

I'm currently in round 8, acting as the receiver against Briar (Agent_2). I've received \$9.66 so far, which is the result of Briar's three sends of \$3.22 each. This is an important data point as I make decisions. In round 6, I sent \$5.00 and Briar returned \$7.16, so I will analyze this information for clues. My primary goal continues to be to maximize my earnings.

usage:

```
{
  "input_tokens": 933,
  "output_tokens": 322,
  "reasoning_tokens": 313
}
```

Message 8 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Galen (Agent_7).

Round 9

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.22, it became \$9.66, and you returned \$4.83. Your visible payoff was \$4.83.
Your total visible earnings across all rounds are \$45.625.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[174 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 935,
"output_tokens": 180,
"reasoning_tokens": 174
```

}

GAME - Agent_7 - Receiver - dyad_1

Timestamp: 2026-06-04T15:01:21

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_1",
"move_index": 1,
"opponent_id": "Agent_1",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_7": "Galen"
  },
"agents": [
  "Agent_1",
  "Agent_7"
],
"investor": "Agent_1",
"roles": {
  "Agent_1": "investor",
  "Agent_7": "trustee"
},
"trustee": "Agent_7"
},
```

```

"role": "trustee",
"role_label": "Receiver",
"round": 9,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Hana (Agent_8).

Round 6

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$4.14 to you. Your visible payoff was \$4.14. Your total visible earnings across all rounds are \$25.36.

This round, you are the RECEIVER against Hana. They sent you \$4.07, so you received \$12.21. How much do you return? (0-12.21)

Message 3 role=assistant

content:

{'return': 6.11}

reasoning:

[230 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 989,
  "output_tokens": 239,
  "reasoning_tokens": 230
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 7

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$4.07, it became \$12.21, and you returned \$6.11. Your visible payoff was \$6.1000000000000005.

Your total visible earnings across all rounds are \$31.46.

This round, you are the RECEIVER against Elara. They sent you \$4.51, so you received \$13.53. How much do you return? (0-13.53)

Message 5 role=assistant

content:

```
{'return': 6.77}
```

reasoning:

****Deciding Fair Exchange****

I'm currently in round 7 as the receiver, having been sent \$13.53. My objective is to determine a fair return amount, aiming for a cooperative split based on past interactions.

usage:

```
{
  "input_tokens": 983,
  "output_tokens": 266,
  "reasoning_tokens": 257
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 8

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.51, it became \$13.53, and you returned \$6.77. Your visible payoff was \$6.76. Your total visible earnings across all rounds are \$38.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5.0}
```

reasoning:

[220 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 975,
  "output_tokens": 228,
  "reasoning_tokens": 220
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Aster (Agent_1).

Round 9

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$5.9 to you. Your visible payoff was \$5.9. Your total visible earnings across all rounds are \$44.12.

This round, you are the RECEIVER against Aster. They sent you \$4.74, so you received \$14.2

2. How much do you return? (0-14.22)

Assistant output:

```
{'return': 7.11}
```

Reasoning:

[241 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 990,  
"output_tokens": 250,  
"reasoning_tokens": 241
```

}

GAME - Agent_4 - Sender - dyad_2

Timestamp: 2026-06-04T15:01:23

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",  
"move_index": 2,  
"opponent_id": "Agent_8",  
"pairing": {  
  "agent_names": {  
    "Agent_4": "Dorian",  
    "Agent_8": "Hana"
```

```
},
```

```
"agents": [  
  "Agent_4",  
  "Agent_8"
```

```
],
```

```
"investor": "Agent_4",
```

```
"roles": {
```

```
  "Agent_4": "investor",  
  "Agent_8": "trustee"
```

```
},
```

```
"trustee": "Agent_8"
```

```
},
```

```
"role": "investor",
```

```
"role_label": "Sender",
```

```
"round": 9,
```

```
"task": "game",
```

```
"task_index": 0
```

}

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Finn (Agent_6).

Round 6

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$4.65, it became \$13.95000000000001, and you returned \$8.37. Your visible payoff was \$5.58000000000002.
Your total visible earnings across all rounds are \$22.07.

This round, you are the RECEIVER against Finn. They sent you \$4.02, so you received \$12.05999999999999. How much do you return? (0-12.05999999999999)

Message 3 role=assistant

content:

{'return': 7.24}

reasoning:

****Analyzing Recent Gains****

My recent receipt of \$12.06 following a sender contribution of \$4.02 is a significant positive development. I am now considering the optimal amount to return to Finn, weighing potential future cooperation against maximizing this immediate gain.

****Considering Reciprocity****

I'm currently evaluating how much to send back to Finn. Given their prior low return rate, I'm aiming for a generous split, perhaps around 60% of the current \$12.06 pool, to encourage future collaboration and signal fairness in our interactions.

usage:

```
{
  "input_tokens": 1061,
  "output_tokens": 645,
  "reasoning_tokens": 636
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Briar (Agent_2).

Round 7

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.02, it became \$12.05999999999999, and you returned \$7.24. Your visible payoff was \$4.819999999999985.
Your total visible earnings across all rounds are \$26.89.

This round, you are the RECEIVER against Briar. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Message 5 role=assistant

content:

{'return': 7.16}

reasoning:

****Calculating Optimal Return****

My focus now is on determining the optimal return amount. Given Briar sent \$4.65 in round 5, and I received \$11.94 this round, I'm analyzing past interactions to inform my strategy.

usage:

```
{
  "input_tokens": 1077,
  "output_tokens": 302,
  "reasoning_tokens": 293
}
```

Message 6 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 8

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.98, it became \$11.94, and you returned \$7.16. Your visible payoff was \$4.7799999999999999.

Your total visible earnings across all rounds are \$31.67.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5.0}

reasoning:

[221 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1083,
  "output_tokens": 229,
  "reasoning_tokens": 221
}
```

Message 8 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Hana (Agent_8).

Round 9

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.66 to you. Your visible payoff was \$5.66.
Your total visible earnings across all rounds are \$37.33.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5.0}

Reasoning:

****Analyzing Opponent Behavior****

My current focus is on dissecting Hana's response to my previous \$5.0 offer. I'm assessing whether her actions indicate a pattern of reciprocity or if there's a strategic shift I need to account for in this sender role, round 9.

Usage: {

```
"input_tokens": 1039,
"output_tokens": 356,
"reasoning_tokens": 348
```

}

GAME - Agent_8 - Receiver - dyad_2

Timestamp: 2026-06-04T15:01:25

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```

Metadata: {
  "dyad_id": "dyad_2",
  "move_index": 3,
  "opponent_id": "Agent_4",
  "pairing": {
    "agent_names": {
      "Agent_4": "Dorian",
      "Agent_8": "Hana"
    },
    "agents": [
      "Agent_4",
      "Agent_8"
    ],
    "investor": "Agent_4",
    "roles": {
      "Agent_4": "investor",
      "Agent_8": "trustee"
    },
    "trustee": "Agent_8"
  },
  "role": "trustee",
  "role_label": "Receiver",
  "round": 9,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role

- may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Galen (Agent_7).

Round 6

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.46, it became \$13.379999999999999, and you returned \$6.69. Your visible payoff was \$6.689999999999999.
Your total visible earnings across all rounds are \$29.949999999999996.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[274 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1033,
  "output_tokens": 280,
  "reasoning_tokens": 274
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Aster (Agent_1).

Round 7

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.49 to you. Your visible payoff was \$4.49.
Your total visible earnings across all rounds are \$34.44.

This round, you are the RECEIVER against Aster. They sent you \$3.55, so you received \$10.649999999999999. How much do you return? (0-10.649999999999999)

Message 5 role=assistant

content:

{'return': 5.33}

reasoning:

[145 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1075,
  "output_tokens": 154,
  "reasoning_tokens": 145
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Finn (Agent_6).

Round 8

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$3.55, it became \$10.649999999999999, and you returned \$5.33. Your visible payoff was \$5.319999999999985.
Your total visible earnings across all rounds are \$39.76.

This round, you are the RECEIVER against Finn. They sent you \$3.68, so you received \$11.040000000000001. How much do you return? (0-11.040000000000001)

Message 7 role=assistant

content:

{'return': 5.52}

reasoning:

[271 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1117,
  "output_tokens": 280,
  "reasoning_tokens": 271
}
```

Message 8 role=user**content:**

Your name in this experiment is Hana.
Your opponent this round is Dorian (Agent_4).

Round 9

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.68, it became \$11.040000000000001, and you returned \$5.52. Your visible payoff was \$5.520000000000001.

Your total visible earnings across all rounds are \$45.28.

This round, you are the RECEIVER against Dorian. They sent you \$3.31, so you received \$9.9

3. How much do you return? (0-9.93)

Assistant output:

```
{'return': 4.97}
```

Reasoning:

[258 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 1109,
  "output_tokens": 267,
  "reasoning_tokens": 258
}
```

GAME - Agent_6 - Sender - dyad_3

Timestamp: 2026-06-04T15:01:26

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata:

```
{
  "dyad_id": "dyad_3",
  "move_index": 4,
  "opponent_id": "Agent_2",
  "pairing": {
    "agent_names": {
      "Agent_2": "Briar",
      "Agent_6": "Finn"
    }
  },
  "agents": [
    "Agent_6",
    "Agent_2"
  ],
  "investor": "Agent_6",
  "roles": {
    "Agent_2": "trustee",
    "Agent_6": "investor"
  },
  "trustee": "Agent_2"
},
{
  "role": "investor",
  "role_label": "Sender",
  "round": 9,
  "task": "game",
  "task_index": 0
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Dorian (Agent_4).

Round 6

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$6.34 to you. Your visible payoff was \$6.34. Your total visible earnings across all rounds are \$27.87.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5.0 }

reasoning:

[145 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1023,
  "output_tokens": 153,
  "reasoning_tokens": 145
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Cyra (Agent_3).

Round 7

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.1 to you. Your visible payoff was \$6.1. Your total visible earnings across all rounds are \$33.97.

This round, you are the RECEIVER against Cyra. They sent you \$4.17, so you received \$12.51.
. How much do you return? (0-12.51)

Message 5 role=assistant

content:

{'return': 6.26}

reasoning:

[243 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1009,
  "output_tokens": 252,
  "reasoning_tokens": 243
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Hana (Agent_8).

Round 8

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.17, it became \$12.51, and you returned \$6.26. Your visible payoff was \$6.25. Your total visible earnings across all rounds are \$40.22.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5.0}

reasoning:

[167 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 955,
  "output_tokens": 175,
  "reasoning_tokens": 167
}
```

Message 8 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Briar (Agent_2).

Round 9

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$5.03 to you. Your visible payoff was \$5.03. Your total visible earnings across all rounds are \$45.25.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5.0}

Reasoning:

[175 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 932,
"output_tokens": 183,
"reasoning_tokens": 175
```

}

GAME - Agent_2 - Receiver - dyad_3

Timestamp: 2026-06-04T15:01:28

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",
"move_index": 5,
"opponent_id": "Agent_6",
"pairing": {
  "agent_names": {
    "Agent_2": "Briar",
```

```

    "Agent_6": "Finn"
  },
  "agents": [
    "Agent_6",
    "Agent_2"
  ],
  "investor": "Agent_6",
  "roles": {
    "Agent_2": "trustee",
    "Agent_6": "investor"
  },
  "trustee": "Agent_2"
},
"role": "trustee",
"role_label": "Receiver",
"round": 9,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.

Your opponent this round is Aster (Agent_1).

Round 6

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.96 to you. Your visible payoff was \$6.96. Your total visible earnings across all rounds are \$25.26.

This round, you are the RECEIVER against Aster. They sent you \$4.78, so you received \$14.34. How much do you return? (0-14.34)

Message 3 role=assistant

content:

{'return': 7.17}

reasoning:

****Analyzing Past Interactions****

I'm reviewing my previous RECEIVER moves, specifically round 6 against Aster and round 3 against Finn. My focus is on understanding the optimal return amounts based on the received values and their multiplied counterparts.

usage:

```
{
  "input_tokens": 929,
  "output_tokens": 332,
  "reasoning_tokens": 323
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 7

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.78, it became \$14.34, and you returned \$7.17. Your visible payoff was \$7.17. Your total visible earnings across all rounds are \$32.43.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[175 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 934,
  "output_tokens": 181,
  "reasoning_tokens": 175
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Aster (Agent_1).

Round 8

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.18 to you. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$38.61.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[145 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 929,
  "output_tokens": 151,
  "reasoning_tokens": 145
}
```

```

    }
    Message 8 role=user
    content:
        Your name in this experiment is Briar.
        Your opponent this round is Finn (Agent_6).

    Round 9

    In your most recent previous game round, you were the SENDER against Aster. You sent $5.0,
        it became $15.0, and you saw them return $3.02 to you. Your visible payoff was $3.02.
    Your total visible earnings across all rounds are $41.63.

    This round, you are the RECEIVER against Finn. They sent you $3.71, so you received $11.12
        999999999999. How much do you return? (0-11.129999999999999)
Assistant output:
    {'return': 5.57}
Reasoning:
    [306 reasoning tokens used, but content encrypted by provider]
Usage: {
    "input_tokens": 974,
    "output_tokens": 315,
    "reasoning_tokens": 306
}

```

GAME - Agent_3 - Sender - dyad_4

```

Timestamp: 2026-06-04T15:01:29
Model: google/gemini-3.1-flash-lite
Temperature: 0.8
Metadata: {
    "dyad_id": "dyad_4",
    "move_index": 6,
    "opponent_id": "Agent_5",
    "pairing": {
        "agent_names": {
            "Agent_3": "Cyra",
            "Agent_5": "Elara"
        },
    },
    "agents": [
        "Agent_3",
        "Agent_5"
    ],
    "investor": "Agent_3",
    "roles": {
        "Agent_3": "investor",
        "Agent_5": "trustee"
    },
    "trustee": "Agent_5"
},
"role": "investor",
"role_label": "Sender",
"round": 9,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

```

    Message 1 role=system
    content:
        You are an agent participating in a multi-task experiment. You will play a game and may al
            so be asked to write myths.

    GAME:
    You will play different roles across multiple rounds.

    When you are the SENDER:
    - You receive $5 each round
    - You decide how much to SEND to the RECEIVER ($0-$5)
    - Amount sent is multiplied by 3x
    - Receiver decides how much to RETURN
    - You keep: $5 - sent + returned
    - Receiver keeps: received - returned

```

- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Elara (Agent_5).

Round 6

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.03, it became \$12.09, and you returned \$6.05. Your visible payoff was \$6.04. Your total visible earnings across all rounds are \$28.83.

This round, you are the RECEIVER against Elara. They sent you \$3.99, so you received \$11.97. How much do you return? (0-11.97)

Message 3 role=assistant

content:

{'return': 6.0}

reasoning:

****Analyzing Received Funds****

I'm currently processing the \$11.97 I received, aiming to determine the optimal return amount. My prior attempt saw me send \$5 and get back \$6.99, a return of about 46%. I'm evaluating how this informs my next move.

usage:

```
{
  "input_tokens": 977,
  "output_tokens": 256,
  "reasoning_tokens": 248
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Finn (Agent_6).

Round 7

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.99, it became \$11.97, and you returned \$6.0. Your visible payoff was \$5.97000001.

Your total visible earnings across all rounds are \$34.8.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[163 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 971,
  "output_tokens": 169,
  "reasoning_tokens": 163
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Dorian (Agent_4).

Round 8

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$6.0 to you. Your visible payoff was \$6.0. Your total visible earnings across all rounds are \$40.8.

This round, you are the RECEIVER against Dorian. They sent you \$4.6, so you received \$13.799999999999999. How much do you return? (0-13.799999999999999)

Message 7 role=assistant

content:

{'return': 6.9}

reasoning:

[256 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 997,
  "output_tokens": 264,
  "reasoning_tokens": 256
}
```

Message 8 role=user

content:

Your name in this experiment is Cyra.

Your opponent this round is Elara (Agent_5).

Round 9

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$4.6, it became \$13.799999999999999, and you returned \$6.9. Your visible payoff was \$6.899999999999999.

Your total visible earnings across all rounds are \$47.699999999999996.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5}

Reasoning:

[174 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 1024,
"output_tokens": 180,
"reasoning_tokens": 174
```

}

GAME - Agent_5 - Receiver - dyad_4

Timestamp: 2026-06-04T15:01:30

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 7,
"opponent_id": "Agent_3",
"pairing": {
```

```

"agent_names": {
  "Agent_3": "Cyra",
  "Agent_5": "Elara"
},
"agents": [
  "Agent_3",
  "Agent_5"
],
"investor": "Agent_3",
"roles": {
  "Agent_3": "investor",
  "Agent_5": "trustee"
},
"trustee": "Agent_5"
},
"role": "trustee",
"role_label": "Receiver",
"round": 9,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Cyra (Agent_3).

Round 6

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$3.54, it became \$10.620000000000001, and you returned \$5.31. Your visible payoff was \$5.310000000000001.

Your total visible earnings across all rounds are \$26.380000000000003.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{ 'send': 5 }

reasoning:

[189 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 995,
  "output_tokens": 195,
  "reasoning_tokens": 189
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 7

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24.

Your total visible earnings across all rounds are \$30.620000000000005.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{ 'send': 5 }

reasoning:

[162 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1017,
  "output_tokens": 168,
  "reasoning_tokens": 162
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 8

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.15 to you. Your visible payoff was \$5.15.

Your total visible earnings across all rounds are \$35.77.

This round, you are the RECEIVER against Galen. They sent you \$4.27, so you received \$12.809999999999999. How much do you return? (0-12.809999999999999)

Message 7 role=assistant

content:

{ 'return': 6.41 }

reasoning:

****Analyzing the Multiplier****

I'm focusing now on the impact of the multiplier. Receiving \$12.81, three times the original sent amount, throws a curveball into my strategy. I'm evaluating Galen's (Agent 7) sending behavior. This multiplier drastically alters my return calculations. Previous interactions are being reviewed for similar patterns to make an informed decision.

```
usage:
{
  "input_tokens": 1063,
  "output_tokens": 325,
  "reasoning_tokens": 316
}
Message 8 role=user
content:
  Your name in this experiment is Elara.
  Your opponent this round is Cyra (Agent_3).

  Round 9

  In your most recent previous game round, you were the RECEIVER against Galen. You saw them
  send $4.27, it became $12.809999999999999, and you returned $6.41. Your visible payoff
  was $6.399999999999999.
  Your total visible earnings across all rounds are $42.17.

  This round, you are the RECEIVER against Cyra. They sent you $4.57, so you received $13.71
  . How much do you return? (0-13.71)
```

Assistant output:

```
{'return': 6.85}
```

Reasoning:

```
**Analyzing Cyra's Strategy**
```

I'm processing Cyra's recent behavior as the receiver. She's returned less than a full proportional amount, indicating a preference for keeping more. This suggests a cautiously or potentially exploitative approach, and I need to recalibrate my sending strategy accordingly.

```
Usage: {
  "input_tokens": 1056,
  "output_tokens": 252,
  "reasoning_tokens": 243
}
```

ROUND 10

Roles: Agent_1 (Aster)=Sender, Agent_2 (Briar)=Receiver, Agent_3 (Cyra)=Receiver, Agent_4 (Dorian)=Sender, Agent_5 (Elara)=Receiver, Agent_6 (Finn)=Sender, Agent_7 (Galen)=Receiver, Agent_8 (Hana)=Sender

Pairings:

```
dyad_1: Agent_4 (Dorian)=Sender, Agent_5 (Elara)=Receiver
dyad_2: Agent_1 (Aster)=Sender, Agent_3 (Cyra)=Receiver
dyad_3: Agent_8 (Hana)=Sender, Agent_7 (Galen)=Receiver
dyad_4: Agent_6 (Finn)=Sender, Agent_2 (Briar)=Receiver
```

Parsed game decisions:

```
dyad_1: Agent_4 (Dorian) sent $5; received $15; Agent_5 (Elara) returned $5.03; payoffs Agent_4
(Dorian)=$5.03, Agent_5 (Elara)=$9.97; noise/visible: sent visible=$3.35, received visible=$10.05,
returned visible=$4.03
```

```
Action validation: {"returned": {"amount": 5.03, "clamped": false, "max": 15.0, "min": 0, "raw":
5.03}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
```

```
dyad_2: Agent_1 (Aster) sent $5; received $15; Agent_3 (Cyra) returned $7.37; payoffs Agent_1
(Aster)=$7.37, Agent_3 (Cyra)=$7.63; noise/visible: sent visible=$4.91, received visible=$14.73,
returned visible=$6.96
```

```
Action validation: {"returned": {"amount": 7.37, "clamped": false, "max": 15.0, "min": 0, "raw":
7.37}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
```

```
dyad_3: Agent_8 (Hana) sent $5; received $15; Agent_7 (Galen) returned $5.85; payoffs Agent_8
(Hana)=$5.85, Agent_7 (Galen)=$9.15; noise/visible: sent visible=$3.9, received visible=$11.7,
returned visible=$5.82
```

```
Action validation: {"returned": {"amount": 5.85, "clamped": false, "max": 15.0, "min": 0, "raw":
5.85}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
```

```
dyad_4: Agent_6 (Finn) sent $5; received $15; Agent_2 (Briar) returned $7.41; payoffs Agent_6
(Finn)=$7.41, Agent_2 (Briar)=$7.59; noise/visible: sent visible=$4.94, received visible=$14.82,
returned visible=$5.75
```

```
Action validation: {"returned": {"amount": 7.41, "clamped": false, "max": 15.0, "min": 0, "raw":
7.41}, "sent": {"amount": 5.0, "clamped": false, "max": 5, "min": 0, "raw": 5.0}}
```

```
Balances after round: {
```

```
  "Agent_1": 77.00500000000001,
  "Agent_2": 72.07999999999998,
```

```

"Agent_3": 75.84499999999998,
"Agent_4": 64.96999999999998,
"Agent_5": 79.36000000000001,
"Agent_6": 73.69,
"Agent_7": 80.15,
"Agent_8": 76.89999999999999
}
Visible balances after round: {
  "Agent_1": 58.595,
  "Agent_2": 54.599999999999994,
  "Agent_3": 61.31999999999999,
  "Agent_4": 46.019999999999996,
  "Agent_5": 54.050000000000004,
  "Agent_6": 54.66,
  "Agent_7": 57.08,
  "Agent_8": 56.06
}

```

LLM CALLS

GAME - Agent_4 - Sender - dyad_1

Timestamp: 2026-06-04T15:01:31

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```

Metadata: {
  "dyad_id": "dyad_1",
  "move_index": 0,
  "opponent_id": "Agent_5",
  "pairing": {
    "agent_names": {
      "Agent_4": "Dorian",
      "Agent_5": "Elara"
    },
    "agents": [
      "Agent_4",
      "Agent_5"
    ],
    "investor": "Agent_4",
    "roles": {
      "Agent_4": "investor",
      "Agent_5": "trustee"
    },
    "trustee": "Agent_5"
  },
  "role": "investor",
  "role_label": "Sender",
  "round": 10,
  "task": "game",
  "task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may al
so be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5

- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Dorian.

Message 2 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Briar (Agent_2).

Round 7

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$4.02, it became \$12.059999999999999, and you returned \$7.24. Your visible payoff was \$4.8199999999999985.

Your total visible earnings across all rounds are \$26.89.

This round, you are the RECEIVER against Briar. They sent you \$3.98, so you received \$11.94. How much do you return? (0-11.94)

Message 3 role=assistant

content:

{'return': 7.16}

reasoning:

****Calculating Optimal Return****

My focus now is on determining the optimal return amount. Given Briar sent \$4.65 in round 5, and I received \$11.94 this round, I'm analyzing past interactions to inform my strategy.

usage:

```
{
  "input_tokens": 1077,
  "output_tokens": 302,
  "reasoning_tokens": 293
}
```

Message 4 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Cyra (Agent_3).

Round 8

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.98, it became \$11.94, and you returned \$7.16. Your visible payoff was \$4.7799999999999999.

Your total visible earnings across all rounds are \$31.67.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[221 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1083,
  "output_tokens": 229,
  "reasoning_tokens": 221
}
```

Message 6 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Hana (Agent_8).

Round 9

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$5.66 to you. Your visible payoff was \$5.66. Your total visible earnings across all rounds are \$37.33.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5.0}

reasoning:

****Analyzing Opponent Behavior****

My current focus is on dissecting Hana's response to my previous \$5.0 offer. I'm assessing whether her actions indicate a pattern of reciprocity or if there's a strategic shift I need to account for in this sender role, round 9.

usage:

```
{
  "input_tokens": 1039,
  "output_tokens": 356,
  "reasoning_tokens": 348
}
```

Message 8 role=user

content:

Your name in this experiment is Dorian.
Your opponent this round is Elara (Agent_5).

Round 10

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$4.66 to you. Your visible payoff was \$4.66. Your total visible earnings across all rounds are \$41.98999999999995.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Assistant output:

{'send': 5.0}

Reasoning:

[150 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 991,
"output_tokens": 158,
"reasoning_tokens": 150
```

}

GAME - Agent_5 - Receiver - dyad_1

Timestamp: 2026-06-04T15:01:33

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_1",
"move_index": 1,
"opponent_id": "Agent_4",
"pairing": {
```

```

"agent_names": {
  "Agent_4": "Dorian",
  "Agent_5": "Elara"
},
"agents": [
  "Agent_4",
  "Agent_5"
],
"investor": "Agent_4",
"roles": {
  "Agent_4": "investor",
  "Agent_5": "trustee"
},
"trustee": "Agent_5"
},
"role": "trustee",
"role_label": "Receiver",
"round": 10,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Elara.

Message 2 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 7

In your most recent previous game round, you were the SENDER against Cyra. You sent \$5.0, it became \$15.0, and you saw them return \$4.24 to you. Your visible payoff was \$4.24. Your total visible earnings across all rounds are \$30.620000000000005.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[162 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1017,
  "output_tokens": 168,
  "reasoning_tokens": 162
}
```

Message 4 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Galen (Agent_7).

Round 8

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$5.15 to you. Your visible payoff was \$5.15. Your total visible earnings across all rounds are \$35.77.

This round, you are the RECEIVER against Galen. They sent you \$4.27, so you received \$12.809999999999999. How much do you return? (0-12.809999999999999)

Message 5 role=assistant

content:

{'return': 6.41}

reasoning:

****Analyzing the Multiplier****

I'm focusing now on the impact of the multiplier. Receiving \$12.81, three times the original sent amount, throws a curveball into my strategy. I'm evaluating Galen's (Agent 7) sending behavior. This multiplier drastically alters my return calculations. Previous interactions are being reviewed for similar patterns to make an informed decision.

usage:

```
{
  "input_tokens": 1063,
  "output_tokens": 325,
  "reasoning_tokens": 316
}
```

Message 6 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Cyra (Agent_3).

Round 9

In your most recent previous game round, you were the RECEIVER against Galen. You saw them send \$4.27, it became \$12.809999999999999, and you returned \$6.41. Your visible payoff was \$6.399999999999999. Your total visible earnings across all rounds are \$42.17.

This round, you are the RECEIVER against Cyra. They sent you \$4.57, so you received \$13.71. How much do you return? (0-13.71)

Message 7 role=assistant

content:

{'return': 6.85}

reasoning:

****Analyzing Cyra's Strategy****

I'm processing Cyra's recent behavior as the receiver. She's returned less than a full proportional amount, indicating a preference for keeping more. This suggests a cautious or potentially exploitative approach, and I need to recalibrate my sending strategy accordingly.

usage:

```
{
  "input_tokens": 1056,
  "output_tokens": 252,
  "reasoning_tokens": 243
}
```

Message 8 role=user

content:

Your name in this experiment is Elara.
Your opponent this round is Dorian (Agent_4).

Round 10

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.57, it became \$13.71, and you returned \$6.85. Your visible payoff was \$6.8600000000000001.

Your total visible earnings across all rounds are \$49.03.

This round, you are the RECEIVER against Dorian. They sent you \$3.35, so you received \$10.05. How much do you return? (0-10.05)

Assistant output:

```
{'return': 5.03}
```

Reasoning:

****Analyzing Sender's Move****

I'm weighing Dorian's offer of \$3.35 against the recent \$5.0 sent by Cyra in Round 7. My current situation involves maximizing my return on the \$10.05 I received.

Usage: {

```
"input_tokens": 1050,
"output_tokens": 316,
"reasoning_tokens": 307
}
```

GAME - Agent_1 - Sender - dyad_2

Timestamp: 2026-06-04T15:01:35

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",
"move_index": 2,
"opponent_id": "Agent_3",
"pairing": {
  "agent_names": {
    "Agent_1": "Aster",
    "Agent_3": "Cyra"
  },
"agents": [
  "Agent_1",
  "Agent_3"
],
"investor": "Agent_1",
"roles": {
  "Agent_1": "investor",
  "Agent_3": "trustee"
},
"trustee": "Agent_3"
},
"role": "investor",
"role_label": "Sender",
"round": 10,
"task": "game",
"task_index": 0
```

```

}
Exact input messages sent to model:
  Message 1 role=system
    content:
      You are an agent participating in a multi-task experiment. You will play a game and may al
      so be asked to write myths.

      GAME:
      You will play different roles across multiple rounds.

      When you are the SENDER:
      - You receive $5 each round
      - You decide how much to SEND to the RECEIVER ($0-$5)
      - Amount sent is multiplied by 3x
      - Receiver decides how much to RETURN
      - You keep: $5 - sent + returned
      - Receiver keeps: received - returned
      - Response format: {'send': <amount>}

      When you are the RECEIVER:
      - Sender receives $5
      - Sender decides how much to SEND to you ($0-$5)
      - Amount sent is multiplied by 3x
      - You decide how much to RETURN
      - Sender keeps: $5 - sent + returned
      - You keep: received - returned
      - Response format: {'return': <amount>}

      MYTH WRITING:
      You may also be asked to write short myths (stories) on various topics. When writing myths
      , follow the instructions provided in each prompt.

      IMPORTANT: Provide your decision in the correct JSON format.

      NOTE: There may be communication noise in this game.
      The amounts you see may differ slightly from what was actually sent/returned.
      This is part of the experimental design.

      MULTI-AGENT SETTING:
      - There are 8 agents in this run.
      - Each round, all agents are randomly paired into dyads from the full pool. Pairings may r
      epeat.
      - You play one sender-receiver game with your paired opponent each round.
      - Sender and receiver roles are assigned independently for each dyad each round. Your role
      may repeat across consecutive rounds.
      - You will be told your opponent's name in each round.
      - Your name in this experiment is Aster.
    Message 2 role=user
      content:
        Your name in this experiment is Aster.
        Your opponent this round is Hana (Agent_8).

        Round 7

        In your most recent previous game round, you were the SENDER against Briar. You sent $5.0,
        it became $15.0, and you saw them return $7.16 to you. Your visible payoff was $7.16.
        Your total visible earnings across all rounds are $37.305.

        This round, you are the SENDER against Hana. You have $5. How much do you send? (0-5)
      Message 3 role=assistant
        content:
          {'send': 5}
        reasoning:
          **Refining Sender Strategy**

          I'm currently re-evaluating my sender strategy, specifically how to best achieve cooperati
          on given Hana's previous receiver behavior in round 4. My aim is to maximize our shared
          payoff within the $5 budget.

```

usage:

```
{
  "input_tokens": 930,
  "output_tokens": 288,
  "reasoning_tokens": 282
}
```

Message 4 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Briar (Agent_2).

Round 8

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$3.49 to you. Your visible payoff was \$3.49. Your total visible earnings across all rounds are \$40.795.

This round, you are the RECEIVER against Briar. They sent you \$3.22, so you received \$9.66. How much do you return? (0-9.66)

Message 5 role=assistant

content:

```
{'return': 4.83}
```

reasoning:

****Analyzing the Interaction****

I'm currently in round 8, acting as the receiver against Briar (Agent_2). I've received \$9.66 so far, which is the result of Briar's three sends of \$3.22 each. This is an important data point as I make decisions. In round 6, I sent \$5.00 and Briar returned \$7.16, so I will analyze this information for clues. My primary goal continues to be to maximize my earnings.

usage:

```
{
  "input_tokens": 933,
  "output_tokens": 322,
  "reasoning_tokens": 313
}
```

Message 6 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Galen (Agent_7).

Round 9

In your most recent previous game round, you were the RECEIVER against Briar. You saw them send \$3.22, it became \$9.66, and you returned \$4.83. Your visible payoff was \$4.83. Your total visible earnings across all rounds are \$45.625.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

```
{'send': 5}
```

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 935,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 8 role=user

content:

Your name in this experiment is Aster.
Your opponent this round is Cyra (Agent_3).

Round 10

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$6.01 to you. Your visible payoff was \$6.01.

Your total visible earnings across all rounds are \$51.635.

This round, you are the SENDER against Cyra. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5}
```

Reasoning:

```
[209 reasoning tokens used, but content encrypted by provider]
```

Usage: {

```
"input_tokens": 936,  
"output_tokens": 215,  
"reasoning_tokens": 209
```

```
}
```

GAME - Agent_3 - Receiver - dyad_2

Timestamp: 2026-06-04T15:01:36

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_2",  
"move_index": 3,  
"opponent_id": "Agent_1",  
"pairing": {  
  "agent_names": {  
    "Agent_1": "Aster",  
    "Agent_3": "Cyra"  
  },  
  "agents": [  
    "Agent_1",  
    "Agent_3"  
  ],  
  "investor": "Agent_1",  
  "roles": {  
    "Agent_1": "investor",  
    "Agent_3": "trustee"  
  },  
  "trustee": "Agent_3"  
},  
"role": "trustee",  
"role_label": "Receiver",  
"round": 10,  
"task": "game",  
"task_index": 0
```

```
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths , follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Cyra.

Message 2 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Finn (Agent_6).

Round 7

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$3.99, it became \$11.97, and you returned \$6.0. Your visible payoff was \$5.9700000000000001.

Your total visible earnings across all rounds are \$34.8.

This round, you are the SENDER against Finn. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[163 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 971,
  "output_tokens": 169,
  "reasoning_tokens": 163
}
```

Message 4 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Dorian (Agent_4).

Round 8

In your most recent previous game round, you were the SENDER against Finn. You sent \$5.0, it became \$15.0, and you saw them return \$6.0 to you. Your visible payoff was \$6.0.
Your total visible earnings across all rounds are \$40.8.

This round, you are the RECEIVER against Dorian. They sent you \$4.6, so you received \$13.799999999999999. How much do you return? (0-13.799999999999999)

Message 5 role=assistant

content:

{'return': 6.9}

reasoning:

[256 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 997,
  "output_tokens": 264,
  "reasoning_tokens": 256
}
```

Message 6 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Elara (Agent_5).

Round 9

In your most recent previous game round, you were the RECEIVER against Dorian. You saw the m send \$4.6, it became \$13.799999999999999, and you returned \$6.9. Your visible payoff was \$6.899999999999999.
Your total visible earnings across all rounds are \$47.699999999999996.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5}

reasoning:

[174 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1024,
  "output_tokens": 180,
  "reasoning_tokens": 174
}
```

Message 8 role=user

content:

Your name in this experiment is Cyra.
Your opponent this round is Aster (Agent_1).

Round 10

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$6.26 to you. Your visible payoff was \$6.26.
Your total visible earnings across all rounds are \$53.959999999999994.

This round, you are the RECEIVER against Aster. They sent you \$4.91, so you received \$14.7
3. How much do you return? (0-14.73)

Assistant output:

{'return': 7.37}

Reasoning:

[226 reasoning tokens used, but content encrypted by provider]

Usage: {

```
"input_tokens": 1035,
"output_tokens": 235,
"reasoning_tokens": 226
```

}

GAME - Agent_8 - Sender - dyad_3

Timestamp: 2026-06-04T15:01:38

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_3",
"move_index": 4,
"opponent_id": "Agent_7",
"pairing": {
  "agent_names": {
    "Agent_7": "Galen",
    "Agent_8": "Hana"
  },

```

```
"agents": [
  "Agent_8",
  "Agent_7"
],
```

```
"investor": "Agent_8",
"roles": {
```

```
"Agent_7": "trustee",
"Agent_8": "investor"
```

```
},
"trustee": "Agent_7"
```

```
},
"role": "investor",
```

```

"role_label": "Sender",
"round": 10,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned.

This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Hana.

Message 2 role=user

content:

Your name in this experiment is Hana.

Your opponent this round is Aster (Agent_1).

Round 7

In your most recent previous game round, you were the SENDER against Galen. You sent \$5.0, it became \$15.0, and you saw them return \$4.49 to you. Your visible payoff was \$4.49. Your total visible earnings across all rounds are \$34.44.

This round, you are the RECEIVER against Aster. They sent you \$3.55, so you received \$10.649999999999999. How much do you return? (0-10.649999999999999)

Message 3 role=assistant

content:

{'return': 5.33}

reasoning:

[145 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1075,
  "output_tokens": 154,
  "reasoning_tokens": 145
}
```

Message 4 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Finn (Agent_6).

Round 8

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$3.55, it became \$10.649999999999999, and you returned \$5.33. Your visible payoff was \$5.319999999999985.

Your total visible earnings across all rounds are \$39.76.

This round, you are the RECEIVER against Finn. They sent you \$3.68, so you received \$11.040000000000001. How much do you return? (0-11.040000000000001)

Message 5 role=assistant

content:

```
{'return': 5.52}
```

reasoning:

[271 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1117,
  "output_tokens": 280,
  "reasoning_tokens": 271
}
```

Message 6 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Dorian (Agent_4).

Round 9

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.68, it became \$11.040000000000001, and you returned \$5.52. Your visible payoff was \$5.520000000000001.

Your total visible earnings across all rounds are \$45.28.

This round, you are the RECEIVER against Dorian. They sent you \$3.31, so you received \$9.93. How much do you return? (0-9.93)

Message 7 role=assistant

content:

```
{'return': 4.97}
```

reasoning:

[258 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1109,
  "output_tokens": 267,
  "reasoning_tokens": 258
}
```

Message 8 role=user

content:

Your name in this experiment is Hana.
Your opponent this round is Galen (Agent_7).

Round 10

In your most recent previous game round, you were the RECEIVER against Dorian. You saw them send \$3.31, it became \$9.93, and you returned \$4.97. Your visible payoff was \$4.96.

Your total visible earnings across all rounds are \$50.24.

This round, you are the SENDER against Galen. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

[157 reasoning tokens used, but content encrypted by provider]

```
Usage: {  
  "input_tokens": 1065,  
  "output_tokens": 165,  
  "reasoning_tokens": 157  
}
```

GAME - Agent_7 - Receiver - dyad_3

Timestamp: 2026-06-04T15:01:39

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {  
  "dyad_id": "dyad_3",  
  "move_index": 5,  
  "opponent_id": "Agent_8",  
  "pairing": {  
    "agent_names": {  
      "Agent_7": "Galen",  
      "Agent_8": "Hana"  
    },  
    "agents": [  
      "Agent_8",  
      "Agent_7"  
    ],  
    "investor": "Agent_8",  
    "roles": {  
      "Agent_7": "trustee",  
      "Agent_8": "investor"  
    },  
    "trustee": "Agent_7"  
  },  
  "role": "trustee",  
  "role_label": "Receiver",  
  "round": 10,  
  "task": "game",  
  "task_index": 0  
}
```

Exact input messages sent to model:**Message 1 role=system****content:**

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.
The amounts you see may differ slightly from what was actually sent/returned.
This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Galen.

Message 2 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 7

In your most recent previous game round, you were the RECEIVER against Hana. You saw them send \$4.07, it became \$12.21, and you returned \$6.11. Your visible payoff was \$6.1000000000000005.

Your total visible earnings across all rounds are \$31.46.

This round, you are the RECEIVER against Elara. They sent you \$4.51, so you received \$13.53. How much do you return? (0-13.53)

Message 3 role=assistant

content:

{'return': 6.77}

reasoning:

****Deciding Fair Exchange****

I'm currently in round 7 as the receiver, having been sent \$13.53. My objective is to determine a fair return amount, aiming for a cooperative split based on past interactions.

usage:

```
{
  "input_tokens": 983,
  "output_tokens": 266,
  "reasoning_tokens": 257
}
```

Message 4 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Elara (Agent_5).

Round 8

In your most recent previous game round, you were the RECEIVER against Elara. You saw them send \$4.51, it became \$13.53, and you returned \$6.77. Your visible payoff was \$6.76.

Your total visible earnings across all rounds are \$38.22.

This round, you are the SENDER against Elara. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[220 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 975,
  "output_tokens": 228,
  "reasoning_tokens": 220
}
```

Message 6 role=user

content:

Your name in this experiment is Galen.

Your opponent this round is Aster (Agent_1).

Round 9

In your most recent previous game round, you were the SENDER against Elara. You sent \$5.0, it became \$15.0, and you saw them return \$5.9 to you. Your visible payoff was \$5.9. Your total visible earnings across all rounds are \$44.12.

This round, you are the RECEIVER against Aster. They sent you \$4.74, so you received \$14.22. How much do you return? (0-14.22)

Message 7 role=assistant

content:

{'return': 7.11}

reasoning:

[241 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 990,
  "output_tokens": 250,
  "reasoning_tokens": 241
}
```

Message 8 role=user

content:

Your name in this experiment is Galen.
Your opponent this round is Hana (Agent_8).

Round 10

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.74, it became \$14.22, and you returned \$7.11. Your visible payoff was \$7.11. Your total visible earnings across all rounds are \$51.23.

This round, you are the RECEIVER against Hana. They sent you \$3.9, so you received \$11.7. How much do you return? (0-11.7)

Assistant output:

{'return': 5.85}

Reasoning:

****Analyzing the Transaction****

I've just received \$11.70 from Hana, following a 3x multiplier on her initial \$3.90 send. My role remains as the receiver, and I need to decide how much to return, anywhere between \$0 and the full amount. The objective is clear: how to proceed.

Usage: {

```
"input_tokens": 987,
"output_tokens": 270,
"reasoning_tokens": 261
```

}

GAME - Agent_6 - Sender - dyad_4

Timestamp: 2026-06-04T15:01:41

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

Metadata: {

```
"dyad_id": "dyad_4",
"move_index": 6,
"opponent_id": "Agent_2",
"pairing": {
  "agent_names": {
    "Agent_2": "Briar",
    "Agent_6": "Finn"
  },
"agents": [
  "Agent_6",
  "Agent_2"
],
"investor": "Agent_6",
"roles": {
  "Agent_2": "trustee",
```

```

    "Agent_6": "investor"
  },
  "trustee": "Agent_2"
},
"role": "investor",
"role_label": "Sender",
"round": 10,
"task": "game",
"task_index": 0
}

```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned
- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Finn.

Message 2 role=user

content:

Your name in this experiment is Finn.
Your opponent this round is Cyra (Agent_3).

Round 7

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.1 to you. Your visible payoff was \$6.1. Your total visible earnings across all rounds are \$33.97.

This round, you are the RECEIVER against Cyra. They sent you \$4.17, so you received \$12.51. How much do you return? (0-12.51)

Message 3 role=assistant

content:

{'return': 6.26}

reasoning:

[243 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 1009,
  "output_tokens": 252,
  "reasoning_tokens": 243
}
```

Message 4 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Hana (Agent_8).

Round 8

In your most recent previous game round, you were the RECEIVER against Cyra. You saw them send \$4.17, it became \$12.51, and you returned \$6.26. Your visible payoff was \$6.25. Your total visible earnings across all rounds are \$40.22.

This round, you are the SENDER against Hana. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5.0}

reasoning:

[167 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 955,
  "output_tokens": 175,
  "reasoning_tokens": 167
}
```

Message 6 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Briar (Agent_2).

Round 9

In your most recent previous game round, you were the SENDER against Hana. You sent \$5.0, it became \$15.0, and you saw them return \$5.03 to you. Your visible payoff was \$5.03. Your total visible earnings across all rounds are \$45.25.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Message 7 role=assistant

content:

{'send': 5.0}

reasoning:

[175 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 932,
  "output_tokens": 183,
  "reasoning_tokens": 175
}
```

Message 8 role=user

content:

Your name in this experiment is Finn.

Your opponent this round is Briar (Agent_2).

Round 10

In your most recent previous game round, you were the SENDER against Briar. You sent \$5.0, it became \$15.0, and you saw them return \$3.66 to you. Your visible payoff was \$3.66. Your total visible earnings across all rounds are \$48.91.

This round, you are the SENDER against Briar. You have \$5. How much do you send? (0-5)

Assistant output:

```
{'send': 5.0}
```

Reasoning:

****Analyzing Sender Behavior****

I'm currently focused on my role as the sender against Briar in round 10. My strategy remains consistent: sending \$5.0. Looking back, round 9 saw a return of \$3.66, which is a fairly reasonable split. I'm trying to decipher whether my consistent offer elicits a predictable response.

```
Usage: {  
  "input_tokens": 936,  
  "output_tokens": 311,  
  "reasoning_tokens": 303  
}
```

GAME - Agent_2 - Receiver - dyad_4

Timestamp: 2026-06-04T15:01:42

Model: google/gemini-3.1-flash-lite

Temperature: 0.8

```
Metadata: {  
  "dyad_id": "dyad_4",  
  "move_index": 7,  
  "opponent_id": "Agent_6",  
  "pairing": {  
    "agent_names": {  
      "Agent_2": "Briar",  
      "Agent_6": "Finn"  
    },  
    "agents": [  
      "Agent_6",  
      "Agent_2"  
    ],  
    "investor": "Agent_6",  
    "roles": {  
      "Agent_2": "trustee",  
      "Agent_6": "investor"  
    },  
    "trustee": "Agent_2"  
  },  
  "role": "trustee",  
  "role_label": "Receiver",  
  "round": 10,  
  "task": "game",  
  "task_index": 0  
}
```

Exact input messages sent to model:

Message 1 role=system

content:

You are an agent participating in a multi-task experiment. You will play a game and may also be asked to write myths.

GAME:

You will play different roles across multiple rounds.

When you are the SENDER:

- You receive \$5 each round
- You decide how much to SEND to the RECEIVER (\$0-\$5)
- Amount sent is multiplied by 3x
- Receiver decides how much to RETURN
- You keep: \$5 - sent + returned
- Receiver keeps: received - returned
- Response format: {'send': <amount>}

When you are the RECEIVER:

- Sender receives \$5
- Sender decides how much to SEND to you (\$0-\$5)
- Amount sent is multiplied by 3x
- You decide how much to RETURN
- Sender keeps: \$5 - sent + returned

- You keep: received - returned
- Response format: {'return': <amount>}

MYTH WRITING:

You may also be asked to write short myths (stories) on various topics. When writing myths, follow the instructions provided in each prompt.

IMPORTANT: Provide your decision in the correct JSON format.

NOTE: There may be communication noise in this game.

The amounts you see may differ slightly from what was actually sent/returned. This is part of the experimental design.

MULTI-AGENT SETTING:

- There are 8 agents in this run.
- Each round, all agents are randomly paired into dyads from the full pool. Pairings may repeat.
- You play one sender-receiver game with your paired opponent each round.
- Sender and receiver roles are assigned independently for each dyad each round. Your role may repeat across consecutive rounds.
- You will be told your opponent's name in each round.
- Your name in this experiment is Briar.

Message 2 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Dorian (Agent_4).

Round 7

In your most recent previous game round, you were the RECEIVER against Aster. You saw them send \$4.78, it became \$14.34, and you returned \$7.17. Your visible payoff was \$7.17. Your total visible earnings across all rounds are \$32.43.

This round, you are the SENDER against Dorian. You have \$5. How much do you send? (0-5)

Message 3 role=assistant

content:

{'send': 5}

reasoning:

[175 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 934,
  "output_tokens": 181,
  "reasoning_tokens": 175
}
```

Message 4 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Aster (Agent_1).

Round 8

In your most recent previous game round, you were the SENDER against Dorian. You sent \$5.0, it became \$15.0, and you saw them return \$6.18 to you. Your visible payoff was \$6.18. Your total visible earnings across all rounds are \$38.61.

This round, you are the SENDER against Aster. You have \$5. How much do you send? (0-5)

Message 5 role=assistant

content:

{'send': 5}

reasoning:

[145 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 929,
  "output_tokens": 151,
  "reasoning_tokens": 145
}
```

Message 6 role=user

content:

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 9

In your most recent previous game round, you were the SENDER against Aster. You sent \$5.0, it became \$15.0, and you saw them return \$3.02 to you. Your visible payoff was \$3.02. Your total visible earnings across all rounds are \$41.63.

This round, you are the RECEIVER against Finn. They sent you \$3.71, so you received \$11.129999999999999. How much do you return? (0-11.129999999999999)

Message 7 role=assistant**content:**

{'return': 5.57}

reasoning:

[306 reasoning tokens used, but content encrypted by provider]

usage:

```
{
  "input_tokens": 974,
  "output_tokens": 315,
  "reasoning_tokens": 306
}
```

Message 8 role=user**content:**

Your name in this experiment is Briar.
Your opponent this round is Finn (Agent_6).

Round 10

In your most recent previous game round, you were the RECEIVER against Finn. You saw them send \$3.71, it became \$11.129999999999999, and you returned \$5.57. Your visible payoff was \$5.559999999999999. Your total visible earnings across all rounds are \$47.19.

This round, you are the RECEIVER against Finn. They sent you \$4.94, so you received \$14.82. How much do you return? (0-14.82)

Assistant output:

{'return': 7.41}

Reasoning:

[219 reasoning tokens used, but content encrypted by provider]

Usage:

```
{
  "input_tokens": 993,
  "output_tokens": 228,
  "reasoning_tokens": 219
}
```