

New

Open

EXPLORER

MY-R-PROJECT

1

Untitled-1

1

>R:

R: Add (or visit) a test file

R: Configure testthat

R: Document R Package

R: Insert a new section

R: New R File

R: Print interpreter settings information to Output

R: Select Interpreter

R: Source R File

R: Source R File with Echo

Refactor...

References: Find All Implementations

References: Find All References

Refresh Explorer

Reindent Lines

Reindent Selected Lines

⌘ D

⌘ K

⌘ N

⌘ S

⌘ Enter

⌘ R

⌘ F12

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

R 4.4.2

filter

No variables have been created.

PLOTS

CONSOLE

TERMINAL

PROBLEMS

OUTPUT

PORTS

DEBUG CONSOLE

~/my-r-project

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

>

OUTLINE

TIMELINE

Ln 1, Col 1

Spaces: 4

UTF-8

LF

{ }

R





>R: |

- R:** Add (or visit) a test file
- R:** Configure testthat
- R:** Document R Package
- R:** Insert a new section
- R:** New R File
- R:** Print interpreter settings information to Output
- R:** Select Interpreter
- R:** Source R File
- R:** Source R File with Echo
- R**efactor...
- R**eferences: Find All Implementations
- R**eferences: Find All References
- R**efresh Explorer
- R**eindent Lines
- R**eindent Selected Lines

⬆ ⌘ D

⌘ K H

⬆ ⌘ N

⬆ ⌘ S

⬆ ⌘ Enter

⬆ ⬆ R

⬆ ⌘ F12

SESSION

✓ VARIABLES

⌘ ⬆ ⬆ ⬆ ⬆

R 4.4.2

**Missing a
button?**