



NewOpenSave

Search

Start Session

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in Positron, read the VS Code docs.

Recent

You have no recent folders, open a folder to see it here.

Connect to...

OUTLINE

TIMELINE

Welcome

Positron

an IDE for data science

Open Folder...

New Project...

SESSION

CONNECTIONS

HELP

VARIABLES

PLOTS

CONSOLE

TERMINAL

PROBLEMS

OUTPUT

There is no session running. Use Start Session to launch a new session.

New Folder From Template

Project Configuration

R Version


Select a version of R to launch your project with

★ R 4.4.2 /Library/Frameworks/R.framework/Versions/4.4-arm64/Resources/bin/RSystem

Advanced Configuration

☐ Use `renv` to create a reproducible environment

BackCancelCreate



NewOpenSave

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in Positron, read the VS Code docs.

OUTLINE

TIMELINE

Welcome

Positron

an IDE for data science

Open Folder...

New Project...

Recent

You have no recent folders, open a folder to see them here.

Connect to...

CONSOLE

There is no session running. Use Start Session to start a new session.

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

PLOTS

New Folder From Template

Project Configuration

R Version

Select a version of R to launch your project with

★ R 4.4.2 /Library/Frameworks/R.framework/Versions/4.4-arm64/Resources/bin/R

System

Advanced Configuration

☐ Use `renv` to create a reproducible environment

Back

Cancel

Create