

New ▾Open ▾Save

lincoln-weather.R ×

lincoln-weather.R > ...

```
1 # library
2 library(ggrib2)
3 library(ggplot2)
4 library(viridis)
5
6 lincoln_weather <- ggrib2::lincoln_weather
7
8 # Plot
9 ggplot(
10   lincoln_weather,
11   aes(x = `Mean Temperature [F]`, y = `Month`
12 ) +
13   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
14   scale_fill_viridis(name = "Temp. [F]", option = "D") +
15   labs(title = "Temperatures in Lincoln NE in 2016") +
16   theme_ridges()
17
```

CONSOLE

TERMINAL

PROBLEMS

OUTPUT

PORTS

DEBUG CONSOLE

~/my-r-project

```
> ggplot(
+   lincoln_weather,
+   aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
+ ) +
+   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
+   scale_fill_viridis(name = "Temp. [F]", option = "D") +
+   labs(title = "Temperatures in Lincoln NE in 2016") +
+   theme_ridges()
Picking joint bandwidth of 3.37
>
```

Accounts: Manage Trusted Extensions For Account

Accounts: Manage Trusted MCP Servers For Account

Add Cell Tag

Add Cursor Above

Add Cursor Below

Add Cursors to Bottom

Add Cursors to Line Ends

Add Cursors to Top

Add Data Breakpoint at Address

Add Function Breakpoint

Add Line Comment

Add Selection to Next Find Match

Add Selection to Previous Find Match

Add XHR/fetch Breakpoint

Alt Format Workspace Folder

R 4.4.2

my-r-project ▾

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

R 4.4.2 ▾

filter

DATA

lincoln_weather [366 rows x 24 columns] <tbl_df>

PLOTS

Temperatures in Lincoln NE in 2016

Month

January

February

March

April

May

June

July

August

September

October

November

December

Temp. [F]

75

50


25

0

Mean Temperature [F]


0 25 50 75 100

Ln 14, Col 57 Spaces: 2 UTF-8 LF {} R



>|

File: Clear Recently Opened...

recently used 

Preferences: Color Theme

 K  T

Developer: Reload Window

Python: Create Environment...

Preferences: Open User Settings (JSON)

Preferences: Open User Settings



Search: Clear Search History

Quarto: New Document

Session: Focus on Variables View



 K V

View: Show Changes

  M

Workspaces: New Folder from Git...

R: New R File

  N

Quarto: Create Project

Welcome: Open Walkthrough...

Create New Terminal (With Profile)

SESSION

✓ VARIABLES

R 4.4.2