New ▾ | 📂 Open ▾ | 💾 🗗   ‹ ›   🔍 Search ▾   ℞ R 4.4.2 | 📁 my-r-project ▾

EXPLORER …   ℞ lincoln-weather.R ✕

∨ MY-R-PROJECT
   ℞ lincoln-weather.R

℞ lincoln-weather.R › …

```r
1    # library
2    library(ggridges)
3    library(ggplot2)
4    library(viridis)
5
6    lincoln_weather <- ggridges::lincoln_weather
7
8    # Plot
9    ggplot(
10     lincoln_weather,
11     aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
12   ) +
13     geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
14     scale_fill_viridis(name = "Temp. [F]", option = "C") +
15     labs(title = "Temperatures in Lincoln NE in 2016") +
16     theme_ridges()
17
```

SESSION   CONNECTIONS   HELP   VIEWER

∨ VARIABLES

▦ ▾   ⇅ ▾

R 4.4.2 ▾   filter

∨ DATA

> lincoln_weather   [366 rows x 24 columns] <tbl_df>

∨ PLOTS

CONSOLE   TERMINAL   PROBLEMS   OUTPUT   PORTS   DEBUG CONSOLE   + ▾ | — ✕ ▢ ▢

📁 ~/my-r-project

```r
> library(ggplot2)

> library(viridis)

> lincoln_weather <- ggridges::lincoln_weather

> # Plot
> ggplot(
+   lincoln_weather,
+   aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
+ ) +
+   geom_density_ridges_gradient(scale =  .... [TRUNCATED]
Picking joint bandwidth of 3.37

>
```

> OUTLINE

> TIMELINE

Temperatures in Lincoln NE in

Month: January, February, March, April, May, June, July, August, September, October, November, December

Temp. [F]: 75, 50, 25, 0

Mean Temperature [F]: 0 25 50 75 100

⊗ 0 ⚠ 0   Quarto: 1.8.23   Ln 17, Col 1   Spaces: 2   UTF-8   {} R

lincoln-weather.R — my-r-project

EXPLORER ...

∨ MY-R-PROJECT

- lincoln-weather.R

SESSION **CONNECTIONS** **HELP** **VIEWER**

∨ lincoln-weather.R ⊗

∨ lincoln-weather.R > ...

```r
1   # library
2   library(ggridges)
3   library(ggplot2)
4   library(viridis)
5
6   lincoln_weather <- ggridges::lincoln_weather
7
8   # Plot
9   ggplot(
10    lincoln_weather,
11    aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
12  ) +
13    geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
14    scale_fill_viridis(name = "Temp. [F]", option = "C") +
15    labs(title = "Temperatures in Lincoln NE in 2016") +
16    theme_ridges()
17
```

∨ VARIABLES

R 4.4.2 ∨   filter

∨ DATA

> lincoln_weather   [366 rows x 24 columns] <tbl_df>

CONSOLE **TERMINAL** **PROBLEMS** **OUTPUT** **PORTS** **DEBUG CONSOLE**

📁 ~/my-r-project

```
> library(ggplot2)

> library(viridis)

> lincoln_weather <- ggridges::lincoln_weather

> # Plot
> ggplot(
+   lincoln_weather,
+   aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
+ ) +
+   geom_density_ridges_gradient(scale =  .... [TRUNCATED]
Picking joint bandwidth of 3.37

>
```

> OUTLINE

> TIMELINE

∨ PLOTS

⊗ 0 ⚠ 0   Quarto: 1.8.23   Ln 17, Col 1   Spaces: 2   UTF-8   {} R

Viewing Plots