









NewOpenSave

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in Positron, read the VS Code docs.

OUTLINE

TIMELINE

Welcome

Positron

an IDE for data science

Open Folder...

New Project...

Recent

You have no recent folders, open a folder to see them here.

Connect to...

CONSOLE

There is no session running. Use Start Session to create a new session.

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

PLOTS

Back

Cancel

Create

New Folder From Template

Project Configuration

R Version

Select a version of R to launch your project with

★ R 4.4.2 /Library/Frameworks/R.framework/Versions/4.4-arm64/Resources/bin/R

System

Advanced Configuration

☐ Use `renv` to create a reproducible environment

NewOpenSave

Welcome

Search

Start Session

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in Positron, read the VS Code docs.

Recent

You have no recent folders, open a folder to see them here.

Connect to...

CONSOLE

There is no session running. Use Start Session to start a new session.

OUTLINE

TIMELINE

Welcome

Positron

an IDE for data science

Open Folder...

New Project...

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

PLOTS

Back

Cancel

Create

New Folder From Template

Project Configuration

R Version

Select a version of R to launch your project with

★ R 4.4.2 /Library/Frameworks/R.framework/Versions/4.4-arm64/Resources/bin/R

System

Advanced Configuration

☐ Use `renv` to create a reproducible environment