


A solid blue circle with a white capital letter 'R' centered inside it.

R

Write

Understand

Run



lincoln-weather.R — data-analysis-scripts

New Open

Search

R 4.4.2 data-analysis-scripts

lincoln-weather.R

```
lincoln-weather.R > ...
1 # library
2 library(ggribges)
3 library(ggplot2)
4 library(viridis)
5
6 lincoln_weather <- ggribges::lincoln_weather
7
8 # Plot
9 ggplot(lincoln_weather, aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)) +
10   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
11   scale_fill_viridis(name = "Temp. [F]", option = "C") +
12   labs(title = 'Temperatures in Lincoln NE in 2016') +
13   theme_ridges()
14
```

SESSION CONNECTIONS HELP VIEWER

VARIABLES


R 4.4.2 filter

DATA

lincoln_weather [366 rows x 24 columns] <tbl_df>

PLOTS

Temperatures in Lincoln NE in 20



CONSOLE TERMINAL PROBLEMS OUTPUT PORTS DEBUG CONSOLE

~/py/data-analysis-scripts

R 4.4.2 started.

R version 4.4.2 (2024-10-31) -- "Pile of Leaves"
Copyright (C) 2024 The R Foundation for Statistical Computing
Platform: aarch64-apple-darwin20

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Ln 14, Col 1 Spaces: 2 UTF-8 LF {} R

