

CoV2018

July 17, 2018

0.1 Cities on Volcanoes 2018

0.1.1 Code of the analysis and processing of seismic data of the work entitled "*The 2015 hurricane-induced lahars at Volcán de Colima, México: seismic characterization and numeric modeling*".

```
In [1]: using PyPlot
        using ExcelReaders
        using SAC
        using DSP

In [2]: pa = SAC.read("Patricia250.sac");

INFO: Data are little-endian; byteswapping


In [3]: #Conversion to physical units. V(m/s)= count*1.164153nV/22.8V/(m/s)
        pa.t = pa.t*0.000000000051059342;

In [4]: #Time vector
        ti = collect(0:pa.npts-1)*pa.delta;
        n = convert{Int32,floor(pa.npts/2)+1};
        tp = (DateTime(2015,10,23,21,0,0,1):(Dates.Millisecond(1))*4:DateTime(2015,10,24,4,0,0))

In [5]: #Frequency vector
        ds = 1/(pa.delta*pa.npts);
        f = collect(0:pa.npts-1)*ds;

In [6]: rmean!(pa);
        rtrend!(pa);


In [21]: fig = figure(figsize=(13,5))
         plot(tp,pa.t*1000,"g")
         xlabel("Time[GMT]", fontsize=12)
         xticks(fontsize=12)
         yticks(fontsize=12)
         ylabel("Velocity [mm/s]", fontsize=12)
         #PyPlot.savefig("time.png",dpi=400)
```



```
Out[21]: PyObject Text(25,0.5,'Velocity [mm/s]')
```

```
In [22]: env = abs.(hilbert(pa.t));
```

```
In [13]: fig = figure(figsize=(15,5))
          plot(tp, env,"g")
          xlabel("Time [GMT]")
          xticks(fontsize=12)
          ylabel("Env [m^2/s^2]")
          yticks(fontsize=12)
```



```
Out[13]: ([-0.002, 0.0, 0.002, 0.004, 0.006, 0.008, 0.01, 0.012], PyCall.PyObject[PyObject Text(
```

```
In [23]: #Movil average function
          function MA(x,n)
              if size(x,1)==1
                  x = x'
```

```

end
y = zeros(length(x))
sx = size(x,2)
tape = NaN*(zeros(convert{Int,floor(n/2)},sx))
x1 = [tape;x;tape]
n1 = n-1
for ii=1:size(y,1)
    sel = x1[ii+(0:n1),:]
    y[ii]=mean(sel[!isnan.(sel)]);
end
return y
end
end

```

Out [23]: MA (generic function with 1 method)

In [24]: e_av = MA(env,400);

WARNING: !(B::BitArray) is deprecated, use !(B) instead.

Stacktrace:

```

[1] depwarn(::String, ::Symbol) at ./deprecated.jl:70
[2] !(::BitArray{2}) at ./deprecated.jl:57
[3] MA(::Array{Float32,1}, ::Int64) at ./In[23]:13
[4] include_string(::String, ::String) at ./loading.jl:522
[5] include_string(::Module, ::String, ::String) at /home/marv/.julia/v0.6/Compat/src/Compat.jl
[6] execute_request(::ZMQ.Socket, ::IJulia.Msg) at /home/marv/.julia/v0.6/IJulia/src/execute_re
[7] (::Compat.#inner#17{Array{Any,1},IJulia.#execute_request,Tuple{ZMQ.Socket,IJulia.Msg}})() a
[8] eventloop(::ZMQ.Socket) at /home/marv/.julia/v0.6/IJulia/src/eventloop.jl:8
[9] (::IJulia.##14#17)() at ./task.jl:335


```

while loading In[24], in expression starting on line 1

```

In [25]: fig = figure(figsize=(13,5))
plot(tp, e_av,"g")
xlabel("Time [GMT]")
xticks(fontsize=12)
ylabel("Env [m^2/s^2]")
yticks(fontsize=12)

```




```
Out[25]: ([-0.00025, 0.0, 0.00025, 0.0005, 0.00075, 0.001, 0.00125, 0.0015, 0.00175, 0.002], PyC
```

```
In [12]: #Butterworth filter
        resp = Bandpass(6,124,fs=250)
        desig = Butterworth(4)
        fil = filt(digitalfilter(resp,desig),pa.t);
```

```
In [13]: specf = welch_pgram(fil,fs=250);
```

```
In [14]: fig = figure(figsize=(13,5))
        plot(specf.freq,specf.power,"g")
        xlabel("Frequency[Hz]")
        ylabel("PSD")
```



```
Out[14]: PyObject Text(24,0.5,'PSD')
```

```
In [15]: av_spec = MA(specf.power,400);
```

WARNING: `!(B::BitArray)` is deprecated, use `!(B)` instead.


Stacktrace:

```
[1] depwarn(::String, ::Symbol) at ./deprecated.jl:70
[2] !(::BitArray{2}) at ./deprecated.jl:57
[3] MA(::Array{Float64,1}, ::Int64) at ./In[7]:13
[4] include_string(::String, ::String) at ./loading.jl:522
[5] include_string(::Module, ::String, ::String) at /home/marv/.julia/v0.6/Compat/src/Compat.jl:
[6] execute_request(::ZMQ.Socket, ::IJulia.Msg) at /home/marv/.julia/v0.6/IJulia/src/execute_re
[7] (::Compat.#inner#17{Array{Any,1},IJulia.#execute_request,Tuple{ZMQ.Socket,IJulia.Msg}})() a
[8] eventloop(::ZMQ.Socket) at /home/marv/.julia/v0.6/IJulia/src/eventloop.jl:8
[9] (::IJulia.##14#17)() at ./task.jl:335
while loading In[15], in expression starting on line 1
```

```


In [17]: fig = figure(figsize=(5,8))
         plot(av_spec,specf.freq,"g")
         xticks(fontsize=12)
         yticks(fontsize=12)
         axis("tight")
         ax=gca()
         ax[:yaxis][:set_ticks_position]("right")
         xlim(minimum(av_spec)-0.01e-9,maximum(av_spec))
         ylim(minimum(specf.freq),maximum(specf.freq))
         #PyPlot.savefig("psd_covs.png",dpi=400)

```



Out[17]: (0.0, 125.0)

```
In [19]: fig = figure(figsize=(13,5))
specgram(pa.t,125,250,pad_to=40,noverlap=50);
xlabel("Time[s] ")
xticks(fontsize=12)
ylabel("Frequency[Hz] ")
yticks(fontsize=12)
colorbar()
```



Out[19]: PyObject <matplotlib.colorbar.Colorbar object at 0x7f7f533df4e0>