

Listar hábitos (GET)

The screenshot shows the VS Code interface with a REST client request configured. The request is a GET to `http://localhost:4000/habits`. The response status is `200 OK` with a size of `413 Bytes` and a time of `85 ms`. The response body is a JSON array of three habit objects:

```
1 [
2   {
3     "_id": "69b6f5a42d7a345ffffb194e2",
4     "name": "Leer 10 min",
5     "createdAt": "2026-03-15T18:08:36.662Z",
6     "__v": 0
7   },
8   {
9     "_id": "69b6f6362d7a345ffffb194e5",
10    "name": "Leer 10 min",
11    "createdAt": "2026-03-15T18:11:02.701Z",
12    "__v": 0
13  },
14  {
15    "_id": "69b6f69d2d7a345ffffb194e9",
16    "name": "Leer 10 min",
17    "createdAt": "2026-03-15T18:12:45.075Z",
18    "__v": 0
19  },
20  {
21    "_id": "69b6f7362d7a345ffffb194ec",
22    "name": "Leer 10 min"
23  }
24 ]
```

Crear Habito (POST)


The screenshot shows the VS Code interface with a REST client request configured. The request is a POST to `http://localhost:4000/habits`. The request body is a JSON object:

```
1 { "name": "Leer 10 min" }
2
```


The response status is `201 Created` with a size of `102 Bytes` and a time of `118 ms`. The response body is a JSON object representing the newly created habit:

```
1 {
2   "name": "Leer 10 min",
3   "_id": "69b6f8c32d7a345ffffb194f3",
4   "createdAt": "2026-03-15T18:21:55.046Z",
5   "__v": 0
6 }
```

Actualizar habito (PUT)



Eliminar hábito (DELETE)



Mongodb

