



MINI GOLF • FAMILY FUN CENTER PWA

Screen & Element Guide

A structural wireframe of every screen — the element inventory and rough arrangement — with each interface element numbered and spec'd (including current dimensions). It tells you **what each screen contains and what art each element needs**, so nothing is missed when you theme the app.

32 screens

5 sections

Wireframe layout

Numbered on-element markers

Dimensions + specs


These wireframes are not the design. They show structure only — no colors, type, icons, or materials are implied, and the current app art is **not** a reference to match (much of it is placeholder and wrong). Dimensions are the **current** values for scale, not fixed targets — only tap-target sizes, safe areas, and contrast are constraints. Boxes and positions are schematic. You define the actual look; mark up anything here that's wrong.

How to read each page

1. The **wireframe** is a labeled skeleton of one screen — every element as a plain box, with its numbered marker sitting **on the element**.
2. That number maps to the **spec table**: role, current **size**, interaction/states, the **theming hooks** it keys to (accent / course-color variables), and the **art it needs**.
3. **Navigation**: Home is a venue dashboard that launches five sections — **Mini Golf, Arcade, Food & Drink, Me**, and the Photo Booth. Every screen's top-right **menu button** opens the global **navigation drawer** (its own page here), which also holds the light/dark + sound switches.
4. **Conditional cards**: a box with a **dashed** outline appears only when populated (a live round, a pending order, venue specials); a **solid** box is always present.
5. **Light & dark**: the app has no fixed default — it follows the device setting. Design every element for **both**, clearing contrast on each ($\geq 4.5:1$ text / $\geq 3:1$ large & UI).
6. **Full-bleed screens**: the Course Map and every game playfield **fill the screen** below the bar (barring the HUD/buttons) — design them edge-to-edge.
7. **Player-scaled screens** (Player Setup, Scorecard, Summary, Scavenger Hunt) add **one row/chip per player**; they're drawn **at the 4-player maximum** (1–4 supported), so design for the fullest layout.
8. The live, re-skinable element inventory is the in-app style-guide screen; this document measures the current build.

1. Home (venue dashboard)

The FEC venue dashboard — what's happening at this venue plus a launcher into every section. No longer a course picker; mini golf is one tile among many.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Menu button	Top-right of every screen — opens the nav drawer	40x40 hamburger	opens the global drawer (its own page here)	—	the menu glyph
2	Hero mark	Brand identity, top of Home	glyph ~40px	wiggle on arrival	—	the venue/brand hero mark
3	Venue heading	Venue name + prompt + open-status line	centered text block	venue name from the active location; live open/closed	—	—
4	Announcement banner	Venue specials / updates from Master Control	full-width, radius 16	renders nothing when empty; cached offline	—	banner surface
5	Adoption nudge	Install / sign-in prompt	full-width, radius 16	dismissible with escalating back-off; self-gates once installed or signed in	—	nudge surface + a leading icon
6	Resume-round card	CTA → resume the in-progress round	full-width, radius 16	only when a round is live; standing glow	--glow = course accent	card surface + the standing-glow treatment
7	Active-orders card	Link back to an in-kitchen order this device placed	full-width, radius 16	self-gating; usually renders nothing	—	card surface
8	Section tiles	Launcher grid → Mini Golf / Arcade / Photo Booth / Food & Drink	2-col grid, radius 16; 40x40 accent puck + glyph	tappable; pop-in stagger; Mini Golf shown only when the venue has courses, Food only for POS venues	--tile-accent / --puck-accent per section	tile surface + a section icon per tile
9	Food & Drink card	Deep links to the venue's menu / ordering (non-POS venues)	full-width, radius 16	two link buttons; offline = disabled with a note; hidden when the venue has no links	--accent (link buttons)	card surface + a food glyph
10	Account button	Ghost row → the Me hub	full-width ghost, radius 16	shows the signed-in name/tag/email, or "Sign in / register"	—	ghost surface + a person glyph
11	Adoption bonus card	Bonus-ticket card after an install/sign-in milestone (between the nudge and resume card)	full-width, radius 16	awarded variant (🎫 "+N bonus tickets added to your card!" + × dismiss) or needs-card variant ("Collect your bonus tickets" + a Link-my-card / Not-now button row); hidden when neither; dismissal is per-visit	--accent (Link my card)	the card surface + a ticket glyph

2. Navigation drawer (global)

The app's one persistent way between sections. Opened by the menu button on every screen; slides in from the right over the whole route tree.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Panel + close	Right-anchored panel over a scrim	82% width, max ~20rem; 36×36 close key	opens from the menu button; closes on backdrop tap / Escape / route change	surface + border	panel surface
2	Venue header	"You're at" + venue name	text block	reflects the active location	—	—
3	Primary section rows	Home / Mini Golf / Arcade / Food / Me	full-width rows, radius 16, ~48 tall	active section is accent-filled + "Here"; Food only for POS venues	--accent (active row)	row surface + a section icon each
4	Secondary rows	Photo Booth / Rewards / Change location / Install	full-width rows, radius 12	Rewards gated on loyalty; Install hidden once installed	—	row surface + a leading icon each
5	Settings toggles	Sound + Dark mode	two rows with trailing switches	the light/dark + mute controls, moved here from the header	—	the two switch treatments
6	Privacy link	Footer link → the privacy disclosure	text link	—	—	—

3. Location Picker

Choose the venue (manual or GPS); scopes which courses and content show.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	"Use my location"	GPS-detect button (only if geolocation is available)	full-width, radius 12, ~44 tall	disabled + "Locating..." while detecting	—	a GPS/location icon (📍 placeholder) + button surface
2	Status message	Detect feedback	text	appears on progress / error (amber)	(error emphasis)	—
3	Location row	One per venue → selects it	full-width row, radius 16; marker chip ~48×48	selected vs unselected	per-location accent tints the marker chip	a location marker + row surface
4	Open-status line	Live open/closed under the venue name	small text	open / closed / opens-at, from the venue hours+tz	—	—
5	Trailing marker	Row right edge	"Current" label when selected, else a > chevron	"Current" (selected) or forward chevron	per-location accent	a chevron icon
6	Weekly-hours card	Collapsible full-week hours under each venue	full-width, radius 12	a ▶ Details	—	the disclosure surface

4. Mini Golf hub

The mini-golf section home — pick a course, resume, and reach the golf-only features (join a game, leaderboard, hunt, rules).




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Resume-round card	CTA → resume the in-progress round	full-width, radius 16	only when a round is live; standing glow	--glow = course accent	card surface + the standing-glow treatment
2	Course tiles	Grid → each course's map screen	2-col grid, scales to the location's count (2–4), radius 16; 48px puck + theme glyph	tappable; pop-in stagger; empty state "No courses at this location yet."	--tile-accent / --puck-accent per course	tile surface + a course marker/crest per course (the puck)
3	Section menu	Ghost stack → Join game / Leaderboard / Scavenger hunt / Rules	full-width rows, ~48 tall, radius 16	—	—	ghost surface + a leading icon per row

5. Course Picker

Pick which course at the current location to score.



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Location switcher	Row → Location Picker (returns here)	full-width, radius 16	tappable; carries a live open-status line + a "Change" affordance	row surface	a pin marker + row surface
2	Course marker	Left of each course row	~48×48 rounded square, radius 12	—	tinted from the course accent	the course marker icon (currently the theme emoji)
3	Course row	Tap → Player Setup	full-width row, radius 16; subtitle "N holes · par N"	tappable; scales to the location's course count	—	row surface
4	Chevron	Row right edge	~20px	—	muted	a forward chevron
5	Empty state	When the venue has no courses	text	replaces the list	—	—

6. Player Setup

Choose player count (1-4), enter arcade tags, optionally a team tag, then start — solo on this phone or a shared game everyone joins.

<Course name≡

label: Players

1234

label: Tags (3 letters/numbers, arcade style)

1tag well2

2tag well - error3inline error — right of the input

3tag well

4tag well

label: Team tag (optional — play as a team)

team tag well4

form error line — host/start failures (bare paragraph)

5Start round

6Play together (everyone on their own phone)


caption — hosting needs a (free) account

WIREFRAME · SCHEMATIC · SHOWN AT 4 PLAYERS (SUPPORTS 1-4)

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Player-count selector	1-4 buttons	4-col grid, radius 12, ~44px tall	selected = accent key, unselected = neutral (default 2)	--accent (selected key)	the selected/unselected key states
2	Tag input	Arcade text field — one row per player (1-4)	recessed well, ~128px x ~44 tall, radius 12; centered 24px uppercase	empty (placeholder "ABC") / filled / invalid; row count = selected players	recessed-well surface; arcade type face	the carved-well surface; the arcade type face
3	Invalid-tag state	On a bad tag	—	red border + inline error once 3 chars are entered	(error emphasis)	error treatment
4	Team tag	Optional single team tag (👤)	one recessed well, radius 12	empty is valid; a partial/blocked value errors; feeds the leaderboard's Teams tab	--accent	the well surface + a team glyph
5	Start round	Primary CTA → play on this phone	full-width, ~52 tall, radius 16	disabled until roster valid; "Starting..." while starting	--accent	the primary button surface
6	Play together	Host a shared game (friends join from their phones)	full-width ghost	needs a free account (caption when signed-out); uses player 1's tag as host	—	ghost surface + a share glyph

7. Course Map

Opening course screen — the map fills the screen below the bar; tapping anywhere starts the round.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Course map	Full-bleed panel; the whole panel starts the round	fills the screen barring the top bar	tappable; renders course.mapAsset edge-to-edge, or the themed-emoji placeholder when unset; a pulsing “tap to begin” prompt sits over a bottom scrim	the screen washes toward the course color	a top-down hole map per course; keep center/edges calm so the overlay prompt stays legible, in both light and dark

8. Scorecard (play screen)

The core loop — a horizontally-scrolling scorecard; score every player on the current hole, each edit persists instantly. Swipe to change holes.




WIREFRAME · SCHEMATIC · SHOWN AT 4 PLAYERS (SUPPORTS 1–4)

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	TopBar cluster	Live pill (shared rounds) · Scavenger hunt · Challenge spinner	glyphs ~18px; live pill; back key 40×40	🔍 → hunt, 🔄 → spinner; the LivePill shows live / reconnecting / offline on shared games only	—	a hunt icon + a spinner icon + the live-pill states
2	Par medallion	Par read-out disc, right of the hole title	48×48 circle	—	par numeral in the course ink (accentInk)	the disc surface
3	Hole tablist	Row of hole tabs inside the scroll sheet (replaces the old “Holes” toggle)	one tab per hole, 36 tall × 48 wide; current bold + tinted	current / done / unplayed states; swipe or tap to move	--accent marks the current hole	the three tab states
4	Player tag rail	Pinned tag chip per player (left rail)	radius 8 pill; 48-tall rows to track the grid	one row per player	--tag-accent	the tag surface (contrast-checked on any accent)
5	Score cell	Score read-out per player per hole	48×48 cells in a ruled grid	punches on each stroke edit; ghost dot when unscored; active cell in the tinted column	--score column tint	the cell states
6	± stepper rails	Pinned add / remove keys either side of the sheet	36×36, radius 8, in 48-tall rows	— disabled at 1, + disabled at the stroke cap	—	the key surface + the + / – marks
7	Advance button	Next > (or Finish on the last hole)	full-width, ~52 tall	disabled until the hole/round is complete; go back by swiping	--accent on Finish	the button surface

9. Summary (final scorecard)

Celebrates the winner, shows standings, the (toggled) hole-by-hole grid, any tickets earned, and syncs to the leaderboard.




WIREFRAME · SCHEMATIC · SHOWN AT 4 PLAYERS (SUPPORTS 1–4)

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Winner hero	Celebration card	full-width card, radius 24; trophy + accent spotlight	pop-in + looping glow; a “Tied for the win” variant	--glow accent; winner tag(s) in course ink (accentInk)	a trophy/celebration mark + the hero surface
2	Standings row	One per non-winner (up to 3)	full-width, radius 16; rank column	staggered rise-in	mono rank + arcade tag in course ink	the row surface
3	View-scorecard toggle	Ghost button revealing two Nine-grids — Front (1–9) & Back (10–18)	full-width ghost; then two tables radius 16	hidden by default; cells signal under / over / at par, “.” for a blank	--score-under / --score-over	the table surface + the score-signal colors
4	Sync note	Leaderboard save status (above the rewards card)	text	saved / saving / offline / retry	(failure emphasis)	a confirmation tick
5	Rewards card	Tickets earned this round (loyalty venues)	full-width card, radius 16	per-reward rows (+N 🚩 / Adding... / Claimed ✓); “Link rewards card” when no card; hidden when none	--accent	the card surface + a ticket glyph
6	Action buttons	A stacked column — Share this round · View leaderboard · Done	full-width, stacked	Share prepares an image; Done → Home	--accent (Done)	ghost + primary surfaces + a share glyph

10. Scavenger Hunt

Snap-a-photo hunt; a vision model verifies each find. Reached from the in-round bar. Gated on an active round.




WIREFRAME · SCHEMATIC · SHOWN AT 4 PLAYERS (SUPPORTS 1–4)

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	"Playing as" selector	Player chips — one per player (1–4)	radius 8 pills	selected (ring-2) vs dimmed (opacity 60%)	--tag-accent (house green default here)	tag surface + selected-state treatment
2	Item hint / count / check	On each item	small	hint show/hide toggle; xN count or a found check	—	hint, count, and check icons
3	Snap button	Photo capture (opens the camera)	compact button	label cycles Snap / Snap another / Checking / Found (locked)	—	a camera icon + button surface
4	In-card result	Verify outcome — rendered inside the item's card, below the title/snap row (not a standalone banner)	full-width of the card, radius 8	verified / flagged (photo-of-screen) / rejected; a separate load-error banner sits above the list	(flag/error emphasis)	the in-card result treatments
5	Item card	Per find	full-width, radius 16	found vs not-found; adds Found-by tag chips + per-player share chips for approved photos	—	the card surface
6	Privacy note	AI/photo-storage disclosure + link	small text + link	links to the privacy screen	—	—
7	Gated empty state	Shown when no round is active	full-height block	🔍 + "Start a round to play" + a Start-new-round button	—	the empty-state illustration

11. Rules

Static, offline general rules + optional per-course notes. Read-only.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Section heading	"General" / "Course notes"	text eyebrow	—	muted	—
2	Numbered rule list	General rules — 6 items	list; mono "N." prefix	the stroke cap is interpolated into rule 3	—	list-number treatment
3	Course-note card	One tinted card per course with notes (section hidden when none)	full-width, radius 16	conditional on per-course notes	washes toward the course accent; name + marker + bullets in course ink	the card surface + the course marker

12. Leaderboard

Live high-score board (polls every 5s); highlights the just-played round on arrival. Doubles as the phone-friendly /tv board.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Board toggle	Players vs Teams	2-col, radius 8	team board ranks by avg strokes/player; distinct empty copy	--accent (active)	tab states
2	Period tabs	Day / Week / Month / All (Day default)	4-col grid, radius 8	active (filled) vs inactive (outline)	--accent (active)	tab states
3	"Your last round"	Pinned block of the just-played rows above the standings	own scroll, capped ~38vh	present only on the player board with a highlight; keeps real rank numbers	a highlight/ring accent	—
4	"You" pill + highlight	Marks your rows	pill (rounded-full)	only on your rows; polls every 5s	a highlight/ring accent	the pill + row-highlight treatment
5	Standings row	One per score	full-width, radius 16	entrance stagger	neutral ramp	the row surface + the arcade type face
6	Announcement banner	Venue message above the board	full-width, radius 16	renders nothing when empty	—	banner surface
7	Board states	API-down error (amber, above the announcement) · empty · loading	text / amber banner	team vs player empty copy; error only when no data ever loaded; confetti on first populated load	(error emphasis)	—

13. Play together (join + lobby)

Shared multi-device games: join by 6-char code from your own phone, or host a lobby others scan into. Everyone marks the same scorecard.



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Join-code field	6-character game code	arcade field, uppercase	sanitized A-Z0-9; prefilled from a ?code deep link; 404 → “No open game with that code”	—	the arcade field surface
2	Your-tag field	The joiner's 3-char tag	arcade field	prefilled from a saved default tag; invalid → red + error	--tag-accent	the field surface
3	Join button	Enter the shared round	full-width primary	disabled until code+tag valid; “Joining...”; offline note	--accent	the primary surface
4	Join-code card (host)	Big code + QR + copy link	full-width card, radius 16	“Copy join link” → “Link copied ✓”	--accent	the card surface + a QR treatment
5	Player roster (host)	One row per joiner	full-width; TagChip per player	live-updating; marks “(this phone)”; “Waiting for friends... up to N more”	--tag-accent	the roster surface
6	Live pill (host)	Connection state	pill	live / reconnecting / offline	—	the pill states
7	Start playing (host)	Begin the shared round	full-width primary	friends can still join after start	--accent	the primary surface

14. Arcade hub

Grid landing routing to every attraction mini-game plus Fun Facts and Trivia. One flat 2-col grid, 21 tiles.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Activity tile	One per game → its route (21 tiles)	2-col grid, radius 12	rise-in stagger; press-shrink feedback	accent-tinted per tile (bg/border/icon)	the tile surface
2	Activity icon	Leading mark on each tile	36×36 chip, radius 8, glyph ~20px	—	tinted to the tile accent	one designed icon per activity
3	“Earns tickets” badge	Trailing badge inside ticket-awarding tiles	small  badge	venue's game-rewards add-on AND the tile earns; Fun Facts and Arcade Putt never carry it	--accent	the badge treatment

15. Arcade Putt

Playable canvas mini-golf. A course picker precedes play; the playfield then fills the screen between the HUD and buttons. Offline.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Course picker	Entry screen before play	stacked card rows + ghost button + note	one card per fixed course (The Classic / Creekside / The Dunes / The Gauntlet); label + bold label + blurb + “9 holes · par n”; Endless (procedural) ghost below; endless is fairness-checked	—	the entry surface + card rows + two mode glyphs
2	Status header	Hole / par / strokes	text row	course (“/ 9 · course name”) vs endless (“· Endless”)	—	—
3	Canvas playfield	The game (aim by dragging)	fills the screen barring HUD + buttons	aim / rolling / splash / sunk phases	aim-power color ramp	playfield background + all sprites (ball, cup+flag, bumpers, greens, hazards, splash) and the aim/power markers — drawn into the canvas
4	Play buttons	A stacked column, phase-exclusive: after sinking only “Next hole → / See scorecard →”; before, “Reset hole” (+ “End run”, endless only)	full-width, stacked	a round-complete screen (+ a scrolling per-hole scorecard + Play again / New run / Change mode) follows the last hole	--accent	primary + ghost surfaces + the round-complete card

16. Minigame shell (covers ~20 canvas games)

Shared shell for every canvas game — the playfield fills the screen between the HUD and any footer; a results screen follows game-over.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	HUD counter row	Per-game counters / score / timer	text row	labels vary by game (Bowling adds a 10-frame strip); a timer can signal time pressure	—	—
2	Canvas playfield	The game itself	fills the screen barring HUD + hint	aim / play / result; impact + shake feedback	--accent on the results Play-again	per-game background + sprites (ball, puck, kart, target, pins, axe, bumper, gopher, ...) as sprite sheets / SVGs; a result mark per game
3	Game-over results	Post-game card (a separate screen, not on the canvas)	full-width block	big emoji + score + tiered remark; a ticket award (POS game-rewards); Play again	--accent	the results surface + a ticket glyph

17. While You Wait (Fun Facts & Trivia)

Two offline, bundled time-fillers: a tappable Fun-Facts card deck, and a 10-question Trivia round that can earn tickets.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Fun-facts card	Tappable card advancing the shuffled deck	full-width, ~16rem tall	tap the card or “Next fact →” to advance; wraps	—	the card surface
2	Trivia progress	“Question k of 10” + running score	text row	10-question round	—	—
3	Trivia choices	Answer buttons	full-width stack	after answering: correct = green ✓, wrong pick = red X, others dimmed; ding / buzz feedback	--score-under / --score-over	the choice states
4	Trivia results	End-of-round card	full-width block	🧠 + score/10 + tiered remark; 5 tickets per correct (POS game-rewards); Play again	--accent	the results surface + a ticket glyph

18. Food & Drink menu

Native menu browser for POS-integrated venues — browse categories, build a cart, head to checkout. Redirects home when the venue has no ordering add-on.



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Active-orders card	Link back to an in-progress order	full-width, radius 16	self-gating; usually nothing	—	card surface
2	Category heading	One per menu category (sorted)	text eyebrow	—	—	—
3	Menu item row	Tap → item sheet (mods + qty)	full-width row	disabled + “Sold out today” when unavailable; price on the right	—	row surface
4	Sticky cart bar	Bottom bar → checkout	sticky bottom, full-width	shown only when the cart has items; shows count + subtotal	--accent	the bar surface + a cart glyph
5	Item sheet	Bottom-sheet modal opened from an item row	fixed overlay sheet	name + × close; one block per modifier group (required / up-to-N / optional badges, option rows with +price/✓); – qty + stepper (1-20); “Add to cart · \$total” disabled until required groups are picked	--accent (selected options)	the sheet surface + option-row states

19. Food checkout

Review the cart, adjust quantities, name the order, and pay. POS-gated; empty-cart and price-load states handled.

<

Your order

≡

1

2

3

4

5

6

cart line — name · mods

— n +

cart line — name · mods

— n +

label: Name for the order (optional)

name field — “Who’s picking it up?”

SUNK

totals — Subtotal · Tax · Total

error — “Card declined...” (conditional)

Pay \$total


empty-cart state — “Your cart is empty” + Browse the menu

WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Cart line	One per cart item	full-width row	shows chosen modifiers under the name	—	row surface
2	Quantity stepper	– / qty / + per line	stepper	+ capped at 20; – removes at 0	—	the stepper keys
3	Name field	Optional pickup name	full-width input	maxlength 100	—	the field surface
4	Totals box	Subtotal / Tax / Total	full-width sunk, radius 16	live from the cart	—	the totals surface
5	Pay button	Place the order	full-width primary	“Placing order...”; 402 → “Card declined...”; success → order status	--accent	the primary surface
6	Empty / load states	Empty cart · price-load · retry	text + ghost button	empty → Browse the menu; error → Retry	(error emphasis)	—

20. Order status

Live pickup tracker — order number, ETA, a ready-state pickup code, notifications, and a step checklist. Polls every 4s.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Order header	Order number + ETA	centered block	ETA "under a minute" / "~N min" when known	—	—
2	Ready card	Pickup code (glowing) when ready	full-width card, radius 16	only at status=ready; "I've picked it up" → "Confirming..."; a pickup error renders inside this card, below its button	--glow accent	the card surface
3	Notify-me	Push-permission control (pre-ready)	full-width	default → 🔔 button; granted → on note; denied → blocked note	—	a bell glyph
4	Step checklist	5 fixed steps	list of rows	current glows, future dimmed, done = ✅	--accent (current)	step glyphs
5	Items summary	Order lines + total	full-width sunk, radius 16	qty × name + line totals; modifiers beneath	—	the summary surface

21. Me hub

Personal hub — an identity card into the account, over a stack into achievements, teams, rewards, install, privacy.



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Identity card	Row → the Account screen	full-width, radius 16; avatar circle	signed-in: 👤 + name + "View your profile"; signed-out: ✨ + "Sign in / register" + save-your-scores subtitle	—	the card surface + an avatar treatment
2	Section menu	Ghost stack → Achievements / Teams / Rewards / Install / Privacy	full-width rows, ~48 tall	Rewards gated on loyalty; Install hidden once installed	—	ghost surface + a leading icon per row

22. Account (sign in / profile)

Passwordless email sign-in (email → 6-digit code → signed in) with a profile editor. Registration is the same flow.

<

Account

☰

notice banners — bonus / rounds-claimed (conditional)

STAGE 1 — EMAIL

intro — “We’ll email you a 6-digit code — no password.”

Email field

Name (optional)

Arcade tag (optional)

Email me a code

STAGE 2 — CODE

6-digit code field

Sign in

Use a different email

Resend the code

STAGE 3 — SIGNED IN CARD

“Signed in as” · email · Name · Arcade tag · Save / My teams / Sign out

WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Notice banners	Bonus / rounds-claimed messages — two separate cards (accent vs neutral border)	full-width, radius 16	role=status; appear above every stage when set	--accent (bonus card border)	banner surfaces
2	Email stage fields	Email + optional name + optional arcade tag	full-width inputs	inline email/tag errors; expired-link amber notice	--tag-accent (tag)	the field surfaces + the arcade type face
3	Send-code button	Request the code	full-width primary	“Sending...”; disabled on empty/invalid email or tag error	--accent	the primary surface
4	Code stage	6-digit code entry + a stacked column of three buttons (Sign in / Use a different email / Resend the code)	wide arcade input; full-width stacked buttons	“Checking...”; Sign in disabled until 6 digits; expires in 10 min	—	the code field
5	Signed-in card	Profile editor + actions	full-width card, radius 16	Save (“Saving...” / “Saved.”), My teams, Sign out; a bypass path can skip the code stage	--accent	the card surface

23. Teams

Signed-in persistent teams — list your teams and create new ones; signed-out visitors get an explainer.

<

Teams

☰

1

signed-out — explainer + “Sign in / register”

2

empty — “No teams yet — name one below and invite your regulars.”

team name · “N members · yours” >

team name · “N members” >

label: New team

3

new-team field — “The Putters”

4


Create team

WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Signed-out state	Explainer + sign-in CTA	full-width	no auto-redirect; button → Account	—	—
2	Team row	One per team → team detail	full-width, radius 16	subline “N members”, “· yours” for owner; > chevron	—	row surface
3	New-team field	Name a new team	full-width input	maxlength 40; empty state above the field when no teams; errors (incl. team-list load failures) render as a bare line directly under this input	(error emphasis)	the field surface
4	Create button	Create the team	full-width primary	“Creating...”; disabled while creating / name empty; success → team detail	--accent	the primary surface

24. Achievements

Badges wall — the catalog grouped by category, earned/locked from locally-stored completed rounds. Achievements pay nothing; they are status, not currency.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Status caption	“k of n unlocked” — n counts only badges this deployment can reach	centered text	“Checking your rounds...” while loading	—	—
2	Category heading	One per populated category, with its own earned/total	uppercase label + tabular count, split left/right	a category with no reachable badges is omitted entirely	--accent (label)	the heading treatment
3	Badge row	One per badge; earned rise to the top of their section	full-width, radius 16; icon circle	earned = bright + “Earned” pill; locked = dimmed/grayscaled	--accent (earned)	the icon circle + earned/locked treatment
4	Secret badge	Name and how-to withheld until earned	same row, label reads “???”	locked only — an earned secret renders as a normal badge	—	the lock icon
5	“At the venue” chip	Marks a badge only the server can grant (the hunt)	small outline pill beside the label	shown when unearned; the device cannot detect it	—	the chip outline

25. Rewards card

Loyalty-card screen — link a card, then show ticket/credit balances and ticket activity. POS-gated; redirects home without the loyalty add-on.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Link-card state	Card-number entry when unlinked	full-width card, radius 16	"Looking up..."; 404 → "No card found with that number."; a link failure shows the error + a ghost "Unlink and try another card"	—	the card surface
2	Player card	Linked-card identity + Unlink	full-width, radius 16	name + "Card •••last4 · tier"; inline Unlink	—	the card surface
3	Balance tiles	Tickets + Credits	2-col grid, radius 16	big arcade values	--accent	the tile surfaces + ticket/credit glyphs
4	Activity list	Ticket-reward history	full-width rows, radius 12	"🎫 Tickets · source" + "+N"; empty state when none	—	the row surface

26. Photo Booth

AI-free photo booth — snap a photo, decorate with stickers/frames (+ a forced venue watermark), save to a per-device camera roll and/or share.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Intro + privacy	Blurb + camera-roll privacy note + link	text + link	links to the privacy screen	—	—
2	Take-a-photo	Opens the camera / file picker	full-width primary	no capture attr (library allowed)	--accent	a camera glyph + button surface
3	Camera-roll grid	Saved photos, 3-col	3-col grid	loading / empty / grid; a badge marks editable drafts; tap → viewer (Share / Edit / Delete)	—	the tile surface + a draft badge
4	Edit canvas	Photo + stickers + frame + watermark	aspect-ratio box	drag to move; tap a sticker to select (ring + X); forced watermark pinned	—	the sticker/frame art
5	Adjust keys	Smaller / Bigger / Rotate / Remove	key row	act on the selected sticker	—	the key glyphs
6	Frames + stickers	Frame strip + sticker sheet	horizontal strips	venue SVG stickers first, then the emoji sheet; "None" frame option	--accent	venue frames + venue SVG stickers

27. Install

PWA install landing (QR-code target); shows the right path per platform.



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Hero	Brand mark + heading	glyph ~48px	—	—	the brand mark
2	Branch card	One of four states: already-installed (+ Open button), iOS steps, native-prompt button, or generic steps	full-width, radius 16	platform-dependent; dismissed-prompt retry hint	—	the card surface
3	Numbered step + warning	Instruction steps and a caveat box	step badge ~24px circle; warning box radius 8	—	—	step-number badges + the platform glyphs referenced (Share / add-to-home / browser-menu)

28. TV Wall (venue display)

Landscape, no-chrome venue display — every course's leaderboard side-by-side in live columns. Configured entirely by URL query params; updates over SSE.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Column grid	One column per course, full height	N-col CSS grid	landscape display; no TopBar/nav; live over SSE + a 60s safety poll	—	the wall background
2	Course column	Header (theme emoji + course name) + a rank list	one per course	empty column → “No scores yet — be the first!”	accent header tint + accent bottom border	the column surface
3	Leaderboard row	rank · tag · total	3-column row	rise-in animated; totals in the course accent	--accent (total)	the row surface + the arcade type face

29. Challenge Spinner

Mid-round dare wheel opened from the scorecard — spin for a next-shot twist or a just-for-fun challenge. Offline, bundled content; themed to the round's course when opened mid-round.



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Course caption	Uppercase "challenges" line	text eyebrow	only when nav state carries the round's course; absent from direct entry	course ink	—
2	Wheel	The spinner — SVG pie of challenge wedges	~max-w-xs disc; emoji at 66% radius, counter-rotated upright	spins on the button only (wheel itself isn't tappable); wedge count = challenge-set size	wedge fills keyed by challenge kind	wedge palette per kind + the pointer + hub-cap treatment
3	Result card	Landed challenge — badge, emoji, and text all in one card	full-width card, radius 16	exactly one of result card / hint line renders; swell-in on land; the kind badge renders INSIDE the card as its first child	kind palette (twist vs fun)	the card surface + the two kind-badge treatments
4	Hint line	Idle / spinning prompt	bare centered text (no card)	"Round and round..." while spinning, else the tap prompt	muted	—
5	Spin button	The only control	full-width, ~52 tall	labels: "Spin the wheel" → "Spinning..." (disabled) → "Spin again"	--accent	the primary surface

30. Team detail

One team's roster and management. Members see the roster; owners also invite by email, rename, and archive. Signed-out visitors are bounced to Teams.

Team name

label: Members

1tag

name (you) · Owner — no action on own row

2tag

name · Member

Remove

OWNER ONLY ↓

3

4Invited (pending) — bare email lines (only when any)

label: Invite by email

5

email field — “friend@example.com” · inline error below

Send invite

label: Team name

6

name field

Rename

7

Archive team

8


footer error / notice lines — bottom of the page, not by the control

WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Member row	One card per member (unbounded, no 1-4 cap)	full-width, radius 16	leading TagChip only when the member has a tag; name + “(you)” marker; Owner/Member caption	--tag-accent	the row surface
2	Row action	Trailing red text button	text button	“Leave” on your own row, “Remove” on others (owner); an owner's own row has none	(danger emphasis)	—
3	Owner gating	Everything below the roster	—	rendered only for role=owner; members see just the roster + footer messages	—	—
4	Pending invites	“Invited (pending)” email lines	bare truncated text lines (no cards)	only when invites are outstanding	muted	—
5	Invite field + send	Email input → Send invite	full-width input + button	inline validation error directly under the input; button disabled on empty/invalid/busy	(error emphasis)	the field surface
6	Rename field	Team-name input	full-width input, maxlength 40	Rename disabled while unchanged/empty/busy	—	the field surface
7	Rename / Archive	Stacked column — Rename (ghost) · Archive team (danger)	full-width, stacked	Archive confirms (“Members will lose access.”) then navigates away; one shared busy flag dims all controls	(danger emphasis on Archive)	ghost + danger surfaces
8	Footer messages	Error and notice lines at the very bottom of the content	bare text, page footer	conditional; can both show; note they render far from the control that triggered them; separate Loading / “Team not found” states	(error emphasis)	—

31. Privacy (“Your info”)

Plain-language disclosure of everything the app records. Static prose — zero interactive elements; reached from the drawer footer, the Me hub, and in-context privacy links.




WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Section blocks	Seven uppercase-eyebrow prose sections	eyebrow + body paragraphs	all unconditional; no cards, banners, buttons, or inputs anywhere in the body	muted eyebrows	—
2	Retention sentences	Dynamic per-venue photo-retention wording, inline in the hunt and booth sections	leading sentence of a body paragraph	three wordings: venue-settings default / kept-until-deleted / auto-deleted after N days; a failed fetch silently renders the default	—	—
3	Don't-do list	Four disc bullets	list	—	—	list-bullet treatment

32. Team invite (accept)

Emailed-invite landing — accepts the invite token on arrival. A four-state machine; exactly one flat block renders (paragraph + at most one button).



WIREFRAME · SCHEMATIC

#	ELEMENT	ROLE & WHERE	SIZE (CURRENT)	INTERACTION / STATES	THEMING HOOKS	ART / ASSETS NEEDED
1	Checking state	Initial token check	bare paragraph	no spinner; accept runs once on mount	muted	—
2	Needs sign-in	Signed-out gate (token not consumed)	paragraph + primary "Sign in / register"	→ Account; user re-opens the emailed link after	--accent	—
3	Accepted	Success state	paragraph (team name bold) + primary "See my teams"	→ Teams	--accent	a celebration mark
4	Failed	Malformed / expired-or-used / server error	bare red paragraph + ghost "Back home"	error text renders flat in the content, not in a card; each state shows at most one full-width button	(error emphasis)	—