

Sparkle Butt — Sprite Art Spec (v1)

Artist brief: everything needed to replace the placeholder emoji with real sprites.

The engine already supports sprite sheets: drop the two files below into `assets/` and the art appears in-game with **zero code changes**. Any sprite that isn't delivered yet falls back to its emoji placeholder, so partial deliveries are playable immediately — send art in any order.

Deliverables


1. `assets/sprites.png` — one PNG atlas, transparent background, **max 2048×2048**. (If you'd rather deliver individual PNGs per frame, that's fine — we'll pack them; skip the JSON too.)
2. `assets/sprites.json` — frame coordinates and animations, in this schema:

```
{
  "meta": { "image": "sprites.png" },
  "frames": {
    "cat_run_0": { "x": 0, "y": 0, "w": 128, "h": 128 },
    "cat_run_1": { "x": 128, "y": 0, "w": 128, "h": 128 },
    "tree_0": { "x": 0, "y": 512, "w": 256, "h": 256 }
  },
  "anim": {
    "cat_run": { "fps": 10, "frames": ["cat_run_0", "cat_run_1"] }
  }
}
```

TexturePacker or free-tool output can be converted to this trivially — or ask and we'll adapt the loader to your tool's format.

Ground rules

- **Anchor: center.** Every frame is drawn centered on the entity's position. Keep the character centered in the frame with consistent footing across frames of one animation (no bobbing baked in — the engine bobs/hops).
- **Facing: LEFT.** All characters face left in the art; the engine mirrors them for rightward movement. Avoid readable text/asymmetric props that look wrong mirrored.
- **Name frames** `name_0`, `name_1`, ... zero-based, matching the tables below.
- **Author at 2× the render size** listed below (the game renders on retina displays). E.g. the cat renders at ~52 px tall → author at 128×128.
- Bold, chunky silhouettes: everything must read at half the authored size, on a busy green field, on a phone. When in doubt, exaggerate.
- Style is yours to pitch, but the game's current world is a warm storybook meadow. Current palette for reference: grass #7ec850/#6fb746, hedge #3e7a2a, HUD plum #31204a, cream #fff6e8, sparkle gold #ffd84d, candy pink #ff8ae0, coral #ff7b54.

							
grass #7ec850	grass 2 #6fb746	hedge #3e7a2a	plum #31204a	cream #fff6e8	gold #ffd84d	pink #ff8ae0	coral #ff7b54

Sprite list

Tier 1 — makes the game fully sprite-based

Name	Frames	Frame size	Renders at	Notes
cat_idle	4	128×128	~52 px	Idle loop: tail swish, ear flick
cat_run	6	128×128	~52 px	Full sprint cycle — this is 90% of gameplay
cat_grumped	1	128×128	~48 px	Game-over cat: grumpy, storm-cloud vibes
dog_scaredy	4	128×128	~46 px	Nervous trot, ears back, looking over shoulder
dog_chill	2	128×128	~46 px	Mopey shuffle, half-lidded eyes
dog_aggro	4	128×128	~50 px	Charging run, bared teeth — reads as THREAT
dog_happy	4	128×128	~46 px	Bouncy hop cycle, tongue out, wagging
dog_munch	2	128×128	~46 px	Head-down chomping (eating a dropped steak)
sparkle	4	64×64	~26 px	Twinkle loop; must pop against grass
steak	1	64×64	~32 px	Cartoon T-bone, appetizing
tree_0, tree_1	1 each	256×256	~116 px	Two variants; canopy sits high, base at bottom center
rock_0, rock_1	1 each	128×128	~60 px	Two boulder variants

Tier 2 — replaces the remaining emoji FX

Name	Frames	Frame size	Notes
cat_fart	4	128×128	One-shot squat-and-release; engine will trigger on fart
fx_heart, fx_note, fx_star	1–2 each	64×64	Floaters above happy dogs / on impacts
fx_anger	2	64×64	The anger-vein mark (currently the 'anger' emoji), pulsing
fx_cloud	2	64×64	Grump storm cloud (scaredy dogs + grumped cat)
fx_zzz	2	64×64	Chill dog's sleep 'zzz' mark
fx_bite	1	64×64	The impact star / collision burst
flower_0–flower_3	1 each	64×64	Ground decor (currently daisy, blossom, tulip, and mushroom emoji)

Tier 3 — polish, when we get there

Title-screen key art, meadow ground tiles, UI skin (buttons, panels, fuel pips), animated fart-cloud sheet, dog-breed variants per temper.

Animation timing

Default playback is 8 fps; per-animation fps can be set in the JSON (we run cat_run at ~10). Loops should cycle cleanly. One-shots (cat_fart) play once — note them and we'll wire the trigger.

Testing your art

Drop the two files into `assets/`, open `index.html` in a browser, play. Each sprite replaces its emoji the moment it exists in the atlas; anything missing stays emoji. No build step, no tooling.