COMPUTER ENGINEERING

QUEZON CITY

COURSE CODE/TITLE:	CpE212	**SECTION:**	CpE31s2
DATE PERFORMED:	9/24/26	**DATE SUBMITTED:**	9/24/26
NAME:	Jeus Guille V. Pizarro	**INSTRUCTOR:**	Engr Jimlord Quejado


ACTIVITY NO. ___ MIDTERMS EXAM

1. PROCEDURE OUTPUT

What procedures did you perform?

2. ANSWERS TO SUPPLEMENTAL ACTIVITY

Task 1: Prepare the Server




```
pizza1@pizza1-local:~/CPE212PIZARRO/ansible-lab$ ansible-playbook update.yml -K
BECOME password:

PLAY [all] *********************************************************************************************************

TASK [Gathering Facts] *********************************************************************************************
fatal: [pizza3]: UNREACHABLE! => {"changed": false, "msg": "Failed to connect to the host via ssh: ssh: connect to host 1
92.168.56.112 port 22: No route to host", "unreachable": true}
[WARNING]: Platform linux on host pizza2 is using the discovered Python interpreter at /usr/bin/python3.10, but future
installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
ok: [pizza2]

TASK [update and upgrade packages] *********************************************************************************
fatal: [pizza2]: FAILED! => {"changed": false, "msg": "'/usr/bin/apt-get upgrade --with-new-pkgs ' failed: E: Could not g
et lock /var/lib/dpkg/lock-frontend. It is held by process 2806 (apt)\nE: Unable to acquire the dpkg frontend lock (/var/
lib/dpkg/lock-frontend), is another process using it?\n", "rc": 100, "stdout": "", "stdout_lines": []}

PLAY RECAP *********************************************************************************************************
pizza2                     : ok=1    changed=0    unreachable=0    failed=1    skipped=0    rescued=0    ignored=0
pizza3                     : ok=0    changed=0    unreachable=1    failed=0    skipped=0    rescued=0    ignored=0
```

Task 2: Create the Prometheus User

```
  GNU nano 6.2
- name: Create the Prometheus User
  hosts: all
  become: yes
  tasks:
    - name: Create prometheus group
      group:
        name: prometheus
        state: present
        system: yes
```

```
pizza1@pizza1-local: ~/CPE212PIZARRO/ansible-lab
[WARNING]: Unable to parse /home/pizza1/CPE212PIZARRO/ansible-lab/inventory.yaml as an inventory source
[WARNING]: No inventory was parsed, only implicit localhost is available

PLAY [Task 2 - Create the Prometheus User] ***********************************************************

TASK [Gathering Facts] *******************************************************************************
fatal: [pizza3]: UNREACHABLE! => {"changed": false, "msg": "Failed to connect to the host via ssh: ssh: connect to host 1
92.168.56.112 port 22: No route to host", "unreachable": true}
[WARNING]: Platform linux on host pizza2 is using the discovered Python interpreter at /usr/bin/python3.10, but future
installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
ok: [pizza2]

TASK [Create prometheus group] ***********************************************************************
ok: [pizza2]

TASK [Create prometheus system user] *****************************************************************
changed: [pizza2]

PLAY RECAP *******************************************************************************************
pizza2                     : ok=3    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
pizza3                     : ok=0    changed=0    unreachable=1    failed=0    skipped=0    rescued=0    ignored=0
```

Task 3: Create Prometheus Directories

```
  GNU nano 6.2
- name: Task 3 - Create Prometheus Directories
  hosts: all
  become: yes
  tasks:
    - name: Create /etc/prometheus directory
      file:
        path: /etc/prometheus
        state: directory
        owner: prometheus
        group: prometheus
        mode: '0755'

    - name: Create /var/lib/prometheus directory
      file:
        path: /var/lib/prometheus
        state: directory
        owner: prometheus
        group: prometheus
        mode: '0755'

^G Help      ^O Write Out   ^W Where Is    ^K Cut
```

```
[WARNING]: Unable to parse /home/pizza1/CPE212PIZARRO/ansible-lab/inventory.yaml as an inventory source
[WARNING]: No inventory was parsed, only implicit localhost is available

PLAY [Task 3 - Create Prometheus Directories] *********************************************************

TASK [Gathering Facts] ********************************************************************************
fatal: [pizza3]: UNREACHABLE! => {"changed": false, "msg": "Failed to connect to the host via ssh: ssh: connect to host 1
92.168.56.112 port 22: No route to host", "unreachable": true}
[WARNING]: Platform linux on host pizza2 is using the discovered Python interpreter at /usr/bin/python3.10, but future
installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
ok: [pizza2]

TASK [Create /etc/prometheus directory] ***************************************************************
changed: [pizza2]

TASK [Create /var/lib/prometheus directory] ***********************************************************
changed: [pizza2]

PLAY RECAP ********************************************************************************************
pizza2                     : ok=3    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
pizza3                     : ok=0    changed=0    unreachable=1    failed=0    skipped=0    rescued=0    ignored=0

pizza1@pizza1-local:~/CPE212PIZARRO/ansible-lab$
```

Task 4: Download Prometheus

```
  GNU nano 6.2                                  downloadPRO.yml
- name: Task 4 - Download and Extract Prometheus
  hosts: all
  become: yes
  tasks:
    - name: Download Prometheus archive
      get_url:
        url: https://github.com/prometheus/prometheus/releases/download/v2.45.0/prometheus-2.45.0.linux-amd64.tar.gz
        dest: /tmp/prometheus-2.45.0.linux-amd64.tar.gz

    - name: Extract Prometheus archive
      unarchive:
        src: /tmp/prometheus-2.45.0.linux-amd64.tar.gz
        dest: /tmp
        remote_src: yes
```

```
pizza1@pizza1-local: ~/CPE212PIZARRO/ansible-lab
[WARNING]: Unable to parse /home/pizza1/CPE212PIZARRO/ansible-lab/inventory.yaml as an inventory source
[WARNING]: No inventory was parsed, only implicit localhost is available

PLAY [Task 4 - Download and Extract Prometheus] ********************************************************************

TASK [Gathering Facts] *********************************************************************************************
fatal: [pizza3]: UNREACHABLE! => {"changed": false, "msg": "Failed to connect to the host via ssh: ssh: connect to host 1
92.168.56.112 port 22: No route to host", "unreachable": true}
[WARNING]: Platform linux on host pizza2 is using the discovered Python interpreter at /usr/bin/python3.10, but future
installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-
core/2.17/reference_appendices/interpreter_discovery.html for more information.
ok: [pizza2]

TASK [Download Prometheus archive] *********************************************************************************
changed: [pizza2]

TASK [Extract Prometheus archive] **********************************************************************************
changed: [pizza2]

PLAY RECAP *********************************************************************************************************
pizza2                     : ok=3    changed=2    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0
pizza3                     : ok=0    changed=0    unreachable=1    failed=0    skipped=0    rescued=0    ignored=0

pizza1@pizza1-local:~/CPE212PIZARRO/ansible-lab$
```

Task 5: Install the Prometheus Binaries

Task 6: Install the Prometheus Configuration Files
Task 7: Validate the Configuration
Task 8: Create the systemd Service
Task 9: Start and Enable Prometheus
Task 10: Verify Prometheus
Task 11: Access Prometheus Through a Browser

.

3. ARTIFICIAL INTELLIGENCE (AI) USE DISCLOSURE STATEMENT

I hereby declare that artificial intelligence (AI) tools were used, if applicable, in the preparation of this academic work. The following indicates the nature and extent of AI assistance:

Tools Used: _____

Examples: ChatGPT, Microsoft Copilot, Grammarly, QuillBot, etc.

Purpose of Use: _____

Examples: grammar correction, idea generation, formatting, summarization, code assistance, explanation of concepts, etc.

Extent of Use: _____

Explain how AI was used and confirm that it did not replace original thinking, analysis, authorship, or

completion of the required work.

By submitting this activity, I affirm that my use of AI complies with T.I.P.'s AI usage policy and does not exceed the permitted limits for similarity, automated content generation, or academic assistance.

I understand that any false, incomplete, or misleading disclosure may be subject to investigation in accordance with due process and may result in sanctions for violation of existing T.I.P. policies.

Lab activities, templates, and related instructional materials shall not be reuploaded, reproduced, distributed, or shared with external organizations or third parties without the prior express written permission of the Technological Institute of the Philippines.