SEMANTIC SENSOR AGGREGATION

A thesis submitted to the Delft University of Technology in partial fulfillment of the requirements for the degree of

Master of Science in Geomatics

by

Ivo de Liefde

May 2015

Ivo de Liefde: Semantic Sensor Aggregation (2015)

⊕ This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/.

The work in this thesis was made in the:

OTB
Faculty of Architecture & the Built Environment
Delft University of Technology

Supervisors: Drs. M. de Vries dr.ir. B.M. Meijers

ABSTRACT

[Should fit on one page.]

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

ACKNOWLEDGEMENTS

Thanks to everyone, especially to my supervisors and my mum. And obviously to the ones who made that great template.

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

. . .

CONTENTS

1	INTE	RODUCTION	1
	1.1	How to get started with LATEX?	1
	1.2	Cross-references	1
	1.3	Figures	1
		1.3.1 Shorter section name for the TOC	2
	1.4	How to add references?	2
	1.5	Footnotes	3
	1.6	Tables	3
	1.7	Plots	3
	1.8	Pseudo-code	3
	1.9	Acronyms	4
2	RELA	ATED WORK; TITLE WHICH CAN SPAN MULTIPLE LINES	7
A	SOM	E UML DIAGRAMS	11

LIST OF FIGURES

Figure 1.1	One nice figure	2
Figure 1.2	Shortened title for the list of figures	2
Figure 1.3	Three PDF figures	3
Figure 1.4	A super plot	4
Figure 1.5	Some GML for a gml:Solid	5
Figure A.1	The UML diagram of CityGML	12

LIST OF TABLES

Table 1.1	Details concerning the datasets used for the experi-	
	ments	

LIST OF ALGORITHMS

	TA7																		
1.1	WALK.																		- 4

ACRONYMS

DT	Delaunay triangulation
GIS	geographical information system
TIN	triangular irregular network

1 INTRODUCTION

This is a complete template for the MSc Geomatics thesis. It contains all the parts that are required and is structured in such a way that most/all supervisors expect. Observe that the MSc Geomatics at TU Delft has no formal requirements (except the reflection part, which is put here as an Appendix, but it can also be submitted as a separate document), how the document looks like (fonts, margins, headers, etc) is entirely up to you. We basically took the template arsclassica (by Lorenzo Pantieri), which is an adaption of the original classicthesis package from André Miede, added the front/back matters (cover page, copyright, abstract, etc.), and gave examples for the insertion of figures, tables and algorithms.

It is not an official template and it is not mandatory to use it.

But we hope it will encourage everyone to use LATEX for writing their thesis, and we also hope that it will *discourage* some from using Word.

If you run into mistakes/problems/issues, please report them on the GitHub page, and if you fix an error, then please submit a pull request.

https://github.com/tudelft3d/MScGeomaticsThesisTemplate.

1.1 HOW TO GET STARTED WITH LATEX?

Basically everything you need to know—from installation to details—is there: http://en.wikibooks.org/wiki/LaTeX

To compile this template, you need a full installation of MiKTeX (Windows) or TeXLive (cross-platform) or MacTeX (OSX).

1.2 CROSS-REFERENCES

The command autoref can be used for chapters, sections, subsections, figures, tables, etc.

Chapter 1 is what you are currently reading, and its name is INTRODUCTION. Section 1.8 is about pseudo-code, and Section 1.3.1 is about something else. The next chapter (RELATED WORK; TITLE WHICH CAN SPAN MULTIPLE LINES), is on page 7.

1.3 FIGURES

Figures 1.1 is a simple figure. Notice that all figures in your thesis should be referenced to in the main text. The same applies to tables and algorithms.

It is recommended *not* to force-place your figures (e.g. with commands such as: \newpage or by forcing a figure to be at the top of a page). LATEX usually places the figures automatically rather well. Only if at the end of your thesis you have small problem then can you solve them.




Figure 1.1: One nice figure




Figure 1.2: Two figures side-by-side. (a) A triangulation of 2 polygons. (b) Something not related at all.

As shown in Figure 1.2, it is possible to have two figures (or more) side by side. You can also refer to a subfigure: see Figure 1.2b.

1.3.1 Figures in PDF are possible and even encouraged!

If you use Adobe Illustrator or Ipe you can make your figures vectorial and save them in PDF.

You include a PDF the same way as you do for a PNG, see Figure 1.3,

HOW TO ADD REFERENCES? 1.4

References are best handled using BibTEX. See the myreferences.bib file. A good cross-platform reference manager is JabRef.

? wrote this and that [??]. Instead of citing the whole paper [?], it is also possible to cite only the authors (e.g. ?).




Figure 1.3: Three PDF figures.

	3D model		i	input		
	solids	faces	vertices	constraints		
campus	370	4 298	5 970	3 976		
kvz	637	6 549	8 951	13 571		
engelen	1 629	15 870	23 732	15 868		

Table 1.1: Details concerning the datasets used for the experiments.

1.5 **FOOTNOTES**

Footnotes are a good way to write text that is not essential for the understanding of the text¹.

1.6 **TABLES**

The package booktabs permits you to make nicer tables than the basic ones in LATEX. See for instance Table 1.1.

1.7 **PLOTS**

The best way is to use matplotlib, or its more beautiful version (seaborn). With these, you can use Python to generate nice PDF plots, such as that in Figure 1.4.

In the folder ./plots/, there is an example of a CSV file of the temperature of Delft, taken somewhere. From this CSV, the plot is generated with the script createplot.py.

1.8 PSEUDO-CODE

Please avoid putting code (Python, C++, Fortran) in your thesis. Small excerpt are probably fine (for some cases), but do not put all the code in an appendix. Instead, put your code somewhere online (e.g. GitHub) and put pseudo-code in your thesis. The package algorithm2e is pretty handy, see for instance the Algorithm 1.1. All your algorithms will be automatically added

¹ but please do not overuse them




Figure 1.4: A super plot

to the list of algorithms at the begining of the thesis. Observe that you can

```
Algorithm 1.1: WALK (\mathcal{T}, \tau, p)
   Input: A Delaunay tetrahedralization \mathcal{T}, a starting tetrahedron \tau,
            and a query point p
   Output: \tau_r: the tetrahedron in \mathcal{T} containing p
1 while \tau_r not found do
       for i \leftarrow 0 to 3 do
2
            \sigma_i \leftarrow \text{get face opposite vertex } i \text{ in } \tau;
3
            if Orient(\sigma_i, p) < 0 then
4
                \tau \leftarrow get neighbouring tetrahedron of \tau incident to \sigma_i;
5
                break;
6
       if i = 3 then
7
            // all the faces of \tau have been tested
8
            return \tau_r = \tau
```

put labels on certain lines (with) and then reference to them: on line 4 of the Algorithm 1.1 this is happening.

If you want to put some code (or XML for instance), use the package listings, e.g. you can wrap it in a Figure so that it does not span over multiple pages.

1.9 ACRONYMS

If you want to have a list of acronyms you use in your thesis, use the acronym package. The first time you speak about geographical information system (GIS), it will be spelled out. Further use, GIS, you'll get the acronym plus a hyperlink to the list in the preambule of the thesis.

```
<gml: Solid>
  <gml: exterior>
    <gml: CompositeSurface>
      <gml:surfaceMember>
        <gml:Polygon>
           <gml:exterior>
             <gml:LinearRing>
               <\!\!gml\!:\!pos\!>\!\!o.oooooo\ o.oooooo\ 1.oooooo<\!/gml\!:\!pos\!>
               <gml:pos>1.000000 0.000000 1.000000/gml:pos>
               <gml:pos>1.000000 1.000000 1.000000/gml:pos>
               <gml:pos>0.000000 1.000000 1.000000/gml:pos>
               <\!\!gml\!:\!pos\!>\!\!o.oooooo\ o.oooooo\ 1.oooooo<\!/gml\!:\!pos\!>
             </gml:LinearRing>
           </gml:exterior>
           <gml:interior>
      <\!/gml\!:\!surface Member\!>
    </gml:CompositeSurface>
  </gml:interior>
</gml:Solid>
```

Figure 1.5: Some GML for a gml:Solid.

Add yours to front/acronyms.tex. Notice that only these used are printed, e.g. Delaunay triangulation (DT) and triangular irregular network (TIN).

RELATED WORK; TITLE WHICH CAN SPAN MULTIPLE LINES

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail. Bacon ipsum dolour sit amet porchetta beef turkey, bacon turducken boudin hamburger venison ball tip. Brisket pork loin bresaola short loin ground round leberkas pastrami tongue jerky cow turducken beef ribs. Pork ribeye landjaeger prosciutto pig venison tenderloin. Swine beef ribs kielbasa, porchetta tenderloin salami venison pork belly tail.

BIBLIOGRAPHY

A | SOME UML DIAGRAMS




Figure A.1: The UML diagram of CityGML

COLOPHON This document was typeset using LATEX. The document layout was generated using the arsclassica package by Lorenzo Pantieri, which is an adaption of the original classicthesis package from André Miede.