#### AGGREGATION OF SEMANTIC SENSOR DATA

Graduation proposal

by

Ivo de Liefde

December 1, 2015

#### CONTENTS

1	INTRODUCTION	1
2	RELATED WORK	3
3	RESEARCH OBJECTIVES	5
4	METHODS	7
5	PLANNING 5.1 GANTT Chart	9
6	TOOLS AND DATA	11

#### ACRONYMS

OGC	open geospatial consortium	1
O&M	observations and measurements	1
Senso	rML sensor modelling language	
sos	sensor observation service	
SSW	semantic sensor web	1
SWE	sensor web enablement	
W <sub>3</sub> C	world wide web consortium	

### 1 INTRODUCTION

In 2008 the open geospatial consortium (OGC) introduced a new set of standards called sensor web enablement (SWE). These standards make it possible to connect sensors to the internet and retrieve data in a uniform way. This allows users or applications to retrieve all kinds of sensor data, regardless of the type of observations or the sensor's manufacturer (Botts et al., 2008). Among other standards SWE includes the observations and measurements (O&M) which is a model for encoding sensor data, the sensor modelling language (SensorML) which is a model for describing sensor metadata and the sensor observation service (SOS) which is a service for retrieving sensor data (Botts et al., 2007).

Parallel to the development of the sensor web other research has focused on the semantic web, as proposed by Berners-Lee et al. (2001). This is a response to the traditional way of using the web, where information is only available for humans to read. The semantic web is an extension of the internet which contains meaningful data that machines can interpret as well. Rather than publishing documents on the internet the semantic web contains linked data (Bizer et al., 2009).

Sheth et al. (2008) proposes to use semantic web technologies in the sensor web. This so-called semantic sensor web (SSW) builds on standards by OGC and the world wide web consortium (W<sub>3</sub>C) "to provide enhanced descriptions and meaning to sensor data" (Sheth et al., 2008, p.78). W<sub>3</sub>C responded to this development with a standard ontology for sensor data on the semantic web Compton et al. (2012).

## 2 | RELATED WORK

a related work section in which the relevant literature is presented and linked to the project;

#### 3 RESEARCH OBJECTIVES

## 4 | METHODS

overview of the methodology to be used;

# 5 | PLANNING

time planning—having a Gantt chart is probably a better idea then just a list;

5.1 GANTT CHART




Figure 5.1: GANTT chart showing the planning of the thesis

### 6 TOOLS AND DATA

since specific data and tools have to be used, it's good to present these concretely, so that the mentors know that you have a grasp of all aspects of the project;

#### BIBLIOGRAPHY

- Auer, S., Lehmann, J., and Hellmann, S. (2009). *Linkedgeodata: Adding a spatial dimension to the web of data*. Springer.
- Bakillah, M., Liang, S. H., Zipf, A., and Mostafavi, M. A. (2013). A dynamic and context-aware semantic mediation service for discovering and fusion of heterogeneous sensor data. *Journal of Spatial Information Science*, 6:155–185.
- Barnaghi, P., Presser, M., and Moessner, K. (2010). Publishing linked sensor data. In CEUR Workshop Proceedings: Proceedings of the 3rd International Workshop on Semantic Sensor Networks (SSN), Organised in conjunction with the International Semantic Web Conference, volume 668.
- Berners-Lee, T., Hendler, J., Lassila, O., et al. (2001). The semantic web. *Scientific american*, 284(5):28–37.
- Bizer, C., Heath, T., and Berners-Lee, T. (2009). Linked data-the story so far. *Semantic Services, Interoperability and Web Applications: Emerging Concepts*, pages 205–227.
- Botts, M., Percivall, G., Reed, C., and Davidson, J. (2007). Ogc sensor web enablement: Overview and high level architecture. OGC document o6-021r1.
- Botts, M., Percivall, G., Reed, C., and Davidson, J. (2008). Ogc sensor web enablement: Overview and high level architecture. In *GeoSensor networks*, pages 175–190. Springer.
- Calbimonte, J.-P., Jeung, H., Corcho, O., and Aberer, K. (2011). Semantic sensor data search in a large-scale federated sensor network.
- Calbimonte, J.-P., Sarni, S., Eberle, J., and Aberer, K. (2014). Xgsn: An opensource semantic sensing middleware for the web of things. In 7th International Workshop on Semantic Sensor Networks, number EPFL-CONF-200926.
- Compton, M., Barnaghi, P., Bermudez, L., GarcíA-Castro, R., Corcho, O., Cox, S., Graybeal, J., Hauswirth, M., Henson, C., Herzog, A., et al. (2012). The ssn ontology of the w3c semantic sensor network incubator group. *Web Semantics: Science, Services and Agents on the World Wide Web*, 17:25–32.
- Corcho, O. and Garcia-Castro, R. (2010). Five challenges for the semantic sensor web. *Semantic Web-Interoperability, Usability, Applicability*, 1.1(2):121–125.
- de Mel, G., Pham, T., Damarla, T., Vasconcelos, W., and Norman, T. (2011). Semantically enriched data for effective sensor data fusion. In *SPIE Defense, Security, and Sensing*, pages 80470L–80470L. International Society for Optics and Photonics.

- Egenhofer, M. J. (2002). Toward the semantic geospatial web. In *Proceedings of the 10th ACM international symposium on Advances in geographic information systems*, pages 1–4. ACM.
- Fell, M. (2014). Roadmap for the Emerging Internet of Things Its Impact, Architecture and Future Governance. Carre & Strauss, United Kingdom.
- Goncalves, P. (2014). Ogc opensearch geo and time extensions. OGC Implementation Standard.
- Henson, C., Pschorr, J. K., Sheth, A. P., Thirunarayan, K., et al. (2009). Semsos: Semantic sensor observation service. In *Collaborative Technologies and Systems*, 2009. CTS'09. International Symposium on, pages 44–53. IEEE.
- Huang, V. and Javed, M. K. (2008). Semantic sensor information description and processing. In *Sensor Technologies and Applications*, 2008. SENSOR-COMM'08. Second International Conference on, pages 456–461. IEEE.
- INSPIRE (2014). Guidelines for the use of observations & measurements and sensor web enablement-related standards in inspire annex ii and iii data specification development.
- Janowicz, K., Broring, A., Stasch, C., Schad, S., Everding, T., and Llaves, A. (2013). A restful proxy and data model for linked sensor data. *International Journal of Digital Earth*, 6(3):233–254.
- Janowicz, K., Schade, S., Bröring, A., Keßler, C., Maué, P., and Stasch, C. (2010). Semantic enablement for spatial data infrastructures. *Transactions in GIS*, 14(2):111–129.
- Ji, C., Liu, J., and Wang, X. (2014). A review for semantic sensor web research and applications. *Advanced Science and Technology Letters*, 48:31–36.
- Keßler, C. and Janowicz, K. (2010). Linking sensor data-why, to what, and how? In SSN.
- Kotsev, A., Peeters, O., Smits, P., and Grothe, M. (2014). Building bridges: experiences and lessons learned from the implementation of inspire and e-reporting of air quality data in europe. *Earth Science Informatics*, 10:1–13.
- Koubarakis, M. and Kyzirakos, K. (2010). Modeling and querying metadata in the semantic sensor web: The model strdf and the query language stsparql. In *The semantic web: research and applications*, pages 425–439. Springer.
- Missier, G. A. (2015). Towards a web application for viewing spatial linked open data of rotterdam. Master's thesis, Delft University of Technology.
- Moir, E., Moonen, T., and Clark, G. (2014). What are future cities: Origins, meanings and uses.
- Percivall, G. (2015). Ogc smart cities spatial information framework. OGC Internal reference number: 14-115.
- Pschorr, J. K. (2013). Semsos: an architecture for query, insertion, and discovery for semantic sensor networks. Master's thesis, Wright State University.

- Sheth, A., Henson, C., and Sahoo, S. S. (2008). Semantic sensor web. *IEEE Internet Computing*, 12(4):78–83.
- Townsend, A. M. (2013). *Smart cities: big data, civic hackers, and the quest for a new utopia.* WW Norton & Company.
- van der Hoeven, F. and Wandl, A. (2015). Amsterwarm: Mapping the landuse, health and energy-efficiency implications of the amsterdam urban heat island. *Building Services Engineering Research and Technology*, 36(1):67–88.
- van der Hoeven, F., Wandl, A., Demir, B., Dikmans, S., Hagoort, J., Moretto, M., Sefkatli, P., Snijder, F., Songsri, S., Stijger, P., et al. (2014). Sensing hotterdam: Crowd sensing the rotterdam urban heat island. *SPOOL*, 1(2):43–58.
- Waher, P. (2015). Learning Internet of Things. Packt Publishing Ltd.
- Wang, M., Perera, C., Jayaraman, P. P., Zhang, M., Strazdins, P., and Ranjan, R. (2015a). City data fusion: Sensor data fusion in the internet of things.
- Wang, X., Zhang, X., and Li, M. (2015b). A review of studies on semantic sensor web. *Advanced Science and Technology Letters*, 83:94–97.
- Yoo, B. (2014). Visualization and level-of-detail of metadata for interactive exploration of sensor web. *International Journal of Digital Earth*, 7(11):847–869.
- Zanella, A., Bui, N., Castellani, A., Vangelista, L., and Zorzi, M. (2014). Internet of things for smart cities. *Internet of Things Journal*, *IEEE*, 1(1):22–32.
- Žarko, I. P., Hromic, H., Phuoc, D. L., Serrano, M., Antonic, A., Hayes, C., and Decker, S. (2015). Real time analysis of sensor data for the internet of things by means of clustering and event processing. In *Proc. of the IEEE International Conference of Communications (ICC2015)*. Hrvatska znanstvena bibliografija i MZOS-Svibor.

# COLOPHON This document was typeset using LATEX. The document layout was generated using the arsclassica package by Lorenzo Pantieri, which is an adaption of the original classicthesis package from André Miede.