

KNOWITSIS

Ivar Volt

## Contents

Packages.....	4
Package weighted_average_console .....	5
Classes.....	5
Class Documentation .....	6
weighted_average_console.Calculators Class Reference .....	6
Public Member Functions .....	6
Detailed Description.....	6
Member Function Documentation .....	6
knowitsis.service.CalculatorService Class Reference .....	7
Public Member Functions .....	7
Detailed Description.....	7
Member Function Documentation .....	7
knowitsis.model.GradesModel Class Reference .....	8
Public Member Functions .....	8
Detailed Description.....	8
Member Function Documentation .....	8
knowitsis.service.interfaces.ICalculatorService Interface Reference .....	10
Public Member Functions .....	10
Detailed Description.....	10
Member Function Documentation .....	10
knowitsis.service.interfaces.ISorterService Interface Reference.....	11
Public Member Functions .....	11
Detailed Description.....	11
Member Function Documentation .....	11
knowitsis.service.interfaces.IXmlUtilService Interface Reference .....	12
Public Member Functions .....	12
Detailed Description.....	12
Member Function Documentation .....	12
weighted_average_console.Main Class Reference .....	13
Static Public Member Functions .....	13
Detailed Description.....	13
Member Function Documentation .....	13
weighted_average_console.Sorters Class Reference.....	14
Public Member Functions .....	14
Detailed Description.....	14
Member Function Documentation .....	14
knowitsis.service.SorterService Class Reference.....	15
Public Member Functions .....	15
Detailed Description.....	15
Member Function Documentation .....	15
junit.TestCalculator Class Reference .....	16
Detailed Description.....	16
junit.TestSorter Class Reference .....	17
Detailed Description.....	17
knowitsis.config.WebAppInitalizer Class Reference .....	18
Public Member Functions .....	18
Detailed Description.....	18
Member Function Documentation .....	18
weighted_average_console.XmlReader Class Reference.....	19
Public Member Functions .....	19
Detailed Description.....	19
Member Function Documentation .....	19
knowitsis.service.XmlUtilService Class Reference .....	20

Public Member Functions ..... 20

Detailed Description..... 20

Member Function Documentation ..... 20

File Documentation..... 21

README.md File Reference ..... 21

**knowitsis**

TEST ID NR

20140807

## Package knowitsis

### Packages

- package **config**
- package **controller**
- package **model**
- package **service**

## Package `weighted_average_console`

### Classes

- class `Calculators`
- class `Main`
- class `Sorters`
- class `XmlReader`

# Class Documentation

## weighted\_average\_console.Calculators Class Reference

### Public Member Functions

- Map< String, Double > **studentAverageGradeCalculator** (Document *studentsGradesDoc*)
  - Double **weightedAverageCalculator** (Map< String, Double > *studentsAverage*)
- 

### Detailed Description

Definition at line 10 of file Calculators.java.

---

### Member Function Documentation

**Map<String, Double> weighted\_average\_console.Calculators.studentAverageGradeCalculator (Document *studentsGradesDoc*)**

Calculates the average grade of student

**Parameters:**

<i>Document</i>	<i>studentsGradesDoc</i>
-----------------	--------------------------

**Returns:**

Map<String, Double>

Definition at line 17 of file Calculators.java.

**Double weighted\_average\_console.Calculators.weightedAverageCalculator (Map< String, Double > *studentsAverage*)**

Calculates the average grade of all students

**Parameters:**

<i>Map&lt;String, Double&gt;</i>	<i>studentsAverage</i>
----------------------------------	------------------------

**Returns:**

Integer

Definition at line 47 of file Calculators.java.

---

The documentation for this class was generated from the following file:

- src/main/java/weighted\_average\_console/Calculators.java

## knowitsis.service.CalculatorService Class Reference

Inherits **knowitsis.service.interfaces.ICalculatorService**.

### Public Member Functions

- `Map< String, Double > getStudentAverageGrade (Document inputGrades)`
  - `Double weightedAverageCalculator (Map< String, Double > studentsAverage)`
- 

### Detailed Description

Definition at line 14 of file CalculatorService.java.

---

### Member Function Documentation

**Map<String, Double> knowitsis.service.CalculatorService.getStudentAverageGrade (Document *inputGrades*)**

Calculates the average grade of student

**Parameters:**

<i>Document</i>	studentsGradesDoc
-----------------	-------------------

**Returns:**

Map<String, Double>

Implements **knowitsis.service.interfaces.ICalculatorService** (*p.10*).

Definition at line 22 of file CalculatorService.java.

**Double knowitsis.service.CalculatorService.weightedAverageCalculator (Map< String, Double > *studentsAverage*)**

Calculates the average grade of all students

**Parameters:**

<i>Map&lt;String, Double&gt;</i>	studentsAverage
----------------------------------	-----------------

**Returns:**

Integer

Implements **knowitsis.service.interfaces.ICalculatorService** (*p.10*).

Definition at line 51 of file CalculatorService.java.

---

The documentation for this class was generated from the following file:

- `src/main/java/knowitsis/service/CalculatorService.java`



# knowitsis.model.GradesModel Class Reference

## Public Member Functions

- Document **getInputGrades** ()
  - void **setInputGrades** (Document inputGrades)
  - Map< String, Double > **getStudentAverageGrades** ()
  - void **setStudentAverageGrades** (Map< String, Double > studentAverageGrades)
  - Map< String, Double > **getSortedStudentsByGradeAndName** ()
  - void **setSortedStudentsByGradeAndName** (Map< String, Double > sortedStudentsByGradeAndName)
  - Double **getWeightedAverage** ()
  - void **setWeightedAverage** (Double weightedAverage)
- 

## Detailed Description

Definition at line 7 of file GradesModel.java.

---

## Member Function Documentation

### Document knowitsis.model.GradesModel.getInputGrades ()

Definition at line 13 of file GradesModel.java.

### Map<String, Double> knowitsis.model.GradesModel.getSortedStudentsByGradeAndName ()

Definition at line 25 of file GradesModel.java.

### Map<String, Double> knowitsis.model.GradesModel.getStudentAverageGrades ()

Definition at line 19 of file GradesModel.java.

### Double knowitsis.model.GradesModel.getWeightedAverage ()

Definition at line 31 of file GradesModel.java.

### void knowitsis.model.GradesModel.setInputGrades (Document *inputGrades*)

Definition at line 16 of file GradesModel.java.

### void knowitsis.model.GradesModel.setSortedStudentsByGradeAndName (Map< String, Double > *sortedStudentsByGradeAndName*)

Definition at line 28 of file GradesModel.java.

**void knowitsis.model.GradesModel.setStudentAverageGrades (Map< String, Double > *studentAverageGrades*)**

Definition at line 22 of file GradesModel.java.

**void knowitsis.model.GradesModel.setWeightedAverage (Double *weightedAverage*)**

Definition at line 34 of file GradesModel.java.

---

**The documentation for this class was generated from the following file:**

- src/main/java/knowitsis/model/**GradesModel.java**

## knowitsis.service.interfaces.ICalculatorService Interface Reference

Inherited by **knowitsis.service.CalculatorService**.

### Public Member Functions

- Map< String, Double > **getStudentAverageGrade** (Document *inputGrades*)
  - Double **weightedAverageCalculator** (Map< String, Double > *studentsAverage*)
- 

### Detailed Description

Definition at line 7 of file ICalculatorService.java.

---

### Member Function Documentation

**Map<String, Double> knowitsis.service.interfaces.ICalculatorService.getStudentAverageGrade**  
(Document *inputGrades*)

Implemented in **knowitsis.service.CalculatorService** (p. 7).

**Double knowitsis.service.interfaces.ICalculatorService.weightedAverageCalculator** (Map< String, Double > *studentsAverage*)

Implemented in **knowitsis.service.CalculatorService** (p. 7).

---

The documentation for this interface was generated from the following file:

- src/main/java/knowitsis/service/interfaces/ICalculatorService.java

## knowitsis.service.interfaces.ISorterService Interface Reference

Inherited by **knowitsis.service.SorterService**.

### Public Member Functions

- `Map< String, Double > getSortedStudentList (Map< String, Double > avgStudentGrades)`
- 

### Detailed Description

Definition at line 5 of file ISorterService.java.

---

### Member Function Documentation

**Map<String, Double> knowitsis.service.interfaces.ISorterService.getSortedStudentList (Map<String, Double > avgStudentGrades)**

Implemented in **knowitsis.service.SorterService** (*p.15*).

---

The documentation for this interface was generated from the following file:

- `src/main/java/knowitsis/service/interfaces/ISorterService.java`

## knowitsis.service.interfaces.IXmlUtilService Interface Reference

Inherited by **knowitsis.service.XmlUtilService**.

### Public Member Functions

- Document **getTestXml ()**
- 

### Detailed Description

Definition at line 5 of file IXmlUtilService.java.

---

### Member Function Documentation

Document **knowitsis.service.interfaces.IXmlUtilService.getTestXml ()**

Implemented in **knowitsis.service.XmlUtilService** (*p.20*).

---

The documentation for this interface was generated from the following file:

- `src/main/java/knowitsis/service/interfaces/IXmlUtilService.java`

## weighted\_average\_console.Main Class Reference

### Static Public Member Functions

- static void **main** (String[] args)
- 

### Detailed Description

Definition at line 7 of file Main.java.

---

### Member Function Documentation

**static void weighted\_average\_console.Main.main (String[] args) [static]**

**Main** class that prints to console: Students name and the average grade Weighted average of all students

**Parameters:**

<i>args</i>	
-------------	--

Definition at line 15 of file Main.java.

---

The documentation for this class was generated from the following file:

- src/main/java/weighted\_average\_console/**Main.java**

## weighted\_average\_console.Sorters Class Reference

### Public Member Functions

- `Map< String, Double > getSortedStudentList (Map< String, Double > avgStudentGrades)`
- 

### Detailed Description

Definition at line 12 of file Sorters.java.

---

### Member Function Documentation

**Map<String, Double> weighted\_average\_console.Sorters.getSortedStudentList (Map< String, Double > *avgStudentGrades*)**

Sorts students first by grade if grade is same then by name

**Parameters:**

<i>avgStudentGrades</i>	
-------------------------	--

Definition at line 19 of file Sorters.java.

---

**The documentation for this class was generated from the following file:**

- `src/main/java/weighted_average_console/Sorters.java`

## knowitsis.service.SorterService Class Reference

Inherits **knowitsis.service.interfaces.ISorterService**.

### Public Member Functions

- `Map< String, Double > getSortedStudentList (Map< String, Double > avgStudentGrades)`
- 

### Detailed Description

Definition at line 17 of file SorterService.java.

---

### Member Function Documentation

**Map<String, Double> knowitsis.service.SorterService.getSortedStudentList (Map< String, Double > avgStudentGrades)**

Sorts students first by grade if grade is the same, then by name

**Parameters:**

<i>avgStudentGrades</i>	
-------------------------	--

Implements **knowitsis.service.interfaces.ISorterService** (*p.11*).

Definition at line 23 of file SorterService.java.

---

**The documentation for this class was generated from the following file:**

- `src/main/java/knowitsis/service/SorterService.java`



## junit.TestCalculator Class Reference

---

### Detailed Description

Definition at line 16 of file TestCalculator.java.

---

The documentation for this class was generated from the following file:

- `src/test/java/junit/TestCalculator.java`

## junit.TestSorter Class Reference

---

### Detailed Description

Definition at line 15 of file TestSorter.java.

---

The documentation for this class was generated from the following file:

- `src/test/java/junit/TestSorter.java`

## knowitsis.config.WebAppInitalizer Class Reference

Inherits WebApplicationInitializer.

### Public Member Functions

- void **onStartup** (ServletContext servletContext) throws ServletException
- 

### Detailed Description

Definition at line 11 of file WebAppInitalizer.java.

---

### Member Function Documentation

**void knowitsis.config.WebAppInitalizer.onStartup (ServletContext *servletContext*) throws ServletException**

Definition at line 12 of file WebAppInitalizer.java.

---

**The documentation for this class was generated from the following file:**

- src/main/java/knowitsis/config/**WebAppInitalizer.java**

## weighted\_average\_console.XmlReader Class Reference

### Public Member Functions

- Document `getXml ()`
- 

### Detailed Description

Definition at line 10 of file XmlReader.java.

---

### Member Function Documentation

#### Document `weighted_average_console.XmlReader.getXml ()`

Returns Document that is read from studentsGrades.xml file under resources folder

#### Returns:

Document

Definition at line 17 of file XmlReader.java.

---

The documentation for this class was generated from the following file:

- `src/main/java/weighted_average_console/XmlReader.java`

## knowitsis.service.XmlUtilService Class Reference

Inherits **knowitsis.service.interfaces.IXmlUtilService**.

### Public Member Functions

- Document **getTestXml ()**
- 

### Detailed Description

Definition at line 14 of file XmlUtilService.java.

---

### Member Function Documentation

#### Document **knowitsis.service.XmlUtilService.getTestXml ()**

Returns Document that is read from studentsGrades.xml file under resources folder

##### **Returns:**

Document

Implements **knowitsis.service.interfaces.IXmlUtilService** (*p.12*).

Definition at line 21 of file XmlUtilService.java.

---

The documentation for this class was generated from the following file:

- src/main/java/knowitsis/service/**XmlUtilService.java**

# **File Documentation**

## **README.md File Reference**