

Redrawn in KiCad by Ivo van Poorten  
Based on Michael St. Pierre's revision 1.1 2017-10-1

Sheet: /  
File: 1088XEL.sch

**Title: 1088XEL**

Size: A4 Date: 2017-11-05



KiCad E.D.A. kicad 4.0.5+dfsg1-4

**Rev: A**

Id: 1/4

## 64kB BASE MEMORY

## CHIP SELECT DECODING



\* NOTE: /EXT = /EXTSEL, REQUEST BY EXTERNAL DEVICE (PBI) TO TURN OFF RAM ACCESS  
/CI = /CASINH, RAM CAS INHIBIT GENERATED BY U1MB MMU DECODING

Redrawn in KiCad by Ivo van Poorten  
Based on Michael St. Pierre's revision 1.1 2017-10-1

Sheet: /CPU, RAM, CS/  
File: cpu-base-ram-cs.sch

**Title: 1088XEL**

Size: A4 Date: 2017-11-05


KiCad E.D.A. kicad 4.0.5+dfsg1-4

Rev: A

Id: 2/4

## VIDEO CO-PROCESSOR

## COLOR TV INTERFACE



Redrawn in KiCad by Ivo van Poorten  
Based on Michael St. Pierre's revision 1.1 2017-10-1

Sheet: /Video Interface/  
File: video-interface.sch

**Title: 1088XEL**

Size: A4 Date: 2017-11-05

KiCad E.D.A. kicad 4.0.5+dfsg1-4

Rev: A  
Id: 3/4

