OSI600D

Source: kicad/OSI600D.kicad_sch
Date: Wed 23 Apr 2025 11:26:50 PM CEST

Reference(s)	Value	LibPart	Footprint
C1	10mF	Device:C_Polarized	Capacitor_THT:C_Radial_D10.0mm
C2	10n	Device:C_Polarized	Capacitor_THT:CP_Axial_L10.0mm
C3	33u	Device:C_Polarized	Capacitor_THT:CP_Axial_L10.0mm
C4	33u	Device:C_Polarized	Capacitor_THT:CP_Axial_L10.0mm
C5	47u	Device:C_Polarized	Capacitor_THT:CP_Axial_L10.0mm
C6	150p	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C7	1n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C8	100n	Device:C	Capacitor_THT:C_Disc_D5.1mm_W
C9	68p	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C10	10n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C11	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C12	1n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C13	10n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C55	1n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C57	27p	Device:C	Capacitor_THT:C_Disc_D4.3mm_W
C60	1n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C61	150p	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C62	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C63	47u	Device:C_Polarized	Capacitor_THT:CP_Axial_L11.0mm
C64	50u	Device:C_Polarized	Capacitor_THT:CP_Axial_L11.0mm
C65	150p	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C101	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C102	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C103	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C104	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C105	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C106	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C107	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C108	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C109	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C110	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C111	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C112	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C113	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C114	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C115	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C116	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C117	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C118	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C119	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C120	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C121	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C122	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C123	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C124	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C125	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C126	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C127	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C128	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m

C129	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C130	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C131	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C132	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C133	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C134	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C135	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C136	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C137	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C138	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
C139	100n	Device:C	OSI600D:C_Disc_D7.5mm_W2.5m
D1	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D2	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D3	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D4	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D5	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D6	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D7	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D8	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D9	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D10	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D15	1N4001	Device:D	Diode_THT:D_DO-41_SOD81_P12
D16	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P5.(
D17	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D18	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D19	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D20	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D21	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D22	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D23	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D24	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D25	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D26	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D27	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D29	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D30	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D31	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
D32	1N914	Device:D	Diode_THT:D_DO-35_SOD27_P10
F1	5A 200V	Device:Fuse	OSI600D:Fuse Holder
J1	Conn_01x40_Male	Connector:Conn_01x40_	Package_DIP:DIP-40_W15.24mm_
J2	Conn_01x12_Male	Connector:Conn_01x12_	OSI600D:Molex_KK-396_A-41791-(
J3	Conn_01x12_Male	Connector:Conn_01x12_	OSI600D:Molex_KK-396_A-41791-(
J4	Conn_01x02_Male	Connector:Conn_01x02_	OSI600D:Molex_KK-396_A-41791-(
J75	Conn_01x16_Male	Connector:Conn_01x16_	Package_DIP:DIP-16_W7.62mm_S
J100	USB	Connector:Conn_01x04_	Connector_PinHeader_2.54mm:Pin
J101	Conn_01x02_Male	Connector:Conn_01x02_	OSI600D:Molex_KK-396_A-41791-(
JP1	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
JP2	Jumper_2_Bridged	Jumper:Jumper_2_Bridg(	OSI600D:Closed_PinHeader_1x02_
JP3	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
JP4	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
JP5	Jumper_3_Bridged12	Jumper:Jumper_3_Bridg(	OSI600D:Closed 1-2 PinHeader_1x
JP6	Jumper_2_Bridged	Jumper:Jumper_2_Bridg(	OSI600D:Closed_PinHeader_1x02_
JP7	Jumper_2_Bridged	Jumper:Jumper_2_Bridg(	OSI600D:Closed_PinHeader_1x02_

JP8	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP9	Jumper_3_Bridged12	Jumper:Jumper_3_Bridg	OSI600D:Closed 1-2 PinHeader_1x
JP12	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP13	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP18	JUMPER	OSI600D:JUMPER	Connector_PinHeader_2.54mm:Pin
JP19	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP20	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP21	JUMPER	OSI600D:JUMPER	Connector_PinHeader_2.54mm:Pin
JP22	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP23	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP24	JUMPER	OSI600D:JUMPER	Connector_PinHeader_2.54mm:Pin
JP25	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP26	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
JP27	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
JP28	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP29	Jumper_2_Bridged	Jumper:Jumper_2_Bridg	OSI600D:Closed_PinHeader_1x02_
JP30	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
JP31	Jumper_2_Open	Jumper:Jumper_2_Open	Connector_PinHeader_2.54mm:Pin
KEY1	1	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY2	8	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY3	.	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY4	W	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY5	S	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY6	X	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY7	Q	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY8	REPT	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY9	2	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY10	9	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY11	L	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY12	E	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY13	D	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY14	C	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY15	A	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY16	CTRL	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY17	3	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY18	0	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY19	O	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY20	R	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY21	F	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY22	V	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY23	Z	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY24	ESC	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY25	4	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY26	:	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY27	LF	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY28	T	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY29	G	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY30	B	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY31	SPACE	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY32	5	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY33	-	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY34	RET	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(
KEY35	Y	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.(

KEY36	H	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY37	N	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY38	?/	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY39	6	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY40	RUB	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY41	U	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY42	J	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY43	M	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY44	;	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY45	LSHFT	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY46	7	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY47	I	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY48	K	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY49	,	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY50	P	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY51	RSHFT	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY52	SHFTLK	OSI600D:KEY SWITCH	OSI600D:SW_Cherry_MX_PCB_1.
KEY53	BREAK	Switch:SW_Push	OSI600D:SW_Cherry_MX_PCB_1.
LED1	LED	Device:LED	LED_THT:LED_D5.0mm
PIN1	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN2	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN3	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN4	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN5	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN6	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN7	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN8	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN9	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN10	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN11	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN12	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN13	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN14	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN15	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN16	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN17	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
PIN18	JUMPER_PIN	OSI600D:JUMPER_PIN	Connector_PinHeader_2.54mm:Pin
Q1	2N5226	Transistor_BJT:2N3906	Package_TO_SOT_THT:TO-92_Inl
Q2	2N5225	Transistor_BJT:2N2219	Package_TO_SOT_THT:TO-92_Inl
R1	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R2	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R3	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R4	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R5	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R6	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R7	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R8	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R9	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R10	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R11	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R32	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R33	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R34	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6

R35	470	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R36	470	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R37	10K	Device:R	OSI600D:R_Axial_DIN0207_500mil
R38	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R39	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R40	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R41	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R42	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R43	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R44	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R45	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R46	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R47	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R48	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R49	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R50	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R51	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R52	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R53	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R54	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R55	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R56	100K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R57	10K	Device:R_Potentiometer	Potentiometer_THT:Potentiometer_
R58	5K	Device:R_Potentiometer	Potentiometer_THT:Potentiometer_
R59	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R60	470	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R61	220	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R62	4K7	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R62A1	100	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R63	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R64	1K	Device:R	Resistor_THT:R_Axial_DIN0309_L9
R65	1K	Device:R	Resistor_THT:R_Axial_DIN0309_L9
R66	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R67	8K2	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R68	3K9	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R69	2K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R70	16K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R71	33K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R72	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R73	68K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R74	510	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R75	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R76	4K7	Device:R	OSI600D:R_Axial_DIN0207_500mil
R77	1M	Device:R	OSI600D:R_Axial_DIN0207_500mil
R78	100K	Device:R	OSI600D:R_Axial_DIN0207_500mil
R79	100K	Device:R	OSI600D:R_Axial_DIN0207_500mil
R80	1M	Device:R	OSI600D:R_Axial_DIN0207_500mil
R81	1M	Device:R	OSI600D:R_Axial_DIN0207_500mil
R82	1M	Device:R	OSI600D:R_Axial_DIN0207_500mil
R83	10K	Device:R	OSI600D:R_Axial_DIN0207_500mil
R84	100K	Device:R	OSI600D:R_Axial_DIN0207_500mil
R85	10M	Device:R	OSI600D:R_Axial_DIN0207_500mil
R86	1K	Device:R	Resistor_THT:R_Axial_DIN0207_L6

R173	470	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R174	390	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R200	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R201	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R202	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R203	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R204	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R205	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R206	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R207	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R208	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R209	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R210	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R211	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R212	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R213	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R214	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R215	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R216	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R217	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R218	10K	Device:R	Resistor_THT:R_Axial_DIN0207_L6
R286	510	Device:R	OSI600D:R_Axial_DIN0207_500mil
RECTIFIER1	VS-KBPC602	Diode_Bridge:VS-KBPC6	Diode_THT:Diode_Bridge_Vishay_K
SW1	SS12D00	Switch:SW_SPDT	OSI600D:SS12D00
U2	LS75	OSI600D:LS75	Package_DIP:DIP-16_W7.62mm_S
U3	LS75	OSI600D:LS75	Package_DIP:DIP-16_W7.62mm_S
U4	LS125	OSI600D:LS125	Package_DIP:DIP-14_W7.62mm_S
U5	LS125	OSI600D:LS125	Package_DIP:DIP-14_W7.62mm_S
U6	8T28	OSI600D:8T28 RE{slas	Package_DIP:DIP-16_W7.62mm_S
U7	8T28	OSI600D:8T28 RE{slash	Package_DIP:DIP-16_W7.62mm_S
U8	6502	OSI600D:6502	Package_DIP:DIP-40_W15.24mm_
U9	BASIC 1	OSI600D:2316B{slash}26	Package_DIP:DIP-24_W15.24mm_
U10	BASIC 2	OSI600D:2316B{slash}26	Package_DIP:DIP-24_W15.24mm_
U11	BASIC 3	OSI600D:2316B{slash}26	Package_DIP:DIP-24_W15.24mm_
U12	BASIC 4	OSI600D:2316B{slash}26	Package_DIP:DIP-24_W15.24mm_
U13	2316B/2716	OSI600D:2316B{slash}27	Package_DIP:DIP-24_W15.24mm_
U14	6850	OSI600D:6850	Package_DIP:DIP-24_W15.24mm_
U15	LS02	74xx:74LS02	Package_DIP:DIP-14_W7.62mm_S
U16	LS04	74xx:74LS04	Package_DIP:DIP-14_W7.62mm_S
U17	LS139	74xx:74LS139	Package_DIP:DIP-16_W7.62mm_S
U18	LS04	74xx:74LS04	Package_DIP:DIP-14_W7.62mm_S
U19	LS20	OSI600D:LS20	Package_DIP:DIP-14_W7.62mm_S
U20	LS138	OSI600D:LS138 U20	Package_DIP:DIP-16_W7.62mm_S
U21	LS04	74xx:74LS04	Package_DIP:DIP-14_W7.62mm_S
U22	LS138	74xx:74LS138	Package_DIP:DIP-16_W7.62mm_S
U23	LS138	OSI600D:LS138	Package_DIP:DIP-16_W7.62mm_S
U24	8T28	OSI600D:8T28 RE{slas	Package_DIP:DIP-16_W7.62mm_S
U25	8T28	OSI600D:8T28 RE{slas	Package_DIP:DIP-16_W7.62mm_S
U29	LS93	OSI600D:7493	Package_DIP:DIP-14_W7.62mm_S
U30	LS163	OSI600D:LS163	Package_DIP:DIP-16_W7.62mm_S
U31	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U32	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U33	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S

U34	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U35	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U36	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U37	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U38	2114 CS BOTTOM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U39	2114 CS BOTTOM COM	OSI600D:2114 CS BOT	Package_DIP:DIP-18_W7.62mm_S
U40	2114 CS TOP COMPAC	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U41	CHARGEN	OSI600D:CHARGEN	Package_DIP:DIP-24_W15.24mm_
U42	LS165	OSI600D:LS165	Package_DIP:DIP-16_W7.62mm_S
U43	'08	74xx:74LS08	Package_DIP:DIP-14_W7.62mm_S
U45	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U46	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U47	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U48	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U49	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U50	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U51	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U52	2114 CS TOP	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U53	LS157	OSI600D:LS157 ALT	Package_DIP:DIP-16_W7.62mm_S
U54	LS157	OSI600D:LS157 ALT	Package_DIP:DIP-16_W7.62mm_S
U55	LS157	OSI600D:LS157 ALT	Package_DIP:DIP-16_W7.62mm_S
U56	LS20	OSI600D:LS20	Package_DIP:DIP-14_W7.62mm_S
U57	LS163	OSI600D:LS163 ALT2	Package_DIP:DIP-16_W7.62mm_S
U58	'00	74xx:7400	Package_DIP:DIP-14_W7.62mm_S
U59	LS163	OSI600D:LS163 ALT	Package_DIP:DIP-16_W7.62mm_S
U60	LS163	OSI600D:LS163 ALT	Package_DIP:DIP-16_W7.62mm_S
U61	LS163	OSI600D:LS163 ALT	Package_DIP:DIP-16_W7.62mm_S
U62	LS04	74xx:74LS04	Package_DIP:DIP-14_W7.62mm_S
U63	'74	74xx:74LS74	Package_DIP:DIP-14_W7.62mm_S
U64	LS76	74xx:74LS76	Package_DIP:DIP-16_W7.62mm_S
U65	'123	OSI600D:74123	Package_DIP:DIP-16_W7.62mm_S
U66	CA3130	Amplifier_Operational:C	Package_DIP:DIP-8_W7.62mm_So
U67	LS14	74xx:74LS14	Package_DIP:DIP-14_W7.62mm_S
U68	'17	OSI600D:SN7417	Package_DIP:DIP-14_W7.62mm_S
U69	'123	OSI600D:74123	Package_DIP:DIP-16_W7.62mm_S
U70	'03	74xx:74LS03	Package_DIP:DIP-14_W7.62mm_S
U72	LS174	74xx:74LS174	Package_DIP:DIP-16_W7.62mm_S
U73	LS138	OSI600D:LS138 U73	Package_DIP:DIP-16_W7.62mm_S
U74	8T28	OSI600D:8T28 RE{slas	Package_DIP:DIP-16_W7.62mm_S
U76	'74	74xx:74LS74	Package_DIP:DIP-14_W7.62mm_S
U77	2114 CS TOP COMPAC	OSI600D:2114 CS TOP	Package_DIP:DIP-18_W7.62mm_S
U78	LS157	OSI600D:LS157	Package_DIP:DIP-16_W7.62mm_S
U79	LS86	74xx:74LS86	Package_DIP:DIP-14_W7.62mm_S
U80	LM393	Comparator:LM393	Package_DIP:DIP-8_W7.62mm_So
X1	3.932160 MHz	Device:Crystal	Crystal:Crystal_HC49-U_Horizontal