
































































Log File Name: C:\Users\IVETE\Desktop\Log\21_02_2019_14_59_40_506\Description.tcLog
Start Time: 14:59 21/02/2019
End Time: 14:59 21/02/2019
Error Count: 0
Warning Count: 1
Computer Name: IVETE-HP
User Name: IVETE
Test Completed: True
Test Type: DeskTopTest















Type	Message
	The 'Orders - Untitled' window was maximized.
	The window was clicked with the left mouse button.
	The menu item 'Orders New order...' was clicked.
	The combo box item 'ScreenSaver' was selected.
	The window was clicked with the left mouse button.
	The text " was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '\$200' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '10%' was entered in the text editor.
	The window was clicked with the left mouse button.
	The property checkpoint passed: wText equals (case-sensitive) "40".
	The window was clicked with the left mouse button.
	The text 'Order AB' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text 'B' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text 'Qualquer' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text 'Qualquer' was entered in the text editor.
	The button was clicked with the left mouse button.
	The window was clicked with the left mouse button.
	The text '888888888' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '690000000' was entered in the text editor.
	The button was clicked with the left mouse button.
	The window was clicked with the left mouse button.
	The window was clicked with the right mouse button.
	The window was clicked with the left mouse button.
	The menu item 'Orders New order...' was clicked.
	The combo box item 'ScreenSaver' was selected.
	The window was clicked with the left mouse button.
	The text " was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '\$200' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '10%' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text 'Order C' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text 'c' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text 'qualquer' was entered in the text editor.
	The window was clicked with the left mouse button.

Time	Priority	Has Picture	Link	Time ...
14:59:41	Normal			0,10
14:59:42	Normal			0,28
14:59:42	Normal			0,43
14:59:43	Normal			1,14
14:59:43	Normal			0,31
14:59:44	Normal			0,33
14:59:44	Normal			0,49
14:59:44	Normal			0,22
14:59:45	Normal			0,37
14:59:45	Normal			0,14
14:59:45	Normal			0,27
14:59:46	Normal			0,74
14:59:46	Normal			0,12
14:59:46	Normal			0,15
14:59:47	Normal			0,23
14:59:47	Normal			0,14
14:59:47	Normal			0,22
14:59:47	Normal			0,13
14:59:47	Normal			0,25
14:59:48	Normal			0,27
14:59:48	Normal			0,25
14:59:48	Normal			0,23
14:59:48	Normal			0,14
14:59:48	Normal			0,33
14:59:49	Normal			0,20
14:59:49	Normal			0,28
14:59:49	Normal			0,24
14:59:49	Normal			0,23
14:59:50	Normal			0,25
14:59:50	Normal			0,45
14:59:51	Normal			1,14
14:59:52	Normal			0,25
14:59:52	Normal			0,15
14:59:52	Normal			0,33
14:59:52	Normal			0,27
14:59:53	Normal			0,26
14:59:53	Normal			0,15
14:59:53	Normal			0,30
14:59:53	Normal			0,15
14:59:53	Normal			0,23
14:59:53	Normal			0,14
14:59:54	Normal			0,21
14:59:54	Normal			0,14
14:59:54	Normal			0,23

Log File Name: C:\Users\IVETE\Desktop\Log\21_02_2019_14_59_40_506\Description.tcLog
Start Time: 14:59 21/02/2019
End Time: 14:59 21/02/2019
Error Count: 0
Warning Count: 1
Computer Name: IVETE-HP
User Name: IVETE
Test Completed: True
Test Type: DeskTopTest

Type	Message
	The text 'qualquer' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '69000000' was entered in the text editor.
	The button was clicked with the left mouse button.
	The window was clicked with the left mouse button.
	The text '99999999999' was entered in the text editor.
	The button was clicked with the left mouse button.
	The list view item ('Order C', 0) was clicked with the right mouse button.
	The menu item 'Edit order...' was clicked.
	The window was clicked with the left mouse button.
	The text 'Order Complet' was entered in the text editor.
	The window was clicked with the left mouse button.
	The text '88888888' was entered in the text editor.
	The button was clicked with the left mouse button.



Time	Priority	Has Picture	Link	Time ...
14:59:54	Normal			0,16
14:59:54	Normal			0,22
14:59:55	Normal			0,15
14:59:55	Normal			0,20
14:59:55	Normal			0,23
14:59:55	Normal			0,30
14:59:56	Normal			0,43
14:59:56	Normal			0,35
14:59:57	Normal			0,76
14:59:58	Normal			0,70
14:59:58	Normal			0,26
14:59:58	Normal			0,22
14:59:58	Normal			0,18
14:59:58	Normal			0,20