

AXON TICKETS 2.0

Discovery Assessment & Prioritized Product Backlog

Pre-development stage - discovery and initiation only

Prepared for	Product and executive review
Prepared on	26 July 2026
Source	CEO response questionnaire
Document status	CEO decisions incorporated - not authorized for implementation
Excluded from assessment	Q9 and Q14, exactly as requested

Executive recommendation. All CEO clarification decisions are now incorporated. Refine Release 2.0 as an ordered scope: core customer UI/UX, manual paid registration, essential running-event operations, consent-based guest activation, claim-status tracking, event-scoped data security, then the approved basic organizer profile. Keep the executive dashboard in Release 2.1. No development is authorized by this document.

1. Discovery outcome

Business intent

The proposed changes aim to make Axon Tickets easier for attendees to browse and register through, while giving running-event organizers operational data that competing registration tools have not provided reliably. The immediate business driver is readiness for upcoming running events without prematurely introducing payment-gateway or full logistics complexity.

Scope box

IN - current hard-launch track	OUT / deferred
- Event-first home page and approved category order - Time-based event sections - Auto-rotating featured carousel - Automatic event labels - Organizer login entry through Become an Organizer - Manual payment-proof registration - Consent-based guest account activation - Running-event configuration, inclusive race divisions, runner data, bibs, claiming, and merchandise counts - Basic organizer profile after running-event essentials - Event-scoped organizer access and Super Admin consolidated access	- Q9 email-less registration assessment - Q14 specialized-event prioritization assessment - Payment gateway, saved cards, promo codes, or raw card storage - Full delivery logistics, fees, carriers, or shipment tracking - Advanced organizer social/following or messaging features - Executive dashboard implementation in Release 2.0 - Any item still marked Blocked or Clarification Needed

Decisions incorporated. Jeff confirmed Happening Now, manual payment proof only, Release 2.0 guest consent, the recommended basic organizer profile, bib assignment after proof approval with per-event/per-distance resets, claim tracking for the next running event, the metric dictionary, two-year retention, post-event creator exports, and the Email/Confirm Email correction with inclusive configurable race divisions.

2. Response assessment and best solutions

Q9 and Q14 are intentionally omitted. Green status cells indicate that the CEO decision is usable for backlog refinement.

Q1	Hard-launch scope	Approved	Use a two-track release plan. Release 2.0 starts with core customer UI/UX and essential running-event registration, then includes the later CEO-approved additions: guest consent, claim tracking, governed access, and the basic organizer profile after running essentials. Keep the executive dashboard in Release 2.1.
Q2	Event-first home page	Approved	Keep the home page focused on event discovery. Retain one Become an Organizer entry in the navigation; move organizer-facing platform information and login access to that page.
Q3	Category order	Approved	Display: All, Sports, Business, Workshops, Music, Theater, Parties. Treat All as a filter, not a stored event category. Use one primary category per event for predictable browsing.
Q4	Home-page time sections	Approved	Use four mutually exclusive sections: Happening Now, Happening Soon, Upcoming Events, and Events You Missed. Classify an active event as Happening Now while its start/end window is in progress; apply the future and concluded rules only when it is not currently happening.
Q5	Featured carousel	Approved with rules	Auto-rotate the featured carousel, keep manual dot/swipe navigation, pause after interaction, and include a first-party organizer-promotion slide managed separately from event slides.
Q6	Automatic event labels	Approved	Use distinct automatic rules: New <= 7 days after publication; Sales End Soon <= 72 hours; Few Remaining <= 10% sellable inventory; Selling Fast when rolling 72-hour approved-registration velocity predicts sellout within 7 days after at least 10 approvals and 20% sold; Event Concluded after event end; and Online from venue type. Hottest Right Now uses the approved rolling 7-day popularity score: 70% approved-registration velocity and 30% unique approved purchasers/registrants, with at least 10 approved registrations; show at most six events and hide the set when fewer than three qualify.
Q7	Organizer login access	Approved	Keep customer and organizer login experiences separate. Add the Organizer Login button inside Become an Organizer, linking to the organizer authentication route.
Q8	Paid-event flow	Approved for current state	Before payment-gateway integration: Payment Instructions and Proof Upload -> Attendee Details -> Pending Approval/Confirmation. After gateway integration, running events will use Registration Details -> Payment -> Confirmation as a separate future change.
Q10	Guest-to-account consent	Approved for Release 2.0	After guest details are entered, request explicit consent framed around future convenience. If accepted, match an existing account by verified email/mobile or create an activation path. If declined, retain the registration as a guest record. Do not silently create duplicate accounts.
Q11	Payment capabilities	Approved	Current release should use manual payment proof only. Payment gateway, saved payment methods, promo codes, and card handling remain out of scope until corporate/payment onboarding is ready.
Q12	Basic organizer profile	Approved for Release 2.0	Add the recommended minimal profile after the running-event essentials: organizer name/image, short description, derived Since Month & Year, validated social/contact links, and published upcoming events. Defer followers, ratings, direct messaging, social feeds, and advanced verification.
Q13	Organizer self-management	Approved with safeguards	Allow organizers to edit public fields without pre-publication approval. Derive Since Month & Year from onboarding date. Add link validation, change audit history, and Super Admin takedown capability to reduce abuse risk.
Q15	Race configuration and bibs	Approved	Organizers configure age groups, distance categories, and supported race divisions. Axon assigns a sequential bib only after payment proof approval. The sequence resets for every event and distance, for example 5K-0001.

Q16	Claiming and merchandise	Approved for next running event	Collect claiming method and delivery address where needed, store merchandise sizes, provide aggregate counts, and include audited Claimed/Unclaimed status tracking in the next running-event release. Delivery/shipment tracking remains separate.
Q17	Executive metrics	Approved	Use the approved metric dictionary in this document. Finance should validate source-field reconciliation and revenue treatment during refinement without changing the CEO-approved business definitions.
Q18	One-scroll analytics	Approved	Use one vertically scrolling executive dashboard with KPI cards and stacked time-based sections. Apply one global date range and avoid tabs for primary metrics.
Q19	Data access	Approved business rules	Retain attendee data for two years from record creation, then delete or anonymize it according to the privacy policy. Super Admin and the organizer that created the event may export its masterlist. Organizer export remains enabled after the event ends until the record reaches its retention deadline. Log every export and obtain legal/privacy validation before automation.

3. Proposed executive metric dictionary

Jeff approved these base definitions. They separate operational counts, gross sales, refunds, net ticket sales, average order value, and average spend per paying user so that the dashboard does not combine unlike measures.

Total Organizers	Approved organizer accounts excluding deleted, rejected, and test accounts.
Active Organizer	Organizer with at least one published event whose end time has not passed.
Inactive Organizer	Approved organizer with no published upcoming or live event.
Overall Events	All non-test events, with cancelled events reported separately.
Active Events	Published events whose end time has not passed, including upcoming and currently running events.
Finished Events	Events whose end time has passed and that were not cancelled.
Total User Accounts	Unique active user accounts, excluding deleted, merged, and test accounts.
Successful Transactions	Approved manual-payment registrations now; successful gateway orders later. Failed, rejected, and cancelled attempts are excluded.
Tickets Issued	Tickets or race entries created after payment proof is approved or a future gateway payment succeeds.
Gross Sales	Total approved paid order value before refunds and platform deductions.
Refunds	Total value returned to purchasers.
Net Ticket Sales	Gross Sales minus Refunds. Platform fees should be reported separately.
Average Order Value	Gross Sales divided by successful paid orders.
Average Spend per Paying User	Gross Sales divided by unique paying users. Keep separate from Average Order Value.
Average User Age	Age as of report date for users with a valid date of birth; show data-coverage percentage.

Recommended governance. Every metric should store an owner, business definition, source fields, inclusion/exclusion rules, reporting timezone (Asia/Manila unless changed), refresh frequency, and reconciliation method. Finance should validate revenue/transaction source reconciliation before implementation.

4. Prioritized backlog

Backlog status is Revised - Discovery. Must means required for the approved Release 2.0 track or necessary security/governance. Should means valuable but not automatically part of Release 2.0. Story IDs are stable working identifiers, not yet implementation tickets.

Epic 1 - Event-first customer experience

Business value: Make event discovery clear, fast, and consistent while moving organizer content out of the customer journey.

ATX-UI-201 - Event-focused home page and organizer entry

User story: As an attendee, I want the home page to prioritize events, so that I can discover relevant events without organizer-facing content interrupting the journey.

Recommended solution: Retain navigation, featured carousel, category filters, and event sections. Keep Become an Organizer in the navigation and move organizer information to its destination page.

Priority	Must	Phase	Release 2.0
Readiness	Ready after UX confirmation	Dependencies	Final responsive designs; existing organizer route

Acceptance criteria

- GIVEN a customer opens the home page, WHEN it loads, THEN event discovery content appears before organizer-facing information.
- GIVEN the navigation is visible, WHEN the customer selects Become an Organizer, THEN the dedicated organizer information page opens.
- GIVEN an organizer needs to sign in, WHEN the organizer page opens, THEN an Organizer Login action is visible.

ATX-UI-202 - Approved category filter order

User story: As an attendee, I want predictable category filters, so that I can narrow the event list quickly.

Recommended solution: Display All, Sports, Business, Workshops, Music, Theater, Parties in that order. All is a UI filter. Store one primary category on each event.

Priority	Must	Phase	Release 2.0
Readiness	Ready	Dependencies	Event category data cleanup/mapping

Acceptance criteria

- GIVEN the home page is loaded, WHEN category filters appear, THEN they follow the approved order.
- GIVEN All is selected, WHEN events are available, THEN events from every supported category are shown.
- GIVEN a category is selected, WHEN filtering completes, THEN only published events in that primary category are shown.

ATX-UI-203 - Date-driven home-page event sections

User story: As an attendee, I want events grouped by timing, so that I can distinguish near-term, later, and completed events.

Recommended solution: Use four mutually exclusive sections. Happening Now = current time is within the event start/end window.

Happening Soon = future start within 30 days. Upcoming Events = future start after 30 days. Events You Missed = ended or registration closed, unless the event is currently happening.

Priority	Must	Phase	Release 2.0
Readiness	Ready after timestamp/data review	Dependencies	Event start/end and sales-close timestamps

Acceptance criteria

- GIVEN the current time is between an event's start and end, WHEN the page is generated, THEN it appears under Happening Now and no other time section.
- GIVEN an event starts within 30 days and has not ended, WHEN the page is generated, THEN it appears under Happening Soon.
- GIVEN an event starts more than 30 days away, WHEN the page is generated, THEN it appears under Upcoming Events.
- GIVEN an event has ended or registration is closed, WHEN the page is generated, THEN it appears under Events You Missed.

ATX-UI-204 - Auto-rotating featured carousel with organizer promotion

User story: As a visitor, I want featured content to rotate automatically while remaining controllable, so that I can discover events and the organizer proposition.

Recommended solution: Auto-rotate every 6 seconds, support dots/swipe/keyboard, pause on hover/focus/manual interaction, and include a separately managed organizer-promotion slide.

Priority	Must	Phase	Release 2.0
Readiness	Ready after content approval	Dependencies	Organizer promotional copy/artwork; featured-event source

Acceptance criteria

- GIVEN multiple slides exist, WHEN no interaction occurs for 6 seconds, THEN the next slide is shown.
- GIVEN a user interacts with the carousel, WHEN manual navigation occurs, THEN auto-rotation pauses temporarily.
- GIVEN the promotion slide is active, WHEN its CTA is selected, THEN Become an Organizer opens.

ATX-UI-205 - Automatic event labels

User story: As an attendee, I want trustworthy event labels, so that I can understand urgency and event status without manual admin intervention.

Recommended solution: Calculate New, Sales End Soon, Few Remaining, Selling Fast, Hottest Right Now, Online, Event Concluded, and category labels from system data. Selling Fast uses only approved registrations and appears when rolling 72-hour velocity predicts sellout within 7 days, after at least 10 approved registrations and 20% of inventory are sold. Hottest Right Now ranks eligible active events over seven days using 70% normalized approved-registration velocity and 30% normalized unique approved purchasers/registrants.

Priority	Must	Phase	Release 2.0
Readiness	Ready after data-source and UX review	Dependencies	Inventory, publication, sales-close, venue, and event-end data

Acceptance criteria

- GIVEN an event meets a label rule, WHEN its card/page is rendered, THEN the correct label appears automatically.
- GIVEN an event no longer meets a time-based rule, WHEN data is refreshed, THEN the label is removed without Super Admin action.
- GIVEN Few Remaining appears, WHEN the attendee views the event, THEN the exact remaining count is not disclosed.
- GIVEN Selling Fast is calculated, WHEN sales velocity is evaluated, THEN only payment-proof-approved registrations are counted.
- GIVEN an event is merely new but has no qualifying popularity, WHEN labels are calculated, THEN it may show New but not Hottest Right Now.
- GIVEN Hottest Right Now is calculated, WHEN active events are scored over the rolling seven-day window, THEN the score uses 70% normalized approved-registration velocity and 30% normalized unique approved purchasers/registrants.
- GIVEN fewer than three active events each have at least 10 approved registrations in the rolling seven-day window, WHEN the page is rendered, THEN the Hottest Right Now set is hidden.
- GIVEN at least three events qualify, WHEN the set is rendered, THEN no more than the six highest-scoring events are displayed.

Epic 2 - Manual paid registration and guest identity

Business value: Support paid registrations before gateway integration while keeping identity creation deliberate and avoiding duplicate accounts.

ATX-REG-210 - Manual payment-proof-first flow

User story: As a purchaser, I want to submit payment proof before attendee details, so that I can complete the currently supported paid registration flow.

Recommended solution: Payment instructions and proof upload -> attendee details -> confirmation with Pending Approval status. Gateway payment, saved cards, and promo codes are excluded.

Priority	Must	Phase	Release 2.0
Readiness	Ready after validation rules	Dependencies	Organizer payment instructions; proof-file storage; approval workflow

Acceptance criteria

- GIVEN a paid event uses manual payment, WHEN the purchaser checks out, THEN payment instructions and proof upload are presented first.
- GIVEN valid proof is submitted, WHEN the purchaser continues, THEN attendee details are collected.
- GIVEN registration is completed, WHEN confirmation is shown, THEN status is Pending Approval until an authorized organizer/admin approves the proof.
- GIVEN proof is rejected, WHEN the reviewer records a reason, THEN the registration remains unissued and the reason is visible to the purchaser through the supported notification channel.

ATX-REG-211 - Consent-based guest account activation

User story: As a guest attendee, I want to choose whether Axon creates an account for future convenience, so that account creation is transparent.

Recommended solution: Ask for consent after guest details. On consent, match by verified email/mobile and create an activation path only when no account exists. If declined, keep a guest registration.

Priority	Must	Phase	Release 2.0
Readiness	Ready after consent-copy and privacy review	Dependencies	Identity matching; consent copy; activation channel

Acceptance criteria

- GIVEN guest details are complete, WHEN the flow reaches confirmation, THEN an optional account-consent prompt is displayed.
- GIVEN consent is declined, WHEN registration completes, THEN no account is created.
- GIVEN consent is accepted and a matching verified account exists, WHEN registration completes, THEN the registration is linked without creating a duplicate.

Epic 3 - Running-event registration operations

Business value: Give race organizers the configurable registration, bib, claiming, and merchandise data needed to operate events reliably.

ATX-RUN-220 - Organizer-configurable distances and age groups

User story: As a race organizer, I want to configure distance and age categories, so that registration matches my event rules.

Recommended solution: Provide per-event distance categories and non-overlapping age bands with validation and preview before publishing.

Priority	Must	Phase	Release 2.0
Readiness	Ready after field limits	Dependencies	Organizer event editor; date-of-birth field

Acceptance criteria

- GIVEN an organizer edits a running event, WHEN distances are configured, THEN each active distance can be selected during registration.
- GIVEN age bands overlap or contain gaps not explicitly allowed, WHEN the organizer saves, THEN validation prevents publication and explains the conflict.
- GIVEN a valid date of birth is submitted, WHEN registration is confirmed, THEN the runner is assigned to the correct configured age group.

ATX-RUN-221 - Race registration data capture

User story: As a race organizer, I want complete runner information, so that eligibility, safety, merchandise, and race operations can be managed.

Recommended solution: Correct the source typo to Email and Confirm Email. Keep Race Division separate from optional Gender Identity: race divisions are organizer-configurable for eligibility/awards, with inclusive defaults such as Women's, Men's, and Non-binary/Open plus additional configured choices. If gender identity is genuinely needed, use inclusive choices and Prefer not to say; do not use it to infer race division.

Priority	Must	Phase	Release 2.0
Readiness	Ready after privacy and event-policy review	Dependencies	Privacy notice; required-field matrix; Q9 explicitly excluded

Acceptance criteria

- GIVEN a runner selects a distance, WHEN the registration form loads, THEN the event's required fields and merchandise options are displayed.
- GIVEN an email is entered, WHEN registration is submitted, THEN Confirm Email must match Email and no field is labelled Confirm Female.
- GIVEN an organizer configures race divisions, WHEN registration opens, THEN the approved inclusive choices and any valid additional configured choices are available.
- GIVEN Gender Identity is collected, WHEN the runner answers, THEN Prefer not to say is available and the answer does not automatically determine Race Division.
- GIVEN Self-Claiming is selected, WHEN the form is submitted, THEN delivery-address fields are not required.
- GIVEN Delivery is selected, WHEN the runner submits, THEN a complete delivery address is required.
- GIVEN required emergency information is missing, WHEN the runner submits, THEN registration is blocked with field-level errors.

ATX-RUN-222 - Sequential race bib assignment per distance

User story: As a race organizer, I want Axon to assign bib numbers automatically, so that runners are ordered consistently without manual work.

Recommended solution: Maintain an atomic sequence that resets per event and distance. Assign only after payment proof approval. Format: normalized distance code plus four-digit sequence, for example 5K-0001.

Priority	Must	Phase	Release 2.0
Readiness	Ready after distance-code rules	Dependencies	Approved registration state; concurrency-safe sequence; distance codes

Acceptance criteria

- GIVEN a 5K registration becomes eligible for a bib, WHEN assignment runs, THEN the next unused value follows the 5K-0001 format.
- GIVEN payment proof remains Pending or is Rejected, WHEN bib allocation is evaluated, THEN no bib is assigned.
- GIVEN a different event or distance begins allocation, WHEN its first approved registration is processed, THEN its sequence starts at 0001.
- GIVEN two registrations are approved concurrently, WHEN bibs are assigned, THEN no duplicate number is created.
- GIVEN a runner changes distance after bib assignment, WHEN an authorized user approves the change, THEN the system preserves an auditable reassignment history.

ATX-RUN-223 - Claiming method and address collection

User story: As a runner, I want to select self-claiming or delivery, so that the organizer knows how I will receive race items.

Recommended solution: Collect the method and delivery address only. Do not build delivery fees, service-area validation, carrier integration, or shipment tracking in this story.

Priority	Must	Phase	Release 2.0
Readiness	Ready after address schema review	Dependencies	Race registration form; privacy review

Acceptance criteria

- GIVEN Self-Claiming is selected, WHEN registration is saved, THEN no delivery address is required.
- GIVEN Delivery is selected, WHEN registration is saved, THEN the approved address fields are stored.
- GIVEN an organizer exports the race masterlist, WHEN claiming data is included, THEN only its own event's data is exported.

ATX-RUN-224 - Merchandise size counts by distance and race division

User story: As a race organizer, I want aggregate size counts, so that I can prepare the correct merchandise quantities.

Recommended solution: Record configured sizes and provide totals by event, distance, and approved Race Division where operationally needed. Do not group by optional Gender Identity. Include registered, claimed, and remaining counts.

Priority	Must	Phase	Release 2.0
Readiness	Ready after race-division configuration review	Dependencies	Runner profile fields; merchandise configuration

Acceptance criteria

- GIVEN runners select merchandise sizes, WHEN the organizer opens the summary, THEN totals are grouped by distance and size.
- GIVEN registrations are rejected or cancelled, WHEN totals are recalculated, THEN those entries are excluded from active requirements.
- GIVEN a CSV is exported, WHEN the file is opened, THEN aggregate totals match the filtered on-screen data.

ATX-RUN-225 - Claim-status tracking

User story: As a race organizer, I want to mark merchandise as claimed, so that I can monitor claimed and remaining inventory.

Recommended solution: Provide a claim action on each eligible runner and summary counts by size. Keep a timestamp and actor audit log. This is separate from delivery/shipment tracking.

Priority	Must	Phase	Release 2.0 - next running event
Readiness	Ready after claim-action UX review	Dependencies	Runner masterlist; organizer permissions; merchandise sizes

Acceptance criteria

- GIVEN an eligible runner is shown, WHEN an authorized organizer marks Claimed, THEN claimed timestamp and actor are recorded.
- GIVEN a claim is reversed, WHEN an authorized user confirms the reversal, THEN the audit history is retained.
- GIVEN claim states change, WHEN the summary refreshes, THEN claimed, unclaimed, and size-level remaining counts update.

Epic 4 - Basic organizer profile

Business value: Create a lightweight trust and discovery surface that connects attendees to organizer-owned channels.

ATX-ORG-230 - Minimal public organizer profile

User story: As an attendee, I want to view basic organizer information and external links, so that I can understand and contact the organizer.

Recommended solution: Show organizer name/image, short description, Since Month & Year, validated social/contact links, and published events. Defer advanced following, messaging, and full profile history.

Priority	Must	Phase	Release 2.0 - after running essentials
Readiness	Ready after profile UX review	Dependencies	Public routing; organizer data; link validation

Acceptance criteria

- GIVEN an active organizer has a public profile, WHEN an attendee opens it, THEN approved fields and valid external links are displayed.
- GIVEN the organizer has published upcoming events, WHEN the profile loads, THEN those events are shown.
- GIVEN Since Month & Year is displayed, WHEN its value is calculated, THEN it uses the stored onboarding date and cannot be edited by the organizer.

ATX-ORG-231 - Organizer self-service profile editing

User story: As an organizer, I want to edit my public profile, so that information remains current without Super Admin workload.

Recommended solution: Allow immediate editing of approved fields, validate URLs, retain change history, and give Super Admin the ability to hide abusive content.

Priority	Must	Phase	Release 2.0 - after running essentials
Readiness	Ready after moderation policy	Dependencies	Organizer permissions; audit log; content policy

Acceptance criteria

- GIVEN an authorized organizer edits an allowed field, WHEN changes are saved, THEN the public profile updates.
- GIVEN an invalid or unsafe external URL is entered, WHEN save is attempted, THEN validation rejects it.
- GIVEN Super Admin hides a profile, WHEN the public URL is opened, THEN private organizer data is not displayed.

Epic 5 - Executive analytics and governed access

Business value: Give leadership consistent growth reporting while ensuring organizers see only data they are authorized to use.

ATX-DATA-240 - Approved metric dictionary and calculation layer

User story: As an executive, I want every dashboard metric to have one definition, so that decisions are based on consistent numbers.

Recommended solution: Use the CEO-approved metric dictionary. During refinement, document source fields, exclusions, data owner, timezone, refresh schedule, and finance reconciliation without changing the approved business meaning.

Priority	Should	Phase	Discovery / Release 2.1
Readiness	Ready after finance/source reconciliation	Dependencies	Finance review; event/order status model; Asia/Manila reporting timezone

Acceptance criteria

- GIVEN a metric appears in the dashboard, WHEN its definition is inspected, THEN inclusion/exclusion rules and source fields are documented.
- GIVEN the same date range is used, WHEN a metric appears in dashboard and export, THEN values match.
- GIVEN test/deleted records exist, WHEN metrics calculate, THEN they are excluded according to the approved dictionary.

ATX-DATA-241 - One-scroll executive dashboard

User story: As an executive, I want key metrics visible in one scroll, so that I can review platform performance without repeated navigation.

Recommended solution: Use a vertically stacked dashboard: KPI summary, organizers, events, users, transactions/revenue, and organizer performance. Use one global date range; show hourly data only for short ranges.

Priority	Should	Phase	Release 2.1
Readiness	Blocked by ATX-DATA-240	Dependencies	Metric dictionary; aggregation queries; access control

Acceptance criteria

- GIVEN the dashboard opens, WHEN data loads, THEN primary KPI sections are available by vertical scrolling without tabs.
- GIVEN a global date range changes, WHEN refresh completes, THEN all time-sensitive sections use the same range.
- GIVEN the selected range is too large for hourly detail, WHEN hourly data is requested, THEN the UI uses a safe aggregation or explains the limit.

ATX-SEC-242 - Event-scoped organizer data access

User story: As an organizer, I want access only to my event data, so that I can operate my events without seeing another organizer's attendees.

Recommended solution: Enforce organizer/event ownership on every view, API query, and export. Super Admin receives cross-platform access through a separate role.

Priority	Must	Phase	Release 2.0
Readiness	Ready after role matrix	Dependencies	Organizer-event ownership model; authentication

Acceptance criteria

- GIVEN an organizer requests its own event, WHEN access is checked, THEN permitted operational data is returned.
- GIVEN an organizer requests another organizer's event or changes an event ID, WHEN access is checked, THEN the request is denied and logged.
- GIVEN Super Admin requests consolidated data, WHEN role validation succeeds, THEN authorized cross-event data is returned.

ATX-SEC-243 - Sensitive export logging and retention controls

User story: As the platform owner, I want sensitive data exports and retention governed, so that attendee information is handled responsibly.

Recommended solution: Retain attendee records for two years from record creation, then delete or anonymize them under the privacy policy. Allow masterlist export only to Super Admin and the organizer that created the event. Keep organizer export available after event end until retention expiry, and log every export.

Priority	Must for governance	Phase	Discovery + Release 2.0 safeguards
----------	---------------------	-------	------------------------------------

Readiness	Business rule approved; legal/privacy validation required	Dependencies	Retention policy; legal/privacy review; audit log
-----------	---	--------------	---

Acceptance criteria

- GIVEN an authorized export occurs, WHEN the file is generated, THEN actor, event, scope, filters, and timestamp are logged.
- GIVEN an unauthorized role requests an export, WHEN authorization is evaluated, THEN no file is generated.
- GIVEN the event creator requests its event masterlist after the event ends but before retention expiry, WHEN authorization succeeds, THEN the export remains available.
- GIVEN two years have elapsed from an attendee record's creation, WHEN the scheduled process runs, THEN the record is deleted or anonymized according to the validated policy and an audit record is created.

5. Dependencies, risks, and release gates

Critical dependencies

- Final responsive UI designs for the home page, carousel, event cards, organizer entry, and running-event form.
- A defined event/order status model: draft, published, proof submitted, proof approved, rejected, cancelled, ticket issued, event concluded.
- Organizer-event ownership enforced consistently in UI, API, exports, and analytics.
- A privacy-reviewed field matrix for runner personal data, emergency contacts, delivery address, and merchandise details.
- Atomic per-event/per-distance sequence support for race bib assignment.
- Finance-validated transaction and revenue source reconciliation before analytics implementation.
- Legal/privacy validation of the approved two-year retention and export policy before lifecycle automation.

Key risks and mitigations

Release scope expanded after Q1	Release 2.0 may exceed original schedule or capacity	Sequence running essentials first, estimate the approved profile separately, and use an executive release gate.
Manual proof submitted but not approved	Incorrect bib issuance or overselling	Assign tickets/bibs only after approval; use clear Pending Approval status.
Concurrent bib allocation	Duplicate bib numbers	Use an atomic database sequence/transaction per event and distance.
Automatic label rule drift	Labels become misleading as business rules change	Keep New, Selling Fast, and Hottest semantically distinct; version the approved deterministic rules and validate changes before release.
Organizer self-published links/content	Unsafe links or reputational risk	Validate URLs, retain history, and provide Super Admin takedown.
Sensitive runner and identity data	Privacy, inclusion, access, and trust risk	Separate optional Gender Identity from Race Division, minimize fields, enforce event scope, log exports, and validate retention.
Analytics source mismatch	Approved definitions still produce unreconciled figures	Map every metric to source fields and reconcile revenue figures with finance before dashboard build.

Definition of Ready for every implementation story

- Business outcome, user role, and release assignment are approved.
- All blocking clarification IDs are resolved.
- UX/UI states and responsive behavior are attached where relevant.
- Field definitions, validations, statuses, and error behavior are explicit.
- Acceptance criteria are testable and data-access rules are specified.

- Dependencies are available and the team has estimated the story.
- Out-of-scope behavior is written into the ticket.

6. Discovery decision closure

CEO clarification status: closed. The Hottest Right Now definition has been approved and incorporated into Q6 and ATX-UI-205. All CEO clarification questions raised in this discovery document are resolved. This closes business-decision elicitation for the current draft; it does not authorize development.

Recommended next step. Run backlog refinement with design, engineering, QA, finance, and privacy stakeholders. Confirm data-source mappings, normalize the two Hottest score components across eligible active events, estimate the expanded Release 2.0 scope, and hold an executive release gate. Only stories meeting the Definition of Ready should be converted into implementation tickets.