

Chapter IV: OLAP

Knowledge Discovery in Databases

Luciano Melodia M.A. Evolutionary Data Management, Friedrich-Alexander University Erlangen-Nürnberg Summer semester 2021





Chapter IV: Data warehousing and online analytical processing

Data warehouse: basic concepts.

Data-warehouse modeling: data cube and OLAP.

Data-warehouse design and usage.

Data-warehouse Implementation.

Data generalization by attribute-oriented induction.

Summary.



What is a data warehouse?

Defined in many different ways, but not rigorously:

A decision-support database that is maintained separately from the organization's operational database.

Supports information processing by providing a solid platform of **consolidated**, **historical data** for analysis.

Famous:

A data warehouse is a subject-oriented, integrated, time-variant, and nonvolatile collection of data in support of management's decision-making process.

- W. H. Inmon.

Data warehousing: The process of constructing and using data warehouses.



Data warehouse - subject-oriented

Organized around major subjects.

Such as customer, product, sales.

Focusing on the modeling and analysis of data for decision makers.

Not on daily operations or transaction processing.

Provide a simple and concise view around particular subject issues.

By excluding data that are not useful in the decision-support process.



Data warehouse – integrated

Constructed by integrating multiple heterogeneous data sources.

Relational databases, flat files, online transaction records, ...

Data-cleaning and data-integration techniques are applied.

Ensure consistency in naming conventions, encoding structures, attribute measures, etc. among different data sources.

E.g., hotel price: currency, tax, breakfast covered, etc.

When data is moved to the warehouse, it is converted.

ETL – Extraction, Transformation, Loading, see below.



Data warehouse - time variant

The time horizon for a data warehouse is significantly longer than that of operational systems.

Operational database: current-value data.

Data warehouse: provide information from a historical perspective, e.g. past 5-10 years.

Every key structure in the data warehouse contains an element of time, explicitly or implicitly.

The key of operational data may or may not contain a "time element."



Data warehouse - nonvolatile

A physically separate store of data.

Transformed from the operational environment. By copying.

No operational update of data:

Hence, does not require transaction processing,

i.e. no logging, recovery, concurrency control, etc.

Requires only three operations:

Initial loading of data.

Refresh (update, often periodically, e.g. over night).

Access of data.



OLTP vs. OLAP

	OLTP	OLAP
users	clerk, IT professional	knowledge worker
function	day-to-day operations	decision support
DB design	application-oriented	decision support
data	current, up-to-date; detailed, flat rela-	historical; summarized, multidimen-
	tional; isolated	sional, integrated, consolidated
usage	repetitive	ad-hoc
access	read/write; index/hash on primary key	lots of scans
unit of work	short, simple transaction	complex query
$\# ext{-records}$ accessed	10	10 ⁶
$\# ext{-users}$	1000	100
DB size	100 MB to GB	100 GB to TB
quantification	transaction throughput	query throughput, response



Why a separate data warehouse?

High performance for both systems:

DBMS: tuned for OLTP; Access methods, indexing concurreny control, recovery.

Warehouse: tuned for OLAP; Complex OLAP queries, multidimensional view, consolidation.

Different functions and different data:

Missing data:

Decision support (DS) requires historical data which operational DBs do not typically maintain.

Data consolidation:

DS requires **consolidation** (aggregation, summarization) of data from heterogeneous sources.

Data quality:

Different sources typically use inconsistent data representations, codes and formats which have to be reconciled.

Note: There are more and more systems which perform OLAP analysis directly on relational databases.



References (I)

- S. Agarwal, R. Agrawal, P. M. Deshpande, A. Gupta, J. F. Naughton, R. Ramakrishnan, and S. Sarawagi: On the computation of multidimensional aggregates. VLDB'96.
- D. Agrawal, A. E. Abbadi, A. Singh, and T. Yurek: Efficient view maintenance in data warehouses. SIGMOD'97.
- R. Agrawal, A. Gupta, and S. Sarawagi: Modeling multidimensional databases. ICDE'97.
- S. Chaudhuri and U. Dayal: An overview of data warehousing and OLAP technology. ACM SIGMOD Record, 26:65-74, 1997-
- E. F. Codd, S. B. Codd, and C. T. Salley: Beyond decision support. Computer World, 27, July 1993.
- J. Gray, et al. Data cube: A relational aggregation operator generalizing group-by, cross-tab and sub-totals. Data Mining and Knowledge Discovery, 1:29-54, 1997.
- A. Gupta and I. S. Mumick. Materialized Views: Techniques, Implementations, and Applications. MIT Press, 1999.



References (II)

- J. Han: Towards on-line analytical mining in large databases. ACM SIGMOD Record, 27:97-107, 1998.
- V. Harinarayan, A. Rajaraman, and J. D. Ullman: Implementing data cubes efficiently. SIGMOD'96.
- J. Hellerstein, P. Haas, and H. Wang: Online aggregation. SIGMOD'97.
- C. Imhoff, N. Galemmo, and J. G. Geiger: Mastering Data Warehouse Design: Relational and Dimensional Techniques. John Wiley, 2003.
- W. H. Inmon: Building the Data Warehouse. John Wiley, 1996.
- R. Kimball and M. Ross: The Data Warehouse Toolkit: The Complete Guide to Dimensional Modeling. 2ed. John Wiley, 2002.
- P. O'Neil and G. Graefe: Multi-table joins through bitmapped join indices. ACM SIGMOD Record, 24:8–11, Sept. 1995.
- P. O'Neil and D. Quass: Improved query performance with variant indexes. SIGMOD'97.

Microsoft. OLEDB for OLAP programmer's reference version 1.0. In http://www.microsoft.com/data/oledb/olap, 1998.



Thank you for your attention. Any questions about the fourth chapter?

Ask them now, or again, drop me a line:
luciano.melodia@fau.de.