Midpoint of a Line

Exam code: 0607

Download PDF

Written by: Mark Curtis
Reviewed by: Dan Finlay
Updated on 6 June 2024

Midpoint of a Line

How do I find the midpoint of a line?

- The **midpoint** of a line will be the **same distance from both endpoints**
- You can think of a midpoint as being the average (**mean**) of two coordinates
- The **midpoint** of (x_1, y_1) and (x_2, y_2) is

$$\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$$

Worked Example

The coordinates of *A* are (–4, 3) and the coordinates of *B* are (8, –12).

Find *M*, the midpoint of *AB*.

The midpoint can be found using $M = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$

Fill in the values of *x* and *y* from each coordinate

$$\left(\frac{-4+8}{2}, \frac{3+-12}{2}\right) = \left(\frac{4}{2}, \frac{-9}{2}\right)$$

Simplify

M = (2, –4.5)

Help me understand

Teacher only

Test your students on this in just a few clicks

- Create exam-aligned tests
- Tailor format & difficulty
- Quizzes or homework in minutes

Stuck on something?

Ask questions and get help with exactly what you're revising.

Got it

Test yourself

Was this revision note helpful? Yes No

Previous Next

Course Study tools All topics

Resources

Learning Hub
Scholarship
Join
Past Papers
Solution Banks
Sitemap

Dashboard

Overview
Brand ambassador
Profile
Subscription
Settings
Log out

Company

About us
Exam Specificity
Content Quality
Promotions
Jobs
Terms
Privacy
Cookie Policy
Help and Support

Subjects

Biology
Chemistry
Physics
Maths
Geography
English Literature
Psychology
All Subjects

© Copyright 2015–2026 Save My Exams Ltd. All Rights Reserved.