

ORACLE METHODSM

INSTALLATION AND DELIVERABLE TEMPLATE USER'S GUIDE

Release 1.0.0

September, 1999

Part Number A73286-01

ORACLE[®]

Copyright © 1998, 1999, Oracle Corporation. All rights reserved.

Contributors: Tina Tang Marc, Suzanne Armstrong, Marvin Baecker, William Dunkley, Linda Goossens, Jim Lange, Theresa Merenkov, Janet Price, Paige Root, Mary Staatz, Ming Tay

The Programs (which include both the software and documentation) contain proprietary information of Oracle Corporation; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. Oracle Corporation does not warrant that this document is error free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Oracle Corporation.

If the Programs are delivered to the U.S. Government or anyone licensing or using the programs on behalf of the U.S. Government, the following notice is applicable:

Restricted Rights Notice Programs delivered subject to the DOD FAR Supplement are "commercial computer software" and use, duplication, and disclosure of the Programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, Programs delivered subject to the Federal Acquisition Regulations are "restricted computer software" and use, duplication, and disclosure of the Programs shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software - Restricted Rights (June, 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and Oracle Corporation disclaims liability for any damages caused by such use of the Programs.

ORACLE, Oracle Designer, Oracle Developer, SQL*Plus, SQL*Loader, SQL*Net, CASE*Method, ORACLE Parallel Server, PL/SQL, Pro*C, SQL*Module are registered trademarks of Oracle Corporation, Redwood City, California.

AIM Advantage, CDM Advantage, EMM Advantage, PJM Advantage, Oracle Cooperative Applications, Oracle Financials, Oracle Alert, Oracle Manufacturing, Oracle Inventory, Oracle Bills of Material, Oracle Engineering, Oracle Capacity, Oracle Commissions, Oracle Master Scheduling, Oracle MRP, Oracle Work in Process, Oracle General Ledger, Oracle Assets, Oracle Order Entry, Oracle Cost Management, Oracle Payables, Oracle Receivables, Oracle Personnel, Oracle Payroll, Oracle Purchasing, Oracle Quality, Oracle Sales and Marketing, Oracle Service, and Application Object Library are trademarks of Oracle Corporation, Redwood City, California.

Oracle is a registered trademark, and Oracle Method is a service mark of Oracle Corporation. Microsoft and MS-DOS are registered trademarks and Windows, Word for Windows, PowerPoint, Excel, and Microsoft Project are trademarks of Microsoft Corporation. Visio is a trademark of Visio Corporation. Project Workbench and Project Bridge Modeler are registered trademarks of Applied Business Technology. All other company or product names mentioned are used for identification purposes only and may be trademarks of their respective owners.



Preface

The *Installation and Deliverable Template User's Guide* provides detailed instructions for installing method products and for using deliverable templates.

Audience

This *Installation and Deliverable Template User's Guide* is written for:

- project staff members
- project managers
- system support staff who will be installing the package

How to Use This Manual

Use this *Installation and Deliverable Template User's Guide* in conjunction with the documentation and software tools provided with the Oracle Method product you are using.

Oracle Services recommends that users of software tools take advantage of training courses provided by Oracle Education and implementation services provided by Oracle Consulting.

Conventions Used in this Manual

These notational conventions identify important types of information:

Suggestions

Helpful suggestions are inserted throughout the guide in this style:



Suggestion: Verify your backup and recovery plan with your hardware and software vendors.

Attention

Information that requires your immediate attention is set off like this:



Attention: Since project team training occurs simultaneously with this task, some recommendations (or decisions) from training may be implemented in the mapping environment. In this case, these training inputs become predecessors to this task.

For More Information

Additional information you may want to refer to is highlighted in this manner:



Reference: For more information about content for the design presentation, review the Critical Success Factors, page 3-7.

Related Publications

This guide discusses how to install and use deliverable templates. For detailed information about how to complete the content of the deliverable templates, refer to the Process and Task Reference or Delivery Guide for your method.

Your Comments are Welcome

Oracle Corporation values and appreciates your comments as an Oracle practitioner and reader of the guide. Your comments are the most valuable input. Please send your comments to:

ominfo@us.oracle.com

CONTENTS

CHAPTER 1	Installing Oracle Method Products.....	1-1
	Verifying System Requirements	1-2
	Hardware Requirements	1-2
	Software Requirements.....	1-3
	Installing Your Method Pack.....	1-4
	Installing Your Add-In.....	1-5
	Install An Add-In From the WWW	1-5
	Install An Add-In Distributed by Other Ways	1-7
	Removing Method Packs	1-8
	Removing Your Add-in.....	1-9
 CHAPTER 2	 Using Deliverable Templates	 2-1
	Creating a New Word Deliverable	2-2
	Step 1: Show Bookmarks.....	2-3
	Step 2: View Notes in Templates	2-3
	Step 3: Substitute Values for Automatic Replacement Variables	2-4
	Step 4: Enter Project-Specific Information.....	2-5
	Step 5: Update Field Codes.....	2-6
	Step 6: Modify Headers and Footers (optional)	2-7
	Step 7: Add Document Content	2-8
	Step 8: Remove Sample Data.....	2-9
	Step 9: Insert New Sections and Renumber Pages (optional).....	2-9
	Step 10: Adjust Graphic Size (optional).....	2-10
	Step 11: Remove Notes.....	2-10

Step 12: Customize the Title Page (optional)	2-11
Step 13: Add Confidentiality Text (optional)	2-14
Step 14: Save Your Deliverable Template.....	2-16
Creating a New PowerPoint Deliverable	2-17
Creating a New Excel Deliverable	2-18
Creating a New Visio Deliverable	2-19
Using Project Workplan Deliverables	2-20
Where Task Information is Stored	2-20
Creating New Project Workplan Deliverables	2-21
Modifying the Workplan	2-21
CHAPTER 3 Working with Graphics	3-1
Understanding Embedded Objects	3-2
Embedding Objects	3-3
Embedding Objects Using the Toolbar Icon	3-3
Embedding Objects Using the Insert Object Command	3-3
Embedding Objects by Cutting and Pasting	3-4
Moving and Framing Graphics	3-5
Resizing Graphics	3-6
Adjusting the Size of the Graphics	3-7
Adding a Company Logo	3-8
Changing the Logo of the Title Page for All Template Files in a Method Pack	3-8
Changing the Title Page for One Deliverable Template File	3-10
APPENDIX A Standard Word Template Components	A-1
Front Matter	A-2
Cover Page	A-3
Change Record	A-4
Reviewers	A-4
Distribution	A-5
Table of Contents	A-5
Introduction or Overview	A-5
Standard Template Variables	A-6

APPENDIX B

Standard Word Template Styles.....B-1

Font.....B-2

HeadingsB-2

Summary of Paragraph Styles.....B-3

Keyboard ShortcutsB-6

1

Installing Oracle Method Products

This chapter explains how to install and remove Oracle Method products. Specific topics discussed in this chapter are:

- Verifying System Requirements
- Installing Your Method Pack
- Installing Your Add-In
- Removing Method Packs
- Removing Your Add-in

Verifying System Requirements

This section discusses:

- Hardware Requirements
- Software Requirements

Hardware Requirements

To install and use Oracle Method products, at a minimum you need:

- 90 Megahertz Pentium processor or equivalent
- 32 Megabyte RAM (64 recommended)
- 80 Megabyte free hard disk space
- Color VGA monitor
- World Wide Web connection to install add-ins

Software Requirements

The instructions in this guide assume that you have installed on your computer:

- Windows 95, Windows 98, or Windows NT operating system
- Microsoft Office 95 or Microsoft Office 97
- Microsoft Project 4.0, Microsoft Project 98, or ABT Project Workbench version 4.x
- Adobe Acrobat Reader version 3.0 or higher
- Netscape Navigator version 4.0 or later (Java, Cookies, and JavaScript enabled) or Microsoft Internet Explorer version 4.0 or later (Java, Cookies, and JavaScript enabled)
- Visio version 4.0 or 5.0 (optional)



Attention: You cannot install method packs for Microsoft Office 95 and Office 97 on the same computer.

If you are currently using Office 95, and you later choose to upgrade to Office 97, then you can still use the project-specific templates that you created using Office 95. When you open an Office 95 document in Office 97, the application automatically upgrades the document into the Office 97 format.

Installing Your Method Pack

To install a method pack:

1. Close any open applications.
2. If you are installing from CD-ROM, then the installation wizard prompts you to select either the Microsoft Office 95 or Office 97 version of the method.

Go to Step 4.

3. If you downloaded the software, then double-click the SETUP.EXE file to begin installation.
4. Follow the instructions on your screen to complete installation of the method pack.

You may invalidate previously installed method packs if you try to install a new method pack to a different drive. Be sure to install your new method pack to the same drive as any previously installed method packs.

5. From the taskbar, choose Start > Programs > Oracle Method *Method Name* > Software Tools and Documentation.

Your default browser starts, and the method launch page opens.



Warning: Do not modify the file METHOD.XML, which resides by default in the directory
C:\METHOD\OM30\XXX30\MENU\XML.

Installing Your Add-In

An add-in is a collection of method tasks, deliverable templates, and documentation. An add-in can be as simple as a single new template for a standard task or as complex as a complete translation of a method in a different language. Add-ins can add new tasks, deliverables, and templates to the method and can include custom documentation, such as task guidelines and links to web pages.

The add-in feature allows Oracle to provide updates and extensions to a method without publishing a new version. Examples are release-specific content, software updates, sample deliverables, and vertical industry templates. You can use the add-in feature to create your own add-ins with industry, company, or project-specific content. If you are planning a multi-site rollout, add-ins help all project teams standardize on a common set of customized templates.

You must have a method pack installed on your computer before you can install an add-in product. Add-ins maybe distributed from the World Wide Web (WWW) or from media. Choose the instructions that fit your situation:

- Install An Add-In From the WWW
- Install An Add-In Distributed by Other Ways

Install An Add-In From the WWW

To install an add-in from the WWW:

1. Ensure that you are connected to the WWW in order to see the complete list of add-ins available.
2. From the main page of the method pack, click Add-Ins.

The Add-Ins link is located in the lower part of the screen.

3. From the Add-In Selection page, click Check For Add-Ins and Updates.

A special web page on the www.oracle.com web site appears, listing the available add-ins for the method you are using.

4. From the Add-In Selection page, click Install next to the add-in you want to install.

You may be prompted by the application to either open or save the file. Select Open It, and clear the Ask Me option. The file is a special Oracle Method product file, and it must be opened rather than saved.

5. Repeat Step 4 for as many add-ins as you want to install.
6. Click Back to return to the Add-In Component page.

Your newly installed add-ins appear in the add-ins list.

7. Activate your add-ins by selecting the checkbox next to the add-ins you want to activate.
8. Click OK to activate.

The browser brings you back to the main method page.

Install An Add-In Distributed by Other Ways

Add-ins can also be distributed in other ways besides the WWW. For example, an Oracle implementation partner might create an add-in, and distribute it from their web site. Add-ins can also be sent as email attachments or distributed on CD-ROMs or floppy disks.

Add-in files use the file name extension .OMA (Oracle Method Add-in). For example, a Dutch translation of CDMi 9.0 might be named `cdmi90nl.oma`.

To install any add-in file:

1. Double-click on the file name in Windows Explorer.
2. After installation, you can delete the add-in .OMA file.
3. If an Internet web page includes a link to an add-in file, click on the link.

The add-in will automatically be downloaded and installed into the correct directory. The next time you run the method, the new add-in will be available on the Add-Ins Component page.

Removing Method Packs

The following procedure removes the entire method pack from your computer, including method documentation, method launch page, and deliverable templates.

To remove a method pack or add-in from your computer:

1. Close any open applications.
2. From the taskbar, choose Start > Programs > Oracle Method *Method_Name* > Uninstall.

The Uninstall wizard starts.

3. Select an option:

Partial removes the base method only, and leaves the add-ins on your computer. This option is useful when you want to refresh your base method without removing your add-ins.

Full removes the base method pack plus any add-ins you have installed.

4. Click OK to remove from your computer.



Attention: When you perform a partial removal of a method pack or add-in from your computer, the wizard does not remove the file METHOD.XML, which resides by default in the directory C:\METHOD\OM30\XXX30\MENU\XML. Oracle Method recommends that you keep the METHOD.XML file on your computer to facilitate future method pack or add-in installations. Also, project-specific templates are not removed during deinstallation.

Removing Your Add-in

You can activate or deactivate an add-in, or you may completely remove the add-in from your computer. Removal completely deletes add-in content from your computer. If there is a possibility that you will use the add-in sometime in the future, then Oracle recommends simply deactivating it.

To remove your add-in:

1. From the method pack, click the Add-Ins link at the bottom of the page.
2. Click the Remove button next to the add-in you want to remove from your computer.
3. Click OK to return to the main page.

2

Using Deliverable Templates

The method packs and add-ins provide you with deliverable templates to aid you in completing your project deliverables. This chapter discusses how to use these templates. Specific topics discussed are:

- Creating a New Word Deliverable
- Creating a New PowerPoint Deliverable
- Creating a New Excel Deliverable
- Creating a New Visio Deliverable
- Using Project Workplan Deliverables

Creating a New Word Deliverable

Word deliverable templates derive their styles from the file OMGUIDE.DOT. When you open a Word deliverable template, an OM menu appears on the Word menu bar. The menu is driven by a macro also located in the OMGUIDE.DOT file. If you move a file formatted with OMGUIDE.DOT onto a computer that does not have OMGUIDE.DOT installed, then the styles for that moved file revert to the styles in the file NORMAL.DOT. NORMAL.DOT is the default style template for all Word documents.

Use the commands in the OM menu to customize and complete your Word deliverable document. Note that the OM commands cannot be used while in Print Preview mode.



New Feature: You may save your deliverable templates to another hard drive on a partitioned computer while maintaining connectivity to the deliverable template engine.

To create a new deliverable document in Word:

Step 1: Show Bookmarks

Step 2: View Notes in Templates

Step 3: Substitute Values for Automatic Replacement Variables

Step 4: Enter Project-Specific Information

Step 5: Update Field Codes

Step 6: Modify Headers and Footers (optional)

Step 7: Add Document Content

Step 8: Remove Sample Data

Step 9: Insert New Sections and Renumber Pages (optional)

Step 10: Adjust Graphic Size (optional)

Step 11: Remove Notes

Step 12: Customize the Title Page (optional)

Step 13: Add Confidentiality Text (optional)

Step 14: Save Your Deliverable Template

Step 1: Show Bookmarks

The deliverable templates use Word bookmarks so that key information in the cover page appears consistently in the headers and footers. Be careful not to accidentally delete these bookmarks.

To show bookmarks:

1. Open the Word deliverable template you want to use.
2. Choose Tools > Options > View.
3. Select Show Bookmarks, and click OK.

Step 2: View Notes in Templates

Suggestions, advice, and other important information appear in yellow note fields throughout the Word templates.

To show yellow notes:

1. Open the Word deliverable document.
2. Choose Tools > Options > View.
3. Select Show Hidden Text, and click OK.

Step 3: Substitute Values for Automatic Replacement Variables

The deliverable templates often include special variables for which you substitute project-specific values to customize for your deliverable. The deliverable templates mark these variables with the paragraph style Highlighted Variable, distinguished by blue font to help you visually distinguish them from other content. This type of variable is called an *automatic replacement variable*, different from manually replaced variables. For example, a deliverable template may contain an automatic replacement variable for the Company Long Name.



Attention: For information about manually replaced variables, see Step 4: Enter Project-Specific Information.

To substitute values for template variables:

1. With your Word deliverable document open in Normal viewing mode (View > Normal), choose OM > Mass Changes.

The Mass Changes dialog box appears. Note that if you drag the Mass Changes dialog box across the screen, the screen areas behind the dialog box appear grayed. Therefore, do not attempt to move the dialog box.

2. Enter the values for your document.

These values cannot be used for Mass Changes:

- apostrophe (')
- double quote (")
- caret (^)

3. If you want to use these values as default values for other deliverable documents that you subsequently create in Word, then select Set Default.
4. Select Preserve Variable Highlighting if you want Word to visually differentiate the substituted values.
5. Click OK.

Word substitutes the values you provided. The next time you invoke Mass Changes, the default values are the values you specified. The Set Default boxes are not selected so that you can reset them at any time.

Step 4: Enter Project-Specific Information

Some deliverable templates use corner brackets (< >) to indicate project-specific values that you must enter manually.

To enter project-specific values:

1. In the deliverable document, press Ctrl+F to use the Find command.
2. Search for corner bracket characters, and ensure that the bracketed information is not a template variable.

There are two ways to differentiate template variables from project-specific information that you must manually enter:

- Click on the word between the brackets. Check the paragraph style, which may be on your menu bar and also can be viewed by choosing Format > Style. Template variables use the paragraph style Highlighted Variable.
 - Template variables feature blue characters instead of the default black character color.
3. Replace the bracketed information with the information specific to your project.

Step 5: Update Field Codes

The deliverable templates use field codes to automate page numbering and other numerical features.

To update field codes:

1. Open the Word deliverable document you want to update.
2. Choose Tools > Options.
3. The Options dialog box appears.
4. Click the View tab, and select Field Codes in the Show area.
5. Click OK, and Word displays the field codes on screen.
6. Select the field code text you want to update, and press F9. Alternatively, right-click, and choose Update Field from the popup menu.

To set automatic update for the field codes in your document whenever you print from Word:

1. Choose Tools > Options.
2. Click the Print tab.
3. Select Update Fields in the Printing Options area, and click OK.

Step 6: Modify Headers and Footers (optional)

The headers and footers of a document can offer important navigational indicators to the reader.



Warning: Most users do not need to modify the information in headers and footers. The customizable information in headers and footers can usually be modified using template variables.

If you do need to change the template headers and footers to reflect specific requirements of your project, then ensure that you do not delete field codes.

To view field codes:

1. Choose Tools > Options > View.
2. Select Show Field Codes, and click OK.

To modify the headers or footers of a template:

1. Open your Word deliverable document file.
2. If your document is not in Page Layout view, then choose View > Page Layout.
3. Double-click in the grayed area of the header or footer that you want to modify.

The header or footer area becomes active.

4. Change the information to reflect your requirements.
5. Set headers and footers to Same as Previous, if this setting is not already enabled.



Step 7: Add Document Content

Add the content for your deliverable based on the specifics of your project. Use special OM menu commands to help you format the content.

To add content:

1. Modify sample text, and add appropriate detail.
2. Choose any of the commands in the OM menu to add formatted components to your document:

Insert Icon and Text	Adds offset paragraphs indicated with special icons representing different types of information: • Attention • Suggestion • Warning • Form Reference • Document Reference • Report Reference
Insert List Table	Adds a two column and one row unformatted table.
Insert Formatted Table	Adds a formatted table according to the number of rows and columns you specify.
Format Existing Table	Formats any selected table that contains at least two rows.
Custom Title Page	Replaces the standard title page with a title page that you customize.

Make Confidential Inserts confidential text either in the title page or at the location of the cursor.

Step 8: Remove Sample Data

Deliverable templates sometimes contain sample data to help you complete the deliverable correctly. Be sure to remove this sample data.

Step 9: Insert New Sections and Renumber Pages (optional)

You may want to insert new sections in either portrait or landscape orientation to accommodate your content. Remember that Word restarts page numbering when you insert section breaks, and you need to renumber the document.

To insert a new section:

1. Ensure that headers and footers are set to Same as Previous.
2. Place the cursor in the exact location where you want the new section to begin.
3. Choose Insert > Break.
4. Select Next Page in the Section Breaks area.

Word inserts a new section. The deliverable template automatically adds headers and footers to the new section pages. If the new section is landscape oriented, then the headers and footers are automatically sized.

5. Choose OM > Select Paper Size.

The Select Paper Size dialog box appears.

6. Select the appropriate paper size for your document to renumber the entire document, including the new section.

Step 10: Adjust Graphic Size (optional)

Sometimes graphics exceed the margins of the deliverable. The Adjust Graphic Size command allows you to automatically adjust all the graphics in your deliverable template at one time.

To adjust the size of all graphics within your document:

1. Ensure that no graphics are selected.
2. Choose OM > Adjust Graphic Size.

All graphics are resized to fit within the margins of your document.

Step 11: Remove Notes

When you finish your deliverable, remove the yellow notes.

To remove the notes:

1. With the Word deliverable document open, choose OM > Strip Yellow Notes.

Word removes the yellow notes.

2. Review the document after removing the notes to ensure that there are no unintended changes to the page layout.
3. Save your document.

Step 12: Customize the Title Page (optional)

You may want to change the standard title page of your deliverable to reflect information customized to your project.

Changing the Logo of the Title Page for All Template Files in a Method Pack

To change only the logo on the title page for all of the templates in a method pack:



Suggestion: Before proceeding with this step, make a backup copy of the file OMGUIDE.DOT. Rename the backup file, or move the file to a different directory. Note the new name or new directory. If you later want to revert to the styles and standard information, then change the backup file name back to OMGUIDE.DOT or move the backup file back to the appropriate subdirectory. The *default* subdirectory is \WORDLIB. For example, in the AIM 3.0 method pack, the default path is C:\METHOD\OM30\AIM30\AIM30fnd\WORDLIB. In the PJM 2.6.1 method pack, the default path is C:\METHOD\OM30\PJM261\WORDLIB.

1. Locate the file OMGUIDE.DOT, which is located by default in the WORDLIB subdirectory of the method pack with which you are working.
2. Open OMGUIDE.DOT.

The Macro Virus Protection Warning dialog box appears, asking you if you want to disable macros that are attached to the document.

3. Click Yes.
4. Choose Insert > Picture, and select the file of the picture you want to use as the logo. Click OK to insert the picture.
5. Add a space after the picture and before the paragraph mark.

To view paragraph marks, choose Tools > Options. Select Paragraph Marks from the Nonprinting Characters area, and click OK.

6. Highlight the picture and the space, but do not include the paragraph mark.
7. If you are using Microsoft Office 95, then choose Edit > Auto Text.

If you are using Microsoft Office 97, then choose Insert > Auto Text... >Auto Text.

The Auto Text dialog box appears.

Important: Follow the next two steps in the order that they appear according to the version of Microsoft Office you are using.

8. In Office 95, from the Make Auto Text Entry Available To drop down list, choose Documents Based on OMGUIDE.DOT.

In Office 97, from the Look In drop down list, choose OMGUIDE.DOT.

9. In Office 95, from the Name drop down list, choose PIC Oracle Logo.

In Office 97, from the Enter Auto Text Entries Here drop down list, choose PIC Oracle Logo.

10. Select Insert as Formatted Text, and click Add.

A dialog box asks if you want to redefine the Auto Text entry.

11. Click Yes.
12. If you want, then you can delete the picture you inserted into OMGUIDE.DOT.
13. Save and close the OMGUIDE.DOT.

This change affects all logos in the title pages for the deliverable templates in the current method pack.

Changing the Title Page for One Deliverable Template File

To change the title page for a single deliverable template file:



Suggestion: Before proceeding with this step, make a backup copy of the file CUSTOM.DOC. Rename the backup file, or move the file to a different directory. Note the new name or new directory. If you later want to revert to the styles and standard information, then change the backup file name back to CUSTOM.DOC or move the backup file back to the appropriate directory. The *default* directory is C:\METHOD\OM30\XXXY, where XXX is the method abbreviation and YY is the version number of the method with which you are working.

1. Open CUSTOM.DOC, which by default is located in C:\METHOD\OM30\XXXY, where XXX is the method abbreviation and YY is the version number of the method with which you are working.
2. Select the Oracle logo.
3. Choose Insert > Picture, and specify the location of the file of the picture you want to use as the logo.
4. Click OK, and Word replaces the logo with your picture.
5. Change any textual information if desired.

If you change the headers or footers, then be sure to set headers and footers to Same as Previous.

6. Save CUSTOM.DOC, and close the file.
7. In the deliverable, choose OM > Custom Title Page.

The command replaces the current title page with the information contained in CUSTOM.DOC. The change does not affect other deliverable templates in the same method pack.

Step 13: Add Confidentiality Text (optional)

You can automatically add confidentiality text to your deliverable with the Make Confidential command. The standard text is:

"Confidential Information" means: The form and format of this document, and any information in this document not solely provided by the company identified on the first page of this document ("Company"), are Oracle Corporation's proprietary and confidential information ("Oracle Confidential Information"). Company may not allow use by, or dissemination or publication to or by, any person or entity other than Company and Oracle Corporation of Oracle Confidential Information. Information in this document which is solely provided by Company is Company's proprietary and confidential information ("Company Confidential Information"). Oracle Corporation may not allow use by, or dissemination or publication to or by, any person or entity other than Company or Oracle Corporation of Company Confidential Information.

To add confidentiality text to your deliverable:

1. From the OM menu, choose Make Confidential.

The command adds standard confidentiality text to the title page and footers of your deliverable.

2. If no title page exists for your document, then you are prompted to enter the text at the location of your cursor.

To modify the standard confidentiality text:

1. Locate the file OMGUIDE.DOT, which is located by default in the WORDLIB subdirectory of the method pack with which you are working.
2. Open OMGUIDE.DOT.

The Macro Virus Protection Warning dialog box appears, asking you if you want to disable macros that are attached to the document.

3. Click Yes.

4. In Office 95, choose Edit > Auto Text.

In Office 97, choose Insert > Auto Text. > Auto Text.

5. In Office 95, from the Name drop down list, choose Confidential Information Text, and click Insert.

In Office 97, from the Look In drop down list, choose OMGUIDE.DOT. From the Enter Auto Text Entries Here, choose Confidential Information Text, and click Insert.

6. Modify the text as desired.
7. Highlight the text (you may include paragraph marks).
8. In Office 95, choose Edit > Auto Text.

In Office 97, choose Insert > Auto Text. >Auto Text.

9. In Office 95, in the Name field, enter any character.

Entering a character in the Name field activates the drop down list. If you do not enter a character in the Name field, then the drop down list is grayed and inaccessible.

From the Make Auto Text Available To drop down list, choose Documents Based on OMGUIDE.DOT. From the Name drop down list, choose Confidential Information Text.

In Office 97, from the Look In drop down list, choose OMGUIDE.DOT. From the Enter Auto Text Entries Here drop down list, choose Confidential Information Text.

10. Click Add.
11. Click Yes when a message prompts you to redefine the auto text entry.
12. You may delete the customized text from OMGUIDE.DOT.
13. Save and close OMGUIDE.DOT.

The change or changes you make affect all deliverable templates in the current method pack.

Step 14: Save Your Deliverable Template

Deliverable template files are read-only files. Use the Save As command when you save your deliverable (File > Save As). Otherwise, if you use the Save command, a message appears informing you that the file is read-only. Then Word prompts you to enter a new file name and a saving location.

You may save your deliverable templates to another hard drive on a partitioned computer while maintaining connectivity to the deliverable template engine.

Creating a New PowerPoint Deliverable

To create a new PowerPoint deliverable:

1. Open the PowerPoint deliverable template you want to use.

PowerPoint starts, and the deliverable template opens.

2. Enter project-specific information.
3. Ensure that you remove any sample data.
4. Save the document by choosing File > Save As.



Attention: Some deliverable templates use corner brackets (< >) to indicate values that you must replace with values specific to your project.

Search for corner brackets, and replace them with the values appropriate for your project.

Creating a New Excel Deliverable

To create a new Excel deliverable:

1. Open the Excel deliverable template you want to use.

Excel starts, and the deliverable template opens.

2. Enter project-specific information.
3. Ensure that you remove any sample data.
4. Save the document by choosing File > Save As.



Attention: Some deliverable templates use corner brackets (< >) to indicate values that you must replace with values specific to your project.

Search for corner brackets, and replace them with the values appropriate for your project.

Creating a New Visio Deliverable

To create a new deliverable using Visio:

1. Open the Visio deliverable template you want to use.

Visio starts, and the deliverable template opens.

2. Enter project-specific information.
3. Save the file.

Using Project Workplan Deliverables

This section provides information about project workplans:

- Where Task Information is Stored
- Creating New Project Workplan Deliverables
- Modifying the Workplan

Where Task Information is Stored

The table shows where each of the supported project planning tools stores task information.

Task Information	ABT Project Workbench (Task Definition Dialog)	Microsoft Project (Task Information Dialog)
Task ID	ID	WBS
Task Name	Name	Name
Deliverable Name	Deliverable	Text1
Task Dependencies	Dependency Links	Predecessors
Dependency Overlaps	Dependency Links: Gap / Overlap Amount	Predecessors
Resources	Resource Assignment	Resource Names
Duration	Duration	Duration
Category	Category	Text3
Process	Short Name	Text2

Creating New Project Workplan Deliverables

To create a project workplan deliverable:

1. Open the workplan deliverable template you want to use.

The project workplan is available in two formats, ABT Project Workbench and Microsoft Project. Choose the format you want to use.

Your project management software starts, and the deliverable template opens.

2. Adapt the plan to fit your project requirements.
3. Save the plan when you are satisfied that the plan reflects your project.

If you need to save multiple workplans for the same project, use the **Save As** command in your workplan software. Provide a unique name for each workplan version.

Modifying the Workplan

Modify the baseline workplan to fit your project:

1. Add and remove (or “zero out”) tasks and dependencies appropriately.

Zero out unnecessary tasks by giving those tasks a duration of 0 (zero) and placing the task names in parentheses or brackets. This technique also makes it easy to add these tasks later if you decide you need them.

2. Specify named resources.
3. Provide task estimates.
4. Schedule the plan.

Working with Graphics

This chapter explains how to work with graphics when using the Oracle Method Deliverable Templates. Specific topics discussed are:

- Understanding Embedded Objects
- Embedding Objects
- Moving and Framing Graphics
- Resizing Graphics
- Adjusting the Size of the Graphics
- Adding a Company Logo

Understanding Embedded Objects

When you embed an object in Word, the entire file is stored inside of the Word document, and there is no link to an external file. This feature has the advantage that the Word file can be freely moved, copied, and distributed without concern about other files or broken links. The disadvantages are that the resulting size of the Word file is much greater, and editing an embedded file is slower than editing a separate Visio file.

You can determine if an object is embedded or linked from within Word without editing it. Toggle the display of field codes by pressing Alt+F9. An embedded object is shown as a field code like this:

{ EMBED Visio.Drawing.4 }



Additional Information: See your Microsoft Office and Visio documentation for more information on object embedding.

Embedding Objects

{ XE "graphics:embedding" \b } { XE "embedding graphics" \b } **Embed an object in Word in one of the following ways:**

- Embedding Objects Using the Toolbar Icon
- Embedding Objects Using the Insert Object Command
- Embedding Objects by Cutting and Pasting

Embedding Objects Using the Toolbar Icon

To embed an object using the toolbar icon:

1. Position your cursor in the place where you want the object to appear in your Word document.
2. Click the Visio or Excel icon on the toolbar.
3. Create the drawing or spreadsheet in the host application.
4. Save your file, and exit from the application.

The object appears where the cursor was located before you activated the button.

Embedding Objects Using the Insert Object Command

To embed an object using the Insert Object command:

1. Position your cursor in the place where you want the object to appear in your Word document.
2. Choose Insert > Object.
3. Select the type of object you want to embed, and click OK.

Word launches the selected application.

4. Create the drawing or spreadsheet in the host application.
5. Save your file, and exit from the application.

The object appears where the cursor was located before you activated the button.

Embedding Objects by Cutting and Pasting

To embed and object by cutting and pasting:

1. With your Word document open, start the desired application.
2. Create or open the drawing, spreadsheet, or other file that you want to embed.
3. Select the portion of the file you want to embed in Word, and then choose Edit > Copy.
4. In Word, position the cursor to the desired location.
5. Choose Edit > Paste.



Attention: When pasting a selection from Excel, the default action of the Paste command is to create a Word table with the contents of the selected cells.

To embed an Excel object:

1. In Word, choose Edit > Paste Special.
2. Select Microsoft Excel Worksheet Object as the format, and click OK.

Moving and Framing Graphics

A picture in a Word document behaves like any other text object. If you add spaces or tabs in front of it, it moves to the right. If you add blank lines above it, it moves down and pushes other text below it down also. Use the left margin handle in the ruler and the text alignment buttons (left, middle, and right) to position a picture horizontally.

You can also put the picture in a frame and anchor it to a particular position on a page and allow text flow around it.

{ XE "graphics:framing" \b }**To frame a picture:**

1. Select the picture.
2. Choose Insert >Frame.

In page layout view, you can freely move the picture anywhere on the page, or *anchor* it to a specific paragraph.

Resizing Graphics

{ XE "graphics:resizing" \b }{ XE "sizing graphics" \b }**To resize a picture:**

1. Select the picture.
2. Position your pointer over a square, and drag in the direction you want to scale.

If you drag a corner, the picture scales proportionally.

Adjusting the Size of the Graphics

The Adjust Graphic Size command reduces the size of graphics which extend beyond the right side margin of the document. This functionality is useful when, after editing a diagram or updating a link, the resulting picture is too large. Pictures that are narrower than the margins are not affected. Use this command to adjust all graphics in the document at the same time, or use it to adjust each graphic individually.

{ XE "graphics:adjusting size to fit within margins" \b }{ XE "adjusting graphic size" \b }**To adjust a graphic:**

1. Select the picture.
2. Choose Adjust Graphic Size from the OM menu.

To adjust all graphics in the document file at one time:

1. Ensure that you have not selected any of the graphics in the document.
2. Choose OM > Adjust Graphic Size.

Adding a Company Logo

To add a company logo to your deliverable document, follow the instructions below that apply to your situation:

- Changing the Logo of the Title Page for All Template Files in a Method Pack
- Changing the Title Page for One Deliverable Template File

Changing the Logo of the Title Page for All Template Files in a Method Pack

To change only the logo on the title page for all of the templates in a method pack:



Suggestion: Before proceeding with this step, make a backup copy of the file OMGUIDE.DOT. Rename the backup file, or move the file to a different directory. Note the new name or new directory. If you later want to revert to the styles and standard information, then change the backup file name back to OMGUIDE.DOT or move the backup file back to the appropriate subdirectory. The *default* subdirectory is \WORDLIB. For example, in the AIM 3.0 method pack, the default path is

C:\METHOD\OM30\AIM30\AIM30fnd\WORDLIB. In the

PJM 2.6.1 method pack, the default path is

C:\METHOD\OM30\PJM261\WORDLIB.

1. Locate the file OMGUIDE.DOT, which is located by default in the WORDLIB subdirectory of the method pack with which you are working.
2. Open OMGUIDE.DOT.

The Macro Virus Protection Warning dialog box appears, asking you if you want to disable macros that are attached to the document.

3. Click Yes.
4. Choose Insert > Picture, and select the file of the picture you want to use as the logo. Click OK to insert the picture.
5. Add a space after the picture and before the paragraph mark.

To view paragraph marks, choose Tools > Options. Select Paragraph Marks from the Nonprinting Characters area, and click OK.

6. Highlight the picture and the space, but do not include the paragraph mark.
7. If you are using Microsoft Office 95, then choose Edit > Auto Text...

If you are using Microsoft Office 97, then choose Insert > Auto Text... >Auto Text.

The Auto Text dialog box appears.

Important: Follow the next two steps in the order that they appear according to the version of Microsoft Office you are using.

8. In Office 95, from the Make Auto Text Entry Available To drop down list, choose Documents Based on OMGUIDE.DOT.

In Office 97, from the Look In drop down list, choose OMGUIDE.DOT.

9. In Office 95, from the Name drop down list, choose PIC Oracle Logo.

In Office 97, from the Enter Auto Text Entries Here drop down list, choose PIC Oracle Logo.

10. Select Insert as Formatted Text, and click Add.

A dialog box asks if you want to redefine the Auto Text entry.

11. Click Yes.
12. If you want, then you can delete the picture you inserted into OMGUIDE.DOT.
13. Save and close the OMGUIDE.DOT.

This change affects all logos in the title pages for the deliverable templates in the current method pack.

Changing the Title Page for One Deliverable Template File

To change the title page for a single deliverable template file:



Suggestion: Before proceeding with this step, make a backup copy of the file CUSTOM.DOC. Rename the backup file, or move the file to a different directory. Note the new name or new directory. If you later want to revert to the styles and standard information, then change the backup file name back to CUSTOM.DOC or move the backup file back to the appropriate directory. The *default* directory is C:\METHOD\OM30\XXXYY, where XXX is the method abbreviation and YY is the version number of the method with which you are working.

1. Open CUSTOM.DOC, which by default is located in C:\METHOD\OM30\XXXYY, where XXX is the method abbreviation and YY is the version number of the method with which you are working.
2. Select the Oracle logo.
3. Choose Insert > Picture, and specify the location of the file of the picture you want to use as the logo.
4. Click OK, and Word replaces the logo with your picture.
5. Change any textual information if desired.

If you change the headers or footers, then be sure to set headers and footers to Same as Previous.

6. Save CUSTOM.DOC, and close the file.
7. In the deliverable, choose OM > Custom Title Page.

The command replaces the current title page with the information contained in CUSTOM.DOC. The change does not affect other deliverable templates in the same method pack.

A

Standard Word Template Components

This appendix describes the components of the Word deliverable templates that are consistent throughout the deliverable template collection. Use these standard template components for any Word deliverable document:

- Front Matter
- Cover Page
- Change Record
- Reviewers
- Distribution
- Table of Contents
- Introduction or Overview

- Standard Template Variables

Front Matter

The standard front matter for a controlled document includes:

- title page
- table of contents
- preface

Cover Page

The Cover Page contains:

Component	Description of Contents
Method Abbreviation	Oracle Method abbreviation.
Title	Name of the deliverable.
Company Long Name	Name of the company.
Subject	Brief description of the deliverable or type of information contained in deliverable document.
Author	Author of the document.
Creation Date	Date the document was originally created.
Last Updated	Date the information contained in the document was last updated.
Control Number	Manually maintained code or number that uniquely identifies the deliverable document.
Version	Manually maintained number sequentially incremented with each publication of the document. Equals the version number in the last change record row.
Approvals	Area for handwritten acceptance by designated approvers.
Copy Number	The unique copy number for each instance of the document (if the document is copy-controlled). Each copy number must correspond with one row in the distribution list. This is usually written by hand in the space provided on the printed document.

Change Record

Use the Change Record to maintain a revision history, using one row for each revision. The Date and Version in this table should correspond the Last Updated date and Version indicated on the cover page.

The change record contains:

Component	Description of Contents
Date	Date the change was made to the document.
Author	The person, group, or role responsible for the change.
Version	Version number that the change was published under.
Change Reference	Description of the change made to the document.

Reviewers

Use the Reviewers list to identify the individuals who must review the document. If your document is not controlled, then delete the Reviewer list, and remove the Copy Number field from the cover page.

The reviewer list specifies:

Component	Description of Contents
Name	Name of reviewer.
Position	Position and role of the reviewer.

Distribution

The Distribution list component shows the recipients of the document, including the project library and other possible storage locations. If your

document is not controlled, then delete the Distribution list, and remove the Copy Number field from the cover page.

The distribution list contains the following information:

Components	Description of Contents
Copy Number	Unique copy number for each recipient when hardcopy controls are in effect.
Name	Name of the recipient.
Location	Geographical location of the recipient.

Table of Contents

The Table of Contents lists the contents of the deliverable document. The default style is to display the first two levels of headings, but you can change the number of levels displayed, as appropriate, for your deliverable document.

Introduction or Overview

The Introduction component gives the reader an overview of the deliverable, outlines the purpose of the document, and tells the reader how to use it.

Standard Template Variables

Each time you create a new deliverable from a template, you will have an opportunity to specify values for template variables. You can also make changes to variable substitutions at a later time.

These variables commonly appear in templates:

Variable Name	Description
Company Long Name	The full name of the company, for example, ACME Corporation.
Subject	A descriptive phrase for the deliverable document, such as the functional area within the business or application that the document addresses. For deliverables that you produce only once during a project, use the project name as the subject.
Document Reference Number	A number by which the document is controlled. For example, ACME/TA010/001 for the first version of the task TA.010 deliverable document on the ACME project.
Approver 1	The name or description of the first approval signature. You can set this to a project role (such as Project Manager) or to the name of the approver.
Approver 2	The name or description of the second approval signature.

B

Standard Word Template Styles

This appendix provides tips and techniques for using and modifying the standard styles built into the deliverable templates for Word. The deliverable templates use a Word-based template file called OMGUIDE.DOT. If the deliverable you create is placed on a computer that does not contain the method pack that the deliverable was constructed with, then the underlying template reverts to the default Word template NORMAL.DOT. The standard Oracle Method style definitions are described in this section.

- Font
- Headings
- Summary of Paragraph Styles
- Keyboard Shortcuts

Font

The Oracle Method Deliverable Template Tool uses Book Antiqua as the standard font for all styles (except tty styles). Book Antiqua is a TrueType version of the Adobe font Palatino and is included with Microsoft Office and PowerPoint. If you do not have Book Antiqua installed on your computer, Word substitutes a font that is similar for display purposes (usually Times New Roman).

Headings

All of the Heading styles are defined with a *next style* so that when you press Return, the next paragraph is automatically set to Body Text. The *next style* of the Heading Bar style is set to Heading 3 so that you can easily enter the heading under the bar and then the body text under the heading. Also, heading styles include the paragraph formatting options Keep Lines Together and Keep With Next so that Word will not insert a page break between a heading and the first line of the paragraph that follows it.

Summary of Paragraph Styles

To view sample styles while using the Word deliverable templates:

1. Choose Format > Style Gallery.
2. Select Style Samples.

The following list summarizes the primary styles used in the Deliverable Template Tool:

Paragraph Style	Description of Use
Normal	Standard style that all other styles in the template are based upon. Any changes made to the Normal style (such as font) will be reflected in most other styles. The Normal style is rarely used directly in documents, however.
Body Text	Used for standard paragraphs throughout all deliverables.
Title Bar	Used for the horizontal bar that appears on the title page and on the first page of a chapter in multi-chapter documents. It should be a single, empty paragraph.
Heading 1	Reserved for chapter headings in multi-chapter documents, but it is rarely used in project deliverables.
Heading 2,HD2	Indicates a major section that begins on a new page. This style has a horizontal bar above the text that extends the width of the page. Most deliverable components begin with Heading 2.
Heading 3	Normally has a short bar above it that extends 1.75 inches and aligns with the indent of the Body Text style.

Paragraph Style	Description of Use
Heading 4	Same font size and indents as Body Text, but is bold and underlined. It also has center and right tabs that are used for form field descriptions in design documents.
Heading 5	Used as a subheading below Heading 4 and appears as Bold Italics.
Heading Bar	Used for the bar above the Heading 3 style and should be an empty paragraph. It is required because Word does not support lines in a style definition that are shorter than the right margin of the paragraph.
Hanging Indent	Used for definitions like this list of style names. The phrases in the left column are normally bold, but you must apply this formatting manually. If the terms or phrases in a definition list are long (such that they should wrap), you should use a list table. To insert a list table, select List Table from the Insert or OM menus.
Bullet	Used for unnumbered or non-sequential lists.
Number List	Used for numbered lists.
Checklist	Uses a shadowed box as a bullet for check-off lists.
Checklist-X	Uses a box with a cross mark in it for completed checklist items.
Note	Appears as yellow field box. Used to provide helpful information for completing deliverables.
Note Wide	Appears as yellow field box, wider than Note style. Used to provide helpful information for completing deliverables.
Info Box	Encloses centered text in a box.

Paragraph Style	Description of Use
Table Text	Standard style for text appearing in a formatted table. It is slightly smaller than Body Text.
Table Heading	Style for the text in the heading of a formatted table.
tty80	Used to simulate terminal or report output. Tabs are spaced at 8 character intervals.
tty80 indent	Like tty80, but is indented slightly more than the Body Text style. It is useful for describing system commands or files.
tty132	Use for documenting 132 column reports.
tty180	Use for documenting 180 column reports.
Note	Used for instructions on using special features of the templates and for hint and tips. It is formatted as a yellow box and has the hidden text attribute so that it does not appear on printed documents.
Highlighted Variable	Denotes substitution variables in templates.

Keyboard Shortcuts

The OM Deliverable Template Tool defines the following keyboard shortcuts to speed document creation and formatting:

Key Combinations	Style
Ctrl+Shift+1	Heading 1
Ctrl+Shift+2	Heading 2
Ctrl+Shift+3	Heading Bar
Ctrl+Alt+3	Heading 3
Ctrl+Shift+4	Heading 4
Ctrl+Shift+5	Heading 5
Ctrl+Shift+N	Body Text (N = Normal)
Ctrl+Shift+B	Bullet
Ctrl+Shift+I	Info Box
Ctrl+Alt+H	Highlighted Text (a character style)



Attention: Ctrl+Shift+3 sets the Heading Bar style so that you can enter a bar and press Return to enter the actual heading text. If you are reformatting text and need to change a heading to a Heading 3 style, use Ctrl+Alt+3 to set the text style, create a blank line above the heading, then press Ctrl+Shift+3 to create the bar.

If you view your document in outline mode and rearrange or promote or demote headings, the Heading Bar style will not move with the corresponding Heading 3 text. It will just be considered part of the text of the prior heading.