

CS-AML

Screen Inventory

Version 0.1.1

Approved Internal Specification Baseline

2026-10-08 · tag v0.1.1-spec

Civil Society Anti-Money Laundering & Financial Intelligence Framework

Generated from the canonical Markdown source. The Markdown file in the repository remains authoritative; change tags such as `[v0.1.x · ...]` are part of the traceability record.

Contents

1. Purpose and Scope 3

2. Screen ID Standard 3

3. Inventory Summary 4

4. Canonical Screen Inventory 4

5. Screen Details by Domain 6

 Home 6

 Cases 6

 Evidence 8

 Entities 10

 Analysis 12

 Search 14

 Products 14

 Administration 17

 System 18

6. Shared Screen-State Requirements 18

7. Screen Inventory Definition of Done 19

CS-AML Screen Inventory v0.1.1

Canonical screen catalogue for MVP 0.1

Document status — v0.1.1

Version: 0.1.1 — Approved Internal Specification Baseline (2026-10-08, tag v0.1.1-spec). [v0.1.1 · A01]

Supersedes: CS-AML Screen Inventory v0.1. The DOCX/PDF files in this repository are the unchanged v0.1 baseline (legacy); this Markdown file is the canonical source.

Validation: approved by the product owner as the internal specification baseline on 2026-10-08 (decision register and release gates in CHANGELOG.md). No implementation test result or independent audit exists yet. Acceptance criteria in this document are targets, not evidence that tests have passed.

CS-AML is not an external standard or certification. References to FATF, Wolfsberg, PPATK, UNODC or other bodies do not imply their endorsement.

Changes in 0.1.1: see CHANGELOG.md at the repository root (audit findings A01–A16).

Version	0.1.1
Status	Approved Internal Specification Baseline (2026-10-08, tag v0.1.1-spec) — normative UI inventory baseline [v0.1.1 · A01]
Scope	MVP 0.1

Design axiom. Screens and wireframes SHALL preserve analytical uncertainty, provenance, reversibility, permission boundaries, and review context. Visual hierarchy must never convert inference into fact or status into accusation.

1. Purpose and Scope

This inventory defines the canonical set of user-facing screens required for CS-AML MVP 0.1. It bridges Information Architecture and UX into an implementation-oriented screen catalogue. Each screen receives a stable identifier used by design, frontend engineering, QA, product management and documentation.

Boundary — The inventory defines what screens exist and why. Layout geometry and region-level structure belong to the separate CS-AML Wireframe Specification. Interaction semantics remain governed by the UX Specification; navigation/object organisation remain governed by the Information Architecture Specification.

2. Screen ID Standard

Prefix	Domain
HOME	Home / work queue
CASE	Case & workflow
SRC	Sources
EVD	Evidence
ENT	Entities
REL	Relationships
AST	Assets
TIM	Timeline/events
VAL	Value flow
TYP	Typology
HYP	Hypothesis
ASM	Assessment
GRF	Graph

Prefix	Domain
SCH	Search
PRD	Products
REV	Review
DIS	Dissemination
ADM	Administration
AUD	Audit
SYS	System states

3. Inventory Summary

Domain	Screen Count
Home	1
Cases	7
Evidence	7
Entities	9
Analysis	11
Search	1
Products	9
Administration	5
System	3

Total canonical MVP screen IDs: 53 = 50 working screens + 3 system-state screens (SCR-SYS-001...003). Any statement of "50 screens" refers to the working screens only and excludes the system-state screens. [v0.1.1 · A01, A15]

Each screen ID is a specification requirement; it is not evidence that the screen has been designed, implemented or tested. [v0.1.1 · A01]

4. Canonical Screen Inventory

Screen ID	Screen	Domain	Primary Roles	Purpose	Priority
SCR-HOME-001	Home / Work Queue	Home	All authorised users	Surface assigned work, pending reviews, recent cases and alerts without ranking people by suspicion.	P0
SCR-CASE-001	Case Register	Cases	Investigator, Case Owner	List authorised cases with filters for status, owner, classification and lifecycle stage.	P0
SCR-CASE-002	Create Case	Cases	Investigator	Create a case with purpose, owner, classification and initial investigation question.	P0
SCR-CASE-003	Case Overview	Cases	Case team	Summarise case purpose, scope, owners, status, key objects, lifecycle gates and unresolved risks.	P0
SCR-CASE-004	Investigation Charter	Cases	Case Owner	Read/edit/version investigation question, scope, exclusions, period, risks and collection boundaries.	P0
SCR-CASE-005	Lifecycle Gates	Cases	Case Owner, Reviewer	Submit, review and approve/reject G0-G6 gates with conditions and independence rules.	P0
SCR-CASE-006	Case Work / Tasks	Cases	Case team	Track collection, verification, analysis and review tasks.	P0
SCR-CASE-007	Case Activity	Cases	Case team, Auditor	Chronological material actions for reconstructability.	P0
SCR-SRC-001	Source Register	Evidence	Investigator	Register sources with provenance, access method, reliability and legal/access notes.	P0
SCR-SRC-002	Source Detail	Evidence	Investigator, Reviewer	Inspect provenance, reliability, linked evidence, claims (with claim status and verification decisions) and cases.	P0 [v0.1.1 · A10]
SCR-EVD-001	Evidence Library	Evidence	Case team	Browse evidence and derivatives by source, type, integrity and status.	P0

Screen ID	Screen	Domain	Primary Roles	Purpose	Priority
SCR-EVD-002	Upload Evidence	Evidence	Investigator, Custodian	Ingest original evidence with source linkage and immutable preservation.	P0
SCR-EVD-003	Evidence Detail / Reader	Evidence	Case team	Read original/derivative evidence with provenance, hash and linked analytical objects, including linked claims and facts with their status and verification decisions.	P0 [v0.1.1 - A10]
SCR-EVD-004	Evidence Extract Builder	Evidence	Investigator	Create precise page/paragraph/region extracts linked to original context, record source-attributed claims from them, and propose PROVISIONAL facts.	P0 [v0.1.1 - A10]
SCR-EVD-005	Evidence Lineage	Evidence	Investigator, Reviewer	Show original-to-derivative lineage and transformation metadata.	P0
SCR-ENT-001	Entity Register	Entities	Analyst	Find canonical entities across authorised cases without duplicating case-specific copies.	P0
SCR-ENT-002	Create Entity	Entities	Analyst	Create canonical entity and provenance-bearing assertions.	P0
SCR-ENT-003	Entity Detail	Entities	Analyst	Inspect canonical identity, aliases, identifiers, relationships, assets, cases and evidence.	P0
SCR-ENT-004	Entity Match Queue	Entities	Analyst, Data Steward	Review possible duplicate entities and conflicting attributes.	P0
SCR-ENT-005	Entity Match Compare	Entities	Data Steward	Compare candidates side-by-side and merge, reject or defer.	P0
SCR-ENT-006	Merge History / Unmerge	Entities	Data Steward	Inspect merge rationale/history and reverse supported merges.	P0
SCR-REL-001	Relationship Editor	Entities	Analyst	Create typed relationship with evidence, temporal validity, confidence and status.	P0
SCR-AST-001	Asset Register	Entities	Analyst	Browse assets and attribution relationships.	P0
SCR-AST-002	Asset Detail	Entities	Analyst	Inspect asset identifiers, location, ownership/control/use and evidence.	P0
SCR-TIM-001	Timeline	Analysis	Analyst	Explore case chronology with date precision and evidence links.	P0
SCR-TIM-002	Event Editor	Analysis	Analyst	Create event with precision-aware dates, entities, assets and evidence.	P0
SCR-VAL-001	Value Flow Workspace	Analysis	Analyst	Explore direct, documented, reconstructed and hypothetical value flows.	P0
SCR-VAL-002	Value Flow Builder	Analysis	Analyst	Create single or multi-leg flow with per-leg evidence, class and confidence.	P0
SCR-TYP-001	Typology Catalogue	Analysis	Analyst	Browse versioned typologies, observables, false positives and indicators.	P0
SCR-TYP-002	Typology Match Worksheet	Analysis	Analyst	Compare case observations against a typology with counter-indicators and alternatives.	P0
SCR-HYP-001	Hypothesis Workspace	Analysis	Analyst	Maintain competing explanations with support, contradiction, assumptions and gaps.	P0
SCR-HYP-002	Hypothesis Detail / Matrix	Analysis	Analyst, Reviewer	Map evidence and indicators as supporting, contradicting, neutral or unknown.	P0
SCR-ASM-001	Assessment Draft	Analysis	Analyst	Write judgement, confidence, basis, alternatives, assumptions and gaps.	P0
SCR-ASM-002	Assessment Detail	Analysis	Analyst, Reviewer	Read versioned assessment and trace backwards to evidence.	P0
SCR-GRF-001	Investigation Graph	Analysis	Analyst	Explore evidence-backed entity, relationship, asset and value-flow graph.	P0
SCR-SCH-001	Global Search	Search	All authorised users	Search authorised canonical objects with permission-aware counts and facets.	P0
SCR-PRD-001	Product Library	Products	Analyst, Reviewer	Browse intelligence products by case, status, classification and version.	P0
SCR-PRD-002	Create Intelligence Product	Products	Analyst	Create a product from any of the six MVP templates — Financial Intelligence Note, Entity Profile, Asset Profile, Network Analysis, Referral Package, Case Report — from approved analytical objects.	P0 [v0.1.1 - A06]
SCR-PRD-003	Product Editor	Products	Analyst	Edit structured product content while maintaining fact/analysis/gap distinctions and evidence index.	P0
SCR-PRD-004	Product Detail / Version History	Products	Analyst, Reviewer	Read current/superseded versions and approval state.	P0
SCR-REV-001	Review Queue	Products	Reviewer	List pending independent reviews and gating requirements.	P0
SCR-REV-002	Peer Review Workspace	Products	Reviewer	Comment, request changes, approve or reject with disconfirmation checks.	P0
SCR-DIS-001	Dissemination Approval	Products	Case Owner, Reviewer	Approve intended recipient, purpose, classification and export scope.	P0
SCR-DIS-002	Export Package Builder	Products	Analyst	Select minimised approved content and generate export manifest/package.	P0
SCR-DIS-003	Sharing Log	Products	Case Owner, Auditor	Record who received which version, when, why and with what restrictions.	P0
SCR-ADM-001	Administration Home	Administration	Admin	Entry point to vocabularies, retention, users/roles, policy and system information.	P0
SCR-ADM-002	Vocabulary Management	Administration	Admin	Manage controlled vocabulary versions without rewriting history.	P0

Screen ID	Screen	Domain	Primary Roles	Purpose	Priority
SCR-ADM-003	Retention Policies	Administration	Admin, Privacy	Define retention, hold and disposition rules by classification/object type.	P0
SCR-ADM-004	Access / Case Membership	Administration	Admin, Case Owner	Manage roles and case membership without exposing protected-source identity.	P0
SCR-AUD-001	Audit Explorer	Administration	Auditor	Search material audit events with permission-aware payloads.	P0
SCR-SYS-001	Access Denied / Need-to-Know	System	All users	Explain denied access without revealing restricted object existence/content.	P0
SCR-SYS-002	Integrity Warning	System	All users	Present hash mismatch or evidence-integrity problem with safe next steps.	P0
SCR-SYS-003	Conflict / Stale Version	System	All users	Prevent silent overwrite when concurrent edits or superseded versions exist.	P0

5. Screen Details by Domain

Home

SCR-HOME-001 — Home / Work Queue

Attribute	Definition
Canonical route / context	/
Primary roles	All authorised users
Purpose	Surface assigned work, pending reviews, recent cases and alerts without ranking people by suspicion.
Primary objects	Case, Task, Review, AuditEvent
Required states	default, empty, filtered, degraded
Priority	P0

Cases

SCR-CASE-001 — Case Register

Attribute	Definition
Canonical route / context	/cases
Primary roles	Investigator, Case Owner
Purpose	List authorised cases with filters for status, owner, classification and lifecycle stage.
Primary objects	Case
Required states	default, empty, no-access, filtered
Priority	P0

SCR-CASE-002 — Create Case

Attribute	Definition
Canonical route / context	/cases/new
Primary roles	Investigator
Purpose	Create a case with purpose, owner, classification and initial investigation question.
Primary objects	Case, InvestigationQuestion
Required states	draft, validation-error, success
Priority	P0

SCR-CASE-003 — Case Overview

Attribute	Definition
Canonical route / context	/cases/{case_id}
Primary roles	Case team
Purpose	Summarise case purpose, scope, owners, status, key objects, lifecycle gates and unresolved risks.
Primary objects	Case, Review, Task, Assessment
Required states	default, restricted, stale-data
Priority	P0

SCR-CASE-004 — Investigation Charter

Attribute	Definition
Canonical route / context	/cases/{case_id}/charter
Primary roles	Case Owner
Purpose	Read/edit/version investigation question, scope, exclusions, period, risks and collection boundaries.
Primary objects	Case, InvestigationQuestion
Required states	view, edit, version-history, validation-error
Priority	P0

SCR-CASE-005 — Lifecycle Gates

Attribute	Definition
Canonical route / context	/cases/{case_id}/gates
Primary roles	Case Owner, Reviewer
Purpose	Submit, review and approve/reject G0-G6 gates with conditions and independence rules.
Primary objects	Review, Case
Required states	pending, approved, rejected, blocked
Priority	P0

SCR-CASE-006 — Case Work / Tasks

Attribute	Definition
Canonical route / context	/cases/{case_id}/work
Primary roles	Case team
Purpose	Track collection, verification, analysis and review tasks.
Primary objects	Task, Case
Required states	board, list, empty, overdue
Priority	P0

SCR-CASE-007 — Case Activity

Attribute	Definition
Canonical route / context	/cases/{case_id}/activity
Primary roles	Case team, Auditor

Attribute	Definition
Purpose	Chronological material actions for reconstructability.
Primary objects	AuditEvent
Required states	default, filtered, restricted
Priority	P0

Evidence

SCR-SRC-001 — Source Register

Attribute	Definition
Canonical route / context	/cases/{case_id}/sources
Primary roles	Investigator
Purpose	Register sources with provenance, access method, reliability and legal/ access notes.
Primary objects	Source
Required states	list, empty, validation-error
Priority	P0

SCR-SRC-002 — Source Detail

Attribute	Definition
Canonical route / context	/sources/{source_id}
Primary roles	Investigator, Reviewer
Purpose	Inspect provenance, reliability, linked evidence, claims and cases. Each claim shows its attribution, claim_status and verification decision history; a claim is never presented as a fact. [v0.1.1 · A10]
Primary objects	Source, EvidenceItem, Claim, VerificationDecision [v0.1.1 · A10]
Required states	default, restricted, superseded
Priority	P0

SCR-EVD-001 — Evidence Library

Attribute	Definition
Canonical route / context	/cases/{case_id}/evidence
Primary roles	Case team
Purpose	Browse evidence and derivatives by source, type, integrity and status.
Primary objects	EvidenceItem
Required states	grid/list, empty, upload-in-progress, restricted
Priority	P0

SCR-EVD-002 — Upload Evidence

Attribute	Definition
Canonical route / context	/cases/{case_id}/evidence/new
Primary roles	Investigator, Custodian
Purpose	Ingest original evidence with source linkage and immutable preservation.
Primary objects	EvidenceItem, Source

Attribute	Definition
Required states	idle, uploading, scanning, failed, complete
Priority	P0

SCR-EVD-003 — Evidence Detail / Reader

Attribute	Definition
Canonical route / context	/evidence/{evidence_id}
Primary roles	Case team
Purpose	Read original/derivative evidence with provenance, hash and linked analytical objects. The context rail lists linked claims and facts separately, each with its status (claim_status / fact_status) and verification decisions; authorised users record verification decisions and fact transitions (establish, dispute, supersede) from this panel, subject to the role rules of the Claim and Fact lifecycle. [v0.1.1 · A10]
Primary objects	EvidenceItem, EvidenceExtract, Claim, Fact, VerificationDecision [v0.1.1 · A10]
Required states	default, restricted, integrity-warning
Priority	P0

SCR-EVD-004 — Evidence Extract Builder

Attribute	Definition
Canonical route / context	/evidence/{evidence_id}/extracts/new
Primary roles	Investigator
Purpose	Create precise page/paragraph/region extracts linked to original context. From an extract the user MAY record a source-attributed claim and MAY propose a PROVISIONAL fact supported by evidence (mandatory) and, optionally, that claim; fact creation requires supporting evidence references and a decision rationale, and the system records the creation decision together with the fact [v0.1.1 · C01] [v0.1.1 · C02]. The claim itself is never converted into a fact, and no fact is created from an extract without a verification decision. [v0.1.1 · A10]
Primary objects	EvidenceExtract, Claim, Fact (provisional proposal) [v0.1.1 · A10]
Required states	selecting, editing, validation-error, saved
Priority	P0

SCR-EVD-005 — Evidence Lineage

Attribute	Definition
Canonical route / context	/evidence/{evidence_id}/lineage
Primary roles	Investigator, Reviewer
Purpose	Show original-to-derivative lineage and transformation metadata.
Primary objects	EvidenceItem, DerivedArtifact
Required states	default, missing-parent-warning
Priority	P0

Entities

SCR-ENT-001 — Entity Register

Attribute	Definition
Canonical route / context	/entities
Primary roles	Analyst
Purpose	Find canonical entities across authorised cases without duplicating case-specific copies.
Primary objects	Entity
Required states	default, filtered, empty
Priority	P0

SCR-ENT-002 — Create Entity

Attribute	Definition
Canonical route / context	/entities/new
Primary roles	Analyst
Purpose	Create canonical entity and provenance-bearing assertions.
Primary objects	Entity, Identifier
Required states	draft, duplicate-candidate, validation-error
Priority	P0

SCR-ENT-003 — Entity Detail

Attribute	Definition
Canonical route / context	/entities/{entity_id}
Primary roles	Analyst
Purpose	Inspect canonical identity, aliases, identifiers, relationships, assets, cases and evidence.
Primary objects	Entity, Relationship, Asset
Required states	default, disputed, restricted
Priority	P0

SCR-ENT-004 — Entity Match Queue

Attribute	Definition
Canonical route / context	/entities/matches
Primary roles	Analyst, Data Steward
Purpose	Review possible duplicate entities and conflicting attributes.
Primary objects	EntityMatchCandidate
Required states	queue, empty, filtered
Priority	P0

SCR-ENT-005 — Entity Match Compare

Attribute	Definition
Canonical route / context	/entities/matches/{match_id}
Primary roles	Data Steward
Purpose	Compare candidates side-by-side and merge, reject or defer. Each outcome is recorded as a ResolutionDecision (MERGE, KEEP_SEPARATE for reject, DEFER, or POSSIBLE_MATCH). [v0.1.1 · ER]
Primary objects	Entity, EntityMatchCandidate, ResolutionDecision [v0.1.1 · ER]
Required states	candidate, merge-confirmation, rejected, deferred
Priority	P0

SCR-ENT-006 — Merge History / Unmerge

Attribute	Definition
Canonical route / context	/entities/{entity_id}/resolution
Primary roles	Data Steward
Purpose	Inspect merge rationale/history and reverse supported merges. Shows the entity's append-only ResolutionDecision history; unmerge records an UNMERGE decision referencing the reversed MERGE. [v0.1.1 · ER]
Primary objects	ResolutionDecision (v0.1 name: MergeDecision), Entity [v0.1.1 · ER]
Required states	default, confirmation, conflict
Priority	P0

SCR-REL-001 — Relationship Editor

Attribute	Definition
Canonical route / context	/relationships/new
Primary roles	Analyst
Purpose	Create typed relationship with evidence, temporal validity, confidence and status.
Primary objects	Relationship
Required states	draft, validation-error, saved
Priority	P0

SCR-AST-001 — Asset Register

Attribute	Definition
Canonical route / context	/assets
Primary roles	Analyst
Purpose	Browse assets and attribution relationships.
Primary objects	Asset, ControlAssertion
Required states	default, filtered, empty
Priority	P0

SCR-AST-002 — Asset Detail

Attribute	Definition
Canonical route / context	/assets/{asset_id}
Primary roles	Analyst
Purpose	Inspect asset identifiers, location, ownership/control/use and evidence.
Primary objects	Asset, Relationship
Required states	default, disputed, restricted
Priority	P0

Analysis

SCR-TIM-001 — Timeline

Attribute	Definition
Canonical route / context	/cases/{case_id}/timeline
Primary roles	Analyst
Purpose	Explore case chronology with date precision and evidence links.
Primary objects	Event
Required states	default, filtered, empty
Priority	P0

SCR-TIM-002 — Event Editor

Attribute	Definition
Canonical route / context	/events/new
Primary roles	Analyst
Purpose	Create event with precision-aware dates, entities, assets and evidence.
Primary objects	Event
Required states	draft, validation-error, saved
Priority	P0

SCR-VAL-001 — Value Flow Workspace

Attribute	Definition
Canonical route / context	/cases/{case_id}/value-flows
Primary roles	Analyst
Purpose	Explore direct, documented, reconstructed and hypothetical value flows.
Primary objects	ValueFlow, ValueFlowLeg
Required states	default, filtered, empty
Priority	P0

SCR-VAL-002 — Value Flow Builder

Attribute	Definition
Canonical route / context	/cases/{case_id}/value-flows/new
Primary roles	Analyst
Purpose	Create single or multi-leg flow with per-leg evidence, class and confidence.
Primary objects	ValueFlow, ValueFlowLeg

Attribute	Definition
Required states	draft, incomplete, validation-error, saved
Priority	P0

SCR-TYP-001 — Typology Catalogue

Attribute	Definition
Canonical route / context	/analysis/typologies
Primary roles	Analyst
Purpose	Browse versioned typologies, observables, false positives and indicators.
Primary objects	Typology
Required states	default, search, empty
Priority	P0

SCR-TYP-002 — Typology Match Worksheet

Attribute	Definition
Canonical route / context	/cases/{case_id}/typology-matches/{id}
Primary roles	Analyst
Purpose	Compare case observations against a typology with counter-indicators and alternatives.
Primary objects	TypologyMatch, Indicator
Required states	draft, weak, plausible, strong, compelling
Priority	P0

SCR-HYP-001 — Hypothesis Workspace

Attribute	Definition
Canonical route / context	/cases/{case_id}/hypotheses
Primary roles	Analyst
Purpose	Maintain competing explanations with support, contradiction, assumptions and gaps.
Primary objects	Hypothesis, IntelligenceGap
Required states	default, empty, filtered
Priority	P0

SCR-HYP-002 — Hypothesis Detail / Matrix

Attribute	Definition
Canonical route / context	/hypotheses/{hypothesis_id}
Primary roles	Analyst, Reviewer
Purpose	Map evidence and indicators as supporting, contradicting, neutral or unknown.
Primary objects	Hypothesis, EvidenceItem, Indicator
Required states	open, supported, weakened, rejected, inconclusive
Priority	P0

SCR-ASM-001 — Assessment Draft

Attribute	Definition
Canonical route / context	/cases/{case_id}/assessments/new
Primary roles	Analyst
Purpose	Write judgement, confidence, basis, alternatives, assumptions and gaps.
Primary objects	Assessment
Required states	draft, validation-error, ready-for-review
Priority	P0

SCR-ASM-002 — Assessment Detail

Attribute	Definition
Canonical route / context	/assessments/{assessment_id}
Primary roles	Analyst, Reviewer
Purpose	Read versioned assessment and trace backwards to evidence.
Primary objects	Assessment, Hypothesis, EvidenceItem
Required states	draft, reviewed, superseded
Priority	P0

SCR-GRF-001 — Investigation Graph

Attribute	Definition
Canonical route / context	/cases/{case_id}/graph
Primary roles	Analyst
Purpose	Explore evidence-backed entity, relationship, asset and value-flow graph.
Primary objects	Entity, Relationship, Asset, ValueFlow
Required states	default, loading, filtered, no-results
Priority	P0

Search**SCR-SCH-001 — Global Search**

Attribute	Definition
Canonical route / context	/search
Primary roles	All authorised users
Purpose	Search authorised canonical objects with permission-aware counts and facets.
Primary objects	Case, Entity, EvidenceItem, Source, Asset
Required states	default, results, no-results, restricted
Priority	P0

Products**SCR-PRD-001 — Product Library**

Attribute	Definition
Canonical route / context	/products
Primary roles	Analyst, Reviewer
Purpose	Browse intelligence products by case, status, classification and version.
Primary objects	IntelligenceProduct
Required states	default, filtered, empty
Priority	P0

SCR-PRD-002 — Create Intelligence Product

Attribute	Definition
Canonical route / context	/cases/{case_id}/products/new
Primary roles	Analyst
Purpose	Create a product from any of the six MVP templates — Financial Intelligence Note, Entity Profile, Asset Profile, Network Analysis, Referral Package, Case Report — from approved analytical objects. [v0.1.1 · A06]
Primary objects	IntelligenceProduct
Required states	template-select, draft, validation-error
Priority	P0

SCR-PRD-003 — Product Editor

Attribute	Definition
Canonical route / context	/products/{product_id}/edit
Primary roles	Analyst
Purpose	Edit structured product content while maintaining fact/analysis/gap distinctions and evidence index.
Primary objects	IntelligenceProduct, Assessment
Required states	draft, autosave, conflict, validation-error
Priority	P0

SCR-PRD-004 — Product Detail / Version History

Attribute	Definition
Canonical route / context	/products/{product_id}
Primary roles	Analyst, Reviewer
Purpose	Read current/superseded versions and approval state.
Primary objects	IntelligenceProduct
Required states	draft, review, approved, superseded, retracted
Priority	P0

SCR-REV-001 — Review Queue

Attribute	Definition
Canonical route / context	/reviews
Primary roles	Reviewer
Purpose	List pending independent reviews and gating requirements.

Attribute	Definition
Primary objects	Review, IntelligenceProduct
Required states	queue, empty, overdue
Priority	P0

SCR-REV-002 — Peer Review Workspace

Attribute	Definition
Canonical route / context	/reviews/{review_id}
Primary roles	Reviewer
Purpose	Comment, request changes, approve or reject with disconfirmation checks.
Primary objects	Review, IntelligenceProduct, Assessment
Required states	in-review, changes-requested, approved, rejected
Priority	P0

SCR-DIS-001 — Dissemination Approval

Attribute	Definition
Canonical route / context	/products/{product_id}/dissemination
Primary roles	Case Owner, Reviewer
Purpose	Approve intended recipient, purpose, classification and export scope.
Primary objects	Dissemination
Required states	draft, blocked, approved
Priority	P0

SCR-DIS-002 — Export Package Builder

Attribute	Definition
Canonical route / context	/products/{product_id}/export
Primary roles	Analyst
Purpose	Select minimised approved content and generate export manifest/package.
Primary objects	Dissemination, IntelligenceProduct
Required states	selecting, warning, generating, complete
Priority	P0

SCR-DIS-003 — Sharing Log

Attribute	Definition
Canonical route / context	/products/{product_id}/sharing
Primary roles	Case Owner, Auditor
Purpose	Record who received which version, when, why and with what restrictions.
Primary objects	Dissemination
Required states	default, empty, immutable-entry
Priority	P0

Administration

SCR-ADM-001 — Administration Home

Attribute	Definition
Canonical route / context	/admin
Primary roles	Admin
Purpose	Entry point to vocabularies, retention, users/roles, policy and system information.
Primary objects	Vocabulary, RetentionPolicy, AccessPolicy
Required states	default, restricted
Priority	P0

SCR-ADM-002 — Vocabulary Management

Attribute	Definition
Canonical route / context	/admin/vocabularies
Primary roles	Admin
Purpose	Manage controlled vocabulary versions without rewriting history.
Primary objects	Vocabulary
Required states	list, edit, retire, validation-error
Priority	P0

SCR-ADM-003 — Retention Policies

Attribute	Definition
Canonical route / context	/admin/retention
Primary roles	Admin, Privacy
Purpose	Define retention, hold and disposition rules by classification/object type.
Primary objects	RetentionPolicy
Required states	list, preview, hold, disposition
Priority	P0

SCR-ADM-004 — Access / Case Membership

Attribute	Definition
Canonical route / context	/admin/access
Primary roles	Admin, Case Owner
Purpose	Manage roles and case membership without exposing protected-source identity.
Primary objects	AccessPolicy, User, Case
Required states	list, edit, denied
Priority	P0

SCR-AUD-001 — Audit Explorer

Attribute	Definition
Canonical route / context	/admin/audit
Primary roles	Auditor

Attribute	Definition
Purpose	Search material audit events with permission-aware payloads.
Primary objects	AuditEvent
Required states	default, filtered, empty
Priority	P0

System

SCR-SYS-001 — Access Denied / Need-to-Know

Attribute	Definition
Canonical route / context	n/a
Primary roles	All users
Purpose	Explain denied access without revealing restricted object existence/content.
Primary objects	AccessPolicy
Required states	denied
Priority	P0

SCR-SYS-002 — Integrity Warning

Attribute	Definition
Canonical route / context	n/a
Primary roles	All users
Purpose	Present hash mismatch or evidence-integrity problem with safe next steps.
Primary objects	EvidenceItem, AuditEvent
Required states	warning
Priority	P0

SCR-SYS-003 — Conflict / Stale Version

Attribute	Definition
Canonical route / context	n/a
Primary roles	All users
Purpose	Prevent silent overwrite when concurrent edits or superseded versions exist.
Primary objects	Versioned objects
Required states	conflict
Priority	P0

6. Shared Screen-State Requirements

- Every data-bearing screen SHALL define loading, empty, partial/degraded, error and permission-denied states where applicable.
- Unknown and unavailable data SHALL NOT be rendered as zero, false or absent unless semantics explicitly require that value.
- Restricted content SHALL NOT leak through breadcrumbs, counts, search facets, graph labels or error text.

- Superseded, disputed, reconstructed, hypothetical and machine-generated states SHALL remain visible in screen-level information scent.
- Destructive or high-impact actions SHALL expose consequence, scope and reversibility before commitment.

7. Screen Inventory Definition of Done

- Each implemented screen maps to one canonical screen ID.
- Primary route/context and role access are known.
- Required objects and states are defined.
- UX and IA requirements have no unresolved conflict.
- Wireframe reference exists for P0 screens before implementation is considered design-ready.
- Screen → wireframe pattern mapping is consistent across this inventory, the Wireframe Specification, the High-Fidelity UI Specification and component composition (e.g. SCR-CASE-001 Case Register uses WF-PAT-01 Register/List). *[v0.1.1 · A15]*

Claim and Fact screens (approved by product owner, 2026-10-08). The Claim and Fact lifecycle (claim_status, VerificationDecision, fact creation and revision) is served by the existing screens SCR-SRC-002, SCR-EVD-003, SCR-EVD-004 rather than new screen IDs. When a fact becomes DISPUTED or SUPERSEDED, dependent assessments and products show a review_required flag linking to the triggering decision on SCR-ASM-002 and SCR-PRD-004. Whether a dedicated case-level claim/fact register is needed is an open item. *[v0.1.1 · A10]*