

CS-AML

High-Fidelity UI Specification

Version 0.1

Purpose

Normative visual-composition baseline for translating CS-AML wireframes and UI design-system rules into production-ready desktop interfaces for MVP 0.1.

Core visual axiom

High visual fidelity SHALL improve comprehension without manufacturing certainty. Visual hierarchy may emphasize task relevance, state, and provenance, but SHALL NOT imply guilt, criminality, reliability, or analytical importance beyond the underlying record.

Status: Normative UI composition baseline for MVP 0.1

Dependencies: UX Specification · Information Architecture · Screen Inventory · Wireframe Specification · UI Design System

Document Control

Attribute	Value
Document ID	CSAML-HIFI-UI-0.1
Version	0.1
Status	Normative high-fidelity UI baseline
Primary audience	Product Designer, UX Engineer, Frontend Engineer, QA, Product Owner
Applies to	MVP 0.1 production interfaces
Primary source IDs	SCR-* screen IDs; WF-PAT-* layout patterns
Normative verbs	SHALL / MUST / SHOULD / MAY

1. Scope and Boundary

This specification defines visual composition at production fidelity. It determines how approved wireframe regions and design-system primitives are assembled into concrete screens. It does not replace the UX specification, information architecture, canonical screen inventory, or component implementation specification.

Document	Owns
UX Specification	Task flow, interaction behaviour, safety, reversibility, feedback, accessibility intent
Information Architecture	Object organisation, taxonomy, navigation, labeling, findability
Screen Inventory	Canonical screen IDs and required screen scope
Wireframe Specification	Structural regions and layout pattern
UI Design System	Tokens, primitive and semantic components, visual semantics
High-Fidelity UI Specification	Production visual composition for each screen family and critical screen
Storybook Implementation Specification (next)	Component implementation API, stories, test matrix, documentation, release process

Boundary rule

A high-fidelity screen SHALL NOT introduce a new object type, semantic state, navigation destination, or analytical meaning solely for visual convenience. Such changes require the owning specification to change first.

2. Visual Composition Principles

ID	Principle	Rule
HIFI-P01	Evidence-forward	Material analytical claims expose provenance access within the primary task context.
HIFI-P02	Calm hierarchy	Use structure, spacing and typography before warning colors.
HIFI-P03	Uncertainty visible	Unknown, disputed, candidate and inferred states stay perceivable at normal scanning distance.
HIFI-P04	No guilt by prominence	Size, red, glow, rank or graph centrality SHALL NOT encode culpability.
HIFI-P05	Action locality	Primary action sits near the object or workflow state it changes.
HIFI-P06	Review parity	Reviewer sees the same analytical state and provenance context as author, plus review controls.
HIFI-P07	Print/export parity	Critical semantic distinctions survive screenshot, grayscale and export.
HIFI-P08	Dense but legible	Data-dense screens use structured density rather than compressed typography.
HIFI-P09	Canonical consistency	The same object uses the same identity block across list, detail, graph and report contexts.
HIFI-P10	Accessible alternatives	Graphical views have equivalent navigable list/table representations where material.

3. Reference Viewport and Application Shell

Token / region	Desktop baseline	Behaviour
Viewport	1440 × 900 reference	Primary design review target; supports 1280 minimum without loss of required functions.
Top application bar	56 px	Brand, primary destinations, global search trigger, user/session area.
Context header	72–96 px	Case/object title, stable ID, classification/status, primary actions.
Local navigation	40–44 px	Tabs or subnav scoped to current canonical context.
Main content	Fluid	Maximum readable prose width; analytical canvas may use full remaining width.
Inspector rail	320–380 px	Evidence/provenance/object details; collapsible below wide desktop.
Page gutter	24–32 px	Minimum 20 px at 1280.
Dense table row	36–40 px	Default investigation register density.
Comfortable row	44–48 px	Forms, review lists, mixed content.
Primary action height	36–40 px	44 px target for touch contexts where relevant.

Shell composition

The global shell SHALL remain visually quieter than case/object content. Classification and workflow risk use semantic banners only when action is required; they are not persistent decorative chrome.

4. High-Fidelity Token Application

Semantic role	Reference treatment	Usage constraint
Canvas	#F7F9FB	Main application background; not for cards needing hierarchy.
Primary text	#16212B	Default text and icons.
Primary action	#285C8E	Primary button/link emphasis; one dominant primary action per local task zone.

Semantic role	Reference treatment	Usage constraint
Success	#246B4A	Completed/approved state; never evidence of innocence.
Warning / review	#8A5A00	Review needed, caution, unresolved condition.
Destructive / error	#A13333	Technical error, destructive action, integrity failure—not investigated subject.
Analytical construct	#5B4B8A	Hypothesis/inference/derived analytical construct.
Documented state	#236A73	Documented analytical state where distinct from direct evidence.
Border	#CBD5DF	Default panels/tables; increase contrast only for focus/error/selected.
Muted surface	#F1F4F7	Secondary panels, metadata strips, readonly context.

5. Typography and Density

Role	Reference	Use
Page title	24–28 px / 650	Screen/canonical object title.
Section heading	18–20 px / 650	Major screen region.
Subsection	14–16 px / 600	Panel or grouped controls.
Body	14–15 px / 400	Primary reading.
Dense table	13–14 px / 400	Registers and audit views.
Metadata	12–13 px / 400	IDs, timestamps, provenance details.
Badge/chip	12–13 px / 600	Short semantic state only.
Monospace	12–13 px	Hashes, stable IDs, technical identifiers.

Density rule

The UI MAY be dense, but text SHALL NOT be reduced merely to fit more data. Prefer progressive disclosure, column selection, inspectors, and expandable rows before shrinking type.

6. Canonical Visual Building Blocks

Block	Composition	Mandatory semantics
Object identity block	Type icon + canonical name + stable ID + state badges	No allegation language; aliases secondary.
Case context block	Case title + case ID + classification + owner/status	Case is context, not container identity for canonical object.
Provenance strip	Source/Evidence ID + citation location + reliability/credibility + open action	Direct route to underlying evidence where authorized.
Analytical-state badge	Label + icon/pattern	Claim, Fact, Inference, Candidate, Disputed, Unknown distinct.
Flow-class legend	Line sample + label	DIRECT, DOCUMENTED, RECONSTRUCTED, HYPOTHETICAL always explicit.
Review block	Reviewer, version, status, issues, approval action	Author and reviewer identity separate.
Classification banner	Classification + handling note	Only when materially useful; source identity never leaked.
Integrity warning	Prominent error surface + object ID + next action	Reserved for hash/version/integrity failures.
Version chip	Version number + status + supersession	Current/superseded/retracted clear without relying on color.

7. Critical Screen Specifications

SCR-HOME-001 — Home / Work Queue

Field	Specification
Purpose	Give each user a calm operational landing page showing assigned work, reviews, recent cases and actionable exceptions.
Wireframe pattern	WF-PAT-01
Primary composition	Two-column responsive dashboard: main work queue ($\approx 70\%$) + contextual summary rail ($\approx 30\%$).
Primary components	WorkQueueTable; CaseSummaryCard; ReviewQueueCard; AlertBanner; SavedFilter; EmptyState
Required states	Loading; empty; overdue; review-needed; permission-filtered

Field	Specification
Responsive rule	At <1100 px summary rail moves below queue; queue remains primary.

Engineering acceptance

- No global guilt/risk ranking.
- Counts exclude unauthorized objects without revealing their existence.
- Urgency styling is based on workflow due date/status only.

SCR-CASE-001 — Case Register

Field	Specification
Purpose	Find and enter authorized cases efficiently.
Wireframe pattern	WF-PAT-01
Primary composition	Header + compact filter bar + dense table + optional saved views.
Primary components	DataGrid; FilterBar; SearchField; ClassificationBadge; StatusBadge; OwnerAvatar
Required states	Loading; empty; no-results; permission-filtered
Responsive rule	At narrow desktop nonessential columns collapse behind column chooser.

Engineering acceptance

- Case title and stable ID are always visible.
- No case card uses red merely for sensitivity or allegation.
- Table row click and explicit open action both supported.

SCR-CASE-003 — Case Overview

Field	Specification
Purpose	Summarize case purpose, scope, work state and analytical progress without flattening uncertainty.
Wireframe pattern	WF-PAT-02
Primary composition	Context header + local tabs; 8/4 grid: main summary and key work on left, gates/metadata on right.
Primary components	CaseIdentityHeader; ScopeSummary; GateStatusPanel; TaskSummary; RecentActivity; LinkedObjectSummary

Field	Specification
Required states	Active; draft; blocked gate; archived/closed; permission-limited
Responsive rule	Right rail stacks below main at <1150 px.

Engineering acceptance

- Investigation question appears above analytical summary.
- Gate blockers are visible before downstream action buttons.
- Analytical progress is descriptive, not a guilt score.

SCR-EVD-003 — Evidence Detail / Reader

Field	Specification
Purpose	Read original evidence while retaining provenance, integrity and citation context.
Wireframe pattern	WF-PAT-02
Primary composition	Three-region desktop: document canvas 58–65%, citation/provenance rail 28–34%, compact header/tool strip.
Primary components	DocumentViewer; EvidenceIdentity; HashStatus; CitationCreator; ProvenancePanel; DerivativeBadge; ClassificationBadge
Required states	Loading; unsupported preview; integrity mismatch; derivative; permission-limited
Responsive rule	At <1200 px provenance rail becomes slide-over inspector; reader remains full width.

Engineering acceptance

- Original/derivative state visible near document title.
- Integrity mismatch uses destructive/error semantic treatment.
- Citation creation never mutates original evidence.
- Protected-source identity omitted unless explicitly authorized.

SCR-ENT-003 — Entity Detail

Field	Specification
Purpose	Present a reusable canonical entity with aliases, identifiers, relationships, assets, case links and provenance.

Field	Specification
Wireframe pattern	WF-PAT-02
Primary composition	Object header + summary band + tabbed sections; 8/4 grid where right rail holds resolution/provenance state.
Primary components	EntityIdentityBlock; IdentifierTable; AliasList; RelationshipSummary; AssetSummary; CaseBacklinks; ResolutionState
Required states	Confirmed; probable; candidate; disputed; unresolved; merged/superseded
Responsive rule	Rail stacks at <1100 px; tables remain horizontally scrollable only as last resort.

Engineering acceptance

- Canonical identity and resolution state visually separate.
- Case associations do not duplicate entity identity.
- No centrality/risk indicator on entity header.

SCR-ENT-005 — Entity Match Compare

Field	Specification
Purpose	Support reversible, evidence-based merge decisions.
Wireframe pattern	WF-PAT-05
Primary composition	Symmetrical A/B comparison with central decision rail; matching/conflicting attributes grouped by type.
Primary components	CompareColumn; MatchSignal; ConflictSignal; ProvenanceLink; MergeDecisionPanel; RationaleField
Required states	Candidate; insufficient evidence; conflict; merge-ready; decision recorded
Responsive rule	At <1200 px columns remain side-by-side with horizontal containment; below tablet not primary supported workflow.

Engineering acceptance

- No auto-merge action is visually dominant over review.
- Conflicting attributes receive equal visual prominence to matching attributes.
- Merge requires rationale and evidence.
- Unmerge consequences are previewed where available.

SCR-TIM-001 — Timeline

Field	Specification
Purpose	Show chronology while preserving date precision and evidence attribution.
Wireframe pattern	WF-PAT-04
Primary composition	Filter/tool strip + timeline canvas + optional event inspector + accessible list below/side.
Primary components	TimelineAxis; EventMarker; DatePrecisionLabel; FilterBar; EventInspector; AccessibleEventList
Required states	Empty; filtered-empty; dense cluster; approximate dates; permission-limited
Responsive rule	At <1150 px inspector becomes drawer; accessible list remains available.

Engineering acceptance

- Approximate dates visibly differ from exact dates.
- Event size does not imply importance unless user-selected filter explicitly says so.
- Every material event links to evidence.

SCR-VAL-001 — Value Flow Workspace

Field	Specification
Purpose	Explore movement of value and reconstruct multi-leg chains without conflating evidence classes.
Wireframe pattern	WF-PAT-04
Primary composition	Wide analytical canvas $\approx 70\text{--}75\%$ + inspector $\approx 25\text{--}30\%$; persistent legend; filter bar above.
Primary components	ValueFlowCanvas; FlowLegend; FlowNode; FlowEdge; InspectorRail; EvidenceCitation; FlowClassBadge; AccessibleFlowTable
Required states	Mixed flow classes; unknown values; range values; no-data; permission-limited
Responsive rule	Inspector collapses below 1200 px; canvas never removes legend; list/table alternative available.

Engineering acceptance

- Line semantics and labels distinguish all four classes without color.

- Unknown value displays “Unknown”, not 0.
- Reconstructed/hypothetical flows cannot use direct-flow styling.
- Selected edge reveals evidence/class/confidence in inspector.

High-fidelity note

Reference line semantics: DIRECT solid + “DIRECT”; DOCUMENTED distinct solid + “DOCUMENTED”; RECONSTRUCTED dashed + “RECONSTRUCTED”; HYPOTHETICAL dotted + “HYPOTHETICAL”.

SCR-TYP-002 — Typology Match Worksheet

Field	Specification
Purpose	Compare observed patterns to catalogue typology with explicit counter-indicators and alternative explanations.
Wireframe pattern	WF-PAT-04
Primary composition	Left typology reference panel + central worksheet + right rationale/status inspector.
Primary components	TypologyHeader; IndicatorRow; CounterIndicatorRow; EvidenceCitation; ConsistencySelector; AlternativeExplanationPanel
Required states	No basis; weak; plausible; strong; compelling; incomplete
Responsive rule	Three columns collapse to stacked sections below 1180 px.

Engineering acceptance

- Consistency is text-labelled; no percentage “risk meter”.
- Counter-indicators are not visually de-emphasized.
- Catalogue version is visible.
- Single weak indicator never renders a strong visual match automatically.

SCR-HYP-001 — Hypothesis Workspace

Field	Specification
Purpose	Maintain competing explanations and evidence balance.
Wireframe pattern	WF-PAT-04
Primary composition	Hypothesis cards/list on left; support/contradiction matrix center; gaps/notes inspector right.
Primary components	HypothesisCard; EvidenceMatrix; GapPanel; AssumptionList; ConfidenceLabel; StatusBadge

Field	Specification
Required states	Open; supported; weakened; rejected; inconclusive; no alternatives
Responsive rule	At <1200 px inspector drawers; hypothesis selector remains sticky.

Engineering acceptance

- Legitimate/less-adverse alternatives receive equal card treatment.
- Rejected hypotheses remain visible in history.
- Supporting and contradicting evidence use symmetric visual weight.

SCR-ASM-001 — Assessment Draft

Field	Specification
Purpose	Compose a judgement with confidence, basis, alternatives and intelligence gaps.
Wireframe pattern	WF-PAT-03
Primary composition	Document editor center + evidence/provenance rail right + metadata/status strip top.
Primary components	AssessmentEditor; ConfidenceSelector; EvidenceCitationList; AlternativeExplanationList; GapList; VersionState
Required states	Draft; incomplete; ready for review; returned; superseded
Responsive rule	Rail becomes slide-over below 1150 px.

Engineering acceptance

- Confidence is a controlled label with rationale, not numeric guilt meter.
- Missing alternatives/gaps produce review warning, not hidden validation.
- Material judgement must retain linked evidence.

SCR-GRF-001 — Investigation Graph

Field	Specification
Purpose	Explore evidence-backed relationships while avoiding visual implication of culpability.
Wireframe pattern	WF-PAT-04

Field	Specification
Primary composition	Full analytical canvas + compact filter bar + 320–360 px provenance inspector + legend.
Primary components	GraphCanvas; Node; Edge; Legend; FilterBar; InspectorRail; AccessibleGraphTable
Required states	Empty; sparse; dense; permission-filtered; selected node/edge
Responsive rule	Inspector collapsible; list/table alternative; mobile not target for full graph editing.

Engineering acceptance

- Node color encodes entity type/state only where semantically approved.
- Node size SHALL NOT encode guilt/risk by default.
- Centrality/path ranking is not shown as risk.
- Every material edge opens its canonical Relationship record.

SCR-PRD-003 — Product Editor

Field	Specification
Purpose	Create a structured intelligence product while retaining traceability and handling controls.
Wireframe pattern	WF-PAT-03
Primary composition	Structured report editor 65–70% + evidence/review rail 30–35%; top version/classification strip.
Primary components	ProductSectionEditor; EvidenceIndexPanel; ClassificationBanner; VersionChip; SaveState; ValidationPanel
Required states	Draft; incomplete; ready for review; approved-readonly; superseded
Responsive rule	Rail collapses to drawer below 1150 px.

Engineering acceptance

- Key findings support direct evidence navigation.
- Fact/analysis/gap sections use explicit labels.
- Approved version is readonly; edits create new version.

SCR-REV-002 — Peer Review Workspace

Field	Specification
Purpose	Allow independent review of evidence basis, alternatives, confidence, identity and harm before approval.
Wireframe pattern	WF-PAT-06
Primary composition	Product/assessment content left ≈65%; review panel right ≈35%; sticky review decision footer/rail.
Primary components	ReviewChecklist; InlineComment; EvidenceJump; IssueList; DecisionControls; ReviewerIdentity
Required states	Not-started; in-review; changes-requested; approved; rejected
Responsive rule	Review panel becomes drawer below 1150 px; decision controls remain reachable.

Engineering acceptance

- Reviewer identity and product version are fixed in context header.
- Approve action is not available to author when policy forbids self-approval.
- Disconfirming-search requirement visibly blocks high-impact approval when unmet.

SCR-DIS-001 — Dissemination Approval

Field	Specification
Purpose	Control external sharing based on recipient, purpose, classification, minimization and approval.
Wireframe pattern	WF-PAT-06
Primary composition	Approval summary + package manifest + restrictions + final action zone.
Primary components	RecipientSummary; PurposeField; ClassificationBanner; ManifestTable; RestrictionList; ApprovalControls
Required states	Draft; blocked; ready; approved; expired/revoked
Responsive rule	Single-column on smaller desktop; manifest remains table with selectable columns.

Engineering acceptance

- External sharing action disabled until required approval exists.
- Protected-source identity is not listed in ordinary package manifest.

- Included/excluded objects are explicit before approval.

SCR-DIS-002 — Export Package Builder

Field	Specification
Purpose	Select and preview an approved export while preserving handling, minimization and audit.
Wireframe pattern	WF-PAT-04
Primary composition	Object selection left 35–40%; package preview/manifest center 40–45%; handling inspector 20–25%.
Primary components	ObjectSelector; RedactionToggle; ManifestTable; HandlingPanel; PreviewPanel; ExportAction
Required states	Draft; validation warning; blocked restricted object; ready; exported
Responsive rule	At <1200 px inspector becomes drawer; object selection and manifest stack.

Engineering acceptance

- Export clearly separates included vs excluded objects.
- Unauthorized restricted objects cannot be selected even by URL manipulation.
- Export creates immutable audit event and package/version manifest.

SCR-AUD-001 — Audit Explorer

Field	Specification
Purpose	Inspect immutable material actions without exposing unnecessary evidence content.
Wireframe pattern	WF-PAT-01
Primary composition	Dense filterable event table + optional event detail drawer.
Primary components	AuditTable; FilterBar; ActorChip; ObjectLink; EventDetailDrawer
Required states	Loading; no results; filtered; permission-limited
Responsive rule	Table optimized for desktop; drawer becomes full-screen panel below 1000 px.

Engineering acceptance

- Ordinary users cannot edit audit events.

- Routine audit text avoids sensitive evidence payloads.
- Every event shows actor/action/object/time/correlation where available.

8. Secondary Screen Family Standards

Family	Screens	High-fidelity rule
Create/Edit forms	SCR-CASE-002, SCR-CASE-004, SCR-EVD-002, SCR-EVD-004, SCR-ENT-002, SCR-REL-001, SCR-TIM-002	Use 640–820 px reading column for normal forms; two-column only for strongly related fields. Required/legal/security fields group visibly.
Registers	SCR-SRC-001, SCR-EVD-001, SCR-ENT-001, SCR-AST-001, SCR-PRD-001, SCR-REV-001, SCR-DIS-003	Filter/search first; dense grid second; primary action top-right; no decorative card grids for large datasets.
Object detail	SCR-SRC-002, SCR-EVD-005, SCR-AST-002, SCR-ASM-002, SCR-PRD-004	Canonical identity header + tabs/sections + provenance/history; readonly state visually distinct but not greyed into illegibility.
Governance/admin	SCR-ADM-001..004	Conservative admin surfaces; destructive actions separated; policy/version metadata always visible.
System states	SCR-SYS-001..003	Centered or contextual state panel with plain-language reason, object/context ID when safe, and next action. Never reveal restricted-object existence when policy forbids it.

9. Responsive and Viewport Behaviour

Range	Expectation
≥1440 px	Full reference composition; inspector rails persistent where useful.
1280–1439 px	Full desktop; some metadata columns may collapse; no loss of primary task controls.
1100–1279 px	Inspector rails SHOULD become collapsible/drawers; analytical canvas retains priority.
900–1099 px	Tablet/compact desktop: registers/forms supported; complex graph/value-flow editing reduced but not semantically altered.
<900 px	Not a primary MVP authoring target. Read/review MAY be supported; system SHALL not pretend complex graph/flow authoring is equivalent if usability is inadequate.

10. High-Fidelity State Treatment

State	Visual treatment	Rule
Loading	Skeleton or progress in local region	Avoid page-blocking spinners where partial content can render safely.
Empty	Neutral empty panel + primary next action	Empty is not error.
No results	Query/filter summary + clear reset	Do not imply database is empty.
Permission denied	Neutral security state + request/access path if supported	Do not leak hidden object metadata.
Integrity failure	Error/destructive surface with checksum/object context	Must be visually stronger than ordinary validation warning.
Stale version	Warning surface + compare/reload/resolve actions	Never silently overwrite newer work.
Readonly approved	Normal legibility + readonly badge/version state	Do not disable all text contrast.
Superseded	Version banner + current version link	Historical content remains readable/auditable.
Disputed / unknown	Analytical-state badge + explicit text	Do not map to destructive/error color by default.
Candidate match	Candidate semantic treatment + evidence comparison	Never style as confirmed identity.

11. Language and Microcopy

Avoid	Preferred
“Suspicious person”	“Subject entity” / “Entity under analysis”
“Money laundering confirmed”	“Assessment is consistent with...” / “Indicators support...” where justified
“Risk score 87”	Named factors, confidence, typology consistency and rationale
“Bad match”	“Conflicting attributes”
“Safe / clean entity”	“No relevant indicator identified in current scope”

Avoid	Preferred
“Unknown = 0”	“Unknown” / range / minimum / maximum / approximate
“AI found”	“AI-assisted suggestion — review required”

12. Frontend Handoff Contract

- Every production screen SHALL retain its canonical SCR-* ID in design documentation and automated test naming where practical.
- Frontend implementation SHALL consume semantic tokens/components from the design system rather than re-create local visual semantics.
- High-fidelity screen composition SHALL remain traceable to the owning wireframe pattern and IA destination.
- Any implementation deviation that changes analytical meaning, hierarchy, permission visibility, or review/dissemination safety requires design review.
- Graph/timeline/value-flow libraries MAY implement their own primitives, but semantic styling SHALL be adapted to CS-AML tokens and legends.
- Critical empty/error/permission/integrity/version states SHALL be implemented before a screen is considered UI-complete.

13. High-Fidelity UI Definition of Done

Area	Done when
Traceability	Screen is linked to SCR-* ID, WF-PAT-* pattern, UX and IA requirements.
Visual composition	Desktop reference layout matches this specification and approved design-system semantics.
States	Loading, empty, no-results, error, permission, readonly/version/conflict states are covered where applicable.
Uncertainty	Claim/fact/inference/candidate/disputed/unknown and flow classes remain visibly distinct.
Provenance	Material analytical elements provide evidence/source navigation where required.
Security	Protected-source and classification rules are preserved; denied states do not leak hidden metadata.
Accessibility	Keyboard/focus/contrast/non-color semantics and alternative representations are verified.
Responsive	Required desktop/compact-desktop breakpoints preserve the task.

Area	Done when
Review/export	Screenshot/PDF/export retains required analytical distinctions.
Engineering parity	Implemented screen uses shared components/tokens and passes visual regression for critical states.

14. Screen Coverage Matrix

Screen ID	Screen	Coverage
SCR-HOME-001	Home / Work Queue	Detailed
SCR-CASE-001	Case Register	Detailed
SCR-CASE-003	Case Overview	Detailed
SCR-EVD-003	Evidence Detail / Reader	Detailed
SCR-ENT-003	Entity Detail	Detailed
SCR-ENT-005	Entity Match Compare	Detailed
SCR-TIM-001	Timeline	Detailed
SCR-VAL-001	Value Flow Workspace	Detailed
SCR-TYP-002	Typology Match Worksheet	Detailed
SCR-HYP-001	Hypothesis Workspace	Detailed
SCR-ASM-001	Assessment Draft	Detailed
SCR-GRF-001	Investigation Graph	Detailed
SCR-PRD-003	Product Editor	Detailed
SCR-REV-002	Peer Review Workspace	Detailed
SCR-DIS-001	Dissemination Approval	Detailed
SCR-DIS-002	Export Package Builder	Detailed
SCR-AUD-001	Audit Explorer	Detailed
All other SCR-*	Mapped by screen-family standard	Family baseline

15. Relationship to Component Inventory and Storybook Specification

Next implementation document

The next document SHALL translate this high-fidelity composition into a frontend implementation catalogue: component inventory, component ownership, props/variants, design tokens, accessibility contract, Storybook stories, interaction tests, visual-regression matrix, documentation standards, and release/versioning workflow.

Annex A — High-Fidelity Review Checklist

- ☐ Correct SCR-* ID and screen title shown in design artefact metadata.
- ☐ Primary task is visually obvious without relying on alarm color.
- ☐ Canonical object identity and case context are not conflated.
- ☐ Classification/handling is visible where useful but not decorative.
- ☐ Provenance can be reached from material analytical content.
- ☐ Unknown, disputed, candidate and inference states are explicit.
- ☐ Value-flow classes retain non-color cues.
- ☐ Graph size/color does not imply guilt or unvalidated risk.
- ☐ Protected-source identity is absent unless role permits access.
- ☐ Permission-denied state does not reveal hidden metadata.
- ☐ Empty/no-results/loading/error/conflict states are specified.
- ☐ Keyboard focus order and interactive target hierarchy are coherent.
- ☐ Inspector/drawer collapse preserves task context.
- ☐ Export/screenshot remains semantically interpretable.
- ☐ All shared UI uses design-system semantic tokens/components.