

CS-AML Wireframe Specification

v0.1

Structural wireframe contract for MVP 0.1

Version	0.1
Status	Normative wireframe baseline
Scope	MVP 0.1

Design axiom. Screens and wireframes SHALL preserve analytical uncertainty, provenance, reversibility, permission boundaries, and review context. Visual hierarchy must never convert inference into fact or status into accusation.

1. Purpose and Boundary

This specification defines the structural wireframe contract for CS-AML MVP screens. It translates each Screen Inventory ID into layout regions, component zones, hierarchy, contextual panels, state placement and responsive rules. It is intentionally low-fidelity: it does not prescribe brand styling, final visual design tokens, iconography or production copy.

Ownership split — Information Architecture owns organisation and findability. UX owns behaviour and interaction semantics. This Wireframe Specification owns spatial composition and screen-region contracts. Final visual styling belongs to the future UI Design System.

2. Global Application Frame

Desktop baseline uses a stable application frame. The exact pixel values MAY vary in implementation, but the information zones SHALL remain recognisable.

Region	Purpose	Rules
A. Global header	Identity, global search trigger, current user/session, environment marker	Never display sensitive case content in persistent chrome unless user is authorised.
B. Primary navigation	Home, Cases, Entities, Evidence, Analysis, Products, Search, Administration	Labels come from IA. Restricted destinations are omitted or disabled according to policy.
C. Context header	Current case/object title, classification, status, breadcrumbs/context	Must distinguish canonical object from case-context view.
D. Local navigation	Tabs or section navigation within current case/object	Must preserve deep-linkability and current context.
E. Main canvas	Primary task content	One dominant task per screen; avoid dashboard clutter.
F. Context / evidence rail	Provenance, evidence, metadata, linked objects, warnings	Optional/collapsible; never the only place critical uncertainty is shown.
G. Action zone	Primary/secondary actions and high-impact confirmations	High-impact actions separated from routine edit actions.

3. Responsive Baseline

- Desktop >= 1280px: two- or three-region analytical workspace permitted.
- Tablet 768-1279px: context rail collapses to drawer; local navigation may become horizontal overflow or compact menu.
- Mobile < 768px: read/review and simple capture MAY be supported; dense graph, entity matching and value-flow building are not required to be full-featured for MVP.
- No critical classification, uncertainty or permission state may disappear solely because viewport is narrower.

4. Wireframe Pattern Library

Pattern ID	Pattern	Structural contract
WF-PAT-01	Register/List	Header + filters + sortable result list/table + empty state + primary create action.
WF-PAT-02	Canonical Object Detail	Context header + summary block + local tabs + main object facts + provenance rail + backlinks.
WF-PAT-03	Editor/Form	Context header + sectioned form + inline validation + evidence/provenance selector + sticky save/cancel zone.
WF-PAT-04	Workspace	Context header + local tools + primary analytical canvas + side inspector + optional bottom activity/history panel.
WF-PAT-05	Compare/Resolution	Side-by-side candidate columns + match/conflict summary + evidence panel + decision zone.
WF-PAT-06	Review/Approval	Read-only reviewed artefact + review checklist/comments + decision panel + independent-approval status.
WF-PAT-07	System State	Minimal content with explanation, safe next step and non-disclosing error semantics.

5. Screen-to-Wireframe Mapping

Screen ID	Screen	Wireframe Pattern	Critical States
SCR-HOME-001	Home / Work Queue	WF-PAT-01	default, empty, filtered, degraded
SCR-CASE-001	Case Register	WF-PAT-02	default, empty, no-access, filtered
SCR-CASE-002	Create Case	WF-PAT-03	draft, validation-error, success
SCR-CASE-003	Case Overview	WF-PAT-02	default, restricted, stale-data
SCR-CASE-004	Investigation Charter	WF-PAT-03	view, edit, version-history, validation-error
SCR-CASE-005	Lifecycle Gates	WF-PAT-06	pending, approved, rejected, blocked
SCR-CASE-006	Case Work / Tasks	WF-PAT-01	board, list, empty, overdue
SCR-CASE-007	Case Activity	WF-PAT-01	default, filtered, restricted
SCR-SRC-001	Source Register	WF-PAT-01	list, empty, validation-error
SCR-SRC-002	Source Detail	WF-PAT-02	default, restricted, superseded
SCR-EVD-001	Evidence Library	WF-PAT-01	grid/list, empty, upload-in-progress, restricted

Screen ID	Screen	Wireframe Pattern	Critical States
SCR-EVD-002	Upload Evidence	WF-PAT-03	idle, uploading, scanning, failed, complete
SCR-EVD-003	Evidence Detail / Reader	WF-PAT-02	default, restricted, integrity-warning
SCR-EVD-004	Evidence Extract Builder	WF-PAT-03	selecting, editing, validation-error, saved
SCR-EVD-005	Evidence Lineage	WF-PAT-02	default, missing-parent-warning
SCR-ENT-001	Entity Register	WF-PAT-01	default, filtered, empty
SCR-ENT-002	Create Entity	WF-PAT-03	draft, duplicate-candidate, validation-error
SCR-ENT-003	Entity Detail	WF-PAT-02	default, disputed, restricted
SCR-ENT-004	Entity Match Queue	WF-PAT-01	queue, empty, filtered
SCR-ENT-005	Entity Match Compare	WF-PAT-05	candidate, merge-confirmation, rejected, deferred
SCR-ENT-006	Merge History / Unmerge	WF-PAT-05	default, confirmation, conflict
SCR-REL-001	Relationship Editor	WF-PAT-03	draft, validation-error, saved
SCR-AST-001	Asset Register	WF-PAT-01	default, filtered, empty
SCR-AST-002	Asset Detail	WF-PAT-02	default, disputed, restricted
SCR-TIM-001	Timeline	WF-PAT-04	default, filtered, empty
SCR-TIM-002	Event Editor	WF-PAT-03	draft, validation-error, saved
SCR-VAL-001	Value Flow Workspace	WF-PAT-04	default, filtered, empty
SCR-VAL-002	Value Flow Builder	WF-PAT-04	draft, incomplete, validation-error, saved
SCR-TYP-001	Typology Catalogue	WF-PAT-01	default, search, empty
SCR-TYP-002	Typology Match Worksheet	WF-PAT-04	draft, weak, plausible, strong, compelling
SCR-HYP-001	Hypothesis Workspace	WF-PAT-04	default, empty, filtered
SCR-HYP-002	Hypothesis Detail / Matrix	WF-PAT-04	open, supported, weakened, rejected, inconclusive
SCR-ASM-001	Assessment Draft	WF-PAT-03	draft, validation-error, ready-for-review
SCR-ASM-002	Assessment Detail	WF-PAT-02	draft, reviewed, superseded
SCR-GRF-001	Investigation Graph	WF-PAT-04	default, loading, filtered, no-results
SCR-SCH-001	Global Search	WF-PAT-01	default, results, no-results, restricted
SCR-PRD-001	Product Library	WF-PAT-01	default, filtered, empty
SCR-PRD-002	Create Intelligence Product	WF-PAT-03	template-select, draft, validation-error
SCR-PRD-003	Product Editor	WF-PAT-03	draft, autosave, conflict, validation-error

Screen ID	Screen	Wireframe Pattern	Critical States
SCR-PRD-004	Product Detail / Version History	WF-PAT-02	draft, review, approved, superseded, retracted
SCR-REV-001	Review Queue	WF-PAT-01	queue, empty, overdue
SCR-REV-002	Peer Review Workspace	WF-PAT-06	in-review, changes-requested, approved, rejected
SCR-DIS-001	Dissemination Approval	WF-PAT-06	draft, blocked, approved
SCR-DIS-002	Export Package Builder	WF-PAT-04	selecting, warning, generating, complete
SCR-DIS-003	Sharing Log	WF-PAT-01	default, empty, immutable-entry
SCR-ADM-001	Administration Home	WF-PAT-01	default, restricted
SCR-ADM-002	Vocabulary Management	WF-PAT-01	list, edit, retire, validation-error
SCR-ADM-003	Retention Policies	WF-PAT-01	list, preview, hold, disposition
SCR-ADM-004	Access / Case Membership	WF-PAT-01	list, edit, denied
SCR-AUD-001	Audit Explorer	WF-PAT-01	default, filtered, empty
SCR-SYS-001	Access Denied / Need-to-Know	WF-PAT-07	denied
SCR-SYS-002	Integrity Warning	WF-PAT-07	warning
SCR-SYS-003	Conflict / Stale Version	WF-PAT-07	conflict

6. Detailed Wireframe Specifications

SCR-HOME-001 — Home / Work Queue

Region	Wireframe requirement
Top band	Work queue summary: assigned tasks, pending reviews, blocked gates; no suspicion ranking.
Main left	Recent authorised cases and next actions.
Main right	Pending review/approval cards and system notices.
Footer/secondary	Recent activity with permission-safe labels.

SCR-CASE-003 — Case Overview

Region	Wireframe requirement
Context header	Case ID, title, classification, status, owner, lifecycle stage.
Local nav	Overview Work Sources & Evidence Entities & Assets Timeline Value Flows Analysis Products.
Main summary	Investigation question, purpose, scope, key risks and unresolved gates.
Secondary blocks	Key entities, evidence count, open tasks, intelligence gaps.
Context rail	Case metadata, membership, latest review, activity links.

SCR-EVD-003 — Evidence Detail / Reader

Region	Wireframe requirement
Context header	Evidence ID, original/derivative badge, source, integrity status.
Main canvas	Document/image reader preserving original context.
Left/inline controls	Page navigation, search-within-document, extract creation.
Context rail	Provenance, hash, source rating, derivatives, linked facts/entities.
Warning zone	Integrity mismatch, restricted source identity, derivative warnings.

SCR-ENT-003 — Entity Detail

Region	Wireframe requirement
Context header	Entity canonical name, type, resolution status, confidence/status without accusatory styling.
Summary	Identifiers, aliases, jurisdictions, provenance-bearing assertions.
Local nav	Overview Relationships Assets Events Cases Evidence Resolution.
Main	Selected tab content.
Context rail	Linked evidence, conflicts, merge history, backlinks.

SCR-ENT-005 — Entity Match Compare

Region	Wireframe requirement
Left candidate	Entity A identity/identifiers/provenance.
Right candidate	Entity B identity/identifiers/provenance.
Center comparison	Matching attributes, conflicting attributes, missing/unknown fields.
Bottom evidence	Evidence citations supporting identity resolution.
Decision zone	Merge Reject match Defer; rationale required; merge is high-impact confirmation.

SCR-VAL-001 — Value Flow Workspace

Region	Wireframe requirement
Context header	Case + flow scope + legend for DIRECT/DOCUMENTED/RECONSTRUCTED/HYPOTHETICAL.
Primary canvas	Flow diagram with line-style + labels, not color alone.
Toolbar	Filter by class/date/entity/mechanism; toggle amount labels.
Inspector	Selected flow/leg evidence, confidence, dates, unknown/range values.
Bottom panel	Flow list/table for accessible alternative and export consistency.

SCR-HYP-001 — Hypothesis Workspace

Region	Wireframe requirement
Header	Case context and analytical stage.
Main columns/rows	Hypothesis cards including legitimate alternatives.
Evidence matrix	Support / contradict / neutral / unknown per hypothesis.
Gap panel	Material unknowns and collection questions.
Assessment readiness	Shows missing disconfirmation or unresolved gaps; never auto-ranks guilt.

SCR-GRF-001 — Investigation Graph

Region	Wireframe requirement
Primary canvas	Permission-aware graph projection.
Toolbar	Filter node/edge types, time, case context; no opaque risk-score filter by default.
Inspector	Canonical object, relationship provenance, confidence/status, evidence.
Legend	Relationship types and uncertainty semantics.
Footer/list fallback	Accessible node/edge table and breadcrumb back to canonical objects.

SCR-PRD-003 — Product Editor

Region	Wireframe requirement
Context header	Product type, case, version, classification, status.
Outline rail	Executive assessment, scope, facts, findings, flows, typology, alternatives, gaps, confidence, recommendations, evidence index.
Main editor	Structured section editor; facts and analysis have distinct content types.
Evidence rail	Citations and linked canonical objects.
Action zone	Save draft, submit review; no external export from editor before approval.

SCR-REV-002 — Peer Review Workspace

Region	Wireframe requirement
Reviewed artefact	Frozen product/assessment version.
Review rail	Checklist: identity, evidence, alternatives, confidence, harm, disconfirmation.
Comments	Anchored comments/change requests.
Decision panel	Request changes Approve Reject, with independence check.
Evidence trace	Direct traversal to supporting objects without losing review context.

SCR-DIS-002 — Export Package Builder

Region	Wireframe requirement
Scope summary	Recipient, purpose, classification, approved product version.
Selection panel	Objects/sections included; restricted content excluded by default.
Warnings	Protected source, sensitive personal data, superseded content, unresolved approval.
Preview	Manifest and redaction/minimisation preview.
Action zone	Generate package only after approval; immutable sharing/audit event afterward.

7. Cross-Screen Structural Rules

- Classification, object status and uncertainty markers SHALL appear near the object title or proposition they qualify; they SHALL NOT be relegated only to metadata drawers.
- Provenance access SHALL be reachable from any material fact, relationship, flow, indicator, hypothesis or assessment without requiring global navigation away from the current task.
- Canonical object detail screens SHALL provide backlinks to authorised cases and related objects.

- Graph, timeline and value-flow views SHALL provide an accessible non-visual representation of equivalent information.
- Protected-source identity SHALL never occupy reusable generic components that could accidentally surface in search, breadcrumbs, exports or notifications.
- High-impact decisions SHALL use a visually separated decision zone with explicit scope and consequence.

8. Empty, Error, Permission and Conflict Wireframes

State	Structural requirement
Empty	Explain what belongs here, why it matters and the safe next action. Avoid framing absence as analytical finding.
Permission denied	Do not reveal restricted title, identifier, count or owner if policy forbids object-existence disclosure.
Partial/degraded	Show which region is unavailable and which data remains trustworthy.
Integrity warning	Place warning adjacent to evidence identity and block unsafe downstream actions where required.
Stale/conflict	Show current version, user draft, conflict scope and recoverable resolution path.
Superseded	Keep historical version readable while clearly linking the current authoritative version.

9. Wireframe Acceptance Criteria

- Every P0 Screen Inventory ID maps to exactly one primary wireframe pattern.
- Core analytical screens have explicit provenance and uncertainty regions.
- High-impact actions have distinct decision zones.
- Permission-denied, empty, error and conflict states are structurally specified.
- Desktop and narrow-screen behaviour preserve critical semantics.
- No wireframe implies guilt, suspicion score or evidentiary certainty merely through placement, size, color or prominence.

10. Handoff to UI Design System

The future UI Design System SHALL consume this specification and define visual tokens, typography, spacing scale, component styling, iconography, semantic colors, charts/graph visual grammar and implementation-ready component variants without changing the information or interaction semantics defined here.

Annex A — Low-Fidelity Reference Frames

WF-PAT-01 — Register / List

GLOBAL HEADER SEARCH USER			
PRIMARY NAV	Context title		[Create]
	Filters / facets / sort		
	Result row / card		
	Result row / card		
	Result row / card		

WF-PAT-02 — Canonical Object Detail

GLOBAL HEADER			
PRIMARY NAV	OBJECT TITLE	STATUS	CLASSIFICATION
	Local tabs / contextual navigation		
	Main object content		Provenance /
	facts / relationships		backlinks /
		warnings	

WF-PAT-03 — Editor / Form

Context title / version / classification	
Section 1: required fields	
Section 2: analytical/provenance fields	
Section 3: evidence links	
[inline validation / uncertainty help]	
Cancel	Save draft Submit / Continue

WF-PAT-04 — Analytical Workspace

CASE / OBJECT CONTEXT LEGEND FILTERS	
TOOLBAR	
PRIMARY ANALYTICAL CANVAS	INSPECTOR
	provenance
	evidence
	uncertainty
graph / timeline / value flow / matrix	
Accessible list/table / history / details	

WF-PAT-05 — Compare / Resolution

Resolution context / candidate explanation	
CANDIDATE A	CANDIDATE B
	identifiers / evidence
Matches Conflicts Unknown / missing	

Evidence / rationale	
+-----+	
Reject match Defer	Merge [confirm]
+-----+	

WF-PAT-06 — Review / Approval

+-----+	
REVIEW SUBJECT VERSION AUTHOR CLASSIFICATION	
+-----+	
Frozen reviewed artefact	REVIEW PANEL
	checklist
fact / analysis / gaps	comments
evidence links	disconfirmation
+-----+	
Request changes Reject	Approve
+-----+	

WF-PAT-07 — System State

+-----+	
Context-safe heading	
[STATE ICON / LABEL]	
Explanation that reveals no restricted information	
Safe next step / retry / return	
+-----+	

Annex B — Wireframe Review Checklist

- Is the screen ID from the Screen Inventory visible in the design file/component documentation?
- Does the main task dominate the layout without hiding provenance or uncertainty?
- Can a reviewer traverse from analytical proposition to evidence without losing context?
- Do restricted states avoid leaking object existence or protected-source identity?
- Are DIRECT, DOCUMENTED, RECONSTRUCTED and HYPOTHETICAL flows distinguishable without color alone?
- Are destructive/high-impact actions separated from routine actions?
- Is there a non-visual equivalent for graph/timeline/value-flow information?
- Are empty, error, conflict and superseded states represented?