

Water Accounting (WA) Dashboard

A User Manual

June, 2026

1. What is a WA dashboard?

The water accounting dashboard provides detailed multi-year water accounts of a basin's water resources including inflows, outflows, water use patterns and availability, to establish baseline conditions. It can also compare baseline and future water accounts (where available), to provide stakeholders with an understanding of the current and potential future water resources status.

The platform leverages advanced data visualization tools to offer user-friendly access to complex information, empowering stakeholders to understand the dynamics between various water-balance parameters. In addition, the dashboard was designed to ensure that it caters to stakeholders of diverse backgrounds and expertise, from policymakers to scientists. Stakeholder feedback was incorporated to enrich the platform's accessibility and user experience to enable active participation and engagement.

This web-based dashboard represents one of the tools that could be used in promoting effective stakeholder deliberation of water balance information for sustainable water resource management.

2. Why do we need a WA dashboard?

Water resource management is an essential global challenge, necessitating a comprehensive and inclusive approach to address the diverse needs of the stakeholders involved. Stakeholder deliberation is crucial in fostering cooperation and informed decision-making for sustainable water management. However, lack of hydrometeorological observations often limits our understanding on the complex interlinkages between competing demands for water in the basin or a country. To overcome the challenges of water data scarcity in managing water resources, the International Water Management Institute is generating reliable and systematic analysis ready water data products on water use, demand, water availability and scarcity using water accounting plus (WA+) framework. The water accounting plus (WA+) approach (Karimi et al., 2013) derives basin scale water availability and scarcity indicators using earth observation data products and limited in situ observations. The WA+ framework is an open-source python programming-based model that uses a collection of remote sensing data products and in situ data to quantify water accounting indicators such as a) water yield, b) irrigation/rainfed water use, c) productive/unproductive water use, and other water availability indicators at river basin scale. Continental water accounting plus (CWA+) is a modified version of WA+ where the water accounting indicators can be generated for any given boundary (catchment, or a country or a county).

The suite of water data generated by water accounting studies provides several new insights into water availability and scarcity indicators at continental scale. The availability of open source codes enable repeatable and rapid water accounting assessments without much effort. IWMI's WA dashboard is a web-based dashboard built using Tableau technology to enhance stakeholder engagement and facilitate effective deliberation by summarizing and communicating the key water accounts basin.

3.Key Elements of the WA Dashboard

There are five key elements in a WA dashboard:

- i) Basin overview
- ii) Water availability
- iii) Water balance
- iv) Monthly water balance
- v) Change Analysis




Figure 1. Illustration of the water accounting dashboard for Incomati Basin.

The description of each element and the contents of water accounts displayed under each element are presented in detailed here.

3.1 Basin Overview


The landing page of the dashboard provides the basin overview information. Several key baseline statistics on the river basin are provided on this page. The description of each section is provided here.

The Bontanga Basin, covering 263.47 km² and supporting an average population of 15,936 (2014–2020), faces growing pressure on its water resources. With approximately 37 MCM of available water annually, per capita water availability stands at around 2,336 m³/year. Rainfall is the sole contributor to the basin's total inflow, accounting for 100% of gross inflow with an annual average of 271 MCM, while manmade water consumption accounts for approximately 27% of total inflow, and 70% of the water is consumed. To address these challenges, a user-friendly web-based dashboard has been developed, leveraging the Water Accounting Plus (WA+) framework and remote sensing data. This platform provides a

Basin description: The basin overview page provides a brief synopsis of the dashboard. A basin description is provided to give a brief account of the basin hydrology and highlights important hydrologic challenges in the basin.

Figure 2. The description of the basin provided on the basin overview page

Basin Insights




Basin Insights: The middle central portion of the basin overview page provides key information on basin insights such as basin area, population, available water, per-capita water availability, rainfall contribution to the inflow and managed water for future use. This Basin

Insights section is interactively connected to the Year selection, and when a user clicks or changes the selected year, all the displayed data will dynamically update accordingly.



Basin Map: Here users can see an interactive map of the river basin. The users can zoom in and out of the basin area overlaid on the world map using the + and – symbols. The home icon on the map will reset the map to the full extent of the basin. The triangle icon offers additional features for interacting with the map.



Land usage: Land Usage:

The distribution of land use classes across the basin is presented using a double pie chart. In the outer pie chart, detailed land cover classes are reclassified into four broad Land Use for Water Accounting (LUWA) classes:

1. Utilized Land: Represents natural landscapes that are used in their natural form without modifying or altering water and land resources. For example, forests, grasslands, and shrublands utilized for grazing.

2.Managed Water: Represents areas where water is highly managed for agricultural activities, such as irrigated croplands.

3.Modified Land: Represents areas where land has been altered for human use. For example, natural landscapes cleared or modified to grow crops under rainfed conditions.

4.Protected Land: Represents areas designated as protected, such as national parks or other officially preserved zones.

The inner pie chart shows the distribution of the detailed land cover classes that are grouped into these four broad LUWA categories.


This section is interactively connected to the Year selection, and when a user clicks or changes the selected year, all the displayed data will dynamically update accordingly.

Year Selection: The year selection tab helps users access overview of water balance and basin water yield information. The users can click and toggle between years to compare how water balance can changes over time.

Year selection




Bontanga River Basin Water Balance (MCM)



Water Balance: The water balance figure shows modeled estimates of key water balance terms. Each figure is specific to the year selected on the year selection tab. The dark blue colored downward arrow represents the total volumetric annual precipitation (P, in km³) received in the basin. The light green colored upward arrow represents total volumetric evapotranspiration (TotalET, in km³). The lighter blue upward arrow represents BlueET (Blue ET, in km³), a portion of total ET, occurring from the blue water sources (surface water bodies, river, lakes or shallow groundwater aquifers). The small dark green

upward arrow represents, Rainfall ET or Green ET (in km³), a portion of total ET occurring from the green water sources (soil moisture replenished by the rainfall). The sum of Blue ET and Rainfall ET is equal to the total ET. The empty blue colored arrow represents basin outflow (in km³) and the storage change denotes the changes in the basin storage due to either groundwater abstraction (+ve value) or groundwater recharge (-ve value).




Water Yield: The map shows the water yield obtained from the water accounting analysis. The water yield is defined as water that is available after meeting landscape water requirement (landscape ET). This is the amount of water that can be exploitable for human needs. The map shows water yield for administrative regions within the basin. Regions show positive values (shades of blue) which indicate that at annual time scale, water availability for human needs is not a problem. Such

information is important to understand spatial variability of water availability within the basin. The blue areas are also called water towers of the basin are the regions that provide most water to the river and where future activities such as irrigation development or canals for diverting water can be constructed.

3.2 Water Availability

Information on water availability in a river basin is crucial for understanding various aspects of human, environmental, and economic well-being. Through this dashboard, water availability in a river basin is summarized using indicators of water availability for a) humans b) environment c) agriculture and d) other uses.



Water Availability Per Capita (m³/per capita): Water availability per capita refers to the amount of freshwater resources available for each person in a specific region or country. It is typically measured in cubic meters (m³) per person per year and is an important indicator of a region's or country's ability to meet the water needs of its population while also supporting economic and environmental demands. Calculating water availability per capita involves dividing the total annual freshwater resources of a region or country by its population. Within water accounting, we derive water availability per capita as


$$\text{Water Availability Per Capita} = \frac{\text{available water}}{\text{Population}}$$

The water availability per capita is estimated is presented at monthly and annual timescales from 2009 to 2018.

The annual total per capita water availability is presented to the right side as horizontal bar plots. The monthly average per capita water availability is presented on the top as the vertical bar plots.

Water Availability for further use (MCM)

Consumed Fraction ET (CFET)



Consumed Fraction ET represents the proportion of total water inflow to the basin that is consumed through evapotranspiration (ET). It indicates how much of the available water is lost to the atmosphere through evaporation and plant transpiration. A higher CFET value means more water is being consumed within the basin, leaving less available for downstream use or storage.

Agricultural Evapotranspiration Fraction



The part of ET that is attributed to agriculture production. The Agricultural ET Fraction highlights the proportion of evapotranspiration specifically from agricultural activities, emphasizing the water consumption in farming. This helps in planning sustainable water

management strategies.

$$\text{Agricultural ET Fraction} = \frac{\text{Agricultureal ET}}{\text{ET}}$$

Beneficial ET (BET)


Beneficial ET refers to the portion of evapotranspiration that contributes positively to ecosystem services or productive purposes. This includes ET from irrigated agriculture, rainfed crops, forests, and natural vegetation where water consumption supports biomass growth, food production, groundwater recharge, and ecological functions. Beneficial ET is considered “productive” water use.



Non-Beneficial ET (NBET)

Non-Beneficial ET represents the portion of evapotranspiration that does not contribute to any productive use or ecological benefit. Examples include evaporation from bare soil, paved surfaces, open water bodies with no productive use, or excessive evaporation from poorly managed irrigation systems.

This water is essentially lost from the system without generating benefits.




Basin closure (%)

The basin closure is calculated as total amount of water available that is utilized within a basin.

$$\text{Basin closure} = \frac{\text{utilized}}{\text{available water}}$$

Any basin with estimates closer to 100% indicate basin closure – indicating most to all water availability in the basin is currently consumed within the basin. A smaller value indicates that water is available in the basin



3.3 Water Balance

The Water balance, also known as the hydrologic balance or water budget, is a fundamental concept in hydrology. It refers to the equilibrium or accounting of water inputs, outputs, and storage within a defined area, such as a watershed, catchment, or region. The water balance equation helps quantify the movement and distribution of water in various forms through the Earth's hydrological cycle.

Within the water accounting framework, water balance of a river basin is quantified and presented using a number of hydrologic variables. Unlike most hydrologic studies where the water balance is mostly represented by the key hydrologic variables such as Precipitation, evapotranspiration, discharge and change in storage, the water accounting framework derives a variety of hydrologic parameters. A full list of water balance indicators quantified in the water accounting framework are presented in Table 1.

The figure below shows basin input parameters on the left side and basin output parameters on the right side. The WA+ framework tracks both the flow and consumption (depletion) that occur within the basin as water moves from the inlet to the outlet of the basin. The depletion accounting is used to estimate how much of water is consumed over different landscapes. This is summarized under four broad categories of land cover/land use – Protected-conservation areas with minimal changes in land and/or water management, Utilized- are areas with limited human influence and can include forest, natural pastures, savannahs and deserts, Modified- areas that are significantly modified by human activities usually for rainfed agriculture and Managed water use- are land use classes that are significantly modified for agriculture and include water purposefully withdrawn from the surface or groundwater sources for use. The flow accounting derives a bunch of parameters such as exploitable water, available water, managed water use, utilizable flows, non-utilizable outflows, reserved outflows, and non-consumed water.





Table 1. List of hydrological variables and indicators quantified in the water accounting framework.

No	Flux/Indicators	Description	Equation
1	P advection	Precipitation received in the basin, aggregated over the hydrologic year	$\sum_{i=1}^{12} P$
2	Basin inflow (interbasin transfer)	Surface water or groundwater diverted into the basin	Q_{in}^{sw} and Q_{in}^{gw} (Measured estimates)
3	Gross Inflow, GI	Total inflow from all sources	$P + Q_{in}^{sw} + Q_{in}^{gw}$
4	Change in the soil moisture, ΔSM	See equation 2.	See equation 2.
5	Net Inflow, NI	The gross inflow plus the change in soil moisture	$GI \pm \Delta SM$
6	ET rainfall, ET_{rain}	ETa that occurs from effective precipitation and canopy interception, summarized for all land cover classes (1 to n classes).	$\sum_{i=1}^n ET_{rain}$
7	ET incremental, ET_{incr}	ETa that occurs from other sources except effective precipitation and interception. Includes ET from irrigation water, groundwater abstraction, open water sources, summarized for all land cover classes (1 to n classes).	$\sum_{i=1}^n ET_{incr}$
8	Landscape ET, $ET_{a_{land}}$	ETa from natural landscapes (protected, utilized and modified land use classes); not due to water management.	$ET_{rain} + ET_{incr}$
9	Consumed water, C_{water}	Total ETa that occurs from all landscapes over all months	$\sum_{i=1}^{12} ET_a$
10	Utilized flow, $Uzed_{flow}$	ETa from managed water use (irrigated crops, managed reservoirs).	ET_{incr} from the managed water use class
11	Exploitable water, EX_{water}	The exploitable water is the amount of water that can potentially be used within the basin	$NI - ET_{landscape}$
12	Available water, AW	The water that is left after meeting ET and reserve flow requirements	$GI - ET_{a_{land}} - Reserve\ Flows$
13	Utilizable outflow, $Uzble_{flow}$	The water that can be reallocated for further uses after accounting for reserved flows and utilized flows.	$EX_{water} - ER_{flow} - Uzed_{flow}$
14	Qsw outlet	The river outflow at the outlet of the basin	Q_{outlet}^{sw}
15	Basin outflow (interbasin transfer)	Surface water or groundwater diverted to areas outside the basin	Q_{out}^{sw} and Q_{out}^{gw}
16	Non-consumed water, NC_{water}	Total outflow	$Q_{outlet}^{sw} + Q_{out}^{sw} + Q_{out}^{gw}$

3.4 Monthly water balance

The Monthly Change Analysis tab on the dashboard presents key water accounting variables such as Rainfall, Blue ET and Rainfall ET. A total of three parameters are available on the dashboard — Rainfall, Blue ET and Rainfall ET. All values are expressed in km³/year.




Users can interactively filter the displayed information by selecting the desired Parameter, Year, and Month, allowing the charts and indicators to dynamically update based on the chosen inputs.



Rainfall ET

Rainfall ET refers to crop or vegetation evapotranspiration (ET) comes from the water consumed by the vegetation from the root zone soil moisture and soil evaporation from the unsaturated soil surface.


Blue ET



Blue ET comes from the water that is stored in the rivers, streams, surface-water bodies and groundwater resources.

3.5 Change Analysis

Long-term changes in hydrology refer to significant and persistent alteration in the water cycle and the distribution of water resources (both temporal and spatial) over extended periods of time. On the dashboard, we present to charts. On the left side, we present longterm changes in hydrology with a focus on demonstrating increasing or declining trend in the parameter and on the right side, we present insights in to quantifying the change for 2003 - 2021.



The mean is calculated using all water account values, and the resulting mean value is displayed on the card.



Additional features on the dashboard:

There are several additional features available on the dashboard. A brief description and purpose of each of the icons located on the lower right corner are presented here.



Contact: The contact icon is located on the lower right corner of the dashboard and it would provide email information on whom to contact in case you have any questions on the dashboard.

About: The about icon provides more info on the project.

Printing options: The dashboard can be printed or saved using three options. The current view of the dashboard can be saved to the local computer in three different formats – PDF, JPG or PPT. Please use appropriate icon as per your need.

Download – Users can download displayed page data.

