


WORDPRESS SPEED WITH AI AGENT

Connect. Safeguard. Fix. Verify. Continue.

Emmanuel Kwabena Aning

First Edition



FIRST EDITION - 2026

WordPress Speed with AI Agent

A Reliable Plug-and-Use MCP Workflow to Audit, Fix, Verify, and Report WordPress Performance

Emmanuel Kwabena Aning

THE PROMISE

A slow WordPress website does not need a beginner to interpret dozens of warnings or choose between technical fixes. It needs a safeguard prompt that directs the agent to inspect the site, fix one confirmed problem, verify the result, and continue only while the website remains safe.

CONNECT → RUN SAFEGUARD PROMPT → AUDIT → FIX ONE CONFIRMED ISSUE → VERIFY → CONTINUE OR STOP → REPORT

COPYRIGHT NOTICE

Copyright © 2026 Emmanuel Kwabena Aning. All rights reserved.

No part of this publication may be reproduced, distributed, or transmitted in any form without prior written permission, except for brief quotations used in reviews or education.

This book is independent and is not affiliated with or endorsed by WordPress.org or NovaMira.

IMPORTANT NOTE FOR BEGINNERS

Let your AI guide you through this PDF

AI-ASSISTED READING

You do not need to understand or perform every technical step alone.

Upload this PDF to a capable AI assistant or coding agent. It can explain unfamiliar terms, complete placeholders with you, prepare the prompts, interpret audit results, and carry out the connected workflow inside the safeguards defined in this guide.

Upload the guide

Use a trusted private AI workspace that can read documents.

Ask for one-step guidance

The AI explains what to confirm and what happens next.

Preserve the controls

The guide remains the operating reference.

COPY-READY STARTING INSTRUCTION

Read this PDF and guide me through it one step at a time as a beginner. Do not skip the safety, backup, scope, rollback, or verification rules. Explain each step in simple language before we continue. When the book provides a prompt, help me complete only the required placeholders and then use that prompt exactly as intended. Do not make an additional website change unless the current step and safeguard prompt authorize it.

The PDF remains the operating reference. The AI should follow its safeguards rather than replace them with a broader or more aggressive workflow.

Contents and Operating Flow

The guide follows one controlled system. The agent selects the strongest confirmed bottleneck; the beginner confirms the boundary and reviews the evidence.

CONNECT → CONFIRM SCOPE → SAFEGUARD → AUDIT → FIX ONE ISSUE → VERIFY → CONTINUE / STOP → REPORT

01	Start Here: How the Automated Safeguard Works	5
02	Connect Your AI Agent to WordPress with NovaMira	8
03	Backups, Scope, and the Master Safeguard Prompt	13
04	Run and Share the First Speed Test	18
05	Let the Agent Establish a Reliable Baseline	22
	Field Evidence: Why Comparable Tests Matter	26
06	Let the Agent Find the Real Bottleneck	29
07-10	Apply One Safe Technical Change	32
11-14	Verify, Restore, Report, and Reuse	45
A-G	Templates, Checklists & Appendices	58

Reader-first diagnostic rule: The agent - not the beginner - selects the strongest confirmed bottleneck and the matching technical path.

01

Start Here: How the Automated Safeguard Works

Understand the system before connecting it to a WordPress website.

OPERATING RULE

Continue automatically when verification passes. Revert and stop when verification fails. Stop without changing anything when the next action is unclear or outside the approved scope.

- 01** Confirm the correct website, priority page, device, backup, and protected features.
- 02** Paste one Master Safeguard Prompt for the bounded run.
- 03** Read short cycle reports instead of choosing between technical menus.
- 04** Use the Beginner Explanation Prompt when a report is unclear.

CHAPTER 1 - CYCLE OUTCOMES

The only statuses the beginner needs

**CONTINUING
AUTOMATICALLY**

The change passed verification and the agent is moving to the next confirmed bottleneck.

STOPPED - REVERTED

Verification failed, the previous state was restored, and the workflow stopped.

STOPPED - NEEDS HELP

Evidence, access, rollback, risk, or scope was insufficient for safe continuation.

COMPLETE

No confirmed meaningful bottleneck remains inside the approved scope.

BEGINNER EXPLANATION PROMPT

Explain this report in simple beginner language.
Tell me what happened, whether the website is currently safe, why the workflow continued or stopped, and the exact next step I should take.
Do not make another website change.
Do not give me several options when one clear next step is supported.

Before you continue

- ☐ Correct website and environment identified
- ☐ Priority page selected
- ☐ Mobile or desktop priority selected
- ☐ Current restorable backup available
- ☐ Protected features identified
- ☐ Permission to work on the website confirmed

02

Connect Your AI Agent to WordPress with NovaMira

Connect one WordPress website without writing commands, editing JSON, or manually configuring connection files.

CONNECTION WORKFLOW

Install NovaMira → enable AI Abilities → choose Application Password → copy the setup prompt → add the plug-and-play instruction → let the agent configure it → restart → list tools and abilities.

CHAPTER 2

The no-command connection workflow

AUTHOR'S WORKFLOW

At the time this edition was written, NovaMira was the author's preferred WordPress connection tool for capable AI agents. It made the workflow practical by generating the private setup prompt and allowing the agent to configure the connection.

Independent recommendation based on project use. Not a paid endorsement.

What you need

- One WordPress website and permission to install plugins
- A current restorable backup
- NovaMira downloaded from its official source
- A trusted MCP-compatible AI agent
- A separate project folder for this website where supported

Install NovaMira

1 Download and install.

Use NovaMira's official website or official plugin source. In WordPress, open Plugins → Add New Plugin, install or upload it, then activate it.

2 Open NovaMira → Configuration.

Enable AI Abilities, read the warning, and save the setting.

3 Choose Application Password.

Create a new website-specific Application Password, then click Copy prompt.

Keep the copied setup prompt private. It contains connection information. Do not place it in screenshots, reports, repositories, or shared documents.

CHAPTER 2 - PLUG-AND-PLAY PROMPT

Let the AI agent configure everything

Paste NovaMira's copied setup prompt first. Directly below it, paste this instruction and send the combined message once.

AUTOMATIC CONNECTION INSTRUCTION

Use the private NovaMira setup details above to connect this current project to the correct WordPress website.

Configure the connection for me. I do not want to write commands, edit JSON, choose packages, or manually configure files.

Rules:

- Work only inside the current website project.
- Keep all credentials private.
- Do not repeat the complete Application Password.
- Do not make any WordPress content, design, plugin, database, user, payment, or settings change.
- Configure only the private connection required by NovaMira.
- Preserve unrelated existing project configuration when safe.
- Protect private connection files from Git or public sharing when needed.
- Tell me clearly when the configuration has been saved.
- Then stop and tell me to fully restart or reload the AI agent before testing the connection.

After I restart, I will ask you to list the available NovaMira tools and WordPress abilities and confirm the connected website.

The beginner does not need to know the hidden package or configuration format. NovaMira supplies the setup details, and the agent handles the technical configuration.

CHAPTER 2 - RESTART AND VERIFY

Restart, then ask for tools and abilities

1 Wait for the configuration report.

The agent should tell you that the private connection has been saved.

2 Fully restart or reload the AI agent.

Reopen the same website project. A normal chat refresh may not reload the connection.

3 Run the verification prompt.

The agent must list the available tools and abilities without changing the website.

CONNECTION VERIFICATION PROMPT

Verify the NovaMira WordPress connection for this project.

Do not make any website change.

1. List the available NovaMira MCP tools.
2. Discover and list the available WordPress abilities in simple groups.
3. Confirm the exact connected website domain.
4. Confirm whether authentication and the connection are working.
5. Confirm that no WordPress ability has been executed and no website change has been made.
6. Stop after the verification report.

A successful result

- NovaMira tools are visible
- WordPress abilities can be discovered
- The correct website domain is confirmed
- No website action was executed during connection testing

The exact technical tool names are not important to the beginner. The connection is ready when the agent can list the tools, discover the abilities, and confirm the correct site.

04

Run and Share the First Speed Test

Create useful starting evidence for the safeguard agent without changing the website.

CLEAN BEGINNER PATH


Run the test → expand the problems → share the evidence → connect WordPress → let the agent verify it.

- 01** Choose Lighthouse or PageSpeed Insights.
- 02** Keep the exact page and device profile consistent.
- 03** Expand the red and warning sections before sharing.
- 04** Remove private information from screenshots and reports.

EXAMPLE 1 - WEAK BASELINE

A low score needs metric evidence

This run is useful because the weak score is tied to a visible technical symptom: Largest Contentful Paint measured 8.1 seconds.



WHAT TO NOTICE

- Performance is 51, but the actionable evidence is the 8.1-second LCP.
- The tested page and mobile profile are visible, so the agent can verify the same target.
- One run identifies a problem; it does not yet establish a reliable median baseline.


SAFE INTERPRETATION RULE

Do not optimize from the score alone. Record the page, device, LCP value, visible LCP element, and at least three comparable runs.

EXAMPLE 2 - INVALID COMPARISON

A popup changes the test state

This run cannot be compared directly with a clean-page baseline because a strategy-call popup is open and changes the rendered page, requests, and timing.



WHAT TO NOTICE

- The popup is visible inside the Lighthouse preview.
- Performance fell to 27, but the page state is not the same as the clean-page runs.
- Cookie banners, popups, sliders, login state, and cache state must be held constant or documented.


SAFE INTERPRETATION RULE

Treat this run as a condition-change example, not proof that a technical fix failed. Re-run under the agreed baseline state.

EXAMPLE 3 - COMPARABLE IMPROVEMENT

Metrics show a stronger result

This clean-page run records Performance 84, First Contentful Paint 1.9 seconds, and Largest Contentful Paint 2.6 seconds.



WHAT TO NOTICE

- The underlying metrics are visible, not only the combined score.
- The page and device state match the intended mobile test condition.
- The result becomes evidence of improvement only when repeated comparable runs support the same direction.

SAFE INTERPRETATION RULE

Compare median metrics under the same conditions. Keep the change only after visual, functional, technical, and repeated performance verification all pass.

Want the complete WordPress speed workflow?

The full guide takes you from safe connection to

Inside the full guide

- The Master Safeguard Prompt for bounded AI-agent runs
- Read-only audit and reliable Lighthouse baseline workflow
- One-change-at-a-time fixes for LCP, images, fonts, cache, CSS & JS
- Verification, rollback, stop conditions, and final reporting
- Reusable templates, checklists, prompts, and appendices A-G

Get WordPress Speed with AI Agent

Use the product page on AningDesign to access the full edition.

GET THE FULL GUIDE