



ASSIGNMENT CODING DECODING

Coded Instructions

EXERCISE - I

Directions (Q.1 - 5): Study the following instructions to answer the questions given below it:

- a) $P @ Q \# R$: means "sum of Q and R is subtracted from the cube of P.
- b) $P + Q * R$: means "product of Q and R is subtracted from the square of P.
- c) $P < Q > R$: means "Product of P and Q is added to product of P and R.
- d) $P \$ Q \% R$: means "P percent of Q is added to R.

1. If $9 + 6 * 3 = a$ then find the value of $30 \$ 90 \% a$.

- 1)30 2)35 3)40 4)90 5) none of these

2. If $25 \$ 300 \% 50 = b$, then find the value of $10 @ b \# 20$.

- 1)855 2)860 3)955 4)982 5)none of these

3. If $30 < 40 > 50 = c$, then the value of $10 \$ c \% 30$

- 1)330 2)320 3)300 4)230 5)none of these

4. $5 @ 10 \# 15 = d$, then find the value of $20 < 30 > d$

- 1)1970 2)2100 3)2415 4)2500 5) none of these

5. If $50 \$ 20 \% 5 = e$, then find the value of $52 + e * 10$.

- 1)1554 2)2554 3)2954 4)1054 5) none of these

Exercise - II

Directions (Q.1 - 5): Study the following instructions to answer the questions given below it:

- a) $X \# Y \% Z$: means "sum of squares of X and Y is subtracted from the cube of Z.
- b) $X \& Y + Z$: means "square of sum of X and Y is added to Z.
- c) $X @ Y ^ Z$: means "Difference between sum of X and Y and sum of Y and Z.
- d) $X \$ Y * Z$: means "Z% of Y is multiplied to X.

1. If $4 \$ 80 * 20 = r$, then find the value of $5 \& 20 + r$

- 1)612 2)635 3)687 4)689 5)none of these

2. If $19 \# 6 \% 11 = r$, then find the value of $238 @ r ^ 65$

- 1)173 2)156 3)165 4)934 5)none of these

ASSIGNMENT CODING DECODING

Coded Instructions

3. If $4 \& 16 + 25 = r$, then find the value of $13 \$ r * 20$

- 1)1100 2)1105 3)110 4)425 5)none of these

4. If $3 \& 1 + 5 = r$, then find the value of $r \# 16 \% 13$

- 1)150 2)1500 3)151 4)1501 5)none of these

5. If $94 @ 112 ^ 36 = r$, then find the value of $25 \$ r * 60$

- 1)870 2)780 3)78 4)81 5)none of these

Exercise - III

Directions (Q.1 - 5): Study the following instructions to answer the questions given below it:

- a) $L \# M \% N$: means "sum of squares of L and M is subtracted from the square of sum of M and N."
 b) $L \emptyset M \theta N$: means "product of L and M is subtracted from the square of N"
 c) $L \Delta M \nabla N$: means "M is divided by L and the quotient is added to the N."
 d) $L > M > N$: means "L percent of M is added to M percent of N."

1. If $6 \# 7 \% 3 = k$ then find the value of $k \Delta 15 \nabla 25$.

- 1)26 2)30 3)36 4)40 5) none of these

2. If $5 \emptyset 4 \theta 5 = d$ then find the value of $60 > d > 60$.

- 1)8 2)6 3)4 4)2 5)none of these

3. If $10 > 20 > 30 = r$, then the value of $4 \Delta s \nabla 25$

- 1)32 2)35 3)27 4)22 5)30

4. $15 \Delta 450 \nabla 42 = m$, then find the value of $12 \Delta m \nabla 25$

- 1)31 2)40 3)42 4)45 5)50

5. If $20 \emptyset 7 \theta 15 = c$, then find the value of $12 \# 15 \% c$

- 1)5100 2)5261 3)9361 4)9631 5)9690

Exercise – IV

Directions (Q.1- 5): In a certain instruction system the different computational processes are written as follows:

- a) $P \# Q + R$: means "sum of P and Q is multiplied to sum of Q and R."

ASSIGNMENT CODING DECODING

Coded Instructions

- b) $P @ Q * R$ means “sum of 10% of P, 20% of Q and 50% of R’.
- c) $P \% Q \$ R$: means “Product of P and Q is added to square of R.
- d) $P \& Q ^ R$: means “Q is divided by P and quotient is added to R.

1. If $19 \% 12 \$ 14 = a$ then find the value of $21 \& 441 ^ a$.

- 1)430 2)445 3)215 4)312 5) none of these

2. If $60 @ 125 * 98 = b$, then find the value of $12 \# b + 8$.

- 1)7864 2)9832 3)8096 4)8734 5) none of these

3. If $7 \& 504 ^ 286 = c$, then the value of $c \% 4 \$ 15$.

- 1) 16572 2)1764 3)1757 4)3278 5)none of these

4. If $17 \# 13 + 37 = d$, then find the value of $50 \& d ^ 70$.

- 1)537 2)248 3)100 4)120 5) none of these

5. If $23 \% 12 \$ 16 = e$, then find the value of $e \# 7 + 4$.

- 1)7632 2)6575 3)5438 4)5929 5) none of these