P9: GET Y POST EN ANGULAR/FLASK

Nombre del alumno: Ixchel Samperio Garcia
TIID 04_01
Tecnologías de la información e innovación Digital

APLICACIONES WEB
Nombre del profesor: Diana Xochitl Ruano Vargas

Universidad Politécnica de Pachuca
Enero-Abril 2026


MongoDB Compass - localhost:27017/escuelasDB.alumnos
Connections Edit View Collection Help
Compass
My Queries
Data Modeling
CONNECTIONS (1)
Search connections
localhost:27017
admin
cartelera_cultural
eventos
config
escuelasDB
alumnos
local
startup_log
localhost:27017
alumnos
eventos
cartelera_cultural
admin
localhost:27017 > escuelasDB > alumnos
Open MongoDB shell
Documents 4
Aggregations
Schema
Indexes 1
Validation
Generate query
Explain
Reset
Find
Options
ADD DATA
UPDATE
DELETE
EXPORT DATA
EXPORT CODE
25
1 - 4 of 4
{
"_id": {},
"nombre": "Ixchel Samperio",
"edad": 20,
"carrera": "TIID"
}
{
"_id": {},
"nombre": "Raul Garcia",
"edad": 22,
"carrera": "Ingeniería Industrial"
}
{
"_id": {},
"nombre": "Sofía Martínez",
"edad": 20,
"carrera": "Terapia Fisica"
}
{
"_id": {},
"nombre": "Diana Xochitl",
"edad": 20,
"carrera": "TIID"
}


EXPLORER
PRACTICA9
practica9
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
node
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> ng new practica9
https://developer.mozilla.org/docs/Web/CSS]
✓ Do you want to enable Server-Side Rendering (SSR) and Static Site Generation (SSG/Prerendering)? Yes
✓ Which AI tools do you want to configure with Angular best practices? https://angular.dev/ai/develop-with-ai None
CREATE practica9/angular.json (2145 bytes)
CREATE practica9/package.json (1187 bytes)
CREATE practica9/README.md (1521 bytes)
CREATE practica9/tsconfig.json (990 bytes)
CREATE practica9/.editorconfig (331 bytes)
CREATE practica9/.gitignore (666 bytes)
CREATE practica9/tsconfig.app.json (464 bytes)
CREATE practica9/tsconfig.spec.json (456 bytes)
CREATE practica9/.vscode/extensions.json (134 bytes)
CREATE practica9/.vscode/launch.json (490 bytes)
CREATE practica9/.vscode/mcp.json (188 bytes)
CREATE practica9/.vscode/tasks.json (1020 bytes)
CREATE practica9/src/main.ts (228 bytes)
CREATE practica9/src/index.html (308 bytes)
CREATE practica9/src/styles.css (81 bytes)
CREATE practica9/src/main.server.ts (300 bytes)
CREATE practica9/src/server.ts (1677 bytes)
CREATE practica9/src/app/app.spec.ts (699 bytes)
CREATE practica9/src/app/app.ts (303 bytes)
CREATE practica9/src/app/app.css (0 bytes)
CREATE practica9/src/app/app.html (20446 bytes)
CREATE practica9/src/app/app.config.ts (453 bytes)
CREATE practica9/src/app/app.routes.ts (80 bytes)
CREATE practica9/src/app/app.config.server.ts (438 bytes)
CREATE practica9/src/app/app.routes.server.ts (174 bytes)
CREATE practica9/public/favicon.ico (15086 bytes)
Installing packages (npm)...
GITLENS: COMMIT GRAPH
OUTLINE
GITLENS: GRAPH DETAILS
TIMELINE
Launchpad
Start JSON Server
Signed out
Output Formatter
Prettier

EXPLORER

PRACT...

practica9

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> ng new practica9
CREATE practica9/tsconfig.spec.json (456 bytes)
CREATE practica9/.vscode/extensions.json (134 bytes)
CREATE practica9/.vscode/launch.json (490 bytes)
CREATE practica9/.vscode/mcp.json (188 bytes)
CREATE practica9/.vscode/tasks.json (1020 bytes)
CREATE practica9/src/main.ts (228 bytes)
CREATE practica9/src/index.html (308 bytes)
CREATE practica9/src/styles.css (81 bytes)
CREATE practica9/src/main.server.ts (300 bytes)
CREATE practica9/src/server.ts (1677 bytes)
CREATE practica9/src/app/app.spec.ts (699 bytes)
CREATE practica9/src/app/app.ts (303 bytes)
CREATE practica9/src/app/app.css (0 bytes)
CREATE practica9/src/app/app.html (20446 bytes)
CREATE practica9/src/app/app.config.ts (453 bytes)
CREATE practica9/src/app/app.routes.ts (80 bytes)
CREATE practica9/src/app/app.config.server.ts (438 bytes)
CREATE practica9/src/app/app.routes.server.ts (174 bytes)
CREATE practica9/public/favicon.ico (15086 bytes)
✓ Packages installed successfully.
    Directory is already under version control. Skipping initialization of git.
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> npm install bootstrap

up to date, audited 3 packages in 4s

2 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9>
```

GITLENS: COMMIT GRAPH

OUTLINE

GITLENS: GRAPH DETAILS

TIMELINE

Launchpad 0 0

Start JSON Server Signed out Output Formatter Prettier

EXPLORER

PRACTICA9

practica9

.vscode

node_modules

public

src

.editorconfig

.gitignore

angular.json 1

package-lock.json

package.json

README.md

tsconfig.app.json

tsconfig.json

tsconfig.spec.json

GITLENS: COMMIT GRAPH

OUTLINE

angular.json 1

practica9 > {} angular.json > {} projects > {} practica9 > {} architect > {} build > {} options

```
8     "projects": {
9       "practica9": {
15        "architect": {
16          "build": {
18            "options": {
22              {
23                "glob": "**/*",
24                "input": "public"
25              }
26            ],
27            "styles": [
28              "src/styles.css"
29            ],
30
31            [
32            "node_modules/bootstrap/dist/css/bootstrap.min.css"
33            ],
34
35            "server": "src/main.server.ts",
36            "outputMode": "server",
37            "ssr": {
38              "entry": "src/server.ts"
39            }
40          ],
41          "configurations": {
42            "production": {
43              "budgets": [
44                {
45                  "type": "initial",
46                  "maximumWarning": "500kB",
47                  "maximumError": "1MB"
48                },
49                {
50                  "type": "anyComponentStyle",
```

EXPLORER

PRACTICA9

- practica9
  - .vscode
  - node_modules
  - public
  - src
  - .editorconfig
  - .gitignore
  - angular.json
  - package-lock.json
  - package.json
  - README.md
  - tsconfig.app.json
  - tsconfig.json
  - tsconfig.spec.json

GITLENS: COMMIT GRAPH
OUTLINE
GITLENS: GRAPH DETAILS
TIMELINE

angular.json

practica9 > angular.json > { } projects > { } practica9 > { } architect > { } build > { } options

```
8     "projects": {
9       "practica9": {
15        "architect": {
16          "build": {
18            "options": {
22              {
23                "glob": "**/*",
24                "input": "public"
25              }
26            ],
27            "styles": [
28                "src/styles.css",
29                "node_modules/bootstrap/dist/css/bootstrap.min.css"
30            ],
31            "server": "src/main.server.ts",
32            "outputMode": "server",
33            "ssr": {
34              "entry": "src/server.ts"
35            }
36          },
37          "configurations": {
38            "production": {
39              "budgets": [
40                {
41                  "type": "initial",
42                  "maximumWarning": "500kB",
43                  "maximumError": "1MB"
44                },
45                {
46                  "type": "anyComponentStyle",
47                  "maximumWarning": "4kB",
48                  "maximumError": "8kB"
49                }
50              ],
51              "outputHashing": "all"
52            },
53            "development": {
```

Launchpad ⊗ 0 ⚠ 0 | Start JSON Server | Ln 30, Col 16 | Spaces: 2 | UTF-8 | CRLF | JSON | Signed out | Output Formatter | Prettier

EXPLORER

PRACTICA9

- practica9
  - .vscode
  - node_modules
  - public
  - src
  - .editorconfig
  - .gitignore
  - angular.json
  - app.py
  - package-lock.json
  - package.json
  - README.md
  - tsconfig.app.json
  - tsconfig.json
  - tsconfig.spec.json

GITLENS: COMMIT GRAPH
OUTLINE
GITLENS: GRAPH DETAILS
TIMELINE

angular.json | app.py

practica9 > app.py

```
1  Generate code (Ctrl+I), or select a language (Ctrl+K M). Start typing to dismiss or don't show this again.
```

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> pip install flask pymongo flask-cors
pip : El término 'pip' no se reconoce como nombre de un cmdlet, función, archivo de script o programa ejecutable. Compruebe si escribió
correctamente el nombre o, si incluyó una ruta de acceso, compruebe que dicha ruta es correcta e inténtelo de nuevo.
En línea: 1 Carácter: 1
+ pip install flask pymongo flask-cors
+ ~~~
    + CategoryInfo          : ObjectNotFound: (pip:String) [], CommandNotFoundException
    + FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> py -m pip install flask pymongo flask-cors
Requirement already satisfied: flask in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (3.1.2)
Requirement already satisfied: pymongo in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (4.16.0)
Requirement already satisfied: flask-cors in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (6.0.2)
Requirement already satisfied: blinker>=1.9.0 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from flask) (1.9.0)
Requirement already satisfied: click>=8.1.3 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from flask) (8.3.1)
Requirement already satisfied: itsdangerous>=2.2.0 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from flask) (2.2.0)
Requirement already satisfied: jinja2>=3.1.2 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from flask) (3.1.6)
Requirement already satisfied: markupsafe>=2.1.1 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from flask) (3.0.3)
Requirement already satisfied: werkzeug>=3.1.0 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from flask) (3.1.5)
Requirement already satisfied: dnspython<3.0.0,>=2.6.1 in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from pymongo) (
2.8.0)
Requirement already satisfied: colorama in c:\users\samperio\appdata\local\python\pythoncore-3.14-64\lib\site-packages (from click>=8.1.3->flask) (0.4
.6)

[notice] A new release of pip is available: 25.3 -> 26.0.1
[notice] To update, run: C:\Users\Samperio\AppData\Local\Python\pythoncore-3.14-64\python.exe -m pip install --upgrade pip
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9>
```

powershell
powershell

Launchpad ⊗ 0 ⚠ 0 | Start JSON Server | Ln 1, Col 1 | Spaces: 4 | UTF-8 | CRLF | Python | Signed out | 3.14.3 | Output Formatter | Prettier

```python
@app.route('/')
def inicio():
    return "API UPP funcionando"

@app.route('/alumnos', methods=['GET'])
def obtener_alumnos():
    alumnos = list(coleccion.find({}, {"_id": 0}))
    return jsonify(alumnos)

@app.route('/alumnos', methods=['POST'])
def insertar_alumno():
    datos = request.json
    coleccion.insert_one(datos)
    return jsonify({"mensaje": "Alumno insertado correctamente"})

if __name__ == '__main__':
    app.run(debug=True)
```

```
To address all issues possible (including breaking changes), run:
  npm audit fix --force

Some issues need review, and may require choosing …
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 814-240-358
```

127.0.0.1:5000

API UPP funcionando

```python
@app.route('/')
def inicio():
    return "API UPP funcionando"

@app.route('/alumnos', methods=['GET'])
def obtener_alumnos():
    alumnos = list(coleccion.find({}, {"_id": 0}))
    return jsonify(alumnos)

@app.route('/alumnos', methods=['POST'])
def insertar_alumno():
```

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> ng generate service services/alumnos
Error: This command is not available when running the Angular CLI outside a workspace.
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> cd practica9
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> ng generate service services/alumnos
CREATE src/app/services/alumnos.spec.ts (342 bytes)
CREATE src/app/services/alumnos.ts (120 bytes)
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9>
```

EXPLORER

PRACTICA9

- practica9
  - .angular
  - .vscode
  - node_modules
  - public
  - src
    - app
      - services
        - alumnos.spec.ts
        - alumnos.ts
      - app.config.server.ts
      - app.config.ts
      - app.css
      - app.html
      - app.routes.server.ts
      - app.routes.ts
      - app.spec.ts
      - app.ts
    - index.html
    - main.server.ts
    - main.ts
    - server.ts
    - styles.css
  - .editorconfig
  - .gitignore
  - angular.json

angular.json | app.py | alumnos.spec.ts

practica9 > src > app > services > alumnos.spec.ts > ...

```
import { TestBed } from '@angular/core/testing';

import { Alumnos } from './alumnos';

describe('Alumnos', () => {
  let service: Alumnos;

  beforeEach(() => {
    TestBed.configureTestingModule({});
    service = TestBed.inject(Alumnos);
  });

  it('should be created', () => {
    expect(service).toBeTruthy();
  });
});
```

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> ng gene
```

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> ng generate component components/tabla --standalone
CREATE src/app/components/tabla/tabla.spec.ts (547 bytes)
CREATE src/app/components/tabla/tabla.ts (193 bytes)
CREATE src/app/components/tabla/tabla.css (0 bytes)
CREATE src/app/components/tabla/tabla.html (21 bytes)
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9>
```

```
<table class="table table-bordered">
```

PROBLEMS 2 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> ng generate component components/formulario --standalone
Error: This command is not available when running the Angular CLI outside a workspace.
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> cd practica9
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> ng generate component components/formulario --standalone
CREATE src/app/components/formulario/formulario.spec.ts (582 bytes)
CREATE src/app/components/formulario/formulario.ts (213 bytes)
CREATE src/app/components/formulario/formulario.css (0 bytes)
CREATE src/app/components/formulario/formulario.html (26 bytes)
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9>
```

- py practica9
- powershell
- powershell practica9
- powershell practica9

127.0.0.1:5000 | Practica9

localhost:4200

Agregar Alumno

Nombre

Edad

Carrera

Guardar

Lista de Alumnos

Nombre	Edad	Carrera

practica9 > src > app > app.config.ts > ...

```
1  import { ApplicationConfig } from '@angular/core';
2  import { provideHttpClient } from '@angular/common/http';
3
4  export const appConfig: ApplicationConfig = {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> cd practica9
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> ng serve
Browser bundles
Initial chunk files   | Names         |  Raw size
styles.css            | styles        | 277.01 kB |
main.js               | main          |  13.48 kB |

                      | Initial total | 290.49 kB


Server bundles
Initial chunk files   | Names         |  Raw size
main.server.mjs       | main.server   |  14.74 kB |
server.mjs            | server        |   1.81 kB |
polyfills.server.mjs  | polyfills.server | 243 bytes |

Application bundle generation complete. [7.910 seconds] - 2026-02-20T05:51:25.274Z

Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
  → Local:   http://localhost:4200/
  → press h + enter to show help
NG02801: Angular detected that `HttpClient` is not configured to use `fetch` APIs. It's strongly recommended to enable `fetch` for applications tha
t use Server-Side Rendering for better performance and compatibility. To enable `fetch`, add the `withFetch()` to the `provideHttpClient()` call at
 the root of the application.
```

py practica9
powershell
powershell practica9
powershell practica9
powershell
esbuild practica9
esbuild practica9
esbuild practica9


EXPLORER
PRACTICA9
practica9
src
app
components
formulario
formulario.css
formulario.html
formulario.spec.ts
formulario.ts
tabla
tabla.css
tabla.html
tabla.spec.ts
tabla.ts
services
app.config.server.ts
app.config.ts
app.css
app.html
app.routes.server.ts
app.routes.ts
app.spec.ts
app.ts
index.html
main.server.ts
main.ts
server.ts
styles.css
GITLENS: COMMIT GRAPH
OUTLINE
GITLENS: GRAPH DETAILS
TIMELINE
practica9 > src > app > components > formulario > formulario.html > ...
Go to component

<h2>Agregar Alumno</h2>
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9> cd practica9
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> ng serve
styles.css | styles | 277.01 kB
main.js | main | 13.48 kB
Initial total | 290.49 kB
Server bundles
Initial chunk files | Names | Raw size
main.server.mjs | main.server | 14.74 kB
server.mjs | server | 1.81 kB
polyfills.server.mjs | polyfills.server | 243 bytes
Application bundle generation complete. [7.910 seconds] - 2026-02-20T05:51:25.274Z
Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
➜ Local: http://localhost:4200/
➜ press h + enter to show help
NG02801: Angular detected that `HttpClient` is not configured to use `fetch` APIs. It's strongly recommended to enable `fetch` for applications tha
t use Server-Side Rendering for better performance and compatibility. To enable `fetch`, add the `withFetch()` to the `provideHttpClient()` call at
the root of the application.
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> py app.py
* Serving Flask app 'app'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 814-240-358
py practica9
powershell
powershell practica9
powershell practica9
powershell
esbuild practica9
esbuild practica9
py practica9
powershell


127.0.0.1:5000
127.0.0.1:5000
127.0.0.1:5000/alumnos
127.0.0.1:5000/alumnos
Resumir
Chat
Impresión con sangría
[
{
"carrera": "TIID",
"edad": 20,
"nombre": "Ixchel"
}
]


Practica9
localhost:55531
Chat
Agregar Alumno
Nombre
xochitl
Edad
21
Carrera
TIID
Guardar
localhost:55531 dice
Alumno agregado correctamente
Aceptar
Lista de Alumnos
Nombre
Edad
Carrera
Ixchel
20
TIID
raul
25
TIID


Practica9
localhost:55531
Agregar Alumno
Nombre
Edad
Carrera
Guardar
Lista de Alumnos
Nombre
Edad
Carrera
Ixchel
20
TIID
raul
25
TIID
xochitl
21
TIID


PRACTICA9
practica9 > src > app > components > tabla > tabla.html > ...

<h2>Lista de Alumnos</h2>
<table class="table table-bordered">
PS C:\Users\Samperio\Documents\GitHub\Practicas_Web_IxchelSamperio\practica9\practica9> ng serve
styles.css | styles | 277.01 kB |
main.js | main | 13.50 kB |
Initial total | 290.51 kB
Server bundles
Initial chunk files | Names | Raw size
main.server.mjs | main.server | 14.77 kB |
server.mjs | server | 1.81 kB |
polyfills.server.mjs | polyfills.server | 243 bytes |
Application bundle generation complete. [7.687 seconds] - 2026-02-20T06:02:10.789Z
Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
→ Local: http://localhost:55531/
→ press h + enter to show help
NG02801: Angular detected that `HttpClient` is not configured to use `fetch` APIs. It's strongly recommended to enable `fetch` for applications that use Server-Side Rendering for better performance and compatibility. To enable `fetch`, add the `withFetch()` to the `provideHttpClient()` call at the root of the application.
[{ carrera: 'TIID', edad: 20, nombre: 'Ixchel' }]
[
{ carrera: 'TIID', edad: 20, nombre: 'Ixchel' },
{ carrera: 'TIID', edad: 25, nombre: 'raul' }
]
[
{ carrera: 'TIID', edad: 20, nombre: 'Ixchel' },
{ carrera: 'TIID', edad: 25, nombre: 'raul' },
{ carrera: 'TIID', edad: 21, nombre: 'xochitl' }
]


MongoDB Compass - localhost:27017/escuelaDB.alumnos
Connections Edit View Collection Help
Compass
My Queries
Data Modeling
CONNECTIONS (1)
Search connections
localhost:27017
admin
cartelera_cultural
eventos
config
escuelaDB
alumnos
escuelasDB
alumnos
local
startup_log
localhost:27017 alumnos escuelaDB alumnos eventos cartelera_cultural admin
localhost:27017 > escuelaDB > alumnos
Open MongoDB shell
Documents 3 Aggregations Schema Indexes 1 Validation
Type a query: { field: 'value' } or Generate query
Explain Reset Find Options
ADD DATA UPDATE DELETE EXPORT DATA EXPORT CODE
25 1 - 3 of 3
_id: ObjectId('6997f6cd8546620d31403cf2')
nombre : "Ixchel"
edad : 20
carrera : "TIID"
_id: ObjectId('6997f8fd8546620d31403cf3')
nombre : "raul"
edad : 25
carrera : "TIID"
_id: ObjectId('6997f9278546620d31403cf4')
nombre : "xochitl"
edad : 21
carrera : "TIID"