customer - CostmerName : String - PhoneNumber :int - Order: Order +Coustmer(costmerName:String, phoneNumber:int,o:Order) +Coustmer(o1:Coustmer) +Coustmer () +setOrder(o:Order):void +setCoustmerName(name:String):void +setphoneNumber(phone:int):void +getcoustmerName():String +getphonrNumber():int +toString():String Menu offers **Order** - choice:int -tableNumber:int --price:Order -menuBreakfast:String -yourOrder:int -price:double -menuDinner:String +offers(p:Order) -numOfo:int -menuCoffee:String +offers() -pricesOfbreakfast :int[] -inp:String +offers(o:offers) -pricesOfdinner:int[] +offers(price :double) -pricesOfcoffee:int[]

+Order(yourOrder:int)

+getPrice():double

+Order(pric :double)

+Order(order:Order)

+setyourOrder(int order):void

+setNumOfo(numOfo:int):void +setYourOrderB(yourOrder:int):void +setYourOrderD(yourOrder:int):void +setYourOrderC(yourOrder:int):void

+Order()

+ setChoice(int c):void

+ getmenuBrakfast():String

+ getmenuDinnert():String

+ getmenuCoffeet():String

+ Menu(int c):

+ Menu():

+offers1():void

+offers2():void

+offers3(price:double):void