

Índice de Arquivos

KnowledgePack-20250920-1710\downloads\kicad-boardview-main\example\example.kicad_pcb	25
KnowledgePack-20250920-1710\downloads\kicad-boardview-main\pcbnew2boardview.py	996
KnowledgePack-20250920-1710\downloads\kicad-boardview\gitignore	1001
KnowledgePack-20250920-1710\downloads\kicad-boardview\LICENSE-0BSD.txt	1002
KnowledgePack-20250920-1710\downloads\kicad-boardview\README.md	1003
KnowledgePack-20250920-1710\downloads\kicad-boardview__init__.py	1005
KnowledgePack-20250920-1710\downloads\kicad-boardview__main__.py	1007
KnowledgePack-20250920-1710\downloads\kicad-boardview\example\example.brd	1008
KnowledgePack-20250920-1710\downloads\kicad-boardview\example\example.bvr	1058
KnowledgePack-20250920-1710\downloads\kicad-boardview\example\example.kicad_pcb	1474
KnowledgePack-20250920-1710\downloads\kicad-boardview\pcbnew2boardview.py	3360
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\archetypes\default.md	3368
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\assets\js\anchor.min.js	3369
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content_index.adoc	3370
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content_index.zh-cn.adoc	3372
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\addons_index.en.adoc	3373
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\addons_index.zh-cn.adoc	3386
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding_index.en.adoc	3395
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding_index.zh-cn.adoc	3396
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\http-libraries_index.en.adoc	3397
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ipc-api_index.en.adoc	3403
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ipc-api\for-addon-developers_index.en.adoc	3405
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ipc-api\for-kicad-developers_index.en.adoc	3410
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\pcbnew_index.en.adoc	3418
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\pcbnew_index.zh-cn.adoc	3425
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build_index.en.adoc	3431

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build_index.zh-cn.adoc .
.... 3432
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\compile-options_in
dex.en.adoc 3433
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\compile-options_in
dex.zh-cn.adoc 3439
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\getting-started_inde
x.en.adoc 3443
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\getting-started_inde
x.zh-cn.adoc 3452
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\linux_index.en.adoc
..... 3460
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\linux_index.zh-cn.a
doc 3463
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\macos_index.en.ad
oc 3465
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\macos_index.zh-cn
.adoc 3470
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\windows-msvc_ind
ex.en.adoc 3473
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\windows-msys2_in
dex.en.adoc 3482
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\windows-msys2_in
dex.zh-cn.adoc 3487
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components_index.en.ad
oc 3491
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components_index.zh-cn
.adoc 3492
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\plugins_ind
ex.en.adoc 3493
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\plugins_ind
ex.zh-cn.adoc 3540
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\settings_ind
ex.en.adoc 3587
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\settings_ind
ex.zh-cn.adoc 3591
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\sexpr_index
.en.adoc 3595
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\sexpr_index
.zh-cn.adoc 3598
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\testing_inde
x.en.adoc 3601
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\testing_inde
x.zh-cn.adoc 3612
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\tool-framewo
rk_index.en.adoc 3622
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\tool-framewo
rk_index.zh-cn.adoc 3639

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats_index.en.adoc 3655

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\legacy-4-to-6_index.en.adoc 3656

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\legacy-pcb_index.en.adoc 3657

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-footprint_index.en.adoc 3679

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-intro_index.en.adoc 3681

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-pcb_index.en.adoc 3732

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-schematic_index.en.adoc 3751

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-symbol-lib_index.en.adoc 3766

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-worksheet_index.en.adoc 3768

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\getting-started_index.en.adoc 3776

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\getting-started_index.zh-cn.adoc 3779

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines_index.en.adoc 3782

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines_index.zh-cn.adoc 3783

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\anti-patterns_index.en.adoc 3784

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\anti-patterns_index.zh-cn.adoc 3797

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-policy_index.en.adoc 3801

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-policy_index.zh-cn.adoc 3803

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-style_index.adoc 3804

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-style_index.zh-cn.adoc 3835

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\commit_index.en.adoc 3862

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\commit_index.zh-cn.adoc 3866

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\culture_index.en.adoc 3870

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\culture_index.zh-cn.adoc 3874

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\icon-design_index.adoc 3878

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\icon-design_index.zh-cn.adoc 3884
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\release-policy_index.en.adoc 3889
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\release-policy_index.zh-cn.adoc 3893
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\ui_index.en.adoc 3896
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\ui_index.zh-cn.adoc 3903
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\source-doxygen_index.en.html 3908
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\source-doxygen_index.zh-cn.html 3909
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\translation_index.en.adoc 3910
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\content-footer.html 3911
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\custom-footer.html 3912
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\custom-header.html 3913
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\favicon.html 3914
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\logo.html 3915
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\static\css\asciidoctor.css 3916
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\editorconfig 3923
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\.gitignore 3924
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\grender.js 3925
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\imgbotconfig 3927
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\issue-tracker 3928
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\CHANGELOG.md 3929
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\LICENSE 3976
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\README.md 3977
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\archetypes\chapter.md 3980
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\archetypes\default.md 3981

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\archetypes\home.md 3982

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\auto.css 3983

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-learn.css 3984

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-neon.css 3987

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-relearn-dark.css 3990

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-relearn-light.css 3993

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\format-print.css 3996

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-blue.css 4002

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-green.css 4004

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-learn.css 4006

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-neon.css 4008

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-red.css 4017

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-relearn-bright.css 4019

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-relearn-dark.css 4021

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-relearn-light.css 4023

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-relearn.css 4025

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-zen-dark.css 4026

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-zen-light.css 4028

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\frontmatter\database\pinnedItemsDb.json 4030

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\frontmatter\database\taxonomyDb.json 4031

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config_default\hugo.toml 4032

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config_default\params.toml 4039

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config\github\hugo.toml 4052

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config\testing\hugo.toml 4053

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content_index.en.md 4054
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content_index.pir.md 4055
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics_index.en.md 4056
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics_index.pir.md 4057
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\branding_index.en.md 4058
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\branding_index.pir.md 4064
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\configuration_index.en.md 4065
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\configuration_index.pir.md 4066
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\customization_index.en.md 4067
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\customization_index.pir.md 4075
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\generator_index.en.md 4076
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\generator_index.pir.md 4078
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\history_index.en.md 4079
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\history_index.pir.md 4080
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\installation_index.en.md 4081
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\installation_index.pir.md 4086
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\migration_index.en.md 4087
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\migration_index.pir.md 4111
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\requirements_index.en.md 4112
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\requirements_index.pir.md 4113
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\topbar_index.en.md 4114
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\topbar_index.pir.md 4119
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont_index.en.md 4120
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont_index.pir.md 4121

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\archetypes_index.en.md 4122
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\archetypes_index.pir.md 4126
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\frontmatter_index.en.md 4127
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\frontmatter_index.pir.md 4130
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\frontmatter\frontmatter.toml 4131
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\i18n_index.en.md 4139
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\i18n_index.pir.md 4143
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\imageeffects.en.md 4144
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\imageeffects.pir.md 4146
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\markdown.en.md 4147
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\markdown.pir.md 4168
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\menushortcuts.en.md 4169
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\menushortcuts.pir.md 4174
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\pages\index.en.md 4175
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\pages\index.pir.md 4177
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\taxonomy.en.md 4178
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\taxonomy.pir.md 4180
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev_index.en.md 4181
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev_index.pir.md 4182
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\contributing_index.en.md 4183
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\contributing_index.pir.md 4185
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\maintaining_index.en.md 4186
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\maintaining_index.pir.md 4190
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\screenshots_index.en.md 4191

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\screenshots_index.pir.md 4194

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more_index.en.md 4195

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more_index.pir.md 4196

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more\credits_index.en.md 4197

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more\credits_index.pir.md 4199

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes_index.en.md 4200

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes_index.pir.md 4201

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.en.files\hugo.txt 4202

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.en.md 4203

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.pir.files\NoTreasure.txt 4207

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.pir.md 4208

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\badge.en.md 4209

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\badge.pir.md 4216

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\button.en.md 4217

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\button.pir.md 4224

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children_index.en.md 4225

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children_index.pir.md 4228

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1_index.en.md 4229

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1_index.pir.md 4230

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1_index.en.md 4231

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1_index.pir.md 4232

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1_index.en.md 4233

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1_index.pir.md 4234

[illegible]

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3_index.pir.md 4252
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3\test3.en.md 4253
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3\test3.pir.md 4254
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-4_index.en.md 4255
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-4_index.pir.md 4256
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\test.en.md 4257
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\test.pir.md 4258
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\expand.en.md 4259
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\expand.pir.md 4263
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\highlight.en.md 4264
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\highlight.pir.md 4270
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\icon.en.md 4271
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\icon.pir.md 4275
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\include\INCLUDE_ME.md 4276
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\include_index.en.md 4277
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\include_index.pir.md 4279
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\math.en.md 4280
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\math.pir.md 4286
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\mermaid.en.md 4287
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\mermaid.pir.md 4307
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\notice.en.md 4308
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\notice.pir.md 4317
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi_index.en.md 4318
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi_index.pir.md 4320

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi\petstore.json 4321
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi\petstore.yaml 4386
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\MaybeTreasure.en.txt 4431
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\MaybeTreasure.pir.txt 4432
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\NoTreasure.en.txt 4433
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\Treasure.pir.txt 4434
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\index.en.md 4435
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\index.pir.md 4438
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\siteparam.en.md 4439
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\siteparam.pir.md 4442
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tab.en.md 4443
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tab.pir.md 4448
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tabs.en.md 4449
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tabs.pir.md 4458
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\showcase_index.en.md 4459
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\showcase_index.pir.md 4460
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags_index.en.md 4461
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags_index.pir.md 4462
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags\the-hidden_index.en.md 4463
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags\the-hidden_index.pir.md 4464
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\frontmatter.json 4465
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\custom-header.html 4468
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\menu-footer.html 4469
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\menu-pre.html 4471

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\shortcodes\multiconfig.html 4472
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\shortcodes\piratify.html 4475
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\shortcodes\replaceRE.html 4480
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\toc.html 4481
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\shortcodes\multiconfig.html 4482
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\shortcodes\piratify.html 4483
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\shortcodes\replaceRE.html 4484
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\makeTransByConentDir.js 4485
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\static\js\github-buttons.js 4491
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\test-hugo.bat 4508
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\test-hugo.min.bat 4510
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\go.mod 4511
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\hugo.toml 4512
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ar.toml 4514
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\cs.toml 4518
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\de.toml 4522
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\en.toml 4526
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\es.toml 4530
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\fi.toml 4534
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\fr.toml 4538
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\hi.toml 4542
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\hu.toml 4546
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\id.toml 4550
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\it.toml 4554

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ja.toml 4558
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ko.toml 4562
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\nl.toml 4566
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\pir.toml 4570
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\pl.toml 4574
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\pt.toml 4578
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ro.toml 4582
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ru.toml 4586
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\sw.toml 4590
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\tr.toml 4594
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\vi.toml 4598
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\zh.toml 4602
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\zh_cn.toml 4606
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\zh_tw.toml 4610
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\404.html 4614
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-codeblock-math.html 4619
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-codeblock-mermaid.html 4620
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-codeblock.html 4621
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-image.html 4622
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-link.html 4623
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default\index.html 4624
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default\index.search.js 4625
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default\list.html 4626
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default\rss.xml 4627

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts_default\single.html 4629
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts_default\sitemap.xml 4630
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts_default\taxonomy.html 4631
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts_default\term.html 4633
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\alias.html 4635
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\BaseName.hugo 4636
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials_main.hugo 4637
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetype.hugo 4638
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\chapter\article.html 4639
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\chapter\styleclass.html 4640
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\default\article.html 4641
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\default\styleclass.html 4642
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\deprecated-chapter\article.html 4643
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\deprecated-chapter\styleclass.html 4644
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\deprecated-home\article.html 4645
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\deprecated-home\styleclass.html 4646
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\home\article.html 4647
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\archetypes\home\styleclass.html 4648
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\article.html 4649
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\authorname.hugo 4650
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\body.html 4651
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\body.print.html 4652
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\body.searchpage.html 4653
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layout
ts\partials\breadcrumbs.html 4654

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\content-footer.html 4656
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\content-header.html 4658
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\content.html 4659
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\custom-comments.html 4660
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\custom-footer.html 4661
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\custom-header.html 4662
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies.html 4663
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies\mathjax.html 4664
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies\mermaid.html 4666
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies\openapi.html 4668
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\favicon.html 4669
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\fileExists.hugo 4670
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\footer.html 4671
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\get-format.hugo 4672
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\get-theme-variants.hugo 4674
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\header.html 4678
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\heading-post.html 4681
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\heading-pre.html 4682
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\heading.html 4683
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\indent.html 4684
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\initial.html 4685
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\initial.md 4686
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\logo.html 4687
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\make-random-md5.hugo 4689

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu-footer.html 4690

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu-post.html 4691

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu-pre.html 4692

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu.html 4693

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\meta.html 4698

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\nested-article.hugo 4699

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\nested-content.hugo 4701

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\opengraph.html 4702

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\output-format.hugo 4705

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\output-partial.hugo 4706

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\output-suffix.hugo 4707

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\page-meta.hugo 4708

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\depth.hugo 4710

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\isHidden.html 4711

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\next.html 4712

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\pagesBy.html 4713

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\prev.html 4715

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\taxonomyPages.html 4716

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\termPages.html 4717

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\title.hugo 4718

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\relBasePath.hugo 4720

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\relBaseUri.hugo 4721

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\relLangPrettyUglyURL.hugo 4722

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\schema.html 4723

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\search.html 4725
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\attachments.html 4727
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\badge.html 4730
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\button.html 4731
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\children.html 4734
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\expand.html 4737
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\highlight.html 4738
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\icon.html 4742
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\image.html 4743
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\include.html 4747
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\link.html 4749
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\math.html 4754
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\mermaid.html 4756
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\notice.html 4758
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\openapi.html 4760
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\resources.html 4761
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\siteparam.html 4763
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\swagger.html 4764
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\tab.html 4765
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\tabs.html 4766
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\single-article.hugo 4769
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\stylesheet.html 4770
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\tags.html 4772
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\term-list.html 4773

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\toc-class.html 4775
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\toc-id.html 4776
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\toc.html 4777
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\arealend.html 4778
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\area\start.html 4779
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\edit.html 4780
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\more.html 4782
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\next.html 4783
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\prev.html 4785
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\print.html 4787
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\sidebar.html 4788
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\toc.html 4789
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\func\area-button.html 4790
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\func\button.html 4791
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\twitter_cards.html 4793
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\version.txt 4794
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\attachments.html 4795
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\badge.html 4796
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\button.html 4797
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\children.html 4798
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\expand.html 4799
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\highlight.html 4800
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\icon.html 4801
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\include.html 4802

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\math.html 4803
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\mermaid.html 4804
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\notice.html 4805
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\openapi.html 4806
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\resources.html 4807
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\siteparam.html 4808
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\swagger.html 4809
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\tab.html 4810
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\tabs.html 4812
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\auto-complete.css 4813
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\fontawesome-all.min.css 4815
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\fonts.css 4816
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\nucleus.css 4818
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\perfect-scrollbar.min.css 4826
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\print.css 4827
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\swagger-dark.css 4828
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\swagger.css 4887
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\tags.css 4896
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\theme.css 4898
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\variant-internal.css 4964
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\variant.css 4968
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\auto-complete.js 4983
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\clipboard.min.js 4992
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\d3\d3-color.min.js 4993

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-dispatch.min.js 4994
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-drag.min.js 4995
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-ease.min.js 4996
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-interpolate.min.js 4997
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-selection.min.js 4998
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-timer.min.js 4999
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-transition.min.js 5000
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\d3\d3-zoom.min.js 5001
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\js-yaml.min.js 5002
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.ar.min.js 5003
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.da.min.js 5004
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.de.min.js 5005
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.du.min.js 5006
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.en.min.js 5007
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.es.min.js 5008
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.fi.min.js 5009
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.fr.min.js 5010
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.hi.min.js 5011
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.hu.min.js 5012
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.it.min.js 5013
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.ja.min.js 5014
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.jp.min.js 5015
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.ko.min.js 5016
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\lunr\lunr.min.js 5017

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.multi.min.js 5018
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.nl.min.js 5019
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.no.min.js 5020
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.pt.min.js 5021
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.ro.min.js 5022
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.ru.min.js 5023
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.stemmer.support.min.js 5024
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.sv.min.js 5025
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.ta.min.js 5026
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.th.min.js 5027
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.tr.min.js 5028
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.vi.min.js 5029
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\lunr.zh.min.js 5030
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\tinyseg.js 5031
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\lunr\\wordcut.js 5037
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\a11y\\assistive-mml.js 5226
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\a11y\\complexity.js 5227
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\a11y\\explorer.js 5228
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\a11y\\semantic-enrich.js 5229
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\adaptors\\liteDOM.js 5230
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\core.js 5231
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\input\\asciimath.js 5232
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\input\\mml.js 5233
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\\mathjax\\input\\mml\\entities.js 5234

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\mml\extensions\mml3.js 5235
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\mml\extensions\mml3.sef.json 5236
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex-base.js 5237
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex-full.js 5238
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex.js 5240
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\action.js 5241
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\all-packages.js 5242
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\ams.js 5244
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\amscd.js 5245
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\autoload.js 5246
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\bbox.js 5247
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\boldsymbol.js 5248
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\braket.js 5249
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\bussproofs.js 5250
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\cancel.js 5251
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\centernot.js 5252
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\color.js 5253
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\colortbl.js 5254
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\colorv2.js 5255
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\configmacros.js 5256
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\enclose.js 5257
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\extpfeil.js 5258
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\gensymb.js 5259
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\html.js 5260

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\mathtools.js 5261
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\mhchem.js 5262
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\newcommand.js 5264
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\noerrors.js 5265
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\nundefined.js 5266
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\physics.js 5267
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\require.js 5268
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\setoptions.js 5269
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\tagformat.js 5270
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\textcomp.js 5271
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\textmacros.js 5272
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\unicode.js 5273
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\upgreek.js 5274
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\input\tex\extensions\verb.js 5275
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\latest.js 5276
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\loader.js 5277
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\mml-cthtml.js 5278
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\mml-svg.js 5279
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\node-main.js 5280
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\output\html.js 5281
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\output\html\fonts\tex.js 5282
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\output\svg.js 5283
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\output\svg\fonts\tex.js 5284
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\de.js 5285

KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\en.js 5289
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\es.js 5293
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\fr.js 5297
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\hi.js 5301
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\it.js 5305
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\mathmaps\nemeth.js 5309
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\sre-node.js 5313
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\sre\sre_browser.js 5314
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\startup.js 5343
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\tex-cthtml-full.js 5344
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\tex-cthtml.js 5346
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\tex-mml-cthtml.js 5347
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\tex-mml-svg.js 5348
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\tex-svg-full.js 5349
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\tex-svg.js 5351
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\ui\lazy.js 5352
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\ui\menu.js 5353
KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static
\\js\mathjax\ui\safe.js 5354

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board view-main\example\example.kicad pcb

Resumo: (kicad_pcb (version 20221018) (generator pcbnew) (general (thickness 1.6)) (paper "A4") (title_block (title "base board") (rev "C3")) (layers (0 "F.Cu" signal) (1 "In1.Cu" power) (2 "In2.Cu" power) (31 "B.Cu" signal) (34 "B.Paste" user) (35 "F.Pas...

```
(kicad_pcb (version 20221018) (generator pcbnew)
```

```
  (general
    (thickness 1.6)
  )
```

```
  (paper "A4")
  (title_block
    (title "base board")
    (rev "C3")
  )
```

```
  (layers
    (0 "F.Cu" signal)
    (1 "In1.Cu" power)
    (2 "In2.Cu" power)
    (31 "B.Cu" signal)
    (34 "B.Paste" user)
    (35 "F.Paste" user)
    (36 "B.Silks" user "B.Silkscreen")
    (37 "F.Silks" user "F.Silkscreen")
    (38 "B.Mask" user)
    (39 "F.Mask" user)
    (40 "Dwgs.User" user "User.Drawings")
    (41 "Cmts.User" user "User.Comments")
    (44 "Edge.Cuts" user)
    (45 "Margin" user)
    (46 "B.CrtYd" user "B.Courtyard")
    (47 "F.CrtYd" user "F.Courtyard")
    (48 "B.Fab" user)
    (49 "F.Fab" user)
    (50 "User.1" user "User.bot-case-outline")
    (51 "User.2" user "User.top-case-outline")
  )
```

```
  (setup
    (stackup
      (layer "F.Silks" (type "Top Silk Screen") (color "Black"))
      (layer "F.Paste" (type "Top Solder Paste"))
      (layer "F.Mask" (type "Top Solder Mask") (color "White") (thickness 0.01))
      (layer "F.Cu" (type "copper") (thickness 0.035))
      (layer "dielectric 1" (type "core") (thickness 0.48) (material "FR4") (epsilon_r 4.5) (loss_tangent 0.02))
      (layer "In1.Cu" (type "copper") (thickness 0.035))
      (layer "dielectric 2" (type "prepreg") (thickness 0.48) (material "FR4") (epsilon_r 4.5) (loss_tangent 0.02))
      (layer "In2.Cu" (type "copper") (thickness 0.035))
      (layer "dielectric 3" (type "core") (thickness 0.48) (material "FR4") (epsilon_r 4.5) (loss_tangent 0.02))
      (layer "B.Cu" (type "copper") (thickness 0.035))
      (layer "B.Mask" (type "Bottom Solder Mask") (color "White") (thickness 0.01))
      (layer "B.Paste" (type "Bottom Solder Paste"))
      (layer "B.Silks" (type "Bottom Silk Screen") (color "Black"))
      (copper_finish "None")
      (dielectric_constraints no)
    )
    (pad_to_mask_clearance 0)
    (aux_axis_origin 50 120)
    (pcbplotparams
      (layerselection 0x003d0fc_fffffffff)
      (plot_on_all_layers_selection 0x00000000_00000000)
      (disableapertmacros false)
      (usegerberextensions true)
      (usegerberattributes false)
    )
  )
```

```

        (usegerberadvancedattributes false)
        (creategerberjobfile true)
        (dashed_line_dash_ratio 12.000000)
        (dashed_line_gap_ratio 3.000000)
        (svgprecision 6)
        (plotframeref false)
        (viasonmask false)
        (mode 1)
        (useauxorigin false)
        (hpglpennumber 1)
        (hpglpenspeed 20)
        (hpglpendiameter 15.000000)
        (dxfpolygonmode true)
        (dxfimperialunits true)
        (dxfusepcbnewfont true)
        (psnegative false)
        (psa4output false)
        (plotreference true)
        (plotvalue false)
        (plotinvisibletext false)
        (sketchpadsonfab false)
        (subtractmaskfromsilk true)
        (outputformat 1)
        (mirror false)
        (drillshape 0)
        (scaleselection 1)
        (outputdirectory "revC3")
    )
)

(net 0 "")
(net 1 "/SDA")
(net 2 "+3V3")
(net 3 "GND")
(net 4 "/SCL")
(net 5 "+5V")
(net 6 "~/{CY_RESET}")
(net 7 "/SHLD")
(net 8 "/USB_P")
(net 9 "/XTALOUT")
(net 10 "/XTALIN")
(net 11 "/USB_N")
(net 12 "/D0")
(net 13 "/D1")
(net 14 "/D2")
(net 15 "/D3")
(net 16 "/D4")
(net 17 "/D5")
(net 18 "/D6")
(net 19 "/D7")
(net 20 "/FLAGA")
(net 21 "/FLAGB")
(net 22 "/FLAGC")
(net 23 "/OE")
(net 24 "/A0")
(net 25 "/A1")
(net 26 "/PKTEND")
(net 27 "/FPGA_DONE")
(net 28 "~/{FPGA_RESET}")
(net 29 "+1V2")
    (net 30 "/CLKIF")
    (net 31 "/FLAGD")
    (net 32 "/VUSB")
    (net 33 "/LED_CY")
    (net 34 "Net-(U12-Vin+)")
    (net 35 "Net-(U12-Vin-)")
    (net 36 "/LED_ERR")
    (net 37 "/LED_ACT")

```

```
(net 38 "Net-(U21-Vin+)")
(net 39 "Net-(U21-Vin-)")
(net 40 "/LED_FPGA")
(net 41 "Net-(U12-Vbus)")
(net 42 "/~{ALERT}")
(net 43 "/CLKREF")
(net 44 "/ENVB")
(net 45 "/ENVA")
(net 46 "/WR")
(net 47 "/RD")
(net 48 "/VCCPLL1")
(net 49 "/VCCPLL0")
(net 50 "/GNDPLL1")
(net 51 "/GNDPLL0")
(net 52 "Net-(U21-Vbus)")
(net 53 "Net-(D1-A)")
(net 54 "Net-(D2-A)")
(net 55 "Net-(D3-A)")
(net 56 "Net-(D4-A)")
(net 57 "/IO_Banks/IO_Buffer_B/Y0")
(net 58 "/IO_Banks/IO_Buffer_B/Z0")
(net 59 "/IO_Banks/IO_Buffer_B/Y7")
(net 60 "/IO_Banks/IO_Buffer_B/Z7")
(net 61 "/IO_Banks/IO_Buffer_B/Y1")
(net 62 "/IO_Banks/IO_Buffer_B/Y2")
(net 63 "/IO_Banks/IO_Buffer_B/Y3")
(net 64 "/IO_Banks/IO_Buffer_B/Y4")
(net 65 "/IO_Banks/IO_Buffer_B/Y5")
(net 66 "/IO_Banks/IO_Buffer_B/Y6")
(net 67 "/IO_Banks/IO_Buffer_B/Z1")
(net 68 "/IO_Banks/IO_Buffer_B/Z2")
(net 69 "/IO_Banks/IO_Buffer_B/Z3")
(net 70 "/IO_Banks/IO_Buffer_B/Z5")
(net 71 "/IO_Banks/IO_Buffer_B/Z4")
(net 72 "/IO_Banks/IO_Buffer_B/Z6")
(net 73 "/IO_Banks/IO_Buffer_A/Y0")
(net 74 "/IO_Banks/IO_Buffer_A/Z0")
(net 75 "/IO_Banks/IO_Buffer_A/Y7")
(net 76 "/IO_Banks/IO_Buffer_A/Z7")
(net 77 "/IO_Banks/IO_Buffer_A/Y1")
(net 78 "/IO_Banks/IO_Buffer_A/Y2")
(net 79 "/IO_Banks/IO_Buffer_A/Y3")
(net 80 "/IO_Banks/IO_Buffer_A/Y4")
(net 81 "/IO_Banks/IO_Buffer_A/Y5")
(net 82 "/IO_Banks/IO_Buffer_A/Y6")
(net 83 "/IO_Banks/IO_Buffer_A/Z1")
(net 84 "/IO_Banks/IO_Buffer_A/Z2")
(net 85 "/IO_Banks/IO_Buffer_A/Z3")
(net 86 "/IO_Banks/IO_Buffer_A/Z5")
(net 87 "/IO_Banks/IO_Buffer_A/Z4")
(net 88 "/IO_Banks/IO_Buffer_A/Z6")
(net 89 "/IO_Banks/QB6")
(net 90 "/IO_Banks/QB5")
(net 91 "/IO_Banks/QB4")
(net 92 "/IO_Banks/QB3")
(net 93 "/IO_Banks/QB2")
(net 94 "/IO_Banks/QB1")
(net 95 "/IO_Banks/QB7")
(net 96 "/IO_Banks/QB0")
(net 97 "/IO_Banks/QA0")
(net 98 "/IO_Banks/QA7")
(net 99 "/IO_Banks/QA1")
(net 100 "/IO_Banks/QA2")
(net 101 "/IO_Banks/QA3")
(net 102 "/IO_Banks/QA4")
(net 103 "/IO_Banks/QA5")
(net 104 "/IO_Banks/QA6")
(net 105 "/IO_Banks/U1")
```

(net 106 "/IO_Banks/IO_Buffer_A/VSENSE")
(net 107 "/IO_Banks/VI0B")
(net 108 "/IO_Banks/VI0A")
(net 109 "/IO_Banks/U2")
(net 110 "/IO_Banks/IO_Buffer_B/VSENSE")
(net 111 "/IO_Banks/U5")
(net 112 "/IO_Banks/U4")
(net 113 "/IO_Banks/U3")
(net 114 "/IO_Banks/Z0_P")
(net 115 "/IO_Banks/Z2_N")
(net 116 "/IO_Banks/Z3_N")
(net 117 "/IO_Banks/Z3_P")
(net 118 "/IO_Banks/Z6_P")
(net 119 "/IO_Banks/Z8_P")
(net 120 "/IO_Banks/Z10_P")
(net 121 "/IO_Banks/Z11_P")
(net 122 "/IO_Banks/Z11_N")
(net 123 "/IO_Banks/Z0_N")
(net 124 "/IO_Banks/Z2_P")
(net 125 "/IO_Banks/Z4_P")
(net 126 "/IO_Banks/Z5_P")
(net 127 "/IO_Banks/Z6_N")
(net 128 "/IO_Banks/Z8_N")
(net 129 "/IO_Banks/Z10_N")
(net 130 "/IO_Banks/Z12_N")
(net 131 "/IO_Banks/Z12_P")
(net 132 "/IO_Banks/Z1_N")
(net 133 "/IO_Banks/Z4_N")
(net 134 "/IO_Banks/Z5_N")
(net 135 "/IO_Banks/Z7_N")
(net 136 "/IO_Banks/Z9_P")
(net 137 "/IO_Banks/Z9_N")
(net 138 "/IO_Banks/Z1_P")
(net 139 "/IO_Banks/VI0_AUX")
(net 140 "/IO_Banks/Z7_P")
(net 141 "/IO_Banks/DA0")
(net 142 "/IO_Banks/DA4")
(net 143 "/IO_Banks/DA6")
(net 144 "/IO_Banks/DA1")
(net 145 "/IO_Banks/DA3")
(net 146 "/IO_Banks/DA5")
(net 147 "/IO_Banks/DA7")
(net 148 "/IO_Banks/DB0")
(net 149 "/IO_Banks/DB4")
(net 150 "/IO_Banks/DB6")
(net 151 "/IO_Banks/DB1")
(net 152 "/IO_Banks/DB3")
(net 153 "/IO_Banks/DB5")
(net 154 "/IO_Banks/DB7")
(net 155 "/IO_Banks/DA2")
(net 156 "/IO_Banks/DB2")
(net 157 "/IO_Banks/IO_Buffer_B/VFB")
(net 158 "/IO_Banks/IO_Buffer_A/VFB")
(net 159 "/IO_Banks/~{SYNC}")
(net 160 "Net-(D5-A)")
(net 161 "Net-(D6-A)")
(net 162 "Net-(D7-A)")
(net 163 "Net-(D8-A)")
(net 164 "Net-(D9-A)")
(net 165 "Net-(D10-A)")
(net 166 "Net-(D12-K)")
(net 167 "Net-(D13-K)")
(net 168 "Net-(D14-A)")
(net 169 "Net-(D15-A)")
(net 170 "Net-(U12-~{Alert})")
(net 171 "Net-(U21-~{Alert})")
(net 172 "unconnected-(D21-Ch5-Pad9)")
(net 173 "/IO_Banks/IO_Buffer_B/X3")

(net 174 "/IO_Banks/IO_Buffer_B/X2")
(net 175 "/IO_Banks/IO_Buffer_B/X1")
(net 176 "/IO_Banks/IO_Buffer_B/X7")
(net 177 "/IO_Banks/IO_Buffer_B/X6")
(net 178 "/IO_Banks/IO_Buffer_B/X5")
(net 179 "/IO_Banks/IO_Buffer_B/X4")
(net 180 "/IO_Banks/IO_Buffer_A/X3")
(net 181 "/IO_Banks/IO_Buffer_A/X2")
(net 182 "/IO_Banks/IO_Buffer_A/X1")
(net 183 "/IO_Banks/IO_Buffer_A/X7")
(net 184 "/IO_Banks/IO_Buffer_A/X6")
(net 185 "/IO_Banks/IO_Buffer_A/X5")
(net 186 "/IO_Banks/IO_Buffer_A/X4")
(net 187 "/xVBUS")
(net 188 "/CC1")
(net 189 "/CC2")
(net 190 "unconnected-(D21-Ch6-Pad8)")
(net 191 "unconnected-(D21-N{slash}C-Pad7)")
(net 192 "unconnected-(D21-N{slash}C-Pad6)")
(net 193 "unconnected-(D23-Ch5-Pad9)")
(net 194 "unconnected-(D23-Ch6-Pad8)")
(net 195 "/IO_Banks/IO_Buffer_B/VIO_EN")
(net 196 "unconnected-(D23-N{slash}C-Pad7)")
(net 197 "/IO_Banks/IO_Buffer_A/VIO_EN")
(net 198 "unconnected-(D23-N{slash}C-Pad6)")
(net 199 "Net-(R4-Pad2)")
(net 200 "Net-(U7-~{RESET})")
(net 201 "unconnected-(J1-SBU2-PadB8)")
(net 202 "/IO_Banks/IO_Buffer_B/ISNS_H")
(net 203 "/IO_Banks/IO_Buffer_A/ISNS_H")
(net 204 "/SWSH")
(net 205 "unconnected-(J1-SBU1-PadA8)")
(net 206 "unconnected-(J2-Pin_20-Pad20)")
(net 207 "/IO_Banks/IO_Buffer_B/X0")
(net 208 "/IO_Banks/IO_Buffer_A/X0")
(net 209 "/IO_Banks/IO_Buffer_B/P7")
(net 210 "/IO_Banks/IO_Buffer_B/P6")
(net 211 "/IO_Banks/IO_Buffer_B/P5")
(net 212 "/IO_Banks/IO_Buffer_B/P4")
(net 213 "/IO_Banks/IO_Buffer_B/P3")
(net 214 "/IO_Banks/IO_Buffer_B/P2")
(net 215 "/IO_Banks/IO_Buffer_B/P1")
(net 216 "/IO_Banks/IO_Buffer_B/P0")
(net 217 "/IO_Banks/IO_Buffer_A/P7")
(net 218 "/IO_Banks/IO_Buffer_A/P6")
(net 219 "/IO_Banks/IO_Buffer_A/P5")
(net 220 "/IO_Banks/IO_Buffer_A/P4")
(net 221 "/IO_Banks/IO_Buffer_A/P3")
(net 222 "/IO_Banks/IO_Buffer_A/P2")
(net 223 "/IO_Banks/IO_Buffer_A/P1")
(net 224 "/IO_Banks/IO_Buffer_A/P0")
(net 225 "/~{MR}")
(net 226 "/IO_Banks/IO_Buffer_B/VDAC")
(net 227 "/IO_Banks/IO_Buffer_A/VDAC")
(net 228 "unconnected-(J2-Pin_19-Pad19)")
(net 229 "unconnected-(J3-Pin_20-Pad20)")
(net 230 "unconnected-(J3-Pin_19-Pad19)")
(net 231 "Net-(U14-OUT)")
(net 232 "Net-(U31-OUT)")
(net 233 "Net-(U30A-IOT_219)")
(net 234 "Net-(U5-~{RESET})")
(net 235 "Net-(U19-~{RESET})")
(net 236 "Net-(U32-B)")
(net 237 "Net-(U30A-IOT_170)")
(net 238 "Net-(U3-A1)")
(net 239 "Net-(U30A-IOT_172)")
(net 240 "Net-(U30A-IOT_168)")
(net 241 "Net-(U32-A)")

```

(net 242 "unconnected-(U1-PD7{slash}FD15-Pad52)")
(net 243 "unconnected-(U1-PD1{slash}FD9-Pad46)")
(net 244 "unconnected-(U2-WP-Pad7)")
(net 245 "unconnected-(U2-A2-Pad3)")
(net 246 "unconnected-(U2-NC-Pad1)")
(net 247 "unconnected-(U3-WP-Pad7)")
(net 248 "unconnected-(U3-A2-Pad3)")
(net 249 "unconnected-(U5-~{INT}-Pad13)")
(net 250 "unconnected-(U19-~{INT}-Pad13)")
(net 251 "unconnected-(U30E-VPP_FAST-PadB10)")

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ad5dbcb)
  (at 76.4 105)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ae22a82")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP5" (at 0 -1.448) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 1a60002e-15f2-47a5-b785-49fb3500a927)
  )
(fp_text value "SCL" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp f8726a86-c54c-426e-87e3-f033308708e4)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15))))
  (tstamp 12dd75a1-2e8e-488a-9db6-62afbd0d3f83)
)
(fp_circle (center 0 0) (end 0 0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp df230c02-5b31-49c7-9247-a99)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 1c42f621-f6c3-40bb-9569-f7)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
  (net 4 "/SCL") (pinfunction "1") (pintype "passive") (tstamp d7c89af1-19d8-4456-a972-5f70a7809836))
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ad5dbe1)
  (at 76.4 103.3)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ae223ce")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP4" (at 0 -1.448) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 7f5a2be7-0410-4d20-a7fb-0c4e7fc2ea6e)
  )
(fp_text value "SDA" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 2b32cfd3-1918-4320-8dce-4d738ccbb393)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15))))
  (tstamp 56a3886d-11ec-4a82-8661-0f2ef133feb6)
)
(fp_circle (center 0 0) (end 0 0.7)

```

```

        (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp 4c1541bc-b1bb-456c-aab6-1c)
    (fp_circle (center 0 0) (end 1 0)
        (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 8d379fa1-d640-43d5-a0f0-68)
        (pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
            (net 1 "/SDA") (pinfunction "1") (pintype "passive") (tstamp 91c8df6d-e40b-46b7-8db4-36c6027c36ea))
    )

    (footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005aecd5c4)
        (at 58 118.5)
        (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
        (tags "fiducial")
        (attr smd board_only exclude_from_bom)
        (fp_text reference "FID1" (at 0 -2) (layer "F.Silks") hide
            (effects (font (size 0.8 0.8) (thickness 0.15)))
            (tstamp c43f8776-1bb5-4b56-9194-2de7e9cea73d)
        )
        (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 2) (layer "F.Fab") hide
            (effects (font (size 0.4 0.4) (thickness 0.06)))
            (tstamp 68730aa2-85e3-4d2a-9788-153b5f96e0e6)
        )
        (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
            (effects (font (size 0.3 0.3) (thickness 0.05)))
            (tstamp fe24d1e7-dfba-43c3-b539-09e1065e0c85)
        )
        (fp_circle (center 0 0) (end 1 0)
            (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp c4badd31-0241-4e46-8d65-7d)
        )
        (fp_circle (center 0 0) (end 0.75 0)
            (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp dbf7a51b-bc2b-4367-b337-af649)
        )
        (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "F.Cu" "F.Mask")
            (solder_mask_margin 0.375) (clearance 0.375) (tstamp 575dad59-0c50-42eb-9bcf-dca52c0d94e2))
    )

    (footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005aecd5ec)
        (at 122 72.5)
        (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
        (tags "fiducial")
        (attr smd board_only exclude_from_bom)
        (fp_text reference "FID2" (at 0 -2) (layer "F.Silks") hide
            (effects (font (size 0.8 0.8) (thickness 0.15)))
            (tstamp 4b84411d-6418-4ef6-b0d1-b0ea4c9f9ff1)
        )
        (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 2) (layer "F.Fab") hide
            (effects (font (size 0.4 0.4) (thickness 0.06)))
            (tstamp 3f85d5ee-bfdb-4035-976b-3917eae70d6f)
        )
        (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
            (effects (font (size 0.3 0.3) (thickness 0.05)))
            (tstamp c9acad7c-e2d2-483e-8628-282321231d04)
        )
        (fp_circle (center 0 0) (end 1 0)
            (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp d1dfd01f-0ce1-44fb-aea0-65)
        )
        (fp_circle (center 0 0) (end 0.75 0)
            (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp f6a876e7-e616-4aff-86dc-1fbf0)
        )
        (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "F.Cu" "F.Mask")
            (solder_mask_margin 0.375) (clearance 0.375) (tstamp 3ac6e2b7-c108-4909-b4e4-422def586f0e))
    )

    (footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005be41647)
        (at 127 107.6 90)
        (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :")
        (tags "capacitor")
        (property "1b2-bom-key" "cap-cer-0402-100n")
        (property "MPN" "TMK105BJ104KV-F")
        (property "Mfg" "Taiyo Yuden")
        (property "Sheetfile" "io_buffer.kicad_sch")
    )

```

```

(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "C30" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
  (timestamp 99818510-deeb-4119-9c08-808c54f6ef14)
)
(fp_text value "u1" (at 0 -0.7 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 21486463-ea54-441b-a568-4c7f4594576d)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
  (timestamp e2f3a785-95dd-4948-ad45-4614a689e972)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp ab0bfe76-36b3-4542-96a9-dcf5c1dc133f))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 3aa2a874-2549-46eb-9f0e-f9ae30f0d017))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp f02a3e4b-53f2-49ac-90c3-a808a29796ac))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 2742ecda-f51b-449a-9a8a-06caf6c4b652))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 057372cb-1107-4494-b6fa-ef1088b0d785))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp c51e9e66-391c-4227-b2b6-90df916a843e))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 194c7cd4-81c2-46cf-a384-791a15a2cdce))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 409f6252-2152-4016-9e8f-72181c863b60))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (timestamp 7c6b419b-dc74-4ead-84d1-4b97f886a5f1))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp 1ed4e040-c3fe-4bad-bf32-da712ce77527))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005be63918)
  (at 59 108 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34db")
  (attr smd)
  (fp_text reference "R22" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (timestamp 47ec94b2-3941-4af9-80a8-5d64c499481f)
  )
  (fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (timestamp c38c542c-6648-4dbb-b82c-4c5db478942c)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))

```

```

        (tstamp 1e34029e-46ac-45b9-91f6-fc8cb21e81f9)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp df6a1dac-3e5b-4b40-94b3-d9eb89865159))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e78e20e9-9809-45ce-b666-1d48d043a66f))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ca5df803-ef2b-4011-9d19-375253ada345))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 86c8dd1a-3037-4f53-83ce-db24ea738ba6))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 25fccc0d-6982-458b-9ccd-d351e1f2d75e))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fc69da7b-5c10-4df7-8e04-af2253750462))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9ee33ff6-0f35-4d03-9c25-51d302d2a4c2))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 052ffa80-58a0-4aba-ac4b-3e943441072c))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 112 "IO_Banks/U4") (pintype "passive") (tstamp 1a86044c-9134-46de-a0a2-6229dfe008c5))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 164 "Net-(D9-A)") (pintype "passive") (tstamp 3b45950b-2133-46a2-a53e-aabaa43f62b8))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005be63996)
  (at 59 110 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34eb")
  (attr smd)
  (fp_text reference "R23" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 9e5c42b5-c58c-465c-8de7-55fbfb98d47e)
  )
  (fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp d84153cd-8daa-478a-b259-425d4e650200)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp e7c25725-6f63-4454-a9f9-1c9e241fd6d9)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ab3e58da-8526-470d-aa31-ced2c0a9cca6))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 99b92a32-0541-4161-95da-46b9588459af))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 24ce6746-fadc-453b-85d2-67c1cc4aea5e))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c8756a25-9280-4b47-bd85-b29ea477d7e0))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 58f64cde-19f2-4ba2-9b18-0d76a1cfe2bd))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1538146e-315e-46ad-a904-217ea9ee024d))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)

```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 89750156-5bc7-48f4-ab2a-ff7b09a4c2fc))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0e05fb15-ac60-403d-bd26-17a070c6e583))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
(net 111 "/IO_Banks/U5") (pintype "passive") (tstamp cd3b7857-8338-41e8-92e0-c9ee534906b2))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
(net 165 "Net-(D10-A)") (pintype "passive") (tstamp be6b0c6b-9ce3-454a-979a-964e5ef00304))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005bed18c7)
(at 73.1 89)
(descr "SMD pad as test Point, diameter 1.0mm")
(tags "test point SMD pad")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "exclude_from_bom" "")
(property "ki_description" "test point")
(property "ki_keywords" "test point tp")
(path "/00000000-0000-0000-0000-00005ae93638")
(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "TP6" (at 0.5 0) (layer "F.Silks") hide
(effects (font (size 0.8 0.8) (thickness 0.15)))
(tstamp ea033f7a-9881-48de-a8b2-650c27062d87)
)
(fp_text value "CLKREF" (at 0 0) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp a2f5195d-63fe-4b03-bc10-ba86a78883c4)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
(effects (font (size 1 1) (thickness 0.15)))
(tstamp 53feab37-3abc-4f99-a315-22bb64634d23)
)
(fp_circle (center 0 0) (end 0 0.7)
(stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp d9130e91-6a58-4279-b472-92
(fp_circle (center 0 0) (end 1 0)
(stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp b00b5afa-3af0-4bdc-bded-79
(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
(net 43 "/CLKREF") (pinfunction "1") (pintype "passive") (tstamp db6dc3c5-5079-4382-afa1-e5d339003b
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005bee7565)
(at 75.55 100.5 45)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-100k")
(property "MPN" "RC0402FR-13100KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005b9b5966")
(attr smd)
(fp_text reference "R9" (at 0 0 45) (layer "F.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)))
(tstamp 85885a8f-fd9a-4f92-b8b0-1b3be769ad97)
)
(fp_text value "100k" (at 0.035355 -0.671751 45) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp cb844b90-6928-46ee-9c6b-484f01fbcba8)
)
)
```

```

(fp_text user "${REFERENCE}" (at 0 0 45) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp 96b079f7-41f5-4401-a1c1-8f7f3a3de701)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c8bb8e9f-f1ea-4121-a81b-71909c5d8c8d))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57ec194a-6092-4e39-8d74-ab73fd60fb47))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5517fd94-5cdf-4797-add0-f9a19fc7ab37))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 51b66cd2-351d-429e-b39d-5e8bb28192b5))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ec28fa38-60a8-4368-976f-8c6d5b718bca))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d09d4800-c4f1-4041-a143-ac6d89731ad6))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84c24bc9-0b43-4b58-914d-517ac27a000b))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a0656fc-298c-4d8c-88c8-7d5ca42d3ef9))
(pad "1" smd roundrect (at -0.485 0 45) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 957ad413-9b81-437e-bb21-68e57ce1e69e))
(pad "2" smd roundrect (at 0.485 0 45) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 28 "~{FPGA_RESET}") (pintype "passive") (tstamp 7d978564-01fd-4110-a154-099cae1f355e))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(package "Package_DFN_QFN:Cypress_QFN-56-1EP_8x8mm_P0.5mm_EP6.22x6.22mm_ThermalVias" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005befb37d)
  (at 69.85 95.5)
  (descr "56-Lead Plastic Quad Flat, No Lead Package (ML) - 8x8x0.9 mm Body [QFN] (see datasheet at http://www.cypress.com)"
  (tags "QFN 0.5")
  (property "1b2-bom-key" "ic-cy7c68013a-56ltx")
  (property "MPN" "CY7C68013A-56LTXC")
  (property "Mfg" "Cypress")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "CYPRESS FX2LP USB Microcontroller, 48MHz 8051, 16KB RAM, USB 2.0, I2C, QFN")
  (property "ki_keywords" "FX2LP 8-bit USB MCU")
  (path "/00000000-0000-0000-0000-00005aca0321")
  (attr smd)
  (fp_text reference "U1" (at 0 -0.7) (layer "F.SilkS") hide
    (effects (font (size 1 1) (thickness 0.15))))
  (tstamp 60c8ec2d-59f4-4f82-bc0e-2e15e689cc96)
  )
  (fp_text value "CY7C68013A-56LTX" (at 0.05 -3.1 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 9fef9cd4-bee9-476d-9993-1ea3ae26fd93)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp f6cadf84-5be7-40a1-af77-81add2d4f988)
  )
  (fp_line (start -4.12 4.12) (end -4.12 3.72)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 54b1720b-e331-4da4-af52-f794968ef957))
  (fp_line (start -4.12 4.12) (end -3.72 4.12)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 39b05305-1d3e-4500-a62f-ada99c8d7ca1))
  (fp_line (start -3.72 -4.12) (end -4.12 -4.12)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 6d978c4f-b162-48e5-a532-1922c3a2f790))
  (fp_line (start 3.72 -4.12) (end 4.12 -4.12)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 03e40b8f-df19-4715-a347-351012a4808b))
  (fp_line (start 4.12 -4.12) (end 4.12 -3.72)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d9a4d4d6-2b81-4e98-abd9-210a0319a5b3))
  (fp_line (start 4.12 3.72) (end 4.12 4.12)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d9a4d4d6-2b81-4e98-abd9-210a0319a5b3))
  )
)

```

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9cadbcd0-1d82-4494-9717-a2abdd864ea8))
(fp_line (start 4.12 4.12) (end 3.72 4.12))
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a1997709-311f-43c5-b0c6-4e2379239be5))
(fp_line (start -2.54 -1.905) (end 2.54 -1.905))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 03dd5443-4bef-4a66-a328-79bfef42b0ad))
(fp_line (start -2.54 -0.635) (end 2.54 -0.635))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp dab75725-6ee8-4900-ba65-fb75fdc01f0c))
(fp_line (start -2.54 0.635) (end 2.54 0.635))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 20f307bf-4de3-49f0-a0db-c04b505bf05a))
(fp_line (start -2.54 1.905) (end 2.54 1.905))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 099a4afd-8cc0-40ed-a02a-3e3f0175293b))
(fp_line (start -1.905 -2.54) (end -1.905 2.54))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 6065365e-4d52-421e-bbe5-0703f9b89ccc))
(fp_line (start -0.635 -2.54) (end -0.635 2.54))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp e80df5c0-ad59-4dc9-8d6f-27e8301078fd))
(fp_line (start 0.635 -2.54) (end 0.635 2.54))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp c0136e66-a986-496f-8edf-fd90f146c503))
(fp_line (start 1.905 -2.54) (end 1.905 2.54))
(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 10d9c4d9-171e-41b4-9d87-25ce03c47f07))
(fp_circle (center -2.54 -2.54) (end -2.24 -2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 59a464c8-3d11-40e0-a1a3-0cead0b0b0))
(fp_circle (center -2.54 -1.27) (end -2.24 -1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 7488d562-e47a-4051-9920-a73b00000000))
(fp_circle (center -2.54 0) (end -2.24 0))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp b2d94a78-f00d-4ef2-8e04-38c400000000))
(fp_circle (center -2.54 1.27) (end -2.24 1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 6a9284a1-43f4-43c3-82a9-d9b100000000))
(fp_circle (center -2.54 2.54) (end -2.24 2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 9a9b9e2c-6adc-4c7b-b8fc-303b00000000))
(fp_circle (center -1.27 -2.54) (end -0.97 -2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp a10ae93c-ee3e-4807-a3c3-31d800000000))
(fp_circle (center -1.27 -1.27) (end -0.97 -1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 1207c061-3019-4bc8-9f51-5b8800000000))
(fp_circle (center -1.27 0) (end -0.97 0))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp bdbbbb62-9773-49a1-90b7-4b8400000000))
(fp_circle (center -1.27 1.27) (end -0.97 1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp fea323c5-e53d-4b7e-9b63-f0b000000000))
(fp_circle (center -1.27 2.54) (end -0.97 2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp c8e7da8d-394a-412b-9f6b-7f6800000000))
(fp_circle (center 0 -2.54) (end 0.3 -2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 4b0c0f2a-d262-463e-9cce-3b6800000000))
(fp_circle (center 0 -1.27) (end 0.3 -1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 56b052a3-f337-4369-abe9-645300000000))
(fp_circle (center 0 0) (end 0 -0.3))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 78d08f76-1beb-41d4-938d-b2bb00000000))
(fp_circle (center 0 1.27) (end 0.3 1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 371ab4b7-0bd2-4880-9cfd-905700000000))
(fp_circle (center 0 2.54) (end 0.3 2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp f87af8b1-c35d-498c-8818-d6db00000000))
(fp_circle (center 1.27 -2.54) (end 1.57 -2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 7e63f7c6-e6a2-44c1-99f7-1fff00000000))
(fp_circle (center 1.27 -1.27) (end 1.57 -1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp de3aa6a7-275a-45b5-b5c0-d68900000000))
(fp_circle (center 1.27 0) (end 1.57 0))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 88d86bad-fc72-482b-b6bd-8fdd00000000))
(fp_circle (center 1.27 1.27) (end 1.57 1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 3f4fcb19-6728-46c6-a5c1-23e000000000))
(fp_circle (center 1.27 2.54) (end 1.57 2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 8b414510-f94c-486e-b5d6-51f000000000))
(fp_circle (center 2.54 -2.54) (end 2.84 -2.54))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp dd18a667-66b5-4d98-8cb6-833d00000000))
(fp_circle (center 2.54 -1.27) (end 2.84 -1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp da871ace-35a1-4d95-ac3d-d79200000000))
(fp_circle (center 2.54 0) (end 2.84 0))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 4b96c5db-ee80-49a6-9c27-977d00000000))
(fp_circle (center 2.54 1.27) (end 2.84 1.27))
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp b8ead1bc-13dd-4f35-8613-5f7c00000000))
(fp_circle (center 2.54 2.54) (end 2.84 2.54))


```

        (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 0bf97dbf-8935-4b27-8dab-c189)
(fp_poly
  (pts
    (xy -3.11 -3.11)
    (xy -2.75 -3.11)
    (xy -2.75 3.11)
    (xy -3.11 3.11)
  )
)

        (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp d941ab19-80fe-4c4d-8a9e-263e4)
(fp_poly
  (pts
    (xy -3.11 3.11)
    (xy -3.11 2.75)
    (xy 3.11 2.75)
    (xy 3.11 3.11)
  )
)

        (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp cb4ff04f-84c6-49ec-98fb-0e365)
(fp_poly
  (pts
    (xy 3.11 -3.11)
    (xy 3.11 -2.75)
    (xy -3.11 -2.75)
    (xy -3.11 -3.11)
  )
)

        (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp 0107762a-0792-426d-8495-4af19)
(fp_poly
  (pts
    (xy 3.11 3.11)
(xy 2.75 3.11)
    (xy 2.75 -3.11)
    (xy 3.11 -3.11)
  )
)

        (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp 5b383cef-7ede-4369-addc-fd97d)
(fp_line (start -4.43 -4.43) (end 4.43 -4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a751a9d7-e50e-40d3-afb7-01d70fb8d3b8))
(fp_line (start -4.43 4.43) (end -4.43 -4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ae2248d9-ddfd-40f9-aa43-3892b7561bba))
(fp_line (start 4.43 -4.43) (end 4.43 4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3a1feb4a-1ce7-413f-aa81-bf9510e90670))
(fp_line (start 4.43 4.43) (end -4.43 4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c534a1b3-37a8-48b3-9b7a-a86c30674ce9))
(fp_line (start -4 -3.5) (end -3.5 -4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd28984b-72e5-4e65-96a7-56eac362d8c1))
(fp_line (start -4 4) (end -4 -3.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5d9bcac3-e26d-40f9-bbeb-dc405df4d52f))
(fp_line (start -3.5 -4) (end 4 -4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c18af8a-6ede-42a2-bdcd-9d2605d4cda1))
(fp_line (start 4 -4) (end 4 4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ea6052aa-b9a7-480c-bb88-ffdc1934be2f))
(fp_line (start 4 4) (end -4 4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9965d829-363f-4b29-a791-fffc9b2756a0))
(pad "" smd rect (at -1.555 -1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 734fcac7-577b-4ee5-954d-
(pad "" smd rect (at -1.555 1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 34eaea47-f73c-44d0-9532-
(pad "" smd rect (at 1.555 -1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 9c6d02b5-1b86-414d-879d-
(pad "" smd rect (at 1.555 1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 7d4139fc-f670-4bc7-b1c6-9
(pad "1" smd oval (at -4 -3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 47 "/RD") (pinfunction "RDY0/SLRD") (pintype "input") (tstamp 24952598-b4cc-4312-b809-4834195f
(pad "2" smd oval (at -4 -2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 46 "/WR") (pinfunction "RDY1/SLWR") (pintype "input") (tstamp 2e20c2b7-ceec-4172-bdcb-5df66cd9
(pad "3" smd oval (at -4 -2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 2 "+3V3") (pinfunction "AVCC") (pintype "power_in") (tstamp 8567582d-4270-45a2-9f4f-d79b5ad91a
(pad "4" smd oval (at -4 -1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 9 "/XTALOUT") (pinfunction "XTALOUT") (pintype "output") (tstamp 36e63bb9-d89d-476a-b277-1b00d
(pad "5" smd oval (at -4 -1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")

```

(net 10 "/XTALIN") (pinfunction "XTALIN") (pintype "input") (tstamp 63bc3659-19d1-4926-95ae-52fe625b)
(pad "6" smd oval (at -4 -0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "AGND") (pintype "power_in") (tstamp 9adb101a-5cce-4f3f-883e-de95223734e)
(pad "7" smd oval (at -4 -0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "AVCC") (pintype "passive") (tstamp b5bc42b5-82a5-44a2-8500-4419c081774)
(pad "8" smd oval (at -4 0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 8 "/USB_P") (pinfunction "D+") (pintype "bidirectional") (tstamp dd4520f6-b426-4463-acab-1c01f)
(pad "9" smd oval (at -4 0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 11 "/USB_N") (pinfunction "D-") (pintype "bidirectional") (tstamp e39fde28-41e7-4313-bd13-995e)
(pad "10" smd oval (at -4 1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "AGND") (pintype "passive") (tstamp d96d1075-7062-4c1e-adc2-59f51dc29cba)
(pad "11" smd oval (at -4 1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "VCC") (pintype "power_in") (tstamp 9d8c735d-8e50-44f8-a5e6-d8283969e36)
(pad "12" smd oval (at -4 2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 337fd926-8596-475e-9099-b1d4c4efbc57)
(pad "13" smd oval (at -4 2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 30 "/CLKIF") (pinfunction "IFCLK") (pintype "bidirectional") (tstamp 5197945e-ae60-44df-87af-4)
(pad "14" smd oval (at -4 3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "RESERVED") (pintype "input") (tstamp aeaaleca-857c-4ed1-b55b-fdd423ad25)
(pad "15" smd oval (at -3.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp a8c4fe48-6cdb-4e01-9d40-0d75cbe1af82))
(pad "16" smd oval (at -2.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 94fbdcfa-7c0f-4d2e-b361-1de176)
(pad "17" smd oval (at -2.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 7ab8937a-40c8-44f1-aa81-110e51d7e740)
(pad "18" smd oval (at -1.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 12 "/D0") (pinfunction "PB0/FD0") (pintype "bidirectional") (tstamp 2d7708b4-efb9-41fa-bec5-9e)
(pad "19" smd oval (at -1.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 13 "/D1") (pinfunction "PB1/FD1") (pintype "bidirectional") (tstamp 02cc0ab5-2a8f-4c0c-a7de-ca)
(pad "20" smd oval (at -0.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 14 "/D2") (pinfunction "PB2/FD2") (pintype "bidirectional") (tstamp c7c32918-ad3b-4b46-9406-58)
(pad "21" smd oval (at -0.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 15 "/D3") (pinfunction "PB3/FD3") (pintype "bidirectional") (tstamp 1107c4ba-afbd-42f3-b8ff-00)
(pad "22" smd oval (at 0.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 16 "/D4") (pinfunction "PB4/FD4") (pintype "bidirectional") (tstamp 65897bfa-a203-4fe7-b0a1-42)
(pad "23" smd oval (at 0.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 17 "/D5") (pinfunction "PB5/FD5") (pintype "bidirectional") (tstamp 303ae913-df60-4023-ab3e-21)
(pad "24" smd oval (at 1.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 18 "/D6") (pinfunction "PB6/FD6") (pintype "bidirectional") (tstamp 9b8b55ba-733b-44d1-a578-3c)
(pad "25" smd oval (at 1.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 19 "/D7") (pinfunction "PB7/FD7") (pintype "bidirectional") (tstamp 40879933-f5dc-4df8-ab0d-bb)
(pad "26" smd oval (at 2.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp ef460b6e-9339-429e-ba98-20be51ce950f)
(pad "27" smd oval (at 2.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 88265e4a-2d52-44d7-b607-6b7103b472d1)
(pad "28" smd oval (at 3.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 59940313-9fc9-4a80-9162-dfeab9f54e3e)
(pad "29" smd oval (at 4 3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 20 "/FLAGA") (pinfunction "CTL0/FLAGA") (pintype "output") (tstamp b47e9e76-7aad-42cb-be6d-48d)
(pad "30" smd oval (at 4 2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 21 "/FLAGB") (pinfunction "CTL1/FLAGB") (pintype "output") (tstamp c28342d4-a212-4614-b0bd-5ec)
(pad "31" smd oval (at 4 2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 22 "/FLAGC") (pinfunction "CTL2/FLAGC") (pintype "output") (tstamp 1582fa03-7986-484e-a0ec-ef)
(pad "32" smd oval (at 4 1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 46959d7c-2c88-4318-aa49-c932f1f262e9)
(pad "33" smd oval (at 4 1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 42 "/~{ALERT}") (pinfunction "PA0/~{INT0}") (pintype "bidirectional") (tstamp 4482328f-fbb7-44)
(pad "34" smd oval (at 4 0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 28 "/~{FPGA_RESET}") (pinfunction "PA1/~{INT1}") (pintype "bidirectional") (tstamp 1484d63b-6a)
(pad "35" smd oval (at 4 0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 23 "/OE") (pinfunction "PA2/SLOE") (pintype "bidirectional") (tstamp aca0c250-172c-48a5-a0c9-c)
(pad "36" smd oval (at 4 -0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 27 "/FPGA_DONE") (pinfunction "PA3/WU2") (pintype "bidirectional") (tstamp a7e5c1da-a03e-4fb1-5)
(pad "37" smd oval (at 4 -0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 24 "/A0") (pinfunction "PA4/FIOADDR0") (pintype "bidirectional") (tstamp b3793b28-5256-40f1-98)
(pad "38" smd oval (at 4 -1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 25 "/A1") (pinfunction "PA5/FIOADDR1") (pintype "bidirectional") (tstamp 645891e0-198c-47c6-b0)
(pad "39" smd oval (at 4 -1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

```
(net 26 "/PKTEND") (pinfunction "PA6/PKTEND") (pintype "bidirectional") (tstamp 4b20d92a-0a15-4478-5-
(pad "40" smd oval (at 4 -2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
(net 31 "/FLAGD") (pinfunction "PA7/FLAGD/~{SLCS}") (pintype "bidirectional") (tstamp 7f7f4d27-a553
(pad "41" smd oval (at 4 -2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp ecbbf9f2-b212-4027-8e90-b75eb97b490a)
(pad "42" smd oval (at 4 -3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask")
(net 6 "/~{CY_RESET}") (pinfunction "~{RESET}") (pintype "input") (tstamp 12ed05fd-e767-4a90-9077-a
(pad "43" smd oval (at 3.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 8506283c-7411-419b-92ed-b16f503b5203
(pad "44" smd oval (at 2.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "WAKEUP") (pintype "input") (tstamp 46544b2a-1f79-42a3-8742-672e25f96d6
(pad "45" smd oval (at 2.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 45 "/ENVA") (pinfunction "PD0/FD8") (pintype "bidirectional") (tstamp 83902080-8cf0-4585-aa1b-5
(pad "46" smd oval (at 1.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 243 "unconnected-(U1-PD1{slash}FD9-Pad46)") (pinfunction "PD1/FD9") (pintype "bidirectional+no
(pad "47" smd oval (at 1.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 33 "/LED_CY") (pinfunction "PD2/FD10") (pintype "bidirectional") (tstamp 38fa484c-1436-49da-85
(pad "48" smd oval (at 0.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 40 "/LED_FPGA") (pinfunction "PD3/FD11") (pintype "bidirectional") (tstamp a2dcc902-2ba7-4cb7-
(pad "49" smd oval (at 0.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 37 "/LED_ACT") (pinfunction "PD4/FD12") (pintype "bidirectional") (tstamp a46bc5a4-f71e-4211-9
(pad "50" smd oval (at -0.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 36 "/LED_ERR") (pinfunction "PD5/FD13") (pintype "bidirectional") (tstamp 1e73bea9-2be2-49d5-9
(pad "51" smd oval (at -0.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 44 "/ENVB") (pinfunction "PD6/FD14") (pintype "bidirectional") (tstamp 8ce240cb-0d78-45c4-be52
(pad "52" smd oval (at -1.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 242 "unconnected-(U1-PD7{slash}FD15-Pad52)") (pinfunction "PD7/FD15") (pintype "bidirectional+
(pad "53" smd oval (at -1.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 6a86de01-c8b4-4cd8-ae60-e39716e2c8cb)
(pad "54" smd oval (at -2.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 43 "/CLKREF") (pinfunction "CLKOUT") (pintype "output") (tstamp f6b59640-1af3-4a08-8e88-5a6475
(pad "55" smd oval (at -2.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 4c3def7b-3b05-406a-8a1c-05fb52fcbf6
(pad "56" smd oval (at -3.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 7fad48fb-a74a-4cde-af58-c0889576a1c2)
(pad "57" thru_hole circle (at -2.54 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 7d23fa97-ca18-4daa-8622
(pad "57" thru_hole circle (at -2.54 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp bfde34a1-bc6f-40e9-b5a2
(pad "57" thru_hole circle (at -2.54 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 8fae178b-8bb4-4ff6-8a0c
(pad "57" thru_hole circle (at -2.54 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 867f93a2-11fa-4e65-8fcc
(pad "57" thru_hole circle (at -2.54 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 74e79daf-5468-46c8-b794
(pad "57" thru_hole circle (at -1.27 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp e3dddb7d-83d1-4be3-a058
(pad "57" thru_hole circle (at -1.27 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 475f3f9d-6d29-4137-a288
(pad "57" thru_hole circle (at -1.27 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 0bd5e879-f975-4332-87be
(pad "57" thru_hole circle (at -1.27 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 387f883b-79bf-4d27-b26e
(pad "57" thru_hole circle (at -1.27 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 82d8d7f8-be30-4cb2-8ea4
(pad "57" thru_hole circle (at 0 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 947bbd67-0a9a-47be-9541
(pad "57" thru_hole circle (at 0 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp df4a272f-7ca4-4aff-8400
(pad "57" thru_hole circle (at 0 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 6f71bc11-cd8a-4dd9-99e1
(pad "57" smd rect (at 0 0) (size 6.1 6.1) (layers "B.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp bc60ce67-a394-4b21-bc1e
(pad "57" smd rect (at 0 0) (size 6.22 6.22) (layers "F.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (tstamp 7bd1a244-2a9e-4d5f-92e1-671e6d291c29))
(pad "57" thru_hole circle (at 0 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 552655e3-685d-4a67-8a2f
(pad "57" thru_hole circle (at 0 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
```

```
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp b677b4c7-0236-467a-abf1
(pad "57" thru_hole circle (at 1.27 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp d95c1572-9f47-4e6b-b5dd
(pad "57" thru_hole circle (at 1.27 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 4f5a4943-0dbd-4509-be7a
(pad "57" thru_hole circle (at 1.27 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp acfae5bc-1927-42aa-8e67
(pad "57" thru_hole circle (at 1.27 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 5ab6d586-189c-4d22-a755
(pad "57" thru_hole circle (at 1.27 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp cd59f916-ee8c-46d5-90ee
(pad "57" thru_hole circle (at 2.54 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 5c2e607e-e849-4b40-bd7c
(pad "57" thru_hole circle (at 2.54 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 869237c6-d7a8-4067-a6b4
(pad "57" thru_hole circle (at 2.54 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 887cc436-c625-49b8-a678
(pad "57" thru_hole circle (at 2.54 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp ab45a3af-a5ff-4966-ab0e
(pad "57" thru_hole circle (at 2.54 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 0082ec82-c949-48af-b2ad
(model "${KICAD6_3DMODEL_DIR}/Package_DFN_QFN.3dshapes/QFN-56-1EP_8x8mm_P0.5mm_EP6.22x6.22mm_ThermalV
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005bf53dcd)
(at 120.9 90.7 90)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-49k9")
(property "MPN" "RC0402FR-1349K9L")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "R33" (at 0 0 90) (layer "F.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)))
(tstamp 3fa3c154-5d64-4ffe-81a9-e4e4d8a57144)
)
(fp_text value "49k9" (at 0 0.7 90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp d6209d7c-3f61-41e3-b8cc-9b03675969b7)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)))
(tstamp 5385e8c5-fa92-477c-9c8e-89fa9d2ca710)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dbf48587-2f46-4ca7-ab67-6432d46bf02d))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79b564de-213f-4ce1-b838-eeefe2c890470))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d37a13db-3f99-46cc-aa9c-fbf23f26b078))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ee018a7c-dd0b-4888-a295-a812536ae2ab))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5ac75c26-1057-46d1-9b5e-795cce7ae1ba))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 425e7b2a-0b40-43c9-a8a1-0cfbd87ade1f))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0f39dc26-d142-46cf-b8c9-090a0ab4bf50))
```

```

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63d84d49-22bb-4c92-b9d2-a723f2184979))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 227 "/IO_Banks/IO_Buffer_A/VDAC") (pintype "passive") (tstamp f0bb1381-d096-4a74-8380-333e223d
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pintype "passive") (tstamp 3763b784-6b25-4f4a-9945-f9d6296d5
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf53e5b)
  (at 57 102)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-blu")
  (property "MPN" "ORH-B36G")
  (property "Mfg" "Orient")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e3491")
  (attr smd)
  (fp_text reference "D6" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp be5ec110-1967-4384-9bc1-27e4c8e9083f)
  )
  (fp_text value "BLU" (at -1.2 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 3c6873cb-59cc-42ed-a57b-b4ab2f25ff75)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 5b69fe0a-196e-448a-a6da-099d5b57c020)
  )
  (fp_line (start -1.485 -0.735) (end -1.485 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 22351651-dd43-4ae9-8afd-365ecb4aa243))
  (fp_line (start -1.485 0.735) (end 0.8 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 63c29216-7a8c-424d-b8d4-2de2209aa9eb))
  (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 976a9474-e4db-4bf4-b4e2-32d189c56da9))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 48b820f9-2425-4571-88a1-a499dcefb172))
  (fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aae05077-02d1-407e-8473-18b0dcb4bd25))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5f0d6b3b-4b76-4285-a992-355b4117c08f))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0717dab2-2325-4727-9f9d-fa520719ccc0))
  (fp_line (start -0.8 -0.1) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc18c498-2592-4a1f-9ff7-cdaced0ba605))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13f88d97-8a37-4007-b527-4ee1f77f7fde))
  (fp_line (start -0.5 -0.4) (end -0.8 -0.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a855885-42da-480a-b034-5e8441117ca8))
  (fp_line (start 0.8 -0.4) (end -0.5 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1855ee0c-0a74-4c33-b9c8-83bbd0e31162))
  (fp_line (start 0.8 0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 88d3b7ae-64dd-431a-ae03-be5742a24be1))
  (pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 7794b7fc-c1d1-4953-8102-da39bdefddfd2))
  (pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 161 "Net-(D6-A)") (pinfunction "A") (pintype "passive") (tstamp da1fabbf-9c99-46fd-a2b3-7db111
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

```

```

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf53ec7)
  (at 57 106)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-wht")
  (property "MPN" "NCD0603W1")
  (property "Mfg" "Foshan NationStar Optoelectronics")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34a4")
  (attr smd)
  (fp_text reference "D8" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp e7bc395f-86c1-4f3b-9b3b-33d67344a182)
  )
  (fp_text value "WHT" (at -1.2 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp e60b8675-a898-4081-be70-0b0e78fc57dd)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 2b176c7d-335e-47b5-ab35-f8de911477fe)
  )
  (fp_line (start -1.485 -0.735) (end -1.485 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 14e8df87-0827-4536-a249-f8cbd52d04f2))
  (fp_line (start -1.485 0.735) (end 0.8 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 793a761a-74a6-43a6-b6b3-f461bc125c28))
  (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5ca98f4c-8a7b-4487-8fbb-504598978db1))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f8e87dbc-d16b-4258-a713-e6ad1d511a35))
  (fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 20ce2610-1e0e-48f8-a474-0e4d3e991dce))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ef96c0db-3b95-4262-87ee-41734c91d2f2))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5e86fe74-2fe8-4194-9de2-9472e0632d08))
  (fp_line (start -0.8 -0.1) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b8dd5ae-66b5-4b63-a9d6-c5f2a850a17d))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 57079aaa-4239-4776-addc-c79ba055b38a))
  (fp_line (start -0.5 -0.4) (end -0.8 -0.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3f945eb2-58f8-4642-832c-757c55896099))
  (fp_line (start 0.8 -0.4) (end -0.5 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 73d7be33-b426-4d29-a5f9-fe936bc83c1c))
  (fp_line (start 0.8 0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3bee7f50-6b46-4a2c-a42e-acbe9b808d81))
  (pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect.
    (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 746b1a07-26ba-4103-916e-d05b65b8d278))
  (pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect.
    (net 163 "Net-(D8-A)") (pinfunction "A") (pintype "passive") (tstamp 35c3892b-5b59-4d7f-ac38-c36c4f
  (model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

```

```

(timestamp 00000000-0000-0000-0000-00005bf54044)
(at 57 89)
(descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
(tags "diode")
(property "1b2-bom-key" "led-0603-red")
(property "MPN" "NCD0603R1")
(property "Mfg" "Foshan NationStar Optoelectronics")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Light emitting diode")
(property "ki_keywords" "LED diode")
(path "/00000000-0000-0000-0000-00005b098021")
(attr smd)
(fp_text reference "D5" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (timestamp e2496f2c-a809-457f-9684-60bcb52e9ec3)
)
(fp_text value "RED" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (timestamp 52bdec49-44cd-4f08-bd1c-c44aae0514bd)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (timestamp 96f2dbda-f415-4fd8-beeb-b8c4b6d7515c)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 432ac824-0aab-4750-9079-91d9d99a42e3))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 08a95c39-6467-403a-b702-f764effffad))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 7ec25536-46de-48bb-a450-d2fc1b0eb0b8))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 3e94f65d-6de4-4073-9685-7c1a9419a4d8))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a99b4042-cf05-46de-b257-048e32cd899a))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 9cd6de77-17e7-4cda-87ee-4b04f59b01f1))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 2cd4e2a4-d102-4f08-ab8b-7e104a4ef58f))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 924749ad-543d-43ba-a0f1-9ca3ce736b06))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 940dc242-b5f4-4c22-ad9a-eb1740e6b346))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 2cba5b4b-02a3-4af6-b6de-befed699951b))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 82f75563-24b6-4f40-bc79-aa7a88bfd78c))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 874125e0-6b7c-4c39-9f75-ed4e50f9acbe))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (timestamp 4667dff3-40f1-474b-8315-7a7d3980cffe))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 160 "Net-(D5-A)") (pinfunction "A") (pintype "passive") (timestamp e3656ce6-9d85-4de2-8348-9cb42d
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005bf54056)
(at 57 87)
(descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
(tags "diode")
(property "1b2-bom-key" "led-0603-ora")
(property "MPN" "NCD060301")
(property "Mfg" "Foshan NationStar Optoelectronics")

```

```

(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Light emitting diode")
(property "ki_keywords" "LED diode")
(path "/00000000-0000-0000-0000-00005b097e38")
(attr smd)
(fp_text reference "D4" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp b6679ad6-ea34-4788-8b68-7d9ef02e8a40)
)
(fp_text value "ORA" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 7c6295dc-173f-46c5-aa85-0e9042ca17e7)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 5d6fcc7a-b92d-44cb-83bf-d22a8befd579)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b318fee3-c450-4d6b-a2ad-02800909b26f))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c5c5335d-ecc8-4578-961c-bcf68d9c2712))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 28383195-d034-4742-9b25-18ccebafac40))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3d8c2636-7962-437f-8abd-634c0081098c))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dd0c36ad-8f7c-43a0-9cf4-1fa7ab8ba3bf))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 00e56dbb-34f5-481f-948e-53cc7223742c))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f86978c3-716a-44e7-ad27-03b769e101c1))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 029f2305-c47a-4964-b1f2-2e40a8e98604))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d894943d-fcd8-4677-b211-0622613121f1))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ca2ed9ac-bbf9-4fe9-8fbc-dc557a9abd0d))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f455c994-05be-46e5-82cf-3ce4220b93bb))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a1304afc-e683-435b-a3da-80892dcc7f2f))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 4c05e076-4be5-4b2d-8dc0-dbb4b9c0daff))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 56 "Net-(D4-A)") (pinfunction "A") (pintype "passive") (tstamp 2acec532-cab3-4eee-a24f-4902b1c
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf54068)
  (at 57 85)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-blu")
  (property "MPN" "ORH-B36G")
  (property "Mfg" "Orient")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005b097da8")
  (attr smd)
  (fp_text reference "D3" (at 0 0) (layer "F.Silks") hide

```



```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 1e340d45-57a7-4198-abfc-593758eb1b7d)
    )
    (fp_text value "BLU" (at -1.2 0 90) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 154c9da5-ab72-4b1e-97f1-186605be0cd7)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 19caa1e0-df9e-4034-a5fb-369680df355d)
    )
    (fp_line (start -1.485 -0.735) (end -1.485 0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8d25ee47-1b44-4d62-887b-be848cdd8e3a))
    (fp_line (start -1.485 0.735) (end 0.8 0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 767d32c4-8fa0-4f6e-bf6a-be745a4431bc))
    (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3c5e43a4-a730-4990-b098-6e80dff18187))
    (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8676fe6a-f762-4c4e-b9b6-03b33c8e84dd))
    (fp_line (start -1.48 0.73) (end -1.48 -0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bb39832c-c961-4461-92e3-81c1e1960313))
    (fp_line (start 1.48 -0.73) (end 1.48 0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4c2bcd11-b608-428c-8207-3241d9b25931))
    (fp_line (start 1.48 0.73) (end -1.48 0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6b08e1fd-4bd0-43b7-af77-1a4eac95879a))
    (fp_line (start -0.8 -0.1) (end -0.8 0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp df21942c-5911-422b-94d1-8c588600556c))
    (fp_line (start -0.8 0.4) (end 0.8 0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 09e88af1-e89c-4e96-92ff-e1ddf7834e5c))
    (fp_line (start -0.5 -0.4) (end -0.8 -0.1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61d0b1d9-ce56-4467-bdf2-a36a66c309cf))
    (fp_line (start 0.8 -0.4) (end -0.5 -0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6abbb0d6-fb99-4aea-9ec9-393120a30dc0))
    (fp_line (start 0.8 0.4) (end 0.8 -0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3415a57a-639a-4820-9c99-8e2304836500))
    (pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
      (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 5fd2329c-db09-4bb2-878d-396570fa6c4b))
    (pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
      (net 55 "Net-(D3-A)") (pinfunction "A") (pintype "passive") (tstamp 6d1ef56e-5bf0-4c52-a782-3ea00af
    (model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )

  (footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005bf5407a)
    (at 57 83)
    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
    (tags "diode")
    (property "1b2-bom-key" "led-0603-wht")
    (property "MPN" "NCD0603W1")
    (property "Mfg" "Foshan NationStar Optoelectronics")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Light emitting diode")
    (property "ki_keywords" "LED diode")
    (path "/00000000-0000-0000-0000-00005b097d14")
    (attr smd)
    (fp_text reference "D2" (at 0 0) (layer "F.Silks") hide
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 6dd5ba81-5475-49ce-888d-24880fce6f30)
    )
    (fp_text value "WHT" (at -1.2 0 90) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp c2c198b9-9d94-4af4-a673-3e00b7af5bd1)
    )
  )

```

```

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 7bb306fb-3a89-46cd-87f5-103532cc24e8)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 02345043-7f3b-434f-86cf-516ad29a325d))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3e6142a3-0ed1-465b-99ae-e930f66e6924))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2f874ddf-192f-4df9-9cbb-978fa5a05fb9))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd2b8e58-d6c3-4cab-ae82-628030e04896))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7dd1cf3-1c20-4337-bf36-b7ec4294d300))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dbd6c575-a6fe-4baf-a0ef-6bc7232878e8))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7fc47620-3844-43b6-8758-30e4d2d42f37))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 10291bd4-0d2a-479d-813c-f308c9fa362a))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 04d67d83-6a4e-4624-a65f-f2b16651cb85))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cd3a4efb-d098-41df-a139-ad2211c0a538))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f2d47e3a-7d41-4bc6-9ccd-0c182d4eacd2))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c37f3c33-ee66-4496-8c1d-0abfffd903b))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 979f4aaf-04cd-467e-b8c3-0395d007d921))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 54 "Net-(D2-A)") (pinfunction "A") (pintype "passive") (tstamp c4eaa186-d865-489d-873d-e16ac5f
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf5ac2d)
  (at 59 85 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b478672")
  (attr smd)
  (fp_text reference "R14" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 40f44510-8ab8-4a88-aaa3-ae2e03bf269f)
  )
  (fp_text value "2k2" (at 0 0.7 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 252029b5-65d7-4c4f-af36-5bfac3131067)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp a717ff97-9a65-415a-ad90-0c45434db034)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0b4af207-62b6-471a-a4dc-9e1cf83cf998))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 37a43546-171a-4807-a4c1-7928d7b4afb2))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79656f0e-425f-4a79-b498-c303325168ce))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 58320508-6c6b-460b-9357-4fca701a4d89))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dfa4a978-6b35-4d75-ae34-ff082ee25982))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0e4fd5fe-f296-407c-a62c-ac7b257d8e38))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 27a3d327-3cd3-4483-a0b7-e327e4b786a4))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9f5ccd95-b91b-4bce-9dea-cc62f9e1def6))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 40 "/LED_FPGA") (pintype "passive") (tstamp 9c5326a6-60c1-464c-a993-37ee48bc6569))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 55 "Net-(D3-A)") (pintype "passive") (tstamp 8b8b311a-1a66-4a17-a5f1-91a85dd5488c))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf5ac57)
  (at 59 87 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-1k")
  (property "MPN" "")
  (property "Mfg" "")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b2e1435")
  (attr smd)
  (fp_text reference "R15" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 64e64478-7a97-4d42-8e33-a6c9739dca04)
  )
  (fp_text value "1k" (at 0 0.7 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 9a39bfe6-3dc7-455e-9f66-c1c85d328adb)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp ad5f6aa9-16fd-43cc-8f5d-41c3b4aa9f4b)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7f23336e-8332-4f4e-93d0-1f1fdf6db5f5))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f361d872-ca0e-455f-8f19-534f7cb11908))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3adf7e4c-06f4-4462-844d-8b9d6369e323))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b5dd5784-a38f-489d-93a3-8ffd5ad033c2))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f5ad33ff-97dd-4351-9915-0ec15905a5b8))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c3229888-8305-4df1-bff5-53ad7f69a4cf))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee8a7e18-e0a8-4cc9-bda1-9d1a35dcd2a4))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b61f35d2-1395-481a-ade2-69a28ac87ad1))
  (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 37 "/LED_ACT") (pintype "passive") (tstamp 89ce3394-fe28-4115-b7d7-b2a61d93fd48))

```

```

(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect.
  (net 56 "Net-(D4-A)") (pintype "passive") (tstamp f1285d79-5ef4-4e28-8888-5dc86403ea2b))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
(offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf6ddb1)
  (at 59 104 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34f4")
  (attr smd)
  (fp_text reference "R20" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp fc882e07-9ebe-49c8-b928-caefc49717a2)
  )
  (fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 16cebc3f-ae34-4193-9162-cf0440596bd3)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 43bea846-f1ff-4a31-abd7-2622152f5457)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 05451700-fc84-4673-adc5-760c190ca092))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 864454de-0693-4a52-96e0-fba6baf2e4fc))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4416d41a-f069-4fb6-9a55-c4e3edd6ae34))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 38b2d229-40c2-4853-98c4-4bfe6e403580))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b3517473-8ff6-4867-84ba-dd7993834a8f))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1d30aa3b-ad79-4b10-8609-3e79c4ac4ae3))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 972ff26b-0a06-4818-94ff-4f16417e39e8))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 064268b4-4126-424d-830c-5f76536bd0eb))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 109 "/IO_Banks/U2") (pintype "passive") (tstamp 9498c10b-2717-4129-88dd-348a58973554))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 162 "Net-(D7-A)") (pintype "passive") (tstamp 35a81bb5-d39c-42ed-898c-2125a7123aff))
  (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf8fa9f)
  (at 100.1 99.7)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

```

```

(property "MPN" "SN74LVC1T45DCKR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U27" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp c6d44051-0545-41d2-aaca-ab73b5dfce87)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04))))
  (tstamp 72da4132-74e0-45d9-8d96-973bf55fb17e)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
  (tstamp 12a2ea59-5060-490a-b619-f5961a17b735)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e137e4db-fd26-4a8d-886d-253b542c7f8a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 34b9d448-6144-4306-b6e4-2a64daaf6897))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ea15faa2-d96c-4d8d-92fa-816d4ccc9c1a))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d2eead57-2f4b-42e1-926c-5a7eaeafadd72))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 93826e5c-5c15-480a-97b6-2a115800c6b8))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 802aeaa5-cc74-44ad-bcb6-8b92ace9c34c))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 34462ea4-dd66-4f22-bcb0-faf544e50218))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2b6cd5c8-9c8a-4f2c-89ae-efa690d30091))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cb5fb6e3-2caa-4f4f-9a6c-fe837e7eee8f))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba7d493d-a355-42ab-b208-5ca79d15d92b))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 25f7a4b5-1ce5-4234-8617-e2ed768e9b37))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 59b40646-8048-4c9d-beb8-e4c14570a4))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 23a53f68-709d-4afb-ae3e-5908dfd6806d))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 173 "/IO_Banks/IO_Buffer_B/X3") (pinfunction "A") (pintype "bidirectional") (tstamp 9c5cdb0b-3d0e-4000-8000-0000))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 63 "/IO_Banks/IO_Buffer_B/Y3") (pinfunction "B") (pintype "bidirectional") (tstamp 185b645f-3d0e-4000-8000-0000))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 152 "/IO_Banks/DB3") (pinfunction "DIR") (pintype "input") (tstamp d46519eb-e255-41c0-97aa-c8e0))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 2bfe0d2e-4385-483f-b2b0))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
(offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf924c5)
  (at 100.1 96.9)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
)

```

```
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00000000")
(attr smd)
(fp_text reference "U26" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 8abd0c1b-766d-4ca1-b125-a527350ab6fb)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04))))
  (tstamp 5b87dbc4-3093-4a45-b663-ba351a728472)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
  (tstamp dfc6faf4-342e-463b-8046-75cdac328bc0)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 90ce3939-d12d-4730-bbb4-66b4c4e6f996))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5650f3ca-c79c-43a7-a188-5fb3c1e3ee0b))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fa46d75a-2c00-43f8-bdfc-572b6306b66a))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f9c15ce7-618d-4736-8df6-23528ac2580f))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e2ae95d5-7940-4f93-afb5-f5ca2fda87a7))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f81f632e-329e-4a06-82f2-14fc1446c566))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 073f5a7b-4fd3-4008-bd37-f5c60dee470e))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c6499a09-6c26-4ee2-8479-fb205de237a2))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d512eaf-f1cf-4a53-88bf-222b7c4c7573))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0797bd3c-58b6-44d9-85ca-521af1c0e511))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1f518cd5-291c-4a0e-b703-63898d40e641))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp b5e7bdc7-b06c-4d49-b4ea-cbab0e9715))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp bddd86ca-4aac-4f47-ae17-ad65793a7741))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 175 "/IO_Banks/IO_Buffer_B/X1") (pinfunction "A") (pintype "bidirectional") (tstamp d3a64122-5b0d-4b4a-b9d4-d1a))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 61 "/IO_Banks/IO_Buffer_B/Y1") (pinfunction "B") (pintype "bidirectional") (tstamp 50205e0c-5c0d-4b4a-b9d4-d1a))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 151 "/IO_Banks/DB1") (pinfunction "DIR") (pintype "input") (tstamp 1cc436ec-2bdf-4840-b9d4-d1a))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 107 "/IO_Banks/VI0B") (pinfunction "VCCB") (pintype "power_in") (tstamp 1ba2c1d8-9c5b-4679-860d-4b4a-b9d4-d1a))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf933a7)
  (at 100.1 91.3)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
)
```

```

(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "U17" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 513a08d3-6b5f-4637-af8b-5b237df7032a)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp bc87fa76-df04-4aab-ac1a-851f26bfbfad)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp c220543e-9040-46bc-b582-59a184418ea1)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp abd9ba57-7c38-40f2-a323-5edf66969c39))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 167df45b-cd6f-4e98-8a39-2630874064d4))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 28e6878b-131f-468f-90f8-04c0dcd01973))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp afd6eb8c-cd20-42dc-83e0-43eda8e945d1))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 734ec45c-1ff9-4e30-97d3-deb4cf2317bd))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b49dc41f-33a0-4955-a971-4d327972c006))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e438378b-4672-4dfd-b81e-7ba298afe6ad))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab4e1611-2781-4468-814b-9a29375e5f06))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab9fa7a0-c65b-4d8b-af15-31d4fde13c2e))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 092019ba-8676-4423-9803-852bc3119d46))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a2bb5ca3-3089-4adc-a4ab-d8c218a75a8a))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp d250a682-0b7d-48b8-9689-3124c45e0e
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp c9a56979-bab3-48b8-9ee9-c777af136a30
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 185 "/IO_Banks/IO_Buffer_A/X5") (pinfunction "A") (pintype "bidirectional") (tstamp 6581c767-4
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 81 "/IO_Banks/IO_Buffer_A/Y5") (pinfunction "B") (pintype "bidirectional") (tstamp d108a7ac-48
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 146 "/IO_Banks/DA5") (pinfunction "DIR") (pintype "input") (tstamp 55c0de08-0c4c-4b02-92ea-c44
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 3727150a-c9ea-4f2e-bd3
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf93464)
  (at 96.1 94.1)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")

```

```
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U10" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp ce47cca5-c93b-4a60-918b-de7b3be610f1)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp 8a6249ce-cc0f-4462-9962-1457d88b7bce)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 211cd983-8fef-48a4-806e-31c598e022ec)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e79f9b97-3e16-4da2-a485-763a8bed4077))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp df435e22-8cad-4224-bca7-fad7231039cf))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cb516cf3-ba4b-4eb5-bcab-8c70a093a907))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1e6e356b-59c0-4871-b1a1-fcf2a448691f))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e1d5e8b2-1c76-4515-9f13-d1c87a29de3f))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 31da815c-0fd1-40d7-884b-ba46263fcda2))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d7d17958-0b19-4c5b-993d-7fa0575e4367))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a91b3a2e-c635-44b1-9920-827f672ffaae))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6630f8bf-e472-4f51-ac8e-21c3813cdb54))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 054ea65d-e572-4634-856b-d60c4f923e1d))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 58abe8d1-aba2-426a-aa54-2425641a171e))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 8ccd3867-3bae-4bce-a5e0-96677b50d7)
  (net 2 "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 7e39dc30-8bae-4003-9796-70fbf4828f74)
  (pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 184 "/IO_Banks/IO_Buffer_A/X6") (pinfunction "A") (pintype "bidirectional") (tstamp 15eef598-f
  (pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 82 "/IO_Banks/IO_Buffer_A/Y6") (pinfunction "B") (pintype "bidirectional") (tstamp 0ebcb2ed-76
  (pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 143 "/IO_Banks/DA6") (pinfunction "DIR") (pintype "input") (tstamp e646372f-5b23-4677-bbda-8ee
  (pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp b7778b55-affc-4a04-9aa
  (model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf93479)
  (at 96.1 91.3)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
)
```



```
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
(attr smd)
(fp_text reference "U9" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 1d8edf74-256b-4fed-a1aa-d2ec537aab3f))
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp dc2d8041-9c12-41ce-ae2a-19140f89c60b))
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp ee76c8ec-20d9-4c41-89b3-844e24aa8da7))
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5992f873-d032-49d1-9953-ff425130ce14))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 04db6e3a-a4f5-4870-b91e-cc2611fac11a))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2458e843-bf40-4d6f-a3e1-e9cf1ba4c97d))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 61cf478b-922f-4fe5-b254-7fbfeb445de4))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bae700c9-e1d6-47d4-99bb-8474eeef17f93))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 41efa45c-2c3b-441f-89ea-3916a87b320b))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 892a8a53-9c4a-45d7-a3f6-8da046f4f0ae))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b7eceab5-c1ad-482d-8a67-3979a404e8f0))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp efa513eb-8dda-4ff1-9f87-681ff3dbe077))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 881dcba-f791b-4b66-a5bb-827eebc58f50))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 77212b81-18b7-43ad-886d-da7f67255558))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp eecdb485-b156-453d-b9c7-c9f342cef2))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp bc1f9763-a3c2-4339-a931-2d7f2746ac30))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 186 "/IO_Banks/IO_Buffer_A/X4") (pinfunction "A") (pintype "bidirectional") (tstamp 01fbc1f8-a4d1-4b66-a5bb-827eebc58f50))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 80 "/IO_Banks/IO_Buffer_A/Y4") (pinfunction "B") (pintype "bidirectional") (tstamp 8812f8de-d4b1-4b66-a5bb-827eebc58f50))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 142 "/IO_Banks/DA4") (pinfunction "DIR") (pintype "input") (tstamp 0f4cbd52-6446-496e-bf9d-476b))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 9a68b4ba-43af-44ef-aa7f))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0)))
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf9348e)
  (at 96.1 88.5)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation"))
```

```

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U6" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp b288e82d-cad0-47f2-ae09-fc6837721592)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04))))
  (tstamp 5b8eed21-7a66-497a-b19b-bedec88c81f7)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
  (tstamp 692eaa93-1a24-4764-8f24-69e7c0b94e78)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0cd37b08-6e41-4543-bbe8-a9f79253bc6a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fcea8ced-f025-4b20-9ba0-fb64d19ae59f))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 91408a0f-da36-4f02-9f5a-9f0723865e60))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1e48a055-1759-4b07-ab77-35bafd7925ec))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 19cdb194-59d4-42fe-81c0-cf22a7c0d6ed))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd78f6b6-7df3-4e79-ad46-becd55277bf3))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3013cd3b-1625-4db5-8f08-5ef9139eadea))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e987374d-8c0a-45ef-a784-856c4e5b6cbb))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 242c9c8f-852b-4502-a107-faa86163ddd6))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c0b6509a-d236-4c71-885f-532f0af56551))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6bc5cd4c-cfa9-48a8-a78e-e220a4fba193))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 159252a3-0f04-476a-a500-de7476f63eae))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 0431d296-c01e-4ebc-960f-e498cd49018e))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 181 "/IO_Banks/IO_Buffer_A/X2") (pinfunction "A") (pintype "bidirectional") (tstamp f4dff1a6-30d1-4b3a-b8d1-9f4a4a4a4a4a))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 78 "/IO_Banks/IO_Buffer_A/Y2") (pinfunction "B") (pintype "bidirectional") (tstamp b9218169-6d5d-4b3a-b8d1-9f4a4a4a4a4a))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 155 "/IO_Banks/DA2") (pinfunction "DIR") (pintype "input") (tstamp 8b9703a7-a45d-4d41-9faa-de4a4a4a4a4a))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 7778a62c-0de0-4e95-8e1d-4a4a4a4a4a4a))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf93cec)
  (at 96.1 96.9)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
)

```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U22" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp ab269164-6713-45a0-b64e-2ed151d99a5e)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
(effects (font (size 0.2 0.2) (thickness 0.04))))
(timestamp ae65a518-ba95-43e3-a146-780549d3ef33)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
(timestamp 2c1a3a63-7d43-41a2-b9b7-4f7ac8ac923a)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp fd7839cc-daed-4863-bdad-5287dcd5dce8))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp efa4a082-3788-47e6-9ac4-8f9606bc49aa))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b8dc87b2-be9f-4880-a54a-94c5a59f94f9))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a9b88c7b-c336-4763-bcaa-20a92bf344b3))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 43f85972-5874-4618-ab19-64dc680f3ede))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp cea137e1-1701-4201-aea5-86b7699f70ec))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 091e1096-a13f-40f7-a045-997a3bb71716))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 954fee3f-6bf2-482e-a8eb-f7c2b9656ac1))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 80e81842-2c4e-4aa8-bbd5-2ad65fff0ae6))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp ae241dea-a6d6-4298-9547-a8cfb1e39108))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 246605d1-73ce-4dbd-b30a-7e175336af6a))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.25)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (timestamp 6a9feb80-9686-4eb6-ae9e-a19e4fc01e))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.25)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (timestamp 98b58ebd-9019-428a-9594-cfee961b4494))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.25)
  (net 207 "/IO_Banks/IO_Buffer_B/X0") (pinfunction "A") (pintype "bidirectional") (timestamp 118fc092-9201-428a-9594-cfee961b4494))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.25)
  (net 57 "/IO_Banks/IO_Buffer_B/Y0") (pinfunction "B") (pintype "bidirectional") (timestamp 0660864d-6e01-428a-9594-cfee961b4494))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.25)
  (net 148 "/IO_Banks/DB0") (pinfunction "DIR") (pintype "input") (timestamp b2fae4bd-bd0b-47e4-8ae8-ba11-428a-9594-cfee961b4494))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.25)
  (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (timestamp a0d70eb2-2e98-4584-9d80-428a-9594-cfee961b4494))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005bf93d2e)
  (at 96.1 102.5)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
)

```

```

(attr smd)
(fp_text reference "U24" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp b1c2981d-7ae1-4b66-8403-f292a3a78c07)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04))))
(timestamp c8ac2db6-e51c-49d2-9e8b-ae0a8512199c)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
(timestamp f69df9b1-bb9a-4815-b8a2-438f12dab1b1)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 6ca38214-9162-4ff8-a250-b5ff2ad3fa9a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 375bed54-b443-4b68-94b4-ef404f0ee09a))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 77ef27b7-50a8-4037-abab-96f40904d6ec))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 77c9d795-5323-4332-992e-bae60ddcfdbf))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp fc23eb40-d0f0-453f-848b-8b23276dd654))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp f348f1be-ace9-4554-bc52-d5c85dd31e78))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 05d29f3f-82c8-4a86-b0b7-c38df5f0d52c))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp dbfcff79-9569-4d54-b878-708da9d925e5))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a25c0466-6a26-4320-bf4f-350288b08190))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp fa77fa8c-e724-4073-9b5d-65d990de7ef3))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 80dfa8fc-d1b0-4ef8-ac7d-aff73ef722ae))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (timestamp 0b8daffd-ce92-46ec-bbaa-21ecd7efbb
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (timestamp 85dd3354-0bf6-471f-a378-6bae9121450a
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 179 "/IO_Banks/IO_Buffer_B/X4") (pinfunction "A") (pintype "bidirectional") (timestamp 9f3d7caa-0
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 64 "/IO_Banks/IO_Buffer_B/Y4") (pinfunction "B") (pintype "bidirectional") (timestamp f32d4b25-50
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 149 "/IO_Banks/DB4") (pinfunction "DIR") (pintype "input") (timestamp 53baa9cb-a47f-4e6d-9b6f-d90
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 107 "/IO_Banks/VI0B") (pinfunction "VCCB") (pintype "power_in") (timestamp 9e12bf0f-87b8-4f6f-b00
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005bf93df3)
  (at 96.1 105.3)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
(property "MPN" "SN74LVC1T45DCKR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
(attr smd)

```

```
(fp_text reference "U25" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 37499cf8-1766-42d8-99cd-8e15bd12769f))
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp e8d1288e-d95d-46e3-8565-d429aa5e6d14))
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 6dcbb67f1-5336-4505-9dea-5cdc05b50532))
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 39c0fac2-abf5-44d0-8e52-38bc3cbc42d4))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f690b86c-a67d-4ffc-88fb-3e9f2c7ed02c))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f3a4b392-682f-4fb9-8369-05f536ece121))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cbb8af11-b939-46e0-b0ea-63d3f413c023))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5be21a1d-15c9-464e-ab71-63468d4d507c))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 895918a7-1966-42b9-9e28-af38aed8283d))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f36699fa-b76e-4dee-85e9-054e11185fe2))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee250c70-5463-4f50-881d-0cd50703cb28))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dcf48dcf-0408-49d8-8be0-06e074cfc8c3))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e22f6255-149d-44fd-b4f8-9e0a0c53df3a))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 64d6c2eb-9d7a-4a62-977a-bcff9028d962))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp ab3425f5-ef43-443d-a9b3-969c66381e))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 8a06a32c-6426-4fa5-95e1-ba0927f53601))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 177 "/IO_Banks/IO_Buffer_B/X6") (pinfunction "A") (pintype "bidirectional") (tstamp 9bac0c13-7b2e-42d8-99cd-8e15bd12769f))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 66 "/IO_Banks/IO_Buffer_B/Y6") (pinfunction "B") (pintype "bidirectional") (tstamp 26285ae5-ea5b-47c0-83e6-95f9))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 150 "/IO_Banks/DB6") (pinfunction "DIR") (pintype "input") (tstamp eabeb55b-6458-47c0-83e6-95f9))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 6356b059-0130-4839-99ee-3909))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c00d302)
  (at 120.4 87.4 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : C, Terminals : 2)"
    (tags "capacitor"))
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c00d302")
  (attr smd)
  (fp_text reference "C57" (at 0 0) (layer "F.Silks") hide
```

```

        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp ade1fc95-541d-4fda-8ce3-66587d4bc80c)
    )
    (fp_text value "u1" (at -1 0 180) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 12b1b04c-499a-4f30-8694-0b90ce8461da)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
      (effects (font (size 0.25 0.25) (thickness 0.04)))
      (tstamp 3760f407-975b-43ae-8762-752fc382d147)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6d52e984-1600-4645-ab4c-128f1fc66f99))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a73804a7-ecf3-4575-aefb-710663db2f2d))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 72bb3179-fe19-46d8-8f1f-d837ad1d8561))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d4ea43ce-336e-4159-bdfd-04b0fb660696))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a0c5b254-c0b5-4977-9a90-f4e91373d480))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7827d358-b029-41b2-a865-2b54d61299a4))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5fb813ed-de25-4a59-a196-1db8e81b44d8))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e767b27c-c199-4b3a-9129-e0bb9364f072))
    (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 62b9a8c7-3c85-4bc2-82df-319dc094efcb))
    (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 3 "GND") (pintype "passive") (tstamp 7cf7f774-c3fe-4235-9fd4-d759b76b34bb))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )
  (footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c058419)
    (at 57 81)
    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
    (tags "diode")
    (property "1b2-bom-key" "led-0603-grn")
    (property "MPN" "NCD0603G1")
    (property "Mfg" "Foshan NationStar Optoelectronics")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Light emitting diode")
    (property "ki_keywords" "LED diode")
    (path "/00000000-0000-0000-0000-00005b095c2b")
    (attr smd)
    (fp_text reference "D1" (at 0 0) (layer "F.Silks") hide
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp f4cca8d0-14a3-46a2-85c5-712678a9b50b)
    )
    (fp_text value "GRN" (at -1.2 0 90) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 4b5656c2-44c3-4606-a74e-700e72a00522)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 12daec9d-587e-4c59-8c95-d74f13b22228)
    )
    (fp_line (start -1.485 -0.735) (end -1.485 0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d4653f26-ab58-49f7-8cf6-c38ef26e98a9))
    (fp_line (start -1.485 0.735) (end 0.8 0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp baab3a88-9215-4f56-ac64-49233a467555))
  )

```

```

(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp f8ec1e0f-d1e5-45a5-8387-26e720957790))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1723cfbd-45f9-41c7-ab9c-6b7c2bd99728))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2bce6956-c2d1-48a5-85ff-2d8e3b45dd5b))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc7ce71f-0cc2-43b0-8450-826a5be3dc62))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 30052997-9ed7-4cde-a0c7-2284d211bf0e))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f03955a-db6b-4518-8111-3a775e725b00))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 60469087-ab5e-464d-bbf1-3538750d4609))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0ed8d94e-45d1-4463-a265-26f38ecb8578))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 669f2cb7-4f0c-4c78-ab70-b8069a572687))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 45632fde-4b9b-4f3c-9ea4-6fcd5d836047))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 491793f5-9d24-44db-afee-afd25aa3038c))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 53 "Net-(D1-A)") (pinfunction "A") (pintype "passive") (tstamp 0a9f54f4-edfe-450f-b07c-1ca2899
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c145924)
  (at 107.8 87.6 90)
  (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
  (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")
  (property "1b2-bom-key" "conn-th-005in-8-1-rec")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "dnp" "")
  (property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr exclude_from_pos_files)
  (fp_text reference "J9" (at 0 -2.135 90) (layer "F.SilkS") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp fa424d93-a426-4ec3-a6ae-550d5bdfcb2e)
  )
  (fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp afc0b480-5727-4816-8c3e-642caeabb960b)
  )
  (fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp f735867e-75d6-438e-9e18-512f214aea5e)
  )
  (fp_line (start -1.8 -1.15) (end 1.75 -1.15)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d547be78-d1ee-4dd2-9281-37abbeaad18e))
  (fp_line (start -1.8 10.05) (end -1.8 -1.15)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c7b8b2ad-6a74-42d2-bff8-ef9a7fa79d32))
  (fp_line (start 1.75 -1.15) (end 1.75 10.05)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 88cf7a79-185b-4013-ae85-dccd77cb50aa))
  (fp_line (start 1.75 10.05) (end -1.8 10.05)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 949d20c2-a154-43a2-9a04-b38b466e3ff5))
  (fp_line (start -1.27 -0.635) (end 0.635 -0.635)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d251703-5bc1-4091-9add-7459f0491b19))
  (fp_line (start -1.27 9.525) (end -1.27 -0.635)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 868ce5c6-6214-48c6-acfe-39fa3553f4db))
(fp_line (start 0.635 -0.635) (end 1.27 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 93dd9789-c5e6-4393-b807-73bdd6ee1b59))
(fp_line (start 1.27 0) (end 1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae607e69-3513-41e2-9c18-1595a2ed29a5))
(fp_line (start 1.27 9.525) (end -1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d7ca026-77cd-4031-923f-181318f3ab30))
(pad "1" thru_hole circle (at 0 0 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 224 "/IO_Banks/IO_Buffer_A/P0") (pinfunction "Pin_1") (pintype "passive") (tstamp ff3f42d9-676
(pad "2" thru_hole oval (at 0 1.27 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 223 "/IO_Banks/IO_Buffer_A/P1") (pinfunction "Pin_2") (pintype "passive") (tstamp c3daeedf-554
(pad "3" thru_hole oval (at 0 2.54 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 222 "/IO_Banks/IO_Buffer_A/P2") (pinfunction "Pin_3") (pintype "passive") (tstamp a35bf61a-145
(pad "4" thru_hole oval (at 0 3.81 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 221 "/IO_Banks/IO_Buffer_A/P3") (pinfunction "Pin_4") (pintype "passive") (tstamp 3847d3f5-4fe
(pad "5" thru_hole oval (at 0 5.08 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 220 "/IO_Banks/IO_Buffer_A/P4") (pinfunction "Pin_5") (pintype "passive") (tstamp cc850955-2a9
(pad "6" thru_hole oval (at 0 6.35 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 219 "/IO_Banks/IO_Buffer_A/P5") (pinfunction "Pin_6") (pintype "passive") (tstamp f36d574b-cf9
(pad "7" thru_hole oval (at 0 7.62 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 218 "/IO_Banks/IO_Buffer_A/P6") (pinfunction "Pin_7") (pintype "passive") (tstamp 2c30aee2-5bc
(pad "8" thru_hole oval (at 0 8.89 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))
  (net 217 "/IO_Banks/IO_Buffer_A/P7") (pinfunction "Pin_8") (pintype "passive") (tstamp 286e41c6-75a
)

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c14597b)
(at 116.7 108.5 -90)
  (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
  (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")
  (property "1b2-bom-key" "conn-th-005in-8-1-rec")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "dnp" "")
  (property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr exclude_from_pos_files)
  (fp_text reference "J6" (at 0 -2.135 90) (layer "F.SilkS") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 14588b2d-32a5-45d2-a877-90cd87ca39b7)
  )
  (fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 7a69d9f8-092c-4975-8edc-9d0913d75444)
  )
  (fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp a1ef62a6-23ca-4c77-bab3-38c1bc8f576e)
  )
  (fp_line (start -1.8 -1.15) (end 1.75 -1.15)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78cdc178-d7dc-47b3-a7ae-02e8827757d0))
  (fp_line (start -1.8 10.05) (end -1.8 -1.15)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 77ee6a09-a56e-41a8-9a30-7d7b8f497200))
  (fp_line (start 1.75 -1.15) (end 1.75 10.05)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc7b91b3-2bde-4abe-bd7c-a231e8d3c7a3))
  (fp_line (start 1.75 10.05) (end -1.8 10.05)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 68c0070d-0a18-4847-94c6-9acfb2e6d365))
  (fp_line (start -1.27 -0.635) (end 0.635 -0.635)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4c922662-7f56-4821-8c6b-8c023f3c06a1))
  (fp_line (start -1.27 9.525) (end -1.27 -0.635)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5c98d310-1af5-4a51-b1a9-9c2be41e0bbe))
  (fp_line (start 0.635 -0.635) (end 1.27 0)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b41435ec-ad26-41f1-937d-6732fcde68cd))
  (fp_line (start 1.27 0) (end 1.27 9.525)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e6f0c076-f55f-4ae4-b20f-a850719ae222))
  (fp_line (start 1.27 9.525) (end -1.27 9.525)

```


[illegible]

```
(net 3 "GND") (pintype "passive") (tstamp 57678a52-d737-421f-8952-15e69b5788da))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005c15d37b)
(at 119.7 100.7 -90)
(descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0603-4u7")
(property "MPN" "LMK107BJ475KAHT")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c15d37b")
(attr smd)
(fp_text reference "C31" (at 0 0 90) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 7365e8d6-eca0-4895-bc29-e11ad6dc4ecc)
)
(fp_text value "4u7" (at -1.2 0) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp cac653b7-14b8-4ce7-be47-83e678463442)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 45da2d09-6f37-4ac0-8961-0d601fa6cfb1)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2354cd95-8163-499f-97c0-67083bdef746))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3becc30d-2360-4997-a715-52326d287137))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a315186a-8f44-41ff-966e-75596876c54b))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e364363b-e278-4a13-abd2-c8a2fc5a7d9d))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp da6c6917-8b48-42bd-b12c-6715788ceb47))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 204530f2-efe4-4102-bfa3-3e2d028ab115))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 630f87fd-43cc-405c-995e-eb5e6a4a9522))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp adf94be9-9878-4a71-9f70-fb2b36fddaca))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 95b24e97-ef7f-44ea-bc62-bcbbebe2b1f1))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad524bf1-f68a-49ea-ac15-7d2255d3480d))
(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads
(net 5 "+5V") (pintype "passive") (tstamp c5dde1e2-a480-4840-ac20-5b89e230b31e))
(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads
(net 3 "GND") (pintype "passive") (tstamp 69a51a3c-52f4-44f5-9539-67f9575ddadd))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005c15d3cc)
(at 123.3 103.7 180)
```

```
(descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0603-4u7")
(property "MPN" "LMK107BJ475KAHT")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
(attr smd)
(fp_text reference "C53" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 50f874d9-5886-43f8-ac52-e749727f4b92)
)
(fp_text value "4u7" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp ef2774a2-e373-4f70-bb53-e96197c1e8e1)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 06c512ad-9119-4723-8a3c-8a0eac3cad24)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9a423496-1628-455f-ac10-f3e10dc61066))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d7799a4a-407d-4756-addf-f76d0947b04d))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5f42bf67-86be-4c40-a45e-b48781124d94))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9415d504-f2b9-4873-a00a-069541b3ef4c))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f52ddce9-3c75-4c18-ad37-c14407e24337))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 76e4a1a5-1337-4dc5-ace2-1256eecb4ae4))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 959b93da-e53c-4a71-8583-a484f6a2fbb0))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f2208cb5-0ec8-4a87-b40a-035e08b40758))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 994363de-dd2c-42c6-8a5a-9e76e22b16c1))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2b0d6604-c90d-4bda-b1e8-cd877eb2c825))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 6bc784a1-07c4-4147-a1ad-acc44102ec50))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundr
  (net 3 "GND") (pintype "passive") (tstamp f0810958-6672-4999-b03b-bd84f2cedfbb))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c15d417)
  (at 125.7 102.2 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-59k")
  (property "MPN" "RC0402FR-1359KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
  (attr smd)
```

[illegible]

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 289d2449-a4a5-4a21-9604-567f00347bc6))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1948e030-3470-4aa7-a6c8-8f802cf115ae))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2b3d0750-f12b-4615-98f7-faa01a311f02))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 66b7d7a2-060d-4bf5-a451-8315af80e27f))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 34e5e9c5-1971-49ce-8c79-30aee2bdeb48))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 09becbb0-8230-42fe-8e6d-c8925956e4c9))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 89827a2c-e505-4265-8ed7-e625ff3fdc5c))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 226 "/IO_Banks/IO_Buffer_B/VDAC") (pintype "passive") (tstamp 635ef7cf-64c7-42ac-8dc0-3dbab572
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 157 "/IO_Banks/IO_Buffer_B/VFB") (pintype "passive") (tstamp 086a6f4e-d567-427c-9d38-8751c4a1c
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c160ea2)
  (at 122 118.5)
  (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
  (tags "fiducial")
  (attr smd board_only exclude_from_bom)
  (fp_text reference "FID3" (at 0 -2) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15)))
    (tstamp 12db344a-0f14-4f09-baed-d7e15295a38b)
  )
  (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 2) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 6b3ab5ac-255f-4a1c-9d25-5dc358a22888)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.05)))
    (tstamp 7a5dc659-4295-4375-9339-d4ea607f8a07)
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 5f19f3ee-198c-401b-bdb9-1c
  (fp_circle (center 0 0) (end 0.75 0)
    (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp 531a3a55-f0b9-4a3e-b473-6c3c3
  (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "F.Cu" "F.Mask")
  (solder_mask_margin 0.375) (clearance 0.375) (tstamp 7eb79b5e-fd19-42ec-a46d-9a9ecd897d38))
)

(footprint "Fiducial:Fiducial_0.5mm_Dia_1mm_Outer" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c161239)
  (at 78.6 90.4)
  (descr "Circular Fiducial, 0.5mm bare copper top; 1mm keepout (Level C)")
  (tags "marker")
  (attr smd board_only exclude_from_bom)
  (fp_text reference "FID8" (at 0 -1.5) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15)))
    (tstamp beed98d-58b3-4f8f-85d0-89f74f85e511)
  )
  (fp_text value "Fiducial_0.5mm_Dia_1mm_Outer" (at -0.6 -3.4) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 15803f7b-99fb-4d80-8e9b-75299906e7b2)
  )
  (fp_circle (center 0 0) (end 0.75 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 0d62f19b-1bf4-47d0-9181-73
  (fp_circle (center 0 0) (end 0.5 0)
    (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp 899db053-5a3c-4efa-90b1-22404

```

```
(pad "~" smd circle locked (at 0 0) (size 0.5 0.5) (layers "F.Cu" "F.Mask")
  (solder_mask_margin 0.25) (clearance 0.25) (tstamp b1ba89ce-7dfb-4149-877c-f2f327f505e7))
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c161349)
  (at 125.7 90.3 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c161349"
  (attr smd)
  (fp_text reference "C59" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 639fff93-0d3c-492e-a16c-1f9646c983eb)
  )
  (fp_text value "u1" (at -0.9 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 517313a6-c073-4d5e-9ad3-3b215e05ae1a)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 2b9b7546-a4f7-44a1-b77d-de9bfff44d8a)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f87e46d6-da1d-424f-b24f-5f04d8d44a41))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5185e5ca-3fe1-45fe-ac46-5b492a070249))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 824240c2-b22f-4064-a603-8462a1991b23))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2a8cb937-adf8-4280-a54d-22575e1b9b5d))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d579c2db-5757-4b41-97d1-60fadc43b5f8))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd76da98-bc18-448b-985d-2190f01f5799))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 391373f3-64e6-46c5-8dc1-8271c20e532c))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61e5a199-7da4-4c35-be1b-47fb9709fcc8))
  (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 5 "+5V") (pintype "passive") (tstamp fe5ef082-0ff5-4b68-9084-07872dd8bd75))
  (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 758e0856-60d4-4e44-8942-8f6593427ed5))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c162ef3)
  (at 120.9 88.8 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-59k")
  (property "MPN" "RC0402FR-1359KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
```

```
(property "ki_keywords" "R res resistor")  
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005d8ad6321")  
    (attr smd)  
    (fp_text reference "R34" (at 0 0 90) (layer "F.Silks") hide  
        (effects (font (size 0.25 0.25) (thickness 0.05))))  
        (tstamp a29d22ef-580a-43d4-9b66-d741b0afb484)  
    )  
    (fp_text value "59k" (at 0 0.7 270) (layer "F.Fab")  
        (effects (font (size 0.4 0.4) (thickness 0.06))))  
        (tstamp 2540dc0e-3c9a-4000-ab34-8f6a7faae8a1)  
    )  
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")  
        (effects (font (size 0.25 0.25) (thickness 0.04))))  
        (tstamp 1f770c04-7ce0-4108-9a48-f08aa8ad6321)  
    )  
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)  
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 54fd51ae-f10c-46fc-8350-73d8ce818069))  
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)  
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cc75c48c-6e6b-4e61-a3e8-fe562d546c5d))  
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)  
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d7bfd2d7-9710-4226-9538-8ec4f4b37108))  
    (fp_line (start 0.93 0.47) (end -0.93 0.47)  
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bd1bcd2c-3315-4a5a-8128-c1be78e1b2ea))  
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)  
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2d873de3-e3f5-43b5-8238-2a120cddb644))  
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)  
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 930909b9-2f60-428f-9ddf-f6115abc9835))  
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)  
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1b2cc691-151b-4a68-8e08-790c149e0737))  
    (fp_line (start 0.5 0.25) (end -0.5 0.25)  
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f2f887ee-3f1d-4f55-b977-79806a05d750))  
    (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)  
        (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pintype "passive") (tstamp 4bc5cb45-12ee-497b-bde9-aef974f44b1b))  
    (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)  
        (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 030c8b24-f1e9-44e7-9d13-d324c40e197e))  
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"  
        (offset (xyz 0 0 0))  
        (scale (xyz 1 1 1))  
        (rotate (xyz 0 0 0)))  
    )  
)  
  
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")  
    (tstamp 00000000-0000-0000-0000-00005c16a7d7)  
    (at 59.35 93.15 90)  
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 0402)"  
    (tags "capacitor")  
    (property "lib2-bom-key" "cap-cer-0402-9p")  
    (property "MPN" "AC0402CRNP09BN9R0")  
    (property "Mfg" "Yageo")  
    (property "Sheetfile" "glasgow.kicad_sch")  
    (property "Sheetname" "")  
    (property "ki_description" "Unpolarized capacitor")  
    (property "ki_keywords" "cap capacitor")  
    (path "/00000000-0000-0000-0000-00005ad0b949")  
    (attr smd)  
    (fp_text reference "C12" (at 0 0 90) (layer "F.Silks") hide  
        (effects (font (size 0.25 0.25) (thickness 0.05))))  
        (tstamp 861ad310-6656-4f92-adc9-328106dd161e)  
    )  
    (fp_text value "9p" (at -1.05 0 90) (layer "F.Fab")  
        (effects (font (size 0.4 0.4) (thickness 0.06))))  
        (tstamp 2486df67-3604-45a4-9220-11c6c4e6f9b4)  
    )  
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")  
        (effects (font (size 0.25 0.25) (thickness 0.04))))  
        (tstamp 7b32a2b0-d056-4bd6-87ce-5dd59587e8b7)  
    )  
)
```

```

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bee81e86-e6c5-480a-a0a6-a937acdd8927))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fab4b890-c6aa-4150-8394-89bac4775622))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7f0e98e-9845-40ba-be82-c72df33f0947))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 927ab8a5-2530-48ce-a8bb-263e1f265496))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 20a926de-06ec-4af2-9af1-d38a9696a41d))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d216512b-06a2-4fd7-92e4-f80a284aaa40))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f502c3a5-fe65-4b99-8252-1929d29609cb))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac053c0c-369f-432d-8e4f-8546471fa1ef))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 10 "/XTALIN") (pintype "passive") (tstamp 707319d5-9f3f-45d9-b749-668b84469630))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 442a971f-1d13-432e-9759-24723efd26ec))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1776cc)
  (at 59 89 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-1k")
  (property "MPN" "")
  (property "Mfg" "")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b4782c1")
  (attr smd)
  (fp_text reference "R16" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 8ca511fb-b699-44bd-99ff-1053599a7c72)
  )
  (fp_text value "1k" (at 0 0.7 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 5a4dc7be-7071-4a56-bc98-8e2e414e89a0)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 4ba71b89-933f-4884-8146-ac2be588d414)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4f7fb5bb-bbcc-4c99-9863-41c46cbb28a3))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 72feb3e5-d17c-4a0a-9ee4-e71d588fb202))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 222a66f2-2cc8-4793-aa34-153841c945e6))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7ee65efc-eead-4c3e-b724-74e7cb3ea961))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b85acf60-48c1-423b-91c3-6eafe9f1fe23))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eaffcc46-a986-4d7f-9bb7-fb0f1b281a80))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f7356e51-1b94-478b-87f5-b411174318a5))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)

```



```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9fcfbf692-7ada-4da5-86e4-d216b4c63313))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 36 "/LED_ERR") (pintype "passive") (tstamp 9cc3240b-6bd8-45f7-9afe-e2ccd8a68cf4))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 160 "Net-(D5-A)") (pintype "passive") (tstamp 39553aa7-374a-4914-a96d-3d55ec65710d))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c188e5a)
    (at 76.4 90.3)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size :
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-100k")
    (property "MPN" "RC0402FR-13100KL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005b4b69b8")
    (attr smd)
    (fp_text reference "R17" (at 0 0) (layer "F.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp b73d48e3-22da-49f9-afd7-3bfb1c6bd0b8)
    )
    (fp_text value "100k" (at 0 0.7) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp d9571034-568f-4c74-ad6d-dba0ad243820)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp 1f452df2-4bd0-4c15-83c6-0a3ad92528ab)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5cffd494-e836-4da8-9c37-3fe7ad616f17))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18b47418-6564-4adc-980f-72b1a7c50b2b))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01a46c37-fcd2-4b6a-9483-77de9607b859))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a7b417c8-0317-4d31-90da-184603d37170))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 805c3d37-6c97-4cdd-b48e-f612f0ed072c))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bdbad076-da3a-44ce-9464-2b6d2029324e))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cced32a6-d750-41f4-81b7-dbeea6c7a850))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5c3fa84a-45bc-485e-aa86-df100f853992))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
    (net 42 "/~{ALERT}") (pintype "passive") (tstamp 3cd1a4d5-695f-4e2d-b963-ee6db4dfafcd))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
    (net 2 "+3V3") (pintype "passive") (tstamp 9df470f1-1fa8-480a-8759-01f266252c46))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c188fd4)
    (at 59 81 90)

```

```

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-10k")
(property "MPN" "RC0402FR-1310KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005b18b70c")
(attr smd)
(fp_text reference "R12" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (timestamp 2c545c78-5b96-4c3d-a233-e3e22f09149e)
)
(fp_text value "10k" (at 0 0.7 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (timestamp 54daefb0-a13b-4881-8ef3-e5614d32f760)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (timestamp 5657c024-0578-47ed-89a8-208baf3fc6d5)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a017ad23-c0f8-4ee3-91b7-9b47f09b79be))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 71719713-2994-45a9-b107-7ba8f2ba5fec))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6708a313-8f21-415a-87d9-b48c0871107c))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp e032c6a8-f591-420e-88ef-7f73111f65f2))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 4a52c975-a525-4585-be82-8a5c3dbafe6a))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 6eca7e6a-c667-4963-89c4-b8fad2eb6614))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 77120840-8c26-4cd6-97dc-286c87d97024))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1d73ad86-bba3-47d0-819e-bbbd9b654004))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (timestamp 7d4e1056-34e9-4a33-9b36-cfad1cf967c3))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 53 "Net-(D1-A)") (pintype "passive") (timestamp a3d4b7f3-f894-474a-92cd-ee91e79af93e))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005c18913b)
  (at 59 83 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b4785d4")
  (attr smd)
  (fp_text reference "R13" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (timestamp 15a15416-b79a-497f-bf81-41ae4198ea1c)
  )
)

```

```

(fp_text value "2k2" (at 0 0.7 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 94067b5f-f371-4025-b7aa-a059a29513c2)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp ea8e2c45-e4cc-408c-b99e-86ffe8e0d62c)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b34c2bc9-2e22-4c7e-9ad3-4761b2eb6000))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ecc0728b-70c0-4cbe-afca-745bf3f62829))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c0dfcca2-9ae8-4344-ab6a-2a75d081b3a3))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3f1e18e1-3f66-4aae-9d73-8a8090d15a40))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a9edd14f-94e4-4aa4-b4c0-0b13c64af19e))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a3e50a9b-562f-436a-b77f-68aec9887b99))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3990d953-0096-44df-aaaf-e12ff8be9eab))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2be421b2-3199-4a3e-b653-33d0437834f5))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 33 "/LED_CY") (pintype "passive") (tstamp d25bbadc-ce84-4f31-a406-516776755c2a))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 54 "Net-(D2-A)") (pintype "passive") (tstamp d2ee2ad2-c721-484a-a68a-3056825c502d))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:Crystal_SMD_3225-4Pin_3.2x2.5mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1894ee)
  (at 61.9 92.4)
  (descr "SMD Crystal SERIES SMD3225/4 http://www.txccrystal.com/images/pdf/7m-accuracy.pdf, 3.2x2.5mm^2")
  (tags "SMD SMT crystal")
  (property "1b2-bom-key" "xtal-smd3225-24mhz-9p")
  (property "Characteristics" "9pF load")
  (property "MPN" "JF4024M00009T8188070")
  (property "Mfg" "JWT")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Four pin crystal, GND on pins 2 and 4")
  (property "ki_keywords" "quartz ceramic resonator oscillator")
  (path "/00000000-0000-0000-0000-00005acc4bc0")
  (attr smd)
  (fp_text reference "Y1" (at 0 0.3 180) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 305e8911-5d90-4899-a783-bf2ac770f0be)
  )
  (fp_text value "24M" (at 0 -0.8 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 4be5ba62-01a2-4ad0-be33-a600f97aba93)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.7 0.7) (thickness 0.105))))
    (tstamp 968c5383-44fd-42aa-9e2c-66de70318921)
  )
  (fp_line (start -2 -1.65) (end -2 1.65)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5c65800f-92f1-47e6-a683-25a5ece55c14))
  (fp_line (start -2 1.65) (end 2 1.65)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c8e11ffb-98f3-41c8-919b-38a4b7231eef))
  (fp_line (start -2.1 -1.7) (end -2.1 1.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5f714d8e-808f-4bac-ae6d-5e053dfd8777))
)

```

```

(fp_line (start -2.1 1.7) (end 2.1 1.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d161c531-dbf0-46a2-b36b-050728e437cc))
(fp_line (start 2.1 -1.7) (end -2.1 -1.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 10237a4c-689e-49f2-8301-6752362f3e42))
(fp_line (start 2.1 1.7) (end 2.1 -1.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 807ee429-c365-4836-a893-9d5397565f59))
(fp_line (start -1.6 -1.25) (end -1.6 1.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30ba122f-9761-4efa-b9d0-eab67c05d011))
(fp_line (start -1.6 0.25) (end -0.6 1.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d580a1bf-78dc-4404-adfd-88dd869b0940))
(fp_line (start -1.6 1.25) (end 1.6 1.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a08aab59-748b-4a57-9ea4-bf419fbde7af))
(fp_line (start 1.6 -1.25) (end -1.6 -1.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c1f2b6af-966a-48dc-9553-52855442cba0))
(fp_line (start 1.6 1.25) (end 1.6 -1.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0dd4b3bd-288c-4c48-b6ab-6d3ff47c75f4))
(pad "1" smd roundrect (at -1.1 0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 10 "/XTALIN") (pinfunction "1") (pintype "passive") (tstamp 44d3bfb2-e7ed-432b-a1f7-64856d79e4
  (pad "2" smd roundrect (at 1.1 0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "2") (pintype "passive") (tstamp 173295c1-4171-4237-be4e-0aff4d809787))
  (pad "3" smd roundrect (at 1.1 -0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 9 "/XTALOUT") (pinfunction "3") (pintype "passive") (tstamp e4480064-cee0-43d8-8d7a-a1bb670806
  (pad "4" smd roundrect (at -1.1 -0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "4") (pintype "passive") (tstamp 64a85e36-1f93-4ed9-abdc-1124f62a4dbd))
(model "${KICAD6_3DMODEL_DIR}/Crystal.3dshapes/Crystal_SMD_3225-4Pin_3.2x2.5mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Package_BGA:BGA-121_9.0x9.0mm_Layout11x11_P0.8mm_Ball0.4mm_Pad0.35mm_NSMD" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c189e1f)
  (at 83.7 95.5 -90)
  (descr "121-ball, 0.8mm BGA (based on http://www.latticesemi.com/view\_document?document\_id=213)")
  (tags "BGA 0.8mm 9mm 121")
  (property "1b2-bom-key" "ic-ice40hx8k-bg121")
  (property "MPN" "ICE40HX8K-BG121")
  (property "Mfg" "Lattice Semiconductor Corporation")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "iCE40 HX FPGA, 7680 LUTs, 1.2V, BGA-121")
  (property "ki_keywords" "FPGA programmable logic")
  (path "/00000000-0000-0000-0000-00005bd3e8c6")
  (solder_mask_margin 0.075)
  (attr smd)
  (fp_text reference "U30" (at -0.7 0 180) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 248c8d4f-23fc-4f01-aa61-59266b9323e8)
  )
  (fp_text value "ICE40HX8K-BG121" (at -3.9 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 70edbee4-d305-4a28-a6e9-66c5d2ab5736)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp f5aea82f-4903-4d2a-842a-b1a42c2f34aa)
  )
  (fp_line (start -4.625 -3.525) (end -4.625 4.625)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5a72b280-26cd-4b74-a7dc-26afd57bd8b7))
  (fp_line (start -4.625 4.625) (end 4.625 4.625)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 12cf7668-0e4c-445e-a685-8c19100b0c35))
  (fp_line (start -3.525 -4.625) (end 4.625 -4.625)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b774173e-6190-4e8e-9398-8ee6b6d3e831))
  (fp_line (start 4.625 -4.625) (end 4.625 4.625)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fd05a187-b94c-4205-aa5a-b84c7d54d2a3))
  (fp_line (start -5.5 -5.5) (end -5.5 5.5)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ad6b98d0-7a28-4162-8d88-02444a1a2a29))

```

```

(fp_line (start -5.5 -5.5) (end 5.5 -5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 037c098e-0117-4db2-9d1a-4701b54d79ab))
(fp_line (start 5.5 -5.5) (end 5.5 5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d5497edb-c75c-4e91-8e42-9a00a97e7f1f))
(fp_line (start 5.5 5.5) (end -5.5 5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e1690f95-7000-4bc5-b024-57b139a7466f))
(fp_line (start -4.5 -3.5) (end -4.5 4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d2fc4ee6-e286-4414-97de-e3714e7cdabb2))
(fp_line (start -4.5 4.5) (end 4.5 4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2392de43-a007-42ca-a383-07e439cd3354))
(fp_line (start -3.5 -4.5) (end -4.5 -3.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 399eb9c0-15f0-40cc-8d38-f35266885973))
(fp_line (start -3.5 -4.5) (end 4.5 -4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6babb5b8-ba92-4be8-ba74-bc3362445f7a))
(fp_line (start 4.5 4.5) (end 4.5 -4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0ad51625-85fc-411a-bb16-ecb7fdcfcea1))
(pad "A1" smd circle (at -4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 97 "/IO_Banks/QA0") (pinfunction "IOT_225") (pintype "bidirectional") (tstamp 37159e74-747d-45b1-9000-000000000000))
(pad "A2" smd circle (at -3.2 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 99 "/IO_Banks/QA1") (pinfunction "IOT_222") (pintype "bidirectional") (tstamp 759bd7db-ad22-46b1-9000-000000000000))
(pad "A3" smd circle (at -2.4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 101 "/IO_Banks/QA3") (pinfunction "IOT_223") (pintype "bidirectional") (tstamp fe5d9ffc-261d-47b1-9000-000000000000))
(pad "A4" smd circle (at -1.6 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 103 "/IO_Banks/QA5") (pinfunction "IOT_211") (pintype "bidirectional") (tstamp 7b792ef3-ed27-4a11-9000-000000000000))
(pad "A5" smd circle (at -0.8 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 98 "/IO_Banks/QA7") (pinfunction "IOT_207") (pintype "bidirectional") (tstamp 1c313702-210f-4d11-9000-000000000000))
(pad "A6" smd circle (at 0 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 104 "/IO_Banks/QA6") (pinfunction "IOT_206") (pintype "bidirectional") (tstamp 1cee41c7-cd6a-4a11-9000-000000000000))
(pad "A7" smd circle (at 0.8 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 145 "/IO_Banks/DA3") (pinfunction "IOT_192") (pintype "bidirectional") (tstamp ebddcad7-5b3b-4a11-9000-000000000000))
(pad "A8" smd circle (at 1.6 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 146 "/IO_Banks/DA5") (pinfunction "IOT_190") (pintype "bidirectional") (tstamp db6d7066-f8c8-4a11-9000-000000000000))
(pad "A9" smd circle (at 2.4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 147 "/IO_Banks/DA7") (pinfunction "IOT_178") (pintype "bidirectional") (tstamp 75e789ed-9c45-4a11-9000-000000000000))
(pad "A10" smd circle (at 3.2 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 237 "Net-(U30A-IOT_170)") (pinfunction "IOT_170") (pintype "bidirectional") (tstamp 9f17a6c6-7a11-9000-000000000000))
(pad "A11" smd circle (at 4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 240 "Net-(U30A-IOT_168)") (pinfunction "IOT_168") (pintype "bidirectional") (tstamp 5484aa5f-2a11-9000-000000000000))
(pad "B1" smd circle (at -4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 114 "/IO_Banks/Z0_P") (pinfunction "IOL_2A") (pintype "bidirectional") (tstamp 5817daec-7b96-4a11-9000-000000000000))
(pad "B2" smd circle (at -3.2 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 123 "/IO_Banks/Z0_N") (pinfunction "IOL_2B") (pintype "bidirectional") (tstamp 1b27abb9-4ada-4a11-9000-000000000000))
(pad "B3" smd circle (at -2.4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 100 "/IO_Banks/QA2") (pinfunction "IOT_221") (pintype "bidirectional") (tstamp a028294b-c97e-4a11-9000-000000000000))
(pad "B4" smd circle (at -1.6 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 233 "Net-(U30A-IOT_219)") (pinfunction "IOT_219") (pintype "bidirectional") (tstamp f63f183a-7a11-9000-000000000000))
(pad "B5" smd circle (at -0.8 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 102 "/IO_Banks/QA4") (pinfunction "IOT_208") (pintype "bidirectional") (tstamp 774049e1-e74a-4a11-9000-000000000000))
(pad "B6" smd circle (at 0 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 102 "/IO_Banks/QA4") (pinfunction "IOT_198_GBINO") (pintype "bidirectional") (tstamp 9e82c1bc-f111-9000-000000000000))
(pad "B7" smd circle (at 0.8 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 104 "/IO_Banks/QA6") (pinfunction "IOT_197_GBINO") (pintype "bidirectional") (tstamp 823e6d04-f111-9000-000000000000))
(pad "B8" smd circle (at 1.6 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 142 "/IO_Banks/DA4") (pinfunction "IOT_177") (pintype "bidirectional") (tstamp ca1f9f30-e88e-4a11-9000-000000000000))
(pad "B9" smd circle (at 2.4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 143 "/IO_Banks/DA6") (pinfunction "IOT_174") (pintype "bidirectional") (tstamp 178f9d4a-4926-4a11-9000-000000000000))
(pad "B10" smd circle (at 3.2 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 251 "unconnected-(U30E-VPP_FAST-PadB10)") (pinfunction "VPP_FAST") (pintype "power_in+no_connection") (tstamp 9dcbd945-cc92-4a11-9000-000000000000))
(pad "B11" smd circle (at 4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 96 "/IO_Banks/QB0") (pinfunction "IOT_161") (pintype "bidirectional") (tstamp 9dcbd945-cc92-4a11-9000-000000000000))
(pad "C1" smd circle (at -4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 115 "/IO_Banks/Z2_N") (pinfunction "IOL_5B") (pintype "bidirectional") (tstamp 6c3040ca-86a9-4a11-9000-000000000000))
(pad "C2" smd circle (at -3.2 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 124 "/IO_Banks/Z2_P") (pinfunction "IOL_5A") (pintype "bidirectional") (tstamp d4e47309-cc3d-4a11-9000-000000000000))
(pad "C3" smd circle (at -2.4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 132 "/IO_Banks/Z1_N") (pinfunction "IOL_4B") (pintype "bidirectional") (tstamp 9779f1f0-3dcc-4a11-9000-000000000000))
(pad "C4" smd circle (at -1.6 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 138 "/IO_Banks/Z1_P") (pinfunction "IOL_4A") (pintype "bidirectional") (tstamp b3f1e4a0-68c0-4a11-9000-000000000000))

```

(pad "C5" smd circle (at -0.8 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 50 "/GNDPLL1") (pinfunction "GNDPLL1") (pintype "power_in") (tstamp ed2ddaaa-5cfa-42f3-b4f9-d4-
(pad "C6" smd circle (at 0 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 48 "/VCCPLL1") (pinfunction "VCCPLL1") (pintype "power_in") (tstamp 13edacaf-7bef-4614-9060-79-
(pad "C7" smd circle (at 0.8 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 141 "/IO_Banks/DA0") (pinfunction "IOT_191") (pintype "bidirectional") (tstamp 614a4541-366a-4-
(pad "C8" smd circle (at 1.6 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 144 "/IO_Banks/DA1") (pinfunction "IOT_179") (pintype "bidirectional") (tstamp 4a937790-a769-4-
(pad "C9" smd circle (at 2.4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 239 "Net-(U30A-IOT_172)") (pinfunction "IOT_172") (pintype "bidirectional") (tstamp 0174c4b2-c-
(pad "C10" smd circle (at 3.2 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "VPP_2V5") (pintype "power_in") (tstamp 737d4a2e-4a35-4330-920f-25fb4d4-
(pad "C11" smd circle (at 4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 94 "/IO_Banks/QB1") (pinfunction "IOR_160") (pintype "bidirectional") (tstamp 6269bb3b-3948-46-
(pad "D1" smd circle (at -4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 116 "/IO_Banks/Z3_N") (pinfunction "IOL_8B") (pintype "bidirectional") (tstamp a131fecc-636d-4-
(pad "D2" smd circle (at -3.2 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 125 "/IO_Banks/Z4_P") (pinfunction "IOL_9A") (pintype "bidirectional") (tstamp f12a397f-9141-4-
(pad "D3" smd circle (at -2.4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 133 "/IO_Banks/Z4_N") (pinfunction "IOL_9B") (pintype "bidirectional") (tstamp 488f8438-f2e1-4-
(pad "D4" smd circle (at -1.6 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 29 "+1V2") (pinfunction "VCC") (pintype "passive") (tstamp 5a0fef73-d01e-4593-9f9f-8c58e1d1466-
(pad "D5" smd circle (at -0.8 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 43 "/CLKREF") (pinfunction "IOT_212") (pintype "bidirectional") (tstamp f86928e1-fd1e-4531-ae-
(pad "D6" smd circle (at 0 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "VCCIO_0") (pintype "power_in") (tstamp 7382c735-5e8a-41ca-8085-278fb76-
(pad "D7" smd circle (at 0.8 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 155 "/IO_Banks/DA2") (pinfunction "IOT_181") (pintype "bidirectional") (tstamp 378c15d8-7e8e-4-
(pad "D8" smd circle (at 1.6 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 29 "+1V2") (pinfunction "VCC") (pintype "power_in") (tstamp 08c59698-67b3-4992-ab9d-2bf29bc5c0-
(pad "D9" smd circle (at 2.4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 112 "/IO_Banks/U4") (pinfunction "IOR_147") (pintype "bidirectional") (tstamp 233ee344-b698-44-
(pad "D10" smd circle (at 3.2 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 93 "/IO_Banks/QB2") (pinfunction "IOR_154") (pintype "bidirectional") (tstamp 5468ab5a-ff7f-48-
(pad "D11" smd circle (at 4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 92 "/IO_Banks/QB3") (pinfunction "IOR_152") (pintype "bidirectional") (tstamp 39692a20-8b32-41e2-b3a-
(pad "E1" smd circle (at -4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 117 "/IO_Banks/Z3_P") (pinfunction "IOL_8A") (pintype "bidirectional") (tstamp c93fb32d-4f16-4-
(pad "E2" smd circle (at -3.2 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 126 "/IO_Banks/Z5_P") (pinfunction "IOL_10A") (pintype "bidirectional") (tstamp b762c0a3-2552-4-
(pad "E3" smd circle (at -2.4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 134 "/IO_Banks/Z5_N") (pinfunction "IOL_10B") (pintype "bidirectional") (tstamp 75ebb036-a3b1-4-
(pad "E4" smd circle (at -1.6 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 139 "/IO_Banks/VIO_AUX") (pinfunction "VCCIO_3") (pintype "power_in") (tstamp 8c1dd527-dd0c-43-
(pad "E5" smd circle (at -0.8 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp bfc37f34-c6c8-412a-9c24-128dda48ec54-
(pad "E6" smd circle (at 0 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 0e380885-30d3-4674-8f1e-7c3e18a6e524-
(pad "E7" smd circle (at 0.8 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 1e346eb1-7ad2-47ab-89ae-e7b43bc7c45b-
(pad "E8" smd circle (at 1.6 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 111 "/IO_Banks/U5") (pinfunction "IOR_146") (pintype "bidirectional") (tstamp a39a62d6-fc51-42-
(pad "E9" smd circle (at 2.4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 113 "/IO_Banks/U3") (pinfunction "IOR_144") (pintype "bidirectional") (tstamp 3da656de-46d0-4a-
(pad "E10" smd circle (at 3.2 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 91 "/IO_Banks/QB4") (pinfunction "IOR_141_GBIN2") (pintype "bidirectional") (tstamp 907e22a1-3-
(pad "E11" smd circle (at 4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 90 "/IO_Banks/QB5") (pinfunction "IOR_148") (pintype "bidirectional") (tstamp ad11141f-1be3-47-
(pad "F1" smd circle (at -4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 118 "/IO_Banks/Z6_P") (pinfunction "IOL_12A") (pintype "bidirectional") (tstamp 71944636-0eb3-4-
(pad "F2" smd circle (at -3.2 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 127 "/IO_Banks/Z6_N") (pinfunction "IOL_12B") (pintype "bidirectional") (tstamp 70d50d6f-e7bd-4-
(pad "F3" smd circle (at -2.4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 135 "/IO_Banks/Z7_N") (pinfunction "IOL_13B_GBIN7") (pintype "bidirectional") (tstamp 7ee23fc5-
(pad "F4" smd circle (at -1.6 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 140 "/IO_Banks/Z7_P") (pinfunction "IOL_13A") (pintype "bidirectional") (tstamp e3a04a14-d959-4-
(pad "F5" smd circle (at -0.8 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp b839eb37-290b-4e3a-b312-5cade8d8db98)

(pad "F6" smd circle (at 0 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp db5e0b8f-28df-4d73-99e5-1f7929dfc3b9)
(pad "F7" smd circle (at 0.8 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 9a32b2d6-5677-4740-bdbe-b7cdb23c1ba0)
(pad "F8" smd circle (at 1.6 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "VCCIO_1") (pintype "power_in") (tstamp 1a541d89-1671-4582-9cdd-abb3597-
(pad "F9" smd circle (at 2.4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 148 "/IO_Banks/DB0") (pinfunction "IOR_137") (pintype "bidirectional") (tstamp 0ecc9d87-b204-41-
(pad "F10" smd circle (at 3.2 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 95 "/IO_Banks/QB7") (pinfunction "IOR_136") (pintype "bidirectional") (tstamp 86056747-f9ab-49-
(pad "F11" smd circle (at 4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 89 "/IO_Banks/QB6") (pinfunction "IOR_140_GBIN3") (pintype "bidirectional") (tstamp b11196ff-b1-
(pad "G1" smd circle (at -4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 119 "/IO_Banks/Z8_P") (pinfunction "IOL_14A_GBIN6") (pintype "bidirectional") (tstamp 33ebb5b2-
(pad "G2" smd circle (at -3.2 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 128 "/IO_Banks/Z8_N") (pinfunction "IOL_14B") (pintype "bidirectional") (tstamp b3c9e0e6-4c0d-4-
(pad "G3" smd circle (at -2.4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 136 "/IO_Banks/Z9_P") (pinfunction "IOL_17A") (pintype "bidirectional") (tstamp cb5c1474-a574-4-
(pad "G4" smd circle (at -1.6 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 139 "/IO_Banks/VIO_AUX") (pinfunction "VCCIO_3") (pintype "passive") (tstamp 21a34e3c-ac1-4e9-
(pad "G5" smd circle (at -0.8 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 19b0c3cb-bb95-4ff0-a1aa-9ef3f73fbb8d)
(pad "G6" smd circle (at 0 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 2a131555-7f24-458e-8a1d-1f47058b8291)
(pad "G7" smd circle (at 0.8 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 6d5a2639-4adb-40b3-9190-cc772527e26b)
(pad "G8" smd circle (at 1.6 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 109 "/IO_Banks/U2") (pinfunction "IOR_118") (pintype "bidirectional") (tstamp 379649c9-1cbe-4c-
(pad "G9" smd circle (at 2.4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 105 "/IO_Banks/U1") (pinfunction "IOR_128") (pintype "bidirectional") (tstamp 457e6ddb-70d8-43-
(pad "G10" smd circle (at 3.2 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 156 "/IO_Banks/DB2") (pinfunction "IOR_120") (pintype "bidirectional") (tstamp 0086ceb3-328e-4-
(pad "G11" smd circle (at 4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 151 "/IO_Banks/DB1") (pinfunction "IOR_129") (pintype "bidirectional") (tstamp 5a320a39-7fb8-4-
(pad "H1" smd circle (at -4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 120 "/IO_Banks/Z10_P") (pinfunction "IOL_18A") (pintype "bidirectional") (tstamp dfa0baa1-02d9-
(pad "H2" smd circle (at -3.2 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 129 "/IO_Banks/Z10_N") (pinfunction "IOL_18B") (pintype "bidirectional") (tstamp 79dec6da-ef5c-
(pad "H3" smd circle (at -2.4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 137 "/IO_Banks/Z9_N") (pinfunction "IOL_17B") (pintype "bidirectional") (tstamp db0ef6e2-92eb-4-
(pad "H4" smd circle (at -1.6 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 29 "+1V2") (pinfunction "VCC") (pintype "passive") (tstamp 2000b313-11f3-45d5-8e51-5bf2009ea4d-
(pad "H5" smd circle (at -0.8 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 5c223467-d9cb-471e-8cbe-3149198b00fd)
(pad "H6" smd circle (at 0 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 2 "+3V3") (pinfunction "VCCIO_2") (pintype "power_in") (tstamp 6972870e-8d7f-4a50-80e7-a55a190-
(pad "H7" smd circle (at 0.8 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 12 "/D0") (pinfunction "IOB_87") (pintype "bidirectional") (tstamp d4c6862e-8c5e-48a5-9d5c-9eb-
(pad "H8" smd circle (at 1.6 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 29 "+1V2") (pinfunction "VCC") (pintype "passive") (tstamp 7d558e0f-a0e6-41cf-9457-a6012392e08-
(pad "H9" smd circle (at 2.4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 4 "/SCL") (pinfunction "IOB_104_CBSEL1") (pintype "bidirectional") (tstamp fb04fb2b-f006-4581-4-
(pad "H10" smd circle (at 3.2 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 149 "/IO_Banks/DB4") (pinfunction "IOR_116") (pintype "bidirectional") (tstamp dd8ba0cb-98f1-4-
(pad "H11" smd circle (at 4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 152 "/IO_Banks/DB3") (pinfunction "IOR_119") (pintype "bidirectional") (tstamp a15bef59-b3be-4-
(pad "J1" smd circle (at -4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 121 "/IO_Banks/Z11_P") (pinfunction "IOL_23A") (pintype "bidirectional") (tstamp 254f65fd-9be9-
(pad "J2" smd circle (at -3.2 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 130 "/IO_Banks/Z12_N") (pinfunction "IOL_25B") (pintype "bidirectional") (tstamp c08e0d06-415c-
(pad "J3" smd circle (at -2.4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 31 "/FLAGD") (pinfunction "IOB_57") (pintype "bidirectional") (tstamp 87a01665-b0fa-4f97-9c61-4-
(pad "J4" smd circle (at -1.6 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 46 "/WR") (pinfunction "IOB_64") (pintype "bidirectional") (tstamp dea98692-ee01-4a26-88ef-034-
(pad "J5" smd circle (at -0.8 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 47 "/RD") (pinfunction "IOB_78") (pintype "bidirectional") (tstamp 4bbefabe-5434-4592-85fc-dde-
(pad "J6" smd circle (at 0 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 49 "/VCCPLL0") (pinfunction "VCCPLL0") (pintype "power_in") (tstamp 5c6638ec-ccb8-4a98-97c9-29-

```

(pad "J7" smd circle (at 0.8 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 13 "/D1") (pinfunction "IOB_86") (pintype "bidirectional") (tstamp 0a74dc9f-68a2-49a6-9a0b-46f)
(pad "J8" smd circle (at 1.6 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 1 "/SDA") (pinfunction "IOB_91") (pintype "bidirectional") (tstamp b3a370dd-5b1f-4279-9a3e-1ed)
(pad "J9" smd circle (at 2.4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 14 "/D2") (pinfunction "IOB_106_SDI") (pintype "bidirectional") (tstamp 0b3821ce-0761-4010-863)
(pad "J10" smd circle (at 3.2 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 150 "/IO_Banks/DB6") (pinfunction "IOR_117") (pintype "bidirectional") (tstamp 862410ca-8436-4)
(pad "J11" smd circle (at 4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 153 "/IO_Banks/DB5") (pinfunction "IOR_114") (pintype "bidirectional") (tstamp fffbc18e-8894-4)
(pad "K1" smd circle (at -4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 122 "/IO_Banks/Z11_N") (pinfunction "IOL_23B") (pintype "bidirectional") (tstamp faa1d703-d1c8)
(pad "K2" smd circle (at -3.2 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 131 "/IO_Banks/Z12_P") (pinfunction "IOL_25A") (pintype "bidirectional") (tstamp d7497cd5-c21c)
(pad "K3" smd circle (at -2.4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 24 "/A0") (pinfunction "IOB_63") (pintype "bidirectional") (tstamp 47b44f5a-8d6e-4b54-a382-9c8)
(pad "K4" smd circle (at -1.6 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 42 "/~{ALERT}") (pinfunction "IOB_73") (pintype "bidirectional") (tstamp 746adf4d-7ac7-4ec9-8b)
(pad "K5" smd circle (at -0.8 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 21 "/FLAGB") (pinfunction "IOB_79") (pintype "bidirectional") (tstamp bcfc5619-46e8-4740-a011-3bbe19)
(pad "K6" smd circle (at 0 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 30 "/CLKIF") (pinfunction "IOB_82_GBINA") (pintype "bidirectional") (tstamp 885883f9-3d85-414e)
(pad "K7" smd circle (at 0.8 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 19 "/D7") (pinfunction "IOB_89") (pintype "bidirectional") (tstamp ad5b1ddf-b6d2-4d83-8807-112)
(pad "K8" smd circle (at 1.6 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 27 "/FPGA_DONE") (pinfunction "CDONE") (pintype "open_collector") (tstamp 223307d2-7d0e-4475-b)
(pad "K9" smd circle (at 2.4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 17 "/D5") (pinfunction "IOB_105_SDO") (pintype "bidirectional") (tstamp ad1c73d8-ab98-4a06-b65)
(pad "K10" smd circle (at 3.2 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 15 "/D3") (pinfunction "IOB_108_SS") (pintype "bidirectional") (tstamp c5345bf7-606a-4711-b1ab)
(pad "K11" smd circle (at 4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 154 "/IO_Banks/DB7") (pinfunction "IOR_115") (pintype "bidirectional") (tstamp 6f1a2a3c-dd3b-4)
(pad "L1" smd circle (at -4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 26 "/PKTEND") (pinfunction "IOB_56") (pintype "bidirectional") (tstamp 50ff27e0-08ab-4ddc-af06)
(pad "L2" smd circle (at -3.2 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 25 "/A1") (pinfunction "IOB_61") (pintype "bidirectional") (tstamp d60bf872-6d2c-488d-bd25-447)
(pad "L3" smd circle (at -2.4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 23 "/OE") (pinfunction "IOB_71") (pintype "bidirectional") (tstamp c6032bdc-c51e-47cd-9456-23a)
(pad "L4" smd circle (at -1.6 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 22 "/FLAGC") (pinfunction "IOB_72") (pintype "bidirectional") (tstamp d04b4f37-ad90-49ff-806f-)
(pad "L5" smd circle (at -0.8 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 43 "/CLKREF") (pinfunction "IOB_81_GBINA") (pintype "bidirectional") (tstamp 67fbc8c-6309-4bc)
(pad "L6" smd circle (at 0 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 51 "/GNDPLL0") (pinfunction "GNDPLL0") (pintype "power_in") (tstamp d190d7ab-0a8d-4fbb-a605-b3)
(pad "L7" smd circle (at 0.8 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 20 "/FLAGA") (pinfunction "IOB_94") (pintype "bidirectional") (tstamp de1138eb-6a87-410f-9989-)
(pad "L8" smd circle (at 1.6 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 18 "/D6") (pinfunction "IOB_103_CBSEL0") (pintype "bidirectional") (tstamp 91618c9e-93c0-4de1-)
(pad "L9" smd circle (at 2.4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 28 "/~{FPGA_RESET}") (pinfunction "~{CRESET}") (pintype "input") (tstamp 0ffba848-08b6-4a1c-8b)
(pad "L10" smd circle (at 3.2 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 16 "/D4") (pinfunction "IOB_107_SCK") (pintype "bidirectional") (tstamp d76231d4-c725-488c-923)
(pad "L11" smd circle (at 4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 2 "/+3V3") (pinfunction "VCC_SPI") (pintype "power_in") (tstamp 63ce7008-5df0-45fc-b1c1-13e76cf)
(model "${KICAD6_3DMODEL_DIR}/Package_BGA.3dshapes/BGA-121_9.0x9.0mm_Layout11x11_P0.8mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c18b6ef)
  (at 58.85 91.7 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")

```



```
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005ac7322")
(attr smd)
(fp_text reference "C13" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 39f7e0a6-8de3-4f06-916b-26101c3dc38))
)
(fp_text value "u1" (at 0 0.7) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp c9b3affa-d5dc-4f99-87c4-e5c316a041a7)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(tstamp 469e1dc8-6d74-4888-8978-3d89f91e7a2f)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4c27a9f9-b891-4e42-843b-fb7d514a4c65))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0c7c429f-ccf1-4ab0-9f69-b63f76360cea))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d397e792-9b1e-4fd1-b0a3-58b271939aa5))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0359f630-b8b0-4c70-a3b1-91b62685a709))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cf211122-f2de-41bd-b0b8-c2269ba9fd79))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ac713bb-058b-4c9e-9386-6f81912ed183))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ce12f98-15db-406f-8758-cb939b8ef904))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4e525188-312e-4190-af48-f7c63f60ae30))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 7 "/SHLD") (pintype "passive") (tstamp 2e31a5d2-c4f4-4c87-98c5-2fc54cbe222c))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 20038428-8fdd-48fc-a256-16afdcb2f3ba))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c18c255)
  (at 100.1 88.5)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
  (attr smd)
  (fp_text reference "U16" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 0f9d1f63-6fc3-4865-b375-f7c5b7ffdc3)
  )
  (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
    (effects (font (size 0.2 0.2) (thickness 0.04))))
    (tstamp bbc58ec5-57b5-4494-854b-dfd1eccef01)
  )
)
```

```
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp a9693771-d5d2-43a2-b795-8a2085e0a072)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp dedf8d90-b0e1-4160-b4c6-1d439f825cf9))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8be63b7c-7113-442c-bacc-241d3148865e))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd52bc8d-e19b-4142-96d2-849230f487d6))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d6ef7a8a-5074-4c02-8692-f7a44ebd6227))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0a70d7e9-7e28-4a79-8615-401eb98b2fe8))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 978f7b14-3ef6-43d4-bccc-1e2194535814))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7f54b0e0-c208-458c-974f-ebf2512d31ec))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b07aac6a-ee24-48ce-9a73-9553eb440452))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 28ef8aa9-0fff-4b43-b162-b71f801ab6e3))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a18b403e-e589-491f-a437-59c0b2a85ed5))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f35e3c7b-cd5e-4ac6-bcd6-2fee613c571e))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp c5923843-792c-4991-b014-110782bd32
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp f30a6f7e-2777-489d-aad8-eb76aa91a345
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 180 "/IO_Banks/IO_Buffer_A/X3") (pinfunction "A") (pintype "bidirectional") (tstamp 77c13e51-cs
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 79 "/IO_Banks/IO_Buffer_A/Y3") (pinfunction "B") (pintype "bidirectional") (tstamp 870219c8-64
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 145 "/IO_Banks/DA3") (pinfunction "DIR") (pintype "input") (tstamp d15e3710-7c8c-4246-b3fc-5f7
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 23bb5a09-14cc-499e-99d
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c18c2d4)
  (at 100.1 85.7)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "U11" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp b4a00e49-ee48-4d65-a4a0-4b81da4454ff)
  )
  (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
    (effects (font (size 0.2 0.2) (thickness 0.04)))
    (tstamp 26d86ba1-b07f-4409-9e4f-e93a8bc2676a)
  )
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
```

```

        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp 09bb159d-07ff-402a-84d6-82f29b34a255)
    )
    (fp_line (start -0.7 1.16) (end 0.7 1.16)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp dc9618d1-7fe1-4925-b967-cce33338560d))
    (fp_line (start 0.7 -1.16) (end -1.2 -1.16)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9e9e5859-160b-4a33-a765-eed5bbdef3e7))
    (fp_line (start -1.6 -1.4) (end -1.6 1.4)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp eab70fac-96c4-494b-b962-b87b0f64f6f4))
    (fp_line (start -1.6 -1.4) (end 1.6 -1.4)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3cd28c3d-4b0e-47d9-a08d-09a7c55cf9dd))
    (fp_line (start -1.6 1.4) (end 1.6 1.4)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d320ddce-2bdf-4ff2-b142-94a3423583ed))
    (fp_line (start 1.6 1.4) (end 1.6 -1.4)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d3d215ea-1c2b-445f-9539-a74a9d56af97))
    (fp_line (start -0.675 -0.6) (end -0.675 1.1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcc198ba-f8dc-4bab-98a5-a8e1c81c14d4))
    (fp_line (start -0.175 -1.1) (end -0.675 -0.6)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c2eec574-07bc-448b-896f-ab9902773e76))
    (fp_line (start 0.675 -1.1) (end -0.175 -1.1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e002f2b3-6f55-442a-a510-67dce13a971b))
    (fp_line (start 0.675 -1.1) (end 0.675 1.1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2dd64d87-1f66-4b5d-9b4e-fac6509d0d7a))
    (fp_line (start 0.675 1.1) (end -0.675 1.1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5dbfb8e7-24db-4064-9e02-248f2d0096c9))
    (pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 47932d0e-53fc-4098-a99f-cbb4a4c0bb
      (pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 74d6e72e-308f-4bdf-ad46-4b16ad6b2a82
      (pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 182 "/IO_Banks/IO_Buffer_A/X1") (pinfunction "A") (pintype "bidirectional") (tstamp 67f1099e-8
      (pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 77 "/IO_Banks/IO_Buffer_A/Y1") (pinfunction "B") (pintype "bidirectional") (tstamp 63122bfe-7c
      (pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 144 "/IO_Banks/DA1") (pinfunction "DIR") (pintype "input") (tstamp 3af9dcc3-4ee8-495a-bf4c-490
      (pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 3a87fb0a-9bea-430d-a3a
    (model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )

  (footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c193239)
    (at 59 106 -90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-2k2")
    (property "MPN" "RC0402FR-132K2L")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_banks.kicad_sch")
    (property "Sheetname" "IO_Banks")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34fd")
    (attr smd)
    (fp_text reference "R21" (at 0 0 90) (layer "F.Silks") hide
      (effects (font (size 0.25 0.25) (thickness 0.05)))
      (tstamp 83e8afea-2ec4-4e7d-b934-452d7a785a13)
    )
    (fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp e31e3fe8-6b12-43fe-bcdd-e775c756d613)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
      (effects (font (size 0.25 0.25) (thickness 0.04)))

```

```

        (tstamp d18aceba-f77f-492c-bbfe-0b2dfa989e6e)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2d43a89a-4a45-4929-90ef-6afeef33b250))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 02d028b5-b4ba-4d81-b81e-63b22d7121ff))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6ccb0f7f-42d3-404c-825d-7e4760f45140))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78b61ad2-ff10-4ee1-95e1-14e0df6194da))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 46988748-ec8b-4b29-bd59-cfcc57ac56f5))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0c25e37e-9143-472e-b3c4-5f527bdc2fdf))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5e33f11b-58ca-4144-a4cc-6992504a60e7))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c9a1d545-3597-48bb-b4e9-0dfede0e54f3))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 113 "IO_Banks/U3") (pintype "passive") (tstamp 6ee95faf-9a14-426e-a94e-db9c3d271ebd))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 163 "Net-(D8-A)") (pintype "passive") (tstamp 98934eb5-2d6d-4b17-921e-5c2211962e07))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1932ad)
  (at 57 108)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-pnk")
  (property "MPN" "OSK40603C1E")
  (property "Mfg" "Optosupply")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34ad")
  (attr smd)
  (fp_text reference "D9" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 9ab16423-ce70-4910-b523-be08498baee0)
  )
  (fp_text value "PNK" (at -1.2 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp ec11cdf-f-c269-4def-bbdf-140cffee796e)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 67dfd7b9-bbaf-4693-b6cf-7d30d51a5eb8)
  )
  (fp_line (start -1.485 -0.735) (end -1.485 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 42f4bc80-7aaa-4abd-8cc1-66abb03f6945))
  (fp_line (start -1.485 0.735) (end 0.8 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5e373594-0852-4292-8409-f99893e9319f))
  (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp bc3a62ca-c098-4295-8ab5-c18f2390c157))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d028c0d9-5613-4c48-9f82-127ca1274050))
  (fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2ad928d7-4d3c-4f48-a4f2-aeafedcb9be0))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6c8a4e6f-4a0a-4daa-8645-15e0a6884352))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp da6ea49a-c124-4058-9b84-143bcbf85095))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 015ec927-eb57-4f9c-90dc-21cf0a87145d))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2d9db77a-e8f1-47da-a4c8-ccac64319627))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6af6c864-0fea-47f2-a2df-2bceca3b4402))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7788146c-0ac0-438c-80da-732b9cf28746))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 603293e9-b21d-47b8-9cb9-039192278a7e))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp ee3170d4-14b7-47d0-a7d7-276427b18e1e))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 164 "Net-(D9-A)") (pinfunction "A") (pintype "passive") (tstamp 9ef82520-d18b-456c-8a21-e47728
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c193310)
  (at 59 102 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34d0")
  (attr smd)
  (fp_text reference "R11" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp cd88ae5e-056c-46d5-aa7d-e8a81341da7c)
  )
  (fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 2c59149e-65d5-401a-ad26-8682d3c5b975)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 436a1682-3838-4bcb-a101-ac4287b66ae4)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1dbc1fb1-ea5d-43ea-b89a-5dccbd794417))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81b0f955-a0ff-475f-81b1-30a6b663f98d))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8b0f9370-16a7-4e56-b9b6-a4bd05c03e10))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6248554c-0757-424b-a4bf-ec6c66470b79))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 76d84d50-6356-443a-aa9c-4fbf471d3d59))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 29793fc6-8ec1-4335-95ea-18ad16262ce5))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a2faff2d-94ab-4204-9fc6-1d19ef7b0c27))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13ea4f3a-522f-4e59-8aa3-be0889bf9ce1))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 105 "/IO_Banks/U1") (pintype "passive") (tstamp b7f581e9-0c99-4b80-a9df-c42df1bfa0d4))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 161 "Net-(D6-A)") (pintype "passive") (tstamp 6f9d7c41-88bc-4109-a905-464591207278))

```

```

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c193364)
  (at 57 104)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-pnk")
  (property "MPN" "OSK40603C1E")
  (property "Mfg" "Optosupply")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e349b")
  (attr smd)
  (fp_text reference "D7" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp a45af0d6-053d-4408-aa94-68f7be74d281)
  )
  (fp_text value "PNK" (at -1.2 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp fef69e78-0ae4-476e-b1c8-ebf3f0ce4f70)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 0ab15737-15ef-4a46-8c23-425423cdecf7)
  )
  (fp_line (start -1.485 -0.735) (end -1.485 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5c5d9d19-efbc-4a3e-9da4-7def36fbd33c))
  (fp_line (start -1.485 0.735) (end 0.8 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 21d0b9b4-4416-404e-8a4b-0164f5484249))
  (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8109ec0a-95ba-439d-a85c-e90878d716a8))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bba52ac4-da2f-42b5-bf9f-e3568b4aedf3))
  (fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6a047bed-19ba-433b-b327-e3003c237b95))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 92e6ef10-268a-46cf-b86c-edff766c5510))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 662ee882-54c4-474b-b15e-668f0ff0da4b))
  (fp_line (start -0.8 -0.1) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba026fbf-ef69-4ebc-9f64-1f89ded6a117))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee48d2c7-f29c-4e13-87b0-4f653ff6e9f4))
  (fp_line (start -0.5 -0.4) (end -0.8 -0.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1186f98d-150f-4d89-b3e4-962fbd07433b))
  (fp_line (start 0.8 -0.4) (end -0.5 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a09d1046-c069-4c04-bc86-8ddfd345f132))
  (fp_line (start 0.8 0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cdcc3ab6-1c65-4005-af9d-2d78b894e8cb))
  (pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp e0916092-6d81-4b55-b242-31f680591ccf))
  (pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 162 "Net-(D7-A)") (pinfunction "A") (pintype "passive") (tstamp 4b1f2e46-7fa7-4a33-830e-10643f
  (model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)
(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

```

```

(timestamp 00000000-0000-0000-0000-00005c1933e5)
(at 57 110)
(descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
(tags "diode")
(property "1b2-bom-key" "led-0603-blu")
(property "MPN" "ORH-B36G")
(property "Mfg" "Orient")
(property "Sheetfile" "io_banks.kicad_sch")
(property "Sheetname" "IO_Banks")
(property "ki_description" "Light emitting diode")
(property "ki_keywords" "LED diode")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34b6")
(attr smd)
(fp_text reference "D10" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (timestamp 97d459f1-124f-4d64-a508-4c513e06aeda)
)
(fp_text value "BLU" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (timestamp f594b21c-c8cd-45c1-8dfb-2a36075f187a)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(timestamp 91fad41b-2387-4405-ac45-7112c67bda86)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 865b9f49-86db-4362-a1ad-3a500e0ea6fb))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 14945ea4-b82c-4494-9084-4ee8ae6067d4))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 7deaf6a6-1653-49b3-a486-5f0c06662f36))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp e732ac85-0730-4808-ae64-e6acd9dc76fb))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d6969068-072b-4135-acf1-f2c750fc8b2e))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b7c91854-bcb1-435d-9bb7-2e8ce73b15b1))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 2235c0df-93be-4f75-9370-597223d57442))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 855e4af7-532c-4d9d-b81b-c2564977eab0))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d109ac41-aeb0-4993-9e35-d11b6e523e0a))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp adb644ae-e8d1-4232-8e73-9c5f34bc321d))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a1adcf3f-efef-40d5-8881-5a3218ccb602))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 6d88619f-ba5e-45d8-953f-8f170a12621c))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 3 "GND") (pinfunction "K") (pintype "passive") (timestamp 37b4a85b-11bb-4cfd-9576-da394fc7da64))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 165 "Net-(D10-A)") (pinfunction "A") (pintype "passive") (timestamp e05a97d3-582e-417b-aa23-b9649
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005c19427b)
(at 125.3 81.4 90)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-10k")
(property "MPN" "RC0402FR-1310KL")
(property "Mfg" "Yageo")

```

```
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005b08bf5d")
(attr smd)
(fp_text reference "R18" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
(timestamp dad17197-239c-4812-b339-2c1327448707)
)
(fp_text value "10k" (at 0 0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 21acb5ab-8be0-4efb-9313-7b0f0ce908ad)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(timestamp d80f2a75-faa8-4cf-d-969f-c30f583461ff)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp dabcb5cb-0461-41d4-8402-75301833b7c0))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 1de1a22b-0fab-4d11-adb8-6fc13adcad1c))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp cc9a9e5a-b19c-4ca1-96f3-e4f6ef93c975))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 172db4a8-e540-4fff-1a5e3-4af5a1e27fb0))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 84cffea8-47b9-47f9-833f-5324abc7bdba))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a6ae4bf3-8bc b-4753-9257-d6b684f9f504))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 4b3f1643-3197-4782-b942-e171f3a6ffa2a))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 59feac69-a1c2-4ecb-84a3-b0af320308e3))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 45 "ENVA")) (pintype "passive") (timestamp 0c3bf22d-3d34-4b2e-8b02-89ea52e27ab7))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND")) (pintype "passive") (timestamp fb0176a8-699f-465a-bb79-622dfffa81139))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3ds shapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0)))
)
(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005c19cb57)
  (at 116.7 103.42 -90)
  (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
  (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")
  (property "1b2-bom-key" "conn-th-005in-8-1-rec")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "dn p" "")
  (property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-util
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
  (attr exclude_from_pos_files)
  (fp_text reference "J7" (at 0 -2.135 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (timestamp 30c16025-45c2-4336-8afc-463ba860deeb)
  )
  (fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (timestamp 4d47b4df-f630-48c9-88fc-fe1890bbb485)
  )
  (fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")))
)
```



```
(effects (font (size 1 1) (thickness 0.15)))
(timestamp 23c587e0-e5db-483f-a630-dd71bab8b4df)
)
(fp_line (start -1.8 -1.15) (end 1.75 -1.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b612e82f-46bb-4c2b-a34b-9b83aed53f6f))
(fp_line (start -1.8 10.05) (end -1.8 -1.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 01abc07d-60ad-4387-9d5c-44e986210bc7))
(fp_line (start 1.75 -1.15) (end 1.75 10.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 9f9f665c-d701-4b3f-b34c-c02a8140754c))
(fp_line (start 1.75 10.05) (end -1.8 10.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp bec26ed3-a102-4cb0-b193-372158152c95))
(fp_line (start -1.27 -0.635) (end 0.635 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 028678b1-11b6-4e22-90eb-c0f3e9b46893))
(fp_line (start -1.27 9.525) (end -1.27 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp f17fd201-65b2-4f99-8604-349660155e05))
(fp_line (start 0.635 -0.635) (end 1.27 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 2966da23-57eb-4039-a193-d46d7811ed96))
(fp_line (start 1.27 0) (end 1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 879273e5-9bac-4c3f-ad1f-f038533d28a8))
(fp_line (start 1.27 9.525) (end -1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1a1e84f4-e787-4c08-9e0c-bce1e9e6d3bb))
(pad "1" thru_hole circle (at 0 0 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 216 "/IO_Banks/IO_Buffer_B/P0") (pinfunction "Pin_1") (pintype "passive") (timestamp d12fe2fa-ad5c-4b3f-b34c-c02a8140754c))
(pad "2" thru_hole oval (at 0 1.27 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 215 "/IO_Banks/IO_Buffer_B/P1") (pinfunction "Pin_2") (pintype "passive") (timestamp f92ef6bc-7c3d-4b3f-b34c-c02a8140754c))
(pad "3" thru_hole oval (at 0 2.54 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 214 "/IO_Banks/IO_Buffer_B/P2") (pinfunction "Pin_3") (pintype "passive") (timestamp 9f109c6b-cd00-4b3f-b34c-c02a8140754c))
(pad "4" thru_hole oval (at 0 3.81 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 213 "/IO_Banks/IO_Buffer_B/P3") (pinfunction "Pin_4") (pintype "passive") (timestamp 5de9467f-80c0-4b3f-b34c-c02a8140754c))
(pad "5" thru_hole oval (at 0 5.08 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 212 "/IO_Banks/IO_Buffer_B/P4") (pinfunction "Pin_5") (pintype "passive") (timestamp 24a501ba-59a0-4b3f-b34c-c02a8140754c))
(pad "6" thru_hole oval (at 0 6.35 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 211 "/IO_Banks/IO_Buffer_B/P5") (pinfunction "Pin_6") (pintype "passive") (timestamp 9a47a7a9-913d-4b3f-b34c-c02a8140754c))
(pad "7" thru_hole oval (at 0 7.62 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 210 "/IO_Banks/IO_Buffer_B/P6") (pinfunction "Pin_7") (pintype "passive") (timestamp 52d742ca-899f-4b3f-b34c-c02a8140754c))
(pad "8" thru_hole oval (at 0 8.89 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 209 "/IO_Banks/IO_Buffer_B/P7") (pinfunction "Pin_8") (pintype "passive") (timestamp 40a36748-7ac0-4b3f-b34c-c02a8140754c))
)

(footprint "Glasgow:SOT-23-5" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005c19d092)
(at 123.3 101.2)
(descr "5-pin SOT23 package")
(tags "SOT-23-5")
(property "1b2-bom-key" "ic-sot23-5-tps73101dbv")
(property "MPN" "TPS73101DBVR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Cap free NMOS 150mA Low Drop Adjustable Out Regulator, SOT-23-5")
(property "ki_keywords" "Cap free Adjustable LDO 150mA")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")
(attr smd)
(fp_text reference "U14" (at 0 0 270) (layer "F.Silks") hide
  (effects (font (size 0.7 0.7) (thickness 0.15)))
  (timestamp 38665b96-6357-47a7-aecc-7467c55db87a))
)
(fp_text value "TPS73101DBV" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (timestamp 70df3fed-8280-4985-b53c-d5225a2127b3))
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (timestamp cb415616-0ec8-42fa-851c-7dc204075e25))
)
(fp_line (start -0.9 1.61) (end 0.9 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 727f1fbd-39b6-4167-84a5-9da1d24c93ca))
(fp_line (start 0.9 -1.61) (end -1.55 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 727f1fbd-39b6-4167-84a5-9da1d24c93ca))
)
```

```

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp db9cf411-f908-4fa5-b1b7-0b7e37dad400))
(fp_line (start -1.9 -1.8) (end 1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2d009638-b9ae-4932-85fe-f64a23acc486))
(fp_line (start -1.9 1.8) (end -1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 33f0421c-8b90-47af-9fa3-f21c4bba6037))
(fp_line (start 1.9 -1.8) (end 1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 920d06e5-e771-48e7-8765-11a6fac9004d))
(fp_line (start 1.9 1.8) (end -1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ab9a4b3f-e828-4e29-aedc-061cfdd3b9c4))
(fp_line (start -0.9 -0.9) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp afdd9799-880d-4bde-9ab1-1af0a9f36e3c))
(fp_line (start -0.9 -0.9) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 686441cf-60f7-4b81-9c0f-545dc6da79d6))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcf948f1-797d-40ba-91dd-a0678d089590))
(fp_line (start 0.9 -1.55) (end 0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dad516d2-899b-4368-8c54-a9f2780ab07b))
(fp_line (start 0.9 1.55) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 041a9f83-6e70-4fc0-9324-095507990a3a))
(pad "1" smd roundrect (at -1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp 729dc0ee-b55a-4ce8-862b-ab45135d7385))
(pad "2" smd roundrect (at -1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 75d04eeb-d4a1-4bd1-b202-7473bf3b92f3))
(pad "3" smd roundrect (at -1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 195 "/IO_Banks/IO_Buffer_B/VI0_EN") (pinfunction "EN") (pintype "input") (tstamp 51590bcd-bbbe
  (net 4" smd roundrect (at 1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 157 "/IO_Banks/IO_Buffer_B/VFB") (pinfunction "FB") (pintype "input") (tstamp acccb0b1-ee4c-47
  (pad "5" smd roundrect (at 1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 231 "Net-(U14-OUT)") (pinfunction "OUT") (pintype "power_out") (tstamp b54af69f-58ed-422c-8b99
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-23-5.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c19f505)
  (at 107.9 101.4 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "C29" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 5a6dfb26-7150-4a5b-a157-2fc474a603c1)
  )
  (fp_text value "u1" (at -1 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp ae38219b-8920-418f-b4f9-fec19557ca76)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 616ced3f-3186-453d-90f6-7001103725f9)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d649feea-d341-4f2d-8407-eb8b7bc4f6a2))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b237c8ab-6db1-424d-868e-83ab42aba527))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 716e85f2-de28-418c-ad3e-be88b7137594))

```

[illegible]

```

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1ad1ee)
  (at 125.1 109.6 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-10k")
  (property "MPN" "RC0402FR-1310KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b0699a3")
  (attr smd)
  (fp_text reference "R19" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 29c1ce51-b622-411f-a0b1-cb2951301948)
  )
  (fp_text value "10k" (at 0 -0.7 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 34e510ae-2e71-450d-b76e-98103d78ec0b)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp edd990d4-a71d-4911-8e48-35f6ffb32f14)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5fb30e32-2f12-4e66-9586-4beb1d08598c))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a43b5002-242d-43f8-9c03-6d0135074775))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp defca261-26f7-490a-9d6f-8b0c989e9d69))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ada7f49-8ca0-4e11-b7ce-0a0a253f9307))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e94250f8-8fc2-48c3-bc19-5cf519b8216e))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 489bed07-7369-4390-83fe-2cad0c46d778))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d2f70885-9cd9-4ee4-b4cb-243d64c60b16))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63ce8bbf-c13c-4feb-9d2b-07622e0d156d))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 44 "/ENVB") (pintype "passive") (tstamp b954ee3f-128a-481b-a730-e5fb1c6c1b33))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 3 "GND") (pintype "passive") (tstamp 3c939985-2292-45c9-891f-c982348a7a8b))
  (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1b52ec)
  (at 100.1 94.1)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")

```

```
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U18" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp a6e906f2-ce79-4f49-8a64-5815299cb761)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp fc29f4e9-40fb-46dc-9c51-b1d72af408b3)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 49bf52c5-4ec9-42d0-9b77-2734eec84940)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 03787d54-0caa-47f9-8336-cb989dc2530a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 55910aaf-a388-425f-9359-3c86700fc242))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a2cf1a08-6de5-45d7-ba34-dc85a0277631))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3004303d-9535-462a-a2a3-3a553347b246))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cba747bf-b8c7-4695-bf0d-ccf3c824c69e))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18966dad-f281-4f96-9add-f02395db3101))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a6c8d94-f15a-495b-8de0-107e59fd08f5))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d327dc8e-1b56-4ce1-860d-22b71f61aac3))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7f61e310-1b5c-4bc6-9935-1752048acfb9))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e62643d0-cf15-4a45-a9d5-657a9cb859e7))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 391c1130-3228-4d2a-9473-29a10ae35d9f))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp d4d26492-f18c-4b74-8f5a-61de4fe1fd
  (pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 7ea21602-8a33-4afc-b0fb-920ed23a91e8
  (pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 183 "/IO_Banks/IO_Buffer_A/X7") (pinfunction "A") (pintype "bidirectional") (tstamp 1a2b94b1-7
  (pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 75 "/IO_Banks/IO_Buffer_A/Y7") (pinfunction "B") (pintype "bidirectional") (tstamp d73b3667-62
  (pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 147 "/IO_Banks/DA7") (pinfunction "DIR") (pintype "input") (tstamp 4fa03b40-2680-4397-97f0-44d
  (pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 35036e8b-afa8-45f7-aeb
  (model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:R_0402_1005Metric_DNP" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1c5e79)
  (at 70.6 113.8 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor DNP")
  (property "DNP" "DNP")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "dnp" "")
  (property "ki_description" "Resistor")
```

[illegible]

```

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ccb0ee28-5f85-49b9-9cdf-5c0db8724618))
(fp_line (start 0 2.735) (end 2.2 2.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8bfdd89c-ef91-4d0e-a77d-82095be8546d))
(fp_line (start -3.85 -2.75) (end -3.85 2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bdb7231d-e255-473a-91aa-58e4b7d09c84))
(fp_line (start -3.85 2.75) (end 3.85 2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a40c1a5a-8507-424f-9cf0-b4ac14ad8b9a))
(fp_line (start 3.85 -2.75) (end -3.85 -2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 50fc8a39-9e8d-4450-a7c4-589e56b7b7be))
(fp_line (start 3.85 2.75) (end 3.85 -2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d6e3923b-f93f-4b81-820f-be2bc067124d))
(fp_line (start -2.2 -1.5) (end -1.2 -2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a638b939-1825-4141-8050-d7a4deaafb6f))
(fp_line (start -2.2 2.5) (end -2.2 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b1d3e566-327f-4240-8d87-e19409e7502c))
(fp_line (start -1.2 -2.5) (end 2.2 -2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 91063007-fc15-4b03-b816-764b6afbcb72))
(fp_line (start 2.2 -2.5) (end 2.2 2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b20d10ad-0731-46fd-b914-800996f8727d))
(fp_line (start 2.2 2.5) (end -2.2 2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee92b596-117b-468a-9ac5-378f565492f1))
(pad "1" smd roundrect (at -2.8625 -2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pinfunction "VDD_I2C") (pintype "power_in") (tstamp b20abc5d-e5b9-49b3-ada4-61b21e4
(pad "2" smd roundrect (at -2.8625 -1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "ADDR") (pintype "input") (tstamp bf19d016-0cff-4976-960a-306173a7a590))
(pad "3" smd roundrect (at -2.8625 -0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 235 "Net-(U19--{RESET})") (pinfunction "~{RESET}") (pintype "input") (tstamp 35dd40ff-3689-46d
(pad "4" smd roundrect (at -2.8625 -0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 224 "/IO_Banks/IO_Buffer_A/P0") (pinfunction "P0") (pintype "bidirectional") (tstamp 6f80b412-
(pad "5" smd roundrect (at -2.8625 0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 223 "/IO_Banks/IO_Buffer_A/P1") (pinfunction "P1") (pintype "bidirectional") (tstamp d79351dd-
(pad "6" smd roundrect (at -2.8625 0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 222 "/IO_Banks/IO_Buffer_A/P2") (pinfunction "P2") (pintype "bidirectional") (tstamp 0563e244-
(pad "7" smd roundrect (at -2.8625 1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 221 "/IO_Banks/IO_Buffer_A/P3") (pinfunction "P3") (pintype "bidirectional") (tstamp 45c6d57c-
(pad "8" smd roundrect (at -2.8625 2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp f6873121-13dc-42a5-866c-6c6d247486cf
(pad "9" smd roundrect (at 2.8625 2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 220 "/IO_Banks/IO_Buffer_A/P4") (pinfunction "P4") (pintype "bidirectional") (tstamp d0ce1f74-
(pad "10" smd roundrect (at 2.8625 1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 219 "/IO_Banks/IO_Buffer_A/P5") (pinfunction "P5") (pintype "bidirectional") (tstamp 732de214-
(pad "11" smd roundrect (at 2.8625 0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 218 "/IO_Banks/IO_Buffer_A/P6") (pinfunction "P6") (pintype "bidirectional") (tstamp 75f6232a-
(pad "12" smd roundrect (at 2.8625 0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 217 "/IO_Banks/IO_Buffer_A/P7") (pinfunction "P7") (pintype "bidirectional") (tstamp c413624e-
(pad "13" smd roundrect (at 2.8625 -0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 250 "unconnected-(U19--{INT}-Pad13)") (pinfunction "~{INT}") (pintype "open_collector+no_conne
(pad "14" smd roundrect (at 2.8625 -0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 3136b637-b1d4-456b-827a-98cb8934894b))
(pad "15" smd roundrect (at 2.8625 -1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 93bfa304-6a01-4354-8a42-82ce51
(pad "16" smd roundrect (at 2.8625 -2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pinfunction "VDD_P") (pintype "power_in") (tstamp bb8f8742-8a0b-42c5-b8
(model "${KICAD6_3DMODEL_DIR}/Package_SO.3dshapes/TSSOP-16_4.4x5mm_P0.65mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca4bd14)
  (at 103 96.75 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-47r")
  (property "MPN" "RC0402FR-1347RL")
  (property "Mfg" "Yageo")

```

```

(property "Sheetfile" "io_banks.kicad_sch")
(property "Sheetname" "IO_Banks")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cbf658e")
(attr smd)
(fp_text reference "R39" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 939046cb-48c3-43d8-89a9-de33b86237ba)
)
(fp_text value "47R" (at -0.05 -0.8 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp a712706b-6d04-4988-9c24-6f191ff9fa7d)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 38c50a6f-2623-4f1c-a19f-7fa5d7cc2840)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ecab1f4e-b661-4452-b310-9c01881b119f))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aae83099-8a80-4c97-be71-f75c51bf4056))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1f072d81-61ac-42f6-a480-025f1692a32a))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 889e2688-7a51-4f0f-a6e9-fcd8e74ff3c5))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 785a1f39-0327-4f3a-ac99-62b9390e92d7))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cf2e28ab-dd5c-4a16-ba01-866b576962f4))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d7dc6817-4b8c-4acb-95e0-a809e10848c9))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 318bb11d-c807-4c1b-8a5a-5f2aee9c3e54))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 166 "Net-(D12-K)") (pintype "passive") (tstamp d65b9659-c9d1-4489-8b49-a35608f880fa))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 237 "Net-(U30A-IOT_170)") (pintype "passive") (tstamp 90d98d85-925c-4bfb-bc3d-db6f97d80381))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca4fe0a)
  (at 103 94.9 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-47r")
  (property "MPN" "RC0402FR-1347RL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cbf65f8")
  (attr smd)
  (fp_text reference "R43" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp cd0b7d32-63d7-4861-a86c-94c004f02794)
  )
  (fp_text value "47R" (at 0 0.8 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp c8eec07b-97b6-4c29-bd04-517c294bd898)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

```


[illegible]

```
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 155960fe-fe55-44da-9358-daa128ac9df9))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1b3f01ab-94c5-495f-a948-8d33963938e3))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cf577c9a-15ea-4ae6-a9ae-1bbf6a1268fd))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 153c65b7-e0fc-4b43-9607-60b3b0a4386b))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1cde7bc2-c9e2-4ad0-8635-2c5a7d24ba5e))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
(net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp ada69fa7-4157-424e-81af-17b980de14
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 4ab46894-38f8-45db-9d4f-2a2600df77f3
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 178 "/IO_Banks/IO_Buffer_B/X5") (pinfunction "A") (pintype "bidirectional") (tstamp 4564fc77-6
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 65 "/IO_Banks/IO_Buffer_B/Y5") (pinfunction "B") (pintype "bidirectional") (tstamp b562599b-2a
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
(net 153 "/IO_Banks/DB5") (pinfunction "DIR") (pintype "input") (tstamp ca7ce5cd-44bb-4169-9453-1e0
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 2fa8a26f-20e2-4514-972
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ca5fb4b)
(at 96.1 99.7)
(descr "SOT-363, SC-70-6")
(tags "SOT-363 SC-70-6")
(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
(property "MPN" "SN74LVCT45DCKR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
(attr smd)
(fp_text reference "U23" (at 0 0) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 9894da47-4d98-49f9-9b77-8d6c4e62dc08)
)
(fp_text value "SN74LVCT45DCKR" (at 1.2 0 270) (layer "F.Fab")
(effects (font (size 0.2 0.2) (thickness 0.04))))
(tstamp 3c42081b-3695-45bf-ab6d-8b89ea828ee2)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075))))
(tstamp 7ec1a6b7-e58a-458c-befa-6d7561015520)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f576c723-cf65-4772-a8fb-3acf72e914be))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c66561d0-8cc4-470e-900a-f465efb81979))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6857a509-98b5-42b7-9ae0-e78c58d76882))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e19a0c9-2e16-4244-af2d-792b08156303))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c85e8555-eed7-48a3-9bf3-ccb21e76d07))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 88faa3c1-8cd7-4817-a659-0eca08c5aadbd))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 22d85afe-284b-48dc-ba35-25f357617a74))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp addeed29-2a5d-41b1-aeefa-e251d41f45a4))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7b991ed-a3aa-4aa8-b744-e3db0365d9a2))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bef6516a-b339-4ffc-9ade-43b002ae5c9b))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1289ac8d-056c-4e6d-b328-632994502641))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 747f64e7-f7c0-4d7d-9185-5396a88734
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 47e73b1b-5eb1-4baa-b202-aaa9e0d3c4c8
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 174 "/IO_Banks/IO_Buffer_B/X2") (pinfunction "A") (pintype "bidirectional") (tstamp d3569e2f-e
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 62 "/IO_Banks/IO_Buffer_B/Y2") (pinfunction "B") (pintype "bidirectional") (tstamp 82a97624-33
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 156 "/IO_Banks/DB2") (pinfunction "DIR") (pintype "input") (tstamp 9c75ed10-1c58-4ca3-9405-057
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 02348088-6e06-4ab8-88e
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005caa2b14)
  (at 117.515 101.6)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-000005c7b59b0/00000000-0000-0000-0000-000005c9e338e/00000000-0000-0000-0000-000005c9e338e")
  (attr smd)
  (fp_text reference "C22" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp 66651a97-3b9f-4290-a7c5-e6eb6dd405f3)
)

(fp_text value "u1" (at 0 -0.6) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 61b7a67b-d5b3-49a1-98f8-b1865d03f040)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp 08848030-8581-46fb-9bfd-eccc04189e4c)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5a71b48-3c4f-47ec-8c60-30b5db01ffa8))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 088fa8cb-80c4-4fd1-9622-99488d24beee))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ea57810-a4a1-4d6f-991d-fc94c0234ad8))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ad0bc927-5d40-41ba-aad2-9dda1d2aa136))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0056dd8c-02c9-4a42-9553-1bf166a61afb))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9279c9d2-98e0-42d8-8beb-d1d76c28f440))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba214984-3739-45d4-b027-af8a8f5a8183))

```

```

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 300df3f5-392c-42a0-9822-9d00fa020d56))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
  (net 2 "+3V3") (pintype "passive") (tstamp f058b772-8b1b-4f91-8483-c8cdc9c3f8c2))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
  (net 3 "GND") (pintype "passive") (tstamp 223f355b-9c79-4df1-a1bc-b1b18f132568))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cabb4bb)
  (at 86.35 107.65 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-10k")
  (property "MPN" "RC0402FR-1310KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb2b53c")
  (attr smd)
  (fp_text reference "R44" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 81e1cf57-a8c4-49b1-9996-bf4eeac74a06)
  )
  (fp_text value "10k" (at 1.25 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp fc8b1a1a-a5e6-4961-a0d7-94e1cc2cd0ca)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 16efbfff1-d722-4de0-a99f-7fa7eac307ec)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2b427068-2ccd-4bce-a4b5-56311e00bbbb))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e3d7e362-3506-4c9d-a1ab-0fdc78e0910e))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 087661bd-3ea7-45d0-915f-f66bf6a462fe))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a43fd53a-aaaa-4524-83ed-7f8b7854ea8f))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c062cdc8-af2e-4ba9-ae38-107993ea0c88))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f45ea473-4a74-4f4f-b36f-5840471cdc4a))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 120ef02e-35e8-4334-8afb-a7022618402b))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9b9d6abb-a9a4-4bc5-a71a-4ee66178e900))
  (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 159 "/IO_Banks/~{SYNC}") (pintype "passive") (tstamp 088cb401-1830-4972-b4c2-a3ec6626b698))
  (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 3ad6b5fd-5dd4-4af9-b2de-5108a4ec338a))
  (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cacc73f)

```

[illegible]

[illegible]

[illegible]

```

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Package_S0:TSSOP-16_4.4x5mm_P0.65mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cad943a)
  (at 112.7 98.8 180)
  (descr "TSSOP, 16 Pin (JEDEC M0-153 Var AB https://www.jedec.org/document_search?search_api_views_fulltext=TSSOP+16+Pin+JEDEC+M0-153+Var+AB)"
  (tags "TSSOP S0")
  (property "1b2-bom-key" "ic-tssop16-pca6408apw")
  (property "MPN" "PCA6408APW")
  (property "Mfg" "NXP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "8 Bit Port/Expander, I2C SMBUS, Interrupt output, Level Shifting, TSSOP-16 Pin")
  (property "ki_keywords" "SMBUS I2C Expander Level Shifter")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
  (attr smd)
  (fp_text reference "U5" (at 0 0 180) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp db3f961c-098d-4693-aabd-6fa0a40e10f9)
  )
  (fp_text value "PCA6408APW" (at 0 2.1 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp c4b1219c-ad91-41b4-b48a-1c63b1a91541)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 2537f524-a7bd-4014-9f76-0f9652380928)
  )
  (fp_line (start 0 -2.735) (end -3.6 -2.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fb617362-b3a6-4df7-bdf2-b7c0f06121dd))
  (fp_line (start 0 -2.735) (end 2.2 -2.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 397db6d4-63b4-49f2-b314-64b2ac26e68e))
  (fp_line (start 0 2.735) (end -2.2 2.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 7946c416-9979-4f47-baf5-557ab14b1112))
  (fp_line (start 0 2.735) (end 2.2 2.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 91960c9a-744e-4a41-86ef-51ae426bd8d5))
  (fp_line (start -3.85 -2.75) (end -3.85 2.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e57e9b9a-4b3d-4f77-9638-0ae2ff7acbd7))
  (fp_line (start -3.85 2.75) (end 3.85 2.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d8ff64fb-97be-4100-bd72-da691ad6bc16))
  (fp_line (start 3.85 -2.75) (end -3.85 -2.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 98c03984-adee-4a43-8a7b-f6ef537e653f))
  (fp_line (start 3.85 2.75) (end 3.85 -2.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2ae7bd2e-e0a8-4882-a730-bd4845ba23cd))
  (fp_line (start -2.2 -1.5) (end -1.2 -2.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f5409c12-a4e8-47da-866b-48e552e1c327))
  (fp_line (start -2.2 2.5) (end -2.2 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 33e804ed-4732-447d-bc8d-e764e62ef4a4))
  (fp_line (start -1.2 -2.5) (end 2.2 -2.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e8847061-2762-4653-9680-da2c33e0d6a8))
  (fp_line (start 2.2 -2.5) (end 2.2 2.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 04717a29-e3e0-48ee-8196-58c6cd8eb4f1))
  (fp_line (start 2.2 2.5) (end -2.2 2.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 23a535e3-99c4-45eb-b849-393e6c708a20))
  (pad "1" smd roundrect (at -2.8625 -2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.1)
    (net 2 "+3V3") (pinfunction "VDD_I2C") (pintype "power_in") (tstamp a12f68f4-5208-456e-92c1-c1c2b62d8b2d))
  (pad "2" smd roundrect (at -2.8625 -1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.1)
    (net 107 "/IO_Banks/VI0B") (pinfunction "ADDR") (pintype "input") (tstamp b587530e-0b37-4bd8-8134-ba8b8b8b8b8b))
  (pad "3" smd roundrect (at -2.8625 -0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.1)
    (net 234 "Net-(U5--{RESET})") (pinfunction "~{RESET}") (pintype "input") (tstamp 3628c20f-6510-46a1-b8b8-b8b8b8b8b8b8))
  (pad "4" smd roundrect (at -2.8625 -0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.1)
    (net 216 "/IO_Banks/IO_Buffer_B/P0") (pinfunction "P0") (pintype "bidirectional") (tstamp bcf6cc3a-3a3a-3a3a-3a3a-3a3a3a3a3a3a))
  (pad "5" smd roundrect (at -2.8625 0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.1)
    (net 215 "/IO_Banks/IO_Buffer_B/P1") (pinfunction "P1") (pintype "bidirectional") (tstamp ab9eeae8-8b8b-8b8b-8b8b-8b8b8b8b8b8b))

```



```
(pad "6" smd roundrect (at -2.8625 0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 214 "/IO_Banks/IO_Buffer_B/P2") (pinfunction "P2") (pintype "bidirectional") (tstamp 7e06d044-7f06d044-7f06d044-7f06d044)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "7" smd roundrect (at -2.8625 1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 213 "/IO_Banks/IO_Buffer_B/P3") (pinfunction "P3") (pintype "bidirectional") (tstamp 15349dc9-a15349dc9-a15349dc9-a15349dc9)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "8" smd roundrect (at -2.8625 2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 3f9a53a5-966f-4bd7-ba64-f81cdcc4633b-3f9a53a5-966f-4bd7-ba64-f81cdcc4633b)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "9" smd roundrect (at 2.8625 2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 212 "/IO_Banks/IO_Buffer_B/P4") (pinfunction "P4") (pintype "bidirectional") (tstamp 0c6df9a6-0c6df9a6-0c6df9a6-0c6df9a6)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "10" smd roundrect (at 2.8625 1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 211 "/IO_Banks/IO_Buffer_B/P5") (pinfunction "P5") (pintype "bidirectional") (tstamp 76c2ad11-76c2ad11-76c2ad11-76c2ad11)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "11" smd roundrect (at 2.8625 0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 210 "/IO_Banks/IO_Buffer_B/P6") (pinfunction "P6") (pintype "bidirectional") (tstamp edb0e270-edb0e270-edb0e270-edb0e270)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "12" smd roundrect (at 2.8625 0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 209 "/IO_Banks/IO_Buffer_B/P7") (pinfunction "P7") (pintype "bidirectional") (tstamp ecd47d5c-eecd47d5c-eecd47d5c-eecd47d5c)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "13" smd roundrect (at 2.8625 -0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 249 "unconnected-(U5--{INT}-Pad13)") (pinfunction "~{INT}") (pintype "open_collector+no_connection") (tstamp fba0d39e-c87a-4159-8e10-11f4eb8929e1-fba0d39e-c87a-4159-8e10-11f4eb8929e1)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "14" smd roundrect (at 2.8625 -0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp fba0d39e-c87a-4159-8e10-11f4eb8929e1-fba0d39e-c87a-4159-8e10-11f4eb8929e1)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "15" smd roundrect (at 2.8625 -1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp dfdd0720-d70c-4630-8316-cb504e9f-dfdd0720-d70c-4630-8316-cb504e9f)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(pad "16" smd roundrect (at 2.8625 -2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect (net 107 "/IO_Banks/VIOB") (pinfunction "VDD_P") (pintype "power_in") (tstamp e8ce6e4c-3baf-4d54-9ff8-e8ce6e4c-3baf-4d54-9ff8)) (rotation 0) (offset (xyz 0 0 0)) (scale (xyz 1 1 1)) (rotate (xyz 0 0 0)))
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/TSSOP-16_4.4x5mm_P0.65mm.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)

(fp_text reference "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005cad9532)
(at 117.5 90.5 180)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 0402)"
(tags "resistor")
(property "1b2-bom-key" "res-0402-2k2")
(property "MPN" "RC0402FR-132K2L")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
(attr smd)
(fp_text reference "R42" (at 0 0) (layer "F.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05))))
(tstamp de2b1cb4-749c-4b05-936f-d8f6c5963626)
)
(fp_text value "2k2" (at 1.2 0 180) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 4122df56-116e-4f19-b884-5ff41d7aaf4e)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04))))
(tstamp 3b9a0198-eedf-49fe-8dc1-c92ac9635047)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79b251a8-2ef3-41e2-ba68-12b1f1e84e9a))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 177c835b-f99b-4924-a473-196cd48b7433))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 51134780-0915-42f6-accb-a1216c0ccc7a))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 09627077-f9ea-4ca7-a200-8cda01566855))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5ffa567e-62f8-45ab-8abf-cef03c43f882))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2446fb76-4efe-4fc1-8362-602b12ee667f))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83f4c66a-b662-4253-876d-fcd386ac5463))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab49ba31-3556-4b79-b054-6d28a05c2d96))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp a8745e00-843f-459e-9939-6c09fa3d0888))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 6136a713-8495-4f45-b25b-795c9b6433c3))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cad956b)
  (at 119.9 88.8 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-24k3")
  (property "MPN" "RC0402FR-1324K3L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0
  (attr smd)
  (fp_text reference "R35" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 300104d6-bc6f-4d22-ac10-0b73de2378c6)
  )
  (fp_text value "24k3" (at 0 0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 511c5ce4-4f8b-4eb8-9d08-f14ec1da6da2)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 05647a79-d704-4a11-bc23-27979b99c642)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2c718cf1-78bd-40b2-bdf9-bcac6f6f3416))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01d0e4e5-71f5-42d9-b986-d7e7d76d77b1))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 66b23ee4-68d1-40e4-8c02-6b76c8391d13))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f57a0994-dde7-474d-a4d7-ed02bfa4e5f4))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b8d0a2a7-578e-4848-b630-d608507fb294))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7e23dcf5-7a26-46fd-8c21-68dac3ed5d98))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fa6ef8af-eeda-48d6-a38f-18d3e4ba4b63))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 276d390a-2ab5-4d5c-ae12-9e1d8013d720))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp f9955916-61fd-4c23-ad7b-50e65054d56a))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pintype "passive") (tstamp 804db1e9-85b0-4c3d-a9d1-22e4635f7
  (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
```

```

(timestamp 00000000-0000-0000-0000-00005cad95ee)
(at 126.7 102.2 90)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-24k3")
(property "MPN" "RC0402FR-1324K3L")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "R29" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
(timestamp b820f411-7c4c-4f31-b437-7e481989db9b)
)
(fp_text value "24k3" (at 0 0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp b25bfc4a-a1b8-4d14-9840-2b0243f46bb8)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(timestamp 252225a7-742c-4e9e-b1a1-3a52a12fc764)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 10f82b66-02f8-4103-9cb7-8f79fc577576))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 30b34452-abca-481f-8ebe-032aaedc22d4))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp ea929fee-252a-44ef-bdec-6134f1e8ef7c))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 61abac05-138f-45ed-b465-0ab109059dce))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp cad90b44-855f-41e2-bcdc-72fd1ee10945))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 632d06f4-b928-4174-9abe-572b7c884b6f))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 76a0f426-4591-491d-a84a-e1d3c051dcba))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 0127f327-9726-4912-976f-08d4db8eed4c))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp e80fd302-cf88-4e95-9205-7b734dea4ffa))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 157 "/IO_Banks/IO_Buffer_B/VFB") (pintype "passive") (timestamp 945a880d-7191-4231-a75b-c9bacee00000))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

 footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005cafbff6)
(at 92 97.7 180)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-2k2")
(property "MPN" "RC0402FR-132K2L")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_banks.kicad_sch")
(property "Sheetname" "IO_Banks")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9610a4")
(attr smd)
(fp_text reference "R10" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))

```

```

        (tstamp 5b2aef66-f9d7-416a-baa3-3b08ac3e9ca0)
    )
    (fp_text value "2k2" (at 0 0.7 180) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp e127c3c6-6d90-4181-aea6-d62d5a7edd29)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp 6245575f-6d49-4158-bba7-3c1c81e7b496)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8d928256-b681-474c-95ea-76f9b577095e))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4f1e6985-f22c-47c7-95a4-ab618a2493f4))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ec0bb73c-2f3f-47a3-a674-fc870ddd3083))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70d2cfd5-c346-459c-aaeb-922ac1ce84a4))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d8cd25b7-cf19-40a4-98bd-fd1ddc874d49))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8cf00280-97ac-46f2-9e4b-cd8f3e470bb6))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02b2eb1f-9491-4c8a-b659-91f94253e79b))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2a6e2062-dded-47b0-9e1e-8c9770be2d71))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 233 "Net-(U30A-IOT_219)") (pintype "passive") (tstamp 48874cc7-5553-42da-ae4a-a8659ff361f6))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 4aca2f37-6531-4cba-84ab-d8fe51cc659e))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb04acd)
  (at 94.7 107.3)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ae0058e")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP3" (at 0 -1.75) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp d0ed110e-0a0d-4bd9-b126-cc7e7a85b229)
)
(fp_text value "3V3" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp d0de0280-15a5-42a7-b2e3-f4c9b75fa95c)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15))))
(tstamp cd01f322-1d47-4dd5-853d-f8aba2eb3dae)
)
(fp_circle (center 0 0) (end 0 0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp f20761bf-96ce-4a99-b75f-1c)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 05edaa69-e53e-436d-a959-6c)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
  (net 2 "3V3") (pinfunction "1") (pintype "passive") (tstamp 0104cd58-d8c9-4d0d-bab6-fa5c667f9200))
)

```

```

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb08fd8)
  (at 94.7 109)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005adb3d1e")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP1" (at 0 -1.75) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 8c5c7c45-2953-40a0-9a45-6a9f887a29a0)
  )
  (fp_text value "5V" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp ab9d97b5-4adc-408f-9373-54786e195b79)
  )
  (fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 9f7fba95-be8d-4be0-9fe8-bcf51e95c58b)
  )
  (fp_circle (center 0 0) (end 0 0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp a4d8f7c7-95ff-4074-8dee-93
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 284639d7-12fe-496d-b6ba-4f
  )
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
    (net 5 "+5V") (pinfunction "1") (pintype "passive") (tstamp d70521df-cfe4-406d-a57c-de7aac4b2105))
  )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb0ad1b)
  (at 74.9 105.9 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  )
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005ad252ca")
  (attr smd)
  (fp_text reference "R2" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp d20975f0-9d17-4c13-9623-7d963f071726)
  )
  (fp_text value "2k2" (at 0 -0.7 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 196c4600-8223-4633-9edd-667b94e32942)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp c8347f82-f18e-4af3-b319-4d3ff40e9afc)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dc9e831c-25c9-4990-a98e-4e36cb8ee0a8))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 196a7a2d-dfbf-4282-97a8-7c710ca40eb1))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 277e1b5d-ed65-40cc-ae74-1c914fb53fa4))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e44b0fce-37e4-4442-90da-b69ad4a5a6fc))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9397f21e-1e1d-42f4-8a37-7ea4ad673c3e))

```

```

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e5f8c33e-35b2-4ef1-ae47-728bb4b7edfe))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6839088d-c210-4536-9034-56bbff193f09))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 54956847-043b-47f6-b742-9968a9406c0d))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 4 "/SCL") (pintype "passive") (tstamp 94c3cc3e-2704-4735-97ae-fe8a4f32049e))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 0fb54ee9-3823-451b-bc84-66f95f7c529b))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:D_SOD-523" (layer "F.Cu")
  (tstamp 00000000-0000-0000-00005cb0c447)
  (at 107.8 97.6 -90)
  (descr "http://www.diodes.com/datasheets/ap02001.pdf p.144")
  (tags "Diode SOD523")
  (property "1b2-bom-key" "esd-diode-sod523-esd5z5_0t1g")
  (property "DNP" "DNP")
  (property "MPN" "ESD5Z5.0T1G")
  (property "Mfg" "ON Semiconductor")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "dnp" "")
  (property "ki_description" "Zener diode")
  (property "ki_keywords" "diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb8809b")
  (attr smd)
  (fp_text reference "D12" (at -0.9 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 70e2dd50-6b16-4ee3-ac2f-1c8bbbc4c938))
  )
  (fp_text value "ESD5Z5.0T1G" (at 0.2 -0.9 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp eef9cf20-cc1b-450b-8033-5e48f795bc6f))
  )
  (fp_text user "${REFERENCE}" (at -1 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 97f95ba3-3e02-4131-8b16-fc12cc7ff195))
  )
  (fp_text user "DNP" (at 1 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp ef1867d0-3587-4f2e-a5c2-7b2e7c0bf9b0))
  )
  (fp_line (start -1.15 -0.6) (end -1.15 0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0f7f3f2d-72c5-4b58-b059-f343bb476292))
  (fp_line (start 0.7 -0.6) (end -1.15 -0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 07b676a2-cf4e-4331-9ed1-c7719fc5a27a))
  (fp_line (start 0.7 0.6) (end -1.15 0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5e66175a-bfe7-4dba-9e86-b8076eadb1ae))
  (fp_line (start -1.25 -0.7) (end 1.25 -0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ba7b133a-288a-40c0-a364-108596de7f43))
  (fp_line (start -1.25 0.7) (end -1.25 -0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ef2e0782-de00-4266-a664-e576cec56dbb))
  (fp_line (start 1.25 -0.7) (end 1.25 0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 801a6cf3-7b38-432c-83cc-96fc31046ad7))
  (fp_line (start 1.25 0.7) (end -1.25 0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6632f55f-aecb-45b5-92c6-d6a183b0fad9))
  (fp_line (start -0.65 -0.45) (end 0.65 -0.45)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c8d2e2fb-0806-4bda-8642-99831c89cbb6))
  (fp_line (start -0.65 0.45) (end -0.65 -0.45)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f8688a8-e1ad-4617-b0de-917344c9ad0f))
  (fp_line (start -0.2 0) (end -0.35 0)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d951e412-c42d-4a64-b2db-da977289958f))

```

```

(fp_line (start -0.2 0) (end 0.1 0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b9aaec7c-a9d1-40cc-b211-eaf75312b484))
(fp_line (start -0.2 0.2) (end -0.2 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a4e7c80d-21b1-46fb-a1c5-39711f7ff57b))
(fp_line (start 0.1 -0.2) (end -0.2 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d40f73b3-98d9-462d-8cec-73648fa8ad3f))
(fp_line (start 0.1 0) (end 0.25 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4202d357-a552-4ee4-acf0-1187f6503da3))
(fp_line (start 0.1 0.2) (end 0.1 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 26375982-6ed7-451d-8824-1e20cd2af50d))
(fp_line (start 0.65 -0.45) (end 0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 59f8957f-aab6-4c4b-8a3a-dce1a99249a5))
(fp_line (start 0.65 0.45) (end -0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2a431f42-5b35-49be-bbfb-bbd83135dd5a))
(pad "1" smd roundrect (at -0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 166 "Net-(D12-K)") (pinfunction "K") (pintype "passive") (tstamp e53be804-1908-4bed-975b-f38c1
(pad "2" smd roundrect (at 0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp 91a6dc43-c8a9-4b92-adfc-cb31ad1fa2ce))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-523.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb233aa)
  (at 88.55 101.5 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-47r")
  (property "MPN" "RC0402FR-1347RL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb5da66")
  (attr smd)
  (fp_text reference "R45" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 21fce142-22c0-41cf-918e-b4f3647547cb)
  )
  (fp_text value "47R" (at 1.25 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp a669c657-1c99-42af-8f1f-2676a3228a68)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 8004ec07-251c-4140-9918-8bce00d54506)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5f4aa88-3983-4e3f-8835-3b814805a3b3))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d96f524c-41de-4a9e-9bcc-2ec88d01452b))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 345d815f-0012-4fb0-b161-877232e9fab0))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e7756adb-18bc-41c8-9397-39e4b78c59a3))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eaf9d6ac-86fb-44e0-86e7-5317fa25697f))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c8793782-a486-410a-aa01-81c231e453f0))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 822d4770-aa12-4416-8a3f-1953473886aa))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 06d37252-2a02-4f06-ab4b-63049c2324ee))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

```

```

(net 241 "Net-(U32-A)") (pintype "passive") (tstamp 1d64c32b-d75b-4602-9a52-3b66993fd2d1))
  (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 240 "Net-(U30A-IOT_168)") (pintype "passive") (tstamp ee0dcb8e-d534-4115-b3ff-624e2211259f))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )
)

(footprint "Connector_PinHeader_2.54mm:PinHeader_1x03_P2.54mm_Vertical" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb2c632)
  (at 105.27 98.04 180)
  (descr "Through hole straight pin header, 1x03, 2.54mm pitch, single row")
  (tags "Through hole pin header THT 1x03 2.54mm single row")
  (property "1b2-bom-key" "conn-th-01in-3-1-hdr")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "dnp" "")
  (property "ki_description" "Generic connector, single row, 01x03, script generated (kicad-library-uti
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c072c23")
  (attr through_hole)
  (fp_text reference "J10" (at -0.03 -0.01 180) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 6cef85bd-bc61-4492-a7d3-6d8b77bc745d)
  )
  (fp_text value "AUX" (at -0.93 2.54 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp e4913251-4289-4d48-980c-07fae09246cc)
  )
  (fp_text user "${REFERENCE}" (at 0 2.54 270) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 6a0a82f5-a527-45be-b9e7-d0e6bb4ce64f)
  )
  (fp_text user "DNP" (at -0.03 2.54 90) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 9bee6ead-51d2-42f7-9069-b116de0cacfb)
  )
  (fp_line (start -1.33 -1.33) (end 0 -1.33)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 94182047-462d-4146-88d7-4f36d3caecba))
  (fp_line (start -1.33 0) (end -1.33 -1.33)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1307347c-6add-414d-b6ab-2abc46d0e23e))
  (fp_line (start -1.33 1.27) (end -1.33 6.41)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 84988616-ab90-4b09-8682-a88f0f8d5628))
  (fp_line (start -1.33 1.27) (end 1.33 1.27)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 7081f3f0-4100-41a7-be4b-e4124951b725))
  (fp_line (start -1.33 6.41) (end 1.33 6.41)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 388353d9-f0fd-4e66-bd55-7466187e940e))
  (fp_line (start 1.33 1.27) (end 1.33 6.41)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f6b0c8e5-acd4-4b07-b3bd-0e86bc241684))
  (fp_line (start -1.8 -1.8) (end -1.8 6.85)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c7d9f221-06ac-4475-b523-d33108c9384f))
  (fp_line (start -1.8 6.85) (end 1.8 6.85)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78878869-bbe2-4cba-bde0-908565d3d3e9))
  (fp_line (start 1.8 -1.8) (end -1.8 -1.8)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 96cbf664-f45b-4348-aaea-992ba1c51dfc))
  (fp_line (start 1.8 6.85) (end 1.8 -1.8)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c094317b-0b62-45c8-9fa3-35de68c439b3))
  (fp_line (start -1.27 -0.635) (end -0.635 -1.27)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8900828e-7702-40d3-bfd9-4b28b7c91bd1))
  (fp_line (start -1.27 6.35) (end -1.27 -0.635)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 35be37da-6e2d-4211-af07-72af23eda1b8))
  (fp_line (start -0.635 -1.27) (end 1.27 -1.27)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e19458e4-b70d-413b-a14e-70264ec3cef9))
  (fp_line (start 1.27 -1.27) (end 1.27 6.35)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 93ca604d-b0cd-49cc-89c5-644cacdf12e4))

```



```

(fp_line (start 1.27 6.35) (end -1.27 6.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f35b2d0-d07f-470b-a909-e891510a215a))
(pad "1" thru_hole roundrect (at 0 0 180) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (roundrect
  (net 3 "GND") (pinfunction "Pin_1") (pintype "passive") (tstamp 76db18cf-82fe-4fbd-908f-95fc6ba1adbf)
  (pad "2" thru_hole oval (at 0 2.54 180) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 166 "Net-(D12-K)") (pinfunction "Pin_2") (pintype "passive") (tstamp a3c89279-9a9b-4c2d-8d7c-bd
  (pad "3" thru_hole oval (at 0 5.08 180) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 167 "Net-(D13-K)") (pinfunction "Pin_3") (pintype "passive") (tstamp 54f61ef9-788a-4e02-bdf8-5b
)

(footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbde4a4)
  (at 54 116)
  (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
  (tags "mounting hole 3.5mm Courtyard")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "Mounting Hole with connection")
  (property "ki_keywords" "mounting hole")
  (path "/00000000-0000-0000-0000-00005ad602a3")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "MK1" (at 0 -4.5) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 3b219b92-234f-4f20-9cbf-5b9fe27b8810)
  )
  (fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 5b4906b2-0c71-4e26-b196-6b45dffffbdf1)
  )
  (fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 6d4a81fb-427c-4dd8-8491-b927da81ac0d)
  )
  (fp_circle (center 0 0) (end 3.5 0)
    (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp 7a557948-23cf-4302-9233-
  (fp_circle (center 0 0) (end 3.75 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 0a231dfc-e769-4812-b7bc-3b
  (fp_circle (center 0 0) (end 5 0)
    (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 0036dd87-eebf-444a-be37-f7
  (pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp d746caf7-53a9-4943-8711-
  (pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 245e8edd-8e3d-4f26-b83f-
  (pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp fdf9fc2f-a962-4180-ab94-
  (pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp b3270d50-9dcc-44d2-a94e-
  (pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 7db13818-7927-47ee-ad4e-
  (pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 82e622dc-23eb-4909-b7a9-
  (pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp a7eda016-4a0b-4517-af71-
  (pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 5a826b44-777d-461a-a544-
  (pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 67637d3f-47da-454b-bfac-
  )

(footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbde4b4)
  (at 54 75)
  (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
  (tags "mounting hole 3.5mm Courtyard")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")

```

```

(property "ki_description" "Mounting Hole with connection")
(property "ki_keywords" "mounting hole")
(path "/00000000-0000-0000-0000-00005ad64d62")
(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "MK2" (at 0 -4.5) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp b3d0f7c6-8785-49f4-a8de-f88f43fa5a9c)
)
(fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp fa4c1e59-fb1f-4f52-b3a1-859bd400f898)
)
(fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
  (tstamp a6fababa-8213-4984-89fb-1ebfb8e3eb5)
)
(fp_circle (center 0 0) (end 3.5 0)
  (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp 768aab67-7697-4684-afad-))
(fp_circle (center 0 0) (end 3.75 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 9b655e59-4d29-4acf-805a-dd))
(fp_circle (center 0 0) (end 5 0)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 79a3946e-0858-4034-936c-8a))
(pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 0d074b9a-29b6-4584-85ea-))
(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 917a5f9e-10a4-44d9-87c6-))
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 020b193c-31fb-4e1d-9b1f-))
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 31bde130-9bcf-4c2b-bddb-))
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 4f97ffaf-36e5-43d5-a288-))
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp d16a0f3e-1358-4d33-9035-))
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp bfca5202-aff8-4de2-8bc2-))
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 282e3c0f-a4f7-4069-9d2b-))
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 77544f67-241c-472c-973c-))
)

(footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbde4d4)
  (at 126 116)
  (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
  (tags "mounting hole 3.5mm Courtyard")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "Mounting Hole with connection")
  (property "ki_keywords" "mounting hole")
  (path "/00000000-0000-0000-0000-00005ad64e04")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "MK4" (at 0 -4.5) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 8b9e9d32-7913-4a2a-b69d-3fc25ddf6b39)
  )
  (fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp a3d02974-fd35-42cc-becf-6a2e6e2a0cd0)
  )
  (fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp ba5118c2-4cb4-4a6a-8415-c9c8af43fde1)
  )
  (fp_circle (center 0 0) (end 3.5 0)
    (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp 4e7502dc-6266-456d-b960-))

```

```

(fp_circle (center 0 0) (end 3.75 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 7fd4108c-1b87-4016-81e4-f0
(fp_circle (center 0 0) (end 5 0)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 3b31d800-23c3-4886-bafa-c7
(pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 38a89ab4-b9dd-40ef-b66e-
(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 11c44701-79e4-4dc8-ad6e-
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 28a8de5e-c001-45a6-a105-
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 2ae69b93-b711-4f9b-a962-
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 161f9600-062a-4e76-93c6-
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 978bbb32-0e05-48f2-9ea5-
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 2d08de8a-849c-4062-903b-
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp e7f142cc-e14f-4bc2-a286-
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 521573d1-19db-41ee-848b-
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbe85fc)
  (at 123.3 87.3)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000
  (attr smd)
  (fp_text reference "C83" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 9e011d5b-c409-4132-bb86-356c8ddfdf77)
  )
  (fp_text value "4u7" (at 1.3 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 35791c75-350b-498d-a81b-69e602832ef5)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 711c885d-0f5a-4e05-ba55-a26c584b1668)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ceaa12a5-1b77-4749-945e-fe2d6cab1b67))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1bb25768-f94c-4da9-9330-50c643c51cdd))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d6d5aae0-28bf-45a6-91c8-b72221472171))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9a7000d8-9d7a-4787-b0a9-562675378eee))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9733e79d-efa2-4415-87c2-1997f2587f4a))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b41f8585-df08-48c3-a070-fd1defc3122a))
  (fp_line (start -0.8 -0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 019365ac-cae0-42a3-a227-a8890515773e))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7336c356-fe50-4ea0-b7f1-a24acea4e61a))
  (fp_line (start 0.8 -0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d94ae0e8-8e73-4960-9a9d-100db42667f4))

```

```

(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1334dd5c-855a-4ce2-97b5-aca717fb7ed0))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp da3e9e0e-4dad-4ac8-9411-d576b97d0534))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pintype "passive") (tstamp 601689f8-d5e9-4804-b3ba-d0ecb6b7bd13))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbedcbd)
  (at 126 75)
  (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
  (tags "mounting hole 3.5mm Courtyard")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "Mounting Hole with connection")
  (property "ki_keywords" "mounting hole")
  (path "/00000000-0000-0000-0000-00005ad64dae")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "MK3" (at 0 -4.5) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp e28c019a-21a5-4411-9332-15909814b266)
)
(fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 15e0d319-0187-41e8-907c-6a3d0d9aa628)
)
(fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
  (tstamp 84b58084-d359-437d-8929-c8d859f7b46f)
)
(fp_circle (center 0 0) (end 3.5 0)
  (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp ea40b31c-8f60-498b-9d0e-
)
(fp_circle (center 0 0) (end 3.75 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 92d9f095-87b0-4c32-b5da-14
)
(fp_circle (center 0 0) (end 5 0)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 8efcc73e-4a99-4fb4-9350-a3
)
(pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 3fe90645-307a-4750-9c82-
)
(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 6a30d85c-241c-4f87-bc08-
)
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp ab80a786-954a-4bcb-8654-
)
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 89d9cd96-84dd-4b16-8260-
)
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp a9a12797-9b62-4e6f-b395-
)
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 6fb8c8e5-8b2b-45c1-a372-
)
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 7cef49ae-a4d2-45e7-a3f4-
)
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 83537d6e-e171-4050-9d0c-
)
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp e3272f0e-a2b9-45fc-b098-
)
)

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbee180)
  (at 107.8 82.5 90)
  (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
  (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")

```

```
(
(property "1b2-bom-key" "conn-th-005in-8-1-rec")
(property "DNP" "DNP")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "dnp" "")
(property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti
(property "ki_keywords" "connector")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0
(attr exclude_from_pos_files)
(fp_text reference "J8" (at 0 -2.135 90) (layer "F.Silks") hide
(effects (font (size 1 1) (thickness 0.15)))
(timestamp 1332d42c-7882-450d-a53a-91ed936f6e91)
)
(fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
(effects (font (size 1 1) (thickness 0.15)))
(timestamp 1ba923bc-1599-430f-81a8-26480d57bb7c)
)
(fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")
(effects (font (size 1 1) (thickness 0.15)))
(timestamp 09c40687-4c3a-475e-bc4b-cd4a5da6e33c)
)
)
(fp_line (start -1.8 -1.15) (end 1.75 -1.15)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 57857d56-105e-41c1-890d-a0a70a3630b8))
(fp_line (start -1.8 10.05) (end -1.8 -1.15)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp e74e7423-9be3-44b0-bb8b-6827344e3a57))
(fp_line (start 1.75 -1.15) (end 1.75 10.05)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 978ee2c0-b1c2-413c-9d9c-08db91df38b9))
(fp_line (start 1.75 10.05) (end -1.8 10.05)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 59f34bde-a3fb-47a1-95dd-10350f9beedf))
(fp_line (start -1.27 -0.635) (end 0.635 -0.635)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 54a042ae-807c-4e30-8e61-9936e4ae6e6a))
(fp_line (start -1.27 9.525) (end -1.27 -0.635)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 414b3b06-2911-481f-9451-0a1ef128ffdf))
(fp_line (start 0.635 -0.635) (end 1.27 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp b8d75ab2-7d8b-4d91-8179-abdc915f5595))
(fp_line (start 1.27 0) (end 1.27 9.525)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 19104dfc-04f4-4844-b938-0f052faa8dbd))
(fp_line (start 1.27 9.525) (end -1.27 9.525)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 4c988b7e-7e3d-4ee9-9da0-625ae642421b))
(pad "1" thru_hole circle (at 0 0 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "Pin_1") (pintype "passive") (timestamp d3196ad1-76ac
(pad "2" thru_hole oval (at 0 1.27 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "Pin_2") (pintype "passive") (timestamp 37ea5c41-2af1
(pad "3" thru_hole oval (at 0 2.54 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "Pin_3") (pintype "passive") (timestamp 99460b66-7bf9
(pad "4" thru_hole oval (at 0 3.81 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "Pin_4") (pintype "passive") (timestamp f637de8a-09b2
(pad "5" thru_hole oval (at 0 5.08 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "Pin_5") (pintype "passive") (timestamp 1043b4e8-6924
(pad "6" thru_hole oval (at 0 6.35 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "Pin_6") (pintype "passive") (timestamp 3dabb953-0f34
(pad "7" thru_hole oval (at 0 7.62 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "Pin_7") (pintype "passive") (timestamp d417c575-ba09
(pad "8" thru_hole oval (at 0 8.89 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
(net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "Pin_8") (pintype "passive") (timestamp 9071be56-4cce
)
)
(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005cc0c450)
(at 122.6 80.5 180)
(descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
(tags "diode")
(property "1b2-bom-key" "led-0603-grn")
(property "MPN" "NCD0603G1")
(property "Mfg" "Foshan NationStar Optoelectronics")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Light emitting diode")
)
```

[illegible]

```
(fp_text value "u1" (at 0 -0.7 -90) (layer "F.Fab")  
    (effects (font (size 0.4 0.4) (thickness 0.06))))  
    (tstamp 6de49e36-2a41-4258-a0fc-ce7e1c40b426)  
)  
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")  
    (effects (font (size 0.25 0.25) (thickness 0.04))))  
    (tstamp 0065864a-d54a-4dd1-bfba-5ebed15c0e6f)  
)  
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6841ea51-6b09-4f15-980a-2c155e84e543))  
(fp_line (start -0.93 0.47) (end -0.93 -0.47)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2684a60e-9404-4130-9ff9-1c2e38e7fa3f))  
(fp_line (start 0.93 -0.47) (end 0.93 0.47)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e09aea52-da59-4051-b2a2-60176152c3fa))  
(fp_line (start 0.93 0.47) (end -0.93 0.47)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6bc9babd-0c68-463a-a416-961d9cccf449d))  
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6913b551-54a3-4368-a4e7-29c13471a06d))  
(fp_line (start -0.5 0.25) (end -0.5 -0.25)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 52401960-9399-4c40-9567-20612026650f))  
(fp_line (start 0.5 -0.25) (end 0.5 0.25)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 35a1282b-90d7-455c-8463-c892be806085))  
(fp_line (start 0.5 0.25) (end -0.5 0.25)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 17b0daa8-6995-4fc3-a265-406fde023771))  
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec  
    (net 2 "+3V3") (pintype "passive") (tstamp ce00fa95-93ba-4d1a-a65d-d6b1438e2003))  
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec  
    (net 3 "GND") (pintype "passive") (tstamp f594dc05-d4df-4b73-a4f5-8737b394313a))  
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3ds/Capacitor_SMD.3ds/C_0402_1005Metric.step"  
    (offset (xyz 0 0 0))  
    (scale (xyz 1 1 1))  
    (rotate (xyz 0 0 0))  
)  
)  
  
(footprint "Connector_IDC:IDC-Header_2x10_P2.54mm_Vertical" locked (layer "F.Cu")  
    (tstamp 00000000-0000-0000-0000-00005cc11840)  
    (at 92.57 77.72 90)  
    (descr "Through hole IDC box header, 2x10, 2.54mm pitch, DIN 41651 / IEC 60603-13, double rows, https  
    (tags "Through hole vertical IDC box header THT 2x10 2.54mm double row")  
    (property "1b2-bom-key" "conn-th-01in-10-2-hdr-shr")  
    (property "MPN" "87834-2019")  
    (property "Mfg" "Molex")  
    (property "Sheetfile" "io_buffer.kicad_sch")  
    (property "Sheetname" "IO_Buffer_A")  
    (property "ki_description" "Generic connector, double row, 02x10, odd/even pin numbering scheme (row :  
    (property "ki_keywords" "connector")  
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/through_hole")  
    (attr through_hole)  
    (fp_text reference "J2" (at 0.07 11.43) (layer "F.Silks") hide  
        (effects (font (size 1 1) (thickness 0.15)))  
        (tstamp 1fca1bf9-7cbc-4e7c-b2ac-1d5d0083cc93)  
    )  
    (fp_text value "IDC-Header_2x10_P2.54mm" (at 3.27 11.93) (layer "F.Fab")  
        (effects (font (size 1 1) (thickness 0.15)))  
        (tstamp 6144fbcc-65dd-474a-a4c0-60ade4d5d9b8)  
    )  
    (fp_text user "${REFERENCE}" (at 1.27 11.43 180) (layer "F.Fab")  
        (effects (font (size 1 1) (thickness 0.15)))  
        (tstamp ceedc4d1-542f-466e-b1d2-1a694f3bb4ef)  
    )  
    (fp_line (start -3.29 -5.21) (end 5.83 -5.21)  
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 48403a2b-94ce-40cb-9ed1-e4ed5b2d6aa9))  
    (fp_line (start -3.29 9.38) (end -1.98 9.38)  
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d3e6b8a2-e088-47c4-944f-d8640748e4d2))  
    (fp_line (start -3.29 28.07) (end -3.29 -5.21)  
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 88efaaad-838f-4156-a35c-435e5af7eb65))  
    (fp_line (start -1.98 -3.91) (end 4.52 -3.91)
```

```

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 07fd6259-dba4-4a49-b420-64aaeed386d8))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5e02d87b-f86d-432d-a862-d40d39cb9eea))
(fp_line (start -1.98 13.48) (end -3.29 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c4e530e1-8e67-4824-9ff8-2220cd2a9c90))
(fp_line (start -1.98 13.48) (end -1.98 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0278608c-87ac-47ac-a188-a808c711188a))
(fp_line (start -1.98 26.77) (end -1.98 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 435e533e-435d-4cee-bbd3-c9f3490ea965))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1a74848a-edbb-42e4-a29d-c7c18c087eaf))
(fp_line (start 4.52 26.77) (end -1.98 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9a99a6cd-d709-4887-b327-730c7ca594f5))
(fp_line (start 5.83 -5.21) (end 5.83 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c29b4f21-a436-4946-9eee-98ae4a431289))
(fp_line (start 5.83 28.07) (end -3.29 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 187385df-d720-46c1-8490-e6df365d8f7e))
(fp_line (start -3.68 -5.6) (end -3.68 28.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9b70f907-7fab-4456-9079-1002089d951a))
(fp_line (start -3.68 28.46) (end 6.22 28.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 15779c4c-63b5-49a2-b5b8-3167511f772a))
(fp_line (start 6.22 -5.6) (end -3.68 -5.6)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 47b88013-960c-42a9-897a-d95551186608))
(fp_line (start 6.22 28.46) (end 6.22 -5.6)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5c2d8112-c7e8-4048-9b28-4c55df014019))
(fp_line (start -3.18 -4.1) (end -2.18 -5.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b1eee160-2d83-4ea2-8e17-185f6edb21d9))
(fp_line (start -3.18 9.38) (end -1.98 9.38)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0c88e47e-cb1a-446f-b580-3d45e4b3d0e0))
(fp_line (start -3.18 27.96) (end -3.18 -4.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8b70929b-3cb9-4559-a1db-bd18fd740973))
(fp_line (start -2.18 -5.1) (end 5.72 -5.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d12ae5d1-6aa1-4c46-8296-b8a3ff67887a))
(fp_line (start -1.98 -3.91) (end 4.52 -3.91)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 89ad0c83-38c9-42f7-9f35-8ee6980b8cec))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a1963f61-a916-48ff-a59f-88b5a5e21c6c))
(fp_line (start -1.98 13.48) (end -3.18 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c94a47fa-5e25-470d-9ef0-b975240bd091))
(fp_line (start -1.98 13.48) (end -1.98 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 035eb7fa-0418-4c71-8820-1934798d68df))
(fp_line (start -1.98 26.77) (end -1.98 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc567a95-81a2-400e-91bf-bd59748d60ad))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a6f355d3-48a7-455f-9a92-01fd0344e7ca))
(fp_line (start 4.52 26.77) (end -1.98 26.77)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e68c6ab6-b466-4ad6-b704-473fa9410c2a))
(fp_line (start 5.72 -5.1) (end 5.72 27.96)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f3d08037-2476-45a0-9a67-c66e47030594))
(fp_line (start 5.72 27.96) (end -3.18 27.96)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a5782e9-8ac9-4074-8d5b-6a8e7a5281ce))
(pad "1" thru_hole roundrect locked (at 0 0 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 106 "/IO_Banks/IO_Buffer_A/VSENSE") (pinfunction "Pin_1") (pintype "passive") (tstamp 2f9f7675-4b3b-4056-8fcd-100000000000)
(pad "2" thru_hole circle locked (at 2.54 0 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 108 "/IO_Banks/VIOA") (pinfunction "Pin_2") (pintype "passive") (tstamp f2070d26-8c3b-4056-8fcd-100000000000)
(pad "3" thru_hole circle locked (at 0 2.54 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "Pin_3") (pintype "passive") (tstamp 10885bde-9f9a-4194-8fcd-100000000000)
(pad "4" thru_hole circle locked (at 2.54 2.54 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 3 "GND") (pinfunction "Pin_4") (pintype "passive") (tstamp 2a3799c8-0a4a-4cc9-b9e8-e4ac393fed00)
(pad "5" thru_hole circle locked (at 0 5.08 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "Pin_5") (pintype "passive") (tstamp 81683000-1abe-8fcd-100000000000)
(pad "6" thru_hole circle locked (at 2.54 5.08 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 3 "GND") (pinfunction "Pin_6") (pintype "passive") (tstamp 33baec43-e68f-44f4-a45e-cc3c4535b1a0)
(pad "7" thru_hole circle locked (at 0 7.62 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "Pin_7") (pintype "passive") (tstamp 94b2efbe-da6e-8fcd-100000000000)
(pad "8" thru_hole circle locked (at 2.54 7.62 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))
(net 3 "GND") (pinfunction "Pin_8") (pintype "passive") (tstamp 5adc4f99-d2cf-4f3b-a27b-b0571ae20100)
(pad "9" thru_hole circle locked (at 0 10.16 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0))

```



```
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 088ec159-f6fa-4959-a401-8fa3a826c22d))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 360b0b51-7bc9-4735-81d5-f1ead60fea2f))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 44 "ENVB") (pintype "passive") (tstamp 316806da-6b1b-40f9-b395-4323390a0592))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 168 "Net-(D14-A)") (pintype "passive") (tstamp 5235e4dc-a31f-4dac-9951-01e1e2ac2eb8))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cc2bb7c)
  (at 122.6 81.8 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-20k")
  (property "MPN" "RC0402FR-1320KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "R47" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp e8634594-3451-4dd5-ba99-6fb9e6ae45c7)
  )
  (fp_text value "20k" (at -1.2 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 5ec05b0a-9d88-4817-bb2c-6c46674bf59d)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 6effc043-69b7-4b17-8aae-f3d473c4fd8e)
  )
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 34fc3c27-ab29-443e-9524-b480000e566b))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 39ad7d8a-95b8-4dd9-ac4e-91f10a61608d))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 30b64404-2d55-4037-9a2f-1da039885803))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 63474204-0f73-4be7-b297-b6887ae187dc))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 29aea7d7-d844-46ee-a272-486ddb6ee96c))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 01e20f0c-8f8b-464c-9226-065381779f5b))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 717adfd-d2e2e-457c-927e-c4102376f4b8))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 53cccd5d-1c4a-427f-a3c1-2ce06d39b085))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 45 "ENVA") (pintype "passive") (tstamp 1dc655d3-54e5-462d-8dd7-6ea33317acbe))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 169 "Net-(D15-A)") (pintype "passive") (tstamp 78eac29a-5693-45b2-af9c-76fc7a7cd012))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
```

```

(timestamp 00000000-0000-0000-0000-00005cc994ea)
(at 77.3 101.4)
(descr "SMD pad as test Point, diameter 1.0mm")
(tags "test point SMD pad")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "exclude_from_bom" "")
(property "ki_description" "test point")
(property "ki_keywords" "test point tp")
(path "/00000000-0000-0000-0000-00005ae0012c")
(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "TP2" (at 0 -1.448) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15))))
(timestamp 53e72f45-7a79-4b29-ba6a-9bb770d55f6b)
)
(fp_text value "1V2" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp f59bfc10-c119-433a-840e-7a873411e59c)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp e638fb5d-40ab-4d92-9bb0-049650062683)
)
(fp_circle (center 0 0) (end 0 0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (timestamp c9a3107a-e256-491a-879d-78)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (timestamp b1d53ea9-1a44-4216-863c-68)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
  (net 29 "+1V2") (pinfunction "1") (pintype "passive") (timestamp 0db6b122-cb68-4220-92bd-34c0af227684)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005ccace07)
(at 122.6 110.5 180)
(descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
(tags "diode")
(property "1b2-bom-key" "led-0603-grn")
(property "MPN" "NCD0603G1")
(property "Mfg" "Foshan NationStar Optoelectronics")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Light emitting diode")
(property "ki_keywords" "LED diode")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "D14" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 31f5e53d-936e-4094-9ccb-b15442747f40)
)
(fp_text value "GRN" (at -1.5 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 885254f9-4992-4583-b393-1061d57bdf32)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp c72fe417-3043-4d59-a16a-546c177f7787)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 3fc3b8e6-1282-479d-8665-85c8d94e9fd7))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 49ded58c-db8e-43fd-964f-6fd0ca898961))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 62007bc0-ca1b-467c-9ac7-3f2b195c52a2))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 8d346b54-65a7-42aa-b29e-441329671915))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 1d5bb9f3-cc36-4c89-9aa9-3a9cde3adb3a))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)

```

[illegible]

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 199b3f9d-d9ca-44b0-9c7c-b8ffd134d588))
(fp_line (start 0.9 1.55) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcedf0f5-b272-4049-a579-891a925574b3))
(pad "1" smd roundrect (at -1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp 0d7a6264-d97c-4cd2-8152-eb66566602d7))
(pad "2" smd roundrect (at -1.1 0 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp a5e018e3-c17b-4e81-bae8-1d02ea91a899))
(pad "3" smd roundrect (at -1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 197 "/IO_Banks/IO_Buffer_A/VI0_EN") (pinfunction "EN") (pintype "input") (tstamp b315fd08-f10e
  (pad "4" smd roundrect (at 1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pinfunction "FB") (pintype "input") (tstamp 4d5fe1e3-d93f-4a
  (pad "5" smd roundrect (at 1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 232 "Net-(U31-OUT)") (pinfunction "OUT") (pintype "power_out") (tstamp ab95f38d-1dac-4c8f-b51e
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-23-5.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:D_SOD-523" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ccb1905)
  (at 86.4 110.1 -90)
  (descr "http://www.diodes.com/datasheets/ap02001.pdf p.144")
  (tags "Diode SOD523")
  (property "1b2-bom-key" "esd-diode-sod523-esd5z5_0t1g")
  (property "MPN" "ESD5Z5.0T1G")
  (property "Mfg" "ON Semiconductor")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Zener diode")
  (property "ki_keywords" "diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005d1dfdd1")
  (attr smd)
  (fp_text reference "D11" (at -0.95 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp f56b0ac6-5801-4714-ad50-d68bd07a05f1)
  )
  (fp_text value "ESD5Z5.0T1G" (at 2.8 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp abf92408-b441-44f8-a188-f28142bf33b9)
  )
  (fp_text user "${REFERENCE}" (at -1 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 31ef0817-6d50-404f-bf3a-46e88375ca0c)
  )
  (fp_line (start -1.15 -0.6) (end -1.15 0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 915019e4-ae6-41f5-8565-ca10270cd988))
  (fp_line (start 0.7 -0.6) (end -1.15 -0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 75fd1d7a-9641-4250-a1ab-1a701d7c10b5))
  (fp_line (start 0.7 0.6) (end -1.15 0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e2a1d6db-19be-431d-864c-77930ebeb64))
  (fp_line (start -1.25 -0.7) (end 1.25 -0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fa43ed94-7c07-4f4f-928b-2260effbb774))
  (fp_line (start -1.25 0.7) (end -1.25 -0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8071cab1-66a5-4e2c-ae80-b35e63ce9996))
  (fp_line (start 1.25 -0.7) (end 1.25 0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a3839101-43a0-4922-8fcc-89f48c21caac))
  (fp_line (start 1.25 0.7) (end -1.25 0.7)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 41b03f19-0560-465c-a9e0-09c556e08948))
  (fp_line (start -0.65 -0.45) (end 0.65 -0.45)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8fc6dcac-4092-438e-9a89-a4c54b023c14))
  (fp_line (start -0.65 0.45) (end -0.65 -0.45)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp df9d91bd-889e-471f-963f-b414af683c94))
  (fp_line (start -0.2 0) (end -0.35 0)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba22f628-912e-453c-9f69-d1db3ccea6cbb))
  (fp_line (start -0.2 0) (end 0.1 0.2)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 86115054-f9bd-4f97-aaa5-51e582ec07b9))

```

```

(fp_line (start -0.2 0.2) (end -0.2 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 120746dd-850f-477f-86b4-0d2153878dc3))
(fp_line (start 0.1 -0.2) (end -0.2 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4ce2b44c-f97a-4d13-a03c-3fba99a07f61))
(fp_line (start 0.1 0) (end 0.25 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6cbb617a-7838-4a4c-ac86-9e22fdf29cb8))
(fp_line (start 0.1 0.2) (end 0.1 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e74a0d40-da34-430b-87d0-b8cfdbe3c88b))
(fp_line (start 0.65 -0.45) (end 0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f830b66d-3c57-423d-9985-7394d1e9b48a))
(fp_line (start 0.65 0.45) (end -0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d160b066-4650-42f7-8260-8d0d72272438))
(pad "1" smd roundrect (at -0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 159 "IO_Banks/~{SYNC}") (pinfunction "K") (pintype "passive") (tstamp 2c89fb58-f7ac-452e-bf72
(pad "2" smd roundrect (at 0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp 6b91134e-f876-49bf-b076-625e385430ad))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-523.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ccbb0e7)
  (at 74.9 103.8 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005acb7b47")
  (attr smd)
  (fp_text reference "R1" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 2c29c57a-0bc3-4773-9431-c81fb98d21f3)
  )
  (fp_text value "2k2" (at 0 0.7 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 06d1d78e-5bc9-4226-9041-99693165c469)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp d46e6d7a-25f8-4170-9314-8554d3e6c7b6)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2a5691f3-8be4-4595-8e9a-e54bc3a4479f))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01fdfeffa-a7d5-4849-bc32-d3756b66f913))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9339c497-3e98-456a-95ee-7bfc56a622e5))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 64f69895-cfd7-4846-8774-80a7cb80fb66))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab89ccac-2a25-4fd0-a6f5-13656092810c))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 26b37c7b-5d32-4689-8471-40a2304ab0b4))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4572b689-2f8b-452a-b90b-3fb6ea65ac0f))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f0b3bb94-8ccf-4a09-ada8-aad2d3a394ba))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 1 "/SDA") (pintype "passive") (tstamp aa0c2687-04bf-4316-8321-bd96c276918a))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec

```

[illegible]

```

        (xy 0.175 0.625)
        (xy 0.175 0.875)
        (xy -0.175 0.875)
    )

    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 8f32f61b-f497-486f-a990-f)
    (fp_line (start -1 -1.25) (end -1 1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bea176fc-adaf-4a5d-a5cf-b402ac16e40f))
    (fp_line (start -1 -1.25) (end 1 -1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f6bb9e52-e4fd-4497-9856-2857e2788b66))
    (fp_line (start -1 1.25) (end 1 1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a367bb5c-1946-404c-b4c9-20fc7b457788))
    (fp_line (start 1 -1.25) (end 1 1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6404d204-43ef-4257-ade0-4a328aebce10))
    (fp_line (start -0.5 -1) (end 0.5 -1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a4e244df-a392-4eca-b58f-ed4e3a6a1928))
    (fp_line (start -0.5 1) (end -0.5 -1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2bcbaa95-fb87-441a-9010-38175a91cd54))
    (fp_line (start 0.5 -1) (end 0.5 1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4f05bb89-b900-4bfe-962e-0d4b69d9d22a))
    (fp_line (start 0.5 1) (end -0.5 1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 08bbbfee-a66c-40a3-a8bc-98229dca3eeb))
    (pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 57 "/IO_Banks/IO_Buffer_B/Y0") (pinfunction "R1.1") (pintype "passive") (tstamp 341101e4-2878-4a5d-a5cf-b402ac16e40f))
    (pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 61 "/IO_Banks/IO_Buffer_B/Y1") (pinfunction "R2.1") (pintype "passive") (tstamp 1aed6d9b-1e8f-4a5d-a5cf-b402ac16e40f))
    (pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 62 "/IO_Banks/IO_Buffer_B/Y2") (pinfunction "R3.1") (pintype "passive") (tstamp 0c904596-adf4-4a5d-a5cf-b402ac16e40f))
    (pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 63 "/IO_Banks/IO_Buffer_B/Y3") (pinfunction "R4.1") (pintype "passive") (tstamp bc550e91-a3f3-4a5d-a5cf-b402ac16e40f))
    (pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "R4.2") (pintype "passive") (tstamp 2b948b4c-d1f8-4a5d-a5cf-b402ac16e40f))
    (pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "R3.2") (pintype "passive") (tstamp a6a6bd04-9761-4a5d-a5cf-b402ac16e40f))
    (pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "R2.2") (pintype "passive") (tstamp bf8dbad3-3424-4a5d-a5cf-b402ac16e40f))
    (pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
      (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "R1.2") (pintype "passive") (tstamp a3f74125-406d-4a5d-a5cf-b402ac16e40f))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )

  (footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ea8cc36)
    (at 103.2 105 -90)
    (descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
    (tags "resistor array")
    (property "1b2-bom-key" "res-0402cv-array-4-33r")
    (property "MPN" "YC124-JR-1333RL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "4 resistor network, parallel topology")
    (property "ki_keywords" "R network parallel topology isolated")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "RN4" (at 0 0) (layer "F.Silks") hide
      (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 3cb5cbee-3caf-4603-bff9-ee9d11a16136)
  )
  (fp_text value "33R" (at -1.3 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp ad0bd2d2-85b2-421c-95e9-e74b9888e14e)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab"))

```



```

        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp cfb54c0c-021d-48f0-83af-8920bf2de9e7)
    )
    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
      (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 9494117b-6e73-4686-8969-0ac5ae718758))
    (fp_line (start 0.15 1.1) (end -0.15 1.1)
      (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp deced413-1ca3-4e19-bc9c-a9bbf5982287))
    (fp_poly
      (pts
        (xy -0.175 -0.875)
        (xy 0.175 -0.875)
        (xy 0.175 -0.625)
        (xy -0.175 -0.625)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 2112e713-8b57-4aff-ae81-f
    (fp_poly
      (pts
        (xy -0.175 -0.375)
        (xy 0.175 -0.375)
        (xy 0.175 -0.125)
        (xy -0.175 -0.125)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 9387bf23-5c61-4bc2-8a55-9
    (fp_poly
      (pts
        (xy -0.175 0.125)
        (xy 0.175 0.125)
        (xy 0.175 0.375)
        (xy -0.175 0.375)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp b5a6a8cd-eb92-440f-a0ac-1
    (fp_poly
      (pts
        (xy -0.175 0.625)
        (xy 0.175 0.625)
        (xy 0.175 0.875)
        (xy -0.175 0.875)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 2c85a09a-dcc0-415e-9c9b-a1c79f6
    (fp_line (start -1 -1.25) (end -1 1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5963a961-77a3-4351-9efb-510aa7916687))
    (fp_line (start -1 -1.25) (end 1 -1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3e1061ef-edd5-4c6e-a46e-b9250a1d1682))
    (fp_line (start -1 1.25) (end 1 1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp eae41243-d398-48c6-b551-5ea57513dd75))
    (fp_line (start 1 -1.25) (end 1 1.25)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f23d6af9-b49e-4a26-9c3c-32db95c1b5c3))
    (fp_line (start -0.5 -1) (end 0.5 -1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2d90b63a-0258-4d5a-820f-31e55a0bf5c8))
    (fp_line (start -0.5 1) (end 0.5 1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d86c6654-9620-40d1-8182-24539d522529))
    (fp_line (start 0.5 -1) (end 0.5 1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cb6e8bfa-03c5-47cc-b124-ecb5137135a3))
    (fp_line (start 0.5 1) (end -0.5 1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4b339eb4-963d-42f6-bf08-2ad0d7a3846b))
    (pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (round
      (net 64 "/IO_Banks/IO_Buffer_B/Y4") (pinfunction "R1.1") (pintype "passive") (tstamp db7a0e1c-ad7f-
    (pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (round
      (net 65 "/IO_Banks/IO_Buffer_B/Y5") (pinfunction "R2.1") (pintype "passive") (tstamp 506a224b-e7aa-
    (pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (round
      (net 66 "/IO_Banks/IO_Buffer_B/Y6") (pinfunction "R3.1") (pintype "passive") (tstamp da627196-b48e-
    (pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (round
      (net 59 "/IO_Banks/IO_Buffer_B/Y7") (pinfunction "R4.1") (pintype "passive") (tstamp 06b30484-d717-
    (pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (round
      (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "R4.2") (pintype "passive") (tstamp 3d0f6b8d-04db-

```

```
(pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "R3.2") (pintype "passive") (tstamp 480a0a5e-7f89-
(pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "R2.2") (pintype "passive") (tstamp fa8bf2c5-7483-
(pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "R1.2") (pintype "passive") (tstamp ece3837e-1a96-
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ea8cc4d)
  (at 113.4 106 90)
  (descr "Chip Resistor Network, ROHM MNR04 (see mnr_g.pdf)")
  (tags "resistor array")
  (property "1b2-bom-key" "res-0402cv-array-4-10k")
  (property "MPN" "YC124-JR-0710KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "4 resistor network, parallel topology")
  (property "ki_keywords" "R network parallel topology isolated")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "RN5" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 618941a1-57b7-4e70-889a-9373ca0671ad)
  )
  (fp_text value "10k" (at 0.9 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 916572b6-d075-456f-af54-85a596942c2a)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp 86b34814-a03a-4d13-af17-4630c25454c8)
  )
  (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 5c0b8f3d-52dd-4c9c-8ae6-7f05400040aa))
  (fp_line (start 0.15 1.1) (end -0.15 1.1)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a8d5cfe5-16c3-4a8d-a621-b23c0296f531))
  (fp_poly
    (pts
      (xy -0.175 -0.875)
      (xy 0.175 -0.875)
      (xy 0.175 -0.625)
      (xy -0.175 -0.625)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 046b2afb-e50a-4fb7-9711-1
  (fp_poly
    (pts
      (xy -0.175 -0.375)
      (xy 0.175 -0.375)
      (xy 0.175 -0.125)
      (xy -0.175 -0.125)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 4e5b474a-8682-4b3c-9d6d-d
  (fp_poly
    (pts
      (xy -0.175 0.125)
      (xy 0.175 0.125)
      (xy 0.175 0.375)
      (xy -0.175 0.375)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 4e5b474a-8682-4b3c-9d6d-d
```

```

        (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 15dcfd98-0c8d-4f16-bd13-1a
(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )
)

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 1d2ba45e-0635-4edf-babe-0
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 170cea40-7667-4338-892c-51e3b08ecf69))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 080e05b0-653f-42ad-9391-d51ac8850fce))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp def044bd-e4b7-45ec-8d26-a9d46f5021aa))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bf7d81cf-4541-41b6-bfd9-9b4c817dcd7c))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a7a0307d-9725-4b49-a1ca-08f6c2051f75))
(fp_line (start -0.5 1) (end -0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 87127175-7a75-4843-8f8b-668b898b35de))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp db83e2c1-75e4-4b66-82ed-0525af3b2eb0))
(fp_line (start 0.5 1) (end -0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c91bb6c4-b2d3-4a2e-8c3a-928311638ae0))
(pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "R1.1") (pintype "passive") (tstamp 5ad7ff85-1438-
(pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "R2.1") (pintype "passive") (tstamp 40834fd4-0050-
(pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "R3.1") (pintype "passive") (tstamp 30d2b4b1-6de0-
(pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "R4.1") (pintype "passive") (tstamp 200eff0f-1e0c-
(pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 216 "/IO_Banks/IO_Buffer_B/P0") (pinfunction "R4.2") (pintype "passive") (tstamp ec5fd5b8-d496
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 215 "/IO_Banks/IO_Buffer_B/P1") (pinfunction "R3.2") (pintype "passive") (tstamp 15b4c445-0e0c
(pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 214 "/IO_Banks/IO_Buffer_B/P2") (pinfunction "R2.2") (pintype "passive") (tstamp 8180b5d1-cd72
(pad "8" smd roundrect (at 0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 213 "/IO_Banks/IO_Buffer_B/P3") (pinfunction "R1.2") (pintype "passive") (tstamp c39e3566-42c2
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ea8cc64)
  (at 110.9 106 90)
  (descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
  (tags "resistor array")
  (property "1b2-bom-key" "res-0402cv-array-4-10k")
  (property "MPN" "YC124-JR-0710KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "4 resistor network, parallel topology")
  (property "ki_keywords" "R network parallel topology isolated")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "RN6" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 0dad97d3-22c5-49fd-a74c-50c3bb7253e7)
  )
  (fp_text value "10k" (at 0.9 0 180) (layer "F.Fab"))
)

```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp dfdf0245-1898-418e-a182-cf1bdf3aed5a)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp 62d4fb88-bf81-49e4-8e76-dfe12c1a2b5b)
    )
    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
        (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp ce795e04-1d9f-4b6f-9307-d8b13ca4c5ec))
    (fp_line (start 0.15 1.1) (end -0.15 1.1)
        (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 0ab793d5-9909-44da-b53d-fdc7b6c45c76))
    (fp_poly
        (pts
            (xy -0.175 -0.875)
            (xy 0.175 -0.875)
            (xy 0.175 -0.625)
            (xy -0.175 -0.625)
        )
        (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp b5c0584a-1dc6-48f6-bf81-0)
    )
    (fp_poly
        (pts
            (xy -0.175 -0.375)
            (xy 0.175 -0.375)
            (xy 0.175 -0.125)
            (xy -0.175 -0.125)
        )
        (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 8a167c55-54f0-4d97-8f37-2)
    )
    (fp_poly
        (pts
            (xy -0.175 0.125)
            (xy 0.175 0.125)
            (xy 0.175 0.375)
            (xy -0.175 0.375)
        )
        (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp bc551de1-4e31-479f-8641-e)
    )
    (fp_poly
        (pts
            (xy -0.175 0.625)
            (xy 0.175 0.625)
            (xy 0.175 0.875)
            (xy -0.175 0.875)
        )
        (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 089d8ca5-f7ac-4a99-9a5e-e)
    )
    (fp_line (start -1 -1.25) (end -1 1.25)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 564a4caa-87fa-4c93-8f4a-0d912afc9db5))
    (fp_line (start -1 -1.25) (end 1 -1.25)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 65c5e94f-54ea-4308-a362-fc17eff491dc))
    (fp_line (start -1 1.25) (end 1 1.25)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0fc32090-8ddf-4c08-b334-dbc8edc7b603))
    (fp_line (start 1 -1.25) (end 1 1.25)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7eabb18a-16a8-40de-952c-e2e7e8bd1a90))
    (fp_line (start -0.5 -1) (end 0.5 -1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 18da9bae-35d7-44f3-9307-da2b99c6b0b1))
    (fp_line (start -0.5 1) (end 0.5 1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 585bc855-59c9-4a5f-8e2e-c053874011c7))
    (fp_line (start 0.5 -1) (end 0.5 1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad792066-60fb-48ae-adae-b67da9a23603))
    (fp_line (start 0.5 1) (end -0.5 1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a3f570cf-d4a1-4b86-ade0-eeaf9d12015e))
    (pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
        (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "R1.1") (pintype "passive") (tstamp e3ea4070-a773-4)
    )
    (pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
        (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "R2.1") (pintype "passive") (tstamp a0b49e87-9b6a-4)
    )
    (pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec

```

```
(net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "R3.1") (pintype "passive") (tstamp 3783779b-d06e-4000-8000-000000000000)
(pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads 0.15 0.15 0.15 0.15))
(net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "R4.1") (pintype "passive") (tstamp 249a4549-78a6-4000-8000-000000000000)
(pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads 0.15 0.15 0.15 0.15))
(net 212 "/IO_Banks/IO_Buffer_B/P4") (pinfunction "R4.2") (pintype "passive") (tstamp afa6c405-0b4e-4000-8000-000000000000)
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads 0.15 0.15 0.15 0.15))
(net 211 "/IO_Banks/IO_Buffer_B/P5") (pinfunction "R3.2") (pintype "passive") (tstamp 6255fe09-c842-4000-8000-000000000000)
(pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads 0.15 0.15 0.15 0.15))
(net 210 "/IO_Banks/IO_Buffer_B/P6") (pinfunction "R2.2") (pintype "passive") (tstamp ef8657f4-c079-47bd-4000-800000000000)
(pad "8" smd roundrect (at 0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_pads 0.15 0.15 0.15 0.15))
(net 209 "/IO_Banks/IO_Buffer_B/P7") (pinfunction "R1.2") (pintype "passive") (tstamp 0661d86f-b3cf-4000-8000-000000000000)
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ea8cc7b)
(at 90.8 90.3)
(descr "Chip Resistor Network, ROHM MNR04 (see mnr_g.pdf)")
(tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
(property "MPN" "YC124-JR-1333RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-000000000000")
(attr smd)
(fp_text reference "RN7" (at 0 0.3 90) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 4e1be3cd-4e92-4fbf-88de-dc7d9ef1821e)
)
(fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 5028ab94-5019-4a20-8b33-628690cb31c3)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075))))
(tstamp 0917b10e-4308-47bb-9440-e9afc415847a)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 50c6cca0-bb77-4718-a399-5e1abcc1104f))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 5f04a30c-aa85-42d4-a13e-ca8e88984425))
(fp_poly
(pts
(xy -0.175 -0.875)
(xy 0.175 -0.875)
(xy 0.175 -0.625)
(xy -0.175 -0.625)
)
(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp bb9c553e-7216-401a-ba5f-4a0000000000))
(fp_poly
(pts
(xy -0.175 -0.375)
(xy 0.175 -0.375)
(xy 0.175 -0.125)
(xy -0.175 -0.125)
)
(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 6d9fc3ea-c674-41a3-aab6-800000000000))
(fp_poly
(pts
```

```
(xy -0.175 0.125)
(xy 0.175 0.125)
(xy 0.175 0.375)
(xy -0.175 0.375)
)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 619e0304-7519-44df-b51d-63)
(fp_poly
(pts
(xy -0.175 0.625)
(xy 0.175 0.625)
(xy 0.175 0.875)
(xy -0.175 0.875)
)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 89b0feca-d280-4a11-adeb-1c)
(fp_line (start -1 -1.25) (end -1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c938352a-ac10-4c51-b608-61abd3a05ac3))
(fp_line (start -1 -1.25) (end 1 -1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7d86eff9-b0e4-41cc-abb6-f7e7fb69337e))
(fp_line (start -1 1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6fd67115-d7f5-4d11-8fba-ed2f7bdec01b))
(fp_line (start 1 -1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8cedfb8c-cfe1-4c4c-95fb-84cfbbf1b987))
(fp_line (start -0.5 -1) (end 0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8344c6a5-4dac-43ec-9b32-061d637d272f))
(fp_line (start -0.5 1) (end -0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7e669e2-75df-45db-a677-ac62159b6d9f))
(fp_line (start 0.5 -1) (end 0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp abd7a851-3df5-4355-af4f-7746ccf06c23))
(fp_line (start 0.5 1) (end -0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b0e4c6f0-598c-406a-9886-73080f4e7a80))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 97 "/IO_Banks/QA0") (pinfunction "R1.1") (pintype "passive") (tstamp 14ab1de5-8635-4680-a0b4-9b)
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 99 "/IO_Banks/QA1") (pinfunction "R2.1") (pintype "passive") (tstamp 68f0fc85-edf7-4880-9b5b-c)
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 100 "/IO_Banks/QA2") (pinfunction "R3.1") (pintype "passive") (tstamp 37e52500-8618-45bb-a837-)
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 101 "/IO_Banks/QA3") (pinfunction "R4.1") (pintype "passive") (tstamp 89f851fb-9a61-4393-a47a-)
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 180 "/IO_Banks/IO_Buffer_A/X3") (pinfunction "R4.2") (pintype "passive") (tstamp 7a8e27b9-5a6e-)
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
(net 181 "/IO_Banks/IO_Buffer_A/X2") (pinfunction "R3.2") (pintype "passive") (tstamp 4f29314f-c640-)
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 182 "/IO_Banks/IO_Buffer_A/X1") (pinfunction "R2.2") (pintype "passive") (tstamp ddf65daf-8235-)
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 208 "/IO_Banks/IO_Buffer_A/X0") (pinfunction "R1.2") (pintype "passive") (tstamp 85b53693-6146-)
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)

 footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ea8cc92)
(at 90.8 92.8)
(descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
(tags "resistor array")
(property "lib2-bom-key" "res-0402cv-array-4-33r")
(property "MPN" "YC124-JR-1333RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
```

```

(attr smd)
(fp_text reference "RN8" (at 0 0.3 90) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 31e0e161-9fcf-4ca1-b079-614a9755368e)
)
(fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 05f6f812-54dd-454d-a076-bbbbdde03f5b)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
  (tstamp 2c2a5df2-0935-41b8-a37c-c8ccfd1dac31)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 0379f7bf-b89a-4567-896b-32937a907281))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a0e12c0b-aa7f-4a71-bdc2-aa4927c1e05a))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 52335fbe-f039-4a96-bf29-1
)
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e7304739-2d0c-4ac3-9a1e-7
)
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 724b86d5-a49e-4cfb-9b69-2
)
(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp bfb2b63d-5e32-4dc4-a110-d
)
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 49a3130e-6ad7-403d-88bf-c3d8d20fe316))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5a98f5d4-3ea0-42ef-8bfc-77f0475d7562))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e63746e2-5cdb-4ac3-baa0-fb92f163125d))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f3cad4c5-74bf-4c2c-ad8c-229c1697d716))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e04ede01-dc4b-41c0-809a-3138e9000584))
(fp_line (start -0.5 1) (end -0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0861c16a-4693-4191-836c-b85f656992f2))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0d046acb-b1a4-4812-add0-02eb2b0bb14e))
(fp_line (start 0.5 1) (end -0.5 1)

```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d4a0b95-a04a-4555-a61c-ebc628f2ad5e))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 102 "/IO_Banks/QA4") (pinfunction "R1.1") (pintype "passive") (tstamp e6442d84-6540-4ec4-87f4-
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 103 "/IO_Banks/QA5") (pinfunction "R2.1") (pintype "passive") (tstamp 12ffab92-e575-4094-ae25-
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 104 "/IO_Banks/QA6") (pinfunction "R3.1") (pintype "passive") (tstamp 7b502706-0bea-4059-a157-
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 98 "/IO_Banks/QA7") (pinfunction "R4.1") (pintype "passive") (tstamp 83f96405-4be9-407e-b68e-c
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 183 "/IO_Banks/IO_Buffer_A/X7") (pinfunction "R4.2") (pintype "passive") (tstamp 044df29d-d330
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
(net 184 "/IO_Banks/IO_Buffer_A/X6") (pinfunction "R3.2") (pintype "passive") (tstamp 9ac23f08-f20d
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 185 "/IO_Banks/IO_Buffer_A/X5") (pinfunction "R2.2") (pintype "passive") (tstamp 69167fca-213f
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 186 "/IO_Banks/IO_Buffer_A/X4") (pinfunction "R1.2") (pintype "passive") (tstamp 8e6ad69f-bc60
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ea8ccc0)
(at 105.7 86 90)
(descr "Chip Resistor Network, ROHM MNR04 (see mn_r.pdf)")
(tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
(property "MPN" "YC124-JR-1333RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "RN10" (at 0 0) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 97b98352-1c8f-4f35-9a28-550d8ea243ce)
)
(fp_text value "33R" (at -1.3 0 180) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 3faf9be5-0527-4e20-988f-c16a17686180)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp 795b01cc-71af-4e30-8d0f-fc711ffc0fe5)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 1d127dd5-5408-4048-bce1-ce376584621a))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 9b80d76c-7bdf-4e90-aa78-116cbb62ad05))
(fp_poly
(pts
(xy -0.175 -0.875)
(xy 0.175 -0.875)
(xy 0.175 -0.625)
(xy -0.175 -0.625)
)
(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 2e226836-fa53-45b2-b557-3
(fp_poly
(pts
(xy -0.175 -0.375)
(xy 0.175 -0.375)
(xy 0.175 -0.125)
```



```

        (xy -0.175 -0.125)
    )

    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 912a4e67-b1b9-4344-8f50-d
(fp_poly
    (pts
        (xy -0.175 0.125)
        (xy 0.175 0.125)
        (xy 0.175 0.375)
        (xy -0.175 0.375)
    )

    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e66e44e6-8766-43b0-aeeb-8
(fp_poly
    (pts
        (xy -0.175 0.625)
        (xy 0.175 0.625)
        (xy 0.175 0.875)
        (xy -0.175 0.875)
    )

    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 0b4d83ba-fb90-4663-8917-7
(fp_line (start -1 -1.25) (end -1 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c58dc06c-8853-4874-acf6-2987dcfe43ff))
(fp_line (start -1 -1.25) (end 1 -1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b936c161-d111-40e9-ab24-e277a303eea7))
(fp_line (start -1 1.25) (end 1 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79475393-4fdc-4bab-90c5-353564070d7a))
(fp_line (start 1 -1.25) (end 1 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd497274-af1c-4831-ad05-ccf2191f0294))
(fp_line (start -0.5 -1) (end 0.5 -1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 25091aa6-6579-4ae9-a8b8-a44b9dc6868f))
(fp_line (start -0.5 1) (end 0.5 1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a1d8a7b-9277-4043-ac9f-d9f47819279c))
(fp_line (start 0.5 -1) (end 0.5 1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e459b37-5760-4f91-84c8-ef4997cb809e))
(fp_line (start 0.5 1) (end -0.5 1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 66f73108-e630-415d-9c3f-adf8b00a6914))
(pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 80 "/IO_Banks/IO_Buffer_A/Y4") (pinfunction "R1.1") (pintype "passive") (tstamp b348c943-4482-
(pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 81 "/IO_Banks/IO_Buffer_A/Y5") (pinfunction "R2.1") (pintype "passive") (tstamp 5635e966-77bf-
(pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 82 "/IO_Banks/IO_Buffer_A/Y6") (pinfunction "R3.1") (pintype "passive") (tstamp e2e5d3b7-8f6f-
(pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 75 "/IO_Banks/IO_Buffer_A/Y7") (pinfunction "R4.1") (pintype "passive") (tstamp f5e79a10-5d86-
(pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "R4.2") (pintype "passive") (tstamp e5b24502-253b-
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "R3.2") (pintype "passive") (tstamp 135a9718-c592-
(pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "R2.2") (pintype "passive") (tstamp ca69d86f-6952-
(pad "8" smd roundrect (at 0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "R1.2") (pintype "passive") (tstamp c1d31529-c30d-
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ea8ccd7)
    (at 110.9 85 -90)
    (descr "Chip Resistor Network, ROHM MNR04 (see mnr_g.pdf)")
    (tags "resistor array")
    (property "1b2-bom-key" "res-0402cv-array-4-10k")
    (property "MPN" "YC124-JR-0710KL")

```

```
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/000000000-0000-0000-0000-00005c7b59b0/000000000-0000-0000-0000-00005c9e337e/000000000-0000-0000-0000-00005c9e337e")
(attr smd)
(fp_text reference "RN11" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 1128a3b6-56ed-41b3-be4f-780fd776b20a)
)
(fp_text value "10k" (at 0.9 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp fc004b25-8b74-43e2-ab62-0aca6a4b61c4)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 21ac0984-7e22-4f8c-b95c-f04dd43e3087)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 392c6289-109d-40ae-a1c0-51fd19bffe29))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 7ddc3d70-b182-4df4-a485-2b75c4c0d597))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 78820f4e-acbf-4bf3-8d3a-6a4b61c4))
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 3823e544-b829-488e-ad99-c4b61c4))
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 69b22b86-9b1a-4cb2-9952-7d6d6a8397a6))
(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp b5261f83-54d6-4bad-a04e-e8d2a633-7da2-486e-b9a3-96a5ede2de03))
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e8d2a633-7da2-486e-b9a3-96a5ede2de03))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 91ff2092-d65d-4ca1-8496-56a75dc259f3))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 73137511-50fe-47bd-a1aa-b4c5dd2c16a3))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e7433ac4-4664-4673-a7d2-7d6d6a8397a6))
(fp_line (start -0.5 -1) (end 0.5 -1)
```

[illegible]

```

(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 8ffb4790-f5d9-4099-803f-a
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 5b5b75f8-72d8-4e07-9a03-a
(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 1339bb3f-777d-4737-b084-0
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ca6a09b-1ed1-4da6-b249-83a9bee707bc))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 733825ce-3aff-4fd4-b11b-b40382b3e487))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 19a2a32f-3e8d-4aac-8806-e8e45592feaa))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dbd21aec-6d1d-462f-9e8a-3c4f8d3dcaf6))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0d7613a3-be4c-441f-8251-7700c7905aa7))
(fp_line (start -0.5 1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae0c5d97-a839-4be0-b5a0-5f23cdd0f83d))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5c081086-6233-4550-998d-ac1ee24df5c6))
(fp_line (start 0.5 1) (end -0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0bdeb77a-7374-4db4-86fb-fd12d0aa6300))
(pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "R1.1") (pintype "passive") (tstamp 9e9cf355-cbe8-f
(pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "R2.1") (pintype "passive") (tstamp 17051a76-5ae9-f
(pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "R3.1") (pintype "passive") (tstamp cf0032d2-4925-f
(pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "R4.1") (pintype "passive") (tstamp 53db9466-2e5f-f
(pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 220 "/IO_Banks/IO_Buffer_A/P4") (pinfunction "R4.2") (pintype "passive") (tstamp 42e1a1f6-81a4-f
(pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 219 "/IO_Banks/IO_Buffer_A/P5") (pinfunction "R3.2") (pintype "passive") (tstamp 9d29b25f-9e37-f
(pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 218 "/IO_Banks/IO_Buffer_A/P6") (pinfunction "R2.2") (pintype "passive") (tstamp 79a47e18-5aa6-f
(pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
  (net 217 "/IO_Banks/IO_Buffer_A/P7") (pinfunction "R1.2") (pintype "passive") (tstamp 3a5c7f52-41e8-f
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ec97efe)

```

```
(at 96.1 85.7)
(descr "SOT-363, SC-70-6")
(tags "SOT-363 SC-70-6")
(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
(property "MPN" "SN74LVC1T45DCKR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00000000")
(attr smd)
(fp_text reference "U4" (at 0 0.1 180) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 297b9b5c-165e-4bdd-a1e3-9b2ce980aab0)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04))))
(timestamp cff60698-ac55-458e-8326-6bac8d61ccd2)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
(timestamp d97b12d9-b35f-4636-88fd-ad1107d3ac0c)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 90f59db0-a58f-400e-813b-b987f0d89c1a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp ef41bf14-1d7b-4759-b4a3-4e2fdc9aa088))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 5d765c26-dba1-4b56-9b21-84529059c3c1))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 5db69df1-2e68-41a4-bc1e-91017789500f))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 0bb0708e-0eb8-4fff-a469-0b2c9ed1fb62))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6797f532-2ef0-49e1-b592-7dad1c40e2cb))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 30b58ea3-faa9-425a-b6ed-160e0eef4870))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d86eccaa-370b-403f-af1b-c4686ad712ca))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 92bc9b2b-6454-4847-b9c6-7436a4dd4871))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 63ce9d05-1da5-4dcc-bf34-aa6a0af858d9))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp cd39aa10-a957-461d-8033-b4b42e96b2c5))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (timestamp 23c306a0-7d0a-4c3e-a470-e215009dccc0)))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (timestamp c50d4c90-cec2-4cac-9262-4636521101c4)))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 208 "/IO_Banks/IO_Buffer_A/X0") (pinfunction "A") (pintype "bidirectional") (timestamp 6fbff7ff-6b0d-429d-b000-000000000000)))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 73 "/IO_Banks/IO_Buffer_A/Y0") (pinfunction "B") (pintype "bidirectional") (timestamp 4d06d216-d800-429d-b000-000000000000)))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 141 "/IO_Banks/DA0") (pinfunction "DIR") (pintype "input") (timestamp 9bba522e-c71a-4909-a085-635000000000)))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (timestamp dc6b7bd6-a6d6-4279-98d000000000)))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005ec99332)
  (at 90.8 99.6)
```

```

(descr "SOT-363, SC-70-6")
(tags "SOT-363 SC-70-6")
(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
(property "MPN" "SN74LVC1T45DCKR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_banks.kicad_sch")
(property "Sheetname" "IO_Banks")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005ca4f297")
(attr smd)
(fp_text reference "U32" (at 0 0 180) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp f6b4a45f-85ca-48d0-9b7d-673d9efc6995)
)
(fp_text value "SN74LVC1T45DCKR" (at -1 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.05))))
  (tstamp acb96c4d-d142-49af-9b6f-758a313ddf0f)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
  (tstamp e9154492-f182-443f-878c-0b2a09444786)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8407437f-fe0c-4e6c-8326-36cd7f1b5195))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 216fe322-be16-4ea4-97b7-92acc167962e))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c01736ce-38e6-42e9-947d-18caa07192b5))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6b5a63e8-7d3d-4173-96e1-abba75258600))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4ed184a-4077-4f20-9950-ca2feff6bb7f))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b1bba30a-a3b8-4565-a8d0-a6638ff5b2fd))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd2f373e-5a2e-449d-948d-65775e65ebd3))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f1b86db6-9017-4be1-8c7a-76f7d6e0f9a6))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b6e7ac72-3734-4c1a-89bf-29bab54976e1))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30d47ca6-0536-4058-9025-000789653bf7))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f6e6f526-d45c-49f9-a3ad-d0f39506d961))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 573d942b-ded5-4ad2-9756-1484462738a
  (pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp f5f61658-1ceb-4a1c-b8fe-87d86e9102bb
  (pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 241 "Net-(U32-A)") (pinfunction "A") (pintype "bidirectional") (tstamp d3efa0d6-212c-41ec-afbe
  (pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 236 "Net-(U32-B)") (pinfunction "B") (pintype "bidirectional") (tstamp df267b99-4797-472c-b151
  (pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 233 "Net-(U30A-IOT_219)") (pinfunction "DIR") (pintype "input") (tstamp 419f28be-0705-43ba-9000
  (pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCB") (pintype "power_in") (tstamp 88f52aa2-dda9-45d9-8109-cde98d83ed
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecc945e)
  (at 100.1 105.3)
  (descr "SOT-363, SC-70-6")

```

```
(tags "SOT-363 SC-70-6")
(property "ib2-bom-key" "ic-sot563-sn4lvc1t45dckr")
(property "MPN" "SN74LVC1T45DCKR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U29" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 717e5bcf-acf2-4d24-bef6-2310df28d8f4)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp 8840699a-5f48-4039-914d-da3a8dce0725)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 8c09a65a-e84d-45d5-9446-e57d0dfed2ef)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fad661a3-480f-44f6-a4e8-8e37e240098a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d574a2ed-e6a8-49f7-898a-561dca097535))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c86bf701-88d7-41ef-96e6-409b2ead8aba))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 74788e61-1087-463a-9869-20ad5ceffd05))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 73604b0c-0a33-4a2d-962c-0923b4c4e93d))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c6e2f6de-73d4-4ebc-b080-2239fb8297d4))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b618ccb0-7488-43c6-b828-d012eed3a0bd))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96bb3f0c-280f-454a-92d5-b9055bc65d43))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a1b5e28d-cc28-4049-8895-efa3c30748f6))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f75db874-16a0-4ef9-90df-a9344a0201f9))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c76b53f1-747d-420a-8349-7fadfb7cbb58))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 3e42798d-199b-4e7f-8ac4-5f1f22a317)
)
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 377de936-1338-4ba8-8470-53d24b8b81b9))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 176 "/IO_Banks/IO_Buffer_B/X7") (pinfunction "A") (pintype "bidirectional") (tstamp d3967265-4a
)
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 59 "/IO_Banks/IO_Buffer_B/Y7") (pinfunction "B") (pintype "bidirectional") (tstamp 0478b4f6-4a
)
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 154 "/IO_Banks/DB7") (pinfunction "DIR") (pintype "input") (tstamp 94659fe0-2e9d-4288-aba0-613
)
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 107 "/IO_Banks/VI0B") (pinfunction "VCCB") (pintype "power_in") (tstamp dab117cf-5a42-4f23-8ec
)
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:D_SOD-523" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecc9519)
  (at 107.8 95.1 -90)
  (descr "http://www.diodes.com/datasheets/ap02001.pdf p.144")
  (tags "Diode SOD523")
)
```

```

(property "1b2-bom-key" "esd-diode-sod523-esd5z5_0t1g")
(property "DNP" "DNP")
(property "MPN" "ESD5Z5.0T1G")
(property "Mfg" "ON Semiconductor")
(property "Sheetfile" "io_banks.kicad_sch")
(property "Sheetname" "IO_Banks")
(property "dnp" "")
(property "ki_description" "Zener diode")
(property "ki_keywords" "diode")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb88f58")
(attr smd)
(fp_text reference "D13" (at -0.9 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp 3b51800c-c9b8-43da-b98c-7ad4561f4386)
)
(fp_text value "ESD5Z5.0T1G" (at -0.2 -0.9 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp dd87c057-a6d7-4eee-b2f1-8f9767d7d658)
)
(fp_text user "DNP" (at 1 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 2de56251-33bd-4d3a-ab9a-f77529d73e76)
)
(fp_text user "${REFERENCE}" (at -1 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 3dd5eeb0-7029-469b-9c4b-5cc5b0765354)
)
(fp_line (start -1.15 -0.6) (end -1.15 0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 47a7cabb-38a2-478f-b956-a11a26ba3da5))
(fp_line (start 0.7 -0.6) (end -1.15 -0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fe4962e8-af4a-4d30-a109-ec4ce4689059))
(fp_line (start 0.7 0.6) (end -1.15 0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fb8e689d-b4c5-4482-bd02-ba387e6b3142))
(fp_line (start -1.25 -0.7) (end 1.25 -0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7549662d-8854-4f9e-80b6-f28f8a7526cd))
(fp_line (start -1.25 0.7) (end -1.25 -0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ce89ed6-c66a-4d40-9c0d-8e3231efc003))
(fp_line (start 1.25 -0.7) (end 1.25 0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0c66ed32-e750-4911-b3d7-d6369521d7f7))
(fp_line (start 1.25 0.7) (end -1.25 0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6f439fe9-ce10-4a40-925d-607cc57d4d5a))
(fp_line (start -0.65 -0.45) (end 0.65 -0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 693553d4-107d-487c-99f8-fe626882c575))
(fp_line (start -0.65 0.45) (end -0.65 -0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 95c4f9f4-c2b4-419b-a4c8-fede1bf6fff7))
(fp_line (start -0.2 0) (end -0.35 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f6c8e544-881e-4049-a0c4-ec4b7a36db7f))
(fp_line (start -0.2 0) (end 0.1 0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a54025a2-fecf-4d53-9ccd-2b527837110f))
(fp_line (start -0.2 0.2) (end -0.2 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp adff1187-cf2c-49ac-b1dc-04aeddff77b7b))
(fp_line (start 0.1 -0.2) (end -0.2 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 882c7fa1-74c7-4012-9e0e-540540817799))
(fp_line (start 0.1 0) (end 0.25 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3c6157c2-1ef2-4145-b1b6-fd89a9990a76))
(fp_line (start 0.1 0.2) (end 0.1 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c2f9166e-c573-42b4-bea8-0e7d148e0fcb))
(fp_line (start 0.65 -0.45) (end 0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0b95ead9-2d7a-41f8-9dd3-3e0e4019e3fe))
(fp_line (start 0.65 0.45) (end -0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ed52d5db-bbee-4929-85b3-188ddc0425b8))
(pad "1" smd roundrect (at -0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 167 "Net-(D13-K)") (pinfunction "K") (pintype "passive") (tstamp c3b098d5-5ff5-4880-8d4a-b8d3d
  (pad "2" smd roundrect (at 0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp b60f446d-c1e7-43af-9751-ec2dba9ba364))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-523.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))

```


[illegible]

```
(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 2c7c7be2-739a-4749-b8fa-9d6e0f000000)
(fp_line (start -1 -1.25) (end -1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 74ec0281-a0ed-490f-9f8d-63f540753c46))
(fp_line (start -1 -1.25) (end 1 -1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c31933f6-515e-401c-9009-4d932192fb5d))
(fp_line (start -1 1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0c9b9e95-f3dd-466e-8bef-2edd1757c1fd))
(fp_line (start 1 -1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 62343ea6-7f3c-4241-a9e0-12028f9026d1))
(fp_line (start -0.5 -1) (end 0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8906343c-8dc7-411b-b3d7-72e73c3f3083))
(fp_line (start -0.5 1) (end 0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad6bbdda-f449-4e80-aeb6-ff0e9f750d31))
(fp_line (start 0.5 -1) (end 0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6c61b4f0-782c-4045-976b-6fd6da7c6b83))
(fp_line (start 0.5 1) (end -0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ceb0dd4e-b852-4aac-956b-c815d7dc3876))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 91 "/IO_Banks/QB4") (pinfunction "R1.1") (pintype "passive") (tstamp 339c2d71-b485-4ea5-978e-2f0000000000))
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 90 "/IO_Banks/QB5") (pinfunction "R2.1") (pintype "passive") (tstamp fdd8fb21-53db-4966-98d0-c00000000000))
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 89 "/IO_Banks/QB6") (pinfunction "R3.1") (pintype "passive") (tstamp 74e4a7e8-84f5-4cc4-99b9-500000000000))
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 95 "/IO_Banks/QB7") (pinfunction "R4.1") (pintype "passive") (tstamp fe17065c-c0ac-4e2c-80de-800000000000))
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 176 "/IO_Banks/IO_Buffer_B/X7") (pinfunction "R4.2") (pintype "passive") (tstamp 9527c171-2868-4000-0000-000000000000))
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
(net 177 "/IO_Banks/IO_Buffer_B/X6") (pinfunction "R3.2") (pintype "passive") (tstamp 40167830-2c05-4000-0000-000000000000))
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 178 "/IO_Banks/IO_Buffer_B/X5") (pinfunction "R2.2") (pintype "passive") (tstamp b0bdc937-c5dc-4000-0000-000000000000))
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 179 "/IO_Banks/IO_Buffer_B/X4") (pinfunction "R1.2") (pintype "passive") (tstamp 834f07c1-4d01-4000-0000-000000000000))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005eccd264)
(at 90.8 102.9)
(descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
(tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
(property "MPN" "YC124-JR-1333RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-000000000000")
(attr smd)
(fp_text reference "RN1" (at 0 0.3 90) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 4aaefaff-0352-455a-8c21-a03086eca733)
)
(fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp a37de952-e549-4bd1-bf0e-63332c4cf9d8)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp b54cb3e0-d69e-4c33-acf4-d2694f22dd31)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 21688e0a-709a-4bc4-9e7e-f9d8d90f61c3))
```

```

(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8fa251ea-5239-4ca0-aa60-054d268d79f3))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 54c51884-56e0-42a4-8ba2-2f9d-440b-9498-ba019-ef2357fba619))
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 137c5184-2f9d-440b-9498-ba019-ef2357fba619))
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e499962f-f35f-4694-b4ae-c5ed9de2-4201-4cfe-b137-ba8edd625a6c))
(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 958b23ea-9ed4-4fd5-9692-3081024d-81e9-4903-8f19-072920070188))
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f8ef45df-69d1-4c3b-a019-ef2357fba619))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 092d75ad-9a6f-4635-a592-1a8fa939691e))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6081024d-81e9-4903-8f19-072920070188))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5ed9de2-4201-4cfe-b137-ba8edd625a6c))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96b44b3f-8c0f-46b8-be60-b9336065a2a9))
(fp_line (start -0.5 1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8fe27135-08b9-4318-80e9-4061d26b3703))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0927795c-fab2-41d3-88d1-e6db0ab61f6b))
(fp_line (start 0.5 1) (end -0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cc91534b-3be9-46f3-b3f8-d08f562e5073))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_0
  (net 96 "/IO_Banks/QB0") (pinfunction "R1.1") (pintype "passive") (tstamp e131adcb-e55e-465f-8e73-08f562e5073))
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_0
  (net 94 "/IO_Banks/QB1") (pinfunction "R2.1") (pintype "passive") (tstamp c95fbd80-24b9-4a6f-b9aa-208f562e5073))
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 93 "/IO_Banks/QB2") (pinfunction "R3.1") (pintype "passive") (tstamp 1ddc14da-8339-4fb4-a642-708f562e5073))
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_0
  (net 92 "/IO_Banks/QB3") (pinfunction "R4.1") (pintype "passive") (tstamp 4daa523e-203b-49c2-be1f-608f562e5073))
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 173 "/IO_Banks/IO_Buffer_B/X3") (pinfunction "R4.2") (pintype "passive") (tstamp 22188e16-aa9c-4061-d26b-3703))
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 174 "/IO_Banks/IO_Buffer_B/X2") (pinfunction "R3.2") (pintype "passive") (tstamp a10ac9f1-bb3f-4061-d26b-3703))
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 175 "/IO_Banks/IO_Buffer_B/X1") (pinfunction "R2.2") (pintype "passive") (tstamp 7155f259-b874-4061-d26b-3703))

```

```
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 207 "/IO_Banks/IO_Buffer_B/X0") (pinfunction "R1.2") (pintype "passive") (tstamp fb01cc6f-592a
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ecdafd9)
(at 108.35 92.25 -90)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-10k")
(property "MPN" "RC0402FR-1310KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "R37" (at 0 0 90) (layer "F.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)))
(tstamp f5d0bff-d-a8a6-4faf-8f82-daa6cd9fb420)
)
(fp_text value "10k" (at 0 0.65 -90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 4b87e1aa-dbb1-4c0f-a0e4-ab83df51ad16)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)))
(tstamp 672a703e-932e-4f4b-b8da-a2d49e6b819a)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp da341974-e9e3-440f-ab96-397f3dfb2d89))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c1c7a6ec-f696-4fd7-8772-3ee9512ae7a4))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a3654e2f-f64a-4122-a407-c3674cf9e338))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp caf20af6-dce9-4aac-ba79-f0189add0214))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 53298ffe-aa8e-4e03-bba5-b0f52a17a041))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4122fea-2e7b-4b37-a2a5-295d6d12de63))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ea75219-14ca-418f-b463-9c9c53b3bdb3))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f1fa5042-a3f3-44e3-afd6-d908b23862c7))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
(net 235 "Net-(U19--{RESET})") (pintype "passive") (tstamp b2142da8-7a38-4907-97d4-9a97c0934b45))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
(net 2 "+3V3") (pintype "passive") (tstamp 10158ebe-a010-4d85-ac7f-e2bc55c9e70d))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:USB_C_Receptacle_HRO_TYPE-C-31-M-12" locked (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ece3732)
(at 52.65 95.5 -90)
(descr "USB Type-C receptacle for USB 2.0 and PD, http://www.krhero.com/uploads/soft/180320/1-1P320120
(tags "usb usb-c 2.0 pd")
(property "1b2-bom-key" "conn-smd-usb-c-2"))
```

```

(property "MPN" "TYPE-C-31-M-12")
(property "Mfg" "Korean Hroparts Elec")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "USB 2.0-only Type-C Receptacle connector")
(property "ki_keywords" "usb universal serial bus type-C USB2.0")
(path "/00000000-0000-0000-0000-00005ed2e76f")
(attr smd)
(fp_text reference "J1" (at 0 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp f400008f-6df0-48ff-9d8e-6293f8e3f810)
)
(fp_text value "USB_C_USB2.0" (at 0 4.65 -90) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp 2c701780-0e50-4225-8684-8f1ee2e14893)
)
(fp_rect (start -5.32 -4.18) (end -4.32 -2.08)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (timestamp 17014653-e8b2-4ab2-a18b-2862)
)
(fp_rect (start -5.32 0.25) (end -4.32 1.85)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (timestamp 1bb0e751-6969-4175-907c-a6bb)
)
(fp_rect (start 4.32 -4.18) (end 5.32 -2.08)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (timestamp 2b88a030-17be-44ef-931d-2bbd)
)
(fp_rect (start 4.32 0.25) (end 5.32 1.85)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (timestamp 7e2e4667-6ffd-4aa6-9775-77f8)
)
(fp_line (start -4.7 -1.9) (end -4.7 0.1)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp df8e678a-3538-4d62-9976-c1cb9e4e40d6))
(fp_line (start -4.7 2) (end -4.7 3.9)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 342a620b-7346-4d2f-9650-38b005548e3f))
(fp_line (start -4.7 3.9) (end 4.7 3.9)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 939bb4fa-a735-4ec7-9404-3aec434db9ae))
(fp_line (start 4.7 -1.9) (end 4.7 0.1)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 4614debb-7471-48c6-bd9a-ce788d8ad9c1))
(fp_line (start 4.7 2) (end 4.7 3.9)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 69019765-503b-47b3-832b-61ba36cc4d2e))
(fp_line (start -5.32 -5.27) (end -5.32 4.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 558e9a13-af23-45e6-97ae-115bbf8c9a4b))
(fp_line (start -5.32 -5.27) (end 5.32 -5.27)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6dba102a-4203-468e-856c-e53102f67000))
(fp_line (start -5.32 4.15) (end 5.32 4.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b945748f-8e29-447a-9b6a-007a0b0c5983))
(fp_line (start 5.32 -5.27) (end 5.32 4.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a237697c-28cb-4bb0-8530-1e84e76a04f9))
(fp_line (start -4.47 -3.65) (end -4.47 3.65)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d4789941-4442-4c4b-bc9a-ad8f91c247ca))
(fp_line (start -4.47 -3.65) (end 4.47 -3.65)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 8af3482b-7586-4740-89b5-0d6e22655264))
(fp_line (start -4.47 3.65) (end 4.47 3.65)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 46551c68-d018-461e-8490-8d2684d0480f))
(fp_line (start 4.47 -3.65) (end 4.47 3.65)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp ae7070d2-08a6-4c53-9983-135183db469c))
(pad "" np_thru_hole circle locked (at -2.89 -2.6 270) (size 0.65 0.65) (drill 0.65) (layers "*.Cu" "F.Mask"))
(pad "" np_thru_hole circle locked (at 2.89 -2.6 270) (size 0.65 0.65) (drill 0.65) (layers "*.Cu" "F.Mask"))
(pad "A1" smd roundrect locked (at -3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (timestamp 68ac7682-344a-43fe-af9b-03f108d5b9c8))
(pad "A4" smd roundrect locked (at -2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (timestamp f1dd298a-4040-4b08-ba99-c8c44c0))
(pad "A5" smd roundrect locked (at -1.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 188 "/CC1") (pinfunction "CC1") (pintype "bidirectional") (timestamp 1833ab8a-4259-48ab-8206-004e))
(pad "A6" smd roundrect locked (at -0.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 8 "/USB_P") (pinfunction "D+") (pintype "bidirectional") (timestamp 2c252a82-da50-4ae9-9822-e3ee3))
(pad "A7" smd roundrect locked (at 0.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 11 "/USB_N") (pinfunction "D-") (pintype "bidirectional") (timestamp 8639d9d7-0a83-4452-ba84-3074))
(pad "A8" smd roundrect locked (at 1.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 205 "unconnected-(J1-SBU1-PadA8)") (pinfunction "SBU1") (pintype "bidirectional-no_connect") (timestamp 1833ab8a-4259-48ab-8206-004e))
(pad "A9" smd roundrect locked (at 2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (timestamp a6f911ec-1108-4f81-bf47-d2083d1))
(pad "A12" smd roundrect locked (at 3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (timestamp c7f04447-e89c-4520-9f3f-5a8299d2661e))

```

```

(pad "B1" smd roundrect locked (at 3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp e0c40af6-bad2-4d22-bdd6-1ae219eba676))
(pad "B4" smd roundrect locked (at 2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (tstamp 01c06228-aa3d-470c-a983-0afb570a570a))
(pad "B5" smd roundrect locked (at 1.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 189 "/CC2") (pinfunction "CC2") (pintype "bidirectional") (tstamp 065ce400-298c-4696-8931-95f2b2b2b2b2))
(pad "B6" smd roundrect locked (at 0.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 8 "/USB_P") (pinfunction "D+") (pintype "bidirectional") (tstamp 5c05a74a-8ec1-4705-8ad7-d5165f165f16))
(pad "B7" smd roundrect locked (at -0.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 11 "/USB_N") (pinfunction "D-") (pintype "bidirectional") (tstamp 20e0b349-d09a-42a5-9c84-9e04b9e04b9e))
(pad "B8" smd roundrect locked (at -1.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 201 "unconnected-(J1-SBU2-PadB8)") (pinfunction "SBU2") (pintype "bidirectional+no_connect") (tstamp 1a1a1a1a-1a1a-1a1a-1a1a-1a1a1a1a1a1a))
(pad "B9" smd roundrect locked (at -2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (tstamp 9bda5834-0681-428e-a775-88cc84c84c84))
(pad "B12" smd roundrect locked (at -3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp d047416a-b134-4d94-ab0b-2e3ce5676e6e))
(pad "S1" thru_hole oval locked (at -4.32 -3.13 270) (size 1 2.1) (drill oval 0.6 1.7) (layers "*.Cu" "F.Mask")
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp 8ac379ee-f66a-4140-8de7-972eb1a8e1a8))
(pad "S1" thru_hole oval locked (at -4.32 1.05 270) (size 1 1.6) (drill oval 0.6 1.2) (layers "*.Cu" "F.Mask")
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp b0120d18-c977-46c4-8426-7167c57efc57))
(pad "S1" thru_hole oval locked (at 4.32 -3.13 270) (size 1 2.1) (drill oval 0.6 1.7) (layers "*.Cu" "F.Mask")
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp 0c361e2b-c3e4-4602-9070-6ab0db4db0db))
(pad "S1" thru_hole oval locked (at 4.32 1.05 270) (size 1 1.6) (drill oval 0.6 1.2) (layers "*.Cu" "F.Mask")
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp e8f0c407-7b51-4dff-9f0a-4fa1f94af94a))
(model "${KIPRJM0D}/../../packages3D/USB_C_Receptacle_HRO_TYPE-C-31-M-12.step"
  (offset (xyz -4.47 -3.65 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecea33b)
  (at 61.9 90.2 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body: ceramic), (Termination: solder)"
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-9p")
  (property "MPN" "AC0402CRNP09BN9R0")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005ac69d3")
  (attr smd)
  (fp_text reference "C11" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp 7612fd51-cc63-493c-9e87-b5cbefe97ce0)
)
(fp_text value "9p" (at -1 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 8fc7fad3-36ca-43f8-a897-3ff372cfa793)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(tstamp daf8d982-9ec2-406e-9ae5-1e6362231d76)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 26b7cf08-69c9-4b35-8fea-407eb8cb2d01))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a2033f39-4daf-4e06-9bf1-69fa4a120ff3))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9469fe66-154b-4195-bf08-a126d143f97c))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b86be696-af6d-4792-b614-965ebab21815))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 168d0ecd-c0ad-4f97-9a9b-04ab468c6a8a))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 168d0ecd-c0ad-4f97-9a9b-04ab468c6a8a))

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dbe3065f-e6cd-4f9e-99ca-2b73635b7794))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e4475b33-0659-403c-ad1b-5a7806e1d24f))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61822eb6-ad46-463c-b949-35471605f5a1))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 9 "XTALOUT") (pintype "passive") (tstamp 4745ef01-211a-4186-b5bc-cce0b64d69c4))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp bcb45399-9f06-4d6e-8c9b-4793c82b6fc4))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecfcb55)
  (at 58.4 93.15 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-5k1")
  (property "MPN" "RC0402FR-075K1L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005f3fb3ba")
  (attr smd)
  (fp_text reference "R53" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp d09c5226-3c62-43c8-9ea4-1c778f3fbd6c)
  )
  (fp_text value "5k1" (at 1.15 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 451b471e-e092-40bf-a533-e4f3d761887a)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp d7ef22c6-c56b-4519-9031-062e3f819665)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57bffdb8-250c-4508-8dd8-7db2fbd7765d))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3fbb701f-f938-4d0a-a207-cd9b2853241e))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ddd38960-6849-419b-8a7d-ef4738e8a55e))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78928391-d0c8-4e76-baa5-958c17653a81))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7854462d-b2c3-42f5-a837-9946a64dfe0f))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c9e6a55-d1af-4b42-b8b8-0372cfce41eb))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 92bda5c7-04e7-451a-9c69-c3a7203afa44))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c97e4f6f-27ac-41df-838a-9748e18939e7))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp fba15f2e-a0c3-48b2-9bdc-21df17357a46))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 188 "/CC1") (pintype "passive") (tstamp 5a82d430-b81c-4f31-91d9-48bfa617b73c))
  (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ed6bc3d)
  (at 59.05 96.3 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b5bff50")
  (attr smd)
  (fp_text reference "C8" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp bb447b2c-dde8-49b4-977f-f4e8f3d57f4b)
  )
  (fp_text value "u1" (at 1.05 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp f0dab9c0-8b45-40ca-ae45-6a9fcc983fe3)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 2c5b3d57-0d5a-4b13-9ebd-7ccdd57aa074)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7ed2764-01ab-4bc4-a08a-967afb0fb3b1))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3ce83447-1f31-4013-98b2-468d01a2411c))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 88b2cb4d-58c1-4fb7-aec1-008249f344d4))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c9b2618c-6837-44c6-a502-e3674b43bae7))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bb4e6559-8cf9-419f-8eda-26bffc851da7))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 47462e19-cf8c-42b2-b3b4-628916cc4759))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b6c65de0-1887-4f8b-8658-72d489c5e39f))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ca2e956-7cee-46a8-a2ec-70e4731dee4e))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 32 "/VUSB") (pintype "passive") (tstamp 43fcd670-c98a-4958-a7f2-54d3d3ffd304))
  (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
    (net 3 "GND") (pintype "passive") (tstamp 6c11cc21-47f8-40db-9c88-e524a3b2ff79))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Inductor_SMD:L_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ed6bca0)
  (at 59.05 98.2)
  (descr "Inductor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "inductor")
  (property "1b2-bom-key" "ferrite-0402-600")
  (property "MPN" "BLM15PX601SZ1D")
  (property "Mfg" "Murata Electronics")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Ferrite bead")
  (property "ki_keywords" "L ferrite bead inductor filter")
  (path "/00000000-0000-0000-0000-00005c13076a")
  (attr smd)
  (fp_text reference "FB1" (at 0 0) (layer "F.Silks") hide

```



```

        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 67ed22d2-df00-459c-b23e-3f38c68f9681)
    )
    (fp_text value "600R, 0.5A" (at -1.65 0 180) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 1d4ef9b1-7d2f-45eb-8503-a6a8c77e225e)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp fb6370aa-218b-4d43-a3ac-dcbc7805ec55)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1be2d9cf-665d-4e3d-bb9e-d6b924a0aecd))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 023d618b-c21c-4a23-9942-2b2f5f925aa4))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d315d27e-e1a8-4450-9676-c39620ea17d3))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e76708c-a58a-4092-8f8a-ce6d31342ad2))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7a544651-5e76-4730-b140-5a00b99cd080))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d621c10e-fa26-405f-95a9-261710f32ecd))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f8f5a7fb-f7d3-42bb-b006-cac848b65e1f))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b491ce0c-f641-41b9-a170-0e4c45f4b979))
    (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
        (net 187 "/xVBUS") (pintype "passive") (tstamp 74c2f019-f9f4-45b4-a7f9-438064599c61))
    (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
        (net 32 "/VUSB") (pintype "passive") (tstamp a2df0ef6-c657-4e12-9da0-80946ad6b457))
    (model "${KICAD6_3DMODEL_DIR}/Inductor_SMD.3dshapes/L_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Glasgow:SOT-23-6" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ed6f5bd)
    (at 61.9 97.3)
    (descr "6-pin SOT-23 package")
    (tags "SOT-23-6")
    (property "1b2-bom-key" "ic-sot23-6-tpd3s014")
    (property "MPN" "TPD3S014DBVR")
    (property "Mfg" "Texas Instruments")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Current Limit Switch and D+/D- ESD Protection for USB Host Port, 0.5A, SOT-23")
    (property "ki_keywords" "ESD-Protection")
    (path "/00000000-0000-0000-0000-00005b280725")
    (attr smd)
    (fp_text reference "U15" (at 0 0 -90) (layer "F.Silks") hide
        (effects (font (size 0.7 0.7) (thickness 0.15)))
        (tstamp 5662f80f-626c-443d-b461-4dda0841b1cf)
    )
    (fp_text value "TPD3S014" (at 1.4 0 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp cd50733e-eeaf-450e-9993-b43c90a817e8)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp 836deb29-53f6-47db-86d5-6752e25399bb)
    )
    (fp_line (start -0.9 1.61) (end 0.9 1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 983d7e9c-a484-40b0-bc23-7aa73302fc75))
    (fp_line (start 0.9 -1.61) (end -1.55 -1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ad371deb-ffcc-4a30-b522-b35704eae753))

```

```
(fp_line (start -1.9 -1.8) (end -1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ea1137ca-3f01-429b-999d-7339fa99b63f))
(fp_line (start -1.9 1.8) (end 1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ab3990a-c1e3-40ee-abdb-40fd5b2b919a))
(fp_line (start 1.9 -1.8) (end -1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 011c24ea-294c-4c6f-8e43-ce30a93c2500))
(fp_line (start 1.9 1.8) (end 1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a67d4af3-1975-4d0e-a3a5-05a4a1d3e84d))
(fp_line (start -0.9 -0.9) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d415632-4040-4178-8fcf-ebaaa11907db))
(fp_line (start -0.9 -0.9) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 661ad008-a67c-4ae4-9157-43b089711207))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e3d8c0d-d226-49ac-bd10-eb5704d94a7a))
(fp_line (start 0.9 -1.55) (end 0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp aa9840ea-7794-400e-a9a8-2bda8740ab03))
(fp_line (start 0.9 1.55) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a9c7db3-420a-4ca6-a119-7ac810caec64))
(pad "1" smd roundrect (at -1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 32 "/VUSB") (pinfunction "EN") (pintype "input") (tstamp 08a9ad0e-ec65-4035-a380-66f7cf35c65d)
(pad "2" smd roundrect (at -1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 61345ecf-a391-4651-94cf-5cd900ca1c7a)
(pad "3" smd roundrect (at -1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 32 "/VUSB") (pinfunction "IN") (pintype "power_in") (tstamp 1ca02e16-613d-483f-91a4-fdb9975cd3)
(pad "4" smd roundrect (at 1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 5 "+5V") (pinfunction "OUT") (pintype "passive") (tstamp f9ff9b97-e78b-4ac2-9b66-13d463288020)
(pad "5" smd roundrect (at 1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 11 "/USB_N") (pinfunction "D1") (pintype "passive") (tstamp aea274cf-f081-4140-b710-92a0f799d7)
(pad "6" smd roundrect (at 1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 8 "/USB_P") (pinfunction "D2") (pintype "passive") (tstamp 35ee34f2-1986-44fe-8c21-39dcba2db12)
(model "${KICAD6_3DMODEL_DIR}/Package_T0_S0T_SMD.3dshapes/S0T-23-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ed786f8)
  (at 59.05 97.25 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-5k1")
  (property "MPN" "RC0402FR-075K1L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005f3cf62b")
  (attr smd)
  (fp_text reference "R52" (at 0 0 180) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 9f5d35f1-4e64-4af9-83c6-9344066968db)
  )
  (fp_text value "5k1" (at 1.15 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 81df63fc-dc72-4ce9-a190-67e0b6111cf6)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 83e3b5d4-5cc9-42ab-bfa7-b0fd04a4607c)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 91e0dbe8-191d-4e98-8f43-9ae56f1bc8b8))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8561a960-5818-44bf-8acc-ecf127a18d61))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
```

[illegible]

```
(fp_line (start -0.3 0) (end -0.5 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 44f3c726-2c1c-4040-9cf4-540911dfc99d))
(fp_line (start -0.3 0) (end 0.2 -0.35)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 611ac4b1-7f06-4cfb-852f-ac300d606a1a))
(fp_line (start 0.2 -0.35) (end 0.2 0.35)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b9309bb4-7d07-4a7d-9722-50e317ac910e))
(fp_line (start 0.2 0) (end 0.45 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97786c93-23f6-4172-aa67-de60b19cdf5f))
(fp_line (start 0.2 0.35) (end -0.3 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fad10c21-bacc-4887-b191-32c7154255ab))
(fp_line (start 0.9 -0.7) (end 0.9 0.7)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63e89c3a-d28b-41a5-8607-49c0bad0eabc))
(fp_line (start 0.9 0.7) (end -0.9 0.7)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 42c8d359-4538-45a9-a3a9-8e05e88d2095))
(pad "1" smd roundrect (at -1.15 0 180) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 110 "/IO_Banks/IO_Buffer_B/VSENSE") (pinfunction "K") (pintype "passive") (tstamp 4c31faea-cb3
(pad "2" smd roundrect (at 1.15 0 180) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp 8c6e88b9-20a1-475f-a9d0-16c6f493a5c8))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-323.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
 footprint "Glasgow:D_SOD-323" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005edddcd1)
(at 95.65 82.7)
(descr "SOD-323")
(tags "SOD-323")
(property "lib2-bom-key" "esd-diode-sod323-cdsod323-t36s")
(property "MPN" "CDSOD323-T36S")
(property "Mfg" "Bourns")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Zener diode")
(property "ki_keywords" "diode")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "D17" (at -1.25 0 90) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 1528ee21-4dd5-45a7-abff-059a98d185fb)
)
(fp_text value "CDSOD323-T36S" (at 0 -1.1) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 0a3323e5-5139-483d-a521-7ebef0b9c9d4)
)
(fp_text user "${REFERENCE}" (at 1.35 0 90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 4f286dc7-5056-4e35-8e6a-0ba13d7b3a76)
)
(fp_line (start -1.75 -0.85) (end -1.75 0.85)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 4f22f99e-24e1-4f82-ac87-4812ae86576a))
(fp_line (start -1.75 -0.85) (end 0.8 -0.85)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp dff13fbc-238a-46f7-b55f-282b02daddaa))
(fp_line (start -1.75 0.85) (end 0.8 0.85)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8dcd4c18-dde0-4150-8b90-33ae8996b8c6))
(fp_line (start -1.75 -0.95) (end -1.75 0.95)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 08a3e078-2d36-4be9-9414-760d6d1e4a24))
(fp_line (start -1.75 -0.95) (end 1.7 -0.95)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2f2d4ab6-b02c-497e-8343-ba64971d9b89))
(fp_line (start -1.75 0.95) (end 1.7 0.95)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5c4449aa-c81b-4e4c-8cc9-1165251cbfc9))
(fp_line (start 1.7 -0.95) (end 1.7 0.95)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6f92ac0b-ed42-4db7-bc69-d977c803dae5))
(fp_line (start -0.9 -0.7) (end 0.9 -0.7)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 932e6999-09f8-44bf-a6b9-841f36fbf91b))
(fp_line (start -0.9 0.7) (end 0.9 0.7)
```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b4cfe06b-dcdf-4c69-80be-f978236483f7))
(fp_line (start -0.3 -0.35) (end -0.3 0.35)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bfcaa76c-0fc5-4ef2-83ae-89f26fb45c1b))
(fp_line (start -0.3 0) (end -0.5 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c69ce16b-5288-45fa-8eda-47995363237a))
(fp_line (start -0.3 0) (end 0.2 -0.35)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac55a559-e9b9-494c-859b-b61ca97e00f5))
(fp_line (start 0.2 -0.35) (end 0.2 0.35)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4a153534-f290-4bc5-9ffe-9fa01b97bc19))
(fp_line (start 0.2 0) (end 0.45 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2dbd3f56-3e28-4095-b4d4-dce1218617f1))
(fp_line (start 0.2 0.35) (end -0.3 0)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 51dfa600-ae1f-4424-a900-903168fb2e7a))
(fp_line (start 0.9 -0.7) (end 0.9 0.7)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad66ea5b-b25b-44b2-bb4b-c619a99a6410))
(fp_line (start 0.9 0.7) (end -0.9 0.7)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5610379c-ea30-4d5d-864f-dc1dc4477a94))
(pad "1" smd roundrect (at -1.15 0) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
(net 106 "/IO_Banks/IO_Buffer_A/VSENSE") (pinfunction "K") (pintype "passive") (tstamp 7d003281-5c0
(pad "2" smd roundrect (at 1.15 0) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrati
(net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp b434ab16-28ce-40e8-96a9-bce8183ff2f6))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-323.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:SOT-323_SC-70" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005edddce6)
(at 120.1 103.3 180)
(descr "SOT-323, SC-70")
(tags "SOT-323 SC-70")
(property "1b2-bom-key" "diode-sot323-bat54cw")
(property "MPN" "BAT54CW-7-F")
(property "Mfg" "Diodes Inc.")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Dual schottky barrier diode, common cathode, SOT-323")
(property "ki_keywords" "dual schottky diode")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e.dwg" (attr smd)
(fp_text reference "D18" (at 0 0 270) (layer "F.Silks") hide
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp defb17be-5c25-4502-a8ea-7dd0a5b550d6)
)
(fp_text value "BAT54CW" (at 0 -1.5) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 929903da-4398-4729-afb9-893c34eb9ef8)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp 63ecce41-24d5-4a93-a063-73429912e1ac)
)
(fp_line (start -0.68 1.16) (end 0.73 1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 372e1ab7-e408-4332-a3c2-f502ac1d1be3))
(fp_line (start 0.73 -1.16) (end -1.3 -1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c7b7b94a-f395-429d-b0ac-59d2a309cf28))
(fp_line (start 0.73 -1.16) (end 0.73 -0.5)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6b114304-db42-45d8-97e5-e1d352f0cecfd))
(fp_line (start 0.73 0.5) (end 0.73 1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp beeb10ef-237c-491e-8d15-21d4624a2ca1))
(fp_line (start -1.7 -1.3) (end 1.7 -1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 38e3c26b-d07c-481b-8596-f3b604d19e08))
(fp_line (start -1.7 1.3) (end -1.7 -1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7f73eb31-24c8-4557-9bbc-0230a5b4db70))
(fp_line (start 1.7 -1.3) (end 1.7 1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 50c23fc1-7aba-4809-bd2e-42031d3aa353))
```

```
(fp_line (start 1.7 1.3) (end -1.7 1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4489226-37f0-4bd0-8747-ef338c6d9f4d))
(fp_line (start -0.68 -0.6) (end -0.68 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac1497f8-64fa-487b-aa0e-e4132207f446))
(fp_line (start -0.18 -1.1) (end -0.68 -0.6)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 06d697c2-4c9e-40a1-ae1b-aa1d1b3d41af))
(fp_line (start 0.67 -1.1) (end -0.18 -1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4573983-e08b-4e34-ab90-4114d108800f))
(fp_line (start 0.67 -1.1) (end 0.67 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 99216fd8-67d7-4da4-8c7c-c5bda71a1f2d))
(fp_line (start 0.67 1.1) (end -0.68 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e75f1e13-6637-4f1a-b472-6ceaf9fc15f8))
(pad "1" smd roundrect (at -1 -0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 42 "~{ALERT}") (pintype "passive") (tstamp d79dc026-eb2e-49cc-9216-622f41d6759b))
(pad "2" smd roundrect (at -1 0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 195 "/IO_Banks/IO_Buffer_B/VIO_EN") (pintype "passive") (tstamp 51f7789b-f4bc-4027-aa9c-d88e6f
(pad "3" smd roundrect (at 1 0 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
(net 170 "Net-(U12--{Alert})") (pintype "passive") (tstamp 49bc0bf6-73fc-480f-a20c-a3d266df1439))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-323_SC-70.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "Glasgow:SOT-323_SC-70" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005edddcfb)
(at 126.5 87.7)
(descr "SOT-323, SC-70")
(tags "SOT-323 SC-70")
(property "1b2-bom-key" "diode-sot323-bat54cw")
(property "MPN" "BAT54CW-7-F")
(property "Mfg" "Diodes Inc.")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Dual schottky barrier diode, common cathode, SOT-323")
(property "ki_keywords" "dual schottky diode")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "D19" (at 0 0 -90) (layer "F.Silks") hide
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp a630f0cb-a8a4-41a5-89a8-46476fe302e0)
)
(fp_text value "BAT54CW" (at 1.1 0 270) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 0c5aaf47-d107-455d-9c91-530e106e2135)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp 2cd422fb-b4bc-43ae-ac04-e929ca14a049)
)
(fp_line (start -0.68 1.16) (end 0.73 1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5084e542-b05b-4a68-88b3-cb4fcdfffeeb))
(fp_line (start 0.73 -1.16) (end -1.3 -1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e230a419-3562-4c2d-b9fe-9ed7f95ad446))
(fp_line (start 0.73 -1.16) (end 0.73 -0.5)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 96f3addc-e30e-4cde-906a-0a96c01de47a))
(fp_line (start 0.73 0.5) (end 0.73 1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 37099c11-fa6b-4a7d-8452-55df8ed401f2))
(fp_line (start -1.7 -1.3) (end 1.7 -1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 323c8148-5130-496a-a78f-83c7ec1cf4e2))
(fp_line (start -1.7 1.3) (end -1.7 -1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 87076148-6302-4e94-933f-6d08a59daf53))
(fp_line (start 1.7 -1.3) (end 1.7 1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1b0043fd-2139-4d11-8a10-1209a736986b))
(fp_line (start 1.7 1.3) (end -1.7 1.3)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b144f7b6-fa4f-42d5-b119-810c12b755d6))
(fp_line (start -0.68 -0.6) (end -0.68 1.1)
```

[illegible]

```
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.Step"  
  (offset (xyz 0 0 0))  
  (scale (xyz 1 1 1))  
  (rotate (xyz 0 0 0))  
)  
)  
  
(footprint "Glasgow:VSSOP-10_3x3mm_P0.5mm" (layer "F.Cu")  
  (tstamp 00000000-0000-0000-0000-00005eddeca9)  
  (at 123.3 106.6)  
  (descr "VSSOP, 10 Pin (http://www.ti.com/lit/ds/symlink/ads1115.pdf), generated with kicad-footprint-utils"  
  (tags "VSSOP S0")  
  (property "1b2-bom-key" "ic-vssop10-ina233")  
  (property "MPN" "INA233AIDGSR")  
  (property "Mfg" "Texas Instruments")  
  (property "Sheetfile" "io_buffer.kicad_sch")  
  (property "Sheetname" "IO_Buffer_B")  
  (property "ki_description" "High-Side or Low-Side Measurement, Bi-Directional Current and Power Monitoring")  
  (property "ki_keywords" "ADC I2C 16-Bit Oversampling Current Shunt")  
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005d407f")  
  (attr smd)  
  (fp_text reference "U12" (at 0 -2.45) (layer "F.Silks") hide  
    (effects (font (size 1 1) (thickness 0.15))))  
    (tstamp d572a914-18ac-4a7e-8d9f-7abe43555fe4)  
  )  
  (fp_text value "INA233" (at 0.3 -1.8) (layer "F.Fab")  
    (effects (font (size 0.4064 0.4064) (thickness 0.0508))))  
    (tstamp 0ce6d083-16ea-4339-bab2-b13465f75e97)  
  )  
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")  
    (effects (font (size 0.75 0.75) (thickness 0.11))))  
    (tstamp 3353604f-37a3-4928-a58e-7ecbb81340fd)  
  )  
  (fp_line (start 0 -1.61) (end -2.925 -1.61)  
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c2c23a70-6d6f-47eb-9f05-2ee0e4b15fa5))  
    (fp_line (start 0 -1.61) (end 1.5 -1.61)  
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 63442960-bafa-4ce5-a0b9-fe9d6982ec05))  
      (fp_line (start 0 1.61) (end -1.5 1.61)  
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c607b757-9f60-4a43-9d8a-3e3d7b565000))  
        (fp_line (start 0 1.61) (end 1.5 1.61)  
          (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a31fdbb8-87df-4245-a7e1-a3dcf1e42b94))  
          (fp_line (start -3.18 -1.75) (end -3.18 1.75)  
            (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 470595ed-fb92-4a56-8e75-dc4e0c1d5643))  
            (fp_line (start -3.18 1.75) (end 3.18 1.75)  
              (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 86509358-7763-4b92-bf99-46f864441e46))  
              (fp_line (start 3.18 -1.75) (end -3.18 -1.75)  
                (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f05c0fc8-4208-4860-9560-e91015fc612c))  
                (fp_line (start 3.18 1.75) (end 3.18 -1.75)  
                  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 441ef9c4-b5b5-4a49-9256-880f69e72a2d))  
                  (fp_line (start -1.5 -0.75) (end -0.75 -1.5)  
                    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dc76bbc1-13b2-419f-bcd5-98b19da0b26a))  
                    (fp_line (start -1.5 1.5) (end -1.5 -0.75)  
                      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d2beb08f-414e-42ed-be11-4abce05ee6e6))  
                      (fp_line (start -0.75 -1.5) (end 1.5 -1.5)  
                        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1857500e-3d0b-4546-92ef-1f2dbc0c5cbd))  
                        (fp_line (start 1.5 -1.5) (end 1.5 1.5)  
                          (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b2b662c2-1b7e-493c-a456-7bb61db49073))  
                          (fp_line (start 1.5 1.5) (end -1.5 1.5)  
                            (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ebaf2775-0f64-4df1-85a8-017a3cbd77b7))  
                            (pad "1" smd roundrect (at -2.2 -1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)  
                              (net 3 "GND") (pinfunction "A1") (pintype "input") (tstamp ab326b79-c7bb-4152-ab57-e6d760fa7800))  
                              (pad "2" smd roundrect (at -2.2 -0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)  
                                (net 2 "+3V3") (pinfunction "A0") (pintype "input") (tstamp fe1a8a05-61da-449d-97eb-896aefbdf4f6))  
                                (pad "3" smd roundrect (at -2.2 0) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)  
                                  (net 170 "Net-(U12--{Alert})") (pinfunction "~{Alert}") (pintype "open_collector") (tstamp 2517e5db-4b7a-4b7a-4b7a-4b7a))  
                                  (pad "4" smd roundrect (at -2.2 0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)  
                                    (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 1e2c0389-2b78-4fa1-aa18-8fbdd2222222))  
                                    (pad "5" smd roundrect (at -2.2 1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
```



```
(net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp e6ce46a5-2e19-40e4-a585-a2153996ac1c))
(pad "6" smd roundrect (at 2.2 1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
(net 2 "+3V3") (pinfunction "VS") (pintype "power_in") (tstamp 643bb619-183e-4122-91c2-c796a85e995d)
(pad "7" smd roundrect (at 2.2 0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 520c6a44-2dfc-4efe-a211-f30ab4163a91)
(pad "8" smd roundrect (at 2.2 0) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
(net 41 "Net-(U12-Vbus)") (pinfunction "Vbus") (pintype "input") (tstamp 2b7748e3-fea3-4d22-ab35-6c3f)
(pad "9" smd roundrect (at 2.2 -0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
(net 35 "Net-(U12-Vin-)") (pinfunction "Vin-") (pintype "input") (tstamp e70d7f33-13ac-49b0-b14a-6b5f)
(pad "10" smd roundrect (at 2.2 -1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
(net 34 "Net-(U12-Vin+)") (pinfunction "Vin+") (pintype "input") (tstamp 72e5971f-73ac-4d05-ad65-ee1e)
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/VSSOP-10_3x3mm_P0.5mm.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)

 footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005efc3bc7)
(at 100.95 108.65 90)

(descr "https://www.littelfuse.com/~media/electronics/datasheets/tvs\_diode\_arrays/littelfuse\_tvs\_diode\_arrays.pdf")
(tags "UDFN 0.5 uQFN")
(property "1b2-bom-key" "diode-14udfn-sp3012-06utg")
(property "MPN" "SP3012-06UTG")
(property "Mfg" "Littelfuse")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")
(property "ki_keywords" "usb 3.0 esd protection suppression transient")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "D21" (at -0.025 0 180) (layer "F.Silks") hide
(effects (font (size 1 1) (thickness 0.15)))
(tstamp f3d80af0-0ef0-4efa-93c1-23fcad6fd396)
)
(fp_text value "SP3012-06UTG" (at 0.95 0 180) (layer "F.Fab")
(effects (font (size 0.3 0.3) (thickness 0.05)))
(tstamp 01276aa4-df53-4140-9dc5-a05a937582b9)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
(tstamp 739e1157-418d-41e8-9252-009fd4afd2fe)
)
(fp_line (start -0.675 1.85) (end 0.675 1.85)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e1e7cd78-f914-4656-b686-e73accbb0f8))
(fp_line (start 0.675 -1.85) (end 0 -1.85)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 51558da0-aa92-4d2b-9b4e-4192d2ec0f5d))
(fp_line (start -1.075 -2) (end -1.075 2)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c415c745-0baa-44b1-a4dd-66c4724dca9e))
(fp_line (start -1.075 -2) (end 1.075 -2)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a4b4f32f-59df-425f-976d-b6a93599fd9a))
(fp_line (start -1.075 2) (end 1.075 2)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 366a867a-c641-4ac6-b2d9-f6c8f40c0ab8))
(fp_line (start 1.075 -2) (end 1.075 2)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5be835d-722c-43d7-9939-f4cf5303f86d))
(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b5c3bc84-7df6-44ee-86f9-8fdb24a58cc))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7e2a51fe-bd3d-4107-b846-955d88bdd583))
(fp_line (start -0.675 1.75) (end 0.675 1.75)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7863372b-8a78-4a92-bff9-c8353727d3da))
(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 48b0af75-9166-461d-86d1-616af3c7f09d))
(fp_line (start 0.675 1.75) (end 0.675 -1.75)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2ec0501b-8e3f-4742-88c2-448fc3ed9c81))
(pad "1" smd roundrect (at -0.575 -1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
(net 60 "/IO Banks/IO Buffer B/Z7") (pinfunction "N/C") (pintype "passive") (tstamp 5acf93d5-9186-4a91-9000-00005c9e338e)
```

[illegible]

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9c7a1943-60a8-4ad7-b1a0-51e4c9b899a4))
(fp_line (start 1.075 -2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6ceb49f3-fc69-438d-889c-52acc74646e8))
(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 160e0bdf-82d9-49b0-a682-f690010dd173))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 789207ee-3828-43b5-908f-77263e1210c8))
(fp_line (start -0.675 1.75) (end 0.675 1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 180cffc3-d00c-4a88-8e8a-8d8ccdc566dd))
(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a875c92-806e-4a84-b4e9-f2280ea23e2f))
(fp_line (start 0.675 1.75) (end 0.675 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d3457d3c-86b9-4ce7-ba5f-cc9d7df2093a))
(pad "1" smd roundrect (at -0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "N/C") (pintype "passive") (tstamp 3ff6ee48-4ee2-4a88-8e8a-8d8ccdc566dd))
(pad "2" smd roundrect (at -0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "N/C") (pintype "passive") (tstamp cf0692b2-4da8-4a88-8e8a-8d8ccdc566dd))
(pad "3" smd roundrect (at -0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "N/C") (pintype "passive") (tstamp cafb74ba-a2e2-4a88-8e8a-8d8ccdc566dd))
(pad "4" smd roundrect (at -0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "N/C") (pintype "passive") (tstamp dd8768fe-4229-4a88-8e8a-8d8ccdc566dd))
(pad "5" smd roundrect (at -0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "N/C") (pintype "passive") (tstamp e91a18a9-9b53-4c31-9689-b31b4905674f))
(pad "6" smd roundrect (at -0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 198 "unconnected-(D23-N{slash}C-Pad6)") (pinfunction "N/C") (pintype "passive+no_connect") (tstamp 071adab9-1aad-442e-89bb-e9a1baa92c36))
(pad "7" smd roundrect (at -0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 196 "unconnected-(D23-N{slash}C-Pad7)") (pinfunction "N/C") (pintype "passive+no_connect") (tstamp 4d6c3603-81bf-4a88-8e8a-8d8ccdc566dd))
(pad "8" smd roundrect (at 0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 194 "unconnected-(D23-Ch6-Pad8)") (pinfunction "Ch6") (pintype "passive+no_connect") (tstamp 071adab9-1aad-442e-89bb-e9a1baa92c36))
(pad "9" smd roundrect (at 0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 193 "unconnected-(D23-Ch5-Pad9)") (pinfunction "Ch5") (pintype "passive+no_connect") (tstamp 4d6c3603-81bf-4a88-8e8a-8d8ccdc566dd))
(pad "10" smd roundrect (at 0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 071adab9-1aad-442e-89bb-e9a1baa92c36))
(pad "11" smd roundrect (at 0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "Ch4") (pintype "passive") (tstamp 3c22cdcf-a806-4a88-8e8a-8d8ccdc566dd))
(pad "12" smd roundrect (at 0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "Ch3") (pintype "passive") (tstamp 4d6c3603-81bf-4a88-8e8a-8d8ccdc566dd))
(pad "13" smd roundrect (at 0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "Ch2") (pintype "passive") (tstamp 73215846-70cb-4a88-8e8a-8d8ccdc566dd))
(pad "14" smd roundrect (at 0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "Ch1") (pintype "passive") (tstamp 94c5ed4e-4ccd-4a88-8e8a-8d8ccdc566dd))
(model ".../packages3D/UDFN-14_1.35x3.5mm_Pitch0.5mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f02b43d)
  (at 62.4 110.6 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : square) (Termination : square) (Mounting : surface mount) (Polarity : non-polarized) (Value : 100nF) (Tolerance : 10%) (Temperature : 125C) (Voltage : 50V) (Part : C_0402_1005Metric) (Manufacturer : Taiyo Yuden) (Sheetfile : glasgow.kicad_sch) (Sheetname : ) (ki_description : Unpolarized capacitor) (ki_keywords : cap capacitor) (path "/00000000-0000-0000-0000-00005f058094") (attr smd)
  (fp_text reference "C16" (at 0 -1.17) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 8c961da0-7312-4666-9f2c-245ece8217b0)
  )
  (fp_text value "u1" (at 0 0.7) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
  )
)

```

```

        (tstamp ee072e86-f8a9-4c27-b07a-fe5a59c463ae)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
      (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 1a78f4c1-3c0d-499d-83ab-ea82effb5f03)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81378a54-c810-405f-ba61-eec738d18833))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5375a31f-b5d8-4e10-a6af-a4eb5f285d10))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f4d09431-e0e5-467b-8373-9b4a9e05c8bd))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b2792e81-310b-4e02-bdf2-1f45ba48cd6a))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1680963d-6e01-464c-9d3f-d6f0c9a0d89f))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c16384cc-56ea-4207-8695-58bc40fa4532))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bf646641-ab1a-4866-9a4e-bbe108eb6683))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eaa74df2-6c95-492c-993f-26bc50f4a00e))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 5 "+5V") (pintype "passive") (tstamp 39402ce9-8a84-4da3-b072-751a7767c4f4))
  (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 92ae1bc4-7150-4997-85d5-0fced6426f3b))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f02bbe4)
  (at 74.9 90.985 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005f05a509")
  (attr smd)
  (fp_text reference "C88" (at 0 -1.17 90) (layer "F.SilkS") hide
    (effects (font (size 1 1) (thickness 0.15))))
  (tstamp e653b4e5-5774-4c57-9674-7d3649439437)
  )
  (fp_text value "u1" (at -1.015 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp d74164ea-230f-4063-971d-a38682c77047)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp 3c1bc691-e29b-4e6c-abd9-7a5fdb7d639f)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6c176269-931c-449d-bc98-ceb3c27242c2))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c3a29516-ecf7-4d4b-8bf5-f1da5e41c613))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4d3b4a91-9973-410c-8b2a-2be4072c8864))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b193b25d-8378-4072-8f86-ea4c1682de76))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 761d444e-0b7b-4bd6-a6c7-4681f6f70c3d))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13636c12-5ae9-4dcc-96e8-9fa7dba05b33))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 07f26b15-21c2-4bb3-b7b1-0743f00dc1ee))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 327eef6b-eb0e-42a9-a38d-50844f93beb0))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 6 "~{CY_RESET}") (pintype "passive") (tstamp 2ef270b2-9144-4a65-adc6-99432672fb64))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp b12c2e08-20c5-4270-bb83-b01e403839c3))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-323_SC-70" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f02bfad)
  (at 60.7 115.85 180)
  (descr "SOT-323, SC-70")
  (tags "SOT-323 SC-70")
  (property "1b2-bom-key" "diode-sot323-bat54aw")
  (property "MPN" "BAT54AW-7-F")
  (property "Mfg" "Diodes Inc.")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Dual schottky barrier diode, common anode, SOT-323")
  (property "ki_keywords" "dual schottky diode")
  (path "/00000000-0000-0000-0000-00005f20fdd5")
  (attr smd)
  (fp_text reference "D24" (at -0.05 -1.95) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 28c800e8-d85f-4993-a381-5998a54275f1)
  )
  (fp_text value "BAT54AW" (at -1.15 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 8d0285fc-a978-4223-8b64-cedfaecb177f)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp dacf3438-ec3d-4e3f-b808-631e3aa9c062)
  )
  (fp_line (start -0.68 1.16) (end 0.73 1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 67c2c052-bb6e-4ca0-b191-3024a192b82f))
  (fp_line (start 0.73 -1.16) (end -1.3 -1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fd2e440e-7274-49ee-90fc-0e22dbc57530))
  (fp_line (start 0.73 -1.16) (end 0.73 -0.5)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d4ae77fe-e7f5-452e-8f91-641df786dc18))
  (fp_line (start 0.73 0.5) (end 0.73 1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp cae3bdaf-8d0b-4157-82b4-1afe13984e19))
  (fp_line (start -1.7 -1.3) (end 1.7 -1.3)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ec5f1fd6-a1f1-4065-92a8-cd6f13b2ebb4))
  (fp_line (start -1.7 1.3) (end -1.7 -1.3)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5b4566a4-3e7f-4a0c-9c5f-ecd66f778605))
  (fp_line (start 1.7 -1.3) (end 1.7 1.3)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1727550e-e956-4352-aac0-f02bbba80804))
  (fp_line (start 1.7 1.3) (end -1.7 1.3)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4902f4fc-f974-4ce4-8bda-38c36cade663))
  (fp_line (start -0.68 -0.6) (end -0.68 1.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e44fcc90-f794-4835-a097-6cf4d0ff901b))
  (fp_line (start -0.18 -1.1) (end -0.68 -0.6)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 77c5a43d-594f-4757-854c-98bea989ebcd))
  (fp_line (start 0.67 -1.1) (end -0.18 -1.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e52dc0df-8c69-4c32-aa38-12bbff0cf049))
  (fp_line (start 0.67 -1.1) (end 0.67 1.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2100a832-f8fb-4402-bc06-ef169f486c29))

```

```

(fp_line (start 0.67 1.1) (end -0.68 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80b2acb1-8d5b-4f2a-81c1-e99a80e34b74))
(pad "1" smd roundrect (at -1 -0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pintype "passive") (tstamp fb2d6415-56b6-4b7a-96cd-ebcc4e4ebf4f))
(pad "2" smd roundrect (at -1 0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 200 "Net-(U7-~{RESET})") (pintype "passive") (tstamp 84d22228-0078-495b-8a72-52a617646316))
(pad "3" smd roundrect (at 1 0 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 6 "~{CY_RESET}") (pintype "passive") (tstamp cd3d33b2-47ef-43ba-ac70-2439bd9bdac1))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-323_SC-70.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f03c4a2)
  (at 62.8 117.485 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-100k")
  (property "MPN" "RC0402FR-13100KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005f06d941")
  (attr smd)
  (fp_text reference "R4" (at 0 0 90) (layer "F.SilkS") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp bb6642ae-064f-402b-9257-24a03a6950c0)
  )
  (fp_text value "100k" (at 0 0.8 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 586e127b-fc54-4833-8039-c6887249896b)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp c9f09a5b-b0f9-4985-bb1e-7f1f7a849bb7)
  )
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6134f98c-f337-4b16-8be7-4ea009be7cd1))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e51dd41c-cf5c-427c-bca9-097f24ce1faf))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c583f4b7-481b-4ee8-94ca-1cfd9eaf9059))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ba9140a3-7d9f-4e14-9959-193485fe8e11))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ced0f68d-a967-4c76-8385-201a954c89cf))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp faf6cc53-e885-4520-a0c2-e8fdb2c54379))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 196bb363-5661-46d0-8b6e-da167c67e35a))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02cfff21-b975-49ef-8bd3-b888224b4fcc))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 2 "+3V3") (pintype "passive") (tstamp 213b0917-9dea-41b6-a2b9-538c2a05cc30))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 199 "Net-(R4-Pad2)") (pintype "passive") (tstamp e51a9a83-6749-4f67-ae7b-036207c2aec4))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

```

```
(tstamp 00000000-0000-0000-0000-00005f03c4b1)
(at 62.8 115.585 90)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-100k")
(property "MPN" "RC0402FR-13100KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005f069ba1")
(attr smd)
(fp_text reference "R5" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp 3c17c647-9044-470f-8995-6c71a3b98d4f)
)
(fp_text value "100k" (at -0.015 0.8 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 69145d68-95bf-48a8-8e93-ca83b6eaf81e)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp 340d9327-66e9-4f70-9260-d4c16fc989ad)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d17ddc78-429a-43ec-b4e8-ae81f429f2e7))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9bc6ff09-ff35-476a-9317-65a4b05c31b2))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 874aa0ac-36d0-4136-aa8b-48878d50f79b))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2e204c89-6693-4f32-b89f-2bd16288698b))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3cd92414-2b14-4611-a4a2-557919ef6081))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 08816015-e62a-43d8-808d-c6eb65716d01))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 59c42b01-d09e-4e81-8503-42a53f8f3cd7))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 50ac61f6-083c-47ba-a54f-65d5f3061aec))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrec
  (net 199 "Net-(R4-Pad2)") (pintype "passive") (tstamp a66df6cc-b3b4-4f73-a3d1-ceffbdbefe59))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 6 "~/~{CY_RESET}") (pintype "passive") (tstamp 583d27c4-3fd2-47e1-b3ef-9afd963f54c9))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f0bcee8)
  (at 106.5 100.95 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000-0000-0000-0000-00005f0bcee8")
  (attr smd)
  (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.3 0.3) (thickness 0.05))))
  (tstamp 00000000-0000-0000-0000-00005f0bcee8)
  (at 106.5 100.95 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000-0000-0000-0000-00005f0bcee8")
  (attr smd)
  (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.3 0.3) (thickness 0.05))))
  (tstamp 00000000-0000-0000-0000-00005f0bcee8)
  (at 106.5 100.95 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000-0000-0000-0000-00005f0bcee8")
  (attr smd)
  (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.3 0.3) (thickness 0.05))))
  (tstamp 00000000-0000-0000-0000-00005f0bcee8)
  (at 106.5 100.95 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000-0000-0000-0000-00005f0bcee8")
  (attr smd)
  (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.3 0.3) (thickness 0.05))))
  (tstamp 00000000-0000-0000-0000-00005f0bcee8)
  (at 106.5 100.95 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000-0000-0000-0000-00005f0bcee8")
  (attr smd)
  (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.3 0.3) (thickness 0.05))))
  (tstamp 00000000-0000-0000-0000-00005f0bcee8)
  (at 106.5 100.95 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000-0000-0000-0000-00005f0bcee8")
  (attr smd)
  (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.
```

```
(tstamp c3dc177e-e8cb-4981-afc8-52aa6ef043b0)
)
(fp_text value "2k2" (at 0 0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 060de1d1-46d7-43b1-8197-29794e63c79c)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(tstamp f965ba3b-f702-4e5d-a200-ef3020706bc5)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6b117d9e-ca42-47e6-965f-3bc1dd756d50))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ec1d1966-efbf-4440-b707-88bf86ea2a8b))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 45a715d1-194f-43bf-9128-b41444828f9d))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e65263d-1df0-4e0d-8cd4-f81131272f78))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 73b76592-b7e3-4d73-ac66-0cc5170e1ef1))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp de515456-9773-4c65-97f2-149573163c18))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b7f65d0-d4ae-49e3-9d1e-8520fef4e18c))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4c0645d8-3749-43d3-964d-f158372c9cb2))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 4914941e-42c3-46c9-84be-bf0d5ea8a2d7))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 107 "/IO_Banks/IOB") (pintype "passive") (tstamp e9a1d6f2-63ac-4ace-829e-1d91d0924e0b))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f0bcef7)
  (at 118 88.2 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "R58" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 2850648d-8bae-457d-858e-3adce177be71)
  )
  (fp_text value "2k2" (at 0.9 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 69ee76ac-9294-43af-a5d7-330aa8ea9182)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 96b3f135-2f06-485e-9d20-5cecedaafee4)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d4a4aeef-9ee2-4894-a523-82aaa1edb355))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 582e7447-8c99-41c8-a5d5-fe9595173427))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd")
```



```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a8ee1055-8a65-4091-ba9c-41776c96bfed))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 75f04da1-0745-40d2-8e7f-cb0c1409a7ef))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2d5ebecd-a146-411a-b045-f6305d1fed98))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2734830c-09d3-47f1-bdd4-aeb824edd1fb))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 042ab018-afd4-47e2-8050-1b7e5759edb2))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a8dea587-877f-4fe5-adaf-1373dec6ff2c))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 2a00be05-7383-4107-922c-acdf7054c064))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 787c292f-e389-4644-9179-ad968a04425c))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f40ebf1)
  (at 87.3 107.65 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-47r")
  (property "MPN" "RC0402FR-1347RL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cbf4ec8")
  (attr smd)
  (fp_text reference "R38" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 58408b0c-d655-46ed-8b5d-a3acb308a752)
  )
  (fp_text value "47R" (at 1.25 0 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 8c4b2c26-02a6-45ec-9b3b-e99603918c30)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 43227888-f93d-47fd-aec9-d1ab0ef42d45)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bcb93599-6a29-42d8-b086-8c1a988cad46))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4fef8883-c4ef-4a47-9e3e-44f2524ae607))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 68735c69-9e81-4627-be19-80265173406a))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c7da620e-2771-4731-ad2e-459a668442eb))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 76f613af-3122-4e84-9879-03dbb9f75a28))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 56c984fb-a296-438d-8b6c-0beb537e4b4e))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ec3a1985-e09a-4af9-ba49-511443906d39))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 51d42b2a-de9c-439d-bbba-a60b59d51de9))
  (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 159 "/IO_Banks/~{SYNC}") (pintype "passive") (tstamp c4c907bc-460a-4c95-8b2c-d19cbd76a482))
  (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 236 "Net-(U32-B)") (pintype "passive") (tstamp c490331e-b5cb-4048-b088-f3705126ce4c))

```

```

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:PinHeader_2x22_P1.27mm_Vertical__SMD" locked (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005f41d019)
  (at 72.5 76.5 90)
  (descr "surface-mounted straight pin header, 2x22, 1.27mm pitch, double rows")
  (tags "Surface mounted pin header SMD 2x22 1.27mm double row")
  (property "1b2-bom-key" "conn-smd-005in-22-2-hdr")
  (property "MPN" "FTS-122-01-L-DV")
  (property "Mfg" "Samtec Inc.")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Generic connector, double row, 02x22, odd/even pin numbering scheme (row 1)")
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e342d")
  (attr smd)
  (fp_text reference "J5" (at -2.05 -14.85 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (timestamp 66790a9f-9647-489c-b877-52021c94a5f3)
  )
  (fp_text value "PinHeader_2x22_P1.27mm" (at 1.1 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (timestamp 2d0118c8-d6be-4890-ac1e-905fc85820cf)
  )
  (fp_text user "${REFERENCE}" (at 0 0 180) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (timestamp 7f581397-4ea8-4b2e-aa77-3ac7f82d4433)
  )
  (fp_line (start -3.09 -13.965) (end -1.765 -13.965)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp e0ffff5a-9a7e-4557-b2e6-b398dd6df8dc))
  (fp_line (start -1.765 -14.03) (end -1.765 -13.965)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp ff7158d6-8c60-44b3-be08-cc0160063cc6))
  (fp_line (start -1.765 -14.03) (end 1.765 -14.03)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp aad64243-6051-4a0f-9668-6c3a13960cb6))
  (fp_line (start -1.765 13.965) (end -1.765 14.03)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 05573ae7-0dc6-4b60-b67c-39e07f94849d))
  (fp_line (start -1.765 14.03) (end 1.765 14.03)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 6dcd6974-f9b7-4d75-9782-ec282579f572))
  (fp_line (start 1.765 -14.03) (end 1.765 -13.965)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp bfd228af-4017-4611-923a-1f1c3e22e45d))
  (fp_line (start 1.765 13.965) (end 1.765 14.03)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp b883f2a8-6bec-456d-9dfe-2dea3671c883))
  (fp_line (start -4.3 -14.5) (end -4.3 14.5)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 1737d731-f816-4251-8e0a-bebe6a60769f))
  (fp_line (start -4.3 14.5) (end 4.3 14.5)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 5a596a0b-c2f1-4f97-964d-f6e627e18982))
  (fp_line (start 4.3 -14.5) (end -4.3 -14.5)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp c993c48e-98d9-4673-98da-4c7b6715b814))
  (fp_line (start 4.3 14.5) (end -4.3 -14.5)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 65368adf-fb81-4669-8851-127a108e1a0a))
  (fp_line (start -2.8 -13.535) (end -2.8 -13.135)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp b180553b-d266-4f9a-96a2-023652ccc218))
  (fp_line (start -2.8 -13.135) (end -1.705 -13.135)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp ecda1046-648f-46f5-9f4f-41f80ca125c5))
  (fp_line (start -2.8 -12.265) (end -2.8 -11.865)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp e85ff39d-f529-416a-92f7-618245042b8d))
  (fp_line (start -2.8 -11.865) (end -1.755 -11.865)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1b5d27bf-77af-45a5-92db-b7f6bd26f15d))
  (fp_line (start -2.8 -10.995) (end -2.8 -10.595)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a673008f-e8cf-42df-a577-2746db2acd50))
  (fp_line (start -2.8 -10.595) (end -1.755 -10.595)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d3199b51-8d2a-4763-bce8-5d80afc6a493))
  (fp_line (start -2.8 -9.725) (end -2.8 -9.325)

```

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ccb3889a-2c55-4a95-95aa-34617b89630e))
(fp_line (start -2.8 -9.325) (end -1.755 -9.325)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2384c4ba-09de-4422-9ec8-87722aec9b04))
(fp_line (start -2.8 -8.455) (end -2.8 -8.055)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6d9b2b4c-05ec-4165-ab72-daad7cd5adb6))
(fp_line (start -2.8 -8.055) (end -1.755 -8.055)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8ed19540-4666-42e0-8189-df38c1818b7e))
(fp_line (start -2.8 -7.185) (end -2.8 -6.785)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 17b7d621-f1fd-44b9-b9ff-a19e936a4e37))
(fp_line (start -2.8 -6.785) (end -1.755 -6.785)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae2deaf1-5a05-4692-b341-9aec2c0bcc13))
(fp_line (start -2.8 -5.915) (end -2.8 -5.515)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4cb19bf-0c98-47ff-9fae-ac262d7a4a3d))
(fp_line (start -2.8 -5.515) (end -1.755 -5.515)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9fee2785-cf45-427a-b337-1d52720f6d59))
(fp_line (start -2.8 -4.645) (end -2.8 -4.245)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cfbbbeae-6389-4318-9673-4d0de45fc8fa))
(fp_line (start -2.8 -4.245) (end -1.755 -4.245)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d4476a00-7c9e-44f7-900d-b8d1e26787b2))
(fp_line (start -2.8 -3.375) (end -2.8 -2.975)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63aac572-7c09-4da4-8390-c97fd9f1c1e3))
(fp_line (start -2.8 -2.975) (end -1.755 -2.975)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 268e1e94-a037-4e32-a998-9cdd6ee6952a))
(fp_line (start -2.8 -2.105) (end -2.8 -1.705)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2183d575-3b38-42f2-a92b-529a3f257f37))
(fp_line (start -2.8 -1.705) (end -1.755 -1.705)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6c333557-c5c4-447e-848a-05cf536592a7))
(fp_line (start -2.8 -0.835) (end -2.8 -0.435)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a421a2e1-5d41-40e1-b645-716412f65d5f))
(fp_line (start -2.8 -0.435) (end -1.755 -0.435)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84195186-1fba-4afc-ada3-3268d234f0ec))
(fp_line (start -2.8 0.435) (end -2.8 0.835)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e4ff1c4b-826b-4fb0-9e78-15e9dd58c9d5))
(fp_line (start -2.8 0.835) (end -1.755 0.835)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dfd674a2-79b2-4e67-87b7-aba3e190b511))
(fp_line (start -2.8 1.705) (end -2.8 2.105)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7f518c5d-1e39-4657-9354-ca575811f4bb))
(fp_line (start -2.8 2.105) (end -1.755 2.105)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6782f458-82a0-49ab-8ad2-231652700217))
(fp_line (start -2.8 2.975) (end -2.8 3.375)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dd0be77a-e1df-48d5-9893-418042f38170))
(fp_line (start -2.8 3.375) (end -1.755 3.375)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4049dd42-9b2f-4700-8dcc-f0edba9825dc))
(fp_line (start -2.8 4.245) (end -2.8 4.645)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9f89635a-3aa4-4800-84df-0da243643c8a))
(fp_line (start -2.8 4.645) (end -1.755 4.645)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 09afa83d-e8fd-4f37-b200-d62c43f6f485))
(fp_line (start -2.8 5.515) (end -2.8 5.915)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 057495e5-98fd-4ad6-8611-b766f1134123))
(fp_line (start -2.8 5.915) (end -1.755 5.915)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d85d7f08-f482-4737-8ca8-e548fe2ec710))
(fp_line (start -2.8 6.785) (end -2.8 7.185)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a50958b-0160-45ac-ba13-6abc09257ca2))
(fp_line (start -2.8 7.185) (end -1.755 7.185)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b4c18236-11f8-487e-9ebb-4da6d9e853da))
(fp_line (start -2.8 8.055) (end -2.8 8.455)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f217e3a-9a84-4df5-a91b-2223d1e6a696))
(fp_line (start -2.8 8.455) (end -1.755 8.455)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 922370f6-292e-4286-958f-dbdd10fef073))
(fp_line (start -2.8 9.325) (end -2.8 9.725)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 08255091-01a9-49ad-8020-8ff741db25c7))
(fp_line (start -2.8 9.725) (end -1.755 9.725)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d8f684ca-d6d9-4fe0-af33-1eb9b4dcdca5d))
(fp_line (start -2.8 10.595) (end -2.8 10.995)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b8cf04a-e91f-480f-a5d7-1b8bc3b0fdb5))
(fp_line (start -2.8 10.995) (end -1.755 10.995)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 34eb6c00-b7a2-4b72-abca-10e8b93b3570))
(fp_line (start -2.8 11.865) (end -2.8 12.265))

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a648b2b5-6d43-4c5e-95a1-89a8d5282a62))
(fp_line (start -2.8 12.265) (end -1.755 12.265)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6f2527f6-a8b2-4fd2-9263-5b736ffffcca))
(fp_line (start -2.8 13.135) (end -2.8 13.535)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2bb75309-f65d-43a5-9d2a-0dc6b6dfcaf1))
(fp_line (start -2.8 13.535) (end -1.755 13.535)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7cfd7afb-8664-4eac-a6f6-c0402048fbf5))
(fp_line (start -1.755 -12.265) (end -2.8 -12.265)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fc5cdd53-103f-4cc7-b7c8-75ba6ae69c82))
(fp_line (start -1.755 -10.995) (end -2.8 -10.995)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 27485b22-c18c-433a-ac5e-95f36b133c99))
(fp_line (start -1.755 -9.725) (end -2.8 -9.725)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7d228b09-fcc3-4da7-b0af-d49720a6f2c8))
(fp_line (start -1.755 -8.455) (end -2.8 -8.455)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 550ecde0-f376-45d8-abe7-c3114dce503d))
(fp_line (start -1.755 -7.185) (end -2.8 -7.185)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f0feab38-1736-4bb7-9752-782517086248))
(fp_line (start -1.755 -5.915) (end -2.8 -5.915)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 91c7ce5e-b4c4-4c5d-99dd-e76b01ea4c76))
(fp_line (start -1.755 -4.645) (end -2.8 -4.645)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83389e0c-209a-4785-b320-e9582f9043c8))
(fp_line (start -1.755 -3.375) (end -2.8 -3.375)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e0815b92-f090-4718-b4a1-8117a616d43b))
(fp_line (start -1.755 -2.105) (end -2.8 -2.105)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ccb1cdc8-f690-4670-a898-e102e7945d02))
(fp_line (start -1.755 -0.835) (end -2.8 -0.835)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a63e43b7-20a9-4e6d-9de0-5519d9fa7a08))
(fp_line (start -1.755 0.435) (end -2.8 0.435)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 42fe7696-c82d-47df-acae-277913cf1c29))
(fp_line (start -1.755 1.705) (end -2.8 1.705)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 26ab6fdf-93d9-41dc-adf3-d4a02d56999b))
(fp_line (start -1.755 2.975) (end -2.8 2.975)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f53b2c18-f70d-4a17-b966-7514964269b3))
(fp_line (start -1.755 4.245) (end -2.8 4.245)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f8cbec47-0b25-4390-a314-3625982265e1))
(fp_line (start -1.755 5.515) (end -2.8 5.515)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d3a26e6d-61bf-4040-9953-2ae499460a68))
(fp_line (start -1.755 6.785) (end -2.8 6.785)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8a3bc944-71fb-41f5-b289-cfed721fd101))
(fp_line (start -1.755 8.055) (end -2.8 8.055)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9d8a2706-a325-4585-a258-710d1d009171))
(fp_line (start -1.755 9.325) (end -2.8 9.325)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 75258c37-8e98-4a50-b95a-ce39d26609a3))
(fp_line (start -1.755 10.595) (end -2.8 10.595)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4cef7b37-28e1-4703-9241-42b04bba385f))
(fp_line (start -1.755 11.865) (end -2.8 11.865)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9adf97ee-64b9-40ba-9c55-795da70c3c50))
(fp_line (start -1.755 13.135) (end -2.8 13.135)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 79460e25-340d-4499-a60b-ab4c341178f5))
(fp_line (start -1.705 -13.535) (end -2.8 -13.535)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e963da6-4158-494f-83e4-f3fd1e831bd0))
(fp_line (start -1.705 -13.535) (end -1.27 -13.97)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c5ccc3f2-4215-4657-9169-5e2e8f2ec348))
(fp_line (start -1.705 13.97) (end -1.705 -13.535)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eb9adb7a-fe24-4498-843f-e7b3cdc1e56e))
(fp_line (start -1.27 -13.97) (end 1.705 -13.97)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6647dbcd-dfb9-457a-806d-b5d77c2a9254))
(fp_line (start 1.705 -13.97) (end 1.705 13.97)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80dadcd0b-bead-4c9b-af63-19285cda4063))
(fp_line (start 1.705 13.97) (end -1.705 13.97)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 78735f8a-73d1-4f8a-94e6-8cb7eb5fbe51))
(fp_line (start 1.755 -13.535) (end 2.8 -13.535)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d27cf0ab-0162-4149-913a-3da47c99e877))
(fp_line (start 1.755 -12.265) (end 2.8 -12.265)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2b7243c4-99d2-4a7e-aa72-94177eb4caf6))
(fp_line (start 1.755 -10.995) (end 2.8 -10.995)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2e96e8ce-3988-448e-a015-fdcb4e11efbe))
(fp_line (start 1.755 -9.725) (end 2.8 -9.725)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1c7a74e9-485f-4028-a6a3-d7f94e958809))
(fp_line (start 1.755 -8.455) (end 2.8 -8.455))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0f93e56a-c95d-46b2-ab13-715adeba6e76))
(fp_line (start 1.755 -7.185) (end 2.8 -7.185))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e65cd4e9-2450-4cd1-ab05-6eef4ca8f3c6))
(fp_line (start 1.755 -5.915) (end 2.8 -5.915))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f8bcef16-3ffd-4e13-bcfe-edff613a8209))
(fp_line (start 1.755 -4.645) (end 2.8 -4.645))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 19084337-7454-4754-b842-61db97d81a80))
(fp_line (start 1.755 -3.375) (end 2.8 -3.375))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c84802e-c872-4524-8ae3-ef9bb1b470e5))
(fp_line (start 1.755 -2.105) (end 2.8 -2.105))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 94f9a305-125d-404d-a789-650e2bf6798e))
(fp_line (start 1.755 -0.835) (end 2.8 -0.835))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6c20a3fc-a7c4-4d89-b34e-8dd659ddb77d))
(fp_line (start 1.755 0.435) (end 2.8 0.435))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7a6f27c-8b0a-46d5-a09a-21a687884c0b))
(fp_line (start 1.755 1.705) (end 2.8 1.705))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 88dff43f-fc80-4b96-8e9c-ab6d51134548))
(fp_line (start 1.755 2.975) (end 2.8 2.975))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 42db400a-0924-4eb9-9795-917bd3b6c8f2))
(fp_line (start 1.755 4.245) (end 2.8 4.245))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 23a99463-8728-4422-88a7-59fa96979728))
(fp_line (start 1.755 5.515) (end 2.8 5.515))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b2f63f4a-dcbc-41a3-8a9c-1e233fb3acf0))
(fp_line (start 1.755 6.785) (end 2.8 6.785))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9d539a61-8282-4d2e-a433-356b7cb85d13))
(fp_line (start 1.755 8.055) (end 2.8 8.055))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30ad89e1-9917-4bdf-b415-7179d92f8845))
(fp_line (start 1.755 9.325) (end 2.8 9.325))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 55a72457-3d05-416c-be31-a0d1bfb30b90))
(fp_line (start 1.755 10.595) (end 2.8 10.595))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8fddff25-d318-4fb9-8e17-4f2d86b700eb))
(fp_line (start 1.755 11.865) (end 2.8 11.865))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 37ddc05a-a6d6-4b22-beac-47c8780afd1f))
(fp_line (start 1.755 13.135) (end 2.8 13.135))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b469be24-ba7c-4d52-94e8-c94f4bd98814))
(fp_line (start 2.8 -13.535) (end 2.8 -13.135))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 98abc78e-aa60-407b-aa2a-ebe296a39ca8))
(fp_line (start 2.8 -13.135) (end 1.755 -13.135))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 75dc8af0-b5fc-41fa-be67-9bf85f28b5f5))
(fp_line (start 2.8 -12.265) (end 2.8 -11.865))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1351586f-b6b5-4490-b8af-f5a2580b9ce3))
(fp_line (start 2.8 -11.865) (end 1.755 -11.865))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5b211e4f-2ea4-4414-8e99-c33c259599a8))
(fp_line (start 2.8 -10.995) (end 2.8 -10.595))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a92073bc-56bd-489d-9e38-cd7f9a9a502e))
(fp_line (start 2.8 -10.595) (end 1.755 -10.595))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6fa29cac-35c3-4cab-bcc2-f75d0daccea3))
(fp_line (start 2.8 -9.725) (end 2.8 -9.325))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c0dff9c3-63a4-4573-ab1f-5396f3e0db84))
(fp_line (start 2.8 -9.325) (end 1.755 -9.325))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a9d349ee-973e-490f-9b82-6d252e750ac9))
(fp_line (start 2.8 -8.455) (end 2.8 -8.055))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5cd09135-a299-4599-ad3d-54d8f5505d8b))
(fp_line (start 2.8 -8.055) (end 1.755 -8.055))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dbefda91-4f4c-4455-9d24-fd5cbb89ed1a))
(fp_line (start 2.8 -7.185) (end 2.8 -6.785))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 28b45549-efa9-4ffd-b497-cf251f48b846))
(fp_line (start 2.8 -6.785) (end 1.755 -6.785))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 76b33199-9924-445a-8bde-5c8b6c3a843c))
(fp_line (start 2.8 -5.915) (end 2.8 -5.515))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1669dc67-5b35-4189-8de9-ed56462d69e9))
(fp_line (start 2.8 -5.515) (end 1.755 -5.515))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c53a1355-ad64-43f7-a6d0-1b53275a08dc))
(fp_line (start 2.8 -4.645) (end 2.8 -4.245))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97f9745f-2a88-4ab2-bfa4-5ef718ad76e1))
(fp_line (start 2.8 -4.245) (end 1.755 -4.245))

```

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 118ccbe2-fd1b-473d-ba78-57874c8985ac))
(fp_line (start 2.8 -3.375) (end 2.8 -2.975)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 519ce4fc-2048-44fc-8edb-555a123e6eeb))
(fp_line (start 2.8 -2.975) (end 1.755 -2.975)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 71c46759-09fd-48ee-8368-179001de16cc))
(fp_line (start 2.8 -2.105) (end 2.8 -1.705)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c80c4a16-808f-405d-8ed2-cba85386f3a4))
(fp_line (start 2.8 -1.705) (end 1.755 -1.705)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 801787f0-c256-4e2e-b4ab-6869ca2ac0ff))
(fp_line (start 2.8 -0.835) (end 2.8 -0.435)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4409a7a-7b43-4115-a99f-fab2448eeda4))
(fp_line (start 2.8 -0.435) (end 1.755 -0.435)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b6dfc5a-315c-4ac4-8dd0-d58ea33902cf))
(fp_line (start 2.8 0.435) (end 2.8 0.835)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dbf4e829-e60a-46c3-bd02-6d22429559b3))
(fp_line (start 2.8 0.835) (end 1.755 0.835)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4b781ec6-cfb2-4d7c-b160-f0e2d62912b6))
(fp_line (start 2.8 1.705) (end 2.8 2.105)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 233322ff-cb3c-44ce-b2bb-049103c627c4))
(fp_line (start 2.8 2.105) (end 1.755 2.105)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 36233206-e47d-482a-af48-026ef5ff769d))
(fp_line (start 2.8 2.975) (end 2.8 3.375)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5cd8e9f9-a9e0-4994-b38a-61bf9d1500a3))
(fp_line (start 2.8 3.375) (end 1.755 3.375)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 489e859c-1889-47e5-bd0a-6942204c5b04))
(fp_line (start 2.8 4.245) (end 2.8 4.645)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c322e5c3-cbc9-4b54-943f-f173cad0ad3e))
(fp_line (start 2.8 4.645) (end 1.755 4.645)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 41080e9f-08eb-481b-9a8c-71ad819a933c))
(fp_line (start 2.8 5.515) (end 2.8 5.915)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e7747462-0659-489b-96b2-1332c40ee000))
(fp_line (start 2.8 5.915) (end 1.755 5.915)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96be003f-3e9e-4466-8a67-e2c8d08d98f8))
(fp_line (start 2.8 6.785) (end 2.8 7.185)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7fdbaa36-2a9c-4858-8398-1e569dca1b26))
(fp_line (start 2.8 7.185) (end 1.755 7.185)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1902275c-4479-4bd6-927b-0cc60bc30940))
(fp_line (start 2.8 8.055) (end 2.8 8.455)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a4f7c4ea-69d4-46df-b46e-14d7ea77e460))
(fp_line (start 2.8 8.455) (end 1.755 8.455)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13bbaeab-049f-48dd-822d-29686374a1de))
(fp_line (start 2.8 9.325) (end 2.8 9.725)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 67f21c21-35b6-49ae-b6e5-2e349c22f9a8))
(fp_line (start 2.8 9.725) (end 1.755 9.725)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5872ed19-2603-4b3b-b2d7-1dd600ebfc6c))
(fp_line (start 2.8 10.595) (end 2.8 10.995)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 345bb6f2-93d1-4cd5-bdbc-1ecccb0d3051))
(fp_line (start 2.8 10.995) (end 1.755 10.995)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c83ec335-6a30-4575-b054-b4a664836aef))
(fp_line (start 2.8 11.865) (end 2.8 12.265)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0eeb1fce-df7f-48c8-8e68-96186f2366dd))
(fp_line (start 2.8 12.265) (end 1.755 12.265)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 748c8d03-64c2-4fea-83c0-7ba02598881a))
(fp_line (start 2.8 13.135) (end 2.8 13.535)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 19b13bef-1017-4347-be64-905e8aa64fe5))
(fp_line (start 2.8 13.535) (end 1.755 13.535)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b77593a4-22e0-4088-9da0-d43d0ef306e9))
(pad "" np_thru_hole circle locked (at 0 -12.7 90) (size 0.76 0.76) (drill 0.76) (layers "*.Cu" "*.Mas
(pad "" np_thru_hole circle locked (at 0 12.7 90) (size 0.76 0.76) (drill 0.76) (layers "*.Cu" "*.Mas
(pad "1" smd roundrect locked (at -1.875 -13.335 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
  (net 3 "GND") (pinfunction "Pin_1") (pintype "passive") (tstamp e14c3166-628e-4a3b-bede-7c00342ef64
(pad "2" smd roundrect locked (at 1.875 -13.335 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
  (net 2 "+3V3") (pinfunction "Pin_2") (pintype "passive") (tstamp b68a4e36-456c-49ba-8388-8f4d2a3043
(pad "3" smd roundrect locked (at -1.875 -12.065 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
  (net 122 "/IO_Banks/Z11_N") (pinfunction "Pin_3") (pintype "passive") (tstamp 2805a128-4944-492a-8b
(pad "4" smd roundrect locked (at 1.875 -12.065 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
  (net 3 "GND") (pinfunction "Pin_4") (pintype "passive") (tstamp b476584d-7351-408b-9a13-f5d828af3a8
(pad "5" smd roundrect locked (at -1.875 -10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask

```

(net 121 "/IO_Banks/Z11_P") (pinfunction "Pin_5") (pintype "passive") (tstamp f6371365-b6cb-41e7-b55b-024388000000)
(pad "6" smd roundrect locked (at 1.875 -10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_6") (pintype "passive") (tstamp 590edca2-6a77-41d7-b6b6-abc5f7df0cc0)
(pad "7" smd roundrect locked (at -1.875 -9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_7") (pintype "passive") (tstamp 344fce37-641f-4937-b730-fef966d53250)
(pad "8" smd roundrect locked (at 1.875 -9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 131 "/IO_Banks/Z12_P") (pinfunction "Pin_8") (pintype "passive") (tstamp b2e79093-548f-4ef1-bb1b-024388000000)
(pad "9" smd roundrect locked (at -1.875 -8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 120 "/IO_Banks/Z10_P") (pinfunction "Pin_9") (pintype "passive") (tstamp fb1ee636-5419-4478-a83b-024388000000)
(pad "10" smd roundrect locked (at 1.875 -8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 130 "/IO_Banks/Z12_N") (pinfunction "Pin_10") (pintype "passive") (tstamp 6891bb3f-92de-4581-9000-024388000000)
(pad "11" smd roundrect locked (at -1.875 -6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 129 "/IO_Banks/Z10_N") (pinfunction "Pin_11") (pintype "passive") (tstamp a668bc35-1720-48bd-9000-024388000000)
(pad "12" smd roundrect locked (at 1.875 -6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_12") (pintype "passive") (tstamp 4896bcf9-d913-4761-a67c-49a00c29fa00)
(pad "13" smd roundrect locked (at -1.875 -5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_13") (pintype "passive") (tstamp e90ba3ff-9e14-43e7-8a07-d17759d13100)
(pad "14" smd roundrect locked (at 1.875 -5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 137 "/IO_Banks/Z9_N") (pinfunction "Pin_14") (pintype "passive") (tstamp 02b45918-a8bf-4ad5-b300-024388000000)
(pad "15" smd roundrect locked (at -1.875 -4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 119 "/IO_Banks/Z8_P") (pinfunction "Pin_15") (pintype "passive") (tstamp b3fea0cf-7c21-4f1a-8400-024388000000)
(pad "16" smd roundrect locked (at 1.875 -4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 136 "/IO_Banks/Z9_P") (pinfunction "Pin_16") (pintype "passive") (tstamp db11cc9f-368d-41c0-9100-024388000000)
(pad "17" smd roundrect locked (at -1.875 -3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 128 "/IO_Banks/Z8_N") (pinfunction "Pin_17") (pintype "passive") (tstamp 3c970385-1f40-43a9-8800-024388000000)
(pad "18" smd roundrect locked (at 1.875 -3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_18") (pintype "passive") (tstamp 4a45f651-4e0c-4c0c-b85b-2b6b270a9700)
(pad "19" smd roundrect locked (at -1.875 -1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_19") (pintype "passive") (tstamp 9e15f853-f781-4969-873e-e04406686ef100)
(pad "20" smd roundrect locked (at 1.875 -1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 135 "/IO_Banks/Z7_N") (pinfunction "Pin_20") (pintype "passive") (tstamp 40bf29ca-da2d-49cf-8900-024388000000)
(pad "21" smd roundrect locked (at -1.875 -0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 118 "/IO_Banks/Z6_P") (pinfunction "Pin_21") (pintype "passive") (tstamp 811d84a1-a28e-43a7-9300-024388000000)
(pad "22" smd roundrect locked (at 1.875 -0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 140 "/IO_Banks/Z7_P") (pinfunction "Pin_22") (pintype "passive") (tstamp 32e91c29-04ad-4a64-8a00-024388000000)
(pad "23" smd roundrect locked (at -1.875 0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 127 "/IO_Banks/Z6_N") (pinfunction "Pin_23") (pintype "passive") (tstamp f30b1a3c-9d3f-4d86-ba00-024388000000)
(pad "24" smd roundrect locked (at 1.875 0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_24") (pintype "passive") (tstamp c9925656-f074-43f9-b68c-86ca360f2100)
(pad "25" smd roundrect locked (at -1.875 1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_25") (pintype "passive") (tstamp b9b141dd-b20a-4dd0-a58d-688c0d0acf00)
(pad "26" smd roundrect locked (at 1.875 1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 134 "/IO_Banks/Z5_N") (pinfunction "Pin_26") (pintype "passive") (tstamp 24740e4f-be13-40fd-9900-024388000000)
(pad "27" smd roundrect locked (at -1.875 3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 117 "/IO_Banks/Z3_P") (pinfunction "Pin_27") (pintype "passive") (tstamp 553dcfd8-ad35-4303-9000-024388000000)
(pad "28" smd roundrect locked (at 1.875 3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 126 "/IO_Banks/Z5_P") (pinfunction "Pin_28") (pintype "passive") (tstamp 24c1f59a-1f11-4cd0-a800-024388000000)
(pad "29" smd roundrect locked (at -1.875 4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 116 "/IO_Banks/Z3_N") (pinfunction "Pin_29") (pintype "passive") (tstamp 39e07bbf-41bf-4fe9-ae00-024388000000)
(pad "30" smd roundrect locked (at 1.875 4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_30") (pintype "passive") (tstamp f57279e3-73a9-4b1c-b50d-714ebf964f00)
(pad "31" smd roundrect locked (at -1.875 5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_31") (pintype "passive") (tstamp 0f73fb8f-d9ab-42b1-b74d-34c8d1323000)
(pad "32" smd roundrect locked (at 1.875 5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 125 "/IO_Banks/Z4_P") (pinfunction "Pin_32") (pintype "passive") (tstamp 9b3d1430-cd96-4d15-af00-024388000000)
(pad "33" smd roundrect locked (at -1.875 6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 115 "/IO_Banks/Z2_N") (pinfunction "Pin_33") (pintype "passive") (tstamp a33cf69f-3d7f-4f94-8a00-024388000000)
(pad "34" smd roundrect locked (at 1.875 6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 133 "/IO_Banks/Z4_N") (pinfunction "Pin_34") (pintype "passive") (tstamp d0851dd6-104f-4ccd-9800-024388000000)
(pad "35" smd roundrect locked (at -1.875 8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 124 "/IO_Banks/Z2_P") (pinfunction "Pin_35") (pintype "passive") (tstamp 8e1c8df-cbb1-4c68-b700-024388000000)
(pad "36" smd roundrect locked (at 1.875 8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_36") (pintype "passive") (tstamp 3584e57b-6aef-43da-b59c-f208c3699400)
(pad "37" smd roundrect locked (at -1.875 9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "Pin_37") (pintype "passive") (tstamp 17da8622-f747-4146-9bf0-9c7cd1bb5100)
(pad "38" smd roundrect locked (at 1.875 9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 132 "/IO_Banks/Z1_N") (pinfunction "Pin_38") (pintype "passive") (tstamp e5c4f050-a830-4414-a100-024388000000)
(pad "39" smd roundrect locked (at -1.875 10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"))


```

)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f429741)
  (at 64.4 99.9)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005b12b6ca")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP7" (at 0 -1.448) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp d496a275-7554-49f9-b49b-ceef414e1bcf)
  )
  (fp_text value "3V3" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 8387d17e-0007-4e13-94e9-6fec9f942a70)
  )
  (fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 23ab311c-0a2a-41d0-ad7c-c6bdf7a9a9c)
  )
  (fp_circle (center 0 0) (end 0 0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp 10c97c14-8e6a-464d-a831-63
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 4e2561e0-d1e6-4b87-ab4a-88
  )
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
    (net 30 "/CLKIF") (pinfunction "1") (pintype "passive") (tstamp d4c7aa8e-9bc2-4629-b125-924a9ac14a3
  )
)

(footprint "Capacitor_SMD:CP_Elec_6.3x5.9" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f447b59)
  (at 67.6 104.2)
  (descr "SMD capacitor, aluminum electrolytic, Panasonic C6, 6.3x5.9mm")
  (tags "capacitor electrolytic")
  (property "1b2-bom-key" "cap-poly-6_3x5_7-10v-150u")
  (property "Characteristics" "10V")
  (property "MPN" "A765EB157M1ALAE022")
  (property "Mfg" "KEMET")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Polarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005ccea6160")
  (attr smd)
  (fp_text reference "C87" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 00be131e-996e-4d9d-bebd-fa5a765e6f95)
  )
  (fp_text value "150u" (at 0 1.45) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 98677e12-f070-4811-938a-e117e3148e06)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp dc1137df-d5a9-43ca-8473-8a681c86dcea)
  )
  (fp_line (start -4.4375 -1.8475) (end -3.65 -1.8475)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f889d216-f058-4810-9ece-579f56bc509e))
  (fp_line (start -4.04375 -2.24125) (end -4.04375 -1.45375)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f9af1027-ff31-4b6e-8047-d5e67a5300f5))
  (fp_line (start -3.41 -2.345563) (end -3.41 -1.06)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1444a09e-b1a4-4f4b-8b34-a9d15d949dc5))

```

```

(fp_line (start -3.41 -2.345563) (end -2.345563 -3.41)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ab486424-23fd-48be-8cc8-92a28c54a953))
(fp_line (start -3.41 2.345563) (end -3.41 1.06)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 307db63a-cae3-4508-a698-79bbacf25d2a))
(fp_line (start -3.41 2.345563) (end -2.345563 3.41)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 27894ca1-5af4-4976-97e4-9d272fb22525))
(fp_line (start -2.345563 -3.41) (end 3.41 -3.41)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 00d7330e-894c-4267-a578-59fcdea448fa))
(fp_line (start -2.345563 3.41) (end 3.41 3.41)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b8e262d9-b830-4a55-95f9-231d20639ba6))
(fp_line (start 3.41 -3.41) (end 3.41 -1.06)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 4cf60a65-e2ac-4394-8b51-1504aa8964f5))
(fp_line (start 3.41 3.41) (end 3.41 1.06)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2d49ba50-a127-4cd3-b24f-a2e063ea5881))
(fp_line (start -4.8 -1.05) (end -4.8 1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3a7e387c-8b73-4274-971b-b4e6fdcec015))
(fp_line (start -4.8 1.05) (end -3.55 1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e6335994-0fa9-4fb5-9c98-7562ea54c5bb))
(fp_line (start -3.55 -2.4) (end -3.55 -1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 918aa0ec-55ef-467d-908d-52cb82c7e058))
(fp_line (start -3.55 -2.4) (end -2.4 -3.55)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70945da3-cd19-42fd-9468-4301a74e7568))
(fp_line (start -3.55 -1.05) (end -4.8 -1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d724aba5-05b4-465b-b67f-e66b5eaaafb90))
(fp_line (start -3.55 1.05) (end -3.55 2.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 06e14cd2-3916-47ae-8d6e-855ef0f33a43))
(fp_line (start -3.55 2.4) (end -2.4 3.55)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ef4ae719-53a9-4efc-a4ec-3675cf11ac33))
(fp_line (start -2.4 -3.55) (end 3.55 -3.55)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 46c5c806-0f4f-4405-a179-74fde8a570f3))
(fp_line (start -2.4 3.55) (end 3.55 3.55)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9f899b52-1cc3-4c26-9f6d-5279db2b54f9))
(fp_line (start 3.55 -3.55) (end 3.55 -1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ed89352-806e-45a8-b480-fcd8773f5804))
(fp_line (start 3.55 -1.05) (end 4.8 -1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 45121912-028e-4fc2-8944-557d04725393))
(fp_line (start 3.55 1.05) (end 3.55 3.55)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bba52364-0332-4ca7-a9fe-f3e2bf050f80))
(fp_line (start 4.8 -1.05) (end 4.8 1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 373e6af5-0c9c-48dc-9590-20b3e34a8143))
(fp_line (start 4.8 1.05) (end 3.55 1.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ea24642-8f38-4d00-afd9-fa6317cde24a))
(fp_line (start -3.3 -2.3) (end -3.3 2.3)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 193a1f00-b038-4efd-858a-373fca3254a6))
(fp_line (start -3.3 -2.3) (end -2.3 -3.3)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1576a440-5704-4aba-bf99-2ddb5ea98bca))
(fp_line (start -3.3 2.3) (end -2.3 3.3)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad7d41ba-f15d-4de6-9fbc-fb4773ac4def))
(fp_line (start -2.704838 -1.33) (end -2.074838 -1.33)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6209ddb1-2aa3-463b-9e95-96a4ed3fbb37))
(fp_line (start -2.389838 -1.645) (end -2.389838 -1.015)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 957eacbd-bf7a-4864-8411-749653179034))
(fp_line (start -2.3 -3.3) (end 3.3 -3.3)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e63f6001-95bb-4073-a200-686d6db044df))
(fp_line (start -2.3 3.3) (end 3.3 3.3)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b3c1a7dd-843c-4a1b-840e-238634d73d85))
(fp_line (start 3.3 -3.3) (end 3.3 3.3)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dd02c5c7-cdaf-4038-a611-e3e59d0f299b))
(fp_circle (center 0 0) (end 3.15 0)
  (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp b34185cd-d06a-4fe5-819b-e1e8a8a8a8a8))
(pad "1" smd roundrect (at -2.8 0) (size 3.5 1.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 5 "+5V") (pintype "passive") (tstamp b6176485-8711-49ae-a7eb-7fe4acb43e89))
(pad "2" smd roundrect (at 2.8 0) (size 3.5 1.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 3 "GND") (pintype "passive") (tstamp 5a8dcad7-059f-4296-afdb-9fefc3c674fb))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/CP_Elec_6.3x5.9.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))

```

```

)
)

 footprint "Package_S0:TSSOP-8_4.4x3mm_P0.65mm" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f44afea)
  (at 76.4 110.9 90)
  (descr "TSSOP, 8 Pin (JEDEC MO-153 Var AA https://www.jedec.org/document_search?search_api_views_full1
  (tags "TSSOP S0")
  (property "1b2-bom-key" "eeprom-tssop8-cat24m01")
  (property "MPN" "CAT24M01YI-GT3")
  (property "Mfg" "ON Semiconductor")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "1 Mb I2C CMOS Serial EEPROM, SOIC-8")
  (property "ki_keywords" "EEPROM 1Mb I2C")
  (path "/00000000-0000-0000-0000-00005acd2bb9")
  (attr smd)
  (fp_text reference "U2" (at 0 0 270) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 7d91dfd7-42fa-4708-b098-ddd20d07d574)
  )
  (fp_text value "CAT24M01X" (at 0 -1.05 270) (layer "F.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.0625)))
    (tstamp b8ca9560-62c6-447a-82bf-e2bd33d29ddb)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 3a114ee1-9e80-44e2-b048-e37597107efa)
  )
  (fp_line (start 0 -1.61) (end -3.6 -1.61)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9c1e710d-68b4-463b-940a-3b9ea2dc7be9))
  (fp_line (start 0 -1.61) (end 2.2 -1.61)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 150cfe1f-04bd-48f0-9a74-a2b58ce3553f))
  (fp_line (start 0 1.61) (end -2.2 1.61)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9a2117bd-7eb8-4867-b671-1d3716ccb2b5))
  (fp_line (start 0 1.61) (end 2.2 1.61)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5abf95d6-634c-4599-a4eb-4ef02254054b))
  (fp_line (start -3.85 -1.75) (end -3.85 1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aeed6b85-92fb-4652-8c59-619e966dd0df))
  (fp_line (start -3.85 1.75) (end 3.85 1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 29479484-324a-45ca-a285-a6aff899ce37))
  (fp_line (start 3.85 -1.75) (end -3.85 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 454bba91-165b-4dbb-af23-75890663e8bc))
  (fp_line (start 3.85 1.75) (end 3.85 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bc7a23c5-dc7d-4551-9d51-6bd4cc342ad9))
  (fp_line (start -2.2 -0.75) (end -1.45 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eb0c52c8-01c1-4e36-9276-e5593b8afcb3))
  (fp_line (start -2.2 1.5) (end -2.2 -0.75)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 603b5d57-7c0a-498e-af22-021b28442861))
  (fp_line (start -1.45 -1.5) (end 2.2 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4a9306b8-8e2e-41dc-bd14-b553e9ffec3b))
  (fp_line (start 2.2 -1.5) (end 2.2 1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 45291ffb-130e-4f21-a073-e858fbb46118))
  (fp_line (start 2.2 1.5) (end -2.2 1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d17ce62a-64bf-4d16-827c-59ba8d8046d8))
  (pad "1" smd roundrect locked (at -2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 246 "unconnected-(U2-NC-Pad1)") (pinfunction "NC") (pintype "no_connect") (tstamp 556fd908-dd2
  (pad "2" smd roundrect locked (at -2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 2 "+3V3") (pinfunction "A1") (pintype "input") (tstamp b9a0ebe5-08f2-4aa1-b2e3-07a80b0f84aa))
  (pad "3" smd roundrect locked (at -2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 245 "unconnected-(U2-A2-Pad3)") (pinfunction "A2") (pintype "input+no_connect") (tstamp 450804
  (pad "4" smd roundrect locked (at -2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp cf497a24-13c3-41a5-8e16-394a52ad15a1
  (pad "5" smd roundrect locked (at 2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp bd8cbe8e-38a1-4903-8009-a396ed
  (pad "6" smd roundrect locked (at 2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 8ca2259a-9150-4d5b-9258-d368e2130405))
  (pad "7" smd roundrect locked (at 2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"

```

```

        (net 244 "unconnected-(U2-WP-Pad7)") (pinfunction "WP") (pintype "input+no_connect") (tstamp b3c98b)
(pad "8" smd roundrect locked (at 2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 2 "+3V3") (pinfunction "VCC") (pintype "power_in") (tstamp 739c6983-1cf9-4f63-a96c-59f772e88e8)
(model "${KICAD6_3DMODEL_DIR}/Package_SO.3dshapes/TSSOP-8_4.4x3mm_P0.65mm.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)
)

(footprint "Package_SO:TSSOP-8_4.4x3mm_P0.65mm" locked (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f44b032)
    (at 72.9 110.9 90)
    (descr "TSSOP, 8 Pin (JEDEC MO-153 Var AA https://www.jedec.org/document\_search?search\_api\_views\_full
    (tags "TSSOP SO")
    (property "1b2-bom-key" "eeprom-tssop8-bl24c256a")
    (property "MPN" "BL24C256A-SFRC")
    (property "Mfg" "BL(Shanghai Belling)")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "256 kb CMOS Serial EEPROM, DIP-8/SOIC-8/TSSOP-8/DFN-8")
    (property "ki_keywords" "I2C EEPROM Serial 256kb")
    (path "/00000000-0000-0000-0000-00005acd332d")
    (attr smd)
    (fp_text reference "U3" (at 0 0 270) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 1ec6e7e9-9c2e-42c5-ad33-31f7bb6de834)
    )
    (fp_text value "BL24C256A-SFRC" (at 0 1.1 270) (layer "F.Fab")
        (effects (font (size 0.3 0.3) (thickness 0.0625)))
        (tstamp 6bcde6e2-a2c5-479e-a1a2-837182b3e1f5)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 2f012fac-50a6-4e4d-a832-35bb9c60d4df)
    )
    (fp_line (start 0 -1.61) (end -3.6 -1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b2fb1296-ca8c-45d0-b5a2-fa04e30c8385))
    (fp_line (start 0 -1.61) (end 2.2 -1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ea2e8a6c-80ab-4b51-86f4-7a9712c20ed5))
    (fp_line (start 0 1.61) (end -2.2 1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 4243a662-66aa-4394-9c52-b3b706e3c70a))
    (fp_line (start 0 1.61) (end 2.2 1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f00ff34a-3c39-422e-8988-87be2c828ea0))
    (fp_line (start -3.85 -1.75) (end -3.85 1.75)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aef23bd7-c535-44e7-aa9a-8b1dfd7a6590))
    (fp_line (start -3.85 1.75) (end 3.85 1.75)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5fd283a8-fa37-4d9f-91fb-37dbd49d5431))
(fp_line (start 3.85 -1.75) (end -3.85 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a5ec25f3-bf06-4cc5-8e29-c245cbc59906))
    (fp_line (start 3.85 1.75) (end 3.85 -1.75)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 09ca1b55-184b-4394-befd-05f91fb483f3))
    (fp_line (start -2.2 -0.75) (end -1.45 -1.5)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 93bb90c6-b458-4df9-b93d-ebf6a8e243bd))
    (fp_line (start -2.2 1.5) (end -2.2 -0.75)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba688409-4ef9-4d20-966c-5e61814591bb))
    (fp_line (start -1.45 -1.5) (end 2.2 -1.5)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97e9b444-d4a9-4f32-96be-778c344351b8))
    (fp_line (start 2.2 -1.5) (end 2.2 1.5)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcb97864-bd5a-4a77-bd4d-1819343ccb76))
    (fp_line (start 2.2 1.5) (end -2.2 1.5)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4a72c99b-b3a3-4d43-81b1-c980cfe4ac79))
(pad "1" smd roundrect locked (at -2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 2 "+3V3") (pinfunction "A0") (pintype "input") (tstamp 735a3e43-f29f-44cc-9e56-da41bb47c223))
(pad "2" smd roundrect locked (at -2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 238 "Net-(U3-A1)") (pinfunction "A1") (pintype "input") (tstamp 47c1bd89-7b3f-4e9c-a7af-292048)
(pad "3" smd roundrect locked (at -2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 248 "unconnected-(U3-A2-Pad3)") (pinfunction "A2") (pintype "input+no_connect") (tstamp 2a346c)

```

```

(pad "4" smd roundrect locked (at -2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp de189684-20b6-4e4b-b866-8bc4439ca8ff)
(pad "5" smd roundrect locked (at 2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 5258cd41-213a-40f5-bc46-bcdd5
(pad "6" smd roundrect locked (at 2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp f9d9e33c-042e-4e7b-88dd-280eacd677e9))
(pad "7" smd roundrect locked (at 2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 247 "unconnected-(U3-WP-Pad7)") (pinfunction "WP") (pintype "input+no_connect") (tstamp 102600
(pad "8" smd roundrect locked (at 2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 2 "+3V3") (pinfunction "VCC") (pintype "power_in") (tstamp 6c1f4131-524a-4b09-97ff-1288f92aee7
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/TSSOP-8_4.4x3mm_P0.65mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:Molex_KK-254_1x02_P2.54mm_Horizontal" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f4629c8)
  (at 84.1 108.4)
  (descr "Molex KK-254 Interconnect System, old/engineering part number: AE-6410-02A example for new pa
  (tags "connector Molex KK-254 side entry")
  (property "1b2-bom-key" "conn-th-01in-2-1-hdr-ra")
  (property "MPN" "22-05-3021")
  (property "Mfg" "Molex")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Generic connector, single row, 01x02, script generated (kicad-library-uti
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c961091")
  (attr through_hole)
  (fp_text reference "J4" (at -1.3 0) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 48639696-4d5f-44a9-b1a0-508dcbae68bf)
  )
  (fp_text value "Conn_01x02" (at -1.35 6 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 1d9f39ce-3410-4e40-8c80-e0480bd74565)
  )
  (fp_text user "${REFERENCE}" (at -1.27 -2.413 180) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 96cbb0ce-9396-44a3-8a2e-6623ace0de9f)
  )
  (fp_line (start -3.937 2.286) (end -3.302 2.286)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 96cdca38-2f5c-4f6c-b6c9-7eed242d6687))
  (fp_line (start -3.937 5.715) (end -3.937 2.286)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 076470ad-f598-417c-b742-74ff328b5dc9))
  (fp_line (start -3.302 2.286) (end -3.302 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 08c042a2-cac7-4f7c-a903-2b42c9b6da81))
  (fp_line (start -2.921 1.397) (end -2.921 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d06d9f54-fbfd-4b1f-bb31-c58fb2c6daee))
  (fp_line (start -2.921 5.715) (end -2.921 11.557)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 80e2bf52-7b12-4eca-b67a-0c8a5585f966))
  (fp_line (start -2.54 5.715) (end -3.937 5.715)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 529afe0a-76fd-4e13-8b94-e6aa4a53bf19))
  (fp_line (start -2.54 5.715) (end -2.54 10.541)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 7766f3a7-799f-4c92-b659-46aefbf51441))
  (fp_line (start -2.286 11.049) (end -2.54 10.541)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8b8aba89-8e67-46d5-a0e2-8af67366ac2d))
  (fp_line (start -2.159 1.397) (end -2.159 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5b3bed4a-c8e1-4203-b105-c2738b77fc53))
  (fp_line (start -2.159 11.049) (end -2.159 11.557)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a436b89b-e732-4fdf-b54d-60f4bd40b2f4))
  (fp_line (start -1.778 2.286) (end -0.762 2.286)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1555bfc6-f3f5-47a0-9b62-2535fcca9f75))
  (fp_line (start -1.778 2.921) (end -3.302 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 37530776-948d-4e57-b142-25d9555cfbdb))
  (fp_line (start -1.778 2.921) (end -1.778 2.286)

```

```

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e0c941ec-3df4-4928-98f4-fdcd3918b7b7))
(fp_line (start -0.762 2.286) (end -0.762 2.921)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a931b1ef-8f52-4b60-b8c9-ceadc6d10faa))
(fp_line (start -0.381 1.397) (end -0.381 2.921)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f59b9cc9-32fb-40ca-be4f-e2b3f7d37f30))
(fp_line (start -0.381 11.049) (end -0.381 11.557)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f08370b3-8736-4aa9-bf8c-c578a53df410))
(fp_line (start -0.25 11.049) (end -2.286 11.049)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp aeadc00f-8d66-4fbb-a828-de5a671085ea))
(fp_line (start 0 5.715) (end 0 10.541)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6ccbb760-6489-4fe9-8f32-8f8f86f015ef))
(fp_line (start 0 5.715) (end 1.397 5.715)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2d6b0b19-b7f6-43f9-8038-2c78d6950098))
(fp_line (start 0 10.541) (end -2.54 10.541)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 557e72ee-d86c-401d-8f76-3efacffa10a2))
(fp_line (start 0 10.541) (end -0.25 11.049)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a8182d6c-8f1e-49ef-b96e-b95b05ad7bd1))
(fp_line (start 0.381 1.397) (end 0.381 2.921)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 574779dd-d499-402f-98d2-d7856e513d84))
(fp_line (start 0.381 5.715) (end 0.381 11.557)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2d11416f-8198-4e5e-9f4b-d827609a8c88))
(fp_line (start 0.762 2.286) (end 1.397 2.286)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 4e67e863-de90-45cb-92c8-65cc1f299016))
(fp_line (start 0.762 2.921) (end -0.762 2.921)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f0b6113f-2bae-4058-b317-666315adb4d6))
(fp_line (start 0.762 2.921) (end 0.762 2.286)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6ad2e9e1-8350-477d-a2ff-8c7cff90f2e5))
(fp_line (start 1.143 0) (end 1.651 -0.254)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp eef64dd6-bf2a-4077-868d-0383af717b01))
(fp_line (start 1.397 2.286) (end 1.397 5.715)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c019e07f-2c25-47c2-a628-7c22a2aecf0f))
(fp_line (start 1.651 -0.254) (end 1.651 0.254)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 09a582eb-6a8b-4924-ad2f-61259079d577))
(fp_line (start 1.651 0.254) (end 1.143 0)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 20f2f4c6-08f5-450e-825d-58cc96f248b2))
(fp_line (start -4.318 -1.651) (end -4.318 13.081)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 40de6c59-4d13-49f1-9f00-2315f09eeef))
(fp_line (start -4.318 13.081) (end 1.77 13.081)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cb33c6ae-ffff-4e4c-a6fa-afd10990a88a))
(fp_line (start 1.77 -1.651) (end -4.318 -1.651)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4a142a9-0b5c-4854-acf0-5d82f8372bc9))
(fp_line (start 1.778 13.081) (end 1.77 -1.651)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e5bb1044-40db-4e42-aaad-bb7cd1164671))
(fp_line (start -3.937 -1.27) (end -3.937 11.557)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 193f4edb-14ac-4aa4-a552-162eca5ff6b8))
(fp_line (start -3.937 11.557) (end 1.397 11.557)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 86671c32-1d0b-4114-b29a-a2c22c963242))
(fp_line (start 0.562893 0) (end 1.27 -0.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 71ad3894-0eec-45a2-9a74-db8fed5e3519))
(fp_line (start 1.27 0.5) (end 0.562893 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 860a1a66-536f-4cbf-a040-e245ef329422))
(fp_line (start 1.397 -1.27) (end -3.937 -1.27)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 328be3ec-7df1-4541-80b0-937957e41427))
(fp_line (start 1.397 11.557) (end 1.397 -1.27)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8bba1dd0-3c3d-4b07-b981-df0da5702aeb))
(pad "1" thru_hole roundrect locked (at 0 0 180) (size 1.74 2.2) (drill 1.2) (layers "*.Cu" "*.Mask"))
(net 3 "GND") (pinfunction "Pin_1") (pintype "passive") (tstamp e542ef7f-2234-41cd-af31-163e5c9319b)
(pad "2" thru_hole oval locked (at -2.54 0 180) (size 1.74 2.2) (drill 1.2) (layers "*.Cu" "*.Mask"))
(net 159 "/IO_Banks/~{SYNC}") (pinfunction "Pin_2") (pintype "passive") (tstamp 981edf70-6f15-4404-f)
(model ".../packages3D/Molex_KK-254_1x02_P2.54mm_Horizontal-PN022057028.step"
  (offset (xyz -1.3 -4.3 4.1))
  (scale (xyz 1 1 1))
  (rotate (xyz 180 0 0))
)
)
)

(footprint "Glasgow:DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm_ThermalVias" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476c85)

```

```

(at 65.9 115 180)
(descr "6-Lead Plastic Dual Flat, No Lead Package (MA) - 2x2x0.9 mm Body [DFN] (see Microchip Packagi
(tags "DFN 0.65")
(property "1b2-bom-key" "vreg-dfn6-tlv75533pdrvr")
(property "MPN" "TLV75533PDRVR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "500 mA Low Dropout Voltage Regulator, Fixed Output 3.3V, WSON6")
(property "ki_keywords" "500mA LDO Regulator Fixed Positive")
(path "/00000000-0000-0000-0000-00005cec297b")
(attr smd)
(fp_text reference "U8" (at 0 0.4 180) (layer "F.Silks") hide
  (effects (font (size 0.6 0.6) (thickness 0.1)))
  (tstamp a2c6486c-eebc-4666-b499-70ca82dc3670)
)
(fp_text value "TLV75533PDRVR" (at 0 1.4 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 6c2b4294-e1c1-42c1-8f2c-d7c0d0b8f637)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 07ecf527-e7d3-41f6-b7da-0f81aef981ff)
)
(fp_line (start -1.45 -1.1) (end 0.725 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp b29770f8-d292-4409-adc0-8b322f31445c))
(fp_line (start -0.725 1.1) (end 0.725 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 5c5bfda0-8cf2-4f2f-b13a-e807b7a88ae6))
(fp_line (start -1.65 -1.25) (end -1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 05a61740-4ade-4fa5-8c1b-994624556317))
(fp_line (start -1.65 -1.25) (end 1.65 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c06a38ec-b2c5-48d5-aae4-8e7f51248538))
(fp_line (start -1.65 1.25) (end 1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4655e937-5d0a-446c-9a89-f723f72bb3d4))
(fp_line (start 1.65 -1.25) (end 1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 66f83e1d-2112-4c03-befa-bae426d82020))
(fp_line (start -1 0) (end 0 -1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5357c38d-10df-4100-87e6-5760d6eb7798))
(fp_line (start -1 1) (end -1 0)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp ebbeed04-fcdf-4ecc-ad72-73e75fb508e8))
(fp_line (start 0 -1) (end 1 -1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 88594482-3f22-4ec2-974b-40bcf0f0d860))
(fp_line (start 1 -1) (end 1 1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 16273db5-2e1c-4e28-a218-b64c8e2bdd6c))
(fp_line (start 1 1) (end -1 1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp a3b0d3fe-9607-42de-bbfd-870d9731bcbe))
(pad "" smd roundrect (at 0 -0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.0709985714)
(pad "" smd roundrect (at 0 0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.0709985714)
(pad "1" smd roundrect (at -1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
  (net 2 "+3V3") (pinfunction "OUT") (pintype "power_out") (tstamp 45a1d6f3-3112-418f-9ea7-e371e11739)
(pad "2" smd roundrect (at -1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
  (net 2 "+3V3") (pinfunction "NC") (pintype "passive") (tstamp fcb9cd8d-c058-41ac-95ae-4d8ffa8b02f2)
(pad "3" smd roundrect (at -1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 4960c1bb-cfb1-4a5c-804c-530a75f93218)
(pad "4" smd roundrect (at 1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
  (net 200 "Net-(U7-~{RESET})") (pinfunction "EN") (pintype "input") (tstamp 92fe98de-1336-4137-b937-530a75f93218)
(pad "5" smd roundrect (at 1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
  (net 5 "+5V") (pinfunction "NC") (pintype "passive") (tstamp 2c7d2f9b-30e4-4a42-bdcc-7e5960d7d556))
(pad "6" smd roundrect (at 1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
  (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp eff551ff-b00a-4ad8-8922-c7adb4cf819a)
(pad "7" thru_hole circle (at 0 -0.55 180) (size 0.5 0.5) (drill 0.3) (layers "F.Cu")
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp c29689fd-12f1-4414-b567-411433021ed2)
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "F.Cu" "F.Mask") (roundrect_rratio 0.05)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 76cbbd38-1bd9-4678-8a7c-7998e5cc30da)
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "B.Cu") (roundrect_rratio 0.05)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp b14841d8-428a-48e1-b567-411433021ed2)
(pad "7" thru_hole circle (at 0 0.55 180) (size 0.5 0.5) (drill 0.3) (layers "F.Cu")
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp 92ea7758-eca6-40e0-b567-411433021ed2)

```

```

(model "${KICAD6_3DMODEL_DIR}/Package_DFN_QFN.3dshapes/DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm_ThermalVias" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476cdc)
  (at 65.9 109.9 180)
  (descr "6-Lead Plastic Dual Flat, No Lead Package (MA) - 2x2x0.9 mm Body [DFN] (see Microchip Packaging)"
  (tags "DFN 0.65")
  (property "1b2-bom-key" "vreg-dfn6-tlv73312pqrdvrq1")
  (property "MPN" "TLV73312PQDRVRQ1")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
  (property "ki_description" "300 mA Low Dropout Voltage Regulator, Fixed Output 1.2V, WSON6")
  (property "ki_keywords" "300mA LDO Regulator Fixed Positive")
  (path "/00000000-0000-0000-0000-00005ce599a")
  (attr smd)
  (fp_text reference "U36" (at 0 0.3 180) (layer "F.Silks") hide
    (effects (font (size 0.6 0.6) (thickness 0.1))))
    (tstamp 867b1486-3aa8-4088-a4db-8bf12c720304)
  )
  (fp_text value "TLV73312PQDRVR" (at 0 1.4 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 50fb3001-adf5-4c61-95ab-541f091d4741)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075))))
    (tstamp e62694bc-7b0c-4bfc-be28-aa9abb1d85fe)
  )
  (fp_line (start -1.45 -1.1) (end 0.725 -1.1)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 6278ea4f-f7f1-49ea-964c-f4eba23a9d04))
  (fp_line (start -0.725 1.1) (end 0.725 1.1)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp e724b5cb-63d1-4ede-9f0a-e79038389503))
  (fp_line (start -1.65 -1.25) (end -1.65 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9973ed2d-f4d8-449e-88bf-45e1a1b45bb8))
  (fp_line (start -1.65 -1.25) (end 1.65 -1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01a4fbac-bdaf-480a-98b6-152948560afd))
  (fp_line (start -1.65 1.25) (end 1.65 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 36560ca0-a842-402e-8d65-e60d950b112f))
  (fp_line (start 1.65 -1.25) (end 1.65 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 05f1e89a-5146-4b91-b9b0-502c915c6326))
  (fp_line (start -1 0) (end 0 -1)
    (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5dbaa597-fb96-4a09-aa7f-c7ac855841e5))
  (fp_line (start -1 1) (end -1 0)
    (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5709a4cc-8628-4df2-b82f-b6fd9a810e06))
  (fp_line (start 0 -1) (end 1 -1)
    (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 8b8a52e8-9a84-4165-862e-be45f8fd69ea))
  (fp_line (start 1 -1) (end 1 1)
    (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5d8b7c54-303f-4008-ac7d-19e380563a1a))
  (fp_line (start 1 1) (end -1 1)
    (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 662eba5b-a18f-4b07-9b16-7737f6f1e363))
  (pad "" smd roundrect (at 0 -0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.0709985714)
  (pad "" smd roundrect (at 0 0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.0709985714)
  (pad "1" smd roundrect (at -1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
    (net 29 "+1V2") (pinfunction "OUT") (pintype "power_out") (tstamp f2e4d94d-29f7-4ae4-8baa-bdfb46f33c))
  (pad "2" smd roundrect (at -1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
    (net 29 "+1V2") (pinfunction "NC") (pintype "passive") (tstamp 5c2777af-28c4-4654-9c56-75080f671b8a))
  (pad "3" smd roundrect (at -1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp d1fd6893-d8e5-467e-89aa-b2efe843a67c))
  (pad "4" smd roundrect (at 1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
    (net 5 "+5V") (pinfunction "EN") (pintype "input") (tstamp fe4478d7-5d40-47ec-a2da-4dfce5840b89))
  (pad "5" smd roundrect (at 1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)
    (net 5 "+5V") (pinfunction "NC") (pintype "passive") (tstamp 3a19e33f-7dfd-4e40-8ed8-2d57b4e97ff4))
  (pad "6" smd roundrect (at 1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714)

```



```

        (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp 88f3caba-5d46-46f2-b65c-fb64c68430f5)
(pad "7" thru_hole circle (at 0 -0.55 180) (size 0.5 0.5) (drill 0.3) (layers "*.Cu"))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp 2b3eb6f8-2cce-4f92-)
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "F.Cu" "F.Mask") (roundrect_rratio 0.05)
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 3eab99ef-9f1a-47d9-9832-69bff0df9ea7)
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "B.Cu") (roundrect_rratio 0.05)
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp c93c47b8-a141-43be-a538-30e2d09969a7)
(pad "7" thru_hole circle (at 0 0.55 180) (size 0.5 0.5) (drill 0.3) (layers "*.Cu"))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp 4ec48574-fb15-4103-)
(model "${KICAD6_3DMODEL_DIR}/Package_DFN_QFN.3dshapes/DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-00005f476d34)
    (at 65.9 111.9 180)
    (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0603-4u7")
    (property "MPN" "LMK107BJ475KAHT")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005d231c97")
    (attr smd)
    (fp_text reference "C86" (at 0 0) (layer "F.SilkS") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 07157c5a-49f5-45c6-8357-14e90a2f3871)
    )
    (fp_text value "4u7" (at 0 -0.8 180) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 2d8ecb92-e00b-4b4f-9bac-07138045e329)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp d6197378-14b8-45fe-bb05-9cbd430a401b)
    )
    (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d64daefb-0a5b-42f3-8865-25c7c3296f76))
    (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp af17f544-a168-480e-addc-fd1340af00ae))
    (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 585fe87e-e01b-4b1d-b780-0c9817093587))
    (fp_line (start -1.48 0.73) (end 1.48 0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8273bd66-9fea-4175-b812-02b5b3b389c3))
    (fp_line (start 1.48 -0.73) (end 1.48 0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2a28b822-c73b-4082-b9aa-f7925cfcfbdd))
    (fp_line (start 1.48 0.73) (end -1.48 0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c026410c-47ef-49da-b95f-0bac64901b9e))
    (fp_line (start -0.8 -0.4) (end 0.8 -0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ff2f948f-aa2f-486c-9010-b1d854d686d5))
    (fp_line (start -0.8 0.4) (end -0.8 -0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b83603b9-52a0-47ea-92a4-dbfd689eca90))
    (fp_line (start 0.8 -0.4) (end 0.8 0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6e665877-f137-44b8-89a6-88eaf1f448e1))
    (fp_line (start 0.8 0.4) (end -0.8 0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fe349954-d15d-41c6-9d63-5d169099bd49))
    (pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.05)
        (net 3 "GND") (pintype "passive") (tstamp 8fa152ba-2cea-4768-980f-4da244d830a5))
    (pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.05)
        (net 5 "+5V") (pintype "passive") (tstamp 817bb6f4-f1fe-49a3-a51c-31d37a7e1a63))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
    (offset (xyz 0 0 0))
)

```

```

(scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476db2)
  (at 65.9 117 180)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b691af7")
  (attr smd)
  (fp_text reference "C26" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 87d0cc62-c3bd-43fc-ac08-0fd760824d44)
  )
  (fp_text value "4u7" (at 0 -0.8 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 7a279689-a717-4231-901b-a27c69fb38da)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 5d1b2ecb-0840-4ea6-bd4b-bf19b5ee3ed1)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b5cd834c-ba17-4abd-a724-16bcba0f82fc))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f74e7dd3-b5f5-419e-8410-401c909eb87b))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 28e59fac-4347-4159-8e9a-f9637dc85e88))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 03da044e-16b0-44fb-bb85-b6ecd75b556d))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b2feafb5-4d7a-4fb0-8167-5564fd4d2234))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0fe05f40-0219-482d-b6c0-f2685f620e32))
  (fp_line (start -0.8 -0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 045fbc11-7a6a-4684-9ada-0c9ac7defebc))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 73d62121-0f0a-48af-817d-e63c360ab6a2))
  (fp_line (start 0.8 -0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd26f692-3147-4ce1-b185-67dc41128ca0))
  (fp_line (start 0.8 0.4) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc3fa612-ad61-4aac-8cfd-14c013286518))
  (pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundr
    (net 3 "GND") (pintype "passive") (tstamp 1d6ba189-aa94-471f-9193-6eddd032e953))
  (pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundr
    (net 5 "+5V") (pintype "passive") (tstamp 5a9221a3-75da-40b4-9ea3-8bbdd1e9c946))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476de2)
  (at 68.5 110.3 90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")

```

```

(property "MPN" "LMK107BJ475KAHT")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005b691c9b")
(attr smd)
(fp_text reference "C27" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp b67f4911-76a9-48cc-8c25-63b1acbbc062)
)
(fp_text value "4u7" (at -1.2 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp ca166d37-74cc-405e-97c8-056e211d63f9)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 61c81efb-4ef0-4382-9a88-e3ab8b614ea8)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f56a126a-7a1d-498d-a240-87c935478d1b))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fca2ff7e-2a61-472c-bb91-b6da16297530))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 12d9d35a-b80a-4195-8694-547a39d8fbde))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9a9b459a-93b3-4871-bb71-a0b42120c37b))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e41c7cf6-5978-40ce-874d-2441c90cee0d))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 35ab633f-648a-493e-ae0e-5299db19c7fd))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0f9c80de-a498-41b7-9aeb-80acd544a5b9))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 666b7fb7-5fb5-46d3-bb78-5d5cdfd730d4))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96e16300-899b-4c12-a64b-1bb249c36536))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83ac2192-a9d1-47cc-a4c5-c1ad99e4a82a))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (tstamp 78ef80df-59f4-4fe0-b033-c6c753d40a97))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 24281864-ac67-44f2-b90c-b9180d8ccd4e))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005f476e12)
  (at 68.5 115.4 90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b691d43")
  (attr smd)
  (fp_text reference "C28" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 7be3d69a-e4e5-4c89-96b6-d22b66a9f536)

```

```
(fp_text value "4u7" (at 1.15 0 180) (layer "F.Fab")  
    (effects (font (size 0.4 0.4) (thickness 0.06)))  
    (tstamp 19e5cc0b-0675-4f2f-aa5c-434cc1d84c35))  
)  
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")  
    (effects (font (size 0.4 0.4) (thickness 0.06)))  
    (tstamp 6ad4c7fb-cea2-4954-a292-994b339aa2cb))  
)  
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)  
    (stroke (width 0.12) (type solid)) (layer "F.Silks")) (tstamp 806b51c4-a79b-458f-8012-16e3b57d25c3))  
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)  
    (stroke (width 0.12) (type solid)) (layer "F.Silks")) (tstamp a375feeb-83b1-4fb3-8f34-82f25e16e413))  
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd")) (tstamp 8e91e87e-dc56-450f-ae5e-fda8f583c0f5))  
(fp_line (start -1.48 0.73) (end -1.48 -0.73)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd")) (tstamp c7fba90c-2827-4d94-94aa-9885ba8b28c3))  
(fp_line (start 1.48 -0.73) (end 1.48 0.73)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd")) (tstamp 98b30283-2d30-4927-8d80-c3e083a5e95e))  
(fp_line (start 1.48 0.73) (end -1.48 0.73)  
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd")) (tstamp eb4ff582-765b-4cab-bf1d-f9b308039456))  
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab")) (tstamp eef62e14-d921-41ad-a920-69693ac4722c))  
(fp_line (start -0.8 0.4) (end -0.8 -0.4)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab")) (tstamp 1cf3cf10-22ce-470f-88a4-a24b54be38ec))  
(fp_line (start 0.8 -0.4) (end 0.8 0.4)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab")) (tstamp 85b2b7ca-175b-430f-88ac-bedef5b4fc13))  
(fp_line (start 0.8 0.4) (end -0.8 0.4)  
    (stroke (width 0.1) (type solid)) (layer "F.Fab")) (tstamp dba8a3b1-5a80-4a17-bbe6-7fd7a1297a2e))  
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask")) (roundrect  
    (net 2 "+3V3") (pintype "passive") (tstamp 0f9926be-7288-4d0d-83a3-582f61f84519))  
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask")) (roundrect  
    (net 3 "GND") (pintype "passive") (tstamp a0dc06a1-b622-4b07-a598-cd4f8554cc3e))  
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"  
    (offset (xyz 0 0 0))  
    (scale (xyz 1 1 1))  
    (rotate (xyz 0 0 0))  
)  
)  
  
(footprint "Connector_IDC:IDC-Header_2x10_P2.54mm_Vertical" locked (layer "F.Cu")  
    (tstamp 00000000-0000-0000-0000-00005f482245)  
    (at 115.43 113.28 -90)  
    (descr "Through hole IDC box header, 2x10, 2.54mm pitch, DIN 41651 / IEC 60603-13, double rows, https://www.mouser.com/pdfdocs/DIN%2041651.pdf")  
    (tags "Through hole vertical IDC box header THT 2x10 2.54mm double row")  
    (property "1b2-bom-key" "conn-th-01in-10-2-hdr-shr")  
    (property "MPN" "87834-2019")  
    (property "Mfg" "Molex")  
    (property "Sheetfile" "io_buffer.kicad_sch")  
    (property "Sheetname" "IO_Buffer_B")  
    (property "ki_description" "Generic connector, double row, 02x10, odd/even pin numbering scheme (row 1 on left)")  
    (property "ki_keywords" "connector")  
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00000000-0000-0000-0000-00000000.dwg")  
    (attr through_hole)  
    (fp_text reference "J3" (at -0.03 11.43) (layer "F.Silks") hide  
        (effects (font (size 1 1) (thickness 0.15)))  
        (tstamp 10229ae0-d157-4572-bcc6-64be57e505ac))  
    )  
    (fp_text value "IDC-Header_2x10_P2.54mm" (at 3.02 11.43) (layer "F.Fab")  
        (effects (font (size 1 1) (thickness 0.15)))  
        (tstamp 652d8682-7103-4167-8987-f01fd72df4ea))  
    )  
    (fp_text user "${REFERENCE}" (at 1.27 11.43) (layer "F.Fab")  
        (effects (font (size 1 1) (thickness 0.15)))  
        (tstamp 9bb7d20a-b6d0-404b-bc67-9ae043d5dea5))  
    )  
)  
(fp_line (start -3.29 -5.21) (end 5.83 -5.21)  
    (stroke (width 0.12) (type solid)) (layer "F.Silks")) (tstamp 9d256e1b-b200-4c5b-ad25-ea4fbb67516e))
```

```

(fp_line (start -3.29 9.38) (end -1.98 9.38)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 840e9ee3-8b9e-4388-b9cf-be1c42c5af40))
(fp_line (start -3.29 28.07) (end -3.29 -5.21)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0d887a4b-adc0-4789-be89-502245651522))
(fp_line (start -1.98 -3.91) (end 4.52 -3.91)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d47dcac0-3f65-47e4-954e-7a8541d842a1))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f00a6afb-964f-4741-93de-5d8e8010cab3))
(fp_line (start -1.98 13.48) (end -3.29 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b1a1aa6b-d25e-4bd0-80cc-2547f4010f51))
(fp_line (start -1.98 13.48) (end -1.98 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f91e696b-63a3-4af3-badb-3942864409a3))
(fp_line (start -1.98 26.77) (end -1.98 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp dc3537f8-6b13-486c-9d4c-5ba7fda470a5))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 63780309-fb40-4e76-be2c-b7734886dc7f))
(fp_line (start 4.52 26.77) (end -1.98 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ac96fecf-4c2d-4bac-aba9-c4fcfec6d6b05))
(fp_line (start 5.83 -5.21) (end 5.83 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c4d37b27-5bd8-433b-9cdc-13aedb8d0c25))
(fp_line (start 5.83 28.07) (end -3.29 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1bb4e1f2-9608-46d4-b7eb-72d3d48b4b47))
(fp_line (start -3.68 -5.6) (end -3.68 28.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c8dfbb14-604f-4dd2-80ac-28d9b9a62d81))
(fp_line (start -3.68 28.46) (end 6.22 28.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cd17d476-6087-47e0-9eb0-83cb67160fa0))
(fp_line (start 6.22 -5.6) (end -3.68 -5.6)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4e163043-5d37-4a91-abd8-435d2531022f))
(fp_line (start 6.22 28.46) (end 6.22 -5.6)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 85125984-e88e-4168-9147-1968f5a2cb18))
(fp_line (start -3.18 -4.1) (end -2.18 -5.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e4253606-d7c5-4072-adb7-cde55383bf62))
(fp_line (start -3.18 9.38) (end -1.98 9.38)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc53d73e-df2d-4792-867f-e818e9a0c3d2))
(fp_line (start -3.18 27.96) (end -3.18 -4.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee33ec88-3cd6-4a88-85db-a613ba812a1c))
(fp_line (start -2.18 -5.1) (end 5.72 -5.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5b2a19cc-eb85-4977-9a6a-c5f21dcc21bd))
(fp_line (start -1.98 -3.91) (end 4.52 -3.91)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8199f6d7-1c08-4338-a495-32c5df2341db))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 55f1509a-596f-402e-b2d1-6a301aeea6fe))
(fp_line (start -1.98 13.48) (end -3.18 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3664750c-e091-4fa2-8bf4-7c3ad0c35637))
(fp_line (start -1.98 13.48) (end -1.98 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 421ab2dc-d900-48cd-9700-75b73dd0ceca))
(fp_line (start -1.98 26.77) (end -1.98 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 71fe24c4-c41e-48b0-b2a8-78a6fb7caab8))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e33b0d55-534e-4cd4-a51c-68b008e16d9a))
(fp_line (start 4.52 26.77) (end -1.98 26.77)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b4f3009e-8475-4c0c-9f0d-790af57b8f6e))
(fp_line (start 5.72 -5.1) (end 5.72 27.96)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96789167-d0ee-47e2-a46a-cb2e4e3680af))
(fp_line (start 5.72 27.96) (end -3.18 27.96)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4fe783df-0518-4c85-8e41-8a1b0b81b581))
(pad "1" thru_hole roundrect locked (at 0 0 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (r
  (net 110 "/IO_Banks/IO_Buffer_B/VSENSE") (pinfunction "Pin_1") (pintype "passive") (tstamp 8dd56df4
(pad "2" thru_hole circle locked (at 2.54 0 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 107 "/IO_Banks/VIOB") (pinfunction "Pin_2") (pintype "passive") (tstamp 53aa03f1-a732-40e3-89c
(pad "3" thru_hole circle locked (at 0 2.54 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "Pin_3") (pintype "passive") (tstamp 4cad84fe-f74e
(pad "4" thru_hole circle locked (at 2.54 2.54 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_4") (pintype "passive") (tstamp e498f006-c9d5-447a-b88b-7f909311889
(pad "5" thru_hole circle locked (at 0 5.08 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "Pin_5") (pintype "passive") (tstamp 09712cea-7b5e
(pad "6" thru_hole circle locked (at 2.54 5.08 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_6") (pintype "passive") (tstamp 2f9cbb31-6094-490a-9d22-2df4d2aebb7

```

```

(pad "7" thru_hole circle locked (at 0 7.62 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "Pin_7") (pintype "passive") (tstamp 28e39c9d-275a)
(pad "8" thru_hole circle locked (at 2.54 7.62 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_8") (pintype "passive") (tstamp 44915e2a-a777-4b98-b5eb-41927e89c77)
(pad "9" thru_hole circle locked (at 0 10.16 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "Pin_9") (pintype "passive") (tstamp b9f68e27-d672)
(pad "10" thru_hole circle locked (at 2.54 10.16 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_10") (pintype "passive") (tstamp 4c6e746c-44e7-43ae-8e35-4f8d474da4)
(pad "11" thru_hole circle locked (at 0 12.7 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "Pin_11") (pintype "passive") (tstamp f80708b8-09b)
(pad "12" thru_hole circle locked (at 2.54 12.7 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_12") (pintype "passive") (tstamp 829f4e59-e2d1-43b5-b8b2-53d093ebb6)
(pad "13" thru_hole circle locked (at 0 15.24 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "Pin_13") (pintype "passive") (tstamp 55ddfff0-bde)
(pad "14" thru_hole circle locked (at 2.54 15.24 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_14") (pintype "passive") (tstamp 5475a881-b900-472d-9b80-bbb92fc72ca)
(pad "15" thru_hole circle locked (at 0 17.78 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "Pin_15") (pintype "passive") (tstamp 14a7a645-2c0)
(pad "16" thru_hole circle locked (at 2.54 17.78 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_16") (pintype "passive") (tstamp 9bfb88f9-231d-4c37-9da4-2772962783)
(pad "17" thru_hole circle locked (at 0 20.32 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "Pin_17") (pintype "passive") (tstamp 80f69f9a-d94)
(pad "18" thru_hole circle locked (at 2.54 20.32 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_18") (pintype "passive") (tstamp a3f07ba4-7db3-4eb7-a934-b0205730bb)
(pad "19" thru_hole circle locked (at 0 22.86 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 230 "unconnected-(J3-Pin_19-Pad19)") (pinfunction "Pin_19") (pintype "passive+no_connect") (ts
(pad "20" thru_hole circle locked (at 2.54 22.86 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 229 "unconnected-(J3-Pin_20-Pad20)") (pinfunction "Pin_20") (pintype "passive+no_connect") (ts
(model "${KICAD6_3DMODEL_DIR}/Connector_IDC.3dshapes/IDC-Header_2x10_P2.54mm_Vertical.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-143" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f484203)
  (at 61.2 112.8)
  (descr "SOT-143 Based on the Diodes Footprint recommendation https://www.diodes.com/assets/Package-Fi
  (tags "SOT-143")
  (property "1b2-bom-key" "ic-apx811-40ug-7")
  (property "MPN" "APX811-40UG-7")
  (property "Mfg" "Diodes Incorporated")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Power supply supervisor, Manual reset, Threshold 4.00V, SOT-143")
  (property "ki_keywords" "Supervisor Reset")
  (path "/00000000-0000-0000-0000-00005f3cd805")
  (attr smd)
  (fp_text reference "U7" (at 0.02 -2.38) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp b3152d20-b035-485c-bf1a-268f1ca98a64)
  )
  (fp_text value "APX811-40UG-7" (at 1.15 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp c31d4849-35c3-4f11-9e74-994fd5aaf1eb)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp b56d56a1-4f43-48fa-ad1b-bf395d6d15d1)
  )
  (fp_line (start -0.65 1.5) (end 0.65 1.5)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f30c0a90-cdf0-45bc-8790-056f4a83041e))
  (fp_line (start 0.65 -1.5) (end -1.3 -1.5)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 13644b8a-3360-4a5b-91da-03b26933fb6f))
  (fp_line (start -1.6 1.75) (end -1.6 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c56a7b09-fe5d-47b4-8ca0-7712add3dfb6))
  (fp_line (start -1.6 1.75) (end 1.6 1.75)

```

```
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3bf7511a-2348-4e21-ae90-3ff115d3d02b))
(fp_line (start 1.6 -1.75) (end -1.6 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ae7d8228-c455-427c-a6a1-414a6e3a1830))
(fp_line (start 1.6 -1.75) (end 1.6 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cacd37e8-9ebf-46e4-bbdc-631816a87ad5))
(fp_line (start -0.65 -1.15) (end -0.3 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd813de2-38f4-42b3-a41b-30625f936eac))
(fp_line (start -0.65 1.5) (end -0.65 -1.15)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2498c466-d790-4e31-952d-75792682d7df))
(fp_line (start -0.3 -1.5) (end 0.65 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 68c893ff-cbde-450f-a675-7626863231fe))
(fp_line (start 0.65 -1.5) (end 0.65 1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f9f6b8bb-c28b-4ed8-a94c-33e4275c6ba2))
(fp_line (start 0.65 1.5) (end -0.65 1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ebd27442-e588-408f-95e3-dedacc4c0053))
(pad "1" smd roundrect (at -1 -0.75) (size 0.7 1) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 96865245-82b6-4d37-9d52-1b001a53c0b4
(pad "2" smd roundrect (at -1 0.95) (size 0.7 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 200 "Net-(U7-~{RESET})") (pinfunction "~{RESET}") (pintype "output") (tstamp b00e3309-2547-49f
(pad "3" smd roundrect (at 1 0.95) (size 0.7 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
(net 225 "~{MR}") (pinfunction "~{MR}") (pintype "input") (tstamp 89144e45-cda3-4b59-9f22-3e5b7caba97b))
(pad "4" smd roundrect (at 1 -0.95) (size 0.7 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 5 "+5V") (pinfunction "VCC") (pintype "power_in") (tstamp 3676ee3e-3a74-4b54-b612-049a99533f63
(model ".../packages3D/SOT-143.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz -90 0 90))
)
)
)

(footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f486eb5)
  (at 104.95 108.65 90)
  (descr "https://www.littelfuse.com/~/media/electronics/datasheets/tvs_diode_arrays/littelfuse_tvs_dio
  (tags "UDFN 0.5 uQFN")
  (property "1b2-bom-key" "diode-14udfn-sp3012-06utg")
  (property "MPN" "SP3012-06UTG")
  (property "Mfg" "Littelfuse")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")
  (property "ki_keywords" "usb 3.0 esd protection suppression transient")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "D20" (at -0.025 0 180) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 5df56288-c8e1-4c71-bef7-7e44030b061a)
  )
  (fp_text value "SP3012-06UTG" (at 0.95 0 180) (layer "F.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.05)))
    (tstamp 4c983514-7f2c-4b13-b781-75b6e417113d)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp ba0ca706-1cbd-4af4-9408-54d25a9e5155)
  )
  (fp_line (start -0.675 1.85) (end 0.675 1.85)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6334d484-2346-46ce-984e-90e4f0e97b7b))
  (fp_line (start 0.675 -1.85) (end 0 -1.85)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 48227a52-3f7d-4fcb-b6e9-b02ded9cdd7c))
  (fp_line (start -1.075 -2) (end -1.075 2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1eb45238-01df-4592-a295-9edb93c5d991))
  (fp_line (start -1.075 -2) (end 1.075 -2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4151a55-14f6-4167-b977-0694b5e5578b))
  (fp_line (start -1.075 2) (end 1.075 2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 032a1c7a-7890-4788-8ec1-02d121264259))
  (fp_line (start 1.075 -2) (end 1.075 2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7e874fb-a17a-4ec4-8da4-6f28586d3515))
```

[illegible]


```

        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp 66ecdc1e-635f-4105-8fe9-96d4b6cce0a4)
    )
    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 74c6b057-462b-44bb-bab0-70649ef7b85a))
    (fp_line (start 0.15 1.1) (end -0.15 1.1)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 202cda1a-1597-4934-8c09-728bdcbe81a))
    (fp_poly
    (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp fd4c0202-410d-47b5-8378-800000000000))
    (fp_poly
    (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp c4be7a3e-8806-42cf-8f1f-100000000000))
    (fp_poly
    (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 5c522ee7-b104-4ad5-b282-e00000000000))
    (fp_poly
    (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
    )
    (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e7125efe-39b8-4ab0-8418-f00000000000))
    (fp_line (start -1 -1.25) (end -1 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7edff29a-bb7c-4a89-a4f4-0f1398736d00))
    (fp_line (start -1 -1.25) (end 1 -1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57ca20f7-f456-44f6-80e9-06943d2f214a))
    (fp_line (start -1 1.25) (end 1 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b479a9d5-96a1-435d-8f19-88becccb15a9))
    (fp_line (start 1 -1.25) (end 1 1.25)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81420960-a1ea-4aaa-a02f-b5d305ff20c7))
    (fp_line (start -0.5 -1) (end 0.5 -1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97242678-ce2f-4491-8a12-d647097bd8c2))
    (fp_line (start -0.5 1) (end 0.5 1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7ba33d5-da7b-4b83-8a2b-65d0a1df49d3))
    (fp_line (start 0.5 -1) (end 0.5 1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2f667e26-638a-4084-b360-d5b85c294a1b))
    (fp_line (start 0.5 1) (end -0.5 1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d8cf4749-a829-44c0-89d7-c71784be9864))
    (pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 73 "/IO_Banks/IO_Buffer_A/Y0") (pinfunction "R1.1") (pintype "passive") (tstamp 58d9a68f-a29e-400000000000))
    (pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 77 "/IO_Banks/IO_Buffer_A/Y1") (pinfunction "R2.1") (pintype "passive") (tstamp e12199de-88b2-400000000000))
    (pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 78 "/IO_Banks/IO_Buffer_A/Y2") (pinfunction "R3.1") (pintype "passive") (tstamp 4cf77208-ba90-400000000000))
    (pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 79 "/IO_Banks/IO_Buffer_A/Y3") (pinfunction "R4.1") (pintype "passive") (tstamp 37fd353b-483d-400000000000))
    (pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

```

        (net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "R4.2") (pintype "passive") (tstamp 624ca71d-ed7f-)
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "R3.2") (pintype "passive") (tstamp 85bc2914-b35d-)
(pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "R2.2") (pintype "passive") (tstamp 81ab8474-c9cf-)
(pad "8" smd roundrect (at 0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "R1.2") (pintype "passive") (tstamp 253fe1ce-c6a9
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)

(footprint "Glasgow:VSSOP-10_3x3mm_P0.5mm" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005f4875f8)
(at 123.3 84.4 180)
(descr "VSSOP, 10 Pin (http://www.ti.com/lit/ds/symlink/ads1115.pdf), generated with kicad-footprint-
(tags "VSSOP SO")
(property "1b2-bom-key" "ic-vssop10-ina233")
(property "MPN" "INA233AIDGSR")
(property "Mfg" "Texas Instruments")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "High-Side or Low-Side Measurement, Bi-Directional Current and Power Monit
(property "ki_keywords" "ADC I2C 16-Bit Oversampling Current Shunt")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "U21" (at 0 0 180) (layer "F.Silks") hide
(effects (font (size 1 1) (thickness 0.15)))
(tstamp 68680da4-ef0d-41c9-903c-4042d1f2f37a)
)
(fp_text value "INA233" (at 0.5 1.8 180) (layer "F.Fab")
(effects (font (size 0.4064 0.4064) (thickness 0.0508)))
(tstamp 43450512-bfb1-4aef-b549-6581650fe5f7)
)
(fp_text user "${REFERENCE}" (at 0 0 180) (layer "F.Fab")
(effects (font (size 0.75 0.75) (thickness 0.11)))
(tstamp 78439d1f-98bd-479d-b9c1-f3ccba6a52a3)
)
(fp_line (start 0 -1.61) (end -2.925 -1.61)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 251adde5-427d-445f-88a4-6a0a15c23df4))
(fp_line (start 0 -1.61) (end 1.5 -1.61)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 91623ac7-4bf8-428c-ad3a-db3071f387fb))
(fp_line (start 0 1.61) (end -1.5 1.61)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3b8385ba-5a0a-4792-925b-6b66dac4b60d))
(fp_line (start 0 1.61) (end 1.5 1.61)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 166ede53-d939-4edf-99ce-0a5c51bffd46))
(fp_line (start -3.18 -1.75) (end -3.18 1.75)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 634d28f9-6b4a-4223-8929-f97984514f75))
(fp_line (start -3.18 1.75) (end 3.18 1.75)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 63e3ec34-b40a-45a6-ae20-e2981610ea52))
(fp_line (start 3.18 -1.75) (end -3.18 -1.75)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9c63ea22-abe7-45bc-bed4-f876adc03547))
(fp_line (start 3.18 1.75) (end 3.18 -1.75)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7e2530a3-be7a-4f52-94a2-aacdd09d67df))
(fp_line (start -1.5 -0.75) (end -0.75 -1.5)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 463df7c2-f22d-4482-b6ea-4d77f0abc423))
(fp_line (start -1.5 1.5) (end -1.5 -0.75)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e3c7cd4-0c11-460e-8519-69667a335066))
(fp_line (start -0.75 -1.5) (end 1.5 -1.5)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02fd8649-871f-4b8d-b65a-b4aff07a670d))
(fp_line (start 1.5 -1.5) (end 1.5 1.5)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84eded77-47f2-4e75-8811-dee4d8abc3e5))
(fp_line (start 1.5 1.5) (end -1.5 1.5)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9a7e34f2-d317-4765-955c-4f1c3d96dac6))
(pad "1" smd roundrect (at -2.2 -1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 3 "GND") (pinfunction "A1") (pintype "input") (tstamp 4cd92ade-33fd-4061-97ec-7776a8ed2456))

```

```

(pad "2" smd roundrect (at -2.2 -0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "A0") (pintype "input") (tstamp c1ad508d-536b-4770-a6f7-95fdb4835830))
(pad "3" smd roundrect (at -2.2 0 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 171 "Net-(U21-~{Alert})") (pinfunction "~{Alert}") (pintype "open_collector") (tstamp afb05cb9
(pad "4" smd roundrect (at -2.2 0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 2502a4f3-8aad-4fb6-85fe-247701
(pad "5" smd roundrect (at -2.2 1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 6d50a338-f068-497f-89ba-6a6920f1f119))
(pad "6" smd roundrect (at 2.2 1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 2 "+3V3") (pinfunction "VS") (pintype "power_in") (tstamp cefc6e42-c211-4ab2-bbc3-ab7350bba4e7
(pad "7" smd roundrect (at 2.2 0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp ed8486e8-b24c-4cf4-b897-dc5b7da06ed3
(pad "8" smd roundrect (at 2.2 0 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 52 "Net-(U21-Vbus)") (pinfunction "Vbus") (pintype "input") (tstamp a94ef634-9627-4ed1-8690-68
(pad "9" smd roundrect (at 2.2 -0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 39 "Net-(U21-Vin-)" (pinfunction "Vin-") (pintype "input") (tstamp 6ce0b77f-7a82-4f9d-a0fa-8c
(pad "10" smd roundrect (at 2.2 -1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 38 "Net-(U21-Vin+)" (pinfunction "Vin+") (pintype "input") (tstamp 49431690-5a99-4adf-8e63-86
(model "${KICAD6_3DMODEL_DIR}/Package_SO.3dshapes/VSSOP-10_3x3mm_P0.5mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f5b2266)
  (at 72.25 115.55 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005f4262be")
  (attr smd)
  (fp_text reference "C89" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 64fbf970-5cc9-48d7-b26f-66407ce04583)
  )
  (fp_text value "u1" (at 0.95 0 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 7a90786f-ed7f-4726-b48a-2b80bacc8557)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp f46066ee-09f6-48b2-aade-ef7f66e4faa6)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 639b7368-bd64-4542-8fba-8deb935cdf8d))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8b4af9a4-27b3-4cb5-af61-a6e1d54216b7))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 518f447c-910d-49fc-a2de-1f4119e63bf5))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7c64d02a-eadf-4ebf-a5e2-e794d44b5c0e))
  (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4ccc2c50-74f4-41ea-a5ed-5895fc94e8b5))
  (fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 894d54d8-12f6-4f91-8f8e-cd2b2405b6e1))
  (fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bf588070-89f2-4dfc-b67f-02f84b597a98))
  (fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b6fc62ff-c2fa-4435-ab9a-3c368b9f81ce))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

```

[illegible]

```

(timestamp 00000000-0000-0000-0000-00005f5ffd04)
(at 119.6 85.3 90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-1n")
(property "MPN" "GCM1555C1H102JA16J")
(property "Mfg" "Murata")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
(attr smd)
(fp_text reference "C91" (at 0 -1.16 90) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (timestamp 8ee2f0bf-e133-4722-94c8-2a9e81740894)
)
(fp_text value "1n 50V C0G" (at 0 0.6944 90) (layer "F.Fab")
  (effects (font (size 0.4064 0.4064) (thickness 0.0508)))
  (timestamp d90dd2fb-dbbb-465c-894b-dec18b0d1be9)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (timestamp 39886cc7-7dba-4c5f-86c9-df292edfc035)
)
(fp_line (start -0.107836 -0.36) (end 0.107836 -0.36)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp f0bd64b8-f355-4aa9-8936-74d0e38bba4b))
(fp_line (start -0.107836 0.36) (end 0.107836 0.36)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 3a8d298f-1c33-4f77-b6ff-329c2da5ad6f))
(fp_line (start -0.91 -0.46) (end 0.91 -0.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a011a5aa-9895-4743-9667-6b28b4d4cbc4))
(fp_line (start -0.91 0.46) (end 0.91 0.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6f669826-399c-4836-b67d-456b7fd5ccac))
(fp_line (start 0.91 -0.46) (end 0.91 0.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 8d54b08c-d61d-4d37-a96a-26171ed0b0f1))
(fp_line (start 0.91 0.46) (end -0.91 0.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp f139df7c-9a48-4c16-9cda-6f82ba5f5521))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 9216c956-f045-4c01-aa92-4c276859626e))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 8873b0e5-bd17-4052-bc3a-3cf08fc98d46))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d4045c8e-97e5-4a9f-9ff7-760a22dfabf1))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 9db8dd42-2637-40f0-86e5-bedf82605a2f))
(pad "1" smd roundrect (at -0.48 0 90) (size 0.56 0.62) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pintype "passive") (timestamp 3931b5e3-91de-498a-8170-46327a0e8acf))
(pad "2" smd roundrect (at 0.48 0 90) (size 0.56 0.62) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 52 "Net-(U21-Vbus)") (pintype "passive") (timestamp 2a72d25c-7c09-4c7d-8cf2-d239f07c252f))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005f6490e5)
  (at 100.95 82.35 -90)
  (descr "https://www.littelfuse.com/~/media/electronics/datasheets/tvs_diode_arrays/littelfuse_tvs_dio
  (tags "UDFN 0.5 uQFN")
  (property "1b2-bom-key" "diode-14udfn-sp3012-06utg")
  (property "MPN" "SP3012-06UTG")
  (property "Mfg" "Littelfuse")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")
  (property "ki_keywords" "usb 3.0 esd protection suppression transient")
)

```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "D22" (at 0.025 0 180) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp a33d4c42-0f62-4405-8d6e-d464cf42fac2)
)
(fp_text value "SP3012-06UTG" (at -0.95 0 180) (layer "F.Fab")
  (effects (font (size 0.3 0.3) (thickness 0.05)))
  (tstamp 8fa52be4-1707-4d89-a540-74733c0d8067)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 88922f68-a45a-4d76-a177-7e4ed9e1be80)
)
(fp_line (start -0.675 1.85) (end 0.675 1.85)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2dd7a824-4ec7-46c7-bd5c-0c9f4807b6f2))
(fp_line (start 0.675 -1.85) (end 0 -1.85)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b87264ab-22db-45b5-bebc-2448edaaaf815))
(fp_line (start -1.075 -2) (end -1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 382b8c8a-898c-4712-a80c-f6887bac5f95))
(fp_line (start -1.075 -2) (end 1.075 -2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2ba2c4c8-1acc-4170-988b-c9a1906cafbb))
(fp_line (start -1.075 2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc06885f-72b8-48ae-ae46-9f709dd32273))
(fp_line (start 1.075 -2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bc6991a2-ba40-48f9-8eea-db723d05d661))
(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c618414b-54cd-4b24-bbbf-bae01951ce04))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 828fa22d-9899-4b51-9bcf-216818907a41))
(fp_line (start -0.675 1.75) (end 0.675 1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 999c5c2d-4115-4980-9b24-64bdb098da96))
(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4cc7ff90-875e-42fe-9d5e-754119d4eb01))
(fp_line (start 0.675 1.75) (end 0.675 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 51019b46-f647-461b-8739-b3e3f4d38ba6))
(pad "1" smd roundrect (at -0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "N/C") (pintype "passive") (tstamp 75be3b90-9d06-4b24-bbbf-bae01951ce04))
(pad "2" smd roundrect (at -0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "N/C") (pintype "passive") (tstamp d2cb1f06-becc-4b24-bbbf-bae01951ce04))
(pad "3" smd roundrect (at -0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "N/C") (pintype "passive") (tstamp d4363544-8a24-4b24-bbbf-bae01951ce04))
(pad "4" smd roundrect (at -0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "N/C") (pintype "passive") (tstamp 40cd3ec1-6b0c-4b24-bbbf-bae01951ce04))
(pad "5" smd roundrect (at -0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "N/C") (pintype "passive") (tstamp 6f1a5bb1-db13-468b-b7d3-a9e5246735ca))
(pad "6" smd roundrect (at -0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pinfunction "N/C") (pintype "passive") (tstamp 335bb466-060c-4a70-84a5-f647-461b-8739-b3e3f4d38ba6))
(pad "7" smd roundrect (at -0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pinfunction "N/C") (pintype "passive") (tstamp ee15235c-8bc2-4f46-8c6e-f647-461b-8739-b3e3f4d38ba6))
(pad "8" smd roundrect (at 0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pinfunction "Ch6") (pintype "passive") (tstamp 05915963-6942-46c0-8111-f647-461b-8739-b3e3f4d38ba6))
(pad "9" smd roundrect (at 0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pinfunction "Ch5") (pintype "passive") (tstamp 92bab4e1-7b4e-4737-b965-f647-461b-8739-b3e3f4d38ba6))
(pad "10" smd roundrect (at 0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 33cb2b20-881b-4462-84c9-72108d9e6c87))
(pad "11" smd roundrect (at 0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "Ch4") (pintype "passive") (tstamp 80b8b786-e258-4b24-bbbf-bae01951ce04))
(pad "12" smd roundrect (at 0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "Ch3") (pintype "passive") (tstamp f207cfcd-8f30-4b24-bbbf-bae01951ce04))
(pad "13" smd roundrect (at 0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "Ch2") (pintype "passive") (tstamp dfd9f59d-0336-4b24-bbbf-bae01951ce04))
(pad "14" smd roundrect (at 0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "Ch1") (pintype "passive") (tstamp 2277a184-0b72-4b24-bbbf-bae01951ce04))
(model ".../packages3D/UDFN-14_1.35x3.5mm_Pitch0.5mm.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)

```

[illegible]

```
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "U20" (at 0 -0.1 270) (layer "F.Silks") hide
(effects (font (size 0.7 0.7) (thickness 0.15))))
(timestamp c3ff0a9b-faa9-4f7e-b7f8-4612c83e4ce9)
)
(fp_text value "DAC081C081CIMK" (at 1.4 0 270) (layer "F.Fab")
(effects (font (size 0.25 0.25) (thickness 0.05))))
(timestamp e288c78e-f245-4432-9abe-674fc096870f)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075))))
(timestamp 97dcecf5-3010-49ed-a7d2-e7856cde1921)
)
(fp_line (start -0.9 1.61) (end 0.9 1.61)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 7a631ed7-141b-4ca3-8c60-8d48798b439f))
(fp_line (start 0.9 -1.61) (end -1.55 -1.61)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 44e5598f-a12b-4135-9271-59c0c6ad97c2))
(fp_line (start -1.9 -1.8) (end -1.9 1.8)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d0a9d6c7-d45d-4abd-9248-548e198b65de))
(fp_line (start -1.9 1.8) (end 1.9 1.8)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp eb893da6-50a0-42b4-bad5-ec38beefb3ea))
(fp_line (start 1.9 -1.8) (end -1.9 -1.8)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp bd3dabe6-1a58-40a0-893e-3fad384f9b3a))
(fp_line (start 1.9 1.8) (end 1.9 -1.8)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 8851de30-ec28-433f-94e6-ec89703750b4))
(fp_line (start -0.9 -0.9) (end -0.9 1.55)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 5b643e50-b26b-414f-811e-81234d9f9bc3))
(fp_line (start -0.9 -0.9) (end -0.25 -1.55)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 794b6aed-981b-4c4d-b78e-6c796267257b))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1972196e-ee24-42c0-8d3f-014b2fcd1dc1))
(fp_line (start 0.9 -1.55) (end 0.9 1.55)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp fe4ee36b-a840-4390-99e5-836f52b58578))
(fp_line (start 0.9 1.55) (end -0.9 1.55)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 5264e209-c1bf-4d65-bca4-4149b241f761))
(pad "1" smd roundrect (at -1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
(net 227 "/IO_Banks/IO_Buffer_A/VDAC") (pinfunction "VOUT") (pintype "output") (timestamp ba3b95b7-d988-4b32-9000-000000000000))
(pad "2" smd roundrect (at -1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
(net 2 "+3V3") (pinfunction "VA") (pintype "power_in") (timestamp 3cf2e387-c9ce-4765-88f8-0f24a5573eb0))
(pad "3" smd roundrect (at -1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (timestamp 06e6c943-1206-4fb7-a18c-a41f72b444c9))
(pad "4" smd roundrect (at 1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
(net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (timestamp 3368bac0-b376-4f0f-b23d-256da0000000))
(pad "5" smd roundrect (at 1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
(net 4 "/SCL") (pinfunction "SCL") (pintype "input") (timestamp 05898e50-c276-46e3-ac4b-1324e18cf391))
(pad "6" smd roundrect (at 1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
(net 2 "+3V3") (pinfunction "ADR0") (pintype "input") (timestamp b7248486-e2b2-41cd-890a-6c7483107bb7))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_S0T_SMD.3dshapes/SOT-23-6.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0)))
)
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005f673ef2)
(at 119.9 90.7 90)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 0402)"
(tags "resistor")
(property "lib2-bom-key" "res-0402-10k")
(property "MPN" "RC0402FR-1310KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000"))
```


[illegible]

```
(fp_line (start 0.9 -1.61) (end -1.55 -1.61))
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 59ce21a9-57e1-4086-9e6e-d3e0fedffaafd))
(fp_line (start -1.9 -1.8) (end -1.9 1.8))
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 33622873-32ec-4fb4-af85-4b4b761cfe0b))
(fp_line (start -1.9 1.8) (end 1.9 1.8))
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70afc3dc-8b86-4b34-9182-5cac5811743d))
(fp_line (start 1.9 -1.8) (end -1.9 -1.8))
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b41b27ad-4153-41c8-9166-1ca5ad9bcec7))
(fp_line (start 1.9 1.8) (end 1.9 -1.8))
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1d4971ce-efb3-418e-916f-c9b9b97c70b6))
(fp_line (start -0.9 -0.9) (end -0.9 1.55))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 87677d26-7ddc-42a2-a87c-fbf631ca0398))
(fp_line (start -0.9 -0.9) (end -0.25 -1.55))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae39b422-a2bb-441b-8377-21ddb9d2e089))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 44d7d033-f037-4b2a-abb2-20e3b5941ded))
(fp_line (start 0.9 -1.55) (end 0.9 1.55))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 117e6402-6c70-41a0-83a4-d1ce628f2594))
(fp_line (start 0.9 1.55) (end -0.9 1.55))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8ffbf37a-e0c4-45b4-8628-51d367f2b5c5))
(pad "1" smd roundrect (at -1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask")) (roundr
(net 226 "/IO_Banks/IO_Buffer_B/VDAC") (pinfunction "VOUT") (pintype "output") (tstamp 28fc8d82-2b2
(pad "2" smd roundrect (at -1.1 0 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask")) (roundrect_
(net 2 "+3V3") (pinfunction "VA") (pintype "power_in") (tstamp 79499ddb-2f1e-4c87-860b-dea38e5e7f48
(pad "3" smd roundrect (at -1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask")) (roundr
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 832bef6f-9b15-4ca4-83ab-869c4a5f450c
(pad "4" smd roundrect (at 1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask")) (roundrec
(net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp bacc647c-1e81-46c4-8dd9-e8c590
(pad "5" smd roundrect (at 1.1 0 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask")) (roundrect_
(net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 6b31dc8c-5e01-4605-9fff-00ff09ac5afe))
(pad "6" smd roundrect (at 1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask")) (roundr
(net 3 "GND") (pinfunction "ADR0") (pintype "input") (tstamp 0d6b44fd-ac45-47e0-8ab2-bdab37d23b67))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-23-6.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005f6ca9b6)
(at 125.7 96.885 90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
(attr smd)
(fp_text reference "C32" (at 0 0 90) (layer "F.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)))
(tstamp 6a36e728-c5dd-4bfe-8c40-e5945afb7a94)
)
(fp_text value "u1" (at 0.885 0 180) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp b7a29f8e-a062-4658-b6f9-a1e737e44c57)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)))
(tstamp 8d6d6719-fc8d-4633-9328-5fe073369c6f)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47))
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e53b1e9d-b66a-4820-bb87-d0a2ece1f44b))
(fp_line (start -0.93 0.47) (end 0.93 0.47))
```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc459a2d-5775-449b-8a42-77e98145fadbf))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7fe9349a-5ac9-4479-aae8-8ebbe8f0feee))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0373dd47-a25d-4752-821e-aa71811335df))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02fc3440-4cd3-4a92-b60d-2dcd66d8030d))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 15a21d91-be32-4f6c-9c5b-39cf697a041f))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7a09dec3-ec08-4071-bcc4-4ae1d913ea2e))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d12bfb09-844c-4624-aa44-bcfb0b235f66))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 84e42992-1436-4c51-9fa1-f3932c5bc9e7))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 1ccea1d3-24b4-4e36-9d23-a70ef347cbc5))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SW_Tactile_SPST_Angled_TC-1109DE" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f70544b)
  (at 74.65 117.38 180)
  (descr "tactile switch SPST right angle, TC-1109DE")
  (tags "tactile switch SPST angled XKB TC-1109DE")
  (property "1b2-bom-key" "sw-tact-side-tc-1109de-b-f")
  (property "MPN" "TC-1109DE-B-F")
  (property "Mfg" "XKB")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Push button switch, generic, two pins")
  (property "ki_keywords" "switch normally-open pushbutton push-button")
  (path "/00000000-0000-0000-0000-00005f4addef")
  (attr through_hole)
  (fp_text reference "SW1" (at 0 -0.02) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 202837e8-27c7-41b1-9771-76618f6f5c29)
  )
  (fp_text value "RST" (at 0 1.78 180) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 92ff3bf5-0fa8-4c66-b330-a4f0ffaf14c)
  )
  (fp_text user "B" (at 0 -3.1) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.0625))))
    (tstamp b4a958e0-979f-41ec-8277-d546988f2b5f)
  )
  (fp_line (start -2.25 -1.85) (end -2.25 0.95)
    (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 2fcb68e1-44a7-4735-8089-1c248ceae06c))
  (fp_line (start -2.25 -1.85) (end -0.7 -1.85)
    (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp d45ed2e8-8a8b-4324-924b-631fca8c5ecc))
  (fp_line (start 0.7 -1.85) (end 2.25 -1.85)
    (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 09d356e7-d542-4cd7-a21b-b38082020e0f))
  (fp_line (start 2.25 -1.85) (end 2.25 0.95)
    (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 8025ce28-97ad-40df-867a-c935420bd4b3))
  (fp_line (start 2.25 0.95) (end -2.25 0.95)
    (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 9e6f6426-f224-4046-ad8a-2a2b6bcd2dae))
  (fp_line (start -2.5 -2.1) (end 2.5 -2.1)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ac689603-d050-4de9-94cd-71825a5b46cb))
  (fp_line (start -2.5 1.2) (end -2.5 -2.1)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 55025dc8-4472-44c0-91c0-7ca738431ea5))
  (fp_line (start 2.5 -2.1) (end 2.5 1.2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1dc18643-215b-4437-8c53-fa165cfa487b))
  (fp_line (start 2.5 1.2) (end -2.5 1.2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 955860cb-ced9-4584-b2c0-11d0b3624f72))

```

```

(fp_line (start -2.25 -1.85) (end -2.25 0.95)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ecc66c09-a5f8-4748-842b-a19f08818fb5))
(fp_line (start -2.25 -1.85) (end 2.25 -1.85)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 820d9201-24fe-44ad-b855-ba6a80c2a769))
(fp_line (start -2.25 0.95) (end 2.25 0.95)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1be30c50-b13c-4675-8c1a-abca70b28cb2))
(fp_line (start -1.25 -3.35) (end -1.25 -1.85)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c6497241-efc6-4a62-a1d6-a04d4b7249b5))
(fp_line (start -1.25 -3.35) (end 1.25 -3.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5d7edd4d-9c1b-4de9-aba5-61f671b11f2b))
(fp_line (start 1.25 -3.35) (end 1.25 -1.85)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 12862841-bda6-4681-92f8-2ad683f79412))
(fp_line (start 2.25 0.95) (end 2.25 -1.85)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 01ab6974-8395-472f-ac03-bd25d81d8913))
(pad "1" thru_hole circle (at -1.5 0 180) (size 1.2 1.2) (drill 0.8) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "passive") (tstamp e9d576b3-b5c0-4d77-9d4a-2c15e4447b98))
(pad "2" thru_hole circle (at 1.5 0 180) (size 1.2 1.2) (drill 0.8) (layers "*.Cu" "*.Mask")
  (net 225 "/~{MR}") (pinfunction "2") (pintype "passive") (tstamp f20c9d3d-a0ab-4742-bd51-fa3ed4dbf0))
(pad "3" thru_hole circle (at 0 -1.85 180) (size 1.2 1.2) (drill 0.8) (layers "*.Cu" "*.Mask")
  (net 204 "/SWSH") (pinfunction "3") (pintype "passive+no_connect") (tstamp 40eb81ac-152a-4630-b48e-))
(model ".../packages3D/tc-1109de-b-f.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Symbol:OSHW-Logo2_9.8x8mm_SilkScreen" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f774f61)
  (at 86.9 85.3)
  (descr "Open Source Hardware Symbol")
  (tags "Logo Symbol OSHW")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 0) (layer "F.SilkS") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp 97264a05-5396-43f0-b4a5-38740f058694)
)
(fp_text value "OSHW-Logo2_9.8x8mm_SilkScreen" (at 0.75 0) (layer "F.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 3d8fd283-4f58-4bda-a8ac-ef53b5831873)
)
(fp_poly
  (pts
    (xy 3.570807 2.636782)
    (xy 3.594161 2.646988)
    (xy 3.649902 2.691134)
    (xy 3.697569 2.754967)
    (xy 3.727048 2.823087)
    (xy 3.731846 2.85667)
    (xy 3.71576 2.903556)
    (xy 3.680475 2.928365)
    (xy 3.642644 2.943387)
    (xy 3.625321 2.946155)
    (xy 3.616886 2.926066)
    (xy 3.60023 2.882351)
    (xy 3.592923 2.862598)
    (xy 3.551948 2.794271)
    (xy 3.492622 2.760191)
    (xy 3.416552 2.761239)
    (xy 3.410918 2.762581)
    (xy 3.370305 2.781836)
    (xy 3.340448 2.819375)
    (xy 3.320055 2.879809)
    (xy 3.307836 2.967751)
    (xy 3.3025 3.087813)
    (xy 3.302 3.151698)
    (xy 3.301752 3.252403)
    (xy 3.300126 3.321054)
  )
)

```

```

(xy 3.295801 3.364673)
(xy 3.287454 3.390282)
(xy 3.273765 3.404903)
(xy 3.253411 3.415558)
(xy 3.252234 3.416095)
(xy 3.213038 3.432667)
(xy 3.193619 3.438769)
(xy 3.190635 3.420319)
(xy 3.188081 3.369323)
(xy 3.18614 3.292308)
(xy 3.184997 3.195805)
(xy 3.184769 3.125184)
(xy 3.185932 2.988525)
(xy 3.190479 2.884851)
(xy 3.199999 2.808108)
(xy 3.216081 2.752246)
(xy 3.240313 2.711212)
(xy 3.274286 2.678954)
(xy 3.307833 2.65644)
(xy 3.388499 2.626476)
(xy 3.482381 2.619718)
(xy 3.570807 2.636782)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 176fa516-031c-425e-acc3-5
(fp_poly
(pts
(xy -1.728336 2.595089)
(xy -1.665633 2.631358)
(xy -1.622039 2.667358)
(xy -1.590155 2.705075)
(xy -1.56819 2.751199)
(xy -1.554351 2.812421)
(xy -1.546847 2.895431)
(xy -1.543883 3.006919)
(xy -1.543539 3.087062)
(xy -1.543539 3.382065)
(xy -1.709615 3.456515)
(xy -1.719385 3.133402)
(xy -1.723421 3.012729)
(xy -1.727656 2.925141)
(xy -1.732903 2.86465)
(xy -1.739975 2.825268)
(xy -1.749689 2.801007)
(xy -1.762856 2.78588)
(xy -1.767081 2.782606)
(xy -1.831091 2.757034)
(xy -1.895792 2.767153)
(xy -1.934308 2.794)
(xy -1.949975 2.813024)
(xy -1.96082 2.837988)
(xy -1.967712 2.875834)
(xy -1.971521 2.933502)
(xy -1.973117 3.017935)
(xy -1.973385 3.105928)
(xy -1.973437 3.216323)
(xy -1.975328 3.294463)
(xy -1.981655 3.347165)
(xy -1.995017 3.381242)
(xy -2.018015 3.403511)
(xy -2.053246 3.420787)
(xy -2.100303 3.438738)
(xy -2.151697 3.458278)
(xy -2.145579 3.111485)
(xy -2.143116 2.986468)
(xy -2.140233 2.894082)
(xy -2.136102 2.827881)
(xy -2.129893 2.78142)

```

```

(xy -2.120774 2.748256)
(xy -2.107917 2.721944)
(xy -2.092416 2.698729)
(xy -2.017629 2.624569)
(xy -1.926372 2.581684)
(xy -1.827117 2.571412)
(xy -1.728336 2.595089)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp a4f444d0-d187-4dfe-9647-000000000000)
(fp_poly
(pts
(xy 0.713362 2.62467)
(xy 0.802117 2.657421)
(xy 0.874022 2.71535)
(xy 0.902144 2.756128)
(xy 0.932802 2.830954)
(xy 0.932165 2.885058)
(xy 0.899987 2.921446)
(xy 0.888081 2.927633)
(xy 0.836675 2.946925)
(xy 0.810422 2.941982)
(xy 0.80153 2.909587)
(xy 0.801077 2.891692)
(xy 0.784797 2.825859)
(xy 0.742365 2.779807)
(xy 0.683388 2.757564)
(xy 0.617475 2.763161)
(xy 0.563895 2.792229)
(xy 0.545798 2.80881)
(xy 0.532971 2.828925)
(xy 0.524306 2.859332)
(xy 0.518696 2.906788)
(xy 0.515035 2.97805)
(xy 0.512215 3.079875)
(xy 0.511484 3.112115)
(xy 0.50882 3.22241)
(xy 0.505792 3.300036)
(xy 0.50125 3.351396)
(xy 0.494046 3.38289)
(xy 0.483033 3.40092)
(xy 0.46706 3.411888)
(xy 0.456834 3.416733)
(xy 0.413406 3.433301)
(xy 0.387842 3.438769)
(xy 0.379395 3.420507)
(xy 0.374239 3.365296)
(xy 0.372346 3.272499)
(xy 0.373689 3.141478)
(xy 0.374107 3.121269)
(xy 0.377058 3.001733)
(xy 0.380548 2.914449)
(xy 0.385514 2.852591)
(xy 0.392893 2.809336)
(xy 0.403624 2.77786)
(xy 0.418645 2.751339)
(xy 0.426502 2.739975)
(xy 0.471553 2.689692)
(xy 0.52194 2.650581)
(xy 0.528108 2.647167)
(xy 0.618458 2.620212)
(xy 0.713362 2.62467)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 06e1d387-a226-4eba-a8d5-000000000000)
(fp_poly
(pts
(xy -0.840154 2.49212)

```

```

(xy -0.834428 2.57198)
(xy -0.827851 2.619039)
(xy -0.818738 2.639566)
(xy -0.805402 2.639829)
(xy -0.801077 2.637378)
(xy -0.743556 2.619636)
(xy -0.668732 2.620672)
(xy -0.592661 2.63891)
(xy -0.545082 2.662505)
(xy -0.496298 2.700198)
(xy -0.460636 2.742855)
(xy -0.436155 2.797057)
(xy -0.420913 2.869384)
(xy -0.41297 2.966419)
(xy -0.410384 3.094742)
(xy -0.410338 3.119358)
(xy -0.410308 3.39587)
(xy -0.471839 3.41732)
(xy -0.515541 3.431912)
(xy -0.539518 3.438706)
(xy -0.540223 3.438769)
(xy -0.542585 3.420345)
(xy -0.544594 3.369526)
(xy -0.546099 3.292993)
(xy -0.546947 3.19743)
(xy -0.547077 3.139329)
(xy -0.547349 3.024771)
(xy -0.548748 2.942667)
(xy -0.552151 2.886393)
(xy -0.558433 2.849326)
(xy -0.568471 2.824844)
(xy -0.583139 2.806325)
(xy -0.592298 2.797406)
(xy -0.655211 2.761466)
(xy -0.723864 2.758775)
(xy -0.786152 2.78917)
(xy -0.797671 2.800144)
(xy -0.814567 2.820779)
(xy -0.826286 2.845256)
(xy -0.833767 2.880647)
(xy -0.837946 2.934026)
(xy -0.839763 3.012466)
(xy -0.840154 3.120617)
(xy -0.840154 3.39587)
(xy -0.901685 3.41732)
(xy -0.945387 3.431912)
(xy -0.969364 3.438706)
(xy -0.97007 3.438769)
(xy -0.971874 3.420069)
(xy -0.9735 3.367322)
(xy -0.974883 3.285557)
(xy -0.975958 3.179805)
(xy -0.97666 3.055094)
(xy -0.976923 2.916455)
(xy -0.976923 2.381806)
(xy -0.849923 2.328236)
(xy -0.840154 2.49212)
)

```

```

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp b2c1a788-362f-4f26-8b05-7)
(fp_poly
(pts
(xy 2.395929 2.636662)
(xy 2.398911 2.688068)
(xy 2.401247 2.766192)
(xy 2.402749 2.864857)
(xy 2.403231 2.968343)
(xy 2.403231 3.318533)

```

```

(xy 2.341401 3.380363)
(xy 2.298793 3.418462)
(xy 2.26139 3.433895)
(xy 2.21027 3.432918)
(xy 2.189978 3.430433)
(xy 2.126554 3.4232)
(xy 2.074095 3.419055)
(xy 2.061308 3.418672)
(xy 2.018199 3.421176)
(xy 1.956544 3.427462)
(xy 1.932638 3.430433)
(xy 1.873922 3.435028)
(xy 1.834464 3.425046)
(xy 1.795338 3.394228)
(xy 1.781215 3.380363)
(xy 1.719385 3.318533)
(xy 1.719385 2.663503)
(xy 1.76915 2.640829)
(xy 1.812002 2.624034)
(xy 1.837073 2.618154)
(xy 1.843501 2.636736)
(xy 1.849509 2.688655)
(xy 1.854697 2.768172)
(xy 1.858664 2.869546)
(xy 1.860577 2.955192)
(xy 1.865923 3.292231)
(xy 1.91256 3.298825)
(xy 1.954976 3.294214)
(xy 1.97576 3.279287)
(xy 1.98157 3.251377)
(xy 1.98653 3.191925)
(xy 1.990246 3.108466)
(xy 1.992324 3.008532)
(xy 1.992624 2.957104)
(xy 1.992923 2.661054)
(xy 2.054454 2.639604)
(xy 2.098004 2.62502)
(xy 2.121694 2.618219)
(xy 2.122377 2.618154)
(xy 2.124754 2.636642)
(xy 2.127366 2.687906)
(xy 2.129995 2.765649)
(xy 2.132421 2.863574)
(xy 2.134115 2.955192)
(xy 2.139461 3.292231)
(xy 2.256692 3.292231)
(xy 2.262072 2.984746)
(xy 2.267451 2.677261)
(xy 2.324601 2.647707)
(xy 2.366797 2.627413)
(xy 2.39177 2.618204)
(xy 2.392491 2.618154)
(xy 2.395929 2.636662)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 323186ba-b0f7-4779-8010-f
(fp_poly
(pts
(xy -3.983114 2.587256)
(xy -3.891536 2.635409)
(xy -3.823951 2.712905)
(xy -3.799943 2.762727)
(xy -3.781262 2.837533)
(xy -3.771699 2.932052)
(xy -3.770792 3.03521)
(xy -3.778079 3.135935)
(xy -3.793097 3.223153)
(xy -3.815385 3.285791)

```



```

(xy -3.822235 3.296579)
(xy -3.903368 3.377105)
(xy -3.999734 3.425336)
(xy -4.104299 3.43945)
(xy -4.210032 3.417629)
(xy -4.239457 3.404547)
(xy -4.296759 3.364231)
(xy -4.34705 3.310775)
(xy -4.351803 3.303995)
(xy -4.371122 3.271321)
(xy -4.383892 3.236394)
(xy -4.391436 3.190414)
(xy -4.395076 3.124584)
(xy -4.396135 3.030105)
(xy -4.396154 3.008923)
(xy -4.396106 3.002182)
(xy -4.200769 3.002182)
(xy -4.199632 3.091349)
(xy -4.195159 3.15052)
(xy -4.185754 3.188741)
(xy -4.169824 3.215053)
(xy -4.161692 3.223846)
(xy -4.114942 3.257261)
(xy -4.069553 3.255737)
(xy -4.02366 3.226752)
(xy -3.996288 3.195809)
(xy -3.980077 3.150643)
(xy -3.970974 3.07942)
(xy -3.970349 3.071114)
(xy -3.968796 2.942037)
(xy -3.985035 2.846172)
(xy -4.018848 2.784107)
(xy -4.070016 2.756432)
(xy -4.08828 2.754923)
(xy -4.13624 2.762513)
(xy -4.169047 2.788808)
(xy -4.189105 2.839095)
(xy -4.198822 2.918664)
(xy -4.200769 3.002182)
(xy -4.396106 3.002182)
(xy -4.395426 2.908249)
(xy -4.392371 2.837906)
(xy -4.385678 2.789163)
(xy -4.37404 2.753288)
(xy -4.356147 2.721548)
(xy -4.352192 2.715648)
(xy -4.285733 2.636104)
(xy -4.213315 2.589929)
(xy -4.125151 2.571599)
(xy -4.095213 2.570703)
(xy -3.983114 2.587256)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 42f70efe-8b78-4049-83a6-e
(fp_poly
(pts
(xy 4.245224 2.647838)
(xy 4.322528 2.698361)
(xy 4.359814 2.74359)
(xy 4.389353 2.825663)
(xy 4.391699 2.890607)
(xy 4.386385 2.977445)
(xy 4.186115 3.065103)
(xy 4.088739 3.109887)
(xy 4.025113 3.145913)
(xy 3.992029 3.177117)
(xy 3.98628 3.207436)
(xy 4.004658 3.240805)

```

```

(xy 4.024923 3.262923)
(xy 4.083889 3.298393)
(xy 4.148024 3.300879)
(xy 4.206926 3.273235)
(xy 4.250197 3.21832)
(xy 4.257936 3.198928)
(xy 4.295006 3.138364)
(xy 4.337654 3.112552)
(xy 4.396154 3.090471)
(xy 4.396154 3.174184)
(xy 4.390982 3.23115)
(xy 4.370723 3.279189)
(xy 4.328262 3.334346)
(xy 4.321951 3.341514)
(xy 4.27472 3.390585)
(xy 4.234121 3.41692)
(xy 4.183328 3.429035)
(xy 4.14122 3.433003)
(xy 4.065902 3.433991)
(xy 4.012286 3.421466)
(xy 3.978838 3.402869)
(xy 3.926268 3.361975)
(xy 3.889879 3.317748)
(xy 3.86685 3.262126)
(xy 3.854359 3.187047)
(xy 3.849587 3.084449)
(xy 3.849206 3.032376)
(xy 3.850501 2.969948)
(xy 3.968471 2.969948)
(xy 3.969839 3.003438)
(xy 3.973249 3.008923)
(xy 3.995753 3.001472)
(xy 4.044182 2.981753)
(xy 4.108908 2.953718)
(xy 4.122443 2.947692)
(xy 4.204244 2.906096)
(xy 4.249312 2.869538)
(xy 4.259217 2.835296)
(xy 4.235526 2.800648)
(xy 4.21596 2.785339)
(xy 4.14536 2.754721)
(xy 4.07928 2.75978)
(xy 4.023959 2.797151)
(xy 3.985636 2.863473)
(xy 3.973349 2.916116)
(xy 3.968471 2.969948)
(xy 3.850501 2.969948)
(xy 3.85173 2.91072)
(xy 3.861032 2.82071)
(xy 3.87946 2.755167)
(xy 3.90936 2.706912)
(xy 3.95308 2.668767)
(xy 3.972141 2.65644)
(xy 4.058726 2.624336)
(xy 4.153522 2.622316)
(xy 4.245224 2.647838)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 32c6d2d1-c62a-4e0d-b0bb-b)
(fp_poly
(pts
(xy 1.602081 2.780289)
(xy 1.601833 2.92632)
(xy 1.600872 3.038655)
(xy 1.598794 3.122678)
(xy 1.595193 3.183769)
(xy 1.589665 3.227309)
(xy 1.581804 3.258679)

```

```

(xy 1.571207 3.283262)
(xy 1.563182 3.297294)
(xy 1.496728 3.373388)
(xy 1.41247 3.421084)
(xy 1.319249 3.438199)
(xy 1.2259 3.422546)
(xy 1.170312 3.394418)
(xy 1.111957 3.34576)
(xy 1.072186 3.286333)
(xy 1.04819 3.208507)
(xy 1.037161 3.104652)
(xy 1.035599 3.028462)
(xy 1.035809 3.022986)
(xy 1.172308 3.022986)
(xy 1.173141 3.110355)
(xy 1.176961 3.168192)
(xy 1.185746 3.206029)
(xy 1.201474 3.233398)
(xy 1.220266 3.254042)
(xy 1.283375 3.29389)
(xy 1.351137 3.297295)
(xy 1.415179 3.264025)
(xy 1.420164 3.259517)
(xy 1.441439 3.236067)
(xy 1.454779 3.208166)
(xy 1.462001 3.166641)
(xy 1.464923 3.102316)
(xy 1.465385 3.0312)
(xy 1.464383 2.941858)
(xy 1.460238 2.882258)
(xy 1.451236 2.843089)
(xy 1.435667 2.81504)
(xy 1.422902 2.800144)
(xy 1.3636 2.762575)
(xy 1.295301 2.758057)
(xy 1.23011 2.786753)
(xy 1.217528 2.797406)
(xy 1.196111 2.821063)
(xy 1.182744 2.849251)
(xy 1.175566 2.891245)
(xy 1.172719 2.956319)
(xy 1.172308 3.022986)
(xy 1.035809 3.022986)
(xy 1.040322 2.905765)
(xy 1.056362 2.813577)
(xy 1.086528 2.744269)
(xy 1.133629 2.690211)
(xy 1.170312 2.662505)
(xy 1.23699 2.632572)
(xy 1.314272 2.618678)
(xy 1.38611 2.622397)
(xy 1.426308 2.6374)
(xy 1.442082 2.64167)
(xy 1.45255 2.62575)
(xy 1.459856 2.583089)
(xy 1.465385 2.518106)
(xy 1.471437 2.445732)
(xy 1.479844 2.402187)
(xy 1.495141 2.377287)
(xy 1.521864 2.360845)
(xy 1.538654 2.353564)
(xy 1.602154 2.326963)
(xy 1.602081 2.780289)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp d6bbf5c4-33d1-4df8-973c-6
(fp_poly
(pts

```

(xy -2.465746 2.599745)
(xy -2.388714 2.651567)
(xy -2.329184 2.726412)
(xy -2.293622 2.821654)
(xy -2.286429 2.891756)
(xy -2.287246 2.921009)
(xy -2.294086 2.943407)
(xy -2.312888 2.963474)
(xy -2.349592 2.985733)
(xy -2.410138 3.014709)
(xy -2.500466 3.054927)
(xy -2.500923 3.055129)
(xy -2.584067 3.09321)
(xy -2.652247 3.127025)
(xy -2.698495 3.152933)
(xy -2.715842 3.167295)
(xy -2.715846 3.167411)
(xy -2.700557 3.198685)
(xy -2.664804 3.233157)
(xy -2.623758 3.25799)
(xy -2.602963 3.262923)
(xy -2.54623 3.245862)
(xy -2.497373 3.203133)
(xy -2.473535 3.156155)
(xy -2.450603 3.121522)
(xy -2.405682 3.082081)
(xy -2.352877 3.048009)
(xy -2.30629 3.02948)
(xy -2.296548 3.028462)
(xy -2.285582 3.045215)
(xy -2.284921 3.088039)
(xy -2.29298 3.145781)
(xy -2.308173 3.207289)
(xy -2.328914 3.261409)
(xy -2.329962 3.26351)
(xy -2.392379 3.35066)
(xy -2.473274 3.409939)
(xy -2.565144 3.439034)
(xy -2.660487 3.435634)
(xy -2.751802 3.397428)
(xy -2.755862 3.394741)
(xy -2.827694 3.329642)
(xy -2.874927 3.244705)
(xy -2.901066 3.133021)
(xy -2.904574 3.101643)
(xy -2.910787 2.953536)
(xy -2.903339 2.884468)
(xy -2.715846 2.884468)
(xy -2.71341 2.927552)
(xy -2.700086 2.940126)
(xy -2.666868 2.930719)
(xy -2.614506 2.908483)
(xy -2.555976 2.88061)
(xy -2.554521 2.879872)
(xy -2.504911 2.853777)
(xy -2.485 2.836363)
(xy -2.48991 2.818107)
(xy -2.510584 2.79412)
(xy -2.563181 2.759406)
(xy -2.619823 2.756856)
(xy -2.670631 2.782119)
(xy -2.705724 2.830847)
(xy -2.715846 2.884468)
(xy -2.903339 2.884468)
(xy -2.898008 2.835036)
(xy -2.865222 2.741055)
(xy -2.819579 2.675215)
(xy -2.737198 2.608681)

```
(xy -2.646454 2.575676)
(xy -2.553815 2.573573)
(xy -2.465746 2.599745)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp f927f668-44c0-4e91-bf1c-a
(fp_poly
(pts
(xy 0.053501 2.626303)
(xy 0.13006 2.654733)
(xy 0.130936 2.655279)
(xy 0.178285 2.690127)
(xy 0.213241 2.730852)
(xy 0.237825 2.783925)
(xy 0.254062 2.855814)
(xy 0.263975 2.952992)
(xy 0.269586 3.081928)
(xy 0.270077 3.100298)
(xy 0.277141 3.377287)
(xy 0.217695 3.408028)
(xy 0.174681 3.428802)
(xy 0.14871 3.438646)
(xy 0.147509 3.438769)
(xy 0.143014 3.420606)
(xy 0.139444 3.371612)
(xy 0.137248 3.300031)
(xy 0.136769 3.242068)
(xy 0.136758 3.14817)
(xy 0.132466 3.089203)
(xy 0.117503 3.061079)
(xy 0.085482 3.059706)
(xy 0.030014 3.080998)
(xy -0.053731 3.120136)
(xy -0.115311 3.152643)
(xy -0.146983 3.180845)
(xy -0.156294 3.211582)
(xy -0.156308 3.213104)
(xy -0.140943 3.266054)
(xy -0.095453 3.29466)
(xy -0.025834 3.298803)
(xy 0.024313 3.298084)
(xy 0.050754 3.312527)
(xy 0.067243 3.347218)
(xy 0.076733 3.391416)
(xy 0.063057 3.416493)
(xy 0.057907 3.420082)
(xy 0.009425 3.434496)
(xy -0.058469 3.436537)
(xy -0.128388 3.426983)
(xy -0.177932 3.409522)
(xy -0.24643 3.351364)
(xy -0.285366 3.270408)
(xy -0.293077 3.20716)
(xy -0.287193 3.150111)
(xy -0.265899 3.103542)
(xy -0.223735 3.062181)
(xy -0.155241 3.020755)
(xy -0.054956 2.973993)
(xy -0.048846 2.97135)
(xy 0.04149 2.929617)
(xy 0.097235 2.895391)
(xy 0.121129 2.864635)
(xy 0.115913 2.833311)
(xy 0.084328 2.797383)
(xy 0.074883 2.789116)
(xy 0.011617 2.757058)
(xy -0.053936 2.758407)
(xy -0.111028 2.789838)
```

```

(xy -0.148907 2.848024)
(xy -0.152426 2.859446)
(xy -0.1867 2.914837)
(xy -0.230191 2.941518)
(xy -0.293077 2.96796)
(xy -0.293077 2.899548)
(xy -0.273948 2.80011)
(xy -0.217169 2.708902)
(xy -0.187622 2.678389)
(xy -0.120458 2.639228)
(xy -0.035044 2.6215)
(xy 0.053501 2.626303)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 1783d830-89fa-4149-bb0a-f
(fp_poly
(pts
(xy -3.231114 2.584505)
(xy -3.156461 2.621727)
(xy -3.090569 2.690261)
(xy -3.072423 2.715648)
(xy -3.052655 2.748866)
(xy -3.039828 2.784945)
(xy -3.03249 2.833098)
(xy -3.029187 2.902536)
(xy -3.028462 2.994206)
(xy -3.031737 3.11983)
(xy -3.043123 3.214154)
(xy -3.064959 3.284523)
(xy -3.099581 3.338286)
(xy -3.14933 3.382788)
(xy -3.152986 3.385423)
(xy -3.202015 3.412377)
(xy -3.261055 3.425712)
(xy -3.336141 3.429)
(xy -3.458205 3.429)
(xy -3.458256 3.547497)
(xy -3.459392 3.613492)
(xy -3.466314 3.652202)
(xy -3.484402 3.675419)
(xy -3.519038 3.694933)
(xy -3.527355 3.69892)
(xy -3.56628 3.717603)
(xy -3.596417 3.729403)
(xy -3.618826 3.730422)
(xy -3.634567 3.716761)
(xy -3.644698 3.684522)
(xy -3.650277 3.629804)
(xy -3.652365 3.548711)
(xy -3.652019 3.437344)
(xy -3.6503 3.291802)
(xy -3.649763 3.248269)
(xy -3.647828 3.098205)
(xy -3.646096 3.000042)
(xy -3.458308 3.000042)
(xy -3.457252 3.083364)
(xy -3.452562 3.13788)
(xy -3.441949 3.173837)
(xy -3.423128 3.201482)
(xy -3.41035 3.214965)
(xy -3.35811 3.254417)
(xy -3.311858 3.257628)
(xy -3.264133 3.225049)
(xy -3.262923 3.223846)
(xy -3.243506 3.198668)
(xy -3.231693 3.164447)
(xy -3.225735 3.111748)
(xy -3.22388 3.031131)

```

```

(xy -3.223846 3.013271)
(xy -3.22833 2.902175)
(xy -3.242926 2.825161)
(xy -3.26935 2.778147)
(xy -3.309317 2.75705)
(xy -3.332416 2.754923)
(xy -3.387238 2.7649)
(xy -3.424842 2.797752)
(xy -3.447477 2.857857)
(xy -3.457394 2.949598)
(xy -3.458308 3.000042)
(xy -3.646096 3.000042)
(xy -3.645778 2.98206)
(xy -3.643127 2.894679)
(xy -3.639394 2.830905)
(xy -3.634093 2.785582)
(xy -3.626742 2.753555)
(xy -3.616857 2.729668)
(xy -3.603954 2.708764)
(xy -3.598421 2.700898)
(xy -3.525031 2.626595)
(xy -3.43224 2.584467)
(xy -3.324904 2.572722)
(xy -3.231114 2.584505)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 785089b3-15e3-4dcf-808a-fa
(fp_poly
(pts
(xy 2.887333 2.633528)
(xy 2.94359 2.659117)
(xy 2.987747 2.690124)
(xy 3.020101 2.724795)
(xy 3.042438 2.76952)
(xy 3.056546 2.830692)
(xy 3.064211 2.914701)
(xy 3.06722 3.02794)
(xy 3.067538 3.102509)
(xy 3.067538 3.39342)
(xy 3.017773 3.416095)
(xy 2.978576 3.432667)
(xy 2.959157 3.438769)
(xy 2.955442 3.42061)
(xy 2.952495 3.371648)
(xy 2.950691 3.300153)
(xy 2.950308 3.243385)
(xy 2.948661 3.161371)
(xy 2.944222 3.096309)
(xy 2.93774 3.056467)
(xy 2.93259 3.048)
(xy 2.897977 3.056646)
(xy 2.84364 3.078823)
(xy 2.780722 3.108886)
(xy 2.720368 3.141192)
(xy 2.673721 3.170098)
(xy 2.651926 3.189961)
(xy 2.651839 3.190175)
(xy 2.653714 3.226935)
(xy 2.670525 3.262026)
(xy 2.700039 3.290528)
(xy 2.743116 3.300061)
(xy 2.779932 3.29895)
(xy 2.832074 3.298133)
(xy 2.859444 3.310349)
(xy 2.875882 3.342624)
(xy 2.877955 3.34871)
(xy 2.885081 3.394739)
(xy 2.866024 3.422687)

```

(xy 2.816353 3.436007)

(xy 2.762697 3.43847)
(xy 2.666142 3.42021)
(xy 2.616159 3.394131)
(xy 2.554429 3.332868)
(xy 2.52169 3.25767)
(xy 2.518753 3.178211)
(xy 2.546424 3.104167)
(xy 2.588047 3.057769)
(xy 2.629604 3.031793)
(xy 2.694922 2.998907)
(xy 2.771038 2.965557)
(xy 2.783726 2.960461)
(xy 2.867333 2.923565)
(xy 2.91553 2.891046)
(xy 2.93103 2.858718)
(xy 2.91655 2.822394)
(xy 2.891692 2.794)
(xy 2.832939 2.759039)
(xy 2.768293 2.756417)
(xy 2.709008 2.783358)
(xy 2.666339 2.837088)
(xy 2.660739 2.85095)
(xy 2.628133 2.901936)
(xy 2.58053 2.939787)
(xy 2.520461 2.97085)
(xy 2.520461 2.882768)
(xy 2.523997 2.828951)
(xy 2.539156 2.786534)
(xy 2.572768 2.741279)
(xy 2.605035 2.70642)
(xy 2.655209 2.657062)
(xy 2.694193 2.630547)
(xy 2.736064 2.619911)
(xy 2.78346 2.618154)
(xy 2.887333 2.633528)

)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp f7ddaede-616a-4e06-aeeb-8
(fp_poly

(pts

(xy 0.139878 -3.712224)
(xy 0.245612 -3.711645)
(xy 0.322132 -3.710078)
(xy 0.374372 -3.707028)
(xy 0.407263 -3.702004)
(xy 0.425737 -3.694511)
(xy 0.434727 -3.684056)
(xy 0.439163 -3.670147)
(xy 0.439594 -3.668346)
(xy 0.446333 -3.635855)
(xy 0.458808 -3.571748)
(xy 0.475719 -3.482849)
(xy 0.495771 -3.375981)
(xy 0.517664 -3.257967)
(xy 0.518429 -3.253822)
(xy 0.540359 -3.138169)
(xy 0.560877 -3.035986)
(xy 0.578659 -2.953402)
(xy 0.592381 -2.896544)
(xy 0.600718 -2.871542)
(xy 0.601116 -2.871099)
(xy 0.625677 -2.85889)
(xy 0.676315 -2.838544)
(xy 0.742095 -2.814455)
(xy 0.742461 -2.814326)
(xy 0.825317 -2.783182)
(xy 0.923 -2.743509)

(xy 1.015077 -2.703619)
(xy 1.019434 -2.701647)
(xy 1.169407 -2.63358)
(xy 1.501498 -2.860361)
(xy 1.603374 -2.929496)
(xy 1.695657 -2.991303)
(xy 1.773003 -3.042267)
(xy 1.830064 -3.078873)
(xy 1.861495 -3.097606)
(xy 1.864479 -3.098996)
(xy 1.887321 -3.09281)
(xy 1.929982 -3.062965)
(xy 1.994128 -3.008053)
(xy 2.081421 -2.926666)
(xy 2.170535 -2.840078)
(xy 2.256441 -2.754753)
(xy 2.333327 -2.676892)
(xy 2.396564 -2.611303)
(xy 2.441523 -2.562795)
(xy 2.463576 -2.536175)
(xy 2.464396 -2.534805)
(xy 2.466834 -2.516537)
(xy 2.45765 -2.486705)
(xy 2.434574 -2.441279)
(xy 2.395337 -2.37623)
(xy 2.33767 -2.28753)
(xy 2.260795 -2.173343)
(xy 2.19257 -2.072838)
(xy 2.131582 -1.982697)
(xy 2.081356 -1.908151)
(xy 2.045416 -1.854435)
(xy 2.027287 -1.826782)
(xy 2.026146 -1.824905)
(xy 2.028359 -1.79841)
(xy 2.045138 -1.746914)
(xy 2.073142 -1.680149)
(xy 2.083122 -1.658828)
(xy 2.126672 -1.563841)
(xy 2.173134 -1.456063)
(xy 2.210877 -1.362808)
(xy 2.238073 -1.293594)
(xy 2.259675 -1.240994)
(xy 2.272158 -1.213503)
(xy 2.273709 -1.211384)
(xy 2.296668 -1.207876)
(xy 2.350786 -1.198262)
(xy 2.428868 -1.183911)
(xy 2.523719 -1.166193)
(xy 2.628143 -1.146475)
(xy 2.734944 -1.126126)
(xy 2.836926 -1.106514)
(xy 2.926894 -1.089009)
(xy 2.997653 -1.074978)
(xy 3.042006 -1.065791)
(xy 3.052885 -1.063193)
(xy 3.064122 -1.056782)
(xy 3.072605 -1.042303)
(xy 3.078714 -1.014867)
(xy 3.082832 -0.969589)
(xy 3.085341 -0.90158)
(xy 3.086621 -0.805953)
(xy 3.087054 -0.67782)
(xy 3.087077 -0.625299)
(xy 3.087077 -0.198155)
(xy 2.9845 -0.177909)
(xy 2.927431 -0.16693)
(xy 2.842269 -0.150905)
(xy 2.739372 -0.131767)

(xy 2.629096 -0.111449)
(xy 2.598615 -0.105868)
(xy 2.496855 -0.086083)
(xy 2.408205 -0.066627)
(xy 2.340108 -0.049303)
(xy 2.300004 -0.035912)
(xy 2.293323 -0.031921)
(xy 2.276919 -0.003658)
(xy 2.253399 0.051109)
(xy 2.227316 0.121588)
(xy 2.222142 0.136769)
(xy 2.187956 0.230896)
(xy 2.145523 0.337101)
(xy 2.103997 0.432473)
(xy 2.103792 0.432916)
(xy 2.03464 0.582525)
(xy 2.489512 1.251617)
(xy 2.1975 1.544116)
(xy 2.10918 1.63117)
(xy 2.028625 1.707909)
(xy 1.96036 1.770237)
(xy 1.908908 1.814056)
(xy 1.878794 1.83527)
(xy 1.874474 1.836616)
(xy 1.849111 1.826016)
(xy 1.797358 1.796547)
(xy 1.724868 1.751705)
(xy 1.637294 1.694984)
(xy 1.542612 1.631462)
(xy 1.446516 1.566668)
(xy 1.360837 1.510287)
(xy 1.291016 1.465788)
(xy 1.242494 1.436639)
(xy 1.220782 1.426308)
(xy 1.194293 1.43505)
(xy 1.144062 1.458087)
(xy 1.080451 1.490631)
(xy 1.073708 1.494249)
(xy 0.988046 1.53721)
(xy 0.929306 1.558279)
(xy 0.892772 1.558503)
(xy 0.873731 1.538928)
(xy 0.87362 1.538654)
(xy 0.864102 1.515472)
(xy 0.841403 1.460441)
(xy 0.807282 1.377822)
(xy 0.7635 1.271872)
(xy 0.711816 1.146852)
(xy 0.653992 1.00702)
(xy 0.597991 0.871637)
(xy 0.536447 0.722234)
(xy 0.479939 0.583832)
(xy 0.430161 0.460673)
(xy 0.388806 0.357002)
(xy 0.357568 0.277059)
(xy 0.338141 0.225088)
(xy 0.332154 0.205692)
(xy 0.347168 0.183443)
(xy 0.386439 0.147982)
(xy 0.438807 0.108887)
(xy 0.587941 -0.014755)
(xy 0.704511 -0.156478)
(xy 0.787118 -0.313296)
(xy 0.834366 -0.482225)
(xy 0.844857 -0.660278)
(xy 0.837231 -0.742461)
(xy 0.795682 -0.912969)
(xy 0.724123 -1.063541)

(xy 0.626995 -1.192691)
(xy 0.508734 -1.298936)
(xy 0.37378 -1.38079)
(xy 0.226571 -1.436768)
(xy 0.071544 -1.465385)
(xy -0.086861 -1.465156)
(xy -0.244206 -1.434595)
(xy -0.396054 -1.372218)
(xy -0.537965 -1.27654)
(xy -0.597197 -1.222428)
(xy -0.710797 -1.08348)
(xy -0.789894 -0.931639)
(xy -0.835014 -0.771333)
(xy -0.846684 -0.606988)
(xy -0.825431 -0.443029)
(xy -0.77178 -0.283882)
(xy -0.68626 -0.133975)
(xy -0.569395 0.002267)
(xy -0.438807 0.108887)
(xy -0.384412 0.149642)
(xy -0.345986 0.184718)
(xy -0.332154 0.205726)
(xy -0.339397 0.228635)
(xy -0.359995 0.283365)
(xy -0.392254 0.365672)
(xy -0.434479 0.471315)
(xy -0.484977 0.59605)
(xy -0.542052 0.735636)
(xy -0.598146 0.87167)
(xy -0.660033 1.021201)
(xy -0.717356 1.159767)
(xy -0.768356 1.283107)
(xy -0.811273 1.386964)
(xy -0.844347 1.46708)
(xy -0.865819 1.519195)
(xy -0.873775 1.538654)
(xy -0.892571 1.558423)
(xy -0.928926 1.558365)
(xy -0.987521 1.537441)
(xy -1.073032 1.494613)
(xy -1.073708 1.494249)
(xy -1.138093 1.461012)
(xy -1.190139 1.436802)
(xy -1.219488 1.426404)
(xy -1.220783 1.426308)
(xy -1.242876 1.436855)
(xy -1.291652 1.466184)
(xy -1.361669 1.510827)
(xy -1.447486 1.567314)
(xy -1.542612 1.631462)
(xy -1.63946 1.696411)
(xy -1.726747 1.752896)
(xy -1.798819 1.797421)
(xy -1.850023 1.82649)
(xy -1.874474 1.836616)
(xy -1.89699 1.823307)
(xy -1.942258 1.786112)
(xy -2.005756 1.729128)
(xy -2.082961 1.656449)
(xy -2.169349 1.572171)
(xy -2.197601 1.544016)
(xy -2.489713 1.251416)
(xy -2.267369 0.925104)
(xy -2.199798 0.824897)
(xy -2.140493 0.734963)
(xy -2.092783 0.66051)
(xy -2.059993 0.606751)
(xy -2.045452 0.578894)

(xy -2.045026 0.576912)
(xy -2.052692 0.550655)
(xy -2.073311 0.497837)
(xy -2.103315 0.42731)
(xy -2.124375 0.380093)
(xy -2.163752 0.289694)
(xy -2.200835 0.198366)
(xy -2.229585 0.1212)
(xy -2.237395 0.097692)
(xy -2.259583 0.034916)
(xy -2.281273 -0.013589)
(xy -2.293187 -0.031921)
(xy -2.319477 -0.043141)
(xy -2.376858 -0.059046)
(xy -2.457882 -0.077833)
(xy -2.555105 -0.097701)
(xy -2.598615 -0.105868)
(xy -2.709104 -0.126171)
(xy -2.815084 -0.14583)
(xy -2.906199 -0.162912)
(xy -2.972092 -0.175482)
(xy -2.9845 -0.177909)
(xy -3.087077 -0.198155)
(xy -3.087077 -0.625299)
(xy -3.086847 -0.765754)
(xy -3.085901 -0.872021)
(xy -3.083859 -0.948987)
(xy -3.080338 -1.00154)
(xy -3.074957 -1.034567)
(xy -3.067334 -1.052955)
(xy -3.057088 -1.061592)
(xy -3.052885 -1.063193)
(xy -3.02753 -1.068873)
(xy -2.971516 -1.080205)
(xy -2.892036 -1.095821)
(xy -2.796288 -1.114353)
(xy -2.691467 -1.134431)
(xy -2.584768 -1.154688)
(xy -2.483387 -1.173754)
(xy -2.394521 -1.190261)
(xy -2.325363 -1.202841)
(xy -2.283111 -1.210125)
(xy -2.27371 -1.211384)
(xy -2.265193 -1.228237)
(xy -2.24634 -1.27313)
(xy -2.220676 -1.33757)
(xy -2.210877 -1.362808)
(xy -2.171352 -1.460314)
(xy -2.124808 -1.568041)
(xy -2.083123 -1.658828)
(xy -2.05245 -1.728247)
(xy -2.032044 -1.78529)
(xy -2.025232 -1.820223)
(xy -2.026318 -1.824905)
(xy -2.040715 -1.847009)
(xy -2.073588 -1.896169)
(xy -2.12141 -1.967152)
(xy -2.180652 -2.054722)
(xy -2.247785 -2.153643)
(xy -2.261059 -2.17317)
(xy -2.338954 -2.28886)
(xy -2.396213 -2.376956)
(xy -2.435119 -2.441514)
(xy -2.457956 -2.486589)
(xy -2.467006 -2.516237)
(xy -2.464552 -2.534515)
(xy -2.464489 -2.534631)
(xy -2.445173 -2.558639)

```

(xy -2.402449 -2.605053)
(xy -2.340949 -2.669063)
(xy -2.265302 -2.745855)
(xy -2.180139 -2.830618)
(xy -2.170535 -2.840078)
(xy -2.06321 -2.944011)
(xy -1.980385 -3.020325)
(xy -1.920395 -3.070429)
(xy -1.881577 -3.09573)
(xy -1.86448 -3.098996)
(xy -1.839527 -3.08475)
(xy -1.787745 -3.051844)
(xy -1.71448 -3.003792)
(xy -1.62508 -2.94411)
(xy -1.524889 -2.876312)
(xy -1.501499 -2.860361)
(xy -1.169407 -2.63358)
(xy -1.019435 -2.701647)
(xy -0.92823 -2.741315)
(xy -0.830331 -2.781209)
(xy -0.746169 -2.813017)
(xy -0.742462 -2.814326)
(xy -0.676631 -2.838424)
(xy -0.625884 -2.8588)
(xy -0.601158 -2.871064)
(xy -0.601116 -2.871099)
(xy -0.593271 -2.893266)
(xy -0.579934 -2.947783)
(xy -0.56243 -3.02852)
(xy -0.542083 -3.12935)
(xy -0.520218 -3.244144)
(xy -0.518429 -3.253822)
(xy -0.496496 -3.372096)
(xy -0.47636 -3.479458)
(xy -0.45932 -3.569083)
(xy -0.446672 -3.634149)
(xy -0.439716 -3.667832)
(xy -0.439594 -3.668346)
(xy -0.435361 -3.682675)
(xy -0.427129 -3.693493)
(xy -0.409967 -3.701294)
(xy -0.378942 -3.706571)
(xy -0.329122 -3.709818)
(xy -0.255576 -3.711528)
(xy -0.153371 -3.712193)
(xy -0.017575 -3.712307)
(xy 0 -3.712308)
(xy 0.139878 -3.712224)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 5bae6033-6487-4475-bcd5-7)
)

(footprint "Glasgow:null_Logo_Silks_4mm" locked (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005f7c9631)
(at 65.7 87.65)
(descr "NULL Logo, Silk Screen, 4mm")
(tags "logo symbol null")
(attr board_only exclude_from_pos_files exclude_from_bom)
(fp_text reference "REF**" (at 0 -3) (layer "F.Silks") hide
(effects (font (size 1 1) (thickness 0.15))))
(tstamp cd7c3bc6-5927-41ee-85f0-a65036f20616)
)
(fp_text value "null_Logo_Silks_4mm" (at 0 3) (layer "F.Fab") hide
(effects (font (size 1 1) (thickness 0.15))))
(tstamp 2d697791-6594-41cc-822a-6ac5fa1d1401)
)
(fp_line (start -2 -2) (end -2 2)

```



```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 162f2765-3b3b-43c3-b8a5-9beccc21b784))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp aac983bf-c668-4615-8b6a-60dc2360c9c4))
    (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
(net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 33fe9e19-c647-4d56-82d4-3cf444f2f61d))
    (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
      (net 3 "GND") (pintype "passive") (tstamp abd09683-be97-4610-89b5-3ad030617128))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
      (offset (xyz 0 0 0))
      (scale (xyz 1 1 1))
      (rotate (xyz 0 0 0))
    )
  )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00006008d830)
  (at 92.225 86.25)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-000060181a79")
  (attr smd)
  (fp_text reference "C92" (at 0 -1.43) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp b82df628-596b-42fa-a06e-930cfd59e6f)
  )
  (fp_text value "4u7" (at 0 1) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 6c1b588b-35c3-4f15-a654-5822fc61d6e2)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 16f742bb-1f70-4d90-9359-863b1134525b)
  )
  (fp_line (start -0.14058 -0.51) (end 0.14058 -0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp cab8b174-3694-409e-8280-69b7d7ac4e6e))
  (fp_line (start -0.14058 0.51) (end 0.14058 0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5e6cb1f3-2e0b-4870-898e-9d9113956a69))
  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 556ed551-d172-43fc-ac8c-1eb3ef25cf28))
  (fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f38dfdee-3dfd-4efd-bbf1-cd161d9473d7))
  (fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 850d0fcf-95c6-46cb-ba6d-ce77eb1e91bb))
  (fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9bfee6b8-c954-4cbd-b4ab-8ed5884d76e3))
  (fp_line (start -0.8 -0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4187e42-898d-4545-8b0a-0c296560b56e))
  (fp_line (start -0.8 0.4) (end -0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ca5f1c5-fdf9-4f70-9177-7311bffb9451))
  (fp_line (start 0.8 -0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 881c196d-acfa-4e1c-8168-7baeab206f59))
  (fp_line (start 0.8 0.4) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 81e8b12b-d3c6-468e-8626-99b12691ac0f))
  (pad "1" smd roundrect (at -0.775 0) (size 0.9 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 139 "/IO_Banks/VIO_AUX") (pintype "passive") (tstamp d79d324e-da8a-4880-902f-36404e8f3a52))
  (pad "2" smd roundrect (at 0.775 0) (size 0.9 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 3 "GND") (pintype "passive") (tstamp b91a3eef-2bff-401c-a336-66ac1fe46c02))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

```

```

    )
)

(footprint "kikit:Tab" (layer "F.Cu")
  (tstamp 030eefa5-1a5f-43ad-b5d6-18ef4bc56412)
  (at 120 70.5 -90)
  (descr "A symbol representing annotation for tab placement")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 211a54f6-cc99-4633-af46-5381522ba182)
  )
  (fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1))))
    (tstamp 4c7d6d37-23ee-4631-bbdf-129c414afa90)
  )
  (fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1))))
    (tstamp 37b96ff1-e1ac-42fd-b597-a2c3215a15e1)
  )
  (fp_line (start 0.25 0) (end -2.75 0)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 4056d97d-41ef-486d-8d4b-3868d8618ea9)
  )
  (fp_line (start 0.25 0) (end -0.75 -1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp c09e8750-c978-47ed-8746-f5c25aaaaa5e)
  )
  (fp_line (start 0.25 0) (end -0.75 1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 80130b9e-8d66-4921-bd58-29be5c388b6b)
  )
  (fp_line (start 0.25 1) (end 0.25 -1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp b79cb194-827f-4192-a439-7e7b6e3a6856)
  )
)

(footprint "kikit:Tab" (layer "F.Cu")
  (tstamp 39c2e6c8-7157-4be2-8dcb-a24b50b4bf85)
  (at 60 120.5 90)
  (descr "A symbol representing annotation for tab placement")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp b2e22890-42d1-431f-b949-60eae2962bf0)
  )
  (fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1))))
    (tstamp 02b06e4f-e84f-4292-811b-5bc2c9cd45a0)
  )
  (fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1))))
    (tstamp f6809192-025b-4f05-966f-c61a6e7212b4)
  )
  (fp_line (start 0.25 0) (end -2.75 0)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 63699deb-f80a-49e9-96d8-412bd9b928f1)
  )
  (fp_line (start 0.25 0) (end -0.75 -1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 3311f514-0b89-4cc7-8f2e-b18179b2e774)
  )
  (fp_line (start 0.25 0) (end -0.75 1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 95423787-6ca9-4f5f-aaa7-0296ddd4d202)
  )
  (fp_line (start 0.25 1) (end 0.25 -1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp b4f88516-b713-42e6-a5ab-628b83e24769)
  )
)

(footprint "kikit:Tab" (layer "F.Cu")
  (tstamp 3a87c260-437b-4908-a78a-c4cc27109ddb)
  (at 60 70.6 -90)
  (descr "A symbol representing annotation for tab placement")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 1cecf2c9-7768-44dc-b93a-6e27d5666df9)
  )
  (fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1))))
    (tstamp c84c9f0a-4148-437e-ab60-d9581a648366)
  )
)

```



```

)
(fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
  (effects (font (size 0.5 0.5) (thickness 0.1)))
  (tstamp 8e29d9f4-c082-40bd-84b8-d7f74919edfc)
)
(fp_line (start 0.25 0) (end -2.75 0)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp a92cd40b-583d-425c-9c69-3c3458ade36d)
(fp_line (start 0.25 0) (end -0.75 -1)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp bc285037-2185-47ce-a1c5-e62cdc69da55)
(fp_line (start 0.25 0) (end -0.75 1)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 51d8da5d-38ad-4b71-a13a-eeb6793395f6)
(fp_line (start 0.25 1) (end 0.25 -1)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp b8541681-929e-42ee-b8fe-93dd5c864ace)
)

(footprint "kikit:Tab" (layer "F.Cu")
  (tstamp 4efc7289-ef83-4e9d-9520-bcd29ff22150)
  (at 120 120.5 90)
  (descr "A symbol representing annotation for tab placement")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 2c3a8d66-a430-4957-91c0-1c2591a6e73a)
  )
  (fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1)))
    (tstamp 9fc2ba98-8017-46df-9fcf-f3cb73aa2754)
  )
  (fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
    (effects (font (size 0.5 0.5) (thickness 0.1)))
    (tstamp 3c042378-25ad-4d71-8fb2-cd763bad3f32)
  )
  (fp_line (start 0.25 0) (end -2.75 0)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp e293e280-ebd0-4ab9-959f-aebc099cd896)
  (fp_line (start 0.25 0) (end -0.75 -1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 28433843-1a7e-4be3-b39c-412b2410bfac)
  (fp_line (start 0.25 0) (end -0.75 1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 1f0546e6-7148-459a-a196-1a72459740f7)
  (fp_line (start 0.25 1) (end 0.25 -1)
    (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 32576971-a2ef-4a8f-be4e-e3320aa679b7)
  )
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005aecd683)
  (at 58 118.5)
  (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
  (tags "fiducial")
  (attr smd board_only exclude_from_bom)
  (fp_text reference "FID4" (at 0 2) (layer "B.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
    (tstamp e9fc33e2-52da-41c8-a65e-ce20c1fa32c5)
  )
  (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 -2) (layer "B.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 089db5bb-4e88-43e4-b8d0-1a526809dc82)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.05)) (justify mirror))
    (tstamp 9e7ccc24-56cc-42cb-ac07-01892e779f75)
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp a7d0f6ba-55ed-4727-9902-d8)
  (fp_circle (center 0 0) (end 0.75 0)
    (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (tstamp 8a2b36d7-bbf4-4cd2-b109-f42ea)
  (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")
    (solder_mask_margin 0.375) (clearance 0.375) (tstamp dd2c4cf9-9d5a-4a43-94ce-581514a91e52))
  )
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "B.Cu")

```

```

(timestamp 00000000-0000-0000-0000-00005aec6d3)
(at 122 72.5)
(descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
(tags "fiducial")
(attr smd board_only exclude_from_bom)
(fp_text reference "FID5" (at 0 2) (layer "B.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
  (timestamp ffe92a18-895b-4bc3-92b7-19e18a1e3973)
)
(fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 -2) (layer "B.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (timestamp e35700b5-d8a0-4417-a7b5-a43ecc614270)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.3 0.3) (thickness 0.05)) (justify mirror))
  (timestamp de2362f8-9243-481f-9f6f-d40714f3503d)
)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (timestamp 912a3e17-06da-4f21-8a21-56b1-4280-4000-0000-0000)
)
(fp_circle (center 0 0) (end 0.75 0)
  (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (timestamp 9f50945a-2b87-4cfe-a92d-7efd11-4280-4000-0000-0000)
)
(pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")
  (solder_mask_margin 0.375) (clearance 0.375) (timestamp 4fe1c571-24b4-48a4-86a1-f527ccfc9b68))
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (timestamp 00000000-0000-0000-0000-00005bcbaf6)
  (at 83.7 96.7 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 0402) (Termination : 1005 Metric)")
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b0dd01d")
  (attr smd)
  (fp_text reference "C23" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (timestamp 99e9ccc3-4d7e-48e1-9eb9-8acd6a1242c4)
  )
  (fp_text value "u1" (at 0 -0.8 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (timestamp c266fbf3-005d-4d53-bde3-4c0c1cb5a781)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (timestamp 19862204-952b-492a-8feb-29da990ae5ce)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp bf7357d8-6dd7-4b1f-9710-fef26db9e524))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp e20606ee-9d8c-4259-a274-ab1b4841431c))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 5a42b38a-e85a-440d-ae3c-0ffa2fc2ff9c))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp bd1fa792-aa19-4c31-ab2b-609b6b35ace9))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 7869e4f0-3018-48d7-8f4f-f31604f754f6))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp a1ea03a2-0d82-4816-801f-cb72b26de801))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 06a1721c-fbbd-4d92-9100-370679b9b953))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 962ad931-c1ef-480d-b212-1c2e213620db))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

```

```

        (net 2 "+3V3") (pintype "passive") (tstamp 145d92a2-a011-4419-8a0c-dc6303553447))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 417202d4-0485-41ab-b071-ea5fd8ed0477))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bcd3f1c)
    (at 84.9 95.5 90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005bcd3e")
    (attr smd)
    (fp_text reference "C77" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 00537db5-9231-4788-809e-ca767ba60ebe)
    )
    (fp_text value "u1" (at 1 0 90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 9da24055-8845-4f48-8694-99fb20c6a6fb)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp cbfe05f7-ac4f-4d6c-b9a6-de065d2a594b)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 79aaaf8d-b238-4bf7-b07a-53b2bfa05c12))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2cf20cfb-f703-48db-90f5-88a4c4d83df9))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 53c8c68b-4563-470e-b193-38ddc1283437))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3ce4699d-400f-4c24-87b0-9d2eae9b19a5))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 32454230-4c43-4455-b55c-a1360ae3498e))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 04d36507-cb4f-4229-9fff-0006ff73684d))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 60110a3a-47ce-4db1-913b-82fac2ee6fae))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d26d343b-de8d-4610-acc4-64ba7559f4f6))
    (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 29 "+1V2") (pintype "passive") (tstamp 20fd8a8d-2b84-4d9e-967e-e17495dc234c))
    (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp a9da3451-92f6-4d7c-bb50-1c4f98fb294c))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005be41495)
    (at 99.15 93.75 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

```

```

(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "C48" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp e7d8ce50-1e86-4936-bf18-8a9a0dc1dc1d)
)
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp a7026456-44b2-4050-b941-2d775ef00ecb)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 9cbc3daf-c3ea-46fd-83fb-059c8db05d35)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 26c21fb5-cf57-4c76-aa2b-486f18ffc651))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp aeb24f25-7701-48d9-8e89-d9a037d2ffe0))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6ee78385-52bc-4a75-a918-4defa6c45734))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp af5cb117-f011-4d15-8bd3-36a6c5aed68e))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c3fe14f5-9c87-4950-bf51-a0c2347f12f6))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9ad654e4-8a33-4286-92bb-41b014ca74cb))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1dd2b728-8d1d-46db-aa8d-d04ef9ec7129))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bb8e3cf1-9613-4a66-9b08-a379c6f50c69))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 296f19a7-1a46-470d-be31-a7b600a48c41))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp a0776e36-c0b2-4e61-86c6-a8393cd96293))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be414a3)
  (at 101.05 85.35 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")
  (attr smd)
  (fp_text reference "C49" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp db15ab0b-b130-40db-bc39-2f2521b1a864)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  )
)

```

[illegible]

[illegible]

```
(
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be415c9)
  (at 97.05 90.95 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005d8f5b5f95797")
  (attr smd)
  (fp_text reference "C40" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 319953e4-c73a-4997-818e-8d823498eae2)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp f93286d6-6d61-4f56-b558-0a3556040ca9)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp c954c4e7-f2d0-4215-a448-b8234f3d01c2)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cbd1ff37-263f-4433-a57d-9071e25c9943))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3e61e4ce-6424-453e-9057-b2d62cfa62ef))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7ed17f28-048e-4c1f-b2e0-a9b32dd9d1b9))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 707a478f-5427-4f05-aaa2-d8f5b5f95797))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 14427206-149b-487b-91d6-677f9864102f))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a52516c3-2f04-44ca-9556-7741875cf421))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 82e12a38-2040-4ab4-bcbd-86ab94fbf8a3))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp aa98760e-1f6a-4817-b241-a4e40ec2e6e6))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 32074ba1-802e-40b0-a7bc-fdcfdb9aae02))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 30209718-0697-4179-80cc-4b36380f5661))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be4161d)
  (at 99.15 96.55 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "C68" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 71d7ee2b-1b1a-49de-95d2-b892fbc9eb20)
)
(fp_text value "u1" (at -0.05 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 4ec110e3-9057-4e54-8911-5d7ca4d003d3)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp d3783298-86ad-47d1-993d-eca4a16abb1a)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 95a68d1a-427f-49b2-b9d8-ea903c11ac26))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1cdb3bf4-3476-4f90-a405-704b937a6d58))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bcaa5d4e-efb4-411d-8d05-e0adfbcf9a9dc))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 95c24ab5-2075-41fb-a148-18c90a1f5e13))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cd816b58-a990-435e-9985-ff2aeed9e6dd))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 804c6d80-1b04-4c1b-a7ec-17694747a8d4))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp da02feb0-a675-4147-85aa-4daf467e9a92))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8d32877d-576a-43f4-a6ed-3352fb7b6b92))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 59d50ff4-0767-44b1-a16e-a6a51b80c8ac))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp c8ea5aed-6f5a-4443-aec2-068425ec10e7))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be41655)
  (at 99.15 99.35 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
  (attr smd)
  (fp_text reference "C69" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp c93f7dc5-4360-4242-9625-346b10f95703)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 4b6a4aee-6eb9-4da4-8881-fffe41926b34)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 3c9cc0cc-8f78-4a44-bc3f-9b8a07d1906c)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)

```


[illegible]

```
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 79ebacde-1b86-4ca2-ac35-6f66457deffb))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp def0e442-3f1c-4767-98ad-ed1c66751348))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be41671)
  (at 99.15 104.95 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/000000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "C71" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp ca4bd30e-3315-4fcf-90ed-5895e8428298)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp b9786555-3068-480b-81f2-509d65985df5)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 50b649d5-d482-4da5-b0a9-b427538170b2)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 92233456-1aab-45b5-8d41-bd3bb9d891c5))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e8f5510e-eb73-49d0-8882-55ec568a0650))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3663a3c2-8192-4f09-b811-e2f86c14c10e))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f5aebef7-8ab3-4379-b175-61b6ab5bc886))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3851496d-aae4-4bcc-aa91-9cfb485d33c8))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d33c1e9c-8e0c-4dc2-8199-892d1c9d0f67))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9762e360-c88f-4640-be32-db471e7743a4))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b3cce0c6-7cb2-4188-b497-651122c9aca0))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp a55c7552-dc83-4dd1-9e91-1db4980cd7fb))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp e6f39aae-0f5d-4e15-948f-da0689d8e484))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be4167f)
  (at 101.05 96.55 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC 7351 nominal, (Body
```

```

(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
(attr smd)
(fp_text reference "C72" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (timestamp 463116cc-ddb7-4b67-acdc-bffe308a1b1c)
)
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (timestamp 74e1b2fa-23d3-4bbb-8e56-ea23e5c2fd62)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (timestamp ef578c9d-db84-4eb0-97ea-c972a3ac1058)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 317ca959-937d-4d29-a38c-8cbfd9f363a2))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 4eed1c4b-3811-42f4-9dbe-403312d46b76))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp c7e55510-54c9-49af-a4f9-55e16aaad91f))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 279b7660-c13a-495a-b28b-a3a1df7dd399))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 70278ff4-0fc9-4a9e-8a88-43767d24da55))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 29469592-10e5-44c7-bbd1-eb3bf1d9f797))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 044f9767-708c-4f9c-9bd4-dc8220aff9dc))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 85fde3f4-12e8-4a4f-b354-4a4717c19cb0))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (timestamp 374a2276-24cb-417e-a996-65080e238d99))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp cf71f125-52e6-49a3-b5fb-ee1f86404492))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (timestamp 00000000-0000-0000-0000-00005be4168d)
  (at 101.05 99.35 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
  (attr smd)
  (fp_text reference "C73" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (timestamp e206df65-cbd1-40d0-924e-45404d7c0a9f)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

```

[illegible]

```

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f9c3d79d-48f0-4701-93b1-b6539b509e0a))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 278e1401-e449-4849-913b-93360b25553b))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b56784c0-6d19-4158-b0ed-e3f2c64a16aa))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 050030e6-347b-495f-986f-e46cbfab3676))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 5eebf99d-670b-4736-bd1f-4eb7dd3cd577))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 3 "GND") (pintype "passive") (tstamp 90c53b71-6964-4614-9737-dad4b576b383))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be48c55)
  (at 82.1 97.5)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c082b33")
  (attr smd)
  (fp_text reference "C18" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 90ac9838-a87d-490e-8b89-cda958d80eba)
  )
  (fp_text value "u1" (at 0 0.8) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp a27df476-0e13-41dc-b357-cd70e8a4c702)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 9d9d67d5-ca56-48b2-95b7-83b083fdf95d)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 89ad9eec-5754-416d-83e1-6af9ecf72337))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cd1e0fd5-6890-42e4-a29e-37f2e57d8086))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 825ff369-e943-4736-80af-d85967ffe2ea))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fbb3e2cd-259d-4d5b-b9ce-992b774e0900))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 09d42a0a-0386-4c57-b436-cc563e34b3a0))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3b3869e5-19fa-4508-8912-d1ea671a74fe))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 55eb4c37-e59d-4cfe-be1e-27e096a8d70f))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d97cc906-79fe-4e93-a444-e5c33d4acaed))
  (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
    (net 29 "+1V2") (pintype "passive") (tstamp 86c7684b-5ab5-48cb-a0cf-543da67b1ce1))
  (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
    (net 3 "GND") (pintype "passive") (tstamp eadb8959-54b0-43e8-b6c6-3d38ac5825a6))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
  )
)

```

```

        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be4c27a)
  (at 83.7 94.3 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cf06543")
  (attr smd)
  (fp_text reference "C33" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 5d4c8362-1ffd-410b-b588-4f1965475f64)
  )
  (fp_text value "u1" (at 0 0.8 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 81248a23-0e62-4b6b-a7bf-fde27522c5fe)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 6ee7f7e2-8957-4f82-a97b-bc835dc9153d)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4421673f-d72d-4b47-88e2-f339982aaa95))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1870fbcf-1891-43a1-823b-69c7dbd3255f))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1af6c9b6-4456-4666-bc61-1a29d3196eff))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 886a36f0-a348-4f12-af05-84391d790154))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 11de312a-ab90-43ad-b97a-f7215ed22505))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp defaf6a6-158e-41f9-8879-97cb5190ca36))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7ad75a1a-6c28-4203-a994-96907c379c11))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ef6548b9-46d7-4dc5-80ca-7baa120c257a))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
  (net 139 "/IO_Banks/VIO_AUX") (pintype "passive") (tstamp 07f7617d-0fb8-49b8-b91f-1ffde59153da))
  (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
  (net 3 "GND") (pintype "passive") (tstamp ac917bbf-6636-4d1a-9bb9-311e76a7b283))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be56bbb)
  (at 79.815 94.9 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")

```

```

(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005bda7918")
(attr smd)
(fp_text reference "C78" (at 0 0) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 94e16a9a-96fb-4a03-9938-c8bc70ca6c00)
)
(fp_text value "u1" (at 0 0.8 180) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 79701cd8-9c87-4a60-829f-63f7fa69abb0)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp d34cffae-5a87-4a89-a2b9-a5c9449cf0c4)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4f758943-5562-4335-9e31-c9e21be51dfa))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c8f228a8-4363-4a5d-9abd-7f828eb5d6cd))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b34fc2e7-761f-44a1-b06e-f5b84734d192))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3048c580-722e-4c94-aa2b-0ee9824ac71c))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b9a5e761-bd1b-4072-aeae-7b2aa63e0899))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 479f6eba-fdef-4bd2-a96e-e8565ded3968))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ccc64df2-21b2-459f-8bd1-566de7bcf7e3))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 351fa474-8344-4492-addb-205b9c537e4a))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 49 "/VCCPLL0") (pintype "passive") (tstamp c09e2351-eab0-4455-b8d2-6bdafebd711a))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 51 "/GNDPLL0") (pintype "passive") (tstamp f5a653b7-4daf-4d2d-af7f-535affa8f09d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be63934)
  (at 77.9 97.6 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-100r")
  (property "MPN" "RC0402FR-13100RL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005bf227e9")
  (attr smd)
  (fp_text reference "R31" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp b9943b16-81a3-411c-83fb-9c4d335f7651)
  )
  (fp_text value "100R" (at 0 -0.8 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 55d6e199-9922-458e-b203-54eb380b3fc2)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 74f15dd3-9a68-436b-b96b-6c221f0db6b4)
  )
)

```

```

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 611308e0-e878-410e-882a-b8c37525095b))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 936ca847-ee60-40d0-afae-674c07a98ef8))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 709ab235-17d3-485f-9101-2f34f4a9de7a))
(fp_line (start 0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fcefb123-8277-49b6-8a64-72a96f0f0497))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d9412c9f-a8d5-4cff-995d-8b48493c5c1a))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 99330400-e17a-4265-9d0e-2a33904f4876))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 278c6750-a495-47ff-8f90-59e3207ddc1e))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b3ccdb80-8b5a-412a-a7bb-dd510ea96517))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 49 "/VCCPLL0") (pintype "passive") (tstamp 6e88b91f-4619-46fd-83a4-59b57b556225))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (tstamp 01a0977d-f68f-4029-adbe-f126fb6607e5))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be9c493)
  (at 78.6 96.4 180)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c364e77")
  (attr smd)
  (fp_text reference "C76" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 9d9747ac-a86a-4416-8412-147468d3edfc)
  )
  (fp_text value "4u7" (at -1.15 0 270) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp ec9ad4da-ee15-4aa6-ae0d-459c79eab8e7)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 4e7e204c-1882-444b-9f62-d6f461e3fda6)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp a01c666e-212d-403f-9963-2a504c76fcd5))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp ac2f900d-80d0-4887-95cf-38a27d72311b))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a22d76f1-8d2a-40af-bc89-b306fc9fbc0))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 47a4f83b-d7f7-46b8-9de1-5f9ba19c1723))
  (fp_line (start 1.48 -0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8a6e5083-cbc0-47b8-b81e-9336c1550cbd))
  (fp_line (start 1.48 0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e1d7f797-d09f-4c37-b656-1e87851d3706))
  (fp_line (start -0.8 -0.4) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a78dfe77-c75d-4bd0-854f-ee0822fdcaa7))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)

```



```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8782f68b-166e-4586-ad66-e921e309acb5))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1b8e4fda-379b-4aa1-bca4-564935bec5a9))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2729df76-14b0-4590-954f-7bbf55e08151))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 49 "/VCCPLL0") (pintype "passive") (tstamp e9361722-3dcc-4c47-98ab-f9742195863b))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 51 "/GNDPLL0") (pintype "passive") (tstamp 965a5bf4-5c5a-4a9f-9fd5-ef382dceed7b))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bea726c)
  (at 85.3 93.5)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b0dd093")
  (attr smd)
  (fp_text reference "C24" (at 0 0) (layer "B.SilkS") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 557bf437-5357-4343-98a1-e8ea8c645c31)
  )
  (fp_text value "u1" (at 0.1 -0.8) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 5c70a603-fb18-4031-afde-419f94827204)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 2144b763-4c97-4ee7-968f-6ecc5af72be4)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7bc63628-bb5c-443b-8c67-6369359f1b4b))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7d1ff03b-8f5a-454e-8d9a-88c440394641))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ddec821f-5f62-4190-a837-860faadaa1c4))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1f428586-68ab-4232-9467-d307e5be8810))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 07bb0d43-1457-427b-b3a1-e5fef9abf036))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a2114412-1fd2-4384-ac47-068ff9141cf0))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 53d45fcb-738b-4e11-b3dc-f7d0d1d77fd9))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ac12c5de-db1c-4079-8f93-14916275c495))
  (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
    (net 29 "+1V2") (pintype "passive") (tstamp f335eec6-9633-4cdc-bfeb-6233c0af1bc2))
  (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
    (net 3 "GND") (pintype "passive") (tstamp 8f897d47-e8c7-45d7-adc4-cc11a35a535e))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed17e1)
  (at 67.3 91.55)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acf720b")
  (attr smd)
  (fp_text reference "C7" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 4c2f418e-d2db-4cd8-b8d3-7a0252bbe5ea)
  )
  (fp_text value "u1" (at 0 -0.75) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 774c1d48-d4df-4aa1-b8f7-40a4e97305d2)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 5b8301c2-527a-47ab-ad79-846f1ddefb80)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1c86f909-8a08-4f41-a5a9-48e2cd5ac434))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c662979f-8ab5-4588-bb6a-f427c2e432bf))
  (fp_line (start 0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d379d8d2-b60a-40f0-9700-64c4a5059b45))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 822bfcec-5046-4b56-9478-9986bbc1a555))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b0ab565-d1b0-44c1-8d01-df4843a48278))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 583f20cf-ce67-4662-b879-c21534f27d35))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 25ff8878-11d1-4653-b0a0-e7ffaafbbfca7))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d19c7c8a-f5fc-4914-8426-2d7bb2955dd9))
  (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
    (net 2 "+3V3") (pintype "passive") (tstamp 5833b891-db3e-467f-8f18-13f9ab253495))
  (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
    (net 3 "GND") (pintype "passive") (tstamp 9c3ed652-e8a7-4514-8527-06616a544af8))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed180b)
  (at 72.1 99.45 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acf71c9")
  (attr smd)
  (fp_text reference "C6" (at 0 0) (layer "B.Silks") hide

```

```

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp b0958a10-c2c4-4c5a-aa8b-26767e87502c)
    )
    (fp_text value "u1" (at 0 -0.75 180) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 84e2be0c-4775-4916-9402-23ecf33231f4)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 98748938-49bb-43ac-afef-fc59af806899)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6cf7f4b9-63e9-49e5-9755-283f8a799484))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 37a71008-3040-4ed7-b9c5-1ce2af5cd91c))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a600e3f7-510b-48c1-82f2-9a424a984b41))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2e574f11-cc21-4702-b556-a3070dda68af))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4a0099f1-216f-491f-87e2-1c6c3dddf2ec3))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 51f9e0ea-976a-431d-ac9e-e478e23ae89c))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9e59b177-568e-4f09-943a-e8a59afb9a6c))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 40db5dc6-f701-49d5-bfdd-0a0192db5437))
    (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 0518afe3-a9fe-4cd2-95e9-247c7a928b5a))
    (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp aa7f0f6d-8233-45a5-993b-9b3246d4540a))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bed1835)
    (at 65.9 93.765 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005acf72a1")
    (attr smd)
    (fp_text reference "C9" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 3e185cca-d6c6-41fa-88ee-7176dd029047)
    )
    (fp_text value "u1" (at 0 0.8 -90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 0323ef00-0e43-411b-a723-2e5acb1670f0)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp c0700caf-f2f1-4ad4-99cd-8eee9b3d4cc4)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c1685625-7a17-463e-aa27-c9ab954fa26f))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ed4c6a42-2dac-40f0-b41f-254c9930adaa))

```

```

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 57b85340-cd4f-4874-a965-7a6d1814d534))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3c22dc9a-a9e5-4284-a405-1275ecaf18cc))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 44b37e91-975f-4b0c-bb21-4e86d6505ac6))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f9548186-45ff-4ef1-9b5f-b4f090a994aa))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp daad3e17-6792-48b1-8f28-60fce29dfcf9))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 02de7c8e-b211-40ec-b6b1-746af4b54f1e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
(net 2 "+3V3") (pintype "passive") (tstamp 08e98b15-06cc-4377-bb4c-ed3456903908))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
(net 3 "GND") (pintype "passive") (tstamp 5674a33a-1fec-4195-b6f4-d6edfa9e6d2e))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed185f)
  (at 68.1 99.45)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005ad97c38")
  (attr smd)
  (fp_text reference "C10" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp ba234c6b-f9c5-4518-b18f-f179948b074d)
  )
  (fp_text value "u1" (at 0 0.75) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp b8f27c25-d6b8-4772-9b78-ca6de5ee2db2)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 1ac3f6d4-6bca-42db-a002-89dd2f6c9c9b)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c6825f6f-35f9-4861-ab7a-e0a83b77fd42))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a5d78753-31f5-4d5d-8b42-10d9fe03bf23))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 568934dc-29c6-43d9-b3ef-0100ad01c0d4))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ebe2e772-3f92-4526-ac19-2b17da4b81d3))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8387b124-51ee-4f38-af6f-43e52f7ab899))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ddb23896-5d7a-4e16-b77a-45f535c5b081))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea3f83d9-3dd9-4082-a354-10706e2a60c9))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a61a1558-347d-4a6b-88a6-b31a46ebe6ef))
  (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_r
  (net 2 "+3V3") (pintype "passive") (tstamp 98414957-95b1-4eb6-bc4c-48ded98a36b3))
  (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_r

```

```

        (net 3 "GND") (pintype "passive") (tstamp a7392aa2-1017-488c-9b26-9e2362de56ea))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed1889)
  (at 72.5 91.55 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acf7188")
  (attr smd)
  (fp_text reference "C5" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 369964cd-abdc-4827-8aaa-6a0417b3b740)
  )
  (fp_text value "u1" (at 0 0.75 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 453db6be-26d3-432a-a83b-d8e64c0652da)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp a28a2ed8-120c-4e37-89cf-6b38c2f6ebc8)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c37fb3e6-65df-481a-b26a-95845bafc9f0))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2e461cc7-76cc-4ebc-933c-2a1ed089fc63))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7b379154-d14b-4922-8424-37effcf0140a))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 528e9ff4-2e3c-4448-9aa8-fb089000ccd7))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4d027868-421a-438b-9290-e77757bb811a))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b2f745a2-ca3b-4ecf-9f72-29105e068fa1))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 60496b6b-945d-4510-95fb-b33d182ef1ba))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8e6beccd-5aa3-440b-a47f-767cab664862))
  (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp c9b8b197-324f-4a58-a183-626a827dccb5))
  (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 5c7ad12f-9092-4a20-9637-c3433d7b0c83))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" locked (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed1aad)
  (at 65.4 99.5)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")

```

```

(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005acf0aa9")
(attr smd)
(fp_text reference "C1" (at 0 0) (layer "B.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 6645a680-39f0-4038-b26c-50b8affab576)
)
(fp_text value "4u7" (at 0 0.8 180) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp b6777d39-fe39-4df5-81fb-027dd9d8fedc)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 6c2c1851-4c05-4e4b-959c-0e4a825bb91d)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 42795db6-45f7-4fca-bfc7-1aae6e4efd88))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 472c0bef-e7c8-4c36-8f46-829e544f439a))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 40499fd6-d8d2-40c9-b933-1052bcd8ab8b))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b2d1d6ec-dc3c-44c1-b02b-85b3e503be67))
(fp_line (start 1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp efc78611-8dd8-48b5-a887-90c9990b73ce))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a5ad1696-296f-43a5-a416-b8342db4ee7b))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8aa5000d-a6bc-46d4-a6fd-f12ec201da50))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8234fafb-977d-4916-a5d1-0a72f36642e0))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 18973576-9251-4b7f-a9fd-4700ce0027af))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 94ab45fb-9c0c-4e0a-9708-90d75c425481))
(pad "1" smd roundrect locked (at -0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (round 0.25)
  (net 2 "+3V3") (pintype "passive") (tstamp d1739395-4331-4a30-a799-2f1b25bf9ab1))
(pad "2" smd roundrect locked (at 0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (round 0.25)
  (net 3 "GND") (pintype "passive") (tstamp 28de909f-a1df-47a4-b9ae-77e692e40604))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed1b41)
  (at 65.9 97.75 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 0402) (Termination : 1005 Metric)"
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acd6c50")
  (attr smd)
  (fp_text reference "C2" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp c940db5c-a3b2-4163-9640-37a41c739c25)
  )
)

```

```

(fp_text value "u1" (at 0 0.8 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp ef6947da-22a6-4ca8-93af-d672085583b3)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp c6bf6598-b914-4f9b-9052-9b00e8c2cede)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 58124b84-5934-48aa-9341-c0fb50bcc2e2))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8de29966-a7d9-4c88-8f7b-1b78c06797fe))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 17ea26c1-30cb-4b7b-a1af-e1d707c5ac16))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 111ad92c-e7ea-4ac2-989d-e5fcf37f090d))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 450c118a-5314-4005-a23f-8b00550d9fbd))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ffa2f328-ad5d-458c-8e04-538bafef124e7))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8adaaeb7-a6db-49c5-a238-bfd391e71e73))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 952cf038-aff5-4d9d-b3d1-7f8e78871d3e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 40536622-5907-4364-aa53-d42bc2563504))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 1831ad82-fb9d-4d66-bd36-a39df9023974))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed1b6e)
  (at 65.9 95.75 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acf711c")
  (attr smd)
  (fp_text reference "C3" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 12ba740e-9b4f-4a6b-88e4-13ff7b54bc5d)
  )
  (fp_text value "u1" (at 0 0.8 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp d46a3c1c-6817-4faa-9f57-efc605a47cfd)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 81eebee2-162c-4319-9d37-1116efc03397)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1bbfac08-9fa6-46da-9827-2d0abd7946e1))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4ca88426-72f3-4ddc-a704-68c6dcc0598a))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1251a528-1e7c-4dfe-b034-81bdb57bce63))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1251a528-1e7c-4dfe-b034-81bdb57bce63))
)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6890fedb-444e-4f98-9465-c8e1821620f3))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9bf6cff0-b497-4bd7-8cb5-9373663e4117))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b776b207-b86f-406b-9f2e-e39482be4aeb))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 93ad460a-7539-4466-b5f3-78725343cbaf))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a7e65745-c9dc-4b69-a4fb-68f9eab28c08))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 81b8594d-e36b-442c-9e2a-d8f581ad9980))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 6e2c2217-7934-4819-a74a-7144f24d0eff))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed1ba1)
  (at 73.8 97.765 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acf7152")
  (attr smd)
  (fp_text reference "C4" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 2da0b360-9f55-45d6-bdbd-31cc4298cd36)
  )
  (fp_text value "u1" (at 0.035 -0.8 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 51de6dcf-eff8-4ebc-bc22-c288c097e3c6)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 15a170d7-9901-4743-9cb1-1729cd1abae9)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1e31238c-b39c-4b90-afe4-4a843124a811))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e238e83a-4822-4562-bd87-f3a566adb8d2))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d016dd44-a99f-4d2a-a081-9b313bf4afac))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8726e3bd-e521-4ede-acf3-48ce812393e5))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7a13b41c-b7c7-49bc-aa85-7c07c4c86d16))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0320f274-c194-49a0-a6bd-fc63f6cc5680))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 13b048e6-a8fa-4c7e-a260-904293fdff65))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 633b5801-b8ce-4661-9e91-0aa7e6355678))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 3838076c-dbdb-46ba-9b78-4b71aa2de05c))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 61fa6b68-0302-4e8c-85c8-0b626ec2b83e))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
  )
)

```



```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bee9778)
  (at 80.05 99.5 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c2c0b38")
  (attr smd)
  (fp_text reference "C81" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 27de9714-c90b-43f4-9a9a-e60faa52b966)
  )
  (fp_text value "u1" (at 0 0.75 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp c395e7e5-a2b7-443c-8491-978cc8bf17bf)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 3d1088ee-6475-46b3-95ed-d86dd59cdfd2)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1d1b5e37-616a-4ff1-b7b7-13eed0b069a))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a009e099-88d6-4611-aef4-e87b184cc90d))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp eef0ba78-277b-427e-bafa-a4a7b3739051))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 28e4459a-ae2-4785-b438-29e196c5e1a0))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0665eb31-90e6-4415-b0a0-c875562ca1b8))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a35b53fb-9adf-496d-9871-dea2d269600d))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp af55c28f-925d-4c39-9147-53fe26999427))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7ce547d1-24f2-46a0-a3cb-75ceb2138a72))
  (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 018a977a-906a-4cc8-852b-bdea7993b574))
  (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 45128830-2d11-4a35-8835-8b449417e064))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bfa460)
  (at 89.85 95.75 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-100r")
  (property "MPN" "RC0402FR-13100RL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
)

```

```

(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005bf22e2d")
(attr smd)
(fp_text reference "R32" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp f1c46079-b6cb-4e46-9d34-df940c21ff5e)
)
(fp_text value "100R" (at -0.05 0.85 270) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp f9c2b9c9-cccc-4266-aae3-984632c9d86c)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 17112e7a-1527-43a7-a8c4-bccd13b58b22)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ca94eaa2-6962-403d-8c4d-f1aeb97e7e3))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7060b30a-ae0-47d2-8f23-bc69258a99b1))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0a755ed0-1e8b-4720-842f-282919d6c81f))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 052a5d30-3899-40cd-ba29-56b528e62b8c))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cf7dbaf5-1285-48e4-8119-0ca1efb8aa38))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 115fb16d-8b62-4fd5-8e67-203514db974c))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4604e41e-f077-46bc-bd61-f4056ba06214))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 65ad64cb-9950-4d40-b472-adb38c77b5b3))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 48 "/VCCPLL1") (pintype "passive") (tstamp a7042639-c027-49ca-9e91-b1d4273b949d))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (tstamp c39c12e7-1de0-4821-99b8-8ace357433f4))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf934b8)
  (at 97.05 85.35 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "C38" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 9dd08dda-6659-4218-9d44-9a4a82a40ddd)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 18b343f4-2b07-459a-b34c-9cca20851e48)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 32875bc9-8bb1-40ed-9f97-b76a5657fa79)
  )
)

```

[illegible]

```
(fp_line (start 0.5 -0.25)(end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b51f918f-c989-4006-a1b5-84a5a1c05db2))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
(net 2 "+3V3") (pintype "passive") (tstamp 8c868f7f-ecc5-45bc-bc51-5414b13ac067))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
(net 3 "GND") (pintype "passive") (tstamp a56906b1-3fa7-4b85-9bc2-cbb24cc37285))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005bfec38e6)
(at 95.15 96.5 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005cb59b0/00000000-0000-0000-0000-00005ce338e/00000000-0000-0000-0
(attr smd)
(fp_text reference "C60" (at 0 0 90) (layer "B.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
(tstamp 1a2421aa-97bf-4db7-bdc8-31c14ded4ba8)
)
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(tstamp f43a3e95-f6eb-47c1-82b7-553117e4ae75)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
(tstamp 18ef205a-0164-4754-bedf-cea4cc3122c3)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp dd48c66f-f1ac-4d82-b142-66b499255208))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8ed052e5-742a-4582-be12-6ecfe697572f))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 21618f55-7758-4970-963c-9b58396de372))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 46c06409-da5a-460f-a250-adf75f233ab7))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 38edb34b-fedcd-49d7-98dd-f0bce13d30bd))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 233387c5-e854-47ee-85e2-5bdb13445178))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 122dc6b9-26ef-46af-b541-086536eadcf5))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b6ad42e1-5aae-4988-ad32-832eb48fd07a))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
(net 2 "+3V3") (pintype "passive") (tstamp 2c56dc29-b84d-414d-86e4-4158fdb4231c))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
(net 3 "GND") (pintype "passive") (tstamp a8141e4d-a017-446d-ba96-0b2388074a98))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005bfeca4b8)
```

```
(at 97.05 99.35 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
(attr smd)
(fp_text reference "C65" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp ad022377-43fa-47de-9817-32e4987bbd4e)
)
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 72439bb4-4777-4f9a-90c7-73545c173462)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 33c89716-f02a-43c5-8d48-62cad129c488)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fff7b7f8-734a-45a1-a7ee-1597b31608e8))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 523e64c7-0edd-43b4-838d-c6f2bfca3f6e))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2d430553-cf26-4f4d-8010-a6fc816ab768))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b841573c-e8e4-424a-a699-34c19a644b55))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 99954f96-fdd7-46b0-9799-ad3ede548a45))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp fc761066-7929-447f-a968-38d740394b67))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0ba72fb5-7459-42af-89ab-d20bb3de700d))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 50aadd99-546d-4872-ad7c-6c47c9b54918))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
  (net 107 "/IO_Banks/VIOB") (pintype "passive") (tstamp 942e1b41-6826-4121-906b-d23a40e9e2e9))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
  (net 3 "GND") (pintype "passive") (tstamp 2d078285-59f9-4ec9-b555-8e379f7f7b07))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005bfe4ac9)
(at 95.15 99.35 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
(attr smd)
(fp_text reference "C61" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 17e91d0a-5a60-40d7-8431-6656375ebbe6)
```

[illegible]

```
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8c5ae03e-851e-4d11-bc05-135d9de77f2e))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e1175df3-8e67-429b-b48c-18aec57c6f56))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d041963b-e182-4d77-bee2-563d19c64354))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp aa696f70-c9fc-4997-b13d-8eceb78b4a0d))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 10e161fd-ebc7-44a2-840e-34c3e02f1e98))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 79becb82-1a5e-40cd-b5f9-8310b9d55e8c))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp a5fd034f-ae24-4839-a70e-0c2476c2577c))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bfe4b12)
  (at 97.05 102.15 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-000005c7b59b0/00000000-0000-0000-0000-000005c9e338e/00000000-0000-0000-0000-000005c9e338e")
  (attr smd)
  (fp_text reference "C66" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp c37a7e34-a79c-47ed-ab52-3a0ca1270681)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp e9d4d984-afd5-4651-9c22-d1652089e850)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 0a9ba958-6894-4d5c-80a7-ab4254a9f8f7)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ae00be4a-42f5-4e4f-81e2-41e0ac473fde))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f78f93eb-aec3-40ec-a34c-cad75dcc8abb))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2e7a4112-11b0-46e2-b2f3-e8941a74f684))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 747c4e0d-8fe3-4d38-8e61-18235e44d85c))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b1c69def-8687-4a9e-918a-8da83be66b8e))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ec9f3a1c-1be4-46d7-baad-a4552f4c465a))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7a4c2ccd-fe77-4a4b-9c81-a7455f206ef1))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 5845de17-978a-4660-82bc-74fa1d24a1b0))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 080a463e-6ecc-40e3-94ad-613b89d9ccd4))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp d2eccc85-8333-4b9e-87c5-5ad7c8991bb3))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  )
)
```

```
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)

 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
   (tstamp 00000000-0000-0000-0000-00005bf4b51)
   (at 95.15 104.95 -90)
   (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 
   (tags "capacitor"))
   (property "lib2-bom-key" "cap-cer-0402-100n")
   (property "MPN" "TMK105BJ104KV-F")
   (property "Mfg" "Taiyo Yuden")
   (property "Sheetfile" "io_buffer.kicad_sch")
   (property "Sheetname" "IO_Buffer_B")
   (property "ki_description" "Unpolarized capacitor")
   (property "ki_keywords" "cap capacitor")
   (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005d6f6f6f")
   (attr smd)
   (fp_text reference "C63" (at 0 0 90) (layer "B.Silks") hide
     (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
     (tstamp c91d0cca-0f00-453f-9403-22ff472706fd)
   )
   (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
     (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
     (tstamp 0a7305ea-9c5d-43da-9d22-ddcd31136bf9)
   )
   (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
     (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
     (tstamp 9d16779a-abd6-4691-884c-3f907a478a3f)
   )
   (fp_line (start -0.93 -0.47) (end -0.93 0.47)
     (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 24c782c8-18f7-453a-8b42-072ab891773a))
   (fp_line (start -0.93 0.47) (end 0.93 0.47)
     (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8ec4542c-e8fd-4d3e-91ff-5b3c3827dc75))
   (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
     (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f47a725c-bc62-459e-ab25-4f07993a6596))
   (fp_line (start 0.93 0.47) (end 0.93 -0.47)
     (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 08bd4cfb-3662-45cc-a9bf-337ae16034cc))
   (fp_line (start -0.5 -0.25) (end -0.5 0.25)
     (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 29ec9429-02bd-4b8f-8046-7bf325fa184c))
   (fp_line (start -0.5 0.25) (end 0.5 0.25)
     (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 850998bb-93fc-404c-ad1c-4a46f38f98bf))
   (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
     (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 75ce924c-0cf0-4c93-a79b-6b433687a01e))
   (fp_line (start 0.5 0.25) (end 0.5 -0.25)
     (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp dc22261a-9737-4296-9b5d-162d7a6ff4ce))
   (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
   (net 2 "+3V3") (pintype "passive") (tstamp 8ab42276-3033-4ded-918d-f66c6fa7bd76))
   (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
   (net 3 "GND") (pintype "passive") (tstamp 1f12662e-c8ec-4ad2-aba7-ca1a9ce3b2e0))
   (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3ds/C_0402_1005Metric.step"
     (offset (xyz 0 0 0))
     (scale (xyz 1 1 1))
     (rotate (xyz 0 0 0))
   )
 )

 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
   (tstamp 00000000-0000-0000-0000-00005bf4b62)
   (at 97.05 104.95 -90)
   (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 
   (tags "capacitor"))
   (property "lib2-bom-key" "cap-cer-0402-100n")
   (property "MPN" "TMK105BJ104KV-F")
   (property "Mfg" "Taiyo Yuden")
   (property "Sheetfile" "io_buffer.kicad_sch")
```



```
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00000000"
(attr smd)
(fp_text reference "C67" (at 0 0 90) (layer "B.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
(timestamp a4d7fe92-1fde-4b50-9cd0-397320a810c7)
)
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(timestamp 556115d2-f4cd-40ed-a483-9d48825cb9fe)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
(timestamp 1d08dde6-9ca8-4007-91ef-b2649742c86c)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 44dc3ac2-c8e3-4e54-88f5-deffd2d71e035))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 6b201569-27a7-446f-b571-58fdc655942b))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 251164cb-1226-474a-a98d-de8bf4750547))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 1794fd02-b80b-4410-b835-d2dd518f691d))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 36b3abd1-5b84-4a2a-8031-0e1e94801cb8))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp cd0a7edd-46fd-43bf-8908-61d91e3bfd66))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp f54482e8-1078-4b67-9184-aa54c6ddef61))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 2ae9ead5-edf9-4b57-a186-b46207ca0b01))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
(net 107 "IO_Banks/VI0B") (pintype "passive") (timestamp 9071b673-e8d3-403f-8e2b-02a7f61763a8))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
(net 3 "GND") (pintype "passive") (timestamp 393ed44e-05b8-48fd-b96a-00534252bc40))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
(timestamp 00000000-0000-0000-0000-00005bfff64bc)
(at 95.15 88.15 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00000000"
(attr smd)
(fp_text reference "C35" (at 0 0 90) (layer "B.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
(timestamp 9941675a-3d0c-40de-88c0-fc0538d76d0f)
)
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(timestamp 375ecf1c-36d2-482a-b2d0-e140977d8572)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
)
```

[illegible]

[illegible]

```

(timestamp 00000000-0000-0000-0000-00005c065dca)
(at 81.7 94.7 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005b0dd103")
(attr smd)
(fp_text reference "C25" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (timestamp 4958a673-54fc-4a6c-bd8f-c1e4c104d9d4)
)
(fp_text value "u1" (at -1.4 -0.05 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (timestamp 7e528477-b83c-4690-a78a-7ab6ed45ece3)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (timestamp 15fba2b2-2fd2-4fa4-a06f-3c8ea56d3e3a)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp df8a442e-e284-4bea-8b41-e0f717e5cffa))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp aad47c6e-c7f3-48c8-a072-675fc5de7f5e))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 0d8f0137-60f7-48ee-9bbd-4b9b284c7c50))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 1ebd683d-de2f-4d1c-9104-49efb21a9114))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 2686fb98-9cf7-4fd1-ae7a-4a5e836dd92f))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 08db366e-bb43-4ec7-91d2-8ae4683b7ad2))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp e8715780-874d-44e9-8f22-cb5373006381))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 8db479e8-ee3e-4ba1-9891-1e4a6f827a6f))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (timestamp c124d0c7-e9bb-4a91-a3e2-08194755fcc5))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp 1f7b7110-f4b6-4392-9967-afc6930fe751))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:nono_hana_lines" locked (layer "B.Cu")
(timestamp 00000000-0000-0000-0000-00005c07534e)
(at 73.8 82.5 180)
(descr "Imported from /home/marcan/media/images/nono_hana3.svg")
(tags "svg2mod")
(attr board_only exclude_from_pos_files exclude_from_bom)
(fp_text reference "NONO_HANA" (at 0 12.841393 180) (layer "B.Silks") hide
  (effects (font (size 1.524 1.524) (thickness 0.3048)) (justify mirror))
  (timestamp 83621d91-48c1-4fbe-9a20-87f754895222)
)
(fp_text value "MECHOKKU" (at 0 -12.841393 180) (layer "B.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (timestamp 1b36cde0-cfc8-45bc-9b1b-4eba6ee3e5f2)
)
(fp_line (start -17.273 -5.305) (end -17.221 -5.391)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (timestamp b41d40ca-dec4-4259-966d-c036cbe60754)
)

```

(fp_line (start -17.232 -5.437) (end -17.273 -5.305)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3c655b8b-91b2-4216-97c3-e75d263516b5)
(fp_line (start -17.221 -5.391) (end -17.158 -5.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6abff0ff-8c01-427b-9c11-c7faf9ec961e)
(fp_line (start -17.188 -5.564) (end -17.232 -5.437)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e577643e-6e1b-4e62-ba99-5c01ecb1635c)
(fp_line (start -17.158 -5.462) (end -17.086 -5.519)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b1babb9-3d5c-4328-bf78-9648bf211bd5)
(fp_line (start -17.14 -5.685) (end -17.188 -5.564)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 70fa9139-54c8-4197-9ad1-8c5822ffca61)
(fp_line (start -17.087 -5.798) (end -17.14 -5.685)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2a187d6-cb18-4433-a48e-fccfb8c68b34)
(fp_line (start -17.086 -5.519) (end -17.009 -5.562)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ba9e183-fc54-4cf5-a2fd-2fba1f387de0)
(fp_line (start -17.043 -3.819) (end -17.039 -3.701)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 005e09fe-c4da-4e16-acad-f21669e93815)
(fp_line (start -17.039 -3.701) (end -17.019 -3.592)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 349ad8ea-497c-408e-88b0-0056d7617c2e)
(fp_line (start -17.027 -5.903) (end -17.087 -5.798)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 21cd22be-89dc-45a7-9a10-c6d65a758b88)
(fp_line (start -17.027 -3.946) (end -17.043 -3.819)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8abd37f2-2594-498e-95a0-05911ddb39fe)
(fp_line (start -17.019 -3.592) (end -16.981 -3.49)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9889d223-6062-4b43-a970-3c668ef3213b)
(fp_line (start -17.009 -5.562) (end -16.928 -5.591)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05387e29-1d13-4294-8a0d-8cd9e0068d67)
(fp_line (start -16.993 -4.082) (end -17.027 -3.946)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1e7ab5b-df5b-4f92-b8c6-acc1210ff6bf)
(fp_line (start -16.981 -3.49) (end -16.928 -3.397)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ea030e20-2f51-4468-8c6f-4f38d79ca682)
(fp_line (start -16.96 -5.996) (end -17.027 -5.903)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f9fea05-370d-49dd-93e2-980934027258)
(fp_line (start -16.939 -4.228) (end -16.993 -4.082)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 75c4bc6f-ac75-4f4c-83db-56a16c519629)
(fp_line (start -16.928 -5.591) (end -16.846 -5.606)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 70492442-c619-4492-b6b3-8bb020eaf1a0)
(fp_line (start -16.928 -3.397) (end -16.859 -3.31)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 81659566-7c62-492c-a1b2-ae70f5651789)
(fp_line (start -16.885 -6.077) (end -16.96 -5.996)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 10b8de1d-dab3-42ce-963d-8c6cf5eefcd4)
(fp_line (start -16.865 -4.385) (end -16.939 -4.228)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d58ccacc-b899-4dc2-80eb-b200bf4555e)
(fp_line (start -16.859 -3.31) (end -16.775 -3.231)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b54d9b3d-0a77-4c13-8915-3b25011144ec)
(fp_line (start -16.846 -5.606) (end -16.765 -5.608)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 96fe415c-c909-463c-aec7-730493ae2cab)
(fp_line (start -16.8 -6.143) (end -16.885 -6.077)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88b72bc3-eef5-48c3-8dda-bd2377d8425a)
(fp_line (start -16.775 -3.231) (end -16.678 -3.157)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fdcdd588-21f9-4430-9534-fb0c26404700)
(fp_line (start -16.769 -4.552) (end -16.865 -4.385)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2071710-db61-4556-98ec-dd38a85489ff)
(fp_line (start -16.765 -5.608) (end -16.688 -5.596)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5906fb25-4b0d-468e-9573-1bbe9c3579cd)
(fp_line (start -16.704 -6.194) (end -16.8 -6.143)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6de704c-b8ea-46a9-bde3-1d6b79cb7f9b)
(fp_line (start -16.688 -5.596) (end -16.617 -5.57)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0e3556d1-7ca3-4a5e-ac06-94111c977a63))
(fp_line (start -16.678 -3.157) (end -16.567 -3.089)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72fa1e2d-81ca-4aba-a0ff-dd700a759a11)
(fp_line (start -16.652 -4.73) (end -16.769 -4.552)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f5228072-f4d6-4f2b-8901-84f8e1cf3200)
(fp_line (start -16.617 -5.57) (end -16.555 -5.531)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 03baa9db-5185-4fd0-953c-6ee3ee8da544)
(fp_line (start -16.597 -6.228) (end -16.704 -6.194)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7344f7f-983f-469e-a062-edb4050f0127)
(fp_line (start -16.567 -3.089) (end -16.445 -3.027)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c1f2b4e2-b000-4276-94c4-81a71a79976e)

(fp_line (start -16.559 -4.877) (end -16.652 -4.73)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aeae913e-7f83-49d5-af37-356b80305fb9)
(fp_line (start -16.555 -5.531) (end -16.503 -5.478)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 02e9b3c2-4232-4a07-b866-3b03f5efcda7)
(fp_line (start -16.503 -5.478) (end -16.465 -5.411)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a176d373-b575-4f7b-8e36-10e287d48d8b)
(fp_line (start -16.494 -5.01) (end -16.559 -4.877)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a927044e-31b8-4ad1-8184-ac7c68e18411)
(fp_line (start -16.477 -6.243) (end -16.597 -6.228)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 46a33fad-821b-4366-a45c-6bc652f293ff)
(fp_line (start -16.465 -5.411) (end -16.443 -5.331)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 200e83db-7196-4d0b-a9f5-cca747329639)
(fp_line (start -16.455 -5.131) (end -16.494 -5.01)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3c1a49af-94eb-4f04-bf2b-f2a70ae2a7a7)
(fp_line (start -16.445 -3.027) (end -16.296 -2.956)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3876e0e4-9caf-410a-a375-ec515ff74416)
(fp_line (start -16.443 -5.331) (end -16.438 -5.238)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 06b81f11-e49e-4439-b49c-83001083f315)
(fp_line (start -16.438 -5.238) (end -16.455 -5.131)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 738da55b-d626-462d-9efb-2881123926e4)
(fp_line (start -16.433 -9.782) (end -16.377 -9.731)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b4234376-dd49-4253-810e-5a77602283c6)
(fp_line (start -16.377 -9.731) (end -16.263 -9.618)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 26abf6e4-af12-4f8e-a730-43cddec6775d)
(fp_line (start -16.343 -6.237) (end -16.477 -6.243)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9c7ce35b-1db1-49f8-994c-687a1f1d6d62)
(fp_line (start -16.296 -2.956) (end -16.15 -2.88)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 82fe6303-bda8-477c-a73a-461dd63fdeb5)
(fp_line (start -16.272 1.021) (end -16.272 1.131)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cc0379d3-5fef-4263-a461-ba65665a51db)
(fp_line (start -16.272 1.131) (end -16.269 1.249)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0085ac6a-7f33-4789-afad-f592878dd5d4)
(fp_line (start -16.269 0.919) (end -16.272 1.021)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp de14d482-d8ad-4128-955c-e29c9731fad8)
(fp_line (start -16.269 1.249) (end -16.263 1.375)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c5c9219-9393-4b0e-a30f-e2d85d089a22)
(fp_line (start -16.263 -9.618) (end -16.168 -9.506)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb12245f-1d37-49db-be79-d69fa28a6c65)
(fp_line (start -16.263 0.826) (end -16.269 0.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36b881c3-c672-40ab-8dcb-d5544ddb6c1a)
(fp_line (start -16.263 1.375) (end -16.253 1.507)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb6777e4-b1a2-4818-91cb-c0a597442314)
(fp_line (start -16.254 0.741) (end -16.263 0.826)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9a839839-8440-4281-9ccb-af24c625c64c)
(fp_line (start -16.253 1.507) (end -16.239 1.647)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c37908c4-4628-45e3-bfa1-8e42099253fb)
(fp_line (start -16.243 0.665) (end -16.254 0.741)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 062ae9fc-f666-4d65-82d6-6ec93eca4011)
(fp_line (start -16.239 1.647) (end -16.222 1.794)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ab131975-d7d4-4dc7-b04f-3add1da40967)
(fp_line (start -16.23 0.598) (end -16.243 0.665)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e8e7f2ab-36eb-4a81-8c54-75d317e69e91)
(fp_line (start -16.222 1.794) (end -16.2 1.947)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94214e83-9055-4e87-be9d-92b590097d71)
(fp_line (start -16.214 0.541) (end -16.23 0.598)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5503eb56-3605-40ee-af3a-ed3d51502802)
(fp_line (start -16.2 1.947) (end -16.175 2.107)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a5427c9-ef99-458b-8163-e0c47c23a317)
(fp_line (start -16.195 -6.209) (end -16.343 -6.237)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8c5eec17-81ff-4585-b206-9fe198dbaa8b)
(fp_line (start -16.184 0.449) (end -16.214 0.541)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 290bfd00-282e-4cab-8a85-b618a4a0c3c2)
(fp_line (start -16.175 2.107) (end -16.145 2.272)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2ab4c5bf-79d0-4ec3-9a02-5a8ebf14967e)
(fp_line (start -16.168 -9.506) (end -16.138 -9.399)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6dbc84c4-8b9b-42c7-a40a-3f1f3aac0279)
(fp_line (start -16.15 -2.88) (end -16.009 -2.801)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf9f74e8-28f0-4251-b319-3282d38aeb10)

(fp_line (start -16.145 0.339) (end -16.184 0.449)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 75943f61-9423-48c0-8469-b72ba403f35c)
(fp_line (start -16.145 2.272) (end -16.11 2.444)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7bfa406-d253-4e35-812f-5ae59c697062)
(fp_line (start -16.138 -9.399) (end -16.118 -9.246)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb674145-6878-4a45-862c-105716f3f934)
(fp_line (start -16.118 -9.246) (end -16.083 -9.09)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c2a3b532-8999-4c11-99d0-9d485c3639df)
(fp_line (start -16.11 2.444) (end -16.071 2.621)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d0fdd291-ce6b-4cfb-b132-298dfff17be9)
(fp_line (start -16.098 0.213) (end -16.145 0.339)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73bf0dcc-7311-4a8a-a6e2-540c04f035f6)
(fp_line (start -16.083 -9.09) (end -16.007 -8.977)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1fc279b9-2c3d-4482-bc1a-fd702664f54a)
(fp_line (start -16.071 2.621) (end -16.027 2.803)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b8a158f-695d-42aa-bf7c-4e60d45afab0)
(fp_line (start -16.045 0.074) (end -16.098 0.213)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ebfda14-5616-49a0-a38c-c32126f7342f)
(fp_line (start -16.03 -6.157) (end -16.195 -6.209)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8be57b54-ec9b-4d13-a8e2-b9defa59daf3)
(fp_line (start -16.027 2.803) (end -15.978 2.99)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69622b17-0c75-439e-9263-9ce90f00ee23)
(fp_line (start -16.025 -6.157) (end -15.856 -6.092)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2c06ff6f-b063-4425-bc46-9c413d5177b3)
(fp_line (start -16.009 -2.801) (end -15.874 -2.717)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d2f0b2c-550e-443b-a782-3bf6007ac441)
(fp_line (start -16.007 -8.977) (end -15.902 -8.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 71b1b3a1-e816-4152-a094-a77f6207856a)
(fp_line (start -15.988 -0.076) (end -16.045 0.074)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c61f6c89-4730-46d1-a8fb-4f283aeebdf8)
(fp_line (start -15.978 2.99) (end -15.924 3.181)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 721daad1-b709-4199-8146-59a222f92170)
(fp_line (start -15.974 -6.237) (end -16.03 -6.157)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0e3337da-118c-47ac-831d-d5da9faaed80)
(fp_line (start -15.926 -0.234) (end -15.988 -0.076)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 950015f7-ea71-4922-b81d-5a351d90c312)
(fp_line (start -15.924 3.181) (end -15.865 3.377)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 581a02a7-9720-435d-8568-98b6aedfb92e)
(fp_line (start -15.905 -6.31) (end -15.974 -6.237)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7a5a0beb-0440-4598-aa87-82813874b750)
(fp_line (start -15.902 -8.919) (end -15.746 -8.856)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d50f82b6-208e-4a7c-a80b-eea8825e7c2b))
(fp_line (start -15.874 -2.717) (end -15.748 -2.629)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 677f36e2-dd90-4633-8904-26ab00165416)
(fp_line (start -15.865 3.377) (end -15.8 3.577)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b5083d3-8315-457f-8c3c-b592d06f190f)
(fp_line (start -15.861 -0.399) (end -15.926 -0.234)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd6286df-e553-4b89-903c-71cc1a6d914f)
(fp_line (start -15.856 -6.092) (end -15.717 -6.032)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 004d8b9c-6b4b-4e5a-9fc2-a14c3950c610)
(fp_line (start -15.825 -6.373) (end -15.905 -6.31)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5168daf0-8377-4a31-8eb0-7a73a6a6c431)
(fp_line (start -15.8 3.577) (end -15.729 3.782)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ae4d6ac-02e2-4650-8278-9b05cbb849e3)
(fp_line (start -15.795 -0.567) (end -15.861 -0.399)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 241214e9-281a-467d-bb0c-530b3fb29d92)
(fp_line (start -15.748 -2.629) (end -15.634 -2.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 647d25d5-90e0-4c01-9bfe-b0b77a6126bf)
(fp_line (start -15.746 -8.856) (end -15.57 -8.794)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2270aab-86a6-4176-8f99-be146bb59a13)
(fp_line (start -15.732 -6.425) (end -15.825 -6.373)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 30f6320d-b6b9-4f02-963b-e5680effc880)
(fp_line (start -15.729 3.782) (end -15.653 3.989)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7fba1e41-23f3-4494-a7df-d434da278b6e)
(fp_line (start -15.728 -0.737) (end -15.795 -0.567)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb47c670-1aa9-41ff-8d7a-38b29f4e5259)
(fp_line (start -15.717 -6.032) (end -15.602 -5.971)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ba72be42-2aea-4a6a-a624-f783375d6d53)

(fp_line (start -15.661 -0.905) (end -15.728 -0.737)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f9a4358b-57fa-43c8-bd5c-9353b0efb4ba)
(fp_line (start -15.653 3.989) (end -15.57 4.2)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f17d99e-08c9-4376-904f-91a3415af731)
(fp_line (start -15.639 0.08) (end -15.527 -0.151)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f861cb72-3870-4a7e-bc33-ae480d595259)
(fp_line (start -15.634 -2.537) (end -15.533 -2.44)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 279952fc-e648-498f-b428-8910b849e31a)
(fp_line (start -15.629 -6.462) (end -15.732 -6.425)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1da924ef-7716-4881-b075-13bb85c6719d)
(fp_line (start -15.602 -5.971) (end -15.502 -5.906)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a1137a35-eb0d-4860-b4f9-e915adb7892f)
(fp_line (start -15.597 -1.07) (end -15.661 -0.905)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e117c15-0a1e-49eb-8b5a-5e2d562fcf93)
(fp_line (start -15.57 -8.794) (end -15.406 -8.74)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fde8a85b-b157-4af8-86dc-0c8b9ce08234)
(fp_line (start -15.57 4.2) (end -15.517 4.331)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7ef9edb4-e2b3-4668-8c69-24d7cf1738f2)
(fp_line (start -15.547 -8.758) (end -15.527 -8.715)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 616d8d5a-92d5-47e0-aabf-88f7dd95630a)
(fp_line (start -15.535 -1.23) (end -15.597 -1.07)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e0e5c9ae-dd8e-4ade-a07e-933bc459b156)
(fp_line (start -15.533 -2.44) (end -15.448 -2.338)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 671a4d93-8bbb-403b-87ce-9221c5840edc)
(fp_line (start -15.527 -8.715) (end -15.487 -8.642)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 60dfa456-0e0c-423c-96fb-1542c3ed37db)
(fp_line (start -15.527 -0.151) (end -15.43 -0.357)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 40c7f928-d148-4eac-84ff-c45e27a0fe51)
(fp_line (start -15.517 4.331) (end -15.46 4.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 06c671ae-796a-4309-8e4e-5661bb5c9abc)
(fp_line (start -15.514 -6.48) (end -15.629 -6.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp be39e31a-d03e-4110-985b-9b7d5a0e5012)
(fp_line (start -15.502 -5.906) (end -15.413 -5.832)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db926848-cc33-47bd-bff3-ea64ed095fa6)
(fp_line (start -15.487 -8.642) (end -15.428 -8.543)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b65c2b71-1f1b-4a22-b1cc-abe7772ee2a9)
(fp_line (start -15.477 -1.381) (end -15.535 -1.23)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ff937fc-64ce-4c46-b4c6-c086304b0592)
(fp_line (start -15.46 4.462) (end -15.401 4.594)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88a845fd-ef83-48ce-9668-b469e58995ca)
(fp_line (start -15.448 -2.338) (end -15.381 -2.232)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69cd2f06-6722-4cf7-a2d4-a02a5021212a)
(fp_line (start -15.43 -0.357) (end -15.347 -0.542)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 26890bcb-3cb6-4356-8127-dc4bbd3cfc67)
(fp_line (start -15.428 -8.543) (end -15.353 -8.421)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9dc20249-6350-4d0a-b72f-6172fd8ac106)
(fp_line (start -15.425 -1.521) (end -15.477 -1.381)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 26dd89e1-fbe7-4ce4-876c-a12320513d27)
(fp_line (start -15.413 -5.832) (end -15.326 -5.742)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 57113820-eb01-48d1-810f-cc30201a3c42)
(fp_line (start -15.406 -8.74) (end -15.284 -8.703)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3771b202-87c2-48cf-b7d4-203a4c9e2214)
(fp_line (start -15.401 4.594) (end -15.338 4.726)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fae81fd5-b92d-4206-b932-eac0d3e8bbdf)
(fp_line (start -15.389 -6.478) (end -15.514 -6.48)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 34041059-3ba2-47d2-a30e-1e6cbfc6bf78)
(fp_line (start -15.381 -2.232) (end -15.335 -2.122)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5a27af8e-735d-4600-a2a3-6bfa313cf388)
(fp_line (start -15.379 -1.649) (end -15.425 -1.521)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d93c647c-2150-4052-8b6e-ce00dd16fac3)
(fp_line (start -15.378 2.244) (end -15.374 2.095)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 382835cb-ad60-49e9-8ba6-8c7773cae68d)
(fp_line (start -15.378 2.391) (end -15.378 2.244)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 934f1182-c38b-4ec7-8a85-74a1314f409b)
(fp_line (start -15.374 2.095) (end -15.364 1.945)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48d71889-592a-4d10-b7f2-917271e915e1)
(fp_line (start -15.373 2.537) (end -15.378 2.391)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1c4f6cff-440b-46cd-bd2a-e0d65c9a8013)

(fp_line (start -15.364 1.945) (end -15.349 1.794)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 625a32d2-411a-4560-8bc8-2dc025fb678c)
(fp_line (start -15.363 2.681) (end -15.373 2.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9c0102c9-c4d9-4abd-99e4-8f9332fc520e)
(fp_line (start -15.353 -8.421) (end -15.265 -8.282)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0792cc50-104d-4cb6-8517-2b5e54eaa2d0)
(fp_line (start -15.349 1.794) (end -15.33 1.643)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp af2c697c-1d40-4920-82dc-870935d25c31)
(fp_line (start -15.347 -0.542) (end -15.278 -0.708)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 38ea34f7-01b5-4f62-814e-9140cb8ad08e)
(fp_line (start -15.34 -1.761) (end -15.379 -1.649)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 965cd26c-1a6a-48eb-96b8-a793c8f87ea2)
(fp_line (start -15.338 4.726) (end -15.273 4.859)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0beb6fa7-c500-4ff5-b71d-4268ab78b4de)
(fp_line (start -15.335 -2.122) (end -15.311 -2.006)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8830bda7-7156-4940-aa25-1ba03e46d315)
(fp_line (start -15.33 1.643) (end -15.307 1.491)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9fa78bbc-abbd-4caf-a329-1a9ec4228a06)
(fp_line (start -15.326 -5.742) (end -15.235 -5.634)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2762daa4-6bff-473c-a9a9-ad19e06a635d)
(fp_line (start -15.312 -1.886) (end -15.34 -1.761)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a69391c-0731-48d6-8955-b61344475e2b)
(fp_line (start -15.311 -2.006) (end -15.312 -1.886)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8489a6e5-9908-4410-83b8-8ede1f136691)
(fp_line (start -15.307 1.491) (end -15.279 1.339)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63684a7a-4737-44fb-8a14-b0251969a02a))
(fp_line (start -15.284 -8.703) (end -15.237 -8.689)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d16568bd-f48c-4eaa-9d3f-9b3fe4e9ebcd)
(fp_line (start -15.279 1.339) (end -15.246 1.188)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 334a4cb9-22bf-4064-aaa2-4810b7d33492)
(fp_line (start -15.278 -0.708) (end -15.222 -0.857)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8dd6b34c-1e47-4a5a-9f11-cbaf02519bc3)
(fp_line (start -15.273 4.859) (end -15.206 4.993)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eaa5f2ee-cf29-42ae-85da-026b36fcd892)
(fp_line (start -15.265 -8.282) (end -15.167 -8.129)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b85c7d5-1015-44f5-b1e9-00977c7b6438)
(fp_line (start -15.254 -6.452) (end -15.389 -6.478)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8a7512e-36dd-4600-9b2e-5687b7ef8597)
(fp_line (start -15.246 1.188) (end -15.21 1.036)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9714b883-f4cf-43d5-9994-e6d5cf61e5ab)
(fp_line (start -15.235 -5.634) (end -15.133 -5.501)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1cab6327-6505-45d0-b475-7452cee29e4b)
(fp_line (start -15.224 -1.905) (end -15.271 -2.037)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2c8e0574-db71-40ad-adbf-0d80efebba38)
(fp_line (start -15.222 -0.857) (end -15.178 -0.993)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3cb84a9e-62ee-4851-a2d8-49d315f8e0ca)
(fp_line (start -15.21 1.036) (end -15.169 0.886)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5828506e-d8ef-4587-9483-eb19e7c67fbb)
(fp_line (start -15.206 4.993) (end -15.135 5.127)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63d9e03f-4ba5-46b7-8114-71c9c8de403a)
(fp_line (start -15.185 -1.783) (end -15.224 -1.905)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp deef9b2e-90a5-4356-ac01-bf68d98e1292)
(fp_line (start -15.178 -0.993) (end -15.147 -1.118)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4294eb44-3071-4359-b669-01b332c4311e)
(fp_line (start -15.169 0.886) (end -15.124 0.736)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 14017c7f-a078-46e2-9353-e729348be9cc)
(fp_line (start -15.167 -8.129) (end -15.06 -7.967)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa24b3fe-8ccb-4047-8d83-c785b0056ee8)
(fp_line (start -15.155 -1.669) (end -15.185 -1.783)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 312904cc-ca8e-4348-abf8-a45f9da06d9c)
(fp_line (start -15.147 -1.118) (end -15.127 -1.234)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 12aa3a22-e6c3-4cd8-bcae-f22c261e4b32)
(fp_line (start -15.135 5.127) (end -15.062 5.261)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d387984-51d7-486f-8b42-a85b21bd5761)
(fp_line (start -15.133 -1.559) (end -15.155 -1.669)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8418109-be2e-4925-bee3-8bfd9f560d7e)
(fp_line (start -15.127 -1.234) (end -15.119 -1.345)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e0ffab12-19c6-4578-9247-6a4eacd1e9b0)

(fp_line (start -15.124 0.736) (end -15.075 0.587)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ea3b4b32-3e07-4620-83d1-a89e4420d79b)
(fp_line (start -15.121 -1.452) (end -15.133 -1.559)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f98786df-ca9e-423a-8706-b593aff1b11c)
(fp_line (start -15.119 -1.345) (end -15.121 -1.452)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9fa7ee1b-6790-4ab4-8ef3-6c178654a1f6)
(fp_line (start -15.108 -6.4) (end -15.254 -6.452)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72ed65a3-52d6-47eb-ba14-1734bd649345)
(fp_line (start -15.075 0.587) (end -15.022 0.44)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6cb64ca7-f341-4ad4-8b10-99d124b6749d)
(fp_line (start -15.062 5.261) (end -14.987 5.395)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f56d3cdf-c3d5-4136-86ff-c7638002185c)
(fp_line (start -15.06 -7.967) (end -14.948 -7.799)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 15e18c1c-4574-430a-a99e-6fa628827c25)
(fp_line (start -15.022 0.44) (end -14.966 0.294)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a2e91fcd-82e8-4792-90ce-87cf0326cd91)
(fp_line (start -14.987 5.395) (end -14.909 5.529)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cdbc3c2a-ab4f-48f7-9b88-0d264c3f14ba)
(fp_line (start -14.966 0.294) (end -14.905 0.151)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 776e0755-8e9a-4b18-8003-86d68d28a847)
(fp_line (start -14.953 -6.318) (end -15.108 -6.4)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 64764ad9-b947-49d6-b917-b3185d053608)
(fp_line (start -14.948 -7.799) (end -14.832 -7.631)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7c9de4f-67b9-4295-a5f0-d096724b2edc)
(fp_line (start -14.909 5.529) (end -14.829 5.663)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aa5fec7a-381a-42ef-8355-756c0c56be4f)
(fp_line (start -14.905 0.151) (end -14.842 0.009)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4aa53d69-98da-4994-b57e-fc8f4e1d8fc2)
(fp_line (start -14.842 0.009) (end -14.774 -0.131)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7797b8a3-0224-46ce-8308-30587c70e1d0)
(fp_line (start -14.832 -7.631) (end -14.716 -7.466)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 309a9486-4a9a-4466-b873-fe343487e8c4)
(fp_line (start -14.829 5.663) (end -14.746 5.796)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63a388b1-e22a-43aa-b484-b64a85d0788a)
(fp_line (start -14.788 -6.203) (end -14.953 -6.318)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d591c5bc-937b-4453-bce4-d1e2924e4df0)
(fp_line (start -14.774 -0.131) (end -14.703 -0.268)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 07d8f5eb-515b-4da9-8244-d6a82f649393)
(fp_line (start -14.746 5.796) (end -14.661 5.929)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c1aa2471-d61a-4c00-9d52-1dd2096e54a3)
(fp_line (start -14.728 -6.401) (end -14.788 -6.203)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7e18455-9adc-46de-ad47-8997f24b786a)
(fp_line (start -14.716 -7.466) (end -14.602 -7.308)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp edc70e66-2b82-411c-a907-98ad7b7eac78)
(fp_line (start -14.703 -0.268) (end -14.629 -0.402)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8da5957e-dcae-4574-957e-4cbdc7f7c62c)
(fp_line (start -14.695 2.049) (end -14.693 1.885)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 049c8f27-8aa0-4e47-8c68-f295701daf47)
(fp_line (start -14.693 1.885) (end -14.687 1.721)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff03290b-84e4-4a76-948f-7dd1c1046961)
(fp_line (start -14.693 2.212) (end -14.695 2.049)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a1441c26-aede-4bd1-875e-42d47bdf6887)
(fp_line (start -14.687 1.721) (end -14.677 1.556)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6f85186c-a852-44b8-9288-645fb6d2d923)
(fp_line (start -14.687 2.375) (end -14.693 2.212)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 46c5cfaf-5576-49bb-bc8a-17916ca6b744)
(fp_line (start -14.678 2.536) (end -14.687 2.375)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dbfed8d6-ff25-4af8-82f7-ac68d5bc79cf)
(fp_line (start -14.677 1.556) (end -14.663 1.393)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb6d0ed0-33e4-420d-ac18-e5088e65bcce)
(fp_line (start -14.666 2.696) (end -14.678 2.536)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2400afc-8af1-461a-81a3-2a3496a555fc)
(fp_line (start -14.663 1.393) (end -14.644 1.23)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 491cb4f9-1566-4d2c-8ea5-9bfd1ca60fe8)
(fp_line (start -14.661 5.929) (end -14.574 6.061)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3b9eebb6-0bd7-47fb-96da-4870eb15165d)
(fp_line (start -14.653 -6.561) (end -14.728 -6.401)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d9cdd9e-9f58-4c92-986d-b972da662159)

(fp_line (start -14.65 2.853) (end -14.666 2.696)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ab485aa9-4b15-4aa7-9cf8-deb6f859af36))
(fp_line (start -14.644 1.23) (end -14.621 1.068)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e210298-31d3-4074-a04c-0f87226bf8a0))
(fp_line (start -14.632 3.008) (end -14.65 2.853)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b1bb2ea-5833-4644-957a-d80c1aa4d417))
(fp_line (start -14.629 -0.402) (end -14.552 -0.533)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a783838d-d7d0-4a6b-a671-779d352de3e1))
(fp_line (start -14.621 1.068) (end -14.592 0.908)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7ee28e36-fd6d-48cd-b8f5-f7309bb1716c))
(fp_line (start -14.611 3.161) (end -14.632 3.008)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 752e0309-733a-49b0-b9b2-35fa838cf4ae))
(fp_line (start -14.602 -7.308) (end -14.493 -7.162)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1092790-360d-49f5-a9af-657d9cc8bbfc))
(fp_line (start -14.592 0.908) (end -14.559 0.75)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eacef44e-4bf6-49e6-8a74-9c94bdbfe0dc))
(fp_line (start -14.587 3.31) (end -14.611 3.161)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b28fd3a0-2046-462e-9578-43eddd7a20b0))
(fp_line (start -14.574 6.061) (end -14.484 6.192)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 89b0c21f-6bb2-4122-be28-4b8555f12f91))
(fp_line (start -14.567 -6.687) (end -14.653 -6.561)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3fbb11e4-d128-4cd8-a730-aba596033e69))
(fp_line (start -14.56 3.456) (end -14.587 3.31)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 30811815-4f2e-4fbe-8b8e-1f10c6c16d03))
(fp_line (start -14.559 0.75) (end -14.52 0.594)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6cd83f94-e458-4347-bd43-d1bff323095f))
(fp_line (start -14.552 -0.533) (end -14.472 -0.66)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 834e6f95-e6bd-49fa-a39c-0624c29b9383))
(fp_line (start -14.531 3.598) (end -14.56 3.456)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9f5362dd-007d-4c0e-8e58-777ab18b7ea4))
(fp_line (start -14.52 0.594) (end -14.477 0.44)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 61b75c60-03a0-41d4-9112-fa98bee66465))
(fp_line (start -14.501 3.736) (end -14.531 3.598)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2baea3f6-1177-4231-bb03-84f6b0fdbc1a))
(fp_line (start -14.493 -7.162) (end -14.39 -7.032)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a74c6cf-4cda-40e4-87e1-17d16749a6c2))
(fp_line (start -14.484 6.192) (end -14.392 6.323)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 955867f8-f05a-4c54-b289-de3e693762a7))
(fp_line (start -14.479 -6.781) (end -14.567 -6.687)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 360e29ab-105b-4a92-a75c-e58d0d309c95))
(fp_line (start -14.477 0.44) (end -14.427 0.29)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 080c058f-8a06-4364-af5f-82be4ff39ce7))
(fp_line (start -14.472 -0.66) (end -14.388 -0.785)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9db2eaf4-4be5-4742-9d08-bed8572a6e2c))
(fp_line (start -14.468 3.869) (end -14.501 3.736)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 29884abd-88a7-4395-96d3-c7bd7867689d))
(fp_line (start -14.433 3.998) (end -14.468 3.869)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 676835f8-46e6-4df8-8ad2-b4f2d19a857b))
(fp_line (start -14.427 0.29) (end -14.372 0.142)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f7a6649-d90f-4db6-8245-f34c1d1ebc88))
(fp_line (start -14.397 4.121) (end -14.433 3.998)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4005d0e-f13e-4d88-8836-09ae8acf44fc))
(fp_line (start -14.394 -6.845) (end -14.479 -6.781)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 34c46fd7-c17c-4796-991e-aa1b779d27b1))
(fp_line (start -14.392 6.323) (end -14.298 6.453)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d056da99-00d3-49ee-bb10-4a71cdfbeeb85))
(fp_line (start -14.39 -7.032) (end -14.297 -6.923)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cf5d50fe-441b-4364-b637-a6a83510451f))
(fp_line (start -14.388 -0.785) (end -14.302 -0.905)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c5bb0c0-2fc9-4412-8524-01dfe103dc77))
(fp_line (start -14.372 0.142) (end -14.312 -0.001)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 61bf660c-e214-49bf-bb89-6832e4b56eb1))
(fp_line (start -14.359 4.239) (end -14.397 4.121)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5e54c6d-c3f3-4508-8844-9fcc2cda5b1f))
(fp_line (start -14.32 4.351) (end -14.359 4.239)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 59511d89-214b-44ff-b4e0-6cf47b04c558))
(fp_line (start -14.318 -6.882) (end -14.394 -6.845)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ed03773-8dca-4e46-a57a-47deb9957054))

```
(fp_line (start -14.312 -0.001) (end -14.245 -0.141)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0cc2a0fe-dad9-4266-904c-085de6b76bc7))
(fp_line (start -14.302 -0.905) (end -14.213 -1.022)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f59aca0e-08ef-42b0-a645-d08c06445387))
(fp_line (start -14.298 6.453) (end -14.202 6.581)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ad559a08-3d43-41bd-bc52-fefd168b2af6))
(fp_line (start -14.297 -6.923) (end -14.216 -6.837)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20cce51e-4a67-4a62-b441-58c1f2f6ad98))
(fp_line (start -14.28 4.457) (end -14.32 4.351)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a075a103-f0bf-4948-9d8d-fb07fb318a10))
(fp_line (start -14.259 -6.894) (end -14.318 -6.882)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6e6086e-4d5b-4a65-9d60-627212c43cf9))
(fp_line (start -14.245 -0.141) (end -14.172 -0.276)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 119a13f0-fc77-42d3-a63c-e1265b058446))
(fp_line (start -14.238 4.555) (end -14.28 4.457)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp df9742da-5cca-4f2f-ba47-05d039939966))
(fp_line (start -14.216 -6.837) (end -14.15 -6.78)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b86e12d-1a69-4a0b-9b8a-117bb435c616))
(fp_line (start -14.213 -1.022) (end -14.121 -1.134)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8431d98e-a673-4a04-9c44-fd7fdaed4342))
(fp_line (start -14.202 6.581) (end -14.104 6.708)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 47c9bb03-391f-4e33-b982-5d5ff61eef45))
(fp_line (start -14.196 4.647) (end -14.238 4.555)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d8fb28c3-5eb9-4bab-85e9-980d485c065b))
(fp_line (start -14.19 -7.607) (end -14.132 -9.779)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5cb5c16d-78b0-4f82-9c3b-ee7f8b64aa8f))
(fp_line (start -14.18 -0.69) (end -14.16 -0.91)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a341fb0b-033c-454e-b0fb-8fb1ce21dcdf))
(fp_line (start -14.18 -0.57) (end -14.18 -0.69)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d3bb6ef3-80e6-4611-a8b2-25cae3cb742d))
(fp_line (start -14.17 -0.43) (end -14.18 -0.57)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 92cf2947-5962-430a-93e9-ea2ec2566a7e))
(fp_line (start -14.16 -0.91) (end -14.14 -1.02)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ce624b9c-f67d-4715-9ade-416c2f7fc307))
(fp_line (start -14.15 -6.78) (end -13.968 -6.651)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5cd5e7d1-661f-4005-aea3-589e47c17461))
(fp_line (start -14.15 -0.34) (end -14.17 -0.43)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b75e10b8-f066-4f1c-9ab1-497cbaee3192))
(fp_line (start -14.14 -1.02) (end -14.1 -1.16)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e593ab69-b381-40e0-b765-48801720c574))
(fp_line (start -14.11 -0.2) (end -14.15 -0.34)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30197904-ff4f-4f53-bef6-81b0ee5fcd3))
(fp_line (start -14.104 6.708) (end -14.004 6.834)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5e45a079-fd37-43ad-aa13-5c39a61e39eb))
(fp_line (start -14.1 -1.16) (end -14.06 -1.27)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 94224867-d39a-4647-b9a9-236d9b0fa3ed))
(fp_line (start -14.06 -1.27) (end -13.98 -1.46)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c47b9df0-9e8a-437b-a09a-992a3b8f4233))
(fp_line (start -14.05 -0.1) (end -14.11 -0.2)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8f22107c-1d06-4b6c-ae32-daed7fde7b1f))
(fp_line (start -14.009 -5.082) (end -14.008 -5.209)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 374aeada-c402-4042-b72a-9d6faca56baa))
(fp_line (start -14.008 -5.209) (end -14.001 -5.334)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a403b6b4-c851-4230-9cb3-25985c3176a3))
(fp_line (start -14.004 6.834) (end -13.903 6.958)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb08a454-114a-41d0-b018-c5a916adb60c))
(fp_line (start -14.003 -4.955) (end -14.009 -5.082)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fde516dd-e28d-4666-aa9e-cc7deaf693d5))
(fp_line (start -14.001 -5.334) (end -13.986 -5.458)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c727ba4-2654-449a-ba18-d730be235e14))
(fp_line (start -14 -0.04) (end -14.05 -0.1)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 24f9094b-0c9f-477a-a6c3-69fccf17dd55))
(fp_line (start -13.99 -4.826) (end -14.003 -4.955)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4faf3061-0f41-4bfb-9082-49d184b803d6))
(fp_line (start -13.986 -5.458) (end -13.963 -5.579)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ac19d2a8-9557-44a0-987b-b8ee020366ff))
(fp_line (start -13.98 -1.46) (end -13.92 -1.58)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8fca4ef-e347-4fe4-bf31-b7138887a6f3))
```

(fp_line (start -13.972 -4.698) (end -13.99 -4.826)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp da7f2bad-250f-4eb1-be81-366c33177bfc))
(fp_line (start -13.968 -6.651) (end -13.805 -6.532)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b3f74a3e-73bf-40f2-9b41-8440ac97f9ce))
(fp_line (start -13.963 -5.579) (end -13.932 -5.697)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c4fca821-8b69-452d-a30d-f36f0a102661))
(fp_line (start -13.955 2.075) (end -13.953 1.892)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1dd1a35a-57dd-41e3-a3a0-13ff3fde6ce3))
(fp_line (start -13.954 2.258) (end -13.955 2.075)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e0e517a-d4a2-41fb-b154-c6d5fadaa7e1))
(fp_line (start -13.953 1.892) (end -13.948 1.709)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63d1de38-6456-484b-a6bd-0fb13c9774bf))
(fp_line (start -13.95 -0.65) (end -13.9 -0.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 26f43e57-3c13-4677-82d9-9a0391406137))
(fp_line (start -13.95 2.44) (end -13.954 2.258)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5efa29c0-5bc9-45dc-9d4a-b1f6dac613cd))
(fp_line (start -13.949 -4.571) (end -13.972 -4.698)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 95c4cb23-cdcd-48f8-ab81-d2254d1be187))
(fp_line (start -13.948 1.709) (end -13.94 1.527)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7dc9d4b0-b3fb-42a2-8b64-a2caa916dab7))
(fp_line (start -13.944 2.62) (end -13.95 2.44)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fe9763e5-7528-41f0-8849-b5ce6b4e461f))
(fp_line (start -13.94 1.527) (end -13.929 1.345)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a9ef5bb1-3a48-4850-83e0-b17710d6c38f))
(fp_line (start -13.935 2.8) (end -13.944 2.62)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4649b485-ce28-4911-9fdb-d6652c1994b8))
(fp_line (start -13.932 -5.697) (end -13.893 -5.813)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e5fff7c8-f344-46a5-a0d0-e5e043815d83))
(fp_line (start -13.929 1.345) (end -13.915 1.164)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb36aa54-327f-4b34-8a1f-b525caa97270))
(fp_line (start -13.924 2.978) (end -13.935 2.8)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8f15d8d9-9be6-428b-a1bc-144a6bda5cc2))
(fp_line (start -13.921 -4.444) (end -13.949 -4.571)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 748d7071-0a50-44f0-bbcf-ec02efad6f72))
(fp_line (start -13.92 -1.58) (end -13.84 -1.71)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2b11a009-e4e1-4649-a98e-03f372f7345e))
(fp_line (start -13.915 1.164) (end -13.898 0.985)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2fe8deab-c440-4810-a1e9-8991c39e7856))
(fp_line (start -13.911 3.154) (end -13.924 2.978)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c053c386-0956-4a0f-9ae1-e5fc6f630b3e))
(fp_line (start -13.91 0.03) (end -14 -0.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 13a405a4-845e-41da-a423-9e176dc68049))
(fp_line (start -13.903 6.958) (end -13.799 7.081)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bff13e40-753f-4878-af5e-698bc93d3ba3))
(fp_line (start -13.9 -0.6) (end -13.85 -0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ab0d6e2-0cca-4aca-bcb4-051baa13c8a9))
(fp_line (start -13.898 0.985) (end -13.878 0.807)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 74c96378-e4c0-46eb-9a14-2b4806f18608))
(fp_line (start -13.895 3.328) (end -13.911 3.154)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9f5ef89-896e-456b-b2fd-f604f62d44c6))
(fp_line (start -13.893 -5.813) (end -13.845 -5.925)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 471ed32d-e7fa-4e80-8db6-312b76cbd899))
(fp_line (start -13.888 -4.318) (end -13.921 -4.444)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 909f493f-b26b-44ef-81dc-b05e276db495))
(fp_line (start -13.878 0.807) (end -13.854 0.631)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 841eb6f3-28a2-4ad5-88d5-a4d6348bc109))
(fp_line (start -13.878 3.499) (end -13.895 3.328)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d933b5aa-bce7-46e3-ad64-7891600472ae))
(fp_line (start -13.858 3.668) (end -13.878 3.499)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f69f0598-b9ff-45ad-837c-64138821a3ed))
(fp_line (start -13.854 0.631) (end -13.827 0.458)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 31d89a3b-bbc1-4a1e-8b12-b8e9d8050976))
(fp_line (start -13.85 -4.194) (end -13.888 -4.318)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db90f88f-2968-441f-9564-77e74a9814cd))
(fp_line (start -13.85 -0.57) (end -13.78 -0.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 31614431-2b3d-44d8-be86-490b0cae6c7d))
(fp_line (start -13.845 -5.925) (end -13.787 -6.033)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3aaafb1a-8412-47aa-9ee4-71cabcdf8248))

(fp_line (start -13.84 -1.71) (end -13.76 -1.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1e67ce7e-377c-4af8-815b-2f36dc98e991))
(fp_line (start -13.836 3.833) (end -13.858 3.668)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 230d6ab9-deb1-43cb-8ae7-85167f99c236))
(fp_line (start -13.827 0.458) (end -13.796 0.287)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 758a7526-e8e2-4549-bd08-b3f0500cd018))
(fp_line (start -13.812 3.994) (end -13.836 3.833)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f314411c-c85f-4a8c-97c7-8bfd400a12e6))
(fp_line (start -13.809 -4.072) (end -13.85 -4.194)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66621ce7-466d-4938-bc18-e38855d51231))
(fp_line (start -13.805 -6.532) (end -13.673 -6.434)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fcc0e80e-5f66-4b72-9a01-4fc25c413318))
(fp_line (start -13.799 7.081) (end -13.693 7.201)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d2187ab0-7e2d-4c3c-9dab-12f62d48d0ad))
(fp_line (start -13.796 0.287) (end -13.762 0.119)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c5a4fa0c-ec2b-4a87-b56a-a3db61bc3e06))
(fp_line (start -13.79 0.08) (end -13.91 0.03)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1a865dc0-7a34-4608-8da8-681444ee3eb8))
(fp_line (start -13.787 -6.033) (end -13.72 -6.137)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4014bff7-7ca7-4976-b754-ebab756495c6))
(fp_line (start -13.787 4.152) (end -13.812 3.994)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8041f1be-c6cc-4cfd-896a-6fc0b4de2e83))
(fp_line (start -13.78 -0.56) (end -13.72 -0.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3e320fa4-b0ee-4e39-95bf-a758392f1291))
(fp_line (start -13.765 -3.952) (end -13.809 -4.072)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 923b43c1-6a1d-45d2-ba87-9be1d6bb4b2e))
(fp_line (start -13.762 0.119) (end -13.724 -0.046)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66605a04-ae22-4816-b8b2-01ee59dc46f7))
(fp_line (start -13.76 -1.83) (end -13.69 -1.91)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8b9dc36e-10df-47c4-a268-9ca8cdb10bd7))
(fp_line (start -13.759 4.305) (end -13.787 4.152)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d11fe9c0-027e-4ad9-83dc-cbadcbc2c92e))
(fp_line (start -13.73 4.454) (end -13.759 4.305)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9320ba28-93b8-4cb5-8872-f2393cbc6604))
(fp_line (start -13.72 -6.137) (end -13.643 -6.235)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cd14c782-f436-4886-ad26-e996fc1ce51a))
(fp_line (start -13.72 -0.56) (end -13.65 -0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6df22b8f-7379-45ad-8840-af977cc1bd40))
(fp_line (start -13.717 -3.836) (end -13.765 -3.952)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6bc559d5-4eaa-46a0-b3ad-7c740769b00f))
(fp_line (start -13.7 -0.08) (end -13.79 0.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cad1d459-3b9e-4e72-968e-d2d98a19aba7))
(fp_line (start -13.7 4.598) (end -13.73 4.454)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f4913feb-d266-4944-b633-a80d6f9fbcf3))
(fp_line (start -13.693 7.201) (end -13.586 7.32)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 084ff0c6-1539-4b1d-a6f8-80ab5d4a2255))
(fp_line (start -13.69 -1.91) (end -13.62 -1.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e698e66a-4de4-4d89-af93-3a91453a8171))
(fp_line (start -13.673 -6.434) (end -13.584 -6.368)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22a30db0-469d-4af4-aef0-0a59fa735ef7))
(fp_line (start -13.668 4.737) (end -13.7 4.598)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ff21320-6ef5-4e4a-993f-f53fabaea6ac))
(fp_line (start -13.667 -3.723) (end -13.717 -3.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f5a76e53-8bde-44cd-91c6-1f4bb5dacfd3))
(fp_line (start -13.65 -0.57) (end -13.58 -0.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 955f175c-26d9-4491-b6d4-b638a94dc7c6))
(fp_line (start -13.643 -6.235) (end -13.555 -6.329)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a2eb375d-28c7-4d60-bc3b-cca86ed2230b))
(fp_line (start -13.634 4.871) (end -13.668 4.737)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1ef9b0d-50d7-48f9-9f6a-0a7a11916323))
(fp_line (start -13.62 -1.98) (end -13.54 -2.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 37903817-e678-4fc2-86bc-43f9352f9500))
(fp_line (start -13.62 -0.26) (end -13.7 -0.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3a89ac2d-b3d0-435c-b986-eacf2dcb2324))
(fp_line (start -13.614 -3.614) (end -13.667 -3.723)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dd00dbf8-42f5-43a1-85f8-e552b76c5b62))
(fp_line (start -13.6 4.998) (end -13.634 4.871)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7e205cc-fcca-4f21-a6af-6a7b08cb6895))

(fp_line (start -13.586 7.32) (end -13.477 7.437)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7311bab8-4011-4b43-aa78-4b4ee2062b1c))
(fp_line (start -13.584 -6.368) (end -13.552 -6.343)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 082dfa5c-9b95-4dda-9216-dfddd4b0efe5))
(fp_line (start -13.58 -0.6) (end -13.52 -0.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b536738a-1ad7-4a80-860c-27aa30c08caf))
(fp_line (start -13.564 5.119) (end -13.6 4.998)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52ead605-0222-4a90-944f-41573952b5cc))
(fp_line (start -13.555 -6.329) (end -13.456 -6.417)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73900802-ca6f-4425-bfad-f0a208b1e4b4))
(fp_line (start -13.54 -2.05) (end -13.46 -2.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bfffec59-dd66-4aee-aeb0-00d2a0388772))
(fp_line (start -13.527 5.234) (end -13.564 5.119)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05ac083a-9c65-457d-9a53-ab089bc91074))
(fp_line (start -13.52 -0.66) (end -13.47 -0.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eabd5b19-ba85-4cc4-91f3-e4d565f3d9b1))
(fp_line (start -13.5 -0.47) (end -13.62 -0.26)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 491ea6c3-064c-4d58-8bbe-ba204c5ea806))
(fp_line (start -13.489 5.342) (end -13.527 5.234)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d5ffb86-5c67-4be9-b871-048259f2a792))
(fp_line (start -13.477 7.437) (end -13.366 7.551)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84510aad-4f95-4448-b399-50c57334c644))
(fp_line (start -13.47 -0.74) (end -13.41 -0.87)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b56bdfa3-4c4e-4ff7-8a42-3b0a87c9fad1))
(fp_line (start -13.46 -2.11) (end -13.37 -2.17)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8a8a2de7-6f8d-463d-9dfe-baaa90f6b4bf))
(fp_line (start -13.456 -6.417) (end -13.346 -6.499)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d529aee1-0f16-4f74-bd86-6aa053958134))
(fp_line (start -13.45 5.443) (end -13.489 5.342)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb2c03b7-c5a6-4423-a12f-d7fc0e185402))
(fp_line (start -13.44 -1.29) (end -13.43 -1.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 808e7ab4-93d8-47fe-97bc-8dd48dfd74bc))
(fp_line (start -13.44 -1.2) (end -13.44 -1.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 28e601df-8c1e-4ebf-8e21-ccfc3d636ca2))
(fp_line (start -13.43 -1.37) (end -13.39 -1.46)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bea0726f-827f-40be-9c33-62a790874643))
(fp_line (start -13.43 -1.14) (end -13.44 -1.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7dea2f0a-915b-4020-988f-55c9241e9095))
(fp_line (start -13.41 -1.06) (end -13.43 -1.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5e5ccc68-8541-4271-8548-922ed3558941))
(fp_line (start -13.41 -0.87) (end -13.4 -0.94)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 41655de1-12d0-4894-b23f-03122b499127))
(fp_line (start -13.41 5.537) (end -13.45 5.443)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d309736-ba87-4f40-8ac5-b6b0e6d059ee))
(fp_line (start -13.4 -1) (end -13.41 -1.06)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 59bc22eb-1083-48c1-a184-c7a649094a7a))
(fp_line (start -13.4 -0.94) (end -13.4 -1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 307e8b26-ee0f-4aa2-95af-3794f70586ed))
(fp_line (start -13.39 -1.46) (end -13.34 -1.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8976219b-4d67-4015-a884-f7dad5f6845f))
(fp_line (start -13.37 -2.17) (end -13.29 -2.22)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aa3d0513-47f1-4640-b91c-700582a8335f))
(fp_line (start -13.369 5.622) (end -13.41 5.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5b50dac7-3c97-445b-880c-2e0a19b49d73))
(fp_line (start -13.366 7.551) (end -13.254 7.664)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f699445e-590d-4a37-ac57-3ba13872a826))
(fp_line (start -13.36 -0.69) (end -13.5 -0.47)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5f6b80a6-3635-4781-a2d1-d533b5b9b4ac))
(fp_line (start -13.346 -6.499) (end -13.225 -6.574)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1bac13de-9730-4044-b747-a628f04ed0a3))
(fp_line (start -13.34 -1.53) (end -13.29 -1.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a0807b90-f744-42cb-a5ed-b7852b3f3d54))
(fp_line (start -13.328 5.7) (end -13.369 5.622)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3dbbcbe2-e645-4c4b-856c-1a6936055810))
(fp_line (start -13.3 -9.605) (end -13.326 -9.77)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22dd69a7-a1ac-4481-ab4e-f0dacf71dab5))
(fp_line (start -13.29 -2.22) (end -13.16 -2.28)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b89b343-9593-4d82-8080-516c7fbd9da6))

```
(fp_line (start -13.29 -1.59) (end -13.23 -1.65)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 38d7530c-bede-4fef-bd2a-66be7871670d))
(fp_line (start -13.286 5.769) (end -13.328 5.7)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ea7507a-fa9e-4cc3-9064-23dfc05743a8))
(fp_line (start -13.271 -9.435) (end -13.3 -9.605)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c3395aa7-7acd-437d-b067-4fa71cd6b6e3))
(fp_line (start -13.27 -0.82) (end -13.36 -0.69)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d550eb58-2101-4fc9-bcfd-5667084163bb))
(fp_line (start -13.254 7.664) (end -13.14 7.773)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d451d87a-e8d7-4d75-804d-4bb3ba699590))
(fp_line (start -13.243 5.829) (end -13.286 5.769)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf53dcf5-e21b-45b3-acda-d0446aeb0c44))
(fp_line (start -13.239 -9.263) (end -13.271 -9.435)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9834895-b381-418d-8ed3-bdeea5bbcad3))
(fp_line (start -13.23 -1.65) (end -13.16 -1.72)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7045c986-5eff-48e4-b9f8-d8ce93c5df1d))
(fp_line (start -13.229 -2.335) (end -13.292 -2.187)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 438ba522-5142-40c2-8a03-94d75a05bcb0))
(fp_line (start -13.225 -6.574) (end -13.091 -6.642)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 316360fd-75c3-4e3f-a1c7-f02179977655))
(fp_line (start -13.206 -9.088) (end -13.239 -9.263)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94e328b5-2dec-47ce-8487-5df81eb9a7d5))
(fp_line (start -13.201 -5.69) (end -13.195 -5.531)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d097201f-aa8f-44f2-916a-fcaf74894501))
(fp_line (start -13.2 5.881) (end -13.243 5.829)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb0b526d-8fcc-454d-93b2-7bbc21d2f13e))
(fp_line (start -13.197 -5.844) (end -13.201 -5.69)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 87ca701d-0ced-4242-8077-b3d2a6e5a687))
(fp_line (start -13.195 -5.531) (end -13.18 -5.366)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d2f2a85-1ae4-4895-b4b5-726de7737519))
(fp_line (start -13.183 -5.991) (end -13.197 -5.844)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e4de42d2-159c-4d5e-b4fd-93e1732f185c))
(fp_line (start -13.18 -5.366) (end -13.155 -5.199)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a38dcd53-f508-4ab1-a152-3e7267130708))
(fp_line (start -13.171 -2.482) (end -13.229 -2.335)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b10ab3e3-d235-40f6-b12d-24598945e656))
(fp_line (start -13.17 -8.912) (end -13.206 -9.088)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b54b6ee-538c-4c9f-b3bd-c6f936ce3e41))
(fp_line (start -13.16 -2.28) (end -13.07 -2.31)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 015f19bb-3a2c-4807-ac35-ed35efc326d4))
(fp_line (start -13.16 -1.72) (end -13.09 -1.76)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dc5a5d76-4ee5-4fa9-8897-d1812843e432))
(fp_line (start -13.16 -0.97) (end -13.27 -0.82)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8e3a542-1196-4f02-b061-189d8b8add21))
(fp_line (start -13.159 -6.131) (end -13.183 -5.991)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 866c8a38-4b19-4af2-ac41-bfa18a89c8aa))
(fp_line (start -13.155 -5.199) (end -13.121 -5.029)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9bee61dc-a121-439a-95ef-87904abcae79))
(fp_line (start -13.14 7.773) (end -13.025 7.881)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1bce853e-1bf4-4ca1-b90c-4790337d87fd))
(fp_line (start -13.132 -8.734) (end -13.17 -8.912)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b84e198-68be-46cd-8e1d-011128a3e682))
(fp_line (start -13.125 -6.262) (end -13.159 -6.131)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5a254d5-5e08-4266-84d0-a893d3eee8bf))
(fp_line (start -13.121 -5.029) (end -13.079 -4.857)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp efca408e-9261-40dd-884a-fb138db4a84a))
(fp_line (start -13.117 -2.628) (end -13.171 -2.482)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 145f4654-0154-4d2f-b076-26a536039282))
(fp_line (start -13.108 -6.147) (end -13.143 -6.157)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05770cdd-670b-49ed-8a88-6189902ace0c))
(fp_line (start -13.093 -8.555) (end -13.132 -8.734)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp abe3abe0-383f-4913-a9db-bfb551bf2847))
(fp_line (start -13.091 -6.642) (end -12.945 -6.703)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ebedb93f-eee3-42fe-9ff9-9a47cfe43b81))
(fp_line (start -13.09 -1.76) (end -13.02 -1.79)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 504687af-9031-4a71-8d6a-4345bd13d0b6))
(fp_line (start -13.079 -6.384) (end -13.125 -6.262)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3aa6b42c-a92a-4902-8c07-49eae48cd5a6))
```


(fp_line (start -13.079 -4.857) (end -13.028 -4.684)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 03499d1b-4718-42ae-b0fc-6ed11c1b93a9))
(fp_line (start -13.07 -2.31) (end -12.94 -2.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e071697c-9ff8-43df-89a5-08d7c9874e87))
(fp_line (start -13.068 -2.774) (end -13.117 -2.628)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0eedd9e2-7d52-42e1-b3e6-5f4127807e2e))
(fp_line (start -13.053 -8.377) (end -13.093 -8.555)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e2445553-a6de-4c91-9da1-bc5654ac9ec9))
(fp_line (start -13.028 -4.684) (end -12.983 -4.532)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5beb2724-8363-4e0a-9718-d1b607268d3d))
(fp_line (start -13.025 -2.919) (end -13.068 -2.774)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d3e28fad-e734-40a5-b2b5-8899f2444c5b))
(fp_line (start -13.025 7.881) (end -12.908 7.985)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e4a1b6c-4d77-440a-9a9e-46593b0cc219))
(fp_line (start -13.023 -6.495) (end -13.079 -6.384)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a5ec5ab-1f2d-4a49-8c5c-dd580aba32c2))
(fp_line (start -13.02 -1.79) (end -12.93 -1.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8dd9a2d3-17ea-458f-9c6d-44df04705c55))
(fp_line (start -13.011 -8.2) (end -13.053 -8.377)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a07308c0-f090-44e7-9c40-4a581fdee016))
(fp_line (start -13.01 -6.124) (end -13.108 -6.147)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cc8ee530-e5c9-4138-92a8-527e4c1939fa))
(fp_line (start -12.987 -3.064) (end -13.025 -2.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7cf7ac3e-1b25-4ed6-97fd-4efb25817374))
(fp_line (start -12.983 -4.532) (end -12.948 -4.382)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp acc14652-c2b8-43cd-9734-dda4d7c6272b))
(fp_line (start -12.97 1.25) (end -12.96 0.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1e4c6e9c-983a-415a-8015-f753e383cd55))
(fp_line (start -12.97 1.79) (end -12.97 1.25)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ea6c6916-4692-4977-9d77-2c9fc1d2e15b))
(fp_line (start -12.969 -8.025) (end -13.011 -8.2)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1fcdca23-7722-469d-a360-3d81315602e6))
(fp_line (start -12.96 0.96) (end -12.94 0.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6d667546-efd4-4a40-9586-0c0217655dac))
(fp_line (start -12.956 -6.594) (end -13.023 -6.495)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 35084351-c6b9-474c-a92f-8f7531b66ae4))
(fp_line (start -12.955 -3.209) (end -12.987 -3.064)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2bc667b4-e5a3-492f-bd5d-c8efa1eb61cf))
(fp_line (start -12.95 -1.22) (end -13.16 -0.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9a273b6d-186e-40bc-bf48-f94c178dc7a1))
(fp_line (start -12.95 2.33) (end -12.97 1.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 59088309-0537-4e8e-993d-4bd028d63bc6))
(fp_line (start -12.948 -4.382) (end -12.922 -4.233)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63c9013a-b735-4d62-a9a7-3d5264b6bd94))
(fp_line (start -12.945 -6.703) (end -12.786 -6.756)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8e7feca-b539-4aab-b5b2-ffa358763d8a))
(fp_line (start -12.94 -2.34) (end -12.85 -2.35)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9730f1c6-c90f-4755-a089-8c0d140d4129))
(fp_line (start -12.94 0.59) (end -12.91 0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 08a9f671-a377-4e60-bee5-42163ff165ed))
(fp_line (start -12.93 2.69) (end -12.95 2.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f5963277-618a-4f1f-9996-2f61dc90ae90))
(fp_line (start -12.929 -3.354) (end -12.955 -3.209)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c6da276-4926-4b7c-9b8c-078059aed236))
(fp_line (start -12.927 -7.852) (end -12.969 -8.025)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 44d1450e-ef5a-448c-999c-92cf7916eb31))
(fp_line (start -12.922 -4.233) (end -12.904 -4.085)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 494dd7be-bbb1-4097-9171-654664e32cec))
(fp_line (start -12.91 -3.499) (end -12.929 -3.354)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1288fc83-be50-4598-b877-97789236da38))
(fp_line (start -12.91 0.32) (end -12.88 0.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a3e2fd42-ee05-4b8d-a060-1823187ee0f3))
(fp_line (start -12.91 3.02) (end -12.93 2.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4cebb568-445d-4398-9d78-004c29fb21a2))
(fp_line (start -12.908 7.985) (end -12.79 8.087)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e29642c-94cc-4524-b456-f4858200bc06))
(fp_line (start -12.904 -4.085) (end -12.894 -3.937)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9670554f-bfae-45b9-8092-348eeca2209c))

```
(fp_line (start -12.902 3.1) (end -12.905 3.017)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f288a578-230a-4cf9-88f9-4187eb57b69e))
(fp_line (start -12.897 -3.645) (end -12.91 -3.499)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 486401a6-5ce3-4430-a2c4-31b930923cf7))
(fp_line (start -12.896 3.208) (end -12.902 3.1)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dc82b931-ee3e-4d1f-bcd1-cfde4b2461fb))
(fp_line (start -12.894 -3.937) (end -12.892 -3.791)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9a3e451e-4998-4d0c-b255-5666c62fa54b))
(fp_line (start -12.892 -3.791) (end -12.897 -3.645)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9127bf94-fe62-4fea-8263-a1890d9540c6))
(fp_line (start -12.886 3.337) (end -12.896 3.208)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9716c1ce-bc22-4870-ab2c-b34e76b3326e))
(fp_line (start -12.884 -7.682) (end -12.927 -7.852)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73e222e4-6f06-416d-b2f9-a66d6a23b3b6))
(fp_line (start -12.88 0.11) (end -12.84 -0.12)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b2c9695f-c580-4b31-a726-236cb66c99d8))
(fp_line (start -12.877 -6.682) (end -12.956 -6.594)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b2b610b-f70f-4e8f-8b7c-3867325e7242))
(fp_line (start -12.873 3.484) (end -12.886 3.337)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 930a996c-426d-41d6-b2c2-3c0e2b02e4a4))
(fp_line (start -12.857 -6.095) (end -13.01 -6.124)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22ebdd10-7fca-4a3a-9e62-99387b049916))
(fp_line (start -12.857 3.647) (end -12.873 3.484)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 13935c2d-6842-4483-9585-edc0c2dd45da))
(fp_line (start -12.85 -2.35) (end -12.75 -2.35)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1cb0fac-db01-4f3a-9cfa-ec8efc16c84f))
(fp_line (start -12.84 -7.515) (end -12.884 -7.682)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5b651c5b-db97-43de-9960-a108bea639eb))
(fp_line (start -12.84 -0.12) (end -12.77 -0.46)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3151a36d-7f85-435c-a709-285212f3d85e))
(fp_line (start -12.838 3.821) (end -12.857 3.647)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3dfd555f-ca27-4984-aff3-169bea933eb7))
(fp_line (start -12.818 4.005) (end -12.838 3.821)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7a7229dd-4c7e-4548-ae0c-9a85e843a2ca))
(fp_line (start -12.81 1.01) (end -12.95 1.05)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5bd11ca8-6021-45cc-9fe4-b70122390460))
(fp_line (start -12.798 -7.353) (end -12.84 -7.515)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f81fb71-ff8f-4b8f-869b-ae57795b3dc6))
(fp_line (start -12.796 4.194) (end -12.818 4.005)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78e47101-bb2d-416f-86b6-f52746f6b38b))
(fp_line (start -12.79 8.087) (end -12.671 8.186)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b7cda19-9490-42c3-ad97-2a84b522dc9a))
(fp_line (start -12.786 -6.756) (end -12.877 -6.682)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6803ade-6349-44f8-bbb4-6d501f63a77c))
(fp_line (start -12.78 3.15) (end -12.91 3.02)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 46a95cb8-14c2-4d03-9c50-40aa063a6d49))
(fp_line (start -12.772 4.385) (end -12.796 4.194)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fde005f0-3500-4b38-83c6-bf141f778544))
(fp_line (start -12.77 -0.46) (end -12.73 -0.61)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1ef36bc7-7334-4864-ba35-85456bbb19eb))
(fp_line (start -12.755 -7.197) (end -12.798 -7.353)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5c92357-223f-4529-ad2c-96a0d1cac2ac))
(fp_line (start -12.75 -2.35) (end -12.65 -2.35)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7c00effe-c094-488c-b889-af84d428ba6b))
(fp_line (start -12.748 4.576) (end -12.772 4.385)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76ffe0aa-2973-4a21-ac13-ca2cdb59c8c0))
(fp_line (start -12.73 -0.61) (end -12.66 -0.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fefb9838-96f6-4078-84f4-cc8cf41e3a77))
(fp_line (start -12.722 4.763) (end -12.748 4.576)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4440207d-0874-4bee-bd55-e1a450385a5a))
(fp_line (start -12.713 -7.046) (end -12.755 -7.197)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5fa1c03d-7d00-4011-8984-3d67a5fa318f))
(fp_line (start -12.7 0.98) (end -12.81 1.01)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d1a41f1a-5787-4390-8930-64fe3f49d064))
(fp_line (start -12.697 4.943) (end -12.722 4.763)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ee5719a-4193-49b0-9306-3ac68dc50ba5))
(fp_line (start -12.672 -6.901) (end -12.713 -7.046)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 35e69c56-d7af-4e70-b9fd-f592cc349ac8))
```

(fp_line (start -12.672 5.113) (end -12.697 4.943)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4c43886a-48b4-4ffd-9bc3-d907ec17c657))
(fp_line (start -12.671 8.186) (end -12.55 8.281)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a23849c4-44fb-4a4b-b620-e4f4f8cd9ec5))
(fp_line (start -12.66 -0.84) (end -12.58 -1.06)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1c95a9fa-eea0-4b24-8676-aac47574bb1f))
(fp_line (start -12.66 3.26) (end -12.78 3.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7ab84afd-fe49-4fd6-8b09-dffdc0d2aea9))
(fp_line (start -12.657 -6.069) (end -12.857 -6.095)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9d87a2b9-5ead-4ab0-97f9-e0d8e07c0a19))
(fp_line (start -12.65 -2.35) (end -12.59 -2.35)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4094aebd-460e-4df6-b8eb-23d2c583364d))
(fp_line (start -12.65 -1.56) (end -12.95 -1.22)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 52c5fc42-1b18-4b76-83c5-e50ceabf99f6))
(fp_line (start -12.647 5.269) (end -12.672 5.113)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 066a98a6-c6df-4589-932e-279d1a49a0f9))
(fp_line (start -12.64 0.45) (end -12.89 0.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b534a5c-9285-4b5d-a4d4-3b7cd2e10e8b))
(fp_line (start -12.632 -6.764) (end -12.672 -6.901)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cec1a0ba-89dd-4f7d-9a95-87d3a1488125))
(fp_line (start -12.63 0.43) (end -12.63 0.61)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e4b46dac-32db-4d7d-ac75-c002c73640ef))
(fp_line (start -12.63 0.61) (end -12.61 0.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8ca037f1-bf0a-43e8-b653-37d0b6cab05b))
(fp_line (start -12.623 5.409) (end -12.647 5.269)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 472ff7ae-96aa-4fc6-be0c-ebe5e7ebd394))
(fp_line (start -12.62 -0.15) (end -12.79 -0.23)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6bb8245a-fbf5-4c7e-877b-880e1bd46281))
(fp_line (start -12.62 0.32) (end -12.63 0.43)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ae2bc4ce-60b9-4d33-9d8e-8fc4fcfb9d58))
(fp_line (start -12.61 0.76) (end -12.58 0.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3757f2d4-0d5f-4fda-968d-1e9153aaed7b))
(fp_line (start -12.6 5.53) (end -12.623 5.409)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 98c201bb-aa3e-4f65-8810-7036926f3453))
(fp_line (start -12.594 -6.635) (end -12.632 -6.764)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0151b2d8-5ed7-4bc3-9b38-ca3e110cd864))
(fp_line (start -12.59 -2.35) (end -12.55 -2.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0070a646-c208-4e08-9d18-9bd003748d47))
(fp_line (start -12.58 -1.06) (end -12.49 -1.26)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 26a84bfa-e8e7-436e-839b-60e832b4c3cb))
(fp_line (start -12.58 0.15) (end -12.62 0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa05d508-b5c6-4f54-bf0e-ec2852f0151a))
(fp_line (start -12.58 0.89) (end -12.52 1.06)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2352d995-7890-4c8f-9ac3-74f85e7790ed))
(fp_line (start -12.579 5.627) (end -12.6 5.53)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 067e56ca-b8e5-4812-9fde-faf0cd323b53))
(fp_line (start -12.56 0.96) (end -12.7 0.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8af04843-c41d-48d4-9b8a-27ff1dc5a97e))
(fp_line (start -12.557 -6.514) (end -12.594 -6.635)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 960c710f-e4af-4278-9041-f2b5c4609dd0))
(fp_line (start -12.55 -2.41) (end -12.43 -2.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 85e4599b-7ca3-4583-84de-842a24fb8149))
(fp_line (start -12.55 0.32) (end -12.48 0.99)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9ad8c0a7-1755-4afb-a23b-8b6363fe6081))
(fp_line (start -12.55 3.37) (end -12.66 3.26)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10e23cb5-16ca-45c8-919b-9f2f1fdbe3f9))
(fp_line (start -12.55 8.281) (end -12.428 8.374)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66824273-b4ee-4922-a43d-11e35d7c74ad))
(fp_line (start -12.54 0.04) (end -12.58 0.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f62040c3-7b90-47fa-b49c-d5f6a4691ebd))
(fp_line (start -12.522 -6.403) (end -12.557 -6.514)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3a91618e-f4fd-4a5c-8430-9a63e0d9527b))
(fp_line (start -12.52 1.06) (end -12.43 1.23)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa869a18-8ba1-40de-bd6d-717c215fe29c))
(fp_line (start -12.5 -0.06) (end -12.62 -0.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 15e8f235-bc5f-43a0-9e52-2957884cb771))
(fp_line (start -12.49 -6.302) (end -12.522 -6.403)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5fa88dc4-6ef9-4e6a-aac3-f336f9dcc7fc))

(fp_line (start -12.49 -1.26) (end -12.35 -1.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f124e97c-c598-4a44-90e3-6a123b1c070c))
(fp_line (start -12.49 0.45) (end -12.48 0.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3de0e1a1-d000-48a6-a331-43ba2442d08a))
(fp_line (start -12.48 -1.73) (end -12.65 -1.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b6b80529-6549-4336-bd36-fdc4011b7ed1))
(fp_line (start -12.48 0.26) (end -12.49 0.45)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b6e37c58-270e-4e3b-a1e0-e1192f788564))
(fp_line (start -12.48 0.62) (end -12.44 0.84)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa7c583f-b9fd-4962-a6cc-3bfa058c9762))
(fp_line (start -12.48 0.99) (end -12.02 1.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a4ed8a48-b1a3-4472-a5fc-1d6739702391))
(fp_line (start -12.46 -0.12) (end -12.54 0.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7aed3f33-2369-4a93-976a-4234ccad7e47))
(fp_line (start -12.459 -6.211) (end -12.49 -6.302)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76a74a50-2ef7-4a68-b2fc-052b15fed566))
(fp_line (start -12.45 0.04) (end -12.48 0.26)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4e322f7d-b473-45ef-a22a-347ccb34f917))
(fp_line (start -12.44 0.84) (end -12.37 1.03)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c1fbce26-dedc-429c-9162-0abe6d255eb5))
(fp_line (start -12.431 -6.132) (end -12.459 -6.211)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7e1b568-2c05-4e54-ad63-fbe8f5c41b04))
(fp_line (start -12.43 -2.57) (end -12.33 -2.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 495f9d8b-741d-4be6-a41b-87f21c979602))
(fp_line (start -12.43 1.23) (end -12.33 1.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 701c03a5-bcad-4d34-8b96-17b7b452d59b))
(fp_line (start -12.428 8.374) (end -12.305 8.463)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 869ecfc2-93f7-4ae4-bdc4-302cdeb0c3ab))
(fp_line (start -12.42 -0.11) (end -12.45 0.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ae18fb4c-535b-48c9-be67-d997afd40132))
(fp_line (start -12.418 -6.054) (end -12.657 -6.069)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 115e3ac1-2eaa-4df0-b21a-96858c6d8486))
(fp_line (start -12.406 -6.065) (end -12.431 -6.132)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 25c66366-8711-406c-a242-b7739a4de8b1))
(fp_line (start -12.4 3.5) (end -12.55 3.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fefcff79-24d0-4fc2-a13d-910e5b1eab17))
(fp_line (start -12.37 1.03) (end -12.25 1.22)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp af93da9e-bffa-4dab-a4ba-3095675ff2ed))
(fp_line (start -12.361 3.623) (end -12.361 3.481)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c3700013-7c78-47c3-b252-80c983fba5f))
(fp_line (start -12.352 3.777) (end -12.361 3.623)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 413fc412-8622-4e70-a4ea-b8308eede5c9))
(fp_line (start -12.35 -1.54) (end -12.24 -1.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f4f65d07-3fd3-43ee-8988-1dd20652563a))
(fp_line (start -12.35 -0.24) (end -12.46 -0.12)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a58d6d8f-2c7d-40f2-a5f2-1c2e9feccd82))
(fp_line (start -12.35 -0.24) (end -12.42 -0.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 97b2282c-77bf-4114-8cb0-31468d33f19d))
(fp_line (start -12.336 3.941) (end -12.352 3.777)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b1cfda97-2c9d-48c5-b320-fd2a1324cbc3))
(fp_line (start -12.33 -2.72) (end -12.15 -2.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cd76f87e-4ea4-4717-85b5-e200bffa323d))
(fp_line (start -12.33 -1.89) (end -12.48 -1.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4d964445-0b73-49a1-961d-1551feba1a3a))
(fp_line (start -12.33 1.37) (end -12.22 1.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7c341012-058f-4f46-af9f-1ef336d5c537))
(fp_line (start -12.314 4.114) (end -12.336 3.941)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2bd97f5-805c-41b9-a9cc-c9eeb837109e))
(fp_line (start -12.305 8.463) (end -12.18 8.548)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7bd53c41-4f82-4565-b01c-41c63f99aacb))
(fp_line (start -12.291 -9.781) (end -12.269 -9.684)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56130aed-cdb3-4e4c-869d-3e7e839423f5))
(fp_line (start -12.288 -5.949) (end -12.406 -6.065)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 92c79641-f547-4420-9a99-ebf444b6bf54))
(fp_line (start -12.286 4.293) (end -12.314 4.114)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78daba2b-22a4-4c07-9d2a-bbd45009457c))
(fp_line (start -12.269 -9.684) (end -12.24 -9.567)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b12f19e9-8022-46eb-a7b8-ec8b02b964f2))

(fp_line (start -12.253 4.476) (end -12.286 4.293)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7241452-a5b9-4e56-a402-973b47191162))
(fp_line (start -12.25 1.22) (end -12.14 1.35)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 70a12dca-9292-49e6-abc3-a201d3e459eb))
(fp_line (start -12.24 -9.567) (end -12.207 -9.432)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 51ed8a8e-5a62-4e8f-9355-2b65d36e45bf))
(fp_line (start -12.24 -1.74) (end -12.07 -2.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 487eca1e-f5b6-42c2-8029-df4dc147ea7b))
(fp_line (start -12.23 3.65) (end -12.4 3.5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3b20b55d-e98d-4143-9d4c-6a63df9a11ff))
(fp_line (start -12.22 1.49) (end -12.11 1.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e8fb506-1f0c-486f-b8c3-1b42bb1150fb))
(fp_line (start -12.216 4.66) (end -12.253 4.476)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ad186d38-c2a3-417a-8634-2ea0c9e93be5))
(fp_line (start -12.207 -9.432) (end -12.168 -9.283)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 19b3db91-c22a-4ae7-b58e-32c6cc188db2))
(fp_line (start -12.18 8.548) (end -12.055 8.63)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp df0075f5-c10a-48ae-9108-cdd91df174fe))
(fp_line (start -12.174 4.843) (end -12.216 4.66)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8081558d-4ff9-4534-8b69-e3701106eca4))
(fp_line (start -12.168 -9.283) (end -12.126 -9.119)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9794bac-0706-4624-b724-b807d3af8ede))
(fp_line (start -12.156 -5.873) (end -12.288 -5.949)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84fb8c15-5191-4461-bdc3-36d1ae7450b6))
(fp_line (start -12.15 -2.96) (end -12.03 -3.12)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 53534d3c-e27d-457a-a4b9-abe0bcbba63f))
(fp_line (start -12.14 1.35) (end -12.02 1.45)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 914ab8e8-aa91-40ed-9133-eb9708452b0c))
(fp_line (start -12.131 5.023) (end -12.174 4.843)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7659a1f7-66d9-4819-b894-4f401e556091))
(fp_line (start -12.126 -9.119) (end -12.079 -8.944)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b135867-3f1a-4362-972b-8438c018686a))
(fp_line (start -12.11 1.59) (end -11.97 1.7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 07a27bdc-0e9e-4784-92b6-e91b8f099251))
(fp_line (start -12.085 5.198) (end -12.131 5.023)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48c4e518-ed31-4165-bc62-b0e1e42cd002))
(fp_line (start -12.079 -8.944) (end -12.03 -8.759)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ef53f05d-b13b-44e1-be06-610344814a50))
(fp_line (start -12.07 -2.02) (end -12.33 -1.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 82369297-f77f-46e3-baf8-3b1e6562f82c))
(fp_line (start -12.07 3.77) (end -12.23 3.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d4ec5f0d-ecda-4799-8182-3ed1cdf67b6b))
(fp_line (start -12.055 8.63) (end -11.928 8.708)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0f9d68dc-377a-40fa-9552-4b777834abd2))
(fp_line (start -12.037 5.365) (end -12.085 5.198)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 231505ab-5945-4004-8f42-d8931d7d5ba7))
(fp_line (start -12.03 -8.759) (end -11.979 -8.567)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9ba9e195-6c25-4263-b5c8-66a22376d319))
(fp_line (start -12.03 -3.12) (end -11.75 -3.44)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp af2059ae-28b3-4891-96a2-f8eac53a6170))
(fp_line (start -12.02 1.45) (end -11.91 1.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cd2d7074-cb7f-4cf7-b53d-98638c49157e))
(fp_line (start -12.02 1.54) (end -11.62 1.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68226ab0-48d9-4913-8c7e-94c0fff4eb22))
(fp_line (start -12.017 -5.832) (end -12.156 -5.873)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8167e913-082d-4dc5-9764-134646999fcd))
(fp_line (start -11.989 5.523) (end -12.037 5.365)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cf877b61-8618-4bec-a4fe-987da9e38177))
(fp_line (start -11.98 0.32) (end -11.97 0.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c0ada118-e3be-4cf3-bed2-8a111777128b))
(fp_line (start -11.979 -8.567) (end -11.926 -8.368)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9d77634d-3b0b-411d-ae7e-324251bf1439))
(fp_line (start -11.97 0.19) (end -11.98 0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 15b1e484-b816-4f2f-a5a3-d3c68fa51533))
(fp_line (start -11.97 0.41) (end -11.96 0.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 20ecf226-eda4-4d17-982b-9c4ddb2fe4))
(fp_line (start -11.97 1.7) (end -11.89 1.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7c480e8f-e3aa-46c6-94d6-4e195a0af3a6))

(fp_line (start -11.96 0.56) (end -11.93 0.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64cdcc02-c8ec-4b32-bad2-6fd2a7685f93))
(fp_line (start -11.95 0.05) (end -11.97 0.19)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 58befcb1-f2d8-4a6c-a044-0addd74dec22))
(fp_line (start -11.941 5.668) (end -11.989 5.523)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 319bde44-d1b5-4fb1-beca-ffe317817c0a))
(fp_line (start -11.93 0.69) (end -11.9 0.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bfec20b2-0d52-4edb-b3b2-ee15f2a8cbfe))
(fp_line (start -11.928 8.708) (end -11.801 8.782)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b3d70ca-1344-49c8-94d3-f78d80e95509))
(fp_line (start -11.926 -8.368) (end -11.872 -8.166)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d77cc3c5-c310-44f7-8f16-5d2be989ef93))
(fp_line (start -11.91 1.54) (end -11.8 1.61)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7bc182ca-9411-4920-8ed4-7b9460ed2c5a))
(fp_line (start -11.9 -0.09) (end -11.95 0.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bee2eee5-9f63-4c01-b248-7f2460ecc0b2))
(fp_line (start -11.9 0.78) (end -11.86 0.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ec8877af-1fba-4b39-a954-e0992107814e))
(fp_line (start -11.9 3.9) (end -12.07 3.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f72bce2d-f0fd-4bb8-906a-1c9e88babc81))
(fp_line (start -11.894 5.799) (end -11.941 5.668)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d182d5ed-d88b-4ed4-9a6c-a9790ac06ace))
(fp_line (start -11.89 1.77) (end -11.71 1.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp df7d6e5a-bba7-460e-808c-2ad98a28dc60))
(fp_line (start -11.877 -5.819) (end -12.017 -5.832)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e36e72c-bcb0-45ef-8a24-134034a47aaa))
(fp_line (start -11.872 -8.166) (end -11.817 -7.962)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 15998e44-ce45-438a-9dba-7c2b29b9a3ab))
(fp_line (start -11.86 0.88) (end -11.77 1.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6e37e298-c22d-4f30-943a-e7b69062c710))
(fp_line (start -11.848 5.913) (end -11.894 5.799)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f301692-7570-45b1-9c9e-235613ec868e))
(fp_line (start -11.84 -0.21) (end -11.9 -0.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 96bcc2b0-ca18-438f-a0b5-35393177ef7b))
(fp_line (start -11.817 -7.962) (end -11.762 -7.758)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dc64dd1b-d507-4415-8286-cfc64cee82ba))
(fp_line (start -11.805 6.009) (end -11.848 5.913)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db0a9e81-a4b9-4abc-b0cd-a3ad19e35d29))
(fp_line (start -11.801 8.782) (end -11.673 8.853)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d500c0c4-169d-4692-8504-a3a64638a461))
(fp_line (start -11.8 1.61) (end -11.66 1.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4d353989-1a39-479a-a667-9ae743ff3513))
(fp_line (start -11.78 -0.32) (end -11.84 -0.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 78c84d93-a2ca-42d3-8859-cb6c75b122af))
(fp_line (start -11.78 0.89) (end -11.77 0.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c9a1bccb-9098-4ad4-9b63-ca4b41e54e37))
(fp_line (start -11.77 0.79) (end -11.72 0.71)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 916d35b0-85e7-443e-921f-ecc2a3535141))
(fp_line (start -11.77 1.02) (end -11.78 0.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e2d41ff-d2e1-4f85-b660-d5c531500cad))
(fp_line (start -11.764 6.083) (end -11.805 6.009)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7782828-c1e7-4a04-99d7-10dcda2506be))
(fp_line (start -11.762 -7.758) (end -11.708 -7.556)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 82acc313-6001-499a-baab-a7b6d986b3bb))
(fp_line (start -11.75 -3.44) (end -11.61 -3.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9980ceed-330c-4950-9acf-9b6ac1e6e0d1))
(fp_line (start -11.747 -4.217) (end -11.746 -4.379)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 57942c5f-56a6-4adb-b030-4d05a7bb8e0a))
(fp_line (start -11.746 -4.379) (end -11.738 -4.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ee1512c-64d0-4442-ac31-f54c7957ace9))
(fp_line (start -11.743 -4.055) (end -11.747 -4.217)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7570b21c-475c-45db-8b08-4967a0104485))
(fp_line (start -11.74 -5.829) (end -11.877 -5.819)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 97a40b38-7f6a-496b-87b3-9adb73921da4))
(fp_line (start -11.738 -4.537) (end -11.723 -4.693)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fed44dd4-8b6a-4e54-984e-1dfac5e7c5fc))
(fp_line (start -11.733 -3.892) (end -11.743 -4.055)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a6a9f03-7efc-47f5-8c26-a69b1cacd5dd))

(fp_line (start -11.73 4.02) (end -11.9 3.9)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0a6fa873-d178-4494-9967-577c83c0f69c))
(fp_line (start -11.728 6.134) (end -11.764 6.083)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ca2dcb6-9fc5-4e0a-ac77-15a5f7696d4d))
(fp_line (start -11.723 -4.693) (end -11.701 -4.844)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ba95001a-8ea0-4916-b3d5-0d126ae81c1f))
(fp_line (start -11.72 0.71) (end -11.65 0.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3926bef-bdad-4abd-9dfd-e7cd190af179))
(fp_line (start -11.718 -3.731) (end -11.733 -3.892)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3aebc35e-1f4c-441b-af4e-cd51e7730bcd))
(fp_line (start -11.71 -0.42) (end -11.78 -0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4f3eab3b-095d-4586-93e1-1380080ffc2b))
(fp_line (start -11.71 1.89) (end -11.5 1.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d7b7ccbc-c6f1-4a42-9e4d-8ec526aded96))
(fp_line (start -11.708 -7.556) (end -11.655 -7.359)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3b548d0a-9902-48c5-a1c7-1894aba59a7f))
(fp_line (start -11.701 -4.844) (end -11.671 -4.989)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7da43509-2022-4f82-ada3-43d3830c5999))
(fp_line (start -11.699 -3.572) (end -11.718 -3.731)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ed9dab6-58c8-401c-882b-16b3c4155fdf))
(fp_line (start -11.673 8.853) (end -11.543 8.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d2b2ac0-05ef-47b3-8962-1cc2177c9469))
(fp_line (start -11.671 -4.989) (end -11.632 -5.128)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dad5dbad-14a6-4cee-9b46-fcb592fcc42e))
(fp_line (start -11.66 1.68) (end -11.53 1.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 357af0e6-7706-46fb-849a-b6c6d11afa25))
(fp_line (start -11.655 -7.359) (end -11.604 -7.167)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2399d0f5-b83d-40c4-812c-1303858c385d))
(fp_line (start -11.65 0.66) (end -11.57 0.63)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c718ae11-b502-4ee3-917c-5c6a672b55bc))
(fp_line (start -11.632 -5.128) (end -11.585 -5.259)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 21d272eb-ccccf-41ac-ac4b-fa5891ead652))
(fp_line (start -11.63 -0.5) (end -11.71 -0.42)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aa55793c-6bde-4d59-8fb1-c0c46c021ee2))
(fp_line (start -11.62 1.8) (end -11.23 1.94)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a201c1a8-548f-4b7a-8195-4fc90e2d607f))
(fp_line (start -11.614 -5.855) (end -11.74 -5.829)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f31b6401-9ccb-435a-a6d6-1c3b88f243d1))
(fp_line (start -11.61 -3.57) (end -11.47 -3.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ca215f93-a82e-42e7-8944-7addd7f5b4a))
(fp_line (start -11.604 -7.167) (end -11.555 -6.983)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1c068c9-b39f-4274-aab8-1c5485755e11))
(fp_line (start -11.585 -5.259) (end -11.528 -5.381)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a0c5b634-12a8-4a42-86fa-7e0c12caa212))
(fp_line (start -11.57 0.63) (end -11.47 0.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 19dfa2fa-f025-41a2-8ccb-dfffb609c656e))
(fp_line (start -11.555 -6.983) (end -11.509 -6.809)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 55e56cd9-0313-4778-b82f-785808418c7e))
(fp_line (start -11.543 8.919) (end -11.297 9.034)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 048ca169-26e4-4179-9bc4-8521fc1ba7dc))
(fp_line (start -11.54 -0.57) (end -11.63 -0.5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 81492245-5649-48e9-b854-4fb92e4cfd8d))
(fp_line (start -11.54 4.14) (end -11.73 4.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e794c1f2-19c0-4b91-9341-68fb0027f1e4))
(fp_line (start -11.53 1.73) (end -11.34 1.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 681ad36d-90c8-45a0-b60a-e6d3e73e3ff1))
(fp_line (start -11.528 -5.381) (end -11.462 -5.492)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa126a1c-1e98-4394-92ed-4cb5a92bec5f))
(fp_line (start -11.509 -6.809) (end -11.467 -6.647)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c46a573-f66d-4f0e-bad7-0e92daeed106))
(fp_line (start -11.504 -5.892) (end -11.614 -5.855)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83222a7e-f4fe-47d3-80a8-88dcda624b1a))
(fp_line (start -11.5 -0.78) (end -11.4 -0.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 927913bd-4721-4470-8d62-1bb0fa6fa803))
(fp_line (start -11.5 1.98) (end -11.28 2.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6b473bd2-c371-40be-83b4-78f5d95465d8))
(fp_line (start -11.47 -3.68) (end -11.16 -3.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b1bf7784-da1b-45ab-b476-ee4bef12e8a8))

(fp_line (start -11.47 0.62) (end -11.36 0.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 398ac9ff-97fe-405f-87c2-017552432a0d))
(fp_line (start -11.467 -6.647) (end -11.43 -6.498)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ef328a56-efc8-40e9-b300-b1e0262f7a45))
(fp_line (start -11.462 -5.492) (end -11.385 -5.593)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05fffb32f-7716-4ab3-a24a-e95c70dd9034))
(fp_line (start -11.452 -9.678) (end -11.451 -9.767)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ae13dcf5-2101-46c4-a98d-4093c809be2a))
(fp_line (start -11.452 -9.571) (end -11.452 -9.678)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b8c19f08-5afd-485b-9f77-0301e4a273f1))
(fp_line (start -11.452 -9.449) (end -11.452 -9.571)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a144cf9f-cabd-4b6c-baa6-d47087444615))
(fp_line (start -11.452 -9.314) (end -11.452 -9.449)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6dd9ecbe-9172-4363-83e7-b8cb82cdecdb))
(fp_line (start -11.452 -9.166) (end -11.452 -9.314)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4c9b2bf9-27c3-4fe7-9733-feefabc6baad))
(fp_line (start -11.452 -9.008) (end -11.452 -9.166)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1db7e59-7722-440c-85a9-6332059881bd))
(fp_line (start -11.452 -8.842) (end -11.452 -9.008)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1996e3b2-278a-4d52-a031-2deb92dc8866))
(fp_line (start -11.451 -8.67) (end -11.452 -8.842)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cee5f224-ba3a-49b0-994c-29aa6cd1ef0d))
(fp_line (start -11.449 -8.492) (end -11.451 -8.67)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6dddb4cf-ab93-423e-8c51-ef3037fd1654))
(fp_line (start -11.448 -8.312) (end -11.449 -8.492)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63c36a67-b532-4ee1-bd81-5a6763193ec1))
(fp_line (start -11.445 -8.13) (end -11.448 -8.312)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a49aec49-1856-4e31-bc38-c72e60f47e32))
(fp_line (start -11.442 -7.949) (end -11.445 -8.13)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 04e5c8fd-5029-44a9-ab6d-18d3bc30949e))
(fp_line (start -11.438 -7.77) (end -11.442 -7.949)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9c92c41-58cf-4cc6-a66d-b3a94136b6ae))
(fp_line (start -11.433 -7.596) (end -11.438 -7.77)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2577e5cf-57bf-4a18-8135-14886611f78e))
(fp_line (start -11.43 -6.498) (end -11.397 -6.366)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69a4dba9-a031-4487-8262-42b79d3aa002))
(fp_line (start -11.428 -7.427) (end -11.433 -7.596)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6797840-0e6c-4617-b86e-f4061586758d))
(fp_line (start -11.421 -7.266) (end -11.428 -7.427)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f590cf86-9ae8-4b9b-8fa1-aa589c83d54c))
(fp_line (start -11.415 -5.934) (end -11.504 -5.892)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85e5fd1f-e359-4b68-814b-433ca7bd2dc2))
(fp_line (start -11.413 -7.115) (end -11.421 -7.266)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20114e9e-5b56-4de1-aa52-7c0d859d89e6))
(fp_line (start -11.41 -0.62) (end -11.54 -0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b704125f-6dac-4ece-b3e8-e6d8695c3d99))
(fp_line (start -11.404 -6.975) (end -11.413 -7.115)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c76853d-4334-416c-b4ef-3d72f39783b8))
(fp_line (start -11.4 -0.81) (end -11.31 -0.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fe9e8776-357c-40df-8271-755b326c0187))
(fp_line (start -11.397 -6.366) (end -11.369 -6.251)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e79f9b7-5cc4-4dfa-a0fc-6ab4f74af565))
(fp_line (start -11.394 -6.848) (end -11.404 -6.975)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d299361c-37ec-4db1-a00a-bb16c488bc9b))
(fp_line (start -11.385 -5.593) (end -11.298 -5.682)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0df22347-105b-4e31-9804-0e4125407348))
(fp_line (start -11.37 4.24) (end -11.54 4.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7574526d-da17-41d9-818d-e85e67969387))
(fp_line (start -11.369 -6.251) (end -11.348 -6.156)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84c65cb3-6c1a-4d00-8796-e656e1d603e5))
(fp_line (start -11.36 -7.04) (end -11.36 -6.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b64134e1-889c-447c-82bd-c8f7b3cfed34))
(fp_line (start -11.36 -6.96) (end -11.36 -6.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ebcfc690-659b-4fcc-bb6a-5fb4fba76f28))
(fp_line (start -11.36 -6.85) (end -11.35 -6.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd61381a-9799-4035-ae32-b5ccfd1a2c73))
(fp_line (start -11.36 0.62) (end -11.26 0.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 67b2ca2d-2419-4091-a748-331130918381))


```
(fp_line (start -11.354 -5.974) (end -11.415 -5.934)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2da79a2-1155-4eb8-af0d-012a37774ca6))
(fp_line (start -11.35 -6.75) (end -11.33 -6.6)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bfba1464-4ea1-4ff1-b24b-d96beae960b8))
(fp_line (start -11.348 -6.156) (end -11.333 -6.082)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa717e72-3a58-4b2b-b7b0-7da27e8d399e))
(fp_line (start -11.34 1.8) (end -11.16 1.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 954c0ad4-f6e5-42ea-acf5-64a336740039))
(fp_line (start -11.333 -6.082) (end -11.325 -6.032)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d15605b-1210-4a2c-a666-693e4eb7910d))
(fp_line (start -11.33 -6.6) (end -11.31 -6.42)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 55df928f-0ca7-43ca-b2a2-99508a3c4904))
(fp_line (start -11.325 -6.032) (end -11.325 -6.007)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9038ba5f-a006-41e1-b6f8-21343e0fdf52))
(fp_line (start -11.325 -6.007) (end -11.354 -5.974)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0fa54da8-cb49-4759-ac9a-c25bb7ca6e9e))
(fp_line (start -11.31 -6.42) (end -11.29 -6.27)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a7846f81-9bdc-4d83-9a3f-d5d797fba7de))
(fp_line (start -11.31 -0.83) (end -11.2 -0.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 31ffc572-acde-48fd-b5dd-e2ed3ac33212))
(fp_line (start -11.298 -5.682) (end -11.11 -5.8)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eadb5711-8861-4f5c-bc30-b68019293901))
(fp_line (start -11.297 9.034) (end -11.062 9.132)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d2f1020-6445-4f07-93fd-3861e6aa05aa))
(fp_line (start -11.29 -6.27) (end -11.28 -6.13)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 447fbf9d-5dfe-48d2-9ce5-ad405265e33b))
(fp_line (start -11.28 -7.5) (end -11.36 -7.03)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1a57a54f-f1f2-431d-b4b2-bf64874b3bb3))
(fp_line (start -11.28 -6.13) (end -11.27 -5.99)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f27b2c7f-2047-4265-a823-9d66af8e36c4))
(fp_line (start -11.28 2.05) (end -11.13 2.08)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0ba2956b-55fe-4b9a-bb43-a65a7e75d9fc))
(fp_line (start -11.27 -5.99) (end -11.15 -5.86)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b32bacd1-c1b6-46dc-8ef7-d1e20a338c41))
(fp_line (start -11.26 -0.65) (end -11.41 -0.62)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 18bfec52-f94f-4c8f-8487-ce97d7f3b2f5))
(fp_line (start -11.26 0.65) (end -11.15 0.71)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aa5c9968-463a-42d3-a52c-7e95ed52f7ac))
(fp_line (start -11.25 -7.61) (end -11.28 -7.5)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3a0290b4-779f-48db-b180-637f306c2913))
(fp_line (start -11.23 1.94) (end -11.05 1.97)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp da6baa9e-5d3d-4352-befe-a175c0d8cabb))
(fp_line (start -11.21 -7.75) (end -11.25 -7.61)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c46283f3-223e-4b96-9297-166a79bb516b))
(fp_line (start -11.2 -0.84) (end -11.08 -0.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 35600cbd-b2e8-4334-8c59-1215ebdef2c3))
(fp_line (start -11.19 4.34) (end -11.37 4.24)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ed9b6610-024c-43c9-af27-f7e89c68a48d))
(fp_line (start -11.17 -7.86) (end -11.21 -7.75)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0560264f-8106-4a67-beaa-3d24a87ae30b))
(fp_line (start -11.16 -3.88) (end -10.98 -3.98)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32013f15-f10a-496b-b936-3f5b7f283af5))
(fp_line (start -11.16 1.84) (end -10.98 1.87)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9acb408-23c7-4488-87b7-bf60ba1b0a48))
(fp_line (start -11.15 -5.86) (end -11.01 -5.74)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16edca54-4a9b-4dea-8e7d-a848f852d812))
(fp_line (start -11.15 0.71) (end -11.07 0.77)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dcaef0d4-6724-4c87-adb6-e378648ff4eb))
(fp_line (start -11.15 3.45) (end -10.99 3.41)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0b1645ba-31d0-4b02-b835-a4e6ea889fa6))
(fp_line (start -11.15 3.45) (end -10.81 3.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7205a709-e472-4dbd-b80e-e2a295144072))
(fp_line (start -11.14 -7.96) (end -11.17 -7.86)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 03f37330-50b3-4b3f-b9a2-1cccb20ef2c))
(fp_line (start -11.13 2.08) (end -10.91 2.07)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bf7d68ce-e4b8-4abb-9bab-072214a115bd))
(fp_line (start -11.09 -8.08) (end -11.14 -7.96)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c5c8673a-05bf-45ae-8686-1910442baec1))
```

(fp_line (start -11.09 -0.65) (end -11.26 -0.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4f6c2b1a-9a01-40b7-b046-d231618d8ac4))
(fp_line (start -11.08 -0.84) (end -10.95 -0.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 90621067-388e-480b-87ff-e04e20f0ab73))
(fp_line (start -11.072 4.504) (end -11.072 4.396)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7765055-6d39-4ebf-a010-169fb6088434))
(fp_line (start -11.07 0.77) (end -11 0.84)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e512fff2-c817-406f-b291-4e017bb8de5d))
(fp_line (start -11.064 4.631) (end -11.072 4.504)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 06074a1a-ef94-4800-bf66-b4c42f88583f))
(fp_line (start -11.062 9.132) (end -10.84 9.213)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 23c818d1-d8ff-47dd-8c29-b3c3962aa863))
(fp_line (start -11.05 1.97) (end -10.71 1.95)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c3999f93-a31a-4ef8-900f-00981071855f))
(fp_line (start -11.05 3.36) (end -11.15 3.45)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d7c5dd7a-a656-4260-8a16-77959a7bfc5d))
(fp_line (start -11.047 4.775) (end -11.064 4.631)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aa52c62c-5d3a-4123-a386-824497a5c746))
(fp_line (start -11.023 4.932) (end -11.047 4.775)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 71305f34-42a0-4af9-8d2b-52a76f1932b7))
(fp_line (start -11.01 -8.24) (end -11.09 -8.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7da82573-3612-4755-9500-e8142c5794e8))
(fp_line (start -11.01 -5.74) (end -10.87 -5.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp da440082-7f43-43fa-ac4a-7b6431b23072))
(fp_line (start -11 0.84) (end -10.94 0.92)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b4f4dae0-14ab-4a38-8ecb-d3dd2b2dde2d))
(fp_line (start -10.993 5.099) (end -11.023 4.932)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c40814e8-81d1-4321-9243-08592e67d46b))
(fp_line (start -10.99 3.41) (end -10.86 3.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8f49fafe-54f6-4a92-b6f5-eee9cf580a85))
(fp_line (start -10.98 -3.98) (end -10.59 -4.18)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0fb4e90b-ca3c-4929-9f50-07ae540e7944))
(fp_line (start -10.98 1.87) (end -10.79 1.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 51de5621-aacd-4cae-9663-d019f2507eac))
(fp_line (start -10.957 5.273) (end -10.993 5.099)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fe56ddce-f15a-4cfe-9dd0-7b911d1244bb))
(fp_line (start -10.95 -0.83) (end -10.87 -0.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e26a65b-403e-43e9-a734-4cf323d5172c))
(fp_line (start -10.95 4.46) (end -11.19 4.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 46b6fb4f-0440-44d1-ba47-8c3827db3ece))
(fp_line (start -10.94 -8.33) (end -11.01 -8.24)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c3c4091-a88a-45c8-aca6-aecf0ab777d6))
(fp_line (start -10.94 0.92) (end -10.88 1.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb713d79-ec1c-48c3-8bc9-6d291c9cba34))
(fp_line (start -10.94 3.26) (end -11.05 3.36)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10238822-28d9-4e1e-90eb-4584569a7123))
(fp_line (start -10.92 -0.63) (end -11.09 -0.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1b7916a1-dad8-4b7b-8f93-1c190081684c))
(fp_line (start -10.916 5.45) (end -10.957 5.273)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f203380c-f560-42ae-88b5-9367f065c893))
(fp_line (start -10.91 2.07) (end -10.7 2.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 90c76d3c-7ef1-4dcc-b8cd-c9e454b89559))
(fp_line (start -10.88 -8.4) (end -10.94 -8.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4c7ee448-dc72-415d-bc23-a87629415df0))
(fp_line (start -10.88 1.02) (end -10.85 1.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7ebdec4e-6264-40dc-a114-4b65f4f5374a))
(fp_line (start -10.871 5.627) (end -10.916 5.45)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8b4acb1b-cdc1-44e9-985d-b02cb8786e92))
(fp_line (start -10.87 -5.62) (end -10.76 -5.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e39f9724-2c50-45ef-8a38-5f2d76a39da2))
(fp_line (start -10.87 -0.82) (end -10.79 -0.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fd48d20a-9dab-42d8-90c8-3dac7b181dd6))
(fp_line (start -10.87 1.4) (end -10.77 1.42)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a29e12e6-cc6f-4b48-b5c5-a103f4697467))
(fp_line (start -10.86 3.19) (end -10.94 3.26)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 38065c05-631c-437c-b2e2-67982d1faf9f))
(fp_line (start -10.86 3.37) (end -10.69 3.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0d646b21-4207-40e2-baba-b32fe85b1202))

```
(fp_line (start -10.85 1.11) (end -10.84 1.19)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 599730ba-6f91-474e-9ed2-564c22044790))
(fp_line (start -10.85 1.34) (end -10.89 1.42)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e0557f7-5f73-418e-b419-6f7a972197c0))
(fp_line (start -10.84 1.19) (end -10.84 1.26)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db748241-81e6-42fc-bf7d-4975a8ed5322))
(fp_line (start -10.84 1.26) (end -10.85 1.34)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 98a204c7-7497-4c1d-a787-d299b5789816))
(fp_line (start -10.84 9.213) (end -10.629 9.279)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d19b70d-4eb0-476c-b943-fceae388c859))
(fp_line (start -10.823 5.801) (end -10.871 5.627)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c58338ce-5b01-4614-be0c-2798c1fa88ca))
(fp_line (start -10.82 -8.43) (end -10.88 -8.4)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c3308561-89b5-443d-aa74-806162a5ad3c))
(fp_line (start -10.81 3.26) (end -9.92 2.63)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4292cb33-72ef-4ed3-b0b8-f3261e9e4823))
(fp_line (start -10.79 -0.8) (end -10.73 -0.78)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 53beb14d-228b-4461-a021-097036b72217))
(fp_line (start -10.79 1.85) (end -10.65 1.82)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fb6e01b5-226c-4f82-a169-618e89e92b49))
(fp_line (start -10.78 -0.59) (end -10.92 -0.63)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8ef08348-41bb-43fb-99cb-04b73f30577e))
(fp_line (start -10.772 5.968) (end -10.823 5.801)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d30c4c5-ecb9-44ef-b991-45c556d42c8d))
(fp_line (start -10.77 1.42) (end -10.67 1.42)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6520337e-0c97-4ae0-b374-a7f0c24dae0d))
(fp_line (start -10.77 3.12) (end -10.86 3.19)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 513190ed-138c-4af8-80a0-0c8b1ba37d9a))
(fp_line (start -10.77 4.55) (end -10.95 4.46)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 239f287e-f88b-431a-b9cd-b45de584d8fc))
(fp_line (start -10.76 -5.54) (end -10.64 -5.45)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 91e6aef7-3e50-4190-bb50-10b0ea589834))
(fp_line (start -10.72 6.126) (end -10.772 5.968)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf0f8b33-4ab1-4209-aa69-f5dc5e770489))
(fp_line (start -10.71 1.95) (end -10.47 1.86)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c174801-30f4-470b-adb6-e54948ea14ce))
(fp_line (start -10.7 -8.43) (end -10.82 -8.43)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 756fea92-f2c7-4ae4-82ea-fb4a5f246e1d))
(fp_line (start -10.7 2.04) (end -10.52 1.98)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a95a78f8-5601-4734-9183-352ed1532874))
(fp_line (start -10.69 3.29) (end -10.51 3.18)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 97c91694-6a24-437b-adf8-15adab813070))
(fp_line (start -10.67 1.42) (end -10.55 1.38)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0998a9e6-8973-4bd4-9fb1-9bb2d5a3a4e4))
(fp_line (start -10.67 3.04) (end -10.77 3.12)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fb3b65e5-f289-45c0-bc0b-2010ccb25722))
(fp_line (start -10.666 6.271) (end -10.72 6.126)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b8a0cce-a4f9-4712-b7cd-c516d146b77b))
(fp_line (start -10.66 -0.55) (end -10.78 -0.59)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 84b5533e-3313-4c93-8e3c-414487f67454))
(fp_line (start -10.65 1.82) (end -10.53 1.78)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e1f3779c-600e-49d9-a96f-c7206a174908))
(fp_line (start -10.64 -5.45) (end -10.53 -5.36)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8fea6cea-2be3-4660-abd3-7135ef2259ab))
(fp_line (start -10.629 9.279) (end -10.431 9.33)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ccfc34305-f66c-435a-b16e-347c29ecb822))
(fp_line (start -10.613 6.399) (end -10.666 6.271)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8446c014-80ee-4db4-aedc-d3d285b2218a))
(fp_line (start -10.59 -8.39) (end -10.7 -8.43)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 931f5da6-dc63-4d1c-b409-dc9e7e383564))
(fp_line (start -10.59 -4.18) (end -10.3 -4.31)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 57bfef72-b5e7-4199-9969-2a7e8c29b160))
(fp_line (start -10.59 2.98) (end -10.67 3.04)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9d57d3c2-10a3-4c3a-baef-bdf1739cbcab))
(fp_line (start -10.56 6.508) (end -10.613 6.399)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 072bb17d-6528-4a2f-8beb-2f03a82a211d))
(fp_line (start -10.55 -0.49) (end -10.66 -0.55)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3d8c45b-a127-4a8d-8b8c-dbf4dbce3f9e))
```

```
(fp_line (start -10.55 1.38) (end -10.44 1.31)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd54cb50-2bfe-41fa-a4b3-64c163cd13c0))
(fp_line (start -10.53 -5.36) (end -10.35 -5.18)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9c47493f-d589-4da4-a489-8a3d76b6484a))
(fp_line (start -10.53 1.78) (end -10.42 1.72)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 43657f34-c66b-418f-af18-fbdc04ccb20d))
(fp_line (start -10.52 1.98) (end -10.4 1.93)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4abb8606-cf75-42de-aeca-6da4798a5baa))
(fp_line (start -10.51 3.18) (end -10.38 3.1)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 938d58e8-62cb-4f68-abe8-d61857257b5c))
(fp_line (start -10.508 6.594) (end -10.56 6.508)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45387b08-37ce-4db7-973c-1373f3e5c629))
(fp_line (start -10.49 -8.32) (end -10.59 -8.39)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bceb2964-9d4e-4799-b09b-ddfd98cd073d))
(fp_line (start -10.49 2.91) (end -10.59 2.98)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d0085195-fd05-4623-9598-2bc2597fe7da))
(fp_line (start -10.47 -0.44) (end -10.55 -0.49)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9d64742-5892-4716-b767-802d8b878156))
(fp_line (start -10.47 1.86) (end -10.2 1.63)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9b2265de-dcaa-469b-8157-2247fc65fa80))
(fp_line (start -10.47 4.68) (end -10.77 4.55)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c8f5e1dc-d410-40cd-b9f8-7916b537a694))
(fp_line (start -10.44 1.31) (end -10.32 1.17)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4a3c1f7b-0482-4a84-bead-74576628ab19))
(fp_line (start -10.431 9.33) (end -10.244 9.369)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0bcf8d05-f2ec-46b3-8efa-e37d9a5cab87))
(fp_line (start -10.42 1.72) (end -10.32 1.66)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9dd979ca-f2fc-48dc-917a-fb57143ab01a))
(fp_line (start -10.4 -8.24) (end -10.49 -8.32)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9d5d3f8f-90f2-484e-b5c2-438aef044db2))
(fp_line (start -10.4 1.93) (end -10.26 1.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bc35d10f-1bd7-47bf-a113-43dcf40668ff))
(fp_line (start -10.39 -0.36) (end -10.47 -0.44)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01d8f80c-fb30-4fc3-a7f5-c42faf2019db))
(fp_line (start -10.38 2.83) (end -10.49 2.91)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1e8a98c4-12d6-4a0e-9d31-a6b081d29f77))
(fp_line (start -10.38 3.1) (end -10.2 2.97)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c4c648f-452f-4655-94b9-c97af83d1083))
(fp_line (start -10.36 -8.19) (end -10.4 -8.24)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9dcea4f-3ee1-4626-b0ab-1e9958d20756))
(fp_line (start -10.35 -5.18) (end -10.25 -5.09)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 607f2f1f-42d0-4f09-b245-7cf167988190))
(fp_line (start -10.33 -0.28) (end -10.39 -0.36)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e413b51-7770-4899-8e43-6f38f85c3605))
(fp_line (start -10.32 1.17) (end -10.26 1.04)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7f53680d-98fd-4a36-a422-dc38e659e2a7))
(fp_line (start -10.32 1.66) (end -10.18 1.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 976f7db5-919e-4915-938c-9a56194e3cf4))
(fp_line (start -10.3 -4.31) (end -10.06 -4.41)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6864b3d0-add8-458e-847f-51fd6141e532))
(fp_line (start -10.28 -8.1) (end -10.36 -8.19)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b85b351-ddc2-4a42-9a74-4bacdfaf4a3d))
(fp_line (start -10.26 1.04) (end -10.21 0.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c56e52e-267d-4f61-a1a6-f1eece85e042))
(fp_line (start -10.26 1.84) (end -10.15 1.76)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c675a0b2-d25e-4018-869f-6df435457f53))
(fp_line (start -10.25 -5.09) (end -10.21 -5.05)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a5ebd531-0ca7-40e5-b897-6b8485ff6aa6))
(fp_line (start -10.244 9.369) (end -10.068 9.396)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1d97196e-7eaa-4d3d-b677-528d49f156f7))
(fp_line (start -10.24 -0.13) (end -10.33 -0.28)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d31f8c7a-549f-4479-be33-586317e8d203))
(fp_line (start -10.24 2.74) (end -10.38 2.83)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64adb97b-b32b-4340-aa9e-39a66bf7b8ea))
(fp_line (start -10.21 -5.05) (end -10.14 -5)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f47a4794-944d-49e6-be19-5b0d947947d3))
(fp_line (start -10.21 0.89) (end -10.18 0.71)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 221baf54-18f9-47bd-a854-a6cf6130d83c))
```

(fp_line (start -10.2 2.97) (end -10.07 2.87)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c3643a97-ea7c-483f-9d8c-94943ac2ed0d))
(fp_line (start -10.19 0.01) (end -10.24 -0.13)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 677dd31e-8e06-4d51-9399-5c83ccdbc1a8))
(fp_line (start -10.18 0.71) (end -10.16 0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a20c62f8-895e-4f40-af15-042ecf0b1cb2))
(fp_line (start -10.17 0.14) (end -10.19 0.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a36ac0b4-e910-4b83-9a28-bce23124454d))
(fp_line (start -10.16 -7.96) (end -10.28 -8.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9aca0168-ee88-4535-911d-03a3759eef1b))
(fp_line (start -10.16 0.27) (end -10.17 0.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0b2d44c6-0f77-4e1b-85e2-8ec48cc4689e))
(fp_line (start -10.16 0.57) (end -10.15 0.4)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 160c8e83-36b5-42c3-9946-2f200315314f))
(fp_line (start -10.15 -2.26) (end -10.09 -2.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9bc70098-ddaf-4b1c-89b5-2cfd79d4fbb6))
(fp_line (start -10.15 0.4) (end -10.16 0.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb159277-d25a-4a67-ac59-f5486232b84b))
(fp_line (start -10.14 -5) (end -10.07 -4.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3d2b50f5-3416-4d6d-991a-a7e78474b62b))
(fp_line (start -10.12 4.81) (end -10.47 4.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9747a8c7-7003-4492-bfe9-2eae8740935d))
(fp_line (start -10.09 -2.31) (end -9.99 -2.39)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5d91a6e2-f8f2-4197-a3be-33e73f90dca0))
(fp_line (start -10.08 2.64) (end -10.24 2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16e7b185-eeb7-4d01-8fa9-cc8042f5bd92))
(fp_line (start -10.07 -7.85) (end -10.16 -7.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 968bc116-825c-4cd6-8b29-e0d24986374d))
(fp_line (start -10.07 -4.97) (end -10 -4.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7f5f1937-4038-4762-a8ba-21e019e68599))
(fp_line (start -10.07 2.87) (end -9.98 2.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d2cbc11c-d13a-4f78-be54-a89e038a4134))
(fp_line (start -10.068 9.396) (end -9.904 9.413)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8703d79-4298-48be-8106-a217b649aff9))
(fp_line (start -10.06 -4.41) (end -9.85 -4.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 525b76b0-bb25-452f-92bb-9c045d49e9a4))
(fp_line (start -10 -4.96) (end -9.93 -4.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d92844d6-4281-49be-879a-9fd46dab69ac))
(fp_line (start -9.99 -2.39) (end -9.91 -2.45)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 369c9f3a-593e-4ac7-9db8-aa69f501ad8d))
(fp_line (start -9.98 2.58) (end -10.08 2.64)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ea3a2efb-8ca7-43c4-b1d3-2db14047163c))
(fp_line (start -9.98 2.78) (end -9.88 2.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9c400bf4-61b0-41af-8c7a-08e8a9eea0c1))
(fp_line (start -9.97 -7.74) (end -10.07 -7.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5fb73197-cec7-42dc-95f2-943ac9b709e1))
(fp_line (start -9.95 -5.46) (end -8.78 -6.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 99f55654-4eba-418f-b113-89667685a330))
(fp_line (start -9.93 -4.96) (end -9.91 -4.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b40cad88-2f0d-4a15-b037-4c83261bbc27))
(fp_line (start -9.91 -4.97) (end -9.95 -5.46)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3748a9ea-d600-4216-b6a8-3b05784370ab))
(fp_line (start -9.91 -2.45) (end -9.85 -2.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5dd9653f-9806-4d54-ac9c-6baf1ae4a007))
(fp_line (start -9.904 9.413) (end -9.751 9.42)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8eebccf4-06fb-4681-8984-364f4eff3bc7))
(fp_line (start -9.884 -4.5) (end -9.932 -5.045)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 46e749f0-2084-410d-bd0a-911453178189))
(fp_line (start -9.88 2.68) (end -9.8 2.58)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3374b4f8-786b-4e2d-8f73-11fd5e5a3a55))
(fp_line (start -9.88 4.89) (end -10.12 4.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f9941bb8-fad4-47d3-9de3-8263947cd521))
(fp_line (start -9.87 -7.63) (end -9.97 -7.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8b43f0ea-7c15-40c7-b4c4-2cdb768e2f3d))
(fp_line (start -9.85 -4.49) (end -9.68 -4.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dbeeda5c-9b12-413a-be8f-50da2104caa9))
(fp_line (start -9.85 -2.49) (end -9.75 -2.55)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c50fcb8-5d88-4a8d-89cb-5dc2bf512ba1))

```
(fp_line (start -9.85 2.51) (end -9.98 2.58)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b0134c4d-c753-4ce2-affe-2223e2a38619))
(fp_line (start -9.8 2.58) (end -9.76 2.5)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 18841cb5-76a1-49ea-8532-5bb3361d3bfb))
(fp_line (start -9.79 -7.54) (end -9.87 -7.63)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4da99d36-e9f7-4b1c-b2f4-7bda27d19ac2))
(fp_line (start -9.76 2.5) (end -9.75 2.46)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 592de3b3-97ad-4048-b958-25c8436ce92c))
(fp_line (start -9.751 9.42) (end -9.609 9.419)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3369ef03-0150-4db1-a450-d5a485068e20))
(fp_line (start -9.75 -2.55) (end -9.63 -2.61)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30fc4023-f83b-4b11-bbc7-bd7cfe1497fe))
(fp_line (start -9.75 2.46) (end -9.85 2.51)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 496c7646-d831-4957-b00c-8f56859a13f4))
(fp_line (start -9.68 -4.56) (end -9.43 -4.64)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f4602102-f4b6-4dd5-a3a0-77c14b41da91))
(fp_line (start -9.679 -9.77) (end -9.611 -9.624)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 523f8f85-5ce9-4eb6-86c3-63b9992fb031))
(fp_line (start -9.678 -7.446) (end -9.677 -7.599)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4038215c-7650-4f65-b934-d1882018b7fc))
(fp_line (start -9.677 -7.599) (end -9.666 -7.762)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d8312c90-24e1-4f86-8adf-23304cc5c92f))
(fp_line (start -9.666 -7.762) (end -9.646 -7.928)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 23275edf-8fc4-403f-8f66-afd8dd6fa0d0))
(fp_line (start -9.65 -7.37) (end -9.79 -7.54)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7b4d3911-f159-4603-86f3-89889a7d4988))
(fp_line (start -9.646 -7.928) (end -9.616 -8.094)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 088bf13f-899e-4025-842a-53a845e2470c))
(fp_line (start -9.63 -2.61) (end -9.5 -2.66)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 58d2fc75-e9a4-435a-b186-1f8baee2e3b3))
(fp_line (start -9.616 -8.094) (end -9.577 -8.252)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4a85579-a719-4edf-8041-5bd3be25ae33))
(fp_line (start -9.611 -9.624) (end -9.547 -9.469)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a7eae497-1c6c-4060-91d2-7982799f91ea))
(fp_line (start -9.609 9.419) (end -9.477 9.412)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c594b5c-9c8d-4268-aad3-7a500034ae51))
(fp_line (start -9.58 4.99) (end -9.88 4.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8e9da860-c7b2-4ff9-873b-c5b35a4923a5))
(fp_line (start -9.577 -8.252) (end -9.531 -8.398)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1801d667-c143-4129-9cac-66a40a543d17))
(fp_line (start -9.55 -7.26) (end -9.65 -7.37)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1ac59891-a52c-4cc2-ba76-cb34170abed5))
(fp_line (start -9.547 -9.469) (end -9.487 -9.311)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7b55a594-fdd2-4b2e-8108-5cc605d69a42))
(fp_line (start -9.531 -8.398) (end -9.477 -8.526)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 264327e5-ae43-4619-8023-24442182427d))
(fp_line (start -9.5 -2.66) (end -9.34 -2.71)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a2f309d5-ecfd-4f20-9573-4b86a90a5a91))
(fp_line (start -9.487 -9.311) (end -9.429 -9.159)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1713b4fb-5e2f-47ca-836c-d76f8065b28b))
(fp_line (start -9.477 -8.526) (end -9.417 -8.63)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4d4be0802-9938-48d4-b04d-b55ba66c915c))
(fp_line (start -9.477 9.412) (end -9.356 9.399)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94991b5a-0bdf-44b4-acb8-1cb0a3293513))
(fp_line (start -9.47 -7.2) (end -9.55 -7.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d8da96ab-f34a-49f9-8a8e-d5520c4de3a6))
(fp_line (start -9.43 -4.64) (end -9.19 -4.71)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2a4a3a1a-0eab-47c0-a87a-f8d1a1283c06))
(fp_line (start -9.429 -9.159) (end -9.375 -9.019)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b419658b-a600-4c0f-b1b6-7df709c08cd9))
(fp_line (start -9.417 -8.63) (end -9.35 -8.705)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c42bb0d0-1999-4dcc-857f-c5b82388dd15))
(fp_line (start -9.403 5.083) (end -9.405 4.987)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6792262e-7742-44e1-b1c9-5f226f349786))
(fp_line (start -9.397 5.207) (end -9.403 5.083)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5e7469f2-3837-4807-bcfc-e582f6f8a703))
(fp_line (start -9.388 5.354) (end -9.397 5.207)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp abd1296b-4693-404b-8e3d-44455fd479e5))
```

(fp_line (start -9.375 -9.019) (end -9.324 -8.898)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8ff5048-17ac-4574-a8cb-860e7b603f47))
(fp_line (start -9.375 5.517) (end -9.388 5.354)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b5d76fa-197f-4230-9574-36b9f31283a9))
(fp_line (start -9.37 -7.14) (end -9.47 -7.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9433609d-98cb-4bfd-aaf9-a263068fe20b))
(fp_line (start -9.358 5.691) (end -9.375 5.517)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c2d038b-cdb8-479b-a321-37df3e3a3ce0))
(fp_line (start -9.356 9.399) (end -9.246 9.382)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c29b4a3f-0325-4cbb-810d-508625012d30))
(fp_line (start -9.35 -8.705) (end -9.277 -8.746)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b8f9226-a0fc-49b5-b2ea-78f48eaaefbb))
(fp_line (start -9.34 -2.71) (end -9.22 -2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2437fc68-87fc-4c20-ad3f-809634870729))
(fp_line (start -9.338 5.871) (end -9.358 5.691)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2edd54fe-3b82-4a55-9a42-5d3cee4a4554))
(fp_line (start -9.324 -8.898) (end -9.276 -8.805)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f067745b-769f-4b01-87d6-6fdf40787745))
(fp_line (start -9.315 6.051) (end -9.338 5.871)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e16cea5-252b-4e3c-91bf-81557376e76e))
(fp_line (start -9.288 6.225) (end -9.315 6.051)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2ad8e2a3-8afb-40fc-aca0-2651df5f9458))
(fp_line (start -9.28 -7.09) (end -9.37 -7.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0f9f934e-4a45-4fca-a2f8-70f3f46d12be))
(fp_line (start -9.28 5.07) (end -9.58 4.99)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0e520381-802c-43f5-96cd-9d17a2d6ffc8))
(fp_line (start -9.276 -8.805) (end -9.231 -8.746)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 81b0746a-70a9-4e24-ace3-7d7338b84503))
(fp_line (start -9.258 6.388) (end -9.288 6.225)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 30b23264-dc83-4b5b-9d8c-a9217d232250))
(fp_line (start -9.246 9.382) (end -9.145 9.362)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8cb1c301-72b7-4618-ac8f-bbd9b3b021cb))
(fp_line (start -9.231 -8.746) (end -9.183 -8.706)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f1d3bdf-10df-41ad-bf2c-41ef748b55d0))
(fp_line (start -9.225 6.535) (end -9.258 6.388)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e5bda599-b234-4a73-9ed5-98974b9db149))
(fp_line (start -9.22 -2.74) (end -9.12 -2.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 278a58d3-f4af-42ec-b055-3fee88635b9a))
(fp_line (start -9.19 -7.05) (end -9.28 -7.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 153650d0-f690-4bf7-b74c-7213d8c84dbc))
(fp_line (start -9.19 -4.71) (end -8.98 -4.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 82e2c547-5166-4eeb-bacc-d2bfdccabe25))
(fp_line (start -9.189 6.659) (end -9.225 6.535)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9e9181b9-6793-45b0-9914-1a8c4e06bbdd))
(fp_line (start -9.183 -8.706) (end -9.112 -8.652)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76415edf-e617-4a4d-b3cb-ca4d19a2780c))
(fp_line (start -9.15 6.755) (end -9.189 6.659)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f2467a3-6002-4637-b2b7-30c658e51550))
(fp_line (start -9.145 9.362) (end -9.055 9.34)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b764939-4d8c-4601-afab-60c646a5f743))
(fp_line (start -9.12 -2.76) (end -8.95 -2.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0baee96d-760e-4713-9175-b0c4cf58efe9))
(fp_line (start -9.112 -8.652) (end -9.021 -8.593)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1938d0d-4808-482e-9797-026b7b6cfc59))
(fp_line (start -9.08 -7) (end -9.19 -7.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 24321190-46dd-4533-9eba-d4bae386f54f))
(fp_line (start -9.055 9.34) (end -8.974 9.318)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 25ff6992-6c14-4ef3-9c9d-43fbd67f871e))
(fp_line (start -9.021 -8.593) (end -8.916 -8.536)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 213d1321-b540-4635-82fb-5b2758a31b5d))
(fp_line (start -8.99 5.15) (end -9.28 5.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6b064f5a-d8a0-4225-8195-c8a25e1f3337))
(fp_line (start -8.98 -6.96) (end -9.08 -7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3b7bafd0-1055-41bd-a89d-5932c602e96c))
(fp_line (start -8.98 -4.76) (end -8.7 -4.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3b7db34d-6db7-4411-9ebf-d07146fc827a))
(fp_line (start -8.974 9.318) (end -8.904 9.296)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9efdde9d-d292-4f88-8ed1-376409175c7b))

(fp_line (start -8.95 -2.78) (end -8.91 -2.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d108bab9-5dfc-43a3-9478-22b8d984948f))
(fp_line (start -8.916 -8.536) (end -8.801 -8.49)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e8f2bcde-9125-4f49-a88b-099449b39094))
(fp_line (start -8.904 9.296) (end -8.842 9.276)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 671cf992-09a5-4460-a1c0-9ce2415d6978))
(fp_line (start -8.89 -6.93) (end -8.98 -6.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b1f7e387-793e-4fa6-96dd-c2348acb82dd))
(fp_line (start -8.85 -6.98) (end -8.89 -6.93)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7672e944-add5-477b-b12d-3c707c562490))
(fp_line (start -8.842 9.276) (end -8.79 9.26)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6b7317ec-fbb3-44ca-ad38-3c45f43ef6b1))
(fp_line (start -8.84 -0.62) (end -8.81 -0.67)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9a1f8b6d-4f60-4efa-aafb-7fd31a80664c))
(fp_line (start -8.81 -7.02) (end -8.85 -6.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 528c2b80-0d49-4de7-8bb1-e57c5ac09e44))
(fp_line (start -8.81 -0.67) (end -8.78 -0.73)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ffe21d89-c519-49a1-8513-4d0a219c3102))
(fp_line (start -8.801 -8.49) (end -8.681 -8.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bd1818f3-2276-46da-968b-2f5fa434b70b))
(fp_line (start -8.79 9.26) (end -8.747 9.248)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 427f0d9d-764b-45b2-b380-5054f75a1a2c))
(fp_line (start -8.78 -0.73) (end -8.76 -0.79)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cf4492ff-9ebe-4de4-8c9a-aecf53e86dea))
(fp_line (start -8.76 -0.79) (end -8.75 -0.84)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0bd3e7a6-0dab-4e33-9404-ba7b30c3694f))
(fp_line (start -8.75 -6.98) (end -8.69 -6.9)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 00ca8d52-e21d-450a-acb0-975264050c53))
(fp_line (start -8.75 -0.84) (end -8.75 -0.87)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 222c7aad-c3fd-4d4e-a7bf-c01718dc37d8))
(fp_line (start -8.747 9.248) (end -8.713 9.241)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bc377ba2-cf10-434c-a41a-46ac725679ec))
(fp_line (start -8.713 9.241) (end -8.675 9.241)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b7f1785-e5dc-494a-b00f-737f3c6b315a))
(fp_line (start -8.71 -7.07) (end -8.81 -7.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 04834197-ae4d-4273-be40-340d3062773a))
(fp_line (start -8.7 -4.81) (end -8.56 -4.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5e860525-ff08-49d1-8d5e-f3ba8d674ba5))
(fp_line (start -8.69 -6.9) (end -8.59 -6.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 263caa8c-40e5-4c3c-ab9b-e9187522233a))
(fp_line (start -8.681 -8.462) (end -8.561 -8.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5926fc67-e653-4e1c-8e91-1bf2b201f995))
(fp_line (start -8.675 9.241) (end -8.62 9.248)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp faf46731-ef97-47a5-9c39-66f95b55f0d4))
(fp_line (start -8.67 5.23) (end -8.99 5.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7d9c6918-6123-4d80-831f-40536253a311))
(fp_line (start -8.62 9.248) (end -8.549 9.259)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7696d1a4-f2d0-4c6c-a954-86185f4014c7))
(fp_line (start -8.61 -7.09) (end -8.71 -7.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 634adf1f-2011-4283-9a37-68f724dc84ad))
(fp_line (start -8.59 -6.76) (end -7.66 -5.48)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bcf7e43f-48a7-4a6c-b518-14ade64eea25))
(fp_line (start -8.57 -7.09) (end -8.61 -7.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 17041345-5e1a-45a7-b6d2-e406cdabf249))
(fp_line (start -8.561 -8.462) (end -8.444 -8.496)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9996890f-54b6-49bd-b0dd-ffbfd5451f27))
(fp_line (start -8.56 -4.81) (end -8.49 -4.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 672bcba5-33f2-481c-9df9-360a6c03d924))
(fp_line (start -8.549 9.259) (end -8.463 9.275)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f4e9b2e8-273a-4089-afbc-93a2fa42c92e))
(fp_line (start -8.49 -7.09) (end -8.57 -7.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8340b626-1143-4491-bbe8-08a1bc05bcd8))
(fp_line (start -8.49 -4.8) (end -8.39 -4.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 15d501f0-44fe-4ee3-a98e-1eae3efb7b39))
(fp_line (start -8.47 5.28) (end -8.67 5.23)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30dd4721-f3bb-4ef4-8eb5-e7c74ec49f8a))
(fp_line (start -8.463 9.275) (end -8.364 9.293)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6f3f9d3a-9395-4fec-9ee6-da149f68c122))

(fp_line (start -8.444 -8.496) (end -8.336 -8.572)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 61ae857c-1a7a-4310-ba7f-d2b7d02df82b))
(fp_line (start -8.41 -7.08) (end -8.49 -7.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp de278cbe-4918-4037-91fe-88e5313075d0))
(fp_line (start -8.39 -4.78) (end -8.3 -4.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3d22c2cd-f121-420c-9773-407bb647b780))
(fp_line (start -8.37 -2.75) (end -8.29 -2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c4f00a27-e77c-4623-bd9f-4f5e4ac0f69f))
(fp_line (start -8.364 9.293) (end -8.252 9.312)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 27785425-5c7a-4087-9d82-12a50747cd4d))
(fp_line (start -8.336 -8.572) (end -8.242 -8.699)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4e4a999e-9351-4acc-83f6-b6e851df1da5))
(fp_line (start -8.3 -7.07) (end -8.41 -7.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16ee72c2-109f-4e86-9ed2-da435a4b66b4))
(fp_line (start -8.3 -4.76) (end -8.21 -4.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 71a8eb5d-d435-4a92-8c0b-74987a13b3d4))
(fp_line (start -8.29 -2.74) (end -8.19 -2.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32474e63-fad2-471b-9992-8842a673d298))
(fp_line (start -8.252 9.312) (end -8.128 9.331)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 062cb25e-8fb7-435e-a0c0-2918d9c20fab))
(fp_line (start -8.242 -8.699) (end -8.141 -8.895)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5baa5f58-e63f-4c73-851a-fe272185e562))
(fp_line (start -8.23 5.33) (end -8.47 5.28)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 62145d8c-1f98-4c23-967f-b9d1e8901f04))
(fp_line (start -8.21 -4.73) (end -8.02 -4.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dcf5b7e7-7db5-4f67-8519-64c7e0735656))
(fp_line (start -8.2 -7.07) (end -8.3 -7.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 184b357c-e28e-4c56-a786-eb2f330f8fb4))
(fp_line (start -8.19 -2.72) (end -8.09 -2.7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb81d48c-5884-40a6-8058-7ee8673ea687))
(fp_line (start -8.161 -8.603) (end -8.23 -8.712)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cd9933d5-68a2-4957-9eda-fdd4e47a9a28))
(fp_line (start -8.141 -8.895) (end -8.054 -9.087)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d4a2123-f106-4950-968b-c21808cfc6ed))
(fp_line (start -8.128 9.331) (end -7.993 9.35)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4864613-cc5a-4497-b22f-08d59be446cb))
(fp_line (start -8.106 -8.479) (end -8.161 -8.603)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88f03877-2e00-4fbc-990a-b9992c229f63))
(fp_line (start -8.09 -7.08) (end -8.2 -7.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 20ba8cfd-641c-4a6e-900c-34f4be017b5e))
(fp_line (start -8.09 -2.7) (end -7.99 -2.67)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0acc1e59-4a9d-4517-a4d9-ae429b741dbb))
(fp_line (start -8.08 5.37) (end -8.23 5.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 679709fa-e3f5-49d3-a548-42a6942fe31f))
(fp_line (start -8.065 -8.343) (end -8.106 -8.479)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d97a62ec-ae86-40ae-8558-0f1aa06361f1))
(fp_line (start -8.054 -9.087) (end -7.981 -9.269)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0e5158e3-0c0e-4f94-9605-5eb466b18313))
(fp_line (start -8.037 -8.198) (end -8.065 -8.343)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e52760c-1650-4f7d-a2cc-ade534b2cdb2))
(fp_line (start -8.036 -7.178) (end -8.026 -7.304)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 34a6c378-e69e-43b1-baa2-ef9e221d50d0))
(fp_line (start -8.03 5.59) (end -8.08 5.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb7ee794-9d5b-450f-95f1-61181c409918))
(fp_line (start -8.026 -7.304) (end -8.017 -7.442)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 11a8503f-abfa-4f37-a036-62bf042a5637))
(fp_line (start -8.02 -4.66) (end -7.9 -4.61)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa290a70-8d44-4ce4-8e62-32138414ae59))
(fp_line (start -8.018 -8.047) (end -8.037 -8.198)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69fec893-9f39-445c-9d8c-32cd94a74eb1))
(fp_line (start -8.017 -7.442) (end -8.009 -7.588)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 57d651e8-f4c3-4851-8baa-026a32165d60))
(fp_line (start -8.009 -7.893) (end -8.018 -8.047)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8a6c9a32-e963-459c-a5fa-c74d394f97d2))
(fp_line (start -8.009 -7.588) (end -8.006 -7.739)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58646b8b-e43c-48f0-a36f-f070fda2e186))
(fp_line (start -8.006 -7.739) (end -8.009 -7.893)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp afb766f4-ce50-4093-9783-c36839bf1d02))

```
(fp_line (start -7.993 9.35) (end -7.849 9.365)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83771a56-9003-482e-94e0-755f2d7db333))
(fp_line (start -7.99 -7.11) (end -8.09 -7.08)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01b68b0d-f7a9-413b-aeb6-448bc53965f6))
(fp_line (start -7.99 -2.67) (end -7.9 -2.64)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7d98bfd4-af3c-4888-b95a-fcfd04c3dc9))
(fp_line (start -7.981 -9.269) (end -7.921 -9.435)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e98d935d-007d-4951-8c81-f9eb98b5ea9c))
(fp_line (start -7.97 2.53) (end -7.86 2.55)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 120ef1ba-f411-4333-af3e-0e3a373ccb1d))
(fp_line (start -7.97 5.85) (end -8.03 5.59)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0534dc9e-6ea6-46a8-9661-792efc91a3d0))
(fp_line (start -7.921 -9.435) (end -7.875 -9.575)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 095e7643-58b8-44ad-9d03-6557c7913ff0))
(fp_line (start -7.9 -4.61) (end -7.8 -4.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 647d5f5f-2e21-4483-8ff0-8dc3000e034f))
(fp_line (start -7.9 -2.64) (end -7.81 -2.6)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5a164485-426c-4592-b6de-1fa62fa73d60))
(fp_line (start -7.9 2.63) (end -7.97 2.53)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b0e2d37b-d576-4260-a366-9830f14989cc))
(fp_line (start -7.9 6.15) (end -7.97 5.85)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9f7f76d4-c145-4604-a8f0-af5007f09f08))
(fp_line (start -7.88 -7.16) (end -7.99 -7.11)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f6eda95b-0247-45c0-b403-0e380903afc9))
(fp_line (start -7.88 5.47) (end -7.88 5.66)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9c9dc775-05b9-4cae-9936-094e822d74bb))
(fp_line (start -7.88 5.66) (end -7.88 5.97)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a9b43470-c50b-4f54-afda-0021427a5feb))
(fp_line (start -7.88 5.97) (end -7.88 6.17)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32512d14-7055-4e3e-a6ae-24ae7422d45c))
(fp_line (start -7.88 6.17) (end -7.87 6.38)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f9c51041-3988-4a00-a8a1-8eb5cdcd4c3c))
(fp_line (start -7.875 -9.575) (end -7.842 -9.685)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ba1f1500-de97-4424-b2b4-9b5a0cbd5fb7))
(fp_line (start -7.87 6.38) (end -7.9 6.15)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1eeab00c-0cdf-480d-ac4f-417c063bc8bc))
(fp_line (start -7.86 2.55) (end -7.75 2.58)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c40fce6f-ecd1-47f1-85c9-fe15e4ea0ee2))
(fp_line (start -7.849 9.365) (end -7.697 9.378)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1724b076-3811-4666-a37a-06e6a3e8d918))
(fp_line (start -7.842 -9.685) (end -7.823 -9.756)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7710fb6d-12e7-41a1-8778-22c9f27e6928))
(fp_line (start -7.823 -9.756) (end -7.816 -9.781)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 805ea104-09ab-497f-8cd3-d036a8ac7f16))
(fp_line (start -7.81 -2.6) (end -7.73 -2.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f18f6b9b-f69d-4300-b9f8-39bb5fbd8270))
(fp_line (start -7.8 -4.56) (end -7.65 -4.49)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5cbb5b07-8c8a-483a-9e70-310e39d0de84))
(fp_line (start -7.8 2.73) (end -7.9 2.63)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 98ec93b8-2176-4144-acf0-8c8411e31c7c))
(fp_line (start -7.79 5.26) (end -7.88 5.47)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b43138c-0f57-4cc5-bba9-be4915cc3abf))
(fp_line (start -7.78 -7.21) (end -7.88 -7.16)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp acbd3423-625f-43a7-b0e1-325bcfe914f7))
(fp_line (start -7.75 2.58) (end -7.61 2.64)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5cf28f96-4623-4c9c-93b2-575be293b18d))
(fp_line (start -7.73 -2.56) (end -7.65 -2.49)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 85ca1217-da9e-4487-99c6-4570185c2d32))
(fp_line (start -7.7 -7.26) (end -7.78 -7.21)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 43d50454-a8c1-45ab-b0d2-e3fd2301e70e))
(fp_line (start -7.697 9.378) (end -7.536 9.385)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3dfc627e-85fb-46e7-8a45-cb3a0f9136e5))
(fp_line (start -7.696 -4.535) (end -7.671 -4.974)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1963ce33-322d-4b06-9db3-ea76647fd663))
(fp_line (start -7.69 5.87) (end -7.79 5.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4f419e0c-d823-4d09-9a78-d900e43a1a3f))
(fp_line (start -7.67 -4.92) (end -7.59 -4.91)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 45bc0cf8-8d5b-4c05-8b58-309a10c0d383))
```

```
(fp_line (start -7.66 -5.48) (end -7.69 -4.92)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a2baec99-d627-4cd5-b75c-695b3b8bb899))
(fp_line (start -7.65 -4.49) (end -7.43 -4.37)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5db581bd-435e-4232-917d-fdbbe61abc4a))
(fp_line (start -7.65 -2.49) (end -7.6 -2.43)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 82d9889a-b3c8-4c5f-a6e6-72da56523be0))
(fp_line (start -7.65 2.86) (end -7.8 2.73)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01399ca4-2142-4afe-8271-aef34e335ced))
(fp_line (start -7.65 6.09) (end -7.69 5.87)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0352a9c2-a2e1-4089-b16a-b96538de9f69))
(fp_line (start -7.61 2.64) (end -7.5 2.7)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 23f948af-4735-4bfa-a1f0-cd4c5c15134a))
(fp_line (start -7.61 6.26) (end -7.65 6.09)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e7c3e3b7-808f-4c62-acfb-23168be2cd40))
(fp_line (start -7.6 -2.43) (end -7.55 -2.36)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb17a846-4599-4865-80b5-c1f4fd2579e3))
(fp_line (start -7.59 -7.34) (end -7.7 -7.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 235aaae8-13dd-4643-83ce-bc436ab1bdf0))
(fp_line (start -7.59 -4.91) (end -7.5 -4.93)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8195a093-32d9-48cf-8e2a-e497dc4875b4))
(fp_line (start -7.57 6.44) (end -7.61 6.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e27d7b07-55cb-481f-8445-d64dbe9a7711))
(fp_line (start -7.55 -2.36) (end -7.53 -2.33)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f0652246-4bee-4157-9f3f-c6a46bdcdbf1))
(fp_line (start -7.55 1.77) (end -7.37 1.88)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb978e28-8586-46ba-a6f2-21edef5c4562))
(fp_line (start -7.536 9.385) (end -7.37 9.386)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68fc18be-d8a9-41d4-a910-7f9676fd213c))
(fp_line (start -7.52 1.51) (end -7.49 1.59)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 75202bf7-8ac7-4806-b766-654fd1ab3cb2))
(fp_line (start -7.5 -4.93) (end -7.39 -4.98)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0e2edffa-1f9e-4bfc-8260-719701166694))
(fp_line (start -7.5 2.7) (end -7.35 2.79)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9757bd15-d40b-4c24-934f-47904070ce88))
(fp_line (start -7.5 6.63) (end -7.57 6.44)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d5143223-6453-470c-9094-6b2eae566ee6))
(fp_line (start -7.49 -7.42) (end -7.59 -7.34)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5dda2c48-369f-418e-9fd2-b506e39e37c3))
(fp_line (start -7.49 1.59) (end -7.45 1.67)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b14707ec-d11c-445a-898f-aa93ec09d139))
(fp_line (start -7.46 3) (end -7.65 2.86)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 94a98489-89ca-4ac2-b5a9-5003cc893b8c))
(fp_line (start -7.46 6.43) (end -7.5 6.63)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ceedd792-8302-4851-b630-c4e5149b3f1d))
(fp_line (start -7.45 1.67) (end -7.39 1.75)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c8f2529-60ef-4d38-8954-478a370aa33f))
(fp_line (start -7.43 -4.37) (end -7.27 -4.28)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7ff6cb4-af2d-43be-8041-8e2ebbf75404))
(fp_line (start -7.43 1.62) (end -7.52 1.51)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd6a1675-9796-4080-8581-0081decb68be))
(fp_line (start -7.42 6.25) (end -7.46 6.43)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e02ecd8-8e67-4dc0-acf1-d3d6494b4a01))
(fp_line (start -7.39 -4.98) (end -7.28 -5.03)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 616850a9-8040-4cb5-9909-ed3e470870ed))
(fp_line (start -7.39 1.75) (end -6.94 1.95)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2f9f20f6-8663-4baf-9133-799283405538))
(fp_line (start -7.38 6.07) (end -7.42 6.25)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e16e5465-36d0-4ea8-8ab6-74b5f4590758))
(fp_line (start -7.37 -7.53) (end -7.49 -7.42)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c367f539-aea0-4435-89a0-abcabf8bd6b7))
(fp_line (start -7.37 0.31) (end -7.37 0.42)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ebb8e9af-ac88-4c5c-84b2-923e69bb5ee9))
(fp_line (start -7.37 0.42) (end -7.37 0.5)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c9e85359-0ea7-441f-bb7a-f3a2e5672628))
(fp_line (start -7.37 0.5) (end -7.36 0.61)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2a2ad5ce-f4ff-4f29-b7ba-26dde42f843d))
(fp_line (start -7.37 1.88) (end -7.13 1.99)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b8a7d4eb-2fb1-412b-ae93-81f831a0186c))
```

(fp_line (start -7.37 9.386) (end -7.197 9.38)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5ecbbfb-e0d1-441a-a5a0-f89f3283472a))
(fp_line (start -7.36 0.61) (end -7.34 0.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d197c6f2-7397-45c7-9426-d1c33f65e68f))
(fp_line (start -7.36 1.67) (end -7.43 1.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9fd2cd43-29ce-45e6-9c7e-295993dc4f9b))
(fp_line (start -7.35 0.18) (end -7.37 0.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ec68446a-a860-4748-9c1c-a9d92f14464a))
(fp_line (start -7.35 2.79) (end -7.21 2.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 25b49ec3-5e97-4271-929c-9f0bc1bcd5f5c))
(fp_line (start -7.34 0.73) (end -7.32 0.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8143542d-61c3-40ab-9abf-ff7a5deb4284))
(fp_line (start -7.34 5.85) (end -7.38 6.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 79b638b2-1f0b-4dec-8042-0d335c9e6aa9))
(fp_line (start -7.32 0.82) (end -7.28 0.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 27bae904-606c-472f-95b5-7380993356b5))
(fp_line (start -7.31 0.05) (end -7.35 0.18)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 36a493e5-a30a-4da3-90eb-8857b90965dd))
(fp_line (start -7.31 5.69) (end -7.34 5.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a2f212ca-78f3-4a74-9461-e0842b4ba056))
(fp_line (start -7.29 1.73) (end -7.36 1.67)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 22aa41c5-0087-400a-bfaa-a920eb9fee3e))
(fp_line (start -7.28 -5.03) (end -7.2 -5.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp de1e6253-3632-4748-bb7f-fef16be6d32d))
(fp_line (start -7.28 0.96) (end -7.24 1.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3bbdb57-9733-4920-b679-d01d8b242a9b))
(fp_line (start -7.28 5.51) (end -7.31 5.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 357888b2-90e3-4281-843d-a41ecb4cf3b7))
(fp_line (start -7.27 -4.28) (end -7.05 -4.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9f9cd80b-f7d3-4c3c-95d1-1f0a7ba9b33b))
(fp_line (start -7.27 -0.04) (end -7.31 0.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a9916872-ef88-4fd7-ad00-79f74855d8b2))
(fp_line (start -7.25 -7.65) (end -7.37 -7.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d2426bb4-437d-4fd5-837b-7f392d01ba88))
(fp_line (start -7.25 5.29) (end -7.28 5.51)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8461a830-2562-47a6-9693-d8e7dbf1b601))
(fp_line (start -7.24 1.08) (end -7.23 1.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e396eae-db15-482b-bb51-a2988ec60af5))
(fp_line (start -7.23 -0.11) (end -7.27 -0.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8371a24-51ee-4a73-abef-0531a11a45c1))
(fp_line (start -7.23 3.15) (end -7.46 3)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bc4d0626-9e25-4e73-9d98-7868832a200c))
(fp_line (start -7.22 5.11) (end -7.25 5.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 00aaeadeb-fe13-4551-9aaa-8ee4dd599a56))
(fp_line (start -7.21 1.12) (end -7.15 0.99)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ee8f403-8f55-4197-b4e6-9d2320a55fd0))
(fp_line (start -7.21 2.88) (end -7.09 2.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f5f8581a-ac4b-4612-bcbe-503149eeaca4))
(fp_line (start -7.2 -5.08) (end -7.1 -5.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 389e3dd7-e5fe-465c-ba6d-ba30516957a1))
(fp_line (start -7.197 9.38) (end -7.021 9.365)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b0248920-5d85-4feb-b45e-551c28791164))
(fp_line (start -7.17 -0.21) (end -7.23 -0.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d7406500-b4c6-4b16-aa62-4ad70d75cfcc))
(fp_line (start -7.17 1.79) (end -7.29 1.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a95c2355-7173-4423-a0aa-62eb66436192))
(fp_line (start -7.15 0.99) (end -7.11 0.93)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 777d1c59-9da3-4a8a-b937-1d4f44e552c3))
(fp_line (start -7.15 5) (end -7.22 5.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 581dd913-115a-4ff5-b9dd-bb8a7b324a29))
(fp_line (start -7.13 1.99) (end -6.95 2.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5806f54c-be4d-440f-8250-70c72881b537))
(fp_line (start -7.12 -7.8) (end -7.25 -7.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d379dbaa-0e07-447e-9d5e-e8c4f1ccce1b))
(fp_line (start -7.12 -0.58) (end -7.05 -0.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 63b815e1-752a-4556-b2c1-42eab983de04))
(fp_line (start -7.12 5) (end -7.15 5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2737352e-42cd-4040-9262-d22adc66924c))

(fp_line (start -7.11 0.93) (end -7.05 0.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1d293acc-0460-41f6-9a12-045d86d67eb9))
(fp_line (start -7.1 -5.14) (end -7.01 -5.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cd7cf4a3-f6c6-4862-b14a-a58fac782776))
(fp_line (start -7.09 -0.31) (end -7.17 -0.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0b950c97-8a12-4d24-9ee7-f5778c520278))
(fp_line (start -7.09 1.83) (end -7.17 1.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 968bf7fe-f267-4c44-885e-5f71fe3d21cc))
(fp_line (start -7.09 2.97) (end -6.94 3.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50e2a88c-5c08-4f21-8fb4-ff6e5421b24b))
(fp_line (start -7.08 -7.85) (end -7.05 -7.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50fb3908-ba9d-4855-852f-8e14d6ce6d63))
(fp_line (start -7.07 5.41) (end -7.12 5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ee824164-587a-49b4-97ea-e344b9df9573))
(fp_line (start -7.05 -7.8) (end -7.02 -7.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aaf9dfbe-8320-4f00-935b-cc97e38ff7da))
(fp_line (start -7.05 -4.14) (end -6.67 -3.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4dd5cb48-75af-4856-ae69-509020e61f8d))
(fp_line (start -7.05 -0.62) (end -6.99 -0.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd1e207e-e360-455c-b85f-3c563d120c5d))
(fp_line (start -7.05 0.88) (end -6.96 0.84)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a82784f3-05fc-40a3-b25d-b80be2942794))
(fp_line (start -7.04 5.71) (end -7.07 5.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 640ab2c1-9e70-4f56-90a5-1e31432687df))
(fp_line (start -7.021 9.365) (end -6.841 9.341)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cbcf5997-b174-405b-b687-fd431b59d3c2))
(fp_line (start -7.02 -7.93) (end -7.12 -7.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b5871be9-3182-4b95-800d-2f4d8bdc922f))
(fp_line (start -7.02 -7.76) (end -6.98 -7.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 555d8651-fb56-4336-9a70-9e9ac1d07ddd))
(fp_line (start -7.01 -5.2) (end -6.91 -5.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 523e7012-78de-479f-acd0-6ac28a7a718a))
(fp_line (start -7.01 5.99) (end -7.04 5.71)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e68dfdbd-8b45-4d57-a6ce-a6184778cdcf))
(fp_line (start -7 6.43) (end -7.01 5.99)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 259ee24f-a806-4553-a412-9e2b29a5c75e))
(fp_line (start -6.99 -0.65) (end -6.91 -0.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 041d4291-b6e4-4479-a02d-2541ad8c3386))
(fp_line (start -6.99 -0.4) (end -7.09 -0.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 952b59db-e966-4e8e-81fd-f8d59feb4257))
(fp_line (start -6.99 3.29) (end -7.23 3.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 855d4d9f-82b7-43fb-bcb5-a503e9660023))
(fp_line (start -6.98 -7.72) (end -6.94 -7.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4747c3bb-9257-48a4-8561-d12b84047525))
(fp_line (start -6.98 1.86) (end -7.09 1.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7e5c619-0d8f-4e17-bee2-71452e5d73a2))
(fp_line (start -6.97 6.15) (end -7 6.43)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0db38416-b260-4dbc-b692-513b0dfd910d))
(fp_line (start -6.96 0.84) (end -6.86 0.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4c493925-0773-4838-b48b-a09d677c3c82))
(fp_line (start -6.95 -8.02) (end -7.02 -7.93)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3f06563e-5cdf-40d5-b4e6-5860e85bada0))
(fp_line (start -6.95 2.04) (end -6.79 2.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3b0b7b4-78e5-47f0-8420-77fcbe783c7f))
(fp_line (start -6.94 -7.69) (end -6.9 -7.67)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8df38c38-d7d2-4eaf-ba97-6e204d8f95a8))
(fp_line (start -6.94 1.95) (end -6.59 1.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 62b7fef1-3235-4bae-9ac7-0947652655eb))
(fp_line (start -6.94 3.08) (end -6.83 3.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 09ea058f-ebb4-4593-9965-58ed0abda56b))
(fp_line (start -6.93 5.81) (end -6.97 6.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1cae3644-bdd7-4f3f-a8d2-26d04280691f))
(fp_line (start -6.92 5.57) (end -6.93 5.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cc730b09-267e-4fe5-bdf3-160788115f79))
(fp_line (start -6.91 -5.27) (end -6.82 -5.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d67fb52c-51b8-47cc-b96a-4872b36d089f))
(fp_line (start -6.91 -0.69) (end -6.85 -0.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0c0bfb83-1679-4faa-9c2b-ed9ae3a82b12))

(fp_line (start -6.91 5.34) (end -6.92 5.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8f79a34b-0264-4f13-942c-e0f10407bc64))
(fp_line (start -6.9 -7.67) (end -6.85 -7.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d216d8d2-d05c-467b-a7ae-dd4f42fcba66))
(fp_line (start -6.9 5.12) (end -6.91 5.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7903dba-6fda-4abe-9f28-31f0b886081d))
(fp_line (start -6.88 -0.48) (end -6.99 -0.4)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b2cf4484-dcba-48fd-86d0-cc17837cc8df))
(fp_line (start -6.87 -8.14) (end -6.95 -8.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8d84ca72-9e5b-483c-93c4-948eb912bea4))
(fp_line (start -6.86 0.82) (end -6.74 0.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68526006-08a0-474f-b9d1-6f1860e9073b))
(fp_line (start -6.85 -7.65) (end -6.79 -7.64)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 140d56fd-ef80-4fff-9df5-426965d29e42))
(fp_line (start -6.85 -0.72) (end -6.77 -0.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d0a4b145-9f47-4e6e-a09a-3c9448aa48b6))
(fp_line (start -6.85 1.89) (end -6.98 1.86)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2b8dcbbb-0e65-441d-b254-62bdec8eed13))
(fp_line (start -6.841 9.341) (end -6.658 9.305)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b3ba5bb-2ed1-485f-8257-466c12c97f8f))
(fp_line (start -6.83 3.16) (end -6.73 3.25)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6f6fb754-9a9b-47fa-b1b6-9cfe6303c18a))
(fp_line (start -6.82 -8.21) (end -6.87 -8.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 25478c5b-7ba1-4e6f-8c3a-4dfe4ef0f534))
(fp_line (start -6.82 -5.33) (end -6.71 -5.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5aa8f81a-05f2-4872-992d-d0aa132c5626))
(fp_line (start -6.79 -7.64) (end -6.75 -7.64)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f271044e-e6bb-46ca-bda0-fdbe264c7e85))
(fp_line (start -6.79 2.07) (end -6.62 2.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0d0556fd-4eba-4426-af3f-64765175eb92))
(fp_line (start -6.79 5.04) (end -6.9 5.12)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2395326e-5c7c-4710-8816-91f62fc5aad7))
(fp_line (start -6.78 -0.53) (end -6.88 -0.48)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 91a00bd1-2c44-4482-b3e4-5da3c974a49d))
(fp_line (start -6.77 -0.75) (end -6.68 -0.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a0ac2865-3d6e-402b-9fe8-a3033eca490f))
(fp_line (start -6.76 -8.32) (end -6.82 -8.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e419c97f-1b2f-49a3-91e1-ba57fe35dd66))
(fp_line (start -6.76 3.4) (end -6.99 3.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d5fe24a4-e416-4d50-bac4-c27bd7757a87))
(fp_line (start -6.75 -7.64) (end -6.7 -7.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1e09caa-d7c6-48c6-8fa1-24827cd2624f))
(fp_line (start -6.75 1.91) (end -6.85 1.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10cf47fd-f16e-4c09-b659-374e4851e2b1))
(fp_line (start -6.74 -8.32) (end -6.76 -8.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7da950d2-9f32-4558-bc20-38c1a77046a6))
(fp_line (start -6.74 0.82) (end -6.65 0.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 90b7e746-312d-4fe7-830a-5fe4f581b1bc))
(fp_line (start -6.73 3.25) (end -6.64 3.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9a55945a-3e0b-4a97-9bfd-8abaea959314))
(fp_line (start -6.71 -5.41) (end -6.57 -5.52)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3aaf988-ac14-4809-9909-291571ff7316))
(fp_line (start -6.7 -7.65) (end -6.62 -7.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16d5c7df-bb0e-4a44-b9d1-ec3dbef01fae))
(fp_line (start -6.69 -8.24) (end -6.74 -8.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ee4b9373-7005-41f8-919b-cc8ccf8a7f90))
(fp_line (start -6.68 -0.78) (end -6.61 -0.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c8cbae5e-212f-415e-9a93-6d9eaa35eff0))
(fp_line (start -6.67 -3.88) (end -6.47 -3.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cc0e555b-3ed8-4e22-a0fe-45e39720738f))
(fp_line (start -6.66 -0.56) (end -6.78 -0.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1bc402e8-5fcd-49a2-9298-358656996b60))
(fp_line (start -6.66 1.91) (end -6.75 1.91)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b57114b3-1d7a-4860-9e1f-04122f771c12))
(fp_line (start -6.658 9.305) (end -6.474 9.258)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4b16277-7971-4fb8-8216-bd25e3ace075))
(fp_line (start -6.65 0.82) (end -6.53 0.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 634320c7-2986-4d7f-8b71-c13eb9bda4ff))

(fp_line (start -6.64 -8.15) (end -6.69 -8.24)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5156d44c-d717-4d88-86c8-3a5f56ac93cb))
(fp_line (start -6.64 3.32) (end -6.54 3.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb11a640-a2b3-4ea6-8e7d-05f69b21c44a))
(fp_line (start -6.62 -7.68) (end -6.6 -7.7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6e42d119-a337-4cf7-b333-a209838155ce))
(fp_line (start -6.62 2.09) (end -6.45 2.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a88e7b08-0849-4ca6-9779-508b90ae99ef))
(fp_line (start -6.62 3.46) (end -6.76 3.4)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e52588ba-a691-4053-96dd-60b2c695bf9c))
(fp_line (start -6.61 -0.79) (end -6.53 -0.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 63761068-f5b6-4a7e-a553-0c26b12ea3b3))
(fp_line (start -6.61 4.9) (end -6.79 5.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db44894c-0993-4811-a454-c15e2ee759c6))
(fp_line (start -6.6 -7.7) (end -6.56 -7.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb573c08-7f13-4ad1-944a-90c4db815bcf))
(fp_line (start -6.59 -8.04) (end -6.64 -8.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 29502fe0-32b2-40fd-b9d6-5fa8d8db806f))
(fp_line (start -6.59 1.98) (end -6.16 1.93)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b06b8948-ba14-406c-adf3-509787646844))
(fp_line (start -6.57 -5.52) (end -6.5 -5.58)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 963becf6-19e1-48df-b038-fb0b7af7caee))
(fp_line (start -6.56 -7.74) (end -6.52 -7.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8592f8c4-df32-46c6-86b4-976da36de02e))
(fp_line (start -6.55 -7.95) (end -6.59 -8.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d394bd0d-cac3-4640-8bc5-27c1faccd6a7))
(fp_line (start -6.54 3.41) (end -6.39 3.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e485a5c0-b5b8-43cc-afe5-ebd38fa98b63))
(fp_line (start -6.53 -0.8) (end -6.4 -0.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d9acc3af-8eef-45aa-aa58-a02256c06d79))
(fp_line (start -6.53 0.85) (end -6.45 0.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68fac8a5-d78d-4641-a603-c68123ca6ba9))
(fp_line (start -6.53 1.91) (end -6.66 1.91)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 725fb2da-f370-4341-88ac-00799f1cb6e7))
(fp_line (start -6.52 -7.78) (end -6.5 -7.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4cf19e14-ac99-4d3c-aec7-72bc25b65fbe))
(fp_line (start -6.5 -7.81) (end -6.55 -7.95)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 886e7393-c458-40f6-903b-924ff042b2fc))
(fp_line (start -6.5 -5.58) (end -6.43 -5.64)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 715613ec-9da1-4319-9d97-c677f3b415ac))
(fp_line (start -6.5 -0.58) (end -6.66 -0.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5f649d44-a1bd-4ac4-9f40-dd48b46046de))
(fp_line (start -6.48 3.51) (end -6.62 3.46)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 43eb621a-3d32-49b5-a2e2-0715b6da98c0))
(fp_line (start -6.474 9.258) (end -6.29 9.196)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b25bfd10-b6dc-4507-a764-d0c3170b0182))
(fp_line (start -6.47 -3.73) (end -6.3 -3.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5117cda0-b0aa-4cca-a702-854a1ccc31aa))
(fp_line (start -6.45 0.89) (end -6.39 0.94)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 12c3e2e0-5143-478b-a2b3-cf25a8fcff15))
(fp_line (start -6.45 2.08) (end -6.26 2.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa54d580-1284-45f5-ba6f-b77192f38c82))
(fp_line (start -6.44 -7.59) (end -6.5 -7.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dfb0bbbb-ae6b-4d7e-93e6-2c14bd8bf81e))
(fp_line (start -6.43 -5.64) (end -6.32 -5.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e73d9f14-fe92-4b2b-9983-7f11f5d6cb8c))
(fp_line (start -6.43 4.74) (end -6.61 4.9)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 147378e8-18ea-4178-aa07-2a7e710387ca))
(fp_line (start -6.4 -0.79) (end -6.3 -0.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eff680fb-4ef5-4f37-a717-37c56146feed))
(fp_line (start -6.39 -7.39) (end -6.44 -7.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9369942f-0d4d-4903-9e9f-048f866ff45e))
(fp_line (start -6.39 0.94) (end -6.33 1.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 52bb871a-b16a-4c57-8182-4267070bde70))
(fp_line (start -6.39 3.53) (end -7.82 2.64)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9f33ac49-9102-428c-9125-000aced7ad50))
(fp_line (start -6.39 3.53) (end -6.48 3.51)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0eb2b722-20bb-4b65-8f39-cd6bf1b3dc1c))

(fp_line (start -6.38 1.89) (end -6.53 1.91)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9075bb62-b68e-4ab6-8454-d925447d5632))
(fp_line (start -6.35 -0.57) (end -6.5 -0.58)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3dd21cbe-d9de-4179-aebe-175f844ebf8c))
(fp_line (start -6.33 -7.09) (end -6.39 -7.39)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e4326b96-2cff-4155-a477-16a4ae0c358f))
(fp_line (start -6.33 1.01) (end -6.3 1.06)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 49fcb364-727a-4e0f-b9bc-cbc80b96eb41))
(fp_line (start -6.32 -5.74) (end -6.24 -5.82)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9cce16d-cb46-479f-91a7-698cd7329a9e))
(fp_line (start -6.3 -6.91) (end -6.33 -7.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a5a2a021-58f9-40d2-86ba-86651c88c7ba))
(fp_line (start -6.3 -3.6) (end -6.17 -3.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7dae9b56-68dc-4a46-8793-e7c5f9b6ee1e))
(fp_line (start -6.3 -0.77) (end -6.22 -0.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 532d95b1-f2e2-4b97-8c08-0d8e2bd450f3))
(fp_line (start -6.3 1.06) (end -6.27 1.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7bbde281-c03a-458b-92c4-1a835fe99404))
(fp_line (start -6.29 9.196) (end -6.106 9.12)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9fa4783-9f08-4520-929d-d5838fb3c982))
(fp_line (start -6.28 -6.75) (end -6.3 -6.91)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 88f59f85-2a43-4b39-bbef-52f58bb4a475))
(fp_line (start -6.27 1.16) (end -6.26 1.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 76144a48-8111-4153-948b-0a58c73432fb))
(fp_line (start -6.26 1.2) (end -6.25 1.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 05913f22-c46a-4b13-b3f2-90eba05e9cb4))
(fp_line (start -6.26 1.86) (end -6.38 1.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ab02b99e-5492-494a-bc79-e464c9e75bd6))
(fp_line (start -6.26 2.05) (end -6.08 2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0203530f-2cfd-4937-b8f8-27324545c06e))
(fp_line (start -6.25 -6.5) (end -6.28 -6.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0c5c44b6-d665-487e-a6e9-0282ec85f443))
(fp_line (start -6.25 1.27) (end -6.25 1.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 36060dab-4a3a-4e88-8c19-8672dc8c1356))
(fp_line (start -6.25 1.34) (end -6.25 1.42)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f3f76e0e-eccb-48d8-9e40-3261c334b74e))
(fp_line (start -6.25 1.42) (end -6.15 1.36)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2a85a99b-5562-432c-85e8-81891ba69aee))
(fp_line (start -6.24 -5.82) (end -6.15 -5.94)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10bf1447-30e0-462c-a1cd-20ad69f304fe))
(fp_line (start -6.23 -0.54) (end -6.35 -0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d02e3a26-e2b4-4401-889f-897d1e9e686e))
(fp_line (start -6.22 -0.75) (end -6.14 -0.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 574a4596-17ec-46ae-bc65-e9809c7b06a9))
(fp_line (start -6.22 4.54) (end -6.43 4.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a716bb47-e6cc-4133-b024-d37cf95b0804))
(fp_line (start -6.199 -5.783) (end -6.18 -5.802)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 703f11ea-be4b-4c0a-8035-108024149a02))
(fp_line (start -6.19 -6.15) (end -6.25 -6.5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 973062c4-30b4-4f2d-9cb0-693ac057cec8))
(fp_line (start -6.18 -5.802) (end -6.155 -5.835)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 95960cc1-c523-4567-ac7f-c8a56480661c))
(fp_line (start -6.17 -6.12) (end -6.155 -6.26)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aab0303e-73d3-4cf1-9063-97c78fd38b51))
(fp_line (start -6.17 -3.49) (end -5.97 -3.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 532928d0-0d63-4785-aada-960f18ccb714))
(fp_line (start -6.16 1.93) (end -5.84 1.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0e1a071a-1187-484f-ba02-37e679c316e0))
(fp_line (start -6.156 -5.771) (end -6.199 -5.783)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69163223-c8a8-4b52-99b3-803f0fba2af9))
(fp_line (start -6.155 -6.26) (end -6.137 -6.347)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4fa108c3-c7e8-4c5b-8bca-cbd38393fd7c))
(fp_line (start -6.155 -5.835) (end -6.127 -5.884)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9f042463-df0b-4d85-a8e2-73abc1eb174d))
(fp_line (start -6.15 -5.94) (end -6.19 -6.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 96c0c094-dc60-46a3-938e-064e12bf50b3))
(fp_line (start -6.15 1.36) (end -6.06 1.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 435c9076-6af7-4df5-a1bb-a10437ca0c38))

(fp_line (start -6.14 -0.72) (end -6.12 -0.71)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 94295311-1b9b-4183-bdf6-5ca845cc2391))
(fp_line (start -6.137 -6.347) (end -6.117 -6.441)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22427815-4c9a-4ba6-beea-fa1e9e4bf6d4))
(fp_line (start -6.127 -5.884) (end -6.094 -5.946)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b626fbc7-a526-4922-9776-cb84f80a2071))
(fp_line (start -6.12 -0.5) (end -6.23 -0.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ac6c105e-2cd9-4a57-8629-2994966189fa))
(fp_line (start -6.117 -6.441) (end -6.096 -6.544)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 44b4677e-3483-4da4-a1cf-36f9ab2fcd3a))
 (fp_line (start -6.11 1.8) (end -6.26 1.86)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9cfb87f0-ba96-42db-8331-36f1030fd735))
(fp_line (start -6.106 9.12) (end -5.924 9.028)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ecea0d06-23d8-4cb0-9ffe-bdf2ebac37e1))
(fp_line (start -6.096 -6.544) (end -6.076 -6.655)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 67027584-49ba-4a3e-8364-277e5abec738))
(fp_line (start -6.094 -5.946) (end -6.057 -6.021)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68cdda44-ebab-4a49-9e52-e50dd86e6512))
(fp_line (start -6.08 2) (end -5.96 1.95)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 57debb96-5d4b-4203-a2cd-b30fa1318bf2))
(fp_line (start -6.076 -6.655) (end -6.055 -6.775)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b4ad76e4-26e7-4692-ac55-414240236b19))
(fp_line (start -6.06 1.31) (end -5.91 1.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 78d04342-f508-46ec-90ed-b1a5fd506bd0))
(fp_line (start -6.057 -6.021) (end -6.018 -6.109)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36f6c098-9c13-41fe-9539-86ef8c58cc10))
(fp_line (start -6.055 -6.775) (end -6.034 -6.903)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c9f3f92c-8731-4729-a87b-fc206c92810d))
(fp_line (start -6.05 4.37) (end -6.22 4.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e5b6936e-f7c4-4c1f-82e1-9630c8de533d))
(fp_line (start -6.043 -5.743) (end -6.156 -5.771)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 90fe87f8-882a-4932-8376-4f8de6120137))
(fp_line (start -6.034 -6.903) (end -6.013 -7.039)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4db3c1a4-757f-4149-a30a-a014d5c475bd))
(fp_line (start -6.03 -0.45) (end -6.12 -0.5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d4677d88-8bac-4284-88ab-d5110d5b8aae))
(fp_line (start -6.018 -6.109) (end -5.975 -6.21)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2614d19e-a7e9-40da-8fc7-8dd304fa7654))
(fp_line (start -6.013 -7.039) (end -5.993 -7.184)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0458ebaf-2b0a-45da-a963-f7f8b186767f))
(fp_line (start -5.993 -7.184) (end -5.974 -7.337)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 719309de-e590-460c-817f-72d26c470070))
(fp_line (start -5.993 -5.646) (end -6.11 -5.793)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff864788-3169-4b40-92b5-b74883807fb9))
(fp_line (start -5.975 -6.21) (end -5.93 -6.321)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 764646d1-399c-43b7-a8ad-3e3f8a2b9a8e))
(fp_line (start -5.974 -7.337) (end -5.955 -7.497)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7563c3e-de42-4e26-9853-16549f3a5d37))
(fp_line (start -5.97 -3.31) (end -5.81 -3.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d9af2006-9a68-46a1-8e6e-430c5bc5d8a4))
(fp_line (start -5.96 1.72) (end -6.11 1.8)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c88c774e-dc31-4597-86f8-e31c585001df))
(fp_line (start -5.96 1.95) (end -5.83 1.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 40832194-f837-462f-8221-bff933b66ab4))
(fp_line (start -5.955 -7.497) (end -5.938 -7.666)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ccfa4ad-0250-4977-9bab-49ad58271427))
(fp_line (start -5.938 -7.666) (end -5.922 -7.843)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 947fddfd-ead7-40c9-9a55-f03414dd0a64))
(fp_line (start -5.93 -6.321) (end -5.883 -6.443)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c9f8629-9a4c-4988-8343-f48322391d42))
(fp_line (start -5.924 9.028) (end -5.745 8.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 520d1c69-ae55-4e18-bf21-092f9a17c0c2))
(fp_line (start -5.922 -7.843) (end -5.907 -8.028)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d67a9ec4-94e6-4c71-8b63-9c7a944e83f0))
(fp_line (start -5.91 -0.36) (end -6.03 -0.45)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2ff20c1e-1c46-419d-bd43-6ced8fd0be45))
(fp_line (start -5.91 1.2) (end -5.82 1.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f123076d-c726-4012-87f8-709cfdd2ee6d))

(fp_line (start -5.907 -8.028) (end -5.894 -8.221)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c16cd29-7ca2-49c4-80f1-07c3b505e9f7))
(fp_line (start -5.894 -8.221) (end -5.883 -8.423)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 027acdbc-d850-4434-87a3-dbd0742d1f38))
(fp_line (start -5.888 -5.499) (end -5.993 -5.646)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d35a237-73bd-4b78-bf3a-7a93a7fa6452))
(fp_line (start -5.883 -8.423) (end -5.875 -8.631)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 917a273c-b8f3-4cca-86f1-37300daccaf4))
(fp_line (start -5.883 -6.443) (end -5.834 -6.576)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a216ce57-d69f-4d41-a1ef-cd5af5884103))
(fp_line (start -5.881 -5.709) (end -6.043 -5.743)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f93f63fd-04a5-498e-8d30-ae5df43d15b0))
(fp_line (start -5.88 4.18) (end -6.05 4.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 28eb30a6-dc50-41f7-a89b-5d94b9e3a2ed))
(fp_line (start -5.875 -8.631) (end -5.868 -8.848)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6ad3473-ad56-4459-9dd1-62461d80570e))
(fp_line (start -5.868 -8.848) (end -5.865 -9.073)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a96ebc9e-25a2-4f39-9ec0-4e5ebe54c581))
(fp_line (start -5.866 -9.545) (end -5.872 -9.793)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b4dc2f4b-8d74-453d-bc77-db8bef4c394d))
(fp_line (start -5.865 -9.073) (end -5.864 -9.305)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce95247d-4010-454c-ada7-f778cd076a20))
(fp_line (start -5.864 -9.305) (end -5.866 -9.545)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 65260577-7a3d-4da4-8282-fb9738db88de))
(fp_line (start -5.846 5.737) (end -5.883 5.858)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1d409c7c-019e-4194-8c15-e807ba52fafd))
(fp_line (start -5.84 -0.29) (end -5.91 -0.36)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f6af1aa0-245a-4108-b659-5db010e9a503))
(fp_line (start -5.84 1.63) (end -5.96 1.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 89e8e036-40b0-4c9d-bfca-087579d59020))
(fp_line (start -5.84 1.75) (end -5.55 1.51)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1e4d00a-eb47-40e1-978f-424f62737ebf))
(fp_line (start -5.834 -6.576) (end -5.784 -6.718)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 280022f7-b750-4f23-9f9c-903e2efab57f))
(fp_line (start -5.83 1.89) (end -5.72 1.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0d77eeab-6d7b-4e9c-8b9f-de3c120eb018))
(fp_line (start -5.82 1.1) (end -5.74 0.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6f52585e-ba52-432d-af9f-1203b048564a))
(fp_line (start -5.815 5.598) (end -5.846 5.737)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7b339655-68cc-44be-b884-c98603672c5c))
(fp_line (start -5.81 -3.15) (end -5.63 -2.94)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7ac77148-dcc3-46c8-95b1-b9476275dffa))
(fp_line (start -5.794 -5.351) (end -5.888 -5.499)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 361b3692-1dc7-4df2-8fe5-eced11ee3961))
(fp_line (start -5.79 -0.23) (end -5.84 -0.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d70dd1b7-06ae-478b-9180-58163d0e9e19))
(fp_line (start -5.79 5.442) (end -5.815 5.598)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cfdca433-1294-4348-8c26-e463ea8b12e0))
(fp_line (start -5.784 -6.718) (end -5.732 -6.869)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c40233ce-f0c4-4c2a-bd7a-83483b2a73bc))
(fp_line (start -5.77 5.276) (end -5.79 5.442)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9180a6cf-8fb9-4b05-9242-d1979ced56b0))
(fp_line (start -5.755 5.101) (end -5.77 5.276)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 450f2770-da90-479d-9d35-ee3c1df54531))
(fp_line (start -5.745 8.919) (end -5.683 8.877)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a7af50a1-a2b9-4fec-a890-f86894ac050a))
(fp_line (start -5.744 4.923) (end -5.755 5.101)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ab0cffff-90e9-4f35-8ef9-dfc64d03ed75))
(fp_line (start -5.74 0.98) (end -5.7 0.9)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4fab7e47-0bf5-41e1-a049-d60da329f8cd))
(fp_line (start -5.735 4.744) (end -5.744 4.923)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c6db9b6-346c-4fe5-b48e-b21a368859cb))
(fp_line (start -5.732 -6.869) (end -5.68 -7.028)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb3f25ea-7485-4307-91b0-d85011fa712e))
(fp_line (start -5.73 -0.14) (end -5.79 -0.23)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ccf34981-2c88-4df5-8b5a-e18cdcd73700))
(fp_line (start -5.73 4.569) (end -5.735 4.744)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ebce81e-113b-4387-b9a6-9c4e4db1e4c3))

(fp_line (start -5.727 4.403) (end -5.73 4.569)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ed69d593-fbf0-45dd-9192-01948ef0a356))
(fp_line (start -5.725 3.987) (end -5.725 4.108)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bdd44071-b498-403f-a1c0-1d7454fcb100))
(fp_line (start -5.725 4.108) (end -5.725 4.247)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83350246-fb2f-4c67-a2fb-ac993896c953))
(fp_line (start -5.725 4.247) (end -5.727 4.403)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79ad3465-9d1e-451a-b17c-52569b6bbafb))
(fp_line (start -5.72 1.53) (end -5.84 1.63)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e38533e8-e94c-46f3-bcc6-36223a3bf9db))
(fp_line (start -5.72 1.81) (end -5.63 1.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 81a45a80-11cc-4327-92e0-8c4ea31e63b5))
(fp_line (start -5.72 4) (end -5.88 4.18)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b47b3434-e844-4081-a5bb-776b516b86c9))
(fp_line (start -5.711 -5.203) (end -5.794 -5.351)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d1a215f-3fc1-4ea6-a882-c4de5a58dfc2))
(fp_line (start -5.7 0.9) (end -5.66 0.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9a9bcc8a-7ad0-4ba9-bd04-be6e4d0fc86c))
(fp_line (start -5.694 -5.68) (end -5.881 -5.709)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a3f22ea9-8340-4aaf-bbe1-30c93087d99b))
(fp_line (start -5.683 8.877) (end -5.619 8.831)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9d6a2c7-0b6c-42b0-a520-0b17cfc78751))
(fp_line (start -5.68 -7.028) (end -5.627 -7.195)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56d1c0fa-8621-4ac1-827b-47257731631f))
(fp_line (start -5.68 -0.02) (end -5.73 -0.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7364cff-2181-422e-b595-4bb4cf368307))
(fp_line (start -5.66 0.77) (end -5.63 0.63)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 58408ad3-e4ee-4054-85ef-28faadf4b23f))
(fp_line (start -5.638 -5.055) (end -5.711 -5.203)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f3fe287a-8a1a-43d5-993f-b3ca9e9f76a4))
(fp_line (start -5.63 -2.94) (end -5.55 -2.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd6cedd1-9819-437d-a434-73c2433cb53c))
(fp_line (start -5.63 0.15) (end -5.68 -0.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8e1457c7-c3fa-421a-960c-b21b40b333d9))
(fp_line (start -5.63 0.63) (end -5.62 0.52)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4e0fdab5-2157-428f-b1a7-4161ae5699ff))
(fp_line (start -5.63 1.44) (end -5.72 1.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a2810f04-fa2f-4fee-aae7-eb010cdef3c2))
(fp_line (start -5.63 1.74) (end -5.52 1.64)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp efb6e118-4a1e-4780-b792-f7ef4668b4a2))
(fp_line (start -5.627 -7.195) (end -5.575 -7.369)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e36c7b71-e23b-4b04-a2a5-d7e96fd38c3c))
(fp_line (start -5.62 0.29) (end -5.63 0.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 35af7cb8-09cf-4440-a8c9-7b44cb3dc7dd))
(fp_line (start -5.62 0.38) (end -5.62 0.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8936e64f-601a-4b76-a76d-8e00ac291fc0))
(fp_line (start -5.62 0.52) (end -5.62 0.38)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c5ebe02d-554b-461f-a9aa-f3d45e3c7a00))
(fp_line (start -5.619 8.831) (end -5.551 8.782)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 91651469-ede7-443f-a1b9-faf3b3f73bda))
(fp_line (start -5.575 -7.369) (end -5.523 -7.549)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ee9391e-a9e8-4db8-bb8b-60940f391573))
(fp_line (start -5.575 -4.908) (end -5.638 -5.055)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ccadf79f-e3b1-46bc-9dcd-b02ff9e86e3f))
(fp_line (start -5.57 3.81) (end -5.72 4)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5c64fd2f-06f1-435e-8e5e-657e087da6eb))
(fp_line (start -5.551 8.782) (end -5.481 8.729)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bea148bc-7372-4612-82a3-8acf132d3b94))
(fp_line (start -5.55 -2.83) (end -5.5 -2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 36052e1b-6ab9-462a-b06f-4e12aef6e99d))
(fp_line (start -5.55 1.51) (end -5.31 1.19)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7bb57092-b841-4f67-aaba-2f216c9be423))
(fp_line (start -5.54 1.34) (end -5.63 1.44)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a85f9e18-00ac-4d39-bf1d-aec5e0ca754f))
(fp_line (start -5.523 -7.549) (end -5.471 -7.735)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69fe3ddf-7743-4579-bf76-7e13fa132fcb))
(fp_line (start -5.521 -4.762) (end -5.575 -4.908)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58b2d535-fb3b-44a6-b8f5-a48cd21eb2f5))

(fp_line (start -5.52 1.64) (end -5.42 1.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 676995b9-526a-4744-8835-09633e2b98ab))
(fp_line (start -5.504 -5.668) (end -5.694 -5.68)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e4c23b3d-a597-4b74-991d-833677b8c66e))
(fp_line (start -5.5 -2.74) (end -5.39 -2.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c17d762-bbfb-4c84-b513-662bce557cbe))
(fp_line (start -5.481 8.729) (end -5.408 8.673)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78d5b70d-fccc-43a6-b8fe-a952d9ac3c28))
(fp_line (start -5.476 -4.618) (end -5.521 -4.762)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72e62073-ace7-47a6-a8cd-661dce858d20))
(fp_line (start -5.471 -7.735) (end -5.421 -7.927)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b437d44-c6f1-4433-b09b-14ec62e2c183))
(fp_line (start -5.45 -1.68) (end -5.41 -1.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp be114b0a-52ac-4378-9802-829c19b3f925))
(fp_line (start -5.438 -4.475) (end -5.476 -4.618)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 506ab84b-94ea-4a5d-a5f1-b6f0a79ce803))
(fp_line (start -5.43 -1.76) (end -5.45 -1.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 65436105-9e08-4adf-a6e2-be91ce1d726b))
(fp_line (start -5.43 1.2) (end -5.54 1.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1be11952-98cd-46e7-bb64-6eef972each5))
(fp_line (start -5.421 -7.927) (end -5.372 -8.123)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a7e2e2de-1e46-4c97-85f6-0ba5eda2e1c0))
(fp_line (start -5.42 1.53) (end -5.34 1.43)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5ff32529-aab8-4f86-9671-c8626fde3d50))
(fp_line (start -5.42 3.62) (end -5.57 3.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a736c64f-a962-4f6f-befc-aeafa3ab86d51))
(fp_line (start -5.408 8.673) (end -5.333 8.613)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e08053e-f97a-4550-990f-ddedfa1ee745))
(fp_line (start -5.407 -4.334) (end -5.438 -4.475)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1a9c56cf-5d1f-470e-a163-e3be232b8f35))
(fp_line (start -5.4 -1.59) (end -5.29 -1.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ada342e6-a077-4888-9230-9880fddbae24))
(fp_line (start -5.39 -2.49) (end -5.33 -2.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8121938f-71e7-4c0b-8fbe-1a07656110f1))
(fp_line (start -5.383 -4.196) (end -5.407 -4.334)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1cb6be66-c362-4a30-bc10-f6bbb2144f99))
(fp_line (start -5.372 -8.123) (end -5.325 -8.322)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d8925b13-ac9b-4805-a45b-ceee7e617ffa))
(fp_line (start -5.365 -4.061) (end -5.383 -4.196)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 205f2853-f8d4-46ee-9fb2-16f517a3bcea))
(fp_line (start -5.352 -3.929) (end -5.365 -4.061)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a3825c6-cc35-4bba-b33a-555b8a9efc06))
(fp_line (start -5.35 1.07) (end -5.43 1.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 880764ea-7ad8-472b-b15b-230cce8277cc))
(fp_line (start -5.345 -3.327) (end -5.341 -3.438)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7e07b308-8827-41ec-bb03-38dbd758e930))
(fp_line (start -5.343 -3.8) (end -5.352 -3.929)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0673ab49-6917-44be-b993-e99bd8d16f04))
(fp_line (start -5.341 -3.438) (end -5.339 -3.554)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 99ef0d44-fa2a-45e0-8187-3a3c44669eb8))
(fp_line (start -5.34 -2.74) (end -5.46 -2.71)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f4f2e062-b34a-4af1-ba2c-2f17df55ddb8))
(fp_line (start -5.34 1.43) (end -5.26 1.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db16c8b4-2760-459f-b0b0-662cd02e76e7))
(fp_line (start -5.339 -3.675) (end -5.343 -3.8)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0799560b-11d8-4dcb-aec0-b1a5cbe53a7e))
(fp_line (start -5.339 -3.554) (end -5.339 -3.675)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c32cc1ce-dd6d-46fe-9c0f-6feafaee9f6f))
(fp_line (start -5.335 -5.683) (end -5.504 -5.668)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d29e5f78-5f92-49ce-a42b-ee071fbb90c9))
(fp_line (start -5.333 8.613) (end -5.255 8.55)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68b370eb-54fb-417c-ae5c-f9d00f9dd223))
(fp_line (start -5.33 -2.33) (end -5.25 -2.12)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 33989f76-6c82-41b6-9576-659755d5b1dc))
(fp_line (start -5.33 -0.17) (end -5.26 -0.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dbc9bc05-c6ad-42a8-9a54-4575c90facc4))
(fp_line (start -5.325 -8.322) (end -5.28 -8.526)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9bb91dd4-6c27-4b7e-b534-42a9b413b8cf))

(fp_line (start -5.31 1.19) (end -5.19 1.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6b7b2163-09fb-499d-96fb-6c8f01931142))
(fp_line (start -5.29 -1.7) (end -5.43 -1.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0439313f-378a-4758-8178-2fa9fc40cd2f))
(fp_line (start -5.29 -1.33) (end -5.2 -1.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a86dec13-32e0-4d52-8aad-5410e1769489))
(fp_line (start -5.28 -8.526) (end -5.238 -8.732)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1ac60dd-e4e7-42f0-ac75-14ed484d148a))
(fp_line (start -5.27 -0.1) (end -5.33 -0.17)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2ab6ae10-1675-4cf1-aaa0-56bc1582f275))
(fp_line (start -5.27 0.91) (end -5.35 1.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e0862a49-28f9-4945-b06d-d4e0d9751be4))
(fp_line (start -5.27 3.43) (end -5.42 3.62)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c54886e1-7194-464c-9f95-2b3da9952e29))
(fp_line (start -5.26 -0.05) (end -5.22 0.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 98950fdb-30e0-4d42-bb83-7273a522c53e))
(fp_line (start -5.26 1.32) (end -5.17 1.18)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7eb16de6-0908-472b-a510-19617a626bcd))
(fp_line (start -5.255 8.55) (end -5.175 8.484)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f184a424-f4f6-4828-8b08-3d4a20e96528))
(fp_line (start -5.25 -2.12) (end -5.21 -2.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 103561a4-3600-4bbf-9bb0-143993763457))
(fp_line (start -5.24 -1.66) (end -5.29 -1.7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68e1755b-c0f2-48d4-82bc-e530fe54d305))
(fp_line (start -5.238 -8.732) (end -5.199 -8.94)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a9650bc1-ea9e-425e-b5de-82cfc60f217f))
(fp_line (start -5.23 -2.75) (end -5.34 -2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 69968115-0363-480c-a569-9c2d7c29a1fa))
(fp_line (start -5.23 -2.75) (end -5.13 -2.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 019e77d0-bd83-48a9-b420-6f7aef62e6b4))
(fp_line (start -5.23 0.81) (end -5.27 0.91)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b2601540-67e4-4122-a13b-d0b854219b41))
(fp_line (start -5.22 0.05) (end -5.18 0.19)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50d7e4d3-00fe-4f13-9705-4e782a1615ab))
(fp_line (start -5.21 -5.737) (end -5.335 -5.683)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a05cf5b-fd41-4528-ba78-dcdfff726cce))
(fp_line (start -5.21 -2.01) (end -5.18 -1.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bb4d3075-36d5-46a2-85bc-4a3808fbe3eb))
(fp_line (start -5.2 -1.11) (end -5.1 -0.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7982a48-b991-44fd-915a-f346f5bb82c0))
(fp_line (start -5.199 -8.94) (end -5.163 -9.149)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb34cd3e-426d-43d3-a62d-be10a2db738f))
(fp_line (start -5.19 -1.62) (end -5.24 -1.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8a471df9-7d03-48c4-8f71-abbfd400c38c))
(fp_line (start -5.19 0.68) (end -5.23 0.81)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50ae7181-206a-4c8e-a5f7-e0db8d0c5061))
(fp_line (start -5.19 1.01) (end -5.1 0.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 424ade95-7c09-4768-89b2-41a282ae483f))
(fp_line (start -5.184 -5.763) (end -5.21 -5.737)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fbea6cda-527b-4c04-b594-582052a4fa6d))
(fp_line (start -5.18 -1.88) (end -5.16 -1.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ee6aef2b-1c72-42aa-b5ed-8fc27dfbf34a))
(fp_line (start -5.18 0.19) (end -5.17 0.28)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c5b45d51-abde-4c4c-af6e-b96f72682a2a))
(fp_line (start -5.175 8.484) (end -5.094 8.414)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 37f97521-965d-4d21-a3a3-8d72eea84167))
(fp_line (start -5.17 0.28) (end -5.16 0.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 38a4257e-76ff-4669-baab-60337d1e6c2b))
(fp_line (start -5.17 1.18) (end -5.09 1.04)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 673c122d-e0bd-4966-84a2-b46ae1532efd))
(fp_line (start -5.163 -9.149) (end -5.13 -9.359)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 053ca9dc-a47f-424c-9886-9f4ef467d599))
(fp_line (start -5.16 -1.77) (end -5.14 -1.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e79a3df8-df14-447c-a39f-751ce6ef2c8d))
(fp_line (start -5.16 0.41) (end -5.16 0.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9bbc270a-47a5-429f-9e2c-23b5dec5e9bc))
(fp_line (start -5.16 0.54) (end -5.19 0.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32c5f679-f349-454b-8b9d-2b3b74622cb5))

```
(fp_line (start -5.154 -5.802) (end -5.184 -5.763)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 67db5591-3312-4039-9834-841f4d3a7151))
(fp_line (start -5.14 0.06) (end -5.27 -0.1)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0fc6c87e-0f65-46f8-8761-3185f4c0e143))
(fp_line (start -5.13 -9.359) (end -5.102 -9.57)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 96e3bdeb-d30f-469e-98f3-9ede205cd53c))
(fp_line (start -5.13 -2.75) (end -5.03 -2.73)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ce6e4a80-94f2-48be-843c-068c9b1333e3))
(fp_line (start -5.13 3.24) (end -5.27 3.43)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 77b430be-168f-4ff5-ba9d-6daba31deb00))
(fp_line (start -5.122 -5.853) (end -5.154 -5.802)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69c15465-dcaf-42df-a976-628907116b91))
(fp_line (start -5.12 -1.56) (end -5.19 -1.62)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7a7c3a63-4af0-4705-9a11-6c4c5a703e17))
(fp_line (start -5.11 0.09) (end -5.06 0.05)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32303be6-2fca-49c5-87d2-d0d750ef9635))
(fp_line (start -5.102 -9.57) (end -5.078 -9.78)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f035240-4856-4249-b4b4-e2f8bc323e42))
(fp_line (start -5.1 -0.85) (end -5.02 -0.6)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0abdfaef-0a67-46f2-aa9e-139590a4b0c1))
(fp_line (start -5.1 0.78) (end -5.04 0.57)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9db05263-6bcb-4fb2-b0ca-1175597f2ac0))
(fp_line (start -5.094 8.414) (end -5.01 8.341)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 60e4baf4-d1d8-4ec9-a672-eabc290f8ede))
(fp_line (start -5.09 1.04) (end -5.04 0.93)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30204cb7-e1e6-4c06-9da8-23e528474a37))
(fp_line (start -5.087 -5.916) (end -5.122 -5.853)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4e800fa6-8865-406f-9342-dd5aadca98a9))
(fp_line (start -5.07 0.18) (end -5.14 0.06)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b6b5ab27-254d-4f32-a971-f7a8866a7e6d))
(fp_line (start -5.06 0.05) (end -4.99 0.02)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e08ab84-6833-4e53-9c03-2d252e1940aa))
(fp_line (start -5.06 0.41) (end -5.1 0.25)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 88c7325b-f5ae-4afd-8a73-50f3f17f8262))
(fp_line (start -5.06 1.03) (end -4.95 1.09)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8668b73f-d32f-4add-bd49-f42c2c72de67))
(fp_line (start -5.05 -5.99) (end -5.087 -5.916)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 711d4c99-f1e7-45f1-9eb5-663fcee74d4e))
(fp_line (start -5.04 -1.48) (end -5.12 -1.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a3ab5805-4d62-45a1-b51b-95001db0b7fb))
(fp_line (start -5.04 0.57) (end -5.03 0.53)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e4456cfd-09b7-41fa-b1be-627f85df1eab))
(fp_line (start -5.04 0.93) (end -4.98 0.79)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 67d92141-4256-4599-8d8e-5dbf45e7dd77))
(fp_line (start -5.03 -2.73) (end -4.94 -2.7)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6a64b76e-fbf2-4779-bcad-3d2bdb9b4ae0))
(fp_line (start -5.03 0.53) (end -5.06 0.41)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 51c0be1f-ecf7-45a9-8a37-ad82535db237))
(fp_line (start -5.02 -0.6) (end -4.93 -0.31)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 00681d4d-5194-4ab5-87e5-989642877aa4))
(fp_line (start -5.011 -6.075) (end -5.05 -5.99)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 952358a2-d011-466e-9115-0a2f6c7ea272))
(fp_line (start -5.01 8.341) (end -4.924 8.264)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b39251c-8e93-4523-b1ba-8bad01c35467))
(fp_line (start -4.99 0.02) (end -4.88 -0.02)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 81bf3858-7775-434a-9d77-ed270bb1b56e))
(fp_line (start -4.99 0.32) (end -5.07 0.18)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d0464f52-b9f1-4c5b-ad2e-46fd76531bc5))
(fp_line (start -4.99 3.05) (end -5.13 3.24)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b5857b7e-f0dc-47d6-a056-f716620e142d))
(fp_line (start -4.98 0.79) (end -4.91 0.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6402d933-bcfa-4abd-a535-da2faf598a38))
(fp_line (start -4.97 -6.171) (end -5.011 -6.075)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 86ad431b-dc26-4e98-adf2-8f18e98b94cc))
(fp_line (start -4.97 -1.41) (end -5.04 -1.48)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1cdc8a75-9fc2-4ad4-a205-61f9b509d8ce))
(fp_line (start -4.963 5.397) (end -4.933 5.338)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c4cd1575-7b0a-4ac7-a886-f4ffeea5f8c2))
```

(fp_line (start -4.95 1.09) (end -4.83 1.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 72952af5-dee4-4951-8649-34340ef8cddf))
(fp_line (start -4.94 -2.7) (end -4.85 -2.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 76e87c09-708c-4169-b7d0-9ad8f47f6666))
(fp_line (start -4.933 5.338) (end -4.905 5.27)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7831250-cda2-470e-bd15-c18e8b6424ec))
(fp_line (start -4.93 -0.31) (end -4.87 -0.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f02f204d-0133-4acc-b995-02f3a428a680))
(fp_line (start -4.928 -6.278) (end -4.97 -6.171)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ebd2513-ede6-410f-84c3-921c72ee4a89))
(fp_line (start -4.924 8.264) (end -4.837 8.185)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e3f6f04-3943-4b39-9735-874283f5afda))
(fp_line (start -4.91 0.56) (end -4.9 0.5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f74bc9b6-5fc7-48d2-bf4e-28b2cb78725a))
(fp_line (start -4.906 -4.157) (end -4.894 -4.275)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4275e50f-aea9-4296-a0c7-6c20cf6cb8d3))
(fp_line (start -4.905 -4.065) (end -4.906 -4.157)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6f43a9a0-fc3e-4807-a7c5-6b8ffe682783))
(fp_line (start -4.905 5.27) (end -4.877 5.194)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e29ead30-329a-40f1-a055-ca3e8209d501))
(fp_line (start -4.902 -3.974) (end -4.905 -4.065)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb2c4bf9-6133-44e0-a86c-d5872de41cf5))
(fp_line (start -4.9 -1.34) (end -4.97 -1.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aff80a87-b29a-46a5-a727-e593473fba35))
(fp_line (start -4.9 0.5) (end -4.99 0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 349e9bb3-c0c8-4900-951d-7f2b9ee72ac8))
(fp_line (start -4.896 -3.883) (end -4.902 -3.974)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b43a7174-8092-422c-9cec-c7b26c25476e))
(fp_line (start -4.894 -6.029) (end -4.971 -6.037)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c59a39ac-9d64-43b8-be66-f91c6bdc9051))
(fp_line (start -4.894 -4.275) (end -4.861 -4.391)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d769876a-e3ec-4868-9c5b-c7544fc9c266))
(fp_line (start -4.884 -6.394) (end -4.928 -6.278)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85e7e5a4-3baa-46fe-99b3-200fca4b41d6))
(fp_line (start -4.884 -3.791) (end -4.896 -3.883)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dfe46721-54d8-474b-9d3c-125a97cbe59a))
(fp_line (start -4.877 5.194) (end -4.85 5.11)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1328d820-f0fc-4e34-a1ca-3f41bc6e276e))
(fp_line (start -4.87 -0.07) (end -4.81 0.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64366890-b7fb-4623-bc6f-e1cf236f3dc4))
(fp_line (start -4.87 0.52) (end -4.76 0.52)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 684bd887-05f5-4252-ab93-ea76cfcfb5671))
(fp_line (start -4.867 -3.695) (end -4.884 -3.791)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78fa9aab-3e6e-4241-8dd6-cdd4b0ae3eb0))
(fp_line (start -4.861 -4.391) (end -4.812 -4.509)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3c0eee26-f6b5-457f-8b68-e5ea1aed4131))
(fp_line (start -4.85 -2.66) (end -4.76 -2.61)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9df2cc4e-f3d0-4a5a-8cf5-f3736eab4b3e))
(fp_line (start -4.85 5.11) (end -4.825 5.017)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 13141b38-6dec-4fa8-9268-e09a250ccbb3))
(fp_line (start -4.841 -3.594) (end -4.867 -3.695)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f269fdb-832a-4da9-9248-6d720e8e649d))
(fp_line (start -4.839 -6.52) (end -4.884 -6.394)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6f4ce17-e4ed-4f0d-a1e7-34fddcc2020b))
(fp_line (start -4.837 8.185) (end -4.748 8.102)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ad6a8f7-b846-4d78-b587-2959e68dfad3))
(fp_line (start -4.83 1.16) (end -4.68 1.24)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp edfeeb01-d82f-498b-ab5d-ed43b72a7e26))
(fp_line (start -4.828 -6.762) (end -4.825 -6.802)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a084c14-c0e7-41c8-b028-fcf111c7e419))
(fp_line (start -4.825 -6.802) (end -4.804 -6.819)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c9dcacf17-9b36-4f94-bba1-4367a3f7bc72))
(fp_line (start -4.825 5.017) (end -4.8 4.915)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 107a4cd1-3a7e-48c8-816a-c2f01b88732b))
(fp_line (start -4.812 -4.509) (end -4.75 -4.627)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2cff5f93-7c00-4587-81f7-a2dc57a74f13))
(fp_line (start -4.81 0.16) (end -4.77 0.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9cec9854-841a-40f3-af47-a848daa40206))

(fp_line (start -4.807 -3.486) (end -4.841 -3.594)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63b3366b-f118-4101-bf18-3bc9b98d140f))
(fp_line (start -4.804 -6.819) (end -4.766 -6.83)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f49c5495-745c-47d0-86e9-bde26c156f3e))
(fp_line (start -4.8 -6.713) (end -4.828 -6.762)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 821c4a6b-ea9a-446e-a6d2-1a93a5a86777))
(fp_line (start -4.8 -1.22) (end -4.9 -1.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 757a5323-cf3f-4d30-8ce3-3ebc1cd28c48))
(fp_line (start -4.8 4.915) (end -4.777 4.805)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 42c146fe-e527-4beb-9983-169c3225984))
(fp_line (start -4.793 -6.655) (end -4.839 -6.52)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 17567248-2d24-4ecb-b8d4-2ef858c0471a))
(fp_line (start -4.78 2.75) (end -4.99 3.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2de417cb-8340-4e98-ad57-93320a330ef1))
(fp_line (start -4.777 4.805) (end -4.755 4.685)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 233a9b53-d312-40ab-aad1-198abdd969eb))
(fp_line (start -4.773 -6.037) (end -4.894 -6.029)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f8b328f-474e-497a-9dc9-dda8218c4524))
(fp_line (start -4.77 0.37) (end -4.73 0.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 73dbd0fd-7222-4306-9489-55036bd75681))
(fp_line (start -4.766 -6.83) (end -4.712 -6.834)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 392fe6df-04c8-4126-97aa-f68ee3e93316))
(fp_line (start -4.762 -3.37) (end -4.807 -3.486)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ae270d8f-c66e-43f7-a02b-53b77aae2959))
(fp_line (start -4.76 -2.61) (end -4.65 -2.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7361703e-22b6-41ec-8ccd-c6c01c0cc71a))
(fp_line (start -4.755 4.685) (end -4.735 4.556)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp abdbdd26-0a36-4265-95db-7100cdf93bbd))
(fp_line (start -4.75 -4.627) (end -4.68 -4.748)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b515e873-ff30-4703-af9f-3a58d3a8d9d1))
(fp_line (start -4.75 -1.16) (end -4.8 -1.22)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp debf3921-c401-4047-b1c7-f5398446a917))
(fp_line (start -4.748 -6.652) (end -4.8 -6.713)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f860feb9-c554-4931-a024-c8f8be1bdf1))
(fp_line (start -4.748 8.102) (end -4.658 8.016)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56f18287-70dc-4992-ba80-8fd9255ce495))
(fp_line (start -4.746 -6.799) (end -4.793 -6.655)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f949694c-5c2e-4cfb-bab6-a96a6c33c682))
(fp_line (start -4.735 4.556) (end -4.716 4.418)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 026e7c59-8371-40ab-b564-0639a8b49337))
(fp_line (start -4.73 -2.09) (end -4.79 -2.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2b1f7550-fb7d-4475-9609-8b36e497dd37))
(fp_line (start -4.73 0.6) (end -4.7 0.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 09926b90-e7b1-414d-bf16-cd6552204094))
(fp_line (start -4.716 4.418) (end -4.698 4.27)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52b46bb9-fb04-404a-8cad-4343fdc4fdf2))
(fp_line (start -4.712 -6.834) (end -4.645 -6.83)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 907d3114-4439-499e-a130-4e8a6612283c))
(fp_line (start -4.706 -3.243) (end -4.762 -3.37)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7fd7281-5d4d-4388-881e-2b90f5ec9076))
(fp_line (start -4.7 0.83) (end -4.67 1.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 65fc3c42-c8b4-4436-8878-c0c4335a86bd))
(fp_line (start -4.698 -6.952) (end -4.746 -6.799)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cae6e370-947b-445b-94f5-72d796d73d0b))
(fp_line (start -4.698 4.27) (end -4.683 4.112)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp df4c6294-8865-4b3b-9acd-5cf63d411b0a))
(fp_line (start -4.683 4.112) (end -4.669 3.944)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e3f2d93-6f9f-45cf-bf5d-3f7125cd95ac))
(fp_line (start -4.68 -4.748) (end -4.606 -4.873)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1330275-88d7-4a79-8c80-29130e7a10df))
(fp_line (start -4.678 -6.579) (end -4.748 -6.652)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e94f873b-cc3f-47ef-a3d3-afe211d3da1b))
(fp_line (start -4.67 -2.01) (end -4.73 -2.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5c8fa875-6c58-414d-8617-ffb166320d8a))
(fp_line (start -4.67 -1.07) (end -4.56 -1.19)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b8900548-478a-45ea-a3e5-ab37bdfcec7e))
(fp_line (start -4.67 1.11) (end -4.66 1.24)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f42ab32c-b8c4-49f8-a0a2-36a22034cbf6))

(fp_line (start -4.669 3.944) (end -4.657 3.767)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 569631e9-e86a-4675-adee-160973cf35b5))
(fp_line (start -4.66 1.24) (end -4.64 1.44)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c336b7f6-00e8-4afb-ac89-2ba5a979c866))
(fp_line (start -4.658 8.016) (end -4.567 7.927)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d377847-cfd3-460f-aa40-24f2211d90fb))
(fp_line (start -4.657 3.767) (end -4.647 3.579)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a815d8ac-87ae-49b5-a2ed-da1d3214db73))
(fp_line (start -4.651 -7.113) (end -4.698 -6.952)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79ef88fc-7bf4-4caa-b36e-fc76d50b0c03))
(fp_line (start -4.65 -2.53) (end -4.58 -2.47)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8d0aad8e-5002-414e-8c6a-36c0469d9ae3))
(fp_line (start -4.647 3.579) (end -4.64 3.38)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3a3191d3-1b37-49b4-93b2-714c6bdcd7fb))
(fp_line (start -4.645 -6.83) (end -4.567 -6.818)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0960ce55-b144-453d-a5d6-115fde9ddd9d))
(fp_line (start -4.64 -1.03) (end -4.75 -1.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 484882a9-800b-4b71-a2fa-c8c90839f1ad))
(fp_line (start -4.64 1.44) (end -4.63 1.67)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 325531f5-eee5-499e-8fd1-94a3734b6129))
(fp_line (start -4.64 3.38) (end -4.634 3.171)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7bdccabe-6cb7-4842-a1bb-ff834c140291))
(fp_line (start -4.636 -3.104) (end -4.706 -3.243)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 850c93ab-d89a-4a7f-b5dc-bdd0c9e7c992))
(fp_line (start -4.634 3.171) (end -4.631 2.951)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 532c7d53-e31f-4cf4-aada-1053ab931262))
(fp_line (start -4.632 2.479) (end -4.637 2.226)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c1c2f81-1501-4ca9-ad14-3f24916d7120))
(fp_line (start -4.631 2.951) (end -4.63 2.721)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9dddf6a7-6401-4e9c-9f0b-d966c116c051))
(fp_line (start -4.63 1.67) (end -4.62 1.9)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c1a5d188-9375-4c57-b76a-7155ce8a1d1f))
(fp_line (start -4.63 2.52) (end -4.78 2.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01c56740-502d-43d7-a03b-8c58f3181b7a))
(fp_line (start -4.63 2.721) (end -4.632 2.479)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dd201be3-6ca6-480a-ae03-c3f66967b673))
(fp_line (start -4.62 1.9) (end -4.61 2.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9702fd13-df5a-4e53-81fa-388dc32352a2))
(fp_line (start -4.62 2.43) (end -4.62 2.58)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f721a9aa-4ff5-4afa-b260-8df8af5888e2))
(fp_line (start -4.611 -6.058) (end -4.773 -6.037)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 821f0230-727b-4c88-b133-1cbfd0f2d0d3))
(fp_line (start -4.61 -1.93) (end -4.67 -2.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6d253758-798d-4f46-82a4-efae5bf2a1ab))
(fp_line (start -4.61 2.21) (end -4.62 2.43)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bc26df6b-75c9-4835-8f58-1ed0cc073d14))
(fp_line (start -4.606 -4.873) (end -4.532 -5.002)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ed12944-f24b-4e3e-b92a-faedb0e046ba))
(fp_line (start -4.603 -7.281) (end -4.651 -7.113)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52317cf9-f3d5-43c2-b4e5-cabf41b32b98))
(fp_line (start -4.599 -6.491) (end -4.678 -6.579)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45259b51-fa47-4361-9e1a-e58e8efc2a16))
(fp_line (start -4.58 -2.47) (end -4.51 -2.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6fdc7874-09fc-4ece-96d6-08451ce0547c))
(fp_line (start -4.567 -6.818) (end -4.478 -6.796)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c5e3167e-2db8-4b9a-a787-4fd7e47d68e7))
(fp_line (start -4.567 7.927) (end -4.474 7.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eda79fd0-8b83-4c14-bf01-8bf0df7eef2f))
(fp_line (start -4.56 -1.19) (end -4.47 -1.3)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cfff44c3-9953-47bd-86bf-4dab5213b3ad))
(fp_line (start -4.555 -7.457) (end -4.603 -7.281)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 42cbbef8-8f74-4ce7-a4e7-3fcfc03efc7d))
(fp_line (start -4.552 -2.951) (end -4.636 -3.104)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56e0d774-3a1c-42e3-aed0-4fe26050d2c4))
(fp_line (start -4.54 -1.83) (end -4.61 -1.93)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3d0d2a80-8d6b-47ec-99cb-38f552886981))
(fp_line (start -4.532 -5.002) (end -4.462 -5.136)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3bc3790f-37fc-4a7c-8d54-c5e11cb3c2d9))

(fp_line (start -4.517 -6.386) (end -4.599 -6.491)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7afce61-998a-4e40-ac3a-6df120c3959b))
(fp_line (start -4.51 -2.41) (end -4.41 -2.3)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eca2df4e-0cf2-4693-96cf-92fc5c145f46))
(fp_line (start -4.51 -0.83) (end -4.64 -1.03)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 28c85268-734a-477f-b173-21357db3550f))
(fp_line (start -4.507 -7.64) (end -4.555 -7.457)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ca5bb773-9dbd-4112-8a3f-7682bee45715))
(fp_line (start -4.478 -6.796) (end -4.382 -6.764)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a51ca04d-31be-4a21-8aa4-e844e191809a))
(fp_line (start -4.474 7.836) (end -4.381 7.741)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 55ac4e0c-adcd-42fa-8426-e3afdd2dad44))
(fp_line (start -4.47 -1.73) (end -4.54 -1.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8f2f11d-690a-47b1-b4e5-1b050f26efd5))
(fp_line (start -4.47 -1.3) (end -4.43 -1.36)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d1f13809-93dc-4226-af83-32e87c340cd9))
(fp_line (start -4.462 -5.136) (end -4.401 -5.278)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd4929fe-094c-4cbd-93a7-83b63baa1d64))
(fp_line (start -4.461 -7.829) (end -4.507 -7.64)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 331f4b96-e9f1-4d94-9d82-93f9d3c9a51d))
(fp_line (start -4.452 -2.782) (end -4.552 -2.951)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f425a1c-913d-47ef-a377-7dab06b8f124))
(fp_line (start -4.44 -6.261) (end -4.517 -6.386)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 37ea27b4-7b71-4bf4-9728-db932649570b))
(fp_line (start -4.43 -1.67) (end -4.47 -1.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b0216238-dec3-44a4-8693-46060ee6e320))
(fp_line (start -4.43 -1.36) (end -4.39 -1.44)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6f5c02b2-1cc5-436d-9905-39c6a3dfc0a6))
(fp_line (start -4.415 -8.025) (end -4.461 -7.829)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ac7cd3c-5fc6-4071-8cc5-2b9493eb6d8d))
(fp_line (start -4.41 -6.086) (end -4.611 -6.058)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6786c9b0-6b2c-4930-94b9-0e59273419f9))
(fp_line (start -4.41 -2.3) (end -4.34 -2.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10559eea-4f29-4aee-bbe5-3cddac3f175f))
(fp_line (start -4.401 -5.278) (end -4.353 -5.427)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 348e32d2-e7d4-4f9f-aef2-169ff0003b52))
(fp_line (start -4.39 -1.57) (end -4.43 -1.67)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1013ca3-cccc-b4dd-92c5-9717892959d8))
(fp_line (start -4.39 -1.44) (end -4.38 -1.51)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 825dc872-41fa-499b-a748-868585a80d63))
(fp_line (start -4.387 6.111) (end -4.334 5.985)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4737613b-9a52-4f78-8402-068d18c54df5))
(fp_line (start -4.382 -6.764) (end -4.279 -6.72)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fc7dfab2-9f90-46df-abae-87acb6a56582))
(fp_line (start -4.381 7.741) (end -4.286 7.643)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c77f5e0-e59a-481e-b554-fc1c4d94499d))
(fp_line (start -4.38 -1.51) (end -4.39 -1.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db75a99e-5fe0-4908-9634-9620c6f83d50))
(fp_line (start -4.376 -6.115) (end -4.44 -6.261)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f9772f67-d4c9-44c3-a4c1-ae0929edde02))
(fp_line (start -4.37 -0.63) (end -4.21 -0.54)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4d3d076c-c733-4ebb-a80a-7ae622194e03))
(fp_line (start -4.369 -8.226) (end -4.415 -8.025)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66cec8bf-d305-43ba-9dbf-54bcc59b2bb8))
(fp_line (start -4.353 -5.427) (end -4.322 -5.585)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73cc15ea-91ce-4aa7-8948-174c26de2c27))
(fp_line (start -4.34 -2.21) (end -4.26 -2.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c29599a8-187e-4e5c-b14b-cf04f64619a1))
(fp_line (start -4.34 -0.56) (end -4.51 -0.83)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 20eec461-24ed-44ea-83af-1f0021d1e055))
(fp_line (start -4.335 -2.596) (end -4.452 -2.782)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a1912e34-8ac5-48b0-886e-8aebb8feddb0))
(fp_line (start -4.334 5.985) (end -4.283 5.857)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 82ad7e62-0aee-4b2f-8cdc-eb9197c9b875))
(fp_line (start -4.33 -5.947) (end -4.376 -6.115)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 784c4f85-b6c0-4deb-a6c0-971990994e18))
(fp_line (start -4.326 -8.433) (end -4.369 -8.226)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 822df62c-775a-4f20-945e-00a9e3b9ca41))

```
(fp_line (start -4.322 -5.585) (end -4.312 -5.752)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9d8f161d-ce84-4a93-977f-70e5d5bce6f1)
(fp_line (start -4.312 -5.752) (end -4.33 -5.947)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 773497a6-23ae-4539-83dc-d88b6dffe704)
(fp_line (start -4.286 7.643) (end -4.191 7.543)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b6cc94a5-52f6-4b50-910a-7ea294b02196)
(fp_line (start -4.283 -8.646) (end -4.326 -8.433)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd34ad55-8a9a-47a6-97e3-b36d22c66d1a)
(fp_line (start -4.283 5.857) (end -4.233 5.727)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 579d71c3-6d00-45d4-b61e-ab2305ff478f)
(fp_line (start -4.279 -6.72) (end -4.171 -6.664)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ae60f752-8a4b-4a3d-83e3-42708e5200c3)
(fp_line (start -4.26 -2.1) (end -4.18 -1.98)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 67b4d018-aa26-48cd-8eb2-51272fdab139))
(fp_line (start -4.25 -0.4) (end -4.34 -0.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4a2859d2-c5cf-4cd2-a5e8-1444e7cb205e))
(fp_line (start -4.242 -8.863) (end -4.283 -8.646)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d6f41008-966c-48b0-ac99-404c261c5bcd)
(fp_line (start -4.24 -0.38) (end -4.25 -0.4)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 96300514-a624-4937-a0ce-ae06d2d3e217))
(fp_line (start -4.233 5.727) (end -4.185 5.596)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4bd78c8e-0de9-42dd-a852-ac4d4ac3565f)
(fp_line (start -4.21 -0.54) (end -4.13 -0.51)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 71fcd07a-f23b-4a01-8617-f6737cc5d280))
(fp_line (start -4.203 -9.084) (end -4.242 -8.863)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 92c71a3f-588a-485d-8d6b-cbe8d8c632b8)
(fp_line (start -4.199 -2.39) (end -4.335 -2.596)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4bf71992-7cb8-4d15-a05d-c5a9c58f75f9)
(fp_line (start -4.191 7.543) (end -4.095 7.439)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2cdf8a1-e92d-4660-96b3-db7ff514c2c4)
(fp_line (start -4.185 5.596) (end -4.139 5.463)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e3eb7761-bc18-464f-a8af-ca697b213f42)
(fp_line (start -4.18 -1.98) (end -4.13 -1.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 72344f6f-8271-43ff-b29d-5a986a51aa7e))
(fp_line (start -4.171 -6.664) (end -4.062 -6.595)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e84185b-80c5-4d91-99b4-76d97a9fa1c3)
(fp_line (start -4.167 -9.31) (end -4.203 -9.084)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2c4db533-9e50-4012-a0ad-8a05fbb0005a)
(fp_line (start -4.16 -0.21) (end -4.24 -0.38)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d5a3ed55-a328-43e9-9631-77cad198fdae))
(fp_line (start -4.139 5.463) (end -4.095 5.328)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e61d2f63-46c8-4e21-8b0a-b78e4a919d62)
(fp_line (start -4.132 -9.539) (end -4.167 -9.31)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 98ec5b14-4d50-4ce7-9488-c2249721c70b)
(fp_line (start -4.13 -1.89) (end -4.07 -1.79)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e14c8eac-b1ee-488c-8004-edb349ca6ef3))
(fp_line (start -4.13 -0.51) (end -4.06 -0.51)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46d31d6a-7f57-46af-89f0-eb8532691f32))
(fp_line (start -4.12 -0.12) (end -4.16 -0.21)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ea3358c-d4b8-46db-b379-36635e85981a))
(fp_line (start -4.1 -9.771) (end -4.132 -9.539)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b995e090-9d29-45c3-be4c-2e6054ec9213)
(fp_line (start -4.095 5.328) (end -4.053 5.191)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ac141669-cbc6-4f62-9d4e-4877373e059c)
(fp_line (start -4.095 7.439) (end -3.999 7.333)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6789cf8b-6c4a-4027-b781-7ba0968a73f1)
(fp_line (start -4.08 -0.11) (end -4.12 -0.12)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 877afe22-1dbb-4fe0-8106-0c1e845fa0b7))
(fp_line (start -4.07 -1.79) (end -4.03 -1.71)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64f7d2a4-f8ba-4d1f-b843-c4f68ad14e7f))
(fp_line (start -4.07 0.007) (end -4.121 -0.15)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a26aea4a-c72a-4348-8ec9-12e5d3a93229)
(fp_line (start -4.062 -6.595) (end -3.951 -6.511)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2a920c6-f303-4459-9db3-bc0f73bfb819)
(fp_line (start -4.06 -0.51) (end -3.98 -0.56)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9ff6060-a23c-445f-944a-062ed572ceef))
(fp_line (start -4.053 5.191) (end -4.013 5.053)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 633a8015-e85a-476f-8cc4-b9f67e6c143a))
```

(fp_line (start -4.044 -2.164) (end -4.199 -2.39)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a0def3a0-a0f3-447b-8714-a4d920aa6e3b))
(fp_line (start -4.03 -1.71) (end -3.97 -1.58)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c125927-28ca-47a3-aea1-afe225e2232f))
(fp_line (start -4.022 0.163) (end -4.07 0.007)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6cee4176-50f8-47ea-953d-bd8527c466aa))
(fp_line (start -4.013 5.053) (end -3.975 4.914)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa1a0f66-5cae-425e-b2ff-a5059df2f5b4))
(fp_line (start -4.01 -0.11) (end -4.08 -0.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6917236e-f1fb-4fea-b6aa-4a2169b0d14d))
(fp_line (start -3.999 7.333) (end -3.903 7.224)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84feadc2-98e1-4384-802f-a1f334c0d1f4))
(fp_line (start -3.98 -0.56) (end -3.93 -0.62)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85eb9057-6ed0-45a5-9091-af2ef40b4167))
(fp_line (start -3.978 0.321) (end -4.022 0.163)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 42bc5866-ca7b-4423-a725-788f2f3d2758))
(fp_line (start -3.975 4.914) (end -3.939 4.773)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b93d02eb-6960-4b3b-a23e-44b912a8a32f))
(fp_line (start -3.97 -1.58) (end -3.92 -1.48)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 93c6a362-a716-44ec-b4ed-8aa691dcbfa5))
(fp_line (start -3.951 -6.511) (end -3.842 -6.412)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f9780350-45ab-4652-9945-8888b4e3ae36))
(fp_line (start -3.95 -0.13) (end -4.01 -0.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0993a17d-b124-49bf-b610-bf74568f4b9c))
(fp_line (start -3.939 4.773) (end -3.905 4.631)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 90fc3de9-4d12-491b-bcf7-7ce75fae004b))
(fp_line (start -3.937 0.478) (end -3.978 0.321)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2312592-ed9f-4c40-a744-ec8f74e585a1))
(fp_line (start -3.93 -0.62) (end -3.91 -0.68)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7d6bf904-8b74-40e9-a998-a0bb65287769))
(fp_line (start -3.92 -1.48) (end -3.88 -1.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3e83984-e475-4a2b-bbdc-b12a6c426fd7))
(fp_line (start -3.91 -0.68) (end -3.89 -0.74)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74f34755-4ab4-4fa1-87ee-c6777257ac06))
(fp_line (start -3.905 4.631) (end -3.874 4.487)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e3014a57-5cd4-4d82-b504-a9a9860992d1))
(fp_line (start -3.903 7.224) (end -3.806 7.113)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a486d264-1e5b-4a68-99a3-d423eb7ca891))
(fp_line (start -3.899 0.636) (end -3.937 0.478)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94939ede-8fcf-425a-92f5-3afed64c32de))
(fp_line (start -3.89 -0.17) (end -3.95 -0.13)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6fc2cd11-82f5-4476-a68e-a366712cb9d1))
(fp_line (start -3.88 -1.37) (end -3.85 -1.29)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 49762f30-7297-41e3-a4a0-724ed94247c7))
(fp_line (start -3.874 4.487) (end -3.844 4.342)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ab4fc35-4aef-4f54-9d2d-ed2bd8f014cd))
(fp_line (start -3.864 0.794) (end -3.899 0.636)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1251024f-de8a-4c4e-80f3-bdbd4dbfcc88))
(fp_line (start -3.85 -1.29) (end -3.82 -1.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 77f6af7a-09f1-456f-88e7-a014e6d958d8))
(fp_line (start -3.85 -0.21) (end -3.89 -0.17)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dc716c21-756f-41f7-9e39-c36c716f0905))
(fp_line (start -3.844 4.342) (end -3.817 4.196)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69d78494-938f-47ff-b7b7-6c69e51c97e4))
(fp_line (start -3.842 -6.412) (end -3.736 -6.297)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bab968dd-e11c-4284-bbd1-3076a69b63aa))
(fp_line (start -3.832 0.952) (end -3.864 0.794)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 10543dad-b2cb-4da2-bb81-7bfc05956569))
(fp_line (start -3.82 -1.2) (end -3.79 -1.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ca6c573-00e8-4b7b-b597-2e1c43395b6e))
(fp_line (start -3.817 4.196) (end -3.792 4.049)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6a834165-2ed6-4297-95a6-91590ceb1bd1))
(fp_line (start -3.81 -0.27) (end -3.85 -0.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 71b43253-d9cd-4439-a86a-cdf2d75755e5))
(fp_line (start -3.806 7.113) (end -3.709 6.999)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8286574f-8390-4fc2-ab53-a31301db7efe))
(fp_line (start -3.804 1.11) (end -3.832 0.952)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce7e5420-37cc-4a66-a7ec-af75c34ea390))

(fp_line (start -3.792 4.049) (end -3.77 3.901)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b943023b-e2b2-4ed2-957c-62aeaf84ffc5))
(fp_line (start -3.79 -1.1) (end -3.75 -0.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3df3a48e-f6d7-46ee-9712-795e1addd0e8))
(fp_line (start -3.78 -0.34) (end -3.81 -0.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 001a31be-903c-4b35-8cec-dd31352cd930))
(fp_line (start -3.778 1.268) (end -3.804 1.11)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3a9ab7d8-e1bf-4471-9122-9e6e5ff6188b))
(fp_line (start -3.775 -6.363) (end -3.669 -6.42)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6623a1eb-6ff1-4c84-a129-56433bdc7470))
(fp_line (start -3.77 3.901) (end -3.75 3.751)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ec67f5be-7798-474f-94ff-b9ebb0d3ffe6))
(fp_line (start -3.755 1.426) (end -3.778 1.268)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f467176f-51e6-48c5-a27f-1c4bf70e147e))
(fp_line (start -3.75 -0.96) (end -3.72 -0.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dc7ef961-c7bd-4a9e-9c12-5a1b78fe1561))
(fp_line (start -3.75 -0.43) (end -3.78 -0.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6be18934-bc72-402d-8500-ea81733d08ca))
(fp_line (start -3.75 3.751) (end -3.732 3.601)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a6b59ba6-fc29-4ad5-b99a-f7bf3ec1835e))
(fp_line (start -3.736 -6.297) (end -3.634 -6.165)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 824b391f-8906-421a-b5ad-936bc92b2674))
(fp_line (start -3.736 1.584) (end -3.755 1.426)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f57f06f6-a905-400f-80d9-97cd0ff108ff))
(fp_line (start -3.732 3.601) (end -3.717 3.45)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 519800c8-82c5-4335-aca6-2964b70af79a))
(fp_line (start -3.73 -0.54) (end -3.75 -0.43)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 718923bf-4487-453f-9725-6e73beaf978e))
(fp_line (start -3.72 -0.79) (end -3.72 -0.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2cc455a9-17aa-4d81-b9bc-428316fb30cf))
(fp_line (start -3.72 -0.66) (end -3.73 -0.54)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c516f001-5223-4ead-b49e-a8637a2f4ce2))
(fp_line (start -3.719 1.742) (end -3.736 1.584)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bfef6d19-cc33-40da-bc0f-8a1efeb9e8fc))
(fp_line (start -3.717 3.45) (end -3.704 3.297)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 469dfa0f-d52c-46d3-b945-170c2752eba6))
(fp_line (start -3.709 6.999) (end -3.612 6.882)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dc35cfb4-fea4-4733-a9e1-7c45022f967a))
(fp_line (start -3.705 1.899) (end -3.719 1.742)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bdc834c0-340a-49bf-b5b5-262cd59625c1))
(fp_line (start -3.704 3.297) (end -3.693 3.144)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c24e89f-3b46-4d22-b659-fad46d48b482))
(fp_line (start -3.694 2.056) (end -3.705 1.899)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb5b408a-a4c4-4ebe-bff5-e110821a4271))
(fp_line (start -3.693 3.144) (end -3.685 2.991)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 141ca96a-8010-49d8-a3b8-882bce430e04))
(fp_line (start -3.686 2.213) (end -3.694 2.056)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7b5cf39b-fd56-4447-b549-69f5dcf087de))
(fp_line (start -3.685 2.991) (end -3.68 2.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6be8538-a8b2-4140-955e-6c399e88621f))
(fp_line (start -3.68 2.37) (end -3.686 2.213)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 491227a2-3eee-4d47-bfbc-f0073a1389a3))
(fp_line (start -3.68 2.836) (end -3.678 2.681)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 435651f0-4509-481c-9404-b6afc2799f31))
(fp_line (start -3.678 2.526) (end -3.68 2.37)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bcb3efaa-7b7b-46cd-9d22-39507fc9d988))
(fp_line (start -3.678 2.681) (end -3.678 2.526)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22da0712-0b1c-4bfd-834d-cc5cae44b140))
(fp_line (start -3.669 -6.42) (end -3.559 -6.492)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 567799b1-e59c-47a0-b474-e6b2e94dd0d2))
(fp_line (start -3.634 -6.165) (end -3.539 -6.015)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 495e1d7e-7513-4976-98d8-c7d6db17217e))
(fp_line (start -3.612 6.882) (end -3.516 6.763)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45957aac-2d65-4945-bae9-45b944e01521))
(fp_line (start -3.559 -6.492) (end -3.447 -6.577)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9bd6f989-4531-4c9e-809c-8ec6654647a7))
(fp_line (start -3.542 -0.653) (end -3.72 -0.886)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c5522fd-3d21-4e2e-b69d-cc08550d9e03))

(fp_line (start -3.539 -6.015) (end -3.453 -5.846)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cfd39817-110f-4756-a665-3355b0409676)
(fp_line (start -3.534 -0.529) (end -3.628 -0.702)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e9ca12a5-ff59-48b9-b24d-894e312d3dd7)
(fp_line (start -3.516 6.763) (end -3.42 6.641)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d3c3b95a-390b-4a44-99fd-74b6c6769ff0)
(fp_line (start -3.453 -5.846) (end -3.377 -5.657)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45ebb77a-b846-401b-8bd7-0c457cc3894b)
(fp_line (start -3.447 -6.577) (end -3.333 -6.672)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76941317-f641-472b-b68e-bec3193014fb)
(fp_line (start -3.446 -0.356) (end -3.534 -0.529)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c110540d-49b1-46c9-a96f-20e317cc3eaa)
(fp_line (start -3.42 6.641) (end -3.324 6.517)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 918a8adb-8246-4a95-80c8-0b938a1838dd)
(fp_line (start -3.385 -9.744) (end -3.386 -9.767)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5e941abe-7103-4e25-84e9-86dd19d4a6ba)
(fp_line (start -3.383 -9.678) (end -3.385 -9.744)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 374073ed-bdbe-456d-a522-f9e805bc2455)
(fp_line (start -3.381 -0.432) (end -3.542 -0.653)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8fe2b7d-2504-49d0-9ad4-3c23fd043628)
(fp_line (start -3.378 -9.576) (end -3.383 -9.678)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c62e484b-3ae4-47ef-ab08-608da10b0de5)
(fp_line (start -3.377 -5.657) (end -3.313 -5.447)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1572040a-48b4-4ebc-9857-899d9281a109)
(fp_line (start -3.371 -9.444) (end -3.378 -9.576)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 798a3eb6-8652-40b6-91ba-65e2c1ba2ce4)
(fp_line (start -3.366 -0.185) (end -3.446 -0.356)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72496fba-f518-45a5-8696-a55fecdf3708)
(fp_line (start -3.363 -9.288) (end -3.371 -9.444)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce02157f-e177-4452-b3b0-c8a45f94900e)
(fp_line (start -3.352 -9.113) (end -3.363 -9.288)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 38ccdf8-8750-4d6e-99ab-0a2ed06a7a66)
(fp_line (start -3.339 -8.925) (end -3.352 -9.113)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cc20b596-cb48-4a00-8d72-58470cd29f5e)
(fp_line (start -3.333 -6.672) (end -3.219 -6.777)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 410eb8df-4f6e-47e4-a0c5-33b4d44cc042)
(fp_line (start -3.324 6.517) (end -3.229 6.391)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ffd30772-942f-4850-a3d1-5ca3198dcc00)
(fp_line (start -3.323 -8.731) (end -3.339 -8.925)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84c66b58-9afd-4c53-a9a1-9d1b3cff54e5)
(fp_line (start -3.313 -5.447) (end -3.263 -5.215)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8e37ff33-1a4d-47e8-b141-a8d28a16595a)
(fp_line (start -3.305 -8.537) (end -3.323 -8.731)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb0c6123-ed98-481a-8fbf-d229d32b6555)
(fp_line (start -3.291 -0.014) (end -3.366 -0.185)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp de7f3bc4-cc02-4a2b-8335-56aba5197377)
(fp_line (start -3.284 -8.348) (end -3.305 -8.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 937d26da-8ce4-4471-bad0-d6a70c630a85)
(fp_line (start -3.26 -8.171) (end -3.284 -8.348)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff676000-02d6-4e9c-9e90-2be1bf1536a7)
(fp_line (start -3.237 -0.223) (end -3.381 -0.432)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 97252293-e1d8-4ef8-a3df-39a2c157cf59)
(fp_line (start -3.229 6.391) (end -3.135 6.262)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e52c22ec-d67d-4e22-8186-595e85b733b4)
(fp_line (start -3.223 0.156) (end -3.291 -0.014)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf9212d3-30a2-4970-b03b-eb35a68e9cdb)
(fp_line (start -3.219 -6.777) (end -3.104 -6.89)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20c69640-94ec-46d8-9cd2-4a5d2554a328)
(fp_line (start -3.162 0.324) (end -3.223 0.156)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bfbed5bd-716d-45fc-926e-b660f82ae548)
(fp_line (start -3.135 6.262) (end -3.041 6.131)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 40f3b983-1b5b-498a-87e1-6a1b11b64e7e)
(fp_line (start -3.109 -0.026) (end -3.237 -0.223)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fc59a6ed-3475-4af8-b404-9ddc2341c455)
(fp_line (start -3.106 0.491) (end -3.162 0.324)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp af6ebd32-f86d-417f-b270-a5b06f6d2b51)
(fp_line (start -3.104 -6.89) (end -2.99 -7.007)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1a59cbc4-d626-4784-a09e-654f9e20bb87)

(fp_line (start -3.056 0.657) (end -3.106 0.491)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c65d12ed-3068-48a4-83fd-d2ea7389db31))
(fp_line (start -3.041 6.131) (end -2.949 5.997)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 364d319e-ac50-4232-944d-0d9a14577092))
(fp_line (start -3.011 0.821) (end -3.056 0.657)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 847033d0-dd97-4f03-85b8-438663da984c))
(fp_line (start -2.997 0.16) (end -3.109 -0.026)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22331291-6c60-4e83-b3cc-1b3a8ce07332))
(fp_line (start -2.99 -7.007) (end -2.879 -7.127)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c0557d75-6470-4050-8cfa-0c8d796262e8))
(fp_line (start -2.971 0.984) (end -3.011 0.821)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9ec58a95-682d-4b0c-9e1c-f75e22f7b058))
(fp_line (start -2.961 3.878) (end -2.941 3.769)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36eda110-d21b-45f0-9828-290361ccbf47))
(fp_line (start -2.949 5.997) (end -2.858 5.862)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c9620cd-95ff-4746-9c36-b3a249051db3))
(fp_line (start -2.941 -7.034) (end -2.948 -7.039)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 33c5e322-c97f-4e65-9a28-af756a485372)))
(fp_line (start -2.941 3.769) (end -2.922 3.657)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58cf1eeb-5a64-4ed2-9a0b-89d90818593c))
(fp_line (start -2.937 1.145) (end -2.971 0.984)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2a92f796-efc7-413d-b715-184f7706f313))
(fp_line (start -2.922 3.657) (end -2.904 3.542)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 53b68c8f-c858-42e8-917b-d2360ec67418))
(fp_line (start -2.917 -6.986) (end -2.941 -7.034)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 02fb5988-b27d-4010-ac76-304db1361cdd))
(fp_line (start -2.907 1.304) (end -2.937 1.145)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22365d21-3444-45a4-b801-87dedfed982b))
(fp_line (start -2.904 3.542) (end -2.886 3.423)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b8cb59e6-16dc-4192-9c2d-8317e129292b))
(fp_line (start -2.898 0.335) (end -2.997 0.16)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 55d1459f-728e-44c8-8d72-bff0bd6d6839))
(fp_line (start -2.886 3.423) (end -2.871 3.301)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3514ffcd-1445-4208-94df-2a9e2ea2f455))
(fp_line (start -2.882 1.462) (end -2.907 1.304)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db931d56-5852-431b-96cb-86f8da48238e))
(fp_line (start -2.879 -7.127) (end -2.769 -7.249)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 74e050ce-5183-4170-bb64-299da18949f2))
(fp_line (start -2.871 -6.848) (end -2.917 -6.986)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e4e768ab-1bce-4872-83cd-c8a587b92cb6))
(fp_line (start -2.871 3.301) (end -2.856 3.175)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7f33046-63cd-4c4b-b61a-78a586a5f25a))
(fp_line (start -2.861 1.617) (end -2.882 1.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9417342a-5892-4fd9-b892-d6fa0660f8c7))
(fp_line (start -2.858 5.862) (end -2.768 5.724)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8607f4b-cf00-454a-ac2a-d30c5fccf0df))
(fp_line (start -2.856 3.175) (end -2.844 3.047)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b35f37b-7393-4fc7-adc3-b808fbb757c8))
(fp_line (start -2.844 1.771) (end -2.861 1.617)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2031ccc3-d5af-4d20-8890-9493f0f9c17c))
(fp_line (start -2.844 3.047) (end -2.833 2.916)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 87d3a460-7a53-4a0f-988e-2572340c09b4))
(fp_line (start -2.833 2.916) (end -2.824 2.782)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1acc8a96-4f03-454c-b07b-e79ca5d34a88))
(fp_line (start -2.831 1.922) (end -2.844 1.771)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7a95bdef-1a97-4842-b837-3cb600e32f82))
(fp_line (start -2.824 2.782) (end -2.818 2.645)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 213bca1c-4b7c-493b-b20d-e7ac941982f4))
(fp_line (start -2.822 2.072) (end -2.831 1.922)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f6508426-51b7-4898-83a6-da6450aa45b4))
(fp_line (start -2.818 2.645) (end -2.815 2.505)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d5df24d8-b24a-42e8-954f-8a32a85ff056))
(fp_line (start -2.816 2.219) (end -2.822 2.072)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 749d0500-6300-4caa-b90c-246e5dee3eff))
(fp_line (start -2.815 2.505) (end -2.814 2.363)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 896d33a2-f265-43fa-bcc3-d662eb2a808f))
(fp_line (start -2.814 2.363) (end -2.816 2.219)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 931a5fe4-848c-4e8f-8661-bde662ed0b9b))

(fp_line (start -2.813 0.5) (end -2.898 0.335)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1939ae55-86bf-4561-a4dd-be32f5e45e08)
(fp_line (start -2.8 -6.571) (end -2.871 -6.848)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ab97b83-b2a5-48dd-8ac8-ad208b3f3b9e)
(fp_line (start -2.769 -7.249) (end -2.664 -7.369)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8f1477de-23ed-4131-9d84-9afbcac50c05)
(fp_line (start -2.768 5.724) (end -2.679 5.584)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88179488-aed2-4e24-9702-60cedcd39c8d)
(fp_line (start -2.74 0.656) (end -2.813 0.5)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d91d667e-7289-48b0-a2b6-a71871c28034)
(fp_line (start -2.679 5.584) (end -2.592 5.443)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c5e6c139-3efb-40f5-894e-d237b68b059b)
(fp_line (start -2.678 0.802) (end -2.74 0.656)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eaca2bf6-894e-40eb-90a1-4aa5203703f4)
(fp_line (start -2.664 -7.369) (end -2.563 -7.487)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 10e24f54-5781-4adf-9437-03f078246b6b)
(fp_line (start -2.644 -6.668) (end -2.8 -6.571)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 021f1407-d31d-45ce-84d5-a7a379495336)
(fp_line (start -2.627 0.939) (end -2.678 0.802)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 338d1c8b-dc3c-40be-8bf4-7cef8c1639b9)
(fp_line (start -2.592 5.443) (end -2.506 5.299)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b6e68202-8695-43b0-b423-e4d5e1f3c9e4)
(fp_line (start -2.585 1.069) (end -2.627 0.939)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 02d9c610-cbe1-4ce2-b1e8-ebe5fe816bbe)
(fp_line (start -2.572 -1.471) (end -2.568 -1.6)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2dfd665c-6a99-4f5c-b9e4-b76e40ac329d)
(fp_line (start -2.568 -1.6) (end -2.554 -1.726)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp da051945-ae71-4c5f-b40a-c8d1c66c18eb)
(fp_line (start -2.565 -1.339) (end -2.572 -1.471)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79006e19-acc6-4be1-a67a-4423fc7eff6d)
(fp_line (start -2.563 -7.487) (end -2.467 -7.601)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5f833ea0-0f0c-4048-b1fd-807f6b98cb05)
(fp_line (start -2.554 -1.726) (end -2.529 -1.847)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 622a586f-3b12-4686-abe1-c035d1b805f8)
(fp_line (start -2.552 1.19) (end -2.585 1.069)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 12d6ace3-6e98-43a0-964c-f8e790875cea)
(fp_line (start -2.549 -1.205) (end -2.565 -1.339)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 325f4a57-271e-4c51-a488-0478ed7cba63)
(fp_line (start -2.529 -1.847) (end -2.492 -1.964)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 080f5487-abfd-45e7-8346-5b53e1787c0a)
(fp_line (start -2.526 1.305) (end -2.552 1.19)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b504ad87-37cc-4e3b-9568-68d198c6ee94)
(fp_line (start -2.524 -1.07) (end -2.549 -1.205)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20ffe771-2a91-41f1-8ff7-698d26a67389)
(fp_line (start -2.507 1.413) (end -2.526 1.305)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c73a1905-ef1d-4ef4-a843-bcc1efc6be15)
(fp_line (start -2.506 5.299) (end -2.423 5.153)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e53c8f90-10b1-4b7b-9ab3-bc7d41696660)
(fp_line (start -2.494 1.515) (end -2.507 1.413)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ccfd5224-d05a-4b8b-a238-674579c49fa2)
(fp_line (start -2.492 -1.964) (end -2.443 -2.074)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e9524f8-a578-4487-bb15-96e6bdbd7f32)
(fp_line (start -2.491 -6.743) (end -2.644 -6.668)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a278acf1-e94a-43db-8f11-c2d30ddbd2b7)
(fp_line (start -2.49 -0.935) (end -2.524 -1.07)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4d40c2f3-1c8e-4b72-8ada-f953446218d3)
(fp_line (start -2.487 2.102) (end -2.485 2.028)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 460a5b37-7053-410e-b925-9ec29f8e7c24)
(fp_line (start -2.487 2.173) (end -2.487 2.102)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cf43d757-008f-49ea-a7a5-dc83ea3ec692)
(fp_line (start -2.486 1.611) (end -2.494 1.515)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fbcda3e3-4ee3-47df-b2f9-c2b2068161c6)
(fp_line (start -2.485 2.028) (end -2.483 1.952)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4d043f54-34b6-42c0-9adf-21131cea1e62)
(fp_line (start -2.484 2.244) (end -2.487 2.173)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7584877-53a5-4a2d-b631-f32bb489c237)
(fp_line (start -2.483 1.952) (end -2.481 1.872)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce04dd7a-2795-416d-b365-93394287be16)


```
(fp_line (start -2.482 1.703) (end -2.486 1.611)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4259baec-c990-47a0-8bb0-fbcfa40c6448))
(fp_line (start -2.481 1.872) (end -2.48 1.79)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b0573a1-2232-4552-86f2-48cb2dd007f7))
(fp_line (start -2.48 1.79) (end -2.482 1.703)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 65dc0f1f-3224-46c0-bce2-50e959aa712b))
(fp_line (start -2.478 2.313) (end -2.484 2.244)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36eae15-5a17-423b-9f9c-cbfe8db6aa18))
(fp_line (start -2.467 -7.601) (end -2.378 -7.707)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8a2ef767-bf95-4725-84e7-28a0dbc768e9))
(fp_line (start -2.448 -0.8) (end -2.49 -0.935)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1817e556-b857-46a4-9f24-cf603dc8dfd1))
(fp_line (start -2.443 -2.074) (end -2.381 -2.179)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5069c863-7ec5-4ad0-b266-b8443aa98035))
(fp_line (start -2.423 5.153) (end -2.341 5.005)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0fec1bd-f417-4681-a0b5-f4529d7ea495))
(fp_line (start -2.399 -0.666) (end -2.448 -0.8)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff150ce9-cb19-4cbd-ac3e-a933da474e17))
(fp_line (start -2.381 -2.179) (end -2.306 -2.276)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 71d37509-d58a-4736-a616-c1dbd5ab521c))
(fp_line (start -2.378 -7.707) (end -2.296 -7.805)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94af026c-7f37-4af6-b432-c17d214f43d4))
(fp_line (start -2.342 -0.534) (end -2.399 -0.666)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a08b8b7d-e6e7-4ee2-a0b2-b054a4dbd732))
(fp_line (start -2.341 -6.799) (end -2.491 -6.743)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c2b9d56-a34f-4f80-8001-d82f73320bb3))
(fp_line (start -2.341 5.005) (end -2.262 4.855)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 133fd317-354d-485d-8953-9298bb1f0d08))
(fp_line (start -2.306 -2.276) (end -2.217 -2.364)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f6cee0c-5182-41f5-b22d-3567eba7b50a))
(fp_line (start -2.299 -1.936) (end -2.284 -2.079)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 81f89a0b-5bb8-442e-9366-6853f56a1a2e))
(fp_line (start -2.299 -1.785) (end -2.299 -1.936)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 648558bb-0d52-4983-be3f-b83eae827464))
(fp_line (start -2.296 -7.805) (end -2.221 -7.893)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 118efb0f-52eb-404f-bb27-7005fd83eca6))
(fp_line (start -2.288 -1.626) (end -2.299 -1.785)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 549c03d4-fc50-4f4e-aa81-3fc605b1c382))
(fp_line (start -2.284 -2.079) (end -2.25 -2.213)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58d2dfb6-fab6-4974-96a8-4bcf76434861))
(fp_line (start -2.278 -0.405) (end -2.342 -0.534)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5f371b92-a7a4-47e0-b352-0da7503a8246))
(fp_line (start -2.271 -1.462) (end -2.288 -1.626)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2ab2365e-516a-4251-b2b9-7cdaf9cb0cf8))
(fp_line (start -2.262 4.855) (end -2.184 4.704)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22e238e9-5979-4853-a96b-0cc77e010a7e))
(fp_line (start -2.257 -1.396) (end -2.271 -1.462)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d23d138c-407a-4f3c-949e-e7811dd198f4))
(fp_line (start -2.25 -2.213) (end -2.193 -2.337)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 21e7d778-8ace-4c74-a07b-de72a9fbec3f))
(fp_line (start -2.231 -1.321) (end -2.257 -1.396)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22f6410e-1cc5-4eb6-acde-23bfcd83aace))
(fp_line (start -2.221 -7.893) (end -2.126 -8.009)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a79a168-2346-4c18-834b-2d2d6953b7dd))
(fp_line (start -2.217 -2.364) (end -2.115 -2.444)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp faeb99a2-4621-48ed-ad8a-3c65bff9c8db))
(fp_line (start -2.209 -0.28) (end -2.278 -0.405)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 54eed4c1-3080-4450-a0ee-1d4957624dde))
(fp_line (start -2.195 -6.836) (end -2.341 -6.799)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd19e15e-22e2-443b-911d-8d04acde45ca))
(fp_line (start -2.195 -1.237) (end -2.231 -1.321)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e71524e3-84be-4ea4-8350-28d26e11e9d0))
(fp_line (start -2.193 -2.337) (end -2.109 -2.451)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1254ecf5-fa22-4461-8637-2cc456f6ab3a))
(fp_line (start -2.184 4.704) (end -2.109 4.551)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf7a1705-f752-41bf-91fd-6aaca11ba9ff))
(fp_line (start -2.149 -1.145) (end -2.195 -1.237)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 32bc1d27-fad8-432e-bb31-edd08abe3ba8))
```

(fp_line (start -2.134 -0.158) (end -2.209 -0.28)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d6654315-fea1-4b83-86a7-517bb1d5381c))
(fp_line (start -2.126 -8.009) (end -2.023 -8.151)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 91f8179c-a42a-432a-87a6-074494c92cfe))
(fp_line (start -2.109 -2.451) (end -2.046 -2.513)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 67d0348c-a3f1-4c74-8b60-6f425e8324df))
(fp_line (start -2.109 4.551) (end -2.037 4.396)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52b0bb82-42f5-4d09-9be8-7859cccc6df7c))
(fp_line (start -2.096 -1.045) (end -2.149 -1.145)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3fceca43-5e60-4963-b791-b0db814ff4c5))
(fp_line (start -2.053 -6.856) (end -2.195 -6.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ce42140-0284-49b8-a9e8-8474ec30cc33))
(fp_line (start -2.053 -0.042) (end -2.134 -0.158)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aa782bb9-9d39-473d-b3a0-5fd1094d7d64))
(fp_line (start -2.046 -2.513) (end -1.957 -2.588)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 853d0839-abe8-4b34-9af0-3fe4a202c26e))
(fp_line (start -2.037 4.396) (end -1.967 4.239)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2a1bc15-5f48-4c8f-a1f9-a2de0d00d18c))
(fp_line (start -2.036 -0.936) (end -2.096 -1.045)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8555800b-27fc-473a-82e7-deab06a777d0))
(fp_line (start -2.023 -8.151) (end -1.916 -8.307)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2e5154b3-c527-4935-a6ae-b69d5069ec58))
(fp_line (start -1.971 -0.819) (end -2.036 -0.936)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 383cffc4-2347-436c-bdf4-b1ec5f8ca58d))
(fp_line (start -1.968 0.069) (end -2.053 -0.042)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4053685-fe22-42b2-ad03-8f2936ca3f96))
(fp_line (start -1.967 4.239) (end -1.899 4.081)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 547e4484-5acb-4fff-84e5-e49fc93f0f24))
(fp_line (start -1.957 -2.588) (end -1.848 -2.675)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f73f9ec-6e5c-4e0c-9d41-e745a1494417))
(fp_line (start -1.916 -8.307) (end -1.812 -8.468)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4289a05-f419-4fd9-bc17-a3bfff0792bda))
(fp_line (start -1.916 -6.859) (end -2.053 -6.856)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8c9ba333-9d76-4328-8a63-f49c278bc922))
(fp_line (start -1.903 -0.695) (end -1.971 -0.819)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c21b6cc6-6217-4256-be7f-a39af0141473))
(fp_line (start -1.899 4.081) (end -1.835 3.921)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68500755-096f-4881-89b2-46bc90c084f3))
(fp_line (start -1.879 0.172) (end -1.968 0.069)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4991e097-d229-4a54-9ddc-81dd9ed9a668))
(fp_line (start -1.848 -2.675) (end -1.723 -2.772)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0ebe0953-3f5f-48a1-8f35-c80cd35ed10c))
(fp_line (start -1.835 3.921) (end -1.774 3.759)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7e4040cc-04b3-4005-b024-fb8a6f01294a))
(fp_line (start -1.832 -0.562) (end -1.903 -0.695)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c57c87a-9008-49bb-b615-164fe273191f))
(fp_line (start -1.812 -8.468) (end -1.716 -8.623)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7eaf78b-636d-4e6a-a09b-c7fd1dd1c0e0))
(fp_line (start -1.783 -6.847) (end -1.916 -6.859)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c7c0448a-1dff-402c-86c4-18f53e98315c))
(fp_line (start -1.774 3.759) (end -1.715 3.597)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5480ce1c-9c06-45ed-a3f7-7a77db8db861))
(fp_line (start -1.76 -0.421) (end -1.832 -0.562)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d65af3f-cac0-4513-8158-c4b294e44ce8))
(fp_line (start -1.723 -2.772) (end -1.588 -2.876)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c792300f-b503-4b0e-a51c-99efddadaad6))
(fp_line (start -1.722 -5.558) (end -1.72 -5.65)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d9626a52-b9a0-4843-aaf8-ac573fd49360))
(fp_line (start -1.72 -5.65) (end -1.704 -5.737)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4345617-ec1d-4165-a206-069f60c7586b))
(fp_line (start -1.716 -8.623) (end -1.631 -8.761)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 60183ee6-9728-4f31-b21c-2914e5aa850f))
(fp_line (start -1.715 3.597) (end -1.66 3.432)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b22e05a-3d9c-4444-858c-2fe4a90ac716))
(fp_line (start -1.71 -5.462) (end -1.722 -5.558)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d093fcea-05ac-4189-93d1-996955b08b41))
(fp_line (start -1.704 -5.737) (end -1.672 -5.818)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a72be438-c82d-4c1c-bed6-ea752b34a2d6))

(fp_line (start -1.689 -0.272) (end -1.76 -0.421)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48a2c731-b383-4616-8f81-7c7115bfce56)
(fp_line (start -1.685 -5.366) (end -1.71 -5.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e756ed2a-6a98-435b-88e7-e7722ccfb58c)
(fp_line (start -1.672 -5.818) (end -1.624 -5.891)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1d6e14e-5131-4399-999c-ca8ba29c1046)
(fp_line (start -1.667 -8.692) (end -1.582 -8.665)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 095c4e32-4d98-48aa-ac6d-241e4866744d)
(fp_line (start -1.66 3.432) (end -1.609 3.266)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0550f229-d13e-4458-8c30-62b767f1b726)
(fp_line (start -1.656 -6.82) (end -1.783 -6.847)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f634c0c-a56a-45db-983f-eadcce073174)
(fp_line (start -1.648 -5.269) (end -1.685 -5.366)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f627032-44f7-4fd5-a31d-c8159017a919)
(fp_line (start -1.631 -8.761) (end -1.565 -8.873)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79825ee3-618c-4319-b7d7-b520620ee02d)
(fp_line (start -1.624 -5.891) (end -1.558 -5.954)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2058d980-50b0-4660-adc9-c8b3ceaa1b33)
(fp_line (start -1.62 -0.116) (end -1.689 -0.272)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 452563f0-77cc-4672-b7e2-b6f78d28958c)
(fp_line (start -1.609 3.266) (end -1.561 3.099)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 44a0b4d6-1cd8-4627-9836-0084511976dd)
(fp_line (start -1.599 -5.174) (end -1.648 -5.269)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8935e388-de60-4210-8144-6852d35e0352)
(fp_line (start -1.588 -2.876) (end -1.448 -2.985)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8f332545-8844-4138-958a-6cef37e883e5)
(fp_line (start -1.582 -8.665) (end -1.488 -8.671)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 134e19db-99e2-4d1e-8a93-f637159ebc88)
(fp_line (start -1.565 -8.873) (end -1.521 -8.948)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 08863555-0c16-4775-941c-5ad1852ff8e8)
(fp_line (start -1.561 3.099) (end -1.516 2.931)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85f095c8-7b63-4b9b-a40c-6ed4e84ffd49)
(fp_line (start -1.558 -5.954) (end -1.474 -6.006)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 568bce60-d2c7-4a7b-91bd-55a2cec484ac)
(fp_line (start -1.554 0.048) (end -1.62 -0.116)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 49925e60-2b9f-4497-981e-c3dd0a9c3ab1)
(fp_line (start -1.541 -5.082) (end -1.599 -5.174)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94f7b805-ddf0-411b-90ee-81146117fe45)
(fp_line (start -1.534 -6.781) (end -1.656 -6.82)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 39ae53f6-3750-4d14-8010-7a4501b5e287)
(fp_line (start -1.521 -8.948) (end -1.505 -8.975)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4240be1f-1218-4215-af45-ffe22665e5cd)
(fp_line (start -1.516 2.931) (end -1.476 2.761)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e0b67345-cbdf-498c-ba71-0e380b6ccf45)
(fp_line (start -1.492 0.219) (end -1.554 0.048)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f577e08-8c39-4029-8c49-34a4b3b3cd94)
(fp_line (start -1.488 -8.671) (end -1.387 -8.714)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d24db112-cf4c-45de-845f-28519140e17b)
(fp_line (start -1.476 2.761) (end -1.439 2.59)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1c73c432-410d-42b5-9aa9-4371a2ca286a)
(fp_line (start -1.474 -6.006) (end -1.371 -6.046)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e617793f-ba61-443e-ab4b-5d8294c92a56)
(fp_line (start -1.473 -4.995) (end -1.541 -5.082)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a5e1861-d781-49e8-be14-c04f79f5c48f)
(fp_line (start -1.448 -2.985) (end -1.307 -3.099)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 91094559-a027-4fe1-bf75-b5eb08f12564)
(fp_line (start -1.439 2.59) (end -1.407 2.418)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 87300938-9aaf-4239-89de-900890178eba)
(fp_line (start -1.437 0.398) (end -1.492 0.219)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5188d1ff-2ecd-4492-afeb-59ff6db3e922)
(fp_line (start -1.418 -6.731) (end -1.534 -6.781)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d2969919-244c-43f9-8545-e9815f637439)
(fp_line (start -1.407 2.418) (end -1.378 2.245)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d1c7a94-7343-4945-93af-947ba7e8dc0f)
(fp_line (start -1.396 -4.914) (end -1.473 -4.995)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7cfc2d7e-cbf1-4c60-978a-3b4ce196a4ec)
(fp_line (start -1.389 0.584) (end -1.437 0.398)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce1afc92-b490-4b92-bca9-dc6ca837df57)

(fp_line (start -1.387 -8.714) (end -1.281 -8.793)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa53b0c4-4939-4334-8c41-5871ffffac110))
(fp_line (start -1.378 2.245) (end -1.354 2.071)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b99028e-f75b-4ee7-8f09-61c80ef81ff1))
(fp_line (start -1.371 -6.046) (end -1.249 -6.07)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2f776d2-5c7e-4557-a592-7ce1e3b3fdc7))
(fp_line (start -1.354 2.071) (end -1.335 1.896)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2bdb0f3c-e801-4f9e-a243-e12338120350))
(fp_line (start -1.35 0.778) (end -1.389 0.584)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd75d05e-2a1c-4a9f-bb64-4aa96f54a811))
(fp_line (start -1.335 1.896) (end -1.32 1.719)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1d262bff-f3c0-4e36-aa1a-a92ae21924b5))
(fp_line (start -1.321 0.978) (end -1.35 0.778)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d1f78df6-395b-4974-a938-6d02956459e7))
(fp_line (start -1.32 1.719) (end -1.31 1.542)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b4f0e66-c07f-477b-80a7-6fe142ef3642))
(fp_line (start -1.31 1.542) (end -1.304 1.364)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 649373fc-64c8-4750-af18-737a23b17bc6))
(fp_line (start -1.309 -6.669) (end -1.418 -6.731)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1f118e3d-a49e-4936-b0b0-9326b18b1969))
(fp_line (start -1.307 -3.099) (end -1.171 -3.214)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cd2500cc-2fd2-49b0-8826-40e0b0f81315))
(fp_line (start -1.304 1.185) (end -1.321 0.978)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ae6f001-7888-46a3-baa3-f5e3a433da97))
(fp_line (start -1.304 1.364) (end -1.304 1.185)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d27baf1e-f92e-4a91-a6e5-cf83e8bda98c))
(fp_line (start -1.281 -8.793) (end -1.171 -8.909)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 344e5b01-8ea9-49fc-8ab3-ad1bfd8f96f7))
(fp_line (start -1.249 -6.07) (end -1.105 -6.079)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fab83b53-9c1d-4691-a312-570f691ebb56))
(fp_line (start -1.248 -4.768) (end -1.396 -4.914)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a8f7cca5-2e4e-4d35-8f98-1ea53b5156f6))
(fp_line (start -1.206 -6.599) (end -1.309 -6.669)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 41b5d2b5-55de-486c-b9d2-d796a923288a))
(fp_line (start -1.171 -8.909) (end -1.058 -9.064)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5429c08c-099c-41ce-8ad2-1765acdc904))
(fp_line (start -1.171 -3.214) (end -1.044 -3.329)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a52ea13d-8439-4bd3-b473-1b937ca7fa57)))
(fp_line (start -1.125 -4.634) (end -1.248 -4.768)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp feabd0e9-a0c8-42c2-a9ca-60947ac5507f))
(fp_line (start -1.11 -6.52) (end -1.206 -6.599)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48f5d09d-ac81-4c13-b555-1cbad1ac406c))
(fp_line (start -1.105 -6.079) (end -0.94 -6.07)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 194f77c4-efc6-4c4a-bd92-bd400710929f))
(fp_line (start -1.058 -9.064) (end -0.975 -9.198)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c2efe58b-c1e7-4b8e-a21a-092765fa1981))
(fp_line (start -1.044 -3.329) (end -0.932 -3.442)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb6f22fd-bb5e-4020-8d3e-303785727116))
(fp_line (start -1.024 -4.511) (end -1.125 -4.634)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85dbae58-1e0b-4366-ba81-38277d86242b))
(fp_line (start -1.022 -6.434) (end -1.11 -6.52)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8a9eedd-30b4-41c1-9705-4d3f9e53ea85))
(fp_line (start -0.975 -9.198) (end -0.913 -9.306)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 588262ab-6258-4777-a080-87612a8f19bf))
(fp_line (start -0.942 -6.342) (end -1.022 -6.434)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83ea4834-6841-4557-ba73-b3f0dc544619))
(fp_line (start -0.942 -4.395) (end -1.024 -4.511)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 31a74147-2f17-4e6f-84fc-7c58f5da3edf))
(fp_line (start -0.94 -6.07) (end -0.752 -6.042)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0586a800-8510-4b92-a8bb-ec9929f9a343))
(fp_line (start -0.932 -3.442) (end -0.84 -3.551)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8a525af6-5898-410d-86a7-95521b197589))
(fp_line (start -0.913 -9.306) (end -0.859 -9.398)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8162a48-ceae-4f6f-94e2-78f4d842ef5d))
(fp_line (start -0.876 -4.284) (end -0.942 -4.395)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3b11d678-1e31-4d4e-a14d-8a2d04bffb17))
(fp_line (start -0.87 -6.245) (end -0.942 -6.342)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 43bc7d8a-1da4-4c99-ae4c-d5d8a818cf9c))

(fp_line (start -0.859 -9.398) (end -0.8 -9.482)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b3d752b-a987-4cf3-9219-38d34113d6eb))
(fp_line (start -0.84 -3.551) (end -0.772 -3.653)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 97fa4c04-15fd-40c4-8ba1-e5848cca8245))
(fp_line (start -0.825 -4.174) (end -0.876 -4.284)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 406830a1-46c5-4efd-8eb1-4041afd713e9))
(fp_line (start -0.806 -6.145) (end -0.87 -6.245)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 052c13ea-614d-4d96-858a-5a99c086ad0f))
(fp_line (start -0.8 -9.482) (end -0.724 -9.567)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1bc195ee-9acc-49e5-a028-f13f9f678130))
(fp_line (start -0.785 -4.064) (end -0.825 -4.174)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f4bc8ca-e55d-4941-bf63-098539206da5))
(fp_line (start -0.772 -3.653) (end -0.733 -3.748)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 13497f49-d836-43f3-a312-731d2436d5c1))
(fp_line (start -0.754 -3.951) (end -0.785 -4.064)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6e21499-ea9a-46c8-869b-f1d3f5b39042))
(fp_line (start -0.752 -6.042) (end -0.806 -6.145)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dd3ca10c-fe4c-497d-b8c5-9dc2ab5b1913))
(fp_line (start -0.733 -3.748) (end -0.729 -3.832)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f461a0c8-185f-4544-a5a3-1881109596d2))
(fp_line (start -0.729 -3.832) (end -0.754 -3.951)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4befbcda-96cc-4f55-973b-289d5c5d270b))
(fp_line (start -0.724 -9.567) (end -0.618 -9.663)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c83e66d-598e-4b58-8662-a003df9bb960))
(fp_line (start -0.618 -9.663) (end -0.469 -9.779)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 465355db-ece1-4340-accb-73825651d03d))
(fp_line (start -0.199 1.337) (end -0.199 -0.036)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1c6dd2d6-1e9f-478e-a067-9e03a0e9beeb))
(fp_line (start -0.056 -5.017) (end -0.049 -5.147)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 95bcf2fc-16ec-49ed-9cee-7034adbf6883))
(fp_line (start -0.049 -5.147) (end -0.029 -5.276)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3b27b311-54a9-4677-925a-6b6ce9413ef5))
(fp_line (start -0.049 -4.886) (end -0.056 -5.017)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e6a05cbf-c56e-46c2-a144-185ef69caf2b))
(fp_line (start -0.029 -5.276) (end 0.004 -5.403)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3cd5a61d-e882-445e-9bef-8457c9668cfa))
(fp_line (start -0.029 -4.756) (end -0.049 -4.886)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b4f0da2e-1a96-410b-ae83-3dfdc1107123))
(fp_line (start 0.004 -5.403) (end 0.051 -5.528)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36840f9d-c549-474b-a480-2f24df86fe94))
(fp_line (start 0.004 -4.626) (end -0.029 -4.756)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 184481ca-3293-4369-b8b6-ebf1a5339a52))
(fp_line (start 0.051 -5.528) (end 0.111 -5.65)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb02f3f2-002b-4a81-be11-52147ce8ee95))
(fp_line (start 0.051 -4.498) (end 0.004 -4.626)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3a84c684-5028-43b6-9173-d02be4ec443a))
(fp_line (start 0.111 -5.65) (end 0.184 -5.768)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 548c97d0-660b-45b0-9c08-aafe41f5ddc1))
(fp_line (start 0.111 -4.372) (end 0.051 -4.498)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e257ed16-380c-46ae-980d-495a0c9a0906))
(fp_line (start 0.184 -5.768) (end 0.27 -5.882)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f1d5edef-ab5d-44d9-b33b-f4fa57a63a77))
(fp_line (start 0.184 -4.248) (end 0.111 -4.372)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4e7a9854-7864-45bc-afcf-f08a2e8905f3))
(fp_line (start 0.27 -5.882) (end 0.37 -5.99)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6bdb5fc1-7e44-4cea-9c6a-0f88971070b9))
(fp_line (start 0.27 -4.129) (end 0.184 -4.248)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8f1f9b1f-04cd-4384-8e7d-6a77dfa423ec))
(fp_line (start 0.37 -4.013) (end 0.27 -4.129)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp abfe2f71-d7de-45ae-8d1e-6cd5e03e1ca3))
(fp_line (start 0.41 1.337) (end -0.199 1.337)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b3404fd-bd2e-4077-8f5a-c86ab0c4b94c))
(fp_line (start 0.618 -5.841) (end 1.655 -5.666)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b5cd30ce-b3cb-4599-95da-5536aa63f3f7))
(fp_line (start 0.684 -5.306) (end 1.582 -5.306)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5e1b530a-7f7d-4526-8dd4-3e28aeff8ce1))
(fp_line (start 0.708 -4.934) (end 0.708 -4.177)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 06942c3f-5f02-44d1-9c22-041eb01fbbb2))

```
(fp_line (start 0.708 -4.552) (end 1.553 -4.552)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c0e42907-5ea0-439e-b136-3b7f23878c79))
(fp_line (start 0.708 -4.177) (end 1.553 -4.177)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d780f49-fafa-40da-9b63-ee781b67b95c))
(fp_line (start 0.758 -1.866) (end 0.789 -1.868)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6e1af1b9-28b4-494f-8e68-eeb9b36f281c))
(fp_line (start 0.758 0.827) (end 0.789 0.825)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e9390735-0dfa-4e75-ba4e-2bf93785f7ee))
(fp_line (start 0.789 -1.868) (end 0.874 -1.872)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cd86a848-f2be-404e-a1c9-c8b89d7d9442))
(fp_line (start 0.789 0.825) (end 0.874 0.821)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp daafaa0c-3d3c-403b-9824-76d96a81172c))
(fp_line (start 0.874 -1.872) (end 1.003 -1.873)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d1b1f689-2f67-429c-bca2-bbd88973b753))
(fp_line (start 0.874 0.821) (end 1.003 0.82)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39230260-7cfa-4ad1-8f05-e4d1edb70897))
(fp_line (start 0.929 -2.596) (end 0.816 -2.758)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 989de751-4a22-46da-a3d4-dc08ac4f72f5))
(fp_line (start 0.929 0.098) (end 0.816 -0.065)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9218086-b6c7-4da0-986a-e64144464c1d))
(fp_line (start 1.003 -1.873) (end 1.163 -1.867)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8ae083e9-0877-4a99-bdd0-82d2d231a206))
(fp_line (start 1.003 0.82) (end 1.163 0.826)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 55f7991b-035c-4ce1-9faa-8aea1c7caf43))
(fp_line (start 1.025 -2.444) (end 0.929 -2.596)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5f1114b-9c18-4311-b339-663a1be74b34))
(fp_line (start 1.026 0.25) (end 0.929 0.098)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fcef8fa7-7283-4da5-ab54-84b818cdb9f6))
(fp_line (start 1.107 -2.301) (end 1.025 -2.444)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80aabfc5-cfe3-4696-803c-40519036ff90))
(fp_line (start 1.107 0.392) (end 1.026 0.25)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d6dc48e0-5339-4994-a4b2-fb01a130d17d))
(fp_line (start 1.133 -4.177) (end 1.133 -5.757)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 633e6a53-6c09-4bfb-be00-09b10b8cd550))
(fp_line (start 1.163 -1.867) (end 1.342 -1.851)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 911a4981-bfbf-4840-b83f-86558bc8487c))
(fp_line (start 1.163 0.826) (end 1.342 0.842)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1ba570cd-e3a4-4b42-861d-eb983e5f8933))
(fp_line (start 1.175 -2.166) (end 1.107 -2.301)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 708fe1cc-2789-41db-9fa2-05666e667c3a))
(fp_line (start 1.175 0.527) (end 1.107 0.392)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bb19dc64-3142-4dc1-87d1-a7ccec55ad96))
(fp_line (start 1.231 -2.038) (end 1.175 -2.166)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2a583287-a85b-468b-a231-4673fc3d9ec8))
(fp_line (start 1.231 0.655) (end 1.175 0.527)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8db7132a-d1bb-4cd0-acc3-1a81d19d0a46))
(fp_line (start 1.276 -2.951) (end 1.287 -2.876)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b47aa52-83a0-4f76-aa06-459039dde7b2))
(fp_line (start 1.276 -0.258) (end 1.287 -0.182)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6ac1493d-55c4-44e5-a6f8-f930d6830e69))
(fp_line (start 1.278 -1.916) (end 1.231 -2.038)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5d3f2729-8c6b-47a2-ad87-f93cd5d921da))
(fp_line (start 1.278 0.778) (end 1.231 0.655)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d017710-c963-4ebf-9193-f9fcf83194fb))
(fp_line (start 1.287 -2.876) (end 1.323 -2.811)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 73484c12-b133-48b9-9bbf-215ccba2d1ac))
(fp_line (start 1.287 -0.182) (end 1.323 -0.117)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7384f1e8-3847-4685-9824-442c09474f30))
(fp_line (start 1.307 -3.048) (end 1.276 -2.951)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7f6e08ee-a835-48f8-a89f-7e6d8b4863cd))
(fp_line (start 1.307 -0.355) (end 1.276 -0.258)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6a5408e8-79cc-4551-8941-36eaf6320949))
(fp_line (start 1.315 -1.797) (end 1.278 -1.916)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a122695f-6e16-46d5-a9a8-6fe8140b82d2))
(fp_line (start 1.315 0.896) (end 1.278 0.778)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e28f15aa-549a-4d8f-9eeb-62f59559ce2d))
(fp_line (start 1.323 -2.811) (end 1.382 -2.758)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d092d4f2-3f73-4dfa-8211-0ac7033818b6))
```

(fp_line (start 1.323 -0.117) (end 1.382 -0.065)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7e3982d0-0e6a-4277-8002-21d610b325cb))
(fp_line (start 1.342 -1.851) (end 1.53 -1.819)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e05b14a2-a662-4af7-bd8c-2627ec016aaf))
(fp_line (start 1.342 0.842) (end 1.53 0.874)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc7eef70-c1bc-4d1f-9084-d6e93b5fadd0))
(fp_line (start 1.346 -1.681) (end 1.315 -1.797)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9ad28c40-3895-471f-b90e-60aea79a86a6))
(fp_line (start 1.346 1.013) (end 1.315 0.896)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c6b74785-6b35-4107-8994-4e1d487d0376))
(fp_line (start 1.371 -1.566) (end 1.346 -1.681)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f97d2797-17dd-47db-b9ab-67bd849e2dd3))
(fp_line (start 1.371 1.127) (end 1.346 1.013)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89877a11-2146-4e79-832c-b4bf2cb3ea0d))
(fp_line (start 1.382 -2.758) (end 1.462 -2.72)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4616b501-aede-4552-8985-12f5ced1958f))
(fp_line (start 1.382 -0.065) (end 1.462 -0.027)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fa2010bd-e754-4379-b2a4-28b823929958))
(fp_line (start 1.383 -3.117) (end 1.307 -3.048)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3624ec6c-29d1-43fa-ad93-badb8cceef57))
(fp_line (start 1.383 -0.424) (end 1.307 -0.355)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aee85517-434f-467b-9a35-3033949b86ca))
(fp_line (start 1.393 -1.451) (end 1.371 -1.566)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2022c829-09af-479a-9d9b-ddf455bfe3d1))
(fp_line (start 1.393 1.242) (end 1.371 1.127)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3b2b7b2d-f14e-43e3-b8db-71302a0728ff))
(fp_line (start 1.462 -2.72) (end 1.56 -2.698)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f01d0f86-7d7a-438c-8978-24428ca0004d))
(fp_line (start 1.462 -0.027) (end 1.56 -0.005)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b44ef249-abd3-46e0-8f76-02380899a77a))
(fp_line (start 1.487 -3.159) (end 1.383 -3.117)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 94b3126d-8992-49f1-ab89-6c4f93f90eea))
(fp_line (start 1.487 -0.466) (end 1.383 -0.424)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0ab7e68e-9c07-44b8-986e-431dc461eed3))
(fp_line (start 1.53 -1.819) (end 1.714 -1.768)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5eb3d44d-1264-431e-bb43-2d0f57274e9f))
(fp_line (start 1.53 0.874) (end 1.714 0.926)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c01ad5e3-2ac1-4e36-ae02-2959f6033984))
(fp_line (start 1.553 -4.934) (end 0.708 -4.934)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9237c2b-181f-4013-bf21-74a4a7ace145))
(fp_line (start 1.553 -4.177) (end 1.553 -4.934)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6d5d418-c984-4683-abdd-6b855fc94dec))
(fp_line (start 1.56 -2.698) (end 1.674 -2.694)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 76437792-e769-4d32-b9a6-6ecc2b83facf))
(fp_line (start 1.56 -0.005) (end 1.674 -0.001)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e98af015-1620-4508-b68d-9dac62ed1ded))
(fp_line (start 1.607 -3.172) (end 1.487 -3.159)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc178fec-6fcf-45dd-84df-5da743f48934))
(fp_line (start 1.607 -0.479) (end 1.487 -0.466)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2012e5ee-0a3c-43ff-a35a-ebcbd0111b1e))
(fp_line (start 1.673 -4.861) (end 2.531 -4.868)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 471d3831-ecc6-4508-8161-4d28f126a482))
(fp_line (start 1.673 -4.188) (end 2.498 -4.184)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 29bf133f-b3d7-43b8-8b4f-7e65a12643e3))
(fp_line (start 1.674 -2.694) (end 1.8 -2.71)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a8329efc-5c86-43e8-9058-f5f404f8a669))
(fp_line (start 1.674 -0.001) (end 1.8 -0.017)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 747c2d92-8219-4515-84bb-d9c860d3a5a1))
(fp_line (start 1.725 -3.157) (end 1.607 -3.172)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 55536783-e3cc-4e75-b626-4c205bcb9a9f))
(fp_line (start 1.725 -0.463) (end 1.607 -0.479)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4d6fc25a-57a6-4790-8f6e-16694b466a87))
(fp_line (start 1.792 -5.933) (end 1.713 -5.928)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f3ccf40b-9880-4200-a209-fb356dd6269e))
(fp_line (start 1.8 -2.71) (end 1.936 -2.748)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e0c8be50-0704-46c7-b301-2587a93d10e2))
(fp_line (start 1.8 -0.017) (end 1.936 -0.054)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8e0110cd-f392-403e-8d2e-691af439fabf))

```
(fp_line (start 1.804 -4.413) (end 1.869 -4.453)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 317e7e89-96be-4d72-939f-181992dedfab))
(fp_line (start 1.829 -3.113) (end 1.725 -3.157)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c69f7f99-df50-4fc8-8357-45974163ae87))
(fp_line (start 1.829 -0.419) (end 1.725 -0.463)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fd43aa63-f7c0-4602-8b81-45e5ea883ffa))
(fp_line (start 1.869 -4.453) (end 1.957 -4.509)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f95a3003-8dd8-490f-8d6c-5e1ecf62c782))
(fp_line (start 1.901 -3.039) (end 1.829 -3.113)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7a32ee50-db4a-4c94-8ce8-d8d54a1d6ce3))
(fp_line (start 1.901 -0.346) (end 1.829 -0.419)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 98bca00f-ce93-4a68-b5b4-4d14fdefca0e))
(fp_line (start 1.904 -2.114) (end 1.912 -2.343)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e1b379fb-c6f0-46cf-a58d-19eb495132ac))
(fp_line (start 1.904 0.58) (end 1.912 0.35)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1f74f3f7-06c1-42d9-8cda-6c3220048273))
(fp_line (start 1.912 -2.343) (end 1.918 -2.542)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2aa5c57-cc77-4b22-ba76-814b964c2612))
(fp_line (start 1.912 0.35) (end 1.918 0.151)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e1ebd442-7342-449f-8064-8cd95ed485ce))
(fp_line (start 1.918 -2.542) (end 1.923 -2.707)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 40746a9a-d93f-41ee-968c-c5fbab01e505))
(fp_line (start 1.918 0.151) (end 1.923 -0.014)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4b74849-fd47-42ee-96a5-1518eb7883cc))
(fp_line (start 1.923 -2.707) (end 1.927 -2.831)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f1e278b1-7bb3-4580-a254-3347fd37b6f4))
(fp_line (start 1.923 -0.014) (end 1.927 -0.138)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d3e52423-fb83-4ef0-952a-a174f8b0f829))
(fp_line (start 1.927 -2.831) (end 1.928 -2.909)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c112bc84-0bf1-4eaa-87a0-374b8c2dd9b7))
(fp_line (start 1.927 -0.138) (end 1.928 -0.216)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5fc53036-cbff-4656-baaf-b30105661ec7))
(fp_line (start 1.928 -2.909) (end 1.929 -2.937)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6129c584-a773-4a39-a4df-58c21a614e84))
(fp_line (start 1.928 -0.216) (end 1.929 -0.243)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f4a18494-02c6-4156-ab24-4ea89210cb09))
(fp_line (start 1.929 -2.937) (end 1.901 -3.039)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b09a9218-2534-486f-abb2-c74eea0c737e))
(fp_line (start 1.929 -0.243) (end 1.901 -0.346)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2a7b2942-c3b9-4e11-808f-848ae3b654b3))
(fp_line (start 1.936 -2.748) (end 2.08 -2.809)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 371c2ea1-9e9c-45b9-afea-9fe316d16744))
(fp_line (start 1.936 -0.054) (end 2.08 -0.116)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 54b83c7d-3cd5-4fed-9159-bf89fa51d83e))
(fp_line (start 1.949 -5.936) (end 1.792 -5.933)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2b459921-a756-4aa1-bcd0-5b07f61e699b))
(fp_line (start 1.957 -4.509) (end 2.062 -4.586)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 368aab36-3b65-40ef-b103-5493ec2306b0))
(fp_line (start 1.987 -1.804) (end 2.125 -1.874)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b26e9c6-923d-4f67-bfca-7eddd3a041ec))
(fp_line (start 1.987 0.889) (end 2.125 0.819)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b60f17c-884b-4b14-a0f7-1bbb39667d53))
(fp_line (start 2.06 -5.921) (end 1.949 -5.936)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ab3eca8d-35aa-4527-964d-9ae783ba131e))
(fp_line (start 2.062 -4.586) (end 2.182 -4.691)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp da52baf1-7910-4a39-bf37-e09c6570f750))
(fp_line (start 2.071 -5.864) (end 2.06 -5.921)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9b69660-e1e4-4592-a2dd-a613dc91e011))
(fp_line (start 2.074 -4.861) (end 2.075 -4.903)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dda0b0e3-0585-4524-86ec-fa39f00e36db))
(fp_line (start 2.075 -4.903) (end 2.076 -5.014)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 569ea437-142e-4b8b-9964-6b1636d72520))
(fp_line (start 2.076 -5.729) (end 2.071 -5.864)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a1608f76-ebdb-436c-a893-d30d8729f2f7))
(fp_line (start 2.076 -5.014) (end 2.077 -5.172)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81d69e2e-d3ba-4f99-a758-b28773eedf0e))
(fp_line (start 2.077 -5.172) (end 2.078 -5.355)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 59b012f6-c50a-47f1-8578-4cc52d6215e2))
```


(fp_line (start 2.078 -5.542) (end 2.076 -5.729)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fd501c01-9624-4fd4-802d-f3677b1e0344))
(fp_line (start 2.078 -5.355) (end 2.078 -5.542)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81c7a9d4-9fc2-4d3c-a7aa-5244f703139d))
(fp_line (start 2.08 -2.809) (end 2.23 -2.896)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f7802651-e7a7-48ef-b965-7668e122e518))
(fp_line (start 2.08 -0.116) (end 2.23 -0.202)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 87ee16b7-f02f-4dc0-a04b-71e512dadb8e))
(fp_line (start 2.125 -1.874) (end 2.274 -1.963)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 15a92a7a-9255-4757-afeb-aad84bbab00a))
(fp_line (start 2.125 0.819) (end 2.274 0.73)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6bec4bfe-01a1-437e-99b0-a0f37851b7ef))
(fp_line (start 2.174 -4.535) (end 2.082 -4.606)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fc802be8-6191-4cc7-a1e6-d88ef490dc61))
(fp_line (start 2.182 -4.691) (end 2.312 -4.828)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d385a8cf-6ab2-4604-8ef7-e9378f5d39a9))
(fp_line (start 2.23 -2.896) (end 2.382 -3.01)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7e9465b2-be23-410f-9f2d-1b7296b032a9))
(fp_line (start 2.23 -0.202) (end 2.382 -0.316)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dfdb6212-6949-46a2-9b0d-8e681d015f4a))
(fp_line (start 2.274 -1.963) (end 2.394 -2.041)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9319fdf7-474d-4ca4-8a43-8170066b1513))
(fp_line (start 2.274 0.73) (end 2.394 0.653)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f31d26a0-d7d0-4a8d-a947-55034ea1f8d7))
(fp_line (start 2.282 -4.434) (end 2.174 -4.535)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 904a9d3b-d9b1-428c-9ad8-db8c249faf2f))
(fp_line (start 2.385 -5.204) (end 2.33 -5.313)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89036bce-fac5-4219-aabf-e1bbd26611d8))
(fp_line (start 2.393 -4.314) (end 2.282 -4.434)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 413972e1-2518-4256-aa0a-0a7edee61809))
(fp_line (start 2.394 -2.041) (end 2.444 -2.074)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aa8a5be3-7535-43ff-bb69-68c0a6b6b0cb))
(fp_line (start 2.394 0.653) (end 2.444 0.62)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 75fcb829-c169-49f4-8e7b-c2ec110e45b7))
(fp_line (start 2.438 -5.094) (end 2.385 -5.204)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0adb4ace-11dc-4e26-905f-1f0224dc159a))
(fp_line (start 2.486 -4.982) (end 2.438 -5.094)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 258022d2-dfca-4c7c-b452-c14a997eb38d))
(fp_line (start 2.498 -4.184) (end 2.393 -4.314)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp eff6fcab-935f-4705-98a7-af953f531412))
(fp_line (start 2.531 -4.868) (end 2.486 -4.982)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 683d462a-e9c5-4236-9f59-744560e9e9ba))
(fp_line (start 2.87 -4.231) (end 4.107 -4.235)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 53dd08cd-70a3-428f-8634-24b518afd09b))
(fp_line (start 2.912 -3.146) (end 2.968 -3.012)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4f39336-7e42-4387-92d8-e1b1acffd72c))
(fp_line (start 2.912 -0.453) (end 2.968 -0.318)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 07e574cf-4e78-4925-a3b2-58223ca1d621))
(fp_line (start 2.919 -3.13) (end 2.912 -3.146)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cd5fd9e7-d4df-4254-bd48-a0361e2a6bfd))
(fp_line (start 2.919 -0.436) (end 2.912 -0.453)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c17ffde1-f405-4ba7-879b-c498fd872f72))
(fp_line (start 2.931 -5.798) (end 2.797 -5.943)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00ae4da4-2e43-45f7-8ee0-176ed22f11d5))
(fp_line (start 2.939 -3.081) (end 2.919 -3.13)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b2ad16a0-4587-4134-ba80-a7ba76d9f75b))
(fp_line (start 2.939 -0.388) (end 2.919 -0.436)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3c2a073d-7d8c-48b9-95ae-e417d4a34c83))
(fp_line (start 2.968 -3.012) (end 3.025 -2.886)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5b6dfdac-d460-4a55-bae6-77e9529264e6))
(fp_line (start 2.968 -0.318) (end 3.025 -0.192)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 69df2d96-ac3b-4d3a-8c6f-9ad3206ace3c))
(fp_line (start 2.973 -3.004) (end 2.939 -3.081)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a690a795-63bc-4472-b269-b88756dd3586))
(fp_line (start 2.973 -0.311) (end 2.939 -0.388)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 08d367e9-113e-45bd-b113-4f7180a2a7a4))
(fp_line (start 3.019 -2.901) (end 2.973 -3.004)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b081e3a2-8f4f-48a5-99aa-ca3184954069))

(fp_line (start 3.019 -0.208) (end 2.973 -0.311)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 990b498f-194a-4308-9b9a-f514faf4d5f1))
(fp_line (start 3.025 -2.886) (end 3.082 -2.769)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f5498c8c-8e1e-4af8-ac19-bccb785595ea))
(fp_line (start 3.025 -0.192) (end 3.082 -0.076)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c218a83-89a7-4c2d-a62e-23a06a165b6a))
(fp_line (start 3.041 -5.651) (end 2.931 -5.798)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2646f498-b0f2-41fa-9a23-c5dc505d4b8b))
(fp_line (start 3.076 -2.776) (end 3.019 -2.901)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d3f69e0-d5a5-4d93-a0be-238da07aa078))
(fp_line (start 3.076 -0.083) (end 3.019 -0.208)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ec301687-cb32-4580-8e36-f0a49cf9a117))
(fp_line (start 3.082 -2.769) (end 3.14 -2.664)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 64ea55ed-e84f-4dac-a038-c68c04e12731))
(fp_line (start 3.082 -0.076) (end 3.14 0.03)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9e44c67-d725-48fc-8481-83efbf1f4a27))
(fp_line (start 3.131 -5.502) (end 3.041 -5.651)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a10ccb10-1a7b-4d7a-8472-ed46ad5f0ece))
(fp_line (start 3.14 -2.664) (end 3.201 -2.569)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cfb46d78-016e-4f33-a16d-32116da86a51))
(fp_line (start 3.14 0.03) (end 3.201 0.124)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 68e0437f-86ac-423a-86bf-0d1b57b85014))
(fp_line (start 3.144 -2.63) (end 3.076 -2.776)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d109d82a-2cc3-4c14-b0ad-a0d8d770ee50))
(fp_line (start 3.144 0.063) (end 3.076 -0.083)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9a90355-0a90-464c-af03-aec6d75899d1))
(fp_line (start 3.201 -5.353) (end 3.131 -5.502)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb43732f-7ec1-4a4a-a182-2159b5ff49ad))
(fp_line (start 3.201 -2.569) (end 3.298 -2.447)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a20553ca-e0c3-4672-94aa-3db319b88f20))
(fp_line (start 3.201 0.124) (end 3.298 0.246)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f45634d4-0abe-4434-83dd-fcc8f7a1720c))
(fp_line (start 3.223 -2.468) (end 3.144 -2.63)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d09925b2-6066-480f-a7bc-27d2d22dfe96))
(fp_line (start 3.223 0.225) (end 3.144 0.063)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9a1911a-ea4b-402d-9e57-d7b43c36a826))
(fp_line (start 3.254 -5.206) (end 3.201 -5.353)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a49babcc-2d2a-4b41-b5af-567a0ca5f1d5))
(fp_line (start 3.292 -5.061) (end 3.254 -5.206)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 42cff729-cf70-48f3-94d3-5293aee24499))
(fp_line (start 3.298 -2.447) (end 3.405 -2.357)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c508e52c-28ad-403f-a788-59c2b479c736))
(fp_line (start 3.298 0.246) (end 3.405 0.336)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8351e0c2-0749-40a1-9f20-a49df09be0f5))
(fp_line (start 3.311 -2.292) (end 3.223 -2.468)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e59e42bd-91f0-4496-a320-485565c28a50))
(fp_line (start 3.311 0.401) (end 3.223 0.225)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bef70bac-8ea8-4ae1-b7f1-de58e64ce971))
(fp_line (start 3.318 -4.92) (end 3.292 -5.061)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 942e15fb-b0c7-4a8e-a882-ace6cd01e711))
(fp_line (start 3.334 -4.784) (end 3.318 -4.92)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 65cf8da0-721c-432d-bf14-efd3f4005301))
(fp_line (start 3.337 -4.228) (end 3.339 -4.318)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46d43224-acb7-4639-b938-2bc7edd6ae0c))
(fp_line (start 3.339 -4.318) (end 3.342 -4.42)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 054cc0c0-5876-40cd-855b-72db9fc6259c))
(fp_line (start 3.342 -4.654) (end 3.334 -4.784)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7d829efa-4c66-4a3d-bfe3-13d0946a4439))
(fp_line (start 3.342 -4.42) (end 3.344 -4.533)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b646ce70-11b5-4a67-a7e5-cc0aeaf946ff))
(fp_line (start 3.344 -4.533) (end 3.342 -4.654)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3c0e3a5f-26a7-4cbd-af3f-b4525d9c1924))
(fp_line (start 3.405 -2.357) (end 3.521 -2.301)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f63df23c-1c07-4dfd-97c4-0e29ea707055))
(fp_line (start 3.405 0.336) (end 3.521 0.393)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30fde824-6cdc-4515-936e-7836f79252f2))
(fp_line (start 3.408 -2.104) (end 3.311 -2.292)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 230caa9b-9313-407b-92af-56b5818f3bca))

(fp_line (start 3.408 0.589) (end 3.311 0.401)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3850ad01-689b-41ad-b581-87c4a778336f))
(fp_line (start 3.514 -1.909) (end 3.408 -2.104)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4c47752-8343-4853-8fdd-cca9a92b0d76))
(fp_line (start 3.514 0.784) (end 3.408 0.589)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9127a943-907a-48fe-97ec-f6acc49742f1))
(fp_line (start 3.521 -2.301) (end 3.652 -2.281)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 959b998e-26fc-4cdf-8622-1e6bf01d3518))
(fp_line (start 3.521 0.393) (end 3.652 0.412)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 592986f0-2805-4b41-bd28-a948c5c49a7d))
(fp_line (start 3.627 -1.708) (end 3.514 -1.909)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b5457e18-ff6c-4848-b16c-821e1a80d79d))
(fp_line (start 3.627 0.985) (end 3.514 0.784)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e8fb1036-0fa5-4c8b-89bf-be0aadcd3099))
(fp_line (start 3.652 -2.281) (end 3.79 -2.319)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4268fed3-3ab7-4a1c-bab7-b1c2f94313d0))
(fp_line (start 3.652 0.412) (end 3.79 0.374)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2ab6035e-c827-4bce-b222-e41de48720cb))
(fp_line (start 3.746 -1.505) (end 3.627 -1.708)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 873a9eee-d0ba-4c56-b622-53240e7fb11e))
(fp_line (start 3.746 1.188) (end 3.627 0.985)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f64083ac-98bd-4c4a-8575-358914f6fda3))
(fp_line (start 3.79 -2.319) (end 3.85 -2.407)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3e8136b1-9abd-44a4-9fb7-88b8b8011d53))
(fp_line (start 3.79 0.374) (end 3.85 0.286)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2bf71576-883a-4a9d-9dea-b1c80b8d06d5))
(fp_line (start 3.85 -2.407) (end 3.864 -2.514)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1ad668b0-e443-4004-a74c-b81674ddf661))
(fp_line (start 3.85 0.286) (end 3.864 0.18)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cefb8e41-cf31-40b6-8ddb-b40a9520ef78))
(fp_line (start 3.863 -2.609) (end 3.866 -2.739)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c87f475d-23ca-4a41-a792-0e1133bdef0b))
(fp_line (start 3.863 0.084) (end 3.866 -0.046)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 418dacbb-30b0-4924-aef6-ac9384708515))
(fp_line (start 3.864 -2.514) (end 3.863 -2.609)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7ff4bbc-a361-4ce3-b945-695cedfd08f9))
(fp_line (start 3.864 0.18) (end 3.863 0.084)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a0d50958-d263-4f2b-ae4-d5b9053af04e))
(fp_line (start 3.866 -2.739) (end 3.867 -2.87)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cd16ba62-30a6-4fe4-b3f7-4520b502394b))
(fp_line (start 3.866 -0.046) (end 3.867 -0.177)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7d54ef8a-ba66-43af-9883-cf4f2725964d))
(fp_line (start 3.867 -2.929) (end 3.9 -3.04)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e4a12111-f5ce-4853-8c48-b41d882b86f2))
(fp_line (start 3.867 -2.87) (end 3.867 -2.929)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f0639665-0bb4-4070-9488-9ea474d4e550))
(fp_line (start 3.867 -0.236) (end 3.9 -0.347)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7dacfec8-41bd-447f-bc34-a93b63625fa3))
(fp_line (start 3.867 -0.177) (end 3.867 -0.236)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2a58baf4-d353-4c99-b426-7c6d9ec25f7d))
(fp_line (start 3.9 -3.04) (end 3.985 -3.115)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8eca40d1-f5c3-4def-8e5d-2afb69eefe87))
(fp_line (start 3.9 -0.347) (end 3.985 -0.422)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 20aba0c5-32a5-4c92-b5e5-66c70cf13544))
(fp_line (start 3.985 -3.115) (end 4.075 -3.137)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7acfdbb7-39ff-4546-8b2d-77ebe808ead9))
(fp_line (start 3.985 -0.422) (end 4.075 -0.444)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c0369bbe-45a7-435d-8438-92dffdb5461c))
(fp_line (start 4.022 -5.921) (end 3.947 -5.918)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b4382334-3704-42f6-ab8d-c1217d6bbc50))
(fp_line (start 4.035 -4.844) (end 4.012 -4.985)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2c7b41f1-5de0-4340-b4fd-7043a85e876f))
(fp_line (start 4.041 -4.796) (end 4.596 -4.8)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 456b9ca8-8b1f-4326-9fb8-d19f7da81b62))
(fp_line (start 4.06 -4.651) (end 4.035 -4.844)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6158a02d-29ca-49ae-99db-94faef4ed12c))
(fp_line (start 4.075 -3.137) (end 4.172 -3.136)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f46ee9ca-14d8-494a-b336-44081e73916b))

(fp_line (start 4.075 -0.444) (end 4.172 -0.443)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3d9f54c8-4450-431e-8fbc-ae7916b69338))
(fp_line (start 4.083 -4.452) (end 4.06 -4.651)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp adc4abbe-4ef8-4a1c-a693-24508dba0155))
(fp_line (start 4.1 -4.298) (end 4.083 -4.452)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 23619340-c896-40ba-945e-f28a03d34b42))
(fp_line (start 4.107 -4.235) (end 4.1 -4.298)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8376b320-ba67-4124-8560-6537ee60cd8d))
(fp_line (start 4.172 -3.136) (end 4.271 -3.107)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d790fa22-16a2-4778-af61-0f9bfe8ad639))
(fp_line (start 4.172 -0.443) (end 4.271 -0.414)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cf9358b1-f232-44b4-91c6-099438222639))
(fp_line (start 4.182 -5.928) (end 4.022 -5.921)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 84ece22d-b680-445e-8d0d-2f2b1e33e4ba))
(fp_line (start 4.271 -3.107) (end 4.371 -3.045)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1c8ce8f0-cc7c-4db4-8abc-8a4b6acc11ef))
(fp_line (start 4.271 -0.414) (end 4.371 -0.352)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c993832b-0ea2-49ab-a05f-bb290a230f24))
(fp_line (start 4.33 -5.929) (end 4.182 -5.928)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e113bea6-6783-46ae-bab0-7175f290c52f))
(fp_line (start 4.371 -3.045) (end 4.468 -2.944)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62a810f5-1c1d-4e2a-80c1-fa65ddf796b0))
(fp_line (start 4.371 -0.352) (end 4.468 -0.25)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f0c31eb5-3d22-4f5e-b51b-b6cc861b9837))
(fp_line (start 4.425 -5.891) (end 4.33 -5.929)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c42c225-8c82-4dd1-a23e-51490b328226))
(fp_line (start 4.468 -2.944) (end 4.559 -2.799)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89b15dc7-5e87-4be4-b445-03e2837c5b75))
(fp_line (start 4.468 -0.25) (end 4.559 -0.106)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 619de6b8-4b7f-49c7-a45e-0853f813ad4c))
(fp_line (start 4.492 -5.781) (end 4.425 -5.891)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 751b646d-aaf7-4081-85ed-39d45f730fa4))
(fp_line (start 4.534 -5.59) (end 4.492 -5.781)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b3ffe358-00b5-40ee-b3c0-59396111e2a6))
(fp_line (start 4.552 -5.418) (end 4.534 -5.59)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9c6a08f7-e2df-42ba-88f0-f71daba6449a))
(fp_line (start 4.559 -2.799) (end 4.64 -2.605)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c2a1bd80-8932-4bac-848b-34821646629d))
(fp_line (start 4.559 -0.106) (end 4.64 0.088)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b2b7be2-6a08-4a2a-b3a9-3440e925882a))
(fp_line (start 4.569 -5.211) (end 4.552 -5.418)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1dbe75ea-5bda-443d-85d1-a7581ae9ad88))
(fp_line (start 4.583 -5.011) (end 4.569 -5.211)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a533c8b-3984-4c29-bbe2-5f309de18e8a))
(fp_line (start 4.592 -4.86) (end 4.583 -5.011)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 33e3c71c-9633-429f-af53-3df77191a8a4))
(fp_line (start 4.596 -4.8) (end 4.592 -4.86)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bca5265c-98ae-4ea3-be14-2ea2b6c8a9b4))
(fp_line (start 4.913 -1.811) (end 5.101 -1.789)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3aedaa77-0fbe-46ea-aeab-3044e769be7b))
(fp_line (start 4.913 0.882) (end 5.101 0.905)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d711bbe1-b9a8-4b67-88aa-71b292a01371))
(fp_line (start 5.101 -1.789) (end 5.289 -1.767)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 01ef7cd3-e888-4cc0-8ad2-606419a5f09a))
(fp_line (start 5.101 0.905) (end 5.289 0.926)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 874e2171-d48a-47d6-815c-3aede5eb70bc))
(fp_line (start 5.147 -5.27) (end 5.154 -5.413)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35fb61b8-6fa1-4355-ae49-2ebe75eb1339))
(fp_line (start 5.148 -5.128) (end 5.147 -5.27)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e4b5f894-7747-46ec-bdbb-22d1d0b5eb78))
(fp_line (start 5.154 -5.413) (end 5.169 -5.558)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a38b4099-0216-4997-8050-376bd6c9ea89))
(fp_line (start 5.156 -4.984) (end 5.148 -5.128)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 705913b3-4628-4800-a811-efcedf6f942d))
(fp_line (start 5.169 -5.558) (end 5.193 -5.706)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0d0cfe12-28f3-478c-9dc1-8dba8a7af1bb))
(fp_line (start 5.17 -4.838) (end 5.156 -4.984)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0360e5b9-f0fd-4c84-a818-991537da427f))

(fp_line (start 5.189 -4.688) (end 5.17 -4.838)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 29fe1898-773c-4f1c-bb78-fcc4283885ec))
(fp_line (start 5.193 -5.706) (end 5.227 -5.859)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 866cc6be-60fc-400b-ba61-6c71df817833))
(fp_line (start 5.213 -4.532) (end 5.189 -4.688)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8498e4e6-fb9e-4547-b93e-51b646c9babc))
(fp_line (start 5.225 -5.752) (end 5.248 -5.632)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 690f2160-63fa-41a3-b3d5-9a049bac7143))
(fp_line (start 5.227 -5.859) (end 5.225 -5.752)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 361ec363-f623-4c4d-b7af-e67fc492938b))
(fp_line (start 5.241 -4.37) (end 5.213 -4.532)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8c78a0aa-34cf-42f2-9a51-dcc3035261f9))
(fp_line (start 5.248 -5.632) (end 5.288 -5.505)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bd4e0f14-f310-4a0f-a624-10d1c9ee145f))
(fp_line (start 5.271 -4.198) (end 5.241 -4.37)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6074878b-2947-45bf-8b1c-5454fb2a4991))
(fp_line (start 5.288 -5.505) (end 5.336 -5.377)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 921ee484-73f9-4d91-81f5-1e825c509cc3))
(fp_line (start 5.289 -1.767) (end 5.474 -1.747)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e970c802-4b3d-428a-8673-945cf912279f))
(fp_line (start 5.289 0.926) (end 5.474 0.946)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3389638b-381c-4698-9a7e-bb6b35f5969e))
(fp_line (start 5.336 -5.377) (end 5.384 -5.255)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8f2025ad-1104-45d4-96dd-4471771650e8))
(fp_line (start 5.474 -1.747) (end 5.655 -1.729)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 855fa63e-5d4b-4b6c-a586-5fe26f2d1e02))
(fp_line (start 5.474 0.946) (end 5.655 0.964)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6606febf-a83c-49a5-92af-1a780d4d3596))
(fp_line (start 5.593 -2.54) (end 5.611 -2.661)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c4c866c-5aa2-4404-a073-bc01b4c8793b))
(fp_line (start 5.593 0.153) (end 5.611 0.032)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d9befe4-862c-4d1e-9bbe-3d90515bac60))
(fp_line (start 5.596 -2.415) (end 5.593 -2.54)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 71f052cb-f917-4fcc-aaaa-785f68ac7873))
(fp_line (start 5.596 0.279) (end 5.593 0.153)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8cc64ec1-342b-4b3c-aa1e-7e096cb780b9))
(fp_line (start 5.611 -2.661) (end 5.653 -2.772)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3bc1798e-8342-4b5c-8ab2-6587f019fcc1))
(fp_line (start 5.611 0.032) (end 5.653 -0.079)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 98038fa5-9fd6-4ec1-8732-a2ec69436dd8))
(fp_line (start 5.621 -2.282) (end 5.596 -2.415)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1baa1337-b8e4-4d6a-9481-36b08cf6abd4))
(fp_line (start 5.621 0.411) (end 5.596 0.279)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61f936ea-43b1-4823-b28d-9058479f5f7f))
(fp_line (start 5.653 -2.772) (end 5.718 -2.873)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b5660072-75b5-4440-b2e9-46aae484d84e))
(fp_line (start 5.653 -0.079) (end 5.718 -0.18)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 57d3902b-c940-474a-a16a-56c4ba51d23f))
(fp_line (start 5.655 -1.729) (end 5.828 -1.713)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a2b7871-964e-4c16-a1d6-24ab4e8edc20))
(fp_line (start 5.655 0.964) (end 5.828 0.98)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 99af076f-0124-4995-82f0-c0856b03450e))
(fp_line (start 5.677 -2.149) (end 5.621 -2.282)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9f0020f4-bbb2-4fd6-bcf1-bd78fd422d94))
(fp_line (start 5.677 0.545) (end 5.621 0.411)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp beb16e31-5a14-4fb0-a1f9-7aaa64bf7559))
(fp_line (start 5.695 -5.6) (end 5.709 -5.505)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ce563e13-d9c3-4497-ae86-178f9b1f6ca5))
(fp_line (start 5.7 -4.634) (end 5.812 -4.64)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85d55b66-c128-42a2-a52f-0512e3fc88a8))
(fp_line (start 5.709 -5.505) (end 5.769 -5.417)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bf3108b1-92ae-41c9-ad15-0ce4673874bf))
(fp_line (start 5.718 -2.873) (end 5.807 -2.961)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6413ba2a-e8ae-456d-ada6-d87c3fb0e030))
(fp_line (start 5.718 -0.18) (end 5.807 -0.267)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ad86ce5d-d70f-4644-bc0e-13b94f249f1d))
(fp_line (start 5.722 -5.686) (end 5.695 -5.6)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 402719e4-ed60-462f-946b-70dd7c0d4f59))

(fp_line (start 5.769 -5.417) (end 5.894 -5.354)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 05fffb73-237a-48ed-b4a0-6a25313f611b))
(fp_line (start 5.783 -1.985) (end 5.677 -2.149)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9e4ef97-4150-4d03-81c2-4c472ae7fe7c))
(fp_line (start 5.783 0.708) (end 5.677 0.545)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ea367887-46a1-45bf-a7ae-2fa95395b450))
(fp_line (start 5.794 -5.756) (end 5.722 -5.686)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 23da773b-2a05-4368-b1e7-38376a4ededc))
(fp_line (start 5.807 -2.961) (end 5.918 -3.034)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3fb64e49-b8dc-4567-a4dd-89911f09f576))
(fp_line (start 5.807 -0.267) (end 5.918 -0.341)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 52013949-2cbc-4474-807d-dd218957ad71))
(fp_line (start 5.812 -4.64) (end 5.951 -4.645)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 915f99c5-0d0f-4ec8-81d5-397baac89dbc))
(fp_line (start 5.828 -1.713) (end 5.991 -1.699)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp df1ba456-7294-44ac-ad89-54fbad3db90b))
(fp_line (start 5.828 0.98) (end 5.991 0.994)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 08a3c1f3-2263-45c4-b675-a36d4f6c0d58))
(fp_line (start 5.892 -1.864) (end 5.783 -1.985)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61397b18-6586-4d70-8011-e7ca0ae49467))
(fp_line (start 5.892 0.829) (end 5.783 0.708)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 319041f6-e614-4f4c-8a54-be99ebaa9111))
(fp_line (start 5.894 -5.354) (end 6.103 -5.335)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4d298236-c863-464b-af74-ab674bba3173))
(fp_line (start 5.899 -5.804) (end 5.794 -5.756)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e0b3abeb-d49d-47bd-89ef-66e66c5859e9))
(fp_line (start 5.918 -3.034) (end 6.052 -3.092)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 800006e4-9d71-40f6-b4a3-2a40b882d572))
(fp_line (start 5.918 -0.341) (end 6.052 -0.399)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 429c51af-6793-4adf-b1cf-6fa1bf7ce4a3))
(fp_line (start 5.951 -4.645) (end 6.11 -4.647)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ef8b488c-f41a-4a3e-8104-0e9c5934b27e))
(fp_line (start 5.991 -1.699) (end 6.141 -1.687)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fbdaef0be-fd0a-411c-ad46-e04a8d5ae2c3))
(fp_line (start 5.991 0.994) (end 6.141 1.006)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3999d9bb-8de0-4cc1-9dd6-ceb7085baea9))
(fp_line (start 6.004 -1.778) (end 5.892 -1.864)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8777fea3-6ff2-4f56-b51b-e8807294a734))
(fp_line (start 6.004 0.915) (end 5.892 0.829)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fc59bb60-95d1-409e-bfb7-30beec37961b))
(fp_line (start 6.028 -5.824) (end 5.899 -5.804)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e9f4ff91-a882-44da-8833-b17722f8a6fa))
(fp_line (start 6.052 -3.092) (end 6.208 -3.132)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 25e9ec4e-0065-4e3d-948b-288cc0594fc4))
(fp_line (start 6.052 -0.399) (end 6.208 -0.439)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7cb5d9a7-3bdb-4a53-9a0b-f82abce5a1a5))
(fp_line (start 6.103 -5.335) (end 6.261 -5.352)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0478c713-5d43-47ba-a892-125e4e809b78))
(fp_line (start 6.11 -4.647) (end 6.279 -4.644)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6005a99a-36ef-4448-a633-3ebb5e6e1f77))
(fp_line (start 6.117 -1.722) (end 6.004 -1.778)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5f17a88-5849-4f4d-b461-dd290f265c8b))
(fp_line (start 6.117 0.972) (end 6.004 0.915)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 56717c4b-4c42-415e-a8f3-f6aba8d4d3e1))
(fp_line (start 6.141 -1.687) (end 6.276 -1.678)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4589f646-c5b4-4707-a46d-c05dd88f23ff))
(fp_line (start 6.141 1.006) (end 6.276 1.015)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6797b66-4cce-4320-8da1-adb008cbef82))
(fp_line (start 6.156 -5.814) (end 6.028 -5.824)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 007ca052-891f-4e72-b811-5fea3021f68a))
(fp_line (start 6.186 -2.091) (end 6.271 -2.216)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4840fc2-dd8c-4dc9-a95e-b752a7732be4))
(fp_line (start 6.186 0.602) (end 6.271 0.478)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2fe35b9d-2ac0-48ab-9417-c4b89bc922b9))
(fp_line (start 6.208 -3.132) (end 6.387 -3.153)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a83e7067-ddbd-46b9-ac82-0c366e6928eb))
(fp_line (start 6.208 -0.439) (end 6.387 -0.46)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp faafe014-e696-4637-ad8c-0a6a16d42bf0))

(fp_line (start 6.23 -1.689) (end 6.117 -1.722)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 577196fe-8840-4fa4-9f2d-16c2bbe76777))
(fp_line (start 6.23 1.004) (end 6.117 0.972)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b1c630a-90dc-4781-a550-c7e2a4aa9dd0))
(fp_line (start 6.261 -5.772) (end 6.156 -5.814)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ddda9ebd-559d-4951-9238-e239b3e99573))
(fp_line (start 6.261 -5.352) (end 6.396 -5.391)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c1a4684-1d98-443a-8da8-b063aa3a6aff))
(fp_line (start 6.271 -2.216) (end 6.346 -2.342)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3abddf43-bda7-41b4-9bf1-1a5264cb4386))
(fp_line (start 6.271 0.478) (end 6.346 0.351)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aeb9a833-353f-480f-8cf6-d052598fd346))
(fp_line (start 6.276 -1.678) (end 6.393 -1.672)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a696c8ca-f4ad-47f8-8ad4-3876ccea6156))
(fp_line (start 6.276 1.015) (end 6.393 1.021)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 005006e1-de0f-4c88-a159-306977b21912))
(fp_line (start 6.279 -4.644) (end 6.45 -4.634)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6493b5f0-0309-42b1-b039-b68bb8202ef2))
(fp_line (start 6.332 -5.691) (end 6.261 -5.772)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d49e4ed2-4a88-4988-bf03-1c2048a8d5a8))
(fp_line (start 6.336 -4.651) (end 6.339 -4.811)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8379d31b-8c43-47a7-894c-71675b9dfe65))
(fp_line (start 6.336 -4.493) (end 6.336 -4.651)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85ee159c-3c25-44a1-b6b6-65c83a0c4754))
(fp_line (start 6.338 -4.341) (end 6.336 -4.493)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8e014d2e-da68-4901-9b7e-4c03afdfdd11))
(fp_line (start 6.339 -4.811) (end 6.343 -4.972)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 333170a1-63a5-4edf-a898-06ad47df62e6))
(fp_line (start 6.343 -4.972) (end 6.348 -5.13)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3ae9572c-bd3c-443d-8616-f6d91874aa4d))
(fp_line (start 6.343 -4.196) (end 6.338 -4.341)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 390f6e69-2dd8-4aa8-a626-d199c0c6be9e))
(fp_line (start 6.343 -1.673) (end 6.23 -1.689)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74358e6a-dd5a-4e79-9d29-d58d57ee8439))
(fp_line (start 6.343 1.02) (end 6.23 1.004)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e13b2373-e04f-4979-8944-2a90ef96c0d0))
(fp_line (start 6.346 -2.342) (end 6.377 -2.4)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6c9d88fd-e227-45dd-a1af-9766e0064b53))
(fp_line (start 6.346 0.351) (end 6.377 0.293)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 283db006-2ce6-461c-b3a3-f6a400a831bf))
(fp_line (start 6.348 -5.13) (end 6.353 -5.283)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6eb52050-582b-4ff9-aa33-3cab9b29e929))
(fp_line (start 6.353 -5.283) (end 6.357 -5.428)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8699a93d-accd-44ba-9b15-4bd592b5756c))
(fp_line (start 6.357 -5.428) (end 6.361 -5.564)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80fe8a84-a34f-45cf-a4ff-0a57efee7002))
(fp_line (start 6.361 -5.564) (end 6.332 -5.691)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c02609a7-1bf2-43d1-a89e-24d3159db0f5))
(fp_line (start 6.393 -1.672) (end 6.489 -1.669)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp afcaf1e6-0adb-4673-bdf6-a77c0675d5ae))
(fp_line (start 6.393 1.021) (end 6.489 1.024)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9412561b-2e23-47b7-8134-43ac3b65f5ba))
(fp_line (start 6.396 -5.391) (end 6.513 -5.448)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 066150ed-42e5-4bcf-8972-78bc4c059958))
(fp_line (start 6.45 -4.634) (end 6.615 -4.617)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ba8528ad-6ed7-470f-9188-497b064392ea))
(fp_line (start 6.454 -1.669) (end 6.343 -1.673)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 65e88f9a-6c2d-4103-8c8f-3059692d0943))
(fp_line (start 6.454 1.024) (end 6.343 1.02)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fc096957-433b-48e6-9351-b5ba16dc8978))
(fp_line (start 6.469 -1.948) (end 6.549 -2.065)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 698a5ebd-352e-4d6a-acfe-f3dcb837024f))
(fp_line (start 6.469 0.745) (end 6.549 0.628)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb63b44b-c38f-4b93-be3a-0af9289b5606))
(fp_line (start 6.489 -1.669) (end 6.562 -1.67)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1db92022-8326-40b2-813e-9cd02ff026b7))
(fp_line (start 6.489 1.024) (end 6.562 1.024)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8fb3f5ad-21f6-4fd2-90b0-2fac43703a8d))

(fp_line (start 6.513 -5.448) (end 6.616 -5.515)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81fa8395-6b20-4396-9141-c19ce6536103))
(fp_line (start 6.549 -2.065) (end 6.627 -2.194)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 23e6603a-3b3d-4376-b691-7515eb300a7a))
(fp_line (start 6.549 0.628) (end 6.627 0.5)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b37cfcd2-1e4d-48be-83b2-226662f1d067))
(fp_line (start 6.562 -1.67) (end 6.454 -1.669)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 92f79d83-13c6-4bed-800b-6490bb894fcb))
(fp_line (start 6.562 1.024) (end 6.454 1.024)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4dbd60ac-6d16-4243-a0ee-14f2a367cbeb))
(fp_line (start 6.615 -4.617) (end 6.766 -4.59)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b648f3dc-530d-4de1-ad82-6ebf55eaca38))
(fp_line (start 6.616 -5.515) (end 6.71 -5.59)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 37caabfc-f8b6-46f5-9072-5fd440e6d019))
(fp_line (start 6.627 -2.194) (end 6.663 -2.254)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 11814796-ab00-4153-a615-d204b6d1bc1b))
(fp_line (start 6.627 0.5) (end 6.663 0.439)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp da2bd541-3701-4a53-8153-791a08f74a17))
(fp_line (start 6.71 -5.59) (end 6.799 -5.667)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6ebfff57-d9e8-44e8-ad84-59bf9e5fbdcc))
(fp_line (start 7.096 -2.339) (end 7.215 -2.371)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9b789be7-d77f-4c28-9455-64dd8b64eca1))
(fp_line (start 7.096 0.354) (end 7.215 0.323)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a05c8326-018e-48b3-81fb-74de354b6da4))
(fp_line (start 7.158 -1.806) (end 7.237 -1.83)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b0e478c3-a143-41d4-ba4c-523c41b7a1fe))
(fp_line (start 7.158 0.887) (end 7.237 0.864)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e02d26ba-8541-4b11-b7e8-850b233d0781))
(fp_line (start 7.215 -2.371) (end 7.333 -2.398)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b763954-6276-43ec-b1a0-53f50db14cbf))
(fp_line (start 7.215 0.323) (end 7.333 0.296)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f28c13e-ec6c-4e0d-b9d7-b208a5eebda8))
(fp_line (start 7.23 -4.555) (end 7.261 -4.557)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8774dc04-83b3-4f60-8b44-219bddfbbcb75))
(fp_line (start 7.237 -1.83) (end 7.332 -1.852)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b72f8f96-b018-422b-8934-df9b99933dab))
(fp_line (start 7.237 0.864) (end 7.332 0.841)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9cf4e1b-2298-4894-9059-245add21b9a7))
(fp_line (start 7.261 -4.557) (end 7.347 -4.561)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 350723dc-ce45-4f5a-affc-a7c59e6817c9))
(fp_line (start 7.332 -1.852) (end 7.446 -1.871)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7bc3ca22-f6d4-4b40-94a2-8819f76ffbed))
(fp_line (start 7.332 0.841) (end 7.446 0.822)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5df1804-2426-48fe-a886-718a850032e5))
(fp_line (start 7.333 -2.398) (end 7.46 -2.419)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d8a481b-6fa0-4015-a9d8-2b8750ba52d2))
(fp_line (start 7.333 0.296) (end 7.46 0.275)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 16d0cb87-f011-4973-ba7c-77c17bddbdc9))
(fp_line (start 7.347 -4.561) (end 7.475 -4.562)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5dae93aa-0008-48d9-b06c-55af2b7d4bf7))
(fp_line (start 7.402 -5.284) (end 7.289 -5.447)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5dd4c591-a70e-476c-a821-8eb6496ee81e))
(fp_line (start 7.446 -1.871) (end 7.584 -1.885)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 48c05478-58ec-4d89-90d0-d1debbcb860c0))
(fp_line (start 7.446 0.822) (end 7.584 0.808)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 341c7435-d172-4cfc-9b3c-d8773faee562))
(fp_line (start 7.46 -2.419) (end 7.6 -2.432)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7a38ce0e-af15-4000-892b-fdb08db4a7f6))
(fp_line (start 7.46 0.275) (end 7.6 0.262)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 77bbe693-8832-48a5-9919-5a1cb5f2a25a))
(fp_line (start 7.475 -4.562) (end 7.635 -4.556)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5b038e5-8d43-4856-80c3-02788aa1e215))
(fp_line (start 7.498 -5.132) (end 7.402 -5.284)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6fffb92ce-960d-4727-a468-4528f7d33cd2))
(fp_line (start 7.58 -4.99) (end 7.498 -5.132)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7458ee2-5fc9-4e93-a4f5-c073ff5f6369))
(fp_line (start 7.584 -1.885) (end 7.75 -1.892)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c938821-b8f8-42f4-9d34-4599adadaa59d))

(fp_line (start 7.584 0.808) (end 7.75 0.802)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8d6f1c17-ff1a-4e1c-bdfa-d8143646a225))
(fp_line (start 7.594 -2.687) (end 7.603 -2.84)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d5810364-5086-477e-a447-7963e87a8b7f))
(fp_line (start 7.594 0.006) (end 7.603 -0.146)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0bbb88f0-7b2a-4d27-819a-1573395fc195))
(fp_line (start 7.6 -2.432) (end 7.762 -2.436)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e44c22b4-87e5-4a7e-a67f-4133bf6514d5))
(fp_line (start 7.6 0.262) (end 7.762 0.258)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7977b05f-cc55-4a73-bfe1-d8fcf37d6c1b))
(fp_line (start 7.603 -2.84) (end 7.643 -2.961)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2489bb1-c59d-4bb3-aff8-ebcf18eeddbf))
(fp_line (start 7.603 -2.554) (end 7.594 -2.687)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 818bb4b4-6984-4e92-b581-b74a1f4d25ca))
(fp_line (start 7.603 -0.146) (end 7.643 -0.268)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb912212-69fe-4657-9c1d-ad848abb89b6))
(fp_line (start 7.603 0.139) (end 7.594 0.006)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c7c11b7b-5cef-4daf-ad3b-bc021551b1be))
(fp_line (start 7.616 -2.412) (end 7.603 -2.554)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 15b75959-7385-45cd-a273-f24b6653d3c6))
(fp_line (start 7.616 0.281) (end 7.603 0.139)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 73b25485-65a0-4515-8e79-3f25bd499f71))
(fp_line (start 7.632 -2.262) (end 7.616 -2.412)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0ffeb464-882f-4c6b-833a-52d5bb78a1d0))
(fp_line (start 7.632 0.432) (end 7.616 0.281)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bde1b869-3a56-41e2-8864-28e25635b8a9))
(fp_line (start 7.635 -4.556) (end 7.815 -4.54)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 15e9db63-93a0-4ec9-92e8-de4fe7533331))
(fp_line (start 7.643 -2.961) (end 7.712 -3.052)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 172abc69-cba1-4cb6-a9e6-c89a86a32b36))
(fp_line (start 7.643 -0.268) (end 7.712 -0.359)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c507aab0-1722-4c46-981c-52a5f1946cf2))
(fp_line (start 7.648 -4.855) (end 7.58 -4.99)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a3edcd33-9595-461b-b3fc-5fba526d3844))
(fp_line (start 7.649 -2.106) (end 7.632 -2.262)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 96479a17-2ea1-49df-8141-632163e074c8))
(fp_line (start 7.649 0.587) (end 7.632 0.432)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 267efd81-2afa-4177-9211-6bc6b791314d))
(fp_line (start 7.669 -1.949) (end 7.649 -2.106)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f24ab976-665c-40ea-9451-1f0d20688d42))
(fp_line (start 7.669 0.745) (end 7.649 0.587)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3b2b3216-c6e2-41f7-bcfb-6e1279c1f69a))
(fp_line (start 7.688 -1.791) (end 7.669 -1.949)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f67e8ed-5349-44ae-b510-a3dd847091b4))
(fp_line (start 7.688 0.902) (end 7.669 0.745)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6230c86-aeec-4ac6-b207-49faffe355f5))
(fp_line (start 7.704 -4.727) (end 7.648 -4.855)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c6efcb6f-ef06-422b-9c1a-aab24c305c8a))
(fp_line (start 7.708 -1.636) (end 7.688 -1.791)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9913e8d3-de06-4d22-8f1f-35e45ccb8d83))
(fp_line (start 7.708 1.057) (end 7.688 0.902)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b15f1bdd-2301-45b9-928d-dae8ce7a9166))
(fp_line (start 7.712 -3.052) (end 7.804 -3.115)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e2d766d5-7788-4a02-8e70-842f29a9a800))
(fp_line (start 7.712 -0.359) (end 7.804 -0.422)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b57d473-9f74-4886-804f-f8409ccbc22d))
(fp_line (start 7.726 -1.487) (end 7.708 -1.636)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp de2f6f8e-7b62-41d5-b57b-ff21f87c9099))
(fp_line (start 7.726 1.206) (end 7.708 1.057)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ecd91bb0-89d4-4c88-a73d-720bc6a10638))
(fp_line (start 7.748 -5.64) (end 7.759 -5.564)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b03553f-cb5a-4fc6-b6ff-fa973f2b0201))
(fp_line (start 7.75 -4.604) (end 7.704 -4.727)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ac0b4aa1-3b9c-4dd4-92ac-26f9f629c23b))
(fp_line (start 7.75 -1.892) (end 7.948 -1.889)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a1542b22-0fe8-4cb1-8326-3caf88122a1d))
(fp_line (start 7.75 0.802) (end 7.948 0.804)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10ac4bf1-e3c9-4220-b5ee-26671f56951b))

(fp_line (start 7.759 -5.564) (end 7.795 -5.499)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8175fbaf-a612-48e3-b62a-a8360d1f9d27))
(fp_line (start 7.762 -2.436) (end 7.952 -2.428)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 782aaa77-a33d-45cc-9572-daa014d65572))
(fp_line (start 7.762 0.258) (end 7.952 0.265)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp adc8d97d-d507-4980-a898-d295fd2b9479))
(fp_line (start 7.78 -5.737) (end 7.748 -5.64)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 823fc4d5-ba3e-43d7-90d6-4fb6a52ac0a1))
(fp_line (start 7.788 -4.486) (end 7.75 -4.604)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 192cadc6-7f25-4db7-a4ab-53eb0d0cc7dc))
(fp_line (start 7.795 -5.499) (end 7.855 -5.447)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f4d28844-0b6f-4a30-9314-654965f21bdf))
(fp_line (start 7.804 -3.115) (end 7.917 -3.151)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp eb8a3378-52db-46ef-858b-32ec355afd65))
(fp_line (start 7.804 -0.422) (end 7.917 -0.458)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39b655cf-659a-4f94-a7ad-eb4b9d016d5d))
(fp_line (start 7.815 -4.54) (end 8.002 -4.508)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3f1f59ec-c92c-4a83-8a85-544e6183a23f))
(fp_line (start 7.818 -4.37) (end 7.788 -4.486)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7c3f93e7-0f61-42f6-a423-d970764f38d2))
(fp_line (start 7.844 -4.255) (end 7.818 -4.37)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89f5ab05-2cf0-4d17-b1ed-63740c2bfc3b))
(fp_line (start 7.855 -5.806) (end 7.78 -5.737)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 64c3a1ec-595b-4f50-b428-2e2c9f7b1719))
(fp_line (start 7.855 -5.447) (end 7.935 -5.409)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dd2d4c42-fd60-4afc-92c8-ff19e46f42cc))
(fp_line (start 7.865 -4.14) (end 7.844 -4.255)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ce91c95f-4c47-4cca-b193-a62673dddcc8))
(fp_line (start 7.917 -3.151) (end 8.046 -3.161)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7c5e0040-5f57-44e0-af7e-091db636abe6))
(fp_line (start 7.917 -0.458) (end 8.046 -0.468)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0204fedf-c307-4741-b55b-a45959a205a6))
(fp_line (start 7.935 -5.409) (end 8.033 -5.387)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1a186f12-1188-4217-9163-ad04497ff381))
(fp_line (start 7.948 -1.889) (end 8.183 -1.876)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5da3b47c-6140-4a73-b488-cdf8daff2df3))
(fp_line (start 7.948 0.804) (end 8.183 0.818)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 20129a99-2298-4d7d-80e1-b65338c0e2b9))
(fp_line (start 7.952 -2.428) (end 8.177 -2.409)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 468eddb7-874c-4ed2-b9ca-9afa3fe82546))
(fp_line (start 7.952 0.265) (end 8.177 0.284)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39da216e-0ca1-4a7e-bf1b-8680b73a29cd))
(fp_line (start 7.96 -5.848) (end 7.855 -5.806)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc592044-a63b-47d8-8a15-df93add7d549))
(fp_line (start 8.002 -4.508) (end 8.186 -4.456)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a32ad193-65ea-4238-a825-646457124074))
(fp_line (start 8.033 -5.387) (end 8.146 -5.383)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 27f05c9a-e190-4971-b6b1-dbf9c8bdcb31))
(fp_line (start 8.046 -3.161) (end 8.165 -3.152)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0fac14db-5edb-42e7-8e3c-a3ca88d7edca))
(fp_line (start 8.046 -0.468) (end 8.165 -0.459)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 067a112e-9ba8-432a-b6d4-772171586abd))
(fp_line (start 8.079 -5.861) (end 7.96 -5.848)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 820ded4f-4d17-445d-ab3b-1a824652d87e))
(fp_line (start 8.146 -5.383) (end 8.272 -5.399)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b6350a35-2dd6-43f8-862c-29209622fc67))
(fp_line (start 8.165 -3.152) (end 8.287 -3.13)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5521758f-2950-4221-a87a-8168e315ccf3))
(fp_line (start 8.165 -0.459) (end 8.287 -0.437)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fce66e69-a51d-4bf4-9616-d2314adc5363))
(fp_line (start 8.198 -5.846) (end 8.079 -5.861)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a85340e2-eb0d-4a16-a48e-83676e9c433e))
(fp_line (start 8.272 -5.399) (end 8.409 -5.437)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8951ca5b-21d8-4f32-b008-d35deda1db89))
(fp_line (start 8.287 -3.13) (end 8.402 -3.09)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ff04d0c4-f5db-4b84-85a7-05029b9a5ebc))
(fp_line (start 8.287 -0.437) (end 8.402 -0.397)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a1b132f2-1e31-41b6-854b-55b4a1242231))

(fp_line (start 8.301 -5.801) (end 8.198 -5.846)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7c2251c3-9c42-4953-8fe0-ec2ca4914259))
(fp_line (start 8.374 -5.728) (end 8.301 -5.801)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 50451d2c-c934-45d1-9aee-26f28b68f96e))
(fp_line (start 8.376 -4.802) (end 8.384 -5.032)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1cfca0ec-c810-444f-8847-801cacb6fb24))
(fp_line (start 8.384 -5.032) (end 8.391 -5.231)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1393dc47-f2aa-4e94-a1a0-486e528307f5))
(fp_line (start 8.391 -5.231) (end 8.396 -5.396)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 87b18272-0d70-4e09-bda0-c2f5910c63d0))
(fp_line (start 8.396 -5.396) (end 8.399 -5.52)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b6679665-ce1c-4138-8f74-a34f70eddefa))
(fp_line (start 8.399 -5.52) (end 8.401 -5.598)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 49e288df-cc1e-49dd-ac87-fb515c6110ca))
(fp_line (start 8.401 -5.598) (end 8.402 -5.625)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7954769f-8326-4f49-b52a-53d31ad6aedb))
(fp_line (start 8.402 -5.625) (end 8.374 -5.728)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35e097ab-775d-4664-a9bd-99e0d3be78a2))
(fp_line (start 8.402 -3.09) (end 8.504 -3.03)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 79988fe5-2021-43c4-922b-5dca687f0c60))
(fp_line (start 8.402 -0.397) (end 8.504 -0.336)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5fcce79d-e78e-4eb6-afef-6a871fb52900))
(fp_line (start 8.409 -5.437) (end 8.553 -5.498)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 15b51488-2e1d-41f3-8f22-4f10fbaeedd7))
(fp_line (start 8.46 -4.493) (end 8.597 -4.563)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ff3ed1b6-b9da-48d3-95cf-a7b732560e00))
(fp_line (start 8.504 -3.03) (end 8.586 -2.946)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d327fa1a-1493-4d03-92ee-df0816c5ef1b))
(fp_line (start 8.504 -0.336) (end 8.586 -0.253)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b89fee53-3b93-4c34-9c66-71704eb632b8))
(fp_line (start 8.505 -2.335) (end 8.42 -2.254)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e97e6ccf-0b2b-4f7e-af73-578517cd8db3))
(fp_line (start 8.505 0.358) (end 8.42 0.439)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5cc8c06f-0072-4ca2-a051-610c9160e719))
(fp_line (start 8.553 -5.498) (end 8.702 -5.584)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6e9f33b-f14e-493b-a21b-8cfeaf787f59))
(fp_line (start 8.579 -2.438) (end 8.505 -2.335)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 41b7d4ba-d3ed-4db5-8a57-128e55656626))
(fp_line (start 8.579 0.256) (end 8.505 0.358)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2fc9d654-a5e7-4eb8-ad1d-a01939ff82e3))
(fp_line (start 8.586 -2.946) (end 8.638 -2.836)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6415d70c-7bb9-4f6d-84fa-99b8c8c311b7))
(fp_line (start 8.586 -0.253) (end 8.638 -0.143)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5b48e1a9-358e-4326-b3b9-0783a9cb77f6))
(fp_line (start 8.597 -4.563) (end 8.747 -4.652)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 25f83d83-ad68-46e3-9a19-cde942682c9e))
(fp_line (start 8.632 -2.559) (end 8.579 -2.438)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c363d622-c5b2-4d86-9a74-b821cf22ddd9))
(fp_line (start 8.632 0.134) (end 8.579 0.256)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 32b32a70-0e1d-4626-8cd5-d3e8ca001798))
(fp_line (start 8.638 -2.836) (end 8.655 -2.697)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 34d964f2-ab45-401e-ba20-9f0d7cc1d6a3))
(fp_line (start 8.638 -0.143) (end 8.655 -0.004)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d832134-272e-4cb2-a946-61a761da8938))
(fp_line (start 8.655 -2.697) (end 8.632 -2.559)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62c58d73-36a8-47cf-9216-7a42711057d3))
(fp_line (start 8.655 -0.004) (end 8.632 0.134)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b12ad13c-695c-4bbf-bbaf-1c4a2f714b10))
(fp_line (start 8.702 -5.584) (end 8.854 -5.698)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d7165cd-db38-45fa-8a8d-8aaa11dd267d))
(fp_line (start 8.747 -4.652) (end 8.867 -4.729)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b333aaa3-be1e-4b02-90e9-6bc235308ee6))
(fp_line (start 8.867 -4.729) (end 8.916 -4.762)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f9845315-4393-444b-9ba4-49cd9dc7c13b))
(fp_line (start 9.157 0.882) (end 9.344 0.905)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6926b978-9d27-4fcc-970d-dee6c33dfed0))
(fp_line (start 9.266 -4.013) (end 9.366 -4.129)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc558630-caaf-44b3-824f-db928fac0847))

(fp_line (start 9.274 -1.866) (end 9.305 -1.868)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 19f7ff8c-6d1f-46be-97e1-31a7a7eab64a))
(fp_line (start 9.305 -1.868) (end 9.39 -1.872)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7e52e6b-f243-4286-be16-fefcc456b79f))
(fp_line (start 9.344 0.905) (end 9.532 0.926)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b2d4a37a-cf84-4a4a-bbf6-c284b08cffd6))
(fp_line (start 9.366 -5.882) (end 9.266 -5.99)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 267adbc2-20a1-4a72-90d4-8e98f94db5d8))
(fp_line (start 9.366 -4.129) (end 9.452 -4.248)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bb9cfe79-773a-4fa7-b815-39ab5bb0199e))
(fp_line (start 9.39 -1.872) (end 9.519 -1.873)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e25224cf-e896-45ae-970e-f602436097cb))
(fp_line (start 9.445 -2.596) (end 9.332 -2.758)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 421d4b57-5929-4151-ada8-dad79a8e0b35))
(fp_line (start 9.452 -5.768) (end 9.366 -5.882)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0a32a139-ff74-4d31-b687-462d4d24309e))
(fp_line (start 9.452 -4.248) (end 9.525 -4.372)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9d077555-4b94-44ea-ac00-6233339ed1a3))
(fp_line (start 9.519 -1.873) (end 9.679 -1.867)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 12f3c130-8004-494d-a311-8c2ba9441083))
(fp_line (start 9.525 -5.65) (end 9.452 -5.768)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d36d77fd-24cf-4d54-888b-46764e4b34c3))
(fp_line (start 9.525 -4.372) (end 9.585 -4.498)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46710e5d-9aa5-46fa-971d-6893912c5f18))
(fp_line (start 9.532 0.926) (end 9.718 0.946)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f089023d-509c-45ca-bfa4-21b70084575c))
(fp_line (start 9.541 -2.444) (end 9.445 -2.596)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 319c75c0-3e14-4145-9c34-a4d21a94baf6))
(fp_line (start 9.585 -5.528) (end 9.525 -5.65)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ab29c6bc-ea09-440d-95e7-26cef7f678cd))
(fp_line (start 9.585 -4.498) (end 9.632 -4.626)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62bb22ae-0731-436a-a6cb-b5bc723bee2e))
(fp_line (start 9.623 -2.301) (end 9.541 -2.444)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61c208c2-13b5-4fb5-a741-041a3499e30c))
(fp_line (start 9.632 -5.403) (end 9.585 -5.528)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10042f16-4875-4306-87d6-f742fb80e721))
(fp_line (start 9.632 -4.626) (end 9.665 -4.756)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 73bf1931-8853-4996-ba2b-00e1bb7800bb))
(fp_line (start 9.665 -5.276) (end 9.632 -5.403)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35eef5ca-6112-41a5-a26c-c8641c22546d))
(fp_line (start 9.665 -4.756) (end 9.685 -4.886)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cfa598f7-28bc-45c7-b767-1c1d3e8c713f))
(fp_line (start 9.679 -1.867) (end 9.858 -1.851)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp eb6b3e13-faa3-4db2-80b2-f405b43774c6))
(fp_line (start 9.685 -5.147) (end 9.665 -5.276)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8edf52fc-6ccd-491f-99e7-4f39209d354e))
(fp_line (start 9.685 -4.886) (end 9.692 -5.017)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0568e322-7912-4a50-b7f4-d59918b4d68a))
(fp_line (start 9.691 -2.166) (end 9.623 -2.301)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp be4a062a-52c3-421e-823d-3d5aef56fb5f))
(fp_line (start 9.692 -5.017) (end 9.685 -5.147)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 706ec246-d582-425f-97f7-dd3af6de1c4f))
(fp_line (start 9.718 0.946) (end 9.898 0.964)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e24dc9a2-a267-46b5-9aa8-5f574a2c18c8))
(fp_line (start 9.747 -2.038) (end 9.691 -2.166)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ac10aba6-48b2-43c9-bab5-7085c83000d4))
(fp_line (start 9.792 -2.951) (end 9.802 -2.876)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ff72ac5b-fbaa-45bb-8553-4f2fffe45d82))
(fp_line (start 9.794 -1.916) (end 9.747 -2.038)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6f2634fd-280d-45f6-8d22-7053a1e9e7f1))
(fp_line (start 9.802 -2.876) (end 9.839 -2.811)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp db5e19b7-07ca-44e7-9794-33b2be3604a2))
(fp_line (start 9.823 -3.048) (end 9.792 -2.951)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c2e314ec-6da2-43ce-a19c-6945187cf6df))
(fp_line (start 9.831 -1.797) (end 9.794 -1.916)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4f0aacb-1d19-4f67-8a2c-85dda5647f53))
(fp_line (start 9.836 0.153) (end 9.854 0.032)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4ae00538-7e3c-4d55-b0e7-920644039adb))

(fp_line (start 9.839 -2.811) (end 9.898 -2.758)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f35f754-85d7-4b9f-bcd3-c6185f4ffb87))
(fp_line (start 9.839 0.279) (end 9.836 0.153)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8e786ad8-0179-41a2-9a82-c152d5bc6fc7))
(fp_line (start 9.854 0.032) (end 9.896 -0.079)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39a28f09-fdbf-4f7e-8bd4-652b5b41dd88))
(fp_line (start 9.858 -1.851) (end 10.046 -1.819)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f75e107d-791c-477f-9675-c55e394b08b1))
(fp_line (start 9.862 -1.681) (end 9.831 -1.797)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 47c0ea2e-9b61-4145-85ef-f6fcaca76876))
(fp_line (start 9.865 0.411) (end 9.839 0.279)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c77962c8-36be-4fad-bf8f-256241288d39))
(fp_line (start 9.887 -1.566) (end 9.862 -1.681)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c080ed65-67df-43f1-960a-3f5ef3a2f65b))
(fp_line (start 9.896 -0.079) (end 9.961 -0.18)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1de0ebc9-34fa-4710-9f52-bf377fb2bdea))
(fp_line (start 9.898 -3.117) (end 9.823 -3.048)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9c51b10-32d7-4416-b2c5-661c8e3634eb))
(fp_line (start 9.898 -2.758) (end 9.978 -2.72)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fa61f0c5-b9a0-4dd0-abbf-636305b6a81c))
(fp_line (start 9.898 0.964) (end 10.071 0.98)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 345c3d50-2e26-40fe-8919-1b8b61aba3a3))
(fp_line (start 9.909 -1.451) (end 9.887 -1.566)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36b41e5d-210b-432c-93cb-539a68de0ba6))
(fp_line (start 9.92 0.545) (end 9.865 0.411)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d9d8808-0d20-4f84-a115-ca851af74d05))
(fp_line (start 9.961 -0.18) (end 10.05 -0.267)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46b56585-eddc-44f9-9f19-a8ef34c9a8e0))
(fp_line (start 9.978 -2.72) (end 10.076 -2.698)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ca6389ef-657c-4ffc-92ec-0e10ba3701fc))
(fp_line (start 10.003 -3.159) (end 9.898 -3.117)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 33a1fbbf-fb83-4629-a0a3-38fa63026a04))
(fp_line (start 10.026 0.708) (end 9.92 0.545)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 942dac0e-0b30-4eca-a7f3-953f9a22455f))
(fp_line (start 10.046 -1.819) (end 10.23 -1.768)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cef4ee44-744e-48ee-88db-e5476029b069))
(fp_line (start 10.05 -0.267) (end 10.161 -0.341)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6f537804-3583-4a0b-8d42-a453d9b8d905))
(fp_line (start 10.071 0.98) (end 10.234 0.994)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c55b3ebd-d976-4462-b05c-cb348e257ff5))
(fp_line (start 10.076 -2.698) (end 10.19 -2.694)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 13bf5da8-7d10-451f-9e24-6f43dc1d8ef6))
(fp_line (start 10.122 -3.172) (end 10.003 -3.159)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b3c87a9-94b6-4040-b37e-02bf61de8896))
(fp_line (start 10.135 0.829) (end 10.026 0.708)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 793eca7c-beb1-4eab-aa9a-a2382dbb01cb))
(fp_line (start 10.161 -0.341) (end 10.295 -0.399)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 59813d86-0472-4c0c-8cdb-8c0d3ced304c))
(fp_line (start 10.19 -2.694) (end 10.316 -2.71)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3f232544-ecd4-43f2-9dfe-2714f310269c))
(fp_line (start 10.234 0.994) (end 10.385 1.006)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c39f2495-923d-45b9-b9f2-55d111833724))
(fp_line (start 10.241 -3.157) (end 10.122 -3.172)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 050bc43e-9f94-4221-bfb4-27b1a2639477))
(fp_line (start 10.247 0.915) (end 10.135 0.829)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bfaadf4c-c008-4bf0-9d94-2364f0aead99))
(fp_line (start 10.295 -0.399) (end 10.452 -0.439)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f73d148b-c8f4-4ed4-9341-3c1fe290ec83))
(fp_line (start 10.316 -2.71) (end 10.452 -2.748)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35f120e0-0260-4c42-baae-8a7fe3bccce0))
(fp_line (start 10.344 -3.113) (end 10.241 -3.157)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d25d368-2fa9-41cd-b1fe-1c9c64b5cdd0))
(fp_line (start 10.36 0.972) (end 10.247 0.915)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3d2a1d1f-bc5c-4be1-ac15-893c4f33da6e))
(fp_line (start 10.385 1.006) (end 10.519 1.015)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 17494c74-4dd6-47bb-af41-a9dd537dd541))
(fp_line (start 10.417 -3.039) (end 10.344 -3.113)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9fbf42ba-8edc-4b11-afd2-aada2d4e2859))

(fp_line (start 10.419 -2.114) (end 10.428 -2.343)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cab6cf8f-c61c-451e-b05a-c6e2af23b62e))
(fp_line (start 10.428 -2.343) (end 10.434 -2.542)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fe71fbc8-27cc-48ea-9446-f41b381ac0d7))
(fp_line (start 10.43 0.602) (end 10.515 0.478)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3c9513d8-e088-4691-ac7e-ae3019a172fe))
(fp_line (start 10.434 -2.542) (end 10.439 -2.707)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6d97b951-7307-4db1-9d3e-804e11fb9354))
(fp_line (start 10.439 -2.707) (end 10.442 -2.831)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8626f4fa-7d2e-4dd4-873a-7b441d546d40))
(fp_line (start 10.442 -2.831) (end 10.444 -2.909)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30f4074e-4dfe-435b-a2a0-7572ec4a9fb2))
(fp_line (start 10.444 -2.909) (end 10.445 -2.937)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30b84d49-ccb6-4e31-919d-7ca9dda1c32f))
(fp_line (start 10.445 -2.937) (end 10.417 -3.039)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a421cdfb-2cd6-4f24-9887-db0e76aacf11))
(fp_line (start 10.452 -2.748) (end 10.596 -2.809)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp be29508a-b2d5-43fe-8256-144257ba0643))
(fp_line (start 10.452 -0.439) (end 10.63 -0.46)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b6b43723-434d-4bcd-aaf2-a45ef544f903))
(fp_line (start 10.473 1.004) (end 10.36 0.972)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9eb860d9-93aa-4714-b1d7-da54b3551cee))
(fp_line (start 10.503 -1.804) (end 10.641 -1.874)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a73a96e2-7841-4838-8ada-79c74731e746))
(fp_line (start 10.515 0.478) (end 10.589 0.351)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b90dee98-4d6a-41a0-9020-dd4031259aaa))
(fp_line (start 10.519 1.015) (end 10.636 1.021)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39e8d331-3fc3-4a27-b954-a33c59a7792c))
(fp_line (start 10.586 1.02) (end 10.473 1.004)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c3d85055-a3fc-484d-a8ac-5dcb2dd87336))
(fp_line (start 10.589 0.351) (end 10.621 0.293)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 94c1cf09-899a-4572-9cc9-203889928945))
(fp_line (start 10.596 -2.809) (end 10.746 -2.896)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6d69f7e-b916-47aa-8ac5-ba9dd4433e12))
(fp_line (start 10.636 1.021) (end 10.732 1.024)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f49ec343-eb1c-4893-8428-317954346a58))
(fp_line (start 10.641 -1.874) (end 10.79 -1.963)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6daf1b83-da24-4bee-bae3-51f8229509c1))
(fp_line (start 10.697 1.024) (end 10.586 1.02)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2980b803-7307-4ad9-801c-e5e445851d8e))
(fp_line (start 10.713 0.745) (end 10.793 0.628)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4501dd62-40be-45c9-a888-06de7f2f905a))
(fp_line (start 10.732 1.024) (end 10.805 1.024)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4e59b41-10d0-4235-abbc-5a0babb2bfe4))
(fp_line (start 10.746 -2.896) (end 10.898 -3.01)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5388d4ac-ac90-4141-a0fe-cebc869a2a74))
(fp_line (start 10.79 -1.963) (end 10.91 -2.041)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 93ced0f6-20a7-437d-bd94-123c0c093118))
(fp_line (start 10.793 0.628) (end 10.871 0.5)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 90e611c3-566c-4949-8e2c-a44c59a2232a))
(fp_line (start 10.805 1.024) (end 10.697 1.024)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 86dc57ed-b2a5-4ff8-9eb1-a314c4b97efb))
(fp_line (start 10.871 0.5) (end 10.906 0.439)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 38bf95b9-3ced-49b0-b072-6005c40f0aef))
(fp_line (start 10.91 -2.041) (end 10.96 -2.074)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dbdcdf10-6a95-4cb6-a344-a66da9174f82))
(fp_line (start 11.358 -2.864) (end 11.472 -2.703)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b01240fe-d2d1-40d1-8d59-46ead569cb03))
(fp_line (start 11.394 -1.913) (end 11.589 -1.891)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00d98427-9d1a-4474-b518-8a72275f032d))
(fp_line (start 11.472 -2.703) (end 11.584 -2.55)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a4c8ebf-8886-4bf9-95e9-0e4006d883e4))
(fp_line (start 11.483 0.5) (end 11.587 0.495)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f133ce01-4b86-4e4b-a267-5de32679087c))
(fp_line (start 11.501 0.944) (end 11.64 0.932)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e469be9e-2e68-49c4-8683-dbdda31a74a9))
(fp_line (start 11.584 -2.55) (end 11.685 -2.412)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp acb98d7d-51cd-4588-a0a3-69e2ab0359e8))

(fp_line (start 11.586 -0.195) (end 11.636 -0.305)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9c7be71f-7167-4aa8-8b7c-eee50757ce41))
(fp_line (start 11.587 0.495) (end 11.699 0.489)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1fc27eca-9859-4213-84d3-f213f2bade69))
(fp_line (start 11.588 -0.052) (end 11.586 -0.195)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1785ad7c-de40-4717-8dc3-2870f17aa958))
(fp_line (start 11.589 -1.891) (end 11.757 -1.868)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d7a1f793-76bb-42b3-acff-2c92df9f4b14))
(fp_line (start 11.629 0.103) (end 11.588 -0.052)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c0893cb-6f81-4aee-b3d2-a4e92aad845b))
(fp_line (start 11.636 -0.305) (end 11.674 -0.345)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 65ce601b-9a9f-4550-8cca-70532dfba419))
(fp_line (start 11.64 0.932) (end 11.778 0.924)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30ae5216-bda4-4502-b08d-636786aaabec))
(fp_line (start 11.674 -0.345) (end 11.727 -0.385)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9f2fd20e-7368-4127-98ea-21e9bb6a8063))
(fp_line (start 11.685 -2.412) (end 11.767 -2.302)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7438de9c-090e-4414-904e-0dfb4e43f89f))
(fp_line (start 11.699 0.489) (end 11.82 0.484)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b19dc3b9-3b6a-4b5d-bbb5-63509904719d))
(fp_line (start 11.727 -0.385) (end 11.806 -0.421)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74f6befa-ad72-4594-bb60-45574916b29e))
(fp_line (start 11.757 -1.868) (end 11.883 -1.849)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp df3532aa-4e01-4f66-8a70-6b012540983c))
(fp_line (start 11.767 -2.302) (end 11.823 -2.228)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ec4935a9-8d7d-45f8-ab7b-b2087b7f6bcc))
(fp_line (start 11.778 0.924) (end 11.914 0.921)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3a1e0f0b-9440-4208-a869-a7ae8c9bed81))
(fp_line (start 11.806 -0.421) (end 11.921 -0.448)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 58322908-45cb-4917-928b-0018872cdb36))
(fp_line (start 11.82 0.484) (end 11.949 0.481)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36d9444c-15c3-4dd8-91d7-d5cb01321b5e))
(fp_line (start 11.823 -2.228) (end 11.843 -2.201)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 932ea128-f4a6-4a92-9a97-8178f52f5c8d))
(fp_line (start 11.829 -2.751) (end 11.83 -2.961)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c367cd4d-7cd0-4b0a-a56d-4d4acad87c7b))
(fp_line (start 11.83 -2.961) (end 11.836 -3.177)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8a04a749-1c50-4556-865d-399d20984bb5))
(fp_line (start 11.832 -2.549) (end 11.829 -2.751)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5f9195a-6910-4995-baea-326edb72578d))
(fp_line (start 11.838 -2.357) (end 11.832 -2.549)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d8b83021-4895-423e-9efd-463da966e309))
(fp_line (start 11.846 -2.178) (end 11.838 -2.357)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bd6a852e-dddc-4913-b878-79cbcdf8249))
(fp_line (start 11.855 -2.013) (end 11.846 -2.178)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b8afca1-5756-4e4e-b656-b430e3601859))
(fp_line (start 11.865 -1.864) (end 11.855 -2.013)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4cb0bc5f-4e91-4d18-82d0-5b8ec06a6682))
(fp_line (start 11.872 -1.964) (end 11.854 -2.015)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a454528e-4dd0-4ad4-8458-dc085ecaf4d9))
(fp_line (start 11.875 -1.734) (end 11.865 -1.864)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 803e7d35-dcdf-4926-b731-a18505377d10))
(fp_line (start 11.883 -1.849) (end 11.952 -1.837)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 87fd497b-080f-4728-9dab-58026c7e5d94))
(fp_line (start 11.885 -1.625) (end 11.875 -1.734)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bfee3be5-a5f4-4baa-a281-f68584118133))
(fp_line (start 11.892 -1.538) (end 11.885 -1.625)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5be8f4f4-620a-4c13-a8dc-c6806fd01539))
(fp_line (start 11.898 -1.476) (end 11.892 -1.538)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39960c85-fb95-4a8c-970b-6a81960d8f9d))
(fp_line (start 11.914 0.921) (end 12.051 0.922)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 865dd12e-56b5-4659-afd6-49d57c74e73f))
(fp_line (start 11.921 -0.448) (end 12.083 -0.461)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9eb21137-e40f-4e46-b7d8-b3c5c005acd5))
(fp_line (start 11.949 0.481) (end 12.086 0.483)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f612f6d8-e723-4ac8-8639-cd9895250a35))
(fp_line (start 11.952 -1.837) (end 11.872 -1.964)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5e0096a1-329f-40a6-81f9-10f99b668a8d))

(fp_line (start 12.012 -2.109) (end 11.841 -2.292)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ded83d56-4745-42ef-a1d1-7780f795ec78))
(fp_line (start 12.051 0.922) (end 12.189 0.93)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5d05a352-bc08-4e3f-9f9d-6be5e269577a))
(fp_line (start 12.083 -0.461) (end 12.303 -0.457)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c2eb72fe-2aa7-4b0e-862c-75723bab22be))
(fp_line (start 12.086 0.483) (end 12.233 0.491)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e6cc2bfe-ee0a-4c17-b27b-9f426b38b7b4))
(fp_line (start 12.163 -1.977) (end 12.012 -2.109)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 782bc0e1-023f-4218-b726-fd1f1689e22e))
(fp_line (start 12.18 1.221) (end 12.225 1.108)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 033a1569-05af-4fc0-a76e-1877b5760ed4))
(fp_line (start 12.189 0.93) (end 12.328 0.945)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cc0c8eb6-0fd7-4ded-b3a0-f6217a3ed192))
(fp_line (start 12.225 1.108) (end 12.277 0.981)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a91e410b-cfd6-4405-9896-c3101f976388))
(fp_line (start 12.233 0.491) (end 12.388 0.507)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 41459e2c-12bc-40e9-ba2c-7b70180b8326))
(fp_line (start 12.277 0.981) (end 12.335 0.844)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 761099c2-e7d1-4c5a-87ef-95dd5f46b020))
(fp_line (start 12.294 -1.889) (end 12.163 -1.977)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fd703cce-1709-4cc5-a8eb-1942c3ac5b57))
(fp_line (start 12.303 -0.457) (end 12.592 -0.429)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6c6266f5-1e66-4549-a3ca-48594dc019bd))
(fp_line (start 12.328 0.945) (end 12.469 0.968)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d82d3360-c3b1-4700-b4c4-15b052aa99ab))
(fp_line (start 12.335 0.844) (end 12.397 0.702)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 91a8b260-fc5d-42a3-9992-fbde50a205cb))
(fp_line (start 12.377 0.094) (end 12.326 0.103)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61a10109-d0d9-4dba-8d86-2146cdd1edb1))
(fp_line (start 12.388 0.507) (end 12.552 0.534)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 06f5691b-66d2-4272-a984-5d66b4bf95db))
(fp_line (start 12.397 0.702) (end 12.462 0.558)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2451989b-1e6b-4b40-9ee5-02a869a97ed5))
(fp_line (start 12.408 -1.839) (end 12.294 -1.889)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bef6ba0e-ab9f-4a11-8ad6-7481d1bc1060))
(fp_line (start 12.462 0.558) (end 12.527 0.416)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6c684009-4946-4fd2-84de-5fa5a5db6d30))
(fp_line (start 12.469 0.968) (end 12.613 0.998)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80096e65-eec1-44f2-ac32-156c397bfbfa))
(fp_line (start 12.509 -1.818) (end 12.408 -1.839)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1c02eab2-8208-4d70-adea-f04d442df1a5))
(fp_line (start 12.514 0.072) (end 12.377 0.094)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4098035c-d7dd-4281-92b0-e5c84c993654))
(fp_line (start 12.527 0.416) (end 12.591 0.28)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8f1134ab-250f-4ec0-86f4-07d06be8485f))
(fp_line (start 12.552 0.534) (end 12.725 0.574)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c6a035a3-74c4-4660-a186-c0e4334f8277))
(fp_line (start 12.591 0.28) (end 12.653 0.155)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0883c327-bede-40dd-8a14-389532755b14))
(fp_line (start 12.598 -1.821) (end 12.509 -1.818)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6903612f-ed18-4887-96c7-6c02f1971bef))
(fp_line (start 12.613 0.998) (end 12.76 1.039)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 349a565c-c1a7-465b-83e5-c113b845cf51))
(fp_line (start 12.653 0.155) (end 12.709 0.044)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a0b5b44e-93bd-4ee8-a32f-0d0ba788a374))
(fp_line (start 12.679 -1.84) (end 12.598 -1.821)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d24dee9b-82b3-4fde-9758-a9d01aee8c3f))
(fp_line (start 12.706 -2.799) (end 12.718 -2.649)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a57fdda7-13d1-4aae-ac9d-1cc6cc981236))
(fp_line (start 12.709 0.044) (end 12.514 0.072)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c18f79cf-ac08-4d7a-be3d-c8eed4174516))
(fp_line (start 12.71 -2.913) (end 12.706 -2.799)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5cf81d70-6052-4323-9f31-67efd4b53375))
(fp_line (start 12.718 -2.649) (end 12.744 -2.46)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a30766b-f8a4-4556-ab47-28a1bc1be848))
(fp_line (start 12.725 0.574) (end 12.906 0.627)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bcbccd8a-63e6-4f02-85b9-9c0beb2158f6))

(fp_line (start 12.733 -2.995) (end 12.71 -2.913)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9913975c-a0f2-4a25-a7e2-a036cda495ab))
(fp_line (start 12.744 -2.46) (end 12.776 -2.267)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2f797bf8-9a86-43c1-85d4-cff413c54db3))
(fp_line (start 12.759 -1.894) (end 12.679 -1.84)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a5431341-15c2-4863-b913-9162f3492dc6))
(fp_line (start 12.776 -2.267) (end 12.796 -2.107)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e86fc9de-8051-4390-b4d4-f07a21ddcc5b))
(fp_line (start 12.777 -3.046) (end 12.733 -2.995)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7be32092-2b86-4a10-92d3-2e03a53f41d4))
(fp_line (start 12.795 -1.983) (end 12.759 -1.894)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d0de7d1b-6717-4b42-a87f-82cc2899a357))
(fp_line (start 12.796 -2.107) (end 12.795 -1.983)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d7378c93-f491-4f9a-9f68-c65d616cc759))
(fp_line (start 12.864 -3.074) (end 12.777 -3.046)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 754f7fc0-53b5-469c-8c18-40728b9ba811))
(fp_line (start 12.981 -3.06) (end 12.864 -3.074)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp af8df778-2504-407a-a422-2a3e112ba207))
(fp_line (start 13.115 -2.998) (end 12.981 -3.06)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 273c22cc-8893-4c8b-a62c-9966130338c2))
(fp_line (start 13.255 -2.878) (end 13.115 -2.998)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp be944d5e-cb36-4e61-b369-da4d7ff79ce1))
(fp_line (start 13.534 0.058) (end 13.699 0.193)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 78abf31f-bdf4-4b5d-a081-7e830df0c80b))
(fp_line (start 13.56 0.081) (end 13.534 0.058)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 565bc4c8-488c-46a1-8c2f-19bdbfabdc83))
(fp_line (start 13.631 0.143) (end 13.56 0.081)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 28a8f6c5-747f-4e27-a7cd-0d47889bc47a))
(fp_line (start 13.669 -2.635) (end 13.833 -2.5)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f1d142a9-ab3d-446b-88ff-1196f65cd3a3))
(fp_line (start 13.695 -2.613) (end 13.669 -2.635)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4c0affd0-59e6-4894-85c7-d38860e2e79d))
(fp_line (start 13.699 0.193) (end 13.829 0.294)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b7fa20a-5c09-4ada-a564-1e27f41c8530))
(fp_line (start 13.738 0.237) (end 13.631 0.143)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a2dbf046-240d-4b79-9a19-f68b48d04166))
(fp_line (start 13.766 -2.55) (end 13.695 -2.613)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 02a5b055-0975-442e-b08b-8ed434ca2fc3))
(fp_line (start 13.772 1.052) (end 13.869 1.055)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp daa3e34a-1b4f-498f-a0aa-18e4edddadf2))
(fp_line (start 13.829 0.294) (end 13.939 0.367)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7e7b1fb9-bd05-42d3-9ce3-9be75687a4e2))
(fp_line (start 13.833 -2.5) (end 13.963 -2.399)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85d6cf47-eba4-4394-9f9e-afaeb232c04b))
(fp_line (start 13.869 1.055) (end 14.026 1.062)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 218aefa3-6d8c-4cab-96aa-a3d23f2d456e))
(fp_line (start 13.872 0.354) (end 13.738 0.237)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9a6c401c-3975-4a1b-b60c-a0e7d3d290f7))
(fp_line (start 13.873 -2.456) (end 13.766 -2.55)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 756ea0a3-9f07-4936-81ad-60529ae9b87c))
(fp_line (start 13.906 -1.641) (end 14.003 -1.639)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 656f48cc-e4ca-4acb-880a-bc626afb234c))
(fp_line (start 13.929 -0.183) (end 13.985 -0.094)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4c18e250-719a-4998-93ce-a0d8780d2239))
(fp_line (start 13.935 -0.291) (end 13.929 -0.183)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0f9fc0b0-03a5-4287-afae-138a1f2c344a))
(fp_line (start 13.939 0.367) (end 14.042 0.416)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9d8c8dc-9a83-482e-b307-cd7840ac1d29))
(fp_line (start 13.963 -2.399) (end 14.073 -2.326)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 25334977-1ec5-4389-8d48-2f7713d98d6a))
(fp_line (start 13.977 -0.356) (end 13.935 -0.291)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10deba14-8da0-4664-aea8-80a1ec62e2cd))
(fp_line (start 13.985 -0.094) (end 14.076 -0.048)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36ad0344-6187-4b94-b41c-0cc99aaae7bd))
(fp_line (start 14.003 -1.639) (end 14.16 -1.632)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0bfe2a24-8542-46fc-a757-b0d0cb26d532))
(fp_line (start 14.006 -2.34) (end 13.873 -2.456)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2cbac46-93e7-443d-9d28-5eff42b39502))

(fp_line (start 14.022 0.485) (end 13.872 0.354)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ec18001d-c393-4e0b-961a-1ec9aceb2261))
(fp_line (start 14.026 1.062) (end 14.214 1.071)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f978848e-382f-4ac0-a198-a8e409bb806a))
(fp_line (start 14.042 0.416) (end 14.152 0.448)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5eaf9935-6ff7-44c6-a286-a66fbd31529b))
(fp_line (start 14.057 -0.413) (end 13.977 -0.356)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 86d39317-3bd9-4726-8c15-cdcc5f22a7fa))
(fp_line (start 14.064 -2.876) (end 14.12 -2.787)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 54cfb569-eabc-456d-97f3-e78cc8c6fc6a))
(fp_line (start 14.069 -2.984) (end 14.064 -2.876)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 591908ac-53a6-4842-b926-65b80f151fc8))
(fp_line (start 14.073 -2.326) (end 14.176 -2.277)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dfbe264f-c72b-42b2-b17f-eeecda0fe672d))
(fp_line (start 14.076 -0.048) (end 14.213 -0.038)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9e38cc36-36a2-46ad-8901-bb4a1e94c906))
(fp_line (start 14.111 -3.049) (end 14.069 -2.984)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74a93e12-f6d4-4b4c-ab27-0f9db5986d69))
(fp_line (start 14.12 -2.787) (end 14.211 -2.741)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7fbc6e1-cc6f-4149-a8ee-cfe71c28d7bc))
(fp_line (start 14.152 0.448) (end 14.283 0.467)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e6664ceb-e508-4dd4-a83d-e855c84e5b39))
(fp_line (start 14.156 -2.208) (end 14.006 -2.34)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp de19bea4-fe63-4e41-adc1-53ac4020f97b))
(fp_line (start 14.16 -1.632) (end 14.348 -1.622)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a33700e-af46-4cbf-a000-0ce76f43c651))
(fp_line (start 14.176 -2.277) (end 14.286 -2.246)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9e7e7c98-5adb-4589-bcb2-403933e39b28))
(fp_line (start 14.18 0.622) (end 14.022 0.485)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 832fd3fd-2258-4649-b353-815cab1ee6f4))
(fp_line (start 14.182 -0.45) (end 14.057 -0.413)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4b30134a-089e-4514-ac4e-1081ce5650c1))
(fp_line (start 14.191 -3.106) (end 14.111 -3.049)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81036a91-acfb-4fa0-96cf-0d53ea6a8125))
(fp_line (start 14.211 -2.741) (end 14.347 -2.731)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6e745bd4-14fe-41cf-85a2-b91eb4738bb4))
(fp_line (start 14.213 -0.038) (end 14.341 -0.07)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bd68c5c6-2355-49a0-9b50-1baff8da422a))
(fp_line (start 14.214 1.071) (end 14.408 1.081)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5bc47a3-050e-4712-b93b-c3fff3f007bd))
(fp_line (start 14.283 0.467) (end 14.413 0.472)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a3b07560-0f36-4968-bcbf-fc2bde82f865))
(fp_line (start 14.286 -2.246) (end 14.417 -2.226)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c7129a28-b8e7-478c-b154-1d236e34d860))
(fp_line (start 14.314 -2.071) (end 14.156 -2.208)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b191c30-a88d-468b-bb1a-2214eee8e826))
(fp_line (start 14.316 -3.143) (end 14.191 -3.106)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2f6a5c37-9d5c-4c12-99f6-c052fd3c183b))
(fp_line (start 14.333 -0.462) (end 14.182 -0.45)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9d690696-db2e-4ee6-bc0b-eebfc67a4274))
(fp_line (start 14.336 0.757) (end 14.18 0.622)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 68606301-e24a-4f82-8092-3b91f4eccead))
(fp_line (start 14.341 -0.07) (end 14.461 -0.166)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7dc3dfe4-5e88-494d-8ac8-7c7bcc9a3b7e))
(fp_line (start 14.347 -2.731) (end 14.475 -2.763)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1e84d2e5-2afc-4f04-8e59-a3bf42c99d6e))
(fp_line (start 14.348 -1.622) (end 14.542 -1.612)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2293de70-5d76-49c7-ad86-02bbef8858d6))
(fp_line (start 14.408 1.081) (end 14.58 1.091)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9a9b1ba-fc5d-4d46-8163-eb0319318476))
(fp_line (start 14.413 0.472) (end 14.548 0.459)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 01f7a4bb-db4f-40bf-a7ae-7ad4282a4cde))
(fp_line (start 14.417 -2.226) (end 14.547 -2.221)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 70cb5ab0-d97e-4818-b7df-8a73a634457a))
(fp_line (start 14.461 -0.166) (end 14.531 -0.293)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3ac6a585-36d4-4c90-9f67-207037c683ee))
(fp_line (start 14.467 -3.155) (end 14.316 -3.143)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4759ba5-e852-4d06-bcdd-349d030487c3))

(fp_line (start 14.47 -1.937) (end 14.314 -2.071)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d2cc0f2-563b-4970-9472-202458ed8461))
(fp_line (start 14.475 -2.763) (end 14.595 -2.859)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5ac5afd8-7dd4-4cc5-9fa8-22fa82f76b0a))
(fp_line (start 14.478 -0.452) (end 14.333 -0.462)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9e98b42-1c88-4ab6-9119-acfc80fc1ba4))
(fp_line (start 14.48 0.88) (end 14.336 0.757)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 37e2e56d-7cab-4522-8333-fae3ca43d454))
(fp_line (start 14.531 -0.293) (end 14.569 -0.431)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1babd4a1-08ef-4e17-9908-b8a34610d78f))
(fp_line (start 14.542 -1.612) (end 14.714 -1.602)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ab5e0cb6-d8eb-4ed1-b3ca-6fb7fac1db8f))
(fp_line (start 14.547 -2.221) (end 14.683 -2.234)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5e39ee3e-56e0-4b98-a36a-879e805bd66f))
(fp_line (start 14.548 0.459) (end 14.679 0.426)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7c82aca-5259-428e-a0e8-69826d5227b9))
(fp_line (start 14.58 1.091) (end 14.703 1.098)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 878f035a-214e-4c3a-af6d-13dd84d60327))
(fp_line (start 14.595 -2.859) (end 14.665 -2.986)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f198651-f338-4a32-bd16-6db230d33e26))
(fp_line (start 14.603 0.984) (end 14.48 0.88)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2e1307c2-c84c-42ae-b82d-7340deda219a))
(fp_line (start 14.612 -3.145) (end 14.467 -3.155)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f81231bc-cd04-4a7c-959e-a7bf3e98051c))
(fp_line (start 14.612 -0.421) (end 14.478 -0.452)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6df43a5f-0e1d-46ef-a7b1-fbadd9584159))
(fp_line (start 14.614 -1.813) (end 14.47 -1.937)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp db60d60-9e28-42ff-a9e6-792398dc22d7))
(fp_line (start 14.665 -2.986) (end 14.703 -3.125)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0b50d27d-55eb-4d3c-8b8c-7f0ced44cf77))
(fp_line (start 14.679 0.426) (end 14.797 0.369)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6745a144-1058-4063-9269-4553c14fb328))
(fp_line (start 14.683 -2.234) (end 14.813 -2.267)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 063f4ac2-e87e-46d1-8f0b-41596d2b79fc))
(fp_line (start 14.697 1.061) (end 14.603 0.984)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 72c6ec8e-e394-4fcd-881f-b24c59e95ece))
(fp_line (start 14.703 1.098) (end 14.75 1.101)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0e8bb7ce-a538-4b92-8c1d-89f141cc6cf0))
(fp_line (start 14.714 -1.602) (end 14.837 -1.595)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cc2aa80f-d0a9-4c93-9859-2125003b92d1))
(fp_line (start 14.732 -0.369) (end 14.612 -0.421)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fa192eea-750f-4e96-8245-d47f39b96a95))
(fp_line (start 14.738 -1.709) (end 14.614 -1.813)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7aa1df82-31a9-4ffd-9b26-e2e9ca859ee8))
(fp_line (start 14.746 -3.114) (end 14.612 -3.145)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e16b48e7-e933-495d-b2ed-41ed026c65a7))
(fp_line (start 14.75 1.101) (end 14.697 1.061)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a0416f5e-6cd2-445f-b049-008f12cf3378))
(fp_line (start 14.797 0.369) (end 14.891 0.287)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fec2701f-2c2f-403c-b999-3fde456ca29b))
(fp_line (start 14.813 -2.267) (end 14.931 -2.324)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6835f660-b1ae-4aff-a458-f22b7aded4f5))
(fp_line (start 14.831 -1.632) (end 14.738 -1.709)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3aa4a374-87c9-45c2-ba7e-0b604de01819))
(fp_line (start 14.832 -0.297) (end 14.732 -0.369)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9602bef-9c47-4912-ae3f-08289dbdfee5))
(fp_line (start 14.837 -1.595) (end 14.884 -1.593)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4f2f890d-4816-4dbf-ba7b-3d20ec67e84c))
(fp_line (start 14.866 -3.062) (end 14.746 -3.114)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dd52529a-d75b-4264-ab18-a8ad8f3e8f29))
(fp_line (start 14.884 -1.593) (end 14.831 -1.632)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ba94c995-35d7-4851-9497-42ccf846a613))
(fp_line (start 14.891 0.287) (end 14.955 0.176)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 27a5bdd2-8391-409f-ac48-39370495d9ce))
(fp_line (start 14.909 -0.205) (end 14.832 -0.297)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 334d05fe-a7aa-46c3-ad9a-96aeff41708e))
(fp_line (start 14.931 -2.324) (end 15.026 -2.406)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2d8d063-18ee-474a-ab25-62096d0e1da5))

(fp_line (start 14.955 0.176) (end 14.977 0.035)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9252f856-7706-4c98-b903-d9243980c114))
(fp_line (start 14.959 -0.094) (end 14.909 -0.205)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aa37b4e2-8bbd-4202-afa1-8409653901bf))
(fp_line (start 14.966 -2.99) (end 14.866 -3.062)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 111a939f-87fb-4df0-b0c7-be0eb8f57f67))
(fp_line (start 14.977 0.035) (end 14.959 -0.094)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 598a78d8-0c64-48fc-8c0f-7c7bce83eaca))
(fp_line (start 15.026 -2.406) (end 15.089 -2.517)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6f2cd79f-3f78-4485-96fb-72bc5772b596))
(fp_line (start 15.043 -2.898) (end 14.966 -2.99)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 368c1567-cd7b-4c16-a25b-76a180877342))
(fp_line (start 15.089 -2.517) (end 15.111 -2.659)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9b031d5b-abd2-45b1-b2f3-ee72b5082f02))
(fp_line (start 15.093 -2.788) (end 15.043 -2.898)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b124765f-fc2c-45c0-82b0-df0e7b64019a))
(fp_line (start 15.111 -2.659) (end 15.093 -2.788)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f4ce8115-9f32-4087-acb3-a23fee6f5650))
(fp_line (start 15.841 -0.313) (end 15.864 -0.258)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 90801ac7-855c-4787-b6a3-7e91607fcd93))
(fp_line (start 15.864 -0.368) (end 15.841 -0.313)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ea655d7d-6bff-4050-b06c-7599e078e87d))
(fp_line (start 15.864 -0.258) (end 15.919 -0.236)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ded7a13d-95ad-40ff-8c08-08ec56fd4ec8))
(fp_line (start 15.916 0.622) (end 15.917 0.445)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1a667518-1233-4bcf-b929-ff10f4c44bb2))
(fp_line (start 15.916 0.808) (end 15.916 0.622)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5c90b523-2646-4ba1-96a2-dbe001ba2d9b))
(fp_line (start 15.917 0.289) (end 15.918 0.163)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 458dbdca-ebf5-4e4a-8a73-327afcb6ea03))
(fp_line (start 15.917 0.445) (end 15.917 0.289)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 716f4c9b-1db2-4c62-bdd2-f3c7c9a29729))
(fp_line (start 15.917 0.993) (end 15.916 0.808)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 622ecbbb-e171-40ed-8437-2cc1d99399c5))
(fp_line (start 15.918 0.08) (end 15.919 0.05)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 27eabf97-8a90-4cd7-b1c1-578a5fc98096))
(fp_line (start 15.918 0.163) (end 15.918 0.08)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 49be04e3-daf1-4931-8ed6-66ac12578aa6))
(fp_line (start 15.919 -0.39) (end 15.864 -0.368)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bf8d3472-30a5-4464-b8c0-bb5170049632))
(fp_line (start 15.919 -0.236) (end 15.974 -0.258)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9a17b53-321c-4036-b2a9-67d0727ef63a))
(fp_line (start 15.919 1.165) (end 15.917 0.993)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d32a152-7a3a-413f-b25a-c795ec13372b))
(fp_line (start 15.968 -3.006) (end 15.991 -2.951)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 873ff18d-87d5-4a9a-9028-3852568c30d2))
(fp_line (start 15.974 -0.368) (end 15.919 -0.39)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 93601ed0-df89-46d8-8f2e-cd64ea6a13ae))
(fp_line (start 15.974 -0.258) (end 15.996 -0.313)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0305f1c0-5da0-4eae-b5b3-36c3b48bb44f))
(fp_line (start 15.991 -3.061) (end 15.968 -3.006)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10fbd94a-de0f-40e7-8c6d-4f7a48e99fcf))
(fp_line (start 15.991 -2.951) (end 16.046 -2.929)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 486388b6-d30c-496f-8fc2-d1c11c67151a))
(fp_line (start 15.996 -0.313) (end 15.974 -0.368)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 691898e6-71cc-491c-b5fe-9955deaf9923))
(fp_line (start 16.043 -2.071) (end 16.044 -2.248)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 59a8cb9c-75f6-4a5b-9e3a-35008afb7fd2))
(fp_line (start 16.044 -2.404) (end 16.045 -2.53)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4ca253b-700f-4159-982b-ba126cf30328))
(fp_line (start 16.044 -2.248) (end 16.044 -2.404)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 935e5966-c92a-49a8-8963-be6aa9212833))
(fp_line (start 16.044 -1.885) (end 16.043 -2.071)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62fdb2b5-701d-4645-b7cb-7bed5cb4c953))
(fp_line (start 16.044 -1.7) (end 16.044 -1.885)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c1e0338c-4cf9-4981-9f45-d73415c85413))
(fp_line (start 16.045 -2.53) (end 16.046 -2.613)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 93622df2-808b-41db-8a56-e139983ec2d3))

```

(fp_line (start 16.046 -3.084) (end 15.991 -3.061)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e407f1c7-be59-4722-9397-2a7a44372b43))
(fp_line (start 16.046 -2.929) (end 16.101 -2.951)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 72a21e97-ddc2-448a-b163-4cacbe5fd2ab))
(fp_line (start 16.046 -2.613) (end 16.046 -2.643)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b3d1fa8e-7443-4b41-b71b-3800ba9006da))
(fp_line (start 16.046 -1.528) (end 16.044 -1.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ad628d31-c042-44c2-ba7d-1c76c8eaced8))
(fp_line (start 16.101 -3.061) (end 16.046 -3.084)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 34019cd3-37a8-414d-a0c2-3daf2991af95))
(fp_line (start 16.101 -2.951) (end 16.123 -3.006)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a48b8494-a60f-4b3f-8329-ccf8480ebdae))
(fp_line (start 16.123 -3.006) (end 16.101 -3.061)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5c4c0b94-de23-4255-b980-ffa6f8a7cc1c))
(fp_line (start 16.686 -3.272) (end 17.296 -3.272)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 20158583-d5e8-414b-bd5c-ea2285c0ecf7))
(fp_line (start 17.296 -3.272) (end 17.296 -1.899)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8de6dd61-095e-4c81-a57f-2c766629f7b2))
(fp_poly
  (pts
    (xy -3.661 2.871)
    (xy -2.874 1.598)
    (xy -2.841 2.045)
    (xy -3.689 3.503)
    (xy -3.661 2.871)
  )
  (stroke (width 0) (type solid)) (fill solid) (layer "B.Silks") (tstamp 18b05395-225b-4c7a-bfba-3f05)
(fp_poly
  (pts
    (xy -14.615 1.266)
    (xy -13.862 0.621)
    (xy -13.81 0.305)
    (xy -13.851 0.34)
    (xy -13.958 0.431)
    (xy -14.104 0.556)
    (xy -14.263 0.692)
    (xy -14.41 0.817)
    (xy -14.519 0.911)
    (xy -14.564 0.949)
    (xy -14.615 1.266)
  )
  (stroke (width 0.159) (type solid)) (fill solid) (layer "B.Silks") (tstamp e1cbe360-7b94-4d7e-99c9-
(fp_poly
  (pts
    (xy -3.881 0.701)
    (xy -3.841 0.736)
    (xy -3.757 0.819)
    (xy -3.64 0.938)
    (xy -3.503 1.081)
    (xy -3.356 1.235)
    (xy -3.21 1.389)
    (xy -3.077 1.529)
    (xy -2.968 1.644)
    (xy -2.894 1.723)
    (xy -2.867 1.751)
    (xy -2.967 1.294)
    (xy -4.012 0.198)
    (xy -3.881 0.701)
  )
  (stroke (width 0.159) (type solid)) (fill solid) (layer "B.Silks") (tstamp e08fc5c2-f03d-4b4c-980c-
(fp_poly
  (pts
    (xy -2.934 3.699)
    (xy -3.688 2.21)
    (xy -3.692 1.66)

```

```

(xy -3.611 1.802)
(xy -3.533 1.939)
(xy -3.457 2.073)
(xy -3.384 2.205)
(xy -3.313 2.334)
(xy -3.244 2.463)
(xy -3.176 2.591)
(xy -3.11 2.719)
(xy -3.046 2.848)
(xy -2.983 2.979)
(xy -2.921 3.112)
(xy -2.859 3.249)
(xy -2.934 3.699)
)

(stroke (width 0) (type solid)) (fill solid) (layer "B.SilkS") (tstamp ca2c08c5-50d7-4c06-a673-2e9b
(fp_poly
(pts
(xy -6.42 0.77)
(xy -6.33 0.73)
(xy -6.25 0.65)
(xy -6.2 0.53)
(xy -6.18 0.37)
(xy -6.2 0.21)
(xy -6.26 0.1)
(xy -6.34 0.03)
(xy -6.47 0)
(xy -6.55 0)
(xy -6.64 0.03)
(xy -6.75 0.1)
(xy -6.82 0.19)
(xy -6.86 0.29)
(xy -6.87 0.37)
(xy -6.87 0.44)
(xy -6.85 0.57)
(xy -6.8 0.67)
(xy -6.74 0.74)
(xy -6.7 0.76)
(xy -6.64 0.78)
(xy -6.57 0.79)
(xy -6.49 0.79)
)

(stroke (width 0) (type solid)) (fill solid) (layer "B.SilkS") (tstamp 2c8125f9-6d00-474f-ad47-45f1
(fp_poly
(pts
(xy -14.681 2.464)
(xy -14.645 2.496)
(xy -14.568 2.579)
(xy -14.462 2.698)
(xy -14.338 2.84)
(xy -14.21 2.991)
(xy -14.09 3.138)
(xy -13.989 3.267)
(xy -13.92 3.365)
(xy -13.924 3.128)
(xy -13.928 2.974)
(xy -13.931 2.89)
(xy -13.933 2.864)
(xy -14.035 2.77)
(xy -14.15 2.653)
(xy -14.27 2.521)
(xy -14.389 2.385)
(xy -14.498 2.254)
(xy -14.59 2.139)
(xy -14.658 2.049)
(xy -14.693 1.992)
(xy -14.69 2.26)

```

```
(xy -14.684 2.414)
(xy -14.681 2.464)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.Silks") (tstamp fb13c05a-dc46-4cc4-a519-ceac
(fp_poly
(pts
(xy -14.549 3.36)
(xy -14.464 3.189)
(xy -14.379 3.003)
(xy -14.298 2.809)
(xy -14.222 2.617)
(xy -14.153 2.432)
(xy -14.092 2.264)
(xy -14.041 2.12)
(xy -14.003 2.007)
(xy -13.978 1.934)
(xy -13.97 1.908)
(xy -13.961 1.343)
(xy -14.01 1.466)
(xy -14.073 1.621)
(xy -14.146 1.799)
(xy -14.226 1.991)
(xy -14.308 2.188)
(xy -14.388 2.38)
(xy -14.463 2.557)
(xy -14.528 2.711)
(xy -14.579 2.833)
(xy -14.613 2.913)
(xy -14.625 2.942)
(xy -14.549 3.36)
)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.Silks") (tstamp aa02769a-167d-426e-b019-89ee
(fp_poly
(pts
(xy -10.78 0.69)
(xy -10.68 0.6)
(xy -10.61 0.47)
(xy -10.6 0.41)
(xy -10.59 0.32)
(xy -10.62 0.17)
(xy -10.65 0.1)
(xy -10.7 0.03)
(xy -10.77 -0.03)
(xy -10.85 -0.08)
(xy -10.96 -0.1)
(xy -11.1 -0.06)
(xy -11.21 0.03)
(xy -11.26 0.11)
(xy -11.28 0.15)
(xy -11.32 0.31)
(xy -11.31 0.41)
(xy -11.29 0.49)
(xy -11.25 0.55)
(xy -11.22 0.6)
(xy -11.15 0.64)
(xy -11.05 0.71)
(xy -11.02 0.72)
(xy -10.92 0.74)
)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.Silks") (tstamp 47c53afc-a3a2-4715-b91d-4225
)
```

```
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005c0ce3e6)
(at 99.15 85.35 -90)
```

[illegible]


```
(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 89754c28-41bd-445a-9198-f7c66cd56576)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp ab334223-bdc3-4187-8e71-e22a48b1bef5)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2fa130f4-c68c-4a48-a37c-1d35a2d235c4))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1278b12c-3eb3-4b86-87c6-b8471be0997c))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e9369968-df92-42f3-b578-e7cf69199ef0))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9c626d62-0669-4055-91e9-0adb3fc3caf4))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d088eab6-1e35-49bf-b849-211918a933f9))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b39f6df-6cb2-4949-bc32-be5b7a17949d))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 589255ea-79c4-4450-bf77-77bd150cf59e))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ff058c5-b7bc-4844-89e9-c8d91e990306))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp b3b81225-9b87-439f-96f7-e43dd650cf4e))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 54e42a46-5c1b-4e09-8af3-975f27a0ab95))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005c0ce554)
  (at 99.15 90.95 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")
  (attr smd)
  (fp_text reference "C47" (at 0 0 -90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp ef28cf74-bae2-4c37-a171-ac40222fd319)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 919767b9-7a69-4de3-a8d4-c3d7baf2521d)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 14e495b1-c848-4f0c-a368-f9c91412d6ae)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ff77ba9a-7734-4d6c-8aa9-37f7ba55740b))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0f9c1614-5ecc-4421-8391-7ffebed0bddae))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 19f1428f-c551-4b91-800c-2072196c3cca))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
```

```
(
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 17de2d02-0eec-4378-b7fb-5f0af03f8049))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a1d6b85b-2912-46ea-9540-8a31a6a27978))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4cc1a617-23c8-4547-a2a4-a05e18568f11))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6f5bc678-f46c-4be6-a5fe-daea86e18874))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b861188e-65fe-4749-918e-e2fe1728a23d))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 32306efa-daf8-4530-9a8a-150156c06177))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 749ac16f-3871-4336-8d2b-ef999d1acccc))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
  )
)

(fpfootprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005c0ce60b)
  (at 97.05 93.75 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "C41" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp c4355118-c70f-446e-8e46-40de533e9a5e)

  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 2c54afe6-7ef0-49c1-b132-329d0b90c1c2)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp e61f7da3-45b1-4e11-bf0b-0d9c29560e76)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 320494a5-c26c-452f-abc4-ae66d400736c))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0fe234f4-a08a-4e62-b00a-cf55368d0fb4))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0dbbe3f4-dfcf-4977-973e-afc89bc740f5))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cf7cf40f-94f2-40fd-88cd-53a7c5ceef57))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d5a6021c-4511-4614-b616-b87459e9b4b8))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp aab7ba48-c6cf-49cc-85ff-241bdd33bfae))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b1587efe-7dab-470e-ac1d-8694409c6053))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c1e08292-b6ec-481a-a8ac-4485378e72b7))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp c54f4ae3-da5c-4e41-8143-cc9d0fad146d))
  (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp cca46b56-8a47-4dcf-95c2-59cbcd392dba))
  (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
  )
)
```

```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005c160e8a)
  (at 122 118.5)
  (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
  (tags "fiducial")
  (attr smd board_only exclude_from_bom)
  (fp_text reference "FID6" (at 0 2) (layer "B.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
    (tstamp 5f4f3553-420f-4142-b773-4a76d8af471d)
  )
  (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 -2) (layer "B.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp b2273114-2125-475b-b34c-c839bf1e60a8)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.05)) (justify mirror))
    (tstamp 4579fa8a-f36d-4d31-8c1f-94406c4e2963)
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp d37e6b0a-45bc-437c-b1ab-d70)
  )
  (fp_circle (center 0 0) (end 0.75 0)
    (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (tstamp 33f8dc0b-1aff-49a3-988a-ac321)
  )
  (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")
    (solder_mask_margin 0.375) (clearance 0.375) (tstamp eb8cbe3d-075a-4b15-89c0-03990a55f917))
  )

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005c9f31b9)
  (at 85.9 100)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 0603)"
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b0dccfb")
  (attr smd)
  (fp_text reference "C19" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp a1e76925-e2f5-43b6-a2e9-79cb83e359ea)
  )
  (fp_text value "4u7" (at 1.2 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp ad171cbc-b179-4e67-bb66-7db30ad7bd0e)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 693d6378-57eb-4b04-ada6-0e98beb220f9)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 628fba77-faaf-4415-89ef-b566a828c3fd))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp adddbe2c-acdf-42f0-b208-0bd1191a918f))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 418fcf70-223f-4524-9aea-baccac923772))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bc6d43ef-cc42-4819-9309-75a3828d047e))
  (fp_line (start 1.48 -0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b05efd77-eab9-4391-8a28-6fe9d1cd1c75))
  (fp_line (start 1.48 0.73) (end 1.48 -0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 81db25ce-eb9-4244-b783-6c4e36aa6469))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4ab19e69-4225-4921-b4e6-178d56adee07))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d0c3dc47-cd1e-4adb-91e4-54698ce54f31))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 45d7653a-ae88-482f-9d8a-c77739b6e571))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b65d6f1f-4821-4927-972d-7f2a67666633))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 2 "+3V3") (pintype "passive") (tstamp 3a570800-fd8c-4338-9263-2e8774a51a75))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 3 "GND") (pintype "passive") (tstamp c01a2dba-1c35-42dc-980e-55ec97b1997d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005ca39c02)
  (at 88.3 111)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9d135")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP12" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 68292002-7a0e-47fa-b16b-001ae00de115)
  )
  (fp_text value "GND" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 56f4f0fe-d090-4636-b6cb-520e67d89e99)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp efb06754-c440-4525-9635-1fee2f88fbf6)
  )
  (fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp e4aa9176-f06f-4064-9aba-ed
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 93e433c1-745b-4966-809a-71
  )
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "passive") (tstamp 3986ea8e-9844-485d-a3b2-15d3dd0f1aa6))
  )
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca39c0a)
  (at 88.3 113.5)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9ce28")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP11" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 32a0e56f-8bc1-4a32-bfca-86a22f544605)
  )
)

```

```

(fp_text value "SCL" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 17f90a9f-883c-460e-bf97-d86333e67bed)
)
(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp d2989bff-6951-4308-8a9f-83688b4cc609)
)
(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 13489bbb-9a6f-4b9e-917e-78f)
)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 1087f278-6baa-44b8-aa18-e0f)
)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 4 "/SCL") (pinfunction "1") (pintype "passive") (tstamp 50a36df5-06d2-4395-868f-f99cc0fa984a))
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca39c12)
  (at 88.3 116)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9cd70")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP10" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 5e6b4d50-cd8d-4e0d-9039-23cc4c831152)
  )
  (fp_text value "SDA" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp c916d965-740d-44bf-bc68-7df7762e8071)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 85307057-1e26-4052-af8e-ec53cb826ded)
  )
  (fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 903cccd3-5d93-4a94-9762-2ff)
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp fedb17be-eaf7-4582-9e63-2e0)
  )
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
    (net 1 "/SDA") (pinfunction "1") (pintype "passive") (tstamp 8a081b48-7de5-4f7d-9b6d-b25ef667799e))
  )

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca39c22)
  (at 81.5 116)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9b5fe")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP8" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp d6a0bec7-cab1-47e4-b244-c28515dded68)
  )
  (fp_text value "5V" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp e215fcdf-ddd3-4d67-8a4b-f7bddf5438c7)
  )
)

```

```

(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 482722c6-aa5f-491f-81fc-ce5b080ccf10)
)
(fp_circle (center 0 0) (end 0 -0.7)
(stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 7cc5a340-c38a-4618-8eef-2412d93b)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp dfebca87-b5e2-4b66-9e13-fa)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 5 "+5V") (pinfunction "1") (pintype "passive") (tstamp 74529d55-107c-41cb-8006-ee2a2a7eb123))
)

(fprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca403c9)
  (at 81.5 111)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9ccba")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP9" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp b1df1883-8f59-4b8f-bfe8-7ff1e461cdae)
  )
  (fp_text value "3V3" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp efcbbfcf-7fcf-4e10-9c56-90303fbc8f31)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 9b708eac-0962-4ce5-872f-a688a4574bd0)
  )
  (fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 2d1c9beb-9765-486f-84d8-db)
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 087d764d-fc14-493d-ba3a-33)
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
    (net 2 "+3V3") (pinfunction "1") (pintype "passive") (tstamp 2fa512a3-826f-44aa-b9b0-0f3a999fb906))
  )

(fprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cacecf5)
  (at 55.5 94.25)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005caf0599")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP13" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 8e0bb9b2-91b4-454e-928a-61e22bd86523)
  )
  (fp_text value "VBUS" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp cc185762-4dc0-4829-adc6-26f54b28d4ed)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp b8f6b73d-6be7-49cd-b3cc-8dfe8171e5b7)
  )
)

```

```

(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp c0cd2bf1-8f92-40f7-8ca2-97
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 475b3708-d816-4785-909f-0d
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 187 "/xVBUS") (pinfunction "1") (pintype "passive") (tstamp d5bbf164-05d5-452c-b7b1-7d133dbd08
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cad0bb5)
  (at 57.9 96.8)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005caf1844")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP14" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 8afdbe49-a8d5-4b5e-8da0-c1e756752cde)
  )
  (fp_text value "USBGND" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 8932486d-ff66-4e5f-90e4-f89afb7ace76)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 93a3b888-0ec0-4e04-afb5-45964964bede)
  )
  (fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp c1aac444-bba5-400e-b0e1-ce
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 526b3d25-23a0-4c04-afc1-62
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "passive") (tstamp 04fafd72-06b7-49a5-a16e-63624719832f))
  )
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cad756a)
  (at 57.9 94.7)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005caee18c")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP16" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 0b5d478f-1629-4a6a-83ba-83f67304de78)
  )
  (fp_text value "USBDM" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 1c0a7c84-1d69-478d-9d4a-d41b79941271)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp cd6e6d2c-d5a3-4b5a-87c6-e75b6acb60ec)
  )
  (fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 0b890482-9707-4076-94cd-7c
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 9b730479-0058-438f-bf0c-ed

```

```

(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 11 "/USB_N") (pinfunction "1") (pintype "passive") (tstamp 24d7f07b-941a-4f80-83ef-8faa42babad
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cad75c3)
  (at 55.5 96.3)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005caede5c")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP15" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 73a81a2f-445f-4755-925a-dddad1535683)
  )
  (fp_text value "USB DP" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp c942ab8e-45cf-4268-984b-62bd3383e8f6)
  )
  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 4d2ba614-5ed4-45ad-9ba5-947ed6a2e312)
  )
  (fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 131e5703-a0f5-4d4b-8017-78
  )
  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp b646281c-63b6-4b52-bc47-fb
  )
  (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
    (net 8 "/USB_P") (pinfunction "1") (pintype "passive") (tstamp cce97440-4e1d-4f60-a3e8-497eb06b3110
  )

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb0d6d5)
  (at 88.4 95.5 90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  )
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005bda8a1e")
  (attr smd)
  (fp_text reference "C80" (at 0 0 270) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 74cf3280-5199-494d-81c7-02e340c003a0)
  )
  (fp_text value "4u7" (at 1.15 0 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 1ff8c662-9dc8-4542-b356-7d4b629c71b2)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 781a48fe-2b2d-4973-94c1-4ca9911c35b6)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp f45e9c90-34ec-4c81-964d-5aecce827686))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp f2b48037-244f-43ee-91b1-b57268a8b333))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f48c7334-e639-454e-8759-081f908bad81))

```



```

(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 67e65e5c-72f8-4463-ab32-589af62daecc))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9158b9de-5a99-4682-995d-f8d4dfd7d6ca))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 93b8f356-a352-4d2d-8331-2c286c4b564a))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c85ae5f7-71ba-47e5-aca1-84cb489d076b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b784ef9-ccca-4724-b2ac-6cf504ccf10b))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 000bcd9e-4632-46c8-9eae-de8b4589b07e))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d711ed81-e4cb-4cab-b042-8c03266eb63b))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 48 "/VCCPLL1") (pintype "passive") (tstamp 0ed5ae89-f371-4ac8-8139-1b0c1dacb96d))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 50 "/GNDPLL1") (pintype "passive") (tstamp 9eec7b16-69cf-422e-a6d7-c8c0c4ff91aa))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb23fcf)
  (at 89.8 99.25 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005ccc4d9e")
  (attr smd)
  (fp_text reference "C85" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp f90dcc78-38c4-4b99-9d33-e4c2b51d4c89)
  )
  (fp_text value "u1" (at 0 0.75 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 7d833056-aef7-4471-a9e3-bf109477ad21)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 9ad0c5ca-d384-48c0-9090-bdf7531d5461)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 84d05ca2-8939-40a8-9ab3-48f35c8cde20))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ea8466c6-f7cb-4d8f-a065-51055baf5271))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1110c06c-e35c-4839-8c47-613c4f9a4b6e))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ac9df7da-68bc-4081-9b61-1cec46b059bb))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 82096b40-0c59-4478-ab8c-1b28150a04cb))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a18725b3-4ac6-4247-b47f-b3dd03112b51))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e7d26f62-513b-46a5-832c-db9055c67d86))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e483977a-7831-4db9-8db4-02d9f4b09872))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

```

```

        (net 2 "+3V3") (pintype "passive") (tstamp dcc7ae74-72ef-4adb-b391-1a61b4b278e7))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp d4d488cb-52a6-44a6-b6f5-7eb157a46e32))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005cb276a6)
    (at 85.7 94.8 90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005b0dcf1b")
    (attr smd)
    (fp_text reference "C21" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp c19b94ae-d2ef-43af-9dd9-946f1ba2875b)
    )
    (fp_text value "u1" (at -1.05 0 90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 1e17cb35-e2c1-4b7a-8c46-1f87fb2f2626)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 47fc4dda-1968-44f2-93ea-f645bee7fba6)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 452f528e-f07e-4c34-b4cd-9d7836940aa5))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2c9fa51b-01a3-48dd-b408-10fb46b725ea))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bd27a4b8-b5c9-4e06-ab89-0b06b0c9a9fa))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 57b1b2fb-5ef8-414c-b284-a55bfb046a6b))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1824af28-bd51-4504-abb4-931317f26436))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f4c6a9e8-5dea-4e81-b0ee-5aecd8bf891b))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 924e36c5-007b-4550-8e2b-64d9a33e7adc))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 336560e4-e5e1-42c1-904f-898125f543ef))
    (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp b01bca50-c68b-4998-9f9d-c7295349e6ad))
    (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 337f7cee-1328-4692-9121-3266513c15b8))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005cb314ce)
    (at 87.2 95.5 90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

```

```

(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005bda8948")
(attr smd)
(fp_text reference "C79" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 5a05ce9e-8a6c-4e18-ad7a-43a9afe2a57c)
)
(fp_text value "u1" (at 1.3 0 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp d65e89fb-ec52-4875-94b5-1e752586c7ab)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 765c8a5f-1d98-438c-843d-b728b9b7d3b4)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9c21d1da-1776-48ff-948c-f2cddb741d63))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 08e647a4-55c0-41fb-92bd-23952f7e7cba))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a167cf8e-2d53-4165-b3fc-74e17379a8cd))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d16cb052-8929-4c50-ac3b-12106b1a0fa4))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4b170bc1-e4d7-4e99-9431-839781b86fa1))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 238d878a-0e95-48d3-9b0a-44bff4df0614))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ad9cf2b-9517-44c6-b373-36376855d579))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2b5b4214-2b35-430a-885f-d45fbc07a742))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 48 "/VCCPLL1") (pintype "passive") (tstamp 0254f046-8b4e-4720-89dd-cf1aacb8c111))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 50 "/GNDPLL1") (pintype "passive") (tstamp b6a72d04-9e03-475e-bfec-6d19707f2970))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402-1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb34414)
  (at 70.65 111.2)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005cc2abf8")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP17" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 33d3951c-8333-4318-9dfe-bb2fdd436982)
  )
  (fp_text value "1V2" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 93c5b5ad-5c31-4c4b-886b-0b2de818cfe2)
  )
)

```

[illegible]

[illegible]

```

(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "TP18" (at 0 1.448) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 875f2639-cc91-4f48-8d5e-c33fba313e21)
)
(fp_text value "VDAC" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp e7547a3e-de3d-4489-b330-42e9d288d702)
)
(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 235362e3-db73-44a6-a9b5-fcc3fae30a22)
)
(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp afa88414-a1f7-4cd4-bb7e-4a
)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 4cdd4682-ed23-4930-83ee-34
)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 226 "/IO_Banks/IO_Buffer_B/VDAC") (pinfunction "1") (pintype "passive") (tstamp a17e4ba1-0428-
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cd0715c)
  (at 124.6 91.2)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "TP19" (at 0 1.448) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp fa5121cc-8b43-4727-a13a-d40650644c93)
)
(fp_text value "VDAC" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 5075c8f2-6cc4-4c44-aac9-f476ae845d5b)
)
(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 80ef2612-9221-4833-8123-1878ec7bd03c)
)
(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp fb75a524-0376-4483-babb-1b
)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp e92e2b71-0483-4b60-b79f-bd
)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 227 "/IO_Banks/IO_Buffer_A/VDAC") (pinfunction "1") (pintype "passive") (tstamp d582f78b-5274-
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecae8cd)
  (at 101.05 104.95 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
(attr smd)
(fp_text reference "C75" (at 0 0 90) (layer "B.Silks") hide

```

[illegible]

[illegible]

[illegible]

[illegible]

```
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp a940e815-d271-4873-99d7-d57bc44530fd)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a893918e-c5bd-4daa-87c8-a9511ba954a9))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a44912b2-ff91-48a1-bfeb-e768087df165))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2f485fd3-62e0-4e7c-ae57-2d03581f0e95))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 71908535-9308-4b64-985e-d65addbb3b28))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 5b23f65e-7329-44d7-b210-61f9347726b2))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6ae5597d-8e86-4fbf-84cb-c3a25f36737a))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8d9f6912-9860-4986-ac74-51bd64e5adba))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 987da26a-c336-463f-b873-687ad61a195d))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rratio 0.4)
  (net 39 "Net-(U21-Vin-)") (pintype "passive") (tstamp 414488ca-5f8f-4da0-a738-b80e5765102e))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rratio 0.4)
  (net 38 "Net-(U21-Vin+)") (pintype "passive") (tstamp 42e17773-05dc-4fed-a50a-1cf2da23f2ff))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005edde3fd)
  (at 123.8 105.9 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 0603) (resistor)")
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-4r7")
  (property "MPN" "RC0402FR-074R7L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
  (attr smd)
  (fp_text reference "R25" (at 0 1.17 90) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 0164800a-6ef0-4b8d-b109-c09b5eb3c546)
  )
  (fp_text value "4R7" (at 0 -0.7 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 7ee133f0-578f-4d8e-b1a6-556e1678983c)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp fd685ff9-30f2-46d9-bc6f-cb19988fa61c)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5c0892e9-e62e-452a-b9fa-b635cce2c964))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b928e705-7c26-4ad1-a444-140c8e532e0c))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9712ab0d-0b57-4333-8aae-6e19bc803a72))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8fb6c1af-728b-40f1-a946-16d2cbe0b386))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c3998616-2d9f-4872-bda7-33bc142208ef))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c3998616-2d9f-4872-bda7-33bc142208ef))
)
```

[illegible]

[illegible]


```

        (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 0d926db7-3e2a-4955-8dee-89dfdbd8c8c8))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 11d4a5d9-32e7-48e7-9267-b072cd64d1a0))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp da0546d9-5674-4546-84bb-f0174154d38b))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5a2de275-7f95-4613-a702-aa8735c52bda))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 14c47220-c60d-403b-a7a3-0680c779079d))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 50dfdbf8-a4f9-4c2a-843c-21988515242b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 886268b4-73a0-401c-b507-d49240c6463f))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3283ac61-a796-419b-8e83-d750c381462f))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a6239617-bdd5-494a-b2df-1a6f2816090f))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
  (net 232 "Net-(U31-OUT)") (pintype "passive") (tstamp 13a82b65-b037-4016-ac9a-9aad69cee6e1))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
  (net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp 283b8806-4502-47ca-94b1-8b466a
)

(footprint "Resistor_SMD:R_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f0b4dae)
  (at 122.55 90.4 90)
  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0603-0r33")
  (property "MPN" "KDV06FR330ET")
  (property "Mfg" "Ohmite")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "R56" (at 0.0125 0 90) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp e8c8b9aa-59ea-442f-af46-e556ac884204)
  )
  (fp_text value "0R33" (at 0 0.85 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 836d8329-4bb9-41b7-8d23-d7941bcd5979)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 96a1a474-c898-45ea-8be1-978d22fa9f1e)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 45f38585-00f1-4b6c-9b6a-424e679725c4))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 629d1fb1-5503-4829-bbb0-9bebfcaa6ce))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 15021947-ab0d-42d9-81c3-0279f11b737b))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 499b2860-2ed0-4c02-be69-9c6fa8a725c2))
  (fp_line (start 1.48 -0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9c4d7728-8714-4578-92c9-c0dc5ecede8a))
  (fp_line (start 1.48 0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 62f2dfd9-3f20-4c5c-849c-11ed0afae3ae))
  (fp_line (start -0.8 -0.4) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 64216ccb-0451-46a5-a4c4-d565c3009dd1))
  (fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a7159131-17e4-4f2f-bc37-2f45bd010e2a))
  (fp_line (start 0.8 -0.4) (end -0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1b5080f8-99f4-43f8-b1e9-a27a8c60b267))
  (fp_line (start 0.8 0.4) (end 0.8 -0.4)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 39b4e5ce-ba38-4ce1-9fd2-01a1902e62d0))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 232 "Net-(U31-OUT)") (pintype "passive") (tstamp 4f403389-f63f-403e-93ab-e502fa8f61b7))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp f2dd3cfc-3750-40fc-a252-be11f1f1f1f1))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0603_1608Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" locked (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005f44afb8)
    (at 75.9 110.1)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 0402)"
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005ad48d38")
    (attr smd)
    (fp_text reference "C17" (at 0 0) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 9ec46670-0d53-46db-9311-4b8df9beb648)
    )
    (fp_text value "u1" (at 0.015 -0.8) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 358c19ab-13a1-4ff0-a653-aa7c0250ec99)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 34d5ced3-330a-462b-b030-1549b4fcfef7)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 98b5027b-f4e0-4ec6-89ad-284a1632ad1e))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6ab3b97e-a317-4d86-959b-167048c09600))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c6b13524-2748-40ec-9463-cdfcc45fd748))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 14f6bcf2-6d68-48b4-bdde-0cd45444c980))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bb7150be-ac73-4cf5-a354-a19620eb504c))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f91687c2-06b0-48b4-9425-ae21c499d202))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7bea7aeb-8398-45fd-998d-24450e03db51))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 42e05743-3e1f-4951-84a3-cbb9c8d6d394))
    (pad "1" smd roundrect locked (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 3147652f-e2e1-4001-a170-351c8cb89d36))
    (pad "2" smd roundrect locked (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 82a72962-01c7-47c5-becf-ef14ec5adf63))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" locked (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005f4552b9)
    (at 72.4 110.1)

```



```

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")
(property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "ki_description" "Unpolarized capacitor")
(property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005ad0e0a2")
(attr smd)
(fp_text reference "C15" (at 0 0) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 344ff700-39b7-45cd-a882-35de34a045de)
)
(fp_text value "u1" (at 0.015 -0.8) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp dadb649c-eba6-4b5c-8142-c2cdb5198c19)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp fb30f155-d075-4c5c-bf0c-7ce9cad1a8ae)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f142cd55-1494-498c-9215-9f8d4a71c155))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c41cc918-ce25-4bbc-80dc-a3f4ee653493))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 014a1495-280a-4462-ba5b-a98cb6e8cb9a))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 02901caa-d55b-4cc6-97fe-d298bfa3f349))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c635cc04-34e7-4614-bcb0-2d1244275e2b))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b088bc6-0b38-42e8-b3ba-d3e630e6a625))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea4fe2de-e0e5-4f62-b4b2-39d1b6ad87aa))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c394073f-9722-43cc-bbb5-fa0742f6da76))
(pad "1" smd roundrect locked (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (round
  (net 2 "+3V3") (pintype "passive") (tstamp dea8eab4-1fd2-471e-81d6-17051497f6e2))
(pad "2" smd roundrect locked (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (round
  (net 3 "GND") (pintype "passive") (tstamp 9a96515b-d1ec-489f-b888-724acadc9985))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f4840a9)
  (at 87.65 98.8)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b0dcdb9")
  (attr smd)
  (fp_text reference "C20" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp d939540d-543b-4d46-8b48-03755b3ac663)
  )
)

```

```

(fp_text value "u1" (at 0.05 -0.8) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp bed0296f-707b-4147-8a45-ac4ec21460e2)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 659acff3-ea9e-48f1-a963-94dbe8af9d91)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3d750556-d1e4-47ed-aad0-5126cda23fa6))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c7808e97-d0d5-4c8c-bf30-660ec22bfc3b))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9f2ea4f2-bc78-4ff3-a969-39681bc843f4))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7f51dbd1-ed5d-4e86-a754-6f41bcfbf332))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 26d49ca8-db1e-4045-a972-f804b379f15e))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 61e08907-6f28-4b6d-a98e-9a427c871f45))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ccfee9f-dcf1-4b2a-99e5-e4b824a3ad9b))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3dfbfaa4-eee0-49cf-9261-e942f4bdc7))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 2 "+3V3") (pintype "passive") (tstamp 5ff96719-5dd5-4c87-b357-88a437399551))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 3 "GND") (pintype "passive") (tstamp 84372264-1a63-4672-b1ab-664a147d103d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f49d658)
  (at 78.15 101.325 -90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c9cea94")
  (attr smd)
  (fp_text reference "C14" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 70437273-e248-46c1-a42b-cd10c953db1b)
  )
  (fp_text value "4u7" (at -1.125 0 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 43f2ddc0-2b35-4610-9b93-a3bcd4557c96)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 24aaf9e3-ae53-4b8b-a61d-a22c20b9ecd5)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp d45f9afb-8a36-48b9-a8a4-a1c486062ba9))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp d249a028-abe0-487d-92a5-f86c16639b4b))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 02572258-a7a9-471c-9617-2fa3c27591df))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 02572258-a7a9-471c-9617-2fa3c27591df))
)

```

```
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 314739f2-2a9a-4afb-a7d8-3e85bb2a6196))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b56c0703-7f0b-4fc4-afac-fd4f41307a74))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8f920fa9-469c-4088-acac-35bf01a1336d))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 68262c5b-14e9-4578-9f29-14c43563588a))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ab35de31-ba83-43bc-8e10-b24069feb3db))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea711ada-d61b-479f-a73b-cf694fa07eaf))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9da8b8e9-21b7-47f9-8028-8ad631412de3))
(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 29 "+1V2") (pintype "passive") (tstamp cfeeeda0-54d3-4864-a76d-c9b42e587423))
(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 3 "GND") (pintype "passive") (tstamp a0ce8eed-ed9a-471e-bad8-9914bab2a224))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f5caa69)
  (at 122.8 105.9 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-4r7")
  (property "MPN" "RC0402FR-074R7L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "R24" (at 0 1.17 90) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 94f3d417-1483-48d2-93e0-f1e0414afbe9)
  )
  (fp_text value "4R7" (at 0 0.65 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp cf4ca902-269b-4f62-b60c-9ea1e600738d)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp de0825fe-7452-4d17-a1d0-0c234d632e37)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c86717e6-3198-40e7-aaf7-75b79f235386))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1bf5d99a-686d-4916-bb82-2fb380aa3787))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4db9a60f-52c3-4c77-a1d0-7bd781136ae8))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2121497d-987e-4b84-a331-a444b98a9c76))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 662af9cc-c4b9-4193-8faa-8fda7ef04cf0))
  (fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 199a00fa-3921-443e-952e-3341a4a7a26d))
  (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 82efa950-9ebd-49b6-bbcd-45ca1b4488f0))
  (fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 827db228-e2f2-4c53-8b4c-f2cc2e48f45d))
  (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec
  (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp ffa8c620-95bb-4f0b-8aa3-ccad4a
```

[illegible]

```
(property "MPN" "RC0402FR-07470RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "R59" (at 0 1.17 90) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp dc446ed5-d4e2-4f63-8e82-097524227f11)
)
(fp_text value "470" (at 0 -0.65 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 114eab69-8ccc-497c-a2e0-99eff2554705)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 101433b0-309a-488b-b750-5dfc6f63548b)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0efe143b-b124-4dd5-81fc-ab22500892e5))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 49d88bba-a347-492e-bad4-90cae49c6b21))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c035d37e-f450-424c-b832-a38bf8cbf469))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4b07e785-7036-4edc-9b6e-98bb30d002e9))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f210797f-8c27-433a-a3b3-2c44ef14a76d))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a86dc3d3-57fe-4b37-8b37-e19e304ee51e))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 15b8c76c-4a20-4824-a77e-5ccffbefb658))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e59e54a5-7f4c-463b-a3f0-f13f30ca8ce0))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_pads
  (net 41 "Net-(U12-Vbus)") (pintype "passive") (tstamp 60c11bed-f1c4-4d8e-ab6a-9346b297cdec))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_pads
  (net 110 "/IO_Banks/IO_Buffer_B/VSENSE") (pintype "passive") (tstamp 21ab43e7-e874-4c10-b0ad-18f465b00000)))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f600c00)
  (at 120.8 85.1 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 1005 metric)"
    (tags "resistor"))
  (property "1b2-bom-key" "res-0402-470")
  (property "MPN" "RC0402FR-07470RL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
  (attr smd)
  (fp_text reference "R60" (at 0 1.17 90) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp dc3546a0-81b1-40dd-a3e4-20b0ac3be387)
  )
  (fp_text value "470" (at 0 -0.7 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 4b963c79-369f-40ae-b389-de58017f7b0e)
  )
)
```

```

)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 6a68b2bb-85ea-4fd4-8407-967eb595f987)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e6399bc3-baa8-4bff-8725-c587d0155611))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7a997e00-bbd2-4ecc-bfaa-6a34ca8a0d33))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6d4f7ca2-6015-4198-9a8a-091aa4aa5ac3))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ef0fa8ac-2262-4f52-9328-abf143d67212))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bed42c50-a647-4e3e-acfc-ba64936f2a18))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cbc74fc6-edfc-46ab-a3f1-cb167637bd9b))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e02c5722-c957-4391-9bfe-934443654f58))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1f5d7bde-e333-45ad-92b1-5cd8f3ce9380))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 52 "Net-(U21-Vbus)") (pintype "passive") (tstamp b4510cac-1c73-4404-a26c-4e975914fa3d))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 106 "/IO_Banks/IO_Buffer_A/VSENSE") (pintype "passive") (tstamp 86cb0202-bc0c-4a81-8f5e-50065b
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:R_0603_1608Metric_DNP" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f71b6d7)
  (at 125.95 103.4 -90)
  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor DNP")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "dnp" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr exclude_from_pos_files)
  (fp_text reference "R50" (at 0 1.43 90) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp d1815702-5192-4c71-ab8f-c5ad36e64e6d)
  )
  (fp_text value "DNP" (at 0 0.8 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 2d61f2b9-b214-4716-980e-d95d0d0884ec)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 55bdc693-0c54-4422-8588-149b2bfa2d4d)
  )
  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp e27e5bac-65dd-4e4c-b62c-d822f992496d))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 235fa438-1694-4427-ab9c-bae533fc50c6))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bab02826-d677-434b-8cc8-adaa8e539545))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7a93883e-82a2-443a-add0-ceb666966607))
  (fp_line (start 1.48 -0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3eba9758-b546-4be6-a678-85dc896a14e8))
  (fp_line (start 1.48 0.73) (end 1.48 -0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 60af1b3e-8864-49ab-8c46-ab3eb8c3ec74))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1fc16908-2f2c-4c09-b3a0-21ce5d5c5f7b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 66730440-b6b7-42b1-9843-ebc406259b2f))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 78390c0b-b76f-4e7a-b0dd-91645830264c))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1637d94e-24b6-484d-a491-1753d6b8fd79))
(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
  (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp 294ab080-9596-4a26-aab6-51fe9e
(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 64a7b4b5-277f-49da-a804-0e2eb3775fb0))
)

(footprint "Glasgow:null_Logo_Silks_6mm" locked (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f7cc25c)
  (at 59.5 107 180)
  (descr "NULL Logo, Silk Screen, 6mm")
  (tags "logo symbol null")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 4) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp bca9e11d-c6a5-4eec-87c2-cf6bd6b7198a)
  )
  (fp_text value "null_Logo_Silks_6mm" (at 0 -4) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 1bdfa41c-ab24-4b42-92e5-be2d6aa62ff2)
  )
  (fp_line (start -3 -3) (end 3 -3)
    (stroke (width 0.24) (type solid)) (layer "B.Silks") (tstamp 818c34a0-c18f-4c85-889e-0780294f2c64))
  (fp_line (start -3 3) (end -3 -3)
    (stroke (width 0.24) (type solid)) (layer "B.Silks") (tstamp 25490283-9ac5-4798-8dbc-5538683b5452))
  (fp_line (start -1.5 -0.5) (end -1.5 0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 16a96de0-8aef-4cef-a53a-7e0a094f3aec))
  (fp_line (start -1.5 0.5) (end -1 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2c3e2d4a-4bf7-4f53-9202-c86b86a042f8))
  (fp_line (start -1 -0.5) (end -1 0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 914e9e7a-af59-4a32-a1e8-b61ece1cb3e1))
  (fp_line (start -0.7 0.5) (end -0.7 -0.2)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 12a1e13a-383e-46fb-9406-c950df479050))
  (fp_line (start -0.1 -0.2) (end -0.1 0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e9906847-f3d5-408f-b329-5784a92009aa))
  (fp_line (start 0.2 -0.5) (end 0.7 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5160cdcd-1b94-4f6c-98fe-7ff26406953e))
  (fp_line (start 0.2 0.5) (end 0.2 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c42cec75-23ea-49f6-ad56-6f9a87c4feec))
  (fp_line (start 1 -0.5) (end 1.5 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b91e503a-b282-43b0-9bad-dee5c6f5b6c2))
  (fp_line (start 1 0.5) (end 1 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80ce4153-a041-41f9-8b49-93adee61a00c))
  (fp_line (start 3 3) (end -3 3)
    (stroke (width 0.24) (type solid)) (layer "B.Silks") (tstamp 82200ba2-4dcc-45d4-abbb-9a57a0d1507f))
  (fp_line (start 3 3) (end 3 -3)
    (stroke (width 0.24) (type solid)) (layer "B.Silks") (tstamp 648f61cf-c9d3-4500-8c8c-3e7cb1de3dc7))
  (fp_arc (start -0.7 -0.2) (mid -0.4 -0.5) (end -0.1 -0.2)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8a81eb38-64a4-4cc0-9f70-e6e859242e76))
)

(footprint "Glasgow:R_0603_1608Metric_DNP" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f8eae04)
  (at 120.65 87.6 90)
  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor DNP")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "dnp" ""))

```

```
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005ca53068")
(attr exclude_from_pos_files)
(fp_text reference "R51" (at 0 1.43 90) (layer "B.Silks") hide
(effects (font (size 1 1) (thickness 0.15)) (justify mirror))
(tstamp a28b3e33-33e2-499e-9020-052098179363)
)
(fp_text value "DNP" (at 0 0.85 90) (layer "B.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(tstamp 6072a3fb-fc4d-4ece-ba15-b7d80a52f22d)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(tstamp c1c7435a-bc4b-42fc-bb41-035340eae3e4)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
(stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 67ed59c2-08bd-4c61-9ea8-11c93bfec7a5))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
(stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 99cf6bf4-ea7c-4fd5-8886-51364d26d0ef))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 92641698-cb14-480c-87ab-cae9e188abee))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 199dbf24-c059-473d-ac38-eb4cdafcd98a))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b78efd7f-2825-497e-a31d-5473d565f7da))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fee7886b-bf14-4e9a-84e0-61d2b85164e1))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp efc6b64d-0f78-4fbc-aed4-38d3efd947f6))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 545fff58-4bad-4abd-a113-7751dec2a13c))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4cae1513-30e8-4777-a55f-02b315709a23))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp fbafe23fc-88ce-4406-b96f-bb6ba201ab0b))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio 0.4)
(net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp 63bb3d8d-8f64-40ab-8eac-03e3633d8d))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio 0.4)
(net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp bdf46b5d-e7f4-4e03-9170-bd67d4b87481))
)

(gr_line (start 95.11 117.95) (end 101.8 117.95)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53068))
(gr_line (start 112.89 117.95) (end 106.2 117.95)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53069))
(gr_line (start 112.89 117.1) (end 112.89 117.95)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca5306a))
(gr_line (start 95.11 117.1) (end 95.11 117.95)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03011))
(gr_line (start 95.11 73.9) (end 95.11 73.05)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb0360e))
(gr_line (start 112.89 73.05) (end 106.2 73.05)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03610))
(gr_line (start 112.89 73.9) (end 112.89 73.05)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03611))
(gr_line (start 95.11 73.05) (end 101.8 73.05)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03612))
(gr_line (start 115.83 107.6) (end 115.83 104.3)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb126e))
(gr_line (start 115.43 107.6) (end 115.83 107.6)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb126f))
(gr_line (start 115.43 107.6) (end 115.43 107.9)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1270))
(gr_line (start 115.83 104.3) (end 115.43 104.3)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1271))
(gr_line (start 115.43 104) (end 115.43 104.3)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1272))
```


[illegible]

[illegible]

```
(gr_line (start 107.81 83.1) (end 107.81 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c33))
(gr_line (start 116.7 86.7) (end 117.1 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c35))
(gr_line (start 116.7 86.7) (end 116.7 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c36))
(gr_line (start 112.89 83.4) (end 112.49 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c37))
(gr_line (start 117.1 83.4) (end 116.7 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c38))
(gr_line (start 109.08 86.7) (end 109.08 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c39))
(gr_line (start 114.56 83.4) (end 114.16 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3a))
(gr_line (start 116.7 83.1) (end 116.7 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3b))
(gr_line (start 109.08 86.7) (end 109.48 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3c))
(gr_line (start 108.21 83.4) (end 107.81 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3d))
(gr_line (start 112.89 83.1) (end 112.89 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3e))
(gr_line (start 110.35 83.4) (end 109.95 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3f))
(gr_line (start 108.68 86.7) (end 109.08 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c41))
(gr_line (start 108.68 83.4) (end 108.68 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c42))
(gr_line (start 107.81 83.4) (end 107.41 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c43))
(gr_line (start 111.22 83.4) (end 111.22 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c44))
(gr_line (start 109.95 83.4) (end 109.95 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c45))
(gr_line (start 114.56 86.7) (end 114.56 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c46))
(gr_line (start 114.16 83.1) (end 114.16 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c47))
(gr_line (start 110.35 83.1) (end 110.35 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c48))
(gr_line (start 109.95 86.7) (end 110.35 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c49))
(gr_line (start 109.48 83.4) (end 109.08 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4a))
(gr_line (start 114.16 86.7) (end 114.56 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4b))
(gr_line (start 109.08 83.1) (end 109.08 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4c))
(gr_line (start 115.43 83.4) (end 115.03 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4d))
(gr_line (start 107.41 86.7) (end 107.81 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4e))
(gr_line (start 113.29 83.4) (end 112.89 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4f))
(gr_line (start 107.81 86.7) (end 108.21 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c50))
(gr_line (start 111.62 86.7) (end 112.02 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c51))
(gr_line (start 111.62 86.7) (end 111.62 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c52))
(gr_line (start 116.7 83.4) (end 116.3 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c53))
(gr_line (start 115.03 83.4) (end 115.03 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c54))
(gr_line (start 114.16 86.7) (end 114.16 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c55))
(gr_line (start 110.75 83.4) (end 110.35 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c56))
```

```
(gr_line (start 111.62 83.1) (end 111.62 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c57))
(gr_line (start 113.76 86.7) (end 114.16 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c58))
(gr_line (start 115.83 83.4) (end 115.43 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5a))
(gr_line (start 115.43 86.7) (end 115.43 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5b))
(gr_line (start 112.02 86.7) (end 112.02 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5c))
(gr_line (start 107.81 86.7) (end 107.81 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5d))
(gr_line (start 112.49 86.7) (end 112.89 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5e))
(gr_line (start 112.02 83.4) (end 111.62 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5f))
(gr_line (start 107.41 83.4) (end 107.41 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c62))
(gr_line (start 108.21 86.7) (end 108.21 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c63))
(gr_line (start 116.3 86.7) (end 116.7 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c64))
(gr_line (start 116.3 83.4) (end 116.3 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c65))
(gr_line (start 112.89 86.7) (end 112.89 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c66))
(gr_line (start 129 92.2) (end 129 94.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc0))
(gr_line (start 106.8 98.8) (end 106.8 92.2)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc3))
(gr_line (start 106.8 92.2) (end 129 92.2)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc6))
(gr_line (start 129 94.4) (end 129 98.8)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc9))
(gr_line (start 129 98.8) (end 106.8 98.8)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdcc))
(gr_line (start 119.4 94.4) (end 119.4 92.2)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdcf))
(gr_line (start 129 94.4) (end 119.4 94.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdd2))
(gr_line (start 116.7 104.3) (end 116.3 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 11817809-1d51-4afa-8bd4-f70062ab6ba8))
(gr_line (start 117.1 107.6) (end 117.1 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 215e7262-11ea-4541-9af8-a33b651a64c4))
(gr_line (start 116.3 104.3) (end 116.3 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 77c5e7be-0bd4-487a-b7a8-6b61fd6b3fa9))
(gr_line (start 116.7 107.6) (end 117.1 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 90edf4dd-dc5e-4e4e-9a2b-3b0e38a0aa0b))
(gr_line (start 116.7 107.6) (end 116.7 107.9)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d1373360-bc68-4def-b861-7eda80193718))
(gr_line (start 116.7 104) (end 116.7 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d60c1a31-1fee-4eda-b31a-f0454038bed6))
(gr_line (start 116.3 107.6) (end 116.7 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp decdadf6-8d72-4893-bae3-d55da4cbfbeb))
(gr_line (start 117.1 104.3) (end 116.7 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f0b7695f-5c89-4226-8b0c-25480e7fcb5e))
(gr_line (start 51 101.5) (end 51 110.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f8b))
(gr_line (start 51 80.5) (end 51 89.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fa7))
(gr_line (start 61 101) (end 51.5 101)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1935b9))
(gr_line (start 51.5 111) (end 61 111)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1935ba))
(gr_line (start 61.5 110.5) (end 61.5 101.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1935bb))
(gr_line (start 74.1 81.05) (end 74.1 85.2)
  (stroke (width 0.2) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1952ec))
```

```

(gr_line (start 71.2 114.9) (end 79.75 114.9)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f3ab7c4))
(gr_line (start 63.4 114.6) (end 63.4 107.6)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f476d7d))
(gr_line (start 78 114.9) (end 78 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f6fe6c6))
(gr_line (start 61.5 110) (end 63.4 110)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f70b4cf))
(gr_line (start 98.9 81.3) (end 98.9 84.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f7c248f))
(gr_line (start 98.9 106.5) (end 98.9 109.7)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f7c2494))
(gr_arc (start 51.5 111) (mid 51.146447 110.853553) (end 51 110.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f8b9281))
(gr_line (start 129 82.4) (end 129 91.2)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f94d8db))
(gr_line (start 129 108.6) (end 118.5 108.6)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 013fd605-7a5e-4ec8-8c14-8193f22df6e7))
(gr_line (start 62.7 119.5) (end 59 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 04cf1543-02a6-4b46-b04d-48bc255d170c))
(gr_arc (start 61.5 89.5) (mid 61.353553 89.853553) (end 61 90)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 04e0db23-c788-4236-b132-baa946330e4c))
(gr_poly
  (pts
    (xy 58.25 77.25)
    (xy 57.5 77.75)
    (xy 57.5 76.75)
  )
  (stroke (width 0.1) (type solid)) (fill solid) (layer "F.Silks") (tstamp 07bce82f-127f-4e7f-bc5a-a004)
  (gr_line (start 71.2 114.9) (end 71.2 119.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 09ad8e85-27d0-4f6a-9c39-b454efb3c1a3))
  (gr_line (start 129 86.3) (end 118.5 86.3)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 1467a7dc-ff85-42d2-8817-7d3779555522))
  (gr_arc (start 51 101.5) (mid 51.146447 101.146447) (end 51.5 101)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 1572dfbc-130b-416a-ba8a-469760e3de4c))
  (gr_line (start 108.8 98.9) (end 107 98.9)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 25a23da7-ed0d-45ec-bd15-c0d02691ddbd))
  (gr_line (start 116.8 95.5) (end 108.8 95.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 35289fb3-e50f-4d1c-8a5d-258540c10c2c))
  (gr_line (start 107 93.5) (end 108.8 93.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 3f80048f-848a-42fd-9093-abae865131b9))
  (gr_arc (start 51.5 90) (mid 51.146447 89.853553) (end 51 89.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 48460a54-6de0-482f-9e46-d578f38cc9ba))
  (gr_line (start 79.75 106.6) (end 71.03 106.6)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 4d95d1ce-693f-4dd7-b2aa-0f24c88e37cc))
  (gr_line (start 59 119.5) (end 59 111)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 653616f0-53b9-48e9-95f0-6f58e341aebb))
  (gr_line (start 108.8 93.5) (end 108.8 98.9)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 67d94c11-c2aa-4d11-af82-07c6d92a4bf6))
  (gr_line (start 129 104.7) (end 118.5 104.7)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 78cedf99-c2a0-448a-8470-ef03a51f72c1))
  (gr_line (start 70 113.2) (end 63.4 113.2)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 7e18d019-f419-4926-9dff-5b177a7f75db))
  (gr_line (start 63.4 114.6) (end 63.4 119.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 7f70ee7d-986d-451c-b1c5-d68f25a7e747))
  (gr_line (start 79.75 106.6) (end 79.75 114.9)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8441d06d-7b9d-47d9-acb4-6fdc899aaba4))
  (gr_arc (start 51 80.5) (mid 51.146447 80.146447) (end 51.5 80)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8558fb97-c64a-4df9-828f-2a4a79a68986))
  (gr_line (start 107 98.9) (end 107 109.6)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8699ab1f-000e-4520-834f-edf8e9590bba))
  (gr_arc (start 61 101) (mid 61.353553 101.146447) (end 61.5 101.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 871859f9-b2a1-4f8a-932d-3ab1a26d66c6))
  (gr_line (start 71.2 119.5) (end 71.7 119.5)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8c2d62dc-eb70-4e09-ac8b-e68a91a269e4))
  (gr_line (start 118.5 81.3) (end 118.5 109.7)
    (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8c7b8b5a-58b8-4bef-a7ab-3691edbedb9b))

```

```
(gr_line (start 93.9 90.6) (end 93.9 84.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 92365c73-1655-4c20-8cc5-5371a33eff19))
(gr_line (start 51.5 90) (end 61 90)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 96d24477-f791-4ab4-a599-ab89676a4924))
(gr_arc (start 61 80) (mid 61.353553 80.146447) (end 61.5 80.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 974911e5-427a-4b18-9c0f-f1ba32d7b294))
(gr_line (start 128.7 91.7) (end 118.5 91.7)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 9c4b11f1-4775-4276-a23b-de863515068a))
(gr_line (start 118.5 81.3) (end 98.9 81.3)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 9cf32e8d-2104-4e92-9c87-1f52e9deef11))
(gr_line (start 118.5 109.7) (end 98.9 109.7)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a68c967a-c658-4f3f-859f-768a0ce626db))
(gr_line (start 107 106.5) (end 93.9 106.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp abf80526-2a94-4ed6-b38f-3bf14ca2b474))
(gr_line (start 61 80) (end 51.5 80)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp b10f2b8d-0f4f-4c12-b38f-f077ce940a06))
(gr_line (start 101.7 84.5) (end 101.7 106.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp b1908458-00da-4e65-a6f7-1a52d1cc4ee9))
(gr_line (start 129 99.8) (end 129 108.6)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp c54d97c2-bc18-40c3-b37c-a87719c564e7))
(gr_line (start 61.5 89.5) (end 61.5 80.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp cd34830d-d683-430d-bf62-c1eab35608a0))
(gr_line (start 129 82.4) (end 118.5 82.4)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d05be541-4b4c-4378-b24f-afba5e483b48))
(gr_line (start 128.7 99.3) (end 118.5 99.3)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d2f71452-b193-438e-897a-967805d73c77))
(gr_line (start 107 81.3) (end 107 93.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d3ad81d1-64fb-4bc2-a04a-6f32332c6b10))
(gr_line (start 70 119.5) (end 70 113.2)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d833835f-e939-4767-9440-1af603e355b8))
(gr_line (start 93.9 100.4) (end 93.9 106.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp da24d241-84a9-440b-8f02-e787e183d74c))
(gr_line (start 62.7 119.5) (end 71.2 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp deac84a0-e599-4877-8720-3963cd6e9991))
(gr_line (start 63.4 107.6) (end 65.2 107.6)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp dfa6fd52-d1a0-4cd8-95cb-32126d2290a8))
(gr_line (start 93.9 84.5) (end 107 84.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp e673c8fd-8bcd-4629-80ae-859d010f9f06))
(gr_line (start 78 119.5) (end 77.6 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp f0a255fe-2f7d-47e2-990e-57851670606a))
(gr_line (start 70 113.2) (end 70 107.63)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp f262e65c-c38c-4db9-92f4-488ab9c5d004))
(gr_line (start 118.5 95.5) (end 128.7 95.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp f71a2538-4759-4fd0-91c6-b12872d864de))
(gr_arc (start 61.5 110.5) (mid 61.353553 110.853553) (end 61 111)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp fd766316-facf-4d3a-b0eb-4cd0ba0a9316))
(gr_line (start 50 95.5) (end 130 95.5)
  (stroke (width 0.1) (type solid)) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005ae3353a))
(gr_line (start 130 113.28) (end 91 113.28)
  (stroke (width 0.2) (type solid)) (layer "Dwgs.User") (tstamp 4e3ef329-850f-4187-9122-230d608b0499))
(gr_line (start 54 115) (end 54 129.5)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 72e9c4c5-3d2f-4349-be6f-f4e6fd1764f9))
(gr_line (start 58.5 67.75) (end 59.25 65)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp 733e6c14-b220-428c-a483-a21079fd321b))
(gr_line (start 92.57 79.25) (end 92.57 71)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp 911a39f5-0aa3-4e0d-9778-d648aa24ac3d))
(gr_line (start 126 115) (end 126 128.5)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 9384750a-20c0-4453-9107-89e848f3702b))
(gr_line (start 115.43 79.25) (end 115.43 71)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp 93bcc33d-370a-4402-80c5-8c0345307bbf))
(gr_line (start 58.5 67.75) (end 57.75 65)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp b155dbef-42bc-40e3-a6d8-6341f57f167b))
(gr_line (start 90 120) (end 90 71)
  (stroke (width 0.1) (type solid)) (layer "Dwgs.User") (tstamp bce37595-adbb-4130-940c-58a9a479ffcb))
(gr_line (start 91 77.72) (end 130 77.72)
  (stroke (width 0.2) (type solid)) (layer "Dwgs.User") (tstamp bf327908-f4dc-49c7-9715-6d8fc3993177))
(gr_line (start 58.5 67.75) (end 58.5 62)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp f32d00cf-7d28-4127-8749-e3572b77a4b2))
```

```
(gr_line (start 50 116) (end 50 75)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 42fba163-cdd8-41fb-b8a8-f2ae476788db))
(gr_arc (start 50 75) (mid 51.171573 72.171573) (end 54 71)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 440f7d21-f037-463d-b001-407d599ba1c8))
(gr_line (start 54 71) (end 126 71)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 75cf114b-beba-4af1-8f3d-a97576725c33))
(gr_arc (start 126 71) (mid 128.828427 72.171573) (end 130 75)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 98fc9e3c-a00d-4902-8345-cb0c8599b8ae))
(gr_arc (start 130 116) (mid 128.828427 118.828427) (end 126 120)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp bf487883-cb63-434c-af99-18d28f2ea3c1))
(gr_line (start 130 75) (end 130 116)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp c5205736-bd0e-4b26-9549-cc005a0671bd))
(gr_arc (start 54 120) (mid 51.171573 118.828427) (end 50 116)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp ed2149b0-dfbc-43cc-8805-937f2437e2a8))
(gr_line (start 126 120) (end 54 120)
  (stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp f825e956-bf62-467c-b870-1c087819482c))
(gr_line (start 104.3 89.1) (end 104.3 81.6)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b16))
(gr_line (start 120.2 91.1) (end 109.15 91.1)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b17))
(gr_line (start 104.3 81.6) (end 88.7 81.6)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b18))
(gr_line (start 88.7 81.6) (end 88.7 71)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b19))
(gr_line (start 120.2 91.1) (end 120.2 71)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b1a))
(gr_line (start 109.15 99.9) (end 109.15 91.1)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 1360e4ab-e428-49d8-8847-400546decfb9))
(gr_line (start 120.2 99.9) (end 109.15 99.9)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 18706d59-89a2-485d-bc9d-6578e208bc9b))
(gr_line (start 104.3 89.1) (end 101.4 89.1)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 21f764f4-cd57-449b-92ad-fde5b20ba400))
(gr_line (start 77.7 104.5) (end 77.7 120)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 30768870-26ad-4853-ab8d-78aa7068b3f0))
(gr_line (start 87.9 104.5) (end 77.7 104.5)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 3edb174f-47d4-47eb-87cb-11368e60f446))
(gr_line (start 101.4 101.9) (end 104.3 101.9)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 6ff213c5-fb12-443e-ad29-e391980a142c))
(gr_line (start 104.3 109.4) (end 87.9 109.4)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 8a242b41-0798-48fb-a9e6-36504432c925))
(gr_line (start 87.9 109.4) (end 87.9 104.5)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 8efdaa5a-106a-499b-a8e0-7acbd4dc95ad))
(gr_line (start 120.2 99.9) (end 120.2 120)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 995a3521-e3ff-444c-878a-bf0387ec5d4d))
(gr_line (start 104.3 101.9) (end 104.3 109.4)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp d7a9edd9-cb60-43c6-9586-da775d1c154c))
(gr_line (start 101.4 89.1) (end 101.4 101.9)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp e55c957b-014b-4f3d-a42d-34d786a236d4))
(gr_arc (start 76.729647 118.091667) (mid 77.230858 117.168077) (end 78.215109 116.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 0286dc95-8417-4150-87aa-504a56f7f0fc))
(gr_line (start 126 69) (end 54 69)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 0d817c2c-d13a-4a6c-92e5-a11fa265616e))
(gr_line (start 71.084891 116.8) (end 61.57 116.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 12c39b52-cc56-4edb-a74f-9cb9624bf4d2))
(gr_arc (start 59.354005 77.903226) (mid 59.441321 79.950382) (end 57.681556 81)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 13ad483b-60ce-44c3-80de-e0ffa7af0acb))
(gr_line (start 61.57 73.8) (end 101.784891 73.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1895f10c-f7bc-4242-9d8c-4ef0fc0cc7f8))
(gr_arc (start 102.87423 72.852778) (mid 105.35 70.7) (end 107.82577 72.852778)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1966a20f-337e-4d00-a204-104b3d1b467a))
(gr_line (start 49.6 75) (end 49.6 116)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1c9af1a5-2565-45e3-b2bf-25649d63cb48))
(gr_arc (start 54 120.4) (mid 50.88873 119.11127) (end 49.6 116)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1ea1cc88-3b81-4daa-84d4-8f0066a3e6b0))
(gr_line (start 118.43 117.2) (end 78.215109 117.2)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 220f9ec9-98b0-4d7b-8fd2-1912773bd28b))
(gr_line (start 118.43 116.8) (end 78.215109 116.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 23c62e17-ca12-44e4-8d02-32b50a68cf0f))
```

(gr_arc (start 51.4 83) (mid 51.868629 81.868629) (end 53 81.4)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 24dcab4c-16d9-475d-a760-9ffc4e19893d))
(gr_line (start 127 109.6) (end 122.318444 109.6)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 25aa8b8f-d9f2-4ad9-8bc7-bc21e0a7a2fd))
(gr_circle (center 126 75) (end 127.2645 75)
 (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp 2af2f0f4-dda3-4008-8ac0-a7124))
(gr_line (start 132 116) (end 132 75)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 31a8f541-96a9-4848-863a-c23348c4ef7c))
(gr_arc (start 130.4 116) (mid 129.11127 119.11127) (end 126 120.4)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 34668f55-5deb-4ff0-834d-e4e88775e851))
(gr_arc (start 48 75) (mid 49.757359 70.757359) (end 54 69)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 3e58b5d2-3ca3-4023-ba33-305ec597e8ab))
(gr_line (start 54 122) (end 126 122)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 3f9bc911-26ec-43a5-8215-742ff1c1b1f4))
(gr_line (start 128.6 83) (end 128.6 108)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 456155b5-09af-42de-bdd9-ae04f588a9b))
(gr_arc (start 71.084891 117.2) (mid 71.806675 117.469923) (end 72.17423 118.147222)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 481c4ec0-f82e-48af-bbe7-7e6412f3a06e))
(gr_arc (start 120.311505 113.316129) (mid 120.409736 115.619179) (end 118.43 116.8)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4a3a0d14-1969-43b3-9470-ceab6f753c1f))
(gr_arc (start 51 83) (mid 51.585786 81.585786) (end 53 81)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4b1180bf-f407-4234-b87f-367b50b3090c))
(gr_line (start 61.57 74.2) (end 101.784891 74.2)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4d677f66-c774-43f8-91e5-7c593cb50c14))
(gr_line (start 57.681556 110) (end 53 110)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4dae7431-eaf2-4218-9b21-04eb4ca512f9))
(gr_arc (start 59.354005 77.903226) (mid 59.238311 75.190744) (end 61.57 73.8)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 571adf0d-b86a-4cd0-9108-ee08560a90a))
(gr_line (start 122.318444 81.4) (end 127 81.4)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 5a1e6eca-23bc-4cb5-95a6-958575b4bb01))
(gr_arc (start 108.915109 74.2) (mid 107.930858 73.831923) (end 107.429647 72.908333)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 61cca196-bc44-4313-b4b5-7531e86f1642))
(gr_arc (start 59.688495 77.683871) (mid 59.793274 80.140458) (end 57.681556 81.4)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 65e06bec-5337-45d2-b444-a9d45ddcb2fd))
(gr_arc (start 108.915109 73.8) (mid 108.193325 73.530077) (end 107.82577 72.852778)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 6d5eedc1-a618-4fc3-9e1d-d36249996fac))
(gr_arc (start 132 116) (mid 130.242641 120.242641) (end 126 122)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 6d64593d-fe9a-404b-8964-1b3fcea2190a9))
(gr_line (start 108.915109 73.8) (end 118.43 73.8)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 724a93fe-422d-4b94-a769-33364448cc0e))
(gr_arc (start 61.57 117.2) (mid 59.238311 115.809256) (end 59.354005 113.096774)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 72d686a6-f9d8-4f4c-9c07-5e17f557d29c))
(gr_arc (start 129 108) (mid 128.414214 109.414214) (end 127 110)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 7436fc93-d435-47b7-97b6-5b5479a29b56))
(gr_line (start 130.4 116) (end 130.4 75)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 7b4acfd5-f37a-4efd-90d1-adf010172b80))
(gr_line (start 51 108) (end 51 83)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 7d3bbf56-78b4-4b97-b483-a5e0e267b147))
(gr_line (start 126 70.6) (end 54 70.6)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 87ce3564-1d69-46b4-8708-e2879e6a26a9))
(gr_arc (start 103.270353 72.908333) (mid 102.769142 73.831923) (end 101.784891 74.2)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8811c9c9-f4fd-4202-b101-42401903087c))
(gr_line (start 53 81.4) (end 57.681556 81.4)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8b2697cc-03b4-4137-834d-d1d636035aae))
(gr_line (start 54 120.4) (end 126 120.4)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8c4812e7-2851-434d-ba16-4b98074ef882))
(gr_arc (start 118.43 73.8) (mid 120.761689 75.190744) (end 120.645995 77.903226)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8e77173a-13b3-42d4-b838-aff5a90ec080))
(gr_arc (start 71.084891 116.8) (mid 72.069142 117.168077) (end 72.570353 118.091667)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8f4247c1-d59a-4f06-b3e7-9766a9acefb5))
(gr_arc (start 57.681556 110) (mid 59.441321 111.049618) (end 59.354005 113.096774)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 98fb9826-c9d8-450b-9abb-f98afd297e8e))
(gr_arc (start 126 69) (mid 130.242641 70.757359) (end 132 75)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 99d1d74f-4ed7-425f-8fb6-e7f302f6fa81))
(gr_line (start 122.318444 81) (end 127 81)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp a05c54fb-968f-4edf-80dc-5c4c46ab4757))
(gr_arc (start 103.270353 72.908333) (mid 105.35 71.1) (end 107.429647 72.908333)
 (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp a46ee5e0-33f5-4089-bb09-9c3f3687fc1e))


```
(gr_arc (start 120.645995 113.096774) (mid 120.558679 111.049618) (end 122.318444 110)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp a5a28b15-be69-493a-9935-6f76e8e66df2))
(gr_arc (start 76.729647 118.091667) (mid 74.65 119.9) (end 72.570353 118.091667)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp aa0cab07-fc99-485f-ba1f-dcff7e9ce8646))
(gr_arc (start 77.12577 118.147222) (mid 74.65 120.3) (end 72.17423 118.147222)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp adb83766-2012-45bf-915c-691aa91066ba))
(gr_arc (start 128.6 108) (mid 128.131371 109.131371) (end 127 109.6)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp af6da678-ef05-4e54-8c0d-7c5bccb81727))
(gr_arc (start 77.12577 118.147222) (mid 77.493325 117.469923) (end 78.215109 117.2)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp b82d7fd0-769b-4769-8f2e-153070488f92))
(gr_arc (start 53 109.6) (mid 51.868629 109.131371) (end 51.4 108)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp b9a4925f-c903-4942-96bf-daaa02f026a6))
(gr_circle (center 54 75) (end 55.2645 75)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp b9c898ee-8584-4942-9ef7-6c79b0))
(gr_circle (center 54 116) (end 55.2645 116)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp ba2132bd-1343-479c-9e2c-902b80))
(gr_arc (start 61.57 116.8) (mid 59.590264 115.61918) (end 59.688495 113.316129)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp bb22ce4e-b386-427f-a636-adf71349d72e))
(gr_arc (start 59.688495 77.683871) (mid 59.590264 75.380821) (end 61.57 74.2)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp bd7f6d8d-6c9a-4757-8452-70ec55c7fcc9))
(gr_arc (start 118.43 74.2) (mid 120.409736 75.38082) (end 120.311505 77.683871)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c3878947-6c74-43ff-b80a-0f6b11cc443a))
(gr_line (start 108.915109 74.2) (end 118.43 74.2)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c3dd3c96-df6c-4e92-a5ce-ffbf5ec8e9af))
(gr_line (start 127 110) (end 122.318444 110)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c49ba654-9f39-4bca-9d86-4c01df406c86))
(gr_line (start 53 81) (end 57.681556 81)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c6b8eb31-bd48-4c43-bfc5-002fb6559830))
(gr_arc (start 54 122) (mid 49.757359 120.242641) (end 48 116)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c7f7ec1c-c7c8-472f-b96d-13ec77f62b70))
(gr_line (start 71.084891 117.2) (end 61.57 117.2)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c94c80de-52a6-4ec6-8c50-4664362214bb))
(gr_arc (start 122.318444 81.4) (mid 120.206726 80.140458) (end 120.311505 77.683871)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp d3ff2b9e-8630-4dc9-b662-32fd2ca857e6))
(gr_arc (start 126 70.6) (mid 129.11127 71.88873) (end 130.4 75)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp d6807fcb-4131-411d-862e-f880615ea0a5))
(gr_circle (center 126 116) (end 127.2645 116)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp d6ffe4a9-b6fc-4bc9-84b6-0c3290))
(gr_arc (start 53 110) (mid 51.585786 109.414214) (end 51 108)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp d8c22d37-2c95-4827-87da-910df4261dcc))
(gr_line (start 48 75) (end 48 116)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp db976dfb-22b3-4e93-82a2-5635aa8e1373))
(gr_arc (start 57.681556 109.6) (mid 59.793274 110.859542) (end 59.688495 113.316129)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp dbb8b175-7b41-4419-82b2-0dea98f2db52))
(gr_arc (start 127 81) (mid 128.414214 81.585786) (end 129 83)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp de3c32e5-5fec-4d74-a492-2025dfca757f))
(gr_arc (start 120.645995 113.096774) (mid 120.761689 115.809256) (end 118.43 117.2)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp dfc1cd81-81c0-48fd-ac6e-6026711c6329))
(gr_line (start 51.4 108) (end 51.4 83)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp e77d5e63-dd14-4d97-bccf-54ee9c426604))
(gr_line (start 129 83) (end 129 108)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp ea27b106-77ae-4c8e-a457-2f000a59bf1d))
(gr_arc (start 102.87423 72.852778) (mid 102.506675 73.530077) (end 101.784891 73.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp eecf70ff-0151-40b2-932a-313edf2d3206))
(gr_arc (start 120.311505 113.316129) (mid 120.206726 110.859542) (end 122.318444 109.6)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp effb698f-d772-432d-8a8e-d950b11e6da5))
(gr_arc (start 49.6 75) (mid 50.88873 71.88873) (end 54 70.6)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp f8af8d76-c143-4687-bc9c-ec322e646020))
(gr_arc (start 122.318444 81) (mid 120.558679 79.950382) (end 120.645995 77.903226)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp fbc2b66e-1e10-40ef-a122-47be35c41ebd))
(gr_line (start 57.681556 109.6) (end 53 109.6)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp fd3d34f8-3edb-402a-b192-2423bec527a2))
(gr_arc (start 127 81.4) (mid 128.131371 81.868629) (end 128.6 83)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp fe22d50c-bda6-4dbe-87ed-777e3ae44abd))
(gr_line (start 126 69) (end 54 69)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 00242d58-e772-4e92-b902-20b5c2823f97))
(gr_line (start 126.5 112) (end 122.93 112)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0126765d-987b-47f3-a225-5e56dc1819cc))
```

(gr_line (start 120.93 72.625) (end 120.93 76.6)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0133c162-af3a-47b7-8bd4-38eef59f1424))
(gr_arc (start 54.7 80.910387) (mid 55.011807 79.838008) (end 55.85 79.1)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 01d8fda4-8918-418c-9902-8f78dc138f4a))
(gr_line (start 70.031242 119.085) (end 59 119.085)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0495a9fa-bc61-4867-b248-a47a9f7b7876))
(gr_line (start 73.6 122.4) (end 73.6 119.98)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 04c96fa0-2987-4458-97d5-789c54dc0cca))
(gr_arc (start 70.031242 119.085) (mid 70.765053 119.232442) (end 71.385002 119.651833)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 04e24fbc-5432-4fd4-8e33-c50bd03962c4))
(gr_line (start 119.93 119.375) (end 88.07 119.375)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0637cc9f-1c95-4898-a8ec-57847f3ed9a1))
(gr_arc (start 72.168758 119.98) (mid 71.743924 119.894633) (end 71.385002 119.651833)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0aa36502-78a9-4e9d-8ac3-c45977d53ef2))
(gr_line (start 80.26 120.999999) (end 80.26 112.165736)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0aa3789c-ed6c-438e-b3a1-ab912cb2e5b5))
(gr_line (start 57 117.485) (end 57 113.710387)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0d5403b2-3cfe-42c4-9a5e-aa78ee5f9fb1))
(gr_line (start 87.47 118.375) (end 87.47 112.165736)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0da05805-6861-423e-98be-5bcfbf36e391))
(gr_arc (start 132 116) (mid 130.242641 120.242641) (end 126 122)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 11616c82-abc4-4e29-a299-9ba6a2948132))
(gr_line (start 55.1 89) (end 55.1 80.910387)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 12d3a05c-f815-432c-99c4-4f167e1f9efe))
(gr_line (start 59 72.025) (end 119.93 72.025)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 154d2267-2a92-4d4d-be89-fcf9cbeeb5bf))
(gr_arc (start 77.8 118.88) (mid 77.477817 119.657817) (end 76.7 119.98)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 18762295-ea1f-479a-87e2-4cda66184fbc))
(gr_line (start 53.08 100.38) (end 48 100.38)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1a24bc4b-09e9-4927-a316-407da5ecb7f1))
(gr_arc (start 119.93 72.025) (mid 120.354264 72.200736) (end 120.53 72.625)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1c27dba5-83a1-4eee-8279-5a4ed0eed7e4))
(gr_line (start 54.7 110.089613) (end 54.7 102)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1dc1142a-979d-4c42-89df-93da6eab42b8))
(gr_line (start 122.93 79) (end 126.5 79)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1dcbfad9-0667-4a47-ba1e-13ff93926721))
(gr_line (start 75.7 119.98) (end 75.7 122.4)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 20b2a041-b076-4b9a-be7c-291e615849ad))
(gr_arc (start 88.07 118.975) (mid 87.645736 118.799264) (end 87.47 118.375)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 218b14d3-a42c-4362-af00-60f8b5cf127c))
(gr_line (start 57.4 117.485) (end 57.4 113.710387)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 28fd6501-b1d4-4222-9c3e-33b0efdcbb9))
(gr_line (start 122.93 78.6) (end 126.5 78.6)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 29d8f68f-7597-4825-ba14-8f35ebd3e1b5))
(gr_arc (start 126 69) (mid 130.242641 70.757359) (end 132 75)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 2ba39466-d940-4df7-b98c-272a80cc889a))
(gr_arc (start 78.2 112.165736) (mid 78.394761 111.695487) (end 78.865 111.500736)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 2f5752e7-06cc-4961-bc93-f16f46440ace))
(gr_line (start 76.7 119.98) (end 75.7 119.98)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 3883105b-3501-4644-9e43-342f1dafef6b))
(gr_line (start 128.1 80.6) (end 128.1 110.4)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4169ef77-1642-4dc2-97d3-61b1a92e5cfa))
(gr_line (start 86.74 122) (end 126 122)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 43f837c5-3df6-4293-81cf-68f17a490060))
(gr_line (start 126.5 112.4) (end 122.93 112.4)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 47201999-f4bf-4262-adcc-da66c1995dba))
(gr_line (start 75.7 122.4) (end 78.859999 122.4)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4785e968-5634-42fe-b5a8-7e96ca067988))
(gr_arc (start 55.85 111.9) (mid 56.688199 112.638005) (end 57 113.710387)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 49420061-a561-45ef-973e-5af5be443f34))
(gr_arc (start 132.4 116) (mid 130.525483 120.525483) (end 126 122.4)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4a359150-54bc-4456-875a-7d37fc4e3172))
(gr_arc (start 53.08 99.98) (mid 54.508356 100.571644) (end 55.1 102)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4b66e61a-fe77-4eb5-8d87-0971906261aa))
(gr_arc (start 126.5 79) (mid 127.631371 79.468629) (end 128.1 80.6)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4e519a8d-d60c-45d8-b191-7642fb446bc6))
(gr_line (start 79.195 111.100736) (mid 79.948056 111.412669) (end 80.26 112.165736)
 (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4f4117a6-15bd-4c66-8a36-d25876f32c8f))

```
(gr_arc (start 80.26 120.999999) (mid 79.849949 121.989949) (end 78.859999 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 555842db-9e0f-4dca-891a-71c6d895bc47))
(gr_line (start 57 77.289613) (end 57 73.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 56242ca6-00ab-458e-a1cd-341f4dfef9e7))
(gr_line (start 120.93 114.4) (end 120.93 118.375)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 58bac623-f7cf-4c06-b6e8-35c013cec1de))
(gr_arc (start 120.93 118.375) (mid 120.637107 119.082107) (end 119.93 119.375)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 593714b0-8d96-43ca-b8c5-fa5b9f8d0b6b))
(gr_arc (start 86.74 122.4) (mid 85.750051 121.989949) (end 85.34 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 5d93f524-911c-43d1-8f67-561edc6cdc9))
(gr_arc (start 70.031242 119.485) (mid 70.610564 119.601404) (end 71.1 119.9325)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 6208a5c0-5be1-4ee4-b9fa-2c5aaf80ed62))
(gr_arc (start 48 75) (mid 49.757359 70.757359) (end 54 69)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 62766bfb-31ab-4dce-b9ec-41818299166b))
(gr_line (start 76.1 120.38) (end 76.1 122)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 63141cd1-5714-494d-bc30-7303f430163f))
(gr_arc (start 79.86 120.999999) (mid 79.567107 121.707107) (end 78.859999 122)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 647f9741-78b2-4a4a-959d-e90f71ab325f))
(gr_arc (start 85.74 112.165736) (mid 86.405 111.500736) (end 87.07 112.165736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 699fdf64-e18a-4e48-8bbd-fcbc9a44a80e))
(gr_circle (center 54 116) (end 55.75 116)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp 6b2dd3f9-11bf-4182-909b-3baa6))
(gr_arc (start 55.85 111.9) (mid 55.011801 111.161995) (end 54.7 110.089613)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 6c9e03a1-0653-4bcb-bf88-8ddff0506da5))
(gr_line (start 47.6 91.03) (end 53.07 91.03)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7092d363-dd7b-4dce-b573-c39fd439bc5c))
(gr_line (start 53.08 99.98) (end 47.6 99.98)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 73c172bd-8dbc-4572-8506-5a9dccc4d7d9))
(gr_line (start 47.6 99.98) (end 47.6 116)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 747051c9-1660-4725-8d60-1e65e00b63a3))
(gr_line (start 48 100.38) (end 48 116)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7494e041-13fb-4d1e-b4b4-76dd8190a34e))
(gr_line (start 57.4 77.289613) (end 57.4 73.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 769ef32d-005e-4fd3-9111-80515d014fab))
(gr_arc (start 120.93 114.4) (mid 121.515786 112.985786) (end 122.93 112.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 77c4d812-f7e2-40e6-866b-0fffff1367be4))
(gr_line (start 85.74 112.165736) (end 85.74 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 78eb9b74-85b6-4a2e-b085-d4c0e5dbaa28))
(gr_arc (start 122.93 78.6) (mid 121.515786 78.014214) (end 120.93 76.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7b080d4b-a284-4a23-a952-f99e5757914b))
(gr_arc (start 55.1 89) (mid 54.505427 90.435427) (end 53.07 91.03)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7da6f068-06bf-4875-abc3-3e9758ff3cac))
(gr_arc (start 122.93 79) (mid 121.232944 78.297056) (end 120.53 76.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7f0a9efd-6652-427e-861b-ee7b55698c33))
(gr_circle (center 126 75) (end 127.75 75)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp 7fabe2f9-e574-40c6-9082-c993d))
(gr_arc (start 86.74 122) (mid 86.032893 121.707107) (end 85.74 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 81fda36a-0535-41a7-8c40-aafdb40d478d))
(gr_arc (start 128.1 110.4) (mid 127.631371 111.531371) (end 126.5 112)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 821f8943-5d93-4172-8dc2-e3c8d2d36fe6))
(gr_line (start 55.1 110.089613) (end 55.1 102)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 87dc08d9-2669-4eea-96a0-e370138a6933))
(gr_arc (start 59 119.485) (mid 57.585786 118.899214) (end 57 117.485)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 88edbafe-67fe-4155-a751-33cf6c39ec4d))
(gr_line (start 78.2 112.165736) (end 78.2 118.88)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 8a8caab4-cdcb-4a8a-9eff-d5200c5a43d9))
(gr_line (start 128.5 80.6) (end 128.5 110.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 8e94b478-17a1-4cb9-9b14-592e2337d86e))
(gr_arc (start 55.1 80.910387) (mid 55.349446 80.052484) (end 56.02 79.462077)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 905f70d8-8222-4f53-a807-aae1aaff718d))
(gr_arc (start 57 77.289613) (mid 56.688193 78.361992) (end 55.85 79.1)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 90ace7ff-490b-427a-b178-10169f1d0658))
(gr_arc (start 126.5 78.6) (mid 127.914214 79.185786) (end 128.5 80.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 95ee5ba2-4e98-4cce-8538-e5a644068e96))
(gr_line (start 85.34 112.165736) (end 85.34 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 99352fa1-b0c4-4c86-b92d-fc3e2665be27))
(gr_line (start 126 68.6) (end 54 68.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9aa62924-8544-48ca-af4d-517f95570d5c))
```

```
(gr_line (start 79.195 111.100736) (end 78.865 111.100736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9c31a310-40db-46d5-8d07-aed14564330e))
(gr_line (start 119.93 118.975) (end 88.07 118.975)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9c68dd91-27b3-4758-8dd9-64719f53acc8))
(gr_line (start 120.53 114.4) (end 120.53 118.375)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9ceea44d-000d-4381-bcd4-cd34bfe86bf1))
(gr_arc (start 78.2 118.88) (mid 77.76066 119.94066) (end 76.7 120.38)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9da7a185-2db4-4ff2-a486-98c7e8d33fe7))
(gr_arc (start 119.93 71.625) (mid 120.637107 71.917893) (end 120.93 72.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9eecfbc4-2951-4584-9b4b-165b8e2144a1))
(gr_arc (start 85.34 112.165736) (mid 86.405 111.100736) (end 87.47 112.165736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a40f1857-f21f-4e7f-97da-0e64d9ed9e41))
(gr_arc (start 72.168758 120.38) (mid 71.589436 120.263596) (end 71.1 119.9325)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a53e1fb4-4e50-4595-981e-46cdd2a8ac0e))
(gr_line (start 77.8 112.165736) (end 77.8 118.88)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a67ef4ee-e36b-4de4-ad65-a3f38bc30369))
(gr_arc (start 53.08 100.38) (mid 54.225513 100.854487) (end 54.7 102)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a819a1ec-c126-4b17-92e4-e645d0d00eac))
(gr_arc (start 77.8 112.165736) (mid 78.111919 111.412644) (end 78.865 111.100736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a907865a-3ede-4326-9050-da4ceaba2c5d))
(gr_arc (start 54.7 89) (mid 54.222584 90.152584) (end 53.07 90.63)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp abb77112-0d24-43a8-ae34-fc43411fb83b))
(gr_circle (center 126 116) (end 127.75 116)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp ac6c781b-3248-43b1-8f69-f4233))
(gr_line (start 48 75) (end 48 90.63)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp b29fa949-22c2-40d5-9761-61f37a4df66d))
(gr_line (start 76.7 120.38) (end 76.1 120.38)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp b7a4c96e-9a79-43af-b1fc-317dfd91d5d4))
(gr_line (start 79.86 120.999999) (end 79.86 112.165736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp bbd13cc1-3c9e-4228-90ae-b274841f5bc9))
(gr_arc (start 79.195 111.500736) (mid 79.665213 111.695512) (end 79.86 112.165736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp bc514d20-eb72-4fcb-b706-4c3bd977b258))
(gr_arc (start 57.4 73.625) (mid 57.868629 72.493629) (end 59 72.025)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c0882d97-60f7-4bb4-be60-ffc9afc2daf8))
(gr_arc (start 47.6 75) (mid 49.474517 70.474517) (end 54 68.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c0caa370-2813-4a38-938a-1fa294dcfb86))
(gr_line (start 79.195 111.500736) (end 78.865 111.500736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c5903aaf-2ba6-4736-95e9-6db6be39de1d))
(gr_line (start 54.7 89) (end 54.7 80.910387)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c60aec90-396e-418c-9618-a588f615857c))
(gr_line (start 86.74 122.4) (end 126 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c7972341-9ffb-49b5-b8d4-c0c183e5396e))
(gr_line (start 48 90.63) (end 53.07 90.63)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c9920a24-5b5a-4fd6-8d6d-68ea2b412147))
(gr_circle (center 54 75) (end 55.75 75)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp cdc7b829-71f3-4b6b-9f0b-f06ee))
(gr_line (start 70.031242 119.485) (end 59 119.485)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp cfb540c8-c00f-4934-9680-def7a8db8e20))
(gr_line (start 47.6 75) (end 47.6 91.03)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d021ac64-9809-4dc5-91a5-26e6cf03c49d))
(gr_line (start 132 116) (end 132 75)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d0344fdf-ad2b-4987-845e-f527573cf23d))
(gr_line (start 73.6 119.98) (end 72.168758 119.98)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d2bd07e2-56be-4829-b9bc-b98dc2a8da34))
(gr_line (start 120.53 72.625) (end 120.53 76.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d5345bfe-2d96-444f-a266-310218cab2e))
(gr_arc (start 59 119.085) (mid 57.868629 118.616371) (end 57.4 117.485)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d60f6874-b45f-4669-b941-91d0588ef802))
(gr_arc (start 57 73.625) (mid 57.585786 72.210786) (end 59 71.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d71ec0c9-88d9-482e-b38e-d92ccaac872b))
(gr_arc (start 56.02 111.537923) (mid 57.025838 112.423529) (end 57.4 113.710387)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d72b0813-e0e7-4e3d-94e4-4c67eb886a92))
(gr_line (start 73.2 122) (end 73.2 120.38)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d839a8e6-544f-4496-bb8a-6e03869bedc0))
(gr_line (start 73.2 120.38) (end 72.168758 120.38)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp dbeb24e0-215c-4fc8-b35a-d1db0621f368))
(gr_line (start 87.07 118.375) (end 87.07 112.165736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp dd2c5b0d-5fac-404e-a643-44795c42a42d))
```

```

(gr_line (start 59 71.625) (end 119.93 71.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp dd4b8a44-a685-4bca-a9d9-973339a44b88))
(gr_arc (start 56.02 111.537923) (mid 55.349439 110.947519) (end 55.1 110.089613)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp df8b9572-3d45-4bc8-b838-faa90afd48da))
(gr_arc (start 120.53 114.4) (mid 121.232944 112.702944) (end 122.93 112)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e43796d7-c5a0-4071-b00c-e0920e5f7a53))
(gr_line (start 54 122) (end 73.2 122)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e4c97bf4-21c3-4cc4-97e7-b41d33fce7d2))
(gr_arc (start 120.53 118.375) (mid 120.354264 118.799264) (end 119.93 118.975)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e55834b2-e7fc-44d5-84aa-cc410954fc0a))
(gr_arc (start 88.07 119.375) (mid 87.362893 119.082107) (end 87.07 118.375)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e84e4485-195d-45e9-a286-ba964885ff0f))
(gr_arc (start 54 122) (mid 49.757359 120.242641) (end 48 116)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp ea123408-dcb4-47d3-8229-9929b1206557))
(gr_arc (start 128.5 110.4) (mid 127.914214 111.814214) (end 126.5 112.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp ebf8f755-a514-4009-a9f1-77aa807da995))
(gr_line (start 76.1 122) (end 78.859999 122)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp ef04ad5b-b9cf-4399-89e3-9ebd5b16a712))
(gr_line (start 54 122.4) (end 73.6 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f1e60cab-fde1-46fb-aebf-1ccbb662e625))
(gr_line (start 132.4 116) (end 132.4 75)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f41563db-f8ca-4853-82e0-7890cc842bc1))
(gr_arc (start 126 68.6) (mid 130.525483 70.474517) (end 132.4 75)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f70ce9ed-e10a-4434-87b2-2cb3aad5c5147))
(gr_arc (start 57.4 77.289613) (mid 57.025832 78.576468) (end 56.02 79.462077)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f7fb8b5d-00b9-4129-875f-2ce4844eb931))
(gr_arc (start 54 122.4) (mid 49.474517 120.525483) (end 47.6 116)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp fcfab889-44b0-4cf9-a850-a33baf3e5050))
(gr_text "5V" (at 80.5 116.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3bc42)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "SCL" (at 87.25 113.55) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3bc53)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "GND" (at 87.25 111.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3bc56)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "V" (at 115.43 118) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53066)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "GND" (at 104 118) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca5306b)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "2" (at 107.81 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fbe)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "S" (at 115.43 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fbf)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "5" (at 100.19 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fc0)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "0" (at 112.89 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fc1)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "1" (at 110.35 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fc2)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "A" (at 119.3 76.65) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca65fb3)
  (effects (font (size 2.8 2.8) (thickness 0.3)) (justify mirror))
)
(gr_text "V" (at 92.6 73.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca666e2)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "B" (at 119.3 114.65) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca677d8)
  (effects (font (size 2.8 2.8) (thickness 0.3)) (justify mirror))
)
(gr_text "7" (at 95.11 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb02fa5)

```

```

    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "6" (at 97.65 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb02fdb)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "GND" (at 104 73.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb0365c)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "S" (at 92.57 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037bc)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "6" (at 110.35 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037bf)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "7" (at 112.89 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037c2)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "5" (at 107.81 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037c5)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "4" (at 105.27 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037c8)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "0" (at 95.11 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037cb)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "1" (at 97.65 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037ce)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "2" (at 100.19 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037d1)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "3" (at 102.73 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037d4)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "4" (at 102.73 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037e3)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "3" (at 105.27 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037e8)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
  )
  (gr_text "1V2" (at 72.4 112.9) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb35192)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
  )
)
  (gr_text "VUSB" (at 50.6 94.2) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2feb)
    (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
  )
  (gr_text "D-" (at 58.7 94.7) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2fef)
    (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
  )
  (gr_text "D+" (at 52.2 96.3) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2ff1)
    (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
  )
  (gr_text "GND" (at 58.7 96.8) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2ff3)
    (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
  )
  (gr_text "3V3" (at 80.5 111.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cc97353)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
  )
  (gr_text "G" (at 85.3 108.45) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ccace41)
    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify right mirror))
  )
  (gr_text "VDAC" (at 125.3 91.2) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cd09ae2)
    (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
  )
  (gr_text "VDAC" (at 121.3 99.8) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cd09b2b)
    (effects (font (size 1 1) (thickness 0.16)) (justify left mirror))
  )
)

```

```

(gr_text "SDA" (at 87.25 116.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cd09bd0)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "B\n0" (at 116.7 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1258)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n1" (at 115.43 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1273)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n2" (at 114.16 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1284)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n3" (at 112.89 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb129a)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n4" (at 111.62 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12aa)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n5" (at 110.35 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12b8)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n6" (at 109.08 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12d0)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n7" (at 107.81 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12db)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n1" (at 109.08 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c24)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n3" (at 111.62 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c29)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n6" (at 115.43 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c34)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n7" (at 116.7 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c40)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n4" (at 112.89 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c59)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n0" (at 107.81 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c60)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n2" (at 110.35 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c61)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n5" (at 114.16 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c67)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "Pull-Up/Down\nResistors Bank A" (at 112.2 89.5) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c68)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "Pull-Up/Down\nResistors Bank B" (at 112.3 101.6) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c69)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "NULL" (at 59 111.5) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ed7c0f2)
  (effects (font (size 1 1) (thickness 0.2)) (justify mirror))
)
(gr_text "manufactured\nby" (at 59 101.75) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ed7c0f3)
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
)
(gr_text "A" (at 124.6 89.7) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f7d0e74)
  (effects (font (size 1 1) (thickness 0.16)) (justify mirror))
)
(gr_text "B" (at 122 101.5) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f7d1c06)
  (effects (font (size 1 1) (thickness 0.16)) (justify mirror))
)

```

```

)
(gr_text "Serial No:" (at 128.8 93.3) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdba)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "S" (at 80.5 108.45) (layer "B.Silks") (tstamp 6e2ae4b2-21df-47fc-aa21-6cd5ca9deba9)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "https://glasgow-embedded.org" (at 79.3 103.9) (layer "B.Silks") (tstamp ce7fe6ec-7eaa-4e1c-9c
  (effects (font (size 1.2 1.2) (thickness 0.2)) (justify mirror))
)
(gr_text "CLKREF" (at 74 89) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ad617e6)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "U1" (at 53 102) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f79)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "U2" (at 53 104) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f7c)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "U3" (at 53 106) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f7f)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "U4" (at 53 108) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f82)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "U5" (at 53 110) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f85)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
)
(gr_text "ERR" (at 53 89) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fa9)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "ACT" (at 53 87) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53faa)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "ICE" (at 53 85) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fab)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "FX2" (at 53 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fac)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "FX2MEM" (at 70.7 110.2 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf62952)
  (effects (font (size 0.8 0.8) (thickness 0.15)))
)
(gr_text "A" (at 92.5 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c0dfe9d)
  (effects (font (size 2.8 2.8) (thickness 0.3)))
)
(gr_text "B" (at 92.5 108.2) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c0dfea2)
  (effects (font (size 2.8 2.8) (thickness 0.3)))
)
(gr_text "by" (at 71.5 84.6) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1952f6)
  (effects (font (size 1 1) (thickness 0.15)) (justify left))
)
(gr_text "SCL" (at 77.25 105) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb0500a)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "5V" (at 95.5 109) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb0504d)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "3V3" (at 95.5 107.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb05052)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "LVDS" (at 72.5 72.2) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb3982d)
  (effects (font (size 1.2 1.2) (thickness 0.2)))
)
(gr_text "VI0 B" (at 122.6 112) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc1364a)
  (effects (font (size 0.8 0.8) (thickness 0.15)))
)
(gr_text "PWR" (at 53 81) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc30c71)

```



```

    (effects (font (size 1.2 1.2) (thickness 0.15)))
  )
  (gr_text "SYNC" (at 82.9 106.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc30d66)
    (effects (font (size 1.2 1.2) (thickness 0.2)))
  )
  (gr_text "SDA" (at 77.25 103.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc98790)
    (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
  )
  (gr_text "USB FIFO" (at 69.8 90.5) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9171d)
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "FPGA" (at 83.6 90.2) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec92036)
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "iCE40HX8K" (at 84.2 100.9) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec929e0)
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "FX2" (at 72.2 100.6) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec93c13)
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "LEVEL SHIFTERS" (at 93.5 95.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec95
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "DAC A" (at 128.3 93.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9b174)
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "VREG A" (at 128.3 89 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9bb33)
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "ADC A" (at 128.3 84.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9c4cd)
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "DAC B" (at 128.3 97.4 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9cf99)
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "VREG B" (at 128.3 102 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9cfb6)
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "ADC B" (at 128.3 106.6 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9cfba)
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "10kΩ" (at 108.4 106) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9d959)
    (effects (font (size 0.6 0.6) (thickness 0.125)))
  )
  (gr_text "AUX" (at 104.9 90.6) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca07b4)
    (effects (font (size 1.2 1.2) (thickness 0.2)))
  )
  (gr_text "VIO SET/SENSE" (at 129.4 95.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca2
    (effects (font (size 0.7 0.7) (thickness 0.15)))
  )
  (gr_text "VREG_1V2" (at 66.7 108.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca3665)
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "VREG_3V3" (at 66.7 118.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca3f84)
    (effects (font (size 0.8 0.8) (thickness 0.15)))
  )
  (gr_text "USER LEDS" (at 60.5 106 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecb802e)
    (effects (font (size 1 1) (thickness 0.15)))
  )
  (gr_text "B7" (at 98.5 105.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecc80d8)
    (effects (font (size 0.6 0.6) (thickness 0.15)))
  )
  (gr_text "B6" (at 94.5 105.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecc89f2)
    (effects (font (size 0.6 0.6) (thickness 0.15)))
  )
  (gr_text "B4" (at 94.5 102.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca56c)
    (effects (font (size 0.6 0.6) (thickness 0.15)))
  )

```

```

)
(gr_text "B5" (at 98.5 102.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca56e)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B0" (at 94.5 96.9 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58b)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B1" (at 98.5 96.9 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58c)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B3" (at 98.5 99.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58d)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B2" (at 94.5 99.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58e)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A6" (at 94.5 94.1 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5ce)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A7" (at 98.5 94.1 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5d1)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A4" (at 94.5 91.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5d5)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A5" (at 98.5 91.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5d6)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A0" (at 94.5 85.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca620)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A2" (at 94.5 88.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca621)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A3" (at 98.5 88.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca622)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "A1" (at 98.5 85.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca646)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "SYNC" (at 89 99.6 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eccb874)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "CLKIF" (at 63.6 99.9) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed7735d)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify right)))
)
(gr_text "mfr." (at 68.1 86.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed78f99)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "PWR" (at 60.5 117.7) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed798c6)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "NULL" (at 73.6 86.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed7b748)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "@whitequark\n@awygle\n@marcan42" (at 74.3 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed7c748)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "ESD PROTECTION" (at 102.95 83.85) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f0263)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "IO PULL-UP/DOWN" (at 117.5 95.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f4451fc)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "10kΩ" (at 108.3 85) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f4451fc)
  (effects (font (size 0.6 0.6) (thickness 0.125))))
)
(gr_text "STATUS LEDS" (at 60.5 85 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f46218a)
  (effects (font (size 1 1) (thickness 0.15))))
)

```

```

)
(gr_text "ICE_MEM" (at 78.9 110.9 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f46c05f)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "RECOVER" (at 70.6 117.1 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f46e581)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "1V2" (at 78.1 101.4) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f49d625)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left)))
)
(gr_text "RESET" (at 75.2 115.7) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f5b1449)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "Glasgow\nrevC3" (at 63 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f6abb09)
  (effects (font (size 1.6 1.6) (thickness 0.25)) (justify left)))
)
(gr_text "SEQ" (at 60.5 118.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f6c983c)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "PU/PD A" (at 112.7 88.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f753cfc)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "PU/PD B" (at 112.7 102.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f76fdb3)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "by" (at 71.5 86.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f77d1ab)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "ESD PROTECTION" (at 102.95 107.25) (layer "F.Silks") (tstamp d02cbc61-a799-4968-9aa5-b0e84b86)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "1" (at 58 78.5) (layer "F.Silks") (tstamp db089e0a-50a1-42c2-8f13-40ce10aa0fd0)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "VI0 A" (at 122.6 79.1) (layer "F.Silks") (tstamp ff1a92fc-a1df-44f8-9518-03a651fce930)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "Caution:\nCheck washer & screw size for \nconflicts with LVDS connector" (at 49.75 59.5) (layer "F.Silks")
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "YYYYMMDDhhmmNN" (at 112.5 127.1) (layer "Dwgs.User") (tstamp 43612b3e-1de5-462e-8ed7-7c9969a8)
  (effects (font (size 1.2 1.2) (thickness 0.16))))
)
(gr_text "Wave soldering keepout" (at 104.6 69.4) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005f753cfc)
  (effects (font (size 1.5 1.5) (thickness 0.3)) (justify mirror)))
)
(gr_text "Wave soldering keepout" (at 104.6 121.3) (layer "B.Fab") (tstamp 78098ee0-711e-426e-9c75-40d7)
  (effects (font (size 1.5 1.5) (thickness 0.3)) (justify mirror)))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005bf5391f)
  (pts (xy 50 71) (xy 50 120))
  (height 5)
  (gr_text "49.0000 mm" (at 43.2 95.5 90) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005bf5391f)
    (effects (font (size 1.5 1.5) (thickness 0.3)))))
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0.58642)))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005cadf4af)
  (pts (xy 130 120) (xy 50 120))
  (height -5)
  (gr_text "80.0000 mm" (at 90 123.2) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005cadf4af)
    (effects (font (size 1.5 1.5) (thickness 0.3)))))
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0.58642)))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 12dcc757-c8ef-4f65-b642-70c279cb6728)

```

```

(pts (xy 130 113.28) (xy 130 77.72))
(height 5)
(gr_text "35.5600 mm" (at 135 95.5 90) (layer "Dwgs.User") (tstamp 12dcc757-c8ef-4f65-b642-70c279cb67)
  (effects (font (size 1.5 1.5) (thickness 0.3))))
)
(format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
(style (thickness 0.3) (arrow_length 1.27) (text_position_mode 2) (extension_height 0.58642) (extension_width 0.58642))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 250c5a1f-91a0-46b1-8f22-f04770e8c600)
  (pts (xy 55 75) (xy 55 116))
  (height 14)
  (gr_text "41.0000 mm" (at 39.2 95.5 90) (layer "Dwgs.User") (tstamp 250c5a1f-91a0-46b1-8f22-f04770e8c600)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_width 0.58642))
  )
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 741b3af8-945c-4076-bf9b-2b056aff947f)
  (pts (xy 92.57 71) (xy 115.43 71))
  (height -5)
  (gr_text "22.8600 mm" (at 104 64.2) (layer "Dwgs.User") (tstamp 741b3af8-945c-4076-bf9b-2b056aff947f)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_width 0.58642))
  )
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 8b6f6457-9560-42db-a065-00b2b1d8f1b4)
  (pts (xy 50 71) (xy 92.57 71))
  (height -5)
  (gr_text "42.5700 mm" (at 71.285 64.2) (layer "Dwgs.User") (tstamp 8b6f6457-9560-42db-a065-00b2b1d8f1b4)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_width 0.58642))
  )
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp c60f5146-6e4f-4b53-892e-7109368e17ca)
  (pts (xy 54 127.5) (xy 126 127.5))
  (height 1.5)
  (gr_text "72.0000 mm" (at 90 127.2) (layer "Dwgs.User") (tstamp c60f5146-6e4f-4b53-892e-7109368e17ca)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_width 0.58642))
  )
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp cc2774f7-1aa6-479f-849d-c0579f4a8418)
  (pts (xy 130 77.72) (xy 130 71))
  (height 5)
  (gr_text "6.7200 mm" (at 137 74.36 90) (layer "Dwgs.User") (tstamp cc2774f7-1aa6-479f-849d-c0579f4a8418)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 2) (extension_height 0.58642) (extension_width 0.58642))
  )
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp e1535f66-27f2-4201-9b12-126be3ba61e2)
  (pts (xy 115.43 71) (xy 130 71))
  (height -5)
  (gr_text "14.5700 mm" (at 122.715 64.2) (layer "Dwgs.User") (tstamp e1535f66-27f2-4201-9b12-126be3ba61e2)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_width 0.58642))
  )
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp e7808871-6941-4712-8427-f0ff3aca365b)
  (pts (xy 130 120) (xy 130 113.28))
  (height 5)
  (gr_text "6.7200 mm" (at 137 116.6 90) (layer "Dwgs.User") (tstamp e7808871-6941-4712-8427-f0ff3aca365b)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
)

```

```

(format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
(style (thickness 0.3) (arrow_length 1.27) (text_position_mode 2) (extension_height 0.58642) (extension_width 0.58642))
)

(segment (start 73.875 106.725) (end 73.9 106.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 065e20db-a8b1-4000-9000-00000000))
(segment (start 121.005786 96.45) (end 122.2 96.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp 159c210f-8b11-4000-9000-00000000))
(segment (start 117 92.444214) (end 121.005786 96.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp 193fca-8b11-4000-9000-00000000))
(segment (start 109.225 100.425) (end 108.5 99.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 196e350f-8b11-4000-9000-00000000))
(segment (start 125.5 83.9) (end 126.6 83.9) (width 0.15) (layer "F.Cu") (net 1) (tstamp 1ce4dc1b-09cd-4000-9000-00000000))
(segment (start 77.375 106.725098) (end 77.4 106.700098) (width 0.15) (layer "F.Cu") (net 1) (tstamp 238fca-8b11-4000-9000-00000000))
(segment (start 117 91.3) (end 117 92.444214) (width 0.15) (layer "F.Cu") (net 1) (tstamp 25072539-3957-4000-9000-00000000))
(segment (start 77.375 108.0375) (end 77.375 106.725098) (width 0.15) (layer "F.Cu") (net 1) (tstamp 2da0fca-8b11-4000-9000-00000000))
(segment (start 76.4 103.3) (end 77.4 104.3) (width 0.15) (layer "F.Cu") (net 1) (tstamp 3e85e891-d661-4000-9000-00000000))
(segment (start 81.3 97.1) (end 80.9 97.5) (width 0.15) (layer "F.Cu") (net 1) (tstamp 427a5777-f210-4000-9000-00000000))
(segment (start 73.875 108.0375) (end 73.875 106.725) (width 0.15) (layer "F.Cu") (net 1) (tstamp 43ec9fca-8b11-4000-9000-00000000))
(segment (start 108.5 99.7) (end 108.200006 99.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 44ec821f-8b11-4000-9000-00000000))
(segment (start 116.9 91.3) (end 116.175 90.575) (width 0.15) (layer "F.Cu") (net 1) (tstamp 45a52044-e000-4000-9000-00000000))
(segment (start 126.6 83.9) (end 126.7 84) (width 0.15) (layer "F.Cu") (net 1) (tstamp 4e04a1bc-e2a4-4000-9000-00000000))
(segment (start 67.1 99.5) (end 67 99.6) (width 0.15) (layer "F.Cu") (net 1) (tstamp 523deb5b-ee79-4e40-9000-00000000))
(segment (start 73.9 106.325099) (end 73.9 106.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 5450bb18-8b11-4000-9000-00000000))
(segment (start 121 112.624136) (end 121 109.012068) (width 0.15) (layer "F.Cu") (net 1) (tstamp 55af59fca-8b11-4000-9000-00000000))
(segment (start 122.2 107.4) (end 121.9 107.1) (width 0.15) (layer "F.Cu") (net 1) (tstamp 62605f2c-29c3-4000-9000-00000000))
(segment (start 88.3 116) (end 89.799909 117.499909) (width 0.15) (layer "F.Cu") (net 1) (tstamp 6476edfca-8b11-4000-9000-00000000))
(segment (start 122.35 96.45) (end 124.25 94.55) (width 0.15) (layer "F.Cu") (net 1) (tstamp 6535506f-0000-4000-9000-00000000))
(segment (start 117 91.3) (end 116.9 91.3) (width 0.15) (layer "F.Cu") (net 1) (tstamp 66302310-c00c-4000-9000-00000000))
(segment (start 115.65 90.575) (end 116.125 90.575) (width 0.15) (layer "F.Cu") (net 1) (tstamp 6bac8d8fca-8b11-4000-9000-00000000))
(segment (start 73.6 103.45) (end 73.6 106.025099) (width 0.15) (layer "F.Cu") (net 1) (tstamp 71deb69dca-8b11-4000-9000-00000000))
(segment (start 77.4 106.323146) (end 77.4 106.700098) (width 0.15) (layer "F.Cu") (net 1) (tstamp 7fbb8fca-8b11-4000-9000-00000000))
(segment (start 89.799909 117.499909) (end 116.124227 117.499909) (width 0.15) (layer "F.Cu") (net 1) (tstamp 80000000-0000-4000-9000-00000000))
(segment (start 69.174957 102.774959) (end 72.924959 102.774959) (width 0.15) (layer "F.Cu") (net 1) (tstamp 80000000-0000-4000-9000-00000000))
(segment (start 77.4 104.3) (end 77.4 106.323146) (width 0.15) (layer "F.Cu") (net 1) (tstamp 8a3bf8bdca-8b11-4000-9000-00000000))
(segment (start 74.915 103.3) (end 74.9 103.315) (width 0.15) (layer "F.Cu") (net 1) (tstamp 9069606b-3000-4000-9000-00000000))
(segment (start 122.2 107.812068) (end 122.2 107.4) (width 0.15) (layer "F.Cu") (net 1) (tstamp 952a9c9fca-8b11-4000-9000-00000000))
(segment (start 123.35 94.55) (end 123.3 94.5) (width 0.15) (layer "F.Cu") (net 1) (tstamp 961d9fdc-c9d1-4000-9000-00000000))
(segment (start 122.2 96.45) (end 122.35 96.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp 9a4859b7-bb00-4000-9000-00000000))
(segment (start 67.899998 101.5) (end 69.174957 102.774959) (width 0.15) (layer "F.Cu") (net 1) (tstamp 9a4859b7-bb00-4000-9000-00000000))
(segment (start 124.25 94.55) (end 124.4 94.55) (width 0.15) (layer "F.Cu") (net 1) (tstamp a56bf68-2800-4000-9000-00000000))
(segment (start 73.6 106.025099) (end 73.9 106.325099) (width 0.15) (layer "F.Cu") (net 1) (tstamp a7ee8fca-8b11-4000-9000-00000000))
(segment (start 121.1 107.1) (end 119.7 107.1) (width 0.15) (layer "F.Cu") (net 1) (tstamp ade649ae-e3c3-4000-9000-00000000))
(segment (start 67 100.600002) (end 67.899998 101.5) (width 0.15) (layer "F.Cu") (net 1) (tstamp b0dcac8fca-8b11-4000-9000-00000000))
(segment (start 72.924959 102.774959) (end 73.6 103.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp b13fca-8b11-4000-9000-00000000))
(segment (start 124.4 94.55) (end 123.35 94.55) (width 0.15) (layer "F.Cu") (net 1) (tstamp b171ea16-37d1-4000-9000-00000000))
(segment (start 118.8 104.4) (end 118.1 103.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp b3cf17c7-4a5a-4000-9000-00000000))
(segment (start 118.8 106.2) (end 118.8 104.4) (width 0.15) (layer "F.Cu") (net 1) (tstamp b68b28fa-9b7d-4000-9000-00000000))
(segment (start 121.9 107.1) (end 121.1 107.1) (width 0.15) (layer "F.Cu") (net 1) (tstamp c85f157d-79a1-4000-9000-00000000))
(segment (start 116.175 90.575) (end 115.5625 90.575) (width 0.15) (layer "F.Cu") (net 1) (tstamp cc405fca-8b11-4000-9000-00000000))
(segment (start 121 109.012068) (end 122.2 107.812068) (width 0.15) (layer "F.Cu") (net 1) (tstamp cc888fca-8b11-4000-9000-00000000))
(segment (start 67 99.6) (end 67 100.600002) (width 0.15) (layer "F.Cu") (net 1) (tstamp d6c0531c-ae64-4800-9000-00000000))
(segment (start 109.8375 100.425) (end 109.225 100.425) (width 0.15) (layer "F.Cu") (net 1) (tstamp dbfca-8b11-4000-9000-00000000))
(segment (start 116.124227 117.499909) (end 121 112.624136) (width 0.15) (layer "F.Cu") (net 1) (tstamp dbfca-8b11-4000-9000-00000000))
(segment (start 76.4 103.3) (end 74.915 103.3) (width 0.15) (layer "F.Cu") (net 1) (tstamp f8cdfa1c-634d-4000-9000-00000000))
(segment (start 119.7 107.1) (end 118.8 106.2) (width 0.15) (layer "F.Cu") (net 1) (tstamp fe3df6f4-c321-4000-9000-00000000))
(via (at 77.4 106.700098) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 30afd0b5-f46c-4000-9000-00000000))
(via (at 88.3 116) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 3cf1717a-f2d7-4792-b300-90000000))
(via (at 126.7 84) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 3d061d57-cd3b-40ab-a4a0-90000000))
(via (at 67.899998 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 7267b131-610e-4000-9000-00000000))
(via (at 73.9 106.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 9b48ebe1-42f7-4472-8000-90000000))
(via (at 118.1 103.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp ae35b9a6-b019-4ae2-8000-90000000))
(via (at 108.200006 99.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp b36d638f-1050-4000-9000-00000000))
(via (at 123.3 94.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp b5009e44-b265-44c3-9000-90000000))
(via (at 80.9 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 1) (tstamp e03e2243-2496-4e0d-ab00-90000000))
(via (at 117 91.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp efe99c6b-11a8-4723-a680-90000000))
(segment (start 115.3 91.3) (end 117 91.3) (width 0.15) (layer "B.Cu") (net 1) (tstamp 09bd0780-43da-4e00-9000-00000000))
(segment (start 69.299998 102.9) (end 67.899998 101.5) (width 0.15) (layer "B.Cu") (net 1) (tstamp 263ac8fca-8b11-4000-9000-00000000))
(segment (start 86.3 108.1) (end 84.675099 106.475099) (width 0.15) (layer "B.Cu") (net 1) (tstamp 28088fca-8b11-4000-9000-00000000))
(segment (start 107.9 99.399994) (end 107.9 98.7) (width 0.15) (layer "B.Cu") (net 1) (tstamp 2db8e929-a000-4000-9000-00000000))
(segment (start 74.45 102.9) (end 69.299998 102.9) (width 0.15) (layer "B.Cu") (net 1) (tstamp 34a40bb9ca-8b11-4000-9000-00000000))
(segment (start 108.200006 99.7) (end 108.899916 100.39991) (width 0.15) (layer "B.Cu") (net 1) (tstamp 34a40bb9ca-8b11-4000-9000-00000000))

```

(segment (start 84.675099 106.475099) (end 77.624999 106.475099) (width 0.15) (layer "B.Cu") (net 1) (tstamp 4a3c3d3d-832c))
(segment (start 78.605268 98.744732) (end 74.45 102.9) (width 0.15) (layer "B.Cu") (net 1) (tstamp 4a3c3d3d-832c))
(segment (start 125.824136 94.5) (end 128.07509 92.249048) (width 0.15) (layer "B.Cu") (net 1) (tstamp 4a3c3d3d-832c))
(segment (start 108.899916 100.39991) (end 118.875773 100.399911) (width 0.15) (layer "B.Cu") (net 1) (tstamp 4a3c3d3d-832c))
(segment (start 80.402224 97.5) (end 79.157492 98.744732) (width 0.15) (layer "B.Cu") (net 1) (tstamp 579cd553-6283-4e1e-8000-000000000000))
(segment (start 73.9 106.7) (end 74.2 107) (width 0.15) (layer "B.Cu") (net 1) (tstamp 579cd553-6283-4e1e-8000-000000000000))
(segment (start 79.157492 98.744732) (end 78.605268 98.744732) (width 0.15) (layer "B.Cu") (net 1) (tstamp 579cd553-6283-4e1e-8000-000000000000))
(segment (start 77.100098 107) (end 77.4 106.700098) (width 0.15) (layer "B.Cu") (net 1) (tstamp 713eccb1-8000-000000000000))
(segment (start 80.9 97.5) (end 80.402224 97.5) (width 0.15) (layer "B.Cu") (net 1) (tstamp 9d9f3faa-f2e2-4000-000000000000))
(segment (start 128.07509 85.37509) (end 126.7 84) (width 0.15) (layer "B.Cu") (net 1) (tstamp a1e411e4-8000-000000000000))
(segment (start 86.3 114) (end 86.3 108.1) (width 0.15) (layer "B.Cu") (net 1) (tstamp aba52e2c-67cd-46b1-8000-000000000000))
(segment (start 118.875773 100.399911) (end 119.200178 100.724316) (width 0.15) (layer "B.Cu") (net 1) (tstamp c99822-8000-000000000000))
(segment (start 107.9 98.7) (end 115.3 91.3) (width 0.15) (layer "B.Cu") (net 1) (tstamp b8fdb1cc-6f99-4000-000000000000))
(segment (start 123.3 94.5) (end 125.824136 94.5) (width 0.15) (layer "B.Cu") (net 1) (tstamp b9da41e2-8000-000000000000))
(segment (start 119.200178 102.599822) (end 118.1 103.7) (width 0.15) (layer "B.Cu") (net 1) (tstamp c99822-8000-000000000000))
(segment (start 77.624999 106.475099) (end 77.4 106.700098) (width 0.15) (layer "B.Cu") (net 1) (tstamp d9aca30d-832c3d3d-832c))
(segment (start 74.2 107) (end 77.100098 107) (width 0.15) (layer "B.Cu") (net 1) (tstamp d9aca30d-832c3d3d-832c))
(segment (start 128.07509 92.249048) (end 128.07509 85.37509) (width 0.15) (layer "B.Cu") (net 1) (tstamp e2eef2e2-8000-000000000000))
(segment (start 108.200006 99.7) (end 107.9 99.399994) (width 0.15) (layer "B.Cu") (net 1) (tstamp e2eef2e2-8000-000000000000))
(segment (start 119.200178 100.724316) (end 119.200178 102.599822) (width 0.15) (layer "B.Cu") (net 1) (tstamp e2eef2e2-8000-000000000000))
(segment (start 88.3 116) (end 86.3 114) (width 0.15) (layer "B.Cu") (net 1) (tstamp f66d06ac-e654-492b-b1e2-800000000000))
(segment (start 67.1 90.75) (end 66.8 90.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 93.25) (end 64.9 93.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.1 91.5) (end 67.1 90.75) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 95.25) (end 64.9 95.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.8 91.55) (end 73.54 91.55) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 99.5) (end 72.6 100.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.49 91.5) (end 73.8 91.55) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.1 91.5) (end 73.49 91.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 97.25) (end 64.9 97.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 115.65) (end 67.875 115.65) (width 0.35) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.875 115.65) (end 68.5 116.275) (width 0.35) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 115.65) (end 66.95 115) (width 0.35) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 95.15 101.85) (end 96.1 101.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp 01214897-6c3d-4000-000000000000))
(segment (start 74.15 105.4) (end 74.885 105.4) (width 0.15) (layer "F.Cu") (net 2) (tstamp 03ec1d29-34f2-4000-000000000000))
(segment (start 73.85 97.25) (end 74.75 97.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 0c2f18ed-a833-4000-000000000000))
(segment (start 67.6 99.5) (end 67.6 100.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 0e7632b6-5d1e-4000-000000000000))
(segment (start 79.7 99.5) (end 79.20001 99.99999) (width 0.25) (layer "F.Cu") (net 2) (tstamp 106a8f21-8000-000000000000))
(segment (start 99.15 90.65) (end 100.086954 90.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp 10857688-8000-000000000000))
(segment (start 117.03 101.6) (end 117.03 102.34509) (width 0.25) (layer "F.Cu") (net 2) (tstamp 12913b5d-8000-000000000000))
(segment (start 99.15 99.05) (end 100.1 99.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp 135c0b7d-fd29-4000-000000000000))
(segment (start 74.9 104.285) (end 74.9 105.415) (width 0.25) (layer "F.Cu") (net 2) (tstamp 1610de32-da3d-4000-000000000000))
(segment (start 108.35 89.865) (end 108.865 89.865) (width 0.25) (layer "F.Cu") (net 2) (tstamp 19298c53-8000-000000000000))
(segment (start 79.20001 99.99999) (end 79.20001 100) (width 0.25) (layer "F.Cu") (net 2) (tstamp 1b4ee1b4-8000-000000000000))
(segment (start 58.8 75.9) (end 58.8 76.499994) (width 0.25) (layer "F.Cu") (net 2) (tstamp 1c0413c2-aa3d-4000-000000000000))
(segment (start 117.03 102.34509) (end 116.97509 102.4) (width 0.25) (layer "F.Cu") (net 2) (tstamp 279c3d3d-832c3d3d-832c))
(segment (start 68.5 116.1875) (end 69.3125 116.1875) (width 0.75) (layer "F.Cu") (net 2) (tstamp 29491a1a-8000-000000000000))
(segment (start 99.15 93.45) (end 100.1 93.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 2a50df9a-63df-4000-000000000000))
(segment (start 120.1 106.1) (end 119.9 106.3) (width 0.25) (layer "F.Cu") (net 2) (tstamp 2b5222ce-fe3d-4000-000000000000))
(segment (start 89.85 98.95) (end 90.75 98.95) (width 0.25) (layer "F.Cu") (net 2) (tstamp 2c59f555-7cb1-4000-000000000000))
(segment (start 127.8 108.1) (end 127.015 108.1) (width 0.25) (layer "F.Cu") (net 2) (tstamp 304785d0-8a33-4000-000000000000))
(segment (start 95.15 99.05) (end 96.1 99.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp 369c18f7-6761-4000-000000000000))
(segment (start 108.35 92.75) (end 108.35 93.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 38d7f33a-e33d-4000-000000000000))
(segment (start 71.925 108.0375) (end 71.925 109.225) (width 0.15) (layer "F.Cu") (net 2) (tstamp 3cec93ec-8000-000000000000))
(segment (start 69.3125 116.1875) (end 69.55 115.95) (width 0.75) (layer "F.Cu") (net 2) (tstamp 3e67b5c3-8000-000000000000))
(segment (start 108.865 89.865) (end 108.9 89.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 414e890a-a833-4000-000000000000))
(segment (start 71.4025 114.285) (end 71.925 113.7625) (width 0.15) (layer "F.Cu") (net 2) (tstamp 43f33d3d-832c3d3d-832c))
(segment (start 75.425 109.225) (end 75.5 109.3) (width 0.15) (layer "F.Cu") (net 2) (tstamp 48045267-8a33-4000-000000000000))
(segment (start 72.6 91.5) (end 73.1 91.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 55e3106f-3dbb-45f2-8000-000000000000))
(segment (start 75.425 108.0375) (end 75.425 109.225) (width 0.15) (layer "F.Cu") (net 2) (tstamp 578b5c3d-8000-000000000000))
(segment (start 123.75 92.65) (end 124.4 92.65) (width 0.15) (layer "F.Cu") (net 2) (tstamp 581d9402-6c3d-4000-000000000000))
(segment (start 69.281132 116.1875) (end 69.543821 116.450189) (width 0.75) (layer "F.Cu") (net 2) (tstamp 5ba227ff-b546-46b1-8000-000000000000))
(segment (start 85.3 95.5) (end 85.7 95.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5ba227ff-b546-46b1-8000-000000000000))
(segment (start 116.6 101.6) (end 117.03 101.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5c151fd8-ed3d-4000-000000000000))
(segment (start 59.165 75.535) (end 58.8 75.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5e684a1c-892d-4000-000000000000))
(segment (start 115.5625 101.075) (end 116.075 101.075) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5e7b5c3d-8000-000000000000))
(segment (start 59.165 74.525) (end 59.165 73.585) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5efbe1c3-8000-000000000000))
(segment (start 95.15 104.65) (end 96.1 104.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6272c319-16b1-4000-000000000000))

(segment (start 82.1 95.5) (end 81.7 95.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 66fcd5ca-d700-41-
(segment (start 125.5 107.6) (end 126.515 107.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6bdf6d9-1
(segment (start 120.9 93.615) (end 120.115 93.615) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6be49396-
(segment (start 59.165 74.55) (end 59.165 75.535) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6c7b1455-
(segment (start 76.075 112.525) (end 76.1 112.5) (width 0.15) (layer "F.Cu") (net 2) (tstamp 6eeca9f9-a
(segment (start 120.085 83.4) (end 119.6 82.915) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6f80f553-3
(segment (start 86.5 99.1) (end 86.1 98.7) (width 0.25) (layer "F.Cu") (net 2) (tstamp 7021e452-d2e3-48
(segment (start 86.35 107.165) (end 87.165 106.35) (width 0.15) (layer "F.Cu") (net 2) (tstamp 70c98a23-
(segment (start 124.4 97.4) (end 124.43 97.37) (width 0.25) (layer "F.Cu") (net 2) (tstamp 77bf8b31-d54
(segment (start 127.015 108.1) (end 127 108.085) (width 0.25) (layer "F.Cu") (net 2) (tstamp 77e62ff4-a
(segment (start 70.6 114.285) (end 71.4025 114.285) (width 0.15) (layer "F.Cu") (net 2) (tstamp 7955c06
(segment (start 119.585 82.9) (end 119.6 82.915) (width 0.25) (layer "F.Cu") (net 2) (tstamp 7df772ed-4
(segment (start 61.7 117.21919) (end 61.989606 117.508796) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 95.15 96.25) (end 96 96.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 820c0769-f82b-4
(segment (start 126.47 97.37) (end 126.5 97.4) (width 0.25) (layer "F.Cu") (net 2) (tstamp 82d3cd70-f6b
(segment (start 109.8375 89.925) (end 108.925 89.925) (width 0.25) (layer "F.Cu") (net 2) (tstamp 83875
(segment (start 121.1 83.4) (end 120.085 83.4) (width 0.25) (layer "F.Cu") (net 2) (tstamp 83d7c169-a24
(segment (start 59.165 73.585) (end 59.6 73.15) (width 0.25) (layer "F.Cu") (net 2) (tstamp 862482b4-87
(segment (start 90.75 98.95) (end 90.8 98.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 89d6d147-98cf-
(segment (start 99.15 101.85) (end 100.1 101.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8ad23d6b-fl
(segment (start 117.985 99.715) (end 118.2 99.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8dcfb8bb-al
(segment (start 90.85 98.95) (end 90.8 98.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8f84370f-478b-
(segment (start 122.2 93.6) (end 123.1 93.6) (width 0.15) (layer "F.Cu") (net 2) (tstamp 8fe16203-2baa-
(segment (start 125.7 97.37) (end 126.47 97.37) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8fe55987-9d
(segment (start 120.115 93.615) (end 120.1 93.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 929f82b2-0
(segment (start 85.474999 95.674999) (end 85.7 95.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 93a80f
(segment (start 100.090782 104.65) (end 100.100153 104.640629) (width 0.25) (layer "F.Cu") (net 2) (tsta
(segment (start 95.15 90.65) (end 96.1 90.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9a0e12c8-affa
(segment (start 95.15 93.45) (end 96.1 93.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9d21dc49-c968
(segment (start 120.915 93.6) (end 120.9 93.615) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9df1a4f6-6
(segment (start 76.885 90.3) (end 77.6 90.3) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9efa18c9-f821-4
(segment (start 83.7 97.1) (end 84.1 97.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9fb13429-2e80-45e1-
(segment (start 61.7 116.5) (end 61.7 117.21919) (width 0.25) (layer "F.Cu") (net 2) (tstamp a0d38a19-0
(segment (start 96 96.25) (end 96.1 96.35) (width 0.25) (layer "F.Cu") (net 2) (tstamp a373a982-45e6-44
(segment (start 74.75 97.25) (end 74.8 97.3) (width 0.25) (layer "F.Cu") (net 2) (tstamp a3ae0d40-3000-
(segment (start 117.985 100.4) (end 117.985 99.715) (width 0.25) (layer "F.Cu") (net 2) (tstamp a7017c2
(segment (start 107.55 89.85) (end 108.35 89.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp a82b3a9f-0
(segment (start 123.1 93.6) (end 123.4 93.3) (width 0.15) (layer "F.Cu") (net 2) (tstamp a8a8de6a-c983-
(segment (start 69.55 116.44401) (end 69.543821 116.450189) (width 0.75) (layer "F.Cu") (net 2) (tstamp
(segment (start 108.925 89.925) (end 108.9 89.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp afd859bd-al
(segment (start 100.086954 90.65) (end 100.093477 90.643477) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 96.1 87.85) (end 95.15 87.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp b3c6cfb1-9ecc
(segment (start 121.1 106.1) (end 120.1 106.1) (width 0.25) (layer "F.Cu") (net 2) (tstamp bbdd8a67-e9a
(segment (start 87.165 106.35) (end 87.65 106.35) (width 0.15) (layer "F.Cu") (net 2) (tstamp c5081bc9-
(segment (start 71.925 109.225) (end 72 109.3) (width 0.15) (layer "F.Cu") (net 2) (tstamp c703871a-f20
(segment (start 118.8 82.9) (end 119.585 82.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp ca92bc44-13f
(segment (start 99.15 104.65) (end 100.090782 104.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp cc64f
(segment (start 74.885 105.4) (end 74.9 105.415) (width 0.25) (layer "F.Cu") (net 2) (tstamp cd5171cd-8
(segment (start 124.43 97.37) (end 125.7 97.37) (width 0.25) (layer "F.Cu") (net 2) (tstamp cded2b18-4
(segment (start 99.970666 85.05) (end 100.093878 85.173212) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 122.2 93.6) (end 120.915 93.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp cfa37633-c04
(segment (start 76.075 113.7625) (end 76.075 112.525) (width 0.15) (layer "F.Cu") (net 2) (tstamp d0ea7
(segment (start 126.515 107.6) (end 127 108.085) (width 0.25) (layer "F.Cu") (net 2) (tstamp d1254bbd-0
(segment (start 68.5 116.1875) (end 69.281132 116.1875) (width 0.75) (layer "F.Cu") (net 2) (tstamp d4c
(segment (start 99.15 85.05) (end 99.970666 85.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp d4f8ff38-
(segment (start 116.075 101.075) (end 116.6 101.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp d6038338-
(segment (start 99.15 87.85) (end 100.1 87.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp d9539b12-c8a
(segment (start 91.75 98.95) (end 90.85 98.95) (width 0.25) (layer "F.Cu") (net 2) (tstamp dc3da3e0-59e
(segment (start 94.7 107.3) (end 93.599998 107.3) (width 0.45) (layer "F.Cu") (net 2) (tstamp dc96c817-
(segment (start 58.8 76.499994) (end 58.800006 76.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp ddf07e
(segment (start 123.4 93.3) (end 123.4 93) (width 0.15) (layer "F.Cu") (net 2) (tstamp e21b03e8-350b-42
(segment (start 99.15 96.25) (end 100 96.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp e51798dc-7549-
(segment (start 62.45081 117.97) (end 61.989606 117.508796) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 62.8 117.97) (end 62.45081 117.97) (width 0.25) (layer "F.Cu") (net 2) (tstamp e67d19d9
(segment (start 69.55 115.95) (end 69.55 116.44401) (width 0.75) (layer "F.Cu") (net 2) (tstamp f341a14
(segment (start 100 96.25) (end 100.1 96.35) (width 0.25) (layer "F.Cu") (net 2) (tstamp f5b676d8-7afb-
(segment (start 59.485 81) (end 59.7 81) (width 0.15) (layer "F.Cu") (net 2) (tstamp f72386fa-3a14-4d0d
(segment (start 96.1 85.05) (end 95.15 85.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp f9fc3ef2-eb47

(segment (start 59 81.485) (end 59.485 81) (width 0.15) (layer "F.Cu") (net 2) (tstamp fc7aa7c7-c62e-47f0-9200-000000000000))
(segment (start 123.4 93) (end 123.75 92.65) (width 0.15) (layer "F.Cu") (net 2) (tstamp fd5319b1-6ab6-4200-9200-000000000000))
(via (at 84.1 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 67.6 100.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 64.9 93.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 72.6 100.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 64.9 97.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 66.8 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 73.8 91.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 64.9 95.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 96.1 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 69.55 115.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 126.5 97.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 93.599998 107.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00dcdcf4-2381-4200-9200-000000000000))
(via (at 100.1 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 02dba642-3394-4caf-f000-000000000000))
(via (at 81.7 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0410410d-0204-4034-a500-000000000000))
(via (at 59.6 73) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 05ac8cba-9c35-4bad-9e0a-f000-000000000000))
(via (at 118.8 82.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0aa214ca-4c98-404b-a500-000000000000))
(via (at 75.5 109.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0c9a1a0e-b3d2-4bfd-8500-000000000000))
(via (at 108.35 93.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0ebdb72b-6656-4099-f000-000000000000))
(via (at 118.2 99.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0f037b4f-5e8f-4cad-a500-000000000000))
(via (at 96.1 90.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 1a1e93e1-33aa-466e-b500-000000000000))
(via (at 86.5 99.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 1aac283c-7c59-4137-9000-000000000000))
(via (at 96.1 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 1bdf87fd-af96-4c64-f000-000000000000))
(via (at 87.65 106.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 22361b1e-d165-49a0-f000-000000000000))
(via (at 100.100153 104.640629) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 231438d9-f000-000000000000))
(via (at 116.97509 102.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 23623adf-1271-4200-9200-000000000000))
(via (at 127.8 108.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 2dca0c8a-79e9-48a6-f000-000000000000))
(via (at 100.1 87.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 32822f01-b505-41c5-f000-000000000000))
(via (at 77.6 90.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 37b68c17-ca5a-4b74-b000-000000000000))
(via (at 100.1 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 482676e6-b60e-4211-f000-000000000000))
(via (at 59.7 81) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 56b8bb42-5453-4adf-9a00-000000000000))
(via (at 74.15 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 600c2615-b943-4f3a-f000-000000000000))
(via (at 100.1 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 604f6854-1673-4342-f000-000000000000))
(via (at 120.1 93.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 68ebc0c7-f6f1-466e-9a00-000000000000))
(via (at 96.1 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 695bf3ac-d308-4189-9000-000000000000))
(via (at 61.989606 117.508796) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 6e3ea3ac-5f00-000000000000))
(via (at 70.6 114.285) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 706f8798-a96c-4f48-f000-000000000000))
(via (at 100.1 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 7e79099f-824b-4f5c-f000-000000000000))
(via (at 96.1 104.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 83279359-88d2-4e10-f000-000000000000))
(via (at 96.1 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 929b14d9-9021-4229-8500-000000000000))
(via (at 96.1 87.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 985193f2-1aef-4e03-9000-000000000000))
(via (at 85.7 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 9ad68c36-4838-43d0-ac00-000000000000))
(via (at 58.800006 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp a0af4a66-3025-4c00-9200-000000000000))
(via (at 82.8 111) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp b5035d30-cf68-4b95-8420-000000000000))
(via (at 100.093878 85.173212) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp b73f5998-9000-000000000000))
(via (at 90.8 98.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp bc042c4d-93b2-4bd1-9c00-000000000000))
(via (at 100.093477 90.643477) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp bdb5267f-6f00-000000000000))
(via (at 74.8 97.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp c71d9230-852f-4dd4-ba00-000000000000))
(via (at 76.1 112.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp cbfe77a6-10ca-47f8-9000-000000000000))
(via (at 69.543821 116.450189) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp dbabd3c5-f000-000000000000))
(via (at 72 109.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp e0c05ca2-b5b3-48c3-a4ba-f000-000000000000))
(via (at 96.1 85.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp ec6e6da5-ddb6-4ef0-b000-000000000000))
(via (at 79.20001 100) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp ee398070-f3ec-4698-f000-000000000000))
(via (at 119.9 106.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp f0436d7a-c555-4b19-f000-000000000000))
(via (at 107.55 89.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp f4d3e42f-6e7e-4aa3-f000-000000000000))
(segment (start 58.800006 76.5) (end 58.800006 76.800006) (width 0.25) (layer "In2.Cu") (net 2) (tstamp f5a5a5a5-5a5a-5a5a-5a5a-5a5a5a5a5a5a))
(segment (start 59.7 77.7) (end 59.7 78.7) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 228f5cd0-962c-c000-9200-000000000000))
(segment (start 58.800006 76.199994) (end 59.5 75.5) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 57aa57aa-57aa-57aa-57aa-57aa57aa57aa))
(segment (start 59.5 75.5) (end 59.75 75.5) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 63d75345-9823-4200-9200-000000000000))
(segment (start 59.7 78.7) (end 59.7 81) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 65c82778-8941-4200-9200-000000000000))
(segment (start 58.800006 76.5) (end 58.800006 76.199994) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 65c82778-8941-4200-9200-000000000000))
(segment (start 58.800006 76.800006) (end 59.7 77.7) (width 0.25) (layer "In2.Cu") (net 2) (tstamp f721f721-f721-f721-f721-f721f721f721))
(segment (start 64.9 95.25) (end 65.885 95.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 100.45) (end 72.6 99.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.9 93.25) (end 65.87 93.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.8 90.45) (end 66.8 91.535) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.885 97.25) (end 65.9 97.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 64.9 97.25) (end 65.885 97.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.87 93.25) (end 65.9 93.28) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.985 91.55) (end 73.8 91.55) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 99.465) (end 72.585 99.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.8 91.535) (end 66.815 91.55) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.885 95.25) (end 65.9 95.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 99.815 96.065) (end 99.15 96.065) (width 0.25) (layer "B.Cu") (net 2) (tstamp 0f4e6d56-f4b5-4280-b008-000000000000))
(segment (start 74.8 97.3) (end 73.82 97.3) (width 0.25) (layer "B.Cu") (net 2) (tstamp 10376ae6-b15f-4280-b008-000000000000))
(segment (start 95.915 93.265) (end 96.1 93.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 10d881ad-b5a5-4280-b008-000000000000))
(segment (start 99.915 101.665) (end 100.1 101.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp 10ed1087-b881-4280-b008-000000000000))
(segment (start 96.1 96.35) (end 95.765 96.015) (width 0.25) (layer "B.Cu") (net 2) (tstamp 183ef6ad-b881-4280-b008-000000000000))
(segment (start 99.15 104.465) (end 99.924524 104.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 19ff3f3d-b881-4280-b008-000000000000))
(segment (start 99.15 101.665) (end 99.915 101.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp 23017e5d-b881-4280-b008-000000000000))
(segment (start 99.15 98.865) (end 99.915 98.865) (width 0.25) (layer "B.Cu") (net 2) (tstamp 2496525a-b881-4280-b008-000000000000))
(segment (start 99.15 87.665) (end 99.915 87.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp 249da651-b881-4280-b008-000000000000))
(segment (start 99.915 98.865) (end 100.1 99.05) (width 0.25) (layer "B.Cu") (net 2) (tstamp 2533f091-f5c3-4280-b008-000000000000))
(segment (start 64.6125 99.5) (end 64.6125 97.5375) (width 0.25) (layer "B.Cu") (net 2) (tstamp 2d44b65e-b881-4280-b008-000000000000))
(segment (start 71.915 110.1) (end 71.915 109.385) (width 0.15) (layer "B.Cu") (net 2) (tstamp 2e3821b2-b881-4280-b008-000000000000))
(segment (start 75.415 110.1) (end 75.415 109.385) (width 0.15) (layer "B.Cu") (net 2) (tstamp 30989efc-b881-4280-b008-000000000000))
(segment (start 67.6 100.6) (end 67.6 99.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 35d09802-982f-4280-b008-000000000000))
(segment (start 95.15 90.465) (end 95.915 90.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 3850f75a-b881-4280-b008-000000000000))
(segment (start 99.915 93.265) (end 100.1 93.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 3dcff9b4-2f3d-4280-b008-000000000000))
(segment (start 95.915 87.665) (end 96.1 87.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp 434bc288-dbb1-4280-b008-000000000000))
(segment (start 95.15 101.665) (end 95.915 101.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp 43742dbb-b881-4280-b008-000000000000))
(segment (start 90.665 98.765) (end 90.8 98.9) (width 0.25) (layer "B.Cu") (net 2) (tstamp 4377b50d-469e-4280-b008-000000000000))
(segment (start 84.1 96.785) (end 84.185 96.7) (width 0.25) (layer "B.Cu") (net 2) (tstamp 4b061e29-efd3-4280-b008-000000000000))
(segment (start 79.20001 100) (end 80.035 100) (width 0.25) (layer "B.Cu") (net 2) (tstamp 4eb54a78-6c4f-4280-b008-000000000000))
(segment (start 95.915 84.865) (end 96.1 85.05) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5161120e-fff3-4280-b008-000000000000))
(segment (start 99.458212 85.173212) (end 100.093878 85.173212) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5161120e-fff3-4280-b008-000000000000))
(segment (start 86.8 98.8) (end 86.5 99.1) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5bcb10d0-ca01-4338-b008-000000000000))
(segment (start 99.915 90.465) (end 100.093477 90.643477) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5bcb10d0-ca01-4338-b008-000000000000))
(segment (start 95.915 98.865) (end 96.1 99.05) (width 0.25) (layer "B.Cu") (net 2) (tstamp 67bba26d-1b5a-4280-b008-000000000000))
(segment (start 86.0125 99.1) (end 85.1125 100) (width 0.25) (layer "B.Cu") (net 2) (tstamp 7195735b-7aeb-4280-b008-000000000000))
(segment (start 99.15 93.265) (end 99.915 93.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 8473e104-b881-4280-b008-000000000000))
(segment (start 95.15 93.265) (end 95.915 93.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 85dea7b4-b881-4280-b008-000000000000))
(segment (start 95.915 101.665) (end 96.1 101.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp 85e6aa23-b881-4280-b008-000000000000))
(segment (start 64.6125 97.5375) (end 64.9 97.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 874b7f0e-b881-4280-b008-000000000000))
(segment (start 100.1 96.35) (end 99.815 96.065) (width 0.25) (layer "B.Cu") (net 2) (tstamp 88d45873-5f3d-4280-b008-000000000000))
(segment (start 67.6 99.465) (end 67.615 99.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 8b41a80b-ab3d-4280-b008-000000000000))
(segment (start 95.15 104.465) (end 95.915 104.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 92d6a39e-b881-4280-b008-000000000000))
(segment (start 86.5 99.1) (end 86.0125 99.1) (width 0.25) (layer "B.Cu") (net 2) (tstamp 94c60e49-5086-b881-4280-b008-000000000000))
(segment (start 95.15 84.865) (end 95.915 84.865) (width 0.25) (layer "B.Cu") (net 2) (tstamp 99d29cdc-b881-4280-b008-000000000000))
(segment (start 95.915 104.465) (end 96.1 104.65) (width 0.25) (layer "B.Cu") (net 2) (tstamp 99d29cdc-b881-4280-b008-000000000000))
(segment (start 73.82 97.3) (end 73.8 97.28) (width 0.25) (layer "B.Cu") (net 2) (tstamp aae9a101-d65b-4280-b008-000000000000))
(segment (start 84.1 97.5) (end 84.1 96.785) (width 0.25) (layer "B.Cu") (net 2) (tstamp b10347b7-320e-b881-4280-b008-000000000000))
(segment (start 95.765 96.015) (end 95.15 96.015) (width 0.25) (layer "B.Cu") (net 2) (tstamp b193673a-b881-4280-b008-000000000000))
(segment (start 95.15 87.665) (end 95.915 87.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp b1992429-b881-4280-b008-000000000000))
(segment (start 81.5 111) (end 82.8 111) (width 0.45) (layer "B.Cu") (net 2) (tstamp b1e2a7ab-10d7-4ce6-b881-4280-b008-000000000000))
(segment (start 80.035 100) (end 80.05 99.985) (width 0.25) (layer "B.Cu") (net 2) (tstamp b41563f4-32a3-4280-b008-000000000000))
(segment (start 95.915 90.465) (end 96.1 90.65) (width 0.25) (layer "B.Cu") (net 2) (tstamp d1ae65fb-9c3d-4280-b008-000000000000))
(segment (start 99.15 84.865) (end 99.458212 85.173212) (width 0.25) (layer "B.Cu") (net 2) (tstamp d32e1087-b881-4280-b008-000000000000))
(segment (start 95.15 98.865) (end 95.915 98.865) (width 0.25) (layer "B.Cu") (net 2) (tstamp d4d00c14-b881-4280-b008-000000000000))
(segment (start 89.8 98.765) (end 90.665 98.765) (width 0.25) (layer "B.Cu") (net 2) (tstamp d8a21f8e-63d3-4280-b008-000000000000))
(segment (start 86.8 98.8) (end 87.165 98.8) (width 0.25) (layer "B.Cu") (net 2) (tstamp dbbbaecc-ed0e-b881-4280-b008-000000000000))
(segment (start 99.915 87.665) (end 100.1 87.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp df8dd762-b881-4280-b008-000000000000))
(segment (start 85.7 95.9) (end 85.7 95.285) (width 0.25) (layer "B.Cu") (net 2) (tstamp e3803cb8-5108-b881-4280-b008-000000000000))
(segment (start 71.915 109.385) (end 72 109.3) (width 0.15) (layer "B.Cu") (net 2) (tstamp e620bba8-ec2f-b881-4280-b008-000000000000))
(segment (start 75.415 109.385) (end 75.5 109.3) (width 0.15) (layer "B.Cu") (net 2) (tstamp f266fec5-8b81-4280-b008-000000000000))
(segment (start 99.924524 104.465) (end 100.100153 104.640629) (width 0.25) (layer "B.Cu") (net 2) (tstamp fa03869f-b881-4280-b008-000000000000))
(segment (start 99.15 90.465) (end 99.915 90.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp fa03869f-b881-4280-b008-000000000000))
(segment (start 84.1 95.1) (end 84.5 94.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 84.1 95.9) (end 83.7 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 83.3 95.9) (end 84.1 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 83.3 95.1) (end 83.7 94.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.62501 92.07501) (end 66.9 92.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.85 92.75) (end 72.6 92.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.1 98.33) (end 72.39 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.8 98.45) (end 72.39 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 66.62501 91.52501) (end 66.62501 92.07501) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.87501 98.72499) (end 66.62501 98.72499) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.62501 98.72499) (end 67.010001 98.339999) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 92.75) (end 72.39 92.96) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.1 99.5) (end 72.1 98.33) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.9 92.55) (end 67.31 92.96) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 96.75) (end 67.29 96.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 68.1 91.5) (end 68.1 92.48) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.79 94.75) (end 67.31 94.23) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.1 99.5) (end 73.1 98.946912) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 98.75) (end 65.87501 98.72499) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 68.1 92.48) (end 68.58 92.96) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.010001 98.339999) (end 67.31 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.29 96.75) (end 67.31 96.77) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.02 97.75) (end 67.31 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 94.75) (end 66.79 94.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.1 98.946912) (end 73.096912 98.946912) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.6 91.5) (end 66.62501 91.52501) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.9 92.35) (end 66.9 92.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.096912 98.946912) (end 72.8 98.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.8 98.65) (end 72.8 98.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 97.75) (end 67.02 97.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 68.5 114.525) (end 68.5 113.45) (width 0.75) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 114.35) (end 66 114.35) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 109.25) (end 68.325 109.25) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 114.35) (end 68.325 114.35) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66 114.35) (end 65.9 114.45) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66 109.25) (end 65.9 109.35) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 68.325 114.35) (end 68.5 114.525) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 68.325 109.25) (end 68.5 109.425) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 109.25) (end 66 109.25) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 104.45 82.35) (end 104.45 81.775) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 104.45 82.35) (end 104.45 82.925) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 119.615 83.9) (end 119.6 83.885) (width 0.25) (layer "F.Cu") (net 3) (tstamp 000e9650-2000-0000-0000-000000000000))
(segment (start 61.415 90.2) (end 60.65 90.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 018e1669-b0a9-4000-0000-000000000000))
(segment (start 126.685 103.6) (end 126.685 102.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 06e2a58f-4000-0000-0000-000000000000))
(segment (start 96.1 97.1) (end 95.9 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 083605d7-78ef-4000-0000-000000000000))
(segment (start 117.985 89.6) (end 117.985 88.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 08ca95d4-b0a9-4000-0000-000000000000))
(segment (start 62.975 78.45) (end 62.975 80.359028) (width 0.25) (layer "F.Cu") (net 3) (tstamp 0ad498f0-4000-0000-0000-000000000000))
(segment (start 62.975 80.359028) (end 63.02491 80.408938) (width 0.25) (layer "F.Cu") (net 3) (tstamp 0ad498f0-4000-0000-0000-000000000000))
(segment (start 61.705 76.305002) (end 61.9 76.500002) (width 0.25) (layer "F.Cu") (net 3) (tstamp 0da2f0-a06a-4000-0000-000000000000))
(segment (start 121.1 105.6) (end 120.1 105.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 116ad2f0-a06a-4000-0000-000000000000))
(segment (start 109.8375 94.475) (end 111.075 94.475) (width 0.25) (layer "F.Cu") (net 3) (tstamp 11834d-11834d-4000-0000-000000000000))
(segment (start 121.1 83.9) (end 119.615 83.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 136de064-e3f1-4000-0000-000000000000))
(segment (start 78.215 78.45) (end 78.215 80.385) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1432e4b2-f0a9-4000-0000-000000000000))
(segment (start 100.45 82.35) (end 100.45 82.925) (width 0.25) (layer "F.Cu") (net 3) (tstamp 15b16a97-f0a9-4000-0000-000000000000))
(segment (start 119.9 87.415) (end 119.915 87.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 15c26802-30a9-4000-0000-000000000000))
(segment (start 95.15 105.3) (end 96 105.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 15f05c56-a09f-4000-0000-000000000000))
(segment (start 86.6 111) (end 87.20001 111) (width 0.15) (layer "F.Cu") (net 3) (tstamp 15f71ca3-fbf1-4000-0000-000000000000))
(segment (start 73.875 112.575) (end 73.8 112.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp 1832ef86-30a9-4000-0000-000000000000))
(segment (start 77.375 113.7625) (end 77.375 112.675) (width 0.15) (layer "F.Cu") (net 3) (tstamp 1865a2f0-4000-0000-0000-000000000000))
(segment (start 96 91.3) (end 96.1 91.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1892129b-46ac-4c89-4000-000000000000))
(segment (start 101.45 108.075) (end 101.45 108.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 19add090-4000-0000-0000-000000000000))
(segment (start 84.1 108.4) (end 84.1 108.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp 1d3fdfb0-9748-4000-0000-000000000000))
(segment (start 99.15 99.7) (end 100 99.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1d7dc6c3-c7fa-4000-0000-000000000000))
(segment (start 73.85 92.75) (end 74.8 92.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1e1147a6-de5b-4000-0000-000000000000))
(segment (start 126.4 85.4) (end 126.65 85.15) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1e24c216-7990-4000-0000-000000000000))
(segment (start 111.075 94.475) (end 111.1 94.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1ec8d23c-2000-0000-0000-000000000000))
(segment (start 107.3 97.8) (end 107.8 98.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1f2d2d02-8e01-4000-0000-000000000000))
(segment (start 70.595 80.395) (end 70.6 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2055c527-744f-4000-0000-000000000000))
(segment (start 95.15 91.3) (end 96 91.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 22531d25-e157-4550-4000-000000000000))
(segment (start 119.915 87.4) (end 119.915 86.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 22d11fdb-2000-0000-0000-000000000000))
(segment (start 127.8 107.1) (end 127.015 107.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 239f9285-2000-0000-0000-000000000000))
(segment (start 127.015 107.1) (end 127 107.115) (width 0.25) (layer "F.Cu") (net 3) (tstamp 269866ce-b0a9-4000-0000-000000000000))
(segment (start 57.350006 98.75) (end 57.8 99.199994) (width 0.45) (layer "F.Cu") (net 3) (tstamp 2716a2f0-4000-0000-0000-000000000000))
(segment (start 93.2 85.2) (end 93.2 86.05) (width 0.25) (layer "F.Cu") (net 3) (tstamp 27efa05b-6b1e-4000-0000-000000000000))
(segment (start 80.755 74.45) (end 80.755 76.454988) (width 0.25) (layer "F.Cu") (net 3) (tstamp 297f31f0-4000-0000-0000-000000000000))
(segment (start 125.7 96.4) (end 126.5 96.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 29eea895-fb00-4000-0000-000000000000))

(segment (start 75.207053 100.842947) (end 74.457053 100.842947) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2b2ad754-ff7b-4000-9000-000000000000))
(segment (start 125.5 85.4) (end 126.4 85.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2b2ad754-ff7b-4000-9000-000000000000))
(segment (start 65.515 74.45) (end 65.515 76.485) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2c931b7f-4000-9000-0000-000000000000))
(segment (start 96 105.3) (end 96.1 105.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2dca2d1d-f51c-4700-9000-000000000000))
(segment (start 92.7 85.2) (end 93.2 85.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2f15c286-68bf-4800-9000-000000000000))
(segment (start 56.2125 106) (end 55.05001 106) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2fde6df7-f900-9000-0000-000000000000))
(segment (start 93.2 86.05) (end 93 86.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp 30ebc2e1-b618-4600-9000-000000000000))
(segment (start 83.7 96.3) (end 82.5 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 30ee337d-3ec5-4c00-9000-000000000000))
(segment (start 63 93.25) (end 63 93.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 31546540-845d-43fc00-9000-000000000000))
(segment (start 61.705 74.55) (end 61.705 76.305002) (width 0.25) (layer "F.Cu") (net 3) (tstamp 31ef2800-9000-0000-000000000000))
(segment (start 96 88.5) (end 96.1 88.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 32f4b6be-21b2-430100-9000-000000000000))
(segment (start 101.45 109.225) (end 101.45 108.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 32fbbcb1-4000-9000-0000-000000000000))
(segment (start 57.8 99.199994) (end 58.515006 99.199994) (width 0.35) (layer "F.Cu") (net 3) (tstamp 33000000-9000-0000-0000-000000000000))
(segment (start 84.1 95.9) (end 84.5 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 35323fb1-d374-4800-9000-000000000000))
(segment (start 124.685 110.5) (end 125.1 110.085) (width 0.15) (layer "F.Cu") (net 3) (tstamp 35bcd451-4000-9000-0000-000000000000))
(segment (start 118 102.37509) (end 118.02491 102.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 36cace00-9000-0000-0000-000000000000))
(segment (start 107.415 100.5) (end 107.415 99.715) (width 0.25) (layer "F.Cu") (net 3) (tstamp 377f437f-4000-9000-0000-000000000000))
(segment (start 106.535 100.5) (end 106.5 100.465) (width 0.25) (layer "F.Cu") (net 3) (tstamp 392f750a-4000-9000-0000-000000000000))
(segment (start 117.985 88.7) (end 118 88.685) (width 0.25) (layer "F.Cu") (net 3) (tstamp 39c3ace2-de60-9000-0000-000000000000))
(segment (start 96.8 82.2) (end 97.3 81.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3b1fbf0c-4aa5-4e00-9000-000000000000))
(segment (start 84.565 74.45) (end 84.565 75.635) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3b573ed5-4000-9000-0000-000000000000))
(segment (start 56.2125 104) (end 55.05 104) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3bc307a3-596b-4000-9000-000000000000))
(segment (start 92.7 85.2) (end 92.7 85.95) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3d012f65-cc50-4000-9000-000000000000))
(segment (start 74.457053 100.842947) (end 74.25 101.05) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3d000000-9000-0000-0000-000000000000))
(segment (start 65.9 116.125) (end 67.00009 117.22509) (width 0.75) (layer "F.Cu") (net 3) (tstamp 3edf0000-9000-0000-0000-000000000000))
(segment (start 59.535 97.25) (end 60.75 97.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3f197157-7100-9000-0000-000000000000))
(segment (start 61.915 109.815) (end 61.9 109.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3f41d349-f000-9000-0000-000000000000))
(segment (start 99.15 85.7) (end 99.794605 85.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3f90d099-b000-9000-0000-000000000000))
(segment (start 108.665 90.835) (end 108.85 90.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4009eb93-4000-9000-0000-000000000000))
(segment (start 83.7 94.7) (end 84.5 95.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 406efb85-2a1c-4200-9000-000000000000))
(segment (start 75.4 92.15) (end 75.4 91.887378) (width 0.25) (layer "F.Cu") (net 3) (tstamp 420038d9-3000-9000-0000-000000000000))
(segment (start 114.375 96.525) (end 114.3 96.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4235c13a-9000-9000-0000-000000000000))
(segment (start 55.05 83) (end 56.2125 83) (width 0.25) (layer "F.Cu") (net 3) (tstamp 429dee60-9c31-4400-9000-000000000000))
(segment (start 95.15 85.7) (end 96 85.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 42f3ff55-d273-473000-9000-000000000000))
(segment (start 76.945 74.45) (end 76.945 76.454998) (width 0.25) (layer "F.Cu") (net 3) (tstamp 43fa0100-9000-0000-0000-000000000000))
(segment (start 63 93.35) (end 64 94.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 443f0d6e-1c54-47c800-9000-000000000000))
(segment (start 65.9 115.4) (end 65.9 116.125) (width 0.75) (layer "F.Cu") (net 3) (tstamp 45096903-7d6000-9000-000000000000))
(segment (start 58.265 91.6) (end 58.365 91.7) (width 0.35) (layer "F.Cu") (net 3) (tstamp 47d4b338-4ea000-9000-000000000000))
(segment (start 84.200075 76.000075) (end 84.200075 76.500006) (width 0.25) (layer "F.Cu") (net 3) (tstamp 48000000-9000-0000-0000-000000000000))
(segment (start 107.415 100.5) (end 106.535 100.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 48e0b85d-4000-9000-0000-000000000000))
(segment (start 124.4 96.45) (end 125.65 96.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 49b39e55-6e00-9000-0000-000000000000))
(segment (start 75.49491 91.792468) (end 75.49491 90.84491) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4a000000-9000-0000-0000-000000000000))
(segment (start 95.15 88.5) (end 96 88.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4c269cfb-6368-4ee000-9000-000000000000))
(segment (start 120.1 105.6) (end 119.9 105.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4c2c76cb-ab0000-9000-000000000000))
(segment (start 71.765 115.55) (end 71.765 115.825) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4cbb8f63-4000-9000-0000-000000000000))
(segment (start 99.15 91.3) (end 100 91.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4cf94a0c-4052-4300-9000-000000000000))
(segment (start 118.8 83.9) (end 119.585 83.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4d54b999-99a000-9000-000000000000))
(segment (start 99.15 105.3) (end 99.997434 105.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4ee03c0a-4000-9000-0000-000000000000))
(segment (start 60.8 90.35) (end 60.65 90.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4f2866e5-b127-4000-9000-000000000000))
(segment (start 82.9 94.7) (end 83.3 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5482f85d-0abf-4100-9000-000000000000))
(segment (start 65.9 111.025) (end 65.9 110.3) (width 0.75) (layer "F.Cu") (net 3) (tstamp 55606c31-2d0000-9000-000000000000))
(segment (start 67.85 112.25) (end 67.5 111.9) (width 0.75) (layer "F.Cu") (net 3) (tstamp 55b376c3-139000-9000-000000000000))
(segment (start 73.135 76.465006) (end 73.100006 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 59560000-9000-0000-0000-000000000000))
(segment (start 100 99.7) (end 100.1 99.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5a3e9825-c75e-4900-9000-000000000000))
(segment (start 58.585 96.3) (end 59.535 97.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5c1262fd-f60000-9000-000000000000))
(segment (start 100.1 97.1) (end 99.9 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5d41ec53-f893-4000-9000-000000000000))
(segment (start 115.7 106.4) (end 116.1 106.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 62de1379-42e000-9000-000000000000))
(segment (start 99.997434 105.3) (end 100.087874 105.39044) (width 0.25) (layer "F.Cu") (net 3) (tstamp 63000000-9000-0000-0000-000000000000))
(segment (start 96.8 82.7) (end 96.8 82.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 66414292-765f-4900-9000-000000000000))
(segment (start 84.2 76) (end 84.200075 76.000075) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6772e48b-4000-9000-0000-000000000000))
(segment (start 59.35 92.665) (end 59.685 92.665) (width 0.25) (layer "F.Cu") (net 3) (tstamp 68efe866-4000-9000-0000-000000000000))
(segment (start 55.049976 87) (end 56.2125 87) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6b10cb6f-3a4000-9000-000000000000))
(segment (start 100 102.5) (end 100.1 102.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6b857d12-ed98-4000-9000-000000000000))
(segment (start 85.835 80.435) (end 85.835 78.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6eb289aa-4000-9000-0000-000000000000))
(segment (start 85.835 80.365) (end 85.8 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 71246f3c-81a000-9000-000000000000))
(segment (start 118.185 89.8) (end 117.985 89.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 718166f3-0a0000-9000-000000000000))
(segment (start 84.1 108.5) (end 86.4 110.8) (width 0.15) (layer "F.Cu") (net 3) (tstamp 77376ca0-66e0-4000-9000-000000000000))
(segment (start 107.415 99.715) (end 107.4 99.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7795d1a9-f000-9000-0000-000000000000))

(segment (start 100.45 82.35) (end 100.45 81.775) (width 0.25) (layer "F.Cu") (net 3) (tstamp 78c343ff-
(segment (start 118 101.6) (end 118 102.37509) (width 0.25) (layer "F.Cu") (net 3) (tstamp 792932e7-35b
(segment (start 75.15 90.5) (end 74.9 90.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7a410344-f3eb-4
(segment (start 82.5 95.1) (end 82.9 94.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7ae994de-537d-4e
(segment (start 119.9 88.315) (end 119.9 87.415) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7b4cd8eb-7
(segment (start 122.2 94.55) (end 120.935 94.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7c823fa4-3
(segment (start 91.1 97.7) (end 90.8 98) (width 0.15) (layer "F.Cu") (net 3) (tstamp 7eb8062b-ecea-4d3b
(segment (start 59.165 78.45) (end 58.6 78.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7f7587fc-c38
(segment (start 100 94.1) (end 100.1 94.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8039f98f-2f06-47
(segment (start 56.695 98.75) (end 57.350006 98.75) (width 0.45) (layer "F.Cu") (net 3) (tstamp 843bd8d
(segment (start 74.405 78.45) (end 74.405 80.395) (width 0.25) (layer "F.Cu") (net 3) (tstamp 84532734-
(segment (start 85.835 78.45) (end 85.835 80.365) (width 0.25) (layer "F.Cu") (net 3) (tstamp 86655e34-
(segment (start 96 99.7) (end 96.1 99.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 86e47c6b-a7ec-4d7c
(segment (start 124.885 80.5) (end 125.3 80.915) (width 0.15) (layer "F.Cu") (net 3) (tstamp 8ba19c31-e
(segment (start 119.715 87.6) (end 119.915 87.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8bbf03bf-c
(segment (start 82.025 80.375) (end 82 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8d5bf9d9-ce0e-
(segment (start 121.15 98.35) (end 120.8 98) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8d649f87-851b-
(segment (start 76.945 76.454998) (end 76.899998 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8e62
(segment (start 95.9 96.9) (end 95.15 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8f470442-5e26-4
(segment (start 60.8 91.55) (end 60.8 90.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 91b29b37-6145-
(segment (start 119.915 86.1) (end 119.6 85.785) (width 0.25) (layer "F.Cu") (net 3) (tstamp 91ef45ee-c
(segment (start 82.025 78.45) (end 82.025 80.375) (width 0.25) (layer "F.Cu") (net 3) (tstamp 93df1411-
(segment (start 126.685 104.9) (end 127 105.215) (width 0.25) (layer "F.Cu") (net 3) (tstamp 93e54eec-2
(segment (start 126.4 84.9) (end 126.65 85.15) (width 0.25) (layer "F.Cu") (net 3) (tstamp 94ebff56-59f
(segment (start 91.515 97.7) (end 91.1 97.7) (width 0.15) (layer "F.Cu") (net 3) (tstamp 97decf29-253a-
(segment (start 90.75 99.6) (end 90.8 99.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 98f47819-b8b6-
(segment (start 67.00009 117.22509) (end 67.85 117.22509) (width 0.75) (layer "F.Cu") (net 3) (tstamp 9
(segment (start 59.685 92.665) (end 60.8 91.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9afed5e2-30
(segment (start 78.215 80.385) (end 78.2 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9b5b23d2-5dd
(segment (start 60.75 97.25) (end 60.8 97.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9b62e101-c802-
(segment (start 73.875 113.7625) (end 73.875 112.575) (width 0.15) (layer "F.Cu") (net 3) (tstamp 9cd33
(segment (start 107.3 97.6) (end 107.3 97.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9eeee92c-dd9d-
(segment (start 125.65 96.45) (end 125.7 96.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp a0702834-acd
(segment (start 55.050002 85) (end 56.2125 85) (width 0.25) (layer "F.Cu") (net 3) (tstamp a13f35c1-74e
(segment (start 66.785 80.385) (end 66.8 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp a5065264-aa9
(segment (start 58.15 78.9) (end 58.15 79.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp a57759da-8ea0
(segment (start 55.05 81) (end 56.2125 81) (width 0.25) (layer "F.Cu") (net 3) (tstamp a7b4db47-6479-4e
(segment (start 124.3 110.5) (end 124.685 110.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp a7b71d65-0
(segment (start 57.985 92.25) (end 58.4 92.665) (width 0.25) (layer "F.Cu") (net 3) (tstamp a91b38ad-fd
(segment (start 99.15 102.5) (end 100 102.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp a94641d0-36ca-
(segment (start 75.4 91.887378) (end 75.49491 91.792468) (width 0.25) (layer "F.Cu") (net 3) (tstamp ab
(segment (start 58.6 78.45) (end 58.15 78.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp ad3d8702-ddc0-
(segment (start 123.3875 80.5) (end 124.5 80.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp ad6ac348-b0
(segment (start 82.1 94.7) (end 82.5 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp ade4254d-28b3-47
(segment (start 127.4 103.6) (end 127.5 103.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp ae984137-a88
(segment (start 107.3 95.3) (end 107.8 95.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp aee25ce5-89a8-
(segment (start 99.15 88.5) (end 100 88.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp af4e0167-3418-47
(segment (start 119.585 83.9) (end 119.6 83.885) (width 0.25) (layer "F.Cu") (net 3) (tstamp b089e476-3
(segment (start 107.3 95.1) (end 107.3 95.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp b246f1c6-00bf-
(segment (start 100 91.3) (end 100.1 91.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp b24ec7aa-fd69-41
(segment (start 95.15 99.7) (end 96 99.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp b39ef369-4056-4ee
(segment locked (start 70.595 78.45) (end 70.595 80.395) (width 0.25) (layer "F.Cu") (net 3) (tstamp b5a8
(segment (start 82.9 96.3) (end 83.3 95.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp b5bbf57e-7aa4-4a
(segment (start 96 102.5) (end 96.1 102.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp b6586e66-b83b-4e
(segment (start 118.7 89.8) (end 118.185 89.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp b7070099-09b
(segment (start 99.15 94.1) (end 100 94.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp b75ba97a-4c57-46
(segment (start 71.765 115.825) (end 71.28 116.31) (width 0.25) (layer "F.Cu") (net 3) (tstamp b76c7143
(segment (start 84.1 95.9) (end 83.3 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp b7f84ac6-234b-45
(segment (start 99.794605 85.7) (end 100.013397 85.918792) (width 0.25) (layer "F.Cu") (net 3) (tstamp
(segment (start 105.45 108.65) (end 105.45 109.225) (width 0.25) (layer "F.Cu") (net 3) (tstamp b9554dd
(segment (start 108.35 90.835) (end 108.665 90.835) (width 0.25) (layer "F.Cu") (net 3) (tstamp b968f0e
(segment (start 69.325 76.474996) (end 69.299996 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp bb03
(segment (start 66.785 78.45) (end 66.785 80.385) (width 0.25) (layer "F.Cu") (net 3) (tstamp bbad76d0-
(segment (start 96 85.7) (end 96.1 85.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp bcb41db1-cd3a-4219
(segment (start 82.5 95.1) (end 82.9 95.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp bd8d8189-9445-41
(segment (start 67.5 111.9) (end 66.775 111.9) (width 0.75) (layer "F.Cu") (net 3) (tstamp bdcfd18a-fb3
(segment (start 77.375 112.675) (end 77.2 112.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp bf035157-1
(segment (start 60.8 97.3) (end 61.270189 97.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp bf7b1fc7-bc

```
(segment (start 58.565 96.3)(end 58.585 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp c00bc2ba-c668-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 86.4 110.8)(end 86.6 111) (width 0.15) (layer "F.Cu") (net 3) (tstamp c0e10639-438b-4a1a-8000-0000-0000-0000-0000-0000)
(segment (start 57.6 91.6) (end 58.265 91.6) (width 0.35) (layer "F.Cu") (net 3) (tstamp c13524fc-fdf8-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 120.115 94.585) (end 120.1 94.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp c1701e61-5f55-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 107.55 90.8) (end 108.35 90.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp c3d11623-1473-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 115.5625 96.525) (end 114.375 96.525) (width 0.25) (layer "F.Cu") (net 3) (tstamp c7bbcc0b-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 61.270189 97.3) (end 61.72018 97.749991) (width 0.25) (layer "F.Cu") (net 3) (tstamp c8a1b1b1-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 115.2 106) (end 115.3 106) (width 0.25) (layer "F.Cu") (net 3) (tstamp c86aa805-fc3c-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 56.2125 110) (end 55.050004 110) (width 0.25) (layer "F.Cu") (net 3) (tstamp c89c2185-8000-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 56.2125 108) (end 55.05 108) (width 0.25) (layer "F.Cu") (net 3) (tstamp cb5062d1-3afe-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 89.85 99.6) (end 90.75 99.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp cb65d1d8-3dd1-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 56.2125 102) (end 55.05 102) (width 0.25) (layer "F.Cu") (net 3) (tstamp cc585bf2-bb35-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 120.9 94.585) (end 120.115 94.585) (width 0.25) (layer "F.Cu") (net 3) (tstamp cc65df55-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 122.2 98.35) (end 121.15 98.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp cdf9828d-1e5f-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 124.5 80.5) (end 124.885 80.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp d02421db-f181-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 74.405 80.395) (end 74.4 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp d10d5d81-ad11-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 107.415 101.4) (end 107.415 100.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp d16326e7-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 126.685 103.6) (end 127.4 103.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp d445bb1d-6b35-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 69.325 74.45) (end 69.325 76.474996) (width 0.25) (layer "F.Cu") (net 3) (tstamp d476fcd1-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 65.515 76.485) (end 65.5 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp d5ab588e-7f81-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 92.7 85.95) (end 93 86.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp d66a0b93-a349-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 126.685 103.6) (end 126.685 104.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp d7f59b38-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 120.935 94.55) (end 120.9 94.585) (width 0.25) (layer "F.Cu") (net 3) (tstamp dac33f20-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 75.49491 90.84491) (end 75.15 90.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp db524c5f-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 66.775 111.9) (end 65.9 111.025) (width 0.75) (layer "F.Cu") (net 3) (tstamp dbc5bf03-9b35-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 119.2 87.6) (end 119.715 87.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp dbe209f8-23c1-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 58.4 96.3) (end 57.9 96.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp dd46a3da-998f-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 60.2 112.05) (end 60.465 112.05) (width 0.25) (layer "F.Cu") (net 3) (tstamp dd6b419a-f181-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 115.3 106) (end 115.7 106.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp de6aea08-377a-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 73.135 74.45) (end 73.135 76.465006) (width 0.25) (layer "F.Cu") (net 3) (tstamp e032707f-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 60.435 74.45) (end 60.799901 74.814901) (width 0.25) (layer "F.Cu") (net 3) (tstamp e181b1b1-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 61.915 110.6) (end 61.915 109.815) (width 0.25) (layer "F.Cu") (net 3) (tstamp e195530f-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 126.985 107.1) (end 127 107.115) (width 0.25) (layer "F.Cu") (net 3) (tstamp e4bc56c5-f181-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 58.515006 99.199994) (end 58.565 99.15) (width 0.35) (layer "F.Cu") (net 3) (tstamp e5b1b1b1-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 55.05 89) (end 56.2125 89) (width 0.25) (layer "F.Cu") (net 3) (tstamp e60f0be1-3abe-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 99.9 96.9) (end 99.15 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp e6fe0f9e-b642-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 109.8375 90.575) (end 108.925 90.575) (width 0.25) (layer "F.Cu") (net 3) (tstamp eaadcd11-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 84.5 95.5) (end 84.1 95.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp ead227de-0736-4b3a-8000-0000-0000-0000-0000-0000)
(segment (start 105.45 108.65) (end 105.45 108.075) (width 0.25) (layer "F.Cu") (net 3) (tstamp eadfc151-4b3a-8000-0000-0000-0000-0000-0000-0000)
(segment (start 80.755 76.454988) (end 80.800012 76.5
```

(via (at 107.3 95.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 58.15 79.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 64.6 112.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 68.5 113.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 67.2 112.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 67.85 112.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 67.2 113.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 64.6 113.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via locked (at 104.45 82.35) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 124.7 88) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 126.5 96.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 123.5 86.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 123.5 88) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 120.6 101.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 06539d51-27af-4996-8000-00000000))
(via (at 55.05001 106) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0688d367-37f4-47a7-8000-00000000))
(via (at 100.1 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0a656df3-f238-45bc-8000-00000000))
(via (at 100.1 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0a973441-a2a8-421d-9000-00000000))
(via (at 111.1 94.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0eb9f322-7a5c-49b2-b000-00000000))
(via (at 55.049976 87) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0f1914dc-a42d-4122-8000-00000000))
(via (at 100.1 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 14568959-b24b-4792-9000-00000000))
(via (at 90.8 99.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 192ff479-ae89-40d2-9000-00000000))
(via (at 69.299996 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 1d35ba21-3c4e-44a8-8000-00000000))
(via (at 76.4 110.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 1d59660b-82bf-46ba-a000-00000000))
(via (at 83.3 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 1f391607-3339-48da-a500-00000000))
(via (at 87.20001 111) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 20e5bad6-7b3c-4d78-8000-00000000))
(via (at 79.1 102.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 232ac935-88eb-4f31-8000-00000000))
(via (at 100.087874 105.39044) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 23a82ad7-0000-0000-0000-00000000))
(via locked (at 73.100006 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 26819ad8-8000-0000-0000-00000000))
(via (at 57.8 99.199994) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 29dcac08-7136-41f1-8000-00000000))
(via (at 64 94.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 2d48e54b-9ac9-4e81-b3b0-00000000))
(via (at 61.9 76.500002) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 322f295c-02f8-4d78-8000-00000000))
(via (at 125.4 89.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 33087e37-4986-417e-9000-00000000))
(via (at 78.2 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 331ebbec-2b59-4b0a-bb00-00000000))
(via (at 82.5 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 39f76d08-7f1a-4d92-b100-00000000))
(via (at 96.1 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 3e8d622f-6a68-48d9-bd00-00000000))
(via (at 55.05 104) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 457431cd-d404-4390-8005-00000000))
(via (at 124.7 86.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 4c5fba9f-f435-42ce-bb00-00000000))
(via (at 55.050004 110) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 4d3eb1b5-02cd-4be1-8000-00000000))
(via (at 96.1 85.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 4dc0822e-dbc3-476d-8f30-00000000))
(via (at 100.45 82.35) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 521860be-a7d4-4a6d-8000-00000000))
(via (at 96.1 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 5691431f-87ae-4837-a300-00000000))
(via (at 57.6 91.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 59abb02c-7348-487f-b000-00000000))
(via (at 68.5 108.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 5bc3d363-97c8-4fdf-b000-00000000))
(via (at 73.8 112.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 67709de7-220c-443a-a000-00000000))
(via (at 120.8 98) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 68621cc6-acf2-4980-af90-00000000))
(via (at 123.1 104.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 68b7a76f-81a2-42e1-b000-00000000))
(via (at 84.1 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6b22112b-02fc-4409-8ea0-00000000))
(via (at 55.05 89) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6c136333-b8e6-4f12-b910-00000000))
(via (at 55.050002 85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6ea8c000-6049-47d2-8000-00000000))
(via (at 65.5 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6ee4211b-0807-4650-8a00-00000000))
(via (at 121.9 103) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 70eecf45-500d-4b16-bf00-00000000))
(via (at 55.05 83) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7124dda5-dc10-4ead-85d0-00000000))
(via (at 60.799901 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 721c25cf-26f9-42e1-8000-00000000))
(via (at 100.013397 85.918792) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 73689711-8000-0000-0000-00000000))
(via (at 57.9 96.8) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7617199e-29ba-4ef9-8a00-00000000))
(via (at 55.05 108) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7a6e9ec1-9ec4-4e08-8f30-00000000))
(via (at 107.3 97.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7aec5efa-8eac-4b94-8000-00000000))
(via (at 85.8 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7bf3741c-6b96-4263-8000-00000000))
(via (at 97.3 81.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7e3e7c2d-cdfd-42b1-bd00-00000000))
(via (at 100.1 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 802a631a-5c39-48ee-b000-00000000))
(via (at 61.72018 97.749991) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 82a78f03-5050-4000-8000-00000000))
(via (at 90.8 98) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 8314ea2d-4c0d-44af-b505-00000000))
(via (at 123.1 103) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 85612266-a4f5-4858-ab00-00000000))
(via (at 77.2 112.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 86c8f739-e2d3-43c3-8000-00000000))
(via (at 74.25 101.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 894fd13c-acf1-4556-8000-00000000))
(via (at 118.8 83.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 8f7f0d98-2e27-42c1-8000-00000000))
(via (at 96.1 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 93b512a2-dae8-4488-8000-00000000))
(via (at 114.3 96.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 96ede52e-8df6-414f-8000-00000000))

(via (at 127.5 103.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 988f2d83-56b8-4824-1
(via (at 96.1 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9991aeaa-c893-41d2-b4
(via (at 87.799998 100.168111) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9a84d658-7
(via (at 80.800012 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9c4e8423-a1ff-42
(via (at 124.5 80.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9de2844a-bccf-414f-b
(via (at 116.1 106.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9ebc10d3-0bbe-433d-
(via (at 93.2 85.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9ec76e66-7f6f-471e-b8
(via (at 121.9 104.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9f7693a9-313f-4d9f-
(via (at 83.3 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9f7ec9a9-ab59-45dd-bc
(via (at 96.1 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp a9d1f095-e61b-4cc7-b
(via (at 71.28 116.31) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp a9f74b94-190b-4c2d
(via (at 60.65 90.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp aa682714-21fc-49d2-8
(via locked (at 70.6 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp aa68c496-1b16-
(via (at 92.7 85.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp ad248f9b-898c-4b6e-95
(via (at 61.9 109.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp aeb10ff1-8ee6-47c5-8
(via (at 124.3 110.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp af7a012c-5362-44d1-
(via (at 72.9 110.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp b06a7c7d-9540-48ef-8
(via (at 55.05 81) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp b1bbde59-5495-4a69-808
(via (at 76.899998 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp bab39184-676e-44
(via (at 67.85 117.22509) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp bcc13983-4ffb-4
(via (at 107.4 99.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp bcd34de7-07f1-46d8-9
(via (at 82 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp c310681e-2ac0-49a4-8bce
(via (at 118.7 89.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp c4346b78-1831-4e86-8
(via locked (at 74.4 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp c48e1b74-e3d7-
(via (at 105.45 108.65) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp cd963780-23f8-4e8
(via (at 101.45 108.65) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp cf56c69f-d204-46a
(via (at 79 99.269642) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d151c3b4-6f79-4713
(via (at 100.1 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d165f7f0-d48c-44e1-b
(via (at 119.2 87.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d3bf5e28-6d44-4d60-9
(via (at 126.65 85.15) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d6e178c1-ccac-4aa3
(via (at 121.2 101.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d7ab465a-c77d-4450-
(via (at 55.05 102) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d9f6434d-0178-4d6f-94
(via (at 63.02491 80.408938) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp dc585ecf-eb2
(via (at 100.1 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp dc9e6892-138c-4a08-b
(via (at 120.1 94.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp dd0a4c11-a790-45d6-8
(via (at 107.55 90.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp df5f1671-b539-48f6-
(via (at 66.8 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp ec6c58b0-88e5-4152-9d
(via (at 96.1 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp ef75dfd6-7b0e-4cb8-a0
(via (at 127.8 107.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp f4bb36b7-9909-42d2-
(via (at 84.200075 76.500006) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp f4cf4454-61
(via (at 126 89.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp f6990440-0e08-4ad7-a70
(via (at 84.1 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp fa6dfed9-788e-4fea-a7
(via (at 118.02491 102.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp fcfb6c72-0795-4
(via (at 96.1 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp fd9e390c-ab65-4eaa-8
(via (at 119.9 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp fddcd339-5dd1-468d-
(segment (start 68.585 98.045) (end 68.58 98.04) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 67.785 91.55) (end 67.785 93.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 65.9 98.235) (end 67.115 98.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 67.115 98.235) (end 67.31 98.04) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 67.785 93.435) (end 69.85 95.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-00
(segment (start 72.015 91.55) (end 72.015 93.335) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 72.6 98.25) (end 72.39 98.04) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000
(segment (start 71.615 97.265) (end 69.85 95.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-00
(segment (start 68.585 99.45) (end 68.585 98.045) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 65.9 96.235) (end 68.045 96.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 68.045 96.235) (end 68.58 96.77) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 72.015 93.335) (end 72.090001 93.259999) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00
(segment (start 72.090001 93.259999) (end 72.39 92.96) (width 0.25) (layer "B.Cu") (net 3) (tstamp 0000
(segment (start 71.615 99.45) (end 71.615 97.265) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0
(segment (start 73.8 98.25) (end 72.6 98.25) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0
(segment (start 100.065 102.635) (end 100.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00f88548
(segment (start 101.05 102.635) (end 100.135 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp 05e48
(segment (start 84.815 95.1) (end 84.9 95.015) (width 0.25) (layer "B.Cu") (net 3) (tstamp 0793cea4-267
(segment (start 81.785 95.1) (end 81.7 95.185) (width 0.25) (layer "B.Cu") (net 3) (tstamp 0bdfb3d3-082
(segment (start 96.135 94.235) (end 96.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 10bf6662-fda
(segment (start 84.1 95.1) (end 84.815 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 167f0488-e6f8-
(segment (start 83.215 96.754602) (end 83.215 96.7) (width 0.25) (layer "B.Cu") (net 3) (tstamp 16a93a6
(segment (start 100.065 91.435) (end 100.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 16c4104d-b

(segment (start 95.15 91.435) (end 96.065 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 195714e3-5)
(segment (start 66.1875 99.2125) (end 66.1875 99.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 1b063a9a-5)
(segment (start 100.135 88.635) (end 100.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 1c9cd454-c)
(segment (start 67.31 98.04) (end 67.31 98.09) (width 0.25) (layer "B.Cu") (net 3) (tstamp 1e00c7b5-6e9)
(segment (start 96.135 91.435) (end 96.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 20665ecd-f06)
(segment (start 100.065 99.835) (end 100.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 22078c97-a)
(segment (start 96.065 88.635) (end 96.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 24c73461-24b)
(segment (start 100.135 94.235) (end 100.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 25182b1f-5)
(segment (start 82.585 97.5) (end 82.585 97.384602) (width 0.25) (layer "B.Cu") (net 3) (tstamp 262bc06)
(segment (start 88.135 98.8) (end 88.135 99.833109) (width 0.25) (layer "B.Cu") (net 3) (tstamp 28c1317)
(segment (start 99.15 99.835) (end 100.065 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2a2c188e)
(segment (start 100.065 94.235) (end 100.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2bbddaab-1)
(segment (start 87.635371 100.164629) (end 87.796516 100.164629) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2c306ed1-dbd)
(segment (start 96.065 99.835) (end 96.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2d306ed1-dbd)
(segment (start 100.135 91.435) (end 100.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2f29f2b1-b)
(segment (start 97.05 85.835) (end 96.135 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp 300a3791-)
(segment (start 85.7 93.585) (end 85.785 93.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 338dbc43-693)
(segment (start 76.385 110.1) (end 76.385 110.885) (width 0.15) (layer "B.Cu") (net 3) (tstamp 3f454a7c)
(segment (start 82.585 97.384602) (end 83.215 96.754602) (width 0.25) (layer "B.Cu") (net 3) (tstamp 3f454a7c)
(segment (start 99.15 102.635) (end 100.065 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp 409db98e)
(segment (start 79.1 102.2) (end 78.2375 102.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 422196d3-e6a)
(segment (start 89.8 99.735) (end 90.715 99.735) (width 0.25) (layer "B.Cu") (net 3) (tstamp 432e1e4a-6)
(segment (start 79.795358 99.269642) (end 79 99.269642) (width 0.25) (layer "B.Cu") (net 3) (tstamp 43b)
(segment (start 96.135 102.635) (end 96.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 440fc5e0-a)
(segment (start 87.799998 100.168111) (end 87.631887 100) (width 0.25) (layer "B.Cu") (net 3) (tstamp 440fc5e0-a)
(segment (start 95.985 96.985) (end 95.15 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp 4652e3cd-l)
(segment (start 72.885 110.1) (end 72.885 110.885) (width 0.15) (layer "B.Cu") (net 3) (tstamp 4c47c871)
(segment (start 97.05 94.235) (end 96.135 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 4eccc3da-)
(segment (start 99.929605 85.835) (end 100.013397 85.918792) (width 0.25) (layer "B.Cu") (net 3) (tstamp 4eccc3da-)
(segment (start 96.135 99.835) (end 96.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 503d9716-df2)
(segment (start 65.9 94.25) (end 67.29 94.25) (width 0.25) (layer "B.Cu") (net 3) (tstamp 516a3fb4-551e)
(segment (start 97.05 105.435) (end 96.135 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 520a177)
(segment (start 97.05 88.635) (end 96.135 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp 587addeb-)
(segment (start 83.3 95.9) (end 83.3 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 5a030cb7-8fb7-46)
(segment (start 96.065 102.635) (end 96.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 5ef1a5d9-4)
(segment (start 83.3 96.615) (end 83.215 96.7) (width 0.25) (layer "B.Cu") (net 3) (tstamp 6469bfb26-a70)
(segment (start 100.132434 105.435) (end 100.087874 105.39044) (width 0.25) (layer "B.Cu") (net 3) (tstamp 6469bfb26-a70)
(segment (start 100.043314 105.435) (end 100.087874 105.39044) (width 0.25) (layer "B.Cu") (net 3) (tstamp 6469bfb26-a70)
(segment (start 72.885 110.885) (end 72.9 110.9) (width 0.15) (layer "B.Cu") (net 3) (tstamp 702915f2-5)
(segment (start 96.065 91.435) (end 96.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 709c5952-5aa)
(segment (start 83.3 94.385) (end 83.215 94.3) (width 0.25) (layer "B.Cu") (net 3) (tstamp 718aae4c-412)
(segment (start 96.135 105.435) (end 96.1 105.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 719558f3-9)
(segment (start 100.1 97.1) (end 100.035 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp 72c1ed36-b)
(segment (start 101.05 85.835) (end 100.097189 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp 744d)
(segment (start 99.15 105.435) (end 100.043314 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7abc)
(segment (start 96.1 97.1) (end 95.985 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7ae41378-88a)
(segment (start 100.135 102.635) (end 100.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7b133b4e)
(segment (start 82.5 95.1) (end 81.785 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7dce040f-9926-)
(segment (start 95.15 105.435) (end 96.065 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 811b260)
(segment (start 97.05 91.435) (end 96.135 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 82742659-)
(segment (start 82.5 95.1) (end 83.3 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8421c34c-c135-4e)
(segment (start 101.05 105.435) (end 100.132434 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 85)
(segment (start 95.15 94.235) (end 96.065 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 85e9019f-)
(segment (start 99.15 91.435) (end 100.065 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8822ccf8)
(segment (start 83.3 95.9) (end 83.3 96.615) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8a28984c-aa3d-)
(segment (start 84.9 95.015) (end 85 95.015) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8a7b05be-69a2-)
(segment (start 100.135 99.835) (end 100.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 93879460-7)
(segment (start 67.31 98.09) (end 66.1875 99.2125) (width 0.25) (layer "B.Cu") (net 3) (tstamp 97f66164)
(segment (start 96.135 88.635) (end 96.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 990a7541-e2b)
(segment (start 101.05 91.435) (end 100.135 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 9c41dd1)
(segment (start 97.05 99.835) (end 96.135 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp a0a706c1-)
(segment (start 100.097189 85.835) (end 100.013397 85.918792) (width 0.25) (layer "B.Cu") (net 3) (tstamp a0a706c1-)
(segment (start 76.385 110.885) (end 76.4 110.9) (width 0.15) (layer "B.Cu") (net 3) (tstamp a832a453-1)
(segment (start 90.715 99.735) (end 90.8 99.65) (width 0.25) (layer "B.Cu") (net 3) (tstamp a9a4adb2-d4)
(segment (start 96.065 85.835) (end 96.1 85.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp b0925e31-048)
(segment (start 100.035 97.035) (end 99.15 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp b21ffdb)
(segment (start 100.065 88.635) (end 100.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp b278b30f-3)
(segment (start 101.05 99.835) (end 100.135 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp b384940

(segment (start 83.3 95.1) (end 84.1 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp b8eef984-2ba8-41a1-8000-000000000000))
(segment (start 99.15 94.235) (end 100.065 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp b9ab0a0a-8000-000000000000))
(segment (start 99.15 85.835) (end 99.929605 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp b9d69e-8000-000000000000))
(segment (start 100.165 97.035) (end 101.05 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp bf567f7f-8000-000000000000))
(segment (start 67.29 94.25) (end 67.31 94.23) (width 0.25) (layer "B.Cu") (net 3) (tstamp c0604952-0a8f-4000-000000000000))
(segment (start 96.215 96.985) (end 97.05 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp c13024ce-8000-000000000000))
(segment (start 84.1 95.9) (end 83.3 95.9) (width 0.25) (layer "B.Cu") (net 3) (tstamp c2703b1d-4405-4b00-000000000000))
(segment (start 80.05 99.015) (end 79.795358 99.269642) (width 0.25) (layer "B.Cu") (net 3) (tstamp c29f-8000-000000000000))
(segment (start 95.15 102.635) (end 96.065 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp c30e5ba1-8000-000000000000))
(segment (start 99.15 88.635) (end 100.065 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp c825673c-8000-000000000000))
(segment (start 85.7 94.315) (end 85.7 93.585) (width 0.25) (layer "B.Cu") (net 3) (tstamp cdad5853-94b1-4000-000000000000))
(segment (start 96.065 94.235) (end 96.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp ce107c90-6f80-4000-000000000000))
(segment (start 95.15 85.835) (end 96.065 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp d20b490e-8000-000000000000))
(segment (start 96.065 105.435) (end 96.1 105.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp d2c8632f-c000-000000000000))
(segment (start 96.135 85.835) (end 96.1 85.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp d55e241d-ae40-4000-000000000000))
(segment (start 101.05 94.235) (end 100.135 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp ddf78ca1-8000-000000000000))
(segment (start 101.05 88.635) (end 100.135 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp e2f5d67f-8000-000000000000))
(segment (start 83.3 95.1) (end 83.3 94.385) (width 0.25) (layer "B.Cu") (net 3) (tstamp e44a7e65-720f-4000-000000000000))
(segment (start 87.631887 100) (end 86.6875 100) (width 0.25) (layer "B.Cu") (net 3) (tstamp e95b0990-3000-000000000000))
(segment (start 84.1 95.1) (end 84.1 95.9) (width 0.25) (layer "B.Cu") (net 3) (tstamp eaae716f-68bf-4000-000000000000))
(segment (start 96.1 97.1) (end 96.215 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp eac8466e-cc80-4000-000000000000))
(segment (start 95.15 88.635) (end 96.065 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp ec335102-c000-000000000000))
(segment (start 88.135 99.833109) (end 87.799998 100.168111) (width 0.25) (layer "B.Cu") (net 3) (tstamp f03766e1-d000-000000000000))
(segment (start 100.1 97.1) (end 100.165 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp f03766e1-d000-000000000000))
(segment (start 85 95.015) (end 85.7 94.315) (width 0.25) (layer "B.Cu") (net 3) (tstamp f22dcbbc-ed20-4000-000000000000))
(segment (start 88.25 111) (end 87.20001 111) (width 0.45) (layer "B.Cu") (net 3) (tstamp f356efac-c171-4000-000000000000))
(segment (start 87.796516 100.164629) (end 87.799998 100.168111) (width 0.25) (layer "B.Cu") (net 3) (tstamp f8d28130-8000-000000000000))
(segment (start 78.2375 102.2) (end 78.15 102.1125) (width 0.25) (layer "B.Cu") (net 3) (tstamp f8d28130-8000-000000000000))
(segment (start 97.05 102.635) (end 96.135 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp fbba21ef-8000-000000000000))
(segment (start 95.15 99.835) (end 96.065 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp fddfb7c3-8000-000000000000))
(segment (start 109.6 95.5) (end 115.8 95.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp 04b4b9a3-dea9-4000-000000000000))
(segment (start 109.275 99.775) (end 109.8375 99.775) (width 0.15) (layer "F.Cu") (net 4) (tstamp 063533-8000-000000000000))
(segment (start 76.7 105.3) (end 76.4 105) (width 0.15) (layer "F.Cu") (net 4) (tstamp 070a3204-963d-4b00-000000000000))
(segment (start 116.117247 91.225) (end 115.5625 91.225) (width 0.15) (layer "F.Cu") (net 4) (tstamp 0f-8000-000000000000))
(segment (start 124.4 93.6) (end 126.3 93.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 108d82ff-df68-4000-000000000000))
(segment (start 115.8 95.5) (end 117.715825 93.584175) (width 0.15) (layer "F.Cu") (net 4) (tstamp 121e-8000-000000000000))
(segment (start 118.5 106.4) (end 118.5 104.9) (width 0.15) (layer "F.Cu") (net 4) (tstamp 16464c6c-93f0-4000-000000000000))
(segment (start 120.7 108.887932) (end 121.1 108.487932) (width 0.15) (layer "F.Cu") (net 4) (tstamp 17-8000-000000000000))
(segment (start 121.1 108.487932) (end 121.1 107.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 23c4cc6f-8000-000000000000))
(segment (start 73.2 103.55) (end 73.2 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 27e2b0c7-861b-4000-000000000000))
(segment (start 119.7 107.6) (end 118.5 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 283ebe09-b590-4000-000000000000))
(segment (start 116 117.2) (end 120.7 112.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp 2c79e618-980c-4000-000000000000))
(segment (start 128.07491 91.82509) (end 128.07491 84.57491) (width 0.15) (layer "F.Cu") (net 4) (tstamp 2f-8000-000000000000))
(segment (start 75.7 106.4) (end 74.915 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 39246a2b-a010-4000-000000000000))
(segment (start 122.5 97.4) (end 123.5 96.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 398ee06f-42f6-4000-000000000000))
(segment (start 116.6 91.707753) (end 116.117247 91.225) (width 0.15) (layer "F.Cu") (net 4) (tstamp 41-8000-000000000000))
(segment (start 121.1 107.6) (end 119.7 107.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 49dea8e0-6f30-4000-000000000000))
(segment (start 124.9 95.2) (end 125.2 94.9) (width 0.15) (layer "F.Cu") (net 4) (tstamp 4c6bf91b-e319-4000-000000000000))
(segment (start 108.5 98.9) (end 108.5 99) (width 0.15) (layer "F.Cu") (net 4) (tstamp 508544c9-fc37-4d00-000000000000))
(segment (start 123.5 96.4) (end 123.5 96.15) (width 0.15) (layer "F.Cu") (net 4) (tstamp 5827aef2-fcdf-4000-000000000000))
(segment (start 125.2 94.9) (end 125.2 94.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 58aca1e8-0a0b-4000-000000000000))
(segment (start 126.9 83.4) (end 125.5 83.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 58d0cbf5-c88e-4000-000000000000))
(segment (start 108.5 98.9) (end 108.5 96.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 5917dcc2-8aba-4000-000000000000))
(segment (start 116.6 92.46835) (end 116.6 91.707753) (width 0.15) (layer "F.Cu") (net 4) (tstamp 5d3323-8000-000000000000))
(segment (start 82.1 97.9) (end 81.7 98.3) (width 0.15) (layer "F.Cu") (net 4) (tstamp 610595e2-7972-4200-000000000000))
(segment (start 128.07491 84.57491) (end 126.9 83.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6842d4-8000-000000000000))
(segment (start 121.53165 97.4) (end 117.715825 93.584175) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6c028625-293f-4000-000000000000))
(segment (start 122.2 97.4) (end 122.5 97.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6c028625-293f-4000-000000000000))
(segment (start 126.3 93.6) (end 128.07491 91.82509) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6eb73a-8000-000000000000))
(segment (start 117.715825 93.584175) (end 116.6 92.46835) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6f-8000-000000000000))
(segment (start 92 117.2) (end 116 117.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 7e554456-af8c-4db0-000000000000))
(segment (start 124.45 95.2) (end 124.9 95.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 87062231-5a37-4000-000000000000))
(segment (start 76.725 108.0375) (end 76.725 106.425) (width 0.15) (layer "F.Cu") (net 4) (tstamp 8e8763-8000-000000000000))
(segment (start 75.7 106.4) (end 76.7 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 8fe354ed-bb4e-4000-000000000000))
(segment (start 124.6 93.6) (end 124.4 93.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 91f274e5-c55e-4000-000000000000))
(segment (start 125.2 94.2) (end 124.6 93.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 96a08330-c56b-4000-000000000000))
(segment (start 118.5 104.9) (end 118.1 104.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp 99aa5f8f-26c0-4000-000000000000))
(segment (start 123.5 96.15) (end 124.45 95.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 9bbb8dd2-d840-4000-000000000000))

(segment (start 76.7 106.4) (end 76.7 105.3) (width 0.15) (layer "F.Cu") (net 4) (tstamp a53fb521-9acb-
(segment (start 76.725 106.425) (end 76.7 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp a715e00d-0
(segment (start 108.5 99) (end 109.275 99.775) (width 0.15) (layer "F.Cu") (net 4) (tstamp a7a558a2-90b
(segment (start 108.5 96.6) (end 109.6 95.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp a976d533-585c-4d
(segment (start 88.3 113.5) (end 92 117.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp b75acb1c-c4bf-49
(segment (start 67 101.5) (end 68.6 103.1) (width 0.15) (layer "F.Cu") (net 4) (tstamp cc862686-5296-4f
(segment (start 120.7 112.5) (end 120.7 108.887932) (width 0.15) (layer "F.Cu") (net 4) (tstamp cf20b25
(segment (start 74.915 106.4) (end 74.9 106.385) (width 0.15) (layer "F.Cu") (net 4) (tstamp d2776f32-4
(segment (start 72.75 103.1) (end 73.2 103.55) (width 0.15) (layer "F.Cu") (net 4) (tstamp dd60ac1a-120
(segment (start 66.6 99.5) (end 66.6 101.1) (width 0.15) (layer "F.Cu") (net 4) (tstamp e9fc8d8f-5eed-4f
(segment (start 68.6 103.1) (end 72.75 103.1) (width 0.15) (layer "F.Cu") (net 4) (tstamp f0955e4b-2792
(segment (start 66.6 101.1) (end 67 101.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp f44133d7-1e2c-4b
(segment (start 73.225 108.0375) (end 73.225 106.425) (width 0.15) (layer "F.Cu") (net 4) (tstamp f8d04
(segment (start 73.225 106.425) (end 73.2 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp fb5bd1e8-d
(segment (start 122.2 97.4) (end 121.53165 97.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp fdc5e012-7f
(via (at 67 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 04e8d527-f97e-4425-87c
(via (at 118.1 104.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 2fb54194-9dd5-4483-d
(via (at 73.2 106.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 7c865fef-4ebd-43f9-a
(via (at 81.7 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 4) (tstamp 821ac472-92b5-42fb-af
(via (at 88.3 113.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 9a4c5512-63d8-460b-9
(via (at 108.5 98.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp cdd66b92-9b80-4427-b
(via (at 76.7 106.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp f3f144e5-6b97-4c33-9
(segment (start 88.3 113.5) (end 88.3 113.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp 00000000-0000-
(segment (start 76.7 106.4) (end 76.924812 106.175188) (width 0.15) (layer "B.Cu") (net 4) (tstamp 00a8
(segment (start 73.45 106.15) (end 73.2 106.4) (width 0.15) (layer "B.Cu") (net 4) (tstamp 09c5ca62-5ae
(segment (start 119.500089 103.099911) (end 118.1 104.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp 15
(segment (start 84.875188 106.175188) (end 86.6 107.9) (width 0.15) (layer "B.Cu") (net 4) (tstamp 197a
(segment (start 86.6 107.9) (end 86.6 111.8) (width 0.15) (layer "B.Cu") (net 4) (tstamp 23d19e38-75e9-a
(segment (start 76.924812 106.175188) (end 84.875188 106.175188) (width 0.15) (layer "B.Cu") (net 4) (t
(segment (start 109.7 100.1) (end 119 100.1) (width 0.15) (layer "B.Cu") (net 4) (tstamp 4b872481-35be-a
(segment (start 108.5 98.9) (end 109.7 100.1) (width 0.15) (layer "B.Cu") (net 4) (tstamp 54b70891-f4b5
(segment (start 81.7 100.45) (end 78.95 103.2) (width 0.15) (layer "B.Cu") (net 4) (tstamp 5ebecfd0-325f
(segment (start 119.500089 100.600089) (end 119.500089 103.099911) (width 0.15) (layer "B.Cu") (net 4)
(segment (start 76.45 106.15) (end 73.45 106.15) (width 0.15) (layer "B.Cu") (net 4) (tstamp 8fe549d6-5
(segment (start 76.7 106.4) (end 76.45 106.15) (width 0.15) (layer "B.Cu") (net 4) (tstamp 9577a808-55b
(segment (start 81.7 98.3) (end 81.7 100.45) (width 0.15) (layer "B.Cu") (net 4) (tstamp 99cab4e5-7643-a
(segment (start 86.6 111.8) (end 88.3 113.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp ac089478-e0cb-a
(segment (start 78.95 103.2) (end 68.7 103.2) (width 0.15) (layer "B.Cu") (net 4) (tstamp e57a281e-3ff2
(segment (start 119 100.1) (end 119.500089 100.600089) (width 0.15) (layer "B.Cu") (net 4) (tstamp f796
(segment (start 68.7 103.2) (end 67 101.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp fa295249-abd5-40
(segment (start 94.7 109) (end 93.7 109) (width 0.45) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000
(segment (start 64.85 109.25) (end 64.85 109.9) (width 0.25) (layer "F.Cu") (net 5) (tstamp 00000000-00
(segment (start 63.7 111.9) (end 63.7 112.6) (width 0.75) (layer "F.Cu") (net 5) (tstamp 00000000-0000-
(segment (start 63.65 111.85) (end 63.7 111.9) (width 0.25) (layer "F.Cu") (net 5) (tstamp 00000000-0000
(segment (start 64.85 109.9) (end 64.85 110.55) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-00
(segment (start 64.85 115) (end 64.85 115.65) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-0000
(segment (start 64.85 110.55) (end 64.85 111.725) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-
(segment (start 64.85 111.725) (end 65.025 111.9) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-
(segment (start 64.8 104.2) (end 63.7 104.2) (width 0.75) (layer "F.Cu") (net 5) (tstamp 04c75200-599b-a
(segment (start 63.5 111.85) (end 63.7 112.05) (width 0.25) (layer "F.Cu") (net 5) (tstamp 0d512896-2cb
(segment (start 64.85 115.65) (end 64.85 116.7375) (width 0.35) (layer "F.Cu") (net 5) (tstamp 47b8b26a
(segment (start 63.7 104.2) (end 63.7 112.6) (width 0.75) (layer "F.Cu") (net 5) (tstamp 47f9fddf-42dd-a
(segment (start 65.1125 117) (end 63.700038 117) (width 0.75) (layer "F.Cu") (net 5) (tstamp 484b7476-a
(segment (start 63.700038 117) (end 63.7 116.999962) (width 0.75) (layer "F.Cu") (net 5) (tstamp 4c202b
(segment (start 62.2 111.85) (end 62.2 111.285) (width 0.25) (layer "F.Cu") (net 5) (tstamp 4eb49589-34
(segment (start 93.7 109) (end 90.7 112) (width 0.45) (layer "F.Cu") (net 5) (tstamp 5396a7fa-c445-4827
(segment (start 63 101.8) (end 63.7 102.5) (width 0.75) (layer "F.Cu") (net 5) (tstamp 800ae977-7387-43
(segment (start 62.2 111.285) (end 62.3 111.185) (width 0.25) (layer "F.Cu") (net 5) (tstamp 82dbda93-2
(segment (start 63.7 102.5) (end 63.7 104.2) (width 0.75) (layer "F.Cu") (net 5) (tstamp 951c5dbf-fe5c-a
(segment (start 62.2 111.85) (end 63.5 111.85) (width 0.25) (layer "F.Cu") (net 5) (tstamp 96de99a9-e58
(segment (start 64.85 116.7375) (end 65.1125 117) (width 0.35) (layer "F.Cu") (net 5) (tstamp bf524820-
(segment (start 63.7 116.999962) (end 63.7 117.55018) (width 0.75) (layer "F.Cu") (net 5) (tstamp c9435
(segment (start 62.3 111.185) (end 62.885 110.6) (width 0.25) (layer "F.Cu") (net 5) (tstamp e26f0410-8
(segment (start 63 98.25) (end 63 101.8) (width 0.75) (layer "F.Cu") (net 5) (tstamp ec69df72-4d76-458b
(segment (start 65.1125 111.9) (end 63.7 111.9) (width 0.75) (layer "F.Cu") (net 5) (tstamp fae57a06-63
(via (at 63.7 112.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 00000000-0000-0000-
(via (at 63.7 116.999962) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 00000000-0000-
(via (at 63.7 112.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 00000000-0000-0000-00

(via (at 90.7 112) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 78c5f73f-f201-451f-8888-
(via (at 126.6 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 7da4d333-92db-4475-a
(via (at 127.1 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 824cec97-109a-4776-a
(via (at 63.7 117.55018) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 8bd72a39-e66f-4e
(via (at 126.1 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp a9cb4379-2766-41b0-b
(via (at 121 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp aac40922-0d3d-4254-ab3
(via (at 125.6 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp cd77050f-d487-469a-a
(via (at 63.7 110.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp d5a808ce-d372-445c-
(via (at 119.5 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp d6cc1bbc-abc1-46c6-9
(via (at 82.8 116) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp e5fd9793-1f99-4db5-8fd
(via (at 63.7 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp e785648c-b3ab-4880-bl
(via (at 120.5 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp edb5702b-8622-43ea-9
(via (at 120 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp f3ad0a19-9c7d-4076-bdf
(segment (start 120.5 99.1) (end 121 99.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 00fcecfc-e22c-
(segment (start 121 99.1) (end 125.6 94.5) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 04d7adda-4188-
(segment (start 88.9 118.2) (end 90.7 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 1e3fda58-d7a
(segment (start 125.6 94.5) (end 125.6 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 2f60931d-68b
(segment (start 119 115.5) (end 116.3 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 3e669d0c-d75
(segment (start 76.65 116) (end 72.865146 116) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 569632ef-7
(segment (start 119.5 99.1) (end 120 99.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 80a34ccd-ebd6-
(segment (start 78.85 118.2) (end 76.65 116) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 833af21d-0afl
(segment (start 119.5 99.1) (end 119.5 101.6) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 8414ce7d-4cl
(segment (start 82.8 118.2) (end 78.85 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 8d4098a1-39
(segment (start 126.6 91.9) (end 127.1 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 94c47594-653
(segment (start 70.465146 118.4) (end 64.54982 118.4) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 995
(segment (start 63.7 112.05) (end 63.7 110.95) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 9a252c29-7
(segment (start 63.7 116.999962) (end 63.7 117.55018) (width 0.75) (layer "In2.Cu") (net 5) (tstamp aaf
(segment (start 116.3 118.2) (end 90.7 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp b3f988d5-3e
(segment (start 63.7 112.6) (end 63.7 116.999962) (width 0.75) (layer "In2.Cu") (net 5) (tstamp b6f747b
(segment (start 82.8 118.2) (end 82.8 116) (width 0.45) (layer "In2.Cu") (net 5) (tstamp bf3b63e4-c113-
(segment (start 120 99.1) (end 120.5 99.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp c2a2962c-aecd-
(segment (start 63.7 111.9) (end 63.7 112.6) (width 0.75) (layer "In2.Cu") (net 5) (tstamp d3b48963-ceb
(segment (start 90.7 118.2) (end 90.7 112) (width 0.45) (layer "In2.Cu") (net 5) (tstamp d49dc3cc-0dc4-
(segment (start 119.5 101.6) (end 119 102.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp d8d7a8a3-355
(segment (start 126.1 91.9) (end 126.6 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp dafce945-a0cc
(segment (start 119 102.1) (end 119 115.5) (width 0.75) (layer "In2.Cu") (net 5) (tstamp dbe8f83b-899d-
(segment (start 125.6 91.9) (end 126.1 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp df6e3d72-986
(segment (start 72.865146 116) (end 70.465146 118.4) (width 0.75) (layer "In2.Cu") (net 5) (tstamp ea78
(segment (start 64.54982 118.4) (end 63.7 117.55018) (width 0.75) (layer "In2.Cu") (net 5) (tstamp eb42
(segment (start 88.9 118.2) (end 82.8 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp f747b261-56b
(segment (start 81.5 116) (end 82.8 116) (width 0.45) (layer "B.Cu") (net 5) (tstamp 015919cd-82e9-4742
(segment (start 59.75 115.8) (end 59.75 115.349986) (width 0.15) (layer "F.Cu") (net 6) (tstamp 24c6125
(segment (start 74.9 91.47) (end 74.67 91.47) (width 0.15) (layer "F.Cu") (net 6) (tstamp 2624a85f-7789
(segment (start 74.67 91.47) (end 74.1 90.9) (width 0.15) (layer "F.Cu") (net 6) (tstamp 384a23b2-2549-
(segment (start 74.9 92.05) (end 74.9 91.47) (width 0.15) (layer "F.Cu") (net 6) (tstamp 40d8e64c-5e1b-
(segment (start 73.85 92.25) (end 74.7 92.25) (width 0.15) (layer "F.Cu") (net 6) (tstamp a9fe7cb9-cba0
(segment (start 62.1 115.8) (end 59.75 115.8) (width 0.15) (layer "F.Cu") (net 6) (tstamp aaed2eaf-b503
(segment (start 59.75 115.8) (end 59.7 115.85) (width 0.15) (layer "F.Cu") (net 6) (tstamp b9a3f50f-560
(segment (start 74.7 92.25) (end 74.9 92.05) (width 0.15) (layer "F.Cu") (net 6) (tstamp b9e4b07f-7c1b-
(segment (start 62.1 115.8) (end 62.8 115.1) (width 0.15) (layer "F.Cu") (net 6) (tstamp bb353fdb-4015-
(segment (start 74.1 89.5) (end 74.7 88.9) (width 0.15) (layer "F.Cu") (net 6) (tstamp c9cfadd6-f047-4d
(segment (start 59.75 115.349986) (end 59.400014 115) (width 0.15) (layer "F.Cu") (net 6) (tstamp cc3bd
(segment (start 74.1 90.9) (end 74.1 89.5) (width 0.15) (layer "F.Cu") (net 6) (tstamp f841f6e6-70a7-4f
(via (at 74.7 88.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 6) (tstamp 953367e1-eb7b-4e07-9a
(via (at 59.400014 115) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 6) (tstamp b5b489e2-d6d5-4c0
(segment (start 63.5 88.9) (end 74.7 88.9) (width 0.15) (layer "B.Cu") (net 6) (tstamp 38bef01c-5ee0-434f
(segment (start 58.8 114.399986) (end 58.8 93.6) (width 0.15) (layer "B.Cu") (net 6) (tstamp ba6c3525-9
(segment (start 58.8 93.6) (end 63.5 88.9) (width 0.15) (layer "B.Cu") (net 6) (tstamp d03ccab4-cf7a-40
(segment (start 59.400014 115) (end 58.8 114.399986) (width 0.15) (layer "B.Cu") (net 6) (tstamp e9dae4
(segment (start 58.878195 99.824895) (end 59.535 99.16809) (width 0.35) (layer "F.Cu") (net 7) (tstamp
(segment (start 58.628189 90.975099) (end 59.335 91.68191) (width 0.35) (layer "F.Cu") (net 7) (tstamp
(segment (start 51.855294 91.27491) (end 51.6 91.27491) (width 0.45) (layer "F.Cu") (net 7) (tstamp 2a0
(segment (start 59.535 99.16809) (end 59.535 99.15) (width 0.35) (layer "F.Cu") (net 7) (tstamp 31d1864
(segment (start 51.950204 91.18) (end 51.855294 91.27491) (width 0.45) (layer "F.Cu") (net 7) (tstamp 6
(segment (start 57.300047 90.975099) (end 58.628189 90.975099) (width 0.35) (layer "F.Cu") (net 7) (tsta
(segment (start 55.78 91.18) (end 57.095146 91.18) (width 0.35) (layer "F.Cu") (net 7) (tstamp 94fd69e6
(segment (start 59.335 91.68191) (end 59.335 91.7) (width 0.35) (layer "F.Cu") (net 7) (tstamp 9d422be1
(segment (start 55.78 99.82) (end 55.784895 99.824895) (width 0.35) (layer "F.Cu") (net 7) (tstamp b4b1

(segment (start 57.095146 91.18) (end 57.300047 90.975099) (width 0.35) (layer "F.Cu") (net 7) (tstamp
(segment (start 55.784895 99.824895) (end 58.878195 99.824895) (width 0.35) (layer "F.Cu") (net 7) (tsta
(segment (start 58.1 95.25) (end 56.695 95.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp 082c35f1-342
(segment (start 65.85 95.75) (end 65.35 95.75) (width 0.19) (layer "F.Cu") (net 8) (tstamp 0b0e323e-171
(segment (start 62.07 96.279582) (end 62.07 95.779582) (width 0.19) (layer "F.Cu") (net 8) (tstamp 3685
(segment (start 56.695 95.25) (end 55.5 95.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp 3e84c132-56f
(segment (start 61.599975 95.309557) (end 58.159557 95.309557) (width 0.19) (layer "F.Cu") (net 8) (tsta
(segment (start 63.305 96.655) (end 63 96.35) (width 0.19) (layer "F.Cu") (net 8) (tstamp 50fd149c-eb24
(segment (start 62.445418 96.655) (end 62.07 96.279582) (width 0.19) (layer "F.Cu") (net 8) (tstamp 5c8
(segment (start 64.679582 95.83) (end 63.854582 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp 625
(segment (start 63.854582 96.655) (end 63.305 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp 6ec4bl
(segment (start 62.07 95.779582) (end 61.599975 95.309557) (width 0.19) (layer "F.Cu") (net 8) (tstamp
(segment (start 62.695 96.655) (end 62.445418 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp ad4d0
(segment (start 63 96.35) (end 62.695 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp c6706ac7-f9f0
(segment (start 55.55 96.25) (end 56.695 96.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp d86e44c6-2e
(segment (start 58.159557 95.309557) (end 58.1 95.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp dd7f8
(segment (start 65.35 95.75) (end 65.27 95.83) (width 0.19) (layer "F.Cu") (net 8) (tstamp ed318dba-a3b
(segment (start 65.27 95.83) (end 64.679582 95.83) (width 0.19) (layer "F.Cu") (net 8) (tstamp f0c32808
(segment (start 55.5 96.3) (end 55.55 96.25) (width 0.15) (layer "F.Cu") (net 8) (tstamp fac1c464-23fd-
(via (at 55.5 95.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 8) (tstamp 99ff94fe-72bb-43ba-b
(via (at 55.5 96.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 8) (tstamp bd93a59a-1254-49ea-b7
(segment (start 55.5 95.25) (end 55.5 96.3) (width 0.19) (layer "B.Cu") (net 8) (tstamp 34a9e940-d2b3-4
(segment (start 64.1 91.55) (end 63 91.55) (width 0.15) (layer "F.Cu") (net 9) (tstamp 37256a4e-6ddb-46
(segment (start 64.375099 91.825099) (end 64.1 91.55) (width 0.15) (layer "F.Cu") (net 9) (tstamp 6426a
(segment (start 65.151953 93.774901) (end 64.624901 93.774901) (width 0.15) (layer "F.Cu") (net 9) (tsta
(segment (start 64.375099 93.525099) (end 64.375099 91.825099) (width 0.15) (layer "F.Cu") (net 9) (tsta
(segment (start 65.176854 93.75) (end 65.151953 93.774901) (width 0.15) (layer "F.Cu") (net 9) (tstamp
(segment (start 63 91.55) (end 63 90.815) (width 0.15) (layer "F.Cu") (net 9) (tstamp aff134af-fc4f-45a
(segment (start 64.624901 93.774901) (end 64.375099 93.525099) (width 0.15) (layer "F.Cu") (net 9) (tsta
(segment (start 65.85 93.75) (end 65.176854 93.75) (width 0.15) (layer "F.Cu") (net 9) (tstamp dc35418c
(segment (start 63 90.815) (end 62.385 90.2) (width 0.15) (layer "F.Cu") (net 9) (tstamp fd208ae2-01b5-
(segment (start 61.55 93.25) (end 62.37491 92.42509) (width 0.15) (layer "F.Cu") (net 10) (tstamp 171c9
(segment (start 59.35 93.635) (end 60.415 93.635) (width 0.15) (layer "F.Cu") (net 10) (tstamp 29ba7d2b
(segment (start 60.8 93.25) (end 61.55 93.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp 4273f566-ae9
(segment (start 60.415 93.635) (end 60.8 93.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp 63a2b219-6
(segment (start 63.67509 92.42509) (end 64.05 92.8) (width 0.15) (layer "F.Cu") (net 10) (tstamp 6e6fd2
(segment (start 62.37491 92.42509) (end 63.67509 92.42509) (width 0.15) (layer "F.Cu") (net 10) (tstamp
(segment (start 64.05 92.8) (end 64.05 93.65) (width 0.15) (layer "F.Cu") (net 10) (tstamp c97179f5-d1f
(segment (start 64.65 94.25) (end 65.85 94.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp df1ba78c-f2
(segment (start 64.05 93.65) (end 64.65 94.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp f502a908-18
(segment (start 61.459139 95.649557) (end 58.045343 95.649557) (width 0.19) (layer "F.Cu") (net 11) (ts
(segment (start 65.85 96.25) (end 65.35 96.25) (width 0.19) (layer "F.Cu") (net 11) (tstamp 2a4750e0-ea
(segment (start 64.820418 96.17) (end 63.995418 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp 39
(segment (start 62.695 96.995) (end 62.304582 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp 3c4c
(segment (start 61.73 96.420418) (end 61.73 95.920418) (width 0.19) (layer "F.Cu") (net 11) (tstamp 423
(segment (start 63 97.3) (end 62.695 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp 47eff3ec-2076
(segment (start 65.35 96.25) (end 65.27 96.17) (width 0.19) (layer "F.Cu") (net 11) (tstamp 4e4eaf7a-eb
(segment (start 58.045343 95.649557) (end 57.9 95.7949) (width 0.19) (layer "F.Cu") (net 11) (tstamp 5d
(segment (start 56.695 95.75) (end 57.8551 95.75) (width 0.19) (layer "F.Cu") (net 11) (tstamp 7fee6fd7
(segment (start 65.27 96.17) (end 64.820418 96.17) (width 0.19) (layer "F.Cu") (net 11) (tstamp 8be4dd4
(segment (start 63.995418 96.995) (end 63.305 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp a94f
(segment (start 62.304582 96.995) (end 61.73 96.420418) (width 0.19) (layer "F.Cu") (net 11) (tstamp b8
(segment (start 61.73 95.920418) (end 61.459139 95.649557) (width 0.19) (layer "F.Cu") (net 11) (tstamp
(segment (start 63.305 96.995) (end 63 97.3) (width 0.19) (layer "F.Cu") (net 11) (tstamp daa9a5cb-b487
(segment (start 57.85 94.75) (end 57.9 94.7) (width 0.19) (layer "F.Cu") (net 11) (tstamp f644b8c1-0eba
(segment (start 57.8551 95.75) (end 57.9 95.7949) (width 0.19) (layer "F.Cu") (net 11) (tstamp fd711558
(segment (start 56.695 94.75) (end 57.85 94.75) (width 0.19) (layer "F.Cu") (net 11) (tstamp fde8cd30-f
(via (at 57.9 94.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 11) (tstamp 51b8a5fc-4063-4467-8
(via (at 57.9 95.7949) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 11) (tstamp e99984cf-4699-46d
(segment (start 57.9 94.7) (end 57.9 95.7949) (width 0.19) (layer "B.Cu") (net 11) (tstamp d1a77be8-ad0
(segment (start 82.1 96.3) (end 81.7 96.7) (width 0.15) (layer "F.Cu") (net 12) (tstamp 136ae85b-a9f0-4
(segment (start 68.2 100.95) (end 68.75 101.5) (width 0.15) (layer "F.Cu") (net 12) (tstamp 4ba855cc-eb
(segment (start 68.2 99.6) (end 68.2 100.95) (width 0.15) (layer "F.Cu") (net 12) (tstamp 820bc94b-3552
(segment (start 68.1 99.5) (end 68.2 99.6) (width 0.15) (layer "F.Cu") (net 12) (tstamp b926db40-f8ad-4
(via (at 81.7 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 12) (tstamp 02830174-1e04-4523-8
(via (at 68.75 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 12) (tstamp e2a6057c-cade-4fe6
(segment (start 74.3 102.6) (end 69.85 102.6) (width 0.15) (layer "B.Cu") (net 12) (tstamp 13000488-55f
(segment (start 80.778086 96.7) (end 79.033265 98.444821) (width 0.15) (layer "B.Cu") (net 12) (tstamp :

(segment (start 69.85 102.6) (end 68.75 101.5) (width 0.15) (layer "B.Cu") (net 12) (tstamp 24b93581-5ee
(segment (start 81.7 96.7) (end 80.778086 96.7) (width 0.15) (layer "B.Cu") (net 12) (tstamp b3df905b-0
(segment (start 78.455179 98.444821) (end 74.3 102.6) (width 0.15) (layer "B.Cu") (net 12) (tstamp b9abl
(segment (start 79.033265 98.444821) (end 78.455179 98.444821) (width 0.15) (layer "B.Cu") (net 12) (ts
(segment (start 68.6 100.500001) (end 69.599999 101.5) (width 0.15) (layer "F.Cu") (net 13) (tstamp 0e1
(segment (start 81.3 96.3) (end 80.9 95.9) (width 0.15) (layer "F.Cu") (net 13) (tstamp 80669080-6da9-4
(segment (start 68.6 99.5) (end 68.6 100.500001) (width 0.15) (layer "F.Cu") (net 13) (tstamp a590c2c9
(via (at 69.599999 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 13) (tstamp 001757fb-dd9b--
(via (at 80.9 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 13) (tstamp 62f45bfb-9586-40ae-b
(segment (start 80.5 96.553948) (end 78.909037 98.144911) (width 0.15) (layer "B.Cu") (net 13) (tstamp :
(segment (start 70.399999 102.3) (end 69.599999 101.5) (width 0.15) (layer "B.Cu") (net 13) (tstamp 441
(segment (start 78.909037 98.144911) (end 78.330951 98.144911) (width 0.15) (layer "B.Cu") (net 13) (ts
(segment (start 74.175862 102.3) (end 70.399999 102.3) (width 0.15) (layer "B.Cu") (net 13) (tstamp 9c4
(segment (start 80.5 96.3) (end 80.5 96.553948) (width 0.15) (layer "B.Cu") (net 13) (tstamp c8abc06a-9
(segment (start 78.330951 98.144911) (end 74.175862 102.3) (width 0.15) (layer "B.Cu") (net 13) (tstamp
(segment (start 80.9 95.9) (end 80.5 96.3) (width 0.15) (layer "B.Cu") (net 13) (tstamp f372efe3-e30b-4
(segment (start 79.175724 101.3) (end 79.7 101.3) (width 0.15) (layer "F.Cu") (net 14) (tstamp 00000000
(segment (start 69.1 99.5) (end 69.1 100.15) (width 0.15) (layer "F.Cu") (net 14) (tstamp 027bb820-9dfa
(segment (start 78.000675 102.475049) (end 79.175724 101.3) (width 0.15) (layer "F.Cu") (net 14) (tstamp
(segment (start 81.3 97.9) (end 80.9 98.3) (width 0.15) (layer "F.Cu") (net 14) (tstamp 29c897a4-6205-4
(segment (start 71.425049 102.475049) (end 78.000675 102.475049) (width 0.15) (layer "F.Cu") (net 14) (
(segment (start 69.1 100.15) (end 71.425049 102.475049) (width 0.15) (layer "F.Cu") (net 14) (tstamp a9
(via (at 79.7 101.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 14) (tstamp 75ecf8b4-4d07-4e00--
(via (at 80.9 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 14) (tstamp e51ea4b1-f053-4fee-8
(segment (start 80.9 100.1) (end 79.7 101.3) (width 0.15) (layer "B.Cu") (net 14) (tstamp 460340e6-4682
(segment (start 80.9 98.3) (end 80.9 100.1) (width 0.15) (layer "B.Cu") (net 14) (tstamp 68cb1255-cebc--
(segment (start 69.6 100.15) (end 71.62504 102.17504) (width 0.15) (layer "F.Cu") (net 15) (tstamp 2d4c
(segment (start 71.700764 102.175041) (end 77.847957 102.175041) (width 0.15) (layer "F.Cu") (net 15) (
(segment (start 69.6 99.5) (end 69.6 100.15) (width 0.15) (layer "F.Cu") (net 15) (tstamp 706fc505-bc1c
(segment (start 80.1 99.922998) (end 80.1 99.1) (width 0.15) (layer "F.Cu") (net 15) (tstamp aac8067e-c
(segment (start 71.62504 102.17504) (end 71.700764 102.175041) (width 0.15) (layer "F.Cu") (net 15) (ts
(segment (start 80.1 99.1) (end 80.5 98.7) (width 0.15) (layer "F.Cu") (net 15) (tstamp e05852af-5b80-4
(segment (start 77.847957 102.175041) (end 80.1 99.922998) (width 0.15) (layer "F.Cu") (net 15) (tstamp
(segment (start 79.7 98.7) (end 78.8 98.7) (width 0.15) (layer "F.Cu") (net 16) (tstamp 26403237-e4ef-4
(segment (start 71.825031 101.875031) (end 70.1 100.15) (width 0.15) (layer "F.Cu") (net 16) (tstamp 44
(segment (start 75.624968 101.875032) (end 71.825031 101.875031) (width 0.15) (layer "F.Cu") (net 16) (
(segment (start 78.8 98.7) (end 75.624968 101.875032) (width 0.15) (layer "F.Cu") (net 16) (tstamp 8c59
(segment (start 70.1 100.15) (end 70.1 99.5) (width 0.15) (layer "F.Cu") (net 16) (tstamp f3ceea13-0f0c
(segment (start 72.025021 101.575021) (end 75.5007 101.575021) (width 0.15) (layer "F.Cu") (net 17) (ts
(segment (start 70.6 99.5) (end 70.6 100.15) (width 0.15) (layer "F.Cu") (net 17) (tstamp 1ef82376-2995-4
(segment (start 70.6 100.15) (end 72.025021 101.575021) (width 0.15) (layer "F.Cu") (net 17) (tstamp 38
(segment (start 80.1 98.3) (end 80.5 97.9) (width 0.15) (layer "F.Cu") (net 17) (tstamp 479d55b9-78f8-4
(segment (start 75.5007 101.575021) (end 78.775721 98.3) (width 0.15) (layer "F.Cu") (net 17) (tstamp 9
(segment (start 78.775721 98.3) (end 80.1 98.3) (width 0.15) (layer "F.Cu") (net 17) (tstamp dfb0a81f-b
(segment (start 78.702885 97.1) (end 79.7 97.1) (width 0.15) (layer "F.Cu") (net 18) (tstamp 1b8dcf48-9
(segment (start 76.434868 98.108958) (end 77.693927 98.108958) (width 0.15) (layer "F.Cu") (net 18) (ts
(segment (start 71.1 99.5) (end 71.1 100.151281) (width 0.15) (layer "F.Cu") (net 18) (tstamp 2ee9ec25-u
(segment (start 77.693927 98.108958) (end 78.702885 97.1) (width 0.15) (layer "F.Cu") (net 18) (tstamp
(segment (start 71.1 100.151281) (end 72.223731 101.275012) (width 0.15) (layer "F.Cu") (net 18) (ts
(segment (start 73.268814 101.275012) (end 76.434868 98.108958) (width 0.15) (layer "F.Cu") (net 18) (ts
(segment (start 72.223731 101.275012) (end 73.268814 101.275012) (width 0.15) (layer "F.Cu") (net 18) (
(segment (start 78.678604 96.7) (end 77.569557 97.809047) (width 0.15) (layer "F.Cu") (net 19) (tstamp :
(segment (start 80.5 96.3) (end 80.1 96.7) (width 0.15) (layer "F.Cu") (net 19) (tstamp 29fdfadc-e547-4
(segment (start 71.6 100.227002) (end 71.6 99.5) (width 0.15) (layer "F.Cu") (net 19) (tstamp 7c472d8d-l
(segment (start 80.1 96.7) (end 78.678604 96.7) (width 0.15) (layer "F.Cu") (net 19) (tstamp 8347e59e-0
(segment (start 72.347999 100.975001) (end 71.6 100.227002) (width 0.15) (layer "F.Cu") (net 19) (tstamp
(segment (start 77.569557 97.809047) (end 76.310501 97.809047) (width 0.15) (layer "F.Cu") (net 19) (ts
(segment (start 76.310501 97.809047) (end 73.144547 100.975001) (width 0.15) (layer "F.Cu") (net 19) (ts
(segment (start 73.144547 100.975001) (end 72.347999 100.975001) (width 0.15) (layer "F.Cu") (net 19) (
(segment (start 76.186133 97.509136) (end 77.44519 97.509136) (width 0.15) (layer "F.Cu") (net 20) (ts
(segment (start 74.945269 98.75) (end 76.186133 97.509136) (width 0.15) (layer "F.Cu") (net 20) (tstamp
(segment (start 73.85 98.75) (end 74.945269 98.75) (width 0.15) (layer "F.Cu") (net 20) (tstamp 9239f72
(segment (start 77.44519 97.509136) (end 78.654326 96.3) (width 0.15) (layer "F.Cu") (net 20) (tstamp 9
(segment (start 78.654326 96.3) (end 79.7 96.3) (width 0.15) (layer "F.Cu") (net 20) (tstamp fde4446c-f
(segment (start 78.3 94.9) (end 77.332126 94.9) (width 0.15) (layer "F.Cu") (net 21) (tstamp 12f5b9fe-e
(segment (start 75.02099 98.25) (end 73.85 98.25) (width 0.15) (layer "F.Cu") (net 21) (tstamp 49a668d3
(segment (start 76.100011 97.170979) (end 75.02099 98.25) (width 0.15) (layer "F.Cu") (net 21) (tstamp
(segment (start 80.5 94.7) (end 80.1 95.1) (width 0.15) (layer "F.Cu") (net 21) (tstamp 544a62b9-ead-4

(segment (start 80.1 95.1) (end 78.5 95.1) (width 0.15) (layer "F.Cu") (net 21) (tstamp 6574b4b6-44b0-4a
(segment (start 76.100011 96.132115) (end 76.100011 97.170979) (width 0.15) (layer "F.Cu") (net 21) (ts
(segment (start 77.332126 94.9) (end 76.100011 96.132115) (width 0.15) (layer "F.Cu") (net 21) (tstamp
(segment (start 78.5 95.1) (end 78.3 94.9) (width 0.15) (layer "F.Cu") (net 21) (tstamp e8b7a21d-a833-4f
(segment (start 75.8 96.007988) (end 75.8 97.046712) (width 0.15) (layer "F.Cu") (net 22) (tstamp 026fa
(segment (start 75.8 97.046712) (end 74.946712 97.9) (width 0.15) (layer "F.Cu") (net 22) (tstamp 15c70
(segment (start 74.6 97.9) (end 74.45 97.75) (width 0.15) (layer "F.Cu") (net 22) (tstamp 1972b365-e511
(segment (start 77.623007 94.599989) (end 77.207999 94.599989) (width 0.15) (layer "F.Cu") (net 22) (ts
(segment (start 79.674998 93.874998) (end 78.347998 93.874998) (width 0.15) (layer "F.Cu") (net 22) (ts
(segment (start 77.207999 94.599989) (end 75.8 96.007988) (width 0.15) (layer "F.Cu") (net 22) (tstamp
(segment (start 78.347998 93.874998) (end 77.623007 94.599989) (width 0.15) (layer "F.Cu") (net 22) (ts
(segment (start 79.7 93.9) (end 79.674998 93.874998) (width 0.15) (layer "F.Cu") (net 22) (tstamp 83687
(segment (start 74.45 97.75) (end 73.85 97.75) (width 0.15) (layer "F.Cu") (net 22) (tstamp 8ace0c7f-45
(segment (start 74.946712 97.9) (end 74.6 97.9) (width 0.15) (layer "F.Cu") (net 22) (tstamp fc0bda2d-5
(segment (start 75.15 95.65) (end 76.9 93.9) (width 0.15) (layer "F.Cu") (net 23) (tstamp 15cf40df-c95a
(segment (start 74.5 95.75) (end 74.6 95.65) (width 0.15) (layer "F.Cu") (net 23) (tstamp 220de81b-1169
(segment (start 77.541514 93.1) (end 79.7 93.1) (width 0.15) (layer "F.Cu") (net 23) (tstamp 2e2cfa32-1
(segment (start 73.85 95.75) (end 74.5 95.75) (width 0.15) (layer "F.Cu") (net 23) (tstamp 599d9910-e06
(segment (start 76.9 93.9) (end 76.9 93.741514) (width 0.15) (layer "F.Cu") (net 23) (tstamp 5d67e56d-8
(segment (start 76.9 93.741514) (end 77.541514 93.1) (width 0.15) (layer "F.Cu") (net 23) (tstamp c3bcc
(segment (start 74.6 95.65) (end 75.15 95.65) (width 0.15) (layer "F.Cu") (net 23) (tstamp daf61311-10e
(segment (start 80.5 93.1) (end 80.1 92.7) (width 0.15) (layer "F.Cu") (net 24) (tstamp 199adc54-cbc3-4
(segment (start 74.65 94.6) (end 74.5 94.75) (width 0.15) (layer "F.Cu") (net 24) (tstamp 524ef0f6-5dc2
(segment (start 74.5 94.75) (end 73.85 94.75) (width 0.15) (layer "F.Cu") (net 24) (tstamp 5a539167-b55
(segment (start 77.517376 92.7) (end 75.617376 94.6) (width 0.15) (layer "F.Cu") (net 24) (tstamp 625a1
(segment (start 80.1 92.7) (end 77.517376 92.7) (width 0.15) (layer "F.Cu") (net 24) (tstamp 88cdb187-2
(segment (start 75.617376 94.6) (end 74.65 94.6) (width 0.15) (layer "F.Cu") (net 24) (tstamp af172638-
(segment (start 77.493238 92.3) (end 75.543238 94.25) (width 0.15) (layer "F.Cu") (net 25) (tstamp 5a45
(segment (start 75.543238 94.25) (end 73.85 94.25) (width 0.15) (layer "F.Cu") (net 25) (tstamp 7e93456
(segment (start 79.7 92.3) (end 77.493238 92.3) (width 0.15) (layer "F.Cu") (net 25) (tstamp ef6bd951-a
(segment (start 79.200011 91.999989) (end 77.369111 91.999989) (width 0.15) (layer "F.Cu") (net 26) (ts
(segment (start 77.369111 91.999989) (end 75.6191 93.75) (width 0.15) (layer "F.Cu") (net 26) (tstamp 4
(segment (start 75.6191 93.75) (end 73.85 93.75) (width 0.15) (layer "F.Cu") (net 26) (tstamp 67628615-
(segment (start 79.7 91.5) (end 79.200011 91.999989) (width 0.15) (layer "F.Cu") (net 26) (tstamp f95ed
(segment (start 73.85 95.25) (end 74.775006 95.25) (width 0.15) (layer "F.Cu") (net 27) (tstamp 4add58a
(segment (start 78.727164 97.5) (end 77.527164 98.7) (width 0.15) (layer "F.Cu") (net 27) (tstamp 6d1da
(segment (start 74.775006 95.25) (end 74.899996 95.12501) (width 0.15) (layer "F.Cu") (net 27) (tstamp
(segment (start 80.5 97.1) (end 80.1 97.5) (width 0.15) (layer "F.Cu") (net 27) (tstamp 733c5537-7391-4
(segment (start 77.527164 98.7) (end 76.6 98.7) (width 0.15) (layer "F.Cu") (net 27) (tstamp 9461a107-0
(segment (start 80.1 97.5) (end 78.727164 97.5) (width 0.15) (layer "F.Cu") (net 27) (tstamp d907ed5a-e
(via (at 76.6 98.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 27) (tstamp b9c92da2-c38b-49c0-9
(via (at 74.899996 95.12501) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 27) (tstamp db8bfdb5-60
(segment (start 74.899996 95.12501) (end 75.8 96.025014) (width 0.15) (layer "B.Cu") (net 27) (tstamp 7
(segment (start 75.8 96.025014) (end 75.8 97.9) (width 0.15) (layer "B.Cu") (net 27) (tstamp aff6d5b9-8
(segment (start 75.8 97.9) (end 76.6 98.7) (width 0.15) (layer "B.Cu") (net 27) (tstamp b00b246f-f18f-4
(segment (start 73.85 96.25) (end 74.838141 96.25) (width 0.15) (layer "F.Cu") (net 28) (tstamp 6fb47dd
(segment (start 74.838141 96.25) (end 74.902957 96.185184) (width 0.15) (layer "F.Cu") (net 28) (tstamp
(segment (start 79.7 97.9) (end 78.751442 97.9) (width 0.15) (layer "F.Cu") (net 28) (tstamp 7a2c738c-5
(segment (start 78.751442 97.9) (end 77.351442 99.3) (width 0.15) (layer "F.Cu") (net 28) (tstamp a7d90
(segment (start 75.892947 100.157053) (end 75.892947 99.407053) (width 0.15) (layer "F.Cu") (net 28) (t
(segment (start 77.351442 99.3) (end 76 99.3) (width 0.15) (layer "F.Cu") (net 28) (tstamp d09bdcdc-655
(segment (start 75.892947 99.407053) (end 76 99.3) (width 0.15) (layer "F.Cu") (net 28) (tstamp e7bc5a0
(via (at 76 99.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 28) (tstamp 22539c02-84f5-4bda-bfd
(via (at 74.902957 96.185184) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 28) (tstamp 6e772f99-f
(segment (start 75.399999 98.699999) (end 75.399999 96.682226) (width 0.15) (layer "B.Cu") (net 28) (ts
(segment (start 75.399999 96.682226) (end 74.902957 96.185184) (width 0.15) (layer "B.Cu") (net 28) (ts
(segment (start 76 99.3) (end 75.399999 98.699999) (width 0.15) (layer "B.Cu") (net 28) (tstamp f34fbd8
(segment (start 69.55 111.55) (end 69.55 110.85) (width 0.75) (layer "F.Cu") (net 29) (tstamp 00000000-0
(segment (start 66.95 109.9) (end 66.95 110.55) (width 0.35) (layer "F.Cu") (net 29) (tstamp 00000000-0
(segment (start 66.95 110.55) (end 67.875 110.55) (width 0.35) (layer "F.Cu") (net 29) (tstamp 00000000
(segment (start 67.875 110.55) (end 68.5 111.175) (width 0.35) (layer "F.Cu") (net 29) (tstamp 00000000
(segment (start 68.5 111.0875) (end 69.3125 111.0875) (width 0.75) (layer "F.Cu") (net 29) (tstamp 0e6d
(segment (start 85.3 93.9) (end 84.9 94.3) (width 0.25) (layer "F.Cu") (net 29) (tstamp 2df771e7-ad1b-4
(segment (start 69.0875 111.0875) (end 69.55 111.55) (width 0.75) (layer "F.Cu") (net 29) (tstamp 42163
(segment (start 68.5 111.0875) (end 69.0875 111.0875) (width 0.75) (layer "F.Cu") (net 29) (tstamp 5cfd
(segment (start 82.1 93.9) (end 82.5 94.3) (width 0.25) (layer "F.Cu") (net 29) (tstamp a2809759-6400-4
(segment (start 85.3 97.1) (end 84.9 96.7) (width 0.25) (layer "F.Cu") (net 29) (tstamp a4cdb6b0-bcc4-4
(segment (start 69.3125 111.0875) (end 69.55 110.85) (width 0.75) (layer "F.Cu") (net 29) (tstamp bb743

(segment (start 82.1 97.1) (end 82.5 96.7) (width 0.25) (layer "F.Cu") (net 29) (tstamp f36802a0-8d91-4a-
(via (at 69.55 111.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 00000000-0000-0000-
(via (at 69.55 110.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 00000000-0000-0000-
(via (at 77.3 101.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 04fb2951-11d1-4171-1-
(via (at 84.9 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 2506618a-cf15-4e46-a-
(via (at 82.5 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 30062f69-3d3f-41cd-9-
(via (at 84.9 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 850bc720-6613-4312-a-
(via (at 89.1 95.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 93996550-a039-4353-9-
(via (at 82.5 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 97bbe9f6-de40-427d-8-
(via (at 76.803211 96.984235) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp ce593301-a-
(segment (start 86.25 98.05) (end 84.9 96.7) (width 0.25) (layer "In2.Cu") (net 29) (tstamp 17f139ae-2a-
(segment (start 69.55 111.55) (end 69.55 111.25) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 18a2b81-
(segment (start 82.5 96.7) (end 81.975099 97.224901) (width 0.25) (layer "In2.Cu") (net 29) (tstamp 1b4-
(segment (start 82.5 94.3) (end 84.9 94.3) (width 0.45) (layer "In2.Cu") (net 29) (tstamp 2ad26875-7f96-
(segment (start 77.3 101.4) (end 77.3 99.75) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 36f2201d-51-
(segment (start 89.1 95.5) (end 89.1 96) (width 0.25) (layer "In2.Cu") (net 29) (tstamp 3af2b6c7-b2d2-4-
(segment (start 81.401755 97.224901) (end 81.151953 96.975099) (width 0.25) (layer "In2.Cu") (net 29) (t-
(segment (start 75.8 106.7) (end 74.5 108) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 4b06c11a-5fd9-
(segment (start 69.55 109.35) (end 69.55 111.55) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 5d74423-
(segment (start 77.3 99.75) (end 79.6 97.45) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 6542d473-32-
(segment (start 70.9 108) (end 69.55 109.35) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 6c308dfd-95-
(segment (start 79.134235 96.984235) (end 76.803211 96.984235) (width 0.25) (layer "In2.Cu") (net 29) (t-
(segment (start 69.55 110.85) (end 69.55 111.55) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 7c798c2-
(segment (start 77.3 103.470854) (end 75.8 104.970854) (width 0.75) (layer "In2.Cu") (net 29) (tstamp a72-
(segment (start 79.6 97.45) (end 79.134235 96.984235) (width 0.25) (layer "In2.Cu") (net 29) (tstamp ab-
(segment (start 77.3 101.4) (end 77.3 103.470854) (width 0.75) (layer "In2.Cu") (net 29) (tstamp b8d094-
(segment (start 84.9 96.7) (end 82.5 96.7) (width 0.45) (layer "In2.Cu") (net 29) (tstamp bac63cbc-5388-
(segment (start 81.975099 97.224901) (end 81.401755 97.224901) (width 0.25) (layer "In2.Cu") (net 29) (t-
(segment (start 84.9 94.3) (end 84.9 96.7) (width 0.45) (layer "In2.Cu") (net 29) (tstamp c01686da-8aa6-
(segment (start 81.151953 96.975099) (end 80.074901 96.975099) (width 0.25) (layer "In2.Cu") (net 29) (t-
(segment (start 87.05 98.05) (end 86.25 98.05) (width 0.25) (layer "In2.Cu") (net 29) (tstamp d16e4f0a-3-
(segment (start 75.8 104.970854) (end 75.8 106.7) (width 0.75) (layer "In2.Cu") (net 29) (tstamp d1c038-
(segment (start 80.074901 96.975099) (end 79.6 97.45) (width 0.25) (layer "In2.Cu") (net 29) (tstamp da-
(segment (start 89.1 96) (end 87.05 98.05) (width 0.25) (layer "In2.Cu") (net 29) (tstamp e40f1cb9-ded3-
(segment (start 74.5 108) (end 70.9 108) (width 0.75) (layer "In2.Cu") (net 29) (tstamp ed946c70-501e-4-
(segment (start 69.55 110.85) (end 69.55 111.55) (width 0.75) (layer "B.Cu") (net 29) (tstamp 00000000-0-
(segment (start 81.667622 97.5) (end 82.467622 96.7) (width 0.25) (layer "B.Cu") (net 29) (tstamp 39011-
(segment (start 77.218976 97.4) (end 76.803211 96.984235) (width 0.25) (layer "B.Cu") (net 29) (tstamp 4-
(segment (start 89.1 95.5) (end 89.335 95.265) (width 0.25) (layer "B.Cu") (net 29) (tstamp 581d2d71-bd-
(segment (start 81.615 97.5) (end 81.667622 97.5) (width 0.25) (layer "B.Cu") (net 29) (tstamp 589a5b25-
(segment (start 84.9 94.3) (end 84.9 93.585) (width 0.25) (layer "B.Cu") (net 29) (tstamp 65a2c3ef-d1a8-
(segment (start 78.15 100.5375) (end 78.15 100.55) (width 0.45) (layer "B.Cu") (net 29) (tstamp 6631aec-
(segment (start 78.15 100.55) (end 77.3 101.4) (width 0.45) (layer "B.Cu") (net 29) (tstamp 6df62e4d-d2-
(segment (start 84.9 93.585) (end 84.815 93.5) (width 0.25) (layer "B.Cu") (net 29) (tstamp 7bc0f912-46-
(segment (start 89.335 95.265) (end 89.85 95.265) (width 0.25) (layer "B.Cu") (net 29) (tstamp 848d49cb-
(segment (start 69.9 111.2) (end 69.55 111.55) (width 0.75) (layer "B.Cu") (net 29) (tstamp 891f57ca-07-
(segment (start 84.9 96.7) (end 84.9 95.985) (width 0.25) (layer "B.Cu") (net 29) (tstamp 9e50baf2-e773-
(segment (start 69.9 111.2) (end 69.55 110.85) (width 0.75) (layer "B.Cu") (net 29) (tstamp cc552e38-b4-
(segment (start 81.785 94.3) (end 81.7 94.215) (width 0.25) (layer "B.Cu") (net 29) (tstamp dbec2834-9c-
(segment (start 77.53 97.4) (end 77.218976 97.4) (width 0.25) (layer "B.Cu") (net 29) (tstamp edfd17dc-3-
(segment (start 82.5 94.3) (end 81.785 94.3) (width 0.25) (layer "B.Cu") (net 29) (tstamp eee8b4e3-2e93-
(segment (start 70.65 111.2) (end 69.9 111.2) (width 0.75) (layer "B.Cu") (net 29) (tstamp ef837bb9-cb2-
(segment (start 82.467622 96.7) (end 82.5 96.7) (width 0.25) (layer "B.Cu") (net 29) (tstamp f9423dbf-d-
(segment (start 80.5 95.5) (end 80.1 95.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp 2c81730f-ccccf-4-
(segment (start 65.300022 99.9) (end 65.9 100.499978) (width 0.15) (layer "F.Cu") (net 30) (tstamp 411b-
(segment (start 78.607106 95.9) (end 78.269875 96.237231) (width 0.15) (layer "F.Cu") (net 30) (tstamp 4-
(segment (start 65.85 98.25) (end 64.95 98.25) (width 0.15) (layer "F.Cu") (net 30) (tstamp 4cfc11cb-a7-
(segment (start 64.4 99.9) (end 65.300022 99.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp 52681de9-f-
(segment (start 80.1 95.9) (end 78.607106 95.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp 9e70ac48-1-
(segment (start 78.269875 96.237231) (end 76.737231 96.237231) (width 0.15) (layer "F.Cu") (net 30) (ts-
(segment (start 64.4 98.8) (end 64.4 99.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp be87be93-ae8e-4-
(segment (start 64.95 98.25) (end 64.4 98.8) (width 0.15) (layer "F.Cu") (net 30) (tstamp f760a24e-2995-
(via (at 76.737231 96.237231) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 30) (tstamp 7d1a9ac1-4-
(via (at 65.9 100.499978) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 30) (tstamp c841c4fc-cbdf-
(segment (start 66.374923 100.974901) (end 65.9 100.499978) (width 0.15) (layer "B.Cu") (net 30) (tstamp
(segment (start 74.05 102) (end 70.85 102) (width 0.15) (layer "B.Cu") (net 30) (tstamp 1993ece5-ab15-4-
(segment (start 77.2 98.4) (end 77.2 98.85) (width 0.15) (layer "B.Cu") (net 30) (tstamp 63beaac2-354d-
(segment (start 77.2 98.85) (end 74.05 102) (width 0.15) (layer "B.Cu") (net 30) (tstamp 680d2c6d-2f58-


```
(segment (start 69.824901 100.974901) (end 66.374923 100.974901) (width 0.15) (layer "B.Cu") (net 30) (tstamp a44ea4e4)
(segment (start 70.85 102) (end 69.824901 100.974901) (width 0.15) (layer "B.Cu") (net 30) (tstamp a44ea4e4)
(segment (start 76.2 96.774462) (end 76.2 97.4) (width 0.15) (layer "B.Cu") (net 30) (tstamp c3bba3d7-1a)
(segment (start 76.737231 96.237231) (end 76.2 96.774462) (width 0.15) (layer "B.Cu") (net 30) (tstamp c3bba3d7-1a)
(segment (start 76.2 97.4) (end 77.2 98.4) (width 0.15) (layer "B.Cu") (net 30) (tstamp fd72d0c-a947-4f06-801e-3093)
(segment (start 73.85 93.25) (end 75.694962 93.25) (width 0.15) (layer "F.Cu") (net 31) (tstamp 5073e04f-7b)
(segment (start 77.644962 91.3) (end 78.6 91.3) (width 0.15) (layer "F.Cu") (net 31) (tstamp 5a1acb67-7b)
(segment (start 75.694962 93.25) (end 77.644962 91.3) (width 0.15) (layer "F.Cu") (net 31) (tstamp 5a79e04f-7b)
(segment (start 81.3 93.1) (end 80.9 92.7) (width 0.15) (layer "F.Cu") (net 31) (tstamp 92e63d46-161f-4f06-801e-3093)
(via (at 80.9 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 31) (tstamp a384addf-42cf-4165-a947-4f06-801e-3093)
(via (at 78.6 91.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 31) (tstamp d03a8004-a0c3-4f06-801e-3093)
(segment (start 80.9 92.7) (end 80 92.7) (width 0.15) (layer "B.Cu") (net 31) (tstamp 37f8af5d-7b98-401e-3093-3093)
(segment (start 80 92.7) (end 78.6 91.3) (width 0.15) (layer "B.Cu") (net 31) (tstamp 8dd99151-4ca5-49b0-801e-3093)
(segment (start 60.824901 98.274901) (end 60.8 98.25) (width 0.15) (layer "F.Cu") (net 32) (tstamp 1665f04f-7b)
(segment (start 59.535 98.2) (end 60.75 98.2) (width 0.45) (layer "F.Cu") (net 32) (tstamp 23dac5f0-ac7b-4f06-801e-3093)
(segment (start 61.977053 97.225099) (end 62.24509 97.493136) (width 0.15) (layer "F.Cu") (net 32) (tstamp 50d8d5ac-c47b-4f06-801e-3093)
(segment (start 61.975099 97.225099) (end 61.977053 97.225099) (width 0.15) (layer "F.Cu") (net 32) (tstamp 50d8d5ac-c47b-4f06-801e-3093)
(segment (start 62.125099 98.274901) (end 60.824901 98.274901) (width 0.15) (layer "F.Cu") (net 32) (tstamp 50d8d5ac-c47b-4f06-801e-3093)
(segment (start 59.535 96.3) (end 60.75 96.3) (width 0.25) (layer "F.Cu") (net 32) (tstamp 50d8d5ac-c47b-4f06-801e-3093)
(segment (start 60.75 98.2) (end 60.8 98.25) (width 0.45) (layer "F.Cu") (net 32) (tstamp 6c04f690-b34e-4f06-801e-3093)
(segment (start 60.8 96.35) (end 61.1 96.35) (width 0.15) (layer "F.Cu") (net 32) (tstamp 95d354c5-e638-4f06-801e-3093)
(segment (start 61.1 96.35) (end 61.975099 97.225099) (width 0.15) (layer "F.Cu") (net 32) (tstamp d0b9f04f-7b)
(segment (start 62.24509 98.15491) (end 62.125099 98.274901) (width 0.15) (layer "F.Cu") (net 32) (tstamp d0b9f04f-7b)
(segment (start 62.24509 97.493136) (end 62.24509 98.15491) (width 0.15) (layer "F.Cu") (net 32) (tstamp d0b9f04f-7b)
(segment (start 60.75 96.3) (end 60.8 96.35) (width 0.25) (layer "F.Cu") (net 32) (tstamp fc19e3ff-e39e-4f06-801e-3093)
(segment (start 71.1 91.5) (end 71.1 90.7) (width 0.15) (layer "F.Cu") (net 33) (tstamp 785d52a6-c085-4f06-801e-3093)
(segment (start 71.1 90.7) (end 68.35 87.95) (width 0.15) (layer "F.Cu") (net 33) (tstamp d6b66186-59ea-4f06-801e-3093)
(segment (start 68.35 87.95) (end 63.465 87.95) (width 0.15) (layer "F.Cu") (net 33) (tstamp ee4a4156-d0b9-4f06-801e-3093)
(segment (start 63.465 87.95) (end 59 83.485) (width 0.15) (layer "F.Cu") (net 33) (tstamp ef6944e6-b033-4f06-801e-3093)
(segment (start 124.3 105.6) (end 122.8 107.1) (width 0.15) (layer "F.Cu") (net 34) (tstamp 4c7201c3-8c5b-4f06-801e-3093)
(segment (start 125.5 105.6) (end 124.3 105.6) (width 0.15) (layer "F.Cu") (net 34) (tstamp 8738c342-15e2-4f06-801e-3093)
(via (at 122.8 107.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 34) (tstamp 3ee810e8-698e-4a94-4f06-801e-3093)
(segment (start 122.8 106.385) (end 122.8 107.1) (width 0.15) (layer "B.Cu") (net 34) (tstamp 0eae2d6c-b033-4f06-801e-3093)
(segment (start 122.8 107.1) (end 122.8 107.785) (width 0.15) (layer "B.Cu") (net 34) (tstamp 2cba86d4-b033-4f06-801e-3093)
(segment (start 122.8 107.785) (end 122.815 107.8) (width 0.15) (layer "B.Cu") (net 34) (tstamp fa04b3c0-b033-4f06-801e-3093)
(segment (start 124.8 106.1) (end 123.8 107.1) (width 0.15) (layer "F.Cu") (net 35) (tstamp a893c34c-62d4-4f06-801e-3093)
(segment (start 125.5 106.1) (end 124.8 106.1) (width 0.15) (layer "F.Cu") (net 35) (tstamp d85a2c4c-de4b-4f06-801e-3093)
(via (at 123.8 107.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 35) (tstamp 5f251263-dc5a-44f8-4f06-801e-3093)
(segment (start 123.8 107.785) (end 123.785 107.8) (width 0.15) (layer "B.Cu") (net 35) (tstamp 2288fbcb-b033-4f06-801e-3093)
(segment (start 123.8 107.1) (end 123.8 107.785) (width 0.15) (layer "B.Cu") (net 35) (tstamp 2c060a64-b033-4f06-801e-3093)
(segment (start 123.8 106.385) (end 123.8 107.1) (width 0.15) (layer "B.Cu") (net 35) (tstamp f883d126-b033-4f06-801e-3093)
(segment (start 67.9 89) (end 59.485 89) (width 0.15) (layer "F.Cu") (net 36) (tstamp 0ad797a1-24a2-4c7b-4f06-801e-3093)
(segment (start 59.485 89) (end 59 89.485) (width 0.15) (layer "F.Cu") (net 36) (tstamp 14960d84-3bf1-4f06-801e-3093)
(segment (start 69.6 91.5) (end 69.6 90.7) (width 0.15) (layer "F.Cu") (net 36) (tstamp 22a43d9d-498f-4f06-801e-3093)
(segment (start 69.6 90.7) (end 67.9 89) (width 0.15) (layer "F.Cu") (net 36) (tstamp 28c71a5f-88fe-4ec3-4f06-801e-3093)
(segment (start 68.05 88.65) (end 60.165 88.65) (width 0.15) (layer "F.Cu") (net 37) (tstamp 3ad8505a-a947-4f06-801e-3093)
(segment (start 70.1 91.5) (end 70.1 90.7) (width 0.15) (layer "F.Cu") (net 37) (tstamp 984104eb-711a-4f06-801e-3093)
(segment (start 70.1 90.7) (end 68.05 88.65) (width 0.15) (layer "F.Cu") (net 37) (tstamp 9e1b24b7-6bc0-4f06-801e-3093)
(segment (start 60.165 88.65) (end 59 87.485) (width 0.15) (layer "F.Cu") (net 37) (tstamp b3dfe110-8009-4f06-801e-3093)
(segment (start 122.3 85.4) (end 123.8 83.9) (width 0.15) (layer "F.Cu") (net
```


(segment (start 127.8 106.2) (end 127.015 106.2) (width 0.15) (layer "F.Cu") (net 41) (tstamp dcc89e25-
(via (at 127.8 106.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 41) (tstamp 09744b95-d5a6-4e58-
(segment (start 127.185 106.2) (end 127 106.385) (width 0.15) (layer "B.Cu") (net 41) (tstamp 6f86ab4d-
(segment (start 127.8 106.2) (end 127.185 106.2) (width 0.15) (layer "B.Cu") (net 41) (tstamp f8232524-
(segment (start 120.349992 103.95) (end 120.299992 103.9) (width 0.15) (layer "F.Cu") (net 42) (tstamp
(segment (start 126.25 87.05) (end 126.3 87.1) (width 0.15) (layer "F.Cu") (net 42) (tstamp 0ed3cbab-bb5
(segment (start 80.1 93.5) (end 77.88385 93.5) (width 0.15) (layer "F.Cu") (net 42) (tstamp 1cc50840-92
(segment (start 73.85 96.75) (end 75.25 96.75) (width 0.15) (layer "F.Cu") (net 42) (tstamp 430137dc-99fc
(segment (start 75.915 90.3) (end 75.915 92.136808) (width 0.15) (layer "F.Cu") (net 42) (tstamp 4823efa
(segment (start 75.49999 95.88386) (end 77.541925 93.841925) (width 0.15) (layer "F.Cu") (net 42) (tstar
(segment (start 121.1 103.95) (end 120.349992 103.95) (width 0.15) (layer "F.Cu") (net 42) (tstamp 7229
(segment (start 125.5 87.05) (end 126.25 87.05) (width 0.15) (layer "F.Cu") (net 42) (tstamp 77097a1b-f
(segment (start 75.49999 96.50001) (end 75.49999 95.88386) (width 0.15) (layer "F.Cu") (net 42) (tstamp
(segment (start 75.9 90.285) (end 75.9 88.199998) (width 0.15) (layer "F.Cu") (net 42) (tstamp 82d0edae
(segment (start 75.915 92.136808) (end 75.97315 92.194958) (width 0.15) (layer "F.Cu") (net 42) (tstamp
(segment (start 77.88385 93.5) (end 77.541925 93.841925) (width 0.15) (layer "F.Cu") (net 42) (tstamp b
(segment (start 80.5 93.9) (end 80.1 93.5) (width 0.15) (layer "F.Cu") (net 42) (tstamp e43516da-2e9d-4
(segment (start 75.915 90.3) (end 75.9 90.285) (width 0.15) (layer "F.Cu") (net 42) (tstamp f3243d35-f5
(segment (start 75.25 96.75) (end 75.49999 96.50001) (width 0.15) (layer "F.Cu") (net 42) (tstamp fe011
(via (at 126.3 87.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp 40daa4af-e630-468e-
(via (at 77.541925 93.841925) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp 4a259547-6
(via (at 75.9 88.199998) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp 7e0818d1-030a-4
(via (at 75.97315 92.194958) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp a0f3cc17-30
(via (at 120.299992 103.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp e3f9f7af-cff7
(segment (start 115.97606 73.3) (end 65.56304 73.3) (width 0.15) (layer "B.Cu") (net 42) (tstamp 00efcf
(segment (start 65.56304 73.3) (end 62.5 76.36304) (width 0.15) (layer "B.Cu") (net 42) (tstamp 0de29ff
(segment (start 127.775179 92.124821) (end 127.775179 88.575179) (width 0.15) (layer "B.Cu") (net 42) (
(segment (start 123.5 80.82394) (end 115.97606 73.3) (width 0.15) (layer "B.Cu") (net 42) (tstamp 2eaca
(segment (start 126.3 87.1) (end 126.1 86.9) (width 0.15) (layer "B.Cu") (net 42) (tstamp 3a55e3ce-a53a
(segment (start 123 93.9) (end 126 93.9) (width 0.15) (layer "B.Cu") (net 42) (tstamp 43f478b4-cbb8-45d
(segment (start 74.800002 87.1) (end 75.9 88.199998) (width 0.15) (layer "B.Cu") (net 42) (tstamp 4955a
(segment (start 120.299992 103.9) (end 119.8 103.400008) (width 0.15) (layer "B.Cu") (net 42) (tstamp 5
(segment (start 126.1 84.6) (end 123.5 82) (width 0.15) (layer "B.Cu") (net 42) (tstamp 57c3f7b7-7da2-4
(segment (start 126 93.9) (end 127.775179 92.124821) (width 0.15) (layer "B.Cu") (net 42) (tstamp 68349
(segment (start 118.9 99.5) (end 118.9 98) (width 0.15) (layer "B.Cu") (net 42) (tstamp 6a5a2de3-23f8-4
(segment (start 119.8 103.400008) (end 119.8 100.4) (width 0.15) (layer "B.Cu") (net 42) (tstamp 761de7
(segment (start 127.775179 88.575179) (end 126.3 87.1) (width 0.15) (layer "B.Cu") (net 42) (tstamp 7f1
(segment (start 123.5 82) (end 123.5 80.82394) (width 0.15) (layer "B.Cu") (net 42) (tstamp 807ba378-4e
(segment (start 119.8 100.4) (end 118.9 99.5) (width 0.15) (layer "B.Cu") (net 42) (tstamp 8cd188ab-002
(segment (start 75.97315 92.194958) (end 75.97315 92.27315) (width 0.15) (layer "B.Cu") (net 42) (tstamp
(segment (start 62.5 81) (end 68.6 87.1) (width 0.15) (layer "B.Cu") (net 42) (tstamp a0b235cc-a66a-48a
(segment (start 68.6 87.1) (end 74.800002 87.1) (width 0.15) (layer "B.Cu") (net 42) (tstamp a70af7db-9
(segment (start 118.9 98) (end 123 93.9) (width 0.15) (layer "B.Cu") (net 42) (tstamp b6e96622-a5e8-413
(segment (start 62.5 76.36304) (end 62.5 81) (width 0.15) (layer "B.Cu") (net 42) (tstamp b967d3c9-f371
(segment (start 126.1 86.9) (end 126.1 84.6) (width 0.15) (layer "B.Cu") (net 42) (tstamp bbc2acdf-17bc
(segment (start 75.97315 92.27315) (end 77.541925 93.841925) (width 0.15) (layer "B.Cu") (net 42) (tstar
(segment (start 67.6 91.5) (end 67.6 90.45) (width 0.15) (layer "F.Cu") (net 43) (tstamp 00000000-0000-
(segment (start 85.699901 94.300099) (end 86.499901 94.300099) (width 0.15) (layer "F.Cu") (net 43) (ts
(segment (start 85.3 94.7) (end 85.699901 94.300099) (width 0.15) (layer "F.Cu") (net 43) (tstamp 51029
(segment (start 79.7 94.7) (end 78.899999 94.699999) (width 0.15) (layer "F.Cu") (net 43) (tstamp 73314
(segment (start 86.499901 94.300099) (end 86.5 94.3) (width 0.15) (layer "F.Cu") (net 43) (tstamp 75446
(segment (start 86.500099 94.299901) (end 87.299901 94.299901) (width 0.15) (layer "F.Cu") (net 43) (ts
(segment (start 73.1 89) (end 73.1 90.45) (width 0.15) (layer "F.Cu") (net 43) (tstamp af0122a1-1784-4c
(segment (start 78.899999 94.699999) (end 78.6 94.4) (width 0.15) (layer "F.Cu") (net 43) (tstamp b75aa
(segment (start 87.299901 94.299901) (end 87.3 94.3) (width 0.15) (layer "F.Cu") (net 43) (tstamp cffb8
(segment (start 86.499901 94.300099) (end 86.500099 94.299901) (width 0.15) (layer "F.Cu") (net 43) (ts
(via (at 67.6 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 43) (tstamp 00000000-0000-0000-
(via (at 87.3 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 43) (tstamp 00000000-0000-0000-0
(via (at 73.1 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 43) (tstamp e0f6753e-6cc0-4c82-
(via (at 78.6 94.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 43) (tstamp f32174ab-7d73-4f4e-9
(segment (start 87.3 94.3) (end 87.6 94) (width 0.15) (layer "In2.Cu") (net 43) (tstamp 18c7c0fe-c790-4
(segment (start 81.3 89.45) (end 78.6 92.15) (width 0.15) (layer "In2.Cu") (net 43) (tstamp 421c5535-6e
(segment (start 87.6 89.8) (end 87.25 89.45) (width 0.15) (layer "In2.Cu") (net 43) (tstamp 52bab089-7d
(segment (start 87.6 94) (end 87.6 89.8) (width 0.15) (layer "In2.Cu") (net 43) (tstamp a79e1922-80a2-4
(segment (start 87.25 89.45) (end 81.3 89.45) (width 0.15) (layer "In2.Cu") (net 43) (tstamp b0ca3c4f-b
(segment (start 78.6 92.15) (end 78.6 94.4) (width 0.15) (layer "In2.Cu") (net 43) (tstamp c7abbd8e-4cc
(segment (start 75.35 90.45) (end 78.6 93.7) (width 0.15) (layer "B.Cu") (net 43) (tstamp 44421fe2-0869
(segment (start 67.6 90.45) (end 75.35 90.45) (width 0.15) (layer "B.Cu") (net 43) (tstamp 8abd6033-cc4

(segment (start 78.6 93.7) (end 78.6 94.4) (width 0.15) (layer "B.Cu") (net 43) (tstamp 92be2c6f-6fc4-4a-
(segment (start 69.1 91.5) (end 69.1 90.85) (width 0.15) (layer "F.Cu") (net 44) (tstamp 3c1ad8d1-4014-4a-
(segment (start 126.715 100.8) (end 126.7 100.785) (width 0.15) (layer "F.Cu") (net 44) (tstamp 3ce9585f-
(segment (start 125.015 109.2) (end 125.1 109.115) (width 0.15) (layer "F.Cu") (net 44) (tstamp 5c934e8e-
(segment (start 67.9 89.65) (end 65.050002 89.65) (width 0.15) (layer "F.Cu") (net 44) (tstamp 6bcb9d4b-
(segment (start 122.6 111.3) (end 122.6 109.685) (width 0.15) (layer "F.Cu") (net 44) (tstamp 8b300dce-
(segment (start 125.1 109.115) (end 125.1 109.1) (width 0.15) (layer "F.Cu") (net 44) (tstamp 8f492a1f-
(segment (start 127.6 100.8) (end 126.715 100.8) (width 0.15) (layer "F.Cu") (net 44) (tstamp 9a4d3415-
(segment (start 122.6 109.685) (end 123.085 109.2) (width 0.15) (layer "F.Cu") (net 44) (tstamp ce0da80f-
(segment (start 125.1 109.1) (end 125.7 108.5) (width 0.15) (layer "F.Cu") (net 44) (tstamp d32d021d-76f3-
(segment (start 69.1 90.85) (end 67.9 89.65) (width 0.15) (layer "F.Cu") (net 44) (tstamp f2ecaa8e-70f8-
(segment (start 123.085 109.2) (end 125.015 109.2) (width 0.15) (layer "F.Cu") (net 44) (tstamp fea6f6d1-
(via (at 125.7 108.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp 4c7a0853-e59f-41f3-
(via (at 65.050002 89.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp ad1b520f-605d-
(via (at 127.6 100.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp c1696aa1-3f38-45fa-
(via (at 122.6 111.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp fe802ecd-58c7-4e49-
(segment (start 60 116.296044) (end 61.779046 118.07509) (width 0.15) (layer "B.Cu") (net 44) (tstamp 0f-
(segment (start 128.07509 101.27509) (end 128.07509 103.82491) (width 0.15) (layer "B.Cu") (net 44) (ts-
(segment (start 59.1 113.9) (end 60 114.8) (width 0.15) (layer "B.Cu") (net 44) (tstamp 3c975e44-5018-4a-
(segment (start 128.07509 103.82491) (end 127.3 104.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp 467f-
(segment (start 72.6 118.25) (end 76.773146 118.25) (width 0.15) (layer "B.Cu") (net 44) (tstamp 4b1a10e-
(segment (start 65.050002 89.65) (end 59.1 95.600002) (width 0.15) (layer "B.Cu") (net 44) (tstamp 4d11e-
(segment (start 125.7 105.668332) (end 125.7 108.5) (width 0.15) (layer "B.Cu") (net 44) (tstamp 65c713e-
(segment (start 61.779046 118.07509) (end 72.42509 118.07509) (width 0.15) (layer "B.Cu") (net 44) (tst-
(segment (start 72.42509 118.07509) (end 72.6 118.25) (width 0.15) (layer "B.Cu") (net 44) (tstamp 9f51e-
(segment (start 77.423146 117.6) (end 116.3 117.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp d39f1b7-
(segment (start 127.3 104.6) (end 126.768332 104.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp d82e8f1-
(segment (start 116.3 117.6) (end 122.6 111.3) (width 0.15) (layer "B.Cu") (net 44) (tstamp e001b570-c1-
(segment (start 126.768332 104.6) (end 125.7 105.668332) (width 0.15) (layer "B.Cu") (net 44) (tstamp e1-
(segment (start 127.6 100.8) (end 128.07509 101.27509) (width 0.15) (layer "B.Cu") (net 44) (tstamp e13-
(segment (start 59.1 95.600002) (end 59.1 113.9) (width 0.15) (layer "B.Cu") (net 44) (tstamp ebaad124-
(segment (start 60 114.8) (end 60 116.296044) (width 0.15) (layer "B.Cu") (net 44) (tstamp f4105d4d-d23-
(segment (start 76.773146 118.25) (end 77.423146 117.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp fc-
(segment (start 123.085 81.8) (end 124.1 81.8) (width 0.15) (layer "F.Cu") (net 45) (tstamp 14af2eee-b6-
(segment (start 118.6 88.915) (end 118.6 85.5) (width 0.15) (layer "F.Cu") (net 45) (tstamp 4ac5d37e-2a-
(segment (start 118.524901 82.375099) (end 122.509901 82.375099) (width 0.15) (layer "F.Cu") (net 45) (t-
(segment (start 124.1 81.8) (end 125.215 81.8) (width 0.15) (layer "F.Cu") (net 45) (tstamp 8a6b7b4b-69-
(segment (start 118.2 85.1) (end 118.2 82.7) (width 0.15) (layer "F.Cu") (net 45) (tstamp 9e40c270-d258-
(segment (start 125.215 81.8) (end 125.3 81.885) (width 0.15) (layer "F.Cu") (net 45) (tstamp adde187c-d-
(segment (start 72.1 91.5) (end 72.1 88.699992) (width 0.15) (layer "F.Cu") (net 45) (tstamp b7ecaf88-d-
(segment (start 118.6 85.5) (end 118.2 85.1) (width 0.15) (layer "F.Cu") (net 45) (tstamp b8f7211f-7710-
(segment (start 118.2 82.7) (end 118.524901 82.375099) (width 0.15) (layer "F.Cu") (net 45) (tstamp bafa-
(segment (start 119.9 90.215) (end 118.6 88.915) (width 0.15) (layer "F.Cu") (net 45) (tstamp bd242973-d-
(segment (start 122.509901 82.375099) (end 123.085 81.8) (width 0.15) (layer "F.Cu") (net 45) (tstamp dl-
(segment (start 72.1 88.699992) (end 71.450008 88.05) (width 0.15) (layer "F.Cu") (net 45) (tstamp e5d2-
(via (at 124.1 81.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 45) (tstamp 83aa804d-4266-4478-b-
(via (at 71.450008 88.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 45) (tstamp c77b2052-5a79-b-
(segment (start 71.450008 88.05) (end 68.65 88.05) (width 0.15) (layer "B.Cu") (net 45) (tstamp 2fbed19a-
(segment (start 68.65 88.05) (end 61.324803 80.724803) (width 0.15) (layer "B.Cu") (net 45) (tstamp 41ac-
(segment (start 116.15 73) (end 124.1 80.95) (width 0.15) (layer "B.Cu") (net 45) (tstamp 6609cffc-36c9-
(segment (start 64.65 73) (end 116.15 73) (width 0.15) (layer "B.Cu") (net 45) (tstamp ba92f4fa-5230-47-
(segment (start 124.1 80.95) (end 124.1 81.8) (width 0.15) (layer "B.Cu") (net 45) (tstamp c3bb9026-40b-
(segment (start 61.324803 80.724803) (end 61.324803 76.325197) (width 0.15) (layer "B.Cu") (net 45) (ts-
(segment (start 61.324803 76.325197) (end 64.65 73) (width 0.15) (layer "B.Cu") (net 45) (tstamp f867d4-
(segment (start 65.042375 92.592375) (end 65.042375 90.456053) (width 0.15) (layer "F.Cu") (net 46) (ts-
(segment (start 65.2 92.75) (end 65.042375 92.592375) (width 0.15) (layer "F.Cu") (net 46) (tstamp 7bba-
(segment (start 81.3 93.9) (end 80.9 93.5) (width 0.15) (layer "F.Cu") (net 46) (tstamp a6207af8-59d3-4a-
(segment (start 65.85 92.75) (end 65.2 92.75) (width 0.15) (layer "F.Cu") (net 46) (tstamp e7a30546-df5-
(via (at 80.9 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 46) (tstamp 16658285-1d8d-4608-8-
(via (at 65.042375 90.456053) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 46) (tstamp 77ef698e-0c9-
(segment (start 65.948427 89.550001) (end 65.042375 90.456053) (width 0.15) (layer "B.Cu") (net 46) (ts-
(segment (start 76.072999 89.550001) (end 65.948427 89.550001) (width 0.15) (layer "B.Cu") (net 46) (ts-
(segment (start 80.9 93.5) (end 80.022998 93.5) (width 0.15) (layer "B.Cu") (net 46) (tstamp c87e09ef-3-
(segment (start 80.022998 93.5) (end 76.072999 89.550001) (width 0.15) (layer "B.Cu") (net 46) (tstamp c-
(segment (start 65.85 92.25) (end 65.8 92.2) (width 0.15) (layer "F.Cu") (net 47) (tstamp 00000000-0000-
(segment (start 65.8 90.45001) (end 65.80001 90.45) (width 0.15) (layer "F.Cu") (net 47) (tstamp 00000000-
(segment (start 65.8 92.2) (end 65.8 90.45001) (width 0.15) (layer "F.Cu") (net 47) (tstamp 00000000-000-
(segment (start 81.3 94.7) (end 80.9 94.3) (width 0.15) (layer "F.Cu") (net 47) (tstamp be8dc9ea-386d-4a-

(via (at 65.80001 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 47) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 80.9 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 47) (tstamp 559e0af7-a804-4a25-bc01-00000000))
(segment (start 75.6 89.9) (end 66.35001 89.9) (width 0.15) (layer "B.Cu") (net 47) (tstamp 4530943c-6e01-4b2b-b000-00000000))
(segment (start 80 94.3) (end 75.6 89.9) (width 0.15) (layer "B.Cu") (net 47) (tstamp 9543a176-17e8-47bf-b000-00000000))
(segment (start 66.35001 89.9) (end 65.80001 90.45) (width 0.15) (layer "B.Cu") (net 47) (tstamp ccbf62a1-4b2b-b000-00000000))
(segment (start 80.9 94.3) (end 80 94.3) (width 0.15) (layer "B.Cu") (net 47) (tstamp dd7a9c00-dfa3-4d40-b000-00000000))
(segment (start 86.1 95.5) (end 86.5 95.9) (width 0.25) (layer "F.Cu") (net 48) (tstamp 40792193-d94f-4a25-b000-00000000))
(via (at 86.5 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 48) (tstamp 2f206710-9416-48da-b000-00000000))
(segment (start 87.115 95.9) (end 87.2 95.985) (width 0.25) (layer "B.Cu") (net 48) (tstamp 1c22b49f-2b01-4b2b-b000-00000000))
(segment (start 88.4525 96.235) (end 88.4 96.2875) (width 0.25) (layer "B.Cu") (net 48) (tstamp 2cef74a1-4b2b-b000-00000000))
(segment (start 86.5 95.9) (end 87.115 95.9) (width 0.25) (layer "B.Cu") (net 48) (tstamp 32f0dff8-cd0a-b000-00000000))
(segment (start 87.2 95.985) (end 88.0975 95.985) (width 0.25) (layer "B.Cu") (net 48) (tstamp 84235745-4b2b-b000-00000000))
(segment (start 88.0975 95.985) (end 88.4 96.2875) (width 0.25) (layer "B.Cu") (net 48) (tstamp e32a964a-4b2b-b000-00000000))
(segment (start 89.85 96.235) (end 88.4525 96.235) (width 0.25) (layer "B.Cu") (net 48) (tstamp ee9fa541-4b2b-b000-00000000))
(segment (start 81.3 95.5) (end 80.9 95.1) (width 0.25) (layer "F.Cu") (net 49) (tstamp 4b2911c9-3062-4a25-b000-00000000))
(via (at 80.9 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 49) (tstamp 65327774-35f0-406f-9a01-00000000))
(segment (start 78.385 97.6) (end 78.385 97.4025) (width 0.25) (layer "B.Cu") (net 49) (tstamp 12492c3e-4a25-b000-00000000))
(segment (start 78.385 97.4025) (end 79.3875 96.4) (width 0.25) (layer "B.Cu") (net 49) (tstamp 4ab60211-4a25-b000-00000000))
(segment (start 80.3 94.9) (end 80.7 94.9) (width 0.25) (layer "B.Cu") (net 49) (tstamp 759de282-b95b-4a25-b000-00000000))
(segment (start 80.7 94.9) (end 80.9 95.1) (width 0.25) (layer "B.Cu") (net 49) (tstamp c9c4a196-1c12-4a25-b000-00000000))
(segment (start 79.3875 96.4) (end 79.3875 95.8125) (width 0.25) (layer "B.Cu") (net 49) (tstamp ce1694a1-4a25-b000-00000000))
(segment (start 80.3 94.9) (end 79.7 95.5) (width 0.25) (layer "B.Cu") (net 49) (tstamp db341afa-9a3f-4a25-b000-00000000))
(segment (start 79.3875 95.8125) (end 79.7 95.5) (width 0.25) (layer "B.Cu") (net 49) (tstamp f8d93dd0-4a25-b000-00000000))
(segment (start 86.1 94.7) (end 86.5 95.1) (width 0.25) (layer "F.Cu") (net 50) (tstamp ccd96bf6-2864-4a25-b000-00000000))
(via (at 86.5 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 50) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 86.5 95.1) (end 87.115 95.1) (width 0.25) (layer "B.Cu") (net 50) (tstamp 3ccc2413-22c7-4a25-b000-00000000))
(segment (start 87.2 95.015) (end 88.0975 95.015) (width 0.25) (layer "B.Cu") (net 50) (tstamp 6fa2f1b4-4a25-b000-00000000))
(segment (start 87.115 95.1) (end 87.2 95.015) (width 0.25) (layer "B.Cu") (net 50) (tstamp 837e9ff3-ff01-4a25-b000-00000000))
(segment (start 88.0975 95.015) (end 88.4 94.7125) (width 0.25) (layer "B.Cu") (net 50) (tstamp 9ea18733-4a25-b000-00000000))
(segment (start 79.7 95.5) (end 78.1 95.5) (width 0.25) (layer "F.Cu") (net 51) (tstamp 2517c92c-9404-4a25-b000-00000000))
(via (at 78.1 95.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 51) (tstamp 2a7a654e-cb5a-4c1f-8801-00000000))
(segment (start 77.8125 95.7875) (end 78.1 95.5) (width 0.25) (layer "B.Cu") (net 51) (tstamp 0cf341d6-4a25-b000-00000000))
(segment (start 79.33 94.9) (end 78.73 95.5) (width 0.25) (layer "B.Cu") (net 51) (tstamp 16e0b56e-55ea-4a25-b000-00000000))
(segment (start 78.73 95.5) (end 78.1 95.5) (width 0.25) (layer "B.Cu") (net 51) (tstamp 39705b41-826b-4a25-b000-00000000))
(segment (start 77.8125 96.4) (end 77.8125 95.7875) (width 0.25) (layer "B.Cu") (net 51) (tstamp 6da4a881-4a25-b000-00000000))
(segment (start 118.8 84.8) (end 119.585 84.8) (width 0.15) (layer "F.Cu") (net 52) (tstamp 060a06a1-96f3-4a25-b000-00000000))
(segment (start 119.585 84.8) (end 119.6 84.815) (width 0.15) (layer "F.Cu") (net 52) (tstamp 35f56d73-4a25-b000-00000000))
(segment (start 121.1 84.4) (end 120.015 84.4) (width 0.15) (layer "F.Cu") (net 52) (tstamp 6f4eb0b9-29f3-4a25-b000-00000000))
(segment (start 120.015 84.4) (end 119.6 84.815) (width 0.15) (layer "F.Cu") (net 52) (tstamp ae4bde02-4a25-b000-00000000))
(via (at 118.8 84.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 52) (tstamp de81ccaf-a511-40ce-b000-00000000))
(segment (start 118.8 84.8) (end 120.615 84.8) (width 0.15) (layer "B.Cu") (net 52) (tstamp 8755e102-ae01-4a25-b000-00000000))
(segment (start 120.615 84.8) (end 120.8 84.615) (width 0.15) (layer "B.Cu") (net 52) (tstamp fd0a6af8-9a3f-4a25-b000-00000000))
(segment (start 58.515 81) (end 59 80.515) (width 0.15) (layer "F.Cu") (net 53) (tstamp 70f58d44-f401-4a25-b000-00000000))
(segment (start 57.7875 81) (end 58.515 81) (width 0.15) (layer "F.Cu") (net 53) (tstamp a8e23526-0b8f-4a25-b000-00000000))
(segment (start 57.7875 83) (end 58.515 83) (width 0.15) (layer "F.Cu") (net 54) (tstamp 0e67f9dd-f706-4a25-b000-00000000))
(segment (start 58.515 83) (end 59 82.515) (width 0.15) (layer "F.Cu") (net 54) (tstamp b9a7d8fb-6778-4a25-b000-00000000))
(segment (start 57.7875 85) (end 58.515 85) (width 0.15) (layer "F.Cu") (net 55) (tstamp 2a72a6a2-f5ff-4a25-b000-00000000))
(segment (start 58.515 85) (end 59 84.515) (width 0.15) (layer "F.Cu") (net 55) (tstamp 75790fc8-3787-4a25-b000-00000000))
(segment (start 58.515 87) (end 59 86.515) (width 0.15) (layer "F.Cu") (net 56) (tstamp 2831890c-73d1-4a25-b000-00000000))
(segment (start 57.7875 87) (end 58.515 87) (width 0.15) (layer "F.Cu") (net 56) (tstamp 5693accb-505e-4a25-b000-00000000))
(segment (start 98.8 95.8) (end 102.05 95.8) (width 0.15) (layer "F.Cu") (net 57) (tstamp 1ee2c6f2-1f21-4a25-b000-00000000))
(segment (start 98.4 96.2) (end 98.8 95.8) (width 0.15) (layer "F.Cu") (net 57) (tstamp 37ebe5d9-5af2-4a25-b000-00000000))
(segment (start 102.05 95.8) (end 102.4 96.15) (width 0.15) (layer "F.Cu") (net 57) (tstamp 50d9e2fa-8b01-4a25-b000-00000000))
(segment (start 102.4 96.15) (end 102.4 97.95) (width 0.15) (layer "F.Cu") (net 57) (tstamp 6af968e0-0c01-4a25-b000-00000000))
(segment (start 97.6 97.65) (end 98.05 97.65) (width 0.15) (layer "F.Cu") (net 57) (tstamp 71274434-a0b1-4a25-b000-00000000))
(segment (start 103.3 99.85) (end 103.3 98.85) (width 0.15) (layer "F.Cu") (net 57) (tstamp 885d35e7-56b1-4a25-b000-00000000))
(segment (start 97.05 97.55) (end 97.5 97.55) (width 0.15) (layer "F.Cu") (net 57) (tstamp 8b4a9519-634c-4a25-b000-00000000))
(segment (start 97.5 97.55) (end 97.6 97.65) (width 0.15) (layer "F.Cu") (net 57) (tstamp 8d2d5f06-82b6-4a25-b000-00000000))
(segment (start 103.3 98.85) (end 102.4 97.95) (width 0.15) (layer "F.Cu") (net 57) (tstamp 95834459-fa01-4a25-b000-00000000))
(segment (start 106.45 104.5) (end 106.45 103) (width 0.15) (layer "F.Cu") (net 57) (tstamp 9f6695a9-42a1-4a25-b000-00000000))
(segment (start 98.4 97.3) (end 98.4 96.2) (width 0.15) (layer "F.Cu") (net 57) (tstamp cf66cfa3-8a81-4a25-b000-00000000))
(segment (start 106.45 103) (end 103.3 99.85) (width 0.15) (layer "F.Cu") (net 57) (tstamp e930d1d7-2b61-4a25-b000-00000000))
(segment (start 98.05 97.65) (end 98.4 97.3) (width 0.15) (layer "F.Cu") (net 57) (tstamp f01b24d1-49b2-4a25-b000-00000000))
(segment (start 106.45 105.5) (end 106.45 106.05) (width 0.15) (layer "F.Cu") (net 58) (tstamp 044738a1-4a25-b000-00000000))
(segment (start 116.15 107.3) (end 116.7 107.85) (width 0.15) (layer "F.Cu") (net 58) (tstamp 0bf79e51-505e-4a25-b000-00000000))
(segment (start 114.15 106.5) (end 114.15 107.05) (width 0.15) (layer "F.Cu") (net 58) (tstamp 228b2916-4a25-b000-00000000))
(segment (start 104.95 109.57819) (end 106.9469 111.57509) (width 0.15) (layer "F.Cu") (net 58) (tstamp 499709a8-505e-4a25-b000-00000000))
(segment (start 116.7 107.85) (end 116.7 108.5) (width 0.15) (layer "F.Cu") (net 58) (tstamp 499709a8-505e-4a25-b000-00000000))

(segment (start 104.95 109.225) (end 104.95 109.57819) (width 0.15) (layer "F.Cu") (net 58) (tstamp 4d4
(segment (start 104.95 107.55) (end 104.95 108.075) (width 0.15) (layer "F.Cu") (net 58) (tstamp 5fa066
(segment (start 107.03728 111.5) (end 106.96219 111.57509) (width 0.15) (layer "F.Cu") (net 58) (tstamp
(segment (start 114.15 107.05) (end 114.4 107.3) (width 0.15) (layer "F.Cu") (net 58) (tstamp 9c2104d0-5
(segment (start 106.45 106.05) (end 104.95 107.55) (width 0.15) (layer "F.Cu") (net 58) (tstamp 9e5e378
(segment (start 104.95 108.075) (end 104.95 109.225) (width 0.15) (layer "F.Cu") (net 58) (tstamp c4f46
(segment (start 106.9469 111.57509) (end 106.96219 111.57509) (width 0.15) (layer "F.Cu") (net 58) (tst
(segment (start 111.16 111.5) (end 107.03728 111.5) (width 0.15) (layer "F.Cu") (net 58) (tstamp cea666
(segment (start 112.89 113.23) (end 111.16 111.5) (width 0.15) (layer "F.Cu") (net 58) (tstamp d05fc719
(segment (start 114.4 107.3) (end 116.15 107.3) (width 0.15) (layer "F.Cu") (net 58) (tstamp d920e551-2
(via (at 106.96219 111.57509) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 58) (tstamp e9dbc99f-9
(segment (start 113.9 111.3) (end 107.23728 111.3) (width 0.15) (layer "B.Cu") (net 58) (tstamp 18bda2e
(segment (start 107.23728 111.3) (end 106.96219 111.57509) (width 0.15) (layer "B.Cu") (net 58) (tstamp
(segment (start 116.7 108.5) (end 113.9 111.3) (width 0.15) (layer "B.Cu") (net 58) (tstamp 465d9597-ce
(segment (start 101.7 105.45) (end 101.7 105.145) (width 0.15) (layer "F.Cu") (net 59) (tstamp 33d3bb8e
(segment (start 101.05 105.95) (end 101.2 105.95) (width 0.15) (layer "F.Cu") (net 59) (tstamp 5b6279bf
(segment (start 101.2 105.95) (end 101.7 105.45) (width 0.15) (layer "F.Cu") (net 59) (tstamp 7adc3a1a-
(segment (start 101.7 105.145) (end 102.345 104.5) (width 0.15) (layer "F.Cu") (net 59) (tstamp e8ff420
(segment (start 99.45 107.75) (end 99.45 108.075) (width 0.15) (layer "F.Cu") (net 60) (tstamp 00134a9a
(segment (start 107.81 108.5) (end 108.91 107.4) (width 0.15) (layer "F.Cu") (net 60) (tstamp 0ad11f93-
(segment (start 110.15 106.95) (end 110.15 106.5) (width 0.15) (layer "F.Cu") (net 60) (tstamp 469c63b2
(segment (start 102.45 105.5) (end 102.45 105.85) (width 0.15) (layer "F.Cu") (net 60) (tstamp 508ae797
(segment (start 108.91 107.4) (end 109.7 107.4) (width 0.15) (layer "F.Cu") (net 60) (tstamp 693caa55-8
(segment (start 101.2 111.5) (end 96.84 111.5) (width 0.15) (layer "F.Cu") (net 60) (tstamp 7f27bbe8-19
(segment (start 101.6 106.7) (end 100.5 106.7) (width 0.15) (layer "F.Cu") (net 60) (tstamp 8c12c498-50
(segment (start 96.84 111.5) (end 95.11 113.23) (width 0.15) (layer "F.Cu") (net 60) (tstamp 8cc84d87-d
(segment (start 100.5 106.7) (end 99.45 107.75) (width 0.15) (layer "F.Cu") (net 60) (tstamp 96bbb370-f
(segment (start 99.45 108.075) (end 99.45 109.225) (width 0.15) (layer "F.Cu") (net 60) (tstamp 9f7c360
(segment (start 99.45 109.225) (end 99.45 109.75) (width 0.15) (layer "F.Cu") (net 60) (tstamp b4f47f6c
(segment (start 109.7 107.4) (end 110.15 106.95) (width 0.15) (layer "F.Cu") (net 60) (tstamp d302c226-
(segment (start 102.45 105.85) (end 101.6 106.7) (width 0.15) (layer "F.Cu") (net 60) (tstamp e5969bf7-
(segment (start 99.45 109.75) (end 101.2 111.5) (width 0.15) (layer "F.Cu") (net 60) (tstamp f0196d1f-9
(via (at 101.2 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 60) (tstamp 00000000-0000-0000
(segment (start 101.2 111.5) (end 103.500099 109.199901) (width 0.15) (layer "B.Cu") (net 60) (tstamp 5
(segment (start 103.500099 109.199901) (end 107.100099 109.199901) (width 0.15) (layer "B.Cu") (net 60)
(segment (start 107.8 108.5) (end 107.81 108.5) (width 0.15) (layer "B.Cu") (net 60) (tstamp eafcd9d94-a
(segment (start 107.100099 109.199901) (end 107.8 108.5) (width 0.15) (layer "B.Cu") (net 60) (tstamp f
(segment (start 105.95 102.924139) (end 103.000089 99.974227) (width 0.15) (layer "F.Cu") (net 61) (tsta
(segment (start 103.000089 99.974227) (end 103.000089 99.000089) (width 0.15) (layer "F.Cu") (net 61) (t
(segment (start 101.55 97.55) (end 101.05 97.55) (width 0.15) (layer "F.Cu") (net 61) (tstamp 961a3e11-
(segment (start 103.000089 99.000089) (end 101.55 97.55) (width 0.15) (layer "F.Cu") (net 61) (tstamp 9
(segment (start 105.95 104.5) (end 105.95 102.924139) (width 0.15) (layer "F.Cu") (net 61) (tstamp fc6f
(segment (start 102.700179 100.098455) (end 102.700179 99.150178) (width 0.15) (layer "F.Cu") (net 62)
(segment (start 105.45 102.848274) (end 102.700179 100.098455) (width 0.15) (layer "F.Cu") (net 62) (tsta
(segment (start 102.700179 99.150178) (end 102.05 98.5) (width 0.15) (layer "F.Cu") (net 62) (tstamp 2c
(segment (start 102.05 98.5) (end 98.9 98.5) (width 0.15) (layer "F.Cu") (net 62) (tstamp 8f8cf6db-9b6f
(segment (start 105.45 104.5) (end 105.45 102.848274) (width 0.15) (layer "F.Cu") (net 62) (tstamp 960c
(segment (start 98.4 100) (end 98.05 100.35) (width 0.15) (layer "F.Cu") (net 62) (tstamp 992c9a5c-7f06
(segment (start 98.9 98.5) (end 98.4 99) (width 0.15) (layer "F.Cu") (net 62) (tstamp a4517317-1a78-405f
(segment (start 98.4 99) (end 98.4 100) (width 0.15) (layer "F.Cu") (net 62) (tstamp af4dc03e-b610-4c57
(segment (start 98.05 100.35) (end 97.05 100.35) (width 0.15) (layer "F.Cu") (net 62) (tstamp dad76950-
(segment (start 104.95 102.772414) (end 102.527586 100.35) (width 0.15) (layer "F.Cu") (net 63) (tstamp
(segment (start 101.05 100.35) (end 102.527586 100.35) (width 0.15) (layer "F.Cu") (net 63) (tstamp 67c
(segment (start 104.95 104.5) (end 104.95 102.772414) (width 0.15) (layer "F.Cu") (net 63) (tstamp f683
(segment (start 102.05 101.25) (end 98.95 101.25) (width 0.15) (layer "F.Cu") (net 64) (tstamp 535d3215-
(segment (start 98.4 102.8) (end 98.05 103.15) (width 0.15) (layer "F.Cu") (net 64) (tstamp 66c038f1-22
(segment (start 103.95 103.15) (end 102.05 101.25) (width 0.15) (layer "F.Cu") (net 64) (tstamp 8ccdb88
(segment (start 98.05 103.15) (end 97.05 103.15) (width 0.15) (layer "F.Cu") (net 64) (tstamp 8eee05de-l
(segment (start 98.95 101.25) (end 98.4 101.8) (width 0.15) (layer "F.Cu") (net 64) (tstamp a8eab974-1c
(segment (start 103.95 104.5) (end 103.95 103.15) (width 0.15) (layer "F.Cu") (net 64) (tstamp c1198897
(segment (start 98.4 101.8) (end 98.4 102.8) (width 0.15) (layer "F.Cu") (net 64) (tstamp d5329e55-816e
(segment (start 103.45 104.15) (end 103.45 104.5) (width 0.15) (layer "F.Cu") (net 65) (tstamp 45e69d0d
(segment (start 102.45 103.15) (end 103.45 104.15) (width 0.15) (layer "F.Cu") (net 65) (tstamp 9ae47be
(segment (start 101.05 103.15) (end 102.45 103.15) (width 0.15) (layer "F.Cu") (net 65) (tstamp b32e7b1
(segment (start 98.4 105.65) (end 98.4 104.6) (width 0.15) (layer "F.Cu") (net 66) (tstamp 17cc9b62-4ca
(segment (start 99.4 103.6) (end 102.4 103.6) (width 0.15) (layer "F.Cu") (net 66) (tstamp 2098cc63-0ce
(segment (start 102.4 103.6) (end 102.95 104.15) (width 0.15) (layer "F.Cu") (net 66) (tstamp 3144b443-
(segment (start 97.05 105.95) (end 98.1 105.95) (width 0.15) (layer "F.Cu") (net 66) (tstamp 78d4b0e4-d

(segment (start 98.1 105.95) (end 98.4 105.65) (width 0.15) (layer "F.Cu") (net 66) (tstamp 83fe27bb-a1
(segment (start 102.95 104.15) (end 102.95 104.5) (width 0.15) (layer "F.Cu") (net 66) (tstamp 849733ab
(segment (start 98.4 104.6) (end 99.4 103.6) (width 0.15) (layer "F.Cu") (net 66) (tstamp 89529370-4fc4
(segment (start 114.275099 107.775099) (end 114.705099 107.775099) (width 0.15) (layer "F.Cu") (net 67)
(segment (start 104.45 107.55) (end 104.45 108.075) (width 0.15) (layer "F.Cu") (net 67) (tstamp 2182d0f
(segment (start 104.45 108.075) (end 104.45 109.225) (width 0.15) (layer "F.Cu") (net 67) (tstamp 29034f
(segment (start 110.35 113.28) (end 109.17 112.1) (width 0.15) (layer "F.Cu") (net 67) (tstamp 443c78cb
(segment (start 114.705099 107.775099) (end 114.930001 108.000001) (width 0.15) (layer "F.Cu") (net 67)
(segment (start 105.95 106.05) (end 104.45 107.55) (width 0.15) (layer "F.Cu") (net 67) (tstamp 85c9da4
(segment (start 106.694956 112.1) (end 106.147478 111.552522) (width 0.15) (layer "F.Cu") (net 67) (tsta
(segment (start 105.95 105.5) (end 105.95 106.05) (width 0.15) (layer "F.Cu") (net 67) (tstamp a39b9ed2
(segment (start 104.45 109.855044) (end 106.147478 111.552522) (width 0.15) (layer "F.Cu") (net 67) (ts
(segment (start 113.65 106.5) (end 113.65 107.15) (width 0.15) (layer "F.Cu") (net 67) (tstamp cbd3232a
(segment (start 113.65 107.15) (end 114.275099 107.775099) (width 0.15) (layer "F.Cu") (net 67) (tstamp
(segment (start 114.930001 108.000001) (end 115.43 108.5) (width 0.15) (layer "F.Cu") (net 67) (tstamp
(segment (start 109.17 112.1) (end 106.694956 112.1) (width 0.15) (layer "F.Cu") (net 67) (tstamp f37a4
(segment (start 104.45 109.225) (end 104.45 109.855044) (width 0.15) (layer "F.Cu") (net 67) (tstamp f8
(via (at 106.147478 111.552522) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 67) (tstamp 64731fe5
(segment (start 106.7 111) (end 106.147478 111.552522) (width 0.15) (layer "B.Cu") (net 67) (tstamp 097f
(segment (start 115.43 108.5) (end 112.93 111) (width 0.15) (layer "B.Cu") (net 67) (tstamp 2d4f46f5-42
(segment (start 112.93 111) (end 106.7 111) (width 0.15) (layer "B.Cu") (net 67) (tstamp c4ac7905-314c-
(segment (start 105.45 106.05) (end 103.95 107.55) (width 0.15) (layer "F.Cu") (net 68) (tstamp 1c80b53
(segment (start 103.95 109.225) (end 103.95 110.287128) (width 0.15) (layer "F.Cu") (net 68) (tstamp 1c
(segment (start 107.81 113.23) (end 106.892872 113.23) (width 0.15) (layer "F.Cu") (net 68) (tstamp 212
(segment (start 113.15 106.5) (end 113.15 107.49) (width 0.15) (layer "F.Cu") (net 68) (tstamp 35d4eb09
(segment (start 106.892872 113.23) (end 105.2 111.537128) (width 0.15) (layer "F.Cu") (net 68) (tstamp
(segment (start 105.45 105.5) (end 105.45 106.05) (width 0.15) (layer "F.Cu") (net 68) (tstamp ae4af497
(segment (start 103.95 108.075) (end 103.95 109.225) (width 0.15) (layer "F.Cu") (net 68) (tstamp df1ae
(segment (start 113.15 107.49) (end 114.16 108.5) (width 0.15) (layer "F.Cu") (net 68) (tstamp efbdf151
(segment (start 103.95 107.55) (end 103.95 108.075) (width 0.15) (layer "F.Cu") (net 68) (tstamp f336c3
(segment (start 103.95 110.287128) (end 105.2 111.537128) (width 0.15) (layer "F.Cu") (net 68) (tstamp
(via (at 105.2 111.537128) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 68) (tstamp 3d7e44e1-0237
(segment (start 111.96 110.7) (end 106.076311 110.7) (width 0.15) (layer "B.Cu") (net 68) (tstamp 5531a
(segment (start 106.076311 110.7) (end 105.239183 111.537128) (width 0.15) (layer "B.Cu") (net 68) (tsta
(segment (start 114.16 108.5) (end 111.96 110.7) (width 0.15) (layer "B.Cu") (net 68) (tstamp a98f52f2-
(segment (start 105.239183 111.537128) (end 105.2 111.537128) (width 0.15) (layer "B.Cu") (net 68) (tsta
(segment (start 103.45 110.55) (end 104.4 111.5) (width 0.15) (layer "F.Cu") (net 69) (tstamp 11da3eba-
(segment (start 104.95 105.5) (end 104.95 106.05) (width 0.15) (layer "F.Cu") (net 69) (tstamp 23a220aa
(segment (start 112.65 106.5) (end 112.65 108.26) (width 0.15) (layer "F.Cu") (net 69) (tstamp 50aeaf17
(segment (start 104.4 111.5) (end 104.4 112.36) (width 0.15) (layer "F.Cu") (net 69) (tstamp 6c97c0bf-6
(segment (start 104.95 106.05) (end 103.45 107.55) (width 0.15) (layer "F.Cu") (net 69) (tstamp 731c74b
(segment (start 103.45 108.075) (end 103.45 109.225) (width 0.15) (layer "F.Cu") (net 69) (tstamp a38e4
(segment (start 104.4 112.36) (end 105.27 113.23) (width 0.15) (layer "F.Cu") (net 69) (tstamp b0663c20
(segment (start 103.45 107.55) (end 103.45 108.075) (width 0.15) (layer "F.Cu") (net 69) (tstamp b49735
(segment (start 112.65 108.26) (end 112.89 108.5) (width 0.15) (layer "F.Cu") (net 69) (tstamp b9b3c81d
(segment (start 103.45 109.225) (end 103.45 110.55) (width 0.15) (layer "F.Cu") (net 69) (tstamp c9fce4
(via (at 104.4 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 69) (tstamp 29878974-6a63-4244
(segment (start 104.4 111.5) (end 105.5 110.4) (width 0.15) (layer "B.Cu") (net 69) (tstamp 167b7d78-c4
(segment (start 110.99 110.4) (end 112.89 108.5) (width 0.15) (layer "B.Cu") (net 69) (tstamp 4fc38c5d-
(segment (start 105.5 110.4) (end 110.99 110.4) (width 0.15) (layer "B.Cu") (net 69) (tstamp 8aec1774-e
(segment (start 100.45 108.075) (end 100.45 109.225) (width 0.15) (layer "F.Cu") (net 70) (tstamp 171a9
(segment (start 100.9 107.3) (end 102 107.3) (width 0.15) (layer "F.Cu") (net 70) (tstamp 321af3f5-ec8d
(segment (start 100.9 110.1) (end 101.4 110.1) (width 0.15) (layer "F.Cu") (net 70) (tstamp 404d5dad-d8
(segment (start 100.45 107.75) (end 100.9 107.3) (width 0.15) (layer "F.Cu") (net 70) (tstamp 6478982f-
(segment (start 111.15 107.7) (end 110.35 108.5) (width 0.15) (layer "F.Cu") (net 70) (tstamp 69e4ab86-
(segment (start 100.45 109.65) (end 100.9 110.1) (width 0.15) (layer "F.Cu") (net 70) (tstamp 78cbfbb1-
(segment (start 100.45 108.075) (end 100.45 107.75) (width 0.15) (layer "F.Cu") (net 70) (tstamp 814790
(segment (start 101.07 113.23) (end 100.19 113.23) (width 0.15) (layer "F.Cu") (net 70) (tstamp 9c14a0b
(segment (start 103.45 105.85) (end 103.45 105.5) (width 0.15) (layer "F.Cu") (net 70) (tstamp 9c47196d
(segment (start 101.4 110.1) (end 102.8 111.5) (width 0.15) (layer "F.Cu") (net 70) (tstamp 9d09005b-dd
(segment (start 111.15 106.5) (end 111.15 107.7) (width 0.15) (layer "F.Cu") (net 70) (tstamp e58c44d8-
(segment (start 102.8 111.5) (end 101.07 113.23) (width 0.15) (layer "F.Cu") (net 70) (tstamp ed435e88-
(segment (start 100.45 109.225) (end 100.45 109.65) (width 0.15) (layer "F.Cu") (net 70) (tstamp f2980c
(segment (start 102 107.3) (end 103.45 105.85) (width 0.15) (layer "F.Cu") (net 70) (tstamp fb9ba25d-61
(via (at 102.8 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 70) (tstamp 00000000-0000-0000
(segment (start 102.8 111.5) (end 104.500279 109.799721) (width 0.15) (layer "B.Cu") (net 70) (tstamp a
(segment (start 109.050279 109.799721) (end 110.35 108.5) (width 0.15) (layer "B.Cu") (net 70) (tstamp
(segment (start 104.500279 109.799721) (end 109.050279 109.799721) (width 0.15) (layer "B.Cu") (net 70)

(segment (start 103.6 112.36) (end 102.73 113.23) (width 0.15) (layer "F.Cu") (net 71) (tstamp 15e25bfb-
(segment (start 100.95 109.65) (end 101.1 109.8) (width 0.15) (layer "F.Cu") (net 71) (tstamp 416e5213-
(segment (start 103.6 111.5) (end 103.6 112.36) (width 0.15) (layer "F.Cu") (net 71) (tstamp 4a45419c-e
(segment (start 100.95 108.075) (end 100.95 109.225) (width 0.15) (layer "F.Cu") (net 71) (tstamp 6cf85
(segment (start 102.174569 107.60009) (end 103.95 105.824659) (width 0.15) (layer "F.Cu") (net 71) (tsta
(segment (start 101.1 109.8) (end 101.9 109.8) (width 0.15) (layer "F.Cu") (net 71) (tstamp 990856d4-ba
(segment (start 100.95 108.075) (end 100.95 107.75) (width 0.15) (layer "F.Cu") (net 71) (tstamp ac0506
(segment (start 103.95 105.824659) (end 103.95 105.5) (width 0.15) (layer "F.Cu") (net 71) (tstamp b725
(segment (start 111.65 106.5) (end 111.65 108.47) (width 0.15) (layer "F.Cu") (net 71) (tstamp c191a595
(segment (start 101.9 109.8) (end 103.6 111.5) (width 0.15) (layer "F.Cu") (net 71) (tstamp c4da8e1c-35
(segment (start 111.65 108.47) (end 111.62 108.5) (width 0.15) (layer "F.Cu") (net 71) (tstamp c74f2c89
(segment (start 100.95 107.75) (end 101.09991 107.60009) (width 0.15) (layer "F.Cu") (net 71) (tstamp f
(segment (start 100.95 109.225) (end 100.95 109.65) (width 0.15) (layer "F.Cu") (net 71) (tstamp f60792
(segment (start 101.09991 107.60009) (end 102.174569 107.60009) (width 0.15) (layer "F.Cu") (net 71) (t
(via (at 103.6 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 71) (tstamp 00000000-0000-0000
(segment (start 103.6 111.5) (end 105 110.1) (width 0.15) (layer "B.Cu") (net 71) (tstamp 526a2a0e-c68c
(segment (start 105 110.1) (end 110.02 110.1) (width 0.15) (layer "B.Cu") (net 71) (tstamp 7dea5bd7-fb7
(segment (start 110.02 110.1) (end 111.62 108.5) (width 0.15) (layer "B.Cu") (net 71) (tstamp c5c9ccaa-
(segment (start 100.9 110.4) (end 102 111.5) (width 0.15) (layer "F.Cu") (net 72) (tstamp 05e25bb8-50ca
(segment (start 98.78 112.1) (end 97.65 113.23) (width 0.15) (layer "F.Cu") (net 72) (tstamp 1029a904-4
(segment (start 110.65 106.93) (end 109.579999 108.000001) (width 0.15) (layer "F.Cu") (net 72) (tstamp
(segment (start 102.95 105.85) (end 102.95 105.5) (width 0.15) (layer "F.Cu") (net 72) (tstamp 1ca5dc54
(segment (start 99.95 107.75) (end 100.7 107) (width 0.15) (layer "F.Cu") (net 72) (tstamp 27391791-d80
(segment (start 99.95 108.075) (end 99.95 107.75) (width 0.15) (layer "F.Cu") (net 72) (tstamp 29f08c34
(segment (start 99.95 109.65) (end 100.7 110.4) (width 0.15) (layer "F.Cu") (net 72) (tstamp 41e61779-1
(segment (start 101.4 112.1) (end 98.78 112.1) (width 0.15) (layer "F.Cu") (net 72) (tstamp 4e837274-89
(segment (start 100.7 110.4) (end 100.9 110.4) (width 0.15) (layer "F.Cu") (net 72) (tstamp 54a84a6c-ae
(segment (start 99.95 108.075) (end 99.95 109.225) (width 0.15) (layer "F.Cu") (net 72) (tstamp 6bd080fc-
(segment (start 109.579999 108.000001) (end 109.08 108.5) (width 0.15) (layer "F.Cu") (net 72) (tstamp
(segment (start 102 111.5) (end 101.4 112.1) (width 0.15) (layer "F.Cu") (net 72) (tstamp 9624e933-35e4
(segment (start 99.95 109.225) (end 99.95 109.65) (width 0.15) (layer "F.Cu") (net 72) (tstamp 9fd440ef
(segment (start 100.7 107) (end 101.8 107) (width 0.15) (layer "F.Cu") (net 72) (tstamp a5dc077b-f1fe-4
(segment (start 101.8 107) (end 102.95 105.85) (width 0.15) (layer "F.Cu") (net 72) (tstamp ca3e96c1-81
(segment (start 110.65 106.5) (end 110.65 106.93) (width 0.15) (layer "F.Cu") (net 72) (tstamp dd6a6be2
(via (at 102 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 72) (tstamp 00000000-0000-0000-0
(segment (start 102 111.5) (end 104 109.5) (width 0.15) (layer "B.Cu") (net 72) (tstamp 28c6fe61-ee52-4
(segment (start 108.08 109.5) (end 109.08 108.5) (width 0.15) (layer "B.Cu") (net 72) (tstamp 48b54bc4-
(segment (start 104 109.5) (end 108.08 109.5) (width 0.15) (layer "B.Cu") (net 72) (tstamp 7f6afd03-592
(segment (start 99.881792 83.9) (end 99.882306 83.899486) (width 0.15) (layer "F.Cu") (net 73) (tstamp
(segment (start 101.8 85.955) (end 102.345 86.5) (width 0.15) (layer "F.Cu") (net 73) (tstamp 299094a4-
(segment (start 98.374901 86.051953) (end 98.374901 84.525099) (width 0.15) (layer "F.Cu") (net 73) (ts
(segment (start 100.799486 83.899486) (end 101.8 84.9) (width 0.15) (layer "F.Cu") (net 73) (tstamp 5b9
(segment (start 97.05 86.35) (end 98.076854 86.35) (width 0.15) (layer "F.Cu") (net 73) (tstamp 75d515d
(segment (start 101.8 84.9) (end 101.8 85.955) (width 0.15) (layer "F.Cu") (net 73) (tstamp a4ad0d87-87
(segment (start 98.374901 84.525099) (end 99 83.9) (width 0.15) (layer "F.Cu") (net 73) (tstamp ba2435b
(segment (start 99 83.9) (end 99.881792 83.9) (width 0.15) (layer "F.Cu") (net 73) (tstamp c61ddd97-624
(segment (start 99.882306 83.899486) (end 100.799486 83.899486) (width 0.15) (layer "F.Cu") (net 73) (t
(segment (start 98.076854 86.35) (end 98.374901 86.051953) (width 0.15) (layer "F.Cu") (net 73) (tstamp
(segment (start 101.2 79.5) (end 96.84 79.5) (width 0.15) (layer "F.Cu") (net 74) (tstamp 00000000-0000
(segment (start 96.84 79.5) (end 95.11 77.77) (width 0.15) (layer "F.Cu") (net 74) (tstamp 00000000-0000
(segment (start 100.95 83.45) (end 100.95 82.925) (width 0.15) (layer "F.Cu") (net 74) (tstamp 2220c2da
(segment (start 100.95 81.775) (end 100.95 79.75) (width 0.15) (layer "F.Cu") (net 74) (tstamp 22fe8ef3
(segment (start 102.45 84.95) (end 100.95 83.45) (width 0.15) (layer "F.Cu") (net 74) (tstamp 25fb4309-
(segment (start 100.95 81.775) (end 100.95 82.925) (width 0.15) (layer "F.Cu") (net 74) (tstamp 4772990
(segment (start 100.95 79.75) (end 101.2 79.5) (width 0.15) (layer "F.Cu") (net 74) (tstamp 49b72934-c8
(segment (start 109.11 83.8) (end 109.8 83.8) (width 0.15) (layer "F.Cu") (net 74) (tstamp 53a57caf-cd2
(segment (start 107.81 82.5) (end 109.11 83.8) (width 0.15) (layer "F.Cu") (net 74) (tstamp 6b90c14d-99
(segment (start 110.15 84.15) (end 110.15 84.5) (width 0.15) (layer "F.Cu") (net 74) (tstamp 80d8a69d-a
(segment (start 102.45 85.5) (end 102.45 84.95) (width 0.15) (layer "F.Cu") (net 74) (tstamp f7eca052-2
(segment (start 109.8 83.8) (end 110.15 84.15) (width 0.15) (layer "F.Cu") (net 74) (tstamp fc58965e-dea
(via (at 101.2 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 74) (tstamp 00000000-0000-0000-0
(segment (start 101.2 79.5) (end 103.566982 81.866982) (width 0.15) (layer "B.Cu") (net 74) (tstamp 1ef
(segment (start 107.166982 81.866982) (end 107.8 82.5) (width 0.15) (layer "B.Cu") (net 74) (tstamp b1b
(segment (start 103.566982 81.866982) (end 107.166982 81.866982) (width 0.15) (layer "B.Cu") (net 74) (t
(segment (start 106.45 88.45) (end 106.45 86.5) (width 0.15) (layer "F.Cu") (net 75) (tstamp 3c221df4-1
(segment (start 102.4 94.4) (end 102.4 92.5) (width 0.15) (layer "F.Cu") (net 75) (tstamp 548d8c30-9374
(segment (start 102.4 92.5) (end 106.45 88.45) (width 0.15) (layer "F.Cu") (net 75) (tstamp 8acc9c33-4f
(segment (start 102.05 94.75) (end 102.4 94.4) (width 0.15) (layer "F.Cu") (net 75) (tstamp 9eecf7ae-39

(segment (start 101.05 94.75) (end 102.05 94.75) (width 0.15) (layer "F.Cu") (net 75) (tstamp d5c752f9-
(segment (start 111.16 79.5) (end 112.89 77.77) (width 0.15) (layer "F.Cu") (net 76) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 106.8 79.5) (end 111.16 79.5) (width 0.15) (layer "F.Cu") (net 76) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 114.15 84.15) (end 114.4 83.9) (width 0.15) (layer "F.Cu") (net 76) (tstamp 196ca20d-1ca2-4b62-9228-101478900000)
(segment (start 106.45 81.775) (end 106.45 79.85) (width 0.15) (layer "F.Cu") (net 76) (tstamp 1c7d8610-4000-4000-8000-000000000000)
(segment (start 116.7 83.15) (end 116.7 82.5) (width 0.15) (layer "F.Cu") (net 76) (tstamp 53f2e6be-2acc-4000-8000-000000000000)
(segment (start 106.45 85.5) (end 106.45 82.925) (width 0.15) (layer "F.Cu") (net 76) (tstamp 72969689-4000-4000-8000-000000000000)
(segment (start 114.4 83.9) (end 115.95 83.9) (width 0.15) (layer "F.Cu") (net 76) (tstamp 7d6cd9b0-6f1a-4000-8000-000000000000)
(segment (start 106.45 82.925) (end 106.45 81.775) (width 0.15) (layer "F.Cu") (net 76) (tstamp 929d752f-4000-4000-8000-000000000000)
(segment (start 106.45 79.85) (end 106.8 79.5) (width 0.15) (layer "F.Cu") (net 76) (tstamp a3719e4b-67f1-4000-8000-000000000000)
(segment (start 115.95 83.9) (end 116.7 83.15) (width 0.15) (layer "F.Cu") (net 76) (tstamp b0bef90b-8c0a-4000-8000-000000000000)
(segment (start 114.15 84.5) (end 114.15 84.15) (width 0.15) (layer "F.Cu") (net 76) (tstamp efceef83-8a00-4000-8000-000000000000)
(via (at 106.8 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 76) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 113.9 79.7) (end 116.7 82.5) (width 0.15) (layer "B.Cu") (net 76) (tstamp 582d8e6b-9349-4000-8000-000000000000)
(segment (start 106.8 79.5) (end 107 79.7) (width 0.15) (layer "B.Cu") (net 76) (tstamp 9f4045e9-83b4-4000-8000-000000000000)
(segment (start 107 79.7) (end 113.9 79.7) (width 0.15) (layer "B.Cu") (net 76) (tstamp a749fd6b-0977-4000-8000-000000000000)
(segment (start 101.05 86.35) (end 101.15 86.35) (width 0.15) (layer "F.Cu") (net 77) (tstamp 0de759fb-4000-4000-8000-000000000000)
(segment (start 101.15 86.35) (end 101.80009 87.00009) (width 0.15) (layer "F.Cu") (net 77) (tstamp 4e3f1a70-4000-4000-8000-000000000000)
(segment (start 102.69991 87.00009) (end 102.95 86.75) (width 0.15) (layer "F.Cu") (net 77) (tstamp 6a704b70-4000-4000-8000-000000000000)
(segment (start 101.80009 87.00009) (end 102.69991 87.00009) (width 0.15) (layer "F.Cu") (net 77) (tstamp bcf5cf22-84d1-4000-8000-000000000000)
(segment (start 102.95 86.75) (end 102.95 86.5) (width 0.15) (layer "F.Cu") (net 77) (tstamp d4824a87-c000-4000-8000-000000000000)
(segment (start 103.45 87.05) (end 103.45 86.5) (width 0.15) (layer "F.Cu") (net 78) (tstamp 5da24cf2-6300-4000-8000-000000000000)
(segment (start 98.4 87.8) (end 98.9 87.3) (width 0.15) (layer "F.Cu") (net 78) (tstamp 8f432de6-319c-4000-8000-000000000000)
(segment (start 98.05 89.15) (end 98.4 88.8) (width 0.15) (layer "F.Cu") (net 78) (tstamp 910d4024-2a4a-4000-8000-000000000000)
(segment (start 97.05 89.15) (end 98.05 89.15) (width 0.15) (layer "F.Cu") (net 78) (tstamp ac186562-9c00-4000-8000-000000000000)
(segment (start 103.2 87.3) (end 103.45 87.05) (width 0.15) (layer "F.Cu") (net 78) (tstamp bcf5cf22-84d1-4000-8000-000000000000)
(segment (start 98.9 87.3) (end 103.2 87.3) (width 0.15) (layer "F.Cu") (net 78) (tstamp d62af05f-5139-4000-8000-000000000000)
(segment (start 98.4 88.8) (end 98.4 87.8) (width 0.15) (layer "F.Cu") (net 78) (tstamp e3c3d3c7-e290-4000-8000-000000000000)
(segment (start 103.95 87.85) (end 103.95 86.5) (width 0.15) (layer "F.Cu") (net 79) (tstamp b7f58058-0a00-4000-8000-000000000000)
(segment (start 101.05 89.15) (end 102.65 89.15) (width 0.15) (layer "F.Cu") (net 79) (tstamp c445f97d-4000-4000-8000-000000000000)
(segment (start 102.65 89.15) (end 103.95 87.85) (width 0.15) (layer "F.Cu") (net 79) (tstamp dbf25297-4000-4000-8000-000000000000)
(segment (start 98.05 91.95) (end 98.4 91.6) (width 0.15) (layer "F.Cu") (net 80) (tstamp 1f78ddb3-e78a-4000-8000-000000000000)
(segment (start 103.45 90.1) (end 104.95 88.6) (width 0.15) (layer "F.Cu") (net 80) (tstamp 635dfec0-3600-4000-8000-000000000000)
(segment (start 97.05 91.95) (end 98.05 91.95) (width 0.15) (layer "F.Cu") (net 80) (tstamp 73ad5d3c-6d00-4000-8000-000000000000)
(segment (start 98.9 90.1) (end 103.45 90.1) (width 0.15) (layer "F.Cu") (net 80) (tstamp 86d0cb85-4715-4000-8000-000000000000)
(segment (start 98.4 90.6) (end 98.9 90.1) (width 0.15) (layer "F.Cu") (net 80) (tstamp 8807ba5e-088b-4000-8000-000000000000)
(segment (start 98.4 91.6) (end 98.4 90.6) (width 0.15) (layer "F.Cu") (net 80) (tstamp d0dbd451-4509-4000-8000-000000000000)
(segment (start 104.95 88.6) (end 104.95 86.5) (width 0.15) (layer "F.Cu") (net 80) (tstamp e6adc360-f500-4000-8000-000000000000)
(segment (start 102.05 91.95) (end 101.05 91.95) (width 0.15) (layer "F.Cu") (net 81) (tstamp 05438898-4000-4000-8000-000000000000)
(segment (start 105.45 88.55) (end 105.45 86.5) (width 0.15) (layer "F.Cu") (net 81) (tstamp 7a1ac35c-8000-4000-8000-000000000000)
(segment (start 105.45 88.55) (end 102.05 91.95) (width 0.15) (layer "F.Cu") (net 81) (tstamp ef2b69aa-4000-4000-8000-000000000000)
(segment (start 101.55 92.9) (end 105.95 88.5) (width 0.15) (layer "F.Cu") (net 82) (tstamp 2cf16462-27f1-4000-8000-000000000000)
(segment (start 105.95 88.5) (end 105.95 86.5) (width 0.15) (layer "F.Cu") (net 82) (tstamp 49ff4b6a-7f00-4000-8000-000000000000)
(segment (start 98.4 93.4) (end 98.9 92.9) (width 0.15) (layer "F.Cu") (net 82) (tstamp 4de0dia5-5ece-4000-8000-000000000000)
(segment (start 98.9 92.9) (end 101.55 92.9) (width 0.15) (layer "F.Cu") (net 82) (tstamp 4faa193c-fac9-4000-8000-000000000000)
(segment (start 98.4 94.4) (end 98.4 93.4) (width 0.15) (layer "F.Cu") (net 82) (tstamp 893e3340-18bd-4000-8000-000000000000)
(segment (start 98.05 94.75) (end 98.4 94.4) (width 0.15) (layer "F.Cu") (net 82) (tstamp a7b0c5eb-d5aa-4000-8000-000000000000)
(segment (start 97.05 94.75) (end 98.05 94.75) (width 0.15) (layer "F.Cu") (net 82) (tstamp f4eb4b62-9228-4000-8000-000000000000)
(segment (start 101.4 78.9) (end 98.78 78.9) (width 0.15) (layer "F.Cu") (net 83) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 102 79.5) (end 101.4 78.9) (width 0.15) (layer "F.Cu") (net 83) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 98.78 78.9) (end 97.65 77.77) (width 0.15) (layer "F.Cu") (net 83) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 101.45 81.775) (end 101.45 82.925) (width 0.15) (layer "F.Cu") (net 83) (tstamp 303aeba0-4000-4000-8000-000000000000)
(segment (start 102.95 85.5) (end 102.95 84.95) (width 0.15) (layer "F.Cu") (net 83) (tstamp 39fdb5dc-6000-4000-8000-000000000000)
(segment (start 102.95 84.95) (end 101.45 83.45) (width 0.15) (layer "F.Cu") (net 83) (tstamp 4fd36c1e-f000-4000-8000-000000000000)
(segment (start 101.45 80.05) (end 102 79.5) (width 0.15) (layer "F.Cu") (net 83) (tstamp 56f7cfff-6708-4000-8000-000000000000)
(segment (start 110.65 84.07) (end 109.08 82.5) (width 0.15) (layer "F.Cu") (net 83) (tstamp 6f9fe6d3-5f00-4000-8000-000000000000)
(segment (start 101.45 81.775) (end 101.45 80.05) (width 0.15) (layer "F.Cu") (net 83) (tstamp 75311b8c-4000-4000-8000-000000000000)
(segment (start 110.65 84.5) (end 110.65 84.07) (width 0.15) (layer "F.Cu") (net 83) (tstamp b6e349e2-8000-4000-8000-000000000000)
(segment (start 101.45 83.45) (end 101.45 82.925) (width 0.15) (layer "F.Cu") (net 83) (tstamp f68e048c-4000-4000-8000-000000000000)
(via (at 102 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 83) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 108.217071 81.567071) (end 104.067071 81.567071) (width 0.15) (layer "B.Cu") (net 83) (tstamp 99f44b6a-7f00-4000-8000-000000000000)
(segment (start 103.150089 80.650089) (end 102 79.5) (width 0.15) (layer "B.Cu") (net 83) (tstamp bf33c000-4000-4000-8000-000000000000)
(segment (start 109.08 82.43) (end 108.217071 81.567071) (width 0.15) (layer "B.Cu") (net 83) (tstamp e0000000-0000-0000-0000-000000000000)
(segment (start 104.067071 81.567071) (end 103.150089 80.650089) (width 0.15) (layer "B.Cu") (net 83) (tstamp 99f44b6a-7f00-4000-8000-000000000000)
(segment (start 109.08 82.5) (end 109.08 82.43) (width 0.15) (layer "B.Cu") (net 83) (tstamp eb833d39-4000-4000-8000-000000000000)
(segment (start 102.8 79.5) (end 101.07 77.77) (width 0.15) (layer "F.Cu") (net 84) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 101.07 77.77) (end 100.19 77.77) (width 0.15) (layer "F.Cu") (net 84) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 101.95 81.775) (end 101.95 80.35) (width 0.15) (layer "F.Cu") (net 84) (tstamp 30b54c12-4000-4000-8000-000000000000)

(segment (start 111.15 83.25) (end 110.4 82.5) (width 0.15) (layer "F.Cu") (net 84) (tstamp 69a74f7f-8b
(segment (start 101.95 80.35) (end 102.8 79.5) (width 0.15) (layer "F.Cu") (net 84) (tstamp 70aca038-ba
(segment (start 103.45 85.5) (end 103.45 84.95) (width 0.15) (layer "F.Cu") (net 84) (tstamp adfa9e7f-d
(segment (start 101.95 81.775) (end 101.95 82.925) (width 0.15) (layer "F.Cu") (net 84) (tstamp da0f1e7
(segment (start 110.4 82.5) (end 110.35 82.5) (width 0.15) (layer "F.Cu") (net 84) (tstamp ded40ac7-f95
(segment (start 111.15 84.5) (end 111.15 83.25) (width 0.15) (layer "F.Cu") (net 84) (tstamp e049d3db-2
(segment (start 101.95 83.45) (end 101.95 82.925) (width 0.15) (layer "F.Cu") (net 84) (tstamp e2394773
(segment (start 103.45 84.95) (end 101.95 83.45) (width 0.15) (layer "F.Cu") (net 84) (tstamp fd2f6f58-
(via (at 102.8 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 84) (tstamp 00000000-0000-0000-
(segment (start 102.8 79.5) (end 104.56716 81.26716) (width 0.15) (layer "B.Cu") (net 84) (tstamp 74ceff
(segment (start 104.56716 81.26716) (end 109.11716 81.26716) (width 0.15) (layer "B.Cu") (net 84) (tsta
(segment (start 109.11716 81.26716) (end 110.35 82.5) (width 0.15) (layer "B.Cu") (net 84) (tstamp 94c386
(segment (start 103.6 79.5) (end 103.6 78.64) (width 0.15) (layer "F.Cu") (net 85) (tstamp 00000000-000
(segment (start 103.6 78.64) (end 102.73 77.77) (width 0.15) (layer "F.Cu") (net 85) (tstamp 00000000-0
(segment (start 102.45 83.45) (end 102.45 82.925) (width 0.15) (layer "F.Cu") (net 85) (tstamp 013f4791
(segment (start 102.45 80.65) (end 103.6 79.5) (width 0.15) (layer "F.Cu") (net 85) (tstamp 3c5be78a-bc
(segment (start 111.65 82.53) (end 111.62 82.5) (width 0.15) (layer "F.Cu") (net 85) (tstamp 53df6791-1
(segment (start 103.95 85.5) (end 103.95 84.95) (width 0.15) (layer "F.Cu") (net 85) (tstamp 570b60b8-0
(segment (start 102.45 81.775) (end 102.45 82.925) (width 0.15) (layer "F.Cu") (net 85) (tstamp 6f851fa
(segment (start 103.95 84.95) (end 102.45 83.45) (width 0.15) (layer "F.Cu") (net 85) (tstamp 99c7b264-
(segment (start 111.65 84.5) (end 111.65 82.53) (width 0.15) (layer "F.Cu") (net 85) (tstamp ccf7d377-0
(segment (start 102.45 81.775) (end 102.45 80.65) (width 0.15) (layer "F.Cu") (net 85) (tstamp fbe00198
(via (at 103.6 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 85) (tstamp 00000000-0000-0000-
(segment (start 103.6 79.5) (end 105.05 80.95) (width 0.15) (layer "B.Cu") (net 85) (tstamp 1cdf10c1-29
(segment (start 105.05 80.95) (end 110.07 80.95) (width 0.15) (layer "B.Cu") (net 85) (tstamp a7f54f49-
(segment (start 110.07 80.95) (end 111.62 82.5) (width 0.15) (layer "B.Cu") (net 85) (tstamp da07fd67-4
(segment (start 106.93 77.77) (end 107.81 77.77) (width 0.15) (layer "F.Cu") (net 86) (tstamp 00000000-
(segment (start 105.2 79.5) (end 106.93 77.77) (width 0.15) (layer "F.Cu") (net 86) (tstamp 00000000-00
(segment (start 114 82.5) (end 114.16 82.5) (width 0.15) (layer "F.Cu") (net 86) (tstamp 1cfe5d1d-464b-
(segment (start 113.15 83.35) (end 114 82.5) (width 0.15) (layer "F.Cu") (net 86) (tstamp 2bf9d33f-51a3-
(segment (start 105.45 82.925) (end 105.45 81.775) (width 0.15) (layer "F.Cu") (net 86) (tstamp 71b2b12
(segment (start 113.15 84.5) (end 113.15 83.35) (width 0.15) (layer "F.Cu") (net 86) (tstamp 9ecd3d22-c
(segment (start 105.45 81.775) (end 105.45 79.75) (width 0.15) (layer "F.Cu") (net 86) (tstamp c50d1906
(segment (start 105.45 79.75) (end 105.2 79.5) (width 0.15) (layer "F.Cu") (net 86) (tstamp d282b3f4-21
(segment (start 105.45 85.5) (end 105.45 82.925) (width 0.15) (layer "F.Cu") (net 86) (tstamp f44127ec-
(via (at 105.2 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 86) (tstamp 00000000-0000-0000-
(segment (start 106.024811 80.324811) (end 111.984811 80.324811) (width 0.15) (layer "B.Cu") (net 86) (t
(segment (start 111.984811 80.324811) (end 114.16 82.5) (width 0.15) (layer "B.Cu") (net 86) (tstamp c3
(segment (start 105.2 79.5) (end 106.024811 80.324811) (width 0.15) (layer "B.Cu") (net 86) (tstamp e46
(segment (start 104.4 79.5) (end 104.4 78.64) (width 0.15) (layer "F.Cu") (net 87) (tstamp 00000000-000
(segment (start 104.4 78.64) (end 105.27 77.77) (width 0.15) (layer "F.Cu") (net 87) (tstamp 00000000-0
(segment (start 112.65 82.74) (end 112.89 82.5) (width 0.15) (layer "F.Cu") (net 87) (tstamp 29d60519-3
(segment (start 104.95 85.5) (end 104.95 82.925) (width 0.15) (layer "F.Cu") (net 87) (tstamp 2fd2e1f0-
(segment (start 112.65 84.5) (end 112.65 82.74) (width 0.15) (layer "F.Cu") (net 87) (tstamp 5fa3620d-2
(segment (start 104.95 81.775) (end 104.95 80.05) (width 0.15) (layer "F.Cu") (net 87) (tstamp 67b5f662
(segment (start 104.95 82.925) (end 104.95 81.775) (width 0.15) (layer "F.Cu") (net 87) (tstamp 7bf8b58
(segment (start 104.95 80.05) (end 104.4 79.5) (width 0.15) (layer "F.Cu") (net 87) (tstamp b74636e1-ee
(via (at 104.4 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 87) (tstamp 00000000-0000-0000-
(segment (start 105.524721 80.624721) (end 111.014721 80.624721) (width 0.15) (layer "B.Cu") (net 87) (t
(segment (start 111.014721 80.624721) (end 112.89 82.5) (width 0.15) (layer "B.Cu") (net 87) (tstamp b1
(segment (start 104.4 79.5) (end 105.524721 80.624721) (width 0.15) (layer "B.Cu") (net 87) (tstamp d00
(segment (start 105.95 85.5) (end 105.95 82.925) (width 0.15) (layer "F.Cu") (net 88) (tstamp 1a852559-
(segment (start 110.35 77.77) (end 109.22 78.9) (width 0.15) (layer "F.Cu") (net 88) (tstamp 1b6a2713-3
(segment (start 113.65 84.5) (end 113.65 84.05) (width 0.15) (layer "F.Cu") (net 88) (tstamp 3f082c47-4
(segment (start 114.930001 82.999999) (end 115.43 82.5) (width 0.15) (layer "F.Cu") (net 88) (tstamp 86
(segment (start 109.22 78.9) (end 106.557664 78.9) (width 0.15) (layer "F.Cu") (net 88) (tstamp 914583d
(segment (start 105.95 82.925) (end 105.95 81.775) (width 0.15) (layer "F.Cu") (net 88) (tstamp 9768ea9
(segment (start 105.95 81.775) (end 105.95 79.507664) (width 0.15) (layer "F.Cu") (net 88) (tstamp c28b
(segment (start 114.700001 82.999999) (end 114.930001 82.999999) (width 0.15) (layer "F.Cu") (net 88) (t
(segment (start 105.95 79.507664) (end 105.981323 79.476341) (width 0.15) (layer "F.Cu") (net 88) (tsta
(segment (start 106.557664 78.9) (end 105.981323 79.476341) (width 0.15) (layer "F.Cu") (net 88) (tstamp
(segment (start 113.65 84.05) (end 114.700001 82.999999) (width 0.15) (layer "F.Cu") (net 88) (tstamp f
(via (at 105.981323 79.476341) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 88) (tstamp 224b4746-
(segment (start 106.529883 80.024901) (end 105.981323 79.476341) (width 0.15) (layer "B.Cu") (net 88) (t
(segment (start 115.43 82.5) (end 112.954901 80.024901) (width 0.15) (layer "B.Cu") (net 88) (tstamp 91
(segment (start 112.954901 80.024901) (end 106.529883 80.024901) (width 0.15) (layer "B.Cu") (net 88) (t
(segment (start 83.7 99.5) (end 83.7 100.9) (width 0.15) (layer "F.Cu") (net 89) (tstamp 7f24ea2c-80ba-
(segment (start 88.45 105.65) (end 90.3 105.65) (width 0.15) (layer "F.Cu") (net 89) (tstamp 907688b9-8

(segment (start 83.7 100.9) (end 88.45 105.65) (width 0.15) (layer "F.Cu") (net 89) (tstamp f8a06b75-243
(segment (start 84.5 100.047974) (end 85.375547 100.923521) (width 0.15) (layer "F.Cu") (net 90) (tstamp
(segment (start 84.5 99.5) (end 84.5 100.047974) (width 0.15) (layer "F.Cu") (net 90) (tstamp 22513767-
(segment (start 88.474138 105.15) (end 90.3 105.15) (width 0.15) (layer "F.Cu") (net 90) (tstamp 60b3833
(segment (start 85.375547 100.923521) (end 85.375547 102.051409) (width 0.15) (layer "F.Cu") (net 90) (t
(segment (start 85.375547 102.051409) (end 88.474138 105.15) (width 0.15) (layer "F.Cu") (net 90) (tsta
(segment (start 88.398276 104.65) (end 90.3 104.65) (width 0.15) (layer "F.Cu") (net 91) (tstamp 29a854
(segment (start 85.675458 101.927182) (end 88.398276 104.65) (width 0.15) (layer "F.Cu") (net 91) (tsta
(segment (start 84.5 98.7) (end 84.9 99.1) (width 0.15) (layer "F.Cu") (net 91) (tstamp 4b1b8251-3263-4
(segment (start 85.675458 100.575458) (end 85.675458 101.927182) (width 0.15) (layer "F.Cu") (net 91) (t
(segment (start 84.9 99.1) (end 84.9 99.8) (width 0.15) (layer "F.Cu") (net 91) (tstamp a88d13e6-89dc-4
(segment (start 84.9 99.8) (end 85.675458 100.575458) (width 0.15) (layer "F.Cu") (net 91) (tstamp aa1a
(segment (start 85.975369 101.802955) (end 85.975369 100.451231) (width 0.15) (layer "F.Cu") (net 92) (t
(segment (start 87.822414 103.65) (end 90.3 103.65) (width 0.15) (layer "F.Cu") (net 92) (tstamp 65f0fd
(segment (start 85.975369 100.451231) (end 85.3 99.775862) (width 0.15) (layer "F.Cu") (net 92) (tstamp
(segment (start 87.822414 103.65) (end 85.975369 101.802955) (width 0.15) (layer "F.Cu") (net 92) (tsta
(segment (start 85.3 99.775862) (end 85.3 99.5) (width 0.15) (layer "F.Cu") (net 92) (tstamp 827ef022-8
(segment (start 85.7 99.1) (end 85.7 99.7) (width 0.15) (layer "F.Cu") (net 93) (tstamp 2fff78a7-dfbc-4
(segment (start 86.275279 100.275279) (end 86.275279 101.625279) (width 0.15) (layer "F.Cu") (net 93) (t
(segment (start 85.7 99.7) (end 86.275279 100.275279) (width 0.15) (layer "F.Cu") (net 93) (tstamp 8175
(segment (start 87.8 103.15) (end 90.3 103.15) (width 0.15) (layer "F.Cu") (net 93) (tstamp 8d8be9e8-85
(segment (start 86.275279 101.625279) (end 87.8 103.15) (width 0.15) (layer "F.Cu") (net 93) (tstamp 90
(segment (start 85.3 98.7) (end 85.7 99.1) (width 0.15) (layer "F.Cu") (net 93) (tstamp e81eb9cd-c8ee-4
(segment (start 86.575189 101.425189) (end 87.8 102.65) (width 0.15) (layer "F.Cu") (net 94) (tstamp 30
(segment (start 86.575189 99.975189) (end 86.575189 101.425189) (width 0.15) (layer "F.Cu") (net 94) (t
(segment (start 86.1 99.5) (end 86.575189 99.975189) (width 0.15) (layer "F.Cu") (net 94) (tstamp 8d64c
(segment (start 87.8 102.65) (end 90.3 102.65) (width 0.15) (layer "F.Cu") (net 94) (tstamp bb1ae5b9-b1
(segment (start 88.35 106.15) (end 90.3 106.15) (width 0.15) (layer "F.Cu") (net 95) (tstamp 36f4fb76-5
(segment (start 83.300099 101.100099) (end 88.35 106.15) (width 0.15) (layer "F.Cu") (net 95) (tstamp 7
(segment (start 83.300099 99.099901) (end 83.300099 101.100099) (width 0.15) (layer "F.Cu") (net 95) (t
(segment (start 83.7 98.7) (end 83.300099 99.099901) (width 0.15) (layer "F.Cu") (net 95) (tstamp b61de
(segment (start 87.8 102.15) (end 90.3 102.15) (width 0.15) (layer "F.Cu") (net 96) (tstamp 1005a649-c3
(segment (start 86.875097 101.225097) (end 87.8 102.15) (width 0.15) (layer "F.Cu") (net 96) (tstamp 38
(segment (start 86.9 99.5) (end 86.875097 99.524903) (width 0.15) (layer "F.Cu") (net 96) (tstamp 8986b
(segment (start 86.875097 99.524903) (end 86.875097 101.225097) (width 0.15) (layer "F.Cu") (net 96) (t
(segment (start 89.65 89.55) (end 90.3 89.55) (width 0.15) (layer "F.Cu") (net 97) (tstamp 1bd80997-05f
(segment (start 87.7 91.5) (end 89.65 89.55) (width 0.15) (layer "F.Cu") (net 97) (tstamp 55c6f13c-d3e4
(segment (start 90.3 93.55) (end 89.4 93.55) (width 0.15) (layer "F.Cu") (net 98) (tstamp 00363113-a6d7
(segment (start 88.25 94.7) (end 87.7 94.7) (width 0.15) (layer "F.Cu") (net 98) (tstamp 1a784f00-f444-
(segment (start 89.4 93.55) (end 88.25 94.7) (width 0.15) (layer "F.Cu") (net 98) (tstamp 9a80421d-367e
(segment (start 87.7 92.3) (end 88.099901 91.900099) (width 0.15) (layer "F.Cu") (net 99) (tstamp 864da
(segment (start 88.099901 91.550099) (end 89.6 90.05) (width 0.15) (layer "F.Cu") (net 99) (tstamp b2f2
(segment (start 88.099901 91.900099) (end 88.099901 91.550099) (width 0.15) (layer "F.Cu") (net 99) (ts
(segment (start 89.6 90.05) (end 90.3 90.05) (width 0.15) (layer "F.Cu") (net 99) (tstamp d718da73-f03c
(segment (start 88.4 91.75) (end 89.6 90.55) (width 0.15) (layer "F.Cu") (net 100) (tstamp 04acd64b-cf0
(segment (start 86.9 93.1) (end 87.300099 92.699901) (width 0.15) (layer "F.Cu") (net 100) (tstamp 21d5
(segment (start 88.4 92.191854) (end 88.4 91.75) (width 0.15) (layer "F.Cu") (net 100) (tstamp 7e06e9ea
(segment (start 89.6 90.55) (end 90.3 90.55) (width 0.15) (layer "F.Cu") (net 100) (tstamp 9734a0c5-027
(segment (start 87.891953 92.699901) (end 88.4 92.191854) (width 0.15) (layer "F.Cu") (net 100) (tstamp
(segment (start 87.300099 92.699901) (end 87.891953 92.699901) (width 0.15) (layer "F.Cu") (net 100) (t
(segment (start 88.704812 91.945188) (end 89.6 91.05) (width 0.15) (layer "F.Cu") (net 101) (tstamp 618
(segment (start 87.7 93.1) (end 87.95 93.1) (width 0.15) (layer "F.Cu") (net 101) (tstamp 90cdf938-3262
(segment (start 89.6 91.05) (end 90.3 91.05) (width 0.15) (layer "F.Cu") (net 101) (tstamp a264d5b4-106
(segment (start 87.95 93.1) (end 88.704812 92.345188) (width 0.15) (layer "F.Cu") (net 101) (tstamp e3b
(segment (start 88.704812 92.345188) (end 88.704812 91.945188) (width 0.15) (layer "F.Cu") (net 101) (ts
(segment (start 89.6 94.15) (end 89.25 94.15) (width 0.15) (layer "F.Cu") (net 102) (tstamp 2445d4d4-bd
(segment (start 89.25 94.15) (end 88.3 95.1) (width 0.15) (layer "F.Cu") (net 102) (tstamp 40ff80ff-a07
(segment (start 87.3 95.1) (end 86.9 95.5) (width 0.15) (layer "F.Cu") (net 102) (tstamp 4fd22523-aa49-
(segment (start 88.3 95.1) (end 87.3 95.1) (width 0.15) (layer "F.Cu") (net 102) (tstamp 9fe68bc0-001d-
(segment (start 86.9 94.7) (end 87.3 95.1) (width 0.15) (layer "F.Cu") (net 102) (tstamp b39fdd8c-66d7-
(segment (start 90.3 92.05) (end 89.55 92.05) (width 0.15) (layer "F.Cu") (net 102) (tstamp c4f005d7-49
(segment (start 89.55 92.05) (end 89.5 92) (width 0.15) (layer "F.Cu") (net 102) (tstamp fa7307cb-2d68-
(via (at 89.6 94.15) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 102) (tstamp 3c6bc199-c040-413b
(via (at 89.5 92) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 102) (tstamp d9b9d2b0-64bb-4145-bf2f
(segment (start 89.6 94.15) (end 89.5 94.05) (width 0.15) (layer "B.Cu") (net 102) (tstamp 20d40879-385
(segment (start 89.5 94.05) (end 89.5 92) (width 0.15) (layer "B.Cu") (net 102) (tstamp 3b557d22-c339-4
(segment (start 88.6 93.9) (end 89.95 92.55) (width 0.15) (layer "F.Cu") (net 103) (tstamp a22e3f9b-fde
(segment (start 89.95 92.55) (end 90.3 92.55) (width 0.15) (layer "F.Cu") (net 103) (tstamp dae65b17-000

(segment (start 87.7 93.9) (end 88.6 93.9) (width 0.15) (layer "F.Cu") (net 103) (tstamp f7eeb1ec-8c0c-
(segment (start 90.55 93.05) (end 90.3 93.05) (width 0.15) (layer "F.Cu") (net 104) (tstamp 14d0436c-71
(segment (start 90.8 94.1) (end 90.8 93.3) (width 0.15) (layer "F.Cu") (net 104) (tstamp 19fc17b4-a463-
(segment (start 87.7 95.5) (end 86.9 96.3) (width 0.15) (layer "F.Cu") (net 104) (tstamp 4f99d517-f95d-
(segment (start 90.8 93.3) (end 90.55 93.05) (width 0.15) (layer "F.Cu") (net 104) (tstamp 655d1a4e-ea6
(segment (start 89.15 94.7) (end 90.2 94.7) (width 0.15) (layer "F.Cu") (net 104) (tstamp 92c9a277-59d0
(segment (start 90.2 94.7) (end 90.8 94.1) (width 0.15) (layer "F.Cu") (net 104) (tstamp af46ec77-a168
(segment (start 88.35 95.5) (end 89.15 94.7) (width 0.15) (layer "F.Cu") (net 104) (tstamp b27d424d-a3f
(segment (start 87.7 95.5) (end 88.35 95.5) (width 0.15) (layer "F.Cu") (net 104) (tstamp d352489b-a7d1
(segment (start 59.7 102) (end 59.485 102) (width 0.15) (layer "F.Cu") (net 105) (tstamp 11325e60-85c4-
(segment (start 59.485 102) (end 59 101.515) (width 0.15) (layer "F.Cu") (net 105) (tstamp a0fbcd88-6bf
(segment (start 82.9 97.9) (end 82.5 98.3) (width 0.15) (layer "F.Cu") (net 105) (tstamp df9c86f0-b076-
(via (at 82.5 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 105) (tstamp 336b1018-5149-4993-
(via (at 59.7 102) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 105) (tstamp f6785e21-1e01-460a-b
(segment (start 79.151813 103.49991) (end 82.5 100.151723) (width 0.15) (layer "B.Cu") (net 105) (tstamp
(segment (start 59.7 102) (end 61.199911 103.499911) (width 0.15) (layer "B.Cu") (net 105) (tstamp 8b3b
(segment (start 82.5 100.151723) (end 82.5 98.3) (width 0.15) (layer "B.Cu") (net 105) (tstamp 8ba16c7b
(segment (start 61.199911 103.499911) (end 79.151813 103.49991) (width 0.15) (layer "B.Cu") (net 105) (tstamp
(segment (start 93.5 81.8) (end 92.57 80.87) (width 0.15) (layer "F.Cu") (net 106) (tstamp 475c9e69-e54
(segment (start 94.4 82.7) (end 94.5 82.7) (width 0.15) (layer "F.Cu") (net 106) (tstamp 7c8376eb-d094-
(segment (start 92.57 80.87) (end 92.57 77.72) (width 0.15) (layer "F.Cu") (net 106) (tstamp 8d15c628-4
(segment (start 93.5 81.8) (end 94.4 82.7) (width 0.15) (layer "F.Cu") (net 106) (tstamp f800b300-b988-
(via (at 93.5 81.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 106) (tstamp ddec82cf-851c-4a6c-
(segment (start 94.2 81.1) (end 93.5 81.8) (width 0.15) (layer "B.Cu") (net 106) (tstamp 085cf4f1-1f13-
(segment (start 103.8 83.3) (end 101.6 81.1) (width 0.15) (layer "B.Cu") (net 106) (tstamp 2271d08e-5e4
(segment (start 101.6 81.1) (end 94.2 81.1) (width 0.15) (layer "B.Cu") (net 106) (tstamp 32d9d06f-0840
(segment (start 116.4 83.3) (end 103.8 83.3) (width 0.15) (layer "B.Cu") (net 106) (tstamp 858a2795-a84
(segment (start 118.685 85.585) (end 116.4 83.3) (width 0.15) (layer "B.Cu") (net 106) (tstamp b0094c56
(segment (start 120.8 85.585) (end 118.685 85.585) (width 0.15) (layer "B.Cu") (net 106) (tstamp ca5881
(segment (start 107.265 102.2) (end 108.1 102.2) (width 0.25) (layer "F.Cu") (net 107) (tstamp 076678be
(segment (start 109.8375 101.075) (end 108.395 101.075) (width 0.25) (layer "F.Cu") (net 107) (tstamp 1
(segment (start 105.95 108.075) (end 105.95 108.4) (width 0.25) (layer "F.Cu") (net 107) (tstamp 286486
(segment (start 116.109494 100.425) (end 116.684494 101) (width 0.15) (layer "F.Cu") (net 107) (tstamp
(segment (start 97.05 101.85) (end 97.85 101.85) (width 0.25) (layer "F.Cu") (net 107) (tstamp 2c9f49cb
(segment (start 106.45 108.4) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 3209ce96
(segment (start 97.75 96.25) (end 97.85 96.35) (width 0.25) (layer "F.Cu") (net 107) (tstamp 5315026b-4
(segment (start 101.7 104.1244) (end 101.1744 104.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 572
(segment (start 108.385 101.4) (end 108.385 101.085) (width 0.25) (layer "F.Cu") (net 107) (tstamp 5be7
(segment (start 106.45 108.9) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 6271d4d7
(segment (start 101.05 101.85) (end 101.85 101.85) (width 0.25) (layer "F.Cu") (net 107) (tstamp 673f15
(segment (start 116.684494 101) (end 118.600012 101) (width 0.15) (layer "F.Cu") (net 107) (tstamp 6a1c
(segment (start 106.45 109.225) (end 106.45 108.9) (width 0.25) (layer "F.Cu") (net 107) (tstamp 765c50
(segment (start 108.395 101.075) (end 108.385 101.085) (width 0.25) (layer "F.Cu") (net 107) (tstamp 7f
(segment (start 125.7 102.685) (end 125.7 103.585) (width 0.25) (layer "F.Cu") (net 107) (tstamp 8c7bf0
(segment (start 115.5625 100.425) (end 116.109494 100.425) (width 0.15) (layer "F.Cu") (net 107) (tstamp
(segment (start 101.1744 104.65) (end 101.05 104.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 982c
(segment (start 106.45 108.075) (end 106.45 108.4) (width 0.25) (layer "F.Cu") (net 107) (tstamp 98c3b4
(segment (start 97.05 99.05) (end 97.85 99.05) (width 0.25) (layer "F.Cu") (net 107) (tstamp 9ba750aa-d
(segment (start 101.75 96.25) (end 101.85 96.35) (width 0.25) (layer "F.Cu") (net 107) (tstamp d4c8b357
(segment (start 101.05 99.05) (end 101.85 99.05) (width 0.25) (layer "F.Cu") (net 107) (tstamp d9803219
(segment (start 106.5 101.435) (end 107.265 102.2) (width 0.25) (layer "F.Cu") (net 107) (tstamp e25601
(segment (start 105.95 108.9) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp e6f5caf2
(segment (start 101.05 96.25) (end 101.75 96.25) (width 0.25) (layer "F.Cu") (net 107) (tstamp e721411e
(segment (start 108.385 101.915) (end 108.1 102.2) (width 0.25) (layer "F.Cu") (net 107) (tstamp e743bd
(segment (start 105.95 109.225) (end 105.95 108.9) (width 0.25) (layer "F.Cu") (net 107) (tstamp ed1953
(segment (start 108.385 101.4) (end 108.385 101.915) (width 0.25) (layer "F.Cu") (net 107) (tstamp f102
(segment (start 105.95 108.4) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp f1e75f4f
(segment (start 125.7 103.585) (end 125.715 103.6) (width 0.25) (layer "F.Cu") (net 107) (tstamp f3aed3
(segment (start 97.05 96.25) (end 97.75 96.25) (width 0.25) (layer "F.Cu") (net 107) (tstamp fb8b05c1-9
(segment (start 97.05 104.65) (end 97.85 104.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp fdf6042d
(segment (start 108.385 101.085) (end 108.385 100.5) (width 0.25) (layer "F.Cu") (net 107) (tstamp ff53
(via (at 125 103) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 00000000-0000-0000-00
(via (at 125 104.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 00000000-0000-0000-0
(via (at 125 103.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 00000000-0000-0000-0
(via (at 97.05 106.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 03237589-f4f5-42
(via (at 101.85 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 05dac5db-cf40-42
(via (at 97.85 104.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 105cf9aa-4739-42
(via (at 101.85 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 24a3a04a-3668-4

(via (at 97.85 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 453cb35c-fd1b-41b-8000-000000000000))
(via (at 108.25 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 4b44ed3e-ba78-42b-8000-000000000000))
(via (at 101.7 104.1244) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 4dc898a7-bd69-42b-8000-000000000000))
(via (at 101.85 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 50c79bed-652f-4ab-8000-000000000000))
(via (at 107.75 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 70612f23-b1f2-45b-8000-000000000000))
(via (at 108.1 102.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 7a8fed6e-afa4-4f2-8000-000000000000))
(via (at 97.5 106.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 86d3047e-a7fd-4c4-8000-000000000000))
(via (at 97.85 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 942054eb-e8ec-430-8000-000000000000))
(via (at 106.2 108.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp a032574f-438d-4b-8000-000000000000))
(via (at 118.600012 101) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp a599f4a3-501c-4-8000-000000000000))
(via (at 107.3 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp bde3995b-b9d3-40b-8000-000000000000))
(via (at 97.85 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp e3716803-76d6-47e-8000-000000000000))
(segment (start 106.3 106.15) (end 107.05 105.4) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 0b3441f-8000-000000000000))
(segment (start 97.5 106.95) (end 97.05 106.5) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 20985ba8-8000-000000000000))
(segment (start 106.3 109.2) (end 106.3 106.15) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 25f439d-8000-000000000000))
(segment (start 97.05 104.3) (end 97.4 104.65) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 26998103-8000-000000000000))
(segment (start 114.128501 114.468501) (end 114.128501 112.328501) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 355abd-8000-000000000000))
(segment (start 107.35 110.25) (end 106.3 109.2) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 355abd-8000-000000000000))
(segment (start 97.85 99.05) (end 97.05 99.05) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 39a733cf-8000-000000000000))
(segment (start 97.05 106.5) (end 97.05 106.35) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 3d001e1-8000-000000000000))
(segment (start 107.3 105.4) (end 107.75 105.4) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 4403dc6-8000-000000000000))
(segment (start 97.05 106.95) (end 97.5 106.95) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 5900a1a-8000-000000000000))
(segment (start 97.05 96.7) (end 97.05 104.3) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 62fc55dc-8000-000000000000))
(segment (start 114 112.2) (end 112.05 110.25) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 7396c185-8000-000000000000))
(segment (start 97.05 104.3) (end 97.05 106.35) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 7d2d08b-8000-000000000000))
(segment (start 97.85 96.35) (end 97.4 96.35) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 7e988ce0-8000-000000000000))
(segment (start 114.128501 112.328501) (end 114 112.2) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 8-8000-000000000000))
(segment (start 97.05 106.35) (end 97.05 106.95) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 89815a-8000-000000000000))
(segment (start 97.85 101.85) (end 97.05 101.85) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 8d9842-8000-000000000000))
(segment (start 97.4 104.65) (end 97.85 104.65) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 9512f04-8000-000000000000))
(segment (start 107.05 105.4) (end 108.25 105.4) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 9f265ff-8000-000000000000))
(segment (start 97.4 96.35) (end 97.05 96.7) (width 0.45) (layer "In2.Cu") (net 107) (tstamp a592947d-8000-000000000000))
(segment (start 115.43 115.77) (end 114.128501 114.468501) (width 0.45) (layer "In2.Cu") (net 107) (tstamp d581-8000-000000000000))
(segment (start 112.05 110.25) (end 107.35 110.25) (width 0.75) (layer "In2.Cu") (net 107) (tstamp d581-8000-000000000000))
(segment (start 107.75 105.4) (end 108.25 105.4) (width 0.45) (layer "In2.Cu") (net 107) (tstamp fdd8aa-8000-000000000000))
(segment (start 97.665 101.665) (end 97.85 101.85) (width 0.25) (layer "B.Cu") (net 107) (tstamp 0227a4-8000-000000000000))
(segment (start 97.665 104.465) (end 97.85 104.65) (width 0.25) (layer "B.Cu") (net 107) (tstamp 1b207c-8000-000000000000))
(segment (start 125 108) (end 124.2 108.8) (width 0.75) (layer "B.Cu") (net 107) (tstamp 25691c65-b935-4-8000-000000000000))
(segment (start 106.2 105.4) (end 102.7 105.4) (width 0.45) (layer "B.Cu") (net 107) (tstamp 25c02a75-9f-8000-000000000000))
(segment (start 97.665 98.865) (end 97.85 99.05) (width 0.25) (layer "B.Cu") (net 107) (tstamp 3908da72-8000-000000000000))
(segment (start 102.7 99.05) (end 102.7 96.9) (width 0.45) (layer "B.Cu") (net 107) (tstamp 4ad1fbc8-bcd-8000-000000000000))
(segment (start 102.7 101.85) (end 102.7 99.05) (width 0.45) (layer "B.Cu") (net 107) (tstamp 4fdcc6e-8000-000000000000))
(segment (start 97.05 104.465) (end 97.665 104.465) (width 0.25) (layer "B.Cu") (net 107) (tstamp 523db-8000-000000000000))
(segment (start 102.6756 104.1244) (end 102.7 104.1) (width 0.45) (layer "B.Cu") (net 107) (tstamp 55b2-8000-000000000000))
(segment (start 102.7 105.4) (end 102.7 106.05) (width 0.45) (layer "B.Cu") (net 107) (tstamp 55b39729-8000-000000000000))
(segment (start 97.515 96.015) (end 97.05 96.015) (width 0.25) (layer "B.Cu") (net 107) (tstamp 5eb3f65-8000-000000000000))
(segment (start 107.3 105.4) (end 106.2 105.4) (width 0.45) (layer "B.Cu") (net 107) (tstamp 63c29874-8000-000000000000))
(segment (start 101.05 98.865) (end 101.665 98.865) (width 0.25) (layer "B.Cu") (net 107) (tstamp 664aa26-8000-000000000000))
(segment (start 102.7 106.05) (end 101.8 106.95) (width 0.45) (layer "B.Cu") (net 107) (tstamp 690df73b-8000-000000000000))
(segment (start 101.85 96.35) (end 102.15 96.35) (width 0.45) (layer "B.Cu") (net 107) (tstamp 751353d8-8000-000000000000))
(segment (start 106.9 105.4) (end 106.9 103.183146) (width 0.25) (layer "B.Cu") (net 107) (tstamp 7751f-8000-000000000000))
(segment (start 123.8 104.4375) (end 124.05 104.1875) (width 0.15) (layer "B.Cu") (net 107) (tstamp 7b3-8000-000000000000))
(segment (start 102.7 99.05) (end 101.85 99.05) (width 0.45) (layer "B.Cu") (net 107) (tstamp 814cc086-8000-000000000000))
(segment (start 124.2 108.8) (end 120.9 108.8) (width 0.75) (layer "B.Cu") (net 107) (tstamp 8ea3771f-2f-8000-000000000000))
(segment (start 120.9 108.8) (end 117.5 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp 9209a016-6b-8000-000000000000))
(segment (start 117.5 105.4) (end 108.25 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp 92958f83-8000-000000000000))
(segment (start 101.3906 104.1244) (end 101.05 104.465) (width 0.25) (layer "B.Cu") (net 107) (tstamp a-8000-000000000000))
(segment (start 123.8 105.415) (end 123.8 104.4375) (width 0.15) (layer "B.Cu") (net 107) (tstamp a8031-8000-000000000000))
(segment (start 117.5 105.4) (end 117.5 102.1) (width 0.15) (layer "B.Cu") (net 107) (tstamp b31fcd6c-e-8000-000000000000))
(segment (start 101.7 104.1244) (end 102.6756 104.1244) (width 0.45) (layer "B.Cu") (net 107) (tstamp b-8000-000000000000))
(segment (start 117.5 102.1) (end 118.6 101) (width 0.15) (layer "B.Cu") (net 107) (tstamp b61955f8-670-8000-000000000000))
(segment (start 97.5 106.95) (end 97.05 106.95) (width 0.45) (layer "B.Cu") (net 107) (tstamp bcd00042-8000-000000000000))
(segment (start 107.883146 102.2) (end 108.1 102.2) (width 0.25) (layer "B.Cu") (net 107) (tstamp bdcad-8000-000000000000))
(segment (start 101.85 96.35) (end 101.565 96.065) (width 0.25) (layer "B.Cu") (net 107) (tstamp beb750-8000-000000000000))
(segment (start 102.7 101.85) (end 101.85 101.85) (width 0.45) (layer "B.Cu") (net 107) (tstamp c1d90da-8000-000000000000))
(segment (start 97.05 98.865) (end 97.665 98.865) (width 0.25) (layer "B.Cu") (net 107) (tstamp cbeff39-8000-000000000000))
(segment (start 102.15 96.35) (end 102.7 96.9) (width 0.45) (layer "B.Cu") (net 107) (tstamp cc1e0bdc-3-8000-000000000000))
(segment (start 101.05 101.665) (end 101.665 101.665) (width 0.25) (layer "B.Cu") (net 107) (tstamp ce5-8000-000000000000))

(segment (start 101.7 104.1244) (end 101.3906 104.1244) (width 0.25) (layer "B.Cu") (net 107) (tstamp d3b55a27-7612-4990-8000-000000000000))
(segment (start 125 104.4) (end 125 108) (width 0.75) (layer "B.Cu") (net 107) (tstamp d3b55a27-7612-4990-8000-000000000000))
(segment (start 101.665 101.665) (end 101.85 101.85) (width 0.25) (layer "B.Cu") (net 107) (tstamp d7cd1b1c-4b5b-4000-8000-000000000000))
(segment (start 101.8 106.95) (end 97.5 106.95) (width 0.45) (layer "B.Cu") (net 107) (tstamp d875b51c-4b5b-4000-8000-000000000000))
(segment (start 101.665 98.865) (end 101.85 99.05) (width 0.25) (layer "B.Cu") (net 107) (tstamp da8de71c-4b5b-4000-8000-000000000000))
(segment (start 101.565 96.065) (end 101.05 96.065) (width 0.25) (layer "B.Cu") (net 107) (tstamp debf6b1c-4b5b-4000-8000-000000000000))
(segment (start 107.75 105.4) (end 108.25 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp e30baa5c-4b5b-4000-8000-000000000000))
(segment (start 108.25 105.4) (end 107.3 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp e5349806-4b5b-4000-8000-000000000000))
(segment (start 97.05 101.665) (end 97.665 101.665) (width 0.25) (layer "B.Cu") (net 107) (tstamp e641f11c-4b5b-4000-8000-000000000000))
(segment (start 106.9 103.183146) (end 107.883146 102.2) (width 0.25) (layer "B.Cu") (net 107) (tstamp e641f11c-4b5b-4000-8000-000000000000))
(segment (start 102.7 104.1) (end 102.7 101.85) (width 0.45) (layer "B.Cu") (net 107) (tstamp ea9fd251-4b5b-4000-8000-000000000000))
(segment (start 97.85 96.35) (end 97.515 96.015) (width 0.25) (layer "B.Cu") (net 107) (tstamp f463fa1e-4b5b-4000-8000-000000000000))
(segment (start 106.2 108.65) (end 106.2 105.4) (width 0.45) (layer "B.Cu") (net 107) (tstamp f7d260c3-4b5b-4000-8000-000000000000))
(segment (start 118.6 101) (end 118.600012 101) (width 0.15) (layer "B.Cu") (net 107) (tstamp fc064bdb-4b5b-4000-8000-000000000000))
(segment (start 102.7 105.4) (end 102.7 104.1) (width 0.45) (layer "B.Cu") (net 107) (tstamp ff6819d2-4b5b-4000-8000-000000000000))
(segment (start 99.95 82.925) (end 99.95 82.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp 05fe3ee6-1a4d-4000-8000-000000000000))
(segment (start 97.85 87.85) (end 97.05 87.85) (width 0.25) (layer "F.Cu") (net 108) (tstamp 15a088f0-1a4d-4000-8000-000000000000))
(segment (start 116.575 89.925) (end 116.9 89.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp 1da14194-1a4d-4000-8000-000000000000))
(segment (start 101.05 93.45) (end 101.85 93.45) (width 0.25) (layer "F.Cu") (net 108) (tstamp 20550846-1a4d-4000-8000-000000000000))
(segment (start 97.05 85.05) (end 97.85 85.05) (width 0.25) (layer "F.Cu") (net 108) (tstamp 211453c8-8000-4000-8000-000000000000))
(segment (start 101.05 90.65) (end 101.85 90.65) (width 0.25) (layer "F.Cu") (net 108) (tstamp 419fa813-1a4d-4000-8000-000000000000))
(segment (start 117.015 89.6) (end 117.015 88.715) (width 0.25) (layer "F.Cu") (net 108) (tstamp 43380000-1a4d-4000-8000-000000000000))
(segment (start 120.9 87.415) (end 120.885 87.4) (width 0.25) (layer "F.Cu") (net 108) (tstamp 470c67cf-1a4d-4000-8000-000000000000))
(segment (start 99.45 81.775) (end 99.45 82.1) (width 0.25) (layer "F.Cu") (net 108) (tstamp 486a1c19-1a4d-4000-8000-000000000000))
(segment (start 101.807664 87.85) (end 101.828832 87.871168) (width 0.25) (layer "F.Cu") (net 108) (tstamp 486a1c19-1a4d-4000-8000-000000000000))
(segment (start 101.05 87.85) (end 101.807664 87.85) (width 0.25) (layer "F.Cu") (net 108) (tstamp 4dfc1b1c-4b5b-4000-8000-000000000000))
(segment (start 117.985 87.715) (end 117 88.7) (width 0.25) (layer "F.Cu") (net 108) (tstamp 5ae0f28a-7000-4000-8000-000000000000))
(segment (start 97.05 93.45) (end 97.85 93.45) (width 0.25) (layer "F.Cu") (net 108) (tstamp 611b9802-4b5b-4000-8000-000000000000))
(segment (start 115.5625 89.925) (end 116.575 89.925) (width 0.25) (layer "F.Cu") (net 108) (tstamp 73b0f28a-7000-4000-8000-000000000000))
(segment (start 99.45 82.6) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp 7b3ef420-868a-4000-8000-000000000000))
(segment (start 101.05 85.05) (end 100.95 85.05) (width 0.25) (layer "F.Cu") (net 108) (tstamp 820248eb-1a4d-4000-8000-000000000000))
(segment (start 99.95 82.1) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp 868a53de-265f-4000-8000-000000000000))
(segment (start 99.95 81.775) (end 99.95 82.1) (width 0.25) (layer "F.Cu") (net 108) (tstamp 873c0548-0000-4000-8000-000000000000))
(segment (start 99.45 82.1) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp 8a0a7a3e-0c5f-4000-8000-000000000000))
(segment (start 116.9 89.6) (end 117.015 89.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp a4569783-7000-4000-8000-000000000000))
(segment (start 100.95 85.05) (end 100.324388 84.424388) (width 0.25) (layer "F.Cu") (net 108) (tstamp a4569783-7000-4000-8000-000000000000))
(segment (start 117.015 89.6) (end 117.015 90.5) (width 0.25) (layer "F.Cu") (net 108) (tstamp aebb26a0-1a4d-4000-8000-000000000000))
(segment (start 120.9 88.315) (end 120.9 87.415) (width 0.25) (layer "F.Cu") (net 108) (tstamp afc85e4a-1a4d-4000-8000-000000000000))
(segment (start 99.45 82.925) (end 99.45 82.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp b5ee1014-1a4d-4000-8000-000000000000))
(segment (start 97.05 90.65) (end 97.85 90.65) (width 0.25) (layer "F.Cu") (net 108) (tstamp b76b0fe6-3000-4000-8000-000000000000))
(segment (start 99.95 82.6) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp c7f19821-5c99-4000-8000-000000000000))
(segment (start 118 87.715) (end 117.985 87.715) (width 0.25) (layer "F.Cu") (net 108) (tstamp d16debde-1a4d-4000-8000-000000000000))
(segment (start 100.324388 84.424388) (end 100.13426 84.424388) (width 0.25) (layer "F.Cu") (net 108) (tstamp d16debde-1a4d-4000-8000-000000000000))
(via (at 99.7 82.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 121.6 86.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 117 88.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 101.828832 87.871168) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 1a4dc3d6-1a4d-4000-8000-000000000000))
(via (at 97.85 85.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 2e3a6ff3-8807-45b7-4000-000000000000))
(via (at 107.9 85.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 404178d5-281f-4c75-4000-000000000000))
(via (at 97.85 84.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 4cb32310-d519-401f-4000-000000000000))
(via (at 97.85 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 5ec84c62-313f-47c7-4000-000000000000))
(via (at 107.4 85.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 6ac8fd50-fe24-4645-4000-000000000000))
(via (at 121.6 87.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 81d6c35d-5fbc-4d4d-4000-000000000000))
(via (at 101.85 90.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 900c63b9-1ee2-411f-4000-000000000000))
(via (at 97.85 87.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 9e3148a0-dd85-462a-4000-000000000000))
(via (at 97.85 90.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp abefcb1f-dafe-4a33-4000-000000000000))
(via (at 101.85 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp bf269315-19a4-4c0f-4000-000000000000))
(via (at 100.13426 84.424388) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp d3d861ea-1a4d-4000-8000-000000000000))
(via (at 121.6 88) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp d8773600-0cbf-4351-8000-000000000000))
(via (at 108.4 85.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp f5ca4e81-775a-4230-4000-000000000000))
(segment (start 97.07 87.85) (end 97.05 87.83) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 01898af1-1a4d-4000-8000-000000000000))
(segment (start 97.05 93.15) (end 97.35 93.45) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 087398f7-1a4d-4000-8000-000000000000))
(segment (start 94.875099 80.275099) (end 100.175099 80.275099) (width 0.75) (layer "In2.Cu") (net 108) (tstamp 116ae443-1a4d-4000-8000-000000000000))
(segment (start 97.45 84.95) (end 97.45 85.05) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 1770ba52-1a4d-4000-8000-000000000000))
(segment (start 93.85 76.51) (end 93.85 79.25) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 2a57ca00-1a4d-4000-8000-000000000000))
(segment (start 97.85 90.65) (end 97.07 90.65) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 4e47cdc4-1a4d-4000-8000-000000000000))
(segment (start 97.45 85.05) (end 97.05 85.45) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 58d1162a-1a4d-4000-8000-000000000000))

(segment (start 93.85 79.25) (end 93.9 79.3) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 5fff4c5a-4
(segment (start 100.175099 80.275099) (end 105.5 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp
(segment (start 97.85 85.05) (end 97.85 84.55) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 6b5a5b62
(segment (start 97.35 93.45) (end 97.85 93.45) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 95d71bee
(segment (start 97.05 87.83) (end 97.05 90.67) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 9a2375d7
(segment (start 105.5 85.6) (end 107.4 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp 9aeb7429-cl
(segment (start 107.8 85.6) (end 107.4 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp a3aec711-1
(segment (start 92.57 75.23) (end 93.85 76.51) (width 0.45) (layer "In2.Cu") (net 108) (tstamp bbb9523b
(segment (start 93.9 79.3) (end 94.875099 80.275099) (width 0.75) (layer "In2.Cu") (net 108) (tstamp c2
(segment (start 97.85 84.55) (end 97.45 84.95) (width 0.45) (layer "In2.Cu") (net 108) (tstamp c743453b
(segment (start 97.07 90.65) (end 97.05 90.67) (width 0.45) (layer "In2.Cu") (net 108) (tstamp db5bfd23
(segment (start 97.05 90.67) (end 97.05 93.15) (width 0.45) (layer "In2.Cu") (net 108) (tstamp e0335324
(segment (start 107.9 85.6) (end 108.4 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp e65dc398-9
(segment (start 97.85 85.05) (end 97.45 85.05) (width 0.45) (layer "In2.Cu") (net 108) (tstamp f0bc0639
(segment (start 97.05 85.45) (end 97.05 87.83) (width 0.45) (layer "In2.Cu") (net 108) (tstamp f90453b1
(segment (start 102.7 88.85) (end 102.7 89.8) (width 0.45) (layer "B.Cu") (net 108) (tstamp 00000000-00
(segment (start 102.7 87.8) (end 102.7 88.85) (width 0.45) (layer "B.Cu") (net 108) (tstamp 00000000-00
(segment (start 102.7 88.85) (end 102.7 90.2) (width 0.45) (layer "B.Cu") (net 108) (tstamp 00000000-00
(segment (start 101.665 90.465) (end 101.85 90.65) (width 0.25) (layer "B.Cu") (net 108) (tstamp 075a3b
(segment (start 117.475105 88.224895) (end 117.475105 86.675105) (width 0.15) (layer "B.Cu") (net 108)
(segment (start 98.9 84) (end 99.7 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 1533e17c-2f2a-4b79
(segment (start 100.765 84.865) (end 100.324388 84.424388) (width 0.25) (layer "B.Cu") (net 108) (tstamp
(segment (start 120.512605 86.675105) (end 120.65 86.8125) (width 0.75) (layer "B.Cu") (net 108) (tstamp
(segment (start 99.7 82.35) (end 99.7 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 1fb18444-3f25-4
(segment (start 102.7 92.6) (end 102.7 90.2) (width 0.45) (layer "B.Cu") (net 108) (tstamp 206896f0-34d
(segment (start 99.7 84) (end 100.1 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 2163a860-cec3-4e6
(segment (start 107.4 85.6) (end 107.8 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp 22c71e38-575
(segment (start 97.665 90.465) (end 97.05 90.465) (width 0.25) (layer "B.Cu") (net 108) (tstamp 27d3a78
(segment (start 97.85 85.05) (end 98.9 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 3f4b2dc1-5d3b-
(segment (start 100.1 84) (end 102.1 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 49160ecb-51ca-46
(segment (start 101.85 93.45) (end 102.7 92.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 4afccf18-7
(segment (start 101.665 93.265) (end 101.85 93.45) (width 0.25) (layer "B.Cu") (net 108) (tstamp 4cc6f155
(segment (start 102.7 84.6) (end 102.7 85.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 4d1a2927-464
(segment (start 117.475105 86.675105) (end 120.512605 86.675105) (width 0.75) (layer "B.Cu") (net 108)
(segment (start 97.85 85.05) (end 97.85 84.55) (width 0.45) (layer "B.Cu") (net 108) (tstamp 59ee2763-4
(segment (start 100.1 84.390128) (end 100.13426 84.424388) (width 0.45) (layer "B.Cu") (net 108) (tstamp
(segment (start 107.9 85.6) (end 108.45 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp 5a3e4944-63
(segment (start 122.8 86.5625) (end 122.55 86.8125) (width 0.15) (layer "B.Cu") (net 108) (tstamp 5af5b
(segment (start 97.05 93.265) (end 97.665 93.265) (width 0.25) (layer "B.Cu") (net 108) (tstamp 62ded97
(segment (start 122.8 85.585) (end 122.8 86.5625) (width 0.15) (layer "B.Cu") (net 108) (tstamp 70bf674
(segment (start 97.665 84.865) (end 97.85 85.05) (width 0.25) (layer "B.Cu") (net 108) (tstamp 77a65e60
(segment (start 101.85 90.65) (end 102.7 90.65) (width 0.45) (layer "B.Cu") (net 108) (tstamp 7a21ca5c-
(segment (start 100.324388 84.424388) (end 100.13426 84.424388) (width 0.25) (layer "B.Cu") (net 108)
(segment (start 102.7 85.6) (end 102.7 87.8) (width 0.45) (layer "B.Cu") (net 108) (tstamp 7cfffbd29-392
(segment (start 107.8 85.6) (end 102.7 85.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 80d8b6df-2f0
(segment (start 101.05 90.465) (end 101.665 90.465) (width 0.25) (layer "B.Cu") (net 108) (tstamp 819e0
(segment (start 101.05 84.865) (end 100.765 84.865) (width 0.25) (layer "B.Cu") (net 108) (tstamp 86982
(segment (start 101.622664 87.665) (end 101.828832 87.871168) (width 0.25) (layer "B.Cu") (net 108) (ts
(segment (start 97.05 84.865) (end 97.665 84.865) (width 0.25) (layer "B.Cu") (net 108) (tstamp 8d20ac0
(segment (start 101.05 93.265) (end 101.665 93.265) (width 0.25) (layer "B.Cu") (net 108) (tstamp 8fbff
(segment (start 108.4 85.6) (end 116.4 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp 93051c54-77c
(segment (start 97.85 90.65) (end 97.665 90.465) (width 0.25) (layer "B.Cu") (net 108) (tstamp 93ee7a6d
(segment (start 102.1 84) (end 102.7 84.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 99d6c898-d839-
(segment (start 116.4 85.6) (end 117.475105 86.675105) (width 0.75) (layer "B.Cu") (net 108) (tstamp 9d
(segment (start 100.1 84) (end 100.1 84.390128) (width 0.45) (layer "B.Cu") (net 108) (tstamp a83f67d8-
(segment (start 108.45 85.6) (end 107.8 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp af797417-b9
(segment (start 97.05 87.665) (end 97.665 87.665) (width 0.25) (layer "B.Cu") (net 108) (tstamp c551b3a
(segment (start 101.05 87.665) (end 101.622664 87.665) (width 0.25) (layer "B.Cu") (net 108) (tstamp cb
(segment (start 102.628832 87.871168) (end 101.828832 87.871168) (width 0.45) (layer "B.Cu") (net 108)
(segment (start 97.665 93.265) (end 97.85 93.45) (width 0.25) (layer "B.Cu") (net 108) (tstamp d7626373
(segment (start 117 88.7) (end 117.475105 88.224895) (width 0.15) (layer "B.Cu") (net 108) (tstamp eea9
(segment (start 97.665 87.665) (end 97.85 87.85) (width 0.25) (layer "B.Cu") (net 108) (tstamp f08a6e1c
(segment (start 59.485 104) (end 59 103.515) (width 0.15) (layer "F.Cu") (net 109) (tstamp 2c51f88e-758
(segment (start 82.9 97.1) (end 83.3 97.5) (width 0.15) (layer "F.Cu") (net 109) (tstamp 2f494732-88c6-
(segment (start 59.7 104) (end 59.485 104) (width 0.15) (layer "F.Cu") (net 109) (tstamp 4a2d06a6-4e8e-
(via (at 83.3 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 109) (tstamp 0a801310-01f7-475e-
(via (at 59.7 104) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 109) (tstamp c00841f6-7702-4d70-8
(segment (start 59.7 104) (end 59.900179 103.799821) (width 0.15) (layer "B.Cu") (net 109) (tstamp 74b2

(segment (start 79.313972 103.799821) (end 83.3 99.813793) (width 0.15) (layer "B.Cu") (net 109) (timestamp 945464e4-4b11-4b11-4b11-4b11))
(segment (start 83.3 99.813793) (end 83.3 97.5) (width 0.15) (layer "B.Cu") (net 109) (timestamp 945464e4-4b11-4b11-4b11-4b11))
(segment (start 59.900179 103.799821) (end 79.313972 103.799821) (width 0.15) (layer "B.Cu") (net 109) (timestamp 945464e4-4b11-4b11-4b11-4b11))
(segment (start 117.5 109.6) (end 117.5 106) (width 0.15) (layer "F.Cu") (net 110) (timestamp 0f46be7a-e49a-4b11-4b11-4b11))
(segment (start 115.43 113.28) (end 117.5 111.21) (width 0.15) (layer "F.Cu") (net 110) (timestamp 158a7fc0-4b11-4b11-4b11-4b11))
(segment (start 117.5 111.21) (end 117.5 109.6) (width 0.15) (layer "F.Cu") (net 110) (timestamp 65ad12bb-4b11-4b11-4b11-4b11))
(via (at 117.5 109.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 110) (timestamp c90e4948-613c-4ca0-4b11-4b11))
(segment (start 126.3 106.115) (end 127 105.415) (width 0.15) (layer "B.Cu") (net 110) (timestamp 2be27669-4b11-4b11-4b11-4b11))
(segment (start 126.3 108.7) (end 125.4 109.6) (width 0.15) (layer "B.Cu") (net 110) (timestamp 6e7ecade-2b11-4b11-4b11-4b11))
(segment (start 126.3 108.7) (end 126.3 106.115) (width 0.15) (layer "B.Cu") (net 110) (timestamp 72850914-4b11-4b11-4b11-4b11))
(segment (start 125.4 109.6) (end 117.5 109.6) (width 0.15) (layer "B.Cu") (net 110) (timestamp f89b8716-4b11-4b11-4b11-4b11))
(segment (start 59.7 110) (end 59.485 110) (width 0.15) (layer "F.Cu") (net 111) (timestamp 7876046d-8b5c-4b11-4b11-4b11))
(segment (start 59.485 110) (end 59 109.515) (width 0.15) (layer "F.Cu") (net 111) (timestamp d328ae7c-00e0-4b11-4b11-4b11))
(segment (start 84.5 97.1) (end 84.9 97.5) (width 0.15) (layer "F.Cu") (net 111) (timestamp db27f76e-3e0e-4b11-4b11-4b11))
(via (at 59.7 110) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 111) (timestamp bd8cbdbe-6f09-4f00-4b11-4b11))
(via (at 84.9 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 111) (timestamp db565e77-b33a-4341-4b11-4b11))
(via (at 87.499986 100.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 111) (timestamp e54a0a93-9b02-4b11-4b11-4b11))
(segment (start 87.299986 100.7) (end 87.499986 100.9) (width 0.15) (layer "In2.Cu") (net 111) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 84.852116 97.5) (end 84.352588 97.999528) (width 0.15) (layer "In2.Cu") (net 111) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 86.6 100.7) (end 87.299986 100.7) (width 0.15) (layer "In2.Cu") (net 111) (timestamp 7b4600-4b11-4b11-4b11))
(segment (start 84.352588 98.452588) (end 86.6 100.7) (width 0.15) (layer "In2.Cu") (net 111) (timestamp 8b11-4b11-4b11-4b11))
(segment (start 84.9 97.5) (end 84.852116 97.5) (width 0.15) (layer "In2.Cu") (net 111) (timestamp b4bf1fee-4b11-4b11-4b11-4b11))
(segment (start 84.352588 97.999528) (end 84.352588 98.452588) (width 0.15) (layer "In2.Cu") (net 111) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 59.7 110) (end 59.7 108.8) (width 0.15) (layer "B.Cu") (net 111) (timestamp 06551493-e3ea-4b11-4b11-4b11))
(segment (start 59.7 108.8) (end 63.800448 104.699552) (width 0.15) (layer "B.Cu") (net 111) (timestamp 86b11-4b11-4b11-4b11))
(segment (start 87.299986 100.7) (end 87.499986 100.9) (width 0.15) (layer "B.Cu") (net 111) (timestamp 91b11-4b11-4b11-4b11))
(segment (start 83.724138 100.7) (end 87.299986 100.7) (width 0.15) (layer "B.Cu") (net 111) (timestamp d8b11-4b11-4b11-4b11))
(segment (start 63.800448 104.699552) (end 79.724586 104.699552) (width 0.15) (layer "B.Cu") (net 111) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 79.724586 104.699552) (end 83.724138 100.7) (width 0.15) (layer "B.Cu") (net 111) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 85.3 97.9) (end 85.7 98.3) (width 0.15) (layer "F.Cu") (net 112) (timestamp 4720649e-59e8-4b11-4b11-4b11))
(segment (start 59.7 108) (end 59.485 108) (width 0.15) (layer "F.Cu") (net 112) (timestamp 9dda1b8f-56ac-4b11-4b11-4b11))
(segment (start 59.485 108) (end 59 107.515) (width 0.15) (layer "F.Cu") (net 112) (timestamp a9198660-67af-4b11-4b11-4b11))
(via (at 59.7 108) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 112) (timestamp 50f5fc29-72f8-401d-9c00-4b11))
(via (at 85.7 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 112) (timestamp f0ee687a-d533-49f4-4b11-4b11))
(segment (start 59.7 108) (end 59.7 106.9) (width 0.15) (layer "B.Cu") (net 112) (timestamp 164c2c5a-e2fc-4b11-4b11-4b11))
(segment (start 62.200359 104.399641) (end 79.600359 104.399641) (width 0.15) (layer "B.Cu") (net 112) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 79.600359 104.399641) (end 85.7 98.3) (width 0.15) (layer "B.Cu") (net 112) (timestamp a80b11-4b11-4b11-4b11))
(segment (start 59.7 106.9) (end 62.200359 104.399641) (width 0.15) (layer "B.Cu") (net 112) (timestamp cb11-4b11-4b11-4b11))
(segment (start 59.7 106) (end 59.485 106) (width 0.15) (layer "F.Cu") (net 113) (timestamp 0b2ceaff-7b35-4b11-4b11-4b11))
(segment (start 84.5 97.9) (end 84.9 98.3) (width 0.15) (layer "F.Cu") (net 113) (timestamp 1b765d7b-3f84-4b11-4b11-4b11))
(segment (start 59.485 106) (end 59 105.515) (width 0.15) (layer "F.Cu") (net 113) (timestamp 21a94bfa-8e5f-4b11-4b11-4b11))
(via (at 84.9 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 113) (timestamp 09f30f25-ee65-4fcd-4b11-4b11))
(via (at 59.7 106) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 113) (timestamp a27a59e4-a827-428c-bb11-4b11))
(segment (start 61.600269 104.099731) (end 79.450269 104.099731) (width 0.15) (layer "B.Cu") (net 113) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 59.7 106) (end 61.600269 104.099731) (width 0.15) (layer "B.Cu") (net 113) (timestamp 7f4f11-4b11-4b11-4b11))
(segment (start 84.9 98.65) (end 79.450269 104.099731) (width 0.15) (layer "B.Cu") (net 113) (timestamp 83b11-4b11-4b11-4b11))
(segment (start 84.9 98.3) (end 84.9 98.65) (width 0.15) (layer "B.Cu") (net 113) (timestamp 8862eebc-48b0-4b11-4b11-4b11))
(segment (start 86.9 91.5) (end 86.9 90.982211) (width 0.15) (layer "F.Cu") (net 114) (timestamp 00000000-0000-4b11-4b11-4b11))
(segment (start 90.65827 83.448815) (end 90.618111 83.434763) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.761069 83.662278) (end 90.765832 83.62) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 88.453459 89.416885) (end 88.505982 89.375) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 89.102677 88.141316) (end 89.067183 88.105822) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 89.395063 82.328547) (end 89.425147 82.298463) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.575832 83.81) (end 90.618111 83.805236) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 88.179888 84.481746) (end 88.167368 84.370625) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 88.555621 83.417479) (end 88.450072 83.380546) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.72438 85.178463) (end 90.747017 85.142437) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 87.699337 89.851785) (end 87.657452 89.799263) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.765832 83.62) (end 90.761069 83.577721) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 88.276315 84.68198) (end 88.216821 84.587295) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.747017 85.142437) (end 90.761069 85.102278) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.694296 85.208547) (end 90.72438 85.178463) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 89.417696 88.274619) (end 89.382202 88.239125) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 89.14518 87.612419) (end 89.192559 87.595841) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 89.040477 87.717122) (end 89.067183 87.674619) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 90.72438 84.941536) (end 90.694296 84.911452) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 88.355387 84.761052) (end 88.276315 84.68198) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))
(segment (start 87.657453 90.223528) (end 87.699337 90.171005) (width 0.19) (layer "F.Cu") (net 114) (timestamp 4b11-4b11-4b11-4b11))

(segment (start 89.359037 82.351184) (end 89.395063 82.328547) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.023899 87.764501) (end 89.040477 87.717122) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.444402 88.317122) (end 89.417696 88.274619) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.276315 83.24198) (end 88.216821 83.147295) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.618111 85.245236) (end 90.65827 85.231184) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 87.36606) (end 89.4666 85.749374) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 90.765832 85.06) (end 90.761069 85.017721) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.167368 84.370625) (end 88.167368 84.309374) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.65827 85.231184) (end 90.694296 85.208547) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.355387 83.918947) (end 88.450072 83.859453) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.444998 89.346626) (end 87.474145 89.2861) (width 0.19) (layer "F.Cu") (net 114) (tsta
(segment (start 90.65827 83.791184) (end 90.694296 83.768547) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.102677 87.639125) (end 89.14518 87.612419) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.216821 84.587295) (end 88.179888 84.481746) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.355387 83.321052) (end 88.276315 83.24198) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.167368 82.869374) (end 88.179888 82.758253) (width 0.19) (layer "F.Cu") (net 114) (tsta
(segment (start 87.827247 89.162545) (end 87.887773 89.191693) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.425147 82.298463) (end 89.447784 82.262437) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.46098 88.364501) (end 89.444402 88.317122) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 83.295 79.28) (end 83.295 78.45) (width 0.19) (layer "F.Cu") (net 114) (tstamp 506d02d9
(segment (start 89.023899 88.01594) (end 89.018278 87.96606) (width 0.19) (layer "F.Cu") (net 114) (tsta
(segment (start 89.447784 82.262437) (end 89.461836 82.222278) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.318878 82.365236) (end 89.359037 82.351184) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.040477 88.063319) (end 89.023899 88.01594) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.906582 81.4) (end 84.740982 81.4) (width 0.19) (layer "F.Cu") (net 114) (tstamp 56fe
(segment (start 88.355387 82.478947) (end 88.450072 82.419453) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.29232 87.5846) (end 89.339699 87.568022) (width 0.19) (layer "F.Cu") (net 114) (tstar
(segment (start 90.747017 84.977562) (end 90.72438 84.941536) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.965975 85.25) (end 90.575832 85.25) (width 0.19) (layer "F.Cu") (net 114) (tstamp 5a
(segment (start 90.618111 83.805236) (end 90.65827 83.791184) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.618111 84.874763) (end 90.575832 84.87) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.179888 82.758253) (end 88.216821 82.652704) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.694296 84.911452) (end 90.65827 84.888815) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.657452 89.799263) (end 87.516031 89.657842) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.761752 89.147597) (end 87.827247 89.162545) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.450072 84.820546) (end 88.355387 84.761052) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.728485 89.912311) (end 87.699337 89.851785) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.747017 83.702437) (end 90.761069 83.662278) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.940295 89.233578) (end 88.081717 89.375) (width 0.19) (layer "F.Cu") (net 114) (tstar
(segment (start 90.761069 85.102278) (end 90.765832 85.06) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 90.575832 84.87) (end 88.666742 84.87) (width 0.19) (layer "F.Cu") (net 114) (tstamp 66
(segment (start 88.276315 83.998019) (end 88.355387 83.918947) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.179888 83.041746) (end 88.167368 82.930625) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.666742 82.37) (end 89.2766 82.37) (width 0.19) (layer "F.Cu") (net 114) (tstamp 6a38
(segment (start 88.666742 83.81) (end 90.575832 83.81) (width 0.19) (layer "F.Cu") (net 114) (tstamp 6d
(segment (start 88.450072 83.859453) (end 88.555621 83.82252) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.450072 82.419453) (end 88.555621 82.38252) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 81.960018) (end 88.906582 81.4) (width 0.19) (layer "F.Cu") (net 114) (tstamp 6
(segment (start 89.018278 87.96606) (end 89.018278 87.814382) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.26026 89.460981) (end 88.327439 89.460981) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.081717 89.375) (end 88.13424 89.416885) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.392933 89.446032) (end 88.453459 89.416885) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.72438 83.738463) (end 90.747017 83.702437) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.618111 83.434763) (end 90.575832 83.43) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 90.761069 85.017721) (end 90.747017 84.977562) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.555621 82.38252) (end 88.666742 82.37) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.167368 82.930625) (end 88.167368 82.869374) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.694296 83.471452) (end 90.65827 83.448815) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 85.749374) (end 89.479121 85.638253) (width 0.19) (layer "F.Cu") (net 114) (tsta
(segment (start 88.179888 84.198253) (end 88.216821 84.092704) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.382202 88.239125) (end 89.339699 88.212419) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.568553 89.191693) (end 87.629079 89.162545) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.505982 89.375) (end 89.4666 88.414382) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.216821 82.652704) (end 88.276315 82.558019) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.887773 89.191693) (end 87.940295 89.233578) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.555621 84.857479) (end 88.450072 84.820546) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 82.18) (end 89.4666 81.960018) (width 0.19) (layer "F.Cu") (net 114) (tstamp 7f
(segment (start 89.749305 85.299453) (end 89.854854 85.26252) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.444998 89.544793) (end 87.430049 89.479299) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.65462 85.358947) (end 89.749305 85.299453) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.192559 88.1846) (end 89.14518 88.168022) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.339699 88.212419) (end 89.29232 88.195841) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.516054 85.532704) (end 89.575548 85.438019) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.666742 84.87) (end 88.555621 84.857479) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.479121 85.638253) (end 89.516054 85.532704) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.417696 87.505822) (end 89.444402 87.463319) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.629079 89.162545) (end 87.694574 89.147597) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 86.9 90.980982) (end 87.657453 90.223528) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 84.740982 81.4) (end 83.76 80.419018) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.430049 89.41212) (end 87.444998 89.346626) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.854854 85.26252) (end 89.965975 85.25) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.018278 87.814382) (end 89.023899 87.764501) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.474145 89.2861) (end 87.516031 89.233578) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.694574 89.147597) (end 87.761752 89.147597) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.555621 83.82252) (end 88.666742 83.81) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.516031 89.233578) (end 87.568553 89.191693) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.46098 87.41594) (end 89.4666 87.36606) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.2766 82.37) (end 89.318878 82.365236) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.327439 89.460981) (end 88.392933 89.446032) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.461836 82.222278) (end 89.4666 82.18) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.167368 84.309374) (end 88.179888 84.198253) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.192559 87.595841) (end 89.29232 87.5846) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.575548 85.438019) (end 89.65462 85.358947) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.761069 83.577721) (end 90.747017 83.537562) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.516031 89.657842) (end 87.474145 89.605319) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.72438 83.501536) (end 90.694296 83.471452) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.216821 83.147295) (end 88.179888 83.041746) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.14518 88.168022) (end 89.102677 88.141316) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.29232 88.195841) (end 89.192559 88.1846) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.666742 83.43) (end 88.555621 83.417479) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.65827 84.888815) (end 90.618111 84.874763) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.728485 90.110479) (end 87.743433 90.044984) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.444402 87.463319) (end 89.46098 87.41594) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 83.76 79.745) (end 83.295 79.28) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.216821 84.092704) (end 88.276315 83.998019) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.450072 83.380546) (end 88.355387 83.321052) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.575832 85.25) (end 90.618111 85.245236) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.13424 89.416885) (end 88.194766 89.446032) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.382202 87.541316) (end 89.417696 87.505822) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.743433 90.044984) (end 87.743433 89.977806) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.339699 87.568022) (end 89.382202 87.541316) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 83.76 80.419018) (end 83.76 79.745) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.747017 83.537562) (end 90.72438 83.501536) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.474145 89.605319) (end 87.444998 89.544793) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.276315 82.558019) (end 88.355387 82.478947) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.067183 87.674619) (end 89.102677 87.639125) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 88.414382) (end 89.46098 88.364501) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.575832 83.43) (end 88.666742 83.43) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.743433 89.977806) (end 87.728485 89.912311) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.430049 89.479299) (end 87.430049 89.41212) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.699337 90.171005) (end 87.728485 90.110479) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.694296 83.768547) (end 90.72438 83.738463) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.067183 88.105822) (end 89.040477 88.063319) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.194766 89.446032) (end 88.26026 89.460981) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.076184 85.357184) (end 85.425558 85.357184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 83.045203) (end 85.114203 82.966131) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.975637 83.634479) (end 84.938704 83.52893) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.076184 85.737184) (end 87.118463 85.73242) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.024647 82.815731) (end 86.054731 82.785647) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 86.74773) (end 85.114203 86.688236) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 83.245437) (end 84.975637 83.139888) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 86.125437) (end 84.975637 86.019888) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 85.749704) (end 85.425558 85.737184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.224732 83.98872) (end 87.194648 83.958636) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.909371 88.102617) (end 85.936908 88.092981) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 85.737184) (end 87.076184 85.737184) (width 0.19) (layer "F.Cu") (net 115) (ts

(segment (start 84.926184 86.236558) (end 84.938704 86.125437) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.656019 90.17029) (end 85.599138 90.134549) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.786184 90.2) (end 85.719428 90.192478) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.425558 83.917184) (end 85.314437 83.904663) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.247369 85.629621) (end 87.261421 85.589462) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.088663 89.366756) (end 86.096184 89.3) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.096184 89.3) (end 86.096184 88.82) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.838881 88.588421) (end 85.835614 88.55943) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.208888 82.906637) (end 85.314437 82.869704) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.926184 83.417809) (end 84.926184 83.356558) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.926184 84.796558) (end 84.938704 84.685437) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.06776 88.040661) (end 86.083282 88.015958) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.024647 86.838636) (end 85.988621 86.815999) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.1 90.979626) (end 86.096184 90.97581) (width 0.15) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.114203 85.248236) (end 85.035131 85.169164) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.096184 90.5) (end 86.088663 90.433243) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.047131 88.06129) (end 86.06776 88.040661) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.114203 84.406131) (end 85.208888 84.346637) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.486184 89.9) (end 85.493706 89.833243) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.261421 84.064905) (end 87.247369 84.024746) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 79.95 80.61) (end 79.95 79.745) (width 0.19) (layer "F.Cu") (net 115) (timestamp 3a0c1a8b-))
(segment (start 85.906184 82.857184) (end 85.948462 82.85242) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.938704 83.52893) (end 84.926184 83.417809) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.247369 85.464746) (end 87.224732 85.42872) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.247369 84.189621) (end 87.261421 84.149462) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 79.95 79.745) (end 79.485 79.28) (width 0.19) (layer "F.Cu") (net 115) (timestamp 4176d0bd-))
(segment (start 86.1 91.5) (end 86.1 90.979626) (width 0.15) (layer "F.Cu") (net 115) (timestamp 43e2e900-))
(segment (start 85.948462 86.801947) (end 85.906184 86.797184) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.314437 83.904663) (end 85.208888 83.86773) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.096184 86.987184) (end 86.09142 86.944905) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.425558 85.357184) (end 85.314437 85.344663) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.030734 89.487046) (end 86.066475 89.430165) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.975637 84.579888) (end 85.035131 84.485203) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.118463 85.73242) (end 87.158622 85.718368) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.076184 83.917184) (end 85.425558 83.917184) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.848517 88.163471) (end 85.864039 88.138768) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.224732 84.225647) (end 87.247369 84.189621) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.314437 85.344663) (end 85.208888 85.30773) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.118463 84.29242) (end 87.158622 84.278368) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.975637 85.074479) (end 84.938704 84.96893) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.158622 84.278368) (end 87.194648 84.255731) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.083282 88.763471) (end 86.06776 88.738768) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.054731 86.86872) (end 86.024647 86.838636) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.022428 88.702617) (end 85.994891 88.692981) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.975637 86.019888) (end 85.035131 85.925203) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.848517 88.615958) (end 85.838881 88.588421) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.864039 88.138768) (end 85.884668 88.118139) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.030734 90.312953) (end 85.983231 90.26545) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.909371 88.676812) (end 85.884668 88.66129) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.118463 83.921947) (end 87.076184 83.917184) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.786184 89.6) (end 85.796184 89.6) (width 0.19) (layer "F.Cu") (net 115) (timestamp 73d88-))
(segment (start 87.224732 85.42872) (end 87.194648 85.398636) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.425558 86.797184) (end 85.314437 86.784663) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.035131 85.925203) (end 85.114203 85.846131) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.09142 82.709462) (end 86.096184 82.667184) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 87.194648 84.255731) (end 87.224732 84.225647) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.988621 82.838368) (end 86.024647 82.815731) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.796184 89.6) (end 85.862941 89.592478) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.096184 82.667184) (end 85.7504 82.3214) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 84.975637 83.139888) (end 85.035131 83.045203) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 81.6614 82.3214) (end 79.95 80.61) (width 0.19) (layer "F.Cu") (net 115) (timestamp 7e4513f-))
(segment (start 84.926184 84.857809) (end 84.926184 84.796558) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.114203 86.688236) (end 85.035131 86.609164) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.208888 83.86773) (end 85.114203 83.808236) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.862941 90.207521) (end 85.796184 90.2) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.948462 82.85242) (end 85.988621 82.838368) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 85.114203 82.966131) (end 85.208888 82.906637) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))
(segment (start 86.077368 86.904746) (end 86.054731 86.86872) (width 0.19) (layer "F.Cu") (net 115) (timestamp 20f))

(segment (start 85.884668 88.118139) (end 85.909371 88.102617) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.656019 89.629709) (end 85.719428 89.607521) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.066475 90.369834) (end 86.030734 90.312953) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.936908 88.092981) (end 85.994891 88.086448) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.06776 88.738768) (end 86.047131 88.718139) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.983231 89.534549) (end 86.030734 89.487046) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.884668 88.66129) (end 85.864039 88.640661) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 83.935999) (end 87.118463 83.921947) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 85.30773) (end 85.114203 85.248236) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.118463 85.361947) (end 87.076184 85.357184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.022428 88.076812) (end 86.047131 88.06129) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.077368 82.749621) (end 86.09142 82.709462) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 79.485 79.28) (end 79.485 78.45) (width 0.19) (layer "F.Cu") (net 115) (tstamp 998e97eb
(segment (start 85.515894 90.030165) (end 85.493706 89.966756) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 84.309704) (end 85.425558 84.297184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 82.857184) (end 85.906184 82.857184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 86.40893) (end 84.926184 86.297809) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.515894 89.769834) (end 85.551635 89.712953) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.988621 86.815999) (end 85.948462 86.801947) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.096184 88.82) (end 86.092918 88.791008) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 84.938704 84.96893) (end 84.926184 84.857809) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.047131 88.718139) (end 86.022428 88.702617) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.493706 89.966756) (end 85.486184 89.9) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 85.7504 82.3214) (end 81.6614 82.3214) (width 0.19) (layer "F.Cu") (net 115) (tstamp a6
(segment (start 85.599138 90.134549) (end 85.551635 90.087046) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.247369 84.024746) (end 87.224732 83.98872) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.906184 86.797184) (end 85.425558 86.797184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 86.609164) (end 84.975637 86.514479) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.261421 85.504905) (end 87.247369 85.464746) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.493706 89.833243) (end 85.515894 89.769834) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.083282 88.015958) (end 86.092918 87.988421) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.599138 89.66545) (end 85.656019 89.629709) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 84.685437) (end 84.975637 84.579888) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.076184 84.297184) (end 87.118463 84.29242) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.194648 83.958636) (end 87.158622 83.935999) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.835614 88.55943) (end 85.835614 88.22) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 87.261421 84.149462) (end 87.266184 84.107184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.09142 86.944905) (end 86.077368 86.904746) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.194648 85.398636) (end 87.158622 85.375999) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.92635 89.57029) (end 85.983231 89.534549) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.994891 88.086448) (end 86.022428 88.076812) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.994891 88.692981) (end 85.936908 88.686448) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.835614 88.22) (end 85.838881 88.191008) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 84.926184 86.297809) (end 84.926184 86.236558) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.926184 83.356558) (end 84.938704 83.245437) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.224732 85.665647) (end 87.247369 85.629621) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.551635 89.712953) (end 85.599138 89.66545) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 85.375999) (end 87.118463 85.361947) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 84.485203) (end 85.114203 84.406131) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.092918 88.791008) (end 86.083282 88.763471) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.092918 87.988421) (end 86.096184 87.95943) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.088663 90.433243) (end 86.066475 90.369834) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.096184 87.95943) (end 86.096184 86.987184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 85.169164) (end 84.975637 85.074479) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.066475 89.430165) (end 86.088663 89.366756) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 85.718368) (end 87.194648 85.695731) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.054731 82.785647) (end 86.077368 82.749621) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 83.729164) (end 84.975637 83.634479) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.266184 84.107184) (end 87.261421 84.064905) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.266184 85.547184) (end 87.261421 85.504905) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.983231 90.26545) (end 85.92635 90.229709) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 85.786637) (end 85.314437 85.749704) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.194648 85.695731) (end 87.224732 85.665647) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 82.869704) (end 85.425558 82.857184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.096184 90.97581) (end 86.096184 90.5) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 85.92635 90.229709) (end 85.862941 90.207521) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.719428 89.607521) (end 85.786184 89.6) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 85.796184 90.2) (end 85.786184 90.2) (width 0.19) (layer "F.Cu") (net 115) (tstamp e46f

(segment (start 87.261421 85.589462) (end 87.266184 85.547184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 84.297184) (end 87.076184 84.297184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.719428 90.192478) (end 85.656019 90.17029) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.114203 85.846131) (end 85.208888 85.786637) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.936908 88.686448) (end 85.909371 88.676812) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.864039 88.640661) (end 85.848517 88.615958) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.114203 83.808236) (end 85.035131 83.729164) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 84.346637) (end 85.314437 84.309704) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.551635 90.087046) (end 85.515894 90.030165) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 86.784663) (end 85.208888 86.74773) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.975637 86.514479) (end 84.938704 86.40893) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.862941 89.592478) (end 85.92635 89.57029) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.838881 88.191008) (end 85.848517 88.163471) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 77.600547 80.937704) (end 77.63748 81.043253) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.3458 83.4268) (end 78.3458 82.141175) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 82.417253 83.094504) (end 82.476747 82.999819) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.756053 82.82432) (end 82.867174 82.8118) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.322892 83.492266) (end 78.335401 83.472357) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.447252 82.740264) (end 79.477336 82.770348) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.976198 83.472357) (end 77.988707 83.492266) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.1778 83.9818) (end 82.220078 83.977036) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.393279 82.030054) (end 79.4058 82.141175) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.67 81.715) (end 76.627722 81.719763) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1
(segment (start 76.551537 81.756452) (end 76.521453 81.786536) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.005333 83.508892) (end 78.025242 83.521401) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.095362 83.962984) (end 82.135521 83.977036) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.600547 81.432295) (end 77.541053 81.52698) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.296263 83.940347) (end 82.326347 83.910263) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.5 80.275) (end 75.457721 80.279763) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1c
(segment (start 82.220078 83.977036) (end 82.260237 83.962984) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.63748 81.043253) (end 77.65 81.154374) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 75.351452 80.583463) (end 75.381536 80.613547) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.79978 82.920747) (end 81.878852 82.999819) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.150626 80.655) (end 77.261747 80.66752) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 82.135521 83.977036) (end 82.1778 83.9818) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 76.945 79.28) (end 76.48 79.745) (width 0.19) (layer "F.Cu") (net 116) (tstamp 2a2d0cad
(segment (start 77.461981 80.763947) (end 77.541053 80.843019) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.555819 82.920747) (end 82.650504 82.861253) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.150626 81.715) (end 76.67 81.715) (width 0.19) (layer "F.Cu") (net 116) (tstamp 2e33
(segment (start 76.48 79.745) (end 76.48 79.775625) (width 0.19) (layer "F.Cu") (net 116) (tstamp 38d62
(segment (start 77.261747 80.66752) (end 77.367296 80.704453) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.367296 80.704453) (end 77.461981 80.763947) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.35832 82.030054) (end 78.395253 81.924505) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.541053 81.52698) (end 77.461981 81.606052) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.975279 83.200053) (end 81.9878 83.311174) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.627722 81.719763) (end 76.587563 81.733815) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.477336 82.770348) (end 79.513362 82.792985) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.587563 81.733815) (end 76.551537 81.756452) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.017546 81.654321) (end 79.123095 81.691254) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.417562 80.293815) (end 75.381536 80.316452) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.553521 82.807037) (end 79.5958 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 82.348984 83.874237) (end 82.363036 83.834078) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.363036 83.834078) (end 82.3678 83.7918) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 76.48 82.13) (end 77.1618 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp 517bee
(segment (start 76.498816 81.822562) (end 76.484764 81.862721) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.410563 82.664079) (end 79.424615 82.704238) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.4058 82.6218) (end 79.410563 82.664079) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 75.381536 80.613547) (end 75.417562 80.636184) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.314763 80.507278) (end 75.328815 80.547437) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 84.5488 83.9888) (end 84.5488 86.8856) (width 0.19) (layer "F.Cu") (net 116) (tstamp 60
(segment (start 76.371052 80.08698) (end 76.29198 80.166052) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.63748 81.326746) (end 77.600547 81.432295) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.938346 83.094504) (end 81.975279 83.200053) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.461981 81.606052) (end 77.367296 81.665546) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.047435 83.529167) (end 78.0708 83.5318) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 75.5 80.655) (end 77.150626 80.655) (width 0.19) (layer "F.Cu") (net 116) (tstamp 7022c
(segment (start 82.3678 83.7918) (end 82.3678 83.311174) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 75.381536 80.316452) (end 75.351452 80.346536) (width 0.19) (layer "F.Cu") (net 116) (ts

(segment (start 77.1618 82.8118) (end 77.546513 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 78.335401 83.472357) (end 78.343167 83.450164) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 81.705095 82.861253) (end 81.79978 82.920747) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.351452 80.346536) (end 75.328815 80.382562) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.878852 82.999819) (end 81.938346 83.094504) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.945 78.45) (end 76.945 79.28) (width 0.19) (layer "F.Cu") (net 116) (tstamp 7750d0a0
(segment (start 78.395253 81.924505) (end 78.454747 81.82982) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.980625 80.275) (end 75.5 80.275) (width 0.19) (layer "F.Cu") (net 116) (tstamp 79ce1
(segment (start 82.650504 82.861253) (end 82.756053 82.82432) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.4058 82.141175) (end 79.4058 82.6218) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 77.924277 83.049164) (end 77.955287 83.137786) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.599546 82.82432) (end 81.705095 82.861253) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.65 81.215625) (end 77.63748 81.326746) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 75.417562 80.636184) (end 75.457721 80.650236) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.314763 80.422721) (end 75.31 80.465) (width 0.19) (layer "F.Cu") (net 116) (tstamp 8
(segment (start 82.006615 83.874237) (end 82.029252 83.910263) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.65 81.154374) (end 77.65 81.215625) (width 0.19) (layer "F.Cu") (net 116) (tstamp 89
(segment (start 78.025242 83.521401) (end 78.047435 83.529167) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.476747 82.999819) (end 82.555819 82.920747) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.286357 83.521401) (end 78.306266 83.508892) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.264164 83.529167) (end 78.286357 83.521401) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.9878 83.311174) (end 81.9878 83.7918) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 78.845174 81.6418) (end 78.906425 81.6418) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 76.091746 80.262479) (end 75.980625 80.275) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 85.07 87.4068) (end 85.07 91.27) (width 0.19) (layer "F.Cu") (net 116) (tstamp 956a3710
(segment (start 85.07 91.27) (end 85.3 91.5) (width 0.19) (layer "F.Cu") (net 116) (tstamp 9aea50f0-eba
(segment (start 75.457721 80.650236) (end 75.5 80.655) (width 0.19) (layer "F.Cu") (net 116) (tstamp 9e
(segment (start 77.546513 82.8118) (end 77.639813 82.822312) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.31 80.465) (end 75.314763 80.507278) (width 0.19) (layer "F.Cu") (net 116) (tstamp a
(segment (start 82.867174 82.8118) (end 83.3718 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.356346 81.924505) (end 79.393279 82.030054) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.9658 83.231086) (end 77.9658 83.4268) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 78.306266 83.508892) (end 78.322892 83.492266) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.454747 81.82982) (end 78.533819 81.750748) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.639813 82.822312) (end 77.728435 82.853322) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.9878 83.7918) (end 81.992563 83.834078) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.123095 81.691254) (end 79.21778 81.750748) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.968432 83.450164) (end 77.976198 83.472357) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.906425 81.6418) (end 79.017546 81.654321) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.29198 80.166052) (end 76.197295 80.225546) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.734053 81.654321) (end 78.845174 81.6418) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.197295 80.225546) (end 76.091746 80.262479) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.0708 83.5318) (end 78.2408 83.5318) (width 0.19) (layer "F.Cu") (net 116) (tstamp c6
(segment (start 82.326347 83.910263) (end 82.348984 83.874237) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.261747 81.702479) (end 77.150626 81.715) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 84.5488 86.8856) (end 85.07 87.4068) (width 0.19) (layer "F.Cu") (net 116) (tstamp c8a2
(segment (start 77.988707 83.492266) (end 78.005333 83.508892) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.3678 83.311174) (end 82.38032 83.200053) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.728435 82.853322) (end 77.807934 82.903275) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.955287 83.137786) (end 77.9658 83.231086) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.807934 82.903275) (end 77.874324 82.969665) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.467479 79.886746) (end 76.430546 79.992295) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.328815 80.547437) (end 75.351452 80.583463) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.38032 83.200053) (end 82.417253 83.094504) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.328815 80.382562) (end 75.314763 80.422721) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.992563 83.834078) (end 82.006615 83.874237) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.260237 83.962984) (end 82.296263 83.940347) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.296852 81.82982) (end 79.356346 81.924505) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.628504 81.691254) (end 78.734053 81.654321) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.541053 80.843019) (end 77.600547 80.937704) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.029252 83.910263) (end 82.059336 83.940347) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 83.3718 82.8118) (end 84.5488 83.9888) (width 0.19) (layer "F.Cu") (net 116) (tstamp df
(segment (start 78.2408 83.5318) (end 78.264164 83.529167) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.513362 82.792985) (end 79.553521 82.807037) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.48 81.905) (end 76.48 82.13) (width 0.19) (layer "F.Cu") (net 116) (tstamp e5bf40bc-
(segment (start 79.21778 81.750748) (end 79.296852 81.82982) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.521453 81.786536) (end 76.498816 81.822562) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.488425 82.8118) (end 81.599546 82.82432) (width 0.19) (layer "F.Cu") (net 116) (ts

(segment (start 78.533819 81.750748) (end 78.628504 81.691254) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 77.9658 83.4268) (end 77.968432 83.450164) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 78.343167 83.450164) (end 78.3458 83.4268) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 76.430546 79.992295) (end 76.371052 80.08698) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.5958 82.8118) (end 81.488425 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.424615 82.704238) (end 79.447252 82.740264) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.457721 80.279763) (end 75.417562 80.293815) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.3458 82.141175) (end 78.35832 82.030054) (width 0.19) (layer "F.Cu") (net 116) (tstar
(segment (start 76.484764 81.862721) (end 76.48 81.905) (width 0.19) (layer "F.Cu") (net 116) (tstamp f
(segment (start 77.874324 82.969665) (end 77.924277 83.049164) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.367296 81.665546) (end 77.261747 81.702479) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.059336 83.940347) (end 82.095362 83.962984) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.48 79.775625) (end 76.467479 79.886746) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 77.268548 81.303463) (end 77.291185 81.267437) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.31 81.185) (end 77.305237 81.142721) (width 0.19) (layer "F.Cu") (net 117) (tstamp 0
(segment (start 81.606347 83.223336) (end 81.576263 83.193252) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 79.07832 82.763547) (end 79.0658 82.652426) (width 0.19) (layer "F.Cu") (net 117) (tstar
(segment (start 78.675287 83.545813) (end 78.644277 83.634435) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.644277 83.634435) (end 78.594324 83.713934) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.783665 83.780324) (end 77.717275 83.713934) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.958237 82.000616) (end 78.918078 81.986564) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.793362 82.000616) (end 78.757336 82.023253) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 75.358253 79.94752) (end 75.469374 79.935) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 77.238464 81.333547) (end 77.268548 81.303463) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.448435 83.830277) (end 78.359813 83.861287) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 76.528254 81.38752) (end 76.639375 81.375) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 78.994263 82.023253) (end 78.958237 82.000616) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.727252 82.053337) (end 78.704615 82.089363) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.690563 82.129522) (end 78.6858 82.1718) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 76.248948 81.563019) (end 76.32802 81.483947) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 81.66032 83.933546) (end 81.6478 83.822425) (width 0.19) (layer "F.Cu") (net 117) (tstar
(segment (start 75.019453 80.712295) (end 74.98252 80.606746) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.359813 83.861287) (end 78.266513 83.8718) (width 0.19) (layer "F.Cu") (net 117) (tsta
(segment (start 79.0658 82.652426) (end 79.0658 82.1718) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 79.0658 82.1718) (end 79.061036 82.129522) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 76.068463 79.893547) (end 76.098547 79.863463) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 81.930504 84.272346) (end 81.835819 84.212852) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 76.422705 81.424453) (end 76.528254 81.38752) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.8758 81.9818) (end 78.833521 81.986564) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 82.51978 84.212852) (end 82.425095 84.272346) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.268548 81.066536) (end 77.238464 81.036452) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 81.697253 84.039095) (end 81.66032 83.933546) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.6858 83.452513) (end 78.675287 83.545813) (width 0.19) (layer "F.Cu") (net 117) (tsta
(segment (start 76.135236 79.787278) (end 76.14 79.745) (width 0.19) (layer "F.Cu") (net 117) (tstamp 3
(segment (start 79.174747 82.963781) (end 79.115253 82.869096) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.623167 83.233435) (end 77.615401 83.211242) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.527934 83.780324) (end 78.448435 83.830277) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.951786 83.861287) (end 77.863164 83.830277) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.12 80.995) (end 75.469374 80.995) (width 0.19) (layer "F.Cu") (net 117) (tstamp 39a5
(segment (start 78.045086 83.8718) (end 77.951786 83.861287) (width 0.19) (layer "F.Cu") (net 117) (tsta
(segment (start 82.658346 84.039095) (end 82.598852 84.13378) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.757336 82.023253) (end 78.727252 82.053337) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 77.202438 81.013815) (end 77.162279 80.999763) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.6858 82.1718) (end 78.6858 83.452513) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 76.152521 81.763253) (end 76.189454 81.657704) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 74.98252 80.323253) (end 75.019453 80.217704) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 82.036053 84.309279) (end 81.930504 84.272346) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 82.712563 83.299521) (end 82.7078 83.3418) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 77.305237 81.142721) (end 77.291185 81.102562) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 82.7078 83.822425) (end 82.695279 83.933546) (width 0.19) (layer "F.Cu") (net 117) (tsta
(segment (start 79.046984 82.089363) (end 79.024347 82.053337) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 82.855521 83.156563) (end 82.815362 83.170615) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.833521 81.986564) (end 78.793362 82.000616) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 83.2118 83.1518) (end 82.8978 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 68f
(segment (start 79.565174 83.1518) (end 79.454053 83.13928) (width 0.19) (layer "F.Cu") (net 117) (tstar
(segment (start 74.97 80.434374) (end 74.98252 80.323253) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 84.5 91.5) (end 84.73 91.27) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da
(segment (start 75.158019 80.886052) (end 75.078947 80.80698) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 79.024347 82.053337) (end 78.994263 82.023253) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.4578 83.1518) (end 79.565174 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.14 82.29) (end 76.14 81.874374) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.358253 80.982479) (end 75.252704 80.945546) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.5208 83.1518) (end 77.0018 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.147174 84.3218) (end 82.036053 84.309279) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.615401 83.211242) (end 77.602892 83.191333) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.779336 83.193252) (end 82.749252 83.223336) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.202438 81.356184) (end 77.238464 81.333547) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.717275 83.713934) (end 77.667322 83.634435) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.032437 79.916184) (end 76.068463 79.893547) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.238464 81.036452) (end 77.202438 81.013815) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.628984 83.259362) (end 81.606347 83.223336) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.162279 80.999763) (end 77.12 80.995) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.544164 83.154432) (end 77.5208 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 79.061036 82.129522) (end 79.046984 82.089363) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.208425 84.3218) (end 82.147174 84.3218) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.291185 81.102562) (end 77.268548 81.066536) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.540237 83.170615) (end 81.500078 83.156563) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.500078 83.156563) (end 81.4578 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.566357 83.162198) (end 77.544164 83.154432) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.598852 84.13378) (end 82.51978 84.212852) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 79.348504 83.102347) (end 79.253819 83.042853) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.863164 83.830277) (end 77.783665 83.780324) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 84.2088 84.1488) (end 83.2118 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 79.115253 82.869096) (end 79.07832 82.763547) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.305237 81.227278) (end 77.31 81.185) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.14 79.745) (end 75.675 79.28) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.726615 83.259362) (end 82.712563 83.299521) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.14 81.874374) (end 76.152521 81.763253) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.098547 79.863463) (end 76.121184 79.827437) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 84.73 91.27) (end 84.73 87.5494) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.121184 79.827437) (end 76.135236 79.787278) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.252704 80.945546) (end 75.158019 80.886052) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 79.454053 83.13928) (end 79.348504 83.102347) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.6258 83.452513) (end 77.6258 83.2568) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.667322 83.634435) (end 77.636312 83.545813) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.675 79.28) (end 75.675 78.45) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.6258 83.2568) (end 77.623167 83.233435) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.643036 83.299521) (end 81.628984 83.259362) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.835819 84.212852) (end 81.756747 84.13378) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 78.704615 82.089363) (end 78.690563 82.129522) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.602892 83.191333) (end 77.586266 83.174707) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.586266 83.174707) (end 77.566357 83.162198) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.6478 83.3418) (end 81.643036 83.299521) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.078947 80.80698) (end 75.019453 80.712295) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.469374 79.935) (end 75.95 79.935) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.7078 83.3418) (end 82.7078 83.822425) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.576263 83.193252) (end 81.540237 83.170615) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.319546 84.309279) (end 82.208425 84.3218) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.8978 83.1518) (end 82.855521 83.156563) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.162279 81.370236) (end 77.202438 81.356184) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 74.98252 80.606746) (end 74.97 80.495625) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.695279 83.933546) (end 82.658346 84.039095) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.815362 83.170615) (end 82.779336 83.193252) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.291185 81.267437) (end 77.305237 81.227278) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 77.0018 83.1518) (end 76.14 82.29) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.32802 81.483947) (end 76.422705 81.424453) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.992278 79.930236) (end 76.032437 79.916184) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.95 79.935) (end 75.992278 79.930236) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 82.425095 84.272346) (end 82.319546 84.309279) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 84.73 87.5494) (end 84.2088 87.0282) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.756747 84.13378) (end 81.697253 84.039095) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.639375 81.375) (end 77.12 81.375) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 78.594324 83.713934) (end 78.527934 83.780324) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 76.189454 81.657704) (end 76.248948 81.563019) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 81.6478 83.822425) (end 81.6478 83.3418) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))
(segment (start 75.158019 80.043947) (end 75.252704 79.984453) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f161884))

(segment (start 82.749252 83.223336) (end 82.726615 83.259362) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 77.12 81.375) (end 77.162279 81.370236) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 79.253819 83.042853) (end 79.174747 82.963781) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 84.2088 87.0282) (end 84.2088 84.1488) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 75.078947 80.123019) (end 75.158019 80.043947) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 75.019453 80.217704) (end 75.078947 80.123019) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 74.97 80.495625) (end 74.97 80.434374) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 75.469374 80.995) (end 75.358253 80.982479) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 77.636312 83.545813) (end 77.6258 83.452513) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 75.252704 79.984453) (end 75.358253 79.94752) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 78.918078 81.986564) (end 78.8758 81.9818) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 78.266513 83.8718) (end 78.045086 83.8718) (width 0.19) (layer "F.Cu") (net 117) (tstamp 09988e))
(segment (start 74.487452 84.411581) (end 74.40838 84.490653) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.891127 87.690066) (end 82.823947 87.690065) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 75.364653 84.58708) (end 75.259104 84.550147) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.758454 87.675117) (end 82.697927 87.645969) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.574371 87.491035) (end 82.559423 87.425542) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.17252 81.788253) (end 71.209453 81.682704) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.495237 82.607721) (end 73.481185 82.567562) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.31 82.46) (end 71.659374 82.46) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.548253 82.447479) (end 71.442704 82.410546) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.33 79.7976) (end 71.865 79.3326) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.612705 82.889453) (end 72.718254 82.85252) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 83.7 90.982211) (end 83.703894 90.978317) (width 0.15) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.40838 84.490653) (end 74.313695 84.550147) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 83.228258 87.456132) (end 83.175736 87.498019) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.822503 86.762538) (end 82.793355 86.702011) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.258463 81.358547) (end 72.288547 81.328463) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.601163 83.577322) (end 74.5964 83.6196) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.603519 87.551562) (end 82.574371 87.491035) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.697927 87.645969) (end 82.645404 87.604084) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.9764 83.6196) (end 74.971636 83.577322) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.348019 81.508947) (end 71.442704 81.449453) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.352279 82.835236) (end 73.392438 82.821184) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.16 81.899374) (end 71.17252 81.788253) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.868837 83.448416) (end 74.828678 83.434364) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 83.421458 87.412037) (end 83.354278 87.412036) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.428464 82.798547) (end 73.458548 82.768463) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.481185 82.567562) (end 73.458548 82.531536) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.268947 81.588019) (end 71.348019 81.508947) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.829375 82.84) (end 73.31 82.84) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.659374 82.46) (end 71.548253 82.447479) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 83.486951 87.426985) (end 83.421458 87.412037) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.751471 86.649489) (end 80.701582 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.637852 83.501137) (end 74.615215 83.537163) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.941882 84.5996) (end 72.33 83.987718) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 71.209453 81.682704) (end 71.268947 81.588019) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 80.701582 84.5996) (end 75.475774 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.097025 84.5996) (end 72.941882 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.645405 87.17982) (end 82.75147 87.073752) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.645404 87.604084) (end 82.603519 87.551562) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.208146 84.58708) (end 74.097025 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.75147 87.073752) (end 82.793356 87.021231) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.615215 83.537163) (end 74.601163 83.577322) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.495237 82.692278) (end 73.5 82.65) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.95662 87.675116) (end 82.891127 87.690066) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.33 81.21) (end 72.33 79.7976) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.837452 86.895211) (end 82.837451 86.828031) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.703962 83.448416) (end 74.667936 83.471053) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 72.718254 82.85252) (end 72.829375 82.84) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.352279 82.464763) (end 73.31 82.46) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 74.546946 84.316896) (end 74.487452 84.411581) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 75.164419 84.490653) (end 75.085347 84.411581) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 83.6 87.498018) (end 83.547478 87.456133) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 82.822502 86.960704) (end 82.837452 86.895211) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.392438 82.478815) (end 73.352279 82.464763) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 73.481185 82.732437) (end 73.495237 82.692278) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))
(segment (start 83.547478 87.456133) (end 83.486951 87.426985) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e))

(segment (start 71.442704 82.410546) (end 71.348019 82.351052) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.5964 83.6196) (end 74.5964 84.100226) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.313695 84.550147) (end 74.208146 84.58708) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.069668 87.604084) (end 83.017147 87.64597) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.7 91.5) (end 83.7 90.982211) (width 0.15) (layer "F.Cu") (net 118) (tstamp 893e4cba-00000000-00000000-00000000-00000000))
(segment (start 71.16 81.960625) (end 71.16 81.899374) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.865 79.3326) (end 71.865 78.45) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8d34d9a-00000000-00000000-00000000-00000000))
(segment (start 83.703894 90.978317) (end 83.703894 87.601912) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.98892 84.211347) (end 74.9764 84.100226) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.33 83.987718) (end 72.33 83.339374) (width 0.19) (layer "F.Cu") (net 118) (tstamp 92f77474-00000000-00000000-00000000-00000000))
(segment (start 74.583879 84.211347) (end 74.546946 84.316896) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.574372 87.292869) (end 82.603518 87.232342) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 75.259104 84.550147) (end 75.164419 84.490653) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 75.085347 84.411581) (end 75.025853 84.316896) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.311184 81.292437) (end 72.325236 81.252278) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.559423 87.425542) (end 82.559422 87.358362) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.379454 83.122704) (end 72.438948 83.028019) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.7864 83.4296) (end 74.744121 83.434364) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.837451 86.828031) (end 82.822503 86.762538) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.182278 81.395236) (end 72.222437 81.381184) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.828678 83.434364) (end 74.7864 83.4296) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.548253 81.41252) (end 71.659374 81.4) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 73.5 82.65) (end 73.495237 82.607721) (width 0.19) (layer "F.Cu") (net 118) (tstamp b8f77474-00000000-00000000-00000000-00000000))
(segment (start 72.342521 83.228253) (end 72.379454 83.122704) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.793355 86.702011) (end 82.751471 86.649489) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.51802 82.948947) (end 72.612705 82.889453) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.603518 87.232342) (end 82.645405 87.17982) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.703894 87.601912) (end 83.6 87.498018) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.209453 82.177295) (end 71.17252 82.071746) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 73.392438 82.821184) (end 73.428464 82.798547) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.017147 87.64597) (end 82.95662 87.675116) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.793356 87.021231) (end 82.822502 86.960704) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.17252 82.071746) (end 71.16 81.960625) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.438948 83.028019) (end 72.51802 82.948947) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.934947 83.501137) (end 74.904863 83.471053) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.823947 87.690065) (end 82.758454 87.675117) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 73.458548 82.768463) (end 73.481185 82.732437) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.957584 83.537163) (end 74.934947 83.501137) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.175736 87.498019) (end 83.069668 87.604084) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.904863 83.471053) (end 74.868837 83.448416) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.288785 87.426986) (end 83.228258 87.456132) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.559422 87.358362) (end 82.574372 87.292869) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.659374 81.4) (end 72.14 81.4) (width 0.19) (layer "F.Cu") (net 118) (tstamp e30ed806-00000000-00000000-00000000-00000000))
(segment (start 71.348019 82.351052) (end 71.268947 82.27198) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.14 81.4) (end 72.182278 81.395236) (width 0.19) (layer "F.Cu") (net 118) (tstamp eb4d9a-00000000-00000000-00000000-00000000))
(segment (start 75.475774 84.5996) (end 75.364653 84.58708) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.971636 83.577322) (end 74.957584 83.537163) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.33 83.339374) (end 72.342521 83.228253) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.442704 81.449453) (end 71.548253 81.41252) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 75.025853 84.316896) (end 74.98892 84.211347) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 73.458548 82.531536) (end 73.428464 82.501452) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.744121 83.434364) (end 74.703962 83.448416) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 73.428464 82.501452) (end 73.392438 82.478815) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.222437 81.381184) (end 72.258463 81.358547) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.667936 83.471053) (end 74.637852 83.501137) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 74.5964 84.100226) (end 74.583879 84.211347) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 73.31 82.84) (end 73.352279 82.835236) (width 0.19) (layer "F.Cu") (net 118) (tstamp f77474-00000000-00000000-00000000-00000000))
(segment (start 72.288547 81.328463) (end 72.311184 81.292437) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 83.354278 87.412036) (end 83.288785 87.426986) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 71.268947 82.27198) (end 71.209453 82.177295) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 72.325236 81.252278) (end 72.33 81.21) (width 0.19) (layer "F.Cu") (net 118) (tstamp fe7474-00000000-00000000-00000000-00000000))
(segment (start 74.9764 84.100226) (end 74.9764 83.6196) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 82.9 91.5) (end 82.9 90.982211) (width 0.15) (layer "F.Cu") (net 119) (tstamp 00000000-00000000-00000000-00000000))
(segment (start 82.9 90.982211) (end 82.903894 90.978317) (width 0.15) (layer "F.Cu") (net 119) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 69.309315 82.353384) (end 69.269337 82.339395) (width 0.19) (layer "F.Cu") (net 119) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 67.78467 82.221697) (end 67.703308 82.140335) (width 0.19) (layer "F.Cu") (net 119) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 69.227248 82.714653) (end 69.269337 82.70991) (width 0.19) (layer "F.Cu") (net 119) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))
(segment (start 67.703308 81.434864) (end 67.78467 81.353502) (width 0.19) (layer "F.Cu") (net 119) (tstamp 8c3d4d9a-00000000-00000000-00000000-00000000))

(segment (start 82.903894 90.978317) (end 82.903894 88.864742) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.09725 88.068735) (end 82.055365 88.016213) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.957948 88.537895) (end 82.055364 88.440476) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.886915 88.650944) (end 81.916061 88.590417) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.532152 88.822856) (end 82.47963 88.864743) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.592679 88.79371) (end 82.532152 88.822856) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.055 79.3326) (end 68.055 78.45) (width 0.19) (layer "F.Cu") (net 119) (tstamp 1942f7
(segment (start 69.227248 82.334653) (end 68.6819 82.334653) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.916061 88.590417) (end 81.957948 88.537895) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.09725 88.387955) (end 82.126398 88.327429) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.943011 85.303011) (end 68.5038 84.8638) (width 0.19) (layer "F.Cu") (net 119) (tstamp
(segment (start 69.345179 82.375918) (end 69.309315 82.353384) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.658172 88.77876) (end 82.592679 88.79371) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.485069 81.13432) (end 68.499058 81.094342) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.141347 88.194756) (end 82.126398 88.129261) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.382211 88.962159) (end 82.32969 89.004045) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.396721 81.222668) (end 68.432585 81.200134) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.397663 82.607573) (end 69.411652 82.567595) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.5038 83.228488) (end 68.516682 83.114149) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.851372 88.822857) (end 82.790845 88.793709) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.957947 88.962159) (end 81.916062 88.909637) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.136491 89.048142) (end 82.070996 89.033193) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.990702 81.254282) (end 68.105041 81.2414) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.990702 82.320917) (end 67.882096 82.282914) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.78467 81.353502) (end 67.882096 81.292285) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.6819 82.334653) (end 68.6819 82.3338) (width 0.19) (layer "F.Cu") (net 119) (tstamp 4
(segment (start 81.886914 88.84911) (end 81.871966 88.783617) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.017635 82.714653) (end 69.227248 82.714653) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.309315 82.695921) (end 69.345179 82.673387) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.790845 88.793709) (end 82.725352 88.778761) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.416395 82.5238) (end 69.411652 82.48171) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.397663 82.441732) (end 69.375129 82.405868) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.055364 88.440476) (end 82.09725 88.387955) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.5038 79.7814) (end 68.055 79.3326) (width 0.19) (layer "F.Cu") (net 119) (tstamp 5df
(segment (start 82.126398 88.327429) (end 82.141347 88.261934) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.432585 81.200134) (end 68.462535 81.170184) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.591205 81.755235) (end 67.604088 81.640896) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.126398 88.129261) (end 82.09725 88.068735) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.642091 82.042909) (end 67.604088 81.934303) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.314653 81.2414) (end 68.356743 81.236657) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.105041 81.2414) (end 68.314653 81.2414) (width 0.19) (layer "F.Cu") (net 119) (tstamp
(segment (start 79.342163 85.303011) (end 68.943011 85.303011) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.47963 88.864743) (end 82.382211 88.962159) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.203669 89.048142) (end 82.136491 89.048142) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.345179 82.673387) (end 69.375129 82.643437) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.416395 82.525506) (end 69.416395 82.5238) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.871965 88.716437) (end 81.886915 88.650944) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.604088 81.934303) (end 67.591205 81.819964) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.141347 88.261934) (end 82.141347 88.194756) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.871966 88.783617) (end 81.871965 88.716437) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.703308 82.140335) (end 67.642091 82.042909) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.591205 81.819964) (end 67.591205 81.755235) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.269337 82.70991) (end 69.309315 82.695921) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.554685 83.005543) (end 68.615902 82.908117) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.269164 89.033193) (end 82.203669 89.048142) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.697264 82.826755) (end 68.79469 82.765538) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.375129 82.643437) (end 69.397663 82.607573) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.725352 88.778761) (end 82.658172 88.77876) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.642091 81.53229) (end 67.703308 81.434864) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.5038 81.052253) (end 68.5038 79.7814) (width 0.19) (layer "F.Cu") (net 119) (tstamp a
(segment (start 82.01047 89.004045) (end 81.957947 88.962159) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.070996 89.033193) (end 82.01047 89.004045) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.32969 89.004045) (end 82.269164 89.033193) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.903894 88.864742) (end 82.851372 88.822857) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.903296 82.727535) (end 69.017635 82.714653) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.105041 82.3338) (end 67.990702 82.320917) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.882096 81.292285) (end 67.990702 81.254282) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.055365 88.016213) (end 79.342163 85.303011) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 67.882096 82.282914) (end 67.78467 82.221697) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.916062 88.909637) (end 81.886914 88.84911) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.499058 81.094342) (end 68.5038 81.052253) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.516682 83.114149) (end 68.554685 83.005543) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.269337 82.339395) (end 69.227248 82.334653) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.79469 82.765538) (end 68.903296 82.727535) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.462535 81.170184) (end 68.485069 81.13432) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.411652 82.567595) (end 69.416395 82.525506) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.604088 81.640896) (end 67.642091 81.53229) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.6819 82.3338) (end 68.105041 82.3338) (width 0.19) (layer "F.Cu") (net 119) (tstamp
(segment (start 69.375129 82.405868) (end 69.345179 82.375918) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.5038 84.8638) (end 68.5038 83.228488) (width 0.19) (layer "F.Cu") (net 119) (tstamp
(segment (start 68.615902 82.908117) (end 68.697264 82.826755) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.356743 81.236657) (end 68.396721 81.222668) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.411652 82.48171) (end 69.397663 82.441732) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.1 91.5) (end 82.1 90.982211) (width 0.15) (layer "F.Cu") (net 120) (tstamp 00000000-0
(segment (start 82.1 90.982211) (end 82.103894 90.978317) (width 0.15) (layer "F.Cu") (net 120) (tstamp
(segment (start 65.93666 84.349009) (end 65.944463 84.383197) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.858172 90.10833) (end 81.925352 90.108331) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.12537 85.5356) (end 66.230148 85.5356) (width 0.19) (layer "F.Cu") (net 120) (tstamp
(segment (start 81.078266 89.989163) (end 81.063316 90.054656) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 67.779582 86.169998) (end 66.870579 85.260995) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 64.71 79.745) (end 64.71 83.100418) (width 0.19) (layer "F.Cu") (net 120) (tstamp 0eef0
(segment (start 81.326397 89.458832) (end 81.341345 89.524325) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.792679 90.12328) (end 81.858172 90.10833) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.063317 90.121836) (end 81.078265 90.187329) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.944463 84.383197) (end 65.944463 84.418263) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.648293 85.137357) (end 65.693754 85.231758) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 64.245 79.28) (end 64.71 79.745) (width 0.19) (layer "F.Cu") (net 120) (tstamp 1d2f886f
(segment (start 81.255364 89.770046) (end 81.149299 89.876114) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.732152 90.152426) (end 81.792679 90.12328) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.149298 90.300378) (end 81.201821 90.342263) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.693754 84.733879) (end 65.648293 84.82828) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.149299 89.876114) (end 81.107412 89.928636) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.426699 85.466824) (end 66.508617 85.401496) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.395021 90.38636) (end 81.460514 90.37141) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.297249 89.398305) (end 81.326397 89.458832) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.82661 85.381205) (end 65.846901 85.401496) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.777381 85.216113) (end 66.811569 85.223916) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 64.245 78.45) (end 64.245 79.28) (width 0.19) (layer "F.Cu") (net 120) (tstamp 4f90f8a4
(segment (start 64.71 83.100418) (end 65.899582 84.289999) (width 0.19) (layer "F.Cu") (net 120) (tstamp
(segment (start 81.341345 89.524325) (end 81.341346 89.591505) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 67.779582 86.17) (end 78.079582 86.17) (width 0.19) (layer "F.Cu") (net 120) (tstamp 5f
(segment (start 81.107412 89.928636) (end 81.078266 89.989163) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.063316 90.054656) (end 81.063317 90.121836) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.649117 85.260995) (end 66.676533 85.239131) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.341346 89.591505) (end 81.326396 89.656998) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.693754 85.231758) (end 65.759081 85.313677) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.332298 85.512285) (end 66.426699 85.466824) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.648293 84.82828) (end 65.624978 84.93043) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.230148 85.5356) (end 66.332298 85.512285) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.078265 90.187329) (end 81.107413 90.247856) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.846901 85.401496) (end 65.928819 85.466824) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.326396 89.656998) (end 81.29725 89.717525) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.759081 85.313677) (end 65.82661 85.381205) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 78.079582 86.17) (end 81.255365 89.345783) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.944463 84.418263) (end 65.93666 84.452451) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.201821 90.342263) (end 81.262348 90.371411) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.327841 90.386359) (end 81.395021 90.38636) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.899582 84.289999) (end 65.921445 84.317416) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.93666 84.452451) (end 65.921445 84.484045) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.759081 84.651961) (end 65.693754 84.733879) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.742315 85.216113) (end 66.777381 85.216113) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.928819 85.466824) (end 66.02322 85.512285) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.29725 89.717525) (end 81.255364 89.770046) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.811569 85.223916) (end 66.843162 85.239131) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.67963 90.194313) (end 81.732152 90.152426) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.925352 90.108331) (end 81.990845 90.123279) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.843162 85.239131) (end 66.870579 85.260995) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 82.051372 90.152427) (end 82.103894 90.194312) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 82.103894 90.194312) (end 82.103894 90.978317) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 66.02322 85.512285) (end 66.12537 85.5356) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 65.921445 84.317416) (end 65.93666 84.349009) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.255365 89.345783) (end 81.297249 89.398305) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 65.899582 84.511461) (end 65.759081 84.651961) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 67.779582 86.17) (end 67.779582 86.169998) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 66.708127 85.223916) (end 66.742315 85.216113) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 65.921445 84.484045) (end 65.899582 84.511461) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.460514 90.37141) (end 81.521041 90.342264) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.573562 90.300378) (end 81.67963 90.194313) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.262348 90.371411) (end 81.327841 90.386359) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.990845 90.123279) (end 82.051372 90.152427) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 66.508617 85.401496) (end 66.649117 85.260995) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 65.624978 84.93043) (end 65.624978 85.035207) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 65.624978 85.035207) (end 65.648293 85.137357) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.107413 90.247856) (end 81.149298 90.300378) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 66.676533 85.239131) (end 66.708127 85.223916) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 81.521041 90.342264) (end 81.573562 90.300378) (width 0.19) (layer "F.Cu") (net 120) (tstamp 05f230d666a))
(segment (start 69.998 87.7034) (end 69.998 87.222774) (width 0.19) (layer "F.Cu") (net 121) (tstamp 05f230d666a))
(segment (start 69.659452 87.821863) (end 69.689536 87.851947) (width 0.19) (layer "F.Cu") (net 121) (tstamp 05f230d666a))
(segment (start 70.386253 86.73592) (end 70.497374 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp 05f230d666a))
(segment (start 69.118625 86.7234) (end 69.229746 86.73592) (width 0.19) (layer "F.Cu") (net 121) (tstamp 05f230d666a))
(segment (start 81.07 91.27) (end 81.3 91.5) (width 0.19) (layer "F.Cu") (net 121) (tstamp 0fec6fef-41d0))
(segment (start 61.705 78.45) (end 61.705 79.28) (width 0.19) (layer "F.Cu") (net 121) (tstamp 112757a0))
(segment (start 69.622763 87.745678) (end 69.636815 87.785837) (width 0.19) (layer "F.Cu") (net 121) (tstamp 112757a0))
(segment (start 70.106947 86.911419) (end 70.186019 86.832347) (width 0.19) (layer "F.Cu") (net 121) (tstamp 112757a0))
(segment (start 69.725562 87.874584) (end 69.765721 87.888636) (width 0.19) (layer "F.Cu") (net 121) (tstamp 112757a0))
(segment (start 81.07 90.722) (end 81.07 91.27) (width 0.19) (layer "F.Cu") (net 121) (tstamp 2b23c16c-))
(segment (start 70.047453 87.006104) (end 70.106947 86.911419) (width 0.19) (layer "F.Cu") (net 121) (tstamp 2b23c16c-))
(segment (start 77.0714 86.7234) (end 81.07 90.722) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.956547 87.821863) (end 69.979184 87.785837) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.765721 87.888636) (end 69.808 87.8934) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.618 87.7034) (end 69.622763 87.745678) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.42998 86.832347) (end 69.509052 86.911419) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.850278 87.888636) (end 69.890437 87.874584) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 70.186019 86.832347) (end 70.280704 86.772853) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.605479 87.111653) (end 69.618 87.222774) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.229746 86.73592) (end 69.335295 86.772853) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.808 87.8934) (end 69.850278 87.888636) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.890437 87.874584) (end 69.926463 87.851947) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.618 87.222774) (end 69.618 87.7034) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 69.926463 87.851947) (end 69.956547 87.821863) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd))
(segment (start 61.24 81.38) (end 66.5834 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a))
(segment (start 69.509052 86.911419) (end 69.568546 87.006104) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a))
(segment (start 69.636815 87.785837) (end 69.659452 87.821863) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a))
(segment (start 70.280704 86.772853) (end 70.386253 86.73592) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a))
(segment (start 69.568546 87.006104) (end 69.605479 87.111653) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a))
(segment (start 61.24 79.745) (end 61.24 81.38) (width 0.19) (layer "F.Cu") (net 121) (tstamp d0b1f0ce-))
(segment (start 69.993236 87.745678) (end 69.998 87.7034) (width 0.19) (layer "F.Cu") (net 121) (tstamp d0b1f0ce-))
(segment (start 69.979184 87.785837) (end 69.993236 87.745678) (width 0.19) (layer "F.Cu") (net 121) (tstamp d0b1f0ce-))
(segment (start 69.998 87.222774) (end 70.01052 87.111653) (width 0.19) (layer "F.Cu") (net 121) (tstamp d0b1f0ce-))
(segment (start 69.689536 87.851947) (end 69.725562 87.874584) (width 0.19) (layer "F.Cu") (net 121) (tstamp d0b1f0ce-))
(segment (start 61.705 79.28) (end 61.24 79.745) (width 0.19) (layer "F.Cu") (net 121) (tstamp ddc35731))
(segment (start 69.335295 86.772853) (end 69.42998 86.832347) (width 0.19) (layer "F.Cu") (net 121) (tstamp ddc35731))
(segment (start 66.5834 86.7234) (end 69.118625 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp ddc35731))
(segment (start 70.497374 86.7234) (end 77.0714 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp ddc35731))
(segment (start 70.01052 87.111653) (end 70.047453 87.006104) (width 0.19) (layer "F.Cu") (net 121) (tstamp ddc35731))
(segment (start 69.273236 87.211121) (end 69.278 87.2534) (width 0.19) (layer "F.Cu") (net 122) (tstamp ddc35731))
(segment (start 69.259184 87.170962) (end 69.273236 87.211121) (width 0.19) (layer "F.Cu") (net 122) (tstamp ddc35731))
(segment (start 70.14998 88.124452) (end 70.229052 88.04538) (width 0.19) (layer "F.Cu") (net 122) (tstamp ddc35731))
(segment (start 70.356815 87.170962) (end 70.379452 87.134936) (width 0.19) (layer "F.Cu") (net 122) (tstamp ddc35731))
(segment (start 69.088 87.0634) (end 69.130278 87.068163) (width 0.19) (layer "F.Cu") (net 122) (tstamp ddc35731))
(segment (start 70.229052 88.04538) (end 70.288546 87.950695) (width 0.19) (layer "F.Cu") (net 122) (tstamp ddc35731))
(segment (start 60.9 79.745) (end 60.9 81.53) (width 0.19) (layer "F.Cu") (net 122) (tstamp 16efe8b9-c3))
(segment (start 60.435 78.45) (end 60.435 79.28) (width 0.19) (layer "F.Cu") (net 122) (tstamp 230d666a))
(segment (start 80.73 91.27) (end 80.5 91.5) (width 0.19) (layer "F.Cu") (net 122) (tstamp 2a1d166c-b5d))

(segment (start 70.485721 87.068163) (end 70.528 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp
(segment (start 60.435 79.28) (end 60.9 79.745) (width 0.19) (layer "F.Cu") (net 122) (tstamp 2fd8406d-
(segment (start 69.278 87.734025) (end 69.29052 87.845146) (width 0.19) (layer "F.Cu") (net 122) (tstamp
(segment (start 70.445562 87.082215) (end 70.485721 87.068163) (width 0.19) (layer "F.Cu") (net 122) (t
(segment (start 70.325479 87.845146) (end 70.338 87.734025) (width 0.19) (layer "F.Cu") (net 122) (tsta
(segment (start 69.386947 88.04538) (end 69.466019 88.124452) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.777374 88.2334) (end 69.838625 88.2334) (width 0.19) (layer "F.Cu") (net 122) (tstamp
(segment (start 70.528 87.0634) (end 76.9288 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp 48e
(segment (start 70.342763 87.211121) (end 70.356815 87.170962) (width 0.19) (layer "F.Cu") (net 122) (t
(segment (start 69.206463 87.104852) (end 69.236547 87.134936) (width 0.19) (layer "F.Cu") (net 122) (t
(segment (start 70.379452 87.134936) (end 70.409536 87.104852) (width 0.19) (layer "F.Cu") (net 122) (t
(segment (start 69.130278 87.068163) (end 69.170437 87.082215) (width 0.19) (layer "F.Cu") (net 122) (t
(segment (start 69.327453 87.950695) (end 69.386947 88.04538) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 80.73 90.8646) (end 80.73 91.27) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c399365
(segment (start 69.29052 87.845146) (end 69.327453 87.950695) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 70.055295 88.183946) (end 70.14998 88.124452) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.838625 88.2334) (end 69.949746 88.220879) (width 0.19) (layer "F.Cu") (net 122) (tsta
(segment (start 69.666253 88.220879) (end 69.777374 88.2334) (width 0.19) (layer "F.Cu") (net 122) (tsta
(segment (start 69.949746 88.220879) (end 70.055295 88.183946) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.466019 88.124452) (end 69.560704 88.183946) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.560704 88.183946) (end 69.666253 88.220879) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.236547 87.134936) (end 69.259184 87.170962) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.170437 87.082215) (end 69.206463 87.104852) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 60.9 81.53) (end 66.4334 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp d92b101
(segment (start 66.4334 87.0634) (end 69.088 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp e32
(segment (start 70.409536 87.104852) (end 70.445562 87.082215) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 70.338 87.734025) (end 70.338 87.2534) (width 0.19) (layer "F.Cu") (net 122) (tstamp f2
(segment (start 76.9288 87.0634) (end 80.73 90.8646) (width 0.19) (layer "F.Cu") (net 122) (tstamp f265
(segment (start 70.288546 87.950695) (end 70.325479 87.845146) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.278 87.2534) (end 69.278 87.734025) (width 0.19) (layer "F.Cu") (net 122) (tstamp f5
(segment (start 70.338 87.2534) (end 70.342763 87.211121) (width 0.19) (layer "F.Cu") (net 122) (tstamp
(segment (start 86.9 92.3) (end 87.300001 91.899999) (width 0.15) (layer "F.Cu") (net 123) (tstamp 0000
(segment (start 88.578904 83.048547) (end 88.61493 83.071184) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.823128 83.139453) (end 90.917813 83.198947) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.54882 84.221536) (end 88.526183 84.257562) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.917813 84.041052) (end 90.823128 84.100546) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.093312 83.478253) (end 91.105832 83.589374) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.996885 83.96198) (end 90.917813 84.041052) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.54882 83.018463) (end 88.578904 83.048547) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.056379 83.867295) (end 90.996885 83.96198) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.512131 84.382278) (end 88.526183 84.422437) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.917813 83.198947) (end 90.996885 83.278019) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.526183 82.817562) (end 88.512131 82.857721) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.717579 85.577479) (end 90.606458 85.59) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.9966 85.59) (end 89.954322 85.594763) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.507368 84.34) (end 88.512131 84.382278) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.8066 88.555218) (end 87.311818 91.05) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.697368 84.15) (end 88.655089 84.154763) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.697368 84.53) (end 90.606458 84.53) (width 0.19) (layer "F.Cu") (net 123) (tstamp 37
(segment (start 90.917813 85.481052) (end 90.823128 85.540546) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.996885 85.40198) (end 90.917813 85.481052) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.717579 84.137479) (end 90.606458 84.15) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.307225 82.71) (end 88.697368 82.71) (width 0.19) (layer "F.Cu") (net 123) (tstamp 47
(segment (start 88.61493 83.071184) (end 88.655089 83.085236) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.056379 84.812704) (end 91.093312 84.918253) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.697652 82.52198) (end 89.61858 82.601052) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.578904 84.191452) (end 88.54882 84.221536) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.697368 82.71) (end 88.655089 82.714763) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.757146 82.427295) (end 89.697652 82.52198) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.825416 85.697562) (end 89.811364 85.737721) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 84.565 78.45) (end 84.565 79.28) (width 0.19) (layer "F.Cu") (net 123) (tstamp 6567769e
(segment (start 91.093312 84.918253) (end 91.105832 85.029374) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.526183 84.422437) (end 88.54882 84.458463) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.54882 84.458463) (end 88.578904 84.488547) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 87.300001 91.061817) (end 87.311818 91.05) (width 0.15) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.54882 82.781536) (end 88.526183 82.817562) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.606458 84.15) (end 88.697368 84.15) (width 0.19) (layer "F.Cu") (net 123) (tstamp 78
(segment (start 88.512131 82.942278) (end 88.526183 82.982437) (width 0.19) (layer "F.Cu") (net 123) (ts

(segment (start 88.697368 83.09) (end 90.606458 83.09) (width 0.19) (layer "F.Cu") (net 123) (tstamp 82a
(segment (start 88.655089 84.154763) (end 88.61493 84.168815) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.655089 82.714763) (end 88.61493 82.728815) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.823128 84.100546) (end 90.717579 84.137479) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.996885 83.278019) (end 91.056379 83.372704) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.811364 85.737721) (end 89.8066 85.78) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.507368 82.9) (end 88.512131 82.942278) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 91.056379 85.307295) (end 90.996885 85.40198) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.61493 82.728815) (end 88.578904 82.751452) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.794079 82.321746) (end 89.757146 82.427295) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.655089 84.525236) (end 88.697368 84.53) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.61493 84.511184) (end 88.655089 84.525236) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.512131 82.857721) (end 88.507368 82.9) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.878137 85.631452) (end 89.848053 85.661536) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.093312 83.761746) (end 91.056379 83.867295) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.717579 84.54252) (end 90.823128 84.579453) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.61493 84.168815) (end 88.578904 84.191452) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.61858 82.601052) (end 89.523895 82.660546) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.848053 85.661536) (end 89.825416 85.697562) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 87.300001 91.899999) (end 87.300001 91.061817) (width 0.15) (layer "F.Cu") (net 123) (ts
(segment (start 90.606458 85.59) (end 89.9966 85.59) (width 0.19) (layer "F.Cu") (net 123) (tstamp a801
(segment (start 90.823128 84.579453) (end 90.917813 84.638947) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.526183 84.257562) (end 88.512131 84.297721) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.523895 82.660546) (end 89.418346 82.697479) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.578904 84.488547) (end 88.61493 84.511184) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.093312 85.201746) (end 91.056379 85.307295) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.105832 83.650625) (end 91.093312 83.761746) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 84.1 79.745) (end 84.1 80.278182) (width 0.19) (layer "F.Cu") (net 123) (tstamp ba7abf9
(segment (start 88.655089 83.085236) (end 88.697368 83.09) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.418346 82.697479) (end 89.307225 82.71) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 89.8066 82.210625) (end 89.794079 82.321746) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.8066 81.819182) (end 89.8066 82.210625) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 91.105832 83.589374) (end 91.105832 83.650625) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.8066 85.78) (end 89.8066 88.555218) (width 0.19) (layer "F.Cu") (net 123) (tstamp da
(segment (start 84.881018 81.0592) (end 89.046618 81.0592) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.512131 84.297721) (end 88.507368 84.34) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 88.578904 82.751452) (end 88.54882 82.781536) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 84.1 80.278182) (end 84.881018 81.0592) (width 0.19) (layer "F.Cu") (net 123) (tstamp d
(segment (start 89.914163 85.608815) (end 89.878137 85.631452) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.526183 82.982437) (end 88.54882 83.018463) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.954322 85.594763) (end 89.914163 85.608815) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 84.565 79.28) (end 84.1 79.745) (width 0.19) (layer "F.Cu") (net 123) (tstamp eb746b23-
(segment (start 91.105832 85.029374) (end 91.105832 85.090625) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.823128 85.540546) (end 90.717579 85.577479) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.105832 85.090625) (end 91.093312 85.201746) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.056379 83.372704) (end 91.093312 83.478253) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.606458 84.53) (end 90.717579 84.54252) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 90.606458 83.09) (end 90.717579 83.10252) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 90.996885 84.718019) (end 91.056379 84.812704) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.917813 84.638947) (end 90.996885 84.718019) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.717579 83.10252) (end 90.823128 83.139453) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 89.046618 81.0592) (end 89.8066 81.819182) (width 0.19) (layer "F.Cu") (net 123) (tstamp
(segment (start 87.556731 83.859888) (end 87.593664 83.965437) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 84.869462) (end 85.284999 84.909621) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 84.909621) (end 85.307636 84.945647) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.423663 82.80893) (end 86.38673 82.914479) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.593664 83.965437) (end 87.606184 84.076558) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 84.998368) (end 85.413905 85.01242) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.248164 83.088236) (end 86.153479 83.14773) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.248164 86.566131) (end 86.327236 86.645203) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 80.755 78.45) (end 80.755 79.28) (width 0.19) (layer "F.Cu") (net 124) (tstamp 189450f2
(segment (start 85.33772 86.118636) (end 85.307636 86.14872) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 83.57242) (end 85.456184 83.577184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 83.344905) (end 85.266184 83.387184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 86.184746) (end 85.270947 86.224905) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.327236 83.009164) (end 86.248164 83.088236) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 86.077184) (end 85.413905 86.081947) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 80.29 80.4) (end 81.87 81.98) (width 0.19) (layer "F.Cu") (net 124) (tstamp 2f3c17c1-18

(segment (start 85.33772 86.415731) (end 85.373746 86.438368) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.153479 83.14773) (end 86.04793 83.184663) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.153479 86.506637) (end 86.248164 86.566131) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 83.429462) (end 85.284999 83.469621) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.38673 82.914479) (end 86.327236 83.009164) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 83.626637) (end 87.418165 83.686131) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 84.655999) (end 85.33772 84.678636) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 83.215999) (end 85.33772 83.238636) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 86.064663) (end 87.10681 86.077184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 86.095999) (end 85.33772 86.118636) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.04793 83.184663) (end 85.936809 83.197184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.266184 86.267184) (end 85.270947 86.309462) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.593664 84.24893) (end 87.556731 84.354479) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.89 81.98) (end 86.436184 82.526184) (width 0.19) (layer "F.Cu") (net 124) (timestamp 4b
(segment (start 85.413905 86.45242) (end 85.456184 86.457184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.499901 91.039527) (end 86.436184 90.97581) (width 0.15) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 86.457184) (end 85.936809 86.457184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 85.017184) (end 87.10681 85.017184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 84.624663) (end 87.10681 84.637184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 84.70872) (end 85.284999 84.744746) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 86.02773) (end 87.217931 86.064663) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.1 92.3) (end 86.499901 91.900099) (width 0.15) (layer "F.Cu") (net 124) (timestamp 630d
(segment (start 87.497237 83.765203) (end 87.556731 83.859888) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.606184 84.076558) (end 87.606184 84.137809) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 84.678636) (end 85.307636 84.70872) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 85.01242) (end 85.456184 85.017184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.327236 86.645203) (end 86.38673 86.739888) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.499901 91.900099) (end 86.499901 91.039527) (width 0.15) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 83.577184) (end 87.10681 83.577184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 83.505647) (end 85.33772 83.535731) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 84.637184) (end 85.413905 84.641947) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.38673 86.739888) (end 86.423663 86.845437) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 84.945647) (end 85.33772 84.975731) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.497237 84.449164) (end 87.418165 84.528236) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 86.14872) (end 85.284999 86.184746) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 83.469621) (end 85.307636 83.505647) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 84.641947) (end 85.373746 84.655999) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 86.349621) (end 85.307636 86.385647) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 85.968236) (end 87.32348 86.02773) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 81.87 81.98) (end 85.89 81.98) (width 0.19) (layer "F.Cu") (net 124) (timestamp 93606c70-8
(segment (start 87.593664 85.68893) (end 87.556731 85.794479) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 85.029704) (end 87.32348 85.066637) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.497237 85.205203) (end 87.556731 85.299888) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 86.438368) (end 85.413905 86.45242) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 83.589704) (end 87.32348 83.626637) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 85.066637) (end 87.418165 85.126131) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.436184 82.526184) (end 86.436184 82.697809) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 80.29 79.745) (end 80.29 80.4) (width 0.19) (layer "F.Cu") (net 124) (timestamp a0e7384a-1
(segment (start 87.606184 85.516558) (end 87.606184 85.577809) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 83.577184) (end 87.217931 83.589704) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.593664 85.405437) (end 87.606184 85.516558) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 84.528236) (end 87.32348 84.58773) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 86.077184) (end 85.456184 86.077184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 84.58773) (end 87.217931 84.624663) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.436184 82.697809) (end 86.423663 82.80893) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.497237 85.889164) (end 87.418165 85.968236) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.423663 86.845437) (end 86.436184 86.956558) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 84.784905) (end 85.266184 84.827184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.606184 84.137809) (end 87.593664 84.24893) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.266184 84.827184) (end 85.270947 84.869462) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 83.201947) (end 85.373746 83.215999) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 84.744746) (end 85.270947 84.784905) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.266184 83.387184) (end 85.270947 83.429462) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 86.224905) (end 85.266184 86.267184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.04793 86.469704) (end 86.153479 86.506637) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 83.686131) (end 87.497237 83.765203) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 83.197184) (end 85.413905 83.201947) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 83.238636) (end 85.307636 83.26872) (width 0.19) (layer "F.Cu") (net 124) (ts

(segment (start 86.436184 86.956558) (end 86.436184 90.97581) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.936809 86.457184) (end 86.04793 86.469704) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 83.304746) (end 85.270947 83.344905) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 83.26872) (end 85.284999 83.304746) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 83.558368) (end 85.413905 83.57242) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 86.309462) (end 85.284999 86.349621) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.556731 85.794479) (end 87.497237 85.889164) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 86.385647) (end 85.33772 86.415731) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 84.975731) (end 85.373746 84.998368) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 80.755 79.28) (end 80.29 79.745) (width 0.19) (layer "F.Cu") (net 124) (timestamp e5a9e1af
(segment (start 85.936809 83.197184) (end 85.456184 83.197184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.606184 85.577809) (end 87.593664 85.68893) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.556731 84.354479) (end 87.497237 84.449164) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 85.017184) (end 87.217931 85.029704) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.556731 85.299888) (end 87.593664 85.405437) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 86.081947) (end 85.373746 86.095999) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 84.637184) (end 85.456184 84.637184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 85.126131) (end 87.497237 85.205203) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 83.535731) (end 85.373746 83.558368) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 78.215 74.55) (end 78.215 76.485) (width 0.19) (layer "F.Cu") (net 125) (timestamp 752d137f
(segment (start 78.215 76.485) (end 78.2 76.5) (width 0.19) (layer "F.Cu") (net 125) (timestamp 8313c6ce-5f
(segment (start 85.3 92.3) (end 85.7 91.9) (width 0.19) (layer "F.Cu") (net 125) (timestamp 9704cb6d-9200-a
(via (at 78.2 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 125) (timestamp 0e5be8c9-c5e7-410b-5
(via (at 85.7 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 125) (timestamp ab6af469-5d56-4b13-f
(segment (start 87.154029 86.168463) (end 87.176666 86.132437) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.195482 86.05) (end 87.190718 86.007721) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.452772 86.25252) (end 85.563893 86.24) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.017047 90.034549) (end 86.06455 89.987046) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.347223 86.289453) (end 85.452772 86.25252) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.154029 85.931536) (end 87.123945 85.901452) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.896757 90.092478) (end 85.960166 90.07029) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.190718 86.092278) (end 87.195482 86.05) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.982279 87.304763) (end 85.94 87.3) (width 0.19) (layer "B.Cu") (net 125) (timestamp 1aa
(segment (start 86.629374 85.86) (end 86.518253 85.847479) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.064518 86.739374) (end 85.077039 86.628253) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.13 85.360625) (end 86.13 85.075018) (width 0.19) (layer "B.Cu") (net 125) (timestamp 1f1
(segment (start 86.13 91) (end 86.122479 90.933243) (width 0.19) (layer "B.Cu") (net 125) (timestamp 20393
(segment (start 79.907582 84.498) (end 79.28 83.870418) (width 0.19) (layer "B.Cu") (net 125) (timestamp 2
(segment (start 85.793557 90.7) (end 85.726801 90.692478) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.318019 85.751052) (end 86.238947 85.67198) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.122479 89.866756) (end 86.13 89.8) (width 0.19) (layer "B.Cu") (net 125) (timestamp 25f
(segment (start 86.14252 85.471746) (end 86.13 85.360625) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.179453 85.577295) (end 86.14252 85.471746) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.125237 87.447721) (end 86.111185 87.407562) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.005482 85.86) (end 86.629374 85.86) (width 0.19) (layer "B.Cu") (net 125) (timestamp 2e
(segment (start 87.04776 85.864763) (end 87.005482 85.86) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.123945 85.901452) (end 87.087919 85.878815) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.13 91.789167) (end 86.13 91) (width 0.19) (layer "B.Cu") (net 125) (timestamp 3849a52f-a
(segment (start 85.606511 90.634549) (end 85.559008 90.587046) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.005482 86.24) (end 87.04776 86.235236) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.606511 90.16545) (end 85.663392 90.129709) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.960166 90.07029) (end 86.017047 90.034549) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.058464 87.341452) (end 86.022438 87.318815) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.122479 90.933243) (end 86.100291 90.869834) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.663392 90.129709) (end 85.726801 90.107521) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 78.68 79.620418) (end 79.28 80.220418) (width 0.19) (layer "B.Cu") (net 125) (timestamp 50
(segment (start 85.252538 86.348947) (end 85.347223 86.289453) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.94 87.3) (end 85.563893 87.3) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c
(segment (start 86.088548 87.371536) (end 86.058464 87.341452) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.077039 86.911746) (end 85.064518 86.800625) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.452772 87.287479) (end 85.347223 87.250546) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.559008 90.212953) (end 85.606511 90.16545) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.064518 86.800625) (end 85.064518 86.739374) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.7 91.9) (end 86.019167 91.9) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-a
(segment (start 86.022438 87.318815) (end 85.982279 87.304763) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.111185 87.407562) (end 86.088548 87.371536) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.518253 85.847479) (end 86.412704 85.810546) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.559008 90.587046) (end 85.523267 90.530165) (width 0.19) (layer "B.Cu") (net 125) (ts


```
(segment (start 86.238947 85.67198) (end 86.179453 85.577295) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.412704 85.810546) (end 86.318019 85.751052) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.347223 87.250546) (end 85.252538 87.191052) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.726801 90.692478) (end 85.663392 90.67029) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.100291 90.869834) (end 86.06455 90.812953) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 79.28 80.220418) (end 79.28 83.870418) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.176666 85.967562) (end 87.154029 85.931536) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.13 85.075018) (end 85.552982 84.498) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.190718 86.007721) (end 87.176666 85.967562) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.017047 90.76545) (end 85.960166 90.729709) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.113972 87.017295) (end 85.077039 86.911746) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.123945 86.198547) (end 87.154029 86.168463) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.501079 90.466756) (end 85.493557 90.4) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.06455 89.987046) (end 86.100291 89.930165) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.019167 91.9) (end 86.13 91.789167) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.896757 90.707521) (end 85.85 90.7) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.83 90.7) (end 85.793557 90.7) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 78.68 76.98) (end 78.68 79.620418) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.13 89.8) (end 86.13 87.49) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 78.68 76.98) (end 78.2 76.5) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.663392 90.67029) (end 85.606511 90.634549) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.173466 86.428019) (end 85.252538 86.348947) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.960166 90.729709) (end 85.896757 90.707521) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.563893 86.24) (end 87.005482 86.24) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.726801 90.107521) (end 85.793557 90.1) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.173466 87.11198) (end 85.113972 87.017295) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.176666 86.132437) (end 87.190718 86.092278) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.087919 85.878815) (end 87.04776 85.864763) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.087919 86.221184) (end 87.123945 86.198547) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.793557 90.1) (end 85.83 90.1) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.06455 90.812953) (end 86.017047 90.76545) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 87.04776 86.235236) (end 87.087919 86.221184) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.83 90.1) (end 85.896757 90.092478) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.493557 90.4) (end 85.501079 90.333243) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.501079 90.333243) (end 85.523267 90.269834) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.100291 89.930165) (end 86.122479 89.866756) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.077039 86.628253) (end 85.113972 86.522704) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.523267 90.530165) (end 85.501079 90.466756) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.552982 84.498) (end 79.907582 84.498) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 86.13 87.49) (end 86.125237 87.447721) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.563893 87.3) (end 85.452772 87.287479) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.252538 87.191052) (end 85.173466 87.11198) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.113972 86.522704) (end 85.173466 86.428019) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 85.523267 90.269834) (end 85.559008 90.212953) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e9d3703e))
(segment (start 75.675 74.55) (end 75.675 76.475) (width 0.19) (layer "F.Cu") (net 126) (timestamp 7e9d3703e))
(segment (start 84.5 92.3) (end 84.9 91.9) (width 0.19) (layer "F.Cu") (net 126) (timestamp 7e9d3703e))
(segment (start 75.675 76.475) (end 75.7 76.5) (width 0.19) (layer "F.Cu") (net 126) (timestamp 7e9d3703e))
(via (at 84.9 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 126) (timestamp 7e9d3703e))
(via (at 75.7 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 126) (timestamp 7e9d3703e))
(segment (start 77.852006 83.602966) (end 77.861474 83.644446) (width 0.19) (layer "B.Cu") (net 126) (timestamp 7e9d3703e))
(segment (start 81.615013 87.417859) (end 81.653346 87.436319) (width 0.19) (layer "B.Cu") (net 126) (timestamp 7e9d3703e))
(segment (start 76.887575 81.196605) (end 76.996596 81.221488) (width 0.19) (layer "B.Cu") (net 126) (timestamp 7e9d3703e))
(segment (start 76.565979 81.270006) (end 76.66673 81
```



```
(segment (start 77.085333 82.7428) (end 77.123665 82.724339) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.423871 89.579433) (end 84.394723 89.639959) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.852006 83.56042) (end 77.852006 83.602966) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.018305 87.722573) (end 82.599998 88.140881) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.555011 88.337985) (end 82.573471 88.376318) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.47 91.789167) (end 84.580833 91.9) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 81.653346 87.436319) (end 81.694826 87.445787) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.533993 89.332939) (end 83.594519 89.362087) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.228084 81.383037) (end 77.297806 81.470466) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.545543 88.296505) (end 82.555011 88.337985) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.888231 82.697813) (end 76.921493 82.724339) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.996596 81.221488) (end 77.097347 81.270007) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.833775 82.584736) (end 76.843243 82.626216) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.906461 83.447343) (end 77.879935 83.480608) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 81.850449 87.391332) (end 82.268758 86.973025) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.905735 89.291054) (end 83.928573 89.268217) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.793982 82.214835) (end 77.905806 82.214835) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.138698 81.679581) (end 76.478552 81.339728) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.928573 89.268217) (end 83.981096 89.226331) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.025621 81.734036) (end 76.067102 81.72457) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.346324 81.901081) (end 77.297805 82.001832) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.565963 86.829899) (end 82.677789 86.829899) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.244019 89.893862) (end 84.244019 89.961041) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 81.817185 87.417859) (end 81.850449 87.391332) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.156929 82.697811) (end 77.496783 82.357958) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.599998 88.409582) (end 83.481472 89.291055) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.843243 82.50071) (end 76.833775 82.54219) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 81.694826 87.445787) (end 81.737372 87.445787) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 75.87 80.129582) (end 75.87 81.679583) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.088028 87.635143) (end 83.018305 87.722573) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.45694 86.854782) (end 82.565963 86.829899) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.58421 82.288236) (end 77.684961 82.239718) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.423871 89.381265) (end 84.43882 89.44676) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.677789 86.829899) (end 82.786812 86.854782) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.105434 81.706109) (end 76.138698 81.679581) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.786812 86.854782) (end 82.887564 86.903302) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.297805 82.001832) (end 77.228084 82.089259) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 78.014827 82.239718) (end 78.115578 82.288237) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 78.316037 82.488696) (end 78.364555 82.589445) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.330001 90.139584) (end 84.47 90.279582) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.861474 83.644446) (end 77.879935 83.68278) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.853213 89.332939) (end 83.905735 89.291054) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 82.887564 86.903302) (end 82.974994 86.973025) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.330001 89.715319) (end 84.288115 89.767842) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.300315 89.226331) (end 84.352838 89.268217) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.481472 89.291055) (end 83.533993 89.332939) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.018306 87.016337) (end 83.088028 87.103766) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 76.067102 81.72457) (end 76.105434 81.706109) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 84.174295 89.182235) (end 84.239789 89.197184) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 83.136548 87.534391) (end 83.088028 87.635143) (width 0.19) (layer "B.Cu") (net 126) (timestamp 2a9b2000))
(segment (start 77.861474 83.51894) (end 7
```

(segment (start 83.727192 89.377036) (end 83.792687 89.362087) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.684961 82.239718) (end 77.793982 82.214835) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.903262 81.706109) (end 75.941596 81.72457) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.88823 82.429113) (end 76.861704 82.462378) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.478552 81.339728) (end 76.565979 81.270006) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.861704 82.462378) (end 76.843243 82.50071) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.184774 81.339728) (end 77.228084 81.383037) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.555011 88.212479) (end 82.545543 88.253958) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.246315 83.107489) (end 78.224661 83.129146) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.737372 87.445787) (end 81.778852 87.436319) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.228084 82.089259) (end 77.20643 82.110916) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.778852 87.436319) (end 81.817185 87.417859) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.244019 89.961041) (end 84.258968 90.026535) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.268758 86.973025) (end 82.356187 86.903302) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.921493 82.724339) (end 76.959827 82.7428) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.288115 89.767842) (end 84.258968 89.828368) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.258968 90.026535) (end 84.288115 90.087061) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.20643 82.110916) (end 76.88823 82.429113) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.545543 88.253958) (end 82.545543 88.296505) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.22 79.479582) (end 75.87 80.129582) (width 0.19) (layer "B.Cu") (net 126) (timestamp 0
(segment (start 84.352838 89.268217) (end 84.394723 89.320739) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.364555 82.589445) (end 78.389438 82.698466) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.599998 88.140881) (end 82.573471 88.174145) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.203005 82.357958) (end 78.246315 82.401267) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.959827 82.7428) (end 77.001306 82.752266) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.258968 89.828368) (end 84.244019 89.893862) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.905806 82.214835) (end 78.014827 82.239718) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.47 90.279582) (end 84.47 91.789167) (width 0.19) (layer "B.Cu") (net 126) (timestamp 0
(segment (start 76.843243 82.626216) (end 76.861704 82.66455) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.107116 89.182235) (end 84.174295 89.182235) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.115578 82.288237) (end 78.203005 82.357958) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.496783 82.357958) (end 77.58421 82.288236) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.371207 81.680236) (end 77.371207 81.79206) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.66673 81.221488) (end 76.775751 81.196605) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.246315 82.401267) (end 78.316037 82.488696) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.581749 87.391332) (end 81.615013 87.417859) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.43882 89.44676) (end 84.43882 89.513938) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.356187 86.903302) (end 82.45694 86.854782) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.316036 83.020062) (end 78.246315 83.107489) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.981096 89.226331) (end 84.041622 89.197184) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.394723 89.639959) (end 84.352838 89.692481) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.941596 81.72457) (end 75.983075 81.734036) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.573471 88.376318) (end 82.599998 88.409582) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.87 81.679583) (end 75.903262 81.706109) (width 0.19) (layer "B.Cu") (net 126) (timestamp
(segment (start 75.983075 81.734036) (end 76.025621 81.734036) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.346324 81.571215) (end 77.371207 81.680236) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.775751 81.196605) (end 76.887575 81.196605) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.161432 87.313541) (end 83.161432 87.425368) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 71.518815 81.847562) (end 71.504763 81.887721) (width 0.19) (layer "B.Cu") (net 127) (ts
(segment (start 71.541452 81.811536) (end 71.518815 81.847562) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 75.464121 84.254837) (end 75.5064 84.2596) (width 0.19) (layer "F.Cu") (net 127) (timestamp
(segment (start 71.607562 81.758815) (end 71.571536 81.781452) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 72.741537 83.221452) (end 72.711453 83.251536) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 71.504763 81.972278) (end 71.518815 82.012437) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 73.731053 82.99198) (end 73.651981 83.071052) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 72.817722 83.184763) (end 72.777563 83.198815) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 74.237584 84.152038) (end 74.251636 84.111879) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 74.644653 83.102121) (end 74.755774 83.0896) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 73.340626 82.12) (end 73.451747 82.13252) (width 0.19) (layer "F.Cu") (net 127) (timestamp
(segment (start 75.5064 84.2596) (end 80.842418 84.2596) (width 0.19) (layer "F.Cu") (net 127) (timestamp
(segment (start 74.928146 83.102121) (end 75.033695 83.139054) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 72.688816 83.287562) (end 72.674764 83.327721) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 73.651981 83.071052) (end 73.557296 83.130546) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 72.777563 83.198815) (end 72.741537 83.221452) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 75.335215 84.152038) (end 75.357852 84.188064) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 74.305853 83.372305) (end 74.365347 83.37762) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 73.790547 82.402704) (end 73.82748 82.508253) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 74.539104 83.139054) (end 74.644653 83.102121) (width 0.19) (layer "F.Cu") (net 127) (ts

(segment (start 74.444419 83.198548) (end 74.539104 83.139054) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.651981 82.228947) (end 73.731053 82.308019) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.620546 81.457295) (end 72.561052 81.55198) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.557296 83.130546) (end 73.451747 83.167479) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.518815 82.012437) (end 71.541452 82.048463) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.647721 81.744763) (end 71.607562 81.758815) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.86 83.18) (end 72.817722 83.184763) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.148837 84.240785) (end 74.184863 84.218148) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.711453 83.251536) (end 72.688816 83.287562) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.2564 83.588975) (end 74.26892 83.477854) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.67 79.8062) (end 72.67 81.240625) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.541452 82.048463) (end 71.571536 82.078547) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.84 82.680625) (end 73.82748 82.791746) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.504763 81.887721) (end 71.5 81.93) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.082718 84.2596) (end 74.0664 84.2596) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.281746 81.727479) (end 72.170625 81.74) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 83.7 92.3) (end 84.100001 91.899999) (width 0.15) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.69 82.12) (end 73.340626 82.12) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.184863 84.218148) (end 74.214947 84.188064) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.82748 82.791746) (end 73.790547 82.897295) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 84.100001 91.034424) (end 84.043894 90.978317) (width 0.15) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.365347 83.27762) (end 74.444419 83.198548) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.67 81.240625) (end 72.657479 81.351746) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.817025 83.0896) (end 74.928146 83.102121) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.3164 83.588975) (end 75.3164 84.0696) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.48198 81.631052) (end 72.387295 81.690546) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.303879 83.477854) (end 75.3164 83.588975) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.387295 81.690546) (end 72.281746 81.727479) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.571536 82.078547) (end 71.607562 82.101184) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.423962 84.240785) (end 75.464121 84.254837) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.84 82.619374) (end 73.84 82.680625) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 84.100001 91.899999) (end 84.100001 91.034424) (width 0.15) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.451747 82.13252) (end 73.557296 82.169453) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.5 81.93) (end 71.504763 81.972278) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.214947 84.188064) (end 74.237584 84.152038) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.12838 83.198548) (end 75.207452 83.27762) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.67 83.37) (end 72.67 83.846882) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.170625 81.74) (end 71.69 81.74) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.647721 82.115236) (end 71.69 82.12) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.135 78.45) (end 73.135 79.3412) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.207452 83.27762) (end 75.266946 83.372305) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.266946 83.372305) (end 75.303879 83.477854) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.251636 84.111879) (end 74.2564 84.0696) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.657479 81.351746) (end 72.620546 81.457295) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.451747 83.167479) (end 73.340626 83.18) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 80.842418 84.2596) (end 84.043894 87.461076) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 84.043894 87.461076) (end 84.043894 90.978317) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.82748 82.508253) (end 73.84 82.619374) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.321163 84.111879) (end 75.335215 84.152038) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.340626 83.18) (end 72.86 83.18) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.790547 82.897295) (end 73.731053 82.99198) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.357852 84.188064) (end 75.387936 84.218148) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.67 83.846882) (end 73.082718 84.2596) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.731053 82.308019) (end 73.790547 82.402704) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.108678 84.254837) (end 74.148837 84.240785) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.607562 82.101184) (end 71.647721 82.115236) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.0664 84.2596) (end 74.108678 84.254837) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.561052 81.55198) (end 72.48198 81.631052) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 71.571536 81.781452) (end 71.541452 81.811536) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.2564 84.0696) (end 74.2564 83.588975) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.557296 82.169453) (end 73.651981 82.228947) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.387936 84.218148) (end 75.423962 84.240785) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.033695 83.139054) (end 75.12838 83.198548) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 72.674764 83.327721) (end 72.67 83.37) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 75.3164 84.0696) (end 75.321163 84.111879) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.755774 83.0896) (end 74.817025 83.0896) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 73.135 79.3412) (end 72.67 79.8062) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))
(segment (start 74.26892 83.477854) (end 74.305853 83.372305) (width 0.19) (layer "F.Cu") (net 127) (tstamp 73233f3699))

(segment (start 71.69 81.74) (end 71.647721 81.744763) (width 0.19) (layer "F.Cu") (net 127) (tstamp fb
(segment (start 83.300001 91.899999) (end 83.300001 91.034424) (width 0.15) (layer "F.Cu") (net 128) (t
(segment (start 83.300001 91.034424) (end 83.243894 90.978317) (width 0.15) (layer "F.Cu") (net 128) (t
(segment (start 82.9 92.3) (end 83.300001 91.899999) (width 0.15) (layer "F.Cu") (net 128) (tstamp 0000
(segment (start 67.966137 81.704679) (end 67.988671 81.668815) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.018621 81.936334) (end 67.988671 81.906384) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.6819 81.978453) (end 68.6819 81.9776) (width 0.19) (layer "F.Cu") (net 128) (tstamp
(segment (start 69.57913 82.95875) (end 69.660492 82.877388) (width 0.19) (layer "F.Cu") (net 128) (tsta
(segment (start 69.007057 83.075595) (end 69.049147 83.070853) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.86 83.26) (end 68.864742 83.21791) (width 0.19) (layer "F.Cu") (net 128) (tstamp 17b
(segment (start 69.772595 82.557017) (end 69.772595 82.492288) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.054485 81.958868) (end 68.018621 81.936334) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.747898 81.404135) (end 68.809115 81.306709) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.054485 81.616331) (end 68.094463 81.602342) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.878731 83.177932) (end 68.901265 83.142068) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.136552 81.5976) (end 68.346165 81.5976) (width 0.19) (layer "F.Cu") (net 128) (tstamp
(segment (start 68.901265 83.142068) (end 68.931215 83.112118) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.847118 81.198103) (end 68.86 81.083764) (width 0.19) (layer "F.Cu") (net 128) (tstamp
(segment (start 83.243894 88.723894) (end 79.483 84.963) (width 0.19) (layer "F.Cu") (net 128) (tstamp :
(segment (start 68.6819 81.9776) (end 68.136552 81.9776) (width 0.19) (layer "F.Cu") (net 128) (tstamp :
(segment (start 69.759712 82.671356) (end 69.772595 82.557017) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 69.660492 82.171917) (end 69.57913 82.090555) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.460504 81.584717) (end 68.56911 81.546714) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.759712 82.377949) (end 69.721709 82.269343) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.86 81.083764) (end 68.86 79.7808) (width 0.19) (layer "F.Cu") (net 128) (tstamp 3794
(segment (start 69.57913 82.090555) (end 69.481704 82.029338) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.931215 83.112118) (end 68.967079 83.089584) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 79.483 84.963) (end 69.1134 84.963) (width 0.19) (layer "F.Cu") (net 128) (tstamp 4eef9098
(segment (start 68.864742 83.21791) (end 68.878731 83.177932) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.049147 83.070853) (end 69.258759 83.070853) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.86 79.7808) (end 69.325 79.3158) (width 0.19) (layer "F.Cu") (net 128) (tstamp 5dd71
(segment (start 69.373098 81.991335) (end 69.258759 81.978453) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.809115 81.306709) (end 68.847118 81.198103) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 67.988671 81.906384) (end 67.966137 81.87052) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.660492 82.877388) (end 69.721709 82.779962) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 69.721709 82.779962) (end 69.759712 82.671356) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 69.258759 81.978453) (end 68.6819 81.978453) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.481704 83.019967) (end 69.57913 82.95875) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.018621 81.638865) (end 68.054485 81.616331) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 69.325 79.3158) (end 69.325 78.45) (width 0.19) (layer "F.Cu") (net 128) (tstamp 78f134
(segment (start 68.666536 81.485497) (end 68.747898 81.404135) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 67.952148 81.744657) (end 67.966137 81.704679) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.094463 81.602342) (end 68.136552 81.5976) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.346165 81.5976) (end 68.460504 81.584717) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.094463 81.972857) (end 68.054485 81.958868) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 67.947405 81.788453) (end 67.947405 81.786747) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 67.988671 81.668815) (end 68.018621 81.638865) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 67.966137 81.87052) (end 67.952148 81.830542) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.56911 81.546714) (end 68.666536 81.485497) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.373098 83.05797) (end 69.481704 83.019967) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 68.136552 81.9776) (end 68.094463 81.972857) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.721709 82.269343) (end 69.660492 82.171917) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 67.952148 81.830542) (end 67.947405 81.788453) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 69.481704 82.029338) (end 69.373098 81.991335) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 83.243894 90.978317) (end 83.243894 88.723894) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.86 84.7096) (end 68.86 83.26) (width 0.19) (layer "F.Cu") (net 128) (tstamp ce96e64e
(segment (start 67.947405 81.786747) (end 67.952148 81.744657) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 68.967079 83.089584) (end 69.007057 83.075595) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 69.258759 83.070853) (end 69.373098 83.05797) (width 0.19) (layer "F.Cu") (net 128) (ts
(segment (start 69.1134 84.963) (end 68.86 84.7096) (width 0.19) (layer "F.Cu") (net 128) (tstamp e8422
(segment (start 69.772595 82.492288) (end 69.759712 82.377949) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 82.1 92.3) (end 82.500001 91.899999) (width 0.15) (layer "F.Cu") (net 129) (tstamp 0000
(segment (start 82.500001 91.899999) (end 82.500001 91.034424) (width 0.15) (layer "F.Cu") (net 129) (t
(segment (start 82.500001 91.034424) (end 82.443894 90.978317) (width 0.15) (layer "F.Cu") (net 129) (t
(segment (start 65.997925 84.899504) (end 65.98271 84.931098) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.271079 84.246191) (end 66.294394 84.348342) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 66.225617 84.15179) (end 66.271079 84.246191) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.067027 85.140788) (end 66.094444 85.162652) (width 0.19) (layer "F.Cu") (net 129) (t

```
(segment (start 65.974907 85.000352) (end 65.98271 85.03454) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.261073 85.162652) (end 66.288489 85.140788) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 65.515 79.28) (end 65.05 79.745) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.019789 85.09355) (end 66.067027 85.140788) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 65.98271 84.931098) (end 65.974907 84.965286) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.160225 85.18567) (end 66.195292 85.18567) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.914385 84.889499) (end 67.008786 84.93496) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.812235 84.866184) (end 66.914385 84.889499) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 82.443894 90.053476) (end 82.443894 90.978317) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 65.515 78.45) (end 65.515 79.28) (width 0.19) (layer "F.Cu") (net 129) (timestamp 4fbc0250)
(segment (start 66.605308 84.889499) (end 66.707458 84.866184) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.510907 84.93496) (end 66.605308 84.889499) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.294394 84.348342) (end 66.294394 84.453119) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 67.920418 85.83) (end 78.220418 85.83) (width 0.19) (layer "F.Cu") (net 129) (timestamp 76a5b1)
(segment (start 66.225617 84.64967) (end 66.16029 84.731588) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.16029 84.731588) (end 66.019789 84.872088) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 78.220418 85.83) (end 82.443894 90.053476) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 67.090705 85.000287) (end 67.110995 85.020578) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 65.98271 85.03454) (end 65.997925 85.066133) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 65.05 79.745) (end 65.05 82.959582) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.271079 84.555269) (end 66.225617 84.64967) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.294394 84.453119) (end 66.271079 84.555269) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.195292 85.18567) (end 66.229479 85.177867) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 67.110995 85.020578) (end 67.920418 85.83) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 65.974907 84.965286) (end 65.974907 85.000352) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 65.997925 85.066133) (end 66.019789 85.09355) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.16029 84.069872) (end 66.225617 84.15179) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.094444 85.162652) (end 66.126038 85.177867) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.126038 85.177867) (end 66.160225 85.18567) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.428989 85.000287) (end 66.510907 84.93496) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 66.288489 85.140788) (end 66.428989 85.000287) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.019789 84.872088) (end 65.997925 84.899504) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 65.05 82.959582) (end 66.16029 84.069872) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.707458 84.866184) (end 66.812235 84.866184) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 67.008786 84.93496) (end 67.090705 85.000287) (width 0.19) (layer "F.Cu") (net 129) (timestamp 234068a2)
(segment (start 66.229479 85.177867) (end 66.261073 85.162652) (width 0.19) (layer "F.Cu") (net 129) (timestamp 9baa10f)
(segment (start 64.245 74.55) (end 64.245 75.94) (width 0.19) (layer "F.Cu") (net 130) (timestamp 653e4549)
(segment (start 64.25 75.945) (end 64.25 76.5) (width 0.19) (layer "F.Cu") (net 130) (timestamp ab423043-f)
(segment (start 81.3 92.3) (end 80.9 91.9) (width 0.19) (layer "F.Cu") (net 130) (timestamp e317b6a7-bb5a-)
(segment (start 64.245 75.94) (end 64.25 75.945) (width 0.19) (layer "F.Cu") (net 130) (timestamp 2fae4158)
(via (at 80.9 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 130) (timestamp 90cba060-299a-4288-8)
(via (at 64.25 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 130) (timestamp 97bd47ef-8e45-421f-)
(segment (start 63.909722 81.169304) (end 68.790418 86.05) (width 0.19) (layer "B.Cu") (net 130) (timestamp 3e3039)
(segment (start 80.67 91.339582) (end 80.67 91.67) (width 0.19) (layer "B.Cu") (net 130) (timestamp 4d8078db-a03)
(segment (start 80.67 91.67) (end 80.9 91.9) (width 0.19) (layer "B.Cu") (net 130) (timestamp 71f)
(segment (start 63.795 76.955) (end 63.795 79.891868) (width 0.19) (layer "B.Cu") (net 130) (timestamp 71f)
(segment (start 63.795 79.891868) (end 63.909722 80.00659) (width 0.19) (layer "B.Cu") (net 130) (timestamp 95)
(segment (start 75.380418 86.05) (end 80.67 91.339582) (width 0.19) (layer "B.Cu") (net 130) (timestamp 95)
(segment (start 64.25 76.5) (end 63.795 76.955) (width 0.19) (layer "B.Cu") (net 130) (timestamp 9a2b9d59-)
(segment (start 63.909722 80.00659) (end 63.909722 81.169304) (width 0.19) (layer "B.Cu") (net 130) (timestamp 71f)
(segment (start 68.790418 86.05) (end 75.380418 86.05) (width 0.19) (layer "B.Cu") (net 130) (timestamp f8)
(segment (start 80.5 92.3) (end 80.1 91.9) (width 0.19) (layer "F.Cu") (net 131) (timestamp dd23f4e0-ef89-)
(segment (start 62.975 74.55) (end 62.975 76.365598) (width 0.19) (layer "F.Cu") (net 131) (timestamp e751)
(segment (start 62.975 76.365598) (end 63.114727 76.505325) (width 0.19) (layer "F.Cu") (net 131) (timestamp 5d71d36b-)
(via (at 63.114727 76
```

(via (at 86.5 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 132) (tstamp 9a78c4a3-2cfa-47d3-a
(via (at 82 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 132) (tstamp a8956a42-c3a8-4472-9f1
(segment (start 87.103852 87.222704) (end 87.163346 87.128019) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.979582 92.55) (end 88.19 92.339582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 04
(segment (start 88.19 92.339582) (end 88.182479 92.272825) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 86.5 92.7) (end 86.65 92.55) (width 0.19) (layer "B.Cu") (net 132) (tstamp 08d044e9-10a
(segment (start 87.956757 92.047103) (end 87.89 92.039582) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 89.135601 88) (end 87.553773 88) (width 0.19) (layer "B.Cu") (net 132) (tstamp 0c5978f2
(segment (start 88.689375 88.38) (end 89.135601 88.38) (width 0.19) (layer "B.Cu") (net 132) (tstamp 10
(segment (start 88.37802 88.488947) (end 88.472705 88.429453) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.553773 88) (end 87.442652 87.987479) (width 0.19) (layer "B.Cu") (net 132) (tstamp 1
(segment (start 87.85977 91.439582) (end 87.89 91.439582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 1
(segment (start 88.020166 91.409872) (end 88.077047 91.374131) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.17788 88.004763) (end 89.135601 88) (width 0.19) (layer "B.Cu") (net 132) (tstamp 1a
(segment (start 87.163346 87.128019) (end 87.242418 87.048947) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 86.65 92.55) (end 87.979582 92.55) (width 0.19) (layer "B.Cu") (net 132) (tstamp 1f3e66
(segment (start 87.89 91.439582) (end 87.956757 91.43206) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 88.182479 92.272825) (end 88.160291 92.209416) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.254065 88.338547) (end 89.284149 88.308463) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.160291 91.269747) (end 88.182479 91.206338) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88 86.94) (end 88.042278 86.935236) (width 0.19) (layer "B.Cu") (net 132) (tstamp 2c01c
(segment (start 87.054399 87.500625) (end 87.054399 87.439374) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.793014 92.03206) (end 87.729605 92.009872) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.442652 87.987479) (end 87.337103 87.950546) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.066919 87.611746) (end 87.054399 87.500625) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.118463 86.898547) (end 88.148547 86.868463) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 83.13 80.270418) (end 82.48 79.620418) (width 0.19) (layer "B.Cu") (net 132) (tstamp 3b
(segment (start 88.077047 91.374131) (end 88.12455 91.326628) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.19 91.139582) (end 88.19 88.879374) (width 0.19) (layer "B.Cu") (net 132) (tstamp 3f
(segment (start 88.202521 88.768253) (end 88.239454 88.662704) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 82.48 79.620418) (end 82.48 76.98) (width 0.19) (layer "B.Cu") (net 132) (tstamp 4a1001
(segment (start 88.082437 86.921184) (end 88.118463 86.898547) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.472705 88.429453) (end 88.578254 88.39252) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 89.17788 88.375236) (end 89.218039 88.361184) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.625221 91.552535) (end 87.672724 91.505032) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.148547 86.868463) (end 88.171184 86.832437) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.12455 92.152535) (end 88.077047 92.105032) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.077047 92.105032) (end 88.020166 92.069291) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.242418 87.048947) (end 87.337103 86.989453) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.553773 86.94) (end 88 86.94) (width 0.19) (layer "B.Cu") (net 132) (tstamp 60098e27-
(segment (start 88.042278 86.935236) (end 88.082437 86.921184) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.239454 88.662704) (end 88.298948 88.568019) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.672724 91.974131) (end 87.625221 91.926628) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.19 88.879374) (end 88.202521 88.768253) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 89.135601 88.38) (end 89.17788 88.375236) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 83.13 82.887818) (end 83.13 80.270418) (width 0.19) (layer "B.Cu") (net 132) (tstamp 70
(segment (start 87.337103 87.950546) (end 87.242418 87.891052) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.672724 91.505032) (end 87.729605 91.469291) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.793014 91.447103) (end 87.85977 91.439582) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.020166 92.069291) (end 87.956757 92.047103) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.218039 88.018815) (end 89.17788 88.004763) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.58948 91.869747) (end 87.567292 91.806338) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.066919 87.328253) (end 87.103852 87.222704) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.306786 88.107562) (end 89.284149 88.071536) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.442652 86.95252) (end 87.553773 86.94) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 88.298948 88.568019) (end 88.37802 88.488947) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.103852 87.717295) (end 87.066919 87.611746) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.19 84.899818) (end 86.848382 83.5582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 8
(segment (start 89.254065 88.041452) (end 89.218039 88.018815) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 82.48 76.98) (end 82 76.5) (width 0.19) (layer "B.Cu") (net 132) (tstamp 8e0d4075-b058-
(segment (start 87.89 92.039582) (end 87.85977 92.039582) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 87.729605 92.009872) (end 87.672724 91.974131) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.625221 91.926628) (end 87.58948 91.869747) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 89.320838 88.232278) (end 89.325601 88.19) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 89.306786 88.272437) (end 89.320838 88.232278) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.284149 88.308463) (end 89.306786 88.272437) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.567292 91.672825) (end 87.58948 91.609416) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.12455 91.326628) (end 88.160291 91.269747) (width 0.19) (layer "B.Cu") (net 132) (ts

(segment (start 87.242418 87.891052) (end 87.163346 87.81198) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.160291 92.209416) (end 88.12455 92.152535) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.567292 91.806338) (end 87.55977 91.739582) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 89.325601 88.19) (end 89.320838 88.147721) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 88.171184 86.832437) (end 88.185236 86.792278) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.956757 91.43206) (end 88.020166 91.409872) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.55977 91.739582) (end 87.567292 91.672825) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.578254 88.39252) (end 88.689375 88.38) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 87.054399 87.439374) (end 87.066919 87.328253) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.729605 91.469291) (end 87.793014 91.447103) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.185236 86.792278) (end 88.19 86.75) (width 0.19) (layer "B.Cu") (net 132) (tstamp e0
(segment (start 87.163346 87.81198) (end 87.103852 87.717295) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.85977 92.039582) (end 87.793014 92.03206) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.19 86.75) (end 88.19 84.899818) (width 0.19) (layer "B.Cu") (net 132) (tstamp e9bdc7
(segment (start 87.337103 86.989453) (end 87.442652 86.95252) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 86.848382 83.5582) (end 83.800382 83.5582) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 89.320838 88.147721) (end 89.306786 88.107562) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 89.218039 88.361184) (end 89.254065 88.338547) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.182479 91.206338) (end 88.19 91.139582) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 89.284149 88.071536) (end 89.254065 88.041452) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.58948 91.609416) (end 87.625221 91.552535) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 83.800382 83.5582) (end 83.13 82.887818) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 79.485 76.485) (end 79.5 76.5) (width 0.19) (layer "F.Cu") (net 133) (tstamp 30d4d5f2-e
(segment (start 85.3 93.1) (end 85.7 92.7) (width 0.19) (layer "F.Cu") (net 133) (tstamp 53d57382-d857-a
(segment (start 79.485 74.55) (end 79.485 76.485) (width 0.19) (layer "F.Cu") (net 133) (tstamp 635b3fb
(via (at 79.5 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 133) (tstamp 0ddd5989-ee78-4c20-5
(via (at 85.7 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 133) (tstamp 4d805ed3-0b63-47f3-5
(segment (start 86.47 84.934182) (end 85.693818 84.158) (width 0.19) (layer "B.Cu") (net 133) (tstamp 0
(segment (start 79.02 76.98) (end 79.02 79.479582) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1b4a0b
(segment (start 80.048418 84.158) (end 79.62 83.729582) (width 0.19) (layer "B.Cu") (net 133) (tstamp 2
(segment (start 79.02 79.479582) (end 79.62 80.079582) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24
(segment (start 86.617721 85.515236) (end 86.577562 85.501184) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.45748 87.348253) (end 86.420547 87.242704) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.7 92.7) (end 86.47 91.93) (width 0.19) (layer "B.Cu") (net 133) (tstamp 2cd96e56-b30
(segment (start 87.535482 86.019374) (end 87.522961 85.908253) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.081747 86.97252) (end 85.970626 86.96) (width 0.19) (layer "B.Cu") (net 133) (tstamp
(segment (start 85.423334 86.852437) (end 85.409282 86.812278) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.511452 85.448463) (end 86.488815 85.412437) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 87.486028 86.297295) (end 87.522961 86.191746) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 87.347462 86.471052) (end 87.426534 86.39198) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.577562 85.501184) (end 86.541536 85.478547) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.361053 87.148019) (end 86.281981 87.068947) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.512081 86.598815) (end 85.55224 86.584763) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.66 85.52) (end 86.617721 85.515236) (width 0.19) (layer "B.Cu") (net 133) (tstamp 39
(segment (start 86.47 85.33) (end 86.47 84.934182) (width 0.19) (layer "B.Cu") (net 133) (tstamp 399f9d
(segment (start 85.55224 86.955236) (end 85.512081 86.941184) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.404518 86.77) (end 85.409282 86.727721) (width 0.19) (layer "B.Cu") (net 133) (tstamp
(segment (start 87.147228 86.567479) (end 87.252777 86.530546) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.445971 86.651536) (end 85.476055 86.621452) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 87.252777 85.569453) (end 87.147228 85.53252) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 87.036107 86.58) (end 87.147228 86.567479) (width 0.19) (layer "B.Cu") (net 133) (tstamp
(segment (start 85.594518 86.96) (end 85.55224 86.955236) (width 0.19) (layer "B.Cu") (net 133) (tstamp
(segment (start 87.486028 85.802704) (end 87.426534 85.708019) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.488815 85.412437) (end 86.474763 85.372278) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.420547 87.242704) (end 86.361053 87.148019) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.594518 86.58) (end 87.036107 86.58) (width 0.19) (layer "B.Cu") (net 133) (tstamp 5el
(segment (start 87.426534 85.708019) (end 87.347462 85.628947) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 79.62 80.079582) (end 79.62 83.729582) (width 0.19) (layer "B.Cu") (net 133) (tstamp 69
(segment (start 86.47 87.459374) (end 86.45748 87.348253) (width 0.19) (layer "B.Cu") (net 133) (tstamp
(segment (start 87.426534 86.39198) (end 87.486028 86.297295) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.476055 86.621452) (end 85.512081 86.598815) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.445971 86.888463) (end 85.423334 86.852437) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.541536 85.478547) (end 86.511452 85.448463) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 87.522961 85.908253) (end 87.486028 85.802704) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 85.423334 86.687562) (end 85.445971 86.651536) (width 0.19) (layer "B.Cu") (net 133) (ts
(segment (start 86.47 91.93) (end 86.47 87.459374) (width 0.19) (layer "B.Cu") (net 133) (tstamp b8d9aa
(segment (start 85.409282 86.812278) (end 85.404518 86.77) (width 0.19) (layer "B.Cu") (net 133) (tstamp
(segment (start 85.693818 84.158) (end 80.048418 84.158) (width 0.19) (layer "B.Cu") (net 133) (tstamp


```
(segment (start 86.474763 85.372278) (end 86.47 85.33) (width 0.19) (layer "B.Cu") (net 133) (tstamp c6a20000))
(segment (start 87.522961 86.191746) (end 87.535482 86.080625) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 85.55224 86.584763) (end 85.594518 86.58) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 87.036107 85.52) (end 86.66 85.52) (width 0.19) (layer "B.Cu") (net 133) (tstamp cfc7c48000000000))
(segment (start 86.281981 87.068947) (end 86.187296 87.009453) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 85.512081 86.941184) (end 85.476055 86.918547) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 87.147228 85.53252) (end 87.036107 85.52) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 85.476055 86.918547) (end 85.445971 86.888463) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 86.187296 87.009453) (end 86.081747 86.97252) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 85.970626 86.96) (end 85.594518 86.96) (width 0.19) (layer "B.Cu") (net 133) (tstamp eb00000000000000))
(segment (start 79.02 76.98) (end 79.5 76.5) (width 0.19) (layer "B.Cu") (net 133) (tstamp ee158fcd-83dc000000000000))
(segment (start 85.409282 86.727721) (end 85.423334 86.687562) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 87.535482 86.080625) (end 87.535482 86.019374) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 87.252777 86.530546) (end 87.347462 86.471052) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 87.347462 85.628947) (end 87.252777 85.569453) (width 0.19) (layer "B.Cu") (net 133) (tstamp 1000000000))
(segment (start 74.405 74.55) (end 74.405 75.94) (width 0.19) (layer "F.Cu") (net 134) (tstamp 253c90a900000000))
(segment (start 74.405 75.94) (end 74.4 75.945) (width 0.19) (layer "F.Cu") (net 134) (tstamp b5dd1c92-8000000000000000))
(segment (start 84.5 93.1) (end 84.9 92.7) (width 0.19) (layer "F.Cu") (net 134) (tstamp bcffaf6-5ab1-4000-8000-000000000000))
(segment (start 74.4 75.945) (end 74.4 76.5) (width 0.19) (layer "F.Cu") (net 134) (tstamp f7fc4f4f-8a30-4000-8000-000000000000))
(via locked (at 74.4 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 134) (tstamp 55ecbc36-7a3f-4000-8000-000000000000))
(via (at 84.9 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 134) (tstamp d7cb5eac-f70b-4e00-8000-000000000000))
(segment (start 77.501267 83.637605) (end 77.52615 83.746626) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 82.194793 88.331145) (end 82.219677 88.440168) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.984245 82.88873) (end 77.64439 83.228582) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.852937 81.547345) (end 76.894417 81.556813) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.52615 83.746626) (end 77.574669 83.847377) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.730577 81.575272) (end 76.768911 81.556813) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 81.660186 87.796537) (end 81.772013 87.796538) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.020469 81.714877) (end 77.020469 81.757423) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 82.268196 88.54092) (end 82.337919 88.62835) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.57467 83.316011) (end 77.52615 83.41676) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 75.53 81.820418) (end 75.651238 81.941654) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 74.4 76.5) (end 74.88 76.98) (width 0.19) (layer "B.Cu") (net 134) (tstamp 2ada25a2-c0e0-4000-8000-000000000000))
(segment (start 76.966014 81.6018) (end 76.99254 81.635063) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.748808 82.593502) (end 77.787142 82.575043) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 81.981788 87.723134) (end 82.069218 87.653411) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.574669 83.847377) (end 77.64439 83.934804) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.483036 82.507551) (end 76.483036 82.619375) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.556438 82.829147) (end 76.626159 82.916574) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 82.810682 87.348182) (end 82.810682 87.390728) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.966014 81.8705) (end 76.626159 82.210352) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.894417 81.556813) (end 76.932749 81.575272) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.187513 83.078124) (end 77.288262 83.029604) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.787142 82.575043) (end 77.828622 82.565575) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 82.722962 87.208577) (end 82.756227 87.235105) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.95098 82.593502) (end 77.984245 82.62003) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 82.219677 88.110295) (end 82.194793 88.219318) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 77.52615 83.41676) (end 77.501267 83.525781) (width 0.19) (layer "B.Cu") (net 134) (tstamp 1000000000))
(segment (start 76.669469 82.959884) (end 76.756896 83.029605) (width 0.19) (layer "B.Cu") (net 134) (
```


(segment (start 75.53 80.270418) (end 75.53 81.820418) (width 0.19) (layer "B.Cu") (net 134) (tstamp 7e
(segment (start 77.011001 81.673397) (end 77.020469 81.714877) (width 0.19) (layer "B.Cu") (net 134) (t
(segment (start 82.337919 88.62835) (end 84.129988 90.420418) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 75.839416 82.059894) (end 75.948437 82.084777) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.375691 82.959884) (end 77.715545 82.62003) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.64439 83.934804) (end 77.64439 83.93482) (width 0.19) (layer "B.Cu") (net 134) (tstar
(segment (start 77.011001 81.798903) (end 76.99254 81.837235) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 75.651238 81.941654) (end 75.738665 82.011375) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 78.029232 82.817133) (end 78.010771 82.855465) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.99254 81.635063) (end 77.011001 81.673397) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.507919 82.728396) (end 76.556438 82.829147) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 84.129988 90.420418) (end 84.13 90.420418) (width 0.19) (layer "B.Cu") (net 134) (tstamp
(segment (start 81.881036 87.771654) (end 81.981788 87.723134) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.507919 82.39853) (end 76.483036 82.507551) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.270031 82.011374) (end 76.35746 81.941654) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.52079 87.208577) (end 82.559123 87.190117) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.35746 81.941654) (end 76.697314 81.6018) (width 0.19) (layer "B.Cu") (net 134) (tstar
(segment (start 82.559123 87.190117) (end 82.600603 87.180649) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.782754 87.268369) (end 82.801214 87.306702) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.828622 82.565575) (end 77.871168 82.565575) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.912648 82.575043) (end 77.95098 82.593502) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.268197 88.009543) (end 82.219677 88.110295) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.801214 87.306702) (end 82.810682 87.348182) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.857647 83.078124) (end 76.966668 83.103007) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.684629 87.190117) (end 82.722962 87.208577) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 78.010771 82.855465) (end 77.984245 82.88873) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.801214 87.432208) (end 82.782754 87.470541) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.643149 87.180649) (end 82.684629 87.190117) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.020469 81.757423) (end 77.011001 81.798903) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.715545 82.62003) (end 77.748808 82.593502) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 81.551163 87.771654) (end 81.660186 87.796537) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.219677 88.440168) (end 82.268196 88.54092) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 81.362981 87.653411) (end 81.450411 87.723134) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.556439 82.297781) (end 76.507919 82.39853) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.487526 87.235104) (end 82.52079 87.208577) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.626159 82.210352) (end 76.556439 82.297781) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 74.88 79.620418) (end 75.53 80.270418) (width 0.19) (layer "B.Cu") (net 134) (tstamp d0
(segment (start 82.069218 87.653411) (end 82.487526 87.235104) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.756227 87.235105) (end 82.782754 87.268369) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 75.738665 82.011375) (end 75.839416 82.059894) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.697314 81.6018) (end 76.730577 81.575272) (width 0.19) (layer "B.Cu") (net 134) (tsta
(segment (start 78.0387 82.733107) (end 78.0387 82.775653) (width 0.19) (layer "B.Cu") (net 134) (tstamp
(segment (start 76.966668 83.103007) (end 77.078492 83.103007) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.483036 82.619375) (end 76.507919 82.728396) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.984245 82.62003) (end 78.010771 82.653293) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 78.029232 82.691627) (end 78.0387 82.733107) (width 0.19) (layer "B.Cu") (net 134) (tsta
(segment (start 76.768911 81.556813) (end 76.810391 81.547345) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.600603 87.180649) (end 82.643149 87.180649) (width 0.19) (layer "B.Cu") (net 134) (tsta
(segment (start 77.871168 82.565575) (end 77.912648 82.575043) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.64439 83.93482) (end 81.362981 87.653411) (width 0.19) (layer "B.Cu") (net 134) (tsta
(segment (start 82.337919 87.922113) (end 82.268197 88.009543) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.810391 81.547345) (end 76.852937 81.547345) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.078492 83.103007) (end 77.187513 83.078124) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.756227 87.503805) (end 82.337919 87.922113) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 84.13 91.93) (end 84.9 92.7) (width 0.19) (layer "B.Cu") (net 134) (tstamp fdfff512-725
(segment (start 70.595 74.55) (end 70.595 76.495) (width 0.19) (layer "F.Cu") (net 135) (tstamp 0916935
(segment (start 83.7 93.1) (end 83.3 92.7) (width 0.19) (layer "F.Cu") (net 135) (tstamp 41b3162d-a267-
(segment (start 70.595 76.495) (end 70.6 76.5) (width 0.19) (layer "F.Cu") (net 135) (tstamp b6791242-7
(via (at 83.3 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 135) (tstamp 57846b3e-fb69-4288-
(via locked (at 70.6 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 135) (tstamp edd9c0ec-4aa
(segment locked (start 72.963296 81.603714) (end 72.893573 81.516284) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.269885 80.262409) (end 73.231552 80.243948) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.522503 90.404938) (end 82.493355 90.344411) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.493356 90.663631) (end 82.522502 90.603104) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 75.2996 83.1596) (end 75.29001 83.15001) (width 0.19) (layer "B.Cu") (net 135) (tstamp
(segment (start 82.234081 91.093284) (end 82.23408 91.026104) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 72.963296 80.897488) (end 73.303148 80.557635) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.502587 80.169615) (end 71.484127 80.131282) (width 0.19) (layer "B.Cu") (net :)

(segment (start 82.45147 90.716152) (end 82.493356 90.663631) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 73.348135 80.360532) (end 73.329676 80.3222) (width 0.19) (layer "B.Cu") (net 135)
(segment locked (start 72.461694 80.861694) (end 71.867282 81.456106) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.744326 91.271826) (end 82.691805 91.313712) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.484127 80.131282) (end 71.4576 80.098017) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 82.522502 90.603104) (end 82.537452 90.537611) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 72.893574 80.984916) (end 72.963296 80.897488) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.147525 80.23448) (end 73.106046 80.243948) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 82.320063 90.847562) (end 82.45147 90.716152) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 83.3 91.140418) (end 83.247478 91.098533) (width 0.19) (layer "B.Cu") (net 135) (timestamp
(segment locked (start 71.779854 81.525828) (end 71.679103 81.574347) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.691805 91.313712) (end 82.631278 91.342858) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.512055 80.253641) (end 71.512055 80.211094) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.372585 91.313711) (end 82.320062 91.271826) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.502587 80.295121) (end 71.512055 80.253641) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.329676 80.3222) (end 73.303148 80.288935) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 83.3 92.7) (end 83.3 91.140418) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-
(segment locked (start 73.357603 80.402012) (end 73.348135 80.360532) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 72.461692 80.861692) (end 72.461694 80.861694) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.106046 80.243948) (end 73.067713 80.262409) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.249029 91.158777) (end 82.234081 91.093284) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.24903 90.960611) (end 82.278176 90.900084) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.458257 81.59923) (end 71.349236 81.574347) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 82.451471 90.291889) (end 75.319182 83.1596) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 73.190071 80.23448) (end 73.147525 80.23448) (width 0.19) (layer "B.Cu") (net 135)
(segment locked (start 73.303148 80.557635) (end 73.329676 80.524372) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.329676 80.524372) (end 73.348135 80.486038) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 70.974623 81.00377) (end 70.999506 80.894749) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 74.509592 83.15001) (end 72.963296 81.603714) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 72.820172 81.194688) (end 72.845055 81.085667) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.928258 91.098532) (end 82.875736 91.140419) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.537451 90.470431) (end 82.522503 90.404938) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.433112 91.342859) (end 82.372585 91.313711) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 70.999506 81.224617) (end 70.974623 81.115595) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.570082 81.59923) (end 71.458257 81.59923) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 83.054278 91.054436) (end 82.988785 91.069386) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.117747 80.70657) (end 71.4576 80.366718) (width 0.19) (layer "B.Cu") (net 135)
(segment locked (start 72.893573 81.516284) (end 72.845055 81.415535) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.867282 81.456106) (end 71.779854 81.525828) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.278176 90.900084) (end 82.320063 90.847562) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.4576 80.098017) (end 71.08 79.720418) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.988785 91.069386) (end 82.928258 91.098532) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 73.067713 80.262409) (end 73.034448 80.288935) (width 0.19) (layer "B.Cu") (net :
(segment (start 83.121458 91.054437) (end 83.054278 91.054436) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 72.845055 81.085667) (end 72.893574 80.984916) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.357603 80.444558) (end 73.357603 80.402012) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.512055 80.211094) (end 71.502587 80.169615) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.048025 80.793998) (end 71.117747 80.70657) (width 0.19) (layer "B.Cu") (net 135)
(segment (start 82.278177 91.219304) (end 82.249029 91.158777) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.23408 91.026104) (end 82.24903 90.960611) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 73.303148 80.288935) (end 73.269885 80.262409) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.08 76.98) (end 70.6 76.5) (width 0.19) (layer "B.Cu") (net 135) (timestamp c5d83
(segment locked (start 71.484127 80.333454) (end 71.502587 80.295121) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 70.974623 81.115595) (end 70.974623 81.00377) (width 0.19) (layer "B.Cu") (net 135)
(segment locked (start 71.679103 81.574347) (end 71.570082 81.59923) (width 0.19) (layer "B.Cu") (net 135)
(segment locked (start 71.349236 81.574347) (end 71.248485 81.525828) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.493355 90.344411) (end 82.451471 90.291889) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 73.231552 80.243948) (end 73.190071 80.23448) (width 0.19) (layer "B.Cu") (net 135)
(segment locked (start 72.845055 81.415535) (end 72.820171 81.306512) (width 0.19) (layer "B.Cu") (net :
(segment (start 75.319182 83.1596) (end 75.2996 83.1596) (width 0.19) (layer "B.Cu") (net 135) (timestamp
(segment (start 82.537452 90.537611) (end 82.537451 90.470431) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 70.999506 80.894749) (end 71.048025 80.793998) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 73.034448 80.288935) (end 72.461692 80.861692) (width 0.19) (layer "B.Cu") (net :
(segment locked (start 71.117747 81.412796) (end 71.048025 81.325367) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.498605 91.357807) (end 82.433112 91.342859) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 73.348135 80.486038) (end 73.357603 80.444558) (width 0.19) (layer "B.Cu") (net :
(segment (start 82.875736 91.140419) (end 82.744326 91.271826) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 71.4576 80.366718) (end 71.484127 80.333454) (width 0.19) (layer "B.Cu") (net 135)

(segment locked (start 71.248485 81.525828) (end 71.161057 81.456106) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 82.565785 91.357808) (end 82.498605 91.357807) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 82.631278 91.342858) (end 82.565785 91.357808) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment locked (start 72.820171 81.306512) (end 72.820172 81.194688) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 83.186951 91.069385) (end 83.121458 91.054437) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment locked (start 71.08 79.720418) (end 71.08 76.98) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment locked (start 71.161057 81.456106) (end 71.117747 81.412796) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 82.320062 91.271826) (end 82.278177 91.219304) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment locked (start 71.048025 81.325367) (end 70.999506 81.224617) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 83.247478 91.098533) (end 83.186951 91.069385) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 75.29001 83.15001) (end 74.509592 83.15001) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710ebc1))
(segment (start 68.055 74.55) (end 68.055 76.495) (width 0.19) (layer "F.Cu") (net 136) (timestamp 035cb66e))
(segment (start 82.9 93.1) (end 82.5 92.7) (width 0.19) (layer "F.Cu") (net 136) (timestamp 5d9d1867-f4e5-4b3a-8000-000000000000))
(segment (start 68.055 76.495) (end 68.05 76.5) (width 0.19) (layer "F.Cu") (net 136) (timestamp 64992ea5-4b3a-8000-0000-000000000000))
(via (at 68.05 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 136) (timestamp bcefb9e2-bc03-4edc-8000-000000000000))
(via (at 82.5 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 136) (timestamp eea4e809-766a-437f-8000-000000000000))
(segment (start 73.232401 83.068947) (end 73.137716 83.009452) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.469908 90.555408) (end 81.511793 90.502885) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.355654 83.982278) (end 72.341602 84.022437) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.372938 83.348253) (end 72.360418 83.459375) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 80.912686 90.222085) (end 80.847191 90.237034) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 80.653992 90.192937) (end 80.601471 90.151053) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.341602 84.022437) (end 72.318965 84.058463) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.540941 90.44236) (end 81.55589 90.376865) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.425185 83.982278) (end 73.420422 83.939999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 74.580417 84.129999) (end 73.610422 84.129999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.511793 90.183666) (end 81.469908 90.131144) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 67.57 79.529582) (end 67.57 76.98) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.548438 83.068947) (end 72.469366 83.148019) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 82.07 91.619582) (end 81.45 90.999582) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 82.180833 92.7) (end 82.07 92.589167) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1f33e1))
(segment (start 81.408114 90.62784) (end 81.45 90.575317) (width 0.19) (layer "B.Cu") (net 136) (timestamp 2f95d23e))
(segment (start 81.469908 90.131144) (end 81.417385 90.089258) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.318965 84.058463) (end 72.288881 84.088547) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.137716 83.009452) (end 73.032167 82.972519) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.748672 82.972519) (end 72.643123 83.009452) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.098166 90.089258) (end 81.045643 90.131144) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.370968 83.242704) (end 73.311473 83.148019) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.610422 84.129999) (end 73.568143 84.125236) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 82.5 92.7) (end 82.180833 92.7) (width 0.19) (layer "B.Cu") (net 136) (timestamp 3efd2f95-d23e-4b3a-8000-000000000000))
(segment (start 73.420422 83.459375) (end 73.407901 83.348253) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.288881 84.088547) (end 72.252855 84.111184) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.252855 84.111184) (end 72.212696 84.125236) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.045643 90.131144) (end 81.025734 90.151052) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.568143 84.125236) (end 73.527984 84.111184) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.921045 82.959998) (end 72.859794 82.959998) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.461874 84.058463) (end 73.439237 84.022437) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.45 90.999582) (end 81.408114 90.947059) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.469366 83.148019) (end 72.409871 83.242704) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 80.847191 90.237034) (end 80.780013 90.237034) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.643123 83.009452) (end 72.548438 83.068947) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.224186 90.045162) (end 81.158692 90.060111) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.409871 83.242704) (end 72.372938 83.348253) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.378967 90.688366) (end 81.408114 90.62784) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 80.601471 90.151053) (end 74.580417 84.129999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.032167 82.972519) (end 72.921045 82.959998) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 80.714518 90.222085) (end 80.653992 90.192937) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 82.07 92.589167) (end 82.07 91.619582) (width 0.19) (layer "B.Cu") (net 136) (timestamp 8b3a80))
(segment (start 73.311473 83.148019) (end 73.232401 83.068947) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.420422 83.939999) (end 73.420422 83.459375) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.407901 83.348253) (end 73.370968 83.242704) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.170418 84.129999) (end 67.57 79.529582) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 80.973211 90.192937) (end 80.912686 90.222085) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 72.212696 84.125236) (end 72.170418 84.129999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 73.491958 84.088547) (end 73.461874 84.058463) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.025734 90.151052) (end 80.973211 90.192937) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.45 90.575317) (end 81.469908 90.555408) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))
(segment (start 81.378967 90.886533) (end 81.364018 90.821039) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710ebc1))

```
(segment (start 72.859794 82.959998) (end 72.748672 82.972519) (width 0.19) (layer "B.Cu") (net 136) (timestamp 674285e2-b25d-4a21-8000-000000000000) (tstamp 674285e2-b25d-4a21-8000-000000000000))
(segment (start 81.291365 90.045162) (end 81.224186 90.045162) (width 0.19) (layer "B.Cu") (net 136) (timestamp 7ce1dcbb-8318-4000-0000-000000000000) (tstamp 7ce1dcbb-8318-4000-0000-000000000000))
(segment (start 81.364018 90.821039) (end 81.364018 90.75386) (width 0.19) (layer "B.Cu") (net 136) (timestamp 12f06b11-66d8-4e21-b000-000000000000) (tstamp 12f06b11-66d8-4e21-b000-000000000000))
(segment (start 72.360418 83.939999) (end 72.355654 83.982278) (width 0.19) (layer "B.Cu") (net 136) (timestamp 7209582-84-47) (tstamp 7209582-84-47))
(segment (start 73.439237 84.022437) (end 73.425185 83.982278) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.972857 83.318816) (tstamp 72.972857 83.318816))
(segment (start 81.356859 90.060111) (end 81.291365 90.045162) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.771956 83.341453) (tstamp 72.771956 83.341453))
(segment (start 73.527984 84.111184) (end 73.491958 84.088547) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.417714 84.420548) (tstamp 72.417714 84.420548))
(segment (start 81.408114 90.947059) (end 81.378967 90.886533) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.650966 84.187296) (tstamp 72.650966 84.187296))
(segment (start 81.55589 90.376865) (end 81.55589 90.309687) (width 0.19) (layer "B.Cu") (net 136) (timestamp 67.23 79.670418) (tstamp 67.23 79.670418))
(segment (start 81.158692 90.060111) (end 81.098166 90.089258) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.029582 84.47) (tstamp 72.029582 84.47))
(segment (start 81.364018 90.75386) (end 81.378967 90.688366) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.70042 83.49) (tstamp 72.70042 83.49))
(segment (start 81.540941 90.244192) (end 81.51793 90.183666) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.807982 83.318816) (tstamp 72.807982 83.318816))
(segment (start 81.417385 90.089258) (end 81.356859 90.060111) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.719235 83.407563) (tstamp 72.719235 83.407563))
(segment (start 80.780013 90.237034) (end 80.714518 90.222085) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 72.360418 83.459375) (end 72.360418 83.939999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 81.511793 90.502885) (end 81.540941 90.44236) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 81.55589 90.309687) (end 81.540941 90.244192) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 67.57 76.98) (end 68.05 76.5) (width 0.19) (layer "B.Cu") (net 136) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 82.1 93.1) (end 82.5 93.5) (width 0.19) (layer "F.Cu") (net 137) (timestamp 674285e2-b25d-4a21-8000-000000000000) (tstamp 674285e2-b25d-4a21-8000-000000000000))
(segment (start 66.785 74.55) (end 66.785 76.485) (width 0.19) (layer "F.Cu") (net 137) (timestamp 7ce1dcbb-8318-4000-0000-000000000000) (tstamp 7ce1dcbb-8318-4000-0000-000000000000))
(via (at 82.5 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 137) (timestamp 12f06b11-66d8-4e21-b000-000000000000) (tstamp 12f06b11-66d8-4e21-b000-000000000000))
(via (at 66.785 76.485) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 137) (timestamp d3d05fdf-fb9f-4a21-8000-000000000000) (tstamp d3d05fdf-fb9f-4a21-8000-000000000000))
(segment (start 72.89042 83.3) (end 72.932698 83.304764) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.029582 84.47) (tstamp 72.029582 84.47))
(segment (start 72.029582 84.47) (end 72.201043 84.470001) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.972857 83.318816) (tstamp 72.972857 83.318816))
(segment (start 72.972857 83.318816) (end 73.008883 83.341453) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.771956 83.341453) (tstamp 72.771956 83.341453))
(segment (start 72.771956 83.341453) (end 72.807982 83.318816) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.417714 84.420548) (tstamp 72.417714 84.420548))
(segment (start 72.417714 84.420548) (end 72.512399 84.361053) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.650966 84.187296) (tstamp 72.650966 84.187296))
(segment (start 72.650966 84.187296) (end 72.687899 84.081747) (width 0.19) (layer "B.Cu") (net 137) (timestamp 67.23 79.670418) (tstamp 67.23 79.670418))
(segment (start 67.23 79.670418) (end 72.029582 84.47) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.029582 84.47) (tstamp 72.029582 84.47))
(segment (start 72.807982 83.318816) (end 72.848141 83.304764) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.70042 83.49) (tstamp 72.70042 83.49))
(segment (start 72.719235 83.407563) (end 72.741872 83.371537) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.807982 83.318816) (tstamp 72.807982 83.318816))
(segment (start 72.70042 83.970625) (end 72.70042 83.49) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.719235 83.407563) (tstamp 72.719235 83.407563))
(segment (start 73.468674 84.457481) (end 73.579796 84.470001) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 81.73 91.760418) (end 81.73 92.73) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 72.512399 84.361053) (end 72.591471 84.281981) (width 0.19) (layer "B.Cu") (net 137) (timestamp 72.70042 83.970625) (tstamp 72.70042 83.970625))
(segment (start 73
```

(segment (start 87.394399 87.47) (end 87.399162 87.512278) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 89.616148 88.437295) (end 89.556654 88.53198) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.166227 88.72) (end 88.72 88.72) (width 0.19) (layer "B.Cu") (net 138) (tstamp 18886b
(segment (start 88.571453 88.791536) (end 88.548816 88.827562) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.480546 86.997295) (end 88.421052 87.09198) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.477582 88.611052) (end 89.382897 88.670546) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.548816 88.827562) (end 88.534764 88.867721) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.53 84.758982) (end 88.53 86.780625) (width 0.19) (layer "B.Cu") (net 138) (tstamp 27
(segment (start 88.517479 86.891746) (end 88.480546 86.997295) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.465935 87.618547) (end 87.501961 87.641184) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.53 88.91) (end 88.53 92.480418) (width 0.19) (layer "B.Cu") (net 138) (tstamp 368559
(segment (start 89.665601 88.220625) (end 89.653081 88.331746) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 86.989218 83.2182) (end 88.53 84.758982) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.141746 87.267479) (end 88.030625 87.28) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.72 88.72) (end 88.677722 88.724763) (width 0.19) (layer "B.Cu") (net 138) (tstamp 48
(segment (start 87.501961 87.641184) (end 87.54212 87.655236) (width 0.19) (layer "B.Cu") (net 138) (tstar
(segment (start 89.653081 88.048253) (end 89.665601 88.159374) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.247295 87.230546) (end 88.141746 87.267479) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.435851 87.588463) (end 87.465935 87.618547) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.110418 92.9) (end 87.1 92.9) (width 0.19) (layer "B.Cu") (net 138) (tstamp 5ae6c81e-
(segment (start 88.677722 88.724763) (end 88.637563 88.738815) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 89.382897 87.709453) (end 89.477582 87.768947) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.399162 87.427721) (end 87.394399 87.47) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 82.82 76.97) (end 82.82 79.479582) (width 0.19) (layer "B.Cu") (net 138) (tstamp 69f160
(segment (start 89.382897 88.670546) (end 89.277348 88.707479) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.584399 87.66) (end 89.166227 87.66) (width 0.19) (layer "B.Cu") (net 138) (tstamp 70
(segment (start 89.277348 87.67252) (end 89.382897 87.709453) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 87.465935 87.321452) (end 87.435851 87.351536) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.34198 87.171052) (end 88.247295 87.230546) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.556654 88.53198) (end 89.477582 88.611052) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 88.53 86.780625) (end 88.517479 86.891746) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 87.54212 87.284763) (end 87.501961 87.298815) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.277348 88.707479) (end 89.166227 88.72) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 83.47 82.746982) (end 83.941218 83.2182) (width 0.19) (layer "B.Cu") (net 138) (tstamp a
(segment (start 83.941218 83.2182) (end 86.989218 83.2182) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.53 92.480418) (end 88.110418 92.9) (width 0.19) (layer "B.Cu") (net 138) (tstamp b16
(segment (start 87.584399 87.28) (end 87.54212 87.284763) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 89.556654 87.848019) (end 89.616148 87.942704) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.435851 87.351536) (end 87.413214 87.387562) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 89.653081 88.331746) (end 89.616148 88.437295) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.54212 87.655236) (end 87.584399 87.66) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.637563 88.738815) (end 88.601537 88.761452) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.501961 87.298815) (end 87.465935 87.321452) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.413214 87.552437) (end 87.435851 87.588463) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.030625 87.28) (end 87.584399 87.28) (width 0.19) (layer "B.Cu") (net 138) (tstamp c9
(segment (start 82.82 79.479582) (end 83.47 80.129582) (width 0.19) (layer "B.Cu") (net 138) (tstamp dc
(segment (start 89.616148 87.942704) (end 89.653081 88.048253) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 83.47 80.129582) (end 83.47 82.746982) (width 0.19) (layer "B.Cu") (net 138) (tstamp e1
(segment (start 88.534764 88.867721) (end 88.53 88.91) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed
(segment (start 89.665601 88.159374) (end 89.665601 88.220625) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 89.477582 87.768947) (end 89.556654 87.848019) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.421052 87.09198) (end 88.34198 87.171052) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.166227 87.66) (end 89.277348 87.67252) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 87.413214 87.387562) (end 87.399162 87.427721) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 83.3 94.3) (end 84.1 94.3) (width 0.15) (layer "F.Cu") (net 139) (tstamp 00000000-0000-0
(segment (start 91.8 85.9) (end 91.45 86.25) (width 0.25) (layer "F.Cu") (net 139) (tstamp 3b6f9fbf-f9e
(segment (start 85.835 74.55) (end 85.835 75.635) (width 0.25) (layer "F.Cu") (net 139) (tstamp 4302c66
(segment (start 84.1 94.3) (end 84.5 93.9) (width 0.15) (layer "F.Cu") (net 139) (tstamp 46928506-ead7-
(segment (start 84.5 93.9) (end 84.1 93.5) (width 0.25) (layer "F.Cu") (net 139) (tstamp 7979f5de-be4a-
(segment (start 82.9 93.9) (end 83.3 94.3) (width 0.15) (layer "F.Cu") (net 139) (tstamp 97cfa6f7-b4b4-
(segment (start 85.835 75.635) (end 91.8 81.6) (width 0.25) (layer "F.Cu") (net 139) (tstamp a984eb2b-f
(segment (start 91.45 86.25) (end 91.45 87.2) (width 0.25) (layer "F.Cu") (net 139) (tstamp acaa31d9-95
(segment (start 91.8 81.6) (end 91.8 85.9) (width 0.25) (layer "F.Cu") (net 139) (tstamp dc001e77-6440-
(segment (start 91.45 87.2) (end 91.55 87.3) (width 0.25) (layer "F.Cu") (net 139) (tstamp ed80b67e-5d0
(via (at 87.05 90) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 00000000-0000-0000-0
(via (at 91.05 87.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 0cbc2ad7-9555-4433
(via (at 91.55 87.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 4b53013b-a8ca-41b6
(via (at 87.15 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 6cfcb431-8bcd-49bd

(via (at 84.1 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 139) (tstamp 75f34dee-a384-431a-1
(via (at 87.65 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 9c59679d-1cee-4f4f
(segment (start 91.55 87.3) (end 91.05 87.3) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 2c9c9308-4
(segment (start 91.05 87.3) (end 88.95 87.3) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 5b2bcf10-d
(segment (start 85.3 90) (end 83.85 91.45) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 5f68cde4-66f
(segment (start 87.05 90) (end 85.3 90) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 6cd0e07b-19e8-4
(segment (start 83.85 93.25) (end 84.1 93.5) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 7dfa596a-d
(segment (start 87.65 88.6) (end 87.15 88.6) (width 0.25) (layer "In2.Cu") (net 139) (tstamp a5493b35-1
(segment (start 88.95 87.3) (end 87.65 88.6) (width 0.25) (layer "In2.Cu") (net 139) (tstamp aeb90892-f
(segment (start 83.85 91.45) (end 83.85 93.25) (width 0.25) (layer "In2.Cu") (net 139) (tstamp b55265cd
(segment (start 87.05 89.2) (end 87.65 88.6) (width 0.25) (layer "B.Cu") (net 139) (tstamp 06578341-0ed
(segment (start 84.1 93.5) (end 84.1 94.215) (width 0.25) (layer "B.Cu") (net 139) (tstamp 2bbe0232-d18
(segment (start 87.15 88.6) (end 87.15 89.1) (width 0.25) (layer "B.Cu") (net 139) (tstamp 9bc7322e-ed1
(segment (start 84.1 94.315) (end 84.085 94.3) (width 0.25) (layer "B.Cu") (net 139) (tstamp 9daa1b62-2
(segment (start 87.65 88.6) (end 87.15 88.6) (width 0.25) (layer "B.Cu") (net 139) (tstamp cfa9f8a0-7f7
(segment (start 84.1 94.215) (end 84.185 94.3) (width 0.25) (layer "B.Cu") (net 139) (tstamp db2e1c6c-d
(segment (start 87.15 89.1) (end 87.05 89.2) (width 0.25) (layer "B.Cu") (net 139) (tstamp e0fac18c-907
(segment (start 87.05 90) (end 87.05 89.2) (width 0.25) (layer "B.Cu") (net 139) (tstamp f6b23e96-5a8f-
(segment (start 71.865 76.485) (end 71.85 76.5) (width 0.19) (layer "F.Cu") (net 140) (tstamp 4220253f-
(segment (start 83.7 93.9) (end 83.3 93.5) (width 0.19) (layer "F.Cu") (net 140) (tstamp a9193963-1f75-
(segment (start 71.865 74.55) (end 71.865 76.485) (width 0.19) (layer "F.Cu") (net 140) (tstamp e2f4c0f
(via (at 83.3 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 140) (tstamp 69d0a3f3-bac1-470b-1
(via locked (at 71.85 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 140) (tstamp d14a4ce8-d1
(segment (start 74.650418 82.81) (end 73.225369 81.384951) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 73.565221 80.070172) (end 73.521911 80.026862) (width 0.19) (layer "B.Cu") (net 140) (t
(segment (start 73.180382 81.313354) (end 73.170914 81.271874) (width 0.19) (layer "B.Cu") (net 140) (t
(segment (start 73.333732 79.908621) (end 73.224711 79.883738) (width 0.19) (layer "B.Cu") (net 140) (t
(segment (start 83.64 90.999572) (end 75.450428 82.81) (width 0.19) (layer "B.Cu") (net 140) (tstamp 19
(segment (start 71.648519 81.194033) (end 71.615255 81.22056) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.379819 80.925333) (end 71.719673 80.58548) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.837913 80.067434) (end 71.789394 79.966683) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.565222 80.776398) (end 73.634944 80.68897) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.198841 81.351686) (end 73.180382 81.313354) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.862797 80.176455) (end 71.837913 80.067434) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.795001 92.462399) (end 83.64 92.307398) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 71.789394 80.498052) (end 71.837913 80.397301) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.434483 79.95714) (end 73.333732 79.908621) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.795001 93.004999) (end 83.795001 92.462399) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.719673 79.879255) (end 71.42 79.579582) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 71.334832 81.122436) (end 71.325364 81.080956) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.789394 79.966683) (end 71.719673 79.879255) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.42 76.93) (end 71.85 76.5) (width 0.19) (layer "B.Cu") (net 140) (tstamp 5694a539-97
(segment (start 73.683463 80.588219) (end 73.708346 80.479198) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.535442 81.248488) (end 71.492896 81.248488) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.198841 81.149514) (end 73.225369 81.116251) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.683462 80.258351) (end 73.634943 80.1576) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.003866 79.908623) (end 72.903115 79.957141) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.862797 80.28828) (end 71.862797 80.176455) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.170914 81.229328) (end 73.180382 81.187848) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.492896 81.248488) (end 71.451416 81.23902) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.576922 81.23902) (end 71.535442 81.248488) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.353292 80.958597) (end 71.379819 80.925333) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.708345 80.367372) (end 73.683462 80.258351) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 72.815687 80.026864) (end 71.648519 81.194033) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.634943 80.1576) (end 73.565221 80.070172) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.42 79.579582) (end 71.42 76.93) (width 0.19) (layer "B.Cu") (net 140) (tstamp 889fff
(segment (start 73.224711 79.883738) (end 73.112887 79.883739) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.353292 81.160769) (end 71.334832 81.122436) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.634944 80.68897) (end 73.683463 80.588219) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.3 93.5) (end 83.795001 93.004999) (width 0.19) (layer "B.Cu") (net 140) (tstamp 9d48
(segment (start 73.225369 81.116251) (end 73.565222 80.776398) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.615255 81.22056) (end 71.576922 81.23902) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 72.903115 79.957141) (end 72.815687 80.026864) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.719673 80.58548) (end 71.789394 80.498052) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.64 92.307398) (end 83.64 90.999572) (width 0.19) (layer "B.Cu") (net 140) (tstamp b5f
(segment (start 73.170914 81.271874) (end 73.170914 81.229328) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.112887 79.883739) (end 73.003866 79.908623) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.325364 81.03841) (end 71.334832 80.99693) (width 0.19) (layer "B.Cu") (net 140) (tstamp

(segment (start 71.413083 81.22056) (end 71.379819 81.194033) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.180382 81.187848) (end 73.198841 81.149514) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.521911 80.026862) (end 73.434483 79.95714) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.837913 80.397301) (end 71.862797 80.28828) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.379819 81.194033) (end 71.353292 81.160769) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.225369 81.384951) (end 73.198841 81.351686) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.708346 80.479198) (end 73.708345 80.367372) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.325364 81.080956) (end 71.325364 81.03841) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.334832 80.99693) (end 71.353292 80.958597) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.451416 81.23902) (end 71.413083 81.22056) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 75.450428 82.81) (end 74.650418 82.81) (width 0.19) (layer "B.Cu") (net 140) (tstamp fc
(segment (start 97.05 85.7) (end 97.75 85.7) (width 0.15) (layer "F.Cu") (net 141) (tstamp 32b6ef26-f7c
(segment (start 86.1 96.3) (end 86.5 96.7) (width 0.15) (layer "F.Cu") (net 141) (tstamp a1ffa1a48-5b98-
(segment (start 97.75 85.7) (end 97.85 85.8) (width 0.15) (layer "F.Cu") (net 141) (tstamp b72ddd83-316
(via (at 86.5 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 141) (tstamp 446d7c6a-43a2-4add-
(via (at 97.85 85.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 141) (tstamp f8e83fb7-5863-48e5
(segment (start 95.05 86.4) (end 97.35 86.4) (width 0.15) (layer "B.Cu") (net 141) (tstamp 5c2bcabf-38f
(segment (start 89.65 97.3) (end 90.9 96.05) (width 0.15) (layer "B.Cu") (net 141) (tstamp 7a61a864-097
(segment (start 90.9 90.55) (end 95.05 86.4) (width 0.15) (layer "B.Cu") (net 141) (tstamp 950e9e40-5fc
(segment (start 97.85 85.9) (end 97.85 85.8) (width 0.15) (layer "B.Cu") (net 141) (tstamp 9f699ac5-f1c
(segment (start 86.5 96.7) (end 87.1 97.3) (width 0.15) (layer "B.Cu") (net 141) (tstamp a2b216c4-bca4-
(segment (start 87.1 97.3) (end 89.65 97.3) (width 0.15) (layer "B.Cu") (net 141) (tstamp a3c55e25-be6d
(segment (start 90.9 96.05) (end 90.9 90.55) (width 0.15) (layer "B.Cu") (net 141) (tstamp cf8649c5-27e
(segment (start 97.35 86.4) (end 97.85 85.9) (width 0.15) (layer "B.Cu") (net 141) (tstamp d6c9774a-443
(segment (start 91.20431 94.6) (end 92.35 94.6) (width 0.15) (layer "F.Cu") (net 142) (tstamp 1b037ac9-
(segment (start 89.10431 96.7) (end 91.20431 94.6) (width 0.15) (layer "F.Cu") (net 142) (tstamp 83ce73
(segment (start 87.3 96.7) (end 89.10431 96.7) (width 0.15) (layer "F.Cu") (net 142) (tstamp 90bec7dc-6
(segment (start 86.9 97.1) (end 87.3 96.7) (width 0.15) (layer "F.Cu") (net 142) (tstamp d176e73e-0cec-
(segment (start 97.05 91.3) (end 97.75 91.3) (width 0.15) (layer "F.Cu") (net 142) (tstamp d8fe3d00-28e
(segment (start 97.75 91.3) (end 97.85 91.4) (width 0.15) (layer "F.Cu") (net 142) (tstamp fe86812b-4af
(via (at 97.85 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 142) (tstamp d98367ab-9337-4902
(via (at 92.35 94.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 142) (tstamp da4aaa52-e08b-4fe7
(segment (start 92.35 94.6) (end 92.65 94.3) (width 0.15) (layer "B.Cu") (net 142) (tstamp 0a0d9aa9-3f5
(segment (start 94.15 92) (end 97.35 92) (width 0.15) (layer "B.Cu") (net 142) (tstamp 0d4b7a1c-4c8d-48
(segment (start 97.85 91.4) (end 97.85 91.5) (width 0.15) (layer "B.Cu") (net 142) (tstamp 11887a1a-885
(segment (start 97.35 92) (end 97.85 91.5) (width 0.15) (layer "B.Cu") (net 142) (tstamp 33e9e9c9-981d-
(segment (start 92.65 93.5) (end 94.15 92) (width 0.15) (layer "B.Cu") (net 142) (tstamp 933a79d3-82c3-
(segment (start 92.65 94.3) (end 92.65 93.5) (width 0.15) (layer "B.Cu") (net 142) (tstamp a1185cc8-daa
(segment (start 91.940908 96.25) (end 90.402586 96.25) (width 0.15) (layer "F.Cu") (net 143) (tstamp 23
(segment (start 93.45 95.1) (end 93.090908 95.1) (width 0.15) (layer "F.Cu") (net 143) (tstamp 3b0dba43
(segment (start 97.75 94.1) (end 97.85 94.2) (width 0.15) (layer "F.Cu") (net 143) (tstamp 4a40143f-881
(segment (start 90.402586 96.25) (end 89.152586 97.5) (width 0.15) (layer "F.Cu") (net 143) (tstamp 4f9
(segment (start 89.152586 97.5) (end 87.3 97.5) (width 0.15) (layer "F.Cu") (net 143) (tstamp 4fad6bb6-
(segment (start 97.05 94.1) (end 97.75 94.1) (width 0.15) (layer "F.Cu") (net 143) (tstamp 921ca58e-3c9
(segment (start 93.090908 95.1) (end 91.940908 96.25) (width 0.15) (layer "F.Cu") (net 143) (tstamp c2b
(segment (start 87.3 97.5) (end 86.9 97.9) (width 0.15) (layer "F.Cu") (net 143) (tstamp c335f135-268f-
(via (at 97.85 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 143) (tstamp 388660c4-68ed-464d
(via (at 93.45 95.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 143) (tstamp 5d41d112-70b9-4a62
(segment (start 93.75 94.8) (end 97.35 94.8) (width 0.15) (layer "B.Cu") (net 143) (tstamp 0862b1f0-70e
(segment (start 97.35 94.8) (end 97.85 94.3) (width 0.15) (layer "B.Cu") (net 143) (tstamp 163da203-df8
(segment (start 93.45 95.1) (end 93.75 94.8) (width 0.15) (layer "B.Cu") (net 143) (tstamp 35f06f2f-b13
(segment (start 97.85 94.3) (end 97.85 94.2) (width 0.15) (layer "B.Cu") (net 143) (tstamp 7faa844b-5be
(segment (start 86.1 97.1) (end 86.5 97.5) (width 0.15) (layer "F.Cu") (net 144) (tstamp 3c94d962-e058-
(segment (start 100.50009 86.115416) (end 100.50009 86.35275) (width 0.15) (layer "F.Cu") (net 144) (ts
(segment (start 100.50009 86.35275) (end 100.208259 86.644581) (width 0.15) (layer "F.Cu") (net 144) (ts
(segment (start 100.915506 85.7) (end 100.50009 86.115416) (width 0.15) (layer "F.Cu") (net 144) (tstamp
(segment (start 101.05 85.7) (end 100.915506 85.7) (width 0.15) (layer "F.Cu") (net 144) (tstamp b32a54
(via (at 86.5 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 144) (tstamp 0942ed50-d2f4-47d1-
(via (at 100.208259 86.644581) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 144) (tstamp c591d797
(segment (start 86.5 97.5) (end 86.749999 97.749999) (width 0.15) (layer "B.Cu") (net 144) (tstamp 3a01
(segment (start 91.199911 90.800089) (end 91.2 90.8) (width 0.15) (layer "B.Cu") (net 144) (tstamp 42be
(segment (start 91.2 90.8) (end 91.2 90.7) (width 0.15) (layer "B.Cu") (net 144) (tstamp 49acaba2-cb46-
(segment (start 91.2 90.7) (end 95.2 86.7) (width 0.15) (layer "B.Cu") (net 144) (tstamp 5fc55323-8e16-
(segment (start 91.199911 96.200089) (end 91.199911 90.800089) (width 0.15) (layer "B.Cu") (net 144) (ts
(segment (start 100.15284 86.7) (end 100.208259 86.644581) (width 0.15) (layer "B.Cu") (net 144) (tstamp
(segment (start 86.749999 97.749999) (end 89.650001 97.749999) (width 0.15) (layer "B.Cu") (net 144) (ts
(segment (start 89.650001 97.749999) (end 91.199911 96.200089) (width 0.15) (layer "B.Cu") (net 144) (ts
(segment (start 95.2 86.7) (end 100.15284 86.7) (width 0.15) (layer "B.Cu") (net 144) (tstamp e127d218-

(segment (start 101.729839 88.5) (end 101.850603 88.620764) (width 0.15) (layer "F.Cu") (net 145) (tstamp 40a5e3c8c-0a1b)
(segment (start 91.749928 94.2) (end 92.1 93.849928) (width 0.15) (layer "F.Cu") (net 145) (tstamp 8f707b1b-0a1b)
(segment (start 101.05 88.5) (end 101.729839 88.5) (width 0.15) (layer "F.Cu") (net 145) (tstamp a01d1b1b-0a1b)
(segment (start 89.080172 96.3) (end 91.180172 94.2) (width 0.15) (layer "F.Cu") (net 145) (tstamp a4b1b1b-0a1b)
(segment (start 91.180172 94.2) (end 91.749928 94.2) (width 0.15) (layer "F.Cu") (net 145) (tstamp d00e3c8c-0a1b)
(via (at 92.1 93.849928) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 145) (tstamp 27f74848-0a1b)
(via (at 101.850603 88.620764) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 145) (tstamp eb2daafc-0a1b)
(segment (start 92.1 91.85) (end 94.45 89.5) (width 0.15) (layer "B.Cu") (net 145) (tstamp 142f5664-c73f-4155-8030-564ee630)
(segment (start 92.1 93.849928) (end 92.1 91.85) (width 0.15) (layer "B.Cu") (net 145) (tstamp 564ee630-4155-8030-59b4b976-6c5f)
(segment (start 94.45 89.5) (end 101.05 89.5) (width 0.15) (layer "B.Cu") (net 145) (tstamp 59b4b976-6c5f-4155-6a76ac49-4dda-4155)
(segment (start 101.05 89.5) (end 101.850603 88.699397) (width 0.15) (layer "B.Cu") (net 145) (tstamp 6a76ac49-4dda-4155-1881cd3f-8a73)
(segment (start 101.850603 88.699397) (end 101.850603 88.620764) (width 0.15) (layer "B.Cu") (net 145) (tstamp 1881cd3f-8a73-4155-4aac3faa-54-98)
(segment (start 101.75 91.3) (end 101.85 91.4) (width 0.15) (layer "F.Cu") (net 146) (tstamp 98cfaa54-9808-4155-9f84d445-c089)
(segment (start 89.128448 97.1) (end 90.278359 95.950089) (width 0.15) (layer "F.Cu") (net 146) (tstamp 9f84d445-c089-4155-91.445251 95.950089) (end 92.04534 95.35) (width 0.15) (layer "F.Cu") (net 146) (tstamp 91.445251 95.950089)
(segment (start 90.278359 95.950089) (end 91.445251 95.950089) (width 0.15) (layer "F.Cu") (net 146) (tstamp 91.445251 95.950089)
(via (at 92.04534 95.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 146) (tstamp 61410dae-7e1a-4155-6a76ac49-4dda-4155)
(via (at 101.85 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 146) (tstamp 6a76ac49-4dda-4155-1881cd3f-8a73)
(segment (start 92.45 95.35) (end 92.04534 95.35) (width 0.15) (layer "B.Cu") (net 146) (tstamp 1881cd3f-8a73-4155-92.949911 93.650089) (end 92.949911 94.850089) (width 0.15) (layer "B.Cu") (net 146) (tstamp 92.949911 93.650089)
(segment (start 101.85 91.5) (end 101.05 92.3) (width 0.15) (layer "B.Cu") (net 146) (tstamp 29a8fec3-8a73-4155-94.3 92.3) (end 92.949911 93.650089) (width 0.15) (layer "B.Cu") (net 146) (tstamp 3a73-8a73)
(segment (start 101.85 91.4) (end 101.85 91.5) (width 0.15) (layer "B.Cu") (net 146) (tstamp 4aac3faa-54-9808-4155-101.05 92.3) (end 94.3 92.3) (width 0.15) (layer "B.Cu") (net 146) (tstamp 8195ac99-2a90-4155-92.949911 94.850089) (end 92.45 95.35) (width 0.15) (layer "B.Cu") (net 146) (tstamp 821f5664-c73f-4155-90.526724 96.55) (end 92.4 96.55) (width 0.15) (layer "F.Cu") (net 147) (tstamp 4ded156a-c73f-4155-87.7 97.9) (end 89.176724 97.9) (width 0.15) (layer "F.Cu") (net 147) (tstamp 5e890b2b-c73f-4155-92.4 96.55) (end 93.15 95.8) (width 0.15) (layer "F.Cu") (net 147) (tstamp c00d33c1-ddae-8a73)
(segment (start 101.75 94.1) (end 101.85 94.2) (width 0.15) (layer "F.Cu") (net 147) (tstamp c3dcf72e-8a73-4155-101.05 94.1) (end 101.75 94.1) (width 0.15) (layer "F.Cu") (net 147) (tstamp eef259dd-b1b1-4155-89.176724 97.9) (end 90.526724 96.55) (width 0.15) (layer "F.Cu") (net 147) (tstamp f9c089-4155-93.15 95.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 147) (tstamp 01a3f217-db23-4aec-4155-101.85 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 147) (tstamp b02508cb-83f1-41e0-4155-93.15 95.8) (end 93.5 95.8) (width 0.15) (layer "B.Cu") (net 147) (tstamp 1a1db60f-472a-4155-101.85 94.3) (end 101.85 94.2) (width 0.15) (layer "B.Cu") (net 147) (tstamp 2f6b3995-5f28-4155-98 94.8) (end 101.35 94.8) (width 0.15) (layer "B.Cu") (net 147) (tstamp 5aeb24b2-c946-4155-93.5 95.8) (end 94.2 95.1) (width 0.15) (layer "B.Cu") (net 147) (tstamp 6568eaec-fd9e-4155-97.7 95.1) (end 98 94.8) (width 0.15) (layer "B.Cu") (net 147) (tstamp 9f65c40b-a230-4e00-4155-94.2 95.1) (end 97.7 95.1) (width 0.15) (layer "B.Cu") (net 147) (tstamp a1d66938-29ca-4155-101.35 94.8) (end 101.85 94.3) (width 0.15) (layer "B.Cu") (net 147) (tstamp a8e680b8-8a73-4155-97.85 97.1) (end 97.65 96.9) (width 0.15) (layer "F.Cu") (net 148) (tstamp 05270caa-0300-4155-84.1 98.3) (end 84.1 100.549814) (width 0.15) (layer "F.Cu") (net 148) (tstamp 38c9a139-0300-4155-84.1 100.549814) (end 84.799998 101.249812) (width 0.15) (layer "F.Cu") (net 148) (tstamp 54f14f7e-d0b0-4155-83.7 97.9) (end 84.1 98.3) (width 0.15) (layer "F.Cu") (net 148) (tstamp 54f14f7e-d0b0-4155-97.65 96.9) (end 97.05 96.9) (width 0.15) (layer "F.Cu") (net 148) (tstamp d71664c3-5d8a-4155-84.799998 101.249812) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 148) (tstamp 3e5f28a1-4155-97.85 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 148) (tstamp a468341a-59a1-41a1-4155-97.8 97.1) (end 97.25 97.65) (width 0.15) (layer "B.Cu") (net 148) (tstamp 1edd7e55-cac0-4155-97.85 97.1) (end 97.8 97.1) (width 0.15) (layer "B.Cu") (net 148) (tstamp 20dfc13e-f80f-4155-90.1 101.8) (end 85.350186 101.8) (width 0.15) (layer "B.Cu") (net 148) (tstamp a7f1a733-8a73-4155-85.350186 101.8) (end 84.799998 101.249812) (width 0.15) (layer "B.Cu") (net 148) (tstamp 38c9a139-0300-4155-97.25 97.65) (end 94.25 97.65) (width 0.15) (layer "B.Cu") (net 148) (tstamp c94f5b15-8a73-4155-94.25 97.65) (end 90.1 101.8) (width 0.15) (layer "B.Cu") (net 148) (tstamp fa65aa9e-f28a-4155-82.1 98.7) (end 81.7 99.1) (width 0.15) (layer "F.Cu") (net 149) (tstamp 203acea8-1edf-4155-97.75 102.5) (end 97.85 102.6) (width 0.15) (layer "F.Cu") (net 149) (tstamp 247fc90d-0a1b-4155-81.8 103.575736) (end 81.8 104) (width 0.15) (layer "F.Cu") (net 149) (tstamp 252550e0-0a1b-4155-81.7 99.1) (end 81.7 103.475736) (width 0.15) (layer "F.Cu") (net 149) (tstamp 8ab1cec2-0a1b-4155-81.7 103.475736) (end 81.8 103.575736) (width 0.15) (layer "F.Cu") (net 149) (tstamp 8ab1cec2-0a1b-4155-97.05 102.5) (end 97.75 102.5) (width 0.15) (layer "F.Cu") (net 149) (tstamp ea3955e2-b1b1-4155-81.8 104) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 149) (tstamp 08a90d33-f4cc-4908-9f28-4155-97.85 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 149) (tstamp 37572249-f575-4d3f-4155-97.85 102.7) (end 97.85 102.6) (width 0.15) (layer "B.Cu") (net 149) (tstamp 006e4717-b1b1-4155-92.2 103.2) (end 97.35 103.2) (width 0.15) (layer "B.Cu") (net 149) (tstamp 2efb078e-17f2-4155-91.4 104) (end 92.2 103.2) (width 0.15) (layer "B.Cu") (net 149) (tstamp 8c6c2539-9275-4155-97.35 103.2) (end 97.85 102.7) (width 0.15) (layer "B.Cu") (net 149) (tstamp c570e5f3-1a1b-4155-)


```
(segment (start 81.8 104) (end 91.4 104) (width 0.15) (layer "B.Cu") (net 149) (tstamp d072b228-ba81-45a)
(segment (start 97.75 105.3) (end 97.85 105.4) (width 0.15) (layer "F.Cu") (net 150) (tstamp 027e782e-5b)
(segment (start 97.05 105.3) (end 97.75 105.3) (width 0.15) (layer "F.Cu") (net 150) (tstamp 7d07bba9-d)
(segment (start 81.3 98.7) (end 80.9 99.1) (width 0.15) (layer "F.Cu") (net 150) (tstamp a4d213e9-fa38-f)
(segment (start 80.9 99.1) (end 80.9 103.3) (width 0.15) (layer "F.Cu") (net 150) (tstamp d7274a2e-fc91)
(segment (start 80.9 103.3) (end 80.6 103.6) (width 0.15) (layer "F.Cu") (net 150) (tstamp de76d5b9-d9b)
(segment (start 80.6 103.6) (end 80.6 105.2) (width 0.15) (layer "F.Cu") (net 150) (tstamp fb75a890-a75)
(via (at 97.85 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 150) (tstamp 1177b6aa-fb76-44a)
(via (at 80.6 105.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 150) (tstamp bd84f357-c0bd-4195)
(segment (start 97.35 106) (end 97.85 105.5) (width 0.15) (layer "B.Cu") (net 150) (tstamp 22f05070-7db)
(segment (start 91.3 105.2) (end 92.1 106) (width 0.15) (layer "B.Cu") (net 150) (tstamp 6fae339a-bee9-a)
(segment (start 97.85 105.5) (end 97.85 105.4) (width 0.15) (layer "B.Cu") (net 150) (tstamp b6eadca-6)
(segment locked (start 80.6 105.2) (end 91.3 105.2) (width 0.15) (layer "B.Cu") (net 150) (tstamp e8a92)
(segment (start 92.1 106) (end 97.35 106) (width 0.15) (layer "B.Cu") (net 150) (tstamp f7bc79ed-6ada-4)
(segment (start 82.9 99.5) (end 82.9 101.5) (width 0.15) (layer "F.Cu") (net 151) (tstamp 6eb4cb92-ec3b)
(segment (start 101.85 97.1) (end 101.65 96.9) (width 0.15) (layer "F.Cu") (net 151) (tstamp bcbdb910-8)
(segment (start 101.65 96.9) (end 101.05 96.9) (width 0.15) (layer "F.Cu") (net 151) (tstamp bf8ae51e-2)
(segment (start 82.9 101.5) (end 83.6 102.2) (width 0.15) (layer "F.Cu") (net 151) (tstamp ee0da389-c4b)
(via (at 83.6 102.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 151) (tstamp 5824f783-c37c-4934)
(via (at 101.85 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 151) (tstamp ab14b379-feb9-4a3)
(segment (start 101 97.95) (end 94.4 97.95) (width 0.15) (layer "B.Cu") (net 151) (tstamp 252c99ed-d910)
(segment (start 101.85 97.1) (end 101 97.95) (width 0.15) (layer "B.Cu") (net 151) (tstamp 28506ff5-b3d)
(segment (start 94.4 97.95) (end 90.15 102.2) (width 0.15) (layer "B.Cu") (net 151) (tstamp 9dbca4cd-e1)
(segment (start 90.15 102.2) (end 83.6 102.2) (width 0.15) (layer "B.Cu") (net 151) (tstamp e7653d2d-b)
(segment (start 82.1 99.5) (end 82.100001 103.100001) (width 0.15) (layer "F.Cu") (net 152) (tstamp 362)
(segment (start 101.05 99.7) (end 101.75 99.7) (width 0.15) (layer "F.Cu") (net 152) (tstamp 53b792ee-a)
(segment (start 82.100001 103.100001) (end 82.4 103.4) (width 0.15) (layer "F.Cu") (net 152) (tstamp 6c)
(segment (start 101.75 99.7) (end 101.85 99.8) (width 0.15) (layer "F.Cu") (net 152) (tstamp d2fd7df9-a)
(via (at 82.4 103.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 152) (tstamp 9da5e2d7-fffa-4f20)
(via (at 101.85 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 152) (tstamp e1d6e4af-a4c7-4d8)
(segment (start 82.4 103.4) (end 90.5 103.4) (width 0.15) (layer "B.Cu") (net 152) (tstamp 48db20f4-426)
(segment (start 90.5 103.4) (end 93.2 100.7) (width 0.15) (layer "B.Cu") (net 152) (tstamp 54b2bc59-67d)
(segment (start 101.85 99.9) (end 101.85 99.8) (width 0.15) (layer "B.Cu") (net 152) (tstamp 5e412b7b-4)
(segment (start 101.05 100.7) (end 101.85 99.9) (width 0.15) (layer "B.Cu") (net 152) (tstamp c78f3e14-)
(segment (start 93.2 100.7) (end 101.05 100.7) (width 0.15) (layer "B.Cu") (net 152) (tstamp f4ee344f-5)
(segment (start 81.3 99.5) (end 81.3 103.5) (width 0.15) (layer "F.Cu") (net 153) (tstamp 2ee4b494-be1)
(segment (start 81.3 103.5) (end 81.2 103.6) (width 0.15) (layer "F.Cu") (net 153) (tstamp 4a8ea31f-254)
(segment (start 101.75 102.5) (end 101.85 102.6) (width 0.15) (layer "F.Cu") (net 153) (tstamp 6d06012a)
(segment (start 81.2 103.6) (end 81.2 104.6) (width 0.15) (layer "F.Cu") (net 153) (tstamp b89f6d2d-473)
(segment (start 101.05 102.5) (end 101.75 102.5) (width 0.15) (layer "F.Cu") (net 153) (tstamp eacd05e3)
(via (at 81.2 104.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 153) (tstamp 80cff1c7-5f64-439e)
(via (at 101.85 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 153) (tstamp 88cae333-0652-45)
(segment (start 92.4 103.5) (end 101.05 103.5) (width 0.15) (layer "B.Cu") (net 153) (tstamp 0a184525-9)
(segment (start 81.2 104.6) (end 91.3 104.6) (width 0.15) (layer "B.Cu") (net 153) (tstamp 605e603a-f72)
(segment (start 91.3 104.6) (end 92.4 103.5) (width 0.15) (layer "B.Cu") (net 153) (tstamp 63c3ba0c-1a0)
(segment (start 101.85 102.7) (end 101.85 102.6) (width 0.15) (layer "B.Cu") (net 153) (tstamp 9ba1f160)
(segment (start 101.05 103.5) (end 101.85 102.7) (width 0.15) (layer "B.Cu") (net 153) (tstamp e32204cd)
(segment (start 100.50009 105.74991) (end 100.1 106.15) (width 0.15) (layer "F.Cu") (net 154) (tstamp 0)
(segment (start 100.50009 105.715416) (end 100.50009 105.74991) (width 0.15) (layer "F.Cu") (net 154) (tstamp 0)
(segment (start 80.5 99.5) (end 80.5 103.15) (width 0.15) (layer "F.Cu") (net 154) (tstamp 94c2ab81-eb5)
(segment (start 80 103.65) (end 80 105.650278) (width 0.15) (layer "F.Cu") (net 154) (tstamp 9b2de5c4-0)
(segment (start 101.05 105.3) (end 100.915506 105.3) (width 0.15) (layer "F.Cu") (net 154) (tstamp 9e20)
(segment (start 80.5 103.15) (end 80 103.65) (width 0.15) (layer "F.Cu") (net 154) (tstamp e40da159-ab1)
(segment (start 100.915506 105.3) (end 100.50009 105.715416) (width 0.15) (layer "F.Cu") (net 154) (tstamp 0)
(via (at 100.1 106.15) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 154) (tstamp 71e3f7a0-4ee1-45)
(via (at 80 105.650278) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 154) (tstamp 8d38dc5d-0c5a-4)
(segment (start 80.149722 105.8) (end 80 105.650278) (width 0.15) (layer "B.Cu") (net 154) (tstamp 144d)
(segment (start 100.1 106.15) (end 99.95 106.3) (width 0.15) (layer "B.Cu") (net 154) (tstamp 48522571-)
(segment (start 91.9 106.3) (end 91.4 105.8) (width 0.15) (layer "B.Cu") (net 154) (tstamp a36aff2c-a1b)
(segment (start 99.95 106.3) (end 91.9 106.3) (width 0.15) (layer "B.Cu") (net 154) (tstamp bfc963fc-83)
(segment (start 91.4 105
```

(segment (start 97.85 88.7) (end 97.85 88.6) (width 0.15) (layer "B.Cu") (net 155) (tstamp 4cdc9bad-e1f3-4000-9000-000000000000))
(segment (start 91.5 96.35) (end 91.5 92) (width 0.15) (layer "B.Cu") (net 155) (tstamp 581b7969-e41e-4000-9000-000000000000))
(segment (start 85.7 96.7) (end 85.7 97.5) (width 0.15) (layer "B.Cu") (net 155) (tstamp 6dbe5ca4-cf3a-4000-9000-000000000000))
(segment (start 89.65499 98.19501) (end 91.5 96.35) (width 0.15) (layer "B.Cu") (net 155) (tstamp 80de43-4000-9000-000000000000))
(segment (start 94.3 89.2) (end 97.35 89.2) (width 0.15) (layer "B.Cu") (net 155) (tstamp bac88166-33c8-4000-9000-000000000000))
(segment (start 91.5 92) (end 94.3 89.2) (width 0.15) (layer "B.Cu") (net 155) (tstamp c0e6a131-3823-4000-9000-000000000000))
(segment (start 97.35 89.2) (end 97.85 88.7) (width 0.15) (layer "B.Cu") (net 155) (tstamp cbb32e24-3b88-4000-9000-000000000000))
(segment (start 82.9 98.7) (end 82.5 99.1) (width 0.15) (layer "F.Cu") (net 156) (tstamp 1d249ea1-fb8d-4000-9000-000000000000))
(segment (start 97.75 99.7) (end 97.85 99.8) (width 0.15) (layer "F.Cu") (net 156) (tstamp 3c67ff69-1b11-4000-9000-000000000000))
(segment (start 82.5 99.1) (end 82.5 102.3) (width 0.15) (layer "F.Cu") (net 156) (tstamp 6e1e03b1-ae50-4000-9000-000000000000))
(segment (start 97.05 99.7) (end 97.75 99.7) (width 0.15) (layer "F.Cu") (net 156) (tstamp 7f80cb8c-0433-4000-9000-000000000000))
(segment (start 82.5 102.3) (end 83 102.8) (width 0.15) (layer "F.Cu") (net 156) (tstamp f1279000-d782-4000-9000-000000000000))
(via (at 83 102.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 156) (tstamp 13bc1733-0f48-4c92-8000-000000000000))
(via (at 97.85 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 156) (tstamp 8b63907a-325a-4e33-4000-000000000000))
(segment (start 90.65 102.8) (end 93.05 100.4) (width 0.15) (layer "B.Cu") (net 156) (tstamp 0b75131a-8000-9000-000000000000))
(segment (start 93.05 100.4) (end 97.35 100.4) (width 0.15) (layer "B.Cu") (net 156) (tstamp 2e8bf1ae-d000-9000-000000000000))
(segment (start 97.35 100.4) (end 97.85 99.9) (width 0.15) (layer "B.Cu") (net 156) (tstamp 3101c3ee-3400-9000-000000000000))
(segment (start 97.85 99.9) (end 97.85 99.8) (width 0.15) (layer "B.Cu") (net 156) (tstamp 9b5a05eb-845f-4000-9000-000000000000))
(segment (start 83 102.8) (end 90.65 102.8) (width 0.15) (layer "B.Cu") (net 156) (tstamp c0f281a5-f0d7-4000-9000-000000000000))
(segment (start 124.4 102.15) (end 125.265 102.15) (width 0.15) (layer "F.Cu") (net 157) (tstamp 483f5700-0000-9000-000000000000))
(segment (start 125.7 101.715) (end 126.7 101.715) (width 0.15) (layer "F.Cu") (net 157) (tstamp 924dff00-0000-9000-000000000000))
(segment (start 125.265 102.15) (end 125.7 101.715) (width 0.15) (layer "F.Cu") (net 157) (tstamp d0876000-0000-9000-000000000000))
(segment (start 125.7 100.785) (end 125.7 101.715) (width 0.15) (layer "F.Cu") (net 157) (tstamp e467d600-0000-9000-000000000000))
(segment (start 122.2 88.85) (end 121.335 88.85) (width 0.15) (layer "F.Cu") (net 158) (tstamp 4c2a5d49-0000-9000-000000000000))
(segment (start 119.9 89.285) (end 120.9 89.285) (width 0.15) (layer "F.Cu") (net 158) (tstamp 7e4a99a5-0000-9000-000000000000))
(segment (start 121.335 88.85) (end 120.9 89.285) (width 0.15) (layer "F.Cu") (net 158) (tstamp 8d782070-0000-9000-000000000000))
(segment (start 120.9 90.215) (end 120.9 89.285) (width 0.15) (layer "F.Cu") (net 158) (tstamp a8601a4b-0000-9000-000000000000))
(segment (start 86.35 108.135) (end 86.35 109.35) (width 0.15) (layer "F.Cu") (net 159) (tstamp 047483b0-0000-9000-000000000000))
(segment (start 82.88491 107.07509) (end 81.56 108.4) (width 0.15) (layer "F.Cu") (net 159) (tstamp 0fb00000-0000-9000-000000000000))
(segment (start 85.29009 107.07509) (end 82.88491 107.07509) (width 0.15) (layer "F.Cu") (net 159) (tstamp 10000000-0000-9000-000000000000))
(segment (start 86.35 109.35) (end 86.4 109.4) (width 0.15) (layer "F.Cu") (net 159) (tstamp c8524606-1000-9000-000000000000))
(segment (start 86.35 108.135) (end 85.29009 107.07509) (width 0.15) (layer "F.Cu") (net 159) (tstamp e1000000-0000-9000-000000000000))
(segment (start 87.3 108.135) (end 86.35 108.135) (width 0.15) (layer "F.Cu") (net 159) (tstamp f0155d80-0000-9000-000000000000))
(segment (start 58.515 89) (end 59 88.515) (width 0.15) (layer "F.Cu") (net 160) (tstamp ae9ff39f-edb8-4000-9000-000000000000))
(segment (start 57.7875 89) (end 58.515 89) (width 0.15) (layer "F.Cu") (net 160) (tstamp cbc7c5e8-d555-4000-9000-000000000000))
(segment (start 57.7875 102) (end 58.515 102) (width 0.15) (layer "F.Cu") (net 161) (tstamp 4d009c56-7384-4000-9000-000000000000))
(segment (start 58.515 102) (end 59 102.485) (width 0.15) (layer "F.Cu") (net 161) (tstamp 624967d9-3311-4000-9000-000000000000))
(segment (start 58.515 104) (end 59 104.485) (width 0.15) (layer "F.Cu") (net 162) (tstamp 1ec69e25-ad6f-4000-9000-000000000000))
(segment (start 57.7875 104) (end 58.515 104) (width 0.15) (layer "F.Cu") (net 162) (tstamp 6bb649fa-0200-9000-000000000000))
(segment (start 57.7875 106) (end 58.515 106) (width 0.15) (layer "F.Cu") (net 163) (tstamp 0239f9c3-ae00-9000-000000000000))
(segment (start 58.515 106) (end 59 106.485) (width 0.15) (layer "F.Cu") (net 163) (tstamp e2688a32-6a20-4000-9000-000000000000))
(segment (start 58.515 108) (end 59 108.485) (width 0.15) (layer "F.Cu") (net 164) (tstamp 0d90ac6a-cf93-4000-9000-000000000000))
(segment (start 57.7875 108) (end 58.515 108) (width 0.15) (layer "F.Cu") (net 164) (tstamp d8e2e054-d800-9000-000000000000))
(segment (start 58.515 110) (end 59 110.485) (width 0.15) (layer "F.Cu") (net 165) (tstamp 0270dd0c-895f-4000-9000-000000000000))
(segment (start 57.7875 110) (end 58.515 110) (width 0.15) (layer "F.Cu") (net 165) (tstamp 22cfba73-f600-9000-000000000000))
(segment (start 103 97.235) (end 103.535 97.235) (width 0.15) (layer "F.Cu") (net 166) (tstamp 2971d678-0000-9000-000000000000))
(segment (start 106.4 95.5) (end 107.8 96.9) (width 0.15) (layer "F.Cu") (net 166) (tstamp 62ac05a4-a9e0-4000-9000-000000000000))
(segment (start 103.535 97.235) (end 105.27 95.5) (width 0.15) (layer "F.Cu") (net 166) (tstamp 93434ced-0000-9000-000000000000))
(segment (start 105.27 95.5) (end 106.4 95.5) (width 0.15) (layer "F.Cu") (net 166) (tstamp bfad8802-6900-9000-000000000000))
(segment (start 103.815 94.415) (end 105.27 92.96) (width 0.15) (layer "F.Cu") (net 167) (tstamp d6cc2300-0000-9000-000000000000))
(segment (start 106.36 92.96) (end 107.8 94.4) (width 0.15) (layer "F.Cu") (net 167) (tstamp dd932c6e-2a00-9000-000000000000))
(segment (start 105.27 92.96) (end 106.36 92.96) (width 0.15) (layer "F.Cu") (net 167) (tstamp f7931ba7-0000-9000-000000000000))
(segment (start 103 94.415) (end 103.815 94.415) (width 0.15) (layer "F.Cu") (net 167) (tstamp fd48d72e-0000-9000-000000000000))
(segment (start 122.115 109.2) (end 122.115 110.1975) (width 0.15) (layer "F.Cu") (net 168) (tstamp 2e1a0000-0000-9000-000000000000))
(segment (start 122.115 110.1975) (end 121.8125 110.5) (width 0.15) (layer "F.Cu") (net 168) (tstamp 9e000000-0000-9000-000000000000))
(segment (start 122.115 80.8025) (end 121.8125 80.5) (width 0.15) (layer "F.Cu") (net 169) (tstamp 7cf60000-0000-9000-000000000000))
(segment (start 122.115 81.8) (end 122.115 80.8025) (width 0.15) (layer "F.Cu") (net 169) (tstamp d0da0000-0000-9000-000000000000))
(segment (start 119.1 103.3) (end 119.1 103.7) (width 0.15) (layer "F.Cu") (net 170) (tstamp 0511b602-c000-9000-000000000000))
(segment (start 121.9 106.6) (end 121.1 106.6) (width 0.15) (layer "F.Cu") (net 170) (tstamp 3fa7bf8a-a000-9000-000000000000))
(segment (start 119.1 103.7) (end 120.6 105.2) (width 0.15) (layer "F.Cu") (net 170) (tstamp 4b3bd623-8000-9000-000000000000))
(segment (start 120.6 105.2) (end 121.9 105.2) (width 0.15) (layer "F.Cu") (net 170) (tstamp 55a861ad-5000-9000-000000000000))
(segment (start 121.9 105.2) (end 122.1 105.4) (width 0.15) (layer "F.Cu") (net 170) (tstamp b452d161-4000-9000-000000000000))
(segment (start 122.1 105.4) (end 122.1 106.4) (width 0.15) (layer "F.Cu") (net 170) (tstamp d74385d0-5000-9000-000000000000))
(segment (start 122.1 106.4) (end 121.9 106.6) (width 0.15) (layer "F.Cu") (net 170) (tstamp f08db576-d000-9000-000000000000))
(segment (start 124.5 85.6) (end 124.5 84.6) (width 0.15) (layer "F.Cu") (net 171) (tstamp 138ea6cb-af50-4000-9000-000000000000))
(segment (start 124.7 85.8) (end 124.5 85.6) (width 0.15) (layer "F.Cu") (net 171) (tstamp 23e286bb-ef30-4000-9000-000000000000))
(segment (start 126 85.8) (end 124.7 85.8) (width 0.15) (layer "F.Cu") (net 171) (tstamp 40c3a952-a0a4-4000-9000-000000000000))
(segment (start 124.5 84.6) (end 124.7 84.4) (width 0.15) (layer "F.Cu") (net 171) (tstamp 4f5df27e-ab50-4000-9000-000000000000))

(segment (start 127.5 87.7) (end 127.5 87.3) (width 0.15) (layer "F.Cu") (net 171) (tstamp 8c520366-59b
(segment (start 127.5 87.3) (end 126 85.8) (width 0.15) (layer "F.Cu") (net 171) (tstamp ccb5df3-896e-
(segment (start 124.7 84.4) (end 125.5 84.4) (width 0.15) (layer "F.Cu") (net 171) (tstamp f81c66b3-c62
(segment (start 91.8 103.65) (end 91.3 103.65) (width 0.15) (layer "F.Cu") (net 173) (tstamp 0c39cf8d-0
(segment (start 98.5 100.35) (end 99.15 100.35) (width 0.15) (layer "F.Cu") (net 173) (tstamp 2c9bddac-
(segment (start 94.65 100.8) (end 98.05 100.8) (width 0.15) (layer "F.Cu") (net 173) (tstamp 562fa261-6
(segment (start 98.05 100.8) (end 98.5 100.35) (width 0.15) (layer "F.Cu") (net 173) (tstamp 7f752c89-2
(segment (start 91.8 103.65) (end 94.65 100.8) (width 0.15) (layer "F.Cu") (net 173) (tstamp ab4eee37-2
(segment (start 94.65 100.35) (end 95.15 100.35) (width 0.15) (layer "F.Cu") (net 174) (tstamp 9fcfd8b4-
(segment (start 91.85 103.15) (end 91.3 103.15) (width 0.15) (layer "F.Cu") (net 174) (tstamp b25bff8d-
(segment (start 91.85 103.15) (end 94.65 100.35) (width 0.15) (layer "F.Cu") (net 174) (tstamp c6cd7766-
(segment (start 91.9 102.65) (end 91.3 102.65) (width 0.15) (layer "F.Cu") (net 175) (tstamp 092de6ff-0
(segment (start 98.6 97.55) (end 99.15 97.55) (width 0.15) (layer "F.Cu") (net 175) (tstamp 0c75823e-6f
(segment (start 98.15 98) (end 98.6 97.55) (width 0.15) (layer "F.Cu") (net 175) (tstamp 20ceb4af-fe7b-
(segment (start 91.9 102.65) (end 93.95 100.6) (width 0.15) (layer "F.Cu") (net 175) (tstamp 873c5b4f-b
(segment (start 94.65 98) (end 98.15 98) (width 0.15) (layer "F.Cu") (net 175) (tstamp 9d6aad07-a3e1-4d
(segment (start 93.95 100.6) (end 93.95 98.7) (width 0.15) (layer "F.Cu") (net 175) (tstamp ad0ade1e-94
(segment (start 93.95 98.7) (end 94.65 98) (width 0.15) (layer "F.Cu") (net 175) (tstamp c24bac40-3599-
(segment (start 94.37509 106.15) (end 94.6 106.37491) (width 0.15) (layer "F.Cu") (net 176) (tstamp 48a
(segment (start 98.65 105.95) (end 99.15 105.95) (width 0.15) (layer "F.Cu") (net 176) (tstamp 53e537a5-
(segment (start 98.22509 106.37491) (end 98.65 105.95) (width 0.15) (layer "F.Cu") (net 176) (tstamp 5c
(segment (start 94.37509 106.15) (end 91.3 106.15) (width 0.15) (layer "F.Cu") (net 176) (tstamp c6f088
(segment (start 94.6 106.37491) (end 98.22509 106.37491) (width 0.15) (layer "F.Cu") (net 176) (tstamp
(segment (start 94.35 105.65) (end 91.3 105.65) (width 0.15) (layer "F.Cu") (net 177) (tstamp 2a33e616-
(segment (start 94.65 105.95) (end 95.15 105.95) (width 0.15) (layer "F.Cu") (net 177) (tstamp 873da84d-
(segment (start 94.35 105.65) (end 94.65 105.95) (width 0.15) (layer "F.Cu") (net 177) (tstamp e8ab2b32-
(segment (start 93.1 105.15) (end 91.3 105.15) (width 0.15) (layer "F.Cu") (net 178) (tstamp 2ce47efa-f
(segment (start 98.5 103.15) (end 99.15 103.15) (width 0.15) (layer "F.Cu") (net 178) (tstamp 527a6b9f-
(segment (start 93.1 105.15) (end 94.65 103.6) (width 0.15) (layer "F.Cu") (net 178) (tstamp 6a60a14f-b
(segment (start 94.65 103.6) (end 98.05 103.6) (width 0.15) (layer "F.Cu") (net 178) (tstamp b54188cc-5
(segment (start 98.05 103.6) (end 98.5 103.15) (width 0.15) (layer "F.Cu") (net 178) (tstamp d73e415e-4
(segment (start 93.15 104.65) (end 91.3 104.65) (width 0.15) (layer "F.Cu") (net 179) (tstamp 239b133f-
(segment (start 93.15 104.65) (end 94.65 103.15) (width 0.15) (layer "F.Cu") (net 179) (tstamp 9c45889a-
(segment (start 94.65 103.15) (end 95.15 103.15) (width 0.15) (layer "F.Cu") (net 179) (tstamp ba619f5d-
(segment (start 93.6 89.6) (end 98.05 89.6) (width 0.15) (layer "F.Cu") (net 180) (tstamp 29261a0f-db8a
(segment (start 91.3 91.05) (end 92.15 91.05) (width 0.15) (layer "F.Cu") (net 180) (tstamp 42a8e1b5-aa
(segment (start 92.15 91.05) (end 93.6 89.6) (width 0.15) (layer "F.Cu") (net 180) (tstamp 7cc9e011-be2
(segment (start 98.5 89.15) (end 99.15 89.15) (width 0.15) (layer "F.Cu") (net 180) (tstamp 9e0e097d-03
(segment (start 98.05 89.6) (end 98.5 89.15) (width 0.15) (layer "F.Cu") (net 180) (tstamp e9296fb4-dbb
(segment (start 93.45 89.15) (end 95.15 89.15) (width 0.15) (layer "F.Cu") (net 181) (tstamp 409be5df-3
(segment (start 92.05 90.55) (end 93.45 89.15) (width 0.15) (layer "F.Cu") (net 181) (tstamp b7fe830d-c
(segment (start 91.3 90.55) (end 92.05 90.55) (width 0.15) (layer "F.Cu") (net 181) (tstamp cc70dde7-bc
(segment (start 98.1 86.8) (end 98.55 86.35) (width 0.15) (layer "F.Cu") (net 182) (tstamp 030a788b-df9
(segment (start 92.375 89.525) (end 92.375 88.475) (width 0.15) (layer "F.Cu") (net 182) (tstamp 3f08eb
(segment (start 91.85 90.05) (end 92.375 89.525) (width 0.15) (layer "F.Cu") (net 182) (tstamp 65a490bc-
(segment (start 91.3 90.05) (end 91.85 90.05) (width 0.15) (layer "F.Cu") (net 182) (tstamp 998f844a-4b
(segment (start 94.05 86.8) (end 98.1 86.8) (width 0.15) (layer "F.Cu") (net 182) (tstamp bd072e4a-7eda
(segment (start 98.55 86.35) (end 99.15 86.35) (width 0.15) (layer "F.Cu") (net 182) (tstamp d42b9e69-9
(segment (start 92.375 88.475) (end 94.05 86.8) (width 0.15) (layer "F.Cu") (net 182) (tstamp d65a3494-
(segment (start 91.9 93.3) (end 92.4 93.3) (width 0.15) (layer "F.Cu") (net 183) (tstamp 317052c2-046c-
(segment (start 91.65 93.55) (end 91.9 93.3) (width 0.15) (layer "F.Cu") (net 183) (tstamp 55bcc5cb-49e
(segment (start 98.05 95.2) (end 98.5 94.75) (width 0.15) (layer "F.Cu") (net 183) (tstamp 89921060-823
(segment (start 94.3 95.2) (end 98.05 95.2) (width 0.15) (layer "F.Cu") (net 183) (tstamp 9bc67ee9-8ca2-
(segment (start 92.4 93.3) (end 94.3 95.2) (width 0.15) (layer "F.Cu") (net 183) (tstamp a2f26aff-543d-
(segment (start 91.3 93.55) (end 91.65 93.55) (width 0.15) (layer "F.Cu") (net 183) (tstamp e4e04547-2f
(segment (start 98.5 94.75) (end 99.15 94.75) (width 0.15) (layer "F.Cu") (net 183) (tstamp fe221695-54
(segment (start 94.35 94.75) (end 95.15 94.75) (width 0.15) (layer "F.Cu") (net 184) (tstamp 3b8eb05f-e
(segment (start 91.3 93.05) (end 91.65 93.05) (width 0.15) (layer "F.Cu") (net 184) (tstamp 6c974e1f-92
(segment (start 91.65 93.05) (end 91.8 92.9) (width 0.15) (layer "F.Cu") (net 184) (tstamp 797248fd-238
(segment (start 91.8 92.9) (end 92.5 92.9) (width 0.15) (layer "F.Cu") (net 184) (tstamp c29efa4b-f0f1-
(segment (start 92.5 92.9) (end 94.35 94.75) (width 0.15) (layer "F.Cu") (net 184) (tstamp f588399d-e8a
(segment (start 91.3 92.55) (end 97.9 92.55) (width 0.15) (layer "F.Cu") (net 185) (tstamp 89148680-876
(segment (start 98.5 91.95) (end 99.15 91.95) (width 0.15) (layer "F.Cu") (net 185) (tstamp b1999823-13
(segment (start 97.9 92.55) (end 98.5 91.95) (width 0.15) (layer "F.Cu") (net 185) (tstamp e471daac-0d5
(segment (start 94.65 91.95) (end 95.15 91.95) (width 0.15) (layer "F.Cu") (net 186) (tstamp 192c85c4-d
(segment (start 91.3 92.05) (end 94.55 92.05) (width 0.15) (layer "F.Cu") (net 186) (tstamp b5852a5c-8c
(segment (start 94.55 92.05) (end 94.65 91.95) (width 0.15) (layer "F.Cu") (net 186) (tstamp eb017f3c-d
(segment (start 54.4651 94.6) (end 56.0151 93.05) (width 0.45) (layer "F.Cu") (net 187) (tstamp 008c60a

(segment (start 54.4 94.6) (end 54.4 96.352411) (width 0.45) (layer "F.Cu") (net 187) (tstamp 0b4e3dbb-
(segment (start 56.0151 93.05) (end 56.695 93.05) (width 0.45) (layer "F.Cu") (net 187) (tstamp 37b9601-
(segment (start 57.65 97.95) (end 57.9 98.2) (width 0.45) (layer "F.Cu") (net 187) (tstamp 4a573af5-a8f-
(segment (start 55.997589 97.95) (end 57.65 97.95) (width 0.45) (layer "F.Cu") (net 187) (tstamp 579544f-
(segment (start 54.4 96.352411) (end 55.997589 97.95) (width 0.45) (layer "F.Cu") (net 187) (tstamp 709-
(segment (start 54.4 94.6) (end 54.4651 94.6) (width 0.45) (layer "F.Cu") (net 187) (tstamp 71bfa25e-67-
(segment (start 57.9 98.2) (end 58.565 98.2) (width 0.45) (layer "F.Cu") (net 187) (tstamp e8459f11-347-
(via (at 54.4 94.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 187) (tstamp 02a09903-ad17-4bce-
(segment (start 54.75 94.25) (end 55.5 94.25) (width 0.15) (layer "B.Cu") (net 187) (tstamp 194013bd-2d-
(segment (start 54.4 94.6) (end 54.75 94.25) (width 0.15) (layer "B.Cu") (net 187) (tstamp e6a5b241-12d-
(segment (start 58.215 93.635) (end 57.6 94.25) (width 0.15) (layer "F.Cu") (net 188) (tstamp 3442b3f8-
(segment (start 57.6 94.25) (end 56.695 94.25) (width 0.15) (layer "F.Cu") (net 188) (tstamp 6b30324a-8-
(segment (start 58.4 93.635) (end 58.215 93.635) (width 0.15) (layer "F.Cu") (net 188) (tstamp a9239e09-
(segment (start 57.648047 97.324901) (end 58.490099 97.324901) (width 0.15) (layer "F.Cu") (net 189) (t-
(segment (start 57.573146 97.25) (end 57.648047 97.324901) (width 0.15) (layer "F.Cu") (net 189) (tstamp
(segment (start 58.490099 97.324901) (end 58.565 97.25) (width 0.15) (layer "F.Cu") (net 189) (tstamp 9-
(segment (start 56.695 97.25) (end 57.573146 97.25) (width 0.15) (layer "F.Cu") (net 189) (tstamp c832a-
(segment (start 127.585 99.815) (end 127.6 99.8) (width 0.15) (layer "F.Cu") (net 195) (tstamp 11a0c0a3-
(segment (start 120.85 102.65) (end 120.4 103.1) (width 0.15) (layer "F.Cu") (net 195) (tstamp 1eb4fd58-
(segment (start 121.1 102.65) (end 120.85 102.65) (width 0.15) (layer "F.Cu") (net 195) (tstamp 58b1ea9b-
(segment (start 121.35 102.65) (end 121.85 102.15) (width 0.15) (layer "F.Cu") (net 195) (tstamp 5c4be8-
(segment (start 121.1 102.65) (end 121.35 102.65) (width 0.15) (layer "F.Cu") (net 195) (tstamp 819c3d2-
(segment (start 121.85 102.15) (end 122.2 102.15) (width 0.15) (layer "F.Cu") (net 195) (tstamp c179367f-
(segment (start 126.7 99.815) (end 127.585 99.815) (width 0.15) (layer "F.Cu") (net 195) (tstamp d7662d-
(via (at 127.6 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 195) (tstamp 8e4e9d77-da45-426f-
(via (at 120.4 103.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 195) (tstamp df27fa45-0c48-496-
(segment (start 126.8 100.6) (end 123.4 100.6) (width 0.15) (layer "B.Cu") (net 195) (tstamp 2ff8082c-6-
(segment (start 127.6 99.8) (end 126.8 100.6) (width 0.15) (layer "B.Cu") (net 195) (tstamp 57530b70-d0-
(segment (start 120.9 103.1) (end 120.4 103.1) (width 0.15) (layer "B.Cu") (net 195) (tstamp 947d2888-b-
(segment (start 123.4 100.6) (end 120.9 103.1) (width 0.15) (layer "B.Cu") (net 195) (tstamp b87a4257-c-
(segment (start 125.5 88.35) (end 125.75 88.35) (width 0.15) (layer "F.Cu") (net 197) (tstamp 11217d15-
(segment (start 125.25 88.35) (end 125.5 88.35) (width 0.15) (layer "F.Cu") (net 197) (tstamp 27003ddf-
(segment (start 125.75 88.35) (end 126.2 87.9) (width 0.15) (layer "F.Cu") (net 197) (tstamp 45b5f0a8-1-
(segment (start 119.9 91.185) (end 119.015 91.185) (width 0.15) (layer "F.Cu") (net 197) (tstamp 53ef91-
(segment (start 124.4 88.85) (end 124.75 88.85) (width 0.15) (layer "F.Cu") (net 197) (tstamp 732c1a4d-
(segment (start 124.75 88.85) (end 125.25 88.35) (width 0.15) (layer "F.Cu") (net 197) (tstamp d906068a-
(segment (start 119.015 91.185) (end 119.91.2) (width 0.15) (layer "F.Cu") (net 197) (tstamp f290fb29-8-
(via (at 126.2 87.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 197) (tstamp 53bc6e24-0721-403a-
(via (at 119 91.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 197) (tstamp 84e33e36-be78-4389-9-
(segment (start 119 91.2) (end 119.8 90.4) (width 0.15) (layer "B.Cu") (net 197) (tstamp 07b1afb2-f55d-
(segment (start 125.7 87.9) (end 126.2 87.9) (width 0.15) (layer "B.Cu") (net 197) (tstamp 18bcaaaf-c-01e-
(segment (start 123.2 90.4) (end 125.7 87.9) (width 0.15) (layer "B.Cu") (net 197) (tstamp 2e303493-806-
(segment (start 119.8 90.4) (end 123.2 90.4) (width 0.15) (layer "B.Cu") (net 197) (tstamp 94c97df9-257-
(segment (start 62.8 117) (end 62.8 116.07) (width 0.15) (layer "F.Cu") (net 199) (tstamp 27b0abc3-4702-
(segment (start 64.85 114.35) (end 63.55 114.35) (width 0.15) (layer "F.Cu") (net 200) (tstamp 00000000-
(segment (start 63.55 114.35) (end 63.4 114.5) (width 0.15) (layer "F.Cu") (net 200) (tstamp 00000000-0-
(segment (start 61.7 115.2) (end 60.25 113.75) (width 0.15) (layer "F.Cu") (net 200) (tstamp 3233792a-1-
(segment (start 63.4 114.5) (end 62.4 114.5) (width 0.15) (layer "F.Cu") (net 200) (tstamp 60bc089c-86c-
(segment (start 60.25 113.75) (end 60.2 113.75) (width 0.15) (layer "F.Cu") (net 200) (tstamp 9028e199-a-
(segment (start 62.4 114.5) (end 61.7 115.2) (width 0.15) (layer "F.Cu") (net 200) (tstamp ebf65e61-3d3-
(segment (start 122.8 105.415) (end 122.5 105.115) (width 0.15) (layer "B.Cu") (net 202) (tstamp 1b7083-
(segment (start 123.8375 102.4) (end 124.05 102.6125) (width 0.15) (layer "B.Cu") (net 202) (tstamp 1b7-
(segment (start 122.5 105.115) (end 122.5 102.7) (width 0.15) (layer "B.Cu") (net 202) (tstamp 8b50cf92-
(segment (start 122.5 102.7) (end 122.8 102.4) (width 0.15) (layer "B.Cu") (net 202) (tstamp b11f0bb2-f-
(segment (start 122.8 102.4) (end 123.8375 102.4) (width 0.15) (layer "B.Cu") (net 202) (tstamp c065eb3-
(segment (start 123.8 85.585) (end 124.1 85.885) (width 0.15) (layer "B.Cu") (net 203) (tstamp 27048b8f-
(segment (start 123.8 88.6) (end 122.7625 88.6) (width 0.15) (layer "B.Cu") (net 203) (tstamp 5e122941-
(segment (start 122.7625 88.6) (end 122.55 88.3875) (width 0.15) (layer "B.Cu") (net 203) (tstamp aa0b7-
(segment (start 124.1 88.3) (end 123.8 88.6) (width 0.15) (layer "B.Cu") (net 203) (tstamp df0a460e-1bd-
(segment (start 124.1 85.885) (end 124.1 88.3) (width 0.15) (layer "B.Cu") (net 203) (tstamp e53cbb7f-6-
(via (at 72.15 118.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 16262f59-5ea6-40-
(via (at 77.15 118.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 52aeefe3-ddd7-4c-
(via (at 72.15 119.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 5ecd6005-3ca5-47-
(via (at 77.15 119.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 6bacf5b2-2508-4e-
(segment (start 91.95 102.15) (end 91.3 102.15) (width 0.15) (layer "F.Cu") (net 207) (tstamp 2fe47683-
(segment (start 94.65 97.55) (end 95.15 97.55) (width 0.15) (layer "F.Cu") (net 207) (tstamp 6685b40a-9-
(segment (start 93.65 100.45) (end 93.65 98.55) (width 0.15) (layer "F.Cu") (net 207) (tstamp 7a0e777c-
(segment (start 93.65 98.55) (end 94.65 97.55) (width 0.15) (layer "F.Cu") (net 207) (tstamp b0644ee4-5-

(segment (start 91.95 102.15) (end 93.65 100.45) (width 0.15) (layer "F.Cu") (net 207) (tstamp fdacb305
(segment (start 92 89.3) (end 92 88.4) (width 0.15) (layer "F.Cu") (net 208) (tstamp 68c07d40-99e3-4cfff
(segment (start 94.05 86.35) (end 95.15 86.35) (width 0.15) (layer "F.Cu") (net 208) (tstamp b265698c-0
(segment (start 91.75 89.55) (end 92 89.3) (width 0.15) (layer "F.Cu") (net 208) (tstamp c8181924-9426--
(segment (start 91.3 89.55) (end 91.75 89.55) (width 0.15) (layer "F.Cu") (net 208) (tstamp d4662b2a-61
(segment (start 92 88.4) (end 94.05 86.35) (width 0.15) (layer "F.Cu") (net 208) (tstamp de695c68-c2ab-
(segment (start 109.13 102.1) (end 110.104822 102.1) (width 0.15) (layer "F.Cu") (net 209) (tstamp 06d8
(segment (start 107.81 103.42) (end 109.13 102.1) (width 0.15) (layer "F.Cu") (net 209) (tstamp 2583c73
(segment (start 109.8 104.7) (end 109.09 104.7) (width 0.15) (layer "F.Cu") (net 209) (tstamp 279c222a-
(segment (start 110.65 98.475) (end 109.75 98.475) (width 0.15) (layer "F.Cu") (net 209) (tstamp 2ef9e9
(segment (start 110.9 101.304822) (end 110.9 98.725) (width 0.15) (layer "F.Cu") (net 209) (tstamp 3e46
(segment (start 110.15 105.5) (end 110.15 105.05) (width 0.15) (layer "F.Cu") (net 209) (tstamp 461b6f2
(segment (start 109.09 104.7) (end 107.81 103.42) (width 0.15) (layer "F.Cu") (net 209) (tstamp 7397c23
(segment (start 110.9 98.725) (end 110.65 98.475) (width 0.15) (layer "F.Cu") (net 209) (tstamp c808cd3
(segment (start 110.15 105.05) (end 109.8 104.7) (width 0.15) (layer "F.Cu") (net 209) (tstamp dbd803ec
(segment (start 110.104822 102.1) (end 110.9 101.304822) (width 0.15) (layer "F.Cu") (net 209) (tstamp
(segment (start 110.65 104.99) (end 109.579999 103.919999) (width 0.15) (layer "F.Cu") (net 210) (tstamp
(segment (start 109.08 103.42) (end 109.9 102.6) (width 0.15) (layer "F.Cu") (net 210) (tstamp 343df964
(segment (start 109.579999 103.919999) (end 109.08 103.42) (width 0.15) (layer "F.Cu") (net 210) (tstamp
(segment (start 110.65 105.5) (end 110.65 104.99) (width 0.15) (layer "F.Cu") (net 210) (tstamp 638c86f
(segment (start 110.65 97.825) (end 109.75 97.825) (width 0.15) (layer "F.Cu") (net 210) (tstamp 6e6df4
(segment (start 109.9 102.6) (end 110.4 102.6) (width 0.15) (layer "F.Cu") (net 210) (tstamp b211279a-5
(segment (start 111.4 98.575) (end 110.65 97.825) (width 0.15) (layer "F.Cu") (net 210) (tstamp be5f256
(segment (start 111.4 101.6) (end 111.4 98.575) (width 0.15) (layer "F.Cu") (net 210) (tstamp ce223c74-
(segment (start 110.4 102.6) (end 111.4 101.6) (width 0.15) (layer "F.Cu") (net 210) (tstamp dc243064-c
(segment (start 110.35 103.45) (end 110.35 103.42) (width 0.15) (layer "F.Cu") (net 211) (tstamp 05d8f3
(segment (start 111.15 104.25) (end 110.35 103.45) (width 0.15) (layer "F.Cu") (net 211) (tstamp 086bc4
(segment (start 111.9 101.87) (end 111.9 98.425) (width 0.15) (layer "F.Cu") (net 211) (tstamp 67f90654
(segment (start 110.65 97.175) (end 109.75 97.175) (width 0.15) (layer "F.Cu") (net 211) (tstamp 7c9d4d
(segment (start 111.9 98.425) (end 110.65 97.175) (width 0.15) (layer "F.Cu") (net 211) (tstamp 96cc5a8
(segment (start 110.35 103.42) (end 111.9 101.87) (width 0.15) (layer "F.Cu") (net 211) (tstamp da05398
(segment (start 111.15 105.5) (end 111.15 104.25) (width 0.15) (layer "F.Cu") (net 211) (tstamp ae37a7d
(segment (start 112.4 102.1) (end 112.4 98.275) (width 0.15) (layer "F.Cu") (net 212) (tstamp 02a44b02-
(segment (start 112.4 98.275) (end 110.65 96.525) (width 0.15) (layer "F.Cu") (net 212) (tstamp 47ecf0c
(segment (start 111.65 103.45) (end 111.62 103.42) (width 0.15) (layer "F.Cu") (net 212) (tstamp 825c62
(segment (start 111.62 103.42) (end 111.62 102.88) (width 0.15) (layer "F.Cu") (net 212) (tstamp 8f8ab4
(segment (start 110.65 96.525) (end 109.75 96.525) (width 0.15) (layer "F.Cu") (net 212) (tstamp 93617b
(segment (start 111.65 105.5) (end 111.65 103.45) (width 0.15) (layer "F.Cu") (net 212) (tstamp ad755a5
(segment (start 111.62 102.88) (end 112.4 102.1) (width 0.15) (layer "F.Cu") (net 212) (tstamp b903238d
(segment (start 112.65 105.5) (end 112.65 103.66) (width 0.15) (layer "F.Cu") (net 213) (tstamp 4386a9e
(segment (start 112.9 99.025) (end 114.75 97.175) (width 0.15) (layer "F.Cu") (net 213) (tstamp 5656c22
(segment (start 112.9 103.41) (end 112.9 99.025) (width 0.15) (layer "F.Cu") (net 213) (tstamp 91366caa
(segment (start 112.89 103.42) (end 112.9 103.41) (width 0.15) (layer "F.Cu") (net 213) (tstamp b36da8a
(segment (start 112.65 103.66) (end 112.89 103.42) (width 0.15) (layer "F.Cu") (net 213) (tstamp cda698
(segment (start 114.75 97.175) (end 115.65 97.175) (width 0.15) (layer "F.Cu") (net 213) (tstamp eb6ca0
(segment (start 113.4 102.1) (end 113.4 99.175) (width 0.15) (layer "F.Cu") (net 214) (tstamp 1998db52-
(segment (start 114.16 102.86) (end 113.4 102.1) (width 0.15) (layer "F.Cu") (net 214) (tstamp 2d48c7c4
(segment (start 113.4 99.175) (end 114.75 97.825) (width 0.15) (layer "F.Cu") (net 214) (tstamp 637504b
(segment (start 114.75 97.825) (end 115.65 97.825) (width 0.15) (layer "F.Cu") (net 214) (tstamp 91d875
(segment (start 114.16 103.44) (end 114.16 103.42) (width 0.15) (layer "F.Cu") (net 214) (tstamp b94737
(segment (start 113.15 104.45) (end 114.16 103.44) (width 0.15) (layer "F.Cu") (net 214) (tstamp b9fdf5
(segment (start 114.16 103.42) (end 114.16 102.86) (width 0.15) (layer "F.Cu") (net 214) (tstamp ecc7f9
(segment (start 113.15 105.5) (end 113.15 104.45) (width 0.15) (layer "F.Cu") (net 214) (tstamp fd1c8e6
(segment (start 114.75 98.475) (end 113.9 99.325) (width 0.15) (layer "F.Cu") (net 215) (tstamp 08c4a58
(segment (start 113.9 99.325) (end 113.9 101.89) (width 0.15) (layer "F.Cu") (net 215) (tstamp 2527b89d
(segment (start 113.9 101.89) (end 114.930001 102.920001) (width 0.15) (layer "F.Cu") (net 215) (tstamp
(segment (start 113.65 105.5) (end 113.65 105.05) (width 0.15) (layer "F.Cu") (net 215) (tstamp 7b0a66b
(segment (start 114.705099 104.144901) (end 114.930001 103.919999) (width 0.15) (layer "F.Cu") (net 215
(segment (start 113.65 105.05) (end 114.555099 104.144901) (width 0.15) (layer "F.Cu") (net 215) (tstamp
(segment (start 114.930001 103.919999) (end 115.43 103.42) (width 0.15) (layer "F.Cu") (net 215) (tstamp
(segment (start 114.930001 102.920001) (end 115.43 103.42) (width 0.15) (layer "F.Cu") (net 215) (tstamp
(segment (start 115.65 98.475) (end 114.75 98.475) (width 0.15) (layer "F.Cu") (net 215) (tstamp ef819e
(segment (start 114.555099 104.144901) (end 114.705099 104.144901) (width 0.15) (layer "F.Cu") (net 215
(segment (start 115.4 102.1) (end 116.7 103.4) (width 0.15) (layer "F.Cu") (net 216) (tstamp 03707c79-f
(segment (start 114.15 105.15) (end 114.6 104.7) (width 0.15) (layer "F.Cu") (net 216) (tstamp 073fb9be
(segment (start 114.4 99.5) (end 114.4 101.6) (width 0.15) (layer "F.Cu") (net 216) (tstamp 15fd2fd1-3c
(segment (start 114.4 101.6) (end 114.9 102.1) (width 0.15) (layer "F.Cu") (net 216) (tstamp 17b3dc02-a
(segment (start 114.775 99.125) (end 114.4 99.5) (width 0.15) (layer "F.Cu") (net 216) (tstamp 1ee0a1e6

(segment (start 114.15 105.5) (end 114.15 105.15) (width 0.15) (layer "F.Cu") (net 216) (tstamp 2581361b-
(segment (start 114.9 102.1) (end 115.4 102.1) (width 0.15) (layer "F.Cu") (net 216) (tstamp 36c5a7e4-c
(segment (start 114.6 104.7) (end 116.07 104.7) (width 0.15) (layer "F.Cu") (net 216) (tstamp 61e95d78-
(segment (start 116.7 103.4) (end 116.7 103.42) (width 0.15) (layer "F.Cu") (net 216) (tstamp 9c23774d-aaf
(segment (start 116.07 104.7) (end 116.7 104.07) (width 0.15) (layer "F.Cu") (net 216) (tstamp 9feb1bb1-
(segment (start 115.65 99.125) (end 114.775 99.125) (width 0.15) (layer "F.Cu") (net 216) (tstamp d9f7c
(segment (start 116.7 104.07) (end 116.7 103.42) (width 0.15) (layer "F.Cu") (net 216) (tstamp e1d28798-
(segment (start 114.5 86.2) (end 115.97 86.2) (width 0.15) (layer "F.Cu") (net 217) (tstamp 1a9559ab-1a
(segment (start 114.4 92.175) (end 114.75 92.525) (width 0.15) (layer "F.Cu") (net 217) (tstamp 36f1f04
(segment (start 115.97 86.2) (end 116.7 86.93) (width 0.15) (layer "F.Cu") (net 217) (tstamp 5060475f-a
(segment (start 114.4 89.404822) (end 114.4 92.175) (width 0.15) (layer "F.Cu") (net 217) (tstamp 5c89b
(segment (start 115.4 88.904822) (end 114.9 88.904822) (width 0.15) (layer "F.Cu") (net 217) (tstamp 6b
(segment (start 114.15 85.5) (end 114.15 85.85) (width 0.15) (layer "F.Cu") (net 217) (tstamp 78c066df-f
(segment (start 114.75 92.525) (end 115.65 92.525) (width 0.15) (layer "F.Cu") (net 217) (tstamp 79ece0
(segment (start 114.9 88.904822) (end 114.4 89.404822) (width 0.15) (layer "F.Cu") (net 217) (tstamp 81
(segment (start 116.7 86.93) (end 116.7 87.6) (width 0.15) (layer "F.Cu") (net 217) (tstamp 9f504373-e8
(segment (start 116.7 87.604822) (end 115.4 88.904822) (width 0.15) (layer "F.Cu") (net 217) (tstamp a4
(segment (start 114.15 85.85) (end 114.5 86.2) (width 0.15) (layer "F.Cu") (net 217) (tstamp f7454ebf-c
(segment (start 114.455099 86.855099) (end 114.705099 86.855099) (width 0.15) (layer "F.Cu") (net 218)
(segment (start 114.75 93.175) (end 115.65 93.175) (width 0.15) (layer "F.Cu") (net 218) (tstamp 1c9413
(segment (start 113.65 85.5) (end 113.65 86.05) (width 0.15) (layer "F.Cu") (net 218) (tstamp 3f4588f5-
(segment (start 113.9 89.114822) (end 113.9 92.325) (width 0.15) (layer "F.Cu") (net 218) (tstamp 3f946
(segment (start 114.705099 86.855099) (end 115.43 87.58) (width 0.15) (layer "F.Cu") (net 218) (tstamp
(segment (start 115.43 87.584822) (end 113.9 89.114822) (width 0.15) (layer "F.Cu") (net 218) (tstamp 8
(segment (start 113.9 92.325) (end 114.75 93.175) (width 0.15) (layer "F.Cu") (net 218) (tstamp d60a557
(segment (start 113.65 86.05) (end 114.455099 86.855099) (width 0.15) (layer "F.Cu") (net 218) (tstamp
(segment (start 114.16 88.144822) (end 113.4 88.904822) (width 0.15) (layer "F.Cu") (net 219) (tstamp 1
(segment (start 113.15 86.55) (end 114.16 87.56) (width 0.15) (layer "F.Cu") (net 219) (tstamp 22b83212
(segment (start 114.16 87.584822) (end 114.16 88.144822) (width 0.15) (layer "F.Cu") (net 219) (tstamp
(segment (start 114.75 93.825) (end 115.65 93.825) (width 0.15) (layer "F.Cu") (net 219) (tstamp 89340f
(segment (start 113.15 85.5) (end 113.15 86.55) (width 0.15) (layer "F.Cu") (net 219) (tstamp c40cd54e-
(segment (start 113.4 88.904822) (end 113.4 92.475) (width 0.15) (layer "F.Cu") (net 219) (tstamp f5b2f
(segment (start 113.4 92.475) (end 114.75 93.825) (width 0.15) (layer "F.Cu") (net 219) (tstamp fd1f3bb
(segment (start 112.89 87.584822) (end 112.9 87.594822) (width 0.15) (layer "F.Cu") (net 220) (tstamp 0
(segment (start 112.65 87.34) (end 112.89 87.58) (width 0.15) (layer "F.Cu") (net 220) (tstamp 3a476f4f
(segment (start 112.9 87.594822) (end 112.9 92.625) (width 0.15) (layer "F.Cu") (net 220) (tstamp 3ac11
(segment (start 112.9 92.625) (end 114.75 94.475) (width 0.15) (layer "F.Cu") (net 220) (tstamp 7ffe271
(segment (start 112.65 85.5) (end 112.65 87.34) (width 0.15) (layer "F.Cu") (net 220) (tstamp 91163847-
(segment (start 114.75 94.475) (end 115.65 94.475) (width 0.15) (layer "F.Cu") (net 220) (tstamp c73731
(segment (start 111.65 87.55) (end 111.62 87.58) (width 0.15) (layer "F.Cu") (net 221) (tstamp 047852c1
(segment (start 112.4 92.1) (end 110.675 93.825) (width 0.15) (layer "F.Cu") (net 221) (tstamp 0faa93e7
(segment (start 111.65 85.5) (end 111.65 87.55) (width 0.15) (layer "F.Cu") (net 221) (tstamp 3e8e8de5-
(segment (start 111.62 87.584822) (end 111.62 88.124822) (width 0.15) (layer "F.Cu") (net 221) (tstamp
(segment (start 111.62 88.124822) (end 112.4 88.904822) (width 0.15) (layer "F.Cu") (net 221) (tstamp 6
(segment (start 112.4 88.904822) (end 112.4 92.1) (width 0.15) (layer "F.Cu") (net 221) (tstamp ada070c
(segment (start 110.675 93.825) (end 109.75 93.825) (width 0.15) (layer "F.Cu") (net 221) (tstamp bf6cf
(segment (start 110.35 87.58) (end 110.35 87.565) (width 0.15) (layer "F.Cu") (net 222) (tstamp 22a578e
(segment (start 110.35 87.565) (end 111.15 86.765) (width 0.15) (layer "F.Cu") (net 222) (tstamp 282b9e
(segment (start 111.9 89.134822) (end 111.9 91.95) (width 0.15) (layer "F.Cu") (net 222) (tstamp 2ab847
(segment (start 110.35 87.584822) (end 111.9 89.134822) (width 0.15) (layer "F.Cu") (net 222) (tstamp 3
(segment (start 111.15 86.765) (end 111.15 85.5) (width 0.15) (layer "F.Cu") (net 222) (tstamp 51223ca9
(segment (start 111.9 91.95) (end 110.675 93.175) (width 0.15) (layer "F.Cu") (net 222) (tstamp 6b8ad32
(segment (start 110.675 93.175) (end 109.75 93.175) (width 0.15) (layer "F.Cu") (net 222) (tstamp f2775
(segment (start 110.65 86.01) (end 109.804901 86.855099) (width 0.15) (layer "F.Cu") (net 223) (tstamp
(segment (start 111.4 89.404822) (end 111.4 91.8) (width 0.15) (layer "F.Cu") (net 223) (tstamp 2b3db02
(segment (start 110.4 88.404822) (end 111.4 89.404822) (width 0.15) (layer "F.Cu") (net 223) (tstamp 35
(segment (start 109.9 88.404822) (end 110.4 88.404822) (width 0.15) (layer "F.Cu") (net 223) (tstamp 44
(segment (start 110.65 85.5) (end 110.65 86.01) (width 0.15) (layer "F.Cu") (net 223) (tstamp 597582b6-
(segment (start 109.08 87.584822) (end 109.9 88.404822) (width 0.15) (layer "F.Cu") (net 223) (tstamp 5
(segment (start 111.4 91.8) (end 110.675 92.525) (width 0.15) (layer "F.Cu") (net 223) (tstamp 6f148407
(segment (start 110.675 92.525) (end 109.75 92.525) (width 0.15) (layer "F.Cu") (net 223) (tstamp 6ff69
(segment (start 109.804901 86.855099) (end 109.08 87.58) (width 0.15) (layer "F.Cu") (net 223) (tstamp
(segment (start 109.9 86.2) (end 109.19 86.2) (width 0.15) (layer "F.Cu") (net 224) (tstamp 03400ddd-fd
(segment (start 107.81 87.584822) (end 109.125178 88.9) (width 0.15) (layer "F.Cu") (net 224) (tstamp 1
(segment (start 110.1 88.9) (end 110.9 89.7) (width 0.15) (layer "F.Cu") (net 224) (tstamp 25142d6c-6a8
(segment (start 109.125178 88.9) (end 110.1 88.9) (width 0.15) (layer "F.Cu") (net 224) (tstamp 3a2dd09
(segment (start 110.15 85.95) (end 109.9 86.2) (width 0.15) (layer "F.Cu") (net 224) (tstamp 638296dd-0
(segment (start 110.9 91.625) (end 110.65 91.875) (width 0.15) (layer "F.Cu") (net 224) (tstamp ae66f90

(segment (start 110.65 91.875) (end 109.75 91.875) (width 0.15) (layer "F.Cu") (net 224) (tstamp c51a2cc
(segment (start 110.9 89.7) (end 110.9 91.625) (width 0.15) (layer "F.Cu") (net 224) (tstamp d5370457-b
(segment (start 109.19 86.2) (end 107.81 87.58) (width 0.15) (layer "F.Cu") (net 224) (tstamp e869af15-a
(segment (start 110.15 85.5) (end 110.15 85.95) (width 0.15) (layer "F.Cu") (net 224) (tstamp fa1dc66a-a
(segment (start 61.3 112.85) (end 62.2 113.75) (width 0.15) (layer "F.Cu") (net 225) (tstamp 34707ecd-7
(segment (start 61.3 112.8) (end 61.3 112.85) (width 0.15) (layer "F.Cu") (net 225) (tstamp 5ff4bb1d-c5
(segment (start 72.735 115.55) (end 73.1 115.915) (width 0.15) (layer "F.Cu") (net 225) (tstamp 7bb2e39
(segment (start 73.1 115.915) (end 73.1 117.33) (width 0.15) (layer "F.Cu") (net 225) (tstamp 9e90786d-
(segment (start 73.1 117.33) (end 73.15 117.38) (width 0.15) (layer "F.Cu") (net 225) (tstamp b35d534d-
(via (at 61.3 112.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 225) (tstamp 00000000-0000-0000
(segment (start 63.45 116.45) (end 63.15 116.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp 01c8f9d0
(segment (start 63.95 116.45) (end 63.45 116.45) (width 0.15) (layer "B.Cu") (net 225) (tstamp 024a2a11
(segment (start 60.3 116.15) (end 60.3 113.3) (width 0.15) (layer "B.Cu") (net 225) (tstamp 19f267ab-51
(segment (start 61.1 116.95) (end 60.3 116.15) (width 0.15) (layer "B.Cu") (net 225) (tstamp 1e776ed5-5
(segment (start 64.25 116.75) (end 63.95 116.45) (width 0.15) (layer "B.Cu") (net 225) (tstamp 24436789
(segment (start 63.1 116.95) (end 61.1 116.95) (width 0.15) (layer "B.Cu") (net 225) (tstamp 280e07e8-e
(segment (start 60.3 113.3) (end 60.8 112.8) (width 0.15) (layer "B.Cu") (net 225) (tstamp 30daf0d9-ef5
(segment (start 63.15 116.9) (end 63.1 116.95) (width 0.15) (layer "B.Cu") (net 225) (tstamp 4d713546-0
(segment (start 60.8 112.8) (end 61.3 112.8) (width 0.15) (layer "B.Cu") (net 225) (tstamp 84a90d48-4e6
(segment (start 64.5 117.75) (end 64.25 117.5) (width 0.15) (layer "B.Cu") (net 225) (tstamp bebfb522-0
(segment (start 64.25 117.5) (end 64.25 116.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp c159829d-
(segment (start 73.15 117.38) (end 72.78 117.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp d8f55833
(segment (start 72.78 117.75) (end 64.5 117.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp ec65e444-
(segment (start 63.15 116.75) (end 63.15 116.9) (width 0.15) (layer "B.Cu") (net 225) (tstamp ecb7b1a1-
(segment (start 125.7 99.25) (end 124.8 98.35) (width 0.15) (layer "F.Cu") (net 226) (tstamp 1e167f3a-4
(segment (start 124.4 98.35) (end 123.35 98.35) (width 0.15) (layer "F.Cu") (net 226) (tstamp 60f59060-
(segment (start 123.35 98.35) (end 123.3 98.4) (width 0.15) (layer "F.Cu") (net 226) (tstamp 8a23da8b-1
(segment (start 125.7 99.815) (end 125.7 99.25) (width 0.15) (layer "F.Cu") (net 226) (tstamp c7744ca7-
(segment (start 124.8 98.35) (end 124.4 98.35) (width 0.15) (layer "F.Cu") (net 226) (tstamp ff27258d-2
(via (at 123.3 98.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 226) (tstamp 7a54f1b1-0396-47dd
(segment (start 122 99.7) (end 122 99.8) (width 0.15) (layer "B.Cu") (net 226) (tstamp 16237063-5282-46
(segment (start 123.3 98.4) (end 122 99.7) (width 0.15) (layer "B.Cu") (net 226) (tstamp 34c91192-6309-
(segment (start 122.15 92.6) (end 122.2 92.65) (width 0.15) (layer "F.Cu") (net 227) (tstamp 1733870f-3
(segment (start 120.9 92.6) (end 122.15 92.6) (width 0.15) (layer "F.Cu") (net 227) (tstamp 4c30727d-11
(segment (start 120.9 91.7) (end 120.9 92.6) (width 0.15) (layer "F.Cu") (net 227) (tstamp 9f6c0a48-867
(segment (start 120.9 91.185) (end 120.9 91.7) (width 0.15) (layer "F.Cu") (net 227) (tstamp f18f699c-7
(via (at 120.9 92.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 227) (tstamp 277d558c-aab0-45b0
(segment (start 123.3 92.6) (end 124.6 91.3) (width 0.15) (layer "B.Cu") (net 227) (tstamp 11819976-4b4
(segment (start 124.6 91.3) (end 124.6 91.2) (width 0.15) (layer "B.Cu") (net 227) (tstamp df4d46cc-d31
(segment (start 120.9 92.6) (end 123.3 92.6) (width 0.15) (layer "B.Cu") (net 227) (tstamp ec45f75e-f11
(segment (start 124.4 100.25) (end 123.25 100.25) (width 0.65) (layer "F.Cu") (net 231) (tstamp 00000000
(via (at 123.2 99.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 231) (tstamp 1ca89e44-abad-451
(via (at 123.2 99.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 231) (tstamp c749a7c4-f2d7-43d
(via (at 125 99.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 231) (tstamp e7552b58-47de-4413-
(via (at 123.4 91.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 232) (tstamp 00000000-0000-0000
(via (at 121.6 91.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 232) (tstamp 7f5f52cd-87af-441
(via (at 123.4 91.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 232) (tstamp 90024a9a-f6db-4d4
(segment (start 92.65 97.865) (end 92.485 97.7) (width 0.15) (layer "F.Cu") (net 233) (tstamp 5da6ab15-
(segment (start 92.65 98.5) (end 92.65 97.865) (width 0.15) (layer "F.Cu") (net 233) (tstamp 74e16537-1
(segment (start 88.3 93.5) (end 87.3 93.5) (width 0.15) (layer "F.Cu") (net 233) (tstamp 89e45a02-7b84-
(segment (start 88.6 93.2) (end 88.3 93.5) (width 0.15) (layer "F.Cu") (net 233) (tstamp 95f8a0a1-8a8a-
(segment (start 92.3 99.6) (end 91.75 99.6) (width 0.15) (layer "F.Cu") (net 233) (tstamp 97405085-8153
(segment (start 92.65 98.5) (end 92.65 99.25) (width 0.15) (layer "F.Cu") (net 233) (tstamp a515b018-31
(segment (start 92.65 99.25) (end 92.3 99.6) (width 0.15) (layer "F.Cu") (net 233) (tstamp c7e9a476-d1a
(segment (start 87.3 93.5) (end 86.9 93.9) (width 0.15) (layer "F.Cu") (net 233) (tstamp d598d130-204f-
(via (at 92.65 98.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 233) (tstamp 46450490-d7ae-4827-8
(via (at 88.6 93.2) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 233) (tstamp 6507d4e7-4efe-4447-
(segment (start 91.45 94.5) (end 91.45 97.3) (width 0.15) (layer "In2.Cu") (net 233) (tstamp 75d39fc3-9
(segment (start 90.15 93.2) (end 91.45 94.5) (width 0.15) (layer "In2.Cu") (net 233) (tstamp 8b9cd343-d
(segment (start 88.6 93.2) (end 90.15 93.2) (width 0.15) (layer "In2.Cu") (net 233) (tstamp d549919e-58
(segment (start 91.45 97.3) (end 92.65 98.5) (width 0.15) (layer "In2.Cu") (net 233) (tstamp f109ee1c-6
(segment (start 116.39 99.775) (end 117.015 100.4) (width 0.15) (layer "F.Cu") (net 234) (tstamp 89551f
(segment (start 115.5625 99.775) (end 116.39 99.775) (width 0.15) (layer "F.Cu") (net 234) (tstamp 8dbf
(segment (start 108.975 91.225) (end 109.8375 91.225) (width 0.15) (layer "F.Cu") (net 235) (tstamp 193
(segment (start 108.35 91.765) (end 108.435 91.765) (width 0.15) (layer "F.Cu") (net 235) (tstamp 9ce05
(segment (start 108.435 91.765) (end 108.975 91.225) (width 0.15) (layer "F.Cu") (net 235) (tstamp d0d8
(segment (start 87.315 107.15) (end 87.3 107.165) (width 0.15) (layer "F.Cu") (net 236) (tstamp 3db53e2
(segment (start 90.8 106.5) (end 90.15 107.15) (width 0.15) (layer "F.Cu") (net 236) (tstamp 42dacc0c-b

```

(segment (start 90.8 101.4) (end 90.8 106.5) (width 0.15) (layer "F.Cu") (net 236) (tstamp 73eb4c2c-764
(segment (start 90.15 107.15) (end 87.315 107.15) (width 0.15) (layer "F.Cu") (net 236) (tstamp ad3d212
(segment (start 91.95 100.25) (end 90.8 101.4) (width 0.15) (layer "F.Cu") (net 236) (tstamp f2fe03b6-6
(segment (start 93.15 97.15) (end 90.775 97.15) (width 0.15) (layer "F.Cu") (net 237) (tstamp 52f5bbef-
(segment (start 94.5 95.8) (end 93.15 97.15) (width 0.15) (layer "F.Cu") (net 237) (tstamp 5807b68c-dbb
(segment (start 103 96.265) (end 102.235 95.5) (width 0.15) (layer "F.Cu") (net 237) (tstamp 6c36ddf2-b
(segment (start 98.65 95.5) (end 98.35 95.8) (width 0.15) (layer "F.Cu") (net 237) (tstamp 754e17a3-7fa
(segment (start 89.225 98.7) (end 87.7 98.7) (width 0.15) (layer "F.Cu") (net 237) (tstamp 7d391253-b2e
(segment (start 90.775 97.15) (end 89.225 98.7) (width 0.15) (layer "F.Cu") (net 237) (tstamp 9e02f81f-
(segment (start 102.235 95.5) (end 98.65 95.5) (width 0.15) (layer "F.Cu") (net 237) (tstamp c1f6254c-3
(segment (start 98.35 95.8) (end 94.5 95.8) (width 0.15) (layer "F.Cu") (net 237) (tstamp fb585f5d-10b4
(segment (start 72.575 113.215506) (end 72.575 113.7625) (width 0.15) (layer "F.Cu") (net 238) (tstamp
(segment (start 72.159584 112.80009) (end 72.575 113.215506) (width 0.15) (layer "F.Cu") (net 238) (ts
(segment (start 70.6075 113.3075) (end 71.11491 112.80009) (width 0.15) (layer "F.Cu") (net 238) (tsta
(segment (start 71.11491 112.80009) (end 72.159584 112.80009) (width 0.15) (layer "F.Cu") (net 238) (ts
(via (at 70.6075 113.3075) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 238) (tstamp 1e7fbab1-cd7
(segment (start 94.35 95.5) (end 98.2 95.5) (width 0.15) (layer "F.Cu") (net 239) (tstamp 097b2791-3911
(segment (start 86.1 97.9) (end 86.5 98.3) (width 0.15) (layer "F.Cu") (net 239) (tstamp 09dd7f29-7a74-
(segment (start 86.500099 98.299901) (end 89.200961 98.299901) (width 0.15) (layer "F.Cu") (net 239) (t
(segment (start 98.2 95.5) (end 98.5 95.2) (width 0.15) (layer "F.Cu") (net 239) (tstamp 8cde7429-9a28-
(segment (start 90.650862 96.85) (end 93 96.85) (width 0.15) (layer "F.Cu") (net 239) (tstamp 9b8e2a81-
(segment (start 93 96.85) (end 94.35 95.5) (width 0.15) (layer "F.Cu") (net 239) (tstamp 9e2cd009-5576-
(segment (start 86.5 98.3) (end 86.500099 98.299901) (width 0.15) (layer "F.Cu") (net 239) (tstamp a830
(segment (start 102.815 95.2) (end 103 95.385) (width 0.15) (layer "F.Cu") (net 239) (tstamp b049ee24-9
(segment (start 98.5 95.2) (end 102.815 95.2) (width 0.15) (layer "F.Cu") (net 239) (tstamp cd1f54ec-0d
(segment (start 89.200961 98.299901) (end 90.650862 96.85) (width 0.15) (layer "F.Cu") (net 239) (tsta
(segment (start 87.7 99.5) (end 88 99.5) (width 0.15) (layer "F.Cu") (net 240) (tstamp 0d171291-f041-42
(segment (start 88.35 99.85) (end 88.35 100.4) (width 0.15) (layer "F.Cu") (net 240) (tstamp 0d466c62-d
(segment (start 88 99.5) (end 88.35 99.85) (width 0.15) (layer "F.Cu") (net 240) (tstamp 7a76dbb6-2a71-
(segment (start 88.35 100.4) (end 88.35 101.25) (width 0.15) (layer "F.Cu") (net 240) (tstamp a9ab2740-
(segment (start 88.1 101.5) (end 88.35 101.25) (width 0.15) (layer "F.Cu") (net 240) (tstamp b48ab17e-a
(segment (start 88.065 101.5) (end 88.1 101.5) (width 0.15) (layer "F.Cu") (net 240) (tstamp bcbbecf6-9
(segment (start 89.035 100.715) (end 89.5 100.25) (width 0.15) (layer "F.Cu") (net 241) (tstamp 322aafb
(segment (start 89.5 100.25) (end 89.85 100.25) (width 0.15) (layer "F.Cu") (net 241) (tstamp be02ac54-
(segment (start 89.035 101.5) (end 89.035 100.715) (width 0.15) (layer "F.Cu") (net 241) (tstamp c34082

(zone (net 231) (net_name "Net-(U14-OUT)") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5372)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
  (pts
    (xy 122.9 99.05)
    (xy 125.3 99.05)
    (xy 125.3 99.65)
    (xy 124.925 99.65)
    (xy 124.925 100.575)
    (xy 122.9 100.575)
  )
)
(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 125.012171 99.052421)
    (xy 125.090224 99.067946)
    (xy 125.13564 99.086758)
    (xy 125.191295 99.123945)
    (xy 125.226054 99.158704)
    (xy 125.26324 99.214356)
    (xy 125.282053 99.259775)
    (xy 125.297579 99.337827)
    (xy 125.3 99.362409)
    (xy 125.3 99.424331)
    (xy 125.282043 99.485485)
    (xy 125.282192 99.485551)
    (xy 125.281691 99.486684)
    (xy 125.279998 99.492452)
    (xy 125.277953 99.495533)
  )
)

```



```

(xy 125.277478 99.496225)
(xy 125.246978 99.565301)
(xy 125.201164 99.619538)
(xy 125.164326 99.636112)
(xy 125.112501 99.649999)
(xy 125.112497 99.65)
(xy 124.925 99.65)
(xy 124.925 99.837499)
(xy 124.925 99.8375)
(xy 124.925 99.837501)
(xy 124.925 100.26259)
(xy 124.922579 100.287172)
(xy 124.907053 100.365224)
(xy 124.88824 100.410643)
(xy 124.851057 100.466292)
(xy 124.816292 100.501057)
(xy 124.760643 100.53824)
(xy 124.715224 100.557053)
(xy 124.656856 100.568663)
(xy 124.63717 100.572579)
(xy 124.61259 100.575)
(xy 123.21241 100.575)
(xy 123.187829 100.572579)
(xy 123.157954 100.566636)
(xy 123.109775 100.557053)
(xy 123.064356 100.53824)
(xy 123.008704 100.501054)
(xy 122.973945 100.466295)
(xy 122.936758 100.41064)
(xy 122.917946 100.365224)
(xy 122.902421 100.287171)
(xy 122.9 100.26259)
(xy 122.9 99.362409)
(xy 122.902421 99.337828)
(xy 122.902421 99.337827)
(xy 122.917947 99.259773)
(xy 122.936757 99.21436)
(xy 122.973947 99.158701)
(xy 123.008701 99.123947)
(xy 123.06436 99.086757)
(xy 123.109775 99.067946)
(xy 123.156043 99.058743)
(xy 123.18783 99.052421)
(xy 123.21241 99.05)
(xy 124.98759 99.05)
)
)
)
(zone (net 232) (net_name "Net-(U31-OUT)") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5375)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 123.7 91.95)
(xy 121.3 91.95)
(xy 121.3 91.35)
(xy 121.675 91.35)
(xy 121.675 90.425)
(xy 123.7 90.425)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 123.412171 90.427421)
(xy 123.490224 90.442946)
(xy 123.53564 90.461758)

```

```

(xy 123.591295 90.498945)
(xy 123.626054 90.533704)
(xy 123.66324 90.589356)
(xy 123.682053 90.634775)
(xy 123.697579 90.712827)
(xy 123.7 90.737409)
(xy 123.7 91.63759)
(xy 123.697579 91.662172)
(xy 123.682053 91.740224)
(xy 123.66324 91.785643)
(xy 123.626057 91.841292)
(xy 123.591292 91.876057)
(xy 123.535643 91.91324)
(xy 123.490224 91.932053)
(xy 123.431856 91.943663)
(xy 123.41217 91.947579)
(xy 123.38759 91.95)
(xy 121.61241 91.95)
(xy 121.587829 91.947579)
(xy 121.557954 91.941636)
(xy 121.509775 91.932053)
(xy 121.464356 91.91324)
(xy 121.408704 91.876054)
(xy 121.373945 91.841295)
(xy 121.336758 91.78564)
(xy 121.317946 91.740224)
(xy 121.302421 91.662171)
(xy 121.3 91.63759)
(xy 121.3 91.575669)
(xy 121.317955 91.514517)
(xy 121.317807 91.514452)
(xy 121.318307 91.513317)
(xy 121.320002 91.507548)
(xy 121.32205 91.504463)
(xy 121.322521 91.503775)
(xy 121.322522 91.503771)
(xy 121.322524 91.50377)
(xy 121.353022 91.434696)
(xy 121.398833 91.380462)
(xy 121.435673 91.363886)
(xy 121.4875 91.35)
(xy 121.675 91.35)
(xy 121.675 90.737408)
(xy 121.677421 90.712828)
(xy 121.677421 90.712827)
(xy 121.692947 90.634773)
(xy 121.711757 90.58936)
(xy 121.748947 90.533701)
(xy 121.783701 90.498947)
(xy 121.83936 90.461757)
(xy 121.884775 90.442946)
(xy 121.931043 90.433743)
(xy 121.96283 90.427421)
(xy 121.98741 90.425)
(xy 123.38759 90.425)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5378) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 121.6 102.7)
(xy 122.9 102.7)
(xy 122.9 101.6)
(xy 121.5 101.6)

```

```

(xy 121.5 102.2)
(xy 119.1 102.2)
(xy 119.1 100.875)
(xy 123.4 100.875)
(xy 123.4 104.7)
(xy 121.6 104.7)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 123.112171 100.877421)
(xy 123.190224 100.892946)
(xy 123.23564 100.911758)
(xy 123.291295 100.948945)
(xy 123.326054 100.983704)
(xy 123.36324 101.039356)
(xy 123.382053 101.084775)
(xy 123.397579 101.162827)
(xy 123.4 101.187409)
(xy 123.4 104.38759)
(xy 123.397579 104.412172)
(xy 123.382053 104.490224)
(xy 123.36324 104.535643)
(xy 123.326057 104.591292)
(xy 123.291292 104.626057)
(xy 123.235643 104.66324)
(xy 123.190224 104.682053)
(xy 123.131856 104.693663)
(xy 123.11217 104.697579)
(xy 123.08759 104.7)
(xy 121.91241 104.7)
(xy 121.887829 104.697579)
(xy 121.857954 104.691636)
(xy 121.809775 104.682053)
(xy 121.764356 104.66324)
(xy 121.708704 104.626054)
(xy 121.673945 104.591295)
(xy 121.636758 104.53564)
(xy 121.617946 104.490224)
(xy 121.602421 104.412171)
(xy 121.6 104.38759)
(xy 121.6 104.09555)
(xy 121.600304 104.089364)
(xy 121.600398 104.088401)
(xy 121.6004 104.088396)
(xy 121.6004 103.811604)
(xy 121.600303 103.810619)
(xy 121.6 103.804443)
(xy 121.6 103.012409)
(xy 121.602421 102.987828)
(xy 121.617947 102.909773)
(xy 121.636757 102.86436)
(xy 121.673947 102.808701)
(xy 121.708701 102.773947)
(xy 121.76436 102.736757)
(xy 121.809775 102.717946)
(xy 121.856043 102.708743)
(xy 121.88783 102.702421)
(xy 121.91241 102.7)
(xy 122.599999 102.7)
(xy 122.6 102.7)
(xy 122.9 102.7)
(xy 122.9 101.6)
(xy 122.600005 101.6)
(xy 121.799994 101.6)
(xy 121.5 101.6)
(xy 121.5 101.9)

```

```

(xy 121.5 101.900001)
(xy 121.482053 101.990224)
(xy 121.46324 102.035643)
(xy 121.426057 102.091292)
(xy 121.391292 102.126057)
(xy 121.335643 102.16324)
(xy 121.290224 102.182053)
(xy 121.231856 102.193663)
(xy 121.21217 102.197579)
(xy 121.18759 102.2)
(xy 119.41241 102.2)
(xy 119.387829 102.197579)
(xy 119.357954 102.191636)
(xy 119.309775 102.182053)
(xy 119.264356 102.16324)
(xy 119.208704 102.126054)
(xy 119.173945 102.091295)
(xy 119.136758 102.03564)
(xy 119.117946 101.990224)
(xy 119.102421 101.912171)
(xy 119.1 101.88759)
(xy 119.1 101.187409)
(xy 119.102421 101.162828)
(xy 119.102421 101.162827)
(xy 119.117947 101.084773)
(xy 119.136757 101.03936)
(xy 119.173947 100.983701)
(xy 119.208701 100.948947)
(xy 119.26436 100.911757)
(xy 119.309775 100.892946)
(xy 119.356043 100.883743)
(xy 119.38783 100.877421)
(xy 119.41241 100.875)
(xy 123.08759 100.875)
)
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf537b) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 119.2 98.8)
(xy 121.3 98.8)
(xy 121.3 99.925)
(xy 122.3 99.925)
(xy 122.3 100.575)
(xy 119.2 100.575)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 121.012171 98.802421)
(xy 121.090224 98.817946)
(xy 121.13564 98.836758)
(xy 121.191295 98.873945)
(xy 121.226054 98.908704)
(xy 121.26324 98.964356)
(xy 121.282053 99.009776)
(xy 121.297578 99.087828)
(xy 121.299999 99.112409)
(xy 121.299999 99.624998)
(xy 121.3 99.625005)
(xy 121.3 99.925)
(xy 121.98759 99.925)
(xy 122.012171 99.927421)

```

```

(xy 122.090224 99.942946)
(xy 122.13564 99.961758)
(xy 122.191295 99.998945)
(xy 122.226054 100.033704)
(xy 122.26324 100.089356)
(xy 122.282053 100.134775)
(xy 122.297579 100.212827)
(xy 122.3 100.237409)
(xy 122.3 100.26259)
(xy 122.297579 100.287172)
(xy 122.282053 100.365224)
(xy 122.26324 100.410643)
(xy 122.226057 100.466292)
(xy 122.191292 100.501057)
(xy 122.135643 100.53824)
(xy 122.090224 100.557053)
(xy 122.031856 100.568663)
(xy 122.01217 100.572579)
(xy 121.98759 100.575)
(xy 119.51241 100.575)
(xy 119.487829 100.572579)
(xy 119.457954 100.566636)
(xy 119.409775 100.557053)
(xy 119.364356 100.53824)
(xy 119.308704 100.501054)
(xy 119.273945 100.466295)
(xy 119.236758 100.41064)
(xy 119.217946 100.365224)
(xy 119.202421 100.287171)
(xy 119.2 100.26259)
(xy 119.2 99.112409)
(xy 119.202421 99.087828)
(xy 119.217947 99.009773)
(xy 119.236757 98.96436)
(xy 119.273947 98.908701)
(xy 119.308701 98.873947)
(xy 119.36436 98.836757)
(xy 119.409775 98.817946)
(xy 119.456043 98.808743)
(xy 119.48783 98.802421)
(xy 119.51241 98.8)
(xy 120.98759 98.8)
)
)
)
(zone (net 107) (net_name "/IO_Banks/VIOB") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf537e)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 126.1 104.7)
(xy 123.6 104.7)
(xy 123.6 102.7)
(xy 126.1 102.7)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 125.801141 102.700227)
(xy 125.912502 102.722378)
(xy 125.916756 102.72414)
(xy 126.01018 102.786564)
(xy 126.013435 102.789819)
(xy 126.075859 102.883243)
(xy 126.077621 102.887497)
(xy 126.099773 102.998858)

```

```

(xy 126.1 103.00116)
(xy 126.1 104.398839)
(xy 126.099773 104.401141)
(xy 126.077621 104.512502)
(xy 126.075859 104.516756)
(xy 126.013435 104.61018)
(xy 126.01018 104.613435)
(xy 125.916756 104.675859)
(xy 125.912502 104.677621)
(xy 125.801141 104.699773)
(xy 125.798839 104.7)
(xy 123.901161 104.7)
(xy 123.898859 104.699773)
(xy 123.787497 104.677621)
(xy 123.783243 104.675859)
(xy 123.689819 104.613435)
(xy 123.686564 104.61018)
(xy 123.62414 104.516756)
(xy 123.622378 104.512502)
(xy 123.600227 104.401141)
(xy 123.6 104.398839)
(xy 123.6 103.00116)
(xy 123.600227 102.998858)
(xy 123.622378 102.887497)
(xy 123.62414 102.883243)
(xy 123.686564 102.789819)
(xy 123.689817 102.786565)
(xy 123.783244 102.724139)
(xy 123.787496 102.722378)
(xy 123.898858 102.700227)
(xy 123.901161 102.7)
(xy 125.798839 102.7)
)
)
)
(zone (net 108) (net_name "/IO_Banks/VIOA") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5381
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 123 88.3)
(xy 120.5 88.3)
(xy 120.5 86.3)
(xy 123 86.3)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 122.701141 86.300227)
(xy 122.812502 86.322378)
(xy 122.816756 86.32414)
(xy 122.91018 86.386564)
(xy 122.913435 86.389819)
(xy 122.975859 86.483243)
(xy 122.977621 86.487497)
(xy 122.999773 86.598858)
(xy 123 86.60116)
(xy 123 87.998839)
(xy 122.999773 88.001141)
(xy 122.977621 88.112502)
(xy 122.975859 88.116756)
(xy 122.913435 88.21018)
(xy 122.91018 88.213435)
(xy 122.816756 88.275859)
(xy 122.812502 88.277621)
(xy 122.701141 88.299773)

```

```

(xy 122.698839 88.3)
(xy 120.801161 88.3)
(xy 120.798859 88.299773)
(xy 120.687497 88.277621)
(xy 120.683243 88.275859)
(xy 120.589819 88.213435)
(xy 120.586564 88.21018)
(xy 120.52414 88.116756)
(xy 120.522378 88.112502)
(xy 120.500227 88.001141)
(xy 120.5 87.998839)
(xy 120.5 86.60116)
(xy 120.500227 86.598858)
(xy 120.522378 86.487497)
(xy 120.52414 86.483243)
(xy 120.586564 86.389819)
(xy 120.589817 86.386565)
(xy 120.683244 86.324139)
(xy 120.687496 86.322378)
(xy 120.798858 86.300227)
(xy 120.801161 86.3)
(xy 122.698839 86.3)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5393) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 125 88.3)
(xy 123.7 88.3)
(xy 123.7 89.4)
(xy 125.1 89.4)
(xy 125.1 88.8)
(xy 127.5 88.8)
(xy 127.5 90.125)
(xy 123.2 90.125)
(xy 123.2 86.3)
(xy 125 86.3)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 124.712171 86.302421)
(xy 124.790224 86.317946)
(xy 124.83564 86.336758)
(xy 124.891295 86.373945)
(xy 124.926054 86.408704)
(xy 124.96324 86.464356)
(xy 124.982053 86.509776)
(xy 124.997578 86.587828)
(xy 124.999999 86.612409)
(xy 125 86.904442)
(xy 124.999697 86.910619)
(xy 124.9996 86.911604)
(xy 124.9996 87.188396)
(xy 124.999601 87.188401)
(xy 124.999696 87.189364)
(xy 125 87.19555)
(xy 125 87.98759)
(xy 124.997579 88.012172)
(xy 124.982053 88.090224)
(xy 124.96324 88.135643)
(xy 124.926057 88.191292)
(xy 124.891292 88.226057)

```

```

(xy 124.835643 88.26324)
(xy 124.790224 88.282053)
(xy 124.731856 88.293663)
(xy 124.71217 88.297579)
(xy 124.68759 88.3)
(xy 123.7 88.3)
(xy 123.7 89.4)
(xy 124.799999 89.4)
(xy 124.8 89.4)
(xy 125.1 89.4)
(xy 125.1 89.1)
(xy 125.117946 89.009775)
(xy 125.136757 88.96436)
(xy 125.173947 88.908701)
(xy 125.208701 88.873947)
(xy 125.26436 88.836757)
(xy 125.309775 88.817946)
(xy 125.356043 88.808743)
(xy 125.38783 88.802421)
(xy 125.41241 88.8)
(xy 127.18759 88.8)
(xy 127.212171 88.802421)
(xy 127.290224 88.817946)
(xy 127.33564 88.836758)
(xy 127.391295 88.873945)
(xy 127.426054 88.908704)
(xy 127.46324 88.964356)
(xy 127.482053 89.009775)
(xy 127.497579 89.087827)
(xy 127.5 89.112409)
(xy 127.5 89.81259)
(xy 127.497579 89.837172)
(xy 127.482053 89.915224)
(xy 127.46324 89.960643)
(xy 127.426057 90.016292)
(xy 127.391292 90.051057)
(xy 127.335643 90.08824)
(xy 127.290224 90.107053)
(xy 127.231856 90.118663)
(xy 127.21217 90.122579)
(xy 127.18759 90.125)
(xy 123.51241 90.125)
(xy 123.487829 90.122579)
(xy 123.457954 90.116636)
(xy 123.409775 90.107053)
(xy 123.364356 90.08824)
(xy 123.308704 90.051054)
(xy 123.273945 90.016295)
(xy 123.236758 89.96064)
(xy 123.217946 89.915224)
(xy 123.202421 89.837171)
(xy 123.2 89.81259)
(xy 123.2 86.612409)
(xy 123.202421 86.587828)
(xy 123.217947 86.509773)
(xy 123.236757 86.46436)
(xy 123.273947 86.408701)
(xy 123.308701 86.373947)
(xy 123.36436 86.336757)
(xy 123.409775 86.317946)
(xy 123.456043 86.308743)
(xy 123.48783 86.302421)
(xy 123.51241 86.3)
(xy 124.68759 86.3)
)
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5396) (hatch edge

```



```

(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
  (pts
    (xy 127.4 92.2)
    (xy 125.3 92.2)
    (xy 125.3 91.075)
    (xy 124.3 91.075)
    (xy 124.3 90.425)
    (xy 127.4 90.425)
  )
)
(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 127.112171 90.427421)
    (xy 127.190224 90.442946)
    (xy 127.23564 90.461758)
    (xy 127.291295 90.498945)
    (xy 127.326054 90.533704)
    (xy 127.36324 90.589356)
    (xy 127.382053 90.634775)
    (xy 127.397579 90.712827)
    (xy 127.4 90.737409)
    (xy 127.4 91.88759)
    (xy 127.397579 91.912172)
    (xy 127.382053 91.990224)
    (xy 127.36324 92.035643)
    (xy 127.326057 92.091292)
    (xy 127.291292 92.126057)
    (xy 127.235643 92.16324)
    (xy 127.190224 92.182053)
    (xy 127.131856 92.193663)
    (xy 127.11217 92.197579)
    (xy 127.08759 92.2)
    (xy 125.61241 92.2)
    (xy 125.587829 92.197579)
    (xy 125.557954 92.191636)
    (xy 125.509775 92.182053)
    (xy 125.464356 92.16324)
    (xy 125.408704 92.126054)
    (xy 125.373945 92.091295)
    (xy 125.336758 92.03564)
    (xy 125.317946 91.990224)
    (xy 125.302421 91.912171)
    (xy 125.3 91.88759)
    (xy 125.3 91.375001)
    (xy 125.3 91.375)
    (xy 125.3 91.075)
    (xy 125.000005 91.075)
    (xy 124.61241 91.075)
    (xy 124.587829 91.072579)
    (xy 124.557954 91.066636)
    (xy 124.509775 91.057053)
    (xy 124.464356 91.03824)
    (xy 124.408704 91.001054)
    (xy 124.373945 90.966295)
    (xy 124.336758 90.91064)
    (xy 124.317946 90.865223)
    (xy 124.302421 90.787171)
    (xy 124.3 90.76259)
    (xy 124.3 90.737409)
    (xy 124.302421 90.712828)
    (xy 124.302421 90.712827)
    (xy 124.317947 90.634773)
    (xy 124.336757 90.58936)
    (xy 124.373947 90.533701)
  )
)

```

```

(xy 124.408701 90.498947)
(xy 124.46436 90.461757)
(xy 124.509775 90.442946)
(xy 124.556043 90.433743)
(xy 124.58783 90.427421)
(xy 124.61241 90.425)
(xy 127.08759 90.425)
)
)
)
(zone (net 7) (net_name "/SHLD") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53a5) (hatch ed
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 56.8 90.7)
(xy 56.8 100.3)
(xy 50 100.3)
(xy 50 90.7)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 56.30322 90.700424)
(xy 56.318306 90.70241)
(xy 56.416489 90.715336)
(xy 56.441447 90.722023)
(xy 56.53796 90.762)
(xy 56.560336 90.774918)
(xy 56.643216 90.838515)
(xy 56.661484 90.856783)
(xy 56.725079 90.93966)
(xy 56.738001 90.962042)
(xy 56.777975 91.058548)
(xy 56.784664 91.083512)
(xy 56.799576 91.196779)
(xy 56.8 91.203247)
(xy 56.8 91.7006)
(xy 56.781093 91.758791)
(xy 56.731593 91.794755)
(xy 56.701 91.7996)
(xy 56.073019 91.7996)
(xy 56.048116 91.802489)
(xy 55.94623 91.847476)
(xy 55.867476 91.92623)
(xy 55.822489 92.028116)
(xy 55.8196 92.053019)
(xy 55.8196 92.120916)
(xy 55.800693 92.179107)
(xy 55.751193 92.215071)
(xy 55.690007 92.215071)
(xy 55.660332 92.199458)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)

```

(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 54.686152 92.73623)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.133795 93.175167)
(xy 55.189021 93.201507)
(xy 55.218216 93.255278)
(xy 55.21023 93.31594)
(xy 55.190878 93.343323)
(xy 54.4136 94.120603)
(xy 54.359083 94.148381)
(xy 54.343596 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 53.963399 94.728195)
(xy 53.9634 94.728197)
(xy 54.015654 94.842617)
(xy 54.0246 94.883743)
(xy 54.0246 96.303209)
(xy 54.022493 96.323524)
(xy 54.020454 96.333251)
(xy 54.019734 96.336683)
(xy 54.02422 96.37267)
(xy 54.0246 96.378798)
(xy 54.0246 96.383523)
(xy 54.028442 96.406548)
(xy 54.035231 96.461012)
(xy 54.037473 96.468541)
(xy 54.040029 96.475988)
(xy 54.04003 96.475989)
(xy 54.066156 96.524266)
(xy 54.090258 96.573566)
(xy 54.094829 96.579968)
(xy 54.099659 96.586174)
(xy 54.140045 96.623352)
(xy 55.175405 97.658712)
(xy 55.203182 97.713229)
(xy 55.193611 97.773661)
(xy 55.150346 97.816926)
(xy 55.118326 97.826869)
(xy 55.105873 97.828508)
(xy 55.099764 97.829313)
(xy 55.099762 97.829313)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 54.689033 98.538114)

(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660332 98.800541)
(xy 55.718008 98.780117)
(xy 55.776674 98.797494)
(xy 55.813921 98.846035)
(xy 55.8196 98.879083)
(xy 55.8196 98.94698)
(xy 55.822489 98.971883)
(xy 55.822489 98.971885)
(xy 55.82249 98.971886)
(xy 55.867476 99.07377)
(xy 55.94623 99.152524)
(xy 56.048114 99.19751)
(xy 56.07302 99.200399)
(xy 56.073022 99.2004)
(xy 56.073024 99.2004)
(xy 56.701 99.2004)
(xy 56.759191 99.219307)
(xy 56.795155 99.268807)
(xy 56.8 99.2994)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)
(xy 50.262035 90.762001)
(xy 50.358554 90.722022)
(xy 50.383508 90.715336)
(xy 50.484332 90.702062)
(xy 50.49678 90.700424)

```

        (xy 50.503247 90.7)
        (xy 56.296753 90.7)
    )
)
(zone (net 204) (net_name "/SWSH") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53ab) (hatch
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 77.5 119.8)
(xy 71.8 119.8)
(xy 71.8 118.3)
(xy 77.5 118.3)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 77.00322 118.300424)
(xy 77.018306 118.30241)
(xy 77.116489 118.315336)
(xy 77.141447 118.322023)
(xy 77.23796 118.362)
(xy 77.260336 118.374918)
(xy 77.343216 118.438515)
(xy 77.361484 118.456783)
(xy 77.425079 118.53966)
(xy 77.438001 118.562042)
(xy 77.477975 118.658548)
(xy 77.484664 118.683512)
(xy 77.499576 118.796779)
(xy 77.5 118.803247)
(xy 77.5 119.296752)
(xy 77.499576 119.30322)
(xy 77.484664 119.416487)
(xy 77.477975 119.441451)
(xy 77.438001 119.537957)
(xy 77.425079 119.560339)
(xy 77.361487 119.643213)
(xy 77.343213 119.661487)
(xy 77.260339 119.725079)
(xy 77.237957 119.738001)
(xy 77.141451 119.777975)
(xy 77.116487 119.784664)
(xy 77.003221 119.799576)
(xy 76.996753 119.8)
(xy 72.303247 119.8)
(xy 72.296779 119.799576)
(xy 72.183512 119.784664)
(xy 72.158548 119.777975)
(xy 72.062042 119.738001)
(xy 72.03966 119.725079)
(xy 71.956783 119.661484)
(xy 71.938515 119.643216)
(xy 71.874918 119.560336)
(xy 71.862 119.53796)
(xy 71.822023 119.441447)
(xy 71.815336 119.416489)
(xy 71.800424 119.303219)
(xy 71.8 119.296752)
(xy 71.8 118.803247)
(xy 71.800424 118.79678)
(xy 71.802062 118.784332)
(xy 71.815336 118.683508)
(xy 71.822022 118.658554)

```

```

(xy 71.862001 118.562035)
(xy 71.874916 118.539666)
(xy 71.938518 118.456779)
(xy 71.956779 118.438518)
(xy 72.039666 118.374916)
(xy 72.062035 118.362001)
(xy 72.158554 118.322022)
(xy 72.183508 118.315336)
(xy 72.284332 118.302062)
(xy 72.29678 118.300424)
(xy 72.303247 118.3)
(xy 76.996753 118.3)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53b1) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 63.7 107.4)
(xy 63.7 118.1)
(xy 69.4 118.1)
(xy 69.4 107.4)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 69.342121 107.420002)
(xy 69.388614 107.473658)
(xy 69.4 107.526)
(xy 69.4 110.2186)
(xy 69.379998 110.286721)
(xy 69.326342 110.333214)
(xy 69.274 110.3446)
(xy 68.316559 110.3446)
(xy 68.248438 110.324598)
(xy 68.227463 110.307695)
(xy 67.543845 109.624076)
(xy 67.543842 109.624073)
(xy 67.53765 109.618511)
(xy 67.537642 109.618504)
(xy 67.537641 109.618503)
(xy 67.513444 109.599003)
(xy 67.513441 109.599001)
(xy 67.485337 109.5843)
(xy 67.459713 109.570897)
(xy 67.391595 109.550896)
(xy 67.391593 109.550895)
(xy 67.391591 109.550895)
(xy 67.391587 109.550894)
(xy 67.39158 109.550893)
(xy 67.347813 109.5446)
(xy 67.34781 109.5446)
(xy 66.726 109.5446)
(xy 66.725993 109.5446)
(xy 66.692967 109.548151)
(xy 66.67007 109.553132)
(xy 66.640626 109.559537)
(xy 66.640625 109.559537)
(xy 66.640622 109.559538)
(xy 66.571893 109.593941)
(xy 66.571891 109.593942)
(xy 66.518237 109.640434)
(xy 66.512765 109.645409)
(xy 66.470898 109.714095)

```

(xy 66.470897 109.714099)
(xy 66.450896 109.782214)
(xy 66.450893 109.782229)
(xy 66.4446 109.825996)
(xy 66.4446 110.75197)
(xy 66.445046 110.760295)
(xy 66.445046 110.760296)
(xy 66.448369 110.791203)
(xy 66.466488 110.849068)
(xy 66.500518 110.911387)
(xy 66.527017 110.946784)
(xy 66.527027 110.946796)
(xy 66.715864 111.135632)
(xy 66.856153 111.275921)
(xy 66.862343 111.281482)
(xy 66.880263 111.295923)
(xy 66.886558 111.300997)
(xy 66.911051 111.313808)
(xy 66.940288 111.329103)
(xy 67.008409 111.349105)
(xy 67.052187 111.355399)
(xy 67.052188 111.3554)
(xy 67.05219 111.3554)
(xy 67.483441 111.3554)
(xy 67.551562 111.375402)
(xy 67.572536 111.392304)
(xy 68.156157 111.975926)
(xy 68.162349 111.981488)
(xy 68.162356 111.981494)
(xy 68.162357 111.981495)
(xy 68.169768 111.987467)
(xy 68.186559 112.000998)
(xy 68.186562 112.000999)
(xy 68.186564 112.001001)
(xy 68.24028 112.029099)
(xy 68.240288 112.029103)
(xy 68.308409 112.049105)
(xy 68.352187 112.055399)
(xy 68.352188 112.0554)
(xy 68.35219 112.0554)
(xy 69.274 112.0554)
(xy 69.342121 112.075402)
(xy 69.388614 112.129058)
(xy 69.4 112.1814)
(xy 69.4 115.3186)
(xy 69.379998 115.386721)
(xy 69.326342 115.433214)
(xy 69.274 115.4446)
(xy 68.316559 115.4446)
(xy 68.248438 115.424598)
(xy 68.227463 115.407695)
(xy 67.543845 114.724076)
(xy 67.543842 114.724073)
(xy 67.53765 114.718511)
(xy 67.537642 114.718504)
(xy 67.537641 114.718503)
(xy 67.513444 114.699003)
(xy 67.513441 114.699001)
(xy 67.485337 114.6843)
(xy 67.459713 114.670897)
(xy 67.391595 114.650896)
(xy 67.391593 114.650895)
(xy 67.391591 114.650895)
(xy 67.391587 114.650894)
(xy 67.39158 114.650893)
(xy 67.347813 114.6446)
(xy 67.34781 114.6446)
(xy 66.726 114.6446)

(xy 66.725993 114.6446)
(xy 66.692967 114.648151)
(xy 66.665197 114.654192)
(xy 66.640626 114.659537)
(xy 66.640625 114.659537)
(xy 66.640622 114.659538)
(xy 66.571893 114.693941)
(xy 66.571891 114.693942)
(xy 66.518237 114.740434)
(xy 66.512765 114.745409)
(xy 66.470898 114.814095)
(xy 66.470897 114.814099)
(xy 66.450896 114.882214)
(xy 66.450893 114.882229)
(xy 66.4446 114.925996)
(xy 66.4446 115.85197)
(xy 66.445046 115.860295)
(xy 66.445046 115.860296)
(xy 66.448369 115.891203)
(xy 66.466488 115.949068)
(xy 66.500518 116.011387)
(xy 66.527017 116.046784)
(xy 66.527027 116.046796)
(xy 66.715864 116.235632)
(xy 66.856153 116.375921)
(xy 66.862343 116.381482)
(xy 66.880263 116.395923)
(xy 66.886558 116.400997)
(xy 66.911051 116.413808)
(xy 66.940288 116.429103)
(xy 67.008409 116.449105)
(xy 67.052187 116.455399)
(xy 67.052188 116.4554)
(xy 67.05219 116.4554)
(xy 67.483442 116.4554)
(xy 67.551563 116.475402)
(xy 67.572532 116.4923)
(xy 67.896632 116.8164)
(xy 67.928048 116.84065)
(xy 67.975363 116.868329)
(xy 67.975363 116.868328)
(xy 67.977374 116.869505)
(xy 67.980541 116.87143)
(xy 67.980541 116.871431)
(xy 68.058713 116.918968)
(xy 68.070899 116.926378)
(xy 68.097516 116.948033)
(xy 68.153359 117.007826)
(xy 68.164658 117.021802)
(xy 68.174981 117.036619)
(xy 68.218733 117.084648)
(xy 68.221145 117.087236)
(xy 68.289832 117.129103)
(xy 68.357953 117.149105)
(xy 68.401731 117.155399)
(xy 68.401732 117.1554)
(xy 69.274 117.1554)
(xy 69.342121 117.175402)
(xy 69.388614 117.229058)
(xy 69.4 117.2814)
(xy 69.4 117.974)
(xy 69.379998 118.042121)
(xy 69.326342 118.088614)
(xy 69.274 118.1)
(xy 64.200558 118.1)
(xy 64.132437 118.079998)
(xy 64.085944 118.026342)
(xy 64.07584 117.956068)

(xy 64.105334 117.891488)
(xy 64.109664 117.886992)
(xy 64.111385 117.884876)
(xy 64.111391 117.884871)
(xy 64.186434 117.761468)
(xy 64.188483 117.754153)
(xy 64.22072 117.699046)
(xy 64.22747 117.692296)
(xy 64.289783 117.658278)
(xy 64.316557 117.6554)
(xy 65.473994 117.6554)
(xy 65.474 117.6554)
(xy 65.507032 117.651849)
(xy 65.559374 117.640463)
(xy 65.628107 117.606058)
(xy 65.634427 117.600581)
(xy 65.681763 117.559566)
(xy 65.684771 117.556829)
(xy 65.687236 117.554589)
(xy 65.729103 117.485902)
(xy 65.749105 117.417781)
(xy 65.7554 117.374)
(xy 65.7554 116.748027)
(xy 65.7554 116.748019)
(xy 65.754955 116.739721)
(xy 65.754955 116.73972)
(xy 65.752006 116.7123)
(xy 65.751629 116.708792)
(xy 65.733512 116.650932)
(xy 65.726459 116.638015)
(xy 65.699489 116.588622)
(xy 65.699485 116.588616)
(xy 65.672985 116.553218)
(xy 65.672972 116.553203)
(xy 65.392305 116.272536)
(xy 65.358279 116.210224)
(xy 65.3554 116.183441)
(xy 65.3554 114.926005)
(xy 65.355399 114.925996)
(xy 65.351849 114.892968)
(xy 65.340463 114.840626)
(xy 65.306058 114.771893)
(xy 65.306057 114.771891)
(xy 65.259566 114.718237)
(xy 65.254591 114.712765)
(xy 65.253873 114.712327)
(xy 65.252466 114.71147)
(xy 65.250792 114.709628)
(xy 65.247641 114.707027)
(xy 65.248015 114.706573)
(xy 65.204709 114.658938)
(xy 65.192934 114.588925)
(xy 65.209528 114.544026)
(xy 65.209436 114.543988)
(xy 65.21043 114.541587)
(xy 65.21328 114.533875)
(xy 65.214185 114.532522)
(xy 65.2254 114.476139)
(xy 65.225399 114.223862)
(xy 65.214185 114.167478)
(xy 65.171462 114.103538)
(xy 65.17146 114.103537)
(xy 65.17146 114.103536)
(xy 65.107524 114.060815)
(xy 65.05114 114.0496)
(xy 64.648865 114.0496)
(xy 64.64886 114.049601)
(xy 64.592479 114.060814)

(xy 64.592477 114.060815)
(xy 64.592478 114.060815)
(xy 64.528794 114.103366)
(xy 64.461043 114.12458)
(xy 64.458795 114.1246)
(xy 63.826 114.1246)
(xy 63.757879 114.104598)
(xy 63.711386 114.050942)
(xy 63.7 113.9986)
(xy 63.7 113.239133)
(xy 63.720002 113.171012)
(xy 63.773658 113.124519)
(xy 63.800359 113.115769)
(xy 63.8776 113.099719)
(xy 64.005837 113.033272)
(xy 64.111391 112.934691)
(xy 64.186434 112.811288)
(xy 64.2254 112.672215)
(xy 64.2254 112.672207)
(xy 64.226495 112.664245)
(xy 64.255586 112.599482)
(xy 64.315072 112.560727)
(xy 64.351322 112.5554)
(xy 65.473994 112.5554)
(xy 65.474 112.5554)
(xy 65.507032 112.551849)
(xy 65.559374 112.540463)
(xy 65.628107 112.506058)
(xy 65.634427 112.500581)
(xy 65.681763 112.459566)
(xy 65.684771 112.456829)
(xy 65.687236 112.454589)
(xy 65.729103 112.385902)
(xy 65.749105 112.317781)
(xy 65.7554 112.274)
(xy 65.7554 111.648027)
(xy 65.7554 111.648019)
(xy 65.754955 111.639721)
(xy 65.754955 111.63972)
(xy 65.753072 111.622215)
(xy 65.751629 111.608792)
(xy 65.733512 111.550932)
(xy 65.699488 111.488621)
(xy 65.699485 111.488616)
(xy 65.672985 111.453218)
(xy 65.672972 111.453203)
(xy 65.392305 111.172536)
(xy 65.358279 111.110224)
(xy 65.3554 111.083441)
(xy 65.3554 109.826005)
(xy 65.355399 109.825996)
(xy 65.351849 109.792968)
(xy 65.340463 109.740626)
(xy 65.306058 109.671893)
(xy 65.306057 109.671891)
(xy 65.259566 109.618237)
(xy 65.254591 109.612765)
(xy 65.253873 109.612327)
(xy 65.252466 109.61147)
(xy 65.250792 109.609628)
(xy 65.247641 109.607027)
(xy 65.248015 109.606573)
(xy 65.204709 109.558938)
(xy 65.192934 109.488925)
(xy 65.209528 109.444026)
(xy 65.209436 109.443988)
(xy 65.21043 109.441587)
(xy 65.21328 109.433875)

```

        (xy 65.214185 109.432522)
        (xy 65.2254 109.376139)
        (xy 65.225399 109.123862)
        (xy 65.214185 109.067478)
        (xy 65.171462 109.003538)
        (xy 65.17146 109.003537)
        (xy 65.17146 109.003536)
        (xy 65.107524 108.960815)
        (xy 65.05114 108.9496)
        (xy 64.648865 108.9496)
        (xy 64.64886 108.949601)
        (xy 64.592479 108.960814)
        (xy 64.528536 109.003539)
        (xy 64.485815 109.067475)
        (xy 64.485815 109.067476)
(xy 64.474979 109.121954)
        (xy 64.442071 109.184863)
        (xy 64.380376 109.219995)
        (xy 64.309481 109.216195)
        (xy 64.251895 109.174669)
        (xy 64.225901 109.108602)
        (xy 64.2254 109.097372)
        (xy 64.2254 107.526)
        (xy 64.245402 107.457879)
        (xy 64.299058 107.411386)
        (xy 64.3514 107.4)
        (xy 69.274 107.4)
    )
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53b4) (hatch edge
(connect_pads thru_hole_only (clearance 0.1))
(min_thickness 0.1) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 68.65 103.75)
(xy 68.65 106.15)
(xy 72.15 106.15)
(xy 72.15 103.75)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 72.135648 103.764352)
(xy 72.15 103.799)
(xy 72.15 106.101)
(xy 72.135648 106.135648)
(xy 72.101 106.15)
(xy 68.699 106.15)
(xy 68.664352 106.135648)
(xy 68.65 106.101)
(xy 68.65 103.799)
(xy 68.664352 103.764352)
(xy 68.699 103.75)
(xy 72.101 103.75)
)
)
)
(zone (net 2) (net_name "+3V3") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53b7) (hatch edge
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 66.6 114.8)

```

```

        (xy 66.6 115.9)
        (xy 67 116.3)
        (xy 67.6 116.3)
        (xy 68.3 117)
        (xy 69.6 117)
        (xy 69.6 115.6)
        (xy 68.2 115.6)
        (xy 67.4 114.8)
    )
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 67.415931 114.820002)
(xy 67.4369 114.8369)
(xy 68.2 115.6)
(xy 69.474 115.6)
(xy 69.542121 115.620002)
(xy 69.588614 115.673658)
(xy 69.6 115.726)
(xy 69.6 116.874)
(xy 69.579998 116.942121)
(xy 69.526342 116.988614)
(xy 69.474 117)
(xy 68.401734 117)
(xy 68.333613 116.979998)
(xy 68.289861 116.931969)
(xy 68.288745 116.929816)
(xy 68.283272 116.919253)
(xy 68.184691 116.813699)
(xy 68.061288 116.738656)
(xy 68.061286 116.738655)
(xy 68.061284 116.738654)
(xy 68.053385 116.735223)
(xy 68.053831 116.734195)
(xy 68.006516 116.706516)
(xy 67.6 116.3)
(xy 67.05219 116.3)
(xy 66.984069 116.279998)
(xy 66.963095 116.263095)
(xy 66.636905 115.936905)
(xy 66.602879 115.874593)
(xy 66.6 115.84781)
(xy 66.6 114.926)
(xy 66.620002 114.857879)
(xy 66.673658 114.811386)
(xy 66.726 114.8)
(xy 67.34781 114.8)
)
)
)
(zone (net 29) (net_name "+1V2") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53ba) (hatch edg
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 66.6 109.7)
(xy 66.6 110.8)
(xy 67 111.2)
(xy 67.6 111.2)
(xy 68.3 111.9)
(xy 69.6 111.9)
(xy 69.6 110.5)
(xy 68.2 110.5)
(xy 67.4 109.7)
)
)
)

```

```

)
(filled_polygon
(layer "F.Cu")
(pts
(xy 67.415931 109.720002)
(xy 67.4369 109.7369)
(xy 68.2 110.5)
(xy 69.474 110.5)
(xy 69.542121 110.520002)
(xy 69.588614 110.573658)
(xy 69.6 110.626)
(xy 69.6 111.774)
(xy 69.579998 111.842121)
(xy 69.526342 111.888614)
(xy 69.474 111.9)
(xy 68.35219 111.9)
(xy 68.284069 111.879998)
(xy 68.263099 111.863099)
(xy 67.6 111.2)
(xy 67.05219 111.2)
(xy 66.984069 111.179998)
(xy 66.963095 111.163095)
(xy 66.636905 110.836905)
(xy 66.602879 110.774593)
(xy 66.6 110.74781)
(xy 66.6 109.826)
(xy 66.620002 109.757879)
(xy 66.673658 109.711386)
(xy 66.726 109.7)
(xy 67.34781 109.7)
)
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53bd) (hatch edge
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 63.7 111.6)
(xy 64.2 111.6)
(xy 64.2 109.7)
(xy 65.2 109.7)
(xy 65.2 111.2)
(xy 65.6 111.6)
(xy 65.6 112.4)
(xy 64.2 112.4)
(xy 63.7 112.9)
)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 65.142121 109.720002)
(xy 65.188614 109.773658)
(xy 65.2 109.826)
(xy 65.2 111.2)
(xy 65.563096 111.563096)
(xy 65.59712 111.625407)
(xy 65.6 111.65219)
(xy 65.6 112.274)
(xy 65.579998 112.342121)
(xy 65.526342 112.388614)
(xy 65.474 112.4)
(xy 64.199998 112.4)
(xy 63.915095 112.684904)
(xy 63.852783 112.71893)

```

```

(xy 63.781968 112.713865)
(xy 63.725132 112.671318)
(xy 63.700321 112.604798)
(xy 63.7 112.595809)
(xy 63.7 111.726)
(xy 63.720002 111.657879)
(xy 63.773658 111.611386)
(xy 63.826 111.6)
(xy 64.2 111.6)
(xy 64.2 109.826)
(xy 64.220002 109.757879)
(xy 64.273658 109.711386)
(xy 64.326 109.7)
(xy 65.074 109.7)
)
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53c0) (hatch edge
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 64.2 114.8)
(xy 65.2 114.8)
(xy 65.2 116.3)
(xy 65.6 116.7)
(xy 65.6 117.5)
(xy 64.2 117.5)
(xy 63.7 118)
(xy 63.7 116.7)
(xy 64.2 116.7)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 65.142121 114.820002)
(xy 65.188614 114.873658)
(xy 65.2 114.926)
(xy 65.2 116.3)
(xy 65.563096 116.663096)
(xy 65.59712 116.725407)
(xy 65.6 116.75219)
(xy 65.6 117.374)
(xy 65.579998 117.442121)
(xy 65.526342 117.488614)
(xy 65.474 117.5)
(xy 64.199998 117.5)
(xy 63.915095 117.784904)
(xy 63.852783 117.81893)
(xy 63.781968 117.813865)
(xy 63.725132 117.771318)
(xy 63.700321 117.704798)
(xy 63.7 117.695809)
(xy 63.7 116.826)
(xy 63.720002 116.757879)
(xy 63.773658 116.711386)
(xy 63.826 116.7)
(xy 64.2 116.7)
(xy 64.2 114.926)
(xy 64.220002 114.857879)
(xy 64.273658 114.811386)
(xy 64.326 114.8)
(xy 65.074 114.8)
)
)
)

```

```

)
(zone (net 0) (net_name "") (layers "F&B.Cu") (tstamp 00000000-0000-0000-0000-00005cca7240) (hatch edge
(connect_pads (clearance 0))
(min_thickness 0.0256) (filled_areas_thickness no)
(keepout (tracks not_allowed) (vias not_allowed) (pads allowed) (copperpour allowed) (footprints allowed)
(fill (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 50 120)
(xy 130 120)
(xy 130 71)
(xy 50 71)
)
)
)
(polygon
(pts
(xy 51.7 90.9)
(xy 50.35 90.9)
(xy 50.35 100.1)
(xy 51.7 100.1)
(xy 51.7 118.3)
(xy 71.7 118.3)
(xy 71.7 119.8)
(xy 77.6 119.8)
(xy 77.6 118.3)
(xy 128.3 118.3)
(xy 128.3 72.7)
(xy 51.7 72.7)
)
)
)
(zone (net 7) (net_name "/SHLD") (layer "In1.Cu") (tstamp 00000000-0000-0000-0000-00005faf53a2) (hatch edge
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 56.8 90.7)
(xy 56.8 100.3)
(xy 50 100.3)
(xy 50 90.7)
)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 56.30322 90.700424)
(xy 56.318306 90.70241)
(xy 56.416489 90.715336)
(xy 56.441447 90.722023)
(xy 56.53796 90.762)
(xy 56.560336 90.774918)
(xy 56.643216 90.838515)
(xy 56.661484 90.856783)
(xy 56.725079 90.93966)
(xy 56.738001 90.962042)
(xy 56.777975 91.058548)
(xy 56.784664 91.083512)
(xy 56.799576 91.196779)
(xy 56.8 91.203247)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
)
)
)

```

(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 98.39)
(xy 54.669534 98.39)
(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660451 98.800451)
(xy 55.752698 98.680233)
(xy 55.810687 98.540236)
(xy 55.830466 98.39)
(xy 55.810687 98.239764)
(xy 55.752698 98.099767)
(xy 55.660451 97.979549)
(xy 55.540233 97.887302)
(xy 55.400236 97.829313)
(xy 55.400234 97.829312)
(xy 55.400232 97.829312)
(xy 55.28772 97.8145)
(xy 55.21228 97.8145)
(xy 55.212279 97.8145)
(xy 55.099767 97.829312)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 50.0505 98.39)
(xy 50.0505 96.300002)
(xy 55.044968 96.300002)
(xy 55.063398 96.428191)
(xy 55.063399 96.428194)
(xy 55.117204 96.546011)
(xy 55.202014 96.643888)
(xy 55.202016 96.643889)
(xy 55.202017 96.64389)
(xy 55.310973 96.713912)
(xy 55.435242 96.7504)
(xy 55.435244 96.7504)

(xy 55.564756 96.7504)
(xy 55.564758 96.7504)
(xy 55.689027 96.713912)
(xy 55.797983 96.64389)
(xy 55.882797 96.546009)
(xy 55.9366 96.428197)
(xy 55.955032 96.3)
(xy 55.9366 96.171803)
(xy 55.882797 96.053991)
(xy 55.882795 96.053989)
(xy 55.882795 96.053988)
(xy 55.797985 95.956111)
(xy 55.689027 95.886088)
(xy 55.689024 95.886087)
(xy 55.634201 95.86999)
(xy 55.583694 95.835454)
(xy 55.563132 95.777827)
(xy 55.58037 95.71912)
(xy 55.628823 95.681758)
(xy 55.634201 95.68001)
(xy 55.689027 95.663912)
(xy 55.797983 95.59389)
(xy 55.882797 95.496009)
(xy 55.9366 95.378197)
(xy 55.955032 95.25)
(xy 55.9366 95.121803)
(xy 55.882797 95.003991)
(xy 55.882795 95.003989)
(xy 55.882795 95.003988)
(xy 55.797985 94.906111)
(xy 55.689027 94.836088)
(xy 55.689024 94.836087)
(xy 55.56476 94.7996)
(xy 55.564758 94.7996)
(xy 55.435242 94.7996)
(xy 55.435239 94.7996)
(xy 55.310975 94.836087)
(xy 55.310972 94.836088)
(xy 55.202014 94.906111)
(xy 55.117204 95.003988)
(xy 55.063399 95.121805)
(xy 55.063398 95.121808)
(xy 55.044968 95.249997)
(xy 55.044968 95.250002)
(xy 55.063398 95.378191)
(xy 55.063399 95.378194)
(xy 55.117204 95.496011)
(xy 55.202014 95.593888)
(xy 55.202016 95.593889)
(xy 55.202017 95.59389)
(xy 55.310973 95.663912)
(xy 55.365799 95.68001)
(xy 55.416305 95.714546)
(xy 55.436867 95.772173)
(xy 55.419629 95.83088)
(xy 55.371176 95.868243)
(xy 55.365799 95.86999)
(xy 55.310973 95.886088)
(xy 55.310972 95.886088)
(xy 55.202014 95.956111)
(xy 55.117204 96.053988)
(xy 55.063399 96.171805)
(xy 55.063398 96.171808)
(xy 55.044968 96.299997)
(xy 55.044968 96.300002)
(xy 50.0505 96.300002)
(xy 50.0505 94.600002)
(xy 53.944968 94.600002)

(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 54.017204 94.846011)
(xy 54.102014 94.943888)
(xy 54.102016 94.943889)
(xy 54.102017 94.94389)
(xy 54.210973 95.013912)
(xy 54.335242 95.0504)
(xy 54.335244 95.0504)
(xy 54.464756 95.0504)
(xy 54.464758 95.0504)
(xy 54.589027 95.013912)
(xy 54.697983 94.94389)
(xy 54.782797 94.846009)
(xy 54.8366 94.728197)
(xy 54.855032 94.6)
(xy 54.8366 94.471803)
(xy 54.782797 94.353991)
(xy 54.782795 94.353989)
(xy 54.782795 94.353988)
(xy 54.697985 94.256111)
(xy 54.589027 94.186088)
(xy 54.589024 94.186087)
(xy 54.46476 94.1496)
(xy 54.464758 94.1496)
(xy 54.335242 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 50.0505 94.600002)
(xy 50.0505 92.61)
(xy 54.669534 92.61)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.21228 93.1855)
(xy 55.212281 93.1855)
(xy 55.287719 93.1855)
(xy 55.28772 93.1855)
(xy 55.400236 93.170687)
(xy 55.540233 93.112698)
(xy 55.660451 93.020451)
(xy 55.752698 92.900233)
(xy 55.810687 92.760236)
(xy 55.830466 92.61)
(xy 55.810687 92.459764)
(xy 55.752698 92.319767)
(xy 55.660451 92.199549)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)

```

(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 50.0505 92.61)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)
(xy 50.262035 90.762001)
(xy 50.358554 90.722022)
(xy 50.383508 90.715336)
(xy 50.484332 90.702062)
(xy 50.49678 90.700424)
(xy 50.503247 90.7)
(xy 56.296753 90.7)
)
)
)
(zone (net 204) (net_name "/SWSH") (layer "In1.Cu") (tstamp 00000000-0000-0000-0000-00005faf53ae) (hatch
(priority 2)
(connect_pads (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 77.5 119.8)
(xy 71.8 119.8)
(xy 71.8 118.3)
(xy 77.5 118.3)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 74.152364 118.318907)
(xy 74.188328 118.368407)
(xy 74.188328 118.429593)
(xy 74.152364 118.479093)
(xy 74.152363 118.479093)
(xy 74.128536 118.496403)
(xy 74.128535 118.496404)
(xy 74.403219 118.771088)
(xy 74.430996 118.825604)
(xy 74.421425 118.886036)
(xy 74.403219 118.911095)
(xy 74.331095 118.983219)
(xy 74.276578 119.010996)
(xy 74.216146 119.001425)
(xy 74.191088 118.983219)
(xy 73.913508 118.705639)
(xy 73.913507 118.70564)
(xy 73.82328 118.861921)
(xy 73.764819 119.041843)
(xy 73.745043 119.23)
(xy 73.764819 119.418156)
(xy 73.823279 119.598074)
(xy 73.823285 119.598088)
(xy 73.854123 119.6515)
(xy 73.866845 119.711348)
(xy 73.841959 119.767244)
(xy 73.788971 119.797837)
(xy 73.768387 119.8)
(xy 72.303247 119.8)

```

```

(xy 72.296779 119.799576)
(xy 72.183512 119.784664)
(xy 72.158548 119.777975)
(xy 72.062042 119.738001)
(xy 72.03966 119.725079)
(xy 71.968411 119.670407)
(xy 71.956783 119.661484)
(xy 71.938515 119.643216)
(xy 71.874918 119.560336)
(xy 71.862 119.53796)
(xy 71.822023 119.441447)
(xy 71.815336 119.416489)
(xy 71.800424 119.303219)
(xy 71.8 119.296752)
(xy 71.8 118.803247)
(xy 71.800424 118.79678)
(xy 71.803806 118.771087)
(xy 71.815336 118.683508)
(xy 71.822022 118.658554)
(xy 71.862001 118.562035)
(xy 71.874916 118.539666)
(xy 71.938518 118.456779)
(xy 71.956779 118.438518)
(xy 72.039666 118.374916)
(xy 72.062035 118.362001)
(xy 72.158554 118.322022)
(xy 72.183508 118.315336)
(xy 72.284332 118.302062)
(xy 72.29678 118.300424)
(xy 72.303247 118.3)
(xy 74.094173 118.3)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 77.00322 118.300424)
(xy 77.018306 118.30241)
(xy 77.116489 118.315336)
(xy 77.141447 118.322023)
(xy 77.23796 118.362)
(xy 77.260336 118.374918)
(xy 77.343216 118.438515)
(xy 77.361484 118.456783)
(xy 77.391886 118.496403)
(xy 77.425079 118.53966)
(xy 77.438001 118.562042)
(xy 77.477975 118.658548)
(xy 77.484664 118.683512)
(xy 77.499576 118.796779)
(xy 77.5 118.803247)
(xy 77.5 119.296752)
(xy 77.499576 119.30322)
(xy 77.484664 119.416487)
(xy 77.477975 119.441451)
(xy 77.438001 119.537957)
(xy 77.425079 119.560339)
(xy 77.361487 119.643213)
(xy 77.343213 119.661487)
(xy 77.260339 119.725079)
(xy 77.237957 119.738001)
(xy 77.141451 119.777975)
(xy 77.116487 119.784664)
(xy 77.003221 119.799576)
(xy 76.996753 119.8)
(xy 75.531613 119.8)
(xy 75.473422 119.781093)
(xy 75.437458 119.731593)

```

```

(xy 75.437458 119.670407)
(xy 75.445877 119.6515)
(xy 75.476714 119.598088)
(xy 75.47672 119.598074)
(xy 75.53518 119.418156)
(xy 75.554956 119.23)
(xy 75.53518 119.041843)
(xy 75.47672 118.861925)
(xy 75.476717 118.861918)
(xy 75.38649 118.70564)
(xy 75.108912 118.983219)
(xy 75.054395 119.010996)
(xy 74.993963 119.001425)
(xy 74.968907 118.983221)
(xy 74.896778 118.911092)
(xy 74.869003 118.856578)
(xy 74.878574 118.796146)
(xy 74.89678 118.771087)
(xy 75.171462 118.496404)
(xy 75.147635 118.479093)
(xy 75.111671 118.429593)
(xy 75.111671 118.368408)
(xy 75.147635 118.318907)
(xy 75.205826 118.3)
(xy 76.996753 118.3)
)
)
)
(zone (net 3) (net_name "GND") (layer "In1.Cu") (tstamp 00000000-0000-0000-0000-00005faf53cc) (hatch ed
(connect_pads (clearance 0.15))
(min_thickness 0.15) (filled_areas_thickness no)
(fill yes (thermal_gap 0.5) (thermal_bridge_width 0.5))
(polygon
(pts
(xy 50 120)
(xy 130 120)
(xy 130 71)
(xy 50 71)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 126.000832 71.050538)
(xy 126.362706 71.067269)
(xy 126.366095 71.067582)
(xy 126.724039 71.117513)
(xy 126.727363 71.118134)
(xy 127.079183 71.200882)
(xy 127.082441 71.201809)
(xy 127.425108 71.316659)
(xy 127.42829 71.317893)
(xy 127.758878 71.463862)
(xy 127.761939 71.465386)
(xy 128.077648 71.641234)
(xy 128.080552 71.643031)
(xy 128.378699 71.847268)
(xy 128.381418 71.849322)
(xy 128.659446 72.080192)
(xy 128.661973 72.082496)
(xy 128.917503 72.338026)
(xy 128.919807 72.340553)
(xy 129.150677 72.618581)
(xy 129.152733 72.621303)
(xy 129.176525 72.656034)
(xy 129.356965 72.919443)
(xy 129.358765 72.922351)
(xy 129.534613 73.23806)

```

(xy 129.536137 73.241121)
(xy 129.682106 73.571709)
(xy 129.683342 73.574897)
(xy 129.798188 73.917552)
(xy 129.799121 73.92083)
(xy 129.88186 74.272613)
(xy 129.882488 74.275974)
(xy 129.932415 74.633888)
(xy 129.93273 74.637293)
(xy 129.94946 74.999145)
(xy 129.949499 75.000854)
(xy 129.949499 115.999167)
(xy 129.94946 116.000854)
(xy 129.943572 116.128223)
(xy 129.93273 116.362707)
(xy 129.932415 116.366111)
(xy 129.882488 116.724025)
(xy 129.88186 116.727384)
(xy 129.804031 117.058296)
(xy 129.799124 117.079158)
(xy 129.798188 117.082447)
(xy 129.683342 117.425102)
(xy 129.682106 117.42829)
(xy 129.536137 117.758878)
(xy 129.534613 117.761939)
(xy 129.358765 118.077648)
(xy 129.356965 118.080556)
(xy 129.152738 118.37869)
(xy 129.150677 118.381418)
(xy 128.919807 118.659446)
(xy 128.917503 118.661973)
(xy 128.661973 118.917503)
(xy 128.659446 118.919807)
(xy 128.381418 119.150677)
(xy 128.37869 119.152738)
(xy 128.080556 119.356965)
(xy 128.077648 119.358765)
(xy 127.761939 119.534613)
(xy 127.758878 119.536137)
(xy 127.42829 119.682106)
(xy 127.425102 119.683342)
(xy 127.082447 119.798188)
(xy 127.079163 119.799122)
(xy 126.727386 119.88186)
(xy 126.724025 119.882488)
(xy 126.366111 119.932415)
(xy 126.362707 119.93273)
(xy 126.133015 119.94335)
(xy 126.000832 119.949461)
(xy 125.999146 119.9495)
(xy 77.458055 119.9495)
(xy 77.410489 119.932187)
(xy 77.385179 119.88835)
(xy 77.393969 119.8385)
(xy 77.418046 119.813248)
(xy 77.448049 119.793967)
(xy 77.532882 119.696063)
(xy 77.557165 119.642889)
(xy 77.558769 119.63978)
(xy 77.575214 119.611298)
(xy 77.579716 119.602167)
(xy 77.623586 119.496255)
(xy 77.624754 119.492812)
(xy 77.626859 119.486616)
(xy 77.626858 119.486617)
(xy 77.626859 119.486614)
(xy 77.630799 119.471908)
(xy 77.636183 119.451817)

(xy 77.636183 119.451818)
(xy 77.636752 119.44895)
(xy 77.638169 119.441831)
(xy 77.63817 119.44182)
(xy 77.638171 119.44182)
(xy 77.654078 119.320994)
(xy 77.654578 119.31593)
(xy 77.655333 119.304386)
(xy 77.6555 119.299299)
(xy 77.6555 118.8007)
(xy 77.655333 118.795613)
(xy 77.654578 118.784069)
(xy 77.654078 118.779005)
(xy 77.638171 118.658179)
(xy 77.63817 118.658178)
(xy 77.638169 118.658168)
(xy 77.636183 118.648183)
(xy 77.636183 118.648182)
(xy 77.636182 118.648181)
(xy 77.626861 118.613392)
(xy 77.626859 118.613385)
(xy 77.626858 118.613382)
(xy 77.626859 118.613383)
(xy 77.624754 118.607186)
(xy 77.623586 118.603744)
(xy 77.579716 118.497832)
(xy 77.575214 118.488701)
(xy 77.558771 118.460221)
(xy 77.557156 118.45709)
(xy 77.532882 118.403937)
(xy 77.448049 118.306033)
(xy 77.381032 118.262964)
(xy 77.339068 118.235995)
(xy 77.330556 118.233496)
(xy 77.314409 118.226581)
(xy 77.311306 118.22479)
(xy 77.311305 118.224789)
(xy 77.302169 118.220284)
(xy 77.30217 118.220284)
(xy 77.196258 118.176414)
(xy 77.196257 118.176413)
(xy 77.186605 118.173136)
(xy 77.163527 118.166954)
(xy 77.151816 118.163817)
(xy 77.141832 118.161831)
(xy 77.131975 118.160533)
(xy 77.082389 118.154004)
(xy 77.03749 118.13063)
(xy 77.018119 118.083863)
(xy 77.032996 118.036041)
(xy 77.089245 117.961555)
(xy 77.180113 117.779067)
(xy 77.180115 117.779062)
(xy 77.235904 117.582984)
(xy 77.254713 117.380003)
(xy 77.254713 117.379996)
(xy 77.235904 117.177015)
(xy 77.180115 116.980937)
(xy 77.180112 116.980927)
(xy 77.089248 116.798447)
(xy 77.087465 116.796086)
(xy 76.638757 117.244794)
(xy 76.59288 117.266186)
(xy 76.543986 117.253085)
(xy 76.520497 117.226064)
(xy 76.489296 117.16483)
(xy 76.477641 117.141955)
(xy 76.388045 117.052359)

(xy 76.303932 117.009501)
(xy 76.269412 116.972482)
(xy 76.266763 116.921932)
(xy 76.285203 116.891242)
(xy 76.730688 116.445757)
(xy 76.642423 116.391106)
(xy 76.642408 116.391099)
(xy 76.45232 116.317459)
(xy 76.251933 116.28)
(xy 76.048066 116.28)
(xy 75.847679 116.317459)
(xy 75.657591 116.391099)
(xy 75.657585 116.391102)
(xy 75.569311 116.445757)
(xy 76.014795 116.891242)
(xy 76.036187 116.937119)
(xy 76.023086 116.986013)
(xy 75.996065 117.009502)
(xy 75.911953 117.05236)
(xy 75.82236 117.141953)
(xy 75.779502 117.226065)
(xy 75.742481 117.260587)
(xy 75.691932 117.263235)
(xy 75.661242 117.244795)
(xy 75.212533 116.796086)
(xy 75.212532 116.796086)
(xy 75.210752 116.798446)
(xy 75.119887 116.980927)
(xy 75.119884 116.980937)
(xy 75.064095 117.177015)
(xy 75.045287 117.379996)
(xy 75.045287 117.380003)
(xy 75.064095 117.582984)
(xy 75.119884 117.779062)
(xy 75.119886 117.779067)
(xy 75.210754 117.961557)
(xy 75.210756 117.96156)
(xy 75.259494 118.026099)
(xy 75.274344 118.074491)
(xy 75.254613 118.121106)
(xy 75.209535 118.144133)
(xy 75.206264 118.144465)
(xy 75.205829 118.144499)
(xy 75.157769 118.152111)
(xy 75.114419 118.166196)
(xy 75.099584 118.171017)
(xy 75.084385 118.17685)
(xy 75.021835 118.227503)
(xy 75.021826 118.227513)
(xy 74.985864 118.277013)
(xy 74.977004 118.290656)
(xy 74.977003 118.290659)
(xy 74.956171 118.368405)
(xy 74.956171 118.429593)
(xy 74.9564 118.433973)
(xy 74.941594 118.482378)
(xy 74.899138 118.509942)
(xy 74.858061 118.507684)
(xy 74.818062 118.493688)
(xy 74.818059 118.493687)
(xy 74.65 118.474751)
(xy 74.481941 118.493687)
(xy 74.481938 118.493687)
(xy 74.481938 118.493688)
(xy 74.441814 118.507727)
(xy 74.391199 118.507095)
(xy 74.352832 118.474075)
(xy 74.34521 118.434444)

(xy 74.343828 118.434444)
(xy 74.343828 118.368411)
(xy 74.343828 118.368405)
(xy 74.342976 118.352153)
(xy 74.31413 118.277006)
(xy 74.278172 118.227513)
(xy 74.278172 118.227514)
(xy 74.278166 118.227506)
(xy 74.267922 118.214856)
(xy 74.200415 118.171017)
(xy 74.200413 118.171016)
(xy 74.200411 118.171015)
(xy 74.200409 118.171014)
(xy 74.142229 118.152111)
(xy 74.142225 118.15211)
(xy 74.142224 118.15211)
(xy 74.103152 118.145922)
(xy 74.094174 118.1445)
(xy 74.094173 118.1445)
(xy 73.600795 118.1445)
(xy 73.553229 118.127187)
(xy 73.527919 118.08335)
(xy 73.536709 118.0335)
(xy 73.561424 118.007843)
(xy 73.620885 117.97048)
(xy 73.620884 117.97048)
(xy 73.62089 117.970477)
(xy 73.740477 117.85089)
(xy 73.830456 117.70769)
(xy 73.886313 117.548059)
(xy 73.905249 117.38)
(xy 73.886313 117.211941)
(xy 73.830456 117.05231)
(xy 73.803558 117.009502)
(xy 73.74048 116.909114)
(xy 73.740478 116.909112)
(xy 73.740477 116.90911)
(xy 73.62089 116.789523)
(xy 73.620887 116.789521)
(xy 73.620885 116.789519)
(xy 73.477691 116.699544)
(xy 73.318067 116.643689)
(xy 73.318059 116.643687)
(xy 73.15 116.624751)
(xy 72.98194 116.643687)
(xy 72.981932 116.643689)
(xy 72.822308 116.699544)
(xy 72.679114 116.789519)
(xy 72.559519 116.909114)
(xy 72.469544 117.052308)
(xy 72.413689 117.211932)
(xy 72.413687 117.21194)
(xy 72.408796 117.255353)
(xy 72.394751 117.38)
(xy 72.399478 117.421954)
(xy 72.413687 117.548059)
(xy 72.413689 117.548067)
(xy 72.469544 117.707691)
(xy 72.559519 117.850885)
(xy 72.559521 117.850887)
(xy 72.559523 117.85089)
(xy 72.67911 117.970477)
(xy 72.679112 117.970478)
(xy 72.679114 117.97048)
(xy 72.738576 118.007843)
(xy 72.76964 118.047809)
(xy 72.767747 118.098392)
(xy 72.733782 118.135925)

(xy 72.699205 118.1445)
(xy 72.3007 118.1445)
(xy 72.295611 118.144667)
(xy 72.284069 118.145424)
(xy 72.279005 118.145922)
(xy 72.217617 118.154004)
(xy 72.158165 118.161831)
(xy 72.148181 118.163817)
(xy 72.12404 118.170284)
(xy 72.113391 118.173137)
(xy 72.113392 118.173137)
(xy 72.103751 118.17641)
(xy 72.046605 118.20008)
(xy 71.997824 118.220286)
(xy 71.997825 118.220286)
(xy 71.988687 118.224792)
(xy 71.988683 118.224794)
(xy 71.985579 118.226586)
(xy 71.969437 118.233498)
(xy 71.960931 118.235995)
(xy 71.851954 118.306031)
(xy 71.85195 118.306034)
(xy 71.767118 118.403935)
(xy 71.742854 118.457067)
(xy 71.74124 118.460198)
(xy 71.72479 118.48869)
(xy 71.720286 118.497824)
(xy 71.720283 118.497832)
(xy 71.67641 118.603751)
(xy 71.673137 118.613392)
(xy 71.663817 118.648181)
(xy 71.661831 118.658165)
(xy 71.661831 118.658168)
(xy 71.66183 118.658173)
(xy 71.645922 118.779005)
(xy 71.645424 118.784069)
(xy 71.644667 118.795611)
(xy 71.6445 118.8007)
(xy 71.6445 119.299299)
(xy 71.644667 119.304387)
(xy 71.645424 119.315931)
(xy 71.645921 119.320993)
(xy 71.661025 119.435716)
(xy 71.661831 119.441832)
(xy 71.663817 119.451816)
(xy 71.663818 119.451818)
(xy 71.673137 119.486606)
(xy 71.676413 119.496257)
(xy 71.676414 119.496258)
(xy 71.720284 119.60217)
(xy 71.720284 119.602169)
(xy 71.724786 119.611299)
(xy 71.729329 119.619168)
(xy 71.741232 119.639787)
(xy 71.742845 119.642916)
(xy 71.767116 119.696061)
(xy 71.851947 119.793963)
(xy 71.851948 119.793964)
(xy 71.851951 119.793967)
(xy 71.881952 119.813247)
(xy 71.912608 119.853528)
(xy 71.910199 119.904089)
(xy 71.875854 119.941274)
(xy 71.841945 119.9495)
(xy 54.000854 119.9495)
(xy 53.999167 119.949461)
(xy 53.862628 119.943148)
(xy 53.637292 119.93273)

(xy 53.633888 119.932415)
(xy 53.275974 119.882488)
(xy 53.272619 119.881861)
(xy 52.92083 119.799121)
(xy 52.917552 119.798188)
(xy 52.574897 119.683342)
(xy 52.571709 119.682106)
(xy 52.241121 119.536137)
(xy 52.23806 119.534613)
(xy 51.922351 119.358765)
(xy 51.919443 119.356965)
(xy 51.835258 119.299297)
(xy 51.621303 119.152733)
(xy 51.618581 119.150677)
(xy 51.340553 118.919807)
(xy 51.338026 118.917503)
(xy 51.082496 118.661973)
(xy 51.080192 118.659446)
(xy 50.849322 118.381418)
(xy 50.847268 118.378699)
(xy 50.643031 118.080552)
(xy 50.641234 118.077648)
(xy 50.465386 117.761939)
(xy 50.463862 117.758878)
(xy 50.35344 117.508796)
(xy 61.534473 117.508796)
(xy 61.552908 117.637019)
(xy 61.552908 117.63702)
(xy 61.552909 117.637022)
(xy 61.606724 117.754859)
(xy 61.691557 117.852763)
(xy 61.800537 117.9228)
(xy 61.924834 117.959296)
(xy 62.054378 117.959296)
(xy 62.178675 117.9228)
(xy 62.287655 117.852763)
(xy 62.372488 117.754859)
(xy 62.426303 117.637022)
(xy 62.438789 117.55018)
(xy 63.244867 117.55018)
(xy 63.263302 117.678403)
(xy 63.263302 117.678404)
(xy 63.263303 117.678406)
(xy 63.317118 117.796243)
(xy 63.401951 117.894147)
(xy 63.510931 117.964184)
(xy 63.635228 118.00068)
(xy 63.764772 118.00068)
(xy 63.889069 117.964184)
(xy 63.998049 117.894147)
(xy 64.082882 117.796243)
(xy 64.136697 117.678406)
(xy 64.155133 117.55018)
(xy 64.136697 117.421954)
(xy 64.083654 117.305809)
(xy 64.079644 117.255353)
(xy 64.08365 117.244341)
(xy 64.136697 117.128188)
(xy 64.155133 116.999962)
(xy 64.136697 116.871736)
(xy 64.082882 116.753899)
(xy 63.998049 116.655995)
(xy 63.931032 116.612926)
(xy 63.889068 116.585957)
(xy 63.764772 116.549462)
(xy 63.635228 116.549462)
(xy 63.510931 116.585957)
(xy 63.401954 116.655993)

(xy 63.40195 116.655996)
(xy 63.317119 116.753897)
(xy 63.263302 116.871738)
(xy 63.244867 116.999962)
(xy 63.263302 117.128185)
(xy 63.263302 117.128186)
(xy 63.263303 117.128188)
(xy 63.316344 117.24433)
(xy 63.320355 117.29479)
(xy 63.316344 117.305812)
(xy 63.263302 117.421956)
(xy 63.244867 117.55018)
(xy 62.438789 117.55018)
(xy 62.444739 117.508796)
(xy 62.426303 117.38057)
(xy 62.372488 117.262733)
(xy 62.287655 117.164829)
(xy 62.220638 117.12176)
(xy 62.178674 117.094791)
(xy 62.054378 117.058296)
(xy 61.924834 117.058296)
(xy 61.800537 117.094791)
(xy 61.69156 117.164827)
(xy 61.691556 117.16483)
(xy 61.606725 117.262731)
(xy 61.552908 117.380572)
(xy 61.534473 117.508796)
(xy 50.35344 117.508796)
(xy 50.317893 117.42829)
(xy 50.316657 117.425102)
(xy 50.301731 117.38057)
(xy 50.201809 117.082441)
(xy 50.200882 117.079183)
(xy 50.118134 116.727363)
(xy 50.117513 116.724039)
(xy 50.079312 116.450188)
(xy 69.088688 116.450188)
(xy 69.107123 116.578412)
(xy 69.107123 116.578413)
(xy 69.107124 116.578415)
(xy 69.160939 116.696252)
(xy 69.245772 116.794156)
(xy 69.354752 116.864193)
(xy 69.479049 116.900689)
(xy 69.608593 116.900689)
(xy 69.73289 116.864193)
(xy 69.84187 116.794156)
(xy 69.926703 116.696252)
(xy 69.980518 116.578415)
(xy 69.998954 116.450189)
(xy 69.980518 116.321963)
(xy 69.941989 116.237599)
(xy 69.937979 116.18714)
(xy 69.941987 116.176125)
(xy 69.986697 116.078226)
(xy 69.997944 116)
(xy 82.344867 116)
(xy 82.363302 116.128223)
(xy 82.363302 116.128224)
(xy 82.363303 116.128226)
(xy 82.417118 116.246063)
(xy 82.501951 116.343967)
(xy 82.610931 116.414004)
(xy 82.735228 116.4505)
(xy 82.864772 116.4505)
(xy 82.989069 116.414004)
(xy 83.098049 116.343967)
(xy 83.182882 116.246063)

(xy 83.236697 116.128226)
(xy 83.255133 116)
(xy 87.844867 116)
(xy 87.863302 116.128223)
(xy 87.863302 116.128224)
(xy 87.863303 116.128226)
(xy 87.917118 116.246063)
(xy 88.001951 116.343967)
(xy 88.110931 116.414004)
(xy 88.235228 116.4505)
(xy 88.364772 116.4505)
(xy 88.489069 116.414004)
(xy 88.598049 116.343967)
(xy 88.682882 116.246063)
(xy 88.736697 116.128226)
(xy 88.755133 116)
(xy 88.736697 115.871774)
(xy 88.713052 115.82)
(xy 91.564659 115.82)
(xy 91.583976 116.016133)
(xy 91.641187 116.204731)
(xy 91.70385 116.321963)
(xy 91.73409 116.378538)
(xy 91.859117 116.530883)
(xy 92.011462 116.65591)
(xy 92.086937 116.696252)
(xy 92.185268 116.748812)
(xy 92.18527 116.748812)
(xy 92.185273 116.748814)
(xy 92.373868 116.806024)
(xy 92.57 116.825341)
(xy 92.766132 116.806024)
(xy 92.954727 116.748814)
(xy 93.128538 116.65591)
(xy 93.280883 116.530883)
(xy 93.40591 116.378538)
(xy 93.498814 116.204727)
(xy 93.556024 116.016132)
(xy 93.575341 115.820005)
(xy 93.754843 115.820005)
(xy 93.77543 116.055317)
(xy 93.775431 116.055325)
(xy 93.836566 116.283483)
(xy 93.836571 116.283494)
(xy 93.936402 116.497582)
(xy 93.995072 116.581373)
(xy 94.544923 116.031522)
(xy 94.590799 116.01013)
(xy 94.639694 116.023231)
(xy 94.659502 116.043841)
(xy 94.681598 116.078223)
(xy 94.728239 116.150798)
(xy 94.8369 116.244952)
(xy 94.878415 116.263911)
(xy 94.914491 116.299419)
(xy 94.919303 116.349809)
(xy 94.900001 116.38355)
(xy 94.348625 116.934925)
(xy 94.43242 116.993598)
(xy 94.646505 117.093428)
(xy 94.646516 117.093433)
(xy 94.874674 117.154568)
(xy 94.874682 117.154569)
(xy 95.109995 117.175157)
(xy 95.110005 117.175157)
(xy 95.345317 117.154569)
(xy 95.345325 117.154568)
(xy 95.573483 117.093433)

(xy 95.573494 117.093428)
(xy 95.787579 116.993598)
(xy 95.871373 116.934926)
(xy 95.319998 116.383551)
(xy 95.298606 116.337675)
(xy 95.311707 116.28878)
(xy 95.341582 116.263912)
(xy 95.3831 116.244952)
(xy 95.491761 116.150798)
(xy 95.560499 116.043838)
(xy 95.600776 116.013185)
(xy 95.651338 116.015593)
(xy 95.675075 116.031522)
(xy 96.224926 116.581373)
(xy 96.283598 116.497579)
(xy 96.312933 116.434673)
(xy 96.348726 116.39888)
(xy 96.399153 116.394469)
(xy 96.440617 116.423502)
(xy 96.447067 116.434673)
(xy 96.476402 116.497582)
(xy 96.535072 116.581373)
(xy 97.084923 116.031522)
(xy 97.130799 116.01013)
(xy 97.179694 116.023231)
(xy 97.199502 116.043841)
(xy 97.221598 116.078223)
(xy 97.268239 116.150798)
(xy 97.3769 116.244952)
(xy 97.418415 116.263911)
(xy 97.454491 116.299419)
(xy 97.459303 116.349809)
(xy 97.440001 116.38355)
(xy 96.888625 116.934925)
(xy 96.97242 116.993598)
(xy 97.186505 117.093428)
(xy 97.186516 117.093433)
(xy 97.414674 117.154568)
(xy 97.414682 117.154569)
(xy 97.649995 117.175157)
(xy 97.650005 117.175157)
(xy 97.885317 117.154569)
(xy 97.885325 117.154568)
(xy 98.113483 117.093433)
(xy 98.113494 117.093428)
(xy 98.327579 116.993598)
(xy 98.411373 116.934926)
(xy 97.859998 116.383551)
(xy 97.838606 116.337675)
(xy 97.851707 116.28878)
(xy 97.881582 116.263912)
(xy 97.9231 116.244952)
(xy 98.031761 116.150798)
(xy 98.100499 116.043838)
(xy 98.140776 116.013185)
(xy 98.191338 116.015593)
(xy 98.215075 116.031522)
(xy 98.764926 116.581373)
(xy 98.823598 116.497579)
(xy 98.852933 116.434673)
(xy 98.888726 116.39888)
(xy 98.939153 116.394469)
(xy 98.980617 116.423502)
(xy 98.987067 116.434673)
(xy 99.016402 116.497582)
(xy 99.075072 116.581373)
(xy 99.624923 116.031522)
(xy 99.670799 116.01013)

(xy 99.719694 116.023231)
(xy 99.739502 116.043841)
(xy 99.761598 116.078223)
(xy 99.808239 116.150798)
(xy 99.9169 116.244952)
(xy 99.958415 116.263911)
(xy 99.994491 116.299419)
(xy 99.999303 116.349809)
(xy 99.980001 116.38355)
(xy 99.428625 116.934925)
(xy 99.51242 116.993598)
(xy 99.726505 117.093428)
(xy 99.726516 117.093433)
(xy 99.954674 117.154568)
(xy 99.954682 117.154569)
(xy 100.189995 117.175157)
(xy 100.190005 117.175157)
(xy 100.425317 117.154569)
(xy 100.425325 117.154568)
(xy 100.653483 117.093433)
(xy 100.653494 117.093428)
(xy 100.867579 116.993598)
(xy 100.951373 116.934926)
(xy 100.399998 116.383551)
(xy 100.378606 116.337675)
(xy 100.391707 116.28878)
(xy 100.421582 116.263912)
(xy 100.4631 116.244952)
(xy 100.571761 116.150798)
(xy 100.640499 116.043838)
(xy 100.680776 116.013185)
(xy 100.731338 116.015593)
(xy 100.755075 116.031522)
(xy 101.304926 116.581373)
(xy 101.363598 116.497579)
(xy 101.392933 116.434673)
(xy 101.428726 116.39888)
(xy 101.479153 116.394469)
(xy 101.520617 116.423502)
(xy 101.527067 116.434673)
(xy 101.556402 116.497582)
(xy 101.615072 116.581373)
(xy 102.164923 116.031522)
(xy 102.210799 116.01013)
(xy 102.259694 116.023231)
(xy 102.279502 116.043841)
(xy 102.301598 116.078223)
(xy 102.348239 116.150798)
(xy 102.4569 116.244952)
(xy 102.498415 116.263911)
(xy 102.534491 116.299419)
(xy 102.539303 116.349809)
(xy 102.520001 116.38355)
(xy 101.968625 116.934925)
(xy 102.05242 116.993598)
(xy 102.266505 117.093428)
(xy 102.266516 117.093433)
(xy 102.494674 117.154568)
(xy 102.494682 117.154569)
(xy 102.729995 117.175157)
(xy 102.730005 117.175157)
(xy 102.965317 117.154569)
(xy 102.965325 117.154568)
(xy 103.193483 117.093433)
(xy 103.193494 117.093428)
(xy 103.407579 116.993598)
(xy 103.491373 116.934926)
(xy 102.939998 116.383551)

(xy 102.918606 116.337675)
(xy 102.931707 116.28878)
(xy 102.961582 116.263912)
(xy 103.0031 116.244952)
(xy 103.111761 116.150798)
(xy 103.180499 116.043838)
(xy 103.220776 116.013185)
(xy 103.271338 116.015593)
(xy 103.295075 116.031522)
(xy 103.844926 116.581373)
(xy 103.903598 116.497579)
(xy 103.932933 116.434673)
(xy 103.968726 116.39888)
(xy 104.019153 116.394469)
(xy 104.060617 116.423502)
(xy 104.067067 116.434673)
(xy 104.096402 116.497582)
(xy 104.155072 116.581373)
(xy 104.704923 116.031522)
(xy 104.750799 116.01013)
(xy 104.799694 116.023231)
(xy 104.819502 116.043841)
(xy 104.841598 116.078223)
(xy 104.888239 116.150798)
(xy 104.9969 116.244952)
(xy 105.038415 116.263911)
(xy 105.074491 116.299419)
(xy 105.079303 116.349809)
(xy 105.060001 116.38355)
(xy 104.508625 116.934925)
(xy 104.59242 116.993598)
(xy 104.806505 117.093428)
(xy 104.806516 117.093433)
(xy 105.034674 117.154568)
(xy 105.034682 117.154569)
(xy 105.269995 117.175157)
(xy 105.270005 117.175157)
(xy 105.505317 117.154569)
(xy 105.505325 117.154568)
(xy 105.733483 117.093433)
(xy 105.733494 117.093428)
(xy 105.947579 116.993598)
(xy 106.031373 116.934926)
(xy 105.479998 116.383551)
(xy 105.458606 116.337675)
(xy 105.471707 116.28878)
(xy 105.501582 116.263912)
(xy 105.5431 116.244952)
(xy 105.651761 116.150798)
(xy 105.720499 116.043838)
(xy 105.760776 116.013185)
(xy 105.811338 116.015593)
(xy 105.835075 116.031522)
(xy 106.384926 116.581373)
(xy 106.443598 116.497579)
(xy 106.472933 116.434673)
(xy 106.508726 116.39888)
(xy 106.559153 116.394469)
(xy 106.600617 116.423502)
(xy 106.607067 116.434673)
(xy 106.636402 116.497582)
(xy 106.695072 116.581373)
(xy 107.244923 116.031522)
(xy 107.290799 116.01013)
(xy 107.339694 116.023231)
(xy 107.359502 116.043841)
(xy 107.381598 116.078223)
(xy 107.428239 116.150798)

(xy 107.5369 116.244952)
(xy 107.578415 116.263911)
(xy 107.614491 116.299419)
(xy 107.619303 116.349809)
(xy 107.600001 116.38355)
(xy 107.048625 116.934925)
(xy 107.13242 116.993598)
(xy 107.346505 117.093428)
(xy 107.346516 117.093433)
(xy 107.574674 117.154568)
(xy 107.574682 117.154569)
(xy 107.809995 117.175157)
(xy 107.810005 117.175157)
(xy 108.045317 117.154569)
(xy 108.045325 117.154568)
(xy 108.273483 117.093433)
(xy 108.273494 117.093428)
(xy 108.487579 116.993598)
(xy 108.571373 116.934926)
(xy 108.019998 116.383551)
(xy 107.998606 116.337675)
(xy 108.011707 116.28878)
(xy 108.041582 116.263912)
(xy 108.0831 116.244952)
(xy 108.191761 116.150798)
(xy 108.260499 116.043838)
(xy 108.300776 116.013185)
(xy 108.351338 116.015593)
(xy 108.375075 116.031522)
(xy 108.924926 116.581373)
(xy 108.983598 116.497579)
(xy 109.012933 116.434673)
(xy 109.048726 116.39888)
(xy 109.099153 116.394469)
(xy 109.140617 116.423502)
(xy 109.147067 116.434673)
(xy 109.176402 116.497582)
(xy 109.235072 116.581373)
(xy 109.784923 116.031522)
(xy 109.830799 116.01013)
(xy 109.879694 116.023231)
(xy 109.899502 116.043841)
(xy 109.921598 116.078223)
(xy 109.968239 116.150798)
(xy 110.0769 116.244952)
(xy 110.118415 116.263911)
(xy 110.154491 116.299419)
(xy 110.159303 116.349809)
(xy 110.140001 116.38355)
(xy 109.588625 116.934925)
(xy 109.67242 116.993598)
(xy 109.886505 117.093428)
(xy 109.886516 117.093433)
(xy 110.114674 117.154568)
(xy 110.114682 117.154569)
(xy 110.349995 117.175157)
(xy 110.350005 117.175157)
(xy 110.585317 117.154569)
(xy 110.585325 117.154568)
(xy 110.813483 117.093433)
(xy 110.813494 117.093428)
(xy 111.027579 116.993598)
(xy 111.111373 116.934926)
(xy 110.559998 116.383551)
(xy 110.538606 116.337675)
(xy 110.551707 116.28878)
(xy 110.581582 116.263912)
(xy 110.6231 116.244952)

(xy 110.731761 116.150798)
(xy 110.800499 116.043838)
(xy 110.840776 116.013185)
(xy 110.891338 116.015593)
(xy 110.915075 116.031522)
(xy 111.464926 116.581373)
(xy 111.523598 116.497579)
(xy 111.552933 116.434673)
(xy 111.588726 116.39888)
(xy 111.639153 116.394469)
(xy 111.680617 116.423502)
(xy 111.687067 116.434673)
(xy 111.716402 116.497582)
(xy 111.775072 116.581373)
(xy 112.324923 116.031522)
(xy 112.370799 116.01013)
(xy 112.419694 116.023231)
(xy 112.439502 116.043841)
(xy 112.461598 116.078223)
(xy 112.508239 116.150798)
(xy 112.6169 116.244952)
(xy 112.658415 116.263911)
(xy 112.694491 116.299419)
(xy 112.699303 116.349809)
(xy 112.680001 116.38355)
(xy 112.128625 116.934925)
(xy 112.21242 116.993598)
(xy 112.426505 117.093428)
(xy 112.426516 117.093433)
(xy 112.654674 117.154568)
(xy 112.654682 117.154569)
(xy 112.889995 117.175157)
(xy 112.890005 117.175157)
(xy 113.125317 117.154569)
(xy 113.125325 117.154568)
(xy 113.353483 117.093433)
(xy 113.353494 117.093428)
(xy 113.567579 116.993598)
(xy 113.651373 116.934926)
(xy 113.099998 116.383551)
(xy 113.078606 116.337675)
(xy 113.091707 116.28878)
(xy 113.121582 116.263912)
(xy 113.1631 116.244952)
(xy 113.271761 116.150798)
(xy 113.340499 116.043838)
(xy 113.380776 116.013185)
(xy 113.431338 116.015593)
(xy 113.455075 116.031522)
(xy 114.004926 116.581373)
(xy 114.063598 116.497579)
(xy 114.163428 116.283494)
(xy 114.163433 116.283483)
(xy 114.224568 116.055325)
(xy 114.224569 116.055317)
(xy 114.245157 115.820005)
(xy 114.245157 115.82)
(xy 114.424659 115.82)
(xy 114.443976 116.016133)
(xy 114.501187 116.204731)
(xy 114.56385 116.321963)
(xy 114.59409 116.378538)
(xy 114.719117 116.530883)
(xy 114.871462 116.65591)
(xy 114.946937 116.696252)
(xy 115.045268 116.748812)
(xy 115.04527 116.748812)
(xy 115.045273 116.748814)

(xy 115.233868 116.806024)
(xy 115.43 116.825341)
(xy 115.626132 116.806024)
(xy 115.814727 116.748814)
(xy 115.988538 116.65591)
(xy 116.140883 116.530883)
(xy 116.26591 116.378538)
(xy 116.358814 116.204727)
(xy 116.416024 116.016132)
(xy 116.435341 115.82)
(xy 116.416024 115.623868)
(xy 116.358814 115.435273)
(xy 116.358812 115.43527)
(xy 116.358812 115.435268)
(xy 116.297199 115.32)
(xy 116.26591 115.261462)
(xy 116.140883 115.109117)
(xy 115.988538 114.98409)
(xy 115.978597 114.978776)
(xy 115.814731 114.891187)
(xy 115.626133 114.833976)
(xy 115.43 114.814659)
(xy 115.233866 114.833976)
(xy 115.045268 114.891187)
(xy 114.871463 114.984089)
(xy 114.719117 115.109117)
(xy 114.594089 115.261463)
(xy 114.501187 115.435268)
(xy 114.443976 115.623866)
(xy 114.424659 115.82)
(xy 114.245157 115.82)
(xy 114.245157 115.819994)
(xy 114.224569 115.584682)
(xy 114.224568 115.584674)
(xy 114.163433 115.356516)
(xy 114.163428 115.356505)
(xy 114.063596 115.142416)
(xy 114.004925 115.058625)
(xy 113.455075 115.608476)
(xy 113.409198 115.629868)
(xy 113.360304 115.616767)
(xy 113.340496 115.596157)
(xy 113.333966 115.585996)
(xy 113.271761 115.489202)
(xy 113.1631 115.395048)
(xy 113.163098 115.395047)
(xy 113.121581 115.376086)
(xy 113.085506 115.340578)
(xy 113.080695 115.290188)
(xy 113.099997 115.256448)
(xy 113.651373 114.705072)
(xy 113.567582 114.646402)
(xy 113.353494 114.546571)
(xy 113.353483 114.546566)
(xy 113.125325 114.485431)
(xy 113.125317 114.48543)
(xy 112.890005 114.464843)
(xy 112.889995 114.464843)
(xy 112.654682 114.48543)
(xy 112.654674 114.485431)
(xy 112.426516 114.546566)
(xy 112.426505 114.546571)
(xy 112.21242 114.646401)
(xy 112.128625 114.705072)
(xy 112.680002 115.256449)
(xy 112.701394 115.302325)
(xy 112.688293 115.35122)
(xy 112.658417 115.376087)

(xy 112.616902 115.395047)
(xy 112.616898 115.395049)
(xy 112.50824 115.489201)
(xy 112.508237 115.489205)
(xy 112.439503 115.596158)
(xy 112.399222 115.626814)
(xy 112.348661 115.624405)
(xy 112.324924 115.608477)
(xy 111.775072 115.058625)
(xy 111.716401 115.14242)
(xy 111.687067 115.205327)
(xy 111.651273 115.24112)
(xy 111.600847 115.245531)
(xy 111.559382 115.216497)
(xy 111.552933 115.205327)
(xy 111.523597 115.142416)
(xy 111.464925 115.058625)
(xy 110.915075 115.608476)
(xy 110.869198 115.629868)
(xy 110.820304 115.616767)
(xy 110.800496 115.596157)
(xy 110.793966 115.585996)
(xy 110.731761 115.489202)
(xy 110.6231 115.395048)
(xy 110.623098 115.395047)
(xy 110.581581 115.376086)
(xy 110.545506 115.340578)
(xy 110.540695 115.290188)
(xy 110.559997 115.256448)
(xy 111.111373 114.705072)
(xy 111.027582 114.646402)
(xy 110.813494 114.546571)
(xy 110.813483 114.546566)
(xy 110.585325 114.485431)
(xy 110.585317 114.48543)
(xy 110.350005 114.464843)
(xy 110.349995 114.464843)
(xy 110.114682 114.48543)
(xy 110.114674 114.485431)
(xy 109.886516 114.546566)
(xy 109.886505 114.546571)
(xy 109.67242 114.646401)
(xy 109.588625 114.705072)
(xy 110.140002 115.256449)
(xy 110.161394 115.302325)
(xy 110.148293 115.35122)
(xy 110.118417 115.376087)
(xy 110.076902 115.395047)
(xy 110.076898 115.395049)
(xy 109.96824 115.489201)
(xy 109.968237 115.489205)
(xy 109.899503 115.596158)
(xy 109.859222 115.626814)
(xy 109.808661 115.624405)
(xy 109.784924 115.608477)
(xy 109.235072 115.058625)
(xy 109.176401 115.14242)
(xy 109.147067 115.205327)
(xy 109.111273 115.24112)
(xy 109.060847 115.245531)
(xy 109.019382 115.216497)
(xy 109.012933 115.205327)
(xy 108.983597 115.142416)
(xy 108.924925 115.058625)
(xy 108.375075 115.608476)
(xy 108.329198 115.629868)
(xy 108.280304 115.616767)
(xy 108.260496 115.596157)

(xy 108.253966 115.585996)
(xy 108.191761 115.489202)
(xy 108.0831 115.395048)
(xy 108.083098 115.395047)
(xy 108.041581 115.376086)
(xy 108.005506 115.340578)
(xy 108.000695 115.290188)
(xy 108.019997 115.256448)
(xy 108.571373 114.705072)
(xy 108.487582 114.646402)
(xy 108.273494 114.546571)
(xy 108.273483 114.546566)
(xy 108.045325 114.485431)
(xy 108.045317 114.48543)
(xy 107.810005 114.464843)
(xy 107.809995 114.464843)
(xy 107.574682 114.48543)
(xy 107.574674 114.485431)
(xy 107.346516 114.546566)
(xy 107.346505 114.546571)
(xy 107.13242 114.646401)
(xy 107.048625 114.705072)
(xy 107.600002 115.256449)
(xy 107.621394 115.302325)
(xy 107.608293 115.35122)
(xy 107.578417 115.376087)
(xy 107.536902 115.395047)
(xy 107.536898 115.395049)
(xy 107.42824 115.489201)
(xy 107.428237 115.489205)
(xy 107.359503 115.596158)
(xy 107.319222 115.626814)
(xy 107.268661 115.624405)
(xy 107.244924 115.608477)
(xy 106.695072 115.058625)
(xy 106.636401 115.14242)
(xy 106.607067 115.205327)
(xy 106.571273 115.24112)
(xy 106.520847 115.245531)
(xy 106.479382 115.216497)
(xy 106.472933 115.205327)
(xy 106.443597 115.142416)
(xy 106.384925 115.058625)
(xy 105.835075 115.608476)
(xy 105.789198 115.629868)
(xy 105.740304 115.616767)
(xy 105.720496 115.596157)
(xy 105.713966 115.585996)
(xy 105.651761 115.489202)
(xy 105.5431 115.395048)
(xy 105.543098 115.395047)
(xy 105.501581 115.376086)
(xy 105.465506 115.340578)
(xy 105.460695 115.290188)
(xy 105.479997 115.256448)
(xy 106.031373 114.705072)
(xy 105.947582 114.646402)
(xy 105.733494 114.546571)
(xy 105.733483 114.546566)
(xy 105.505325 114.485431)
(xy 105.505317 114.48543)
(xy 105.270005 114.464843)
(xy 105.269995 114.464843)
(xy 105.034682 114.48543)
(xy 105.034674 114.485431)
(xy 104.806516 114.546566)
(xy 104.806505 114.546571)
(xy 104.59242 114.646401)

(xy 104.508625 114.705072)
(xy 105.060002 115.256449)
(xy 105.081394 115.302325)
(xy 105.068293 115.35122)
(xy 105.038417 115.376087)
(xy 104.996902 115.395047)
(xy 104.996898 115.395049)
(xy 104.88824 115.489201)
(xy 104.888237 115.489205)
(xy 104.819503 115.596158)
(xy 104.779222 115.626814)
(xy 104.728661 115.624405)
(xy 104.704924 115.608477)
(xy 104.155072 115.058625)
(xy 104.096401 115.14242)
(xy 104.067067 115.205327)
(xy 104.031273 115.24112)
(xy 103.980847 115.245531)
(xy 103.939382 115.216497)
(xy 103.932933 115.205327)
(xy 103.903597 115.142416)
(xy 103.844925 115.058625)
(xy 103.295075 115.608476)
(xy 103.249198 115.629868)
(xy 103.200304 115.616767)
(xy 103.180496 115.596157)
(xy 103.173966 115.585996)
(xy 103.111761 115.489202)
(xy 103.0031 115.395048)
(xy 103.003098 115.395047)
(xy 102.961581 115.376086)
(xy 102.925506 115.340578)
(xy 102.920695 115.290188)
(xy 102.939997 115.256448)
(xy 103.491373 114.705072)
(xy 103.407582 114.646402)
(xy 103.193494 114.546571)
(xy 103.193483 114.546566)
(xy 102.965325 114.485431)
(xy 102.965317 114.48543)
(xy 102.730005 114.464843)
(xy 102.729995 114.464843)
(xy 102.494682 114.48543)
(xy 102.494674 114.485431)
(xy 102.266516 114.546566)
(xy 102.266505 114.546571)
(xy 102.05242 114.646401)
(xy 101.968625 114.705072)
(xy 102.520002 115.256449)
(xy 102.541394 115.302325)
(xy 102.528293 115.35122)
(xy 102.498417 115.376087)
(xy 102.456902 115.395047)
(xy 102.456898 115.395049)
(xy 102.34824 115.489201)
(xy 102.348237 115.489205)
(xy 102.279503 115.596158)
(xy 102.239222 115.626814)
(xy 102.188661 115.624405)
(xy 102.164924 115.608477)
(xy 101.615072 115.058625)
(xy 101.556401 115.14242)
(xy 101.527067 115.205327)
(xy 101.491273 115.24112)
(xy 101.440847 115.245531)
(xy 101.399382 115.216497)
(xy 101.392933 115.205327)
(xy 101.363597 115.142416)

(xy 101.304925 115.058625)
(xy 100.755075 115.608476)
(xy 100.709198 115.629868)
(xy 100.660304 115.616767)
(xy 100.640496 115.596157)
(xy 100.633966 115.585996)
(xy 100.571761 115.489202)
(xy 100.4631 115.395048)
(xy 100.463098 115.395047)
(xy 100.421581 115.376086)
(xy 100.385506 115.340578)
(xy 100.380695 115.290188)
(xy 100.399997 115.256448)
(xy 100.951373 114.705072)
(xy 100.867582 114.646402)
(xy 100.653494 114.546571)
(xy 100.653483 114.546566)
(xy 100.425325 114.485431)
(xy 100.425317 114.48543)
(xy 100.190005 114.464843)
(xy 100.189995 114.464843)
(xy 99.954682 114.48543)
(xy 99.954674 114.485431)
(xy 99.726516 114.546566)
(xy 99.726505 114.546571)
(xy 99.51242 114.646401)
(xy 99.428625 114.705072)
(xy 99.980002 115.256449)
(xy 100.001394 115.302325)
(xy 99.988293 115.35122)
(xy 99.958417 115.376087)
(xy 99.916902 115.395047)
(xy 99.916898 115.395049)
(xy 99.80824 115.489201)
(xy 99.808237 115.489205)
(xy 99.739503 115.596158)
(xy 99.699222 115.626814)
(xy 99.648661 115.624405)
(xy 99.624924 115.608477)
(xy 99.075072 115.058625)
(xy 99.016401 115.14242)
(xy 98.987067 115.205327)
(xy 98.951273 115.24112)
(xy 98.900847 115.245531)
(xy 98.859382 115.216497)
(xy 98.852933 115.205327)
(xy 98.823597 115.142416)
(xy 98.764925 115.058625)
(xy 98.215075 115.608476)
(xy 98.169198 115.629868)
(xy 98.120304 115.616767)
(xy 98.100496 115.596157)
(xy 98.093966 115.585996)
(xy 98.031761 115.489202)
(xy 97.9231 115.395048)
(xy 97.923098 115.395047)
(xy 97.881581 115.376086)
(xy 97.845506 115.340578)
(xy 97.840695 115.290188)
(xy 97.859997 115.256448)
(xy 98.411373 114.705072)
(xy 98.327582 114.646402)
(xy 98.113494 114.546571)
(xy 98.113483 114.546566)
(xy 97.885325 114.485431)
(xy 97.885317 114.48543)
(xy 97.650005 114.464843)
(xy 97.649995 114.464843)

(xy 97.414682 114.48543)
(xy 97.414674 114.485431)
(xy 97.186516 114.546566)
(xy 97.186505 114.546571)
(xy 96.97242 114.646401)
(xy 96.888625 114.705072)
(xy 97.440002 115.256449)
(xy 97.461394 115.302325)
(xy 97.448293 115.35122)
(xy 97.418417 115.376087)
(xy 97.376902 115.395047)
(xy 97.376898 115.395049)
(xy 97.26824 115.489201)
(xy 97.268237 115.489205)
(xy 97.199503 115.596158)
(xy 97.159222 115.626814)
(xy 97.108661 115.624405)
(xy 97.084924 115.608477)
(xy 96.535072 115.058625)
(xy 96.476401 115.14242)
(xy 96.447067 115.205327)
(xy 96.411273 115.24112)
(xy 96.360847 115.245531)
(xy 96.319382 115.216497)
(xy 96.312933 115.205327)
(xy 96.283597 115.142416)
(xy 96.224925 115.058625)
(xy 95.675075 115.608476)
(xy 95.629198 115.629868)
(xy 95.580304 115.616767)
(xy 95.560496 115.596157)
(xy 95.553966 115.585996)
(xy 95.491761 115.489202)
(xy 95.3831 115.395048)
(xy 95.383098 115.395047)
(xy 95.341581 115.376086)
(xy 95.305506 115.340578)
(xy 95.300695 115.290188)
(xy 95.319997 115.256448)
(xy 95.871373 114.705072)
(xy 95.787582 114.646402)
(xy 95.573494 114.546571)
(xy 95.573483 114.546566)
(xy 95.345325 114.485431)
(xy 95.345317 114.48543)
(xy 95.110005 114.464843)
(xy 95.109995 114.464843)
(xy 94.874682 114.48543)
(xy 94.874674 114.485431)
(xy 94.646516 114.546566)
(xy 94.646505 114.546571)
(xy 94.43242 114.646401)
(xy 94.348625 114.705072)
(xy 94.900002 115.256449)
(xy 94.921394 115.302325)
(xy 94.908293 115.35122)
(xy 94.878417 115.376087)
(xy 94.836902 115.395047)
(xy 94.836898 115.395049)
(xy 94.72824 115.489201)
(xy 94.728237 115.489205)
(xy 94.659503 115.596158)
(xy 94.619222 115.626814)
(xy 94.568661 115.624405)
(xy 94.544924 115.608477)
(xy 93.995072 115.058625)
(xy 93.936401 115.14242)
(xy 93.836571 115.356505)

(xy 93.836566 115.356516)
(xy 93.775431 115.584674)
(xy 93.77543 115.584682)
(xy 93.754843 115.819994)
(xy 93.754843 115.820005)
(xy 93.575341 115.820005)
(xy 93.575341 115.82)
(xy 93.556024 115.623868)
(xy 93.498814 115.435273)
(xy 93.498812 115.43527)
(xy 93.498812 115.435268)
(xy 93.437199 115.32)
(xy 93.40591 115.261462)
(xy 93.280883 115.109117)
(xy 93.128538 114.98409)
(xy 93.118597 114.978776)
(xy 92.954731 114.891187)
(xy 92.766133 114.833976)
(xy 92.668065 114.824317)
(xy 92.57 114.814659)
(xy 92.569999 114.814659)
(xy 92.373866 114.833976)
(xy 92.185268 114.891187)
(xy 92.011463 114.984089)
(xy 91.859117 115.109117)
(xy 91.734089 115.261463)
(xy 91.641187 115.435268)
(xy 91.583976 115.623866)
(xy 91.564659 115.82)
(xy 88.713052 115.82)
(xy 88.682882 115.753937)
(xy 88.598049 115.656033)
(xy 88.520244 115.606031)
(xy 88.489068 115.585995)
(xy 88.364772 115.5495)
(xy 88.235228 115.5495)
(xy 88.110931 115.585995)
(xy 88.001954 115.656031)
(xy 88.00195 115.656034)
(xy 87.917119 115.753935)
(xy 87.863302 115.871776)
(xy 87.844867 116)
(xy 83.255133 116)
(xy 83.236697 115.871774)
(xy 83.182882 115.753937)
(xy 83.098049 115.656033)
(xy 83.020244 115.606031)
(xy 82.989068 115.585995)
(xy 82.864772 115.5495)
(xy 82.735228 115.5495)
(xy 82.610931 115.585995)
(xy 82.501954 115.656031)
(xy 82.50195 115.656034)
(xy 82.417119 115.753935)
(xy 82.363302 115.871776)
(xy 82.344867 116)
(xy 69.997944 116)
(xy 70.005133 115.95)
(xy 69.986697 115.821774)
(xy 69.932882 115.703937)
(xy 69.848049 115.606033)
(xy 69.760082 115.5495)
(xy 69.739068 115.535995)
(xy 69.614772 115.4995)
(xy 69.485228 115.4995)
(xy 69.360931 115.535995)
(xy 69.251954 115.606031)
(xy 69.25195 115.606034)

(xy 69.167119 115.703935)
(xy 69.167118 115.703936)
(xy 69.167118 115.703937)
(xy 69.14021 115.762855)
(xy 69.113302 115.821776)
(xy 69.094867 115.95)
(xy 69.113302 116.078223)
(xy 69.113302 116.078224)
(xy 69.113303 116.078226)
(xy 69.151831 116.162589)
(xy 69.155842 116.213048)
(xy 69.151831 116.22407)
(xy 69.107123 116.321965)
(xy 69.088688 116.450188)
(xy 50.079312 116.450188)
(xy 50.067582 116.366095)
(xy 50.067269 116.362706)
(xy 50.059586 116.196528)
(xy 50.050538 116.000833)
(xy 50.0505 115.999145)
(xy 50.0505 115)
(xy 58.944881 115)
(xy 58.963316 115.128223)
(xy 58.963316 115.128224)
(xy 58.963317 115.128226)
(xy 59.017132 115.246063)
(xy 59.101965 115.343967)
(xy 59.210945 115.414004)
(xy 59.335242 115.4505)
(xy 59.464786 115.4505)
(xy 59.589083 115.414004)
(xy 59.698063 115.343967)
(xy 59.782896 115.246063)
(xy 59.836711 115.128226)
(xy 59.855147 115)
(xy 59.836711 114.871774)
(xy 59.782896 114.753937)
(xy 59.698063 114.656033)
(xy 59.631046 114.612964)
(xy 59.589082 114.585995)
(xy 59.464786 114.5495)
(xy 59.335242 114.5495)
(xy 59.210945 114.585995)
(xy 59.101968 114.656031)
(xy 59.101964 114.656034)
(xy 59.017133 114.753935)
(xy 58.963316 114.871776)
(xy 58.944881 115)
(xy 50.0505 115)
(xy 50.0505 114.285)
(xy 70.144867 114.285)
(xy 70.163302 114.413223)
(xy 70.163302 114.413224)
(xy 70.163303 114.413226)
(xy 70.217118 114.531063)
(xy 70.301951 114.628967)
(xy 70.410931 114.699004)
(xy 70.535228 114.7355)
(xy 70.664772 114.7355)
(xy 70.789069 114.699004)
(xy 70.898049 114.628967)
(xy 70.982882 114.531063)
(xy 71.036697 114.413226)
(xy 71.055133 114.285)
(xy 71.036697 114.156774)
(xy 70.982882 114.038937)
(xy 70.898049 113.941033)
(xy 70.831032 113.897964)

(xy 70.789068 113.870995)
(xy 70.780071 113.868354)
(xy 70.739309 113.838341)
(xy 70.727375 113.789149)
(xy 70.749853 113.743795)
(xy 70.780072 113.726348)
(xy 70.783641 113.725299)
(xy 70.796569 113.721504)
(xy 70.905549 113.651467)
(xy 70.990382 113.553563)
(xy 71.014844 113.5)
(xy 87.844867 113.5)
(xy 87.863302 113.628223)
(xy 87.863302 113.628224)
(xy 87.863303 113.628226)
(xy 87.917118 113.746063)
(xy 88.001951 113.843967)
(xy 88.110931 113.914004)
(xy 88.235228 113.9505)
(xy 88.364772 113.9505)
(xy 88.489069 113.914004)
(xy 88.598049 113.843967)
(xy 88.682882 113.746063)
(xy 88.736697 113.628226)
(xy 88.755133 113.5)
(xy 88.736697 113.371774)
(xy 88.694785 113.28)
(xy 91.564659 113.28)
(xy 91.583976 113.476133)
(xy 91.641187 113.664731)
(xy 91.707691 113.789149)
(xy 91.73409 113.838538)
(xy 91.859117 113.990883)
(xy 92.011462 114.11591)
(xy 92.087913 114.156774)
(xy 92.185268 114.208812)
(xy 92.18527 114.208812)
(xy 92.185273 114.208814)
(xy 92.373868 114.266024)
(xy 92.57 114.285341)
(xy 92.766132 114.266024)
(xy 92.954727 114.208814)
(xy 92.956157 114.20805)
(xy 92.974608 114.198187)
(xy 93.128538 114.11591)
(xy 93.280883 113.990883)
(xy 93.40591 113.838538)
(xy 93.498814 113.664727)
(xy 93.556024 113.476132)
(xy 93.575341 113.28)
(xy 94.104659 113.28)
(xy 94.123976 113.476133)
(xy 94.181187 113.664731)
(xy 94.247691 113.789149)
(xy 94.27409 113.838538)
(xy 94.399117 113.990883)
(xy 94.551462 114.11591)
(xy 94.627913 114.156774)
(xy 94.725268 114.208812)
(xy 94.72527 114.208812)
(xy 94.725273 114.208814)
(xy 94.913868 114.266024)
(xy 95.11 114.285341)
(xy 95.306132 114.266024)
(xy 95.494727 114.208814)
(xy 95.496157 114.20805)
(xy 95.514608 114.198187)
(xy 95.668538 114.11591)

(xy 95.820883 113.990883)
(xy 95.94591 113.838538)
(xy 96.038814 113.664727)
(xy 96.096024 113.476132)
(xy 96.115341 113.28)
(xy 96.644659 113.28)
(xy 96.663976 113.476133)
(xy 96.721187 113.664731)
(xy 96.787691 113.789149)
(xy 96.81409 113.838538)
(xy 96.939117 113.990883)
(xy 97.091462 114.11591)
(xy 97.167913 114.156774)
(xy 97.265268 114.208812)
(xy 97.26527 114.208812)
(xy 97.265273 114.208814)
(xy 97.453868 114.266024)
(xy 97.65 114.285341)
(xy 97.846132 114.266024)
(xy 98.034727 114.208814)
(xy 98.036157 114.20805)
(xy 98.054608 114.198187)
(xy 98.208538 114.11591)
(xy 98.360883 113.990883)
(xy 98.48591 113.838538)
(xy 98.578814 113.664727)
(xy 98.636024 113.476132)
(xy 98.655341 113.28)
(xy 99.184659 113.28)
(xy 99.203976 113.476133)
(xy 99.261187 113.664731)
(xy 99.327691 113.789149)
(xy 99.35409 113.838538)
(xy 99.479117 113.990883)
(xy 99.631462 114.11591)
(xy 99.707913 114.156774)
(xy 99.805268 114.208812)
(xy 99.80527 114.208812)
(xy 99.805273 114.208814)
(xy 99.993868 114.266024)
(xy 100.19 114.285341)
(xy 100.386132 114.266024)
(xy 100.574727 114.208814)
(xy 100.576157 114.20805)
(xy 100.594608 114.198187)
(xy 100.748538 114.11591)
(xy 100.900883 113.990883)
(xy 101.02591 113.838538)
(xy 101.118814 113.664727)
(xy 101.176024 113.476132)
(xy 101.195341 113.28)
(xy 101.724659 113.28)
(xy 101.743976 113.476133)
(xy 101.801187 113.664731)
(xy 101.867691 113.789149)
(xy 101.89409 113.838538)
(xy 102.019117 113.990883)
(xy 102.171462 114.11591)
(xy 102.247913 114.156774)
(xy 102.345268 114.208812)
(xy 102.34527 114.208812)
(xy 102.345273 114.208814)
(xy 102.533868 114.266024)
(xy 102.73 114.285341)
(xy 102.926132 114.266024)
(xy 103.114727 114.208814)
(xy 103.116157 114.20805)
(xy 103.134608 114.198187)

(xy 103.288538 114.11591)
(xy 103.440883 113.990883)
(xy 103.56591 113.838538)
(xy 103.658814 113.664727)
(xy 103.716024 113.476132)
(xy 103.735341 113.28)
(xy 104.264659 113.28)
(xy 104.283976 113.476133)
(xy 104.341187 113.664731)
(xy 104.407691 113.789149)
(xy 104.43409 113.838538)
(xy 104.559117 113.990883)
(xy 104.711462 114.11591)
(xy 104.787913 114.156774)
(xy 104.885268 114.208812)
(xy 104.88527 114.208812)
(xy 104.885273 114.208814)
(xy 105.073868 114.266024)
(xy 105.27 114.285341)
(xy 105.466132 114.266024)
(xy 105.654727 114.208814)
(xy 105.656157 114.20805)
(xy 105.674608 114.198187)
(xy 105.828538 114.11591)
(xy 105.980883 113.990883)
(xy 106.10591 113.838538)
(xy 106.198814 113.664727)
(xy 106.256024 113.476132)
(xy 106.275341 113.28)
(xy 106.804659 113.28)
(xy 106.823976 113.476133)
(xy 106.881187 113.664731)
(xy 106.947691 113.789149)
(xy 106.97409 113.838538)
(xy 107.099117 113.990883)
(xy 107.251462 114.11591)
(xy 107.327913 114.156774)
(xy 107.425268 114.208812)
(xy 107.42527 114.208812)
(xy 107.425273 114.208814)
(xy 107.613868 114.266024)
(xy 107.81 114.285341)
(xy 108.006132 114.266024)
(xy 108.194727 114.208814)
(xy 108.196157 114.20805)
(xy 108.214608 114.198187)
(xy 108.368538 114.11591)
(xy 108.520883 113.990883)
(xy 108.64591 113.838538)
(xy 108.738814 113.664727)
(xy 108.796024 113.476132)
(xy 108.815341 113.28)
(xy 109.344659 113.28)
(xy 109.363976 113.476133)
(xy 109.421187 113.664731)
(xy 109.487691 113.789149)
(xy 109.51409 113.838538)
(xy 109.639117 113.990883)
(xy 109.791462 114.11591)
(xy 109.867913 114.156774)
(xy 109.965268 114.208812)
(xy 109.96527 114.208812)
(xy 109.965273 114.208814)
(xy 110.153868 114.266024)
(xy 110.35 114.285341)
(xy 110.546132 114.266024)
(xy 110.734727 114.208814)
(xy 110.736157 114.20805)

(xy 110.754608 114.198187)
(xy 110.908538 114.11591)
(xy 111.060883 113.990883)
(xy 111.18591 113.838538)
(xy 111.278814 113.664727)
(xy 111.336024 113.476132)
(xy 111.355341 113.28)
(xy 111.884659 113.28)
(xy 111.903976 113.476133)
(xy 111.961187 113.664731)
(xy 112.027691 113.789149)
(xy 112.05409 113.838538)
(xy 112.179117 113.990883)
(xy 112.331462 114.11591)
(xy 112.407913 114.156774)
(xy 112.505268 114.208812)
(xy 112.50527 114.208812)
(xy 112.505273 114.208814)
(xy 112.693868 114.266024)
(xy 112.89 114.285341)
(xy 113.086132 114.266024)
(xy 113.274727 114.208814)
(xy 113.276157 114.20805)
(xy 113.294608 114.198187)
(xy 113.448538 114.11591)
(xy 113.600883 113.990883)
(xy 113.666016 113.911519)
(xy 114.4295 113.911519)
(xy 114.444353 114.005304)
(xy 114.444354 114.005306)
(xy 114.500711 114.11591)
(xy 114.50195 114.118342)
(xy 114.591658 114.20805)
(xy 114.704696 114.265646)
(xy 114.798481 114.2805)
(xy 116.061518 114.280499)
(xy 116.061519 114.280499)
(xy 116.155304 114.265646)
(xy 116.155306 114.265645)
(xy 116.157419 114.264568)
(xy 116.268342 114.20805)
(xy 116.35805 114.118342)
(xy 116.415646 114.005304)
(xy 116.4305 113.911519)
(xy 116.430499 112.648482)
(xy 116.415646 112.554696)
(xy 116.415646 112.554695)
(xy 116.415645 112.554693)
(xy 116.359289 112.44409)
(xy 116.35805 112.441658)
(xy 116.268342 112.35195)
(xy 116.155304 112.294354)
(xy 116.155302 112.294353)
(xy 116.155301 112.294353)
(xy 116.061519 112.2795)
(xy 114.79848 112.2795)
(xy 114.704695 112.294353)
(xy 114.704693 112.294354)
(xy 114.591657 112.35195)
(xy 114.501951 112.441656)
(xy 114.444353 112.554698)
(xy 114.4295 112.64848)
(xy 114.4295 113.911519)
(xy 113.666016 113.911519)
(xy 113.72591 113.838538)
(xy 113.818814 113.664727)
(xy 113.876024 113.476132)
(xy 113.895341 113.28)

(xy 113.876024 113.083868)
(xy 113.818814 112.895273)
(xy 113.818812 112.89527)
(xy 113.818812 112.895268)
(xy 113.73906 112.746064)
(xy 113.72591 112.721462)
(xy 113.600883 112.569117)
(xy 113.448538 112.44409)
(xy 113.438597 112.438776)
(xy 113.274731 112.351187)
(xy 113.086133 112.293976)
(xy 112.939152 112.2795)
(xy 112.89 112.274659)
(xy 112.889999 112.274659)
(xy 112.693866 112.293976)
(xy 112.505268 112.351187)
(xy 112.331463 112.444089)
(xy 112.179117 112.569117)
(xy 112.054089 112.721463)
(xy 111.961187 112.895268)
(xy 111.903976 113.083866)
(xy 111.884659 113.28)
(xy 111.355341 113.28)
(xy 111.336024 113.083868)
(xy 111.278814 112.895273)
(xy 111.278812 112.89527)
(xy 111.278812 112.895268)
(xy 111.19906 112.746064)
(xy 111.18591 112.721462)
(xy 111.060883 112.569117)
(xy 110.908538 112.44409)
(xy 110.898597 112.438776)
(xy 110.734731 112.351187)
(xy 110.546133 112.293976)
(xy 110.35 112.274659)
(xy 110.153866 112.293976)
(xy 109.965268 112.351187)
(xy 109.791463 112.444089)
(xy 109.639117 112.569117)
(xy 109.514089 112.721463)
(xy 109.421187 112.895268)
(xy 109.363976 113.083866)
(xy 109.344659 113.28)
(xy 108.815341 113.28)
(xy 108.796024 113.083868)
(xy 108.738814 112.895273)
(xy 108.738812 112.89527)
(xy 108.738812 112.895268)
(xy 108.65906 112.746064)
(xy 108.64591 112.721462)
(xy 108.520883 112.569117)
(xy 108.368538 112.44409)
(xy 108.358597 112.438776)
(xy 108.194731 112.351187)
(xy 108.006133 112.293976)
(xy 107.859152 112.2795)
(xy 107.81 112.274659)
(xy 107.809999 112.274659)
(xy 107.613866 112.293976)
(xy 107.425268 112.351187)
(xy 107.251463 112.444089)
(xy 107.099117 112.569117)
(xy 106.974089 112.721463)
(xy 106.881187 112.895268)
(xy 106.823976 113.083866)
(xy 106.804659 113.28)
(xy 106.275341 113.28)
(xy 106.256024 113.083868)

(xy 106.198814 112.895273)
(xy 106.198812 112.89527)
(xy 106.198812 112.895268)
(xy 106.11906 112.746064)
(xy 106.10591 112.721462)
(xy 105.980883 112.569117)
(xy 105.828538 112.44409)
(xy 105.818597 112.438776)
(xy 105.654731 112.351187)
(xy 105.466133 112.293976)
(xy 105.27 112.274659)
(xy 105.073866 112.293976)
(xy 104.885268 112.351187)
(xy 104.711463 112.444089)
(xy 104.559117 112.569117)
(xy 104.434089 112.721463)
(xy 104.341187 112.895268)
(xy 104.283976 113.083866)
(xy 104.264659 113.28)
(xy 103.735341 113.28)
(xy 103.716024 113.083868)
(xy 103.658814 112.895273)
(xy 103.658812 112.89527)
(xy 103.658812 112.895268)
(xy 103.57906 112.746064)
(xy 103.56591 112.721462)
(xy 103.440883 112.569117)
(xy 103.288538 112.44409)
(xy 103.278597 112.438776)
(xy 103.114731 112.351187)
(xy 102.926133 112.293976)
(xy 102.779152 112.2795)
(xy 102.73 112.274659)
(xy 102.729999 112.274659)
(xy 102.533866 112.293976)
(xy 102.345268 112.351187)
(xy 102.171463 112.444089)
(xy 102.019117 112.569117)
(xy 101.894089 112.721463)
(xy 101.801187 112.895268)
(xy 101.743976 113.083866)
(xy 101.724659 113.28)
(xy 101.195341 113.28)
(xy 101.176024 113.083868)
(xy 101.118814 112.895273)
(xy 101.118812 112.89527)
(xy 101.118812 112.895268)
(xy 101.03906 112.746064)
(xy 101.02591 112.721462)
(xy 100.900883 112.569117)
(xy 100.748538 112.44409)
(xy 100.738597 112.438776)
(xy 100.574731 112.351187)
(xy 100.386133 112.293976)
(xy 100.19 112.274659)
(xy 99.993866 112.293976)
(xy 99.805268 112.351187)
(xy 99.631463 112.444089)
(xy 99.479117 112.569117)
(xy 99.354089 112.721463)
(xy 99.261187 112.895268)
(xy 99.203976 113.083866)
(xy 99.184659 113.28)
(xy 98.655341 113.28)
(xy 98.636024 113.083868)
(xy 98.578814 112.895273)
(xy 98.578812 112.89527)
(xy 98.578812 112.895268)

(xy 98.49906 112.746064)
(xy 98.48591 112.721462)
(xy 98.360883 112.569117)
(xy 98.208538 112.44409)
(xy 98.198597 112.438776)
(xy 98.034731 112.351187)
(xy 97.846133 112.293976)
(xy 97.699152 112.2795)
(xy 97.65 112.274659)
(xy 97.649999 112.274659)
(xy 97.453866 112.293976)
(xy 97.265268 112.351187)
(xy 97.091463 112.444089)
(xy 96.939117 112.569117)
(xy 96.814089 112.721463)
(xy 96.721187 112.895268)
(xy 96.663976 113.083866)
(xy 96.644659 113.28)
(xy 96.115341 113.28)
(xy 96.096024 113.083868)
(xy 96.038814 112.895273)
(xy 96.038812 112.89527)
(xy 96.038812 112.895268)
(xy 95.95906 112.746064)
(xy 95.94591 112.721462)
(xy 95.820883 112.569117)
(xy 95.668538 112.44409)
(xy 95.658597 112.438776)
(xy 95.494731 112.351187)
(xy 95.306133 112.293976)
(xy 95.11 112.274659)
(xy 94.913866 112.293976)
(xy 94.725268 112.351187)
(xy 94.551463 112.444089)
(xy 94.399117 112.569117)
(xy 94.274089 112.721463)
(xy 94.181187 112.895268)
(xy 94.123976 113.083866)
(xy 94.104659 113.28)
(xy 93.575341 113.28)
(xy 93.556024 113.083868)
(xy 93.498814 112.895273)
(xy 93.498812 112.89527)
(xy 93.498812 112.895268)
(xy 93.41906 112.746064)
(xy 93.40591 112.721462)
(xy 93.280883 112.569117)
(xy 93.128538 112.44409)
(xy 93.118597 112.438776)
(xy 92.954731 112.351187)
(xy 92.766133 112.293976)
(xy 92.619152 112.2795)
(xy 92.57 112.274659)
(xy 92.569999 112.274659)
(xy 92.373866 112.293976)
(xy 92.185268 112.351187)
(xy 92.011463 112.444089)
(xy 91.859117 112.569117)
(xy 91.734089 112.721463)
(xy 91.641187 112.895268)
(xy 91.583976 113.083866)
(xy 91.564659 113.28)
(xy 88.694785 113.28)
(xy 88.682882 113.253937)
(xy 88.598049 113.156033)
(xy 88.531032 113.112964)
(xy 88.489068 113.085995)
(xy 88.364772 113.0495)

(xy 88.235228 113.0495)
(xy 88.110931 113.085995)
(xy 88.001954 113.156031)
(xy 88.00195 113.156034)
(xy 87.917119 113.253935)
(xy 87.863302 113.371776)
(xy 87.844867 113.5)
(xy 71.014844 113.5)
(xy 71.044197 113.435726)
(xy 71.062633 113.3075)
(xy 71.044197 113.179274)
(xy 70.990382 113.061437)
(xy 70.905549 112.963533)
(xy 70.82848 112.914004)
(xy 70.796568 112.893495)
(xy 70.672272 112.857)
(xy 70.542728 112.857)
(xy 70.418431 112.893495)
(xy 70.309454 112.963531)
(xy 70.30945 112.963534)
(xy 70.224619 113.061435)
(xy 70.170802 113.179276)
(xy 70.152367 113.3075)
(xy 70.170802 113.435723)
(xy 70.170802 113.435724)
(xy 70.170803 113.435726)
(xy 70.224618 113.553563)
(xy 70.309451 113.651467)
(xy 70.418431 113.721504)
(xy 70.427426 113.724145)
(xy 70.468188 113.754155)
(xy 70.480124 113.803346)
(xy 70.457649 113.848702)
(xy 70.427431 113.86615)
(xy 70.410932 113.870995)
(xy 70.301954 113.941031)
(xy 70.30195 113.941034)
(xy 70.217119 114.038935)
(xy 70.163302 114.156776)
(xy 70.144867 114.285)
(xy 50.0505 114.285)
(xy 50.0505 112.799999)
(xy 60.844867 112.799999)
(xy 60.863302 112.928223)
(xy 60.863302 112.928224)
(xy 60.863303 112.928226)
(xy 60.917118 113.046063)
(xy 61.001951 113.143967)
(xy 61.110931 113.214004)
(xy 61.235228 113.2505)
(xy 61.364772 113.2505)
(xy 61.489069 113.214004)
(xy 61.598049 113.143967)
(xy 61.682882 113.046063)
(xy 61.736697 112.928226)
(xy 61.755133 112.8)
(xy 61.736697 112.671774)
(xy 61.703919 112.6)
(xy 63.244867 112.6)
(xy 63.263302 112.728223)
(xy 63.263302 112.728224)
(xy 63.263303 112.728226)
(xy 63.317118 112.846063)
(xy 63.401951 112.943967)
(xy 63.510931 113.014004)
(xy 63.635228 113.0505)
(xy 63.764772 113.0505)
(xy 63.889069 113.014004)

(xy 63.998049 112.943967)
(xy 64.082882 112.846063)
(xy 64.136697 112.728226)
(xy 64.155133 112.6)
(xy 64.140755 112.5)
(xy 75.644867 112.5)
(xy 75.663302 112.628223)
(xy 75.663302 112.628224)
(xy 75.663303 112.628226)
(xy 75.717118 112.746063)
(xy 75.801951 112.843967)
(xy 75.910931 112.914004)
(xy 76.035228 112.9505)
(xy 76.164772 112.9505)
(xy 76.289069 112.914004)
(xy 76.398049 112.843967)
(xy 76.482882 112.746063)
(xy 76.536697 112.628226)
(xy 76.555133 112.5)
(xy 76.536697 112.371774)
(xy 76.482882 112.253937)
(xy 76.398049 112.156033)
(xy 76.331032 112.112964)
(xy 76.289068 112.085995)
(xy 76.164772 112.0495)
(xy 76.035228 112.0495)
(xy 75.910931 112.085995)
(xy 75.801954 112.156031)
(xy 75.80195 112.156034)
(xy 75.717119 112.253935)
(xy 75.717118 112.253936)
(xy 75.717118 112.253937)
(xy 75.705444 112.2795)
(xy 75.663302 112.371776)
(xy 75.644867 112.5)
(xy 64.140755 112.5)
(xy 64.136697 112.471774)
(xy 64.083704 112.355738)
(xy 64.079694 112.305281)
(xy 64.083701 112.294268)
(xy 64.136697 112.178226)
(xy 64.155133 112.05)
(xy 64.136697 111.921774)
(xy 64.083704 111.805738)
(xy 64.079694 111.755281)
(xy 64.083701 111.744268)
(xy 64.136697 111.628226)
(xy 64.147944 111.55)
(xy 69.094867 111.55)
(xy 69.113302 111.678223)
(xy 69.113302 111.678224)
(xy 69.113303 111.678226)
(xy 69.167118 111.796063)
(xy 69.251951 111.893967)
(xy 69.360931 111.964004)
(xy 69.485228 112.0005)
(xy 69.614772 112.0005)
(xy 69.616475 112)
(xy 90.244867 112)
(xy 90.263302 112.128223)
(xy 90.263302 112.128224)
(xy 90.263303 112.128226)
(xy 90.317118 112.246063)
(xy 90.401951 112.343967)
(xy 90.510931 112.414004)
(xy 90.635228 112.4505)
(xy 90.764772 112.4505)
(xy 90.889069 112.414004)

(xy 90.998049 112.343967)
(xy 91.082882 112.246063)
(xy 91.136697 112.128226)
(xy 91.155133 112)
(xy 91.136697 111.871774)
(xy 91.082882 111.753937)
(xy 90.998049 111.656033)
(xy 90.931032 111.612964)
(xy 90.889068 111.585995)
(xy 90.764772 111.5495)
(xy 90.635228 111.5495)
(xy 90.510931 111.585995)
(xy 90.401954 111.656031)
(xy 90.40195 111.656034)
(xy 90.317119 111.753935)
(xy 90.317118 111.753936)
(xy 90.317118 111.753937)
(xy 90.29346 111.80574)
(xy 90.263302 111.871776)
(xy 90.244867 112)
(xy 69.616475 112)
(xy 69.739069 111.964004)
(xy 69.848049 111.893967)
(xy 69.932882 111.796063)
(xy 69.986697 111.678226)
(xy 70.005133 111.55)
(xy 69.997944 111.499999)
(xy 100.744867 111.499999)
(xy 100.763302 111.628223)
(xy 100.763302 111.628224)
(xy 100.763303 111.628226)
(xy 100.817118 111.746063)
(xy 100.901951 111.843967)
(xy 101.010931 111.914004)
(xy 101.135228 111.9505)
(xy 101.264772 111.9505)
(xy 101.389069 111.914004)
(xy 101.498049 111.843967)
(xy 101.544074 111.790849)
(xy 101.588308 111.76624)
(xy 101.638012 111.775819)
(xy 101.655924 111.790848)
(xy 101.701951 111.843967)
(xy 101.810931 111.914004)
(xy 101.935228 111.9505)
(xy 102.064772 111.9505)
(xy 102.189069 111.914004)
(xy 102.298049 111.843967)
(xy 102.344074 111.790849)
(xy 102.388308 111.76624)
(xy 102.438012 111.775819)
(xy 102.455924 111.790848)
(xy 102.501951 111.843967)
(xy 102.610931 111.914004)
(xy 102.735228 111.9505)
(xy 102.864772 111.9505)
(xy 102.989069 111.914004)
(xy 103.098049 111.843967)
(xy 103.144074 111.790849)
(xy 103.188308 111.76624)
(xy 103.238012 111.775819)
(xy 103.255924 111.790848)
(xy 103.301951 111.843967)
(xy 103.410931 111.914004)
(xy 103.535228 111.9505)
(xy 103.664772 111.9505)
(xy 103.789069 111.914004)
(xy 103.898049 111.843967)

(xy 103.944074 111.790849)
(xy 103.988308 111.76624)
(xy 104.038012 111.775819)
(xy 104.055924 111.790848)
(xy 104.101951 111.843967)
(xy 104.210931 111.914004)
(xy 104.335228 111.9505)
(xy 104.464772 111.9505)
(xy 104.589069 111.914004)
(xy 104.698049 111.843967)
(xy 104.727989 111.809413)
(xy 104.77222 111.784803)
(xy 104.821925 111.794381)
(xy 104.83984 111.809414)
(xy 104.901947 111.881091)
(xy 104.901948 111.881092)
(xy 104.901951 111.881095)
(xy 105.010931 111.951132)
(xy 105.135228 111.987628)
(xy 105.264772 111.987628)
(xy 105.389069 111.951132)
(xy 105.498049 111.881095)
(xy 105.582882 111.783191)
(xy 105.602911 111.739331)
(xy 105.638417 111.703258)
(xy 105.688807 111.698446)
(xy 105.730501 111.727149)
(xy 105.737535 111.739332)
(xy 105.762676 111.794381)
(xy 105.764596 111.798585)
(xy 105.849429 111.896489)
(xy 105.958409 111.966526)
(xy 106.082706 112.003022)
(xy 106.21225 112.003022)
(xy 106.336547 111.966526)
(xy 106.445527 111.896489)
(xy 106.489131 111.846166)
(xy 106.533363 111.821556)
(xy 106.583067 111.831135)
(xy 106.600982 111.846167)
(xy 106.664137 111.919053)
(xy 106.664138 111.919054)
(xy 106.664141 111.919057)
(xy 106.773121 111.989094)
(xy 106.897418 112.02559)
(xy 107.026962 112.02559)
(xy 107.151259 111.989094)
(xy 107.260239 111.919057)
(xy 107.345072 111.821153)
(xy 107.398887 111.703316)
(xy 107.417323 111.57509)
(xy 107.398887 111.446864)
(xy 107.345072 111.329027)
(xy 107.31992 111.3)
(xy 122.144867 111.3)
(xy 122.163302 111.428223)
(xy 122.163302 111.428224)
(xy 122.163303 111.428226)
(xy 122.217118 111.546063)
(xy 122.301951 111.643967)
(xy 122.410931 111.714004)
(xy 122.535228 111.7505)
(xy 122.664772 111.7505)
(xy 122.789069 111.714004)
(xy 122.898049 111.643967)
(xy 122.982882 111.546063)
(xy 123.036697 111.428226)
(xy 123.055133 111.3)

(xy 123.036697 111.171774)
(xy 122.982882 111.053937)
(xy 122.898049 110.956033)
(xy 122.831032 110.912964)
(xy 122.789068 110.885995)
(xy 122.664772 110.8495)
(xy 122.535228 110.8495)
(xy 122.410931 110.885995)
(xy 122.301954 110.956031)
(xy 122.30195 110.956034)
(xy 122.217119 111.053935)
(xy 122.217118 111.053936)
(xy 122.217118 111.053937)
(xy 122.202477 111.085995)
(xy 122.163302 111.171776)
(xy 122.144867 111.3)
(xy 107.31992 111.3)
(xy 107.260239 111.231123)
(xy 107.16789 111.171774)
(xy 107.151258 111.161085)
(xy 107.026962 111.12459)
(xy 106.897418 111.12459)
(xy 106.773121 111.161085)
(xy 106.664144 111.231121)
(xy 106.664136 111.231127)
(xy 106.620536 111.281445)
(xy 106.576303 111.306056)
(xy 106.526598 111.296476)
(xy 106.508685 111.281444)
(xy 106.44553 111.208558)
(xy 106.445528 111.208557)
(xy 106.445527 111.208555)
(xy 106.359609 111.153339)
(xy 106.336546 111.138517)
(xy 106.21225 111.102022)
(xy 106.082706 111.102022)
(xy 105.958409 111.138517)
(xy 105.849432 111.208553)
(xy 105.849428 111.208556)
(xy 105.764596 111.306458)
(xy 105.764595 111.30646)
(xy 105.744566 111.350317)
(xy 105.709058 111.386392)
(xy 105.658668 111.391203)
(xy 105.616975 111.362498)
(xy 105.609941 111.350316)
(xy 105.607042 111.343968)
(xy 105.582882 111.291065)
(xy 105.498049 111.193161)
(xy 105.397008 111.128226)
(xy 105.389068 111.123123)
(xy 105.264772 111.086628)
(xy 105.135228 111.086628)
(xy 105.010931 111.123123)
(xy 104.901954 111.193159)
(xy 104.901946 111.193165)
(xy 104.87201 111.227714)
(xy 104.827777 111.252325)
(xy 104.778072 111.242744)
(xy 104.760159 111.227713)
(xy 104.698052 111.156036)
(xy 104.69805 111.156035)
(xy 104.698049 111.156033)
(xy 104.604737 111.096065)
(xy 104.589068 111.085995)
(xy 104.464772 111.0495)
(xy 104.335228 111.0495)
(xy 104.210931 111.085995)

(xy 104.108942 111.15154)
(xy 104.101951 111.156033)
(xy 104.056441 111.208556)
(xy 104.055926 111.20915)
(xy 104.011692 111.23376)
(xy 103.961988 111.224181)
(xy 103.944074 111.20915)
(xy 103.943561 111.208558)
(xy 103.898049 111.156033)
(xy 103.804737 111.096065)
(xy 103.789068 111.085995)
(xy 103.664772 111.0495)
(xy 103.535228 111.0495)
(xy 103.410931 111.085995)
(xy 103.308942 111.15154)
(xy 103.301951 111.156033)
(xy 103.256441 111.208556)
(xy 103.255926 111.20915)
(xy 103.211692 111.23376)
(xy 103.161988 111.224181)
(xy 103.144074 111.20915)
(xy 103.143561 111.208558)
(xy 103.098049 111.156033)
(xy 103.004737 111.096065)
(xy 102.989068 111.085995)
(xy 102.864772 111.0495)
(xy 102.735228 111.0495)
(xy 102.610931 111.085995)
(xy 102.508942 111.15154)
(xy 102.501951 111.156033)
(xy 102.456441 111.208556)
(xy 102.455926 111.20915)
(xy 102.411692 111.23376)
(xy 102.361988 111.224181)
(xy 102.344074 111.20915)
(xy 102.343561 111.208558)
(xy 102.298049 111.156033)
(xy 102.204737 111.096065)
(xy 102.189068 111.085995)
(xy 102.064772 111.0495)
(xy 101.935228 111.0495)
(xy 101.810931 111.085995)
(xy 101.708942 111.15154)
(xy 101.701951 111.156033)
(xy 101.656441 111.208556)
(xy 101.655926 111.20915)
(xy 101.611692 111.23376)
(xy 101.561988 111.224181)
(xy 101.544074 111.20915)
(xy 101.543561 111.208558)
(xy 101.498049 111.156033)
(xy 101.404737 111.096065)
(xy 101.389068 111.085995)
(xy 101.264772 111.0495)
(xy 101.135228 111.0495)
(xy 101.010931 111.085995)
(xy 100.901954 111.156031)
(xy 100.90195 111.156034)
(xy 100.817119 111.253935)
(xy 100.817118 111.253936)
(xy 100.817118 111.253937)
(xy 100.793316 111.306056)
(xy 100.763302 111.371776)
(xy 100.744867 111.499999)
(xy 69.997944 111.499999)
(xy 69.986697 111.421774)
(xy 69.932882 111.303937)
(xy 69.88481 111.248458)

(xy 69.866746 111.201174)
(xy 69.883302 111.153339)
(xy 69.884791 111.151563)
(xy 69.932882 111.096063)
(xy 69.976753 111)
(xy 82.344867 111)
(xy 82.363302 111.128223)
(xy 82.363302 111.128224)
(xy 82.363303 111.128226)
(xy 82.417118 111.246063)
(xy 82.501951 111.343967)
(xy 82.610931 111.414004)
(xy 82.735228 111.4505)
(xy 82.864772 111.4505)
(xy 82.989069 111.414004)
(xy 83.098049 111.343967)
(xy 83.182882 111.246063)
(xy 83.236697 111.128226)
(xy 83.255133 111)
(xy 83.236697 110.871774)
(xy 83.182882 110.753937)
(xy 83.098049 110.656033)
(xy 83.016983 110.603935)
(xy 82.989068 110.585995)
(xy 82.864772 110.5495)
(xy 82.735228 110.5495)
(xy 82.610931 110.585995)
(xy 82.501954 110.656031)
(xy 82.50195 110.656034)
(xy 82.417119 110.753935)
(xy 82.363302 110.871776)
(xy 82.344867 111)
(xy 69.976753 111)
(xy 69.986697 110.978226)
(xy 70.005133 110.85)
(xy 69.986697 110.721774)
(xy 69.932882 110.603937)
(xy 69.848049 110.506033)
(xy 69.761638 110.4505)
(xy 69.739068 110.435995)
(xy 69.614772 110.3995)
(xy 69.485228 110.3995)
(xy 69.360931 110.435995)
(xy 69.251954 110.506031)
(xy 69.25195 110.506034)
(xy 69.167119 110.603935)
(xy 69.113302 110.721776)
(xy 69.094867 110.85)
(xy 69.113302 110.978223)
(xy 69.113302 110.978224)
(xy 69.113303 110.978226)
(xy 69.158971 111.078223)
(xy 69.167119 111.096065)
(xy 69.167121 111.096067)
(xy 69.215188 111.151541)
(xy 69.233253 111.198827)
(xy 69.216696 111.246662)
(xy 69.215188 111.248459)
(xy 69.167121 111.303932)
(xy 69.167119 111.303934)
(xy 69.113302 111.421776)
(xy 69.094867 111.55)
(xy 64.147944 111.55)
(xy 64.155133 111.5)
(xy 64.136697 111.371774)
(xy 64.083704 111.255738)
(xy 64.079694 111.205281)
(xy 64.083701 111.194268)

(xy 64.136697 111.078226)
(xy 64.155133 110.95)
(xy 64.136697 110.821774)
(xy 64.082882 110.703937)
(xy 63.998049 110.606033)
(xy 63.910082 110.5495)
(xy 63.889068 110.535995)
(xy 63.764772 110.4995)
(xy 63.635228 110.4995)
(xy 63.510931 110.535995)
(xy 63.401954 110.606031)
(xy 63.40195 110.606034)
(xy 63.317119 110.703935)
(xy 63.317118 110.703936)
(xy 63.317118 110.703937)
(xy 63.29021 110.762855)
(xy 63.263302 110.821776)
(xy 63.244867 110.95)
(xy 63.263302 111.078223)
(xy 63.263302 111.078224)
(xy 63.263303 111.078226)
(xy 63.284477 111.12459)
(xy 63.316294 111.194259)
(xy 63.320305 111.244719)
(xy 63.316294 111.255741)
(xy 63.263302 111.371776)
(xy 63.244867 111.5)
(xy 63.263302 111.628223)
(xy 63.263302 111.628224)
(xy 63.263303 111.628226)
(xy 63.297596 111.703316)
(xy 63.316294 111.744258)
(xy 63.320305 111.794718)
(xy 63.316294 111.80574)
(xy 63.263302 111.921776)
(xy 63.244867 112.049999)
(xy 63.263302 112.178223)
(xy 63.263302 112.178224)
(xy 63.263303 112.178226)
(xy 63.302445 112.263935)
(xy 63.316294 112.294259)
(xy 63.320305 112.344719)
(xy 63.316294 112.355741)
(xy 63.263302 112.471776)
(xy 63.244867 112.6)
(xy 61.703919 112.6)
(xy 61.682882 112.553937)
(xy 61.598049 112.456033)
(xy 61.531032 112.412964)
(xy 61.489068 112.385995)
(xy 61.364772 112.3495)
(xy 61.235228 112.3495)
(xy 61.110931 112.385995)
(xy 61.001954 112.456031)
(xy 61.00195 112.456034)
(xy 60.917119 112.553935)
(xy 60.917118 112.553936)
(xy 60.917118 112.553937)
(xy 60.896082 112.599999)
(xy 60.863302 112.671776)
(xy 60.844867 112.799999)
(xy 50.0505 112.799999)
(xy 50.0505 110)
(xy 59.244867 110)
(xy 59.248587 110.025875)
(xy 59.263302 110.128223)
(xy 59.263302 110.128224)
(xy 59.263303 110.128226)

(xy 59.317118 110.246063)
(xy 59.401951 110.343967)
(xy 59.510931 110.414004)
(xy 59.635228 110.4505)
(xy 59.764772 110.4505)
(xy 59.889069 110.414004)
(xy 59.998049 110.343967)
(xy 60.082882 110.246063)
(xy 60.136697 110.128226)
(xy 60.155133 110)
(xy 60.136697 109.871774)
(xy 60.082882 109.753937)
(xy 59.998049 109.656033)
(xy 59.91086 109.6)
(xy 59.889068 109.585995)
(xy 59.764772 109.5495)
(xy 59.635228 109.5495)
(xy 59.510931 109.585995)
(xy 59.401954 109.656031)
(xy 59.40195 109.656034)
(xy 59.317119 109.753935)
(xy 59.263302 109.871776)
(xy 59.252923 109.943967)
(xy 59.244867 110)
(xy 50.0505 110)
(xy 50.0505 109.299999)
(xy 71.544867 109.299999)
(xy 71.563302 109.428223)
(xy 71.563302 109.428224)
(xy 71.563303 109.428226)
(xy 71.617118 109.546063)
(xy 71.701951 109.643967)
(xy 71.810931 109.714004)
(xy 71.935228 109.7505)
(xy 72.064772 109.7505)
(xy 72.189069 109.714004)
(xy 72.298049 109.643967)
(xy 72.382882 109.546063)
(xy 72.436697 109.428226)
(xy 72.455133 109.3)
(xy 72.455133 109.299999)
(xy 75.044867 109.299999)
(xy 75.063302 109.428223)
(xy 75.063302 109.428224)
(xy 75.063303 109.428226)
(xy 75.117118 109.546063)
(xy 75.201951 109.643967)
(xy 75.310931 109.714004)
(xy 75.435228 109.7505)
(xy 75.564772 109.7505)
(xy 75.689069 109.714004)
(xy 75.798049 109.643967)
(xy 75.882882 109.546063)
(xy 75.936697 109.428226)
(xy 75.955133 109.3)
(xy 75.936697 109.171774)
(xy 75.882882 109.053937)
(xy 75.798049 108.956033)
(xy 75.731032 108.912964)
(xy 75.689068 108.885995)
(xy 75.564772 108.8495)
(xy 75.435228 108.8495)
(xy 75.310931 108.885995)
(xy 75.201954 108.956031)
(xy 75.20195 108.956034)
(xy 75.117119 109.053935)
(xy 75.063302 109.171776)
(xy 75.044867 109.299999)

(xy 72.455133 109.299999)
(xy 72.436697 109.171774)
(xy 72.382882 109.053937)
(xy 72.298049 108.956033)
(xy 72.231032 108.912964)
(xy 72.189068 108.885995)
(xy 72.064772 108.8495)
(xy 71.935228 108.8495)
(xy 71.810931 108.885995)
(xy 71.701954 108.956031)
(xy 71.70195 108.956034)
(xy 71.617119 109.053935)
(xy 71.563302 109.171776)
(xy 71.544867 109.299999)
(xy 50.0505 109.299999)
(xy 50.0505 108.680135)
(xy 80.5395 108.680135)
(xy 80.554266 108.830053)
(xy 80.612619 109.022418)
(xy 80.61262 109.022421)
(xy 80.612621 109.022422)
(xy 80.707374 109.199695)
(xy 80.707384 109.19971)
(xy 80.78969 109.299999)
(xy 80.834906 109.355094)
(xy 80.834911 109.355098)
(xy 80.834912 109.355099)
(xy 80.990289 109.482615)
(xy 80.990292 109.482617)
(xy 80.990297 109.482621)
(xy 81.167582 109.577381)
(xy 81.359947 109.635734)
(xy 81.56 109.655438)
(xy 81.760053 109.635734)
(xy 81.952418 109.577381)
(xy 82.129703 109.482621)
(xy 82.285094 109.355094)
(xy 82.412621 109.199703)
(xy 82.507381 109.022418)
(xy 82.565734 108.830053)
(xy 82.5805 108.680135)
(xy 82.5805 108.15)
(xy 82.73 108.15)
(xy 83.444024 108.15)
(xy 83.49159 108.167313)
(xy 83.5169 108.21115)
(xy 83.515703 108.23851)
(xy 83.516077 108.23856)
(xy 83.515514 108.242833)
(xy 83.5155 108.243163)
(xy 83.515445 108.243364)
(xy 83.515444 108.243369)
(xy 83.515443 108.243373)
(xy 83.515443 108.243375)
(xy 83.507194 108.306031)
(xy 83.494823 108.4)
(xy 83.515444 108.556631)
(xy 83.515446 108.556636)
(xy 83.5155 108.556837)
(xy 83.515488 108.556969)
(xy 83.516077 108.56144)
(xy 83.515086 108.56157)
(xy 83.511095 108.607264)
(xy 83.475308 108.643062)
(xy 83.444024 108.65)
(xy 82.730001 108.65)
(xy 82.730001 109.299976)
(xy 82.740494 109.402698)

(xy 82.79564 109.569118)
(xy 82.795642 109.569124)
(xy 82.887682 109.718343)
(xy 83.011656 109.842317)
(xy 83.160875 109.934357)
(xy 83.160881 109.934359)
(xy 83.327301 109.989505)
(xy 83.430025 109.999999)
(xy 83.85 109.999999)
(xy 83.85 109.055976)
(xy 83.867313 109.00841)
(xy 83.91115 108.9831)
(xy 83.93851 108.984296)
(xy 83.93856 108.983923)
(xy 83.942833 108.984485)
(xy 83.943163 108.9845)
(xy 83.943358 108.984551)
(xy 83.943369 108.984556)
(xy 84.060677 109)
(xy 84.060679 109)
(xy 84.139321 109)
(xy 84.139323 109)
(xy 84.256631 108.984556)
(xy 84.256643 108.98455)
(xy 84.256837 108.9845)
(xy 84.256969 108.984511)
(xy 84.26144 108.983923)
(xy 84.26157 108.984913)
(xy 84.307264 108.988905)
(xy 84.343062 109.024692)
(xy 84.35 109.055976)
(xy 84.35 109.999999)
(xy 84.769971 109.999999)
(xy 84.769976 109.999998)
(xy 84.872698 109.989505)
(xy 85.039118 109.934359)
(xy 85.039124 109.934357)
(xy 85.188343 109.842317)
(xy 85.312317 109.718343)
(xy 85.385312 109.6)
(xy 117.044867 109.6)
(xy 117.063302 109.728223)
(xy 117.063302 109.728224)
(xy 117.063303 109.728226)
(xy 117.117118 109.846063)
(xy 117.201951 109.943967)
(xy 117.310931 110.014004)
(xy 117.435228 110.0505)
(xy 117.564772 110.0505)
(xy 117.689069 110.014004)
(xy 117.798049 109.943967)
(xy 117.882882 109.846063)
(xy 117.936697 109.728226)
(xy 117.955133 109.6)
(xy 117.936697 109.471774)
(xy 117.882882 109.353937)
(xy 117.798049 109.256033)
(xy 117.731032 109.212964)
(xy 117.689068 109.185995)
(xy 117.564772 109.1495)
(xy 117.435228 109.1495)
(xy 117.310931 109.185995)
(xy 117.201954 109.256031)
(xy 117.20195 109.256034)
(xy 117.117119 109.353935)
(xy 117.063302 109.471776)
(xy 117.044867 109.6)
(xy 85.385312 109.6)

(xy 85.404357 109.569124)
(xy 85.404359 109.569118)
(xy 85.459505 109.402698)
(xy 85.469999 109.299975)
(xy 85.47 109.299973)
(xy 85.47 108.65)
(xy 84.755976 108.65)
(xy 84.755973 108.649999)
(xy 105.744867 108.649999)
(xy 105.763302 108.778223)
(xy 105.763302 108.778224)
(xy 105.763303 108.778226)
(xy 105.817118 108.896063)
(xy 105.901951 108.993967)
(xy 106.010931 109.064004)
(xy 106.135228 109.1005)
(xy 106.264772 109.1005)
(xy 106.389069 109.064004)
(xy 106.498049 108.993967)
(xy 106.582882 108.896063)
(xy 106.636697 108.778226)
(xy 106.655133 108.65)
(xy 106.636697 108.521774)
(xy 106.626754 108.500003)
(xy 107.154722 108.500003)
(xy 107.173761 108.656808)
(xy 107.173764 108.656822)
(xy 107.229778 108.804521)
(xy 107.319516 108.934529)
(xy 107.319517 108.93453)
(xy 107.43776 109.039283)
(xy 107.577635 109.112696)
(xy 107.731015 109.1505)
(xy 107.731019 109.1505)
(xy 107.888981 109.1505)
(xy 107.888985 109.1505)
(xy 108.042365 109.112696)
(xy 108.18224 109.039283)
(xy 108.300483 108.93453)
(xy 108.3841 108.813389)
(xy 108.425368 108.784079)
(xy 108.475823 108.788152)
(xy 108.505899 108.813388)
(xy 108.556016 108.885995)
(xy 108.589515 108.934528)
(xy 108.589517 108.93453)
(xy 108.70776 109.039283)
(xy 108.847635 109.112696)
(xy 109.001015 109.1505)
(xy 109.001019 109.1505)
(xy 109.158981 109.1505)
(xy 109.158985 109.1505)
(xy 109.312365 109.112696)
(xy 109.45224 109.039283)
(xy 109.570483 108.93453)
(xy 109.6541 108.813389)
(xy 109.695368 108.784079)
(xy 109.745823 108.788152)
(xy 109.775899 108.813388)
(xy 109.826016 108.885995)
(xy 109.859515 108.934528)
(xy 109.859517 108.93453)
(xy 109.97776 109.039283)
(xy 110.117635 109.112696)
(xy 110.271015 109.1505)
(xy 110.271019 109.1505)
(xy 110.428981 109.1505)
(xy 110.428985 109.1505)

(xy 110.582365 109.112696)
(xy 110.72224 109.039283)
(xy 110.840483 108.93453)
(xy 110.9241 108.813389)
(xy 110.965368 108.784079)
(xy 111.015823 108.788152)
(xy 111.045899 108.813388)
(xy 111.096016 108.885995)
(xy 111.129515 108.934528)
(xy 111.129517 108.93453)
(xy 111.24776 109.039283)
(xy 111.387635 109.112696)
(xy 111.541015 109.1505)
(xy 111.541019 109.1505)
(xy 111.698981 109.1505)
(xy 111.698985 109.1505)
(xy 111.852365 109.112696)
(xy 111.99224 109.039283)
(xy 112.110483 108.93453)
(xy 112.1941 108.813389)
(xy 112.235368 108.784079)
(xy 112.285823 108.788152)
(xy 112.315899 108.813388)
(xy 112.366016 108.885995)
(xy 112.399515 108.934528)
(xy 112.399517 108.93453)
(xy 112.51776 109.039283)
(xy 112.657635 109.112696)
(xy 112.811015 109.1505)
(xy 112.811019 109.1505)
(xy 112.968981 109.1505)
(xy 112.968985 109.1505)
(xy 113.122365 109.112696)
(xy 113.26224 109.039283)
(xy 113.380483 108.93453)
(xy 113.4641 108.813389)
(xy 113.505368 108.784079)
(xy 113.555823 108.788152)
(xy 113.585899 108.813388)
(xy 113.636016 108.885995)
(xy 113.669515 108.934528)
(xy 113.669517 108.93453)
(xy 113.78776 109.039283)
(xy 113.927635 109.112696)
(xy 114.081015 109.1505)
(xy 114.081019 109.1505)
(xy 114.238981 109.1505)
(xy 114.238985 109.1505)
(xy 114.392365 109.112696)
(xy 114.53224 109.039283)
(xy 114.650483 108.93453)
(xy 114.7341 108.813389)
(xy 114.775368 108.784079)
(xy 114.825823 108.788152)
(xy 114.855899 108.813388)
(xy 114.906016 108.885995)
(xy 114.939515 108.934528)
(xy 114.939517 108.93453)
(xy 115.05776 109.039283)
(xy 115.197635 109.112696)
(xy 115.351015 109.1505)
(xy 115.351019 109.1505)
(xy 115.508981 109.1505)
(xy 115.508985 109.1505)
(xy 115.662365 109.112696)
(xy 115.80224 109.039283)
(xy 115.920483 108.93453)
(xy 116.004099 108.813389)

(xy 116.045366 108.784079)
(xy 116.095821 108.788152)
(xy 116.1259 108.81339)
(xy 116.209516 108.934529)
(xy 116.209517 108.93453)
(xy 116.32776 109.039283)
(xy 116.467635 109.112696)
(xy 116.621015 109.1505)
(xy 116.621019 109.1505)
(xy 116.778981 109.1505)
(xy 116.778985 109.1505)
(xy 116.932365 109.112696)
(xy 117.07224 109.039283)
(xy 117.190483 108.93453)
(xy 117.28022 108.804523)
(xy 117.287974 108.784079)
(xy 117.298892 108.755287)
(xy 117.336237 108.656818)
(xy 117.355278 108.5)
(xy 125.244867 108.5)
(xy 125.247998 108.521774)
(xy 125.263302 108.628223)
(xy 125.263302 108.628224)
(xy 125.263303 108.628226)
(xy 125.317118 108.746063)
(xy 125.401951 108.843967)
(xy 125.510931 108.914004)
(xy 125.635228 108.9505)
(xy 125.764772 108.9505)
(xy 125.889069 108.914004)
(xy 125.998049 108.843967)
(xy 126.082882 108.746063)
(xy 126.136697 108.628226)
(xy 126.155133 108.5)
(xy 126.136697 108.371774)
(xy 126.082882 108.253937)
(xy 125.998049 108.156033)
(xy 125.910858 108.099999)
(xy 127.344867 108.099999)
(xy 127.363302 108.228223)
(xy 127.363302 108.228224)
(xy 127.363303 108.228226)
(xy 127.417118 108.346063)
(xy 127.501951 108.443967)
(xy 127.610931 108.514004)
(xy 127.735228 108.5505)
(xy 127.864772 108.5505)
(xy 127.989069 108.514004)
(xy 128.098049 108.443967)
(xy 128.182882 108.346063)
(xy 128.236697 108.228226)
(xy 128.255133 108.1)
(xy 128.236697 107.971774)
(xy 128.182882 107.853937)
(xy 128.098049 107.756033)
(xy 128.031032 107.712964)
(xy 127.989068 107.685995)
(xy 127.864772 107.6495)
(xy 127.735228 107.6495)
(xy 127.610931 107.685995)
(xy 127.501954 107.756031)
(xy 127.50195 107.756034)
(xy 127.417119 107.853935)
(xy 127.363302 107.971776)
(xy 127.344867 108.099999)
(xy 125.910858 108.099999)
(xy 125.906831 108.097411)
(xy 125.889068 108.085995)

(xy 125.764772 108.0495)
(xy 125.635228 108.0495)
(xy 125.510931 108.085995)
(xy 125.401954 108.156031)
(xy 125.40195 108.156034)
(xy 125.317119 108.253935)
(xy 125.263302 108.371776)
(xy 125.244867 108.499999)
(xy 125.244867 108.5)
(xy 117.355278 108.5)
(xy 117.348474 108.443967)
(xy 117.336238 108.343191)
(xy 117.336237 108.343182)
(xy 117.299405 108.246063)
(xy 117.280221 108.195478)
(xy 117.190483 108.06547)
(xy 117.172456 108.0495)
(xy 117.07224 107.960717)
(xy 117.060139 107.954366)
(xy 116.932366 107.887304)
(xy 116.778987 107.8495)
(xy 116.778985 107.8495)
(xy 116.621015 107.8495)
(xy 116.621012 107.8495)
(xy 116.467633 107.887304)
(xy 116.327761 107.960716)
(xy 116.209516 108.06547)
(xy 116.125901 108.186609)
(xy 116.084632 108.21592)
(xy 116.034177 108.211847)
(xy 116.004099 108.186609)
(xy 115.920483 108.06547)
(xy 115.902456 108.0495)
(xy 115.80224 107.960717)
(xy 115.790139 107.954366)
(xy 115.662366 107.887304)
(xy 115.508987 107.8495)
(xy 115.508985 107.8495)
(xy 115.351015 107.8495)
(xy 115.351012 107.8495)
(xy 115.197633 107.887304)
(xy 115.057761 107.960716)
(xy 114.939516 108.06547)
(xy 114.855901 108.186609)
(xy 114.814632 108.21592)
(xy 114.764177 108.211847)
(xy 114.734099 108.186609)
(xy 114.650483 108.06547)
(xy 114.632456 108.0495)
(xy 114.53224 107.960717)
(xy 114.520139 107.954366)
(xy 114.392366 107.887304)
(xy 114.238987 107.8495)
(xy 114.238985 107.8495)
(xy 114.081015 107.8495)
(xy 114.081012 107.8495)
(xy 113.927633 107.887304)
(xy 113.787761 107.960716)
(xy 113.669516 108.06547)
(xy 113.585901 108.186609)
(xy 113.544632 108.21592)
(xy 113.494177 108.211847)
(xy 113.464099 108.186609)
(xy 113.380483 108.06547)
(xy 113.362456 108.0495)
(xy 113.26224 107.960717)
(xy 113.250139 107.954366)
(xy 113.122366 107.887304)

(xy 112.968987 107.8495)
(xy 112.968985 107.8495)
(xy 112.811015 107.8495)
(xy 112.811012 107.8495)
(xy 112.657633 107.887304)
(xy 112.517761 107.960716)
(xy 112.399516 108.06547)
(xy 112.315901 108.186609)
(xy 112.274632 108.21592)
(xy 112.224177 108.211847)
(xy 112.194099 108.186609)
(xy 112.110483 108.06547)
(xy 112.092456 108.0495)
(xy 111.99224 107.960717)
(xy 111.980139 107.954366)
(xy 111.852366 107.887304)
(xy 111.698987 107.8495)
(xy 111.698985 107.8495)
(xy 111.541015 107.8495)
(xy 111.541012 107.8495)
(xy 111.387633 107.887304)
(xy 111.247761 107.960716)
(xy 111.129516 108.06547)
(xy 111.045901 108.186609)
(xy 111.004632 108.21592)
(xy 110.954177 108.211847)
(xy 110.924099 108.186609)
(xy 110.840483 108.06547)
(xy 110.822456 108.0495)
(xy 110.72224 107.960717)
(xy 110.710139 107.954366)
(xy 110.582366 107.887304)
(xy 110.428987 107.8495)
(xy 110.428985 107.8495)
(xy 110.271015 107.8495)
(xy 110.271012 107.8495)
(xy 110.117633 107.887304)
(xy 109.977761 107.960716)
(xy 109.859516 108.06547)
(xy 109.7759 108.186609)
(xy 109.734631 108.21592)
(xy 109.684176 108.211847)
(xy 109.654098 108.186608)
(xy 109.633618 108.156938)
(xy 109.584651 108.085996)
(xy 109.570484 108.065471)
(xy 109.552456 108.0495)
(xy 109.45224 107.960717)
(xy 109.440139 107.954366)
(xy 109.312366 107.887304)
(xy 109.158987 107.8495)
(xy 109.158985 107.8495)
(xy 109.001015 107.8495)
(xy 109.001012 107.8495)
(xy 108.847633 107.887304)
(xy 108.707761 107.960716)
(xy 108.589516 108.06547)
(xy 108.505901 108.186609)
(xy 108.464632 108.21592)
(xy 108.414177 108.211847)
(xy 108.384099 108.186609)
(xy 108.300483 108.06547)
(xy 108.282456 108.0495)
(xy 108.18224 107.960717)
(xy 108.170139 107.954366)
(xy 108.042366 107.887304)
(xy 107.888987 107.8495)
(xy 107.888985 107.8495)

(xy 107.731015 107.8495)
(xy 107.731012 107.8495)
(xy 107.577633 107.887304)
(xy 107.437761 107.960716)
(xy 107.319516 108.06547)
(xy 107.229779 108.195478)
(xy 107.229778 108.195478)
(xy 107.173764 108.343177)
(xy 107.173761 108.343191)
(xy 107.154722 108.499996)
(xy 107.154722 108.500003)
(xy 106.626754 108.500003)
(xy 106.582882 108.403937)
(xy 106.498049 108.306033)
(xy 106.416983 108.253935)
(xy 106.389068 108.235995)
(xy 106.264772 108.1995)
(xy 106.135228 108.1995)
(xy 106.010931 108.235995)
(xy 105.901954 108.306031)
(xy 105.90195 108.306034)
(xy 105.817119 108.403935)
(xy 105.763302 108.521776)
(xy 105.744867 108.649999)
(xy 84.755973 108.649999)
(xy 84.70841 108.632687)
(xy 84.6831 108.58885)
(xy 84.684296 108.561489)
(xy 84.683923 108.56144)
(xy 84.684485 108.557166)
(xy 84.6845 108.556837)
(xy 84.68455 108.556643)
(xy 84.684556 108.556631)
(xy 84.705177 108.4)
(xy 84.684556 108.243369)
(xy 84.684551 108.243358)
(xy 84.6845 108.243163)
(xy 84.684511 108.24303)
(xy 84.683923 108.23856)
(xy 84.684913 108.238429)
(xy 84.688905 108.192736)
(xy 84.724692 108.156938)
(xy 84.755976 108.15)
(xy 85.469999 108.15)
(xy 85.469999 107.500029)
(xy 85.469998 107.500023)
(xy 85.459505 107.397301)
(xy 85.427263 107.3)
(xy 93.144865 107.3)
(xy 93.1633 107.428223)
(xy 93.1633 107.428224)
(xy 93.163301 107.428226)
(xy 93.217116 107.546063)
(xy 93.301949 107.643967)
(xy 93.410929 107.714004)
(xy 93.535226 107.7505)
(xy 93.66477 107.7505)
(xy 93.789067 107.714004)
(xy 93.898047 107.643967)
(xy 93.98288 107.546063)
(xy 94.036695 107.428226)
(xy 94.055131 107.3)
(xy 94.036695 107.171774)
(xy 93.98288 107.053937)
(xy 93.898047 106.956033)
(xy 93.888659 106.95)
(xy 96.594867 106.95)
(xy 96.613302 107.078223)

(xy 96.613302 107.078224)
(xy 96.613303 107.078226)
(xy 96.667118 107.196063)
(xy 96.751951 107.293967)
(xy 96.860931 107.364004)
(xy 96.985228 107.4005)
(xy 97.114775 107.4005)
(xy 97.114775 107.400499)
(xy 97.125667 107.397301)
(xy 97.239069 107.364004)
(xy 97.239073 107.364)
(xy 97.243889 107.361803)
(xy 97.245064 107.364377)
(xy 97.284229 107.355454)
(xy 97.305493 107.363178)
(xy 97.30612 107.361807)
(xy 97.310928 107.364003)
(xy 97.31093 107.364003)
(xy 97.310931 107.364004)
(xy 97.435228 107.4005)
(xy 97.564772 107.4005)
(xy 97.689069 107.364004)
(xy 97.798049 107.293967)
(xy 97.882882 107.196063)
(xy 97.926753 107.1)
(xy 122.344867 107.1)
(xy 122.346895 107.114102)
(xy 122.363302 107.228223)
(xy 122.363302 107.228224)
(xy 122.363303 107.228226)
(xy 122.417118 107.346063)
(xy 122.501951 107.443967)
(xy 122.610931 107.514004)
(xy 122.735228 107.5505)
(xy 122.864772 107.5505)
(xy 122.989069 107.514004)
(xy 123.098049 107.443967)
(xy 123.182882 107.346063)
(xy 123.232688 107.237003)
(xy 123.268195 107.200929)
(xy 123.318585 107.196118)
(xy 123.360279 107.224822)
(xy 123.367309 107.236999)
(xy 123.417118 107.346063)
(xy 123.501951 107.443967)
(xy 123.610931 107.514004)
(xy 123.735228 107.5505)
(xy 123.864772 107.5505)
(xy 123.989069 107.514004)
(xy 124.098049 107.443967)
(xy 124.182882 107.346063)
(xy 124.236697 107.228226)
(xy 124.255133 107.1)
(xy 124.236697 106.971774)
(xy 124.182882 106.853937)
(xy 124.098049 106.756033)
(xy 124.001474 106.693968)
(xy 123.989068 106.685995)
(xy 123.864772 106.6495)
(xy 123.735228 106.6495)
(xy 123.610931 106.685995)
(xy 123.501954 106.756031)
(xy 123.50195 106.756034)
(xy 123.417119 106.853935)
(xy 123.417118 106.853936)
(xy 123.417118 106.853937)
(xy 123.370492 106.956034)
(xy 123.367313 106.962994)

(xy 123.331804 106.99907)
(xy 123.281415 107.003881)
(xy 123.239721 106.975177)
(xy 123.232687 106.962994)
(xy 123.230261 106.957682)
(xy 123.182882 106.853937)
(xy 123.098049 106.756033)
(xy 123.001474 106.693968)
(xy 122.989068 106.685995)
(xy 122.864772 106.6495)
(xy 122.735228 106.6495)
(xy 122.610931 106.685995)
(xy 122.501954 106.756031)
(xy 122.50195 106.756034)
(xy 122.417119 106.853935)
(xy 122.417118 106.853936)
(xy 122.417118 106.853937)
(xy 122.402477 106.885995)
(xy 122.363302 106.971776)
(xy 122.347504 107.081656)
(xy 122.344867 107.1)
(xy 97.926753 107.1)
(xy 97.936697 107.078226)
(xy 97.955133 106.95)
(xy 97.936697 106.821774)
(xy 97.882882 106.703937)
(xy 97.798049 106.606033)
(xy 97.724999 106.559087)
(xy 97.689068 106.535995)
(xy 97.564772 106.4995)
(xy 97.435228 106.4995)
(xy 97.310932 106.535995)
(xy 97.306124 106.538192)
(xy 97.304964 106.535653)
(xy 97.265593 106.544524)
(xy 97.244491 106.536843)
(xy 97.243876 106.538192)
(xy 97.239067 106.535995)
(xy 97.114772 106.4995)
(xy 96.985228 106.4995)
(xy 96.860931 106.535995)
(xy 96.751954 106.606031)
(xy 96.75195 106.606034)
(xy 96.667119 106.703935)
(xy 96.613302 106.821776)
(xy 96.594867 106.95)
(xy 93.888659 106.95)
(xy 93.83103 106.912964)
(xy 93.789066 106.885995)
(xy 93.66477 106.8495)
(xy 93.535226 106.8495)
(xy 93.410929 106.885995)
(xy 93.301952 106.956031)
(xy 93.301948 106.956034)
(xy 93.217117 107.053935)
(xy 93.217116 107.053936)
(xy 93.217116 107.053937)
(xy 93.204457 107.081656)
(xy 93.1633 107.171776)
(xy 93.144865 107.3)
(xy 85.427263 107.3)
(xy 85.404359 107.230881)
(xy 85.404357 107.230875)
(xy 85.312317 107.081656)
(xy 85.188343 106.957682)
(xy 85.039124 106.865642)
(xy 85.039118 106.86564)
(xy 84.872698 106.810494)

(xy 84.769975 106.8)
(xy 84.35 106.8)
(xy 84.35 107.744023)
(xy 84.332687 107.791589)
(xy 84.28885 107.816899)
(xy 84.261489 107.815704)
(xy 84.26144 107.816077)
(xy 84.257182 107.815516)
(xy 84.25685 107.815502)
(xy 84.256635 107.815444)
(xy 84.178425 107.805148)
(xy 84.139323 107.8)
(xy 84.060677 107.8)
(xy 84.02716 107.804412)
(xy 83.943364 107.815444)
(xy 83.94315 107.815502)
(xy 83.943016 107.81549)
(xy 83.93856 107.816077)
(xy 83.938429 107.815088)
(xy 83.892723 107.811088)
(xy 83.856932 107.775294)
(xy 83.85 107.744023)
(xy 83.85 106.8)
(xy 83.430029 106.8)
(xy 83.430023 106.800001)
(xy 83.327301 106.810494)
(xy 83.160881 106.86564)
(xy 83.160875 106.865642)
(xy 83.011656 106.957682)
(xy 82.887682 107.081656)
(xy 82.795642 107.230875)
(xy 82.79564 107.230881)
(xy 82.740494 107.397301)
(xy 82.73 107.500024)
(xy 82.73 108.15)
(xy 82.5805 108.15)
(xy 82.5805 108.119865)
(xy 82.565734 107.969947)
(xy 82.507381 107.777582)
(xy 82.43892 107.6495)
(xy 82.412625 107.600304)
(xy 82.412623 107.600302)
(xy 82.412621 107.600297)
(xy 82.412617 107.600292)
(xy 82.412615 107.600289)
(xy 82.285099 107.444912)
(xy 82.285098 107.444911)
(xy 82.285094 107.444906)
(xy 82.28395 107.443967)
(xy 82.12971 107.317384)
(xy 82.129705 107.31738)
(xy 82.129703 107.317379)
(xy 82.1297 107.317377)
(xy 82.129695 107.317374)
(xy 81.952422 107.222621)
(xy 81.952421 107.22262)
(xy 81.952418 107.222619)
(xy 81.813591 107.180506)
(xy 81.760054 107.164266)
(xy 81.56 107.144562)
(xy 81.359945 107.164266)
(xy 81.25287 107.196747)
(xy 81.167582 107.222619)
(xy 81.167579 107.22262)
(xy 81.167577 107.222621)
(xy 80.990304 107.317374)
(xy 80.990289 107.317384)
(xy 80.834912 107.4449)

(xy 80.8349 107.444912)
(xy 80.707384 107.600289)
(xy 80.707374 107.600304)
(xy 80.612621 107.777577)
(xy 80.61262 107.777579)
(xy 80.612619 107.777582)
(xy 80.590803 107.8495)
(xy 80.554266 107.969945)
(xy 80.544858 108.06547)
(xy 80.5395 108.119865)
(xy 80.5395 108.680135)
(xy 50.0505 108.680135)
(xy 50.0505 107.999999)
(xy 59.244867 107.999999)
(xy 59.263302 108.128223)
(xy 59.263302 108.128224)
(xy 59.263303 108.128226)
(xy 59.317118 108.246063)
(xy 59.401951 108.343967)
(xy 59.510931 108.414004)
(xy 59.635228 108.4505)
(xy 59.764772 108.4505)
(xy 59.889069 108.414004)
(xy 59.998049 108.343967)
(xy 60.082882 108.246063)
(xy 60.136697 108.128226)
(xy 60.155133 108)
(xy 60.136697 107.871774)
(xy 60.082882 107.753937)
(xy 59.998049 107.656033)
(xy 59.911322 107.600297)
(xy 59.889068 107.585995)
(xy 59.764772 107.5495)
(xy 59.635228 107.5495)
(xy 59.510931 107.585995)
(xy 59.401954 107.656031)
(xy 59.40195 107.656034)
(xy 59.317119 107.753935)
(xy 59.317118 107.753936)
(xy 59.317118 107.753937)
(xy 59.306322 107.777577)
(xy 59.263302 107.871776)
(xy 59.244867 107.999999)
(xy 50.0505 107.999999)
(xy 50.0505 106)
(xy 59.244867 106)
(xy 59.245735 106.006034)
(xy 59.263302 106.128223)
(xy 59.263302 106.128224)
(xy 59.263303 106.128226)
(xy 59.317118 106.246063)
(xy 59.401951 106.343967)
(xy 59.510931 106.414004)
(xy 59.635228 106.4505)
(xy 59.764772 106.4505)
(xy 59.889069 106.414004)
(xy 59.91086 106.4)
(xy 72.744867 106.4)
(xy 72.763302 106.528223)
(xy 72.763302 106.528224)
(xy 72.763303 106.528226)
(xy 72.817118 106.646063)
(xy 72.901951 106.743967)
(xy 73.010931 106.814004)
(xy 73.135228 106.8505)
(xy 73.264772 106.8505)
(xy 73.387277 106.81453)
(xy 73.437792 106.817741)

(xy 73.474427 106.852672)
(xy 73.475421 106.854762)
(xy 73.517118 106.946063)
(xy 73.601951 107.043967)
(xy 73.710931 107.114004)
(xy 73.835228 107.1505)
(xy 73.964772 107.1505)
(xy 74.089069 107.114004)
(xy 74.198049 107.043967)
(xy 74.282882 106.946063)
(xy 74.336697 106.828226)
(xy 74.355133 106.7)
(xy 74.336697 106.571774)
(xy 74.282882 106.453937)
(xy 74.236146 106.4)
(xy 76.244867 106.4)
(xy 76.263302 106.528223)
(xy 76.263302 106.528224)
(xy 76.263303 106.528226)
(xy 76.317118 106.646063)
(xy 76.401951 106.743967)
(xy 76.510931 106.814004)
(xy 76.635228 106.8505)
(xy 76.764772 106.8505)
(xy 76.887236 106.814542)
(xy 76.937752 106.817753)
(xy 76.974387 106.852684)
(xy 76.975395 106.854804)
(xy 77.017115 106.946157)
(xy 77.017118 106.946161)
(xy 77.101951 107.044065)
(xy 77.210931 107.114102)
(xy 77.335228 107.150598)
(xy 77.464772 107.150598)
(xy 77.589069 107.114102)
(xy 77.698049 107.044065)
(xy 77.782882 106.946161)
(xy 77.836697 106.828324)
(xy 77.855133 106.700098)
(xy 77.836697 106.571872)
(xy 77.782882 106.454035)
(xy 77.698049 106.356131)
(xy 77.688509 106.35)
(xy 87.194867 106.35)
(xy 87.213302 106.478223)
(xy 87.213302 106.478224)
(xy 87.213303 106.478226)
(xy 87.267118 106.596063)
(xy 87.351951 106.693967)
(xy 87.460931 106.764004)
(xy 87.585228 106.8005)
(xy 87.714772 106.8005)
(xy 87.839069 106.764004)
(xy 87.948049 106.693967)
(xy 88.032882 106.596063)
(xy 88.086697 106.478226)
(xy 88.105133 106.35)
(xy 88.086697 106.221774)
(xy 88.053919 106.15)
(xy 99.644867 106.15)
(xy 99.663302 106.278223)
(xy 99.663302 106.278224)
(xy 99.663303 106.278226)
(xy 99.717118 106.396063)
(xy 99.801951 106.493967)
(xy 99.910931 106.564004)
(xy 100.035228 106.6005)
(xy 100.164772 106.6005)

(xy 100.289069 106.564004)
(xy 100.398049 106.493967)
(xy 100.482882 106.396063)
(xy 100.526753 106.299999)
(xy 119.444867 106.299999)
(xy 119.463302 106.428223)
(xy 119.463302 106.428224)
(xy 119.463303 106.428226)
(xy 119.517118 106.546063)
(xy 119.601951 106.643967)
(xy 119.710931 106.714004)
(xy 119.835228 106.7505)
(xy 119.964772 106.7505)
(xy 120.089069 106.714004)
(xy 120.198049 106.643967)
(xy 120.282882 106.546063)
(xy 120.336697 106.428226)
(xy 120.355133 106.3)
(xy 120.340755 106.2)
(xy 127.344867 106.2)
(xy 127.363302 106.328223)
(xy 127.363302 106.328224)
(xy 127.363303 106.328226)
(xy 127.417118 106.446063)
(xy 127.501951 106.543967)
(xy 127.610931 106.614004)
(xy 127.735228 106.6505)
(xy 127.864772 106.6505)
(xy 127.989069 106.614004)
(xy 128.098049 106.543967)
(xy 128.182882 106.446063)
(xy 128.236697 106.328226)
(xy 128.255133 106.2)
(xy 128.236697 106.071774)
(xy 128.182882 105.953937)
(xy 128.098049 105.856033)
(xy 128.020244 105.806031)
(xy 127.989068 105.785995)
(xy 127.864772 105.7495)
(xy 127.735228 105.7495)
(xy 127.610931 105.785995)
(xy 127.501954 105.856031)
(xy 127.50195 105.856034)
(xy 127.417119 105.953935)
(xy 127.363302 106.071776)
(xy 127.344867 106.2)
(xy 120.340755 106.2)
(xy 120.336697 106.171774)
(xy 120.282882 106.053937)
(xy 120.198049 105.956033)
(xy 120.105168 105.896342)
(xy 120.089068 105.885995)
(xy 119.964772 105.8495)
(xy 119.835228 105.8495)
(xy 119.710931 105.885995)
(xy 119.601954 105.956031)
(xy 119.60195 105.956034)
(xy 119.517119 106.053935)
(xy 119.517118 106.053936)
(xy 119.517118 106.053937)
(xy 119.49021 106.112855)
(xy 119.463302 106.171776)
(xy 119.444867 106.299999)
(xy 100.526753 106.299999)
(xy 100.536697 106.278226)
(xy 100.555133 106.15)
(xy 100.536697 106.021774)
(xy 100.482882 105.903937)

(xy 100.398049 105.806033)
(xy 100.301474 105.743968)
(xy 100.289068 105.735995)
(xy 100.164772 105.6995)
(xy 100.035228 105.6995)
(xy 99.910931 105.735995)
(xy 99.801954 105.806031)
(xy 99.80195 105.806034)
(xy 99.717119 105.903935)
(xy 99.717118 105.903936)
(xy 99.717118 105.903937)
(xy 99.693327 105.956031)
(xy 99.663302 106.021776)
(xy 99.644867 106.15)
(xy 88.053919 106.15)
(xy 88.032882 106.103937)
(xy 87.948049 106.006033)
(xy 87.860082 105.9495)
(xy 87.839068 105.935995)
(xy 87.714772 105.8995)
(xy 87.585228 105.8995)
(xy 87.460931 105.935995)
(xy 87.351954 106.006031)
(xy 87.35195 106.006034)
(xy 87.267119 106.103935)
(xy 87.267118 106.103936)
(xy 87.267118 106.103937)
(xy 87.24021 106.162855)
(xy 87.213302 106.221776)
(xy 87.194867 106.35)
(xy 77.688509 106.35)
(xy 77.610706 106.299999)
(xy 77.589068 106.286093)
(xy 77.464772 106.249598)
(xy 77.335228 106.249598)
(xy 77.335227 106.249598)
(xy 77.212762 106.285555)
(xy 77.162245 106.282344)
(xy 77.125611 106.247412)
(xy 77.124625 106.24534)
(xy 77.082882 106.153937)
(xy 76.998049 106.056033)
(xy 76.910858 105.999999)
(xy 76.889068 105.985995)
(xy 76.764772 105.9495)
(xy 76.635228 105.9495)
(xy 76.510931 105.985995)
(xy 76.401954 106.056031)
(xy 76.40195 106.056034)
(xy 76.317119 106.153935)
(xy 76.263302 106.271776)
(xy 76.244867 106.4)
(xy 74.236146 106.4)
(xy 74.198049 106.356033)
(xy 74.110858 106.299999)
(xy 74.089068 106.285995)
(xy 73.964772 106.2495)
(xy 73.835228 106.2495)
(xy 73.835227 106.2495)
(xy 73.712723 106.285469)
(xy 73.662206 106.282258)
(xy 73.625572 106.247326)
(xy 73.62459 106.245264)
(xy 73.582882 106.153937)
(xy 73.498049 106.056033)
(xy 73.410858 105.999999)
(xy 73.389068 105.985995)
(xy 73.264772 105.9495)

(xy 73.135228 105.9495)
(xy 73.010931 105.985995)
(xy 72.901954 106.056031)
(xy 72.90195 106.056034)
(xy 72.817119 106.153935)
(xy 72.763302 106.271776)
(xy 72.744867 106.4)
(xy 59.91086 106.4)
(xy 59.998049 106.343967)
(xy 60.082882 106.246063)
(xy 60.136697 106.128226)
(xy 60.155133 106)
(xy 60.136697 105.871774)
(xy 60.082882 105.753937)
(xy 59.998049 105.656033)
(xy 59.931032 105.612964)
(xy 59.889068 105.585995)
(xy 59.764772 105.5495)
(xy 59.635228 105.5495)
(xy 59.510931 105.585995)
(xy 59.401954 105.656031)
(xy 59.40195 105.656034)
(xy 59.317119 105.753935)
(xy 59.317118 105.753936)
(xy 59.317118 105.753937)
(xy 59.302477 105.785995)
(xy 59.263302 105.871776)
(xy 59.24688 105.985996)
(xy 59.244867 106)
(xy 50.0505 106)
(xy 50.0505 105.4)
(xy 73.694867 105.4)
(xy 73.713302 105.528223)
(xy 73.713302 105.528224)
(xy 73.713303 105.528226)
(xy 73.767118 105.646063)
(xy 73.851951 105.743967)
(xy 73.960931 105.814004)
(xy 74.085228 105.8505)
(xy 74.214772 105.8505)
(xy 74.339069 105.814004)
(xy 74.448049 105.743967)
(xy 74.52923 105.650278)
(xy 79.544867 105.650278)
(xy 79.545695 105.656034)
(xy 79.563302 105.778501)
(xy 79.563302 105.778502)
(xy 79.563303 105.778504)
(xy 79.617118 105.896341)
(xy 79.701951 105.994245)
(xy 79.810931 106.064282)
(xy 79.935228 106.100778)
(xy 80.064772 106.100778)
(xy 80.189069 106.064282)
(xy 80.298049 105.994245)
(xy 80.382882 105.896341)
(xy 80.436697 105.778504)
(xy 80.446193 105.712456)
(xy 80.470099 105.667839)
(xy 80.517092 105.649025)
(xy 80.529823 105.650884)
(xy 80.529987 105.649747)
(xy 80.535226 105.6505)
(xy 80.535228 105.6505)
(xy 80.664772 105.6505)
(xy 80.789069 105.614004)
(xy 80.898049 105.543967)
(xy 80.982882 105.446063)

(xy 81.003919 105.4)
(xy 97.394867 105.4)
(xy 97.413302 105.528223)
(xy 97.413302 105.528224)
(xy 97.413303 105.528226)
(xy 97.467118 105.646063)
(xy 97.551951 105.743967)
(xy 97.660931 105.814004)
(xy 97.785228 105.8505)
(xy 97.914772 105.8505)
(xy 98.039069 105.814004)
(xy 98.148049 105.743967)
(xy 98.232882 105.646063)
(xy 98.286697 105.528226)
(xy 98.305133 105.4)
(xy 106.844867 105.4)
(xy 106.863302 105.528223)
(xy 106.863302 105.528224)
(xy 106.863303 105.528226)
(xy 106.917118 105.646063)
(xy 107.001951 105.743967)
(xy 107.110931 105.814004)
(xy 107.235228 105.8505)
(xy 107.364775 105.8505)
(xy 107.364775 105.850499)
(xy 107.489069 105.814004)
(xy 107.489076 105.813999)
(xy 107.493886 105.811804)
(xy 107.495053 105.81436)
(xy 107.534318 105.805465)
(xy 107.555489 105.81317)
(xy 107.556114 105.811804)
(xy 107.560926 105.814)
(xy 107.560931 105.814004)
(xy 107.656754 105.842139)
(xy 107.685224 105.850499)
(xy 107.685225 105.8505)
(xy 107.685228 105.8505)
(xy 107.814772 105.8505)
(xy 107.939069 105.814004)
(xy 107.959993 105.800556)
(xy 108.009366 105.789404)
(xy 108.040004 105.800555)
(xy 108.060931 105.814004)
(xy 108.185228 105.8505)
(xy 108.314772 105.8505)
(xy 108.439069 105.814004)
(xy 108.548049 105.743967)
(xy 108.632882 105.646063)
(xy 108.686697 105.528226)
(xy 108.705133 105.4)
(xy 108.686697 105.271774)
(xy 108.632882 105.153937)
(xy 108.548049 105.056033)
(xy 108.451474 104.993968)
(xy 108.439068 104.985995)
(xy 108.314772 104.9495)
(xy 108.185228 104.9495)
(xy 108.06093 104.985996)
(xy 108.040006 104.999443)
(xy 107.990631 105.010593)
(xy 107.959994 104.999443)
(xy 107.939069 104.985996)
(xy 107.814772 104.9495)
(xy 107.685228 104.9495)
(xy 107.560932 104.985995)
(xy 107.556124 104.988192)
(xy 107.554964 104.985653)

(xy 107.515593 104.994524)
(xy 107.494491 104.986843)
(xy 107.493876 104.988192)
(xy 107.489067 104.985995)
(xy 107.364772 104.9495)
(xy 107.235228 104.9495)
(xy 107.110931 104.985995)
(xy 107.001954 105.056031)
(xy 107.00195 105.056034)
(xy 106.917119 105.153935)
(xy 106.863302 105.271776)
(xy 106.844867 105.4)
(xy 98.305133 105.4)
(xy 98.286697 105.271774)
(xy 98.232882 105.153937)
(xy 98.23288 105.153935)
(xy 98.23288 105.153934)
(xy 98.232878 105.153932)
(xy 98.163149 105.07346)
(xy 98.145083 105.026174)
(xy 98.161639 104.978339)
(xy 98.163149 104.97654)
(xy 98.232882 104.896063)
(xy 98.286697 104.778226)
(xy 98.305133 104.65)
(xy 98.303786 104.640629)
(xy 99.64502 104.640629)
(xy 99.646367 104.649999)
(xy 99.663455 104.768852)
(xy 99.663455 104.768853)
(xy 99.663456 104.768855)
(xy 99.717271 104.886692)
(xy 99.802104 104.984596)
(xy 99.911084 105.054633)
(xy 100.035381 105.091129)
(xy 100.164925 105.091129)
(xy 100.289222 105.054633)
(xy 100.398202 104.984596)
(xy 100.483035 104.886692)
(xy 100.53685 104.768855)
(xy 100.555286 104.640629)
(xy 100.53685 104.512403)
(xy 100.483035 104.394566)
(xy 100.398202 104.296662)
(xy 100.319468 104.246063)
(xy 100.289221 104.226624)
(xy 100.164925 104.190129)
(xy 100.035381 104.190129)
(xy 99.911084 104.226624)
(xy 99.802107 104.29666)
(xy 99.802103 104.296663)
(xy 99.717272 104.394564)
(xy 99.663455 104.512405)
(xy 99.646804 104.628223)
(xy 99.64502 104.640629)
(xy 98.303786 104.640629)
(xy 98.286697 104.521774)
(xy 98.232882 104.403937)
(xy 98.148049 104.306033)
(xy 98.064941 104.252623)
(xy 98.039068 104.235995)
(xy 97.914772 104.1995)
(xy 97.785228 104.1995)
(xy 97.660931 104.235995)
(xy 97.551954 104.306031)
(xy 97.55195 104.306034)
(xy 97.467119 104.403935)
(xy 97.467118 104.403936)

(xy 97.467118 104.403937)
(xy 97.44021 104.462855)
(xy 97.413302 104.521776)
(xy 97.394867 104.649999)
(xy 97.413302 104.778223)
(xy 97.413302 104.778224)
(xy 97.413303 104.778226)
(xy 97.444284 104.846064)
(xy 97.467119 104.896065)
(xy 97.46712 104.896067)
(xy 97.536851 104.976541)
(xy 97.554916 105.023826)
(xy 97.53836 105.071661)
(xy 97.536851 105.073459)
(xy 97.46712 105.153932)
(xy 97.467119 105.153934)
(xy 97.413302 105.271776)
(xy 97.394867 105.4)
(xy 81.003919 105.4)
(xy 81.036697 105.328226)
(xy 81.055133 105.2)
(xy 81.045547 105.133328)
(xy 81.055914 105.083784)
(xy 81.095703 105.052494)
(xy 81.129668 105.051955)
(xy 81.129986 105.049747)
(xy 81.135225 105.0505)
(xy 81.135228 105.0505)
(xy 81.264772 105.0505)
(xy 81.389069 105.014004)
(xy 81.498049 104.943967)
(xy 81.582882 104.846063)
(xy 81.636697 104.728226)
(xy 81.647944 104.649999)
(xy 95.644867 104.649999)
(xy 95.663302 104.778223)
(xy 95.663302 104.778224)
(xy 95.663303 104.778226)
(xy 95.717118 104.896063)
(xy 95.801951 104.993967)
(xy 95.910931 105.064004)
(xy 96.035228 105.1005)
(xy 96.164772 105.1005)
(xy 96.289069 105.064004)
(xy 96.398049 104.993967)
(xy 96.482882 104.896063)
(xy 96.536697 104.778226)
(xy 96.555133 104.65)
(xy 96.536697 104.521774)
(xy 96.482882 104.403937)
(xy 96.398049 104.306033)
(xy 96.314941 104.252623)
(xy 96.289068 104.235995)
(xy 96.164772 104.1995)
(xy 96.035228 104.1995)
(xy 95.910931 104.235995)
(xy 95.801954 104.306031)
(xy 95.80195 104.306034)
(xy 95.717119 104.403935)
(xy 95.717118 104.403936)
(xy 95.717118 104.403937)
(xy 95.69021 104.462855)
(xy 95.663302 104.521776)
(xy 95.644867 104.649999)
(xy 81.647944 104.649999)
(xy 81.655133 104.6)
(xy 81.645547 104.533328)
(xy 81.655914 104.483784)

(xy 81.695703 104.452494)
(xy 81.729668 104.451955)
(xy 81.729986 104.449747)
(xy 81.735225 104.4505)
(xy 81.735228 104.4505)
(xy 81.864772 104.4505)
(xy 81.989069 104.414004)
(xy 82.098049 104.343967)
(xy 82.182882 104.246063)
(xy 82.236697 104.128226)
(xy 82.237247 104.1244)
(xy 101.244867 104.1244)
(xy 101.263302 104.252623)
(xy 101.263302 104.252624)
(xy 101.263303 104.252626)
(xy 101.317118 104.370463)
(xy 101.401951 104.468367)
(xy 101.510931 104.538404)
(xy 101.635228 104.5749)
(xy 101.764772 104.5749)
(xy 101.889069 104.538404)
(xy 101.948829 104.499999)
(xy 117.644867 104.499999)
(xy 117.663302 104.628223)
(xy 117.663302 104.628224)
(xy 117.663303 104.628226)
(xy 117.717118 104.746063)
(xy 117.801951 104.843967)
(xy 117.910931 104.914004)
(xy 118.035228 104.9505)
(xy 118.164772 104.9505)
(xy 118.289069 104.914004)
(xy 118.398049 104.843967)
(xy 118.482882 104.746063)
(xy 118.536697 104.628226)
(xy 118.555133 104.5)
(xy 118.540755 104.4)
(xy 124.544867 104.4)
(xy 124.563302 104.528223)
(xy 124.563302 104.528224)
(xy 124.563303 104.528226)
(xy 124.617118 104.646063)
(xy 124.701951 104.743967)
(xy 124.810931 104.814004)
(xy 124.935228 104.8505)
(xy 125.064772 104.8505)
(xy 125.189069 104.814004)
(xy 125.298049 104.743967)
(xy 125.382882 104.646063)
(xy 125.436697 104.528226)
(xy 125.455133 104.4)
(xy 125.436697 104.271774)
(xy 125.382882 104.153937)
(xy 125.38288 104.153935)
(xy 125.38288 104.153934)
(xy 125.382878 104.153932)
(xy 125.334811 104.098458)
(xy 125.316746 104.051172)
(xy 125.333303 104.003338)
(xy 125.334796 104.001557)
(xy 125.382882 103.946063)
(xy 125.436697 103.828226)
(xy 125.455133 103.7)
(xy 125.436697 103.571774)
(xy 125.382882 103.453937)
(xy 125.38288 103.453935)
(xy 125.38288 103.453934)
(xy 125.382878 103.453932)

(xy 125.334811 103.398458)
(xy 125.316746 103.351172)
(xy 125.333303 103.303338)
(xy 125.334796 103.301557)
(xy 125.382882 103.246063)
(xy 125.436697 103.128226)
(xy 125.455133 103)
(xy 125.436697 102.871774)
(xy 125.382882 102.753937)
(xy 125.298049 102.656033)
(xy 125.21086 102.6)
(xy 125.189068 102.585995)
(xy 125.064772 102.5495)
(xy 124.935228 102.5495)
(xy 124.810931 102.585995)
(xy 124.701954 102.656031)
(xy 124.70195 102.656034)
(xy 124.617119 102.753935)
(xy 124.563302 102.871776)
(xy 124.544867 103)
(xy 124.563302 103.128223)
(xy 124.563302 103.128224)
(xy 124.563303 103.128226)
(xy 124.575044 103.153935)
(xy 124.617119 103.246065)
(xy 124.617121 103.246067)
(xy 124.665188 103.301541)
(xy 124.683253 103.348827)
(xy 124.666696 103.396662)
(xy 124.665188 103.398459)
(xy 124.617121 103.453932)
(xy 124.617119 103.453934)
(xy 124.563302 103.571776)
(xy 124.544867 103.7)
(xy 124.563302 103.828223)
(xy 124.563302 103.828224)
(xy 124.563303 103.828226)
(xy 124.611303 103.93333)
(xy 124.617119 103.946065)
(xy 124.617121 103.946067)
(xy 124.665188 104.001541)
(xy 124.683253 104.048827)
(xy 124.666696 104.096662)
(xy 124.665188 104.098459)
(xy 124.617121 104.153932)
(xy 124.617119 104.153934)
(xy 124.563302 104.271776)
(xy 124.544867 104.4)
(xy 118.540755 104.4)
(xy 118.536697 104.371774)
(xy 118.482882 104.253937)
(xy 118.398049 104.156033)
(xy 118.398045 104.15603)
(xy 118.397927 104.155928)
(xy 118.397872 104.15583)
(xy 118.394583 104.152034)
(xy 118.395377 104.151345)
(xy 118.373314 104.111695)
(xy 118.382891 104.061991)
(xy 118.394627 104.048004)
(xy 118.394583 104.047966)
(xy 118.397003 104.045172)
(xy 118.397927 104.044072)
(xy 118.398044 104.04397)
(xy 118.398049 104.043967)
(xy 118.482882 103.946063)
(xy 118.503919 103.9)
(xy 119.844859 103.9)

(xy 119.863294 104.028223)
(xy 119.863294 104.028224)
(xy 119.863295 104.028226)
(xy 119.91711 104.146063)
(xy 120.001943 104.243967)
(xy 120.110923 104.314004)
(xy 120.23522 104.3505)
(xy 120.364764 104.3505)
(xy 120.489061 104.314004)
(xy 120.598041 104.243967)
(xy 120.682874 104.146063)
(xy 120.736689 104.028226)
(xy 120.755125 103.9)
(xy 120.736689 103.771774)
(xy 120.682874 103.653937)
(xy 120.682872 103.653935)
(xy 120.682872 103.653934)
(xy 120.68287 103.653932)
(xy 120.627365 103.589875)
(xy 120.609299 103.542589)
(xy 120.625855 103.494754)
(xy 120.643279 103.479165)
(xy 120.698049 103.443967)
(xy 120.782882 103.346063)
(xy 120.836697 103.228226)
(xy 120.855133 103.1)
(xy 120.836697 102.971774)
(xy 120.782882 102.853937)
(xy 120.698049 102.756033)
(xy 120.625704 102.70954)
(xy 120.589068 102.685995)
(xy 120.464772 102.6495)
(xy 120.335228 102.6495)
(xy 120.210931 102.685995)
(xy 120.101954 102.756031)
(xy 120.10195 102.756034)
(xy 120.017119 102.853935)
(xy 119.963302 102.971776)
(xy 119.944867 103.1)
(xy 119.963302 103.228223)
(xy 119.963302 103.228224)
(xy 119.963303 103.228226)
(xy 120.017118 103.346063)
(xy 120.072627 103.410125)
(xy 120.090692 103.45741)
(xy 120.074136 103.505245)
(xy 120.056709 103.520836)
(xy 120.001948 103.556029)
(xy 120.001942 103.556034)
(xy 119.917111 103.653935)
(xy 119.863294 103.771776)
(xy 119.844859 103.9)
(xy 118.503919 103.9)
(xy 118.536697 103.828226)
(xy 118.555133 103.7)
(xy 118.536697 103.571774)
(xy 118.482882 103.453937)
(xy 118.398049 103.356033)
(xy 118.313258 103.301541)
(xy 118.289068 103.285995)
(xy 118.164772 103.2495)
(xy 118.035228 103.2495)
(xy 117.910931 103.285995)
(xy 117.801954 103.356031)
(xy 117.80195 103.356034)
(xy 117.717119 103.453935)
(xy 117.663302 103.571776)
(xy 117.644867 103.699999)

(xy 117.644867 103.7)
(xy 117.646039 103.708152)
(xy 117.663302 103.828223)
(xy 117.663302 103.828224)
(xy 117.663303 103.828226)
(xy 117.717118 103.946063)
(xy 117.766746 104.003338)
(xy 117.801954 104.04397)
(xy 117.802079 104.044078)
(xy 117.802134 104.044177)
(xy 117.805417 104.047966)
(xy 117.804624 104.048653)
(xy 117.826686 104.088313)
(xy 117.817103 104.138017)
(xy 117.805373 104.151996)
(xy 117.805417 104.152034)
(xy 117.803026 104.154792)
(xy 117.802079 104.155922)
(xy 117.801954 104.156029)
(xy 117.717119 104.253935)
(xy 117.663302 104.371776)
(xy 117.644867 104.499999)
(xy 101.948829 104.499999)
(xy 101.998049 104.468367)
(xy 102.082882 104.370463)
(xy 102.136697 104.252626)
(xy 102.155133 104.1244)
(xy 102.136697 103.996174)
(xy 102.082882 103.878337)
(xy 101.998049 103.780433)
(xy 101.92485 103.733391)
(xy 101.889068 103.710395)
(xy 101.764772 103.6739)
(xy 101.635228 103.6739)
(xy 101.510931 103.710395)
(xy 101.401954 103.780431)
(xy 101.40195 103.780434)
(xy 101.317119 103.878335)
(xy 101.263302 103.996176)
(xy 101.244867 104.1244)
(xy 82.237247 104.1244)
(xy 82.255133 104)
(xy 82.245547 103.933328)
(xy 82.255914 103.883784)
(xy 82.295703 103.852494)
(xy 82.329668 103.851955)
(xy 82.329986 103.849747)
(xy 82.335225 103.8505)
(xy 82.335228 103.8505)
(xy 82.464772 103.8505)
(xy 82.589069 103.814004)
(xy 82.698049 103.743967)
(xy 82.782882 103.646063)
(xy 82.836697 103.528226)
(xy 82.852257 103.420003)
(xy 107.154722 103.420003)
(xy 107.173761 103.576808)
(xy 107.173764 103.576822)
(xy 107.229778 103.724521)
(xy 107.319516 103.854529)
(xy 107.319517 103.85453)
(xy 107.43776 103.959283)
(xy 107.508049 103.996174)
(xy 107.569112 104.028223)
(xy 107.577635 104.032696)
(xy 107.731015 104.0705)
(xy 107.731019 104.0705)
(xy 107.888981 104.0705)

(xy 107.888985 104.0705)
(xy 108.042365 104.032696)
(xy 108.18224 103.959283)
(xy 108.300483 103.85453)
(xy 108.3841 103.733389)
(xy 108.425368 103.704079)
(xy 108.475823 103.708152)
(xy 108.505899 103.733388)
(xy 108.560271 103.81216)
(xy 108.589515 103.854528)
(xy 108.589517 103.85453)
(xy 108.70776 103.959283)
(xy 108.778049 103.996174)
(xy 108.839112 104.028223)
(xy 108.847635 104.032696)
(xy 109.001015 104.0705)
(xy 109.001019 104.0705)
(xy 109.158981 104.0705)
(xy 109.158985 104.0705)
(xy 109.312365 104.032696)
(xy 109.45224 103.959283)
(xy 109.570483 103.85453)
(xy 109.6541 103.733389)
(xy 109.695368 103.704079)
(xy 109.745823 103.708152)
(xy 109.775899 103.733388)
(xy 109.830271 103.81216)
(xy 109.859515 103.854528)
(xy 109.859517 103.85453)
(xy 109.97776 103.959283)
(xy 110.048049 103.996174)
(xy 110.109112 104.028223)
(xy 110.117635 104.032696)
(xy 110.271015 104.0705)
(xy 110.271019 104.0705)
(xy 110.428981 104.0705)
(xy 110.428985 104.0705)
(xy 110.582365 104.032696)
(xy 110.72224 103.959283)
(xy 110.840483 103.85453)
(xy 110.924099 103.733389)
(xy 110.965366 103.704079)
(xy 111.015821 103.708152)
(xy 111.0459 103.73339)
(xy 111.129516 103.854529)
(xy 111.129517 103.85453)
(xy 111.24776 103.959283)
(xy 111.318049 103.996174)
(xy 111.379112 104.028223)
(xy 111.387635 104.032696)
(xy 111.541015 104.0705)
(xy 111.541019 104.0705)
(xy 111.698981 104.0705)
(xy 111.698985 104.0705)
(xy 111.852365 104.032696)
(xy 111.99224 103.959283)
(xy 112.110483 103.85453)
(xy 112.1941 103.733389)
(xy 112.235368 103.704079)
(xy 112.285823 103.708152)
(xy 112.315899 103.733388)
(xy 112.370271 103.81216)
(xy 112.399515 103.854528)
(xy 112.399517 103.85453)
(xy 112.51776 103.959283)
(xy 112.588049 103.996174)
(xy 112.649112 104.028223)
(xy 112.657635 104.032696)

(xy 112.811015 104.0705)
(xy 112.811019 104.0705)
(xy 112.968981 104.0705)
(xy 112.968985 104.0705)
(xy 113.122365 104.032696)
(xy 113.26224 103.959283)
(xy 113.380483 103.85453)
(xy 113.4641 103.733389)
(xy 113.505368 103.704079)
(xy 113.555823 103.708152)
(xy 113.585899 103.733388)
(xy 113.640271 103.81216)
(xy 113.669515 103.854528)
(xy 113.669517 103.85453)
(xy 113.78776 103.959283)
(xy 113.858049 103.996174)
(xy 113.919112 104.028223)
(xy 113.927635 104.032696)
(xy 114.081015 104.0705)
(xy 114.081019 104.0705)
(xy 114.238981 104.0705)
(xy 114.238985 104.0705)
(xy 114.392365 104.032696)
(xy 114.53224 103.959283)
(xy 114.650483 103.85453)
(xy 114.7341 103.733389)
(xy 114.775368 103.704079)
(xy 114.825823 103.708152)
(xy 114.855899 103.733388)
(xy 114.910271 103.81216)
(xy 114.939515 103.854528)
(xy 114.939517 103.85453)
(xy 115.05776 103.959283)
(xy 115.128049 103.996174)
(xy 115.189112 104.028223)
(xy 115.197635 104.032696)
(xy 115.351015 104.0705)
(xy 115.351019 104.0705)
(xy 115.508981 104.0705)
(xy 115.508985 104.0705)
(xy 115.662365 104.032696)
(xy 115.80224 103.959283)
(xy 115.920483 103.85453)
(xy 116.004099 103.733389)
(xy 116.045366 103.704079)
(xy 116.095821 103.708152)
(xy 116.1259 103.73339)
(xy 116.209516 103.854529)
(xy 116.209517 103.85453)
(xy 116.32776 103.959283)
(xy 116.398049 103.996174)
(xy 116.459112 104.028223)
(xy 116.467635 104.032696)
(xy 116.621015 104.0705)
(xy 116.621019 104.0705)
(xy 116.778981 104.0705)
(xy 116.778985 104.0705)
(xy 116.932365 104.032696)
(xy 117.07224 103.959283)
(xy 117.190483 103.85453)
(xy 117.28022 103.724523)
(xy 117.287974 103.704079)
(xy 117.306195 103.656033)
(xy 117.336237 103.576818)
(xy 117.343864 103.514004)
(xy 117.355278 103.420003)
(xy 117.355278 103.419996)
(xy 117.339007 103.285995)

(xy 117.336237 103.263182)
(xy 117.294806 103.153937)
(xy 117.280221 103.115478)
(xy 117.190483 102.98547)
(xy 117.138691 102.939587)
(xy 117.114568 102.895086)
(xy 117.124692 102.84549)
(xy 117.159931 102.817497)
(xy 117.159341 102.816205)
(xy 117.164156 102.814005)
(xy 117.164156 102.814004)
(xy 117.164159 102.814004)
(xy 117.273139 102.743967)
(xy 117.357972 102.646063)
(xy 117.411787 102.528226)
(xy 117.430223 102.4)
(xy 117.411787 102.271774)
(xy 117.357972 102.153937)
(xy 117.273139 102.056033)
(xy 117.185948 101.999999)
(xy 117.164158 101.985995)
(xy 117.039862 101.9495)
(xy 116.910318 101.9495)
(xy 116.786021 101.985995)
(xy 116.677044 102.056031)
(xy 116.67704 102.056034)
(xy 116.592209 102.153935)
(xy 116.538392 102.271776)
(xy 116.519957 102.4)
(xy 116.538392 102.528223)
(xy 116.538392 102.528224)
(xy 116.538393 102.528226)
(xy 116.57731 102.613442)
(xy 116.592209 102.646065)
(xy 116.59221 102.646067)
(xy 116.606236 102.662254)
(xy 116.6243 102.70954)
(xy 116.607743 102.757374)
(xy 116.568018 102.782562)
(xy 116.467633 102.807304)
(xy 116.327761 102.880716)
(xy 116.209516 102.98547)
(xy 116.125901 103.106609)
(xy 116.084632 103.13592)
(xy 116.034177 103.131847)
(xy 116.004099 103.106609)
(xy 115.920483 102.98547)
(xy 115.905023 102.971774)
(xy 115.80224 102.880717)
(xy 115.736215 102.846064)
(xy 115.662366 102.807304)
(xy 115.508987 102.7695)
(xy 115.508985 102.7695)
(xy 115.351015 102.7695)
(xy 115.351012 102.7695)
(xy 115.197633 102.807304)
(xy 115.057761 102.880716)
(xy 114.939516 102.98547)
(xy 114.855901 103.106609)
(xy 114.814632 103.13592)
(xy 114.764177 103.131847)
(xy 114.734099 103.106609)
(xy 114.650483 102.98547)
(xy 114.635023 102.971774)
(xy 114.53224 102.880717)
(xy 114.466215 102.846064)
(xy 114.392366 102.807304)
(xy 114.238987 102.7695)

(xy 114.238985 102.7695)
(xy 114.081015 102.7695)
(xy 114.081012 102.7695)
(xy 113.927633 102.807304)
(xy 113.787761 102.880716)
(xy 113.669516 102.98547)
(xy 113.5859 103.106609)
(xy 113.544631 103.13592)
(xy 113.494176 103.131847)
(xy 113.464098 103.106608)
(xy 113.380484 102.985471)
(xy 113.365023 102.971774)
(xy 113.26224 102.880717)
(xy 113.196215 102.846064)
(xy 113.122366 102.807304)
(xy 112.968987 102.7695)
(xy 112.968985 102.7695)
(xy 112.811015 102.7695)
(xy 112.811012 102.7695)
(xy 112.657633 102.807304)
(xy 112.517761 102.880716)
(xy 112.399516 102.98547)
(xy 112.315901 103.106609)
(xy 112.274632 103.13592)
(xy 112.224177 103.131847)
(xy 112.194099 103.106609)
(xy 112.110483 102.98547)
(xy 112.095023 102.971774)
(xy 111.99224 102.880717)
(xy 111.926215 102.846064)
(xy 111.852366 102.807304)
(xy 111.698987 102.7695)
(xy 111.698985 102.7695)
(xy 111.541015 102.7695)
(xy 111.541012 102.7695)
(xy 111.387633 102.807304)
(xy 111.247761 102.880716)
(xy 111.129516 102.98547)
(xy 111.045901 103.106609)
(xy 111.004632 103.13592)
(xy 110.954177 103.131847)
(xy 110.924099 103.106609)
(xy 110.840483 102.98547)
(xy 110.825023 102.971774)
(xy 110.72224 102.880717)
(xy 110.656215 102.846064)
(xy 110.582366 102.807304)
(xy 110.428987 102.7695)
(xy 110.428985 102.7695)
(xy 110.271015 102.7695)
(xy 110.271012 102.7695)
(xy 110.117633 102.807304)
(xy 109.977761 102.880716)
(xy 109.859516 102.98547)
(xy 109.7759 103.106609)
(xy 109.734631 103.13592)
(xy 109.684176 103.131847)
(xy 109.654098 103.106608)
(xy 109.570484 102.985471)
(xy 109.555023 102.971774)
(xy 109.45224 102.880717)
(xy 109.386215 102.846064)
(xy 109.312366 102.807304)
(xy 109.158987 102.7695)
(xy 109.158985 102.7695)
(xy 109.001015 102.7695)
(xy 109.001012 102.7695)
(xy 108.847633 102.807304)

(xy 108.707761 102.880716)
(xy 108.589516 102.98547)
(xy 108.505901 103.106609)
(xy 108.464632 103.13592)
(xy 108.414177 103.131847)
(xy 108.384099 103.106609)
(xy 108.300483 102.98547)
(xy 108.285023 102.971774)
(xy 108.18224 102.880717)
(xy 108.116215 102.846064)
(xy 108.042366 102.807304)
(xy 107.888987 102.7695)
(xy 107.888985 102.7695)
(xy 107.731015 102.7695)
(xy 107.731012 102.7695)
(xy 107.577633 102.807304)
(xy 107.437761 102.880716)
(xy 107.319516 102.98547)
(xy 107.229779 103.115478)
(xy 107.229778 103.115478)
(xy 107.173764 103.263177)
(xy 107.173761 103.263191)
(xy 107.154722 103.419996)
(xy 107.154722 103.420003)
(xy 82.852257 103.420003)
(xy 82.855133 103.4)
(xy 82.845547 103.333328)
(xy 82.855914 103.283784)
(xy 82.895703 103.252494)
(xy 82.929668 103.251955)
(xy 82.929986 103.249747)
(xy 82.935225 103.2505)
(xy 82.935228 103.2505)
(xy 83.064772 103.2505)
(xy 83.189069 103.214004)
(xy 83.298049 103.143967)
(xy 83.382882 103.046063)
(xy 83.436697 102.928226)
(xy 83.455133 102.8)
(xy 83.445547 102.733328)
(xy 83.455914 102.683784)
(xy 83.495703 102.652494)
(xy 83.529668 102.651955)
(xy 83.529986 102.649747)
(xy 83.535225 102.6505)
(xy 83.535228 102.6505)
(xy 83.664772 102.6505)
(xy 83.789069 102.614004)
(xy 83.81086 102.6)
(xy 97.394867 102.6)
(xy 97.413302 102.728223)
(xy 97.413302 102.728224)
(xy 97.413303 102.728226)
(xy 97.467118 102.846063)
(xy 97.551951 102.943967)
(xy 97.660931 103.014004)
(xy 97.785228 103.0505)
(xy 97.914772 103.0505)
(xy 98.039069 103.014004)
(xy 98.148049 102.943967)
(xy 98.232882 102.846063)
(xy 98.286697 102.728226)
(xy 98.305133 102.6)
(xy 101.394867 102.6)
(xy 101.413302 102.728223)
(xy 101.413302 102.728224)
(xy 101.413303 102.728226)
(xy 101.467118 102.846063)

(xy 101.551951 102.943967)
(xy 101.660931 103.014004)
(xy 101.785228 103.0505)
(xy 101.914772 103.0505)
(xy 102.039069 103.014004)
(xy 102.148049 102.943967)
(xy 102.232882 102.846063)
(xy 102.286697 102.728226)
(xy 102.305133 102.6)
(xy 102.286697 102.471774)
(xy 102.232882 102.353937)
(xy 102.23288 102.353935)
(xy 102.23288 102.353934)
(xy 102.232878 102.353932)
(xy 102.163149 102.27346)
(xy 102.145083 102.226174)
(xy 102.154142 102.2)
(xy 107.644867 102.2)
(xy 107.663302 102.328223)
(xy 107.663302 102.328224)
(xy 107.663303 102.328226)
(xy 107.717118 102.446063)
(xy 107.801951 102.543967)
(xy 107.910931 102.614004)
(xy 108.035228 102.6505)
(xy 108.164772 102.6505)
(xy 108.289069 102.614004)
(xy 108.398049 102.543967)
(xy 108.482882 102.446063)
(xy 108.536697 102.328226)
(xy 108.555133 102.2)
(xy 108.536697 102.071774)
(xy 108.482882 101.953937)
(xy 108.398049 101.856033)
(xy 108.331032 101.812964)
(xy 108.289068 101.785995)
(xy 108.164772 101.7495)
(xy 108.035228 101.7495)
(xy 107.910931 101.785995)
(xy 107.801954 101.856031)
(xy 107.80195 101.856034)
(xy 107.717119 101.953935)
(xy 107.717118 101.953936)
(xy 107.717118 101.953937)
(xy 107.702477 101.985995)
(xy 107.663302 102.071776)
(xy 107.644867 102.2)
(xy 102.154142 102.2)
(xy 102.161639 102.178339)
(xy 102.163149 102.17654)
(xy 102.232882 102.096063)
(xy 102.286697 101.978226)
(xy 102.305133 101.85)
(xy 102.286697 101.721774)
(xy 102.232882 101.603937)
(xy 102.148049 101.506033)
(xy 102.061638 101.4505)
(xy 102.039068 101.435995)
(xy 101.914772 101.3995)
(xy 101.785228 101.3995)
(xy 101.660931 101.435995)
(xy 101.551954 101.506031)
(xy 101.55195 101.506034)
(xy 101.467119 101.603935)
(xy 101.467118 101.603936)
(xy 101.467118 101.603937)
(xy 101.448838 101.643965)
(xy 101.413302 101.721776)

(xy 101.404069 101.785995)
(xy 101.394867 101.85)
(xy 101.395735 101.856034)
(xy 101.413302 101.978223)
(xy 101.413302 101.978224)
(xy 101.413303 101.978226)
(xy 101.467118 102.096063)
(xy 101.467119 102.096065)
(xy 101.46712 102.096067)
(xy 101.536851 102.176541)
(xy 101.554916 102.223826)
(xy 101.53836 102.271661)
(xy 101.536851 102.273459)
(xy 101.46712 102.353932)
(xy 101.467119 102.353934)
(xy 101.413302 102.471776)
(xy 101.394867 102.6)
(xy 98.305133 102.6)
(xy 98.286697 102.471774)
(xy 98.232882 102.353937)
(xy 98.23288 102.353935)
(xy 98.23288 102.353934)
(xy 98.232878 102.353932)
(xy 98.163149 102.27346)
(xy 98.145083 102.226174)
(xy 98.161639 102.178339)
(xy 98.163149 102.17654)
(xy 98.232882 102.096063)
(xy 98.286697 101.978226)
(xy 98.305133 101.85)
(xy 99.644867 101.85)
(xy 99.645735 101.856034)
(xy 99.663302 101.978223)
(xy 99.663302 101.978224)
(xy 99.663303 101.978226)
(xy 99.717118 102.096063)
(xy 99.801951 102.193967)
(xy 99.910931 102.264004)
(xy 100.035228 102.3005)
(xy 100.164772 102.3005)
(xy 100.289069 102.264004)
(xy 100.398049 102.193967)
(xy 100.482882 102.096063)
(xy 100.536697 101.978226)
(xy 100.555133 101.85)
(xy 100.536697 101.721774)
(xy 100.482882 101.603937)
(xy 100.398049 101.506033)
(xy 100.311638 101.4505)
(xy 100.289068 101.435995)
(xy 100.164772 101.3995)
(xy 100.035228 101.3995)
(xy 99.910931 101.435995)
(xy 99.801954 101.506031)
(xy 99.80195 101.506034)
(xy 99.717119 101.603935)
(xy 99.717118 101.603936)
(xy 99.717118 101.603937)
(xy 99.698838 101.643965)
(xy 99.663302 101.721776)
(xy 99.654069 101.785995)
(xy 99.644867 101.85)
(xy 98.305133 101.85)
(xy 98.286697 101.721774)
(xy 98.232882 101.603937)
(xy 98.148049 101.506033)
(xy 98.061638 101.4505)
(xy 98.039068 101.435995)

(xy 97.914772 101.3995)
(xy 97.785228 101.3995)
(xy 97.660931 101.435995)
(xy 97.551954 101.506031)
(xy 97.55195 101.506034)
(xy 97.467119 101.603935)
(xy 97.467118 101.603936)
(xy 97.467118 101.603937)
(xy 97.448838 101.643965)
(xy 97.413302 101.721776)
(xy 97.404069 101.785995)
(xy 97.394867 101.85)
(xy 97.395735 101.856034)
(xy 97.413302 101.978223)
(xy 97.413302 101.978224)
(xy 97.413303 101.978226)
(xy 97.467118 102.096063)
(xy 97.467119 102.096065)
(xy 97.46712 102.096067)
(xy 97.536851 102.176541)
(xy 97.554916 102.223826)
(xy 97.53836 102.271661)
(xy 97.536851 102.273459)
(xy 97.46712 102.353932)
(xy 97.467119 102.353934)
(xy 97.413302 102.471776)
(xy 97.394867 102.6)
(xy 83.81086 102.6)
(xy 83.898049 102.543967)
(xy 83.982882 102.446063)
(xy 84.036697 102.328226)
(xy 84.055133 102.2)
(xy 84.036697 102.071774)
(xy 83.982882 101.953937)
(xy 83.898049 101.856033)
(xy 83.888661 101.85)
(xy 95.644867 101.85)
(xy 95.645735 101.856034)
(xy 95.663302 101.978223)
(xy 95.663302 101.978224)
(xy 95.663303 101.978226)
(xy 95.717118 102.096063)
(xy 95.801951 102.193967)
(xy 95.910931 102.264004)
(xy 96.035228 102.3005)
(xy 96.164772 102.3005)
(xy 96.289069 102.264004)
(xy 96.398049 102.193967)
(xy 96.482882 102.096063)
(xy 96.536697 101.978226)
(xy 96.555133 101.85)
(xy 96.536697 101.721774)
(xy 96.482882 101.603937)
(xy 96.398049 101.506033)
(xy 96.311638 101.4505)
(xy 96.289068 101.435995)
(xy 96.164772 101.3995)
(xy 96.035228 101.3995)
(xy 95.910931 101.435995)
(xy 95.801954 101.506031)
(xy 95.80195 101.506034)
(xy 95.717119 101.603935)
(xy 95.717118 101.603936)
(xy 95.717118 101.603937)
(xy 95.698838 101.643965)
(xy 95.663302 101.721776)
(xy 95.654069 101.785995)
(xy 95.644867 101.85)

(xy 83.888661 101.85)
(xy 83.831032 101.812964)
(xy 83.789068 101.785995)
(xy 83.664772 101.7495)
(xy 83.535228 101.7495)
(xy 83.410931 101.785995)
(xy 83.301954 101.856031)
(xy 83.30195 101.856034)
(xy 83.217119 101.953935)
(xy 83.217118 101.953936)
(xy 83.217118 101.953937)
(xy 83.202477 101.985995)
(xy 83.163302 102.071776)
(xy 83.144867 102.2)
(xy 83.154452 102.266669)
(xy 83.144084 102.316215)
(xy 83.104295 102.347505)
(xy 83.070329 102.34806)
(xy 83.070014 102.350253)
(xy 83.064775 102.3495)
(xy 83.064772 102.3495)
(xy 82.935228 102.3495)
(xy 82.810931 102.385995)
(xy 82.701954 102.456031)
(xy 82.70195 102.456034)
(xy 82.617119 102.553935)
(xy 82.563302 102.671776)
(xy 82.544867 102.8)
(xy 82.554452 102.866669)
(xy 82.544084 102.916215)
(xy 82.504295 102.947505)
(xy 82.470329 102.94806)
(xy 82.470014 102.950253)
(xy 82.464775 102.9495)
(xy 82.464772 102.9495)
(xy 82.335228 102.9495)
(xy 82.210931 102.985995)
(xy 82.101954 103.056031)
(xy 82.10195 103.056034)
(xy 82.017119 103.153935)
(xy 81.963302 103.271776)
(xy 81.944867 103.4)
(xy 81.954452 103.466669)
(xy 81.944084 103.516215)
(xy 81.904295 103.547505)
(xy 81.870329 103.54806)
(xy 81.870014 103.550253)
(xy 81.864775 103.5495)
(xy 81.864772 103.5495)
(xy 81.735228 103.5495)
(xy 81.610931 103.585995)
(xy 81.501954 103.656031)
(xy 81.50195 103.656034)
(xy 81.417119 103.753935)
(xy 81.363302 103.871776)
(xy 81.344867 104)
(xy 81.354452 104.066669)
(xy 81.344084 104.116215)
(xy 81.304295 104.147505)
(xy 81.270329 104.14806)
(xy 81.270014 104.150253)
(xy 81.264775 104.1495)
(xy 81.264772 104.1495)
(xy 81.135228 104.1495)
(xy 81.010931 104.185995)
(xy 80.901954 104.256031)
(xy 80.90195 104.256034)
(xy 80.817119 104.353935)

(xy 80.817118 104.353936)
(xy 80.817118 104.353937)
(xy 80.79021 104.412855)
(xy 80.763302 104.471776)
(xy 80.744867 104.6)
(xy 80.754452 104.666669)
(xy 80.744084 104.716215)
(xy 80.704295 104.747505)
(xy 80.670329 104.74806)
(xy 80.670014 104.750253)
(xy 80.664775 104.7495)
(xy 80.664772 104.7495)
(xy 80.535228 104.7495)
(xy 80.410931 104.785995)
(xy 80.301954 104.856031)
(xy 80.30195 104.856034)
(xy 80.217119 104.953935)
(xy 80.163302 105.071776)
(xy 80.153806 105.137821)
(xy 80.129899 105.182439)
(xy 80.082906 105.201252)
(xy 80.070144 105.19962)
(xy 80.070014 105.200531)
(xy 80.064775 105.199778)
(xy 80.064772 105.199778)
(xy 79.935228 105.199778)
(xy 79.810931 105.236273)
(xy 79.701954 105.306309)
(xy 79.70195 105.306312)
(xy 79.617119 105.404213)
(xy 79.563302 105.522054)
(xy 79.554109 105.585995)
(xy 79.544867 105.650278)
(xy 74.52923 105.650278)
(xy 74.532882 105.646063)
(xy 74.586697 105.528226)
(xy 74.605133 105.4)
(xy 74.586697 105.271774)
(xy 74.532882 105.153937)
(xy 74.448049 105.056033)
(xy 74.351474 104.993968)
(xy 74.339068 104.985995)
(xy 74.214772 104.9495)
(xy 74.085228 104.9495)
(xy 73.960931 104.985995)
(xy 73.851954 105.056031)
(xy 73.85195 105.056034)
(xy 73.767119 105.153935)
(xy 73.713302 105.271776)
(xy 73.694867 105.4)
(xy 50.0505 105.4)
(xy 50.0505 103.999999)
(xy 59.244867 103.999999)
(xy 59.263302 104.128223)
(xy 59.263302 104.128224)
(xy 59.263303 104.128226)
(xy 59.317118 104.246063)
(xy 59.401951 104.343967)
(xy 59.510931 104.414004)
(xy 59.635228 104.4505)
(xy 59.764772 104.4505)
(xy 59.889069 104.414004)
(xy 59.998049 104.343967)
(xy 60.082882 104.246063)
(xy 60.136697 104.128226)
(xy 60.155133 104)
(xy 60.136697 103.871774)
(xy 60.082882 103.753937)

(xy 59.998049 103.656033)
(xy 59.889942 103.586557)
(xy 59.889068 103.585995)
(xy 59.764772 103.5495)
(xy 59.635228 103.5495)
(xy 59.510931 103.585995)
(xy 59.401954 103.656031)
(xy 59.40195 103.656034)
(xy 59.317119 103.753935)
(xy 59.263302 103.871776)
(xy 59.244867 103.999999)
(xy 50.0505 103.999999)
(xy 50.0505 101.999999)
(xy 59.244867 101.999999)
(xy 59.263302 102.128223)
(xy 59.263302 102.128224)
(xy 59.263303 102.128226)
(xy 59.317118 102.246063)
(xy 59.401951 102.343967)
(xy 59.510931 102.414004)
(xy 59.635228 102.4505)
(xy 59.764772 102.4505)
(xy 59.889069 102.414004)
(xy 59.998049 102.343967)
(xy 60.082882 102.246063)
(xy 60.136697 102.128226)
(xy 60.155133 102)
(xy 60.136697 101.871774)
(xy 60.082882 101.753937)
(xy 59.998049 101.656033)
(xy 59.916983 101.603935)
(xy 59.889068 101.585995)
(xy 59.764772 101.5495)
(xy 59.635228 101.5495)
(xy 59.510931 101.585995)
(xy 59.401954 101.656031)
(xy 59.40195 101.656034)
(xy 59.317119 101.753935)
(xy 59.263302 101.871776)
(xy 59.244867 101.999999)
(xy 50.0505 101.999999)
(xy 50.0505 101.5)
(xy 66.544867 101.5)
(xy 66.563302 101.628223)
(xy 66.563302 101.628224)
(xy 66.563303 101.628226)
(xy 66.617118 101.746063)
(xy 66.701951 101.843967)
(xy 66.810931 101.914004)
(xy 66.935228 101.9505)
(xy 67.064772 101.9505)
(xy 67.189069 101.914004)
(xy 67.298049 101.843967)
(xy 67.382882 101.746063)
(xy 67.382884 101.746057)
(xy 67.38574 101.741615)
(xy 67.386809 101.742302)
(xy 67.418194 101.710416)
(xy 67.468584 101.705604)
(xy 67.510277 101.734308)
(xy 67.516605 101.745267)
(xy 67.517116 101.746063)
(xy 67.601949 101.843967)
(xy 67.710929 101.914004)
(xy 67.835226 101.9505)
(xy 67.96477 101.9505)
(xy 68.089067 101.914004)
(xy 68.198047 101.843967)

(xy 68.230795 101.806172)
(xy 68.269073 101.761998)
(xy 68.313307 101.737387)
(xy 68.363011 101.746966)
(xy 68.380925 101.761998)
(xy 68.451947 101.843963)
(xy 68.451948 101.843964)
(xy 68.451951 101.843967)
(xy 68.560931 101.914004)
(xy 68.685228 101.9505)
(xy 68.814772 101.9505)
(xy 68.939069 101.914004)
(xy 69.048049 101.843967)
(xy 69.119074 101.761998)
(xy 69.163306 101.737388)
(xy 69.21301 101.746967)
(xy 69.230925 101.761999)
(xy 69.301946 101.843963)
(xy 69.301947 101.843964)
(xy 69.30195 101.843967)
(xy 69.41093 101.914004)
(xy 69.535227 101.9505)
(xy 69.664771 101.9505)
(xy 69.789068 101.914004)
(xy 69.898048 101.843967)
(xy 69.982881 101.746063)
(xy 70.036696 101.628226)
(xy 70.055132 101.5)
(xy 70.040754 101.4)
(xy 76.844867 101.4)
(xy 76.863302 101.528223)
(xy 76.863302 101.528224)
(xy 76.863303 101.528226)
(xy 76.917118 101.646063)
(xy 77.001951 101.743967)
(xy 77.110931 101.814004)
(xy 77.235228 101.8505)
(xy 77.364772 101.8505)
(xy 77.489069 101.814004)
(xy 77.598049 101.743967)
(xy 77.682882 101.646063)
(xy 77.736697 101.528226)
(xy 77.755133 101.4)
(xy 77.740755 101.3)
(xy 79.244867 101.3)
(xy 79.263302 101.428223)
(xy 79.263302 101.428224)
(xy 79.263303 101.428226)
(xy 79.317118 101.546063)
(xy 79.401951 101.643967)
(xy 79.510931 101.714004)
(xy 79.635228 101.7505)
(xy 79.764772 101.7505)
(xy 79.889069 101.714004)
(xy 79.998049 101.643967)
(xy 80.082882 101.546063)
(xy 80.136697 101.428226)
(xy 80.155133 101.3)
(xy 80.147917 101.249812)
(xy 84.344865 101.249812)
(xy 84.3633 101.378035)
(xy 84.3633 101.378036)
(xy 84.363301 101.378038)
(xy 84.417116 101.495875)
(xy 84.501949 101.593779)
(xy 84.610929 101.663816)
(xy 84.735226 101.700312)
(xy 84.86477 101.700312)

(xy 84.989067 101.663816)
(xy 85.098047 101.593779)
(xy 85.18288 101.495875)
(xy 85.236695 101.378038)
(xy 85.255131 101.249812)
(xy 85.236695 101.121586)
(xy 85.18288 101.003749)
(xy 85.098047 100.905845)
(xy 85.088952 100.9)
(xy 87.044853 100.9)
(xy 87.063288 101.028223)
(xy 87.063288 101.028224)
(xy 87.063289 101.028226)
(xy 87.117104 101.146063)
(xy 87.201937 101.243967)
(xy 87.310917 101.314004)
(xy 87.435214 101.3505)
(xy 87.564758 101.3505)
(xy 87.689055 101.314004)
(xy 87.798035 101.243967)
(xy 87.882868 101.146063)
(xy 87.936683 101.028226)
(xy 87.940741 101)
(xy 118.144879 101)
(xy 118.163314 101.128223)
(xy 118.163314 101.128224)
(xy 118.163315 101.128226)
(xy 118.21713 101.246063)
(xy 118.301963 101.343967)
(xy 118.410943 101.414004)
(xy 118.53524 101.4505)
(xy 118.664784 101.4505)
(xy 118.789081 101.414004)
(xy 118.898061 101.343967)
(xy 118.982894 101.246063)
(xy 119.036709 101.128226)
(xy 119.055145 101)
(xy 119.036709 100.871774)
(xy 119.00393 100.799999)
(xy 127.144867 100.799999)
(xy 127.163302 100.928223)
(xy 127.163302 100.928224)
(xy 127.163303 100.928226)
(xy 127.217118 101.046063)
(xy 127.301951 101.143967)
(xy 127.410931 101.214004)
(xy 127.535228 101.2505)
(xy 127.664772 101.2505)
(xy 127.789069 101.214004)
(xy 127.898049 101.143967)
(xy 127.982882 101.046063)
(xy 128.036697 100.928226)
(xy 128.055133 100.8)
(xy 128.036697 100.671774)
(xy 127.982882 100.553937)
(xy 127.898049 100.456033)
(xy 127.789069 100.385996)
(xy 127.789066 100.385994)
(xy 127.738005 100.371001)
(xy 127.697243 100.340989)
(xy 127.68531 100.291796)
(xy 127.707789 100.246442)
(xy 127.738006 100.228997)
(xy 127.765871 100.220815)
(xy 127.789067 100.214005)
(xy 127.789069 100.214004)
(xy 127.898049 100.143967)
(xy 127.982882 100.046063)

(xy 128.036697 99.928226)
(xy 128.055133 99.8)
(xy 128.036697 99.671774)
(xy 127.982882 99.553937)
(xy 127.898049 99.456033)
(xy 127.831032 99.412964)
(xy 127.789068 99.385995)
(xy 127.664772 99.3495)
(xy 127.535228 99.3495)
(xy 127.410931 99.385995)
(xy 127.301954 99.456031)
(xy 127.30195 99.456034)
(xy 127.217119 99.553935)
(xy 127.163302 99.671776)
(xy 127.144867 99.8)
(xy 127.163302 99.928223)
(xy 127.163302 99.928224)
(xy 127.163303 99.928226)
(xy 127.217118 100.046063)
(xy 127.301951 100.143967)
(xy 127.410931 100.214003)
(xy 127.410931 100.214004)
(xy 127.461993 100.228997)
(xy 127.502755 100.25901)
(xy 127.514689 100.308202)
(xy 127.492211 100.353556)
(xy 127.461993 100.371003)
(xy 127.410931 100.385995)
(xy 127.301954 100.456031)
(xy 127.30195 100.456034)
(xy 127.217119 100.553935)
(xy 127.217118 100.553936)
(xy 127.217118 100.553937)
(xy 127.202477 100.585995)
(xy 127.163302 100.671776)
(xy 127.144867 100.799999)
(xy 119.00393 100.799999)
(xy 118.982894 100.753937)
(xy 118.898061 100.656033)
(xy 118.831044 100.612964)
(xy 118.78908 100.585995)
(xy 118.664784 100.5495)
(xy 118.53524 100.5495)
(xy 118.410943 100.585995)
(xy 118.301966 100.656031)
(xy 118.301962 100.656034)
(xy 118.217131 100.753935)
(xy 118.163314 100.871776)
(xy 118.144879 101)
(xy 87.940741 101)
(xy 87.955119 100.9)
(xy 87.936683 100.771774)
(xy 87.882868 100.653937)
(xy 87.798035 100.556033)
(xy 87.731018 100.512964)
(xy 87.689054 100.485995)
(xy 87.564758 100.4495)
(xy 87.435214 100.4495)
(xy 87.310917 100.485995)
(xy 87.20194 100.556031)
(xy 87.201936 100.556034)
(xy 87.117105 100.653935)
(xy 87.063288 100.771776)
(xy 87.044853 100.9)
(xy 85.088952 100.9)
(xy 85.03103 100.862776)
(xy 84.989066 100.835807)
(xy 84.86477 100.799312)

(xy 84.735226 100.799312)
(xy 84.610929 100.835807)
(xy 84.501952 100.905843)
(xy 84.501948 100.905846)
(xy 84.417117 101.003747)
(xy 84.3633 101.121588)
(xy 84.344865 101.249812)
(xy 80.147917 101.249812)
(xy 80.136697 101.171774)
(xy 80.082882 101.053937)
(xy 79.998049 100.956033)
(xy 79.91086 100.9)
(xy 79.889068 100.885995)
(xy 79.764772 100.8495)
(xy 79.635228 100.8495)
(xy 79.510931 100.885995)
(xy 79.401954 100.956031)
(xy 79.40195 100.956034)
(xy 79.317119 101.053935)
(xy 79.263302 101.171776)
(xy 79.244867 101.3)
(xy 77.740755 101.3)
(xy 77.736697 101.271774)
(xy 77.682882 101.153937)
(xy 77.598049 101.056033)
(xy 77.51086 101)
(xy 77.489068 100.985995)
(xy 77.364772 100.9495)
(xy 77.235228 100.9495)
(xy 77.110931 100.985995)
(xy 77.001954 101.056031)
(xy 77.00195 101.056034)
(xy 76.917119 101.153935)
(xy 76.863302 101.271776)
(xy 76.844867 101.4)
(xy 70.040754 101.4)
(xy 70.036696 101.371774)
(xy 69.982881 101.253937)
(xy 69.898048 101.156033)
(xy 69.831031 101.112964)
(xy 69.789067 101.085995)
(xy 69.664771 101.0495)
(xy 69.535227 101.0495)
(xy 69.41093 101.085995)
(xy 69.301953 101.156031)
(xy 69.301945 101.156037)
(xy 69.230924 101.238001)
(xy 69.186691 101.262611)
(xy 69.136987 101.253032)
(xy 69.119073 101.238)
(xy 69.048052 101.156036)
(xy 69.04805 101.156035)
(xy 69.048049 101.156033)
(xy 68.981032 101.112964)
(xy 68.939068 101.085995)
(xy 68.814772 101.0495)
(xy 68.685228 101.0495)
(xy 68.560931 101.085995)
(xy 68.451954 101.156031)
(xy 68.451946 101.156037)
(xy 68.380924 101.238002)
(xy 68.336691 101.262613)
(xy 68.286987 101.253033)
(xy 68.269074 101.238002)
(xy 68.198051 101.156037)
(xy 68.198049 101.156035)
(xy 68.198047 101.156033)
(xy 68.13103 101.112964)

(xy 68.089066 101.085995)
(xy 67.96477 101.0495)
(xy 67.835226 101.0495)
(xy 67.710929 101.085995)
(xy 67.601952 101.156031)
(xy 67.601948 101.156034)
(xy 67.517116 101.253936)
(xy 67.514258 101.258385)
(xy 67.513189 101.257698)
(xy 67.481798 101.289586)
(xy 67.431408 101.294394)
(xy 67.389717 101.265686)
(xy 67.383393 101.254732)
(xy 67.382881 101.253936)
(xy 67.369074 101.238002)
(xy 67.298049 101.156033)
(xy 67.231032 101.112964)
(xy 67.189068 101.085995)
(xy 67.064772 101.0495)
(xy 66.935228 101.0495)
(xy 66.810931 101.085995)
(xy 66.701954 101.156031)
(xy 66.70195 101.156034)
(xy 66.617119 101.253935)
(xy 66.563302 101.371776)
(xy 66.544867 101.5)
(xy 50.0505 101.5)
(xy 50.0505 100.499978)
(xy 65.444867 100.499978)
(xy 65.463302 100.628201)
(xy 65.463302 100.628202)
(xy 65.463303 100.628204)
(xy 65.517118 100.746041)
(xy 65.601951 100.843945)
(xy 65.710931 100.913982)
(xy 65.835228 100.950478)
(xy 65.964772 100.950478)
(xy 66.089069 100.913982)
(xy 66.198049 100.843945)
(xy 66.282882 100.746041)
(xy 66.336697 100.628204)
(xy 66.355133 100.499978)
(xy 66.347947 100.45)
(xy 67.144867 100.45)
(xy 67.163302 100.578223)
(xy 67.163302 100.578224)
(xy 67.163303 100.578226)
(xy 67.217118 100.696063)
(xy 67.301951 100.793967)
(xy 67.410931 100.864004)
(xy 67.535228 100.9005)
(xy 67.664772 100.9005)
(xy 67.789069 100.864004)
(xy 67.898049 100.793967)
(xy 67.982882 100.696063)
(xy 68.036697 100.578226)
(xy 68.055133 100.45)
(xy 72.144867 100.45)
(xy 72.145735 100.456034)
(xy 72.163302 100.578223)
(xy 72.163302 100.578224)
(xy 72.163303 100.578226)
(xy 72.217118 100.696063)
(xy 72.301951 100.793967)
(xy 72.410931 100.864004)
(xy 72.535228 100.9005)
(xy 72.664772 100.9005)
(xy 72.789069 100.864004)

(xy 72.898049 100.793967)
(xy 72.982882 100.696063)
(xy 73.036697 100.578226)
(xy 73.055133 100.45)
(xy 73.036697 100.321774)
(xy 72.982882 100.203937)
(xy 72.898049 100.106033)
(xy 72.831032 100.062964)
(xy 72.789068 100.035995)
(xy 72.666475 100)
(xy 78.744877 100)
(xy 78.763312 100.128223)
(xy 78.763312 100.128224)
(xy 78.763313 100.128226)
(xy 78.817128 100.246063)
(xy 78.901961 100.343967)
(xy 79.010941 100.414004)
(xy 79.135238 100.4505)
(xy 79.264782 100.4505)
(xy 79.389079 100.414004)
(xy 79.498059 100.343967)
(xy 79.582892 100.246063)
(xy 79.636707 100.128226)
(xy 79.655143 100)
(xy 79.636707 99.871774)
(xy 79.603929 99.8)
(xy 97.394867 99.8)
(xy 97.413302 99.928223)
(xy 97.413302 99.928224)
(xy 97.413303 99.928226)
(xy 97.467118 100.046063)
(xy 97.551951 100.143967)
(xy 97.660931 100.214004)
(xy 97.785228 100.2505)
(xy 97.914772 100.2505)
(xy 98.039069 100.214004)
(xy 98.148049 100.143967)
(xy 98.232882 100.046063)
(xy 98.286697 99.928226)
(xy 98.305133 99.8)
(xy 101.394867 99.8)
(xy 101.413302 99.928223)
(xy 101.413302 99.928224)
(xy 101.413303 99.928226)
(xy 101.467118 100.046063)
(xy 101.551951 100.143967)
(xy 101.660931 100.214004)
(xy 101.785228 100.2505)
(xy 101.914772 100.2505)
(xy 102.039069 100.214004)
(xy 102.148049 100.143967)
(xy 102.232882 100.046063)
(xy 102.286697 99.928226)
(xy 102.305133 99.8)
(xy 102.290755 99.7)
(xy 107.744873 99.7)
(xy 107.748593 99.725875)
(xy 107.763308 99.828223)
(xy 107.763308 99.828224)
(xy 107.763309 99.828226)
(xy 107.817124 99.946063)
(xy 107.901957 100.043967)
(xy 108.010937 100.114004)
(xy 108.135234 100.1505)
(xy 108.264778 100.1505)
(xy 108.389075 100.114004)
(xy 108.498055 100.043967)
(xy 108.582888 99.946063)

(xy 108.636703 99.828226)
(xy 108.655139 99.7)
(xy 108.636703 99.571774)
(xy 108.603925 99.5)
(xy 117.744867 99.5)
(xy 117.748587 99.525875)
(xy 117.763302 99.628223)
(xy 117.763302 99.628224)
(xy 117.763303 99.628226)
(xy 117.817118 99.746063)
(xy 117.901951 99.843967)
(xy 118.010931 99.914004)
(xy 118.135228 99.9505)
(xy 118.264772 99.9505)
(xy 118.266475 99.95)
(xy 122.744867 99.95)
(xy 122.763302 100.078223)
(xy 122.763302 100.078224)
(xy 122.763303 100.078226)
(xy 122.817118 100.196063)
(xy 122.901951 100.293967)
(xy 123.010931 100.364004)
(xy 123.135228 100.4005)
(xy 123.264772 100.4005)
(xy 123.389069 100.364004)
(xy 123.498049 100.293967)
(xy 123.582882 100.196063)
(xy 123.636697 100.078226)
(xy 123.655133 99.95)
(xy 123.636697 99.821774)
(xy 123.582882 99.703937)
(xy 123.58288 99.703935)
(xy 123.58288 99.703934)
(xy 123.582878 99.703932)
(xy 123.578137 99.69846)
(xy 123.560071 99.651175)
(xy 123.576627 99.60334)
(xy 123.578137 99.60154)
(xy 123.580949 99.598293)
(xy 123.582882 99.596063)
(xy 123.636697 99.478226)
(xy 123.655133 99.35)
(xy 124.544867 99.35)
(xy 124.545735 99.356034)
(xy 124.563302 99.478223)
(xy 124.563302 99.478224)
(xy 124.563303 99.478226)
(xy 124.617118 99.596063)
(xy 124.701951 99.693967)
(xy 124.810931 99.764004)
(xy 124.935228 99.8005)
(xy 125.064772 99.8005)
(xy 125.189069 99.764004)
(xy 125.298049 99.693967)
(xy 125.382882 99.596063)
(xy 125.436697 99.478226)
(xy 125.455133 99.35)
(xy 125.436697 99.221774)
(xy 125.382882 99.103937)
(xy 125.298049 99.006033)
(xy 125.211638 98.9505)
(xy 125.189068 98.935995)
(xy 125.064772 98.8995)
(xy 124.935228 98.8995)
(xy 124.810931 98.935995)
(xy 124.701954 99.006031)
(xy 124.70195 99.006034)
(xy 124.617119 99.103935)

(xy 124.617118 99.103936)
(xy 124.617118 99.103937)
(xy 124.593327 99.156031)
(xy 124.563302 99.221776)
(xy 124.545433 99.346063)
(xy 124.544867 99.35)
(xy 123.655133 99.35)
(xy 123.636697 99.221774)
(xy 123.582882 99.103937)
(xy 123.498049 99.006033)
(xy 123.42645 98.960019)
(xy 123.395795 98.919739)
(xy 123.398204 98.869177)
(xy 123.432549 98.831993)
(xy 123.445611 98.826764)
(xy 123.489069 98.814004)
(xy 123.598049 98.743967)
(xy 123.682882 98.646063)
(xy 123.736697 98.528226)
(xy 123.755133 98.4)
(xy 123.736697 98.271774)
(xy 123.682882 98.153937)
(xy 123.598049 98.056033)
(xy 123.530937 98.012903)
(xy 123.489068 97.985995)
(xy 123.364772 97.9495)
(xy 123.235228 97.9495)
(xy 123.110931 97.985995)
(xy 123.001954 98.056031)
(xy 123.00195 98.056034)
(xy 122.917119 98.153935)
(xy 122.863302 98.271776)
(xy 122.844867 98.4)
(xy 122.863302 98.528223)
(xy 122.863302 98.528224)
(xy 122.863303 98.528226)
(xy 122.917118 98.646063)
(xy 123.001951 98.743967)
(xy 123.073548 98.789979)
(xy 123.104204 98.83026)
(xy 123.101795 98.880821)
(xy 123.06745 98.918006)
(xy 123.05439 98.923234)
(xy 123.010933 98.935994)
(xy 122.901954 99.006031)
(xy 122.90195 99.006034)
(xy 122.817119 99.103935)
(xy 122.817118 99.103936)
(xy 122.817118 99.103937)
(xy 122.793327 99.156031)
(xy 122.763302 99.221776)
(xy 122.744867 99.35)
(xy 122.763302 99.478223)
(xy 122.763302 99.478224)
(xy 122.763303 99.478226)
(xy 122.817118 99.596063)
(xy 122.818664 99.597847)
(xy 122.821866 99.601543)
(xy 122.839929 99.648829)
(xy 122.823371 99.696663)
(xy 122.821866 99.698457)
(xy 122.817119 99.703935)
(xy 122.817118 99.703936)
(xy 122.763302 99.821776)
(xy 122.744867 99.95)
(xy 118.266475 99.95)
(xy 118.389069 99.914004)
(xy 118.498049 99.843967)

(xy 118.582882 99.746063)
(xy 118.636697 99.628226)
(xy 118.655133 99.5)
(xy 118.636697 99.371774)
(xy 118.582882 99.253937)
(xy 118.498049 99.156033)
(xy 118.41086 99.1)
(xy 119.044867 99.1)
(xy 119.063302 99.228223)
(xy 119.063302 99.228224)
(xy 119.063303 99.228226)
(xy 119.117118 99.346063)
(xy 119.201951 99.443967)
(xy 119.310931 99.514004)
(xy 119.435228 99.5505)
(xy 119.564772 99.5505)
(xy 119.689069 99.514004)
(xy 119.709992 99.500557)
(xy 119.759364 99.489404)
(xy 119.790003 99.500554)
(xy 119.810931 99.514004)
(xy 119.935228 99.5505)
(xy 120.064775 99.5505)
(xy 120.064775 99.550499)
(xy 120.189069 99.514004)
(xy 120.209992 99.500557)
(xy 120.259364 99.489404)
(xy 120.290002 99.500554)
(xy 120.310931 99.514004)
(xy 120.435228 99.5505)
(xy 120.564772 99.5505)
(xy 120.689069 99.514004)
(xy 120.709993 99.500556)
(xy 120.759366 99.489404)
(xy 120.790004 99.500555)
(xy 120.810931 99.514004)
(xy 120.935228 99.5505)
(xy 121.064772 99.5505)
(xy 121.189069 99.514004)
(xy 121.298049 99.443967)
(xy 121.382882 99.346063)
(xy 121.436697 99.228226)
(xy 121.455133 99.1)
(xy 121.436697 98.971774)
(xy 121.382882 98.853937)
(xy 121.298049 98.756033)
(xy 121.209993 98.699443)
(xy 121.189068 98.685995)
(xy 121.064772 98.6495)
(xy 120.935228 98.6495)
(xy 120.81093 98.685996)
(xy 120.790006 98.699443)
(xy 120.740631 98.710593)
(xy 120.709994 98.699443)
(xy 120.689069 98.685996)
(xy 120.564772 98.6495)
(xy 120.435228 98.6495)
(xy 120.31093 98.685996)
(xy 120.310927 98.685997)
(xy 120.290004 98.699443)
(xy 120.240628 98.710593)
(xy 120.209992 98.699442)
(xy 120.189068 98.685995)
(xy 120.064772 98.6495)
(xy 119.935228 98.6495)
(xy 119.81093 98.685996)
(xy 119.790006 98.699443)
(xy 119.740631 98.710593)

(xy 119.709994 98.699443)
(xy 119.689069 98.685996)
(xy 119.564772 98.6495)
(xy 119.435228 98.6495)
(xy 119.310931 98.685995)
(xy 119.201954 98.756031)
(xy 119.20195 98.756034)
(xy 119.117119 98.853935)
(xy 119.063302 98.971776)
(xy 119.044867 99.1)
(xy 118.41086 99.1)
(xy 118.410858 99.099999)
(xy 118.389068 99.085995)
(xy 118.264772 99.0495)
(xy 118.135228 99.0495)
(xy 118.010931 99.085995)
(xy 117.901954 99.156031)
(xy 117.90195 99.156034)
(xy 117.817119 99.253935)
(xy 117.763302 99.371776)
(xy 117.74639 99.489404)
(xy 117.744867 99.5)
(xy 108.603925 99.5)
(xy 108.582888 99.453937)
(xy 108.582886 99.453935)
(xy 108.582886 99.453934)
(xy 108.580024 99.44948)
(xy 108.581082 99.4488)
(xy 108.565104 99.406972)
(xy 108.581662 99.359138)
(xy 108.618246 99.334798)
(xy 108.689069 99.314004)
(xy 108.798049 99.243967)
(xy 108.882882 99.146063)
(xy 108.936697 99.028226)
(xy 108.955133 98.9)
(xy 108.936697 98.771774)
(xy 108.882882 98.653937)
(xy 108.798049 98.556033)
(xy 108.710858 98.499999)
(xy 108.689068 98.485995)
(xy 108.564772 98.4495)
(xy 108.435228 98.4495)
(xy 108.310931 98.485995)
(xy 108.201954 98.556031)
(xy 108.20195 98.556034)
(xy 108.117119 98.653935)
(xy 108.063302 98.771776)
(xy 108.044939 98.8995)
(xy 108.044867 98.9)
(xy 108.047456 98.918006)
(xy 108.063302 99.028223)
(xy 108.063302 99.028224)
(xy 108.063303 99.028226)
(xy 108.10222 99.113442)
(xy 108.117119 99.146065)
(xy 108.119982 99.15052)
(xy 108.118923 99.151199)
(xy 108.134901 99.193029)
(xy 108.118342 99.240863)
(xy 108.081758 99.2652)
(xy 108.01094 99.285993)
(xy 108.010939 99.285994)
(xy 107.90196 99.356031)
(xy 107.901956 99.356034)
(xy 107.817125 99.453935)
(xy 107.817124 99.453936)
(xy 107.817124 99.453937)

(xy 107.800927 99.489404)
(xy 107.763308 99.571776)
(xy 107.751194 99.656033)
(xy 107.744873 99.7)
(xy 102.290755 99.7)
(xy 102.286697 99.671774)
(xy 102.232882 99.553937)
(xy 102.23288 99.553935)
(xy 102.23288 99.553934)
(xy 102.232878 99.553932)
(xy 102.19828 99.514003)
(xy 102.163148 99.473459)
(xy 102.145083 99.426174)
(xy 102.161639 99.378339)
(xy 102.163149 99.37654)
(xy 102.178228 99.359138)
(xy 102.232882 99.296063)
(xy 102.286697 99.178226)
(xy 102.305133 99.05)
(xy 102.286697 98.921774)
(xy 102.232882 98.803937)
(xy 102.148049 98.706033)
(xy 102.068436 98.654869)
(xy 102.039068 98.635995)
(xy 101.914772 98.5995)
(xy 101.785228 98.5995)
(xy 101.660931 98.635995)
(xy 101.551954 98.706031)
(xy 101.55195 98.706034)
(xy 101.467119 98.803935)
(xy 101.467118 98.803936)
(xy 101.467118 98.803937)
(xy 101.44021 98.862855)
(xy 101.413302 98.921776)
(xy 101.394867 99.049999)
(xy 101.413302 99.178223)
(xy 101.413302 99.178224)
(xy 101.413303 99.178226)
(xy 101.453023 99.2652)
(xy 101.467119 99.296065)
(xy 101.46712 99.296067)
(xy 101.536851 99.376541)
(xy 101.554916 99.423826)
(xy 101.53836 99.471661)
(xy 101.536851 99.473459)
(xy 101.46712 99.553932)
(xy 101.467119 99.553934)
(xy 101.413302 99.671776)
(xy 101.394867 99.8)
(xy 98.305133 99.8)
(xy 98.286697 99.671774)
(xy 98.232882 99.553937)
(xy 98.23288 99.553935)
(xy 98.23288 99.553934)
(xy 98.232878 99.553932)
(xy 98.19828 99.514003)
(xy 98.163148 99.473459)
(xy 98.145083 99.426174)
(xy 98.161639 99.378339)
(xy 98.163149 99.37654)
(xy 98.178228 99.359138)
(xy 98.232882 99.296063)
(xy 98.286697 99.178226)
(xy 98.305133 99.05)
(xy 98.305133 99.049999)
(xy 99.644867 99.049999)
(xy 99.663302 99.178223)
(xy 99.663302 99.178224)

(xy 99.663303 99.178226)
(xy 99.717118 99.296063)
(xy 99.801951 99.393967)
(xy 99.910931 99.464004)
(xy 100.035228 99.5005)
(xy 100.164772 99.5005)
(xy 100.289069 99.464004)
(xy 100.398049 99.393967)
(xy 100.482882 99.296063)
(xy 100.536697 99.178226)
(xy 100.555133 99.05)
(xy 100.536697 98.921774)
(xy 100.482882 98.803937)
(xy 100.398049 98.706033)
(xy 100.318436 98.654869)
(xy 100.289068 98.635995)
(xy 100.164772 98.5995)
(xy 100.035228 98.5995)
(xy 99.910931 98.635995)
(xy 99.801954 98.706031)
(xy 99.80195 98.706034)
(xy 99.717119 98.803935)
(xy 99.717118 98.803936)
(xy 99.717118 98.803937)
(xy 99.69021 98.862855)
(xy 99.663302 98.921776)
(xy 99.644867 99.049999)
(xy 98.305133 99.049999)
(xy 98.286697 98.921774)
(xy 98.232882 98.803937)
(xy 98.148049 98.706033)
(xy 98.068436 98.654869)
(xy 98.039068 98.635995)
(xy 97.914772 98.5995)
(xy 97.785228 98.5995)
(xy 97.660931 98.635995)
(xy 97.551954 98.706031)
(xy 97.55195 98.706034)
(xy 97.467119 98.803935)
(xy 97.467118 98.803936)
(xy 97.467118 98.803937)
(xy 97.44021 98.862855)
(xy 97.413302 98.921776)
(xy 97.394867 99.049999)
(xy 97.413302 99.178223)
(xy 97.413302 99.178224)
(xy 97.413303 99.178226)
(xy 97.453023 99.2652)
(xy 97.467119 99.296065)
(xy 97.46712 99.296067)
(xy 97.536851 99.376541)
(xy 97.554916 99.423826)
(xy 97.53836 99.471661)
(xy 97.536851 99.473459)
(xy 97.46712 99.553932)
(xy 97.467119 99.553934)
(xy 97.413302 99.671776)
(xy 97.394867 99.8)
(xy 79.603929 99.8)
(xy 79.582892 99.753937)
(xy 79.498059 99.656033)
(xy 79.404747 99.596065)
(xy 79.389078 99.585995)
(xy 79.264782 99.5495)
(xy 79.135238 99.5495)
(xy 79.010941 99.585995)
(xy 78.901964 99.656031)
(xy 78.90196 99.656034)

(xy 78.817129 99.753935)
(xy 78.763312 99.871776)
(xy 78.744877 100)
(xy 72.666475 100)
(xy 72.664772 99.9995)
(xy 72.535228 99.9995)
(xy 72.410931 100.035995)
(xy 72.301954 100.106031)
(xy 72.30195 100.106034)
(xy 72.217119 100.203935)
(xy 72.163302 100.321776)
(xy 72.146568 100.438169)
(xy 72.144867 100.45)
(xy 68.055133 100.45)
(xy 68.036697 100.321774)
(xy 67.982882 100.203937)
(xy 67.898049 100.106033)
(xy 67.831032 100.062964)
(xy 67.789068 100.035995)
(xy 67.664772 99.9995)
(xy 67.535228 99.9995)
(xy 67.410931 100.035995)
(xy 67.301954 100.106031)
(xy 67.30195 100.106034)
(xy 67.217119 100.203935)
(xy 67.163302 100.321776)
(xy 67.144867 100.45)
(xy 66.347947 100.45)
(xy 66.336697 100.371752)
(xy 66.282882 100.253915)
(xy 66.198049 100.156011)
(xy 66.120283 100.106034)
(xy 66.089068 100.085973)
(xy 65.964772 100.049478)
(xy 65.835228 100.049478)
(xy 65.710931 100.085973)
(xy 65.601954 100.156009)
(xy 65.60195 100.156012)
(xy 65.517119 100.253913)
(xy 65.463302 100.371754)
(xy 65.444867 100.499978)
(xy 50.0505 100.499978)
(xy 50.0505 100.423594)
(xy 50.067813 100.376028)
(xy 50.11165 100.350718)
(xy 50.161496 100.359507)
(xy 50.186714 100.374066)
(xy 50.188706 100.375217)
(xy 50.188703 100.375215)
(xy 50.197832 100.379716)
(xy 50.303744 100.423586)
(xy 50.307186 100.424754)
(xy 50.313383 100.426859)
(xy 50.313382 100.426858)
(xy 50.313385 100.426859)
(xy 50.32809 100.430799)
(xy 50.348182 100.436183)
(xy 50.348181 100.436183)
(xy 50.351048 100.436752)
(xy 50.358168 100.438169)
(xy 50.358178 100.43817)
(xy 50.358179 100.438171)
(xy 50.451827 100.4505)
(xy 50.479004 100.454078)
(xy 50.479504 100.454127)
(xy 50.484069 100.454578)
(xy 50.495613 100.455333)
(xy 50.5007 100.4555)

(xy 50.500702 100.4555)
(xy 51.150053 100.4555)
(xy 51.168456 100.457825)
(xy 51.217823 100.4705)
(xy 51.940924 100.4705)
(xy 51.940925 100.4705)
(xy 52.057355 100.455791)
(xy 52.061988 100.4555)
(xy 55.080053 100.4555)
(xy 55.098456 100.457825)
(xy 55.147823 100.4705)
(xy 56.370924 100.4705)
(xy 56.370925 100.4705)
(xy 56.410428 100.465509)
(xy 56.493052 100.455072)
(xy 56.493052 100.455071)
(xy 56.493058 100.455071)
(xy 56.645871 100.394568)
(xy 56.778837 100.297963)
(xy 56.8836 100.171326)
(xy 56.953579 100.022613)
(xy 56.959704 99.990504)
(xy 56.984376 99.861172)
(xy 56.984376 99.86117)
(xy 56.982303 99.828223)
(xy 56.974056 99.69714)
(xy 56.959119 99.65117)
(xy 56.9555 99.628315)
(xy 56.9555 99.3)
(xy 75.544867 99.3)
(xy 75.548587 99.325875)
(xy 75.563302 99.428223)
(xy 75.563302 99.428224)
(xy 75.563303 99.428226)
(xy 75.617118 99.546063)
(xy 75.701951 99.643967)
(xy 75.810931 99.714004)
(xy 75.935228 99.7505)
(xy 76.064772 99.7505)
(xy 76.189069 99.714004)
(xy 76.298049 99.643967)
(xy 76.382882 99.546063)
(xy 76.436697 99.428226)
(xy 76.455133 99.3)
(xy 76.445547 99.233328)
(xy 76.455914 99.183784)
(xy 76.495703 99.152494)
(xy 76.529668 99.151955)
(xy 76.529986 99.149747)
(xy 76.535225 99.1505)
(xy 76.535228 99.1505)
(xy 76.664772 99.1505)
(xy 76.789069 99.114004)
(xy 76.81086 99.1)
(xy 86.145131 99.1)
(xy 86.162499 99.20966)
(xy 86.190798 99.2652)
(xy 86.212905 99.308587)
(xy 86.291413 99.387095)
(xy 86.390339 99.4375)
(xy 86.5 99.454869)
(xy 86.609661 99.4375)
(xy 86.708587 99.387095)
(xy 86.787095 99.308587)
(xy 86.8375 99.209661)
(xy 86.854869 99.1)
(xy 86.8375 98.990339)
(xy 86.79147 98.9)

(xy 90.344867 98.9)
(xy 90.363302 99.028223)
(xy 90.363302 99.028224)
(xy 90.363303 99.028226)
(xy 90.417118 99.146063)
(xy 90.501951 99.243967)
(xy 90.610931 99.314004)
(xy 90.735228 99.3505)
(xy 90.864772 99.3505)
(xy 90.989069 99.314004)
(xy 91.098049 99.243967)
(xy 91.182882 99.146063)
(xy 91.226753 99.049999)
(xy 95.644867 99.049999)
(xy 95.663302 99.178223)
(xy 95.663302 99.178224)
(xy 95.663303 99.178226)
(xy 95.717118 99.296063)
(xy 95.801951 99.393967)
(xy 95.910931 99.464004)
(xy 96.035228 99.5005)
(xy 96.164772 99.5005)
(xy 96.289069 99.464004)
(xy 96.398049 99.393967)
(xy 96.482882 99.296063)
(xy 96.536697 99.178226)
(xy 96.555133 99.05)
(xy 96.536697 98.921774)
(xy 96.482882 98.803937)
(xy 96.398049 98.706033)
(xy 96.318436 98.654869)
(xy 96.289068 98.635995)
(xy 96.164772 98.5995)
(xy 96.035228 98.5995)
(xy 95.910931 98.635995)
(xy 95.801954 98.706031)
(xy 95.80195 98.706034)
(xy 95.717119 98.803935)
(xy 95.717118 98.803936)
(xy 95.717118 98.803937)
(xy 95.69021 98.862855)
(xy 95.663302 98.921776)
(xy 95.644867 99.049999)
(xy 91.226753 99.049999)
(xy 91.236697 99.028226)
(xy 91.255133 98.9)
(xy 91.236697 98.771774)
(xy 91.182882 98.653937)
(xy 91.098049 98.556033)
(xy 91.010858 98.499999)
(xy 92.194867 98.499999)
(xy 92.213302 98.628223)
(xy 92.213302 98.628224)
(xy 92.213303 98.628226)
(xy 92.267118 98.746063)
(xy 92.351951 98.843967)
(xy 92.460931 98.914004)
(xy 92.585228 98.9505)
(xy 92.714772 98.9505)
(xy 92.839069 98.914004)
(xy 92.948049 98.843967)
(xy 93.032882 98.746063)
(xy 93.086697 98.628226)
(xy 93.100857 98.529739)
(xy 103.92 98.529739)
(xy 103.926355 98.610495)
(xy 103.926358 98.61051)
(xy 103.976678 98.798306)

(xy 103.976682 98.798315)
(xy 104.064956 98.971564)
(xy 104.187324 99.122675)
(xy 104.338435 99.245043)
(xy 104.511684 99.333317)
(xy 104.511693 99.333321)
(xy 104.699489 99.383641)
(xy 104.699504 99.383644)
(xy 104.780261 99.39)
(xy 105.02 99.39)
(xy 105.02 98.590648)
(xy 105.037313 98.543082)
(xy 105.08115 98.517772)
(xy 105.124739 98.523334)
(xy 105.127685 98.52468)
(xy 105.234237 98.54)
(xy 105.234243 98.54)
(xy 105.305757 98.54)
(xy 105.305763 98.54)
(xy 105.412315 98.52468)
(xy 105.41526 98.523334)
(xy 105.465719 98.519324)
(xy 105.506952 98.548685)
(xy 105.52 98.590648)
(xy 105.52 99.39)
(xy 105.759739 99.39)
(xy 105.840495 99.383644)
(xy 105.84051 99.383641)
(xy 106.028306 99.333321)
(xy 106.028315 99.333317)
(xy 106.201564 99.245043)
(xy 106.352675 99.122675)
(xy 106.475043 98.971564)
(xy 106.563317 98.798315)
(xy 106.563321 98.798306)
(xy 106.613641 98.61051)
(xy 106.613644 98.610495)
(xy 106.62 98.529739)
(xy 106.62 98.29)
(xy 105.816554 98.29)
(xy 105.768988 98.272687)
(xy 105.743678 98.22885)
(xy 105.745552 98.195151)
(xy 105.77 98.111891)
(xy 105.77 97.968108)
(xy 105.745552 97.884849)
(xy 105.748762 97.834332)
(xy 105.783693 97.797697)
(xy 105.816554 97.79)
(xy 106.619999 97.79)
(xy 106.62 97.550261)
(xy 106.613644 97.469504)
(xy 106.613641 97.469489)
(xy 106.595021 97.4)
(xy 126.044867 97.4)
(xy 126.063302 97.528223)
(xy 126.063302 97.528224)
(xy 126.063303 97.528226)
(xy 126.117118 97.646063)
(xy 126.201951 97.743967)
(xy 126.310931 97.814004)
(xy 126.435228 97.8505)
(xy 126.564772 97.8505)
(xy 126.689069 97.814004)
(xy 126.798049 97.743967)
(xy 126.882882 97.646063)
(xy 126.936697 97.528226)
(xy 126.955133 97.4)

(xy 126.936697 97.271774)
(xy 126.882882 97.153937)
(xy 126.798049 97.056033)
(xy 126.690781 96.987096)
(xy 126.689068 96.985995)
(xy 126.564772 96.9495)
(xy 126.435228 96.9495)
(xy 126.310931 96.985995)
(xy 126.201954 97.056031)
(xy 126.20195 97.056034)
(xy 126.117119 97.153935)
(xy 126.063302 97.271776)
(xy 126.044867 97.4)
(xy 106.595021 97.4)
(xy 106.563321 97.281693)
(xy 106.563317 97.281684)
(xy 106.475043 97.108435)
(xy 106.352675 96.957324)
(xy 106.201564 96.834956)
(xy 106.028315 96.746682)
(xy 106.028306 96.746678)
(xy 105.84051 96.696358)
(xy 105.840495 96.696355)
(xy 105.759739 96.69)
(xy 105.52 96.69)
(xy 105.52 97.489352)
(xy 105.502687 97.536918)
(xy 105.45885 97.562228)
(xy 105.415262 97.556666)
(xy 105.412315 97.55532)
(xy 105.412313 97.555319)
(xy 105.412311 97.555319)
(xy 105.305767 97.54)
(xy 105.305763 97.54)
(xy 105.234237 97.54)
(xy 105.234232 97.54)
(xy 105.127688 97.555319)
(xy 105.127685 97.55532)
(xy 105.124738 97.556666)
(xy 105.074278 97.560675)
(xy 105.033046 97.531312)
(xy 105.02 97.489352)
(xy 105.02 96.69)
(xy 104.780261 96.69)
(xy 104.699504 96.696355)
(xy 104.699489 96.696358)
(xy 104.511693 96.746678)
(xy 104.511684 96.746682)
(xy 104.338435 96.834956)
(xy 104.187324 96.957324)
(xy 104.064956 97.108435)
(xy 103.976682 97.281684)
(xy 103.976678 97.281693)
(xy 103.926358 97.469489)
(xy 103.926355 97.469504)
(xy 103.92 97.550261)
(xy 103.92 97.79)
(xy 104.723446 97.79)
(xy 104.771012 97.807313)
(xy 104.796322 97.85115)
(xy 104.794448 97.884849)
(xy 104.77 97.968108)
(xy 104.77 98.111891)
(xy 104.794448 98.195151)
(xy 104.791238 98.245668)
(xy 104.756307 98.282303)
(xy 104.723446 98.29)
(xy 103.92 98.29)

(xy 103.92 98.529739)
(xy 93.100857 98.529739)
(xy 93.105133 98.5)
(xy 93.086697 98.371774)
(xy 93.032882 98.253937)
(xy 92.948049 98.156033)
(xy 92.847498 98.091413)
(xy 92.839068 98.085995)
(xy 92.714772 98.0495)
(xy 92.585228 98.0495)
(xy 92.460931 98.085995)
(xy 92.351954 98.156031)
(xy 92.35195 98.156034)
(xy 92.267119 98.253935)
(xy 92.213302 98.371776)
(xy 92.194867 98.499999)
(xy 91.010858 98.499999)
(xy 90.989068 98.485995)
(xy 90.864772 98.4495)
(xy 90.735228 98.4495)
(xy 90.610931 98.485995)
(xy 90.501954 98.556031)
(xy 90.50195 98.556034)
(xy 90.417119 98.653935)
(xy 90.363302 98.771776)
(xy 90.344867 98.9)
(xy 86.79147 98.9)
(xy 86.787095 98.891413)
(xy 86.708587 98.812905)
(xy 86.690982 98.803935)
(xy 86.60966 98.762499)
(xy 86.5 98.745131)
(xy 86.390339 98.762499)
(xy 86.291412 98.812905)
(xy 86.212905 98.891412)
(xy 86.162499 98.990339)
(xy 86.145131 99.1)
(xy 76.81086 99.1)
(xy 76.898049 99.043967)
(xy 76.982882 98.946063)
(xy 77.036697 98.828226)
(xy 77.055133 98.7)
(xy 77.036697 98.571774)
(xy 76.982882 98.453937)
(xy 76.898049 98.356033)
(xy 76.81086 98.3)
(xy 80.545131 98.3)
(xy 80.562499 98.40966)
(xy 80.590672 98.464952)
(xy 80.612905 98.508587)
(xy 80.691413 98.587095)
(xy 80.790339 98.6375)
(xy 80.9 98.654869)
(xy 81.009661 98.6375)
(xy 81.108587 98.587095)
(xy 81.187095 98.508587)
(xy 81.234065 98.416401)
(xy 81.271086 98.38188)
(xy 81.321635 98.37923)
(xy 81.362061 98.409693)
(xy 81.365932 98.416397)
(xy 81.412905 98.508587)
(xy 81.491413 98.587095)
(xy 81.590339 98.6375)
(xy 81.7 98.654869)
(xy 81.809661 98.6375)
(xy 81.908587 98.587095)
(xy 81.987095 98.508587)

(xy 82.034065 98.416401)
(xy 82.071086 98.38188)
(xy 82.121635 98.37923)
(xy 82.162061 98.409693)
(xy 82.165932 98.416397)
(xy 82.212905 98.508587)
(xy 82.291413 98.587095)
(xy 82.390339 98.6375)
(xy 82.5 98.654869)
(xy 82.609661 98.6375)
(xy 82.708587 98.587095)
(xy 82.787095 98.508587)
(xy 82.8375 98.409661)
(xy 82.854869 98.3)
(xy 82.8375 98.190339)
(xy 82.787095 98.091413)
(xy 82.708587 98.012905)
(xy 82.655773 97.985995)
(xy 82.60966 97.962499)
(xy 82.5 97.945131)
(xy 82.390339 97.962499)
(xy 82.291412 98.012905)
(xy 82.212903 98.091414)
(xy 82.165934 98.183597)
(xy 82.128914 98.218119)
(xy 82.078365 98.220769)
(xy 82.037938 98.190305)
(xy 82.034066 98.183597)
(xy 81.987096 98.091414)
(xy 81.908587 98.012905)
(xy 81.80966 97.962499)
(xy 81.7 97.945131)
(xy 81.590339 97.962499)
(xy 81.491412 98.012905)
(xy 81.412903 98.091414)
(xy 81.365934 98.183597)
(xy 81.328914 98.218119)
(xy 81.278365 98.220769)
(xy 81.237938 98.190305)
(xy 81.234066 98.183597)
(xy 81.187096 98.091414)
(xy 81.108587 98.012905)
(xy 81.108583 98.012903)
(xy 81.016401 97.965934)
(xy 80.98188 97.928914)
(xy 80.97923 97.878365)
(xy 81.009693 97.837939)
(xy 81.016397 97.834067)
(xy 81.108587 97.787095)
(xy 81.187095 97.708587)
(xy 81.2375 97.609661)
(xy 81.254869 97.5)
(xy 82.945131 97.5)
(xy 82.962499 97.60966)
(xy 82.981048 97.646064)
(xy 83.012905 97.708587)
(xy 83.091413 97.787095)
(xy 83.190339 97.8375)
(xy 83.3 97.854869)
(xy 83.409661 97.8375)
(xy 83.508587 97.787095)
(xy 83.587095 97.708587)
(xy 83.634065 97.616401)
(xy 83.671086 97.58188)
(xy 83.721635 97.57923)
(xy 83.762061 97.609693)
(xy 83.765932 97.616397)
(xy 83.812905 97.708587)

(xy 83.891413 97.787095)
(xy 83.990339 97.8375)
(xy 84.1 97.854869)
(xy 84.209661 97.8375)
(xy 84.308587 97.787095)
(xy 84.387095 97.708587)
(xy 84.434065 97.616401)
(xy 84.471086 97.58188)
(xy 84.521635 97.57923)
(xy 84.562061 97.609693)
(xy 84.565932 97.616397)
(xy 84.612904 97.708587)
(xy 84.612905 97.708587)
(xy 84.691414 97.787096)
(xy 84.783597 97.834066)
(xy 84.818119 97.871086)
(xy 84.820769 97.921635)
(xy 84.790305 97.962062)
(xy 84.783597 97.965934)
(xy 84.691414 98.012903)
(xy 84.612905 98.091412)
(xy 84.562499 98.190339)
(xy 84.545131 98.3)
(xy 84.562499 98.40966)
(xy 84.590672 98.464952)
(xy 84.612905 98.508587)
(xy 84.691413 98.587095)
(xy 84.790339 98.6375)
(xy 84.9 98.654869)
(xy 85.009661 98.6375)
(xy 85.108587 98.587095)
(xy 85.187095 98.508587)
(xy 85.234065 98.416401)
(xy 85.271086 98.38188)
(xy 85.321635 98.37923)
(xy 85.362061 98.409693)
(xy 85.365932 98.416397)
(xy 85.412905 98.508587)
(xy 85.491413 98.587095)
(xy 85.590339 98.6375)
(xy 85.7 98.654869)
(xy 85.809661 98.6375)
(xy 85.908587 98.587095)
(xy 85.987095 98.508587)
(xy 86.0375 98.409661)
(xy 86.054869 98.3)
(xy 86.0375 98.190339)
(xy 85.987095 98.091413)
(xy 85.908587 98.012905)
(xy 85.855773 97.985995)
(xy 85.80966 97.962499)
(xy 85.7 97.945131)
(xy 85.590339 97.962499)
(xy 85.491412 98.012905)
(xy 85.412903 98.091414)
(xy 85.365934 98.183597)
(xy 85.328914 98.218119)
(xy 85.278365 98.220769)
(xy 85.237938 98.190305)
(xy 85.234066 98.183597)
(xy 85.187096 98.091414)
(xy 85.108587 98.012905)
(xy 85.108583 98.012903)
(xy 85.016401 97.965934)
(xy 84.98188 97.928914)
(xy 84.97923 97.878365)
(xy 85.009693 97.837939)
(xy 85.016397 97.834067)

(xy 85.108587 97.787095)
(xy 85.187095 97.708587)
(xy 85.2375 97.609661)
(xy 85.254869 97.5)
(xy 85.2375 97.390339)
(xy 85.187095 97.291413)
(xy 85.108587 97.212905)
(xy 85.016401 97.165934)
(xy 84.98188 97.128914)
(xy 84.97923 97.078365)
(xy 85.009693 97.037939)
(xy 85.016397 97.034067)
(xy 85.108587 96.987095)
(xy 85.187095 96.908587)
(xy 85.234065 96.816401)
(xy 85.271086 96.78188)
(xy 85.321635 96.77923)
(xy 85.362061 96.809693)
(xy 85.365932 96.816397)
(xy 85.412905 96.908587)
(xy 85.491413 96.987095)
(xy 85.590339 97.0375)
(xy 85.7 97.054869)
(xy 85.809661 97.0375)
(xy 85.908587 96.987095)
(xy 85.987095 96.908587)
(xy 86.034065 96.816401)
(xy 86.071086 96.78188)
(xy 86.121635 96.77923)
(xy 86.162061 96.809693)
(xy 86.165932 96.816397)
(xy 86.201394 96.885995)
(xy 86.212905 96.908587)
(xy 86.291414 96.987096)
(xy 86.383597 97.034066)
(xy 86.418119 97.071086)
(xy 86.420769 97.121635)
(xy 86.390305 97.162062)
(xy 86.383597 97.165934)
(xy 86.291414 97.212903)
(xy 86.212905 97.291412)
(xy 86.162499 97.390339)
(xy 86.145131 97.5)
(xy 86.162499 97.60966)
(xy 86.181048 97.646064)
(xy 86.212905 97.708587)
(xy 86.291413 97.787095)
(xy 86.390339 97.8375)
(xy 86.5 97.854869)
(xy 86.609661 97.8375)
(xy 86.708587 97.787095)
(xy 86.787095 97.708587)
(xy 86.8375 97.609661)
(xy 86.854869 97.5)
(xy 86.8375 97.390339)
(xy 86.787095 97.291413)
(xy 86.708587 97.212905)
(xy 86.616401 97.165934)
(xy 86.58188 97.128914)
(xy 86.580364 97.099999)
(xy 97.394867 97.099999)
(xy 97.413302 97.228223)
(xy 97.413302 97.228224)
(xy 97.413303 97.228226)
(xy 97.467118 97.346063)
(xy 97.551951 97.443967)
(xy 97.660931 97.514004)
(xy 97.785228 97.5505)

(xy 97.914772 97.5505)
(xy 98.039069 97.514004)
(xy 98.148049 97.443967)
(xy 98.232882 97.346063)
(xy 98.286697 97.228226)
(xy 98.305133 97.1)
(xy 98.305133 97.099999)
(xy 101.394867 97.099999)
(xy 101.413302 97.228223)
(xy 101.413302 97.228224)
(xy 101.413303 97.228226)
(xy 101.467118 97.346063)
(xy 101.551951 97.443967)
(xy 101.660931 97.514004)
(xy 101.785228 97.5505)
(xy 101.914772 97.5505)
(xy 102.039069 97.514004)
(xy 102.148049 97.443967)
(xy 102.232882 97.346063)
(xy 102.286697 97.228226)
(xy 102.305133 97.1)
(xy 102.286697 96.971774)
(xy 102.232882 96.853937)
(xy 102.23288 96.853935)
(xy 102.23288 96.853934)
(xy 102.232878 96.853932)
(xy 102.163149 96.77346)
(xy 102.145083 96.726174)
(xy 102.161639 96.678339)
(xy 102.163149 96.67654)
(xy 102.232882 96.596063)
(xy 102.286697 96.478226)
(xy 102.305133 96.35)
(xy 102.286697 96.221774)
(xy 102.232882 96.103937)
(xy 102.148049 96.006033)
(xy 102.043932 95.939121)
(xy 102.039068 95.935995)
(xy 101.914772 95.8995)
(xy 101.785228 95.8995)
(xy 101.660931 95.935995)
(xy 101.551954 96.006031)
(xy 101.55195 96.006034)
(xy 101.467119 96.103935)
(xy 101.467118 96.103936)
(xy 101.467118 96.103937)
(xy 101.464803 96.109007)
(xy 101.413302 96.221776)
(xy 101.394867 96.35)
(xy 101.413302 96.478223)
(xy 101.413302 96.478224)
(xy 101.413303 96.478226)
(xy 101.460329 96.581198)
(xy 101.467119 96.596065)
(xy 101.46712 96.596067)
(xy 101.536851 96.676541)
(xy 101.554916 96.723826)
(xy 101.53836 96.771661)
(xy 101.536851 96.773459)
(xy 101.46712 96.853932)
(xy 101.467119 96.853934)
(xy 101.413302 96.971776)
(xy 101.394867 97.099999)
(xy 98.305133 97.099999)
(xy 98.286697 96.971774)
(xy 98.232882 96.853937)
(xy 98.23288 96.853935)
(xy 98.23288 96.853934)

(xy 98.232878 96.853932)
(xy 98.163149 96.77346)
(xy 98.145083 96.726174)
(xy 98.161639 96.678339)
(xy 98.163149 96.67654)
(xy 98.232882 96.596063)
(xy 98.286697 96.478226)
(xy 98.305133 96.35)
(xy 99.644867 96.35)
(xy 99.663302 96.478223)
(xy 99.663302 96.478224)
(xy 99.663303 96.478226)
(xy 99.717118 96.596063)
(xy 99.801951 96.693967)
(xy 99.910931 96.764004)
(xy 100.035228 96.8005)
(xy 100.164772 96.8005)
(xy 100.289069 96.764004)
(xy 100.398049 96.693967)
(xy 100.482882 96.596063)
(xy 100.536697 96.478226)
(xy 100.555133 96.35)
(xy 100.536697 96.221774)
(xy 100.482882 96.103937)
(xy 100.398049 96.006033)
(xy 100.293932 95.939121)
(xy 100.289068 95.935995)
(xy 100.164772 95.8995)
(xy 100.035228 95.8995)
(xy 99.910931 95.935995)
(xy 99.801954 96.006031)
(xy 99.80195 96.006034)
(xy 99.717119 96.103935)
(xy 99.717118 96.103936)
(xy 99.717118 96.103937)
(xy 99.714803 96.109007)
(xy 99.663302 96.221776)
(xy 99.644867 96.35)
(xy 98.305133 96.35)
(xy 98.286697 96.221774)
(xy 98.232882 96.103937)
(xy 98.148049 96.006033)
(xy 98.043932 95.939121)
(xy 98.039068 95.935995)
(xy 97.914772 95.8995)
(xy 97.785228 95.8995)
(xy 97.660931 95.935995)
(xy 97.551954 96.006031)
(xy 97.55195 96.006034)
(xy 97.467119 96.103935)
(xy 97.467118 96.103936)
(xy 97.467118 96.103937)
(xy 97.464803 96.109007)
(xy 97.413302 96.221776)
(xy 97.394867 96.35)
(xy 97.413302 96.478223)
(xy 97.413302 96.478224)
(xy 97.413303 96.478226)
(xy 97.460329 96.581198)
(xy 97.467119 96.596065)
(xy 97.46712 96.596067)
(xy 97.536851 96.676541)
(xy 97.554916 96.723826)
(xy 97.53836 96.771661)
(xy 97.536851 96.773459)
(xy 97.46712 96.853932)
(xy 97.467119 96.853934)
(xy 97.413302 96.971776)

(xy 97.394867 97.099999)
(xy 86.580364 97.099999)
(xy 86.57923 97.078365)
(xy 86.609693 97.037939)
(xy 86.616397 97.034067)
(xy 86.708587 96.987095)
(xy 86.787095 96.908587)
(xy 86.8375 96.809661)
(xy 86.854869 96.7)
(xy 86.8375 96.590339)
(xy 86.787095 96.491413)
(xy 86.708587 96.412905)
(xy 86.616401 96.365934)
(xy 86.601543 96.35)
(xy 95.644867 96.35)
(xy 95.663302 96.478223)
(xy 95.663302 96.478224)
(xy 95.663303 96.478226)
(xy 95.717118 96.596063)
(xy 95.801951 96.693967)
(xy 95.910931 96.764004)
(xy 96.035228 96.8005)
(xy 96.164772 96.8005)
(xy 96.289069 96.764004)
(xy 96.398049 96.693967)
(xy 96.482882 96.596063)
(xy 96.536697 96.478226)
(xy 96.555133 96.35)
(xy 96.536697 96.221774)
(xy 96.482882 96.103937)
(xy 96.398049 96.006033)
(xy 96.293932 95.939121)
(xy 96.289068 95.935995)
(xy 96.164772 95.8995)
(xy 96.035228 95.8995)
(xy 95.910931 95.935995)
(xy 95.801954 96.006031)
(xy 95.80195 96.006034)
(xy 95.717119 96.103935)
(xy 95.717118 96.103936)
(xy 95.717118 96.103937)
(xy 95.714803 96.109007)
(xy 95.663302 96.221776)
(xy 95.644867 96.35)
(xy 86.601543 96.35)
(xy 86.58188 96.328914)
(xy 86.57923 96.278365)
(xy 86.609693 96.237939)
(xy 86.616397 96.234067)
(xy 86.708587 96.187095)
(xy 86.787095 96.108587)
(xy 86.8375 96.009661)
(xy 86.854869 95.9)
(xy 86.8375 95.790339)
(xy 86.787095 95.691413)
(xy 86.708587 95.612905)
(xy 86.616401 95.565934)
(xy 86.58188 95.528914)
(xy 86.580364 95.5)
(xy 88.644867 95.5)
(xy 88.663302 95.628223)
(xy 88.663302 95.628224)
(xy 88.663303 95.628226)
(xy 88.717118 95.746063)
(xy 88.801951 95.843967)
(xy 88.910931 95.914004)
(xy 89.035228 95.9505)
(xy 89.164772 95.9505)

(xy 89.289069 95.914004)
(xy 89.398049 95.843967)
(xy 89.482882 95.746063)
(xy 89.536697 95.628226)
(xy 89.555133 95.5)
(xy 89.536697 95.371774)
(xy 89.526753 95.35)
(xy 91.590207 95.35)
(xy 91.608642 95.478223)
(xy 91.608642 95.478224)
(xy 91.608643 95.478226)
(xy 91.662458 95.596063)
(xy 91.747291 95.693967)
(xy 91.856271 95.764004)
(xy 91.980568 95.8005)
(xy 92.110112 95.8005)
(xy 92.111815 95.8)
(xy 92.694867 95.8)
(xy 92.713302 95.928223)
(xy 92.713302 95.928224)
(xy 92.713303 95.928226)
(xy 92.767118 96.046063)
(xy 92.851951 96.143967)
(xy 92.960931 96.214004)
(xy 93.085228 96.2505)
(xy 93.214772 96.2505)
(xy 93.339069 96.214004)
(xy 93.448049 96.143967)
(xy 93.532882 96.046063)
(xy 93.586697 95.928226)
(xy 93.605133 95.8)
(xy 93.586697 95.671774)
(xy 93.564834 95.623901)
(xy 93.560821 95.573442)
(xy 93.590183 95.532208)
(xy 93.611297 95.522158)
(xy 93.639069 95.514004)
(xy 93.66086 95.5)
(xy 104.264659 95.5)
(xy 104.283976 95.696133)
(xy 104.341187 95.884731)
(xy 104.428776 96.048597)
(xy 104.43409 96.058538)
(xy 104.559117 96.210883)
(xy 104.711462 96.33591)
(xy 104.767633 96.365934)
(xy 104.885268 96.428812)
(xy 104.88527 96.428812)
(xy 104.885273 96.428814)
(xy 105.073868 96.486024)
(xy 105.27 96.505341)
(xy 105.466132 96.486024)
(xy 105.654727 96.428814)
(xy 105.828538 96.33591)
(xy 105.980883 96.210883)
(xy 106.10591 96.058538)
(xy 106.198814 95.884727)
(xy 106.256024 95.696132)
(xy 106.275341 95.5)
(xy 106.256024 95.303868)
(xy 106.198814 95.115273)
(xy 106.198812 95.11527)
(xy 106.198812 95.115268)
(xy 106.139304 95.003937)
(xy 106.10591 94.941462)
(xy 105.980883 94.789117)
(xy 105.828538 94.66409)
(xy 105.778792 94.6375)

(xy 105.654731 94.571187)
(xy 105.466133 94.513976)
(xy 105.324219 94.499999)
(xy 122.844867 94.499999)
(xy 122.863302 94.628223)
(xy 122.863302 94.628224)
(xy 122.863303 94.628226)
(xy 122.917118 94.746063)
(xy 123.001951 94.843967)
(xy 123.110931 94.914004)
(xy 123.235228 94.9505)
(xy 123.364772 94.9505)
(xy 123.489069 94.914004)
(xy 123.598049 94.843967)
(xy 123.682882 94.746063)
(xy 123.736697 94.628226)
(xy 123.755133 94.5)
(xy 123.736697 94.371774)
(xy 123.682882 94.253937)
(xy 123.598049 94.156033)
(xy 123.497498 94.091413)
(xy 123.489068 94.085995)
(xy 123.364772 94.0495)
(xy 123.235228 94.0495)
(xy 123.110931 94.085995)
(xy 123.001954 94.156031)
(xy 123.00195 94.156034)
(xy 122.917119 94.253935)
(xy 122.917118 94.253936)
(xy 122.917118 94.253937)
(xy 122.902477 94.285995)
(xy 122.863302 94.371776)
(xy 122.844867 94.499999)
(xy 105.324219 94.499999)
(xy 105.27 94.494659)
(xy 105.073866 94.513976)
(xy 104.885268 94.571187)
(xy 104.711463 94.664089)
(xy 104.559117 94.789117)
(xy 104.434089 94.941463)
(xy 104.341187 95.115268)
(xy 104.283976 95.303866)
(xy 104.264659 95.5)
(xy 93.66086 95.5)
(xy 93.748049 95.443967)
(xy 93.832882 95.346063)
(xy 93.886697 95.228226)
(xy 93.905133 95.1)
(xy 93.886697 94.971774)
(xy 93.832882 94.853937)
(xy 93.748049 94.756033)
(xy 93.660858 94.699999)
(xy 93.639068 94.685995)
(xy 93.514772 94.6495)
(xy 93.385228 94.6495)
(xy 93.260931 94.685995)
(xy 93.151954 94.756031)
(xy 93.15195 94.756034)
(xy 93.067119 94.853935)
(xy 93.013302 94.971776)
(xy 92.994867 95.1)
(xy 93.013302 95.228223)
(xy 93.013302 95.228224)
(xy 93.013303 95.228226)
(xy 93.024725 95.253236)
(xy 93.035166 95.276098)
(xy 93.039177 95.326558)
(xy 93.009816 95.367791)

(xy 92.988703 95.377841)
(xy 92.96093 95.385996)
(xy 92.960929 95.385996)
(xy 92.851954 95.456031)
(xy 92.85195 95.456034)
(xy 92.767119 95.553935)
(xy 92.713302 95.671776)
(xy 92.694867 95.8)
(xy 92.111815 95.8)
(xy 92.234409 95.764004)
(xy 92.343389 95.693967)
(xy 92.428222 95.596063)
(xy 92.482037 95.478226)
(xy 92.500473 95.35)
(xy 92.482037 95.221774)
(xy 92.440589 95.131018)
(xy 92.436579 95.08056)
(xy 92.46594 95.039327)
(xy 92.487056 95.029276)
(xy 92.539069 95.014004)
(xy 92.648049 94.943967)
(xy 92.732882 94.846063)
(xy 92.786697 94.728226)
(xy 92.805133 94.6)
(xy 92.786697 94.471774)
(xy 92.732882 94.353937)
(xy 92.648049 94.256033)
(xy 92.56086 94.2)
(xy 97.394867 94.2)
(xy 97.413302 94.328223)
(xy 97.413302 94.328224)
(xy 97.413303 94.328226)
(xy 97.467118 94.446063)
(xy 97.551951 94.543967)
(xy 97.660931 94.614004)
(xy 97.785228 94.6505)
(xy 97.914772 94.6505)
(xy 98.039069 94.614004)
(xy 98.148049 94.543967)
(xy 98.232882 94.446063)
(xy 98.286697 94.328226)
(xy 98.305133 94.2)
(xy 101.394867 94.2)
(xy 101.413302 94.328223)
(xy 101.413302 94.328224)
(xy 101.413303 94.328226)
(xy 101.467118 94.446063)
(xy 101.551951 94.543967)
(xy 101.660931 94.614004)
(xy 101.785228 94.6505)
(xy 101.914772 94.6505)
(xy 102.039069 94.614004)
(xy 102.148049 94.543967)
(xy 102.232882 94.446063)
(xy 102.286697 94.328226)
(xy 102.305133 94.2)
(xy 102.286697 94.071774)
(xy 102.232882 93.953937)
(xy 102.23288 93.953935)
(xy 102.23288 93.953934)
(xy 102.232878 93.953932)
(xy 102.163149 93.87346)
(xy 102.145083 93.826174)
(xy 102.161639 93.778339)
(xy 102.163149 93.77654)
(xy 102.232882 93.696063)
(xy 102.286697 93.578226)
(xy 102.305133 93.45)

(xy 102.286697 93.321774)
(xy 102.232882 93.203937)
(xy 102.148049 93.106033)
(xy 102.068436 93.054869)
(xy 102.039068 93.035995)
(xy 101.914772 92.9995)
(xy 101.785228 92.9995)
(xy 101.660931 93.035995)
(xy 101.551954 93.106031)
(xy 101.55195 93.106034)
(xy 101.467119 93.203935)
(xy 101.467118 93.203936)
(xy 101.467118 93.203937)
(xy 101.443327 93.256031)
(xy 101.413302 93.321776)
(xy 101.394867 93.449999)
(xy 101.413302 93.578223)
(xy 101.413302 93.578224)
(xy 101.413303 93.578226)
(xy 101.423247 93.6)
(xy 101.467119 93.696065)
(xy 101.46712 93.696067)
(xy 101.536851 93.776541)
(xy 101.554916 93.823826)
(xy 101.53836 93.871661)
(xy 101.536851 93.873459)
(xy 101.46712 93.953932)
(xy 101.467119 93.953934)
(xy 101.413302 94.071776)
(xy 101.394867 94.2)
(xy 98.305133 94.2)
(xy 98.286697 94.071774)
(xy 98.232882 93.953937)
(xy 98.23288 93.953935)
(xy 98.23288 93.953934)
(xy 98.232878 93.953932)
(xy 98.163149 93.87346)
(xy 98.145083 93.826174)
(xy 98.161639 93.778339)
(xy 98.163149 93.77654)
(xy 98.232882 93.696063)
(xy 98.286697 93.578226)
(xy 98.305133 93.45)
(xy 98.305133 93.449999)
(xy 99.644867 93.449999)
(xy 99.663302 93.578223)
(xy 99.663302 93.578224)
(xy 99.663303 93.578226)
(xy 99.717118 93.696063)
(xy 99.801951 93.793967)
(xy 99.910931 93.864004)
(xy 100.035228 93.9005)
(xy 100.164772 93.9005)
(xy 100.289069 93.864004)
(xy 100.398049 93.793967)
(xy 100.482882 93.696063)
(xy 100.536697 93.578226)
(xy 100.555133 93.45)
(xy 100.536697 93.321774)
(xy 100.482882 93.203937)
(xy 100.398049 93.106033)
(xy 100.318436 93.054869)
(xy 100.289068 93.035995)
(xy 100.164772 92.9995)
(xy 100.035228 92.9995)
(xy 99.910931 93.035995)
(xy 99.801954 93.106031)
(xy 99.80195 93.106034)

(xy 99.717119 93.203935)
(xy 99.717118 93.203936)
(xy 99.717118 93.203937)
(xy 99.693327 93.256031)
(xy 99.663302 93.321776)
(xy 99.644867 93.449999)
(xy 98.305133 93.449999)
(xy 98.286697 93.321774)
(xy 98.232882 93.203937)
(xy 98.148049 93.106033)
(xy 98.068436 93.054869)
(xy 98.039068 93.035995)
(xy 97.914772 92.9995)
(xy 97.785228 92.9995)
(xy 97.660931 93.035995)
(xy 97.551954 93.106031)
(xy 97.55195 93.106034)
(xy 97.467119 93.203935)
(xy 97.467118 93.203936)
(xy 97.467118 93.203937)
(xy 97.443327 93.256031)
(xy 97.413302 93.321776)
(xy 97.394867 93.449999)
(xy 97.413302 93.578223)
(xy 97.413302 93.578224)
(xy 97.413303 93.578226)
(xy 97.423247 93.6)
(xy 97.467119 93.696065)
(xy 97.46712 93.696067)
(xy 97.536851 93.776541)
(xy 97.554916 93.823826)
(xy 97.53836 93.871661)
(xy 97.536851 93.873459)
(xy 97.46712 93.953932)
(xy 97.467119 93.953934)
(xy 97.413302 94.071776)
(xy 97.394867 94.2)
(xy 92.56086 94.2)
(xy 92.539069 94.185996)
(xy 92.535217 94.184865)
(xy 92.494458 94.154852)
(xy 92.482526 94.105659)
(xy 92.488756 94.083128)
(xy 92.536697 93.978154)
(xy 92.555133 93.849928)
(xy 92.536697 93.721702)
(xy 92.482882 93.603865)
(xy 92.398049 93.505961)
(xy 92.31097 93.449999)
(xy 95.644867 93.449999)
(xy 95.663302 93.578223)
(xy 95.663302 93.578224)
(xy 95.663303 93.578226)
(xy 95.717118 93.696063)
(xy 95.801951 93.793967)
(xy 95.910931 93.864004)
(xy 96.035228 93.9005)
(xy 96.164772 93.9005)
(xy 96.289069 93.864004)
(xy 96.398049 93.793967)
(xy 96.482882 93.696063)
(xy 96.536697 93.578226)
(xy 96.555133 93.45)
(xy 96.536697 93.321774)
(xy 96.482882 93.203937)
(xy 96.398049 93.106033)
(xy 96.318436 93.054869)
(xy 96.289068 93.035995)

(xy 96.164772 92.9995)
(xy 96.035228 92.9995)
(xy 95.910931 93.035995)
(xy 95.801954 93.106031)
(xy 95.80195 93.106034)
(xy 95.717119 93.203935)
(xy 95.717118 93.203936)
(xy 95.717118 93.203937)
(xy 95.693327 93.256031)
(xy 95.663302 93.321776)
(xy 95.644867 93.449999)
(xy 92.31097 93.449999)
(xy 92.289068 93.435923)
(xy 92.164772 93.399428)
(xy 92.035228 93.399428)
(xy 91.910931 93.435923)
(xy 91.801954 93.505959)
(xy 91.80195 93.505962)
(xy 91.717119 93.603863)
(xy 91.717118 93.603864)
(xy 91.717118 93.603865)
(xy 91.705994 93.628223)
(xy 91.663302 93.721704)
(xy 91.644867 93.849928)
(xy 91.663302 93.978151)
(xy 91.663302 93.978152)
(xy 91.663303 93.978154)
(xy 91.717118 94.095991)
(xy 91.801951 94.193895)
(xy 91.91093 94.263932)
(xy 91.910931 94.263932)
(xy 91.914776 94.265061)
(xy 91.955538 94.295074)
(xy 91.967472 94.344266)
(xy 91.961241 94.366805)
(xy 91.913302 94.471776)
(xy 91.894867 94.6)
(xy 91.913302 94.728223)
(xy 91.913302 94.728224)
(xy 91.913303 94.728226)
(xy 91.941111 94.789117)
(xy 91.954749 94.818979)
(xy 91.95876 94.869439)
(xy 91.929398 94.910672)
(xy 91.908285 94.920722)
(xy 91.856273 94.935994)
(xy 91.747294 95.006031)
(xy 91.74729 95.006034)
(xy 91.662459 95.103935)
(xy 91.662458 95.103936)
(xy 91.662458 95.103937)
(xy 91.641193 95.1505)
(xy 91.608642 95.221776)
(xy 91.590207 95.35)
(xy 89.526753 95.35)
(xy 89.482882 95.253937)
(xy 89.398049 95.156033)
(xy 89.310858 95.099999)
(xy 89.289068 95.085995)
(xy 89.164772 95.0495)
(xy 89.035228 95.0495)
(xy 88.910931 95.085995)
(xy 88.801954 95.156031)
(xy 88.80195 95.156034)
(xy 88.717119 95.253935)
(xy 88.663302 95.371776)
(xy 88.644867 95.5)
(xy 86.580364 95.5)

(xy 86.57923 95.478365)
(xy 86.609693 95.437939)
(xy 86.616397 95.434067)
(xy 86.708587 95.387095)
(xy 86.787095 95.308587)
(xy 86.8375 95.209661)
(xy 86.854869 95.1)
(xy 86.8375 94.990339)
(xy 86.787095 94.891413)
(xy 86.708587 94.812905)
(xy 86.682278 94.7995)
(xy 86.60966 94.762499)
(xy 86.5 94.745131)
(xy 86.390339 94.762499)
(xy 86.291412 94.812905)
(xy 86.212905 94.891412)
(xy 86.162499 94.990339)
(xy 86.145131 95.1)
(xy 86.162499 95.20966)
(xy 86.212905 95.308587)
(xy 86.291414 95.387096)
(xy 86.383597 95.434066)
(xy 86.418119 95.471086)
(xy 86.420769 95.521635)
(xy 86.390305 95.562062)
(xy 86.383597 95.565934)
(xy 86.291414 95.612903)
(xy 86.212903 95.691414)
(xy 86.165934 95.783597)
(xy 86.128914 95.818119)
(xy 86.078365 95.820769)
(xy 86.037938 95.790305)
(xy 86.034066 95.783597)
(xy 85.987096 95.691414)
(xy 85.908587 95.612905)
(xy 85.80966 95.562499)
(xy 85.7 95.545131)
(xy 85.590339 95.562499)
(xy 85.491412 95.612905)
(xy 85.412905 95.691412)
(xy 85.362499 95.790339)
(xy 85.345131 95.9)
(xy 85.362499 96.00966)
(xy 85.412905 96.108587)
(xy 85.491414 96.187096)
(xy 85.583597 96.234066)
(xy 85.618119 96.271086)
(xy 85.620769 96.321635)
(xy 85.590305 96.362062)
(xy 85.583597 96.365934)
(xy 85.491414 96.412903)
(xy 85.412903 96.491414)
(xy 85.365934 96.583597)
(xy 85.328914 96.618119)
(xy 85.278365 96.620769)
(xy 85.237938 96.590305)
(xy 85.234066 96.583597)
(xy 85.187096 96.491414)
(xy 85.108587 96.412905)
(xy 85.00966 96.362499)
(xy 84.9 96.345131)
(xy 84.790339 96.362499)
(xy 84.691412 96.412905)
(xy 84.612905 96.491412)
(xy 84.562499 96.590339)
(xy 84.545131 96.7)
(xy 84.562499 96.80966)
(xy 84.612905 96.908587)

(xy 84.691414 96.987096)
(xy 84.783597 97.034066)
(xy 84.818119 97.071086)
(xy 84.820769 97.121635)
(xy 84.790305 97.162062)
(xy 84.783597 97.165934)
(xy 84.691414 97.212903)
(xy 84.612903 97.291414)
(xy 84.565934 97.383597)
(xy 84.528914 97.418119)
(xy 84.478365 97.420769)
(xy 84.437938 97.390305)
(xy 84.434066 97.383597)
(xy 84.387096 97.291414)
(xy 84.308587 97.212905)
(xy 84.20966 97.162499)
(xy 84.1 97.145131)
(xy 83.990339 97.162499)
(xy 83.891412 97.212905)
(xy 83.812903 97.291414)
(xy 83.765934 97.383597)
(xy 83.728914 97.418119)
(xy 83.678365 97.420769)
(xy 83.637938 97.390305)
(xy 83.634066 97.383597)
(xy 83.587096 97.291414)
(xy 83.508587 97.212905)
(xy 83.40966 97.162499)
(xy 83.3 97.145131)
(xy 83.190339 97.162499)
(xy 83.091412 97.212905)
(xy 83.012905 97.291412)
(xy 82.962499 97.390339)
(xy 82.945131 97.5)
(xy 81.254869 97.5)
(xy 81.2375 97.390339)
(xy 81.187095 97.291413)
(xy 81.108587 97.212905)
(xy 81.108583 97.212903)
(xy 81.00966 97.162499)
(xy 80.9 97.145131)
(xy 80.790339 97.162499)
(xy 80.691412 97.212905)
(xy 80.612905 97.291412)
(xy 80.562499 97.390339)
(xy 80.545131 97.5)
(xy 80.562499 97.60966)
(xy 80.612905 97.708587)
(xy 80.691414 97.787096)
(xy 80.783597 97.834066)
(xy 80.818119 97.871086)
(xy 80.820769 97.921635)
(xy 80.790305 97.962062)
(xy 80.783597 97.965934)
(xy 80.691414 98.012903)
(xy 80.612905 98.091412)
(xy 80.562499 98.190339)
(xy 80.545131 98.3)
(xy 76.81086 98.3)
(xy 76.810858 98.299999)
(xy 76.789068 98.285995)
(xy 76.664772 98.2495)
(xy 76.535228 98.2495)
(xy 76.410931 98.285995)
(xy 76.301954 98.356031)
(xy 76.30195 98.356034)
(xy 76.217119 98.453935)
(xy 76.163302 98.571776)

(xy 76.144867 98.7)
(xy 76.154452 98.766669)
(xy 76.144084 98.816215)
(xy 76.104295 98.847505)
(xy 76.070329 98.84806)
(xy 76.070014 98.850253)
(xy 76.064775 98.8495)
(xy 76.064772 98.8495)
(xy 75.935228 98.8495)
(xy 75.810931 98.885995)
(xy 75.701954 98.956031)
(xy 75.70195 98.956034)
(xy 75.617119 99.053935)
(xy 75.617118 99.053936)
(xy 75.617118 99.053937)
(xy 75.59021 99.112855)
(xy 75.563302 99.171776)
(xy 75.54987 99.2652)
(xy 75.544867 99.3)
(xy 56.9555 99.3)
(xy 56.9555 97.25)
(xy 64.444867 97.25)
(xy 64.463302 97.378223)
(xy 64.463302 97.378224)
(xy 64.463303 97.378226)
(xy 64.517118 97.496063)
(xy 64.601951 97.593967)
(xy 64.710931 97.664004)
(xy 64.835228 97.7005)
(xy 64.964772 97.7005)
(xy 65.089069 97.664004)
(xy 65.198049 97.593967)
(xy 65.282882 97.496063)
(xy 65.336697 97.378226)
(xy 65.347944 97.3)
(xy 74.344867 97.3)
(xy 74.363302 97.428223)
(xy 74.363302 97.428224)
(xy 74.363303 97.428226)
(xy 74.417118 97.546063)
(xy 74.501951 97.643967)
(xy 74.610931 97.714004)
(xy 74.735228 97.7505)
(xy 74.864772 97.7505)
(xy 74.989069 97.714004)
(xy 75.098049 97.643967)
(xy 75.182882 97.546063)
(xy 75.236697 97.428226)
(xy 75.255133 97.3)
(xy 75.236697 97.171774)
(xy 75.182882 97.053937)
(xy 75.098049 96.956033)
(xy 75.020244 96.906031)
(xy 74.989068 96.885995)
(xy 74.864772 96.8495)
(xy 74.735228 96.8495)
(xy 74.610931 96.885995)
(xy 74.501954 96.956031)
(xy 74.50195 96.956034)
(xy 74.417119 97.053935)
(xy 74.363302 97.171776)
(xy 74.344867 97.3)
(xy 65.347944 97.3)
(xy 65.355133 97.25)
(xy 65.336697 97.121774)
(xy 65.282882 97.003937)
(xy 65.198049 96.906033)
(xy 65.110082 96.8495)

(xy 65.089068 96.835995)
(xy 64.964772 96.7995)
(xy 64.835228 96.7995)
(xy 64.710931 96.835995)
(xy 64.601954 96.906031)
(xy 64.60195 96.906034)
(xy 64.517119 97.003935)
(xy 64.517118 97.003936)
(xy 64.517118 97.003937)
(xy 64.493858 97.054868)
(xy 64.463302 97.121776)
(xy 64.444867 97.25)
(xy 56.9555 97.25)
(xy 56.9555 95.7949)
(xy 57.444867 95.7949)
(xy 57.463302 95.923123)
(xy 57.463302 95.923124)
(xy 57.463303 95.923126)
(xy 57.517118 96.040963)
(xy 57.601951 96.138867)
(xy 57.710931 96.208904)
(xy 57.835228 96.2454)
(xy 57.964772 96.2454)
(xy 58.089069 96.208904)
(xy 58.12598 96.185183)
(xy 74.447824 96.185183)
(xy 74.466259 96.313407)
(xy 74.466259 96.313408)
(xy 74.46626 96.31341)
(xy 74.520075 96.431247)
(xy 74.604908 96.529151)
(xy 74.713888 96.599188)
(xy 74.838185 96.635684)
(xy 74.967729 96.635684)
(xy 75.092026 96.599188)
(xy 75.201006 96.529151)
(xy 75.285839 96.431247)
(xy 75.339654 96.31341)
(xy 75.350607 96.237231)
(xy 76.282098 96.237231)
(xy 76.300533 96.365454)
(xy 76.300533 96.365455)
(xy 76.300534 96.365457)
(xy 76.354349 96.483294)
(xy 76.439182 96.581198)
(xy 76.439184 96.581199)
(xy 76.439186 96.581201)
(xy 76.442597 96.583393)
(xy 76.473251 96.623675)
(xy 76.47084 96.674236)
(xy 76.458513 96.694103)
(xy 76.420332 96.738167)
(xy 76.42033 96.738169)
(xy 76.366513 96.856011)
(xy 76.348078 96.984235)
(xy 76.366513 97.112458)
(xy 76.366513 97.112459)
(xy 76.366514 97.112461)
(xy 76.420329 97.230298)
(xy 76.505162 97.328202)
(xy 76.614142 97.398239)
(xy 76.738439 97.434735)
(xy 76.867983 97.434735)
(xy 76.99228 97.398239)
(xy 77.10126 97.328202)
(xy 77.186093 97.230298)
(xy 77.239908 97.112461)
(xy 77.258344 96.984235)

(xy 77.239908 96.856009)
(xy 77.186093 96.738172)
(xy 77.10126 96.640268)
(xy 77.100019 96.63947)
(xy 77.097842 96.638071)
(xy 77.06719 96.597788)
(xy 77.069602 96.547226)
(xy 77.081929 96.527361)
(xy 77.113077 96.491414)
(xy 77.120113 96.483294)
(xy 77.173928 96.365457)
(xy 77.192364 96.237231)
(xy 77.173928 96.109005)
(xy 77.120113 95.991168)
(xy 77.03528 95.893264)
(xy 76.95429 95.841215)
(xy 76.926299 95.823226)
(xy 76.802003 95.786731)
(xy 76.672459 95.786731)
(xy 76.548162 95.823226)
(xy 76.439185 95.893262)
(xy 76.439181 95.893265)
(xy 76.35435 95.991166)
(xy 76.300533 96.109007)
(xy 76.282098 96.237231)
(xy 75.350607 96.237231)
(xy 75.35809 96.185184)
(xy 75.339654 96.056958)
(xy 75.285839 95.939121)
(xy 75.201006 95.841217)
(xy 75.116224 95.786731)
(xy 75.092025 95.771179)
(xy 74.967729 95.734684)
(xy 74.838185 95.734684)
(xy 74.713888 95.771179)
(xy 74.604911 95.841215)
(xy 74.604907 95.841218)
(xy 74.520076 95.939119)
(xy 74.466259 96.05696)
(xy 74.447824 96.185183)
(xy 58.12598 96.185183)
(xy 58.198049 96.138867)
(xy 58.282882 96.040963)
(xy 58.336697 95.923126)
(xy 58.355133 95.7949)
(xy 58.336697 95.666674)
(xy 58.282882 95.548837)
(xy 58.198049 95.450933)
(xy 58.131032 95.407864)
(xy 58.089068 95.380895)
(xy 57.964772 95.3444)
(xy 57.835228 95.3444)
(xy 57.710931 95.380895)
(xy 57.601954 95.450931)
(xy 57.60195 95.450934)
(xy 57.517119 95.548835)
(xy 57.517118 95.548836)
(xy 57.517118 95.548837)
(xy 57.496508 95.593967)
(xy 57.463302 95.666676)
(xy 57.444867 95.7949)
(xy 56.9555 95.7949)
(xy 56.9555 95.25)
(xy 64.444867 95.25)
(xy 64.463302 95.378223)
(xy 64.463302 95.378224)
(xy 64.463303 95.378226)
(xy 64.517118 95.496063)

(xy 64.601951 95.593967)
(xy 64.710931 95.664004)
(xy 64.835228 95.7005)
(xy 64.964772 95.7005)
(xy 65.089069 95.664004)
(xy 65.198049 95.593967)
(xy 65.282882 95.496063)
(xy 65.336697 95.378226)
(xy 65.355133 95.25)
(xy 65.337162 95.12501)
(xy 74.444863 95.12501)
(xy 74.463298 95.253233)
(xy 74.463298 95.253234)
(xy 74.463299 95.253236)
(xy 74.517114 95.371073)
(xy 74.601947 95.468977)
(xy 74.710927 95.539014)
(xy 74.835224 95.57551)
(xy 74.964768 95.57551)
(xy 75.089065 95.539014)
(xy 75.149772 95.5)
(xy 77.644867 95.5)
(xy 77.647978 95.521635)
(xy 77.663302 95.628223)
(xy 77.663302 95.628224)
(xy 77.663303 95.628226)
(xy 77.717118 95.746063)
(xy 77.801951 95.843967)
(xy 77.910931 95.914004)
(xy 78.035228 95.9505)
(xy 78.164772 95.9505)
(xy 78.289069 95.914004)
(xy 78.398049 95.843967)
(xy 78.482882 95.746063)
(xy 78.536697 95.628226)
(xy 78.555133 95.5)
(xy 78.536697 95.371774)
(xy 78.482882 95.253937)
(xy 78.398049 95.156033)
(xy 78.310858 95.099999)
(xy 78.289068 95.085995)
(xy 78.164772 95.0495)
(xy 78.035228 95.0495)
(xy 77.910931 95.085995)
(xy 77.801954 95.156031)
(xy 77.80195 95.156034)
(xy 77.717119 95.253935)
(xy 77.663302 95.371776)
(xy 77.645433 95.496063)
(xy 77.644867 95.5)
(xy 75.149772 95.5)
(xy 75.198045 95.468977)
(xy 75.282878 95.371073)
(xy 75.336693 95.253236)
(xy 75.355129 95.12501)
(xy 75.336693 94.996784)
(xy 75.282878 94.878947)
(xy 75.198045 94.781043)
(xy 75.131028 94.737974)
(xy 75.089064 94.711005)
(xy 74.964768 94.67451)
(xy 74.835224 94.67451)
(xy 74.710927 94.711005)
(xy 74.60195 94.781041)
(xy 74.601946 94.781044)
(xy 74.517115 94.878945)
(xy 74.463298 94.996786)
(xy 74.444863 95.12501)

(xy 65.337162 95.12501)
(xy 65.336697 95.121774)
(xy 65.282882 95.003937)
(xy 65.198049 94.906033)
(xy 65.111638 94.8505)
(xy 65.089068 94.835995)
(xy 64.964772 94.7995)
(xy 64.835228 94.7995)
(xy 64.710931 94.835995)
(xy 64.601954 94.906031)
(xy 64.60195 94.906034)
(xy 64.517119 95.003935)
(xy 64.463302 95.121776)
(xy 64.444867 95.25)
(xy 56.9555 95.25)
(xy 56.9555 94.7)
(xy 57.444867 94.7)
(xy 57.463302 94.828223)
(xy 57.463302 94.828224)
(xy 57.463303 94.828226)
(xy 57.517118 94.946063)
(xy 57.601951 95.043967)
(xy 57.710931 95.114004)
(xy 57.835228 95.1505)
(xy 57.964772 95.1505)
(xy 58.089069 95.114004)
(xy 58.198049 95.043967)
(xy 58.282882 94.946063)
(xy 58.336697 94.828226)
(xy 58.355133 94.7)
(xy 58.336697 94.571774)
(xy 58.282882 94.453937)
(xy 58.236146 94.4)
(xy 78.144867 94.4)
(xy 78.163302 94.528223)
(xy 78.163302 94.528224)
(xy 78.163303 94.528226)
(xy 78.217118 94.646063)
(xy 78.301951 94.743967)
(xy 78.410931 94.814004)
(xy 78.535228 94.8505)
(xy 78.664772 94.8505)
(xy 78.789069 94.814004)
(xy 78.898049 94.743967)
(xy 78.982882 94.646063)
(xy 79.036697 94.528226)
(xy 79.055133 94.4)
(xy 79.036697 94.271774)
(xy 78.982882 94.153937)
(xy 78.898049 94.056033)
(xy 78.830937 94.012903)
(xy 78.789068 93.985995)
(xy 78.664772 93.9495)
(xy 78.535228 93.9495)
(xy 78.410931 93.985995)
(xy 78.301954 94.056031)
(xy 78.30195 94.056034)
(xy 78.217119 94.153935)
(xy 78.217118 94.153936)
(xy 78.217118 94.153937)
(xy 78.19887 94.193895)
(xy 78.163302 94.271776)
(xy 78.144867 94.4)
(xy 58.236146 94.4)
(xy 58.198049 94.356033)
(xy 58.110858 94.299999)
(xy 58.089068 94.285995)
(xy 57.964772 94.2495)

(xy 57.835228 94.2495)
(xy 57.710931 94.285995)
(xy 57.601954 94.356031)
(xy 57.60195 94.356034)
(xy 57.517119 94.453935)
(xy 57.463302 94.571776)
(xy 57.444867 94.7)
(xy 56.9555 94.7)
(xy 56.9555 93.841925)
(xy 77.086792 93.841925)
(xy 77.105227 93.970148)
(xy 77.105227 93.970149)
(xy 77.105228 93.970151)
(xy 77.159043 94.087988)
(xy 77.243876 94.185892)
(xy 77.352856 94.255929)
(xy 77.477153 94.292425)
(xy 77.606697 94.292425)
(xy 77.730994 94.255929)
(xy 77.839974 94.185892)
(xy 77.924807 94.087988)
(xy 77.978622 93.970151)
(xy 77.997058 93.841925)
(xy 77.978622 93.713699)
(xy 77.924807 93.595862)
(xy 77.839974 93.497958)
(xy 77.747211 93.438343)
(xy 77.730993 93.42792)
(xy 77.606697 93.391425)
(xy 77.477153 93.391425)
(xy 77.352856 93.42792)
(xy 77.243879 93.497956)
(xy 77.243875 93.497959)
(xy 77.159044 93.59586)
(xy 77.105227 93.713701)
(xy 77.086792 93.841925)
(xy 56.9555 93.841925)
(xy 56.9555 93.25)
(xy 64.444867 93.25)
(xy 64.463302 93.378223)
(xy 64.463302 93.378224)
(xy 64.463303 93.378226)
(xy 64.517118 93.496063)
(xy 64.601951 93.593967)
(xy 64.710931 93.664004)
(xy 64.835228 93.7005)
(xy 64.964772 93.7005)
(xy 65.089069 93.664004)
(xy 65.198049 93.593967)
(xy 65.282882 93.496063)
(xy 65.336697 93.378226)
(xy 65.355133 93.25)
(xy 65.336697 93.121774)
(xy 65.282882 93.003937)
(xy 65.198049 92.906033)
(xy 65.131032 92.862964)
(xy 65.089068 92.835995)
(xy 64.964772 92.7995)
(xy 64.835228 92.7995)
(xy 64.710931 92.835995)
(xy 64.601954 92.906031)
(xy 64.60195 92.906034)
(xy 64.517119 93.003935)
(xy 64.463302 93.121776)
(xy 64.444867 93.25)
(xy 56.9555 93.25)
(xy 56.9555 92.194957)
(xy 75.518017 92.194957)

(xy 75.536452 92.323181)
(xy 75.536452 92.323182)
(xy 75.536453 92.323184)
(xy 75.590268 92.441021)
(xy 75.675101 92.538925)
(xy 75.784081 92.608962)
(xy 75.908378 92.645458)
(xy 76.037922 92.645458)
(xy 76.162219 92.608962)
(xy 76.271199 92.538925)
(xy 76.356032 92.441021)
(xy 76.409847 92.323184)
(xy 76.428283 92.194958)
(xy 76.409847 92.066732)
(xy 76.356032 91.948895)
(xy 76.313665 91.9)
(xy 79.745131 91.9)
(xy 79.762499 92.00966)
(xy 79.771959 92.028226)
(xy 79.812905 92.108587)
(xy 79.891413 92.187095)
(xy 79.990339 92.2375)
(xy 80.1 92.254869)
(xy 80.209661 92.2375)
(xy 80.308587 92.187095)
(xy 80.387095 92.108587)
(xy 80.434065 92.016401)
(xy 80.471086 91.98188)
(xy 80.521635 91.97923)
(xy 80.562061 92.009693)
(xy 80.565932 92.016397)
(xy 80.612904 92.108587)
(xy 80.612905 92.108587)
(xy 80.691414 92.187096)
(xy 80.783597 92.234066)
(xy 80.818119 92.271086)
(xy 80.820769 92.321635)
(xy 80.790305 92.362062)
(xy 80.783597 92.365934)
(xy 80.691414 92.412903)
(xy 80.612905 92.491412)
(xy 80.562499 92.590339)
(xy 80.545131 92.7)
(xy 80.562499 92.80966)
(xy 80.612905 92.908587)
(xy 80.691414 92.987096)
(xy 80.783597 93.034066)
(xy 80.818119 93.071086)
(xy 80.820769 93.121635)
(xy 80.790305 93.162062)
(xy 80.783597 93.165934)
(xy 80.691414 93.212903)
(xy 80.612905 93.291412)
(xy 80.562499 93.390339)
(xy 80.545131 93.5)
(xy 80.562499 93.60966)
(xy 80.612905 93.708587)
(xy 80.691414 93.787096)
(xy 80.783597 93.834066)
(xy 80.818119 93.871086)
(xy 80.820769 93.921635)
(xy 80.790305 93.962062)
(xy 80.783597 93.965934)
(xy 80.691414 94.012903)
(xy 80.612905 94.091412)
(xy 80.562499 94.190339)
(xy 80.545131 94.3)
(xy 80.562499 94.40966)

(xy 80.612905 94.508587)
(xy 80.691414 94.587096)
(xy 80.783597 94.634066)
(xy 80.818119 94.671086)
(xy 80.820769 94.721635)
(xy 80.790305 94.762062)
(xy 80.783597 94.765934)
(xy 80.691414 94.812903)
(xy 80.612905 94.891412)
(xy 80.562499 94.990339)
(xy 80.545131 95.1)
(xy 80.562499 95.20966)
(xy 80.612905 95.308587)
(xy 80.691414 95.387096)
(xy 80.783597 95.434066)
(xy 80.818119 95.471086)
(xy 80.820769 95.521635)
(xy 80.790305 95.562062)
(xy 80.783597 95.565934)
(xy 80.691414 95.612903)
(xy 80.612905 95.691412)
(xy 80.562499 95.790339)
(xy 80.545131 95.9)
(xy 80.562499 96.00966)
(xy 80.581048 96.046064)
(xy 80.612905 96.108587)
(xy 80.691413 96.187095)
(xy 80.790339 96.2375)
(xy 80.9 96.254869)
(xy 81.009661 96.2375)
(xy 81.108587 96.187095)
(xy 81.187095 96.108587)
(xy 81.234065 96.016401)
(xy 81.271086 95.98188)
(xy 81.321635 95.97923)
(xy 81.362061 96.009693)
(xy 81.365935 96.016402)
(xy 81.412905 96.108587)
(xy 81.491414 96.187096)
(xy 81.583597 96.234066)
(xy 81.618119 96.271086)
(xy 81.620769 96.321635)
(xy 81.590305 96.362062)
(xy 81.583597 96.365934)
(xy 81.491414 96.412903)
(xy 81.412905 96.491412)
(xy 81.362499 96.590339)
(xy 81.345131 96.7)
(xy 81.362499 96.80966)
(xy 81.386115 96.856009)
(xy 81.412905 96.908587)
(xy 81.491413 96.987095)
(xy 81.590339 97.0375)
(xy 81.7 97.054869)
(xy 81.809661 97.0375)
(xy 81.908587 96.987095)
(xy 81.987095 96.908587)
(xy 82.034065 96.816401)
(xy 82.071086 96.78188)
(xy 82.121635 96.77923)
(xy 82.162061 96.809693)
(xy 82.165932 96.816397)
(xy 82.212905 96.908587)
(xy 82.291413 96.987095)
(xy 82.390339 97.0375)
(xy 82.5 97.054869)
(xy 82.609661 97.0375)
(xy 82.708587 96.987095)

(xy 82.787095 96.908587)
(xy 82.8375 96.809661)
(xy 82.854869 96.7)
(xy 82.8375 96.590339)
(xy 82.787095 96.491413)
(xy 82.708587 96.412905)
(xy 82.708583 96.412903)
(xy 82.60966 96.362499)
(xy 82.5 96.345131)
(xy 82.390339 96.362499)
(xy 82.291412 96.412905)
(xy 82.212903 96.491414)
(xy 82.165934 96.583597)
(xy 82.128914 96.618119)
(xy 82.078365 96.620769)
(xy 82.037938 96.590305)
(xy 82.034066 96.583597)
(xy 81.987096 96.491414)
(xy 81.908587 96.412905)
(xy 81.908583 96.412903)
(xy 81.816401 96.365934)
(xy 81.78188 96.328914)
(xy 81.77923 96.278365)
(xy 81.809693 96.237939)
(xy 81.816397 96.234067)
(xy 81.908587 96.187095)
(xy 81.987095 96.108587)
(xy 82.0375 96.009661)
(xy 82.054869 95.9)
(xy 82.0375 95.790339)
(xy 81.987095 95.691413)
(xy 81.908587 95.612905)
(xy 81.908583 95.612903)
(xy 81.80966 95.562499)
(xy 81.7 95.545131)
(xy 81.590339 95.562499)
(xy 81.491412 95.612905)
(xy 81.412903 95.691414)
(xy 81.365934 95.783597)
(xy 81.328914 95.818119)
(xy 81.278365 95.820769)
(xy 81.237938 95.790305)
(xy 81.234066 95.783597)
(xy 81.187096 95.691414)
(xy 81.108587 95.612905)
(xy 81.075534 95.596064)
(xy 81.016401 95.565934)
(xy 80.98188 95.528914)
(xy 80.97923 95.478365)
(xy 81.009693 95.437939)
(xy 81.016397 95.434067)
(xy 81.108587 95.387095)
(xy 81.187095 95.308587)
(xy 81.2375 95.209661)
(xy 81.254869 95.1)
(xy 81.2375 94.990339)
(xy 81.187095 94.891413)
(xy 81.108587 94.812905)
(xy 81.016401 94.765934)
(xy 80.98188 94.728914)
(xy 80.97923 94.678365)
(xy 81.009693 94.637939)
(xy 81.016397 94.634067)
(xy 81.108587 94.587095)
(xy 81.187095 94.508587)
(xy 81.2375 94.409661)
(xy 81.254869 94.3)
(xy 82.145131 94.3)

(xy 82.162499 94.40966)
(xy 82.194148 94.471774)
(xy 82.212905 94.508587)
(xy 82.291413 94.587095)
(xy 82.390339 94.6375)
(xy 82.5 94.654869)
(xy 82.609661 94.6375)
(xy 82.708587 94.587095)
(xy 82.787095 94.508587)
(xy 82.8375 94.409661)
(xy 82.854869 94.3)
(xy 84.545131 94.3)
(xy 84.562499 94.40966)
(xy 84.594148 94.471774)
(xy 84.612905 94.508587)
(xy 84.691413 94.587095)
(xy 84.790339 94.6375)
(xy 84.9 94.654869)
(xy 85.009661 94.6375)
(xy 85.108587 94.587095)
(xy 85.187095 94.508587)
(xy 85.2375 94.409661)
(xy 85.254869 94.3)
(xy 86.945131 94.3)
(xy 86.962499 94.40966)
(xy 86.994148 94.471774)
(xy 87.012905 94.508587)
(xy 87.091413 94.587095)
(xy 87.190339 94.6375)
(xy 87.3 94.654869)
(xy 87.409661 94.6375)
(xy 87.508587 94.587095)
(xy 87.587095 94.508587)
(xy 87.6375 94.409661)
(xy 87.654869 94.3)
(xy 87.6375 94.190339)
(xy 87.616946 94.15)
(xy 89.144867 94.15)
(xy 89.163302 94.278223)
(xy 89.163302 94.278224)
(xy 89.163303 94.278226)
(xy 89.217118 94.396063)
(xy 89.301951 94.493967)
(xy 89.410931 94.564004)
(xy 89.535228 94.6005)
(xy 89.664772 94.6005)
(xy 89.789069 94.564004)
(xy 89.898049 94.493967)
(xy 89.982882 94.396063)
(xy 90.036697 94.278226)
(xy 90.055133 94.15)
(xy 90.036697 94.021774)
(xy 89.982882 93.903937)
(xy 89.898049 93.806033)
(xy 89.831032 93.762964)
(xy 89.789068 93.735995)
(xy 89.664772 93.6995)
(xy 89.535228 93.6995)
(xy 89.410931 93.735995)
(xy 89.301954 93.806031)
(xy 89.30195 93.806034)
(xy 89.217119 93.903935)
(xy 89.217118 93.903936)
(xy 89.217118 93.903937)
(xy 89.190573 93.962062)
(xy 89.163302 94.021776)
(xy 89.144867 94.15)
(xy 87.616946 94.15)

(xy 87.587095 94.091413)
(xy 87.508587 94.012905)
(xy 87.455773 93.985995)
(xy 87.40966 93.962499)
(xy 87.3 93.945131)
(xy 87.190339 93.962499)
(xy 87.091412 94.012905)
(xy 87.012905 94.091412)
(xy 86.962499 94.190339)
(xy 86.945131 94.3)
(xy 85.254869 94.3)
(xy 85.2375 94.190339)
(xy 85.187095 94.091413)
(xy 85.108587 94.012905)
(xy 85.055773 93.985995)
(xy 85.00966 93.962499)
(xy 84.9 93.945131)
(xy 84.790339 93.962499)
(xy 84.691412 94.012905)
(xy 84.612905 94.091412)
(xy 84.562499 94.190339)
(xy 84.545131 94.3)
(xy 82.854869 94.3)
(xy 82.8375 94.190339)
(xy 82.787095 94.091413)
(xy 82.708587 94.012905)
(xy 82.616401 93.965934)
(xy 82.58188 93.928914)
(xy 82.57923 93.878365)
(xy 82.609693 93.837939)
(xy 82.616397 93.834067)
(xy 82.708587 93.787095)
(xy 82.787095 93.708587)
(xy 82.834065 93.616401)
(xy 82.871086 93.58188)
(xy 82.921635 93.57923)
(xy 82.962061 93.609693)
(xy 82.965932 93.616397)
(xy 83.012905 93.708587)
(xy 83.091413 93.787095)
(xy 83.190339 93.8375)
(xy 83.3 93.854869)
(xy 83.409661 93.8375)
(xy 83.508587 93.787095)
(xy 83.587095 93.708587)
(xy 83.634065 93.616401)
(xy 83.671086 93.58188)
(xy 83.721635 93.57923)
(xy 83.762061 93.609693)
(xy 83.765932 93.616397)
(xy 83.812905 93.708587)
(xy 83.891413 93.787095)
(xy 83.990339 93.8375)
(xy 84.1 93.854869)
(xy 84.209661 93.8375)
(xy 84.308587 93.787095)
(xy 84.387095 93.708587)
(xy 84.4375 93.609661)
(xy 84.454869 93.5)
(xy 84.4375 93.390339)
(xy 84.387095 93.291413)
(xy 84.308587 93.212905)
(xy 84.290982 93.203935)
(xy 84.20966 93.162499)
(xy 84.1 93.145131)
(xy 83.990339 93.162499)
(xy 83.891412 93.212905)
(xy 83.812903 93.291414)

(xy 83.765934 93.383597)
(xy 83.728914 93.418119)
(xy 83.678365 93.420769)
(xy 83.637938 93.390305)
(xy 83.634066 93.383597)
(xy 83.587096 93.291414)
(xy 83.508587 93.212905)
(xy 83.483259 93.2)
(xy 83.416401 93.165934)
(xy 83.38188 93.128914)
(xy 83.37923 93.078365)
(xy 83.409693 93.037939)
(xy 83.416397 93.034067)
(xy 83.508587 92.987095)
(xy 83.587095 92.908587)
(xy 83.6375 92.809661)
(xy 83.654869 92.7)
(xy 84.545131 92.7)
(xy 84.562499 92.80966)
(xy 84.594238 92.871951)
(xy 84.612905 92.908587)
(xy 84.691413 92.987095)
(xy 84.790339 93.0375)
(xy 84.9 93.054869)
(xy 85.009661 93.0375)
(xy 85.108587 92.987095)
(xy 85.187095 92.908587)
(xy 85.234065 92.816401)
(xy 85.271086 92.78188)
(xy 85.321635 92.77923)
(xy 85.362061 92.809693)
(xy 85.365932 92.816397)
(xy 85.412905 92.908587)
(xy 85.491413 92.987095)
(xy 85.590339 93.0375)
(xy 85.7 93.054869)
(xy 85.809661 93.0375)
(xy 85.908587 92.987095)
(xy 85.987095 92.908587)
(xy 86.034065 92.816401)
(xy 86.071086 92.78188)
(xy 86.121635 92.77923)
(xy 86.162061 92.809693)
(xy 86.165932 92.816397)
(xy 86.181048 92.846063)
(xy 86.212905 92.908587)
(xy 86.291414 92.987096)
(xy 86.383597 93.034066)
(xy 86.418119 93.071086)
(xy 86.420769 93.121635)
(xy 86.390305 93.162062)
(xy 86.383597 93.165934)
(xy 86.291414 93.212903)
(xy 86.212905 93.291412)
(xy 86.162499 93.390339)
(xy 86.145131 93.5)
(xy 86.162499 93.60966)
(xy 86.171959 93.628226)
(xy 86.212905 93.708587)
(xy 86.291413 93.787095)
(xy 86.390339 93.8375)
(xy 86.5 93.854869)
(xy 86.609661 93.8375)
(xy 86.708587 93.787095)
(xy 86.787095 93.708587)
(xy 86.8375 93.609661)
(xy 86.854869 93.5)
(xy 86.8375 93.390339)

(xy 86.787095 93.291413)
(xy 86.708587 93.212905)
(xy 86.683259 93.2)
(xy 88.194508 93.2)
(xy 88.214353 93.325301)
(xy 88.214353 93.325302)
(xy 88.214354 93.325304)
(xy 88.27195 93.438342)
(xy 88.361658 93.52805)
(xy 88.474696 93.585646)
(xy 88.6 93.605492)
(xy 88.725304 93.585646)
(xy 88.838342 93.52805)
(xy 88.92805 93.438342)
(xy 88.985646 93.325304)
(xy 89.005492 93.2)
(xy 88.985646 93.074696)
(xy 88.92805 92.961658)
(xy 88.926392 92.96)
(xy 104.264659 92.96)
(xy 104.283976 93.156133)
(xy 104.341187 93.344731)
(xy 104.409094 93.471774)
(xy 104.43409 93.518538)
(xy 104.559117 93.670883)
(xy 104.711462 93.79591)
(xy 104.730403 93.806034)
(xy 104.885268 93.888812)
(xy 104.88527 93.888812)
(xy 104.885273 93.888814)
(xy 105.073868 93.946024)
(xy 105.27 93.965341)
(xy 105.466132 93.946024)
(xy 105.654727 93.888814)
(xy 105.828538 93.79591)
(xy 105.980883 93.670883)
(xy 106.10591 93.518538)
(xy 106.115819 93.5)
(xy 107.894867 93.5)
(xy 107.913302 93.628223)
(xy 107.913302 93.628224)
(xy 107.913303 93.628226)
(xy 107.967118 93.746063)
(xy 108.051951 93.843967)
(xy 108.160931 93.914004)
(xy 108.285228 93.9505)
(xy 108.414772 93.9505)
(xy 108.539069 93.914004)
(xy 108.648049 93.843967)
(xy 108.732882 93.746063)
(xy 108.786697 93.628226)
(xy 108.790755 93.6)
(xy 119.644867 93.6)
(xy 119.663302 93.728223)
(xy 119.663302 93.728224)
(xy 119.663303 93.728226)
(xy 119.717118 93.846063)
(xy 119.801951 93.943967)
(xy 119.910931 94.014004)
(xy 120.035228 94.0505)
(xy 120.164772 94.0505)
(xy 120.289069 94.014004)
(xy 120.398049 93.943967)
(xy 120.482882 93.846063)
(xy 120.536697 93.728226)
(xy 120.555133 93.6)
(xy 120.536697 93.471774)
(xy 120.482882 93.353937)

(xy 120.398049 93.256033)
(xy 120.31086 93.2)
(xy 120.289068 93.185995)
(xy 120.164772 93.1495)
(xy 120.035228 93.1495)
(xy 119.910931 93.185995)
(xy 119.801954 93.256031)
(xy 119.80195 93.256034)
(xy 119.717119 93.353935)
(xy 119.717118 93.353936)
(xy 119.717118 93.353937)
(xy 119.703573 93.383597)
(xy 119.663302 93.471776)
(xy 119.644867 93.6)
(xy 108.790755 93.6)
(xy 108.805133 93.5)
(xy 108.786697 93.371774)
(xy 108.732882 93.253937)
(xy 108.648049 93.156033)
(xy 108.570244 93.106031)
(xy 108.539068 93.085995)
(xy 108.414772 93.0495)
(xy 108.285228 93.0495)
(xy 108.160931 93.085995)
(xy 108.051954 93.156031)
(xy 108.05195 93.156034)
(xy 107.967119 93.253935)
(xy 107.913302 93.371776)
(xy 107.894867 93.5)
(xy 106.115819 93.5)
(xy 106.198814 93.344727)
(xy 106.256024 93.156132)
(xy 106.275341 92.96)
(xy 106.256024 92.763868)
(xy 106.206315 92.6)
(xy 120.444867 92.6)
(xy 120.463302 92.728223)
(xy 120.463302 92.728224)
(xy 120.463303 92.728226)
(xy 120.517118 92.846063)
(xy 120.601951 92.943967)
(xy 120.710931 93.014004)
(xy 120.835228 93.0505)
(xy 120.964772 93.0505)
(xy 121.089069 93.014004)
(xy 121.198049 92.943967)
(xy 121.282882 92.846063)
(xy 121.336697 92.728226)
(xy 121.355133 92.6)
(xy 121.336697 92.471774)
(xy 121.282882 92.353937)
(xy 121.198049 92.256033)
(xy 121.131032 92.212964)
(xy 121.089068 92.185995)
(xy 120.964772 92.1495)
(xy 120.835228 92.1495)
(xy 120.710931 92.185995)
(xy 120.601954 92.256031)
(xy 120.60195 92.256034)
(xy 120.517119 92.353935)
(xy 120.463302 92.471776)
(xy 120.444867 92.6)
(xy 106.206315 92.6)
(xy 106.198814 92.575273)
(xy 106.198812 92.57527)
(xy 106.198812 92.575268)
(xy 106.127055 92.441022)
(xy 106.10591 92.401462)

(xy 105.980883 92.249117)
(xy 105.828538 92.12409)
(xy 105.799534 92.108587)
(xy 105.654731 92.031187)
(xy 105.466133 91.973976)
(xy 105.27 91.954659)
(xy 105.073866 91.973976)
(xy 104.885268 92.031187)
(xy 104.711463 92.124089)
(xy 104.559117 92.249117)
(xy 104.434089 92.401463)
(xy 104.341187 92.575268)
(xy 104.283976 92.763866)
(xy 104.264659 92.96)
(xy 88.926392 92.96)
(xy 88.838342 92.87195)
(xy 88.725304 92.814354)
(xy 88.725302 92.814353)
(xy 88.725301 92.814353)
(xy 88.6 92.794508)
(xy 88.474698 92.814353)
(xy 88.361656 92.871951)
(xy 88.271951 92.961656)
(xy 88.214353 93.074698)
(xy 88.194508 93.2)
(xy 86.683259 93.2)
(xy 86.616401 93.165934)
(xy 86.58188 93.128914)
(xy 86.57923 93.078365)
(xy 86.609693 93.037939)
(xy 86.616397 93.034067)
(xy 86.708587 92.987095)
(xy 86.787095 92.908587)
(xy 86.8375 92.809661)
(xy 86.854869 92.7)
(xy 86.8375 92.590339)
(xy 86.787095 92.491413)
(xy 86.708587 92.412905)
(xy 86.686129 92.401462)
(xy 86.60966 92.362499)
(xy 86.5 92.345131)
(xy 86.390339 92.362499)
(xy 86.291412 92.412905)
(xy 86.212903 92.491414)
(xy 86.165934 92.583597)
(xy 86.128914 92.618119)
(xy 86.078365 92.620769)
(xy 86.037938 92.590305)
(xy 86.034066 92.583597)
(xy 85.987096 92.491414)
(xy 85.908587 92.412905)
(xy 85.886129 92.401462)
(xy 85.816401 92.365934)
(xy 85.78188 92.328914)
(xy 85.77923 92.278365)
(xy 85.809693 92.237939)
(xy 85.816397 92.234067)
(xy 85.908587 92.187095)
(xy 85.987095 92.108587)
(xy 86.0375 92.009661)
(xy 86.03903 92)
(xy 89.044867 92)
(xy 89.063302 92.128223)
(xy 89.063302 92.128224)
(xy 89.063303 92.128226)
(xy 89.117118 92.246063)
(xy 89.201951 92.343967)
(xy 89.310931 92.414004)

(xy 89.435228 92.4505)
(xy 89.564772 92.4505)
(xy 89.689069 92.414004)
(xy 89.798049 92.343967)
(xy 89.882882 92.246063)
(xy 89.936697 92.128226)
(xy 89.955133 92)
(xy 89.936697 91.871774)
(xy 89.882882 91.753937)
(xy 89.798049 91.656033)
(xy 89.73094 91.612905)
(xy 89.689068 91.585995)
(xy 89.564772 91.5495)
(xy 89.435228 91.5495)
(xy 89.310931 91.585995)
(xy 89.201954 91.656031)
(xy 89.20195 91.656034)
(xy 89.117119 91.753935)
(xy 89.117118 91.753936)
(xy 89.117118 91.753937)
(xy 89.10478 91.780953)
(xy 89.063302 91.871776)
(xy 89.044867 92)
(xy 86.03903 92)
(xy 86.054869 91.9)
(xy 86.0375 91.790339)
(xy 85.987095 91.691413)
(xy 85.908587 91.612905)
(xy 85.855773 91.585995)
(xy 85.80966 91.562499)
(xy 85.7 91.545131)
(xy 85.590339 91.562499)
(xy 85.491412 91.612905)
(xy 85.412903 91.691414)
(xy 85.365934 91.783597)
(xy 85.328914 91.818119)
(xy 85.278365 91.820769)
(xy 85.237938 91.790305)
(xy 85.234066 91.783597)
(xy 85.187096 91.691414)
(xy 85.108587 91.612905)
(xy 85.00966 91.562499)
(xy 84.9 91.545131)
(xy 84.790339 91.562499)
(xy 84.691412 91.612905)
(xy 84.612905 91.691412)
(xy 84.562499 91.790339)
(xy 84.545131 91.9)
(xy 84.562499 92.00966)
(xy 84.612905 92.108587)
(xy 84.691414 92.187096)
(xy 84.783597 92.234066)
(xy 84.818119 92.271086)
(xy 84.820769 92.321635)
(xy 84.790305 92.362062)
(xy 84.783597 92.365934)
(xy 84.691414 92.412903)
(xy 84.612905 92.491412)
(xy 84.562499 92.590339)
(xy 84.545131 92.7)
(xy 83.654869 92.7)
(xy 83.6375 92.590339)
(xy 83.587095 92.491413)
(xy 83.508587 92.412905)
(xy 83.486129 92.401462)
(xy 83.40966 92.362499)
(xy 83.3 92.345131)
(xy 83.190339 92.362499)

(xy 83.091412 92.412905)
(xy 83.012903 92.491414)
(xy 82.965934 92.583597)
(xy 82.928914 92.618119)
(xy 82.878365 92.620769)
(xy 82.837938 92.590305)
(xy 82.834066 92.583597)
(xy 82.787096 92.491414)
(xy 82.708587 92.412905)
(xy 82.60966 92.362499)
(xy 82.5 92.345131)
(xy 82.390339 92.362499)
(xy 82.291412 92.412905)
(xy 82.212905 92.491412)
(xy 82.162499 92.590339)
(xy 82.145131 92.7)
(xy 82.162499 92.80966)
(xy 82.212905 92.908587)
(xy 82.291414 92.987096)
(xy 82.383597 93.034066)
(xy 82.418119 93.071086)
(xy 82.420769 93.121635)
(xy 82.390305 93.162062)
(xy 82.383597 93.165934)
(xy 82.291414 93.212903)
(xy 82.212905 93.291412)
(xy 82.162499 93.390339)
(xy 82.145131 93.5)
(xy 82.162499 93.60966)
(xy 82.212905 93.708587)
(xy 82.291414 93.787096)
(xy 82.383597 93.834066)
(xy 82.418119 93.871086)
(xy 82.420769 93.921635)
(xy 82.390305 93.962062)
(xy 82.383597 93.965934)
(xy 82.291414 94.012903)
(xy 82.212905 94.091412)
(xy 82.162499 94.190339)
(xy 82.145131 94.3)
(xy 81.254869 94.3)
(xy 81.2375 94.190339)
(xy 81.187095 94.091413)
(xy 81.108587 94.012905)
(xy 81.016401 93.965934)
(xy 80.98188 93.928914)
(xy 80.97923 93.878365)
(xy 81.009693 93.837939)
(xy 81.016397 93.834067)
(xy 81.108587 93.787095)
(xy 81.187095 93.708587)
(xy 81.2375 93.609661)
(xy 81.254869 93.5)
(xy 81.2375 93.390339)
(xy 81.187095 93.291413)
(xy 81.108587 93.212905)
(xy 81.016401 93.165934)
(xy 80.98188 93.128914)
(xy 80.97923 93.078365)
(xy 81.009693 93.037939)
(xy 81.016397 93.034067)
(xy 81.108587 92.987095)
(xy 81.187095 92.908587)
(xy 81.2375 92.809661)
(xy 81.254869 92.7)
(xy 81.2375 92.590339)
(xy 81.187095 92.491413)
(xy 81.108587 92.412905)

(xy 81.016401 92.365934)
(xy 80.98188 92.328914)
(xy 80.97923 92.278365)
(xy 81.009693 92.237939)
(xy 81.016397 92.234067)
(xy 81.108587 92.187095)
(xy 81.187095 92.108587)
(xy 81.2375 92.009661)
(xy 81.254869 91.9)
(xy 81.2375 91.790339)
(xy 81.187095 91.691413)
(xy 81.108587 91.612905)
(xy 81.055773 91.585995)
(xy 81.00966 91.562499)
(xy 80.9 91.545131)
(xy 80.790339 91.562499)
(xy 80.691412 91.612905)
(xy 80.612903 91.691414)
(xy 80.565934 91.783597)
(xy 80.528914 91.818119)
(xy 80.478365 91.820769)
(xy 80.437938 91.790305)
(xy 80.434066 91.783597)
(xy 80.387096 91.691414)
(xy 80.308587 91.612905)
(xy 80.20966 91.562499)
(xy 80.1 91.545131)
(xy 79.990339 91.562499)
(xy 79.891412 91.612905)
(xy 79.812905 91.691412)
(xy 79.762499 91.790339)
(xy 79.745131 91.9)
(xy 76.313665 91.9)
(xy 76.271199 91.850991)
(xy 76.185729 91.796063)
(xy 76.162218 91.780953)
(xy 76.037922 91.744458)
(xy 75.908378 91.744458)
(xy 75.784081 91.780953)
(xy 75.675104 91.850989)
(xy 75.6751 91.850992)
(xy 75.590269 91.948893)
(xy 75.536452 92.066734)
(xy 75.518017 92.194957)
(xy 56.9555 92.194957)
(xy 56.9555 91.55)
(xy 73.344867 91.55)
(xy 73.345735 91.556034)
(xy 73.363302 91.678223)
(xy 73.363302 91.678224)
(xy 73.363303 91.678226)
(xy 73.417118 91.796063)
(xy 73.501951 91.893967)
(xy 73.610931 91.964004)
(xy 73.735228 92.0005)
(xy 73.864772 92.0005)
(xy 73.989069 91.964004)
(xy 74.098049 91.893967)
(xy 74.182882 91.796063)
(xy 74.236697 91.678226)
(xy 74.255133 91.55)
(xy 74.236697 91.421774)
(xy 74.182882 91.303937)
(xy 74.179471 91.3)
(xy 78.144867 91.3)
(xy 78.163302 91.428223)
(xy 78.163302 91.428224)
(xy 78.163303 91.428226)

(xy 78.217118 91.546063)
(xy 78.301951 91.643967)
(xy 78.410931 91.714004)
(xy 78.535228 91.7505)
(xy 78.664772 91.7505)
(xy 78.789069 91.714004)
(xy 78.898049 91.643967)
(xy 78.982882 91.546063)
(xy 79.036697 91.428226)
(xy 79.040755 91.4)
(xy 97.394867 91.4)
(xy 97.413302 91.528223)
(xy 97.413302 91.528224)
(xy 97.413303 91.528226)
(xy 97.467118 91.646063)
(xy 97.551951 91.743967)
(xy 97.660931 91.814004)
(xy 97.785228 91.8505)
(xy 97.914772 91.8505)
(xy 98.039069 91.814004)
(xy 98.148049 91.743967)
(xy 98.232882 91.646063)
(xy 98.286697 91.528226)
(xy 98.305133 91.4)
(xy 101.394867 91.4)
(xy 101.413302 91.528223)
(xy 101.413302 91.528224)
(xy 101.413303 91.528226)
(xy 101.467118 91.646063)
(xy 101.551951 91.743967)
(xy 101.660931 91.814004)
(xy 101.785228 91.8505)
(xy 101.914772 91.8505)
(xy 102.039069 91.814004)
(xy 102.148049 91.743967)
(xy 102.232882 91.646063)
(xy 102.286697 91.528226)
(xy 102.305133 91.4)
(xy 102.290755 91.3)
(xy 116.544867 91.3)
(xy 116.545735 91.306034)
(xy 116.563302 91.428223)
(xy 116.563302 91.428224)
(xy 116.563303 91.428226)
(xy 116.617118 91.546063)
(xy 116.701951 91.643967)
(xy 116.810931 91.714004)
(xy 116.935228 91.7505)
(xy 117.064772 91.7505)
(xy 117.189069 91.714004)
(xy 117.298049 91.643967)
(xy 117.382882 91.546063)
(xy 117.436697 91.428226)
(xy 117.455133 91.3)
(xy 117.440755 91.2)
(xy 118.544867 91.2)
(xy 118.545735 91.206034)
(xy 118.563302 91.328223)
(xy 118.563302 91.328224)
(xy 118.563303 91.328226)
(xy 118.617118 91.446063)
(xy 118.701951 91.543967)
(xy 118.810931 91.614004)
(xy 118.935228 91.6505)
(xy 119.064772 91.6505)
(xy 119.066475 91.65)
(xy 121.144867 91.65)
(xy 121.145735 91.656034)

(xy 121.163302 91.778223)
(xy 121.163302 91.778224)
(xy 121.163303 91.778226)
(xy 121.217118 91.896063)
(xy 121.301951 91.993967)
(xy 121.410931 92.064004)
(xy 121.535228 92.1005)
(xy 121.664772 92.1005)
(xy 121.789069 92.064004)
(xy 121.898049 91.993967)
(xy 121.982882 91.896063)
(xy 122.036697 91.778226)
(xy 122.055133 91.65)
(xy 122.944867 91.65)
(xy 122.963302 91.778223)
(xy 122.963302 91.778224)
(xy 122.963303 91.778226)
(xy 123.017118 91.896063)
(xy 123.101951 91.993967)
(xy 123.210931 92.064004)
(xy 123.335228 92.1005)
(xy 123.464772 92.1005)
(xy 123.589069 92.064004)
(xy 123.698049 91.993967)
(xy 123.779471 91.9)
(xy 125.144867 91.9)
(xy 125.163302 92.028223)
(xy 125.163302 92.028224)
(xy 125.163303 92.028226)
(xy 125.217118 92.146063)
(xy 125.301951 92.243967)
(xy 125.410931 92.314004)
(xy 125.535228 92.3505)
(xy 125.664775 92.3505)
(xy 125.664775 92.350499)
(xy 125.789069 92.314004)
(xy 125.809992 92.300557)
(xy 125.859364 92.289404)
(xy 125.890002 92.300554)
(xy 125.910931 92.314004)
(xy 126.035228 92.3505)
(xy 126.164772 92.3505)
(xy 126.289069 92.314004)
(xy 126.309993 92.300556)
(xy 126.359366 92.289404)
(xy 126.390004 92.300555)
(xy 126.410931 92.314004)
(xy 126.535228 92.3505)
(xy 126.664775 92.3505)
(xy 126.664775 92.350499)
(xy 126.789069 92.314004)
(xy 126.809992 92.300557)
(xy 126.859364 92.289404)
(xy 126.890002 92.300554)
(xy 126.910931 92.314004)
(xy 127.035228 92.3505)
(xy 127.164772 92.3505)
(xy 127.289069 92.314004)
(xy 127.398049 92.243967)
(xy 127.482882 92.146063)
(xy 127.536697 92.028226)
(xy 127.555133 91.9)
(xy 127.536697 91.771774)
(xy 127.482882 91.653937)
(xy 127.398049 91.556033)
(xy 127.309993 91.499443)
(xy 127.289068 91.485995)
(xy 127.164772 91.4495)

(xy 127.035228 91.4495)
(xy 126.91093 91.485996)
(xy 126.910927 91.485997)
(xy 126.890004 91.499443)
(xy 126.840628 91.510593)
(xy 126.809992 91.499442)
(xy 126.789068 91.485995)
(xy 126.664772 91.4495)
(xy 126.535228 91.4495)
(xy 126.41093 91.485996)
(xy 126.390006 91.499443)
(xy 126.340631 91.510593)
(xy 126.309994 91.499443)
(xy 126.289069 91.485996)
(xy 126.164772 91.4495)
(xy 126.035228 91.4495)
(xy 125.91093 91.485996)
(xy 125.910927 91.485997)
(xy 125.890004 91.499443)
(xy 125.840628 91.510593)
(xy 125.809992 91.499442)
(xy 125.789068 91.485995)
(xy 125.664772 91.4495)
(xy 125.535228 91.4495)
(xy 125.410931 91.485995)
(xy 125.301954 91.556031)
(xy 125.30195 91.556034)
(xy 125.217119 91.653935)
(xy 125.217118 91.653936)
(xy 125.217118 91.653937)
(xy 125.200004 91.691412)
(xy 125.163302 91.771776)
(xy 125.144867 91.9)
(xy 123.779471 91.9)
(xy 123.782882 91.896063)
(xy 123.836697 91.778226)
(xy 123.855133 91.65)
(xy 123.836697 91.521774)
(xy 123.782882 91.403937)
(xy 123.78288 91.403935)
(xy 123.78288 91.403934)
(xy 123.782878 91.403932)
(xy 123.778137 91.39846)
(xy 123.760071 91.351175)
(xy 123.776627 91.30334)
(xy 123.778137 91.30154)
(xy 123.780949 91.298293)
(xy 123.782882 91.296063)
(xy 123.836697 91.178226)
(xy 123.855133 91.05)
(xy 123.836697 90.921774)
(xy 123.782882 90.803937)
(xy 123.698049 90.706033)
(xy 123.631032 90.662964)
(xy 123.589068 90.635995)
(xy 123.464772 90.5995)
(xy 123.335228 90.5995)
(xy 123.210931 90.635995)
(xy 123.101954 90.706031)
(xy 123.10195 90.706034)
(xy 123.017119 90.803935)
(xy 122.963302 90.921776)
(xy 122.944867 91.049999)
(xy 122.944867 91.05)
(xy 122.947981 91.071661)
(xy 122.963302 91.178223)
(xy 122.963302 91.178224)
(xy 122.963303 91.178226)

(xy 123.017118 91.296063)
(xy 123.018664 91.297847)
(xy 123.021866 91.301543)
(xy 123.039929 91.348829)
(xy 123.023371 91.396663)
(xy 123.021866 91.398457)
(xy 123.017119 91.403935)
(xy 123.017118 91.403936)
(xy 122.963302 91.521776)
(xy 122.944867 91.65)
(xy 122.055133 91.65)
(xy 122.036697 91.521774)
(xy 121.982882 91.403937)
(xy 121.898049 91.306033)
(xy 121.831032 91.262964)
(xy 121.789068 91.235995)
(xy 121.664772 91.1995)
(xy 121.535228 91.1995)
(xy 121.410931 91.235995)
(xy 121.301954 91.306031)
(xy 121.30195 91.306034)
(xy 121.217119 91.403935)
(xy 121.217118 91.403936)
(xy 121.217118 91.403937)
(xy 121.197879 91.446063)
(xy 121.163302 91.521776)
(xy 121.154069 91.585995)
(xy 121.144867 91.65)
(xy 119.066475 91.65)
(xy 119.189069 91.614004)
(xy 119.298049 91.543967)
(xy 119.382882 91.446063)
(xy 119.436697 91.328226)
(xy 119.455133 91.2)
(xy 119.436697 91.071774)
(xy 119.382882 90.953937)
(xy 119.298049 90.856033)
(xy 119.216983 90.803935)
(xy 119.189068 90.785995)
(xy 119.064772 90.7495)
(xy 118.935228 90.7495)
(xy 118.810931 90.785995)
(xy 118.701954 90.856031)
(xy 118.70195 90.856034)
(xy 118.617119 90.953935)
(xy 118.563302 91.071776)
(xy 118.544939 91.1995)
(xy 118.544867 91.2)
(xy 117.440755 91.2)
(xy 117.436697 91.171774)
(xy 117.382882 91.053937)
(xy 117.298049 90.956033)
(xy 117.229703 90.91211)
(xy 117.189068 90.885995)
(xy 117.064772 90.8495)
(xy 116.935228 90.8495)
(xy 116.810931 90.885995)
(xy 116.701954 90.956031)
(xy 116.70195 90.956034)
(xy 116.617119 91.053935)
(xy 116.617118 91.053936)
(xy 116.617118 91.053937)
(xy 116.608202 91.07346)
(xy 116.563302 91.171776)
(xy 116.554069 91.235995)
(xy 116.544867 91.3)
(xy 102.290755 91.3)
(xy 102.286697 91.271774)

(xy 102.232882 91.153937)
(xy 102.23288 91.153935)
(xy 102.23288 91.153934)
(xy 102.232878 91.153932)
(xy 102.163149 91.07346)
(xy 102.145083 91.026174)
(xy 102.161639 90.978339)
(xy 102.163149 90.97654)
(xy 102.232882 90.896063)
(xy 102.286697 90.778226)
(xy 102.305133 90.65)
(xy 102.286697 90.521774)
(xy 102.232882 90.403937)
(xy 102.148049 90.306033)
(xy 102.081032 90.262964)
(xy 102.039068 90.235995)
(xy 101.914772 90.1995)
(xy 101.785228 90.1995)
(xy 101.660931 90.235995)
(xy 101.551954 90.306031)
(xy 101.55195 90.306034)
(xy 101.467119 90.403935)
(xy 101.467118 90.403936)
(xy 101.467118 90.403937)
(xy 101.446082 90.449999)
(xy 101.413302 90.521776)
(xy 101.394867 90.649999)
(xy 101.413302 90.778223)
(xy 101.413302 90.778224)
(xy 101.413303 90.778226)
(xy 101.467118 90.896063)
(xy 101.467119 90.896065)
(xy 101.46712 90.896067)
(xy 101.536851 90.976541)
(xy 101.554916 91.023826)
(xy 101.53836 91.071661)
(xy 101.536851 91.073459)
(xy 101.46712 91.153932)
(xy 101.467119 91.153934)
(xy 101.413302 91.271776)
(xy 101.394867 91.4)
(xy 98.305133 91.4)
(xy 98.286697 91.271774)
(xy 98.232882 91.153937)
(xy 98.23288 91.153935)
(xy 98.23288 91.153934)
(xy 98.232878 91.153932)
(xy 98.163149 91.07346)
(xy 98.145083 91.026174)
(xy 98.161639 90.978339)
(xy 98.163149 90.97654)
(xy 98.232882 90.896063)
(xy 98.286697 90.778226)
(xy 98.305133 90.65)
(xy 98.304195 90.643477)
(xy 99.638344 90.643477)
(xy 99.656779 90.7717)
(xy 99.656779 90.771701)
(xy 99.65678 90.771703)
(xy 99.710595 90.88954)
(xy 99.795428 90.987444)
(xy 99.904408 91.057481)
(xy 100.028705 91.093977)
(xy 100.158249 91.093977)
(xy 100.282546 91.057481)
(xy 100.391526 90.987444)
(xy 100.476359 90.88954)
(xy 100.530174 90.771703)

(xy 100.54861 90.643477)
(xy 100.530174 90.515251)
(xy 100.476359 90.397414)
(xy 100.391526 90.29951)
(xy 100.308361 90.246063)
(xy 100.282545 90.229472)
(xy 100.158249 90.192977)
(xy 100.028705 90.192977)
(xy 99.904408 90.229472)
(xy 99.795431 90.299508)
(xy 99.795427 90.299511)
(xy 99.710596 90.397412)
(xy 99.710595 90.397413)
(xy 99.710595 90.397414)
(xy 99.68658 90.449999)
(xy 99.656779 90.515253)
(xy 99.638344 90.643477)
(xy 98.304195 90.643477)
(xy 98.286697 90.521774)
(xy 98.232882 90.403937)
(xy 98.148049 90.306033)
(xy 98.081032 90.262964)
(xy 98.039068 90.235995)
(xy 97.914772 90.1995)
(xy 97.785228 90.1995)
(xy 97.660931 90.235995)
(xy 97.551954 90.306031)
(xy 97.55195 90.306034)
(xy 97.467119 90.403935)
(xy 97.467118 90.403936)
(xy 97.467118 90.403937)
(xy 97.446082 90.449999)
(xy 97.413302 90.521776)
(xy 97.394867 90.649999)
(xy 97.413302 90.778223)
(xy 97.413302 90.778224)
(xy 97.413303 90.778226)
(xy 97.467118 90.896063)
(xy 97.467119 90.896065)
(xy 97.46712 90.896067)
(xy 97.536851 90.976541)
(xy 97.554916 91.023826)
(xy 97.53836 91.071661)
(xy 97.536851 91.073459)
(xy 97.46712 91.153932)
(xy 97.467119 91.153934)
(xy 97.413302 91.271776)
(xy 97.394867 91.4)
(xy 79.040755 91.4)
(xy 79.055133 91.3)
(xy 79.036697 91.171774)
(xy 78.982882 91.053937)
(xy 78.898049 90.956033)
(xy 78.829703 90.91211)
(xy 78.789068 90.885995)
(xy 78.664772 90.8495)
(xy 78.535228 90.8495)
(xy 78.410931 90.885995)
(xy 78.301954 90.956031)
(xy 78.30195 90.956034)
(xy 78.217119 91.053935)
(xy 78.217118 91.053936)
(xy 78.217118 91.053937)
(xy 78.208202 91.07346)
(xy 78.163302 91.171776)
(xy 78.144867 91.3)
(xy 74.179471 91.3)
(xy 74.098049 91.206033)

(xy 74.016978 91.153932)
(xy 73.989068 91.135995)
(xy 73.864772 91.0995)
(xy 73.735228 91.0995)
(xy 73.610931 91.135995)
(xy 73.501954 91.206031)
(xy 73.50195 91.206034)
(xy 73.417119 91.303935)
(xy 73.417118 91.303936)
(xy 73.417118 91.303937)
(xy 73.396616 91.348829)
(xy 73.363302 91.421776)
(xy 73.345735 91.543965)
(xy 73.344867 91.55)
(xy 56.9555 91.55)
(xy 56.9555 91.379535)
(xy 56.956811 91.365668)
(xy 56.960024 91.348829)
(xy 56.984376 91.22117)
(xy 56.974056 91.05714)
(xy 56.958575 91.009495)
(xy 56.92327 90.900834)
(xy 56.923266 90.900826)
(xy 56.835205 90.762064)
(xy 56.835203 90.762062)
(xy 56.835202 90.76206)
(xy 56.715393 90.649552)
(xy 56.715392 90.649551)
(xy 56.571368 90.570373)
(xy 56.571369 90.570373)
(xy 56.412181 90.529501)
(xy 56.41218 90.5295)
(xy 56.412177 90.5295)
(xy 55.189075 90.5295)
(xy 55.189068 90.5295)
(xy 55.118735 90.538385)
(xy 55.072644 90.544208)
(xy 55.068012 90.5445)
(xy 52.049947 90.5445)
(xy 52.031544 90.542175)
(xy 51.982177 90.5295)
(xy 51.259075 90.5295)
(xy 51.259068 90.5295)
(xy 51.188735 90.538385)
(xy 51.142644 90.544208)
(xy 51.138012 90.5445)
(xy 50.5007 90.5445)
(xy 50.495611 90.544667)
(xy 50.484069 90.545424)
(xy 50.479005 90.545922)
(xy 50.44089 90.55094)
(xy 50.358165 90.561831)
(xy 50.348181 90.563817)
(xy 50.32404 90.570284)
(xy 50.313391 90.573137)
(xy 50.313392 90.573137)
(xy 50.303751 90.57641)
(xy 50.248007 90.5995)
(xy 50.197824 90.620286)
(xy 50.18869 90.62479)
(xy 50.161499 90.640488)
(xy 50.111649 90.649278)
(xy 50.067812 90.623967)
(xy 50.0505 90.576402)
(xy 50.0505 90.456053)
(xy 64.587242 90.456053)
(xy 64.605677 90.584276)
(xy 64.605677 90.584277)

(xy 64.605678 90.584279)
(xy 64.659493 90.702116)
(xy 64.744326 90.80002)
(xy 64.853306 90.870057)
(xy 64.977603 90.906553)
(xy 65.107147 90.906553)
(xy 65.231444 90.870057)
(xy 65.340424 90.80002)
(xy 65.367888 90.768322)
(xy 65.41212 90.743712)
(xy 65.461824 90.75329)
(xy 65.479739 90.768322)
(xy 65.501956 90.793962)
(xy 65.501957 90.793963)
(xy 65.501961 90.793967)
(xy 65.610941 90.864004)
(xy 65.735238 90.9005)
(xy 65.864782 90.9005)
(xy 65.989079 90.864004)
(xy 66.098059 90.793967)
(xy 66.182892 90.696063)
(xy 66.232693 90.587014)
(xy 66.2682 90.55094)
(xy 66.31859 90.546129)
(xy 66.360284 90.574833)
(xy 66.367314 90.58701)
(xy 66.417118 90.696063)
(xy 66.501951 90.793967)
(xy 66.610931 90.864004)
(xy 66.735228 90.9005)
(xy 66.864772 90.9005)
(xy 66.989069 90.864004)
(xy 67.098049 90.793967)
(xy 67.144074 90.740849)
(xy 67.188308 90.71624)
(xy 67.238012 90.725819)
(xy 67.255924 90.740848)
(xy 67.301951 90.793967)
(xy 67.410931 90.864004)
(xy 67.535228 90.9005)
(xy 67.664772 90.9005)
(xy 67.789069 90.864004)
(xy 67.898049 90.793967)
(xy 67.982882 90.696063)
(xy 68.036697 90.578226)
(xy 68.055133 90.45)
(xy 68.055133 90.449999)
(xy 72.644867 90.449999)
(xy 72.663302 90.578223)
(xy 72.663302 90.578224)
(xy 72.663303 90.578226)
(xy 72.717118 90.696063)
(xy 72.801951 90.793967)
(xy 72.910931 90.864004)
(xy 73.035228 90.9005)
(xy 73.164772 90.9005)
(xy 73.289069 90.864004)
(xy 73.398049 90.793967)
(xy 73.482882 90.696063)
(xy 73.536697 90.578226)
(xy 73.555133 90.45)
(xy 73.536697 90.321774)
(xy 73.526753 90.3)
(xy 77.144867 90.3)
(xy 77.163302 90.428223)
(xy 77.163302 90.428224)
(xy 77.163303 90.428226)
(xy 77.217118 90.546063)

(xy 77.301951 90.643967)
(xy 77.410931 90.714004)
(xy 77.535228 90.7505)
(xy 77.664772 90.7505)
(xy 77.789069 90.714004)
(xy 77.888663 90.649999)
(xy 95.644867 90.649999)
(xy 95.663302 90.778223)
(xy 95.663302 90.778224)
(xy 95.663303 90.778226)
(xy 95.717118 90.896063)
(xy 95.801951 90.993967)
(xy 95.910931 91.064004)
(xy 96.035228 91.1005)
(xy 96.164772 91.1005)
(xy 96.289069 91.064004)
(xy 96.398049 90.993967)
(xy 96.482882 90.896063)
(xy 96.536697 90.778226)
(xy 96.555133 90.65)
(xy 96.536697 90.521774)
(xy 96.482882 90.403937)
(xy 96.398049 90.306033)
(xy 96.331032 90.262964)
(xy 96.289068 90.235995)
(xy 96.164772 90.1995)
(xy 96.035228 90.1995)
(xy 95.910931 90.235995)
(xy 95.801954 90.306031)
(xy 95.80195 90.306034)
(xy 95.717119 90.403935)
(xy 95.717118 90.403936)
(xy 95.717118 90.403937)
(xy 95.696082 90.449999)
(xy 95.663302 90.521776)
(xy 95.644867 90.649999)
(xy 77.888663 90.649999)
(xy 77.898049 90.643967)
(xy 77.982882 90.546063)
(xy 78.036697 90.428226)
(xy 78.055133 90.3)
(xy 78.036697 90.171774)
(xy 77.982882 90.053937)
(xy 77.936146 90)
(xy 86.594867 90)
(xy 86.613302 90.128223)
(xy 86.613302 90.128224)
(xy 86.613303 90.128226)
(xy 86.667118 90.246063)
(xy 86.751951 90.343967)
(xy 86.860931 90.414004)
(xy 86.985228 90.4505)
(xy 87.114772 90.4505)
(xy 87.239069 90.414004)
(xy 87.348049 90.343967)
(xy 87.432882 90.246063)
(xy 87.486697 90.128226)
(xy 87.505133 90)
(xy 87.486697 89.871774)
(xy 87.476753 89.849999)
(xy 107.094867 89.849999)
(xy 107.113302 89.978223)
(xy 107.113302 89.978224)
(xy 107.113303 89.978226)
(xy 107.167118 90.096063)
(xy 107.251951 90.193967)
(xy 107.360931 90.264004)
(xy 107.485228 90.3005)

(xy 107.614772 90.3005)
(xy 107.739069 90.264004)
(xy 107.848049 90.193967)
(xy 107.932882 90.096063)
(xy 107.986697 89.978226)
(xy 108.005133 89.85)
(xy 107.986697 89.721774)
(xy 107.932882 89.603937)
(xy 107.848049 89.506033)
(xy 107.781032 89.462964)
(xy 107.739068 89.435995)
(xy 107.614772 89.3995)
(xy 107.485228 89.3995)
(xy 107.360931 89.435995)
(xy 107.251954 89.506031)
(xy 107.25195 89.506034)
(xy 107.167119 89.603935)
(xy 107.113302 89.721776)
(xy 107.094867 89.849999)
(xy 87.476753 89.849999)
(xy 87.432882 89.753937)
(xy 87.348049 89.656033)
(xy 87.266983 89.603935)
(xy 87.239068 89.585995)
(xy 87.114772 89.5495)
(xy 86.985228 89.5495)
(xy 86.860931 89.585995)
(xy 86.751954 89.656031)
(xy 86.75195 89.656034)
(xy 86.667119 89.753935)
(xy 86.667118 89.753936)
(xy 86.667118 89.753937)
(xy 86.64021 89.812855)
(xy 86.613302 89.871776)
(xy 86.594867 90)
(xy 77.936146 90)
(xy 77.898049 89.956033)
(xy 77.831032 89.912964)
(xy 77.789068 89.885995)
(xy 77.664772 89.8495)
(xy 77.535228 89.8495)
(xy 77.410931 89.885995)
(xy 77.301954 89.956031)
(xy 77.30195 89.956034)
(xy 77.217119 90.053935)
(xy 77.163302 90.171776)
(xy 77.144867 90.3)
(xy 73.526753 90.3)
(xy 73.482882 90.203937)
(xy 73.398049 90.106033)
(xy 73.316983 90.053935)
(xy 73.289068 90.035995)
(xy 73.164772 89.9995)
(xy 73.035228 89.9995)
(xy 72.910931 90.035995)
(xy 72.801954 90.106031)
(xy 72.80195 90.106034)
(xy 72.717119 90.203935)
(xy 72.663302 90.321776)
(xy 72.644867 90.449999)
(xy 68.055133 90.449999)
(xy 68.036697 90.321774)
(xy 67.982882 90.203937)
(xy 67.898049 90.106033)
(xy 67.816983 90.053935)
(xy 67.789068 90.035995)
(xy 67.664772 89.9995)
(xy 67.535228 89.9995)

(xy 67.410931 90.035995)
(xy 67.317463 90.096064)
(xy 67.301951 90.106033)
(xy 67.261463 90.15276)
(xy 67.255926 90.15915)
(xy 67.211692 90.18376)
(xy 67.161988 90.174181)
(xy 67.144074 90.15915)
(xy 67.098049 90.106033)
(xy 67.016983 90.053935)
(xy 66.989068 90.035995)
(xy 66.864772 89.9995)
(xy 66.735228 89.9995)
(xy 66.610931 90.035995)
(xy 66.501954 90.106031)
(xy 66.50195 90.106034)
(xy 66.417119 90.203935)
(xy 66.417118 90.203936)
(xy 66.417118 90.203937)
(xy 66.370492 90.306034)
(xy 66.367318 90.312983)
(xy 66.331809 90.349059)
(xy 66.28142 90.35387)
(xy 66.239726 90.325166)
(xy 66.232692 90.312983)
(xy 66.182892 90.203937)
(xy 66.098059 90.106033)
(xy 66.016993 90.053935)
(xy 65.989078 90.035995)
(xy 65.864782 89.9995)
(xy 65.735238 89.9995)
(xy 65.610941 90.035995)
(xy 65.501964 90.106031)
(xy 65.501959 90.106035)
(xy 65.474494 90.137731)
(xy 65.43026 90.162341)
(xy 65.380556 90.15276)
(xy 65.362645 90.13773)
(xy 65.340424 90.112086)
(xy 65.340423 90.112085)
(xy 65.340113 90.111817)
(xy 65.339973 90.111565)
(xy 65.336958 90.108086)
(xy 65.337686 90.107455)
(xy 65.315501 90.067584)
(xy 65.325079 90.01788)
(xy 65.344443 89.997894)
(xy 65.344047 89.997437)
(xy 65.348047 89.99397)
(xy 65.348047 89.993969)
(xy 65.348051 89.993967)
(xy 65.432884 89.896063)
(xy 65.486699 89.778226)
(xy 65.505135 89.65)
(xy 65.486699 89.521774)
(xy 65.432884 89.403937)
(xy 65.348051 89.306033)
(xy 65.251476 89.243968)
(xy 65.23907 89.235995)
(xy 65.114774 89.1995)
(xy 64.98523 89.1995)
(xy 64.860933 89.235995)
(xy 64.751956 89.306031)
(xy 64.751952 89.306034)
(xy 64.667121 89.403935)
(xy 64.613304 89.521776)
(xy 64.594869 89.65)
(xy 64.613304 89.778223)

(xy 64.613304 89.778224)
(xy 64.613305 89.778226)
(xy 64.66712 89.896063)
(xy 64.751953 89.993967)
(xy 64.751955 89.993968)
(xy 64.75196 89.993974)
(xy 64.752269 89.994242)
(xy 64.752406 89.994489)
(xy 64.755419 89.997966)
(xy 64.754691 89.998596)
(xy 64.776876 90.038477)
(xy 64.767293 90.08818)
(xy 64.747931 90.108166)
(xy 64.748326 90.108621)
(xy 64.744325 90.112087)
(xy 64.659494 90.209988)
(xy 64.605677 90.327829)
(xy 64.587242 90.456053)
(xy 50.0505 90.456053)
(xy 50.0505 88.899999)
(xy 74.244867 88.899999)
(xy 74.263302 89.028223)
(xy 74.263302 89.028224)
(xy 74.263303 89.028226)
(xy 74.317118 89.146063)
(xy 74.401951 89.243967)
(xy 74.510931 89.314004)
(xy 74.635228 89.3505)
(xy 74.764772 89.3505)
(xy 74.889069 89.314004)
(xy 74.998049 89.243967)
(xy 75.082882 89.146063)
(xy 75.136697 89.028226)
(xy 75.155133 88.9)
(xy 75.136697 88.771774)
(xy 75.082882 88.653937)
(xy 74.998049 88.556033)
(xy 74.899249 88.492538)
(xy 74.889068 88.485995)
(xy 74.764772 88.4495)
(xy 74.635228 88.4495)
(xy 74.510931 88.485995)
(xy 74.401954 88.556031)
(xy 74.40195 88.556034)
(xy 74.317119 88.653935)
(xy 74.263302 88.771776)
(xy 74.244867 88.899999)
(xy 50.0505 88.899999)
(xy 50.0505 88.05)
(xy 70.994875 88.05)
(xy 71.01331 88.178223)
(xy 71.01331 88.178224)
(xy 71.013311 88.178226)
(xy 71.067126 88.296063)
(xy 71.151959 88.393967)
(xy 71.260939 88.464004)
(xy 71.385236 88.5005)
(xy 71.51478 88.5005)
(xy 71.639077 88.464004)
(xy 71.748057 88.393967)
(xy 71.83289 88.296063)
(xy 71.876762 88.199998)
(xy 75.444867 88.199998)
(xy 75.463302 88.328221)
(xy 75.463302 88.328222)
(xy 75.463303 88.328224)
(xy 75.517118 88.446061)
(xy 75.601951 88.543965)

(xy 75.710931 88.614002)
(xy 75.835228 88.650498)
(xy 75.964772 88.650498)
(xy 76.089069 88.614002)
(xy 76.110857 88.6)
(xy 86.694867 88.6)
(xy 86.713302 88.728223)
(xy 86.713302 88.728224)
(xy 86.713303 88.728226)
(xy 86.767118 88.846063)
(xy 86.851951 88.943967)
(xy 86.960931 89.014004)
(xy 87.085228 89.0505)
(xy 87.214772 89.0505)
(xy 87.339069 89.014004)
(xy 87.359993 89.000556)
(xy 87.409366 88.989404)
(xy 87.440004 89.000555)
(xy 87.460931 89.014004)
(xy 87.585228 89.0505)
(xy 87.714772 89.0505)
(xy 87.839069 89.014004)
(xy 87.948049 88.943967)
(xy 88.032882 88.846063)
(xy 88.086697 88.728226)
(xy 88.105133 88.6)
(xy 97.394867 88.6)
(xy 97.413302 88.728223)
(xy 97.413302 88.728224)
(xy 97.413303 88.728226)
(xy 97.467118 88.846063)
(xy 97.551951 88.943967)
(xy 97.660931 89.014004)
(xy 97.785228 89.0505)
(xy 97.914772 89.0505)
(xy 98.039069 89.014004)
(xy 98.148049 88.943967)
(xy 98.232882 88.846063)
(xy 98.286697 88.728226)
(xy 98.305133 88.6)
(xy 98.286697 88.471774)
(xy 98.232882 88.353937)
(xy 98.23288 88.353935)
(xy 98.23288 88.353934)
(xy 98.232878 88.353932)
(xy 98.186579 88.3005)
(xy 98.163148 88.273459)
(xy 98.145083 88.226174)
(xy 98.161639 88.178339)
(xy 98.163149 88.17654)
(xy 98.186579 88.1495)
(xy 98.232882 88.096063)
(xy 98.286697 87.978226)
(xy 98.305133 87.85)
(xy 99.644867 87.85)
(xy 99.647998 87.871774)
(xy 99.663302 87.978223)
(xy 99.663302 87.978224)
(xy 99.663303 87.978226)
(xy 99.717118 88.096063)
(xy 99.801951 88.193967)
(xy 99.910931 88.264004)
(xy 100.035228 88.3005)
(xy 100.164772 88.3005)
(xy 100.289069 88.264004)
(xy 100.398049 88.193967)
(xy 100.482882 88.096063)
(xy 100.536697 87.978226)

(xy 100.55209 87.871168)
(xy 101.373699 87.871168)
(xy 101.392134 87.999391)
(xy 101.392134 87.999392)
(xy 101.392135 87.999394)
(xy 101.42519 88.071774)
(xy 101.445951 88.117233)
(xy 101.445952 88.117235)
(xy 101.526393 88.210069)
(xy 101.544458 88.257354)
(xy 101.527902 88.305189)
(xy 101.526393 88.306987)
(xy 101.467724 88.374696)
(xy 101.467722 88.374698)
(xy 101.413905 88.49254)
(xy 101.39547 88.620764)
(xy 101.413905 88.748987)
(xy 101.413905 88.748988)
(xy 101.413906 88.74899)
(xy 101.467721 88.866827)
(xy 101.552554 88.964731)
(xy 101.661534 89.034768)
(xy 101.785831 89.071264)
(xy 101.915375 89.071264)
(xy 102.039672 89.034768)
(xy 102.148652 88.964731)
(xy 102.233485 88.866827)
(xy 102.2873 88.74899)
(xy 102.305736 88.620764)
(xy 102.2873 88.492538)
(xy 102.233485 88.374701)
(xy 102.233483 88.374699)
(xy 102.233483 88.374698)
(xy 102.233482 88.374696)
(xy 102.153041 88.281862)
(xy 102.134976 88.234577)
(xy 102.151532 88.186742)
(xy 102.153042 88.184943)
(xy 102.198224 88.132799)
(xy 102.211714 88.117231)
(xy 102.265529 87.999394)
(xy 102.283965 87.871168)
(xy 102.265529 87.742942)
(xy 102.211714 87.625105)
(xy 102.189963 87.600003)
(xy 107.144722 87.600003)
(xy 107.163761 87.756808)
(xy 107.163764 87.756822)
(xy 107.219778 87.904521)
(xy 107.309516 88.034529)
(xy 107.309517 88.03453)
(xy 107.42776 88.139283)
(xy 107.567635 88.212696)
(xy 107.721015 88.2505)
(xy 107.721019 88.2505)
(xy 107.878981 88.2505)
(xy 107.878985 88.2505)
(xy 108.032365 88.212696)
(xy 108.17224 88.139283)
(xy 108.290483 88.03453)
(xy 108.3741 87.913389)
(xy 108.415368 87.884079)
(xy 108.465823 87.888152)
(xy 108.495899 87.913388)
(xy 108.501689 87.921776)
(xy 108.575165 88.028226)
(xy 108.579517 88.03453)
(xy 108.69776 88.139283)

(xy 108.837635 88.212696)
(xy 108.991015 88.2505)
(xy 108.991019 88.2505)
(xy 109.148981 88.2505)
(xy 109.148985 88.2505)
(xy 109.302365 88.212696)
(xy 109.44224 88.139283)
(xy 109.560483 88.03453)
(xy 109.6441 87.913389)
(xy 109.685368 87.884079)
(xy 109.735823 87.888152)
(xy 109.765899 87.913388)
(xy 109.771689 87.921776)
(xy 109.845165 88.028226)
(xy 109.849517 88.03453)
(xy 109.96776 88.139283)
(xy 110.107635 88.212696)
(xy 110.261015 88.2505)
(xy 110.261019 88.2505)
(xy 110.418981 88.2505)
(xy 110.418985 88.2505)
(xy 110.572365 88.212696)
(xy 110.71224 88.139283)
(xy 110.830483 88.03453)
(xy 110.9141 87.913389)
(xy 110.955368 87.884079)
(xy 111.005823 87.888152)
(xy 111.035899 87.913388)
(xy 111.041689 87.921776)
(xy 111.115165 88.028226)
(xy 111.119517 88.03453)
(xy 111.23776 88.139283)
(xy 111.377635 88.212696)
(xy 111.531015 88.2505)
(xy 111.531019 88.2505)
(xy 111.688981 88.2505)
(xy 111.688985 88.2505)
(xy 111.842365 88.212696)
(xy 111.98224 88.139283)
(xy 112.100483 88.03453)
(xy 112.1841 87.913389)
(xy 112.225368 87.884079)
(xy 112.275823 87.888152)
(xy 112.305899 87.913388)
(xy 112.311689 87.921776)
(xy 112.385165 88.028226)
(xy 112.389517 88.03453)
(xy 112.50776 88.139283)
(xy 112.647635 88.212696)
(xy 112.801015 88.2505)
(xy 112.801019 88.2505)
(xy 112.958981 88.2505)
(xy 112.958985 88.2505)
(xy 113.112365 88.212696)
(xy 113.25224 88.139283)
(xy 113.370483 88.03453)
(xy 113.4541 87.913389)
(xy 113.495368 87.884079)
(xy 113.545823 87.888152)
(xy 113.575899 87.913388)
(xy 113.581689 87.921776)
(xy 113.655165 88.028226)
(xy 113.659517 88.03453)
(xy 113.77776 88.139283)
(xy 113.917635 88.212696)
(xy 114.071015 88.2505)
(xy 114.071019 88.2505)
(xy 114.228981 88.2505)

(xy 114.228985 88.2505)
(xy 114.382365 88.212696)
(xy 114.52224 88.139283)
(xy 114.640483 88.03453)
(xy 114.7241 87.913389)
(xy 114.765368 87.884079)
(xy 114.815823 87.888152)
(xy 114.845899 87.913388)
(xy 114.851689 87.921776)
(xy 114.925165 88.028226)
(xy 114.929517 88.03453)
(xy 115.04776 88.139283)
(xy 115.187635 88.212696)
(xy 115.341015 88.2505)
(xy 115.341019 88.2505)
(xy 115.498981 88.2505)
(xy 115.498985 88.2505)
(xy 115.652365 88.212696)
(xy 115.79224 88.139283)
(xy 115.910483 88.03453)
(xy 115.9941 87.913389)
(xy 116.035368 87.884079)
(xy 116.085823 87.888152)
(xy 116.115899 87.913388)
(xy 116.121689 87.921776)
(xy 116.195165 88.028226)
(xy 116.199517 88.03453)
(xy 116.31776 88.139283)
(xy 116.457635 88.212696)
(xy 116.611015 88.2505)
(xy 116.611019 88.2505)
(xy 116.631359 88.2505)
(xy 116.678925 88.267813)
(xy 116.704235 88.31165)
(xy 116.695445 88.3615)
(xy 116.687284 88.37296)
(xy 116.617121 88.453932)
(xy 116.617119 88.453934)
(xy 116.563302 88.571776)
(xy 116.544867 88.699999)
(xy 116.563302 88.828223)
(xy 116.563302 88.828224)
(xy 116.563303 88.828226)
(xy 116.617118 88.946063)
(xy 116.701951 89.043967)
(xy 116.810931 89.114004)
(xy 116.935228 89.1505)
(xy 117.064772 89.1505)
(xy 117.189069 89.114004)
(xy 117.298049 89.043967)
(xy 117.382882 88.946063)
(xy 117.436697 88.828226)
(xy 117.455133 88.7)
(xy 117.436697 88.571774)
(xy 117.382882 88.453937)
(xy 117.298049 88.356033)
(xy 117.211638 88.3005)
(xy 117.189068 88.285995)
(xy 117.097781 88.259192)
(xy 117.057019 88.229179)
(xy 117.045085 88.179987)
(xy 117.067563 88.134633)
(xy 117.069531 88.132823)
(xy 117.180483 88.03453)
(xy 117.204317 88)
(xy 121.144867 88)
(xy 121.163302 88.128223)
(xy 121.163302 88.128224)

(xy 121.163303 88.128226)
(xy 121.217118 88.246063)
(xy 121.301951 88.343967)
(xy 121.410931 88.414004)
(xy 121.535228 88.4505)
(xy 121.664772 88.4505)
(xy 121.789069 88.414004)
(xy 121.898049 88.343967)
(xy 121.982882 88.246063)
(xy 122.036697 88.128226)
(xy 122.055133 88)
(xy 122.040755 87.9)
(xy 125.744867 87.9)
(xy 125.763302 88.028223)
(xy 125.763302 88.028224)
(xy 125.763303 88.028226)
(xy 125.817118 88.146063)
(xy 125.901951 88.243967)
(xy 126.010931 88.314004)
(xy 126.135228 88.3505)
(xy 126.264772 88.3505)
(xy 126.389069 88.314004)
(xy 126.498049 88.243967)
(xy 126.582882 88.146063)
(xy 126.636697 88.028226)
(xy 126.655133 87.9)
(xy 126.636697 87.771774)
(xy 126.582882 87.653937)
(xy 126.58288 87.653935)
(xy 126.58288 87.653934)
(xy 126.582878 87.653932)
(xy 126.539038 87.603338)
(xy 126.527369 87.589871)
(xy 126.509304 87.542586)
(xy 126.52586 87.494751)
(xy 126.543285 87.479161)
(xy 126.598049 87.443967)
(xy 126.682882 87.346063)
(xy 126.736697 87.228226)
(xy 126.755133 87.1)
(xy 126.736697 86.971774)
(xy 126.682882 86.853937)
(xy 126.598049 86.756033)
(xy 126.531032 86.712964)
(xy 126.489068 86.685995)
(xy 126.364772 86.6495)
(xy 126.235228 86.6495)
(xy 126.110931 86.685995)
(xy 126.001954 86.756031)
(xy 126.00195 86.756034)
(xy 125.917119 86.853935)
(xy 125.863302 86.971776)
(xy 125.844867 87.099999)
(xy 125.863302 87.228223)
(xy 125.863302 87.228224)
(xy 125.863303 87.228226)
(xy 125.901492 87.311847)
(xy 125.917119 87.346065)
(xy 125.917121 87.346067)
(xy 125.972629 87.410127)
(xy 125.990695 87.457413)
(xy 125.974139 87.505248)
(xy 125.956712 87.520839)
(xy 125.901956 87.556029)
(xy 125.90195 87.556034)
(xy 125.817119 87.653935)
(xy 125.763302 87.771776)
(xy 125.744867 87.9)

(xy 122.040755 87.9)
(xy 122.036697 87.871774)
(xy 121.982882 87.753937)
(xy 121.98288 87.753935)
(xy 121.98288 87.753934)
(xy 121.982878 87.753932)
(xy 121.934811 87.698458)
(xy 121.916746 87.651172)
(xy 121.933303 87.603338)
(xy 121.934796 87.601557)
(xy 121.982882 87.546063)
(xy 122.036697 87.428226)
(xy 122.055133 87.3)
(xy 122.036697 87.171774)
(xy 121.982882 87.053937)
(xy 121.93481 86.998458)
(xy 121.916746 86.951174)
(xy 121.933302 86.903339)
(xy 121.934791 86.901563)
(xy 121.982882 86.846063)
(xy 122.036697 86.728226)
(xy 122.055133 86.6)
(xy 122.036697 86.471774)
(xy 121.982882 86.353937)
(xy 121.898049 86.256033)
(xy 121.80165 86.194081)
(xy 121.789068 86.185995)
(xy 121.664772 86.1495)
(xy 121.535228 86.1495)
(xy 121.410931 86.185995)
(xy 121.301954 86.256031)
(xy 121.30195 86.256034)
(xy 121.217119 86.353935)
(xy 121.163302 86.471776)
(xy 121.144867 86.6)
(xy 121.163302 86.728223)
(xy 121.163302 86.728224)
(xy 121.163303 86.728226)
(xy 121.217118 86.846063)
(xy 121.265188 86.90154)
(xy 121.283253 86.948825)
(xy 121.266697 86.99666)
(xy 121.265188 86.998458)
(xy 121.217121 87.053932)
(xy 121.217119 87.053934)
(xy 121.163302 87.171776)
(xy 121.144867 87.3)
(xy 121.163302 87.428223)
(xy 121.163302 87.428224)
(xy 121.163303 87.428226)
(xy 121.217118 87.546063)
(xy 121.265188 87.60154)
(xy 121.283253 87.648825)
(xy 121.266697 87.69666)
(xy 121.265188 87.698458)
(xy 121.217121 87.753932)
(xy 121.217119 87.753934)
(xy 121.163302 87.871776)
(xy 121.144867 88)
(xy 117.204317 88)
(xy 117.27022 87.904523)
(xy 117.271936 87.9)
(xy 117.326235 87.756822)
(xy 117.326237 87.756818)
(xy 117.333541 87.69666)
(xy 117.345278 87.600003)
(xy 117.345278 87.599996)
(xy 117.326238 87.443191)

(xy 117.326237 87.443182)
(xy 117.309671 87.3995)
(xy 117.270221 87.295478)
(xy 117.180483 87.16547)
(xy 117.180483 87.165469)
(xy 117.06224 87.060717)
(xy 117.049312 87.053932)
(xy 116.922366 86.987304)
(xy 116.768987 86.9495)
(xy 116.768985 86.9495)
(xy 116.611015 86.9495)
(xy 116.611012 86.9495)
(xy 116.457633 86.987304)
(xy 116.317761 87.060716)
(xy 116.199516 87.16547)
(xy 116.115901 87.286609)
(xy 116.074632 87.31592)
(xy 116.024177 87.311847)
(xy 115.994099 87.286609)
(xy 115.910483 87.16547)
(xy 115.910482 87.165469)
(xy 115.79224 87.060717)
(xy 115.779312 87.053932)
(xy 115.652366 86.987304)
(xy 115.498987 86.9495)
(xy 115.498985 86.9495)
(xy 115.341015 86.9495)
(xy 115.341012 86.9495)
(xy 115.187633 86.987304)
(xy 115.047761 87.060716)
(xy 114.929516 87.16547)
(xy 114.845901 87.286609)
(xy 114.804632 87.31592)
(xy 114.754177 87.311847)
(xy 114.724099 87.286609)
(xy 114.640483 87.16547)
(xy 114.640483 87.165469)
(xy 114.52224 87.060717)
(xy 114.509312 87.053932)
(xy 114.382366 86.987304)
(xy 114.228987 86.9495)
(xy 114.228985 86.9495)
(xy 114.071015 86.9495)
(xy 114.071012 86.9495)
(xy 113.917633 86.987304)
(xy 113.777761 87.060716)
(xy 113.659516 87.16547)
(xy 113.575901 87.286609)
(xy 113.534632 87.31592)
(xy 113.484177 87.311847)
(xy 113.454099 87.286609)
(xy 113.370483 87.16547)
(xy 113.370482 87.165469)
(xy 113.25224 87.060717)
(xy 113.239312 87.053932)
(xy 113.112366 86.987304)
(xy 112.958987 86.9495)
(xy 112.958985 86.9495)
(xy 112.801015 86.9495)
(xy 112.801012 86.9495)
(xy 112.647633 86.987304)
(xy 112.507761 87.060716)
(xy 112.389516 87.16547)
(xy 112.305901 87.286609)
(xy 112.264632 87.31592)
(xy 112.214177 87.311847)
(xy 112.184099 87.286609)
(xy 112.100483 87.16547)

(xy 112.100483 87.165469)
(xy 111.98224 87.060717)
(xy 111.969312 87.053932)
(xy 111.842366 86.987304)
(xy 111.688987 86.9495)
(xy 111.688985 86.9495)
(xy 111.531015 86.9495)
(xy 111.531012 86.9495)
(xy 111.377633 86.987304)
(xy 111.237761 87.060716)
(xy 111.119516 87.16547)
(xy 111.035901 87.286609)
(xy 110.994632 87.31592)
(xy 110.944177 87.311847)
(xy 110.914099 87.286609)
(xy 110.830483 87.16547)
(xy 110.830482 87.165469)
(xy 110.71224 87.060717)
(xy 110.699312 87.053932)
(xy 110.572366 86.987304)
(xy 110.418987 86.9495)
(xy 110.418985 86.9495)
(xy 110.261015 86.9495)
(xy 110.261012 86.9495)
(xy 110.107633 86.987304)
(xy 109.967761 87.060716)
(xy 109.849516 87.16547)
(xy 109.765901 87.286609)
(xy 109.724632 87.31592)
(xy 109.674177 87.311847)
(xy 109.644099 87.286609)
(xy 109.560483 87.16547)
(xy 109.560483 87.165469)
(xy 109.44224 87.060717)
(xy 109.429312 87.053932)
(xy 109.302366 86.987304)
(xy 109.148987 86.9495)
(xy 109.148985 86.9495)
(xy 108.991015 86.9495)
(xy 108.991012 86.9495)
(xy 108.837633 86.987304)
(xy 108.697761 87.060716)
(xy 108.579516 87.16547)
(xy 108.4959 87.286609)
(xy 108.454631 87.31592)
(xy 108.404176 87.311847)
(xy 108.374098 87.286608)
(xy 108.290484 87.165471)
(xy 108.290483 87.16547)
(xy 108.17224 87.060717)
(xy 108.159312 87.053932)
(xy 108.032366 86.987304)
(xy 107.878987 86.9495)
(xy 107.878985 86.9495)
(xy 107.721015 86.9495)
(xy 107.721012 86.9495)
(xy 107.567633 86.987304)
(xy 107.427761 87.060716)
(xy 107.309516 87.16547)
(xy 107.219779 87.295478)
(xy 107.219778 87.295478)
(xy 107.163764 87.443177)
(xy 107.163761 87.443191)
(xy 107.144722 87.599996)
(xy 107.144722 87.600003)
(xy 102.189963 87.600003)
(xy 102.126881 87.527201)
(xy 102.045071 87.474625)

(xy 102.0179 87.457163)
(xy 101.893604 87.420668)
(xy 101.76406 87.420668)
(xy 101.639763 87.457163)
(xy 101.530786 87.527199)
(xy 101.530782 87.527202)
(xy 101.445951 87.625103)
(xy 101.44595 87.625104)
(xy 101.44595 87.625105)
(xy 101.423234 87.674846)
(xy 101.392134 87.742944)
(xy 101.373699 87.871168)
(xy 100.55209 87.871168)
(xy 100.555133 87.85)
(xy 100.536697 87.721774)
(xy 100.482882 87.603937)
(xy 100.398049 87.506033)
(xy 100.301474 87.443968)
(xy 100.289068 87.435995)
(xy 100.164772 87.3995)
(xy 100.035228 87.3995)
(xy 99.910931 87.435995)
(xy 99.801954 87.506031)
(xy 99.80195 87.506034)
(xy 99.717119 87.603935)
(xy 99.717118 87.603936)
(xy 99.717118 87.603937)
(xy 99.693326 87.656033)
(xy 99.663302 87.721776)
(xy 99.644867 87.849999)
(xy 99.644867 87.85)
(xy 98.305133 87.85)
(xy 98.286697 87.721774)
(xy 98.232882 87.603937)
(xy 98.148049 87.506033)
(xy 98.051474 87.443968)
(xy 98.039068 87.435995)
(xy 97.914772 87.3995)
(xy 97.785228 87.3995)
(xy 97.660931 87.435995)
(xy 97.551954 87.506031)
(xy 97.55195 87.506034)
(xy 97.467119 87.603935)
(xy 97.467118 87.603936)
(xy 97.467118 87.603937)
(xy 97.443326 87.656033)
(xy 97.413302 87.721776)
(xy 97.394867 87.849999)
(xy 97.394867 87.85)
(xy 97.397998 87.871774)
(xy 97.413302 87.978223)
(xy 97.413302 87.978224)
(xy 97.413303 87.978226)
(xy 97.467118 88.096063)
(xy 97.467119 88.096065)
(xy 97.46712 88.096067)
(xy 97.536851 88.176541)
(xy 97.554916 88.223826)
(xy 97.53836 88.271661)
(xy 97.536851 88.273459)
(xy 97.46712 88.353932)
(xy 97.467119 88.353934)
(xy 97.413302 88.471776)
(xy 97.394867 88.6)
(xy 88.105133 88.6)
(xy 88.086697 88.471774)
(xy 88.032882 88.353937)
(xy 87.948049 88.256033)

(xy 87.851474 88.193968)
(xy 87.839068 88.185995)
(xy 87.714772 88.1495)
(xy 87.585228 88.1495)
(xy 87.46093 88.185996)
(xy 87.440006 88.199443)
(xy 87.390631 88.210593)
(xy 87.359994 88.199443)
(xy 87.339069 88.185996)
(xy 87.214772 88.1495)
(xy 87.085228 88.1495)
(xy 86.960931 88.185995)
(xy 86.851954 88.256031)
(xy 86.85195 88.256034)
(xy 86.767119 88.353935)
(xy 86.713302 88.471776)
(xy 86.694867 88.6)
(xy 76.110857 88.6)
(xy 76.198049 88.543965)
(xy 76.282882 88.446061)
(xy 76.336697 88.328224)
(xy 76.355133 88.199998)
(xy 76.336697 88.071772)
(xy 76.282882 87.953935)
(xy 76.198049 87.856031)
(xy 76.188665 87.85)
(xy 95.644867 87.85)
(xy 95.647998 87.871774)
(xy 95.663302 87.978223)
(xy 95.663302 87.978224)
(xy 95.663303 87.978226)
(xy 95.717118 88.096063)
(xy 95.801951 88.193967)
(xy 95.910931 88.264004)
(xy 96.035228 88.3005)
(xy 96.164772 88.3005)
(xy 96.289069 88.264004)
(xy 96.398049 88.193967)
(xy 96.482882 88.096063)
(xy 96.536697 87.978226)
(xy 96.555133 87.85)
(xy 96.536697 87.721774)
(xy 96.482882 87.603937)
(xy 96.398049 87.506033)
(xy 96.301474 87.443968)
(xy 96.289068 87.435995)
(xy 96.164772 87.3995)
(xy 96.035228 87.3995)
(xy 95.910931 87.435995)
(xy 95.801954 87.506031)
(xy 95.80195 87.506034)
(xy 95.717119 87.603935)
(xy 95.717118 87.603936)
(xy 95.717118 87.603937)
(xy 95.693326 87.656033)
(xy 95.663302 87.721776)
(xy 95.644867 87.849999)
(xy 95.644867 87.85)
(xy 76.188665 87.85)
(xy 76.116986 87.803935)
(xy 76.089068 87.785993)
(xy 75.964772 87.749498)
(xy 75.835228 87.749498)
(xy 75.710931 87.785993)
(xy 75.601954 87.856029)
(xy 75.60195 87.856032)
(xy 75.517119 87.953933)
(xy 75.463302 88.071774)

(xy 75.444867 88.199998)
(xy 71.876762 88.199998)
(xy 71.886705 88.178226)
(xy 71.905141 88.05)
(xy 71.886705 87.921774)
(xy 71.83289 87.803937)
(xy 71.748057 87.706033)
(xy 71.666986 87.653932)
(xy 71.639076 87.635995)
(xy 71.51478 87.5995)
(xy 71.385236 87.5995)
(xy 71.260939 87.635995)
(xy 71.151962 87.706031)
(xy 71.151958 87.706034)
(xy 71.067127 87.803935)
(xy 71.01331 87.921776)
(xy 70.994875 88.05)
(xy 50.0505 88.05)
(xy 50.0505 87.299999)
(xy 90.594867 87.299999)
(xy 90.613302 87.428223)
(xy 90.613302 87.428224)
(xy 90.613303 87.428226)
(xy 90.667118 87.546063)
(xy 90.751951 87.643967)
(xy 90.860931 87.714004)
(xy 90.985228 87.7505)
(xy 91.114775 87.7505)
(xy 91.114775 87.750499)
(xy 91.239069 87.714004)
(xy 91.259992 87.700557)
(xy 91.309364 87.689404)
(xy 91.340002 87.700554)
(xy 91.360931 87.714004)
(xy 91.485228 87.7505)
(xy 91.614772 87.7505)
(xy 91.739069 87.714004)
(xy 91.848049 87.643967)
(xy 91.932882 87.546063)
(xy 91.986697 87.428226)
(xy 92.005133 87.3)
(xy 91.986697 87.171774)
(xy 91.932882 87.053937)
(xy 91.848049 86.956033)
(xy 91.777343 86.910593)
(xy 91.739068 86.885995)
(xy 91.614772 86.8495)
(xy 91.485228 86.8495)
(xy 91.36093 86.885996)
(xy 91.340006 86.899443)
(xy 91.290631 86.910593)
(xy 91.259994 86.899443)
(xy 91.239069 86.885996)
(xy 91.114772 86.8495)
(xy 90.985228 86.8495)
(xy 90.860931 86.885995)
(xy 90.751954 86.956031)
(xy 90.75195 86.956034)
(xy 90.667119 87.053935)
(xy 90.613302 87.171776)
(xy 90.594867 87.299999)
(xy 50.0505 87.299999)
(xy 50.0505 86.64458)
(xy 99.753126 86.64458)
(xy 99.771561 86.772804)
(xy 99.771561 86.772805)
(xy 99.771562 86.772807)
(xy 99.825377 86.890644)

(xy 99.91021 86.988548)
(xy 100.01919 87.058585)
(xy 100.143487 87.095081)
(xy 100.273031 87.095081)
(xy 100.397328 87.058585)
(xy 100.506308 86.988548)
(xy 100.591141 86.890644)
(xy 100.644956 86.772807)
(xy 100.663392 86.644581)
(xy 100.644956 86.516355)
(xy 100.591141 86.398518)
(xy 100.506308 86.300614)
(xy 100.428329 86.2505)
(xy 100.397327 86.230576)
(xy 100.273031 86.194081)
(xy 100.143487 86.194081)
(xy 100.01919 86.230576)
(xy 99.910213 86.300612)
(xy 99.910209 86.300615)
(xy 99.825378 86.398516)
(xy 99.771561 86.516357)
(xy 99.753126 86.64458)
(xy 50.0505 86.64458)
(xy 50.0505 85.8)
(xy 97.394867 85.8)
(xy 97.413302 85.928223)
(xy 97.413302 85.928224)
(xy 97.413303 85.928226)
(xy 97.467118 86.046063)
(xy 97.551951 86.143967)
(xy 97.660931 86.214004)
(xy 97.785228 86.2505)
(xy 97.914772 86.2505)
(xy 98.039069 86.214004)
(xy 98.148049 86.143967)
(xy 98.232882 86.046063)
(xy 98.286697 85.928226)
(xy 98.305133 85.8)
(xy 98.286697 85.671774)
(xy 98.232882 85.553937)
(xy 98.23288 85.553935)
(xy 98.23288 85.553934)
(xy 98.232878 85.553932)
(xy 98.163149 85.47346)
(xy 98.145083 85.426174)
(xy 98.161639 85.378339)
(xy 98.163149 85.37654)
(xy 98.232882 85.296063)
(xy 98.286697 85.178226)
(xy 98.287418 85.173212)
(xy 99.638745 85.173212)
(xy 99.65718 85.301435)
(xy 99.65718 85.301436)
(xy 99.657181 85.301438)
(xy 99.710996 85.419275)
(xy 99.795829 85.517179)
(xy 99.904809 85.587216)
(xy 100.029106 85.623712)
(xy 100.15865 85.623712)
(xy 100.239408 85.6)
(xy 106.944867 85.6)
(xy 106.963302 85.728223)
(xy 106.963302 85.728224)
(xy 106.963303 85.728226)
(xy 107.017118 85.846063)
(xy 107.101951 85.943967)
(xy 107.210931 86.014004)
(xy 107.335228 86.0505)

(xy 107.464775 86.0505)
(xy 107.464775 86.050499)
(xy 107.589069 86.014004)
(xy 107.609992 86.000557)
(xy 107.659364 85.989404)
(xy 107.690002 86.000554)
(xy 107.710931 86.014004)
(xy 107.835228 86.0505)
(xy 107.964772 86.0505)
(xy 108.089069 86.014004)
(xy 108.109992 86.000557)
(xy 108.159364 85.989404)
(xy 108.190003 86.000554)
(xy 108.210931 86.014004)
(xy 108.335228 86.0505)
(xy 108.464772 86.0505)
(xy 108.589069 86.014004)
(xy 108.698049 85.943967)
(xy 108.782882 85.846063)
(xy 108.836697 85.728226)
(xy 108.855133 85.6)
(xy 108.836697 85.471774)
(xy 108.782882 85.353937)
(xy 108.698049 85.256033)
(xy 108.609993 85.199443)
(xy 108.589068 85.185995)
(xy 108.464772 85.1495)
(xy 108.335228 85.1495)
(xy 108.21093 85.185996)
(xy 108.190006 85.199443)
(xy 108.140631 85.210593)
(xy 108.109994 85.199443)
(xy 108.089069 85.185996)
(xy 107.964772 85.1495)
(xy 107.835228 85.1495)
(xy 107.71093 85.185996)
(xy 107.710927 85.185997)
(xy 107.690004 85.199443)
(xy 107.640628 85.210593)
(xy 107.609992 85.199442)
(xy 107.589068 85.185995)
(xy 107.464772 85.1495)
(xy 107.335228 85.1495)
(xy 107.210931 85.185995)
(xy 107.101954 85.256031)
(xy 107.10195 85.256034)
(xy 107.017119 85.353935)
(xy 106.963302 85.471776)
(xy 106.944867 85.6)
(xy 100.239408 85.6)
(xy 100.282947 85.587216)
(xy 100.391927 85.517179)
(xy 100.47676 85.419275)
(xy 100.530575 85.301438)
(xy 100.549011 85.173212)
(xy 100.530575 85.044986)
(xy 100.47676 84.927149)
(xy 100.476758 84.927147)
(xy 100.476758 84.927146)
(xy 100.476757 84.927144)
(xy 100.427568 84.870377)
(xy 100.409503 84.823092)
(xy 100.417495 84.8)
(xy 118.344867 84.8)
(xy 118.363302 84.928223)
(xy 118.363302 84.928224)
(xy 118.363303 84.928226)
(xy 118.417118 85.046063)

(xy 118.501951 85.143967)
(xy 118.610931 85.214004)
(xy 118.735228 85.2505)
(xy 118.864772 85.2505)
(xy 118.989069 85.214004)
(xy 119.098049 85.143967)
(xy 119.182882 85.046063)
(xy 119.236697 84.928226)
(xy 119.255133 84.8)
(xy 119.236697 84.671774)
(xy 119.182882 84.553937)
(xy 119.098049 84.456033)
(xy 119.031032 84.412964)
(xy 118.989068 84.385995)
(xy 118.864772 84.3495)
(xy 118.735228 84.3495)
(xy 118.610931 84.385995)
(xy 118.501954 84.456031)
(xy 118.50195 84.456034)
(xy 118.417119 84.553935)
(xy 118.363302 84.671776)
(xy 118.344867 84.8)
(xy 100.417495 84.8)
(xy 100.426059 84.775257)
(xy 100.428858 84.772367)
(xy 100.428843 84.772354)
(xy 100.432306 84.768356)
(xy 100.432309 84.768355)
(xy 100.517142 84.670451)
(xy 100.570957 84.552614)
(xy 100.589393 84.424388)
(xy 100.570957 84.296162)
(xy 100.517142 84.178325)
(xy 100.432309 84.080421)
(xy 100.345795 84.024822)
(xy 100.323328 84.010383)
(xy 100.199032 83.973888)
(xy 100.069488 83.973888)
(xy 99.945191 84.010383)
(xy 99.836214 84.080419)
(xy 99.83621 84.080422)
(xy 99.751379 84.178323)
(xy 99.697562 84.296164)
(xy 99.679127 84.424388)
(xy 99.697562 84.552611)
(xy 99.697562 84.552612)
(xy 99.697563 84.552614)
(xy 99.735642 84.635995)
(xy 99.751379 84.670453)
(xy 99.75138 84.670455)
(xy 99.800569 84.727222)
(xy 99.818634 84.774507)
(xy 99.802078 84.822342)
(xy 99.799279 84.825232)
(xy 99.799295 84.825246)
(xy 99.79583 84.829243)
(xy 99.795829 84.829245)
(xy 99.750634 84.881402)
(xy 99.710997 84.927147)
(xy 99.65718 85.044988)
(xy 99.638745 85.173212)
(xy 98.287418 85.173212)
(xy 98.305133 85.05)
(xy 98.286697 84.921774)
(xy 98.263224 84.870377)
(xy 98.245123 84.830741)
(xy 98.24111 84.780282)
(xy 98.245123 84.769259)

(xy 98.286697 84.678226)
(xy 98.287815 84.670451)
(xy 98.305133 84.55)
(xy 98.286697 84.421774)
(xy 98.232882 84.303937)
(xy 98.148049 84.206033)
(xy 98.081032 84.162964)
(xy 98.039068 84.135995)
(xy 97.914772 84.0995)
(xy 97.785228 84.0995)
(xy 97.660931 84.135995)
(xy 97.551954 84.206031)
(xy 97.55195 84.206034)
(xy 97.467119 84.303935)
(xy 97.413302 84.421776)
(xy 97.394867 84.55)
(xy 97.413302 84.678225)
(xy 97.454876 84.76926)
(xy 97.458887 84.81972)
(xy 97.454876 84.83074)
(xy 97.413302 84.921774)
(xy 97.394867 85.049999)
(xy 97.413302 85.178223)
(xy 97.413302 85.178224)
(xy 97.413303 85.178226)
(xy 97.434734 85.225153)
(xy 97.467119 85.296065)
(xy 97.46712 85.296067)
(xy 97.536851 85.376541)
(xy 97.554916 85.423826)
(xy 97.53836 85.471661)
(xy 97.536851 85.473459)
(xy 97.46712 85.553932)
(xy 97.467119 85.553934)
(xy 97.413302 85.671776)
(xy 97.394867 85.8)
(xy 50.0505 85.8)
(xy 50.0505 85.049999)
(xy 95.644867 85.049999)
(xy 95.663302 85.178223)
(xy 95.663302 85.178224)
(xy 95.663303 85.178226)
(xy 95.717118 85.296063)
(xy 95.801951 85.393967)
(xy 95.910931 85.464004)
(xy 96.035228 85.5005)
(xy 96.164772 85.5005)
(xy 96.289069 85.464004)
(xy 96.398049 85.393967)
(xy 96.482882 85.296063)
(xy 96.536697 85.178226)
(xy 96.555133 85.05)
(xy 96.536697 84.921774)
(xy 96.482882 84.803937)
(xy 96.398049 84.706033)
(xy 96.331032 84.662964)
(xy 96.289068 84.635995)
(xy 96.164772 84.5995)
(xy 96.035228 84.5995)
(xy 95.910931 84.635995)
(xy 95.801954 84.706031)
(xy 95.80195 84.706034)
(xy 95.717119 84.803935)
(xy 95.717118 84.803936)
(xy 95.717118 84.803937)
(xy 95.70991 84.81972)
(xy 95.663302 84.921776)
(xy 95.644867 85.049999)

(xy 50.0505 85.049999)
(xy 50.0505 83.899999)
(xy 122.344867 83.899999)
(xy 122.363302 84.028223)
(xy 122.363302 84.028224)
(xy 122.363303 84.028226)
(xy 122.417118 84.146063)
(xy 122.501951 84.243967)
(xy 122.610931 84.314004)
(xy 122.735228 84.3505)
(xy 122.864772 84.3505)
(xy 122.989069 84.314004)
(xy 123.098049 84.243967)
(xy 123.182882 84.146063)
(xy 123.232688 84.037003)
(xy 123.268195 84.000929)
(xy 123.318585 83.996118)
(xy 123.360279 84.024822)
(xy 123.367309 84.036999)
(xy 123.417118 84.146063)
(xy 123.501951 84.243967)
(xy 123.610931 84.314004)
(xy 123.735228 84.3505)
(xy 123.864772 84.3505)
(xy 123.989069 84.314004)
(xy 124.098049 84.243967)
(xy 124.182882 84.146063)
(xy 124.236697 84.028226)
(xy 124.240755 84)
(xy 126.244867 84)
(xy 126.263302 84.128223)
(xy 126.263302 84.128224)
(xy 126.263303 84.128226)
(xy 126.317118 84.246063)
(xy 126.401951 84.343967)
(xy 126.510931 84.414004)
(xy 126.635228 84.4505)
(xy 126.764772 84.4505)
(xy 126.889069 84.414004)
(xy 126.998049 84.343967)
(xy 127.082882 84.246063)
(xy 127.136697 84.128226)
(xy 127.155133 84)
(xy 127.136697 83.871774)
(xy 127.082882 83.753937)
(xy 126.998049 83.656033)
(xy 126.931032 83.612964)
(xy 126.889068 83.585995)
(xy 126.764772 83.5495)
(xy 126.635228 83.5495)
(xy 126.510931 83.585995)
(xy 126.401954 83.656031)
(xy 126.40195 83.656034)
(xy 126.317119 83.753935)
(xy 126.263302 83.871776)
(xy 126.244867 84)
(xy 124.240755 84)
(xy 124.255133 83.9)
(xy 124.236697 83.771774)
(xy 124.182882 83.653937)
(xy 124.098049 83.556033)
(xy 124.031032 83.512964)
(xy 123.989068 83.485995)
(xy 123.864772 83.4495)
(xy 123.735228 83.4495)
(xy 123.610931 83.485995)
(xy 123.501954 83.556031)
(xy 123.50195 83.556034)

(xy 123.417119 83.653935)
(xy 123.367313 83.762994)
(xy 123.331804 83.79907)
(xy 123.281415 83.803881)
(xy 123.239721 83.775177)
(xy 123.232687 83.762994)
(xy 123.22855 83.753935)
(xy 123.182882 83.653937)
(xy 123.098049 83.556033)
(xy 123.031032 83.512964)
(xy 122.989068 83.485995)
(xy 122.864772 83.4495)
(xy 122.735228 83.4495)
(xy 122.610931 83.485995)
(xy 122.501954 83.556031)
(xy 122.50195 83.556034)
(xy 122.417119 83.653935)
(xy 122.363302 83.771776)
(xy 122.344867 83.899999)
(xy 50.0505 83.899999)
(xy 50.0505 82.35)
(xy 99.244867 82.35)
(xy 99.263302 82.478223)
(xy 99.263302 82.478224)
(xy 99.263303 82.478226)
(xy 99.317118 82.596063)
(xy 99.401951 82.693967)
(xy 99.510931 82.764004)
(xy 99.635228 82.8005)
(xy 99.764772 82.8005)
(xy 99.889069 82.764004)
(xy 99.998049 82.693967)
(xy 100.082882 82.596063)
(xy 100.126752 82.500003)
(xy 107.144722 82.500003)
(xy 107.163761 82.656808)
(xy 107.163764 82.656822)
(xy 107.219778 82.804521)
(xy 107.309516 82.934529)
(xy 107.309517 82.93453)
(xy 107.42776 83.039283)
(xy 107.567635 83.112696)
(xy 107.721015 83.1505)
(xy 107.721019 83.1505)
(xy 107.878981 83.1505)
(xy 107.878985 83.1505)
(xy 108.032365 83.112696)
(xy 108.17224 83.039283)
(xy 108.290483 82.93453)
(xy 108.374099 82.813389)
(xy 108.415366 82.784079)
(xy 108.465821 82.788152)
(xy 108.4959 82.81339)
(xy 108.579516 82.934529)
(xy 108.579517 82.93453)
(xy 108.69776 83.039283)
(xy 108.837635 83.112696)
(xy 108.991015 83.1505)
(xy 108.991019 83.1505)
(xy 109.148981 83.1505)
(xy 109.148985 83.1505)
(xy 109.302365 83.112696)
(xy 109.44224 83.039283)
(xy 109.560483 82.93453)
(xy 109.6441 82.813389)
(xy 109.685368 82.784079)
(xy 109.735823 82.788152)
(xy 109.765899 82.813388)

(xy 109.820271 82.89216)
(xy 109.849515 82.934528)
(xy 109.849517 82.93453)
(xy 109.96776 83.039283)
(xy 110.107635 83.112696)
(xy 110.261015 83.1505)
(xy 110.261019 83.1505)
(xy 110.418981 83.1505)
(xy 110.418985 83.1505)
(xy 110.572365 83.112696)
(xy 110.71224 83.039283)
(xy 110.830483 82.93453)
(xy 110.9141 82.813389)
(xy 110.955368 82.784079)
(xy 111.005823 82.788152)
(xy 111.035899 82.813388)
(xy 111.090271 82.89216)
(xy 111.119515 82.934528)
(xy 111.119517 82.93453)
(xy 111.23776 83.039283)
(xy 111.377635 83.112696)
(xy 111.531015 83.1505)
(xy 111.531019 83.1505)
(xy 111.688981 83.1505)
(xy 111.688985 83.1505)
(xy 111.842365 83.112696)
(xy 111.98224 83.039283)
(xy 112.100483 82.93453)
(xy 112.1841 82.813389)
(xy 112.225368 82.784079)
(xy 112.275823 82.788152)
(xy 112.305899 82.813388)
(xy 112.360271 82.89216)
(xy 112.389515 82.934528)
(xy 112.389517 82.93453)
(xy 112.50776 83.039283)
(xy 112.647635 83.112696)
(xy 112.801015 83.1505)
(xy 112.801019 83.1505)
(xy 112.958981 83.1505)
(xy 112.958985 83.1505)
(xy 113.112365 83.112696)
(xy 113.25224 83.039283)
(xy 113.370483 82.93453)
(xy 113.4541 82.813389)
(xy 113.495368 82.784079)
(xy 113.545823 82.788152)
(xy 113.575899 82.813388)
(xy 113.630271 82.89216)
(xy 113.659515 82.934528)
(xy 113.659517 82.93453)
(xy 113.77776 83.039283)
(xy 113.917635 83.112696)
(xy 114.071015 83.1505)
(xy 114.071019 83.1505)
(xy 114.228981 83.1505)
(xy 114.228985 83.1505)
(xy 114.382365 83.112696)
(xy 114.52224 83.039283)
(xy 114.640483 82.93453)
(xy 114.7241 82.813389)
(xy 114.765368 82.784079)
(xy 114.815823 82.788152)
(xy 114.845899 82.813388)
(xy 114.900271 82.89216)
(xy 114.929515 82.934528)
(xy 114.929517 82.93453)
(xy 115.04776 83.039283)

(xy 115.187635 83.112696)
(xy 115.341015 83.1505)
(xy 115.341019 83.1505)
(xy 115.498981 83.1505)
(xy 115.498985 83.1505)
(xy 115.652365 83.112696)
(xy 115.79224 83.039283)
(xy 115.910483 82.93453)
(xy 115.9941 82.813389)
(xy 116.035368 82.784079)
(xy 116.085823 82.788152)
(xy 116.115899 82.813388)
(xy 116.170271 82.89216)
(xy 116.199515 82.934528)
(xy 116.199517 82.93453)
(xy 116.31776 83.039283)
(xy 116.457635 83.112696)
(xy 116.611015 83.1505)
(xy 116.611019 83.1505)
(xy 116.768981 83.1505)
(xy 116.768985 83.1505)
(xy 116.922365 83.112696)
(xy 117.06224 83.039283)
(xy 117.180483 82.93453)
(xy 117.204318 82.899999)
(xy 118.344867 82.899999)
(xy 118.363302 83.028223)
(xy 118.363302 83.028224)
(xy 118.363303 83.028226)
(xy 118.417118 83.146063)
(xy 118.501951 83.243967)
(xy 118.610931 83.314004)
(xy 118.735228 83.3505)
(xy 118.864772 83.3505)
(xy 118.989069 83.314004)
(xy 119.098049 83.243967)
(xy 119.182882 83.146063)
(xy 119.236697 83.028226)
(xy 119.255133 82.9)
(xy 119.236697 82.771774)
(xy 119.182882 82.653937)
(xy 119.098049 82.556033)
(xy 119.031032 82.512964)
(xy 118.989068 82.485995)
(xy 118.864772 82.4495)
(xy 118.735228 82.4495)
(xy 118.610931 82.485995)
(xy 118.501954 82.556031)
(xy 118.50195 82.556034)
(xy 118.417119 82.653935)
(xy 118.417118 82.653936)
(xy 118.417118 82.653937)
(xy 118.414313 82.660079)
(xy 118.363302 82.771776)
(xy 118.344867 82.899999)
(xy 117.204318 82.899999)
(xy 117.27022 82.804523)
(xy 117.277974 82.784079)
(xy 117.326235 82.656822)
(xy 117.326237 82.656818)
(xy 117.338474 82.556034)
(xy 117.345278 82.500003)
(xy 117.345278 82.499996)
(xy 117.326238 82.343191)
(xy 117.326237 82.343182)
(xy 117.318213 82.322025)
(xy 117.270221 82.195478)
(xy 117.180483 82.06547)

(xy 117.158577 82.046063)
(xy 117.06224 81.960717)
(xy 117.015137 81.935995)
(xy 116.922366 81.887304)
(xy 116.768987 81.8495)
(xy 116.768985 81.8495)
(xy 116.611015 81.8495)
(xy 116.611012 81.8495)
(xy 116.457633 81.887304)
(xy 116.317761 81.960716)
(xy 116.199516 82.06547)
(xy 116.115901 82.186609)
(xy 116.074632 82.21592)
(xy 116.024177 82.211847)
(xy 115.994099 82.186609)
(xy 115.910483 82.06547)
(xy 115.888577 82.046063)
(xy 115.79224 81.960717)
(xy 115.745137 81.935995)
(xy 115.652366 81.887304)
(xy 115.498987 81.8495)
(xy 115.498985 81.8495)
(xy 115.341015 81.8495)
(xy 115.341012 81.8495)
(xy 115.187633 81.887304)
(xy 115.047761 81.960716)
(xy 114.929516 82.06547)
(xy 114.845901 82.186609)
(xy 114.804632 82.21592)
(xy 114.754177 82.211847)
(xy 114.724099 82.186609)
(xy 114.640483 82.06547)
(xy 114.618577 82.046063)
(xy 114.52224 81.960717)
(xy 114.475137 81.935995)
(xy 114.382366 81.887304)
(xy 114.228987 81.8495)
(xy 114.228985 81.8495)
(xy 114.071015 81.8495)
(xy 114.071012 81.8495)
(xy 113.917633 81.887304)
(xy 113.777761 81.960716)
(xy 113.659516 82.06547)
(xy 113.575901 82.186609)
(xy 113.534632 82.21592)
(xy 113.484177 82.211847)
(xy 113.454099 82.186609)
(xy 113.370483 82.06547)
(xy 113.348577 82.046063)
(xy 113.25224 81.960717)
(xy 113.205137 81.935995)
(xy 113.112366 81.887304)
(xy 112.958987 81.8495)
(xy 112.958985 81.8495)
(xy 112.801015 81.8495)
(xy 112.801012 81.8495)
(xy 112.647633 81.887304)
(xy 112.507761 81.960716)
(xy 112.389516 82.06547)
(xy 112.305901 82.186609)
(xy 112.264632 82.21592)
(xy 112.214177 82.211847)
(xy 112.184099 82.186609)
(xy 112.100483 82.06547)
(xy 112.078577 82.046063)
(xy 111.98224 81.960717)
(xy 111.935137 81.935995)
(xy 111.842366 81.887304)

(xy 111.688987 81.8495)
(xy 111.688985 81.8495)
(xy 111.531015 81.8495)
(xy 111.531012 81.8495)
(xy 111.377633 81.887304)
(xy 111.237761 81.960716)
(xy 111.119516 82.06547)
(xy 111.035901 82.186609)
(xy 110.994632 82.21592)
(xy 110.944177 82.211847)
(xy 110.914099 82.186609)
(xy 110.830483 82.06547)
(xy 110.808577 82.046063)
(xy 110.71224 81.960717)
(xy 110.665137 81.935995)
(xy 110.572366 81.887304)
(xy 110.418987 81.8495)
(xy 110.418985 81.8495)
(xy 110.261015 81.8495)
(xy 110.261012 81.8495)
(xy 110.107633 81.887304)
(xy 109.967761 81.960716)
(xy 109.849516 82.06547)
(xy 109.765901 82.186609)
(xy 109.724632 82.21592)
(xy 109.674177 82.211847)
(xy 109.644099 82.186609)
(xy 109.560483 82.06547)
(xy 109.538577 82.046063)
(xy 109.44224 81.960717)
(xy 109.395137 81.935995)
(xy 109.302366 81.887304)
(xy 109.148987 81.8495)
(xy 109.148985 81.8495)
(xy 108.991015 81.8495)
(xy 108.991012 81.8495)
(xy 108.837633 81.887304)
(xy 108.697761 81.960716)
(xy 108.579516 82.06547)
(xy 108.4959 82.186609)
(xy 108.454631 82.21592)
(xy 108.404176 82.211847)
(xy 108.374098 82.186608)
(xy 108.290484 82.065471)
(xy 108.268577 82.046063)
(xy 108.17224 81.960717)
(xy 108.125137 81.935995)
(xy 108.032366 81.887304)
(xy 107.878987 81.8495)
(xy 107.878985 81.8495)
(xy 107.721015 81.8495)
(xy 107.721012 81.8495)
(xy 107.567633 81.887304)
(xy 107.427761 81.960716)
(xy 107.309516 82.06547)
(xy 107.219779 82.195478)
(xy 107.219778 82.195478)
(xy 107.163764 82.343177)
(xy 107.163761 82.343191)
(xy 107.144722 82.499996)
(xy 107.144722 82.500003)
(xy 100.126752 82.500003)
(xy 100.136697 82.478226)
(xy 100.155133 82.35)
(xy 100.136697 82.221774)
(xy 100.082882 82.103937)
(xy 99.998049 82.006033)
(xy 99.927534 81.960716)

(xy 99.889068 81.935995)
(xy 99.764772 81.8995)
(xy 99.635228 81.8995)
(xy 99.510931 81.935995)
(xy 99.401954 82.006031)
(xy 99.40195 82.006034)
(xy 99.317119 82.103935)
(xy 99.263302 82.221776)
(xy 99.244867 82.35)
(xy 50.0505 82.35)
(xy 50.0505 81.8)
(xy 93.044867 81.8)
(xy 93.063302 81.928223)
(xy 93.063302 81.928224)
(xy 93.063303 81.928226)
(xy 93.117118 82.046063)
(xy 93.201951 82.143967)
(xy 93.310931 82.214004)
(xy 93.435228 82.2505)
(xy 93.564772 82.2505)
(xy 93.689069 82.214004)
(xy 93.798049 82.143967)
(xy 93.882882 82.046063)
(xy 93.936697 81.928226)
(xy 93.955133 81.8)
(xy 123.644867 81.8)
(xy 123.663302 81.928223)
(xy 123.663302 81.928224)
(xy 123.663303 81.928226)
(xy 123.717118 82.046063)
(xy 123.801951 82.143967)
(xy 123.910931 82.214004)
(xy 124.035228 82.2505)
(xy 124.164772 82.2505)
(xy 124.289069 82.214004)
(xy 124.398049 82.143967)
(xy 124.482882 82.046063)
(xy 124.536697 81.928226)
(xy 124.555133 81.8)
(xy 124.536697 81.671774)
(xy 124.482882 81.553937)
(xy 124.398049 81.456033)
(xy 124.331032 81.412964)
(xy 124.289068 81.385995)
(xy 124.164772 81.3495)
(xy 124.035228 81.3495)
(xy 123.910931 81.385995)
(xy 123.801954 81.456031)
(xy 123.80195 81.456034)
(xy 123.717119 81.553935)
(xy 123.663302 81.671776)
(xy 123.644867 81.8)
(xy 93.955133 81.8)
(xy 93.936697 81.671774)
(xy 93.882882 81.553937)
(xy 93.798049 81.456033)
(xy 93.731032 81.412964)
(xy 93.689068 81.385995)
(xy 93.564772 81.3495)
(xy 93.435228 81.3495)
(xy 93.310931 81.385995)
(xy 93.201954 81.456031)
(xy 93.20195 81.456034)
(xy 93.117119 81.553935)
(xy 93.063302 81.671776)
(xy 93.044867 81.8)
(xy 50.0505 81.8)
(xy 50.0505 81)

(xy 59.244867 81)
(xy 59.263302 81.128223)
(xy 59.263302 81.128224)
(xy 59.263303 81.128226)
(xy 59.317118 81.246063)
(xy 59.401951 81.343967)
(xy 59.510931 81.414004)
(xy 59.635228 81.4505)
(xy 59.764772 81.4505)
(xy 59.889069 81.414004)
(xy 59.998049 81.343967)
(xy 60.082882 81.246063)
(xy 60.136697 81.128226)
(xy 60.155133 81)
(xy 60.136697 80.871774)
(xy 60.082882 80.753937)
(xy 59.998049 80.656033)
(xy 59.931032 80.612964)
(xy 59.889068 80.585995)
(xy 59.764772 80.5495)
(xy 59.635228 80.5495)
(xy 59.510931 80.585995)
(xy 59.401954 80.656031)
(xy 59.40195 80.656034)
(xy 59.317119 80.753935)
(xy 59.263302 80.871776)
(xy 59.244867 81)
(xy 50.0505 81)
(xy 50.0505 79.499999)
(xy 100.744867 79.499999)
(xy 100.763302 79.628223)
(xy 100.763302 79.628224)
(xy 100.763303 79.628226)
(xy 100.817118 79.746063)
(xy 100.901951 79.843967)
(xy 101.010931 79.914004)
(xy 101.135228 79.9505)
(xy 101.264772 79.9505)
(xy 101.389069 79.914004)
(xy 101.498049 79.843967)
(xy 101.544074 79.790849)
(xy 101.588308 79.76624)
(xy 101.638012 79.775819)
(xy 101.655924 79.790848)
(xy 101.701951 79.843967)
(xy 101.810931 79.914004)
(xy 101.935228 79.9505)
(xy 102.064772 79.9505)
(xy 102.189069 79.914004)
(xy 102.298049 79.843967)
(xy 102.344074 79.790849)
(xy 102.388308 79.76624)
(xy 102.438012 79.775819)
(xy 102.455924 79.790848)
(xy 102.501951 79.843967)
(xy 102.610931 79.914004)
(xy 102.735228 79.9505)
(xy 102.864772 79.9505)
(xy 102.989069 79.914004)
(xy 103.098049 79.843967)
(xy 103.144074 79.790849)
(xy 103.188308 79.76624)
(xy 103.238012 79.775819)
(xy 103.255924 79.790848)
(xy 103.301951 79.843967)
(xy 103.410931 79.914004)
(xy 103.535228 79.9505)
(xy 103.664772 79.9505)

(xy 103.789069 79.914004)
(xy 103.898049 79.843967)
(xy 103.944074 79.790849)
(xy 103.988308 79.76624)
(xy 104.038012 79.775819)
(xy 104.055924 79.790848)
(xy 104.101951 79.843967)
(xy 104.210931 79.914004)
(xy 104.335228 79.9505)
(xy 104.464772 79.9505)
(xy 104.589069 79.914004)
(xy 104.698049 79.843967)
(xy 104.744074 79.790849)
(xy 104.788308 79.76624)
(xy 104.838012 79.775819)
(xy 104.855924 79.790848)
(xy 104.901951 79.843967)
(xy 105.010931 79.914004)
(xy 105.135228 79.9505)
(xy 105.264772 79.9505)
(xy 105.389069 79.914004)
(xy 105.498049 79.843967)
(xy 105.544986 79.789796)
(xy 105.589218 79.765187)
(xy 105.638922 79.774766)
(xy 105.656835 79.789795)
(xy 105.683274 79.820308)
(xy 105.792254 79.890345)
(xy 105.916551 79.926841)
(xy 106.046095 79.926841)
(xy 106.170392 79.890345)
(xy 106.279372 79.820308)
(xy 106.324485 79.768243)
(xy 106.368718 79.743633)
(xy 106.418423 79.753212)
(xy 106.436336 79.768242)
(xy 106.501951 79.843967)
(xy 106.610931 79.914004)
(xy 106.735228 79.9505)
(xy 106.864772 79.9505)
(xy 106.989069 79.914004)
(xy 107.098049 79.843967)
(xy 107.182882 79.746063)
(xy 107.236697 79.628226)
(xy 107.255133 79.5)
(xy 107.236697 79.371774)
(xy 107.182882 79.253937)
(xy 107.098049 79.156033)
(xy 107.031032 79.112964)
(xy 106.989068 79.085995)
(xy 106.864772 79.0495)
(xy 106.735228 79.0495)
(xy 106.610931 79.085995)
(xy 106.501954 79.156031)
(xy 106.501946 79.156037)
(xy 106.456836 79.208098)
(xy 106.412603 79.232709)
(xy 106.362899 79.223129)
(xy 106.344985 79.208097)
(xy 106.279375 79.132377)
(xy 106.279373 79.132376)
(xy 106.279372 79.132374)
(xy 106.207205 79.085995)
(xy 106.170391 79.062336)
(xy 106.046095 79.025841)
(xy 105.916551 79.025841)
(xy 105.792254 79.062336)
(xy 105.683277 79.132372)

(xy 105.683269 79.132378)
(xy 105.636336 79.186543)
(xy 105.592103 79.211153)
(xy 105.542399 79.201574)
(xy 105.524485 79.186542)
(xy 105.498052 79.156036)
(xy 105.49805 79.156035)
(xy 105.498049 79.156033)
(xy 105.431032 79.112964)
(xy 105.389068 79.085995)
(xy 105.264772 79.0495)
(xy 105.135228 79.0495)
(xy 105.010931 79.085995)
(xy 104.901954 79.156031)
(xy 104.901951 79.156033)
(xy 104.856838 79.208098)
(xy 104.855926 79.20915)
(xy 104.811692 79.23376)
(xy 104.761988 79.224181)
(xy 104.744074 79.20915)
(xy 104.698049 79.156033)
(xy 104.631032 79.112964)
(xy 104.589068 79.085995)
(xy 104.464772 79.0495)
(xy 104.335228 79.0495)
(xy 104.210931 79.085995)
(xy 104.101954 79.156031)
(xy 104.101951 79.156033)
(xy 104.056838 79.208098)
(xy 104.055926 79.20915)
(xy 104.011692 79.23376)
(xy 103.961988 79.224181)
(xy 103.944074 79.20915)
(xy 103.898049 79.156033)
(xy 103.831032 79.112964)
(xy 103.789068 79.085995)
(xy 103.664772 79.0495)
(xy 103.535228 79.0495)
(xy 103.410931 79.085995)
(xy 103.301954 79.156031)
(xy 103.301951 79.156033)
(xy 103.256838 79.208098)
(xy 103.255926 79.20915)
(xy 103.211692 79.23376)
(xy 103.161988 79.224181)
(xy 103.144074 79.20915)
(xy 103.098049 79.156033)
(xy 103.031032 79.112964)
(xy 102.989068 79.085995)
(xy 102.864772 79.0495)
(xy 102.735228 79.0495)
(xy 102.610931 79.085995)
(xy 102.501954 79.156031)
(xy 102.501951 79.156033)
(xy 102.456838 79.208098)
(xy 102.455926 79.20915)
(xy 102.411692 79.23376)
(xy 102.361988 79.224181)
(xy 102.344074 79.20915)
(xy 102.298049 79.156033)
(xy 102.231032 79.112964)
(xy 102.189068 79.085995)
(xy 102.064772 79.0495)
(xy 101.935228 79.0495)
(xy 101.810931 79.085995)
(xy 101.701954 79.156031)
(xy 101.701951 79.156033)
(xy 101.656838 79.208098)

(xy 101.655926 79.20915)
(xy 101.611692 79.23376)
(xy 101.561988 79.224181)
(xy 101.544074 79.20915)
(xy 101.498049 79.156033)
(xy 101.431032 79.112964)
(xy 101.389068 79.085995)
(xy 101.264772 79.0495)
(xy 101.135228 79.0495)
(xy 101.010931 79.085995)
(xy 100.901954 79.156031)
(xy 100.90195 79.156034)
(xy 100.817119 79.253935)
(xy 100.763302 79.371776)
(xy 100.744867 79.499999)
(xy 50.0505 79.499999)
(xy 50.0505 78.351519)
(xy 91.5695 78.351519)
(xy 91.584353 78.445304)
(xy 91.584354 78.445306)
(xy 91.640711 78.55591)
(xy 91.64195 78.558342)
(xy 91.731658 78.64805)
(xy 91.844696 78.705646)
(xy 91.938481 78.7205)
(xy 93.201518 78.720499)
(xy 93.201519 78.720499)
(xy 93.295304 78.705646)
(xy 93.295306 78.705645)
(xy 93.297419 78.704568)
(xy 93.408342 78.64805)
(xy 93.49805 78.558342)
(xy 93.555646 78.445304)
(xy 93.5705 78.351519)
(xy 93.570499 77.72)
(xy 94.104659 77.72)
(xy 94.123976 77.916133)
(xy 94.181187 78.104731)
(xy 94.268776 78.268597)
(xy 94.27409 78.278538)
(xy 94.399117 78.430883)
(xy 94.551462 78.55591)
(xy 94.628426 78.597048)
(xy 94.725268 78.648812)
(xy 94.72527 78.648812)
(xy 94.725273 78.648814)
(xy 94.913868 78.706024)
(xy 95.11 78.725341)
(xy 95.306132 78.706024)
(xy 95.494727 78.648814)
(xy 95.496157 78.64805)
(xy 95.514608 78.638187)
(xy 95.668538 78.55591)
(xy 95.820883 78.430883)
(xy 95.94591 78.278538)
(xy 96.038814 78.104727)
(xy 96.096024 77.916132)
(xy 96.115341 77.72)
(xy 96.644659 77.72)
(xy 96.663976 77.916133)
(xy 96.721187 78.104731)
(xy 96.808776 78.268597)
(xy 96.81409 78.278538)
(xy 96.939117 78.430883)
(xy 97.091462 78.55591)
(xy 97.168426 78.597048)
(xy 97.265268 78.648812)
(xy 97.26527 78.648812)

(xy 97.265273 78.648814)
(xy 97.453868 78.706024)
(xy 97.65 78.725341)
(xy 97.846132 78.706024)
(xy 98.034727 78.648814)
(xy 98.036157 78.64805)
(xy 98.054608 78.638187)
(xy 98.208538 78.55591)
(xy 98.360883 78.430883)
(xy 98.48591 78.278538)
(xy 98.578814 78.104727)
(xy 98.636024 77.916132)
(xy 98.655341 77.72)
(xy 99.184659 77.72)
(xy 99.203976 77.916133)
(xy 99.261187 78.104731)
(xy 99.348776 78.268597)
(xy 99.35409 78.278538)
(xy 99.479117 78.430883)
(xy 99.631462 78.55591)
(xy 99.708426 78.597048)
(xy 99.805268 78.648812)
(xy 99.80527 78.648812)
(xy 99.805273 78.648814)
(xy 99.993868 78.706024)
(xy 100.19 78.725341)
(xy 100.386132 78.706024)
(xy 100.574727 78.648814)
(xy 100.576157 78.64805)
(xy 100.594608 78.638187)
(xy 100.748538 78.55591)
(xy 100.900883 78.430883)
(xy 101.02591 78.278538)
(xy 101.118814 78.104727)
(xy 101.176024 77.916132)
(xy 101.195341 77.72)
(xy 101.724659 77.72)
(xy 101.743976 77.916133)
(xy 101.801187 78.104731)
(xy 101.888776 78.268597)
(xy 101.89409 78.278538)
(xy 102.019117 78.430883)
(xy 102.171462 78.55591)
(xy 102.248426 78.597048)
(xy 102.345268 78.648812)
(xy 102.34527 78.648812)
(xy 102.345273 78.648814)
(xy 102.533868 78.706024)
(xy 102.73 78.725341)
(xy 102.926132 78.706024)
(xy 103.114727 78.648814)
(xy 103.116157 78.64805)
(xy 103.134608 78.638187)
(xy 103.288538 78.55591)
(xy 103.440883 78.430883)
(xy 103.56591 78.278538)
(xy 103.658814 78.104727)
(xy 103.716024 77.916132)
(xy 103.735341 77.72)
(xy 104.264659 77.72)
(xy 104.283976 77.916133)
(xy 104.341187 78.104731)
(xy 104.428776 78.268597)
(xy 104.43409 78.278538)
(xy 104.559117 78.430883)
(xy 104.711462 78.55591)
(xy 104.788426 78.597048)
(xy 104.885268 78.648812)

(xy 104.88527 78.648812)
(xy 104.885273 78.648814)
(xy 105.073868 78.706024)
(xy 105.27 78.725341)
(xy 105.466132 78.706024)
(xy 105.654727 78.648814)
(xy 105.656157 78.64805)
(xy 105.674608 78.638187)
(xy 105.828538 78.55591)
(xy 105.980883 78.430883)
(xy 106.10591 78.278538)
(xy 106.198814 78.104727)
(xy 106.256024 77.916132)
(xy 106.275341 77.72)
(xy 106.804659 77.72)
(xy 106.823976 77.916133)
(xy 106.881187 78.104731)
(xy 106.968776 78.268597)
(xy 106.97409 78.278538)
(xy 107.099117 78.430883)
(xy 107.251462 78.55591)
(xy 107.328426 78.597048)
(xy 107.425268 78.648812)
(xy 107.42527 78.648812)
(xy 107.425273 78.648814)
(xy 107.613868 78.706024)
(xy 107.81 78.725341)
(xy 108.006132 78.706024)
(xy 108.194727 78.648814)
(xy 108.196157 78.64805)
(xy 108.214608 78.638187)
(xy 108.368538 78.55591)
(xy 108.520883 78.430883)
(xy 108.64591 78.278538)
(xy 108.738814 78.104727)
(xy 108.796024 77.916132)
(xy 108.815341 77.72)
(xy 109.344659 77.72)
(xy 109.363976 77.916133)
(xy 109.421187 78.104731)
(xy 109.508776 78.268597)
(xy 109.51409 78.278538)
(xy 109.639117 78.430883)
(xy 109.791462 78.55591)
(xy 109.868426 78.597048)
(xy 109.965268 78.648812)
(xy 109.96527 78.648812)
(xy 109.965273 78.648814)
(xy 110.153868 78.706024)
(xy 110.35 78.725341)
(xy 110.546132 78.706024)
(xy 110.734727 78.648814)
(xy 110.736157 78.64805)
(xy 110.754608 78.638187)
(xy 110.908538 78.55591)
(xy 111.060883 78.430883)
(xy 111.18591 78.278538)
(xy 111.278814 78.104727)
(xy 111.336024 77.916132)
(xy 111.355341 77.72)
(xy 111.884659 77.72)
(xy 111.903976 77.916133)
(xy 111.961187 78.104731)
(xy 112.048776 78.268597)
(xy 112.05409 78.278538)
(xy 112.179117 78.430883)
(xy 112.331462 78.55591)
(xy 112.408426 78.597048)

(xy 112.505268 78.648812)
(xy 112.50527 78.648812)
(xy 112.505273 78.648814)
(xy 112.693868 78.706024)
(xy 112.89 78.725341)
(xy 113.086132 78.706024)
(xy 113.274727 78.648814)
(xy 113.276157 78.64805)
(xy 113.294608 78.638187)
(xy 113.448538 78.55591)
(xy 113.600883 78.430883)
(xy 113.72591 78.278538)
(xy 113.818814 78.104727)
(xy 113.876024 77.916132)
(xy 113.895341 77.72)
(xy 114.424659 77.72)
(xy 114.443976 77.916133)
(xy 114.501187 78.104731)
(xy 114.588776 78.268597)
(xy 114.59409 78.278538)
(xy 114.719117 78.430883)
(xy 114.871462 78.55591)
(xy 114.948426 78.597048)
(xy 115.045268 78.648812)
(xy 115.04527 78.648812)
(xy 115.045273 78.648814)
(xy 115.233868 78.706024)
(xy 115.43 78.725341)
(xy 115.626132 78.706024)
(xy 115.814727 78.648814)
(xy 115.816157 78.64805)
(xy 115.834608 78.638187)
(xy 115.988538 78.55591)
(xy 116.140883 78.430883)
(xy 116.26591 78.278538)
(xy 116.358814 78.104727)
(xy 116.416024 77.916132)
(xy 116.435341 77.72)
(xy 116.416024 77.523868)
(xy 116.358814 77.335273)
(xy 116.358812 77.33527)
(xy 116.358812 77.335268)
(xy 116.307048 77.238426)
(xy 116.26591 77.161462)
(xy 116.140883 77.009117)
(xy 115.988538 76.88409)
(xy 115.978597 76.878776)
(xy 115.814731 76.791187)
(xy 115.626133 76.733976)
(xy 115.43 76.714659)
(xy 115.233866 76.733976)
(xy 115.045268 76.791187)
(xy 114.871463 76.884089)
(xy 114.719117 77.009117)
(xy 114.594089 77.161463)
(xy 114.501187 77.335268)
(xy 114.443976 77.523866)
(xy 114.424659 77.72)
(xy 113.895341 77.72)
(xy 113.876024 77.523868)
(xy 113.818814 77.335273)
(xy 113.818812 77.33527)
(xy 113.818812 77.335268)
(xy 113.767048 77.238426)
(xy 113.72591 77.161462)
(xy 113.600883 77.009117)
(xy 113.448538 76.88409)
(xy 113.438597 76.878776)

(xy 113.274731 76.791187)
(xy 113.086133 76.733976)
(xy 112.89 76.714659)
(xy 112.693866 76.733976)
(xy 112.505268 76.791187)
(xy 112.331463 76.884089)
(xy 112.179117 77.009117)
(xy 112.054089 77.161463)
(xy 111.961187 77.335268)
(xy 111.903976 77.523866)
(xy 111.884659 77.72)
(xy 111.355341 77.72)
(xy 111.336024 77.523868)
(xy 111.278814 77.335273)
(xy 111.278812 77.33527)
(xy 111.278812 77.335268)
(xy 111.227048 77.238426)
(xy 111.18591 77.161462)
(xy 111.060883 77.009117)
(xy 110.908538 76.88409)
(xy 110.898597 76.878776)
(xy 110.734731 76.791187)
(xy 110.546133 76.733976)
(xy 110.35 76.714659)
(xy 110.153866 76.733976)
(xy 109.965268 76.791187)
(xy 109.791463 76.884089)
(xy 109.639117 77.009117)
(xy 109.514089 77.161463)
(xy 109.421187 77.335268)
(xy 109.363976 77.523866)
(xy 109.344659 77.72)
(xy 108.815341 77.72)
(xy 108.796024 77.523868)
(xy 108.738814 77.335273)
(xy 108.738812 77.33527)
(xy 108.738812 77.335268)
(xy 108.687048 77.238426)
(xy 108.64591 77.161462)
(xy 108.520883 77.009117)
(xy 108.368538 76.88409)
(xy 108.358597 76.878776)
(xy 108.194731 76.791187)
(xy 108.006133 76.733976)
(xy 107.81 76.714659)
(xy 107.613866 76.733976)
(xy 107.425268 76.791187)
(xy 107.251463 76.884089)
(xy 107.099117 77.009117)
(xy 106.974089 77.161463)
(xy 106.881187 77.335268)
(xy 106.823976 77.523866)
(xy 106.804659 77.72)
(xy 106.275341 77.72)
(xy 106.256024 77.523868)
(xy 106.198814 77.335273)
(xy 106.198812 77.33527)
(xy 106.198812 77.335268)
(xy 106.147048 77.238426)
(xy 106.10591 77.161462)
(xy 105.980883 77.009117)
(xy 105.828538 76.88409)
(xy 105.818597 76.878776)
(xy 105.654731 76.791187)
(xy 105.466133 76.733976)
(xy 105.27 76.714659)
(xy 105.073866 76.733976)
(xy 104.885268 76.791187)

(xy 104.711463 76.884089)
(xy 104.559117 77.009117)
(xy 104.434089 77.161463)
(xy 104.341187 77.335268)
(xy 104.283976 77.523866)
(xy 104.264659 77.72)
(xy 103.735341 77.72)
(xy 103.716024 77.523868)
(xy 103.658814 77.335273)
(xy 103.658812 77.33527)
(xy 103.658812 77.335268)
(xy 103.607048 77.238426)
(xy 103.56591 77.161462)
(xy 103.440883 77.009117)
(xy 103.288538 76.88409)
(xy 103.278597 76.878776)
(xy 103.114731 76.791187)
(xy 102.926133 76.733976)
(xy 102.73 76.714659)
(xy 102.533866 76.733976)
(xy 102.345268 76.791187)
(xy 102.171463 76.884089)
(xy 102.019117 77.009117)
(xy 101.894089 77.161463)
(xy 101.801187 77.335268)
(xy 101.743976 77.523866)
(xy 101.724659 77.72)
(xy 101.195341 77.72)
(xy 101.176024 77.523868)
(xy 101.118814 77.335273)
(xy 101.118812 77.33527)
(xy 101.118812 77.335268)
(xy 101.067048 77.238426)
(xy 101.02591 77.161462)
(xy 100.900883 77.009117)
(xy 100.748538 76.88409)
(xy 100.738597 76.878776)
(xy 100.574731 76.791187)
(xy 100.386133 76.733976)
(xy 100.19 76.714659)
(xy 99.993866 76.733976)
(xy 99.805268 76.791187)
(xy 99.631463 76.884089)
(xy 99.479117 77.009117)
(xy 99.354089 77.161463)
(xy 99.261187 77.335268)
(xy 99.203976 77.523866)
(xy 99.184659 77.72)
(xy 98.655341 77.72)
(xy 98.636024 77.523868)
(xy 98.578814 77.335273)
(xy 98.578812 77.33527)
(xy 98.578812 77.335268)
(xy 98.527048 77.238426)
(xy 98.48591 77.161462)
(xy 98.360883 77.009117)
(xy 98.208538 76.88409)
(xy 98.198597 76.878776)
(xy 98.034731 76.791187)
(xy 97.846133 76.733976)
(xy 97.65 76.714659)
(xy 97.453866 76.733976)
(xy 97.265268 76.791187)
(xy 97.091463 76.884089)
(xy 96.939117 77.009117)
(xy 96.814089 77.161463)
(xy 96.721187 77.335268)
(xy 96.663976 77.523866)

(xy 96.644659 77.72)
(xy 96.115341 77.72)
(xy 96.096024 77.523868)
(xy 96.038814 77.335273)
(xy 96.038812 77.33527)
(xy 96.038812 77.335268)
(xy 95.987048 77.238426)
(xy 95.94591 77.161462)
(xy 95.820883 77.009117)
(xy 95.668538 76.88409)
(xy 95.658597 76.878776)
(xy 95.494731 76.791187)
(xy 95.306133 76.733976)
(xy 95.11 76.714659)
(xy 94.913866 76.733976)
(xy 94.725268 76.791187)
(xy 94.551463 76.884089)
(xy 94.399117 77.009117)
(xy 94.274089 77.161463)
(xy 94.181187 77.335268)
(xy 94.123976 77.523866)
(xy 94.104659 77.72)
(xy 93.570499 77.72)
(xy 93.570499 77.088482)
(xy 93.565497 77.0569)
(xy 93.555646 76.994695)
(xy 93.555645 76.994693)
(xy 93.514531 76.914004)
(xy 93.49805 76.881658)
(xy 93.408342 76.79195)
(xy 93.295304 76.734354)
(xy 93.295302 76.734353)
(xy 93.295301 76.734353)
(xy 93.201519 76.7195)
(xy 91.93848 76.7195)
(xy 91.844695 76.734353)
(xy 91.844693 76.734354)
(xy 91.731657 76.79195)
(xy 91.641951 76.881656)
(xy 91.584353 76.994698)
(xy 91.5695 77.08848)
(xy 91.5695 78.351519)
(xy 50.0505 78.351519)
(xy 50.0505 76.5)
(xy 58.344873 76.5)
(xy 58.363308 76.628223)
(xy 58.363308 76.628224)
(xy 58.363309 76.628226)
(xy 58.417124 76.746063)
(xy 58.501957 76.843967)
(xy 58.610937 76.914004)
(xy 58.735234 76.9505)
(xy 58.864778 76.9505)
(xy 58.989075 76.914004)
(xy 59.098055 76.843967)
(xy 59.133075 76.80355)
(xy 59.177306 76.77894)
(xy 59.227011 76.788518)
(xy 59.25148 76.812359)
(xy 59.310326 76.905085)
(xy 59.310329 76.905089)
(xy 59.31033 76.90509)
(xy 59.426456 77.014139)
(xy 59.566053 77.090883)
(xy 59.662104 77.115545)
(xy 59.720344 77.130499)
(xy 59.720346 77.130499)
(xy 59.720349 77.1305)

(xy 59.720352 77.1305)
(xy 59.839667 77.1305)
(xy 59.83967 77.130499)
(xy 59.877953 77.125663)
(xy 59.958039 77.115546)
(xy 59.958039 77.115545)
(xy 59.958045 77.115545)
(xy 60.10616 77.056903)
(xy 60.171932 77.009117)
(xy 60.235033 76.963271)
(xy 60.235033 76.96327)
(xy 60.235037 76.963268)
(xy 60.33658 76.840524)
(xy 60.404407 76.696384)
(xy 60.417409 76.628226)
(xy 60.434257 76.539906)
(xy 60.434257 76.539904)
(xy 60.432081 76.505324)
(xy 62.659594 76.505324)
(xy 62.678029 76.633548)
(xy 62.678029 76.633549)
(xy 62.67803 76.633551)
(xy 62.731845 76.751388)
(xy 62.816678 76.849292)
(xy 62.925658 76.919329)
(xy 63.049955 76.955825)
(xy 63.179499 76.955825)
(xy 63.303796 76.919329)
(xy 63.412776 76.849292)
(xy 63.497609 76.751388)
(xy 63.551424 76.633551)
(xy 63.56986 76.505325)
(xy 63.569094 76.5)
(xy 63.794867 76.5)
(xy 63.813302 76.628223)
(xy 63.813302 76.628224)
(xy 63.813303 76.628226)
(xy 63.867118 76.746063)
(xy 63.951951 76.843967)
(xy 64.060931 76.914004)
(xy 64.185228 76.9505)
(xy 64.314772 76.9505)
(xy 64.439069 76.914004)
(xy 64.548049 76.843967)
(xy 64.632882 76.746063)
(xy 64.686697 76.628226)
(xy 64.705133 76.5)
(xy 64.702976 76.485)
(xy 66.329867 76.485)
(xy 66.348302 76.613223)
(xy 66.348302 76.613224)
(xy 66.348303 76.613226)
(xy 66.402118 76.731063)
(xy 66.486951 76.828967)
(xy 66.595931 76.899004)
(xy 66.720228 76.9355)
(xy 66.849772 76.9355)
(xy 66.974069 76.899004)
(xy 67.083049 76.828967)
(xy 67.167882 76.731063)
(xy 67.221697 76.613226)
(xy 67.237976 76.5)
(xy 67.594867 76.5)
(xy 67.613302 76.628223)
(xy 67.613302 76.628224)
(xy 67.613303 76.628226)
(xy 67.667118 76.746063)
(xy 67.751951 76.843967)

(xy 67.860931 76.914004)
(xy 67.985228 76.9505)
(xy 68.114772 76.9505)
(xy 68.239069 76.914004)
(xy 68.348049 76.843967)
(xy 68.432882 76.746063)
(xy 68.486697 76.628226)
(xy 68.505133 76.5)
(xy 70.144867 76.5)
(xy 70.163302 76.628223)
(xy 70.163302 76.628224)
(xy 70.163303 76.628226)
(xy 70.217118 76.746063)
(xy 70.301951 76.843967)
(xy 70.410931 76.914004)
(xy 70.535228 76.9505)
(xy 70.664772 76.9505)
(xy 70.789069 76.914004)
(xy 70.898049 76.843967)
(xy 70.982882 76.746063)
(xy 71.036697 76.628226)
(xy 71.055133 76.5)
(xy 71.394867 76.5)
(xy 71.395633 76.505325)
(xy 71.413302 76.628223)
(xy 71.413302 76.628224)
(xy 71.413303 76.628226)
(xy 71.467118 76.746063)
(xy 71.551951 76.843967)
(xy 71.660931 76.914004)
(xy 71.785228 76.9505)
(xy 71.914772 76.9505)
(xy 72.039069 76.914004)
(xy 72.148049 76.843967)
(xy 72.232882 76.746063)
(xy 72.286697 76.628226)
(xy 72.305133 76.5)
(xy 73.944867 76.5)
(xy 73.945633 76.505325)
(xy 73.963302 76.628223)
(xy 73.963302 76.628224)
(xy 73.963303 76.628226)
(xy 74.017118 76.746063)
(xy 74.101951 76.843967)
(xy 74.210931 76.914004)
(xy 74.335228 76.9505)
(xy 74.464772 76.9505)
(xy 74.589069 76.914004)
(xy 74.698049 76.843967)
(xy 74.782882 76.746063)
(xy 74.836697 76.628226)
(xy 74.855133 76.5)
(xy 75.244867 76.5)
(xy 75.263302 76.628223)
(xy 75.263302 76.628224)
(xy 75.263303 76.628226)
(xy 75.317118 76.746063)
(xy 75.401951 76.843967)
(xy 75.510931 76.914004)
(xy 75.635228 76.9505)
(xy 75.764772 76.9505)
(xy 75.889069 76.914004)
(xy 75.998049 76.843967)
(xy 76.082882 76.746063)
(xy 76.136697 76.628226)
(xy 76.155133 76.5)
(xy 77.744867 76.5)
(xy 77.745633 76.505325)

(xy 77.763302 76.628223)
(xy 77.763302 76.628224)
(xy 77.763303 76.628226)
(xy 77.817118 76.746063)
(xy 77.901951 76.843967)
(xy 78.010931 76.914004)
(xy 78.135228 76.9505)
(xy 78.264772 76.9505)
(xy 78.389069 76.914004)
(xy 78.498049 76.843967)
(xy 78.582882 76.746063)
(xy 78.636697 76.628226)
(xy 78.655133 76.5)
(xy 79.044867 76.5)
(xy 79.045633 76.505325)
(xy 79.063302 76.628223)
(xy 79.063302 76.628224)
(xy 79.063303 76.628226)
(xy 79.117118 76.746063)
(xy 79.201951 76.843967)
(xy 79.310931 76.914004)
(xy 79.435228 76.9505)
(xy 79.564772 76.9505)
(xy 79.689069 76.914004)
(xy 79.798049 76.843967)
(xy 79.882882 76.746063)
(xy 79.936697 76.628226)
(xy 79.955133 76.5)
(xy 81.544867 76.5)
(xy 81.563302 76.628223)
(xy 81.563302 76.628224)
(xy 81.563303 76.628226)
(xy 81.617118 76.746063)
(xy 81.701951 76.843967)
(xy 81.810931 76.914004)
(xy 81.935228 76.9505)
(xy 82.064772 76.9505)
(xy 82.189069 76.914004)
(xy 82.298049 76.843967)
(xy 82.382882 76.746063)
(xy 82.436697 76.628226)
(xy 82.455133 76.5)
(xy 82.454414 76.495)
(xy 82.839867 76.495)
(xy 82.858302 76.623223)
(xy 82.858302 76.623224)
(xy 82.858303 76.623226)
(xy 82.912118 76.741063)
(xy 82.996951 76.838967)
(xy 83.105931 76.909004)
(xy 83.230228 76.9455)
(xy 83.359772 76.9455)
(xy 83.484069 76.909004)
(xy 83.593049 76.838967)
(xy 83.677882 76.741063)
(xy 83.731697 76.623226)
(xy 83.750133 76.495)
(xy 83.745114 76.460092)
(xy 84.565743 76.460092)
(xy 84.575745 76.619079)
(xy 84.575746 76.619085)
(xy 84.624969 76.770581)
(xy 84.624973 76.770589)
(xy 84.710326 76.905085)
(xy 84.710329 76.905089)
(xy 84.71033 76.90509)
(xy 84.826456 77.014139)
(xy 84.966053 77.090883)

(xy 85.062104 77.115545)
(xy 85.120344 77.130499)
(xy 85.120346 77.130499)
(xy 85.120349 77.1305)
(xy 85.120352 77.1305)
(xy 85.239667 77.1305)
(xy 85.23967 77.130499)
(xy 85.277953 77.125663)
(xy 85.358039 77.115546)
(xy 85.358039 77.115545)
(xy 85.358045 77.115545)
(xy 85.50616 77.056903)
(xy 85.571932 77.009117)
(xy 85.635033 76.963271)
(xy 85.635033 76.96327)
(xy 85.635037 76.963268)
(xy 85.73658 76.840524)
(xy 85.804407 76.696384)
(xy 85.817409 76.628226)
(xy 85.834257 76.539906)
(xy 85.834257 76.539904)
(xy 85.824254 76.38092)
(xy 85.824253 76.380914)
(xy 85.77503 76.229418)
(xy 85.775026 76.22941)
(xy 85.689673 76.094914)
(xy 85.689668 76.094908)
(xy 85.573545 75.985862)
(xy 85.573544 75.985861)
(xy 85.433947 75.909117)
(xy 85.279655 75.8695)
(xy 85.279651 75.8695)
(xy 85.160334 75.8695)
(xy 85.160326 75.8695)
(xy 85.04196 75.884453)
(xy 84.893839 75.943097)
(xy 84.893835 75.943099)
(xy 84.764966 76.036728)
(xy 84.66342 76.159476)
(xy 84.663419 76.159477)
(xy 84.595592 76.303615)
(xy 84.565743 76.460092)
(xy 83.745114 76.460092)
(xy 83.731697 76.366774)
(xy 83.677882 76.248937)
(xy 83.593049 76.151033)
(xy 83.500134 76.09132)
(xy 83.484068 76.080995)
(xy 83.359772 76.0445)
(xy 83.230228 76.0445)
(xy 83.105931 76.080995)
(xy 82.996954 76.151031)
(xy 82.99695 76.151034)
(xy 82.912119 76.248935)
(xy 82.912118 76.248936)
(xy 82.912118 76.248937)
(xy 82.909835 76.253937)
(xy 82.858302 76.366776)
(xy 82.839867 76.495)
(xy 82.454414 76.495)
(xy 82.436697 76.371774)
(xy 82.382882 76.253937)
(xy 82.298049 76.156033)
(xy 82.224575 76.108814)
(xy 82.189068 76.085995)
(xy 82.064772 76.0495)
(xy 81.935228 76.0495)
(xy 81.810931 76.085995)

(xy 81.701954 76.156031)
(xy 81.70195 76.156034)
(xy 81.617119 76.253935)
(xy 81.563302 76.371776)
(xy 81.544867 76.5)
(xy 79.955133 76.5)
(xy 79.936697 76.371774)
(xy 79.882882 76.253937)
(xy 79.798049 76.156033)
(xy 79.724575 76.108814)
(xy 79.689068 76.085995)
(xy 79.564772 76.0495)
(xy 79.435228 76.0495)
(xy 79.310931 76.085995)
(xy 79.201954 76.156031)
(xy 79.20195 76.156034)
(xy 79.117119 76.253935)
(xy 79.063302 76.371776)
(xy 79.045586 76.495)
(xy 79.044867 76.5)
(xy 78.655133 76.5)
(xy 78.636697 76.371774)
(xy 78.582882 76.253937)
(xy 78.498049 76.156033)
(xy 78.424575 76.108814)
(xy 78.389068 76.085995)
(xy 78.264772 76.0495)
(xy 78.135228 76.0495)
(xy 78.010931 76.085995)
(xy 77.901954 76.156031)
(xy 77.90195 76.156034)
(xy 77.817119 76.253935)
(xy 77.763302 76.371776)
(xy 77.745586 76.495)
(xy 77.744867 76.5)
(xy 76.155133 76.5)
(xy 76.136697 76.371774)
(xy 76.082882 76.253937)
(xy 75.998049 76.156033)
(xy 75.924575 76.108814)
(xy 75.889068 76.085995)
(xy 75.764772 76.0495)
(xy 75.635228 76.0495)
(xy 75.510931 76.085995)
(xy 75.401954 76.156031)
(xy 75.40195 76.156034)
(xy 75.317119 76.253935)
(xy 75.263302 76.371776)
(xy 75.244867 76.5)
(xy 74.855133 76.5)
(xy 74.836697 76.371774)
(xy 74.782882 76.253937)
(xy 74.698049 76.156033)
(xy 74.624575 76.108814)
(xy 74.589068 76.085995)
(xy 74.464772 76.0495)
(xy 74.335228 76.0495)
(xy 74.210931 76.085995)
(xy 74.101954 76.156031)
(xy 74.10195 76.156034)
(xy 74.017119 76.253935)
(xy 73.963302 76.371776)
(xy 73.945586 76.495)
(xy 73.944867 76.5)
(xy 72.305133 76.5)
(xy 72.286697 76.371774)
(xy 72.232882 76.253937)
(xy 72.148049 76.156033)

(xy 72.074575 76.108814)
(xy 72.039068 76.085995)
(xy 71.914772 76.0495)
(xy 71.785228 76.0495)
(xy 71.660931 76.085995)
(xy 71.551954 76.156031)
(xy 71.55195 76.156034)
(xy 71.467119 76.253935)
(xy 71.413302 76.371776)
(xy 71.395586 76.495)
(xy 71.394867 76.5)
(xy 71.055133 76.5)
(xy 71.036697 76.371774)
(xy 70.982882 76.253937)
(xy 70.898049 76.156033)
(xy 70.824575 76.108814)
(xy 70.789068 76.085995)
(xy 70.664772 76.0495)
(xy 70.535228 76.0495)
(xy 70.410931 76.085995)
(xy 70.301954 76.156031)
(xy 70.30195 76.156034)
(xy 70.217119 76.253935)
(xy 70.163302 76.371776)
(xy 70.144867 76.5)
(xy 68.505133 76.5)
(xy 68.486697 76.371774)
(xy 68.432882 76.253937)
(xy 68.348049 76.156033)
(xy 68.274575 76.108814)
(xy 68.239068 76.085995)
(xy 68.114772 76.0495)
(xy 67.985228 76.0495)
(xy 67.860931 76.085995)
(xy 67.751954 76.156031)
(xy 67.75195 76.156034)
(xy 67.667119 76.253935)
(xy 67.613302 76.371776)
(xy 67.594867 76.5)
(xy 67.237976 76.5)
(xy 67.240133 76.485)
(xy 67.221697 76.356774)
(xy 67.167882 76.238937)
(xy 67.083049 76.141033)
(xy 67.011277 76.094908)
(xy 66.974068 76.070995)
(xy 66.849772 76.0345)
(xy 66.720228 76.0345)
(xy 66.595931 76.070995)
(xy 66.486954 76.141031)
(xy 66.48695 76.141034)
(xy 66.402119 76.238935)
(xy 66.348302 76.356776)
(xy 66.329867 76.485)
(xy 64.702976 76.485)
(xy 64.686697 76.371774)
(xy 64.632882 76.253937)
(xy 64.548049 76.156033)
(xy 64.474575 76.108814)
(xy 64.439068 76.085995)
(xy 64.314772 76.0495)
(xy 64.185228 76.0495)
(xy 64.060931 76.085995)
(xy 63.951954 76.156031)
(xy 63.95195 76.156034)
(xy 63.867119 76.253935)
(xy 63.813302 76.371776)
(xy 63.794867 76.5)

(xy 63.569094 76.5)
(xy 63.551424 76.377099)
(xy 63.497609 76.259262)
(xy 63.412776 76.161358)
(xy 63.309381 76.09491)
(xy 63.303795 76.09132)
(xy 63.179499 76.054825)
(xy 63.049955 76.054825)
(xy 62.925658 76.09132)
(xy 62.816681 76.161356)
(xy 62.816677 76.161359)
(xy 62.731846 76.25926)
(xy 62.678029 76.377101)
(xy 62.659594 76.505324)
(xy 60.432081 76.505324)
(xy 60.424254 76.38092)
(xy 60.424253 76.380914)
(xy 60.37503 76.229418)
(xy 60.375026 76.22941)
(xy 60.289673 76.094914)
(xy 60.289668 76.094908)
(xy 60.173545 75.985862)
(xy 60.173544 75.985861)
(xy 60.033947 75.909117)
(xy 59.879655 75.8695)
(xy 59.879651 75.8695)
(xy 59.760334 75.8695)
(xy 59.760326 75.8695)
(xy 59.64196 75.884453)
(xy 59.493839 75.943097)
(xy 59.493835 75.943099)
(xy 59.364966 76.036728)
(xy 59.26342 76.159476)
(xy 59.263419 76.159477)
(xy 59.254688 76.178032)
(xy 59.21877 76.2137)
(xy 59.168329 76.217935)
(xy 59.131805 76.194983)
(xy 59.098058 76.156036)
(xy 59.098056 76.156035)
(xy 59.098055 76.156033)
(xy 59.024581 76.108814)
(xy 58.989074 76.085995)
(xy 58.864778 76.0495)
(xy 58.735234 76.0495)
(xy 58.610937 76.085995)
(xy 58.50196 76.156031)
(xy 58.501956 76.156034)
(xy 58.417125 76.253935)
(xy 58.363308 76.371776)
(xy 58.344873 76.5)
(xy 50.0505 76.5)
(xy 50.0505 75.18)
(xy 91.564659 75.18)
(xy 91.583976 75.376133)
(xy 91.641187 75.564731)
(xy 91.712248 75.697675)
(xy 91.73409 75.738538)
(xy 91.859117 75.890883)
(xy 92.011462 76.01591)
(xy 92.084267 76.054825)
(xy 92.185268 76.108812)
(xy 92.18527 76.108812)
(xy 92.185273 76.108814)
(xy 92.373868 76.166024)
(xy 92.57 76.185341)
(xy 92.766132 76.166024)
(xy 92.954727 76.108814)

(xy 93.128538 76.01591)
(xy 93.280883 75.890883)
(xy 93.40591 75.738538)
(xy 93.498814 75.564727)
(xy 93.556024 75.376132)
(xy 93.575341 75.180005)
(xy 93.754843 75.180005)
(xy 93.77543 75.415317)
(xy 93.775431 75.415325)
(xy 93.836566 75.643483)
(xy 93.836571 75.643494)
(xy 93.936402 75.857582)
(xy 93.995072 75.941373)
(xy 94.544923 75.391522)
(xy 94.590799 75.37013)
(xy 94.639694 75.383231)
(xy 94.659502 75.403841)
(xy 94.681995 75.438841)
(xy 94.728239 75.510798)
(xy 94.8369 75.604952)
(xy 94.878415 75.623911)
(xy 94.914491 75.659419)
(xy 94.919303 75.709809)
(xy 94.900001 75.74355)
(xy 94.348625 76.294925)
(xy 94.43242 76.353598)
(xy 94.646505 76.453428)
(xy 94.646516 76.453433)
(xy 94.874674 76.514568)
(xy 94.874682 76.514569)
(xy 95.109995 76.535157)
(xy 95.110005 76.535157)
(xy 95.345317 76.514569)
(xy 95.345325 76.514568)
(xy 95.573483 76.453433)
(xy 95.573494 76.453428)
(xy 95.787579 76.353598)
(xy 95.871373 76.294926)
(xy 95.319998 75.743551)
(xy 95.298606 75.697675)
(xy 95.311707 75.64878)
(xy 95.341582 75.623912)
(xy 95.3831 75.604952)
(xy 95.491761 75.510798)
(xy 95.560499 75.403838)
(xy 95.600776 75.373185)
(xy 95.651338 75.375593)
(xy 95.675075 75.391522)
(xy 96.224926 75.941373)
(xy 96.283598 75.857579)
(xy 96.312933 75.794673)
(xy 96.348726 75.75888)
(xy 96.399153 75.754469)
(xy 96.440617 75.783502)
(xy 96.447067 75.794673)
(xy 96.476402 75.857582)
(xy 96.535072 75.941373)
(xy 97.084923 75.391522)
(xy 97.130799 75.37013)
(xy 97.179694 75.383231)
(xy 97.199502 75.403841)
(xy 97.221995 75.438841)
(xy 97.268239 75.510798)
(xy 97.3769 75.604952)
(xy 97.418415 75.623911)
(xy 97.454491 75.659419)
(xy 97.459303 75.709809)
(xy 97.440001 75.74355)

(xy 96.888625 76.294925)
(xy 96.97242 76.353598)
(xy 97.186505 76.453428)
(xy 97.186516 76.453433)
(xy 97.414674 76.514568)
(xy 97.414682 76.514569)
(xy 97.649995 76.535157)
(xy 97.650005 76.535157)
(xy 97.885317 76.514569)
(xy 97.885325 76.514568)
(xy 98.113483 76.453433)
(xy 98.113494 76.453428)
(xy 98.327579 76.353598)
(xy 98.411373 76.294926)
(xy 97.859998 75.743551)
(xy 97.838606 75.697675)
(xy 97.851707 75.64878)
(xy 97.881582 75.623912)
(xy 97.9231 75.604952)
(xy 98.031761 75.510798)
(xy 98.100499 75.403838)
(xy 98.140776 75.373185)
(xy 98.191338 75.375593)
(xy 98.215075 75.391522)
(xy 98.764926 75.941373)
(xy 98.823598 75.857579)
(xy 98.852933 75.794673)
(xy 98.888726 75.75888)
(xy 98.939153 75.754469)
(xy 98.980617 75.783502)
(xy 98.987067 75.794673)
(xy 99.016402 75.857582)
(xy 99.075072 75.941373)
(xy 99.624923 75.391522)
(xy 99.670799 75.37013)
(xy 99.719694 75.383231)
(xy 99.739502 75.403841)
(xy 99.761995 75.438841)
(xy 99.808239 75.510798)
(xy 99.9169 75.604952)
(xy 99.958415 75.623911)
(xy 99.994491 75.659419)
(xy 99.999303 75.709809)
(xy 99.980001 75.74355)
(xy 99.428625 76.294925)
(xy 99.51242 76.353598)
(xy 99.726505 76.453428)
(xy 99.726516 76.453433)
(xy 99.954674 76.514568)
(xy 99.954682 76.514569)
(xy 100.189995 76.535157)
(xy 100.190005 76.535157)
(xy 100.425317 76.514569)
(xy 100.425325 76.514568)
(xy 100.653483 76.453433)
(xy 100.653494 76.453428)
(xy 100.867579 76.353598)
(xy 100.951373 76.294926)
(xy 100.399998 75.743551)
(xy 100.378606 75.697675)
(xy 100.391707 75.64878)
(xy 100.421582 75.623912)
(xy 100.4631 75.604952)
(xy 100.571761 75.510798)
(xy 100.640499 75.403838)
(xy 100.680776 75.373185)
(xy 100.731338 75.375593)
(xy 100.755075 75.391522)

(xy 101.304926 75.941373)
(xy 101.363598 75.857579)
(xy 101.392933 75.794673)
(xy 101.428726 75.75888)
(xy 101.479153 75.754469)
(xy 101.520617 75.783502)
(xy 101.527067 75.794673)
(xy 101.556402 75.857582)
(xy 101.615072 75.941373)
(xy 102.164923 75.391522)
(xy 102.210799 75.37013)
(xy 102.259694 75.383231)
(xy 102.279502 75.403841)
(xy 102.301995 75.438841)
(xy 102.348239 75.510798)
(xy 102.4569 75.604952)
(xy 102.498415 75.623911)
(xy 102.534491 75.659419)
(xy 102.539303 75.709809)
(xy 102.520001 75.74355)
(xy 101.968625 76.294925)
(xy 102.05242 76.353598)
(xy 102.266505 76.453428)
(xy 102.266516 76.453433)
(xy 102.494674 76.514568)
(xy 102.494682 76.514569)
(xy 102.729995 76.535157)
(xy 102.730005 76.535157)
(xy 102.965317 76.514569)
(xy 102.965325 76.514568)
(xy 103.193483 76.453433)
(xy 103.193494 76.453428)
(xy 103.407579 76.353598)
(xy 103.491373 76.294926)
(xy 102.939998 75.743551)
(xy 102.918606 75.697675)
(xy 102.931707 75.64878)
(xy 102.961582 75.623912)
(xy 103.0031 75.604952)
(xy 103.111761 75.510798)
(xy 103.180499 75.403838)
(xy 103.220776 75.373185)
(xy 103.271338 75.375593)
(xy 103.295075 75.391522)
(xy 103.844926 75.941373)
(xy 103.903598 75.857579)
(xy 103.932933 75.794673)
(xy 103.968726 75.75888)
(xy 104.019153 75.754469)
(xy 104.060617 75.783502)
(xy 104.067067 75.794673)
(xy 104.096402 75.857582)
(xy 104.155072 75.941373)
(xy 104.704923 75.391522)
(xy 104.750799 75.37013)
(xy 104.799694 75.383231)
(xy 104.819502 75.403841)
(xy 104.841995 75.438841)
(xy 104.888239 75.510798)
(xy 104.9969 75.604952)
(xy 105.038415 75.623911)
(xy 105.074491 75.659419)
(xy 105.079303 75.709809)
(xy 105.060001 75.74355)
(xy 104.508625 76.294925)
(xy 104.59242 76.353598)
(xy 104.806505 76.453428)
(xy 104.806516 76.453433)

(xy 105.034674 76.514568)
(xy 105.034682 76.514569)
(xy 105.269995 76.535157)
(xy 105.270005 76.535157)
(xy 105.505317 76.514569)
(xy 105.505325 76.514568)
(xy 105.733483 76.453433)
(xy 105.733494 76.453428)
(xy 105.947579 76.353598)
(xy 106.031373 76.294926)
(xy 105.479998 75.743551)
(xy 105.458606 75.697675)
(xy 105.471707 75.64878)
(xy 105.501582 75.623912)
(xy 105.5431 75.604952)
(xy 105.651761 75.510798)
(xy 105.720499 75.403838)
(xy 105.760776 75.373185)
(xy 105.811338 75.375593)
(xy 105.835075 75.391522)
(xy 106.384926 75.941373)
(xy 106.443598 75.857579)
(xy 106.472933 75.794673)
(xy 106.508726 75.75888)
(xy 106.559153 75.754469)
(xy 106.600617 75.783502)
(xy 106.607067 75.794673)
(xy 106.636402 75.857582)
(xy 106.695072 75.941373)
(xy 107.244923 75.391522)
(xy 107.290799 75.37013)
(xy 107.339694 75.383231)
(xy 107.359502 75.403841)
(xy 107.381995 75.438841)
(xy 107.428239 75.510798)
(xy 107.5369 75.604952)
(xy 107.578415 75.623911)
(xy 107.614491 75.659419)
(xy 107.619303 75.709809)
(xy 107.600001 75.74355)
(xy 107.048625 76.294925)
(xy 107.13242 76.353598)
(xy 107.346505 76.453428)
(xy 107.346516 76.453433)
(xy 107.574674 76.514568)
(xy 107.574682 76.514569)
(xy 107.809995 76.535157)
(xy 107.810005 76.535157)
(xy 108.045317 76.514569)
(xy 108.045325 76.514568)
(xy 108.273483 76.453433)
(xy 108.273494 76.453428)
(xy 108.487579 76.353598)
(xy 108.571373 76.294926)
(xy 108.019998 75.743551)
(xy 107.998606 75.697675)
(xy 108.011707 75.64878)
(xy 108.041582 75.623912)
(xy 108.0831 75.604952)
(xy 108.191761 75.510798)
(xy 108.260499 75.403838)
(xy 108.300776 75.373185)
(xy 108.351338 75.375593)
(xy 108.375075 75.391522)
(xy 108.924926 75.941373)
(xy 108.983598 75.857579)
(xy 109.012933 75.794673)
(xy 109.048726 75.75888)

(xy 109.099153 75.754469)
(xy 109.140617 75.783502)
(xy 109.147067 75.794673)
(xy 109.176402 75.857582)
(xy 109.235072 75.941373)
(xy 109.784923 75.391522)
(xy 109.830799 75.37013)
(xy 109.879694 75.383231)
(xy 109.899502 75.403841)
(xy 109.921995 75.438841)
(xy 109.968239 75.510798)
(xy 110.0769 75.604952)
(xy 110.118415 75.623911)
(xy 110.154491 75.659419)
(xy 110.159303 75.709809)
(xy 110.140001 75.74355)
(xy 109.588625 76.294925)
(xy 109.67242 76.353598)
(xy 109.886505 76.453428)
(xy 109.886516 76.453433)
(xy 110.114674 76.514568)
(xy 110.114682 76.514569)
(xy 110.349995 76.535157)
(xy 110.350005 76.535157)
(xy 110.585317 76.514569)
(xy 110.585325 76.514568)
(xy 110.813483 76.453433)
(xy 110.813494 76.453428)
(xy 111.027579 76.353598)
(xy 111.111373 76.294926)
(xy 110.559998 75.743551)
(xy 110.538606 75.697675)
(xy 110.551707 75.64878)
(xy 110.581582 75.623912)
(xy 110.6231 75.604952)
(xy 110.731761 75.510798)
(xy 110.800499 75.403838)
(xy 110.840776 75.373185)
(xy 110.891338 75.375593)
(xy 110.915075 75.391522)
(xy 111.464926 75.941373)
(xy 111.523598 75.857579)
(xy 111.552933 75.794673)
(xy 111.588726 75.75888)
(xy 111.639153 75.754469)
(xy 111.680617 75.783502)
(xy 111.687067 75.794673)
(xy 111.716402 75.857582)
(xy 111.775072 75.941373)
(xy 112.324923 75.391522)
(xy 112.370799 75.37013)
(xy 112.419694 75.383231)
(xy 112.439502 75.403841)
(xy 112.461995 75.438841)
(xy 112.508239 75.510798)
(xy 112.6169 75.604952)
(xy 112.658415 75.623911)
(xy 112.694491 75.659419)
(xy 112.699303 75.709809)
(xy 112.680001 75.74355)
(xy 112.128625 76.294925)
(xy 112.21242 76.353598)
(xy 112.426505 76.453428)
(xy 112.426516 76.453433)
(xy 112.654674 76.514568)
(xy 112.654682 76.514569)
(xy 112.889995 76.535157)
(xy 112.890005 76.535157)

(xy 113.125317 76.514569)
(xy 113.125325 76.514568)
(xy 113.353483 76.453433)
(xy 113.353494 76.453428)
(xy 113.567579 76.353598)
(xy 113.651373 76.294926)
(xy 113.099998 75.743551)
(xy 113.078606 75.697675)
(xy 113.091707 75.64878)
(xy 113.121582 75.623912)
(xy 113.1631 75.604952)
(xy 113.271761 75.510798)
(xy 113.340499 75.403838)
(xy 113.380776 75.373185)
(xy 113.431338 75.375593)
(xy 113.455075 75.391522)
(xy 114.004926 75.941373)
(xy 114.063598 75.857579)
(xy 114.163428 75.643494)
(xy 114.163433 75.643483)
(xy 114.224568 75.415325)
(xy 114.224569 75.415317)
(xy 114.245157 75.180005)
(xy 114.245157 75.18)
(xy 114.424659 75.18)
(xy 114.443976 75.376133)
(xy 114.501187 75.564731)
(xy 114.572248 75.697675)
(xy 114.59409 75.738538)
(xy 114.719117 75.890883)
(xy 114.871462 76.01591)
(xy 114.944267 76.054825)
(xy 115.045268 76.108812)
(xy 115.04527 76.108812)
(xy 115.045273 76.108814)
(xy 115.233868 76.166024)
(xy 115.43 76.185341)
(xy 115.626132 76.166024)
(xy 115.814727 76.108814)
(xy 115.988538 76.01591)
(xy 116.140883 75.890883)
(xy 116.26591 75.738538)
(xy 116.358814 75.564727)
(xy 116.416024 75.376132)
(xy 116.435341 75.18)
(xy 116.416024 74.983868)
(xy 116.358814 74.795273)
(xy 116.358812 74.79527)
(xy 116.358812 74.795268)
(xy 116.297199 74.68)
(xy 116.26591 74.621462)
(xy 116.140883 74.469117)
(xy 115.988538 74.34409)
(xy 115.978597 74.338776)
(xy 115.814731 74.251187)
(xy 115.626133 74.193976)
(xy 115.43 74.174659)
(xy 115.233866 74.193976)
(xy 115.045268 74.251187)
(xy 114.871463 74.344089)
(xy 114.719117 74.469117)
(xy 114.594089 74.621463)
(xy 114.501187 74.795268)
(xy 114.443976 74.983866)
(xy 114.424659 75.18)
(xy 114.245157 75.18)
(xy 114.245157 75.179994)
(xy 114.224569 74.944682)

(xy 114.224568 74.944674)
(xy 114.163433 74.716516)
(xy 114.163428 74.716505)
(xy 114.063596 74.502416)
(xy 114.004925 74.418625)
(xy 113.455075 74.968476)
(xy 113.409198 74.989868)
(xy 113.360304 74.976767)
(xy 113.340496 74.956157)
(xy 113.271761 74.849202)
(xy 113.1631 74.755048)
(xy 113.163098 74.755047)
(xy 113.121581 74.736086)
(xy 113.085506 74.700578)
(xy 113.080695 74.650188)
(xy 113.099997 74.616448)
(xy 113.651373 74.065072)
(xy 113.567582 74.006402)
(xy 113.353494 73.906571)
(xy 113.353483 73.906566)
(xy 113.125325 73.845431)
(xy 113.125317 73.84543)
(xy 112.890005 73.824843)
(xy 112.889995 73.824843)
(xy 112.654682 73.84543)
(xy 112.654674 73.845431)
(xy 112.426516 73.906566)
(xy 112.426505 73.906571)
(xy 112.21242 74.006401)
(xy 112.128625 74.065072)
(xy 112.680002 74.616449)
(xy 112.701394 74.662325)
(xy 112.688293 74.71122)
(xy 112.658417 74.736087)
(xy 112.616902 74.755047)
(xy 112.616898 74.755049)
(xy 112.50824 74.849201)
(xy 112.508237 74.849205)
(xy 112.439503 74.956158)
(xy 112.399222 74.986814)
(xy 112.348661 74.984405)
(xy 112.324924 74.968477)
(xy 111.775072 74.418625)
(xy 111.716401 74.50242)
(xy 111.687067 74.565327)
(xy 111.651273 74.60112)
(xy 111.600847 74.605531)
(xy 111.559382 74.576497)
(xy 111.552933 74.565327)
(xy 111.523597 74.502416)
(xy 111.464925 74.418625)
(xy 110.915075 74.968476)
(xy 110.869198 74.989868)
(xy 110.820304 74.976767)
(xy 110.800496 74.956157)
(xy 110.731761 74.849202)
(xy 110.6231 74.755048)
(xy 110.623098 74.755047)
(xy 110.581581 74.736086)
(xy 110.545506 74.700578)
(xy 110.540695 74.650188)
(xy 110.559997 74.616448)
(xy 111.111373 74.065072)
(xy 111.027582 74.006402)
(xy 110.813494 73.906571)
(xy 110.813483 73.906566)
(xy 110.585325 73.845431)
(xy 110.585317 73.84543)

(xy 110.350005 73.824843)
(xy 110.349995 73.824843)
(xy 110.114682 73.84543)
(xy 110.114674 73.845431)
(xy 109.886516 73.906566)
(xy 109.886505 73.906571)
(xy 109.67242 74.006401)
(xy 109.588625 74.065072)
(xy 110.140002 74.616449)
(xy 110.161394 74.662325)
(xy 110.148293 74.71122)
(xy 110.118417 74.736087)
(xy 110.076902 74.755047)
(xy 110.076898 74.755049)
(xy 109.96824 74.849201)
(xy 109.968237 74.849205)
(xy 109.899503 74.956158)
(xy 109.859222 74.986814)
(xy 109.808661 74.984405)
(xy 109.784924 74.968477)
(xy 109.235072 74.418625)
(xy 109.176401 74.50242)
(xy 109.147067 74.565327)
(xy 109.111273 74.60112)
(xy 109.060847 74.605531)
(xy 109.019382 74.576497)
(xy 109.012933 74.565327)
(xy 108.983597 74.502416)
(xy 108.924925 74.418625)
(xy 108.375075 74.968476)
(xy 108.329198 74.989868)
(xy 108.280304 74.976767)
(xy 108.260496 74.956157)
(xy 108.191761 74.849202)
(xy 108.0831 74.755048)
(xy 108.083098 74.755047)
(xy 108.041581 74.736086)
(xy 108.005506 74.700578)
(xy 108.000695 74.650188)
(xy 108.019997 74.616448)
(xy 108.571373 74.065072)
(xy 108.487582 74.006402)
(xy 108.273494 73.906571)
(xy 108.273483 73.906566)
(xy 108.045325 73.845431)
(xy 108.045317 73.84543)
(xy 107.810005 73.824843)
(xy 107.809995 73.824843)
(xy 107.574682 73.84543)
(xy 107.574674 73.845431)
(xy 107.346516 73.906566)
(xy 107.346505 73.906571)
(xy 107.13242 74.006401)
(xy 107.048625 74.065072)
(xy 107.600002 74.616449)
(xy 107.621394 74.662325)
(xy 107.608293 74.71122)
(xy 107.578417 74.736087)
(xy 107.536902 74.755047)
(xy 107.536898 74.755049)
(xy 107.42824 74.849201)
(xy 107.428237 74.849205)
(xy 107.359503 74.956158)
(xy 107.319222 74.986814)
(xy 107.268661 74.984405)
(xy 107.244924 74.968477)
(xy 106.695072 74.418625)
(xy 106.636401 74.50242)

(xy 106.607067 74.565327)
(xy 106.571273 74.60112)
(xy 106.520847 74.605531)
(xy 106.479382 74.576497)
(xy 106.472933 74.565327)
(xy 106.443597 74.502416)
(xy 106.384925 74.418625)
(xy 105.835075 74.968476)
(xy 105.789198 74.989868)
(xy 105.740304 74.976767)
(xy 105.720496 74.956157)
(xy 105.651761 74.849202)
(xy 105.5431 74.755048)
(xy 105.543098 74.755047)
(xy 105.501581 74.736086)
(xy 105.465506 74.700578)
(xy 105.460695 74.650188)
(xy 105.479997 74.616448)
(xy 106.031373 74.065072)
(xy 105.947582 74.006402)
(xy 105.733494 73.906571)
(xy 105.733483 73.906566)
(xy 105.505325 73.845431)
(xy 105.505317 73.84543)
(xy 105.270005 73.824843)
(xy 105.269995 73.824843)
(xy 105.034682 73.84543)
(xy 105.034674 73.845431)
(xy 104.806516 73.906566)
(xy 104.806505 73.906571)
(xy 104.59242 74.006401)
(xy 104.508625 74.065072)
(xy 105.060002 74.616449)
(xy 105.081394 74.662325)
(xy 105.068293 74.71122)
(xy 105.038417 74.736087)
(xy 104.996902 74.755047)
(xy 104.996898 74.755049)
(xy 104.88824 74.849201)
(xy 104.888237 74.849205)
(xy 104.819503 74.956158)
(xy 104.779222 74.986814)
(xy 104.728661 74.984405)
(xy 104.704924 74.968477)
(xy 104.155072 74.418625)
(xy 104.096401 74.50242)
(xy 104.067067 74.565327)
(xy 104.031273 74.60112)
(xy 103.980847 74.605531)
(xy 103.939382 74.576497)
(xy 103.932933 74.565327)
(xy 103.903597 74.502416)
(xy 103.844925 74.418625)
(xy 103.295075 74.968476)
(xy 103.249198 74.989868)
(xy 103.200304 74.976767)
(xy 103.180496 74.956157)
(xy 103.111761 74.849202)
(xy 103.0031 74.755048)
(xy 103.003098 74.755047)
(xy 102.961581 74.736086)
(xy 102.925506 74.700578)
(xy 102.920695 74.650188)
(xy 102.939997 74.616448)
(xy 103.491373 74.065072)
(xy 103.407582 74.006402)
(xy 103.193494 73.906571)
(xy 103.193483 73.906566)

(xy 102.965325 73.845431)
(xy 102.965317 73.84543)
(xy 102.730005 73.824843)
(xy 102.729995 73.824843)
(xy 102.494682 73.84543)
(xy 102.494674 73.845431)
(xy 102.266516 73.906566)
(xy 102.266505 73.906571)
(xy 102.05242 74.006401)
(xy 101.968625 74.065072)
(xy 102.520002 74.616449)
(xy 102.541394 74.662325)
(xy 102.528293 74.71122)
(xy 102.498417 74.736087)
(xy 102.456902 74.755047)
(xy 102.456898 74.755049)
(xy 102.34824 74.849201)
(xy 102.348237 74.849205)
(xy 102.279503 74.956158)
(xy 102.239222 74.986814)
(xy 102.188661 74.984405)
(xy 102.164924 74.968477)
(xy 101.615072 74.418625)
(xy 101.556401 74.50242)
(xy 101.527067 74.565327)
(xy 101.491273 74.60112)
(xy 101.440847 74.605531)
(xy 101.399382 74.576497)
(xy 101.392933 74.565327)
(xy 101.363597 74.502416)
(xy 101.304925 74.418625)
(xy 100.755075 74.968476)
(xy 100.709198 74.989868)
(xy 100.660304 74.976767)
(xy 100.640496 74.956157)
(xy 100.571761 74.849202)
(xy 100.4631 74.755048)
(xy 100.463098 74.755047)
(xy 100.421581 74.736086)
(xy 100.385506 74.700578)
(xy 100.380695 74.650188)
(xy 100.399997 74.616448)
(xy 100.951373 74.065072)
(xy 100.867582 74.006402)
(xy 100.653494 73.906571)
(xy 100.653483 73.906566)
(xy 100.425325 73.845431)
(xy 100.425317 73.84543)
(xy 100.190005 73.824843)
(xy 100.189995 73.824843)
(xy 99.954682 73.84543)
(xy 99.954674 73.845431)
(xy 99.726516 73.906566)
(xy 99.726505 73.906571)
(xy 99.51242 74.006401)
(xy 99.428625 74.065072)
(xy 99.980002 74.616449)
(xy 100.001394 74.662325)
(xy 99.988293 74.71122)
(xy 99.958417 74.736087)
(xy 99.916902 74.755047)
(xy 99.916898 74.755049)
(xy 99.80824 74.849201)
(xy 99.808237 74.849205)
(xy 99.739503 74.956158)
(xy 99.699222 74.986814)
(xy 99.648661 74.984405)
(xy 99.624924 74.968477)

(xy 99.075072 74.418625)
(xy 99.016401 74.50242)
(xy 98.987067 74.565327)
(xy 98.951273 74.60112)
(xy 98.900847 74.605531)
(xy 98.859382 74.576497)
(xy 98.852933 74.565327)
(xy 98.823597 74.502416)
(xy 98.764925 74.418625)
(xy 98.215075 74.968476)
(xy 98.169198 74.989868)
(xy 98.120304 74.976767)
(xy 98.100496 74.956157)
(xy 98.031761 74.849202)
(xy 97.9231 74.755048)
(xy 97.923098 74.755047)
(xy 97.881581 74.736086)
(xy 97.845506 74.700578)
(xy 97.840695 74.650188)
(xy 97.859997 74.616448)
(xy 98.411373 74.065072)
(xy 98.327582 74.006402)
(xy 98.113494 73.906571)
(xy 98.113483 73.906566)
(xy 97.885325 73.845431)
(xy 97.885317 73.84543)
(xy 97.650005 73.824843)
(xy 97.649995 73.824843)
(xy 97.414682 73.84543)
(xy 97.414674 73.845431)
(xy 97.186516 73.906566)
(xy 97.186505 73.906571)
(xy 96.97242 74.006401)
(xy 96.888625 74.065072)
(xy 97.440002 74.616449)
(xy 97.461394 74.662325)
(xy 97.448293 74.71122)
(xy 97.418417 74.736087)
(xy 97.376902 74.755047)
(xy 97.376898 74.755049)
(xy 97.26824 74.849201)
(xy 97.268237 74.849205)
(xy 97.199503 74.956158)
(xy 97.159222 74.986814)
(xy 97.108661 74.984405)
(xy 97.084924 74.968477)
(xy 96.535072 74.418625)
(xy 96.476401 74.50242)
(xy 96.447067 74.565327)
(xy 96.411273 74.60112)
(xy 96.360847 74.605531)
(xy 96.319382 74.576497)
(xy 96.312933 74.565327)
(xy 96.283597 74.502416)
(xy 96.224925 74.418625)
(xy 95.675075 74.968476)
(xy 95.629198 74.989868)
(xy 95.580304 74.976767)
(xy 95.560496 74.956157)
(xy 95.491761 74.849202)
(xy 95.3831 74.755048)
(xy 95.383098 74.755047)
(xy 95.341581 74.736086)
(xy 95.305506 74.700578)
(xy 95.300695 74.650188)
(xy 95.319997 74.616448)
(xy 95.871373 74.065072)
(xy 95.787582 74.006402)

(xy 95.573494 73.906571)
(xy 95.573483 73.906566)
(xy 95.345325 73.845431)
(xy 95.345317 73.84543)
(xy 95.110005 73.824843)
(xy 95.109995 73.824843)
(xy 94.874682 73.84543)
(xy 94.874674 73.845431)
(xy 94.646516 73.906566)
(xy 94.646505 73.906571)
(xy 94.43242 74.006401)
(xy 94.348625 74.065072)
(xy 94.900002 74.616449)
(xy 94.921394 74.662325)
(xy 94.908293 74.71122)
(xy 94.878417 74.736087)
(xy 94.836902 74.755047)
(xy 94.836898 74.755049)
(xy 94.72824 74.849201)
(xy 94.728237 74.849205)
(xy 94.659503 74.956158)
(xy 94.619222 74.986814)
(xy 94.568661 74.984405)
(xy 94.544924 74.968477)
(xy 93.995072 74.418625)
(xy 93.936401 74.50242)
(xy 93.836571 74.716505)
(xy 93.836566 74.716516)
(xy 93.775431 74.944674)
(xy 93.77543 74.944682)
(xy 93.754843 75.179994)
(xy 93.754843 75.180005)
(xy 93.575341 75.180005)
(xy 93.575341 75.18)
(xy 93.556024 74.983868)
(xy 93.498814 74.795273)
(xy 93.498812 74.79527)
(xy 93.498812 74.795268)
(xy 93.437199 74.68)
(xy 93.40591 74.621462)
(xy 93.280883 74.469117)
(xy 93.128538 74.34409)
(xy 93.118597 74.338776)
(xy 92.954731 74.251187)
(xy 92.766133 74.193976)
(xy 92.57 74.174659)
(xy 92.373866 74.193976)
(xy 92.185268 74.251187)
(xy 92.011463 74.344089)
(xy 91.859117 74.469117)
(xy 91.734089 74.621463)
(xy 91.641187 74.795268)
(xy 91.583976 74.983866)
(xy 91.564659 75.18)
(xy 50.0505 75.18)
(xy 50.0505 75.000854)
(xy 50.050538 74.999167)
(xy 50.067269 74.637291)
(xy 50.067582 74.633906)
(xy 50.117514 74.275956)
(xy 50.118133 74.27264)
(xy 50.200883 73.92081)
(xy 50.201807 73.917564)
(xy 50.316662 73.574883)
(xy 50.317893 73.571709)
(xy 50.463862 73.241121)
(xy 50.465386 73.23806)
(xy 50.597984 73)

```

(xy 59.144867 73)
(xy 59.163302 73.128223)
(xy 59.163302 73.128224)
(xy 59.163303 73.128226)
(xy 59.217118 73.246063)
(xy 59.301951 73.343967)
(xy 59.410931 73.414004)
(xy 59.535228 73.4505)
(xy 59.664772 73.4505)
(xy 59.789069 73.414004)
(xy 59.898049 73.343967)
(xy 59.982882 73.246063)
(xy 60.036697 73.128226)
(xy 60.055133 73)
(xy 60.036697 72.871774)
(xy 59.982882 72.753937)
(xy 59.898049 72.656033)
(xy 59.831032 72.612964)
(xy 59.789068 72.585995)
(xy 59.664772 72.5495)
(xy 59.535228 72.5495)
(xy 59.410931 72.585995)
(xy 59.301954 72.656031)
(xy 59.30195 72.656034)
(xy 59.217119 72.753935)
(xy 59.163302 72.871776)
(xy 59.144867 73)
(xy 50.597984 73)
(xy 50.641234 72.922351)
(xy 50.643025 72.919457)
(xy 50.847275 72.621289)
(xy 50.849322 72.618581)
(xy 50.906686 72.5495)
(xy 51.080201 72.340542)
(xy 51.082485 72.338037)
(xy 51.338037 72.082485)
(xy 51.340542 72.080201)
(xy 51.618582 71.84932)
(xy 51.621289 71.847275)
(xy 51.919457 71.643025)
(xy 51.922346 71.641236)
(xy 52.238064 71.465383)
(xy 52.241121 71.463862)
(xy 52.571709 71.317893)
(xy 52.574883 71.316662)
(xy 52.917564 71.201807)
(xy 52.92081 71.200883)
(xy 53.27264 71.118133)
(xy 53.275956 71.117514)
(xy 53.633906 71.067582)
(xy 53.637291 71.067269)
(xy 53.999167 71.050538)
(xy 54.000854 71.0505)
(xy 54.016408 71.0505)
(xy 125.983592 71.0505)
(xy 125.999146 71.0505)
)
)
)
(zone (net 7) (net_name "/SHLD") (layer "In2.Cu") (tstamp 00000000-0000-0000-0000-00005faf539c) (hatch
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 56.8 90.7)
(xy 56.8 100.3)

```

```

        (xy 50 100.3)
        (xy 50 90.7)
    )
)
(filled_polygon
(layer "In2.Cu")
(pts
(xy 56.30322 90.700424)
(xy 56.318306 90.70241)
(xy 56.416489 90.715336)
(xy 56.441447 90.722023)
(xy 56.53796 90.762)
(xy 56.560336 90.774918)
(xy 56.643216 90.838515)
(xy 56.661484 90.856783)
(xy 56.725079 90.93966)
(xy 56.738001 90.962042)
(xy 56.777975 91.058548)
(xy 56.784664 91.083512)
(xy 56.799576 91.196779)
(xy 56.8 91.203247)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 98.39)
(xy 54.669534 98.39)
(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660451 98.800451)
(xy 55.752698 98.680233)
(xy 55.810687 98.540236)
(xy 55.830466 98.39)
(xy 55.810687 98.239764)
(xy 55.752698 98.099767)
(xy 55.660451 97.979549)
(xy 55.540233 97.887302)

```

(xy 55.400236 97.829313)
(xy 55.400234 97.829312)
(xy 55.400232 97.829312)
(xy 55.28772 97.8145)
(xy 55.21228 97.8145)
(xy 55.212279 97.8145)
(xy 55.099767 97.829312)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 50.0505 98.39)
(xy 50.0505 96.300002)
(xy 55.044968 96.300002)
(xy 55.063398 96.428191)
(xy 55.063399 96.428194)
(xy 55.117204 96.546011)
(xy 55.202014 96.643888)
(xy 55.202016 96.643889)
(xy 55.202017 96.64389)
(xy 55.310973 96.713912)
(xy 55.435242 96.7504)
(xy 55.435244 96.7504)
(xy 55.564756 96.7504)
(xy 55.564758 96.7504)
(xy 55.689027 96.713912)
(xy 55.797983 96.64389)
(xy 55.882797 96.546009)
(xy 55.9366 96.428197)
(xy 55.955032 96.3)
(xy 55.9366 96.171803)
(xy 55.882797 96.053991)
(xy 55.882795 96.053989)
(xy 55.882795 96.053988)
(xy 55.797985 95.956111)
(xy 55.689027 95.886088)
(xy 55.689024 95.886087)
(xy 55.634201 95.86999)
(xy 55.583694 95.835454)
(xy 55.563132 95.777827)
(xy 55.58037 95.71912)
(xy 55.628823 95.681758)
(xy 55.634201 95.68001)
(xy 55.689027 95.663912)
(xy 55.797983 95.59389)
(xy 55.882797 95.496009)
(xy 55.9366 95.378197)
(xy 55.955032 95.25)
(xy 55.9366 95.121803)
(xy 55.882797 95.003991)
(xy 55.882795 95.003989)
(xy 55.882795 95.003988)
(xy 55.797985 94.906111)
(xy 55.689027 94.836088)
(xy 55.689024 94.836087)
(xy 55.56476 94.7996)
(xy 55.564758 94.7996)
(xy 55.435242 94.7996)
(xy 55.435239 94.7996)
(xy 55.310975 94.836087)
(xy 55.310972 94.836088)
(xy 55.202014 94.906111)
(xy 55.117204 95.003988)

(xy 55.063399 95.121805)
(xy 55.063398 95.121808)
(xy 55.044968 95.249997)
(xy 55.044968 95.250002)
(xy 55.063398 95.378191)
(xy 55.063399 95.378194)
(xy 55.117204 95.496011)
(xy 55.202014 95.593888)
(xy 55.202016 95.593889)
(xy 55.202017 95.59389)
(xy 55.310973 95.663912)
(xy 55.365799 95.68001)
(xy 55.416305 95.714546)
(xy 55.436867 95.772173)
(xy 55.419629 95.83088)
(xy 55.371176 95.868243)
(xy 55.365799 95.86999)
(xy 55.310973 95.886088)
(xy 55.310972 95.886088)
(xy 55.202014 95.956111)
(xy 55.117204 96.053988)
(xy 55.063399 96.171805)
(xy 55.063398 96.171808)
(xy 55.044968 96.299997)
(xy 55.044968 96.300002)
(xy 50.0505 96.300002)
(xy 50.0505 94.600002)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 54.017204 94.846011)
(xy 54.102014 94.943888)
(xy 54.102016 94.943889)
(xy 54.102017 94.94389)
(xy 54.210973 95.013912)
(xy 54.335242 95.0504)
(xy 54.335244 95.0504)
(xy 54.464756 95.0504)
(xy 54.464758 95.0504)
(xy 54.589027 95.013912)
(xy 54.697983 94.94389)
(xy 54.782797 94.846009)
(xy 54.8366 94.728197)
(xy 54.855032 94.6)
(xy 54.8366 94.471803)
(xy 54.782797 94.353991)
(xy 54.782795 94.353989)
(xy 54.782795 94.353988)
(xy 54.697985 94.256111)
(xy 54.589027 94.186088)
(xy 54.589024 94.186087)
(xy 54.46476 94.1496)
(xy 54.464758 94.1496)
(xy 54.335242 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 50.0505 94.600002)
(xy 50.0505 92.61)
(xy 54.669534 92.61)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)

```

(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.21228 93.1855)
(xy 55.212281 93.1855)
(xy 55.287719 93.1855)
(xy 55.28772 93.1855)
(xy 55.400236 93.170687)
(xy 55.540233 93.112698)
(xy 55.660451 93.020451)
(xy 55.752698 92.900233)
(xy 55.810687 92.760236)
(xy 55.830466 92.61)
(xy 55.810687 92.459764)
(xy 55.752698 92.319767)
(xy 55.660451 92.199549)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 50.0505 92.61)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)
(xy 50.262035 90.762001)
(xy 50.358554 90.722022)
(xy 50.383508 90.715336)
(xy 50.484332 90.702062)
(xy 50.49678 90.700424)
(xy 50.503247 90.7)
(xy 56.296753 90.7)
)
)
)
(zone (net 29) (net_name "+1V2") (layer "In2.Cu") (tstamp 00000000-0000-0000-0000-00005faf53c9) (hatch
(priority 1)
(connect_pads (clearance 0.1))
(min_thickness 0.1) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 78.35 96.8)
(xy 78.35 99.2)
(xy 83.2 99.2)
(xy 83.2 97.1)
(xy 85.3 97.1)
(xy 85.3 93.9)
(xy 81.8 93.9)
(xy 81.8 95.4)
(xy 82.1 95.7)
(xy 82.1 96.1)

```

```
(xy 81.9 96.3)
(xy 81.9 96.8)
)
)
(filled_polygon
(layer "In2.Cu")
(pts
(xy 85.285648 93.914352)
(xy 85.3 93.949)
(xy 85.3 97.051)
(xy 85.285648 97.085648)
(xy 85.251 97.1)
(xy 83.2 97.1)
(xy 83.2 97.127549)
(xy 83.185648 97.162197)
(xy 83.173246 97.171208)
(xy 83.091417 97.212901)
(xy 83.091412 97.212905)
(xy 83.012905 97.291412)
(xy 83.012903 97.291415)
(xy 82.9625 97.390338)
(xy 82.962499 97.390339)
(xy 82.9625 97.390339)
(xy 82.945131 97.5)
(xy 82.9625 97.609661)
(xy 83.012905 97.708587)
(xy 83.091413 97.787095)
(xy 83.173246 97.828791)
(xy 83.197602 97.857306)
(xy 83.2 97.872449)
(xy 83.2 99.151)
(xy 83.185648 99.185648)
(xy 83.151 99.2)
(xy 79.487477 99.2)
(xy 79.452829 99.185648)
(xy 79.438976 99.157973)
(xy 79.4366 99.141445)
(xy 79.382797 99.023633)
(xy 79.297983 98.925752)
(xy 79.189027 98.85573)
(xy 79.189024 98.855729)
(xy 79.064762 98.819242)
(xy 79.064758 98.819242)
(xy 78.935242 98.819242)
(xy 78.935237 98.819242)
(xy 78.810975 98.855729)
(xy 78.702016 98.925752)
(xy 78.617205 99.023629)
(xy 78.617204 99.023631)
(xy 78.5634 99.141443)
(xy 78.5634 99.141444)
(xy 78.561024 99.157973)
(xy 78.541888 99.190226)
(xy 78.512523 99.2)
(xy 78.399 99.2)
(xy 78.364352 99.185648)
(xy 78.35 99.151)
(xy 78.35 98.3)
(xy 80.545131 98.3)
(xy 80.5625 98.409661)
(xy 80.602739 98.488636)
(xy 80.612905 98.508587)
(xy 80.691413 98.587095)
(xy 80.790339 98.6375)
(xy 80.9 98.654869)
(xy 81.009661 98.6375)
(xy 81.108587 98.587095)
(xy 81.187095 98.508587)
```

(xy 81.2375 98.409661)
(xy 81.251603 98.320614)
(xy 81.262947 98.302104)
(xy 81.260358 98.300518)
(xy 81.259271 98.297894)
(xy 81.337052 98.297894)
(xy 81.339642 98.299481)
(xy 81.348395 98.320613)
(xy 81.362499 98.409661)
(xy 81.3625 98.409661)
(xy 81.402739 98.488636)
(xy 81.412905 98.508587)
(xy 81.491413 98.587095)
(xy 81.590339 98.6375)
(xy 81.7 98.654869)
(xy 81.809661 98.6375)
(xy 81.908587 98.587095)
(xy 81.987095 98.508587)
(xy 82.0375 98.409661)
(xy 82.051603 98.320614)
(xy 82.062947 98.302104)
(xy 82.060358 98.300518)
(xy 82.059271 98.297894)
(xy 82.137052 98.297894)
(xy 82.139642 98.299481)
(xy 82.148395 98.320613)
(xy 82.162499 98.409661)
(xy 82.1625 98.409661)
(xy 82.202739 98.488636)
(xy 82.212905 98.508587)
(xy 82.291413 98.587095)
(xy 82.390339 98.6375)
(xy 82.5 98.654869)
(xy 82.609661 98.6375)
(xy 82.708587 98.587095)
(xy 82.787095 98.508587)
(xy 82.8375 98.409661)
(xy 82.854869 98.3)
(xy 82.8375 98.190339)
(xy 82.787095 98.091413)
(xy 82.708587 98.012905)
(xy 82.708584 98.012903)
(xy 82.609661 97.9625)
(xy 82.5 97.945131)
(xy 82.390338 97.9625)
(xy 82.291415 98.012903)
(xy 82.291412 98.012905)
(xy 82.212905 98.091412)
(xy 82.212903 98.091415)
(xy 82.1625 98.190338)
(xy 82.162499 98.190339)
(xy 82.1625 98.190339)
(xy 82.148396 98.279384)
(xy 82.137052 98.297894)
(xy 82.059271 98.297894)
(xy 82.051603 98.279385)
(xy 82.0375 98.190339)
(xy 81.987095 98.091413)
(xy 81.908587 98.012905)
(xy 81.908584 98.012903)
(xy 81.809661 97.9625)
(xy 81.7 97.945131)
(xy 81.590338 97.9625)
(xy 81.491415 98.012903)
(xy 81.491412 98.012905)
(xy 81.412905 98.091412)
(xy 81.412903 98.091415)
(xy 81.3625 98.190338)

(xy 81.362499 98.190339)
(xy 81.3625 98.190339)
(xy 81.348396 98.279384)
(xy 81.337052 98.297894)
(xy 81.259271 98.297894)
(xy 81.251603 98.279385)
(xy 81.2375 98.190339)
(xy 81.187095 98.091413)
(xy 81.108587 98.012905)
(xy 81.108584 98.012903)
(xy 81.009661 97.9625)
(xy 81.009661 97.962499)
(xy 80.920614 97.948396)
(xy 80.902104 97.937052)
(xy 80.900518 97.939642)
(xy 80.879385 97.948396)
(xy 80.811374 97.959168)
(xy 80.790338 97.9625)
(xy 80.691415 98.012903)
(xy 80.691412 98.012905)
(xy 80.612905 98.091412)
(xy 80.612903 98.091415)
(xy 80.5625 98.190338)
(xy 80.545131 98.3)
(xy 78.35 98.3)
(xy 78.35 97.5)
(xy 80.545131 97.5)
(xy 80.5625 97.609661)
(xy 80.612905 97.708587)
(xy 80.691413 97.787095)
(xy 80.790339 97.8375)
(xy 80.879384 97.851603)
(xy 80.897894 97.862947)
(xy 80.899481 97.860358)
(xy 80.920613 97.851604)
(xy 81.009661 97.8375)
(xy 81.108587 97.787095)
(xy 81.187095 97.708587)
(xy 81.2375 97.609661)
(xy 81.254869 97.5)
(xy 81.2375 97.390339)
(xy 81.187095 97.291413)
(xy 81.108587 97.212905)
(xy 81.108584 97.212903)
(xy 81.009661 97.1625)
(xy 80.9 97.145131)
(xy 80.790338 97.1625)
(xy 80.691415 97.212903)
(xy 80.691412 97.212905)
(xy 80.612905 97.291412)
(xy 80.612903 97.291415)
(xy 80.5625 97.390338)
(xy 80.562499 97.390339)
(xy 80.5625 97.390339)
(xy 80.545131 97.5)
(xy 78.35 97.5)
(xy 78.35 96.849)
(xy 78.364352 96.814352)
(xy 78.399 96.8)
(xy 81.32755 96.8)
(xy 81.362198 96.814352)
(xy 81.371209 96.826755)
(xy 81.4129 96.90858)
(xy 81.412903 96.908584)
(xy 81.412905 96.908587)
(xy 81.491413 96.987095)
(xy 81.590339 97.0375)
(xy 81.7 97.054869)

(xy 81.809661 97.0375)
(xy 81.908587 96.987095)
(xy 81.987095 96.908587)
(xy 82.0375 96.809661)
(xy 82.054869 96.7)
(xy 82.0375 96.590339)
(xy 81.987095 96.491413)
(xy 81.987092 96.49141)
(xy 81.914352 96.418669)
(xy 81.9 96.384021)
(xy 81.9 96.320296)
(xy 81.914352 96.285648)
(xy 81.962501 96.237499)
(xy 82.1 96.1)
(xy 82.1 95.9)
(xy 82.945131 95.9)
(xy 82.9625 96.009661)
(xy 83.008529 96.1)
(xy 83.012905 96.108587)
(xy 83.091413 96.187095)
(xy 83.190339 96.2375)
(xy 83.3 96.254869)
(xy 83.409661 96.2375)
(xy 83.508587 96.187095)
(xy 83.587095 96.108587)
(xy 83.6375 96.009661)
(xy 83.651603 95.920614)
(xy 83.662947 95.902104)
(xy 83.660358 95.900518)
(xy 83.659271 95.897894)
(xy 83.737052 95.897894)
(xy 83.739642 95.899481)
(xy 83.748395 95.920613)
(xy 83.753114 95.9504)
(xy 83.7625 96.009661)
(xy 83.808529 96.1)
(xy 83.812905 96.108587)
(xy 83.891413 96.187095)
(xy 83.990339 96.2375)
(xy 84.1 96.254869)
(xy 84.209661 96.2375)
(xy 84.308587 96.187095)
(xy 84.387095 96.108587)
(xy 84.4375 96.009661)
(xy 84.454869 95.9)
(xy 84.4375 95.790339)
(xy 84.387095 95.691413)
(xy 84.308587 95.612905)
(xy 84.308584 95.612903)
(xy 84.209661 95.5625)
(xy 84.209661 95.562499)
(xy 84.120614 95.548396)
(xy 84.102104 95.537052)
(xy 84.100518 95.539642)
(xy 84.079385 95.548396)
(xy 84.011374 95.559168)
(xy 83.990338 95.5625)
(xy 83.891415 95.612903)
(xy 83.891412 95.612905)
(xy 83.812905 95.691412)
(xy 83.812903 95.691415)
(xy 83.7625 95.790338)
(xy 83.762499 95.790339)
(xy 83.7625 95.790339)
(xy 83.748396 95.879384)
(xy 83.737052 95.897894)
(xy 83.659271 95.897894)
(xy 83.651603 95.879385)

(xy 83.6375 95.790339)
(xy 83.587095 95.691413)
(xy 83.508587 95.612905)
(xy 83.508584 95.612903)
(xy 83.409661 95.5625)
(xy 83.409661 95.562499)
(xy 83.320614 95.548396)
(xy 83.302104 95.537052)
(xy 83.300518 95.539642)
(xy 83.279385 95.548396)
(xy 83.211374 95.559168)
(xy 83.190338 95.5625)
(xy 83.091415 95.612903)
(xy 83.091412 95.612905)
(xy 83.012905 95.691412)
(xy 83.012903 95.691415)
(xy 82.9625 95.790338)
(xy 82.945131 95.9)
(xy 82.1 95.9)
(xy 82.1 95.7)
(xy 81.814352 95.414352)
(xy 81.8 95.379704)
(xy 81.8 95.1)
(xy 82.145131 95.1)
(xy 82.1625 95.209661)
(xy 82.212905 95.308587)
(xy 82.291413 95.387095)
(xy 82.390339 95.4375)
(xy 82.5 95.454869)
(xy 82.609661 95.4375)
(xy 82.708587 95.387095)
(xy 82.787095 95.308587)
(xy 82.8375 95.209661)
(xy 82.851603 95.120614)
(xy 82.862947 95.102104)
(xy 82.860358 95.100518)
(xy 82.859271 95.097894)
(xy 82.937052 95.097894)
(xy 82.939642 95.099481)
(xy 82.948395 95.120613)
(xy 82.9625 95.209661)
(xy 83.012905 95.308587)
(xy 83.091413 95.387095)
(xy 83.190339 95.4375)
(xy 83.279384 95.451603)
(xy 83.297894 95.462947)
(xy 83.299481 95.460358)
(xy 83.320613 95.451604)
(xy 83.409661 95.4375)
(xy 83.508587 95.387095)
(xy 83.587095 95.308587)
(xy 83.6375 95.209661)
(xy 83.651603 95.120614)
(xy 83.662947 95.102104)
(xy 83.660358 95.100518)
(xy 83.659271 95.097894)
(xy 83.737052 95.097894)
(xy 83.739642 95.099481)
(xy 83.748395 95.120613)
(xy 83.7625 95.209661)
(xy 83.812905 95.308587)
(xy 83.891413 95.387095)
(xy 83.990339 95.4375)
(xy 84.079384 95.451603)
(xy 84.097894 95.462947)
(xy 84.099481 95.460358)
(xy 84.120613 95.451604)
(xy 84.209661 95.4375)

```

(xy 84.308587 95.387095)
(xy 84.387095 95.308587)
(xy 84.4375 95.209661)
(xy 84.454869 95.1)
(xy 84.4375 94.990339)
(xy 84.387095 94.891413)
(xy 84.308587 94.812905)
(xy 84.308584 94.812903)
(xy 84.209661 94.7625)
(xy 84.1 94.745131)
(xy 83.990338 94.7625)
(xy 83.891415 94.812903)
(xy 83.891412 94.812905)
(xy 83.812905 94.891412)
(xy 83.812903 94.891415)
(xy 83.7625 94.990338)
(xy 83.762499 94.990339)
(xy 83.7625 94.990339)
(xy 83.748396 95.079384)
(xy 83.737052 95.097894)
(xy 83.659271 95.097894)
(xy 83.651603 95.079385)
(xy 83.6375 94.990339)
(xy 83.587095 94.891413)
(xy 83.508587 94.812905)
(xy 83.508584 94.812903)
(xy 83.409661 94.7625)
(xy 83.3 94.745131)
(xy 83.190338 94.7625)
(xy 83.091415 94.812903)
(xy 83.091412 94.812905)
(xy 83.012905 94.891412)
(xy 83.012903 94.891415)
(xy 82.9625 94.990338)
(xy 82.962499 94.990339)
(xy 82.9625 94.990339)
(xy 82.948396 95.079384)
(xy 82.937052 95.097894)
(xy 82.859271 95.097894)
(xy 82.851603 95.079385)
(xy 82.8375 94.990339)
(xy 82.787095 94.891413)
(xy 82.708587 94.812905)
(xy 82.708584 94.812903)
(xy 82.609661 94.7625)
(xy 82.5 94.745131)
(xy 82.390338 94.7625)
(xy 82.291415 94.812903)
(xy 82.291412 94.812905)
(xy 82.212905 94.891412)
(xy 82.212903 94.891415)
(xy 82.1625 94.990338)
(xy 82.162499 94.990339)
(xy 82.1625 94.990339)
(xy 82.145131 95.1)
(xy 81.8 95.1)
(xy 81.8 93.949)
(xy 81.814352 93.914352)
(xy 81.849 93.9)
(xy 85.251 93.9)
)
)
)
(zone (net 2) (net_name "+3V3") (layer "In2.Cu") (tstamp 00000000-0000-0000-0000-00005ffb3ada) (hatch e
(connect_pads (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon

```



```

(pts
  (xy 50 111)
  (xy 50 80)
  (xy 59 80)
  (xy 59 71)
  (xy 121 71)
  (xy 121 80)
  (xy 129.954083 79.999765)
  (xy 129.989668 111.000011)
  (xy 121 111)
  (xy 121 120)
  (xy 59 120)
  (xy 59 111)
)
)
(filled_polygon
  (layer "In2.Cu")
  (pts
    (xy 120.942121 71.070502)
    (xy 120.988614 71.124158)
    (xy 121 71.1765)
    (xy 121 79.999998)
    (xy 121 80)
    (xy 124.061454 79.999919)
    (xy 124.129573 80.019919)
    (xy 124.176067 80.073574)
    (xy 124.186173 80.143847)
    (xy 124.156682 80.208429)
    (xy 124.15668 80.208431)
    (xy 124.117203 80.25399)
    (xy 124.0634 80.371802)
    (xy 124.063398 80.371809)
    (xy 124.044968 80.499996)
    (xy 124.044968 80.500003)
    (xy 124.063398 80.62819)
    (xy 124.0634 80.628197)
    (xy 124.117203 80.746009)
    (xy 124.117206 80.746013)
    (xy 124.202014 80.843888)
    (xy 124.202016 80.843889)
    (xy 124.202017 80.84389)
    (xy 124.310973 80.913912)
    (xy 124.435242 80.9504)
    (xy 124.564758 80.9504)
    (xy 124.689027 80.913912)
    (xy 124.797983 80.84389)
    (xy 124.882797 80.746009)
    (xy 124.9366 80.628197)
    (xy 124.942654 80.586089)
    (xy 124.955032 80.500003)
    (xy 124.955032 80.499996)
    (xy 124.936601 80.371809)
    (xy 124.9366 80.371808)
    (xy 124.9366 80.371803)
    (xy 124.882797 80.253991)
    (xy 124.843299 80.208408)
    (xy 124.813807 80.143828)
    (xy 124.82391 80.073554)
    (xy 124.870403 80.019898)
    (xy 124.938518 79.999896)
    (xy 129.823497 79.999768)
    (xy 129.891617 80.019768)
    (xy 129.938111 80.073423)
    (xy 129.949499 80.125768)
    (xy 129.949499 110.874009)
    (xy 129.929497 110.94213)
    (xy 129.875841 110.988623)
    (xy 129.823499 111.000009)
  )
)

```

(xy 124.73861 111.000004)
(xy 124.670489 110.980002)
(xy 124.623996 110.926346)
(xy 124.613893 110.856072)
(xy 124.643385 110.791492)
(xy 124.682797 110.746009)
(xy 124.7366 110.628197)
(xy 124.742654 110.586089)
(xy 124.755032 110.500003)
(xy 124.755032 110.499996)
(xy 124.736601 110.371809)
(xy 124.7366 110.371808)
(xy 124.7366 110.371803)
(xy 124.682797 110.253991)
(xy 124.682793 110.253986)
(xy 124.597985 110.156111)
(xy 124.597983 110.15611)
(xy 124.578965 110.143888)
(xy 124.489027 110.086088)
(xy 124.489026 110.086087)
(xy 124.489025 110.086087)
(xy 124.364758 110.0496)
(xy 124.235242 110.0496)
(xy 124.110974 110.086087)
(xy 124.110971 110.086089)
(xy 124.002016 110.15611)
(xy 124.002014 110.156111)
(xy 123.917206 110.253986)
(xy 123.917203 110.25399)
(xy 123.8634 110.371802)
(xy 123.863398 110.371809)
(xy 123.844968 110.499996)
(xy 123.844968 110.500003)
(xy 123.863398 110.62819)
(xy 123.8634 110.628197)
(xy 123.917203 110.746009)
(xy 123.956613 110.791491)
(xy 123.986106 110.856072)
(xy 123.976001 110.926346)
(xy 123.929508 110.980001)
(xy 123.861388 111.000003)
(xy 122.993557 111.000002)
(xy 122.925436 110.98)
(xy 122.89833 110.95651)
(xy 122.897983 110.95611)
(xy 122.789027 110.886088)
(xy 122.789026 110.886087)
(xy 122.789025 110.886087)
(xy 122.664758 110.8496)
(xy 122.535242 110.8496)
(xy 122.410974 110.886087)
(xy 122.410971 110.886089)
(xy 122.302016 110.95611)
(xy 122.302014 110.956111)
(xy 122.301661 110.95652)
(xy 122.301207 110.956811)
(xy 122.295208 110.96201)
(xy 122.29446 110.961146)
(xy 122.241931 110.994899)
(xy 122.206443 111)
(xy 121 111)
(xy 121 119.8235)
(xy 120.979998 119.891621)
(xy 120.926342 119.938114)
(xy 120.874 119.9495)
(xy 77.589048 119.9495)
(xy 77.520927 119.929498)
(xy 77.474434 119.875842)

(xy 77.46433 119.805568)
(xy 77.493823 119.740988)
(xy 77.521253 119.709331)
(xy 77.532797 119.696009)
(xy 77.5866 119.578197)
(xy 77.605032 119.45)
(xy 77.605032 119.449996)
(xy 77.586601 119.321809)
(xy 77.5866 119.321808)
(xy 77.5866 119.321803)
(xy 77.532797 119.203991)
(xy 77.47086 119.132512)
(xy 77.441368 119.067932)
(xy 77.451471 118.997658)
(xy 77.470861 118.967487)
(xy 77.532797 118.896009)
(xy 77.5866 118.778197)
(xy 77.590866 118.748528)
(xy 77.605032 118.650003)
(xy 77.605032 118.649996)
(xy 77.586601 118.521809)
(xy 77.5866 118.521808)
(xy 77.5866 118.521803)
(xy 77.532797 118.403991)
(xy 77.5121 118.380105)
(xy 77.447985 118.306111)
(xy 77.447983 118.30611)
(xy 77.425296 118.29153)
(xy 77.339027 118.236088)
(xy 77.339026 118.236087)
(xy 77.339025 118.236087)
(xy 77.214758 118.1996)
(xy 77.085242 118.1996)
(xy 76.960974 118.236087)
(xy 76.960971 118.236089)
(xy 76.852016 118.30611)
(xy 76.852014 118.306111)
(xy 76.767206 118.403986)
(xy 76.767203 118.40399)
(xy 76.7134 118.521802)
(xy 76.713398 118.521809)
(xy 76.694968 118.649996)
(xy 76.694968 118.650003)
(xy 76.713398 118.77819)
(xy 76.7134 118.778197)
(xy 76.767203 118.896009)
(xy 76.829139 118.967488)
(xy 76.858632 119.032069)
(xy 76.848527 119.102343)
(xy 76.829139 119.132512)
(xy 76.767203 119.20399)
(xy 76.7134 119.321802)
(xy 76.713398 119.321809)
(xy 76.694968 119.449996)
(xy 76.694968 119.450003)
(xy 76.713398 119.57819)
(xy 76.7134 119.578197)
(xy 76.767203 119.696009)
(xy 76.806177 119.740988)
(xy 76.83567 119.805569)
(xy 76.825565 119.875843)
(xy 76.779072 119.929498)
(xy 76.710952 119.9495)
(xy 75.295916 119.9495)
(xy 75.227795 119.929498)
(xy 75.181302 119.875842)
(xy 75.171198 119.805568)
(xy 75.200692 119.740988)

(xy 75.206821 119.734405)
(xy 75.240394 119.700831)
(xy 75.240398 119.700827)
(xy 75.330365 119.557646)
(xy 75.386215 119.398036)
(xy 75.405148 119.23)
(xy 75.386215 119.061964)
(xy 75.330365 118.902354)
(xy 75.240398 118.759173)
(xy 75.240394 118.759169)
(xy 75.240394 118.759168)
(xy 75.120831 118.639605)
(xy 75.120828 118.639603)
(xy 75.120827 118.639602)
(xy 74.997301 118.561985)
(xy 74.977645 118.549634)
(xy 74.868455 118.511427)
(xy 74.818036 118.493785)
(xy 74.65 118.474852)
(xy 74.649999 118.474852)
(xy 74.625558 118.477605)
(xy 74.481964 118.493785)
(xy 74.481961 118.493785)
(xy 74.481961 118.493786)
(xy 74.322354 118.549634)
(xy 74.257456 118.590413)
(xy 74.179173 118.639602)
(xy 74.179171 118.639603)
(xy 74.179169 118.639605)
(xy 74.179168 118.639605)
(xy 74.059605 118.759168)
(xy 74.059605 118.759169)
(xy 74.059603 118.759171)
(xy 74.059602 118.759173)
(xy 74.039879 118.790562)
(xy 73.969634 118.902354)
(xy 73.917971 119.05)
(xy 73.913785 119.061964)
(xy 73.894852 119.23)
(xy 73.913785 119.398036)
(xy 73.913786 119.398038)
(xy 73.969634 119.557645)
(xy 73.969635 119.557646)
(xy 74.059602 119.700827)
(xy 74.059605 119.700829)
(xy 74.059605 119.70083)
(xy 74.059605 119.700831)
(xy 74.093179 119.734405)
(xy 74.127205 119.796717)
(xy 74.12214 119.867532)
(xy 74.079593 119.924368)
(xy 74.013073 119.949179)
(xy 74.004084 119.9495)
(xy 72.589048 119.9495)
(xy 72.520927 119.929498)
(xy 72.474434 119.875842)
(xy 72.46433 119.805568)
(xy 72.493823 119.740988)
(xy 72.521253 119.709331)
(xy 72.532797 119.696009)
(xy 72.5866 119.578197)
(xy 72.605032 119.45)
(xy 72.605032 119.449996)
(xy 72.586601 119.321809)
(xy 72.5866 119.321808)
(xy 72.5866 119.321803)
(xy 72.532797 119.203991)
(xy 72.47086 119.132512)

(xy 72.441368 119.067932)
(xy 72.451471 118.997658)
(xy 72.470861 118.967487)
(xy 72.532797 118.896009)
(xy 72.5866 118.778197)
(xy 72.590866 118.748528)
(xy 72.605032 118.650003)
(xy 72.605032 118.649996)
(xy 72.586601 118.521809)
(xy 72.5866 118.521808)
(xy 72.5866 118.521803)
(xy 72.532797 118.403991)
(xy 72.5121 118.380105)
(xy 72.447985 118.306111)
(xy 72.447983 118.30611)
(xy 72.425296 118.29153)
(xy 72.339027 118.236088)
(xy 72.339026 118.236087)
(xy 72.339025 118.236087)
(xy 72.214758 118.1996)
(xy 72.085242 118.1996)
(xy 71.960974 118.236087)
(xy 71.960971 118.236089)
(xy 71.852016 118.30611)
(xy 71.852014 118.306111)
(xy 71.767206 118.403986)
(xy 71.767203 118.40399)
(xy 71.7134 118.521802)
(xy 71.713398 118.521809)
(xy 71.694968 118.649996)
(xy 71.694968 118.650003)
(xy 71.713398 118.77819)
(xy 71.7134 118.778197)
(xy 71.767203 118.896009)
(xy 71.829139 118.967488)
(xy 71.858632 119.032069)
(xy 71.848527 119.102343)
(xy 71.829139 119.132512)
(xy 71.767203 119.20399)
(xy 71.7134 119.321802)
(xy 71.713398 119.321809)
(xy 71.694968 119.449996)
(xy 71.694968 119.450003)
(xy 71.713398 119.57819)
(xy 71.7134 119.578197)
(xy 71.767203 119.696009)
(xy 71.806177 119.740988)
(xy 71.83567 119.805569)
(xy 71.825565 119.875843)
(xy 71.779072 119.929498)
(xy 71.710952 119.9495)
(xy 59.126 119.9495)
(xy 59.057879 119.929498)
(xy 59.011386 119.875842)
(xy 59 119.8235)
(xy 59 117.604414)
(xy 63.17244 117.604414)
(xy 63.182395 117.645273)
(xy 63.1836 117.651612)
(xy 63.189325 117.69326)
(xy 63.189326 117.693264)
(xy 63.195572 117.707645)
(xy 63.195889 117.708374)
(xy 63.202734 117.728729)
(xy 63.206636 117.744738)
(xy 63.206636 117.744739)
(xy 63.22724 117.781382)
(xy 63.230111 117.787163)

(xy 63.246867 117.825737)
(xy 63.257258 117.838509)
(xy 63.269346 117.856268)
(xy 63.277422 117.87063)
(xy 63.307155 117.900363)
(xy 63.31147 117.905143)
(xy 63.338015 117.937772)
(xy 63.351476 117.947274)
(xy 63.367902 117.96111)
(xy 63.786897 118.380105)
(xy 64.171952 118.76516)
(xy 64.215129 118.811391)
(xy 64.251055 118.833238)
(xy 64.256387 118.836866)
(xy 64.264134 118.842741)
(xy 64.289895 118.862277)
(xy 64.305219 118.86832)
(xy 64.324457 118.877875)
(xy 64.338532 118.886434)
(xy 64.377175 118.897261)
(xy 64.379017 118.897777)
(xy 64.385121 118.899829)
(xy 64.424254 118.915261)
(xy 64.440643 118.916945)
(xy 64.461743 118.920956)
(xy 64.477605 118.9254)
(xy 64.519652 118.9254)
(xy 64.5261 118.925731)
(xy 64.567925 118.930031)
(xy 64.567925 118.93003)
(xy 64.567927 118.930031)
(xy 64.58416 118.927232)
(xy 64.605569 118.9254)
(xy 70.456151 118.9254)
(xy 70.519381 118.92756)
(xy 70.560228 118.917605)
(xy 70.566568 118.9164)
(xy 70.569887 118.915943)
(xy 70.60823 118.910674)
(xy 70.623344 118.904108)
(xy 70.643695 118.897264)
(xy 70.659704 118.893364)
(xy 70.696376 118.872743)
(xy 70.702109 118.869895)
(xy 70.740702 118.853133)
(xy 70.753481 118.842735)
(xy 70.771233 118.830653)
(xy 70.785596 118.822578)
(xy 70.815323 118.792849)
(xy 70.820116 118.788524)
(xy 70.83281 118.778197)
(xy 70.852738 118.761985)
(xy 70.862239 118.748524)
(xy 70.876077 118.732095)
(xy 72.192967 117.415205)
(xy 72.255277 117.381181)
(xy 72.326092 117.386246)
(xy 72.382928 117.428793)
(xy 72.407267 117.490191)
(xy 72.413785 117.548036)
(xy 72.413785 117.548038)
(xy 72.413786 117.548039)
(xy 72.469634 117.707645)
(xy 72.469635 117.707646)
(xy 72.559602 117.850827)
(xy 72.559605 117.85083)
(xy 72.559605 117.850831)
(xy 72.679168 117.970394)

(xy 72.67917 117.970395)
(xy 72.679173 117.970398)
(xy 72.822354 118.060365)
(xy 72.981964 118.116215)
(xy 73.15 118.135148)
(xy 73.318036 118.116215)
(xy 73.477646 118.060365)
(xy 73.620827 117.970398)
(xy 73.740398 117.850827)
(xy 73.830365 117.707646)
(xy 73.886215 117.548036)
(xy 73.905148 117.38)
(xy 73.886215 117.211964)
(xy 73.830365 117.052354)
(xy 73.740398 116.909173)
(xy 73.740394 116.909169)
(xy 73.740394 116.909168)
(xy 73.62083 116.789604)
(xy 73.597095 116.77469)
(xy 73.57067 116.758086)
(xy 73.523634 116.704908)
(xy 73.512814 116.634741)
(xy 73.541647 116.569862)
(xy 73.600979 116.530872)
(xy 73.637708 116.5254)
(xy 75.662292 116.5254)
(xy 75.730413 116.545402)
(xy 75.776906 116.599058)
(xy 75.78701 116.669332)
(xy 75.757516 116.733912)
(xy 75.729329 116.758087)
(xy 75.679169 116.789604)
(xy 75.559605 116.909168)
(xy 75.559605 116.909169)
(xy 75.469634 117.052354)
(xy 75.429356 117.167465)
(xy 75.413785 117.211964)
(xy 75.394852 117.38)
(xy 75.413785 117.548036)
(xy 75.421113 117.568978)
(xy 75.469634 117.707645)
(xy 75.469635 117.707646)
(xy 75.559602 117.850827)
(xy 75.559605 117.85083)
(xy 75.559605 117.850831)
(xy 75.679168 117.970394)
(xy 75.67917 117.970395)
(xy 75.679173 117.970398)
(xy 75.822354 118.060365)
(xy 75.981964 118.116215)
(xy 76.15 118.135148)
(xy 76.318036 118.116215)
(xy 76.477646 118.060365)
(xy 76.620827 117.970398)
(xy 76.740398 117.850827)
(xy 76.830365 117.707646)
(xy 76.886215 117.548036)
(xy 76.905148 117.38)
(xy 76.89698 117.307511)
(xy 76.909229 117.237582)
(xy 76.957342 117.185374)
(xy 77.026042 117.167465)
(xy 77.093519 117.189541)
(xy 77.111283 117.204311)
(xy 78.472132 118.56516)
(xy 78.515309 118.611391)
(xy 78.551235 118.633238)
(xy 78.556567 118.636866)

(xy 78.564314 118.642741)
(xy 78.590075 118.662277)
(xy 78.605399 118.66832)
(xy 78.624637 118.677875)
(xy 78.638712 118.686434)
(xy 78.677355 118.697261)
(xy 78.679197 118.697777)
(xy 78.685301 118.699829)
(xy 78.724434 118.715261)
(xy 78.740823 118.716945)
(xy 78.761923 118.720956)
(xy 78.777785 118.7254)
(xy 78.819832 118.7254)
(xy 78.82628 118.725731)
(xy 78.868105 118.730031)
(xy 78.868105 118.73003)
(xy 78.868107 118.730031)
(xy 78.88434 118.727232)
(xy 78.905749 118.7254)
(xy 82.727785 118.7254)
(xy 88.827785 118.7254)
(xy 90.627785 118.7254)
(xy 116.291005 118.7254)
(xy 116.354235 118.72756)
(xy 116.395082 118.717605)
(xy 116.401422 118.7164)
(xy 116.404741 118.715943)
(xy 116.443084 118.710674)
(xy 116.458198 118.704108)
(xy 116.478549 118.697264)
(xy 116.494558 118.693364)
(xy 116.53123 118.672743)
(xy 116.536963 118.669895)
(xy 116.575556 118.653133)
(xy 116.588335 118.642735)
(xy 116.606087 118.630653)
(xy 116.62045 118.622578)
(xy 116.650177 118.592849)
(xy 116.65497 118.588524)
(xy 116.687592 118.561985)
(xy 116.697093 118.548524)
(xy 116.710931 118.532095)
(xy 119.36516 115.877867)
(xy 119.411391 115.834691)
(xy 119.43324 115.798759)
(xy 119.436862 115.793437)
(xy 119.462277 115.759925)
(xy 119.468321 115.744597)
(xy 119.477876 115.725359)
(xy 119.486434 115.711288)
(xy 119.497775 115.670806)
(xy 119.499834 115.664685)
(xy 119.515259 115.625571)
(xy 119.515258 115.625571)
(xy 119.515261 115.625566)
(xy 119.516946 115.60917)
(xy 119.520957 115.58807)
(xy 119.5254 115.572215)
(xy 119.5254 115.530168)
(xy 119.525731 115.52372)
(xy 119.530031 115.481894)
(xy 119.528716 115.474269)
(xy 119.527232 115.465658)
(xy 119.5254 115.444251)
(xy 119.5254 108.500003)
(xy 125.244968 108.500003)
(xy 125.263398 108.62819)
(xy 125.2634 108.628197)

(xy 125.317203 108.746009)
(xy 125.317206 108.746013)
(xy 125.402014 108.843888)
(xy 125.402016 108.843889)
(xy 125.402017 108.84389)
(xy 125.510973 108.913912)
(xy 125.635242 108.9504)
(xy 125.764758 108.9504)
(xy 125.889027 108.913912)
(xy 125.997983 108.84389)
(xy 126.082797 108.746009)
(xy 126.1366 108.628197)
(xy 126.150979 108.52819)
(xy 126.155032 108.500003)
(xy 126.155032 108.499996)
(xy 126.136601 108.371809)
(xy 126.1366 108.371808)
(xy 126.1366 108.371803)
(xy 126.082797 108.253991)
(xy 126.07458 108.244508)
(xy 125.997985 108.156111)
(xy 125.997983 108.15611)
(xy 125.981727 108.145663)
(xy 125.889027 108.086088)
(xy 125.889026 108.086087)
(xy 125.889025 108.086087)
(xy 125.764758 108.0496)
(xy 125.635242 108.0496)
(xy 125.510974 108.086087)
(xy 125.510971 108.086089)
(xy 125.402016 108.15611)
(xy 125.402014 108.156111)
(xy 125.317206 108.253986)
(xy 125.317203 108.25399)
(xy 125.2634 108.371802)
(xy 125.263398 108.371809)
(xy 125.244968 108.499996)
(xy 125.244968 108.500003)
(xy 119.5254 108.500003)
(xy 119.5254 107.100003)
(xy 122.344968 107.100003)
(xy 122.363398 107.22819)
(xy 122.3634 107.228197)
(xy 122.417203 107.346009)
(xy 122.417206 107.346013)
(xy 122.502014 107.443888)
(xy 122.502016 107.443889)
(xy 122.502017 107.44389)
(xy 122.610973 107.513912)
(xy 122.735242 107.5504)
(xy 122.864758 107.5504)
(xy 122.989027 107.513912)
(xy 123.097983 107.44389)
(xy 123.182797 107.346009)
(xy 123.185386 107.340339)
(xy 123.231877 107.286684)
(xy 123.299998 107.266681)
(xy 123.368119 107.286682)
(xy 123.414612 107.340336)
(xy 123.417203 107.346009)
(xy 123.417204 107.34601)
(xy 123.417206 107.346013)
(xy 123.502014 107.443888)
(xy 123.502016 107.443889)
(xy 123.502017 107.44389)
(xy 123.610973 107.513912)
(xy 123.735242 107.5504)
(xy 123.864758 107.5504)

(xy 123.989027 107.513912)
(xy 124.097983 107.44389)
(xy 124.182797 107.346009)
(xy 124.2366 107.228197)
(xy 124.241228 107.196009)
(xy 124.255032 107.100003)
(xy 127.344968 107.100003)
(xy 127.363398 107.22819)
(xy 127.3634 107.228197)
(xy 127.417203 107.346009)
(xy 127.417206 107.346013)
(xy 127.502014 107.443888)
(xy 127.502016 107.443889)
(xy 127.502017 107.44389)
(xy 127.610973 107.513912)
(xy 127.735242 107.5504)
(xy 127.864758 107.5504)
(xy 127.989027 107.513912)
(xy 128.097983 107.44389)
(xy 128.182797 107.346009)
(xy 128.2366 107.228197)
(xy 128.241228 107.196009)
(xy 128.255032 107.100003)
(xy 128.255032 107.099996)
(xy 128.236601 106.971809)
(xy 128.2366 106.971808)
(xy 128.2366 106.971803)
(xy 128.182797 106.853991)
(xy 128.182793 106.853986)
(xy 128.097985 106.756111)
(xy 128.097813 106.756001)
(xy 128.097679 106.755846)
(xy 128.091171 106.750207)
(xy 128.091981 106.749271)
(xy 128.051318 106.702347)
(xy 128.041211 106.632074)
(xy 128.070701 106.567492)
(xy 128.097813 106.543999)
(xy 128.097983 106.54389)
(xy 128.104744 106.536088)
(xy 128.151288 106.482372)
(xy 128.182797 106.446009)
(xy 128.2366 106.328197)
(xy 128.24264 106.286186)
(xy 128.255032 106.200003)
(xy 128.255032 106.199996)
(xy 128.236601 106.071809)
(xy 128.2366 106.071808)
(xy 128.2366 106.071803)
(xy 128.182797 105.953991)
(xy 128.182793 105.953986)
(xy 128.097985 105.856111)
(xy 128.097983 105.85611)
(xy 128.049807 105.825149)
(xy 127.989027 105.786088)
(xy 127.989026 105.786087)
(xy 127.989025 105.786087)
(xy 127.864758 105.7496)
(xy 127.735242 105.7496)
(xy 127.610974 105.786087)
(xy 127.610971 105.786089)
(xy 127.502016 105.85611)
(xy 127.502014 105.856111)
(xy 127.417206 105.953986)
(xy 127.417203 105.95399)
(xy 127.3634 106.071802)
(xy 127.363398 106.071809)
(xy 127.344968 106.199996)

(xy 127.344968 106.200003)
(xy 127.363398 106.32819)
(xy 127.3634 106.328197)
(xy 127.417203 106.446009)
(xy 127.417206 106.446013)
(xy 127.502014 106.543888)
(xy 127.502018 106.543891)
(xy 127.502192 106.544003)
(xy 127.502327 106.544158)
(xy 127.508829 106.549793)
(xy 127.508018 106.550727)
(xy 127.548684 106.597659)
(xy 127.558787 106.667934)
(xy 127.529293 106.732514)
(xy 127.502192 106.755997)
(xy 127.502018 106.756108)
(xy 127.502014 106.756111)
(xy 127.417206 106.853986)
(xy 127.417203 106.85399)
(xy 127.3634 106.971802)
(xy 127.363398 106.971809)
(xy 127.344968 107.099996)
(xy 127.344968 107.100003)
(xy 124.255032 107.100003)
(xy 124.255032 107.099996)
(xy 124.236601 106.971809)
(xy 124.2366 106.971808)
(xy 124.2366 106.971803)
(xy 124.182797 106.853991)
(xy 124.182793 106.853986)
(xy 124.097985 106.756111)
(xy 124.097983 106.75611)
(xy 124.030476 106.712726)
(xy 123.989027 106.686088)
(xy 123.989026 106.686087)
(xy 123.989025 106.686087)
(xy 123.864758 106.6496)
(xy 123.735242 106.6496)
(xy 123.610974 106.686087)
(xy 123.610971 106.686089)
(xy 123.502016 106.75611)
(xy 123.502014 106.756111)
(xy 123.417206 106.853986)
(xy 123.417199 106.853995)
(xy 123.414609 106.859668)
(xy 123.368112 106.913321)
(xy 123.29999 106.933318)
(xy 123.231871 106.913311)
(xy 123.185384 106.859656)
(xy 123.182797 106.853991)
(xy 123.182793 106.853986)
(xy 123.097985 106.756111)
(xy 123.097983 106.75611)
(xy 123.030476 106.712726)
(xy 122.989027 106.686088)
(xy 122.989026 106.686087)
(xy 122.989025 106.686087)
(xy 122.864758 106.6496)
(xy 122.735242 106.6496)
(xy 122.610974 106.686087)
(xy 122.610971 106.686089)
(xy 122.502016 106.75611)
(xy 122.502014 106.756111)
(xy 122.417206 106.853986)
(xy 122.417203 106.85399)
(xy 122.3634 106.971802)
(xy 122.363398 106.971809)
(xy 122.344968 107.099996)

(xy 122.344968 107.100003)
(xy 119.5254 107.100003)
(xy 119.5254 105.925223)
(xy 119.545402 105.857102)
(xy 119.599058 105.810609)
(xy 119.669332 105.800505)
(xy 119.703744 105.81061)
(xy 119.710968 105.813908)
(xy 119.710973 105.813912)
(xy 119.835242 105.8504)
(xy 119.964758 105.8504)
(xy 120.089027 105.813912)
(xy 120.197983 105.74389)
(xy 120.282797 105.646009)
(xy 120.3366 105.528197)
(xy 120.336872 105.526301)
(xy 120.355032 105.400003)
(xy 120.355032 105.399996)
(xy 120.336601 105.271809)
(xy 120.3366 105.271808)
(xy 120.3366 105.271803)
(xy 120.282797 105.153991)
(xy 120.282793 105.153986)
(xy 120.197985 105.056111)
(xy 120.197983 105.05611)
(xy 120.169827 105.038015)
(xy 120.089027 104.986088)
(xy 120.089026 104.986087)
(xy 120.089025 104.986087)
(xy 119.964758 104.9496)
(xy 119.835242 104.9496)
(xy 119.710974 104.986087)
(xy 119.703738 104.989392)
(xy 119.633463 104.999493)
(xy 119.568884 104.969997)
(xy 119.530502 104.91027)
(xy 119.5254 104.874776)
(xy 119.5254 104.400003)
(xy 121.444968 104.400003)
(xy 121.463398 104.52819)
(xy 121.4634 104.528197)
(xy 121.517203 104.646009)
(xy 121.517206 104.646013)
(xy 121.602014 104.743888)
(xy 121.602016 104.743889)
(xy 121.602017 104.74389)
(xy 121.710973 104.813912)
(xy 121.835242 104.8504)
(xy 121.964758 104.8504)
(xy 122.089027 104.813912)
(xy 122.197983 104.74389)
(xy 122.204576 104.736282)
(xy 122.255579 104.67742)
(xy 122.282797 104.646009)
(xy 122.3366 104.528197)
(xy 122.340655 104.499996)
(xy 122.355032 104.400003)
(xy 122.644968 104.400003)
(xy 122.663398 104.52819)
(xy 122.6634 104.528197)
(xy 122.717203 104.646009)
(xy 122.717206 104.646013)
(xy 122.802014 104.743888)
(xy 122.802016 104.743889)
(xy 122.802017 104.74389)
(xy 122.910973 104.813912)
(xy 123.035242 104.8504)
(xy 123.164758 104.8504)

(xy 123.289027 104.813912)
(xy 123.397983 104.74389)
(xy 123.404576 104.736282)
(xy 123.455579 104.67742)
(xy 123.482797 104.646009)
(xy 123.5366 104.528197)
(xy 123.540655 104.499996)
(xy 123.555032 104.400003)
(xy 124.544968 104.400003)
(xy 124.563398 104.52819)
(xy 124.5634 104.528197)
(xy 124.617203 104.646009)
(xy 124.617206 104.646013)
(xy 124.702014 104.743888)
(xy 124.702016 104.743889)
(xy 124.702017 104.74389)
(xy 124.810973 104.813912)
(xy 124.935242 104.8504)
(xy 125.064758 104.8504)
(xy 125.189027 104.813912)
(xy 125.297983 104.74389)
(xy 125.304576 104.736282)
(xy 125.355579 104.67742)
(xy 125.382797 104.646009)
(xy 125.4366 104.528197)
(xy 125.440655 104.499996)
(xy 125.455032 104.400003)
(xy 125.455032 104.399996)
(xy 125.436601 104.271809)
(xy 125.4366 104.271808)
(xy 125.4366 104.271803)
(xy 125.382797 104.153991)
(xy 125.364185 104.132511)
(xy 125.334693 104.067933)
(xy 125.344796 103.997659)
(xy 125.364186 103.967487)
(xy 125.371366 103.959201)
(xy 125.382797 103.946009)
(xy 125.4366 103.828197)
(xy 125.441342 103.795215)
(xy 125.455032 103.700003)
(xy 125.455032 103.699996)
(xy 125.436601 103.571809)
(xy 125.4366 103.571808)
(xy 125.4366 103.571803)
(xy 125.40381 103.500003)
(xy 127.044968 103.500003)
(xy 127.063398 103.62819)
(xy 127.0634 103.628197)
(xy 127.117203 103.746009)
(xy 127.117206 103.746013)
(xy 127.202014 103.843888)
(xy 127.202016 103.843889)
(xy 127.202017 103.84389)
(xy 127.310973 103.913912)
(xy 127.435242 103.9504)
(xy 127.564758 103.9504)
(xy 127.689027 103.913912)
(xy 127.797983 103.84389)
(xy 127.882797 103.746009)
(xy 127.9366 103.628197)
(xy 127.941169 103.596418)
(xy 127.955032 103.500003)
(xy 127.955032 103.499996)
(xy 127.936601 103.371809)
(xy 127.9366 103.371808)
(xy 127.9366 103.371803)
(xy 127.882797 103.253991)

(xy 127.882134 103.253226)
(xy 127.797985 103.156111)
(xy 127.797983 103.15611)
(xy 127.778965 103.143888)
(xy 127.689027 103.086088)
(xy 127.689026 103.086087)
(xy 127.689025 103.086087)
(xy 127.564758 103.0496)
(xy 127.435242 103.0496)
(xy 127.310974 103.086087)
(xy 127.310971 103.086089)
(xy 127.202016 103.15611)
(xy 127.202014 103.156111)
(xy 127.117206 103.253986)
(xy 127.117203 103.25399)
(xy 127.0634 103.371802)
(xy 127.063398 103.371809)
(xy 127.044968 103.499996)
(xy 127.044968 103.500003)
(xy 125.40381 103.500003)
(xy 125.382797 103.453991)
(xy 125.364185 103.432511)
(xy 125.334693 103.367933)
(xy 125.344796 103.297659)
(xy 125.364186 103.267487)
(xy 125.367894 103.263208)
(xy 125.382797 103.246009)
(xy 125.4366 103.128197)
(xy 125.442654 103.086089)
(xy 125.455032 103.000003)
(xy 125.455032 102.999996)
(xy 125.436601 102.871809)
(xy 125.4366 102.871808)
(xy 125.4366 102.871803)
(xy 125.382797 102.753991)
(xy 125.380331 102.751145)
(xy 125.297985 102.656111)
(xy 125.297983 102.65611)
(xy 125.232322 102.613912)
(xy 125.189027 102.586088)
(xy 125.189026 102.586087)
(xy 125.189025 102.586087)
(xy 125.064758 102.5496)
(xy 124.935242 102.5496)
(xy 124.810974 102.586087)
(xy 124.810971 102.586089)
(xy 124.702016 102.65611)
(xy 124.702014 102.656111)
(xy 124.617206 102.753986)
(xy 124.617203 102.75399)
(xy 124.5634 102.871802)
(xy 124.563398 102.871809)
(xy 124.544968 102.999996)
(xy 124.544968 103.000003)
(xy 124.563398 103.12819)
(xy 124.5634 103.128197)
(xy 124.617203 103.246009)
(xy 124.617206 103.246013)
(xy 124.635814 103.267489)
(xy 124.665307 103.33207)
(xy 124.655202 103.402344)
(xy 124.635814 103.432511)
(xy 124.617206 103.453986)
(xy 124.617203 103.45399)
(xy 124.5634 103.571802)
(xy 124.563398 103.571809)
(xy 124.544968 103.699996)
(xy 124.544968 103.700003)

(xy 124.563398 103.82819)
(xy 124.5634 103.828197)
(xy 124.617203 103.946009)
(xy 124.617206 103.946013)
(xy 124.635814 103.967489)
(xy 124.665307 104.03207)
(xy 124.655202 104.102344)
(xy 124.635814 104.132511)
(xy 124.617206 104.153986)
(xy 124.617203 104.15399)
(xy 124.5634 104.271802)
(xy 124.563398 104.271809)
(xy 124.544968 104.399996)
(xy 124.544968 104.400003)
(xy 123.555032 104.400003)
(xy 123.555032 104.399996)
(xy 123.536601 104.271809)
(xy 123.5366 104.271808)
(xy 123.5366 104.271803)
(xy 123.482797 104.153991)
(xy 123.481369 104.152343)
(xy 123.397985 104.056111)
(xy 123.397983 104.05611)
(xy 123.360576 104.03207)
(xy 123.289027 103.986088)
(xy 123.289026 103.986087)
(xy 123.289025 103.986087)
(xy 123.164758 103.9496)
(xy 123.035242 103.9496)
(xy 122.910974 103.986087)
(xy 122.910971 103.986089)
(xy 122.802016 104.05611)
(xy 122.802014 104.056111)
(xy 122.717206 104.153986)
(xy 122.717203 104.15399)
(xy 122.6634 104.271802)
(xy 122.663398 104.271809)
(xy 122.644968 104.399996)
(xy 122.644968 104.400003)
(xy 122.355032 104.400003)
(xy 122.355032 104.399996)
(xy 122.336601 104.271809)
(xy 122.3366 104.271808)
(xy 122.3366 104.271803)
(xy 122.282797 104.153991)
(xy 122.281369 104.152343)
(xy 122.197985 104.056111)
(xy 122.197983 104.05611)
(xy 122.160576 104.03207)
(xy 122.089027 103.986088)
(xy 122.089026 103.986087)
(xy 122.089025 103.986087)
(xy 121.964758 103.9496)
(xy 121.835242 103.9496)
(xy 121.710974 103.986087)
(xy 121.710971 103.986089)
(xy 121.602016 104.05611)
(xy 121.602014 104.056111)
(xy 121.517206 104.153986)
(xy 121.517203 104.15399)
(xy 121.4634 104.271802)
(xy 121.463398 104.271809)
(xy 121.444968 104.399996)
(xy 121.444968 104.400003)
(xy 119.5254 104.400003)
(xy 119.5254 103.900003)
(xy 119.84496 103.900003)
(xy 119.86339 104.02819)

(xy 119.863392 104.028197)
(xy 119.917195 104.146009)
(xy 119.917198 104.146013)
(xy 120.002006 104.243888)
(xy 120.002008 104.243889)
(xy 120.002009 104.24389)
(xy 120.110965 104.313912)
(xy 120.235234 104.3504)
(xy 120.36475 104.3504)
(xy 120.489019 104.313912)
(xy 120.597975 104.24389)
(xy 120.601491 104.239833)
(xy 120.647422 104.186825)
(xy 120.682789 104.146009)
(xy 120.736592 104.028197)
(xy 120.742646 103.986089)
(xy 120.755024 103.900003)
(xy 120.755024 103.899996)
(xy 120.736593 103.771809)
(xy 120.736592 103.771808)
(xy 120.736592 103.771803)
(xy 120.682789 103.653991)
(xy 120.675873 103.646009)
(xy 120.666512 103.635206)
(xy 120.637019 103.570625)
(xy 120.647124 103.500351)
(xy 120.693617 103.446696)
(xy 120.693617 103.446695)
(xy 120.697983 103.44389)
(xy 120.782797 103.346009)
(xy 120.8366 103.228197)
(xy 120.844281 103.174776)
(xy 120.855032 103.100003)
(xy 120.855032 103.099996)
(xy 120.840655 103.000003)
(xy 121.444968 103.000003)
(xy 121.463398 103.12819)
(xy 121.4634 103.128197)
(xy 121.517203 103.246009)
(xy 121.517206 103.246013)
(xy 121.602014 103.343888)
(xy 121.602016 103.343889)
(xy 121.602017 103.34389)
(xy 121.710973 103.413912)
(xy 121.835242 103.4504)
(xy 121.964758 103.4504)
(xy 122.089027 103.413912)
(xy 122.197983 103.34389)
(xy 122.282797 103.246009)
(xy 122.3366 103.128197)
(xy 122.342654 103.086089)
(xy 122.355032 103.000003)
(xy 122.644968 103.000003)
(xy 122.663398 103.12819)
(xy 122.6634 103.128197)
(xy 122.717203 103.246009)
(xy 122.717206 103.246013)
(xy 122.802014 103.343888)
(xy 122.802016 103.343889)
(xy 122.802017 103.34389)
(xy 122.910973 103.413912)
(xy 123.035242 103.4504)
(xy 123.164758 103.4504)
(xy 123.289027 103.413912)
(xy 123.397983 103.34389)
(xy 123.482797 103.246009)
(xy 123.5366 103.128197)
(xy 123.542654 103.086089)

(xy 123.555032 103.000003)
(xy 123.555032 102.999996)
(xy 123.536601 102.871809)
(xy 123.5366 102.871808)
(xy 123.5366 102.871803)
(xy 123.482797 102.753991)
(xy 123.480331 102.751145)
(xy 123.397985 102.656111)
(xy 123.397983 102.65611)
(xy 123.332322 102.613912)
(xy 123.289027 102.586088)
(xy 123.289026 102.586087)
(xy 123.289025 102.586087)
(xy 123.164758 102.5496)
(xy 123.035242 102.5496)
(xy 122.910974 102.586087)
(xy 122.910971 102.586089)
(xy 122.802016 102.65611)
(xy 122.802014 102.656111)
(xy 122.717206 102.753986)
(xy 122.717203 102.75399)
(xy 122.6634 102.871802)
(xy 122.663398 102.871809)
(xy 122.644968 102.999996)
(xy 122.644968 103.000003)
(xy 122.355032 103.000003)
(xy 122.355032 102.999996)
(xy 122.336601 102.871809)
(xy 122.3366 102.871808)
(xy 122.3366 102.871803)
(xy 122.282797 102.753991)
(xy 122.280331 102.751145)
(xy 122.197985 102.656111)
(xy 122.197983 102.65611)
(xy 122.132322 102.613912)
(xy 122.089027 102.586088)
(xy 122.089026 102.586087)
(xy 122.089025 102.586087)
(xy 121.964758 102.5496)
(xy 121.835242 102.5496)
(xy 121.710974 102.586087)
(xy 121.710971 102.586089)
(xy 121.602016 102.65611)
(xy 121.602014 102.656111)
(xy 121.517206 102.753986)
(xy 121.517203 102.75399)
(xy 121.4634 102.871802)
(xy 121.463398 102.871809)
(xy 121.444968 102.999996)
(xy 121.444968 103.000003)
(xy 120.840655 103.000003)
(xy 120.836601 102.971809)
(xy 120.8366 102.971808)
(xy 120.8366 102.971803)
(xy 120.782797 102.853991)
(xy 120.782793 102.853986)
(xy 120.697985 102.756111)
(xy 120.697983 102.75611)
(xy 120.671087 102.738825)
(xy 120.589027 102.686088)
(xy 120.589026 102.686087)
(xy 120.589025 102.686087)
(xy 120.464758 102.6496)
(xy 120.335242 102.6496)
(xy 120.210974 102.686087)
(xy 120.210971 102.686089)
(xy 120.102016 102.75611)
(xy 120.102014 102.756111)

(xy 120.017206 102.853986)
(xy 120.017203 102.85399)
(xy 119.9634 102.971802)
(xy 119.963398 102.971809)
(xy 119.944968 103.099996)
(xy 119.944968 103.100003)
(xy 119.963398 103.22819)
(xy 119.9634 103.228197)
(xy 120.017203 103.346009)
(xy 120.033479 103.364793)
(xy 120.062972 103.429374)
(xy 120.052867 103.499648)
(xy 120.006382 103.553298)
(xy 120.002013 103.556105)
(xy 120.002006 103.556111)
(xy 119.917198 103.653986)
(xy 119.917195 103.65399)
(xy 119.863392 103.771802)
(xy 119.86339 103.771809)
(xy 119.84496 103.899996)
(xy 119.84496 103.900003)
(xy 119.5254 103.900003)
(xy 119.5254 102.369818)
(xy 119.545402 102.301697)
(xy 119.562305 102.280723)
(xy 119.865161 101.977867)
(xy 119.895427 101.9496)
(xy 119.911391 101.934691)
(xy 119.921924 101.917369)
(xy 119.974407 101.869558)
(xy 120.044408 101.85771)
(xy 120.109702 101.885589)
(xy 120.149558 101.944342)
(xy 120.154299 101.964903)
(xy 120.163398 102.02819)
(xy 120.1634 102.028197)
(xy 120.217203 102.146009)
(xy 120.217206 102.146013)
(xy 120.302014 102.243888)
(xy 120.302016 102.243889)
(xy 120.302017 102.24389)
(xy 120.410973 102.313912)
(xy 120.535242 102.3504)
(xy 120.664758 102.3504)
(xy 120.789027 102.313912)
(xy 120.831878 102.286372)
(xy 120.899999 102.26637)
(xy 120.968117 102.28637)
(xy 120.968122 102.286373)
(xy 121.010969 102.31391)
(xy 121.010971 102.31391)
(xy 121.010973 102.313912)
(xy 121.135242 102.3504)
(xy 121.264758 102.3504)
(xy 121.389027 102.313912)
(xy 121.497983 102.24389)
(xy 121.582797 102.146009)
(xy 121.6366 102.028197)
(xy 121.642654 101.986089)
(xy 121.655032 101.900003)
(xy 121.655032 101.899996)
(xy 121.636601 101.771809)
(xy 121.6366 101.771808)
(xy 121.6366 101.771803)
(xy 121.582797 101.653991)
(xy 121.582793 101.653986)
(xy 121.497985 101.556111)
(xy 121.497983 101.55611)

(xy 121.420183 101.506111)
(xy 121.389027 101.486088)
(xy 121.389026 101.486087)
(xy 121.389025 101.486087)
(xy 121.264758 101.4496)
(xy 121.135242 101.4496)
(xy 121.010974 101.486087)
(xy 121.010967 101.48609)
(xy 120.96812 101.513627)
(xy 120.899999 101.533629)
(xy 120.83188 101.513627)
(xy 120.789032 101.48609)
(xy 120.789025 101.486087)
(xy 120.664758 101.4496)
(xy 120.535242 101.4496)
(xy 120.410974 101.486087)
(xy 120.410971 101.486089)
(xy 120.302016 101.55611)
(xy 120.302014 101.556111)
(xy 120.246624 101.620036)
(xy 120.186898 101.65842)
(xy 120.115902 101.65842)
(xy 120.056176 101.620036)
(xy 120.026682 101.555456)
(xy 120.0254 101.537524)
(xy 120.0254 100.800003)
(xy 127.144968 100.800003)
(xy 127.163398 100.92819)
(xy 127.1634 100.928197)
(xy 127.217203 101.046009)
(xy 127.217206 101.046013)
(xy 127.302014 101.143888)
(xy 127.302016 101.143889)
(xy 127.302017 101.14389)
(xy 127.410973 101.213912)
(xy 127.535242 101.2504)
(xy 127.664758 101.2504)
(xy 127.789027 101.213912)
(xy 127.897983 101.14389)
(xy 127.982797 101.046009)
(xy 128.0366 100.928197)
(xy 128.040655 100.899996)
(xy 128.055032 100.800003)
(xy 128.055032 100.799996)
(xy 128.036601 100.671809)
(xy 128.0366 100.671808)
(xy 128.0366 100.671803)
(xy 127.982797 100.553991)
(xy 127.982793 100.553986)
(xy 127.897985 100.456111)
(xy 127.897983 100.45611)
(xy 127.866825 100.436086)
(xy 127.820006 100.405997)
(xy 127.773514 100.352342)
(xy 127.76341 100.282068)
(xy 127.792903 100.217488)
(xy 127.820007 100.194002)
(xy 127.897983 100.14389)
(xy 127.982797 100.046009)
(xy 128.0366 99.928197)
(xy 128.050979 99.82819)
(xy 128.055032 99.800003)
(xy 128.055032 99.799996)
(xy 128.036601 99.671809)
(xy 128.0366 99.671808)
(xy 128.0366 99.671803)
(xy 127.982797 99.553991)
(xy 127.982052 99.553131)

(xy 127.897985 99.456111)
(xy 127.897983 99.45611)
(xy 127.855889 99.429058)
(xy 127.789027 99.386088)
(xy 127.789026 99.386087)
(xy 127.789025 99.386087)
(xy 127.664758 99.3496)
(xy 127.535242 99.3496)
(xy 127.410974 99.386087)
(xy 127.410971 99.386089)
(xy 127.302016 99.45611)
(xy 127.302014 99.456111)
(xy 127.217206 99.553986)
(xy 127.217203 99.55399)
(xy 127.1634 99.671802)
(xy 127.163398 99.671809)
(xy 127.144968 99.799996)
(xy 127.144968 99.800003)
(xy 127.163398 99.92819)
(xy 127.1634 99.928197)
(xy 127.217203 100.046009)
(xy 127.217206 100.046013)
(xy 127.302014 100.143888)
(xy 127.302016 100.143889)
(xy 127.302017 100.14389)
(xy 127.33971 100.168114)
(xy 127.379992 100.194002)
(xy 127.426485 100.247658)
(xy 127.436588 100.317932)
(xy 127.407095 100.382513)
(xy 127.379992 100.405998)
(xy 127.302016 100.45611)
(xy 127.302014 100.456111)
(xy 127.217206 100.553986)
(xy 127.217203 100.55399)
(xy 127.1634 100.671802)
(xy 127.163398 100.671809)
(xy 127.144968 100.799996)
(xy 127.144968 100.800003)
(xy 120.0254 100.800003)
(xy 120.0254 99.7514)
(xy 120.045402 99.683279)
(xy 120.099058 99.636786)
(xy 120.1514 99.6254)
(xy 120.427785 99.6254)
(xy 120.991005 99.6254)
(xy 121.054235 99.62756)
(xy 121.095082 99.617605)
(xy 121.101422 99.6164)
(xy 121.104741 99.615943)
(xy 121.143084 99.610674)
(xy 121.158198 99.604108)
(xy 121.178549 99.597264)
(xy 121.194558 99.593364)
(xy 121.23123 99.572743)
(xy 121.236963 99.569895)
(xy 121.275556 99.553133)
(xy 121.288335 99.542735)
(xy 121.306087 99.530653)
(xy 121.32045 99.522578)
(xy 121.350177 99.492849)
(xy 121.35497 99.488524)
(xy 121.387592 99.461985)
(xy 121.397093 99.448524)
(xy 121.410931 99.432095)
(xy 122.644775 98.198251)
(xy 122.707086 98.164226)
(xy 122.777901 98.169291)

(xy 122.834737 98.211838)
(xy 122.859548 98.278358)
(xy 122.858586 98.305278)
(xy 122.845507 98.396256)
(xy 122.844968 98.400002)
(xy 122.844968 98.400003)
(xy 122.863398 98.52819)
(xy 122.8634 98.528197)
(xy 122.917203 98.646009)
(xy 122.917206 98.646013)
(xy 123.002014 98.743888)
(xy 123.005984 98.747328)
(xy 123.044364 98.807056)
(xy 123.04436 98.878053)
(xy 123.005973 98.937777)
(xy 122.991587 98.948546)
(xy 122.902016 99.00611)
(xy 122.902014 99.006111)
(xy 122.817206 99.103986)
(xy 122.817203 99.10399)
(xy 122.7634 99.221802)
(xy 122.763398 99.221809)
(xy 122.744968 99.349996)
(xy 122.744968 99.350003)
(xy 122.763398 99.47819)
(xy 122.7634 99.478197)
(xy 122.817956 99.597658)
(xy 122.828059 99.667932)
(xy 122.817956 99.702342)
(xy 122.7634 99.821802)
(xy 122.763398 99.821809)
(xy 122.744968 99.949996)
(xy 122.744968 99.950003)
(xy 122.763398 100.07819)
(xy 122.7634 100.078197)
(xy 122.817203 100.196009)
(xy 122.817206 100.196013)
(xy 122.902014 100.293888)
(xy 122.902016 100.293889)
(xy 122.902017 100.29389)
(xy 123.010973 100.363912)
(xy 123.135242 100.4004)
(xy 123.264758 100.4004)
(xy 123.389027 100.363912)
(xy 123.497983 100.29389)
(xy 123.582797 100.196009)
(xy 123.6366 100.078197)
(xy 123.641228 100.046009)
(xy 123.655032 99.950003)
(xy 123.655032 99.949996)
(xy 123.636601 99.821809)
(xy 123.6366 99.821808)
(xy 123.6366 99.821803)
(xy 123.582797 99.703991)
(xy 123.582795 99.703989)
(xy 123.582043 99.702341)
(xy 123.571939 99.632067)
(xy 123.582044 99.597656)
(xy 123.582795 99.596011)
(xy 123.582797 99.596009)
(xy 123.6366 99.478197)
(xy 123.63971 99.456564)
(xy 123.655032 99.350003)
(xy 124.544968 99.350003)
(xy 124.563398 99.47819)
(xy 124.5634 99.478197)
(xy 124.617203 99.596009)
(xy 124.617206 99.596013)

(xy 124.702014 99.693888)
(xy 124.702016 99.693889)
(xy 124.702017 99.69389)
(xy 124.810973 99.763912)
(xy 124.935242 99.8004)
(xy 125.064758 99.8004)
(xy 125.189027 99.763912)
(xy 125.297983 99.69389)
(xy 125.307178 99.683279)
(xy 125.34131 99.643888)
(xy 125.382797 99.596009)
(xy 125.4366 99.478197)
(xy 125.43971 99.456564)
(xy 125.455032 99.350003)
(xy 125.455032 99.349996)
(xy 125.436601 99.221809)
(xy 125.4366 99.221808)
(xy 125.4366 99.221803)
(xy 125.382797 99.103991)
(xy 125.363366 99.081566)
(xy 125.297985 99.006111)
(xy 125.297983 99.00611)
(xy 125.276191 98.992105)
(xy 125.189027 98.936088)
(xy 125.189026 98.936087)
(xy 125.189025 98.936087)
(xy 125.064758 98.8996)
(xy 124.935242 98.8996)
(xy 124.810974 98.936087)
(xy 124.810971 98.936089)
(xy 124.702016 99.00611)
(xy 124.702014 99.006111)
(xy 124.617206 99.103986)
(xy 124.617203 99.10399)
(xy 124.5634 99.221802)
(xy 124.563398 99.221809)
(xy 124.544968 99.349996)
(xy 124.544968 99.350003)
(xy 123.655032 99.350003)
(xy 123.655032 99.349996)
(xy 123.636601 99.221809)
(xy 123.6366 99.221808)
(xy 123.6366 99.221803)
(xy 123.582797 99.103991)
(xy 123.563247 99.081429)
(xy 123.497981 99.006107)
(xy 123.494015 99.00267)
(xy 123.455635 98.942942)
(xy 123.455639 98.871945)
(xy 123.494026 98.812222)
(xy 123.508409 98.801455)
(xy 123.597983 98.74389)
(xy 123.682797 98.646009)
(xy 123.7366 98.528197)
(xy 123.74053 98.500862)
(xy 123.755032 98.400003)
(xy 123.755032 98.399996)
(xy 123.736601 98.271809)
(xy 123.7366 98.271808)
(xy 123.7366 98.271803)
(xy 123.682797 98.153991)
(xy 123.682793 98.153986)
(xy 123.597985 98.056111)
(xy 123.597983 98.05611)
(xy 123.532322 98.013912)
(xy 123.489027 97.986088)
(xy 123.489026 97.986087)
(xy 123.489025 97.986087)

(xy 123.364758 97.9496)
(xy 123.235242 97.9496)
(xy 123.225 97.952607)
(xy 123.154004 97.952604)
(xy 123.094279 97.914218)
(xy 123.064789 97.849636)
(xy 123.074896 97.779362)
(xy 123.10041 97.742616)
(xy 124.443023 96.400003)
(xy 126.044968 96.400003)
(xy 126.063398 96.52819)
(xy 126.0634 96.528197)
(xy 126.117203 96.646009)
(xy 126.117206 96.646013)
(xy 126.202014 96.743888)
(xy 126.202016 96.743889)
(xy 126.202017 96.74389)
(xy 126.310973 96.813912)
(xy 126.435242 96.8504)
(xy 126.564758 96.8504)
(xy 126.689027 96.813912)
(xy 126.797983 96.74389)
(xy 126.882797 96.646009)
(xy 126.9366 96.528197)
(xy 126.940778 96.499137)
(xy 126.955032 96.400003)
(xy 126.955032 96.399996)
(xy 126.936601 96.271809)
(xy 126.9366 96.271808)
(xy 126.9366 96.271803)
(xy 126.882797 96.153991)
(xy 126.882793 96.153986)
(xy 126.797985 96.056111)
(xy 126.797983 96.05611)
(xy 126.720183 96.006111)
(xy 126.689027 95.986088)
(xy 126.689026 95.986087)
(xy 126.689025 95.986087)
(xy 126.564758 95.9496)
(xy 126.435242 95.9496)
(xy 126.310974 95.986087)
(xy 126.310971 95.986089)
(xy 126.202016 96.05611)
(xy 126.202014 96.056111)
(xy 126.117206 96.153986)
(xy 126.117203 96.15399)
(xy 126.0634 96.271802)
(xy 126.063398 96.271809)
(xy 126.044968 96.399996)
(xy 126.044968 96.400003)
(xy 124.443023 96.400003)
(xy 125.965145 94.877881)
(xy 126.011391 94.834691)
(xy 126.033244 94.798753)
(xy 126.036866 94.793432)
(xy 126.062276 94.759926)
(xy 126.068316 94.744607)
(xy 126.077873 94.725363)
(xy 126.086434 94.711288)
(xy 126.097782 94.670781)
(xy 126.099826 94.664702)
(xy 126.115261 94.625566)
(xy 126.116946 94.60917)
(xy 126.120957 94.58807)
(xy 126.1254 94.572215)
(xy 126.1254 94.530168)
(xy 126.125731 94.52372)
(xy 126.130031 94.481894)

(xy 126.129392 94.47819)
(xy 126.127232 94.465658)
(xy 126.1254 94.444251)
(xy 126.1254 92.5514)
(xy 126.145402 92.483279)
(xy 126.199058 92.436786)
(xy 126.2514 92.4254)
(xy 127.135942 92.4254)
(xy 127.135955 92.425399)
(xy 127.24308 92.410675)
(xy 127.243081 92.410674)
(xy 127.243084 92.410674)
(xy 127.375556 92.353133)
(xy 127.375557 92.353131)
(xy 127.375559 92.353131)
(xy 127.375561 92.353129)
(xy 127.487586 92.26199)
(xy 127.487586 92.261989)
(xy 127.487592 92.261985)
(xy 127.570881 92.143991)
(xy 127.619247 92.007901)
(xy 127.629104 91.863808)
(xy 127.599719 91.7224)
(xy 127.599718 91.722398)
(xy 127.599718 91.722397)
(xy 127.557841 91.641579)
(xy 127.533272 91.594163)
(xy 127.434691 91.488609)
(xy 127.311288 91.413566)
(xy 127.172215 91.3746)
(xy 127.172214 91.3746)
(xy 125.620103 91.3746)
(xy 125.615807 91.374453)
(xy 125.563808 91.370896)
(xy 125.563807 91.370896)
(xy 125.512771 91.381501)
(xy 125.508544 91.382229)
(xy 125.492473 91.384438)
(xy 125.456916 91.389325)
(xy 125.456915 91.389325)
(xy 125.452096 91.391419)
(xy 125.427545 91.399211)
(xy 125.422407 91.400278)
(xy 125.422398 91.400282)
(xy 125.376133 91.424253)
(xy 125.37225 91.4261)
(xy 125.324444 91.446866)
(xy 125.32444 91.446868)
(xy 125.320366 91.450183)
(xy 125.298833 91.464307)
(xy 125.294166 91.466725)
(xy 125.294161 91.466728)
(xy 125.256074 91.502299)
(xy 125.252832 91.505126)
(xy 125.212405 91.538016)
(xy 125.209377 91.542307)
(xy 125.192451 91.561719)
(xy 125.188612 91.565304)
(xy 125.188608 91.565308)
(xy 125.161528 91.609837)
(xy 125.159171 91.613432)
(xy 125.12912 91.656006)
(xy 125.129118 91.65601)
(xy 125.127359 91.66096)
(xy 125.116299 91.684217)
(xy 125.113566 91.688711)
(xy 125.113563 91.688716)
(xy 125.099505 91.738893)

(xy 125.098204 91.742993)
(xy 125.080753 91.792096)
(xy 125.080752 91.792105)
(xy 125.080393 91.797346)
(xy 125.076019 91.822715)
(xy 125.0746 91.827779)
(xy 125.0746 91.879896)
(xy 125.074453 91.884191)
(xy 125.073587 91.896856)
(xy 125.070896 91.936191)
(xy 125.071964 91.941329)
(xy 125.0746 91.966968)
(xy 125.0746 94.230181)
(xy 125.054598 94.298302)
(xy 125.037695 94.319276)
(xy 121.44285 97.914121)
(xy 121.380538 97.948147)
(xy 121.309723 97.943082)
(xy 121.252887 97.900535)
(xy 121.239141 97.877368)
(xy 121.2366 97.871803)
(xy 121.182797 97.753991)
(xy 121.172939 97.742614)
(xy 121.097985 97.656111)
(xy 121.097983 97.65611)
(xy 121.064816 97.634795)
(xy 120.989027 97.586088)
(xy 120.989026 97.586087)
(xy 120.989025 97.586087)
(xy 120.864758 97.5496)
(xy 120.735242 97.5496)
(xy 120.610974 97.586087)
(xy 120.610971 97.586089)
(xy 120.502016 97.65611)
(xy 120.502014 97.656111)
(xy 120.417206 97.753986)
(xy 120.417203 97.75399)
(xy 120.3634 97.871802)
(xy 120.363398 97.871809)
(xy 120.344968 97.999996)
(xy 120.344968 98.000003)
(xy 120.363398 98.12819)
(xy 120.3634 98.128197)
(xy 120.417203 98.246009)
(xy 120.417206 98.246013)
(xy 120.502014 98.343888)
(xy 120.508829 98.349793)
(xy 120.507536 98.351285)
(xy 120.546505 98.396256)
(xy 120.55661 98.46653)
(xy 120.527118 98.531111)
(xy 120.467392 98.569496)
(xy 120.431892 98.5746)
(xy 119.520103 98.5746)
(xy 119.515807 98.574453)
(xy 119.463808 98.570896)
(xy 119.463807 98.570896)
(xy 119.412771 98.581501)
(xy 119.408544 98.582229)
(xy 119.392473 98.584438)
(xy 119.356916 98.589325)
(xy 119.356915 98.589325)
(xy 119.352096 98.591419)
(xy 119.327545 98.599211)
(xy 119.322407 98.600278)
(xy 119.322398 98.600282)
(xy 119.276133 98.624253)
(xy 119.27225 98.6261)

(xy 119.224444 98.646866)
(xy 119.22444 98.646868)
(xy 119.220366 98.650183)
(xy 119.198833 98.664307)
(xy 119.194166 98.666725)
(xy 119.194161 98.666728)
(xy 119.156074 98.702299)
(xy 119.152832 98.705126)
(xy 119.112405 98.738016)
(xy 119.109377 98.742307)
(xy 119.092451 98.761719)
(xy 119.088612 98.765304)
(xy 119.088608 98.765308)
(xy 119.061528 98.809837)
(xy 119.059171 98.813432)
(xy 119.02912 98.856006)
(xy 119.029118 98.85601)
(xy 119.027359 98.86096)
(xy 119.016299 98.884217)
(xy 119.013566 98.888711)
(xy 119.013563 98.888716)
(xy 118.999505 98.938893)
(xy 118.998204 98.942993)
(xy 118.980753 98.992096)
(xy 118.980752 98.992105)
(xy 118.980393 98.997346)
(xy 118.976019 99.022715)
(xy 118.9746 99.027779)
(xy 118.9746 99.079896)
(xy 118.974453 99.084196)
(xy 118.970896 99.136191)
(xy 118.971964 99.141329)
(xy 118.9746 99.166968)
(xy 118.9746 100.47477)
(xy 118.954598 100.542891)
(xy 118.900942 100.589384)
(xy 118.830668 100.599488)
(xy 118.796265 100.589387)
(xy 118.789041 100.586088)
(xy 118.66477 100.5496)
(xy 118.535254 100.5496)
(xy 118.410986 100.586087)
(xy 118.410983 100.586089)
(xy 118.302028 100.65611)
(xy 118.302026 100.656111)
(xy 118.217218 100.753986)
(xy 118.217215 100.75399)
(xy 118.163412 100.871802)
(xy 118.16341 100.871809)
(xy 118.14498 100.999996)
(xy 118.14498 101.000003)
(xy 118.16341 101.12819)
(xy 118.163412 101.128197)
(xy 118.217215 101.246009)
(xy 118.217218 101.246013)
(xy 118.302026 101.343888)
(xy 118.302028 101.343889)
(xy 118.302029 101.34389)
(xy 118.410985 101.413912)
(xy 118.535254 101.4504)
(xy 118.60238 101.4504)
(xy 118.670501 101.470402)
(xy 118.716994 101.524058)
(xy 118.727098 101.594332)
(xy 118.697604 101.658912)
(xy 118.691475 101.665495)
(xy 118.634839 101.722132)
(xy 118.58861 101.765307)

(xy 118.588607 101.765311)
(xy 118.566763 101.801231)
(xy 118.563132 101.806566)
(xy 118.537723 101.840074)
(xy 118.531677 101.855403)
(xy 118.522128 101.874628)
(xy 118.513569 101.888704)
(xy 118.513566 101.888712)
(xy 118.502221 101.929199)
(xy 118.500164 101.935315)
(xy 118.482597 101.979862)
(xy 118.439 102.035896)
(xy 118.372029 102.059464)
(xy 118.302948 102.043083)
(xy 118.297261 102.039637)
(xy 118.235578 101.999996)
(xy 118.213937 101.986088)
(xy 118.213936 101.986087)
(xy 118.213935 101.986087)
(xy 118.089668 101.9496)
(xy 117.960152 101.9496)
(xy 117.835884 101.986087)
(xy 117.835881 101.986089)
(xy 117.726926 102.05611)
(xy 117.726924 102.056111)
(xy 117.642116 102.153986)
(xy 117.642113 102.15399)
(xy 117.58831 102.271802)
(xy 117.588308 102.271809)
(xy 117.569878 102.399996)
(xy 117.569878 102.400003)
(xy 117.588308 102.52819)
(xy 117.58831 102.528197)
(xy 117.642113 102.646009)
(xy 117.642116 102.646013)
(xy 117.726924 102.743888)
(xy 117.726926 102.743889)
(xy 117.726927 102.74389)
(xy 117.835883 102.813912)
(xy 117.960152 102.8504)
(xy 118.089668 102.8504)
(xy 118.213937 102.813912)
(xy 118.280479 102.771147)
(xy 118.348599 102.751145)
(xy 118.41672 102.771146)
(xy 118.463213 102.824802)
(xy 118.4746 102.877145)
(xy 118.4746 103.174776)
(xy 118.454598 103.242897)
(xy 118.400942 103.28939)
(xy 118.330668 103.299494)
(xy 118.296262 103.289392)
(xy 118.289025 103.286087)
(xy 118.164758 103.2496)
(xy 118.035242 103.2496)
(xy 117.910974 103.286087)
(xy 117.910971 103.286089)
(xy 117.802016 103.35611)
(xy 117.802014 103.356111)
(xy 117.717206 103.453986)
(xy 117.717203 103.45399)
(xy 117.6634 103.571802)
(xy 117.663398 103.571809)
(xy 117.644968 103.699996)
(xy 117.644968 103.700003)
(xy 117.663398 103.82819)
(xy 117.6634 103.828197)
(xy 117.717203 103.946009)

(xy 117.779139 104.017488)
(xy 117.808632 104.082069)
(xy 117.798527 104.152343)
(xy 117.779139 104.182512)
(xy 117.717203 104.25399)
(xy 117.6634 104.371802)
(xy 117.663398 104.371809)
(xy 117.644968 104.499996)
(xy 117.644968 104.500003)
(xy 117.663398 104.62819)
(xy 117.6634 104.628197)
(xy 117.717203 104.746009)
(xy 117.717206 104.746013)
(xy 117.802014 104.843888)
(xy 117.802016 104.843889)
(xy 117.802017 104.84389)
(xy 117.910973 104.913912)
(xy 118.035242 104.9504)
(xy 118.164758 104.9504)
(xy 118.289027 104.913912)
(xy 118.289034 104.913907)
(xy 118.296256 104.91061)
(xy 118.36653 104.900505)
(xy 118.431111 104.929997)
(xy 118.469496 104.989723)
(xy 118.4746 105.025223)
(xy 118.4746 115.230182)
(xy 118.454598 115.298303)
(xy 118.437695 115.319277)
(xy 116.119277 117.637695)
(xy 116.056965 117.671721)
(xy 116.030182 117.6746)
(xy 91.2014 117.6746)
(xy 91.133279 117.654598)
(xy 91.086786 117.600942)
(xy 91.0754 117.5486)
(xy 91.0754 115.820003)
(xy 91.564759 115.820003)
(xy 91.584072 116.016104)
(xy 91.584073 116.016109)
(xy 91.584074 116.016113)
(xy 91.598598 116.063991)
(xy 91.641278 116.20469)
(xy 91.715683 116.34389)
(xy 91.734173 116.378482)
(xy 91.859187 116.530813)
(xy 92.011518 116.655827)
(xy 92.185311 116.748722)
(xy 92.373887 116.805926)
(xy 92.373893 116.805926)
(xy 92.373895 116.805927)
(xy 92.569997 116.825241)
(xy 92.57 116.825241)
(xy 92.570003 116.825241)
(xy 92.766104 116.805927)
(xy 92.766104 116.805926)
(xy 92.766113 116.805926)
(xy 92.954689 116.748722)
(xy 93.128482 116.655827)
(xy 93.280813 116.530813)
(xy 93.405827 116.378482)
(xy 93.498722 116.204689)
(xy 93.555926 116.016113)
(xy 93.560851 115.96611)
(xy 93.575241 115.820003)
(xy 94.104759 115.820003)
(xy 94.124072 116.016104)
(xy 94.124073 116.016109)

(xy 94.124074 116.016113)
(xy 94.138598 116.063991)
(xy 94.181278 116.20469)
(xy 94.255683 116.34389)
(xy 94.274173 116.378482)
(xy 94.399187 116.530813)
(xy 94.551518 116.655827)
(xy 94.725311 116.748722)
(xy 94.913887 116.805926)
(xy 94.913893 116.805926)
(xy 94.913895 116.805927)
(xy 95.109997 116.825241)
(xy 95.11 116.825241)
(xy 95.110003 116.825241)
(xy 95.306104 116.805927)
(xy 95.306104 116.805926)
(xy 95.306113 116.805926)
(xy 95.494689 116.748722)
(xy 95.668482 116.655827)
(xy 95.820813 116.530813)
(xy 95.945827 116.378482)
(xy 96.038722 116.204689)
(xy 96.095926 116.016113)
(xy 96.100851 115.96611)
(xy 96.115241 115.820003)
(xy 96.644759 115.820003)
(xy 96.664072 116.016104)
(xy 96.664073 116.016109)
(xy 96.664074 116.016113)
(xy 96.678598 116.063991)
(xy 96.721278 116.20469)
(xy 96.795683 116.34389)
(xy 96.814173 116.378482)
(xy 96.939187 116.530813)
(xy 97.091518 116.655827)
(xy 97.265311 116.748722)
(xy 97.453887 116.805926)
(xy 97.453893 116.805926)
(xy 97.453895 116.805927)
(xy 97.649997 116.825241)
(xy 97.65 116.825241)
(xy 97.650003 116.825241)
(xy 97.846104 116.805927)
(xy 97.846104 116.805926)
(xy 97.846113 116.805926)
(xy 98.034689 116.748722)
(xy 98.208482 116.655827)
(xy 98.360813 116.530813)
(xy 98.485827 116.378482)
(xy 98.578722 116.204689)
(xy 98.635926 116.016113)
(xy 98.640851 115.96611)
(xy 98.655241 115.820003)
(xy 99.184759 115.820003)
(xy 99.204072 116.016104)
(xy 99.204073 116.016109)
(xy 99.204074 116.016113)
(xy 99.218598 116.063991)
(xy 99.261278 116.20469)
(xy 99.335683 116.34389)
(xy 99.354173 116.378482)
(xy 99.479187 116.530813)
(xy 99.631518 116.655827)
(xy 99.805311 116.748722)
(xy 99.993887 116.805926)
(xy 99.993893 116.805926)
(xy 99.993895 116.805927)
(xy 100.189997 116.825241)

(xy 100.19 116.825241)
(xy 100.190003 116.825241)
(xy 100.386104 116.805927)
(xy 100.386104 116.805926)
(xy 100.386113 116.805926)
(xy 100.574689 116.748722)
(xy 100.748482 116.655827)
(xy 100.900813 116.530813)
(xy 101.025827 116.378482)
(xy 101.118722 116.204689)
(xy 101.175926 116.016113)
(xy 101.180851 115.96611)
(xy 101.195241 115.820003)
(xy 101.724759 115.820003)
(xy 101.744072 116.016104)
(xy 101.744073 116.016109)
(xy 101.744074 116.016113)
(xy 101.758598 116.063991)
(xy 101.801278 116.20469)
(xy 101.875683 116.34389)
(xy 101.894173 116.378482)
(xy 102.019187 116.530813)
(xy 102.171518 116.655827)
(xy 102.345311 116.748722)
(xy 102.533887 116.805926)
(xy 102.533893 116.805926)
(xy 102.533895 116.805927)
(xy 102.729997 116.825241)
(xy 102.73 116.825241)
(xy 102.730003 116.825241)
(xy 102.926104 116.805927)
(xy 102.926104 116.805926)
(xy 102.926113 116.805926)
(xy 103.114689 116.748722)
(xy 103.288482 116.655827)
(xy 103.440813 116.530813)
(xy 103.565827 116.378482)
(xy 103.658722 116.204689)
(xy 103.715926 116.016113)
(xy 103.720851 115.96611)
(xy 103.735241 115.820003)
(xy 104.264759 115.820003)
(xy 104.284072 116.016104)
(xy 104.284073 116.016109)
(xy 104.284074 116.016113)
(xy 104.298598 116.063991)
(xy 104.341278 116.20469)
(xy 104.415683 116.34389)
(xy 104.434173 116.378482)
(xy 104.559187 116.530813)
(xy 104.711518 116.655827)
(xy 104.885311 116.748722)
(xy 105.073887 116.805926)
(xy 105.073893 116.805926)
(xy 105.073895 116.805927)
(xy 105.269997 116.825241)
(xy 105.27 116.825241)
(xy 105.270003 116.825241)
(xy 105.466104 116.805927)
(xy 105.466104 116.805926)
(xy 105.466113 116.805926)
(xy 105.654689 116.748722)
(xy 105.828482 116.655827)
(xy 105.980813 116.530813)
(xy 106.105827 116.378482)
(xy 106.198722 116.204689)
(xy 106.255926 116.016113)
(xy 106.260851 115.96611)

(xy 106.275241 115.820003)
(xy 106.804759 115.820003)
(xy 106.824072 116.016104)
(xy 106.824073 116.016109)
(xy 106.824074 116.016113)
(xy 106.838598 116.063991)
(xy 106.881278 116.20469)
(xy 106.955683 116.34389)
(xy 106.974173 116.378482)
(xy 107.099187 116.530813)
(xy 107.251518 116.655827)
(xy 107.425311 116.748722)
(xy 107.613887 116.805926)
(xy 107.613893 116.805926)
(xy 107.613895 116.805927)
(xy 107.809997 116.825241)
(xy 107.81 116.825241)
(xy 107.810003 116.825241)
(xy 108.006104 116.805927)
(xy 108.006104 116.805926)
(xy 108.006113 116.805926)
(xy 108.194689 116.748722)
(xy 108.368482 116.655827)
(xy 108.520813 116.530813)
(xy 108.645827 116.378482)
(xy 108.738722 116.204689)
(xy 108.795926 116.016113)
(xy 108.800851 115.96611)
(xy 108.815241 115.820003)
(xy 109.344759 115.820003)
(xy 109.364072 116.016104)
(xy 109.364073 116.016109)
(xy 109.364074 116.016113)
(xy 109.378598 116.063991)
(xy 109.421278 116.20469)
(xy 109.495683 116.34389)
(xy 109.514173 116.378482)
(xy 109.639187 116.530813)
(xy 109.791518 116.655827)
(xy 109.965311 116.748722)
(xy 110.153887 116.805926)
(xy 110.153893 116.805926)
(xy 110.153895 116.805927)
(xy 110.349997 116.825241)
(xy 110.35 116.825241)
(xy 110.350003 116.825241)
(xy 110.546104 116.805927)
(xy 110.546104 116.805926)
(xy 110.546113 116.805926)
(xy 110.734689 116.748722)
(xy 110.908482 116.655827)
(xy 111.060813 116.530813)
(xy 111.185827 116.378482)
(xy 111.278722 116.204689)
(xy 111.335926 116.016113)
(xy 111.340851 115.96611)
(xy 111.355241 115.820003)
(xy 111.884759 115.820003)
(xy 111.904072 116.016104)
(xy 111.904073 116.016109)
(xy 111.904074 116.016113)
(xy 111.918598 116.063991)
(xy 111.961278 116.20469)
(xy 112.035683 116.34389)
(xy 112.054173 116.378482)
(xy 112.179187 116.530813)
(xy 112.331518 116.655827)
(xy 112.505311 116.748722)

(xy 112.693887 116.805926)
(xy 112.693893 116.805926)
(xy 112.693895 116.805927)
(xy 112.889997 116.825241)
(xy 112.89 116.825241)
(xy 112.890003 116.825241)
(xy 113.086104 116.805927)
(xy 113.086104 116.805926)
(xy 113.086113 116.805926)
(xy 113.274689 116.748722)
(xy 113.448482 116.655827)
(xy 113.600813 116.530813)
(xy 113.725827 116.378482)
(xy 113.818722 116.204689)
(xy 113.875926 116.016113)
(xy 113.880851 115.96611)
(xy 113.895241 115.820003)
(xy 113.895241 115.819996)
(xy 113.875927 115.623895)
(xy 113.875926 115.623893)
(xy 113.875926 115.623887)
(xy 113.818722 115.435311)
(xy 113.725827 115.261518)
(xy 113.600813 115.109187)
(xy 113.448482 114.984173)
(xy 113.44848 114.984172)
(xy 113.448479 114.984171)
(xy 113.27469 114.891278)
(xy 113.210508 114.871809)
(xy 113.086113 114.834074)
(xy 113.086109 114.834073)
(xy 113.086104 114.834072)
(xy 112.890003 114.814759)
(xy 112.889997 114.814759)
(xy 112.693895 114.834072)
(xy 112.693889 114.834073)
(xy 112.693887 114.834074)
(xy 112.616017 114.857695)
(xy 112.505309 114.891278)
(xy 112.33152 114.984171)
(xy 112.179187 115.109187)
(xy 112.054171 115.26152)
(xy 111.961278 115.435309)
(xy 111.933391 115.527243)
(xy 111.905889 115.617906)
(xy 111.904072 115.623895)
(xy 111.884759 115.819996)
(xy 111.884759 115.820003)
(xy 111.355241 115.820003)
(xy 111.355241 115.819996)
(xy 111.335927 115.623895)
(xy 111.335926 115.623893)
(xy 111.335926 115.623887)
(xy 111.278722 115.435311)
(xy 111.185827 115.261518)
(xy 111.060813 115.109187)
(xy 110.908482 114.984173)
(xy 110.90848 114.984172)
(xy 110.908479 114.984171)
(xy 110.73469 114.891278)
(xy 110.670508 114.871809)
(xy 110.546113 114.834074)
(xy 110.546109 114.834073)
(xy 110.546104 114.834072)
(xy 110.350003 114.814759)
(xy 110.349997 114.814759)
(xy 110.153895 114.834072)
(xy 110.153889 114.834073)

(xy 110.153887 114.834074)
(xy 110.076017 114.857695)
(xy 109.965309 114.891278)
(xy 109.79152 114.984171)
(xy 109.639187 115.109187)
(xy 109.514171 115.26152)
(xy 109.421278 115.435309)
(xy 109.393391 115.527243)
(xy 109.365889 115.617906)
(xy 109.364072 115.623895)
(xy 109.344759 115.819996)
(xy 109.344759 115.820003)
(xy 108.815241 115.820003)
(xy 108.815241 115.819996)
(xy 108.795927 115.623895)
(xy 108.795926 115.623893)
(xy 108.795926 115.623887)
(xy 108.738722 115.435311)
(xy 108.645827 115.261518)
(xy 108.520813 115.109187)
(xy 108.368482 114.984173)
(xy 108.36848 114.984172)
(xy 108.368479 114.984171)
(xy 108.19469 114.891278)
(xy 108.130508 114.871809)
(xy 108.006113 114.834074)
(xy 108.006109 114.834073)
(xy 108.006104 114.834072)
(xy 107.810003 114.814759)
(xy 107.809997 114.814759)
(xy 107.613895 114.834072)
(xy 107.613889 114.834073)
(xy 107.613887 114.834074)
(xy 107.536017 114.857695)
(xy 107.425309 114.891278)
(xy 107.25152 114.984171)
(xy 107.099187 115.109187)
(xy 106.974171 115.26152)
(xy 106.881278 115.435309)
(xy 106.853391 115.527243)
(xy 106.825889 115.617906)
(xy 106.824072 115.623895)
(xy 106.804759 115.819996)
(xy 106.804759 115.820003)
(xy 106.275241 115.820003)
(xy 106.275241 115.819996)
(xy 106.255927 115.623895)
(xy 106.255926 115.623893)
(xy 106.255926 115.623887)
(xy 106.198722 115.435311)
(xy 106.105827 115.261518)
(xy 105.980813 115.109187)
(xy 105.828482 114.984173)
(xy 105.82848 114.984172)
(xy 105.828479 114.984171)
(xy 105.65469 114.891278)
(xy 105.590508 114.871809)
(xy 105.466113 114.834074)
(xy 105.466109 114.834073)
(xy 105.466104 114.834072)
(xy 105.270003 114.814759)
(xy 105.269997 114.814759)
(xy 105.073895 114.834072)
(xy 105.073889 114.834073)
(xy 105.073887 114.834074)
(xy 104.996017 114.857695)
(xy 104.885309 114.891278)
(xy 104.71152 114.984171)

(xy 104.559187 115.109187)
(xy 104.434171 115.26152)
(xy 104.341278 115.435309)
(xy 104.313391 115.527243)
(xy 104.285889 115.617906)
(xy 104.284072 115.623895)
(xy 104.264759 115.819996)
(xy 104.264759 115.820003)
(xy 103.735241 115.820003)
(xy 103.735241 115.819996)
(xy 103.715927 115.623895)
(xy 103.715926 115.623893)
(xy 103.715926 115.623887)
(xy 103.658722 115.435311)
(xy 103.565827 115.261518)
(xy 103.440813 115.109187)
(xy 103.288482 114.984173)
(xy 103.28848 114.984172)
(xy 103.288479 114.984171)
(xy 103.11469 114.891278)
(xy 103.050508 114.871809)
(xy 102.926113 114.834074)
(xy 102.926109 114.834073)
(xy 102.926104 114.834072)
(xy 102.730003 114.814759)
(xy 102.729997 114.814759)
(xy 102.533895 114.834072)
(xy 102.533889 114.834073)
(xy 102.533887 114.834074)
(xy 102.456017 114.857695)
(xy 102.345309 114.891278)
(xy 102.17152 114.984171)
(xy 102.019187 115.109187)
(xy 101.894171 115.26152)
(xy 101.801278 115.435309)
(xy 101.773391 115.527243)
(xy 101.745889 115.617906)
(xy 101.744072 115.623895)
(xy 101.724759 115.819996)
(xy 101.724759 115.820003)
(xy 101.195241 115.820003)
(xy 101.195241 115.819996)
(xy 101.175927 115.623895)
(xy 101.175926 115.623893)
(xy 101.175926 115.623887)
(xy 101.118722 115.435311)
(xy 101.025827 115.261518)
(xy 100.900813 115.109187)
(xy 100.748482 114.984173)
(xy 100.74848 114.984172)
(xy 100.748479 114.984171)
(xy 100.57469 114.891278)
(xy 100.510508 114.871809)
(xy 100.386113 114.834074)
(xy 100.386109 114.834073)
(xy 100.386104 114.834072)
(xy 100.190003 114.814759)
(xy 100.189997 114.814759)
(xy 99.993895 114.834072)
(xy 99.993889 114.834073)
(xy 99.993887 114.834074)
(xy 99.916017 114.857695)
(xy 99.805309 114.891278)
(xy 99.63152 114.984171)
(xy 99.479187 115.109187)
(xy 99.354171 115.26152)
(xy 99.261278 115.435309)
(xy 99.233391 115.527243)

(xy 99.205889 115.617906)
(xy 99.204072 115.623895)
(xy 99.184759 115.819996)
(xy 99.184759 115.820003)
(xy 98.655241 115.820003)
(xy 98.655241 115.819996)
(xy 98.635927 115.623895)
(xy 98.635926 115.623893)
(xy 98.635926 115.623887)
(xy 98.578722 115.435311)
(xy 98.485827 115.261518)
(xy 98.360813 115.109187)
(xy 98.208482 114.984173)
(xy 98.20848 114.984172)
(xy 98.208479 114.984171)
(xy 98.03469 114.891278)
(xy 97.970508 114.871809)
(xy 97.846113 114.834074)
(xy 97.846109 114.834073)
(xy 97.846104 114.834072)
(xy 97.650003 114.814759)
(xy 97.649997 114.814759)
(xy 97.453895 114.834072)
(xy 97.453889 114.834073)
(xy 97.453887 114.834074)
(xy 97.376017 114.857695)
(xy 97.265309 114.891278)
(xy 97.09152 114.984171)
(xy 96.939187 115.109187)
(xy 96.814171 115.26152)
(xy 96.721278 115.435309)
(xy 96.693391 115.527243)
(xy 96.665889 115.617906)
(xy 96.664072 115.623895)
(xy 96.644759 115.819996)
(xy 96.644759 115.820003)
(xy 96.115241 115.820003)
(xy 96.115241 115.819996)
(xy 96.095927 115.623895)
(xy 96.095926 115.623893)
(xy 96.095926 115.623887)
(xy 96.038722 115.435311)
(xy 95.945827 115.261518)
(xy 95.820813 115.109187)
(xy 95.668482 114.984173)
(xy 95.66848 114.984172)
(xy 95.668479 114.984171)
(xy 95.49469 114.891278)
(xy 95.430508 114.871809)
(xy 95.306113 114.834074)
(xy 95.306109 114.834073)
(xy 95.306104 114.834072)
(xy 95.110003 114.814759)
(xy 95.109997 114.814759)
(xy 94.913895 114.834072)
(xy 94.913889 114.834073)
(xy 94.913887 114.834074)
(xy 94.836017 114.857695)
(xy 94.725309 114.891278)
(xy 94.55152 114.984171)
(xy 94.399187 115.109187)
(xy 94.274171 115.26152)
(xy 94.181278 115.435309)
(xy 94.153391 115.527243)
(xy 94.125889 115.617906)
(xy 94.124072 115.623895)
(xy 94.104759 115.819996)
(xy 94.104759 115.820003)

(xy 93.575241 115.820003)
(xy 93.575241 115.819996)
(xy 93.555927 115.623895)
(xy 93.555926 115.623893)
(xy 93.555926 115.623887)
(xy 93.498722 115.435311)
(xy 93.405827 115.261518)
(xy 93.280813 115.109187)
(xy 93.128482 114.984173)
(xy 93.12848 114.984172)
(xy 93.128479 114.984171)
(xy 92.95469 114.891278)
(xy 92.890508 114.871809)
(xy 92.766113 114.834074)
(xy 92.766109 114.834073)
(xy 92.766104 114.834072)
(xy 92.570003 114.814759)
(xy 92.569997 114.814759)
(xy 92.373895 114.834072)
(xy 92.373889 114.834073)
(xy 92.373887 114.834074)
(xy 92.296017 114.857695)
(xy 92.185309 114.891278)
(xy 92.01152 114.984171)
(xy 91.859187 115.109187)
(xy 91.734171 115.26152)
(xy 91.641278 115.435309)
(xy 91.613391 115.527243)
(xy 91.585889 115.617906)
(xy 91.584072 115.623895)
(xy 91.564759 115.819996)
(xy 91.564759 115.820003)
(xy 91.0754 115.820003)
(xy 91.0754 113.280003)
(xy 91.564759 113.280003)
(xy 91.584072 113.476104)
(xy 91.584073 113.476109)
(xy 91.584074 113.476113)
(xy 91.607552 113.553509)
(xy 91.641278 113.66469)
(xy 91.734171 113.838479)
(xy 91.734173 113.838482)
(xy 91.859187 113.990813)
(xy 92.011518 114.115827)
(xy 92.185311 114.208722)
(xy 92.373887 114.265926)
(xy 92.373893 114.265926)
(xy 92.373895 114.265927)
(xy 92.569997 114.285241)
(xy 92.57 114.285241)
(xy 92.570003 114.285241)
(xy 92.766104 114.265927)
(xy 92.766104 114.265926)
(xy 92.766113 114.265926)
(xy 92.954689 114.208722)
(xy 93.128482 114.115827)
(xy 93.280813 113.990813)
(xy 93.405827 113.838482)
(xy 93.498722 113.664689)
(xy 93.555926 113.476113)
(xy 93.566199 113.371809)
(xy 93.575241 113.280003)
(xy 94.104759 113.280003)
(xy 94.124072 113.476104)
(xy 94.124073 113.476109)
(xy 94.124074 113.476113)
(xy 94.147552 113.553509)
(xy 94.181278 113.66469)

(xy 94.274171 113.838479)
(xy 94.274173 113.838482)
(xy 94.399187 113.990813)
(xy 94.551518 114.115827)
(xy 94.725311 114.208722)
(xy 94.913887 114.265926)
(xy 94.913893 114.265926)
(xy 94.913895 114.265927)
(xy 95.109997 114.285241)
(xy 95.11 114.285241)
(xy 95.110003 114.285241)
(xy 95.306104 114.265927)
(xy 95.306104 114.265926)
(xy 95.306113 114.265926)
(xy 95.494689 114.208722)
(xy 95.668482 114.115827)
(xy 95.820813 113.990813)
(xy 95.945827 113.838482)
(xy 96.038722 113.664689)
(xy 96.095926 113.476113)
(xy 96.106199 113.371809)
(xy 96.115241 113.280003)
(xy 96.644759 113.280003)
(xy 96.664072 113.476104)
(xy 96.664073 113.476109)
(xy 96.664074 113.476113)
(xy 96.687552 113.553509)
(xy 96.721278 113.66469)
(xy 96.814171 113.838479)
(xy 96.814173 113.838482)
(xy 96.939187 113.990813)
(xy 97.091518 114.115827)
(xy 97.265311 114.208722)
(xy 97.453887 114.265926)
(xy 97.453893 114.265926)
(xy 97.453895 114.265927)
(xy 97.649997 114.285241)
(xy 97.65 114.285241)
(xy 97.650003 114.285241)
(xy 97.846104 114.265927)
(xy 97.846104 114.265926)
(xy 97.846113 114.265926)
(xy 98.034689 114.208722)
(xy 98.208482 114.115827)
(xy 98.360813 113.990813)
(xy 98.485827 113.838482)
(xy 98.578722 113.664689)
(xy 98.635926 113.476113)
(xy 98.646199 113.371809)
(xy 98.655241 113.280003)
(xy 99.184759 113.280003)
(xy 99.204072 113.476104)
(xy 99.204073 113.476109)
(xy 99.204074 113.476113)
(xy 99.227552 113.553509)
(xy 99.261278 113.66469)
(xy 99.354171 113.838479)
(xy 99.354173 113.838482)
(xy 99.479187 113.990813)
(xy 99.631518 114.115827)
(xy 99.805311 114.208722)
(xy 99.993887 114.265926)
(xy 99.993893 114.265926)
(xy 99.993895 114.265927)
(xy 100.189997 114.285241)
(xy 100.19 114.285241)
(xy 100.190003 114.285241)
(xy 100.386104 114.265927)

(xy 100.386104 114.265926)
(xy 100.386113 114.265926)
(xy 100.574689 114.208722)
(xy 100.748482 114.115827)
(xy 100.900813 113.990813)
(xy 101.025827 113.838482)
(xy 101.118722 113.664689)
(xy 101.175926 113.476113)
(xy 101.186199 113.371809)
(xy 101.195241 113.280003)
(xy 101.724759 113.280003)
(xy 101.744072 113.476104)
(xy 101.744073 113.476109)
(xy 101.744074 113.476113)
(xy 101.767552 113.553509)
(xy 101.801278 113.66469)
(xy 101.894171 113.838479)
(xy 101.894173 113.838482)
(xy 102.019187 113.990813)
(xy 102.171518 114.115827)
(xy 102.345311 114.208722)
(xy 102.533887 114.265926)
(xy 102.533893 114.265926)
(xy 102.533895 114.265927)
(xy 102.729997 114.285241)
(xy 102.73 114.285241)
(xy 102.730003 114.285241)
(xy 102.926104 114.265927)
(xy 102.926104 114.265926)
(xy 102.926113 114.265926)
(xy 103.114689 114.208722)
(xy 103.288482 114.115827)
(xy 103.440813 113.990813)
(xy 103.565827 113.838482)
(xy 103.658722 113.664689)
(xy 103.715926 113.476113)
(xy 103.726199 113.371809)
(xy 103.735241 113.280003)
(xy 104.264759 113.280003)
(xy 104.284072 113.476104)
(xy 104.284073 113.476109)
(xy 104.284074 113.476113)
(xy 104.307552 113.553509)
(xy 104.341278 113.66469)
(xy 104.434171 113.838479)
(xy 104.434173 113.838482)
(xy 104.559187 113.990813)
(xy 104.711518 114.115827)
(xy 104.885311 114.208722)
(xy 105.073887 114.265926)
(xy 105.073893 114.265926)
(xy 105.073895 114.265927)
(xy 105.269997 114.285241)
(xy 105.27 114.285241)
(xy 105.270003 114.285241)
(xy 105.466104 114.265927)
(xy 105.466104 114.265926)
(xy 105.466113 114.265926)
(xy 105.654689 114.208722)
(xy 105.828482 114.115827)
(xy 105.980813 113.990813)
(xy 106.105827 113.838482)
(xy 106.198722 113.664689)
(xy 106.255926 113.476113)
(xy 106.266199 113.371809)
(xy 106.275241 113.280003)
(xy 106.804759 113.280003)
(xy 106.824072 113.476104)

(xy 106.824073 113.476109)
(xy 106.824074 113.476113)
(xy 106.847552 113.553509)
(xy 106.881278 113.66469)
(xy 106.974171 113.838479)
(xy 106.974173 113.838482)
(xy 107.099187 113.990813)
(xy 107.251518 114.115827)
(xy 107.425311 114.208722)
(xy 107.613887 114.265926)
(xy 107.613893 114.265926)
(xy 107.613895 114.265927)
(xy 107.809997 114.285241)
(xy 107.81 114.285241)
(xy 107.810003 114.285241)
(xy 108.006104 114.265927)
(xy 108.006104 114.265926)
(xy 108.006113 114.265926)
(xy 108.194689 114.208722)
(xy 108.368482 114.115827)
(xy 108.520813 113.990813)
(xy 108.645827 113.838482)
(xy 108.738722 113.664689)
(xy 108.795926 113.476113)
(xy 108.806199 113.371809)
(xy 108.815241 113.280003)
(xy 109.344759 113.280003)
(xy 109.364072 113.476104)
(xy 109.364073 113.476109)
(xy 109.364074 113.476113)
(xy 109.387552 113.553509)
(xy 109.421278 113.66469)
(xy 109.514171 113.838479)
(xy 109.514173 113.838482)
(xy 109.639187 113.990813)
(xy 109.791518 114.115827)
(xy 109.965311 114.208722)
(xy 110.153887 114.265926)
(xy 110.153893 114.265926)
(xy 110.153895 114.265927)
(xy 110.349997 114.285241)
(xy 110.35 114.285241)
(xy 110.350003 114.285241)
(xy 110.546104 114.265927)
(xy 110.546104 114.265926)
(xy 110.546113 114.265926)
(xy 110.734689 114.208722)
(xy 110.908482 114.115827)
(xy 111.060813 113.990813)
(xy 111.185827 113.838482)
(xy 111.278722 113.664689)
(xy 111.335926 113.476113)
(xy 111.346199 113.371809)
(xy 111.355241 113.280003)
(xy 111.355241 113.279996)
(xy 111.335927 113.083895)
(xy 111.335926 113.083893)
(xy 111.335926 113.083887)
(xy 111.278722 112.895311)
(xy 111.2778 112.893587)
(xy 111.185828 112.72152)
(xy 111.185827 112.721518)
(xy 111.060813 112.569187)
(xy 110.908482 112.444173)
(xy 110.90848 112.444172)
(xy 110.908479 112.444171)
(xy 110.73469 112.351278)
(xy 110.679335 112.334486)

(xy 110.546113 112.294074)
(xy 110.546109 112.294073)
(xy 110.546104 112.294072)
(xy 110.350003 112.274759)
(xy 110.349997 112.274759)
(xy 110.153895 112.294072)
(xy 110.153889 112.294073)
(xy 110.153887 112.294074)
(xy 110.117777 112.305028)
(xy 109.965309 112.351278)
(xy 109.79152 112.444171)
(xy 109.639187 112.569187)
(xy 109.514171 112.72152)
(xy 109.421278 112.895309)
(xy 109.400559 112.963611)
(xy 109.37087 113.061486)
(xy 109.364072 113.083895)
(xy 109.344759 113.279996)
(xy 109.344759 113.280003)
(xy 108.815241 113.280003)
(xy 108.815241 113.279996)
(xy 108.795927 113.083895)
(xy 108.795926 113.083893)
(xy 108.795926 113.083887)
(xy 108.738722 112.895311)
(xy 108.7378 112.893587)
(xy 108.645828 112.72152)
(xy 108.645827 112.721518)
(xy 108.520813 112.569187)
(xy 108.368482 112.444173)
(xy 108.36848 112.444172)
(xy 108.368479 112.444171)
(xy 108.19469 112.351278)
(xy 108.139335 112.334486)
(xy 108.006113 112.294074)
(xy 108.006109 112.294073)
(xy 108.006104 112.294072)
(xy 107.810003 112.274759)
(xy 107.809997 112.274759)
(xy 107.613895 112.294072)
(xy 107.613889 112.294073)
(xy 107.613887 112.294074)
(xy 107.577777 112.305028)
(xy 107.425309 112.351278)
(xy 107.25152 112.444171)
(xy 107.099187 112.569187)
(xy 106.974171 112.72152)
(xy 106.881278 112.895309)
(xy 106.860559 112.963611)
(xy 106.83087 113.061486)
(xy 106.824072 113.083895)
(xy 106.804759 113.279996)
(xy 106.804759 113.280003)
(xy 106.275241 113.280003)
(xy 106.275241 113.279996)
(xy 106.255927 113.083895)
(xy 106.255926 113.083893)
(xy 106.255926 113.083887)
(xy 106.198722 112.895311)
(xy 106.1978 112.893587)
(xy 106.105828 112.72152)
(xy 106.105827 112.721518)
(xy 105.980813 112.569187)
(xy 105.828482 112.444173)
(xy 105.82848 112.444172)
(xy 105.828479 112.444171)
(xy 105.65469 112.351278)
(xy 105.599335 112.334486)

(xy 105.466113 112.294074)
(xy 105.466109 112.294073)
(xy 105.466104 112.294072)
(xy 105.270003 112.274759)
(xy 105.269997 112.274759)
(xy 105.073895 112.294072)
(xy 105.073889 112.294073)
(xy 105.073887 112.294074)
(xy 105.037777 112.305028)
(xy 104.885309 112.351278)
(xy 104.71152 112.444171)
(xy 104.559187 112.569187)
(xy 104.434171 112.72152)
(xy 104.341278 112.895309)
(xy 104.320559 112.963611)
(xy 104.29087 113.061486)
(xy 104.284072 113.083895)
(xy 104.264759 113.279996)
(xy 104.264759 113.280003)
(xy 103.735241 113.280003)
(xy 103.735241 113.279996)
(xy 103.715927 113.083895)
(xy 103.715926 113.083893)
(xy 103.715926 113.083887)
(xy 103.658722 112.895311)
(xy 103.6578 112.893587)
(xy 103.565828 112.72152)
(xy 103.565827 112.721518)
(xy 103.440813 112.569187)
(xy 103.288482 112.444173)
(xy 103.28848 112.444172)
(xy 103.288479 112.444171)
(xy 103.11469 112.351278)
(xy 103.059335 112.334486)
(xy 102.926113 112.294074)
(xy 102.926109 112.294073)
(xy 102.926104 112.294072)
(xy 102.730003 112.274759)
(xy 102.729997 112.274759)
(xy 102.533895 112.294072)
(xy 102.533889 112.294073)
(xy 102.533887 112.294074)
(xy 102.497777 112.305028)
(xy 102.345309 112.351278)
(xy 102.17152 112.444171)
(xy 102.019187 112.569187)
(xy 101.894171 112.72152)
(xy 101.801278 112.895309)
(xy 101.780559 112.963611)
(xy 101.75087 113.061486)
(xy 101.744072 113.083895)
(xy 101.724759 113.279996)
(xy 101.724759 113.280003)
(xy 101.195241 113.280003)
(xy 101.195241 113.279996)
(xy 101.175927 113.083895)
(xy 101.175926 113.083893)
(xy 101.175926 113.083887)
(xy 101.118722 112.895311)
(xy 101.1178 112.893587)
(xy 101.025828 112.72152)
(xy 101.025827 112.721518)
(xy 100.900813 112.569187)
(xy 100.748482 112.444173)
(xy 100.74848 112.444172)
(xy 100.748479 112.444171)
(xy 100.57469 112.351278)
(xy 100.519335 112.334486)

(xy 100.386113 112.294074)
(xy 100.386109 112.294073)
(xy 100.386104 112.294072)
(xy 100.190003 112.274759)
(xy 100.189997 112.274759)
(xy 99.993895 112.294072)
(xy 99.993889 112.294073)
(xy 99.993887 112.294074)
(xy 99.957777 112.305028)
(xy 99.805309 112.351278)
(xy 99.63152 112.444171)
(xy 99.479187 112.569187)
(xy 99.354171 112.72152)
(xy 99.261278 112.895309)
(xy 99.240559 112.963611)
(xy 99.21087 113.061486)
(xy 99.204072 113.083895)
(xy 99.184759 113.279996)
(xy 99.184759 113.280003)
(xy 98.655241 113.280003)
(xy 98.655241 113.279996)
(xy 98.635927 113.083895)
(xy 98.635926 113.083893)
(xy 98.635926 113.083887)
(xy 98.578722 112.895311)
(xy 98.5778 112.893587)
(xy 98.485828 112.72152)
(xy 98.485827 112.721518)
(xy 98.360813 112.569187)
(xy 98.208482 112.444173)
(xy 98.20848 112.444172)
(xy 98.208479 112.444171)
(xy 98.03469 112.351278)
(xy 97.979335 112.334486)
(xy 97.846113 112.294074)
(xy 97.846109 112.294073)
(xy 97.846104 112.294072)
(xy 97.650003 112.274759)
(xy 97.649997 112.274759)
(xy 97.453895 112.294072)
(xy 97.453889 112.294073)
(xy 97.453887 112.294074)
(xy 97.417777 112.305028)
(xy 97.265309 112.351278)
(xy 97.09152 112.444171)
(xy 96.939187 112.569187)
(xy 96.814171 112.72152)
(xy 96.721278 112.895309)
(xy 96.700559 112.963611)
(xy 96.67087 113.061486)
(xy 96.664072 113.083895)
(xy 96.644759 113.279996)
(xy 96.644759 113.280003)
(xy 96.115241 113.280003)
(xy 96.115241 113.279996)
(xy 96.095927 113.083895)
(xy 96.095926 113.083893)
(xy 96.095926 113.083887)
(xy 96.038722 112.895311)
(xy 96.0378 112.893587)
(xy 95.945828 112.72152)
(xy 95.945827 112.721518)
(xy 95.820813 112.569187)
(xy 95.668482 112.444173)
(xy 95.66848 112.444172)
(xy 95.668479 112.444171)
(xy 95.49469 112.351278)
(xy 95.439335 112.334486)

(xy 95.306113 112.294074)
(xy 95.306109 112.294073)
(xy 95.306104 112.294072)
(xy 95.110003 112.274759)
(xy 95.109997 112.274759)
(xy 94.913895 112.294072)
(xy 94.913889 112.294073)
(xy 94.913887 112.294074)
(xy 94.877777 112.305028)
(xy 94.725309 112.351278)
(xy 94.55152 112.444171)
(xy 94.399187 112.569187)
(xy 94.274171 112.72152)
(xy 94.181278 112.895309)
(xy 94.160559 112.963611)
(xy 94.13087 113.061486)
(xy 94.124072 113.083895)
(xy 94.104759 113.279996)
(xy 94.104759 113.280003)
(xy 93.575241 113.280003)
(xy 93.575241 113.279996)
(xy 93.555927 113.083895)
(xy 93.555926 113.083893)
(xy 93.555926 113.083887)
(xy 93.498722 112.895311)
(xy 93.4978 112.893587)
(xy 93.405828 112.72152)
(xy 93.405827 112.721518)
(xy 93.280813 112.569187)
(xy 93.128482 112.444173)
(xy 93.12848 112.444172)
(xy 93.128479 112.444171)
(xy 92.95469 112.351278)
(xy 92.899335 112.334486)
(xy 92.766113 112.294074)
(xy 92.766109 112.294073)
(xy 92.766104 112.294072)
(xy 92.570003 112.274759)
(xy 92.569997 112.274759)
(xy 92.373895 112.294072)
(xy 92.373889 112.294073)
(xy 92.373887 112.294074)
(xy 92.337777 112.305028)
(xy 92.185309 112.351278)
(xy 92.01152 112.444171)
(xy 91.859187 112.569187)
(xy 91.734171 112.72152)
(xy 91.641278 112.895309)
(xy 91.620559 112.963611)
(xy 91.59087 113.061486)
(xy 91.584072 113.083895)
(xy 91.564759 113.279996)
(xy 91.564759 113.280003)
(xy 91.0754 113.280003)
(xy 91.0754 112.289616)
(xy 91.086786 112.237274)
(xy 91.1366 112.128197)
(xy 91.142654 112.086089)
(xy 91.155032 112.000003)
(xy 91.155032 111.999996)
(xy 91.136601 111.871809)
(xy 91.1366 111.871808)
(xy 91.1366 111.871803)
(xy 91.082797 111.753991)
(xy 91.082793 111.753986)
(xy 90.997985 111.656111)
(xy 90.997983 111.65611)
(xy 90.978968 111.64389)

(xy 90.889027 111.586088)
(xy 90.889026 111.586087)
(xy 90.889025 111.586087)
(xy 90.764758 111.5496)
(xy 90.635242 111.5496)
(xy 90.510974 111.586087)
(xy 90.510971 111.586089)
(xy 90.402016 111.65611)
(xy 90.402014 111.656111)
(xy 90.317206 111.753986)
(xy 90.317203 111.75399)
(xy 90.2634 111.871802)
(xy 90.263398 111.871809)
(xy 90.244968 111.999996)
(xy 90.244968 112.000003)
(xy 90.263398 112.12819)
(xy 90.2634 112.128197)
(xy 90.305452 112.220279)
(xy 90.313214 112.237274)
(xy 90.3246 112.289616)
(xy 90.3246 117.5486)
(xy 90.304598 117.616721)
(xy 90.250942 117.663214)
(xy 90.1986 117.6746)
(xy 83.3014 117.6746)
(xy 83.233279 117.654598)
(xy 83.186786 117.600942)
(xy 83.1754 117.5486)
(xy 83.1754 116.289616)
(xy 83.186786 116.237274)
(xy 83.200585 116.207058)
(xy 83.2366 116.128197)
(xy 83.236872 116.126301)
(xy 83.255032 116.000003)
(xy 87.844968 116.000003)
(xy 87.863398 116.12819)
(xy 87.8634 116.128197)
(xy 87.917203 116.246009)
(xy 87.917206 116.246013)
(xy 88.002014 116.343888)
(xy 88.002016 116.343889)
(xy 88.002017 116.34389)
(xy 88.110973 116.413912)
(xy 88.235242 116.4504)
(xy 88.364758 116.4504)
(xy 88.489027 116.413912)
(xy 88.597983 116.34389)
(xy 88.682797 116.246009)
(xy 88.7366 116.128197)
(xy 88.736872 116.126301)
(xy 88.755032 116.000003)
(xy 88.755032 115.999996)
(xy 88.736601 115.871809)
(xy 88.7366 115.871808)
(xy 88.7366 115.871803)
(xy 88.682797 115.753991)
(xy 88.682793 115.753986)
(xy 88.597985 115.656111)
(xy 88.597983 115.65611)
(xy 88.564885 115.634839)
(xy 88.489027 115.586088)
(xy 88.489026 115.586087)
(xy 88.489025 115.586087)
(xy 88.364758 115.5496)
(xy 88.235242 115.5496)
(xy 88.110974 115.586087)
(xy 88.110971 115.586089)
(xy 88.002016 115.65611)

(xy 88.002014 115.656111)
(xy 87.917206 115.753986)
(xy 87.917203 115.75399)
(xy 87.8634 115.871802)
(xy 87.863398 115.871809)
(xy 87.844968 115.999996)
(xy 87.844968 116.000003)
(xy 83.255032 116.000003)
(xy 83.255032 115.999996)
(xy 83.236601 115.871809)
(xy 83.2366 115.871808)
(xy 83.2366 115.871803)
(xy 83.182797 115.753991)
(xy 83.182793 115.753986)
(xy 83.097985 115.656111)
(xy 83.097983 115.65611)
(xy 83.064885 115.634839)
(xy 82.989027 115.586088)
(xy 82.989026 115.586087)
(xy 82.989025 115.586087)
(xy 82.864758 115.5496)
(xy 82.735242 115.5496)
(xy 82.610974 115.586087)
(xy 82.610971 115.586089)
(xy 82.502016 115.65611)
(xy 82.502014 115.656111)
(xy 82.417206 115.753986)
(xy 82.417203 115.75399)
(xy 82.3634 115.871802)
(xy 82.363398 115.871809)
(xy 82.344968 115.999996)
(xy 82.344968 116.000003)
(xy 82.363398 116.12819)
(xy 82.3634 116.128197)
(xy 82.413214 116.237274)
(xy 82.4246 116.289616)
(xy 82.4246 117.5486)
(xy 82.404598 117.616721)
(xy 82.350942 117.663214)
(xy 82.2986 117.6746)
(xy 79.119818 117.6746)
(xy 79.051697 117.654598)
(xy 79.030723 117.637695)
(xy 77.027867 115.634839)
(xy 76.984692 115.58861)
(xy 76.984691 115.588609)
(xy 76.980545 115.586088)
(xy 76.948757 115.566757)
(xy 76.943432 115.563133)
(xy 76.909926 115.537723)
(xy 76.909924 115.537722)
(xy 76.894596 115.531677)
(xy 76.875361 115.522123)
(xy 76.86129 115.513567)
(xy 76.861289 115.513566)
(xy 76.845242 115.50907)
(xy 76.820795 115.50222)
(xy 76.814689 115.500166)
(xy 76.775569 115.484739)
(xy 76.775563 115.484738)
(xy 76.759176 115.483053)
(xy 76.73808 115.479044)
(xy 76.722215 115.4746)
(xy 76.680168 115.4746)
(xy 76.67372 115.474269)
(xy 76.631894 115.469968)
(xy 76.615659 115.472768)
(xy 76.594251 115.4746)

(xy 72.874141 115.4746)
(xy 72.810911 115.47244)
(xy 72.81091 115.47244)
(xy 72.770051 115.482395)
(xy 72.763713 115.4836)
(xy 72.722063 115.489325)
(xy 72.706945 115.495891)
(xy 72.686591 115.502735)
(xy 72.670591 115.506634)
(xy 72.670588 115.506635)
(xy 72.633936 115.527243)
(xy 72.628158 115.530113)
(xy 72.589592 115.546865)
(xy 72.589589 115.546867)
(xy 72.576809 115.557264)
(xy 72.559053 115.569349)
(xy 72.544695 115.577422)
(xy 72.544694 115.577422)
(xy 72.514962 115.607154)
(xy 72.510173 115.611476)
(xy 72.477552 115.638015)
(xy 72.46805 115.651477)
(xy 72.454209 115.667907)
(xy 71.915058 116.207058)
(xy 71.852746 116.241084)
(xy 71.781931 116.236019)
(xy 71.725095 116.193472)
(xy 71.711349 116.170305)
(xy 71.692119 116.128197)
(xy 71.662797 116.063991)
(xy 71.621311 116.016113)
(xy 71.577985 115.966111)
(xy 71.577983 115.96611)
(xy 71.561302 115.95539)
(xy 71.469027 115.896088)
(xy 71.469026 115.896087)
(xy 71.469025 115.896087)
(xy 71.344758 115.8596)
(xy 71.215242 115.8596)
(xy 71.090974 115.896087)
(xy 71.090971 115.896089)
(xy 70.982016 115.96611)
(xy 70.982014 115.966111)
(xy 70.897206 116.063986)
(xy 70.897203 116.06399)
(xy 70.8434 116.181802)
(xy 70.843398 116.181809)
(xy 70.824968 116.309996)
(xy 70.824968 116.310003)
(xy 70.843398 116.43819)
(xy 70.8434 116.438197)
(xy 70.897203 116.556009)
(xy 70.897206 116.556013)
(xy 70.982014 116.653888)
(xy 70.982016 116.653889)
(xy 70.982017 116.65389)
(xy 71.090973 116.723912)
(xy 71.090975 116.723912)
(xy 71.090976 116.723913)
(xy 71.12471 116.733818)
(xy 71.184437 116.772201)
(xy 71.21393 116.836781)
(xy 71.203827 116.907055)
(xy 71.17831 116.943806)
(xy 70.284421 117.837696)
(xy 70.222111 117.87172)
(xy 70.195328 117.8746)
(xy 68.101546 117.8746)

(xy 68.033425 117.854598)
(xy 67.986932 117.800942)
(xy 67.976828 117.730668)
(xy 68.006322 117.666088)
(xy 68.033425 117.642602)
(xy 68.039027 117.639002)
(xy 68.147983 117.56898)
(xy 68.232797 117.471099)
(xy 68.2866 117.353287)
(xy 68.305032 117.22509)
(xy 68.305032 117.225086)
(xy 68.286601 117.096899)
(xy 68.2866 117.096898)
(xy 68.2866 117.096893)
(xy 68.232797 116.979081)
(xy 68.202234 116.943809)
(xy 68.147985 116.881201)
(xy 68.147983 116.8812)
(xy 68.060909 116.825241)
(xy 68.039027 116.811178)
(xy 68.039026 116.811177)
(xy 68.039025 116.811177)
(xy 67.914758 116.77469)
(xy 67.785242 116.77469)
(xy 67.660974 116.811177)
(xy 67.660971 116.811179)
(xy 67.552016 116.8812)
(xy 67.552014 116.881201)
(xy 67.467206 116.979076)
(xy 67.467203 116.97908)
(xy 67.4134 117.096892)
(xy 67.413398 117.096899)
(xy 67.394968 117.225086)
(xy 67.394968 117.225093)
(xy 67.413398 117.35328)
(xy 67.4134 117.353287)
(xy 67.467203 117.471099)
(xy 67.467206 117.471103)
(xy 67.552014 117.568978)
(xy 67.552016 117.568979)
(xy 67.552017 117.56898)
(xy 67.660973 117.639002)
(xy 67.666575 117.642602)
(xy 67.713068 117.696258)
(xy 67.723171 117.766532)
(xy 67.693678 117.831112)
(xy 67.633952 117.869496)
(xy 67.598454 117.8746)
(xy 64.819638 117.8746)
(xy 64.751517 117.854598)
(xy 64.730543 117.837695)
(xy 64.262305 117.369457)
(xy 64.228279 117.307145)
(xy 64.2254 117.280362)
(xy 64.2254 115.55)
(xy 65.494508 115.55)
(xy 65.514354 115.675304)
(xy 65.514355 115.675305)
(xy 65.571949 115.788342)
(xy 65.661657 115.87805)
(xy 65.697057 115.896087)
(xy 65.774696 115.935646)
(xy 65.868481 115.9505)
(xy 65.868486 115.9505)
(xy 65.869667 115.950687)
(xy 65.872159 115.950981)
(xy 65.9 115.955391)
(xy 65.927837 115.950982)

(xy 65.930337 115.950686)
(xy 65.931511 115.9505)
(xy 65.931519 115.9505)
(xy 66.025304 115.935646)
(xy 66.138342 115.87805)
(xy 66.22805 115.788342)
(xy 66.285646 115.675304)
(xy 66.305492 115.55)
(xy 66.285646 115.424696)
(xy 66.239161 115.333465)
(xy 66.22805 115.311657)
(xy 66.138342 115.221949)
(xy 66.062502 115.183307)
(xy 66.025304 115.164354)
(xy 65.931519 115.1495)
(xy 65.931515 115.1495)
(xy 65.930303 115.149308)
(xy 65.927799 115.149011)
(xy 65.900001 115.144609)
(xy 65.899998 115.144609)
(xy 65.872202 115.149011)
(xy 65.869701 115.149307)
(xy 65.868482 115.1495)
(xy 65.868481 115.1495)
(xy 65.774696 115.164354)
(xy 65.774694 115.164354)
(xy 65.774694 115.164355)
(xy 65.661657 115.221949)
(xy 65.571949 115.311657)
(xy 65.525371 115.403074)
(xy 65.514354 115.424696)
(xy 65.501376 115.506635)
(xy 65.495005 115.546865)
(xy 65.494508 115.55)
(xy 64.2254 115.55)
(xy 64.2254 114.45)
(xy 65.494508 114.45)
(xy 65.514354 114.575304)
(xy 65.525372 114.596927)
(xy 65.571949 114.688342)
(xy 65.661657 114.77805)
(xy 65.700299 114.797738)
(xy 65.774696 114.835646)
(xy 65.868481 114.8505)
(xy 65.868486 114.8505)
(xy 65.869667 114.850687)
(xy 65.872159 114.850981)
(xy 65.9 114.855391)
(xy 65.927837 114.850982)
(xy 65.930337 114.850686)
(xy 65.931511 114.8505)
(xy 65.931519 114.8505)
(xy 66.025304 114.835646)
(xy 66.138342 114.77805)
(xy 66.22805 114.688342)
(xy 66.285646 114.575304)
(xy 66.305492 114.45)
(xy 66.285646 114.324696)
(xy 66.247738 114.250299)
(xy 66.22805 114.211657)
(xy 66.138342 114.121949)
(xy 66.062502 114.083307)
(xy 66.025304 114.064354)
(xy 65.931519 114.0495)
(xy 65.931515 114.0495)
(xy 65.930303 114.049308)
(xy 65.927799 114.049011)
(xy 65.900001 114.044609)

(xy 65.899998 114.044609)
(xy 65.872202 114.049011)
(xy 65.869701 114.049307)
(xy 65.868482 114.0495)
(xy 65.868481 114.0495)
(xy 65.774696 114.064354)
(xy 65.774694 114.064354)
(xy 65.774694 114.064355)
(xy 65.661657 114.121949)
(xy 65.571949 114.211657)
(xy 65.520311 114.313005)
(xy 65.514354 114.324696)
(xy 65.494508 114.45)
(xy 64.2254 114.45)
(xy 64.2254 114.025223)
(xy 64.245402 113.957102)
(xy 64.299058 113.910609)
(xy 64.369332 113.900505)
(xy 64.403744 113.91061)
(xy 64.410968 113.913908)
(xy 64.410973 113.913912)
(xy 64.535242 113.9504)
(xy 64.664758 113.9504)
(xy 64.789027 113.913912)
(xy 64.897983 113.84389)
(xy 64.982797 113.746009)
(xy 65.0366 113.628197)
(xy 65.04379 113.57819)
(xy 65.055032 113.500003)
(xy 66.744968 113.500003)
(xy 66.763398 113.62819)
(xy 66.7634 113.628197)
(xy 66.817203 113.746009)
(xy 66.817206 113.746013)
(xy 66.902014 113.843888)
(xy 66.902016 113.843889)
(xy 66.902017 113.84389)
(xy 67.010973 113.913912)
(xy 67.135242 113.9504)
(xy 67.264758 113.9504)
(xy 67.389027 113.913912)
(xy 67.497983 113.84389)
(xy 67.582797 113.746009)
(xy 67.6366 113.628197)
(xy 67.64379 113.57819)
(xy 67.655032 113.500003)
(xy 67.655032 113.499996)
(xy 67.647844 113.450003)
(xy 68.044968 113.450003)
(xy 68.063398 113.57819)
(xy 68.0634 113.578197)
(xy 68.117203 113.696009)
(xy 68.117206 113.696013)
(xy 68.202014 113.793888)
(xy 68.202016 113.793889)
(xy 68.202017 113.79389)
(xy 68.310973 113.863912)
(xy 68.435242 113.9004)
(xy 68.564758 113.9004)
(xy 68.689027 113.863912)
(xy 68.797983 113.79389)
(xy 68.882797 113.696009)
(xy 68.9366 113.578197)
(xy 68.955032 113.45)
(xy 68.955032 113.449996)
(xy 68.936601 113.321809)
(xy 68.9366 113.321808)
(xy 68.9366 113.321803)

(xy 68.930069 113.307503)
(xy 70.152468 113.307503)
(xy 70.170898 113.43569)
(xy 70.1709 113.435697)
(xy 70.224703 113.553509)
(xy 70.224706 113.553513)
(xy 70.309514 113.651388)
(xy 70.309516 113.651389)
(xy 70.309517 113.65139)
(xy 70.418473 113.721412)
(xy 70.542742 113.7579)
(xy 70.672258 113.7579)
(xy 70.796527 113.721412)
(xy 70.905483 113.65139)
(xy 70.990297 113.553509)
(xy 71.014732 113.500003)
(xy 87.844968 113.500003)
(xy 87.863398 113.62819)
(xy 87.8634 113.628197)
(xy 87.917203 113.746009)
(xy 87.917206 113.746013)
(xy 88.002014 113.843888)
(xy 88.002016 113.843889)
(xy 88.002017 113.84389)
(xy 88.110973 113.913912)
(xy 88.235242 113.9504)
(xy 88.364758 113.9504)
(xy 88.489027 113.913912)
(xy 88.597983 113.84389)
(xy 88.682797 113.746009)
(xy 88.7366 113.628197)
(xy 88.74379 113.57819)
(xy 88.755032 113.500003)
(xy 88.755032 113.499996)
(xy 88.736601 113.371809)
(xy 88.7366 113.371808)
(xy 88.7366 113.371803)
(xy 88.682797 113.253991)
(xy 88.681368 113.252342)
(xy 88.597985 113.156111)
(xy 88.597983 113.15611)
(xy 88.520183 113.106111)
(xy 88.489027 113.086088)
(xy 88.489026 113.086087)
(xy 88.489025 113.086087)
(xy 88.364758 113.0496)
(xy 88.235242 113.0496)
(xy 88.110974 113.086087)
(xy 88.110971 113.086089)
(xy 88.002016 113.15611)
(xy 88.002014 113.156111)
(xy 87.917206 113.253986)
(xy 87.917203 113.25399)
(xy 87.8634 113.371802)
(xy 87.863398 113.371809)
(xy 87.844968 113.499996)
(xy 87.844968 113.500003)
(xy 71.014732 113.500003)
(xy 71.0441 113.435697)
(xy 71.062532 113.3075)
(xy 71.062532 113.307496)
(xy 71.044101 113.179309)
(xy 71.0441 113.179308)
(xy 71.0441 113.179303)
(xy 70.990297 113.061491)
(xy 70.990293 113.061486)
(xy 70.905485 112.963611)
(xy 70.905483 112.96361)

(xy 70.850379 112.928197)
(xy 70.796527 112.893588)
(xy 70.796526 112.893587)
(xy 70.796525 112.893587)
(xy 70.672258 112.8571)
(xy 70.542742 112.8571)
(xy 70.418474 112.893587)
(xy 70.418471 112.893589)
(xy 70.309516 112.96361)
(xy 70.309514 112.963611)
(xy 70.224706 113.061486)
(xy 70.224703 113.06149)
(xy 70.1709 113.179302)
(xy 70.170898 113.179309)
(xy 70.152468 113.307496)
(xy 70.152468 113.307503)
(xy 68.930069 113.307503)
(xy 68.882797 113.203991)
(xy 68.863802 113.182069)
(xy 68.797985 113.106111)
(xy 68.797983 113.10611)
(xy 68.763403 113.083887)
(xy 68.689027 113.036088)
(xy 68.689026 113.036087)
(xy 68.689025 113.036087)
(xy 68.564758 112.9996)
(xy 68.435242 112.9996)
(xy 68.310974 113.036087)
(xy 68.310971 113.036089)
(xy 68.202016 113.10611)
(xy 68.202014 113.106111)
(xy 68.117206 113.203986)
(xy 68.117203 113.20399)
(xy 68.0634 113.321802)
(xy 68.063398 113.321809)
(xy 68.044968 113.449996)
(xy 68.044968 113.450003)
(xy 67.647844 113.450003)
(xy 67.636601 113.371809)
(xy 67.6366 113.371808)
(xy 67.6366 113.371803)
(xy 67.582797 113.253991)
(xy 67.582796 113.25399)
(xy 67.582044 113.252343)
(xy 67.571939 113.182069)
(xy 67.582044 113.147657)
(xy 67.582797 113.146009)
(xy 67.6366 113.028197)
(xy 67.655032 112.9)
(xy 67.655031 112.899996)
(xy 67.648864 112.8571)
(xy 67.646933 112.843672)
(xy 67.657036 112.7734)
(xy 67.703528 112.719744)
(xy 67.771648 112.699741)
(xy 67.780859 112.7004)
(xy 67.785242 112.7004)
(xy 67.914758 112.7004)
(xy 68.039027 112.663912)
(xy 68.147983 112.59389)
(xy 68.229336 112.500003)
(xy 73.344968 112.500003)
(xy 73.363398 112.62819)
(xy 73.3634 112.628197)
(xy 73.417203 112.746009)
(xy 73.417206 112.746013)
(xy 73.502014 112.843888)
(xy 73.502016 112.843889)

(xy 73.502017 112.84389)
(xy 73.610973 112.913912)
(xy 73.735242 112.9504)
(xy 73.864758 112.9504)
(xy 73.989027 112.913912)
(xy 74.097983 112.84389)
(xy 74.182797 112.746009)
(xy 74.2366 112.628197)
(xy 74.241533 112.593888)
(xy 74.255032 112.500003)
(xy 76.744968 112.500003)
(xy 76.763398 112.62819)
(xy 76.7634 112.628197)
(xy 76.817203 112.746009)
(xy 76.817206 112.746013)
(xy 76.902014 112.843888)
(xy 76.902016 112.843889)
(xy 76.902017 112.84389)
(xy 77.010973 112.913912)
(xy 77.135242 112.9504)
(xy 77.264758 112.9504)
(xy 77.389027 112.913912)
(xy 77.497983 112.84389)
(xy 77.582797 112.746009)
(xy 77.6366 112.628197)
(xy 77.641533 112.593888)
(xy 77.655032 112.500003)
(xy 77.655032 112.499996)
(xy 77.636601 112.371809)
(xy 77.6366 112.371808)
(xy 77.6366 112.371803)
(xy 77.582797 112.253991)
(xy 77.582793 112.253986)
(xy 77.497985 112.156111)
(xy 77.497983 112.15611)
(xy 77.467197 112.136325)
(xy 77.389027 112.086088)
(xy 77.389026 112.086087)
(xy 77.389025 112.086087)
(xy 77.264758 112.0496)
(xy 77.135242 112.0496)
(xy 77.010974 112.086087)
(xy 77.010971 112.086089)
(xy 76.902016 112.15611)
(xy 76.902014 112.156111)
(xy 76.817206 112.253986)
(xy 76.817203 112.25399)
(xy 76.7634 112.371802)
(xy 76.763398 112.371809)
(xy 76.744968 112.499996)
(xy 76.744968 112.500003)
(xy 74.255032 112.500003)
(xy 74.255032 112.499996)
(xy 74.236601 112.371809)
(xy 74.2366 112.371808)
(xy 74.2366 112.371803)
(xy 74.182797 112.253991)
(xy 74.182793 112.253986)
(xy 74.097985 112.156111)
(xy 74.097983 112.15611)
(xy 74.067197 112.136325)
(xy 73.989027 112.086088)
(xy 73.989026 112.086087)
(xy 73.989025 112.086087)
(xy 73.864758 112.0496)
(xy 73.735242 112.0496)
(xy 73.610974 112.086087)
(xy 73.610971 112.086089)

(xy 73.502016 112.15611)
(xy 73.502014 112.156111)
(xy 73.417206 112.253986)
(xy 73.417203 112.25399)
(xy 73.3634 112.371802)
(xy 73.363398 112.371809)
(xy 73.344968 112.499996)
(xy 73.344968 112.500003)
(xy 68.229336 112.500003)
(xy 68.232797 112.496009)
(xy 68.2866 112.378197)
(xy 68.298695 112.294074)
(xy 68.305032 112.250003)
(xy 68.305032 112.249996)
(xy 68.286601 112.121809)
(xy 68.2866 112.121808)
(xy 68.2866 112.121803)
(xy 68.232797 112.003991)
(xy 68.231871 112.002922)
(xy 68.147985 111.906111)
(xy 68.147983 111.90611)
(xy 68.125046 111.891369)
(xy 68.039027 111.836088)
(xy 68.039026 111.836087)
(xy 68.039025 111.836087)
(xy 67.914758 111.7996)
(xy 67.785242 111.7996)
(xy 67.660974 111.836087)
(xy 67.660971 111.836089)
(xy 67.552016 111.90611)
(xy 67.552014 111.906111)
(xy 67.467206 112.003986)
(xy 67.467203 112.00399)
(xy 67.4134 112.121802)
(xy 67.413398 112.121809)
(xy 67.394968 112.249996)
(xy 67.394968 112.250003)
(xy 67.403066 112.306326)
(xy 67.392963 112.3766)
(xy 67.34647 112.430256)
(xy 67.278349 112.450258)
(xy 67.269143 112.4496)
(xy 67.264758 112.4496)
(xy 67.135242 112.4496)
(xy 67.010974 112.486087)
(xy 67.010971 112.486089)
(xy 66.902016 112.55611)
(xy 66.902014 112.556111)
(xy 66.817206 112.653986)
(xy 66.817203 112.65399)
(xy 66.7634 112.771802)
(xy 66.763398 112.771809)
(xy 66.744968 112.899996)
(xy 66.744968 112.900003)
(xy 66.763398 113.02819)
(xy 66.7634 113.028197)
(xy 66.817956 113.147658)
(xy 66.828059 113.217932)
(xy 66.817956 113.252342)
(xy 66.7634 113.371802)
(xy 66.763398 113.371809)
(xy 66.744968 113.499996)
(xy 66.744968 113.500003)
(xy 65.055032 113.500003)
(xy 65.055032 113.499996)
(xy 65.036601 113.371809)
(xy 65.0366 113.371808)
(xy 65.0366 113.371803)

(xy 64.982797 113.253991)
(xy 64.982796 113.25399)
(xy 64.982044 113.252343)
(xy 64.971939 113.182069)
(xy 64.982044 113.147657)
(xy 64.982797 113.146009)
(xy 65.0366 113.028197)
(xy 65.055032 112.9)
(xy 65.055032 112.899998)
(xy 65.055032 112.899996)
(xy 65.036601 112.771809)
(xy 65.0366 112.771808)
(xy 65.0366 112.771803)
(xy 64.982797 112.653991)
(xy 64.9746 112.644531)
(xy 64.897985 112.556111)
(xy 64.897983 112.55611)
(xy 64.894678 112.553986)
(xy 64.789027 112.486088)
(xy 64.789026 112.486087)
(xy 64.789025 112.486087)
(xy 64.664758 112.4496)
(xy 64.535242 112.4496)
(xy 64.410974 112.486087)
(xy 64.403738 112.489392)
(xy 64.333463 112.499493)
(xy 64.268884 112.469997)
(xy 64.230502 112.41027)
(xy 64.2254 112.374776)
(xy 64.2254 110.914057)
(xy 64.225399 110.914044)
(xy 64.210675 110.806919)
(xy 64.205672 110.795402)
(xy 64.153133 110.674444)
(xy 64.153132 110.674443)
(xy 64.153131 110.67444)
(xy 64.153129 110.674438)
(xy 64.06199 110.562413)
(xy 64.061986 110.562409)
(xy 64.061985 110.562408)
(xy 64.061982 110.562406)
(xy 64.06198 110.562404)
(xy 63.94399 110.479118)
(xy 63.862058 110.45)
(xy 65.494508 110.45)
(xy 65.514354 110.575304)
(xy 65.533307 110.612502)
(xy 65.571949 110.688342)
(xy 65.661657 110.77805)
(xy 65.688037 110.791491)
(xy 65.774696 110.835646)
(xy 65.868481 110.8505)
(xy 65.868486 110.8505)
(xy 65.869667 110.850687)
(xy 65.872159 110.850981)
(xy 65.9 110.855391)
(xy 65.927837 110.850982)
(xy 65.930337 110.850686)
(xy 65.931511 110.8505)
(xy 65.931519 110.8505)
(xy 66.025304 110.835646)
(xy 66.138342 110.77805)
(xy 66.22805 110.688342)
(xy 66.285646 110.575304)
(xy 66.305492 110.45)
(xy 66.285646 110.324696)
(xy 66.245553 110.246009)
(xy 66.22805 110.211657)

(xy 66.138342 110.121949)
(xy 66.062502 110.083307)
(xy 66.025304 110.064354)
(xy 65.931519 110.0495)
(xy 65.931515 110.0495)
(xy 65.930303 110.049308)
(xy 65.927799 110.049011)
(xy 65.900001 110.044609)
(xy 65.899998 110.044609)
(xy 65.872202 110.049011)
(xy 65.869701 110.049307)
(xy 65.868482 110.0495)
(xy 65.868481 110.0495)
(xy 65.774696 110.064354)
(xy 65.774694 110.064354)
(xy 65.774694 110.064355)
(xy 65.661657 110.121949)
(xy 65.571949 110.211657)
(xy 65.514355 110.324694)
(xy 65.514354 110.324696)
(xy 65.494508 110.45)
(xy 63.862058 110.45)
(xy 63.807898 110.430752)
(xy 63.807903 110.430752)
(xy 63.663808 110.420896)
(xy 63.522397 110.450281)
(xy 63.394164 110.516727)
(xy 63.394161 110.516729)
(xy 63.28861 110.615307)
(xy 63.288609 110.615308)
(xy 63.213567 110.73871)
(xy 63.213566 110.738712)
(xy 63.175658 110.874009)
(xy 63.1746 110.877785)
(xy 63.1746 117.541185)
(xy 63.17244 117.604414)
(xy 59 117.604414)
(xy 59 115.50907)
(xy 59.020002 115.440949)
(xy 59.073658 115.394456)
(xy 59.143932 115.384352)
(xy 59.194122 115.403073)
(xy 59.210987 115.413912)
(xy 59.335256 115.4504)
(xy 59.464772 115.4504)
(xy 59.589041 115.413912)
(xy 59.697997 115.34389)
(xy 59.782811 115.246009)
(xy 59.836614 115.128197)
(xy 59.855046 115)
(xy 59.855046 114.999996)
(xy 59.836615 114.871809)
(xy 59.836614 114.871808)
(xy 59.836614 114.871803)
(xy 59.782811 114.753991)
(xy 59.782807 114.753986)
(xy 59.697999 114.656111)
(xy 59.697997 114.65611)
(xy 59.63703 114.616929)
(xy 59.589041 114.586088)
(xy 59.58904 114.586087)
(xy 59.589039 114.586087)
(xy 59.464772 114.5496)
(xy 59.335256 114.5496)
(xy 59.210988 114.586087)
(xy 59.210981 114.58609)
(xy 59.19412 114.596927)
(xy 59.126 114.616929)

(xy 59.057879 114.596927)
(xy 59.011386 114.543271)
(xy 59 114.490929)
(xy 59 112.800003)
(xy 60.844968 112.800003)
(xy 60.863398 112.92819)
(xy 60.8634 112.928197)
(xy 60.917203 113.046009)
(xy 60.917206 113.046013)
(xy 61.002014 113.143888)
(xy 61.002016 113.143889)
(xy 61.002017 113.14389)
(xy 61.110973 113.213912)
(xy 61.235242 113.2504)
(xy 61.364758 113.2504)
(xy 61.489027 113.213912)
(xy 61.597983 113.14389)
(xy 61.682797 113.046009)
(xy 61.7366 112.928197)
(xy 61.740654 112.9)
(xy 61.755032 112.800003)
(xy 61.755032 112.799996)
(xy 61.736601 112.671809)
(xy 61.7366 112.671808)
(xy 61.7366 112.671803)
(xy 61.682797 112.553991)
(xy 61.682793 112.553986)
(xy 61.597985 112.456111)
(xy 61.597983 112.45611)
(xy 61.575587 112.441717)
(xy 61.489027 112.386088)
(xy 61.489026 112.386087)
(xy 61.489025 112.386087)
(xy 61.364758 112.3496)
(xy 61.235242 112.3496)
(xy 61.110974 112.386087)
(xy 61.110971 112.386089)
(xy 61.002016 112.45611)
(xy 61.002014 112.456111)
(xy 60.917206 112.553986)
(xy 60.917203 112.55399)
(xy 60.8634 112.671802)
(xy 60.863398 112.671809)
(xy 60.844968 112.799996)
(xy 60.844968 112.800003)
(xy 59 112.800003)
(xy 59 111)
(xy 50.1765 111)
(xy 50.108379 110.979998)
(xy 50.061886 110.926342)
(xy 50.0505 110.874)
(xy 50.0505 110.000003)
(xy 54.594972 110.000003)
(xy 54.613402 110.12819)
(xy 54.613404 110.128197)
(xy 54.667207 110.246009)
(xy 54.66721 110.246013)
(xy 54.752018 110.343888)
(xy 54.75202 110.343889)
(xy 54.752021 110.34389)
(xy 54.860977 110.413912)
(xy 54.985246 110.4504)
(xy 55.114762 110.4504)
(xy 55.239031 110.413912)
(xy 55.347987 110.34389)
(xy 55.432801 110.246009)
(xy 55.486604 110.128197)
(xy 55.492658 110.086089)

(xy 55.505036 110.000003)
(xy 59.244968 110.000003)
(xy 59.263398 110.12819)
(xy 59.2634 110.128197)
(xy 59.317203 110.246009)
(xy 59.317206 110.246013)
(xy 59.402014 110.343888)
(xy 59.402016 110.343889)
(xy 59.402017 110.34389)
(xy 59.510973 110.413912)
(xy 59.635242 110.4504)
(xy 59.764758 110.4504)
(xy 59.889027 110.413912)
(xy 59.997983 110.34389)
(xy 60.082797 110.246009)
(xy 60.1366 110.128197)
(xy 60.142654 110.086089)
(xy 60.155032 110.000003)
(xy 60.155032 109.999996)
(xy 60.136601 109.871809)
(xy 60.1366 109.871808)
(xy 60.1366 109.871803)
(xy 60.10381 109.800003)
(xy 61.444968 109.800003)
(xy 61.463398 109.92819)
(xy 61.4634 109.928197)
(xy 61.517203 110.046009)
(xy 61.517206 110.046013)
(xy 61.602014 110.143888)
(xy 61.602016 110.143889)
(xy 61.602017 110.14389)
(xy 61.710973 110.213912)
(xy 61.835242 110.2504)
(xy 61.964758 110.2504)
(xy 62.089027 110.213912)
(xy 62.197983 110.14389)
(xy 62.282797 110.046009)
(xy 62.3366 109.928197)
(xy 62.342834 109.884839)
(xy 62.355032 109.800003)
(xy 62.355032 109.799996)
(xy 62.336601 109.671809)
(xy 62.3366 109.671808)
(xy 62.3366 109.671803)
(xy 62.282797 109.553991)
(xy 62.281475 109.552465)
(xy 62.197985 109.456111)
(xy 62.197983 109.45611)
(xy 62.163618 109.434025)
(xy 62.089027 109.386088)
(xy 62.089026 109.386087)
(xy 62.089025 109.386087)
(xy 61.96612 109.35)
(xy 65.494508 109.35)
(xy 65.514354 109.475304)
(xy 65.520967 109.488282)
(xy 65.571949 109.588342)
(xy 65.661657 109.67805)
(xy 65.680587 109.687695)
(xy 65.774696 109.735646)
(xy 65.868481 109.7505)
(xy 65.868486 109.7505)
(xy 65.869667 109.750687)
(xy 65.872159 109.750981)
(xy 65.9 109.755391)
(xy 65.927837 109.750982)
(xy 65.930337 109.750686)
(xy 65.931511 109.7505)

(xy 65.931519 109.7505)
(xy 66.025304 109.735646)
(xy 66.138342 109.67805)
(xy 66.22805 109.588342)
(xy 66.285646 109.475304)
(xy 66.302624 109.368105)
(xy 69.019968 109.368105)
(xy 69.022768 109.384341)
(xy 69.0246 109.405749)
(xy 69.0246 111.585955)
(xy 69.039324 111.69308)
(xy 69.096868 111.825559)
(xy 69.09687 111.825561)
(xy 69.188009 111.937586)
(xy 69.188013 111.937589)
(xy 69.188015 111.937592)
(xy 69.188018 111.937594)
(xy 69.188019 111.937595)
(xy 69.280567 112.002922)
(xy 69.306009 112.020881)
(xy 69.442099 112.069247)
(xy 69.442096 112.069247)
(xy 69.468108 112.071026)
(xy 69.586192 112.079104)
(xy 69.7276 112.049719)
(xy 69.855837 111.983272)
(xy 69.961391 111.884691)
(xy 70.036434 111.761288)
(xy 70.0754 111.622215)
(xy 70.0754 111.500003)
(xy 100.744968 111.500003)
(xy 100.763398 111.62819)
(xy 100.7634 111.628197)
(xy 100.817203 111.746009)
(xy 100.817206 111.746013)
(xy 100.902014 111.843888)
(xy 100.902016 111.843889)
(xy 100.902017 111.84389)
(xy 101.010973 111.913912)
(xy 101.135242 111.9504)
(xy 101.264758 111.9504)
(xy 101.389027 111.913912)
(xy 101.497983 111.84389)
(xy 101.504743 111.836089)
(xy 101.504775 111.836052)
(xy 101.5645 111.797667)
(xy 101.635497 111.797666)
(xy 101.695223 111.836049)
(xy 101.695225 111.836052)
(xy 101.702015 111.843889)
(xy 101.702017 111.84389)
(xy 101.810973 111.913912)
(xy 101.935242 111.9504)
(xy 102.064758 111.9504)
(xy 102.189027 111.913912)
(xy 102.297983 111.84389)
(xy 102.304743 111.836089)
(xy 102.304775 111.836052)
(xy 102.3645 111.797667)
(xy 102.435497 111.797666)
(xy 102.495223 111.836049)
(xy 102.495225 111.836052)
(xy 102.502015 111.843889)
(xy 102.502017 111.84389)
(xy 102.610973 111.913912)
(xy 102.735242 111.9504)
(xy 102.864758 111.9504)
(xy 102.989027 111.913912)

(xy 103.097983 111.84389)
(xy 103.104743 111.836089)
(xy 103.104775 111.836052)
(xy 103.1645 111.797667)
(xy 103.235497 111.797666)
(xy 103.295223 111.836049)
(xy 103.295225 111.836052)
(xy 103.302015 111.843889)
(xy 103.302017 111.84389)
(xy 103.410973 111.913912)
(xy 103.535242 111.9504)
(xy 103.664758 111.9504)
(xy 103.789027 111.913912)
(xy 103.897983 111.84389)
(xy 103.904743 111.836089)
(xy 103.904775 111.836052)
(xy 103.9645 111.797667)
(xy 104.035497 111.797666)
(xy 104.095223 111.836049)
(xy 104.095225 111.836052)
(xy 104.102015 111.843889)
(xy 104.102017 111.84389)
(xy 104.210973 111.913912)
(xy 104.335242 111.9504)
(xy 104.464758 111.9504)
(xy 104.589027 111.913912)
(xy 104.697983 111.84389)
(xy 104.697986 111.843885)
(xy 104.700913 111.841351)
(xy 104.704441 111.839739)
(xy 104.705564 111.839018)
(xy 104.705667 111.839179)
(xy 104.765492 111.811854)
(xy 104.835766 111.821953)
(xy 104.878655 111.854057)
(xy 104.902017 111.881018)
(xy 105.010973 111.95104)
(xy 105.135242 111.987528)
(xy 105.264758 111.987528)
(xy 105.389027 111.95104)
(xy 105.497983 111.881018)
(xy 105.571846 111.795774)
(xy 105.63157 111.757392)
(xy 105.702566 111.757392)
(xy 105.762293 111.795775)
(xy 105.762294 111.795776)
(xy 105.76468 111.79853)
(xy 105.764681 111.798531)
(xy 105.849495 111.896412)
(xy 105.958451 111.966434)
(xy 106.08272 112.002922)
(xy 106.212236 112.002922)
(xy 106.336505 111.966434)
(xy 106.445461 111.896412)
(xy 106.449831 111.891367)
(xy 106.509555 111.852985)
(xy 106.580552 111.852983)
(xy 106.640279 111.891366)
(xy 106.664207 111.91898)
(xy 106.773163 111.989002)
(xy 106.897432 112.02549)
(xy 107.026948 112.02549)
(xy 107.151217 111.989002)
(xy 107.260173 111.91898)
(xy 107.264565 111.913912)
(xy 107.316429 111.854057)
(xy 107.344987 111.821099)
(xy 107.39879 111.703287)

(xy 107.40733 111.64389)
(xy 107.417222 111.575093)
(xy 107.417222 111.575086)
(xy 107.398791 111.446899)
(xy 107.39879 111.446898)
(xy 107.39879 111.446893)
(xy 107.344987 111.329081)
(xy 107.344983 111.329076)
(xy 107.260175 111.231201)
(xy 107.260173 111.2312)
(xy 107.235227 111.215168)
(xy 107.151217 111.161178)
(xy 107.151216 111.161177)
(xy 107.151215 111.161177)
(xy 107.026948 111.12469)
(xy 106.897432 111.12469)
(xy 106.773164 111.161177)
(xy 106.773161 111.161179)
(xy 106.664206 111.2312)
(xy 106.664205 111.231201)
(xy 106.65983 111.23625)
(xy 106.600101 111.27463)
(xy 106.529104 111.274625)
(xy 106.469387 111.236244)
(xy 106.44546 111.208631)
(xy 106.348018 111.146009)
(xy 106.336505 111.13861)
(xy 106.336504 111.138609)
(xy 106.336503 111.138609)
(xy 106.212236 111.102122)
(xy 106.08272 111.102122)
(xy 105.958452 111.138609)
(xy 105.958449 111.138611)
(xy 105.849495 111.208631)
(xy 105.775632 111.293874)
(xy 105.715906 111.332257)
(xy 105.644909 111.332257)
(xy 105.585183 111.293873)
(xy 105.550625 111.253991)
(xy 105.497983 111.193238)
(xy 105.497982 111.193237)
(xy 105.412979 111.138609)
(xy 105.389027 111.123216)
(xy 105.389026 111.123215)
(xy 105.389025 111.123215)
(xy 105.264758 111.086728)
(xy 105.135242 111.086728)
(xy 105.010974 111.123215)
(xy 105.010971 111.123217)
(xy 104.902012 111.193241)
(xy 104.899076 111.195785)
(xy 104.895544 111.197397)
(xy 104.894436 111.19811)
(xy 104.894333 111.19795)
(xy 104.834494 111.225275)
(xy 104.76422 111.215168)
(xy 104.721344 111.18307)
(xy 104.702374 111.161178)
(xy 104.697983 111.15611)
(xy 104.697982 111.156109)
(xy 104.613976 111.102122)
(xy 104.589027 111.086088)
(xy 104.589026 111.086087)
(xy 104.589025 111.086087)
(xy 104.464758 111.0496)
(xy 104.335242 111.0496)
(xy 104.210974 111.086087)
(xy 104.210971 111.086089)

(xy 104.102018 111.156109)
(xy 104.102017 111.156109)
(xy 104.102017 111.15611)
(xy 104.097627 111.161177)
(xy 104.095223 111.163951)
(xy 104.035496 111.202333)
(xy 103.964499 111.202331)
(xy 103.904777 111.163951)
(xy 103.902374 111.161178)
(xy 103.897983 111.15611)
(xy 103.789027 111.086088)
(xy 103.789026 111.086087)
(xy 103.789025 111.086087)
(xy 103.664758 111.0496)
(xy 103.535242 111.0496)
(xy 103.410974 111.086087)
(xy 103.410971 111.086089)
(xy 103.302018 111.156109)
(xy 103.302017 111.156109)
(xy 103.302017 111.15611)
(xy 103.297627 111.161177)
(xy 103.295223 111.163951)
(xy 103.235496 111.202333)
(xy 103.164499 111.202331)
(xy 103.104777 111.163951)
(xy 103.102374 111.161178)
(xy 103.097983 111.15611)
(xy 102.989027 111.086088)
(xy 102.989026 111.086087)
(xy 102.989025 111.086087)
(xy 102.864758 111.0496)
(xy 102.735242 111.0496)
(xy 102.610974 111.086087)
(xy 102.610971 111.086089)
(xy 102.502018 111.156109)
(xy 102.502017 111.156109)
(xy 102.502017 111.15611)
(xy 102.497627 111.161177)
(xy 102.495223 111.163951)
(xy 102.435496 111.202333)
(xy 102.364499 111.202331)
(xy 102.304777 111.163951)
(xy 102.302374 111.161178)
(xy 102.297983 111.15611)
(xy 102.189027 111.086088)
(xy 102.189026 111.086087)
(xy 102.189025 111.086087)
(xy 102.064758 111.0496)
(xy 101.935242 111.0496)
(xy 101.810974 111.086087)
(xy 101.810971 111.086089)
(xy 101.702018 111.156109)
(xy 101.702017 111.156109)
(xy 101.702017 111.15611)
(xy 101.697627 111.161177)
(xy 101.695223 111.163951)
(xy 101.635496 111.202333)
(xy 101.564499 111.202331)
(xy 101.504777 111.163951)
(xy 101.502374 111.161178)
(xy 101.497983 111.15611)
(xy 101.389027 111.086088)
(xy 101.389026 111.086087)
(xy 101.389025 111.086087)
(xy 101.264758 111.0496)
(xy 101.135242 111.0496)
(xy 101.010974 111.086087)
(xy 101.010971 111.086089)

(xy 100.902016 111.15611)
(xy 100.902014 111.156111)
(xy 100.817206 111.253986)
(xy 100.817203 111.25399)
(xy 100.7634 111.371802)
(xy 100.763398 111.371809)
(xy 100.744968 111.499996)
(xy 100.744968 111.500003)
(xy 70.0754 111.500003)
(xy 70.0754 110.900003)
(xy 72.444968 110.900003)
(xy 72.463398 111.02819)
(xy 72.4634 111.028197)
(xy 72.517203 111.146009)
(xy 72.517206 111.146013)
(xy 72.602014 111.243888)
(xy 72.602016 111.243889)
(xy 72.602017 111.24389)
(xy 72.710973 111.313912)
(xy 72.835242 111.3504)
(xy 72.964758 111.3504)
(xy 73.089027 111.313912)
(xy 73.197983 111.24389)
(xy 73.282797 111.146009)
(xy 73.3366 111.028197)
(xy 73.34229 110.988623)
(xy 73.355032 110.900003)
(xy 75.944968 110.900003)
(xy 75.963398 111.02819)
(xy 75.9634 111.028197)
(xy 76.017203 111.146009)
(xy 76.017206 111.146013)
(xy 76.102014 111.243888)
(xy 76.102016 111.243889)
(xy 76.102017 111.24389)
(xy 76.210973 111.313912)
(xy 76.335242 111.3504)
(xy 76.464758 111.3504)
(xy 76.589027 111.313912)
(xy 76.697983 111.24389)
(xy 76.782797 111.146009)
(xy 76.8366 111.028197)
(xy 76.840654 111)
(xy 86.744978 111)
(xy 86.763408 111.12819)
(xy 86.76341 111.128197)
(xy 86.817213 111.246009)
(xy 86.817216 111.246013)
(xy 86.902024 111.343888)
(xy 86.902026 111.343889)
(xy 86.902027 111.34389)
(xy 87.010983 111.413912)
(xy 87.135252 111.4504)
(xy 87.264768 111.4504)
(xy 87.389037 111.413912)
(xy 87.497993 111.34389)
(xy 87.582807 111.246009)
(xy 87.63661 111.128197)
(xy 87.655042 111)
(xy 87.655042 110.999996)
(xy 87.636611 110.871809)
(xy 87.63661 110.871808)
(xy 87.63661 110.871803)
(xy 87.582807 110.753991)
(xy 87.579206 110.749835)
(xy 87.497995 110.656111)
(xy 87.497993 110.65611)
(xy 87.494688 110.653986)

(xy 87.389037 110.586088)
(xy 87.389036 110.586087)
(xy 87.389035 110.586087)
(xy 87.264768 110.5496)
(xy 87.135252 110.5496)
(xy 87.010984 110.586087)
(xy 87.010981 110.586089)
(xy 86.902026 110.65611)
(xy 86.902024 110.656111)
(xy 86.817216 110.753986)
(xy 86.817213 110.75399)
(xy 86.76341 110.871802)
(xy 86.763408 110.871809)
(xy 86.744978 110.999996)
(xy 86.744978 111)
(xy 76.840654 111)
(xy 76.84229 110.988623)
(xy 76.855032 110.900003)
(xy 76.855032 110.899996)
(xy 76.836601 110.771809)
(xy 76.8366 110.771808)
(xy 76.8366 110.771803)
(xy 76.782797 110.653991)
(xy 76.782793 110.653986)
(xy 76.697985 110.556111)
(xy 76.697983 110.55611)
(xy 76.636705 110.516729)
(xy 76.589027 110.486088)
(xy 76.589026 110.486087)
(xy 76.589025 110.486087)
(xy 76.464758 110.4496)
(xy 76.335242 110.4496)
(xy 76.210974 110.486087)
(xy 76.210971 110.486089)
(xy 76.102016 110.55611)
(xy 76.102014 110.556111)
(xy 76.017206 110.653986)
(xy 76.017203 110.65399)
(xy 75.9634 110.771802)
(xy 75.963398 110.771809)
(xy 75.944968 110.899996)
(xy 75.944968 110.900003)
(xy 73.355032 110.900003)
(xy 73.355032 110.899996)
(xy 73.336601 110.771809)
(xy 73.3366 110.771808)
(xy 73.3366 110.771803)
(xy 73.282797 110.653991)
(xy 73.282793 110.653986)
(xy 73.197985 110.556111)
(xy 73.197983 110.55611)
(xy 73.136705 110.516729)
(xy 73.089027 110.486088)
(xy 73.089026 110.486087)
(xy 73.089025 110.486087)
(xy 72.964758 110.4496)
(xy 72.835242 110.4496)
(xy 72.710974 110.486087)
(xy 72.710971 110.486089)
(xy 72.602016 110.55611)
(xy 72.602014 110.556111)
(xy 72.517206 110.653986)
(xy 72.517203 110.65399)
(xy 72.4634 110.771802)
(xy 72.463398 110.771809)
(xy 72.444968 110.899996)
(xy 72.444968 110.900003)
(xy 70.0754 110.900003)

(xy 70.0754 110.814058)
(xy 70.0754 109.619818)
(xy 70.095402 109.551697)
(xy 70.112305 109.530723)
(xy 70.962897 108.680131)
(xy 80.5396 108.680131)
(xy 80.554363 108.830026)
(xy 80.554364 108.830032)
(xy 80.554365 108.830033)
(xy 80.612712 109.022379)
(xy 80.707463 109.199647)
(xy 80.834977 109.355023)
(xy 80.990353 109.482537)
(xy 81.167621 109.577288)
(xy 81.359967 109.635635)
(xy 81.359971 109.635635)
(xy 81.359973 109.635636)
(xy 81.559997 109.655337)
(xy 81.56 109.655337)
(xy 81.560003 109.655337)
(xy 81.760026 109.635636)
(xy 81.760027 109.635635)
(xy 81.760033 109.635635)
(xy 81.952379 109.577288)
(xy 82.129647 109.482537)
(xy 82.285023 109.355023)
(xy 82.345354 109.28151)
(xy 83.0796 109.28151)
(xy 83.094449 109.375271)
(xy 83.152031 109.488283)
(xy 83.241714 109.577966)
(xy 83.241717 109.577968)
(xy 83.354727 109.63555)
(xy 83.448487 109.6504)
(xy 84.751512 109.650399)
(xy 84.845273 109.63555)
(xy 84.958283 109.577968)
(xy 85.047968 109.488283)
(xy 85.10555 109.375273)
(xy 85.1204 109.281513)
(xy 85.1204 108.65)
(xy 101.044508 108.65)
(xy 101.064354 108.775304)
(xy 101.083307 108.812502)
(xy 101.121949 108.888342)
(xy 101.211657 108.97805)
(xy 101.22014 108.982372)
(xy 101.324696 109.035646)
(xy 101.45 109.055492)
(xy 101.575304 109.035646)
(xy 101.688342 108.97805)
(xy 101.77805 108.888342)
(xy 101.835646 108.775304)
(xy 101.855492 108.65)
(xy 105.044508 108.65)
(xy 105.064354 108.775304)
(xy 105.083307 108.812502)
(xy 105.121949 108.888342)
(xy 105.211657 108.97805)
(xy 105.22014 108.982372)
(xy 105.324696 109.035646)
(xy 105.45 109.055492)
(xy 105.575304 109.035646)
(xy 105.591397 109.027445)
(xy 105.661174 109.014342)
(xy 105.726958 109.041042)
(xy 105.767865 109.09907)
(xy 105.7746 109.139713)

(xy 105.7746 109.191005)
(xy 105.77244 109.254234)
(xy 105.782395 109.295093)
(xy 105.7836 109.301432)
(xy 105.786573 109.323059)
(xy 105.789326 109.343084)
(xy 105.794511 109.355022)
(xy 105.795889 109.358194)
(xy 105.802734 109.378549)
(xy 105.806636 109.394558)
(xy 105.806636 109.394559)
(xy 105.82724 109.431202)
(xy 105.830111 109.436983)
(xy 105.846867 109.475557)
(xy 105.857258 109.488329)
(xy 105.869346 109.506088)
(xy 105.877422 109.52045)
(xy 105.907155 109.550183)
(xy 105.91147 109.554963)
(xy 105.938015 109.587592)
(xy 105.951476 109.597094)
(xy 105.967908 109.610936)
(xy 106.972132 110.61516)
(xy 107.015309 110.661391)
(xy 107.051234 110.683237)
(xy 107.05656 110.686862)
(xy 107.090074 110.712277)
(xy 107.105412 110.718325)
(xy 107.124638 110.727875)
(xy 107.138712 110.736434)
(xy 107.172888 110.746009)
(xy 107.179196 110.747776)
(xy 107.185317 110.749834)
(xy 107.224434 110.765261)
(xy 107.240821 110.766945)
(xy 107.261923 110.770956)
(xy 107.277785 110.7754)
(xy 107.319832 110.7754)
(xy 107.32628 110.775731)
(xy 107.368105 110.780031)
(xy 107.368105 110.78003)
(xy 107.368107 110.780031)
(xy 107.38434 110.777232)
(xy 107.405749 110.7754)
(xy 111.780182 110.7754)
(xy 111.848303 110.795402)
(xy 111.869277 110.812305)
(xy 113.130985 112.074013)
(xy 113.165011 112.136325)
(xy 113.159946 112.20714)
(xy 113.117399 112.263976)
(xy 113.050879 112.288787)
(xy 113.029541 112.288501)
(xy 112.890004 112.274759)
(xy 112.889997 112.274759)
(xy 112.693895 112.294072)
(xy 112.693889 112.294073)
(xy 112.693887 112.294074)
(xy 112.657777 112.305028)
(xy 112.505309 112.351278)
(xy 112.33152 112.444171)
(xy 112.179187 112.569187)
(xy 112.054171 112.72152)
(xy 111.961278 112.895309)
(xy 111.940559 112.963611)
(xy 111.91087 113.061486)
(xy 111.904072 113.083895)
(xy 111.884759 113.279996)

(xy 111.884759 113.280003)
(xy 111.904072 113.476104)
(xy 111.904073 113.476109)
(xy 111.904074 113.476113)
(xy 111.927552 113.553509)
(xy 111.961278 113.66469)
(xy 112.054171 113.838479)
(xy 112.054173 113.838482)
(xy 112.179187 113.990813)
(xy 112.331518 114.115827)
(xy 112.505311 114.208722)
(xy 112.693887 114.265926)
(xy 112.693893 114.265926)
(xy 112.693895 114.265927)
(xy 112.889997 114.285241)
(xy 112.89 114.285241)
(xy 112.890003 114.285241)
(xy 113.086104 114.265927)
(xy 113.086104 114.265926)
(xy 113.086113 114.265926)
(xy 113.274689 114.208722)
(xy 113.448482 114.115827)
(xy 113.54717 114.034835)
(xy 113.612515 114.007084)
(xy 113.682493 114.019066)
(xy 113.734885 114.066979)
(xy 113.753101 114.132237)
(xy 113.753101 114.416499)
(xy 113.750419 114.442358)
(xy 113.748234 114.452773)
(xy 113.750713 114.472657)
(xy 113.752617 114.487933)
(xy 113.753101 114.495722)
(xy 113.753101 114.499609)
(xy 113.756943 114.522637)
(xy 113.763732 114.5771)
(xy 113.765971 114.584624)
(xy 113.76853 114.592076)
(xy 113.768531 114.592079)
(xy 113.794657 114.640356)
(xy 113.806439 114.664456)
(xy 113.818757 114.689653)
(xy 113.823348 114.696083)
(xy 113.828158 114.702263)
(xy 113.868546 114.739442)
(xy 114.462571 115.333467)
(xy 114.496595 115.395778)
(xy 114.49405 115.459136)
(xy 114.444072 115.623893)
(xy 114.424759 115.819996)
(xy 114.424759 115.820003)
(xy 114.444072 116.016104)
(xy 114.444073 116.016109)
(xy 114.444074 116.016113)
(xy 114.458598 116.063991)
(xy 114.501278 116.20469)
(xy 114.575683 116.34389)
(xy 114.594173 116.378482)
(xy 114.719187 116.530813)
(xy 114.871518 116.655827)
(xy 115.045311 116.748722)
(xy 115.233887 116.805926)
(xy 115.233893 116.805926)
(xy 115.233895 116.805927)
(xy 115.429997 116.825241)
(xy 115.43 116.825241)
(xy 115.430003 116.825241)
(xy 115.626104 116.805927)

(xy 115.626104 116.805926)
(xy 115.626113 116.805926)
(xy 115.814689 116.748722)
(xy 115.988482 116.655827)
(xy 116.140813 116.530813)
(xy 116.265827 116.378482)
(xy 116.358722 116.204689)
(xy 116.415926 116.016113)
(xy 116.420851 115.96611)
(xy 116.435241 115.820003)
(xy 116.435241 115.819996)
(xy 116.415927 115.623895)
(xy 116.415926 115.623893)
(xy 116.415926 115.623887)
(xy 116.358722 115.435311)
(xy 116.265827 115.261518)
(xy 116.140813 115.109187)
(xy 115.988482 114.984173)
(xy 115.98848 114.984172)
(xy 115.988479 114.984171)
(xy 115.81469 114.891278)
(xy 115.750508 114.871809)
(xy 115.626113 114.834074)
(xy 115.626109 114.834073)
(xy 115.626104 114.834072)
(xy 115.430003 114.814759)
(xy 115.429997 114.814759)
(xy 115.233893 114.834072)
(xy 115.145862 114.860776)
(xy 115.074868 114.861409)
(xy 115.020192 114.829296)
(xy 114.683928 114.493032)
(xy 114.649902 114.43072)
(xy 114.654967 114.359905)
(xy 114.697514 114.303069)
(xy 114.764034 114.278258)
(xy 114.792736 114.279489)
(xy 114.798487 114.2804)
(xy 114.798488 114.2804)
(xy 116.06151 114.2804)
(xy 116.061512 114.2804)
(xy 116.155273 114.26555)
(xy 116.268283 114.207968)
(xy 116.357968 114.118283)
(xy 116.41555 114.005273)
(xy 116.4304 113.911512)
(xy 116.4304 112.648488)
(xy 116.41555 112.554727)
(xy 116.372378 112.469997)
(xy 116.357968 112.441716)
(xy 116.268283 112.352031)
(xy 116.155271 112.294449)
(xy 116.09121 112.284303)
(xy 116.061512 112.2796)
(xy 114.798488 112.2796)
(xy 114.767234 112.284549)
(xy 114.704723 112.29445)
(xy 114.695298 112.297513)
(xy 114.694415 112.294797)
(xy 114.639874 112.305028)
(xy 114.574095 112.278315)
(xy 114.533201 112.220279)
(xy 114.526548 112.175356)
(xy 114.527559 112.145768)
(xy 114.527558 112.145767)
(xy 114.527559 112.145765)
(xy 114.493364 112.005442)
(xy 114.492548 112.00399)

(xy 114.422579 111.879552)
(xy 114.422572 111.879543)
(xy 112.427867 109.884839)
(xy 112.384692 109.83861)
(xy 112.384691 109.838609)
(xy 112.384691 109.838608)
(xy 112.348757 109.816757)
(xy 112.343432 109.813133)
(xy 112.309926 109.787723)
(xy 112.309924 109.787722)
(xy 112.294596 109.781677)
(xy 112.275361 109.772123)
(xy 112.26129 109.763567)
(xy 112.261289 109.763566)
(xy 112.248799 109.760066)
(xy 112.220795 109.75222)
(xy 112.214689 109.750166)
(xy 112.175569 109.734739)
(xy 112.175563 109.734738)
(xy 112.159176 109.733053)
(xy 112.13808 109.729044)
(xy 112.122215 109.7246)
(xy 112.080168 109.7246)
(xy 112.07372 109.724269)
(xy 112.031894 109.719968)
(xy 112.015659 109.722768)
(xy 111.994251 109.7246)
(xy 107.619818 109.7246)
(xy 107.551697 109.704598)
(xy 107.530722 109.687695)
(xy 107.44303 109.600003)
(xy 117.044968 109.600003)
(xy 117.063398 109.72819)
(xy 117.0634 109.728197)
(xy 117.117203 109.846009)
(xy 117.117206 109.846013)
(xy 117.202014 109.943888)
(xy 117.202016 109.943889)
(xy 117.202017 109.94389)
(xy 117.310973 110.013912)
(xy 117.435242 110.0504)
(xy 117.564758 110.0504)
(xy 117.689027 110.013912)
(xy 117.797983 109.94389)
(xy 117.882797 109.846009)
(xy 117.9366 109.728197)
(xy 117.94381 109.67805)
(xy 117.955032 109.600003)
(xy 117.955032 109.599996)
(xy 117.936601 109.471809)
(xy 117.9366 109.471808)
(xy 117.9366 109.471803)
(xy 117.882797 109.353991)
(xy 117.879339 109.35)
(xy 117.797985 109.256111)
(xy 117.797983 109.25611)
(xy 117.710125 109.199647)
(xy 117.689027 109.186088)
(xy 117.689026 109.186087)
(xy 117.689025 109.186087)
(xy 117.564758 109.1496)
(xy 117.435242 109.1496)
(xy 117.310974 109.186087)
(xy 117.310971 109.186089)
(xy 117.202016 109.25611)
(xy 117.202014 109.256111)
(xy 117.117206 109.353986)
(xy 117.117203 109.35399)

(xy 117.0634 109.471802)
(xy 117.063398 109.471809)
(xy 117.044968 109.599996)
(xy 117.044968 109.600003)
(xy 107.44303 109.600003)
(xy 106.862304 109.019276)
(xy 106.828279 108.956964)
(xy 106.8254 108.930181)
(xy 106.8254 108.500003)
(xy 107.154823 108.500003)
(xy 107.173859 108.656791)
(xy 107.229871 108.804479)
(xy 107.31959 108.93446)
(xy 107.319592 108.934462)
(xy 107.319593 108.934463)
(xy 107.437817 109.0392)
(xy 107.577671 109.112601)
(xy 107.731027 109.1504)
(xy 107.731028 109.1504)
(xy 107.888972 109.1504)
(xy 107.888973 109.1504)
(xy 108.042329 109.112601)
(xy 108.182183 109.0392)
(xy 108.300407 108.934463)
(xy 108.341304 108.875212)
(xy 108.396462 108.830513)
(xy 108.46703 108.82273)
(xy 108.530605 108.854334)
(xy 108.548695 108.875212)
(xy 108.589593 108.934463)
(xy 108.707817 109.0392)
(xy 108.847671 109.112601)
(xy 109.001027 109.1504)
(xy 109.001028 109.1504)
(xy 109.158972 109.1504)
(xy 109.158973 109.1504)
(xy 109.312329 109.112601)
(xy 109.452183 109.0392)
(xy 109.570407 108.934463)
(xy 109.611304 108.875212)
(xy 109.666462 108.830513)
(xy 109.73703 108.82273)
(xy 109.800605 108.854334)
(xy 109.818695 108.875212)
(xy 109.859593 108.934463)
(xy 109.977817 109.0392)
(xy 110.117671 109.112601)
(xy 110.271027 109.1504)
(xy 110.271028 109.1504)
(xy 110.428972 109.1504)
(xy 110.428973 109.1504)
(xy 110.582329 109.112601)
(xy 110.722183 109.0392)
(xy 110.840407 108.934463)
(xy 110.881304 108.875212)
(xy 110.936462 108.830513)
(xy 111.00703 108.82273)
(xy 111.070605 108.854334)
(xy 111.088695 108.875212)
(xy 111.129593 108.934463)
(xy 111.247817 109.0392)
(xy 111.387671 109.112601)
(xy 111.541027 109.1504)
(xy 111.541028 109.1504)
(xy 111.698972 109.1504)
(xy 111.698973 109.1504)
(xy 111.852329 109.112601)
(xy 111.992183 109.0392)

(xy 112.110407 108.934463)
(xy 112.151304 108.875212)
(xy 112.206462 108.830513)
(xy 112.27703 108.82273)
(xy 112.340605 108.854334)
(xy 112.358695 108.875212)
(xy 112.399593 108.934463)
(xy 112.517817 109.0392)
(xy 112.657671 109.112601)
(xy 112.811027 109.1504)
(xy 112.811028 109.1504)
(xy 112.968972 109.1504)
(xy 112.968973 109.1504)
(xy 113.122329 109.112601)
(xy 113.262183 109.0392)
(xy 113.380407 108.934463)
(xy 113.421304 108.875212)
(xy 113.476462 108.830513)
(xy 113.54703 108.82273)
(xy 113.610605 108.854334)
(xy 113.628695 108.875212)
(xy 113.669593 108.934463)
(xy 113.787817 109.0392)
(xy 113.927671 109.112601)
(xy 114.081027 109.1504)
(xy 114.081028 109.1504)
(xy 114.238972 109.1504)
(xy 114.238973 109.1504)
(xy 114.392329 109.112601)
(xy 114.532183 109.0392)
(xy 114.650407 108.934463)
(xy 114.691303 108.875213)
(xy 114.74646 108.830514)
(xy 114.817028 108.82273)
(xy 114.880603 108.854333)
(xy 114.898695 108.875212)
(xy 114.914406 108.897973)
(xy 114.939593 108.934463)
(xy 115.057817 109.0392)
(xy 115.197671 109.112601)
(xy 115.351027 109.1504)
(xy 115.351028 109.1504)
(xy 115.508972 109.1504)
(xy 115.508973 109.1504)
(xy 115.662329 109.112601)
(xy 115.802183 109.0392)
(xy 115.920407 108.934463)
(xy 115.961303 108.875213)
(xy 116.01646 108.830514)
(xy 116.087028 108.82273)
(xy 116.150603 108.854333)
(xy 116.168695 108.875212)
(xy 116.184406 108.897973)
(xy 116.209593 108.934463)
(xy 116.327817 109.0392)
(xy 116.467671 109.112601)
(xy 116.621027 109.1504)
(xy 116.621028 109.1504)
(xy 116.778972 109.1504)
(xy 116.778973 109.1504)
(xy 116.932329 109.112601)
(xy 117.072183 109.0392)
(xy 117.190407 108.934463)
(xy 117.28013 108.804476)
(xy 117.336139 108.656794)
(xy 117.336139 108.656793)
(xy 117.33614 108.656791)
(xy 117.351754 108.52819)

(xy 117.355177 108.5)
(xy 117.344724 108.41391)
(xy 117.33614 108.343208)
(xy 117.299278 108.246013)
(xy 117.28013 108.195524)
(xy 117.280128 108.195522)
(xy 117.280128 108.19552)
(xy 117.190409 108.065539)
(xy 117.190407 108.065537)
(xy 117.072183 107.9608)
(xy 116.932329 107.887399)
(xy 116.932328 107.887398)
(xy 116.932327 107.887398)
(xy 116.778974 107.8496)
(xy 116.778973 107.8496)
(xy 116.621027 107.8496)
(xy 116.621025 107.8496)
(xy 116.467673 107.887398)
(xy 116.467672 107.887398)
(xy 116.32782 107.960798)
(xy 116.327818 107.960799)
(xy 116.327817 107.9608)
(xy 116.276671 108.006111)
(xy 116.20959 108.065539)
(xy 116.168696 108.124786)
(xy 116.113537 108.169486)
(xy 116.042969 108.177269)
(xy 115.979395 108.145664)
(xy 115.961304 108.124786)
(xy 115.920409 108.065539)
(xy 115.920407 108.065537)
(xy 115.802183 107.9608)
(xy 115.662329 107.887399)
(xy 115.662328 107.887398)
(xy 115.662327 107.887398)
(xy 115.508974 107.8496)
(xy 115.508973 107.8496)
(xy 115.351027 107.8496)
(xy 115.351025 107.8496)
(xy 115.197673 107.887398)
(xy 115.197672 107.887398)
(xy 115.05782 107.960798)
(xy 115.057818 107.960799)
(xy 115.057817 107.9608)
(xy 114.939593 108.065537)
(xy 114.93959 108.06554)
(xy 114.939589 108.065541)
(xy 114.898694 108.124787)
(xy 114.843535 108.169487)
(xy 114.772966 108.177269)
(xy 114.709393 108.145663)
(xy 114.691303 108.124786)
(xy 114.650409 108.06554)
(xy 114.650408 108.065538)
(xy 114.650407 108.065537)
(xy 114.532183 107.9608)
(xy 114.392329 107.887399)
(xy 114.392328 107.887398)
(xy 114.392327 107.887398)
(xy 114.238974 107.8496)
(xy 114.238973 107.8496)
(xy 114.081027 107.8496)
(xy 114.081025 107.8496)
(xy 113.927673 107.887398)
(xy 113.927672 107.887398)
(xy 113.78782 107.960798)
(xy 113.787818 107.960799)
(xy 113.787817 107.9608)

(xy 113.736671 108.006111)
(xy 113.66959 108.065539)
(xy 113.628696 108.124786)
(xy 113.573537 108.169486)
(xy 113.502969 108.177269)
(xy 113.439395 108.145664)
(xy 113.421304 108.124786)
(xy 113.380409 108.065539)
(xy 113.380407 108.065537)
(xy 113.262183 107.9608)
(xy 113.122329 107.887399)
(xy 113.122328 107.887398)
(xy 113.122327 107.887398)
(xy 112.968974 107.8496)
(xy 112.968973 107.8496)
(xy 112.811027 107.8496)
(xy 112.811025 107.8496)
(xy 112.657673 107.887398)
(xy 112.657672 107.887398)
(xy 112.51782 107.960798)
(xy 112.517818 107.960799)
(xy 112.517817 107.9608)
(xy 112.466671 108.006111)
(xy 112.39959 108.065539)
(xy 112.358696 108.124786)
(xy 112.303537 108.169486)
(xy 112.232969 108.177269)
(xy 112.169395 108.145664)
(xy 112.151304 108.124786)
(xy 112.110409 108.065539)
(xy 112.110407 108.065537)
(xy 111.992183 107.9608)
(xy 111.852329 107.887399)
(xy 111.852328 107.887398)
(xy 111.852327 107.887398)
(xy 111.698974 107.8496)
(xy 111.698973 107.8496)
(xy 111.541027 107.8496)
(xy 111.541025 107.8496)
(xy 111.387673 107.887398)
(xy 111.387672 107.887398)
(xy 111.24782 107.960798)
(xy 111.247818 107.960799)
(xy 111.247817 107.9608)
(xy 111.129593 108.065537)
(xy 111.12959 108.06554)
(xy 111.129589 108.065541)
(xy 111.088694 108.124787)
(xy 111.033535 108.169487)
(xy 110.962966 108.177269)
(xy 110.899393 108.145663)
(xy 110.881303 108.124786)
(xy 110.840409 108.06554)
(xy 110.840408 108.065538)
(xy 110.840407 108.065537)
(xy 110.722183 107.9608)
(xy 110.582329 107.887399)
(xy 110.582328 107.887398)
(xy 110.582327 107.887398)
(xy 110.428974 107.8496)
(xy 110.428973 107.8496)
(xy 110.271027 107.8496)
(xy 110.271025 107.8496)
(xy 110.117673 107.887398)
(xy 110.117672 107.887398)
(xy 109.97782 107.960798)
(xy 109.977818 107.960799)
(xy 109.977817 107.9608)

(xy 109.926671 108.006111)
(xy 109.85959 108.065539)
(xy 109.818696 108.124786)
(xy 109.763537 108.169486)
(xy 109.692969 108.177269)
(xy 109.629395 108.145664)
(xy 109.611304 108.124786)
(xy 109.570409 108.065539)
(xy 109.570407 108.065537)
(xy 109.452183 107.9608)
(xy 109.312329 107.887399)
(xy 109.312328 107.887398)
(xy 109.312327 107.887398)
(xy 109.158974 107.8496)
(xy 109.158973 107.8496)
(xy 109.001027 107.8496)
(xy 109.001025 107.8496)
(xy 108.847673 107.887398)
(xy 108.847672 107.887398)
(xy 108.70782 107.960798)
(xy 108.707818 107.960799)
(xy 108.707817 107.9608)
(xy 108.656671 108.006111)
(xy 108.58959 108.065539)
(xy 108.548696 108.124786)
(xy 108.493537 108.169486)
(xy 108.422969 108.177269)
(xy 108.359395 108.145664)
(xy 108.341304 108.124786)
(xy 108.300409 108.065539)
(xy 108.300407 108.065537)
(xy 108.182183 107.9608)
(xy 108.042329 107.887399)
(xy 108.042328 107.887398)
(xy 108.042327 107.887398)
(xy 107.888974 107.8496)
(xy 107.888973 107.8496)
(xy 107.731027 107.8496)
(xy 107.731025 107.8496)
(xy 107.577673 107.887398)
(xy 107.577672 107.887398)
(xy 107.43782 107.960798)
(xy 107.437818 107.960799)
(xy 107.437817 107.9608)
(xy 107.386671 108.006111)
(xy 107.31959 108.065539)
(xy 107.229871 108.19552)
(xy 107.173859 108.343208)
(xy 107.154823 108.499996)
(xy 107.154823 108.500003)
(xy 106.8254 108.500003)
(xy 106.8254 106.419818)
(xy 106.831218 106.400003)
(xy 115.644968 106.400003)
(xy 115.663398 106.52819)
(xy 115.6634 106.528197)
(xy 115.717203 106.646009)
(xy 115.717206 106.646013)
(xy 115.802014 106.743888)
(xy 115.802016 106.743889)
(xy 115.802017 106.74389)
(xy 115.910973 106.813912)
(xy 116.035242 106.8504)
(xy 116.164758 106.8504)
(xy 116.289027 106.813912)
(xy 116.397983 106.74389)
(xy 116.482797 106.646009)
(xy 116.5366 106.528197)

(xy 116.541533 106.493888)
(xy 116.555032 106.400003)
(xy 116.555032 106.399996)
(xy 116.536601 106.271809)
(xy 116.5366 106.271808)
(xy 116.5366 106.271803)
(xy 116.482797 106.153991)
(xy 116.482793 106.153986)
(xy 116.397985 106.056111)
(xy 116.397983 106.05611)
(xy 116.310668 105.999996)
(xy 116.289027 105.986088)
(xy 116.289026 105.986087)
(xy 116.289025 105.986087)
(xy 116.164758 105.9496)
(xy 116.035242 105.9496)
(xy 115.910974 105.986087)
(xy 115.910971 105.986089)
(xy 115.802016 106.05611)
(xy 115.802014 106.056111)
(xy 115.717206 106.153986)
(xy 115.717203 106.15399)
(xy 115.6634 106.271802)
(xy 115.663398 106.271809)
(xy 115.644968 106.399996)
(xy 115.644968 106.400003)
(xy 106.831218 106.400003)
(xy 106.845402 106.351697)
(xy 106.862305 106.330723)
(xy 107.230723 105.962305)
(xy 107.293035 105.928279)
(xy 107.319818 105.9254)
(xy 108.285942 105.9254)
(xy 108.285955 105.925399)
(xy 108.39308 105.910675)
(xy 108.393081 105.910674)
(xy 108.393084 105.910674)
(xy 108.525556 105.853133)
(xy 108.525557 105.853131)
(xy 108.525559 105.853131)
(xy 108.525561 105.853129)
(xy 108.637586 105.76199)
(xy 108.637586 105.761989)
(xy 108.637592 105.761985)
(xy 108.720881 105.643991)
(xy 108.769247 105.507901)
(xy 108.779104 105.363808)
(xy 108.749719 105.2224)
(xy 108.749718 105.222398)
(xy 108.749718 105.222397)
(xy 108.713021 105.151576)
(xy 108.683272 105.094163)
(xy 108.584691 104.988609)
(xy 108.461288 104.913566)
(xy 108.322215 104.8746)
(xy 108.322214 104.8746)
(xy 107.058995 104.8746)
(xy 106.995765 104.87244)
(xy 106.995764 104.87244)
(xy 106.995762 104.87244)
(xy 106.954909 104.882395)
(xy 106.94857 104.8836)
(xy 106.906921 104.889324)
(xy 106.90691 104.889327)
(xy 106.891803 104.895889)
(xy 106.871451 104.902733)
(xy 106.855446 104.906634)
(xy 106.85544 104.906636)

(xy 106.818784 104.927246)
(xy 106.813006 104.930116)
(xy 106.774443 104.946867)
(xy 106.77444 104.946868)
(xy 106.761655 104.957269)
(xy 106.743905 104.96935)
(xy 106.72955 104.977422)
(xy 106.699823 105.007148)
(xy 106.695034 105.01147)
(xy 106.662409 105.038013)
(xy 106.662406 105.038016)
(xy 106.652905 105.051476)
(xy 106.639065 105.067905)
(xy 105.934839 105.772132)
(xy 105.88861 105.815307)
(xy 105.888607 105.815311)
(xy 105.866763 105.851231)
(xy 105.863132 105.856566)
(xy 105.837723 105.890074)
(xy 105.831677 105.905403)
(xy 105.822128 105.924628)
(xy 105.813569 105.938704)
(xy 105.813566 105.938712)
(xy 105.802221 105.979198)
(xy 105.800165 105.985313)
(xy 105.784738 106.024436)
(xy 105.783053 106.040823)
(xy 105.779044 106.061919)
(xy 105.7746 106.077783)
(xy 105.7746 106.119831)
(xy 105.774269 106.126279)
(xy 105.769968 106.168105)
(xy 105.772768 106.184341)
(xy 105.7746 106.205749)
(xy 105.7746 108.160286)
(xy 105.754598 108.228407)
(xy 105.700942 108.2749)
(xy 105.630668 108.285004)
(xy 105.591401 108.272555)
(xy 105.575306 108.264355)
(xy 105.575305 108.264354)
(xy 105.575304 108.264354)
(xy 105.45 108.244508)
(xy 105.449999 108.244508)
(xy 105.426418 108.248242)
(xy 105.324696 108.264354)
(xy 105.324694 108.264354)
(xy 105.324694 108.264355)
(xy 105.211657 108.321949)
(xy 105.121949 108.411657)
(xy 105.064355 108.524694)
(xy 105.064354 108.524696)
(xy 105.044508 108.65)
(xy 101.855492 108.65)
(xy 101.835646 108.524696)
(xy 101.790419 108.435934)
(xy 101.77805 108.411657)
(xy 101.688342 108.321949)
(xy 101.612502 108.283307)
(xy 101.575304 108.264354)
(xy 101.45 108.244508)
(xy 101.324696 108.264354)
(xy 101.324694 108.264354)
(xy 101.324694 108.264355)
(xy 101.211657 108.321949)
(xy 101.121949 108.411657)
(xy 101.064355 108.524694)
(xy 101.064354 108.524696)

(xy 101.044508 108.65)
(xy 85.1204 108.65)
(xy 85.120399 107.518488)
(xy 85.10555 107.424727)
(xy 85.065443 107.346013)
(xy 85.047968 107.311716)
(xy 84.958285 107.222033)
(xy 84.958282 107.222031)
(xy 84.845275 107.164451)
(xy 84.845276 107.164451)
(xy 84.845274 107.16445)
(xy 84.845273 107.16445)
(xy 84.751513 107.1496)
(xy 84.751509 107.1496)
(xy 83.448489 107.1496)
(xy 83.354728 107.164449)
(xy 83.241716 107.222031)
(xy 83.152033 107.311714)
(xy 83.152031 107.311717)
(xy 83.094451 107.424723)
(xy 83.09445 107.424725)
(xy 83.09445 107.424727)
(xy 83.081478 107.506634)
(xy 83.0796 107.51849)
(xy 83.0796 109.28151)
(xy 82.345354 109.28151)
(xy 82.412537 109.199647)
(xy 82.507288 109.022379)
(xy 82.565635 108.830033)
(xy 82.566355 108.82273)
(xy 82.572007 108.765337)
(xy 82.5804 108.680125)
(xy 82.5804 108.119875)
(xy 82.569195 108.00611)
(xy 82.565636 107.969973)
(xy 82.565635 107.969971)
(xy 82.565635 107.969967)
(xy 82.507288 107.777621)
(xy 82.412537 107.600353)
(xy 82.285023 107.444977)
(xy 82.129647 107.317463)
(xy 81.952379 107.222712)
(xy 81.760033 107.164365)
(xy 81.760032 107.164364)
(xy 81.760026 107.164363)
(xy 81.560003 107.144663)
(xy 81.559997 107.144663)
(xy 81.359973 107.164363)
(xy 81.16762 107.222712)
(xy 80.990352 107.317463)
(xy 80.834977 107.444977)
(xy 80.707463 107.600352)
(xy 80.612712 107.77762)
(xy 80.554363 107.969973)
(xy 80.5396 108.119868)
(xy 80.5396 108.680131)
(xy 70.962897 108.680131)
(xy 71.080723 108.562305)
(xy 71.143035 108.528279)
(xy 71.169818 108.5254)
(xy 74.491005 108.5254)
(xy 74.554235 108.52756)
(xy 74.595082 108.517605)
(xy 74.601422 108.5164)
(xy 74.604741 108.515943)
(xy 74.643084 108.510674)
(xy 74.658198 108.504108)
(xy 74.678549 108.497264)

(xy 74.694558 108.493364)
(xy 74.73123 108.472743)
(xy 74.736963 108.469895)
(xy 74.775556 108.453133)
(xy 74.788335 108.442735)
(xy 74.806087 108.430653)
(xy 74.82045 108.422578)
(xy 74.850177 108.392849)
(xy 74.85497 108.388524)
(xy 74.875516 108.371809)
(xy 74.887592 108.361985)
(xy 74.897093 108.348524)
(xy 74.910926 108.3321)
(xy 76.16516 107.077867)
(xy 76.211391 107.034691)
(xy 76.23324 106.998759)
(xy 76.236862 106.993437)
(xy 76.262277 106.959925)
(xy 76.268321 106.944597)
(xy 76.277876 106.925359)
(xy 76.286434 106.911288)
(xy 76.297775 106.870806)
(xy 76.299828 106.864701)
(xy 76.300512 106.862964)
(xy 76.302212 106.858654)
(xy 76.3458 106.802615)
(xy 76.412767 106.779037)
(xy 76.481851 106.795406)
(xy 76.487551 106.79886)
(xy 76.510973 106.813912)
(xy 76.635242 106.8504)
(xy 76.764758 106.8504)
(xy 76.844057 106.827116)
(xy 76.915054 106.827116)
(xy 76.97478 106.8655)
(xy 76.994168 106.895669)
(xy 77.017201 106.946104)
(xy 77.017206 106.946111)
(xy 77.102014 107.043986)
(xy 77.102016 107.043987)
(xy 77.102017 107.043988)
(xy 77.210973 107.11401)
(xy 77.335242 107.150498)
(xy 77.464758 107.150498)
(xy 77.589027 107.11401)
(xy 77.697983 107.043988)
(xy 77.782797 106.946107)
(xy 77.8366 106.828295)
(xy 77.846979 106.756108)
(xy 77.855032 106.700101)
(xy 77.855032 106.700094)
(xy 77.836601 106.571907)
(xy 77.8366 106.571906)
(xy 77.8366 106.571901)
(xy 77.782797 106.454089)
(xy 77.782712 106.453991)
(xy 77.697985 106.356209)
(xy 77.697983 106.356208)
(xy 77.678813 106.343888)
(xy 77.589027 106.286186)
(xy 77.589026 106.286185)
(xy 77.589025 106.286185)
(xy 77.464758 106.249698)
(xy 77.335242 106.249698)
(xy 77.255942 106.272982)
(xy 77.184945 106.272982)
(xy 77.125219 106.234598)
(xy 77.10583 106.204427)

(xy 77.10381 106.200003)
(xy 77.082797 106.153991)
(xy 77.082793 106.153986)
(xy 76.997985 106.056111)
(xy 76.997983 106.05611)
(xy 76.910668 105.999996)
(xy 76.889027 105.986088)
(xy 76.889026 105.986087)
(xy 76.889025 105.986087)
(xy 76.764758 105.9496)
(xy 76.635242 105.9496)
(xy 76.510974 105.986087)
(xy 76.503738 105.989392)
(xy 76.433463 105.999493)
(xy 76.368884 105.969997)
(xy 76.330502 105.91027)
(xy 76.3254 105.874776)
(xy 76.3254 105.650281)
(xy 79.544968 105.650281)
(xy 79.563398 105.778468)
(xy 79.5634 105.778475)
(xy 79.617203 105.896287)
(xy 79.617206 105.896291)
(xy 79.702014 105.994166)
(xy 79.702016 105.994167)
(xy 79.702017 105.994168)
(xy 79.810973 106.06419)
(xy 79.935242 106.100678)
(xy 80.064758 106.100678)
(xy 80.189027 106.06419)
(xy 80.297983 105.994168)
(xy 80.302122 105.989392)
(xy 80.346036 105.938712)
(xy 80.382797 105.896287)
(xy 80.4366 105.778475)
(xy 80.439476 105.758467)
(xy 80.468969 105.693888)
(xy 80.528695 105.655504)
(xy 80.564194 105.6504)
(xy 80.664758 105.6504)
(xy 80.789027 105.613912)
(xy 80.897983 105.54389)
(xy 80.982797 105.446009)
(xy 81.003807 105.400003)
(xy 95.644968 105.400003)
(xy 95.663398 105.52819)
(xy 95.6634 105.528197)
(xy 95.717203 105.646009)
(xy 95.717206 105.646013)
(xy 95.802014 105.743888)
(xy 95.802016 105.743889)
(xy 95.802017 105.74389)
(xy 95.910973 105.813912)
(xy 96.035242 105.8504)
(xy 96.164758 105.8504)
(xy 96.289027 105.813912)
(xy 96.397983 105.74389)
(xy 96.453376 105.679961)
(xy 96.513101 105.641579)
(xy 96.584097 105.641579)
(xy 96.643824 105.679962)
(xy 96.673317 105.744542)
(xy 96.6746 105.762475)
(xy 96.6746 106.447998)
(xy 96.671918 106.473857)
(xy 96.669733 106.484272)
(xy 96.671483 106.498303)
(xy 96.674116 106.519432)

(xy 96.6746 106.527221)
(xy 96.6746 106.660384)
(xy 96.663214 106.712726)
(xy 96.6134 106.821802)
(xy 96.613398 106.821809)
(xy 96.594968 106.949996)
(xy 96.594968 106.950003)
(xy 96.613398 107.07819)
(xy 96.6134 107.078197)
(xy 96.667203 107.196009)
(xy 96.667206 107.196013)
(xy 96.752014 107.293888)
(xy 96.752016 107.293889)
(xy 96.752017 107.29389)
(xy 96.860973 107.363912)
(xy 96.985242 107.4004)
(xy 97.114758 107.4004)
(xy 97.239027 107.363912)
(xy 97.239028 107.363911)
(xy 97.239502 107.363772)
(xy 97.310498 107.363772)
(xy 97.310971 107.363911)
(xy 97.310973 107.363912)
(xy 97.435242 107.4004)
(xy 97.564758 107.4004)
(xy 97.689027 107.363912)
(xy 97.797983 107.29389)
(xy 97.882797 107.196009)
(xy 97.9366 107.078197)
(xy 97.948021 106.998764)
(xy 97.955032 106.950003)
(xy 97.955032 106.949996)
(xy 97.936601 106.821809)
(xy 97.9366 106.821808)
(xy 97.9366 106.821803)
(xy 97.882797 106.703991)
(xy 97.882793 106.703986)
(xy 97.797985 106.606111)
(xy 97.797983 106.60611)
(xy 97.732322 106.563912)
(xy 97.689027 106.536088)
(xy 97.617891 106.5152)
(xy 97.564298 106.483402)
(xy 97.462301 106.381405)
(xy 97.428279 106.319098)
(xy 97.4254 106.292323)
(xy 97.4254 105.893269)
(xy 97.445402 105.825149)
(xy 97.499058 105.778656)
(xy 97.569332 105.768553)
(xy 97.619519 105.787271)
(xy 97.660973 105.813912)
(xy 97.785242 105.8504)
(xy 97.914758 105.8504)
(xy 98.039027 105.813912)
(xy 98.147983 105.74389)
(xy 98.232797 105.646009)
(xy 98.2866 105.528197)
(xy 98.286872 105.526301)
(xy 98.305032 105.400003)
(xy 98.305032 105.399996)
(xy 98.303658 105.390443)
(xy 99.632842 105.390443)
(xy 99.651272 105.51863)
(xy 99.651274 105.518637)
(xy 99.705077 105.636449)
(xy 99.70508 105.636453)
(xy 99.755555 105.694705)

(xy 99.785049 105.759285)
(xy 99.774945 105.829559)
(xy 99.755556 105.859729)
(xy 99.717203 105.90399)
(xy 99.6634 106.021802)
(xy 99.663398 106.021809)
(xy 99.644968 106.149996)
(xy 99.644968 106.150003)
(xy 99.663398 106.27819)
(xy 99.6634 106.278197)
(xy 99.717203 106.396009)
(xy 99.717206 106.396013)
(xy 99.802014 106.493888)
(xy 99.802016 106.493889)
(xy 99.802017 106.49389)
(xy 99.910973 106.563912)
(xy 100.035242 106.6004)
(xy 100.164758 106.6004)
(xy 100.289027 106.563912)
(xy 100.397983 106.49389)
(xy 100.407964 106.482372)
(xy 100.432475 106.454084)
(xy 100.482797 106.396009)
(xy 100.5366 106.278197)
(xy 100.545843 106.21391)
(xy 100.555032 106.150003)
(xy 100.555032 106.149996)
(xy 100.536601 106.021809)
(xy 100.5366 106.021808)
(xy 100.5366 106.021803)
(xy 100.482797 105.903991)
(xy 100.432317 105.845734)
(xy 100.402825 105.781154)
(xy 100.412928 105.71088)
(xy 100.432314 105.680714)
(xy 100.470671 105.636449)
(xy 100.524474 105.518637)
(xy 100.526818 105.502333)
(xy 100.542906 105.390443)
(xy 100.542906 105.390436)
(xy 100.524475 105.262249)
(xy 100.524474 105.262248)
(xy 100.524474 105.262243)
(xy 100.470671 105.144431)
(xy 100.460549 105.132749)
(xy 100.385859 105.046551)
(xy 100.385857 105.04655)
(xy 100.352947 105.0254)
(xy 100.276901 104.976528)
(xy 100.2769 104.976527)
(xy 100.276899 104.976527)
(xy 100.152632 104.94004)
(xy 100.023116 104.94004)
(xy 99.898848 104.976527)
(xy 99.898845 104.976529)
(xy 99.78989 105.04655)
(xy 99.789888 105.046551)
(xy 99.70508 105.144426)
(xy 99.705077 105.14443)
(xy 99.651274 105.262242)
(xy 99.651272 105.262249)
(xy 99.632842 105.390436)
(xy 99.632842 105.390443)
(xy 98.303658 105.390443)
(xy 98.286601 105.271809)
(xy 98.2866 105.271808)
(xy 98.2866 105.271803)
(xy 98.232797 105.153991)

(xy 98.232793 105.153986)
(xy 98.192523 105.10751)
(xy 98.16303 105.042929)
(xy 98.173135 104.972655)
(xy 98.192522 104.942488)
(xy 98.232797 104.896009)
(xy 98.2866 104.778197)
(xy 98.291533 104.743888)
(xy 98.305032 104.650003)
(xy 98.305032 104.649996)
(xy 98.286601 104.521809)
(xy 98.2866 104.521808)
(xy 98.2866 104.521803)
(xy 98.232797 104.403991)
(xy 98.232793 104.403986)
(xy 98.147985 104.306111)
(xy 98.147983 104.30611)
(xy 98.147983 104.306109)
(xy 98.039027 104.236088)
(xy 98.039026 104.236087)
(xy 98.039025 104.236087)
(xy 97.914758 104.1996)
(xy 97.785242 104.1996)
(xy 97.660975 104.236087)
(xy 97.66097 104.236089)
(xy 97.659173 104.237244)
(xy 97.658744 104.237521)
(xy 97.658728 104.237531)
(xy 97.656171 104.238281)
(xy 97.652774 104.239833)
(xy 97.65255 104.239344)
(xy 97.590606 104.257528)
(xy 97.522486 104.237521)
(xy 97.501517 104.220622)
(xy 97.462303 104.181407)
(xy 97.431177 104.124403)
(xy 101.244968 104.124403)
(xy 101.263398 104.25259)
(xy 101.2634 104.252597)
(xy 101.317203 104.370409)
(xy 101.317206 104.370413)
(xy 101.402014 104.468288)
(xy 101.402016 104.468289)
(xy 101.402017 104.46829)
(xy 101.510973 104.538312)
(xy 101.635242 104.5748)
(xy 101.764758 104.5748)
(xy 101.889027 104.538312)
(xy 101.997983 104.46829)
(xy 102.082797 104.370409)
(xy 102.1366 104.252597)
(xy 102.138435 104.239833)
(xy 102.155032 104.124403)
(xy 102.155032 104.124396)
(xy 102.136601 103.996209)
(xy 102.1366 103.996208)
(xy 102.1366 103.996203)
(xy 102.082797 103.878391)
(xy 102.077094 103.871809)
(xy 101.997985 103.780511)
(xy 101.997983 103.78051)
(xy 101.944305 103.746013)
(xy 101.889027 103.710488)
(xy 101.889026 103.710487)
(xy 101.889025 103.710487)
(xy 101.764758 103.674)
(xy 101.635242 103.674)
(xy 101.510974 103.710487)

(xy 101.510971 103.710489)
(xy 101.402016 103.78051)
(xy 101.402014 103.780511)
(xy 101.317206 103.878386)
(xy 101.317203 103.87839)
(xy 101.2634 103.996202)
(xy 101.263398 103.996209)
(xy 101.244968 104.124396)
(xy 101.244968 104.124403)
(xy 97.431177 104.124403)
(xy 97.428279 104.119095)
(xy 97.4254 104.092313)
(xy 97.4254 103.420003)
(xy 107.154823 103.420003)
(xy 107.173859 103.576791)
(xy 107.229871 103.724479)
(xy 107.31959 103.85446)
(xy 107.319592 103.854462)
(xy 107.319593 103.854463)
(xy 107.437817 103.9592)
(xy 107.577671 104.032601)
(xy 107.731027 104.0704)
(xy 107.731028 104.0704)
(xy 107.888972 104.0704)
(xy 107.888973 104.0704)
(xy 108.042329 104.032601)
(xy 108.182183 103.9592)
(xy 108.300407 103.854463)
(xy 108.341304 103.795212)
(xy 108.396462 103.750513)
(xy 108.46703 103.74273)
(xy 108.530605 103.774334)
(xy 108.548695 103.795212)
(xy 108.589593 103.854463)
(xy 108.707817 103.9592)
(xy 108.847671 104.032601)
(xy 109.001027 104.0704)
(xy 109.001028 104.0704)
(xy 109.158972 104.0704)
(xy 109.158973 104.0704)
(xy 109.312329 104.032601)
(xy 109.452183 103.9592)
(xy 109.570407 103.854463)
(xy 109.611304 103.795212)
(xy 109.666462 103.750513)
(xy 109.73703 103.74273)
(xy 109.800605 103.774334)
(xy 109.818695 103.795212)
(xy 109.859593 103.854463)
(xy 109.977817 103.9592)
(xy 110.117671 104.032601)
(xy 110.271027 104.0704)
(xy 110.271028 104.0704)
(xy 110.428972 104.0704)
(xy 110.428973 104.0704)
(xy 110.582329 104.032601)
(xy 110.722183 103.9592)
(xy 110.840407 103.854463)
(xy 110.881303 103.795213)
(xy 110.93646 103.750514)
(xy 111.007028 103.74273)
(xy 111.070603 103.774333)
(xy 111.088695 103.795212)
(xy 111.101093 103.813174)
(xy 111.129593 103.854463)
(xy 111.247817 103.9592)
(xy 111.387671 104.032601)
(xy 111.541027 104.0704)

(xy 111.541028 104.0704)
(xy 111.698972 104.0704)
(xy 111.698973 104.0704)
(xy 111.852329 104.032601)
(xy 111.992183 103.9592)
(xy 112.110407 103.854463)
(xy 112.151304 103.795212)
(xy 112.206462 103.750513)
(xy 112.27703 103.74273)
(xy 112.340605 103.774334)
(xy 112.358695 103.795212)
(xy 112.399593 103.854463)
(xy 112.517817 103.9592)
(xy 112.657671 104.032601)
(xy 112.811027 104.0704)
(xy 112.811028 104.0704)
(xy 112.968972 104.0704)
(xy 112.968973 104.0704)
(xy 113.122329 104.032601)
(xy 113.262183 103.9592)
(xy 113.380407 103.854463)
(xy 113.421304 103.795212)
(xy 113.476462 103.750513)
(xy 113.54703 103.74273)
(xy 113.610605 103.774334)
(xy 113.628695 103.795212)
(xy 113.669593 103.854463)
(xy 113.787817 103.9592)
(xy 113.927671 104.032601)
(xy 114.081027 104.0704)
(xy 114.081028 104.0704)
(xy 114.238972 104.0704)
(xy 114.238973 104.0704)
(xy 114.392329 104.032601)
(xy 114.532183 103.9592)
(xy 114.650407 103.854463)
(xy 114.691303 103.795213)
(xy 114.74646 103.750514)
(xy 114.817028 103.74273)
(xy 114.880603 103.774333)
(xy 114.898695 103.795212)
(xy 114.911093 103.813174)
(xy 114.939593 103.854463)
(xy 115.057817 103.9592)
(xy 115.197671 104.032601)
(xy 115.351027 104.0704)
(xy 115.351028 104.0704)
(xy 115.508972 104.0704)
(xy 115.508973 104.0704)
(xy 115.662329 104.032601)
(xy 115.802183 103.9592)
(xy 115.920407 103.854463)
(xy 115.961304 103.795212)
(xy 116.016462 103.750513)
(xy 116.08703 103.74273)
(xy 116.150605 103.774334)
(xy 116.168695 103.795212)
(xy 116.209593 103.854463)
(xy 116.327817 103.9592)
(xy 116.467671 104.032601)
(xy 116.621027 104.0704)
(xy 116.621028 104.0704)
(xy 116.778972 104.0704)
(xy 116.778973 104.0704)
(xy 116.932329 104.032601)
(xy 117.072183 103.9592)
(xy 117.190407 103.854463)
(xy 117.28013 103.724476)

(xy 117.336139 103.576794)
(xy 117.336139 103.576793)
(xy 117.33614 103.576791)
(xy 117.346122 103.494574)
(xy 117.355177 103.42)
(xy 117.346678 103.35)
(xy 117.33614 103.263208)
(xy 117.31256 103.201035)
(xy 117.28013 103.115524)
(xy 117.280128 103.115522)
(xy 117.280128 103.11552)
(xy 117.190409 102.985539)
(xy 117.174903 102.971802)
(xy 117.072183 102.8808)
(xy 116.932329 102.807399)
(xy 116.932328 102.807398)
(xy 116.932327 102.807398)
(xy 116.778974 102.7696)
(xy 116.778973 102.7696)
(xy 116.621027 102.7696)
(xy 116.621025 102.7696)
(xy 116.467673 102.807398)
(xy 116.467672 102.807398)
(xy 116.32782 102.880798)
(xy 116.327818 102.880799)
(xy 116.327817 102.8808)
(xy 116.274325 102.92819)
(xy 116.20959 102.985539)
(xy 116.168696 103.044786)
(xy 116.113537 103.089486)
(xy 116.042969 103.097269)
(xy 115.979395 103.065664)
(xy 115.961304 103.044786)
(xy 115.920409 102.985539)
(xy 115.904903 102.971802)
(xy 115.802183 102.8808)
(xy 115.662329 102.807399)
(xy 115.662328 102.807398)
(xy 115.662327 102.807398)
(xy 115.508974 102.7696)
(xy 115.508973 102.7696)
(xy 115.351027 102.7696)
(xy 115.351025 102.7696)
(xy 115.197673 102.807398)
(xy 115.197672 102.807398)
(xy 115.05782 102.880798)
(xy 115.057818 102.880799)
(xy 115.057817 102.8808)
(xy 115.004325 102.92819)
(xy 114.93959 102.985539)
(xy 114.898696 103.044786)
(xy 114.843537 103.089486)
(xy 114.772969 103.097269)
(xy 114.709395 103.065664)
(xy 114.691304 103.044786)
(xy 114.650409 102.985539)
(xy 114.634903 102.971802)
(xy 114.532183 102.8808)
(xy 114.392329 102.807399)
(xy 114.392328 102.807398)
(xy 114.392327 102.807398)
(xy 114.238974 102.7696)
(xy 114.238973 102.7696)
(xy 114.081027 102.7696)
(xy 114.081025 102.7696)
(xy 113.927673 102.807398)
(xy 113.927672 102.807398)
(xy 113.78782 102.880798)

(xy 113.787818 102.880799)
(xy 113.787817 102.8808)
(xy 113.734325 102.92819)
(xy 113.66959 102.985539)
(xy 113.628696 103.044786)
(xy 113.573537 103.089486)
(xy 113.502969 103.097269)
(xy 113.439395 103.065664)
(xy 113.421304 103.044786)
(xy 113.380409 102.985539)
(xy 113.364903 102.971802)
(xy 113.262183 102.8808)
(xy 113.122329 102.807399)
(xy 113.122328 102.807398)
(xy 113.122327 102.807398)
(xy 112.968974 102.7696)
(xy 112.968973 102.7696)
(xy 112.811027 102.7696)
(xy 112.811025 102.7696)
(xy 112.657673 102.807398)
(xy 112.657672 102.807398)
(xy 112.51782 102.880798)
(xy 112.517818 102.880799)
(xy 112.517817 102.8808)
(xy 112.464325 102.92819)
(xy 112.39959 102.985539)
(xy 112.358696 103.044786)
(xy 112.303537 103.089486)
(xy 112.232969 103.097269)
(xy 112.169395 103.065664)
(xy 112.151304 103.044786)
(xy 112.110409 102.985539)
(xy 112.094903 102.971802)
(xy 111.992183 102.8808)
(xy 111.852329 102.807399)
(xy 111.852328 102.807398)
(xy 111.852327 102.807398)
(xy 111.698974 102.7696)
(xy 111.698973 102.7696)
(xy 111.541027 102.7696)
(xy 111.541025 102.7696)
(xy 111.387673 102.807398)
(xy 111.387672 102.807398)
(xy 111.24782 102.880798)
(xy 111.247818 102.880799)
(xy 111.247817 102.8808)
(xy 111.194325 102.92819)
(xy 111.12959 102.985539)
(xy 111.088696 103.044786)
(xy 111.033537 103.089486)
(xy 110.962969 103.097269)
(xy 110.899395 103.065664)
(xy 110.881304 103.044786)
(xy 110.840409 102.985539)
(xy 110.824903 102.971802)
(xy 110.722183 102.8808)
(xy 110.582329 102.807399)
(xy 110.582328 102.807398)
(xy 110.582327 102.807398)
(xy 110.428974 102.7696)
(xy 110.428973 102.7696)
(xy 110.271027 102.7696)
(xy 110.271025 102.7696)
(xy 110.117673 102.807398)
(xy 110.117672 102.807398)
(xy 109.97782 102.880798)
(xy 109.977818 102.880799)
(xy 109.977817 102.8808)

(xy 109.924325 102.92819)
(xy 109.85959 102.985539)
(xy 109.818696 103.044786)
(xy 109.763537 103.089486)
(xy 109.692969 103.097269)
(xy 109.629395 103.065664)
(xy 109.611304 103.044786)
(xy 109.570409 102.985539)
(xy 109.554903 102.971802)
(xy 109.452183 102.8808)
(xy 109.312329 102.807399)
(xy 109.312328 102.807398)
(xy 109.312327 102.807398)
(xy 109.158974 102.7696)
(xy 109.158973 102.7696)
(xy 109.001027 102.7696)
(xy 109.001025 102.7696)
(xy 108.847673 102.807398)
(xy 108.847672 102.807398)
(xy 108.70782 102.880798)
(xy 108.707818 102.880799)
(xy 108.707817 102.8808)
(xy 108.654325 102.92819)
(xy 108.58959 102.985539)
(xy 108.548696 103.044786)
(xy 108.493537 103.089486)
(xy 108.422969 103.097269)
(xy 108.359395 103.065664)
(xy 108.341304 103.044786)
(xy 108.300409 102.985539)
(xy 108.284903 102.971802)
(xy 108.182183 102.8808)
(xy 108.182179 102.880798)
(xy 108.182177 102.880796)
(xy 108.170181 102.8745)
(xy 108.119159 102.825131)
(xy 108.102927 102.756015)
(xy 108.126639 102.689095)
(xy 108.182767 102.645618)
(xy 108.19324 102.642037)
(xy 108.289027 102.613912)
(xy 108.397983 102.54389)
(xy 108.482797 102.446009)
(xy 108.5366 102.328197)
(xy 108.539574 102.30751)
(xy 108.555032 102.200003)
(xy 108.555032 102.199996)
(xy 108.536601 102.071809)
(xy 108.5366 102.071808)
(xy 108.5366 102.071803)
(xy 108.482797 101.953991)
(xy 108.482793 101.953986)
(xy 108.397985 101.856111)
(xy 108.397983 101.85611)
(xy 108.373032 101.840075)
(xy 108.289027 101.786088)
(xy 108.289026 101.786087)
(xy 108.289025 101.786087)
(xy 108.164758 101.7496)
(xy 108.035242 101.7496)
(xy 107.910974 101.786087)
(xy 107.910971 101.786089)
(xy 107.802016 101.85611)
(xy 107.802014 101.856111)
(xy 107.717206 101.953986)
(xy 107.717203 101.95399)
(xy 107.6634 102.071802)
(xy 107.663398 102.071809)

(xy 107.644968 102.199996)
(xy 107.644968 102.200003)
(xy 107.663398 102.32819)
(xy 107.6634 102.328197)
(xy 107.717203 102.446009)
(xy 107.717206 102.446013)
(xy 107.802013 102.543887)
(xy 107.807194 102.548376)
(xy 107.845577 102.608103)
(xy 107.845577 102.679099)
(xy 107.807193 102.738825)
(xy 107.742611 102.768318)
(xy 107.73858 102.768606)
(xy 107.73859 102.768682)
(xy 107.731025 102.7696)
(xy 107.577673 102.807398)
(xy 107.577672 102.807398)
(xy 107.43782 102.880798)
(xy 107.437818 102.880799)
(xy 107.437817 102.8808)
(xy 107.384325 102.92819)
(xy 107.31959 102.985539)
(xy 107.229871 103.11552)
(xy 107.173859 103.263208)
(xy 107.154823 103.419996)
(xy 107.154823 103.420003)
(xy 97.4254 103.420003)
(xy 97.4254 103.09327)
(xy 97.445402 103.025149)
(xy 97.499058 102.978656)
(xy 97.569332 102.968552)
(xy 97.619519 102.987271)
(xy 97.660973 103.013912)
(xy 97.785242 103.0504)
(xy 97.914758 103.0504)
(xy 98.039027 103.013912)
(xy 98.147983 102.94389)
(xy 98.232797 102.846009)
(xy 98.2866 102.728197)
(xy 98.292654 102.686089)
(xy 98.305032 102.600003)
(xy 99.644968 102.600003)
(xy 99.663398 102.72819)
(xy 99.6634 102.728197)
(xy 99.717203 102.846009)
(xy 99.717206 102.846013)
(xy 99.802014 102.943888)
(xy 99.802016 102.943889)
(xy 99.802017 102.94389)
(xy 99.910973 103.013912)
(xy 100.035242 103.0504)
(xy 100.164758 103.0504)
(xy 100.289027 103.013912)
(xy 100.397983 102.94389)
(xy 100.482797 102.846009)
(xy 100.5366 102.728197)
(xy 100.542654 102.686089)
(xy 100.555032 102.600003)
(xy 101.394968 102.600003)
(xy 101.413398 102.72819)
(xy 101.4134 102.728197)
(xy 101.467203 102.846009)
(xy 101.467206 102.846013)
(xy 101.552014 102.943888)
(xy 101.552016 102.943889)
(xy 101.552017 102.94389)
(xy 101.660973 103.013912)
(xy 101.785242 103.0504)

(xy 101.914758 103.0504)
(xy 102.039027 103.013912)
(xy 102.147983 102.94389)
(xy 102.232797 102.846009)
(xy 102.2866 102.728197)
(xy 102.292654 102.686089)
(xy 102.305032 102.600003)
(xy 102.305032 102.599996)
(xy 102.286601 102.471809)
(xy 102.2866 102.471808)
(xy 102.2866 102.471803)
(xy 102.232797 102.353991)
(xy 102.232793 102.353986)
(xy 102.192523 102.30751)
(xy 102.16303 102.242929)
(xy 102.173135 102.172655)
(xy 102.192522 102.142488)
(xy 102.232797 102.096009)
(xy 102.2866 101.978197)
(xy 102.29008 101.953991)
(xy 102.305032 101.850003)
(xy 102.305032 101.849996)
(xy 102.286601 101.721809)
(xy 102.2866 101.721808)
(xy 102.2866 101.721803)
(xy 102.232797 101.603991)
(xy 102.232793 101.603986)
(xy 102.147985 101.506111)
(xy 102.147983 101.50611)
(xy 102.116827 101.486087)
(xy 102.039027 101.436088)
(xy 102.039026 101.436087)
(xy 102.039025 101.436087)
(xy 101.914758 101.3996)
(xy 101.785242 101.3996)
(xy 101.660974 101.436087)
(xy 101.660971 101.436089)
(xy 101.552016 101.50611)
(xy 101.552014 101.506111)
(xy 101.467206 101.603986)
(xy 101.467203 101.60399)
(xy 101.4134 101.721802)
(xy 101.413398 101.721809)
(xy 101.394968 101.849996)
(xy 101.394968 101.850003)
(xy 101.413398 101.97819)
(xy 101.4134 101.978197)
(xy 101.467203 102.096009)
(xy 101.507477 102.142488)
(xy 101.53697 102.207069)
(xy 101.526866 102.277343)
(xy 101.507477 102.307512)
(xy 101.467203 102.35399)
(xy 101.4134 102.471802)
(xy 101.413398 102.471809)
(xy 101.394968 102.599996)
(xy 101.394968 102.600003)
(xy 100.555032 102.600003)
(xy 100.555032 102.599996)
(xy 100.536601 102.471809)
(xy 100.5366 102.471808)
(xy 100.5366 102.471803)
(xy 100.482797 102.353991)
(xy 100.482793 102.353986)
(xy 100.397985 102.256111)
(xy 100.397983 102.25611)
(xy 100.310679 102.200003)
(xy 100.289027 102.186088)

(xy 100.289026 102.186087)
(xy 100.289025 102.186087)
(xy 100.164758 102.1496)
(xy 100.035242 102.1496)
(xy 99.910974 102.186087)
(xy 99.910971 102.186089)
(xy 99.802016 102.25611)
(xy 99.802014 102.256111)
(xy 99.717206 102.353986)
(xy 99.717203 102.35399)
(xy 99.6634 102.471802)
(xy 99.663398 102.471809)
(xy 99.644968 102.599996)
(xy 99.644968 102.600003)
(xy 98.305032 102.600003)
(xy 98.305032 102.599996)
(xy 98.286601 102.471809)
(xy 98.2866 102.471808)
(xy 98.2866 102.471803)
(xy 98.232797 102.353991)
(xy 98.232793 102.353986)
(xy 98.192523 102.30751)
(xy 98.16303 102.242929)
(xy 98.173135 102.172655)
(xy 98.192522 102.142488)
(xy 98.232797 102.096009)
(xy 98.2866 101.978197)
(xy 98.29008 101.953991)
(xy 98.305032 101.850003)
(xy 98.305032 101.849996)
(xy 98.286601 101.721809)
(xy 98.2866 101.721808)
(xy 98.2866 101.721803)
(xy 98.232797 101.603991)
(xy 98.232793 101.603986)
(xy 98.147985 101.506111)
(xy 98.147983 101.50611)
(xy 98.116827 101.486087)
(xy 98.039027 101.436088)
(xy 98.039026 101.436087)
(xy 98.039025 101.436087)
(xy 97.914758 101.3996)
(xy 97.785242 101.3996)
(xy 97.660975 101.436087)
(xy 97.660973 101.436088)
(xy 97.632168 101.454599)
(xy 97.56405 101.4746)
(xy 97.5514 101.4746)
(xy 97.483279 101.454598)
(xy 97.436786 101.400942)
(xy 97.4254 101.3486)
(xy 97.4254 100.29327)
(xy 97.445402 100.225149)
(xy 97.499058 100.178656)
(xy 97.569332 100.168552)
(xy 97.619519 100.187271)
(xy 97.660973 100.213912)
(xy 97.785242 100.2504)
(xy 97.914758 100.2504)
(xy 98.039027 100.213912)
(xy 98.147983 100.14389)
(xy 98.232797 100.046009)
(xy 98.2866 99.928197)
(xy 98.300979 99.82819)
(xy 98.305032 99.800003)
(xy 99.644968 99.800003)
(xy 99.663398 99.92819)
(xy 99.6634 99.928197)

(xy 99.717203 100.046009)
(xy 99.717206 100.046013)
(xy 99.802014 100.143888)
(xy 99.802016 100.143889)
(xy 99.802017 100.14389)
(xy 99.910973 100.213912)
(xy 100.035242 100.2504)
(xy 100.164758 100.2504)
(xy 100.289027 100.213912)
(xy 100.397983 100.14389)
(xy 100.482797 100.046009)
(xy 100.5366 99.928197)
(xy 100.550979 99.82819)
(xy 100.555032 99.800003)
(xy 101.394968 99.800003)
(xy 101.413398 99.92819)
(xy 101.4134 99.928197)
(xy 101.467203 100.046009)
(xy 101.467206 100.046013)
(xy 101.552014 100.143888)
(xy 101.552016 100.143889)
(xy 101.552017 100.14389)
(xy 101.660973 100.213912)
(xy 101.785242 100.2504)
(xy 101.914758 100.2504)
(xy 102.039027 100.213912)
(xy 102.147983 100.14389)
(xy 102.232797 100.046009)
(xy 102.2866 99.928197)
(xy 102.300979 99.82819)
(xy 102.305032 99.800003)
(xy 102.305032 99.799996)
(xy 102.290655 99.700003)
(xy 106.944968 99.700003)
(xy 106.963398 99.82819)
(xy 106.9634 99.828197)
(xy 107.017203 99.946009)
(xy 107.017206 99.946013)
(xy 107.102014 100.043888)
(xy 107.102016 100.043889)
(xy 107.102017 100.04389)
(xy 107.210973 100.113912)
(xy 107.335242 100.1504)
(xy 107.464758 100.1504)
(xy 107.589027 100.113912)
(xy 107.697983 100.04389)
(xy 107.704775 100.03605)
(xy 107.764495 99.997665)
(xy 107.835492 99.99766)
(xy 107.895221 100.03604)
(xy 107.895226 100.036046)
(xy 107.902021 100.043888)
(xy 107.902023 100.04389)
(xy 108.010979 100.113912)
(xy 108.135248 100.1504)
(xy 108.264764 100.1504)
(xy 108.389033 100.113912)
(xy 108.497989 100.04389)
(xy 108.499992 100.041579)
(xy 108.564071 99.967627)
(xy 108.582803 99.946009)
(xy 108.636606 99.828197)
(xy 108.647245 99.7542)
(xy 108.655038 99.700003)
(xy 108.655038 99.699996)
(xy 108.636607 99.571809)
(xy 108.636606 99.571808)
(xy 108.636606 99.571803)

(xy 108.599359 99.490245)
(xy 108.589256 99.419974)
(xy 108.618749 99.355393)
(xy 108.678471 99.317011)
(xy 108.689027 99.313912)
(xy 108.797983 99.24389)
(xy 108.804744 99.236088)
(xy 108.864636 99.166968)
(xy 108.882797 99.146009)
(xy 108.9366 99.028197)
(xy 108.939179 99.010257)
(xy 108.955032 98.900003)
(xy 108.955032 98.899996)
(xy 108.936601 98.771809)
(xy 108.9366 98.771808)
(xy 108.9366 98.771803)
(xy 108.882797 98.653991)
(xy 108.882793 98.653986)
(xy 108.797985 98.556111)
(xy 108.797983 98.55611)
(xy 108.759084 98.531111)
(xy 108.689027 98.486088)
(xy 108.689026 98.486087)
(xy 108.689025 98.486087)
(xy 108.564758 98.4496)
(xy 108.435242 98.4496)
(xy 108.310974 98.486087)
(xy 108.310971 98.486089)
(xy 108.202016 98.55611)
(xy 108.202014 98.556111)
(xy 108.117206 98.653986)
(xy 108.117203 98.65399)
(xy 108.0634 98.771802)
(xy 108.063398 98.771809)
(xy 108.044968 98.899996)
(xy 108.044968 98.900003)
(xy 108.063398 99.02819)
(xy 108.0634 99.028197)
(xy 108.100645 99.109752)
(xy 108.110748 99.180026)
(xy 108.081255 99.244607)
(xy 108.021531 99.282989)
(xy 108.016288 99.284528)
(xy 108.010978 99.286088)
(xy 108.010977 99.286089)
(xy 107.902023 99.356109)
(xy 107.895227 99.363953)
(xy 107.835501 99.402336)
(xy 107.764504 99.402336)
(xy 107.704779 99.363953)
(xy 107.697982 99.356109)
(xy 107.620183 99.306111)
(xy 107.589027 99.286088)
(xy 107.589026 99.286087)
(xy 107.589025 99.286087)
(xy 107.464758 99.2496)
(xy 107.335242 99.2496)
(xy 107.210974 99.286087)
(xy 107.210971 99.286089)
(xy 107.102016 99.35611)
(xy 107.102014 99.356111)
(xy 107.017206 99.453986)
(xy 107.017203 99.45399)
(xy 106.9634 99.571802)
(xy 106.963398 99.571809)
(xy 106.944968 99.699996)
(xy 106.944968 99.700003)
(xy 102.290655 99.700003)

(xy 102.286601 99.671809)
(xy 102.2866 99.671808)
(xy 102.2866 99.671803)
(xy 102.232797 99.553991)
(xy 102.232052 99.553131)
(xy 102.192523 99.50751)
(xy 102.16303 99.442929)
(xy 102.173135 99.372655)
(xy 102.192522 99.342488)
(xy 102.232797 99.296009)
(xy 102.2866 99.178197)
(xy 102.287721 99.1704)
(xy 102.305032 99.050003)
(xy 102.305032 99.049996)
(xy 102.286601 98.921809)
(xy 102.2866 98.921808)
(xy 102.2866 98.921803)
(xy 102.232797 98.803991)
(xy 102.217278 98.786081)
(xy 102.147985 98.706111)
(xy 102.147983 98.70611)
(xy 102.105457 98.67878)
(xy 102.039027 98.636088)
(xy 102.039026 98.636087)
(xy 102.039025 98.636087)
(xy 101.914758 98.5996)
(xy 101.785242 98.5996)
(xy 101.660974 98.636087)
(xy 101.660971 98.636089)
(xy 101.552016 98.70611)
(xy 101.552014 98.706111)
(xy 101.467206 98.803986)
(xy 101.467203 98.80399)
(xy 101.4134 98.921802)
(xy 101.413398 98.921809)
(xy 101.394968 99.049996)
(xy 101.394968 99.050003)
(xy 101.413398 99.17819)
(xy 101.4134 99.178197)
(xy 101.467203 99.296009)
(xy 101.507477 99.342488)
(xy 101.53697 99.407069)
(xy 101.526866 99.477343)
(xy 101.507477 99.507512)
(xy 101.467203 99.55399)
(xy 101.4134 99.671802)
(xy 101.413398 99.671809)
(xy 101.394968 99.799996)
(xy 101.394968 99.800003)
(xy 100.555032 99.800003)
(xy 100.555032 99.799996)
(xy 100.536601 99.671809)
(xy 100.5366 99.671808)
(xy 100.5366 99.671803)
(xy 100.482797 99.553991)
(xy 100.482052 99.553131)
(xy 100.397985 99.456111)
(xy 100.397983 99.45611)
(xy 100.355889 99.429058)
(xy 100.289027 99.386088)
(xy 100.289026 99.386087)
(xy 100.289025 99.386087)
(xy 100.164758 99.3496)
(xy 100.035242 99.3496)
(xy 99.910974 99.386087)
(xy 99.910971 99.386089)
(xy 99.802016 99.45611)
(xy 99.802014 99.456111)

(xy 99.717206 99.553986)
(xy 99.717203 99.55399)
(xy 99.6634 99.671802)
(xy 99.663398 99.671809)
(xy 99.644968 99.799996)
(xy 99.644968 99.800003)
(xy 98.305032 99.800003)
(xy 98.305032 99.799996)
(xy 98.286601 99.671809)
(xy 98.2866 99.671808)
(xy 98.2866 99.671803)
(xy 98.232797 99.553991)
(xy 98.232052 99.553131)
(xy 98.192523 99.50751)
(xy 98.16303 99.442929)
(xy 98.173135 99.372655)
(xy 98.192522 99.342488)
(xy 98.232797 99.296009)
(xy 98.2866 99.178197)
(xy 98.287721 99.1704)
(xy 98.305032 99.050003)
(xy 98.305032 99.049996)
(xy 98.286601 98.921809)
(xy 98.2866 98.921808)
(xy 98.2866 98.921803)
(xy 98.232797 98.803991)
(xy 98.217278 98.786081)
(xy 98.147985 98.706111)
(xy 98.147983 98.70611)
(xy 98.105457 98.67878)
(xy 98.039027 98.636088)
(xy 98.039026 98.636087)
(xy 98.039025 98.636087)
(xy 97.914758 98.5996)
(xy 97.785242 98.5996)
(xy 97.660975 98.636087)
(xy 97.660973 98.636088)
(xy 97.632168 98.654599)
(xy 97.56405 98.6746)
(xy 97.5514 98.6746)
(xy 97.483279 98.654598)
(xy 97.436786 98.600942)
(xy 97.4254 98.5486)
(xy 97.4254 98.502715)
(xy 104.2696 98.502715)
(xy 104.284409 98.615208)
(xy 104.342388 98.755181)
(xy 104.342393 98.755189)
(xy 104.434619 98.87538)
(xy 104.55481 98.967606)
(xy 104.554817 98.967611)
(xy 104.69479 99.02559)
(xy 104.807286 99.0404)
(xy 104.807294 99.0404)
(xy 105.732706 99.0404)
(xy 105.732714 99.0404)
(xy 105.84521 99.02559)
(xy 105.985183 98.967611)
(xy 106.10538 98.87538)
(xy 106.197611 98.755183)
(xy 106.25559 98.61521)
(xy 106.2704 98.502714)
(xy 106.2704 97.600003)
(xy 106.844968 97.600003)
(xy 106.863398 97.72819)
(xy 106.8634 97.728197)
(xy 106.917203 97.846009)
(xy 106.917206 97.846013)

(xy 107.002014 97.943888)
(xy 107.002016 97.943889)
(xy 107.002017 97.94389)
(xy 107.110973 98.013912)
(xy 107.235242 98.0504)
(xy 107.364758 98.0504)
(xy 107.489027 98.013912)
(xy 107.597983 97.94389)
(xy 107.682797 97.846009)
(xy 107.7366 97.728197)
(xy 107.741213 97.696111)
(xy 107.755032 97.600003)
(xy 107.755032 97.599996)
(xy 107.736601 97.471809)
(xy 107.7366 97.471808)
(xy 107.7366 97.471803)
(xy 107.682797 97.353991)
(xy 107.672042 97.341579)
(xy 107.597985 97.256111)
(xy 107.597983 97.25611)
(xy 107.557735 97.230244)
(xy 107.489027 97.186088)
(xy 107.489026 97.186087)
(xy 107.489025 97.186087)
(xy 107.364758 97.1496)
(xy 107.235242 97.1496)
(xy 107.110974 97.186087)
(xy 107.110971 97.186089)
(xy 107.002016 97.25611)
(xy 107.002014 97.256111)
(xy 106.917206 97.353986)
(xy 106.917203 97.35399)
(xy 106.8634 97.471802)
(xy 106.863398 97.471809)
(xy 106.844968 97.599996)
(xy 106.844968 97.600003)
(xy 106.2704 97.600003)
(xy 106.2704 97.577286)
(xy 106.25559 97.46479)
(xy 106.197611 97.324817)
(xy 106.180965 97.303123)
(xy 106.10538 97.204619)
(xy 105.985189 97.112393)
(xy 105.985181 97.112388)
(xy 105.845208 97.054409)
(xy 105.732715 97.0396)
(xy 105.732714 97.0396)
(xy 104.807286 97.0396)
(xy 104.807284 97.0396)
(xy 104.694791 97.054409)
(xy 104.554818 97.112388)
(xy 104.55481 97.112393)
(xy 104.434619 97.204619)
(xy 104.342393 97.32481)
(xy 104.342388 97.324818)
(xy 104.284409 97.464791)
(xy 104.2696 97.577284)
(xy 104.2696 98.502715)
(xy 97.4254 98.502715)
(xy 97.4254 97.59327)
(xy 97.445402 97.525149)
(xy 97.499058 97.478656)
(xy 97.569332 97.468552)
(xy 97.619519 97.487271)
(xy 97.660973 97.513912)
(xy 97.785242 97.5504)
(xy 97.914758 97.5504)
(xy 98.039027 97.513912)

(xy 98.147983 97.44389)
(xy 98.151512 97.439818)
(xy 98.18505 97.401112)
(xy 98.232797 97.346009)
(xy 98.2866 97.228197)
(xy 98.288891 97.212265)
(xy 98.305032 97.100003)
(xy 99.644968 97.100003)
(xy 99.663398 97.22819)
(xy 99.6634 97.228197)
(xy 99.717203 97.346009)
(xy 99.717206 97.346013)
(xy 99.802014 97.443888)
(xy 99.802016 97.443889)
(xy 99.802017 97.44389)
(xy 99.910973 97.513912)
(xy 100.035242 97.5504)
(xy 100.164758 97.5504)
(xy 100.289027 97.513912)
(xy 100.397983 97.44389)
(xy 100.401512 97.439818)
(xy 100.43505 97.401112)
(xy 100.482797 97.346009)
(xy 100.5366 97.228197)
(xy 100.538891 97.212265)
(xy 100.555032 97.100003)
(xy 101.394968 97.100003)
(xy 101.413398 97.22819)
(xy 101.4134 97.228197)
(xy 101.467203 97.346009)
(xy 101.467206 97.346013)
(xy 101.552014 97.443888)
(xy 101.552016 97.443889)
(xy 101.552017 97.44389)
(xy 101.660973 97.513912)
(xy 101.785242 97.5504)
(xy 101.914758 97.5504)
(xy 102.039027 97.513912)
(xy 102.147983 97.44389)
(xy 102.151512 97.439818)
(xy 102.18505 97.401112)
(xy 102.232797 97.346009)
(xy 102.2866 97.228197)
(xy 102.288891 97.212265)
(xy 102.305032 97.100003)
(xy 102.305032 97.099996)
(xy 102.286601 96.971809)
(xy 102.2866 96.971808)
(xy 102.2866 96.971803)
(xy 102.232797 96.853991)
(xy 102.232793 96.853986)
(xy 102.192523 96.80751)
(xy 102.16303 96.742929)
(xy 102.173135 96.672655)
(xy 102.192522 96.642488)
(xy 102.229336 96.600003)
(xy 113.844968 96.600003)
(xy 113.863398 96.72819)
(xy 113.8634 96.728197)
(xy 113.917203 96.846009)
(xy 113.917206 96.846013)
(xy 114.002014 96.943888)
(xy 114.002016 96.943889)
(xy 114.002017 96.94389)
(xy 114.110973 97.013912)
(xy 114.235242 97.0504)
(xy 114.364758 97.0504)
(xy 114.489027 97.013912)

(xy 114.597983 96.94389)
(xy 114.682797 96.846009)
(xy 114.7366 96.728197)
(xy 114.742654 96.686089)
(xy 114.755032 96.600003)
(xy 114.755032 96.599996)
(xy 114.736601 96.471809)
(xy 114.7366 96.471808)
(xy 114.7366 96.471803)
(xy 114.682797 96.353991)
(xy 114.680808 96.351695)
(xy 114.597985 96.256111)
(xy 114.597983 96.25611)
(xy 114.568607 96.237231)
(xy 114.489027 96.186088)
(xy 114.489026 96.186087)
(xy 114.489025 96.186087)
(xy 114.364758 96.1496)
(xy 114.235242 96.1496)
(xy 114.110974 96.186087)
(xy 114.110971 96.186089)
(xy 114.002016 96.25611)
(xy 114.002014 96.256111)
(xy 113.917206 96.353986)
(xy 113.917203 96.35399)
(xy 113.8634 96.471802)
(xy 113.863398 96.471809)
(xy 113.844968 96.599996)
(xy 113.844968 96.600003)
(xy 102.229336 96.600003)
(xy 102.232797 96.596009)
(xy 102.2866 96.478197)
(xy 102.29095 96.44794)
(xy 102.305032 96.350003)
(xy 102.305032 96.349996)
(xy 102.286601 96.221809)
(xy 102.2866 96.221808)
(xy 102.2866 96.221803)
(xy 102.232797 96.103991)
(xy 102.232793 96.103986)
(xy 102.147985 96.006111)
(xy 102.147983 96.00611)
(xy 102.120925 95.988721)
(xy 102.039027 95.936088)
(xy 102.039026 95.936087)
(xy 102.039025 95.936087)
(xy 101.914758 95.8996)
(xy 101.785242 95.8996)
(xy 101.660974 95.936087)
(xy 101.660971 95.936089)
(xy 101.552016 96.00611)
(xy 101.552014 96.006111)
(xy 101.467206 96.103986)
(xy 101.467203 96.10399)
(xy 101.4134 96.221802)
(xy 101.413398 96.221809)
(xy 101.394968 96.349996)
(xy 101.394968 96.350003)
(xy 101.413398 96.47819)
(xy 101.4134 96.478197)
(xy 101.467203 96.596009)
(xy 101.507477 96.642488)
(xy 101.53697 96.707069)
(xy 101.526866 96.777343)
(xy 101.507477 96.807512)
(xy 101.467203 96.85399)
(xy 101.4134 96.971802)
(xy 101.413398 96.971809)

(xy 101.394968 97.099996)
(xy 101.394968 97.100003)
(xy 100.555032 97.100003)
(xy 100.555032 97.099996)
(xy 100.536601 96.971809)
(xy 100.5366 96.971808)
(xy 100.5366 96.971803)
(xy 100.482797 96.853991)
(xy 100.482793 96.853986)
(xy 100.397985 96.756111)
(xy 100.397983 96.75611)
(xy 100.359401 96.731315)
(xy 100.289027 96.686088)
(xy 100.289026 96.686087)
(xy 100.289025 96.686087)
(xy 100.164758 96.6496)
(xy 100.035242 96.6496)
(xy 99.910974 96.686087)
(xy 99.910971 96.686089)
(xy 99.802016 96.75611)
(xy 99.802014 96.756111)
(xy 99.717206 96.853986)
(xy 99.717203 96.85399)
(xy 99.6634 96.971802)
(xy 99.663398 96.971809)
(xy 99.644968 97.099996)
(xy 99.644968 97.100003)
(xy 98.305032 97.100003)
(xy 98.305032 97.099996)
(xy 98.286601 96.971809)
(xy 98.2866 96.971808)
(xy 98.2866 96.971803)
(xy 98.232797 96.853991)
(xy 98.232793 96.853986)
(xy 98.192523 96.80751)
(xy 98.16303 96.742929)
(xy 98.173135 96.672655)
(xy 98.192522 96.642488)
(xy 98.232797 96.596009)
(xy 98.2866 96.478197)
(xy 98.29095 96.44794)
(xy 98.305032 96.350003)
(xy 98.305032 96.349996)
(xy 98.286601 96.221809)
(xy 98.2866 96.221808)
(xy 98.2866 96.221803)
(xy 98.232797 96.103991)
(xy 98.232793 96.103986)
(xy 98.147985 96.006111)
(xy 98.147983 96.00611)
(xy 98.120925 95.988721)
(xy 98.039027 95.936088)
(xy 98.039026 95.936087)
(xy 98.039025 95.936087)
(xy 97.914758 95.8996)
(xy 97.785242 95.8996)
(xy 97.660975 95.936087)
(xy 97.660973 95.936088)
(xy 97.632168 95.954599)
(xy 97.56405 95.9746)
(xy 97.452004 95.9746)
(xy 97.426149 95.971919)
(xy 97.415725 95.969733)
(xy 97.393045 95.972561)
(xy 97.380566 95.974116)
(xy 97.372778 95.9746)
(xy 97.368891 95.9746)
(xy 97.345862 95.978442)

(xy 97.324078 95.981157)
(xy 97.2914 95.985231)
(xy 97.283884 95.987468)
(xy 97.276419 95.990031)
(xy 97.228139 96.016159)
(xy 97.178849 96.040256)
(xy 97.172428 96.04484)
(xy 97.166234 96.049661)
(xy 97.129047 96.090057)
(xy 96.82132 96.397782)
(xy 96.801148 96.414164)
(xy 96.792236 96.419986)
(xy 96.79223 96.419992)
(xy 96.770476 96.44794)
(xy 96.765318 96.453783)
(xy 96.762561 96.45654)
(xy 96.762555 96.456549)
(xy 96.748985 96.475554)
(xy 96.736639 96.491417)
(xy 96.715277 96.518863)
(xy 96.711535 96.525777)
(xy 96.708078 96.532849)
(xy 96.692415 96.58546)
(xy 96.674599 96.637358)
(xy 96.673301 96.645134)
(xy 96.67233 96.652925)
(xy 96.6746 96.707777)
(xy 96.6746 96.737524)
(xy 96.654598 96.805645)
(xy 96.600942 96.852138)
(xy 96.530668 96.862242)
(xy 96.466088 96.832748)
(xy 96.453376 96.820036)
(xy 96.397985 96.756111)
(xy 96.397983 96.75611)
(xy 96.359401 96.731315)
(xy 96.289027 96.686088)
(xy 96.289026 96.686087)
(xy 96.289025 96.686087)
(xy 96.164758 96.6496)
(xy 96.035242 96.6496)
(xy 95.910974 96.686087)
(xy 95.910971 96.686089)
(xy 95.802016 96.75611)
(xy 95.802014 96.756111)
(xy 95.717206 96.853986)
(xy 95.717203 96.85399)
(xy 95.6634 96.971802)
(xy 95.663398 96.971809)
(xy 95.644968 97.099996)
(xy 95.644968 97.100003)
(xy 95.663398 97.22819)
(xy 95.6634 97.228197)
(xy 95.717203 97.346009)
(xy 95.717206 97.346013)
(xy 95.802014 97.443888)
(xy 95.802016 97.443889)
(xy 95.802017 97.44389)
(xy 95.910973 97.513912)
(xy 96.035242 97.5504)
(xy 96.164758 97.5504)
(xy 96.289027 97.513912)
(xy 96.397983 97.44389)
(xy 96.453376 97.379961)
(xy 96.513101 97.341579)
(xy 96.584097 97.341579)
(xy 96.643824 97.379962)
(xy 96.673317 97.444542)

(xy 96.6746 97.462475)
(xy 96.6746 99.031859)
(xy 96.674385 99.037064)
(xy 96.670709 99.081428)
(xy 96.670744 99.081566)
(xy 96.6746 99.112498)
(xy 96.6746 99.437524)
(xy 96.654598 99.505645)
(xy 96.600942 99.552138)
(xy 96.530668 99.562242)
(xy 96.466088 99.532748)
(xy 96.453376 99.520036)
(xy 96.397985 99.456111)
(xy 96.397983 99.45611)
(xy 96.355889 99.429058)
(xy 96.289027 99.386088)
(xy 96.289026 99.386087)
(xy 96.289025 99.386087)
(xy 96.164758 99.3496)
(xy 96.035242 99.3496)
(xy 95.910974 99.386087)
(xy 95.910971 99.386089)
(xy 95.802016 99.45611)
(xy 95.802014 99.456111)
(xy 95.717206 99.553986)
(xy 95.717203 99.55399)
(xy 95.6634 99.671802)
(xy 95.663398 99.671809)
(xy 95.644968 99.799996)
(xy 95.644968 99.800003)
(xy 95.663398 99.92819)
(xy 95.6634 99.928197)
(xy 95.717203 100.046009)
(xy 95.717206 100.046013)
(xy 95.802014 100.143888)
(xy 95.802016 100.143889)
(xy 95.802017 100.14389)
(xy 95.910973 100.213912)
(xy 96.035242 100.2504)
(xy 96.164758 100.2504)
(xy 96.289027 100.213912)
(xy 96.397983 100.14389)
(xy 96.453376 100.079961)
(xy 96.513101 100.041579)
(xy 96.584097 100.041579)
(xy 96.643824 100.079962)
(xy 96.673317 100.144542)
(xy 96.6746 100.162475)
(xy 96.6746 101.831859)
(xy 96.674385 101.837064)
(xy 96.670709 101.881428)
(xy 96.670744 101.881566)
(xy 96.6746 101.912498)
(xy 96.6746 102.237524)
(xy 96.654598 102.305645)
(xy 96.600942 102.352138)
(xy 96.530668 102.362242)
(xy 96.466088 102.332748)
(xy 96.453376 102.320036)
(xy 96.397985 102.256111)
(xy 96.397983 102.25611)
(xy 96.310679 102.200003)
(xy 96.289027 102.186088)
(xy 96.289026 102.186087)
(xy 96.289025 102.186087)
(xy 96.164758 102.1496)
(xy 96.035242 102.1496)
(xy 95.910974 102.186087)

(xy 95.910971 102.186089)
(xy 95.802016 102.25611)
(xy 95.802014 102.256111)
(xy 95.717206 102.353986)
(xy 95.717203 102.35399)
(xy 95.6634 102.471802)
(xy 95.663398 102.471809)
(xy 95.644968 102.599996)
(xy 95.644968 102.600003)
(xy 95.663398 102.72819)
(xy 95.6634 102.728197)
(xy 95.717203 102.846009)
(xy 95.717206 102.846013)
(xy 95.802014 102.943888)
(xy 95.802016 102.943889)
(xy 95.802017 102.94389)
(xy 95.910973 103.013912)
(xy 96.035242 103.0504)
(xy 96.164758 103.0504)
(xy 96.289027 103.013912)
(xy 96.397983 102.94389)
(xy 96.453376 102.879961)
(xy 96.513101 102.841579)
(xy 96.584097 102.841579)
(xy 96.643824 102.879962)
(xy 96.673317 102.944542)
(xy 96.6746 102.962475)
(xy 96.6746 104.247998)
(xy 96.671918 104.273857)
(xy 96.669734 104.284271)
(xy 96.674115 104.319422)
(xy 96.674599 104.327222)
(xy 96.6746 105.037524)
(xy 96.654598 105.105645)
(xy 96.600942 105.152138)
(xy 96.530669 105.162242)
(xy 96.466088 105.132749)
(xy 96.453376 105.120036)
(xy 96.397985 105.056111)
(xy 96.397983 105.05611)
(xy 96.369827 105.038015)
(xy 96.289027 104.986088)
(xy 96.289026 104.986087)
(xy 96.289025 104.986087)
(xy 96.164758 104.9496)
(xy 96.035242 104.9496)
(xy 95.910974 104.986087)
(xy 95.910971 104.986089)
(xy 95.802016 105.05611)
(xy 95.802014 105.056111)
(xy 95.717206 105.153986)
(xy 95.717203 105.15399)
(xy 95.6634 105.271802)
(xy 95.663398 105.271809)
(xy 95.644968 105.399996)
(xy 95.644968 105.400003)
(xy 81.003807 105.400003)
(xy 81.0366 105.328197)
(xy 81.039736 105.306388)
(xy 81.055032 105.200003)
(xy 81.055032 105.199997)
(xy 81.054217 105.194328)
(xy 81.064323 105.124054)
(xy 81.110817 105.0704)
(xy 81.178935 105.0504)
(xy 81.264758 105.0504)
(xy 81.389027 105.013912)
(xy 81.497983 104.94389)

(xy 81.582797 104.846009)
(xy 81.6366 104.728197)
(xy 81.644113 104.675946)
(xy 81.655032 104.600003)
(xy 81.655032 104.599997)
(xy 81.654217 104.594328)
(xy 81.664323 104.524054)
(xy 81.710817 104.4704)
(xy 81.778935 104.4504)
(xy 81.864758 104.4504)
(xy 81.989027 104.413912)
(xy 82.097983 104.34389)
(xy 82.115817 104.323309)
(xy 82.158023 104.2746)
(xy 82.182797 104.246009)
(xy 82.2366 104.128197)
(xy 82.236872 104.126301)
(xy 82.255032 104.000003)
(xy 82.255032 103.999997)
(xy 82.254217 103.994328)
(xy 82.264323 103.924054)
(xy 82.310817 103.8704)
(xy 82.378935 103.8504)
(xy 82.464758 103.8504)
(xy 82.589027 103.813912)
(xy 82.697983 103.74389)
(xy 82.709346 103.730777)
(xy 82.739302 103.696205)
(xy 82.782797 103.646009)
(xy 82.8366 103.528197)
(xy 82.841434 103.494574)
(xy 82.855032 103.400003)
(xy 82.855032 103.399997)
(xy 82.854217 103.394328)
(xy 82.864323 103.324054)
(xy 82.910817 103.2704)
(xy 82.978935 103.2504)
(xy 83.064758 103.2504)
(xy 83.189027 103.213912)
(xy 83.297983 103.14389)
(xy 83.382797 103.046009)
(xy 83.4366 102.928197)
(xy 83.444113 102.875946)
(xy 83.455032 102.800003)
(xy 83.455032 102.799997)
(xy 83.454217 102.794328)
(xy 83.464323 102.724054)
(xy 83.510817 102.6704)
(xy 83.578935 102.6504)
(xy 83.664758 102.6504)
(xy 83.789027 102.613912)
(xy 83.897983 102.54389)
(xy 83.982797 102.446009)
(xy 84.0366 102.328197)
(xy 84.039574 102.30751)
(xy 84.055032 102.200003)
(xy 84.055032 102.199996)
(xy 84.036601 102.071809)
(xy 84.0366 102.071808)
(xy 84.0366 102.071803)
(xy 83.982797 101.953991)
(xy 83.982793 101.953986)
(xy 83.897985 101.856111)
(xy 83.897983 101.85611)
(xy 83.873032 101.840075)
(xy 83.789027 101.786088)
(xy 83.789026 101.786087)
(xy 83.789025 101.786087)

(xy 83.664758 101.7496)
(xy 83.535242 101.7496)
(xy 83.410974 101.786087)
(xy 83.410971 101.786089)
(xy 83.302016 101.85611)
(xy 83.302014 101.856111)
(xy 83.217206 101.953986)
(xy 83.217203 101.95399)
(xy 83.1634 102.071802)
(xy 83.163398 102.071809)
(xy 83.144968 102.199996)
(xy 83.144968 102.200002)
(xy 83.145783 102.205672)
(xy 83.135677 102.275946)
(xy 83.089183 102.3296)
(xy 83.021065 102.3496)
(xy 82.935242 102.3496)
(xy 82.810974 102.386087)
(xy 82.810971 102.386089)
(xy 82.702016 102.45611)
(xy 82.702014 102.456111)
(xy 82.617206 102.553986)
(xy 82.617203 102.55399)
(xy 82.5634 102.671802)
(xy 82.563398 102.671809)
(xy 82.544968 102.799996)
(xy 82.544968 102.800002)
(xy 82.545783 102.805672)
(xy 82.535677 102.875946)
(xy 82.489183 102.9296)
(xy 82.421065 102.9496)
(xy 82.335242 102.9496)
(xy 82.210974 102.986087)
(xy 82.210971 102.986089)
(xy 82.102016 103.05611)
(xy 82.102014 103.056111)
(xy 82.017206 103.153986)
(xy 82.017203 103.15399)
(xy 81.9634 103.271802)
(xy 81.963398 103.271809)
(xy 81.944968 103.399996)
(xy 81.944968 103.400002)
(xy 81.945783 103.405672)
(xy 81.935677 103.475946)
(xy 81.889183 103.5296)
(xy 81.821065 103.5496)
(xy 81.735242 103.5496)
(xy 81.610974 103.586087)
(xy 81.610971 103.586089)
(xy 81.502016 103.65611)
(xy 81.502014 103.656111)
(xy 81.417206 103.753986)
(xy 81.417203 103.75399)
(xy 81.3634 103.871802)
(xy 81.363398 103.871809)
(xy 81.344968 103.999996)
(xy 81.344968 104.000002)
(xy 81.345783 104.005672)
(xy 81.335677 104.075946)
(xy 81.289183 104.1296)
(xy 81.221065 104.1496)
(xy 81.135242 104.1496)
(xy 81.010974 104.186087)
(xy 81.010971 104.186089)
(xy 80.902016 104.25611)
(xy 80.902014 104.256111)
(xy 80.817206 104.353986)
(xy 80.817203 104.35399)

(xy 80.7634 104.471802)
(xy 80.763398 104.471809)
(xy 80.744968 104.599996)
(xy 80.744968 104.600002)
(xy 80.745783 104.605672)
(xy 80.735677 104.675946)
(xy 80.689183 104.7296)
(xy 80.621065 104.7496)
(xy 80.535242 104.7496)
(xy 80.410974 104.786087)
(xy 80.410971 104.786089)
(xy 80.302016 104.85611)
(xy 80.302014 104.856111)
(xy 80.217206 104.953986)
(xy 80.217203 104.95399)
(xy 80.1634 105.071802)
(xy 80.1634 105.071803)
(xy 80.160524 105.091809)
(xy 80.131031 105.15639)
(xy 80.071305 105.194774)
(xy 80.035806 105.199878)
(xy 79.935242 105.199878)
(xy 79.810974 105.236365)
(xy 79.810971 105.236367)
(xy 79.702016 105.306388)
(xy 79.702014 105.306389)
(xy 79.617206 105.404264)
(xy 79.617203 105.404268)
(xy 79.5634 105.52208)
(xy 79.563398 105.522087)
(xy 79.544968 105.650274)
(xy 79.544968 105.650281)
(xy 76.3254 105.650281)
(xy 76.3254 105.240671)
(xy 76.345402 105.17255)
(xy 76.362305 105.151576)
(xy 77.665146 103.848734)
(xy 77.687136 103.828197)
(xy 77.711391 103.805545)
(xy 77.733244 103.769607)
(xy 77.736866 103.764286)
(xy 77.762276 103.73078)
(xy 77.768316 103.715461)
(xy 77.777873 103.696217)
(xy 77.786434 103.682142)
(xy 77.797782 103.641635)
(xy 77.799826 103.635556)
(xy 77.815261 103.59642)
(xy 77.816946 103.580024)
(xy 77.820957 103.558924)
(xy 77.8254 103.543069)
(xy 77.8254 103.501022)
(xy 77.825731 103.494574)
(xy 77.830031 103.452748)
(xy 77.827232 103.436512)
(xy 77.8254 103.415105)
(xy 77.8254 102.200003)
(xy 78.644968 102.200003)
(xy 78.663398 102.32819)
(xy 78.6634 102.328197)
(xy 78.717203 102.446009)
(xy 78.717206 102.446013)
(xy 78.802014 102.543888)
(xy 78.802016 102.543889)
(xy 78.802017 102.54389)
(xy 78.910973 102.613912)
(xy 79.035242 102.6504)
(xy 79.164758 102.6504)

(xy 79.289027 102.613912)
(xy 79.397983 102.54389)
(xy 79.482797 102.446009)
(xy 79.5366 102.328197)
(xy 79.539574 102.30751)
(xy 79.555032 102.200003)
(xy 79.555032 102.199996)
(xy 79.536601 102.071809)
(xy 79.5366 102.071808)
(xy 79.5366 102.071803)
(xy 79.482797 101.953991)
(xy 79.475173 101.945193)
(xy 79.445679 101.880615)
(xy 79.455781 101.81034)
(xy 79.502272 101.756683)
(xy 79.570392 101.736679)
(xy 79.605893 101.741783)
(xy 79.635241 101.7504)
(xy 79.635242 101.7504)
(xy 79.764758 101.7504)
(xy 79.889027 101.713912)
(xy 79.997983 101.64389)
(xy 80.082797 101.546009)
(xy 80.1366 101.428197)
(xy 80.143817 101.378002)
(xy 80.155032 101.300003)
(xy 80.155032 101.299996)
(xy 80.147817 101.249815)
(xy 84.344966 101.249815)
(xy 84.363396 101.378002)
(xy 84.363398 101.378009)
(xy 84.417201 101.495821)
(xy 84.417204 101.495825)
(xy 84.502012 101.5937)
(xy 84.502014 101.593701)
(xy 84.502015 101.593702)
(xy 84.610971 101.663724)
(xy 84.73524 101.700212)
(xy 84.864756 101.700212)
(xy 84.989025 101.663724)
(xy 85.097981 101.593702)
(xy 85.10458 101.586087)
(xy 85.130554 101.556111)
(xy 85.182795 101.495821)
(xy 85.236598 101.378009)
(xy 85.247815 101.299996)
(xy 85.25503 101.249815)
(xy 85.25503 101.249808)
(xy 85.236599 101.121621)
(xy 85.236598 101.12162)
(xy 85.236598 101.121615)
(xy 85.182795 101.003803)
(xy 85.182791 101.003798)
(xy 85.097983 100.905923)
(xy 85.097981 100.905922)
(xy 85.02095 100.856417)
(xy 84.989025 100.8359)
(xy 84.989024 100.835899)
(xy 84.989023 100.835899)
(xy 84.864756 100.799412)
(xy 84.73524 100.799412)
(xy 84.610972 100.835899)
(xy 84.610969 100.835901)
(xy 84.502014 100.905922)
(xy 84.502012 100.905923)
(xy 84.417204 101.003798)
(xy 84.417201 101.003802)
(xy 84.363398 101.121614)

(xy 84.363396 101.121621)
(xy 84.344966 101.249808)
(xy 84.344966 101.249815)
(xy 80.147817 101.249815)
(xy 80.136601 101.171809)
(xy 80.1366 101.171808)
(xy 80.1366 101.171803)
(xy 80.082797 101.053991)
(xy 80.082793 101.053986)
(xy 79.997985 100.956111)
(xy 79.997983 100.95611)
(xy 79.956877 100.929693)
(xy 79.889027 100.886088)
(xy 79.889026 100.886087)
(xy 79.889025 100.886087)
(xy 79.764758 100.8496)
(xy 79.635242 100.8496)
(xy 79.510974 100.886087)
(xy 79.510971 100.886089)
(xy 79.402016 100.95611)
(xy 79.402014 100.956111)
(xy 79.317206 101.053986)
(xy 79.317203 101.05399)
(xy 79.2634 101.171802)
(xy 79.263398 101.171809)
(xy 79.244968 101.299996)
(xy 79.244968 101.300003)
(xy 79.263398 101.42819)
(xy 79.2634 101.428197)
(xy 79.317203 101.546009)
(xy 79.324825 101.554805)
(xy 79.35432 101.619385)
(xy 79.344218 101.689659)
(xy 79.297727 101.743316)
(xy 79.229606 101.76332)
(xy 79.194108 101.758217)
(xy 79.164758 101.7496)
(xy 79.035242 101.7496)
(xy 78.910974 101.786087)
(xy 78.910971 101.786089)
(xy 78.802016 101.85611)
(xy 78.802014 101.856111)
(xy 78.717206 101.953986)
(xy 78.717203 101.95399)
(xy 78.6634 102.071802)
(xy 78.663398 102.071809)
(xy 78.644968 102.199996)
(xy 78.644968 102.200003)
(xy 77.8254 102.200003)
(xy 77.8254 100.019818)
(xy 77.845402 99.951697)
(xy 77.862305 99.930723)
(xy 78.382342 99.410686)
(xy 78.444654 99.37666)
(xy 78.515469 99.381725)
(xy 78.572305 99.424272)
(xy 78.58605 99.447438)
(xy 78.617201 99.515648)
(xy 78.617206 99.515655)
(xy 78.702014 99.61353)
(xy 78.702016 99.613531)
(xy 78.702017 99.613532)
(xy 78.810973 99.683554)
(xy 78.935242 99.720042)
(xy 79.064758 99.720042)
(xy 79.189027 99.683554)
(xy 79.297983 99.613532)
(xy 79.30046 99.610674)

(xy 79.349576 99.55399)
(xy 79.382797 99.515651)
(xy 79.422343 99.429056)
(xy 79.468835 99.375402)
(xy 79.536955 99.3554)
(xy 83.150995 99.3554)
(xy 83.151 99.3554)
(xy 83.21047 99.34357)
(xy 83.245118 99.329218)
(xy 83.280249 99.308936)
(xy 83.282418 99.30611)
(xy 83.300158 99.28299)
(xy 83.329218 99.245118)
(xy 83.34357 99.21047)
(xy 83.3554 99.151)
(xy 83.3554 97.94236)
(xy 83.375402 97.874239)
(xy 83.424198 97.830093)
(xy 83.508587 97.787095)
(xy 83.587095 97.708587)
(xy 83.6375 97.609661)
(xy 83.654869 97.5)
(xy 83.639205 97.401107)
(xy 83.648304 97.330701)
(xy 83.694025 97.276386)
(xy 83.761853 97.255413)
(xy 83.763654 97.2554)
(xy 84.436345 97.2554)
(xy 84.504466 97.275402)
(xy 84.550959 97.329058)
(xy 84.561063 97.399332)
(xy 84.560793 97.401113)
(xy 84.553751 97.44557)
(xy 84.523338 97.509722)
(xy 84.518398 97.514952)
(xy 84.198567 97.834784)
(xy 84.196176 97.837053)
(xy 84.166161 97.86408)
(xy 84.16616 97.864081)
(xy 84.15792 97.882588)
(xy 84.148491 97.899953)
(xy 84.137457 97.916945)
(xy 84.137455 97.916949)
(xy 84.137196 97.918588)
(xy 84.127861 97.950105)
(xy 84.127188 97.951616)
(xy 84.127188 97.97187)
(xy 84.125637 97.991578)
(xy 84.122468 98.011588)
(xy 84.122895 98.013182)
(xy 84.127188 98.045792)
(xy 84.127188 98.445033)
(xy 84.127102 98.448305)
(xy 84.124989 98.488636)
(xy 84.129352 98.500003)
(xy 84.132247 98.507543)
(xy 84.13786 98.526492)
(xy 84.14111 98.541784)
(xy 84.142074 98.546316)
(xy 84.143045 98.547652)
(xy 84.158737 98.576553)
(xy 84.159325 98.578085)
(xy 84.15933 98.578093)
(xy 84.173643 98.592406)
(xy 84.186483 98.607439)
(xy 84.198393 98.623832)
(xy 84.198394 98.623833)
(xy 84.198396 98.623835)

(xy 84.199825 98.62466)
(xy 84.225921 98.644684)
(xy 86.435279 100.854043)
(xy 86.437532 100.856417)
(xy 86.464551 100.886426)
(xy 86.464554 100.886428)
(xy 86.483055 100.894665)
(xy 86.500432 100.904099)
(xy 86.517419 100.915131)
(xy 86.51905 100.915389)
(xy 86.550583 100.924729)
(xy 86.55209 100.9254)
(xy 86.572342 100.9254)
(xy 86.59205 100.926951)
(xy 86.595186 100.927447)
(xy 86.61206 100.93012)
(xy 86.613654 100.929692)
(xy 86.646263 100.9254)
(xy 86.939426 100.9254)
(xy 87.007547 100.945402)
(xy 87.05404 100.999058)
(xy 87.06012 101.019762)
(xy 87.060847 101.019549)
(xy 87.063386 101.028197)
(xy 87.117189 101.146009)
(xy 87.117192 101.146013)
(xy 87.202 101.243888)
(xy 87.202002 101.243889)
(xy 87.202003 101.24389)
(xy 87.310959 101.313912)
(xy 87.435228 101.3504)
(xy 87.564744 101.3504)
(xy 87.689013 101.313912)
(xy 87.797969 101.24389)
(xy 87.882783 101.146009)
(xy 87.936586 101.028197)
(xy 87.940093 101.003803)
(xy 87.955018 100.900003)
(xy 87.955018 100.899996)
(xy 87.936587 100.771809)
(xy 87.936586 100.771808)
(xy 87.936586 100.771803)
(xy 87.926263 100.7492)
(xy 87.91616 100.678928)
(xy 87.945653 100.614348)
(xy 87.98173 100.58734)
(xy 87.981444 100.586895)
(xy 87.987679 100.582887)
(xy 87.988538 100.582245)
(xy 87.989015 100.582025)
(xy 87.989025 100.582023)
(xy 88.097981 100.512001)
(xy 88.108397 100.499981)
(xy 88.14641 100.456111)
(xy 88.182795 100.41412)
(xy 88.236598 100.296308)
(xy 88.239666 100.274969)
(xy 88.25503 100.168114)
(xy 88.25503 100.168107)
(xy 88.236599 100.03992)
(xy 88.236598 100.039919)
(xy 88.236598 100.039914)
(xy 88.182795 99.922102)
(xy 88.182791 99.922097)
(xy 88.097983 99.824222)
(xy 88.097981 99.824221)
(xy 88.060297 99.800003)
(xy 87.989025 99.754199)

(xy 87.989024 99.754198)
(xy 87.989023 99.754198)
(xy 87.864756 99.717711)
(xy 87.73524 99.717711)
(xy 87.610972 99.754198)
(xy 87.610969 99.7542)
(xy 87.502014 99.824221)
(xy 87.502012 99.824222)
(xy 87.417204 99.922097)
(xy 87.417201 99.922101)
(xy 87.363398 100.039913)
(xy 87.363396 100.03992)
(xy 87.344966 100.168107)
(xy 87.344966 100.168114)
(xy 87.363396 100.296301)
(xy 87.365937 100.304953)
(xy 87.364678 100.305322)
(xy 87.37348 100.366527)
(xy 87.34399 100.431109)
(xy 87.284265 100.469495)
(xy 87.248762 100.4746)
(xy 86.745554 100.4746)
(xy 86.677433 100.454598)
(xy 86.656459 100.437695)
(xy 85.868767 99.650003)
(xy 90.344968 99.650003)
(xy 90.363398 99.77819)
(xy 90.3634 99.778197)
(xy 90.417203 99.896009)
(xy 90.417206 99.896013)
(xy 90.502014 99.993888)
(xy 90.502016 99.993889)
(xy 90.502017 99.99389)
(xy 90.610973 100.063912)
(xy 90.735242 100.1004)
(xy 90.864758 100.1004)
(xy 90.989027 100.063912)
(xy 91.097983 99.99389)
(xy 91.182797 99.896009)
(xy 91.2366 99.778197)
(xy 91.244528 99.723059)
(xy 91.255032 99.650003)
(xy 91.255032 99.649996)
(xy 91.236601 99.521809)
(xy 91.2366 99.521808)
(xy 91.2366 99.521803)
(xy 91.182797 99.403991)
(xy 91.181363 99.402336)
(xy 91.097985 99.306111)
(xy 91.097983 99.30611)
(xy 91.010052 99.2496)
(xy 90.989027 99.236088)
(xy 90.989026 99.236087)
(xy 90.989025 99.236087)
(xy 90.864758 99.1996)
(xy 90.735242 99.1996)
(xy 90.610974 99.236087)
(xy 90.610971 99.236089)
(xy 90.502016 99.30611)
(xy 90.502014 99.306111)
(xy 90.417206 99.403986)
(xy 90.417203 99.40399)
(xy 90.3634 99.521802)
(xy 90.363398 99.521809)
(xy 90.344968 99.649996)
(xy 90.344968 99.650003)
(xy 85.868767 99.650003)
(xy 85.844164 99.6254)

(xy 85.030669 98.811906)
(xy 84.996645 98.749595)
(xy 85.001709 98.67878)
(xy 85.044256 98.621944)
(xy 85.062563 98.610545)
(xy 85.068659 98.607439)
(xy 85.108587 98.587095)
(xy 85.187095 98.508587)
(xy 85.187732 98.507335)
(xy 85.188908 98.50609)
(xy 85.192926 98.500561)
(xy 85.19364 98.50108)
(xy 85.236481 98.455719)
(xy 85.305395 98.438653)
(xy 85.372597 98.461553)
(xy 85.406658 98.500862)
(xy 85.407074 98.500561)
(xy 85.410587 98.505397)
(xy 85.412267 98.507335)
(xy 85.412905 98.508587)
(xy 85.491413 98.587095)
(xy 85.590339 98.6375)
(xy 85.7 98.654869)
(xy 85.809661 98.6375)
(xy 85.908587 98.587095)
(xy 85.987095 98.508587)
(xy 86.0375 98.409661)
(xy 86.037501 98.409648)
(xy 86.039865 98.402376)
(xy 86.079934 98.343767)
(xy 86.145328 98.316125)
(xy 86.18428 98.317722)
(xy 86.25 98.330795)
(xy 86.264951 98.327821)
(xy 86.289533 98.3254)
(xy 87.010467 98.3254)
(xy 87.035048 98.327821)
(xy 87.049999 98.330795)
(xy 87.049999 98.330794)
(xy 87.05 98.330795)
(xy 87.077123 98.3254)
(xy 87.157456 98.309421)
(xy 87.248552 98.248552)
(xy 87.257023 98.235872)
(xy 87.272689 98.216783)
(xy 87.489469 98.000003)
(xy 90.344968 98.000003)
(xy 90.363398 98.12819)
(xy 90.3634 98.128197)
(xy 90.417203 98.246009)
(xy 90.417206 98.246013)
(xy 90.502014 98.343888)
(xy 90.502016 98.343889)
(xy 90.502017 98.34389)
(xy 90.610973 98.413912)
(xy 90.735242 98.4504)
(xy 90.864758 98.4504)
(xy 90.989027 98.413912)
(xy 91.097983 98.34389)
(xy 91.182797 98.246009)
(xy 91.2366 98.128197)
(xy 91.240778 98.099137)
(xy 91.255032 98.000003)
(xy 91.255032 97.999996)
(xy 91.236601 97.871809)
(xy 91.2366 97.871808)
(xy 91.2366 97.871803)
(xy 91.182797 97.753991)

(xy 91.172939 97.742614)
(xy 91.097985 97.656111)
(xy 91.097983 97.65611)
(xy 91.064816 97.634795)
(xy 90.989027 97.586088)
(xy 90.989026 97.586087)
(xy 90.989025 97.586087)
(xy 90.864758 97.5496)
(xy 90.735242 97.5496)
(xy 90.610974 97.586087)
(xy 90.610971 97.586089)
(xy 90.502016 97.65611)
(xy 90.502014 97.656111)
(xy 90.417206 97.753986)
(xy 90.417203 97.75399)
(xy 90.3634 97.871802)
(xy 90.363398 97.871809)
(xy 90.344968 97.999996)
(xy 90.344968 98.000003)
(xy 87.489469 98.000003)
(xy 89.266783 96.222689)
(xy 89.285872 96.207023)
(xy 89.298552 96.198552)
(xy 89.359421 96.107456)
(xy 89.3754 96.027123)
(xy 89.3754 96.027122)
(xy 89.380795 96)
(xy 89.378028 95.986087)
(xy 89.377821 95.985047)
(xy 89.3754 95.960467)
(xy 89.3754 95.916947)
(xy 89.395402 95.848826)
(xy 89.406171 95.834439)
(xy 89.482797 95.746009)
(xy 89.5366 95.628197)
(xy 89.538891 95.612265)
(xy 89.555032 95.500003)
(xy 89.555032 95.499996)
(xy 89.536601 95.371809)
(xy 89.5366 95.371808)
(xy 89.5366 95.371803)
(xy 89.482797 95.253991)
(xy 89.468505 95.237497)
(xy 89.397985 95.156111)
(xy 89.397983 95.15611)
(xy 89.349595 95.125013)
(xy 89.289027 95.086088)
(xy 89.289026 95.086087)
(xy 89.289025 95.086087)
(xy 89.164758 95.0496)
(xy 89.035242 95.0496)
(xy 88.910974 95.086087)
(xy 88.910971 95.086089)
(xy 88.802016 95.15611)
(xy 88.802014 95.156111)
(xy 88.717206 95.253986)
(xy 88.717203 95.25399)
(xy 88.6634 95.371802)
(xy 88.663398 95.371809)
(xy 88.644968 95.499996)
(xy 88.644968 95.500003)
(xy 88.663398 95.62819)
(xy 88.6634 95.628197)
(xy 88.717203 95.746009)
(xy 88.755194 95.789854)
(xy 88.784687 95.854435)
(xy 88.774582 95.924709)
(xy 88.749064 95.961461)

(xy 87.062144 97.648381)
(xy 86.999832 97.682407)
(xy 86.929017 97.677342)
(xy 86.872181 97.634795)
(xy 86.84737 97.568275)
(xy 86.848601 97.539573)
(xy 86.854869 97.500002)
(xy 86.850445 97.472071)
(xy 86.8375 97.390339)
(xy 86.787095 97.291413)
(xy 86.708587 97.212905)
(xy 86.708585 97.212904)
(xy 86.708584 97.212903)
(xy 86.707335 97.212267)
(xy 86.70609 97.211091)
(xy 86.700561 97.207074)
(xy 86.70108 97.206359)
(xy 86.655719 97.163519)
(xy 86.638653 97.094605)
(xy 86.661553 97.027403)
(xy 86.700862 96.993341)
(xy 86.700561 96.992926)
(xy 86.705397 96.989412)
(xy 86.707335 96.987733)
(xy 86.707495 96.98765)
(xy 86.708587 96.987095)
(xy 86.787095 96.908587)
(xy 86.8375 96.809661)
(xy 86.854869 96.7)
(xy 86.8375 96.590339)
(xy 86.787095 96.491413)
(xy 86.708587 96.412905)
(xy 86.708585 96.412904)
(xy 86.708584 96.412903)
(xy 86.707335 96.412267)
(xy 86.70609 96.411091)
(xy 86.700561 96.407074)
(xy 86.70108 96.406359)
(xy 86.655719 96.363519)
(xy 86.638653 96.294605)
(xy 86.661553 96.227403)
(xy 86.700862 96.193341)
(xy 86.700561 96.192926)
(xy 86.705397 96.189412)
(xy 86.707335 96.187733)
(xy 86.707495 96.18765)
(xy 86.708587 96.187095)
(xy 86.787095 96.108587)
(xy 86.8375 96.009661)
(xy 86.854869 95.9)
(xy 86.8375 95.790339)
(xy 86.787095 95.691413)
(xy 86.708587 95.612905)
(xy 86.708585 95.612904)
(xy 86.708584 95.612903)
(xy 86.707335 95.612267)
(xy 86.70609 95.611091)
(xy 86.700561 95.607074)
(xy 86.70108 95.606359)
(xy 86.655719 95.563519)
(xy 86.638653 95.494605)
(xy 86.661553 95.427403)
(xy 86.700862 95.393341)
(xy 86.700561 95.392926)
(xy 86.705397 95.389412)
(xy 86.707335 95.387733)
(xy 86.707495 95.38765)
(xy 86.708587 95.387095)

(xy 86.787095 95.308587)
(xy 86.8375 95.209661)
(xy 86.854869 95.1)
(xy 86.8375 94.990339)
(xy 86.787095 94.891413)
(xy 86.708587 94.812905)
(xy 86.708587 94.812904)
(xy 86.708586 94.812904)
(xy 86.609663 94.762501)
(xy 86.609662 94.7625)
(xy 86.609661 94.7625)
(xy 86.5 94.745131)
(xy 86.390339 94.7625)
(xy 86.390337 94.7625)
(xy 86.390336 94.762501)
(xy 86.291413 94.812904)
(xy 86.212904 94.891413)
(xy 86.162501 94.990336)
(xy 86.1625 94.990337)
(xy 86.1625 94.990339)
(xy 86.145131 95.1)
(xy 86.1625 95.209661)
(xy 86.1625 95.209662)
(xy 86.162501 95.209663)
(xy 86.208423 95.299792)
(xy 86.212905 95.308587)
(xy 86.291413 95.387095)
(xy 86.291415 95.387096)
(xy 86.291417 95.387097)
(xy 86.292668 95.387735)
(xy 86.293912 95.38891)
(xy 86.299439 95.392926)
(xy 86.29892 95.39364)
(xy 86.344282 95.436485)
(xy 86.361346 95.5054)
(xy 86.338443 95.572601)
(xy 86.299137 95.606659)
(xy 86.299439 95.607074)
(xy 86.294607 95.610584)
(xy 86.292668 95.612265)
(xy 86.291417 95.612902)
(xy 86.291411 95.612906)
(xy 86.212904 95.691413)
(xy 86.162501 95.790336)
(xy 86.1625 95.790337)
(xy 86.1625 95.790339)
(xy 86.145131 95.9)
(xy 86.1625 96.009661)
(xy 86.1625 96.009662)
(xy 86.162501 96.009663)
(xy 86.212328 96.107456)
(xy 86.212905 96.108587)
(xy 86.291413 96.187095)
(xy 86.291415 96.187096)
(xy 86.291417 96.187097)
(xy 86.292668 96.187735)
(xy 86.293912 96.18891)
(xy 86.299439 96.192926)
(xy 86.29892 96.19364)
(xy 86.344282 96.236485)
(xy 86.361346 96.3054)
(xy 86.338443 96.372601)
(xy 86.299137 96.406659)
(xy 86.299439 96.407074)
(xy 86.294607 96.410584)
(xy 86.292668 96.412265)
(xy 86.291417 96.412902)
(xy 86.291411 96.412906)

(xy 86.212906 96.491411)
(xy 86.212902 96.491417)
(xy 86.212265 96.492668)
(xy 86.211089 96.493912)
(xy 86.207074 96.499439)
(xy 86.206359 96.49892)
(xy 86.163515 96.544282)
(xy 86.0946 96.561346)
(xy 86.027399 96.538443)
(xy 85.99334 96.499137)
(xy 85.992926 96.499439)
(xy 85.989415 96.494607)
(xy 85.987735 96.492668)
(xy 85.987097 96.491417)
(xy 85.987095 96.491413)
(xy 85.908587 96.412905)
(xy 85.908586 96.412904)
(xy 85.809663 96.362501)
(xy 85.809662 96.3625)
(xy 85.809661 96.3625)
(xy 85.7 96.345131)
(xy 85.699999 96.345131)
(xy 85.669284 96.349996)
(xy 85.60111 96.360793)
(xy 85.5307 96.351695)
(xy 85.476386 96.305973)
(xy 85.455413 96.238145)
(xy 85.4554 96.236345)
(xy 85.4554 93.949004)
(xy 85.4554 93.949)
(xy 85.44357 93.88953)
(xy 85.429218 93.854882)
(xy 85.408936 93.819751)
(xy 85.408934 93.819749)
(xy 85.408934 93.819748)
(xy 85.345121 93.770784)
(xy 85.345117 93.770781)
(xy 85.310468 93.756429)
(xy 85.274658 93.749306)
(xy 85.251 93.7446)
(xy 85.250998 93.7446)
(xy 84.563654 93.7446)
(xy 84.495533 93.724598)
(xy 84.44904 93.670942)
(xy 84.438936 93.600668)
(xy 84.439177 93.599069)
(xy 84.454869 93.5)
(xy 84.4375 93.390339)
(xy 84.387095 93.291413)
(xy 84.308587 93.212905)
(xy 84.308587 93.212904)
(xy 84.308586 93.212904)
(xy 84.200825 93.157998)
(xy 84.201786 93.15611)
(xy 84.153853 93.123331)
(xy 84.12622 93.057933)
(xy 84.1254 93.043577)
(xy 84.1254 92.7)
(xy 84.545131 92.7)
(xy 84.5625 92.809661)
(xy 84.5625 92.809662)
(xy 84.562501 92.809663)
(xy 84.611632 92.90609)
(xy 84.612905 92.908587)
(xy 84.691413 92.987095)
(xy 84.790339 93.0375)
(xy 84.9 93.054869)
(xy 85.009661 93.0375)

(xy 85.108587 92.987095)
(xy 85.187095 92.908587)
(xy 85.187732 92.907335)
(xy 85.188908 92.90609)
(xy 85.192926 92.900561)
(xy 85.19364 92.90108)
(xy 85.236481 92.855719)
(xy 85.305395 92.838653)
(xy 85.372597 92.861553)
(xy 85.406658 92.900862)
(xy 85.407074 92.900561)
(xy 85.410587 92.905397)
(xy 85.412267 92.907335)
(xy 85.412905 92.908587)
(xy 85.491413 92.987095)
(xy 85.590339 93.0375)
(xy 85.7 93.054869)
(xy 85.809661 93.0375)
(xy 85.908587 92.987095)
(xy 85.987095 92.908587)
(xy 85.987732 92.907335)
(xy 85.988908 92.90609)
(xy 85.992926 92.900561)
(xy 85.99364 92.90108)
(xy 86.036481 92.855719)
(xy 86.105395 92.838653)
(xy 86.172597 92.861553)
(xy 86.206658 92.900862)
(xy 86.207074 92.900561)
(xy 86.210587 92.905397)
(xy 86.212267 92.907335)
(xy 86.212905 92.908587)
(xy 86.291413 92.987095)
(xy 86.291415 92.987096)
(xy 86.291417 92.987097)
(xy 86.292668 92.987735)
(xy 86.293912 92.98891)
(xy 86.299439 92.992926)
(xy 86.29892 92.99364)
(xy 86.344282 93.036485)
(xy 86.361346 93.1054)
(xy 86.338443 93.172601)
(xy 86.299137 93.206659)
(xy 86.299439 93.207074)
(xy 86.294607 93.210584)
(xy 86.292668 93.212265)
(xy 86.291417 93.212902)
(xy 86.291411 93.212906)
(xy 86.212904 93.291413)
(xy 86.162501 93.390336)
(xy 86.1625 93.390337)
(xy 86.1625 93.390339)
(xy 86.145131 93.5)
(xy 86.1625 93.609661)
(xy 86.1625 93.609662)
(xy 86.162501 93.609663)
(xy 86.208325 93.6996)
(xy 86.212905 93.708587)
(xy 86.291413 93.787095)
(xy 86.390339 93.8375)
(xy 86.5 93.854869)
(xy 86.609661 93.8375)
(xy 86.708587 93.787095)
(xy 86.787095 93.708587)
(xy 86.8375 93.609661)
(xy 86.854869 93.5)
(xy 86.8375 93.390339)
(xy 86.787095 93.291413)

(xy 86.708587 93.212905)
(xy 86.708585 93.212904)
(xy 86.708584 93.212903)
(xy 86.707335 93.212267)
(xy 86.70609 93.211091)
(xy 86.700561 93.207074)
(xy 86.70108 93.206359)
(xy 86.655719 93.163519)
(xy 86.638653 93.094605)
(xy 86.661553 93.027403)
(xy 86.700862 92.993341)
(xy 86.700561 92.992926)
(xy 86.705397 92.989412)
(xy 86.707335 92.987733)
(xy 86.707495 92.98765)
(xy 86.708587 92.987095)
(xy 86.787095 92.908587)
(xy 86.8375 92.809661)
(xy 86.854869 92.7)
(xy 86.8375 92.590339)
(xy 86.787095 92.491413)
(xy 86.708587 92.412905)
(xy 86.708587 92.412904)
(xy 86.708586 92.412904)
(xy 86.609663 92.362501)
(xy 86.609662 92.3625)
(xy 86.609661 92.3625)
(xy 86.5 92.345131)
(xy 86.390339 92.3625)
(xy 86.390337 92.3625)
(xy 86.390336 92.362501)
(xy 86.291413 92.412904)
(xy 86.212906 92.491411)
(xy 86.212902 92.491417)
(xy 86.212265 92.492668)
(xy 86.211089 92.493912)
(xy 86.207074 92.499439)
(xy 86.206359 92.49892)
(xy 86.163515 92.544282)
(xy 86.0946 92.561346)
(xy 86.027399 92.538443)
(xy 85.99334 92.499137)
(xy 85.992926 92.499439)
(xy 85.989415 92.494607)
(xy 85.987735 92.492668)
(xy 85.987097 92.491417)
(xy 85.987095 92.491413)
(xy 85.908587 92.412905)
(xy 85.908585 92.412904)
(xy 85.908584 92.412903)
(xy 85.907335 92.412267)
(xy 85.90609 92.411091)
(xy 85.900561 92.407074)
(xy 85.90108 92.406359)
(xy 85.855719 92.363519)
(xy 85.838653 92.294605)
(xy 85.861553 92.227403)
(xy 85.900862 92.193341)
(xy 85.900561 92.192926)
(xy 85.905397 92.189412)
(xy 85.907335 92.187733)
(xy 85.907495 92.18765)
(xy 85.908587 92.187095)
(xy 85.987095 92.108587)
(xy 86.0375 92.009661)
(xy 86.054869 91.9)
(xy 86.0375 91.790339)
(xy 85.987095 91.691413)

(xy 85.908587 91.612905)
(xy 85.908587 91.612904)
(xy 85.908586 91.612904)
(xy 85.809663 91.562501)
(xy 85.809662 91.5625)
(xy 85.809661 91.5625)
(xy 85.7 91.545131)
(xy 85.590339 91.5625)
(xy 85.590337 91.5625)
(xy 85.590336 91.562501)
(xy 85.491413 91.612904)
(xy 85.412906 91.691411)
(xy 85.412902 91.691417)
(xy 85.412265 91.692668)
(xy 85.411089 91.693912)
(xy 85.407074 91.699439)
(xy 85.406359 91.69892)
(xy 85.363515 91.744282)
(xy 85.2946 91.761346)
(xy 85.227399 91.738443)
(xy 85.19334 91.699137)
(xy 85.192926 91.699439)
(xy 85.189415 91.694607)
(xy 85.187735 91.692668)
(xy 85.187097 91.691417)
(xy 85.187095 91.691413)
(xy 85.108587 91.612905)
(xy 85.108586 91.612904)
(xy 85.009663 91.562501)
(xy 85.009662 91.5625)
(xy 85.009661 91.5625)
(xy 84.9 91.545131)
(xy 84.790339 91.5625)
(xy 84.790337 91.5625)
(xy 84.790336 91.562501)
(xy 84.691413 91.612904)
(xy 84.612904 91.691413)
(xy 84.562501 91.790336)
(xy 84.5625 91.790337)
(xy 84.5625 91.790339)
(xy 84.545131 91.9)
(xy 84.5625 92.009661)
(xy 84.5625 92.009662)
(xy 84.562501 92.009663)
(xy 84.611632 92.10609)
(xy 84.612905 92.108587)
(xy 84.691413 92.187095)
(xy 84.691415 92.187096)
(xy 84.691417 92.187097)
(xy 84.692668 92.187735)
(xy 84.693912 92.18891)
(xy 84.699439 92.192926)
(xy 84.69892 92.19364)
(xy 84.744282 92.236485)
(xy 84.761346 92.3054)
(xy 84.738443 92.372601)
(xy 84.699137 92.406659)
(xy 84.699439 92.407074)
(xy 84.694607 92.410584)
(xy 84.692668 92.412265)
(xy 84.691417 92.412902)
(xy 84.691411 92.412906)
(xy 84.612904 92.491413)
(xy 84.562501 92.590336)
(xy 84.5625 92.590337)
(xy 84.5625 92.590339)
(xy 84.545131 92.7)
(xy 84.1254 92.7)

(xy 84.1254 91.616264)
(xy 84.145402 91.548143)
(xy 84.162305 91.527169)
(xy 85.377169 90.312305)
(xy 85.439481 90.278279)
(xy 85.466264 90.2754)
(xy 86.635128 90.2754)
(xy 86.703249 90.295402)
(xy 86.730351 90.318886)
(xy 86.752017 90.34389)
(xy 86.860973 90.413912)
(xy 86.985242 90.4504)
(xy 87.114758 90.4504)
(xy 87.213102 90.421524)
(xy 87.284099 90.421524)
(xy 87.343825 90.459908)
(xy 87.373318 90.524489)
(xy 87.3746 90.54242)
(xy 87.3746 93.825701)
(xy 87.354598 93.893822)
(xy 87.300942 93.940315)
(xy 87.268312 93.950149)
(xy 87.19034 93.962499)
(xy 87.091413 94.012904)
(xy 87.012904 94.091413)
(xy 86.962501 94.190336)
(xy 86.9625 94.190337)
(xy 86.9625 94.190339)
(xy 86.945131 94.3)
(xy 86.9625 94.409661)
(xy 86.9625 94.409662)
(xy 86.962501 94.409663)
(xy 87.008529 94.5)
(xy 87.012905 94.508587)
(xy 87.091413 94.587095)
(xy 87.190339 94.6375)
(xy 87.3 94.654869)
(xy 87.409661 94.6375)
(xy 87.508587 94.587095)
(xy 87.587095 94.508587)
(xy 87.6375 94.409661)
(xy 87.654869 94.3)
(xy 87.654868 94.299997)
(xy 87.655259 94.297532)
(xy 87.685672 94.233379)
(xy 87.690595 94.228166)
(xy 87.75406 94.164701)
(xy 87.756399 94.162482)
(xy 87.77026 94.150003)
(xy 89.144968 94.150003)
(xy 89.163398 94.27819)
(xy 89.1634 94.278197)
(xy 89.217203 94.396009)
(xy 89.217206 94.396013)
(xy 89.302014 94.493888)
(xy 89.302016 94.493889)
(xy 89.302017 94.49389)
(xy 89.410973 94.563912)
(xy 89.535242 94.6004)
(xy 89.664758 94.6004)
(xy 89.789027 94.563912)
(xy 89.897983 94.49389)
(xy 89.908379 94.481893)
(xy 89.931653 94.455033)
(xy 89.982797 94.396009)
(xy 90.0366 94.278197)
(xy 90.039242 94.259822)
(xy 90.055032 94.150003)

(xy 90.055032 94.149996)
(xy 90.036601 94.021809)
(xy 90.0366 94.021808)
(xy 90.0366 94.021803)
(xy 89.982797 93.903991)
(xy 89.982793 93.903986)
(xy 89.897985 93.806111)
(xy 89.897983 93.80611)
(xy 89.875901 93.791919)
(xy 89.789027 93.736088)
(xy 89.789026 93.736087)
(xy 89.789025 93.736087)
(xy 89.664758 93.6996)
(xy 89.535242 93.6996)
(xy 89.410974 93.736087)
(xy 89.410971 93.736089)
(xy 89.302016 93.80611)
(xy 89.302014 93.806111)
(xy 89.217206 93.903986)
(xy 89.217203 93.90399)
(xy 89.1634 94.021802)
(xy 89.163398 94.021809)
(xy 89.144968 94.149996)
(xy 89.144968 94.150003)
(xy 87.77026 94.150003)
(xy 87.786427 94.135447)
(xy 87.794665 94.116941)
(xy 87.8041 94.099566)
(xy 87.805708 94.09709)
(xy 87.815131 94.082581)
(xy 87.815389 94.080949)
(xy 87.824729 94.049415)
(xy 87.8254 94.04791)
(xy 87.8254 94.027658)
(xy 87.826951 94.00795)
(xy 87.827414 94.005028)
(xy 87.83012 93.98794)
(xy 87.829691 93.986341)
(xy 87.8254 93.953736)
(xy 87.8254 93.2)
(xy 88.194508 93.2)
(xy 88.214354 93.325304)
(xy 88.214355 93.325305)
(xy 88.271949 93.438342)
(xy 88.361657 93.52805)
(xy 88.387305 93.541118)
(xy 88.474696 93.585646)
(xy 88.6 93.605492)
(xy 88.725304 93.585646)
(xy 88.838342 93.52805)
(xy 88.868357 93.498035)
(xy 88.904088 93.462305)
(xy 88.9664 93.428279)
(xy 88.993183 93.4254)
(xy 90.004447 93.4254)
(xy 90.072568 93.445402)
(xy 90.093541 93.462304)
(xy 91.187695 94.556459)
(xy 91.22172 94.618769)
(xy 91.224599 94.645552)
(xy 91.224599 97.292445)
(xy 91.224513 97.295741)
(xy 91.2224 97.336046)
(xy 91.222401 97.336048)
(xy 91.229288 97.35399)
(xy 91.229659 97.354955)
(xy 91.235272 97.373904)
(xy 91.237766 97.385635)

(xy 91.239486 97.393728)
(xy 91.240457 97.395064)
(xy 91.256149 97.423965)
(xy 91.256737 97.425497)
(xy 91.256742 97.425505)
(xy 91.271055 97.439818)
(xy 91.283895 97.454851)
(xy 91.295805 97.471244)
(xy 91.295806 97.471245)
(xy 91.295808 97.471247)
(xy 91.297238 97.472072)
(xy 91.323333 97.492096)
(xy 92.167499 98.336263)
(xy 92.201524 98.398575)
(xy 92.203121 98.443287)
(xy 92.194968 98.5)
(xy 92.194968 98.500003)
(xy 92.213398 98.62819)
(xy 92.2134 98.628197)
(xy 92.267203 98.746009)
(xy 92.267206 98.746013)
(xy 92.352014 98.843888)
(xy 92.352016 98.843889)
(xy 92.352017 98.84389)
(xy 92.460973 98.913912)
(xy 92.585242 98.9504)
(xy 92.714758 98.9504)
(xy 92.839027 98.913912)
(xy 92.947983 98.84389)
(xy 93.032797 98.746009)
(xy 93.0866 98.628197)
(xy 93.092189 98.589325)
(xy 93.105032 98.500003)
(xy 93.105032 98.499996)
(xy 93.086601 98.371809)
(xy 93.0866 98.371808)
(xy 93.0866 98.371803)
(xy 93.032797 98.253991)
(xy 93.032793 98.253986)
(xy 92.947985 98.156111)
(xy 92.947983 98.15611)
(xy 92.904713 98.128302)
(xy 92.839027 98.086088)
(xy 92.839026 98.086087)
(xy 92.839025 98.086087)
(xy 92.714758 98.0496)
(xy 92.585242 98.0496)
(xy 92.576231 98.0496)
(xy 92.576231 98.047169)
(xy 92.518909 98.038919)
(xy 92.482172 98.013408)
(xy 91.712305 97.243541)
(xy 91.678279 97.181229)
(xy 91.6754 97.154446)
(xy 91.6754 95.877351)
(xy 91.695402 95.80923)
(xy 91.749058 95.762737)
(xy 91.819332 95.752633)
(xy 91.853746 95.762739)
(xy 91.856305 95.763907)
(xy 91.856313 95.763912)
(xy 91.980582 95.8004)
(xy 92.110098 95.8004)
(xy 92.11145 95.800003)
(xy 92.694968 95.800003)
(xy 92.713398 95.92819)
(xy 92.7134 95.928197)
(xy 92.767203 96.046009)

(xy 92.767206 96.046013)
(xy 92.852014 96.143888)
(xy 92.852016 96.143889)
(xy 92.852017 96.14389)
(xy 92.960973 96.213912)
(xy 93.085242 96.2504)
(xy 93.214758 96.2504)
(xy 93.339027 96.213912)
(xy 93.447983 96.14389)
(xy 93.532797 96.046009)
(xy 93.5866 95.928197)
(xy 93.590712 95.8996)
(xy 93.605032 95.800003)
(xy 93.605032 95.799996)
(xy 93.586601 95.671809)
(xy 93.5866 95.671808)
(xy 93.5866 95.671803)
(xy 93.586597 95.671798)
(xy 93.584061 95.663158)
(xy 93.586294 95.662502)
(xy 93.577999 95.604831)
(xy 93.607489 95.540249)
(xy 93.634598 95.516758)
(xy 93.639025 95.513912)
(xy 93.639027 95.513912)
(xy 93.66067 95.500003)
(xy 104.264759 95.500003)
(xy 104.284072 95.696104)
(xy 104.284073 95.696109)
(xy 104.284074 95.696113)
(xy 104.311593 95.786831)
(xy 104.341278 95.88469)
(xy 104.433373 96.056986)
(xy 104.434173 96.058482)
(xy 104.559187 96.210813)
(xy 104.711518 96.335827)
(xy 104.738026 96.349996)
(xy 104.85843 96.414354)
(xy 104.885311 96.428722)
(xy 105.073887 96.485926)
(xy 105.073893 96.485926)
(xy 105.073895 96.485927)
(xy 105.269997 96.505241)
(xy 105.27 96.505241)
(xy 105.270003 96.505241)
(xy 105.466104 96.485927)
(xy 105.466104 96.485926)
(xy 105.466113 96.485926)
(xy 105.654689 96.428722)
(xy 105.828482 96.335827)
(xy 105.980813 96.210813)
(xy 106.105827 96.058482)
(xy 106.198722 95.884689)
(xy 106.255926 95.696113)
(xy 106.25832 95.671803)
(xy 106.275241 95.500003)
(xy 106.275241 95.499996)
(xy 106.255927 95.303895)
(xy 106.255926 95.303893)
(xy 106.255926 95.303887)
(xy 106.198722 95.115311)
(xy 106.19054 95.100003)
(xy 106.844968 95.100003)
(xy 106.863398 95.22819)
(xy 106.8634 95.228197)
(xy 106.917203 95.346009)
(xy 106.917206 95.346013)
(xy 107.002014 95.443888)

(xy 107.002016 95.443889)
(xy 107.002017 95.44389)
(xy 107.110973 95.513912)
(xy 107.235242 95.5504)
(xy 107.364758 95.5504)
(xy 107.489027 95.513912)
(xy 107.597983 95.44389)
(xy 107.60207 95.439174)
(xy 107.647196 95.387095)
(xy 107.682797 95.346009)
(xy 107.7366 95.228197)
(xy 107.739265 95.209661)
(xy 107.755032 95.100003)
(xy 107.755032 95.099996)
(xy 107.736601 94.971809)
(xy 107.7366 94.971808)
(xy 107.7366 94.971803)
(xy 107.682797 94.853991)
(xy 107.682793 94.853986)
(xy 107.597985 94.756111)
(xy 107.597983 94.75611)
(xy 107.564471 94.734573)
(xy 107.489027 94.686088)
(xy 107.489026 94.686087)
(xy 107.489025 94.686087)
(xy 107.364758 94.6496)
(xy 107.235242 94.6496)
(xy 107.110974 94.686087)
(xy 107.110971 94.686089)
(xy 107.002016 94.75611)
(xy 107.002014 94.756111)
(xy 106.917206 94.853986)
(xy 106.917203 94.85399)
(xy 106.8634 94.971802)
(xy 106.863398 94.971809)
(xy 106.844968 95.099996)
(xy 106.844968 95.100003)
(xy 106.19054 95.100003)
(xy 106.105827 94.941518)
(xy 105.980813 94.789187)
(xy 105.828482 94.664173)
(xy 105.82848 94.664172)
(xy 105.828479 94.664171)
(xy 105.65469 94.571278)
(xy 105.599335 94.554486)
(xy 105.466113 94.514074)
(xy 105.466109 94.514073)
(xy 105.466104 94.514072)
(xy 105.32325 94.500003)
(xy 110.644968 94.500003)
(xy 110.663398 94.62819)
(xy 110.6634 94.628197)
(xy 110.717203 94.746009)
(xy 110.717206 94.746013)
(xy 110.802014 94.843888)
(xy 110.802016 94.843889)
(xy 110.802017 94.84389)
(xy 110.910973 94.913912)
(xy 111.035242 94.9504)
(xy 111.164758 94.9504)
(xy 111.289027 94.913912)
(xy 111.397983 94.84389)
(xy 111.482797 94.746009)
(xy 111.5366 94.628197)
(xy 111.540654 94.600003)
(xy 119.644968 94.600003)
(xy 119.663398 94.72819)
(xy 119.6634 94.728197)

(xy 119.717203 94.846009)
(xy 119.717206 94.846013)
(xy 119.802014 94.943888)
(xy 119.802016 94.943889)
(xy 119.802017 94.94389)
(xy 119.910973 95.013912)
(xy 120.035242 95.0504)
(xy 120.164758 95.0504)
(xy 120.289027 95.013912)
(xy 120.397983 94.94389)
(xy 120.400039 94.941518)
(xy 120.45421 94.879)
(xy 120.482797 94.846009)
(xy 120.5366 94.728197)
(xy 120.539058 94.711099)
(xy 120.555032 94.600003)
(xy 120.555032 94.599996)
(xy 120.540655 94.500003)
(xy 122.844968 94.500003)
(xy 122.863398 94.62819)
(xy 122.8634 94.628197)
(xy 122.917203 94.746009)
(xy 122.917206 94.746013)
(xy 123.002014 94.843888)
(xy 123.002016 94.843889)
(xy 123.002017 94.84389)
(xy 123.110973 94.913912)
(xy 123.235242 94.9504)
(xy 123.364758 94.9504)
(xy 123.489027 94.913912)
(xy 123.597983 94.84389)
(xy 123.682797 94.746009)
(xy 123.7366 94.628197)
(xy 123.740655 94.599996)
(xy 123.755032 94.500003)
(xy 123.755032 94.499996)
(xy 123.736601 94.371809)
(xy 123.7366 94.371808)
(xy 123.7366 94.371803)
(xy 123.682797 94.253991)
(xy 123.682539 94.253693)
(xy 123.597985 94.156111)
(xy 123.597983 94.15611)
(xy 123.517827 94.104597)
(xy 123.489027 94.086088)
(xy 123.489026 94.086087)
(xy 123.489025 94.086087)
(xy 123.364758 94.0496)
(xy 123.235242 94.0496)
(xy 123.110974 94.086087)
(xy 123.110971 94.086089)
(xy 123.002016 94.15611)
(xy 123.002014 94.156111)
(xy 122.917206 94.253986)
(xy 122.917203 94.25399)
(xy 122.8634 94.371802)
(xy 122.863398 94.371809)
(xy 122.844968 94.499996)
(xy 122.844968 94.500003)
(xy 120.540655 94.500003)
(xy 120.536601 94.471809)
(xy 120.5366 94.471808)
(xy 120.5366 94.471803)
(xy 120.482797 94.353991)
(xy 120.479339 94.35)
(xy 120.397985 94.256111)
(xy 120.397983 94.25611)
(xy 120.310668 94.199996)

(xy 120.289027 94.186088)
(xy 120.289026 94.186087)
(xy 120.289025 94.186087)
(xy 120.164758 94.1496)
(xy 120.035242 94.1496)
(xy 119.910974 94.186087)
(xy 119.910971 94.186089)
(xy 119.802016 94.25611)
(xy 119.802014 94.256111)
(xy 119.717206 94.353986)
(xy 119.717203 94.35399)
(xy 119.6634 94.471802)
(xy 119.663398 94.471809)
(xy 119.644968 94.599996)
(xy 119.644968 94.600003)
(xy 111.540654 94.600003)
(xy 111.540655 94.599996)
(xy 111.555032 94.500003)
(xy 111.555032 94.499996)
(xy 111.536601 94.371809)
(xy 111.5366 94.371808)
(xy 111.5366 94.371803)
(xy 111.482797 94.253991)
(xy 111.482539 94.253693)
(xy 111.397985 94.156111)
(xy 111.397983 94.15611)
(xy 111.317827 94.104597)
(xy 111.289027 94.086088)
(xy 111.289026 94.086087)
(xy 111.289025 94.086087)
(xy 111.164758 94.0496)
(xy 111.035242 94.0496)
(xy 110.910974 94.086087)
(xy 110.910971 94.086089)
(xy 110.802016 94.15611)
(xy 110.802014 94.156111)
(xy 110.717206 94.253986)
(xy 110.717203 94.25399)
(xy 110.6634 94.371802)
(xy 110.663398 94.371809)
(xy 110.644968 94.499996)
(xy 110.644968 94.500003)
(xy 105.32325 94.500003)
(xy 105.270003 94.494759)
(xy 105.269997 94.494759)
(xy 105.073895 94.514072)
(xy 105.073889 94.514073)
(xy 105.073887 94.514074)
(xy 104.996017 94.537695)
(xy 104.885309 94.571278)
(xy 104.71152 94.664171)
(xy 104.559187 94.789187)
(xy 104.434171 94.94152)
(xy 104.341278 95.115309)
(xy 104.308975 95.221799)
(xy 104.285317 95.299792)
(xy 104.284072 95.303895)
(xy 104.264759 95.499996)
(xy 104.264759 95.500003)
(xy 93.66067 95.500003)
(xy 93.747983 95.44389)
(xy 93.75207 95.439174)
(xy 93.797196 95.387095)
(xy 93.832797 95.346009)
(xy 93.8866 95.228197)
(xy 93.889265 95.209661)
(xy 93.905032 95.100003)
(xy 93.905032 95.099996)

(xy 93.886601 94.971809)
(xy 93.8866 94.971808)
(xy 93.8866 94.971803)
(xy 93.832797 94.853991)
(xy 93.832793 94.853986)
(xy 93.747985 94.756111)
(xy 93.747983 94.75611)
(xy 93.714471 94.734573)
(xy 93.639027 94.686088)
(xy 93.639026 94.686087)
(xy 93.639025 94.686087)
(xy 93.514758 94.6496)
(xy 93.385242 94.6496)
(xy 93.260974 94.686087)
(xy 93.260971 94.686089)
(xy 93.152016 94.75611)
(xy 93.152014 94.756111)
(xy 93.067206 94.853986)
(xy 93.067203 94.85399)
(xy 93.0134 94.971802)
(xy 93.013398 94.971809)
(xy 92.994968 95.099996)
(xy 92.994968 95.100003)
(xy 93.013398 95.22819)
(xy 93.015939 95.236842)
(xy 93.013706 95.237497)
(xy 93.021998 95.295179)
(xy 92.992502 95.359759)
(xy 92.965402 95.383241)
(xy 92.852016 95.45611)
(xy 92.852014 95.456111)
(xy 92.767206 95.553986)
(xy 92.767203 95.55399)
(xy 92.7134 95.671802)
(xy 92.713398 95.671809)
(xy 92.694968 95.799996)
(xy 92.694968 95.800003)
(xy 92.11145 95.800003)
(xy 92.234367 95.763912)
(xy 92.343323 95.69389)
(xy 92.34547 95.691413)
(xy 92.400252 95.62819)
(xy 92.428137 95.596009)
(xy 92.48194 95.478197)
(xy 92.483277 95.468898)
(xy 92.500372 95.350003)
(xy 92.500372 95.349996)
(xy 92.481941 95.221809)
(xy 92.48194 95.221808)
(xy 92.48194 95.221803)
(xy 92.46538 95.185543)
(xy 92.455276 95.11527)
(xy 92.484769 95.050689)
(xy 92.532043 95.020307)
(xy 92.530832 95.017654)
(xy 92.539017 95.013914)
(xy 92.539027 95.013912)
(xy 92.647983 94.94389)
(xy 92.650039 94.941518)
(xy 92.70421 94.879)
(xy 92.732797 94.846009)
(xy 92.7866 94.728197)
(xy 92.789058 94.711099)
(xy 92.805032 94.600003)
(xy 92.805032 94.599996)
(xy 92.786601 94.471809)
(xy 92.7866 94.471808)
(xy 92.7866 94.471803)

(xy 92.732797 94.353991)
(xy 92.729339 94.35)
(xy 92.647985 94.256111)
(xy 92.647983 94.25611)
(xy 92.560679 94.200003)
(xy 95.644968 94.200003)
(xy 95.663398 94.32819)
(xy 95.6634 94.328197)
(xy 95.717203 94.446009)
(xy 95.717206 94.446013)
(xy 95.802014 94.543888)
(xy 95.802016 94.543889)
(xy 95.802017 94.54389)
(xy 95.910973 94.613912)
(xy 96.035242 94.6504)
(xy 96.164758 94.6504)
(xy 96.289027 94.613912)
(xy 96.397983 94.54389)
(xy 96.482797 94.446009)
(xy 96.5366 94.328197)
(xy 96.541758 94.292325)
(xy 96.555032 94.200003)
(xy 96.555032 94.199996)
(xy 96.536601 94.071809)
(xy 96.5366 94.071808)
(xy 96.5366 94.071803)
(xy 96.482797 93.953991)
(xy 96.478476 93.949004)
(xy 96.397985 93.856111)
(xy 96.397983 93.85611)
(xy 96.375911 93.841925)
(xy 96.289027 93.786088)
(xy 96.289026 93.786087)
(xy 96.289025 93.786087)
(xy 96.164758 93.7496)
(xy 96.035242 93.7496)
(xy 95.910974 93.786087)
(xy 95.910971 93.786089)
(xy 95.802016 93.85611)
(xy 95.802014 93.856111)
(xy 95.717206 93.953986)
(xy 95.717203 93.95399)
(xy 95.6634 94.071802)
(xy 95.663398 94.071809)
(xy 95.644968 94.199996)
(xy 95.644968 94.200003)
(xy 92.560679 94.200003)
(xy 92.555574 94.196722)
(xy 92.509081 94.143066)
(xy 92.498978 94.072792)
(xy 92.50908 94.038385)
(xy 92.5366 93.978125)
(xy 92.540787 93.949004)
(xy 92.555032 93.849931)
(xy 92.555032 93.849924)
(xy 92.536601 93.721737)
(xy 92.5366 93.721736)
(xy 92.5366 93.721731)
(xy 92.482797 93.603919)
(xy 92.478438 93.598888)
(xy 92.397985 93.506039)
(xy 92.397983 93.506038)
(xy 92.308533 93.448552)
(xy 92.289027 93.436016)
(xy 92.289026 93.436015)
(xy 92.289025 93.436015)
(xy 92.164758 93.399528)
(xy 92.035242 93.399528)

(xy 91.910974 93.436015)
(xy 91.910971 93.436017)
(xy 91.802016 93.506038)
(xy 91.802014 93.506039)
(xy 91.717206 93.603914)
(xy 91.717203 93.603918)
(xy 91.6634 93.72173)
(xy 91.663398 93.721737)
(xy 91.644968 93.849924)
(xy 91.644968 93.849931)
(xy 91.663398 93.978118)
(xy 91.6634 93.978124)
(xy 91.6634 93.978125)
(xy 91.695268 94.047907)
(xy 91.717205 94.095941)
(xy 91.71755 94.096478)
(xy 91.717729 94.09709)
(xy 91.720947 94.104135)
(xy 91.719934 94.104597)
(xy 91.737552 94.164599)
(xy 91.71755 94.232719)
(xy 91.663894 94.279212)
(xy 91.59362 94.289315)
(xy 91.529039 94.259822)
(xy 91.522457 94.253693)
(xy 91.2225 93.953736)
(xy 90.314727 93.045964)
(xy 90.312475 93.043591)
(xy 90.285447 93.013573)
(xy 90.285446 93.013572)
(xy 90.266944 93.005335)
(xy 90.249571 92.995902)
(xy 90.232581 92.984869)
(xy 90.232576 92.984867)
(xy 90.230939 92.984608)
(xy 90.199421 92.975272)
(xy 90.197913 92.974601)
(xy 90.197911 92.9746)
(xy 90.19791 92.9746)
(xy 90.197909 92.9746)
(xy 90.177658 92.9746)
(xy 90.15795 92.973049)
(xy 90.148006 92.971474)
(xy 90.13794 92.96988)
(xy 90.137939 92.96988)
(xy 90.136346 92.970307)
(xy 90.103736 92.9746)
(xy 88.993183 92.9746)
(xy 88.925062 92.954598)
(xy 88.904088 92.937695)
(xy 88.838342 92.871949)
(xy 88.759547 92.831802)
(xy 88.725304 92.814354)
(xy 88.6 92.794508)
(xy 88.474696 92.814354)
(xy 88.474694 92.814354)
(xy 88.474694 92.814355)
(xy 88.361657 92.871949)
(xy 88.271949 92.961657)
(xy 88.226733 93.0504)
(xy 88.214354 93.074696)
(xy 88.194508 93.2)
(xy 87.8254 93.2)
(xy 87.8254 92.000003)
(xy 89.044968 92.000003)
(xy 89.063398 92.12819)
(xy 89.0634 92.128197)
(xy 89.117203 92.246009)

(xy 89.117206 92.246013)
(xy 89.202014 92.343888)
(xy 89.202016 92.343889)
(xy 89.202017 92.34389)
(xy 89.310973 92.413912)
(xy 89.435242 92.4504)
(xy 89.564758 92.4504)
(xy 89.689027 92.413912)
(xy 89.797983 92.34389)
(xy 89.882797 92.246009)
(xy 89.9366 92.128197)
(xy 89.940571 92.100577)
(xy 89.955032 92.000003)
(xy 89.955032 91.999996)
(xy 89.936601 91.871809)
(xy 89.9366 91.871808)
(xy 89.9366 91.871803)
(xy 89.882797 91.753991)
(xy 89.882793 91.753986)
(xy 89.797985 91.656111)
(xy 89.797983 91.65611)
(xy 89.775372 91.641579)
(xy 89.689027 91.586088)
(xy 89.689026 91.586087)
(xy 89.689025 91.586087)
(xy 89.564758 91.5496)
(xy 89.435242 91.5496)
(xy 89.310974 91.586087)
(xy 89.310971 91.586089)
(xy 89.202016 91.65611)
(xy 89.202014 91.656111)
(xy 89.117206 91.753986)
(xy 89.117203 91.75399)
(xy 89.0634 91.871802)
(xy 89.063398 91.871809)
(xy 89.044968 91.999996)
(xy 89.044968 92.000003)
(xy 87.8254 92.000003)
(xy 87.8254 91.400003)
(xy 95.644968 91.400003)
(xy 95.663398 91.52819)
(xy 95.6634 91.528197)
(xy 95.717203 91.646009)
(xy 95.717206 91.646013)
(xy 95.802014 91.743888)
(xy 95.802016 91.743889)
(xy 95.802017 91.74389)
(xy 95.910973 91.813912)
(xy 96.035242 91.8504)
(xy 96.164758 91.8504)
(xy 96.289027 91.813912)
(xy 96.397983 91.74389)
(xy 96.453376 91.679961)
(xy 96.513101 91.641579)
(xy 96.584097 91.641579)
(xy 96.643824 91.679962)
(xy 96.673317 91.744542)
(xy 96.6746 91.762475)
(xy 96.6746 93.097998)
(xy 96.671918 93.123857)
(xy 96.669733 93.134272)
(xy 96.671899 93.151643)
(xy 96.674116 93.169432)
(xy 96.6746 93.177221)
(xy 96.6746 93.181109)
(xy 96.678442 93.204137)
(xy 96.679535 93.212902)
(xy 96.685231 93.258599)

(xy 96.68747 93.266123)
(xy 96.690029 93.273575)
(xy 96.69003 93.273578)
(xy 96.716156 93.321855)
(xy 96.717843 93.325305)
(xy 96.740256 93.371152)
(xy 96.744847 93.377582)
(xy 96.749657 93.383762)
(xy 96.766784 93.399528)
(xy 96.790045 93.420941)
(xy 97.047782 93.678678)
(xy 97.064165 93.698852)
(xy 97.069989 93.707767)
(xy 97.097948 93.729528)
(xy 97.103795 93.734691)
(xy 97.106549 93.737445)
(xy 97.117941 93.745579)
(xy 97.125555 93.751015)
(xy 97.150953 93.770783)
(xy 97.168859 93.78472)
(xy 97.168863 93.784721)
(xy 97.175796 93.788473)
(xy 97.182844 93.791919)
(xy 97.182845 93.791919)
(xy 97.182846 93.79192)
(xy 97.23051 93.80611)
(xy 97.235461 93.807584)
(xy 97.287357 93.8254)
(xy 97.295144 93.826699)
(xy 97.302921 93.827669)
(xy 97.302923 93.827668)
(xy 97.302924 93.827669)
(xy 97.324071 93.826794)
(xy 97.392961 93.843962)
(xy 97.441632 93.895649)
(xy 97.454633 93.965445)
(xy 97.443895 94.005028)
(xy 97.4134 94.071802)
(xy 97.413398 94.071809)
(xy 97.394968 94.199996)
(xy 97.394968 94.200003)
(xy 97.413398 94.32819)
(xy 97.4134 94.328197)
(xy 97.467203 94.446009)
(xy 97.467206 94.446013)
(xy 97.552014 94.543888)
(xy 97.552016 94.543889)
(xy 97.552017 94.54389)
(xy 97.660973 94.613912)
(xy 97.785242 94.6504)
(xy 97.914758 94.6504)
(xy 98.039027 94.613912)
(xy 98.147983 94.54389)
(xy 98.232797 94.446009)
(xy 98.2866 94.328197)
(xy 98.291758 94.292325)
(xy 98.305032 94.200003)
(xy 99.644968 94.200003)
(xy 99.663398 94.32819)
(xy 99.6634 94.328197)
(xy 99.717203 94.446009)
(xy 99.717206 94.446013)
(xy 99.802014 94.543888)
(xy 99.802016 94.543889)
(xy 99.802017 94.54389)
(xy 99.910973 94.613912)
(xy 100.035242 94.6504)
(xy 100.164758 94.6504)

(xy 100.289027 94.613912)
(xy 100.397983 94.54389)
(xy 100.482797 94.446009)
(xy 100.5366 94.328197)
(xy 100.541758 94.292325)
(xy 100.555032 94.200003)
(xy 101.394968 94.200003)
(xy 101.413398 94.32819)
(xy 101.4134 94.328197)
(xy 101.467203 94.446009)
(xy 101.467206 94.446013)
(xy 101.552014 94.543888)
(xy 101.552016 94.543889)
(xy 101.552017 94.54389)
(xy 101.660973 94.613912)
(xy 101.785242 94.6504)
(xy 101.914758 94.6504)
(xy 102.039027 94.613912)
(xy 102.147983 94.54389)
(xy 102.232797 94.446009)
(xy 102.2866 94.328197)
(xy 102.291758 94.292325)
(xy 102.305032 94.200003)
(xy 102.305032 94.199996)
(xy 102.286601 94.071809)
(xy 102.2866 94.071808)
(xy 102.2866 94.071803)
(xy 102.232797 93.953991)
(xy 102.228476 93.949004)
(xy 102.192523 93.90751)
(xy 102.16303 93.842929)
(xy 102.173135 93.772655)
(xy 102.192522 93.742488)
(xy 102.232797 93.696009)
(xy 102.2866 93.578197)
(xy 102.29381 93.52805)
(xy 102.305032 93.450003)
(xy 102.305032 93.449996)
(xy 102.286601 93.321809)
(xy 102.2866 93.321808)
(xy 102.2866 93.321803)
(xy 102.232797 93.203991)
(xy 102.209601 93.177221)
(xy 102.147985 93.106111)
(xy 102.147983 93.10611)
(xy 102.146878 93.1054)
(xy 102.039027 93.036088)
(xy 102.039026 93.036087)
(xy 102.039025 93.036087)
(xy 101.914758 92.9996)
(xy 101.785242 92.9996)
(xy 101.660974 93.036087)
(xy 101.660971 93.036089)
(xy 101.552016 93.10611)
(xy 101.552014 93.106111)
(xy 101.467206 93.203986)
(xy 101.467203 93.20399)
(xy 101.4134 93.321802)
(xy 101.413398 93.321809)
(xy 101.394968 93.449996)
(xy 101.394968 93.450003)
(xy 101.413398 93.57819)
(xy 101.4134 93.578197)
(xy 101.467203 93.696009)
(xy 101.507477 93.742488)
(xy 101.53697 93.807069)
(xy 101.526866 93.877343)
(xy 101.507477 93.907512)

(xy 101.467203 93.95399)
(xy 101.4134 94.071802)
(xy 101.413398 94.071809)
(xy 101.394968 94.199996)
(xy 101.394968 94.200003)
(xy 100.555032 94.200003)
(xy 100.555032 94.199996)
(xy 100.536601 94.071809)
(xy 100.5366 94.071808)
(xy 100.5366 94.071803)
(xy 100.482797 93.953991)
(xy 100.478476 93.949004)
(xy 100.397985 93.856111)
(xy 100.397983 93.85611)
(xy 100.375911 93.841925)
(xy 100.289027 93.786088)
(xy 100.289026 93.786087)
(xy 100.289025 93.786087)
(xy 100.164758 93.7496)
(xy 100.035242 93.7496)
(xy 99.910974 93.786087)
(xy 99.910971 93.786089)
(xy 99.802016 93.85611)
(xy 99.802014 93.856111)
(xy 99.717206 93.953986)
(xy 99.717203 93.95399)
(xy 99.6634 94.071802)
(xy 99.663398 94.071809)
(xy 99.644968 94.199996)
(xy 99.644968 94.200003)
(xy 98.305032 94.200003)
(xy 98.305032 94.199996)
(xy 98.286601 94.071809)
(xy 98.2866 94.071808)
(xy 98.2866 94.071803)
(xy 98.232797 93.953991)
(xy 98.228476 93.949004)
(xy 98.192523 93.90751)
(xy 98.16303 93.842929)
(xy 98.173135 93.772655)
(xy 98.192522 93.742488)
(xy 98.232797 93.696009)
(xy 98.2866 93.578197)
(xy 98.29381 93.52805)
(xy 98.305032 93.450003)
(xy 98.305032 93.449996)
(xy 98.286601 93.321809)
(xy 98.2866 93.321808)
(xy 98.2866 93.321803)
(xy 98.232797 93.203991)
(xy 98.209601 93.177221)
(xy 98.147985 93.106111)
(xy 98.147983 93.10611)
(xy 98.146878 93.1054)
(xy 98.039027 93.036088)
(xy 98.039026 93.036087)
(xy 98.039025 93.036087)
(xy 97.914758 92.9996)
(xy 97.785242 92.9996)
(xy 97.660975 93.036087)
(xy 97.660973 93.036088)
(xy 97.632168 93.054599)
(xy 97.56405 93.0746)
(xy 97.557687 93.0746)
(xy 97.489566 93.054598)
(xy 97.468592 93.037695)
(xy 97.462304 93.031407)
(xy 97.428278 92.969095)

(xy 97.427301 92.960003)
(xy 104.264759 92.960003)
(xy 104.284072 93.156104)
(xy 104.284073 93.156109)
(xy 104.284074 93.156113)
(xy 104.315162 93.258597)
(xy 104.341278 93.34469)
(xy 104.424294 93.5)
(xy 104.434173 93.518482)
(xy 104.559187 93.670813)
(xy 104.711518 93.795827)
(xy 104.71152 93.795828)
(xy 104.864022 93.877343)
(xy 104.885311 93.888722)
(xy 105.073887 93.945926)
(xy 105.073893 93.945926)
(xy 105.073895 93.945927)
(xy 105.269997 93.965241)
(xy 105.27 93.965241)
(xy 105.270003 93.965241)
(xy 105.466104 93.945927)
(xy 105.466104 93.945926)
(xy 105.466113 93.945926)
(xy 105.654689 93.888722)
(xy 105.828482 93.795827)
(xy 105.980813 93.670813)
(xy 106.105827 93.518482)
(xy 106.198722 93.344689)
(xy 106.255926 93.156113)
(xy 106.265596 93.057933)
(xy 106.275241 92.960003)
(xy 106.275241 92.959996)
(xy 106.255927 92.763895)
(xy 106.255926 92.763893)
(xy 106.255926 92.763887)
(xy 106.206212 92.600003)
(xy 120.444968 92.600003)
(xy 120.463398 92.72819)
(xy 120.4634 92.728197)
(xy 120.517203 92.846009)
(xy 120.517206 92.846013)
(xy 120.602014 92.943888)
(xy 120.602016 92.943889)
(xy 120.602017 92.94389)
(xy 120.710973 93.013912)
(xy 120.835242 93.0504)
(xy 120.964758 93.0504)
(xy 121.089027 93.013912)
(xy 121.197983 92.94389)
(xy 121.199351 92.942312)
(xy 121.274383 92.855719)
(xy 121.282797 92.846009)
(xy 121.3366 92.728197)
(xy 121.340654 92.699999)
(xy 121.355032 92.600003)
(xy 121.355032 92.599996)
(xy 121.336601 92.471809)
(xy 121.3366 92.471808)
(xy 121.3366 92.471803)
(xy 121.282797 92.353991)
(xy 121.27512 92.345131)
(xy 121.197985 92.256111)
(xy 121.197983 92.25611)
(xy 121.104861 92.196264)
(xy 121.089027 92.186088)
(xy 121.089026 92.186087)
(xy 121.089025 92.186087)
(xy 120.964758 92.1496)

(xy 120.835242 92.1496)
(xy 120.710974 92.186087)
(xy 120.710971 92.186089)
(xy 120.602016 92.25611)
(xy 120.602014 92.256111)
(xy 120.517206 92.353986)
(xy 120.517203 92.35399)
(xy 120.4634 92.471802)
(xy 120.463398 92.471809)
(xy 120.444968 92.599996)
(xy 120.444968 92.600003)
(xy 106.206212 92.600003)
(xy 106.198722 92.575311)
(xy 106.191257 92.561346)
(xy 106.111914 92.412906)
(xy 106.105827 92.401518)
(xy 105.980813 92.249187)
(xy 105.828482 92.124173)
(xy 105.82848 92.124172)
(xy 105.828479 92.124171)
(xy 105.65469 92.031278)
(xy 105.577622 92.0079)
(xy 105.466113 91.974074)
(xy 105.466109 91.974073)
(xy 105.466104 91.974072)
(xy 105.270003 91.954759)
(xy 105.269997 91.954759)
(xy 105.073895 91.974072)
(xy 105.073889 91.974073)
(xy 105.073887 91.974074)
(xy 105.029519 91.987533)
(xy 104.885309 92.031278)
(xy 104.71152 92.124171)
(xy 104.559187 92.249187)
(xy 104.434171 92.40152)
(xy 104.341278 92.575309)
(xy 104.328901 92.616111)
(xy 104.294901 92.728197)
(xy 104.284072 92.763895)
(xy 104.264759 92.959996)
(xy 104.264759 92.960003)
(xy 97.427301 92.960003)
(xy 97.425399 92.942312)
(xy 97.425399 92.294605)
(xy 97.425399 91.893267)
(xy 97.445401 91.825149)
(xy 97.499057 91.778656)
(xy 97.569331 91.768552)
(xy 97.619519 91.787272)
(xy 97.660967 91.813909)
(xy 97.66097 91.81391)
(xy 97.660973 91.813912)
(xy 97.785242 91.8504)
(xy 97.914758 91.8504)
(xy 98.039027 91.813912)
(xy 98.147983 91.74389)
(xy 98.148761 91.742993)
(xy 98.1865 91.699439)
(xy 98.232797 91.646009)
(xy 98.2866 91.528197)
(xy 98.292292 91.488609)
(xy 98.305032 91.400003)
(xy 99.644968 91.400003)
(xy 99.663398 91.52819)
(xy 99.6634 91.528197)
(xy 99.717203 91.646009)
(xy 99.717206 91.646013)
(xy 99.802014 91.743888)

(xy 99.802016 91.743889)
(xy 99.802017 91.74389)
(xy 99.910973 91.813912)
(xy 100.035242 91.8504)
(xy 100.164758 91.8504)
(xy 100.289027 91.813912)
(xy 100.397983 91.74389)
(xy 100.398761 91.742993)
(xy 100.4365 91.699439)
(xy 100.482797 91.646009)
(xy 100.5366 91.528197)
(xy 100.542292 91.488609)
(xy 100.555032 91.400003)
(xy 101.394968 91.400003)
(xy 101.413398 91.52819)
(xy 101.4134 91.528197)
(xy 101.467203 91.646009)
(xy 101.467206 91.646013)
(xy 101.552014 91.743888)
(xy 101.552016 91.743889)
(xy 101.552017 91.74389)
(xy 101.660973 91.813912)
(xy 101.785242 91.8504)
(xy 101.914758 91.8504)
(xy 102.039027 91.813912)
(xy 102.147983 91.74389)
(xy 102.148761 91.742993)
(xy 102.1865 91.699439)
(xy 102.232797 91.646009)
(xy 102.2866 91.528197)
(xy 102.292292 91.488609)
(xy 102.305032 91.400003)
(xy 102.305032 91.399996)
(xy 102.290655 91.300003)
(xy 116.544968 91.300003)
(xy 116.563398 91.42819)
(xy 116.5634 91.428197)
(xy 116.617203 91.546009)
(xy 116.617206 91.546013)
(xy 116.702014 91.643888)
(xy 116.702016 91.643889)
(xy 116.702017 91.64389)
(xy 116.810973 91.713912)
(xy 116.935242 91.7504)
(xy 117.064758 91.7504)
(xy 117.189027 91.713912)
(xy 117.297983 91.64389)
(xy 117.299986 91.641579)
(xy 117.336017 91.599996)
(xy 117.382797 91.546009)
(xy 117.4366 91.428197)
(xy 117.437167 91.424253)
(xy 117.455032 91.300003)
(xy 117.455032 91.299996)
(xy 117.440655 91.200003)
(xy 118.544968 91.200003)
(xy 118.563398 91.32819)
(xy 118.5634 91.328197)
(xy 118.617203 91.446009)
(xy 118.617206 91.446013)
(xy 118.702014 91.543888)
(xy 118.702016 91.543889)
(xy 118.702017 91.54389)
(xy 118.810973 91.613912)
(xy 118.935242 91.6504)
(xy 119.064758 91.6504)
(xy 119.06611 91.650003)
(xy 121.144968 91.650003)

(xy 121.163398 91.77819)
(xy 121.1634 91.778197)
(xy 121.217203 91.896009)
(xy 121.217206 91.896013)
(xy 121.302014 91.993888)
(xy 121.302016 91.993889)
(xy 121.302017 91.99389)
(xy 121.410973 92.063912)
(xy 121.535242 92.1004)
(xy 121.664758 92.1004)
(xy 121.789027 92.063912)
(xy 121.897983 91.99389)
(xy 121.903492 91.987533)
(xy 121.947979 91.936191)
(xy 121.982797 91.896009)
(xy 122.0366 91.778197)
(xy 122.037987 91.768552)
(xy 122.055032 91.650003)
(xy 122.944968 91.650003)
(xy 122.963398 91.77819)
(xy 122.9634 91.778197)
(xy 123.017203 91.896009)
(xy 123.017206 91.896013)
(xy 123.102014 91.993888)
(xy 123.102016 91.993889)
(xy 123.102017 91.99389)
(xy 123.210973 92.063912)
(xy 123.335242 92.1004)
(xy 123.464758 92.1004)
(xy 123.589027 92.063912)
(xy 123.697983 91.99389)
(xy 123.703492 91.987533)
(xy 123.747979 91.936191)
(xy 123.782797 91.896009)
(xy 123.8366 91.778197)
(xy 123.837987 91.768552)
(xy 123.855032 91.650003)
(xy 123.855032 91.649996)
(xy 123.836601 91.521809)
(xy 123.8366 91.521808)
(xy 123.8366 91.521803)
(xy 123.782797 91.403991)
(xy 123.782796 91.40399)
(xy 123.782044 91.402343)
(xy 123.771939 91.332069)
(xy 123.782044 91.297657)
(xy 123.782797 91.296009)
(xy 123.8366 91.178197)
(xy 123.838894 91.162242)
(xy 123.855032 91.050003)
(xy 123.855032 91.049996)
(xy 123.836601 90.921809)
(xy 123.8366 90.921808)
(xy 123.8366 90.921803)
(xy 123.782797 90.803991)
(xy 123.782793 90.803986)
(xy 123.697985 90.706111)
(xy 123.697983 90.70611)
(xy 123.644599 90.671802)
(xy 123.589027 90.636088)
(xy 123.589026 90.636087)
(xy 123.589025 90.636087)
(xy 123.464758 90.5996)
(xy 123.335242 90.5996)
(xy 123.210974 90.636087)
(xy 123.210971 90.636089)
(xy 123.102016 90.70611)
(xy 123.102014 90.706111)

(xy 123.017206 90.803986)
(xy 123.017203 90.80399)
(xy 122.9634 90.921802)
(xy 122.963398 90.921809)
(xy 122.944968 91.049996)
(xy 122.944968 91.050003)
(xy 122.963398 91.17819)
(xy 122.9634 91.178197)
(xy 123.017956 91.297658)
(xy 123.028059 91.367932)
(xy 123.017956 91.402342)
(xy 122.9634 91.521802)
(xy 122.963398 91.521809)
(xy 122.944968 91.649996)
(xy 122.944968 91.650003)
(xy 122.055032 91.650003)
(xy 122.055032 91.649996)
(xy 122.036601 91.521809)
(xy 122.0366 91.521808)
(xy 122.0366 91.521803)
(xy 121.982797 91.403991)
(xy 121.981368 91.402342)
(xy 121.897985 91.306111)
(xy 121.897983 91.30611)
(xy 121.820183 91.256111)
(xy 121.789027 91.236088)
(xy 121.789026 91.236087)
(xy 121.789025 91.236087)
(xy 121.664758 91.1996)
(xy 121.535242 91.1996)
(xy 121.410974 91.236087)
(xy 121.410971 91.236089)
(xy 121.302016 91.30611)
(xy 121.302014 91.306111)
(xy 121.217206 91.403986)
(xy 121.217203 91.40399)
(xy 121.1634 91.521802)
(xy 121.163398 91.521809)
(xy 121.144968 91.649996)
(xy 121.144968 91.650003)
(xy 119.06611 91.650003)
(xy 119.189027 91.613912)
(xy 119.297983 91.54389)
(xy 119.382797 91.446009)
(xy 119.4366 91.328197)
(xy 119.436872 91.326301)
(xy 119.455032 91.200003)
(xy 119.455032 91.199996)
(xy 119.436601 91.071809)
(xy 119.4366 91.071808)
(xy 119.4366 91.071803)
(xy 119.382797 90.953991)
(xy 119.382793 90.953986)
(xy 119.297985 90.856111)
(xy 119.297983 90.85611)
(xy 119.287077 90.849101)
(xy 119.189027 90.786088)
(xy 119.189026 90.786087)
(xy 119.189025 90.786087)
(xy 119.064758 90.7496)
(xy 118.935242 90.7496)
(xy 118.810974 90.786087)
(xy 118.810971 90.786089)
(xy 118.702016 90.85611)
(xy 118.702014 90.856111)
(xy 118.617206 90.953986)
(xy 118.617203 90.95399)
(xy 118.5634 91.071802)

(xy 118.563398 91.071809)
(xy 118.544968 91.199996)
(xy 118.544968 91.200003)
(xy 117.440655 91.200003)
(xy 117.436601 91.171809)
(xy 117.4366 91.171808)
(xy 117.4366 91.171803)
(xy 117.382797 91.053991)
(xy 117.382793 91.053986)
(xy 117.297985 90.956111)
(xy 117.297983 90.95611)
(xy 117.274946 90.941305)
(xy 117.189027 90.886088)
(xy 117.189026 90.886087)
(xy 117.189025 90.886087)
(xy 117.064758 90.8496)
(xy 116.935242 90.8496)
(xy 116.810974 90.886087)
(xy 116.810971 90.886089)
(xy 116.702016 90.95611)
(xy 116.702014 90.956111)
(xy 116.617206 91.053986)
(xy 116.617203 91.05399)
(xy 116.5634 91.171802)
(xy 116.563398 91.171809)
(xy 116.544968 91.299996)
(xy 116.544968 91.300003)
(xy 102.290655 91.300003)
(xy 102.286601 91.271809)
(xy 102.2866 91.271808)
(xy 102.2866 91.271803)
(xy 102.232797 91.153991)
(xy 102.232793 91.153986)
(xy 102.192523 91.10751)
(xy 102.16303 91.042929)
(xy 102.173135 90.972655)
(xy 102.192522 90.942488)
(xy 102.232797 90.896009)
(xy 102.276642 90.800003)
(xy 107.094968 90.800003)
(xy 107.113398 90.92819)
(xy 107.1134 90.928197)
(xy 107.167203 91.046009)
(xy 107.167206 91.046013)
(xy 107.252014 91.143888)
(xy 107.252016 91.143889)
(xy 107.252017 91.14389)
(xy 107.360973 91.213912)
(xy 107.485242 91.2504)
(xy 107.614758 91.2504)
(xy 107.739027 91.213912)
(xy 107.847983 91.14389)
(xy 107.932797 91.046009)
(xy 107.9866 90.928197)
(xy 107.991228 90.896009)
(xy 108.005032 90.800003)
(xy 108.005032 90.799996)
(xy 107.986601 90.671809)
(xy 107.9866 90.671808)
(xy 107.9866 90.671803)
(xy 107.932797 90.553991)
(xy 107.925892 90.546022)
(xy 107.847985 90.456111)
(xy 107.847983 90.45611)
(xy 107.782322 90.413912)
(xy 107.739027 90.386088)
(xy 107.739026 90.386087)
(xy 107.739025 90.386087)

(xy 107.614758 90.3496)
(xy 107.485242 90.3496)
(xy 107.360974 90.386087)
(xy 107.360971 90.386089)
(xy 107.252016 90.45611)
(xy 107.252014 90.456111)
(xy 107.167206 90.553986)
(xy 107.167203 90.55399)
(xy 107.1134 90.671802)
(xy 107.113398 90.671809)
(xy 107.094968 90.799996)
(xy 107.094968 90.800003)
(xy 102.276642 90.800003)
(xy 102.2866 90.778197)
(xy 102.295208 90.718328)
(xy 102.305032 90.650003)
(xy 102.305032 90.649996)
(xy 102.286601 90.521809)
(xy 102.2866 90.521808)
(xy 102.2866 90.521803)
(xy 102.232797 90.403991)
(xy 102.217285 90.386089)
(xy 102.147985 90.306111)
(xy 102.147983 90.30611)
(xy 102.100197 90.2754)
(xy 102.039027 90.236088)
(xy 102.039026 90.236087)
(xy 102.039025 90.236087)
(xy 101.914758 90.1996)
(xy 101.785242 90.1996)
(xy 101.660974 90.236087)
(xy 101.660971 90.236089)
(xy 101.552016 90.30611)
(xy 101.552014 90.306111)
(xy 101.467206 90.403986)
(xy 101.467203 90.40399)
(xy 101.4134 90.521802)
(xy 101.413398 90.521809)
(xy 101.394968 90.649996)
(xy 101.394968 90.650003)
(xy 101.413398 90.77819)
(xy 101.4134 90.778197)
(xy 101.467203 90.896009)
(xy 101.507477 90.942488)
(xy 101.53697 91.007069)
(xy 101.526866 91.077343)
(xy 101.507477 91.107512)
(xy 101.467203 91.15399)
(xy 101.4134 91.271802)
(xy 101.413398 91.271809)
(xy 101.394968 91.399996)
(xy 101.394968 91.400003)
(xy 100.555032 91.400003)
(xy 100.555032 91.399996)
(xy 100.536601 91.271809)
(xy 100.5366 91.271808)
(xy 100.5366 91.271803)
(xy 100.482797 91.153991)
(xy 100.482793 91.153986)
(xy 100.397985 91.056111)
(xy 100.397983 91.05611)
(xy 100.301167 90.99389)
(xy 100.289027 90.986088)
(xy 100.289026 90.986087)
(xy 100.289025 90.986087)
(xy 100.164758 90.9496)
(xy 100.035242 90.9496)
(xy 99.910974 90.986087)

(xy 99.910971 90.986089)
(xy 99.802016 91.05611)
(xy 99.802014 91.056111)
(xy 99.717206 91.153986)
(xy 99.717203 91.15399)
(xy 99.6634 91.271802)
(xy 99.663398 91.271809)
(xy 99.644968 91.399996)
(xy 99.644968 91.400003)
(xy 98.305032 91.400003)
(xy 98.305032 91.399996)
(xy 98.286601 91.271809)
(xy 98.2866 91.271808)
(xy 98.2866 91.271803)
(xy 98.232797 91.153991)
(xy 98.232793 91.153986)
(xy 98.192523 91.10751)
(xy 98.16303 91.042929)
(xy 98.173135 90.972655)
(xy 98.192522 90.942488)
(xy 98.232797 90.896009)
(xy 98.2866 90.778197)
(xy 98.295208 90.718328)
(xy 98.305032 90.650003)
(xy 98.305032 90.649996)
(xy 98.286601 90.521809)
(xy 98.2866 90.521808)
(xy 98.2866 90.521803)
(xy 98.232797 90.403991)
(xy 98.217285 90.386089)
(xy 98.147985 90.306111)
(xy 98.147983 90.30611)
(xy 98.100197 90.2754)
(xy 98.039027 90.236088)
(xy 98.039026 90.236087)
(xy 98.039025 90.236087)
(xy 97.914758 90.1996)
(xy 97.785242 90.1996)
(xy 97.660975 90.236087)
(xy 97.660973 90.236088)
(xy 97.632168 90.254599)
(xy 97.56405 90.2746)
(xy 97.5514 90.2746)
(xy 97.483279 90.254598)
(xy 97.436786 90.200942)
(xy 97.4254 90.1486)
(xy 97.4254 89.800003)
(xy 118.244968 89.800003)
(xy 118.263398 89.92819)
(xy 118.2634 89.928197)
(xy 118.317203 90.046009)
(xy 118.317206 90.046013)
(xy 118.402014 90.143888)
(xy 118.402016 90.143889)
(xy 118.402017 90.14389)
(xy 118.510973 90.213912)
(xy 118.635242 90.2504)
(xy 118.764758 90.2504)
(xy 118.889027 90.213912)
(xy 118.997983 90.14389)
(xy 119.009034 90.131137)
(xy 119.074593 90.055477)
(xy 119.082797 90.046009)
(xy 119.1366 89.928197)
(xy 119.145179 89.868527)
(xy 119.155032 89.800003)
(xy 119.155032 89.799996)
(xy 119.136601 89.671809)

(xy 119.1366 89.671808)
(xy 119.1366 89.671803)
(xy 119.082797 89.553991)
(xy 119.082793 89.553986)
(xy 118.997985 89.456111)
(xy 118.997983 89.45611)
(xy 118.932322 89.413912)
(xy 118.889027 89.386088)
(xy 118.889026 89.386087)
(xy 118.889025 89.386087)
(xy 118.764758 89.3496)
(xy 118.635242 89.3496)
(xy 118.510974 89.386087)
(xy 118.510971 89.386089)
(xy 118.402016 89.45611)
(xy 118.402014 89.456111)
(xy 118.317206 89.553986)
(xy 118.317203 89.55399)
(xy 118.2634 89.671802)
(xy 118.263398 89.671809)
(xy 118.244968 89.799996)
(xy 118.244968 89.800003)
(xy 97.4254 89.800003)
(xy 97.4254 89.09327)
(xy 97.445402 89.025149)
(xy 97.499058 88.978656)
(xy 97.569332 88.968552)
(xy 97.619519 88.987271)
(xy 97.660973 89.013912)
(xy 97.785242 89.0504)
(xy 97.914758 89.0504)
(xy 98.039027 89.013912)
(xy 98.147983 88.94389)
(xy 98.232797 88.846009)
(xy 98.2866 88.728197)
(xy 98.292654 88.686089)
(xy 98.305032 88.600003)
(xy 99.644968 88.600003)
(xy 99.663398 88.72819)
(xy 99.6634 88.728197)
(xy 99.717203 88.846009)
(xy 99.717206 88.846013)
(xy 99.802014 88.943888)
(xy 99.802016 88.943889)
(xy 99.802017 88.94389)
(xy 99.910973 89.013912)
(xy 100.035242 89.0504)
(xy 100.164758 89.0504)
(xy 100.289027 89.013912)
(xy 100.397983 88.94389)
(xy 100.482797 88.846009)
(xy 100.5366 88.728197)
(xy 100.542654 88.686089)
(xy 100.555032 88.600003)
(xy 100.555032 88.599996)
(xy 100.536601 88.471809)
(xy 100.5366 88.471808)
(xy 100.5366 88.471803)
(xy 100.482797 88.353991)
(xy 100.482793 88.353986)
(xy 100.397985 88.256111)
(xy 100.397983 88.25611)
(xy 100.389098 88.2504)
(xy 100.289027 88.186088)
(xy 100.289026 88.186087)
(xy 100.289025 88.186087)
(xy 100.164758 88.1496)
(xy 100.035242 88.1496)

(xy 99.910974 88.186087)
(xy 99.910971 88.186089)
(xy 99.802016 88.25611)
(xy 99.802014 88.256111)
(xy 99.717206 88.353986)
(xy 99.717203 88.35399)
(xy 99.6634 88.471802)
(xy 99.663398 88.471809)
(xy 99.644968 88.599996)
(xy 99.644968 88.600003)
(xy 98.305032 88.600003)
(xy 98.305032 88.599996)
(xy 98.286601 88.471809)
(xy 98.2866 88.471808)
(xy 98.2866 88.471803)
(xy 98.232797 88.353991)
(xy 98.232793 88.353986)
(xy 98.192523 88.30751)
(xy 98.16303 88.242929)
(xy 98.173135 88.172655)
(xy 98.192522 88.142488)
(xy 98.232797 88.096009)
(xy 98.2866 87.978197)
(xy 98.294575 87.92273)
(xy 98.301988 87.871171)
(xy 101.3738 87.871171)
(xy 101.39223 87.999358)
(xy 101.392232 87.999365)
(xy 101.446035 88.117177)
(xy 101.497019 88.176016)
(xy 101.526512 88.240597)
(xy 101.516408 88.31087)
(xy 101.49702 88.341039)
(xy 101.467806 88.374754)
(xy 101.414003 88.492566)
(xy 101.414001 88.492573)
(xy 101.395571 88.62076)
(xy 101.395571 88.620767)
(xy 101.414001 88.748954)
(xy 101.414003 88.748961)
(xy 101.467806 88.866773)
(xy 101.467809 88.866777)
(xy 101.552617 88.964652)
(xy 101.552619 88.964653)
(xy 101.55262 88.964654)
(xy 101.661576 89.034676)
(xy 101.785845 89.071164)
(xy 101.915361 89.071164)
(xy 102.03963 89.034676)
(xy 102.148586 88.964654)
(xy 102.164739 88.946013)
(xy 102.204612 88.899996)
(xy 102.2334 88.866773)
(xy 102.287203 88.748961)
(xy 102.300858 88.65399)
(xy 102.305635 88.620767)
(xy 102.305635 88.62076)
(xy 102.287204 88.492573)
(xy 102.287203 88.492572)
(xy 102.287203 88.492567)
(xy 102.2334 88.374755)
(xy 102.233396 88.37475)
(xy 102.182416 88.315915)
(xy 102.152922 88.251335)
(xy 102.163026 88.181061)
(xy 102.182414 88.150892)
(xy 102.211629 88.117177)
(xy 102.265432 87.999365)

(xy 102.268905 87.975212)
(xy 102.283864 87.871171)
(xy 102.283864 87.871164)
(xy 102.265433 87.742977)
(xy 102.265432 87.742976)
(xy 102.265432 87.742971)
(xy 102.211629 87.625159)
(xy 102.211625 87.625154)
(xy 102.189832 87.600003)
(xy 107.144823 87.600003)
(xy 107.163859 87.756791)
(xy 107.219871 87.904479)
(xy 107.30959 88.03446)
(xy 107.309592 88.034462)
(xy 107.309593 88.034463)
(xy 107.427817 88.1392)
(xy 107.567671 88.212601)
(xy 107.721027 88.2504)
(xy 107.721028 88.2504)
(xy 107.878972 88.2504)
(xy 107.878973 88.2504)
(xy 108.032329 88.212601)
(xy 108.172183 88.1392)
(xy 108.290407 88.034463)
(xy 108.331304 87.975212)
(xy 108.386462 87.930513)
(xy 108.45703 87.92273)
(xy 108.520605 87.954334)
(xy 108.538695 87.975212)
(xy 108.579593 88.034463)
(xy 108.697817 88.1392)
(xy 108.837671 88.212601)
(xy 108.991027 88.2504)
(xy 108.991028 88.2504)
(xy 109.148972 88.2504)
(xy 109.148973 88.2504)
(xy 109.302329 88.212601)
(xy 109.442183 88.1392)
(xy 109.560407 88.034463)
(xy 109.601304 87.975212)
(xy 109.656462 87.930513)
(xy 109.72703 87.92273)
(xy 109.790605 87.954334)
(xy 109.808695 87.975212)
(xy 109.849593 88.034463)
(xy 109.967817 88.1392)
(xy 110.107671 88.212601)
(xy 110.261027 88.2504)
(xy 110.261028 88.2504)
(xy 110.418972 88.2504)
(xy 110.418973 88.2504)
(xy 110.572329 88.212601)
(xy 110.712183 88.1392)
(xy 110.830407 88.034463)
(xy 110.871304 87.975212)
(xy 110.926462 87.930513)
(xy 110.99703 87.92273)
(xy 111.060605 87.954334)
(xy 111.078695 87.975212)
(xy 111.119593 88.034463)
(xy 111.237817 88.1392)
(xy 111.377671 88.212601)
(xy 111.531027 88.2504)
(xy 111.531028 88.2504)
(xy 111.688972 88.2504)
(xy 111.688973 88.2504)
(xy 111.842329 88.212601)
(xy 111.982183 88.1392)

(xy 112.100407 88.034463)
(xy 112.141304 87.975212)
(xy 112.196462 87.930513)
(xy 112.26703 87.92273)
(xy 112.330605 87.954334)
(xy 112.348695 87.975212)
(xy 112.389593 88.034463)
(xy 112.507817 88.1392)
(xy 112.647671 88.212601)
(xy 112.801027 88.2504)
(xy 112.801028 88.2504)
(xy 112.958972 88.2504)
(xy 112.958973 88.2504)
(xy 113.112329 88.212601)
(xy 113.252183 88.1392)
(xy 113.370407 88.034463)
(xy 113.411304 87.975212)
(xy 113.466462 87.930513)
(xy 113.53703 87.92273)
(xy 113.600605 87.954334)
(xy 113.618695 87.975212)
(xy 113.659593 88.034463)
(xy 113.777817 88.1392)
(xy 113.917671 88.212601)
(xy 114.071027 88.2504)
(xy 114.071028 88.2504)
(xy 114.228972 88.2504)
(xy 114.228973 88.2504)
(xy 114.382329 88.212601)
(xy 114.522183 88.1392)
(xy 114.640407 88.034463)
(xy 114.681304 87.975212)
(xy 114.736462 87.930513)
(xy 114.80703 87.92273)
(xy 114.870605 87.954334)
(xy 114.888695 87.975212)
(xy 114.929593 88.034463)
(xy 115.047817 88.1392)
(xy 115.187671 88.212601)
(xy 115.341027 88.2504)
(xy 115.341028 88.2504)
(xy 115.498972 88.2504)
(xy 115.498973 88.2504)
(xy 115.652329 88.212601)
(xy 115.792183 88.1392)
(xy 115.910407 88.034463)
(xy 115.951303 87.975213)
(xy 116.00646 87.930514)
(xy 116.077028 87.92273)
(xy 116.140603 87.954333)
(xy 116.158695 87.975212)
(xy 116.174406 87.997973)
(xy 116.199593 88.034463)
(xy 116.317817 88.1392)
(xy 116.457671 88.212601)
(xy 116.457672 88.212601)
(xy 116.457674 88.212602)
(xy 116.467639 88.215058)
(xy 116.561596 88.238216)
(xy 116.622951 88.273939)
(xy 116.655252 88.337162)
(xy 116.648245 88.407812)
(xy 116.626669 88.443066)
(xy 116.617203 88.45399)
(xy 116.5634 88.571802)
(xy 116.563398 88.571809)
(xy 116.544968 88.699996)
(xy 116.544968 88.700003)

(xy 116.563398 88.82819)
(xy 116.5634 88.828197)
(xy 116.617203 88.946009)
(xy 116.617206 88.946013)
(xy 116.702014 89.043888)
(xy 116.702016 89.043889)
(xy 116.702017 89.04389)
(xy 116.810973 89.113912)
(xy 116.935242 89.1504)
(xy 117.064758 89.1504)
(xy 117.189027 89.113912)
(xy 117.21067 89.100003)
(xy 124.944968 89.100003)
(xy 124.963398 89.22819)
(xy 124.9634 89.228197)
(xy 125.017203 89.346009)
(xy 125.017206 89.346013)
(xy 125.102014 89.443888)
(xy 125.102016 89.443889)
(xy 125.102017 89.44389)
(xy 125.210973 89.513912)
(xy 125.335242 89.5504)
(xy 125.464758 89.5504)
(xy 125.589027 89.513912)
(xy 125.631878 89.486372)
(xy 125.699999 89.46637)
(xy 125.768117 89.48637)
(xy 125.768122 89.486373)
(xy 125.810969 89.51391)
(xy 125.810971 89.51391)
(xy 125.810973 89.513912)
(xy 125.935242 89.5504)
(xy 126.064758 89.5504)
(xy 126.189027 89.513912)
(xy 126.297983 89.44389)
(xy 126.382797 89.346009)
(xy 126.4366 89.228197)
(xy 126.447786 89.1504)
(xy 126.455032 89.100003)
(xy 126.455032 89.099996)
(xy 126.436601 88.971809)
(xy 126.4366 88.971808)
(xy 126.4366 88.971803)
(xy 126.382797 88.853991)
(xy 126.372042 88.841579)
(xy 126.297985 88.756111)
(xy 126.297983 88.75611)
(xy 126.263002 88.733629)
(xy 126.189027 88.686088)
(xy 126.189026 88.686087)
(xy 126.189025 88.686087)
(xy 126.064758 88.6496)
(xy 125.935242 88.6496)
(xy 125.810974 88.686087)
(xy 125.810967 88.68609)
(xy 125.76812 88.713627)
(xy 125.699999 88.733629)
(xy 125.63188 88.713627)
(xy 125.589032 88.68609)
(xy 125.589025 88.686087)
(xy 125.464758 88.6496)
(xy 125.335242 88.6496)
(xy 125.210974 88.686087)
(xy 125.210971 88.686089)
(xy 125.102016 88.75611)
(xy 125.102014 88.756111)
(xy 125.017206 88.853986)
(xy 125.017203 88.85399)

(xy 124.9634 88.971802)
(xy 124.963398 88.971809)
(xy 124.944968 89.099996)
(xy 124.944968 89.100003)
(xy 117.21067 89.100003)
(xy 117.297983 89.04389)
(xy 117.382797 88.946009)
(xy 117.4366 88.828197)
(xy 117.436872 88.826301)
(xy 117.455032 88.700003)
(xy 117.455032 88.699996)
(xy 117.436601 88.571809)
(xy 117.4366 88.571808)
(xy 117.4366 88.571803)
(xy 117.382797 88.453991)
(xy 117.382793 88.453986)
(xy 117.297985 88.356111)
(xy 117.297983 88.35611)
(xy 117.261631 88.332748)
(xy 117.189027 88.286088)
(xy 117.189024 88.286087)
(xy 117.189022 88.286086)
(xy 117.187768 88.285718)
(xy 117.186668 88.285011)
(xy 117.180832 88.282346)
(xy 117.181215 88.281506)
(xy 117.128043 88.247334)
(xy 117.098551 88.182752)
(xy 117.108656 88.112478)
(xy 117.139712 88.070515)
(xy 117.180407 88.034463)
(xy 117.27013 87.904476)
(xy 117.326139 87.756794)
(xy 117.326139 87.756793)
(xy 117.32614 87.756791)
(xy 117.336104 87.674726)
(xy 117.345177 87.600003)
(xy 118.744968 87.600003)
(xy 118.763398 87.72819)
(xy 118.7634 87.728197)
(xy 118.817203 87.846009)
(xy 118.817206 87.846013)
(xy 118.902014 87.943888)
(xy 118.902016 87.943889)
(xy 118.902017 87.94389)
(xy 119.010973 88.013912)
(xy 119.135242 88.0504)
(xy 119.264758 88.0504)
(xy 119.389027 88.013912)
(xy 119.41067 88.000003)
(xy 121.144968 88.000003)
(xy 121.163398 88.12819)
(xy 121.1634 88.128197)
(xy 121.217203 88.246009)
(xy 121.217206 88.246013)
(xy 121.302014 88.343888)
(xy 121.302016 88.343889)
(xy 121.302017 88.34389)
(xy 121.410973 88.413912)
(xy 121.535242 88.4504)
(xy 121.664758 88.4504)
(xy 121.789027 88.413912)
(xy 121.897983 88.34389)
(xy 121.900454 88.341039)
(xy 121.939472 88.296009)
(xy 121.982797 88.246009)
(xy 122.0366 88.128197)
(xy 122.050077 88.034463)

(xy 122.055032 88.000003)
(xy 123.044968 88.000003)
(xy 123.063398 88.12819)
(xy 123.0634 88.128197)
(xy 123.117203 88.246009)
(xy 123.117206 88.246013)
(xy 123.202014 88.343888)
(xy 123.202016 88.343889)
(xy 123.202017 88.34389)
(xy 123.310973 88.413912)
(xy 123.435242 88.4504)
(xy 123.564758 88.4504)
(xy 123.689027 88.413912)
(xy 123.797983 88.34389)
(xy 123.800454 88.341039)
(xy 123.839472 88.296009)
(xy 123.882797 88.246009)
(xy 123.9366 88.128197)
(xy 123.950077 88.034463)
(xy 123.955032 88.000003)
(xy 124.244968 88.000003)
(xy 124.263398 88.12819)
(xy 124.2634 88.128197)
(xy 124.317203 88.246009)
(xy 124.317206 88.246013)
(xy 124.402014 88.343888)
(xy 124.402016 88.343889)
(xy 124.402017 88.34389)
(xy 124.510973 88.413912)
(xy 124.635242 88.4504)
(xy 124.764758 88.4504)
(xy 124.889027 88.413912)
(xy 124.997983 88.34389)
(xy 125.000454 88.341039)
(xy 125.039472 88.296009)
(xy 125.082797 88.246009)
(xy 125.1366 88.128197)
(xy 125.150077 88.034463)
(xy 125.155032 88.000003)
(xy 125.155032 87.999996)
(xy 125.140655 87.900003)
(xy 125.744968 87.900003)
(xy 125.763398 88.02819)
(xy 125.7634 88.028197)
(xy 125.817203 88.146009)
(xy 125.817206 88.146013)
(xy 125.902014 88.243888)
(xy 125.902016 88.243889)
(xy 125.902017 88.24389)
(xy 126.010973 88.313912)
(xy 126.135242 88.3504)
(xy 126.264758 88.3504)
(xy 126.389027 88.313912)
(xy 126.497983 88.24389)
(xy 126.500837 88.240597)
(xy 126.547746 88.18646)
(xy 126.582797 88.146009)
(xy 126.6366 88.028197)
(xy 126.640655 87.999996)
(xy 126.655032 87.900003)
(xy 126.655032 87.899996)
(xy 126.636601 87.771809)
(xy 126.6366 87.771808)
(xy 126.6366 87.771803)
(xy 126.582797 87.653991)
(xy 126.566517 87.635203)
(xy 126.537025 87.570623)
(xy 126.547128 87.500349)

(xy 126.593621 87.446693)
(xy 126.593623 87.446692)
(xy 126.597983 87.44389)
(xy 126.604744 87.436088)
(xy 126.666519 87.364795)
(xy 126.682797 87.346009)
(xy 126.7366 87.228197)
(xy 126.742654 87.186089)
(xy 126.755032 87.100003)
(xy 126.755032 87.099996)
(xy 126.736601 86.971809)
(xy 126.7366 86.971808)
(xy 126.7366 86.971803)
(xy 126.682797 86.853991)
(xy 126.682793 86.853986)
(xy 126.597985 86.756111)
(xy 126.597983 86.75611)
(xy 126.594678 86.753986)
(xy 126.489027 86.686088)
(xy 126.489026 86.686087)
(xy 126.489025 86.686087)
(xy 126.364758 86.6496)
(xy 126.235242 86.6496)
(xy 126.110974 86.686087)
(xy 126.110971 86.686089)
(xy 126.002016 86.75611)
(xy 126.002014 86.756111)
(xy 125.917206 86.853986)
(xy 125.917203 86.85399)
(xy 125.8634 86.971802)
(xy 125.863398 86.971809)
(xy 125.844968 87.099996)
(xy 125.844968 87.100003)
(xy 125.863398 87.22819)
(xy 125.8634 87.228197)
(xy 125.917203 87.346009)
(xy 125.933481 87.364795)
(xy 125.962974 87.429376)
(xy 125.952871 87.49965)
(xy 125.906386 87.553301)
(xy 125.902019 87.556107)
(xy 125.902014 87.556111)
(xy 125.817206 87.653986)
(xy 125.817203 87.65399)
(xy 125.7634 87.771802)
(xy 125.763398 87.771809)
(xy 125.744968 87.899996)
(xy 125.744968 87.900003)
(xy 125.140655 87.900003)
(xy 125.136601 87.871809)
(xy 125.1366 87.871808)
(xy 125.1366 87.871803)
(xy 125.082797 87.753991)
(xy 125.082793 87.753986)
(xy 124.997985 87.656111)
(xy 124.997983 87.65611)
(xy 124.949821 87.625158)
(xy 124.889027 87.586088)
(xy 124.889026 87.586087)
(xy 124.889025 87.586087)
(xy 124.764758 87.5496)
(xy 124.635242 87.5496)
(xy 124.510974 87.586087)
(xy 124.510971 87.586089)
(xy 124.402016 87.65611)
(xy 124.402014 87.656111)
(xy 124.317206 87.753986)
(xy 124.317203 87.75399)

(xy 124.2634 87.871802)
(xy 124.263398 87.871809)
(xy 124.244968 87.999996)
(xy 124.244968 88.000003)
(xy 123.955032 88.000003)
(xy 123.955032 87.999996)
(xy 123.936601 87.871809)
(xy 123.9366 87.871808)
(xy 123.9366 87.871803)
(xy 123.882797 87.753991)
(xy 123.882793 87.753986)
(xy 123.797985 87.656111)
(xy 123.797983 87.65611)
(xy 123.749821 87.625158)
(xy 123.689027 87.586088)
(xy 123.689026 87.586087)
(xy 123.689025 87.586087)
(xy 123.564758 87.5496)
(xy 123.435242 87.5496)
(xy 123.310974 87.586087)
(xy 123.310971 87.586089)
(xy 123.202016 87.65611)
(xy 123.202014 87.656111)
(xy 123.117206 87.753986)
(xy 123.117203 87.75399)
(xy 123.0634 87.871802)
(xy 123.063398 87.871809)
(xy 123.044968 87.999996)
(xy 123.044968 88.000003)
(xy 122.055032 88.000003)
(xy 122.055032 87.999996)
(xy 122.036601 87.871809)
(xy 122.0366 87.871808)
(xy 122.0366 87.871803)
(xy 121.982797 87.753991)
(xy 121.964185 87.732511)
(xy 121.934693 87.667933)
(xy 121.944796 87.597659)
(xy 121.964186 87.567487)
(xy 121.982797 87.546009)
(xy 122.0366 87.428197)
(xy 122.047269 87.353991)
(xy 122.055032 87.300003)
(xy 122.055032 87.299996)
(xy 122.036601 87.171809)
(xy 122.0366 87.171808)
(xy 122.0366 87.171803)
(xy 121.982797 87.053991)
(xy 121.964185 87.032511)
(xy 121.934693 86.967933)
(xy 121.944796 86.897659)
(xy 121.964186 86.867487)
(xy 121.982797 86.846009)
(xy 122.0366 86.728197)
(xy 122.042654 86.686089)
(xy 122.055032 86.600003)
(xy 123.044968 86.600003)
(xy 123.063398 86.72819)
(xy 123.0634 86.728197)
(xy 123.117203 86.846009)
(xy 123.117206 86.846013)
(xy 123.202014 86.943888)
(xy 123.202016 86.943889)
(xy 123.202017 86.94389)
(xy 123.310973 87.013912)
(xy 123.435242 87.0504)
(xy 123.564758 87.0504)
(xy 123.689027 87.013912)

(xy 123.797983 86.94389)
(xy 123.882797 86.846009)
(xy 123.9366 86.728197)
(xy 123.942654 86.686089)
(xy 123.955032 86.600003)
(xy 124.244968 86.600003)
(xy 124.263398 86.72819)
(xy 124.2634 86.728197)
(xy 124.317203 86.846009)
(xy 124.317206 86.846013)
(xy 124.402014 86.943888)
(xy 124.402016 86.943889)
(xy 124.402017 86.94389)
(xy 124.510973 87.013912)
(xy 124.635242 87.0504)
(xy 124.764758 87.0504)
(xy 124.889027 87.013912)
(xy 124.997983 86.94389)
(xy 125.082797 86.846009)
(xy 125.1366 86.728197)
(xy 125.142654 86.686089)
(xy 125.155032 86.600003)
(xy 125.155032 86.599996)
(xy 125.136601 86.471809)
(xy 125.1366 86.471808)
(xy 125.1366 86.471803)
(xy 125.082797 86.353991)
(xy 125.082793 86.353986)
(xy 124.997985 86.256111)
(xy 124.997983 86.25611)
(xy 124.949807 86.225149)
(xy 124.889027 86.186088)
(xy 124.889026 86.186087)
(xy 124.889025 86.186087)
(xy 124.764758 86.1496)
(xy 124.635242 86.1496)
(xy 124.510974 86.186087)
(xy 124.510971 86.186089)
(xy 124.402016 86.25611)
(xy 124.402014 86.256111)
(xy 124.317206 86.353986)
(xy 124.317203 86.35399)
(xy 124.2634 86.471802)
(xy 124.263398 86.471809)
(xy 124.244968 86.599996)
(xy 124.244968 86.600003)
(xy 123.955032 86.600003)
(xy 123.955032 86.599996)
(xy 123.936601 86.471809)
(xy 123.9366 86.471808)
(xy 123.9366 86.471803)
(xy 123.882797 86.353991)
(xy 123.882793 86.353986)
(xy 123.797985 86.256111)
(xy 123.797983 86.25611)
(xy 123.749807 86.225149)
(xy 123.689027 86.186088)
(xy 123.689026 86.186087)
(xy 123.689025 86.186087)
(xy 123.564758 86.1496)
(xy 123.435242 86.1496)
(xy 123.310974 86.186087)
(xy 123.310971 86.186089)
(xy 123.202016 86.25611)
(xy 123.202014 86.256111)
(xy 123.117206 86.353986)
(xy 123.117203 86.35399)
(xy 123.0634 86.471802)

(xy 123.063398 86.471809)
(xy 123.044968 86.599996)
(xy 123.044968 86.600003)
(xy 122.055032 86.600003)
(xy 122.055032 86.599996)
(xy 122.036601 86.471809)
(xy 122.0366 86.471808)
(xy 122.0366 86.471803)
(xy 121.982797 86.353991)
(xy 121.982793 86.353986)
(xy 121.897985 86.256111)
(xy 121.897983 86.25611)
(xy 121.849807 86.225149)
(xy 121.789027 86.186088)
(xy 121.789026 86.186087)
(xy 121.789025 86.186087)
(xy 121.664758 86.1496)
(xy 121.535242 86.1496)
(xy 121.410974 86.186087)
(xy 121.410971 86.186089)
(xy 121.302016 86.25611)
(xy 121.302014 86.256111)
(xy 121.217206 86.353986)
(xy 121.217203 86.35399)
(xy 121.1634 86.471802)
(xy 121.163398 86.471809)
(xy 121.144968 86.599996)
(xy 121.144968 86.600003)
(xy 121.163398 86.72819)
(xy 121.1634 86.728197)
(xy 121.217203 86.846009)
(xy 121.217206 86.846013)
(xy 121.235814 86.867489)
(xy 121.265307 86.93207)
(xy 121.255202 87.002344)
(xy 121.235814 87.032511)
(xy 121.217206 87.053986)
(xy 121.217203 87.05399)
(xy 121.1634 87.171802)
(xy 121.163398 87.171809)
(xy 121.144968 87.299996)
(xy 121.144968 87.300003)
(xy 121.163398 87.42819)
(xy 121.1634 87.428197)
(xy 121.217203 87.546009)
(xy 121.217206 87.546013)
(xy 121.235814 87.567489)
(xy 121.265307 87.63207)
(xy 121.255202 87.702344)
(xy 121.235814 87.732511)
(xy 121.217206 87.753986)
(xy 121.217203 87.75399)
(xy 121.1634 87.871802)
(xy 121.163398 87.871809)
(xy 121.144968 87.999996)
(xy 121.144968 88.000003)
(xy 119.41067 88.000003)
(xy 119.497983 87.94389)
(xy 119.582797 87.846009)
(xy 119.6366 87.728197)
(xy 119.638654 87.71391)
(xy 119.655032 87.600003)
(xy 119.655032 87.599996)
(xy 119.636601 87.471809)
(xy 119.6366 87.471808)
(xy 119.6366 87.471803)
(xy 119.582797 87.353991)
(xy 119.575881 87.346009)

(xy 119.497985 87.256111)
(xy 119.497983 87.25611)
(xy 119.481727 87.245663)
(xy 119.389027 87.186088)
(xy 119.389026 87.186087)
(xy 119.389025 87.186087)
(xy 119.264758 87.1496)
(xy 119.135242 87.1496)
(xy 119.010974 87.186087)
(xy 119.010971 87.186089)
(xy 118.902016 87.25611)
(xy 118.902014 87.256111)
(xy 118.817206 87.353986)
(xy 118.817203 87.35399)
(xy 118.7634 87.471802)
(xy 118.763398 87.471809)
(xy 118.744968 87.599996)
(xy 118.744968 87.600003)
(xy 117.345177 87.600003)
(xy 117.345177 87.6)
(xy 117.333777 87.50611)
(xy 117.32614 87.443208)
(xy 117.289278 87.346013)
(xy 117.27013 87.295524)
(xy 117.270128 87.295522)
(xy 117.270128 87.29552)
(xy 117.180409 87.165539)
(xy 117.180407 87.165537)
(xy 117.062183 87.0608)
(xy 116.922329 86.987399)
(xy 116.922328 86.987398)
(xy 116.922327 86.987398)
(xy 116.768974 86.9496)
(xy 116.768973 86.9496)
(xy 116.611027 86.9496)
(xy 116.611025 86.9496)
(xy 116.457673 86.987398)
(xy 116.457672 86.987398)
(xy 116.31782 87.060798)
(xy 116.317818 87.060799)
(xy 116.317817 87.0608)
(xy 116.199593 87.165537)
(xy 116.19959 87.16554)
(xy 116.199589 87.165541)
(xy 116.158694 87.224787)
(xy 116.103535 87.269487)
(xy 116.032966 87.277269)
(xy 115.969393 87.245663)
(xy 115.951303 87.224786)
(xy 115.914732 87.171803)
(xy 115.910408 87.165538)
(xy 115.910407 87.165537)
(xy 115.792183 87.0608)
(xy 115.652329 86.987399)
(xy 115.652328 86.987398)
(xy 115.652327 86.987398)
(xy 115.498974 86.9496)
(xy 115.498973 86.9496)
(xy 115.341027 86.9496)
(xy 115.341025 86.9496)
(xy 115.187673 86.987398)
(xy 115.187672 86.987398)
(xy 115.04782 87.060798)
(xy 115.047818 87.060799)
(xy 115.047817 87.0608)
(xy 115.009235 87.094981)
(xy 114.92959 87.165539)
(xy 114.888696 87.224786)

(xy 114.833537 87.269486)
(xy 114.762969 87.277269)
(xy 114.699395 87.245664)
(xy 114.681304 87.224786)
(xy 114.640409 87.165539)
(xy 114.640407 87.165537)
(xy 114.522183 87.0608)
(xy 114.382329 86.987399)
(xy 114.382328 86.987398)
(xy 114.382327 86.987398)
(xy 114.228974 86.9496)
(xy 114.228973 86.9496)
(xy 114.071027 86.9496)
(xy 114.071025 86.9496)
(xy 113.917673 86.987398)
(xy 113.917672 86.987398)
(xy 113.77782 87.060798)
(xy 113.777818 87.060799)
(xy 113.777817 87.0608)
(xy 113.739235 87.094981)
(xy 113.65959 87.165539)
(xy 113.618696 87.224786)
(xy 113.563537 87.269486)
(xy 113.492969 87.277269)
(xy 113.429395 87.245664)
(xy 113.411304 87.224786)
(xy 113.370409 87.165539)
(xy 113.370407 87.165537)
(xy 113.252183 87.0608)
(xy 113.112329 86.987399)
(xy 113.112328 86.987398)
(xy 113.112327 86.987398)
(xy 112.958974 86.9496)
(xy 112.958973 86.9496)
(xy 112.801027 86.9496)
(xy 112.801025 86.9496)
(xy 112.647673 86.987398)
(xy 112.647672 86.987398)
(xy 112.50782 87.060798)
(xy 112.507818 87.060799)
(xy 112.507817 87.0608)
(xy 112.469235 87.094981)
(xy 112.38959 87.165539)
(xy 112.348696 87.224786)
(xy 112.293537 87.269486)
(xy 112.222969 87.277269)
(xy 112.159395 87.245664)
(xy 112.141304 87.224786)
(xy 112.100409 87.165539)
(xy 112.100407 87.165537)
(xy 111.982183 87.0608)
(xy 111.842329 86.987399)
(xy 111.842328 86.987398)
(xy 111.842327 86.987398)
(xy 111.688974 86.9496)
(xy 111.688973 86.9496)
(xy 111.531027 86.9496)
(xy 111.531025 86.9496)
(xy 111.377673 86.987398)
(xy 111.377672 86.987398)
(xy 111.23782 87.060798)
(xy 111.237818 87.060799)
(xy 111.237817 87.0608)
(xy 111.199235 87.094981)
(xy 111.11959 87.165539)
(xy 111.078696 87.224786)
(xy 111.023537 87.269486)
(xy 110.952969 87.277269)

(xy 110.889395 87.245664)
(xy 110.871304 87.224786)
(xy 110.830409 87.165539)
(xy 110.830407 87.165537)
(xy 110.712183 87.0608)
(xy 110.572329 86.987399)
(xy 110.572328 86.987398)
(xy 110.572327 86.987398)
(xy 110.418974 86.9496)
(xy 110.418973 86.9496)
(xy 110.261027 86.9496)
(xy 110.261025 86.9496)
(xy 110.107673 86.987398)
(xy 110.107672 86.987398)
(xy 109.96782 87.060798)
(xy 109.967818 87.060799)
(xy 109.967817 87.0608)
(xy 109.929235 87.094981)
(xy 109.84959 87.165539)
(xy 109.808696 87.224786)
(xy 109.753537 87.269486)
(xy 109.682969 87.277269)
(xy 109.619395 87.245664)
(xy 109.601304 87.224786)
(xy 109.560409 87.165539)
(xy 109.560407 87.165537)
(xy 109.442183 87.0608)
(xy 109.302329 86.987399)
(xy 109.302328 86.987398)
(xy 109.302327 86.987398)
(xy 109.148974 86.9496)
(xy 109.148973 86.9496)
(xy 108.991027 86.9496)
(xy 108.991025 86.9496)
(xy 108.837673 86.987398)
(xy 108.837672 86.987398)
(xy 108.69782 87.060798)
(xy 108.697818 87.060799)
(xy 108.697817 87.0608)
(xy 108.659235 87.094981)
(xy 108.57959 87.165539)
(xy 108.538696 87.224786)
(xy 108.483537 87.269486)
(xy 108.412969 87.277269)
(xy 108.349395 87.245664)
(xy 108.331304 87.224786)
(xy 108.290409 87.165539)
(xy 108.290407 87.165537)
(xy 108.172183 87.0608)
(xy 108.032329 86.987399)
(xy 108.032328 86.987398)
(xy 108.032327 86.987398)
(xy 107.878974 86.9496)
(xy 107.878973 86.9496)
(xy 107.721027 86.9496)
(xy 107.721025 86.9496)
(xy 107.567673 86.987398)
(xy 107.567672 86.987398)
(xy 107.42782 87.060798)
(xy 107.427818 87.060799)
(xy 107.427817 87.0608)
(xy 107.389235 87.094981)
(xy 107.30959 87.165539)
(xy 107.219871 87.29552)
(xy 107.163859 87.443208)
(xy 107.144823 87.599996)
(xy 107.144823 87.600003)
(xy 102.189832 87.600003)

(xy 102.126817 87.527279)
(xy 102.126815 87.527278)
(xy 102.106017 87.513912)
(xy 102.017859 87.457256)
(xy 102.017858 87.457255)
(xy 102.017857 87.457255)
(xy 101.89359 87.420768)
(xy 101.764074 87.420768)
(xy 101.639806 87.457255)
(xy 101.639803 87.457257)
(xy 101.530848 87.527278)
(xy 101.530846 87.527279)
(xy 101.446038 87.625154)
(xy 101.446035 87.625158)
(xy 101.392232 87.74297)
(xy 101.39223 87.742977)
(xy 101.3738 87.871164)
(xy 101.3738 87.871171)
(xy 98.301988 87.871171)
(xy 98.305032 87.850003)
(xy 98.305032 87.849996)
(xy 98.286601 87.721809)
(xy 98.2866 87.721808)
(xy 98.2866 87.721803)
(xy 98.232797 87.603991)
(xy 98.232793 87.603986)
(xy 98.147985 87.506111)
(xy 98.147983 87.50611)
(xy 98.099044 87.474659)
(xy 98.039027 87.436088)
(xy 98.039026 87.436087)
(xy 98.039025 87.436087)
(xy 97.914758 87.3996)
(xy 97.785242 87.3996)
(xy 97.660975 87.436087)
(xy 97.660973 87.436088)
(xy 97.632168 87.454599)
(xy 97.56405 87.4746)
(xy 97.5514 87.4746)
(xy 97.483279 87.454598)
(xy 97.436786 87.400942)
(xy 97.4254 87.3486)
(xy 97.4254 86.29327)
(xy 97.445402 86.225149)
(xy 97.499058 86.178656)
(xy 97.569332 86.168552)
(xy 97.619519 86.187271)
(xy 97.660973 86.213912)
(xy 97.785242 86.2504)
(xy 97.914758 86.2504)
(xy 98.039027 86.213912)
(xy 98.147983 86.14389)
(xy 98.164006 86.125399)
(xy 98.197768 86.086435)
(xy 98.232797 86.046009)
(xy 98.2866 85.928197)
(xy 98.287952 85.918795)
(xy 99.558365 85.918795)
(xy 99.576795 86.046982)
(xy 99.576797 86.046989)
(xy 99.6306 86.164801)
(xy 99.630603 86.164805)
(xy 99.715411 86.26268)
(xy 99.715413 86.262681)
(xy 99.715414 86.262682)
(xy 99.733346 86.274206)
(xy 99.756622 86.289165)
(xy 99.803115 86.342821)

(xy 99.813218 86.413095)
(xy 99.803115 86.447505)
(xy 99.771659 86.516383)
(xy 99.771657 86.51639)
(xy 99.753227 86.644577)
(xy 99.753227 86.644584)
(xy 99.771657 86.772771)
(xy 99.771659 86.772778)
(xy 99.825462 86.89059)
(xy 99.825465 86.890594)
(xy 99.910273 86.988469)
(xy 99.910275 86.98847)
(xy 99.910276 86.988471)
(xy 100.019232 87.058493)
(xy 100.143501 87.094981)
(xy 100.273017 87.094981)
(xy 100.397286 87.058493)
(xy 100.506242 86.988471)
(xy 100.591056 86.89059)
(xy 100.644859 86.772778)
(xy 100.657323 86.686088)
(xy 100.663291 86.644584)
(xy 100.663291 86.644577)
(xy 100.64486 86.51639)
(xy 100.644859 86.516389)
(xy 100.644859 86.516384)
(xy 100.591056 86.398572)
(xy 100.552426 86.35399)
(xy 100.506244 86.300692)
(xy 100.50624 86.300689)
(xy 100.465032 86.274206)
(xy 100.41854 86.22055)
(xy 100.408437 86.150276)
(xy 100.418538 86.115873)
(xy 100.449997 86.046989)
(xy 100.455116 86.011389)
(xy 100.468429 85.918795)
(xy 100.468429 85.918788)
(xy 100.449998 85.790601)
(xy 100.449997 85.7906)
(xy 100.449997 85.790595)
(xy 100.396194 85.672783)
(xy 100.395344 85.671802)
(xy 100.311382 85.574903)
(xy 100.31138 85.574902)
(xy 100.278834 85.553986)
(xy 100.202424 85.50488)
(xy 100.202423 85.504879)
(xy 100.202422 85.504879)
(xy 100.078155 85.468392)
(xy 99.948639 85.468392)
(xy 99.824371 85.504879)
(xy 99.824368 85.504881)
(xy 99.715413 85.574902)
(xy 99.715411 85.574903)
(xy 99.630603 85.672778)
(xy 99.6306 85.672782)
(xy 99.576797 85.790594)
(xy 99.576795 85.790601)
(xy 99.558365 85.918788)
(xy 99.558365 85.918795)
(xy 98.287952 85.918795)
(xy 98.305032 85.8)
(xy 98.305032 85.799996)
(xy 98.286601 85.671809)
(xy 98.2866 85.671808)
(xy 98.2866 85.671803)
(xy 98.232797 85.553991)

(xy 98.192522 85.507511)
(xy 98.16303 85.442933)
(xy 98.173133 85.372659)
(xy 98.19252 85.34249)
(xy 98.232797 85.296009)
(xy 98.2866 85.178197)
(xy 98.29379 85.12819)
(xy 98.305032 85.050003)
(xy 98.305032 85.049996)
(xy 98.286601 84.921809)
(xy 98.2866 84.921808)
(xy 98.2866 84.921803)
(xy 98.254877 84.852341)
(xy 98.244775 84.782068)
(xy 98.254878 84.747658)
(xy 98.2866 84.678197)
(xy 98.289645 84.657021)
(xy 98.305032 84.550003)
(xy 98.305032 84.549996)
(xy 98.286972 84.424391)
(xy 99.679228 84.424391)
(xy 99.697658 84.552578)
(xy 99.69766 84.552585)
(xy 99.751463 84.670397)
(xy 99.751466 84.670401)
(xy 99.836274 84.768276)
(xy 99.836276 84.768277)
(xy 99.836277 84.768278)
(xy 99.945233 84.8383)
(xy 100.069502 84.874788)
(xy 100.199018 84.874788)
(xy 100.323287 84.8383)
(xy 100.432243 84.768278)
(xy 100.517057 84.670397)
(xy 100.57086 84.552585)
(xy 100.571289 84.5496)
(xy 100.589292 84.424391)
(xy 100.589292 84.424384)
(xy 100.570861 84.296197)
(xy 100.57086 84.296196)
(xy 100.57086 84.296191)
(xy 100.517057 84.178379)
(xy 100.489012 84.146013)
(xy 100.432245 84.080499)
(xy 100.432243 84.080498)
(xy 100.35085 84.02819)
(xy 100.323287 84.010476)
(xy 100.323286 84.010475)
(xy 100.323285 84.010475)
(xy 100.199018 83.973988)
(xy 100.069502 83.973988)
(xy 99.945234 84.010475)
(xy 99.945231 84.010477)
(xy 99.836276 84.080498)
(xy 99.836274 84.080499)
(xy 99.751466 84.178374)
(xy 99.751463 84.178378)
(xy 99.69766 84.29619)
(xy 99.697658 84.296197)
(xy 99.679228 84.424384)
(xy 99.679228 84.424391)
(xy 98.286972 84.424391)
(xy 98.286601 84.421809)
(xy 98.2866 84.421806)
(xy 98.2866 84.421803)
(xy 98.232797 84.303991)
(xy 98.232793 84.303986)
(xy 98.147985 84.206111)

(xy 98.147983 84.20611)
(xy 98.104825 84.178374)
(xy 98.039027 84.136088)
(xy 98.039026 84.136087)
(xy 98.039025 84.136087)
(xy 97.914758 84.0996)
(xy 97.785242 84.0996)
(xy 97.660974 84.136087)
(xy 97.660971 84.136089)
(xy 97.552016 84.20611)
(xy 97.552014 84.206111)
(xy 97.467206 84.303986)
(xy 97.467203 84.30399)
(xy 97.413398 84.421806)
(xy 97.41086 84.430452)
(xy 97.409089 84.429932)
(xy 97.384172 84.484479)
(xy 97.378052 84.49105)
(xy 97.221323 84.647779)
(xy 97.201151 84.664162)
(xy 97.192236 84.669986)
(xy 97.19223 84.669992)
(xy 97.170476 84.69794)
(xy 97.165318 84.703783)
(xy 97.162561 84.70654)
(xy 97.162555 84.706549)
(xy 97.148985 84.725554)
(xy 97.13027 84.7496)
(xy 97.115277 84.768863)
(xy 97.111535 84.775777)
(xy 97.108078 84.782849)
(xy 97.092415 84.835461)
(xy 97.080328 84.870668)
(xy 97.05025 84.918853)
(xy 96.82132 85.147782)
(xy 96.801148 85.164164)
(xy 96.792236 85.169986)
(xy 96.79223 85.169992)
(xy 96.770476 85.19794)
(xy 96.765318 85.203783)
(xy 96.762561 85.20654)
(xy 96.762555 85.206549)
(xy 96.748985 85.225554)
(xy 96.729647 85.2504)
(xy 96.715277 85.268863)
(xy 96.711535 85.275777)
(xy 96.708078 85.282849)
(xy 96.692415 85.33546)
(xy 96.674599 85.387358)
(xy 96.673301 85.395134)
(xy 96.67233 85.402925)
(xy 96.673499 85.43117)
(xy 96.65633 85.500059)
(xy 96.604642 85.54873)
(xy 96.534845 85.56173)
(xy 96.469101 85.534931)
(xy 96.452383 85.51889)
(xy 96.397985 85.456111)
(xy 96.397983 85.45611)
(xy 96.345529 85.4224)
(xy 96.289027 85.386088)
(xy 96.289026 85.386087)
(xy 96.289025 85.386087)
(xy 96.164758 85.3496)
(xy 96.035242 85.3496)
(xy 95.910974 85.386087)
(xy 95.910971 85.386089)
(xy 95.802016 85.45611)

(xy 95.802014 85.456111)
(xy 95.717206 85.553986)
(xy 95.717203 85.55399)
(xy 95.6634 85.671802)
(xy 95.663398 85.671809)
(xy 95.644968 85.799996)
(xy 95.644968 85.800003)
(xy 95.663398 85.92819)
(xy 95.6634 85.928197)
(xy 95.717203 86.046009)
(xy 95.717206 86.046013)
(xy 95.802014 86.143888)
(xy 95.802016 86.143889)
(xy 95.802017 86.14389)
(xy 95.910973 86.213912)
(xy 96.035242 86.2504)
(xy 96.164758 86.2504)
(xy 96.289027 86.213912)
(xy 96.397983 86.14389)
(xy 96.453376 86.079961)
(xy 96.513101 86.041579)
(xy 96.584097 86.041579)
(xy 96.643824 86.079962)
(xy 96.673317 86.144542)
(xy 96.6746 86.162475)
(xy 96.6746 87.777998)
(xy 96.671918 87.803857)
(xy 96.669733 87.814272)
(xy 96.672212 87.834156)
(xy 96.674116 87.849432)
(xy 96.6746 87.857221)
(xy 96.6746 88.237524)
(xy 96.654598 88.305645)
(xy 96.600942 88.352138)
(xy 96.530668 88.362242)
(xy 96.466088 88.332748)
(xy 96.453376 88.320036)
(xy 96.397985 88.256111)
(xy 96.397983 88.25611)
(xy 96.389098 88.2504)
(xy 96.289027 88.186088)
(xy 96.289026 88.186087)
(xy 96.289025 88.186087)
(xy 96.164758 88.1496)
(xy 96.035242 88.1496)
(xy 95.910974 88.186087)
(xy 95.910971 88.186089)
(xy 95.802016 88.25611)
(xy 95.802014 88.256111)
(xy 95.717206 88.353986)
(xy 95.717203 88.35399)
(xy 95.6634 88.471802)
(xy 95.663398 88.471809)
(xy 95.644968 88.599996)
(xy 95.644968 88.600003)
(xy 95.663398 88.72819)
(xy 95.6634 88.728197)
(xy 95.717203 88.846009)
(xy 95.717206 88.846013)
(xy 95.802014 88.943888)
(xy 95.802016 88.943889)
(xy 95.802017 88.94389)
(xy 95.910973 89.013912)
(xy 96.035242 89.0504)
(xy 96.164758 89.0504)
(xy 96.289027 89.013912)
(xy 96.397983 88.94389)
(xy 96.453376 88.879961)

(xy 96.513101 88.841579)
(xy 96.584097 88.841579)
(xy 96.643824 88.879962)
(xy 96.673317 88.944542)
(xy 96.6746 88.962475)
(xy 96.6746 90.596946)
(xy 96.672372 90.612411)
(xy 96.673622 90.612567)
(xy 96.67233 90.622925)
(xy 96.6746 90.677777)
(xy 96.6746 91.037524)
(xy 96.654598 91.105645)
(xy 96.600942 91.152138)
(xy 96.530668 91.162242)
(xy 96.466088 91.132748)
(xy 96.453376 91.120036)
(xy 96.397985 91.056111)
(xy 96.397983 91.05611)
(xy 96.301167 90.99389)
(xy 96.289027 90.986088)
(xy 96.289026 90.986087)
(xy 96.289025 90.986087)
(xy 96.164758 90.9496)
(xy 96.035242 90.9496)
(xy 95.910974 90.986087)
(xy 95.910971 90.986089)
(xy 95.802016 91.05611)
(xy 95.802014 91.056111)
(xy 95.717206 91.153986)
(xy 95.717203 91.15399)
(xy 95.6634 91.271802)
(xy 95.663398 91.271809)
(xy 95.644968 91.399996)
(xy 95.644968 91.400003)
(xy 87.8254 91.400003)
(xy 87.8254 89.807554)
(xy 87.825485 89.804282)
(xy 87.827599 89.763952)
(xy 87.821882 89.749058)
(xy 87.820341 89.745043)
(xy 87.814726 89.726086)
(xy 87.810514 89.706275)
(xy 87.810514 89.706274)
(xy 87.810514 89.706273)
(xy 87.809543 89.704937)
(xy 87.793849 89.676031)
(xy 87.79326 89.674496)
(xy 87.778935 89.660171)
(xy 87.766102 89.645146)
(xy 87.754192 89.628753)
(xy 87.754191 89.628752)
(xy 87.752762 89.627927)
(xy 87.726669 89.607905)
(xy 87.414736 89.295973)
(xy 87.412465 89.29358)
(xy 87.385447 89.263573)
(xy 87.385446 89.263572)
(xy 87.366944 89.255335)
(xy 87.34957 89.245902)
(xy 87.346472 89.24389)
(xy 87.332581 89.234869)
(xy 87.332579 89.234868)
(xy 87.327914 89.231839)
(xy 87.281676 89.177963)
(xy 87.271906 89.107642)
(xy 87.301705 89.043202)
(xy 87.332313 89.020406)
(xy 87.33132 89.018865)

(xy 87.331753 89.018586)
(xy 87.336728 89.017118)
(xy 87.344218 89.011541)
(xy 87.347248 89.010158)
(xy 87.3488 89.013558)
(xy 87.39985 88.998503)
(xy 87.451239 89.013525)
(xy 87.452773 89.010167)
(xy 87.46097 89.01391)
(xy 87.460973 89.013912)
(xy 87.585242 89.0504)
(xy 87.714758 89.0504)
(xy 87.839027 89.013912)
(xy 87.947983 88.94389)
(xy 88.032797 88.846009)
(xy 88.0866 88.728197)
(xy 88.092654 88.686089)
(xy 88.105032 88.600003)
(xy 88.105032 88.590988)
(xy 88.107799 88.590988)
(xy 88.115866 88.534847)
(xy 88.141386 88.498086)
(xy 89.027169 87.612304)
(xy 89.089482 87.578279)
(xy 89.116265 87.5754)
(xy 90.635128 87.5754)
(xy 90.703249 87.595402)
(xy 90.730351 87.618886)
(xy 90.752017 87.64389)
(xy 90.860973 87.713912)
(xy 90.985242 87.7504)
(xy 91.114758 87.7504)
(xy 91.239027 87.713912)
(xy 91.239031 87.713908)
(xy 91.247227 87.710167)
(xy 91.248786 87.713581)
(xy 91.299717 87.698503)
(xy 91.351246 87.713508)
(xy 91.352773 87.710167)
(xy 91.36097 87.71391)
(xy 91.360973 87.713912)
(xy 91.485242 87.7504)
(xy 91.614758 87.7504)
(xy 91.739027 87.713912)
(xy 91.847983 87.64389)
(xy 91.854744 87.636088)
(xy 91.876254 87.611263)
(xy 91.932797 87.546009)
(xy 91.9866 87.428197)
(xy 91.997269 87.353991)
(xy 92.005032 87.300003)
(xy 92.005032 87.299996)
(xy 91.986601 87.171809)
(xy 91.9866 87.171808)
(xy 91.9866 87.171803)
(xy 91.932797 87.053991)
(xy 91.932793 87.053986)
(xy 91.847985 86.956111)
(xy 91.847983 86.95611)
(xy 91.763002 86.901496)
(xy 91.739027 86.886088)
(xy 91.739026 86.886087)
(xy 91.739025 86.886087)
(xy 91.614758 86.8496)
(xy 91.485242 86.8496)
(xy 91.360974 86.886087)
(xy 91.352773 86.889833)
(xy 91.351233 86.88646)

(xy 91.299944 86.901496)
(xy 91.248763 86.886468)
(xy 91.247227 86.889833)
(xy 91.239025 86.886087)
(xy 91.114758 86.8496)
(xy 90.985242 86.8496)
(xy 90.860974 86.886087)
(xy 90.860971 86.886089)
(xy 90.752017 86.956109)
(xy 90.730353 86.981112)
(xy 90.670627 87.019496)
(xy 90.635128 87.0246)
(xy 88.989533 87.0246)
(xy 88.964952 87.022179)
(xy 88.95 87.019205)
(xy 88.922877 87.0246)
(xy 88.842544 87.040578)
(xy 88.751446 87.101449)
(xy 88.742972 87.114131)
(xy 88.727306 87.133218)
(xy 87.747829 88.112696)
(xy 87.685519 88.14672)
(xy 87.658736 88.1496)
(xy 87.585242 88.1496)
(xy 87.460974 88.186087)
(xy 87.452773 88.189833)
(xy 87.451233 88.18646)
(xy 87.399944 88.201496)
(xy 87.348763 88.186468)
(xy 87.347227 88.189833)
(xy 87.339025 88.186087)
(xy 87.214758 88.1496)
(xy 87.085242 88.1496)
(xy 86.960974 88.186087)
(xy 86.960971 88.186089)
(xy 86.852016 88.25611)
(xy 86.852014 88.256111)
(xy 86.767206 88.353986)
(xy 86.767203 88.35399)
(xy 86.7134 88.471802)
(xy 86.713398 88.471809)
(xy 86.694968 88.599996)
(xy 86.694968 88.600003)
(xy 86.713398 88.72819)
(xy 86.7134 88.728197)
(xy 86.767203 88.846009)
(xy 86.767206 88.846013)
(xy 86.852014 88.943888)
(xy 86.852016 88.943889)
(xy 86.852017 88.94389)
(xy 86.89546 88.971809)
(xy 86.927814 88.992602)
(xy 86.974307 89.046258)
(xy 86.98441 89.116532)
(xy 86.954917 89.181113)
(xy 86.895191 89.219496)
(xy 86.859693 89.2246)
(xy 81.307566 89.2246)
(xy 81.304292 89.224514)
(xy 81.263952 89.2224)
(xy 81.263949 89.2224)
(xy 81.245034 89.229661)
(xy 81.226085 89.235274)
(xy 81.206272 89.239485)
(xy 81.204933 89.240459)
(xy 81.176041 89.256146)
(xy 81.174499 89.256737)
(xy 81.174494 89.256741)

(xy 81.160173 89.271062)
(xy 81.145143 89.283899)
(xy 81.128753 89.295807)
(xy 81.128749 89.295812)
(xy 81.127923 89.297243)
(xy 81.107904 89.32333)
(xy 79.234781 91.196454)
(xy 79.172469 91.230479)
(xy 79.101654 91.225415)
(xy 79.044818 91.182868)
(xy 79.031075 91.159705)
(xy 78.982797 91.053991)
(xy 78.982793 91.053986)
(xy 78.897985 90.956111)
(xy 78.897983 90.95611)
(xy 78.874946 90.941305)
(xy 78.789027 90.886088)
(xy 78.789026 90.886087)
(xy 78.789025 90.886087)
(xy 78.664758 90.8496)
(xy 78.535242 90.8496)
(xy 78.410974 90.886087)
(xy 78.410971 90.886089)
(xy 78.302016 90.95611)
(xy 78.302014 90.956111)
(xy 78.217206 91.053986)
(xy 78.217203 91.05399)
(xy 78.1634 91.171802)
(xy 78.163398 91.171809)
(xy 78.144968 91.299996)
(xy 78.144968 91.300003)
(xy 78.163398 91.42819)
(xy 78.1634 91.428197)
(xy 78.217203 91.546009)
(xy 78.217206 91.546013)
(xy 78.302014 91.643888)
(xy 78.302016 91.643889)
(xy 78.302017 91.64389)
(xy 78.410973 91.713912)
(xy 78.438339 91.721947)
(xy 78.444029 91.723618)
(xy 78.503755 91.762001)
(xy 78.533248 91.826582)
(xy 78.523145 91.896856)
(xy 78.497626 91.933609)
(xy 78.445973 91.985263)
(xy 78.443581 91.987533)
(xy 78.413576 92.014548)
(xy 78.413572 92.014555)
(xy 78.405332 92.03306)
(xy 78.395904 92.050425)
(xy 78.384868 92.06742)
(xy 78.384867 92.067421)
(xy 78.384608 92.06906)
(xy 78.375273 92.100577)
(xy 78.3746 92.102088)
(xy 78.3746 92.122342)
(xy 78.373049 92.14205)
(xy 78.36988 92.16206)
(xy 78.370307 92.163654)
(xy 78.3746 92.196264)
(xy 78.3746 93.940662)
(xy 78.354598 94.008783)
(xy 78.316725 94.046657)
(xy 78.30202 94.056108)
(xy 78.302011 94.056115)
(xy 78.217206 94.153986)
(xy 78.217203 94.15399)

(xy 78.1634 94.271802)
(xy 78.163398 94.271809)
(xy 78.144968 94.399996)
(xy 78.144968 94.400003)
(xy 78.163398 94.52819)
(xy 78.1634 94.528197)
(xy 78.217203 94.646009)
(xy 78.217206 94.646013)
(xy 78.302014 94.743888)
(xy 78.302016 94.743889)
(xy 78.302017 94.74389)
(xy 78.410973 94.813912)
(xy 78.535242 94.8504)
(xy 78.664758 94.8504)
(xy 78.789027 94.813912)
(xy 78.897983 94.74389)
(xy 78.982797 94.646009)
(xy 79.0366 94.528197)
(xy 79.041533 94.493888)
(xy 79.055032 94.400003)
(xy 79.055032 94.399996)
(xy 79.036601 94.271809)
(xy 79.0366 94.271808)
(xy 79.0366 94.271803)
(xy 78.982797 94.153991)
(xy 78.982793 94.153986)
(xy 78.897988 94.056115)
(xy 78.897985 94.056113)
(xy 78.897983 94.05611)
(xy 78.890766 94.051472)
(xy 78.883275 94.046657)
(xy 78.836784 93.993)
(xy 78.8254 93.940662)
(xy 78.8254 92.295553)
(xy 78.845402 92.227432)
(xy 78.862305 92.206458)
(xy 79.168763 91.9)
(xy 79.745131 91.9)
(xy 79.7625 92.009661)
(xy 79.7625 92.009662)
(xy 79.762501 92.009663)
(xy 79.811632 92.10609)
(xy 79.812905 92.108587)
(xy 79.891413 92.187095)
(xy 79.990339 92.2375)
(xy 80.1 92.254869)
(xy 80.209661 92.2375)
(xy 80.308587 92.187095)
(xy 80.387095 92.108587)
(xy 80.387732 92.107335)
(xy 80.388908 92.10609)
(xy 80.392926 92.100561)
(xy 80.39364 92.10108)
(xy 80.436481 92.055719)
(xy 80.505395 92.038653)
(xy 80.572597 92.061553)
(xy 80.606658 92.100862)
(xy 80.607074 92.100561)
(xy 80.610587 92.105397)
(xy 80.612267 92.107335)
(xy 80.612905 92.108587)
(xy 80.691413 92.187095)
(xy 80.691415 92.187096)
(xy 80.691417 92.187097)
(xy 80.692668 92.187735)
(xy 80.693912 92.18891)
(xy 80.699439 92.192926)
(xy 80.69892 92.19364)

(xy 80.744282 92.236485)
(xy 80.761346 92.3054)
(xy 80.738443 92.372601)
(xy 80.699137 92.406659)
(xy 80.699439 92.407074)
(xy 80.694607 92.410584)
(xy 80.692668 92.412265)
(xy 80.691417 92.412902)
(xy 80.691411 92.412906)
(xy 80.612904 92.491413)
(xy 80.562501 92.590336)
(xy 80.5625 92.590337)
(xy 80.5625 92.590339)
(xy 80.545131 92.7)
(xy 80.5625 92.809661)
(xy 80.5625 92.809662)
(xy 80.562501 92.809663)
(xy 80.611632 92.90609)
(xy 80.612905 92.908587)
(xy 80.691413 92.987095)
(xy 80.691415 92.987096)
(xy 80.691417 92.987097)
(xy 80.692668 92.987735)
(xy 80.693912 92.98891)
(xy 80.699439 92.992926)
(xy 80.69892 92.99364)
(xy 80.744282 93.036485)
(xy 80.761346 93.1054)
(xy 80.738443 93.172601)
(xy 80.699137 93.206659)
(xy 80.699439 93.207074)
(xy 80.694607 93.210584)
(xy 80.692668 93.212265)
(xy 80.691417 93.212902)
(xy 80.691411 93.212906)
(xy 80.612904 93.291413)
(xy 80.562501 93.390336)
(xy 80.5625 93.390337)
(xy 80.5625 93.390339)
(xy 80.545131 93.5)
(xy 80.5625 93.609661)
(xy 80.5625 93.609662)
(xy 80.562501 93.609663)
(xy 80.608325 93.6996)
(xy 80.612905 93.708587)
(xy 80.691413 93.787095)
(xy 80.691415 93.787096)
(xy 80.691417 93.787097)
(xy 80.692668 93.787735)
(xy 80.693912 93.78891)
(xy 80.699439 93.792926)
(xy 80.69892 93.79364)
(xy 80.744282 93.836485)
(xy 80.761346 93.9054)
(xy 80.738443 93.972601)
(xy 80.699137 94.006659)
(xy 80.699439 94.007074)
(xy 80.694607 94.010584)
(xy 80.692668 94.012265)
(xy 80.691417 94.012902)
(xy 80.691411 94.012906)
(xy 80.612904 94.091413)
(xy 80.562501 94.190336)
(xy 80.5625 94.190337)
(xy 80.5625 94.190339)
(xy 80.545131 94.3)
(xy 80.5625 94.409661)
(xy 80.5625 94.409662)

(xy 80.562501 94.409663)
(xy 80.608529 94.5)
(xy 80.612905 94.508587)
(xy 80.691413 94.587095)
(xy 80.691415 94.587096)
(xy 80.691417 94.587097)
(xy 80.692668 94.587735)
(xy 80.693912 94.58891)
(xy 80.699439 94.592926)
(xy 80.69892 94.59364)
(xy 80.744282 94.636485)
(xy 80.761346 94.7054)
(xy 80.738443 94.772601)
(xy 80.699137 94.806659)
(xy 80.699439 94.807074)
(xy 80.694607 94.810584)
(xy 80.692668 94.812265)
(xy 80.691417 94.812902)
(xy 80.691411 94.812906)
(xy 80.612904 94.891413)
(xy 80.562501 94.990336)
(xy 80.5625 94.990337)
(xy 80.5625 94.990339)
(xy 80.554018 95.04389)
(xy 80.545132 95.099996)
(xy 80.545131 95.1)
(xy 80.5625 95.209661)
(xy 80.5625 95.209662)
(xy 80.562501 95.209663)
(xy 80.608423 95.299792)
(xy 80.612905 95.308587)
(xy 80.691413 95.387095)
(xy 80.691415 95.387096)
(xy 80.691417 95.387097)
(xy 80.692668 95.387735)
(xy 80.693912 95.38891)
(xy 80.699439 95.392926)
(xy 80.69892 95.39364)
(xy 80.744282 95.436485)
(xy 80.761346 95.5054)
(xy 80.738443 95.572601)
(xy 80.699137 95.606659)
(xy 80.699439 95.607074)
(xy 80.694607 95.610584)
(xy 80.692668 95.612265)
(xy 80.691417 95.612902)
(xy 80.691411 95.612906)
(xy 80.612904 95.691413)
(xy 80.562501 95.790336)
(xy 80.5625 95.790337)
(xy 80.5625 95.790339)
(xy 80.549157 95.874576)
(xy 80.546186 95.893342)
(xy 80.545131 95.9)
(xy 80.5625 96.009661)
(xy 80.5625 96.009662)
(xy 80.562501 96.009663)
(xy 80.612328 96.107456)
(xy 80.612905 96.108587)
(xy 80.691413 96.187095)
(xy 80.790339 96.2375)
(xy 80.9 96.254869)
(xy 81.009661 96.2375)
(xy 81.108587 96.187095)
(xy 81.187095 96.108587)
(xy 81.2375 96.009661)
(xy 81.254869 95.9)
(xy 81.2375 95.790339)

(xy 81.187095 95.691413)
(xy 81.108587 95.612905)
(xy 81.108585 95.612904)
(xy 81.108584 95.612903)
(xy 81.107335 95.612267)
(xy 81.10609 95.611091)
(xy 81.100561 95.607074)
(xy 81.10108 95.606359)
(xy 81.055719 95.563519)
(xy 81.038653 95.494605)
(xy 81.061553 95.427403)
(xy 81.100862 95.393341)
(xy 81.100561 95.392926)
(xy 81.105397 95.389412)
(xy 81.107335 95.387733)
(xy 81.107495 95.38765)
(xy 81.108587 95.387095)
(xy 81.187095 95.308587)
(xy 81.2375 95.209661)
(xy 81.254869 95.1)
(xy 81.2375 94.990339)
(xy 81.187095 94.891413)
(xy 81.108587 94.812905)
(xy 81.108585 94.812904)
(xy 81.108584 94.812903)
(xy 81.107335 94.812267)
(xy 81.10609 94.811091)
(xy 81.100561 94.807074)
(xy 81.10108 94.806359)
(xy 81.055719 94.763519)
(xy 81.038653 94.694605)
(xy 81.061553 94.627403)
(xy 81.100862 94.593341)
(xy 81.100561 94.592926)
(xy 81.105397 94.589412)
(xy 81.107335 94.587733)
(xy 81.107495 94.58765)
(xy 81.108587 94.587095)
(xy 81.187095 94.508587)
(xy 81.2375 94.409661)
(xy 81.254869 94.3)
(xy 81.2375 94.190339)
(xy 81.187095 94.091413)
(xy 81.108587 94.012905)
(xy 81.108585 94.012904)
(xy 81.108584 94.012903)
(xy 81.107335 94.012267)
(xy 81.10609 94.011091)
(xy 81.100561 94.007074)
(xy 81.10108 94.006359)
(xy 81.055719 93.963519)
(xy 81.038653 93.894605)
(xy 81.061553 93.827403)
(xy 81.100862 93.793341)
(xy 81.100561 93.792926)
(xy 81.105397 93.789412)
(xy 81.107335 93.787733)
(xy 81.107495 93.78765)
(xy 81.108587 93.787095)
(xy 81.187095 93.708587)
(xy 81.2375 93.609661)
(xy 81.254869 93.5)
(xy 81.2375 93.390339)
(xy 81.187095 93.291413)
(xy 81.108587 93.212905)
(xy 81.108585 93.212904)
(xy 81.108584 93.212903)
(xy 81.107335 93.212267)

(xy 81.10609 93.211091)
(xy 81.100561 93.207074)
(xy 81.10108 93.206359)
(xy 81.055719 93.163519)
(xy 81.038653 93.094605)
(xy 81.061553 93.027403)
(xy 81.100862 92.993341)
(xy 81.100561 92.992926)
(xy 81.105397 92.989412)
(xy 81.107335 92.987733)
(xy 81.107495 92.98765)
(xy 81.108587 92.987095)
(xy 81.187095 92.908587)
(xy 81.2375 92.809661)
(xy 81.254869 92.7)
(xy 81.2375 92.590339)
(xy 81.187095 92.491413)
(xy 81.108587 92.412905)
(xy 81.108585 92.412904)
(xy 81.108584 92.412903)
(xy 81.107335 92.412267)
(xy 81.10609 92.411091)
(xy 81.100561 92.407074)
(xy 81.10108 92.406359)
(xy 81.055719 92.363519)
(xy 81.038653 92.294605)
(xy 81.061553 92.227403)
(xy 81.100862 92.193341)
(xy 81.100561 92.192926)
(xy 81.105397 92.189412)
(xy 81.107335 92.187733)
(xy 81.107495 92.18765)
(xy 81.108587 92.187095)
(xy 81.187095 92.108587)
(xy 81.2375 92.009661)
(xy 81.254869 91.9)
(xy 81.2375 91.790339)
(xy 81.187095 91.691413)
(xy 81.108587 91.612905)
(xy 81.108587 91.612904)
(xy 81.108586 91.612904)
(xy 81.009663 91.562501)
(xy 81.009662 91.5625)
(xy 81.009661 91.5625)
(xy 80.9 91.545131)
(xy 80.790339 91.5625)
(xy 80.790337 91.5625)
(xy 80.790336 91.562501)
(xy 80.691413 91.612904)
(xy 80.612906 91.691411)
(xy 80.612902 91.691417)
(xy 80.612265 91.692668)
(xy 80.611089 91.693912)
(xy 80.607074 91.699439)
(xy 80.606359 91.69892)
(xy 80.563515 91.744282)
(xy 80.4946 91.761346)
(xy 80.427399 91.738443)
(xy 80.39334 91.699137)
(xy 80.392926 91.699439)
(xy 80.389415 91.694607)
(xy 80.387735 91.692668)
(xy 80.387097 91.691417)
(xy 80.387095 91.691413)
(xy 80.308587 91.612905)
(xy 80.308586 91.612904)
(xy 80.209663 91.562501)
(xy 80.209662 91.5625)

(xy 80.209661 91.5625)
(xy 80.1 91.545131)
(xy 79.990339 91.5625)
(xy 79.990337 91.5625)
(xy 79.990336 91.562501)
(xy 79.891413 91.612904)
(xy 79.812904 91.691413)
(xy 79.762501 91.790336)
(xy 79.7625 91.790337)
(xy 79.7625 91.790339)
(xy 79.745131 91.9)
(xy 79.168763 91.9)
(xy 81.356459 89.712305)
(xy 81.418771 89.678279)
(xy 81.445554 89.6754)
(xy 84.930935 89.6754)
(xy 84.999056 89.695402)
(xy 85.045549 89.749058)
(xy 85.055653 89.819332)
(xy 85.026159 89.883912)
(xy 85.02003 89.890495)
(xy 83.683218 91.227306)
(xy 83.664131 91.242972)
(xy 83.651449 91.251446)
(xy 83.590578 91.342544)
(xy 83.579095 91.400281)
(xy 83.574327 91.424253)
(xy 83.569205 91.45)
(xy 83.569241 91.450183)
(xy 83.572179 91.46495)
(xy 83.5746 91.489532)
(xy 83.5746 92.242667)
(xy 83.554598 92.310788)
(xy 83.500942 92.357281)
(xy 83.430668 92.367385)
(xy 83.409679 92.362505)
(xy 83.409671 92.362502)
(xy 83.409662 92.3625)
(xy 83.409661 92.3625)
(xy 83.3 92.345131)
(xy 83.190339 92.3625)
(xy 83.190337 92.3625)
(xy 83.190336 92.362501)
(xy 83.091413 92.412904)
(xy 83.012906 92.491411)
(xy 83.012902 92.491417)
(xy 83.012265 92.492668)
(xy 83.011089 92.493912)
(xy 83.007074 92.499439)
(xy 83.006359 92.49892)
(xy 82.963515 92.544282)
(xy 82.8946 92.561346)
(xy 82.827399 92.538443)
(xy 82.79334 92.499137)
(xy 82.792926 92.499439)
(xy 82.789415 92.494607)
(xy 82.787735 92.492668)
(xy 82.787097 92.491417)
(xy 82.787095 92.491413)
(xy 82.708587 92.412905)
(xy 82.708586 92.412904)
(xy 82.609663 92.362501)
(xy 82.609662 92.3625)
(xy 82.609661 92.3625)
(xy 82.5 92.345131)
(xy 82.390339 92.3625)
(xy 82.390337 92.3625)
(xy 82.390336 92.362501)

(xy 82.291413 92.412904)
(xy 82.212904 92.491413)
(xy 82.162501 92.590336)
(xy 82.1625 92.590337)
(xy 82.1625 92.590339)
(xy 82.145131 92.7)
(xy 82.1625 92.809661)
(xy 82.1625 92.809662)
(xy 82.162501 92.809663)
(xy 82.211632 92.90609)
(xy 82.212905 92.908587)
(xy 82.291413 92.987095)
(xy 82.291415 92.987096)
(xy 82.291417 92.987097)
(xy 82.292668 92.987735)
(xy 82.293912 92.98891)
(xy 82.299439 92.992926)
(xy 82.29892 92.99364)
(xy 82.344282 93.036485)
(xy 82.361346 93.1054)
(xy 82.338443 93.172601)
(xy 82.299137 93.206659)
(xy 82.299439 93.207074)
(xy 82.294607 93.210584)
(xy 82.292668 93.212265)
(xy 82.291417 93.212902)
(xy 82.291411 93.212906)
(xy 82.212904 93.291413)
(xy 82.162501 93.390336)
(xy 82.1625 93.390337)
(xy 82.1625 93.390339)
(xy 82.145131 93.5)
(xy 82.160794 93.598892)
(xy 82.151696 93.669299)
(xy 82.105975 93.723614)
(xy 82.038147 93.744587)
(xy 82.036346 93.7446)
(xy 81.849 93.7446)
(xy 81.829355 93.748507)
(xy 81.789533 93.756429)
(xy 81.789531 93.756429)
(xy 81.78953 93.75643)
(xy 81.754882 93.770782)
(xy 81.75488 93.770783)
(xy 81.719749 93.791065)
(xy 81.719748 93.791065)
(xy 81.670784 93.854878)
(xy 81.670781 93.854882)
(xy 81.656429 93.889531)
(xy 81.647168 93.936089)
(xy 81.6446 93.949)
(xy 81.6446 95.1)
(xy 81.6446 95.379704)
(xy 81.655895 95.436485)
(xy 81.65643 95.439173)
(xy 81.65643 95.439175)
(xy 81.67078 95.47382)
(xy 81.670782 95.473824)
(xy 81.699471 95.516758)
(xy 81.704468 95.524236)
(xy 81.907696 95.727464)
(xy 81.94172 95.789774)
(xy 81.9446 95.816558)
(xy 81.9446 95.983441)
(xy 81.924598 96.051562)
(xy 81.907695 96.072536)
(xy 81.804472 96.175758)
(xy 81.804465 96.175767)

(xy 81.770782 96.226175)
(xy 81.77078 96.226179)
(xy 81.756429 96.260828)
(xy 81.755319 96.264486)
(xy 81.754218 96.266164)
(xy 81.754062 96.266543)
(xy 81.75399 96.266513)
(xy 81.716397 96.323862)
(xy 81.654461 96.352343)
(xy 81.590339 96.362499)
(xy 81.491413 96.412904)
(xy 81.412906 96.491411)
(xy 81.412903 96.491416)
(xy 81.369907 96.575802)
(xy 81.321159 96.627418)
(xy 81.25764 96.6446)
(xy 78.399 96.6446)
(xy 78.391897 96.646013)
(xy 78.339533 96.656429)
(xy 78.339531 96.656429)
(xy 78.33953 96.65643)
(xy 78.304882 96.670782)
(xy 78.30488 96.670783)
(xy 78.304875 96.670785)
(xy 78.268208 96.691955)
(xy 78.20521 96.708835)
(xy 77.218083 96.708835)
(xy 77.149962 96.688833)
(xy 77.12286 96.665349)
(xy 77.114042 96.655172)
(xy 77.084549 96.590594)
(xy 77.094651 96.52032)
(xy 77.114041 96.490148)
(xy 77.120028 96.48324)
(xy 77.173831 96.365428)
(xy 77.181868 96.309532)
(xy 77.192263 96.237234)
(xy 77.192263 96.237227)
(xy 77.173832 96.10904)
(xy 77.173831 96.109039)
(xy 77.173831 96.109034)
(xy 77.120028 95.991222)
(xy 77.117861 95.988721)
(xy 77.035216 95.893342)
(xy 77.035214 95.893341)
(xy 77.010333 95.877351)
(xy 76.926258 95.823319)
(xy 76.926257 95.823318)
(xy 76.926256 95.823318)
(xy 76.801989 95.786831)
(xy 76.672473 95.786831)
(xy 76.548205 95.823318)
(xy 76.548202 95.82332)
(xy 76.439247 95.893341)
(xy 76.439245 95.893342)
(xy 76.354437 95.991217)
(xy 76.354434 95.991221)
(xy 76.300631 96.109033)
(xy 76.300629 96.10904)
(xy 76.282199 96.237227)
(xy 76.282199 96.237234)
(xy 76.300629 96.365421)
(xy 76.300631 96.365428)
(xy 76.354434 96.48324)
(xy 76.422383 96.561658)
(xy 76.426399 96.566292)
(xy 76.455892 96.630873)
(xy 76.445789 96.701147)

(xy 76.426401 96.731315)
(xy 76.420417 96.73822)
(xy 76.420414 96.738225)
(xy 76.366611 96.856037)
(xy 76.366609 96.856044)
(xy 76.348179 96.984231)
(xy 76.348179 96.984238)
(xy 76.366609 97.112425)
(xy 76.366611 97.112432)
(xy 76.420414 97.230244)
(xy 76.420417 97.230248)
(xy 76.505225 97.328123)
(xy 76.505227 97.328124)
(xy 76.505228 97.328125)
(xy 76.614184 97.398147)
(xy 76.738453 97.434635)
(xy 76.867969 97.434635)
(xy 76.992238 97.398147)
(xy 77.101194 97.328125)
(xy 77.122858 97.303122)
(xy 77.182584 97.264739)
(xy 77.218083 97.259635)
(xy 78.0686 97.259635)
(xy 78.136721 97.279637)
(xy 78.183214 97.333293)
(xy 78.1946 97.385635)
(xy 78.1946 98.060181)
(xy 78.174598 98.128302)
(xy 78.157695 98.149276)
(xy 76.934839 99.372132)
(xy 76.88861 99.415307)
(xy 76.888609 99.415309)
(xy 76.866766 99.451228)
(xy 76.863134 99.456564)
(xy 76.837723 99.490074)
(xy 76.831677 99.505403)
(xy 76.822128 99.524628)
(xy 76.813569 99.538704)
(xy 76.813566 99.538712)
(xy 76.802221 99.579198)
(xy 76.800165 99.585313)
(xy 76.784738 99.624436)
(xy 76.783053 99.640823)
(xy 76.779044 99.661919)
(xy 76.7746 99.677783)
(xy 76.7746 99.719831)
(xy 76.774269 99.726279)
(xy 76.769968 99.768105)
(xy 76.772768 99.784341)
(xy 76.7746 99.805749)
(xy 76.7746 103.201035)
(xy 76.754598 103.269156)
(xy 76.737695 103.29013)
(xy 75.434839 104.592986)
(xy 75.38861 104.636161)
(xy 75.388607 104.636165)
(xy 75.366763 104.672085)
(xy 75.363132 104.67742)
(xy 75.337723 104.710928)
(xy 75.331677 104.726257)
(xy 75.322128 104.745482)
(xy 75.313569 104.759558)
(xy 75.313566 104.759566)
(xy 75.302221 104.800052)
(xy 75.300165 104.806167)
(xy 75.284738 104.84529)
(xy 75.283053 104.861677)
(xy 75.279044 104.882773)

(xy 75.2746 104.898637)
(xy 75.2746 104.940685)
(xy 75.274269 104.947133)
(xy 75.269968 104.988959)
(xy 75.272768 105.005195)
(xy 75.2746 105.026603)
(xy 75.2746 106.430182)
(xy 75.254598 106.498303)
(xy 75.237695 106.519277)
(xy 74.319277 107.437695)
(xy 74.256965 107.471721)
(xy 74.230182 107.4746)
(xy 70.908978 107.4746)
(xy 70.845765 107.472441)
(xy 70.845764 107.472441)
(xy 70.804918 107.482394)
(xy 70.79858 107.483598)
(xy 70.795671 107.483998)
(xy 70.75692 107.489324)
(xy 70.741798 107.495892)
(xy 70.721445 107.502735)
(xy 70.705446 107.506634)
(xy 70.70544 107.506636)
(xy 70.668784 107.527246)
(xy 70.663006 107.530116)
(xy 70.624443 107.546867)
(xy 70.62444 107.546868)
(xy 70.611655 107.557269)
(xy 70.593905 107.56935)
(xy 70.57955 107.577422)
(xy 70.549823 107.607148)
(xy 70.545034 107.61147)
(xy 70.512409 107.638013)
(xy 70.512407 107.638015)
(xy 70.502904 107.651478)
(xy 70.489063 107.667908)
(xy 69.184839 108.972132)
(xy 69.13861 109.015307)
(xy 69.138607 109.015311)
(xy 69.116763 109.051231)
(xy 69.113132 109.056566)
(xy 69.087723 109.090074)
(xy 69.081677 109.105403)
(xy 69.072128 109.124628)
(xy 69.063569 109.138704)
(xy 69.063566 109.138712)
(xy 69.052221 109.179198)
(xy 69.050165 109.185313)
(xy 69.034738 109.224436)
(xy 69.033053 109.240823)
(xy 69.029044 109.261919)
(xy 69.0246 109.277783)
(xy 69.0246 109.319831)
(xy 69.024269 109.326279)
(xy 69.019968 109.368105)
(xy 66.302624 109.368105)
(xy 66.305492 109.35)
(xy 66.285646 109.224696)
(xy 66.229971 109.115428)
(xy 66.22805 109.111657)
(xy 66.138342 109.021949)
(xy 66.040569 108.972132)
(xy 66.025304 108.964354)
(xy 65.931519 108.9495)
(xy 65.931515 108.9495)
(xy 65.930303 108.949308)
(xy 65.927799 108.949011)
(xy 65.900001 108.944609)

(xy 65.899998 108.944609)
(xy 65.872202 108.949011)
(xy 65.869701 108.949307)
(xy 65.868482 108.9495)
(xy 65.868481 108.9495)
(xy 65.774696 108.964354)
(xy 65.774694 108.964354)
(xy 65.774694 108.964355)
(xy 65.661657 109.021949)
(xy 65.571949 109.111657)
(xy 65.527117 109.199647)
(xy 65.514354 109.224696)
(xy 65.494508 109.35)
(xy 61.96612 109.35)
(xy 61.964758 109.3496)
(xy 61.835242 109.3496)
(xy 61.710974 109.386087)
(xy 61.710971 109.386089)
(xy 61.602016 109.45611)
(xy 61.602014 109.456111)
(xy 61.517206 109.553986)
(xy 61.517203 109.55399)
(xy 61.4634 109.671802)
(xy 61.463398 109.671809)
(xy 61.444968 109.799996)
(xy 61.444968 109.800003)
(xy 60.10381 109.800003)
(xy 60.082797 109.753991)
(xy 60.080509 109.75135)
(xy 59.997985 109.656111)
(xy 59.997983 109.65611)
(xy 59.989098 109.6504)
(xy 59.889027 109.586088)
(xy 59.889026 109.586087)
(xy 59.889025 109.586087)
(xy 59.764758 109.5496)
(xy 59.635242 109.5496)
(xy 59.510974 109.586087)
(xy 59.510971 109.586089)
(xy 59.402016 109.65611)
(xy 59.402014 109.656111)
(xy 59.317206 109.753986)
(xy 59.317203 109.75399)
(xy 59.2634 109.871802)
(xy 59.263398 109.871809)
(xy 59.244968 109.999996)
(xy 59.244968 110.000003)
(xy 55.505036 110.000003)
(xy 55.505036 109.999996)
(xy 55.486605 109.871809)
(xy 55.486604 109.871808)
(xy 55.486604 109.871803)
(xy 55.432801 109.753991)
(xy 55.430513 109.75135)
(xy 55.347989 109.656111)
(xy 55.347987 109.65611)
(xy 55.339102 109.6504)
(xy 55.239031 109.586088)
(xy 55.23903 109.586087)
(xy 55.239029 109.586087)
(xy 55.114762 109.5496)
(xy 54.985246 109.5496)
(xy 54.860978 109.586087)
(xy 54.860975 109.586089)
(xy 54.75202 109.65611)
(xy 54.752018 109.656111)
(xy 54.66721 109.753986)
(xy 54.667207 109.75399)

(xy 54.613404 109.871802)
(xy 54.613402 109.871809)
(xy 54.594972 109.999996)
(xy 54.594972 110.000003)
(xy 50.0505 110.000003)
(xy 50.0505 108.000003)
(xy 54.594968 108.000003)
(xy 54.613398 108.12819)
(xy 54.6134 108.128197)
(xy 54.667203 108.246009)
(xy 54.667206 108.246013)
(xy 54.752014 108.343888)
(xy 54.752016 108.343889)
(xy 54.752017 108.34389)
(xy 54.860973 108.413912)
(xy 54.985242 108.4504)
(xy 55.114758 108.4504)
(xy 55.239027 108.413912)
(xy 55.347983 108.34389)
(xy 55.35821 108.332088)
(xy 55.416901 108.264354)
(xy 55.432797 108.246009)
(xy 55.4866 108.128197)
(xy 55.49008 108.103991)
(xy 55.505032 108.000003)
(xy 59.244968 108.000003)
(xy 59.263398 108.12819)
(xy 59.2634 108.128197)
(xy 59.317203 108.246009)
(xy 59.317206 108.246013)
(xy 59.402014 108.343888)
(xy 59.402016 108.343889)
(xy 59.402017 108.34389)
(xy 59.510973 108.413912)
(xy 59.635242 108.4504)
(xy 59.764758 108.4504)
(xy 59.889027 108.413912)
(xy 59.91067 108.400003)
(xy 64.144968 108.400003)
(xy 64.163398 108.52819)
(xy 64.1634 108.528197)
(xy 64.217203 108.646009)
(xy 64.217206 108.646013)
(xy 64.302014 108.743888)
(xy 64.302016 108.743889)
(xy 64.302017 108.74389)
(xy 64.410973 108.813912)
(xy 64.535242 108.8504)
(xy 64.664758 108.8504)
(xy 64.789027 108.813912)
(xy 64.897983 108.74389)
(xy 64.982797 108.646009)
(xy 65.0366 108.528197)
(xy 65.03912 108.510673)
(xy 65.055032 108.400003)
(xy 66.744968 108.400003)
(xy 66.763398 108.52819)
(xy 66.7634 108.528197)
(xy 66.817203 108.646009)
(xy 66.817206 108.646013)
(xy 66.902014 108.743888)
(xy 66.902016 108.743889)
(xy 66.902017 108.74389)
(xy 67.010973 108.813912)
(xy 67.135242 108.8504)
(xy 67.264758 108.8504)
(xy 67.389027 108.813912)
(xy 67.497983 108.74389)

(xy 67.582797 108.646009)
(xy 67.6366 108.528197)
(xy 67.63912 108.510673)
(xy 67.655032 108.400003)
(xy 67.655032 108.399996)
(xy 67.647844 108.350003)
(xy 68.044968 108.350003)
(xy 68.063398 108.47819)
(xy 68.0634 108.478197)
(xy 68.117203 108.596009)
(xy 68.117206 108.596013)
(xy 68.202014 108.693888)
(xy 68.202016 108.693889)
(xy 68.202017 108.69389)
(xy 68.310973 108.763912)
(xy 68.435242 108.8004)
(xy 68.564758 108.8004)
(xy 68.689027 108.763912)
(xy 68.797983 108.69389)
(xy 68.809911 108.680125)
(xy 68.854912 108.62819)
(xy 68.882797 108.596009)
(xy 68.9366 108.478197)
(xy 68.949493 108.388524)
(xy 68.955032 108.350003)
(xy 68.955032 108.349996)
(xy 68.936601 108.221809)
(xy 68.9366 108.221808)
(xy 68.9366 108.221803)
(xy 68.882797 108.103991)
(xy 68.867285 108.086089)
(xy 68.797985 108.006111)
(xy 68.797983 108.00611)
(xy 68.741753 107.969973)
(xy 68.689027 107.936088)
(xy 68.689026 107.936087)
(xy 68.689025 107.936087)
(xy 68.564758 107.8996)
(xy 68.435242 107.8996)
(xy 68.310974 107.936087)
(xy 68.310971 107.936089)
(xy 68.202016 108.00611)
(xy 68.202014 108.006111)
(xy 68.117206 108.103986)
(xy 68.117203 108.10399)
(xy 68.0634 108.221802)
(xy 68.063398 108.221809)
(xy 68.044968 108.349996)
(xy 68.044968 108.350003)
(xy 67.647844 108.350003)
(xy 67.636601 108.271809)
(xy 67.6366 108.271808)
(xy 67.6366 108.271803)
(xy 67.582797 108.153991)
(xy 67.582795 108.153989)
(xy 67.582043 108.152341)
(xy 67.571939 108.082067)
(xy 67.582044 108.047656)
(xy 67.582795 108.046011)
(xy 67.582797 108.046009)
(xy 67.6366 107.928197)
(xy 67.642466 107.887398)
(xy 67.655032 107.800003)
(xy 67.655032 107.799996)
(xy 67.636601 107.671809)
(xy 67.6366 107.671808)
(xy 67.6366 107.671803)
(xy 67.582797 107.553991)

(xy 67.582793 107.553986)
(xy 67.497985 107.456111)
(xy 67.497983 107.45611)
(xy 67.449144 107.424723)
(xy 67.389027 107.386088)
(xy 67.389026 107.386087)
(xy 67.389025 107.386087)
(xy 67.264758 107.3496)
(xy 67.135242 107.3496)
(xy 67.010974 107.386087)
(xy 67.010971 107.386089)
(xy 66.902016 107.45611)
(xy 66.902014 107.456111)
(xy 66.817206 107.553986)
(xy 66.817203 107.55399)
(xy 66.7634 107.671802)
(xy 66.763398 107.671809)
(xy 66.744968 107.799996)
(xy 66.744968 107.800003)
(xy 66.763398 107.92819)
(xy 66.7634 107.928197)
(xy 66.817956 108.047658)
(xy 66.828059 108.117932)
(xy 66.817956 108.152342)
(xy 66.7634 108.271802)
(xy 66.763398 108.271809)
(xy 66.744968 108.399996)
(xy 66.744968 108.400003)
(xy 65.055032 108.400003)
(xy 65.055032 108.399996)
(xy 65.036601 108.271809)
(xy 65.0366 108.271808)
(xy 65.0366 108.271803)
(xy 64.982797 108.153991)
(xy 64.982795 108.153989)
(xy 64.982043 108.152341)
(xy 64.971939 108.082067)
(xy 64.982044 108.047656)
(xy 64.982795 108.046011)
(xy 64.982797 108.046009)
(xy 65.0366 107.928197)
(xy 65.042466 107.887398)
(xy 65.055032 107.800003)
(xy 65.055032 107.799996)
(xy 65.036601 107.671809)
(xy 65.0366 107.671808)
(xy 65.0366 107.671803)
(xy 64.982797 107.553991)
(xy 64.982793 107.553986)
(xy 64.897985 107.456111)
(xy 64.897983 107.45611)
(xy 64.849144 107.424723)
(xy 64.789027 107.386088)
(xy 64.789026 107.386087)
(xy 64.789025 107.386087)
(xy 64.664758 107.3496)
(xy 64.535242 107.3496)
(xy 64.410974 107.386087)
(xy 64.410971 107.386089)
(xy 64.302016 107.45611)
(xy 64.302014 107.456111)
(xy 64.217206 107.553986)
(xy 64.217203 107.55399)
(xy 64.1634 107.671802)
(xy 64.163398 107.671809)
(xy 64.144968 107.799996)
(xy 64.144968 107.800003)
(xy 64.163398 107.92819)

(xy 64.1634 107.928197)
(xy 64.217956 108.047658)
(xy 64.228059 108.117932)
(xy 64.217956 108.152342)
(xy 64.1634 108.271802)
(xy 64.163398 108.271809)
(xy 64.144968 108.399996)
(xy 64.144968 108.400003)
(xy 59.91067 108.400003)
(xy 59.997983 108.34389)
(xy 60.00821 108.332088)
(xy 60.066901 108.264354)
(xy 60.082797 108.246009)
(xy 60.1366 108.128197)
(xy 60.14008 108.103991)
(xy 60.155032 108.000003)
(xy 60.155032 107.999996)
(xy 60.136601 107.871809)
(xy 60.1366 107.871808)
(xy 60.1366 107.871803)
(xy 60.082797 107.753991)
(xy 60.082793 107.753986)
(xy 59.997985 107.656111)
(xy 59.997983 107.65611)
(xy 59.969827 107.638015)
(xy 59.889027 107.586088)
(xy 59.889026 107.586087)
(xy 59.889025 107.586087)
(xy 59.764758 107.5496)
(xy 59.635242 107.5496)
(xy 59.510974 107.586087)
(xy 59.510971 107.586089)
(xy 59.402016 107.65611)
(xy 59.402014 107.656111)
(xy 59.317206 107.753986)
(xy 59.317203 107.75399)
(xy 59.2634 107.871802)
(xy 59.263398 107.871809)
(xy 59.244968 107.999996)
(xy 59.244968 108.000003)
(xy 55.505032 108.000003)
(xy 55.505032 107.999996)
(xy 55.486601 107.871809)
(xy 55.4866 107.871808)
(xy 55.4866 107.871803)
(xy 55.432797 107.753991)
(xy 55.432793 107.753986)
(xy 55.347985 107.656111)
(xy 55.347983 107.65611)
(xy 55.319827 107.638015)
(xy 55.239027 107.586088)
(xy 55.239026 107.586087)
(xy 55.239025 107.586087)
(xy 55.114758 107.5496)
(xy 54.985242 107.5496)
(xy 54.860974 107.586087)
(xy 54.860971 107.586089)
(xy 54.752016 107.65611)
(xy 54.752014 107.656111)
(xy 54.667206 107.753986)
(xy 54.667203 107.75399)
(xy 54.6134 107.871802)
(xy 54.613398 107.871809)
(xy 54.594968 107.999996)
(xy 54.594968 108.000003)
(xy 50.0505 108.000003)
(xy 50.0505 106.000003)
(xy 54.594978 106.000003)

(xy 54.613408 106.12819)
(xy 54.61341 106.128197)
(xy 54.667213 106.246009)
(xy 54.667216 106.246013)
(xy 54.752024 106.343888)
(xy 54.752026 106.343889)
(xy 54.752027 106.34389)
(xy 54.860983 106.413912)
(xy 54.985252 106.4504)
(xy 55.114768 106.4504)
(xy 55.239037 106.413912)
(xy 55.347993 106.34389)
(xy 55.432807 106.246009)
(xy 55.48661 106.128197)
(xy 55.493858 106.077785)
(xy 55.505042 106.000003)
(xy 59.244968 106.000003)
(xy 59.263398 106.12819)
(xy 59.2634 106.128197)
(xy 59.317203 106.246009)
(xy 59.317206 106.246013)
(xy 59.402014 106.343888)
(xy 59.402016 106.343889)
(xy 59.402017 106.34389)
(xy 59.510973 106.413912)
(xy 59.635242 106.4504)
(xy 59.764758 106.4504)
(xy 59.889027 106.413912)
(xy 59.91067 106.400003)
(xy 72.744968 106.400003)
(xy 72.763398 106.52819)
(xy 72.7634 106.528197)
(xy 72.817203 106.646009)
(xy 72.817206 106.646013)
(xy 72.902014 106.743888)
(xy 72.902016 106.743889)
(xy 72.902017 106.74389)
(xy 73.010973 106.813912)
(xy 73.135242 106.8504)
(xy 73.264757 106.8504)
(xy 73.264758 106.8504)
(xy 73.344098 106.827104)
(xy 73.415092 106.827104)
(xy 73.474818 106.865487)
(xy 73.494207 106.895657)
(xy 73.517201 106.946006)
(xy 73.517206 106.946013)
(xy 73.602014 107.043888)
(xy 73.602016 107.043889)
(xy 73.602017 107.04389)
(xy 73.710973 107.113912)
(xy 73.835242 107.1504)
(xy 73.964758 107.1504)
(xy 74.089027 107.113912)
(xy 74.197983 107.04389)
(xy 74.282797 106.946009)
(xy 74.3366 106.828197)
(xy 74.340818 106.798862)
(xy 74.355032 106.700003)
(xy 74.355032 106.699996)
(xy 74.336601 106.571809)
(xy 74.3366 106.571808)
(xy 74.3366 106.571803)
(xy 74.282797 106.453991)
(xy 74.282793 106.453986)
(xy 74.197985 106.356111)
(xy 74.197983 106.35611)
(xy 74.155228 106.328633)

(xy 74.089027 106.286088)
(xy 74.089026 106.286087)
(xy 74.089025 106.286087)
(xy 73.964758 106.2496)
(xy 73.835242 106.2496)
(xy 73.835241 106.2496)
(xy 73.755902 106.272895)
(xy 73.684905 106.272895)
(xy 73.62518 106.23451)
(xy 73.605791 106.204341)
(xy 73.60381 106.200003)
(xy 73.582797 106.153991)
(xy 73.582793 106.153986)
(xy 73.497985 106.056111)
(xy 73.497983 106.05611)
(xy 73.410668 105.999996)
(xy 73.389027 105.986088)
(xy 73.389026 105.986087)
(xy 73.389025 105.986087)
(xy 73.264758 105.9496)
(xy 73.135242 105.9496)
(xy 73.010974 105.986087)
(xy 73.010971 105.986089)
(xy 72.902016 106.05611)
(xy 72.902014 106.056111)
(xy 72.817206 106.153986)
(xy 72.817203 106.15399)
(xy 72.7634 106.271802)
(xy 72.763398 106.271809)
(xy 72.744968 106.399996)
(xy 72.744968 106.400003)
(xy 59.91067 106.400003)
(xy 59.997983 106.34389)
(xy 60.082797 106.246009)
(xy 60.1366 106.128197)
(xy 60.143848 106.077785)
(xy 60.155032 106.000003)
(xy 60.155032 105.999996)
(xy 60.136601 105.871809)
(xy 60.1366 105.871808)
(xy 60.1366 105.871803)
(xy 60.10381 105.800003)
(xy 68.744968 105.800003)
(xy 68.763398 105.92819)
(xy 68.7634 105.928197)
(xy 68.817203 106.046009)
(xy 68.817206 106.046013)
(xy 68.902014 106.143888)
(xy 68.902016 106.143889)
(xy 68.902017 106.14389)
(xy 69.010973 106.213912)
(xy 69.135242 106.2504)
(xy 69.264758 106.2504)
(xy 69.389027 106.213912)
(xy 69.497983 106.14389)
(xy 69.504774 106.136052)
(xy 69.5645 106.097667)
(xy 69.635497 106.097666)
(xy 69.695223 106.136049)
(xy 69.695225 106.136052)
(xy 69.702015 106.143889)
(xy 69.717733 106.15399)
(xy 69.810973 106.213912)
(xy 69.935242 106.2504)
(xy 70.064758 106.2504)
(xy 70.189027 106.213912)
(xy 70.297983 106.14389)
(xy 70.304774 106.136052)

(xy 70.3645 106.097667)
(xy 70.435497 106.097666)
(xy 70.495223 106.136049)
(xy 70.495225 106.136052)
(xy 70.502015 106.143889)
(xy 70.517733 106.15399)
(xy 70.610973 106.213912)
(xy 70.735242 106.2504)
(xy 70.864758 106.2504)
(xy 70.989027 106.213912)
(xy 71.097983 106.14389)
(xy 71.104774 106.136052)
(xy 71.1645 106.097667)
(xy 71.235497 106.097666)
(xy 71.295223 106.136049)
(xy 71.295225 106.136052)
(xy 71.302015 106.143889)
(xy 71.317733 106.15399)
(xy 71.410973 106.213912)
(xy 71.535242 106.2504)
(xy 71.664758 106.2504)
(xy 71.789027 106.213912)
(xy 71.897983 106.14389)
(xy 71.982797 106.046009)
(xy 72.0366 105.928197)
(xy 72.04008 105.903991)
(xy 72.055032 105.800003)
(xy 72.055032 105.799996)
(xy 72.036601 105.671809)
(xy 72.0366 105.671808)
(xy 72.0366 105.671803)
(xy 71.982797 105.553991)
(xy 71.982793 105.553986)
(xy 71.897985 105.456111)
(xy 71.897983 105.45611)
(xy 71.817317 105.404269)
(xy 71.789027 105.386088)
(xy 71.789026 105.386087)
(xy 71.789025 105.386087)
(xy 71.664758 105.3496)
(xy 71.535242 105.3496)
(xy 71.410974 105.386087)
(xy 71.410971 105.386089)
(xy 71.302018 105.456109)
(xy 71.295223 105.463951)
(xy 71.235496 105.502333)
(xy 71.164499 105.502331)
(xy 71.104777 105.463951)
(xy 71.097983 105.45611)
(xy 70.989027 105.386088)
(xy 70.989026 105.386087)
(xy 70.989025 105.386087)
(xy 70.864758 105.3496)
(xy 70.735242 105.3496)
(xy 70.610974 105.386087)
(xy 70.610971 105.386089)
(xy 70.502018 105.456109)
(xy 70.495223 105.463951)
(xy 70.435496 105.502333)
(xy 70.364499 105.502331)
(xy 70.304777 105.463951)
(xy 70.297983 105.45611)
(xy 70.189027 105.386088)
(xy 70.189026 105.386087)
(xy 70.189025 105.386087)
(xy 70.064758 105.3496)
(xy 69.935242 105.3496)
(xy 69.810974 105.386087)

(xy 69.810971 105.386089)
(xy 69.702018 105.456109)
(xy 69.695223 105.463951)
(xy 69.635496 105.502333)
(xy 69.564499 105.502331)
(xy 69.504777 105.463951)
(xy 69.497983 105.45611)
(xy 69.389027 105.386088)
(xy 69.389026 105.386087)
(xy 69.389025 105.386087)
(xy 69.264758 105.3496)
(xy 69.135242 105.3496)
(xy 69.010974 105.386087)
(xy 69.010971 105.386089)
(xy 68.902016 105.45611)
(xy 68.902014 105.456111)
(xy 68.817206 105.553986)
(xy 68.817203 105.55399)
(xy 68.7634 105.671802)
(xy 68.763398 105.671809)
(xy 68.744968 105.799996)
(xy 68.744968 105.800003)
(xy 60.10381 105.800003)
(xy 60.082797 105.753991)
(xy 60.082793 105.753986)
(xy 59.997985 105.656111)
(xy 59.997983 105.65611)
(xy 59.982266 105.646009)
(xy 59.889027 105.586088)
(xy 59.889026 105.586087)
(xy 59.889025 105.586087)
(xy 59.764758 105.5496)
(xy 59.635242 105.5496)
(xy 59.510974 105.586087)
(xy 59.510971 105.586089)
(xy 59.402016 105.65611)
(xy 59.402014 105.656111)
(xy 59.317206 105.753986)
(xy 59.317203 105.75399)
(xy 59.2634 105.871802)
(xy 59.263398 105.871809)
(xy 59.244968 105.999996)
(xy 59.244968 106.000003)
(xy 55.505042 106.000003)
(xy 55.505042 105.999996)
(xy 55.486611 105.871809)
(xy 55.48661 105.871808)
(xy 55.48661 105.871803)
(xy 55.432807 105.753991)
(xy 55.432803 105.753986)
(xy 55.347995 105.656111)
(xy 55.347993 105.65611)
(xy 55.332276 105.646009)
(xy 55.239037 105.586088)
(xy 55.239036 105.586087)
(xy 55.239035 105.586087)
(xy 55.114768 105.5496)
(xy 54.985252 105.5496)
(xy 54.860984 105.586087)
(xy 54.860981 105.586089)
(xy 54.752026 105.65611)
(xy 54.752024 105.656111)
(xy 54.667216 105.753986)
(xy 54.667213 105.75399)
(xy 54.61341 105.871802)
(xy 54.613408 105.871809)
(xy 54.594978 105.999996)
(xy 54.594978 106.000003)

(xy 50.0505 106.000003)
(xy 50.0505 104.000003)
(xy 54.594968 104.000003)
(xy 54.613398 104.12819)
(xy 54.6134 104.128197)
(xy 54.667203 104.246009)
(xy 54.667206 104.246013)
(xy 54.752014 104.343888)
(xy 54.752016 104.343889)
(xy 54.752017 104.34389)
(xy 54.860973 104.413912)
(xy 54.985242 104.4504)
(xy 55.114758 104.4504)
(xy 55.239027 104.413912)
(xy 55.347983 104.34389)
(xy 55.365817 104.323309)
(xy 55.408023 104.2746)
(xy 55.432797 104.246009)
(xy 55.4866 104.128197)
(xy 55.486872 104.126301)
(xy 55.505032 104.000003)
(xy 59.244968 104.000003)
(xy 59.263398 104.12819)
(xy 59.2634 104.128197)
(xy 59.317203 104.246009)
(xy 59.317206 104.246013)
(xy 59.402014 104.343888)
(xy 59.402016 104.343889)
(xy 59.402017 104.34389)
(xy 59.510973 104.413912)
(xy 59.635242 104.4504)
(xy 59.764758 104.4504)
(xy 59.889027 104.413912)
(xy 59.997983 104.34389)
(xy 60.015817 104.323309)
(xy 60.058023 104.2746)
(xy 60.082797 104.246009)
(xy 60.1366 104.128197)
(xy 60.136872 104.126301)
(xy 60.155032 104.000003)
(xy 60.155032 103.999996)
(xy 60.136601 103.871809)
(xy 60.1366 103.871808)
(xy 60.1366 103.871803)
(xy 60.082797 103.753991)
(xy 60.082793 103.753986)
(xy 59.997985 103.656111)
(xy 59.997983 103.65611)
(xy 59.965456 103.635206)
(xy 59.889027 103.586088)
(xy 59.889026 103.586087)
(xy 59.889025 103.586087)
(xy 59.764758 103.5496)
(xy 59.635242 103.5496)
(xy 59.510974 103.586087)
(xy 59.510971 103.586089)
(xy 59.402016 103.65611)
(xy 59.402014 103.656111)
(xy 59.317206 103.753986)
(xy 59.317203 103.75399)
(xy 59.2634 103.871802)
(xy 59.263398 103.871809)
(xy 59.244968 103.999996)
(xy 59.244968 104.000003)
(xy 55.505032 104.000003)
(xy 55.505032 103.999996)
(xy 55.486601 103.871809)
(xy 55.4866 103.871808)

(xy 55.4866 103.871803)
(xy 55.432797 103.753991)
(xy 55.432793 103.753986)
(xy 55.347985 103.656111)
(xy 55.347983 103.65611)
(xy 55.315456 103.635206)
(xy 55.239027 103.586088)
(xy 55.239026 103.586087)
(xy 55.239025 103.586087)
(xy 55.114758 103.5496)
(xy 54.985242 103.5496)
(xy 54.860974 103.586087)
(xy 54.860971 103.586089)
(xy 54.752016 103.65611)
(xy 54.752014 103.656111)
(xy 54.667206 103.753986)
(xy 54.667203 103.75399)
(xy 54.6134 103.871802)
(xy 54.613398 103.871809)
(xy 54.594968 103.999996)
(xy 54.594968 104.000003)
(xy 50.0505 104.000003)
(xy 50.0505 102.000003)
(xy 54.594968 102.000003)
(xy 54.613398 102.12819)
(xy 54.6134 102.128197)
(xy 54.667203 102.246009)
(xy 54.667206 102.246013)
(xy 54.752014 102.343888)
(xy 54.752016 102.343889)
(xy 54.752017 102.34389)
(xy 54.860973 102.413912)
(xy 54.985242 102.4504)
(xy 55.114758 102.4504)
(xy 55.239027 102.413912)
(xy 55.347983 102.34389)
(xy 55.432797 102.246009)
(xy 55.4866 102.128197)
(xy 55.494528 102.073059)
(xy 55.505032 102.000003)
(xy 59.244968 102.000003)
(xy 59.263398 102.12819)
(xy 59.2634 102.128197)
(xy 59.317203 102.246009)
(xy 59.317206 102.246013)
(xy 59.402014 102.343888)
(xy 59.402016 102.343889)
(xy 59.402017 102.34389)
(xy 59.510973 102.413912)
(xy 59.635242 102.4504)
(xy 59.764758 102.4504)
(xy 59.889027 102.413912)
(xy 59.997983 102.34389)
(xy 60.082797 102.246009)
(xy 60.1366 102.128197)
(xy 60.144528 102.073059)
(xy 60.155032 102.000003)
(xy 60.155032 101.999996)
(xy 60.136601 101.871809)
(xy 60.1366 101.871808)
(xy 60.1366 101.871803)
(xy 60.082797 101.753991)
(xy 60.082793 101.753986)
(xy 59.997985 101.656111)
(xy 59.997983 101.65611)
(xy 59.978965 101.643888)
(xy 59.889027 101.586088)
(xy 59.889026 101.586087)

(xy 59.889025 101.586087)
(xy 59.764758 101.5496)
(xy 59.635242 101.5496)
(xy 59.510974 101.586087)
(xy 59.510971 101.586089)
(xy 59.402016 101.65611)
(xy 59.402014 101.656111)
(xy 59.317206 101.753986)
(xy 59.317203 101.75399)
(xy 59.2634 101.871802)
(xy 59.263398 101.871809)
(xy 59.244968 101.999996)
(xy 59.244968 102.000003)
(xy 55.505032 102.000003)
(xy 55.505032 101.999996)
(xy 55.486601 101.871809)
(xy 55.4866 101.871808)
(xy 55.4866 101.871803)
(xy 55.432797 101.753991)
(xy 55.432793 101.753986)
(xy 55.347985 101.656111)
(xy 55.347983 101.65611)
(xy 55.328965 101.643888)
(xy 55.239027 101.586088)
(xy 55.239026 101.586087)
(xy 55.239025 101.586087)
(xy 55.114758 101.5496)
(xy 54.985242 101.5496)
(xy 54.860974 101.586087)
(xy 54.860971 101.586089)
(xy 54.752016 101.65611)
(xy 54.752014 101.656111)
(xy 54.667206 101.753986)
(xy 54.667203 101.75399)
(xy 54.6134 101.871802)
(xy 54.613398 101.871809)
(xy 54.594968 101.999996)
(xy 54.594968 102.000003)
(xy 50.0505 102.000003)
(xy 50.0505 101.500003)
(xy 66.544968 101.500003)
(xy 66.563398 101.62819)
(xy 66.5634 101.628197)
(xy 66.617203 101.746009)
(xy 66.617206 101.746013)
(xy 66.702014 101.843888)
(xy 66.702016 101.843889)
(xy 66.702017 101.84389)
(xy 66.810973 101.913912)
(xy 66.935242 101.9504)
(xy 67.064758 101.9504)
(xy 67.189027 101.913912)
(xy 67.297983 101.84389)
(xy 67.354774 101.778348)
(xy 67.4145 101.739965)
(xy 67.485497 101.739965)
(xy 67.545222 101.778347)
(xy 67.602015 101.84389)
(xy 67.710971 101.913912)
(xy 67.83524 101.9504)
(xy 67.964756 101.9504)
(xy 68.089025 101.913912)
(xy 68.197981 101.84389)
(xy 68.229775 101.807197)
(xy 68.2895 101.768814)
(xy 68.360496 101.768814)
(xy 68.420221 101.807196)
(xy 68.452017 101.84389)

(xy 68.560973 101.913912)
(xy 68.685242 101.9504)
(xy 68.814758 101.9504)
(xy 68.939027 101.913912)
(xy 69.047983 101.84389)
(xy 69.079774 101.8072)
(xy 69.139499 101.768816)
(xy 69.210496 101.768815)
(xy 69.270223 101.807199)
(xy 69.302016 101.84389)
(xy 69.410972 101.913912)
(xy 69.535241 101.9504)
(xy 69.664757 101.9504)
(xy 69.789026 101.913912)
(xy 69.897982 101.84389)
(xy 69.982796 101.746009)
(xy 70.036599 101.628197)
(xy 70.040079 101.603991)
(xy 70.055031 101.500003)
(xy 70.055031 101.499996)
(xy 70.0366 101.371809)
(xy 70.036599 101.371808)
(xy 70.036599 101.371803)
(xy 69.982796 101.253991)
(xy 69.982792 101.253986)
(xy 69.897984 101.156111)
(xy 69.897982 101.15611)
(xy 69.878964 101.143888)
(xy 69.789026 101.086088)
(xy 69.789025 101.086087)
(xy 69.789024 101.086087)
(xy 69.66613 101.050003)
(xy 73.794968 101.050003)
(xy 73.813398 101.17819)
(xy 73.8134 101.178197)
(xy 73.867203 101.296009)
(xy 73.867206 101.296013)
(xy 73.952014 101.393888)
(xy 73.952016 101.393889)
(xy 73.952017 101.39389)
(xy 74.060973 101.463912)
(xy 74.185242 101.5004)
(xy 74.314758 101.5004)
(xy 74.439027 101.463912)
(xy 74.547983 101.39389)
(xy 74.557964 101.382372)
(xy 74.617284 101.313912)
(xy 74.632797 101.296009)
(xy 74.6866 101.178197)
(xy 74.687519 101.171802)
(xy 74.705032 101.050003)
(xy 74.705032 101.049996)
(xy 74.686601 100.921809)
(xy 74.6866 100.921808)
(xy 74.6866 100.921803)
(xy 74.632797 100.803991)
(xy 74.632793 100.803986)
(xy 74.547985 100.706111)
(xy 74.547983 100.70611)
(xy 74.470183 100.656111)
(xy 74.439027 100.636088)
(xy 74.439026 100.636087)
(xy 74.439025 100.636087)
(xy 74.314758 100.5996)
(xy 74.185242 100.5996)
(xy 74.060974 100.636087)
(xy 74.060971 100.636089)
(xy 73.952016 100.70611)

(xy 73.952014 100.706111)
(xy 73.867206 100.803986)
(xy 73.867203 100.80399)
(xy 73.8134 100.921802)
(xy 73.813398 100.921809)
(xy 73.794968 101.049996)
(xy 73.794968 101.050003)
(xy 69.66613 101.050003)
(xy 69.664757 101.0496)
(xy 69.535241 101.0496)
(xy 69.410973 101.086087)
(xy 69.41097 101.086089)
(xy 69.302015 101.15611)
(xy 69.270222 101.192801)
(xy 69.210496 101.231184)
(xy 69.139499 101.231183)
(xy 69.079775 101.192799)
(xy 69.047985 101.156111)
(xy 69.047983 101.15611)
(xy 69.028965 101.143888)
(xy 68.939027 101.086088)
(xy 68.939026 101.086087)
(xy 68.939025 101.086087)
(xy 68.814758 101.0496)
(xy 68.685242 101.0496)
(xy 68.560974 101.086087)
(xy 68.560971 101.086089)
(xy 68.452017 101.156109)
(xy 68.420223 101.192802)
(xy 68.360497 101.231185)
(xy 68.2895 101.231185)
(xy 68.229775 101.192802)
(xy 68.19798 101.156109)
(xy 68.143502 101.121098)
(xy 68.089025 101.086088)
(xy 68.089024 101.086087)
(xy 68.089023 101.086087)
(xy 67.964756 101.0496)
(xy 67.83524 101.0496)
(xy 67.710972 101.086087)
(xy 67.710969 101.086089)
(xy 67.602015 101.156109)
(xy 67.545223 101.221651)
(xy 67.485497 101.260034)
(xy 67.4145 101.260034)
(xy 67.354775 101.221651)
(xy 67.297982 101.156109)
(xy 67.243505 101.121098)
(xy 67.189027 101.086088)
(xy 67.189026 101.086087)
(xy 67.189025 101.086087)
(xy 67.064758 101.0496)
(xy 66.935242 101.0496)
(xy 66.810974 101.086087)
(xy 66.810971 101.086089)
(xy 66.702016 101.15611)
(xy 66.702014 101.156111)
(xy 66.617206 101.253986)
(xy 66.617203 101.25399)
(xy 66.5634 101.371802)
(xy 66.563398 101.371809)
(xy 66.544968 101.499996)
(xy 66.544968 101.500003)
(xy 50.0505 101.500003)
(xy 50.0505 100.507153)
(xy 50.052606 100.499981)
(xy 65.444968 100.499981)
(xy 65.463398 100.628168)

(xy 65.4634 100.628175)
(xy 65.517203 100.745987)
(xy 65.517206 100.745991)
(xy 65.602014 100.843866)
(xy 65.602016 100.843867)
(xy 65.602017 100.843868)
(xy 65.710973 100.91389)
(xy 65.835242 100.950378)
(xy 65.964758 100.950378)
(xy 66.089027 100.91389)
(xy 66.197983 100.843868)
(xy 66.204887 100.835901)
(xy 66.260427 100.771803)
(xy 66.282797 100.745987)
(xy 66.3366 100.628175)
(xy 66.336872 100.626279)
(xy 66.355032 100.499981)
(xy 66.355032 100.499974)
(xy 66.336601 100.371787)
(xy 66.3366 100.371786)
(xy 66.3366 100.371781)
(xy 66.282797 100.253969)
(xy 66.282793 100.253964)
(xy 66.197985 100.156089)
(xy 66.197983 100.156088)
(xy 66.111331 100.1004)
(xy 66.089027 100.086066)
(xy 66.089026 100.086065)
(xy 66.089025 100.086065)
(xy 65.964758 100.049578)
(xy 65.835242 100.049578)
(xy 65.710974 100.086065)
(xy 65.710971 100.086067)
(xy 65.602016 100.156088)
(xy 65.602014 100.156089)
(xy 65.517206 100.253964)
(xy 65.517203 100.253968)
(xy 65.4634 100.37178)
(xy 65.463398 100.371787)
(xy 65.444968 100.499974)
(xy 65.444968 100.499981)
(xy 50.052606 100.499981)
(xy 50.070502 100.439032)
(xy 50.124158 100.392539)
(xy 50.194432 100.382435)
(xy 50.224711 100.390741)
(xy 50.292703 100.418905)
(xy 50.303781 100.423494)
(xy 50.303784 100.423495)
(xy 50.313407 100.426761)
(xy 50.313405 100.42676)
(xy 50.313414 100.426763)
(xy 50.327386 100.430507)
(xy 50.348199 100.436085)
(xy 50.348201 100.436085)
(xy 50.348205 100.436085)
(xy 50.348206 100.436086)
(xy 50.358184 100.438071)
(xy 50.358183 100.438071)
(xy 50.38235 100.441252)
(xy 50.479016 100.453978)
(xy 50.484077 100.454477)
(xy 50.49562 100.455234)
(xy 50.500704 100.4554)
(xy 51.143498 100.4554)
(xy 51.174832 100.459358)
(xy 51.217835 100.4704)
(xy 51.217838 100.4704)

(xy 51.940914 100.4704)
(xy 51.940917 100.4704)
(xy 51.94092 100.470399)
(xy 51.940929 100.470399)
(xy 51.987975 100.464455)
(xy 52.055724 100.455896)
(xy 52.063617 100.4554)
(xy 55.073498 100.4554)
(xy 55.104832 100.459358)
(xy 55.147835 100.4704)
(xy 55.147838 100.4704)
(xy 56.370914 100.4704)
(xy 56.370917 100.4704)
(xy 56.398023 100.466975)
(xy 56.493028 100.454974)
(xy 56.493028 100.454973)
(xy 56.493033 100.454973)
(xy 56.645823 100.394479)
(xy 56.778768 100.297889)
(xy 56.883515 100.171271)
(xy 56.953483 100.022582)
(xy 56.958956 99.99389)
(xy 56.984274 99.86117)
(xy 56.984275 99.861159)
(xy 56.973958 99.697164)
(xy 56.973956 99.697156)
(xy 56.972895 99.69389)
(xy 56.961566 99.659023)
(xy 56.955399 99.620096)
(xy 56.955399 99.199997)
(xy 57.344968 99.199997)
(xy 57.363398 99.328184)
(xy 57.3634 99.328191)
(xy 57.417203 99.446003)
(xy 57.417206 99.446007)
(xy 57.502014 99.543882)
(xy 57.502016 99.543883)
(xy 57.502017 99.543884)
(xy 57.610973 99.613906)
(xy 57.735242 99.650394)
(xy 57.864758 99.650394)
(xy 57.989027 99.613906)
(xy 58.097983 99.543884)
(xy 58.098974 99.542741)
(xy 58.14323 99.491666)
(xy 58.182797 99.446003)
(xy 58.2366 99.328191)
(xy 58.238653 99.31391)
(xy 58.240653 99.300003)
(xy 75.544968 99.300003)
(xy 75.563398 99.42819)
(xy 75.5634 99.428197)
(xy 75.617203 99.546009)
(xy 75.617206 99.546013)
(xy 75.702014 99.643888)
(xy 75.702016 99.643889)
(xy 75.702017 99.64389)
(xy 75.810973 99.713912)
(xy 75.935242 99.7504)
(xy 76.064758 99.7504)
(xy 76.189027 99.713912)
(xy 76.297983 99.64389)
(xy 76.382797 99.546009)
(xy 76.4366 99.428197)
(xy 76.44008 99.403991)
(xy 76.455032 99.300003)
(xy 76.455032 99.299997)
(xy 76.454217 99.294328)

(xy 76.464323 99.224054)
(xy 76.510817 99.1704)
(xy 76.578935 99.1504)
(xy 76.664758 99.1504)
(xy 76.789027 99.113912)
(xy 76.897983 99.04389)
(xy 76.982797 98.946009)
(xy 77.0366 98.828197)
(xy 77.04008 98.803991)
(xy 77.055032 98.700003)
(xy 77.055032 98.699996)
(xy 77.036601 98.571809)
(xy 77.0366 98.571808)
(xy 77.0366 98.571803)
(xy 76.982797 98.453991)
(xy 76.982727 98.45391)
(xy 76.897985 98.356111)
(xy 76.897983 98.35611)
(xy 76.878777 98.343767)
(xy 76.789027 98.286088)
(xy 76.789026 98.286087)
(xy 76.789025 98.286087)
(xy 76.664758 98.2496)
(xy 76.535242 98.2496)
(xy 76.410974 98.286087)
(xy 76.410971 98.286089)
(xy 76.302016 98.35611)
(xy 76.302014 98.356111)
(xy 76.217206 98.453986)
(xy 76.217203 98.45399)
(xy 76.1634 98.571802)
(xy 76.163398 98.571809)
(xy 76.144968 98.699996)
(xy 76.144968 98.700002)
(xy 76.145783 98.705672)
(xy 76.135677 98.775946)
(xy 76.089183 98.8296)
(xy 76.021065 98.8496)
(xy 75.935242 98.8496)
(xy 75.810974 98.886087)
(xy 75.810971 98.886089)
(xy 75.702016 98.95611)
(xy 75.702014 98.956111)
(xy 75.617206 99.053986)
(xy 75.617203 99.05399)
(xy 75.5634 99.171802)
(xy 75.563398 99.171809)
(xy 75.544968 99.299996)
(xy 75.544968 99.300003)
(xy 58.240653 99.300003)
(xy 58.255032 99.199997)
(xy 58.255032 99.19999)
(xy 58.236601 99.071803)
(xy 58.2366 99.071802)
(xy 58.2366 99.071797)
(xy 58.182797 98.953985)
(xy 58.178084 98.948546)
(xy 58.097985 98.856105)
(xy 58.097983 98.856104)
(xy 58.078976 98.843889)
(xy 57.989027 98.786082)
(xy 57.989026 98.786081)
(xy 57.989025 98.786081)
(xy 57.864758 98.749594)
(xy 57.735242 98.749594)
(xy 57.610974 98.786081)
(xy 57.610971 98.786083)
(xy 57.502016 98.856104)

(xy 57.502014 98.856105)
(xy 57.417206 98.95398)
(xy 57.417203 98.953984)
(xy 57.3634 99.071796)
(xy 57.363398 99.071803)
(xy 57.344968 99.19999)
(xy 57.344968 99.199997)
(xy 56.955399 99.199997)
(xy 56.955399 97.749994)
(xy 61.265148 97.749994)
(xy 61.283578 97.878181)
(xy 61.28358 97.878188)
(xy 61.337383 97.996)
(xy 61.337386 97.996004)
(xy 61.422194 98.093879)
(xy 61.422196 98.09388)
(xy 61.422197 98.093881)
(xy 61.531153 98.163903)
(xy 61.655422 98.200391)
(xy 61.784938 98.200391)
(xy 61.909207 98.163903)
(xy 62.018163 98.093881)
(xy 62.020304 98.091411)
(xy 62.055839 98.0504)
(xy 62.064848 98.040003)
(xy 66.854968 98.040003)
(xy 66.873398 98.16819)
(xy 66.8734 98.168197)
(xy 66.927203 98.286009)
(xy 66.927206 98.286013)
(xy 67.012014 98.383888)
(xy 67.012016 98.383889)
(xy 67.012017 98.38389)
(xy 67.120973 98.453912)
(xy 67.245242 98.4904)
(xy 67.374758 98.4904)
(xy 67.499027 98.453912)
(xy 67.607983 98.38389)
(xy 67.618457 98.371803)
(xy 67.656567 98.327821)
(xy 67.692797 98.286009)
(xy 67.7466 98.168197)
(xy 67.74932 98.149276)
(xy 67.765032 98.040003)
(xy 68.124968 98.040003)
(xy 68.143398 98.16819)
(xy 68.1434 98.168197)
(xy 68.197203 98.286009)
(xy 68.197206 98.286013)
(xy 68.282014 98.383888)
(xy 68.282016 98.383889)
(xy 68.282017 98.38389)
(xy 68.390973 98.453912)
(xy 68.515242 98.4904)
(xy 68.644758 98.4904)
(xy 68.769027 98.453912)
(xy 68.877983 98.38389)
(xy 68.888457 98.371803)
(xy 68.926567 98.327821)
(xy 68.962797 98.286009)
(xy 69.0166 98.168197)
(xy 69.01932 98.149276)
(xy 69.035032 98.040003)
(xy 69.394968 98.040003)
(xy 69.413398 98.16819)
(xy 69.4134 98.168197)
(xy 69.467203 98.286009)
(xy 69.467206 98.286013)

(xy 69.552014 98.383888)
(xy 69.552016 98.383889)
(xy 69.552017 98.38389)
(xy 69.660973 98.453912)
(xy 69.785242 98.4904)
(xy 69.914758 98.4904)
(xy 70.039027 98.453912)
(xy 70.147983 98.38389)
(xy 70.158457 98.371803)
(xy 70.196567 98.327821)
(xy 70.232797 98.286009)
(xy 70.2866 98.168197)
(xy 70.28932 98.149276)
(xy 70.305032 98.040003)
(xy 70.664968 98.040003)
(xy 70.683398 98.16819)
(xy 70.6834 98.168197)
(xy 70.737203 98.286009)
(xy 70.737206 98.286013)
(xy 70.822014 98.383888)
(xy 70.822016 98.383889)
(xy 70.822017 98.38389)
(xy 70.930973 98.453912)
(xy 71.055242 98.4904)
(xy 71.184758 98.4904)
(xy 71.309027 98.453912)
(xy 71.417983 98.38389)
(xy 71.428457 98.371803)
(xy 71.466567 98.327821)
(xy 71.502797 98.286009)
(xy 71.5566 98.168197)
(xy 71.55932 98.149276)
(xy 71.575032 98.040003)
(xy 71.934968 98.040003)
(xy 71.953398 98.16819)
(xy 71.9534 98.168197)
(xy 72.007203 98.286009)
(xy 72.007206 98.286013)
(xy 72.092014 98.383888)
(xy 72.092016 98.383889)
(xy 72.092017 98.38389)
(xy 72.200973 98.453912)
(xy 72.325242 98.4904)
(xy 72.454758 98.4904)
(xy 72.579027 98.453912)
(xy 72.687983 98.38389)
(xy 72.698457 98.371803)
(xy 72.736567 98.327821)
(xy 72.772797 98.286009)
(xy 72.8266 98.168197)
(xy 72.82932 98.149276)
(xy 72.845032 98.040003)
(xy 72.845032 98.039996)
(xy 72.826601 97.911809)
(xy 72.8266 97.911808)
(xy 72.8266 97.911803)
(xy 72.772797 97.793991)
(xy 72.772234 97.793341)
(xy 72.687985 97.696111)
(xy 72.687983 97.69611)
(xy 72.666661 97.682407)
(xy 72.579027 97.626088)
(xy 72.579026 97.626087)
(xy 72.579025 97.626087)
(xy 72.454758 97.5896)
(xy 72.325242 97.5896)
(xy 72.200974 97.626087)
(xy 72.200971 97.626089)

(xy 72.092016 97.69611)
(xy 72.092014 97.696111)
(xy 72.007206 97.793986)
(xy 72.007203 97.79399)
(xy 71.9534 97.911802)
(xy 71.953398 97.911809)
(xy 71.934968 98.039996)
(xy 71.934968 98.040003)
(xy 71.575032 98.040003)
(xy 71.575032 98.039996)
(xy 71.556601 97.911809)
(xy 71.5566 97.911808)
(xy 71.5566 97.911803)
(xy 71.502797 97.793991)
(xy 71.502234 97.793341)
(xy 71.417985 97.696111)
(xy 71.417983 97.69611)
(xy 71.396661 97.682407)
(xy 71.309027 97.626088)
(xy 71.309026 97.626087)
(xy 71.309025 97.626087)
(xy 71.184758 97.5896)
(xy 71.055242 97.5896)
(xy 70.930974 97.626087)
(xy 70.930971 97.626089)
(xy 70.822016 97.69611)
(xy 70.822014 97.696111)
(xy 70.737206 97.793986)
(xy 70.737203 97.79399)
(xy 70.6834 97.911802)
(xy 70.683398 97.911809)
(xy 70.664968 98.039996)
(xy 70.664968 98.040003)
(xy 70.305032 98.040003)
(xy 70.305032 98.039996)
(xy 70.286601 97.911809)
(xy 70.2866 97.911808)
(xy 70.2866 97.911803)
(xy 70.232797 97.793991)
(xy 70.232234 97.793341)
(xy 70.147985 97.696111)
(xy 70.147983 97.69611)
(xy 70.126661 97.682407)
(xy 70.039027 97.626088)
(xy 70.039026 97.626087)
(xy 70.039025 97.626087)
(xy 69.914758 97.5896)
(xy 69.785242 97.5896)
(xy 69.660974 97.626087)
(xy 69.660971 97.626089)
(xy 69.552016 97.69611)
(xy 69.552014 97.696111)
(xy 69.467206 97.793986)
(xy 69.467203 97.79399)
(xy 69.4134 97.911802)
(xy 69.413398 97.911809)
(xy 69.394968 98.039996)
(xy 69.394968 98.040003)
(xy 69.035032 98.040003)
(xy 69.035032 98.039996)
(xy 69.016601 97.911809)
(xy 69.0166 97.911808)
(xy 69.0166 97.911803)
(xy 68.962797 97.793991)
(xy 68.962234 97.793341)
(xy 68.877985 97.696111)
(xy 68.877983 97.69611)
(xy 68.856661 97.682407)

(xy 68.769027 97.626088)
(xy 68.769026 97.626087)
(xy 68.769025 97.626087)
(xy 68.644758 97.5896)
(xy 68.515242 97.5896)
(xy 68.390974 97.626087)
(xy 68.390971 97.626089)
(xy 68.282016 97.69611)
(xy 68.282014 97.696111)
(xy 68.197206 97.793986)
(xy 68.197203 97.79399)
(xy 68.1434 97.911802)
(xy 68.143398 97.911809)
(xy 68.124968 98.039996)
(xy 68.124968 98.040003)
(xy 67.765032 98.040003)
(xy 67.765032 98.039996)
(xy 67.746601 97.911809)
(xy 67.7466 97.911808)
(xy 67.7466 97.911803)
(xy 67.692797 97.793991)
(xy 67.692234 97.793341)
(xy 67.607985 97.696111)
(xy 67.607983 97.69611)
(xy 67.586661 97.682407)
(xy 67.499027 97.626088)
(xy 67.499026 97.626087)
(xy 67.499025 97.626087)
(xy 67.374758 97.5896)
(xy 67.245242 97.5896)
(xy 67.120974 97.626087)
(xy 67.120971 97.626089)
(xy 67.012016 97.69611)
(xy 67.012014 97.696111)
(xy 66.927206 97.793986)
(xy 66.927203 97.79399)
(xy 66.8734 97.911802)
(xy 66.873398 97.911809)
(xy 66.854968 98.039996)
(xy 66.854968 98.040003)
(xy 62.064848 98.040003)
(xy 62.102977 97.996)
(xy 62.15678 97.878188)
(xy 62.168886 97.79399)
(xy 62.175212 97.749994)
(xy 62.175212 97.749987)
(xy 62.156781 97.6218)
(xy 62.15678 97.621799)
(xy 62.15678 97.621794)
(xy 62.102977 97.503982)
(xy 62.102973 97.503977)
(xy 62.018165 97.406102)
(xy 62.018163 97.406101)
(xy 61.986317 97.385635)
(xy 61.909207 97.336079)
(xy 61.909206 97.336078)
(xy 61.909205 97.336078)
(xy 61.784938 97.299591)
(xy 61.655422 97.299591)
(xy 61.531154 97.336078)
(xy 61.531151 97.33608)
(xy 61.422196 97.406101)
(xy 61.422194 97.406102)
(xy 61.337386 97.503977)
(xy 61.337383 97.503981)
(xy 61.28358 97.621793)
(xy 61.283578 97.6218)
(xy 61.265148 97.749987)

(xy 61.265148 97.749994)
(xy 56.955399 97.749994)
(xy 56.955399 95.794903)
(xy 57.444968 95.794903)
(xy 57.463398 95.92309)
(xy 57.4634 95.923097)
(xy 57.517203 96.040909)
(xy 57.517206 96.040913)
(xy 57.602014 96.138788)
(xy 57.602016 96.138789)
(xy 57.602017 96.13879)
(xy 57.710973 96.208812)
(xy 57.710979 96.208813)
(xy 57.719168 96.212554)
(xy 57.717678 96.215816)
(xy 57.762982 96.244945)
(xy 57.792461 96.309532)
(xy 57.782342 96.379804)
(xy 57.735838 96.43345)
(xy 57.724943 96.439703)
(xy 57.661662 96.471946)
(xy 57.661655 96.471951)
(xy 57.571949 96.561657)
(xy 57.516348 96.670782)
(xy 57.514354 96.674696)
(xy 57.494508 96.8)
(xy 57.514354 96.925304)
(xy 57.514355 96.925305)
(xy 57.571949 97.038342)
(xy 57.661657 97.12805)
(xy 57.695181 97.145131)
(xy 57.774696 97.185646)
(xy 57.9 97.205492)
(xy 58.025304 97.185646)
(xy 58.138342 97.12805)
(xy 58.22805 97.038342)
(xy 58.285646 96.925304)
(xy 58.305492 96.8)
(xy 58.300741 96.770003)
(xy 66.854968 96.770003)
(xy 66.873398 96.89819)
(xy 66.8734 96.898197)
(xy 66.927203 97.016009)
(xy 66.927206 97.016013)
(xy 67.012014 97.113888)
(xy 67.012016 97.113889)
(xy 67.012017 97.11389)
(xy 67.120973 97.183912)
(xy 67.245242 97.2204)
(xy 67.374758 97.2204)
(xy 67.499027 97.183912)
(xy 67.607983 97.11389)
(xy 67.609247 97.112432)
(xy 67.674175 97.0375)
(xy 67.692797 97.016009)
(xy 67.7466 96.898197)
(xy 67.752662 96.856037)
(xy 67.765032 96.770003)
(xy 68.124968 96.770003)
(xy 68.143398 96.89819)
(xy 68.1434 96.898197)
(xy 68.197203 97.016009)
(xy 68.197206 97.016013)
(xy 68.282014 97.113888)
(xy 68.282016 97.113889)
(xy 68.282017 97.11389)
(xy 68.390973 97.183912)
(xy 68.515242 97.2204)

(xy 68.644758 97.2204)
(xy 68.769027 97.183912)
(xy 68.877983 97.11389)
(xy 68.879247 97.112432)
(xy 68.944175 97.0375)
(xy 68.962797 97.016009)
(xy 69.0166 96.898197)
(xy 69.022662 96.856037)
(xy 69.035032 96.770003)
(xy 69.394968 96.770003)
(xy 69.413398 96.89819)
(xy 69.4134 96.898197)
(xy 69.467203 97.016009)
(xy 69.467206 97.016013)
(xy 69.552014 97.113888)
(xy 69.552016 97.113889)
(xy 69.552017 97.11389)
(xy 69.660973 97.183912)
(xy 69.785242 97.2204)
(xy 69.914758 97.2204)
(xy 70.039027 97.183912)
(xy 70.147983 97.11389)
(xy 70.149247 97.112432)
(xy 70.214175 97.0375)
(xy 70.232797 97.016009)
(xy 70.2866 96.898197)
(xy 70.292662 96.856037)
(xy 70.305032 96.770003)
(xy 70.664968 96.770003)
(xy 70.683398 96.89819)
(xy 70.6834 96.898197)
(xy 70.737203 97.016009)
(xy 70.737206 97.016013)
(xy 70.822014 97.113888)
(xy 70.822016 97.113889)
(xy 70.822017 97.11389)
(xy 70.930973 97.183912)
(xy 71.055242 97.2204)
(xy 71.184758 97.2204)
(xy 71.309027 97.183912)
(xy 71.417983 97.11389)
(xy 71.419247 97.112432)
(xy 71.484175 97.0375)
(xy 71.502797 97.016009)
(xy 71.5566 96.898197)
(xy 71.562662 96.856037)
(xy 71.575032 96.770003)
(xy 71.934968 96.770003)
(xy 71.953398 96.89819)
(xy 71.9534 96.898197)
(xy 72.007203 97.016009)
(xy 72.007206 97.016013)
(xy 72.092014 97.113888)
(xy 72.092016 97.113889)
(xy 72.092017 97.11389)
(xy 72.200973 97.183912)
(xy 72.325242 97.2204)
(xy 72.454758 97.2204)
(xy 72.579027 97.183912)
(xy 72.687983 97.11389)
(xy 72.689247 97.112432)
(xy 72.754175 97.0375)
(xy 72.772797 97.016009)
(xy 72.8266 96.898197)
(xy 72.832662 96.856037)
(xy 72.845032 96.770003)
(xy 72.845032 96.769996)
(xy 72.826601 96.641809)

(xy 72.8266 96.641808)
(xy 72.8266 96.641803)
(xy 72.772797 96.523991)
(xy 72.76835 96.518859)
(xy 72.687985 96.426111)
(xy 72.687983 96.42611)
(xy 72.667434 96.412904)
(xy 72.579027 96.356088)
(xy 72.579026 96.356087)
(xy 72.579025 96.356087)
(xy 72.454758 96.3196)
(xy 72.325242 96.3196)
(xy 72.200974 96.356087)
(xy 72.200971 96.356089)
(xy 72.092016 96.42611)
(xy 72.092014 96.426111)
(xy 72.007206 96.523986)
(xy 72.007203 96.52399)
(xy 71.9534 96.641802)
(xy 71.953398 96.641809)
(xy 71.934968 96.769996)
(xy 71.934968 96.770003)
(xy 71.575032 96.770003)
(xy 71.575032 96.769996)
(xy 71.556601 96.641809)
(xy 71.5566 96.641808)
(xy 71.5566 96.641803)
(xy 71.502797 96.523991)
(xy 71.49835 96.518859)
(xy 71.417985 96.426111)
(xy 71.417983 96.42611)
(xy 71.397434 96.412904)
(xy 71.309027 96.356088)
(xy 71.309026 96.356087)
(xy 71.309025 96.356087)
(xy 71.184758 96.3196)
(xy 71.055242 96.3196)
(xy 70.930974 96.356087)
(xy 70.930971 96.356089)
(xy 70.822016 96.42611)
(xy 70.822014 96.426111)
(xy 70.737206 96.523986)
(xy 70.737203 96.52399)
(xy 70.6834 96.641802)
(xy 70.683398 96.641809)
(xy 70.664968 96.769996)
(xy 70.664968 96.770003)
(xy 70.305032 96.770003)
(xy 70.305032 96.769996)
(xy 70.286601 96.641809)
(xy 70.2866 96.641808)
(xy 70.2866 96.641803)
(xy 70.232797 96.523991)
(xy 70.22835 96.518859)
(xy 70.147985 96.426111)
(xy 70.147983 96.42611)
(xy 70.127434 96.412904)
(xy 70.039027 96.356088)
(xy 70.039026 96.356087)
(xy 70.039025 96.356087)
(xy 69.914758 96.3196)
(xy 69.785242 96.3196)
(xy 69.660974 96.356087)
(xy 69.660971 96.356089)
(xy 69.552016 96.42611)
(xy 69.552014 96.426111)
(xy 69.467206 96.523986)
(xy 69.467203 96.52399)

(xy 69.4134 96.641802)
(xy 69.413398 96.641809)
(xy 69.394968 96.769996)
(xy 69.394968 96.770003)
(xy 69.035032 96.770003)
(xy 69.035032 96.769996)
(xy 69.016601 96.641809)
(xy 69.0166 96.641808)
(xy 69.0166 96.641803)
(xy 68.962797 96.523991)
(xy 68.95835 96.518859)
(xy 68.877985 96.426111)
(xy 68.877983 96.42611)
(xy 68.857434 96.412904)
(xy 68.769027 96.356088)
(xy 68.769026 96.356087)
(xy 68.769025 96.356087)
(xy 68.644758 96.3196)
(xy 68.515242 96.3196)
(xy 68.390974 96.356087)
(xy 68.390971 96.356089)
(xy 68.282016 96.42611)
(xy 68.282014 96.426111)
(xy 68.197206 96.523986)
(xy 68.197203 96.52399)
(xy 68.1434 96.641802)
(xy 68.143398 96.641809)
(xy 68.124968 96.769996)
(xy 68.124968 96.770003)
(xy 67.765032 96.770003)
(xy 67.765032 96.769996)
(xy 67.746601 96.641809)
(xy 67.7466 96.641808)
(xy 67.7466 96.641803)
(xy 67.692797 96.523991)
(xy 67.68835 96.518859)
(xy 67.607985 96.426111)
(xy 67.607983 96.42611)
(xy 67.587434 96.412904)
(xy 67.499027 96.356088)
(xy 67.499026 96.356087)
(xy 67.499025 96.356087)
(xy 67.374758 96.3196)
(xy 67.245242 96.3196)
(xy 67.120974 96.356087)
(xy 67.120971 96.356089)
(xy 67.012016 96.42611)
(xy 67.012014 96.426111)
(xy 66.927206 96.523986)
(xy 66.927203 96.52399)
(xy 66.8734 96.641802)
(xy 66.873398 96.641809)
(xy 66.854968 96.769996)
(xy 66.854968 96.770003)
(xy 58.300741 96.770003)
(xy 58.285646 96.674696)
(xy 58.235257 96.575802)
(xy 58.22805 96.561657)
(xy 58.138342 96.471949)
(xy 58.075056 96.439704)
(xy 58.023441 96.390956)
(xy 58.006375 96.322041)
(xy 58.029276 96.254839)
(xy 58.081281 96.213538)
(xy 58.080832 96.212554)
(xy 58.084808 96.210737)
(xy 58.084873 96.210687)
(xy 58.085073 96.210617)

(xy 58.089017 96.208814)
(xy 58.089027 96.208812)
(xy 58.197983 96.13879)
(xy 58.282797 96.040909)
(xy 58.3366 95.923097)
(xy 58.340878 95.893341)
(xy 58.355032 95.794903)
(xy 58.355032 95.794896)
(xy 58.336601 95.666709)
(xy 58.3366 95.666708)
(xy 58.3366 95.666703)
(xy 58.282797 95.548891)
(xy 58.279539 95.545131)
(xy 58.240436 95.500003)
(xy 66.854968 95.500003)
(xy 66.873398 95.62819)
(xy 66.8734 95.628197)
(xy 66.927203 95.746009)
(xy 66.927206 95.746013)
(xy 67.012014 95.843888)
(xy 67.012016 95.843889)
(xy 67.012017 95.84389)
(xy 67.120973 95.913912)
(xy 67.245242 95.9504)
(xy 67.374758 95.9504)
(xy 67.499027 95.913912)
(xy 67.607983 95.84389)
(xy 67.610233 95.841294)
(xy 67.654385 95.790339)
(xy 67.692797 95.746009)
(xy 67.7466 95.628197)
(xy 67.748891 95.612265)
(xy 67.765032 95.500003)
(xy 68.124968 95.500003)
(xy 68.143398 95.62819)
(xy 68.1434 95.628197)
(xy 68.197203 95.746009)
(xy 68.197206 95.746013)
(xy 68.282014 95.843888)
(xy 68.282016 95.843889)
(xy 68.282017 95.84389)
(xy 68.390973 95.913912)
(xy 68.515242 95.9504)
(xy 68.644758 95.9504)
(xy 68.769027 95.913912)
(xy 68.877983 95.84389)
(xy 68.880233 95.841294)
(xy 68.924385 95.790339)
(xy 68.962797 95.746009)
(xy 69.0166 95.628197)
(xy 69.018891 95.612265)
(xy 69.035032 95.500003)
(xy 69.394968 95.500003)
(xy 69.413398 95.62819)
(xy 69.4134 95.628197)
(xy 69.467203 95.746009)
(xy 69.467206 95.746013)
(xy 69.552014 95.843888)
(xy 69.552016 95.843889)
(xy 69.552017 95.84389)
(xy 69.660973 95.913912)
(xy 69.785242 95.9504)
(xy 69.914758 95.9504)
(xy 70.039027 95.913912)
(xy 70.147983 95.84389)
(xy 70.150233 95.841294)
(xy 70.194385 95.790339)
(xy 70.232797 95.746009)

(xy 70.2866 95.628197)
(xy 70.288891 95.612265)
(xy 70.305032 95.500003)
(xy 70.664968 95.500003)
(xy 70.683398 95.62819)
(xy 70.6834 95.628197)
(xy 70.737203 95.746009)
(xy 70.737206 95.746013)
(xy 70.822014 95.843888)
(xy 70.822016 95.843889)
(xy 70.822017 95.84389)
(xy 70.930973 95.913912)
(xy 71.055242 95.9504)
(xy 71.184758 95.9504)
(xy 71.309027 95.913912)
(xy 71.417983 95.84389)
(xy 71.420233 95.841294)
(xy 71.464385 95.790339)
(xy 71.502797 95.746009)
(xy 71.5566 95.628197)
(xy 71.558891 95.612265)
(xy 71.575032 95.500003)
(xy 71.934968 95.500003)
(xy 71.953398 95.62819)
(xy 71.9534 95.628197)
(xy 72.007203 95.746009)
(xy 72.007206 95.746013)
(xy 72.092014 95.843888)
(xy 72.092016 95.843889)
(xy 72.092017 95.84389)
(xy 72.200973 95.913912)
(xy 72.325242 95.9504)
(xy 72.454758 95.9504)
(xy 72.579027 95.913912)
(xy 72.687983 95.84389)
(xy 72.690233 95.841294)
(xy 72.734385 95.790339)
(xy 72.772797 95.746009)
(xy 72.8266 95.628197)
(xy 72.828891 95.612265)
(xy 72.845032 95.500003)
(xy 72.845032 95.499996)
(xy 72.826601 95.371809)
(xy 72.8266 95.371808)
(xy 72.8266 95.371803)
(xy 72.772797 95.253991)
(xy 72.758505 95.237497)
(xy 72.687985 95.156111)
(xy 72.687983 95.15611)
(xy 72.639595 95.125013)
(xy 74.444964 95.125013)
(xy 74.463394 95.2532)
(xy 74.463396 95.253207)
(xy 74.517199 95.371019)
(xy 74.517202 95.371023)
(xy 74.60201 95.468898)
(xy 74.602012 95.468899)
(xy 74.602013 95.4689)
(xy 74.710969 95.538922)
(xy 74.710971 95.538922)
(xy 74.715867 95.541159)
(xy 74.769523 95.587651)
(xy 74.789526 95.655771)
(xy 74.769525 95.723892)
(xy 74.721138 95.76582)
(xy 74.721511 95.7664)
(xy 74.717481 95.768989)
(xy 74.71587 95.770386)

(xy 74.715869 95.770386)
(xy 74.713932 95.77127)
(xy 74.604973 95.841294)
(xy 74.604971 95.841295)
(xy 74.520163 95.93917)
(xy 74.52016 95.939174)
(xy 74.466357 96.056986)
(xy 74.466355 96.056993)
(xy 74.447925 96.18518)
(xy 74.447925 96.185187)
(xy 74.466355 96.313374)
(xy 74.466357 96.313381)
(xy 74.52016 96.431193)
(xy 74.520163 96.431197)
(xy 74.604971 96.529072)
(xy 74.604973 96.529073)
(xy 74.604974 96.529074)
(xy 74.71393 96.599096)
(xy 74.838199 96.635584)
(xy 74.967715 96.635584)
(xy 75.091984 96.599096)
(xy 75.20094 96.529074)
(xy 75.205345 96.523991)
(xy 75.263783 96.456549)
(xy 75.285754 96.431193)
(xy 75.339557 96.313381)
(xy 75.340622 96.305973)
(xy 75.357989 96.185187)
(xy 75.357989 96.18518)
(xy 75.339558 96.056993)
(xy 75.339557 96.056992)
(xy 75.339557 96.056987)
(xy 75.285754 95.939175)
(xy 75.283079 95.936088)
(xy 75.200942 95.841295)
(xy 75.20094 95.841294)
(xy 75.16245 95.816558)
(xy 75.091984 95.771272)
(xy 75.091983 95.771271)
(xy 75.091979 95.771269)
(xy 75.087081 95.769032)
(xy 75.033427 95.722538)
(xy 75.013426 95.654417)
(xy 75.03343 95.586297)
(xy 75.081814 95.544373)
(xy 75.081442 95.543794)
(xy 75.085469 95.541205)
(xy 75.087086 95.539805)
(xy 75.087097 95.5398)
(xy 75.089009 95.538926)
(xy 75.089023 95.538922)
(xy 75.149582 95.500003)
(xy 77.644968 95.500003)
(xy 77.663398 95.62819)
(xy 77.6634 95.628197)
(xy 77.717203 95.746009)
(xy 77.717206 95.746013)
(xy 77.802014 95.843888)
(xy 77.802016 95.843889)
(xy 77.802017 95.84389)
(xy 77.910973 95.913912)
(xy 78.035242 95.9504)
(xy 78.164758 95.9504)
(xy 78.289027 95.913912)
(xy 78.397983 95.84389)
(xy 78.400233 95.841294)
(xy 78.444385 95.790339)
(xy 78.482797 95.746009)

(xy 78.5366 95.628197)
(xy 78.538891 95.612265)
(xy 78.555032 95.500003)
(xy 78.555032 95.499996)
(xy 78.536601 95.371809)
(xy 78.5366 95.371808)
(xy 78.5366 95.371803)
(xy 78.482797 95.253991)
(xy 78.468505 95.237497)
(xy 78.397985 95.156111)
(xy 78.397983 95.15611)
(xy 78.349595 95.125013)
(xy 78.289027 95.086088)
(xy 78.289026 95.086087)
(xy 78.289025 95.086087)
(xy 78.164758 95.0496)
(xy 78.035242 95.0496)
(xy 77.910974 95.086087)
(xy 77.910971 95.086089)
(xy 77.802016 95.15611)
(xy 77.802014 95.156111)
(xy 77.717206 95.253986)
(xy 77.717203 95.25399)
(xy 77.6634 95.371802)
(xy 77.663398 95.371809)
(xy 77.644968 95.499996)
(xy 77.644968 95.500003)
(xy 75.149582 95.500003)
(xy 75.197979 95.4689)
(xy 75.223738 95.439173)
(xy 75.263451 95.393341)
(xy 75.282793 95.371019)
(xy 75.336596 95.253207)
(xy 75.342857 95.209661)
(xy 75.355028 95.125013)
(xy 75.355028 95.125006)
(xy 75.336597 94.996819)
(xy 75.336596 94.996818)
(xy 75.336596 94.996813)
(xy 75.282793 94.879001)
(xy 75.261121 94.85399)
(xy 75.197981 94.781121)
(xy 75.197979 94.78112)
(xy 75.169006 94.7625)
(xy 75.089023 94.711098)
(xy 75.089022 94.711097)
(xy 75.089021 94.711097)
(xy 74.964754 94.67461)
(xy 74.835238 94.67461)
(xy 74.71097 94.711097)
(xy 74.710967 94.711099)
(xy 74.602012 94.78112)
(xy 74.60201 94.781121)
(xy 74.517202 94.878996)
(xy 74.517199 94.879)
(xy 74.463396 94.996812)
(xy 74.463394 94.996819)
(xy 74.444964 95.125006)
(xy 74.444964 95.125013)
(xy 72.639595 95.125013)
(xy 72.579027 95.086088)
(xy 72.579026 95.086087)
(xy 72.579025 95.086087)
(xy 72.454758 95.0496)
(xy 72.325242 95.0496)
(xy 72.200974 95.086087)
(xy 72.200971 95.086089)
(xy 72.092016 95.15611)

(xy 72.092014 95.156111)
(xy 72.007206 95.253986)
(xy 72.007203 95.25399)
(xy 71.9534 95.371802)
(xy 71.953398 95.371809)
(xy 71.934968 95.499996)
(xy 71.934968 95.500003)
(xy 71.575032 95.500003)
(xy 71.575032 95.499996)
(xy 71.556601 95.371809)
(xy 71.5566 95.371808)
(xy 71.5566 95.371803)
(xy 71.502797 95.253991)
(xy 71.488505 95.237497)
(xy 71.417985 95.156111)
(xy 71.417983 95.15611)
(xy 71.369595 95.125013)
(xy 71.309027 95.086088)
(xy 71.309026 95.086087)
(xy 71.309025 95.086087)
(xy 71.184758 95.0496)
(xy 71.055242 95.0496)
(xy 70.930974 95.086087)
(xy 70.930971 95.086089)
(xy 70.822016 95.15611)
(xy 70.822014 95.156111)
(xy 70.737206 95.253986)
(xy 70.737203 95.25399)
(xy 70.6834 95.371802)
(xy 70.683398 95.371809)
(xy 70.664968 95.499996)
(xy 70.664968 95.500003)
(xy 70.305032 95.500003)
(xy 70.305032 95.499996)
(xy 70.286601 95.371809)
(xy 70.2866 95.371808)
(xy 70.2866 95.371803)
(xy 70.232797 95.253991)
(xy 70.218505 95.237497)
(xy 70.147985 95.156111)
(xy 70.147983 95.15611)
(xy 70.099595 95.125013)
(xy 70.039027 95.086088)
(xy 70.039026 95.086087)
(xy 70.039025 95.086087)
(xy 69.914758 95.0496)
(xy 69.785242 95.0496)
(xy 69.660974 95.086087)
(xy 69.660971 95.086089)
(xy 69.552016 95.15611)
(xy 69.552014 95.156111)
(xy 69.467206 95.253986)
(xy 69.467203 95.25399)
(xy 69.4134 95.371802)
(xy 69.413398 95.371809)
(xy 69.394968 95.499996)
(xy 69.394968 95.500003)
(xy 69.035032 95.500003)
(xy 69.035032 95.499996)
(xy 69.016601 95.371809)
(xy 69.0166 95.371808)
(xy 69.0166 95.371803)
(xy 68.962797 95.253991)
(xy 68.948505 95.237497)
(xy 68.877985 95.156111)
(xy 68.877983 95.15611)
(xy 68.829595 95.125013)
(xy 68.769027 95.086088)

(xy 68.769026 95.086087)
(xy 68.769025 95.086087)
(xy 68.644758 95.0496)
(xy 68.515242 95.0496)
(xy 68.390974 95.086087)
(xy 68.390971 95.086089)
(xy 68.282016 95.15611)
(xy 68.282014 95.156111)
(xy 68.197206 95.253986)
(xy 68.197203 95.25399)
(xy 68.1434 95.371802)
(xy 68.143398 95.371809)
(xy 68.124968 95.499996)
(xy 68.124968 95.500003)
(xy 67.765032 95.500003)
(xy 67.765032 95.499996)
(xy 67.746601 95.371809)
(xy 67.7466 95.371808)
(xy 67.7466 95.371803)
(xy 67.692797 95.253991)
(xy 67.678505 95.237497)
(xy 67.607985 95.156111)
(xy 67.607983 95.15611)
(xy 67.559595 95.125013)
(xy 67.499027 95.086088)
(xy 67.499026 95.086087)
(xy 67.499025 95.086087)
(xy 67.374758 95.0496)
(xy 67.245242 95.0496)
(xy 67.120974 95.086087)
(xy 67.120971 95.086089)
(xy 67.012016 95.15611)
(xy 67.012014 95.156111)
(xy 66.927206 95.253986)
(xy 66.927203 95.25399)
(xy 66.8734 95.371802)
(xy 66.873398 95.371809)
(xy 66.854968 95.499996)
(xy 66.854968 95.500003)
(xy 58.240436 95.500003)
(xy 58.197985 95.451011)
(xy 58.197983 95.45101)
(xy 58.186904 95.44389)
(xy 58.089027 95.380988)
(xy 58.089026 95.380987)
(xy 58.089025 95.380987)
(xy 58.055075 95.371019)
(xy 58.04597 95.368345)
(xy 57.986245 95.329963)
(xy 57.956752 95.265382)
(xy 57.966855 95.195108)
(xy 58.013348 95.141453)
(xy 58.04597 95.126554)
(xy 58.089027 95.113912)
(xy 58.197983 95.04389)
(xy 58.282797 94.946009)
(xy 58.3366 94.828197)
(xy 58.338891 94.812265)
(xy 58.355032 94.700003)
(xy 58.355032 94.699996)
(xy 58.336601 94.571809)
(xy 58.3366 94.571808)
(xy 58.3366 94.571803)
(xy 58.282797 94.453991)
(xy 58.275881 94.446009)
(xy 58.197985 94.356111)
(xy 58.197983 94.35611)
(xy 58.188476 94.35)

(xy 63.544968 94.35)
(xy 63.563398 94.47819)
(xy 63.5634 94.478197)
(xy 63.617203 94.596009)
(xy 63.617206 94.596013)
(xy 63.702014 94.693888)
(xy 63.702016 94.693889)
(xy 63.702017 94.69389)
(xy 63.810973 94.763912)
(xy 63.935242 94.8004)
(xy 64.064758 94.8004)
(xy 64.189027 94.763912)
(xy 64.297983 94.69389)
(xy 64.304744 94.686088)
(xy 64.357186 94.625566)
(xy 64.382797 94.596009)
(xy 64.4366 94.478197)
(xy 64.455032 94.35)
(xy 64.455032 94.349996)
(xy 64.437779 94.23)
(xy 66.854968 94.23)
(xy 66.873398 94.35819)
(xy 66.8734 94.358197)
(xy 66.927203 94.476009)
(xy 66.927206 94.476013)
(xy 67.012014 94.573888)
(xy 67.012016 94.573889)
(xy 67.012017 94.57389)
(xy 67.120973 94.643912)
(xy 67.245242 94.6804)
(xy 67.374758 94.6804)
(xy 67.499027 94.643912)
(xy 67.607983 94.57389)
(xy 67.609435 94.572215)
(xy 67.651455 94.52372)
(xy 67.692797 94.476009)
(xy 67.7466 94.358197)
(xy 67.765032 94.23)
(xy 68.124968 94.23)
(xy 68.143398 94.35819)
(xy 68.1434 94.358197)
(xy 68.197203 94.476009)
(xy 68.197206 94.476013)
(xy 68.282014 94.573888)
(xy 68.282016 94.573889)
(xy 68.282017 94.57389)
(xy 68.390973 94.643912)
(xy 68.515242 94.6804)
(xy 68.644758 94.6804)
(xy 68.769027 94.643912)
(xy 68.877983 94.57389)
(xy 68.879435 94.572215)
(xy 68.921455 94.52372)
(xy 68.962797 94.476009)
(xy 69.0166 94.358197)
(xy 69.035032 94.23)
(xy 69.394968 94.23)
(xy 69.413398 94.35819)
(xy 69.4134 94.358197)
(xy 69.467203 94.476009)
(xy 69.467206 94.476013)
(xy 69.552014 94.573888)
(xy 69.552016 94.573889)
(xy 69.552017 94.57389)
(xy 69.660973 94.643912)
(xy 69.785242 94.6804)
(xy 69.914758 94.6804)
(xy 70.039027 94.643912)

(xy 70.147983 94.57389)
(xy 70.149435 94.572215)
(xy 70.191455 94.52372)
(xy 70.232797 94.476009)
(xy 70.2866 94.358197)
(xy 70.305032 94.23)
(xy 70.664968 94.23)
(xy 70.683398 94.35819)
(xy 70.6834 94.358197)
(xy 70.737203 94.476009)
(xy 70.737206 94.476013)
(xy 70.822014 94.573888)
(xy 70.822016 94.573889)
(xy 70.822017 94.57389)
(xy 70.930973 94.643912)
(xy 71.055242 94.6804)
(xy 71.184758 94.6804)
(xy 71.309027 94.643912)
(xy 71.417983 94.57389)
(xy 71.419435 94.572215)
(xy 71.461455 94.52372)
(xy 71.502797 94.476009)
(xy 71.5566 94.358197)
(xy 71.575032 94.23)
(xy 71.934968 94.23)
(xy 71.953398 94.35819)
(xy 71.9534 94.358197)
(xy 72.007203 94.476009)
(xy 72.007206 94.476013)
(xy 72.092014 94.573888)
(xy 72.092016 94.573889)
(xy 72.092017 94.57389)
(xy 72.200973 94.643912)
(xy 72.325242 94.6804)
(xy 72.454758 94.6804)
(xy 72.579027 94.643912)
(xy 72.687983 94.57389)
(xy 72.689435 94.572215)
(xy 72.731455 94.52372)
(xy 72.772797 94.476009)
(xy 72.8266 94.358197)
(xy 72.845032 94.23)
(xy 72.845032 94.229996)
(xy 72.826601 94.101809)
(xy 72.8266 94.101808)
(xy 72.8266 94.101803)
(xy 72.772797 93.983991)
(xy 72.767714 93.978125)
(xy 72.687985 93.886111)
(xy 72.687983 93.88611)
(xy 72.639371 93.854869)
(xy 72.619235 93.841928)
(xy 77.086893 93.841928)
(xy 77.105323 93.970115)
(xy 77.105325 93.970122)
(xy 77.159128 94.087934)
(xy 77.159131 94.087938)
(xy 77.243939 94.185813)
(xy 77.243941 94.185814)
(xy 77.243942 94.185815)
(xy 77.352898 94.255837)
(xy 77.477167 94.292325)
(xy 77.606683 94.292325)
(xy 77.730952 94.255837)
(xy 77.839908 94.185815)
(xy 77.924722 94.087934)
(xy 77.978525 93.970122)
(xy 77.981397 93.950149)

(xy 77.996957 93.841928)
(xy 77.996957 93.841921)
(xy 77.978526 93.713734)
(xy 77.978525 93.713733)
(xy 77.978525 93.713728)
(xy 77.924722 93.595916)
(xy 77.915823 93.585646)
(xy 77.83991 93.498036)
(xy 77.839908 93.498035)
(xy 77.762911 93.448552)
(xy 77.730952 93.428013)
(xy 77.730951 93.428012)
(xy 77.73095 93.428012)
(xy 77.606683 93.391525)
(xy 77.477167 93.391525)
(xy 77.352899 93.428012)
(xy 77.352896 93.428014)
(xy 77.243941 93.498035)
(xy 77.243939 93.498036)
(xy 77.159131 93.595911)
(xy 77.159128 93.595915)
(xy 77.105325 93.713727)
(xy 77.105323 93.713734)
(xy 77.086893 93.841921)
(xy 77.086893 93.841928)
(xy 72.619235 93.841928)
(xy 72.579027 93.816088)
(xy 72.579026 93.816087)
(xy 72.579025 93.816087)
(xy 72.454758 93.7796)
(xy 72.325242 93.7796)
(xy 72.200974 93.816087)
(xy 72.200971 93.816089)
(xy 72.092016 93.88611)
(xy 72.092014 93.886111)
(xy 72.007206 93.983986)
(xy 72.007203 93.98399)
(xy 71.9534 94.101802)
(xy 71.953398 94.101809)
(xy 71.934968 94.229996)
(xy 71.934968 94.23)
(xy 71.575032 94.23)
(xy 71.575032 94.229996)
(xy 71.556601 94.101809)
(xy 71.5566 94.101808)
(xy 71.5566 94.101803)
(xy 71.502797 93.983991)
(xy 71.497714 93.978125)
(xy 71.417985 93.886111)
(xy 71.417983 93.88611)
(xy 71.369371 93.854869)
(xy 71.309027 93.816088)
(xy 71.309026 93.816087)
(xy 71.309025 93.816087)
(xy 71.184758 93.7796)
(xy 71.055242 93.7796)
(xy 70.930974 93.816087)
(xy 70.930971 93.816089)
(xy 70.822016 93.88611)
(xy 70.822014 93.886111)
(xy 70.737206 93.983986)
(xy 70.737203 93.98399)
(xy 70.6834 94.101802)
(xy 70.683398 94.101809)
(xy 70.664968 94.229996)
(xy 70.664968 94.23)
(xy 70.305032 94.23)
(xy 70.305032 94.229996)

(xy 70.286601 94.101809)
(xy 70.2866 94.101808)
(xy 70.2866 94.101803)
(xy 70.232797 93.983991)
(xy 70.227714 93.978125)
(xy 70.147985 93.886111)
(xy 70.147983 93.88611)
(xy 70.099371 93.854869)
(xy 70.039027 93.816088)
(xy 70.039026 93.816087)
(xy 70.039025 93.816087)
(xy 69.914758 93.7796)
(xy 69.785242 93.7796)
(xy 69.660974 93.816087)
(xy 69.660971 93.816089)
(xy 69.552016 93.88611)
(xy 69.552014 93.886111)
(xy 69.467206 93.983986)
(xy 69.467203 93.98399)
(xy 69.4134 94.101802)
(xy 69.413398 94.101809)
(xy 69.394968 94.229996)
(xy 69.394968 94.23)
(xy 69.035032 94.23)
(xy 69.035032 94.229996)
(xy 69.016601 94.101809)
(xy 69.0166 94.101808)
(xy 69.0166 94.101803)
(xy 68.962797 93.983991)
(xy 68.957714 93.978125)
(xy 68.877985 93.886111)
(xy 68.877983 93.88611)
(xy 68.829371 93.854869)
(xy 68.769027 93.816088)
(xy 68.769026 93.816087)
(xy 68.769025 93.816087)
(xy 68.644758 93.7796)
(xy 68.515242 93.7796)
(xy 68.390974 93.816087)
(xy 68.390971 93.816089)
(xy 68.282016 93.88611)
(xy 68.282014 93.886111)
(xy 68.197206 93.983986)
(xy 68.197203 93.98399)
(xy 68.1434 94.101802)
(xy 68.143398 94.101809)
(xy 68.124968 94.229996)
(xy 68.124968 94.23)
(xy 67.765032 94.23)
(xy 67.765032 94.229996)
(xy 67.746601 94.101809)
(xy 67.7466 94.101808)
(xy 67.7466 94.101803)
(xy 67.692797 93.983991)
(xy 67.687714 93.978125)
(xy 67.607985 93.886111)
(xy 67.607983 93.88611)
(xy 67.559371 93.854869)
(xy 67.499027 93.816088)
(xy 67.499026 93.816087)
(xy 67.499025 93.816087)
(xy 67.374758 93.7796)
(xy 67.245242 93.7796)
(xy 67.120974 93.816087)
(xy 67.120971 93.816089)
(xy 67.012016 93.88611)
(xy 67.012014 93.886111)
(xy 66.927206 93.983986)

(xy 66.927203 93.98399)
(xy 66.8734 94.101802)
(xy 66.873398 94.101809)
(xy 66.854968 94.229996)
(xy 66.854968 94.23)
(xy 64.437779 94.23)
(xy 64.436601 94.221809)
(xy 64.4366 94.221808)
(xy 64.4366 94.221803)
(xy 64.382797 94.103991)
(xy 64.382793 94.103986)
(xy 64.297985 94.006111)
(xy 64.297983 94.00611)
(xy 64.296299 94.005028)
(xy 64.189027 93.936088)
(xy 64.189026 93.936087)
(xy 64.189025 93.936087)
(xy 64.064758 93.8996)
(xy 63.935242 93.8996)
(xy 63.810974 93.936087)
(xy 63.810971 93.936089)
(xy 63.702016 94.00611)
(xy 63.702014 94.006111)
(xy 63.617206 94.103986)
(xy 63.617203 94.10399)
(xy 63.5634 94.221802)
(xy 63.563398 94.221809)
(xy 63.544968 94.349996)
(xy 63.544968 94.35)
(xy 58.188476 94.35)
(xy 58.155415 94.328753)
(xy 58.089027 94.286088)
(xy 58.089026 94.286087)
(xy 58.089025 94.286087)
(xy 57.964758 94.2496)
(xy 57.835242 94.2496)
(xy 57.710974 94.286087)
(xy 57.710971 94.286089)
(xy 57.602016 94.35611)
(xy 57.602014 94.356111)
(xy 57.517206 94.453986)
(xy 57.517203 94.45399)
(xy 57.4634 94.571802)
(xy 57.463398 94.571809)
(xy 57.444968 94.699996)
(xy 57.444968 94.700003)
(xy 57.463398 94.82819)
(xy 57.4634 94.828197)
(xy 57.517203 94.946009)
(xy 57.517206 94.946013)
(xy 57.602014 95.043888)
(xy 57.602016 95.043889)
(xy 57.602017 95.04389)
(xy 57.710973 95.113912)
(xy 57.745563 95.124068)
(xy 57.754028 95.126554)
(xy 57.813754 95.164937)
(xy 57.843247 95.229518)
(xy 57.833144 95.299792)
(xy 57.786651 95.353448)
(xy 57.754028 95.368346)
(xy 57.710975 95.380987)
(xy 57.710971 95.380989)
(xy 57.602016 95.45101)
(xy 57.602014 95.451011)
(xy 57.517206 95.548886)
(xy 57.517203 95.54889)
(xy 57.4634 95.666702)

(xy 57.463398 95.666709)
(xy 57.444968 95.794896)
(xy 57.444968 95.794903)
(xy 56.955399 95.794903)
(xy 56.9554 92.960003)
(xy 66.854968 92.960003)
(xy 66.873398 93.08819)
(xy 66.8734 93.088197)
(xy 66.927203 93.206009)
(xy 66.927206 93.206013)
(xy 67.012014 93.303888)
(xy 67.012016 93.303889)
(xy 67.012017 93.30389)
(xy 67.120973 93.373912)
(xy 67.245242 93.4104)
(xy 67.374758 93.4104)
(xy 67.499027 93.373912)
(xy 67.607983 93.30389)
(xy 67.612102 93.299137)
(xy 67.654679 93.25)
(xy 67.692797 93.206009)
(xy 67.7466 93.088197)
(xy 67.751431 93.054598)
(xy 67.765032 92.960003)
(xy 68.124968 92.960003)
(xy 68.143398 93.08819)
(xy 68.1434 93.088197)
(xy 68.197203 93.206009)
(xy 68.197206 93.206013)
(xy 68.282014 93.303888)
(xy 68.282016 93.303889)
(xy 68.282017 93.30389)
(xy 68.390973 93.373912)
(xy 68.515242 93.4104)
(xy 68.644758 93.4104)
(xy 68.769027 93.373912)
(xy 68.877983 93.30389)
(xy 68.882102 93.299137)
(xy 68.924679 93.25)
(xy 68.962797 93.206009)
(xy 69.0166 93.088197)
(xy 69.021431 93.054598)
(xy 69.035032 92.960003)
(xy 69.394968 92.960003)
(xy 69.413398 93.08819)
(xy 69.4134 93.088197)
(xy 69.467203 93.206009)
(xy 69.467206 93.206013)
(xy 69.552014 93.303888)
(xy 69.552016 93.303889)
(xy 69.552017 93.30389)
(xy 69.660973 93.373912)
(xy 69.785242 93.4104)
(xy 69.914758 93.4104)
(xy 70.039027 93.373912)
(xy 70.147983 93.30389)
(xy 70.152102 93.299137)
(xy 70.194679 93.25)
(xy 70.232797 93.206009)
(xy 70.2866 93.088197)
(xy 70.291431 93.054598)
(xy 70.305032 92.960003)
(xy 70.664968 92.960003)
(xy 70.683398 93.08819)
(xy 70.6834 93.088197)
(xy 70.737203 93.206009)
(xy 70.737206 93.206013)
(xy 70.822014 93.303888)

(xy 70.822016 93.303889)
(xy 70.822017 93.30389)
(xy 70.930973 93.373912)
(xy 71.055242 93.4104)
(xy 71.184758 93.4104)
(xy 71.309027 93.373912)
(xy 71.417983 93.30389)
(xy 71.422102 93.299137)
(xy 71.464679 93.25)
(xy 71.502797 93.206009)
(xy 71.5566 93.088197)
(xy 71.561431 93.054598)
(xy 71.575032 92.960003)
(xy 71.934968 92.960003)
(xy 71.953398 93.08819)
(xy 71.9534 93.088197)
(xy 72.007203 93.206009)
(xy 72.007206 93.206013)
(xy 72.092014 93.303888)
(xy 72.092016 93.303889)
(xy 72.092017 93.30389)
(xy 72.200973 93.373912)
(xy 72.325242 93.4104)
(xy 72.454758 93.4104)
(xy 72.579027 93.373912)
(xy 72.687983 93.30389)
(xy 72.692102 93.299137)
(xy 72.734679 93.25)
(xy 72.772797 93.206009)
(xy 72.8266 93.088197)
(xy 72.831431 93.054598)
(xy 72.845032 92.960003)
(xy 72.845032 92.959996)
(xy 72.826601 92.831809)
(xy 72.8266 92.831808)
(xy 72.8266 92.831803)
(xy 72.772797 92.713991)
(xy 72.760673 92.699999)
(xy 72.687985 92.616111)
(xy 72.687983 92.61611)
(xy 72.662909 92.599996)
(xy 72.579027 92.546088)
(xy 72.579026 92.546087)
(xy 72.579025 92.546087)
(xy 72.454758 92.5096)
(xy 72.325242 92.5096)
(xy 72.200974 92.546087)
(xy 72.200971 92.546089)
(xy 72.092016 92.61611)
(xy 72.092014 92.616111)
(xy 72.007206 92.713986)
(xy 72.007203 92.71399)
(xy 71.9534 92.831802)
(xy 71.953398 92.831809)
(xy 71.934968 92.959996)
(xy 71.934968 92.960003)
(xy 71.575032 92.960003)
(xy 71.575032 92.959996)
(xy 71.556601 92.831809)
(xy 71.5566 92.831808)
(xy 71.5566 92.831803)
(xy 71.502797 92.713991)
(xy 71.490673 92.699999)
(xy 71.417985 92.616111)
(xy 71.417983 92.61611)
(xy 71.392909 92.599996)
(xy 71.309027 92.546088)
(xy 71.309026 92.546087)

(xy 71.309025 92.546087)
(xy 71.184758 92.5096)
(xy 71.055242 92.5096)
(xy 70.930974 92.546087)
(xy 70.930971 92.546089)
(xy 70.822016 92.61611)
(xy 70.822014 92.616111)
(xy 70.737206 92.713986)
(xy 70.737203 92.71399)
(xy 70.6834 92.831802)
(xy 70.683398 92.831809)
(xy 70.664968 92.959996)
(xy 70.664968 92.960003)
(xy 70.305032 92.960003)
(xy 70.305032 92.959996)
(xy 70.286601 92.831809)
(xy 70.2866 92.831808)
(xy 70.2866 92.831803)
(xy 70.232797 92.713991)
(xy 70.220673 92.699999)
(xy 70.147985 92.616111)
(xy 70.147983 92.61611)
(xy 70.122909 92.599996)
(xy 70.039027 92.546088)
(xy 70.039026 92.546087)
(xy 70.039025 92.546087)
(xy 69.914758 92.5096)
(xy 69.785242 92.5096)
(xy 69.660974 92.546087)
(xy 69.660971 92.546089)
(xy 69.552016 92.61611)
(xy 69.552014 92.616111)
(xy 69.467206 92.713986)
(xy 69.467203 92.71399)
(xy 69.4134 92.831802)
(xy 69.413398 92.831809)
(xy 69.394968 92.959996)
(xy 69.394968 92.960003)
(xy 69.035032 92.960003)
(xy 69.035032 92.959996)
(xy 69.016601 92.831809)
(xy 69.0166 92.831808)
(xy 69.0166 92.831803)
(xy 68.962797 92.713991)
(xy 68.950673 92.699999)
(xy 68.877985 92.616111)
(xy 68.877983 92.61611)
(xy 68.852909 92.599996)
(xy 68.769027 92.546088)
(xy 68.769026 92.546087)
(xy 68.769025 92.546087)
(xy 68.644758 92.5096)
(xy 68.515242 92.5096)
(xy 68.390974 92.546087)
(xy 68.390971 92.546089)
(xy 68.282016 92.61611)
(xy 68.282014 92.616111)
(xy 68.197206 92.713986)
(xy 68.197203 92.71399)
(xy 68.1434 92.831802)
(xy 68.143398 92.831809)
(xy 68.124968 92.959996)
(xy 68.124968 92.960003)
(xy 67.765032 92.960003)
(xy 67.765032 92.959996)
(xy 67.746601 92.831809)
(xy 67.7466 92.831808)
(xy 67.7466 92.831803)

(xy 67.692797 92.713991)
(xy 67.680673 92.699999)
(xy 67.607985 92.616111)
(xy 67.607983 92.61611)
(xy 67.582909 92.599996)
(xy 67.499027 92.546088)
(xy 67.499026 92.546087)
(xy 67.499025 92.546087)
(xy 67.374758 92.5096)
(xy 67.245242 92.5096)
(xy 67.120974 92.546087)
(xy 67.120971 92.546089)
(xy 67.012016 92.61611)
(xy 67.012014 92.616111)
(xy 66.927206 92.713986)
(xy 66.927203 92.71399)
(xy 66.8734 92.831802)
(xy 66.873398 92.831809)
(xy 66.854968 92.959996)
(xy 66.854968 92.960003)
(xy 56.9554 92.960003)
(xy 56.9554 92.194961)
(xy 75.518118 92.194961)
(xy 75.536548 92.323148)
(xy 75.53655 92.323155)
(xy 75.590353 92.440967)
(xy 75.590356 92.440971)
(xy 75.675164 92.538846)
(xy 75.675166 92.538847)
(xy 75.675167 92.538848)
(xy 75.784123 92.60887)
(xy 75.908392 92.645358)
(xy 76.037908 92.645358)
(xy 76.162177 92.60887)
(xy 76.271133 92.538848)
(xy 76.355947 92.440967)
(xy 76.40975 92.323155)
(xy 76.420385 92.249187)
(xy 76.428182 92.194961)
(xy 76.428182 92.194954)
(xy 76.409751 92.066767)
(xy 76.40975 92.066766)
(xy 76.40975 92.066761)
(xy 76.355947 91.948949)
(xy 76.355943 91.948944)
(xy 76.271135 91.851069)
(xy 76.271133 91.851068)
(xy 76.213314 91.81391)
(xy 76.162177 91.781046)
(xy 76.162176 91.781045)
(xy 76.162175 91.781045)
(xy 76.037908 91.744558)
(xy 75.908392 91.744558)
(xy 75.784124 91.781045)
(xy 75.784121 91.781047)
(xy 75.675166 91.851068)
(xy 75.675164 91.851069)
(xy 75.590356 91.948944)
(xy 75.590353 91.948948)
(xy 75.53655 92.06676)
(xy 75.536548 92.066767)
(xy 75.518118 92.194954)
(xy 75.518118 92.194961)
(xy 56.9554 92.194961)
(xy 56.9554 91.851953)
(xy 56.975402 91.783832)
(xy 57.029058 91.737339)
(xy 57.099332 91.727236)

(xy 57.163912 91.756729)
(xy 57.196013 91.79961)
(xy 57.202544 91.81391)
(xy 57.217203 91.846009)
(xy 57.217206 91.846013)
(xy 57.302014 91.943888)
(xy 57.302016 91.943889)
(xy 57.302017 91.94389)
(xy 57.410973 92.013912)
(xy 57.535242 92.0504)
(xy 57.664758 92.0504)
(xy 57.789027 92.013912)
(xy 57.897983 91.94389)
(xy 57.904654 91.936192)
(xy 57.967374 91.863808)
(xy 57.982797 91.846009)
(xy 58.0366 91.728197)
(xy 58.040778 91.699137)
(xy 58.055032 91.600003)
(xy 58.055032 91.599996)
(xy 58.036601 91.471809)
(xy 58.0366 91.471808)
(xy 58.0366 91.471803)
(xy 57.982797 91.353991)
(xy 57.979339 91.35)
(xy 57.897985 91.256111)
(xy 57.897983 91.25611)
(xy 57.86682 91.236083)
(xy 57.789027 91.186088)
(xy 57.789026 91.186087)
(xy 57.789025 91.186087)
(xy 57.664758 91.1496)
(xy 57.535242 91.1496)
(xy 57.410974 91.186087)
(xy 57.410971 91.186089)
(xy 57.302016 91.25611)
(xy 57.302014 91.256111)
(xy 57.217206 91.353986)
(xy 57.217202 91.353991)
(xy 57.207936 91.374282)
(xy 57.161442 91.427937)
(xy 57.093321 91.447938)
(xy 57.025201 91.427935)
(xy 56.978709 91.374279)
(xy 56.968606 91.304005)
(xy 56.969555 91.298327)
(xy 56.969998 91.296009)
(xy 56.984275 91.221164)
(xy 56.982944 91.2)
(xy 56.973958 91.057164)
(xy 56.973956 91.057155)
(xy 56.923178 90.900873)
(xy 56.923177 90.900872)
(xy 56.835126 90.762125)
(xy 56.738941 90.671802)
(xy 56.715334 90.649634)
(xy 56.71533 90.649632)
(xy 56.715328 90.64963)
(xy 56.571332 90.570467)
(xy 56.571328 90.570466)
(xy 56.412172 90.529601)
(xy 56.412166 90.5296)
(xy 56.412165 90.5296)
(xy 55.189083 90.5296)
(xy 55.18907 90.5296)
(xy 55.110037 90.539585)
(xy 55.074275 90.544103)
(xy 55.066383 90.5446)

(xy 52.056502 90.5446)
(xy 52.025167 90.540641)
(xy 52.007774 90.536175)
(xy 51.98217 90.529601)
(xy 51.982167 90.5296)
(xy 51.982165 90.5296)
(xy 51.259083 90.5296)
(xy 51.25907 90.5296)
(xy 51.180037 90.539585)
(xy 51.144275 90.544103)
(xy 51.136383 90.5446)
(xy 50.500701 90.5446)
(xy 50.495618 90.544767)
(xy 50.492733 90.544956)
(xy 50.484077 90.545523)
(xy 50.479017 90.546022)
(xy 50.358182 90.561929)
(xy 50.348203 90.563914)
(xy 50.348202 90.563914)
(xy 50.336609 90.56702)
(xy 50.313421 90.573233)
(xy 50.303786 90.576504)
(xy 50.303782 90.576505)
(xy 50.303775 90.576508)
(xy 50.303776 90.576508)
(xy 50.224717 90.609254)
(xy 50.154127 90.616843)
(xy 50.090641 90.585063)
(xy 50.054414 90.524005)
(xy 50.0505 90.492845)
(xy 50.0505 90.200003)
(xy 60.194968 90.200003)
(xy 60.213398 90.32819)
(xy 60.2134 90.328197)
(xy 60.267203 90.446009)
(xy 60.267206 90.446013)
(xy 60.352014 90.543888)
(xy 60.352016 90.543889)
(xy 60.352017 90.54389)
(xy 60.460973 90.613912)
(xy 60.585242 90.6504)
(xy 60.714758 90.6504)
(xy 60.839027 90.613912)
(xy 60.947983 90.54389)
(xy 60.950799 90.540641)
(xy 60.976254 90.511263)
(xy 61.024091 90.456056)
(xy 64.587343 90.456056)
(xy 64.605773 90.584243)
(xy 64.605775 90.58425)
(xy 64.659578 90.702062)
(xy 64.659581 90.702066)
(xy 64.744389 90.799941)
(xy 64.744391 90.799942)
(xy 64.744392 90.799943)
(xy 64.853348 90.869965)
(xy 64.977617 90.906453)
(xy 65.107133 90.906453)
(xy 65.231402 90.869965)
(xy 65.340358 90.799943)
(xy 65.340363 90.799937)
(xy 65.342164 90.798377)
(xy 65.344345 90.79738)
(xy 65.347939 90.795071)
(xy 65.34827 90.795587)
(xy 65.406742 90.768878)
(xy 65.477017 90.778976)
(xy 65.493917 90.789839)

(xy 65.494446 90.789018)
(xy 65.502026 90.793889)
(xy 65.502027 90.79389)
(xy 65.610983 90.863912)
(xy 65.735252 90.9004)
(xy 65.864768 90.9004)
(xy 65.989037 90.863912)
(xy 66.097993 90.79389)
(xy 66.104754 90.786088)
(xy 66.157662 90.725028)
(xy 66.182807 90.696009)
(xy 66.23661 90.578197)
(xy 66.24009 90.553991)
(xy 66.255042 90.450003)
(xy 67.144968 90.450003)
(xy 67.163398 90.57819)
(xy 67.1634 90.578197)
(xy 67.217203 90.696009)
(xy 67.217206 90.696013)
(xy 67.302014 90.793888)
(xy 67.302016 90.793889)
(xy 67.302017 90.79389)
(xy 67.410973 90.863912)
(xy 67.535242 90.9004)
(xy 67.664758 90.9004)
(xy 67.789027 90.863912)
(xy 67.897983 90.79389)
(xy 67.904744 90.786088)
(xy 67.957652 90.725028)
(xy 67.982797 90.696009)
(xy 68.0366 90.578197)
(xy 68.04008 90.553991)
(xy 68.055032 90.450003)
(xy 72.644968 90.450003)
(xy 72.663398 90.57819)
(xy 72.6634 90.578197)
(xy 72.717203 90.696009)
(xy 72.717206 90.696013)
(xy 72.802014 90.793888)
(xy 72.802016 90.793889)
(xy 72.802017 90.79389)
(xy 72.910973 90.863912)
(xy 73.035242 90.9004)
(xy 73.164758 90.9004)
(xy 73.289027 90.863912)
(xy 73.397983 90.79389)
(xy 73.404744 90.786088)
(xy 73.457652 90.725028)
(xy 73.482797 90.696009)
(xy 73.5366 90.578197)
(xy 73.54008 90.553991)
(xy 73.555032 90.450003)
(xy 73.555032 90.449996)
(xy 73.536601 90.321809)
(xy 73.5366 90.321808)
(xy 73.5366 90.321803)
(xy 73.482797 90.203991)
(xy 73.482793 90.203986)
(xy 73.397985 90.106111)
(xy 73.397983 90.10611)
(xy 73.344599 90.071802)
(xy 73.289027 90.036088)
(xy 73.289026 90.036087)
(xy 73.289025 90.036087)
(xy 73.164758 89.9996)
(xy 73.035242 89.9996)
(xy 72.910974 90.036087)
(xy 72.910971 90.036089)

(xy 72.802016 90.10611)
(xy 72.802014 90.106111)
(xy 72.717206 90.203986)
(xy 72.717203 90.20399)
(xy 72.6634 90.321802)
(xy 72.663398 90.321809)
(xy 72.644968 90.449996)
(xy 72.644968 90.450003)
(xy 68.055032 90.450003)
(xy 68.055032 90.449996)
(xy 68.036601 90.321809)
(xy 68.0366 90.321808)
(xy 68.0366 90.321803)
(xy 67.982797 90.203991)
(xy 67.982793 90.203986)
(xy 67.897985 90.106111)
(xy 67.897983 90.10611)
(xy 67.844599 90.071802)
(xy 67.789027 90.036088)
(xy 67.789026 90.036087)
(xy 67.789025 90.036087)
(xy 67.664758 89.9996)
(xy 67.535242 89.9996)
(xy 67.410974 90.036087)
(xy 67.410971 90.036089)
(xy 67.302016 90.10611)
(xy 67.302014 90.106111)
(xy 67.217206 90.203986)
(xy 67.217203 90.20399)
(xy 67.1634 90.321802)
(xy 67.163398 90.321809)
(xy 67.144968 90.449996)
(xy 67.144968 90.450003)
(xy 66.255042 90.450003)
(xy 66.255042 90.449996)
(xy 66.236611 90.321809)
(xy 66.23661 90.321808)
(xy 66.23661 90.321803)
(xy 66.182807 90.203991)
(xy 66.182803 90.203986)
(xy 66.097995 90.106111)
(xy 66.097993 90.10611)
(xy 66.044609 90.071802)
(xy 65.989037 90.036088)
(xy 65.989036 90.036087)
(xy 65.989035 90.036087)
(xy 65.864768 89.9996)
(xy 65.735252 89.9996)
(xy 65.610987 90.036087)
(xy 65.602336 90.038627)
(xy 65.601855 90.036989)
(xy 65.542013 90.045585)
(xy 65.477436 90.016083)
(xy 65.439061 89.956351)
(xy 65.439071 89.885355)
(xy 65.445346 89.868534)
(xy 65.486602 89.778197)
(xy 65.4927 89.735786)
(xy 65.505034 89.650003)
(xy 65.505034 89.649996)
(xy 65.486603 89.521809)
(xy 65.486602 89.521808)
(xy 65.486602 89.521803)
(xy 65.432799 89.403991)
(xy 65.417287 89.386089)
(xy 65.347987 89.306111)
(xy 65.347985 89.30611)
(xy 65.334188 89.297243)

(xy 65.239029 89.236088)
(xy 65.239028 89.236087)
(xy 65.239027 89.236087)
(xy 65.11476 89.1996)
(xy 64.985244 89.1996)
(xy 64.860976 89.236087)
(xy 64.860973 89.236089)
(xy 64.752018 89.30611)
(xy 64.752016 89.306111)
(xy 64.667208 89.403986)
(xy 64.667205 89.40399)
(xy 64.613402 89.521802)
(xy 64.6134 89.521809)
(xy 64.59497 89.649996)
(xy 64.59497 89.650003)
(xy 64.6134 89.77819)
(xy 64.613402 89.778197)
(xy 64.667205 89.896009)
(xy 64.72795 89.966113)
(xy 64.757443 90.030694)
(xy 64.747338 90.100968)
(xy 64.72795 90.131137)
(xy 64.659578 90.210043)
(xy 64.605775 90.327855)
(xy 64.605773 90.327862)
(xy 64.587343 90.456049)
(xy 64.587343 90.456056)
(xy 61.024091 90.456056)
(xy 61.032797 90.446009)
(xy 61.0866 90.328197)
(xy 61.088885 90.312305)
(xy 61.105032 90.200003)
(xy 61.105032 90.199996)
(xy 61.086601 90.071809)
(xy 61.0866 90.071808)
(xy 61.0866 90.071803)
(xy 61.032797 89.953991)
(xy 61.032793 89.953986)
(xy 60.947985 89.856111)
(xy 60.947983 89.85611)
(xy 60.898707 89.824442)
(xy 60.839027 89.786088)
(xy 60.839026 89.786087)
(xy 60.839025 89.786087)
(xy 60.714758 89.7496)
(xy 60.585242 89.7496)
(xy 60.460974 89.786087)
(xy 60.460971 89.786089)
(xy 60.352016 89.85611)
(xy 60.352014 89.856111)
(xy 60.267206 89.953986)
(xy 60.267203 89.95399)
(xy 60.2134 90.071802)
(xy 60.213398 90.071809)
(xy 60.194968 90.199996)
(xy 60.194968 90.200003)
(xy 50.0505 90.200003)
(xy 50.0505 89.000003)
(xy 54.594968 89.000003)
(xy 54.613398 89.12819)
(xy 54.6134 89.128197)
(xy 54.667203 89.246009)
(xy 54.667206 89.246013)
(xy 54.752014 89.343888)
(xy 54.752016 89.343889)
(xy 54.752017 89.34389)
(xy 54.860973 89.413912)
(xy 54.985242 89.4504)

(xy 55.114758 89.4504)
(xy 55.239027 89.413912)
(xy 55.347983 89.34389)
(xy 55.432797 89.246009)
(xy 55.4866 89.128197)
(xy 55.498722 89.043888)
(xy 55.505032 89.000003)
(xy 55.505032 88.999996)
(xy 55.490655 88.900003)
(xy 74.244968 88.900003)
(xy 74.263398 89.02819)
(xy 74.2634 89.028197)
(xy 74.317203 89.146009)
(xy 74.317206 89.146013)
(xy 74.402014 89.243888)
(xy 74.402016 89.243889)
(xy 74.402017 89.24389)
(xy 74.510973 89.313912)
(xy 74.635242 89.3504)
(xy 74.764758 89.3504)
(xy 74.889027 89.313912)
(xy 74.997983 89.24389)
(xy 75.004744 89.236088)
(xy 75.078992 89.1504)
(xy 75.082797 89.146009)
(xy 75.1366 89.028197)
(xy 75.144288 88.974726)
(xy 75.155032 88.900003)
(xy 75.155032 88.899996)
(xy 75.136601 88.771809)
(xy 75.1366 88.771808)
(xy 75.1366 88.771803)
(xy 75.082797 88.653991)
(xy 75.079684 88.650398)
(xy 74.997985 88.556111)
(xy 74.997983 88.55611)
(xy 74.964897 88.534847)
(xy 74.889027 88.486088)
(xy 74.889026 88.486087)
(xy 74.889025 88.486087)
(xy 74.764758 88.4496)
(xy 74.635242 88.4496)
(xy 74.510974 88.486087)
(xy 74.510971 88.486089)
(xy 74.402016 88.55611)
(xy 74.402014 88.556111)
(xy 74.317206 88.653986)
(xy 74.317203 88.65399)
(xy 74.2634 88.771802)
(xy 74.263398 88.771809)
(xy 74.244968 88.899996)
(xy 74.244968 88.900003)
(xy 55.490655 88.900003)
(xy 55.486601 88.871809)
(xy 55.4866 88.871808)
(xy 55.4866 88.871803)
(xy 55.432797 88.753991)
(xy 55.432793 88.753986)
(xy 55.347985 88.656111)
(xy 55.347983 88.65611)
(xy 55.292988 88.620767)
(xy 55.239027 88.586088)
(xy 55.239026 88.586087)
(xy 55.239025 88.586087)
(xy 55.114758 88.5496)
(xy 54.985242 88.5496)
(xy 54.860974 88.586087)
(xy 54.860971 88.586089)

(xy 54.752016 88.65611)
(xy 54.752014 88.656111)
(xy 54.667206 88.753986)
(xy 54.667203 88.75399)
(xy 54.6134 88.871802)
(xy 54.613398 88.871809)
(xy 54.594968 88.999996)
(xy 54.594968 89.000003)
(xy 50.0505 89.000003)
(xy 50.0505 88.050003)
(xy 70.994976 88.050003)
(xy 71.013406 88.17819)
(xy 71.013408 88.178197)
(xy 71.067211 88.296009)
(xy 71.067214 88.296013)
(xy 71.152022 88.393888)
(xy 71.152024 88.393889)
(xy 71.152025 88.39389)
(xy 71.260981 88.463912)
(xy 71.38525 88.5004)
(xy 71.514766 88.5004)
(xy 71.639035 88.463912)
(xy 71.747991 88.39389)
(xy 71.764572 88.374755)
(xy 71.780727 88.35611)
(xy 71.832805 88.296009)
(xy 71.87665 88.200001)
(xy 75.444968 88.200001)
(xy 75.463398 88.328188)
(xy 75.4634 88.328195)
(xy 75.517203 88.446007)
(xy 75.517206 88.446011)
(xy 75.602014 88.543886)
(xy 75.602016 88.543887)
(xy 75.602017 88.543888)
(xy 75.710973 88.61391)
(xy 75.835242 88.650398)
(xy 75.964758 88.650398)
(xy 76.089027 88.61391)
(xy 76.197983 88.543888)
(xy 76.282797 88.446007)
(xy 76.3366 88.328195)
(xy 76.342654 88.286088)
(xy 76.355032 88.200001)
(xy 76.355032 88.199994)
(xy 76.336601 88.071807)
(xy 76.3366 88.071806)
(xy 76.3366 88.071801)
(xy 76.282797 87.953989)
(xy 76.282793 87.953984)
(xy 76.197985 87.856109)
(xy 76.197983 87.856108)
(xy 76.132885 87.814272)
(xy 76.089027 87.786086)
(xy 76.089026 87.786085)
(xy 76.089025 87.786085)
(xy 75.964758 87.749598)
(xy 75.835242 87.749598)
(xy 75.710974 87.786085)
(xy 75.710971 87.786087)
(xy 75.602016 87.856108)
(xy 75.602014 87.856109)
(xy 75.517206 87.953984)
(xy 75.517203 87.953988)
(xy 75.4634 88.0718)
(xy 75.463398 88.071807)
(xy 75.444968 88.199994)
(xy 75.444968 88.200001)

(xy 71.87665 88.200001)
(xy 71.886608 88.178197)
(xy 71.891236 88.146009)
(xy 71.90504 88.050003)
(xy 71.90504 88.049996)
(xy 71.886609 87.921809)
(xy 71.886608 87.921808)
(xy 71.886608 87.921803)
(xy 71.832805 87.803991)
(xy 71.821605 87.791065)
(xy 71.747993 87.706111)
(xy 71.747991 87.70611)
(xy 71.736154 87.698503)
(xy 71.639035 87.636088)
(xy 71.639034 87.636087)
(xy 71.639033 87.636087)
(xy 71.514766 87.5996)
(xy 71.38525 87.5996)
(xy 71.260982 87.636087)
(xy 71.260979 87.636089)
(xy 71.152024 87.70611)
(xy 71.152022 87.706111)
(xy 71.067214 87.803986)
(xy 71.067211 87.80399)
(xy 71.013408 87.921802)
(xy 71.013406 87.921809)
(xy 70.994976 88.049996)
(xy 70.994976 88.050003)
(xy 50.0505 88.050003)
(xy 50.0505 87.000003)
(xy 54.594944 87.000003)
(xy 54.613374 87.12819)
(xy 54.613376 87.128197)
(xy 54.667179 87.246009)
(xy 54.667182 87.246013)
(xy 54.75199 87.343888)
(xy 54.751992 87.343889)
(xy 54.751993 87.34389)
(xy 54.860949 87.413912)
(xy 54.985218 87.4504)
(xy 55.114734 87.4504)
(xy 55.239003 87.413912)
(xy 55.347959 87.34389)
(xy 55.432773 87.246009)
(xy 55.486576 87.128197)
(xy 55.497245 87.053991)
(xy 55.505008 87.000003)
(xy 55.505008 86.999996)
(xy 55.486577 86.871809)
(xy 55.486576 86.871808)
(xy 55.486576 86.871803)
(xy 55.432773 86.753991)
(xy 55.432769 86.753986)
(xy 55.347961 86.656111)
(xy 55.347959 86.65611)
(xy 55.330024 86.644584)
(xy 55.239003 86.586088)
(xy 55.239002 86.586087)
(xy 55.239001 86.586087)
(xy 55.114734 86.5496)
(xy 54.985218 86.5496)
(xy 54.86095 86.586087)
(xy 54.860947 86.586089)
(xy 54.751992 86.65611)
(xy 54.75199 86.656111)
(xy 54.667182 86.753986)
(xy 54.667179 86.75399)
(xy 54.613376 86.871802)

(xy 54.613374 86.871809)
(xy 54.594944 86.999996)
(xy 54.594944 87.000003)
(xy 50.0505 87.000003)
(xy 50.0505 85.000003)
(xy 54.59497 85.000003)
(xy 54.6134 85.12819)
(xy 54.613402 85.128197)
(xy 54.667205 85.246009)
(xy 54.667208 85.246013)
(xy 54.752016 85.343888)
(xy 54.752018 85.343889)
(xy 54.752019 85.34389)
(xy 54.860975 85.413912)
(xy 54.985244 85.4504)
(xy 55.11476 85.4504)
(xy 55.239029 85.413912)
(xy 55.347985 85.34389)
(xy 55.432799 85.246009)
(xy 55.453809 85.200003)
(xy 92.244968 85.200003)
(xy 92.263398 85.32819)
(xy 92.2634 85.328197)
(xy 92.317203 85.446009)
(xy 92.317206 85.446013)
(xy 92.402014 85.543888)
(xy 92.402016 85.543889)
(xy 92.402017 85.54389)
(xy 92.510973 85.613912)
(xy 92.635242 85.6504)
(xy 92.764758 85.6504)
(xy 92.889027 85.613912)
(xy 92.889032 85.613908)
(xy 92.897225 85.610168)
(xy 92.898779 85.613572)
(xy 92.94979 85.598503)
(xy 93.001242 85.613518)
(xy 93.002773 85.610167)
(xy 93.01097 85.61391)
(xy 93.010973 85.613912)
(xy 93.135242 85.6504)
(xy 93.264758 85.6504)
(xy 93.389027 85.613912)
(xy 93.497983 85.54389)
(xy 93.582797 85.446009)
(xy 93.6366 85.328197)
(xy 93.647786 85.2504)
(xy 93.655032 85.200003)
(xy 93.655032 85.199996)
(xy 93.636601 85.071809)
(xy 93.6366 85.071808)
(xy 93.6366 85.071803)
(xy 93.582797 84.953991)
(xy 93.582793 84.953986)
(xy 93.497985 84.856111)
(xy 93.497983 84.85611)
(xy 93.470267 84.838298)
(xy 93.389027 84.786088)
(xy 93.389026 84.786087)
(xy 93.389025 84.786087)
(xy 93.264758 84.7496)
(xy 93.135242 84.7496)
(xy 93.010974 84.786087)
(xy 93.002773 84.789833)
(xy 93.001233 84.78646)
(xy 92.949944 84.801496)
(xy 92.898763 84.786468)
(xy 92.897227 84.789833)

(xy 92.889025 84.786087)
(xy 92.764758 84.7496)
(xy 92.635242 84.7496)
(xy 92.510974 84.786087)
(xy 92.510971 84.786089)
(xy 92.402016 84.85611)
(xy 92.402014 84.856111)
(xy 92.317206 84.953986)
(xy 92.317203 84.95399)
(xy 92.2634 85.071802)
(xy 92.263398 85.071809)
(xy 92.244968 85.199996)
(xy 92.244968 85.200003)
(xy 55.453809 85.200003)
(xy 55.486602 85.128197)
(xy 55.486874 85.126301)
(xy 55.505034 85.000003)
(xy 55.505034 84.999996)
(xy 55.486603 84.871809)
(xy 55.486602 84.871808)
(xy 55.486602 84.871803)
(xy 55.432799 84.753991)
(xy 55.432795 84.753986)
(xy 55.347987 84.656111)
(xy 55.347985 84.65611)
(xy 55.335022 84.647779)
(xy 55.239029 84.586088)
(xy 55.239028 84.586087)
(xy 55.239027 84.586087)
(xy 55.11476 84.5496)
(xy 54.985244 84.5496)
(xy 54.860976 84.586087)
(xy 54.860973 84.586089)
(xy 54.752018 84.65611)
(xy 54.752016 84.656111)
(xy 54.667208 84.753986)
(xy 54.667205 84.75399)
(xy 54.613402 84.871802)
(xy 54.6134 84.871809)
(xy 54.59497 84.999996)
(xy 54.59497 85.000003)
(xy 50.0505 85.000003)
(xy 50.0505 83.000003)
(xy 54.594968 83.000003)
(xy 54.613398 83.12819)
(xy 54.6134 83.128197)
(xy 54.667203 83.246009)
(xy 54.667206 83.246013)
(xy 54.752014 83.343888)
(xy 54.752016 83.343889)
(xy 54.752017 83.34389)
(xy 54.860973 83.413912)
(xy 54.985242 83.4504)
(xy 55.114758 83.4504)
(xy 55.239027 83.413912)
(xy 55.347983 83.34389)
(xy 55.432797 83.246009)
(xy 55.4866 83.128197)
(xy 55.505032 83)
(xy 55.505032 82.999996)
(xy 55.486601 82.871809)
(xy 55.4866 82.871808)
(xy 55.4866 82.871803)
(xy 55.432797 82.753991)
(xy 55.432793 82.753986)
(xy 55.347985 82.656111)
(xy 55.347983 82.65611)
(xy 55.314852 82.634818)

(xy 55.239027 82.586088)
(xy 55.239026 82.586087)
(xy 55.239025 82.586087)
(xy 55.114758 82.5496)
(xy 54.985242 82.5496)
(xy 54.860974 82.586087)
(xy 54.860971 82.586089)
(xy 54.752016 82.65611)
(xy 54.752014 82.656111)
(xy 54.667206 82.753986)
(xy 54.667203 82.75399)
(xy 54.6134 82.871802)
(xy 54.613398 82.871809)
(xy 54.594968 82.999996)
(xy 54.594968 83.000003)
(xy 50.0505 83.000003)
(xy 50.0505 82.350003)
(xy 99.244968 82.350003)
(xy 99.263398 82.47819)
(xy 99.2634 82.478197)
(xy 99.317203 82.596009)
(xy 99.317206 82.596013)
(xy 99.402014 82.693888)
(xy 99.402016 82.693889)
(xy 99.402017 82.69389)
(xy 99.510973 82.763912)
(xy 99.635242 82.8004)
(xy 99.764758 82.8004)
(xy 99.889027 82.763912)
(xy 99.997983 82.69389)
(xy 100.015907 82.673204)
(xy 100.075631 82.63482)
(xy 100.146627 82.634818)
(xy 100.200227 82.66662)
(xy 100.211657 82.67805)
(xy 100.250299 82.697738)
(xy 100.324696 82.735646)
(xy 100.45 82.755492)
(xy 100.575304 82.735646)
(xy 100.688342 82.67805)
(xy 100.77805 82.588342)
(xy 100.835646 82.475304)
(xy 100.855492 82.35)
(xy 100.835646 82.224696)
(xy 100.795377 82.145664)
(xy 100.77805 82.111657)
(xy 100.688342 82.021949)
(xy 100.612502 81.983307)
(xy 100.575304 81.964354)
(xy 100.45 81.944508)
(xy 100.449999 81.944508)
(xy 100.426418 81.948242)
(xy 100.324696 81.964354)
(xy 100.324694 81.964354)
(xy 100.324694 81.964355)
(xy 100.211657 82.021949)
(xy 100.211657 82.02195)
(xy 100.200225 82.033382)
(xy 100.137912 82.067405)
(xy 100.067096 82.062338)
(xy 100.015907 82.026796)
(xy 100.011707 82.021949)
(xy 99.997983 82.00611)
(xy 99.997982 82.006109)
(xy 99.927476 81.960798)
(xy 99.889027 81.936088)
(xy 99.889026 81.936087)
(xy 99.889025 81.936087)

(xy 99.764758 81.8996)
(xy 99.635242 81.8996)
(xy 99.510974 81.936087)
(xy 99.510971 81.936089)
(xy 99.402016 82.00611)
(xy 99.402014 82.006111)
(xy 99.317206 82.103986)
(xy 99.317203 82.10399)
(xy 99.2634 82.221802)
(xy 99.263398 82.221809)
(xy 99.244968 82.349996)
(xy 99.244968 82.350003)
(xy 50.0505 82.350003)
(xy 50.0505 81.800003)
(xy 93.044968 81.800003)
(xy 93.063398 81.92819)
(xy 93.0634 81.928197)
(xy 93.117203 82.046009)
(xy 93.117206 82.046013)
(xy 93.202014 82.143888)
(xy 93.202016 82.143889)
(xy 93.202017 82.14389)
(xy 93.310973 82.213912)
(xy 93.435242 82.2504)
(xy 93.564758 82.2504)
(xy 93.689027 82.213912)
(xy 93.797983 82.14389)
(xy 93.882797 82.046009)
(xy 93.9366 81.928197)
(xy 93.955032 81.8)
(xy 93.955032 81.799996)
(xy 93.940655 81.700003)
(xy 96.844968 81.700003)
(xy 96.863398 81.82819)
(xy 96.8634 81.828197)
(xy 96.917203 81.946009)
(xy 96.917206 81.946013)
(xy 97.002014 82.043888)
(xy 97.002016 82.043889)
(xy 97.002017 82.04389)
(xy 97.110973 82.113912)
(xy 97.235242 82.1504)
(xy 97.364758 82.1504)
(xy 97.489027 82.113912)
(xy 97.597983 82.04389)
(xy 97.682797 81.946009)
(xy 97.7366 81.828197)
(xy 97.755032 81.7)
(xy 97.755032 81.699996)
(xy 97.736601 81.571809)
(xy 97.7366 81.571808)
(xy 97.7366 81.571803)
(xy 97.682797 81.453991)
(xy 97.682793 81.453986)
(xy 97.597985 81.356111)
(xy 97.597983 81.35611)
(xy 97.578965 81.343888)
(xy 97.489027 81.286088)
(xy 97.489026 81.286087)
(xy 97.489025 81.286087)
(xy 97.364758 81.2496)
(xy 97.235242 81.2496)
(xy 97.110974 81.286087)
(xy 97.110971 81.286089)
(xy 97.002016 81.35611)
(xy 97.002014 81.356111)
(xy 96.917206 81.453986)
(xy 96.917203 81.45399)

(xy 96.8634 81.571802)
(xy 96.863398 81.571809)
(xy 96.844968 81.699996)
(xy 96.844968 81.700003)
(xy 93.940655 81.700003)
(xy 93.936601 81.671809)
(xy 93.9366 81.671808)
(xy 93.9366 81.671803)
(xy 93.882797 81.553991)
(xy 93.882793 81.553986)
(xy 93.797985 81.456111)
(xy 93.797983 81.45611)
(xy 93.732322 81.413912)
(xy 93.689027 81.386088)
(xy 93.689026 81.386087)
(xy 93.689025 81.386087)
(xy 93.564758 81.3496)
(xy 93.435242 81.3496)
(xy 93.310974 81.386087)
(xy 93.310971 81.386089)
(xy 93.202016 81.45611)
(xy 93.202014 81.456111)
(xy 93.117206 81.553986)
(xy 93.117203 81.55399)
(xy 93.0634 81.671802)
(xy 93.063398 81.671809)
(xy 93.044968 81.799996)
(xy 93.044968 81.800003)
(xy 50.0505 81.800003)
(xy 50.0505 81.000003)
(xy 54.594968 81.000003)
(xy 54.613398 81.12819)
(xy 54.6134 81.128197)
(xy 54.667203 81.246009)
(xy 54.667206 81.246013)
(xy 54.752014 81.343888)
(xy 54.752016 81.343889)
(xy 54.752017 81.34389)
(xy 54.860973 81.413912)
(xy 54.985242 81.4504)
(xy 55.114758 81.4504)
(xy 55.239027 81.413912)
(xy 55.347983 81.34389)
(xy 55.432797 81.246009)
(xy 55.4866 81.128197)
(xy 55.505032 81)
(xy 55.505032 80.999996)
(xy 55.486601 80.871809)
(xy 55.4866 80.871808)
(xy 55.4866 80.871803)
(xy 55.432797 80.753991)
(xy 55.432793 80.753986)
(xy 55.347985 80.656111)
(xy 55.347983 80.65611)
(xy 55.323318 80.640259)
(xy 55.239027 80.586088)
(xy 55.239026 80.586087)
(xy 55.239025 80.586087)
(xy 55.114758 80.5496)
(xy 54.985242 80.5496)
(xy 54.860974 80.586087)
(xy 54.860971 80.586089)
(xy 54.752016 80.65611)
(xy 54.752014 80.656111)
(xy 54.667206 80.753986)
(xy 54.667203 80.75399)
(xy 54.6134 80.871802)
(xy 54.613398 80.871809)

(xy 54.594968 80.999996)
(xy 54.594968 81.000003)
(xy 50.0505 81.000003)
(xy 50.0505 80.408941)
(xy 62.569878 80.408941)
(xy 62.588308 80.537128)
(xy 62.58831 80.537135)
(xy 62.642113 80.654947)
(xy 62.642116 80.654951)
(xy 62.726924 80.752826)
(xy 62.726926 80.752827)
(xy 62.726927 80.752828)
(xy 62.835883 80.82285)
(xy 62.960152 80.859338)
(xy 63.089668 80.859338)
(xy 63.213937 80.82285)
(xy 63.322893 80.752828)
(xy 63.407707 80.654947)
(xy 63.46151 80.537135)
(xy 63.479942 80.408938)
(xy 63.479942 80.408934)
(xy 63.478658 80.400003)
(xy 66.344968 80.400003)
(xy 66.363398 80.52819)
(xy 66.3634 80.528197)
(xy 66.417203 80.646009)
(xy 66.417206 80.646013)
(xy 66.502014 80.743888)
(xy 66.502016 80.743889)
(xy 66.502017 80.74389)
(xy 66.610973 80.813912)
(xy 66.735242 80.8504)
(xy 66.864758 80.8504)
(xy 66.989027 80.813912)
(xy 67.097983 80.74389)
(xy 67.103628 80.737376)
(xy 67.147722 80.686488)
(xy 67.182797 80.646009)
(xy 67.2366 80.528197)
(xy 67.240655 80.499996)
(xy 67.255032 80.400003)
(xy 70.144968 80.400003)
(xy 70.163398 80.52819)
(xy 70.1634 80.528197)
(xy 70.217203 80.646009)
(xy 70.217206 80.646013)
(xy 70.302014 80.743888)
(xy 70.302016 80.743889)
(xy 70.302017 80.74389)
(xy 70.410973 80.813912)
(xy 70.535242 80.8504)
(xy 70.664758 80.8504)
(xy 70.789027 80.813912)
(xy 70.897983 80.74389)
(xy 70.903628 80.737376)
(xy 70.947722 80.686488)
(xy 70.982797 80.646009)
(xy 71.0366 80.528197)
(xy 71.040655 80.499996)
(xy 71.055032 80.400003)
(xy 73.944968 80.400003)
(xy 73.963398 80.52819)
(xy 73.9634 80.528197)
(xy 74.017203 80.646009)
(xy 74.017206 80.646013)
(xy 74.102014 80.743888)
(xy 74.102016 80.743889)
(xy 74.102017 80.74389)

(xy 74.210973 80.813912)
(xy 74.335242 80.8504)
(xy 74.464758 80.8504)
(xy 74.589027 80.813912)
(xy 74.697983 80.74389)
(xy 74.703628 80.737376)
(xy 74.747722 80.686488)
(xy 74.782797 80.646009)
(xy 74.8366 80.528197)
(xy 74.840655 80.499996)
(xy 74.855032 80.400003)
(xy 77.744968 80.400003)
(xy 77.763398 80.52819)
(xy 77.7634 80.528197)
(xy 77.817203 80.646009)
(xy 77.817206 80.646013)
(xy 77.902014 80.743888)
(xy 77.902016 80.743889)
(xy 77.902017 80.74389)
(xy 78.010973 80.813912)
(xy 78.135242 80.8504)
(xy 78.264758 80.8504)
(xy 78.389027 80.813912)
(xy 78.497983 80.74389)
(xy 78.503628 80.737376)
(xy 78.547722 80.686488)
(xy 78.582797 80.646009)
(xy 78.6366 80.528197)
(xy 78.640655 80.499996)
(xy 78.655032 80.400003)
(xy 81.544968 80.400003)
(xy 81.563398 80.52819)
(xy 81.5634 80.528197)
(xy 81.617203 80.646009)
(xy 81.617206 80.646013)
(xy 81.702014 80.743888)
(xy 81.702016 80.743889)
(xy 81.702017 80.74389)
(xy 81.810973 80.813912)
(xy 81.935242 80.8504)
(xy 82.064758 80.8504)
(xy 82.189027 80.813912)
(xy 82.297983 80.74389)
(xy 82.303628 80.737376)
(xy 82.347722 80.686488)
(xy 82.382797 80.646009)
(xy 82.4366 80.528197)
(xy 82.440655 80.499996)
(xy 82.455032 80.400003)
(xy 85.344968 80.400003)
(xy 85.363398 80.52819)
(xy 85.3634 80.528197)
(xy 85.417203 80.646009)
(xy 85.417206 80.646013)
(xy 85.502014 80.743888)
(xy 85.502016 80.743889)
(xy 85.502017 80.74389)
(xy 85.610973 80.813912)
(xy 85.735242 80.8504)
(xy 85.864758 80.8504)
(xy 85.989027 80.813912)
(xy 86.097983 80.74389)
(xy 86.103628 80.737376)
(xy 86.147722 80.686488)
(xy 86.182797 80.646009)
(xy 86.2366 80.528197)
(xy 86.240655 80.499996)
(xy 86.255032 80.400003)

(xy 86.255032 80.399996)
(xy 86.236601 80.271809)
(xy 86.2366 80.271808)
(xy 86.2366 80.271803)
(xy 86.182797 80.153991)
(xy 86.182793 80.153986)
(xy 86.097985 80.056111)
(xy 86.097983 80.05611)
(xy 86.028391 80.011386)
(xy 85.989027 79.986088)
(xy 85.989026 79.986087)
(xy 85.989025 79.986087)
(xy 85.864758 79.9496)
(xy 85.735242 79.9496)
(xy 85.610974 79.986087)
(xy 85.610971 79.986089)
(xy 85.502016 80.05611)
(xy 85.502014 80.056111)
(xy 85.417206 80.153986)
(xy 85.417203 80.15399)
(xy 85.3634 80.271802)
(xy 85.363398 80.271809)
(xy 85.344968 80.399996)
(xy 85.344968 80.400003)
(xy 82.455032 80.400003)
(xy 82.455032 80.399996)
(xy 82.436601 80.271809)
(xy 82.4366 80.271808)
(xy 82.4366 80.271803)
(xy 82.382797 80.153991)
(xy 82.382793 80.153986)
(xy 82.297985 80.056111)
(xy 82.297983 80.05611)
(xy 82.228391 80.011386)
(xy 82.189027 79.986088)
(xy 82.189026 79.986087)
(xy 82.189025 79.986087)
(xy 82.064758 79.9496)
(xy 81.935242 79.9496)
(xy 81.810974 79.986087)
(xy 81.810971 79.986089)
(xy 81.702016 80.05611)
(xy 81.702014 80.056111)
(xy 81.617206 80.153986)
(xy 81.617203 80.15399)
(xy 81.5634 80.271802)
(xy 81.563398 80.271809)
(xy 81.544968 80.399996)
(xy 81.544968 80.400003)
(xy 78.655032 80.400003)
(xy 78.655032 80.399996)
(xy 78.636601 80.271809)
(xy 78.6366 80.271808)
(xy 78.6366 80.271803)
(xy 78.582797 80.153991)
(xy 78.582793 80.153986)
(xy 78.497985 80.056111)
(xy 78.497983 80.05611)
(xy 78.428391 80.011386)
(xy 78.389027 79.986088)
(xy 78.389026 79.986087)
(xy 78.389025 79.986087)
(xy 78.264758 79.9496)
(xy 78.135242 79.9496)
(xy 78.010974 79.986087)
(xy 78.010971 79.986089)
(xy 77.902016 80.05611)
(xy 77.902014 80.056111)

(xy 77.817206 80.153986)
(xy 77.817203 80.15399)
(xy 77.7634 80.271802)
(xy 77.763398 80.271809)
(xy 77.744968 80.399996)
(xy 77.744968 80.400003)
(xy 74.855032 80.400003)
(xy 74.855032 80.399996)
(xy 74.836601 80.271809)
(xy 74.8366 80.271808)
(xy 74.8366 80.271803)
(xy 74.782797 80.153991)
(xy 74.782793 80.153986)
(xy 74.697985 80.056111)
(xy 74.697983 80.05611)
(xy 74.628391 80.011386)
(xy 74.589027 79.986088)
(xy 74.589026 79.986087)
(xy 74.589025 79.986087)
(xy 74.464758 79.9496)
(xy 74.335242 79.9496)
(xy 74.210974 79.986087)
(xy 74.210971 79.986089)
(xy 74.102016 80.05611)
(xy 74.102014 80.056111)
(xy 74.017206 80.153986)
(xy 74.017203 80.15399)
(xy 73.9634 80.271802)
(xy 73.963398 80.271809)
(xy 73.944968 80.399996)
(xy 73.944968 80.400003)
(xy 71.055032 80.400003)
(xy 71.055032 80.399996)
(xy 71.036601 80.271809)
(xy 71.0366 80.271808)
(xy 71.0366 80.271803)
(xy 70.982797 80.153991)
(xy 70.982793 80.153986)
(xy 70.897985 80.056111)
(xy 70.897983 80.05611)
(xy 70.828391 80.011386)
(xy 70.789027 79.986088)
(xy 70.789026 79.986087)
(xy 70.789025 79.986087)
(xy 70.664758 79.9496)
(xy 70.535242 79.9496)
(xy 70.410974 79.986087)
(xy 70.410971 79.986089)
(xy 70.302016 80.05611)
(xy 70.302014 80.056111)
(xy 70.217206 80.153986)
(xy 70.217203 80.15399)
(xy 70.1634 80.271802)
(xy 70.163398 80.271809)
(xy 70.144968 80.399996)
(xy 70.144968 80.400003)
(xy 67.255032 80.400003)
(xy 67.255032 80.399996)
(xy 67.236601 80.271809)
(xy 67.2366 80.271808)
(xy 67.2366 80.271803)
(xy 67.182797 80.153991)
(xy 67.182793 80.153986)
(xy 67.097985 80.056111)
(xy 67.097983 80.05611)
(xy 67.028391 80.011386)
(xy 66.989027 79.986088)
(xy 66.989026 79.986087)

(xy 66.989025 79.986087)
(xy 66.864758 79.9496)
(xy 66.735242 79.9496)
(xy 66.610974 79.986087)
(xy 66.610971 79.986089)
(xy 66.502016 80.05611)
(xy 66.502014 80.056111)
(xy 66.417206 80.153986)
(xy 66.417203 80.15399)
(xy 66.3634 80.271802)
(xy 66.363398 80.271809)
(xy 66.344968 80.399996)
(xy 66.344968 80.400003)
(xy 63.478658 80.400003)
(xy 63.461511 80.280747)
(xy 63.46151 80.280746)
(xy 63.46151 80.280741)
(xy 63.407707 80.162929)
(xy 63.407703 80.162924)
(xy 63.322895 80.065049)
(xy 63.322893 80.065048)
(xy 63.308985 80.05611)
(xy 63.213937 79.995026)
(xy 63.213936 79.995025)
(xy 63.213935 79.995025)
(xy 63.089668 79.958538)
(xy 62.960152 79.958538)
(xy 62.835884 79.995025)
(xy 62.835881 79.995027)
(xy 62.726926 80.065048)
(xy 62.726924 80.065049)
(xy 62.642116 80.162924)
(xy 62.642113 80.162928)
(xy 62.58831 80.28074)
(xy 62.588308 80.280747)
(xy 62.569878 80.408934)
(xy 62.569878 80.408941)
(xy 50.0505 80.408941)
(xy 50.0505 80.126)
(xy 50.070502 80.057879)
(xy 50.124158 80.011386)
(xy 50.1765 80)
(xy 58.073447 80)
(xy 58.079038 80.0004)
(xy 58.085242 80.0004)
(xy 58.220962 80.0004)
(xy 58.226553 80)
(xy 59 80)
(xy 59 76.849782)
(xy 59.020002 76.781661)
(xy 59.073658 76.735168)
(xy 59.143932 76.725064)
(xy 59.208512 76.754558)
(xy 59.232382 76.782263)
(xy 59.287936 76.869803)
(xy 59.310331 76.905092)
(xy 59.310336 76.905098)
(xy 59.42645 77.014135)
(xy 59.426456 77.014139)
(xy 59.566053 77.090883)
(xy 59.566056 77.090884)
(xy 59.720341 77.130498)
(xy 59.720349 77.1305)
(xy 59.720352 77.1305)
(xy 59.839663 77.1305)
(xy 59.839666 77.1305)
(xy 59.885342 77.124729)
(xy 59.95804 77.115546)

(xy 59.958041 77.115545)
(xy 59.958045 77.115545)
(xy 60.10616 77.056903)
(xy 60.235037 76.963268)
(xy 60.245678 76.950406)
(xy 60.280006 76.90891)
(xy 60.321821 76.858364)
(xy 60.380653 76.818627)
(xy 60.451631 76.817004)
(xy 60.494012 76.839523)
(xy 60.494337 76.839018)
(xy 60.500426 76.842931)
(xy 60.501425 76.843462)
(xy 60.501915 76.843887)
(xy 60.501918 76.84389)
(xy 60.610874 76.913912)
(xy 60.735143 76.9504)
(xy 60.864659 76.9504)
(xy 60.988928 76.913912)
(xy 61.097884 76.84389)
(xy 61.099556 76.841961)
(xy 61.143472 76.791278)
(xy 61.182698 76.746009)
(xy 61.235337 76.630743)
(xy 61.281829 76.57709)
(xy 61.349949 76.557088)
(xy 61.41807 76.57709)
(xy 61.464562 76.630744)
(xy 61.517202 76.746009)
(xy 61.517203 76.746011)
(xy 61.517206 76.746015)
(xy 61.602014 76.84389)
(xy 61.602016 76.843891)
(xy 61.602017 76.843892)
(xy 61.710973 76.913914)
(xy 61.835242 76.950402)
(xy 61.964758 76.950402)
(xy 62.089027 76.913914)
(xy 62.197983 76.843892)
(xy 62.197987 76.843888)
(xy 62.24292 76.792032)
(xy 62.282797 76.746011)
(xy 62.3366 76.628199)
(xy 62.342536 76.586911)
(xy 62.354267 76.505328)
(xy 62.659695 76.505328)
(xy 62.678125 76.633515)
(xy 62.678127 76.633522)
(xy 62.73193 76.751334)
(xy 62.731933 76.751338)
(xy 62.816741 76.849213)
(xy 62.816743 76.849214)
(xy 62.816744 76.849215)
(xy 62.9257 76.919237)
(xy 63.049969 76.955725)
(xy 63.179485 76.955725)
(xy 63.303754 76.919237)
(xy 63.41271 76.849215)
(xy 63.417323 76.843892)
(xy 63.462912 76.791278)
(xy 63.497524 76.751334)
(xy 63.551327 76.633522)
(xy 63.558028 76.586908)
(xy 63.587521 76.52233)
(xy 63.617741 76.502908)
(xy 63.616974 76.502415)
(xy 63.746984 76.502415)
(xy 63.77797 76.522329)

(xy 63.807463 76.58691)
(xy 63.813398 76.62819)
(xy 63.8134 76.628197)
(xy 63.867203 76.746009)
(xy 63.867206 76.746013)
(xy 63.952014 76.843888)
(xy 63.952016 76.843889)
(xy 63.952017 76.84389)
(xy 64.060973 76.913912)
(xy 64.185242 76.9504)
(xy 64.314758 76.9504)
(xy 64.439027 76.913912)
(xy 64.547983 76.84389)
(xy 64.549655 76.841961)
(xy 64.593571 76.791278)
(xy 64.632797 76.746009)
(xy 64.6866 76.628197)
(xy 64.695071 76.569279)
(xy 64.705032 76.500003)
(xy 65.044968 76.500003)
(xy 65.063398 76.62819)
(xy 65.0634 76.628197)
(xy 65.117203 76.746009)
(xy 65.117206 76.746013)
(xy 65.202014 76.843888)
(xy 65.202016 76.843889)
(xy 65.202017 76.84389)
(xy 65.310973 76.913912)
(xy 65.435242 76.9504)
(xy 65.564758 76.9504)
(xy 65.689027 76.913912)
(xy 65.797983 76.84389)
(xy 65.799655 76.841961)
(xy 65.843571 76.791278)
(xy 65.882797 76.746009)
(xy 65.9366 76.628197)
(xy 65.945071 76.569279)
(xy 65.955032 76.500003)
(xy 65.955032 76.499996)
(xy 65.952876 76.485003)
(xy 66.329968 76.485003)
(xy 66.348398 76.61319)
(xy 66.3484 76.613197)
(xy 66.402203 76.731009)
(xy 66.402206 76.731013)
(xy 66.487014 76.828888)
(xy 66.487016 76.828889)
(xy 66.487017 76.82889)
(xy 66.595973 76.898912)
(xy 66.720242 76.9354)
(xy 66.849758 76.9354)
(xy 66.974027 76.898912)
(xy 67.082983 76.82889)
(xy 67.167797 76.731009)
(xy 67.2216 76.613197)
(xy 67.22538 76.58691)
(xy 67.237875 76.500003)
(xy 67.594968 76.500003)
(xy 67.613398 76.62819)
(xy 67.6134 76.628197)
(xy 67.667203 76.746009)
(xy 67.667206 76.746013)
(xy 67.752014 76.843888)
(xy 67.752016 76.843889)
(xy 67.752017 76.84389)
(xy 67.860973 76.913912)
(xy 67.985242 76.9504)
(xy 68.114758 76.9504)

(xy 68.239027 76.913912)
(xy 68.347983 76.84389)
(xy 68.349655 76.841961)
(xy 68.393571 76.791278)
(xy 68.432797 76.746009)
(xy 68.4866 76.628197)
(xy 68.495071 76.569279)
(xy 68.505032 76.500003)
(xy 68.844964 76.500003)
(xy 68.863394 76.62819)
(xy 68.863396 76.628197)
(xy 68.917199 76.746009)
(xy 68.917202 76.746013)
(xy 69.00201 76.843888)
(xy 69.002012 76.843889)
(xy 69.002013 76.84389)
(xy 69.110969 76.913912)
(xy 69.235238 76.9504)
(xy 69.364754 76.9504)
(xy 69.489023 76.913912)
(xy 69.597979 76.84389)
(xy 69.599651 76.841961)
(xy 69.643567 76.791278)
(xy 69.682793 76.746009)
(xy 69.736596 76.628197)
(xy 69.745067 76.569279)
(xy 69.755028 76.500003)
(xy 70.144968 76.500003)
(xy 70.163398 76.62819)
(xy 70.1634 76.628197)
(xy 70.217203 76.746009)
(xy 70.217206 76.746013)
(xy 70.302014 76.843888)
(xy 70.302016 76.843889)
(xy 70.302017 76.84389)
(xy 70.410973 76.913912)
(xy 70.535242 76.9504)
(xy 70.664758 76.9504)
(xy 70.789027 76.913912)
(xy 70.897983 76.84389)
(xy 70.899655 76.841961)
(xy 70.943571 76.791278)
(xy 70.982797 76.746009)
(xy 71.0366 76.628197)
(xy 71.045071 76.569279)
(xy 71.055032 76.500003)
(xy 71.394968 76.500003)
(xy 71.413398 76.62819)
(xy 71.4134 76.628197)
(xy 71.467203 76.746009)
(xy 71.467206 76.746013)
(xy 71.552014 76.843888)
(xy 71.552016 76.843889)
(xy 71.552017 76.84389)
(xy 71.660973 76.913912)
(xy 71.785242 76.9504)
(xy 71.914758 76.9504)
(xy 72.039027 76.913912)
(xy 72.147983 76.84389)
(xy 72.149655 76.841961)
(xy 72.193571 76.791278)
(xy 72.232797 76.746009)
(xy 72.2866 76.628197)
(xy 72.295071 76.569279)
(xy 72.305032 76.500003)
(xy 72.644974 76.500003)
(xy 72.663404 76.62819)
(xy 72.663406 76.628197)

(xy 72.717209 76.746009)
(xy 72.717212 76.746013)
(xy 72.80202 76.843888)
(xy 72.802022 76.843889)
(xy 72.802023 76.84389)
(xy 72.910979 76.913912)
(xy 73.035248 76.9504)
(xy 73.164764 76.9504)
(xy 73.289033 76.913912)
(xy 73.397989 76.84389)
(xy 73.399661 76.841961)
(xy 73.443577 76.791278)
(xy 73.482803 76.746009)
(xy 73.536606 76.628197)
(xy 73.545077 76.569279)
(xy 73.555038 76.500003)
(xy 73.944968 76.500003)
(xy 73.963398 76.62819)
(xy 73.9634 76.628197)
(xy 74.017203 76.746009)
(xy 74.017206 76.746013)
(xy 74.102014 76.843888)
(xy 74.102016 76.843889)
(xy 74.102017 76.84389)
(xy 74.210973 76.913912)
(xy 74.335242 76.9504)
(xy 74.464758 76.9504)
(xy 74.589027 76.913912)
(xy 74.697983 76.84389)
(xy 74.699655 76.841961)
(xy 74.743571 76.791278)
(xy 74.782797 76.746009)
(xy 74.8366 76.628197)
(xy 74.845071 76.569279)
(xy 74.855032 76.500003)
(xy 75.244968 76.500003)
(xy 75.263398 76.62819)
(xy 75.2634 76.628197)
(xy 75.317203 76.746009)
(xy 75.317206 76.746013)
(xy 75.402014 76.843888)
(xy 75.402016 76.843889)
(xy 75.402017 76.84389)
(xy 75.510973 76.913912)
(xy 75.635242 76.9504)
(xy 75.764758 76.9504)
(xy 75.889027 76.913912)
(xy 75.997983 76.84389)
(xy 75.999655 76.841961)
(xy 76.043571 76.791278)
(xy 76.082797 76.746009)
(xy 76.1366 76.628197)
(xy 76.145071 76.569279)
(xy 76.155032 76.500003)
(xy 76.444966 76.500003)
(xy 76.463396 76.62819)
(xy 76.463398 76.628197)
(xy 76.517201 76.746009)
(xy 76.517204 76.746013)
(xy 76.602012 76.843888)
(xy 76.602014 76.843889)
(xy 76.602015 76.84389)
(xy 76.710971 76.913912)
(xy 76.83524 76.9504)
(xy 76.964756 76.9504)
(xy 77.089025 76.913912)
(xy 77.197981 76.84389)
(xy 77.199653 76.841961)

(xy 77.243569 76.791278)
(xy 77.282795 76.746009)
(xy 77.336598 76.628197)
(xy 77.345069 76.569279)
(xy 77.35503 76.500003)
(xy 77.744968 76.500003)
(xy 77.763398 76.62819)
(xy 77.7634 76.628197)
(xy 77.817203 76.746009)
(xy 77.817206 76.746013)
(xy 77.902014 76.843888)
(xy 77.902016 76.843889)
(xy 77.902017 76.84389)
(xy 78.010973 76.913912)
(xy 78.135242 76.9504)
(xy 78.264758 76.9504)
(xy 78.389027 76.913912)
(xy 78.497983 76.84389)
(xy 78.499655 76.841961)
(xy 78.543571 76.791278)
(xy 78.582797 76.746009)
(xy 78.6366 76.628197)
(xy 78.645071 76.569279)
(xy 78.655032 76.500003)
(xy 79.044968 76.500003)
(xy 79.063398 76.62819)
(xy 79.0634 76.628197)
(xy 79.117203 76.746009)
(xy 79.117206 76.746013)
(xy 79.202014 76.843888)
(xy 79.202016 76.843889)
(xy 79.202017 76.84389)
(xy 79.310973 76.913912)
(xy 79.435242 76.9504)
(xy 79.564758 76.9504)
(xy 79.689027 76.913912)
(xy 79.797983 76.84389)
(xy 79.799655 76.841961)
(xy 79.843571 76.791278)
(xy 79.882797 76.746009)
(xy 79.9366 76.628197)
(xy 79.945071 76.569279)
(xy 79.955032 76.500003)
(xy 80.34498 76.500003)
(xy 80.36341 76.62819)
(xy 80.363412 76.628197)
(xy 80.417215 76.746009)
(xy 80.417218 76.746013)
(xy 80.502026 76.843888)
(xy 80.502028 76.843889)
(xy 80.502029 76.84389)
(xy 80.610985 76.913912)
(xy 80.735254 76.9504)
(xy 80.86477 76.9504)
(xy 80.989039 76.913912)
(xy 81.097995 76.84389)
(xy 81.099667 76.841961)
(xy 81.143583 76.791278)
(xy 81.182809 76.746009)
(xy 81.236612 76.628197)
(xy 81.245083 76.569279)
(xy 81.255044 76.500003)
(xy 81.544968 76.500003)
(xy 81.563398 76.62819)
(xy 81.5634 76.628197)
(xy 81.617203 76.746009)
(xy 81.617206 76.746013)
(xy 81.702014 76.843888)

(xy 81.702016 76.843889)
(xy 81.702017 76.84389)
(xy 81.810973 76.913912)
(xy 81.935242 76.9504)
(xy 82.064758 76.9504)
(xy 82.189027 76.913912)
(xy 82.297983 76.84389)
(xy 82.299655 76.841961)
(xy 82.343571 76.791278)
(xy 82.382797 76.746009)
(xy 82.4366 76.628197)
(xy 82.445071 76.569279)
(xy 82.455032 76.500003)
(xy 82.455032 76.499996)
(xy 82.454314 76.495003)
(xy 82.839968 76.495003)
(xy 82.858398 76.62319)
(xy 82.8584 76.623197)
(xy 82.912203 76.741009)
(xy 82.912206 76.741013)
(xy 82.997014 76.838888)
(xy 82.997016 76.838889)
(xy 82.997017 76.83889)
(xy 83.105973 76.908912)
(xy 83.230242 76.9454)
(xy 83.359758 76.9454)
(xy 83.484027 76.908912)
(xy 83.592983 76.83889)
(xy 83.650144 76.772922)
(xy 83.709868 76.734538)
(xy 83.780865 76.734538)
(xy 83.840592 76.772921)
(xy 83.840592 76.772922)
(xy 83.902089 76.843894)
(xy 83.902091 76.843895)
(xy 83.902092 76.843896)
(xy 84.011048 76.913918)
(xy 84.135317 76.950406)
(xy 84.264833 76.950406)
(xy 84.389102 76.913918)
(xy 84.498058 76.843896)
(xy 84.498064 76.843889)
(xy 84.499421 76.842714)
(xy 84.501067 76.841961)
(xy 84.505639 76.839024)
(xy 84.506061 76.83968)
(xy 84.564 76.813216)
(xy 84.634274 76.823314)
(xy 84.687934 76.869803)
(xy 84.688326 76.870418)
(xy 84.710327 76.905086)
(xy 84.710336 76.905098)
(xy 84.82645 77.014135)
(xy 84.826456 77.014139)
(xy 84.966053 77.090883)
(xy 84.966056 77.090884)
(xy 85.120341 77.130498)
(xy 85.120349 77.1305)
(xy 85.120352 77.1305)
(xy 85.239663 77.1305)
(xy 85.239666 77.1305)
(xy 85.285342 77.124729)
(xy 85.35804 77.115546)
(xy 85.358041 77.115545)
(xy 85.358045 77.115545)
(xy 85.50616 77.056903)
(xy 85.635037 76.963268)
(xy 85.645678 76.950406)

(xy 85.675868 76.913912)
(xy 85.73658 76.840524)
(xy 85.804407 76.696384)
(xy 85.82529 76.58691)
(xy 85.834256 76.53991)
(xy 85.834256 76.539909)
(xy 85.834257 76.539904)
(xy 85.824254 76.380917)
(xy 85.824254 76.380915)
(xy 85.775028 76.229413)
(xy 85.689672 76.094913)
(xy 85.689663 76.094901)
(xy 85.573549 75.985864)
(xy 85.573543 75.98586)
(xy 85.433946 75.909116)
(xy 85.433943 75.909115)
(xy 85.279658 75.869501)
(xy 85.279652 75.8695)
(xy 85.279651 75.8695)
(xy 85.160334 75.8695)
(xy 85.160331 75.8695)
(xy 85.160319 75.869501)
(xy 85.041959 75.884453)
(xy 85.041954 75.884455)
(xy 84.893841 75.943096)
(xy 84.893836 75.943098)
(xy 84.764963 76.036731)
(xy 84.764959 76.036734)
(xy 84.678165 76.14165)
(xy 84.619331 76.181388)
(xy 84.548353 76.183009)
(xy 84.505961 76.160485)
(xy 84.505639 76.160988)
(xy 84.499585 76.157097)
(xy 84.498566 76.156556)
(xy 84.498058 76.156116)
(xy 84.49027 76.151111)
(xy 84.389102 76.086094)
(xy 84.389101 76.086093)
(xy 84.3891 76.086093)
(xy 84.264833 76.049606)
(xy 84.135317 76.049606)
(xy 84.011049 76.086093)
(xy 84.011046 76.086095)
(xy 83.902092 76.156115)
(xy 83.84493 76.222084)
(xy 83.785204 76.260467)
(xy 83.714207 76.260467)
(xy 83.654481 76.222083)
(xy 83.623887 76.186776)
(xy 83.592983 76.15111)
(xy 83.592982 76.151109)
(xy 83.50552 76.094901)
(xy 83.484027 76.081088)
(xy 83.484026 76.081087)
(xy 83.484025 76.081087)
(xy 83.359758 76.0446)
(xy 83.230242 76.0446)
(xy 83.105974 76.081087)
(xy 83.105971 76.081089)
(xy 82.997016 76.15111)
(xy 82.997014 76.151111)
(xy 82.912206 76.248986)
(xy 82.912203 76.24899)
(xy 82.8584 76.366802)
(xy 82.858398 76.366809)
(xy 82.839968 76.494996)
(xy 82.839968 76.495003)

(xy 82.454314 76.495003)
(xy 82.436601 76.371809)
(xy 82.4366 76.371804)
(xy 82.4366 76.371803)
(xy 82.382797 76.253991)
(xy 82.382793 76.253986)
(xy 82.297985 76.156111)
(xy 82.297983 76.15611)
(xy 82.256708 76.129584)
(xy 82.189027 76.086088)
(xy 82.189026 76.086087)
(xy 82.189025 76.086087)
(xy 82.064758 76.0496)
(xy 81.935242 76.0496)
(xy 81.810974 76.086087)
(xy 81.810971 76.086089)
(xy 81.702016 76.15611)
(xy 81.702014 76.156111)
(xy 81.617206 76.253986)
(xy 81.617203 76.25399)
(xy 81.5634 76.371802)
(xy 81.563398 76.371809)
(xy 81.544968 76.499996)
(xy 81.544968 76.500003)
(xy 81.255044 76.500003)
(xy 81.255044 76.499996)
(xy 81.236613 76.371809)
(xy 81.236612 76.371804)
(xy 81.236612 76.371803)
(xy 81.182809 76.253991)
(xy 81.182805 76.253986)
(xy 81.097997 76.156111)
(xy 81.097995 76.15611)
(xy 81.05672 76.129584)
(xy 80.989039 76.086088)
(xy 80.989038 76.086087)
(xy 80.989037 76.086087)
(xy 80.86477 76.0496)
(xy 80.735254 76.0496)
(xy 80.610986 76.086087)
(xy 80.610983 76.086089)
(xy 80.502028 76.15611)
(xy 80.502026 76.156111)
(xy 80.417218 76.253986)
(xy 80.417215 76.25399)
(xy 80.363412 76.371802)
(xy 80.36341 76.371809)
(xy 80.34498 76.499996)
(xy 80.34498 76.500003)
(xy 79.955032 76.500003)
(xy 79.955032 76.499996)
(xy 79.936601 76.371809)
(xy 79.9366 76.371804)
(xy 79.9366 76.371803)
(xy 79.882797 76.253991)
(xy 79.882793 76.253986)
(xy 79.797985 76.156111)
(xy 79.797983 76.15611)
(xy 79.756708 76.129584)
(xy 79.689027 76.086088)
(xy 79.689026 76.086087)
(xy 79.689025 76.086087)
(xy 79.564758 76.0496)
(xy 79.435242 76.0496)
(xy 79.310974 76.086087)
(xy 79.310971 76.086089)
(xy 79.202016 76.15611)
(xy 79.202014 76.156111)

(xy 79.117206 76.253986)
(xy 79.117203 76.25399)
(xy 79.0634 76.371802)
(xy 79.063398 76.371809)
(xy 79.044968 76.499996)
(xy 79.044968 76.500003)
(xy 78.655032 76.500003)
(xy 78.655032 76.499996)
(xy 78.636601 76.371809)
(xy 78.6366 76.371804)
(xy 78.6366 76.371803)
(xy 78.582797 76.253991)
(xy 78.582793 76.253986)
(xy 78.497985 76.156111)
(xy 78.497983 76.15611)
(xy 78.456708 76.129584)
(xy 78.389027 76.086088)
(xy 78.389026 76.086087)
(xy 78.389025 76.086087)
(xy 78.264758 76.0496)
(xy 78.135242 76.0496)
(xy 78.010974 76.086087)
(xy 78.010971 76.086089)
(xy 77.902016 76.15611)
(xy 77.902014 76.156111)
(xy 77.817206 76.253986)
(xy 77.817203 76.25399)
(xy 77.7634 76.371802)
(xy 77.763398 76.371809)
(xy 77.744968 76.499996)
(xy 77.744968 76.500003)
(xy 77.35503 76.500003)
(xy 77.35503 76.499996)
(xy 77.336599 76.371809)
(xy 77.336598 76.371804)
(xy 77.336598 76.371803)
(xy 77.282795 76.253991)
(xy 77.282791 76.253986)
(xy 77.197983 76.156111)
(xy 77.197981 76.15611)
(xy 77.156706 76.129584)
(xy 77.089025 76.086088)
(xy 77.089024 76.086087)
(xy 77.089023 76.086087)
(xy 76.964756 76.0496)
(xy 76.83524 76.0496)
(xy 76.710972 76.086087)
(xy 76.710969 76.086089)
(xy 76.602014 76.15611)
(xy 76.602012 76.156111)
(xy 76.517204 76.253986)
(xy 76.517201 76.25399)
(xy 76.463398 76.371802)
(xy 76.463396 76.371809)
(xy 76.444966 76.499996)
(xy 76.444966 76.500003)
(xy 76.155032 76.500003)
(xy 76.155032 76.499996)
(xy 76.136601 76.371809)
(xy 76.1366 76.371804)
(xy 76.1366 76.371803)
(xy 76.082797 76.253991)
(xy 76.082793 76.253986)
(xy 75.997985 76.156111)
(xy 75.997983 76.15611)
(xy 75.956708 76.129584)
(xy 75.889027 76.086088)
(xy 75.889026 76.086087)

(xy 75.889025 76.086087)
(xy 75.764758 76.0496)
(xy 75.635242 76.0496)
(xy 75.510974 76.086087)
(xy 75.510971 76.086089)
(xy 75.402016 76.15611)
(xy 75.402014 76.156111)
(xy 75.317206 76.253986)
(xy 75.317203 76.25399)
(xy 75.2634 76.371802)
(xy 75.263398 76.371809)
(xy 75.244968 76.499996)
(xy 75.244968 76.500003)
(xy 74.855032 76.500003)
(xy 74.855032 76.499996)
(xy 74.836601 76.371809)
(xy 74.8366 76.371804)
(xy 74.8366 76.371803)
(xy 74.782797 76.253991)
(xy 74.782793 76.253986)
(xy 74.697985 76.156111)
(xy 74.697983 76.15611)
(xy 74.656708 76.129584)
(xy 74.589027 76.086088)
(xy 74.589026 76.086087)
(xy 74.589025 76.086087)
(xy 74.464758 76.0496)
(xy 74.335242 76.0496)
(xy 74.210974 76.086087)
(xy 74.210971 76.086089)
(xy 74.102016 76.15611)
(xy 74.102014 76.156111)
(xy 74.017206 76.253986)
(xy 74.017203 76.25399)
(xy 73.9634 76.371802)
(xy 73.963398 76.371809)
(xy 73.944968 76.499996)
(xy 73.944968 76.500003)
(xy 73.555038 76.500003)
(xy 73.555038 76.499996)
(xy 73.536607 76.371809)
(xy 73.536606 76.371804)
(xy 73.536606 76.371803)
(xy 73.482803 76.253991)
(xy 73.482799 76.253986)
(xy 73.397991 76.156111)
(xy 73.397989 76.15611)
(xy 73.356714 76.129584)
(xy 73.289033 76.086088)
(xy 73.289032 76.086087)
(xy 73.289031 76.086087)
(xy 73.164764 76.0496)
(xy 73.035248 76.0496)
(xy 72.91098 76.086087)
(xy 72.910977 76.086089)
(xy 72.802022 76.15611)
(xy 72.80202 76.156111)
(xy 72.717212 76.253986)
(xy 72.717209 76.25399)
(xy 72.663406 76.371802)
(xy 72.663404 76.371809)
(xy 72.644974 76.499996)
(xy 72.644974 76.500003)
(xy 72.305032 76.500003)
(xy 72.305032 76.499996)
(xy 72.286601 76.371809)
(xy 72.2866 76.371804)
(xy 72.2866 76.371803)

(xy 72.232797 76.253991)
(xy 72.232793 76.253986)
(xy 72.147985 76.156111)
(xy 72.147983 76.15611)
(xy 72.106708 76.129584)
(xy 72.039027 76.086088)
(xy 72.039026 76.086087)
(xy 72.039025 76.086087)
(xy 71.914758 76.0496)
(xy 71.785242 76.0496)
(xy 71.660974 76.086087)
(xy 71.660971 76.086089)
(xy 71.552016 76.15611)
(xy 71.552014 76.156111)
(xy 71.467206 76.253986)
(xy 71.467203 76.25399)
(xy 71.4134 76.371802)
(xy 71.413398 76.371809)
(xy 71.394968 76.499996)
(xy 71.394968 76.500003)
(xy 71.055032 76.500003)
(xy 71.055032 76.499996)
(xy 71.036601 76.371809)
(xy 71.0366 76.371804)
(xy 71.0366 76.371803)
(xy 70.982797 76.253991)
(xy 70.982793 76.253986)
(xy 70.897985 76.156111)
(xy 70.897983 76.15611)
(xy 70.856708 76.129584)
(xy 70.789027 76.086088)
(xy 70.789026 76.086087)
(xy 70.789025 76.086087)
(xy 70.664758 76.0496)
(xy 70.535242 76.0496)
(xy 70.410974 76.086087)
(xy 70.410971 76.086089)
(xy 70.302016 76.15611)
(xy 70.302014 76.156111)
(xy 70.217206 76.253986)
(xy 70.217203 76.25399)
(xy 70.1634 76.371802)
(xy 70.163398 76.371809)
(xy 70.144968 76.499996)
(xy 70.144968 76.500003)
(xy 69.755028 76.500003)
(xy 69.755028 76.499996)
(xy 69.736597 76.371809)
(xy 69.736596 76.371804)
(xy 69.736596 76.371803)
(xy 69.682793 76.253991)
(xy 69.682789 76.253986)
(xy 69.597981 76.156111)
(xy 69.597979 76.15611)
(xy 69.556704 76.129584)
(xy 69.489023 76.086088)
(xy 69.489022 76.086087)
(xy 69.489021 76.086087)
(xy 69.364754 76.0496)
(xy 69.235238 76.0496)
(xy 69.11097 76.086087)
(xy 69.110967 76.086089)
(xy 69.002012 76.15611)
(xy 69.00201 76.156111)
(xy 68.917202 76.253986)
(xy 68.917199 76.25399)
(xy 68.863396 76.371802)
(xy 68.863394 76.371809)

(xy 68.844964 76.499996)
(xy 68.844964 76.500003)
(xy 68.505032 76.500003)
(xy 68.505032 76.499996)
(xy 68.486601 76.371809)
(xy 68.4866 76.371804)
(xy 68.4866 76.371803)
(xy 68.432797 76.253991)
(xy 68.432793 76.253986)
(xy 68.347985 76.156111)
(xy 68.347983 76.15611)
(xy 68.306708 76.129584)
(xy 68.239027 76.086088)
(xy 68.239026 76.086087)
(xy 68.239025 76.086087)
(xy 68.114758 76.0496)
(xy 67.985242 76.0496)
(xy 67.860974 76.086087)
(xy 67.860971 76.086089)
(xy 67.752016 76.15611)
(xy 67.752014 76.156111)
(xy 67.667206 76.253986)
(xy 67.667203 76.25399)
(xy 67.6134 76.371802)
(xy 67.613398 76.371809)
(xy 67.594968 76.499996)
(xy 67.594968 76.500003)
(xy 67.237875 76.500003)
(xy 67.240032 76.485003)
(xy 67.240032 76.484996)
(xy 67.221601 76.356809)
(xy 67.2216 76.356808)
(xy 67.2216 76.356803)
(xy 67.167797 76.238991)
(xy 67.159498 76.229413)
(xy 67.082985 76.141111)
(xy 67.082983 76.14111)
(xy 67.079062 76.13859)
(xy 66.974027 76.071088)
(xy 66.974026 76.071087)
(xy 66.974025 76.071087)
(xy 66.849758 76.0346)
(xy 66.720242 76.0346)
(xy 66.595974 76.071087)
(xy 66.595971 76.071089)
(xy 66.487016 76.14111)
(xy 66.487014 76.141111)
(xy 66.402206 76.238986)
(xy 66.402203 76.23899)
(xy 66.3484 76.356802)
(xy 66.348398 76.356809)
(xy 66.329968 76.484996)
(xy 66.329968 76.485003)
(xy 65.952876 76.485003)
(xy 65.936601 76.371809)
(xy 65.9366 76.371804)
(xy 65.9366 76.371803)
(xy 65.882797 76.253991)
(xy 65.882793 76.253986)
(xy 65.797985 76.156111)
(xy 65.797983 76.15611)
(xy 65.756708 76.129584)
(xy 65.689027 76.086088)
(xy 65.689026 76.086087)
(xy 65.689025 76.086087)
(xy 65.564758 76.0496)
(xy 65.435242 76.0496)
(xy 65.310974 76.086087)

(xy 65.310971 76.086089)
(xy 65.202016 76.15611)
(xy 65.202014 76.156111)
(xy 65.117206 76.253986)
(xy 65.117203 76.25399)
(xy 65.0634 76.371802)
(xy 65.063398 76.371809)
(xy 65.044968 76.499996)
(xy 65.044968 76.500003)
(xy 64.705032 76.500003)
(xy 64.705032 76.499996)
(xy 64.686601 76.371809)
(xy 64.6866 76.371804)
(xy 64.6866 76.371803)
(xy 64.632797 76.253991)
(xy 64.632793 76.253986)
(xy 64.547985 76.156111)
(xy 64.547983 76.15611)
(xy 64.506708 76.129584)
(xy 64.439027 76.086088)
(xy 64.439026 76.086087)
(xy 64.439025 76.086087)
(xy 64.314758 76.0496)
(xy 64.185242 76.0496)
(xy 64.060974 76.086087)
(xy 64.060971 76.086089)
(xy 63.952016 76.15611)
(xy 63.952014 76.156111)
(xy 63.867206 76.253986)
(xy 63.867203 76.25399)
(xy 63.8134 76.371802)
(xy 63.813398 76.371808)
(xy 63.806697 76.418416)
(xy 63.777203 76.482996)
(xy 63.746984 76.502415)
(xy 63.616974 76.502415)
(xy 63.586754 76.482993)
(xy 63.557263 76.418414)
(xy 63.551327 76.377128)
(xy 63.497524 76.259316)
(xy 63.492915 76.253997)
(xy 63.412712 76.161436)
(xy 63.41271 76.161435)
(xy 63.405118 76.156556)
(xy 63.303754 76.091413)
(xy 63.303753 76.091412)
(xy 63.303752 76.091412)
(xy 63.179485 76.054925)
(xy 63.049969 76.054925)
(xy 62.925701 76.091412)
(xy 62.925698 76.091414)
(xy 62.816743 76.161435)
(xy 62.816741 76.161436)
(xy 62.731933 76.259311)
(xy 62.73193 76.259315)
(xy 62.678127 76.377127)
(xy 62.678125 76.377134)
(xy 62.659695 76.505321)
(xy 62.659695 76.505328)
(xy 62.354267 76.505328)
(xy 62.355032 76.500005)
(xy 62.355032 76.499998)
(xy 62.336601 76.371811)
(xy 62.3366 76.37181)
(xy 62.3366 76.371805)
(xy 62.282797 76.253993)
(xy 62.278462 76.24899)
(xy 62.197985 76.156113)

(xy 62.197983 76.156112)
(xy 62.174641 76.141111)
(xy 62.089027 76.08609)
(xy 62.089026 76.086089)
(xy 62.089025 76.086089)
(xy 61.964758 76.049602)
(xy 61.835242 76.049602)
(xy 61.710974 76.086089)
(xy 61.710971 76.086091)
(xy 61.602016 76.156112)
(xy 61.602014 76.156113)
(xy 61.517206 76.253988)
(xy 61.517201 76.253995)
(xy 61.464563 76.369256)
(xy 61.41807 76.422911)
(xy 61.349949 76.442913)
(xy 61.281829 76.422911)
(xy 61.235338 76.369258)
(xy 61.182698 76.253991)
(xy 61.182694 76.253986)
(xy 61.097886 76.156111)
(xy 61.097884 76.15611)
(xy 61.056609 76.129584)
(xy 60.988928 76.086088)
(xy 60.988927 76.086087)
(xy 60.988926 76.086087)
(xy 60.864659 76.0496)
(xy 60.735143 76.0496)
(xy 60.610875 76.086087)
(xy 60.610872 76.086089)
(xy 60.501913 76.156113)
(xy 60.500557 76.157288)
(xy 60.498926 76.158032)
(xy 60.494337 76.160982)
(xy 60.493912 76.160321)
(xy 60.435974 76.186776)
(xy 60.365701 76.176666)
(xy 60.312049 76.130169)
(xy 60.311667 76.129571)
(xy 60.289672 76.094913)
(xy 60.289663 76.094901)
(xy 60.173549 75.985864)
(xy 60.173543 75.98586)
(xy 60.033946 75.909116)
(xy 60.033943 75.909115)
(xy 59.879658 75.869501)
(xy 59.879652 75.8695)
(xy 59.879651 75.8695)
(xy 59.760334 75.8695)
(xy 59.760331 75.8695)
(xy 59.760319 75.869501)
(xy 59.641959 75.884453)
(xy 59.641954 75.884455)
(xy 59.493841 75.943096)
(xy 59.493836 75.943098)
(xy 59.364963 76.036731)
(xy 59.36496 76.036733)
(xy 59.263419 76.159476)
(xy 59.240008 76.209228)
(xy 59.192905 76.262349)
(xy 59.12456 76.281572)
(xy 59.056673 76.260793)
(xy 59.010796 76.206609)
(xy 59 76.15558)
(xy 59 75.180003)
(xy 91.564759 75.180003)
(xy 91.584072 75.376104)
(xy 91.584073 75.376107)

(xy 91.584074 75.376113)
(xy 91.624486 75.509335)
(xy 91.641278 75.56469)
(xy 91.66327 75.605833)
(xy 91.734173 75.738482)
(xy 91.859187 75.890813)
(xy 92.011518 76.015827)
(xy 92.01152 76.015828)
(xy 92.152926 76.091412)
(xy 92.185311 76.108722)
(xy 92.373887 76.165926)
(xy 92.373893 76.165926)
(xy 92.373895 76.165927)
(xy 92.569997 76.185241)
(xy 92.57 76.185241)
(xy 92.570003 76.185241)
(xy 92.766105 76.165927)
(xy 92.766106 76.165926)
(xy 92.766113 76.165926)
(xy 92.854136 76.139223)
(xy 92.925129 76.13859)
(xy 92.979807 76.170703)
(xy 93.316071 76.506967)
(xy 93.350097 76.569279)
(xy 93.345032 76.640094)
(xy 93.302485 76.69693)
(xy 93.235965 76.721741)
(xy 93.207273 76.720512)
(xy 93.201513 76.7196)
(xy 93.201512 76.7196)
(xy 91.938488 76.7196)
(xy 91.91285 76.72366)
(xy 91.844728 76.734449)
(xy 91.731716 76.792031)
(xy 91.642031 76.881716)
(xy 91.584449 76.994728)
(xy 91.5696 77.088489)
(xy 91.5696 78.35151)
(xy 91.584449 78.445271)
(xy 91.642031 78.558283)
(xy 91.731716 78.647968)
(xy 91.788221 78.676759)
(xy 91.844727 78.70555)
(xy 91.938488 78.7204)
(xy 91.93849 78.7204)
(xy 93.20151 78.7204)
(xy 93.201512 78.7204)
(xy 93.295273 78.70555)
(xy 93.295274 78.705549)
(xy 93.295276 78.705549)
(xy 93.304702 78.702487)
(xy 93.30548 78.704881)
(xy 93.361159 78.694418)
(xy 93.426947 78.721111)
(xy 93.46786 78.779133)
(xy 93.4746 78.819791)
(xy 93.4746 78.952967)
(xy 93.454598 79.021088)
(xy 93.45396 79.022071)
(xy 93.421062 79.072228)
(xy 93.377371 79.209885)
(xy 93.37244 79.354238)
(xy 93.406633 79.49455)
(xy 93.406637 79.494561)
(xy 93.477419 79.620446)
(xy 93.477426 79.620455)
(xy 94.0008 80.143828)
(xy 94.497231 80.640259)

(xy 94.540408 80.68649)
(xy 94.576333 80.708336)
(xy 94.581659 80.711961)
(xy 94.615173 80.737376)
(xy 94.630511 80.743424)
(xy 94.649737 80.752974)
(xy 94.663811 80.761533)
(xy 94.663817 80.761534)
(xy 94.663815 80.761534)
(xy 94.704295 80.772875)
(xy 94.710416 80.774933)
(xy 94.749533 80.79036)
(xy 94.76592 80.792044)
(xy 94.787022 80.796055)
(xy 94.802884 80.800499)
(xy 94.844931 80.800499)
(xy 94.851379 80.80083)
(xy 94.893204 80.80513)
(xy 94.893204 80.805129)
(xy 94.893206 80.80513)
(xy 94.909439 80.802331)
(xy 94.930848 80.800499)
(xy 99.905281 80.800499)
(xy 99.973402 80.820501)
(xy 99.994376 80.837404)
(xy 105.122132 85.96516)
(xy 105.165309 86.011391)
(xy 105.201234 86.033237)
(xy 105.20656 86.036862)
(xy 105.240074 86.062277)
(xy 105.255412 86.068325)
(xy 105.274638 86.077875)
(xy 105.288712 86.086434)
(xy 105.288718 86.086435)
(xy 105.288716 86.086435)
(xy 105.329196 86.097776)
(xy 105.335318 86.099835)
(xy 105.362802 86.110674)
(xy 105.374434 86.115261)
(xy 105.390821 86.116945)
(xy 105.411923 86.120956)
(xy 105.427785 86.1254)
(xy 105.469832 86.1254)
(xy 105.47628 86.125731)
(xy 105.518105 86.130031)
(xy 105.518105 86.13003)
(xy 105.518107 86.130031)
(xy 105.53434 86.127232)
(xy 105.555749 86.1254)
(xy 108.435942 86.1254)
(xy 108.435955 86.125399)
(xy 108.54308 86.110675)
(xy 108.543081 86.110674)
(xy 108.543084 86.110674)
(xy 108.675556 86.053133)
(xy 108.675557 86.053131)
(xy 108.675559 86.053131)
(xy 108.675561 86.053129)
(xy 108.787586 85.96199)
(xy 108.787586 85.961989)
(xy 108.787592 85.961985)
(xy 108.870881 85.843991)
(xy 108.919247 85.707901)
(xy 108.929104 85.563808)
(xy 108.899719 85.4224)
(xy 108.899718 85.422398)
(xy 108.899718 85.422397)
(xy 108.850903 85.32819)

(xy 108.833272 85.294163)
(xy 108.745332 85.200003)
(xy 108.734692 85.18861)
(xy 108.734691 85.188609)
(xy 108.717558 85.17819)
(xy 108.611288 85.113566)
(xy 108.472215 85.0746)
(xy 108.472214 85.0746)
(xy 105.769817 85.0746)
(xy 105.701696 85.054598)
(xy 105.680722 85.037695)
(xy 105.44303 84.800003)
(xy 118.344968 84.800003)
(xy 118.363398 84.92819)
(xy 118.3634 84.928197)
(xy 118.417203 85.046009)
(xy 118.417206 85.046013)
(xy 118.502014 85.143888)
(xy 118.502016 85.143889)
(xy 118.502017 85.14389)
(xy 118.610973 85.213912)
(xy 118.735242 85.2504)
(xy 118.864758 85.2504)
(xy 118.989027 85.213912)
(xy 119.088471 85.150003)
(xy 126.194968 85.150003)
(xy 126.213398 85.27819)
(xy 126.2134 85.278197)
(xy 126.267203 85.396009)
(xy 126.267206 85.396013)
(xy 126.352014 85.493888)
(xy 126.352016 85.493889)
(xy 126.352017 85.49389)
(xy 126.460973 85.563912)
(xy 126.585242 85.6004)
(xy 126.714758 85.6004)
(xy 126.839027 85.563912)
(xy 126.947983 85.49389)
(xy 127.032797 85.396009)
(xy 127.0866 85.278197)
(xy 127.095843 85.21391)
(xy 127.105032 85.150003)
(xy 127.105032 85.149996)
(xy 127.086601 85.021809)
(xy 127.0866 85.021808)
(xy 127.0866 85.021803)
(xy 127.032797 84.903991)
(xy 127.007493 84.874788)
(xy 126.947985 84.806111)
(xy 126.947983 84.80611)
(xy 126.932266 84.796009)
(xy 126.839027 84.736088)
(xy 126.839026 84.736087)
(xy 126.839025 84.736087)
(xy 126.706911 84.697296)
(xy 126.677021 84.678087)
(xy 126.675712 84.679598)
(xy 126.607592 84.6996)
(xy 126.585242 84.6996)
(xy 126.460974 84.736087)
(xy 126.460971 84.736089)
(xy 126.352016 84.80611)
(xy 126.352014 84.806111)
(xy 126.267206 84.903986)
(xy 126.267203 84.90399)
(xy 126.2134 85.021802)
(xy 126.213398 85.021809)
(xy 126.194968 85.149996)

(xy 126.194968 85.150003)
(xy 119.088471 85.150003)
(xy 119.097983 85.14389)
(xy 119.182797 85.046009)
(xy 119.2366 84.928197)
(xy 119.24008 84.903991)
(xy 119.255032 84.800003)
(xy 119.255032 84.799996)
(xy 119.236601 84.671809)
(xy 119.2366 84.671808)
(xy 119.2366 84.671803)
(xy 119.182797 84.553991)
(xy 119.181573 84.552578)
(xy 119.097985 84.456111)
(xy 119.097813 84.456001)
(xy 119.097679 84.455846)
(xy 119.091171 84.450207)
(xy 119.091981 84.449271)
(xy 119.051318 84.402347)
(xy 119.041211 84.332074)
(xy 119.070701 84.267492)
(xy 119.097813 84.243999)
(xy 119.097983 84.24389)
(xy 119.182797 84.146009)
(xy 119.2366 84.028197)
(xy 119.255032 83.900003)
(xy 122.344968 83.900003)
(xy 122.363398 84.02819)
(xy 122.3634 84.028197)
(xy 122.417203 84.146009)
(xy 122.417206 84.146013)
(xy 122.502014 84.243888)
(xy 122.502016 84.243889)
(xy 122.502017 84.24389)
(xy 122.610973 84.313912)
(xy 122.735242 84.3504)
(xy 122.864758 84.3504)
(xy 122.989027 84.313912)
(xy 123.097983 84.24389)
(xy 123.182797 84.146009)
(xy 123.185386 84.140339)
(xy 123.231877 84.086684)
(xy 123.299998 84.066681)
(xy 123.368119 84.086682)
(xy 123.414612 84.140336)
(xy 123.417203 84.146009)
(xy 123.417204 84.14601)
(xy 123.417206 84.146013)
(xy 123.502014 84.243888)
(xy 123.502016 84.243889)
(xy 123.502017 84.24389)
(xy 123.610973 84.313912)
(xy 123.735242 84.3504)
(xy 123.864758 84.3504)
(xy 123.989027 84.313912)
(xy 124.097983 84.24389)
(xy 124.182797 84.146009)
(xy 124.2366 84.028197)
(xy 124.240654 84.000003)
(xy 126.244968 84.000003)
(xy 126.263398 84.12819)
(xy 126.2634 84.128197)
(xy 126.317203 84.246009)
(xy 126.317206 84.246013)
(xy 126.402014 84.343888)
(xy 126.402016 84.343889)
(xy 126.402017 84.34389)
(xy 126.510973 84.413912)

(xy 126.635242 84.4504)
(xy 126.643089 84.452704)
(xy 126.672978 84.471912)
(xy 126.674288 84.470402)
(xy 126.742408 84.4504)
(xy 126.764758 84.4504)
(xy 126.889027 84.413912)
(xy 126.997983 84.34389)
(xy 127.082797 84.246009)
(xy 127.1366 84.128197)
(xy 127.155032 84)
(xy 127.155032 83.999996)
(xy 127.136601 83.871809)
(xy 127.1366 83.871808)
(xy 127.1366 83.871803)
(xy 127.082797 83.753991)
(xy 127.064884 83.733318)
(xy 126.997985 83.656111)
(xy 126.997983 83.65611)
(xy 126.994678 83.653986)
(xy 126.889027 83.586088)
(xy 126.889026 83.586087)
(xy 126.889025 83.586087)
(xy 126.764758 83.5496)
(xy 126.635242 83.5496)
(xy 126.510974 83.586087)
(xy 126.510971 83.586089)
(xy 126.402016 83.65611)
(xy 126.402014 83.656111)
(xy 126.317206 83.753986)
(xy 126.317203 83.75399)
(xy 126.2634 83.871802)
(xy 126.263398 83.871809)
(xy 126.244968 83.999996)
(xy 126.244968 84.000003)
(xy 124.240654 84.000003)
(xy 124.255032 83.9)
(xy 124.255032 83.899996)
(xy 124.236601 83.771809)
(xy 124.2366 83.771808)
(xy 124.2366 83.771803)
(xy 124.182797 83.653991)
(xy 124.182793 83.653986)
(xy 124.097985 83.556111)
(xy 124.097983 83.55611)
(xy 124.087853 83.5496)
(xy 123.989027 83.486088)
(xy 123.989026 83.486087)
(xy 123.989025 83.486087)
(xy 123.864758 83.4496)
(xy 123.735242 83.4496)
(xy 123.610974 83.486087)
(xy 123.610971 83.486089)
(xy 123.502016 83.55611)
(xy 123.502014 83.556111)
(xy 123.417206 83.653986)
(xy 123.417199 83.653995)
(xy 123.414609 83.659668)
(xy 123.368112 83.713321)
(xy 123.29999 83.733318)
(xy 123.231871 83.713311)
(xy 123.185384 83.659656)
(xy 123.182797 83.653991)
(xy 123.182793 83.653986)
(xy 123.097985 83.556111)
(xy 123.097983 83.55611)
(xy 123.087853 83.5496)
(xy 122.989027 83.486088)

(xy 122.989026 83.486087)
(xy 122.989025 83.486087)
(xy 122.864758 83.4496)
(xy 122.735242 83.4496)
(xy 122.610974 83.486087)
(xy 122.610971 83.486089)
(xy 122.502016 83.55611)
(xy 122.502014 83.556111)
(xy 122.417206 83.653986)
(xy 122.417203 83.65399)
(xy 122.3634 83.771802)
(xy 122.363398 83.771809)
(xy 122.344968 83.899996)
(xy 122.344968 83.900003)
(xy 119.255032 83.900003)
(xy 119.255032 83.9)
(xy 119.255032 83.899996)
(xy 119.236601 83.771809)
(xy 119.2366 83.771808)
(xy 119.2366 83.771803)
(xy 119.182797 83.653991)
(xy 119.182793 83.653986)
(xy 119.097985 83.556111)
(xy 119.097983 83.55611)
(xy 119.087853 83.5496)
(xy 118.989027 83.486088)
(xy 118.989026 83.486087)
(xy 118.989025 83.486087)
(xy 118.864758 83.4496)
(xy 118.735242 83.4496)
(xy 118.610974 83.486087)
(xy 118.610971 83.486089)
(xy 118.502016 83.55611)
(xy 118.502014 83.556111)
(xy 118.417206 83.653986)
(xy 118.417203 83.65399)
(xy 118.3634 83.771802)
(xy 118.363398 83.771809)
(xy 118.344968 83.899996)
(xy 118.344968 83.900003)
(xy 118.363398 84.02819)
(xy 118.3634 84.028197)
(xy 118.417203 84.146009)
(xy 118.417206 84.146013)
(xy 118.502014 84.243888)
(xy 118.502018 84.243891)
(xy 118.502192 84.244003)
(xy 118.502327 84.244158)
(xy 118.508829 84.249793)
(xy 118.508018 84.250727)
(xy 118.548684 84.297659)
(xy 118.558787 84.367934)
(xy 118.529293 84.432514)
(xy 118.502192 84.455997)
(xy 118.502018 84.456108)
(xy 118.502014 84.456111)
(xy 118.417206 84.553986)
(xy 118.417203 84.55399)
(xy 118.3634 84.671802)
(xy 118.363398 84.671809)
(xy 118.344968 84.799996)
(xy 118.344968 84.800003)
(xy 105.44303 84.800003)
(xy 103.121224 82.478197)
(xy 102.993027 82.35)
(xy 104.044508 82.35)
(xy 104.064354 82.475304)
(xy 104.076935 82.499996)

(xy 104.121949 82.588342)
(xy 104.211657 82.67805)
(xy 104.250299 82.697738)
(xy 104.324696 82.735646)
(xy 104.45 82.755492)
(xy 104.575304 82.735646)
(xy 104.688342 82.67805)
(xy 104.77805 82.588342)
(xy 104.823061 82.500003)
(xy 107.144823 82.500003)
(xy 107.163859 82.656791)
(xy 107.219871 82.804479)
(xy 107.30959 82.93446)
(xy 107.309592 82.934462)
(xy 107.309593 82.934463)
(xy 107.427817 83.0392)
(xy 107.567671 83.112601)
(xy 107.721027 83.1504)
(xy 107.721028 83.1504)
(xy 107.878972 83.1504)
(xy 107.878973 83.1504)
(xy 108.032329 83.112601)
(xy 108.172183 83.0392)
(xy 108.290407 82.934463)
(xy 108.331304 82.875212)
(xy 108.386462 82.830513)
(xy 108.45703 82.82273)
(xy 108.520605 82.854334)
(xy 108.538695 82.875212)
(xy 108.579593 82.934463)
(xy 108.697817 83.0392)
(xy 108.837671 83.112601)
(xy 108.991027 83.1504)
(xy 108.991028 83.1504)
(xy 109.148972 83.1504)
(xy 109.148973 83.1504)
(xy 109.302329 83.112601)
(xy 109.442183 83.0392)
(xy 109.560407 82.934463)
(xy 109.601304 82.875212)
(xy 109.656462 82.830513)
(xy 109.72703 82.82273)
(xy 109.790605 82.854334)
(xy 109.808695 82.875212)
(xy 109.849593 82.934463)
(xy 109.967817 83.0392)
(xy 110.107671 83.112601)
(xy 110.261027 83.1504)
(xy 110.261028 83.1504)
(xy 110.418972 83.1504)
(xy 110.418973 83.1504)
(xy 110.572329 83.112601)
(xy 110.712183 83.0392)
(xy 110.830407 82.934463)
(xy 110.871304 82.875212)
(xy 110.926462 82.830513)
(xy 110.99703 82.82273)
(xy 111.060605 82.854334)
(xy 111.078695 82.875212)
(xy 111.119593 82.934463)
(xy 111.237817 83.0392)
(xy 111.377671 83.112601)
(xy 111.531027 83.1504)
(xy 111.531028 83.1504)
(xy 111.688972 83.1504)
(xy 111.688973 83.1504)
(xy 111.842329 83.112601)
(xy 111.982183 83.0392)

(xy 112.100407 82.934463)
(xy 112.141304 82.875212)
(xy 112.196462 82.830513)
(xy 112.26703 82.82273)
(xy 112.330605 82.854334)
(xy 112.348695 82.875212)
(xy 112.389593 82.934463)
(xy 112.507817 83.0392)
(xy 112.647671 83.112601)
(xy 112.801027 83.1504)
(xy 112.801028 83.1504)
(xy 112.958972 83.1504)
(xy 112.958973 83.1504)
(xy 113.112329 83.112601)
(xy 113.252183 83.0392)
(xy 113.370407 82.934463)
(xy 113.411304 82.875212)
(xy 113.466462 82.830513)
(xy 113.53703 82.82273)
(xy 113.600605 82.854334)
(xy 113.618695 82.875212)
(xy 113.659593 82.934463)
(xy 113.777817 83.0392)
(xy 113.917671 83.112601)
(xy 114.071027 83.1504)
(xy 114.071028 83.1504)
(xy 114.228972 83.1504)
(xy 114.228973 83.1504)
(xy 114.382329 83.112601)
(xy 114.522183 83.0392)
(xy 114.640407 82.934463)
(xy 114.681304 82.875212)
(xy 114.736462 82.830513)
(xy 114.80703 82.82273)
(xy 114.870605 82.854334)
(xy 114.888695 82.875212)
(xy 114.929593 82.934463)
(xy 115.047817 83.0392)
(xy 115.187671 83.112601)
(xy 115.341027 83.1504)
(xy 115.341028 83.1504)
(xy 115.498972 83.1504)
(xy 115.498973 83.1504)
(xy 115.652329 83.112601)
(xy 115.792183 83.0392)
(xy 115.910407 82.934463)
(xy 115.951303 82.875213)
(xy 116.00646 82.830514)
(xy 116.077028 82.82273)
(xy 116.140603 82.854333)
(xy 116.158695 82.875212)
(xy 116.199593 82.934463)
(xy 116.317817 83.0392)
(xy 116.457671 83.112601)
(xy 116.611027 83.1504)
(xy 116.611028 83.1504)
(xy 116.768972 83.1504)
(xy 116.768973 83.1504)
(xy 116.922329 83.112601)
(xy 117.062183 83.0392)
(xy 117.180407 82.934463)
(xy 117.27013 82.804476)
(xy 117.326139 82.656794)
(xy 117.326139 82.656793)
(xy 117.32614 82.656791)
(xy 117.338931 82.551443)
(xy 117.345177 82.5)
(xy 117.337475 82.436574)

(xy 117.32614 82.343208)
(xy 117.290942 82.2504)
(xy 117.27013 82.195524)
(xy 117.270128 82.195522)
(xy 117.270128 82.19552)
(xy 117.180409 82.065539)
(xy 117.176796 82.062338)
(xy 117.062183 81.9608)
(xy 116.922329 81.887399)
(xy 116.922328 81.887398)
(xy 116.922327 81.887398)
(xy 116.768974 81.8496)
(xy 116.768973 81.8496)
(xy 116.611027 81.8496)
(xy 116.611025 81.8496)
(xy 116.457673 81.887398)
(xy 116.457672 81.887398)
(xy 116.31782 81.960798)
(xy 116.317818 81.960799)
(xy 116.317817 81.9608)
(xy 116.266671 82.006111)
(xy 116.19959 82.065539)
(xy 116.158696 82.124786)
(xy 116.103537 82.169486)
(xy 116.032969 82.177269)
(xy 115.969395 82.145664)
(xy 115.951304 82.124786)
(xy 115.910409 82.065539)
(xy 115.906796 82.062338)
(xy 115.792183 81.9608)
(xy 115.652329 81.887399)
(xy 115.652328 81.887398)
(xy 115.652327 81.887398)
(xy 115.498974 81.8496)
(xy 115.498973 81.8496)
(xy 115.341027 81.8496)
(xy 115.341025 81.8496)
(xy 115.187673 81.887398)
(xy 115.187672 81.887398)
(xy 115.04782 81.960798)
(xy 115.047818 81.960799)
(xy 115.047817 81.9608)
(xy 114.996671 82.006111)
(xy 114.92959 82.065539)
(xy 114.888696 82.124786)
(xy 114.833537 82.169486)
(xy 114.762969 82.177269)
(xy 114.699395 82.145664)
(xy 114.681304 82.124786)
(xy 114.640409 82.065539)
(xy 114.636796 82.062338)
(xy 114.522183 81.9608)
(xy 114.382329 81.887399)
(xy 114.382328 81.887398)
(xy 114.382327 81.887398)
(xy 114.228974 81.8496)
(xy 114.228973 81.8496)
(xy 114.071027 81.8496)
(xy 114.071025 81.8496)
(xy 113.917673 81.887398)
(xy 113.917672 81.887398)
(xy 113.77782 81.960798)
(xy 113.777818 81.960799)
(xy 113.777817 81.9608)
(xy 113.726671 82.006111)
(xy 113.65959 82.065539)
(xy 113.618696 82.124786)
(xy 113.563537 82.169486)

(xy 113.492969 82.177269)
(xy 113.429395 82.145664)
(xy 113.411304 82.124786)
(xy 113.370409 82.065539)
(xy 113.366796 82.062338)
(xy 113.252183 81.9608)
(xy 113.112329 81.887399)
(xy 113.112328 81.887398)
(xy 113.112327 81.887398)
(xy 112.958974 81.8496)
(xy 112.958973 81.8496)
(xy 112.801027 81.8496)
(xy 112.801025 81.8496)
(xy 112.647673 81.887398)
(xy 112.647672 81.887398)
(xy 112.50782 81.960798)
(xy 112.507818 81.960799)
(xy 112.507817 81.9608)
(xy 112.456671 82.006111)
(xy 112.38959 82.065539)
(xy 112.348696 82.124786)
(xy 112.293537 82.169486)
(xy 112.222969 82.177269)
(xy 112.159395 82.145664)
(xy 112.141304 82.124786)
(xy 112.100409 82.065539)
(xy 112.096796 82.062338)
(xy 111.982183 81.9608)
(xy 111.842329 81.887399)
(xy 111.842328 81.887398)
(xy 111.842327 81.887398)
(xy 111.688974 81.8496)
(xy 111.688973 81.8496)
(xy 111.531027 81.8496)
(xy 111.531025 81.8496)
(xy 111.377673 81.887398)
(xy 111.377672 81.887398)
(xy 111.23782 81.960798)
(xy 111.237818 81.960799)
(xy 111.237817 81.9608)
(xy 111.186671 82.006111)
(xy 111.11959 82.065539)
(xy 111.078696 82.124786)
(xy 111.023537 82.169486)
(xy 110.952969 82.177269)
(xy 110.889395 82.145664)
(xy 110.871304 82.124786)
(xy 110.830409 82.065539)
(xy 110.826796 82.062338)
(xy 110.712183 81.9608)
(xy 110.572329 81.887399)
(xy 110.572328 81.887398)
(xy 110.572327 81.887398)
(xy 110.418974 81.8496)
(xy 110.418973 81.8496)
(xy 110.261027 81.8496)
(xy 110.261025 81.8496)
(xy 110.107673 81.887398)
(xy 110.107672 81.887398)
(xy 109.96782 81.960798)
(xy 109.967818 81.960799)
(xy 109.967817 81.9608)
(xy 109.853204 82.062338)
(xy 109.84959 82.06554)
(xy 109.849589 82.065541)
(xy 109.808694 82.124787)
(xy 109.753535 82.169487)
(xy 109.682966 82.177269)

(xy 109.619393 82.145663)
(xy 109.601303 82.124786)
(xy 109.573054 82.083859)
(xy 109.560408 82.065538)
(xy 109.556796 82.062338)
(xy 109.442183 81.9608)
(xy 109.302329 81.887399)
(xy 109.302328 81.887398)
(xy 109.302327 81.887398)
(xy 109.148974 81.8496)
(xy 109.148973 81.8496)
(xy 108.991027 81.8496)
(xy 108.991025 81.8496)
(xy 108.837673 81.887398)
(xy 108.837672 81.887398)
(xy 108.69782 81.960798)
(xy 108.697818 81.960799)
(xy 108.697817 81.9608)
(xy 108.646671 82.006111)
(xy 108.57959 82.065539)
(xy 108.538696 82.124786)
(xy 108.483537 82.169486)
(xy 108.412969 82.177269)
(xy 108.349395 82.145664)
(xy 108.331304 82.124786)
(xy 108.290409 82.065539)
(xy 108.286796 82.062338)
(xy 108.172183 81.9608)
(xy 108.032329 81.887399)
(xy 108.032328 81.887398)
(xy 108.032327 81.887398)
(xy 107.878974 81.8496)
(xy 107.878973 81.8496)
(xy 107.721027 81.8496)
(xy 107.721025 81.8496)
(xy 107.567673 81.887398)
(xy 107.567672 81.887398)
(xy 107.42782 81.960798)
(xy 107.427818 81.960799)
(xy 107.427817 81.9608)
(xy 107.376671 82.006111)
(xy 107.30959 82.065539)
(xy 107.219871 82.19552)
(xy 107.163859 82.343208)
(xy 107.144823 82.499996)
(xy 107.144823 82.500003)
(xy 104.823061 82.500003)
(xy 104.835646 82.475304)
(xy 104.855492 82.35)
(xy 104.835646 82.224696)
(xy 104.795377 82.145664)
(xy 104.77805 82.111657)
(xy 104.688342 82.021949)
(xy 104.612502 81.983307)
(xy 104.575304 81.964354)
(xy 104.45 81.944508)
(xy 104.449999 81.944508)
(xy 104.426418 81.948242)
(xy 104.324696 81.964354)
(xy 104.324694 81.964354)
(xy 104.324694 81.964355)
(xy 104.211657 82.021949)
(xy 104.121949 82.111657)
(xy 104.088519 82.177269)
(xy 104.064354 82.224696)
(xy 104.060283 82.2504)
(xy 104.044509 82.349996)
(xy 104.044508 82.35)

(xy 102.993027 82.35)
(xy 102.44303 81.800003)
(xy 123.644968 81.800003)
(xy 123.663398 81.92819)
(xy 123.6634 81.928197)
(xy 123.717203 82.046009)
(xy 123.717206 82.046013)
(xy 123.802014 82.143888)
(xy 123.802016 82.143889)
(xy 123.802017 82.14389)
(xy 123.910973 82.213912)
(xy 124.035242 82.2504)
(xy 124.164758 82.2504)
(xy 124.289027 82.213912)
(xy 124.397983 82.14389)
(xy 124.482797 82.046009)
(xy 124.5366 81.928197)
(xy 124.555032 81.8)
(xy 124.555032 81.799996)
(xy 124.536601 81.671809)
(xy 124.5366 81.671808)
(xy 124.5366 81.671803)
(xy 124.482797 81.553991)
(xy 124.482793 81.553986)
(xy 124.397985 81.456111)
(xy 124.397983 81.45611)
(xy 124.332322 81.413912)
(xy 124.289027 81.386088)
(xy 124.289026 81.386087)
(xy 124.289025 81.386087)
(xy 124.164758 81.3496)
(xy 124.035242 81.3496)
(xy 123.910974 81.386087)
(xy 123.910971 81.386089)
(xy 123.802016 81.45611)
(xy 123.802014 81.456111)
(xy 123.717206 81.553986)
(xy 123.717203 81.55399)
(xy 123.6634 81.671802)
(xy 123.663398 81.671809)
(xy 123.644968 81.799996)
(xy 123.644968 81.800003)
(xy 102.44303 81.800003)
(xy 100.552966 79.909938)
(xy 100.50979 79.863708)
(xy 100.473856 79.841856)
(xy 100.468531 79.838232)
(xy 100.465656 79.836052)
(xy 100.461118 79.83261)
(xy 100.435025 79.812822)
(xy 100.435023 79.812821)
(xy 100.419695 79.806776)
(xy 100.40046 79.797222)
(xy 100.386389 79.788666)
(xy 100.386388 79.788665)
(xy 100.373898 79.785165)
(xy 100.345894 79.777319)
(xy 100.339788 79.775265)
(xy 100.300668 79.759838)
(xy 100.300662 79.759837)
(xy 100.284275 79.758152)
(xy 100.263179 79.754143)
(xy 100.247314 79.749699)
(xy 100.205267 79.749699)
(xy 100.198819 79.749368)
(xy 100.156993 79.745067)
(xy 100.140758 79.747867)
(xy 100.11935 79.749699)

(xy 95.144917 79.749699)
(xy 95.076796 79.729697)
(xy 95.055821 79.712794)
(xy 94.84303 79.500003)
(xy 100.744968 79.500003)
(xy 100.763398 79.62819)
(xy 100.7634 79.628197)
(xy 100.817203 79.746009)
(xy 100.817206 79.746013)
(xy 100.902014 79.843888)
(xy 100.902016 79.843889)
(xy 100.902017 79.84389)
(xy 101.010973 79.913912)
(xy 101.135242 79.9504)
(xy 101.264758 79.9504)
(xy 101.389027 79.913912)
(xy 101.497983 79.84389)
(xy 101.504774 79.836052)
(xy 101.5645 79.797667)
(xy 101.635497 79.797666)
(xy 101.695223 79.836049)
(xy 101.695225 79.836052)
(xy 101.702015 79.843889)
(xy 101.702017 79.84389)
(xy 101.810973 79.913912)
(xy 101.935242 79.9504)
(xy 102.064758 79.9504)
(xy 102.189027 79.913912)
(xy 102.297983 79.84389)
(xy 102.304774 79.836052)
(xy 102.3645 79.797667)
(xy 102.435497 79.797666)
(xy 102.495223 79.836049)
(xy 102.495225 79.836052)
(xy 102.502015 79.843889)
(xy 102.502017 79.84389)
(xy 102.610973 79.913912)
(xy 102.735242 79.9504)
(xy 102.864758 79.9504)
(xy 102.989027 79.913912)
(xy 103.097983 79.84389)
(xy 103.104774 79.836052)
(xy 103.1645 79.797667)
(xy 103.235497 79.797666)
(xy 103.295223 79.836049)
(xy 103.295225 79.836052)
(xy 103.302015 79.843889)
(xy 103.302017 79.84389)
(xy 103.410973 79.913912)
(xy 103.535242 79.9504)
(xy 103.664758 79.9504)
(xy 103.789027 79.913912)
(xy 103.897983 79.84389)
(xy 103.904774 79.836052)
(xy 103.9645 79.797667)
(xy 104.035497 79.797666)
(xy 104.095223 79.836049)
(xy 104.095225 79.836052)
(xy 104.102015 79.843889)
(xy 104.102017 79.84389)
(xy 104.210973 79.913912)
(xy 104.335242 79.9504)
(xy 104.464758 79.9504)
(xy 104.589027 79.913912)
(xy 104.697983 79.84389)
(xy 104.704774 79.836052)
(xy 104.7645 79.797667)
(xy 104.835497 79.797666)

(xy 104.895223 79.836049)
(xy 104.895225 79.836052)
(xy 104.902015 79.843889)
(xy 104.902017 79.84389)
(xy 105.010973 79.913912)
(xy 105.135242 79.9504)
(xy 105.264758 79.9504)
(xy 105.389027 79.913912)
(xy 105.497983 79.84389)
(xy 105.506666 79.833868)
(xy 105.566387 79.795484)
(xy 105.637384 79.79548)
(xy 105.675247 79.816154)
(xy 105.675759 79.815359)
(xy 105.683339 79.82023)
(xy 105.68334 79.820231)
(xy 105.792296 79.890253)
(xy 105.916565 79.926741)
(xy 106.046081 79.926741)
(xy 106.17035 79.890253)
(xy 106.279306 79.820231)
(xy 106.285186 79.813444)
(xy 106.344909 79.775061)
(xy 106.415906 79.775059)
(xy 106.475632 79.81344)
(xy 106.502017 79.84389)
(xy 106.610973 79.913912)
(xy 106.735242 79.9504)
(xy 106.864758 79.9504)
(xy 106.989027 79.913912)
(xy 107.097983 79.84389)
(xy 107.106665 79.833871)
(xy 107.13993 79.79548)
(xy 107.182797 79.746009)
(xy 107.2366 79.628197)
(xy 107.255032 79.5)
(xy 107.255032 79.499996)
(xy 107.236601 79.371809)
(xy 107.2366 79.371808)
(xy 107.2366 79.371803)
(xy 107.182797 79.253991)
(xy 107.182793 79.253986)
(xy 107.097985 79.156111)
(xy 107.097983 79.15611)
(xy 107.097981 79.156109)
(xy 106.989027 79.086088)
(xy 106.989026 79.086087)
(xy 106.989025 79.086087)
(xy 106.864758 79.0496)
(xy 106.735242 79.0496)
(xy 106.610974 79.086087)
(xy 106.610971 79.086089)
(xy 106.502017 79.156109)
(xy 106.496132 79.162901)
(xy 106.436404 79.201282)
(xy 106.365407 79.201278)
(xy 106.305687 79.162896)
(xy 106.279306 79.132451)
(xy 106.279305 79.13245)
(xy 106.224828 79.09744)
(xy 106.17035 79.062429)
(xy 106.170349 79.062428)
(xy 106.170348 79.062428)
(xy 106.046081 79.025941)
(xy 105.916565 79.025941)
(xy 105.792297 79.062428)
(xy 105.792294 79.06243)
(xy 105.68334 79.13245)

(xy 105.674654 79.142475)
(xy 105.614927 79.180858)
(xy 105.543931 79.180858)
(xy 105.506074 79.160187)
(xy 105.505564 79.160982)
(xy 105.496841 79.155376)
(xy 105.389027 79.086088)
(xy 105.389026 79.086087)
(xy 105.389025 79.086087)
(xy 105.264758 79.0496)
(xy 105.135242 79.0496)
(xy 105.010974 79.086087)
(xy 105.010971 79.086089)
(xy 104.902018 79.156109)
(xy 104.902017 79.156109)
(xy 104.902017 79.15611)
(xy 104.897796 79.160982)
(xy 104.895223 79.163951)
(xy 104.835496 79.202333)
(xy 104.764499 79.202331)
(xy 104.704777 79.163951)
(xy 104.703863 79.162896)
(xy 104.697983 79.15611)
(xy 104.589027 79.086088)
(xy 104.589026 79.086087)
(xy 104.589025 79.086087)
(xy 104.464758 79.0496)
(xy 104.335242 79.0496)
(xy 104.210974 79.086087)
(xy 104.210971 79.086089)
(xy 104.102018 79.156109)
(xy 104.102017 79.156109)
(xy 104.102017 79.15611)
(xy 104.097796 79.160982)
(xy 104.095223 79.163951)
(xy 104.035496 79.202333)
(xy 103.964499 79.202331)
(xy 103.904777 79.163951)
(xy 103.903863 79.162896)
(xy 103.897983 79.15611)
(xy 103.789027 79.086088)
(xy 103.789026 79.086087)
(xy 103.789025 79.086087)
(xy 103.664758 79.0496)
(xy 103.535242 79.0496)
(xy 103.410974 79.086087)
(xy 103.410971 79.086089)
(xy 103.302018 79.156109)
(xy 103.302017 79.156109)
(xy 103.302017 79.15611)
(xy 103.297796 79.160982)
(xy 103.295223 79.163951)
(xy 103.235496 79.202333)
(xy 103.164499 79.202331)
(xy 103.104777 79.163951)
(xy 103.103863 79.162896)
(xy 103.097983 79.15611)
(xy 102.989027 79.086088)
(xy 102.989026 79.086087)
(xy 102.989025 79.086087)
(xy 102.864758 79.0496)
(xy 102.735242 79.0496)
(xy 102.610974 79.086087)
(xy 102.610971 79.086089)
(xy 102.502018 79.156109)
(xy 102.502017 79.156109)
(xy 102.502017 79.15611)
(xy 102.497796 79.160982)

(xy 102.495223 79.163951)
(xy 102.435496 79.202333)
(xy 102.364499 79.202331)
(xy 102.304777 79.163951)
(xy 102.303863 79.162896)
(xy 102.297983 79.15611)
(xy 102.189027 79.086088)
(xy 102.189026 79.086087)
(xy 102.189025 79.086087)
(xy 102.064758 79.0496)
(xy 101.935242 79.0496)
(xy 101.810974 79.086087)
(xy 101.810971 79.086089)
(xy 101.702018 79.156109)
(xy 101.702017 79.156109)
(xy 101.702017 79.15611)
(xy 101.697796 79.160982)
(xy 101.695223 79.163951)
(xy 101.635496 79.202333)
(xy 101.564499 79.202331)
(xy 101.504777 79.163951)
(xy 101.503863 79.162896)
(xy 101.497983 79.15611)
(xy 101.389027 79.086088)
(xy 101.389026 79.086087)
(xy 101.389025 79.086087)
(xy 101.264758 79.0496)
(xy 101.135242 79.0496)
(xy 101.010974 79.086087)
(xy 101.010971 79.086089)
(xy 100.902016 79.15611)
(xy 100.902014 79.156111)
(xy 100.817206 79.253986)
(xy 100.817203 79.25399)
(xy 100.7634 79.371802)
(xy 100.763398 79.371809)
(xy 100.744968 79.499996)
(xy 100.744968 79.500003)
(xy 94.84303 79.500003)
(xy 94.262304 78.919276)
(xy 94.228279 78.856964)
(xy 94.2254 78.830181)
(xy 94.2254 78.694418)
(xy 94.2254 78.55459)
(xy 94.245401 78.486474)
(xy 94.299056 78.439981)
(xy 94.36933 78.429876)
(xy 94.431332 78.457194)
(xy 94.481114 78.498049)
(xy 94.551518 78.555827)
(xy 94.725311 78.648722)
(xy 94.913887 78.705926)
(xy 94.913893 78.705926)
(xy 94.913895 78.705927)
(xy 95.109997 78.725241)
(xy 95.11 78.725241)
(xy 95.110003 78.725241)
(xy 95.306104 78.705927)
(xy 95.306104 78.705926)
(xy 95.306113 78.705926)
(xy 95.494689 78.648722)
(xy 95.668482 78.555827)
(xy 95.820813 78.430813)
(xy 95.945827 78.278482)
(xy 96.038722 78.104689)
(xy 96.095926 77.916113)
(xy 96.115241 77.720003)
(xy 96.644759 77.720003)

(xy 96.664072 77.916104)
(xy 96.664073 77.916109)
(xy 96.664074 77.916113)
(xy 96.676565 77.957289)
(xy 96.721278 78.10469)
(xy 96.814171 78.278479)
(xy 96.814173 78.278482)
(xy 96.939187 78.430813)
(xy 97.091518 78.555827)
(xy 97.265311 78.648722)
(xy 97.453887 78.705926)
(xy 97.453893 78.705926)
(xy 97.453895 78.705927)
(xy 97.649997 78.725241)
(xy 97.65 78.725241)
(xy 97.650003 78.725241)
(xy 97.846104 78.705927)
(xy 97.846104 78.705926)
(xy 97.846113 78.705926)
(xy 98.034689 78.648722)
(xy 98.208482 78.555827)
(xy 98.360813 78.430813)
(xy 98.485827 78.278482)
(xy 98.578722 78.104689)
(xy 98.635926 77.916113)
(xy 98.655241 77.720003)
(xy 99.184759 77.720003)
(xy 99.204072 77.916104)
(xy 99.204073 77.916109)
(xy 99.204074 77.916113)
(xy 99.216565 77.957289)
(xy 99.261278 78.10469)
(xy 99.354171 78.278479)
(xy 99.354173 78.278482)
(xy 99.479187 78.430813)
(xy 99.631518 78.555827)
(xy 99.805311 78.648722)
(xy 99.993887 78.705926)
(xy 99.993893 78.705926)
(xy 99.993895 78.705927)
(xy 100.189997 78.725241)
(xy 100.19 78.725241)
(xy 100.190003 78.725241)
(xy 100.386104 78.705927)
(xy 100.386104 78.705926)
(xy 100.386113 78.705926)
(xy 100.574689 78.648722)
(xy 100.748482 78.555827)
(xy 100.900813 78.430813)
(xy 101.025827 78.278482)
(xy 101.118722 78.104689)
(xy 101.175926 77.916113)
(xy 101.195241 77.720003)
(xy 101.724759 77.720003)
(xy 101.744072 77.916104)
(xy 101.744073 77.916109)
(xy 101.744074 77.916113)
(xy 101.756565 77.957289)
(xy 101.801278 78.10469)
(xy 101.894171 78.278479)
(xy 101.894173 78.278482)
(xy 102.019187 78.430813)
(xy 102.171518 78.555827)
(xy 102.345311 78.648722)
(xy 102.533887 78.705926)
(xy 102.533893 78.705926)
(xy 102.533895 78.705927)
(xy 102.729997 78.725241)

(xy 102.73 78.725241)
(xy 102.730003 78.725241)
(xy 102.926104 78.705927)
(xy 102.926104 78.705926)
(xy 102.926113 78.705926)
(xy 103.114689 78.648722)
(xy 103.288482 78.555827)
(xy 103.440813 78.430813)
(xy 103.565827 78.278482)
(xy 103.658722 78.104689)
(xy 103.715926 77.916113)
(xy 103.735241 77.720003)
(xy 104.264759 77.720003)
(xy 104.284072 77.916104)
(xy 104.284073 77.916109)
(xy 104.284074 77.916113)
(xy 104.296565 77.957289)
(xy 104.341278 78.10469)
(xy 104.434171 78.278479)
(xy 104.434173 78.278482)
(xy 104.559187 78.430813)
(xy 104.711518 78.555827)
(xy 104.885311 78.648722)
(xy 105.073887 78.705926)
(xy 105.073893 78.705926)
(xy 105.073895 78.705927)
(xy 105.269997 78.725241)
(xy 105.27 78.725241)
(xy 105.270003 78.725241)
(xy 105.466104 78.705927)
(xy 105.466104 78.705926)
(xy 105.466113 78.705926)
(xy 105.654689 78.648722)
(xy 105.828482 78.555827)
(xy 105.980813 78.430813)
(xy 106.105827 78.278482)
(xy 106.198722 78.104689)
(xy 106.255926 77.916113)
(xy 106.275241 77.720003)
(xy 106.804759 77.720003)
(xy 106.824072 77.916104)
(xy 106.824073 77.916109)
(xy 106.824074 77.916113)
(xy 106.836565 77.957289)
(xy 106.881278 78.10469)
(xy 106.974171 78.278479)
(xy 106.974173 78.278482)
(xy 107.099187 78.430813)
(xy 107.251518 78.555827)
(xy 107.425311 78.648722)
(xy 107.613887 78.705926)
(xy 107.613893 78.705926)
(xy 107.613895 78.705927)
(xy 107.809997 78.725241)
(xy 107.81 78.725241)
(xy 107.810003 78.725241)
(xy 108.006104 78.705927)
(xy 108.006104 78.705926)
(xy 108.006113 78.705926)
(xy 108.194689 78.648722)
(xy 108.368482 78.555827)
(xy 108.520813 78.430813)
(xy 108.645827 78.278482)
(xy 108.738722 78.104689)
(xy 108.795926 77.916113)
(xy 108.815241 77.720003)
(xy 109.344759 77.720003)
(xy 109.364072 77.916104)

(xy 109.364073 77.916109)
(xy 109.364074 77.916113)
(xy 109.376565 77.957289)
(xy 109.421278 78.10469)
(xy 109.514171 78.278479)
(xy 109.514173 78.278482)
(xy 109.639187 78.430813)
(xy 109.791518 78.555827)
(xy 109.965311 78.648722)
(xy 110.153887 78.705926)
(xy 110.153893 78.705926)
(xy 110.153895 78.705927)
(xy 110.349997 78.725241)
(xy 110.35 78.725241)
(xy 110.350003 78.725241)
(xy 110.546104 78.705927)
(xy 110.546104 78.705926)
(xy 110.546113 78.705926)
(xy 110.734689 78.648722)
(xy 110.908482 78.555827)
(xy 111.060813 78.430813)
(xy 111.185827 78.278482)
(xy 111.278722 78.104689)
(xy 111.335926 77.916113)
(xy 111.355241 77.720003)
(xy 111.884759 77.720003)
(xy 111.904072 77.916104)
(xy 111.904073 77.916109)
(xy 111.904074 77.916113)
(xy 111.916565 77.957289)
(xy 111.961278 78.10469)
(xy 112.054171 78.278479)
(xy 112.054173 78.278482)
(xy 112.179187 78.430813)
(xy 112.331518 78.555827)
(xy 112.505311 78.648722)
(xy 112.693887 78.705926)
(xy 112.693893 78.705926)
(xy 112.693895 78.705927)
(xy 112.889997 78.725241)
(xy 112.89 78.725241)
(xy 112.890003 78.725241)
(xy 113.086104 78.705927)
(xy 113.086104 78.705926)
(xy 113.086113 78.705926)
(xy 113.274689 78.648722)
(xy 113.448482 78.555827)
(xy 113.600813 78.430813)
(xy 113.725827 78.278482)
(xy 113.818722 78.104689)
(xy 113.875926 77.916113)
(xy 113.895241 77.720003)
(xy 114.424759 77.720003)
(xy 114.444072 77.916104)
(xy 114.444073 77.916109)
(xy 114.444074 77.916113)
(xy 114.456565 77.957289)
(xy 114.501278 78.10469)
(xy 114.594171 78.278479)
(xy 114.594173 78.278482)
(xy 114.719187 78.430813)
(xy 114.871518 78.555827)
(xy 115.045311 78.648722)
(xy 115.233887 78.705926)
(xy 115.233893 78.705926)
(xy 115.233895 78.705927)
(xy 115.429997 78.725241)
(xy 115.43 78.725241)

(xy 115.430003 78.725241)
(xy 115.626104 78.705927)
(xy 115.626104 78.705926)
(xy 115.626113 78.705926)
(xy 115.814689 78.648722)
(xy 115.988482 78.555827)
(xy 116.140813 78.430813)
(xy 116.265827 78.278482)
(xy 116.358722 78.104689)
(xy 116.415926 77.916113)
(xy 116.435241 77.72)
(xy 116.434896 77.716499)
(xy 116.415927 77.523895)
(xy 116.415926 77.523893)
(xy 116.415926 77.523887)
(xy 116.358722 77.335311)
(xy 116.265827 77.161518)
(xy 116.140813 77.009187)
(xy 115.988482 76.884173)
(xy 115.98848 76.884172)
(xy 115.988479 76.884171)
(xy 115.81469 76.791278)
(xy 115.74648 76.770587)
(xy 115.626113 76.734074)
(xy 115.626109 76.734073)
(xy 115.626104 76.734072)
(xy 115.430003 76.714759)
(xy 115.429997 76.714759)
(xy 115.233895 76.734072)
(xy 115.233889 76.734073)
(xy 115.233887 76.734074)
(xy 115.156017 76.757695)
(xy 115.045309 76.791278)
(xy 114.87152 76.884171)
(xy 114.719187 77.009187)
(xy 114.594171 77.16152)
(xy 114.501278 77.335309)
(xy 114.444072 77.523895)
(xy 114.424759 77.719996)
(xy 114.424759 77.720003)
(xy 113.895241 77.720003)
(xy 113.895241 77.72)
(xy 113.894896 77.716499)
(xy 113.875927 77.523895)
(xy 113.875926 77.523893)
(xy 113.875926 77.523887)
(xy 113.818722 77.335311)
(xy 113.725827 77.161518)
(xy 113.600813 77.009187)
(xy 113.448482 76.884173)
(xy 113.44848 76.884172)
(xy 113.448479 76.884171)
(xy 113.27469 76.791278)
(xy 113.20648 76.770587)
(xy 113.086113 76.734074)
(xy 113.086109 76.734073)
(xy 113.086104 76.734072)
(xy 112.890003 76.714759)
(xy 112.889997 76.714759)
(xy 112.693895 76.734072)
(xy 112.693889 76.734073)
(xy 112.693887 76.734074)
(xy 112.616017 76.757695)
(xy 112.505309 76.791278)
(xy 112.33152 76.884171)
(xy 112.179187 77.009187)
(xy 112.054171 77.16152)
(xy 111.961278 77.335309)

(xy 111.904072 77.523895)
(xy 111.884759 77.719996)
(xy 111.884759 77.720003)
(xy 111.355241 77.720003)
(xy 111.355241 77.72)
(xy 111.354896 77.716499)
(xy 111.335927 77.523895)
(xy 111.335926 77.523893)
(xy 111.335926 77.523887)
(xy 111.278722 77.335311)
(xy 111.185827 77.161518)
(xy 111.060813 77.009187)
(xy 110.908482 76.884173)
(xy 110.90848 76.884172)
(xy 110.908479 76.884171)
(xy 110.73469 76.791278)
(xy 110.66648 76.770587)
(xy 110.546113 76.734074)
(xy 110.546109 76.734073)
(xy 110.546104 76.734072)
(xy 110.350003 76.714759)
(xy 110.349997 76.714759)
(xy 110.153895 76.734072)
(xy 110.153889 76.734073)
(xy 110.153887 76.734074)
(xy 110.076017 76.757695)
(xy 109.965309 76.791278)
(xy 109.79152 76.884171)
(xy 109.639187 77.009187)
(xy 109.514171 77.16152)
(xy 109.421278 77.335309)
(xy 109.364072 77.523895)
(xy 109.344759 77.719996)
(xy 109.344759 77.720003)
(xy 108.815241 77.720003)
(xy 108.815241 77.72)
(xy 108.814896 77.716499)
(xy 108.795927 77.523895)
(xy 108.795926 77.523893)
(xy 108.795926 77.523887)
(xy 108.738722 77.335311)
(xy 108.645827 77.161518)
(xy 108.520813 77.009187)
(xy 108.368482 76.884173)
(xy 108.36848 76.884172)
(xy 108.368479 76.884171)
(xy 108.19469 76.791278)
(xy 108.12648 76.770587)
(xy 108.006113 76.734074)
(xy 108.006109 76.734073)
(xy 108.006104 76.734072)
(xy 107.810003 76.714759)
(xy 107.809997 76.714759)
(xy 107.613895 76.734072)
(xy 107.613889 76.734073)
(xy 107.613887 76.734074)
(xy 107.536017 76.757695)
(xy 107.425309 76.791278)
(xy 107.25152 76.884171)
(xy 107.099187 77.009187)
(xy 106.974171 77.16152)
(xy 106.881278 77.335309)
(xy 106.824072 77.523895)
(xy 106.804759 77.719996)
(xy 106.804759 77.720003)
(xy 106.275241 77.720003)
(xy 106.275241 77.72)
(xy 106.274896 77.716499)

(xy 106.255927 77.523895)
(xy 106.255926 77.523893)
(xy 106.255926 77.523887)
(xy 106.198722 77.335311)
(xy 106.105827 77.161518)
(xy 105.980813 77.009187)
(xy 105.828482 76.884173)
(xy 105.82848 76.884172)
(xy 105.828479 76.884171)
(xy 105.65469 76.791278)
(xy 105.58648 76.770587)
(xy 105.466113 76.734074)
(xy 105.466109 76.734073)
(xy 105.466104 76.734072)
(xy 105.270003 76.714759)
(xy 105.269997 76.714759)
(xy 105.073895 76.734072)
(xy 105.073889 76.734073)
(xy 105.073887 76.734074)
(xy 104.996017 76.757695)
(xy 104.885309 76.791278)
(xy 104.71152 76.884171)
(xy 104.559187 77.009187)
(xy 104.434171 77.16152)
(xy 104.341278 77.335309)
(xy 104.284072 77.523895)
(xy 104.264759 77.719996)
(xy 104.264759 77.720003)
(xy 103.735241 77.720003)
(xy 103.735241 77.72)
(xy 103.734896 77.716499)
(xy 103.715927 77.523895)
(xy 103.715926 77.523893)
(xy 103.715926 77.523887)
(xy 103.658722 77.335311)
(xy 103.565827 77.161518)
(xy 103.440813 77.009187)
(xy 103.288482 76.884173)
(xy 103.28848 76.884172)
(xy 103.288479 76.884171)
(xy 103.11469 76.791278)
(xy 103.04648 76.770587)
(xy 102.926113 76.734074)
(xy 102.926109 76.734073)
(xy 102.926104 76.734072)
(xy 102.730003 76.714759)
(xy 102.729997 76.714759)
(xy 102.533895 76.734072)
(xy 102.533889 76.734073)
(xy 102.533887 76.734074)
(xy 102.456017 76.757695)
(xy 102.345309 76.791278)
(xy 102.17152 76.884171)
(xy 102.019187 77.009187)
(xy 101.894171 77.16152)
(xy 101.801278 77.335309)
(xy 101.744072 77.523895)
(xy 101.724759 77.719996)
(xy 101.724759 77.720003)
(xy 101.195241 77.720003)
(xy 101.195241 77.72)
(xy 101.194896 77.716499)
(xy 101.175927 77.523895)
(xy 101.175926 77.523893)
(xy 101.175926 77.523887)
(xy 101.118722 77.335311)
(xy 101.025827 77.161518)
(xy 100.900813 77.009187)

(xy 100.748482 76.884173)
(xy 100.74848 76.884172)
(xy 100.748479 76.884171)
(xy 100.57469 76.791278)
(xy 100.50648 76.770587)
(xy 100.386113 76.734074)
(xy 100.386109 76.734073)
(xy 100.386104 76.734072)
(xy 100.190003 76.714759)
(xy 100.189997 76.714759)
(xy 99.993895 76.734072)
(xy 99.993889 76.734073)
(xy 99.993887 76.734074)
(xy 99.916017 76.757695)
(xy 99.805309 76.791278)
(xy 99.63152 76.884171)
(xy 99.479187 77.009187)
(xy 99.354171 77.16152)
(xy 99.261278 77.335309)
(xy 99.204072 77.523895)
(xy 99.184759 77.719996)
(xy 99.184759 77.720003)
(xy 98.655241 77.720003)
(xy 98.655241 77.72)
(xy 98.654896 77.716499)
(xy 98.635927 77.523895)
(xy 98.635926 77.523893)
(xy 98.635926 77.523887)
(xy 98.578722 77.335311)
(xy 98.485827 77.161518)
(xy 98.360813 77.009187)
(xy 98.208482 76.884173)
(xy 98.20848 76.884172)
(xy 98.208479 76.884171)
(xy 98.03469 76.791278)
(xy 97.96648 76.770587)
(xy 97.846113 76.734074)
(xy 97.846109 76.734073)
(xy 97.846104 76.734072)
(xy 97.650003 76.714759)
(xy 97.649997 76.714759)
(xy 97.453895 76.734072)
(xy 97.453889 76.734073)
(xy 97.453887 76.734074)
(xy 97.376017 76.757695)
(xy 97.265309 76.791278)
(xy 97.09152 76.884171)
(xy 96.939187 77.009187)
(xy 96.814171 77.16152)
(xy 96.721278 77.335309)
(xy 96.664072 77.523895)
(xy 96.644759 77.719996)
(xy 96.644759 77.720003)
(xy 96.115241 77.720003)
(xy 96.115241 77.72)
(xy 96.114896 77.716499)
(xy 96.095927 77.523895)
(xy 96.095926 77.523893)
(xy 96.095926 77.523887)
(xy 96.038722 77.335311)
(xy 95.945827 77.161518)
(xy 95.820813 77.009187)
(xy 95.668482 76.884173)
(xy 95.66848 76.884172)
(xy 95.668479 76.884171)
(xy 95.49469 76.791278)
(xy 95.42648 76.770587)
(xy 95.306113 76.734074)

(xy 95.306109 76.734073)
(xy 95.306104 76.734072)
(xy 95.110003 76.714759)
(xy 95.109997 76.714759)
(xy 94.913895 76.734072)
(xy 94.913889 76.734073)
(xy 94.913887 76.734074)
(xy 94.836017 76.757695)
(xy 94.725309 76.791278)
(xy 94.55152 76.884171)
(xy 94.431333 76.982805)
(xy 94.365985 77.010558)
(xy 94.296007 76.998576)
(xy 94.243616 76.950662)
(xy 94.2254 76.885405)
(xy 94.2254 76.562002)
(xy 94.228082 76.536142)
(xy 94.230266 76.525727)
(xy 94.227723 76.505328)
(xy 94.225883 76.490567)
(xy 94.2254 76.482778)
(xy 94.2254 76.478889)
(xy 94.221557 76.455862)
(xy 94.219943 76.442913)
(xy 94.214769 76.401403)
(xy 94.214767 76.401399)
(xy 94.212519 76.393846)
(xy 94.20997 76.386422)
(xy 94.183843 76.338144)
(xy 94.159742 76.288844)
(xy 94.155159 76.282426)
(xy 94.150343 76.276239)
(xy 94.131954 76.259311)
(xy 94.109954 76.239058)
(xy 93.537426 75.66653)
(xy 93.503403 75.60422)
(xy 93.505948 75.540865)
(xy 93.555926 75.376113)
(xy 93.575241 75.180003)
(xy 94.104759 75.180003)
(xy 94.124072 75.376104)
(xy 94.124073 75.376107)
(xy 94.124074 75.376113)
(xy 94.164486 75.509335)
(xy 94.181278 75.56469)
(xy 94.20327 75.605833)
(xy 94.274173 75.738482)
(xy 94.399187 75.890813)
(xy 94.551518 76.015827)
(xy 94.55152 76.015828)
(xy 94.692926 76.091412)
(xy 94.725311 76.108722)
(xy 94.913887 76.165926)
(xy 94.913893 76.165926)
(xy 94.913895 76.165927)
(xy 95.109997 76.185241)
(xy 95.11 76.185241)
(xy 95.110003 76.185241)
(xy 95.306104 76.165927)
(xy 95.306104 76.165926)
(xy 95.306113 76.165926)
(xy 95.494689 76.108722)
(xy 95.668482 76.015827)
(xy 95.820813 75.890813)
(xy 95.945827 75.738482)
(xy 96.038722 75.564689)
(xy 96.095926 75.376113)
(xy 96.115241 75.180003)

(xy 96.644759 75.180003)
(xy 96.664072 75.376104)
(xy 96.664073 75.376107)
(xy 96.664074 75.376113)
(xy 96.704486 75.509335)
(xy 96.721278 75.56469)
(xy 96.74327 75.605833)
(xy 96.814173 75.738482)
(xy 96.939187 75.890813)
(xy 97.091518 76.015827)
(xy 97.09152 76.015828)
(xy 97.232926 76.091412)
(xy 97.265311 76.108722)
(xy 97.453887 76.165926)
(xy 97.453893 76.165926)
(xy 97.453895 76.165927)
(xy 97.649997 76.185241)
(xy 97.65 76.185241)
(xy 97.650003 76.185241)
(xy 97.846104 76.165927)
(xy 97.846104 76.165926)
(xy 97.846113 76.165926)
(xy 98.034689 76.108722)
(xy 98.208482 76.015827)
(xy 98.360813 75.890813)
(xy 98.485827 75.738482)
(xy 98.578722 75.564689)
(xy 98.635926 75.376113)
(xy 98.655241 75.180003)
(xy 99.184759 75.180003)
(xy 99.204072 75.376104)
(xy 99.204073 75.376107)
(xy 99.204074 75.376113)
(xy 99.244486 75.509335)
(xy 99.261278 75.56469)
(xy 99.28327 75.605833)
(xy 99.354173 75.738482)
(xy 99.479187 75.890813)
(xy 99.631518 76.015827)
(xy 99.63152 76.015828)
(xy 99.772926 76.091412)
(xy 99.805311 76.108722)
(xy 99.993887 76.165926)
(xy 99.993893 76.165926)
(xy 99.993895 76.165927)
(xy 100.189997 76.185241)
(xy 100.19 76.185241)
(xy 100.190003 76.185241)
(xy 100.386104 76.165927)
(xy 100.386104 76.165926)
(xy 100.386113 76.165926)
(xy 100.574689 76.108722)
(xy 100.748482 76.015827)
(xy 100.900813 75.890813)
(xy 101.025827 75.738482)
(xy 101.118722 75.564689)
(xy 101.175926 75.376113)
(xy 101.195241 75.180003)
(xy 101.724759 75.180003)
(xy 101.744072 75.376104)
(xy 101.744073 75.376107)
(xy 101.744074 75.376113)
(xy 101.784486 75.509335)
(xy 101.801278 75.56469)
(xy 101.82327 75.605833)
(xy 101.894173 75.738482)
(xy 102.019187 75.890813)
(xy 102.171518 76.015827)

(xy 102.17152 76.015828)
(xy 102.312926 76.091412)
(xy 102.345311 76.108722)
(xy 102.533887 76.165926)
(xy 102.533893 76.165926)
(xy 102.533895 76.165927)
(xy 102.729997 76.185241)
(xy 102.73 76.185241)
(xy 102.730003 76.185241)
(xy 102.926104 76.165927)
(xy 102.926104 76.165926)
(xy 102.926113 76.165926)
(xy 103.114689 76.108722)
(xy 103.288482 76.015827)
(xy 103.440813 75.890813)
(xy 103.565827 75.738482)
(xy 103.658722 75.564689)
(xy 103.715926 75.376113)
(xy 103.735241 75.180003)
(xy 104.264759 75.180003)
(xy 104.284072 75.376104)
(xy 104.284073 75.376107)
(xy 104.284074 75.376113)
(xy 104.324486 75.509335)
(xy 104.341278 75.56469)
(xy 104.36327 75.605833)
(xy 104.434173 75.738482)
(xy 104.559187 75.890813)
(xy 104.711518 76.015827)
(xy 104.71152 76.015828)
(xy 104.852926 76.091412)
(xy 104.885311 76.108722)
(xy 105.073887 76.165926)
(xy 105.073893 76.165926)
(xy 105.073895 76.165927)
(xy 105.269997 76.185241)
(xy 105.27 76.185241)
(xy 105.270003 76.185241)
(xy 105.466104 76.165927)
(xy 105.466104 76.165926)
(xy 105.466113 76.165926)
(xy 105.654689 76.108722)
(xy 105.828482 76.015827)
(xy 105.980813 75.890813)
(xy 106.105827 75.738482)
(xy 106.198722 75.564689)
(xy 106.255926 75.376113)
(xy 106.275241 75.180003)
(xy 106.804759 75.180003)
(xy 106.824072 75.376104)
(xy 106.824073 75.376107)
(xy 106.824074 75.376113)
(xy 106.864486 75.509335)
(xy 106.881278 75.56469)
(xy 106.90327 75.605833)
(xy 106.974173 75.738482)
(xy 107.099187 75.890813)
(xy 107.251518 76.015827)
(xy 107.25152 76.015828)
(xy 107.392926 76.091412)
(xy 107.425311 76.108722)
(xy 107.613887 76.165926)
(xy 107.613893 76.165926)
(xy 107.613895 76.165927)
(xy 107.809997 76.185241)
(xy 107.81 76.185241)
(xy 107.810003 76.185241)
(xy 108.006104 76.165927)

(xy 108.006104 76.165926)
(xy 108.006113 76.165926)
(xy 108.194689 76.108722)
(xy 108.368482 76.015827)
(xy 108.520813 75.890813)
(xy 108.645827 75.738482)
(xy 108.738722 75.564689)
(xy 108.795926 75.376113)
(xy 108.815241 75.180003)
(xy 109.344759 75.180003)
(xy 109.364072 75.376104)
(xy 109.364073 75.376107)
(xy 109.364074 75.376113)
(xy 109.404486 75.509335)
(xy 109.421278 75.56469)
(xy 109.44327 75.605833)
(xy 109.514173 75.738482)
(xy 109.639187 75.890813)
(xy 109.791518 76.015827)
(xy 109.79152 76.015828)
(xy 109.932926 76.091412)
(xy 109.965311 76.108722)
(xy 110.153887 76.165926)
(xy 110.153893 76.165926)
(xy 110.153895 76.165927)
(xy 110.349997 76.185241)
(xy 110.35 76.185241)
(xy 110.350003 76.185241)
(xy 110.546104 76.165927)
(xy 110.546104 76.165926)
(xy 110.546113 76.165926)
(xy 110.734689 76.108722)
(xy 110.908482 76.015827)
(xy 111.060813 75.890813)
(xy 111.185827 75.738482)
(xy 111.278722 75.564689)
(xy 111.335926 75.376113)
(xy 111.355241 75.180003)
(xy 111.884759 75.180003)
(xy 111.904072 75.376104)
(xy 111.904073 75.376107)
(xy 111.904074 75.376113)
(xy 111.944486 75.509335)
(xy 111.961278 75.56469)
(xy 111.98327 75.605833)
(xy 112.054173 75.738482)
(xy 112.179187 75.890813)
(xy 112.331518 76.015827)
(xy 112.33152 76.015828)
(xy 112.472926 76.091412)
(xy 112.505311 76.108722)
(xy 112.693887 76.165926)
(xy 112.693893 76.165926)
(xy 112.693895 76.165927)
(xy 112.889997 76.185241)
(xy 112.89 76.185241)
(xy 112.890003 76.185241)
(xy 113.086104 76.165927)
(xy 113.086104 76.165926)
(xy 113.086113 76.165926)
(xy 113.274689 76.108722)
(xy 113.448482 76.015827)
(xy 113.600813 75.890813)
(xy 113.725827 75.738482)
(xy 113.818722 75.564689)
(xy 113.875926 75.376113)
(xy 113.895241 75.180003)
(xy 114.424759 75.180003)

(xy 114.444072 75.376104)
(xy 114.444073 75.376107)
(xy 114.444074 75.376113)
(xy 114.484486 75.509335)
(xy 114.501278 75.56469)
(xy 114.52327 75.605833)
(xy 114.594173 75.738482)
(xy 114.719187 75.890813)
(xy 114.871518 76.015827)
(xy 114.87152 76.015828)
(xy 115.012926 76.091412)
(xy 115.045311 76.108722)
(xy 115.233887 76.165926)
(xy 115.233893 76.165926)
(xy 115.233895 76.165927)
(xy 115.429997 76.185241)
(xy 115.43 76.185241)
(xy 115.430003 76.185241)
(xy 115.626104 76.165927)
(xy 115.626104 76.165926)
(xy 115.626113 76.165926)
(xy 115.814689 76.108722)
(xy 115.988482 76.015827)
(xy 116.140813 75.890813)
(xy 116.265827 75.738482)
(xy 116.358722 75.564689)
(xy 116.415926 75.376113)
(xy 116.435241 75.18)
(xy 116.415926 74.983887)
(xy 116.358722 74.795311)
(xy 116.265827 74.621518)
(xy 116.140813 74.469187)
(xy 115.988482 74.344173)
(xy 115.98848 74.344172)
(xy 115.988479 74.344171)
(xy 115.81469 74.251278)
(xy 115.759335 74.234486)
(xy 115.626113 74.194074)
(xy 115.626109 74.194073)
(xy 115.626104 74.194072)
(xy 115.430003 74.174759)
(xy 115.429997 74.174759)
(xy 115.233895 74.194072)
(xy 115.233889 74.194073)
(xy 115.233887 74.194074)
(xy 115.156017 74.217695)
(xy 115.045309 74.251278)
(xy 114.87152 74.344171)
(xy 114.719187 74.469187)
(xy 114.594171 74.62152)
(xy 114.501278 74.795309)
(xy 114.444072 74.983895)
(xy 114.424759 75.179996)
(xy 114.424759 75.180003)
(xy 113.895241 75.180003)
(xy 113.895241 75.18)
(xy 113.875926 74.983887)
(xy 113.818722 74.795311)
(xy 113.725827 74.621518)
(xy 113.600813 74.469187)
(xy 113.448482 74.344173)
(xy 113.44848 74.344172)
(xy 113.448479 74.344171)
(xy 113.27469 74.251278)
(xy 113.219335 74.234486)
(xy 113.086113 74.194074)
(xy 113.086109 74.194073)
(xy 113.086104 74.194072)

(xy 112.890003 74.174759)
(xy 112.889997 74.174759)
(xy 112.693895 74.194072)
(xy 112.693889 74.194073)
(xy 112.693887 74.194074)
(xy 112.616017 74.217695)
(xy 112.505309 74.251278)
(xy 112.33152 74.344171)
(xy 112.179187 74.469187)
(xy 112.054171 74.62152)
(xy 111.961278 74.795309)
(xy 111.904072 74.983895)
(xy 111.884759 75.179996)
(xy 111.884759 75.180003)
(xy 111.355241 75.180003)
(xy 111.355241 75.18)
(xy 111.335926 74.983887)
(xy 111.278722 74.795311)
(xy 111.185827 74.621518)
(xy 111.060813 74.469187)
(xy 110.908482 74.344173)
(xy 110.90848 74.344172)
(xy 110.908479 74.344171)
(xy 110.73469 74.251278)
(xy 110.679335 74.234486)
(xy 110.546113 74.194074)
(xy 110.546109 74.194073)
(xy 110.546104 74.194072)
(xy 110.350003 74.174759)
(xy 110.349997 74.174759)
(xy 110.153895 74.194072)
(xy 110.153889 74.194073)
(xy 110.153887 74.194074)
(xy 110.076017 74.217695)
(xy 109.965309 74.251278)
(xy 109.79152 74.344171)
(xy 109.639187 74.469187)
(xy 109.514171 74.62152)
(xy 109.421278 74.795309)
(xy 109.364072 74.983895)
(xy 109.344759 75.179996)
(xy 109.344759 75.180003)
(xy 108.815241 75.180003)
(xy 108.815241 75.18)
(xy 108.795926 74.983887)
(xy 108.738722 74.795311)
(xy 108.645827 74.621518)
(xy 108.520813 74.469187)
(xy 108.368482 74.344173)
(xy 108.36848 74.344172)
(xy 108.368479 74.344171)
(xy 108.19469 74.251278)
(xy 108.139335 74.234486)
(xy 108.006113 74.194074)
(xy 108.006109 74.194073)
(xy 108.006104 74.194072)
(xy 107.810003 74.174759)
(xy 107.809997 74.174759)
(xy 107.613895 74.194072)
(xy 107.613889 74.194073)
(xy 107.613887 74.194074)
(xy 107.536017 74.217695)
(xy 107.425309 74.251278)
(xy 107.25152 74.344171)
(xy 107.099187 74.469187)
(xy 106.974171 74.62152)
(xy 106.881278 74.795309)
(xy 106.824072 74.983895)

(xy 106.804759 75.179996)
(xy 106.804759 75.180003)
(xy 106.275241 75.180003)
(xy 106.275241 75.18)
(xy 106.255926 74.983887)
(xy 106.198722 74.795311)
(xy 106.105827 74.621518)
(xy 105.980813 74.469187)
(xy 105.828482 74.344173)
(xy 105.82848 74.344172)
(xy 105.828479 74.344171)
(xy 105.65469 74.251278)
(xy 105.599335 74.234486)
(xy 105.466113 74.194074)
(xy 105.466109 74.194073)
(xy 105.466104 74.194072)
(xy 105.270003 74.174759)
(xy 105.269997 74.174759)
(xy 105.073895 74.194072)
(xy 105.073889 74.194073)
(xy 105.073887 74.194074)
(xy 104.996017 74.217695)
(xy 104.885309 74.251278)
(xy 104.71152 74.344171)
(xy 104.559187 74.469187)
(xy 104.434171 74.62152)
(xy 104.341278 74.795309)
(xy 104.284072 74.983895)
(xy 104.264759 75.179996)
(xy 104.264759 75.180003)
(xy 103.735241 75.180003)
(xy 103.735241 75.18)
(xy 103.715926 74.983887)
(xy 103.658722 74.795311)
(xy 103.565827 74.621518)
(xy 103.440813 74.469187)
(xy 103.288482 74.344173)
(xy 103.28848 74.344172)
(xy 103.288479 74.344171)
(xy 103.11469 74.251278)
(xy 103.059335 74.234486)
(xy 102.926113 74.194074)
(xy 102.926109 74.194073)
(xy 102.926104 74.194072)
(xy 102.730003 74.174759)
(xy 102.729997 74.174759)
(xy 102.533895 74.194072)
(xy 102.533889 74.194073)
(xy 102.533887 74.194074)
(xy 102.456017 74.217695)
(xy 102.345309 74.251278)
(xy 102.17152 74.344171)
(xy 102.019187 74.469187)
(xy 101.894171 74.62152)
(xy 101.801278 74.795309)
(xy 101.744072 74.983895)
(xy 101.724759 75.179996)
(xy 101.724759 75.180003)
(xy 101.195241 75.180003)
(xy 101.195241 75.18)
(xy 101.175926 74.983887)
(xy 101.118722 74.795311)
(xy 101.025827 74.621518)
(xy 100.900813 74.469187)
(xy 100.748482 74.344173)
(xy 100.74848 74.344172)
(xy 100.748479 74.344171)
(xy 100.57469 74.251278)

(xy 100.519335 74.234486)
(xy 100.386113 74.194074)
(xy 100.386109 74.194073)
(xy 100.386104 74.194072)
(xy 100.190003 74.174759)
(xy 100.189997 74.174759)
(xy 99.993895 74.194072)
(xy 99.993889 74.194073)
(xy 99.993887 74.194074)
(xy 99.916017 74.217695)
(xy 99.805309 74.251278)
(xy 99.63152 74.344171)
(xy 99.479187 74.469187)
(xy 99.354171 74.62152)
(xy 99.261278 74.795309)
(xy 99.204072 74.983895)
(xy 99.184759 75.179996)
(xy 99.184759 75.180003)
(xy 98.655241 75.180003)
(xy 98.655241 75.18)
(xy 98.635926 74.983887)
(xy 98.578722 74.795311)
(xy 98.485827 74.621518)
(xy 98.360813 74.469187)
(xy 98.208482 74.344173)
(xy 98.20848 74.344172)
(xy 98.208479 74.344171)
(xy 98.03469 74.251278)
(xy 97.979335 74.234486)
(xy 97.846113 74.194074)
(xy 97.846109 74.194073)
(xy 97.846104 74.194072)
(xy 97.650003 74.174759)
(xy 97.649997 74.174759)
(xy 97.453895 74.194072)
(xy 97.453889 74.194073)
(xy 97.453887 74.194074)
(xy 97.376017 74.217695)
(xy 97.265309 74.251278)
(xy 97.09152 74.344171)
(xy 96.939187 74.469187)
(xy 96.814171 74.62152)
(xy 96.721278 74.795309)
(xy 96.664072 74.983895)
(xy 96.644759 75.179996)
(xy 96.644759 75.180003)
(xy 96.115241 75.180003)
(xy 96.115241 75.18)
(xy 96.095926 74.983887)
(xy 96.038722 74.795311)
(xy 95.945827 74.621518)
(xy 95.820813 74.469187)
(xy 95.668482 74.344173)
(xy 95.66848 74.344172)
(xy 95.668479 74.344171)
(xy 95.49469 74.251278)
(xy 95.439335 74.234486)
(xy 95.306113 74.194074)
(xy 95.306109 74.194073)
(xy 95.306104 74.194072)
(xy 95.110003 74.174759)
(xy 95.109997 74.174759)
(xy 94.913895 74.194072)
(xy 94.913889 74.194073)
(xy 94.913887 74.194074)
(xy 94.836017 74.217695)
(xy 94.725309 74.251278)
(xy 94.55152 74.344171)

```

(xy 94.399187 74.469187)
(xy 94.274171 74.62152)
(xy 94.181278 74.795309)
(xy 94.124072 74.983895)
(xy 94.104759 75.179996)
(xy 94.104759 75.180003)
(xy 93.575241 75.180003)
(xy 93.575241 75.18)
(xy 93.555926 74.983887)
(xy 93.498722 74.795311)
(xy 93.405827 74.621518)
(xy 93.280813 74.469187)
(xy 93.128482 74.344173)
(xy 93.12848 74.344172)
(xy 93.128479 74.344171)
(xy 92.95469 74.251278)
(xy 92.899335 74.234486)
(xy 92.766113 74.194074)
(xy 92.766109 74.194073)
(xy 92.766104 74.194072)
(xy 92.570003 74.174759)
(xy 92.569997 74.174759)
(xy 92.373895 74.194072)
(xy 92.373889 74.194073)
(xy 92.373887 74.194074)
(xy 92.296017 74.217695)
(xy 92.185309 74.251278)
(xy 92.01152 74.344171)
(xy 91.859187 74.469187)
(xy 91.734171 74.62152)
(xy 91.641278 74.795309)
(xy 91.584072 74.983895)
(xy 91.564759 75.179996)
(xy 91.564759 75.180003)
(xy 59 75.180003)
(xy 59 71.1765)
(xy 59.020002 71.108379)
(xy 59.073658 71.061886)
(xy 59.126 71.0505)
(xy 120.874 71.0505)
)
)
)
(zone (net 231) (net_name "Net-(U14-OUT)") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf5384)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 122.9 99.05)
(xy 126.45 99.05)
(xy 126.45 100.25)
(xy 122.9 100.25)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 126.151141 99.050227)
(xy 126.262502 99.072378)
(xy 126.266756 99.07414)
(xy 126.36018 99.136564)
(xy 126.363435 99.139819)
(xy 126.425859 99.233243)
(xy 126.427621 99.237497)
(xy 126.449773 99.348858)
(xy 126.45 99.35116)
(xy 126.45 99.948839)

```

```

(xy 126.449773 99.951141)
(xy 126.427621 100.062502)
(xy 126.425859 100.066756)
(xy 126.363435 100.16018)
(xy 126.36018 100.163435)
(xy 126.266756 100.225859)
(xy 126.262502 100.227621)
(xy 126.151141 100.249773)
(xy 126.148839 100.25)
(xy 123.201161 100.25)
(xy 123.198859 100.249773)
(xy 123.087497 100.227621)
(xy 123.083243 100.225859)
(xy 122.989819 100.163435)
(xy 122.986564 100.16018)
(xy 122.92414 100.066756)
(xy 122.922378 100.062502)
(xy 122.900227 99.951141)
(xy 122.9 99.948839)
(xy 122.9 99.35116)
(xy 122.900227 99.348858)
(xy 122.922378 99.237497)
(xy 122.92414 99.233243)
(xy 122.986564 99.139819)
(xy 122.989817 99.136565)
(xy 123.083244 99.074139)
(xy 123.087496 99.072378)
(xy 123.198858 99.050227)
(xy 123.201161 99.05)
(xy 126.148839 99.05)
)
)
)
(zone (net 232) (net_name "Net-(U31-OUT)") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf5387)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 123.7 91.95)
(xy 120.15 91.95)
(xy 120.15 90.75)
(xy 123.7 90.75)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 123.401141 90.750227)
(xy 123.512502 90.772378)
(xy 123.516756 90.77414)
(xy 123.61018 90.836564)
(xy 123.613435 90.839819)
(xy 123.675859 90.933243)
(xy 123.677621 90.937497)
(xy 123.699773 91.048858)
(xy 123.7 91.05116)
(xy 123.7 91.648839)
(xy 123.699773 91.651141)
(xy 123.677621 91.762502)
(xy 123.675859 91.766756)
(xy 123.613435 91.86018)
(xy 123.61018 91.863435)
(xy 123.516756 91.925859)
(xy 123.512502 91.927621)
(xy 123.401141 91.949773)
(xy 123.398839 91.95)
(xy 120.451161 91.95)

```

```

(xy 120.448859 91.949773)
(xy 120.337497 91.927621)
(xy 120.333243 91.925859)
(xy 120.239819 91.863435)
(xy 120.236564 91.86018)
(xy 120.17414 91.766756)
(xy 120.172378 91.762502)
(xy 120.150227 91.651141)
(xy 120.15 91.648839)
(xy 120.15 91.05116)
(xy 120.150227 91.048858)
(xy 120.172378 90.937497)
(xy 120.17414 90.933243)
(xy 120.236564 90.839819)
(xy 120.239817 90.836565)
(xy 120.333244 90.774139)
(xy 120.337496 90.772378)
(xy 120.448858 90.750227)
(xy 120.451161 90.75)
(xy 123.398839 90.75)
)
)
)
(zone (net 202) (net_name "/IO_Banks/IO_Buffer_B/ISNS_H") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-000000000000)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.2))
(polygon
(pts
(xy 123.55 100.95)
(xy 126.45 100.95)
(xy 126.45 103.05)
(xy 123.55 103.05)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 126.251141 100.950227)
(xy 126.324234 100.964766)
(xy 126.328488 100.966528)
(xy 126.389469 101.007275)
(xy 126.392724 101.01053)
(xy 126.433471 101.071511)
(xy 126.435233 101.075765)
(xy 126.449773 101.148858)
(xy 126.45 101.15116)
(xy 126.45 102.848839)
(xy 126.449773 102.851141)
(xy 126.435233 102.924234)
(xy 126.433471 102.928488)
(xy 126.392724 102.989469)
(xy 126.389469 102.992724)
(xy 126.328488 103.033471)
(xy 126.324234 103.035233)
(xy 126.251141 103.049773)
(xy 126.248839 103.05)
(xy 125.4672 103.05)
(xy 125.458856 103.046544)
(xy 125.4554 103.0382)
(xy 125.4554 102.997338)
(xy 125.455026 102.989723)
(xy 125.455026 102.989722)
(xy 125.45405 102.979827)
(xy 125.45405 102.979824)
(xy 125.454049 102.979816)
(xy 125.45293 102.972277)
(xy 125.446157 102.938233)

```

(xy 125.446111 102.937959)
(xy 125.444749 102.928488)
(xy 125.4366 102.871803)
(xy 125.432797 102.863477)
(xy 125.430424 102.858279)
(xy 125.430145 102.85754)
(xy 125.421195 102.828037)
(xy 125.421193 102.828031)
(xy 125.421193 102.82803)
(xy 125.419431 102.823776)
(xy 125.405069 102.796907)
(xy 125.397152 102.785058)
(xy 125.39623 102.783406)
(xy 125.396228 102.783401)
(xy 125.382797 102.753991)
(xy 125.35506 102.721981)
(xy 125.354613 102.721394)
(xy 125.348129 102.711691)
(xy 125.342645 102.703483)
(xy 125.323319 102.679935)
(xy 125.320064 102.67668)
(xy 125.306094 102.665214)
(xy 125.304669 102.663826)
(xy 125.304666 102.663822)
(xy 125.297983 102.65611)
(xy 125.210814 102.60009)
(xy 125.203092 102.59493)
(xy 125.203079 102.594923)
(xy 125.203076 102.594921)
(xy 125.201476 102.594066)
(xy 125.201068 102.593826)
(xy 125.189027 102.586088)
(xy 125.189024 102.586087)
(xy 125.184691 102.584815)
(xy 125.182456 102.5839)
(xy 125.176232 102.580572)
(xy 125.176225 102.580569)
(xy 125.176223 102.580568)
(xy 125.171969 102.578806)
(xy 125.171968 102.578805)
(xy 125.171961 102.578803)
(xy 125.142815 102.569962)
(xy 125.129872 102.567388)
(xy 125.125787 102.566575)
(xy 125.116071 102.564642)
(xy 125.11557 102.564519)
(xy 125.064759 102.5496)
(xy 125.064758 102.5496)
(xy 125.041604 102.5496)
(xy 125.039302 102.549373)
(xy 125.038273 102.549168)
(xy 125.032614 102.548042)
(xy 125.002303 102.545057)
(xy 125.002298 102.545057)
(xy 124.997702 102.545057)
(xy 124.997697 102.545057)
(xy 124.967385 102.548042)
(xy 124.961547 102.549204)
(xy 124.960697 102.549373)
(xy 124.958396 102.5496)
(xy 124.93524 102.5496)
(xy 124.884427 102.56452)
(xy 124.883915 102.564646)
(xy 124.857183 102.569962)
(xy 124.82804 102.578801)
(xy 124.828018 102.578809)
(xy 124.823784 102.580563)
(xy 124.823762 102.580574)

```

(xy 124.817531 102.583903)
(xy 124.815299 102.584816)
(xy 124.810973 102.586087)
(xy 124.79894 102.593819)
(xy 124.798535 102.594057)
(xy 124.796917 102.594922)
(xy 124.796917 102.594923)
(xy 124.789146 102.600115)
(xy 124.702014 102.656112)
(xy 124.702013 102.656112)
(xy 124.695332 102.663822)
(xy 124.693902 102.665214)
(xy 124.679921 102.676691)
(xy 124.676658 102.679955)
(xy 124.657359 102.703475)
(xy 124.657347 102.703492)
(xy 124.645381 102.7214)
(xy 124.644934 102.721986)
(xy 124.617203 102.75399)
(xy 124.603771 102.783401)
(xy 124.602849 102.785054)
(xy 124.594932 102.796904)
(xy 124.580566 102.823779)
(xy 124.578808 102.828024)
(xy 124.578805 102.828031)
(xy 124.569854 102.857538)
(xy 124.569575 102.858276)
(xy 124.5634 102.8718)
(xy 124.563399 102.871804)
(xy 124.553887 102.937957)
(xy 124.553834 102.938268)
(xy 124.550035 102.957372)
(xy 124.547071 102.972272)
(xy 124.547071 102.972271)
(xy 124.54595 102.979824)
(xy 124.54595 102.979825)
(xy 124.544974 102.989722)
(xy 124.544974 102.989723)
(xy 124.5446 102.997338)
(xy 124.5446 103.0382)
(xy 124.541144 103.046544)
(xy 124.5328 103.05)
(xy 123.751161 103.05)
(xy 123.748859 103.049773)
(xy 123.675765 103.035233)
(xy 123.671511 103.033471)
(xy 123.61053 102.992724)
(xy 123.607275 102.989469)
(xy 123.566528 102.928488)
(xy 123.564766 102.924234)
(xy 123.550227 102.851141)
(xy 123.55 102.848839)
(xy 123.55 101.15116)
(xy 123.550227 101.148858)
(xy 123.564766 101.075765)
(xy 123.566528 101.071511)
(xy 123.607275 101.01053)
(xy 123.610528 101.007276)
(xy 123.671512 100.966527)
(xy 123.675764 100.964766)
(xy 123.748858 100.950227)
(xy 123.751161 100.95)
(xy 126.248839 100.95)
)
)
)
(zone (net 107) (net_name "/IO_Banks/VIOB") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf538d
(priority 1)

```

```

(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
  (pts
    (xy 123.55 103.7)
    (xy 124.7 103.7)
    (xy 124.7 102.7)
    (xy 125.3 102.7)
    (xy 125.3 103.7)
    (xy 126.45 103.7)
    (xy 126.45 104.7)
    (xy 123.55 104.7)
  )
)
(filled_polygon
  (layer "B.Cu")
  (pts
    (xy 125.099553 102.719802)
    (xy 125.112502 102.722378)
    (xy 125.116756 102.72414)
    (xy 125.21018 102.786564)
    (xy 125.213435 102.789819)
    (xy 125.275859 102.883243)
    (xy 125.277621 102.887497)
    (xy 125.299773 102.998858)
    (xy 125.3 103.00116)
    (xy 125.3 103.7)
    (xy 126.148839 103.7)
    (xy 126.151141 103.700227)
    (xy 126.262502 103.722378)
    (xy 126.266756 103.72414)
    (xy 126.36018 103.786564)
    (xy 126.363435 103.789819)
    (xy 126.425859 103.883243)
    (xy 126.427621 103.887497)
    (xy 126.449773 103.998858)
    (xy 126.45 104.00116)
    (xy 126.45 104.398839)
    (xy 126.449773 104.401141)
    (xy 126.427621 104.512502)
    (xy 126.425859 104.516756)
    (xy 126.363435 104.61018)
    (xy 126.36018 104.613435)
    (xy 126.266756 104.675859)
    (xy 126.262502 104.677621)
    (xy 126.151141 104.699773)
    (xy 126.148839 104.7)
    (xy 123.851161 104.7)
    (xy 123.848859 104.699773)
    (xy 123.737497 104.677621)
    (xy 123.733243 104.675859)
    (xy 123.639819 104.613435)
    (xy 123.636564 104.61018)
    (xy 123.57414 104.516756)
    (xy 123.572378 104.512502)
    (xy 123.57084 104.50477)
    (xy 123.553313 104.416659)
    (xy 123.553207 104.412691)
    (xy 123.555032 104.4)
    (xy 123.55012 104.365835)
    (xy 123.55 104.364156)
    (xy 123.55 104.00116)
    (xy 123.550227 103.998858)
    (xy 123.572378 103.887497)
    (xy 123.57414 103.883243)
    (xy 123.636564 103.789819)
    (xy 123.639817 103.786565)
  )
)

```



```

(xy 123.733244 103.724139)
(xy 123.737496 103.722378)
(xy 123.848858 103.700227)
(xy 123.851161 103.7)
(xy 124.399995 103.7)
(xy 124.4 103.7)
(xy 124.7 103.7)
(xy 124.7 103.00116)
(xy 124.700227 102.998858)
(xy 124.722378 102.887497)
(xy 124.72414 102.883243)
(xy 124.786564 102.789819)
(xy 124.789817 102.786565)
(xy 124.883244 102.724139)
(xy 124.887496 102.722378)
(xy 124.997702 102.700457)
(xy 125.002298 102.700457)
)
)
)
(zone (net 108) (net_name "/IO_Banks/VIOA") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf5390)
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.2))
(polygon
(pts
(xy 123.05 87.3)
(xy 121.9 87.3)
(xy 121.9 88.3)
(xy 121.3 88.3)
(xy 121.3 87.3)
(xy 120.15 87.3)
(xy 120.15 86.3)
(xy 123.05 86.3)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 122.851141 86.300227)
(xy 122.924234 86.314766)
(xy 122.928488 86.316528)
(xy 122.989469 86.357275)
(xy 122.992724 86.36053)
(xy 123.033471 86.421511)
(xy 123.035233 86.425765)
(xy 123.049773 86.498858)
(xy 123.05 86.50116)
(xy 123.05 86.564156)
(xy 123.04988 86.565835)
(xy 123.044968 86.599999)
(xy 123.04988 86.634163)
(xy 123.05 86.635842)
(xy 123.05 87.098839)
(xy 123.049773 87.101141)
(xy 123.035233 87.174234)
(xy 123.033471 87.178488)
(xy 122.992724 87.239469)
(xy 122.989469 87.242724)
(xy 122.928488 87.283471)
(xy 122.924234 87.285233)
(xy 122.851141 87.299773)
(xy 122.848839 87.3)
(xy 121.9 87.3)
(xy 121.9 87.499997)
(xy 121.9 88.098839)
(xy 121.899773 88.101141)

```

```

(xy 121.885233 88.174234)
(xy 121.883471 88.178488)
(xy 121.842724 88.239469)
(xy 121.839469 88.242724)
(xy 121.778488 88.283471)
(xy 121.774234 88.285233)
(xy 121.701141 88.299773)
(xy 121.698839 88.3)
(xy 121.501161 88.3)
(xy 121.498859 88.299773)
(xy 121.425765 88.285233)
(xy 121.421511 88.283471)
(xy 121.36053 88.242724)
(xy 121.357275 88.239469)
(xy 121.316528 88.178488)
(xy 121.314766 88.174234)
(xy 121.300227 88.101141)
(xy 121.3 88.098839)
(xy 121.3 87.500004)
(xy 121.3 87.5)
(xy 121.3 87.3)
(xy 121.100002 87.3)
(xy 120.351161 87.3)
(xy 120.348859 87.299773)
(xy 120.275765 87.285233)
(xy 120.271511 87.283471)
(xy 120.21053 87.242724)
(xy 120.207275 87.239469)
(xy 120.166528 87.178488)
(xy 120.164766 87.174234)
(xy 120.150227 87.101141)
(xy 120.15 87.098839)
(xy 120.15 86.50116)
(xy 120.150227 86.498858)
(xy 120.164766 86.425765)
(xy 120.166528 86.421511)
(xy 120.207275 86.36053)
(xy 120.210528 86.357276)
(xy 120.271512 86.316527)
(xy 120.275764 86.314766)
(xy 120.348858 86.300227)
(xy 120.351161 86.3)
(xy 122.848839 86.3)
)
)
)
(zone (net 203) (net_name "/IO_Banks/IO_Buffer_A/ISNS_H") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00000000)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.2))
(polygon
(pts
(xy 123.05 90.05)
(xy 120.15 90.05)
(xy 120.15 87.95)
(xy 123.05 87.95)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 121.141144 87.953456)
(xy 121.1446 87.9618)
(xy 121.1446 88.102658)
(xy 121.144975 88.110288)
(xy 121.145951 88.120183)
(xy 121.14707 88.127721)
(xy 121.151732 88.15116)

```

(xy 121.16235 88.204546)
(xy 121.171191 88.233693)
(xy 121.171196 88.233706)
(xy 121.172954 88.237949)
(xy 121.172957 88.237957)
(xy 121.187318 88.264826)
(xy 121.227238 88.324569)
(xy 121.228065 88.325806)
(xy 121.228069 88.325811)
(xy 121.228072 88.325815)
(xy 121.247386 88.349348)
(xy 121.25065 88.352612)
(xy 121.274183 88.371926)
(xy 121.274193 88.371934)
(xy 121.305095 88.392582)
(xy 121.335172 88.41268)
(xy 121.335174 88.412681)
(xy 121.362044 88.427043)
(xy 121.366298 88.428805)
(xy 121.395447 88.437647)
(xy 121.395452 88.437648)
(xy 121.395451 88.437648)
(xy 121.43546 88.445606)
(xy 121.472278 88.45293)
(xy 121.472281 88.45293)
(xy 121.472289 88.452932)
(xy 121.475058 88.453342)
(xy 121.479817 88.454049)
(xy 121.489712 88.455025)
(xy 121.489713 88.455025)
(xy 121.489723 88.455026)
(xy 121.489724 88.455026)
(xy 121.497339 88.4554)
(xy 121.497342 88.4554)
(xy 121.702661 88.4554)
(xy 121.710276 88.455026)
(xy 121.710277 88.455026)
(xy 121.710286 88.455025)
(xy 121.710288 88.455025)
(xy 121.720183 88.454049)
(xy 121.724942 88.453342)
(xy 121.727711 88.452932)
(xy 121.727718 88.45293)
(xy 121.727722 88.45293)
(xy 121.804553 88.437647)
(xy 121.833701 88.428805)
(xy 121.837955 88.427043)
(xy 121.864825 88.412681)
(xy 121.925806 88.371934)
(xy 121.949353 88.352608)
(xy 121.952608 88.349353)
(xy 121.971934 88.325806)
(xy 122.012681 88.264825)
(xy 122.027043 88.237955)
(xy 122.028805 88.233701)
(xy 122.037647 88.204553)
(xy 122.05293 88.127722)
(xy 122.052933 88.127707)
(xy 122.053342 88.124942)
(xy 122.054049 88.120183)
(xy 122.055025 88.110288)
(xy 122.0554 88.102658)
(xy 122.0554 87.9618)
(xy 122.058856 87.953456)
(xy 122.0672 87.95)
(xy 122.848839 87.95)
(xy 122.851141 87.950227)
(xy 122.924234 87.964766)

```

(xy 122.928488 87.966528)
(xy 122.989469 88.007275)
(xy 122.992724 88.01053)
(xy 123.033471 88.071511)
(xy 123.035233 88.075765)
(xy 123.049773 88.148858)
(xy 123.05 88.15116)
(xy 123.05 89.848839)
(xy 123.049773 89.851141)
(xy 123.035233 89.924234)
(xy 123.033471 89.928488)
(xy 122.992724 89.989469)
(xy 122.989469 89.992724)
(xy 122.928488 90.033471)
(xy 122.924234 90.035233)
(xy 122.851141 90.049773)
(xy 122.848839 90.05)
(xy 120.351161 90.05)
(xy 120.348859 90.049773)
(xy 120.275765 90.035233)
(xy 120.271511 90.033471)
(xy 120.21053 89.992724)
(xy 120.207275 89.989469)
(xy 120.166528 89.928488)
(xy 120.164766 89.924234)
(xy 120.150227 89.851141)
(xy 120.15 89.848839)
(xy 120.15 88.15116)
(xy 120.150227 88.148858)
(xy 120.154434 88.127711)
(xy 120.164766 88.075764)
(xy 120.166528 88.071511)
(xy 120.207275 88.01053)
(xy 120.210528 88.007276)
(xy 120.271512 87.966527)
(xy 120.275764 87.964766)
(xy 120.348858 87.950227)
(xy 120.351161 87.95)
(xy 121.1328 87.95)
)
)
)
(zone (net 7) (net_name "/SHLD") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf539f) (hatch ed
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 56.8 90.7)
(xy 56.8 100.3)
(xy 50 100.3)
(xy 50 90.7)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 56.30322 90.700424)
(xy 56.318306 90.70241)
(xy 56.416489 90.715336)
(xy 56.441447 90.722023)
(xy 56.53796 90.762)
(xy 56.560336 90.774918)
(xy 56.643216 90.838515)
(xy 56.661484 90.856783)
(xy 56.725079 90.93966)
(xy 56.738001 90.962042)

```

(xy 56.777975 91.058548)
(xy 56.784664 91.083512)
(xy 56.799576 91.196779)
(xy 56.8 91.203247)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 98.39)
(xy 54.669534 98.39)
(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660451 98.800451)
(xy 55.752698 98.680233)
(xy 55.810687 98.540236)
(xy 55.830466 98.39)
(xy 55.810687 98.239764)
(xy 55.752698 98.099767)
(xy 55.660451 97.979549)
(xy 55.540233 97.887302)
(xy 55.400236 97.829313)
(xy 55.400234 97.829312)
(xy 55.400232 97.829312)
(xy 55.28772 97.8145)
(xy 55.21228 97.8145)
(xy 55.212279 97.8145)
(xy 55.099767 97.829312)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 50.0505 98.39)

(xy 50.0505 94.600002)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 53.963399 94.728195)
(xy 53.9634 94.728197)
(xy 53.993657 94.79445)
(xy 54.017204 94.846011)
(xy 54.102014 94.943888)
(xy 54.102016 94.943889)
(xy 54.102017 94.94389)
(xy 54.210973 95.013912)
(xy 54.335242 95.0504)
(xy 54.335244 95.0504)
(xy 54.464756 95.0504)
(xy 54.464758 95.0504)
(xy 54.589027 95.013912)
(xy 54.697983 94.94389)
(xy 54.782797 94.846009)
(xy 54.8366 94.728197)
(xy 54.8366 94.728191)
(xy 54.838596 94.7214)
(xy 54.841568 94.722272)
(xy 54.862691 94.679214)
(xy 54.916779 94.650612)
(xy 54.97735 94.659265)
(xy 55.007848 94.682494)
(xy 55.009593 94.684464)
(xy 55.127812 94.789197)
(xy 55.127815 94.789199)
(xy 55.127817 94.7892)
(xy 55.137822 94.794451)
(xy 55.180561 94.838234)
(xy 55.189402 94.898777)
(xy 55.166635 94.946941)
(xy 55.117204 95.003988)
(xy 55.063399 95.121805)
(xy 55.063398 95.121808)
(xy 55.044968 95.249997)
(xy 55.044968 95.250002)
(xy 55.063398 95.378191)
(xy 55.063399 95.378194)
(xy 55.117204 95.496011)
(xy 55.196416 95.587426)
(xy 55.220234 95.643785)
(xy 55.206376 95.70338)
(xy 55.167606 95.739916)
(xy 55.127815 95.7608)
(xy 55.127813 95.760801)
(xy 55.009594 95.865534)
(xy 55.009593 95.865536)
(xy 54.919869 95.995525)
(xy 54.919867 95.995528)
(xy 54.863863 96.143198)
(xy 54.86386 96.143207)
(xy 54.844823 96.299998)
(xy 54.844823 96.300001)
(xy 54.86386 96.456792)
(xy 54.863863 96.456801)
(xy 54.919867 96.604471)
(xy 54.919869 96.604474)
(xy 55.009593 96.734463)
(xy 55.009594 96.734465)
(xy 55.127812 96.839197)
(xy 55.127815 96.839199)
(xy 55.127817 96.8392)
(xy 55.267671 96.912601)
(xy 55.421027 96.9504)

(xy 55.42103 96.9504)
(xy 55.57897 96.9504)
(xy 55.578973 96.9504)
(xy 55.732329 96.912601)
(xy 55.872183 96.8392)
(xy 55.872185 96.839197)
(xy 55.872187 96.839197)
(xy 55.990405 96.734465)
(xy 55.990405 96.734464)
(xy 55.990407 96.734463)
(xy 56.08013 96.604476)
(xy 56.136139 96.456794)
(xy 56.155177 96.3)
(xy 56.136139 96.143206)
(xy 56.08013 95.995524)
(xy 55.990407 95.865537)
(xy 55.990406 95.865536)
(xy 55.990405 95.865534)
(xy 55.872187 95.760802)
(xy 55.832394 95.739917)
(xy 55.789655 95.696132)
(xy 55.780815 95.635589)
(xy 55.80358 95.587429)
(xy 55.882797 95.496009)
(xy 55.9366 95.378197)
(xy 55.955032 95.25)
(xy 55.9366 95.121803)
(xy 55.882797 95.003991)
(xy 55.833364 94.946942)
(xy 55.809547 94.890582)
(xy 55.823406 94.830987)
(xy 55.862177 94.794451)
(xy 55.872183 94.7892)
(xy 55.990407 94.684463)
(xy 56.08013 94.554476)
(xy 56.136139 94.406794)
(xy 56.155177 94.25)
(xy 56.136139 94.093206)
(xy 56.115766 94.039488)
(xy 56.080132 93.945528)
(xy 56.08013 93.945525)
(xy 56.08013 93.945524)
(xy 55.990407 93.815537)
(xy 55.990406 93.815536)
(xy 55.990405 93.815534)
(xy 55.872187 93.710802)
(xy 55.732327 93.637398)
(xy 55.578975 93.5996)
(xy 55.578973 93.5996)
(xy 55.421027 93.5996)
(xy 55.421024 93.5996)
(xy 55.267672 93.637398)
(xy 55.127812 93.710802)
(xy 55.009594 93.815534)
(xy 55.009593 93.815536)
(xy 54.919869 93.945524)
(xy 54.914113 93.960705)
(xy 54.8758 94.00841)
(xy 54.821546 94.0246)
(xy 54.7572 94.0246)
(xy 54.754617 94.024532)
(xy 54.746467 94.024105)
(xy 54.713951 94.0224)
(xy 54.713949 94.0224)
(xy 54.693056 94.03042)
(xy 54.678171 94.03483)
(xy 54.656274 94.039485)
(xy 54.656268 94.039488)

(xy 54.652056 94.042548)
(xy 54.629361 94.054871)
(xy 54.624498 94.056737)
(xy 54.60867 94.072565)
(xy 54.596863 94.082648)
(xy 54.578755 94.095805)
(xy 54.578752 94.095808)
(xy 54.576149 94.100317)
(xy 54.560421 94.120813)
(xy 54.55799 94.123244)
(xy 54.503473 94.151021)
(xy 54.471999 94.149)
(xy 54.471768 94.150608)
(xy 54.464759 94.1496)
(xy 54.464758 94.1496)
(xy 54.335242 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 50.0505 94.600002)
(xy 50.0505 92.61)
(xy 54.669534 92.61)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.21228 93.1855)
(xy 55.212281 93.1855)
(xy 55.287719 93.1855)
(xy 55.28772 93.1855)
(xy 55.400236 93.170687)
(xy 55.540233 93.112698)
(xy 55.660451 93.020451)
(xy 55.752698 92.900233)
(xy 55.810687 92.760236)
(xy 55.830466 92.61)
(xy 55.810687 92.459764)
(xy 55.752698 92.319767)
(xy 55.660451 92.199549)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 50.0505 92.61)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)


```

        (xy 50.138518 90.856779)
        (xy 50.156779 90.838518)
        (xy 50.239666 90.774916)
        (xy 50.262035 90.762001)
        (xy 50.358554 90.722022)
        (xy 50.383508 90.715336)
        (xy 50.484332 90.702062)
        (xy 50.49678 90.700424)
        (xy 50.503247 90.7)
        (xy 56.296753 90.7)
    )
)
)
(zone (net 204) (net_name "/SWSH") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf53a8) (hatch
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 77.5 119.8)
(xy 71.8 119.8)
(xy 71.8 118.3)
(xy 77.5 118.3)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 72.339359 118.313888)
(xy 72.362124 118.330887)
(xy 72.435514 118.404278)
(xy 72.437298 118.406158)
(xy 72.464551 118.436426)
(xy 72.464552 118.436426)
(xy 72.464553 118.436427)
(xy 72.484999 118.44553)
(xy 72.498636 118.452933)
(xy 72.517419 118.465131)
(xy 72.522559 118.465945)
(xy 72.547336 118.473284)
(xy 72.55114 118.474977)
(xy 72.55209 118.4754)
(xy 72.574468 118.4754)
(xy 72.589954 118.476618)
(xy 72.61206 118.48012)
(xy 72.61206 118.480119)
(xy 72.612061 118.48012)
(xy 72.617086 118.478774)
(xy 72.64271 118.4754)
(xy 76.765946 118.4754)
(xy 76.768528 118.475467)
(xy 76.796734 118.476945)
(xy 76.809192 118.477599)
(xy 76.809192 118.477598)
(xy 76.809194 118.477599)
(xy 76.830093 118.469575)
(xy 76.844971 118.465168)
(xy 76.866873 118.460514)
(xy 76.871086 118.457452)
(xy 76.893801 118.44512)
(xy 76.89865 118.443259)
(xy 76.914473 118.427434)
(xy 76.926278 118.417352)
(xy 76.944393 118.404192)
(xy 76.946996 118.399681)
(xy 76.962724 118.379183)
(xy 77.002513 118.339394)

```

```

(xy 77.057025 118.311619)
(xy 77.08543 118.311247)
(xy 77.116491 118.315336)
(xy 77.141447 118.322023)
(xy 77.23796 118.362)
(xy 77.260336 118.374918)
(xy 77.343216 118.438515)
(xy 77.361484 118.456783)
(xy 77.378359 118.478774)
(xy 77.425079 118.53966)
(xy 77.438001 118.562042)
(xy 77.477975 118.658548)
(xy 77.484664 118.683512)
(xy 77.499576 118.796779)
(xy 77.5 118.803247)
(xy 77.5 119.296752)
(xy 77.499576 119.30322)
(xy 77.484664 119.416487)
(xy 77.477975 119.441451)
(xy 77.438001 119.537957)
(xy 77.425079 119.560339)
(xy 77.361487 119.643213)
(xy 77.343213 119.661487)
(xy 77.260339 119.725079)
(xy 77.237957 119.738001)
(xy 77.141451 119.777975)
(xy 77.116487 119.784664)
(xy 77.003221 119.799576)
(xy 76.996753 119.8)
(xy 72.303247 119.8)
(xy 72.296779 119.799576)
(xy 72.183512 119.784664)
(xy 72.158548 119.777975)
(xy 72.062042 119.738001)
(xy 72.03966 119.725079)
(xy 71.956783 119.661484)
(xy 71.938515 119.643216)
(xy 71.874918 119.560336)
(xy 71.862 119.53796)
(xy 71.822023 119.441447)
(xy 71.815336 119.416489)
(xy 71.800424 119.303219)
(xy 71.8 119.296752)
(xy 71.8 118.803247)
(xy 71.800424 118.79678)
(xy 71.802062 118.784332)
(xy 71.815336 118.683508)
(xy 71.822022 118.658554)
(xy 71.862001 118.562035)
(xy 71.874916 118.539666)
(xy 71.938518 118.456779)
(xy 71.956779 118.438518)
(xy 72.039666 118.374916)
(xy 72.062035 118.362001)
(xy 72.158554 118.322022)
(xy 72.183506 118.315336)
(xy 72.279199 118.302738)
)
)
)
(zone (net 3) (net_name "GND") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf53c3) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 60.4 107.2)
(xy 72.4 107.2)

```

```

        (xy 72.4 119)
        (xy 60.4 119)
    )
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 72.342121 107.220002)
(xy 72.388614 107.273658)
(xy 72.4 107.326)
(xy 72.4 108.79092)
(xy 72.379998 108.859041)
(xy 72.326342 108.905534)
(xy 72.256068 108.915638)
(xy 72.20588 108.896918)
(xy 72.189032 108.88609)
(xy 72.189025 108.886087)
(xy 72.064758 108.8496)
(xy 71.935242 108.8496)
(xy 71.810974 108.886087)
(xy 71.810971 108.886089)
(xy 71.702016 108.95611)
(xy 71.702014 108.956111)
(xy 71.617206 109.053986)
(xy 71.617203 109.05399)
(xy 71.5634 109.171802)
(xy 71.563398 109.171809)
(xy 71.544968 109.299996)
(xy 71.544968 109.300003)
(xy 71.563398 109.42819)
(xy 71.5634 109.428197)
(xy 71.615502 109.542284)
(xy 71.625605 109.612558)
(xy 71.596112 109.677139)
(xy 71.589984 109.683721)
(xy 71.517475 109.756229)
(xy 71.472489 109.858114)
(xy 71.4696 109.883018)
(xy 71.4696 110.316981)
(xy 71.472489 110.341885)
(xy 71.517476 110.44377)
(xy 71.517477 110.443772)
(xy 71.596227 110.522522)
(xy 71.596229 110.522523)
(xy 71.59623 110.522524)
(xy 71.698114 110.56751)
(xy 71.723019 110.570399)
(xy 71.723021 110.5704)
(xy 71.723024 110.5704)
(xy 72.106979 110.5704)
(xy 72.106979 110.570399)
(xy 72.131886 110.56751)
(xy 72.223107 110.527231)
(xy 72.293501 110.518014)
(xy 72.357705 110.548319)
(xy 72.395334 110.608524)
(xy 72.4 110.642496)
(xy 72.4 117.330766)
(xy 72.399604 117.337824)
(xy 72.397811 117.353743)
(xy 72.394852 117.380001)
(xy 72.394852 117.380004)
(xy 72.395358 117.384497)
(xy 72.383106 117.454429)
(xy 72.334992 117.506635)
(xy 72.27015 117.5246)
(xy 64.645554 117.5246)
(xy 64.577433 117.504598)

```

(xy 64.556459 117.487695)
(xy 64.512305 117.443541)
(xy 64.478279 117.381229)
(xy 64.4754 117.354446)
(xy 64.4754 116.757554)
(xy 64.475485 116.754282)
(xy 64.477599 116.713952)
(xy 64.470338 116.695039)
(xy 64.464726 116.676091)
(xy 64.460514 116.656273)
(xy 64.460513 116.656272)
(xy 64.460513 116.65627)
(xy 64.460512 116.656269)
(xy 64.459541 116.654932)
(xy 64.443847 116.626027)
(xy 64.44326 116.624499)
(xy 64.443259 116.624496)
(xy 64.428937 116.610174)
(xy 64.416101 116.595145)
(xy 64.404192 116.578753)
(xy 64.40419 116.578752)
(xy 64.404191 116.578752)
(xy 64.402756 116.577924)
(xy 64.376664 116.557901)
(xy 64.268955 116.450192)
(xy 69.088789 116.450192)
(xy 69.107219 116.578379)
(xy 69.107221 116.578386)
(xy 69.161024 116.696198)
(xy 69.161027 116.696202)
(xy 69.245835 116.794077)
(xy 69.245837 116.794078)
(xy 69.245838 116.794079)
(xy 69.354794 116.864101)
(xy 69.479063 116.900589)
(xy 69.608579 116.900589)
(xy 69.732848 116.864101)
(xy 69.841804 116.794079)
(xy 69.845684 116.789602)
(xy 69.876311 116.754256)
(xy 69.926618 116.696198)
(xy 69.980421 116.578386)
(xy 69.980693 116.57649)
(xy 69.998853 116.450192)
(xy 69.998853 116.450185)
(xy 69.980422 116.321998)
(xy 69.980421 116.321997)
(xy 69.980421 116.321992)
(xy 69.951745 116.259202)
(xy 69.941641 116.188929)
(xy 69.951745 116.154518)
(xy 69.957925 116.140986)
(xy 69.9866 116.078197)
(xy 70.005032 115.95)
(xy 70.005032 115.949996)
(xy 69.986601 115.821809)
(xy 69.9866 115.821808)
(xy 69.9866 115.821803)
(xy 69.932797 115.703991)
(xy 69.932793 115.703986)
(xy 69.847985 115.606111)
(xy 69.847983 115.60611)
(xy 69.847982 115.606109)
(xy 69.739027 115.536088)
(xy 69.739026 115.536087)
(xy 69.739025 115.536087)
(xy 69.614758 115.4996)
(xy 69.485242 115.4996)

(xy 69.360974 115.536087)
(xy 69.360971 115.536089)
(xy 69.252016 115.60611)
(xy 69.252014 115.606111)
(xy 69.167206 115.703986)
(xy 69.167203 115.70399)
(xy 69.1134 115.821802)
(xy 69.113398 115.821809)
(xy 69.094968 115.949996)
(xy 69.094968 115.950003)
(xy 69.113398 116.07819)
(xy 69.1134 116.078197)
(xy 69.142075 116.140986)
(xy 69.152178 116.21126)
(xy 69.142075 116.245669)
(xy 69.107222 116.321988)
(xy 69.107219 116.321998)
(xy 69.088789 116.450185)
(xy 69.088789 116.450192)
(xy 64.268955 116.450192)
(xy 64.26164 116.442877)
(xy 64.114727 116.295964)
(xy 64.112475 116.293591)
(xy 64.085447 116.263573)
(xy 64.085446 116.263572)
(xy 64.066944 116.255335)
(xy 64.049571 116.245902)
(xy 64.032581 116.234869)
(xy 64.032576 116.234867)
(xy 64.030939 116.234608)
(xy 63.999421 116.225272)
(xy 63.997913 116.224601)
(xy 63.997911 116.2246)
(xy 63.99791 116.2246)
(xy 63.997909 116.2246)
(xy 63.977658 116.2246)
(xy 63.95795 116.223049)
(xy 63.948006 116.221474)
(xy 63.93794 116.21988)
(xy 63.937939 116.21988)
(xy 63.936346 116.220307)
(xy 63.903736 116.2246)
(xy 63.457555 116.2246)
(xy 63.454281 116.224514)
(xy 63.413952 116.222401)
(xy 63.41395 116.222401)
(xy 63.395043 116.229659)
(xy 63.376091 116.235273)
(xy 63.356272 116.239486)
(xy 63.35493 116.240461)
(xy 63.32604 116.256147)
(xy 63.324501 116.256737)
(xy 63.324495 116.256741)
(xy 63.310173 116.271063)
(xy 63.295146 116.283896)
(xy 63.289569 116.287949)
(xy 63.278752 116.295808)
(xy 63.278748 116.295812)
(xy 63.27792 116.297248)
(xy 63.257902 116.323333)
(xy 62.995973 116.585263)
(xy 62.993581 116.587533)
(xy 62.963576 116.614548)
(xy 62.963572 116.614555)
(xy 62.955332 116.63306)
(xy 62.945906 116.650422)
(xy 62.942978 116.654932)
(xy 62.934999 116.667218)

(xy 62.881128 116.713458)
(xy 62.829323 116.7246)
(xy 61.245553 116.7246)
(xy 61.177432 116.704598)
(xy 61.156458 116.687695)
(xy 60.562305 116.093542)
(xy 60.528279 116.03123)
(xy 60.5254 116.004447)
(xy 60.5254 114.285003)
(xy 70.144968 114.285003)
(xy 70.163398 114.41319)
(xy 70.1634 114.413197)
(xy 70.217203 114.531009)
(xy 70.217206 114.531013)
(xy 70.302014 114.628888)
(xy 70.302016 114.628889)
(xy 70.302017 114.62889)
(xy 70.410973 114.698912)
(xy 70.535242 114.7354)
(xy 70.664758 114.7354)
(xy 70.789027 114.698912)
(xy 70.897983 114.62889)
(xy 70.982797 114.531009)
(xy 71.0366 114.413197)
(xy 71.055032 114.285)
(xy 71.055032 114.284996)
(xy 71.036601 114.156809)
(xy 71.0366 114.156808)
(xy 71.0366 114.156803)
(xy 70.982797 114.038991)
(xy 70.982793 114.038986)
(xy 70.897985 113.941111)
(xy 70.897979 113.941106)
(xy 70.841262 113.904656)
(xy 70.794769 113.851001)
(xy 70.784666 113.780726)
(xy 70.814159 113.716146)
(xy 70.841258 113.692664)
(xy 70.905483 113.65139)
(xy 70.990297 113.553509)
(xy 71.0441 113.435697)
(xy 71.059344 113.329675)
(xy 71.062532 113.307503)
(xy 71.062532 113.307496)
(xy 71.044101 113.179309)
(xy 71.0441 113.179308)
(xy 71.0441 113.179303)
(xy 70.990297 113.061491)
(xy 70.980687 113.0504)
(xy 70.905485 112.963611)
(xy 70.905483 112.96361)
(xy 70.874798 112.94389)
(xy 70.796527 112.893588)
(xy 70.796526 112.893587)
(xy 70.796525 112.893587)
(xy 70.672258 112.8571)
(xy 70.542742 112.8571)
(xy 70.418474 112.893587)
(xy 70.418471 112.893589)
(xy 70.309516 112.96361)
(xy 70.309514 112.963611)
(xy 70.224706 113.061486)
(xy 70.224703 113.06149)
(xy 70.1709 113.179302)
(xy 70.170898 113.179309)
(xy 70.152468 113.307496)
(xy 70.152468 113.307503)
(xy 70.170898 113.43569)

(xy 70.1709 113.435697)
(xy 70.224703 113.553509)
(xy 70.224706 113.553513)
(xy 70.309514 113.651388)
(xy 70.309516 113.651389)
(xy 70.309517 113.65139)
(xy 70.338288 113.66988)
(xy 70.366237 113.687842)
(xy 70.41273 113.741498)
(xy 70.422833 113.811772)
(xy 70.39334 113.876353)
(xy 70.366237 113.899838)
(xy 70.302016 113.94111)
(xy 70.302014 113.941111)
(xy 70.217206 114.038986)
(xy 70.217203 114.03899)
(xy 70.1634 114.156802)
(xy 70.163398 114.156809)
(xy 70.144968 114.284996)
(xy 70.144968 114.285003)
(xy 60.5254 114.285003)
(xy 60.5254 113.445554)
(xy 60.545402 113.377433)
(xy 60.562305 113.356459)
(xy 60.800873 113.117891)
(xy 60.863185 113.083865)
(xy 60.934 113.08893)
(xy 60.985192 113.124473)
(xy 61.002017 113.14389)
(xy 61.110973 113.213912)
(xy 61.235242 113.2504)
(xy 61.364758 113.2504)
(xy 61.489027 113.213912)
(xy 61.597983 113.14389)
(xy 61.682797 113.046009)
(xy 61.7366 112.928197)
(xy 61.746822 112.8571)
(xy 61.755032 112.800003)
(xy 61.755032 112.799996)
(xy 61.736601 112.671809)
(xy 61.7366 112.671808)
(xy 61.7366 112.671803)
(xy 61.70381 112.600003)
(xy 63.244968 112.600003)
(xy 63.263398 112.72819)
(xy 63.2634 112.728197)
(xy 63.317203 112.846009)
(xy 63.317206 112.846013)
(xy 63.402014 112.943888)
(xy 63.402016 112.943889)
(xy 63.402017 112.94389)
(xy 63.510973 113.013912)
(xy 63.635242 113.0504)
(xy 63.764758 113.0504)
(xy 63.889027 113.013912)
(xy 63.997983 112.94389)
(xy 64.082797 112.846009)
(xy 64.1366 112.728197)
(xy 64.142986 112.683783)
(xy 64.155032 112.600003)
(xy 64.155032 112.599996)
(xy 64.136601 112.471809)
(xy 64.1366 112.471808)
(xy 64.1366 112.471803)
(xy 64.09346 112.377341)
(xy 64.083356 112.307069)
(xy 64.093461 112.272658)
(xy 64.1366 112.178197)

(xy 64.136872 112.176301)
(xy 64.155032 112.050003)
(xy 64.155032 112.049996)
(xy 64.136601 111.921809)
(xy 64.1366 111.921808)
(xy 64.1366 111.921803)
(xy 64.09346 111.827341)
(xy 64.083356 111.757069)
(xy 64.093461 111.722658)
(xy 64.1366 111.628197)
(xy 64.14524 111.568103)
(xy 69.019968 111.568103)
(xy 69.019969 111.568107)
(xy 69.030714 111.630428)
(xy 69.038547 111.687416)
(xy 69.039327 111.693092)
(xy 69.041651 111.701386)
(xy 69.041106 111.701538)
(xy 69.041361 111.702391)
(xy 69.041901 111.70222)
(xy 69.044506 111.710427)
(xy 69.044508 111.710432)
(xy 69.044509 111.710435)
(xy 69.071668 111.767543)
(xy 69.0875 111.803991)
(xy 69.096867 111.825556)
(xy 69.101344 111.832918)
(xy 69.10086 111.833212)
(xy 69.101341 111.833973)
(xy 69.101815 111.833663)
(xy 69.106539 111.840866)
(xy 69.148104 111.888535)
(xy 69.188015 111.937592)
(xy 69.188019 111.937595)
(xy 69.194312 111.943472)
(xy 69.193922 111.943888)
(xy 69.194588 111.94449)
(xy 69.194963 111.944061)
(xy 69.201458 111.949723)
(xy 69.201459 111.949725)
(xy 69.236302 111.972578)
(xy 69.254352 111.984417)
(xy 69.306007 112.02088)
(xy 69.31366 112.024845)
(xy 69.313396 112.025354)
(xy 69.314196 112.025751)
(xy 69.314442 112.025235)
(xy 69.322224 112.028936)
(xy 69.322226 112.028936)
(xy 69.322227 112.028937)
(xy 69.382525 112.048074)
(xy 69.442099 112.069247)
(xy 69.442101 112.069247)
(xy 69.450536 112.071)
(xy 69.450419 112.07156)
(xy 69.451294 112.071726)
(xy 69.451391 112.071164)
(xy 69.459885 112.072628)
(xy 69.459887 112.072628)
(xy 69.45989 112.072629)
(xy 69.523108 112.074788)
(xy 69.532119 112.075404)
(xy 69.586186 112.079104)
(xy 69.586188 112.079103)
(xy 69.586192 112.079104)
(xy 69.586194 112.079103)
(xy 69.594788 112.078515)
(xy 69.594827 112.079089)

(xy 69.595715 112.079013)
(xy 69.595657 112.078441)
(xy 69.604226 112.077559)
(xy 69.604235 112.07756)
(xy 69.66568 112.062586)
(xy 69.7276 112.049719)
(xy 69.727608 112.049714)
(xy 69.735722 112.046832)
(xy 69.735914 112.047373)
(xy 69.736745 112.047061)
(xy 69.736535 112.046528)
(xy 69.744552 112.043365)
(xy 69.744558 112.043364)
(xy 69.784545 112.02088)
(xy 69.799682 112.012369)
(xy 69.81423 112.00483)
(xy 69.855837 111.983272)
(xy 69.855842 111.983266)
(xy 69.862883 111.978298)
(xy 69.863214 111.978767)
(xy 69.863925 111.978247)
(xy 69.863578 111.977789)
(xy 69.870446 111.97258)
(xy 69.87045 111.972578)
(xy 69.91516 111.927867)
(xy 69.961391 111.884691)
(xy 69.961392 111.884687)
(xy 69.966832 111.878003)
(xy 69.967274 111.878363)
(xy 69.976828 111.866198)
(xy 70.080723 111.762304)
(xy 70.143037 111.728279)
(xy 70.169819 111.7254)
(xy 70.220466 111.7254)
(xy 70.279021 111.739832)
(xy 70.417671 111.812601)
(xy 70.571027 111.8504)
(xy 70.571028 111.8504)
(xy 70.728972 111.8504)
(xy 70.728973 111.8504)
(xy 70.882329 111.812601)
(xy 71.022183 111.7392)
(xy 71.140407 111.634463)
(xy 71.23013 111.504476)
(xy 71.286139 111.356794)
(xy 71.286139 111.356793)
(xy 71.28614 111.356791)
(xy 71.305177 111.200003)
(xy 71.305177 111.199996)
(xy 71.28614 111.043208)
(xy 71.236685 110.912809)
(xy 71.23013 110.895524)
(xy 71.230128 110.895522)
(xy 71.230128 110.89552)
(xy 71.140409 110.765539)
(xy 71.134037 110.759894)
(xy 71.022183 110.6608)
(xy 70.882329 110.587399)
(xy 70.882328 110.587398)
(xy 70.882327 110.587398)
(xy 70.728974 110.5496)
(xy 70.728973 110.5496)
(xy 70.571027 110.5496)
(xy 70.571025 110.5496)
(xy 70.417673 110.587398)
(xy 70.417672 110.587398)
(xy 70.279021 110.660168)
(xy 70.220466 110.6746)

(xy 70.169818 110.6746)
(xy 70.101697 110.654598)
(xy 70.080723 110.637695)
(xy 70.012361 110.569333)
(xy 69.942842 110.499814)
(xy 69.938527 110.495033)
(xy 69.911986 110.462409)
(xy 69.911985 110.462408)
(xy 69.860322 110.42594)
(xy 69.809924 110.387722)
(xy 69.802414 110.383499)
(xy 69.802692 110.383004)
(xy 69.801904 110.382579)
(xy 69.801643 110.383084)
(xy 69.793993 110.37912)
(xy 69.793991 110.379119)
(xy 69.734414 110.357945)
(xy 69.68583 110.338786)
(xy 69.675564 110.334738)
(xy 69.667192 110.332698)
(xy 69.667326 110.332145)
(xy 69.666457 110.331948)
(xy 69.666341 110.332507)
(xy 69.657898 110.330752)
(xy 69.59981 110.326778)
(xy 69.594812 110.326437)
(xy 69.590539 110.325997)
(xy 69.531897 110.319968)
(xy 69.523282 110.320263)
(xy 69.523262 110.319699)
(xy 69.522363 110.319745)
(xy 69.522402 110.320308)
(xy 69.513812 110.320895)
(xy 69.451882 110.333764)
(xy 69.38957 110.344507)
(xy 69.381356 110.347115)
(xy 69.381184 110.346574)
(xy 69.38033 110.346862)
(xy 69.38052 110.347395)
(xy 69.372402 110.350279)
(xy 69.34484 110.36456)
(xy 69.316241 110.37938)
(xy 69.277538 110.397785)
(xy 69.259133 110.406539)
(xy 69.251934 110.411261)
(xy 69.251626 110.410792)
(xy 69.250877 110.411302)
(xy 69.2512 110.41176)
(xy 69.244163 110.416727)
(xy 69.197942 110.459895)
(xy 69.150277 110.501456)
(xy 69.144614 110.507951)
(xy 69.144188 110.50758)
(xy 69.143608 110.508269)
(xy 69.144046 110.508626)
(xy 69.138606 110.515312)
(xy 69.105756 110.569333)
(xy 69.071062 110.622227)
(xy 69.067362 110.630008)
(xy 69.066852 110.629765)
(xy 69.06648 110.630584)
(xy 69.066998 110.630809)
(xy 69.063564 110.638713)
(xy 69.046506 110.699596)
(xy 69.027369 110.759894)
(xy 69.025905 110.768386)
(xy 69.025348 110.76829)
(xy 69.025211 110.769172)

(xy 69.025773 110.76925)
(xy 69.0246 110.777786)
(xy 69.0246 110.841005)
(xy 69.02244 110.90424)
(xy 69.023321 110.912809)
(xy 69.022754 110.912867)
(xy 69.0246 110.92823)
(xy 69.0246 111.519831)
(xy 69.024269 111.526279)
(xy 69.019968 111.568103)
(xy 64.14524 111.568103)
(xy 64.154388 111.504479)
(xy 64.155032 111.500003)
(xy 64.155032 111.499996)
(xy 64.136601 111.371809)
(xy 64.1366 111.371808)
(xy 64.1366 111.371803)
(xy 64.09346 111.277341)
(xy 64.083356 111.207069)
(xy 64.093461 111.172658)
(xy 64.1366 111.078197)
(xy 64.155032 110.95)
(xy 64.155032 110.949996)
(xy 64.136601 110.821809)
(xy 64.1366 110.821808)
(xy 64.1366 110.821803)
(xy 64.082797 110.703991)
(xy 64.05733 110.6746)
(xy 63.997985 110.606111)
(xy 63.997983 110.60611)
(xy 63.942417 110.5704)
(xy 63.889027 110.536088)
(xy 63.889026 110.536087)
(xy 63.889025 110.536087)
(xy 63.764758 110.4996)
(xy 63.635242 110.4996)
(xy 63.510974 110.536087)
(xy 63.510971 110.536089)
(xy 63.402016 110.60611)
(xy 63.402014 110.606111)
(xy 63.317206 110.703986)
(xy 63.317203 110.70399)
(xy 63.2634 110.821802)
(xy 63.263398 110.821809)
(xy 63.244968 110.949996)
(xy 63.244968 110.950003)
(xy 63.263398 111.07819)
(xy 63.2634 111.078197)
(xy 63.306538 111.172657)
(xy 63.306539 111.172658)
(xy 63.316642 111.242932)
(xy 63.306539 111.277341)
(xy 63.301771 111.287781)
(xy 63.2634 111.371802)
(xy 63.263398 111.371809)
(xy 63.244968 111.499996)
(xy 63.244968 111.500003)
(xy 63.263398 111.62819)
(xy 63.2634 111.628197)
(xy 63.306538 111.722657)
(xy 63.306539 111.722658)
(xy 63.316642 111.792932)
(xy 63.306539 111.827341)
(xy 63.304124 111.83263)
(xy 63.2634 111.921802)
(xy 63.263398 111.921809)
(xy 63.244968 112.049996)
(xy 63.244968 112.050003)

```

(xy 63.263398 112.17819)
(xy 63.2634 112.178197)
(xy 63.306538 112.272657)
(xy 63.306539 112.272658)
(xy 63.316642 112.342932)
(xy 63.306539 112.377341)
(xy 63.302545 112.386087)
(xy 63.2634 112.471802)
(xy 63.263398 112.471809)
(xy 63.244968 112.599996)
(xy 63.244968 112.600003)
(xy 61.70381 112.600003)
(xy 61.682797 112.553991)
(xy 61.682793 112.553986)
(xy 61.597985 112.456111)
(xy 61.597983 112.45611)
(xy 61.597981 112.456109)
(xy 61.489027 112.386088)
(xy 61.489026 112.386087)
(xy 61.489025 112.386087)
(xy 61.364758 112.3496)
(xy 61.235242 112.3496)
(xy 61.110974 112.386087)
(xy 61.110971 112.386089)
(xy 61.002017 112.456109)
(xy 60.937028 112.531112)
(xy 60.877302 112.569496)
(xy 60.841803 112.5746)
(xy 60.807555 112.5746)
(xy 60.804281 112.574514)
(xy 60.763952 112.572401)
(xy 60.763951 112.572401)
(xy 60.763949 112.572401)
(xy 60.745041 112.579659)
(xy 60.726093 112.585272)
(xy 60.706272 112.589486)
(xy 60.704933 112.590459)
(xy 60.676041 112.606146)
(xy 60.674499 112.606737)
(xy 60.674494 112.606741)
(xy 60.660173 112.621062)
(xy 60.645143 112.633899)
(xy 60.628753 112.645807)
(xy 60.619893 112.655648)
(xy 60.61647 112.652566)
(xy 60.583722 112.683783)
(xy 60.514006 112.69721)
(xy 60.448099 112.670814)
(xy 60.406924 112.612977)
(xy 60.4 112.571782)
(xy 60.4 108.470953)
(xy 60.420002 108.402832)
(xy 60.436905 108.381858)
(xy 61.581858 107.236905)
(xy 61.64417 107.202879)
(xy 61.670953 107.2)
(xy 72.274 107.2)
)
)
)
(group "" (id ec80925a-95ca-4f3f-b690-77efdd14d02d)
  (members
    0286dc95-8417-4150-87aa-504a56f7f0fc
    0d817c2c-d13a-4a6c-92e5-a11fa265616e
    12c39b52-cc56-4edb-a74f-9cb9624bf4d2
    13ad483b-60ce-44c3-80de-e0ffa7af0acb
    1895f10c-f7bc-4242-9d8c-4ef0fc0cc7f8
    1966a20f-337e-4d00-a204-104b3d1b467a

```

1c9af1a5-2565-45e3-b2bf-25649d63cb48
1ea1cc88-3b81-4daa-84d4-8f0066a3e6b0
220f9ec9-98b0-4d7b-8fd2-1912773bd28b
23c62e17-ca12-44e4-8d02-32b50a68cf0f
24dcab4c-16d9-475d-a760-9ffc4e19893d
25aa8b8f-d9f2-4ad9-8bc7-bc21e0a7a2fd
2af2f0f4-dda3-4008-8ac0-a712452fc597
31a8f541-96a9-4848-863a-c23348c4ef7c
34668f55-5deb-4ff0-834d-e4e88775e851
3e58b5d2-3ca3-4023-ba33-305ec597e8ab
3f9bc911-26ec-43a5-8215-742ff1c1b1f4
456155b5-09af-42de-bdd9-ae04f588a9b
481c4ec0-f82e-48af-bbe7-7e6412f3a06e
4a3a0d14-1969-43b3-9470-ceab6f753c1f
4b1180bf-f407-4234-b87f-367b50b3090c
4d677f66-c774-43f8-91e5-7c593cb50c14
4dae7431-eaf2-4218-9b21-04eb4ca512f9
571adf0d-b86a-4cd0-9108-eec08560a90a
5a1e6eca-23bc-4cb5-95a6-958575b4bb01
61cca196-bc44-4313-b4b5-7531e86f1642
65e06bec-5337-45d2-b444-a9d45ddcb2fd
6d5eedc1-a618-4fc3-9e1d-d36249996fac
6d64593d-fe9a-404b-8964-1b3fce2190a9
724a93fe-422d-4b94-a769-33364448cc0e
72d686a6-f9d8-4f4c-9c07-5e17f557d29c
7436fc93-d435-47b7-97b6-5b5479a29b56
7b4acfd5-f37a-4efd-90d1-adf010172b80
7d3bbf56-78b4-4b97-b483-a5e0e267b147
87ce3564-1d69-46b4-8708-e2879e6a26a9
8811c9c9-f4fd-4202-b101-42401903087c
8b2697cc-03b4-4137-834d-d1d636035aae
8c4812e7-2851-434d-ba16-4b98074ef882
8e77173a-13b3-42d4-b838-aff5a90ec080
8f4247c1-d59a-4f06-b3e7-9766a9acefb5
98fb9826-c9d8-450b-9abb-f98afd297e8e
99d1d74f-4ed7-425f-8fb6-e7f302f6fa81
a05c54fb-968f-4edf-80dc-5c4c46ab4757
a46ee5e0-33f5-4089-bb09-9c3f3687fc1e
a5a28b15-be69-493a-9935-6f76e8e66df2
aa0cab07-fc99-485f-ba1f-dcfff7ece8646
adb83766-2012-45bf-915c-691aa91066ba
af6da678-ef05-4e54-8c0d-7c5bccb81727
b82d7fd0-769b-4769-8f2e-153070488f92
b9a4925f-c903-4942-96bf-daaa02f026a6
b9c898ee-8584-4942-9ef7-6c79b60d5ef5
ba2132bd-1343-479c-9e2c-902b8d30d240
bb22ce4e-b386-427f-a636-adf71349d72e
bd7f6d8d-6c9a-4757-8452-70ec55c7fcc9
c3878947-6c74-43ff-b80a-0f6b11cc443a
c3dd3c96-df6c-4e92-a5ce-ffbf5ec8e9af
c49ba654-9f39-4bca-9d86-4c01df406c86
c6b8eb31-bd48-4c43-bfc5-002fb6559830
c7f7ec1c-c7c8-472f-b96d-13ec77f62b70
c94c80de-52a6-4ec6-8c50-4664362214bb
d3ff2b9e-8630-4dc9-b662-32fd2ca857e6
d6807fcb-4131-411d-862e-f880615ea0a5
d6ffe4a9-b6fc-4bc9-84b6-0c32920db9df
d8c22d37-2c95-4827-87da-910df4261dcc
db976dfb-22b3-4e93-82a2-5635aa8e1373
dbb8b175-7b41-4419-82b2-0dea98f2db52
de3c32e5-5fec-4d74-a492-2025dfca757f
dfc1cd81-81c0-48fd-ac6e-6026711c6329
e77d5e63-dd14-4d97-bccf-54ee9c426604
ea27b106-77ae-4c8e-a457-2f000a59bf1d
eecf70ff-0151-40b2-932a-313edf2d3206
effb698f-d772-432d-8a8e-d950b11e6da5
f8af8d76-c143-4687-bc9c-ec322e646020
fbc2b66e-1e10-40ef-a122-47be35c41ebd

```
    fd3d34f8-3edb-402a-b192-2423bec527a2
    fe22d50c-bda6-4dbe-87ed-777e3ae44abd
  )
)
(group "" (id bca68876-f2ae-4914-9122-10b0de5eb183)
  (members
    00242d58-e772-4e92-b902-20b5c2823f97
    0126765d-987b-47f3-a225-5e56dc1819cc
    0133c162-af3a-47b7-8bd4-38eef59f1424
    01d8fda4-8918-418c-9902-8f78dc138f4a
    0495a9fa-bc61-4867-b248-a47a9f7b7876
    04c96fa0-2987-4458-97d5-789c54dc0cca
    04e24fbc-5432-4fd4-8e33-c50bd03962c4
    0637cc9f-1c95-4898-a8ec-57847f3ed9a1
    0aa36502-78a9-4e9d-8ac3-c45977d53ef2
    0aa3789c-ed6c-438e-b3a1-ab912cb2e5b5
    0d5403b2-3cfe-42c4-9a5e-aa78ee5f9fb1
    0da05805-6861-423e-98be-5bcfbf36e391
    11616c82-abc4-4e29-a299-9ba6a2948132
    12d3a05c-f815-432c-99c4-4f167e1f9efe
    154d2267-2a92-4d4d-be89-fcf9cbeeb5bf
    18762295-ea1f-479a-87e2-4cda66184fbc
    1a24bc4b-09e9-4927-a316-407da5ecb7f1
    1c27dba5-83a1-4eee-8279-5a4ed0eed7e4
    1dc1142a-979d-4c42-89df-93da6eab42b8
    1dcbfad9-0667-4a47-ba1e-13ff93926721
    20b2a041-b076-4b9a-be7c-291e615849ad
    218b14d3-a42c-4362-af00-60f8b5cf127c
    28fd6501-b1d4-4222-9c3e-33b0efdcbba9
    29d8f68f-7597-4825-ba14-8f35ebd3e1b5
    2ba39466-d940-4df7-b98c-272a80cc889a
    2f5752e7-06cc-4961-bc93-f16f46440ace
    3883105b-3501-4644-9e43-342f1dafef6b
    4169ef77-1642-4dc2-97d3-61b1a92e5cfa
    43f837c5-3df6-4293-81cf-68f17a490060
    47201999-f4bf-4262-adcc-da66c1995dba
    4785e968-5634-42fe-b5a8-7e96ca067988
    49420061-a561-45ef-973e-5af5be443f34
    4a359150-54bc-4456-875a-7d37fc4e3172
    4b66e61a-fe77-4eb5-8d87-0971906261aa
    4e519a8d-d60c-45d8-b191-7642fb446bc6
    4f4117a6-15bd-4c66-8a36-d25876f32c8f
    555842db-9e0f-4dca-891a-71c6d895bc47
    56242ca6-00ab-458e-a1cd-341f4df9e9e7
    58bac623-f7cf-4c06-b6e8-35c013cec1de
    593714b0-8d96-43ca-b8c5-fa5b9f8d0b6b
    5d93f524-911c-43d1-8f67-561edc6cdcf9
    6208a5c0-5be1-4ee4-b9fa-2c5aaf80ed62
    62766bfb-31ab-4dce-b9ec-41818299166b
    63141cd1-5714-494d-bc30-7303f430163f
    647f9741-78b2-4a4a-959d-e90f71ab325f
    699fdf64-e18a-4e48-8bbd-fcbc9a44a80e
    6b2dd3f9-11bf-4182-909b-3baa619b9283
    6c9e03a1-0653-4bcb-bf88-8ddff0506da5
    7092d363-dd7b-4dce-b573-c39fd439bc5c
    73c172bd-8dbc-4572-8506-5a9dccc4d7d9
    747051c9-1660-4725-8d60-1e65e00b63a3
    7494e041-13fb-4d1e-b4b4-76dd8190a34e
    769ef32d-005e-4fd3-9111-80515d014fab
    77c4d812-f7e2-40e6-866b-0ffff1367be4
    78eb9b74-85b6-4a2e-b085-d4c0e5dbaa28
    7b080d4b-a284-4a23-a952-f99e5757914b
    7da6f068-06bf-4875-abc3-3e9758ff3cac
    7f0a9efd-6652-427e-861b-ee7b55698c33
    7fabe2f9-e574-40c6-9082-c993d70e880c
    81fda36a-0535-41a7-8c40-aafdb40d478d
    821f8943-5d93-4172-8dc2-e3c8d2d36fe6
    87dc08d9-2669-4eea-96a0-e370138a6933
```

88edbafa-67fe-4155-a751-33cf6c39ec4d
8a8caab4-cdcb-4a8a-9eff-d5200c5a43d9
8e94b478-17a1-4cb9-9b14-592e2337d86e
905f70d8-8222-4f53-a807-aae1aaff718d
90ace7ff-490b-427a-b178-10169f1d0658
95ee5ba2-4e98-4cce-8538-e5a644068e96
99352fa1-b0c4-4c86-b92d-fc3e2665be27
9aa62924-8544-48ca-af4d-517f95570d5c
9c31a310-40db-46d5-8d07-aed14564330e
9c68dd91-27b3-4758-8dd9-64719f53acc8
9ceea44d-000d-4381-bcd4-cd34bfe86bf1
9da7a185-2db4-4ff2-a486-98c7e8d33fe7
9eecfbc4-2951-4584-9b4b-165b8e2144a1
a40f1857-f21f-4e7f-97da-0e64d9ed9e41
a53e1fb4-4e50-4595-981e-46cdd2a8ac0e
a67ef4ee-e36b-4de4-ad65-a3f38bc30369
a819a1ec-c126-4b17-92e4-e645d0d00eac
a907865a-3ede-4326-9050-da4ceaba2c5d
abb77112-0d24-43a8-ae34-fc43411fb83b
ac6c781b-3248-43b1-8f69-f4233d34ae5c
b29fa949-22c2-40d5-9761-61f37a4df66d
b7a4c96e-9a79-43af-b1fc-317dfd91d5d4
bbd13cc1-3c9e-4228-90ae-b274841f5bc9
bc514d20-eb72-4fcb-b706-4c3bd977b258
c0882d97-60f7-4bb4-be60-ffc9afc2daf8
c0caa370-2813-4a38-938a-1fa294dcfb86
c5903aaf-2ba6-4736-95e9-6db6be39de1d
c60aec90-396e-418c-9618-a588f615857c
c7972341-9ffb-49b5-b8d4-c0c183e5396e
c9920a24-5b5a-4fd6-8d6d-68ea2b412147
cdc7b829-71f3-4b6b-9f0b-f06ee9ea2e6a
cfb540c8-c00f-4934-9680-def7a8db8e20
d021ac64-9809-4dc5-91a5-26e6cf03c49d
d0344fdf-ad2b-4987-845e-f527573cf23d
d2bd07e2-56be-4829-b9bc-b98dc2a8da34
d5345bfe-2d96-444f-a266-310218cab2e
d60f6874-b45f-4669-b941-91d0588ef802
d71ec0c9-88d9-482e-b38e-d92ccaac872b
d72b0813-e0e7-4e3d-94e4-4c67eb886a92
d839a8e6-544f-4496-bb8a-6e03869bedc0
dbeb24e0-215c-4fc8-b35a-d1db0621f368
dd2c5b0d-5fac-404e-a643-44795c42a42d
dd4b8a44-a685-4bca-a9d9-973339a44b88
df8b9572-3d45-4bc8-b838-faa90afd48da
e43796d7-c5a0-4071-b00c-e0920e5f7a53
e4c97bf4-21c3-4cc4-97e7-b41d33fce7d2
e55834b2-e7fc-44d5-84aa-cc410954fc0a
e84e4485-195d-45e9-a286-ba964885ff0f
ea123408-dcb4-47d3-8229-9929b1206557
ebf8f755-a514-4009-a9f1-77aa807da995
ef04ad5b-b9cf-4399-89e3-9ebd5b16a712
f1e60cab-fde1-46fb-aebf-1ccbb662e625
f41563db-f8ca-4853-82e0-7890cc842bc1
f70ce9ed-e10a-4434-87b2-2cb3aad5147
f7fb8b5d-00b9-4129-875f-2ce4844eb931
fcfab889-44b0-4cf9-a850-a33baf3e5050

)
)
)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-boardview-main\pcbnew2boardview.py

Resumo: #!/usr/bin/env python import sys import re import argparse import pcbnew def skip_module(module, tp=False): if module.GetPadCount() == 0: return True refdes = module.Reference().GetText() if tp and not refdes.startswith("TP"): return True if not tp and refdes.star...

```
#!/usr/bin/env python

import sys
import re
import argparse

import pcbnew

def skip_module(module, tp=False):
    if module.GetPadCount() == 0:
        return True
    refdes = module.Reference().GetText()
    if tp and not refdes.startswith("TP"):
        return True
    if not tp and refdes.startswith("TP"):
        return True
    return False

def coord(nanometers):
    milliinches = nanometers * 5 // 127000
    return milliinches

def y_coord(maxy, y, flipped):
    # Adjust y-coordinate to start from the bottom of the board and account for flipped components
    return coord(maxy - y) if not flipped else coord(y)

def natural_sort_key(s):
    is_blank = s.strip() == ''
    return (is_blank, [int(text) if text.isdigit() else text.casefold()
                       for text in re.compile('[0-9]+').split(s)])

def convert_brd(pcb, brd):
    # Board outline
    outlines = pcbnew.SHAPE_POLY_SET()
    pcb.GetBoardPolygonOutlines(outlines)
    outline = outlines.Outline(0)
    outline_points = [outline.GetPoint(n) for n in range(outline.PointCount())]
    outline_maxx = max(map(lambda p: p.x, outline_points))
    outline_maxy = max(map(lambda p: p.y, outline_points))

    brd.write("0\n") # unknown

    brd.write("BRDOUT: {count} {width} {height}\n"
              .format(count=len(outline_points) + outline.IsClosed(),
                      width=coord(outline_maxx),
                      height=coord(outline_maxy)))
    for point in outline_points:
        brd.write("{x} {y}\n"
                  .format(x=coord(point.x),
                          y=y_coord(outline_maxy, point.y, False)))
    if outline.IsClosed():
        brd.write("{x} {y}\n"
                  .format(x=coord(outline_points[0].x),
                          y=y_coord(outline_maxy, outline_points[0].y, False)))
    brd.write("\n")
    # Nets
```



```

net_info = pcb.GetNetInfo()
net_items = [net_info.GetNetItem(n) for n in range(1, net_info.GetNetCount())]

brd.write("NETS: {count}\n"
          .format(count=len(net_items)))
for net_item in net_items:
    brd.write("{code} {name}\n"
              .format(code=net_item.GetNetCode(),
                      name=net_item.GetNetname()))
brd.write("\n")

# Parts
module_list = pcb.GetFootprints()
modules = []
for module in module_list:
    if not skip_module(module):
        modules.append(module)

brd.write("PARTS: {count}\n"
          .format(count=len(modules)))
pin_at = 0
for module in modules:
    module_bbox = module.GetBoundingBox()
    flipped = module.IsFlipped()
    brd.write("{ref} {x1} {y1} {x2} {y2} {pin} {side}\n"
              .format(ref=module.Reference().GetText(),
                      x1=coord(module_bbox.GetLeft()),
                      y1=y_coord(outline_maxy, module_bbox.GetTop(), flipped),
                      x2=coord(module_bbox.GetRight()),
                      y2=y_coord(outline_maxy, module_bbox.GetBottom(), flipped),
                      pin=pin_at,
                      side=1 + flipped))
    pin_at += module.GetPadCount()
brd.write("\n")

# Pins
module_list = pcb.GetFootprints()
pads = []
for module in module_list:
    if not skip_module(module):
        pads_list = module.Pads()
        for pad in sorted(pads_list, key=lambda pad: natural_sort_key(pad.GetName())):
            pads.append(pad)

brd.write("PINS: {count}\n"
          .format(count=len(pads)))
for pad in pads:
    pad_pos = pad.GetPosition()
    flipped = pad.IsFlipped()
    brd.write("{x} {y} {net} {side}\n"
              .format(x=coord(pad_pos.x),
                      y=y_coord(outline_maxy, pad_pos.y, flipped),
                      net=pad.GetNetCode(),
                      side=1 + flipped))
brd.write("\n")

# Nails
module_list = pcb.GetFootprints()
testpoints = []
for module in module_list:
    if not skip_module(module, tp=True):
        pads_list = module.Pads()
        for pad in sorted(pads_list, key=lambda pad: natural_sort_key(pad.GetName())):
            testpoints.append((module, pad))

brd.write("NAILS: {count}\n"
          .format(count=len(testpoints)))
for module, pad in testpoints:

```

```

        pad_pos = pad.GetPosition()
        flipped = pad.IsFlipped()
        brd.write("{probe} {x} {y} {net} {side}\n"
                  .format(probe=module.GetReference()[2:],
                          x=coord(pad_pos.x),
                          y=y_coord(outline_maxy, pad_pos.y, flipped),
                          net=pad.GetNetCode(),
                          side=1 + flipped))

    brd.write("\n")

def convert_bvr(pcb, bvr):
    bvr.write("BVRW_FORMAT_3\n")

    outlines = pcbnew.SHAPE_POLY_SET()
    pcb.GetBoardPolygonOutlines(outlines)
    outline = outlines.Outline(0)
    outline_points = [outline.GetPoint(n) for n in range(outline.PointCount())]
    outline_maxx = max(map(lambda p: p.x, outline_points))
    outline_maxy = max(map(lambda p: p.y, outline_points))

    module_list = pcb.GetFootprints()
    modules = []
    for module in module_list:
        if not skip_module(module):
            modules.append(module)

    ref = module.GetReference()
    flipped = module.IsFlipped()
    side = "B" if flipped else "T"
    mount = module.GetTypeName()
    pads_list = module.Pads()

    bvr.write("\n")
    bvr.write(f"PART_NAME {ref}\n")
    bvr.write(f"    PART_SIDE {side}\n")
    bvr.write(f"    PART_ORIGIN 0.000 0.000\n")
    bvr.write(f"    PART_MOUNT {mount}\n")
    bvr.write("\n")

    for pad in sorted(pads_list, key=lambda pad: natural_sort_key(pad.GetName())):
        pin_num = pad.GetNumber()
        net = pad.GetNetname()
        pad_bbox = pad.GetBoundingBox()
        pad_size = pad.GetSize()

        x_center = (pad_bbox.GetLeft() + pad_bbox.GetRight()) / 2
        y_center = (pad_bbox.GetTop() + pad_bbox.GetBottom()) / 2
        x = coord(x_center)
        y = y_coord(outline_maxy, y_center, flipped)

        if flipped:
            y = coord(outline_maxy - y_center)

        if pad.GetShape() == pcbnew.PAD_SHAPE_CIRCLE:
            radius = coord(pad_size.x / 1.6)
        else:
            smaller_dimension = min(pad_size.x, pad_size.y)
            radius = coord(smaller_dimension / 1.6)

        bvr.write(f"    PIN_ID {ref}-{pin_num}\n")
        bvr.write(f"    PIN_NUMBER {pin_num}\n")
        bvr.write(f"    PIN_NAME {pin_num}\n")
        bvr.write(f"    PIN_SIDE {side}\n")
        bvr.write(f"    PIN_ORIGIN {x} {y}\n")
        bvr.write(f"    PIN_RADIUS {radius}\n")
        bvr.write(f"    PIN_NET {net}\n")
        bvr.write(f"    PIN_TYPE 2\n")

```

```

        bvr.write("        PIN_COMMENT\n")
        bvr.write("        PIN_END\n")
        bvr.write("\n")

    bvr.write("PART_END\n")
    bvr.write("\n")

    first_point = outline_points[0]
    outline_pts = ""

    for point in outline_points:
        x = coord(point.x)
        y = y_coord(outline_maxy, point.y, False)
        outline_pts += (f"{x} {y} ")

    x = coord(first_point.x)
    y = y_coord(outline_maxy, first_point.y, False)
    outline_pts += (f"{x} {y}")

    bvr.write("OUTLINE_POINTS ")
    bvr.write(outline_pts)

def convert_obdata(pcb, obdata):
    obdata.write("COMPONENTS_DATA_START\n")
    obdata.write("### Component Category Value Comment\n")
    obdata.write("### v = value, p = package, c = manufacturer code, r = rating, m = misc, s = status\n")
    obdata.write("###\n")

    for module in pcb.GetFootprints():
        ref = module.GetReference()
        package = module.GetFPIDAsString()
        value = module.GetValue()

        package = re.sub(r'^.*:', '', package)

        obdata.write(f"{ref} p {package}\n")
        if module.IsDNP() or value in ["NO-FIT", "DNP", "NM"]:
            obdata.write(f"{ref} s -\n")
        obdata.write(f"{ref} v {value}\n")

    obdata.write("COMPONENTS_DATA_END\n")
    obdata.write("### END")

def main():
    parser = argparse.ArgumentParser()
    parser.add_argument(
        "kicad_pcb_file", metavar="KICAD-PCB-FILE", type=str,
        help="input in .kicad_pcb format")
    parser.add_argument(
        "brd_file", metavar="BRD-FILE", type=argparse.FileType("w"),
        help="output in .brd format")
    parser.add_argument(
        "--bvr_file", metavar="BVR-FILE", type=argparse.FileType("w"),
        help="output in .bvr format")
    parser.add_argument(
        "--obdata", dest="obdata_file", metavar="OBDATA-FILE", type=argparse.FileType("w"),
        help="output in .obdata format")

    args = parser.parse_args()
    board = pcbnew.LoadBoard(args.kicad_pcb_file)
    convert_brd(board, args.brd_file)
    if args.bvr_file:
        convert_bvr(board, args.bvr_file)
    if args.obdata_file:
        convert_obdata(board, args.obdata_file)

if __name__ == "__main__":

```

`main()`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board view\aitianore

Resumo: __pycache__/.*pyc # openboardview database *.sqlite3 # kicad project *.pro*

__pycache__/

*.*pyc

openboardview database

*.sqlite3

kicad project

*.*pro

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board view\LICENSE-0BSD.txt

Resumo: Copyright (C) 2018 whitequark@whitequark.org Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted. THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WAR...

Copyright (C) 2018 whitequark@whitequark.org

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-boardview\README.md

Resumo: # KiCad to Boardview exporter The _KiCad to Boardview exporter_ reads KiCad PCB layout files and writes _Boardview_ files. _Boardview_ is a set of file formats used in the industry for communicating important data about PCB in post-production stage, such as component, pin, and test point placemen...

KiCad to Boardview exporter

The _KiCad to Boardview exporter_ reads KiCad PCB layout files and writes _Boardview_ files. _Boardview_ is

The _Boardview_ file formats do not typically have a specification or even a name. The _KiCad to Boardview_ exporter

[openboardview]: <https://openboardview.org/>

Prerequisites

KiCad to Boardview exporter uses the [pcbnew plugin interface][pcbplugin]. It requires KiCad 6 or later.

[pcbplugin]: <https://dev-docs.kicad.org/en/apis-and-binding/pcbnew/>

Usage

Run the exporter as follows:

```
./pcbnew2boardview.py example/example.kicad_pcb example/example.brd
```

This will read the PCB layout from `example/example.kicad\_pcb` and write it to `example/example.brd`.

Examples

The _Boardview_ file for [Glasgow][] visualized with OpenBoardView looks like this, with the I2C SDA net shown.

For comparison, the PCB layout looks like this:

[glasgow]: <https://github.com/whitequark/Glasgow>

Caveats

- * If the pin numbering on KiCad modules does not start with pin 1 and continue consecutively until last
- * Similarly to the previous caveat, the format does not allow to represent pin names such as `PAD` (on C
- * There is an unknown field in the ".brd" files, written as `0`. It is ignored by OpenBoardView, but mi

License

KiCad to Boardview exporter is distributed under the terms of 0-clause BSD license.

See [LICENSE-0BSD](LICENSE-0BSD.txt) for details.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-boardview\init.py

Resumo: import pcbnew import os from .pcbnew2boardview import convert_brd, convert_bvr, convert_obdata class Pcbnew2Boardview_BRD(pcbnew.ActionPlugin): def defaults(self): self.name = "Pcbnew to Boardview (BRD)" self.category = "Read PCB" self.description = "Genera...

```
import pcbnew
```

```
import os
```

```
from .pcbnew2boardview import convert_brd, convert_bvr, convert_obdata
```

```
class Pcbnew2Boardview_BRD(pcbnew.ActionPlugin):
```

```
    def defaults(self):
```

```
        self.name = "Pcbnew to Boardview (BRD)"
```

```
        self.category = "Read PCB"
```

```
        self.description = "Generate Boardview file from KiCad PCB."
```

```
    def Run(self):
```

```
        kicad_pcb = pcbnew.GetBoard()
```

```
        with open(kicad_pcb.GetFileName().replace('.kicad_pcb', '.brd'), 'w') as brd_file:
```

```
            convert_brd(kicad_pcb, brd_file)
```

```
class Pcbnew2Boardview_BVR(pcbnew.ActionPlugin):
```

```
    def defaults(self):
```

```
        self.name = "Pcbnew to Boardview (BVR)"
```

```
        self.category = "Read PCB"
```

```
        self.description = "Generate Boardview file from KiCad PCB."
```

```
    def Run(self):
```

```
        kicad_pcb = pcbnew.GetBoard()
```

```
        with open(kicad_pcb.GetFileName().replace('.kicad_pcb', '.bvr'), 'w') as bvr_file:
```

```
            convert_bvr(kicad_pcb, bvr_file)
```

```
class Pcbnew2OpenBoardData(pcbnew.ActionPlugin):
```

```
    def defaults(self):
```

```
        self.name = "Pcbnew to OpenBoardData"
```

```
self.category = "Export Board Data"

self.description = "Generate OpenBoardData file from KiCad PCB."


def Run(self):
    kicad_pcb = pcbnew.GetBoard()

    with open(kicad_pcb.GetFileName().replace('.kicad_pcb', '.obdata'), 'w') as obdata_file:
        convert_obdata(kicad_pcb, obdata_file)


plugin_brd = Pcbnew2Boardview_BRD()
plugin_brd.register()


plugin_bvr = Pcbnew2Boardview_BVR()
plugin_bvr.register()


plugin_obdata = Pcbnew2OpenBoardData()
plugin_obdata.register()
```

**Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board
view\ main .bv**

Resumo: from .pcbnew2boardview import main main()

```
from .pcbnew2boardview import main
```

```
main()
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board view\example\example.brd

*Resumo: 0 BRDOUT: 73 5118 4724 4968 1929 4983 1927 4998 1924 5013 1920 5028 1914
5041 1906 5054 1898 5066 1888 5077 1877 5087 1865 5095 1852 5103 1839 5108 1824 5113
1809 5116 1794 5118 1779 5118 1771 5118 157 5118 149 5116 134 5113 119 5108 104 5103
90 5095 76 5087 63 5077 51 50...*

0

BRDOUT: 73 5118 4724

4968 1929

4983 1927

4998 1924

5013 1920

5028 1914

5041 1906

5054 1898

5066 1888

5077 1877

5087 1865

5095 1852

5103 1839

5108 1824

5113 1809

5116 1794

5118 1779

5118 1771

5118 157

5118 149

5116 134

5113 119

5108 104

5103 90

5095 76

5087 63

5077 51

5066 40

5054 30

5041 22

5028 15
5013 9
4998 4
4983 1
4968 0
4960 0
2125 0
2118 0
2102 1
2087 4
2072 9
2058 15
2044 22
2032 30
2020 40
2009 51
1999 63
1990 76
1983 90
1977 104
1973 119
1970 134
1968 149
1968 157
1968 1771
1968 1779
1970 1794
1973 1809
1977 1824
1983 1839
1990 1852
1999 1865
2009 1877
2020 1888
2032 1898

2044 1906

2058 1914

2072 1920

2087 1924

2102 1927

2118 1929

2125 1929

4960 1929

4968 1929

NETS: 251

1 /SDA

2 +3V3

3 GND

4 /SCL

5 +5V

6 /~{CY_RESET}

7 /SHLD

8 /USB_P

9 /XTALOUT

10 /XTALIN

11 /USB_N

12 /D0

13 /D1

14 /D2

15 /D3

16 /D4

17 /D5

18 /D6

19 /D7

20 /FLAGA

21 /FLAGB

22 /FLAGC

23 /OE

24 /A0

25 /A1
26 /PKTEND
27 /FPGA_DONE
28 /~{FPGA_RESET}
29 +1V2
30 /CLKIF
31 /FLAGD
32 /VUSB
33 /LED_CY
34 Net-(U12-Vin+)
35 Net-(U12-Vin-)
36 /LED_ERR
37 /LED_ACT
38 Net-(U21-Vin+)
39 Net-(U21-Vin-)
40 /LED_FPGA
41 Net-(U12-Vbus)
42 /~{ALERT}
43 /CLKREF
44 /ENVB
45 /ENVA
46 /WR
47 /RD
48 /VCCPLL1
49 /VCCPLL0
50 /GNDPLL1
51 /GNDPLL0
52 Net-(U21-Vbus)
53 Net-(D1-A)
54 Net-(D2-A)
55 Net-(D3-A)
56 Net-(D4-A)
57 /IO_Banks/IO_Buffer_B/Y0
58 /IO_Banks/IO_Buffer_B/Z0
59 /IO_Banks/IO_Buffer_B/Y7

60 /IO_Banks/IO_Buffer_B/Z7
61 /IO_Banks/IO_Buffer_B/Y1
62 /IO_Banks/IO_Buffer_B/Y2
63 /IO_Banks/IO_Buffer_B/Y3
64 /IO_Banks/IO_Buffer_B/Y4
65 /IO_Banks/IO_Buffer_B/Y5
66 /IO_Banks/IO_Buffer_B/Y6
67 /IO_Banks/IO_Buffer_B/Z1
68 /IO_Banks/IO_Buffer_B/Z2
69 /IO_Banks/IO_Buffer_B/Z3
70 /IO_Banks/IO_Buffer_B/Z5
71 /IO_Banks/IO_Buffer_B/Z4
72 /IO_Banks/IO_Buffer_B/Z6
73 /IO_Banks/IO_Buffer_A/Y0
74 /IO_Banks/IO_Buffer_A/Z0
75 /IO_Banks/IO_Buffer_A/Y7
76 /IO_Banks/IO_Buffer_A/Z7
77 /IO_Banks/IO_Buffer_A/Y1
78 /IO_Banks/IO_Buffer_A/Y2
79 /IO_Banks/IO_Buffer_A/Y3
80 /IO_Banks/IO_Buffer_A/Y4
81 /IO_Banks/IO_Buffer_A/Y5
82 /IO_Banks/IO_Buffer_A/Y6
83 /IO_Banks/IO_Buffer_A/Z1
84 /IO_Banks/IO_Buffer_A/Z2
85 /IO_Banks/IO_Buffer_A/Z3
86 /IO_Banks/IO_Buffer_A/Z5
87 /IO_Banks/IO_Buffer_A/Z4
88 /IO_Banks/IO_Buffer_A/Z6
89 /IO_Banks/QB6
90 /IO_Banks/QB5
91 /IO_Banks/QB4
92 /IO_Banks/QB3
93 /IO_Banks/QB2
94 /IO_Banks/QB1

95 /IO_Banks/QB7
96 /IO_Banks/QB0
97 /IO_Banks/QA0
98 /IO_Banks/QA7
99 /IO_Banks/QA1
100 /IO_Banks/QA2
101 /IO_Banks/QA3
102 /IO_Banks/QA4
103 /IO_Banks/QA5
104 /IO_Banks/QA6
105 /IO_Banks/U1
106 /IO_Banks/IO_Buffer_A/VSENSE
107 /IO_Banks/VI0B
108 /IO_Banks/VI0A
109 /IO_Banks/U2
110 /IO_Banks/IO_Buffer_B/VSENSE
111 /IO_Banks/U5
112 /IO_Banks/U4
113 /IO_Banks/U3
114 /IO_Banks/Z0_P
115 /IO_Banks/Z2_N
116 /IO_Banks/Z3_N
117 /IO_Banks/Z3_P
118 /IO_Banks/Z6_P
119 /IO_Banks/Z8_P
120 /IO_Banks/Z10_P
121 /IO_Banks/Z11_P
122 /IO_Banks/Z11_N
123 /IO_Banks/Z0_N
124 /IO_Banks/Z2_P
125 /IO_Banks/Z4_P
126 /IO_Banks/Z5_P
127 /IO_Banks/Z6_N
128 /IO_Banks/Z8_N
129 /IO_Banks/Z10_N

130 /IO_Banks/Z12_N
131 /IO_Banks/Z12_P
132 /IO_Banks/Z1_N
133 /IO_Banks/Z4_N
134 /IO_Banks/Z5_N
135 /IO_Banks/Z7_N
136 /IO_Banks/Z9_P
137 /IO_Banks/Z9_N
138 /IO_Banks/Z1_P
139 /IO_Banks/VIO_AUX
140 /IO_Banks/Z7_P
141 /IO_Banks/DA0
142 /IO_Banks/DA4
143 /IO_Banks/DA6
144 /IO_Banks/DA1
145 /IO_Banks/DA3
146 /IO_Banks/DA5
147 /IO_Banks/DA7
148 /IO_Banks/DB0
149 /IO_Banks/DB4
150 /IO_Banks/DB6
151 /IO_Banks/DB1
152 /IO_Banks/DB3
153 /IO_Banks/DB5
154 /IO_Banks/DB7
155 /IO_Banks/DA2
156 /IO_Banks/DB2
157 /IO_Banks/IO_Buffer_B/VFB
158 /IO_Banks/IO_Buffer_A/VFB
159 /IO_Banks/~{SYNC}
160 Net - (D5-A)
161 Net - (D6-A)
162 Net - (D7-A)
163 Net - (D8-A)
164 Net - (D9-A)

165 Net-(D10-A)
166 Net-(D12-K)
167 Net-(D13-K)
168 Net-(D14-A)
169 Net-(D15-A)
170 Net-(U12--{Alert})
171 Net-(U21--{Alert})
172 unconnected-(D21-Ch5-Pad9)
173 /IO_Banks/IO_Buffer_B/X3
174 /IO_Banks/IO_Buffer_B/X2
175 /IO_Banks/IO_Buffer_B/X1
176 /IO_Banks/IO_Buffer_B/X7
177 /IO_Banks/IO_Buffer_B/X6
178 /IO_Banks/IO_Buffer_B/X5
179 /IO_Banks/IO_Buffer_B/X4
180 /IO_Banks/IO_Buffer_A/X3
181 /IO_Banks/IO_Buffer_A/X2
182 /IO_Banks/IO_Buffer_A/X1
183 /IO_Banks/IO_Buffer_A/X7
184 /IO_Banks/IO_Buffer_A/X6
185 /IO_Banks/IO_Buffer_A/X5
186 /IO_Banks/IO_Buffer_A/X4
187 /xVBUS
188 /CC1
189 /CC2
190 unconnected-(D21-Ch6-Pad8)
191 unconnected-(D21-N{slash}C-Pad7)
192 unconnected-(D21-N{slash}C-Pad6)
193 unconnected-(D23-Ch5-Pad9)
194 unconnected-(D23-Ch6-Pad8)
195 /IO_Banks/IO_Buffer_B/VIO_EN
196 unconnected-(D23-N{slash}C-Pad7)
197 /IO_Banks/IO_Buffer_A/VIO_EN
198 unconnected-(D23-N{slash}C-Pad6)
199 Net-(R4-Pad2)

200 Net-(U7--{RESET})

201 unconnected-(J1-SBU2-PadB8)

202 /IO_Banks/IO_Buffer_B/ISNS_H

203 /IO_Banks/IO_Buffer_A/ISNS_H

204 /SWSH

205 unconnected-(J1-SBU1-PadA8)

206 unconnected-(J2-Pin_20-Pad20)

207 /IO_Banks/IO_Buffer_B/X0

208 /IO_Banks/IO_Buffer_A/X0

209 /IO_Banks/IO_Buffer_B/P7

210 /IO_Banks/IO_Buffer_B/P6

211 /IO_Banks/IO_Buffer_B/P5

212 /IO_Banks/IO_Buffer_B/P4

213 /IO_Banks/IO_Buffer_B/P3

214 /IO_Banks/IO_Buffer_B/P2

215 /IO_Banks/IO_Buffer_B/P1

216 /IO_Banks/IO_Buffer_B/P0

217 /IO_Banks/IO_Buffer_A/P7

218 /IO_Banks/IO_Buffer_A/P6

219 /IO_Banks/IO_Buffer_A/P5

220 /IO_Banks/IO_Buffer_A/P4

221 /IO_Banks/IO_Buffer_A/P3

222 /IO_Banks/IO_Buffer_A/P2

223 /IO_Banks/IO_Buffer_A/P1

224 /IO_Banks/IO_Buffer_A/P0

225 /~{MR}

226 /IO_Banks/IO_Buffer_B/VDAC

227 /IO_Banks/IO_Buffer_A/VDAC

228 unconnected-(J2-Pin_19-Pad19)

229 unconnected-(J3-Pin_20-Pad20)

230 unconnected-(J3-Pin_19-Pad19)

231 Net-(U14-OUT)

232 Net-(U31-OUT)

233 Net-(U30A-IOT_219)

234 Net-(U5--{RESET})

235 Net-(U19-~{RESET})
236 Net-(U32-B)
237 Net-(U30A-IOT_170)
238 Net-(U3-A1)
239 Net-(U30A-IOT_172)
240 Net-(U30A-IOT_168)
241 Net-(U32-A)
242 unconnected-(U1-PD7{slash}FD15-Pad52)
243 unconnected-(U1-PD1{slash}FD9-Pad46)
244 unconnected-(U2-WP-Pad7)
245 unconnected-(U2-A2-Pad3)
246 unconnected-(U2-NC-Pad1)
247 unconnected-(U3-WP-Pad7)
248 unconnected-(U3-A2-Pad3)
249 unconnected-(U5-~{INT}-Pad13)
250 unconnected-(U19-~{INT}-Pad13)
251 unconnected-(U30E-VPP_FAST-PadB10)

PARTS: 245

FID1 2107 166 2459 -34 0 1
FID2 4626 1977 4979 1777 1 1
C30 4674 908 5325 68 2 1
R22 2032 628 2613 316 4 1
R23 2032 549 2613 238 6 1
R9 2664 906 3283 629 8 1
U1 1100 1141 4399 787 10 1
R33 4450 1309 5069 997 97 1
D6 1856 748 2631 668 99 1
D8 1720 591 2767 510 101 1
D5 1720 1260 2767 1180 103 1
D4 1720 1339 2767 1258 105 1
D3 1856 1418 2631 1337 107 1
D2 1720 1496 2767 1416 109 1
R14 2032 1533 2613 1222 111 1
R15 2114 1454 2531 1143 113 1

R20 2032 785 2613 474 115 1
U27 1807 856 6073 741 117 1
U26 1807 966 6073 852 123 1
U17 1807 1187 6073 1072 129 1
U10 1650 1077 5916 962 135 1
U9 1650 1187 5916 1072 141 1
U6 1650 1297 5916 1182 147 1
U22 1650 966 5916 852 153 1
U24 1650 746 5916 631 159 1
U25 1650 636 5916 521 165 1
C57 4320 1323 5160 1243 171 1
D1 1720 1575 2767 1495 173 1
J9 3851 3301 4711 -751 175 1
J6 4127 2478 4987 -1574 183 1
C82 4689 1589 5302 749 191 1
C31 4405 1179 5019 339 193 1
C53 4434 681 5274 601 195 1
R28 4657 856 5239 545 197 1
R27 4639 931 5258 620 199 1
FID3 4626 166 4979 -34 201 1
FID8 2879 1312 3261 1134 202 1
C59 4623 1589 5274 749 203 1
R34 4469 1383 5050 1072 205 1
C12 2003 1476 2669 637 207 1
R16 2114 1376 2531 1064 209 1
R17 2698 1209 3317 1128 211 1
R12 2032 1690 2613 1379 213 1
R13 2032 1612 2613 1301 215 1
Y1 1688 1154 3185 1018 217 1
U30 2771 1804 3818 124 221 1
C13 1897 1155 2736 1073 342 1
U16 1807 1297 6073 1182 344 1
U11 1807 1407 6073 1292 350 1
R21 2032 706 2613 395 356 1
D9 1856 512 2631 432 358 1

R11 2032 864 2613 553 360 1
D7 1856 670 2631 589 362 1
D10 1856 433 2631 353 364 1
R18 4642 1675 5223 1364 366 1
J7 4127 2678 4987 -1374 368 1
U14 3499 812 6208 668 376 1
C29 3828 772 4667 692 381 1
C46 4548 685 5388 605 383 1
R19 4634 565 5216 253 385 1
U18 1807 1077 6073 962 387 1
R40 2714 399 2858 88 393 1
U19 2961 1204 5912 984 395 1
R39 3764 1070 4345 759 411 1
R43 3764 1143 4345 832 413 1
U28 1807 746 6073 631 415 1
U23 1650 856 5916 741 421 1
C22 4206 764 5046 684 427 1
R44 3108 641 3690 330 429 1
R36 4335 811 4916 731 431 1
R41 3957 807 4538 727 433 1
C84 3940 1587 4591 747 435 1
C45 4434 1179 5085 339 437 1
U5 2961 944 5912 724 439 1
R42 4335 1201 4916 1121 455 1
R35 4410 1383 5030 1072 457 1
R29 4678 856 5297 545 459 1
R10 3331 918 3912 837 461 1
R2 2657 710 3239 399 463 1
D12 3742 1111 4745 652 465 1
R45 3195 768 3777 688 467 1
J10 2118 1135 6170 792 469 1
MK1 1534 363 2717 -42 472 1
MK2 1534 1977 2717 1572 481 1
MK4 4369 363 5551 -42 490 1
C83 4434 1327 5274 1247 499 1

MK3 4369 1977 5551 1572 501 1
J8 3851 3502 4711 -550 510 1
D15 4303 1595 5350 1514 518 1
C55 4383 1860 5034 1021 520 1
J2 3179 5205 4765 -1877 522 1
R46 4535 465 5117 384 542 1
R47 4535 1544 5117 1463 544 1
D14 4303 414 5350 333 546 1
U31 3499 1260 6208 1117 548 1
D11 2899 619 3903 160 553 1
R1 2657 793 3239 482 555 1
RN3 3763 1294 4559 -114 557 1
RN4 3665 1294 4460 -114 565 1
RN5 4063 1255 4866 -154 573 1
RN6 3964 1255 4767 -154 581 1
RN7 2870 1219 4279 1119 589 1
RN8 2870 1121 4279 1020 597 1
RN10 3763 2042 4559 634 605 1
RN11 3964 2082 4767 673 613 1
RN12 4063 2082 4866 673 621 1
U4 1650 1407 5916 1292 629 1
U32 1441 861 5707 745 635 1
U29 1807 636 6073 521 641 1
D13 3742 1209 4745 750 647 1
RN2 2870 625 4279 524 649 1
RN1 2870 723 4279 623 657 1
R37 3974 1248 4556 936 665 1
J1 1748 1815 2397 113 667 1
C11 2017 1213 2856 1133 689 1
R53 2008 1212 2590 901 691 1
C8 1904 973 2744 892 693 1
FB1 2042 898 2607 818 695 1
U15 807 965 4066 821 697 1
R52 2033 935 2615 855 703 1
D16 4033 600 5128 510 705 1

D17 3218 1525 4313 1428 707 1
D18 3646 709 5810 585 709 1
D19 3898 1326 6062 1217 712 1
R26 4697 931 5279 620 715 1
U12 1879 657 7828 457 717 1
D21 3521 1791 4427 -899 727 1
D23 3678 2827 4584 137 741 1
C16 2036 410 2876 290 755 1
C88 2623 1562 3274 722 757 1
D24 1343 216 3435 53 759 1
R4 2162 254 2782 -57 762 1
R5 2162 329 2782 18 764 1
R57 3902 905 4483 594 766 1
R58 4354 1407 4936 1096 768 1
R38 3146 641 3727 330 770 1
J5 2236 5253 3426 -1829 772 1
R3 2015 861 2634 780 818 1
C87 2198 762 3124 481 820 1
U2 2601 1128 3413 -412 822 1
U3 2454 1582 3285 -867 830 1
J4 1285 585 5336 -60 838 1
U8 1306 265 3882 146 840 1
U36 1306 466 3882 347 852 1
C86 2174 359 3014 274 864 1
C26 2174 158 3014 73 866 1
C27 2390 801 3003 -38 868 1
C28 2390 600 3003 -239 870 1
J3 3423 3805 5009 -3277 872 1
U7 1132 410 3686 213 892 1
D20 3678 1791 4584 -899 896 1
RN9 3665 2042 4460 634 910 1
U21 1879 1485 7828 1331 918 1
C89 2424 215 3264 134 928 1
C90 4658 982 5341 143 930 1
C91 4367 1785 5050 946 932 1

D22 3521 2827 4427 137 934 1
C56 4434 1439 5085 599 948 1
U20 3596 1111 6112 967 950 1
R55 4429 1309 5011 997 956 1
U13 3596 961 6112 817 958 1
C32 4623 1329 5274 490 964 1
SW1 2211 206 3665 -31 966 1
C54 4206 1237 5045 1156 969 1
C92 3211 1418 4050 1276 971 1
FID4 2107 4573 2459 4772 973 2
FID5 4626 2762 4979 2961 974 2
C23 2875 3766 3715 3851 975 2
C77 3017 3339 3668 4179 977 2
C48 3578 3271 4229 4110 979 2
C49 3652 2940 4303 3780 981 2
C52 3652 3271 4303 4110 983 2
C64 3495 3379 4146 4219 985 2
C40 3495 3160 4146 4000 987 2
C68 3578 3381 4229 4221 989 2
C69 3578 3491 4229 4331 991 2
C70 3578 3601 4229 4441 993 2
C71 3578 3712 4229 4551 995 2
C72 3652 3381 4303 4221 997 2
C73 3652 3491 4303 4331 999 2
C74 3652 3601 4303 4441 1001 2
C18 2812 3798 3652 3883 1003 2
C33 2875 3667 3715 3752 1005 2
C78 2722 3691 3562 3776 1007 2
R31 2757 3802 3376 3887 1009 2
C76 2674 3755 3514 3835 1011 2
C24 2938 3636 3778 3721 1013 2
C7 2229 3561 3069 3644 1015 2
C6 2418 3875 3258 3958 1017 2
C9 2268 3271 2919 4111 1019 2
C10 2261 3875 3100 3958 1021 2

C5 2434 3561 3274 3644 1023 2
C1 2154 3877 2994 3962 1025 2
C2 2268 3428 2919 4268 1027 2
C3 2268 3349 2919 4189 1029 2
C4 2580 3429 3231 4268 1031 2
C81 2826 3497 3477 4337 1033 2
R32 3227 3614 3846 3925 1035 2
C38 3495 2940 4146 3780 1037 2
C34 3420 2940 4071 3780 1039 2
C60 3420 3379 4071 4219 1041 2
C65 3495 3491 4146 4331 1043 2
C61 3420 3491 4071 4331 1045 2
C62 3420 3601 4071 4441 1047 2
C66 3495 3601 4146 4441 1049 2
C63 3420 3712 4071 4551 1051 2
C67 3495 3712 4146 4551 1053 2
C35 3420 3050 4071 3890 1055 2
C37 3420 3271 4071 4110 1057 2
C36 3420 3160 4071 4000 1059 2
C25 2891 3308 3542 4148 1061 2
C42 3578 2940 4229 3780 1063 2
C43 3578 3050 4229 3890 1065 2
C47 3578 3160 4229 4000 1067 2
C41 3495 3271 4146 4110 1069 2
FID6 4626 4573 4979 4772 1071 2
C19 2962 3896 3801 3977 1072 2
C80 3173 3339 3787 4179 1074 2
C85 3209 3487 3860 4327 1076 2
C21 3048 3312 3699 4152 1078 2
C79 3107 3339 3758 4179 1080 2
R48 4641 3915 5125 4226 1082 2
R49 4582 3293 5066 3604 1084 2
C75 3652 3712 4303 4551 1086 2
C51 3652 3160 4303 4000 1088 2
C39 3495 3050 4146 3890 1090 2

C50 3652 3050 4303 3890 1092 2
C44 4434 4164 5274 4284 1094 2
C58 4434 3235 5274 3355 1096 2
R25 4583 4013 5164 4324 1098 2
R54 4543 3194 5125 3505 1100 2
R6 4868 3805 5023 4116 1102 2
R7 4641 3805 5125 4116 1104 2
R8 4685 3403 4839 3714 1106 2
R56 4582 3403 5066 3714 1108 2
C17 2568 4289 3408 4374 1110 2
C15 2430 4289 3270 4374 1112 2
C20 3030 3844 3870 3929 1114 2
C14 2770 3569 3383 4409 1116 2
R24 4543 4013 5125 4324 1118 2
R30 4583 3194 5164 3505 1120 2
R59 4690 4013 5309 4324 1122 2
R60 4446 3194 5065 3505 1124 2
R50 4868 3915 5023 4226 1126 2
R51 4685 3293 4839 3604 1128 2

PINS: 1130

2283 59 0 1
4803 1870 0 1
5000 469 2 1
5000 507 3 1
2322 491 112 1
2322 453 164 1
2322 412 111 1
2322 374 165 1
2960 754 3 1
2987 781 28 1
2592 1092 47 1
2592 1072 46 1
2592 1053 2 1
2592 1033 9 1

2592 1013 10 1
2592 994 3 1
2592 974 2 1
2592 954 8 1
2592 935 11 1
2592 915 3 1
2592 895 2 1
2592 875 3 1
2592 856 30 1
2592 836 3 1
2622 807 4 1
2641 807 1 1
2661 807 2 1
2681 807 12 1
2700 807 13 1
2720 807 14 1
2740 807 15 1
2759 807 16 1
2779 807 17 1
2799 807 18 1
2818 807 19 1
2838 807 3 1
2858 807 2 1
2877 807 3 1
2907 836 20 1
2907 856 21 1
2907 875 22 1
2907 895 2 1
2907 915 42 1
2907 935 28 1
2907 954 23 1
2907 974 27 1
2907 994 24 1
2907 1013 25 1
2907 1033 26 1

2907 1053 31 1
2907 1072 3 1
2907 1092 6 1
2877 1122 2 1
2858 1122 2 1
2838 1122 45 1
2818 1122 243 1
2799 1122 33 1
2779 1122 40 1
2759 1122 37 1
2740 1122 36 1
2720 1122 44 1
2700 1122 242 1
2681 1122 3 1
2661 1122 43 1
2641 1122 2 1
2622 1122 3 1
2650 1064 3 1
2650 1014 3 1
2650 964 3 1
2650 914 3 1
2650 864 3 1
2700 1064 3 1
2700 1014 3 1
2700 964 3 1
2700 914 3 1
2700 864 3 1
2750 1064 3 1
2750 1014 3 1
2750 964 3 1
2750 964 3 1
2750 964 3 1
2750 914 3 1
2750 864 3 1
2800 1064 3 1

2800 1014 3 1
2800 964 3 1
2800 914 3 1
2800 864 3 1
2850 1064 3 1
2850 1014 3 1
2850 964 3 1
2850 914 3 1
2850 864 3 1
2688 1025 0 1
2688 903 0 1
2811 1025 0 1
2811 903 0 1
4759 1134 227 1
4759 1172 158 1
2213 708 3 1
2275 708 161 1
2213 551 3 1
2275 551 163 1
2213 1220 3 1
2275 1220 160 1
2213 1299 3 1
2275 1299 56 1
2213 1377 3 1
2275 1377 55 1
2213 1456 3 1
2275 1456 54 1
2322 1358 40 1
2322 1397 55 1
2322 1280 37 1
2322 1318 56 1
2322 649 109 1
2322 610 162 1
3903 824 2 1
3903 799 3 1

3903 773 173 1
3978 773 63 1
3978 799 152 1
3978 824 107 1
3903 935 2 1
3903 909 3 1
3903 883 175 1
3978 883 61 1
3978 909 151 1
3978 935 107 1
3903 1155 2 1
3903 1129 3 1
3903 1104 185 1
3978 1104 81 1
3978 1129 146 1
3978 1155 108 1
3746 1045 2 1
3746 1019 3 1
3746 994 184 1
3820 994 82 1
3820 1019 143 1
3820 1045 108 1
3746 1155 2 1
3746 1129 3 1
3746 1104 186 1
3820 1104 80 1
3820 1129 142 1
3820 1155 108 1
3746 1265 2 1
3746 1240 3 1
3746 1214 181 1
3820 1214 78 1
3820 1240 155 1
3820 1265 108 1
3746 935 2 1

3746 909 3 1
3746 883 207 1
3820 883 57 1
3820 909 148 1
3820 935 107 1
3746 714 2 1
3746 688 3 1
3746 663 179 1
3820 663 64 1
3820 688 149 1
3820 714 107 1
3746 604 2 1
3746 578 3 1
3746 553 177 1
3820 553 66 1
3820 578 150 1
3820 604 107 1
4759 1283 108 1
4721 1283 3 1
2213 1535 3 1
2275 1535 53 1
4244 1275 224 1
4294 1275 223 1
4344 1275 222 1
4394 1275 221 1
4444 1275 220 1
4494 1275 219 1
4544 1275 218 1
4594 1275 217 1
4594 452 58 1
4544 452 67 1
4494 452 68 1
4444 452 69 1
4394 452 71 1
4344 452 70 1

4294 452 72 1
4244 452 60 1
4996 1138 5 1
4996 1200 3 1
4712 790 5 1
4712 728 3 1
4885 641 107 1
4823 641 3 1
4948 719 157 1
4948 681 107 1
4948 794 226 1
4948 756 157 1
4803 59 0 1
3094 1165 0 1
4948 1150 5 1
4948 1188 3 1
4759 1209 158 1
4759 1247 108 1
2336 1037 10 1
2336 1076 3 1
2322 1201 36 1
2322 1239 160 1
2988 1169 42 1
3026 1169 2 1
2322 1516 2 1
2322 1554 53 1
2322 1437 33 1
2322 1475 54 1
2393 1053 10 1
2480 1053 3 1
2480 1120 9 1
2393 1120 3 1
3452 1122 97 1
3452 1090 99 1
3452 1059 101 1

3452 1027 103 1
3452 996 98 1
3452 964 104 1
3452 933 145 1
3452 901 146 1
3452 870 147 1
3452 838 237 1
3452 807 240 1
3421 1122 114 1
3421 1090 123 1
3421 1059 100 1
3421 1027 233 1
3421 996 102 1
3421 964 102 1
3421 933 104 1
3421 901 142 1
3421 870 143 1
3421 838 251 1
3421 807 96 1
3389 1122 115 1
3389 1090 124 1
3389 1059 132 1
3389 1027 138 1
3389 996 50 1
3389 964 48 1
3389 933 141 1
3389 901 144 1
3389 870 239 1
3389 838 2 1
3389 807 94 1
3358 1122 116 1
3358 1090 125 1
3358 1059 133 1
3358 1027 29 1
3358 996 43 1

3358 964 2 1
3358 933 155 1
3358 901 29 1
3358 870 112 1
3358 838 93 1
3358 807 92 1
3326 1122 117 1
3326 1090 126 1
3326 1059 134 1
3326 1027 139 1
3326 996 3 1
3326 964 3 1
3326 933 3 1
3326 901 111 1
3326 870 113 1
3326 838 91 1
3326 807 90 1
3295 1122 118 1
3295 1090 127 1
3295 1059 135 1
3295 1027 140 1
3295 996 3 1
3295 964 3 1
3295 933 3 1
3295 901 2 1
3295 870 148 1
3295 838 95 1
3295 807 89 1
3263 1122 119 1
3263 1090 128 1
3263 1059 136 1
3263 1027 139 1
3263 996 3 1
3263 964 3 1
3263 933 3 1

3263 901 109 1
3263 870 105 1
3263 838 156 1
3263 807 151 1
3232 1122 120 1
3232 1090 129 1
3232 1059 137 1
3232 1027 29 1
3232 996 3 1
3232 964 2 1
3232 933 12 1
3232 901 29 1
3232 870 4 1
3232 838 149 1
3232 807 152 1
3200 1122 121 1
3200 1090 130 1
3200 1059 31 1
3200 1027 46 1
3200 996 47 1
3200 964 49 1
3200 933 13 1
3200 901 1 1
3200 870 14 1
3200 838 150 1
3200 807 153 1
3169 1122 122 1
3169 1090 131 1
3169 1059 24 1
3169 1027 42 1
3169 996 21 1
3169 964 30 1
3169 933 19 1
3169 901 27 1
3169 870 17 1

3169 838 15 1
3169 807 154 1
3137 1122 26 1
3137 1090 25 1
3137 1059 23 1
3137 1027 22 1
3137 996 43 1
3137 964 51 1
3137 933 20 1
3137 901 18 1
3137 870 28 1
3137 838 16 1
3137 807 2 1
2336 1114 7 1
2297 1114 3 1
3903 1265 2 1
3903 1240 3 1
3903 1214 180 1
3978 1214 79 1
3978 1240 145 1
3978 1265 108 1
3903 1375 2 1
3903 1350 3 1
3903 1324 182 1
3978 1324 77 1
3978 1350 144 1
3978 1375 108 1
2322 570 113 1
2322 532 163 1
2213 472 3 1
2275 472 164 1
2322 727 105 1
2322 689 161 1
2213 629 3 1
2275 629 162 1

2213 393 3 1
2275 393 165 1
4933 1500 45 1
4933 1538 3 1
4594 652 216 1
4544 652 215 1
4494 652 214 1
4444 652 213 1
4394 652 212 1
4344 652 211 1
4294 652 210 1
4244 652 209 1
4811 777 5 1
4811 740 3 1
4811 702 195 1
4897 702 157 1
4897 777 231 1
4267 732 107 1
4228 732 3 1
4949 645 107 1
4987 645 3 1
4925 428 44 1
4925 390 3 1
3903 1045 2 1
3903 1019 3 1
3903 994 183 1
3978 994 75 1
3978 1019 147 1
3978 1045 108 1
2779 263 238 1
2779 225 2 1
4324 1184 2 1
4324 1158 3 1
4324 1132 235 1
4324 1107 224 1

4324 1081 223 1
4324 1056 222 1
4324 1030 221 1
4324 1004 3 1
4549 1004 220 1
4549 1030 219 1
4549 1056 218 1
4549 1081 217 1
4549 1107 250 1
4549 1132 4 1
4549 1158 1 1
4549 1184 108 1
4055 896 166 1
4055 934 237 1
4055 1007 167 1
4055 969 239 1
3903 714 2 1
3903 688 3 1
3903 663 178 1
3978 663 65 1
3978 688 153 1
3978 714 107 1
3746 824 2 1
3746 799 3 1
3746 773 174 1
3820 773 62 1
3820 799 156 1
3820 824 107 1
4607 724 2 1
4645 724 3 1
3399 467 159 1
3399 505 2 1
4606 771 234 1
4645 771 2 1
4228 767 3 1

4267 767 107 1
4265 1186 2 1
4265 1148 3 1
4759 778 5 1
4759 740 3 1
4549 745 2 1
4549 770 107 1
4549 796 234 1
4549 821 216 1
4549 847 215 1
4549 873 214 1
4549 898 213 1
4549 924 3 1
4324 924 212 1
4324 898 211 1
4324 873 210 1
4324 847 209 1
4324 821 249 1
4324 796 4 1
4324 770 1 1
4324 745 107 1
4645 1161 3 1
4606 1161 108 1
4720 1247 3 1
4720 1209 158 1
4988 681 3 1
4988 719 157 1
3641 877 233 1
3602 877 3 1
2948 536 4 1
2948 574 2 1
4244 909 166 1
4244 854 3 1
3505 728 241 1
3467 728 240 1

4144 864 3 1
4144 964 166 1
4144 1064 167 1
2022 157 3 1
2052 230 3 1
2052 84 3 1
2125 260 3 1
2125 157 3 1
2125 54 3 1
2199 230 3 1
2199 84 3 1
2229 157 3 1
2022 1771 3 1
2052 1844 3 1
2052 1698 3 1
2125 1875 3 1
2125 1771 3 1
2125 1668 3 1
2199 1844 3 1
2199 1698 3 1
2229 1771 3 1
4857 157 3 1
4887 230 3 1
4887 84 3 1
4960 260 3 1
4960 157 3 1
4960 54 3 1
5033 230 3 1
5033 84 3 1
5063 157 3 1
4823 1287 108 1
4885 1287 3 1
4857 1771 3 1
4887 1844 3 1
4887 1698 3 1

4960 1875 3 1
4960 1771 3 1
4960 1668 3 1
5033 1844 3 1
5033 1698 3 1
5063 1771 3 1
4244 1476 74 1
4294 1476 83 1
4344 1476 84 1
4394 1476 85 1
4444 1476 87 1
4494 1476 86 1
4544 1476 88 1
4594 1476 76 1
4857 1555 3 1
4795 1555 169 1
4708 1460 2 1
4708 1421 3 1
3644 1664 106 1
3644 1764 108 1
3744 1664 74 1
3744 1764 3 1
3844 1664 83 1
3844 1764 3 1
3944 1664 84 1
3944 1764 3 1
4044 1664 85 1
4044 1764 3 1
4144 1664 87 1
4144 1764 3 1
4244 1664 86 1
4244 1764 3 1
4344 1664 88 1
4344 1764 3 1
4444 1664 76 1

4444 1764 3 1
4544 1664 228 1
4544 1764 206 1
4845 425 44 1
4807 425 168 1
4845 1503 45 1
4807 1503 169 1
4857 374 3 1
4795 374 168 1
4897 1151 5 1
4897 1188 3 1
4897 1226 197 1
4811 1226 158 1
4811 1151 232 1
3401 417 159 1
3401 362 3 1
2948 656 1 1
2948 618 2 1
4195 610 57 1
4171 610 61 1
4151 610 62 1
4127 610 63 1
4127 570 69 1
4151 570 68 1
4171 570 67 1
4195 570 58 1
4096 610 64 1
4072 610 65 1
4053 610 66 1
4029 610 59 1
4029 570 60 1
4053 570 72 1
4072 570 70 1
4096 570 71 1
4430 531 69 1

4454 531 68 1
4474 531 67 1
4498 531 58 1
4498 570 216 1
4474 570 215 1
4454 570 214 1
4430 570 213 1
4332 531 60 1
4356 531 72 1
4375 531 70 1
4399 531 71 1
4399 570 212 1
4375 570 211 1
4356 570 210 1
4332 570 209 1
3555 1202 97 1
3555 1179 99 1
3555 1159 100 1
3555 1135 101 1
3594 1135 180 1
3594 1159 181 1
3594 1179 182 1
3594 1202 208 1
3555 1104 102 1
3555 1080 103 1
3555 1061 104 1
3555 1037 98 1
3594 1037 183 1
3594 1061 184 1
3594 1080 185 1
3594 1104 186 1
4127 1318 80 1
4151 1318 81 1
4171 1318 82 1
4195 1318 75 1

4195 1358 76 1
4171 1358 88 1
4151 1358 86 1
4127 1358 87 1
4399 1397 85 1
4375 1397 84 1
4356 1397 83 1
4332 1397 74 1
4332 1358 224 1
4356 1358 223 1
4375 1358 222 1
4399 1358 221 1
4498 1397 76 1
4474 1397 88 1
4454 1397 86 1
4430 1397 87 1
4430 1358 220 1
4454 1358 219 1
4474 1358 218 1
4498 1358 217 1
3746 1375 2 1
3746 1350 3 1
3746 1324 208 1
3820 1324 73 1
3820 1350 141 1
3820 1375 108 1
3537 828 2 1
3537 803 3 1
3537 777 241 1
3612 777 236 1
3612 803 233 1
3612 828 2 1
3903 604 2 1
3903 578 3 1
3903 553 176 1

3978 553 59 1
3978 578 154 1
3978 604 107 1
4244 1007 167 1
4244 952 3 1
3555 608 91 1
3555 584 90 1
3555 564 89 1
3555 541 95 1
3594 541 176 1
3594 564 177 1
3594 584 178 1
3594 608 179 1
3555 706 96 1
3555 683 94 1
3555 663 93 1
3555 639 92 1
3594 639 173 1
3594 663 174 1
3594 683 175 1
3594 706 207 1
4265 1111 235 1
4265 1073 2 1
2232 1092 3 1
2232 1060 187 1
2232 1013 188 1
2232 974 8 1
2232 954 11 1
2232 915 205 1
2232 868 187 1
2232 836 3 1
2232 836 3 1
2232 868 187 1
2232 895 189 1
2232 935 8 1

2232 994 11 1
2232 1033 201 1
2232 1060 187 1
2232 1092 3 1
2196 1134 7 1
2031 1134 7 1
2196 794 7 1
2031 794 7 1
2175 1078 0 1
2175 850 0 1
2456 1173 9 1
2417 1173 3 1
2299 1076 3 1
2299 1037 188 1
2343 933 32 1
2305 933 3 1
2305 858 187 1
2343 858 32 1
2393 931 32 1
2393 893 3 1
2393 856 32 1
2480 856 5 1
2480 893 11 1
2480 931 8 1
2343 895 3 1
2305 895 189 1
4625 551 110 1
4535 551 3 1
3720 1468 106 1
3811 1468 3 1
4767 631 42 1
4767 683 195 1
4688 657 170 1
4940 1297 42 1
4940 1246 197 1

5019 1271 171 1
4988 794 195 1
4988 756 44 1
4767 566 3 1
4767 547 2 1
4767 527 170 1
4767 507 1 1
4767 488 4 1
4940 488 2 1
4940 507 3 1
4940 527 41 1
4940 547 35 1
4940 566 34 1
3915 424 60 1
3935 424 72 1
3954 424 70 1
3974 424 71 1
3994 424 3 1
4013 424 192 1
4033 424 191 1
4033 469 190 1
4013 469 172 1
3994 469 3 1
3974 469 71 1
3954 469 70 1
3935 469 72 1
3915 469 60 1
4190 1504 76 1
4171 1504 88 1
4151 1504 86 1
4131 1504 87 1
4112 1504 3 1
4092 1504 198 1
4072 1504 196 1
4072 1459 194 1

4092 1459 193 1
4112 1459 3 1
4131 1459 87 1
4151 1459 86 1
4171 1459 88 1
4190 1459 76 1
2475 370 5 1
2437 370 3 1
2948 1123 6 1
2948 1161 3 1
2429 137 2 1
2429 188 200 1
2350 163 6 1
2472 79 2 1
2472 118 199 1
2472 154 199 1
2472 192 6 1
4192 769 3 1
4192 730 107 1
4645 1232 3 1
4645 1271 108 1
3437 467 159 1
3437 505 236 1
2329 1638 3 1
2329 1786 2 1
2379 1638 122 1
2379 1786 3 1
2429 1638 121 1
2429 1786 3 1
2479 1638 3 1
2479 1786 131 1
2529 1638 120 1
2529 1786 130 1
2579 1638 129 1
2579 1786 3 1

2629 1638 3 1
2629 1786 137 1
2679 1638 119 1
2679 1786 136 1
2729 1638 128 1
2729 1786 3 1
2779 1638 3 1
2779 1786 135 1
2829 1638 118 1
2829 1786 140 1
2879 1638 127 1
2879 1786 3 1
2929 1638 3 1
2929 1786 134 1
2979 1638 117 1
2979 1786 126 1
3029 1638 116 1
3029 1786 3 1
3079 1638 3 1
3079 1786 125 1
3129 1638 115 1
3129 1786 133 1
3179 1638 124 1
3179 1786 3 1
3229 1638 3 1
3229 1786 132 1
3279 1638 114 1
3279 1786 138 1
3329 1638 123 1
3329 1786 3 1
3379 1638 3 1
3379 1786 139 1
2354 1712 0 1
3354 1712 0 1
2343 820 7 1

2305 820 3 1
2551 622 5 1
2771 622 3 1
2969 245 246 1
2995 245 2 1
3020 245 245 1
3046 245 3 1
3046 470 1 1
3020 470 4 1
2995 470 244 1
2969 470 2 1
2831 245 2 1
2857 245 238 1
2882 245 248 1
2908 245 3 1
2908 470 1 1
2882 470 4 1
2857 470 247 1
2831 470 2 1
3311 456 3 1
3211 456 159 1
2635 171 2 1
2635 196 2 1
2635 222 3 1
2553 222 200 1
2553 196 5 1
2553 171 5 1
2594 175 3 1
2594 196 3 1
2594 196 3 1
2594 218 3 1
2594 179 0 1
2594 214 0 1
2635 372 29 1
2635 397 29 1

2635 423 3 1
2553 423 5 1
2553 397 5 1
2553 372 5 1
2594 375 3 1
2594 397 3 1
2594 397 3 1
2594 419 3 1
2594 379 0 1
2594 415 0 1
2625 318 3 1
2563 318 5 1
2625 118 3 1
2563 118 5 1
2696 350 29 1
2696 412 3 1
2696 150 2 1
2696 212 3 1
4544 264 110 1
4544 164 107 1
4444 264 58 1
4444 164 3 1
4344 264 67 1
4344 164 3 1
4244 264 68 1
4244 164 3 1
4144 264 69 1
4144 164 3 1
4044 264 71 1
4044 164 3 1
3944 264 70 1
3944 164 3 1
3844 264 72 1
3844 164 3 1
3744 264 60 1

3744 164 3 1
3644 264 230 1
3644 164 229 1
2370 312 3 1
2370 246 200 1
2448 246 225 1
2448 320 5 1
4072 424 69 1
4092 424 68 1
4112 424 67 1
4131 424 58 1
4151 424 3 1
4171 424 107 1
4190 424 107 1
4190 469 107 1
4171 469 107 1
4151 469 3 1
4131 469 58 1
4112 469 67 1
4092 469 68 1
4072 469 69 1
4029 1318 73 1
4053 1318 77 1
4072 1318 78 1
4096 1318 79 1
4096 1358 85 1
4072 1358 84 1
4053 1358 83 1
4029 1358 74 1
4940 1362 3 1
4940 1381 3 1
4940 1401 171 1
4940 1421 1 1
4940 1440 4 1
4767 1440 2 1

4767 1421 3 1
4767 1401 52 1
4767 1381 39 1
4767 1362 38 1
2863 175 225 1
2825 175 3 1
5000 581 3 1
5000 544 41 1
4708 1347 3 1
4708 1385 52 1
4033 1504 85 1
4013 1504 84 1
3994 1504 83 1
3974 1504 74 1
3954 1504 3 1
3935 1504 108 1
3915 1504 108 1
3915 1459 108 1
3935 1459 108 1
3954 1459 3 1
3974 1459 74 1
3994 1459 83 1
4013 1459 84 1
4033 1459 85 1
4759 1038 2 1
4759 1000 3 1
4811 1076 227 1
4811 1039 2 1
4811 1001 3 1
4897 1001 1 1
4897 1039 4 1
4897 1076 2 1
4720 1134 197 1
4720 1172 45 1
4897 852 226 1

4897 889 2 1
4897 927 3 1
4811 927 1 1
4811 889 4 1
4811 852 3 1
4948 890 2 1
4948 929 3 1
2998 103 3 1
2879 103 225 1
2938 30 204 1
4606 1196 108 1
4645 1196 3 1
3600 1328 139 1
3661 1328 3 1
2283 4665 0 2
4803 2854 0 2
3314 3807 2 2
3276 3807 3 2
3342 3778 29 2
3342 3740 3 2
3903 3671 2 2
3903 3710 3 2
3978 3341 108 2
3978 3379 3 2
3978 3671 108 2
3978 3710 3 2
3820 3780 107 2
3820 3818 3 2
3820 3561 108 2
3820 3599 3 2
3903 3782 2 2
3903 3820 3 2
3903 3892 2 2
3903 3930 3 2
3903 4002 2 2

3903 4040 3 2
3903 4112 2 2
3903 4150 3 2
3978 3782 107 2
3978 3820 3 2
3978 3892 107 2
3978 3930 3 2
3978 4002 107 2
3978 4040 3 2
3213 3838 29 2
3251 3838 3 2
3314 3712 139 2
3276 3712 3 2
3161 3736 49 2
3123 3736 51 2
3086 3842 49 2
3047 3842 29 2
3125 3795 49 2
3063 3795 51 2
3339 3681 29 2
3377 3681 3 2
2630 3604 2 2
2668 3604 3 2
2857 3915 2 2
2819 3915 3 2
2594 3672 2 2
2594 3710 3 2
2662 3915 2 2
2700 3915 3 2
2873 3604 2 2
2835 3604 3 2
2543 3917 2 2
2605 3917 3 2
2594 3829 2 2
2594 3867 3 2

2594 3750 2 2
2594 3788 3 2
2905 3829 2 2
2905 3868 3 2
3151 3936 2 2
3151 3898 3 2
3537 3788 48 2
3537 3750 29 2
3820 3341 108 2
3820 3379 3 2
3746 3341 2 2
3746 3379 3 2
3746 3780 2 2
3746 3818 3 2
3820 3892 107 2
3820 3930 3 2
3746 3892 2 2
3746 3930 3 2
3746 4002 2 2
3746 4040 3 2
3820 4002 107 2
3820 4040 3 2
3746 4112 2 2
3746 4150 3 2
3820 4112 107 2
3820 4150 3 2
3746 3451 2 2
3746 3489 3 2
3746 3671 2 2
3746 3710 3 2
3746 3561 2 2
3746 3599 3 2
3216 3709 29 2
3216 3747 3 2
3903 3341 2 2

3903 3379 3 2
3903 3451 2 2
3903 3489 3 2
3903 3561 2 2
3903 3599 3 2
3820 3671 108 2
3820 3710 3 2
4803 4665 0 2
3350 3937 2 2
3412 3937 3 2
3480 3790 48 2
3480 3728 50 2
3535 3888 2 2
3535 3926 3 2
3374 3751 2 2
3374 3713 3 2
3433 3778 48 2
3433 3740 50 2
4883 4039 202 2
4883 4101 107 2
4824 3479 203 2
4824 3417 108 2
3978 4112 107 2
3978 4150 3 2
3978 3561 108 2
3978 3599 3 2
3820 3451 108 2
3820 3489 3 2
3978 3451 108 2
3978 3489 3 2
4873 4244 35 2
4835 4244 34 2
4835 3275 39 2
4873 3275 38 2
4874 4150 107 2

4874 4188 35 2
4834 3369 108 2
4834 3331 39 2
4958 3929 231 2
4958 3991 202 2
4883 3929 231 2
4883 3991 202 2
4750 3590 232 2
4750 3528 203 2
4824 3590 232 2
4824 3528 203 2
2969 4334 2 2
3007 4334 3 2
2831 4334 2 2
2869 4334 3 2
3431 3889 2 2
3469 3889 3 2
3076 3958 29 2
3076 4020 3 2
4834 4150 202 2
4834 4188 34 2
4874 3369 203 2
4874 3331 38 2
5000 4188 41 2
5000 4150 110 2
4755 3331 52 2
4755 3369 106 2
4958 4039 202 2
4958 4101 107 2
4750 3479 203 2
4750 3417 108 2

NAILS: 19

5 3007 590 4 1

4 3007 657 1 1

6 2877 1220 43 1
3 3728 500 2 1
1 3728 433 5 1
2 3043 732 29 1
7 2535 791 30 1
12 3476 4370 3 2
11 3476 4468 4 2
10 3476 4566 1 2
8 3208 4566 5 2
9 3208 4370 2 2
13 2185 3710 187 2
14 2279 3811 3 2
16 2279 3728 11 2
15 2185 3791 8 2
17 2781 4377 29 2
18 4803 3929 226 2
19 4905 3590 227 2

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board view\example\example.bvr

*Resumo: BVRW_FORMAT_3 PART_NAME TP5 PART_SIDE T PART_ORIGIN 0.000 0.000
PART_MOUNT Other PIN_ID TP5-1 PIN_NUMBER 1 PIN_NAME 1 PIN_SIDE T PIN_ORIGIN
3007.0 590.0 PIN_RADIUS 24.0 PIN_NET /SCL PIN_TYPE 2 PIN_COMMENT PIN_END PA...*

BVRW_FORMAT_3

PART_NAME TP5

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP5-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3007.0 590.0

PIN_RADIUS 24.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP4

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP4-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3007.0 657.0

PIN_RADIUS 24.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME FID1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FID1-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2283.0 59.0

PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME FID2

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FID2-

PIN_NUMBER

PIN_NAME
PIN_SIDE T
PIN_ORIGIN 4803.0 1870.0
PIN_RADIUS 18.0
PIN_NET
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C30
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C30-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 5000.0 469.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C30-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 5000.0 507.0
PIN_RADIUS 14.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R22

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R22-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 491.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/U4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R22-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2322.0 453.0

PIN_RADIUS 14.0

PIN_NET Net-(D9-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R23

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R23-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 412.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/U5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R23-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2322.0 374.0

PIN_RADIUS 14.0

PIN_NET Net-(D10-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP6

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP6-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2877.0 1220.0
PIN_RADIUS 24.0
PIN_NET /CLKREF
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R9
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R9-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2960.0 754.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R9-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2987.0 781.0
PIN_RADIUS 14.0

PIN_NET /~{FPGA_RESET}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2592.0 1092.0

PIN_RADIUS 6.0

PIN_NET /RD

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2592.0 1072.0

PIN_RADIUS 6.0

PIN_NET /WR

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-3

PIN_NUMBER 3

PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 2592.0 1053.0
PIN_RADIUS 6.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 2592.0 1033.0
PIN_RADIUS 6.0
PIN_NET /XTALOUT
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 2592.0 1013.0
PIN_RADIUS 6.0
PIN_NET /XTALIN
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T

PIN_ORIGIN 2592.0 994.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 2592.0 974.0
PIN_RADIUS 6.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 2592.0 954.0
PIN_RADIUS 6.0
PIN_NET /USB_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-9
PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 2592.0 935.0
PIN_RADIUS 6.0

PIN_NET /USB_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-10
PIN_NUMBER 10
PIN_NAME 10
PIN_SIDE T
PIN_ORIGIN 2592.0 915.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-11
PIN_NUMBER 11
PIN_NAME 11
PIN_SIDE T
PIN_ORIGIN 2592.0 895.0
PIN_RADIUS 6.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-12
PIN_NUMBER 12
PIN_NAME 12
PIN_SIDE T
PIN_ORIGIN 2592.0 875.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 2592.0 856.0

PIN_RADIUS 6.0

PIN_NET /CLKIF

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 2592.0 836.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-15

PIN_NUMBER 15

PIN_NAME 15

PIN_SIDE T

PIN_ORIGIN 2622.0 807.0

PIN_RADIUS 6.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-16

PIN_NUMBER 16

PIN_NAME 16

PIN_SIDE T

PIN_ORIGIN 2641.0 807.0

PIN_RADIUS 6.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-17

PIN_NUMBER 17

PIN_NAME 17

PIN_SIDE T

PIN_ORIGIN 2661.0 807.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-18

PIN_NUMBER 18

PIN_NAME 18

PIN_SIDE T

PIN_ORIGIN 2681.0 807.0

PIN_RADIUS 6.0

PIN_NET /D0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-19

PIN_NUMBER 19

PIN_NAME 19

PIN_SIDE T
PIN_ORIGIN 2700.0 807.0
PIN_RADIUS 6.0
PIN_NET /D1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-20
PIN_NUMBER 20
PIN_NAME 20
PIN_SIDE T
PIN_ORIGIN 2720.0 807.0
PIN_RADIUS 6.0
PIN_NET /D2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-21
PIN_NUMBER 21
PIN_NAME 21
PIN_SIDE T
PIN_ORIGIN 2740.0 807.0
PIN_RADIUS 6.0
PIN_NET /D3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-22
PIN_NUMBER 22
PIN_NAME 22
PIN_SIDE T
PIN_ORIGIN 2759.0 807.0

PIN_RADIUS 6.0
PIN_NET /D4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-23
PIN_NUMBER 23
PIN_NAME 23
PIN_SIDE T
PIN_ORIGIN 2779.0 807.0
PIN_RADIUS 6.0
PIN_NET /D5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-24
PIN_NUMBER 24
PIN_NAME 24
PIN_SIDE T
PIN_ORIGIN 2799.0 807.0
PIN_RADIUS 6.0
PIN_NET /D6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-25
PIN_NUMBER 25
PIN_NAME 25
PIN_SIDE T
PIN_ORIGIN 2818.0 807.0
PIN_RADIUS 6.0
PIN_NET /D7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-26

PIN_NUMBER 26

PIN_NAME 26

PIN_SIDE T

PIN_ORIGIN 2838.0 807.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-27

PIN_NUMBER 27

PIN_NAME 27

PIN_SIDE T

PIN_ORIGIN 2858.0 807.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-28

PIN_NUMBER 28

PIN_NAME 28

PIN_SIDE T

PIN_ORIGIN 2877.0 807.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-29

PIN_NUMBER 29

PIN_NAME 29

PIN_SIDE T

PIN_ORIGIN 2907.0 836.0

PIN_RADIUS 6.0

PIN_NET /FLAGA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-30

PIN_NUMBER 30

PIN_NAME 30

PIN_SIDE T

PIN_ORIGIN 2907.0 856.0

PIN_RADIUS 6.0

PIN_NET /FLAGB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-31

PIN_NUMBER 31

PIN_NAME 31

PIN_SIDE T

PIN_ORIGIN 2907.0 875.0

PIN_RADIUS 6.0

PIN_NET /FLAGC

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-32

PIN_NUMBER 32
PIN_NAME 32
PIN_SIDE T
PIN_ORIGIN 2907.0 895.0
PIN_RADIUS 6.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-33
PIN_NUMBER 33
PIN_NAME 33
PIN_SIDE T
PIN_ORIGIN 2907.0 915.0
PIN_RADIUS 6.0
PIN_NET /~{ALERT}
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-34
PIN_NUMBER 34
PIN_NAME 34
PIN_SIDE T
PIN_ORIGIN 2907.0 935.0
PIN_RADIUS 6.0
PIN_NET /~{FPGA_RESET}
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-35
PIN_NUMBER 35
PIN_NAME 35

PIN_SIDE T
PIN_ORIGIN 2907.0 954.0

PIN_RADIUS 6.0

PIN_NET /OE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-36

PIN_NUMBER 36

PIN_NAME 36

PIN_SIDE T

PIN_ORIGIN 2907.0 974.0

PIN_RADIUS 6.0

PIN_NET /FPGA_DONE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-37

PIN_NUMBER 37

PIN_NAME 37

PIN_SIDE T

PIN_ORIGIN 2907.0 994.0

PIN_RADIUS 6.0

PIN_NET /A0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-38

PIN_NUMBER 38

PIN_NAME 38

PIN_SIDE T

PIN_ORIGIN 2907.0 1013.0

PIN_RADIUS 6.0
PIN_NET /A1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-39
PIN_NUMBER 39
PIN_NAME 39
PIN_SIDE T
PIN_ORIGIN 2907.0 1033.0
PIN_RADIUS 6.0
PIN_NET /PKTEND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-40
PIN_NUMBER 40
PIN_NAME 40
PIN_SIDE T
PIN_ORIGIN 2907.0 1053.0
PIN_RADIUS 6.0
PIN_NET /FLAGD
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-41
PIN_NUMBER 41
PIN_NAME 41
PIN_SIDE T
PIN_ORIGIN 2907.0 1072.0
PIN_RADIUS 6.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-42

PIN_NUMBER 42

PIN_NAME 42

PIN_SIDE T

PIN_ORIGIN 2907.0 1092.0

PIN_RADIUS 6.0

PIN_NET /~{CY_RESET}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-43

PIN_NUMBER 43

PIN_NAME 43

PIN_SIDE T

PIN_ORIGIN 2877.0 1122.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-44

PIN_NUMBER 44

PIN_NAME 44

PIN_SIDE T

PIN_ORIGIN 2858.0 1122.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-45

PIN_NUMBER 45

PIN_NAME 45

PIN_SIDE T

PIN_ORIGIN 2838.0 1122.0

PIN_RADIUS 6.0

PIN_NET /ENVA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-46

PIN_NUMBER 46

PIN_NAME 46

PIN_SIDE T

PIN_ORIGIN 2818.0 1122.0

PIN_RADIUS 6.0

PIN_NET unconnected-(U1-PD1{slash}FD9-Pad46)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-47

PIN_NUMBER 47

PIN_NAME 47

PIN_SIDE T

PIN_ORIGIN 2799.0 1122.0

PIN_RADIUS 6.0

PIN_NET /LED_CY

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-48

PIN_NUMBER 48

PIN_NAME 48
PIN_SIDE T
PIN_ORIGIN 2779.0 1122.0
PIN_RADIUS 6.0
PIN_NET /LED_FPGA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-49
PIN_NUMBER 49
PIN_NAME 49
PIN_SIDE T
PIN_ORIGIN 2759.0 1122.0
PIN_RADIUS 6.0
PIN_NET /LED_ACT
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-50
PIN_NUMBER 50
PIN_NAME 50
PIN_SIDE T
PIN_ORIGIN 2740.0 1122.0
PIN_RADIUS 6.0
PIN_NET /LED_ERR
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-51
PIN_NUMBER 51
PIN_NAME 51
PIN_SIDE T

PIN_ORIGIN 2720.0 1122.0
PIN_RADIUS 6.0
PIN_NET /ENVB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-52
PIN_NUMBER 52
PIN_NAME 52
PIN_SIDE T
PIN_ORIGIN 2700.0 1122.0
PIN_RADIUS 6.0
PIN_NET unconnected-(U1-PD7{slash}FD15-Pad52)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-53
PIN_NUMBER 53
PIN_NAME 53
PIN_SIDE T
PIN_ORIGIN 2681.0 1122.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-54
PIN_NUMBER 54
PIN_NAME 54
PIN_SIDE T
PIN_ORIGIN 2661.0 1122.0
PIN_RADIUS 6.0

PIN_NET /CLKREF

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-55

PIN_NUMBER 55

PIN_NAME 55

PIN_SIDE T

PIN_ORIGIN 2641.0 1122.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-56

PIN_NUMBER 56

PIN_NAME 56

PIN_SIDE T

PIN_ORIGIN 2622.0 1122.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2650.0 1064.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2650.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2650.0 964.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2650.0 914.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2650.0 864.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2700.0 1064.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2700.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2700.0 964.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2700.0 914.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2700.0 864.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T

PIN_ORIGIN 2750.0 1064.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2750.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2750.0 964.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2750.0 964.0

PIN_RADIUS 150.0

PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2750.0 964.0
PIN_RADIUS 153.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2750.0 914.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2750.0 864.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2800.0 1064.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2800.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2800.0 964.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2800.0 914.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2800.0 864.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T

PIN_ORIGIN 2850.0 1064.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-57

PIN_NUMBER 57

PIN_NAME 57

PIN_SIDE T
PIN_ORIGIN 2850.0 1014.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2850.0 964.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2850.0 914.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U1-57
PIN_NUMBER 57
PIN_NAME 57
PIN_SIDE T
PIN_ORIGIN 2850.0 864.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2688.0 1025.0

PIN_RADIUS 63.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2688.0 903.0

PIN_RADIUS 63.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2811.0 1025.0

PIN_RADIUS 63.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U1-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2811.0 903.0

PIN_RADIUS 63.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R33

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R33-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4759.0 1134.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_A/VDAC

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R33-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4759.0 1172.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_A/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D6

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D6-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2213.0 708.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D6-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2275.0 708.0

PIN_RADIUS 21.0

PIN_NET Net-(D6-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D8

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D8-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2213.0 551.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D8-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2275.0 551.0

PIN_RADIUS 21.0

PIN_NET Net-(D8-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D5

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D5-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2213.0 1220.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D5-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2275.0 1220.0

PIN_RADIUS 21.0

PIN_NET Net-(D5-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D4

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D4-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2213.0 1299.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID D4-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2275.0 1299.0
PIN_RADIUS 21.0
PIN_NET Net-(D4-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME D3

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID D3-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2213.0 1377.0
PIN_RADIUS 21.0

PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D3-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2275.0 1377.0
PIN_RADIUS 21.0
PIN_NET Net-(D3-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME D2
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID D2-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2213.0 1456.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END
PIN_ID D2-2

PIN_NUMBER 2
PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2275.0 1456.0

PIN_RADIUS 21.0

PIN_NET Net-(D2-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R14

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R14-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 1358.0

PIN_RADIUS 14.0

PIN_NET /LED_FPGA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R14-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2322.0 1397.0

PIN_RADIUS 14.0

PIN_NET Net-(D3-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R15

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R15-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 1280.0

PIN_RADIUS 14.0

PIN_NET /LED_ACT

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R15-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2322.0 1318.0

PIN_RADIUS 14.0

PIN_NET Net-(D4-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R20

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R20-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 649.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/U2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R20-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2322.0 610.0

PIN_RADIUS 14.0

PIN_NET Net-(D7-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U27

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U27-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3903.0 824.0
PIN_RADIUS 9.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U27-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3903.0 799.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U27-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3903.0 773.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/X3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U27-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T

PIN_ORIGIN 3978.0 773.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/Y3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U27-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3978.0 799.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/DB3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U27-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3978.0 824.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/VI0B
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U26
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD
PIN_ID U26-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3903.0 935.0
PIN_RADIUS 9.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U26-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3903.0 909.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U26-3

PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3903.0 883.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/X1
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U26-4

PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3978.0 883.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/Y1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U26-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3978.0 909.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/DB1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U26-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3978.0 935.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/VIOB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME U17
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U17-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3903.0 1155.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U17-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3903.0 1129.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U17-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3903.0 1104.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U17-4

PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3978.0 1104.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_A/Y5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U17-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3978.0 1129.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/DA5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U17-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3978.0 1155.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME U10
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U10-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 1045.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U10-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 1019.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U10-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 994.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U10-4

PIN_NUMBER 4

PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3820.0 994.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_A/Y6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U10-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3820.0 1019.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/DA6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U10-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3820.0 1045.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME U9
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U9-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 1155.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U9-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 1129.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U9-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 1104.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U9-4

PIN_NUMBER 4

PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3820.0 1104.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_A/Y4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U9-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3820.0 1129.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/DA4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U9-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3820.0 1155.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME U6
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U6-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 1265.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U6-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 1240.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U6-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 1214.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U6-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3820.0 1214.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/Y2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U6-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3820.0 1240.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DA2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U6-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3820.0 1265.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U22

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U22-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 935.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U22-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 909.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U22-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 883.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/X0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U22-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3820.0 883.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/Y0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U22-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3820.0 909.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DB0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U22-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3820.0 935.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VI0B

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U24

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U24-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 714.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U24-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 688.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U24-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 663.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/X4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U24-4

PIN_NUMBER 4
PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3820.0 663.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/Y4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U24-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3820.0 688.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DB4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U24-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3820.0 714.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VI0B

PIN_TYPE 2

PIN_COMMENT

PIN_END
PART_END
PART_NAME U25

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U25-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 604.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U25-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 578.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U25-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 553.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/X6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U25-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3820.0 553.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/Y6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U25-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3820.0 578.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DB6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U25-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3820.0 604.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C57

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C57-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4759.0 1283.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C57-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4721.0 1283.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME D1
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID D1-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2213.0 1535.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D1-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2275.0 1535.0
PIN_RADIUS 21.0
PIN_NET Net-(D1-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME J9
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID J9-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4244.0 1275.0
PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P0
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4294.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4344.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4394.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4444.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4494.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4544.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J9-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4594.0 1275.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/P7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME J6

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID J6-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4594.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4544.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4494.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4444.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4394.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4344.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4294.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J6-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4244.0 452.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END
PART_NAME C82

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C82-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4996.0 1138.0

PIN_RADIUS 21.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C82-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4996.0 1200.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C31

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C31-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4712.0 790.0

PIN_RADIUS 21.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C31-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4712.0 728.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C53

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C53-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4885.0 641.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C53-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4823.0 641.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R28

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R28-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4948.0 719.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_B/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R28-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4948.0 681.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R27

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R27-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4948.0 794.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_B/VDAC

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R27-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4948.0 756.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_B/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME FID3

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FID3-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 4803.0 59.0

PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME FID8

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FID8-~

PIN_NUMBER ~

PIN_NAME ~
PIN_SIDE T
PIN_ORIGIN 3094.0 1165.0
PIN_RADIUS 12.0
PIN_NET
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C59
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C59-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4948.0 1150.0
PIN_RADIUS 14.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C59-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4948.0 1188.0
PIN_RADIUS 14.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R34

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R34-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4759.0 1209.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_A/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R34-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4759.0 1247.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C12

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C12-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2336.0 1037.0

PIN_RADIUS 14.0

PIN_NET /XTALIN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C12-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2336.0 1076.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R16

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R16-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2322.0 1201.0
PIN_RADIUS 14.0
PIN_NET /LED_ERR
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R16-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2322.0 1239.0
PIN_RADIUS 14.0
PIN_NET Net- (D5-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R17
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R17-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2988.0 1169.0
PIN_RADIUS 14.0

PIN_NET /~{ALERT}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R17-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3026.0 1169.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R12

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R12-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 1516.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R12-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2322.0 1554.0
PIN_RADIUS 14.0
PIN_NET Net-(D1-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R13
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R13-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2322.0 1437.0
PIN_RADIUS 14.0
PIN_NET /LED_CY
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R13-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2322.0 1475.0
PIN_RADIUS 14.0

PIN_NET Net-(D2-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME Y1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID Y1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2393.0 1053.0

PIN_RADIUS 29.0

PIN_NET /XTALIN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID Y1-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2480.0 1053.0

PIN_RADIUS 29.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID Y1-3

PIN_NUMBER 3

PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 2480.0 1120.0
PIN_RADIUS 29.0
PIN_NET /XTALOUT
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID Y1-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 2393.0 1120.0
PIN_RADIUS 29.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PART_END

PART_NAME U30
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U30-A1
PIN_NUMBER A1
PIN_NAME A1
PIN_SIDE T
PIN_ORIGIN 3452.0 1122.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/QA0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A2

PIN_NUMBER A2

PIN_NAME A2

PIN_SIDE T

PIN_ORIGIN 3452.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A3

PIN_NUMBER A3

PIN_NAME A3

PIN_SIDE T

PIN_ORIGIN 3452.0 1059.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A4

PIN_NUMBER A4

PIN_NAME A4

PIN_SIDE T

PIN_ORIGIN 3452.0 1027.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A5

PIN_NUMBER A5

PIN_NAME A5

PIN_SIDE T

PIN_ORIGIN 3452.0 996.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A6

PIN_NUMBER A6

PIN_NAME A6

PIN_SIDE T

PIN_ORIGIN 3452.0 964.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A7

PIN_NUMBER A7

PIN_NAME A7

PIN_SIDE T

PIN_ORIGIN 3452.0 933.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DA3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-A8

PIN_NUMBER A8
PIN_NAME A8
PIN_SIDE T
PIN_ORIGIN 3452.0 901.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DA5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-A9
PIN_NUMBER A9
PIN_NAME A9
PIN_SIDE T
PIN_ORIGIN 3452.0 870.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DA7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-A10
PIN_NUMBER A10
PIN_NAME A10
PIN_SIDE T
PIN_ORIGIN 3452.0 838.0
PIN_RADIUS 8.0
PIN_NET Net-(U30A-IOT_170)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-A11
PIN_NUMBER A11
PIN_NAME A11

PIN_SIDE T

PIN_ORIGIN 3452.0 807.0

PIN_RADIUS 8.0

PIN_NET Net-(U30A-IOT_168)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B1

PIN_NUMBER B1

PIN_NAME B1

PIN_SIDE T

PIN_ORIGIN 3421.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z0_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B2

PIN_NUMBER B2

PIN_NAME B2

PIN_SIDE T

PIN_ORIGIN 3421.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z0_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B3

PIN_NUMBER B3

PIN_NAME B3

PIN_SIDE T

PIN_ORIGIN 3421.0 1059.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B4

PIN_NUMBER B4

PIN_NAME B4

PIN_SIDE T

PIN_ORIGIN 3421.0 1027.0

PIN_RADIUS 8.0

PIN_NET Net-(U30A-IOT_219)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B5

PIN_NUMBER B5

PIN_NAME B5

PIN_SIDE T

PIN_ORIGIN 3421.0 996.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B6

PIN_NUMBER B6

PIN_NAME B6

PIN_SIDE T

PIN_ORIGIN 3421.0 964.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B7

PIN_NUMBER B7

PIN_NAME B7

PIN_SIDE T

PIN_ORIGIN 3421.0 933.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QA6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B8

PIN_NUMBER B8

PIN_NAME B8

PIN_SIDE T

PIN_ORIGIN 3421.0 901.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DA4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B9

PIN_NUMBER B9

PIN_NAME B9

PIN_SIDE T

PIN_ORIGIN 3421.0 870.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DA6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B10

PIN_NUMBER B10

PIN_NAME B10

PIN_SIDE T

PIN_ORIGIN 3421.0 838.0

PIN_RADIUS 8.0

PIN_NET unconnected-(U30E-VPP_FAST-PadB10)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-B11

PIN_NUMBER B11

PIN_NAME B11

PIN_SIDE T

PIN_ORIGIN 3421.0 807.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QB0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-C1

PIN_NUMBER C1

PIN_NAME C1

PIN_SIDE T

PIN_ORIGIN 3389.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z2_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-C2

PIN_NUMBER C2
PIN_NAME C2
PIN_SIDE T
PIN_ORIGIN 3389.0 1090.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/Z2_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-C3
PIN_NUMBER C3
PIN_NAME C3
PIN_SIDE T
PIN_ORIGIN 3389.0 1059.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/Z1_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-C4
PIN_NUMBER C4
PIN_NAME C4
PIN_SIDE T
PIN_ORIGIN 3389.0 1027.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/Z1_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-C5
PIN_NUMBER C5
PIN_NAME C5

PIN_SIDE T
PIN_ORIGIN 3389.0 996.0
PIN_RADIUS 8.0
PIN_NET /GNDPLL1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-C6
PIN_NUMBER C6
PIN_NAME C6
PIN_SIDE T
PIN_ORIGIN 3389.0 964.0
PIN_RADIUS 8.0
PIN_NET /VCCPLL1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-C7
PIN_NUMBER C7
PIN_NAME C7
PIN_SIDE T
PIN_ORIGIN 3389.0 933.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DA0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-C8
PIN_NUMBER C8
PIN_NAME C8
PIN_SIDE T
PIN_ORIGIN 3389.0 901.0

PIN_RADIUS 8.0
PIN_NET /IO_Banks/DA1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-C9

PIN_NUMBER C9

PIN_NAME C9

PIN_SIDE T

PIN_ORIGIN 3389.0 870.0

PIN_RADIUS 8.0

PIN_NET Net-(U30A-IOT_172)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-C10

PIN_NUMBER C10

PIN_NAME C10

PIN_SIDE T

PIN_ORIGIN 3389.0 838.0

PIN_RADIUS 8.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-C11

PIN_NUMBER C11

PIN_NAME C11

PIN_SIDE T

PIN_ORIGIN 3389.0 807.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QB1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-D1

PIN_NUMBER D1

PIN_NAME D1

PIN_SIDE T

PIN_ORIGIN 3358.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z3_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-D2

PIN_NUMBER D2

PIN_NAME D2

PIN_SIDE T

PIN_ORIGIN 3358.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z4_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-D3

PIN_NUMBER D3

PIN_NAME D3

PIN_SIDE T

PIN_ORIGIN 3358.0 1059.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z4_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-D4
PIN_NUMBER D4
PIN_NAME D4
PIN_SIDE T
PIN_ORIGIN 3358.0 1027.0
PIN_RADIUS 8.0
PIN_NET +1V2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D5
PIN_NUMBER D5
PIN_NAME D5
PIN_SIDE T
PIN_ORIGIN 3358.0 996.0
PIN_RADIUS 8.0
PIN_NET /CLKREF
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D6
PIN_NUMBER D6
PIN_NAME D6
PIN_SIDE T
PIN_ORIGIN 3358.0 964.0
PIN_RADIUS 8.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D7
PIN_NUMBER D7

PIN_NAME D7
PIN_SIDE T
PIN_ORIGIN 3358.0 933.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DA2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D8
PIN_NUMBER D8
PIN_NAME D8
PIN_SIDE T
PIN_ORIGIN 3358.0 901.0
PIN_RADIUS 8.0
PIN_NET +1V2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D9
PIN_NUMBER D9
PIN_NAME D9
PIN_SIDE T
PIN_ORIGIN 3358.0 870.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/U4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D10
PIN_NUMBER D10
PIN_NAME D10
PIN_SIDE T

PIN_ORIGIN 3358.0 838.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/QB2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-D11
PIN_NUMBER D11
PIN_NAME D11
PIN_SIDE T
PIN_ORIGIN 3358.0 807.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/QB3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-E1
PIN_NUMBER E1
PIN_NAME E1
PIN_SIDE T
PIN_ORIGIN 3326.0 1122.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/Z3_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-E2
PIN_NUMBER E2
PIN_NAME E2
PIN_SIDE T
PIN_ORIGIN 3326.0 1090.0
PIN_RADIUS 8.0

```
PIN_NET /IO_Banks/Z5_P

PIN_TYPE 2

PIN_COMMENT

PIN_END
PIN_ID U30-E3

PIN_NUMBER E3

PIN_NAME E3

PIN_SIDE T

PIN_ORIGIN 3326.0 1059.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z5_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-E4

PIN_NUMBER E4

PIN_NAME E4

PIN_SIDE T

PIN_ORIGIN 3326.0 1027.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/VIO_AUX

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-E5

PIN_NUMBER E5

PIN_NAME E5

PIN_SIDE T

PIN_ORIGIN 3326.0 996.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT
```

PIN_END

PIN_ID U30-E6

PIN_NUMBER E6

PIN_NAME E6

PIN_SIDE T

PIN_ORIGIN 3326.0 964.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-E7

PIN_NUMBER E7

PIN_NAME E7

PIN_SIDE T

PIN_ORIGIN 3326.0 933.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-E8

PIN_NUMBER E8

PIN_NAME E8

PIN_SIDE T

PIN_ORIGIN 3326.0 901.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/U5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-E9

PIN_NUMBER E9

PIN_NAME E9
PIN_SIDE T
PIN_ORIGIN 3326.0 870.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/U3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-E10
PIN_NUMBER E10
PIN_NAME E10
PIN_SIDE T
PIN_ORIGIN 3326.0 838.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/QB4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-E11
PIN_NUMBER E11
PIN_NAME E11
PIN_SIDE T
PIN_ORIGIN 3326.0 807.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/QB5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-F1
PIN_NUMBER F1
PIN_NAME F1
PIN_SIDE T

PIN_ORIGIN 3295.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z6_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F2

PIN_NUMBER F2

PIN_NAME F2

PIN_SIDE T

PIN_ORIGIN 3295.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z6_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F3

PIN_NUMBER F3

PIN_NAME F3

PIN_SIDE T

PIN_ORIGIN 3295.0 1059.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z7_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F4

PIN_NUMBER F4

PIN_NAME F4

PIN_SIDE T

PIN_ORIGIN 3295.0 1027.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z7_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F5

PIN_NUMBER F5

PIN_NAME F5

PIN_SIDE T

PIN_ORIGIN 3295.0 996.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F6

PIN_NUMBER F6

PIN_NAME F6

PIN_SIDE T

PIN_ORIGIN 3295.0 964.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F7

PIN_NUMBER F7

PIN_NAME F7

PIN_SIDE T

PIN_ORIGIN 3295.0 933.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F8

PIN_NUMBER F8

PIN_NAME F8

PIN_SIDE T

PIN_ORIGIN 3295.0 901.0

PIN_RADIUS 8.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F9

PIN_NUMBER F9

PIN_NAME F9

PIN_SIDE T

PIN_ORIGIN 3295.0 870.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DB0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F10

PIN_NUMBER F10

PIN_NAME F10

PIN_SIDE T

PIN_ORIGIN 3295.0 838.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QB7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-F11

PIN_NUMBER F11

PIN_NAME F11

PIN_SIDE T

PIN_ORIGIN 3295.0 807.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/QB6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-G1

PIN_NUMBER G1

PIN_NAME G1

PIN_SIDE T

PIN_ORIGIN 3263.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z8_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-G2

PIN_NUMBER G2

PIN_NAME G2

PIN_SIDE T

PIN_ORIGIN 3263.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z8_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-G3

PIN_NUMBER G3

PIN_NAME G3
PIN_SIDE T
PIN_ORIGIN 3263.0 1059.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/Z9_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-G4
PIN_NUMBER G4
PIN_NAME G4
PIN_SIDE T
PIN_ORIGIN 3263.0 1027.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/VIO_AUX
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-G5
PIN_NUMBER G5
PIN_NAME G5
PIN_SIDE T
PIN_ORIGIN 3263.0 996.0
PIN_RADIUS 8.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-G6
PIN_NUMBER G6
PIN_NAME G6
PIN_SIDE T

PIN_ORIGIN 3263.0 964.0
PIN_RADIUS 8.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-G7
PIN_NUMBER G7
PIN_NAME G7
PIN_SIDE T
PIN_ORIGIN 3263.0 933.0
PIN_RADIUS 8.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-G8
PIN_NUMBER G8
PIN_NAME G8
PIN_SIDE T
PIN_ORIGIN 3263.0 901.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/U2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-G9
PIN_NUMBER G9
PIN_NAME G9
PIN_SIDE T
PIN_ORIGIN 3263.0 870.0
PIN_RADIUS 8.0

PIN_NET /IO_Banks/U1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-G10

PIN_NUMBER G10

PIN_NAME G10

PIN_SIDE T

PIN_ORIGIN 3263.0 838.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DB2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-G11

PIN_NUMBER G11

PIN_NAME G11

PIN_SIDE T

PIN_ORIGIN 3263.0 807.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DB1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H1

PIN_NUMBER H1

PIN_NAME H1

PIN_SIDE T

PIN_ORIGIN 3232.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z10_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H2

PIN_NUMBER H2

PIN_NAME H2

PIN_SIDE T

PIN_ORIGIN 3232.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z10_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H3

PIN_NUMBER H3

PIN_NAME H3

PIN_SIDE T

PIN_ORIGIN 3232.0 1059.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z9_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H4

PIN_NUMBER H4

PIN_NAME H4

PIN_SIDE T

PIN_ORIGIN 3232.0 1027.0

PIN_RADIUS 8.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H5

PIN_NUMBER H5

PIN_NAME H5

PIN_SIDE T

PIN_ORIGIN 3232.0 996.0

PIN_RADIUS 8.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H6

PIN_NUMBER H6

PIN_NAME H6

PIN_SIDE T

PIN_ORIGIN 3232.0 964.0

PIN_RADIUS 8.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H7

PIN_NUMBER H7

PIN_NAME H7

PIN_SIDE T

PIN_ORIGIN 3232.0 933.0

PIN_RADIUS 8.0

PIN_NET /D0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-H8

PIN_NUMBER H8

PIN_NAME H8
PIN_SIDE T
PIN_ORIGIN 3232.0 901.0
PIN_RADIUS 8.0
PIN_NET +1V2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-H9
PIN_NUMBER H9
PIN_NAME H9
PIN_SIDE T
PIN_ORIGIN 3232.0 870.0
PIN_RADIUS 8.0
PIN_NET /SCL
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-H10
PIN_NUMBER H10
PIN_NAME H10
PIN_SIDE T
PIN_ORIGIN 3232.0 838.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DB4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-H11
PIN_NUMBER H11
PIN_NAME H11
PIN_SIDE T

PIN_ORIGIN 3232.0 807.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DB3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J1

PIN_NUMBER J1

PIN_NAME J1

PIN_SIDE T

PIN_ORIGIN 3200.0 1122.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z11_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J2

PIN_NUMBER J2

PIN_NAME J2

PIN_SIDE T

PIN_ORIGIN 3200.0 1090.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z12_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J3

PIN_NUMBER J3

PIN_NAME J3

PIN_SIDE T

PIN_ORIGIN 3200.0 1059.0

PIN_RADIUS 8.0

PIN_NET /FLAGD
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-J4
PIN_NUMBER J4
PIN_NAME J4
PIN_SIDE T
PIN_ORIGIN 3200.0 1027.0
PIN_RADIUS 8.0
PIN_NET /WR
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-J5
PIN_NUMBER J5
PIN_NAME J5
PIN_SIDE T
PIN_ORIGIN 3200.0 996.0
PIN_RADIUS 8.0
PIN_NET /RD
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-J6
PIN_NUMBER J6
PIN_NAME J6
PIN_SIDE T
PIN_ORIGIN 3200.0 964.0
PIN_RADIUS 8.0
PIN_NET /VCCPLL0
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J7

PIN_NUMBER J7

PIN_NAME J7

PIN_SIDE T

PIN_ORIGIN 3200.0 933.0

PIN_RADIUS 8.0

PIN_NET /D1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J8

PIN_NUMBER J8

PIN_NAME J8

PIN_SIDE T

PIN_ORIGIN 3200.0 901.0

PIN_RADIUS 8.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J9

PIN_NUMBER J9

PIN_NAME J9

PIN_SIDE T

PIN_ORIGIN 3200.0 870.0

PIN_RADIUS 8.0

PIN_NET /D2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-J10

PIN_NUMBER J10

PIN_NAME J10
PIN_SIDE T
PIN_ORIGIN 3200.0 838.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DB6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-J11
PIN_NUMBER J11
PIN_NAME J11
PIN_SIDE T
PIN_ORIGIN 3200.0 807.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/DB5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-K1
PIN_NUMBER K1
PIN_NAME K1
PIN_SIDE T
PIN_ORIGIN 3169.0 1122.0
PIN_RADIUS 8.0
PIN_NET /IO_Banks/Z11_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-K2
PIN_NUMBER K2
PIN_NAME K2
PIN_SIDE T

PIN_ORIGIN 3169.0 1090.0
PIN_RADIUS 8.0

PIN_NET /IO_Banks/Z12_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K3

PIN_NUMBER K3

PIN_NAME K3

PIN_SIDE T

PIN_ORIGIN 3169.0 1059.0

PIN_RADIUS 8.0

PIN_NET /A0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K4

PIN_NUMBER K4

PIN_NAME K4

PIN_SIDE T

PIN_ORIGIN 3169.0 1027.0

PIN_RADIUS 8.0

PIN_NET /~{ALERT}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K5

PIN_NUMBER K5

PIN_NAME K5

PIN_SIDE T

PIN_ORIGIN 3169.0 996.0

PIN_RADIUS 8.0

PIN_NET /FLAGB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K6

PIN_NUMBER K6

PIN_NAME K6

PIN_SIDE T

PIN_ORIGIN 3169.0 964.0

PIN_RADIUS 8.0

PIN_NET /CLKIF

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K7

PIN_NUMBER K7

PIN_NAME K7

PIN_SIDE T

PIN_ORIGIN 3169.0 933.0

PIN_RADIUS 8.0

PIN_NET /D7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K8

PIN_NUMBER K8

PIN_NAME K8

PIN_SIDE T

PIN_ORIGIN 3169.0 901.0

PIN_RADIUS 8.0

PIN_NET /FPGA_DONE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K9

PIN_NUMBER K9

PIN_NAME K9

PIN_SIDE T

PIN_ORIGIN 3169.0 870.0

PIN_RADIUS 8.0

PIN_NET /D5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K10

PIN_NUMBER K10

PIN_NAME K10

PIN_SIDE T

PIN_ORIGIN 3169.0 838.0

PIN_RADIUS 8.0

PIN_NET /D3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-K11

PIN_NUMBER K11

PIN_NAME K11

PIN_SIDE T

PIN_ORIGIN 3169.0 807.0

PIN_RADIUS 8.0

PIN_NET /IO_Banks/DB7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U30-L1

PIN_NUMBER L1
PIN_NAME L1
PIN_SIDE T
PIN_ORIGIN 3137.0 1122.0
PIN_RADIUS 8.0
PIN_NET /PKTEND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L2
PIN_NUMBER L2
PIN_NAME L2
PIN_SIDE T
PIN_ORIGIN 3137.0 1090.0
PIN_RADIUS 8.0
PIN_NET /A1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L3
PIN_NUMBER L3
PIN_NAME L3
PIN_SIDE T
PIN_ORIGIN 3137.0 1059.0
PIN_RADIUS 8.0
PIN_NET /OE
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L4
PIN_NUMBER L4
PIN_NAME L4

PIN_SIDE T
PIN_ORIGIN 3137.0 1027.0
PIN_RADIUS 8.0
PIN_NET /FLAGC
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L5
PIN_NUMBER L5
PIN_NAME L5
PIN_SIDE T
PIN_ORIGIN 3137.0 996.0
PIN_RADIUS 8.0
PIN_NET /CLKREF
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L6
PIN_NUMBER L6
PIN_NAME L6
PIN_SIDE T
PIN_ORIGIN 3137.0 964.0
PIN_RADIUS 8.0
PIN_NET /GNDPLL0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L7
PIN_NUMBER L7
PIN_NAME L7
PIN_SIDE T
PIN_ORIGIN 3137.0 933.0

PIN_RADIUS 8.0
PIN_NET /FLAGA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L8
PIN_NUMBER L8
PIN_NAME L8
PIN_SIDE T
PIN_ORIGIN 3137.0 901.0
PIN_RADIUS 8.0
PIN_NET /D6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L9
PIN_NUMBER L9
PIN_NAME L9
PIN_SIDE T
PIN_ORIGIN 3137.0 870.0
PIN_RADIUS 8.0
PIN_NET /~{FPGA_RESET}
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L10
PIN_NUMBER L10
PIN_NAME L10
PIN_SIDE T
PIN_ORIGIN 3137.0 838.0
PIN_RADIUS 8.0
PIN_NET /D4

PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U30-L11
PIN_NUMBER L11
PIN_NAME L11
PIN_SIDE T
PIN_ORIGIN 3137.0 807.0
PIN_RADIUS 8.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C13
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C13-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2336.0 1114.0
PIN_RADIUS 14.0
PIN_NET /SHLD
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C13-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2297.0 1114.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U16

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U16-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3903.0 1265.0
PIN_RADIUS 9.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U16-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3903.0 1240.0
PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U16-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3903.0 1214.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U16-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3978.0 1214.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/Y3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U16-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3978.0 1240.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DA3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U16-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3978.0 1265.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U11

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U11-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3903.0 1375.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U11-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3903.0 1350.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END
PIN_ID U11-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3903.0 1324.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_A/X1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U11-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3978.0 1324.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_A/Y1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U11-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3978.0 1350.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DA1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U11-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3978.0 1375.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R21

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R21-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 570.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/U3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R21-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2322.0 532.0
PIN_RADIUS 14.0
PIN_NET Net-(D8-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME D9
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID D9-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2213.0 472.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D9-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2275.0 472.0

PIN_RADIUS 21.0

PIN_NET Net-(D9-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R11

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R11-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2322.0 727.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/U1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R11-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2322.0 689.0

PIN_RADIUS 14.0

PIN_NET Net-(D6-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D7

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D7-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2213.0 629.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D7-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2275.0 629.0

PIN_RADIUS 21.0

PIN_NET Net-(D7-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D10

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D10-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2213.0 393.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D10-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2275.0 393.0

PIN_RADIUS 21.0

PIN_NET Net-(D10-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R18

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R18-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4933.0 1500.0
PIN_RADIUS 14.0
PIN_NET /ENVA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R18-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4933.0 1538.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME J7
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID J7-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4594.0 652.0
PIN_RADIUS 24.0
PIN_NET /IO_Banks/IO_Buffer_B/P0

PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID J7-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4544.0 652.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/P1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J7-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4494.0 652.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/P2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J7-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4444.0 652.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/P3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J7-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4394.0 652.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/P4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J7-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4344.0 652.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/P5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J7-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4294.0 652.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/P6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J7-8

PIN_NUMBER 8

PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4244.0 652.0
PIN_RADIUS 24.0
PIN_NET /IO_Banks/IO_Buffer_B/P7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U14

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U14-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4811.0 777.0
PIN_RADIUS 15.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U14-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4811.0 740.0
PIN_RADIUS 15.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U14-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4811.0 702.0

PIN_RADIUS 15.0

PIN_NET /IO_Banks/IO_Buffer_B/VIO_EN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U14-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4897.0 702.0

PIN_RADIUS 15.0

PIN_NET /IO_Banks/IO_Buffer_B/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U14-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4897.0 777.0

PIN_RADIUS 15.0

PIN_NET Net-(U14-OUT)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C29

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C29-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4267.0 732.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C29-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4228.0 732.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C46

PART_SIDE T

PART_ORIGIN 0.000 0.000
PART_MOUNT SMD
PIN_ID C46-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4949.0 645.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C46-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4987.0 645.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R19
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R19-1
PIN_NUMBER 1
PIN_NAME 1

PIN_SIDE T
PIN_ORIGIN 4925.0 428.0
PIN_RADIUS 14.0
PIN_NET /ENVB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R19-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4925.0 390.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U18
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD
PIN_ID U18-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3903.0 1045.0
PIN_RADIUS 9.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U18-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3903.0 1019.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U18-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3903.0 994.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U18-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3978.0 994.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/Y7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U18-5

PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3978.0 1019.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/DA7
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U18-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3978.0 1045.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R40
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID R40-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2779.0 263.0
PIN_RADIUS 14.0

PIN_NET Net-(U3-A1)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R40-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2779.0 225.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U19

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U19-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4324.0 1184.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4324.0 1158.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4324.0 1132.0

PIN_RADIUS 9.0

PIN_NET Net-(U19--{RESET})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4324.0 1107.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4324.0 1081.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4324.0 1056.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4324.0 1030.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4324.0 1004.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-9

PIN_NUMBER 9

PIN_NAME 9

PIN_SIDE T

PIN_ORIGIN 4549.0 1004.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-10

PIN_NUMBER 10

PIN_NAME 10

PIN_SIDE T

PIN_ORIGIN 4549.0 1030.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 4549.0 1056.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-12

PIN_NUMBER 12

PIN_NAME 12

PIN_SIDE T

PIN_ORIGIN 4549.0 1081.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/P7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 4549.0 1107.0

PIN_RADIUS 9.0

PIN_NET unconnected-(U19-~{INT}-Pad13)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 4549.0 1132.0

PIN_RADIUS 9.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-15

PIN_NUMBER 15

PIN_NAME 15

PIN_SIDE T

PIN_ORIGIN 4549.0 1158.0

PIN_RADIUS 9.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U19-16

PIN_NUMBER 16

PIN_NAME 16

PIN_SIDE T

PIN_ORIGIN 4549.0 1184.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R39

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R39-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4055.0 896.0

PIN_RADIUS 14.0

PIN_NET Net-(D12-K)

PIN_TYPE 2

PIN_COMMENT

PIN_END
PIN_ID R39-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4055.0 934.0

PIN_RADIUS 14.0

PIN_NET Net-(U30A-IOT_170)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R43

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R43-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4055.0 1007.0

PIN_RADIUS 14.0

PIN_NET Net-(D13-K)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R43-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4055.0 969.0

PIN_RADIUS 14.0

PIN_NET Net-(U30A-IOT_172)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U28

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U28-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3903.0 714.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U28-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3903.0 688.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U28-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3903.0 663.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/X5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U28-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3978.0 663.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/Y5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U28-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3978.0 688.0
PIN_RADIUS 9.0

PIN_NET /IO_Banks/DB5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U28-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3978.0 714.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U23

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U23-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 824.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U23-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3746.0 799.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U23-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3746.0 773.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/X2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U23-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3820.0 773.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/Y2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U23-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T

PIN_ORIGIN 3820.0 799.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DB2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U23-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3820.0 824.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C22

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C22-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4607.0 724.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C22-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4645.0 724.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R44

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R44-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3399.0 467.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/~{SYNC}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R44-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T
PIN_ORIGIN 3399.0 505.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R36

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R36-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4606.0 771.0
PIN_RADIUS 14.0
PIN_NET Net-(U5-~{RESET})
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID R36-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4645.0 771.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R41

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R41-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4228.0 767.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R41-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4267.0 767.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C84

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C84-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4265.0 1186.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C84-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4265.0 1148.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C45

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C45-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4759.0 778.0
PIN_RADIUS 14.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C45-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4759.0 740.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U5
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U5-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4549.0 745.0
PIN_RADIUS 9.0
PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4549.0 770.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4549.0 796.0

PIN_RADIUS 9.0

PIN_NET Net-(U5--{RESET})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4549.0 821.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/P0

PIN_TYPE 2

PIN_COMMENT

PIN_END
PIN_ID U5-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4549.0 847.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/P1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4549.0 873.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/P2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4549.0 898.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/P3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-8

PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4549.0 924.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U5-9

PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 4324.0 924.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/P4
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U5-10

PIN_NUMBER 10
PIN_NAME 10
PIN_SIDE T
PIN_ORIGIN 4324.0 898.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/P5
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U5-11

PIN_NUMBER 11
PIN_NAME 11

PIN_SIDE T
PIN_ORIGIN 4324.0 873.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/P6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U5-12
PIN_NUMBER 12
PIN_NAME 12
PIN_SIDE T
PIN_ORIGIN 4324.0 847.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/P7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U5-13
PIN_NUMBER 13
PIN_NAME 13
PIN_SIDE T
PIN_ORIGIN 4324.0 821.0
PIN_RADIUS 9.0
PIN_NET unconnected-(U5-~{INT}-Pad13)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U5-14
PIN_NUMBER 14
PIN_NAME 14
PIN_SIDE T
PIN_ORIGIN 4324.0 796.0

PIN_RADIUS 9.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-15

PIN_NUMBER 15

PIN_NAME 15

PIN_SIDE T

PIN_ORIGIN 4324.0 770.0

PIN_RADIUS 9.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U5-16

PIN_NUMBER 16

PIN_NAME 16

PIN_SIDE T

PIN_ORIGIN 4324.0 745.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R42

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R42-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4645.0 1161.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R42-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4606.0 1161.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R35

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R35-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4720.0 1247.0

PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R35-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4720.0 1209.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/IO_Buffer_A/VFB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R29
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R29-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4988.0 681.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R29-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4988.0 719.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_B/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R10

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R10-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3641.0 877.0

PIN_RADIUS 14.0

PIN_NET Net-(U30A-IOT_219)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R10-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3602.0 877.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP3

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3728.0 500.0

PIN_RADIUS 24.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP1-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3728.0 433.0
PIN_RADIUS 24.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R2
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R2-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2948.0 536.0
PIN_RADIUS 14.0
PIN_NET /SCL
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R2-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2948.0 574.0
PIN_RADIUS 14.0
PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D12

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D12-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4244.0 909.0

PIN_RADIUS 14.0

PIN_NET Net-(D12-K)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D12-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4244.0 854.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R45

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R45-1
PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3505.0 728.0

PIN_RADIUS 14.0

PIN_NET Net-(U32-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R45-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3467.0 728.0

PIN_RADIUS 14.0

PIN_NET Net-(U30A-IOT_168)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME J10

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Through hole

PIN_ID J10-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4144.0 864.0
PIN_RADIUS 41.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID J10-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4144.0 964.0
PIN_RADIUS 41.0
PIN_NET Net-(D12-K)
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID J10-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 4144.0 1064.0
PIN_RADIUS 41.0
PIN_NET Net-(D13-K)
PIN_TYPE 2
PIN_COMMENT

PIN_END

PART_END

PART_NAME MK1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2022.0 157.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2052.0 230.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2052.0 84.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2125.0 260.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2125.0 157.0

PIN_RADIUS 172.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2125.0 54.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK1-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2199.0 230.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK1-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2199.0 84.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK1-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2229.0 157.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME MK2
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID MK2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2022.0 1771.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2052.0 1844.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2052.0 1698.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK2-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2125.0 1875.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK2-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2125.0 1771.0
PIN_RADIUS 172.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK2-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2125.0 1668.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK2-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T

PIN_ORIGIN 2199.0 1844.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2199.0 1698.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2229.0 1771.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME MK4

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID MK4-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4857.0 157.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK4-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4887.0 230.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK4-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4887.0 84.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK4-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4960.0 260.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK4-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4960.0 157.0
PIN_RADIUS 172.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK4-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4960.0 54.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK4-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T

PIN_ORIGIN 5033.0 230.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END
PIN_ID MK4-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 5033.0 84.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID MK4-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 5063.0 157.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PART_END

PART_NAME C83
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C83-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4823.0 1287.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C83-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4885.0 1287.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME MK3

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID MK3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4857.0 1771.0

PIN_RADIUS 19.0

PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK3-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4887.0 1844.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK3-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4887.0 1698.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK3-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4960.0 1875.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4960.0 1771.0

PIN_RADIUS 172.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4960.0 1668.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 5033.0 1844.0

PIN_RADIUS 19.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID MK3-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 5033.0 1698.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID MK3-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 5063.0 1771.0
PIN_RADIUS 19.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME J8
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID J8-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4244.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4294.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4344.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4394.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4444.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4494.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4544.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J8-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4594.0 1476.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D15

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D15-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4857.0 1555.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D15-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T
PIN_ORIGIN 4795.0 1555.0
PIN_RADIUS 21.0
PIN_NET Net-(D15-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C55

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C55-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4708.0 1460.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C55-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4708.0 1421.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME J2

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Through hole

PIN_ID J2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3644.0 1664.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/VSENSE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3644.0 1764.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3744.0 1664.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3744.0 1764.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3844.0 1664.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3844.0 1764.0
PIN_RADIUS 41.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J2-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 3944.0 1664.0
PIN_RADIUS 41.0
PIN_NET /IO_Banks/IO_Buffer_A/Z2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J2-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 3944.0 1764.0
PIN_RADIUS 41.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J2-9
PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 4044.0 1664.0
PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/Z3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J2-10
PIN_NUMBER 10
PIN_NAME 10
PIN_SIDE T
PIN_ORIGIN 4044.0 1764.0
PIN_RADIUS 41.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J2-11
PIN_NUMBER 11
PIN_NAME 11
PIN_SIDE T
PIN_ORIGIN 4144.0 1664.0
PIN_RADIUS 41.0
PIN_NET /IO_Banks/IO_Buffer_A/Z4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J2-12
PIN_NUMBER 12
PIN_NAME 12
PIN_SIDE T
PIN_ORIGIN 4144.0 1764.0
PIN_RADIUS 41.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 4244.0 1664.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 4244.0 1764.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-15

PIN_NUMBER 15

PIN_NAME 15

PIN_SIDE T

PIN_ORIGIN 4344.0 1664.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-16

PIN_NUMBER 16

PIN_NAME 16

PIN_SIDE T

PIN_ORIGIN 4344.0 1764.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-17

PIN_NUMBER 17

PIN_NAME 17

PIN_SIDE T

PIN_ORIGIN 4444.0 1664.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_A/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-18

PIN_NUMBER 18

PIN_NAME 18

PIN_SIDE T

PIN_ORIGIN 4444.0 1764.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-19

PIN_NUMBER 19

PIN_NAME 19

PIN_SIDE T

PIN_ORIGIN 4544.0 1664.0

PIN_RADIUS 41.0

PIN_NET unconnected-(J2-Pin_19-Pad19)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J2-20

PIN_NUMBER 20

PIN_NAME 20

PIN_SIDE T

PIN_ORIGIN 4544.0 1764.0

PIN_RADIUS 41.0

PIN_NET unconnected-(J2-Pin_20-Pad20)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R46

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R46-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4845.0 425.0

PIN_RADIUS 14.0

PIN_NET /ENVB

PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R46-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4807.0 425.0
PIN_RADIUS 14.0
PIN_NET Net-(D14-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R47
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R47-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4845.0 1503.0
PIN_RADIUS 14.0
PIN_NET /ENVA
PIN_TYPE 2
PIN_COMMENT

PIN_END
PIN_ID R47-2
PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4807.0 1503.0
PIN_RADIUS 14.0
PIN_NET Net-(D15-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME TP2
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID TP2-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3043.0 732.0
PIN_RADIUS 24.0
PIN_NET +1V2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME D14
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID D14-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4857.0 374.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D14-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4795.0 374.0
PIN_RADIUS 21.0
PIN_NET Net-(D14-A)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U31
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD
PIN_ID U31-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4897.0 1151.0
PIN_RADIUS 15.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U31-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4897.0 1188.0

PIN_RADIUS 15.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U31-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4897.0 1226.0

PIN_RADIUS 15.0

PIN_NET /IO_Banks/IO_Buffer_A/VIO_EN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U31-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4811.0 1226.0

PIN_RADIUS 15.0

PIN_NET /IO_Banks/IO_Buffer_A/VFB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U31-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4811.0 1151.0

PIN_RADIUS 15.0

PIN_NET Net-(U31-OUT)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D11

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D11-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3401.0 417.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/~{SYNC}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D11-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3401.0 362.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R1
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R1-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2948.0 656.0
PIN_RADIUS 14.0
PIN_NET /SDA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R1-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2948.0 618.0
PIN_RADIUS 14.0
PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN3

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4195.0 610.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Y0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN3-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4171.0 610.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Y1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN3-3

PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 4151.0 610.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Y2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN3-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 4127.0 610.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_B/Y3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN3-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 4127.0 570.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_B/Z3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN3-6
PIN_NUMBER 6
PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4151.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN3-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4171.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN3-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4195.0 570.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN4

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN4-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4096.0 610.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Y4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4072.0 610.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Y5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4053.0 610.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Y6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4029.0 610.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Y7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4029.0 570.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4053.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4072.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN4-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4096.0 570.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN5

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN5-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4430.0 531.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Z3

PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN5-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4454.0 531.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN5-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 4474.0 531.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN5-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 4498.0 531.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_B/Z0
PIN_TYPE 2
PIN_COMMENT

PIN_END
PIN_ID RN5-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4498.0 570.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/P0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN5-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4474.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/P1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN5-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4454.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/P2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN5-8

PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4430.0 570.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_B/P3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME RN6

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID RN6-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4332.0 531.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_B/Z7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN6-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4356.0 531.0
PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN6-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4375.0 531.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN6-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4399.0 531.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN6-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4399.0 570.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/P4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN6-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4375.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/P5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN6-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4356.0 570.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/P6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN6-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4332.0 570.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/P7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN7

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN7-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3555.0 1202.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/QA0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN7-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3555.0 1179.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/QA1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN7-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3555.0 1159.0

```
PIN_RADIUS 6.0

PIN_NET /IO_Banks/QA2

PIN_TYPE 2

PIN_COMMENT

PIN_END
PIN_ID RN7-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3555.0 1135.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/QA3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN7-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3594.0 1135.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/X3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN7-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3594.0 1159.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/X2

PIN_TYPE 2
```

PIN_COMMENT

PIN_END

PIN_ID RN7-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 3594.0 1179.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/X1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN7-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 3594.0 1202.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/X0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN8

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN8-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3555.0 1104.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/QA4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN8-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3555.0 1080.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/QA5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN8-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3555.0 1061.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/QA6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN8-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T

PIN_ORIGIN 3555.0 1037.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/QA7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN8-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3594.0 1037.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/X7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN8-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3594.0 1061.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/X6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN8-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 3594.0 1080.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/X5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN8-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 3594.0 1104.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/X4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN10

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN10-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4127.0 1318.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Y4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN10-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4151.0 1318.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_A/Y5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN10-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 4171.0 1318.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_A/Y6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN10-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 4195.0 1318.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_A/Y7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN10-5
PIN_NUMBER 5
PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4195.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN10-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4171.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN10-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4151.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN10-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4127.0 1358.0

PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_A/Z4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME RN11

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID RN11-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4399.0 1397.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_A/Z3
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID RN11-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4375.0 1397.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_A/Z2
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID RN11-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4356.0 1397.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN11-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4332.0 1397.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN11-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4332.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/P0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN11-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4356.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/P1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN11-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4375.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/P2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN11-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4399.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/P3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN12

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN12-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4498.0 1397.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4474.0 1397.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4454.0 1397.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4430.0 1397.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4430.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/P4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4454.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/P5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4474.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/P6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN12-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4498.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/P7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U4

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U4-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3746.0 1375.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U4-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3746.0 1350.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U4-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3746.0 1324.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/X0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U4-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3820.0 1324.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_A/Y0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U4-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3820.0 1350.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DA0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U4-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3820.0 1375.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U32

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U32-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3537.0 828.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U32-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3537.0 803.0

PIN_RADIUS 9.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U32-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3537.0 777.0

PIN_RADIUS 9.0

PIN_NET Net-(U32-A)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U32-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3612.0 777.0

PIN_RADIUS 9.0

PIN_NET Net-(U32-B)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U32-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3612.0 803.0

PIN_RADIUS 9.0

PIN_NET Net-(U30A-IOT_219)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U32-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3612.0 828.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U29

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U29-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3903.0 604.0
PIN_RADIUS 9.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U29-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3903.0 578.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U29-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3903.0 553.0
PIN_RADIUS 9.0
PIN_NET /IO_Banks/IO_Buffer_B/X7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U29-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T

PIN_ORIGIN 3978.0 553.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/IO_Buffer_B/Y7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U29-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3978.0 578.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/DB7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U29-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3978.0 604.0

PIN_RADIUS 9.0

PIN_NET /IO_Banks/VI0B

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D13

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D13-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4244.0 1007.0

PIN_RADIUS 14.0

PIN_NET Net-(D13-K)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D13-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4244.0 952.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN2

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3555.0 608.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/QB4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3555.0 584.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/QB5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3555.0 564.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/QB6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3555.0 541.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/QB7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3594.0 541.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/X7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 3594.0 564.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/X6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 3594.0 584.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/X5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN2-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 3594.0 608.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/X4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3555.0 706.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/QB0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN1-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3555.0 683.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/QB1
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID RN1-3

PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3555.0 663.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/QB2
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID RN1-4

PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3555.0 639.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/QB3
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID RN1-5

PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T

PIN_ORIGIN 3594.0 639.0
PIN_RADIUS 12.0
PIN_NET /IO_Banks/IO_Buffer_B/X3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN1-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3594.0 663.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/X2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN1-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 3594.0 683.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/X1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID RN1-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 3594.0 706.0
PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_B/X0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R37

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R37-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4265.0 1111.0

PIN_RADIUS 14.0

PIN_NET Net-(U19--{RESET})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R37-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4265.0 1073.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME J1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID J1-A1

PIN_NUMBER A1

PIN_NAME A1

PIN_SIDE T

PIN_ORIGIN 2232.0 1092.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-A4

PIN_NUMBER A4

PIN_NAME A4

PIN_SIDE T

PIN_ORIGIN 2232.0 1060.0

PIN_RADIUS 14.0

PIN_NET /xVBUS

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-A5

PIN_NUMBER A5

PIN_NAME A5

PIN_SIDE T

PIN_ORIGIN 2232.0 1013.0

PIN_RADIUS 6.0

PIN_NET /CC1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-A6

PIN_NUMBER A6

PIN_NAME A6

PIN_SIDE T

PIN_ORIGIN 2232.0 974.0

PIN_RADIUS 6.0

PIN_NET /USB_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-A7

PIN_NUMBER A7

PIN_NAME A7

PIN_SIDE T

PIN_ORIGIN 2232.0 954.0

PIN_RADIUS 6.0

PIN_NET /USB_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-A8

PIN_NUMBER A8

PIN_NAME A8

PIN_SIDE T

PIN_ORIGIN 2232.0 915.0

PIN_RADIUS 6.0

PIN_NET unconnected-(J1-SBU1-PadA8)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-A9

PIN_NUMBER A9

PIN_NAME A9
PIN_SIDE T
PIN_ORIGIN 2232.0 868.0
PIN_RADIUS 14.0
PIN_NET /xVBUS
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-A12
PIN_NUMBER A12
PIN_NAME A12
PIN_SIDE T
PIN_ORIGIN 2232.0 836.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B1
PIN_NUMBER B1
PIN_NAME B1
PIN_SIDE T
PIN_ORIGIN 2232.0 836.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END
PIN_ID J1-B4
PIN_NUMBER B4
PIN_NAME B4
PIN_SIDE T
PIN_ORIGIN 2232.0 868.0

PIN_RADIUS 14.0
PIN_NET /xVBUS
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B5
PIN_NUMBER B5
PIN_NAME B5
PIN_SIDE T
PIN_ORIGIN 2232.0 895.0
PIN_RADIUS 6.0
PIN_NET /CC2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B6
PIN_NUMBER B6
PIN_NAME B6
PIN_SIDE T
PIN_ORIGIN 2232.0 935.0
PIN_RADIUS 6.0
PIN_NET /USB_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B7
PIN_NUMBER B7
PIN_NAME B7
PIN_SIDE T
PIN_ORIGIN 2232.0 994.0
PIN_RADIUS 6.0
PIN_NET /USB_N

PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B8
PIN_NUMBER B8
PIN_NAME B8
PIN_SIDE T
PIN_ORIGIN 2232.0 1033.0
PIN_RADIUS 6.0
PIN_NET unconnected-(J1-SBU2-PadB8)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B9
PIN_NUMBER B9
PIN_NAME B9
PIN_SIDE T
PIN_ORIGIN 2232.0 1060.0
PIN_RADIUS 14.0
PIN_NET /xVBUS
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-B12
PIN_NUMBER B12
PIN_NAME B12
PIN_SIDE T
PIN_ORIGIN 2232.0 1092.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID J1-S1

PIN_NUMBER S1

PIN_NAME S1

PIN_SIDE T

PIN_ORIGIN 2196.0 1134.0

PIN_RADIUS 24.0

PIN_NET /SHLD

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-S1

PIN_NUMBER S1

PIN_NAME S1

PIN_SIDE T

PIN_ORIGIN 2031.0 1134.0

PIN_RADIUS 24.0

PIN_NET /SHLD

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-S1

PIN_NUMBER S1

PIN_NAME S1

PIN_SIDE T

PIN_ORIGIN 2196.0 794.0

PIN_RADIUS 24.0

PIN_NET /SHLD

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J1-S1

PIN_NUMBER S1
PIN_NAME S1
PIN_SIDE T
PIN_ORIGIN 2031.0 794.0
PIN_RADIUS 24.0
PIN_NET /SHLD
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-
PIN_NUMBER
PIN_NAME
PIN_SIDE T
PIN_ORIGIN 2175.0 1078.0
PIN_RADIUS 15.0
PIN_NET
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J1-
PIN_NUMBER
PIN_NAME
PIN_SIDE T
PIN_ORIGIN 2175.0 850.0
PIN_RADIUS 15.0
PIN_NET
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME C11
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C11-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2456.0 1173.0

PIN_RADIUS 14.0

PIN_NET /XTALOUT

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C11-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2417.0 1173.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R53

PART_SIDE T

PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R53-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T
PIN_ORIGIN 2299.0 1076.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R53-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2299.0 1037.0
PIN_RADIUS 14.0
PIN_NET /CC1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C8
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C8-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2343.0 933.0
PIN_RADIUS 14.0
PIN_NET /VUSB
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C8-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2305.0 933.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME FB1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FB1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2305.0 858.0

PIN_RADIUS 14.0

PIN_NET /xVBUS

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID FB1-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2343.0 858.0
PIN_RADIUS 14.0
PIN_NET /VUSB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U15
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U15-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2393.0 931.0
PIN_RADIUS 15.0
PIN_NET /VUSB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U15-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2393.0 893.0
PIN_RADIUS 15.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U15-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 2393.0 856.0

PIN_RADIUS 15.0

PIN_NET /VUSB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U15-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 2480.0 856.0

PIN_RADIUS 15.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U15-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 2480.0 893.0

PIN_RADIUS 15.0

PIN_NET /USB_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U15-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 2480.0 931.0

PIN_RADIUS 15.0

PIN_NET /USB_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R52

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R52-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2343.0 895.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R52-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2305.0 895.0

PIN_RADIUS 14.0

PIN_NET /CC2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D16

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D16-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4625.0 551.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_B/VSENSE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D16-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4535.0 551.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D17

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D17-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3720.0 1468.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_A/VSENSE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D17-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3811.0 1468.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D18

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D18-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4767.0 631.0

PIN_RADIUS 11.0

PIN_NET /~{ALERT}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D18-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4767.0 683.0

PIN_RADIUS 11.0

PIN_NET /IO_Banks/IO_Buffer_B/VIO_EN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D18-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4688.0 657.0

PIN_RADIUS 11.0

PIN_NET Net-(U12--{Alert})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D19

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D19-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4940.0 1297.0

PIN_RADIUS 11.0

PIN_NET /~{ALERT}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D19-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4940.0 1246.0

PIN_RADIUS 11.0

PIN_NET /IO_Banks/IO_Buffer_A/VIO_EN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D19-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 5019.0 1271.0

PIN_RADIUS 11.0
PIN_NET Net-(U21--{Alert})
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R26

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R26-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4988.0 794.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/IO_Buffer_B/VIO_EN
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R26-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4988.0 756.0
PIN_RADIUS 14.0
PIN_NET /ENVB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U12

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U12-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4767.0 566.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U12-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4767.0 547.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U12-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4767.0 527.0

PIN_RADIUS 6.0

PIN_NET Net-(U12--{Alert})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U12-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4767.0 507.0

PIN_RADIUS 6.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U12-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4767.0 488.0

PIN_RADIUS 6.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U12-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4940.0 488.0

PIN_RADIUS 6.0

PIN_NET +3V3

PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U12-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 4940.0 507.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U12-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4940.0 527.0
PIN_RADIUS 6.0
PIN_NET Net-(U12-Vbus)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U12-9
PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 4940.0 547.0
PIN_RADIUS 6.0
PIN_NET Net-(U12-Vin-)
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U12-10

PIN_NUMBER 10

PIN_NAME 10

PIN_SIDE T

PIN_ORIGIN 4940.0 566.0

PIN_RADIUS 6.0

PIN_NET Net-(U12-Vin+)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D21

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D21-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 3915.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3935.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3954.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 3974.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 3994.0 424.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2
PIN_COMMENT
PIN_END
PIN_ID D21-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 4013.0 424.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D21-N{slash}C-Pad6)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D21-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 4033.0 424.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D21-N{slash}C-Pad7)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D21-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4033.0 469.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D21-Ch6-Pad8)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D21-9

PIN_NUMBER 9

PIN_NAME 9

PIN_SIDE T

PIN_ORIGIN 4013.0 469.0

PIN_RADIUS 6.0

PIN_NET unconnected-(D21-Ch5-Pad9)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-10

PIN_NUMBER 10

PIN_NAME 10

PIN_SIDE T

PIN_ORIGIN 3994.0 469.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 3974.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D21-12

PIN_NUMBER 12

PIN_NAME 12
PIN_SIDE T
PIN_ORIGIN 3954.0 469.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z5
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D21-13
PIN_NUMBER 13
PIN_NAME 13
PIN_SIDE T
PIN_ORIGIN 3935.0 469.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z6
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D21-14
PIN_NUMBER 14
PIN_NAME 14
PIN_SIDE T
PIN_ORIGIN 3915.0 469.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z7
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME D23
PART_SIDE T
PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D23-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4190.0 1504.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4171.0 1504.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4151.0 1504.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-4

PIN_NUMBER 4

PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 4131.0 1504.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_A/Z4
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D23-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 4112.0 1504.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D23-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 4092.0 1504.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D23-N{slash}C-Pad6)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D23-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T

PIN_ORIGIN 4072.0 1504.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D23-N{slash}C-Pad7)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D23-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4072.0 1459.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D23-Ch6-Pad8)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D23-9
PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 4092.0 1459.0
PIN_RADIUS 6.0
PIN_NET unconnected-(D23-Ch5-Pad9)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D23-10
PIN_NUMBER 10
PIN_NAME 10
PIN_SIDE T
PIN_ORIGIN 4112.0 1459.0
PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 4131.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-12

PIN_NUMBER 12

PIN_NAME 12

PIN_SIDE T

PIN_ORIGIN 4151.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 4171.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D23-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 4190.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C16

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C16-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2475.0 370.0

PIN_RADIUS 14.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C16-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2437.0 370.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C88

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C88-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2948.0 1123.0

PIN_RADIUS 14.0

PIN_NET /~{CY_RESET}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C88-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2948.0 1161.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D24

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D24-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2429.0 137.0

PIN_RADIUS 11.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D24-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2429.0 188.0

PIN_RADIUS 11.0

PIN_NET Net-(U7--{RESET})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D24-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T
PIN_ORIGIN 2350.0 163.0
PIN_RADIUS 11.0
PIN_NET /~{CY_RESET}
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R4

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R4-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2472.0 79.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R4-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2472.0 118.0
PIN_RADIUS 14.0
PIN_NET Net-(R4-Pad2)
PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R5

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R5-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2472.0 154.0

PIN_RADIUS 14.0

PIN_NET Net-(R4-Pad2)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R5-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2472.0 192.0

PIN_RADIUS 14.0

PIN_NET /~{CY_RESET}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R57

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R57-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4192.0 769.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R57-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4192.0 730.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R58

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R58-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4645.0 1232.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID R58-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4645.0 1271.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA

PIN_TYPE 2
PIN_COMMENT

PIN_END

PART_END

PART_NAME R38
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R38-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3437.0 467.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/~{SYNC}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R38-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3437.0 505.0

PIN_RADIUS 14.0

PIN_NET Net-(U32-B)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME J5

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID J5-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2329.0 1638.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2329.0 1786.0
PIN_RADIUS 18.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 2379.0 1638.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z11_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 2379.0 1786.0
PIN_RADIUS 18.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T

PIN_ORIGIN 2429.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z11_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 2429.0 1786.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2479.0 1638.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 2479.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z12_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-9

PIN_NUMBER 9

PIN_NAME 9

PIN_SIDE T

PIN_ORIGIN 2529.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z10_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-10

PIN_NUMBER 10

PIN_NAME 10

PIN_SIDE T

PIN_ORIGIN 2529.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z12_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 2579.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z10_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-12

PIN_NUMBER 12

PIN_NAME 12

PIN_SIDE T

PIN_ORIGIN 2579.0 1786.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 2629.0 1638.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 2629.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z9_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-15

PIN_NUMBER 15

PIN_NAME 15

PIN_SIDE T

PIN_ORIGIN 2679.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z8_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-16

PIN_NUMBER 16

PIN_NAME 16

PIN_SIDE T

PIN_ORIGIN 2679.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z9_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-17

PIN_NUMBER 17

PIN_NAME 17

PIN_SIDE T

PIN_ORIGIN 2729.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z8_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-18

PIN_NUMBER 18

PIN_NAME 18
PIN_SIDE T
PIN_ORIGIN 2729.0 1786.0
PIN_RADIUS 18.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-19
PIN_NUMBER 19
PIN_NAME 19
PIN_SIDE T
PIN_ORIGIN 2779.0 1638.0
PIN_RADIUS 18.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-20
PIN_NUMBER 20
PIN_NAME 20
PIN_SIDE T
PIN_ORIGIN 2779.0 1786.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z7_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-21
PIN_NUMBER 21
PIN_NAME 21
PIN_SIDE T

PIN_ORIGIN 2829.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z6_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-22

PIN_NUMBER 22

PIN_NAME 22

PIN_SIDE T

PIN_ORIGIN 2829.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z7_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-23

PIN_NUMBER 23

PIN_NAME 23

PIN_SIDE T

PIN_ORIGIN 2879.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z6_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-24

PIN_NUMBER 24

PIN_NAME 24

PIN_SIDE T

PIN_ORIGIN 2879.0 1786.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-25

PIN_NUMBER 25

PIN_NAME 25

PIN_SIDE T

PIN_ORIGIN 2929.0 1638.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-26

PIN_NUMBER 26

PIN_NAME 26

PIN_SIDE T

PIN_ORIGIN 2929.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z5_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-27

PIN_NUMBER 27

PIN_NAME 27

PIN_SIDE T

PIN_ORIGIN 2979.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z3_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-28

PIN_NUMBER 28

PIN_NAME 28

PIN_SIDE T

PIN_ORIGIN 2979.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z5_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-29

PIN_NUMBER 29

PIN_NAME 29

PIN_SIDE T

PIN_ORIGIN 3029.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z3_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-30

PIN_NUMBER 30

PIN_NAME 30

PIN_SIDE T

PIN_ORIGIN 3029.0 1786.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-31

PIN_NUMBER 31

PIN_NAME 31
PIN_SIDE T
PIN_ORIGIN 3079.0 1638.0
PIN_RADIUS 18.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-32
PIN_NUMBER 32
PIN_NAME 32
PIN_SIDE T
PIN_ORIGIN 3079.0 1786.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z4_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-33
PIN_NUMBER 33
PIN_NAME 33
PIN_SIDE T
PIN_ORIGIN 3129.0 1638.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z2_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-34
PIN_NUMBER 34
PIN_NAME 34
PIN_SIDE T

PIN_ORIGIN 3129.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z4_N

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-35

PIN_NUMBER 35

PIN_NAME 35

PIN_SIDE T

PIN_ORIGIN 3179.0 1638.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/Z2_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-36

PIN_NUMBER 36

PIN_NAME 36

PIN_SIDE T

PIN_ORIGIN 3179.0 1786.0

PIN_RADIUS 18.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-37

PIN_NUMBER 37

PIN_NAME 37

PIN_SIDE T

PIN_ORIGIN 3229.0 1638.0

PIN_RADIUS 18.0

PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-38
PIN_NUMBER 38
PIN_NAME 38
PIN_SIDE T
PIN_ORIGIN 3229.0 1786.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z1_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-39
PIN_NUMBER 39
PIN_NAME 39
PIN_SIDE T
PIN_ORIGIN 3279.0 1638.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z0_P
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-40
PIN_NUMBER 40
PIN_NAME 40
PIN_SIDE T
PIN_ORIGIN 3279.0 1786.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z1_P
PIN_TYPE 2

PIN_COMMENT
PIN_END
PIN_ID J5-41
PIN_NUMBER 41
PIN_NAME 41
PIN_SIDE T
PIN_ORIGIN 3329.0 1638.0
PIN_RADIUS 18.0
PIN_NET /IO_Banks/Z0_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-42
PIN_NUMBER 42
PIN_NAME 42
PIN_SIDE T
PIN_ORIGIN 3329.0 1786.0
PIN_RADIUS 18.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J5-43
PIN_NUMBER 43
PIN_NAME 43
PIN_SIDE T
PIN_ORIGIN 3379.0 1638.0
PIN_RADIUS 18.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT

PIN_END
PIN_ID J5-44
PIN_NUMBER 44

PIN_NAME 44

PIN_SIDE T

PIN_ORIGIN 3379.0 1786.0

PIN_RADIUS 18.0

PIN_NET /IO_Banks/VIO_AUX

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2354.0 1712.0

PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J5-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 3354.0 1712.0

PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R3

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R3-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2343.0 820.0
PIN_RADIUS 14.0
PIN_NET /SHLD
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R3-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2305.0 820.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME TP7
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other
PIN_ID TP7-1
PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2535.0 791.0
PIN_RADIUS 24.0
PIN_NET /CLKIF
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C87
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C87-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2551.0 622.0
PIN_RADIUS 39.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C87-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2771.0 622.0
PIN_RADIUS 39.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U2

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2969.0 245.0

PIN_RADIUS 9.0

PIN_NET unconnected-(U2-NC-Pad1)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U2-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2995.0 245.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U2-3

PIN_NUMBER 3

PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 3020.0 245.0
PIN_RADIUS 9.0
PIN_NET unconnected-(U2-A2-Pad3)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U2-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3046.0 245.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U2-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3046.0 470.0
PIN_RADIUS 9.0
PIN_NET /SDA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U2-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T

PIN_ORIGIN 3020.0 470.0

PIN_RADIUS 9.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U2-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2995.0 470.0

PIN_RADIUS 9.0

PIN_NET unconnected-(U2-WP-Pad7)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U2-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 2969.0 470.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U3

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2831.0 245.0

PIN_RADIUS 9.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U3-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2857.0 245.0

PIN_RADIUS 9.0

PIN_NET Net-(U3-A1)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U3-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 2882.0 245.0

PIN_RADIUS 9.0

PIN_NET unconnected-(U3-A2-Pad3)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U3-4

PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 2908.0 245.0
PIN_RADIUS 9.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U3-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 2908.0 470.0
PIN_RADIUS 9.0
PIN_NET /SDA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U3-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 2882.0 470.0
PIN_RADIUS 9.0
PIN_NET /SCL
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U3-7
PIN_NUMBER 7
PIN_NAME 7

PIN_SIDE T
PIN_ORIGIN 2857.0 470.0
PIN_RADIUS 9.0
PIN_NET unconnected-(U3-WP-Pad7)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U3-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 2831.0 470.0
PIN_RADIUS 9.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME J4
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Through hole

PIN_ID J4-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3311.0 456.0
PIN_RADIUS 42.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J4-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 3211.0 456.0

PIN_RADIUS 42.0

PIN_NET /IO_Banks/~{SYNC}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U8

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U8-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2635.0 171.0

PIN_RADIUS 7.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2635.0 196.0
PIN_RADIUS 7.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U8-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 2635.0 222.0
PIN_RADIUS 7.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U8-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 2553.0 222.0
PIN_RADIUS 7.0
PIN_NET Net-(U7--{RESET})
PIN_TYPE 2
PIN_COMMENT

PIN_END
PIN_ID U8-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 2553.0 196.0

PIN_RADIUS 7.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 2553.0 171.0

PIN_RADIUS 7.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2594.0 175.0

PIN_RADIUS 12.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2594.0 196.0

PIN_RADIUS 24.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2594.0 196.0

PIN_RADIUS 24.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2594.0 218.0

PIN_RADIUS 12.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2594.0 179.0

PIN_RADIUS 17.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U8-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2594.0 214.0

PIN_RADIUS 17.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U36

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U36-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2635.0 372.0

PIN_RADIUS 7.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2635.0 397.0

PIN_RADIUS 7.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 2635.0 423.0

PIN_RADIUS 7.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 2553.0 423.0

PIN_RADIUS 7.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 2553.0 397.0

PIN_RADIUS 7.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U36-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 2553.0 372.0
PIN_RADIUS 7.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U36-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 2594.0 375.0
PIN_RADIUS 12.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U36-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 2594.0 397.0
PIN_RADIUS 24.0
PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2594.0 397.0

PIN_RADIUS 24.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 2594.0 419.0

PIN_RADIUS 12.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2594.0 379.0

PIN_RADIUS 17.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U36-

PIN_NUMBER

PIN_NAME

PIN_SIDE T

PIN_ORIGIN 2594.0 415.0

PIN_RADIUS 17.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C86

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C86-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2625.0 318.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C86-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T
PIN_ORIGIN 2563.0 318.0
PIN_RADIUS 21.0
PIN_NET +5V
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C26

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C26-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2625.0 118.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C26-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2563.0 118.0
PIN_RADIUS 21.0
PIN_NET +5V
PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C27

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C27-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2696.0 350.0

PIN_RADIUS 21.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C27-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2696.0 412.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C28

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C28-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2696.0 150.0

PIN_RADIUS 21.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C28-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2696.0 212.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME J3

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Through hole

PIN_ID J3-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4544.0 264.0
PIN_RADIUS 41.0
PIN_NET /IO_Banks/IO_Buffer_B/VSENSE
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J3-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4544.0 164.0
PIN_RADIUS 41.0
PIN_NET /IO_Banks/VI0B
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J3-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 4444.0 264.0
PIN_RADIUS 41.0
PIN_NET /IO_Banks/IO_Buffer_B/Z0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID J3-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T

PIN_ORIGIN 4444.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4344.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4344.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4244.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4244.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-9

PIN_NUMBER 9

PIN_NAME 9

PIN_SIDE T

PIN_ORIGIN 4144.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-10

PIN_NUMBER 10

PIN_NAME 10

PIN_SIDE T

PIN_ORIGIN 4144.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 4044.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z4

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-12

PIN_NUMBER 12

PIN_NAME 12

PIN_SIDE T

PIN_ORIGIN 4044.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 3944.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z5

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 3944.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-15

PIN_NUMBER 15

PIN_NAME 15

PIN_SIDE T

PIN_ORIGIN 3844.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z6

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-16

PIN_NUMBER 16

PIN_NAME 16

PIN_SIDE T

PIN_ORIGIN 3844.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-17

PIN_NUMBER 17

PIN_NAME 17

PIN_SIDE T

PIN_ORIGIN 3744.0 264.0

PIN_RADIUS 41.0

PIN_NET /IO_Banks/IO_Buffer_B/Z7

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-18

PIN_NUMBER 18

PIN_NAME 18

PIN_SIDE T

PIN_ORIGIN 3744.0 164.0

PIN_RADIUS 41.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-19

PIN_NUMBER 19

PIN_NAME 19

PIN_SIDE T

PIN_ORIGIN 3644.0 264.0

PIN_RADIUS 41.0

PIN_NET unconnected-(J3-Pin_19-Pad19)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID J3-20

PIN_NUMBER 20

PIN_NAME 20

PIN_SIDE T

PIN_ORIGIN 3644.0 164.0

PIN_RADIUS 41.0

PIN_NET unconnected-(J3-Pin_20-Pad20)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U7

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U7-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2370.0 312.0

PIN_RADIUS 17.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U7-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2370.0 246.0

PIN_RADIUS 14.0

PIN_NET Net-(U7--{RESET})

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U7-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 2448.0 246.0

PIN_RADIUS 14.0

PIN_NET /~{MR}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U7-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 2448.0 320.0

PIN_RADIUS 14.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D20

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D20-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T
PIN_ORIGIN 4072.0 424.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D20-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4092.0 424.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D20-3
PIN_NUMBER 3
PIN_NAME 3
PIN_SIDE T
PIN_ORIGIN 4112.0 424.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_B/Z1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D20-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 4131.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4151.0 424.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4171.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4190.0 424.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4190.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-9

PIN_NUMBER 9

PIN_NAME 9

PIN_SIDE T

PIN_ORIGIN 4171.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-10

PIN_NUMBER 10

PIN_NAME 10

PIN_SIDE T

PIN_ORIGIN 4151.0 469.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 4131.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-12

PIN_NUMBER 12

PIN_NAME 12

PIN_SIDE T

PIN_ORIGIN 4112.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 4092.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D20-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 4072.0 469.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_B/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME RN9

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID RN9-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4029.0 1318.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Y0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4053.0 1318.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Y1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4072.0 1318.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Y2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4096.0 1318.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Y3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4096.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4072.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-7

PIN_NUMBER 7

PIN_NAME 7

PIN_SIDE T

PIN_ORIGIN 4053.0 1358.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID RN9-8

PIN_NUMBER 8

PIN_NAME 8

PIN_SIDE T

PIN_ORIGIN 4029.0 1358.0

PIN_RADIUS 12.0

PIN_NET /IO_Banks/IO_Buffer_A/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME U21

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID U21-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4940.0 1362.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U21-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4940.0 1381.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U21-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4940.0 1401.0

PIN_RADIUS 6.0
PIN_NET Net-(U21--{Alert})
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U21-4

PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 4940.0 1421.0
PIN_RADIUS 6.0
PIN_NET /SDA
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U21-5

PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 4940.0 1440.0
PIN_RADIUS 6.0
PIN_NET /SCL
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U21-6

PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 4767.0 1440.0
PIN_RADIUS 6.0
PIN_NET +3V3

PIN_TYPE 2
PIN_COMMENT
PIN_END
PIN_ID U21-7
PIN_NUMBER 7
PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 4767.0 1421.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U21-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 4767.0 1401.0
PIN_RADIUS 6.0
PIN_NET Net-(U21-Vbus)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U21-9
PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 4767.0 1381.0
PIN_RADIUS 6.0
PIN_NET Net-(U21-Vin-)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U21-10
PIN_NUMBER 10
PIN_NAME 10
PIN_SIDE T
PIN_ORIGIN 4767.0 1362.0
PIN_RADIUS 6.0
PIN_NET Net-(U21-Vin+)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C89
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C89-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 2863.0 175.0
PIN_RADIUS 14.0
PIN_NET /~{MR}
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C89-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 2825.0 175.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C90

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C90-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 5000.0 581.0

PIN_RADIUS 13.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C90-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 5000.0 544.0

PIN_RADIUS 13.0

PIN_NET Net-(U12-Vbus)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C91

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C91-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4708.0 1347.0

PIN_RADIUS 13.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C91-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4708.0 1385.0

PIN_RADIUS 13.0

PIN_NET Net-(U21-Vbus)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME D22

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID D22-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4033.0 1504.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4013.0 1504.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 3994.0 1504.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-4
PIN_NUMBER 4
PIN_NAME 4
PIN_SIDE T
PIN_ORIGIN 3974.0 1504.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/IO_Buffer_A/Z0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D22-5
PIN_NUMBER 5
PIN_NAME 5
PIN_SIDE T
PIN_ORIGIN 3954.0 1504.0
PIN_RADIUS 6.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D22-6
PIN_NUMBER 6
PIN_NAME 6
PIN_SIDE T
PIN_ORIGIN 3935.0 1504.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D22-7
PIN_NUMBER 7

PIN_NAME 7
PIN_SIDE T
PIN_ORIGIN 3915.0 1504.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D22-8
PIN_NUMBER 8
PIN_NAME 8
PIN_SIDE T
PIN_ORIGIN 3915.0 1459.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID D22-9
PIN_NUMBER 9
PIN_NAME 9
PIN_SIDE T
PIN_ORIGIN 3935.0 1459.0
PIN_RADIUS 6.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT

PIN_END
PIN_ID D22-10
PIN_NUMBER 10
PIN_NAME 10
PIN_SIDE T
PIN_ORIGIN 3954.0 1459.0

PIN_RADIUS 6.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-11

PIN_NUMBER 11

PIN_NAME 11

PIN_SIDE T

PIN_ORIGIN 3974.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-12

PIN_NUMBER 12

PIN_NAME 12

PIN_SIDE T

PIN_ORIGIN 3994.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-13

PIN_NUMBER 13

PIN_NAME 13

PIN_SIDE T

PIN_ORIGIN 4013.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID D22-14

PIN_NUMBER 14

PIN_NAME 14

PIN_SIDE T

PIN_ORIGIN 4033.0 1459.0

PIN_RADIUS 6.0

PIN_NET /IO_Banks/IO_Buffer_A/Z3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C56

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C56-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4759.0 1038.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C56-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4759.0 1000.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U20

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U20-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4811.0 1076.0
PIN_RADIUS 15.0
PIN_NET /IO_Banks/IO_Buffer_A/VDAC
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID U20-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4811.0 1039.0
PIN_RADIUS 15.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U20-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4811.0 1001.0

PIN_RADIUS 15.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U20-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4897.0 1001.0

PIN_RADIUS 15.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U20-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4897.0 1039.0

PIN_RADIUS 15.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U20-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4897.0 1076.0

PIN_RADIUS 15.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R55

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R55-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4720.0 1134.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_A/VIO_EN

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R55-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4720.0 1172.0
PIN_RADIUS 14.0
PIN_NET /ENVA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME U13

PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID U13-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 4897.0 852.0
PIN_RADIUS 15.0
PIN_NET /IO_Banks/IO_Buffer_B/VDAC
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID U13-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 4897.0 889.0
PIN_RADIUS 15.0
PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U13-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 4897.0 927.0

PIN_RADIUS 15.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U13-4

PIN_NUMBER 4

PIN_NAME 4

PIN_SIDE T

PIN_ORIGIN 4811.0 927.0

PIN_RADIUS 15.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U13-5

PIN_NUMBER 5

PIN_NAME 5

PIN_SIDE T

PIN_ORIGIN 4811.0 889.0

PIN_RADIUS 15.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID U13-6

PIN_NUMBER 6

PIN_NAME 6

PIN_SIDE T

PIN_ORIGIN 4811.0 852.0

PIN_RADIUS 15.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C32

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C32-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4948.0 890.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C32-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4948.0 929.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME SW1

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Through hole

PIN_ID SW1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 2998.0 103.0

PIN_RADIUS 29.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID SW1-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 2879.0 103.0

PIN_RADIUS 29.0

PIN_NET /~{MR}

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID SW1-3

PIN_NUMBER 3

PIN_NAME 3

PIN_SIDE T

PIN_ORIGIN 2938.0 30.0

PIN_RADIUS 29.0

PIN_NET /SWSH

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME REF**

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PART_END

PART_NAME REF**

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PART_END

PART_NAME C54

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C54-1
PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE T

PIN_ORIGIN 4606.0 1196.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C54-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE T

PIN_ORIGIN 4645.0 1196.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C92

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C92-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE T
PIN_ORIGIN 3600.0 1328.0
PIN_RADIUS 22.0
PIN_NET /IO_Banks/VIO_AUX
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C92-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE T
PIN_ORIGIN 3661.0 1328.0
PIN_RADIUS 22.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME REF**
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PART_END
PART_NAME REF**
PART_SIDE T
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PART_END

PART_NAME REF**

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PART_END

PART_NAME REF**

PART_SIDE T

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PART_END

PART_NAME FID4

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FID4-

PIN_NUMBER

PIN_NAME

PIN_SIDE B

PIN_ORIGIN 2283.0 59.0

PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME FID5

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID FID5-

PIN_NUMBER

PIN_NAME

PIN_SIDE B

PIN_ORIGIN 4803.0 1870.0

PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C23

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C23-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3314.0 917.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C23-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3276.0 917.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C77

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C77-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3342.0 945.0

PIN_RADIUS 14.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C77-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3342.0 983.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT
PIN_END
PART_END

PART_NAME C48

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C48-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 1052.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C48-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END
PART_NAME C49

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C49-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3978.0 1383.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C49-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3978.0 1345.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C52

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C52-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3978.0 1052.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C52-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3978.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C64

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C64-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3820.0 944.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C64-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3820.0 906.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C40

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C40-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3820.0 1162.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C40-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3820.0 1124.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C68

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C68-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 942.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C68-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 904.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END
PART_END

PART_NAME C69

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C69-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 832.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C69-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 793.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C70

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C70-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 721.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C70-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 683.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C71

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C71-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3903.0 611.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C71-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3903.0 573.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C72
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C72-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3978.0 942.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C72-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3978.0 904.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C73

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C73-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3978.0 832.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C73-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3978.0 793.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C74
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C74-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3978.0 721.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C74-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3978.0 683.0
PIN_RADIUS 14.0
PIN_NET GND

PIN_TYPE 2
PIN_COMMENT
PIN_END
PART_END

PART_NAME C18

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C18-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3213.0 885.0

PIN_RADIUS 14.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C18-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3251.0 885.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END
PART_NAME C33
PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C33-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3314.0 1011.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIO_AUX

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C33-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3276.0 1011.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C78

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C78-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B
PIN_ORIGIN 3161.0 988.0
PIN_RADIUS 14.0
PIN_NET /VCCPLL0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C78-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3123.0 988.0
PIN_RADIUS 14.0
PIN_NET /GNDPLL0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R31
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R31-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3086.0 881.0
PIN_RADIUS 14.0
PIN_NET /VCCPLL0
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R31-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3047.0 881.0

PIN_RADIUS 14.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C76

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C76-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3125.0 929.0

PIN_RADIUS 21.0

PIN_NET /VCCPLL0

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C76-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B
PIN_ORIGIN 3063.0 929.0
PIN_RADIUS 21.0
PIN_NET /GNDPLL0
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C24

PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C24-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3339.0 1043.0
PIN_RADIUS 14.0
PIN_NET +1V2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C24-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3377.0 1043.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END
PART_END

PART_NAME C7

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C7-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2630.0 1120.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C7-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2668.0 1120.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END
PART_NAME C6

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C6-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2857.0 809.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C6-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2819.0 809.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C9

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C9-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2594.0 1051.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C9-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2594.0 1013.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C10

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C10-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2662.0 809.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C10-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2700.0 809.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C5

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C5-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2873.0 1120.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C5-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2835.0 1120.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C1

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C1-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2543.0 807.0

PIN_RADIUS 21.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C1-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2605.0 807.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END
PART_END

PART_NAME C2

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C2-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2594.0 895.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C2-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2594.0 856.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C3

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C3-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2594.0 973.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C3-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 2594.0 935.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C4

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C4-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 2905.0 894.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C4-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 2905.0 856.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C81
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C81-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3151.0 787.0
PIN_RADIUS 14.0
PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C81-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3151.0 826.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R32

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R32-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3537.0 935.0

PIN_RADIUS 14.0

PIN_NET /VCCPLL1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R32-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3537.0 973.0
PIN_RADIUS 14.0
PIN_NET +1V2
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C38
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C38-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3820.0 1383.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C38-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3820.0 1345.0
PIN_RADIUS 14.0
PIN_NET GND

PIN_TYPE 2
PIN_COMMENT
PIN_END
PART_END

PART_NAME C34

PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C34-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3746.0 1383.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C34-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3746.0 1345.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME C60
PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C60-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3746.0 944.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C60-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 906.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C65

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C65-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B
PIN_ORIGIN 3820.0 832.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOB
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C65-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3820.0 793.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C61
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C61-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3746.0 832.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C61-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 793.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C62

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C62-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3746.0 721.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C62-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 683.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C66

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C66-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3820.0 721.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C66-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3820.0 683.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END
PART_END

PART_NAME C63

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C63-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3746.0 611.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C63-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 573.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END
PART_NAME C67

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C67-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3820.0 611.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C67-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3820.0 573.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C35

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C35-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3746.0 1273.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C35-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 1234.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C37

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C37-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3746.0 1052.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C37-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 1014.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C36

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C36-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3746.0 1162.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C36-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3746.0 1124.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C25

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C25-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3216.0 1015.0

PIN_RADIUS 14.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C25-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3216.0 976.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END
PART_END

PART_NAME NONO_HANA

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PART_END

PART_NAME C42

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C42-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 1383.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C42-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 1345.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C43

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C43-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 1273.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C43-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 1234.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C47

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C47-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3903.0 1162.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C47-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3903.0 1124.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C41

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C41-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3820.0 1052.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID C41-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3820.0 1014.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME FID6

PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID FID6-

PIN_NUMBER
PIN_NAME
PIN_SIDE B
PIN_ORIGIN 4803.0 59.0
PIN_RADIUS 18.0

PIN_NET

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C19

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C19-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3350.0 787.0

PIN_RADIUS 21.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C19-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3412.0 787.0

PIN_RADIUS 21.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP12

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP12-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3476.0 354.0

PIN_RADIUS 24.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP11

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP11-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3476.0 255.0

PIN_RADIUS 24.0

PIN_NET /SCL

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP10

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP10-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3476.0 157.0

PIN_RADIUS 24.0

PIN_NET /SDA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP8

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP8-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3208.0 157.0

PIN_RADIUS 24.0

PIN_NET +5V

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP9

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP9-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3208.0 354.0

PIN_RADIUS 24.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP13

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP13-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2185.0 1013.0

PIN_RADIUS 24.0

PIN_NET /xVBUS

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP14

PART_SIDE B

PART_ORIGIN 0.000 0.000
PART_MOUNT Other
PIN_ID TP14-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 2279.0 913.0
PIN_RADIUS 24.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME TP16
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT Other
PIN_ID TP16-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 2279.0 996.0
PIN_RADIUS 24.0
PIN_NET /USB_N
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END
PART_NAME TP15
PART_SIDE B
PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP15-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2185.0 933.0

PIN_RADIUS 24.0

PIN_NET /USB_P

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C80

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C80-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3480.0 933.0

PIN_RADIUS 21.0

PIN_NET /VCCPLL1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C80-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B
PIN_ORIGIN 3480.0 995.0
PIN_RADIUS 21.0
PIN_NET /GNDPLL1
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C85

PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C85-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3535.0 836.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C85-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3535.0 797.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C21

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C21-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3374.0 973.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C21-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3374.0 1011.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C79

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C79-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3433.0 945.0

PIN_RADIUS 14.0

PIN_NET /VCCPLL1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C79-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3433.0 983.0

PIN_RADIUS 14.0

PIN_NET /GNDPLL1

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP17

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP17-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B

PIN_ORIGIN 2781.0 346.0

PIN_RADIUS 24.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R48

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R48-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4883.0 684.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_B/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R48-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4883.0 622.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/VI0B

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R49

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R49-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4824.0 1244.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_A/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R49-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4824.0 1306.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP18

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP18-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4803.0 795.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_B/VDAC

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME TP19

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID TP19-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4905.0 1133.0

PIN_RADIUS 24.0

PIN_NET /IO_Banks/IO_Buffer_A/VDAC

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C75

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C75-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3978.0 611.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C75-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3978.0 573.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C51

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C51-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3978.0 1162.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C51-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3978.0 1124.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C39
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C39-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3820.0 1273.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C39-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3820.0 1234.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C50

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C50-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3978.0 1273.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C50-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3978.0 1234.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C44
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C44-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 4873.0 480.0
PIN_RADIUS 14.0
PIN_NET Net-(U12-Vin-)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C44-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 4835.0 480.0
PIN_RADIUS 14.0
PIN_NET Net-(U12-Vin+)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C58

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C58-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4835.0 1448.0

PIN_RADIUS 14.0

PIN_NET Net-(U21-Vin-)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C58-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4873.0 1448.0

PIN_RADIUS 14.0

PIN_NET Net-(U21-Vin+)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R25

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R25-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4874.0 574.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R25-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4874.0 536.0

PIN_RADIUS 14.0

PIN_NET Net-(U12-Vin-)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R54

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R54-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 4834.0 1354.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/VIOA
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R54-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 4834.0 1393.0
PIN_RADIUS 14.0
PIN_NET Net-(U21-Vin-)
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R6
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID R6-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 4958.0 794.0
PIN_RADIUS 21.0
PIN_NET Net-(U14-OUT)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R6-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4958.0 732.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_B/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R7

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R7-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4883.0 794.0

PIN_RADIUS 21.0

PIN_NET Net-(U14-OUT)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R7-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4883.0 732.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_B/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R8

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID R8-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4750.0 1134.0

PIN_RADIUS 21.0

PIN_NET Net-(U31-OUT)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R8-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4750.0 1196.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_A/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R56

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R56-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4824.0 1134.0

PIN_RADIUS 21.0

PIN_NET Net-(U31-OUT)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R56-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4824.0 1196.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_A/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C17

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C17-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 2969.0 389.0

PIN_RADIUS 14.0

PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C17-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3007.0 389.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C15

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C15-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 2831.0 389.0
PIN_RADIUS 14.0
PIN_NET +3V3
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID C15-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 2869.0 389.0
PIN_RADIUS 14.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME C20
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID C20-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 3431.0 834.0
PIN_RADIUS 14.0
PIN_NET +3V3

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C20-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 3469.0 834.0

PIN_RADIUS 14.0

PIN_NET GND

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME C14

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID C14-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 3076.0 766.0

PIN_RADIUS 21.0

PIN_NET +1V2

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID C14-2

PIN_NUMBER 2

PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 3076.0 704.0
PIN_RADIUS 21.0
PIN_NET GND
PIN_TYPE 2
PIN_COMMENT
PIN_END

PART_END

PART_NAME R24

PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT SMD

PIN_ID R24-1

PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 4834.0 574.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/IO_Buffer_B/ISNS_H
PIN_TYPE 2
PIN_COMMENT
PIN_END

PIN_ID R24-2

PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 4834.0 536.0
PIN_RADIUS 14.0
PIN_NET Net-(U12-Vin+)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R30

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R30-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4874.0 1354.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_A/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R30-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4874.0 1393.0

PIN_RADIUS 14.0

PIN_NET Net-(U21-Vin+)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R59

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R59-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 5000.0 536.0

PIN_RADIUS 14.0

PIN_NET Net-(U12-Vbus)

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R59-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 5000.0 574.0

PIN_RADIUS 14.0

PIN_NET /IO_Banks/IO_Buffer_B/VSENSE

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME R60

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT SMD

PIN_ID R60-1

PIN_NUMBER 1

PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 4755.0 1393.0
PIN_RADIUS 14.0
PIN_NET Net-(U21-Vbus)
PIN_TYPE 2
PIN_COMMENT

PIN_END

PIN_ID R60-2
PIN_NUMBER 2
PIN_NAME 2
PIN_SIDE B
PIN_ORIGIN 4755.0 1354.0
PIN_RADIUS 14.0
PIN_NET /IO_Banks/IO_Buffer_A/VSENSE
PIN_TYPE 2
PIN_COMMENT

PIN_END

PART_END

PART_NAME R50
PART_SIDE B
PART_ORIGIN 0.000 0.000
PART_MOUNT Other

PIN_ID R50-1
PIN_NUMBER 1
PIN_NAME 1
PIN_SIDE B
PIN_ORIGIN 4958.0 684.0
PIN_RADIUS 21.0
PIN_NET /IO_Banks/IO_Buffer_B/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R50-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4958.0 622.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/VIOB

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

PART_NAME REF**

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PART_END

PART_NAME R51

PART_SIDE B

PART_ORIGIN 0.000 0.000

PART_MOUNT Other

PIN_ID R51-1

PIN_NUMBER 1

PIN_NAME 1

PIN_SIDE B

PIN_ORIGIN 4750.0 1244.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/IO_Buffer_A/ISNS_H

PIN_TYPE 2

PIN_COMMENT

PIN_END

PIN_ID R51-2

PIN_NUMBER 2

PIN_NAME 2

PIN_SIDE B

PIN_ORIGIN 4750.0 1306.0

PIN_RADIUS 21.0

PIN_NET /IO_Banks/VIOA

PIN_TYPE 2

PIN_COMMENT

PIN_END

PART_END

OUTLINE_POINTS 4968 1929 4983 1927 4998 1924 5013 1920 5028 1914 5041 1906 5054 1898 5066 1888 5077 1877 5088 1868 5099 1858 5110 1848 5121 1838 5132 1828 5143 1818 5154 1808 5165 1798 5176 1788 5187 1778 5198 1768 5209 1758 5220 1748 5231 1738 5242 1728 5253 1718 5264 1708 5275 1698 5286 1688 5297 1678 5308 1668 5319 1658 5330 1648 5341 1638 5352 1628 5363 1618 5374 1608 5385 1598 5396 1588 5407 1578 5418 1568 5429 1558 5440 1548 5451 1538 5462 1528 5473 1518 5484 1508 5495 1498 5506 1488 5517 1478 5528 1468 5539 1458 5550 1448 5561 1438 5572 1428 5583 1418 5594 1408 5605 1398 5616 1388 5627 1378 5638 1368 5649 1358 5660 1348 5671 1338 5682 1328 5693 1318 5704 1308 5715 1298 5726 1288 5737 1278 5748 1268 5759 1258 5770 1248 5781 1238 5792 1228 5803 1218 5814 1208 5825 1198 5836 1188 5847 1178 5858 1168 5869 1158 5880 1148 5891 1138 5902 1128 5913 1118 5924 1108 5935 1098 5946 1088 5957 1078 5968 1068 5979 1058 5990 1048 6001 1038 6012 1028 6023 1018 6034 1008 6045 998 6056 988 6067 978 6078 968 6089 958 6100 948 6111 938 6122 928 6133 918 6144 908 6155 898 6166 888 6177 878 6188 868 6199 858 6210 848 6221 838 6232 828 6243 818 6254 808 6265 798 6276 788 6287 778 6298 768 6309 758 6320 748 6331 738 6342 728 6353 718 6364 708 6375 698 6386 688 6397 678 6408 668 6419 658 6430 648 6441 638 6452 628 6463 618 6474 608 6485 598 6496 588 6507 578 6518 568 6529 558 6540 548 6551 538 6562 528 6573 518 6584 508 6595 498 6606 488 6617 478 6628 468 6639 458 6650 448 6661 438 6672 428 6683 418 6694 408 6705 398 6716 388 6727 378 6738 368 6749 358 6760 348 6771 338 6782 328 6793 318 6804 308 6815 298 6826 288 6837 278 6848 268 6859 258 6870 248 6881 238 6892 228 6903 218 6914 208 6925 198 6936 188 6947 178 6958 168 6969 158 6980 148 6991 138 7002 128 7013 118 7024 108 7035 98 7046 88 7057 78 7068 68 7079 58 7090 48 7101 38 7112 28 7123 18 7134 8 7145 0 7156 0 7167 0 7178 0 7189 0 7200 0 7211 0 7222 0 7233 0 7244 0 7255 0 7266 0 7277 0 7288 0 7299 0 7310 0 7321 0 7332 0 7343 0 7354 0 7365 0 7376 0 7387 0 7398 0 7409 0 7420 0 7431 0 7442 0 7453 0 7464 0 7475 0 7486 0 7497 0 7508 0 7519 0 7530 0 7541 0 7552 0 7563 0 7574 0 7585 0 7596 0 7607 0 7618 0 7629 0 7640 0 7651 0 7662 0 7673 0 7684 0 7695 0 7706 0 7717 0 7728 0 7739 0 7750 0 7761 0 7772 0 7783 0 7794 0 7805 0 7816 0 7827 0 7838 0 7849 0 7860 0 7871 0 7882 0 7893 0 7904 0 7915 0 7926 0 7937 0 7948 0 7959 0 7970 0 7981 0 7992 0 8003 0 8014 0 8025 0 8036 0 8047 0 8058 0 8069 0 8080 0 8091 0 8102 0 8113 0 8124 0 8135 0 8146 0 8157 0 8168 0 8179 0 8190 0 8201 0 8212 0 8223 0 8234 0 8245 0 8256 0 8267 0 8278 0 8289 0 8300 0 8311 0 8322 0 8333 0 8344 0 8355 0 8366 0 8377 0 8388 0 8399 0 8410 0 8421 0 8432 0 8443 0 8454 0 8465 0 8476 0 8487 0 8498 0 8509 0 8520 0 8531 0 8542 0 8553 0 8564 0 8575 0 8586 0 8597 0 8608 0 8619 0 8630 0 8641 0 8652 0 8663 0 8674 0 8685 0 8696 0 8707 0 8718 0 8729 0 8740 0 8751 0 8762 0 8773 0 8784 0 8795 0 8806 0 8817 0 8828 0 8839 0 8850 0 8861 0 8872 0 8883 0 8894 0 8905 0 8916 0 8927 0 8938 0 8949 0 8960 0 8971 0 8982 0 8993 0 9004 0 9015 0 9026 0 9037 0 9048 0 9059 0 9070 0 9081 0 9092 0 9103 0 9114 0 9125 0 9136 0 9147 0 9158 0 9169 0 9180 0 9191 0 9202 0 9213 0 9224 0 9235 0 9246 0 9257 0 9268 0 9279 0 9290 0 9301 0 9312 0 9323 0 9334 0 9345 0 9356 0 9367 0 9378 0 9389 0 9400 0 9411 0 9422 0 9433 0 9444 0 9455 0 9466 0 9477 0 9488 0 9499 0 9510 0 9521 0 9532 0 9543 0 9554 0 9565 0 9576 0 9587 0 9598 0 9609 0 9620 0 9631 0 9642 0 9653 0 9664 0 9675 0 9686 0 9697 0 9708 0 9719 0 9730 0 9741 0 9752 0 9763 0 9774 0 9785 0 9796 0 9807 0 9818 0 9829 0 9840 0 9851 0 9862 0 9873 0 9884 0 9895 0 9906 0 9917 0 9928 0 9939 0 9950 0 9961 0 9972 0 9983 0 9994 0 10000 0

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-board-view\example\example.kicad_pcb

Resumo: (kicad_pcb (version 20221018) (generator pcbnew) (general (thickness 1.6)) (paper "A4") (title_block (title "base board") (rev "C3")) (layers (0 "F.Cu" signal) (1 "In1.Cu" power) (2 "In2.Cu" power) (31 "B.Cu" signal) (34 "B.Paste" use...

(kicad_pcb (version 20221018) (generator pcbnew)

(general

(thickness 1.6)

)

(paper "A4")

(title_block

(title "base board")

(rev "C3")

)

(layers

(0 "F.Cu" signal)

(1 "In1.Cu" power)

(2 "In2.Cu" power)

(31 "B.Cu" signal)

(34 "B.Paste" user)

(35 "F.Paste" user)

(36 "B.Silks" user "B.Silkscreen")

(37 "F.Silks" user "F.Silkscreen")

(38 "B.Mask" user)

(39 "F.Mask" user)

(40 "Dwgs.User" user "User.Drawings")

(41 "Cmts.User" user "User.Comments")

(44 "Edge.Cuts" user)

(45 "Margin" user)

(46 "B.CrtYd" user "B.Courtyard")

(47 "F.CrtYd" user "F.Courtyard")

(48 "B.Fab" user)

(49 "F.Fab" user)

```

(50 "User.1" user "User.bot-case-outline")

(51 "User.2" user "User.top-case-outline")

)

(setup
  (stackup
    (layer "F.Silks" (type "Top Silk Screen") (color "Black"))
    (layer "F.Paste" (type "Top Solder Paste"))
    (layer "F.Mask" (type "Top Solder Mask") (color "White") (thickness 0.01))
    (layer "F.Cu" (type "copper") (thickness 0.035))
    (layer "dielectric 1" (type "core") (thickness 0.48) (material "FR4") (epsilon_r 4.5) (loss_tangent
    (layer "In1.Cu" (type "copper") (thickness 0.035))
    (layer "dielectric 2" (type "prepreg") (thickness 0.48) (material "FR4") (epsilon_r 4.5) (loss_tangent
    (layer "In2.Cu" (type "copper") (thickness 0.035))
    (layer "dielectric 3" (type "core") (thickness 0.48) (material "FR4") (epsilon_r 4.5) (loss_tangent
    (layer "B.Cu" (type "copper") (thickness 0.035))
    (layer "B.Mask" (type "Bottom Solder Mask") (color "White") (thickness 0.01))
    (layer "B.Paste" (type "Bottom Solder Paste"))
    (layer "B.Silks" (type "Bottom Silk Screen") (color "Black"))
    (copper_finish "None")
    (dielectric_constraints no)
  )
  (pad_to_mask_clearance 0)
  (aux_axis_origin 50 120)
  (pcbplotparams
    (layerselection 0x003d0fc_ffffffff)
    (plot_on_all_layers_selection 0x00000000_00000000)
    (disableapertmacros false)
    (usegerberextensions true)
    (usegerberattributes false)
    (usegerberadvancedattributes false)
    (creategerberjobfile true)
    (dashed_line_dash_ratio 12.000000)
    (dashed_line_gap_ratio 3.000000)
    (svgprecision 6)

```

```
(plotframeref false)
(viasonmask false)
(mode 1)
(useauxorigin false)
(hpglpennumber 1)
(hpglpenspeed 20)
(hpglpendingiameter 15.000000)
(dxfpolygonmode true)
(dx fimperialunits true)
(dx fusepcbnewfont true)
(psnegative false)
(psa4output false)
(plotreference true)
(plotvalue false)
(plotinvisibletext false)
(sketchpadsonfab false)
(subtractmaskfromsilk true)
(outputformat 1)
(mirror false)
(drillshape 0)
(scaleselection 1)
(outputdirectory "revC3")
)
)
```

```
(net 0 "")
(net 1 "/SDA")
(net 2 "+3V3")
(net 3 "GND")
(net 4 "/SCL")
(net 5 "+5V")
(net 6 "~/~{CY_RESET}")
(net 7 "/SHLD")
(net 8 "/USB_P")
(net 9 "/XTALOUT")
```



```
(net 10 "/XTALIN")
(net 11 "/USB_N")
(net 12 "/D0")
(net 13 "/D1")
(net 14 "/D2")
(net 15 "/D3")
(net 16 "/D4")
(net 17 "/D5")
(net 18 "/D6")
(net 19 "/D7")
(net 20 "/FLAGA")
(net 21 "/FLAGB")
(net 22 "/FLAGC")
(net 23 "/OE")
(net 24 "/A0")
(net 25 "/A1")
(net 26 "/PKTEND")
(net 27 "/FPGA_DONE")
(net 28 "~/~{FPGA_RESET}")
(net 29 "+1V2")
(net 30 "/CLKIF")
(net 31 "/FLAGD")
(net 32 "/VUSB")
(net 33 "/LED_CY")
(net 34 "Net-(U12-Vin+)")
(net 35 "Net-(U12-Vin-)")
(net 36 "/LED_ERR")
(net 37 "/LED_ACT")
(net 38 "Net-(U21-Vin+)")
(net 39 "Net-(U21-Vin-)")
(net 40 "/LED_FPGA")
(net 41 "Net-(U12-Vbus)")
(net 42 "~/~{ALERT}")
(net 43 "/CLKREF")
(net 44 "/ENVB")
```

```
(net 45 "/ENVA")
(net 46 "/WR")
(net 47 "/RD")
(net 48 "/VCCPLL1")
(net 49 "/VCCPLL0")
(net 50 "/GNDPLL1")
(net 51 "/GNDPLL0")
(net 52 "Net-(U21-Vbus)")
(net 53 "Net-(D1-A)")
(net 54 "Net-(D2-A)")
(net 55 "Net-(D3-A)")
(net 56 "Net-(D4-A)")
(net 57 "/IO_Banks/IO_Buffer_B/Y0")
(net 58 "/IO_Banks/IO_Buffer_B/Z0")
(net 59 "/IO_Banks/IO_Buffer_B/Y7")
(net 60 "/IO_Banks/IO_Buffer_B/Z7")
(net 61 "/IO_Banks/IO_Buffer_B/Y1")
(net 62 "/IO_Banks/IO_Buffer_B/Y2")
(net 63 "/IO_Banks/IO_Buffer_B/Y3")
(net 64 "/IO_Banks/IO_Buffer_B/Y4")
(net 65 "/IO_Banks/IO_Buffer_B/Y5")
(net 66 "/IO_Banks/IO_Buffer_B/Y6")
(net 67 "/IO_Banks/IO_Buffer_B/Z1")
(net 68 "/IO_Banks/IO_Buffer_B/Z2")
(net 69 "/IO_Banks/IO_Buffer_B/Z3")
(net 70 "/IO_Banks/IO_Buffer_B/Z5")
(net 71 "/IO_Banks/IO_Buffer_B/Z4")
(net 72 "/IO_Banks/IO_Buffer_B/Z6")
(net 73 "/IO_Banks/IO_Buffer_A/Y0")
(net 74 "/IO_Banks/IO_Buffer_A/Z0")
(net 75 "/IO_Banks/IO_Buffer_A/Y7")
(net 76 "/IO_Banks/IO_Buffer_A/Z7")
(net 77 "/IO_Banks/IO_Buffer_A/Y1")
(net 78 "/IO_Banks/IO_Buffer_A/Y2")
(net 79 "/IO_Banks/IO_Buffer_A/Y3")
```

(net 80 "/IO_Banks/IO_Buffer_A/Y4")
(net 81 "/IO_Banks/IO_Buffer_A/Y5")
(net 82 "/IO_Banks/IO_Buffer_A/Y6")
(net 83 "/IO_Banks/IO_Buffer_A/Z1")
(net 84 "/IO_Banks/IO_Buffer_A/Z2")
(net 85 "/IO_Banks/IO_Buffer_A/Z3")
(net 86 "/IO_Banks/IO_Buffer_A/Z5")
(net 87 "/IO_Banks/IO_Buffer_A/Z4")
(net 88 "/IO_Banks/IO_Buffer_A/Z6")
(net 89 "/IO_Banks/QB6")
(net 90 "/IO_Banks/QB5")
(net 91 "/IO_Banks/QB4")
(net 92 "/IO_Banks/QB3")
(net 93 "/IO_Banks/QB2")
(net 94 "/IO_Banks/QB1")
(net 95 "/IO_Banks/QB7")
(net 96 "/IO_Banks/QB0")
(net 97 "/IO_Banks/QA0")
(net 98 "/IO_Banks/QA7")
(net 99 "/IO_Banks/QA1")
(net 100 "/IO_Banks/QA2")
(net 101 "/IO_Banks/QA3")
(net 102 "/IO_Banks/QA4")
(net 103 "/IO_Banks/QA5")
(net 104 "/IO_Banks/QA6")
(net 105 "/IO_Banks/U1")
(net 106 "/IO_Banks/IO_Buffer_A/VSENSE")
(net 107 "/IO_Banks/VI0B")
(net 108 "/IO_Banks/VI0A")
(net 109 "/IO_Banks/U2")
(net 110 "/IO_Banks/IO_Buffer_B/VSENSE")
(net 111 "/IO_Banks/U5")
(net 112 "/IO_Banks/U4")
(net 113 "/IO_Banks/U3")
(net 114 "/IO_Banks/Z0_P")

(net 115 "/IO_Banks/Z2_N")
(net 116 "/IO_Banks/Z3_N")
(net 117 "/IO_Banks/Z3_P")
(net 118 "/IO_Banks/Z6_P")
(net 119 "/IO_Banks/Z8_P")
(net 120 "/IO_Banks/Z10_P")
(net 121 "/IO_Banks/Z11_P")
(net 122 "/IO_Banks/Z11_N")
(net 123 "/IO_Banks/Z0_N")
(net 124 "/IO_Banks/Z2_P")
(net 125 "/IO_Banks/Z4_P")
(net 126 "/IO_Banks/Z5_P")
(net 127 "/IO_Banks/Z6_N")
(net 128 "/IO_Banks/Z8_N")
(net 129 "/IO_Banks/Z10_N")
(net 130 "/IO_Banks/Z12_N")
(net 131 "/IO_Banks/Z12_P")
(net 132 "/IO_Banks/Z1_N")
(net 133 "/IO_Banks/Z4_N")
(net 134 "/IO_Banks/Z5_N")
(net 135 "/IO_Banks/Z7_N")
(net 136 "/IO_Banks/Z9_P")
(net 137 "/IO_Banks/Z9_N")
(net 138 "/IO_Banks/Z1_P")
(net 139 "/IO_Banks/VIO_AUX")
(net 140 "/IO_Banks/Z7_P")
(net 141 "/IO_Banks/DA0")
(net 142 "/IO_Banks/DA4")
(net 143 "/IO_Banks/DA6")
(net 144 "/IO_Banks/DA1")
(net 145 "/IO_Banks/DA3")
(net 146 "/IO_Banks/DA5")
(net 147 "/IO_Banks/DA7")
(net 148 "/IO_Banks/DB0")
(net 149 "/IO_Banks/DB4")

(net 150 "/IO_Banks/DB6")
(net 151 "/IO_Banks/DB1")
(net 152 "/IO_Banks/DB3")
(net 153 "/IO_Banks/DB5")
(net 154 "/IO_Banks/DB7")
(net 155 "/IO_Banks/DA2")
(net 156 "/IO_Banks/DB2")
(net 157 "/IO_Banks/IO_Buffer_B/VFB")
(net 158 "/IO_Banks/IO_Buffer_A/VFB")
(net 159 "/IO_Banks/~{SYNC}")
(net 160 "Net-(D5-A)")
(net 161 "Net-(D6-A)")
(net 162 "Net-(D7-A)")
(net 163 "Net-(D8-A)")
(net 164 "Net-(D9-A)")
(net 165 "Net-(D10-A)")
(net 166 "Net-(D12-K)")
(net 167 "Net-(D13-K)")
(net 168 "Net-(D14-A)")
(net 169 "Net-(D15-A)")
(net 170 "Net-(U12-~{Alert})")
(net 171 "Net-(U21-~{Alert})")
(net 172 "unconnected-(D21-Ch5-Pad9)")
(net 173 "/IO_Banks/IO_Buffer_B/X3")
(net 174 "/IO_Banks/IO_Buffer_B/X2")
(net 175 "/IO_Banks/IO_Buffer_B/X1")
(net 176 "/IO_Banks/IO_Buffer_B/X7")
(net 177 "/IO_Banks/IO_Buffer_B/X6")
(net 178 "/IO_Banks/IO_Buffer_B/X5")
(net 179 "/IO_Banks/IO_Buffer_B/X4")
(net 180 "/IO_Banks/IO_Buffer_A/X3")
(net 181 "/IO_Banks/IO_Buffer_A/X2")
(net 182 "/IO_Banks/IO_Buffer_A/X1")
(net 183 "/IO_Banks/IO_Buffer_A/X7")
(net 184 "/IO_Banks/IO_Buffer_A/X6")

(net 185 "/IO_Banks/IO_Buffer_A/X5")
(net 186 "/IO_Banks/IO_Buffer_A/X4")
(net 187 "/xVBUS")
(net 188 "/CC1")
(net 189 "/CC2")
(net 190 "unconnected-(D21-Ch6-Pad8)")
(net 191 "unconnected-(D21-N{slash}C-Pad7)")
(net 192 "unconnected-(D21-N{slash}C-Pad6)")
(net 193 "unconnected-(D23-Ch5-Pad9)")
(net 194 "unconnected-(D23-Ch6-Pad8)")
(net 195 "/IO_Banks/IO_Buffer_B/VIO_EN")
(net 196 "unconnected-(D23-N{slash}C-Pad7)")
(net 197 "/IO_Banks/IO_Buffer_A/VIO_EN")
(net 198 "unconnected-(D23-N{slash}C-Pad6)")
(net 199 "Net-(R4-Pad2)")
(net 200 "Net-(U7-~{RESET})")
(net 201 "unconnected-(J1-SBU2-PadB8)")
(net 202 "/IO_Banks/IO_Buffer_B/ISNS_H")
(net 203 "/IO_Banks/IO_Buffer_A/ISNS_H")
(net 204 "/SWSH")
(net 205 "unconnected-(J1-SBU1-PadA8)")
(net 206 "unconnected-(J2-Pin_20-Pad20)")
(net 207 "/IO_Banks/IO_Buffer_B/X0")
(net 208 "/IO_Banks/IO_Buffer_A/X0")
(net 209 "/IO_Banks/IO_Buffer_B/P7")
(net 210 "/IO_Banks/IO_Buffer_B/P6")
(net 211 "/IO_Banks/IO_Buffer_B/P5")
(net 212 "/IO_Banks/IO_Buffer_B/P4")
(net 213 "/IO_Banks/IO_Buffer_B/P3")
(net 214 "/IO_Banks/IO_Buffer_B/P2")
(net 215 "/IO_Banks/IO_Buffer_B/P1")
(net 216 "/IO_Banks/IO_Buffer_B/P0")
(net 217 "/IO_Banks/IO_Buffer_A/P7")
(net 218 "/IO_Banks/IO_Buffer_A/P6")
(net 219 "/IO_Banks/IO_Buffer_A/P5")

```
(net 220 "/IO_Banks/IO_Buffer_A/P4")
(net 221 "/IO_Banks/IO_Buffer_A/P3")
(net 222 "/IO_Banks/IO_Buffer_A/P2")
(net 223 "/IO_Banks/IO_Buffer_A/P1")
(net 224 "/IO_Banks/IO_Buffer_A/P0")
(net 225 "~{MR}")
(net 226 "/IO_Banks/IO_Buffer_B/VDAC")
(net 227 "/IO_Banks/IO_Buffer_A/VDAC")
(net 228 "unconnected-(J2-Pin_19-Pad19)")
(net 229 "unconnected-(J3-Pin_20-Pad20)")
(net 230 "unconnected-(J3-Pin_19-Pad19)")
(net 231 "Net-(U14-OUT)")
(net 232 "Net-(U31-OUT)")
(net 233 "Net-(U30A-IOT_219)")
(net 234 "Net-(U5-~{RESET})")
(net 235 "Net-(U19-~{RESET})")
(net 236 "Net-(U32-B)")
(net 237 "Net-(U30A-IOT_170)")
(net 238 "Net-(U3-A1)")
(net 239 "Net-(U30A-IOT_172)")
(net 240 "Net-(U30A-IOT_168)")
(net 241 "Net-(U32-A)")
(net 242 "unconnected-(U1-PD7{slash}FD15-Pad52)")
(net 243 "unconnected-(U1-PD1{slash}FD9-Pad46)")
(net 244 "unconnected-(U2-WP-Pad7)")
(net 245 "unconnected-(U2-A2-Pad3)")
(net 246 "unconnected-(U2-NC-Pad1)")
(net 247 "unconnected-(U3-WP-Pad7)")
(net 248 "unconnected-(U3-A2-Pad3)")
(net 249 "unconnected-(U5-~{INT}-Pad13)")
(net 250 "unconnected-(U19-~{INT}-Pad13)")
(net 251 "unconnected-(U30E-VPP_FAST-PadB10)")

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ad5dbcb))
```

```

(at 76.4 105)

(descr "SMD pad as test Point, diameter 1.0mm")

(tags "test point SMD pad")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "exclude_from_bom" "")

(property "ki_description" "test point")

(property "ki_keywords" "test point tp")

(path "/00000000-0000-0000-0000-00005ae22a82")

(attr exclude_from_pos_files exclude_from_bom)

(fp_text reference "TP5" (at 0 -1.448) (layer "F.Silks") hide

  (effects (font (size 0.8 0.8) (thickness 0.15))))

(timestamp 1a60002e-15f2-47a5-b785-49fb3500a927)

)

(fp_text value "SCL" (at 0 0) (layer "F.Fab")

  (effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp f8726a86-c54c-426e-87e3-f033308708e4)

)

(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide

  (effects (font (size 1 1) (thickness 0.15))))

(timestamp 12dd75a1-2e8e-488a-9db6-62afbd0d3f83)

)

(fp_circle (center 0 0) (end 0 0.7)

  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (timestamp df230c02-5b31-49c7-9247-a99000000000))

(fp_circle (center 0 0) (end 1 0)

  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (timestamp 1c42f621-f6c3-40bb-9569-f70000000000))

(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")

  (net 4 "/SCL") (pinfunction "1") (pintype "passive") (timestamp d7c89af1-19d8-4456-a972-5f70a7809836))

)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")

  (timestamp 00000000-0000-0000-0000-00005ad5dbe1)

  (at 76.4 103.3)

  (descr "SMD pad as test Point, diameter 1.0mm")

  (tags "test point SMD pad")

```



```

(property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")
(property "exclude_from_bom" "")
(property "ki_description" "test point")
(property "ki_keywords" "test point tp")
(path "/00000000-0000-0000-0000-00005ae223ce")
(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "TP4" (at 0 -1.448) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15)))
  (tstamp 7f5a2be7-0410-4d20-a7fb-0c4e7fc2ea6e)
)
(fp_text value "SDA" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 2b32cfd3-1918-4320-8dce-4d738ccbb393)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 56a3886d-11ec-4a82-8661-0f2ef133feb6)
)
(fp_circle (center 0 0) (end 0 0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp 4c1541bc-b1bb-456c-aab6-1c
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 8d379fa1-d640-43d5-a0f0-68
(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
  (net 1 "/SDA") (pinfunction "1") (pintype "passive") (tstamp 91c8df6d-e40b-46b7-8db4-36c6027c36ea))
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005aecd5c4)
  (at 58 118.5)
  (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
  (tags "fiducial")
  (attr smd board_only exclude_from_bom)
  (fp_text reference "FID1" (at 0 -2) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15)))

```

```

        (tstamp c43f8776-1bb5-4b56-9194-2de7e9cea73d)
    )
    (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 2) (layer "F.Fab") hide
        (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 68730aa2-85e3-4d2a-9788-153b5f96e0e6)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.3 0.3) (thickness 0.05))))
    (tstamp fe24d1e7-dfba-43c3-b539-09e1065e0c85)
    )
    (fp_circle (center 0 0) (end 1 0)
        (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp c4badd31-0241-4e46-8d65-7d
    (fp_circle (center 0 0) (end 0.75 0)
        (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp dbf7a51b-bc2b-4367-b337-af649
    (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "F.Cu" "F.Mask")
        (solder_mask_margin 0.375) (clearance 0.375) (tstamp 575dad59-0c50-42eb-9bcf-dca52c0d94e2))
    )

    (footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005aec5ec)
        (at 122 72.5)
        (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
        (tags "fiducial")
        (attr smd board_only exclude_from_bom)
        (fp_text reference "FID2" (at 0 -2) (layer "F.SilkS") hide
            (effects (font (size 0.8 0.8) (thickness 0.15))))
        (tstamp 4b84411d-6418-4ef6-b0d1-b0ea4c9f9ff1)
    )
    (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 2) (layer "F.Fab") hide
        (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 3f85d5ee-bfdb-4035-976b-3917eae70d6f)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.3 0.3) (thickness 0.05))))
    (tstamp c9acad7c-e2d2-483e-8628-282321231d04)

```

```

)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp d1dfd01f-0ce1-44fb-aea0-65
(fp_circle (center 0 0) (end 0.75 0)
  (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp f6a876e7-e616-4aff-86dc-1fbf0
(pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "F.Cu" "F.Mask")
  (solder_mask_margin 0.375) (clearance 0.375) (tstamp 3ac6e2b7-c108-4909-b4e4-422def586f0e))
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005be41647)
  (at 127 107.6 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
  (attr smd)
  (fp_text reference "C30" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 99818510-deeb-4119-9c08-808c54f6ef14)
  )
  (fp_text value "u1" (at 0 -0.7 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 21486463-ea54-441b-a568-4c7f4594576d)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp e2f3a785-95dd-4948-ad45-4614a689e972)
  )
)

```

```

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ab0bfe76-36b3-4542-96a9-dcf5c1dc133f))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3aa2a874-2549-46eb-9f0e-f9ae30f0d017))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f02a3e4b-53f2-49ac-90c3-a808a29796ac))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2742ecda-f51b-449a-9a8a-06caf6c4b652))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 057372cb-1107-4494-b6fa-ef1088b0d785))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c51e9e66-391c-4227-b2b6-90df916a843e))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 194c7cd4-81c2-46cf-a384-791a15a2cdce))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 409f6252-2152-4016-9e8f-72181c863b60))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 7c6b419b-dc74-4ead-84d1-4b97f886a5f1))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 1ed4e040-c3fe-4bad-bf32-da712ce77527))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005be63918)
  (at 59 108 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")

```

```

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34db")

(attr smd)

(fp_text reference "R22" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 47ec94b2-3941-4af9-80a8-5d64c499481f)
)

(fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp c38c542c-6648-4dbb-b82c-4c5db478942c)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 1e34029e-46ac-45b9-91f6-fc8cb21e81f9)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp df6a1dac-3e5b-4b40-94b3-d9eb89865159))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e78e20e9-9809-45ce-b666-1d48d043a66f))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ca5df803-ef2b-4011-9d19-375253ada345))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 86c8dd1a-3037-4f53-83ce-db24ea738ba6))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 25fccc0d-6982-458b-9ccd-d351e1f2d75e))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fc69da7b-5c10-4df7-8e04-af2253750462))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9ee33ff6-0f35-4d03-9c25-51d302d2a4c2))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 052ffa80-58a0-4aba-ac4b-3e943441072c))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundre

```

```

        (net 112 "/IO_Banks/U4") (pintype "passive") (tstamp 1a86044c-9134-46de-a0a2-6229dfe008c5))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

(net 164 "Net-(D9-A)") (pintype "passive") (tstamp 3b45950b-2133-46a2-a53e-aabaa43f62b8))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005be63996)

(at 59 110 -90)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

(tags "resistor")

(property "1b2-bom-key" "res-0402-2k2")

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34eb")

(attr smd)

(fp_text reference "R23" (at 0 0 90) (layer "F.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05))))

(tstamp 9e5c42b5-c58c-465c-8de7-55fbfb98d47e)

)

(fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06))))

(tstamp d84153cd-8daa-478a-b259-425d4e650200)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04))))

(tstamp e7c25725-6f63-4454-a9f9-1c9e241fd6d9)

```

```

)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ab3e58da-8526-470d-aa31-ced2c0a9cca6))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 99b92a32-0541-4161-95da-46b9588459af))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 24ce6746-fadc-453b-85d2-67c1cc4aea5e))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c8756a25-9280-4b47-bd85-b29ea477d7e0))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 58f64cde-19f2-4ba2-9b18-0d76a1cfe2bd))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1538146e-315e-46ad-a904-217ea9ee024d))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 89750156-5bc7-48f4-ab2a-ff7b09a4c2fc))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0e05fb15-ac60-403d-bd26-17a070c6e583))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 111 "/IO_Banks/U5") (pintype "passive") (tstamp cd3b7857-8338-41e8-92e0-c9ee534906b2))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 165 "Net-(D10-A)") (pintype "passive") (tstamp be6b0c6b-9ce3-454a-979a-964e5ef00304))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed18c7)
  (at 73.1 89)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" ""))

```

```

(property "exclude_from_bom" "")

(property "ki_description" "test point")

(property "ki_keywords" "test point tp")

(path "/00000000-0000-0000-0000-00005ae93638")

(attr exclude_from_pos_files exclude_from_bom)

(fp_text reference "TP6" (at 0.5 0) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15)))
  (tstamp ea033f7a-9881-48de-a8b2-650c27062d87)
)

(fp_text value "CLKREF" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp a2f5195d-63fe-4b03-bc10-ba86a78883c4)
)

(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 53feab37-3abc-4f99-a315-22bb64634d23)
)

(fp_circle (center 0 0) (end 0 0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp d9130e91-6a58-4279-b472-92b)
)

(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp b00b5afa-3af0-4bdc-bded-79b)
)

(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
  (net 43 "/CLKREF") (pinfunction "1") (pintype "passive") (tstamp db6dc3c5-5079-4382-afa1-e5d339003b)
)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bee7565)
  (at 75.55 100.5 45)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-100k")
  (property "MPN" "RC0402FR-13100KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")

```



```

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005b9b5966")

(attr smd)

(fp_text reference "R9" (at 0 0 45) (layer "F.SilkS") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 85885a8f-fd9a-4f92-b8b0-1b3be769ad97)
)

(fp_text value "100k" (at 0.035355 -0.671751 45) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp cb844b90-6928-46ee-9c6b-484f01fbcba8)
)

(fp_text user "${REFERENCE}" (at 0 0 45) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 96b079f7-41f5-4401-a1c1-8f7f3a3de701)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c8bb8e9f-f1ea-4121-a81b-71909c5d8c8d))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57ec194a-6092-4e39-8d74-ab73fd60fb47))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5517fd94-5cdf-4797-add0-f9a19fc7ab37))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 51b66cd2-351d-429e-b39d-5e8bb28192b5))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ec28fa38-60a8-4368-976f-8c6d5b718bca))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d09d4800-c4f1-4041-a143-ac6d89731ad6))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84c24bc9-0b43-4b58-914d-517ac27a000b))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a0656fc-298c-4d8c-88c8-7d5ca42d3ef9))

(pad "1" smd roundrect (at -0.485 0 45) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 957ad413-9b81-437e-bb21-68e57ce1e69e))
(pad "2" smd roundrect (at 0.485 0 45) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

```
(net 28 "~/~{FPGA_RESET}") (pintype "passive") (tstamp 7d978564-01fd-4110-a154-099cae1f355e))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Package_DFN_QFN:Cypress_QFN-56-1EP_8x8mm_P0.5mm_EP6.22x6.22mm_ThermalVias" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005befb37d)

  (at 69.85 95.5)

  (descr "56-Lead Plastic Quad Flat, No Lead Package (ML) - 8x8x0.9 mm Body [QFN] (see datasheet at http://www.cypress.com/doc/638666/cypress-datasheet-new)"

    (tags "QFN 0.5")

    (property "1b2-bom-key" "ic-cy7c68013a-56ltx")

    (property "MPN" "CY7C68013A-56LTXC")

    (property "Mfg" "Cypress")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "CYPRESS FX2LP USB Microcontroller, 48MHz 8051, 16KB RAM, USB 2.0, I2C, QFN)

    (property "ki_keywords" "FX2LP 8-bit USB MCU")

    (path "/00000000-0000-0000-0000-00005aca0321")

    (attr smd)

    (fp_text reference "U1" (at 0 -0.7) (layer "F.Silks") hide

      (effects (font (size 1 1) (thickness 0.15))))

    (tstamp 60c8ec2d-59f4-4f82-bc0e-2e15e689cc96)

  )

  (fp_text value "CY7C68013A-56LTX" (at 0.05 -3.1 180) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06))))

  (tstamp 9fef9cd4-bee9-476d-9993-1ea3ae26fd93)

)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

  (effects (font (size 1 1) (thickness 0.15))))

  (tstamp f6cadf84-5be7-40a1-af77-81add2d4f988)

)

(fp_line (start -4.12 4.12) (end -4.12 3.72))
```

```
(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 54b1720b-e331-4da4-af52-f794968ef957))
(fp_line (start -4.12 4.12) (end -3.72 4.12)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 39b05305-1d3e-4500-a62f-ada99c8d7ca1))
(fp_line (start -3.72 -4.12) (end -4.12 -4.12)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 6d978c4f-b162-48e5-a532-1922c3a2f790))
(fp_line (start 3.72 -4.12) (end 4.12 -4.12)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 03e40b8f-df19-4715-a347-351012a4808b))
(fp_line (start 4.12 -4.12) (end 4.12 -3.72)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d9a4d4d6-2b81-4e98-abd9-210a0319a5b3))
(fp_line (start 4.12 3.72) (end 4.12 4.12)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 9cadbcd0-1d82-4494-9717-a2abdd864ea8))
(fp_line (start 4.12 4.12) (end 3.72 4.12)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp a1997709-311f-43c5-b0c6-4e2379239be5))
(fp_line (start -2.54 -1.905) (end 2.54 -1.905)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 03dd5443-4bef-4a66-a328-79bfef42b0ad)
(fp_line (start -2.54 -0.635) (end 2.54 -0.635)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp dab75725-6ee8-4900-ba65-fb75fdc01f0c)
(fp_line (start -2.54 0.635) (end 2.54 0.635)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 20f307bf-4de3-49f0-a0db-c04b505bf05a)
(fp_line (start -2.54 1.905) (end 2.54 1.905)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 099a4afd-8cc0-40ed-a02a-3e3f0175293b)
(fp_line (start -1.905 -2.54) (end -1.905 2.54)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 6065365e-4d52-421e-bbe5-0703f9b89ccc)
(fp_line (start -0.635 -2.54) (end -0.635 2.54)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp e80df5c0-ad59-4dc9-8d6f-27e8301078fd)
(fp_line (start 0.635 -2.54) (end 0.635 2.54)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp c0136e66-a986-496f-8edf-fd90f146c503)
(fp_line (start 1.905 -2.54) (end 1.905 2.54)

(stroke (width 0.8636) (type solid)) (layer "F.Mask") (tstamp 10d9c4d9-171e-41b4-9d87-25ce03c47f07)
(fp_circle (center -2.54 -2.54) (end -2.24 -2.54)

(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 59a464c8-3d11-40e0-a1a3-0ceaa
(fp_circle (center -2.54 -1.27) (end -2.24 -1.27)

(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 7488d562-e47a-4051-9920-a73b
(fp_circle (center -2.54 0) (end -2.24 0)
(stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp b2d94a78-f00d-4ef2-8e04-38c4
```

```
(fp_circle (center -2.54 1.27) (end -2.24 1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 6a9284a1-43f4-43c3-82a9-d9b1

(fp_circle (center -2.54 2.54) (end -2.24 2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 9a9b9e2c-6adc-4c7b-b8fc-303b

(fp_circle (center -1.27 -2.54) (end -0.97 -2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp a10ae93c-ee3e-4807-a3c3-31d8

(fp_circle (center -1.27 -1.27) (end -0.97 -1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 1207c061-3019-4bc8-9f51-5b88

(fp_circle (center -1.27 0) (end -0.97 0)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp bdbbbb62-9773-49a1-90b7-4b84

(fp_circle (center -1.27 1.27) (end -0.97 1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp fea323c5-e53d-4b7e-9b63-f0b0

(fp_circle (center -1.27 2.54) (end -0.97 2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp c8e7da8d-394a-412b-9f6b-7f68
(fp_circle (center 0 -2.54) (end 0.3 -2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 4b0c0f2a-d262-463e-9cce-3b68

(fp_circle (center 0 -1.27) (end 0.3 -1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 56b052a3-f337-4369-abe9-6453

(fp_circle (center 0 0) (end 0 -0.3)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 78d08f76-1beb-41d4-938d-b2bb

(fp_circle (center 0 1.27) (end 0.3 1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 371ab4b7-0bd2-4880-9cfd-9057

(fp_circle (center 0 2.54) (end 0.3 2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp f87af8b1-c35d-498c-8818-d6db

(fp_circle (center 1.27 -2.54) (end 1.57 -2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 7e63f7c6-e6a2-44c1-99f7-1fff

(fp_circle (center 1.27 -1.27) (end 1.57 -1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp de3aa6a7-275a-45b5-b5c0-d689

(fp_circle (center 1.27 0) (end 1.57 0)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 88d86bad-fc72-482b-b6bd-8fdd

(fp_circle (center 1.27 1.27) (end 1.57 1.27)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 3f4fcb19-6728-46c6-a5c1-23e0

(fp_circle (center 1.27 2.54) (end 1.57 2.54)

  (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 8b414510-f94c-486e-b5d6-51f0

(fp_circle (center 2.54 -2.54) (end 2.84 -2.54)
```

```

        (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp dd18a667-66b5-4d98-8cb6-833d)
(fp_circle (center 2.54 -1.27) (end 2.84 -1.27)

        (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp da871ace-35a1-4d95-ac3d-d792)
(fp_circle (center 2.54 0) (end 2.84 0)

        (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 4b96c5db-ee80-49a6-9c27-977d)
(fp_circle (center 2.54 1.27) (end 2.84 1.27)

        (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp b8ead1bc-13dd-4f35-8613-5f7c)
(fp_circle (center 2.54 2.54) (end 2.84 2.54)

        (stroke (width 0.2) (type solid)) (fill none) (layer "F.Mask") (tstamp 0bf97dbf-8935-4b27-8dab-c189)
(fp_poly
  (pts
    (xy -3.11 -3.11)
    (xy -2.75 -3.11)
    (xy -2.75 3.11)
    (xy -3.11 3.11)
  )

        (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp d941ab19-80fe-4c4d-8a9e-263e)
(fp_poly
  (pts
    (xy -3.11 3.11)
    (xy -3.11 2.75)
    (xy 3.11 2.75)
    (xy 3.11 3.11)
  )

        (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp cb4ff04f-84c6-49ec-98fb-0e36)
(fp_poly
  (pts
    (xy 3.11 -3.11)
    (xy 3.11 -2.75)
    (xy -3.11 -2.75)
    (xy -3.11 -3.11)
  )
)
(stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp 0107762a-0792-426d-8495-4af19)

```

```

(fp_poly
  (pts
    (xy 3.11 3.11)
(xy 2.75 3.11)
    (xy 2.75 -3.11)
    (xy 3.11 -3.11)
  )

  (stroke (width 0) (type solid)) (fill solid) (layer "F.Mask") (tstamp 5b383cef-7ede-4369-addc-fd97d5)
(fp_line (start -4.43 -4.43) (end 4.43 -4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a751a9d7-e50e-40d3-afb7-01d70fb8d3b8))
(fp_line (start -4.43 4.43) (end -4.43 -4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ae2248d9-ddfd-40f9-aa43-3892b7561bba))
(fp_line (start 4.43 -4.43) (end 4.43 4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3a1feb4a-1ce7-413f-aa81-bf9510e90670))
(fp_line (start 4.43 4.43) (end -4.43 4.43)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c534a1b3-37a8-48b3-9b7a-a86c30674ce9))
(fp_line (start -4 -3.5) (end -3.5 -4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd28984b-72e5-4e65-96a7-56eac362d8c1))
(fp_line (start -4 4) (end -4 -3.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5d9bcac3-e26d-40f9-bbeb-dc405df4d52f))
(fp_line (start -3.5 -4) (end 4 -4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c18af8a-6ede-42a2-bdcd-9d2605d4cda1))
(fp_line (start 4 -4) (end 4 4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ea6052aa-b9a7-480c-bb88-ffdc1934be2f))
(fp_line (start 4 4) (end -4 4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9965d829-363f-4b29-a791-fffc9b2756a0))
(pad "" smd rect (at -1.555 -1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 734fcac7-577b-4ee5-954d-))
(pad "" smd rect (at -1.555 1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 34eaea47-f73c-44d0-9532-))
(pad "" smd rect (at 1.555 -1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 9c6d02b5-1b86-414d-879d-))
(pad "" smd rect (at 1.555 1.555) (size 2.6 2.6) (layers "F.Paste") (tstamp 7d4139fc-f670-4bc7-b1c6-9))
(pad "1" smd oval (at -4 -3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 47 "/RD") (pinfunction "RDY0/SLRD") (pintype "input") (tstamp 24952598-b4cc-4312-b809-4834195f)
(pad "2" smd oval (at -4 -2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 46 "/WR") (pinfunction "RDY1/SLWR") (pintype "input") (tstamp 2e20c2b7-ceec-4172-bdcb-5df66cd9)

```

```
(pad "3" smd oval (at -4 -2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 2 "+3V3") (pinfunction "AVCC") (pintype "power_in") (tstamp 8567582d-4270-45a2-9f4f-d79b5ad91a)
(pad "4" smd oval (at -4 -1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 9 "/XTALOUT") (pinfunction "XTALOUT") (pintype "output") (tstamp 36e63bb9-d89d-476a-b277-1b00d)
(pad "5" smd oval (at -4 -1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 10 "/XTALIN") (pinfunction "XTALIN") (pintype "input") (tstamp 63bc3659-19d1-4926-95ae-52fe625)
(pad "6" smd oval (at -4 -0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 3 "GND") (pinfunction "AGND") (pintype "power_in") (tstamp 9adb101a-5cce-4f3f-883e-de95223734e)
(pad "7" smd oval (at -4 -0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 2 "+3V3") (pinfunction "AVCC") (pintype "passive") (tstamp b5bc42b5-82a5-44a2-8500-4419c081774)
(pad "8" smd oval (at -4 0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 8 "/USB_P") (pinfunction "D+") (pintype "bidirectional") (tstamp dd4520f6-b426-4463-acab-1c01f)
(pad "9" smd oval (at -4 0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 11 "/USB_N") (pinfunction "D-") (pintype "bidirectional") (tstamp e39fde28-41e7-4313-bd13-995e)
(pad "10" smd oval (at -4 1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 3 "GND") (pinfunction "AGND") (pintype "passive") (tstamp d96d1075-7062-4c1e-adc2-59f51dc29cba)
(pad "11" smd oval (at -4 1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 2 "+3V3") (pinfunction "VCC") (pintype "power_in") (tstamp 9d8c735d-8e50-44f8-a5e6-d8283969e36)
(pad "12" smd oval (at -4 2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 337fd926-8596-475e-9099-b1d4c4efbc57)
(pad "13" smd oval (at -4 2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 30 "/CLKIF") (pinfunction "IFCLK") (pintype "bidirectional") (tstamp 5197945e-ae60-44df-87af-4)
(pad "14" smd oval (at -4 3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 3 "GND") (pinfunction "RESERVED") (pintype "input") (tstamp aaaa1eca-857c-4ed1-b55b-fdd423ad25)
(pad "15" smd oval (at -3.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp a8c4fe48-6cdb-4e01-9d40-0d75cbe1af82))
(pad "16" smd oval (at -2.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 94fbdcf-a-7c0f-4d2e-b361-1de176)
(pad "17" smd oval (at -2.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 7ab8937a-40c8-44f1-aa81-110e51d7e740)
(pad "18" smd oval (at -1.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 12 "/D0") (pinfunction "PB0/FD0") (pintype "bidirectional") (tstamp 2d7708b4-efb9-41fa-be5-9e)
(pad "19" smd oval (at -1.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 13 "/D1") (pinfunction "PB1/FD1") (pintype "bidirectional") (tstamp 02cc0ab5-2a8f-4c0c-a7de-ca)
(pad "20" smd oval (at -0.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
```

```
(net 14 "/D2") (pinfunction "PB2/FD2") (pintype "bidirectional") (tstamp c7c32918-ad3b-4b46-9406-58b1-420000000000)
(pad "21" smd oval (at -0.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 15 "/D3") (pinfunction "PB3/FD3") (pintype "bidirectional") (tstamp 1107c4ba-afbd-42f3-b8ff-000000000000)
(pad "22" smd oval (at 0.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 16 "/D4") (pinfunction "PB4/FD4") (pintype "bidirectional") (tstamp 65897bfa-a203-4fe7-b0a1-420000000000)
(pad "23" smd oval (at 0.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 17 "/D5") (pinfunction "PB5/FD5") (pintype "bidirectional") (tstamp 303ae913-df60-4023-ab3e-210000000000)
(pad "24" smd oval (at 1.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 18 "/D6") (pinfunction "PB6/FD6") (pintype "bidirectional") (tstamp 9b8b55ba-733b-44d1-a578-3c0000000000)
(pad "25" smd oval (at 1.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 19 "/D7") (pinfunction "PB7/FD7") (pintype "bidirectional") (tstamp 40879933-f5dc-4df8-ab0d-bb0000000000)
(pad "26" smd oval (at 2.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp ef460b6e-9339-429e-ba98-20be51ce950f)
(pad "27" smd oval (at 2.75 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 88265e4a-2d52-44d7-b607-6b7103b472d1)
(pad "28" smd oval (at 3.25 4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 59940313-9fc9-4a80-9162-dfeab9f54e3e)
(pad "29" smd oval (at 4 3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 20 "/FLAGA") (pinfunction "CTL0/FLAGA") (pintype "output") (tstamp b47e9e76-7aad-42cb-be6d-48d000000000)
(pad "30" smd oval (at 4 2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 21 "/FLAGB") (pinfunction "CTL1/FLAGB") (pintype "output") (tstamp c28342d4-a212-4614-b0bd-5ec000000000)
(pad "31" smd oval (at 4 2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 22 "/FLAGC") (pinfunction "CTL2/FLAGC") (pintype "output") (tstamp 1582fa03-7986-484e-a0ec-ef0000000000)
(pad "32" smd oval (at 4 1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 46959d7c-2c88-4318-aa49-c932f1f262e9)
(pad "33" smd oval (at 4 1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 42 "/~{ALERT}") (pinfunction "PA0/~{INT0}") (pintype "bidirectional") (tstamp 4482328f-fbb7-440000000000)
(pad "34" smd oval (at 4 0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 28 "/~{FPGA_RESET}") (pinfunction "PA1/~{INT1}") (pintype "bidirectional") (tstamp 1484d63b-6a0000000000)
(pad "35" smd oval (at 4 0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 23 "/OE") (pinfunction "PA2/SLOE") (pintype "bidirectional") (tstamp aca0c250-172c-48a5-a0c9-c00000000000)
(pad "36" smd oval (at 4 -0.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 27 "/FPGA_DONE") (pinfunction "PA3/WU2") (pintype "bidirectional") (tstamp a7e5c1da-a03e-4fb1-500000000000)
(pad "37" smd oval (at 4 -0.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 24 "/A0") (pinfunction "PA4/FIOADDR0") (pintype "bidirectional") (tstamp b3793b28-5256-40f1-980000000000)
```


(pad "38" smd oval (at 4 -1.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 25 "/A1") (pinfunction "PA5/FIOADDR1") (pintype "bidirectional") (tstamp 645891e0-198c-47c6-b0-)
(pad "39" smd oval (at 4 -1.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 26 "/PKTEND") (pinfunction "PA6/PKTEND") (pintype "bidirectional") (tstamp 4b20d92a-0a15-4478-5-)
(pad "40" smd oval (at 4 -2.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 31 "/FLAGD") (pinfunction "PA7/FLAGD/~{SLCS}") (pintype "bidirectional") (tstamp 7f7f4d27-a553-)
(pad "41" smd oval (at 4 -2.75) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp eccbf9f2-b212-4027-8e90-b75eb97b490a)
(pad "42" smd oval (at 4 -3.25) (size 1 0.28) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 6 "~/~{CY_RESET}") (pinfunction "~{RESET}") (pintype "input") (tstamp 12ed05fd-e767-4a90-9077-a-)
(pad "43" smd oval (at 3.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 8506283c-7411-419b-92ed-b16f503b5203)
(pad "44" smd oval (at 2.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "WAKEUP") (pintype "input") (tstamp 46544b2a-1f79-42a3-8742-672e25f96d6-)
(pad "45" smd oval (at 2.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 45 "/ENVA") (pinfunction "PD0/FD8") (pintype "bidirectional") (tstamp 83902080-8cf0-4585-aa1b-5-)
(pad "46" smd oval (at 1.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 243 "unconnected-(U1-PD1{slash}FD9-Pad46)") (pinfunction "PD1/FD9") (pintype "bidirectional+no-)
(pad "47" smd oval (at 1.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 33 "/LED_CY") (pinfunction "PD2/FD10") (pintype "bidirectional") (tstamp 38fa484c-1436-49da-85-)
(pad "48" smd oval (at 0.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 40 "/LED_FPGA") (pinfunction "PD3/FD11") (pintype "bidirectional") (tstamp a2dcc902-2ba7-4cb7-5-)
(pad "49" smd oval (at 0.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 37 "/LED_ACT") (pinfunction "PD4/FD12") (pintype "bidirectional") (tstamp a46bc5a4-f71e-4211-9-)
(pad "50" smd oval (at -0.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 36 "/LED_ERR") (pinfunction "PD5/FD13") (pintype "bidirectional") (tstamp 1e73bea9-2be2-49d5-9-)
(pad "51" smd oval (at -0.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 44 "/ENVB") (pinfunction "PD6/FD14") (pintype "bidirectional") (tstamp 8ce240cb-0d78-45c4-be52-)
(pad "52" smd oval (at -1.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 242 "unconnected-(U1-PD7{slash}FD15-Pad52)") (pinfunction "PD7/FD15") (pintype "bidirectional+no-)
(pad "53" smd oval (at -1.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 6a86de01-c8b4-4cd8-ae60-e39716e2c8cb)
(pad "54" smd oval (at -2.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 43 "/CLKREF") (pinfunction "CLKOUT") (pintype "output") (tstamp f6b59640-1af3-4a08-8e88-5a6475-)
(pad "55" smd oval (at -2.75 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

```
(net 2 "+3V3") (pinfunction "VCC") (pintype "passive") (tstamp 4c3def7b-3b05-406a-8a1c-05fb52fcfbf6)
(pad "56" smd oval (at -3.25 -4) (size 0.28 1) (layers "F.Cu" "F.Paste" "F.Mask"))

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 7fad48fb-a74a-4cde-af58-c0889576a1c2)
(pad "57" thru_hole circle (at -2.54 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 7d23fa97-ca18-4daa-8622)
(pad "57" thru_hole circle (at -2.54 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp bfde34a1-bc6f-40e9-b5a2)
(pad "57" thru_hole circle (at -2.54 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 8fae178b-8bb4-4ff6-8a0c)
(pad "57" thru_hole circle (at -2.54 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 867f93a2-11fa-4e65-8fcc)
(pad "57" thru_hole circle (at -2.54 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 74e79daf-5468-46c8-b794)
(pad "57" thru_hole circle (at -1.27 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp e3dddb7d-83d1-4be3-a058)
(pad "57" thru_hole circle (at -1.27 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 475f3f9d-6d29-4137-a288)
(pad "57" thru_hole circle (at -1.27 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 0bd5e879-f975-4332-87be)
(pad "57" thru_hole circle (at -1.27 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 387f883b-79bf-4d27-b26e)
(pad "57" thru_hole circle (at -1.27 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 82d8d7f8-be30-4cb2-8ea4)
(pad "57" thru_hole circle (at 0 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 947bbd67-0a9a-47be-9541)
(pad "57" thru_hole circle (at 0 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp df4a272f-7ca4-4aff-8400)
(pad "57" thru_hole circle (at 0 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 6f71bc11-cd8a-4dd9-99e1)
(pad "57" smd rect (at 0 0) (size 6.1 6.1) (layers "B.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp bc60ce67-a394-4b21-bc1e)
(pad "57" smd rect (at 0 0) (size 6.22 6.22) (layers "F.Cu"))

(net 3 "GND") (pinfunction "EP") (pintype "input") (tstamp 7bd1a244-2a9e-4d5f-92e1-671e6d291c29))
(pad "57" thru_hole circle (at 0 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu"))
(net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 552655e3-685d-4a67-8a2f
```

```

(pad "57" thru_hole circle (at 0 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp b677b4c7-0236-467a-abf1

(pad "57" thru_hole circle (at 1.27 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp d95c1572-9f47-4e6b-b5dd

(pad "57" thru_hole circle (at 1.27 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 4f5a4943-0dbd-4509-be7a

(pad "57" thru_hole circle (at 1.27 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp acfae5bc-1927-42aa-8e67
(pad "57" thru_hole circle (at 1.27 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 5ab6d586-189c-4d22-a755

(pad "57" thru_hole circle (at 1.27 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp cd59f916-ee8c-46d5-90ee

(pad "57" thru_hole circle (at 2.54 -2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 5c2e607e-e849-4b40-bd7c

(pad "57" thru_hole circle (at 2.54 -1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 869237c6-d7a8-4067-a6b4

(pad "57" thru_hole circle (at 2.54 0) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 887cc436-c625-49b8-a678

(pad "57" thru_hole circle (at 2.54 1.27) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp ab45a3af-a5ff-4966-ab0e

(pad "57" thru_hole circle (at 2.54 2.54) (size 0.6 0.6) (drill 0.3) (layers "*.Cu")

  (net 3 "GND") (pinfunction "EP") (pintype "input") (zone_connect 2) (tstamp 0082ec82-c949-48af-b2ad

(model "${KICAD6_3DMODEL_DIR}/Package_DFN_QFN.3dshapes/QFN-56-1EP_8x8mm_P0.5mm_EP6.22x6.22mm_ThermalV

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005bf53dcd)

  (at 120.9 90.7 90)

  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

  (tags "resistor")

  (property "1b2-bom-key" "res-0402-49k9")

```

```

(property "MPN" "RC0402FR-1349K9L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "R33" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 3fa3c154-5d64-4ffe-81a9-e4e4d8a57144)
)

(fp_text value "49k9" (at 0 0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp d6209d7c-3f61-41e3-b8cc-9b03675969b7)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 5385e8c5-fa92-477c-9c8e-89fa9d2ca710)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dbf48587-2f46-4ca7-ab67-6432d46bf02d))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79b564de-213f-4ce1-b838-eeefe2c890470))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d37a13db-3f99-46cc-aa9c-fbf23f26b078))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ee018a7c-dd0b-4888-a295-a812536ae2ab))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5ac75c26-1057-46d1-9b5e-795cce7ae1ba))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 425e7b2a-0b40-43c9-a8a1-0cfbd87ade1f))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0f39dc26-d142-46cf-b8c9-090a0ab4bf50))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63d84d49-22bb-4c92-b9d2-a723f2184979))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 227 "/IO_Banks/IO_Buffer_A/VDAC") (pintype "passive") (tstamp f0bb1381-d096-4a74-8380-333e223d
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pintype "passive") (tstamp 3763b784-6b25-4f4a-9945-f9d6296d5
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(fpfootprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005bf53e5b)
    (at 57 102)
    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
    (tags "diode")
    (property "1b2-bom-key" "led-0603-blu")
    (property "MPN" "ORH-B36G")
    (property "Mfg" "Orient")
    (property "Sheetfile" "io_banks.kicad_sch")
    (property "Sheetname" "IO_Banks")
    (property "ki_description" "Light emitting diode")
    (property "ki_keywords" "LED diode")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e3491")
    (attr smd)
    (fp_text reference "D6" (at 0 0) (layer "F.Silks") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp be5ec110-1967-4384-9bc1-27e4c8e9083f)
    )
    (fp_text value "BLU" (at -1.2 0 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 3c6873cb-59cc-42ed-a57b-b4ab2f25ff75)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab"))

```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 5b69fe0a-196e-448a-a6da-099d5b57c020)
    )
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 22351651-dd43-4ae9-8afd-365ecb4aa243))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 63c29216-7a8c-424d-b8d4-2de2209aa9eb))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 976a9474-e4db-4bf4-b4e2-32d189c56da9))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 48b820f9-2425-4571-88a1-a499dcefb172))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aae05077-02d1-407e-8473-18b0dcb4bd25))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5f0d6b3b-4b76-4285-a992-355b4117c08f))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0717dab2-2325-4727-9f9d-fa520719ccc0))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc18c498-2592-4a1f-9ff7-cdaced0ba605))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13f88d97-8a37-4007-b527-4ee1f77f7fde))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a855885-42da-480a-b034-5e8441117ca8))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1855ee0c-0a74-4c33-b9c8-83bbd0e31162))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 88d3b7ae-64dd-431a-ae03-be5742a24be1))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 7794b7fc-c1d1-4953-8102-da39bdefddf2))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 161 "Net-(D6-A)") (pinfunction "A") (pintype "passive") (tstamp da1fabbf-9c99-46fd-a2b3-7db111
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))

```

```

)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf53ec7)
  (at 57 106)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-wht")
  (property "MPN" "NCD0603W1")
  (property "Mfg" "Foshan NationStar Optoelectronics")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34a4")
  (attr smd)
  (fp_text reference "D8" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp e7bc395f-86c1-4f3b-9b3b-33d67344a182)
  )
  (fp_text value "WHT" (at -1.2 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp e60b8675-a898-4081-be70-0b0e78fc57dd)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 2b176c7d-335e-47b5-ab35-f8de911477fe)
  )
  (fp_line (start -1.485 -0.735) (end -1.485 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 14e8df87-0827-4536-a249-f8cbd52d04f2))
  (fp_line (start -1.485 0.735) (end 0.8 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 793a761a-74a6-43a6-b6b3-f461bc125c28))
  (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5ca98f4c-8a7b-4487-8fbb-504598978db1))

```

```

(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f8e87dbc-d16b-4258-a713-e6ad1d511a35))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 20ce2610-1e0e-48f8-a474-0e4d3e991dce))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ef96c0db-3b95-4262-87ee-41734c91d2f2))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5e86fe74-2fe8-4194-9de2-9472e0632d08))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b8dd5ae-66b5-4b63-a9d6-c5f2a850a17d))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 57079aaa-4239-4776-addc-c79ba055b38a))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3f945eb2-58f8-4642-832c-757c55896099))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 73d7be33-b426-4d29-a5f9-fe936bc83c1c))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3bee7f50-6b46-4a2c-a42e-acbe9b808d81))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 746b1a07-26ba-4103-916e-d05b65b8d278))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 163 "Net-(D8-A)") (pinfunction "A") (pintype "passive") (tstamp 35c3892b-5b59-4d7f-ac38-c36c4f
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf54044)
  (at 57 89)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-red"))

```



```

(property "MPN" "NCD0603R1")

(property "Mfg" "Foshan NationStar Optoelectronics")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Light emitting diode")

(property "ki_keywords" "LED diode")

(path "/00000000-0000-0000-0000-00005b098021")

(attr smd)

(fp_text reference "D5" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp e2496f2c-a809-457f-9684-60bcb52e9ec3)
)

(fp_text value "RED" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 52bdec49-44cd-4f08-bd1c-c44aae0514bd)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 96f2dbda-f415-4fd8-beeb-b8c4b6d7515c)
)

(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 432ac824-0aab-4750-9079-91d9d99a42e3))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 08a95c39-6467-403a-b702-f764efffffad))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 7ec25536-46de-48bb-a450-d2fc1b0eb0b8))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3e94f65d-6de4-4073-9685-7c1a9419a4d8))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a99b4042-cf05-46de-b257-048e32cd899a))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9cd6de77-17e7-4cda-87ee-4b04f59b01f1))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2cd4e2a4-d102-4f08-ab8b-7e104a4ef58f))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 924749ad-543d-43ba-a0f1-9ca3ce736b06))
(fp_line (start -0.8 0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 940dc242-b5f4-4c22-ad9a-eb1740e6b346))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2cba5b4b-02a3-4af6-b6de-befed699951b))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 82f75563-24b6-4f40-bc79-aa7a88bfd78c))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 874125e0-6b7c-4c39-9f75-ed4e50f9acbe))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

        (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 4667dff3-40f1-474b-8315-7a7d3980cffe))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

        (net 160 "Net-(D5-A)") (pinfunction "A") (pintype "passive") (tstamp e3656ce6-9d85-4de2-8348-9cb42d

(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )

)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005bf54056)

    (at 57 87)

    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s

    (tags "diode")

    (property "1b2-bom-key" "led-0603-ora")

    (property "MPN" "NCD060301")

    (property "Mfg" "Foshan NationStar Optoelectronics")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Light emitting diode")

    (property "ki_keywords" "LED diode")

    (path "/00000000-0000-0000-0000-00005b097e38")

    (attr smd)

    (fp_text reference "D4" (at 0 0) (layer "F.Silks") hide

```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp b6679ad6-ea34-4788-8b68-7d9ef02e8a40)
    )
    (fp_text value "ORA" (at -1.2 0 90) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 7c6295dc-173f-46c5-aa85-0e9042ca17e7)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06)))
      (tstamp 5d6fcc7a-b92d-44cb-83bf-d22a8befd579)
    )
    (fp_line (start -1.485 -0.735) (end -1.485 0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b318fee3-c450-4d6b-a2ad-02800909b26f))
    (fp_line (start -1.485 0.735) (end 0.8 0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c5c5335d-ecc8-4578-961c-bcf68d9c2712))
    (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
      (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 28383195-d034-4742-9b25-18ccebafac40))
    (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3d8c2636-7962-437f-8abd-634c0081098c))
    (fp_line (start -1.48 0.73) (end -1.48 -0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dd0c36ad-8f7c-43a0-9cf4-1fa7ab8ba3bf))
    (fp_line (start 1.48 -0.73) (end 1.48 0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 00e56dbb-34f5-481f-948e-53cc7223742c))
    (fp_line (start 1.48 0.73) (end -1.48 0.73)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f86978c3-716a-44e7-ad27-03b769e101c1))
    (fp_line (start -0.8 -0.1) (end -0.8 0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 029f2305-c47a-4964-b1f2-2e40a8e98604))
    (fp_line (start -0.8 0.4) (end 0.8 0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d894943d-fcd8-4677-b211-0622613121f1))
    (fp_line (start -0.5 -0.4) (end -0.8 -0.1)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ca2ed9ac-bbf9-4fe9-8fbc-dc557a9abd0d))
    (fp_line (start 0.8 -0.4) (end -0.5 -0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f455c994-05be-46e5-82cf-3ce4220b93bb))
    (fp_line (start 0.8 0.4) (end 0.8 -0.4)
      (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a1304afc-e683-435b-a3da-80892dcc7f2f))

```

```

(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 4c05e076-4be5-4b2d-8dc0-dbb4b9c0daff))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 56 "Net-(D4-A)") (pinfunction "A") (pintype "passive") (tstamp 2acec532-cab3-4eee-a24f-4902b1c
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005bf54068)

    (at 57 85)

    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
    (tags "diode")

    (property "1b2-bom-key" "led-0603-blu")

    (property "MPN" "ORH-B36G")

    (property "Mfg" "Orient")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Light emitting diode")

    (property "ki_keywords" "LED diode")

    (path "/00000000-0000-0000-0000-00005b097da8")

    (attr smd)

    (fp_text reference "D3" (at 0 0) (layer "F.Silks") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 1e340d45-57a7-4198-abfc-593758eb1b7d)
    )

    (fp_text value "BLU" (at -1.2 0 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 154c9da5-ab72-4b1e-97f1-186605be0cd7)
    )

    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))

```

```

        (tstamp 19caa1e0-df9e-4034-a5fb-369680df355d)
    )
    (fp_line (start -1.485 -0.735) (end -1.485 0.735)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 8d25ee47-1b44-4d62-887b-be848cdd8e3a))
    (fp_line (start -1.485 0.735) (end 0.8 0.735)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 767d32c4-8fa0-4f6e-bf6a-be745a4431bc))
    (fp_line (start 0.8 -0.735) (end -1.485 -0.735)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 3c5e43a4-a730-4990-b098-6e80dff18187))
    (fp_line (start -1.48 -0.73) (end 1.48 -0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8676fe6a-f762-4c4e-b9b6-03b33c8e84dd))
    (fp_line (start -1.48 0.73) (end -1.48 -0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bb39832c-c961-4461-92e3-81c1e1960313))
    (fp_line (start 1.48 -0.73) (end 1.48 0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4c2bcd11-b608-428c-8207-3241d9b25931))
    (fp_line (start 1.48 0.73) (end -1.48 0.73)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6b08e1fd-4bd0-43b7-af77-1a4eac95879a))
    (fp_line (start -0.8 -0.1) (end -0.8 0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp df21942c-5911-422b-94d1-8c588600556c))
    (fp_line (start -0.8 0.4) (end 0.8 0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 09e88af1-e89c-4e96-92ff-e1ddf7834e5c))
    (fp_line (start -0.5 -0.4) (end -0.8 -0.1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61d0b1d9-ce56-4467-bdf2-a36a66c309cf))
    (fp_line (start 0.8 -0.4) (end -0.5 -0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6abbb0d6-fb99-4aea-9ec9-393120a30dc0))
    (fp_line (start 0.8 0.4) (end 0.8 -0.4)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3415a57a-639a-4820-9c99-8e2304836500))
    (pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 5fd2329c-db09-4bb2-878d-396570fa6c4b))
    (pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 55 "Net-(D3-A)") (pinfunction "A") (pintype "passive") (tstamp 6d1ef56e-5bf0-4c52-a782-3ea00af7
    (model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )

```

```

)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf5407a)
  (at 57 83)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-wht")
  (property "MPN" "NCD0603W1")
  (property "Mfg" "Foshan NationStar Optoelectronics")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005b097d14")
  (attr smd)
  (fp_text reference "D2" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 6dd5ba81-5475-49ce-888d-24880fce6f30)
)
(fp_text value "WHT" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp c2c198b9-9d94-4af4-a673-3e00b7af5bd1)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 7bb306fb-3a89-46cd-87f5-103532cc24e8)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 02345043-7f3b-434f-86cf-516ad29a325d))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3e6142a3-0ed1-465b-99ae-e930f66e6924))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2f874ddf-192f-4df9-9cbb-978fa5a05fb9))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd2b8e58-d6c3-4cab-ae82-628030e04896))
(fp_line (start -1.48 0.73) (end -1.48 -0.73))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7dd1cf3-1c20-4337-bf36-b7ec4294d300))
(fp_line (start 1.48 -0.73) (end 1.48 0.73))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dbd6c575-a6fe-4baf-a0ef-6bc7232878e8))
(fp_line (start 1.48 0.73) (end -1.48 0.73))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7fc47620-3844-43b6-8758-30e4d2d42f37))
(fp_line (start -0.8 -0.1) (end -0.8 0.4))
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 10291bd4-0d2a-479d-813c-f308c9fa362a))
(fp_line (start -0.8 0.4) (end 0.8 0.4))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 04d67d83-6a4e-4624-a65f-f2b16651cb85))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cd3a4efb-d098-41df-a139-ad2211c0a538))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f2d47e3a-7d41-4bc6-9ccd-0c182d4eacd2))
(fp_line (start 0.8 0.4) (end 0.8 -0.4))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c37f3c33-ee66-4496-8c1d-0abfffd903b))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 979f4aaf-04cd-467e-b8c3-0395d007d921))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 54 "Net-(D2-A)") (pinfunction "A") (pintype "passive") (tstamp c4eaa186-d865-489d-873d-e16ac5f
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )
)

 footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005bf5ac2d)

    (at 59 85 90)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")

    (property "1b2-bom-key" "res-0402-2k2")

    (property "MPN" "RC0402FR-132K2L")

```

```

(property "Mfg" "Yageo")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005b478672")

(attr smd)

(fp_text reference "R14" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 40f44510-8ab8-4a88-aaa3-ae2e03bf269f)
)

(fp_text value "2k2" (at 0 0.7 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 252029b5-65d7-4c4f-af36-5bfac3131067)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp a717ff97-9a65-415a-ad90-0c45434db034)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0b4af207-62b6-471a-a4dc-9e1cf83cf998))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 37a43546-171a-4807-a4c1-7928d7b4afb2))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79656f0e-425f-4a79-b498-c303325168ce))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 58320508-6c6b-460b-9357-4fca701a4d89))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dfa4a978-6b35-4d75-ae34-ff082ee25982))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0e4fd5fe-f296-407c-a62c-ac7b257d8e38))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 27a3d327-3cd3-4483-a0b7-e327e4b786a4))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9f5ccd95-b91b-4bce-9dea-cc62f9e1def6))

```



```

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 40 "/LED_FPGA") (pintype "passive") (tstamp 9c5326a6-60c1-464c-a993-37ee48bc6569))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 55 "Net-(D3-A)") (pintype "passive") (tstamp 8b8b311a-1a66-4a17-a5f1-91a85dd5488c))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005bf5ac57)
    (at 59 87 90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-1k")
    (property "MPN" "")
    (property "Mfg" "")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005b2e1435")
    (attr smd)
    (fp_text reference "R15" (at 0 0 90) (layer "F.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 64e64478-7a97-4d42-8e33-a6c9739dca04)
    )
    (fp_text value "1k" (at 0 0.7 270) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 9a39bfe6-3dc7-455e-9f66-c1c85d328adb)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))

```

```

        (tstamp ad5f6aa9-16fd-43cc-8f5d-41c3b4aa9f4b)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7f23336e-8332-4f4e-93d0-1f1fdf6db5f5))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f361d872-ca0e-455f-8f19-534f7cb11908))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3adf7e4c-06f4-4462-844d-8b9d6369e323))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b5dd5784-a38f-489d-93a3-8ffd5ad033c2))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f5ad33ff-97dd-4351-9915-0ec15905a5b8))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c3229888-8305-4df1-bff5-53ad7f69a4cf))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee8a7e18-e0a8-4cc9-bda1-9d1a35dcd2a4))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b61f35d2-1395-481a-ade2-69a28ac87ad1))
    (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 37 "/LED_ACT") (pintype "passive") (tstamp 89ce3394-fe28-4115-b7d7-b2a61d93fd48))
    (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 56 "Net-(D4-A)") (pintype "passive") (tstamp f1285d79-5ef4-4e28-8888-5dc86403ea2b))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
(offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005bf6ddb1)
    (at 59 104 -90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-2k2")

```

```

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34f4")

(attr smd)

(fp_text reference "R20" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp fc882e07-9ebe-49c8-b928-caefc49717a2)
)

(fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 16cebc3f-ae34-4193-9162-cf0440596bd3)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 43bea846-f1ff-4a31-abd7-2622152f5457)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 05451700-fc84-4673-adc5-760c190ca092))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 864454de-0693-4a52-96e0-fba6baf2e4fc))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4416d41a-f069-4fb6-9a55-c4e3edd6ae34))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 38b2d229-40c2-4853-98c4-4bfe6e403580))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b3517473-8ff6-4867-84ba-dd7993834a8f))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1d30aa3b-ad79-4b10-8609-3e79c4ac4ae3))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 972ff26b-0a06-4818-94ff-4f16417e39e8))

(fp_line (start 0.5 0.25) (end -0.5 0.25)

```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 064268b4-4126-424d-830c-5f76536bd0eb))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 109 "IO_Banks/U2") (pintype "passive") (tstamp 9498c10b-2717-4129-88dd-348a58973554))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 162 "Net-(D7-A)") (pintype "passive") (tstamp 35a81bb5-d39c-42ed-898c-2125a7123aff))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005bf8fa9f)

    (at 100.1 99.7)

    (descr "SOT-363, SC-70-6")

    (tags "SOT-363 SC-70-6")

    (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

    (property "MPN" "SN74LVC1T45DCKR")

    (property "Mfg" "Texas Instruments")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_B")

    (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat

    (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

    (attr smd)

    (fp_text reference "U27" (at 0 0) (layer "F.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp c6d44051-0545-41d2-aaca-ab73b5dfce87)

    )

    (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")

        (effects (font (size 0.2 0.2) (thickness 0.04)))

        (tstamp 72da4132-74e0-45d9-8d96-973bf55fb17e)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab"))
```

```

        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp 12a2ea59-5060-490a-b619-f5961a17b735)
    )
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp e137e4db-fd26-4a8d-886d-253b542c7f8a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 34b9d448-6144-4306-b6e4-2a64daaf6897))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ea15faa2-d96c-4d8d-92fa-816d4ccc9c1a))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d2eead57-2f4b-42e1-926c-5a7eaeafadd72))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 93826e5c-5c15-480a-97b6-2a115800c6b8))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 802aeaa5-cc74-44ad-bcb6-8b92ace9c34c))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 34462ea4-dd66-4f22-bcb0-faf544e50218))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2b6cd5c8-9c8a-4f2c-89ae-efa690d30091))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cb5fb6e3-2caa-4f4f-9a6c-fe837e7eee8f))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba7d493d-a355-42ab-b208-5ca79d15d92b))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 25f7a4b5-1ce5-4234-8617-e2ed768e9b37))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 59b40646-8048-4c9d-beb8-e4c14570a400))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 23a53f68-709d-4afb-ae3e-5908dfd6806d00))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 173 "/IO_Banks/IO_Buffer_B/X3") (pinfunction "A") (pintype "bidirectional") (tstamp 9c5cdb0b-3000-4000-8000-000000000000))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 63 "/IO_Banks/IO_Buffer_B/Y3") (pinfunction "B") (pintype "bidirectional") (tstamp 185b645f-3d00-4000-8000-000000000000))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 152 "/IO_Banks/DB3") (pinfunction "DIR") (pintype "input") (tstamp d46519eb-e255-41c0-97aa-c8e000000000))

```



```

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 90ce3939-d12d-4730-bbb4-66b4c4e6f996))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 5650f3ca-c79c-43a7-a188-5fb3c1e3ee0b))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fa46d75a-2c00-43f8-bdfc-572b6306b66a))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f9c15ce7-618d-4736-8df6-23528ac2580f))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e2ae95d5-7940-4f93-afb5-f5ca2fda87a7))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f81f632e-329e-4a06-82f2-14fc1446c566))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 073f5a7b-4fd3-4008-bd37-f5c60dee470e))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c6499a09-6c26-4ee2-8479-fb205de237a2))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d512eaf-f1cf-4a53-88bf-222b7c4c7573))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0797bd3c-58b6-44d9-85ca-521af1c0e511))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1f518cd5-291c-4a0e-b703-63898d40e641))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp b5e7bdc7-b06c-4d49-b4ea-cbab0e9715b))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp bddd86ca-4aac-4f47-ae17-ad65793a7741))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 175 "/IO_Banks/IO_Buffer_B/X1") (pinfunction "A") (pintype "bidirectional") (tstamp d3a64122-5b0e-4000-8000-000000000000))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 61 "/IO_Banks/IO_Buffer_B/Y1") (pinfunction "B") (pintype "bidirectional") (tstamp 50205e0c-5c0e-4000-8000-000000000000))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 151 "/IO_Banks/DB1") (pinfunction "DIR") (pintype "input") (tstamp 1cc436ec-2bdf-4840-b9d4-d1a000000000))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
  (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 1ba2c1d8-9c5b-4679-8600-000000000000))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

```

```
(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(fp footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

(timestamp 00000000-0000-0000-0000-00005bf933a7)

(at 100.1 91.3)

(descr "SOT-363, SC-70-6")

(tags "SOT-363 SC-70-6")

(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

(property "MPN" "SN74LVC1T45DCKR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-

(attr smd)

(fp_text reference "U17" (at 0 0) (layer "F.Silks") hide

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (timestamp 513a08d3-6b5f-4637-af8b-5b237df7032a)

)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")

    (effects (font (size 0.2 0.2) (thickness 0.04)))

    (timestamp bc87fa76-df04-4aab-ac1a-851f26bfbfad)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.5 0.5) (thickness 0.075)))

    (timestamp c220543e-9040-46bc-b582-59a184418ea1)

)

(fp_line (start -0.7 1.16) (end 0.7 1.16)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp abd9ba57-7c38-40f2-a323-5edf66969c39))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
```



```

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 167df45b-cd6f-4e98-8a39-2630874064d4))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 28e6878b-131f-468f-90f8-04c0dcd01973))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp afd6eb8c-cd20-42dc-83e0-43eda8e945d1))
(fp_line (start -1.6 1.4) (end 1.6 1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 734ec45c-1ff9-4e30-97d3-deb4cf2317bd))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b49dc41f-33a0-4955-a971-4d327972c006))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e438378b-4672-4dfd-b81e-7ba298afe6ad))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab4e1611-2781-4468-814b-9a29375e5f06))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab9fa7a0-c65b-4d8b-af15-31d4fde13c2e))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 092019ba-8676-4423-9803-852bc3119d46))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a2bb5ca3-3089-4adc-a4ab-d8c218a75a8a))

(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp d250a682-0b7d-48b8-9689-3124c45e0e

(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp c9a56979-bab3-48b8-9ee9-c777af136a30

(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 185 "/IO_Banks/IO_Buffer_A/X5") (pinfunction "A") (pintype "bidirectional") (tstamp 6581c767-4

(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 81 "/IO_Banks/IO_Buffer_A/Y5") (pinfunction "B") (pintype "bidirectional") (tstamp d108a7ac-48

(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 146 "/IO_Banks/DA5") (pinfunction "DIR") (pintype "input") (tstamp 55c0de08-0c4c-4b02-92ea-c44

(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 3727150a-c9ea-4f2e-bd3

(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

```

```

)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf93464)
  (at 96.1 94.1)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0
  (attr smd)
  (fp_text reference "U10" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp ce47cca5-c93b-4a60-918b-de7b3be610f1)
  )
  (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
    (effects (font (size 0.2 0.2) (thickness 0.04)))
    (tstamp 8a6249ce-cc0f-4462-9962-1457d88b7bce)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp 211cd983-8fef-48a4-806e-31c598e022ec)
  )
  (fp_line (start -0.7 1.16) (end 0.7 1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e79f9b97-3e16-4da2-a485-763a8bed4077))
  (fp_line (start 0.7 -1.16) (end -1.2 -1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp df435e22-8cad-4224-bca7-fad7231039cf))
  (fp_line (start -1.6 -1.4) (end -1.6 1.4)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cb516cf3-ba4b-4eb5-bcab-8c70a093a907))

```

```

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1e6e356b-59c0-4871-b1a1-fcf2a448691f))

(fp_line (start -1.6 1.4) (end 1.6 1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e1d5e8b2-1c76-4515-9f13-d1c87a29de3f))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 31da815c-0fd1-40d7-884b-ba46263fcda2))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d7d17958-0b19-4c5b-993d-7fa0575e4367))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a91b3a2e-c635-44b1-9920-827f672ffaae))

(fp_line (start 0.675 -1.1) (end -0.175 -1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6630f8bf-e472-4f51-ac8e-21c3813cdb54))

(fp_line (start 0.675 -1.1) (end 0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 054ea65d-e572-4634-856b-d60c4f923e1d))

(fp_line (start 0.675 1.1) (end -0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 58abe8d1-aba2-426a-aa54-2425641a171e))

(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))

  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 8ccd3867-3bae-4bce-a5e0-96677b50d74))

(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))

  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 7e39dc30-8bae-4003-9796-70fbf4828f74))

(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))

  (net 184 "/IO_Banks/IO_Buffer_A/X6") (pinfunction "A") (pintype "bidirectional") (tstamp 15eef598-fb0b-4000-9000-000000000000))

(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))

  (net 82 "/IO_Banks/IO_Buffer_A/Y6") (pinfunction "B") (pintype "bidirectional") (tstamp 0ebcb2ed-7600-4000-9000-000000000000))

(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))

  (net 143 "/IO_Banks/DA6") (pinfunction "DIR") (pintype "input") (tstamp e646372f-5b23-4677-bbda-8ee0-4000-9000-000000000000))

(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))

  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp b7778b55-affc-4a04-9aa0-000000000000))

(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-000005bf93479))

```

```

(at 96.1 91.3)

(descr "SOT-363, SC-70-6")

(tags "SOT-363 SC-70-6")

(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

(property "MPN" "SN74LVC1T45DCKR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")

(attr smd)

(fp_text reference "U9" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 1d8edf74-256b-4fed-a1aa-d2ec537aab3f)
)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp dc2d8041-9c12-41ce-ae2a-19140f89c60b)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp ee76c8ec-20d9-4c41-89b3-844e24aa8da7)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5992f873-d032-49d1-9953-ff425130ce14))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 04db6e3a-a4f5-4870-b91e-cc2611fac11a))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2458e843-bf40-4d6f-a3e1-e9cf1ba4c97d))

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 61cf478b-922f-4fe5-b254-7fbfbef445de4))

(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bae700c9-e1d6-47d4-99bb-8474eef17f93))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 41efa45c-2c3b-441f-89ea-3916a87b320b))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 892a8a53-9c4a-45d7-a3f6-8da046f4f0ae))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b7eceab5-c1ad-482d-8a67-3979a404e8f0))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp efa513eb-8dda-4ff1-9f87-681ff3dbe077))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 881dcbafe-791b-4b66-a5bb-827eebc58f50))
(fp_line (start 0.675 1.1) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 77212b81-18b7-43ad-886d-da7f67255558))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp eecdb485-b156-453d-b9c7-c9f342cef2
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp bc1f9763-a3c2-4339-a931-2d7f2746ac30
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 186 "/IO_Banks/IO_Buffer_A/X4") (pinfunction "A") (pintype "bidirectional") (tstamp 01fbc1f8-a
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 80 "/IO_Banks/IO_Buffer_A/Y4") (pinfunction "B") (pintype "bidirectional") (tstamp 8812f8de-d4
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 142 "/IO_Banks/DA4") (pinfunction "DIR") (pintype "input") (tstamp 0f4cbd52-6446-496e-bf9d-476
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 9a68b4ba-43af-44ef-aa7
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005bf9348e)

    (at 96.1 88.5)

    (descr "SOT-363, SC-70-6")
    (tags "SOT-363 SC-70-6")

```

```

(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

(property "MPN" "SN74LVC1T45DCKR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "U6" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp b288e82d-cad0-47f2-ae09-fc6837721592)
)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp 5b8eed21-7a66-497a-b19b-bedec88c81f7)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 692eaa93-1a24-4764-8f24-69e7c0b94e78)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0cd37b08-6e41-4543-bbe8-a9f79253bc6a))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fcea8ced-f025-4b20-9ba0-fb64d19ae59f))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 91408a0f-da36-4f02-9f5a-9f0723865e60))

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1e48a055-1759-4b07-ab77-35bafd7925ec))

(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 19cdb194-59d4-42fe-81c0-cf22a7c0d6ed))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd78f6b6-7df3-4e79-ad46-becd55277bf3))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3013cd3b-1625-4db5-8f08-5ef9139eadea))

```

```

(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e987374d-8c0a-45ef-a784-856c4e5b6cbb))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 242c9c8f-852b-4502-a107-faa86163ddd6))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c0b6509a-d236-4c71-885f-532f0af56551))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6bc5cd4c-cfa9-48a8-a78e-e220a4fba193))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 159252a3-0f04-476a-a500-de7476f63ea
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 0431d296-c01e-4ebc-960f-e498cd49018e
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 181 "/IO_Banks/IO_Buffer_A/X2") (pinfunction "A") (pintype "bidirectional") (tstamp f4dff1a6-3
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 78 "/IO_Banks/IO_Buffer_A/Y2") (pinfunction "B") (pintype "bidirectional") (tstamp b9218169-6d
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 155 "/IO_Banks/DA2") (pinfunction "DIR") (pintype "input") (tstamp 8b9703a7-a45d-4d41-9faa-de4
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 7778a62c-0de0-4e95-8e1
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf93cec)
  (at 96.1 96.9)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")

```

```
(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-

(attr smd)

(fp_text reference "U22" (at 0 0) (layer "F.Silks") hide

    (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp ab269164-6713-45a0-b64e-2ed151d99a5e)

)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")

(effects (font (size 0.2 0.2) (thickness 0.04))))

    (tstamp ae65a518-ba95-43e3-a146-780549d3ef33)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.5 0.5) (thickness 0.075))))

    (tstamp 2c1a3a63-7d43-41a2-b9b7-4f7ac8ac923a)

)

(fp_line (start -0.7 1.16) (end 0.7 1.16)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fd7839cc-daed-4863-bdad-5287dcd5dce8))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp efa4a082-3788-47e6-9ac4-8f9606bc49aa))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b8dc87b2-be9f-4880-a54a-94c5a59f94f9))

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a9b88c7b-c336-4763-bcaa-20a92bf344b3))

(fp_line (start -1.6 1.4) (end 1.6 1.4)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 43f85972-5874-4618-ab19-64dc680f3ede))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cea137e1-1701-4201-aea5-86b7699f70ec))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 091e1096-a13f-40f7-a045-997a3bb71716))

(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 954fee3f-6bf2-482e-a8eb-f7c2b9656ac1))

(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
```



```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80e81842-2c4e-4aa8-bbd5-2ad65fff0ae6))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae241dea-a6d6-4298-9547-a8cfb1e39108))
(fp_line (start 0.675 1.1) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 246605d1-73ce-4dbd-b30a-7e175336af6a))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 6a9feb80-9686-4eb6-ae9e-a19e4fc01e1b))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 98b58ebd-9019-428a-9594-cfee961b4494))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 207 "/IO_Banks/IO_Buffer_B/X0") (pinfunction "A") (pintype "bidirectional") (tstamp 118fc092-9200-4000-9000-000000000000))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 57 "/IO_Banks/IO_Buffer_B/Y0") (pinfunction "B") (pintype "bidirectional") (tstamp 0660864d-6e00-4000-9000-000000000000))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 148 "/IO_Banks/DB0") (pinfunction "DIR") (pintype "input") (tstamp b2fae4bd-bd0b-47e4-8ae8-ba1000000000))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp a0d70eb2-2e98-4584-9d8000000000))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

        (tstamp 00000000-0000-0000-0000-00005bf93d2e)

        (at 96.1 102.5)

        (descr "SOT-363, SC-70-6")

        (tags "SOT-363 SC-70-6")

        (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

        (property "MPN" "SN74LVC1T45DCKR")

        (property "Mfg" "Texas Instruments")

        (property "Sheetfile" "io_buffer.kicad_sch")

        (property "Sheetname" "IO_Buffer_B")
        (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")

```

```
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000"
(attr smd)

(fp_text reference "U24" (at 0 0) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06)))
(timestamp b1c2981d-7ae1-4b66-8403-f292a3a78c07)
)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
(effects (font (size 0.2 0.2) (thickness 0.04)))
(timestamp c8ac2db6-e51c-49d2-9e8b-ae0a8512199c)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
(timestamp f69df9b1-bb9a-4815-b8a2-438f12dab1b1)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 6ca38214-9162-4ff8-a250-b5ff2ad3fa9a))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 375bed54-b443-4b68-94b4-ef404f0ee09a))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 77ef27b7-50a8-4037-abab-96f40904d6ec))

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 77c9d795-5323-4332-992e-bae60ddcfdbf))

(fp_line (start -1.6 1.4) (end 1.6 1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp fc23eb40-d0f0-453f-848b-8b23276dd654))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp f348f1be-ace9-4554-bc52-d5c85dd31e78))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 05d29f3f-82c8-4a86-b0b7-c38df5f0d52c))

(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp dbfcff79-9569-4d54-b878-708da9d925e5))

(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a25c0466-6a26-4320-bf4f-350288b08190))

(fp_line (start 0.675 -1.1) (end 0.675 1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp fa77fa8c-e724-4073-9b5d-65d990de7ef3))
```

```

(fp_line (start 0.675 1.1) (end -0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80dfa8fc-d1b0-4ef8-ac7d-aff73ef722ae))

(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 0b8daffd-ce92-46ec-bbaa-21ecd7efbb00))

(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 85dd3354-0bf6-471f-a378-6bae9121450a))

(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 179 "/IO_Banks/IO_Buffer_B/X4") (pinfunction "A") (pintype "bidirectional") (tstamp 9f3d7caa-0000-0000-0000-000000000000))

(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 64 "/IO_Banks/IO_Buffer_B/Y4") (pinfunction "B") (pintype "bidirectional") (tstamp f32d4b25-5000-0000-0000-000000000000))

(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 149 "/IO_Banks/DB4") (pinfunction "DIR") (pintype "input") (tstamp 53baa9cb-a47f-4e6d-9b6f-d90000000000))

(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 9e12bf0f-87b8-4f6f-b00000000000))

(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005bf93df3)

  (at 96.1 105.3)

  (descr "SOT-363, SC-70-6")

  (tags "SOT-363 SC-70-6")
(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

  (property "MPN" "SN74LVC1T45DCKR")

  (property "Mfg" "Texas Instruments")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")

  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-000000000000")

  (attr smd)

```

```

(fp_text reference "U25" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 37499cf8-1766-42d8-99cd-8e15bd12769f)
)
(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp e8d1288e-d95d-46e3-8565-d429aa5e6d14)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 6dcb67f1-5336-4505-9dea-5cdc05b50532)
)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 39c0fac2-abf5-44d0-8e52-38bc3cbc42d4))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f690b86c-a67d-4ffc-88fb-3e9f2c7ed02c))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f3a4b392-682f-4fb9-8369-05f536ece121))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cbb8af11-b939-46e0-b0ea-63d3f413c023))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5be21a1d-15c9-464e-ab71-63468d4d507c))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 895918a7-1966-42b9-9e28-af38aed8283d))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f36699fa-b76e-4dee-85e9-054e11185fe2))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee250c70-5463-4f50-881d-0cd50703cb28))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dcf48dcf-0408-49d8-8be0-06e074cfc8c3))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e22f6255-149d-44fd-b4f8-9e0a0c53df3a))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 64d6c2eb-9d7a-4a62-977a-bcff9028d962))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

```

        (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp ab3425f5-ef43-443d-a9b3-969c66381e)
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 8a06a32c-6426-4fa5-95e1-ba0927f53601)
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 177 "/IO_Banks/IO_Buffer_B/X6") (pinfunction "A") (pintype "bidirectional") (tstamp 9bac0c13-7a
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 66 "/IO_Banks/IO_Buffer_B/Y6") (pinfunction "B") (pintype "bidirectional") (tstamp 26285ae5-ea
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 150 "/IO_Banks/DB6") (pinfunction "DIR") (pintype "input") (tstamp eabeb55b-6458-47c0-83e6-95f
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp 6356b059-0130-4839-99e
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c00d302)

    (at 120.4 87.4 180)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_A")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

    (attr smd)

    (fp_text reference "C57" (at 0 0) (layer "F.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)))

    (tstamp ade1fc95-541d-4fda-8ce3-66587d4bc80c)
)

```

```

)
(fp_text value "u1" (at -1 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 12b1b04c-499a-4f30-8694-0b90ce8461da)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(timestamp 3760f407-975b-43ae-8762-752fc382d147)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6d52e984-1600-4645-ab4c-128f1fc66f99))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a73804a7-ecf3-4575-aefb-710663db2f2d))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 72bb3179-fe19-46d8-8f1f-d837ad1d8561))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d4ea43ce-336e-4159-bdfd-04b0fb660696))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a0c5b254-c0b5-4977-9a90-f4e91373d480))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 7827d358-b029-41b2-a865-2b54d61299a4))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 5fb813ed-de25-4a59-a196-1db8e81b44d8))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp e767b27c-c199-4b3a-9129-e0bb9364f072))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (timestamp 62b9a8c7-3c85-4bc2-82df-319dc094efcb))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp 7cf7f774-c3fe-4235-9fd4-d759b76b34bb))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005c058419)

  (at 57 81)

  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s

  (tags "diode")
(property "1b2-bom-key" "led-0603-grn")

  (property "MPN" "NCD0603G1")

  (property "Mfg" "Foshan NationStar Optoelectronics")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Light emitting diode")

  (property "ki_keywords" "LED diode")

  (path "/00000000-0000-0000-0000-00005b095c2b")

  (attr smd)

  (fp_text reference "D1" (at 0 0) (layer "F.Silks") hide

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp f4cca8d0-14a3-46a2-85c5-712678a9b50b)

  )

  (fp_text value "GRN" (at -1.2 0 90) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 4b5656c2-44c3-4606-a74e-700e72a00522)

  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 12daec9d-587e-4c59-8c95-d74f13b22228)

  )

  (fp_line (start -1.485 -0.735) (end -1.485 0.735)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d4653f26-ab58-49f7-8cf6-c38ef26e98a9))

  (fp_line (start -1.485 0.735) (end 0.8 0.735)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp baab3a88-9215-4f56-ac64-49233a467555))

  (fp_line (start 0.8 -0.735) (end -1.485 -0.735)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f8ec1e0f-d1e5-45a5-8387-26e720957790))

  (fp_line (start -1.48 -0.73) (end 1.48 -0.73)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1723cfbd-45f9-41c7-ab9c-6b7c2bd99728))

  (fp_line (start -1.48 0.73) (end -1.48 -0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2bce6956-c2d1-48a5-85ff-2d8e3b45dd5b))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc7ce71f-0cc2-43b0-8450-826a5be3dc62))
(fp_line (start 1.48 0.73) (end -1.48 0.73)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 30052997-9ed7-4cde-a0c7-2284d211bf0e))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f03955a-db6b-4518-8111-3a775e725b00))
(fp_line (start -0.8 0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 60469087-ab5e-464d-bbf1-3538750d4609))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0ed8d94e-45d1-4463-a265-26f38ecb8578))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 669f2cb7-4f0c-4c78-ab70-b8069a572687))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 45632fde-4b9b-4f3c-9ea4-6fcd5d836047))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp 491793f5-9d24-44db-afee-afd25aa3038c))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 53 "Net-(D1-A)") (pinfunction "A") (pintype "passive") (tstamp 0a9f54f4-edfe-450f-b07c-1ca2899
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")

        (tstamp 00000000-0000-0000-0000-00005c145924)

        (at 107.8 87.6 90)

        (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
(tags "Through hole socket strip THT 1x08 1.27mm single row DNP")

        (property "1b2-bom-key" "conn-th-005in-8-1-rec")

        (property "DNP" "DNP")

        (property "Sheetfile" "io_buffer.kicad_sch")

        (property "Sheetname" "IO_Buffer_A")

```



```
(property "dnp" "")

(property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti

(property "ki_keywords" "connector")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005d5bdfcb2e)

(attr exclude_from_pos_files)

(fp_text reference "J9" (at 0 -2.135 90) (layer "F.SilkS") hide

  (effects (font (size 1 1) (thickness 0.15)))

  (tstamp fa424d93-a426-4ec3-a6ae-550d5bdfcb2e)

)

(fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide

  (effects (font (size 1 1) (thickness 0.15)))

  (tstamp afc0b480-5727-4816-8c3e-642cae9b960b)

)

(fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")

  (effects (font (size 1 1) (thickness 0.15)))

  (tstamp f735867e-75d6-438e-9e18-512f214aea5e)

)

(fp_line (start -1.8 -1.15) (end 1.75 -1.15)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d547be78-d1ee-4dd2-9281-37abbeaad18e))

(fp_line (start -1.8 10.05) (end -1.8 -1.15)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c7b8b2ad-6a74-42d2-bff8-ef9a7fa79d32))

(fp_line (start 1.75 -1.15) (end 1.75 10.05)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 88cf7a79-185b-4013-ae85-dccd77cb50aa))

(fp_line (start 1.75 10.05) (end -1.8 10.05)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 949d20c2-a154-43a2-9a04-b38b466e3ff5))

(fp_line (start -1.27 -0.635) (end 0.635 -0.635)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d251703-5bc1-4091-9add-7459f0491b19))

(fp_line (start -1.27 9.525) (end -1.27 -0.635)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 868ce5c6-6214-48c6-acfe-39fa3553f4db))

(fp_line (start 0.635 -0.635) (end 1.27 0)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 93dd9789-c5e6-4393-b807-73bdd6ee1b59))

(fp_line (start 1.27 0) (end 1.27 9.525)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae607e69-3513-41e2-9c18-1595a2ed29a5))

(fp_line (start 1.27 9.525) (end -1.27 9.525)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d7ca026-77cd-4031-923f-181318f3ab30))
```

```

(pad "1" thru_hole circle (at 0 0 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 224 "/IO_Banks/IO_Buffer_A/P0") (pinfunction "Pin_1") (pintype "passive") (tstamp ff3f42d9-676
(pad "2" thru_hole oval (at 0 1.27 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 223 "/IO_Banks/IO_Buffer_A/P1") (pinfunction "Pin_2") (pintype "passive") (tstamp c3daeedf-554
(pad "3" thru_hole oval (at 0 2.54 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 222 "/IO_Banks/IO_Buffer_A/P2") (pinfunction "Pin_3") (pintype "passive") (tstamp a35bf61a-145
(pad "4" thru_hole oval (at 0 3.81 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 221 "/IO_Banks/IO_Buffer_A/P3") (pinfunction "Pin_4") (pintype "passive") (tstamp 3847d3f5-4fe
(pad "5" thru_hole oval (at 0 5.08 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 220 "/IO_Banks/IO_Buffer_A/P4") (pinfunction "Pin_5") (pintype "passive") (tstamp cc850955-2a9
(pad "6" thru_hole oval (at 0 6.35 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 219 "/IO_Banks/IO_Buffer_A/P5") (pinfunction "Pin_6") (pintype "passive") (tstamp f36d574b-cf9
(pad "7" thru_hole oval (at 0 7.62 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 218 "/IO_Banks/IO_Buffer_A/P6") (pinfunction "Pin_7") (pintype "passive") (tstamp 2c30aee2-5bc
(pad "8" thru_hole oval (at 0 8.89 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 217 "/IO_Banks/IO_Buffer_A/P7") (pinfunction "Pin_8") (pintype "passive") (tstamp 286e41c6-75a
)

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c14597b)
(at 116.7 108.5 -90)

    (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
    (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")
    (property "1b2-bom-key" "conn-th-005in-8-1-rec")
    (property "DNP" "DNP")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "dnp" "")
    (property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti
    (property "ki_keywords" "connector")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
    (attr exclude_from_pos_files)
    (fp_text reference "J6" (at 0 -2.135 90) (layer "F.SilkS") hide
        (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 14588b2d-32a5-45d2-a877-90cd87ca39b7)

```

```

)
(fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 7a69d9f8-092c-4975-8edc-9d0913d75444)
)
(fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp a1ef62a6-23ca-4c77-bab3-38c1bc8f576e)
)
(fp_line (start -1.8 -1.15) (end 1.75 -1.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78cdc178-d7dc-47b3-a7ae-02e8827757d0))
(fp_line (start -1.8 10.05) (end -1.8 -1.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 77ee6a09-a56e-41a8-9a30-7d7b8f497200))
(fp_line (start 1.75 -1.15) (end 1.75 10.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc7b91b3-2bde-4abe-bd7c-a231e8d3c7a3))
(fp_line (start 1.75 10.05) (end -1.8 10.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 68c0070d-0a18-4847-94c6-9acfb2e6d365))
(fp_line (start -1.27 -0.635) (end 0.635 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4c922662-7f56-4821-8c6b-8c023f3c06a1))
(fp_line (start -1.27 9.525) (end -1.27 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5c98d310-1af5-4a51-b1a9-9c2be41e0bbe))
(fp_line (start 0.635 -0.635) (end 1.27 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b41435ec-ad26-41f1-937d-6732fcde68cd))
(fp_line (start 1.27 0) (end 1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e6f0c076-f55f-4ae4-b20f-a850719ae222))
(fp_line (start 1.27 9.525) (end -1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 269923d8-dc2e-4d44-b574-5da5bc894f5a))
(pad "1" thru_hole circle (at 0 0 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "Pin_1") (pintype "passive") (tstamp cea65592-b7e2
(pad "2" thru_hole oval (at 0 1.27 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "Pin_2") (pintype "passive") (tstamp 7fadcc84-36ce
(pad "3" thru_hole oval (at 0 2.54 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "Pin_3") (pintype "passive") (tstamp c8853094-3926
(pad "4" thru_hole oval (at 0 3.81 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "Pin_4") (pintype "passive") (tstamp 2d7f60f6-ed9d

```

```

(pad "5" thru_hole oval (at 0 5.08 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "Pin_5") (pintype "passive") (tstamp 4a5a4d0d-2623
(pad "6" thru_hole oval (at 0 6.35 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "Pin_6") (pintype "passive") (tstamp f4bdf97f-01fc
(pad "7" thru_hole oval (at 0 7.62 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "Pin_7") (pintype "passive") (tstamp 54390322-154d
(pad "8" thru_hole oval (at 0 8.89 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "Pin_8") (pintype "passive") (tstamp 87fbea38-5647
)
(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c153cfe)
  (at 126.9 90.3 90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")
  (attr smd)
  (fp_text reference "C82" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp af86cf6c-94e9-486a-af40-6857ca2944d0)
  )
  (fp_text value "4u7" (at -1.15 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 3c50b5d2-43b8-4323-92cc-0e2b37633761)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp afec4cf7-f09e-486a-b346-31f24ee74ed4)
  )
)

```

```

(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 80114004-4945-4555-b046-75e35bfc2d8d))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 5388c1f8-ba2f-4ba7-b384-87987377d730))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 964e336e-e8d2-464a-90e0-894c54cacdcf))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f2889395-4b57-4741-a73f-4007770b3334))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 730288f8-03d6-430c-b289-964da24a122d))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 17c0d4be-39fa-4061-99f3-ac877f33ec0f))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a566260-f7ab-4434-a890-eca1d36eab5f))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp daa35672-663c-43bd-9b7b-64862ca13101))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2874cf5e-25ca-4ebf-8a73-19ed559837a7))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c55851d2-66b1-4fc8-a470-67254a8768b2))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 5 "+5V") (pintype "passive") (tstamp 8c29570a-4e7e-40e5-a923-9dace6ac7aa1))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 57678a52-d737-421f-8952-15e69b5788da))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c15d37b)
  (at 119.7 100.7 -90)
(descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size

```

[illegible]

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 630f87fd-43cc-405c-995e-eb5e6a4a9522))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp adf94be9-9878-4a71-9f70-fb2b36fddaca))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 95b24e97-ef7f-44ea-bc62-bcbbebe2b1f1))
(fp_line (start 0.8 0.4) (end -0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad524bf1-f68a-49ea-ac15-7d2255d3480d))
(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 5 "+5V") (pintype "passive") (tstamp c5dde1e2-a480-4840-ac20-5b89e230b31e))
(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 69a51a3c-52f4-44f5-9539-67f9575ddadd))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c15d3cc)

    (at 123.3 103.7 180)

    (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0603-4u7")
(property "MPN" "LMK107BJ475KAHT")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_B")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

    (attr smd)

    (fp_text reference "C53" (at 0 0) (layer "F.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp 50f874d9-5886-43f8-ac52-e749727f4b92)

```

```

)
(fp_text value "4u7" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp ef2774a2-e373-4f70-bb53-e96197c1e8e1)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 06c512ad-9119-4723-8a3c-8a0eac3cad24)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 9a423496-1628-455f-ac10-f3e10dc61066))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp d7799a4a-407d-4756-addf-f76d0947b04d))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 5f42bf67-86be-4c40-a45e-b48781124d94))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 9415d504-f2b9-4873-a00a-069541b3ef4c))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp f52ddce9-3c75-4c18-ad37-c14407e24337))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 76e4a1a5-1337-4dc5-ace2-1256eecb4ae4))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 959b93da-e53c-4a71-8583-a484f6a2fbb0))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp f2208cb5-0ec8-4a87-b40a-035e08b40758))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 994363de-dd2c-42c6-8a5a-9e76e22b16c1))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 2b0d6604-c90d-4bda-b1e8-cd877eb2c825))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (timestamp 6bc784a1-07c4-4147-a1ad-acc44102ec50))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp f0810958-6672-4999-b03b-bd84f2cedfbb))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))

```



```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c15d417)
  (at 125.7 102.2 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-59k")
  (property "MPN" "RC0402FR-1359KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")
  (attr smd)
  (fp_text reference "R28" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp d40749fa-df03-4d15-a2c1-d5e7c28c307a)
  )
  (fp_text value "59k" (at 0 0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 9ee51859-b84f-45d4-b5f9-4d004cf7b542)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 892ccdd4-f345-49a1-92a0-9426533c4694)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 10ecc6a9-61bc-421a-9832-5502d9d31536))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 212ee91a-bbf7-4496-a42b-ec7d180473ea))

```

```

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ca4df12e-be57-4dea-8cb7-122f94d73adc))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp caf9dd4e-998c-4126-be7a-e07228968b99))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4da99c1f-2e15-49b5-9534-bfba04d098b7))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 23c764cb-bb3b-4a61-9f32-b61abd909221))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f231360b-a4ff-4fd0-9b58-7ea13ca19235))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fa88ade1-a780-4cb5-a503-a301beb8e003))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 157 "/IO_Banks/IO_Buffer_B/VFB") (pintype "passive") (tstamp 6fa2a1f3-083a-4e68-a939-fc5fbb74a
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 107 "/IO_Banks/VIOB") (pintype "passive") (tstamp 717683cf-524e-4e45-84a3-8f13ea101180))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c15d4ec)
  (at 125.7 100.3 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-49k9")
  (property "MPN" "RC0402FR-1349K9L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")

```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e")
(attr smd)

(fp_text reference "R27" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
(timestamp e21b75ab-db80-4d45-9912-1e170950b94e)
)

(fp_text value "49k9" (at 0 0.7 -90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 315231ff-1a0b-4085-a632-26890c9583c3)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(timestamp 18f84bfc-774b-42fb-8732-076a56cd2aab)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 4ce7778f-a2f8-4dd4-a51a-b244505eed90))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 289d2449-a4a5-4a21-9604-567f00347bc6))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 1948e030-3470-4aa7-a6c8-8f802cf115ae))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 2b3d0750-f12b-4615-98f7-faa01a311f02))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 66b7d7a2-060d-4bf5-a451-8315af80e27f))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 34e5e9c5-1971-49ce-8c79-30aee2bdeb48))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 09becbb0-8230-42fe-8e6d-c8925956e4c9))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 89827a2c-e505-4265-8ed7-e625ff3fdc5c))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect-params 0.127 0.127 0.127 0.127 0.127 0.127 0.127 0.127)
  (net 226 "/IO_Banks/IO_Buffer_B/VDAC") (pintype "passive") (timestamp 635ef7cf-64c7-42ac-8dc0-3dbab572f127))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect-params 0.127 0.127 0.127 0.127 0.127 0.127 0.127 0.127)
  (net 157 "/IO_Banks/IO_Buffer_B/VFB") (pintype "passive") (timestamp 086a6f4e-d567-427c-9d38-8751c4a1c127))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

```

```

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c160ea2)

  (at 122 118.5)

  (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
  (tags "fiducial")

  (attr smd board_only exclude_from_bom)

  (fp_text reference "FID3" (at 0 -2) (layer "F.SilkS") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 12db344a-0f14-4f09-baed-d7e15295a38b)
  )

  (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 2) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 6b3ab5ac-255f-4a1c-9d25-5dc358a22888)
  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.05))))
    (tstamp 7a5dc659-4295-4375-9339-d4ea607f8a07)
  )

  (fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 5f19f3ee-198c-401b-bdb9-1c3c3c3c3c3c))
  (fp_circle (center 0 0) (end 0.75 0)
    (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp 531a3a55-f0b9-4a3e-b473-6c3c3c3c3c3c))
    (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "F.Cu" "F.Mask")
  (solder_mask_margin 0.375) (clearance 0.375) (tstamp 7eb79b5e-fd19-42ec-a46d-9a9ecd897d38))
  )

(footprint "Fiducial:Fiducial_0.5mm_Dia_1mm_Outer" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c161239)

  (at 78.6 90.4)

```

```

(descr "Circular Fiducial, 0.5mm bare copper top; 1mm keepout (Level C)")

(tags "marker")

(attr smd board_only exclude_from_bom)

(fp_text reference "FID8" (at 0 -1.5) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15))))

(timestamp beeed98d-58b3-4f8f-85d0-89f74f85e511)

)

(fp_text value "Fiducial_0.5mm_Dia_1mm_Outer" (at -0.6 -3.4) (layer "F.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp 15803f7b-99fb-4d80-8e9b-75299906e7b2)

)

(fp_circle (center 0 0) (end 0.75 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (timestamp 0d62f19b-1bf4-47d0-9181-73
(fp_circle (center 0 0) (end 0.5 0)
  (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (timestamp 899db053-5a3c-4efa-90b1-22404
(pad "~" smd circle locked (at 0 0) (size 0.5 0.5) (layers "F.Cu" "F.Mask")
  (solder_mask_margin 0.25) (clearance 0.25) (timestamp b1ba89ce-7dfb-4149-877c-f2f327f505e7))

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (timestamp 00000000-0000-0000-0000-00005c161349)
  (at 125.7 90.3 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0
  (attr smd)

  (fp_text reference "C59" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))

```

```

        (tstamp 639fff93-0d3c-492e-a16c-1f9646c983eb)
    )
    (fp_text value "u1" (at -0.9 0) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 517313a6-c073-4d5e-9ad3-3b215e05ae1a)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
(tstamp 2b9b7546-a4f7-44a1-b77d-de9bfff44d8a)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f87e46d6-da1d-424f-b24f-5f04d8d44a41))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5185e5ca-3fe1-45fe-ac46-5b492a070249))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 824240c2-b22f-4064-a603-8462a1991b23))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2a8cb937-adf8-4280-a54d-22575e1b9b5d))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d579c2db-5757-4b41-97d1-60fadc43b5f8))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd76da98-bc18-448b-985d-2190f01f5799))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 391373f3-64e6-46c5-8dc1-8271c20e532c))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61e5a199-7da4-4c35-be1b-47fb9709fcc8))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 5 "+5V") (pintype "passive") (tstamp fe5ef082-0ff5-4b68-9084-07872dd8bd75))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 758e0856-60d4-4e44-8942-8f6593427ed5))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)

```

)

```
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c162ef3)
  (at 120.9 88.8 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-59k")
  (property "MPN" "RC0402FR-1359KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")
  (attr smd)
  (fp_text reference "R34" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp a29d22ef-580a-43d4-9b66-d741b0afb484)
)
(fp_text value "59k" (at 0 0.7 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 2540dc0e-3c9a-4000-ab34-8f6a7faae8a1)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(tstamp 1f770c04-7ce0-4108-9a48-f08aa8ad6321)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 54fd51ae-f10c-46fc-8350-73d8ce818069))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cc75c48c-6e6b-4e61-a3e8-fe562d546c5d))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d7bfd2d7-9710-4226-9538-8ec4f4b37108))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bd1bcd2c-3315-4a5a-8128-c1be78e1b2ea))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2d873de3-e3f5-43b5-8238-2a120cddb644))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 930909b9-2f60-428f-9ddf-f6115abc9835))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1b2cc691-151b-4a68-8e08-790c149e0737))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f2f887ee-3f1d-4f55-b977-79806a05d750))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
        (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pintype "passive") (tstamp 4bc5cb45-12ee-497b-bde9-aef974f44
        (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
        (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 030c8b24-f1e9-44e7-9d13-d324c40e197e))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c16a7d7)

    (at 59.35 93.15 90)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-9p")

    (property "MPN" "AC0402CRNP09BN9R0")

    (property "Mfg" "Yageo")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005ad0b949")

    (attr smd)

    (fp_text reference "C12" (at 0 0 90) (layer "F.Silks") hide

```



```

        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 861ad310-6656-4f92-adc9-328106dd161e)
    )
    (fp_text value "9p" (at -1.05 0 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 2486df67-3604-45a4-9220-11c6c4e6f9b4)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp 7b32a2b0-d056-4bd6-87ce-5dd59587e8b7)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bee81e86-e6c5-480a-a0a6-a937acdd8927))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fab4b890-c6aa-4150-8394-89bac4775622))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7f0e98e-9845-40ba-be82-c72df33f0947))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 927ab8a5-2530-48ce-a8bb-263e1f265496))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 20a926de-06ec-4af2-9af1-d38a9696a41d))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d216512b-06a2-4fd7-92e4-f80a284aaa40))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f502c3a5-fe65-4b99-8252-1929d29609cb))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac053c0c-369f-432d-8e4f-8546471fa1ef))
    (pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 10 "/XTALIN") (pintype "passive") (tstamp 707319d5-9f3f-45d9-b749-668b84469630))
    (pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 442a971f-1d13-432e-9759-24723efd26ec))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))

```

```

)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1776cc)
  (at 59 89 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-1k")
  (property "MPN" "")
  (property "Mfg" "")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b4782c1")
  (attr smd)
  (fp_text reference "R16" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 8ca511fb-b699-44bd-99ff-1053599a7c72)
  )
  (fp_text value "1k" (at 0 0.7 270) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 5a4dc7be-7071-4a56-bc98-8e2e414e89a0)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 4ba71b89-933f-4884-8146-ac2be588d414)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4f7fb5bb-bbcc-4c99-9863-41c46cbb28a3))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 72feb3e5-d17c-4a0a-9ee4-e71d588fb202))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 222a66f2-2cc8-4793-aa34-153841c945e6))

```

```

(fp_line (start 0.93 0.47) (end -0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7ee65efc-eead-4c3e-b724-74e7cb3ea961))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b85acf60-48c1-423b-91c3-6eafe9f1fe23))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eaffcc46-a986-4d7f-9bb7-fb0f1b281a80))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f7356e51-1b94-478b-87f5-b411174318a5))

(fp_line (start 0.5 0.25) (end -0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9fcbf692-7ada-4da5-86e4-d216b4c63313))

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

  (net 36 "/LED_ERR") (pintype "passive") (tstamp 9cc3240b-6bd8-45f7-9afe-e2ccd8a68cf4))

(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

  (net 160 "Net-(D5-A)") (pintype "passive") (tstamp 39553aa7-374a-4914-a96d-3d55ec65710d))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005c188e5a)

  (at 76.4 90.3)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size :

  (tags "resistor")

  (property "1b2-bom-key" "res-0402-100k")

  (property "MPN" "RC0402FR-13100KL")

  (property "Mfg" "Yageo")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Resistor")

  (property "ki_keywords" "R res resistor")

  (path "/00000000-0000-0000-0000-00005b4b69b8")

  (attr smd)

```

```

(fp_text reference "R17" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp b73d48e3-22da-49f9-afd7-3bfb1c6bd0b8)
)
(fp_text value "100k" (at 0 0.7) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp d9571034-568f-4c74-ad6d-dba0ad243820)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 1f452df2-4bd0-4c15-83c6-0a3ad92528ab)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5cffd494-e836-4da8-9c37-3fe7ad616f17))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18b47418-6564-4adc-980f-72b1a7c50b2b))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01a46c37-fcd2-4b6a-9483-77de9607b859))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a7b417c8-0317-4d31-90da-184603d37170))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 805c3d37-6c97-4cdd-b48e-f612f0ed072c))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bdbad076-da3a-44ce-9464-2b6d2029324e))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cced32a6-d750-41f4-81b7-dbeea6c7a850))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5c3fa84a-45bc-485e-aa86-df100f853992))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
  (net 42 "~/~{ALERT}") (pintype "passive") (tstamp 3cd1a4d5-695f-4e2d-b963-ee6db4dfafcd))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
  (net 2 "+3V3") (pintype "passive") (tstamp 9df470f1-1fa8-480a-8759-01f266252c46))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))

```

```

        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c188fd4)

    (at 59 81 90)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")

    (property "1b2-bom-key" "res-0402-10k")

    (property "MPN" "RC0402FR-1310KL")

    (property "Mfg" "Yageo")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")
(property "ki_description" "Resistor")

    (property "ki_keywords" "R res resistor")

    (path "/00000000-0000-0000-0000-00005b18b70c")

    (attr smd)

    (fp_text reference "R12" (at 0 0 90) (layer "F.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 2c545c78-5b96-4c3d-a233-e3e22f09149e)
    )

    (fp_text value "10k" (at 0 0.7 270) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 54daefb0-a13b-4881-8ef3-e5614d32f760)
    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp 5657c024-0578-47ed-89a8-208baf3fc6d5)
    )

    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a017ad23-c0f8-4ee3-91b7-9b47f09b79be))

    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 71719713-2994-45a9-b107-7ba8f2ba5fec))

    (fp_line (start 0.93 -0.47) (end 0.93 0.47)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6708a313-8f21-415a-87d9-b48c0871107c))
(fp_line (start 0.93 0.47) (end -0.93 0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e032c6a8-f591-420e-88ef-7f73111f65f2))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4a52c975-a525-4585-be82-8a5c3dbafe6a))
(fp_line (start -0.5 0.25) (end -0.5 -0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6eca7e6a-c667-4963-89c4-b8fad2eb6614))
(fp_line (start 0.5 -0.25) (end 0.5 0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 77120840-8c26-4cd6-97dc-286c87d97024))
(fp_line (start 0.5 0.25) (end -0.5 0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1d73ad86-bba3-47d0-819e-bbbd9b654004))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 7d4e1056-34e9-4a33-9b36-cfad1cf967c3))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 53 "Net-(D1-A)") (pintype "passive") (tstamp a3d4b7f3-f894-474a-92cd-ee91e79af93e))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c18913b)
    (at 59 83 90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-2k2")
    (property "MPN" "RC0402FR-132K2L")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005b4785d4")

```

```

(attr smd)

(fp_text reference "R13" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 15a15416-b79a-497f-bf81-41ae4198ea1c)
)

(fp_text value "2k2" (at 0 0.7 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 94067b5f-f371-4025-b7aa-a059a29513c2)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp ea8e2c45-e4cc-408c-b99e-86ffe8e0d62c)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b34c2bc9-2e22-4c7e-9ad3-4761b2eb6000))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ecc0728b-70c0-4cbe-afca-745bf3f62829))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c0dfcca2-9ae8-4344-ab6a-2a75d081b3a3))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3f1e18e1-3f66-4aae-9d73-8a8090d15a40))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a9edd14f-94e4-4aa4-b4c0-0b13c64af19e))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a3e50a9b-562f-436a-b77f-68aec9887b99))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3990d953-0096-44df-aaaf-e12ff8be9eab))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2be421b2-3199-4a3e-b653-33d0437834f5))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 33 "/LED_CY") (pintype "passive") (tstamp d25bbadc-ce84-4f31-a406-516776755c2a))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 54 "Net-(D2-A)") (pintype "passive") (tstamp d2ee2ad2-c721-484a-a68a-3056825c502d))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))

```

```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

 footprint "Glasgow:Crystal_SMD_3225-4Pin_3.2x2.5mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1894ee)
  (at 61.9 92.4)
  (descr "SMD Crystal SERIES SMD3225/4 http://www.txccrystal.com/images/pdf/7m-accuracy.pdf, 3.2x2.5mm^2")
  (tags "SMD SMT crystal")
  (property "1b2-bom-key" "xtal-smd3225-24mhz-9p")
  (property "Characteristics" "9pF load")
  (property "MPN" "JF4024M00009T8188070")
  (property "Mfg" "JWT")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Four pin crystal, GND on pins 2 and 4")
  (property "ki_keywords" "quartz ceramic resonator oscillator")
  (path "/00000000-0000-0000-0000-00005acc4bc0")
  (attr smd)
  (fp_text reference "Y1" (at 0 0.3 180) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 305e8911-5d90-4899-a783-bf2ac770f0be)
  )
  (fp_text value "24M" (at 0 -0.8 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 4be5ba62-01a2-4ad0-be33-a600f97aba93)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.7 0.7) (thickness 0.105))))
    (tstamp 968c5383-44fd-42aa-9e2c-66de70318921)
  )
  (fp_line (start -2 -1.65) (end -2 1.65)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5c65800f-92f1-47e6-a683-25a5ece55c14))
  (fp_line (start -2 1.65) (end 2 1.65)

```



```

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp c8e11ffb-98f3-41c8-919b-38a4b7231eef))
(fp_line (start -2.1 -1.7) (end -2.1 1.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5f714d8e-808f-4bac-ae6d-5e053dfd8777))
(fp_line (start -2.1 1.7) (end 2.1 1.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d161c531-dbf0-46a2-b36b-050728e437cc))
(fp_line (start 2.1 -1.7) (end -2.1 -1.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 10237a4c-689e-49f2-8301-6752362f3e42))
(fp_line (start 2.1 1.7) (end 2.1 -1.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 807ee429-c365-4836-a893-9d5397565f59))
(fp_line (start -1.6 -1.25) (end -1.6 1.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30ba122f-9761-4efa-b9d0-eab67c05d011))
(fp_line (start -1.6 0.25) (end -0.6 1.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d580a1bf-78dc-4404-adfd-88dd869b0940))
(fp_line (start -1.6 1.25) (end 1.6 1.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a08aab59-748b-4a57-9ea4-bf419fbde7af))
(fp_line (start 1.6 -1.25) (end -1.6 -1.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c1f2b6af-966a-48dc-9553-52855442cba0))
(fp_line (start 1.6 1.25) (end 1.6 -1.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0dd4b3bd-288c-4c48-b6ab-6d3ff47c75f4))
(pad "1" smd roundrect (at -1.1 0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 10 "/XTALIN") (pinfunction "1") (pintype "passive") (tstamp 44d3bfb2-e7ed-432b-a1f7-64856d79e4
(pad "2" smd roundrect (at 1.1 0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "2") (pintype "passive") (tstamp 173295c1-4171-4237-be4e-0aff4d809787))
(pad "3" smd roundrect (at 1.1 -0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 9 "/XTALOUT") (pinfunction "3") (pintype "passive") (tstamp e4480064-cee0-43d8-8d7a-a1bb670806
(pad "4" smd roundrect (at -1.1 -0.85) (size 1.4 1.2) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "4") (pintype "passive") (tstamp 64a85e36-1f93-4ed9-abdc-1124f62a4dbd))
(model "${KICAD6_3DMODEL_DIR}/Crystal.3dshapes/Crystal_SMD_3225-4Pin_3.2x2.5mm.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)
(footprint "Package_BGA:BGA-121_9.0x9.0mm_Layout11x11_P0.8mm_Ball0.4mm_Pad0.35mm_NSMD" (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005c189e1f)

```

```

(at 83.7 95.5 -90)

(descr "121-ball, 0.8mm BGA (based on http://www.latticesemi.com/view_document?document_id=213)")

(tags "BGA 0.8mm 9mm 121")

(property "1b2-bom-key" "ic-ice40hx8k-bg121")

(property "MPN" "ICE40HX8K-BG121")

(property "Mfg" "Lattice Semiconductor Corporation")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "iCE40 HX FPGA, 7680 LUTs, 1.2V, BGA-121")

(property "ki_keywords" "FPGA programmable logic")

(path "/00000000-0000-0000-0000-00005bd3e8c6")

(solder_mask_margin 0.075)

(attr smd)

(fp_text reference "U30" (at -0.7 0 180) (layer "F.SilkS") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 248c8d4f-23fc-4f01-aa61-59266b9323e8)
)

(fp_text value "ICE40HX8K-BG121" (at -3.9 0) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 70edbee4-d305-4a28-a6e9-66c5d2ab5736)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp f5aea82f-4903-4d2a-842a-b1a42c2f34aa)
)

(fp_line (start -4.625 -3.525) (end -4.625 4.625)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 5a72b280-26cd-4b74-a7dc-26afd57bd8b7))

(fp_line (start -4.625 4.625) (end 4.625 4.625)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 12cf7668-0e4c-445e-a685-8c19100b0c35))

(fp_line (start -3.525 -4.625) (end 4.625 -4.625)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp b774173e-6190-4e8e-9398-8ee6b6d3e831))

(fp_line (start 4.625 -4.625) (end 4.625 4.625)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp fd05a187-b94c-4205-aa5a-b84c7d54d2a3))

(fp_line (start -5.5 -5.5) (end -5.5 5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ad6b98d0-7a28-4162-8d88-02444a1a2a29))

```

```

(fp_line (start -5.5 -5.5) (end 5.5 -5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 037c098e-0117-4db2-9d1a-4701b54d79ab))
(fp_line (start 5.5 -5.5) (end 5.5 5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d5497edb-c75c-4e91-8e42-9a00a97e7f1f))
(fp_line (start 5.5 5.5) (end -5.5 5.5)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e1690f95-7000-4bc5-b024-57b139a7466f))
(fp_line (start -4.5 -3.5) (end -4.5 4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d2fc4ee6-e286-4414-97de-e3714e7cddb2))
(fp_line (start -4.5 4.5) (end 4.5 4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2392de43-a007-42ca-a383-07e439cd3354))
(fp_line (start -3.5 -4.5) (end -4.5 -3.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 399eb9c0-15f0-40cc-8d38-f35266885973))
(fp_line (start -3.5 -4.5) (end 4.5 -4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6babb5b8-ba92-4be8-ba74-bc3362445f7a))
(fp_line (start 4.5 4.5) (end 4.5 -4.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0ad51625-85fc-411a-bb16-ecb7fdcfcea1))
(pad "A1" smd circle (at -4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 97 "/IO_Banks/QA0") (pinfunction "IOT_225") (pintype "bidirectional") (tstamp 37159e74-747d-45b1-9000-400000000000)
(pad "A2" smd circle (at -3.2 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 99 "/IO_Banks/QA1") (pinfunction "IOT_222") (pintype "bidirectional") (tstamp 759bd7db-ad22-46b1-9000-400000000000)
(pad "A3" smd circle (at -2.4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 101 "/IO_Banks/QA3") (pinfunction "IOT_223") (pintype "bidirectional") (tstamp fe5d9ffc-261d-45b1-9000-400000000000)
(pad "A4" smd circle (at -1.6 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 103 "/IO_Banks/QA5") (pinfunction "IOT_211") (pintype "bidirectional") (tstamp 7b792ef3-ed27-45b1-9000-400000000000)
(pad "A5" smd circle (at -0.8 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 98 "/IO_Banks/QA7") (pinfunction "IOT_207") (pintype "bidirectional") (tstamp 1c313702-210f-4d00-9000-400000000000)
(pad "A6" smd circle (at 0 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 104 "/IO_Banks/QA6") (pinfunction "IOT_206") (pintype "bidirectional") (tstamp 1cee41c7-cd6a-45b1-9000-400000000000)
(pad "A7" smd circle (at 0.8 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 145 "/IO_Banks/DA3") (pinfunction "IOT_192") (pintype "bidirectional") (tstamp ebddcad7-5b3b-45b1-9000-400000000000)
(pad "A8" smd circle (at 1.6 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 146 "/IO_Banks/DA5") (pinfunction "IOT_190") (pintype "bidirectional") (tstamp db6d7066-f8c8-45b1-9000-400000000000)
(pad "A9" smd circle (at 2.4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 147 "/IO_Banks/DA7") (pinfunction "IOT_178") (pintype "bidirectional") (tstamp 75e789ed-9c45-45b1-9000-400000000000)
(pad "A10" smd circle (at 3.2 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))

```

```
(net 237 "Net-(U30A-IOT_170)") (pinfunction "IOT_170") (pintype "bidirectional") (tstamp 9f17a6c6-7a  
(pad "A11" smd circle (at 4 -4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 240 "Net-(U30A-IOT_168)") (pinfunction "IOT_168") (pintype "bidirectional") (tstamp 5484aa5f-2a  
(pad "B1" smd circle (at -4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 114 "/IO_Banks/Z0_P") (pinfunction "IOL_2A") (pintype "bidirectional") (tstamp 5817daec-7b96-4a  
(pad "B2" smd circle (at -3.2 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 123 "/IO_Banks/Z0_N") (pinfunction "IOL_2B") (pintype "bidirectional") (tstamp 1b27abb9-4ada-4a  
(pad "B3" smd circle (at -2.4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
(net 100 "/IO_Banks/QA2") (pinfunction "IOT_221") (pintype "bidirectional") (tstamp a028294b-c97e-4136-a6  
(pad "B4" smd circle (at -1.6 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 233 "Net-(U30A-IOT_219)") (pinfunction "IOT_219") (pintype "bidirectional") (tstamp f63f183a-7a  
(pad "B5" smd circle (at -0.8 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 102 "/IO_Banks/QA4") (pinfunction "IOT_208") (pintype "bidirectional") (tstamp 774049e1-e74a-4a  
(pad "B6" smd circle (at 0 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 102 "/IO_Banks/QA4") (pinfunction "IOT_198_GBINO") (pintype "bidirectional") (tstamp 9e82c1bc-7a  
(pad "B7" smd circle (at 0.8 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 104 "/IO_Banks/QA6") (pinfunction "IOT_197_GBINO1") (pintype "bidirectional") (tstamp 823e6d04-7a  
(pad "B8" smd circle (at 1.6 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 142 "/IO_Banks/DA4") (pinfunction "IOT_177") (pintype "bidirectional") (tstamp ca1f9f30-e88e-4a  
(pad "B9" smd circle (at 2.4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 143 "/IO_Banks/DA6") (pinfunction "IOT_174") (pintype "bidirectional") (tstamp 178f9d4a-4926-4a  
(pad "B10" smd circle (at 3.2 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 251 "unconnected-(U30E-VPP_FAST-PadB10)") (pinfunction "VPP_FAST") (pintype "power_in+no_conne  
(pad "B11" smd circle (at 4 -3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 96 "/IO_Banks/QB0") (pinfunction "IOR_161") (pintype "bidirectional") (tstamp 9dcdb945-cc92-40  
(pad "C1" smd circle (at -4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 115 "/IO_Banks/Z2_N") (pinfunction "IOL_5B") (pintype "bidirectional") (tstamp 6c3040ca-86a9-4a  
(pad "C2" smd circle (at -3.2 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 124 "/IO_Banks/Z2_P") (pinfunction "IOL_5A") (pintype "bidirectional") (tstamp d4e47309-cc3d-4a  
(pad "C3" smd circle (at -2.4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 132 "/IO_Banks/Z1_N") (pinfunction "IOL_4B") (pintype "bidirectional") (tstamp 9779f1f0-3dcc-4a  
(pad "C4" smd circle (at -1.6 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 138 "/IO_Banks/Z1_P") (pinfunction "IOL_4A") (pintype "bidirectional") (tstamp b3f1e4a0-68c0-4a  
(pad "C5" smd circle (at -0.8 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")  
  
(net 50 "/GNDPLL1") (pinfunction "GNDPLL1") (pintype "power_in") (tstamp ed2ddaaa-5cfa-42f3-b4f9-d4
```

```
(pad "C6" smd circle (at 0 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 48 "/VCCPLL1") (pinfunction "VCCPLL1") (pintype "power_in") (tstamp 13edacaf-7bef-4614-9060-79
(pad "C7" smd circle (at 0.8 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 141 "/IO_Banks/DA0") (pinfunction "IOT_191") (pintype "bidirectional") (tstamp 614a4541-366a-4
(pad "C8" smd circle (at 1.6 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 144 "/IO_Banks/DA1") (pinfunction "IOT_179") (pintype "bidirectional") (tstamp 4a937790-a769-4
(pad "C9" smd circle (at 2.4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 239 "Net-(U30A-IOT_172)") (pinfunction "IOT_172") (pintype "bidirectional") (tstamp 0174c4b2-c
(pad "C10" smd circle (at 3.2 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 2 "+3V3") (pinfunction "VPP_2V5") (pintype "power_in") (tstamp 737d4a2e-4a35-4330-920f-25fb4d4
(pad "C11" smd circle (at 4 -2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 94 "/IO_Banks/QB1") (pinfunction "IOR_160") (pintype "bidirectional") (tstamp 6269bb3b-3948-46
(pad "D1" smd circle (at -4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 116 "/IO_Banks/Z3_N") (pinfunction "IOL_8B") (pintype "bidirectional") (tstamp a131fecc-636d-4
(pad "D2" smd circle (at -3.2 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 125 "/IO_Banks/Z4_P") (pinfunction "IOL_9A") (pintype "bidirectional") (tstamp f12a397f-9141-4
(pad "D3" smd circle (at -2.4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 133 "/IO_Banks/Z4_N") (pinfunction "IOL_9B") (pintype "bidirectional") (tstamp 488f8438-f2e1-4
(pad "D4" smd circle (at -1.6 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 29 "+1V2") (pinfunction "VCC") (pintype "passive") (tstamp 5a0fef73-d01e-4593-9f9f-8c58e1d1466
(pad "D5" smd circle (at -0.8 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 43 "/CLKREF") (pinfunction "IOT_212") (pintype "bidirectional") (tstamp f86928e1-fd1e-4531-ae
(pad "D6" smd circle (at 0 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 2 "+3V3") (pinfunction "VCCIO_0") (pintype "power_in") (tstamp 7382c735-5e8a-41ca-8085-278fb76
(pad "D7" smd circle (at 0.8 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 155 "/IO_Banks/DA2") (pinfunction "IOT_181") (pintype "bidirectional") (tstamp 378c15d8-7e8e-4
(pad "D8" smd circle (at 1.6 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 29 "+1V2") (pinfunction "VCC") (pintype "power_in") (tstamp 08c59698-67b3-4992-ab9d-2bf29bc5c0
(pad "D9" smd circle (at 2.4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 112 "/IO_Banks/U4") (pinfunction "IOR_147") (pintype "bidirectional") (tstamp 233ee344-b698-44
(pad "D10" smd circle (at 3.2 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 93 "/IO_Banks/QB2") (pinfunction "IOR_154") (pintype "bidirectional") (tstamp 5468ab5a-ff7f-48
(pad "D11" smd circle (at 4 -1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 92 "/IO_Banks/QB3") (pinfunction "IOR_152") (pintype "bidirectional") (tstamp 39692a20-8b32-41e2-b3a
(pad "E1" smd circle (at -4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
```

```
(net 117 "/IO_Banks/Z3_P") (pinfunction "IOL_8A") (pintype "bidirectional") (tstamp c93fb32d-4f16-4a
(pad "E2" smd circle (at -3.2 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 126 "/IO_Banks/Z5_P") (pinfunction "IOL_10A") (pintype "bidirectional") (tstamp b762c0a3-2552-4a
(pad "E3" smd circle (at -2.4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 134 "/IO_Banks/Z5_N") (pinfunction "IOL_10B") (pintype "bidirectional") (tstamp 75ebb036-a3b1-4a
(pad "E4" smd circle (at -1.6 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 139 "/IO_Banks/VIO_AUX") (pinfunction "VCCIO_3") (pintype "power_in") (tstamp 8c1dd527-dd0c-43b1-4a
(pad "E5" smd circle (at -0.8 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp bfc37f34-c6c8-412a-9c24-128dda48ec54)
(pad "E6" smd circle (at 0 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 0e380885-30d3-4674-8f1e-7c3e18a6e524)
(pad "E7" smd circle (at 0.8 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 1e346eb1-7ad2-47ab-89ae-e7b43bc7c45b)
(pad "E8" smd circle (at 1.6 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 111 "/IO_Banks/U5") (pinfunction "IOR_146") (pintype "bidirectional") (tstamp a39a62d6-fc51-42b1-4a
(pad "E9" smd circle (at 2.4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 113 "/IO_Banks/U3") (pinfunction "IOR_144") (pintype "bidirectional") (tstamp 3da656de-46d0-4a81-4a
(pad "E10" smd circle (at 3.2 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 91 "/IO_Banks/QB4") (pinfunction "IOR_141_GBIN2") (pintype "bidirectional") (tstamp 907e22a1-30d3-4674-8f1e-7c3e18a6e524)
(pad "E11" smd circle (at 4 -0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 90 "/IO_Banks/QB5") (pinfunction "IOR_148") (pintype "bidirectional") (tstamp ad11141f-1be3-47b1-4a
(pad "F1" smd circle (at -4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 118 "/IO_Banks/Z6_P") (pinfunction "IOL_12A") (pintype "bidirectional") (tstamp 71944636-0eb3-4a81-4a
(pad "F2" smd circle (at -3.2 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 127 "/IO_Banks/Z6_N") (pinfunction "IOL_12B") (pintype "bidirectional") (tstamp 70d50d6f-e7bd-4a81-4a
(pad "F3" smd circle (at -2.4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 135 "/IO_Banks/Z7_N") (pinfunction "IOL_13B_GBIN7") (pintype "bidirectional") (tstamp 7ee23fc5-4a81-4a
(pad "F4" smd circle (at -1.6 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 140 "/IO_Banks/Z7_P") (pinfunction "IOL_13A") (pintype "bidirectional") (tstamp e3a04a14-d959-4a81-4a
(pad "F5" smd circle (at -0.8 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp b839eb37-290b-4e3a-b312-5cade8d8db98)
(pad "F6" smd circle (at 0 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp db5e0b8f-28df-4d73-99e5-1f7929dfc3b9)
(pad "F7" smd circle (at 0.8 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 9a32b2d6-5677-4740-bdbe-b7cdb23c1ba0)
```

```
(pad "F8" smd circle (at 1.6 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 2 "+3V3") (pinfunction "VCCIO_1") (pintype "power_in") (tstamp 1a541d89-1671-4582-9cdd-abb35977)
(pad "F9" smd circle (at 2.4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 148 "/IO_Banks/DB0") (pinfunction "IOR_137") (pintype "bidirectional") (tstamp 0ecc9d87-b204-4100-9000-000000000000)
(pad "F10" smd circle (at 3.2 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 95 "/IO_Banks/QB7") (pinfunction "IOR_136") (pintype "bidirectional") (tstamp 86056747-f9ab-4900-9000-000000000000)
(pad "F11" smd circle (at 4 0 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 89 "/IO_Banks/QB6") (pinfunction "IOR_140_GBIN3") (pintype "bidirectional") (tstamp b11196ff-b111-4900-9000-000000000000)
(pad "G1" smd circle (at -4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 119 "/IO_Banks/Z8_P") (pinfunction "IOL_14A_GBIN6") (pintype "bidirectional") (tstamp 33ebb5b2-33eb-4900-9000-000000000000)
(pad "G2" smd circle (at -3.2 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 128 "/IO_Banks/Z8_N") (pinfunction "IOL_14B") (pintype "bidirectional") (tstamp b3c9e0e6-4c0d-4900-9000-000000000000)
(pad "G3" smd circle (at -2.4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 136 "/IO_Banks/Z9_P") (pinfunction "IOL_17A") (pintype "bidirectional") (tstamp cb5c1474-a574-4900-9000-000000000000)
(pad "G4" smd circle (at -1.6 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 139 "/IO_Banks/VIO_AUX") (pinfunction "VCCIO_3") (pintype "passive") (tstamp 21a34e3c-aca1-4e90-9000-000000000000)
(pad "G5" smd circle (at -0.8 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 19b0c3cb-bb95-4ff0-a1aa-9ef3f73fbb8d)
(pad "G6" smd circle (at 0 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 2a131555-7f24-458e-8a1d-1f47058b8291)
(pad "G7" smd circle (at 0.8 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 6d5a2639-4adb-40b3-9190-cc772527e26b)
(pad "G8" smd circle (at 1.6 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 109 "/IO_Banks/U2") (pinfunction "IOR_118") (pintype "bidirectional") (tstamp 379649c9-1cbe-4c7b-8000-000000000000)
(pad "G9" smd circle (at 2.4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 105 "/IO_Banks/U1") (pinfunction "IOR_128") (pintype "bidirectional") (tstamp 457e6ddb-70d8-4300-9000-000000000000)
(pad "G10" smd circle (at 3.2 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 156 "/IO_Banks/DB2") (pinfunction "IOR_120") (pintype "bidirectional") (tstamp 0086ceb3-328e-4900-9000-000000000000)
(pad "G11" smd circle (at 4 0.8 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 151 "/IO_Banks/DB1") (pinfunction "IOR_129") (pintype "bidirectional") (tstamp 5a320a39-7fb8-4900-9000-000000000000)
(pad "H1" smd circle (at -4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 120 "/IO_Banks/Z10_P") (pinfunction "IOL_18A") (pintype "bidirectional") (tstamp dfa0baa1-02d9-4900-9000-000000000000)
(pad "H2" smd circle (at -3.2 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
  (net 129 "/IO_Banks/Z10_N") (pinfunction "IOL_18B") (pintype "bidirectional") (tstamp 79dec6da-ef5c-4900-9000-000000000000)
(pad "H3" smd circle (at -2.4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
```

```
(net 137 "/IO_Banks/Z9_N") (pinfunction "IOL_17B") (pintype "bidirectional") (tstamp db0ef6e2-92eb-4d00-8000-000000000000)
(pad "H4" smd circle (at -1.6 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 29 "+1V2") (pinfunction "VCC") (pintype "passive") (tstamp 2000b313-11f3-45d5-8e51-5bf2009ea4d0)
(pad "H5" smd circle (at -0.8 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 5c223467-d9cb-471e-8cbe-3149198b00fd)
(pad "H6" smd circle (at 0 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 2 "+3V3") (pinfunction "VCCIO_2") (pintype "power_in") (tstamp 6972870e-8d7f-4a50-80e7-a55a19000000)
(pad "H7" smd circle (at 0.8 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 12 "/D0") (pinfunction "IOB_87") (pintype "bidirectional") (tstamp d4c6862e-8c5e-48a5-9d5c-9eb000000000)
(pad "H8" smd circle (at 1.6 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 29 "+1V2") (pinfunction "VCC") (pintype "passive") (tstamp 7d558e0f-a0e6-41cf-9457-a6012392e080)
(pad "H9" smd circle (at 2.4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 4 "/SCL") (pinfunction "IOB_104_CBSEL1") (pintype "bidirectional") (tstamp fb04fb2b-f006-4581-8000-000000000000)
(pad "H10" smd circle (at 3.2 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 149 "/IO_Banks/DB4") (pinfunction "IOR_116") (pintype "bidirectional") (tstamp dd8ba0cb-98f1-4d00-8000-000000000000)
(pad "H11" smd circle (at 4 1.6 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 152 "/IO_Banks/DB3") (pinfunction "IOR_119") (pintype "bidirectional") (tstamp a15bef59-b3be-4d00-8000-000000000000)
(pad "J1" smd circle (at -4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 121 "/IO_Banks/Z11_P") (pinfunction "IOL_23A") (pintype "bidirectional") (tstamp 254f65fd-9be9-4d00-8000-000000000000)
(pad "J2" smd circle (at -3.2 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 130 "/IO_Banks/Z12_N") (pinfunction "IOL_25B") (pintype "bidirectional") (tstamp c08e0d06-415c-4d00-8000-000000000000)
(pad "J3" smd circle (at -2.4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 31 "/FLAGD") (pinfunction "IOB_57") (pintype "bidirectional") (tstamp 87a01665-b0fa-4f97-9c61-4d0000000000)
(pad "J4" smd circle (at -1.6 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 46 "/WR") (pinfunction "IOB_64") (pintype "bidirectional") (tstamp dea98692-ee01-4a26-88ef-034d00000000)
(pad "J5" smd circle (at -0.8 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 47 "/RD") (pinfunction "IOB_78") (pintype "bidirectional") (tstamp 4bbefabe-5434-4592-85fc-dded00000000)
(pad "J6" smd circle (at 0 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 49 "/VCCPLL0") (pinfunction "VCCPLL0") (pintype "power_in") (tstamp 5c6638ec-ccb8-4a98-97c9-29f000000000)
(pad "J7" smd circle (at 0.8 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 13 "/D1") (pinfunction "IOB_86") (pintype "bidirectional") (tstamp 0a74dc9f-68a2-49a6-9a0b-46f000000000)
(pad "J8" smd circle (at 1.6 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 1 "/SDA") (pinfunction "IOB_91") (pintype "bidirectional") (tstamp b3a370dd-5b1f-4279-9a3e-1ed000000000)
(pad "J9" smd circle (at 2.4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 14 "/D2") (pinfunction "IOB_106_SDI") (pintype "bidirectional") (tstamp 0b3821ce-0761-4010-863000000000)
```



```
(pad "J10" smd circle (at 3.2 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 150 "/IO_Banks/DB6") (pinfunction "IOR_117") (pintype "bidirectional") (tstamp 862410ca-8436-4a
(pad "J11" smd circle (at 4 2.4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 153 "/IO_Banks/DB5") (pinfunction "IOR_114") (pintype "bidirectional") (tstamp fffbc18e-8894-4a
(pad "K1" smd circle (at -4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 122 "/IO_Banks/Z11_N") (pinfunction "IOL_23B") (pintype "bidirectional") (tstamp faa1d703-d1c8
(pad "K2" smd circle (at -3.2 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 131 "/IO_Banks/Z12_P") (pinfunction "IOL_25A") (pintype "bidirectional") (tstamp d7497cd5-c21c
(pad "K3" smd circle (at -2.4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 24 "/A0") (pinfunction "IOB_63") (pintype "bidirectional") (tstamp 47b44f5a-8d6e-4b54-a382-9c8
(pad "K4" smd circle (at -1.6 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 42 "/~{ALERT}") (pinfunction "IOB_73") (pintype "bidirectional") (tstamp 746adf4d-7ac7-4ec9-8b
(pad "K5" smd circle (at -0.8 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
(net 21 "/FLAGB") (pinfunction "IOB_79") (pintype "bidirectional") (tstamp bcfc5619-46e8-4740-a011-3bbe19
(pad "K6" smd circle (at 0 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 30 "/CLKIF") (pinfunction "IOB_82_GBIN4") (pintype "bidirectional") (tstamp 885883f9-3d85-414e
(pad "K7" smd circle (at 0.8 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 19 "/D7") (pinfunction "IOB_89") (pintype "bidirectional") (tstamp ad5b1ddf-b6d2-4d83-8807-112
(pad "K8" smd circle (at 1.6 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 27 "/FPGA_DONE") (pinfunction "CDONE") (pintype "open_collector") (tstamp 223307d2-7d0e-4475-b
(pad "K9" smd circle (at 2.4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 17 "/D5") (pinfunction "IOB_105_SD0") (pintype "bidirectional") (tstamp ad1c73d8-ab98-4a06-b65
(pad "K10" smd circle (at 3.2 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 15 "/D3") (pinfunction "IOB_108_SS") (pintype "bidirectional") (tstamp c5345bf7-606a-4711-b1ab
(pad "K11" smd circle (at 4 3.2 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 154 "/IO_Banks/DB7") (pinfunction "IOR_115") (pintype "bidirectional") (tstamp 6f1a2a3c-dd3b-4a
(pad "L1" smd circle (at -4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 26 "/PKTEND") (pinfunction "IOB_56") (pintype "bidirectional") (tstamp 50ff27e0-08ab-4ddc-af06
(pad "L2" smd circle (at -3.2 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 25 "/A1") (pinfunction "IOB_61") (pintype "bidirectional") (tstamp d60bf872-6d2c-488d-bd25-447
(pad "L3" smd circle (at -2.4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 23 "/OE") (pinfunction "IOB_71") (pintype "bidirectional") (tstamp c6032bdc-c51e-47cd-9456-23a
(pad "L4" smd circle (at -1.6 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
    (net 22 "/FLAGC") (pinfunction "IOB_72") (pintype "bidirectional") (tstamp d04b4f37-ad90-49ff-806f-
(pad "L5" smd circle (at -0.8 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask"))
```

```

        (net 43 "/CLKREF") (pinfunction "IOB_81_GBIN5") (pintype "bidirectional") (tstamp 67fbc8c-6309-4bc
(pad "L6" smd circle (at 0 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

        (net 51 "/GNDPLL0") (pinfunction "GNDPLL0") (pintype "power_in") (tstamp d190d7ab-0a8d-4fbb-a605-b3
(pad "L7" smd circle (at 0.8 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

        (net 20 "/FLAGA") (pinfunction "IOB_94") (pintype "bidirectional") (tstamp de1138eb-6a87-410f-9989-
(pad "L8" smd circle (at 1.6 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

        (net 18 "/D6") (pinfunction "IOB_103_CBSEL0") (pintype "bidirectional") (tstamp 91618c9e-93c0-4de1-
(pad "L9" smd circle (at 2.4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

        (net 28 "/~{FPGA_RESET}") (pinfunction "~{CRESET}") (pintype "input") (tstamp 0ffba848-08b6-4a1c-8b
(pad "L10" smd circle (at 3.2 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

        (net 16 "/D4") (pinfunction "IOB_107_SCK") (pintype "bidirectional") (tstamp d76231d4-c725-488c-923
(pad "L11" smd circle (at 4 4 270) (size 0.35 0.35) (layers "F.Cu" "F.Paste" "F.Mask")

        (net 2 "+3V3") (pinfunction "VCC_SPI") (pintype "power_in") (tstamp 63ce7008-5df0-45fc-b1c1-13e76cf
(model "${KICAD6_3DMODEL_DIR}/Package_BGA.3dshapes/BGA-121_9.0x9.0mm_Layout11x11_P0.8mm.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c18b6ef)

    (at 58.85 91.7 180)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005acf7322")

    (attr smd)

    (fp_text reference "C13" (at 0 0) (layer "F.Silks") hide

```

```

        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 39f7e0a6-8de3-4f06-916b-26101c3dcb38)
    )
(fp_text value "u1" (at 0 0.7) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp c9b3affa-d5dc-4f99-87c4-e5c316a041a7)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 469e1dc8-6d74-4888-8978-3d89f91e7a2f)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4c27a9f9-b891-4e42-843b-fb7d514a4c65))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0c7c429f-ccf1-4ab0-9f69-b63f76360cea))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d397e792-9b1e-4fd1-b0a3-58b271939aa5))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0359f630-b8b0-4c70-a3b1-91b62685a709))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cf211122-f2de-41bd-b0b8-c2269ba9fd79))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ac713bb-058b-4c9e-9386-6f81912ed183))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ce12f98-15db-406f-8758-cb939b8ef904))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4e525188-312e-4190-af48-f7c63f60ae30))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 7 "/SHLD") (pintype "passive") (tstamp 2e31a5d2-c4f4-4c87-98c5-2fc54cbe222c))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 20038428-8fdd-48fc-a256-16afdbc2f3ba))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))

```

```

    )
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c18c255)
  (at 100.1 88.5)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat")
  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")
  (attr smd)
  (fp_text reference "U16" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 0f9d1f63-6fc3-4865-b375-f7c5b7ffdc3)
  )
  (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
    (effects (font (size 0.2 0.2) (thickness 0.04))))
    (tstamp bbc58ec5-57b5-4494-854b-dfd1eccefb01)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075))))
    (tstamp a9693771-d5d2-43a2-b795-8a2085e0a072)
  )
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp dedf8d90-b0e1-4160-b4c6-1d439f825cf9))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8be63b7c-7113-442c-bacc-241d3148865e))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd52bc8d-e19b-4142-96d2-849230f487d6))

```

```

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d6ef7a8a-5074-4c02-8692-f7a44ebd6227))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0a70d7e9-7e28-4a79-8615-401eb98b2fe8))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 978f7b14-3ef6-43d4-bccc-1e2194535814))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7f54b0e0-c208-458c-974f-ebf2512d31ec))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b07aac6a-ee24-48ce-9a73-9553eb440452))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 28ef8aa9-0fff-4b43-b162-b71f801ab6e3))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a18b403e-e589-491f-a437-59c0b2a85ed5))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f35e3c7b-cd5e-4ac6-bcd6-2fee613c571e))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp c5923843-792c-4991-b014-110782bd3200))
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp f30a6f7e-2777-489d-aad8-eb76aa91a345))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 180 "/IO_Banks/IO_Buffer_A/X3") (pinfunction "A") (pintype "bidirectional") (tstamp 77c13e51-c592-4991-b014-110782bd3200))
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 79 "/IO_Banks/IO_Buffer_A/Y3") (pinfunction "B") (pintype "bidirectional") (tstamp 870219c8-6400-4991-b014-110782bd3200))
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 145 "/IO_Banks/DA3") (pinfunction "DIR") (pintype "input") (tstamp d15e3710-7c8c-4246-b3fc-5f7000000000))
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 23bb5a09-14cc-499e-99d000000000))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu"))

```

```

(timestamp 00000000-0000-0000-0000-00005c18c2d4)

(at 100.1 85.7)

(descr "SOT-363, SC-70-6")

(tags "SOT-363 SC-70-6")

(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

(property "MPN" "SN74LVC1T45DCKR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translati

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "U11" (at 0 0) (layer "F.Silks") hide

  (effects (font (size 0.4 0.4) (thickness 0.06)))

  (timestamp b4a00e49-ee48-4d65-a4a0-4b81da4454ff)

)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")

  (effects (font (size 0.2 0.2) (thickness 0.04)))

  (timestamp 26d86ba1-b07f-4409-9e4f-e93a8bc2676a)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

  (effects (font (size 0.5 0.5) (thickness 0.075)))

  (timestamp 09bb159d-07ff-402a-84d6-82f29b34a255)

)

(fp_line (start -0.7 1.16) (end 0.7 1.16)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp dc9618d1-7fe1-4925-b967-cce3338560d))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 9e9e5859-160b-4a33-a765-eed5bbdef3e7))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp eab70fac-96c4-494b-b962-b87b0f64f6f4))

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 3cd28c3d-4b0e-47d9-a08d-09a7c55cf9dd))

(fp_line (start -1.6 1.4) (end 1.6 1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d320ddce-2bdf-4ff2-b142-94a3423583ed))

```

```

(fp_line (start 1.6 1.4) (end 1.6 -1.4)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d3d215ea-1c2b-445f-9539-a74a9d56af97))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcc198ba-f8dc-4bab-98a5-a8e1c81c14d4))

(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c2eec574-07bc-448b-896f-ab9902773e76))

(fp_line (start 0.675 -1.1) (end -0.175 -1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e002f2b3-6f55-442a-a510-67dce13a971b))

(fp_line (start 0.675 -1.1) (end 0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2dd64d87-1f66-4b5d-9b4e-fac6509d0d7a))

(fp_line (start 0.675 1.1) (end -0.675 1.1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5dbfb8e7-24db-4064-9e02-248f2d0096c9))

(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 47932d0e-53fc-4098-a99f-cbb4a4c0bb))

(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 74d6e72e-308f-4bdf-ad46-4b16ad6b2a82))

(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 182 "/IO_Banks/IO_Buffer_A/X1") (pinfunction "A") (pintype "bidirectional") (tstamp 67f1099e-8b0e-4098-9539-a74a9d56af97))

(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 77 "/IO_Banks/IO_Buffer_A/Y1") (pinfunction "B") (pintype "bidirectional") (tstamp 63122bfe-7c0e-4098-9539-a74a9d56af97))

(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 144 "/IO_Banks/DA1") (pinfunction "DIR") (pintype "input") (tstamp 3af9dcc3-4ee8-495a-bf4c-490e-4098-9539-a74a9d56af97))

(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 3a87fb0a-9bea-430d-a3a0-4098-9539-a74a9d56af97))

(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005c193239)

  (at 59 106 -90)

  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

```

```

(tags "resistor")

(property "1b2-bom-key" "res-0402-2k2")

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34fd")

(attr smd)

(fp_text reference "R21" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 83e8afea-2ec4-4e7d-b934-452d7a785a13)
)

(fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp e31e3fe8-6b12-43fe-bcdd-e775c756d613)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp d18aceba-f77f-492c-bbfe-0b2dfa989e6e)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2d43a89a-4a45-4929-90ef-6afeef33b250))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 02d028b5-b4ba-4d81-b81e-63b22d7121ff))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6ccb0f7f-42d3-404c-825d-7e4760f45140))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78b61ad2-ff10-4ee1-95e1-14e0df6194da))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 46988748-ec8b-4b29-bd59-cfcc57ac56f5))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0c25e37e-9143-472e-b3c4-5f527bdc2fdf))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

```



```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5e33f11b-58ca-4144-a4cc-6992504a60e7))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c9a1d545-3597-48bb-b4e9-0dfede0e54f3))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 113 "/IO_Banks/U3") (pintype "passive") (tstamp 6ee95faf-9a14-426e-a94e-db9c3d271ebd))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 163 "Net-(D8-A)") (pintype "passive") (tstamp 98934eb5-2d6d-4b17-921e-5c2211962e07))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c1932ad)

    (at 57 108)

    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
    (tags "diode")

    (property "1b2-bom-key" "led-0603-pnk")

    (property "MPN" "OSK40603C1E")

    (property "Mfg" "Optosupply")

    (property "Sheetfile" "io_banks.kicad_sch")

    (property "Sheetname" "IO_Banks")

    (property "ki_description" "Light emitting diode")

    (property "ki_keywords" "LED diode")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34ad")

    (attr smd)

    (fp_text reference "D9" (at 0 0) (layer "F.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp 9ab16423-ce70-4910-b523-be08498baee0)

    )
(fp_text value "PNK" (at -1.2 0 90) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp ec11cdf-f-c269-4def-bbdf-140cffee796e)

```

```

)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 67dfd7b9-bbaf-4693-b6cf-7d30d51a5eb8)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 42f4bc80-7aaa-4abd-8cc1-66abb03f6945))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 5e373594-0852-4292-8409-f99893e9319f))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp bc3a62ca-c098-4295-8ab5-c18f2390c157))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d028c0d9-5613-4c48-9f82-127ca1274050))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 2ad928d7-4d3c-4f48-a4f2-aeafedcb9be0))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6c8a4e6f-4a0a-4daa-8645-15e0a6884352))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp da6ea49a-c124-4058-9b84-143bcbf85095))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 015ec927-eb57-4f9c-90dc-21cf0a87145d))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 2d9db77a-e8f1-47da-a4c8-ccac64319627))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 6af6c864-0fea-47f2-a2df-2bceca3b4402))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 7788146c-0ac0-438c-80da-732b9cf28746))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 603293e9-b21d-47b8-9cb9-039192278a7e))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pinfunction "K") (pintype "passive") (timestamp ee3170d4-14b7-47d0-a7d7-276427b18e1e))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 164 "Net-(D9-A)") (pinfunction "A") (pintype "passive") (timestamp 9ef82520-d18b-456c-8a21-e47728
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))

```

```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c193310)
  (at 59 102 -90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34d0")
  (attr smd)
  (fp_text reference "R11" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp cd88ae5e-056c-46d5-aa7d-e8a81341da7c)
  )
  (fp_text value "2k2" (at 0 -0.7 -90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 2c59149e-65d5-401a-ad26-8682d3c5b975)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 436a1682-3838-4bcb-a101-ac4287b66ae4)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1dbc1fb1-ea5d-43ea-b89a-5dccbd794417))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81b0f955-a0ff-475f-81b1-30a6b663f98d))

```

```

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8b0f9370-16a7-4e56-b9b6-a4bd05c03e10))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6248554c-0757-424b-a4bf-ec6c66470b79))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 76d84d50-6356-443a-aa9c-4fbf471d3d59))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 29793fc6-8ec1-4335-95ea-18ad16262ce5))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a2faff2d-94ab-4204-9fc6-1d19ef7b0c27))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13ea4f3a-522f-4e59-8aa3-be0889bf9ce1))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 105 "/IO_Banks/U1") (pintype "passive") (tstamp b7f581e9-0c99-4b80-a9df-c42df1bfa0d4))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 161 "Net-(D6-A)") (pintype "passive") (tstamp 6f9d7c41-88bc-4109-a905-464591207278))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-000005c193364)
  (at 57 104)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-pnk")
  (property "MPN" "OSK40603C1E")
  (property "Mfg" "Optosupply")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")

```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e349b")

(attr smd)

(fp_text reference "D7" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp a45af0d6-053d-4408-aa94-68f7be74d281)
)

(fp_text value "PNK" (at -1.2 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp fef69e78-0ae4-476e-b1c8-ebf3f0ce4f70)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 0ab15737-15ef-4a46-8c23-425423cdecf7)
)

(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5c5d9d19-efbc-4a3e-9da4-7def36fbd33c))

(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 21d0b9b4-4416-404e-8a4b-0164f5484249))

(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8109ec0a-95ba-439d-a85c-e90878d716a8))

(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bba52ac4-da2f-42b5-bf9f-e3568b4aedf3))

(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6a047bed-19ba-433b-b327-e3003c237b95))

(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 92eef10-268a-46cf-b86c-edff766c5510))

(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 662ee882-54c4-474b-b15e-668f0ff0da4b))

(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba026fbf-ef69-4ebc-9f64-1f89ded6a117))

(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee48d2c7-f29c-4e13-87b0-4f653ff6e9f4))

(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1186f98d-150f-4d89-b3e4-962fbd07433b))

(fp_line (start 0.8 -0.4) (end -0.5 -0.4)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a09d1046-c069-4c04-bc86-8ddfd345f132))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cdcc3ab6-1c65-4005-af9d-2d78b894e8cb))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

        (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp e0916092-6d81-4b55-b242-31f680591ccf))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

        (net 162 "Net-(D7-A)") (pinfunction "A") (pintype "passive") (tstamp 4b1f2e46-7fa7-4a33-830e-10643f

(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c1933e5)

    (at 57 110)

    (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s

    (tags "diode")

    (property "1b2-bom-key" "led-0603-blu")

    (property "MPN" "ORH-B36G")

    (property "Mfg" "Orient")

    (property "Sheetfile" "io_banks.kicad_sch")

    (property "Sheetname" "IO_Banks")

    (property "ki_description" "Light emitting diode")

    (property "ki_keywords" "LED diode")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e34b6")

    (attr smd)

    (fp_text reference "D10" (at 0 0) (layer "F.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp 97d459f1-124f-4d64-a508-4c513e06aeda)
    )

    (fp_text value "BLU" (at -1.2 0 90) (layer "F.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp f594b21c-c8cd-45c1-8dfb-2a36075f187a)

```

```

)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp 91fad41b-2387-4405-ac45-7112c67bda86)

)

(fp_line (start -1.485 -0.735) (end -1.485 0.735)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 865b9f49-86db-4362-a1ad-3a500e0ea6fb))

(fp_line (start -1.485 0.735) (end 0.8 0.735)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 14945ea4-b82c-4494-9084-4ee8ae6067d4))

(fp_line (start 0.8 -0.735) (end -1.485 -0.735)

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 7deaf6a6-1653-49b3-a486-5f0c06662f36))

(fp_line (start -1.48 -0.73) (end 1.48 -0.73)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp e732ac85-0730-4808-ae64-e6acdfdc76fb))

(fp_line (start -1.48 0.73) (end -1.48 -0.73)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d6969068-072b-4135-acf1-f2c750fc8b2e))

(fp_line (start 1.48 -0.73) (end 1.48 0.73)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b7c91854-bcb1-435d-9bb7-2e8ce73b15b1))

(fp_line (start 1.48 0.73) (end -1.48 0.73)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 2235c0df-93be-4f75-9370-597223d57442))

(fp_line (start -0.8 -0.1) (end -0.8 0.4)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 855e4af7-532c-4d9d-b81b-c2564977eab0))

(fp_line (start -0.8 0.4) (end 0.8 0.4)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d109ac41-aeb0-4993-9e35-d11b6e523e0a))

(fp_line (start -0.5 -0.4) (end -0.8 -0.1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp adb644ae-e8d1-4232-8e73-9c5f34bc321d))

(fp_line (start 0.8 -0.4) (end -0.5 -0.4)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp a1adcf3f-efef-40d5-8881-5a3218ccb602))

(fp_line (start 0.8 0.4) (end 0.8 -0.4)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 6d88619f-ba5e-45d8-953f-8f170a12621c))

(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

(net 3 "GND") (pinfunction "K") (pintype "passive") (timestamp 37b4a85b-11bb-4cfd-9576-da394fc7da64))

(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

(net 165 "Net-(D10-A)") (pinfunction "A") (pintype "passive") (timestamp e05a97d3-582e-417b-aa23-b9649

(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"

(offset (xyz 0 0 0))

```

```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c19427b)
  (at 125.3 81.4 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-10k")
  (property "MPN" "RC0402FR-1310KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005b08bf5d")
  (attr smd)
  (fp_text reference "R18" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp dad17197-239c-4812-b339-2c1327448707)
  )
  (fp_text value "10k" (at 0 0.7 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 21acb5ab-8be0-4efb-9313-7b0f0ce908ad)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp d80f2a75-faa8-4cfd-969f-c30f583461ff)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dabcb5cb-0461-41d4-8402-75301833b7c0))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1de1a22b-0fab-4d11-adb8-6fc13adcad1c))

```



```

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cc9a9e5a-b19c-4ca1-96f3-e4f6ef93c975))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 172db4a8-e540-4ff1-a5e3-4af5a1e27fb0))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84cffeea8-47b9-47f9-833f-5324abc7dbda))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a6ae4bf3-8bcb-4753-9257-d6b684f9f504))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4b3f1643-3197-4782-b942-e171f3a6ff2a))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 59feac69-a1c2-4ecb-84a3-b0af320308e3))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 45 "/ENVA") (pintype "passive") (tstamp 0c3bf22d-3d34-4b2e-8b02-89ea52e27ab7))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp fb0176a8-699f-465a-bb79-622dffa81139))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c19cb57)
  (at 116.7 103.42 -90)
  (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
  (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")
  (property "1b2-bom-key" "conn-th-005in-8-1-rec")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "dnp" "")
  (property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti
  (property "ki_keywords" "connector")

```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")
(attr exclude_from_pos_files)

(fp_text reference "J7" (at 0 -2.135 90) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 30c16025-45c2-4336-8afc-463ba860deeb)
)

(fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 4d47b4df-f630-48c9-88fc-fe1890bbb485)
)

(fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 23c587e0-e5db-483f-a630-dd71bab8b4df)
)

(fp_line (start -1.8 -1.15) (end 1.75 -1.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b612e82f-46bb-4c2b-a34b-9b83aed53f6f))

(fp_line (start -1.8 10.05) (end -1.8 -1.15)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01abc07d-60ad-4387-9d5c-44e986210bc7))

(fp_line (start 1.75 -1.15) (end 1.75 10.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9f9f665c-d701-4b3f-b34c-c02a8140754c))

(fp_line (start 1.75 10.05) (end -1.8 10.05)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bec26ed3-a102-4cb0-b193-372158152c95))

(fp_line (start -1.27 -0.635) (end 0.635 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 028678b1-11b6-4e22-90eb-c0f3e9b46893))

(fp_line (start -1.27 9.525) (end -1.27 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f17fd201-65b2-4f99-8604-349660155e05))

(fp_line (start 0.635 -0.635) (end 1.27 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2966da23-57eb-4039-a193-d46d7811ed96))

(fp_line (start 1.27 0) (end 1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 879273e5-9bac-4c3f-ad1f-f038533d28a8))

(fp_line (start 1.27 9.525) (end -1.27 9.525)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1a1e84f4-e787-4c08-9e0c-bce1e9e6d3bb))

(pad "1" thru_hole circle (at 0 0 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

(net 216 "/IO_Banks/IO_Buffer_B/P0") (pinfunction "Pin_1") (pintype "passive") (tstamp d12fe2fa-ad5b-4b3f-b34c-c02a8140754c)

(pad "2" thru_hole oval (at 0 1.27 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

```

```

        (net 215 "/IO_Banks/IO_Buffer_B/P1") (pinfunction "Pin_2") (pintype "passive") (tstamp f92ef6bc-7c33-4000-8000-000000000000)
        (pad "3" thru_hole oval (at 0 2.54 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

        (net 214 "/IO_Banks/IO_Buffer_B/P2") (pinfunction "Pin_3") (pintype "passive") (tstamp 9f109c6b-cd00-4000-8000-000000000000)
        (pad "4" thru_hole oval (at 0 3.81 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

        (net 213 "/IO_Banks/IO_Buffer_B/P3") (pinfunction "Pin_4") (pintype "passive") (tstamp 5de9467f-8000-4000-8000-000000000000)
        (pad "5" thru_hole oval (at 0 5.08 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

        (net 212 "/IO_Banks/IO_Buffer_B/P4") (pinfunction "Pin_5") (pintype "passive") (tstamp 24a501ba-59a0-4000-8000-000000000000)
        (pad "6" thru_hole oval (at 0 6.35 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

        (net 211 "/IO_Banks/IO_Buffer_B/P5") (pinfunction "Pin_6") (pintype "passive") (tstamp 9a47a7a9-9130-4000-8000-000000000000)
        (pad "7" thru_hole oval (at 0 7.62 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

        (net 210 "/IO_Banks/IO_Buffer_B/P6") (pinfunction "Pin_7") (pintype "passive") (tstamp 52d742ca-8990-4000-8000-000000000000)
        (pad "8" thru_hole oval (at 0 8.89 270) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask"))

        (net 209 "/IO_Banks/IO_Buffer_B/P7") (pinfunction "Pin_8") (pintype "passive") (tstamp 40a36748-7ac0-4000-8000-000000000000)
    )

```

```

(fp_footprint "Glasgow:SOT-23-5" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-000005c19d092)
    (at 123.3 101.2)
    (descr "5-pin SOT23 package")
    (tags "SOT-23-5")
    (property "1b2-bom-key" "ic-sot23-5-tps73101dbv")
    (property "MPN" "TPS73101DBVR")
    (property "Mfg" "Texas Instruments")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Cap free NMOS 150mA Low Drop Adjustable Out Regulator, SOT-23-5")
    (property "ki_keywords" "Cap free Adjustable LDO 150mA")
    (path "/00000000-0000-0000-0000-000005c7b59b0/00000000-0000-0000-0000-000005c9e338e/00000000-0000-0000-0000-000000000000")
    (attr smd)
    (fp_text reference "U14" (at 0 0 270) (layer "F.Silks") hide
        (effects (font (size 0.7 0.7) (thickness 0.15)))
        (tstamp 38665b96-6357-47a7-aecc-7467c55db87a)
    )
    (fp_text value "TPS73101DBV" (at -1.2 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.05)))
    )
)

```

```

        (tstamp 70df3fed-8280-4985-b53c-d5225a2127b3)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp cb415616-0ec8-42fa-851c-7dc204075e25)
    )

    (fp_line (start -0.9 1.61) (end 0.9 1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 727f1fbd-39b6-4167-84a5-9da1d24c93ca))

    (fp_line (start 0.9 -1.61) (end -1.55 -1.61)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp db9cf411-f908-4fa5-b1b7-0b7e37dad400))

    (fp_line (start -1.9 -1.8) (end 1.9 -1.8)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2d009638-b9ae-4932-85fe-f64a23acc486))

    (fp_line (start -1.9 1.8) (end -1.9 -1.8)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 33f0421c-8b90-47af-9fa3-f21c4bba6037))

    (fp_line (start 1.9 -1.8) (end 1.9 1.8)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 920d06e5-e771-48e7-8765-11a6fac9004d))

    (fp_line (start 1.9 1.8) (end -1.9 1.8)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ab9a4b3f-e828-4e29-aedc-061cfdd3b9c4))

    (fp_line (start -0.9 -0.9) (end -0.9 1.55)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp afdd9799-880d-4bde-9ab1-1af0a9f36e3c))

    (fp_line (start -0.9 -0.9) (end -0.25 -1.55)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 686441cf-60f7-4b81-9c0f-545dc6da79d6))

    (fp_line (start 0.9 -1.55) (end -0.25 -1.55)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcf948f1-797d-40ba-91dd-a0678d089590))

    (fp_line (start 0.9 -1.55) (end 0.9 1.55)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dad516d2-899b-4368-8c54-a9f2780ab07b))

    (fp_line (start 0.9 1.55) (end -0.9 1.55)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 041a9f83-6e70-4fc0-9324-095507990a3a))

    (pad "1" smd roundrect (at -1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp 729dc0ee-b55a-4ce8-862b-ab45135d7385))

    (pad "2" smd roundrect (at -1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 75d04eeb-d4a1-4bd1-b202-7473bf3b92f3))

    (pad "3" smd roundrect (at -1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 195 "/IO_Banks/IO_Buffer_B/VI0_EN") (pinfunction "EN") (pintype "input") (tstamp 51590bcd-bbbe
    (pad "4" smd roundrect (at 1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

```

```
(net 157 "/IO_Banks/IO_Buffer_B/VFB") (pinfunction "FB") (pintype "input") (tstamp acccb0b1-ee4c-47f9-8d6e-422c-8b99)

(pad "5" smd roundrect (at 1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_4 0.25 0.25))

(net 231 "Net-(U14-OUT)") (pinfunction "OUT") (pintype "power_out") (tstamp b54af69f-58ed-422c-8b99-8d6e-422c-8b99)

(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-23-5.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(fp_text reference "C29" (at 0 0) (layer "F.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05))))

(tstamp 5a6dfb26-7150-4a5b-a157-2fc474a603c1)

)

(fp_text value "u1" (at -1 0 180) (layer "F.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06))))

(tstamp ae38219b-8920-418f-b4f9-fec19557ca76)

)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04))))

(tstamp 616ced3f-3186-453d-90f6-7001103725f9)
```

```

)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d649feea-d341-4f2d-8407-eb8b7bc4f6a2))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b237c8ab-6db1-424d-868e-83ab42aba527))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 716e85f2-de28-418c-ad3e-be88b7137594))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e8d5eaed-4afc-46cf-a096-9d53bd6d41e3))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3337cf52-6464-4f27-9869-bdbcebaadb53))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b311c857-9b5d-46d4-a31c-4f82ce2b49ff))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 86b65f32-e708-49c9-af2f-47d00ecb7a9c))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9a24a0d1-2c3a-444d-a0e6-e244b4a6c5b0))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp d7a530c5-5439-46d5-a4b1-6a912f385ae4))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 237aab68-b651-45cb-8a1b-2817ec881c41))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005c1ad02d)
  (at 126.2 103.6)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")

```

```

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C46" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp ae110d21-bb7b-46fa-b906-431cc7714dc3)
)

(fp_text value "u1" (at 1 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 6cf239d7-6738-4abd-8d37-d4cb92e5beb7)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp cbe09fc2-95f9-412f-a96a-cd0db77a7f27)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 409af5ac-cf90-4977-90ed-9d4d428ea8e1))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5583fbd9-2490-433b-98f8-bdc4118c13ed))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7cabaf73-2307-4c4f-8ad4-942d2fdbeeaa))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5fe3facc-0112-4609-83ad-372eedc25f84))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02fcf4bf-4295-456c-9d69-5ff39cddcf20))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 86708830-443c-4d36-973a-e438ea257301))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bd20181b-3fc8-42d3-b17e-4fd800583068))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 78f8e559-3cd7-40bb-b831-6bc57b3a7259))

```

```

(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
    (net 107 "/IO_Banks/VIOB") (pintype "passive") (tstamp 85026f2d-c280-4fd2-b2e6-939374f9418f))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
    (net 3 "GND") (pintype "passive") (tstamp 971fa4c7-03ab-40ef-86ec-33ee8e67ea89))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c1ad1ee)
    (at 125.1 109.6 -90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-10k")
    (property "MPN" "RC0402FR-1310KL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005b0699a3")
    (attr smd)
    (fp_text reference "R19" (at 0 0 90) (layer "F.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 29c1ce51-b622-411f-a0b1-cb2951301948)
    )
    (fp_text value "10k" (at 0 -0.7 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 34e510ae-2e71-450d-b76e-98103d78ec0b)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
    )
)

```



```

        (tstamp edd990d4-a71d-4911-8e48-35f6ffb32f14)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5fb30e32-2f12-4e66-9586-4beb1d08598c))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a43b5002-242d-43f8-9c03-6d0135074775))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp defca261-26f7-490a-9d6f-8b0c989e9d69))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ada7f49-8ca0-4e11-b7ce-0a0a253f9307))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e94250f8-8fc2-48c3-bc19-5cf519b8216e))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 489bed07-7369-4390-83fe-2cad0c46d778))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d2f70885-9cd9-4ee4-b4cb-243d64c60b16))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63ce8bbf-c13c-4feb-9d2b-07622e0d156d))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 44 "/ENVB") (pintype "passive") (tstamp b954ee3f-128a-481b-a730-e5fb1c6c1b33))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 3c939985-2292-45c9-891f-c982348a7a8b))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005c1b52ec)
    (at 100.1 94.1)
    (descr "SOT-363, SC-70-6")
    (tags "SOT-363 SC-70-6")
    (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

```

```

(property "MPN" "SN74LVC1T45DCKR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat

(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "U18" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp a6e906f2-ce79-4f49-8a64-5815299cb761)
)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
    (effects (font (size 0.2 0.2) (thickness 0.04)))
    (tstamp fc29f4e9-40fb-46dc-9c51-b1d72af408b3)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp 49bf52c5-4ec9-42d0-9b77-2734eec84940)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 03787d54-0caa-47f9-8336-cb989dc2530a))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 55910aaf-a388-425f-9359-3c86700fc242))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a2cf1a08-6de5-45d7-ba34-dc85a0277631))

(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3004303d-9535-462a-a2a3-3a553347b246))

(fp_line (start -1.6 1.4) (end 1.6 1.4)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cba747bf-b8c7-4695-bf0d-ccf3c824c69e))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18966dad-f281-4f96-9add-f02395db3101))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a6c8d94-f15a-495b-8de0-107e59fd08f5))

(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d327dc8e-1b56-4ce1-860d-22b71f61aac3))

    (fp_line (start 0.675 -1.1) (end -0.175 -1.1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7f61e310-1b5c-4bc6-9935-1752048acfb9))

    (fp_line (start 0.675 -1.1) (end 0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e62643d0-cf15-4a45-a9d5-657a9cb859e7))

    (fp_line (start 0.675 1.1) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 391c1130-3228-4d2a-9473-29a10ae35d9f))

    (pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp d4d26492-f18c-4b74-8f5a-61de4fe1fd

    (pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 7ea21602-8a33-4afc-b0fb-920ed23a91e8

    (pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 183 "/IO_Banks/IO_Buffer_A/X7") (pinfunction "A") (pintype "bidirectional") (tstamp 1a2b94b1-7

    (pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 75 "/IO_Banks/IO_Buffer_A/Y7") (pinfunction "B") (pintype "bidirectional") (tstamp d73b3667-62

    (pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 147 "/IO_Banks/DA7") (pinfunction "DIR") (pintype "input") (tstamp 4fa03b40-2680-4397-97f0-44d

    (pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra

        (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp 35036e8b-afa8-45f7-aeb

    (model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )

)

(footprint "Glasgow:R_0402_1005Metric_DNP" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005c1c5e79)

    (at 70.6 113.8 -90)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

    (tags "resistor DNP")

    (property "DNP" "DNP")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "dnp" "")

```

```

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005cdc036d")

(attr exclude_from_pos_files)

(fp_text reference "R40" (at 0 -1.17 90) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp aa9dc8e6-7d03-42fa-9a97-58ce0d8b2cb2)
)

(fp_text value "DNP" (at 0 0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 3a31b261-7b79-482a-ae0d-85ed4a1d1b29)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp aa584245-8c7c-484b-8de4-dc3f4f00857f)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6858a2af-4f0d-48db-9d9f-2a692d9118c7))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9969f766-852c-4e32-8a47-092757b4013a))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ae27e456-58b2-4050-ad1e-6fe3c460dd3c))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70c4c27f-d407-4cfc-8612-ab75f4aa8f6e))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 649b7f69-8274-419f-8ca8-0008ce9cee65))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6b6dc33f-068a-4499-b910-e68ebf0e3f28))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6e34617e-a4c1-4c57-ba1d-6442d3f4d93a))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fe045460-bd27-476e-8a39-aeb9a1ce5d0b))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Mask") (roundrect_rratio 0
  (net 238 "Net-(U3-A1)") (pintype "passive") (tstamp 51305121-d7dd-4645-b8e2-99c65090160a))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Mask") (roundrect_rratio 0

```

```

        (net 2 "+3V3") (pintype "passive") (tstamp 006ee990-c067-46a4-8961-a639caaf8288))
    )

    (footprint "Package_S0:TSSOP-16_4.4x5mm_P0.65mm" (layer "F.Cu")

        (tstamp 00000000-0000-0000-0000-00005c58b6f8)

        (at 112.7 92.2)

        (descr "TSSOP, 16 Pin (JEDEC M0-153 Var AB https://www.jedec.org/document\_search?search\_api\_views\_fulltext)")

        (tags "TSSOP S0")

        (property "1b2-bom-key" "ic-tssop16-pca6408apw")

        (property "MPN" "PCA6408APW")

        (property "Mfg" "NXP")

        (property "Sheetfile" "io_buffer.kicad_sch")

        (property "Sheetname" "IO_Buffer_A")

        (property "ki_description" "8 Bit Port/Expander, I2C SMBUS, Interrupt output, Level Shifting, TSSOP-16")

        (property "ki_keywords" "SMBUS I2C Expander Level Shifter")

        (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

        (attr smd)

        (fp_text reference "U19" (at 0 0 180) (layer "F.Silks") hide

            (effects (font (size 0.8 0.8) (thickness 0.15))))

        (tstamp 848b5e90-ae70-4ec7-b862-872611f577b8)

    )

    (fp_text value "PCA6408APW" (at -0.1 2.1) (layer "F.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp 64714284-3a86-44fd-be94-82b9ebd5a097)

    )

    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

        (effects (font (size 1 1) (thickness 0.15))))

    (tstamp 39ee099a-dc68-4fb8-94a0-976c5f934a96)

    )

    (fp_line (start 0 -2.735) (end -3.6 -2.735)

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3c8369ba-dbd3-492d-8a3a-9f5a73d81799))

    (fp_line (start 0 -2.735) (end 2.2 -2.735)

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 13798a43-0298-461e-9ac1-1d633c39e6d9))

    (fp_line (start 0 2.735) (end -2.2 2.735)

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ccb0ee28-5f85-49b9-9cdf-5c0db8724618))

```

```

(fp_line (start 0 2.735) (end 2.2 2.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 8bfdd89c-ef91-4d0e-a77d-82095be8546d))
(fp_line (start -3.85 -2.75) (end -3.85 2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bdb7231d-e255-473a-91aa-58e4b7d09c84))
(fp_line (start -3.85 2.75) (end 3.85 2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a40c1a5a-8507-424f-9cf0-b4ac14ad8b9a))
(fp_line (start 3.85 -2.75) (end -3.85 -2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 50fc8a39-9e8d-4450-a7c4-589e56b7b7be))
(fp_line (start 3.85 2.75) (end 3.85 -2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d6e3923b-f93f-4b81-820f-be2bc067124d))
(fp_line (start -2.2 -1.5) (end -1.2 -2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a638b939-1825-4141-8050-d7a4deaafb6f))
(fp_line (start -2.2 2.5) (end -2.2 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b1d3e566-327f-4240-8d87-e19409e7502c))
(fp_line (start -1.2 -2.5) (end 2.2 -2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 91063007-fc15-4b03-b816-764b6afbcb72))
(fp_line (start 2.2 -2.5) (end 2.2 2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b20d10ad-0731-46fd-b914-800996f8727d))
(fp_line (start 2.2 2.5) (end -2.2 2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee92b596-117b-468a-9ac5-378f565492f1))
(pad "1" smd roundrect (at -2.8625 -2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 2 "+3V3") (pinfunction "VDD_I2C") (pintype "power_in") (tstamp b20abc5d-e5b9-49b3-ada4-61b21e4
(pad "2" smd roundrect (at -2.8625 -1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 3 "GND") (pinfunction "ADDR") (pintype "input") (tstamp bf19d016-0cff-4976-960a-306173a7a590))
(pad "3" smd roundrect (at -2.8625 -0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 235 "Net-(U19-~{RESET})") (pinfunction "~{RESET}") (pintype "input") (tstamp 35dd40ff-3689-46d
(pad "4" smd roundrect (at -2.8625 -0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 224 "/IO_Banks/IO_Buffer_A/P0") (pinfunction "P0") (pintype "bidirectional") (tstamp 6f80b412-3
(pad "5" smd roundrect (at -2.8625 0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 223 "/IO_Banks/IO_Buffer_A/P1") (pinfunction "P1") (pintype "bidirectional") (tstamp d79351dd-3
(pad "6" smd roundrect (at -2.8625 0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 222 "/IO_Banks/IO_Buffer_A/P2") (pinfunction "P2") (pintype "bidirectional") (tstamp 0563e244-3
(pad "7" smd roundrect (at -2.8625 1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 221 "/IO_Banks/IO_Buffer_A/P3") (pinfunction "P3") (pintype "bidirectional") (tstamp 45c6d57c-3
(pad "8" smd roundrect (at -2.8625 2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (round

```

```

        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp f6873121-13dc-42a5-866c-6c6d247486cf)
(pad "9" smd roundrect (at 2.8625 2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 220 "/IO_Banks/IO_Buffer_A/P4") (pinfunction "P4") (pintype "bidirectional") (tstamp d0ce1f74-
(pad "10" smd roundrect (at 2.8625 1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 219 "/IO_Banks/IO_Buffer_A/P5") (pinfunction "P5") (pintype "bidirectional") (tstamp 732de214-
(pad "11" smd roundrect (at 2.8625 0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 218 "/IO_Banks/IO_Buffer_A/P6") (pinfunction "P6") (pintype "bidirectional") (tstamp 75f6232a-
(pad "12" smd roundrect (at 2.8625 0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 217 "/IO_Banks/IO_Buffer_A/P7") (pinfunction "P7") (pintype "bidirectional") (tstamp c413624e-
(pad "13" smd roundrect (at 2.8625 -0.325) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 250 "unconnected-(U19--{INT}-Pad13)") (pinfunction "~{INT}") (pintype "open_collector+no_conne
(pad "14" smd roundrect (at 2.8625 -0.975) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 3136b637-b1d4-456b-827a-98cb8934894b))
(pad "15" smd roundrect (at 2.8625 -1.625) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 93bfa304-6a01-4354-8a42-82ce51
(pad "16" smd roundrect (at 2.8625 -2.275) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 108 "/IO_Banks/VIOA") (pinfunction "VDD_P") (pintype "power_in") (tstamp bb8f8742-8a0b-42c5-b8
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/TSSOP-16_4.4x5mm_P0.65mm.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ca4bd14)
    (at 103 96.75 90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-47r")
    (property "MPN" "RC0402FR-1347RL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_banks.kicad_sch")
    (property "Sheetname" "IO_Banks")
    (property "ki_description" "Resistor")

```

```

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cbf658e")

(attr smd)

(fp_text reference "R39" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))))
  (tstamp 939046cb-48c3-43d8-89a9-de33b86237ba)
)
(fp_text value "47R" (at -0.05 -0.8 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp a712706b-6d04-4988-9c24-6f191ff9fa7d)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
  (tstamp 38c50a6f-2623-4f1c-a19f-7fa5d7cc2840)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ecab1f4e-b661-4452-b310-9c01881b119f))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aae83099-8a80-4c97-be71-f75c51bf4056))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1f072d81-61ac-42f6-a480-025f1692a32a))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 889e2688-7a51-4f0f-a6e9-fcd8e74ff3c5))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 785a1f39-0327-4f3a-ac99-62b9390e92d7))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cf2e28ab-dd5c-4a16-ba01-866b576962f4))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d7dc6817-4b8c-4acb-95e0-a809e10848c9))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 318bb11d-c807-4c1b-8a5a-5f2aee9c3e54))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 166 "Net-(D12-K)") (pintype "passive") (tstamp d65b9659-c9d1-4489-8b49-a35608f880fa))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 237 "Net-(U30A-IOT_170)") (pintype "passive") (tstamp 90d98d85-925c-4bfb-bc3d-db6f97d80381))

```



```

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ca4fe0a)

  (at 103 94.9 -90)

  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

  (tags "resistor")

  (property "1b2-bom-key" "res-0402-47r")

  (property "MPN" "RC0402FR-1347RL")

  (property "Mfg" "Yageo")

  (property "Sheetfile" "io_banks.kicad_sch")

  (property "Sheetname" "IO_Banks")

  (property "ki_description" "Resistor")

  (property "ki_keywords" "R res resistor")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cbf65f8")

  (attr smd)

  (fp_text reference "R43" (at 0 0 90) (layer "F.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)))

    (tstamp cd0b7d32-63d7-4861-a86c-94c004f02794)

  )

  (fp_text value "47R" (at 0 0.8 -90) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp c8eec07b-97b6-4c29-bd04-517c294bd898)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)))

    (tstamp a249b858-605b-4850-ab44-35f871c60c05)

  )

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9b543307-0bdf-4124-bd7d-3c00ddc3ab55))

```

```

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 107bd93d-9184-4c71-b54b-b2922697ccfe))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 548fa9bb-ee6f-41ae-896e-65ed89358d33))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c6ff6b43-0c40-4527-a8ee-8295d8a9e0a0))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c48b348a-b8c7-4ffa-b6ce-60119e7e6d21))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83a98741-41bb-4630-b1de-7dbedd01e14a))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e07eece5-9c43-4a23-9e66-e1de2ea7cbaf))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80f38194-5d0c-4cdd-bbc8-0868db4adf8e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 167 "Net-(D13-K)") (pintype "passive") (tstamp 595d9df4-df2f-4006-8fab-0727b8905e31))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 239 "Net-(U30A-IOT_172)") (pintype "passive") (tstamp c74bf9e2-bf0c-4241-a069-81ca6c74bab6))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca5f9b4)
  (at 100.1 102.5)
  (descr "SOT-363, SC-70-6")
  (tags "SOT-363 SC-70-6")
  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
  (property "MPN" "SN74LVC1T45DCKR")
  (property "Mfg" "Texas Instruments")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")

```

```

(property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
(property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr smd)

(fp_text reference "U28" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 9254bfa9-6e28-451b-98e7-7d6987fec6e0)
)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04)))
  (tstamp 39f7c325-4fba-43aa-ac39-299f142ed84d)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 750465ce-214c-44c6-ad71-a274e81b9062)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6a3e7458-bcca-44c1-9ba4-39086dfd9cc3))

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp bc06044c-dfeb-4cd8-bfc1-7d9849ad4349))

(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c6d6cb05-31ff-4e64-9251-4ae0268a647f))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 85bb2794-797d-4cdc-a900-9a75869c1c7f))

(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b84dfb01-0586-482a-bd21-6ed88d72e163))

(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fb1fb324-b6ee-4d8f-bd3b-7b559cd12be1))

(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 155960fe-fe55-44da-9358-daa128ac9df9))

(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1b3f01ab-94c5-495f-a948-8d33963938e3))

(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cf577c9a-15ea-4ae6-a9ae-1bbf6a1268fd))

(fp_line (start 0.675 -1.1) (end 0.675 1.1)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 153c65b7-e0fc-4b43-9607-60b3b0a4386b))
(fp_line (start 0.675 1.1) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1cde7bc2-c9e2-4ad0-8635-2c5a7d24ba5e))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp ada69fa7-4157-424e-81af-17b980de14a2)
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 4ab46894-38f8-45db-9d4f-2a2600df77f3)
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 178 "/IO_Banks/IO_Buffer_B/X5") (pinfunction "A") (pintype "bidirectional") (tstamp 4564fc77-6100-4000-8000-000000000000)
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 65 "/IO_Banks/IO_Buffer_B/Y5") (pinfunction "B") (pintype "bidirectional") (tstamp b562599b-2a26-4000-8000-000000000000)
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 153 "/IO_Banks/DB5") (pinfunction "DIR") (pintype "input") (tstamp ca7ce5cd-44bb-4169-9453-1e0000000000)
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 107 "/IO_Banks/VI0B") (pinfunction "VCCB") (pintype "power_in") (tstamp 2fa8a26f-20e2-4514-9720-000000000000)
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005ca5fb4b)
        (at 96.1 99.7)
        (descr "SOT-363, SC-70-6")
        (tags "SOT-363 SC-70-6")
        (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
        (property "MPN" "SN74LVC1T45DCKR")
        (property "Mfg" "Texas Instruments")
        (property "Sheetfile" "io_buffer.kicad_sch")
        (property "Sheetname" "IO_Buffer_B")
        (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translation")
        (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
        (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-000000000000")

```

```

(attr smd)

(fp_text reference "U23" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 9894da47-4d98-49f9-9b77-8d6c4e62dc08)
)

(fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
  (effects (font (size 0.2 0.2) (thickness 0.04))))
(timestamp 3c42081b-3695-45bf-ab6d-8b89ea828ee2)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075))))
(timestamp 7ec1a6b7-e58a-458c-befa-6d7561015520)
)

(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp f576c723-cf65-4772-a8fb-3acf72e914be))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp c66561d0-8cc4-470e-900a-f465efb81979))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 6857a509-98b5-42b7-9ae0-e78c58d76882))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 8e19a0c9-2e16-4244-af2d-792b08156303))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp c85e8555-eed7-48a3-9bf3-ccbd21e76d07))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 88faa3c1-8cd7-4817-a659-0eca08c5aadb))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 22d85afe-284b-48dc-ba35-25f357617a74))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp addeed29-2a5d-41b1-aeefa-e251d41f45a4))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp c7b991ed-a3aa-4aa8-b744-e3db0365d9a2))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp bef6516a-b339-4ffc-9ade-43b002ae5c9b))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1289ac8d-056c-4e6d-b328-632994502641))

```

```

(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 747f64e7-f7c0-4d7d-9185-5396a88734)
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 47e73b1b-5eb1-4baa-b202-aaa9e0d3c4c8)
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 174 "/IO_Banks/IO_Buffer_B/X2") (pinfunction "A") (pintype "bidirectional") (tstamp d3569e2f-e
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 62 "/IO_Banks/IO_Buffer_B/Y2") (pinfunction "B") (pintype "bidirectional") (tstamp 82a97624-33
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 156 "/IO_Banks/DB2") (pinfunction "DIR") (pintype "input") (tstamp 9c75ed10-1c58-4ca3-9405-057
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 107 "/IO_Banks/VI0B") (pinfunction "VCCB") (pintype "power_in") (tstamp 02348088-6e06-4ab8-88e
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005caa2b14)
    (at 117.515 101.6)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
    (attr smd)
    (fp_text reference "C22" (at 0 0) (layer "F.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)))

```

```

        (tstamp 66651a97-3b9f-4290-a7c5-e6eb6dd405f3)
    )
(fp_text value "u1" (at 0 -0.6) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 61b7a67b-d5b3-49a1-98f8-b1865d03f040)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 08848030-8581-46fb-9bfd-eccc04189e4c)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5a71b48-3c4f-47ec-8c60-30b5db01ffa8))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 088fa8cb-80c4-4fd1-9622-99488d24beee))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ea57810-a4a1-4d6f-991d-fc94c0234ad8))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ad0bc927-5d40-41ba-aad2-9dda1d2aa136))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0056dd8c-02c9-4a42-9553-1bf166a61afb))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9279c9d2-98e0-42d8-8beb-d1d76c28f440))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba214984-3739-45d4-b027-af8a8f5a8183))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 300df3f5-392c-42a0-9822-9d00fa020d56))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
    (net 2 "+3V3") (pintype "passive") (tstamp f058b772-8b1b-4f91-8483-c8cdc9c3f8c2))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
    (net 3 "GND") (pintype "passive") (tstamp 223f355b-9c79-4df1-a1bc-b1b18f132568))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)

```

```

)

 footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cabb4bb)
  (at 86.35 107.65 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-10k")
  (property "MPN" "RC0402FR-1310KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb2b53c")
  (attr smd)
  (fp_text reference "R44" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 81e1cf57-a8c4-49b1-9996-bf4eeac74a06)
  )
  (fp_text value "10k" (at 1.25 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp fc8b1a1a-a5e6-4961-a0d7-94e1cc2cd0ca)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04))))
    (tstamp 16efbfff1-d722-4de0-a99f-7fa7eac307ec)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2b427068-2ccd-4bce-a4b5-56311e00bbbb))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e3d7e362-3506-4c9d-a1ab-0fdc78e0910e))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 087661bd-3ea7-45d0-915f-f66bf6a462fe))
  (fp_line (start 0.93 0.47) (end -0.93 0.47)

```



```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a43fd53a-aaaa-4524-83ed-7f8b7854ea8f))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c062cdc8-af2e-4ba9-ae38-107993ea0c88))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f45ea473-4a74-4f4f-b36f-5840471cdc4a))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 120ef02e-35e8-4334-8afb-a7022618402b))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9b9d6abb-a9a4-4bc5-a71a-4ee66178e900))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 159 "/IO_Banks/~{SYNC}") (pintype "passive") (tstamp 088cb401-1830-4972-b4c2-a3ec6626b698))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 3ad6b5fd-5dd4-4af9-b2de-5108a4ec338a))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-000005cacc73f)
    (at 117.5 100.4)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-10k")
    (property "MPN" "RC0402FR-1310KL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-000005c7b59b0/00000000-0000-0000-0000-000005c9e338e/00000000-0000-0000-
    (attr smd)
    (fp_text reference "R36" (at 0 0) (layer "F.Silks") hide

```

```

        (effects (font (size 0.25 0.25) (thickness 0.05)))
        (tstamp 3ea0108b-1ecd-48eb-8ca1-91d969baf691)
    )
    (fp_text value "10k" (at 0 -0.6) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 6118aded-9e88-4331-8fee-85ea4dc4a7dc)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp f439e3ec-ab89-4ee4-9bd8-afffff27704ac)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fa4f1134-42e4-4303-8bd3-c01c9563a790))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3760831b-44d6-4287-a8f4-0141197e0a72))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 84958c4e-24a9-40b9-b24f-3d4ccbb732ea))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8bb5f4a1-689e-4ba2-bfa3-3bae58889847))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b2a47304-7514-4504-bb36-b4449477cd6e))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30a39f29-693c-400b-92dd-5c4a44b23201))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 16cb58b6-bb59-4ac2-9f1a-ac6288a56424))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1c762e32-8384-497d-a87d-571e092bfdfb))
    (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr0
        (net 234 "Net-(U5-~{RESET})") (pintype "passive") (tstamp e9580e52-343f-405b-8928-968e40c9c417))
    (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr0
        (net 2 "+3V3") (pintype "passive") (tstamp 41900235-6532-4a65-96f2-007477adf67f))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))

```

```

)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cacc852)
  (at 107.9 100.5)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-2k2")
  (property "MPN" "RC0402FR-132K2L")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0
  (attr smd)
  (fp_text reference "R41" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp cba94e2a-3dc2-4c7a-b07f-14b7ff186cf2)
  )
  (fp_text value "2k2" (at 1.2 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp e3f6e5e6-65bd-42e4-9afd-9c887d442088)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp 924292ba-a057-47f1-a85a-b435995412c1)
  )
  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5ff9ec65-88dd-4833-8ed5-a44326f84420))
  (fp_line (start -0.93 0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 77a6e70a-2176-4ea6-850b-060db50f9ab6))
  (fp_line (start 0.93 -0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 58a5ded4-9f95-4f42-b4d0-b8907a0d1160))

```



```

(fp_text reference "C84" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp c66ae3e8-c05d-4237-93fd-9668f282945a)
)
(fp_text value "u1" (at 0 0.65 -90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp de394cbb-b7bf-4a1f-ac33-3d29c1ed16b7)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 8a39138f-45c7-4c83-8f3c-6479eec6b31a)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a8491383-10a0-48ae-9bec-6efa9b2ae2b5))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4eca4786-3ec8-446b-968b-71443d6f2044))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp beea959e-2a9c-4940-b6b0-8ac3c1476e43))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e52e211-6a01-4804-b1e1-bd713cc5205f))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp caf32d19-af82-43a5-ac52-27af7f6bb62d))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1c3e66fc-88c3-48a1-b717-05483f9d4d06))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bf45c140-444e-47e8-a505-9f011b2507b5))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6b91232b-a0b7-4286-8078-95075124457f))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 0ca868b2-5aa1-4b56-b3eb-76dcbbd76049))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp c7eb4d65-abcc-42a5-bda6-1ac8cb1107ff))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))

```

```
(rotate (xyz 0 0 0))

)

)

 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005cad171b)

  (at 120.9 100.7 -90)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

  (attr smd)

  (fp_text reference "C45" (at 0 0 90) (layer "F.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)))

    (tstamp f6aa97e6-bce9-4fe1-8ea2-e54c72c9a864)

  )

  (fp_text value "u1" (at -0.9 0) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 93222bfd-a210-4ad4-a860-ebcfbd231811)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)))

    (tstamp bb865a99-fac3-4db4-b86d-6470d238267f)

  )

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 757f30ee-52eb-4c86-83d3-a4283b8914cc))

  (fp_line (start -0.93 0.47) (end -0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start 0.93 -0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4338-9bb7-5eaa6941056f))

  (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 18d8db18-d40c-4
```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 768fc428-fd09-4636-96c7-18f4eba727e5))
(fp_line (start 0.93 0.47) (end -0.93 0.47)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f0cef316-bd60-491b-a63e-a3eccff842c9))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dfb46733-dd4a-4272-8ef0-4d8d9f820fa2))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61d8b24d-0c2f-4df4-91c2-63f2cfd20ea6))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ea53e590-4f7d-4ce1-a093-b0da1cff7264))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80ae0539-298c-46df-9035-0e7558a6af5e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 5 "+5V") (pintype "passive") (tstamp bdd7891f-bccc-4b48-b74d-28d5455b191b))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 3c614aa5-6da1-47f9-b495-dccf4856ed4d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)
)
(footprint "Package_S0:TSSOP-16_4.4x5mm_P0.65mm" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005cad943a)
    (at 112.7 98.8 180)
    (descr "TSSOP, 16 Pin (JEDEC MO-153 Var AB https://www.jedec.org/document\_search?search\_api\_views\_fulltext)"
    (tags "TSSOP S0")
    (property "1b2-bom-key" "ic-tssop16-pca6408apw")
    (property "MPN" "PCA6408APW")
    (property "Mfg" "NXP")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "8 Bit Port/Expander, I2C SMBUS, Interrupt output, Level Shifting, TSSOP-16 Pin")
    (property "ki_keywords" "SMBUS I2C Expander Level Shifter")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)

```

```

(fp_text reference "U5" (at 0 0 180) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15)))
  (tstamp db3f961c-098d-4693-aabd-6fa0a40e10f9)
)
(fp_text value "PCA6408APW" (at 0 2.1 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp c4b1219c-ad91-41b4-b48a-1c63b1a91541)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 2537f524-a7bd-4014-9f76-0f9652380928)
)
(fp_line (start 0 -2.735) (end -3.6 -2.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fb617362-b3a6-4df7-bdf2-b7c0f06121dd))
(fp_line (start 0 -2.735) (end 2.2 -2.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 397db6d4-63b4-49f2-b314-64b2ac26e68e))
(fp_line (start 0 2.735) (end -2.2 2.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 7946c416-9979-4f47-baf5-557ab14b1112))
(fp_line (start 0 2.735) (end 2.2 2.735)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 91960c9a-744e-4a41-86ef-51ae426bd8d5))
(fp_line (start -3.85 -2.75) (end -3.85 2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e57e9b9a-4b3d-4f77-9638-0ae2ff7acbd7))
(fp_line (start -3.85 2.75) (end 3.85 2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d8ff64fb-97be-4100-bd72-da691ad6bc16))
(fp_line (start 3.85 -2.75) (end -3.85 -2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 98c03984-adee-4a43-8a7b-f6ef537e653f))
(fp_line (start 3.85 2.75) (end 3.85 -2.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2ae7bd2e-e0a8-4882-a730-bd4845ba23cd))
(fp_line (start -2.2 -1.5) (end -1.2 -2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f5409c12-a4e8-47da-866b-48e552e1c327))
(fp_line (start -2.2 2.5) (end -2.2 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 33e804ed-4732-447d-bc8d-e764e62ef4a4))
(fp_line (start -1.2 -2.5) (end 2.2 -2.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e8847061-2762-4653-9680-da2c33e0d6a8))
(fp_line (start 2.2 -2.5) (end 2.2 2.5)

```



```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 04717a29-e3e0-48ee-8196-58c6cd8eb4f1))

(fp_line (start 2.2 2.5) (end -2.2 2.5)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 23a535e3-99c4-45eb-b849-393e6c708a20))

(pad "1" smd roundrect (at -2.8625 -2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 2 "+3V3") (pinfunction "VDD_I2C") (pintype "power_in") (tstamp a12f68f4-5208-456e-92c1-c1c2b62

(pad "2" smd roundrect (at -2.8625 -1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 107 "/IO_Banks/VI0B") (pinfunction "ADDR") (pintype "input") (tstamp b587530e-0b37-4bd8-8134-b

(pad "3" smd roundrect (at -2.8625 -0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 234 "Net-(U5--{RESET})") (pinfunction "~{RESET}") (pintype "input") (tstamp 3628c20f-6510-46a1

(pad "4" smd roundrect (at -2.8625 -0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 216 "/IO_Banks/IO_Buffer_B/P0") (pinfunction "P0") (pintype "bidirectional") (tstamp bcf6cc3a-3

(pad "5" smd roundrect (at -2.8625 0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (roundr

(net 215 "/IO_Banks/IO_Buffer_B/P1") (pinfunction "P1") (pintype "bidirectional") (tstamp ab9eeae8-3

(pad "6" smd roundrect (at -2.8625 0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 214 "/IO_Banks/IO_Buffer_B/P2") (pinfunction "P2") (pintype "bidirectional") (tstamp 7e06d044-2

(pad "7" smd roundrect (at -2.8625 1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 213 "/IO_Banks/IO_Buffer_B/P3") (pinfunction "P3") (pintype "bidirectional") (tstamp 15349dc9-3

(pad "8" smd roundrect (at -2.8625 2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 3f9a53a5-966f-4bd7-ba64-f81cdcc4633b

(pad "9" smd roundrect (at 2.8625 2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 212 "/IO_Banks/IO_Buffer_B/P4") (pinfunction "P4") (pintype "bidirectional") (tstamp 0c6df9a6-3

(pad "10" smd roundrect (at 2.8625 1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 211 "/IO_Banks/IO_Buffer_B/P5") (pinfunction "P5") (pintype "bidirectional") (tstamp 76c2ad11-3

(pad "11" smd roundrect (at 2.8625 0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 210 "/IO_Banks/IO_Buffer_B/P6") (pinfunction "P6") (pintype "bidirectional") (tstamp edb0e270-3

(pad "12" smd roundrect (at 2.8625 0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 209 "/IO_Banks/IO_Buffer_B/P7") (pinfunction "P7") (pintype "bidirectional") (tstamp ecd47d5c-3

(pad "13" smd roundrect (at 2.8625 -0.325 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 249 "unconnected-(U5--{INT}-Pad13)") (pinfunction "~{INT}") (pintype "open_collector+no_connec

(pad "14" smd roundrect (at 2.8625 -0.975 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp fba0d39e-c87a-4159-8e10-11f4eb8929e1))

(pad "15" smd roundrect (at 2.8625 -1.625 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp dfdd0720-d70c-4630-8316-cb504e5

(pad "16" smd roundrect (at 2.8625 -2.275 180) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")) (rou

(net 107 "/IO_Banks/VI0B") (pinfunction "VDD_P") (pintype "power_in") (tstamp e8ce6e4c-3baf-4d54-9f
```

```
(model "${KICAD6_3DMODEL_DIR}/Package_SO.3dshapes/TSSOP-16_4.4x5mm_P0.65mm.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

 footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

(timestamp 00000000-0000-0000-0000-00005cad9532)

(at 117.5 90.5 180)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

(tags "resistor")

(property "1b2-bom-key" "res-0402-2k2")

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e.dwg")

(attr smd)

(fp_text reference "R42" (at 0 0) (layer "F.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)))

(timestamp de2b1cb4-749c-4b05-936f-d8f6c5963626)

)

(fp_text value "2k2" (at 1.2 0 180) (layer "F.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)))

(timestamp 4122df56-116e-4f19-b884-5ff41d7aaf4e)

)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04)))

(timestamp 3b9a0198-eedf-49fe-8dc1-c92ac9635047)

)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 79b251a8-2ef3-41e2-ba68-12b1f1e84e9a))
```

```

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 177c835b-f99b-4924-a473-196cd48b7433))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 51134780-0915-42f6-accb-a1216c0ccc7a))

(fp_line (start 0.93 0.47) (end -0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 09627077-f9ea-4ca7-a200-8cda01566855))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5ffa567e-62f8-45ab-8abf-cef03c43f882))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2446fb76-4efe-4fc1-8362-602b12ee667f))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83f4c66a-b662-4253-876d-fcd386ac5463))

(fp_line (start 0.5 0.25) (end -0.5 0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab49ba31-3556-4b79-b054-6d28a05c2d96))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 3 "GND") (pintype "passive") (tstamp a8745e00-843f-459e-9939-6c09fa3d0888))

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 6136a713-8495-4f45-b25b-795c9b6433c3))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005cad956b)

(at 119.9 88.8 -90)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

(tags "resistor")

(property "1b2-bom-key" "res-0402-24k3")

(property "MPN" "RC0402FR-1324K3L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

```

```
(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "R35" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 300104d6-bc6f-4d22-ac10-0b73de2378c6)
)

(fp_text value "24k3" (at 0 0.7 -90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 511c5ce4-4f8b-4eb8-9d08-f14ec1da6da2)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 05647a79-d704-4a11-bc23-27979b99c642)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2c718cf1-78bd-40b2-bdf9-bcac6f6f3416))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01d0e4e5-71f5-42d9-b986-d7e7d76d77b1))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 66b23ee4-68d1-40e4-8c02-6b76c8391d13))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f57a0994-dde7-474d-a4d7-ed02bfa4e5f4))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b8d0a2a7-578e-4848-b630-d608507fb294))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7e23dcf5-7a26-46fd-8c21-68dac3ed5d98))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fa6ef8af-eeda-48d6-a38f-18d3e4ba4b63))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 276d390a-2ab5-4d5c-ae12-9e1d8013d720))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp f9955916-61fd-4c23-ad7b-50e65054d56a))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
```

```

        (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pintype "passive") (tstamp 804db1e9-85b0-4c3d-a9d1-22e4635f73)
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005cad95ee)

    (at 126.7 102.2 90)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")

    (property "1b2-bom-key" "res-0402-24k3")

    (property "MPN" "RC0402FR-1324K3L")

    (property "Mfg" "Yageo")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_B")

    (property "ki_description" "Resistor")

    (property "ki_keywords" "R res resistor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

    (attr smd)

    (fp_text reference "R29" (at 0 0 90) (layer "F.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)))

        (tstamp b820f411-7c4c-4f31-b437-7e481989db9b)
    )

    (fp_text value "24k3" (at 0 0.7 90) (layer "F.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp b25bfc4a-a1b8-4d14-9840-2b0243f46bb8)
    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

        (effects (font (size 0.25 0.25) (thickness 0.04)))

        (tstamp 252225a7-742c-4e9e-b1a1-3a52a12fc764)
    )

    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 10f82b66-02f8-4103-9cb7-8f79fc577576))
(fp_line (start -0.93 0.47) (end -0.93 -0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 30b34452-abca-481f-8ebe-032aaedc22d4))
(fp_line (start 0.93 -0.47) (end 0.93 0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ea929fee-252a-44ef-bdec-6134f1e8ef7c))
(fp_line (start 0.93 0.47) (end -0.93 0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 61abac05-138f-45ed-b465-0ab109059dce))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cad90b44-855f-41e2-bcdc-72fd1ee10945))
(fp_line (start -0.5 0.25) (end -0.5 -0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 632d06f4-b928-4174-9abe-572b7c884b6f))
(fp_line (start 0.5 -0.25) (end 0.5 0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 76a0f426-4591-491d-a84a-e1d3c051dcba))
(fp_line (start 0.5 0.25) (end -0.5 0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0127f327-9726-4912-976f-08d4db8eed4c))

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 3 "GND") (pintype "passive") (tstamp e80fd302-cf88-4e95-9205-7b734dea4ffa))

(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 157 "/IO_Banks/IO_Buffer_B/VFB") (pintype "passive") (tstamp 945a880d-7191-4231-a75b-c9bacee00000))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005cafbff6)

(at 92 97.7 180)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

(tags "resistor")

(property "1b2-bom-key" "res-0402-2k2")

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_banks.kicad_sch")

```

```

(property "Sheetname" "IO_Banks")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9610a4")

(attr smd)

(fp_text reference "R10" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 5b2aef66-f9d7-416a-baa3-3b08ac3e9ca0)
)

(fp_text value "2k2" (at 0 0.7 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp e127c3c6-6d90-4181-aea6-d62d5a7edd29)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 6245575f-6d49-4158-bba7-3c1c81e7b496)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8d928256-b681-474c-95ea-76f9b577095e))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4f1e6985-f22c-47c7-95a4-ab618a2493f4))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ec0bb73c-2f3f-47a3-a674-fc870ddd3083))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70d2cfd5-c346-459c-aaeb-922ac1ce84a4))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d8cd25b7-cf19-40a4-98bd-fd1ddc874d49))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8cf00280-97ac-46f2-9e4b-cd8f3e470bb6))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02b2eb1f-9491-4c8a-b659-91f94253e79b))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2a6e2062-dded-47b0-9e1e-8c9770be2d71))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 233 "Net-(U30A-IOT_219)") (pintype "passive") (tstamp 48874cc7-5553-42da-ae4a-a8659ff361f6))

```

```

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 4aca2f37-6531-4cba-84ab-d8fe51cc659e))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb04acd)
  (at 94.7 107.3)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ae0058e")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP3" (at 0 -1.75) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp d0ed110e-0a0d-4bd9-b126-cc7e7a85b229)
)
(fp_text value "3V3" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp d0de0280-15a5-42a7-b2e3-f4c9b75fa95c)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15))))
(tstamp cd01f322-1d47-4dd5-853d-f8aba2eb3dae)
)
(fp_circle (center 0 0) (end 0 0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp f20761bf-96ce-4a99-b75f-1c

```



```

(fp_circle (center 0 0) (end 1 0)

  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 05edaa69-e53e-436d-a959-6c

(pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")

  (net 2 "+3V3") (pinfunction "1") (pintype "passive") (tstamp 0104cd58-d8c9-4d0d-bab6-fa5c667f9200))

)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005cb08fd8)

  (at 94.7 109)

  (descr "SMD pad as test Point, diameter 1.0mm")

  (tags "test point SMD pad")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "exclude_from_bom" "")

  (property "ki_description" "test point")

  (property "ki_keywords" "test point tp")

  (path "/00000000-0000-0000-0000-00005adb3d1e")

  (attr exclude_from_pos_files exclude_from_bom)

  (fp_text reference "TP1" (at 0 -1.75) (layer "F.Silks") hide

    (effects (font (size 0.8 0.8) (thickness 0.15))))

    (tstamp 8c5c7c45-2953-40a0-9a45-6a9f887a29a0)

  )

  (fp_text value "5V" (at 0 0) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp ab9d97b5-4adc-408f-9373-54786e195b79)

  )

  (fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide

    (effects (font (size 1 1) (thickness 0.15))))

    (tstamp 9f7fba95-be8d-4be0-9fe8-bcf51e95c58b)

  )

  (fp_circle (center 0 0) (end 0 0.7)

(stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp a4d8f7c7-95ff-4074-8dee-93f6edf0

  (fp_circle (center 0 0) (end 1 0)

    (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 284639d7-12fe-496d-b6ba-4f

  (pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")

```

```

        (net 5 "+5V") (pinfunction "1") (pintype "passive") (tstamp d70521df-cfe4-406d-a57c-de7aac4b2105))
    )

    (footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005cb0ad1b)
        (at 74.9 105.9 90)
        (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
        (tags "resistor")
        (property "1b2-bom-key" "res-0402-2k2")
        (property "MPN" "RC0402FR-132K2L")
        (property "Mfg" "Yageo")
        (property "Sheetfile" "glasgow.kicad_sch")
        (property "Sheetname" "")
        (property "ki_description" "Resistor")
        (property "ki_keywords" "R res resistor")
        (path "/00000000-0000-0000-0000-00005ad252ca")
        (attr smd)
        (fp_text reference "R2" (at 0 0 90) (layer "F.Silks") hide
            (effects (font (size 0.25 0.25) (thickness 0.05)))
            (tstamp d20975f0-9d17-4c13-9623-7d963f071726)
        )
        (fp_text value "2k2" (at 0 -0.7 90) (layer "F.Fab")
            (effects (font (size 0.4 0.4) (thickness 0.06)))
            (tstamp 196c4600-8223-4633-9edd-667b94e32942)
        )
        (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
            (effects (font (size 0.25 0.25) (thickness 0.04)))
            (tstamp c8347f82-f18e-4af3-b319-4d3ff40e9afc)
        )
        (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
            (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dc9e831c-25c9-4990-a98e-4e36cb8ee0a8))
        (fp_line (start -0.93 0.47) (end -0.93 -0.47)
            (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 196a7a2d-dfbf-4282-97a8-7c710ca40eb1))
        (fp_line (start 0.93 -0.47) (end 0.93 0.47)
            (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 277e1b5d-ed65-40cc-ae74-1c914fb53fa4))
    )

```

```

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e44b0fce-37e4-4442-90da-b69ad4a5a6fc))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9397f21e-1e1d-42f4-8a37-7ea4ad673c3e))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e5f8c33e-35b2-4ef1-ae47-728bb4b7edfe))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6839088d-c210-4536-9034-56bbff193f09))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 54956847-043b-47f6-b742-9968a9406c0d))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 4 "/SCL") (pintype "passive") (tstamp 94c3cc3e-2704-4735-97ae-fe8a4f32049e))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 0fb54ee9-3823-451b-bc84-66f95f7c529b))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:D_SOD-523" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb0c447)
  (at 107.8 97.6 -90)
  (descr "http://www.diodes.com/datasheets/ap02001.pdf p.144")
  (tags "Diode SOD523")
  (property "1b2-bom-key" "esd-diode-sod523-esd5z5_0t1g")
  (property "DNP" "DNP")
  (property "MPN" "ESD5Z5.0T1G")
  (property "Mfg" "ON Semiconductor")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "dnp" "")
  (property "ki_description" "Zener diode")
  (property "ki_keywords" "diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb8809b")

```

```

(attr smd)

(fp_text reference "D12" (at -0.9 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 70e2dd50-6b16-4ee3-ac2f-1c8bbbc4c938)
)

(fp_text value "ESD5Z5.0T1G" (at 0.2 -0.9 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp eef9cf20-cc1b-450b-8033-5e48f795bc6f)
)

(fp_text user "${REFERENCE}" (at -1 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 97f95ba3-3e02-4131-8b16-fc12cc7ff195)
)

(fp_text user "DNP" (at 1 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp ef1867d0-3587-4f2e-a5c2-7b2e7c0bf9b0)
)

(fp_line (start -1.15 -0.6) (end -1.15 0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0f7f3f2d-72c5-4b58-b059-f343bb476292))
(fp_line (start 0.7 -0.6) (end -1.15 -0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 07b676a2-cf4e-4331-9ed1-c7719fc5a27a))
(fp_line (start 0.7 0.6) (end -1.15 0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5e66175a-bfe7-4dba-9e86-b8076eadb1ae))
(fp_line (start -1.25 -0.7) (end 1.25 -0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ba7b133a-288a-40c0-a364-108596de7f43))
(fp_line (start -1.25 0.7) (end -1.25 -0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ef2e0782-de00-4266-a664-e576cec56dbb))
(fp_line (start 1.25 -0.7) (end 1.25 0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 801a6cf3-7b38-432c-83cc-96fc31046ad7))
(fp_line (start 1.25 0.7) (end -1.25 0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6632f55f-aecb-45b5-92c6-d6a183b0fad9))
(fp_line (start -0.65 -0.45) (end 0.65 -0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c8d2e2fb-0806-4bda-8642-99831c89cbb6))
(fp_line (start -0.65 0.45) (end -0.65 -0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f8688a8-e1ad-4617-b0de-917344c9ad0f))

```

```

(fp_line (start -0.2 0) (end -0.35 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d951e412-c42d-4a64-b2db-da977289958f))
(fp_line (start -0.2 0) (end 0.1 0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b9aaec7c-a9d1-40cc-b211-eaf75312b484))
(fp_line (start -0.2 0.2) (end -0.2 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a4e7c80d-21b1-46fb-a1c5-39711f7ff57b))
(fp_line (start 0.1 -0.2) (end -0.2 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d40f73b3-98d9-462d-8cec-73648fa8ad3f))
(fp_line (start 0.1 0) (end 0.25 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4202d357-a552-4ee4-acf0-1187f6503da3))
(fp_line (start 0.1 0.2) (end 0.1 -0.2)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 26375982-6ed7-451d-8824-1e20cd2af50d))
(fp_line (start 0.65 -0.45) (end 0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 59f8957f-aab6-4c4b-8a3a-dce1a99249a5))
(fp_line (start 0.65 0.45) (end -0.65 0.45)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2a431f42-5b35-49be-bbfb-bbd83135dd5a))
(pad "1" smd roundrect (at -0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 166 "Net-(D12-K)") (pinfunction "K") (pintype "passive") (tstamp e53be804-1908-4bed-975b-f38c1
(pad "2" smd roundrect (at 0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp 91a6dc43-c8a9-4b92-adfc-cb31ad1fa2ce))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-523.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb233aa)
  (at 88.55 101.5 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-47r")
  (property "MPN" "RC0402FR-1347RL")
  (property "Mfg" "Yageo")

```

```

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb5da66")

(attr smd)

(fp_text reference "R45" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 21fce142-22c0-41cf-918e-b4f3647547cb)
)

(fp_text value "47R" (at 1.25 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp a669c657-1c99-42af-8f1f-2676a3228a68)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 8004ec07-251c-4140-9918-8bce00d54506)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5f4aa88-3983-4e3f-8835-3b814805a3b3))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d96f524c-41de-4a9e-9bcc-2ec88d01452b))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 345d815f-0012-4fb0-b161-877232e9fab0))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e7756adb-18bc-41c8-9397-39e4b78c59a3))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eaf9d6ac-86fb-44e0-86e7-5317fa25697f))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c8793782-a486-410a-aa01-81c231e453f0))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 822d4770-aa12-4416-8a3f-1953473886aa))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 06d37252-2a02-4f06-ab4b-63049c2324ee))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundre

```

```

(net 241 "Net-(U32-A)") (pintype "passive") (tstamp 1d64c32b-d75b-4602-9a52-3b66993fd2d1))

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

(net 240 "Net-(U30A-IOT_168)") (pintype "passive") (tstamp ee0dcb8e-d534-4115-b3ff-624e2211259f))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Connector_PinHeader_2.54mm:PinHeader_1x03_P2.54mm_Vertical" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005cb2c632)

(at 105.27 98.04 180)

(descr "Through hole straight pin header, 1x03, 2.54mm pitch, single row")

(tags "Through hole pin header THT 1x03 2.54mm single row")

(property "1b2-bom-key" "conn-th-01in-3-1-hdr")

(property "DNP" "DNP")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "dnp" "")

(property "ki_description" "Generic connector, single row, 01x03, script generated (kicad-library-uti

(property "ki_keywords" "connector")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c072c23")

(attr through_hole)

(fp_text reference "J10" (at -0.03 -0.01 180) (layer "F.SilkS") hide

(effects (font (size 0.8 0.8) (thickness 0.15))))

(tstamp 6cef85bd-bc61-4492-a7d3-6d8b77bc745d)

)

(fp_text value "AUX" (at -0.93 2.54 90) (layer "F.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06))))

(tstamp e4913251-4289-4d48-980c-07fae09246cc)

)

(fp_text user "${REFERENCE}" (at 0 2.54 270) (layer "F.Fab") hide

(effects (font (size 1 1) (thickness 0.15))))

(tstamp 6a0a82f5-a527-45be-b9e7-d0e6bb4ce64f)

```

```

)
(fp_text user "DNP" (at -0.03 2.54 90) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp 9bee6ead-51d2-42f7-9069-b116de0cacfb)
)
(fp_line (start -1.33 -1.33) (end 0 -1.33)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 94182047-462d-4146-88d7-4f36d3caecba))
(fp_line (start -1.33 0) (end -1.33 -1.33)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 1307347c-6add-414d-b6ab-2abc46d0e23e))
(fp_line (start -1.33 1.27) (end -1.33 6.41)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 84988616-ab90-4b09-8682-a88f0f8d5628))
(fp_line (start -1.33 1.27) (end 1.33 1.27)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 7081f3f0-4100-41a7-be4b-e4124951b725))
(fp_line (start -1.33 6.41) (end 1.33 6.41)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 388353d9-f0fd-4e66-bd55-7466187e940e))
(fp_line (start 1.33 1.27) (end 1.33 6.41)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp f6b0c8e5-acd4-4b07-b3bd-0e86bc241684))
(fp_line (start -1.8 -1.8) (end -1.8 6.85)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp c7d9f221-06ac-4475-b523-d33108c9384f))
(fp_line (start -1.8 6.85) (end 1.8 6.85)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 78878869-bbe2-4cba-bde0-908565d3d3e9))
(fp_line (start 1.8 -1.8) (end -1.8 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 96cbf664-f45b-4348-aaea-992ba1c51dfc))
(fp_line (start 1.8 6.85) (end 1.8 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp c094317b-0b62-45c8-9fa3-35de68c439b3))
(fp_line (start -1.27 -0.635) (end -0.635 -1.27)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 8900828e-7702-40d3-bfd9-4b28b7c91bd1))
(fp_line (start -1.27 6.35) (end -1.27 -0.635)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 35be37da-6e2d-4211-af07-72af23eda1b8))
(fp_line (start -0.635 -1.27) (end 1.27 -1.27)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp e19458e4-b70d-413b-a14e-70264ec3cef9))
(fp_line (start 1.27 -1.27) (end 1.27 6.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 93ca604d-b0cd-49cc-89c5-644cacdf12e4))
(fp_line (start 1.27 6.35) (end -1.27 6.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 5f35b2d0-d07f-470b-a909-e891510a215a))

```



```

(pad "1" thru_hole roundrect (at 0 0 180) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (roundrect
    (net 3 "GND") (pinfunction "Pin_1") (pintype "passive") (tstamp 76db18cf-82fe-4fbd-908f-95fc6ba1adbl
(pad "2" thru_hole oval (at 0 2.54 180) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 166 "Net-(D12-K)") (pinfunction "Pin_2") (pintype "passive") (tstamp a3c89279-9a9b-4c2d-8d7c-b
(pad "3" thru_hole oval (at 0 5.08 180) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 167 "Net-(D13-K)") (pinfunction "Pin_3") (pintype "passive") (tstamp 54f61ef9-788a-4e02-bdf8-5
)

(fp_footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005cbde4a4)
    (at 54 116)
    (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
    (tags "mounting hole 3.5mm Courtyard")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "exclude_from_bom" "")
    (property "ki_description" "Mounting Hole with connection")
    (property "ki_keywords" "mounting hole")
    (path "/00000000-0000-0000-0000-00005ad602a3")
    (attr exclude_from_pos_files exclude_from_bom)
    (fp_text reference "MK1" (at 0 -4.5) (layer "F.Silks") hide
        (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 3b219b92-234f-4f20-9cbf-5b9fe27b8810)
)
(fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 5b4906b2-0c71-4e26-b196-6b45dffffbdf1)
)
(fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 6d4a81fb-427c-4dd8-8491-b927da81ac0d)
)
(fp_circle (center 0 0) (end 3.5 0)
    (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp 7a557948-23cf-4302-9233-
(fp_circle (center 0 0) (end 3.75 0)

```

```

        (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 0a231dfc-e769-4812-b7bc-3b
(fp_circle (center 0 0) (end 5 0)

        (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 0036dd87-eebf-444a-be37-f7
(pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp d746caf7-53a9-4943-8711-
(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 245e8edd-8e3d-4f26-b83f-
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp fdf9fc2f-a962-4180-ab94-
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp b3270d50-9dcc-44d2-a94e-
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 7db13818-7927-47ee-ad4e-
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 82e622dc-23eb-4909-b7a9-
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mas

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp a7eda016-4a0b-4517-af71-
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.L

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 5a826b44-777d-461a-a544-
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 67637d3f-47da-454b-bfac-
)

(footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005cbde4b4)

(at 54 75)

(descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")

(tags "mounting hole 3.5mm Courtyard")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "exclude_from_bom" "")

(property "ki_description" "Mounting Hole with connection")

(property "ki_keywords" "mounting hole")

(path "/00000000-0000-0000-0000-00005ad64d62")

(attr exclude_from_pos_files exclude_from_bom)

```

```

(fp_text reference "MK2" (at 0 -4.5) (layer "F.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15)))
  (tstamp b3d0f7c6-8785-49f4-a8de-f88f43fa5a9c)
)
(fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp fa4c1e59-fb1f-4f52-b3a1-859bd400f898)
)
(fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp a6fababa-8213-4984-89fb-1ebfbd8e3eb5)
)
(fp_circle (center 0 0) (end 3.5 0)
  (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp 768aab67-7697-4684-afad-
(fp_circle (center 0 0) (end 3.75 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 9b655e59-4d29-4acf-805a-dd
(fp_circle (center 0 0) (end 5 0)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 79a3946e-0858-4034-936c-8a
(pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 0d074b9a-29b6-4584-85ea-9
(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 917a5f9e-10a4-44d9-87c6-
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 020b193c-31fb-4e1d-9b1f-
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 31bde130-9bcf-4c2b-bdbd-
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 4f97ffaf-36e5-43d5-a288-
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp d16a0f3e-1358-4d33-9035-
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp bfca5202-aff8-4de2-8bc2-
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 282e3c0f-a4f7-4069-9d2b-
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")

```

```

        (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 77544f67-241c-472c-973c-5
    )

    (footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
      (tstamp 00000000-0000-0000-0000-00005cbde4d4)
      (at 126 116)

      (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
      (tags "mounting hole 3.5mm Courtyard")
      (property "Sheetfile" "glasgow.kicad_sch")
      (property "Sheetname" "")
      (property "exclude_from_bom" "")
      (property "ki_description" "Mounting Hole with connection")
      (property "ki_keywords" "mounting hole")
      (path "/00000000-0000-0000-0000-00005ad64e04")
      (attr exclude_from_pos_files exclude_from_bom)
      (fp_text reference "MK4" (at 0 -4.5) (layer "F.Silks") hide
        (effects (font (size 0.8 0.8) (thickness 0.15))))
      (tstamp 8b9e9d32-7913-4a2a-b69d-3fc25ddf6b39)
    )
    (fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
      (effects (font (size 0.4 0.4) (thickness 0.06))))
      (tstamp a3d02974-fd35-42cc-becf-6a2e6e2a0cd0)
    )
    (fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
      (effects (font (size 1 1) (thickness 0.15))))
      (tstamp ba5118c2-4cb4-4a6a-8415-c9c8af43fde1)
    )
    (fp_circle (center 0 0) (end 3.5 0)
      (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp 4e7502dc-6266-456d-b960-5
    (fp_circle (center 0 0) (end 3.75 0)
      (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 7fd4108c-1b87-4016-81e4-f0
    (fp_circle (center 0 0) (end 5 0)
      (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 3b31d800-23c3-4886-bafa-c7
    (pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
      (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 38a89ab4-b9dd-40ef-b66e-5

```

```

(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 11c44701-79e4-4dc8-ad6e-
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 28a8de5e-c001-45a6-a105-
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 2ae69b93-b711-4f9b-a962-
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 161f9600-062a-4e76-93c6-
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 978bbb32-0e05-48f2-9ea5-
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 2d08de8a-849c-4062-903b-
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp e7f142cc-e14f-4bc2-a286-
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 521573d1-19db-41ee-848b-
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005cbe85fc)
    (at 123.3 87.3)
    (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0603-4u7")
    (property "MPN" "LMK107BJ475KAHT")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_A")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000
    (attr smd)
    (fp_text reference "C83" (at 0 0) (layer "F.Silks") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 9e011d5b-c409-4132-bb86-356c8ddfdf77)

```

```

)
(fp_text value "4u7" (at 1.3 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 35791c75-350b-498d-a81b-69e602832ef5)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 711c885d-0f5a-4e05-ba55-a26c584b1668)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp ceaa12a5-1b77-4749-945e-fe2d6cab1b67))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 1bb25768-f94c-4da9-9330-50c643c51cdd))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d6d5aae0-28bf-45a6-91c8-b72221472171))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 9a7000d8-9d7a-4787-b0a9-562675378eee))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 9733e79d-efa2-4415-87c2-1997f2587f4a))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b41f8585-df08-48c3-a070-fd1defc3122a))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 019365ac-cae0-42a3-a227-a8890515773e))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 7336c356-fe50-4ea0-b7f1-a24acea4e61a))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp d94ae0e8-8e73-4960-9a9d-100db42667f4))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1334dd5c-855a-4ce2-97b5-aca717fb7ed0))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (timestamp da3e9e0e-4dad-4ac8-9411-d576b97d0534))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 3 "GND") (pintype "passive") (timestamp 601689f8-d5e9-4804-b3ba-d0ecb6b7bd13))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))

```

```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(fp footprint "Glasgow:MountingHole_3.5mm_Pad_Via_CrtYd" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbcdcbd)
  (at 126 75)
  (descr "Mounting Hole 3.5mm with Courtyard for Washers + Tolerance")
  (tags "mounting hole 3.5mm Courtyard")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "Mounting Hole with connection")
  (property "ki_keywords" "mounting hole")
  (path "/00000000-0000-0000-0000-00005ad64dae")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "MK3" (at 0 -4.5) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp e28c019a-21a5-4411-9332-15909814b266)
)

(fp_text value "Mounting_Hole_PAD" (at 0 4.5) (layer "F.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06))))
  (tstamp 15e0d319-0187-41e8-907c-6a3d0d9aa628)
)

(fp_text user "${REFERENCE}" (at 0.3 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
  (tstamp 84b58084-d359-437d-8929-c8d859f7b46f)
)

(fp_circle (center 0 0) (end 3.5 0)
  (stroke (width 0.15) (type solid)) (fill none) (layer "Cmts.User") (tstamp ea40b31c-8f60-498b-9d0e-000000000000))
(fp_circle (center 0 0) (end 3.75 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 92d9f095-87b0-4c32-b5da-140000000000))
(fp_circle (center 0 0) (end 5 0)
  (stroke (width 0.12) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 8efcc73e-4a99-4fb4-9350-a30000000000))

```

```

(pad "1" thru_hole circle locked (at -2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 3fe90645-307a-4750-9c82-
(pad "1" thru_hole circle locked (at -1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 6a30d85c-241c-4f87-bc08-
(pad "1" thru_hole circle locked (at -1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp ab80a786-954a-4bcb-8654-
(pad "1" thru_hole circle locked (at 0 -2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 89d9cd96-84dd-4b16-8260-
(pad "1" thru_hole circle locked (at 0 0) (size 7 7) (drill 3.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp a9a12797-9b62-4e6f-b395-
(pad "1" thru_hole circle locked (at 0 2.625) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 6fb8c8e5-8b2b-45c1-a372-
(pad "1" thru_hole circle locked (at 1.856155 -1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 7cef49ae-a4d2-45e7-a3f4-
(pad "1" thru_hole circle locked (at 1.856155 1.856155) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*"
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp 83537d6e-e171-4050-9d0c-
(pad "1" thru_hole circle locked (at 2.625 0) (size 0.8 0.8) (drill 0.5) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "input") (zone_connect 2) (tstamp e3272f0e-a2b9-45fc-b098-
)

```

```

(footprint "Glasgow:PinSocket_1x08_P1.27mm_Vertical_DNP" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cbee180)
  (at 107.8 82.5 90)
  (descr "Through hole straight socket strip, 1x08, 1.27mm pitch, single row (from Kicad 4.0.7), script
  (tags "Through hole socket strip THT 1x08 1.27mm single row DNP")
  (property "1b2-bom-key" "conn-th-005in-8-1-rec")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "dnp" "")
  (property "ki_description" "Generic connector, single row, 01x08, script generated (kicad-library-uti
  (property "ki_keywords" "connector")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr exclude_from_pos_files)
  (fp_text reference "J8" (at 0 -2.135 90) (layer "F.Silks") hide

```



```

        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 1332d42c-7882-450d-a53a-91ed936f6e91)
    )
(fp_text value "Conn_01x08" (at 0 11.025 90) (layer "F.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 1ba923bc-1599-430f-81a8-26480d57bb7c)
)
(fp_text user "${REFERENCE}" (at 0 4.445) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 09c40687-4c3a-475e-bc4b-cd4a5da6e33c)
)

(fp_line (start -1.8 -1.15) (end 1.75 -1.15)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57857d56-105e-41c1-890d-a0a70a3630b8))
(fp_line (start -1.8 10.05) (end -1.8 -1.15)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e74e7423-9be3-44b0-bb8b-6827344e3a57))
(fp_line (start 1.75 -1.15) (end 1.75 10.05)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 978ee2c0-b1c2-413c-9d9c-08db91df38b9))
(fp_line (start 1.75 10.05) (end -1.8 10.05)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 59f34bde-a3fb-47a1-95dd-10350f9beedf))
(fp_line (start -1.27 -0.635) (end 0.635 -0.635)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 54a042ae-807c-4e30-8e61-9936e4ae6a))
(fp_line (start -1.27 9.525) (end -1.27 -0.635)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 414b3b06-2911-481f-9451-0a1ef128ffdf))
(fp_line (start 0.635 -0.635) (end 1.27 0)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b8d75ab2-7d8b-4d91-8179-abdc915f5595))
(fp_line (start 1.27 0) (end 1.27 9.525)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 19104dfc-04f4-4844-b938-0f052faa8dbd))
(fp_line (start 1.27 9.525) (end -1.27 9.525)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4c988b7e-7e3d-4ee9-9da0-625ae642421b))
(pad "1" thru_hole circle (at 0 0 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "Pin_1") (pintype "passive") (tstamp d3196ad1-76ac
(pad "2" thru_hole oval (at 0 1.27 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "Pin_2") (pintype "passive") (tstamp 37ea5c41-2af1
(pad "3" thru_hole oval (at 0 2.54 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
    (net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "Pin_3") (pintype "passive") (tstamp 99460b66-7bf9

```

```

(pad "4" thru_hole oval (at 0 3.81 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "Pin_4") (pintype "passive") (tstamp f637de8a-09b2
(pad "5" thru_hole oval (at 0 5.08 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "Pin_5") (pintype "passive") (tstamp 1043b4e8-6924
(pad "6" thru_hole oval (at 0 6.35 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "Pin_6") (pintype "passive") (tstamp 3dabb953-0f34
(pad "7" thru_hole oval (at 0 7.62 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "Pin_7") (pintype "passive") (tstamp d417c575-ba09
(pad "8" thru_hole oval (at 0 8.89 90) (size 1 1) (drill 0.7) (layers "*.Cu" "*.Mask")
  (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "Pin_8") (pintype "passive") (tstamp 9071be56-4cce
)

(footprint "LED_SMD:LED_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cc0c450)
  (at 122.6 80.5 180)
  (descr "LED SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size s
  (tags "diode")
  (property "1b2-bom-key" "led-0603-grn")
  (property "MPN" "NCD0603G1")
  (property "Mfg" "Foshan NationStar Optoelectronics")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Light emitting diode")
  (property "ki_keywords" "LED diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "D15" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp d9e02322-0a9b-4c63-a7e8-8dbc26e66d49)
  )
  (fp_text value "GRN" (at -1.5 0 180) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp d7d75a9b-f686-4273-9f6a-d0f418fdc57d)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

```

```

(effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 0833cb55-7c86-45b7-93de-acae611dfd1c)
)
(fp_line (start -1.485 -0.735) (end -1.485 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 719d3635-0123-4a8e-8be3-e9dec00a9801))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 8dba3bf9-b22f-4df2-8a5d-70f45d01948c))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 29d3e92e-3a5e-4e99-97a6-36f540274a80))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 587fd15c-c33f-422e-93c7-c01adbd560c4))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 687f8fed-43f8-49b7-b7d1-c51663ccd049))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c6fc9877-8c73-4e23-84a2-64f8a3f4d918))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b23680ef-b5b6-40cb-98ce-b4b0b2943ebc))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 56bfe54e-76cc-4c19-9f1c-8a0c63e7e07b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96aba0fd-650a-4be0-b6b9-4fcad47584b7))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5398d417-2aae-4eb5-9e48-4f41f0f66c0c))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0ec48026-9244-4ab6-b90c-0304dded73a6))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eec238ec-72fb-4c30-9fdb-e62ba99077a6))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (round
    (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp c3a62358-48dc-4d8b-ae76-182da78e9513))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (round
    (net 169 "Net-(D15-A)") (pinfunction "A") (pintype "passive") (tstamp d9ede602-fe7e-44d4-a017-33e25
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))

```



```

(fp_text reference "J2" (at 0.07 11.43) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 1fca1bf9-7cbc-4e7c-b2ac-1d5d0083cc93)
)
(fp_text value "IDC-Header_2x10_P2.54mm" (at 3.27 11.93) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 6144fbcc-65dd-474a-a4c0-60ade4d5d9b8)
)
(fp_text user "${REFERENCE}" (at 1.27 11.43 180) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp ceedc4d1-542f-466e-b1d2-1a694f3bb4ef)
)
(fp_line (start -3.29 -5.21) (end 5.83 -5.21)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 48403a2b-94ce-40cb-9ed1-e4ed5b2d6aa9))
(fp_line (start -3.29 9.38) (end -1.98 9.38)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d3e6b8a2-e088-47c4-944f-d8640748e4d2))
(fp_line (start -3.29 28.07) (end -3.29 -5.21)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 88efaaad-838f-4156-a35c-435e5af7eb65))
(fp_line (start -1.98 -3.91) (end 4.52 -3.91)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 07fd6259-dba4-4a49-b420-64aaeed386d8))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5e02d87b-f86d-432d-a862-d40d39cb9eea))
(fp_line (start -1.98 13.48) (end -3.29 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c4e530e1-8e67-4824-9ff8-2220cd2a9c90))
(fp_line (start -1.98 13.48) (end -1.98 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0278608c-87ac-47ac-a188-a808c711188a))
(fp_line (start -1.98 26.77) (end -1.98 13.48)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 435e533e-435d-4cee-bbd3-c9f3490ea965))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1a74848a-edbb-42e4-a29d-c7c18c087eaf))
(fp_line (start 4.52 26.77) (end -1.98 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9a99a6cd-d709-4887-b327-730c7ca594f5))
(fp_line (start 5.83 -5.21) (end 5.83 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c29b4f21-a436-4946-9eee-98ae4a431289))
(fp_line (start 5.83 28.07) (end -3.29 28.07)

```

```

    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 187385df-d720-46c1-8490-e6df365d8f7e))
(fp_line (start -3.68 -5.6) (end -3.68 28.46)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9b70f907-7fab-4456-9079-1002089d951a))
(fp_line (start -3.68 28.46) (end 6.22 28.46)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 15779c4c-63b5-49a2-b5b8-3167511f772a))
(fp_line (start 6.22 -5.6) (end -3.68 -5.6)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 47b88013-960c-42a9-897a-d95551186608))
(fp_line (start 6.22 28.46) (end 6.22 -5.6)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5c2d8112-c7e8-4048-9b28-4c55df014019))
(fp_line (start -3.18 -4.1) (end -2.18 -5.1)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b1eee160-2d83-4ea2-8e17-185f6edb21d9))
(fp_line (start -3.18 9.38) (end -1.98 9.38)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0c88e47e-cb1a-446f-b580-3d45e4b3d0e0))
(fp_line (start -3.18 27.96) (end -3.18 -4.1)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8b70929b-3cb9-4559-a1db-bd18fd740973))
(fp_line (start -2.18 -5.1) (end 5.72 -5.1)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d12ae5d1-6aa1-4c46-8296-b8a3ff67887a))
(fp_line (start -1.98 -3.91) (end 4.52 -3.91)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 89ad0c83-38c9-42f7-9f35-8ee6980b8cec))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a1963f61-a916-48ff-a59f-88b5a5e21c6c))
(fp_line (start -1.98 13.48) (end -3.18 13.48)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c94a47fa-5e25-470d-9ef0-b975240bd091))
(fp_line (start -1.98 13.48) (end -1.98 13.48)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 035eb7fa-0418-4c71-8820-1934798d68df))
(fp_line (start -1.98 26.77) (end -1.98 13.48)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc567a95-81a2-400e-91bf-bd59748d60ad))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a6f355d3-48a7-455f-9a92-01fd0344e7ca))
(fp_line (start 4.52 26.77) (end -1.98 26.77)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e68c6ab6-b466-4ad6-b704-473fa9410c2a))
(fp_line (start 5.72 -5.1) (end 5.72 27.96)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f3d08037-2476-45a0-9a67-c66e47030594))
(fp_line (start 5.72 27.96) (end -3.18 27.96)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6a5782e9-8ac9-4074-8d5b-6a8e7a5281ce))

```

(pad "1" thru_hole roundrect locked (at 0 0 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 106 "/IO_Banks/IO_Buffer_A/VSENSE") (pinfunction "Pin_1") (pintype "passive") (tstamp 2f9f7675-4056-8fcb-8000-000000000000)
(pad "2" thru_hole circle locked (at 2.54 0 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 108 "/IO_Banks/VIOA") (pinfunction "Pin_2") (pintype "passive") (tstamp f2070d26-8c3b-4056-8fcb-800000000000)
(pad "3" thru_hole circle locked (at 0 2.54 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "Pin_3") (pintype "passive") (tstamp 10885bde-9f9a-4194-8000-000000000000)
(pad "4" thru_hole circle locked (at 2.54 2.54 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_4") (pintype "passive") (tstamp 2a3799c8-0a4a-4cc9-b9e8-e4ac393fed00-000000000000)
(pad "5" thru_hole circle locked (at 0 5.08 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "Pin_5") (pintype "passive") (tstamp 81683000-1abe-8000-0000-000000000000)
(pad "6" thru_hole circle locked (at 2.54 5.08 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_6") (pintype "passive") (tstamp 33baec43-e68f-44f4-a45e-cc3c4535b1a0-000000000000)
(pad "7" thru_hole circle locked (at 0 7.62 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "Pin_7") (pintype "passive") (tstamp 94b2efbe-da6e-8000-0000-000000000000)
(pad "8" thru_hole circle locked (at 2.54 7.62 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_8") (pintype "passive") (tstamp 5adc4f99-d2cf-4f3b-a27b-b0571ae20100-000000000000)
(pad "9" thru_hole circle locked (at 0 10.16 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "Pin_9") (pintype "passive") (tstamp a655607e-1c79-8000-0000-000000000000)
(pad "10" thru_hole circle locked (at 2.54 10.16 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_10") (pintype "passive") (tstamp e6d0b9e1-56cc-4bd2-8b20-950274393d00-000000000000)
(pad "11" thru_hole circle locked (at 0 12.7 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "Pin_11") (pintype "passive") (tstamp eccb23c0-3cc0-8000-0000-000000000000)
(pad "12" thru_hole circle locked (at 2.54 12.7 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_12") (pintype "passive") (tstamp 80af0caf-e852-4d06-98ab-02ebbce47100-000000000000)
(pad "13" thru_hole circle locked (at 0 15.24 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "Pin_13") (pintype "passive") (tstamp fa6e151b-1a00-8000-0000-000000000000)
(pad "14" thru_hole circle locked (at 2.54 15.24 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_14") (pintype "passive") (tstamp 006a5c48-ddec-4331-97dd-c81e9bfe7b00-000000000000)
(pad "15" thru_hole circle locked (at 0 17.78 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "Pin_15") (pintype "passive") (tstamp cc945356-41f0-8000-0000-000000000000)
(pad "16" thru_hole circle locked (at 2.54 17.78 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 3 "GND") (pinfunction "Pin_16") (pintype "passive") (tstamp 911cb7a4-6717-4a02-836b-c34a17d24a00-000000000000)
(pad "17" thru_hole circle locked (at 0 20.32 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)
(net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "Pin_17") (pintype "passive") (tstamp c2da2af4-1840-8000-0000-000000000000)
(pad "18" thru_hole circle locked (at 2.54 20.32 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (rotation 0)


```
(net 3 "GND") (pinfunction "Pin_18") (pintype "passive") (tstamp 611ef4b9-4a29-4491-a1a4-f2dc486915)
(pad "19" thru_hole circle locked (at 0 22.86 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
(net 228 "unconnected-(J2-Pin_19-Pad19)") (pinfunction "Pin_19") (pintype "passive+no_connect") (ts
(pad "20" thru_hole circle locked (at 2.54 22.86 90) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
(net 206 "unconnected-(J2-Pin_20-Pad20)") (pinfunction "Pin_20") (pintype "passive+no_connect") (ts
(model "${KICAD6_3DMODEL_DIR}/Connector_IDC.3dshapes/IDC-Header_2x10_P2.54mm_Vertical.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005cc1441e)
(at 122.6 109.2 180)
(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")
(property "1b2-bom-key" "res-0402-20k")
(property "MPN" "RC0402FR-1320KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_B")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "R46" (at 0 0) (layer "F.Silks") hide
(effects (font (size 0.25 0.25) (thickness 0.05)))
(tstamp 167938fe-58db-4478-9225-b557dfcc4001)
)
(fp_text value "20k" (at -1.2 0) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 2255635c-48ee-42a3-9585-7d5c6de4ad3b)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
```

```

        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp a1a49a7c-27cb-40fd-a2e4-2bc2e45f772b)
    )
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2773f47d-d347-435c-9eb6-491784c45708))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1efafc53-a6fa-4cec-b0a3-fcc2997af396))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6a5804aa-e1fb-43fe-99c7-e62854494472))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3cfd847-b69f-4a74-9ddb-843f36226b11))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 01c80795-89f2-4cf1-9386-ddccb4a3d6a1))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13baf883-2555-4a97-84d7-abda2b58f7f4))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 088ec159-f6fa-4959-a401-8fa3a826c22d))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 360b0b51-7bc9-4735-81d5-f1ead60fea2f))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 44 "/ENVB") (pintype "passive") (tstamp 316806da-6b1b-40f9-b395-4323390a0592))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 168 "Net-(D14-A)") (pintype "passive") (tstamp 5235e4dc-a31f-4dac-9951-01e1e2ac2eb8))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cc2bb7c)
  (at 122.6 81.8 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")

```

```
(property "1b2-bom-key" "res-0402-20k")
(property "MPN" "RC0402FR-1320KL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "Resistor")
(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
(attr smd)
(fp_text reference "R47" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp e8634594-3451-4dd5-ba99-6fb9e6ae45c7)
)
(fp_text value "20k" (at -1.2 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 5ec05b0a-9d88-4817-bb2c-6c46674bf59d)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 6effc043-69b7-4b17-8aae-f3d473c4fd8e)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 34fc3c27-ab29-443e-9524-b480000e566b))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 39ad7d8a-95b8-4dd9-ac4e-91f10a61608d))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 30b64404-2d55-4037-9a2f-1da039885803))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 63474204-0f73-4be7-b297-b6887ae187dc))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 29aea7d7-d844-46ee-a272-486ddb6ee96c))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 01e20f0c-8f8b-464c-9226-065381779f5b))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 717adfdd-2e2e-457c-927e-c4102376f4b8))
```

```

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 53cccd5d-1c4a-427f-a3c1-2ce06d39b085))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 45 "/ENVA") (pintype "passive") (tstamp 1dc655d3-54e5-462d-8dd7-6ea33317acbe))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 169 "Net-(D15-A)") (pintype "passive") (tstamp 78eac29a-5693-45b2-af9c-76fc7a7cd012))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005cc994ea)
  (at 77.3 101.4)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ae0012c")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP2" (at 0 -1.448) (layer "F.Silks") hide
    (effects (font (size 0.8 0.8) (thickness 0.15))))
  (tstamp 53e72f45-7a79-4b29-ba6a-9bb770d55f6b)
)
(fp_text value "1V2" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp f59bfc10-c119-433a-840e-7a873411e59c)
)
(fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide
  (effects (font (size 1 1) (thickness 0.15))))

```

[illegible]

```

(fp_line (start -1.485 -0.735) (end -1.485 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 3fc3b8e6-1282-479d-8665-85c8d94e9fd7))
(fp_line (start -1.485 0.735) (end 0.8 0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 49ded58c-db8e-43fd-964f-6fd0ca898961))
(fp_line (start 0.8 -0.735) (end -1.485 -0.735)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 62007bc0-ca1b-467c-9ac7-3f2b195c52a2))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8d346b54-65a7-42aa-b29e-441329671915))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1d5bb9f3-cc36-4c89-9aa9-3a9cde3adb3a))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4a96300-5e9c-4759-8503-af973334916e))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e07038c7-d815-43ad-bc7f-ecc0448f9eb6))
(fp_line (start -0.8 -0.1) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f72a0c0c-de69-4514-a25d-c37d56bacf63))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b14efe21-a206-4a0b-b02c-7394f978fd78))
(fp_line (start -0.5 -0.4) (end -0.8 -0.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 68262f25-ef49-4d28-8099-9aa5f853517f))
(fp_line (start 0.8 -0.4) (end -0.5 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9e3edb4a-1e63-4160-9b17-f0fe96b06b13))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 51266b82-e4c3-4086-aa0b-803345c9fab4))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.125 0.125 0.125 0.125))
  (net 3 "GND") (pinfunction "K") (pintype "passive") (tstamp f3f880f9-483e-4ba8-9f20-1a63fd20a447))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_p1 0.125 0.125 0.125 0.125))
  (net 168 "Net-(D14-A)") (pinfunction "A") (pintype "passive") (tstamp db96e6ff-d160-4da6-8232-b288f1b1b1b1))
(model "${KICAD6_3DMODEL_DIR}/LED_SMD.3dshapes/LED_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:SOT-23-5" (layer "F.Cu"))

```

```

(timestamp 00000000-0000-0000-0000-00005ccaceb6)

(at 123.3 89.8 180)

(descr "5-pin SOT23 package")

(tags "SOT-23-5")

(property "1b2-bom-key" "ic-sot23-5-tps73101dbv")

(property "MPN" "TPS73101DBVR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Cap free NMOS 150mA Low Drop Adjustable Out Regulator, SOT-23-5")

(property "ki_keywords" "Cap free Adjustable LDO 150mA")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "U31" (at 0 0 270) (layer "F.Silks") hide
  (effects (font (size 0.7 0.7) (thickness 0.15)))
  (timestamp 3c3f9f5a-4ee1-4b7d-afc9-f2312770929b)
)

(fp_text value "TPS73101DBV" (at -1.4 0 270) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (timestamp 30268706-e657-4097-929d-a14e76ea25bd)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (timestamp 85237a87-173e-4286-8a62-e1aa42ca6061)
)

(fp_line (start -0.9 1.61) (end 0.9 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp e5e4c68a-4722-4d3a-8e4e-b691b450259e))

(fp_line (start 0.9 -1.61) (end -1.55 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 19d6208c-7d68-48a9-8900-cf0e8708cdd6))

(fp_line (start -1.9 -1.8) (end 1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 80778d34-ab00-42a7-8ef8-e0c36b686d3d))

(fp_line (start -1.9 1.8) (end -1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 37840c9d-231d-4c18-bcc8-6652c7a938e0))

(fp_line (start 1.9 -1.8) (end 1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 47c3e8b8-fea8-4e0f-aaab-a0be62eca251))

```

```

(fp_line (start 1.9 1.8) (end -1.9 1.8)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5fc4f3aa-3d64-4fbf-8c4c-dbde231e0df9))

(fp_line (start -0.9 -0.9) (end -0.9 1.55)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bba7b501-7ed5-4195-8cd9-ce471b9fda83))

(fp_line (start -0.9 -0.9) (end -0.25 -1.55)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 655a9881-8d4c-4839-8ff4-7f672948e392))

(fp_line (start 0.9 -1.55) (end -0.25 -1.55)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e963fc21-7a6b-43ba-b999-e6ddbc6bf031))

(fp_line (start 0.9 -1.55) (end 0.9 1.55)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 199b3f9d-d9ca-44b0-9c7c-b8ffd134d588))

(fp_line (start 0.9 1.55) (end -0.9 1.55)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fcedf0f5-b272-4049-a579-891a925574b3))

(pad "1" smd roundrect (at -1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp 0d7a6264-d97c-4cd2-8152-eb66566602d7))

(pad "2" smd roundrect (at -1.1 0 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp a5e018e3-c17b-4e81-bae8-1d02ea91a899))

(pad "3" smd roundrect (at -1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 197 "/IO_Banks/IO_Buffer_A/VI0_EN") (pinfunction "EN") (pintype "input") (tstamp b315fd08-f10e-4a7b-8000-000000000000))

(pad "4" smd roundrect (at 1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 158 "/IO_Banks/IO_Buffer_A/VFB") (pinfunction "FB") (pintype "input") (tstamp 4d5fe1e3-d93f-4a7b-8000-000000000000))

(pad "5" smd roundrect (at 1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 232 "Net-(U31-OUT)") (pinfunction "OUT") (pintype "power_out") (tstamp ab95f38d-1dac-4c8f-b51e-4a7b-8000-000000000000))

(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-23-5.step"
(offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:D_SOD-523" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ccb1905)

  (at 86.4 110.1 -90)

  (descr "http://www.diodes.com/datasheets/ap02001.pdf p.144")

  (tags "Diode SOD523")

  (property "1b2-bom-key" "esd-diode-sod523-esd5z5_0t1g")

```



```

(property "MPN" "ESD5Z5.0T1G")

(property "Mfg" "ON Semiconductor")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Zener diode")

(property "ki_keywords" "diode")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005d1dfdd1")

(attr smd)

(fp_text reference "D11" (at -0.95 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp f56b0ac6-5801-4714-ad50-d68bd07a05f1)
)

(fp_text value "ESD5Z5.0T1G" (at 2.8 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp abf92408-b441-44f8-a188-f28142bf33b9)
)

(fp_text user "${REFERENCE}" (at -1 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 31ef0817-6d50-404f-bf3a-46e88375ca0c)
)

(fp_line (start -1.15 -0.6) (end -1.15 0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 915019e4-ae6-41f5-8565-ca10270cd988))

(fp_line (start 0.7 -0.6) (end -1.15 -0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 75fd1d7a-9641-4250-a1ab-1a701d7c10b5))

(fp_line (start 0.7 0.6) (end -1.15 0.6)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e2a1d6db-19be-431d-864c-77930ebbbb64))

(fp_line (start -1.25 -0.7) (end 1.25 -0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fa43ed94-7c07-4f4f-928b-2260effbb774))

(fp_line (start -1.25 0.7) (end -1.25 -0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8071cab1-66a5-4e2c-ae80-b35e63ce9996))

(fp_line (start 1.25 -0.7) (end 1.25 0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a3839101-43a0-4922-8fcc-89f48c21caac))

(fp_line (start 1.25 0.7) (end -1.25 0.7)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 41b03f19-0560-465c-a9e0-09c556e08948))

(fp_line (start -0.65 -0.45) (end 0.65 -0.45)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8fc6dcdf-4092-438e-9a89-a4c54b023c14))
(fp_line (start -0.65 0.45) (end -0.65 -0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp df9d91bd-889e-471f-963f-b414af683c94))
(fp_line (start -0.2 0) (end -0.35 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ba22f628-912e-453c-9f69-d1db3cce6cbb))
(fp_line (start -0.2 0) (end 0.1 0.2)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 86115054-f9bd-4f97-aaa5-51e582ec07b9))
(fp_line (start -0.2 0.2) (end -0.2 -0.2)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 120746dd-850f-477f-86b4-0d2153878dc3))
(fp_line (start 0.1 -0.2) (end -0.2 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4ce2b44c-f97a-4d13-a03c-3fba99a07f61))
(fp_line (start 0.1 0) (end 0.25 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6cbb617a-7838-4a4c-ac86-9e22fdf29cb8))
(fp_line (start 0.1 0.2) (end 0.1 -0.2)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e74a0d40-da34-430b-87d0-b8cfdbe3c88b))
(fp_line (start 0.65 -0.45) (end 0.65 0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f830b66d-3c57-423d-9985-7394d1e9b48a))
(fp_line (start 0.65 0.45) (end -0.65 0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d160b066-4650-42f7-8260-8d0d72272438))
(pad "1" smd roundrect (at -0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 159 "/IO_Banks/~{SYNC}") (pinfunction "K") (pintype "passive") (tstamp 2c89fb58-f7ac-452e-bf72
(pad "2" smd roundrect (at 0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp 6b91134e-f876-49bf-b076-625e385430ad))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-523.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ccbb0e7)
    (at 74.9 103.8 -90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")

```

```

(property "1b2-bom-key" "res-0402-2k2")

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005acb7b47")

(attr smd)

(fp_text reference "R1" (at 0 0 90) (layer "F.SilkS") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 2c29c57a-0bc3-4773-9431-c81fb98d21f3)
)

(fp_text value "2k2" (at 0 0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 06d1d78e-5bc9-4226-9041-99693165c469)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp d46e6d7a-25f8-4170-9314-8554d3e6c7b6)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2a5691f3-8be4-4595-8e9a-e54bc3a4479f))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01fdfeffa-a7d5-4849-bc32-d3756b66f913))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9339c497-3e98-456a-95ee-7bfc56a622e5))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 64f69895-cfd7-4846-8774-80a7cb80fb66))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ab89ccac-2a25-4fd0-a6f5-13656092810c))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 26b37c7b-5d32-4689-8471-40a2304ab0b4))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4572b689-2f8b-452a-b90b-3fb6ea65ac0f))

```



```

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 91556bd4-be1e-4ed7-89d8-fc8ed3de2c69)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 67dfb650-f95b-44b8-b6cd-efe306cd663a))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 745231eb-5bbc-4cb2-8f1d-a04d06a7738b))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 3da0377a-ef52-4b7b-8e09-0
)
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp c469dd89-4b95-47c0-abab-c
)
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 112f7479-0b47-4771-b313-6

```

```

(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 8f32f61b-f497-486f-a990-f)
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bea176fc-adaf-4a5d-a5cf-b402ac16e40f))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f6bb9e52-e4fd-4497-9856-2857e2788b66))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a367bb5c-1946-404c-b4c9-20fc7b457788))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6404d204-43ef-4257-ade0-4a328aebce10))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a4e244df-a392-4eca-b58f-ed4e3a6a1928))
(fp_line (start -0.5 1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2bcbaa95-fb87-441a-9010-38175a91cd54))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4f05bb89-b900-4bfe-962e-0d4b69d9d22a))
(fp_line (start 0.5 1) (end -0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 08bbbfee-a66c-40a3-a8bc-98229dca3eeb))
(pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 57 "/IO_Banks/IO_Buffer_B/Y0") (pinfunction "R1.1") (pintype "passive") (tstamp 341101e4-2878-4
(pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 61 "/IO_Banks/IO_Buffer_B/Y1") (pinfunction "R2.1") (pintype "passive") (tstamp 1aed6d9b-1e8f-4
(pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 62 "/IO_Banks/IO_Buffer_B/Y2") (pinfunction "R3.1") (pintype "passive") (tstamp 0c904596-adf4-4
(pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 63 "/IO_Banks/IO_Buffer_B/Y3") (pinfunction "R4.1") (pintype "passive") (tstamp bc550e91-a3f3-4
(pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "R4.2") (pintype "passive") (tstamp 2b948b4c-d1f8-4

```

```
(pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "R3.2") (pintype "passive") (tstamp a6a6bd04-9761-4
(pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "R2.2") (pintype "passive") (tstamp bf8dbad3-3424-4
(pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "R1.2") (pintype "passive") (tstamp a3f74125-406d-4
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ea8cc36)
    (at 103.2 105 -90)
    (descr "Chip Resistor Network, ROHM MNR04 (see mn_r_g.pdf)")
    (tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
    (property "MPN" "YC124-JR-1333RL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "4 resistor network, parallel topology")
    (property "ki_keywords" "R network parallel topology isolated")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "RN4" (at 0 0) (layer "F.SilkS") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 3cb5cbee-3caf-4603-bff9-ee9d11a16136)
    )
    (fp_text value "33R" (at -1.3 0 180) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp ad0bd2d2-85b2-421c-95e9-e74b9888e14e)
    )
)
```

```

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp cfb54c0c-021d-48f0-83af-8920bf2de9e7)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 9494117b-6e73-4686-8969-0ac5ae718758))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp deced413-1ca3-4e19-bc9c-a9bbf5982287))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 2112e713-8b57-4aff-ae81-f
)
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 9387bf23-5c61-4bc2-8a55-9
)
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp b5a6a8cd-eb92-440f-a0ac-1
)
(fp_poly

```



```

(pts
  (xy -0.175 0.625)
  (xy 0.175 0.625)
  (xy 0.175 0.875)
  (xy -0.175 0.875)
)
(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 2c85a09a-dcc0-415e-9c9b-a1c79f6b)
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5963a961-77a3-4351-9efb-510aa7916687))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3e1061ef-edd5-4c6e-a46e-b9250a1d1682))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp eae41243-d398-48c6-b551-5ea57513dd75))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f23d6af9-b49e-4a26-9c3c-32db95c1b5c3))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2d90b63a-0258-4d5a-820f-31e55a0bf5c8))
(fp_line (start -0.5 1) (end -0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d86c6654-9620-40d1-8182-24539d522529))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cb6e8bfa-03c5-47cc-b124-ecb5137135a3))
(fp_line (start 0.5 1) (end -0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4b339eb4-963d-42f6-bf08-2ad0d7a3846b))
(pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 64 "/IO_Banks/IO_Buffer_B/Y4") (pinfunction "R1.1") (pintype "passive") (tstamp db7a0e1c-ad7f-a
(pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 65 "/IO_Banks/IO_Buffer_B/Y5") (pinfunction "R2.1") (pintype "passive") (tstamp 506a224b-e7aa-a
(pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 66 "/IO_Banks/IO_Buffer_B/Y6") (pinfunction "R3.1") (pintype "passive") (tstamp da627196-b48e-a
(pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 59 "/IO_Banks/IO_Buffer_B/Y7") (pinfunction "R4.1") (pintype "passive") (tstamp 06b30484-d717-a
(pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "R4.2") (pintype "passive") (tstamp 3d0f6b8d-04db-a
(pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "R3.2") (pintype "passive") (tstamp 480a0a5e-7f89-a

```

```
(pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "R2.2") (pintype "passive") (tstamp fa8bf2c5-7483-4
    (pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "R1.2") (pintype "passive") (tstamp ece3837e-1a96-4
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ea8cc4d)
    (at 113.4 106 90)
    (descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
    (tags "resistor array")
    (property "1b2-bom-key" "res-0402cv-array-4-10k")
    (property "MPN" "YC124-JR-0710KL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "4 resistor network, parallel topology")
    (property "ki_keywords" "R network parallel topology isolated")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "RN5" (at 0 0) (layer "F.SilkS") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 618941a1-57b7-4e70-889a-9373ca0671ad)
    )
    (fp_text value "10k" (at 0.9 0 180) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 916572b6-d075-456f-af54-85a596942c2a)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
    )
```

```

(timestamp 86b34814-a03a-4d13-af17-4630c25454c8)
)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp 5c0b8f3d-52dd-4c9c-8ae6-7f05400040aa))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp a8d5cfe5-16c3-4a8d-a621-b23c0296f531))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (timestamp 046b2afb-e50a-4fb7-9711-1
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (timestamp 4e5b474a-8682-4b3c-9d6d-d
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (timestamp 15dcfd98-0c8d-4f16-bd13-1
(fp_poly
  (pts

```

```

(xy -0.175 0.625)

(xy 0.175 0.625)

(xy 0.175 0.875)

(xy -0.175 0.875)

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 1d2ba45e-0635-4edf-babe-0
(fp_line (start -1 -1.25) (end -1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 170cea40-7667-4338-892c-51e3b08ecf69))
(fp_line (start -1 -1.25) (end 1 -1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 080e05b0-653f-42ad-9391-d51ac8850fce))
(fp_line (start -1 1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp def044bd-e4b7-45ec-8d26-a9d46f5021aa))
(fp_line (start 1 -1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bf7d81cf-4541-41b6-bfd9-9b4c817dcd7c))
(fp_line (start -0.5 -1) (end 0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a7a0307d-9725-4b49-a1ca-08f6c2051f75))
(fp_line (start -0.5 1) (end -0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 87127175-7a75-4843-8f8b-668b898b35de))
(fp_line (start 0.5 -1) (end 0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp db83e2c1-75e4-4b66-82ed-0525af3b2eb0))
(fp_line (start 0.5 1) (end -0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c91bb6c4-b2d3-4a2e-8c3a-928311638ae0))

(pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "R1.1") (pintype "passive") (tstamp 5ad7ff85-1438-a
(pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "R2.1") (pintype "passive") (tstamp 40834fd4-0050-a
(pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "R3.1") (pintype "passive") (tstamp 30d2b4b1-6de0-a
(pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "R4.1") (pintype "passive") (tstamp 200eff0f-1e0c-a
(pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 216 "/IO_Banks/IO_Buffer_B/P0") (pinfunction "R4.2") (pintype "passive") (tstamp ec5fd5b8-d496
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 215 "/IO_Banks/IO_Buffer_B/P1") (pinfunction "R3.2") (pintype "passive") (tstamp 15b4c445-0e0c

```



```

        (tstamp 62d4fb88-bf81-49e4-8e76-dfe12c1a2b5b)
    )
    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
      (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp ce795e04-1d9f-4b6f-9307-d8b13ca4c5ec))
    (fp_line (start 0.15 1.1) (end -0.15 1.1)
      (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 0ab793d5-9909-44da-b53d-fdc7b6c45c76))
    (fp_poly
      (pts
        (xy -0.175 -0.875)
        (xy 0.175 -0.875)
        (xy 0.175 -0.625)
        (xy -0.175 -0.625)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp b5c0584a-1dc6-48f6-bf81-0)
    )
    (fp_poly
      (pts
        (xy -0.175 -0.375)
        (xy 0.175 -0.375)
        (xy 0.175 -0.125)
        (xy -0.175 -0.125)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 8a167c55-54f0-4d97-8f37-2)
    )
    (fp_poly
      (pts
        (xy -0.175 0.125)
        (xy 0.175 0.125)
        (xy 0.175 0.375)
        (xy -0.175 0.375)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp bc551de1-4e31-479f-8641-e)
    )
    (fp_poly
      (pts

```

```

(xy -0.175 0.625)

(xy 0.175 0.625)

(xy 0.175 0.875)

(xy -0.175 0.875)

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 089d8ca5-f7ac-4a99-9a5e-e
(fp_line (start -1 -1.25) (end -1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 564a4caa-87fa-4c93-8f4a-0d912afc9db5))
(fp_line (start -1 -1.25) (end 1 -1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 65c5e94f-54ea-4308-a362-fc17eff491dc))
(fp_line (start -1 1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0fc32090-8ddf-4c08-b334-dbc8edc7b603))
(fp_line (start 1 -1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7eabb18a-16a8-40de-952c-e2e7e8bd1a90))
(fp_line (start -0.5 -1) (end 0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 18da9bae-35d7-44f3-9307-da2b99c6b0b1))
(fp_line (start -0.5 1) (end -0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 585bc855-59c9-4a5f-8e2e-c053874011c7))
(fp_line (start 0.5 -1) (end 0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad792066-60fb-48ae-adae-b67da9a23603))
(fp_line (start 0.5 1) (end -0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a3f570cf-d4a1-4b86-ade0-eeaf9d12015e))
(pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "R1.1") (pintype "passive") (tstamp e3ea4070-a773-a
(pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "R2.1") (pintype "passive") (tstamp a0b49e87-9b6a-a
(pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "R3.1") (pintype "passive") (tstamp 3783779b-d06e-a
(pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "R4.1") (pintype "passive") (tstamp 249a4549-78a6-a
(pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 212 "/IO_Banks/IO_Buffer_B/P4") (pinfunction "R4.2") (pintype "passive") (tstamp afa6c405-0b4e-a
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 211 "/IO_Banks/IO_Buffer_B/P5") (pinfunction "R3.2") (pintype "passive") (tstamp 6255fe09-c842

```

```
(pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 210 "/IO_Banks/IO_Buffer_B/P6") (pinfunction "R2.2") (pintype "passive") (tstamp ef8657f4-c079-47bd-f
(pad "8" smd roundrect (at 0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 209 "/IO_Banks/IO_Buffer_B/P7") (pinfunction "R1.2") (pintype "passive") (tstamp 0661d86f-b3cf
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ea8cc7b)
(at 90.8 90.3)
(descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
(tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
(property "MPN" "YC124-JR-1333RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
(attr smd)
(fp_text reference "RN7" (at 0 0.3 90) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 4e1be3cd-4e92-4fbf-88de-dc7d9ef1821e)
)
(fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
(tstamp 5028ab94-5019-4a20-8b33-628690cb31c3)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075)))
```



```

        (tstamp 0917b10e-4308-47bb-9440-e9afc415847a)
    )
    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
      (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 50c6cca0-bb77-4718-a399-5e1abcc1104f))
    (fp_line (start 0.15 1.1) (end -0.15 1.1)
      (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 5f04a30c-aa85-42d4-a13e-ca8e88984425))
    (fp_poly
      (pts
        (xy -0.175 -0.875)
        (xy 0.175 -0.875)
        (xy 0.175 -0.625)
        (xy -0.175 -0.625)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp bb9c553e-7216-401a-ba5f-4a1b1b1b1b1b))
    (fp_poly
      (pts
        (xy -0.175 -0.375)
        (xy 0.175 -0.375)
        (xy 0.175 -0.125)
        (xy -0.175 -0.125)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 6d9fc3ea-c674-41a3-aab6-8a1b1b1b1b1b))
    (fp_poly
      (pts
        (xy -0.175 0.125)
        (xy 0.175 0.125)
        (xy 0.175 0.375)
        (xy -0.175 0.375)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.SilkS") (tstamp 619e0304-7519-44df-b51d-6a1b1b1b1b1b))
    (fp_poly
      (pts

```

```

(xy -0.175 0.625)
(xy 0.175 0.625)
(xy 0.175 0.875)
(xy -0.175 0.875)
)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 89b0fec9-d280-4a11-adeb-11)
(fp_line (start -1 -1.25) (end -1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c938352a-ac10-4c51-b608-61abd3a05ac3))
(fp_line (start -1 -1.25) (end 1 -1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7d86eff9-b0e4-41cc-abb6-f7e7fb69337e))
(fp_line (start -1 1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6fd67115-d7f5-4d11-8fba-ed2f7bdec01b))
(fp_line (start 1 -1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8cedfb8c-cfe1-4c4c-95fb-84cfbbf1b987))
(fp_line (start -0.5 -1) (end 0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8344c6a5-4dac-43ec-9b32-061d637d272f))
(fp_line (start -0.5 1) (end -0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7e669e2-75df-45db-a677-ac62159b6d9f))
(fp_line (start 0.5 -1) (end 0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp abd7a851-3df5-4355-af4f-7746ccf06c23))
(fp_line (start 0.5 1) (end -0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b0e4c6f0-598c-406a-9886-73080f4e7a80))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 97 "/IO_Banks/QA0") (pinfunction "R1.1") (pintype "passive") (tstamp 14ab1de5-8635-4680-a0b4-9
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 99 "/IO_Banks/QA1") (pinfunction "R2.1") (pintype "passive") (tstamp 68f0fc85-edf7-4880-9b5b-c
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 100 "/IO_Banks/QA2") (pinfunction "R3.1") (pintype "passive") (tstamp 37e52500-8618-45bb-a837-
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 101 "/IO_Banks/QA3") (pinfunction "R4.1") (pintype "passive") (tstamp 89f851fb-9a61-4393-a47a-
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 180 "/IO_Banks/IO_Buffer_A/X3") (pinfunction "R4.2") (pintype "passive") (tstamp 7a8e27b9-5a6e
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 181 "/IO_Banks/IO_Buffer_A/X2") (pinfunction "R3.2") (pintype "passive") (tstamp 4f29314f-c640

```

```
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 182 "/IO_Banks/IO_Buffer_A/X1") (pinfunction "R2.2") (pintype "passive") (tstamp ddf65daf-8235
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 208 "/IO_Banks/IO_Buffer_A/X0") (pinfunction "R1.2") (pintype "passive") (tstamp 85b53693-6146
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(fp_text reference "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ea8cc92)
    (at 90.8 92.8)
    (descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")
    (tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
    (property "MPN" "YC124-JR-1333RL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_A")
    (property "ki_description" "4 resistor network, parallel topology")
    (property "ki_keywords" "R network parallel topology isolated")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
    (attr smd)
    (fp_text reference "RN8" (at 0 0.3 90) (layer "F.Silks") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 31e0e161-9fcf-4ca1-b079-614a9755368e)
    )
    (fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 05f6f812-54dd-454d-a076-bbbbdde03f5b)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
```

```

        (tstamp 2c2a5df2-0935-41b8-a37c-c8ccfd1dac31)
    )
    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)
      (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 0379f7bf-b89a-4567-896b-32937a907281))
    (fp_line (start 0.15 1.1) (end -0.15 1.1)
      (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a0e12c0b-aa7f-4a71-bdc2-aa4927c1e05a))
    (fp_poly
      (pts
        (xy -0.175 -0.875)
        (xy 0.175 -0.875)
        (xy 0.175 -0.625)
        (xy -0.175 -0.625)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 52335fbe-f039-4a96-bf29-1
    (fp_poly
      (pts
        (xy -0.175 -0.375)
        (xy 0.175 -0.375)
        (xy 0.175 -0.125)
        (xy -0.175 -0.125)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e7304739-2d0c-4ac3-9a1e-7
    (fp_poly
      (pts
        (xy -0.175 0.125)
        (xy 0.175 0.125)
        (xy 0.175 0.375)
        (xy -0.175 0.375)
      )
      (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 724b86d5-a49e-4cfb-9b69-2
    (fp_poly
      (pts

```

```

(xy -0.175 0.625)
(xy 0.175 0.625)
(xy 0.175 0.875)
(xy -0.175 0.875)
)
(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp bfb2b63d-5e32-4dc4-a110-de91ca9)
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 49a3130e-6ad7-403d-88bf-c3d8d20fe316))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5a98f5d4-3ea0-42ef-8bfc-77f0475d7562))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e63746e2-5cdb-4ac3-baa0-fb92f163125d))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f3cad4c5-74bf-4c2c-ad8c-229c1697d716))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e04ede01-dc4b-41c0-809a-3138e9000584))
(fp_line (start -0.5 1) (end -0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0861c16a-4693-4191-836c-b85f656992f2))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0d046acb-b1a4-4812-add0-02eb2b0bb14e))
(fp_line (start 0.5 1) (end -0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d4a0b95-a04a-4555-a61c-ebc628f2ad5e))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 102 "/IO_Banks/QA4") (pinfunction "R1.1") (pintype "passive") (tstamp e6442d84-6540-4ec4-87f4-3
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 103 "/IO_Banks/QA5") (pinfunction "R2.1") (pintype "passive") (tstamp 12ffab92-e575-4094-ae25-3
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 104 "/IO_Banks/QA6") (pinfunction "R3.1") (pintype "passive") (tstamp 7b502706-0bea-4059-a157-3
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 98 "/IO_Banks/QA7") (pinfunction "R4.1") (pintype "passive") (tstamp 83f96405-4be9-407e-b68e-c
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 183 "/IO_Banks/IO_Buffer_A/X7") (pinfunction "R4.2") (pintype "passive") (tstamp 044df29d-d330
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 184 "/IO_Banks/IO_Buffer_A/X6") (pinfunction "R3.2") (pintype "passive") (tstamp 9ac23f08-f20d
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r

```

```
(net 185 "/IO_Banks/IO_Buffer_A/X5") (pinfunction "R2.2") (pintype "passive") (tstamp 69167fca-213f-4000-8000-000000000000)
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_4 0.5 0.49 0.25 0.25))
(net 186 "/IO_Banks/IO_Buffer_A/X4") (pinfunction "R1.2") (pintype "passive") (tstamp 8e6ad69f-bc60-4000-8000-000000000000)
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))
)
)
)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005ea8cccc0)
(at 105.7 86 90)
(descr "Chip Resistor Network, ROHM MNR04 (see mn_r_g.pdf)")
(tags "resistor array")
(property "1b2-bom-key" "res-0402cv-array-4-33r")
(property "MPN" "YC124-JR-1333RL")
(property "Mfg" "Yageo")
(property "Sheetfile" "io_buffer.kicad_sch")
(property "Sheetname" "IO_Buffer_A")
(property "ki_description" "4 resistor network, parallel topology")
(property "ki_keywords" "R network parallel topology isolated")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-000000000000")
(attr smd)
(fp_text reference "RN10" (at 0 0) (layer "F.Silks") hide
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 97b98352-1c8f-4f35-9a28-550d8ea243ce)
)
(fp_text value "33R" (at -1.3 0 180) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 3faf9be5-0527-4e20-988f-c16a17686180)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.5 0.5) (thickness 0.075))))
(tstamp 795b01cc-71af-4e30-8d0f-fc711fffc0fe5)
```

```

)
(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 1d127dd5-5408-4048-bce1-ce376584621a))
(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 9b80d76c-7bdf-4e90-aa78-116cbb62ad05))
(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 2e226836-fa53-45b2-b557-3a5b00000000))
(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 912a4e67-b1b9-4344-8f50-d00000000000))
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e66e44e6-8766-43b0-aeeb-800000000000))
(fp_poly
  (pts
    (xy -0.175 0.625)

```

```

(xy 0.175 0.625)
(xy 0.175 0.875)
(xy -0.175 0.875)
)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 0b4d83ba-fb90-4663-8917-7
(fp_line (start -1 -1.25) (end -1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c58dc06c-8853-4874-acf6-2987dcfe43ff))
(fp_line (start -1 -1.25) (end 1 -1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b936c161-d111-40e9-ab24-e277a303eea7))
(fp_line (start -1 1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 79475393-4fdc-4bab-90c5-353564070d7a))
(fp_line (start 1 -1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fd497274-af1c-4831-ad05-ccf2191f0294))
(fp_line (start -0.5 -1) (end 0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 25091aa6-6579-4ae9-a8b8-a44b9dc6868f))
(fp_line (start -0.5 1) (end -0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a1d8a7b-9277-4043-ac9f-d9f47819279c))
(fp_line (start 0.5 -1) (end 0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e459b37-5760-4f91-84c8-ef4997cb809e))
(fp_line (start 0.5 1) (end -0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 66f73108-e630-415d-9c3f-adf8b00a6914))
(pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 80 "/IO_Banks/IO_Buffer_A/Y4") (pinfunction "R1.1") (pintype "passive") (tstamp b348c943-4482-a
(pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 81 "/IO_Banks/IO_Buffer_A/Y5") (pinfunction "R2.1") (pintype "passive") (tstamp 5635e966-77bf-a
(pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 82 "/IO_Banks/IO_Buffer_A/Y6") (pinfunction "R3.1") (pintype "passive") (tstamp e2e5d3b7-8f6f-a
(pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 75 "/IO_Banks/IO_Buffer_A/Y7") (pinfunction "R4.1") (pintype "passive") (tstamp f5e79a10-5d86-a
(pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "R4.2") (pintype "passive") (tstamp e5b24502-253b-a
(pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "R3.2") (pintype "passive") (tstamp 135a9718-c592-a
(pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```



```

)

(fp_line (start 0.15 -1.1) (end -0.15 -1.1)

  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 392c6289-109d-40ae-a1c0-51fd19bffe29))

(fp_line (start 0.15 1.1) (end -0.15 1.1)

  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 7ddc3d70-b182-4df4-a485-2b75c4c0d597))

(fp_poly

  (pts

    (xy -0.175 -0.875)

    (xy 0.175 -0.875)

    (xy 0.175 -0.625)
(xy -0.175 -0.625)

  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 78820f4e-acbf-4bf3-8d3a-6

(fp_poly

  (pts

    (xy -0.175 -0.375)

    (xy 0.175 -0.375)

    (xy 0.175 -0.125)

    (xy -0.175 -0.125)

  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 3823e544-b829-488e-ad99-c

(fp_poly

  (pts

    (xy -0.175 0.125)

    (xy 0.175 0.125)

    (xy 0.175 0.375)

    (xy -0.175 0.375)

  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 69b22b86-9b1a-4cb2-9952-7

(fp_poly

  (pts

    (xy -0.175 0.625)

```

```

(xy 0.175 0.625)

(xy 0.175 0.875)

(xy -0.175 0.875)

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp b5261f83-54d6-4bad-a04e-e
(fp_line (start -1 -1.25) (end -1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e8d2a633-7da2-486e-b9a3-96a5ede2de03))
(fp_line (start -1 -1.25) (end 1 -1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 91ff2092-d65d-4ca1-8496-56a75dc259f3))
(fp_line (start -1 1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 73137511-50fe-47bd-a1aa-b4c5dd2c16a3))
(fp_line (start 1 -1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e7433ac4-4664-4673-a7d2-7d6d6a8397a6))
(fp_line (start -0.5 -1) (end 0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5625453c-4b14-4a3b-874e-4ce9874b1c85))
(fp_line (start -0.5 1) (end -0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 00c62cae-5b6a-4523-bc73-2022c6d8f4df))
(fp_line (start 0.5 -1) (end 0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e01c9df0-7b3c-465a-806b-93e6591875e8))
(fp_line (start 0.5 1) (end -0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1c0a2568-ebe3-46be-ac15-e2d7b24426c2))
(pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
(net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "R1.1") (pintype "passive") (tstamp ff7a45c3-57ca-a
(pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "R2.1") (pintype "passive") (tstamp c47dd96e-e34a-a
(pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "R3.1") (pintype "passive") (tstamp fabc3331-71c7-a
(pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "R4.1") (pintype "passive") (tstamp 80ad2af4-34e0-a
(pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
(net 224 "/IO_Banks/IO_Buffer_A/P0") (pinfunction "R4.2") (pintype "passive") (tstamp a8342463-7c82-a
(pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
(net 223 "/IO_Banks/IO_Buffer_A/P1") (pinfunction "R3.2") (pintype "passive") (tstamp 410f6c8c-8ead-a
(pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre

```

```
(net 222 "/IO_Banks/IO_Buffer_A/P2") (pinfunction "R2.2") (pintype "passive") (tstamp 43feb4b4-e80e-44b3-a  

    (pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundr  

    (net 221 "/IO_Banks/IO_Buffer_A/P3") (pinfunction "R1.2") (pintype "passive") (tstamp 81d05d9b-cc47  

    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"  

    (offset (xyz 0 0 0))  

    (scale (xyz 1 1 1))  

    (rotate (xyz 0 0 0))  

)  

)
```

```
(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ea8ccee)

  (at 113.4 85 -90)

  (descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")

  (tags "resistor array")

  (property "1b2-bom-key" "res-0402cv-array-4-10k")

  (property "MPN" "YC124-JR-0710KL")

  (property "Mfg" "Yageo")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_A")

  (property "ki_description" "4 resistor network, parallel topology")

  (property "ki_keywords" "R network parallel topology isolated")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

  (attr smd)

  (fp_text reference "RN12" (at 0 0) (layer "F.SilkS") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)))

    (tstamp 88832ae0-5888-4f8f-a20e-a9ac838169e5)

  )

  (fp_text value "10k" (at 0.9 0 180) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 90e370a4-cddd-4ccb-8b70-a92d3da75cc3)

  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

    (effects (font (size 0.5 0.5) (thickness 0.075)))

    (tstamp baf9c474-ca71-4749-86dc-221804bcf932)
```

```

)

(fp_line (start 0.15 -1.1) (end -0.15 -1.1)

  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 279fa86a-41c3-41e3-ac39-45c30048ee93))

(fp_line (start 0.15 1.1) (end -0.15 1.1)

  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 192d41fa-7c56-4d02-8599-66b10d46478d))

(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e8ac5a83-3106-4970-a3aa-b

(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 8ffb4790-f5d9-4099-803f-a

(fp_poly
  (pts
(xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 5b5b75f8-72d8-4e07-9a03-a

(fp_poly
  (pts
    (xy -0.175 0.625)

```

```

(xy 0.175 0.625)

(xy 0.175 0.875)

(xy -0.175 0.875)

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 1339bb3f-777d-4737-b084-0
(fp_line (start -1 -1.25) (end -1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ca6a09b-1ed1-4da6-b249-83a9bee707bc))
(fp_line (start -1 -1.25) (end 1 -1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 733825ce-3aff-4fd4-b11b-b40382b3e487))
(fp_line (start -1 1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 19a2a32f-3e8d-4aac-8806-e8e45592feaa))
(fp_line (start 1 -1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp dbd21aec-6d1d-462f-9e8a-3c4f8d3dcaf6))
(fp_line (start -0.5 -1) (end 0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0d7613a3-be4c-441f-8251-7700c7905aa7))
(fp_line (start -0.5 1) (end -0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae0c5d97-a839-4be0-b5a0-5f23cdd0f83d))
(fp_line (start 0.5 -1) (end 0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5c081086-6233-4550-998d-ac1ee24df5c6))
(fp_line (start 0.5 1) (end -0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0bdeb77a-7374-4db4-86fb-fd12d0aa6300))
(pad "1" smd roundrect (at -0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "R1.1") (pintype "passive") (tstamp 9e9cf355-cbe8-4
(pad "2" smd roundrect (at -0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "R2.1") (pintype "passive") (tstamp 17051a76-5ae9-4
(pad "3" smd roundrect (at -0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "R3.1") (pintype "passive") (tstamp cf0032d2-4925-4
(pad "4" smd roundrect (at -0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "R4.1") (pintype "passive") (tstamp 53db9466-2e5f-4
(pad "5" smd roundrect (at 0.5 0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 220 "/IO_Banks/IO_Buffer_A/P4") (pinfunction "R4.2") (pintype "passive") (tstamp 42e1a1f6-81a4-4
(pad "6" smd roundrect (at 0.5 0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 219 "/IO_Banks/IO_Buffer_A/P5") (pinfunction "R3.2") (pintype "passive") (tstamp 9d29b25f-9e37-4
(pad "7" smd roundrect (at 0.5 -0.25 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

```

        (net 218 "/IO_Banks/IO_Buffer_A/P6") (pinfunction "R2.2") (pintype "passive") (tstamp 79a47e18-5aa6
(pad "8" smd roundrect (at 0.5 -0.855 270) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundr
        (net 217 "/IO_Banks/IO_Buffer_A/P7") (pinfunction "R1.2") (pintype "passive") (tstamp 3a5c7f52-41e8
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ec97efe)
    (at 96.1 85.7)
    (descr "SOT-363, SC-70-6")
    (tags "SOT-363 SC-70-6")
(property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")
    (property "MPN" "SN74LVC1T45DCKR")
    (property "Mfg" "Texas Instruments")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_A")
    (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat
    (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
    (attr smd)
    (fp_text reference "U4" (at 0 0.1 180) (layer "F.Silks") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 297b9b5c-165e-4bdd-a1e3-9b2ce980aabc)
    )
    (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")
        (effects (font (size 0.2 0.2) (thickness 0.04)))
        (tstamp cff60698-ac55-458e-8326-6bac8d61ccd2)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp d97b12d9-b35f-4636-88fd-ad1107d3ac0c)

```

```

)
(fp_line (start -0.7 1.16) (end 0.7 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 90f59db0-a58f-400e-813b-b987f0d89c1a))
(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp ef41bf14-1d7b-4759-b4a3-4e2fdc9aa088))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5d765c26-dba1-4b56-9b21-84529059c3c1))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5db69df1-2e68-41a4-bc1e-91017789500f))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0bb0708e-0eb8-4fff-a469-0b2c9ed1fb62))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6797f532-2ef0-49e1-b592-7dad1c40e2cb))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30b58ea3-faa9-425a-b6ed-160e0eef4870))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d86eccaa-370b-403f-af1b-c4686ad712ca))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 92bc9b2b-6454-4847-b9c6-7436a4dd4871))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63ce9d05-1da5-4dcc-bf34-aa6a0af858d9))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cd39aa10-a957-461d-8033-b4b42e96b2c5))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 23c306a0-7d0a-4c3e-a470-e215009dccc
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp c50d4c90-cec2-4cac-9262-4636521101c4
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 208 "/IO_Banks/IO_Buffer_A/X0") (pinfunction "A") (pintype "bidirectional") (tstamp 6fbff7ff-6
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 73 "/IO_Banks/IO_Buffer_A/Y0") (pinfunction "B") (pintype "bidirectional") (tstamp 4d06d216-d8
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 141 "/IO_Banks/DA0") (pinfunction "DIR") (pintype "input") (tstamp 9bba522e-c71a-4909-a085-635
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 108 "/IO_Banks/VIOA") (pinfunction "VCCB") (pintype "power_in") (tstamp dc6b7bd6-a6d6-4279-98d

```



```

(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)
)

```

```

(footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ec99332)

  (at 90.8 99.6)

  (descr "SOT-363, SC-70-6")

  (tags "SOT-363 SC-70-6")

  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

  (property "MPN" "SN74LVC1T45DCKR")

  (property "Mfg" "Texas Instruments")

  (property "Sheetfile" "io_banks.kicad_sch")

  (property "Sheetname" "IO_Banks")

  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translat.)

  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005ca4f297")

  (attr smd)

  (fp_text reference "U32" (at 0 0 180) (layer "F.Silks") hide

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp f6b4a45f-85ca-48d0-9b7d-673d9efc6995)

  )

  (fp_text value "SN74LVC1T45DCKR" (at -1 0 270) (layer "F.Fab")

    (effects (font (size 0.2 0.2) (thickness 0.05)))

    (tstamp acb96c4d-d142-49af-9b6f-758a313ddf0f)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.5 0.5) (thickness 0.075)))

    (tstamp e9154492-f182-443f-878c-0b2a09444786)

  )

  (fp_line (start -0.7 1.16) (end 0.7 1.16)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8407437f-fe0c-4e6c-8326-36cd7f1b5195))

```

```

(fp_line (start 0.7 -1.16) (end -1.2 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 216fe322-be16-4ea4-97b7-92acc167962e))
(fp_line (start -1.6 -1.4) (end -1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c01736ce-38e6-42e9-947d-18caa07192b5))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6b5a63e8-7d3d-4173-96e1-abba75258600))
(fp_line (start -1.6 1.4) (end 1.6 1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4ed184a-4077-4f20-9950-ca2feff6bb7f))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b1bba30a-a3b8-4565-a8d0-a6638ff5b2fd))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd2f373e-5a2e-449d-948d-65775e65ebd3))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f1b86db6-9017-4be1-8c7a-76f7d6e0f9a6))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b6e7ac72-3734-4c1a-89bf-29bab54976e1))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30d47ca6-0536-4058-9025-000789653bf7))
(fp_line (start 0.675 1.1) (end -0.675 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f6e6f526-d45c-49f9-a3ad-d0f39506d961))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 573d942b-ded5-4ad2-9756-1484462738
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp f5f61658-1ceb-4a1c-b8fe-87d86e9102bb
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 241 "Net-(U32-A)") (pinfunction "A") (pintype "bidirectional") (tstamp d3efa0d6-212c-41ec-afbe
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 236 "Net-(U32-B)") (pinfunction "B") (pintype "bidirectional") (tstamp df267b99-4797-472c-b151
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 233 "Net-(U30A-IOT_219)") (pinfunction "DIR") (pintype "input") (tstamp 419f28be-0705-43ba-900
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 2 "+3V3") (pinfunction "VCCB") (pintype "power_in") (tstamp 88f52aa2-dda9-45d9-8109-cde98d83ed
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))

```

```
(rotate (xyz 0 0 0))

)

)

 footprint "Glasgow:SOT-363_SC-70-6" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ecc945e)

  (at 100.1 105.3)

  (descr "SOT-363, SC-70-6")

  (tags "SOT-363 SC-70-6")

  (property "1b2-bom-key" "ic-sot563-sn4lvc1t45dckr")

  (property "MPN" "SN74LVC1T45DCKR")

  (property "Mfg" "Texas Instruments")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "Single-Bit Dual-Supply Bus Transceiver With Configurable Voltage Translati

  (property "ki_keywords" "Level-Shifter CMOS-TTL-Translation")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-

  (attr smd)

  (fp_text reference "U29" (at 0 0) (layer "F.Silks") hide

    (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp 717e5bcf-acf2-4d24-bef6-2310df28d8f4)

  )

  (fp_text value "SN74LVC1T45DCKR" (at 1.2 0 270) (layer "F.Fab")

    (effects (font (size 0.2 0.2) (thickness 0.04))))

    (tstamp 8840699a-5f48-4039-914d-da3a8dce0725)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.5 0.5) (thickness 0.075))))

    (tstamp 8c09a65a-e84d-45d5-9446-e57d0dfed2ef)

  )

  (fp_line (start -0.7 1.16) (end 0.7 1.16)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fad661a3-480f-44f6-a4e8-8e37e240098a))

  (fp_line (start 0.7 -1.16) (end -1.2 -1.16)

    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d574a2ed-e6a8-49f7-898a-561dca097535))

  (fp_line (start -1.6 -1.4) (end -1.6 1.4)
```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c86bf701-88d7-41ef-96e6-409b2ead8aba))
(fp_line (start -1.6 -1.4) (end 1.6 -1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 74788e61-1087-463a-9869-20ad5ceffd05))
(fp_line (start -1.6 1.4) (end 1.6 1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 73604b0c-0a33-4a2d-962c-0923b4c4e93d))
(fp_line (start 1.6 1.4) (end 1.6 -1.4)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c6e2f6de-73d4-4ebc-b080-2239fb8297d4))
(fp_line (start -0.675 -0.6) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b618ccb0-7488-43c6-b828-d012eed3a0bd))
(fp_line (start -0.175 -1.1) (end -0.675 -0.6)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96bb3f0c-280f-454a-92d5-b9055bc65d43))
(fp_line (start 0.675 -1.1) (end -0.175 -1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a1b5e28d-cc28-4049-8895-efa3c30748f6))
(fp_line (start 0.675 -1.1) (end 0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f75db874-16a0-4ef9-90df-a9344a0201f9))
(fp_line (start 0.675 1.1) (end -0.675 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c76b53f1-747d-420a-8349-7fadfb7cbb58))
(pad "1" smd roundrect (at -0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
(net 2 "+3V3") (pinfunction "VCCA") (pintype "power_in") (tstamp 3e42798d-199b-4e7f-8ac4-5f1f22a317
(pad "2" smd roundrect (at -0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 377de936-1338-4ba8-8470-53d24b8b81b9))
(pad "3" smd roundrect (at -0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 176 "/IO_Banks/IO_Buffer_B/X7") (pinfunction "A") (pintype "bidirectional") (tstamp d3967265-4
(pad "4" smd roundrect (at 0.95 0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 59 "/IO_Banks/IO_Buffer_B/Y7") (pinfunction "B") (pintype "bidirectional") (tstamp 0478b4f6-4a
(pad "5" smd roundrect (at 0.95 0) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 154 "/IO_Banks/DB7") (pinfunction "DIR") (pintype "input") (tstamp 94659fe0-2e9d-4288-aba0-613
(pad "6" smd roundrect (at 0.95 -0.65) (size 0.65 0.4) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 107 "/IO_Banks/VIOB") (pinfunction "VCCB") (pintype "power_in") (tstamp dab117cf-5a42-4f23-8ec
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-363_SC-70-6.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

```

```

(footprint "Glasgow:D_SOD-523" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecc9519)
  (at 107.8 95.1 -90)
  (descr "http://www.diodes.com/datasheets/ap02001.pdf p.144")
  (tags "Diode SOD523")
  (property "1b2-bom-key" "esd-diode-sod523-esd5z5_0t1g")
  (property "DNP" "DNP")
  (property "MPN" "ESD5Z5.0T1G")
  (property "Mfg" "ON Semiconductor")
  (property "Sheetfile" "io_banks.kicad_sch")
  (property "Sheetname" "IO_Banks")
  (property "dnp" "")
  (property "ki_description" "Zener diode")
  (property "ki_keywords" "diode")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cb88f58")
  (attr smd)
  (fp_text reference "D13" (at -0.9 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp 3b51800c-c9b8-43da-b98c-7ad4561f4386)
  )
  (fp_text value "ESD5Z5.0T1G" (at -0.2 -0.9 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp dd87c057-a6d7-4eee-b2f1-8f9767d7d658)
  )
  (fp_text user "DNP" (at 1 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 2de56251-33bd-4d3a-ab9a-f77529d73e76)
  )
  (fp_text user "${REFERENCE}" (at -1 0) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 3dd5eeb0-7029-469b-9c4b-5cc5b0765354)
  )
  (fp_line (start -1.15 -0.6) (end -1.15 0.6)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 47a7cabb-38a2-478f-b956-a11a26ba3da5))
  (fp_line (start 0.7 -0.6) (end -1.15 -0.6)

```

```

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp fe4962e8-af4a-4d30-a109-ec4ce4689059))
(fp_line (start 0.7 0.6) (end -1.15 0.6)

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp fb8e689d-b4c5-4482-bd02-ba387e6b3142))
(fp_line (start -1.25 -0.7) (end 1.25 -0.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7549662d-8854-4f9e-80b6-f28f8a7526cd))
(fp_line (start -1.25 0.7) (end -1.25 -0.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ce89ed6-c66a-4d40-9c0d-8e3231efc003))
(fp_line (start 1.25 -0.7) (end 1.25 0.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0c66ed32-e750-4911-b3d7-d6369521d7f7))
(fp_line (start 1.25 0.7) (end -1.25 0.7)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6f439fe9-ce10-4a40-925d-607cc57d4d5a))
(fp_line (start -0.65 -0.45) (end 0.65 -0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 693553d4-107d-487c-99f8-fe626882c575))
(fp_line (start -0.65 0.45) (end -0.65 -0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 95c4f9f4-c2b4-419b-a4c8-fede1bf6fff7))
(fp_line (start -0.2 0) (end -0.35 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f6c8e544-881e-4049-a0c4-ec4b7a36db7f))
(fp_line (start -0.2 0) (end 0.1 0.2)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a54025a2-fecf-4d53-9ccd-2b527837110f))
(fp_line (start -0.2 0.2) (end -0.2 -0.2)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp adff1187-cf2c-49ac-b1dc-04aeddff77b7b))
(fp_line (start 0.1 -0.2) (end -0.2 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 882c7fa1-74c7-4012-9e0e-540540817799))
(fp_line (start 0.1 0) (end 0.25 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3c6157c2-1ef2-4145-b1b6-fd89a9990a76))
(fp_line (start 0.1 0.2) (end 0.1 -0.2)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c2f9166e-c573-42b4-bea8-0e7d148e0fcb))
(fp_line (start 0.65 -0.45) (end 0.65 0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0b95ead9-2d7a-41f8-9dd3-3e0e4019e3fe))
(fp_line (start 0.65 0.45) (end -0.65 0.45)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ed52d5db-bbee-4929-85b3-188ddc0425b8))
(pad "1" smd roundrect (at -0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 167 "Net-(D13-K)") (pinfunction "K") (pintype "passive") (tstamp c3b098d5-5ff5-4880-8d4a-b8d3d
(pad "2" smd roundrect (at 0.7 0 90) (size 0.6 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
        (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp b60f446d-c1e7-43af-9751-ec2dba9ba364))

```

```
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-523.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005eccd151)

    (at 90.8 105.4)

    (descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")

    (tags "resistor array")

    (property "1b2-bom-key" "res-0402cv-array-4-33r")

    (property "MPN" "YC124-JR-1333RL")

    (property "Mfg" "Yageo")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_B")

    (property "ki_description" "4 resistor network, parallel topology")

    (property "ki_keywords" "R network parallel topology isolated")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005d3f59b0")

    (attr smd)

    (fp_text reference "RN2" (at 0 0.3 90) (layer "F.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp 8ae15889-902e-493c-b27f-fc733eb512ef)

    )

    (fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp 1fcd3a6e-434f-4a6b-b2b8-9ce4f6589704)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

        (effects (font (size 0.5 0.5) (thickness 0.075)))

        (tstamp 8d5a2a72-d642-4d65-8020-99e1ba644202)

    )

    (fp_line (start 0.15 -1.1) (end -0.15 -1.1)

        (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 227a41ed-1b6e-4a10-a50b-819abd880a84))
```

```

(fp_line (start 0.15 1.1) (end -0.15 1.1)

  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a50eccb0-61e3-43d1-842a-950ab3f45207))

(fp_poly

  (pts

    (xy -0.175 -0.875)

    (xy 0.175 -0.875)

    (xy 0.175 -0.625)

    (xy -0.175 -0.625)

  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp ca3a2a78-51c3-4fd4-b5ef-7)

(fp_poly

  (pts

    (xy -0.175 -0.375)

    (xy 0.175 -0.375)

    (xy 0.175 -0.125)

    (xy -0.175 -0.125)

  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 01bb1cc5-ed67-4277-9acc-1)

(fp_poly

  (pts

    (xy -0.175 0.125)

    (xy 0.175 0.125)

    (xy 0.175 0.375)

    (xy -0.175 0.375)

  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 29a0351b-25e3-47ff-a56f-e)

(fp_poly

  (pts

    (xy -0.175 0.625)

    (xy 0.175 0.625)

    (xy 0.175 0.875)

    (xy -0.175 0.875)

```



```

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 2c7c7be2-739a-4749-b8fa-9
(fp_line (start -1 -1.25) (end -1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 74ec0281-a0ed-490f-9f8d-63f540753c46))
(fp_line (start -1 -1.25) (end 1 -1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c31933f6-515e-401c-9009-4d932192fb5d))
(fp_line (start -1 1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0c9b9e95-f3dd-466e-8bef-2edd1757c1fd))
(fp_line (start 1 -1.25) (end 1 1.25)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 62343ea6-7f3c-4241-a9e0-12028f9026d1))
(fp_line (start -0.5 -1) (end 0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8906343c-8dc7-411b-b3d7-72e73c3f3083))
(fp_line (start -0.5 1) (end -0.5 -1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad6bbdda-f449-4e80-aeb6-ff0e9f750d31))
(fp_line (start 0.5 -1) (end 0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6c61b4f0-782c-4045-976b-6fd6da7c6b83))
(fp_line (start 0.5 1) (end -0.5 1)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ceb0dd4e-b852-4aac-956b-c815d7dc3876))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 91 "/IO_Banks/QB4") (pinfunction "R1.1") (pintype "passive") (tstamp 339c2d71-b485-4ea5-978e-2
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 90 "/IO_Banks/QB5") (pinfunction "R2.1") (pintype "passive") (tstamp fdd8fb21-53db-4966-98d0-c
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 89 "/IO_Banks/QB6") (pinfunction "R3.1") (pintype "passive") (tstamp 74e4a7e8-84f5-4cc4-99b9-50234dc
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 95 "/IO_Banks/QB7") (pinfunction "R4.1") (pintype "passive") (tstamp fe17065c-c0ac-4e2c-80de-8
(pad "5" smd roundrect (at 0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 176 "/IO_Banks/IO_Buffer_B/X7") (pinfunction "R4.2") (pintype "passive") (tstamp 9527c171-2868
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 177 "/IO_Banks/IO_Buffer_B/X6") (pinfunction "R3.2") (pintype "passive") (tstamp 40167830-2c05
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 178 "/IO_Banks/IO_Buffer_B/X5") (pinfunction "R2.2") (pintype "passive") (tstamp b0bdc937-c5dc
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 179 "/IO_Banks/IO_Buffer_B/X4") (pinfunction "R1.2") (pintype "passive") (tstamp 834f07c1-4d01

```

```
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(fp_text "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")

(timestamp 00000000-0000-0000-0000-00005eccd264)

(at 90.8 102.9)

(descr "Chip Resistor Network, ROHM MNR04 (see mnrg.pdf)")

(tags "resistor array")

(property "1b2-bom-key" "res-0402cv-array-4-33r")

(property "MPN" "YC124-JR-1333RL")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "4 resistor network, parallel topology")

(property "ki_keywords" "R network parallel topology isolated")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr smd)

(fp_text reference "RN1" (at 0 0.3 90) (layer "F.Silks") hide

(effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp 4aaefaff-0352-455a-8c21-a03086eca733)

)

(fp_text value "33R" (at -0.9 0 90) (layer "F.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp a37de952-e549-4bd1-bf0e-63332c4cf9d8)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

(effects (font (size 0.5 0.5) (thickness 0.075))))

(timestamp b54cb3e0-d69e-4c33-acf4-d2694f22dd31)

)

(fp_line (start 0.15 -1.1) (end -0.15 -1.1)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (timestamp 21688e0a-709a-4bc4-9e7e-f9d8d90f61c3))
```

```

(fp_line (start 0.15 1.1) (end -0.15 1.1)

  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8fa251ea-5239-4ca0-aa60-054d268d79f3))

(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 54c51884-56e0-42a4-8ba2-2f9d-440b-9498-b4ae-c49a)

(fp_poly
  (pts
    (xy -0.175 -0.375)
(xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 137c5184-2f9d-440b-9498-b4ae-c49a)

(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )

  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e499962f-f35f-4694-b4ae-c49a)

(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )

```

```

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 958b23ea-9ed4-4fd5-9692-3b)
(fp_line (start -1 -1.25) (end -1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f8ef45df-69d1-4c3b-a019-ef2357fba619))
(fp_line (start -1 -1.25) (end 1 -1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 092d75ad-9a6f-4635-a592-1a8fa939691e))
(fp_line (start -1 1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6081024d-81e9-4903-8f19-072920070188))
(fp_line (start 1 -1.25) (end 1 1.25)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5ed9de2-4201-4cfe-b137-ba8edd625a6c))
(fp_line (start -0.5 -1) (end 0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96b44b3f-8c0f-46b8-be60-b9336065a2a9))
(fp_line (start -0.5 1) (end -0.5 -1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8fe27135-08b9-4318-80e9-4061d26b3703))
(fp_line (start 0.5 -1) (end 0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0927795c-fab2-41d3-88d1-e6db0ab61f6b))
(fp_line (start 0.5 1) (end -0.5 1)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cc91534b-3be9-46f3-b3f8-d08f562e5073))
(pad "1" smd roundrect (at -0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 96 "/IO_Banks/QB0") (pinfunction "R1.1") (pintype "passive") (tstamp e131adcb-e55e-465f-8e73-0
(pad "2" smd roundrect (at -0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 94 "/IO_Banks/QB1") (pinfunction "R2.1") (pintype "passive") (tstamp c95fbd80-24b9-4a6f-b9aa-2
(pad "3" smd roundrect (at -0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 93 "/IO_Banks/QB2") (pinfunction "R3.1") (pintype "passive") (tstamp 1ddc14da-8339-4fb4-a642-7
(pad "4" smd roundrect (at -0.5 0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 92 "/IO_Banks/QB3") (pinfunction "R4.1") (pintype "passive") (tstamp 4daa523e-203b-49c2-be1f-6
(pad "5" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 173 "/IO_Banks/IO_Buffer_B/X3") (pinfunction "R4.2") (pintype "passive") (tstamp 22188e16-aa9c
(pad "6" smd roundrect (at 0.5 0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
(net 174 "/IO_Banks/IO_Buffer_B/X2") (pinfunction "R3.2") (pintype "passive") (tstamp a10ac9f1-bb3f
(pad "7" smd roundrect (at 0.5 -0.25) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
(net 175 "/IO_Banks/IO_Buffer_B/X1") (pinfunction "R2.2") (pintype "passive") (tstamp 7155f259-b874
(pad "8" smd roundrect (at 0.5 -0.855) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 207 "/IO_Banks/IO_Buffer_B/X0") (pinfunction "R1.2") (pintype "passive") (tstamp fb01cc6f-592a

```

```
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"  
    (offset (xyz 0 0 0))  
    (scale (xyz 1 1 1))  
    (rotate (xyz 0 0 0))  
)  
  
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")  
    (tstamp 00000000-0000-0000-0000-00005ecdafd9)  
    (at 108.35 92.25 -90)  
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s  
    (tags "resistor")  
    (property "1b2-bom-key" "res-0402-10k")  
    (property "MPN" "RC0402FR-1310KL")  
    (property "Mfg" "Yageo")  
    (property "Sheetfile" "io_buffer.kicad_sch")  
    (property "Sheetname" "IO_Buffer_A")  
    (property "ki_description" "Resistor")  
    (property "ki_keywords" "R res resistor")  
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-  
    (attr smd)  
    (fp_text reference "R37" (at 0 0 90) (layer "F.Silks") hide  
        (effects (font (size 0.25 0.25) (thickness 0.05)))  
        (tstamp f5d0bff-d-a8a6-4faf-8f82-daa6cd9fb420)  
    )  
    (fp_text value "10k" (at 0 0.65 -90) (layer "F.Fab")  
        (effects (font (size 0.4 0.4) (thickness 0.06)))  
        (tstamp 4b87e1aa-dbb1-4cf-faf-ab83df51ad16)  
    )  
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")  
        (effects (font (size 0.25 0.25) (thickness 0.04)))  
        (tstamp 672a703e-932e-4f4b-b8da-a2d49e6b819a)  
    )  
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)  
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp da341974-e9e3-440f-ab96-397f3dfb2d89))
```

```

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c1c7a6ec-f696-4fd7-8772-3ee9512ae7a4))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a3654e2f-f64a-4122-a407-c3674cf9e338))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp caf20af6-dce9-4aac-ba79-f0189add0214))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 53298ffe-aa8e-4e03-bba5-b0f52a17a041))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4122fea-2e7b-4b37-a2a5-295d6d12de63))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ea75219-14ca-418f-b463-9c9c53b3bdb3))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f1fa5042-a3f3-44e3-afd6-d908b23862c7))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 235 "Net-(U19--{RESET})") (pintype "passive") (tstamp b2142da8-7a38-4907-97d4-9a97c0934b45))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 10158ebe-a010-4d85-ac7f-e2bc55c9e70d))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:USB_C_Receptacle_HRO_TYPE-C-31-M-12" locked (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ece3732)
  (at 52.65 95.5 -90)
  (descr "USB Type-C receptacle for USB 2.0 and PD, http://www.krhro.com/uploads/soft/180320/1-1P320120
(tags "usb usb-c 2.0 pd")
  (property "1b2-bom-key" "conn-smd-usb-c-2")
  (property "MPN" "TYPE-C-31-M-12")
  (property "Mfg" "Korean Hroparts Elec")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" ""))

```

```

(property "ki_description" "USB 2.0-only Type-C Receptacle connector")

(property "ki_keywords" "usb universal serial bus type-C USB2.0")

(path "/00000000-0000-0000-0000-00005ed2e76f")

(attr smd)

(fp_text reference "J1" (at 0 0) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp f400008f-6df0-48ff-9d8e-6293f8e3f810)
)

(fp_text value "USB_C_USB2.0" (at 0 4.65 -90) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 2c701780-0e50-4225-8684-8f1ee2e14893)
)

(fp_rect (start -5.32 -4.18) (end -4.32 -2.08)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (tstamp 17014653-e8b2-4ab2-a18b-2862)
)

(fp_rect (start -5.32 0.25) (end -4.32 1.85)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (tstamp 1bb0e751-6969-4175-907c-a6bb)
)

(fp_rect (start 4.32 -4.18) (end 5.32 -2.08)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (tstamp 2b88a030-17be-44ef-931d-2bbd)
)

(fp_rect (start 4.32 0.25) (end 5.32 1.85)
  (stroke (width 0) (type solid)) (fill solid) (layer "F.Paste") (tstamp 7e2e4667-6ffd-4aa6-9775-77f8)
)

(fp_line (start -4.7 -1.9) (end -4.7 0.1)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp df8e678a-3538-4d62-9976-c1cb9e4e40d6))
)

(fp_line (start -4.7 2) (end -4.7 3.9)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 342a620b-7346-4d2f-9650-38b005548e3f))
)

(fp_line (start -4.7 3.9) (end 4.7 3.9)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 939bb4fa-a735-4ec7-9404-3aec434db9ae))
)

(fp_line (start 4.7 -1.9) (end 4.7 0.1)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 4614debb-7471-48c6-bd9a-ce788d8ad9c1))
)

(fp_line (start 4.7 2) (end 4.7 3.9)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 69019765-503b-47b3-832b-61ba36cc4d2e))
)

(fp_line (start -5.32 -5.27) (end -5.32 4.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 558e9a13-af23-45e6-97ae-115bbf8c9a4b))
)

(fp_line (start -5.32 -5.27) (end 5.32 -5.27)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6dba102a-4203-468e-856c-e53102f67000))
)

(fp_line (start -5.32 4.15) (end 5.32 4.15)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6dba102a-4203-468e-856c-e53102f67000))
)

```

```
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b945748f-8e29-447a-9b6a-007a0b0c5983))
(fp_line (start 5.32 -5.27) (end 5.32 4.15)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a237697c-28cb-4bb0-8530-1e84e76a04f9))
(fp_line (start -4.47 -3.65) (end -4.47 3.65)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d4789941-4442-4c4b-bc9a-ad8f91c247ca))
(fp_line (start -4.47 -3.65) (end 4.47 -3.65)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8af3482b-7586-4740-89b5-0d6e22655264))
(fp_line (start -4.47 3.65) (end 4.47 3.65)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 46551c68-d018-461e-8490-8d2684d0480f))
(fp_line (start 4.47 -3.65) (end 4.47 3.65)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae7070d2-08a6-4c53-9983-135183db469c))
(pad "" np_thru_hole circle locked (at -2.89 -2.6 270) (size 0.65 0.65) (drill 0.65) (layers "*.Cu" "F.Mask")
(pad "" np_thru_hole circle locked (at 2.89 -2.6 270) (size 0.65 0.65) (drill 0.65) (layers "*.Cu" "F.Mask")
(pad "A1" smd roundrect locked (at -3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp 68ac7682-344a-43fe-af9b-03f108d5b9c8))
(pad "A4" smd roundrect locked (at -2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (tstamp f1dd298a-4040-4b08-ba99-c8c44c0b0b0b))
(pad "A5" smd roundrect locked (at -1.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 188 "/CC1") (pinfunction "CC1") (pintype "bidirectional") (tstamp 1833ab8a-4259-48ab-8206-004e00000000))
(pad "A6" smd roundrect locked (at -0.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 8 "/USB_P") (pinfunction "D+") (pintype "bidirectional") (tstamp 2c252a82-da50-4ae9-9822-e3ee30000000))
(pad "A7" smd roundrect locked (at 0.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 11 "/USB_N") (pinfunction "D-") (pintype "bidirectional") (tstamp 8639d9d7-0a83-4452-ba84-307400000000))
(pad "A8" smd roundrect locked (at 1.25 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 205 "unconnected-(J1-SBU1-PadA8)") (pinfunction "SBU1") (pintype "bidirectional+no_connect") (tstamp 00000000-0000-0000-0000-000000000000))
(pad "A9" smd roundrect locked (at 2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (tstamp a6f911ec-1108-4f81-bf47-d2083d100000))
(pad "A12" smd roundrect locked (at 3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp c7f04447-e89c-4520-9f3f-5a8299d2661e))
(pad "B1" smd roundrect locked (at 3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp e0c40af6-bad2-4d22-bdd6-1ae219eba676))
(pad "B4" smd roundrect locked (at 2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (tstamp 01c06228-aa3d-470c-a983-0afb57000000))
(pad "B5" smd roundrect locked (at 1.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask")
(net 189 "/CC2") (pinfunction "CC2") (pintype "bidirectional") (tstamp 065ce400-298c-4696-8931-95f200000000))
```



```

(pad "B6" smd roundrect locked (at 0.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 8 "/USB_P") (pinfunction "D+") (pintype "bidirectional") (tstamp 5c05a74a-8ec1-4705-8ad7-d5165f
(pad "B7" smd roundrect locked (at -0.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 11 "/USB_N") (pinfunction "D-") (pintype "bidirectional") (tstamp 20e0b349-d09a-42a5-9c84-9e044f
(pad "B8" smd roundrect locked (at -1.75 -4.045 270) (size 0.28 1.45) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 201 "unconnected-(J1-SBU2-PadB8)") (pinfunction "SBU2") (pintype "bidirectional+no_connect") (
(pad "B9" smd roundrect locked (at -2.445 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 187 "/xVBUS") (pinfunction "VBUS") (pintype "passive") (tstamp 9bda5834-0681-428e-a775-88cc84c
(pad "B12" smd roundrect locked (at -3.255 -4.045 270) (size 0.59 1.45) (layers "F.Cu" "F.Paste" "F.Mask"
  (net 3 "GND") (pinfunction "GND") (pintype "passive") (tstamp d047416a-b134-4d94-ab0b-2e3ce5676e6e)
(pad "S1" thru_hole oval locked (at -4.32 -3.13 270) (size 1 2.1) (drill oval 0.6 1.7) (layers "*.Cu"
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp 8ac379ee-f66a-4140-8de7-972eb1a8
(pad "S1" thru_hole oval locked (at -4.32 1.05 270) (size 1 1.6) (drill oval 0.6 1.2) (layers "*.Cu"
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp b0120d18-c977-46c4-8426-7167c57e
(pad "S1" thru_hole oval locked (at 4.32 -3.13 270) (size 1 2.1) (drill oval 0.6 1.7) (layers "*.Cu"
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp 0c361e2b-c3e4-4602-9070-6ab0db4d
(pad "S1" thru_hole oval locked (at 4.32 1.05 270) (size 1 1.6) (drill oval 0.6 1.2) (layers "*.Cu"
  (net 7 "/SHLD") (pinfunction "SHIELD") (pintype "passive") (tstamp e8f0c407-7b51-4dff-9f0a-4fa1f94a
(model "${KIPRJMOD})/../../packages3D/USB_C_Receptacle_HRO_TYPE-C-31-M-12.step"
  (offset (xyz -4.47 -3.65 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecea33b)
  (at 61.9 90.2 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-9p")
  (property "MPN" "AC0402CRNP09BN9R0")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")

```

```

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005acb69d3")

(attr smd)

(fp_text reference "C11" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 7612fd51-cc63-493c-9e87-b5cbefe97ce0)
)

(fp_text value "9p" (at -1 0 180) (layer "F.Fab")
(effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 8fc7fad3-36ca-43f8-a897-3ff372cfa793)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp daf8d982-9ec2-406e-9ae5-1e6362231d76)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 26b7cf08-69c9-4b35-8fea-407eb8cb2d01))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a2033f39-4daf-4e06-9bf1-69fa4a120ff3))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9469fe66-154b-4195-bf08-a126d143f97c))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b86be696-af6d-4792-b614-965ebab21815))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 168d0ecd-c0ad-4f97-9a9b-04ab468c6a8a))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp db3065f-e6cd-4f9e-99ca-2b73635b7794))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e4475b33-0659-403c-ad1b-5a7806e1d24f))

(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 61822eb6-ad46-463c-b949-35471605f5a1))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 9 "/XTALOUT") (pintype "passive") (tstamp 4745ef01-211a-4186-b5bc-cce0b64d69c4))

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

```

        (net 3 "GND") (pintype "passive") (tstamp bcb45399-9f06-4d6e-8c9b-4793c82b6fc4))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ecfcb55)

  (at 58.4 93.15 -90)

  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

  (tags "resistor")

  (property "1b2-bom-key" "res-0402-5k1")

  (property "MPN" "RC0402FR-075K1L")

  (property "Mfg" "Yageo")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Resistor")

  (property "ki_keywords" "R res resistor")

  (path "/00000000-0000-0000-0000-00005f3fb3ba")

  (attr smd)

  (fp_text reference "R53" (at 0 0 90) (layer "F.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05))))

    (tstamp d09c5226-3c62-43c8-9ea4-1c778f3fbd6c)

  )

  (fp_text value "5k1" (at 1.15 0 90) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp 451b471e-e092-40bf-a533-e4f3d761887a)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04))))

    (tstamp d7ef22c6-c56b-4519-9031-062e3f819665)

  )

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57bffdb8-250c-4508-8dd8-7db2fbd7765d))
(fp_line (start -0.93 0.47) (end -0.93 -0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3fbb701f-f938-4d0a-a207-cd9b2853241e))
(fp_line (start 0.93 -0.47) (end 0.93 0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ddd38960-6849-419b-8a7d-ef4738e8a55e))
(fp_line (start 0.93 0.47) (end -0.93 0.47))

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78928391-d0c8-4e76-baa5-958c17653a81))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7854462d-b2c3-42f5-a837-9946a64dfe0f))
(fp_line (start -0.5 0.25) (end -0.5 -0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c9e6a55-d1af-4b42-b8b8-0372cfce41eb))
(fp_line (start 0.5 -0.25) (end 0.5 0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 92bda5c7-04e7-451a-9c69-c3a7203afa44))
(fp_line (start 0.5 0.25) (end -0.5 0.25))

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c97e4f6f-27ac-41df-838a-9748e18939e7))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp fba15f2e-a0c3-48b2-9bdc-21df17357a46))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 188 "/CC1") (pintype "passive") (tstamp 5a82d430-b81c-4f31-91d9-48bfa617b73c))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005ed6bc3d)
    (at 59.05 96.3 180)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")

```

```

(property "Sheetname" "")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005b5bff50")

(attr smd)

(fp_text reference "C8" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp bb447b2c-dde8-49b4-977f-f4e8f3d57f4b)
)

(fp_text value "u1" (at 1.05 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp f0dab9c0-8b45-40ca-ae45-6a9fcc983fe3)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 2c5b3d57-0d5a-4b13-9ebd-7ccdd57aa074)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7ed2764-01ab-4bc4-a08a-967afb0fb3b1))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3ce83447-1f31-4013-98b2-468d01a2411c))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 88b2cb4d-58c1-4fb7-aec1-008249f344d4))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c9b2618c-6837-44c6-a502-e3674b43bae7))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bb4e6559-8cf9-419f-8eda-26bffc851da7))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 47462e19-cf8c-42b2-b3b4-628916cc4759))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b6c65de0-1887-4f8b-8658-72d489c5e39f))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ca2e956-7cee-46a8-a2ec-70e4731dee4e))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 32 "/VUSB") (pintype "passive") (tstamp 43fcd670-c98a-4958-a7f2-54d3d3fffd304))

```

```

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 6c11cc21-47f8-40db-9c88-e524a3b2ff79))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

```

```

(footprint "Inductor_SMD:L_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005ed6bca0)

  (at 59.05 98.2)

  (descr "Inductor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "inductor")

  (property "1b2-bom-key" "ferrite-0402-600")

  (property "MPN" "BLM15PX601SZ1D")

  (property "Mfg" "Murata Electronics")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Ferrite bead")

  (property "ki_keywords" "L ferrite bead inductor filter")

  (path "/00000000-0000-0000-0000-00005c13076a")

  (attr smd)

  (fp_text reference "FB1" (at 0 0) (layer "F.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 67ed22d2-df00-459c-b23e-3f38c68f9681)
  )

  (fp_text value "600R, 0.5A" (at -1.65 0 180) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 1d4ef9b1-7d2f-45eb-8503-a6a8c77e225e)
  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
    (tstamp fb6370aa-218b-4d43-a3ac-dcbc7805ec55)
  )
)

```

```

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1be2d9cf-665d-4e3d-bb9e-d6b924a0aecd))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 023d618b-c21c-4a23-9942-2b2f5f925aa4))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d315d27e-e1a8-4450-9676-c39620ea17d3))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e76708c-a58a-4092-8f8a-ce6d31342ad2))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7a544651-5e76-4730-b140-5a00b99cd080))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d621c10e-fa26-405f-95a9-261710f32ecd))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f8f5a7fb-f7d3-42bb-b006-cac848b65e1f))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b491ce0c-f641-41b9-a170-0e4c45f4b979))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
  (net 187 "/xVBUS") (pintype "passive") (tstamp 74c2f019-f9f4-45b4-a7f9-438064599c61))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr
  (net 32 "/VUSB") (pintype "passive") (tstamp a2df0ef6-c657-4e12-9da0-80946ad6b457))
(model "${KICAD6_3DMODEL_DIR}/Inductor_SMD.3dshapes/L_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-23-6" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005ed6f5bd)
  (at 61.9 97.3)
  (descr "6-pin SOT-23 package")
  (tags "SOT-23-6")
  (property "1b2-bom-key" "ic-sot23-6-tpd3s014")
  (property "MPN" "TPD3S014DBVR")
  (property "Mfg" "Texas Instruments")

```

```

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Current Limit Switch and D+/D- ESD Protection for USB Host Port, 0.5A, SO

(property "ki_keywords" "ESD-Protection")

(path "/00000000-0000-0000-0000-00005b280725")

(attr smd)

(fp_text reference "U15" (at 0 0 -90) (layer "F.Silks") hide
  (effects (font (size 0.7 0.7) (thickness 0.15)))
  (tstamp 5662f80f-626c-443d-b461-4dda0841b1cf)
)

(fp_text value "TPD3S014" (at 1.4 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp cd50733e-eeaf-450e-9993-b43c90a817e8)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 836deb29-53f6-47db-86d5-6752e25399bb)
)

(fp_line (start -0.9 1.61) (end 0.9 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 983d7e9c-a484-40b0-bc23-7aa73302fc75))

(fp_line (start 0.9 -1.61) (end -1.55 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ad371deb-ffcc-4a30-b522-b35704eae753))

(fp_line (start -1.9 -1.8) (end -1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ea1137ca-3f01-429b-999d-7339fa99b63f))

(fp_line (start -1.9 1.8) (end 1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ab3990a-c1e3-40ee-abdb-40fd5b2b919a))

(fp_line (start 1.9 -1.8) (end -1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 011c24ea-294c-4c6f-8e43-ce30a93c2500))

(fp_line (start 1.9 1.8) (end 1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a67d4af3-1975-4d0e-a3a5-05a4a1d3e84d))

(fp_line (start -0.9 -0.9) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8d415632-4040-4178-8fcf-ebaaa11907db))

(fp_line (start -0.9 -0.9) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 661ad008-a67c-4ae4-9157-43b089711207))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55)

```



```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1e3d8c0d-d226-49ac-bd10-eb5704d94a7a))

(fp_line (start 0.9 -1.55) (end 0.9 1.55)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp aa9840ea-7794-400e-a9a8-2bda8740ab03))

(fp_line (start 0.9 1.55) (end -0.9 1.55)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 6a9c7db3-420a-4ca6-a119-7ac810caec64))

(pad "1" smd roundrect (at -1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

(net 32 "/VUSB") (pinfunction "EN") (pintype "input") (timestamp 08a9ad0e-ec65-4035-a380-66f7cf35c65d)

(pad "2" smd roundrect (at -1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

(net 3 "GND") (pinfunction "GND") (pintype "power_in") (timestamp 61345ecf-a391-4651-94cf-5cd900ca1c7a)

(pad "3" smd roundrect (at -1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

(net 32 "/VUSB") (pinfunction "IN") (pintype "power_in") (timestamp 1ca02e16-613d-483f-91a4-fdb9975cd30a)

(pad "4" smd roundrect (at 1.1 0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

(net 5 "+5V") (pinfunction "OUT") (pintype "passive") (timestamp f9ff9b97-e78b-4ac2-9b66-13d463288020)

(pad "5" smd roundrect (at 1.1 0) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

(net 11 "/USB_N") (pinfunction "D1") (pintype "passive") (timestamp aea274cf-f081-4140-b710-92a0f799d70a)

(pad "6" smd roundrect (at 1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)

(net 8 "/USB_P") (pinfunction "D2") (pintype "passive") (timestamp 35ee34f2-1986-44fe-8c21-39dcba2db12a)

(model "${KICAD6_3DMODEL_DIR}/Package_T0_S0T_SMD.3dshapes/S0T-23-6.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

(timestamp 00000000-0000-0000-0000-00005ed786f8)

(at 59.05 97.25 180)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 0402, 1005 Metric)

(tags "resistor")

(property "1b2-bom-key" "res-0402-5k1")

(property "MPN" "RC0402FR-075K1L")

(property "Mfg" "Yageo")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Resistor")
```

```

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005f3cf62b")

(attr smd)

(fp_text reference "R52" (at 0 0 180) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 9f5d35f1-4e64-4af9-83c6-9344066968db)
)

(fp_text value "5k1" (at 1.15 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 81df63fc-dc72-4ce9-a190-67e0b6111cf6)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 83e3b5d4-5cc9-42ab-bfa7-b0fd04a4607c)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 91e0dbe8-191d-4e98-8f43-9ae56f1bc8b8))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8561a960-5818-44bf-8acc-ecf127a18d61))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6a78a903-7698-481c-bb08-d8e57f06ac34))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1b8639ad-7e07-4509-8231-d978f6a1e1f2))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2e5db463-3090-4ed7-989b-2705275fb657))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9cae0781-6cc5-444d-a872-797d588113e6))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4e2b8b4b-0e61-4f96-b14d-c43720e09250))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 523c384d-27cd-43cc-b66d-5684de312bb6))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 7b15ff7e-27fc-4024-a755-bfc490d2c840))

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 189 "/CC2") (pintype "passive") (tstamp 1137c958-29b0-41a5-bd34-6a19b2a0afa3))

```

```
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(fp_text "Glasgow:D_SOD-323" (layer "F.Cu")

(timestamp 00000000-0000-0000-0000-00005edddcb9)

(at 116.35 106 180)

(descr "SOD-323")

(tags "SOD-323")

(property "1b2-bom-key" "esd-diode-sod323-cdsod323-t36s")

(property "MPN" "CDSOD323-T36S")

(property "Mfg" "Bourns")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Zener diode")

(property "ki_keywords" "diode")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005d132a1b-3275-4095-8518-0e44a8559bda"))

(attr smd)

(fp_text reference "D16" (at -1.3 0 90) (layer "F.Silks") hide

(effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp 9fbe10f9-0432-4fb0-8d29-5e78acdd1418)

)

(fp_text value "CDSOD323-T36S" (at 0 1) (layer "F.Fab")

(effects (font (size 0.3 0.3) (thickness 0.05))))

(timestamp b9905a22-d797-4b95-bbaf-b0c9ccf435d4)

)

(fp_text user "${REFERENCE}" (at -1.3 0 90) (layer "F.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp 9d41f200-5256-4c17-9fcd-bb75e52c4644)

)

(fp_line (start -1.75 -0.85) (end -1.75 0.85)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 5d132a1b-3275-4095-8518-0e44a8559bda)))
```

```

(fp_line (start -1.75 -0.85) (end 0.8 -0.85)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 27b0575b-324f-4a7e-bbda-621da3de7dba))
(fp_line (start -1.75 0.85) (end 0.8 0.85)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d97563d1-a293-4732-80e3-b103bb3e585b))
(fp_line (start -1.75 -0.95) (end -1.75 0.95)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4da69f9c-7e9b-4ca5-a65b-99ffd7acdce6))
(fp_line (start -1.75 -0.95) (end 1.7 -0.95)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 854950fc-ac31-41fe-aba7-a59a106b1e21))
(fp_line (start -1.75 0.95) (end 1.7 0.95)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d9d2525f-3eec-4323-9762-64c4956b85c9))
(fp_line (start 1.7 -0.95) (end 1.7 0.95)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d0713d81-9189-4a3d-b1fb-443d70aa9923))
(fp_line (start -0.9 -0.7) (end 0.9 -0.7)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83056ff2-ef16-42b2-a136-68ea19932c8a))
(fp_line (start -0.9 0.7) (end -0.9 -0.7)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e5f2d951-7bbe-4c91-bdea-1822f8c73f00))
(fp_line (start -0.3 -0.35) (end -0.3 0.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b2097756-e758-425c-8b27-5765f4246d5d))
(fp_line (start -0.3 0) (end -0.5 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 44f3c726-2c1c-4040-9cf4-540911dfc99d))
(fp_line (start -0.3 0) (end 0.2 -0.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 611ac4b1-7f06-4cfb-852f-ac300d606a1a))
(fp_line (start 0.2 -0.35) (end 0.2 0.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b9309bb4-7d07-4a7d-9722-50e317ac910e))
(fp_line (start 0.2 0) (end 0.45 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97786c93-23f6-4172-aa67-de60b19cfd5f))
(fp_line (start 0.2 0.35) (end -0.3 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fad10c21-bacc-4887-b191-32c7154255ab))
(fp_line (start 0.9 -0.7) (end 0.9 0.7)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63e89c3a-d28b-41a5-8607-49c0bad0eabc))
(fp_line (start 0.9 0.7) (end -0.9 0.7)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 42c8d359-4538-45a9-a3a9-8e05e88d2095))
(pad "1" smd roundrect (at -1.15 0 180) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r
  (net 110 "/IO_Banks/IO_Buffer_B/VSENSE") (pinfunction "K") (pintype "passive") (tstamp 4c31faea-cb3
(pad "2" smd roundrect (at 1.15 0 180) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_r

```

```
(net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp 8c6e88b9-20a1-475f-a9d0-16c6f493a5c8))

(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-323.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:D_SOD-323" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005edddcd1)

  (at 95.65 82.7)

  (descr "SOD-323")

  (tags "SOD-323")

  (property "1b2-bom-key" "esd-diode-sod323-cdsod323-t36s")

  (property "MPN" "CDSOD323-T36S")

  (property "Mfg" "Bourns")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_A")

  (property "ki_description" "Zener diode")

  (property "ki_keywords" "diode")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000")

  (attr smd)

  (fp_text reference "D17" (at -1.25 0 90) (layer "F.SilkS") hide

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 1528ee21-4dd5-45a7-abff-059a98d185fb)

  )

  (fp_text value "CDSOD323-T36S" (at 0 -1.1) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 0a3323e5-5139-483d-a521-7eb0b9c9d4)

  )

  (fp_text user "${REFERENCE}" (at 1.35 0 90) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 4f286dc7-5056-4e35-8e6a-0ba13d7b3a76)

  )

  (fp_line (start -1.75 -0.85) (end -1.75 0.85)
```

```

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 4f22f99e-24e1-4f82-ac87-4812ae86576a))
(fp_line (start -1.75 -0.85) (end 0.8 -0.85)

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp dff13fbc-238a-46f7-b55f-282b02daddaa))
(fp_line (start -1.75 0.85) (end 0.8 0.85)

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 8dcd4c18-dde0-4150-8b90-33ae8996b8c6))
(fp_line (start -1.75 -0.95) (end -1.75 0.95)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 08a3e078-2d36-4be9-9414-760d6d1e4a24))
(fp_line (start -1.75 -0.95) (end 1.7 -0.95)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2f2d4ab6-b02c-497e-8343-ba64971d9b89))
(fp_line (start -1.75 0.95) (end 1.7 0.95)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5c4449aa-c81b-4e4c-8cc9-1165251cbfc9))
(fp_line (start 1.7 -0.95) (end 1.7 0.95)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6f92ac0b-ed42-4db7-bc69-d977c803dae5))
(fp_line (start -0.9 -0.7) (end 0.9 -0.7)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 932e6999-09f8-44bf-a6b9-841f36fbf91b))
(fp_line (start -0.9 0.7) (end -0.9 -0.7)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b4cfe06b-dcdf-4c69-80be-f978236483f7))
(fp_line (start -0.3 -0.35) (end -0.3 0.35)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bfcaa76c-0fc5-4ef2-83ae-89f26fb45c1b))
(fp_line (start -0.3 0) (end -0.5 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c69ce16b-5288-45fa-8eda-47995363237a))
(fp_line (start -0.3 0) (end 0.2 -0.35)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac55a559-e9b9-494c-859b-b61ca97e00f5))
(fp_line (start 0.2 -0.35) (end 0.2 0.35)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4a153534-f290-4bc5-9ffe-9fa01b97bc19))
(fp_line (start 0.2 0) (end 0.45 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2dbd3f56-3e28-4095-b4d4-dce1218617f1))
(fp_line (start 0.2 0.35) (end -0.3 0)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 51dfa600-ae1f-4424-a900-903168fb2e7a))
(fp_line (start 0.9 -0.7) (end 0.9 0.7)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad66ea5b-b25b-44b2-bb4b-c619a99a6410))
(fp_line (start 0.9 0.7) (end -0.9 0.7)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5610379c-ea30-4d5d-864f-dc1dc4477a94))
(pad "1" smd roundrect (at -1.15 0) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat:

(net 106 "/IO_Banks/IO_Buffer_A/VSENSE") (pinfunction "K") (pintype "passive") (tstamp 7d003281-5c09

```

```

(pad "2" smd roundrect (at 1.15 0) (size 0.9 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
    (net 3 "GND") (pinfunction "A") (pintype "passive") (tstamp b434ab16-28ce-40e8-96a9-bce8183ff2f6))
(model "${KICAD6_3DMODEL_DIR}/Diode_SMD.3dshapes/D_SOD-323.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-323_SC-70" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005edddce6)
    (at 120.1 103.3 180)
    (descr "SOT-323, SC-70")
    (tags "SOT-323 SC-70")
    (property "1b2-bom-key" "diode-sot323-bat54cw")
    (property "MPN" "BAT54CW-7-F")
    (property "Mfg" "Diodes Inc.")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Dual schottky barrier diode, common cathode, SOT-323")
    (property "ki_keywords" "dual schottky diode")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "D18" (at 0 0 270) (layer "F.Silks") hide
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp defb17be-5c25-4502-a8ea-7dd0a5b550d6)
    )
    (fp_text value "BAT54CW" (at 0 -1.5) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 929903da-4398-4729-afb9-893c34eb9ef8)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp 63ecce41-24d5-4a93-a063-73429912e1ac)
    )
)

```

```

(fp_line (start -0.68 1.16) (end 0.73 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 372e1ab7-e408-4332-a3c2-f502ac1d1be3))
(fp_line (start 0.73 -1.16) (end -1.3 -1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp c7b7b94a-f395-429d-b0ac-59d2a309cf28))
(fp_line (start 0.73 -1.16) (end 0.73 -0.5)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 6b114304-db42-45d8-97e5-e1d352f0cecf))
(fp_line (start 0.73 0.5) (end 0.73 1.16)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp beeb10ef-237c-491e-8d15-21d4624a2ca1))
(fp_line (start -1.7 -1.3) (end 1.7 -1.3)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 38e3c26b-d07c-481b-8596-f3b604d19e08))
(fp_line (start -1.7 1.3) (end -1.7 -1.3)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7f73eb31-24c8-4557-9bbc-0230a5b4db70))
(fp_line (start 1.7 -1.3) (end 1.7 1.3)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 50c23fc1-7aba-4809-bd2e-42031d3aa353))
(fp_line (start 1.7 1.3) (end -1.7 1.3)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4489226-37f0-4bd0-8747-ef338c6d9f4d))
(fp_line (start -0.68 -0.6) (end -0.68 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac1497f8-64fa-487b-aa0e-e4132207f446))
(fp_line (start -0.18 -1.1) (end -0.68 -0.6)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 06d697c2-4c9e-40a1-ae1b-aa1d1b3d41af))
(fp_line (start 0.67 -1.1) (end -0.18 -1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4573983-e08b-4e34-ab90-4114d108800f))
(fp_line (start 0.67 -1.1) (end 0.67 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 99216fd8-67d7-4da4-8c7c-c5bda71a1f2d))
(fp_line (start 0.67 1.1) (end -0.68 1.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e75f1e13-6637-4f1a-b472-6ceaf9fc15f8))
(pad "1" smd roundrect (at -1 -0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 42 "~/~{ALERT}") (pintype "passive") (tstamp d79dc026-eb2e-49cc-9216-622f41d6759b))
(pad "2" smd roundrect (at -1 0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
  (net 195 "/IO_Banks/IO_Buffer_B/VI0_EN") (pintype "passive") (tstamp 51f7789b-f4bc-4027-aa9c-d88e6f
(pad "3" smd roundrect (at 1 0 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrat
  (net 170 "Net-(U12--~{Alert})") (pintype "passive") (tstamp 49bc0bf6-73fc-480f-a20c-a3d266df1439))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-323_SC-70.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))

```


[illegible]

```

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 96f3addc-e30e-4cde-906a-0a96c01de47a))
(fp_line (start 0.73 0.5) (end 0.73 1.16)

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 37099c11-fa6b-4a7d-8452-55df8ed401f2))
(fp_line (start -1.7 -1.3) (end 1.7 -1.3)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 323c8148-5130-496a-a78f-83c7ec1cf4e2))
(fp_line (start -1.7 1.3) (end -1.7 -1.3)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 87076148-6302-4e94-933f-6d08a59daf53))
(fp_line (start 1.7 -1.3) (end 1.7 1.3)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1b0043fd-2139-4d11-8a10-1209a736986b))
(fp_line (start 1.7 1.3) (end -1.7 1.3)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b144f7b6-fa4f-42d5-b119-810c12b755d6))
(fp_line (start -0.68 -0.6) (end -0.68 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8f0bb359-9967-4310-adf3-e65f524ba308))
(fp_line (start -0.18 -1.1) (end -0.68 -0.6)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1202e421-7798-4471-8861-d5d2486bddfb))
(fp_line (start 0.67 -1.1) (end -0.18 -1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 489b3260-7602-4b9d-9450-744f249d8044))
(fp_line (start 0.67 -1.1) (end 0.67 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 456b9e0a-5156-4209-a83d-d2266d1fa696))
(fp_line (start 0.67 1.1) (end -0.68 1.1)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7a91bd8e-ab5f-4e84-9c6d-bce938a3b41a))
(pad "1" smd roundrect (at -1 -0.65 270) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 42 "~/~{ALERT}") (pintype "passive") (tstamp c1d0c5fb-1f40-4ebe-94a4-0136fae368d3))
(pad "2" smd roundrect (at -1 0.65 270) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 197 "/IO_Banks/IO_Buffer_A/VI0_EN") (pintype "passive") (tstamp 08c91a6e-d948-4555-a053-fbc6aa
(pad "3" smd roundrect (at 1 0 270) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 171 "Net-(U21-~{Alert})") (pintype "passive") (tstamp bf5cdbdf-aab4-426f-a1bc-c6ec4723d39a))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-323_SC-70.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)
(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005edde40c)

```

```

(at 126.7 100.3 -90)

(descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
(tags "resistor")

(property "1b2-bom-key" "res-0402-10k")

(property "MPN" "RC0402FR-1310KL")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr smd)

(fp_text reference "R26" (at 0 -1.17 90) (layer "F.SilkS") hide
(effects (font (size 1 1) (thickness 0.15)))

  (tstamp 587e8117-609b-4163-868e-055c5ae363a0)
)

(fp_text value "10k" (at 0 -0.7 90) (layer "F.Fab")

  (effects (font (size 0.4 0.4) (thickness 0.06)))

  (tstamp c644ebcb-00e2-40c3-9416-1ff12ae7cba8)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

  (effects (font (size 0.25 0.25) (thickness 0.04)))

  (tstamp e63d4eab-c5ad-4adf-b050-caabe5fad065)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f0e7ab3e-d293-4f21-8487-c6cd20ad93cc))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e34526a1-725f-4dc8-99ce-48d4bbbf064))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b804f9a6-077c-40c1-bae3-b8ff24a9d68d))

(fp_line (start 0.93 0.47) (end -0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 98171837-ff1b-4ccd-9580-f7d2b8ca81d9))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7d861a9e-6601-4c32-b8c9-91a9cf654ff7))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7a3beb54-7644-4af0-bbe7-6d6fd53d7e93))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c9df4c39-d076-47ff-ba28-2df5c68178a0))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 10d4e97c-d447-4743-8609-0811b979ec2a))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 195 "/IO_Banks/IO_Buffer_B/VI0_EN") (pintype "passive") (tstamp a06a3d2c-cc8b-442c-8a18-41a24e
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 44 "/ENVB") (pintype "passive") (tstamp 709d7227-29c4-476c-8d48-eb915af1f908))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Glasgow:VSSOP-10_3x3mm_P0.5mm" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005eddeca9)
    (at 123.3 106.6)
    (descr "VSSOP, 10 Pin (http://www.ti.com/lit/ds/symlink/ads1115.pdf), generated with kicad-footprint-
    (tags "VSSOP S0")
    (property "1b2-bom-key" "ic-vssop10-ina233")
    (property "MPN" "INA233AIDGSR")
    (property "Mfg" "Texas Instruments")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "High-Side or Low-Side Measurement, Bi-Directional Current and Power Monit
    (property "ki_keywords" "ADC I2C 16-Bit Oversampling Current Shunt")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
    (attr smd)
    (fp_text reference "U12" (at 0 -2.45) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp d572a914-18ac-4a7e-8d9f-7abe43555fe4)
    )
    (fp_text value "INA233" (at 0.3 -1.8) (layer "F.Fab"))

```

```

        (effects (font (size 0.4064 0.4064) (thickness 0.0508)))
        (tstamp 0ce6d083-16ea-4339-bab2-b13465f75e97)
    )
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.75 0.75) (thickness 0.11)))
    (tstamp 3353604f-37a3-4928-a58e-7ecbb81340fd)
)
(fp_line (start 0 -1.61) (end -2.925 -1.61)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp c2c23a70-6d6f-47eb-9f05-2ee0e4b15fa5))
(fp_line (start 0 -1.61) (end 1.5 -1.61)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 63442960-bafa-4ce5-a0b9-fe9d6982ec05))
(fp_line (start 0 1.61) (end -1.5 1.61)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp c607b757-9f60-4a43-9d8a-3e3d7b565000))
(fp_line (start 0 1.61) (end 1.5 1.61)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp a31fdbb8-87df-4245-a7e1-a3dcf1e42b94))
(fp_line (start -3.18 -1.75) (end -3.18 1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 470595ed-fb92-4a56-8e75-dc4e0c1d5643))
(fp_line (start -3.18 1.75) (end 3.18 1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 86509358-7763-4b92-bf99-46f864441e46))
(fp_line (start 3.18 -1.75) (end -3.18 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f05c0fc8-4208-4860-9560-e91015fc612c))
(fp_line (start 3.18 1.75) (end 3.18 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 441ef9c4-b5b5-4a49-9256-880f69e72a2d))
(fp_line (start -1.5 -0.75) (end -0.75 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dc76bbc1-13b2-419f-bcd5-98b19da0b26a))
(fp_line (start -1.5 1.5) (end -1.5 -0.75)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d2beb08f-414e-42ed-be11-4abce05ee6e6))
(fp_line (start -0.75 -1.5) (end 1.5 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1857500e-3d0b-4546-92ef-1f2dbc0c5cbd))
(fp_line (start 1.5 -1.5) (end 1.5 1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b2b662c2-1b7e-493c-a456-7bb61db49073))
(fp_line (start 1.5 1.5) (end -1.5 1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ebafe2775-0f64-4df1-85a8-017a3cbd77b7))
(pad "1" smd roundrect (at -2.2 -1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 3 "GND") (pinfunction "A1") (pintype "input") (tstamp ab326b79-c7bb-4152-ab57-e6d760fa7800))

```

```

(pad "2" smd roundrect (at -2.2 -0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 2 "+3V3") (pinfunction "A0") (pintype "input") (tstamp fe1a8a05-61da-449d-97eb-896aefbdf4f6))
(pad "3" smd roundrect (at -2.2 0) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 170 "Net-(U12-~{Alert})") (pinfunction "~{Alert}") (pintype "open_collector") (tstamp 2517e5db
(pad "4" smd roundrect (at -2.2 0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 1e2c0389-2b78-4fa1-aa18-8fbdd2
(pad "5" smd roundrect (at -2.2 1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp e6ce46a5-2e19-40e4-a585-a2153996ac1c))
(pad "6" smd roundrect (at 2.2 1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 2 "+3V3") (pinfunction "VS") (pintype "power_in") (tstamp 643bb619-183e-4122-91c2-c796a85e995d
(pad "7" smd roundrect (at 2.2 0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 520c6a44-2dfc-4efe-a211-f30ab4163a91
(pad "8" smd roundrect (at 2.2 0) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 41 "Net-(U12-Vbus)") (pinfunction "Vbus") (pintype "input") (tstamp 2b7748e3-fea3-4d22-ab35-6c
(pad "9" smd roundrect (at 2.2 -0.5) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 35 "Net-(U12-Vin-)") (pinfunction "Vin-") (pintype "input") (tstamp e70d7f33-13ac-49b0-b14a-6b
(pad "10" smd roundrect (at 2.2 -1) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
    (net 34 "Net-(U12-Vin+)" (pinfunction "Vin+") (pintype "input") (tstamp 72e5971f-73ac-4d05-ad65-ee
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/VSSOP-10_3x3mm_P0.5mm.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005efc3bc7)
    (at 100.95 108.65 90)
(descr "https://www.littelfuse.com/~/media/electronics/datasheets/tvs\_diode\_arrays/littelfuse\_tvs\_diode\_a
    (tags "UDFN 0.5 uQFN")
    (property "1b2-bom-key" "diode-14udfn-sp3012-06utg")
    (property "MPN" "SP3012-06UTG")
    (property "Mfg" "Littelfuse")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")

```

```

(property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")
(property "ki_keywords" "usb 3.0 esd protection suppression transient")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
(attr smd)
(fp_text reference "D21" (at -0.025 0 180) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp f3d80af0-0ef0-4efa-93c1-23fcad6fd396)
)
(fp_text value "SP3012-06UTG" (at 0.95 0 180) (layer "F.Fab")
  (effects (font (size 0.3 0.3) (thickness 0.05)))
  (tstamp 01276aa4-df53-4140-9dc5-a05a937582b9)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 739e1157-418d-41e8-9252-009fd4afd2fe)
)
(fp_line (start -0.675 1.85) (end 0.675 1.85)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e1e7cd78-f914-4656-b686-e73acccbb0f8))
(fp_line (start 0.675 -1.85) (end 0 -1.85)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 51558da0-aa92-4d2b-9b4e-4192d2ec0f5d))
(fp_line (start -1.075 -2) (end -1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c415c745-0baa-44b1-a4dd-66c4724dca9e))
(fp_line (start -1.075 -2) (end 1.075 -2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a4b4f32f-59df-425f-976d-b6a93599fd9a))
(fp_line (start -1.075 2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 366a867a-c641-4ac6-b2d9-f6c8f40c0ab8))
(fp_line (start 1.075 -2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c5be835d-722c-43d7-9939-f4cf5303f86d))
(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b5c3bc84-7df6-44ee-86f9-8fdb24a58cc))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7e2a51fe-bd3d-4107-b846-955d88bdd583))
(fp_line (start -0.675 1.75) (end 0.675 1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7863372b-8a78-4a92-bff9-c8353727d3da))
(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 48b0af75-9166-461d-86d1-616af3c7f09d))
(fp_line (start 0.675 1.75) (end 0.675 -1.75)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2ec0501b-8e3f-4742-88c2-448fc3ed9c81))
(pad "1" smd roundrect (at -0.575 -1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "N/C") (pintype "passive") (tstamp 5acf93d5-9186-4
(pad "2" smd roundrect (at -0.575 -1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "N/C") (pintype "passive") (tstamp eb9f7e69-ae8a-4
(pad "3" smd roundrect (at -0.575 -0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "N/C") (pintype "passive") (tstamp 0840ef90-8cd7-4
(pad "4" smd roundrect (at -0.575 0 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "N/C") (pintype "passive") (tstamp 0de4f452-a8a1-4
(pad "5" smd roundrect (at -0.575 0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "N/C") (pintype "passive") (tstamp 3004a47f-d071-49d0-9d52-6f75491afc59)
(pad "6" smd roundrect (at -0.575 1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 192 "unconnected-(D21-N{slash}C-Pad6)") (pinfunction "N/C") (pintype "passive+no_connect") (ts
(pad "7" smd roundrect (at -0.575 1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 191 "unconnected-(D21-N{slash}C-Pad7)") (pinfunction "N/C") (pintype "passive+no_connect") (ts
(pad "8" smd roundrect (at 0.575 1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
(net 190 "unconnected-(D21-Ch6-Pad8)") (pinfunction "Ch6") (pintype "passive+no_connect") (tstamp a227ef9
(pad "9" smd roundrect (at 0.575 1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 172 "unconnected-(D21-Ch5-Pad9)") (pinfunction "Ch5") (pintype "passive+no_connect") (tstamp 5
(pad "10" smd roundrect (at 0.575 0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp a0d54ce3-a96b-4993-b85a-bff430063d6a
(pad "11" smd roundrect (at 0.575 0 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "Ch4") (pintype "passive") (tstamp 70e1cf32-fa79-4
(pad "12" smd roundrect (at 0.575 -0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "Ch3") (pintype "passive") (tstamp 46b1d75c-cfda-4
(pad "13" smd roundrect (at 0.575 -1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "Ch2") (pintype "passive") (tstamp 3b8e99d5-1b08-4
(pad "14" smd roundrect (at 0.575 -1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "Ch1") (pintype "passive") (tstamp c61b22f9-89bf-4
(model "../packages3D/UDFN-14_1.35x3.5mm_Pitch0.5mm.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

```



```

)
)

(footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005efc3c03)
  (at 104.95 82.35 -90)
  (descr "https://www.littelfuse.com/~media/electronics/datasheets/tvs_diode_arrays/littelfuse_tvs_dio
  (tags "UDFN 0.5 uQFN")
  (property "1b2-bom-key" "diode-14udfn-sp3012-06utg")
  (property "MPN" "SP3012-06UTG")
  (property "Mfg" "Littelfuse")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")
  (property "ki_keywords" "usb 3.0 esd protection suppression transient")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0
  (attr smd)
  (fp_text reference "D23" (at 0.025 0 180) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 2b590694-6b9e-4b1c-9e95-fafd4349cd4d)
  )
  (fp_text value "SP3012-06UTG" (at -0.95 0 180) (layer "F.Fab")
    (effects (font (size 0.3 0.3) (thickness 0.05))))
    (tstamp ee4b1164-e19a-4891-ab5a-941673ed9ab6)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075))))
    (tstamp b547af4b-97d8-4a74-bf3f-0acc4543a5e9)
  )
  (fp_line (start -0.675 1.85) (end 0.675 1.85)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 68fb361f-0e6d-4baa-bf2c-0310f283b6ca))
  (fp_line (start 0.675 -1.85) (end 0 -1.85)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 83c3b3bc-793b-4636-b29d-03da75010212))
  (fp_line (start -1.075 -2) (end -1.075 2)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bc32867f-cacf-49b7-805b-1629989b004a))

```

```

(fp_line (start -1.075 -2) (end 1.075 -2)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 09d48323-60fc-454e-b491-117e2a80b477))

(fp_line (start -1.075 2) (end 1.075 2)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9c7a1943-60a8-4ad7-b1a0-51e4c9b899a4))

(fp_line (start 1.075 -2) (end 1.075 2)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6ceb49f3-fc69-438d-889c-52acc74646e8))

(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 160e0bdf-82d9-49b0-a682-f690010dd173))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 789207ee-3828-43b5-908f-77263e1210c8))

(fp_line (start -0.675 1.75) (end 0.675 1.75)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 180cffc3-d00c-4a88-8e8a-8d8ccdc566dd))

(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a875c92-806e-4a84-b4e9-f2280ea23e2f))

(fp_line (start 0.675 1.75) (end 0.675 -1.75)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d3457d3c-86b9-4ce7-ba5f-cc9d7df2093a))

(pad "1" smd roundrect (at -0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "N/C") (pintype "passive") (tstamp 3ff6ee48-4ee2-4a84-b4e9-f2280ea23e2f))

(pad "2" smd roundrect (at -0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "N/C") (pintype "passive") (tstamp cf0692b2-4da8-4a84-b4e9-f2280ea23e2f))

(pad "3" smd roundrect (at -0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "N/C") (pintype "passive") (tstamp cafb74ba-a2e2-4a84-b4e9-f2280ea23e2f))

(pad "4" smd roundrect (at -0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "N/C") (pintype "passive") (tstamp dd8768fe-4229-4a84-b4e9-f2280ea23e2f))

(pad "5" smd roundrect (at -0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pinfunction "N/C") (pintype "passive") (tstamp e91a18a9-9b53-4c31-9689-b31b4905674f))

(pad "6" smd roundrect (at -0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 198 "unconnected-(D23-N{slash}C-Pad6)") (pinfunction "N/C") (pintype "passive+no_connect") (tstamp 789207ee-3828-43b5-908f-77263e1210c8))

(pad "7" smd roundrect (at -0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 196 "unconnected-(D23-N{slash}C-Pad7)") (pinfunction "N/C") (pintype "passive+no_connect") (tstamp 160e0bdf-82d9-49b0-a682-f690010dd173))

(pad "8" smd roundrect (at 0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 194 "unconnected-(D23-Ch6-Pad8)") (pinfunction "Ch6") (pintype "passive+no_connect") (tstamp 09d48323-60fc-454e-b491-117e2a80b477))

(pad "9" smd roundrect (at 0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 193 "unconnected-(D23-Ch5-Pad9)") (pinfunction "Ch5") (pintype "passive+no_connect") (tstamp 789207ee-3828-43b5-908f-77263e1210c8))

(pad "10" smd roundrect (at 0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

```

        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 071adab9-1aad-442e-89bb-e9a1baa92c36)
(pad "11" smd roundrect (at 0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 87 "/IO_Banks/IO_Buffer_A/Z4") (pinfunction "Ch4") (pintype "passive") (tstamp 3c22cdcf-a806-4
(pad "12" smd roundrect (at 0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (round
        (net 86 "/IO_Banks/IO_Buffer_A/Z5") (pinfunction "Ch3") (pintype "passive") (tstamp 4d6c3603-81bf-4
(pad "13" smd roundrect (at 0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundre
        (net 88 "/IO_Banks/IO_Buffer_A/Z6") (pinfunction "Ch2") (pintype "passive") (tstamp 73215846-70cb-4
(pad "14" smd roundrect (at 0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (round
        (net 76 "/IO_Banks/IO_Buffer_A/Z7") (pinfunction "Ch1") (pintype "passive") (tstamp 94c5ed4e-4ccd-4
(model "../packages3D/UDFN-14_1.35x3.5mm_Pitch0.5mm.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

```

```

(fp footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f02b43d)
    (at 62.4 110.6 180)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005f058094")
    (attr smd)
    (fp_text reference "C16" (at 0 -1.17) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 8c961da0-7312-4666-9f2c-245ece8217b0)
    )
    (fp_text value "u1" (at 0 0.7) (layer "F.Fab")

```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp ee072e86-f8a9-4c27-b07a-fe5a59c463ae)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp 1a78f4c1-3c0d-499d-83ab-ea82effb5f03)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81378a54-c810-405f-ba61-eec738d18833))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5375a31f-b5d8-4e10-a6af-a4eb5f285d10))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f4d09431-e0e5-467b-8373-9b4a9e05c8bd))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b2792e81-310b-4e02-bdf2-1f45ba48cd6a))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1680963d-6e01-464c-9d3f-d6f0c9a0d89f))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c16384cc-56ea-4207-8695-58bc40fa4532))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bf646641-ab1a-4866-9a4e-bbe108eb6683))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eaa74df2-6c95-492c-993f-26bc50f4a00e))
    (pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 5 "+5V") (pintype "passive") (tstamp 39402ce9-8a84-4da3-b072-751a7767c4f4))
    (pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 92ae1bc4-7150-4997-85d5-0fced6426f3b))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
    )
    (footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
        (tstamp 00000000-0000-0000-0000-00005f02bbe4)
    )

```

```

(at 74.9 90.985 90)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005f05a509")

(attr smd)

(fp_text reference "C88" (at 0 -1.17 90) (layer "F.SilkS") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp e653b4e5-5774-4c57-9674-7d3649439437)
)

(fp_text value "u1" (at -1.015 0 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp d74164ea-230f-4063-971d-a38682c77047)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
(tstamp 3c1bc691-e29b-4e6c-abd9-7a5fdb7d639f)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6c176269-931c-449d-bc98-ceb3c27242c2))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c3a29516-ecf7-4d4b-8bf5-f1da5e41c613))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4d3b4a91-9973-410c-8b2a-2be4072c8864))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b193b25d-8378-4072-8f86-ea4c1682de76))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 761d444e-0b7b-4bd6-a6c7-4681f6f70c3d))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13636c12-5ae9-4dcc-96e8-9fa7dba05b33))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 07f26b15-21c2-4bb3-b7b1-0743f00dc1ee))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 327eef6b-eb0e-42a9-a38d-50844f93beb0))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 6 "~/~{CY_RESET}") (pintype "passive") (tstamp 2ef270b2-9144-4a65-adc6-99432672fb64))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp b12c2e08-20c5-4270-bb83-b01e403839c3))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Glasgow:SOT-323_SC-70" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f02bfad)
    (at 60.7 115.85 180)
    (descr "SOT-323, SC-70")
    (tags "SOT-323 SC-70")
    (property "1b2-bom-key" "diode-sot323-bat54aw")
    (property "MPN" "BAT54AW-7-F")
    (property "Mfg" "Diodes Inc.")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Dual schottky barrier diode, common anode, SOT-323")
    (property "ki_keywords" "dual schottky diode")
    (path "/00000000-0000-0000-0000-00005f20fdd5")
    (attr smd)
    (fp_text reference "D24" (at -0.05 -1.95) (layer "F.SilkS") hide
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 28c800e8-d85f-4993-a381-5998a54275f1)
    )
    (fp_text value "BAT54AW" (at -1.15 0 90) (layer "F.Fab"))

```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 8d0285fc-a978-4223-8b64-cedfaecb177f)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp dacf3438-ec3d-4e3f-b808-631e3aa9c062)
    )
    (fp_line (start -0.68 1.16) (end 0.73 1.16)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 67c2c052-bb6e-4ca0-b191-3024a192b82f))
    (fp_line (start 0.73 -1.16) (end -1.3 -1.16)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp fd2e440e-7274-49ee-90fc-0e22dbc57530))
    (fp_line (start 0.73 -1.16) (end 0.73 -0.5)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d4ae77fe-e7f5-452e-8f91-641df786dc18))
    (fp_line (start 0.73 0.5) (end 0.73 1.16)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp cae3bdaf-8d0b-4157-82b4-1afe13984e19))
    (fp_line (start -1.7 -1.3) (end 1.7 -1.3)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ec5f1fd6-a1f1-4065-92a8-cd6f13b2ebb4))
    (fp_line (start -1.7 1.3) (end -1.7 -1.3)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5b4566a4-3e7f-4a0c-9c5f-ecd66f778605))
    (fp_line (start 1.7 -1.3) (end 1.7 1.3)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1727550e-e956-4352-aac0-f02bbba80804))
    (fp_line (start 1.7 1.3) (end -1.7 1.3)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4902f4fc-f974-4ce4-8bda-38c36cade663))
    (fp_line (start -0.68 -0.6) (end -0.68 1.1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e44fcc90-f794-4835-a097-6cf4d0ff901b))
    (fp_line (start -0.18 -1.1) (end -0.68 -0.6)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 77c5a43d-594f-4757-854c-98bea989ebcd))
    (fp_line (start 0.67 -1.1) (end -0.18 -1.1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e52dc0df-8c69-4c32-aa38-12bbff0cf049))
    (fp_line (start 0.67 -1.1) (end 0.67 1.1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2100a832-f8fb-4402-bc06-ef169f486c29))
    (fp_line (start 0.67 1.1) (end -0.68 1.1)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80b2acb1-8d5b-4f2a-81c1-e99a80e34b74))
    (pad "1" smd roundrect (at -1 -0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp fb2d6415-56b6-4b7a-96cd-ebcc4e4ebf4f))

```

```

(pad "2" smd roundrect (at -1 0.65 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 200 "Net-(U7-~{RESET})") (pintype "passive") (tstamp 84d22228-0078-495b-8a72-52a617646316))
(pad "3" smd roundrect (at 1 0 90) (size 0.45 0.7) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5))
  (net 6 "~/~{CY_RESET}") (pintype "passive") (tstamp cd3d33b2-47ef-43ba-ac70-2439bd9bdac1))
(model "${KICAD6_3DMODEL_DIR}/Package_T0_SOT_SMD.3dshapes/SOT-323_SC-70.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f03c4a2)
  (at 62.8 117.485 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 0.635x0.35mm, 0.635mm max lead length)"
  (tags "resistor")
  (property "1b2-bom-key" "res-0402-100k")
  (property "MPN" "RC0402FR-13100KL")
  (property "Mfg" "Yageo")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005f06d941")
  (attr smd)
  (fp_text reference "R4" (at 0 0 90) (layer "F.SilkS") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp bb6642ae-064f-402b-9257-24a03a6950c0)
  )
  (fp_text value "100k" (at 0 0.8 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)))
    (tstamp 586e127b-fc54-4833-8039-c6887249896b)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)))
  )
)

```



```

        (tstamp c9f09a5b-b0f9-4985-bb1e-7f1f7a849bb7)
    )
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6134f98c-f337-4b16-8be7-4ea009be7cd1))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e51dd41c-cf5c-427c-bca9-097f24ce1faf))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c583f4b7-481b-4ee8-94ca-1cfd9eaf9059))
(fp_line (start 0.93 0.47) (end -0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ba9140a3-7d9f-4e14-9959-193485fe8e11))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ced0f68d-a967-4c76-8385-201a954c89cf))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp faf6cc53-e885-4520-a0c2-e8fdb2c54379))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 196bb363-5661-46d0-8b6e-da167c67e35a))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02cfff21-b975-49ef-8bd3-b888224b4fcc))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 213b0917-9dea-41b6-a2b9-538c2a05cc30))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 199 "Net-(R4-Pad2)") (pintype "passive") (tstamp e51a9a83-6749-4f67-ae7b-036207c2aec4))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005f03c4b1)

    (at 62.8 115.585 90)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

    (tags "resistor")

    (property "1b2-bom-key" "res-0402-100k")

```

```

(property "MPN" "RC0402FR-13100KL")

(property "Mfg" "Yageo")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005f069ba1")

(attr smd)

(fp_text reference "R5" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 3c17c647-9044-470f-8995-6c71a3b98d4f)
)

(fp_text value "100k" (at -0.015 0.8 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 69145d68-95bf-48a8-8e93-ca83b6eaf81e)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 340d9327-66e9-4f70-9260-d4c16fc989ad)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d17ddc78-429a-43ec-b4e8-ae81f429f2e7))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9bc6ff09-ff35-476a-9317-65a4b05c31b2))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 874aa0ac-36d0-4136-aa8b-48878d50f79b))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2e204c89-6693-4f32-b89f-2bd16288698b))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3cd92414-2b14-4611-a4a2-557919ef6081))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 08816015-e62a-43d8-808d-c6eb65716d01))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 59c42b01-d09e-4e81-8503-42a53f8f3cd7))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 50ac61f6-083c-47ba-a54f-65d5f3061aec))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 199 "Net-(R4-Pad2)") (pintype "passive") (tstamp a66df6cc-b3b4-4f73-a3d1-ceffbdbefe59))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 6 "~/~{CY_RESET}") (pintype "passive") (tstamp 583d27c4-3fd2-47e1-b3ef-9afd963f54c9))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(fp_text reference "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f0bcee8)
    (at 106.5 100.95 -90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-2k2")
    (property "MPN" "RC0402FR-132K2L")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
    (attr smd)
    (fp_text reference "R57" (at 0 0 90) (layer "F.Silks") hide
        (effects (font (size 0.3 0.3) (thickness 0.05)))
        (tstamp c3dc177e-e8cb-4981-afc8-52aa6ef043b0)
    )
    (fp_text value "2k2" (at 0 0.7 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 060de1d1-46d7-43b1-8197-29794e63c79c)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

```

```

        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp f965ba3b-f702-4e5d-a200-ef3020706bc5)
    )
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6b117d9e-ca42-47e6-965f-3bc1dd756d50))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ec1d1966-efbf-4440-b707-88bf86ea2a8b))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 45a715d1-194f-43bf-9128-b41444828f9d))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e65263d-1df0-4e0d-8cd4-f81131272f78))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 73b76592-b7e3-4d73-ac66-0cc5170e1ef1))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp de515456-9773-4c65-97f2-149573163c18))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b7f65d0-d4ae-49e3-9d1e-8520fef4e18c))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4c0645d8-3749-43d3-964d-f158372c9cb2))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 4914941e-42c3-46c9-84be-bf0d5ea8a2d7))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp e9a1d6f2-63ac-4ace-829e-1d91d0924e0b))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f0bcef7)
  (at 118 88.2 90)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")

```

```
(property "1b2-bom-key" "res-0402-2k2")

(property "MPN" "RC0402FR-132K2L")

(property "Mfg" "Yageo")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "R58" (at 0 0 90) (layer "F.Silks") hide

  (effects (font (size 0.25 0.25) (thickness 0.05))))

(timestamp 2850648d-8bae-457d-858e-3adce177be71)

)

(fp_text value "2k2" (at 0.9 0 180) (layer "F.Fab")

  (effects (font (size 0.4 0.4) (thickness 0.06))))

(timestamp 69ee76ac-9294-43af-a5d7-330aa8ea9182)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

  (effects (font (size 0.25 0.25) (thickness 0.04))))

(timestamp 96b3f135-2f06-485e-9d20-5cecedaafef4)

)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp d4a4aeef-9ee2-4894-a523-82aaa1edb355))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 582e7447-8c99-41c8-a5d5-fe9595173427))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a8ee1055-8a65-4091-ba9c-41776c96bfed))

(fp_line (start 0.93 0.47) (end -0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 75f04da1-0745-40d2-8e7f-cb0c1409a7ef))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 2d5ebecd-a146-411a-b045-f6305d1fed98))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 2734830c-09d3-47f1-bdd4-aeb824edd1fb))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 042ab018-afd4-47e2-8050-1b7e5759edb2))
```

```

(fp_line (start 0.5 0.25) (end -0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a8dea587-877f-4fe5-adaf-1373dec6ff2c))

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

  (net 3 "GND") (pintype "passive") (tstamp 2a00be05-7383-4107-922c-acdf7054c064))

(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 787c292f-e389-4644-9179-ad968a04425c))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
(offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)
)

```

```

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005f40ebf1)

  (at 87.3 107.65 90)

  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

  (tags "resistor")

  (property "1b2-bom-key" "res-0402-47r")

  (property "MPN" "RC0402FR-1347RL")

  (property "Mfg" "Yageo")

  (property "Sheetfile" "io_banks.kicad_sch")

  (property "Sheetname" "IO_Banks")

  (property "ki_description" "Resistor")

  (property "ki_keywords" "R res resistor")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cbf4ec8")

  (attr smd)

  (fp_text reference "R38" (at 0 0 90) (layer "F.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)))

    (tstamp 58408b0c-d655-46ed-8b5d-a3acb308a752)

  )

  (fp_text value "47R" (at 1.25 0 270) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)))

    (tstamp 8c4b2c26-02a6-45ec-9b3b-e99603918c30)

  )
)

```

```

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(timestamp 43227888-f93d-47fd-aec9-d1ab0ef42d45)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp bcb93599-6a29-42d8-b086-8c1a988cad46))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 4fef8883-c4ef-4a47-9e3e-44f2524ae607))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 68735c69-9e81-4627-be19-80265173406a))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp c7da620e-2771-4731-ad2e-459a668442eb))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 76f613af-3122-4e84-9879-03dbb9f75a28))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 56c984fb-a296-438d-8b6c-0beb537e4b4e))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp ec3a1985-e09a-4af9-ba49-511443906d39))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 51d42b2a-de9c-439d-bbba-a60b59d51de9))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 159 "/IO_Banks/~{SYNC}") (pintype "passive") (timestamp c4c907bc-460a-4c95-8b2c-d19cbd76a482))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 236 "Net-(U32-B)") (pintype "passive") (timestamp c490331e-b5cb-4048-b088-f3705126ce4c))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:PinHeader_2x22_P1.27mm_Vertical__SMD" locked (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005f41d019)

  (at 72.5 76.5 90)

  (descr "surface-mounted straight pin header, 2x22, 1.27mm pitch, double rows")

```

```

(tags "Surface mounted pin header SMD 2x22 1.27mm double row")

(property "1b2-bom-key" "conn-smd-005in-22-2-hdr")

(property "MPN" "FTS-122-01-L-DV")

(property "Mfg" "Samtec Inc.")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Generic connector, double row, 02x22, odd/even pin numbering scheme (row :
(property "ki_keywords" "connector")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e342d")

(attr smd)

(fp_text reference "J5" (at -2.05 -14.85 90) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 66790a9f-9647-489c-b877-52021c94a5f3)
)

(fp_text value "PinHeader_2x22_P1.27mm" (at 1.1 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 2d0118c8-d6be-4890-ac1e-905fc85820cf)
)

(fp_text user "${REFERENCE}" (at 0 0 180) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 7f581397-4ea8-4b2e-aa77-3ac7f82d4433)
)

(fp_line (start -3.09 -13.965) (end -1.765 -13.965)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e0ffff5a-9a7e-4557-b2e6-b398dd6df8dc))

(fp_line (start -1.765 -14.03) (end -1.765 -13.965)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp ff7158d6-8c60-44b3-be08-cc0160063cc6))

(fp_line (start -1.765 -14.03) (end 1.765 -14.03)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp aad64243-6051-4a0f-9668-6c3a13960cb6))

(fp_line (start -1.765 13.965) (end -1.765 14.03)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 05573ae7-0dc6-4b60-b67c-39e07f94849d))

(fp_line (start -1.765 14.03) (end 1.765 14.03)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6dcd6974-f9b7-4d75-9782-ec282579f572))

(fp_line (start 1.765 -14.03) (end 1.765 -13.965)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp bfd228af-4017-4611-923a-1f1c3e22e45d))
(fp_line (start 1.765 13.965) (end 1.765 14.03)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6dcd6974-f9b7-4d75-9782-ec282579f572))

```



```

(stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp b883f2a8-6bec-456d-9dfe-2dea3671c883))
(fp_line (start -4.3 -14.5) (end -4.3 14.5)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1737d731-f816-4251-8e0a-bebe6a60769f))
(fp_line (start -4.3 14.5) (end 4.3 14.5)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 5a596a0b-c2f1-4f97-964d-f6e627e18982))
(fp_line (start 4.3 -14.5) (end -4.3 -14.5)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c993c48e-98d9-4673-98da-4c7b6715b814))
(fp_line (start 4.3 14.5) (end 4.3 -14.5)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 65368adf-fb81-4669-8851-127a108e1a0a))
(fp_line (start -2.8 -13.535) (end -2.8 -13.135)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b180553b-d266-4f9a-96a2-023652ccc218))
(fp_line (start -2.8 -13.135) (end -1.705 -13.135)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ecda1046-648f-46f5-9f4f-41f80ca125c5))
(fp_line (start -2.8 -12.265) (end -2.8 -11.865)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e85ff39d-f529-416a-92f7-618245042b8d))
(fp_line (start -2.8 -11.865) (end -1.755 -11.865)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1b5d27bf-77af-45a5-92db-b7f6bd26f15d))
(fp_line (start -2.8 -10.995) (end -2.8 -10.595)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a673008f-e8cf-42df-a577-2746db2acd50))
(fp_line (start -2.8 -10.595) (end -1.755 -10.595)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d3199b51-8d2a-4763-bce8-5d80afc6a493))
(fp_line (start -2.8 -9.725) (end -2.8 -9.325)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ccb3889a-2c55-4a95-95aa-34617b89630e))
(fp_line (start -2.8 -9.325) (end -1.755 -9.325)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2384c4ba-09de-4422-9ec8-87722aec9b04))
(fp_line (start -2.8 -8.455) (end -2.8 -8.055)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6d9b2b4c-05ec-4165-ab72-daad7cd5adb6))
(fp_line (start -2.8 -8.055) (end -1.755 -8.055)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8ed19540-4666-42e0-8189-df38c1818b7e))
(fp_line (start -2.8 -7.185) (end -2.8 -6.785)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 17b7d621-f1fd-44b9-b9ff-a19e936a4e37))
(fp_line (start -2.8 -6.785) (end -1.755 -6.785)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae2deaf1-5a05-4692-b341-9aec2c0bcc13))
(fp_line (start -2.8 -5.915) (end -2.8 -5.515)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4cb19bf-0c98-47ff-9fae-ac262d7a4a3d))

```

```

(fp_line (start -2.8 -5.515) (end -1.755 -5.515)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9fee2785-cf45-427a-b337-1d52720f6d59))
(fp_line (start -2.8 -4.645) (end -2.8 -4.245)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp cfbbceae-6389-4318-9673-4d0de45fc8fa))
(fp_line (start -2.8 -4.245) (end -1.755 -4.245)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d4476a00-7c9e-44f7-900d-b8d1e26787b2))
(fp_line (start -2.8 -3.375) (end -2.8 -2.975)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 63aac572-7c09-4da4-8390-c97fd9f1c1e3))
(fp_line (start -2.8 -2.975) (end -1.755 -2.975)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 268e1e94-a037-4e32-a998-9cdd6ee6952a))
(fp_line (start -2.8 -2.105) (end -2.8 -1.705)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2183d575-3b38-42f2-a92b-529a3f257f37))
(fp_line (start -2.8 -1.705) (end -1.755 -1.705)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6c333557-c5c4-447e-848a-05cf536592a7))
(fp_line (start -2.8 -0.835) (end -2.8 -0.435)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a421a2e1-5d41-40e1-b645-716412f65d5f))
(fp_line (start -2.8 -0.435) (end -1.755 -0.435)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84195186-1fba-4afc-ada3-3268d234f0ec))
(fp_line (start -2.8 0.435) (end -2.8 0.835)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e4ff1c4b-826b-4fb0-9e78-15e9dd58c9d5))
(fp_line (start -2.8 0.835) (end -1.755 0.835)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dfd674a2-79b2-4e67-87b7-aba3e190b511))
(fp_line (start -2.8 1.705) (end -2.8 2.105)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7f518c5d-1e39-4657-9354-ca575811f4bb))
(fp_line (start -2.8 2.105) (end -1.755 2.105)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6782f458-82a0-49ab-8ad2-231652700217))
(fp_line (start -2.8 2.975) (end -2.8 3.375)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dd0be77a-e1df-48d5-9893-418042f38170))
(fp_line (start -2.8 3.375) (end -1.755 3.375)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4049dd42-9b2f-4700-8dcc-f0edba9825dc))
(fp_line (start -2.8 4.245) (end -2.8 4.645)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9f89635a-3aa4-4800-84df-0da243643c8a))
(fp_line (start -2.8 4.645) (end -1.755 4.645)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 09afa83d-e8fd-4f37-b200-d62c43f6f485))
(fp_line (start -2.8 5.515) (end -2.8 5.915)

```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 057495e5-98fd-4ad6-8611-b766f1134123))
(fp_line (start -2.8 5.915) (end -1.755 5.915)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d85d7f08-f482-4737-8ca8-e548fe2ec710))
(fp_line (start -2.8 6.785) (end -2.8 7.185)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5a50958b-0160-45ac-ba13-6abc09257ca2))
(fp_line (start -2.8 7.185) (end -1.755 7.185)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b4c18236-11f8-487e-9ebb-4da6d9e853da))
(fp_line (start -2.8 8.055) (end -2.8 8.455)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5f217e3a-9a84-4df5-a91b-2223d1e6a696))
(fp_line (start -2.8 8.455) (end -1.755 8.455)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 922370f6-292e-4286-958f-dbdd10fef073))
(fp_line (start -2.8 9.325) (end -2.8 9.725)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 08255091-01a9-49ad-8020-8ff741db25c7))
(fp_line (start -2.8 9.725) (end -1.755 9.725)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d8f684ca-d6d9-4fe0-af33-1eb9b4dcda5d))
(fp_line (start -2.8 10.595) (end -2.8 10.995)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b8cf04a-e91f-480f-a5d7-1b8bc3b0fdb5))
(fp_line (start -2.8 10.995) (end -1.755 10.995)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 34eb6c00-b7a2-4b72-abca-10e8b93b3570))
(fp_line (start -2.8 11.865) (end -2.8 12.265)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a648b2b5-6d43-4c5e-95a1-89a8d5282a62))
(fp_line (start -2.8 12.265) (end -1.755 12.265)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6f2527f6-a8b2-4fd2-9263-5b736ffffcca))
(fp_line (start -2.8 13.135) (end -2.8 13.535)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2bb75309-f65d-43a5-9d2a-0dc6b6dfcaf1))
(fp_line (start -2.8 13.535) (end -1.755 13.535)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7cfd7afb-8664-4eac-a6f6-c0402048fbf5))
(fp_line (start -1.755 -12.265) (end -2.8 -12.265)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fc5cdd53-103f-4cc7-b7c8-75ba6ae69c82))
(fp_line (start -1.755 -10.995) (end -2.8 -10.995)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 27485b22-c18c-433a-ac5e-95f36b133c99))
(fp_line (start -1.755 -9.725) (end -2.8 -9.725)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7d228b09-fcc3-4da7-b0af-d49720a6f2c8))
(fp_line (start -1.755 -8.455) (end -2.8 -8.455)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 550ecde0-f376-45d8-abe7-c3114dce503d))
```

(fp_line (start -1.755 -7.185) (end -2.8 -7.185)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f0feab38-1736-4bb7-9752-782517086248))
(fp_line (start -1.755 -5.915) (end -2.8 -5.915)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 91c7ce5e-b4c4-4c5d-99dd-e76b01ea4c76))
(fp_line (start -1.755 -4.645) (end -2.8 -4.645)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83389e0c-209a-4785-b320-e9582f9043c8))
(fp_line (start -1.755 -3.375) (end -2.8 -3.375)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e0815b92-f090-4718-b4a1-8117a616d43b))
(fp_line (start -1.755 -2.105) (end -2.8 -2.105)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ccb1cdc8-f690-4670-a898-e102e7945d02))
(fp_line (start -1.755 -0.835) (end -2.8 -0.835)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a63e43b7-20a9-4e6d-9de0-5519d9fa7a08))
(fp_line (start -1.755 0.435) (end -2.8 0.435)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 42fe7696-c82d-47df-acae-277913cf1c29))
(fp_line (start -1.755 1.705) (end -2.8 1.705)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 26ab6fdf-93d9-41dc-adf3-d4a02d56999b))
(fp_line (start -1.755 2.975) (end -2.8 2.975)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f53b2c18-f70d-4a17-b966-7514964269b3))
(fp_line (start -1.755 4.245) (end -2.8 4.245)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f8cbec47-0b25-4390-a314-3625982265e1))
(fp_line (start -1.755 5.515) (end -2.8 5.515)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d3a26e6d-61bf-4040-9953-2ae499460a68))
(fp_line (start -1.755 6.785) (end -2.8 6.785)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8a3bc944-71fb-41f5-b289-cfed721fd101))
(fp_line (start -1.755 8.055) (end -2.8 8.055)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9d8a2706-a325-4585-a258-710d1d009171))
(fp_line (start -1.755 9.325) (end -2.8 9.325)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 75258c37-8e98-4a50-b95a-ce39d26609a3))
(fp_line (start -1.755 10.595) (end -2.8 10.595)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4cef7b37-28e1-4703-9241-42b04bba385f))
(fp_line (start -1.755 11.865) (end -2.8 11.865)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9adf97ee-64b9-40ba-9c55-795da70c3c50))
(fp_line (start -1.755 13.135) (end -2.8 13.135)
 (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 79460e25-340d-4499-a60b-ab4c341178f5))
(fp_line (start -1.705 -13.535) (end -2.8 -13.535)

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e963da6-4158-494f-83e4-f3fd1e831bd0))

(fp_line (start -1.705 -13.535) (end -1.27 -13.97)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c5ccc3f2-4215-4657-9169-5e2e8f2ec348))

(fp_line (start -1.705 13.97) (end -1.705 -13.535)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eb9adb7a-fe24-4498-843f-e7b3cdc1e56e))

(fp_line (start -1.27 -13.97) (end 1.705 -13.97)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6647dbcd-dfb9-457a-806d-b5d77c2a9254))

(fp_line (start 1.705 -13.97) (end 1.705 13.97)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 80dadcb0b-bead-4c9b-af63-19285cda4063))

(fp_line (start 1.705 13.97) (end -1.705 13.97)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 78735f8a-73d1-4f8a-94e6-8cb7eb5fbe51))

(fp_line (start 1.755 -13.535) (end 2.8 -13.535)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d27cf0ab-0162-4149-913a-3da47c99e877))

(fp_line (start 1.755 -12.265) (end 2.8 -12.265)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2b7243c4-99d2-4a7e-aa72-94177eb4caf6))

(fp_line (start 1.755 -10.995) (end 2.8 -10.995)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2e96e8ce-3988-448e-a015-fdcb4e11efbe))

(fp_line (start 1.755 -9.725) (end 2.8 -9.725)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1c7a74e9-485f-4028-a6a3-d7f94e958809))

(fp_line (start 1.755 -8.455) (end 2.8 -8.455)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0f93e56a-c95d-46b2-ab13-715adeba6e76))

(fp_line (start 1.755 -7.185) (end 2.8 -7.185)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e65cd4e9-2450-4cd1-ab05-6eef4ca8f3c6))

(fp_line (start 1.755 -5.915) (end 2.8 -5.915)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f8bcef16-3ffd-4e13-bcfe-edff613a8209))

(fp_line (start 1.755 -4.645) (end 2.8 -4.645)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 19084337-7454-4754-b842-61db97d81a80))

(fp_line (start 1.755 -3.375) (end 2.8 -3.375)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c84802e-c872-4524-8ae3-ef9bb1b470e5))

(fp_line (start 1.755 -2.105) (end 2.8 -2.105)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 94f9a305-125d-404d-a789-650e2bf6798e))

(fp_line (start 1.755 -0.835) (end 2.8 -0.835)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6c20a3fc-a7c4-4d89-b34e-8dd659ddb77d))

(fp_line (start 1.755 0.435) (end 2.8 0.435)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7a6f27c-8b0a-46d5-a09a-21a687884c0b))
```

```

(fp_line (start 1.755 1.705) (end 2.8 1.705)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 88dff43f-fc80-4b96-8e9c-ab6d51134548))
(fp_line (start 1.755 2.975) (end 2.8 2.975)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 42db400a-0924-4eb9-9795-917bd3b6c8f2))
(fp_line (start 1.755 4.245) (end 2.8 4.245)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 23a99463-8728-4422-88a7-59fa96979728))
(fp_line (start 1.755 5.515) (end 2.8 5.515)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b2f63f4a-dcbc-41a3-8a9c-1e233fb3acf0))
(fp_line (start 1.755 6.785) (end 2.8 6.785)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9d539a61-8282-4d2e-a433-356b7cb85d13))
(fp_line (start 1.755 8.055) (end 2.8 8.055)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 30ad89e1-9917-4bdf-b415-7179d92f8845))
(fp_line (start 1.755 9.325) (end 2.8 9.325)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 55a72457-3d05-416c-be31-a0d1bfb30b90))
(fp_line (start 1.755 10.595) (end 2.8 10.595)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8fddff25-d318-4fb9-8e17-4f2d86b700eb))
(fp_line (start 1.755 11.865) (end 2.8 11.865)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 37ddc05a-a6d6-4b22-beac-47c8780afd1f))
(fp_line (start 1.755 13.135) (end 2.8 13.135)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b469be24-ba7c-4d52-94e8-c94f4bd98814))
(fp_line (start 2.8 -13.535) (end 2.8 -13.135)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 98abc78e-aa60-407b-aa2a-ebe296a39ca8))
(fp_line (start 2.8 -13.135) (end 1.755 -13.135)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 75dc8af0-b5fc-41fa-be67-9bf85f28b5f5))
(fp_line (start 2.8 -12.265) (end 2.8 -11.865)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1351586f-b6b5-4490-b8af-f5a2580b9ce3))
(fp_line (start 2.8 -11.865) (end 1.755 -11.865)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5b211e4f-2ea4-4414-8e99-c33c259599a8))
(fp_line (start 2.8 -10.995) (end 2.8 -10.595)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a92073bc-56bd-489d-9e38-cd7f9a9a502e))
(fp_line (start 2.8 -10.595) (end 1.755 -10.595)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6fa29cac-35c3-4cab-bcc2-f75d0daccea3))
(fp_line (start 2.8 -9.725) (end 2.8 -9.325)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c0dff9c3-63a4-4573-ab1f-5396f3e0db84))
(fp_line (start 2.8 -9.325) (end 1.755 -9.325)

```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a9d349ee-973e-490f-9b82-6d252e750ac9))
(fp_line (start 2.8 -8.455) (end 2.8 -8.055)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5cd09135-a299-4599-ad3d-54d8f5505d8b))
(fp_line (start 2.8 -8.055) (end 1.755 -8.055)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dbefda91-4f4c-4455-9d24-fd5cbb89ed1a))
(fp_line (start 2.8 -7.185) (end 2.8 -6.785)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 28b45549-efa9-4ffd-b497-cf251f48b846))
(fp_line (start 2.8 -6.785) (end 1.755 -6.785)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 76b33199-9924-445a-8bde-5c8b6c3a843c))
(fp_line (start 2.8 -5.915) (end 2.8 -5.515)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1669dc67-5b35-4189-8de9-ed56462d69e9))
(fp_line (start 2.8 -5.515) (end 1.755 -5.515)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c53a1355-ad64-43f7-a6d0-1b53275a08dc))
(fp_line (start 2.8 -4.645) (end 2.8 -4.245)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97f9745f-2a88-4ab2-bfa4-5ef718ad76e1))
(fp_line (start 2.8 -4.245) (end 1.755 -4.245)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 118ccbe2-fd1b-473d-ba78-57874c8985ac))
(fp_line (start 2.8 -3.375) (end 2.8 -2.975)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 519ce4fc-2048-44fc-8edb-555a123e6eeb))
(fp_line (start 2.8 -2.975) (end 1.755 -2.975)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 71c46759-09fd-48ee-8368-179001de16cc))
(fp_line (start 2.8 -2.105) (end 2.8 -1.705)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c80c4a16-808f-405d-8ed2-cba85386f3a4))
(fp_line (start 2.8 -1.705) (end 1.755 -1.705)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 801787f0-c256-4e2e-b4ab-6869ca2ac0ff))
(fp_line (start 2.8 -0.835) (end 2.8 -0.435)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4409a7a-7b43-4115-a99f-fab2448eeda4))
(fp_line (start 2.8 -0.435) (end 1.755 -0.435)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7b6dfc5a-315c-4ac4-8dd0-d58ea33902cf))
(fp_line (start 2.8 0.435) (end 2.8 0.835)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dbf4e829-e60a-46c3-bd02-6d22429559b3))
(fp_line (start 2.8 0.835) (end 1.755 0.835)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4b781ec6-cfb2-4d7c-b160-f0e2d62912b6))
(fp_line (start 2.8 1.705) (end 2.8 2.105)
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 233322ff-cb3c-44ce-b2bb-049103c627c4))
```

```
(fp_line (start 2.8 2.105) (end 1.755 2.105)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 36233206-e47d-482a-af48-026ef5ff769d))
(fp_line (start 2.8 2.975) (end 2.8 3.375)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5cd8e9f9-a9e0-4994-b38a-61bf9d1500a3))
(fp_line (start 2.8 3.375) (end 1.755 3.375)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 489e859c-1889-47e5-bd0a-6942204c5b04))
(fp_line (start 2.8 4.245) (end 2.8 4.645)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c322e5c3-cbc9-4b54-943f-f173cad0ad3e))
(fp_line (start 2.8 4.645) (end 1.755 4.645)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 41080e9f-08eb-481b-9a8c-71ad819a933c))
(fp_line (start 2.8 5.515) (end 2.8 5.915)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e7747462-0659-489b-96b2-1332c40ee000))
(fp_line (start 2.8 5.915) (end 1.755 5.915)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96be003f-3e9e-4466-8a67-e2c8d08d98f8))
(fp_line (start 2.8 6.785) (end 2.8 7.185)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7fdbaa36-2a9c-4858-8398-1e569dca1b26))
(fp_line (start 2.8 7.185) (end 1.755 7.185)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1902275c-4479-4bd6-927b-0cc60bc30940))
(fp_line (start 2.8 8.055) (end 2.8 8.455)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a4f7c4ea-69d4-46df-b46e-14d7ea77e460))
(fp_line (start 2.8 8.455) (end 1.755 8.455)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 13bbaeab-049f-48dd-822d-29686374a1de))
(fp_line (start 2.8 9.325) (end 2.8 9.725)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 67f21c21-35b6-49ae-b6e5-2e349c22f9a8))
(fp_line (start 2.8 9.725) (end 1.755 9.725)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5872ed19-2603-4b3b-b2d7-1dd600ebfc6c))
(fp_line (start 2.8 10.595) (end 2.8 10.995)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 345bb6f2-93d1-4cd5-bdbc-1eccccb0d3051))
(fp_line (start 2.8 10.995) (end 1.755 10.995)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c83ec335-6a30-4575-b054-b4a664836aef))
(fp_line (start 2.8 11.865) (end 2.8 12.265)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0eeb1fce-df7f-48c8-8e68-96186f2366dd))
(fp_line (start 2.8 12.265) (end 1.755 12.265)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 748c8d03-64c2-4fea-83c0-7ba02598881a))
(fp_line (start 2.8 13.135) (end 2.8 13.535)
```



```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 19b13bef-1017-4347-be64-905e8aa64fe5))
(fp_line (start 2.8 13.535) (end 1.755 13.535)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b77593a4-22e0-4088-9da0-d43d0ef306e9))
(pad "" np_thru_hole circle locked (at 0 -12.7 90) (size 0.76 0.76) (drill 0.76) (layers "*.Cu" "*.Mas
(pad "" np_thru_hole circle locked (at 0 12.7 90) (size 0.76 0.76) (drill 0.76) (layers "*.Cu" "*.Mas
(pad "1" smd roundrect locked (at -1.875 -13.335 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 3 "GND") (pinfunction "Pin_1") (pintype "passive") (tstamp e14c3166-628e-4a3b-bede-7c00342ef64
(pad "2" smd roundrect locked (at 1.875 -13.335 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 2 "+3V3") (pinfunction "Pin_2") (pintype "passive") (tstamp b68a4e36-456c-49ba-8388-8f4d2a3043
(pad "3" smd roundrect locked (at -1.875 -12.065 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 122 "/IO_Banks/Z11_N") (pinfunction "Pin_3") (pintype "passive") (tstamp 2805a128-4944-492a-8b
(pad "4" smd roundrect locked (at 1.875 -12.065 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 3 "GND") (pinfunction "Pin_4") (pintype "passive") (tstamp b476584d-7351-408b-9a13-f5d828af3a8
(pad "5" smd roundrect locked (at -1.875 -10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 121 "/IO_Banks/Z11_P") (pinfunction "Pin_5") (pintype "passive") (tstamp f6371365-b6cb-41e7-b5
(pad "6" smd roundrect locked (at 1.875 -10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 3 "GND") (pinfunction "Pin_6") (pintype "passive") (tstamp 590edca2-6a77-41d7-b6b6-abc5f7df0cc
(pad "7" smd roundrect locked (at -1.875 -9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 3 "GND") (pinfunction "Pin_7") (pintype "passive") (tstamp 344fce37-641f-4937-b730-fef966d5325
(pad "8" smd roundrect locked (at 1.875 -9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 131 "/IO_Banks/Z12_P") (pinfunction "Pin_8") (pintype "passive") (tstamp b2e79093-548f-4ef1-bb
(pad "9" smd roundrect locked (at -1.875 -8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 120 "/IO_Banks/Z10_P") (pinfunction "Pin_9") (pintype "passive") (tstamp fb1ee636-5419-4478-a8
(pad "10" smd roundrect locked (at 1.875 -8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 130 "/IO_Banks/Z12_N") (pinfunction "Pin_10") (pintype "passive") (tstamp 6891bb3f-92de-4581-9
(pad "11" smd roundrect locked (at -1.875 -6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 129 "/IO_Banks/Z10_N") (pinfunction "Pin_11") (pintype "passive") (tstamp a668bc35-1720-48bd-9
(pad "12" smd roundrect locked (at 1.875 -6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 3 "GND") (pinfunction "Pin_12") (pintype "passive") (tstamp 4896bcf9-d913-4761-a67c-49a00c29fa
(pad "13" smd roundrect locked (at -1.875 -5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 3 "GND") (pinfunction "Pin_13") (pintype "passive") (tstamp e90ba3ff-9e14-43e7-8a07-d17759d131
(pad "14" smd roundrect locked (at 1.875 -5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 137 "/IO_Banks/Z9_N") (pinfunction "Pin_14") (pintype "passive") (tstamp 02b45918-a8bf-4ad5-b3
(pad "15" smd roundrect locked (at -1.875 -4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask
(net 119 "/IO_Banks/Z8_P") (pinfunction "Pin_15") (pintype "passive") (tstamp b3fea0cf-7c21-4f1a-84
```

(pad "16" smd roundrect locked (at 1.875 -4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 136 "/IO_Banks/Z9_P") (pinfunction "Pin_16") (pintype "passive") (tstamp db11cc9f-368d-41c0-9130-000000000000))

(pad "17" smd roundrect locked (at -1.875 -3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 128 "/IO_Banks/Z8_N") (pinfunction "Pin_17") (pintype "passive") (tstamp 3c970385-1f40-43a9-8830-000000000000))

(pad "18" smd roundrect locked (at 1.875 -3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 3 "GND") (pinfunction "Pin_18") (pintype "passive") (tstamp 4a45f651-4e0c-4c0c-b85b-2b6b270a9700))

(pad "19" smd roundrect locked (at -1.875 -1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 3 "GND") (pinfunction "Pin_19") (pintype "passive") (tstamp 9e15f853-f781-4969-873e-e04406686ef1))

(pad "20" smd roundrect locked (at 1.875 -1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 135 "/IO_Banks/Z7_N") (pinfunction "Pin_20") (pintype "passive") (tstamp 40bf29ca-da2d-49cf-8930-000000000000))

(pad "21" smd roundrect locked (at -1.875 -0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 118 "/IO_Banks/Z6_P") (pinfunction "Pin_21") (pintype "passive") (tstamp 811d84a1-a28e-43a7-9330-000000000000))

(pad "22" smd roundrect locked (at 1.875 -0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 140 "/IO_Banks/Z7_P") (pinfunction "Pin_22") (pintype "passive") (tstamp 32e91c29-04ad-4a64-8a30-000000000000))

(pad "23" smd roundrect locked (at -1.875 0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 127 "/IO_Banks/Z6_N") (pinfunction "Pin_23") (pintype "passive") (tstamp f30b1a3c-9d3f-4d86-ba30-000000000000))

(pad "24" smd roundrect locked (at 1.875 0.635 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 3 "GND") (pinfunction "Pin_24") (pintype "passive") (tstamp c9925656-f074-43f9-b68c-86ca360f2100))

(pad "25" smd roundrect locked (at -1.875 1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 3 "GND") (pinfunction "Pin_25") (pintype "passive") (tstamp b9b141dd-b20a-4dd0-a58d-688c0d0acf00))

(pad "26" smd roundrect locked (at 1.875 1.905 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 134 "/IO_Banks/Z5_N") (pinfunction "Pin_26") (pintype "passive") (tstamp 24740e4f-be13-40fd-9930-000000000000))

(pad "27" smd roundrect locked (at -1.875 3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 117 "/IO_Banks/Z3_P") (pinfunction "Pin_27") (pintype "passive") (tstamp 553dcfd8-ad35-4303-9030-000000000000))

(pad "28" smd roundrect locked (at 1.875 3.175 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 126 "/IO_Banks/Z5_P") (pinfunction "Pin_28") (pintype "passive") (tstamp 24c1f59a-1f11-4cd0-a830-000000000000))

(pad "29" smd roundrect locked (at -1.875 4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 116 "/IO_Banks/Z3_N") (pinfunction "Pin_29") (pintype "passive") (tstamp 39e07bbf-41bf-4fe9-ae30-000000000000))

(pad "30" smd roundrect locked (at 1.875 4.445 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 3 "GND") (pinfunction "Pin_30") (pintype "passive") (tstamp f57279e3-73a9-4b1c-b50d-714ebf964f00))

(pad "31" smd roundrect locked (at -1.875 5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 3 "GND") (pinfunction "Pin_31") (pintype "passive") (tstamp 0f73fb8f-d9ab-42b1-b74d-34c8d1323000))

(pad "32" smd roundrect locked (at 1.875 5.715 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
(net 125 "/IO_Banks/Z4_P") (pinfunction "Pin_32") (pintype "passive") (tstamp 9b3d1430-cd96-4d15-af30-000000000000))

(pad "33" smd roundrect locked (at -1.875 6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"

```

        (net 115 "/IO_Banks/Z2_N") (pinfunction "Pin_33") (pintype "passive") (tstamp a33cf69f-3d7f-4f94-8a
(pad "34" smd roundrect locked (at 1.875 6.985 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 133 "/IO_Banks/Z4_N") (pinfunction "Pin_34") (pintype "passive") (tstamp d0851dd6-104f-4ccd-98
(pad "35" smd roundrect locked (at -1.875 8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 124 "/IO_Banks/Z2_P") (pinfunction "Pin_35") (pintype "passive") (tstamp 81e1c8df-cbb1-4c68-b7
(pad "36" smd roundrect locked (at 1.875 8.255 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 3 "GND") (pinfunction "Pin_36") (pintype "passive") (tstamp 3584e57b-6aef-43da-b59c-f208c36994
(pad "37" smd roundrect locked (at -1.875 9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 3 "GND") (pinfunction "Pin_37") (pintype "passive") (tstamp 17da8622-f747-4146-9bf0-9c7cd1bb51
(pad "38" smd roundrect locked (at 1.875 9.525 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 132 "/IO_Banks/Z1_N") (pinfunction "Pin_38") (pintype "passive") (tstamp e5c4f050-a830-4414-a1
(pad "39" smd roundrect locked (at -1.875 10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 114 "/IO_Banks/Z0_P") (pinfunction "Pin_39") (pintype "passive") (tstamp 5dc497e9-05a3-4217-99
(pad "40" smd roundrect locked (at 1.875 10.795 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 138 "/IO_Banks/Z1_P") (pinfunction "Pin_40") (pintype "passive") (tstamp 9f22685a-12cc-4cb0-b1
(pad "41" smd roundrect locked (at -1.875 12.065 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 123 "/IO_Banks/Z0_N") (pinfunction "Pin_41") (pintype "passive") (tstamp 18640088-3ae5-4534-9d
(pad "42" smd roundrect locked (at 1.875 12.065 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 3 "GND") (pinfunction "Pin_42") (pintype "passive") (tstamp 4fc05965-7142-4bee-8bdf-a8f7834959
(pad "43" smd roundrect locked (at -1.875 13.335 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 3 "GND") (pinfunction "Pin_43") (pintype "passive") (tstamp 01ebfb8e-bc1d-4454-bfd2-fc372b8b50
(pad "44" smd roundrect locked (at 1.875 13.335 90) (size 2.75 0.76) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 139 "/IO_Banks/VIO_AUX") (pinfunction "Pin_44") (pintype "passive") (tstamp 43aa7c6b-9165-4bb2
(model "${KICAD6_3DMODEL_DIR}/Connector_PinHeader_1.27mm.3dshapes/PinHeader_2x22_P1.27mm_Vertical_SMD
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f41d48a)
(at 59.05 99.15 180)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")

```

```

(property "1b2-bom-key" "res-0402-100k")

(property "MPN" "RC0402FR-13100KL")

(property "Mfg" "Yageo")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005accf0f2")

(attr smd)

(fp_text reference "R3" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp a0823465-415e-418a-987b-39bf56d553ca)
)

(fp_text value "100k" (at 1.35 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp d347ce8d-5e0b-4443-b5bf-13edf4f49804)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 8509c71d-390b-461a-b518-942a616e8521)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 78fd5dbc-140c-47ad-ae6e-c8af660fb02a))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ba8c13f-f495-4256-890a-d74e14750216))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0a3a682e-e1a6-4b7d-bc0b-5c3939073830))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 588ffc13-3f53-4c03-b4f8-c8f4a8536e3c))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 74a548d1-2034-4af7-b16c-ee8d8b980d76))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b443c244-9f03-45a4-85ce-6c4192472cc3))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b648a2b6-0364-44d3-9b76-c47089cdebc2))

```

```

(fp_line (start 0.5 0.25) (end -0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5db3e806-a5fe-454a-ae2b-75c782b66e00))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

  (net 7 "/SHLD") (pintype "passive") (tstamp 79c0e32b-447a-43ac-80b9-9e477b2a584b))

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

  (net 3 "GND") (pintype "passive") (tstamp bd7ed1da-0907-4998-97aa-75535e145125))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005f429741)

  (at 64.4 99.9)

  (descr "SMD pad as test Point, diameter 1.0mm")

  (tags "test point SMD pad")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "exclude_from_bom" "")

  (property "ki_description" "test point")
(property "ki_keywords" "test point tp")

  (path "/00000000-0000-0000-0000-00005b12b6ca")

  (attr exclude_from_pos_files exclude_from_bom)

  (fp_text reference "TP7" (at 0 -1.448) (layer "F.Silks") hide

    (effects (font (size 0.8 0.8) (thickness 0.15))))

    (tstamp d496a275-7554-49f9-b49b-ceef414e1bcf)

  )

  (fp_text value "3V3" (at 0 0) (layer "F.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06))))

    (tstamp 8387d17e-0007-4e13-94e9-6fec9f942a70)

  )

  (fp_text user "${REFERENCE}" (at 0 -1.45) (layer "F.Fab") hide

    (effects (font (size 1 1) (thickness 0.15))))

```

```

        (tstamp 23ab311c-0a2a-41d0-ad7c-c6bdf7a9a9c)
    )
    (fp_circle (center 0 0) (end 0 0.7)
        (stroke (width 0.12) (type solid)) (fill none) (layer "F.Silks") (tstamp 10c97c14-8e6a-464d-a831-63
    (fp_circle (center 0 0) (end 1 0)
        (stroke (width 0.05) (type solid)) (fill none) (layer "F.CrtYd") (tstamp 4e2561e0-d1e6-4b87-ab4a-88
    (pad "1" smd circle (at 0 0) (size 1 1) (layers "F.Cu" "F.Mask")
        (net 30 "/CLKIF") (pinfunction "1") (pintype "passive") (tstamp d4c7aa8e-9bc2-4629-b125-924a9ac14a3
    )

(fpfootprint "Capacitor_SMD:CP_Elec_6.3x5.9" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f447b59)
    (at 67.6 104.2)
    (descr "SMD capacitor, aluminum electrolytic, Panasonic C6, 6.3x5.9mm")
    (tags "capacitor electrolytic")
    (property "1b2-bom-key" "cap-poly-6_3x5_7-10v-150u")
    (property "Characteristics" "10V")
    (property "MPN" "A765EB157M1ALAE022")
    (property "Mfg" "KEMET")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Polarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005cce6160")
    (attr smd)
    (fp_text reference "C87" (at 0 0) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15))))
        (tstamp 00be131e-996e-4d9d-bebd-fa5a765e6f95)
    )
    (fp_text value "150u" (at 0 1.45) (layer "F.Fab")
        (effects (font (size 1 1) (thickness 0.15))))
        (tstamp 98677e12-f070-4811-938a-e117e3148e06)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 1 1) (thickness 0.15))))

```

```

        (tstamp dc1137df-d5a9-43ca-8473-8a681c86dcea)
    )
    (fp_line (start -4.4375 -1.8475) (end -3.65 -1.8475)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp f889d216-f058-4810-9ece-579f56bc509e))
    (fp_line (start -4.04375 -2.24125) (end -4.04375 -1.45375)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp f9af1027-ff31-4b6e-8047-d5e67a5300f5))
    (fp_line (start -3.41 -2.345563) (end -3.41 -1.06)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 1444a09e-b1a4-4f4b-8b34-a9d15d949dc5))
    (fp_line (start -3.41 -2.345563) (end -2.345563 -3.41)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp ab486424-23fd-48be-8cc8-92a28c54a953))
    (fp_line (start -3.41 2.345563) (end -3.41 1.06)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 307db63a-cae3-4508-a698-79bbacf25d2a))
    (fp_line (start -3.41 2.345563) (end -2.345563 3.41)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 27894ca1-5af4-4976-97e4-9d272fb22525))
    (fp_line (start -2.345563 -3.41) (end 3.41 -3.41)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 00d7330e-894c-4267-a578-59fcdea448fa))
    (fp_line (start -2.345563 3.41) (end 3.41 3.41)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp b8e262d9-b830-4a55-95f9-231d20639ba6))
    (fp_line (start 3.41 -3.41) (end 3.41 -1.06)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 4cf60a65-e2ac-4394-8b51-1504aa8964f5))
    (fp_line (start 3.41 3.41) (end 3.41 1.06)
      (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 2d49ba50-a127-4cd3-b24f-a2e063ea5881))
    (fp_line (start -4.8 -1.05) (end -4.8 1.05)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3a7e387c-8b73-4274-971b-b4e6fdcec015))
    (fp_line (start -4.8 1.05) (end -3.55 1.05)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e6335994-0fa9-4fb5-9c98-7562ea54c5bb))
    (fp_line (start -3.55 -2.4) (end -3.55 -1.05)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 918aa0ec-55ef-467d-908d-52cb82c7e058))
    (fp_line (start -3.55 -2.4) (end -2.4 -3.55)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70945da3-cd19-42fd-9468-4301a74e7568))
    (fp_line (start -3.55 -1.05) (end -4.8 -1.05)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d724aba5-05b4-465b-b67f-e66b5eaafb90))
    (fp_line (start -3.55 1.05) (end -3.55 2.4)
      (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 06e14cd2-3916-47ae-8d6e-855ef0f33a43))
    (fp_line (start -3.55 2.4) (end -2.4 3.55)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ef4ae719-53a9-4efc-a4ec-3675cf11ac33))
(fp_line (start -2.4 -3.55) (end 3.55 -3.55)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 46c5c806-0f4f-4405-a179-74fde8a570f3))
(fp_line (start -2.4 3.55) (end 3.55 3.55)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9f899b52-1cc3-4c26-9f6d-5279db2b54f9))
(fp_line (start 3.55 -3.55) (end 3.55 -1.05)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ed89352-806e-45a8-b480-fcd8773f5804))
(fp_line (start 3.55 -1.05) (end 4.8 -1.05)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 45121912-028e-4fc2-8944-557d04725393))
(fp_line (start 3.55 1.05) (end 3.55 3.55)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bba52364-0332-4ca7-a9fe-f3e2bf050f80))
(fp_line (start 4.8 -1.05) (end 4.8 1.05)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 373e6af5-0c9c-48dc-9590-20b3e34a8143))
(fp_line (start 4.8 1.05) (end 3.55 1.05)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0ea24642-8f38-4d00-afd9-fa6317cde24a))
(fp_line (start -3.3 -2.3) (end -3.3 2.3)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 193a1f00-b038-4efd-858a-373fca3254a6))
(fp_line (start -3.3 -2.3) (end -2.3 -3.3)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1576a440-5704-4aba-bf99-2ddb5ea98bca))
(fp_line (start -3.3 2.3) (end -2.3 3.3)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ad7d41ba-f15d-4de6-9fbc-fb4773ac4def))
(fp_line (start -2.704838 -1.33) (end -2.074838 -1.33)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6209ddb1-2aa3-463b-9e95-96a4ed3fbb37))
(fp_line (start -2.389838 -1.645) (end -2.389838 -1.015)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 957eacbd-bf7a-4864-8411-749653179034))
(fp_line (start -2.3 -3.3) (end 3.3 -3.3)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e63f6001-95bb-4073-a200-686d6db044df))
(fp_line (start -2.3 3.3) (end 3.3 3.3)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b3c1a7dd-843c-4a1b-840e-238634d73d85))
(fp_line (start 3.3 -3.3) (end 3.3 3.3)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dd02c5c7-cdaf-4038-a611-e3e59d0f299b))
(fp_circle (center 0 0) (end 3.15 0)

        (stroke (width 0.1) (type solid)) (fill none) (layer "F.Fab") (tstamp b34185cd-d06a-4fe5-819b-e1e8a
(pad "1" smd roundrect (at -2.8 0) (size 3.5 1.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
(net 5 "+5V") (pintype "passive") (tstamp b6176485-8711-49ae-a7eb-7fe4acb43e89))

```



```

(pad "2" smd roundrect (at 2.8 0) (size 3.5 1.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_ratio
  (net 3 "GND") (pintype "passive") (tstamp 5a8dcad7-059f-4296-afdb-9fefc3c674fb))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/CP_Elec_6.3x5.9.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Package_S0:TSSOP-8_4.4x3mm_P0.65mm" locked (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005f44afea)

  (at 76.4 110.9 90)

  (descr "TSSOP, 8 Pin (JEDEC MO-153 Var AA https://www.jedec.org/document\_search?search\_api\_views\_full)")

  (tags "TSSOP S0")

  (property "1b2-bom-key" "eeprom-tssop8-cat24m01")

  (property "MPN" "CAT24M01YI-GT3")

  (property "Mfg" "ON Semiconductor")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "1 Mb I2C CMOS Serial EEPROM, SOIC-8")

  (property "ki_keywords" "EEPROM 1Mb I2C")

  (path "/00000000-0000-0000-0000-00005acd2bb9")

  (attr smd)

  (fp_text reference "U2" (at 0 0 270) (layer "F.Silks") hide

    (effects (font (size 1 1) (thickness 0.15)))

    (tstamp 7d91dfd7-42fa-4708-b098-ddd20d07d574)

  )

  (fp_text value "CAT24M01X" (at 0 -1.05 270) (layer "F.Fab")

    (effects (font (size 0.3 0.3) (thickness 0.0625)))

    (tstamp b8ca9560-62c6-447a-82bf-e2bd33d29ddb)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

    (effects (font (size 1 1) (thickness 0.15)))

    (tstamp 3a114ee1-9e80-44e2-b048-e37597107efa)

  )

```

```

(fp_line (start 0 -1.61) (end -3.6 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 9c1e710d-68b4-463b-940a-3b9ea2dc7be9))
(fp_line (start 0 -1.61) (end 2.2 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 150cfe1f-04bd-48f0-9a74-a2b58ce3553f))
(fp_line (start 0 1.61) (end -2.2 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 9a2117bd-7eb8-4867-b671-1d3716ccb2b5))
(fp_line (start 0 1.61) (end 2.2 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 5abf95d6-634c-4599-a4eb-4ef02254054b))
(fp_line (start -3.85 -1.75) (end -3.85 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp aeed6b85-92fb-4652-8c59-619e966dd0df))
(fp_line (start -3.85 1.75) (end 3.85 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 29479484-324a-45ca-a285-a6aff899ce37))
(fp_line (start 3.85 -1.75) (end -3.85 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 454bba91-165b-4dbb-af23-75890663e8bc))
(fp_line (start 3.85 1.75) (end 3.85 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bc7a23c5-dc7d-4551-9d51-6bd4cc342ad9))
(fp_line (start -2.2 -0.75) (end -1.45 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eb0c52c8-01c1-4e36-9276-e5593b8afcb3))
(fp_line (start -2.2 1.5) (end -2.2 -0.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 603b5d57-7c0a-498e-af22-021b28442861))
(fp_line (start -1.45 -1.5) (end 2.2 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4a9306b8-8e2e-41dc-bd14-b553e9ffec3b))
(fp_line (start 2.2 -1.5) (end 2.2 1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 45291ffb-130e-4f21-a073-e858fbb46118))
(fp_line (start 2.2 1.5) (end -2.2 1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d17ce62a-64bf-4d16-827c-59ba8d8046d8))
(pad "1" smd roundrect locked (at -2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 246 "unconnected-(U2-NC-Pad1)") (pinfunction "NC") (pintype "no_connect") (tstamp 556fd908-dd29-46de))
(pad "2" smd roundrect locked (at -2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 2 "+3V3") (pinfunction "A1") (pintype "input") (tstamp b9a0ebe5-08f2-4aa1-b2e3-07a80b0f84aa))
(pad "3" smd roundrect locked (at -2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 245 "unconnected-(U2-A2-Pad3)") (pinfunction "A2") (pintype "input+no_connect") (tstamp 450804))
(pad "4" smd roundrect locked (at -2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp cf497a24-13c3-41a5-8e16-394a52ad15a1))
(pad "5" smd roundrect locked (at 2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")

```

```

        (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp bd8cbe8e-38a1-4903-8009-a396ed)
(pad "6" smd roundrect locked (at 2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 8ca2259a-9150-4d5b-9258-d368e2130405))
(pad "7" smd roundrect locked (at 2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 244 "unconnected-(U2-WP-Pad7)") (pinfunction "WP") (pintype "input+no_connect") (tstamp b3c98b)
(pad "8" smd roundrect locked (at 2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
        (net 2 "+3V3") (pinfunction "VCC") (pintype "power_in") (tstamp 739c6983-1cf9-4f63-a96c-59f772e88e8)
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/TSSOP-8_4.4x3mm_P0.65mm.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(fp footprint "Package_S0:TSSOP-8_4.4x3mm_P0.65mm" locked (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f44b032)
    (at 72.9 110.9 90)
    (descr "TSSOP, 8 Pin (JEDEC MO-153 Var AA https://www.jedec.org/document\_search?search\_api\_views\_full)
    (tags "TSSOP S0")
    (property "1b2-bom-key" "eeprom-tssop8-bl24c256a")
    (property "MPN" "BL24C256A-SFRC")
    (property "Mfg" "BL(Shanghai Belling)")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "256 kb CMOS Serial EEPROM, DIP-8/SOIC-8/TSSOP-8/DFN-8")
    (property "ki_keywords" "I2C EEPROM Serial 256kb")
    (path "/00000000-0000-0000-0000-00005acd332d")
    (attr smd)
    (fp_text reference "U3" (at 0 0 270) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15))))
        (tstamp 1ec6e7e9-9c2e-42c5-ad33-31f7bb6de834)
    )
    (fp_text value "BL24C256A-SFRC" (at 0 1.1 270) (layer "F.Fab")
        (effects (font (size 0.3 0.3) (thickness 0.0625))))
        (tstamp 6bcde6e2-a2c5-479e-a1a2-837182b3e1f5)

```

```

)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp 2f012fac-50a6-4e4d-a832-35bb9c60d4df)
)
(fp_line (start 0 -1.61) (end -3.6 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp b2fb1296-ca8c-45d0-b5a2-fa04e30c8385))
(fp_line (start 0 -1.61) (end 2.2 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp ea2e8a6c-80ab-4b51-86f4-7a9712c20ed5))
(fp_line (start 0 1.61) (end -2.2 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp 4243a662-66aa-4394-9c52-b3b706e3c70a))
(fp_line (start 0 1.61) (end 2.2 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (timestamp f00ff34a-3c39-422e-8988-87be2c828ea0))
(fp_line (start -3.85 -1.75) (end -3.85 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp aef23bd7-c535-44e7-aa9a-8b1dfd7a6590))
(fp_line (start -3.85 1.75) (end 3.85 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 5fd283a8-fa37-4d9f-91fb-37dbd49d5431))
(fp_line (start 3.85 -1.75) (end -3.85 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp a5ec25f3-bf06-4cc5-8e29-c245cbc59906))
(fp_line (start 3.85 1.75) (end 3.85 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 09ca1b55-184b-4394-befd-05f91fb483f3))
(fp_line (start -2.2 -0.75) (end -1.45 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 93bb90c6-b458-4df9-b93d-ebf6a8e243bd))
(fp_line (start -2.2 1.5) (end -2.2 -0.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp ba688409-4ef9-4d20-966c-5e61814591bb))
(fp_line (start -1.45 -1.5) (end 2.2 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 97e9b444-d4a9-4f32-96be-778c344351b8))
(fp_line (start 2.2 -1.5) (end 2.2 1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp fcb97864-bd5a-4a77-bd4d-1819343ccb76))
(fp_line (start 2.2 1.5) (end -2.2 1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 4a72c99b-b3a3-4d43-81b1-c980cfe4ac79))
(pad "1" smd roundrect locked (at -2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 2 "+3V3") (pinfunction "A0") (pintype "input") (timestamp 735a3e43-f29f-44cc-9e56-da41bb47c223))
(pad "2" smd roundrect locked (at -2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask")
  (net 238 "Net-(U3-A1)") (pinfunction "A1") (pintype "input") (timestamp 47c1bd89-7b3f-4e9c-a7af-292048))

```

```

(pad "3" smd roundrect locked (at -2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 248 "unconnected-(U3-A2-Pad3)") (pinfunction "A2") (pintype "input+no_connect") (tstamp 2a346c1c))
(pad "4" smd roundrect locked (at -2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp de189684-20b6-4e4b-b866-8bc4439ca8ff))
(pad "5" smd roundrect locked (at 2.8625 0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 5258cd41-213a-40f5-bc46-bcdde5b1))
(pad "6" smd roundrect locked (at 2.8625 0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp f9d9e33c-042e-4e7b-88dd-280eacd677e9))
(pad "7" smd roundrect locked (at 2.8625 -0.325 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 247 "unconnected-(U3-WP-Pad7)") (pinfunction "WP") (pintype "input+no_connect") (tstamp 10260000))
(pad "8" smd roundrect locked (at 2.8625 -0.975 90) (size 1.475 0.4) (layers "F.Cu" "F.Paste" "F.Mask"
    (net 2 "+3V3") (pinfunction "VCC") (pintype "power_in") (tstamp 6c1f4131-524a-4b09-97ff-1288f92aee7a))
(model "${KICAD6_3DMODEL_DIR}/Package_SO.3dshapes/TSSOP-8_4.4x3mm_P0.65mm.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:Molex_KK-254_1x02_P2.54mm_Horizontal" locked (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f4629c8)
    (at 84.1 108.4)
    (descr "Molex KK-254 Interconnect System, old/engineering part number: AE-6410-02A example for new part number")
    (tags "connector Molex KK-254 side entry")
    (property "1b2-bom-key" "conn-th-01in-2-1-hdr-ra")
    (property "MPN" "22-05-3021")
    (property "Mfg" "Molex")
    (property "Sheetfile" "io_banks.kicad_sch")
    (property "Sheetname" "IO_Banks")
    (property "ki_description" "Generic connector, single row, 01x02, script generated (kicad-library-utils)")
    (property "ki_keywords" "connector")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c961091")
    (attr through_hole)
    (fp_text reference "J4" (at -1.3 0) (layer "F.SilkS") hide
        (effects (font (size 1 1) (thickness 0.15))))

```

```

        (tstamp 48639696-4d5f-44a9-b1a0-508dcbae68bf)
    )
    (fp_text value "Conn_01x02" (at -1.35 6 90) (layer "F.Fab")
      (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 1d9f39ce-3410-4e40-8c80-e0480bd74565)
  )
  (fp_text user "${REFERENCE}" (at -1.27 -2.413 180) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15))))
    (tstamp 96cbb0ce-9396-44a3-8a2e-6623ace0de9f)
  )
  (fp_line (start -3.937 2.286) (end -3.302 2.286)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 96cdca38-2f5c-4f6c-b6c9-7eed242d6687))
  (fp_line (start -3.937 5.715) (end -3.937 2.286)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 076470ad-f598-417c-b742-74ff328b5dc9))
  (fp_line (start -3.302 2.286) (end -3.302 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 08c042a2-cac7-4f7c-a903-2b42c9b6da81))
  (fp_line (start -2.921 1.397) (end -2.921 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d06d9f54-fbfd-4b1f-bb31-c58fb2c6daee))
  (fp_line (start -2.921 5.715) (end -2.921 11.557)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 80e2bf52-7b12-4eca-b67a-0c8a5585f966))
  (fp_line (start -2.54 5.715) (end -3.937 5.715)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 529afe0a-76fd-4e13-8b94-e6aa4a53bf19))
  (fp_line (start -2.54 5.715) (end -2.54 10.541)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 7766f3a7-799f-4c92-b659-46aefbf51441))
  (fp_line (start -2.286 11.049) (end -2.54 10.541)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 8b8aba89-8e67-46d5-a0e2-8af67366ac2d))
  (fp_line (start -2.159 1.397) (end -2.159 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 5b3bed4a-c8e1-4203-b105-c2738b77fc53))
  (fp_line (start -2.159 11.049) (end -2.159 11.557)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a436b89b-e732-4fdf-b54d-60f4bd40b2f4))
  (fp_line (start -1.778 2.286) (end -0.762 2.286)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 1555bfc6-f3f5-47a0-9b62-2535fcca9f75))
  (fp_line (start -1.778 2.921) (end -3.302 2.921)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 37530776-948d-4e57-b142-25d9555cfbdb))
  (fp_line (start -1.778 2.921) (end -1.778 2.286)

```

```
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp e0c941ec-3df4-4928-98f4-fdcd3918b7b7))
(fp_line (start -0.762 2.286) (end -0.762 2.921)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a931b1ef-8f52-4b60-b8c9-ceadc6d10faa))
(fp_line (start -0.381 1.397) (end -0.381 2.921)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f59b9cc9-32fb-40ca-be4f-e2b3f7d37f30))
(fp_line (start -0.381 11.049) (end -0.381 11.557)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f08370b3-8736-4aa9-bf8c-c578a53df410))
(fp_line (start -0.25 11.049) (end -2.286 11.049)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp aeadc00f-8d66-4fbb-a828-de5a671085ea))
(fp_line (start 0 5.715) (end 0 10.541)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6ccbb760-6489-4fe9-8f32-8f8f86f015ef))
(fp_line (start 0 5.715) (end 1.397 5.715)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2d6b0b19-b7f6-43f9-8038-2c78d6950098))
(fp_line (start 0 10.541) (end -2.54 10.541)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 557e72ee-d86c-401d-8f76-3efacffa10a2))
(fp_line (start 0 10.541) (end -0.25 11.049)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp a8182d6c-8f1e-49ef-b96e-b95b05ad7bd1))
(fp_line (start 0.381 1.397) (end 0.381 2.921)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 574779dd-d499-402f-98d2-d7856e513d84))
(fp_line (start 0.381 5.715) (end 0.381 11.557)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2d11416f-8198-4e5e-9f4b-d827609a8c88))
(fp_line (start 0.762 2.286) (end 1.397 2.286)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 4e67e863-de90-45cb-92c8-65cc1f299016))
(fp_line (start 0.762 2.921) (end -0.762 2.921)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f0b6113f-2bae-4058-b317-666315adb4d6))
(fp_line (start 0.762 2.921) (end 0.762 2.286)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 6ad2e9e1-8350-477d-a2ff-8c7cff90f2e5))
(fp_line (start 1.143 0) (end 1.651 -0.254)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp eef64dd6-bf2a-4077-868d-0383af717b01))
(fp_line (start 1.397 2.286) (end 1.397 5.715)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp c019e07f-2c25-47c2-a628-7c22a2aecf0f))
(fp_line (start 1.651 -0.254) (end 1.651 0.254)
(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 09a582eb-6a8b-4924-ad2f-61259079d577))
(fp_line (start 1.651 0.254) (end 1.143 0)

(stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 20f2f4c6-08f5-450e-825d-58cc96f248b2))
```

```

(fp_line (start -4.318 -1.651) (end -4.318 13.081)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 40de6c59-4d13-49f1-9f00-2315f09eeef))
(fp_line (start -4.318 13.081) (end 1.77 13.081)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cb33c6ae-ffff-4e4c-a6fa-afd10990a88a))
(fp_line (start 1.77 -1.651) (end -4.318 -1.651)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4a142a9-0b5c-4854-acf0-5d82f8372bc9))
(fp_line (start 1.778 13.081) (end 1.77 -1.651)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e5bb1044-40db-4e42-aaad-bb7cd1164671))
(fp_line (start -3.937 -1.27) (end -3.937 11.557)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 193f4edb-14ac-4aa4-a552-162eca5ff6b8))
(fp_line (start -3.937 11.557) (end 1.397 11.557)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 86671c32-1d0b-4114-b29a-a2c22c963242))
(fp_line (start 0.562893 0) (end 1.27 -0.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 71ad3894-0eec-45a2-9a74-db8fed5e3519))
(fp_line (start 1.27 0.5) (end 0.562893 0)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 860a1a66-536f-4cbf-a040-e245ef329422))
(fp_line (start 1.397 -1.27) (end -3.937 -1.27)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 328be3ec-7df1-4541-80b0-937957e41427))
(fp_line (start 1.397 11.557) (end 1.397 -1.27)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8bba1dd0-3c3d-4b07-b981-df0da5702aeb))
(pad "1" thru_hole roundrect locked (at 0 0 180) (size 1.74 2.2) (drill 1.2) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_1") (pintype "passive") (tstamp e542ef7f-2234-41cd-af31-163e5c9319b3))
(pad "2" thru_hole oval locked (at -2.54 0 180) (size 1.74 2.2) (drill 1.2) (layers "*.Cu" "*.Mask")
  (net 159 "/IO_Banks/~{SYNC}") (pinfunction "Pin_2") (pintype "passive") (tstamp 981edf70-6f15-4404-b3e0-4b0000000000))
(model ".././packages3D/Molex_KK-254_1x02_P2.54mm_Horizontal-PN022057028.step"
  (offset (xyz -1.3 -4.3 4.1))
  (scale (xyz 1 1 1))
  (rotate (xyz 180 0 0))
)
)

(footprint "Glasgow:DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm_ThermalVias" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476c85)
  (at 65.9 115 180)
  (descr "6-Lead Plastic Dual Flat, No Lead Package (MA) - 2x2x0.9 mm Body [DFN] (see Microchip Packaging

```



```

(tags "DFN 0.65")

(property "1b2-bom-key" "vreg-dfn6-tlv75533pdrvr")

(property "MPN" "TLV75533PDRVR")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "500 mA Low Dropout Voltage Regulator, Fixed Output 3.3V, WSON6")

(property "ki_keywords" "500mA LDO Regulator Fixed Positive")

(path "/00000000-0000-0000-0000-00005cec297b")

(attr smd)

(fp_text reference "U8" (at 0 0.4 180) (layer "F.Silks") hide
  (effects (font (size 0.6 0.6) (thickness 0.1)))
  (tstamp a2c6486c-eebc-4666-b499-70ca82dc3670)
)

(fp_text value "TLV75533PDRVR" (at 0 1.4 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 6c2b4294-e1c1-42c1-8f2c-d7c0d0b8f637)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 07ecf527-e7d3-41f6-b7da-0f81aef981ff)
)

(fp_line (start -1.45 -1.1) (end 0.725 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp b29770f8-d292-4409-adc0-8b322f31445c))

(fp_line (start -0.725 1.1) (end 0.725 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 5c5bfda0-8cf2-4f2f-b13a-e807b7a88ae6))

(fp_line (start -1.65 -1.25) (end -1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 05a61740-4ade-4fa5-8c1b-994624556317))

(fp_line (start -1.65 -1.25) (end 1.65 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c06a38ec-b2c5-48d5-aae4-8e7f51248538))

(fp_line (start -1.65 1.25) (end 1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4655e937-5d0a-446c-9a89-f723f72bb3d4))

(fp_line (start 1.65 -1.25) (end 1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 66f83e1d-2112-4c03-befa-bae426d82020))

(fp_line (start -1 0) (end 0 -1))

```

```

        (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5357c38d-10df-4100-87e6-5760d6eb7798))
(fp_line (start -1 1) (end -1 0))
        (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp ebbeed04-fcdf-4ecc-ad72-73e75fb508e8))
(fp_line (start 0 -1) (end 1 -1))
        (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 88594482-3f22-4ec2-974b-40bcf0f0d860))
(fp_line (start 1 -1) (end 1 1))
        (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 16273db5-2e1c-4e28-a218-b64c8e2bdd6c))
(fp_line (start 1 1) (end -1 1))
        (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp a3b0d3fe-9607-42de-bbfd-870d9731bcbe))
(pad "" smd roundrect (at 0 -0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.0709985714))
(pad "" smd roundrect (at 0 0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.0709985714))
(pad "1" smd roundrect (at -1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714))
        (net 2 "+3V3") (pinfunction "OUT") (pintype "power_out") (tstamp 45a1d6f3-3112-418f-9ea7-e371e11739))
(pad "2" smd roundrect (at -1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714))
        (net 2 "+3V3") (pinfunction "NC") (pintype "passive") (tstamp fcb9cd8d-c058-41ac-95ae-4d8ffa8b02f2))
(pad "3" smd roundrect (at -1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 4960c1bb-cfb1-4a5c-804c-530a75f93218))
(pad "4" smd roundrect (at 1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714))
        (net 200 "Net-(U7--{RESET})") (pinfunction "EN") (pintype "input") (tstamp 92fe98de-1336-4137-b937-100000000000))
(pad "5" smd roundrect (at 1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714))
        (net 5 "+5V") (pinfunction "NC") (pintype "passive") (tstamp 2c7d2f9b-30e4-4a42-bdcc-7e5960d7d556))
(pad "6" smd roundrect (at 1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.0709985714))
        (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp eff551ff-b00a-4ad8-8922-c7adb4cf819a))
(pad "7" thru_hole circle (at 0 -0.55 180) (size 0.5 0.5) (drill 0.3) (layers "*.Cu"))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp c29689fd-12f1-4414-b000-000000000000))
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "F.Cu" "F.Mask") (roundrect_rratio 0.05))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 76cbbd38-1bd9-4678-8a7c-7998e5cc30da))
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "B.Cu") (roundrect_rratio 0.05))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp b14841d8-428a-48e1-b567-411433021ed2))
(pad "7" thru_hole circle (at 0 0.55 180) (size 0.5 0.5) (drill 0.3) (layers "*.Cu"))
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp 92ea7758-eca6-40e0-b000-000000000000))
(model "${KICAD6_3DMODEL_DIR}/Package_DFN_QFN.3dshapes/DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm.step"
(offset (xyz 0 0 0))
(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))

```

```

    )
)

(footprint "Glasgow:DFN-6-1EP_2x2mm_P0.65mm_EP1x1.6mm_ThermalVias" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005f476cdc)

    (at 65.9 109.9 180)

    (descr "6-Lead Plastic Dual Flat, No Lead Package (MA) - 2x2x0.9 mm Body [DFN] (see Microchip Packagi
    (tags "DFN 0.65")

    (property "1b2-bom-key" "vreg-dfn6-tlv73312pqrdrvq1")

    (property "MPN" "TLV73312PQDRVRQ1")

    (property "Mfg" "Texas Instruments")

    (property "Sheetfile" "glasgow.kicad_sch")
(property "Sheetname" "")

    (property "ki_description" "300 mA Low Dropout Voltage Regulator, Fixed Output 1.2V, WSON6")

    (property "ki_keywords" "300mA LDO Regulator Fixed Positive")

    (path "/00000000-0000-0000-0000-00005cec599a")

    (attr smd)

    (fp_text reference "U36" (at 0 0.3 180) (layer "F.Silks") hide

        (effects (font (size 0.6 0.6) (thickness 0.1)))

        (tstamp 867b1486-3aa8-4088-a4db-8bf12c720304)

    )

    (fp_text value "TLV73312PQDRVR" (at 0 1.4 180) (layer "F.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)))

        (tstamp 50fb3001-adf5-4c61-95ab-541f091d4741)

    )

    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

        (effects (font (size 0.5 0.5) (thickness 0.075)))

        (tstamp e62694bc-7b0c-4bfc-be28-aa9abb1d85fe)

    )

    (fp_line (start -1.45 -1.1) (end 0.725 -1.1)

        (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 6278ea4f-f7f1-49ea-964c-f4eba23a9d04))

    (fp_line (start -0.725 1.1) (end 0.725 1.1)

        (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp e724b5cb-63d1-4ede-9f0a-e79038389503))

    (fp_line (start -1.65 -1.25) (end -1.65 1.25)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9973ed2d-f4d8-449e-88bf-45e1a1b45bb8))

```

```

(fp_line (start -1.65 -1.25) (end 1.65 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 01a4fbac-bdaf-480a-98b6-152948560afd))
(fp_line (start -1.65 1.25) (end 1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 36560ca0-a842-402e-8d65-e60d950b112f))
(fp_line (start 1.65 -1.25) (end 1.65 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 05f1e89a-5146-4b91-b9b0-502c915c6326))
(fp_line (start -1 0) (end 0 -1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5dbaa597-fb96-4a09-aa7f-c7ac855841e5))
(fp_line (start -1 1) (end -1 0)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5709a4cc-8628-4df2-b82f-b6fd9a810e06))
(fp_line (start 0 -1) (end 1 -1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 8b8a52e8-9a84-4165-862e-be45f8fd69ea))
(fp_line (start 1 -1) (end 1 1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 5d8b7c54-303f-4008-ac7d-19e380563a1a))
(fp_line (start 1 1) (end -1 1)
  (stroke (width 0.15) (type solid)) (layer "F.Fab") (tstamp 662eba5b-a18f-4b07-9b16-7737f6f1e363))
(pad "" smd roundrect (at 0 -0.45 180) (size 1 0.7) (layers "F.Paste") (roundrect_rratio 0.07099857143)
  (net 29 "+1V2") (pinfunction "OUT") (pintype "power_out") (tstamp f2e4d94d-29f7-4ae4-8baa-bdfb46f33c))
(pad "2" smd roundrect (at -1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.07099857143)
  (net 29 "+1V2") (pinfunction "NC") (pintype "passive") (tstamp 5c2777af-28c4-4654-9c56-75080f671b8a))
(pad "3" smd roundrect (at -1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.07099857143)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp d1fd6893-d8e5-467e-89aa-b2efe843a67c))
(pad "4" smd roundrect (at 1.05 0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.07099857143)
  (net 5 "+5V") (pinfunction "EN") (pintype "input") (tstamp fe4478d7-5d40-47ec-a2da-4dfce5840b89))
(pad "5" smd roundrect (at 1.05 0 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.07099857143)
  (net 5 "+5V") (pinfunction "NC") (pintype "passive") (tstamp 3a19e33f-7dfd-4e40-8ed8-2d57b4e97ff4))
(pad "6" smd roundrect (at 1.05 -0.65 180) (size 0.45 0.3) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.07099857143)
  (net 5 "+5V") (pinfunction "IN") (pintype "power_in") (tstamp 88f3caba-5d46-46f2-b65c-fb64c68430f5))
(pad "7" thru_hole circle (at 0 -0.55 180) (size 0.5 0.5) (drill 0.3) (layers "*.Cu")
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (zone_connect 2) (tstamp 2b3eb6f8-2cce-4f92-f0e0-000000000000))
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "F.Cu" "F.Mask") (roundrect_rratio 0.05)
  (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 3eab99ef-9f1a-47d9-9832-69bfff0df9ea7))
(pad "7" smd roundrect (at 0 0 180) (size 1 1.6) (layers "B.Cu") (roundrect_rratio 0.05)

```



```

)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp d64daefb-0a5b-42f3-8865-25c7c3296f76))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp af17f544-a168-480e-addc-fd1340af00ae))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 585fe87e-e01b-4b1d-b780-0c9817093587))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8273bd66-9fea-4175-b812-02b5b3b389c3))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2a28b822-c73b-4082-b9aa-f7925cfcfbdd))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c026410c-47ef-49da-b95f-0bac64901b9e))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ff2f948f-aa2f-486c-9010-b1d854d686d5))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b83603b9-52a0-47ea-92a4-dbfd689eca90))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 6e665877-f137-44b8-89a6-88eaf1f448e1))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fe349954-d15d-41c6-9d63-5d169099bd49))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 3 "GND") (pintype "passive") (tstamp 8fa152ba-2cea-4768-980f-4da244d830a5))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (round
  (net 5 "+5V") (pintype "passive") (tstamp 817bb6f4-f1fe-49a3-a51c-31d37a7e1a63))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
(scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476db2)
  (at 65.9 117 180)

```

```

(descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0603-4u7")

(property "MPN" "LMK107BJ475KAHT")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005b691af7")

(attr smd)

(fp_text reference "C26" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 87d0cc62-c3bd-43fc-ac08-0fd760824d44)
)

(fp_text value "4u7" (at 0 -0.8 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 7a279689-a717-4231-901b-a27c69fb38da)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 5d1b2ecb-0840-4ea6-bd4b-bf19b5ee3ed1)
)

(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b5cd834c-ba17-4abd-a724-16bcba0f82fc))

(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f74e7dd3-b5f5-419e-8410-401c909eb87b))

(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 28e59fac-4347-4159-8e9a-f9637dc85e88))

(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 03da044e-16b0-44fb-bb85-b6ecd75b556d))

(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b2feafb5-4d7a-4fb0-8167-5564fd4d2234))

(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0fe05f40-0219-482d-b6c0-f2685f620e32))

```

```

(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 045fbc11-7a6a-4684-9ada-0c9ac7defebc))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 73d62121-0f0a-48af-817d-e63c360ab6a2))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd26f692-3147-4ce1-b185-67dc41128ca0))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc3fa612-ad61-4aac-8cfd-14c013286518))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundr
  (net 3 "GND") (pintype "passive") (tstamp 1d6ba189-aa94-471f-9193-6eddd032e953))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundr
  (net 5 "+5V") (pintype "passive") (tstamp 5a9221a3-75da-40b4-9ea3-8bbdd1e9c946))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f476de2)
  (at 68.5 110.3 90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005b691c9b")
  (attr smd)
  (fp_text reference "C27" (at 0 0 90) (layer "F.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))

```



```

        (tstamp b67f4911-76a9-48cc-8c25-63b1acbbc062)
    )
    (fp_text value "4u7" (at -1.2 0 180) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp ca166d37-74cc-405e-97c8-056e211d63f9)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06))))
(tstamp 61c81efb-4ef0-4382-9a88-e3ab8b614ea8)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f56a126a-7a1d-498d-a240-87c935478d1b))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp fca2ff7e-2a61-472c-bb91-b6da16297530))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 12d9d35a-b80a-4195-8694-547a39d8fbde))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9a9b459a-93b3-4871-bb71-a0b42120c37b))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e41c7cf6-5978-40ce-874d-2441c90cee0d))
(fp_line (start 1.48 0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 35ab633f-648a-493e-ae0e-5299db19c7fd))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0f9c80de-a498-41b7-9aeb-80acd544a5b9))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 666b7fb7-5fb5-46d3-bb78-5d5cdfd730d4))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96e16300-899b-4c12-a64b-1bb249c36536))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 83ac2192-a9d1-47cc-a4c5-c1ad99e4a82a))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 29 "+1V2") (pintype "passive") (tstamp 78ef80df-59f4-4fe0-b033-c6c753d40a97))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 24281864-ac67-44f2-b90c-b9180d8ccd4e))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"

```

```

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu")
(timestamp 00000000-0000-0000-0000-00005f476e12)

    (at 68.5 115.4 90)

    (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0603-4u7")

    (property "MPN" "LMK107BJ475KAHT")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005b691d43")

    (attr smd)

    (fp_text reference "C28" (at 0 0 90) (layer "F.Silks") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (timestamp 7be3d69a-e4e5-4c89-96b6-d22b66a9f536)
    )

    (fp_text value "4u7" (at 1.15 0 180) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (timestamp 19e5cc0b-0675-4f2f-aa5c-434cc1d84c35)
    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (timestamp 6ad4c7fb-cea2-4954-a292-994b339aa2cb)
    )

    (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
        (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 806b51c4-a79b-458f-8012-16e3b57d25c3))

    (fp_line (start -0.162779 0.51) (end 0.162779 0.51)

```

```

        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp a375feeb-83b1-4fb3-8f34-82f25e16e413))
(fp_line (start -1.48 -0.73) (end 1.48 -0.73)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8e91e87e-dc56-450f-ae5e-fda8f583c0f5))
(fp_line (start -1.48 0.73) (end -1.48 -0.73)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c7fba90c-2827-4d94-94aa-9885ba8b28c3))
(fp_line (start 1.48 -0.73) (end 1.48 0.73)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 98b30283-2d30-4927-8d80-c3e083a5e95e))
(fp_line (start 1.48 0.73) (end -1.48 0.73)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp eb4ff582-765b-4cab-bf1d-f9b308039456))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eef62e14-d921-41ad-a920-69693ac4722c))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1cf3cf10-22ce-470f-88a4-a24b54be38ec))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 85b2b7ca-175b-430f-88ac-bedef5b4fc13))
(fp_line (start 0.8 0.4) (end -0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp dba8a3b1-5a80-4a17-bbe6-7fd7a1297a2e))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 0f9926be-7288-4d0d-83a3-582f61f84519))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp a0dc06a1-b622-4b07-a598-cd4f8554cc3e))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Connector_IDC:IDC-Header_2x10_P2.54mm_Vertical" locked (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f482245)
    (at 115.43 113.28 -90)
    (descr "Through hole IDC box header, 2x10, 2.54mm pitch, DIN 41651 / IEC 60603-13, double rows, https
(tags "Through hole vertical IDC box header THT 2x10 2.54mm double row")
    (property "1b2-bom-key" "conn-th-01in-10-2-hdr-shr")
    (property "MPN" "87834-2019")

```

```

(property "Mfg" "Molex")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Generic connector, double row, 02x10, odd/even pin numbering scheme (row 1)")

(property "ki_keywords" "connector")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr through_hole)

(fp_text reference "J3" (at -0.03 11.43) (layer "F.Silks") hide

  (effects (font (size 1 1) (thickness 0.15)))

  (tstamp 10229ae0-d157-4572-bcc6-64be57e505ac)

)

(fp_text value "IDC-Header_2x10_P2.54mm" (at 3.02 11.43) (layer "F.Fab")

  (effects (font (size 1 1) (thickness 0.15)))

  (tstamp 652d8682-7103-4167-8987-f01fd72df4ea)

)

(fp_text user "${REFERENCE}" (at 1.27 11.43) (layer "F.Fab")

  (effects (font (size 1 1) (thickness 0.15)))

  (tstamp 9bb7d20a-b6d0-404b-bc67-9ae043d5dea5)

)

(fp_line (start -3.29 -5.21) (end 5.83 -5.21)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 9d256e1b-b200-4c5b-ad25-ea4fbb67516e))

(fp_line (start -3.29 9.38) (end -1.98 9.38)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 840e9ee3-8b9e-4388-b9cf-be1c42c5af40))

(fp_line (start -3.29 28.07) (end -3.29 -5.21)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 0d887a4b-adc0-4789-be89-502245651522))

(fp_line (start -1.98 -3.91) (end 4.52 -3.91)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp d47dcac0-3f65-47e4-954e-7a8541d842a1))

(fp_line (start -1.98 9.38) (end -1.98 -3.91)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f00a6afb-964f-4741-93de-5d8e8010cab3))

(fp_line (start -1.98 13.48) (end -3.29 13.48)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b1a1aa6b-d25e-4bd0-80cc-2547f4010f51))

(fp_line (start -1.98 13.48) (end -1.98 13.48)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f91e696b-63a3-4af3-badb-3942864409a3))

(fp_line (start -1.98 26.77) (end -1.98 13.48)

  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp dc3537f8-6b13-486c-9d4c-5ba7fda470a5))

```

```

(fp_line (start 4.52 -3.91) (end 4.52 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 63780309-fb40-4e76-be2c-b7734886dc7f))
(fp_line (start 4.52 26.77) (end -1.98 26.77)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp ac96fecf-4c2d-4bac-aba9-c4fcfecdd6b05))
(fp_line (start 5.83 -5.21) (end 5.83 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp c4d37b27-5bd8-433b-9cdc-13aedb8d0c25))
(fp_line (start 5.83 28.07) (end -3.29 28.07)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 1bb4e1f2-9608-46d4-b7eb-72d3d48b4b47))
(fp_line (start -3.68 -5.6) (end -3.68 28.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c8dfbb14-604f-4dd2-80ac-28d9b9a62d81))
(fp_line (start -3.68 28.46) (end 6.22 28.46)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cd17d476-6087-47e0-9eb0-83cb67160fa0))
(fp_line (start 6.22 -5.6) (end -3.68 -5.6)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4e163043-5d37-4a91-abd8-435d2531022f))
(fp_line (start 6.22 28.46) (end 6.22 -5.6)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 85125984-e88e-4168-9147-1968f5a2cb18))
(fp_line (start -3.18 -4.1) (end -2.18 -5.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e4253606-d7c5-4072-adb7-cde55383bf62))
(fp_line (start -3.18 9.38) (end -1.98 9.38)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bc53d73e-df2d-4792-867f-e818e9a0c3d2))
(fp_line (start -3.18 27.96) (end -3.18 -4.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ee33ec88-3cd6-4a88-85db-a613ba812a1c))
(fp_line (start -2.18 -5.1) (end 5.72 -5.1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5b2a19cc-eb85-4977-9a6a-c5f21dcc21bd))
(fp_line (start -1.98 -3.91) (end 4.52 -3.91)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8199f6d7-1c08-4338-a495-32c5df2341db))
(fp_line (start -1.98 9.38) (end -1.98 -3.91)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 55f1509a-596f-402e-b2d1-6a301aeea6fe))
(fp_line (start -1.98 13.48) (end -3.18 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3664750c-e091-4fa2-8bf4-7c3ad0c35637))
(fp_line (start -1.98 13.48) (end -1.98 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 421ab2dc-d900-48cd-9700-75b73dd0ceca))
(fp_line (start -1.98 26.77) (end -1.98 13.48)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 71fe24c4-c41e-48b0-b2a8-78a6fb7caab8))
(fp_line (start 4.52 -3.91) (end 4.52 26.77)

```

```
(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp e33b0d55-534e-4cd4-a51c-68b008e16d9a))
(fp_line (start 4.52 26.77) (end -1.98 26.77))

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b4f3009e-8475-4c0c-9f0d-790af57b8f6e))
(fp_line (start 5.72 -5.1) (end 5.72 27.96))

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 96789167-d0ee-47e2-a46a-cb2e4e3680af))
(fp_line (start 5.72 27.96) (end -3.18 27.96))

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4fe783df-0518-4c85-8e41-8a1b0b81b581))
(pad "1" thru_hole roundrect locked (at 0 0 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask") (r
  (net 110 "/IO_Banks/IO_Buffer_B/VSENSE") (pinfunction "Pin_1") (pintype "passive") (tstamp 8dd56df4
(pad "2" thru_hole circle locked (at 2.54 0 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 107 "/IO_Banks/VI0B") (pinfunction "Pin_2") (pintype "passive") (tstamp 53aa03f1-a732-40e3-89c
(pad "3" thru_hole circle locked (at 0 2.54 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "Pin_3") (pintype "passive") (tstamp 4cad84fe-f74e
(pad "4" thru_hole circle locked (at 2.54 2.54 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_4") (pintype "passive") (tstamp e498f006-c9d5-447a-b88b-7f909311889
(pad "5" thru_hole circle locked (at 0 5.08 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "Pin_5") (pintype "passive") (tstamp 09712cea-7b5e
(pad "6" thru_hole circle locked (at 2.54 5.08 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_6") (pintype "passive") (tstamp 2f9cbb31-6094-490a-9d22-2df4d2aebb7
(pad "7" thru_hole circle locked (at 0 7.62 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "Pin_7") (pintype "passive") (tstamp 28e39c9d-275a
(pad "8" thru_hole circle locked (at 2.54 7.62 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 3 "GND") (pinfunction "Pin_8") (pintype "passive") (tstamp 44915e2a-a777-4b98-b5eb-41927e89c77
(pad "9" thru_hole circle locked (at 0 10.16 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "Pin_9") (pintype "passive") (tstamp b9f68e27-d672
(pad "10" thru_hole circle locked (at 2.54 10.16 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask
  (net 3 "GND") (pinfunction "Pin_10") (pintype "passive") (tstamp 4c6e746c-44e7-43ae-8e35-4f8d474da4
(pad "11" thru_hole circle locked (at 0 12.7 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 71 "/IO_Banks/IO_Buffer_B/Z4") (pinfunction "Pin_11") (pintype "passive") (tstamp f80708b8-09b
(pad "12" thru_hole circle locked (at 2.54 12.7 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask"
  (net 3 "GND") (pinfunction "Pin_12") (pintype "passive") (tstamp 829f4e59-e2d1-43b5-b8b2-53d093ebb6
(pad "13" thru_hole circle locked (at 0 15.24 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
  (net 70 "/IO_Banks/IO_Buffer_B/Z5") (pinfunction "Pin_13") (pintype "passive") (tstamp 55ddfff0-bde
(pad "14" thru_hole circle locked (at 2.54 15.24 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask"
  (net 3 "GND") (pinfunction "Pin_14") (pintype "passive") (tstamp 5475a881-b900-472d-9b80-bbb92fc72c
```

```

(pad "15" thru_hole circle locked (at 0 17.78 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 72 "/IO_Banks/IO_Buffer_B/Z6") (pinfunction "Pin_15") (pintype "passive") (tstamp 14a7a645-2c00)
(pad "16" thru_hole circle locked (at 2.54 17.78 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "Pin_16") (pintype "passive") (tstamp 9bfb88f9-231d-4c37-9da4-2772962783)
(pad "17" thru_hole circle locked (at 0 20.32 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 60 "/IO_Banks/IO_Buffer_B/Z7") (pinfunction "Pin_17") (pintype "passive") (tstamp 80f69f9a-d940)
(pad "18" thru_hole circle locked (at 2.54 20.32 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 3 "GND") (pinfunction "Pin_18") (pintype "passive") (tstamp a3f07ba4-7db3-4eb7-a934-b0205730bb)
(pad "19" thru_hole circle locked (at 0 22.86 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 230 "unconnected-(J3-Pin_19-Pad19)") (pinfunction "Pin_19") (pintype "passive+no_connect") (tstamp 14a7a645-2c00)
(pad "20" thru_hole circle locked (at 2.54 22.86 270) (size 1.7 1.7) (drill 1) (layers "*.Cu" "*.Mask")
    (net 229 "unconnected-(J3-Pin_20-Pad20)") (pinfunction "Pin_20") (pintype "passive+no_connect") (tstamp 14a7a645-2c00)
(model "${KICAD6_3DMODEL_DIR}/Connector_IDC.3dshapes/IDC-Header_2x10_P2.54mm_Vertical.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SOT-143" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f484203)
    (at 61.2 112.8)
    (descr "SOT-143 Based on the Diodes Footprint recommendation https://www.diodes.com/assets/Package-Footer")
    (tags "SOT-143")
    (property "1b2-bom-key" "ic-apx811-40ug-7")
    (property "MPN" "APX811-40UG-7")
    (property "Mfg" "Diodes Incorporated")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Power supply supervisor, Manual reset, Threshold 4.00V, SOT-143")
    (property "ki_keywords" "Supervisor Reset")
    (path "/00000000-0000-0000-0000-00005f3cd805")
    (attr smd)
    (fp_text reference "U7" (at 0.02 -2.38) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15))))

```

```

        (tstamp b3152d20-b035-485c-bf1a-268f1ca98a64)
    )
    (fp_text value "APX811-40UG-7" (at 1.15 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp c31d4849-35c3-4f11-9e74-994fd5aaf1eb)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075))))
(tstamp b56d56a1-4f43-48fa-ad1b-bf395d6d15d1)
)
(fp_line (start -0.65 1.5) (end 0.65 1.5)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp f30c0a90-cdf0-45bc-8790-056f4a83041e))
(fp_line (start 0.65 -1.5) (end -1.3 -1.5)
    (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 13644b8a-3360-4a5b-91da-03b26933fb6f))
(fp_line (start -1.6 1.75) (end -1.6 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c56a7b09-fe5d-47b4-8ca0-7712add3dfb6))
(fp_line (start -1.6 1.75) (end 1.6 1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 3bf7511a-2348-4e21-ae90-3ff115d3d02b))
(fp_line (start 1.6 -1.75) (end -1.6 -1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp ae7d8228-c455-427c-a6a1-414a6e3a1830))
(fp_line (start 1.6 -1.75) (end 1.6 1.75)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp cacd37e8-9ebf-46e4-bbdc-631816a87ad5))
(fp_line (start -0.65 -1.15) (end -0.3 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fd813de2-38f4-42b3-a41b-30625f936eac))
(fp_line (start -0.65 1.5) (end -0.65 -1.15)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2498c466-d790-4e31-952d-75792682d7df))
(fp_line (start -0.3 -1.5) (end 0.65 -1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 68c893ff-cbde-450f-a675-7626863231fe))
(fp_line (start 0.65 -1.5) (end 0.65 1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f9f6b8bb-c28b-4ed8-a94c-33e4275c6ba2))
(fp_line (start 0.65 1.5) (end -0.65 1.5)
    (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ebd27442-e588-408f-95e3-dedacc4c0053))
(pad "1" smd roundrect (at -1 -0.75) (size 0.7 1) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 96865245-82b6-4d37-9d52-1b001a53c0b4
(pad "2" smd roundrect (at -1 0.95) (size 0.7 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio

```



```

        (net 200 "Net-(U7-~{RESET})") (pinfunction "~{RESET}") (pintype "output") (tstamp b00e3309-2547-49f
(pad "3" smd roundrect (at 1 0.95) (size 0.7 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrati
(net 225 "/~{MR}") (pinfunction "~{MR}") (pintype "input") (tstamp 89144e45-cda3-4b59-9f22-3e5b7caba97b))

(pad "4" smd roundrect (at 1 -0.95) (size 0.7 0.6) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rrati

(net 5 "+5V") (pinfunction "VCC") (pintype "power_in") (tstamp 3676ee3e-3a74-4b54-b612-049a99533f63

(model ".../packages3D/SOT-143.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz -90 0 90))

)

)

(footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005f486eb5)

(at 104.95 108.65 90)

(descr "https://www.littelfuse.com/~media/electronics/datasheets/tvs_diode_arrays/littelfuse_tvs_dio

(tags "UDFN 0.5 uQFN")

(property "1b2-bom-key" "diode-14udfn-sp3012-06utg")

(property "MPN" "SP3012-06UTG")

(property "Mfg" "Littelfuse")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")

(property "ki_keywords" "usb 3.0 esd protection suppression transient")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-

(attr smd)

(fp_text reference "D20" (at -0.025 0 180) (layer "F.Silks") hide

(effects (font (size 1 1) (thickness 0.15)))

(tstamp 5df56288-c8e1-4c71-bef7-7e44030b061a)

)

(fp_text value "SP3012-06UTG" (at 0.95 0 180) (layer "F.Fab")

(effects (font (size 0.3 0.3) (thickness 0.05)))

(tstamp 4c983514-7f2c-4b13-b781-75b6e417113d)

)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")

```

```

        (effects (font (size 0.5 0.5) (thickness 0.075)))
        (tstamp ba0ca706-1cbd-4af4-9408-54d25a9e5155)
    )
(fp_line (start -0.675 1.85) (end 0.675 1.85)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 6334d484-2346-46ce-984e-90e4f0e97b7b))
(fp_line (start 0.675 -1.85) (end 0 -1.85)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 48227a52-3f7d-4fcb-b6e9-b02ded9cdd7c))
(fp_line (start -1.075 -2) (end -1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1eb45238-01df-4592-a295-9edb93c5d991))
(fp_line (start -1.075 -2) (end 1.075 -2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp c4151a55-14f6-4167-b977-0694b5e5578b))
(fp_line (start -1.075 2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 032a1c7a-7890-4788-8ec1-02d121264259))
(fp_line (start 1.075 -2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b7e874fb-a17a-4ec4-8da4-6f28586d3515))
(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8c3c8ac0-64bc-4309-80fc-b0bdf271809b))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 11ccc278-9242-402f-8e41-b625cfe676f4))
(fp_line (start -0.675 1.75) (end 0.675 1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp eb1a632c-e22d-4ed6-a3c1-67077697c58d))
(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f789a71c-7811-4305-8002-f37553029f12))
(fp_line (start 0.675 1.75) (end 0.675 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0b8bae04-3ab7-42e1-944c-b42a4e16d9d7))
(pad "1" smd roundrect (at -0.575 -1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr)
  (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "N/C") (pintype "passive") (tstamp 1da9ca4d-a9e3-4a9e-8000-000000000000))
(pad "2" smd roundrect (at -0.575 -1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr)
  (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "N/C") (pintype "passive") (tstamp f08cc57d-d5f0-4a9e-8000-000000000000))
(pad "3" smd roundrect (at -0.575 -0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr)
  (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "N/C") (pintype "passive") (tstamp b5a36ace-9cae-4a9e-8000-000000000000))
(pad "4" smd roundrect (at -0.575 0 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr)
  (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "N/C") (pintype "passive") (tstamp 39c8c857-a914-4a9e-8000-000000000000))
(pad "5" smd roundrect (at -0.575 0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rr)
  (net 3 "GND") (pinfunction "N/C") (pintype "passive") (tstamp decdfb3b-7958-4ddf-a398-e8fa7f524dae))

```

```

(pad "6" smd roundrect (at -0.575 1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 107 "/IO_Banks/VIOB") (pinfunction "N/C") (pintype "passive") (tstamp 8a5bc879-c5e6-45b7-bb05-
(pad "7" smd roundrect (at -0.575 1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 107 "/IO_Banks/VIOB") (pinfunction "N/C") (pintype "passive") (tstamp f996f092-3fb4-4c36-8cb5-
(pad "8" smd roundrect (at 0.575 1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 107 "/IO_Banks/VIOB") (pinfunction "Ch6") (pintype "passive") (tstamp 75c0dda3-3115-49c0-b78f-
(pad "9" smd roundrect (at 0.575 1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 107 "/IO_Banks/VIOB") (pinfunction "Ch5") (pintype "passive") (tstamp 44b47e30-d353-44de-b43c-
(pad "10" smd roundrect (at 0.575 0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 3c6baacd-d94b-412f-a638-6c61c7fb893a
(pad "11" smd roundrect (at 0.575 0 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 58 "/IO_Banks/IO_Buffer_B/Z0") (pinfunction "Ch4") (pintype "passive") (tstamp 94e5b959-b90e-4
(pad "12" smd roundrect (at 0.575 -0.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 67 "/IO_Banks/IO_Buffer_B/Z1") (pinfunction "Ch3") (pintype "passive") (tstamp bbb020f7-450c-4
(pad "13" smd roundrect (at 0.575 -1 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 68 "/IO_Banks/IO_Buffer_B/Z2") (pinfunction "Ch2") (pintype "passive") (tstamp ec3cc8e5-a67e-4
(pad "14" smd roundrect (at 0.575 -1.5 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
    (net 69 "/IO_Banks/IO_Buffer_B/Z3") (pinfunction "Ch1") (pintype "passive") (tstamp d3000ffd-9f1d-4
(model "../packages3D/UDFN-14_1.35x3.5mm_Pitch0.5mm.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:R_Array_Convex_4x0402" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f487134)
    (at 103.2 86 90)
    (descr "Chip Resistor Network, ROHM MNR04 (see mn_r.pdf)")
    (tags "resistor array")
    (property "1b2-bom-key" "res-0402cv-array-4-33r")
    (property "MPN" "YC124-JR-1333RL")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_A")

```

```

(property "ki_description" "4 resistor network, parallel topology")

(property "ki_keywords" "R network parallel topology isolated")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "RN9" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp d389fdc2-52ab-4711-8b2c-d07ca609f0db)
)

(fp_text value "33R" (at -1.3 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 95cc0723-1f19-46e3-adc5-5692044340cb)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 66ecdc1e-635f-4105-8fe9-96d4b6cce0a4)
)

(fp_line (start 0.15 -1.1) (end -0.15 -1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 74c6b057-462b-44bb-bab0-70649ef7b85a))

(fp_line (start 0.15 1.1) (end -0.15 1.1)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 202cda1a-1597-4934-8c09-728bdcbeef81a))

(fp_poly
  (pts
    (xy -0.175 -0.875)
    (xy 0.175 -0.875)
    (xy 0.175 -0.625)
    (xy -0.175 -0.625)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp fd4c0202-410d-47b5-8378-8378-8378-8378-8378-8378)
)

(fp_poly
  (pts
    (xy -0.175 -0.375)
    (xy 0.175 -0.375)
    (xy 0.175 -0.125)
    (xy -0.175 -0.125)
  )
  (stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp fd4c0202-410d-47b5-8378-8378-8378-8378-8378-8378)
)

```

```

)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp c4be7a3e-8806-42cf-8f1f-1a)
(fp_poly
  (pts
    (xy -0.175 0.125)
    (xy 0.175 0.125)
    (xy 0.175 0.375)
    (xy -0.175 0.375)
  )
)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp 5c522ee7-b104-4ad5-b282-ea)
(fp_poly
  (pts
    (xy -0.175 0.625)
    (xy 0.175 0.625)
    (xy 0.175 0.875)
    (xy -0.175 0.875)
  )
)

(stroke (width 0.05) (type solid)) (fill solid) (layer "F.Silks") (tstamp e7125efe-39b8-4ab0-8418-fa)
(fp_line (start -1 -1.25) (end -1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7edff29a-bb7c-4a89-a4f4-0f1398736d00))
(fp_line (start -1 -1.25) (end 1 -1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 57ca20f7-f456-44f6-80e9-06943d2f214a))
(fp_line (start -1 1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b479a9d5-96a1-435d-8f19-88becccb15a9))
(fp_line (start 1 -1.25) (end 1 1.25)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81420960-a1ea-4aaa-a02f-b5d305ff20c7))
(fp_line (start -0.5 -1) (end 0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 97242678-ce2f-4491-8a12-d647097bd8c2))
(fp_line (start -0.5 1) (end -0.5 -1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c7ba33d5-da7b-4b83-8a2b-65d0a1df49d3))
(fp_line (start 0.5 -1) (end 0.5 1)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 2f667e26-638a-4084-b360-d5b85c294a1b))

```

```

(fp_line (start 0.5 1) (end -0.5 1)

  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d8cf4749-a829-44c0-89d7-c71784be9864))

(pad "1" smd roundrect (at -0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 73 "/IO_Banks/IO_Buffer_A/Y0") (pinfunction "R1.1") (pintype "passive") (tstamp 58d9a68f-a29e-4
  (pad "2" smd roundrect (at -0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 77 "/IO_Banks/IO_Buffer_A/Y1") (pinfunction "R2.1") (pintype "passive") (tstamp e12199de-88b2-4
  (pad "3" smd roundrect (at -0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 78 "/IO_Banks/IO_Buffer_A/Y2") (pinfunction "R3.1") (pintype "passive") (tstamp 4cf77208-ba90-43ac-9
  (pad "4" smd roundrect (at -0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 79 "/IO_Banks/IO_Buffer_A/Y3") (pinfunction "R4.1") (pintype "passive") (tstamp 37fd353b-483d-4
  (pad "5" smd roundrect (at 0.5 0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "R4.2") (pintype "passive") (tstamp 624ca71d-ed7f-4
  (pad "6" smd roundrect (at 0.5 0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "R3.2") (pintype "passive") (tstamp 85bc2914-b35d-4
  (pad "7" smd roundrect (at 0.5 -0.25 90) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "R2.2") (pintype "passive") (tstamp 81ab8474-c9cf-4
  (pad "8" smd roundrect (at 0.5 -0.855 90) (size 0.5 0.49) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "R1.2") (pintype "passive") (tstamp 253fe1ce-c6a9-4
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_Array_Convex_4x0402.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:VSSOP-10_3x3mm_P0.5mm" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005f4875f8)

  (at 123.3 84.4 180)

  (descr "VSSOP, 10 Pin (http://www.ti.com/lit/ds/symlink/ads1115.pdf), generated with kicad-footprint-
  (tags "VSSOP S0")

  (property "1b2-bom-key" "ic-vssop10-ina233")

  (property "MPN" "INA233AIDGSR")

  (property "Mfg" "Texas Instruments")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_A")

```

```

(property "ki_description" "High-Side or Low-Side Measurement, Bi-Directional Current and Power Monitor")
(property "ki_keywords" "ADC I2C 16-Bit Oversampling Current Shunt")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
(attr smd)

(fp_text reference "U21" (at 0 0 180) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp 68680da4-ef0d-41c9-903c-4042d1f2f37a)
)

(fp_text value "INA233" (at 0.5 1.8 180) (layer "F.Fab")
  (effects (font (size 0.4064 0.4064) (thickness 0.0508))))
(timestamp 43450512-bfb1-4aef-b549-6581650fe5f7)
)

(fp_text user "${REFERENCE}" (at 0 0 180) (layer "F.Fab")
  (effects (font (size 0.75 0.75) (thickness 0.11))))
(timestamp 78439d1f-98bd-479d-b9c1-f3ccba6a52a3)
)

(fp_line (start 0 -1.61) (end -2.925 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 251adde5-427d-445f-88a4-6a0a15c23df4))
(fp_line (start 0 -1.61) (end 1.5 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 91623ac7-4bf8-428c-ad3a-db3071f387fb))
(fp_line (start 0 1.61) (end -1.5 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 3b8385ba-5a0a-4792-925b-6b66dac4b60d))
(fp_line (start 0 1.61) (end 1.5 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 166ede53-d939-4edf-99ce-0a5c51bffd46))
(fp_line (start -3.18 -1.75) (end -3.18 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 634d28f9-6b4a-4223-8929-f97984514f75))
(fp_line (start -3.18 1.75) (end 3.18 1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 63e3ec34-b40a-45a6-ae20-e2981610ea52))
(fp_line (start 3.18 -1.75) (end -3.18 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 9c63ea22-abe7-45bc-bed4-f876adc03547))
(fp_line (start 3.18 1.75) (end 3.18 -1.75)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 7e2530a3-be7a-4f52-94a2-aacdd09d67df))
(fp_line (start -1.5 -0.75) (end -0.75 -1.5)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 463df7c2-f22d-4482-b6ea-4d77f0abc423))
(fp_line (start -1.5 1.5) (end -1.5 -0.75)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1e3c7cd4-0c11-460e-8519-69667a335066))
(fp_line (start -0.75 -1.5) (end 1.5 -1.5)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02fd8649-871f-4b8d-b65a-b4aff07a670d))
(fp_line (start 1.5 -1.5) (end 1.5 1.5)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 84eded77-47f2-4e75-8811-dee4d8abc3e5))
(fp_line (start 1.5 1.5) (end -1.5 1.5)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9a7e34f2-d317-4765-955c-4f1c3d96dac6))
(pad "1" smd roundrect (at -2.2 -1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "A1") (pintype "input") (tstamp 4cd92ade-33fd-4061-97ec-7776a8ed2456))
(pad "2" smd roundrect (at -2.2 -0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "A0") (pintype "input") (tstamp c1ad508d-536b-4770-a6f7-95fdb4835830))
(pad "3" smd roundrect (at -2.2 0 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 171 "Net-(U21-~{Alert})") (pinfunction "~{Alert}") (pintype "open_collector") (tstamp afb05cb9
(pad "4" smd roundrect (at -2.2 0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp 2502a4f3-8aad-4fb6-85fe-247701
(pad "5" smd roundrect (at -2.2 1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 6d50a338-f068-497f-89ba-6a6920f1f119))
(pad "6" smd roundrect (at 2.2 1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 2 "+3V3") (pinfunction "VS") (pintype "power_in") (tstamp cefc6e42-c211-4ab2-bbc3-ab7350bba4e7
(pad "7" smd roundrect (at 2.2 0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp ed8486e8-b24c-4cf4-b897-dc5b7da06ed3
(pad "8" smd roundrect (at 2.2 0 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 52 "Net-(U21-Vbus)") (pinfunction "Vbus") (pintype "input") (tstamp a94ef634-9627-4ed1-8690-68
(pad "9" smd roundrect (at 2.2 -0.5 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 39 "Net-(U21-Vin-)" ) (pinfunction "Vin-") (pintype "input") (tstamp 6ce0b77f-7a82-4f9d-a0fa-8c
(pad "10" smd roundrect (at 2.2 -1 180) (size 1.45 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 38 "Net-(U21-Vin+)" ) (pinfunction "Vin+") (pintype "input") (tstamp 49431690-5a99-4adf-8e63-86
(model "${KICAD6_3DMODEL_DIR}/Package_S0.3dshapes/VSSOP-10_3x3mm_P0.5mm.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005f5b2266)

```



```

(at 72.25 115.55 180)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005f4262be")

(attr smd)

(fp_text reference "C89" (at 0 0) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 64fbf970-5cc9-48d7-b26f-66407ce04583)
)

(fp_text value "u1" (at 0.95 0 270) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp 7a90786f-ed7f-4726-b48a-2b80bacc8557)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
(effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp f46066ee-09f6-48b2-aade-ef7f66e4faa6)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 639b7368-bd64-4542-8fba-8deb935cdf8d))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8b4af9a4-27b3-4cb5-af61-a6e1d54216b7))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 518f447c-910d-49fc-a2de-1f4119e63bf5))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7c64d02a-eadf-4ebf-a5e2-e794d44b5c0e))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4ccc2c50-74f4-41ea-a5ed-5895fc94e8b5))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 894d54d8-12f6-4f91-8f8e-cd2b2405b6e1))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp bf588070-89f2-4dfc-b67f-02f84b597a98))
(fp_line (start 0.5 0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b6fc62ff-c2fa-4435-ab9a-3c368b9f81ce))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 225 "~/~{MR}") (pintype "passive") (tstamp 7a2eab28-35a4-4d4d-83bc-c8b30d50ccca))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 157bccfb-50cd-4d3f-96f7-130a8c23271b))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f5ffcf5)
    (at 127 105.7 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-1n")
    (property "MPN" "GCM1555C1H102JA16J")
    (property "Mfg" "Murata")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "C90" (at 0 -1.16 90) (layer "F.SilkS") hide
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 539d0ef8-0c01-4665-9d4e-5f84db8ea568)
    )
    (fp_text value "1n 50V C0G" (at 0 0.7112 90) (layer "F.Fab")

```

```

        (effects (font (size 0.4064 0.4064) (thickness 0.0508)))
        (tstamp e5ec8c47-d34d-4361-83e8-bbebf65d4239)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp 602b4b97-3e72-493a-9275-26aba840dd62)
    )
    (fp_line (start -0.107836 -0.36) (end 0.107836 -0.36)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 7b337b73-d698-4fb8-81ac-a09b9fb55cb1))
    (fp_line (start -0.107836 0.36) (end 0.107836 0.36)
        (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 3c03495e-c2fc-43d3-b005-acb640a328c1))
    (fp_line (start -0.91 -0.46) (end 0.91 -0.46)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 765f6510-7f12-4f6a-a0c2-4e6bfed1c52e))
    (fp_line (start -0.91 0.46) (end -0.91 -0.46)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bb2e2724-5a7c-4616-a047-aa61465d8902))
    (fp_line (start 0.91 -0.46) (end 0.91 0.46)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 395a7abc-af4b-4fb0-ae72-08f49a48e0bc))
    (fp_line (start 0.91 0.46) (end -0.91 0.46)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4a0427e9-a19e-4ffa-8fb3-30fba513f4bc))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3ea38dff-da36-463f-8a99-8bf800ac8343))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ca1d93d-8338-4849-a9f3-92c8015880fc))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8b8babd9-afdc-4f31-a083-a7d7a8d03383))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4f8441f8-a546-417d-bcce-2853b4578021))
    (pad "1" smd roundrect (at -0.48 0 270) (size 0.56 0.62) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 978cf5b7-5640-48cf-a0d2-3e08ef6b7a02))
    (pad "2" smd roundrect (at 0.48 0 270) (size 0.56 0.62) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
        (net 41 "Net-(U12-Vbus)") (pintype "passive") (tstamp a2e8f582-641b-49fc-a066-d84db08d589e))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))

```

```
)
```

```
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

    (tstamp 00000000-0000-0000-0000-00005f5ffd04)

    (at 119.6 85.3 90)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : )")

    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-1n")

    (property "MPN" "GCM155C1H102JA16J")

    (property "Mfg" "Murata")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_A")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005d3e337e")

    (attr smd)

    (fp_text reference "C91" (at 0 -1.16 90) (layer "F.Silks") hide

        (effects (font (size 1 1) (thickness 0.15)))

        (tstamp 8ee2f0bf-e133-4722-94c8-2a9e81740894)

    )

    (fp_text value "1n 50V C0G" (at 0 0.6944 90) (layer "F.Fab")

        (effects (font (size 0.4064 0.4064) (thickness 0.0508)))

        (tstamp d90dd2fb-dbbb-465c-894b-dec18b0d1be9)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")

        (effects (font (size 0.25 0.25) (thickness 0.04)))

        (tstamp 39886cc7-7dba-4c5f-86c9-df292edfc035)

    )

    (fp_line (start -0.107836 -0.36) (end 0.107836 -0.36)

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp f0bd64b8-f355-4aa9-8936-74d0e38bba4b))

    (fp_line (start -0.107836 0.36) (end 0.107836 0.36)

        (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 3a8d298f-1c33-4f77-b6ff-329c2da5ad6f))

    (fp_line (start -0.91 -0.46) (end 0.91 -0.46)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp a011a5aa-9895-4743-9667-6b28b4d4cbc4))

)
```

```

(fp_line (start -0.91 0.46) (end -0.91 -0.46)
(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6f669826-399c-4836-b67d-456b7fd5ccac))

(fp_line (start 0.91 -0.46) (end 0.91 0.46)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8d54b08c-d61d-4d37-a96a-26171ed0b0f1))

(fp_line (start 0.91 0.46) (end -0.91 0.46)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp f139df7c-9a48-4c16-9cda-6f82ba5f5521))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9216c956-f045-4c01-aa92-4c276859626e))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8873b0e5-bd17-4052-bc3a-3cf08fc98d46))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d4045c8e-97e5-4a9f-9ff7-760a22dfabf1))

(fp_line (start 0.5 0.25) (end -0.5 0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9db8dd42-2637-40f0-86e5-bedf82605a2f))

(pad "1" smd roundrect (at -0.48 0 90) (size 0.56 0.62) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

(net 3 "GND") (pintype "passive") (tstamp 3931b5e3-91de-498a-8170-46327a0e8acf))

(pad "2" smd roundrect (at 0.48 0 90) (size 0.56 0.62) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_

(net 52 "Net-(U21-Vbus)") (pintype "passive") (tstamp 2a72d25c-7c09-4c7d-8cf2-d239f07c252f))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:UDFN-14_3.5x1.35mm_P0.5mm" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005f6490e5)

(at 100.95 82.35 -90)

(descr "https://www.littelfuse.com/~media/electronics/datasheets/tvs_diode_arrays/littelfuse_tvs_dio

(tags "UDFN 0.5 uQFN")

(property "1b2-bom-key" "diode-14udfn-sp3012-06utg")

(property "MPN" "SP3012-06UTG")

(property "Mfg" "Littelfuse")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

```

```

(property "ki_description" "Low Capacitance TVS Diode Array, 5V Standoff, 6 Channels, UDFN-14")
(property "ki_keywords" "usb 3.0 esd protection suppression transient")
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
(attr smd)
(fp_text reference "D22" (at 0.025 0 180) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp a33d4c42-0f62-4405-8d6e-d464cf42fac2)
)
(fp_text value "SP3012-06UTG" (at -0.95 0 180) (layer "F.Fab")
  (effects (font (size 0.3 0.3) (thickness 0.05)))
  (tstamp 8fa52be4-1707-4d89-a540-74733c0d8067)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 88922f68-a45a-4d76-a177-7e4ed9e1be80)
)
(fp_line (start -0.675 1.85) (end 0.675 1.85)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 2dd7a824-4ec7-46c7-bd5c-0c9f4807b6f2))
(fp_line (start 0.675 -1.85) (end 0 -1.85)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp b87264ab-22db-45b5-bebc-2448edaaf815))
(fp_line (start -1.075 -2) (end -1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 382b8c8a-898c-4712-a80c-f6887bac5f95))
(fp_line (start -1.075 -2) (end 1.075 -2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 2ba2c4c8-1acc-4170-988b-c9a1906cafbb))
(fp_line (start -1.075 2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc06885f-72b8-48ae-ae46-9f709dd32273))
(fp_line (start 1.075 -2) (end 1.075 2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bc6991a2-ba40-48f9-8eea-db723d05d661))
(fp_line (start -0.675 -1.4125) (end -0.3375 -1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp c618414b-54cd-4b24-bbbf-bae01951ce04))
(fp_line (start -0.675 1.75) (end -0.675 -1.4125)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 828fa22d-9899-4b51-9bcf-216818907a41))
(fp_line (start -0.675 1.75) (end 0.675 1.75)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 999c5c2d-4115-4980-9b24-64bdb098da96))
(fp_line (start -0.3375 -1.75) (end 0.675 -1.75)

```

```

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 4cc7ff90-875e-42fe-9d5e-754119d4eb01))
(fp_line (start 0.675 1.75) (end 0.675 -1.75)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 51019b46-f647-461b-8739-b3e3f4d38ba6))
(pad "1" smd roundrect (at -0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "N/C") (pintype "passive") (tstamp 75be3b90-9d06-40
(pad "2" smd roundrect (at -0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "N/C") (pintype "passive") (tstamp d2cb1f06-becc-40
(pad "3" smd roundrect (at -0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "N/C") (pintype "passive") (tstamp d4363544-8a24-40
(pad "4" smd roundrect (at -0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "N/C") (pintype "passive") (tstamp 40cd3ec1-6b0c-40
(pad "5" smd roundrect (at -0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 3 "GND") (pinfunction "N/C") (pintype "passive") (tstamp 6f1a5bb1-db13-468b-b7d3-a9e5246735ca)
(pad "6" smd roundrect (at -0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 108 "/IO_Banks/VIOA") (pinfunction "N/C") (pintype "passive") (tstamp 335bb466-060c-4a70-84a5-40
(pad "7" smd roundrect (at -0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 108 "/IO_Banks/VIOA") (pinfunction "N/C") (pintype "passive") (tstamp ee15235c-8bc2-4f46-8c6e-40
(pad "8" smd roundrect (at 0.575 1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 108 "/IO_Banks/VIOA") (pinfunction "Ch6") (pintype "passive") (tstamp 05915963-6942-46c0-8111-40
(pad "9" smd roundrect (at 0.575 1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 108 "/IO_Banks/VIOA") (pinfunction "Ch5") (pintype "passive") (tstamp 92bab4e1-7b4e-4737-b965-40
(pad "10" smd roundrect (at 0.575 0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 33cb2b20-881b-4462-84c9-72108d9e6c87
(pad "11" smd roundrect (at 0.575 0 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 74 "/IO_Banks/IO_Buffer_A/Z0") (pinfunction "Ch4") (pintype "passive") (tstamp 80b8b786-e258-40
(pad "12" smd roundrect (at 0.575 -0.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 83 "/IO_Banks/IO_Buffer_A/Z1") (pinfunction "Ch3") (pintype "passive") (tstamp f207cfcd-8f30-40
(pad "13" smd roundrect (at 0.575 -1 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 84 "/IO_Banks/IO_Buffer_A/Z2") (pinfunction "Ch2") (pintype "passive") (tstamp dfd9f59d-0336-40
(pad "14" smd roundrect (at 0.575 -1.5 270) (size 0.5 0.28) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
(net 85 "/IO_Banks/IO_Buffer_A/Z3") (pinfunction "Ch1") (pintype "passive") (tstamp 2277a184-0b72-40
(model ".../packages3D/UDFN-14_1.35x3.5mm_Pitch0.5mm.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))

```



```
(fp_line (start 0.93 0.47) (end -0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 6a097ea9-cec0-4eca-b435-7df42c827d6a))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 9de6e67e-c761-44f9-af85-1395eb65a43e))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ac2ca2c7-467e-4467-b780-31a6e6161cb1))

(fp_line (start 0.5 -0.25) (end 0.5 0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp a62cd124-b331-40ac-ab8b-fa3a65336209))

(fp_line (start 0.5 0.25) (end -0.5 0.25)

(stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 3560267c-3942-488d-b248-3d6a15ce9782))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

(net 2 "+3V3") (pintype "passive") (tstamp 9af2937b-be24-46df-a492-e551f689e4d5))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

(net 3 "GND") (pintype "passive") (tstamp d316b491-2f73-484c-a143-3e55df135c6b))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

 footprint "Glasgow:SOT-23-6" (layer "F.Cu")

(tstamp 00000000-0000-0000-0000-00005f66f400)

(at 123.3 93.6)

(descr "6-pin SOT-23 package")

(tags "SOT-23-6")

(property "1b2-bom-key" "ic-sot23-6-dac081c081cimk")

(property "MPN" "DAC081C081CIMK/NOPB")

(property "Mfg" "Texas Instruments")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "8-bit Micropower DAC with I2C-Compatible Interface, SOT-23-6")

(property "ki_keywords" "I2C DAC 8-bit")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
```

```

(fp_text reference "U20" (at 0 -0.1 270) (layer "F.SilkS") hide
  (effects (font (size 0.7 0.7) (thickness 0.15)))
  (tstamp c3ff0a9b-faa9-4f7e-b7f8-4612c83e4ce9)
)
(fp_text value "DAC081C081CIMK" (at 1.4 0 270) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.05)))
(tstamp e288c78e-f245-4432-9abe-674fc096870f)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.5 0.5) (thickness 0.075)))
  (tstamp 97dcecf5-3010-49ed-a7d2-e7856cde1921)
)
(fp_line (start -0.9 1.61) (end 0.9 1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 7a631ed7-141b-4ca3-8c60-8d48798b439f))
(fp_line (start 0.9 -1.61) (end -1.55 -1.61)
  (stroke (width 0.12) (type solid)) (layer "F.SilkS") (tstamp 44e5598f-a12b-4135-9271-59c0c6ad97c2))
(fp_line (start -1.9 -1.8) (end -1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp d0a9d6c7-d45d-4abd-9248-548e198b65de))
(fp_line (start -1.9 1.8) (end 1.9 1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp eb893da6-50a0-42b4-bad5-ec38beefb3ea))
(fp_line (start 1.9 -1.8) (end -1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp bd3dabe6-1a58-40a0-893e-3fad384f9b3a))
(fp_line (start 1.9 1.8) (end 1.9 -1.8)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 8851de30-ec28-433f-94e6-ec89703750b4))
(fp_line (start -0.9 -0.9) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5b643e50-b26b-414f-811e-81234d9f9bc3))
(fp_line (start -0.9 -0.9) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 794b6aed-981b-4c4d-b78e-6c796267257b))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1972196e-ee24-42c0-8d3f-014b2fc1dfc1))
(fp_line (start 0.9 -1.55) (end 0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp fe4ee36b-a840-4390-99e5-836f52b58578))
(fp_line (start 0.9 1.55) (end -0.9 1.55)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 5264e209-c1bf-4d65-bca4-4149b241f761))
(pad "1" smd roundrect (at -1.1 -0.95) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect

```

[illegible]

```

)
(fp_text value "10k" (at 0 -0.7 90) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 42c3af6f-59a9-416a-9888-ce9a3a16295e)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04))))
(timestamp f53d0c0f-553a-4d10-bd55-e1ad69516ef7)
)
(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 5c61272c-9a62-4f4b-b4bf-0e9345e298da))
(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp b0346d46-314c-466a-b8f8-3deb4671d45e))
(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 749a46cc-d53c-45d5-a17f-3a295493a679))
(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp e49284c4-1413-47aa-9394-d50634f9a6c8))
(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp bf81e84c-d88f-4249-9038-2d1aff4a42b3))
(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 4441f735-0584-4773-a55b-03918c491f88))
(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 7fb7154e-868b-4ada-a5b8-d92ea82971e6))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 09f2e240-9b85-4d86-ab8f-a1cea0118dfc))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 197 "/IO_Banks/IO_Buffer_A/VI0_EN") (pintype "passive") (timestamp a9a9ea7e-4ff6-49fc-96d2-162f11
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 45 "/ENVA") (pintype "passive") (timestamp 3957cdc5-e6c0-4891-ae7e-2ef186bc5cff))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Glasgow:SOT-23-6" (layer "F.Cu")

  (tstamp 00000000-0000-0000-0000-00005f6ca95a)

  (at 123.3 97.4 180)

  (descr "6-pin SOT-23 package")

  (tags "SOT-23-6")

  (property "1b2-bom-key" "ic-sot23-6-dac081c081cimk")

  (property "MPN" "DAC081C081CIMK/NOPB")

  (property "Mfg" "Texas Instruments")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "8-bit Micropower DAC with I2C-Compatible Interface, SOT-23-6")

  (property "ki_keywords" "I2C DAC 8-bit")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

  (attr smd)

  (fp_text reference "U13" (at 0 0 270) (layer "F.Silks") hide
    (effects (font (size 0.7 0.7) (thickness 0.15)))
    (tstamp 6ffd56f4-ece8-4928-9e18-aaa4a4e5232a)
  )

  (fp_text value "DAC081C081CIMK" (at 1.2 0 90) (layer "F.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.05)))
    (tstamp 6ad955eb-26f7-4f4f-8762-d6e09d17d7b9)
  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
    (effects (font (size 0.5 0.5) (thickness 0.075)))
    (tstamp 51ecbffd-a007-4313-9482-11deef8acbaa)
  )

  (fp_line (start -0.9 1.61) (end 0.9 1.61)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp abc602e2-d8d1-4a38-9801-7b5696dece89))

  (fp_line (start 0.9 -1.61) (end -1.55 -1.61)
    (stroke (width 0.12) (type solid)) (layer "F.Silks") (tstamp 59ce21a9-57e1-4086-9e6e-d3e0fedffafd))

  (fp_line (start -1.9 -1.8) (end -1.9 1.8)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 33622873-32ec-4fb4-af85-4b4b761cfe0b))

  (fp_line (start -1.9 1.8) (end 1.9 1.8)
    (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 70afc3dc-8b86-4b34-9182-5cac5811743d))

  (fp_line (start 1.9 -1.8) (end -1.9 -1.8)

```

```

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp b41b27ad-4153-41c8-9166-1ca5ad9bcec7))
(fp_line (start 1.9 1.8) (end 1.9 -1.8)

        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 1d4971ce-efb3-418e-916f-c9b9b97c70b6))
(fp_line (start -0.9 -0.9) (end -0.9 1.55)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 87677d26-7ddc-42a2-a87c-fbf631ca0398))
(fp_line (start -0.9 -0.9) (end -0.25 -1.55)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp ae39b422-a2bb-441b-8377-21ddb9d2e089))
(fp_line (start 0.9 -1.55) (end -0.25 -1.55)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 44d7d033-f037-4b2a-abb2-20e3b5941ded))
(fp_line (start 0.9 -1.55) (end 0.9 1.55)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 117e6402-6c70-41a0-83a4-d1ce628f2594))
(fp_line (start 0.9 1.55) (end -0.9 1.55)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 8ffbf37a-e0c4-45b4-8628-51d367f2b5c5))
(pad "1" smd roundrect (at -1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 226 "/IO_Banks/IO_Buffer_B/VDAC") (pinfunction "VOUT") (pintype "output") (tstamp 28fc8d82-2b2
(pad "2" smd roundrect (at -1.1 0 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 2 "+3V3") (pinfunction "VA") (pintype "power_in") (tstamp 79499ddb-2f1e-4c87-860b-dea38e5e7f48
(pad "3" smd roundrect (at -1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "GND") (pintype "power_in") (tstamp 832bef6f-9b15-4ca4-83ab-869c4a5f450c
(pad "4" smd roundrect (at 1.1 0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 1 "/SDA") (pinfunction "SDA") (pintype "bidirectional") (tstamp bacc647c-1e81-46c4-8dd9-e8c590
(pad "5" smd roundrect (at 1.1 0 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 4 "/SCL") (pinfunction "SCL") (pintype "input") (tstamp 6b31dc8c-5e01-4605-9ff2-00ff09ac5afe))
(pad "6" smd roundrect (at 1.1 -0.95 180) (size 1.06 0.65) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_
        (net 3 "GND") (pinfunction "ADR0") (pintype "input") (tstamp 0d6b44fd-ac45-47e0-8ab2-bdab37d23b67))
(model "${KICAD6_3DMODEL_DIR}/Package_TO_SOT_SMD.3dshapes/SOT-23-6.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")

        (tstamp 00000000-0000-0000-0000-00005f6ca9b6)
        (at 125.7 96.885 90)

```

```

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e"
(attr smd)

(fp_text reference "C32" (at 0 0 90) (layer "F.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)))
  (tstamp 6a36e728-c5dd-4bfe-8c40-e5945afb7a94)
)

(fp_text value "u1" (at 0.885 0 180) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)))
  (tstamp b7a29f8e-a062-4658-b6f9-a1e737e44c57)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)))
  (tstamp 8d6d6719-fc8d-4633-9328-5fe073369c6f)
)

(fp_line (start -0.93 -0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp e53b1e9d-b66a-4820-bb87-d0a2ece1f44b))

(fp_line (start -0.93 0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp fc459a2d-5775-449b-8a42-77e98145fadb))

(fp_line (start 0.93 -0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 7fe9349a-5ac9-4479-aae8-8ebbe8f0feee))

(fp_line (start 0.93 0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 0373dd47-a25d-4752-821e-aa71811335df))

(fp_line (start -0.5 -0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 02fc3440-4cd3-4a92-b60d-2dcd66d8030d))

(fp_line (start -0.5 0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 15a21d91-be32-4f6c-9c5b-39cf697a041f))

```

```

(fp_line (start 0.5 -0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 7a09dec3-ec08-4071-bcc4-4ae1d913ea2e))
(fp_line (start 0.5 0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp d12bfb09-844c-4624-aa44-bcfb0b235f66))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 84e42992-1436-4c51-9fa1-f3932c5bc9e7))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 1ccea1d3-24b4-4e36-9d23-a70ef347cbc5))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:SW_Tactile_SPST_Angled_TC-1109DE" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f70544b)
  (at 74.65 117.38 180)
  (descr "tactile switch SPST right angle, TC-1109DE")
  (tags "tactile switch SPST angled XKB TC-1109DE")
  (property "1b2-bom-key" "sw-tact-side-tc-1109de-b-f")
  (property "MPN" "TC-1109DE-B-F")
  (property "Mfg" "XKB")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Push button switch, generic, two pins")
  (property "ki_keywords" "switch normally-open pushbutton push-button")
  (path "/00000000-0000-0000-0000-00005f4addef")
  (attr through_hole)
  (fp_text reference "SW1" (at 0 -0.02) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
    (tstamp 202837e8-27c7-41b1-9771-76618f6f5c29)
  )
  (fp_text value "RST" (at 0 1.78 180) (layer "F.Fab")
    (effects (font (size 1 1) (thickness 0.15)))
  )

```



```

(timestamp 92ff3bf5-0fa8-4c66-b330-a4f0ffaafd14c)
)
(fp_text user "B" (at 0 -3.1) (layer "F.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.0625))))
(timestamp b4a958e0-979f-41ec-8277-d546988f2b5f)
)
(fp_line (start -2.25 -1.85) (end -2.25 0.95)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp 2fcb68e1-44a7-4735-8089-1c248ceae06c))
(fp_line (start -2.25 -1.85) (end -0.7 -1.85)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp d45ed2e8-8a8b-4324-924b-631fca8c5ecc))
(fp_line (start 0.7 -1.85) (end 2.25 -1.85)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp 09d356e7-d542-4cd7-a21b-b38082020e0f))
(fp_line (start 2.25 -1.85) (end 2.25 0.95)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp 8025ce28-97ad-40df-867a-c935420bd4b3))
(fp_line (start 2.25 0.95) (end -2.25 0.95)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (timestamp 9e6f6426-f224-4046-ad8a-2a2b6bcd2dae))
(fp_line (start -2.5 -2.1) (end 2.5 -2.1)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp ac689603-d050-4de9-94cd-71825a5b46cb))
(fp_line (start -2.5 1.2) (end -2.5 -2.1)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 55025dc8-4472-44c0-91c0-7ca738431ea5))
(fp_line (start 2.5 -2.1) (end 2.5 1.2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 1dc18643-215b-4437-8c53-fa165cfa487b))
(fp_line (start 2.5 1.2) (end -2.5 1.2)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 955860cb-ced9-4584-b2c0-11d0b3624f72))
(fp_line (start -2.25 -1.85) (end -2.25 0.95)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp ecc66c09-a5f8-4748-842b-a19f08818fb5))
(fp_line (start -2.25 -1.85) (end 2.25 -1.85)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 820d9201-24fe-44ad-b855-ba6a80c2a769))
(fp_line (start -2.25 0.95) (end 2.25 0.95)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 1be30c50-b13c-4675-8c1a-abca70b28cb2))
(fp_line (start -1.25 -3.35) (end -1.25 -1.85)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp c6497241-efc6-4a62-a1d6-a04d4b7249b5))
(fp_line (start -1.25 -3.35) (end 1.25 -3.35)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (timestamp 5d7edd4d-9c1b-4de9-aba5-61f671b11f2b))
(fp_line (start 1.25 -3.35) (end 1.25 -1.85)

```

```

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 12862841-bda6-4681-92f8-2ad683f79412))
(fp_line (start 2.25 0.95) (end 2.25 -1.85)

        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 01ab6974-8395-472f-ac03-bd25d81d8913))
(pad "1" thru_hole circle (at -1.5 0 180) (size 1.2 1.2) (drill 0.8) (layers "*.Cu" "*.Mask")
        (net 3 "GND") (pinfunction "1") (pintype "passive") (tstamp e9d576b3-b5c0-4d77-9d4a-2c15e4447b98))
(pad "2" thru_hole circle (at 1.5 0 180) (size 1.2 1.2) (drill 0.8) (layers "*.Cu" "*.Mask")
        (net 225 "~/~{MR}") (pinfunction "2") (pintype "passive") (tstamp f20c9d3d-a0ab-4742-bd51-fa3ed4dbf0
(pad "3" thru_hole circle (at 0 -1.85 180) (size 1.2 1.2) (drill 0.8) (layers "*.Cu" "*.Mask")
        (net 204 "/SWSH") (pinfunction "3") (pintype "passive+no_connect") (tstamp 40eb81ac-152a-4630-b48e-
(model "../..../packages3D/tc-1109de-b-f.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(fp footprint "Symbol:OSHW-Logo2_9.8x8mm_SilkScreen" locked (layer "F.Cu")
    (tstamp 00000000-0000-0000-0000-00005f774f61)
    (at 86.9 85.3)
    (descr "Open Source Hardware Symbol")
    (tags "Logo Symbol OSHW")
    (attr board_only exclude_from_pos_files exclude_from_bom)
    (fp_text reference "REF**" (at 0 0) (layer "F.SilkS") hide
        (effects (font (size 0.8 0.8) (thickness 0.15))))
    (tstamp 97264a05-5396-43f0-b4a5-38740f058694)
)

(fp_text value "OSHW-Logo2_9.8x8mm_SilkScreen" (at 0.75 0) (layer "F.Fab") hide
    (effects (font (size 0.4 0.4) (thickness 0.06))))
    (tstamp 3d8fd283-4f58-4bda-a8ac-ef53b5831873)
)

(fp_poly
    (pts
        (xy 3.570807 2.636782)
        (xy 3.594161 2.646988)
        (xy 3.649902 2.691134)

```

(xy 3.697569 2.754967)
(xy 3.727048 2.823087)
(xy 3.731846 2.85667)
(xy 3.71576 2.903556)
(xy 3.680475 2.928365)
(xy 3.642644 2.943387)
(xy 3.625321 2.946155)
(xy 3.616886 2.926066)
(xy 3.60023 2.882351)
(xy 3.592923 2.862598)
(xy 3.551948 2.794271)
(xy 3.492622 2.760191)
(xy 3.416552 2.761239)
(xy 3.410918 2.762581)
(xy 3.370305 2.781836)
(xy 3.340448 2.819375)
(xy 3.320055 2.879809)
(xy 3.307836 2.967751)
(xy 3.3025 3.087813)
(xy 3.302 3.151698)
(xy 3.301752 3.252403)
(xy 3.300126 3.321054)
(xy 3.295801 3.364673)
(xy 3.287454 3.390282)
(xy 3.273765 3.404903)
(xy 3.253411 3.415558)
(xy 3.252234 3.416095)
(xy 3.213038 3.432667)
(xy 3.193619 3.438769)
(xy 3.190635 3.420319)
(xy 3.188081 3.369323)
(xy 3.18614 3.292308)
(xy 3.184997 3.195805)
(xy 3.184769 3.125184)
(xy 3.185932 2.988525)

```
(xy 3.190479 2.884851)
(xy 3.199999 2.808108)
(xy 3.216081 2.752246)
(xy 3.240313 2.711212)
(xy 3.274286 2.678954)
(xy 3.307833 2.65644)
(xy 3.388499 2.626476)
(xy 3.482381 2.619718)
(xy 3.570807 2.636782)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 176fa516-031c-425e-acc3-5
(fp_poly
(pts
(xy -1.728336 2.595089)
(xy -1.665633 2.631358)
(xy -1.622039 2.667358)
(xy -1.590155 2.705075)
(xy -1.56819 2.751199)
(xy -1.554351 2.812421)
(xy -1.546847 2.895431)
(xy -1.543883 3.006919)
(xy -1.543539 3.087062)
(xy -1.543539 3.382065)
(xy -1.709615 3.456515)
(xy -1.719385 3.133402)
(xy -1.723421 3.012729)
(xy -1.727656 2.925141)
(xy -1.732903 2.86465)
(xy -1.739975 2.825268)
(xy -1.749689 2.801007)
(xy -1.762856 2.78588)
(xy -1.767081 2.782606)
(xy -1.831091 2.757034)
(xy -1.895792 2.767153)
```

```
(xy -1.934308 2.794)
(xy -1.949975 2.813024)
(xy -1.96082 2.837988)
(xy -1.967712 2.875834)
(xy -1.971521 2.933502)
(xy -1.973117 3.017935)
(xy -1.973385 3.105928)
(xy -1.973437 3.216323)
(xy -1.975328 3.294463)
(xy -1.981655 3.347165)
(xy -1.995017 3.381242)
(xy -2.018015 3.403511)
(xy -2.053246 3.420787)
(xy -2.100303 3.438738)
(xy -2.151697 3.458278)
(xy -2.145579 3.111485)
(xy -2.143116 2.986468)
(xy -2.140233 2.894082)
(xy -2.136102 2.827881)
(xy -2.129893 2.78142)
(xy -2.120774 2.748256)
(xy -2.107917 2.721944)
(xy -2.092416 2.698729)
(xy -2.017629 2.624569)
(xy -1.926372 2.581684)
(xy -1.827117 2.571412)
(xy -1.728336 2.595089)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp a4f444d0-d187-4dfe-9647-000000000000)
(fp_poly
(pts
(xy 0.713362 2.62467)
(xy 0.802117 2.657421)
(xy 0.874022 2.71535)
```

(xy 0.902144 2.756128)
(xy 0.932802 2.830954)
(xy 0.932165 2.885058)
(xy 0.899987 2.921446)
(xy 0.888081 2.927633)
(xy 0.836675 2.946925)
(xy 0.810422 2.941982)
(xy 0.80153 2.909587)
(xy 0.801077 2.891692)
(xy 0.784797 2.825859)
(xy 0.742365 2.779807)
(xy 0.683388 2.757564)
(xy 0.617475 2.763161)
(xy 0.563895 2.792229)
(xy 0.545798 2.80881)
(xy 0.532971 2.828925)
(xy 0.524306 2.859332)
(xy 0.518696 2.906788)
(xy 0.515035 2.97805)
(xy 0.512215 3.079875)
(xy 0.511484 3.112115)
(xy 0.50882 3.22241)
(xy 0.505792 3.300036)
(xy 0.50125 3.351396)
(xy 0.494046 3.38289)
(xy 0.483033 3.40092)
(xy 0.46706 3.411888)
(xy 0.456834 3.416733)
(xy 0.413406 3.433301)
(xy 0.387842 3.438769)
(xy 0.379395 3.420507)
(xy 0.374239 3.365296)
(xy 0.372346 3.272499)
(xy 0.373689 3.141478)
(xy 0.374107 3.121269)

```
(xy 0.377058 3.001733)
(xy 0.380548 2.914449)
(xy 0.385514 2.852591)
(xy 0.392893 2.809336)
(xy 0.403624 2.77786)
(xy 0.418645 2.751339)
(xy 0.426502 2.739975)
(xy 0.471553 2.689692)
(xy 0.52194 2.650581)
(xy 0.528108 2.647167)
(xy 0.618458 2.620212)
(xy 0.713362 2.62467)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 06e1d387-a226-4eba-a8d5-0
(fp_poly
(pts
(xy -0.840154 2.49212)
(xy -0.834428 2.57198)
(xy -0.827851 2.619039)
(xy -0.818738 2.639566)
(xy -0.805402 2.639829)
(xy -0.801077 2.637378)
(xy -0.743556 2.619636)
(xy -0.668732 2.620672)
(xy -0.592661 2.63891)
(xy -0.545082 2.662505)
(xy -0.496298 2.700198)
(xy -0.460636 2.742855)
(xy -0.436155 2.797057)
(xy -0.420913 2.869384)
(xy -0.41297 2.966419)
(xy -0.410384 3.094742)
(xy -0.410338 3.119358)
(xy -0.410308 3.39587)
```

(xy -0.471839 3.41732)
(xy -0.515541 3.431912)
(xy -0.539518 3.438706)
(xy -0.540223 3.438769)
(xy -0.542585 3.420345)
(xy -0.544594 3.369526)
(xy -0.546099 3.292993)
(xy -0.546947 3.19743)
(xy -0.547077 3.139329)
(xy -0.547349 3.024771)
(xy -0.548748 2.942667)
(xy -0.552151 2.886393)
(xy -0.558433 2.849326)
(xy -0.568471 2.824844)
(xy -0.583139 2.806325)
(xy -0.592298 2.797406)
(xy -0.655211 2.761466)
(xy -0.723864 2.758775)
(xy -0.786152 2.78917)
(xy -0.797671 2.800144)
(xy -0.814567 2.820779)
(xy -0.826286 2.845256)
(xy -0.833767 2.880647)
(xy -0.837946 2.934026)
(xy -0.839763 3.012466)
(xy -0.840154 3.120617)
(xy -0.840154 3.39587)
(xy -0.901685 3.41732)
(xy -0.945387 3.431912)
(xy -0.969364 3.438706)
(xy -0.97007 3.438769)
(xy -0.971874 3.420069)
(xy -0.9735 3.367322)
(xy -0.974883 3.285557)
(xy -0.975958 3.179805)


```
(xy -0.97666 3.055094)
(xy -0.976923 2.916455)
(xy -0.976923 2.381806)
(xy -0.849923 2.328236)
(xy -0.840154 2.49212)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp b2c1a788-362f-4f26-8b05-7
(fp_poly
(pts
(xy 2.395929 2.636662)
(xy 2.398911 2.688068)
(xy 2.401247 2.766192)
(xy 2.402749 2.864857)
(xy 2.403231 2.968343)
(xy 2.403231 3.318533)
(xy 2.341401 3.380363)
(xy 2.298793 3.418462)
(xy 2.26139 3.433895)
(xy 2.21027 3.432918)
(xy 2.189978 3.430433)
(xy 2.126554 3.4232)
(xy 2.074095 3.419055)
(xy 2.061308 3.418672)
(xy 2.018199 3.421176)
(xy 1.956544 3.427462)
(xy 1.932638 3.430433)
(xy 1.873922 3.435028)
(xy 1.834464 3.425046)
(xy 1.795338 3.394228)
(xy 1.781215 3.380363)
(xy 1.719385 3.318533)
(xy 1.719385 2.663503)
(xy 1.76915 2.640829)
(xy 1.812002 2.624034)
```

(xy 1.837073 2.618154)
(xy 1.843501 2.636736)
(xy 1.849509 2.688655)
(xy 1.854697 2.768172)
(xy 1.858664 2.869546)
(xy 1.860577 2.955192)
(xy 1.865923 3.292231)
(xy 1.91256 3.298825)
(xy 1.954976 3.294214)
(xy 1.97576 3.279287)
(xy 1.98157 3.251377)
(xy 1.98653 3.191925)
(xy 1.990246 3.108466)
(xy 1.992324 3.008532)
(xy 1.992624 2.957104)
(xy 1.992923 2.661054)
(xy 2.054454 2.639604)
(xy 2.098004 2.62502)
(xy 2.121694 2.618219)
(xy 2.122377 2.618154)
(xy 2.124754 2.636642)
(xy 2.127366 2.687906)
(xy 2.129995 2.765649)
(xy 2.132421 2.863574)
(xy 2.134115 2.955192)
(xy 2.139461 3.292231)
(xy 2.256692 3.292231)
(xy 2.262072 2.984746)
(xy 2.267451 2.677261)
(xy 2.324601 2.647707)
(xy 2.366797 2.627413)
(xy 2.39177 2.618204)
(xy 2.392491 2.618154)
(xy 2.395929 2.636662)
)

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 323186ba-b0f7-4779-8010-fa
(fp_poly
  (pts
    (xy -3.983114 2.587256)
    (xy -3.891536 2.635409)
    (xy -3.823951 2.712905)
    (xy -3.799943 2.762727)
    (xy -3.781262 2.837533)
    (xy -3.771699 2.932052)
    (xy -3.770792 3.03521)
    (xy -3.778079 3.135935)
    (xy -3.793097 3.223153)
    (xy -3.815385 3.285791)
    (xy -3.822235 3.296579)
    (xy -3.903368 3.377105)
    (xy -3.999734 3.425336)
    (xy -4.104299 3.43945)
    (xy -4.210032 3.417629)
    (xy -4.239457 3.404547)
    (xy -4.296759 3.364231)
    (xy -4.34705 3.310775)
    (xy -4.351803 3.303995)
    (xy -4.371122 3.271321)
    (xy -4.383892 3.236394)
    (xy -4.391436 3.190414)
    (xy -4.395076 3.124584)
    (xy -4.396135 3.030105)
    (xy -4.396154 3.008923)
    (xy -4.396106 3.002182)
    (xy -4.200769 3.002182)
    (xy -4.199632 3.091349)
    (xy -4.195159 3.15052)
    (xy -4.185754 3.188741)
    (xy -4.169824 3.215053)
    (xy -4.161692 3.223846)
```

```
(xy -4.114942 3.257261)
(xy -4.069553 3.255737)
(xy -4.02366 3.226752)
(xy -3.996288 3.195809)
(xy -3.980077 3.150643)
(xy -3.970974 3.07942)
(xy -3.970349 3.071114)
(xy -3.968796 2.942037)
(xy -3.985035 2.846172)
(xy -4.018848 2.784107)
(xy -4.070016 2.756432)
(xy -4.08828 2.754923)
(xy -4.13624 2.762513)
(xy -4.169047 2.788808)
(xy -4.189105 2.839095)
(xy -4.198822 2.918664)
(xy -4.200769 3.002182)
(xy -4.396106 3.002182)
(xy -4.395426 2.908249)
(xy -4.392371 2.837906)
(xy -4.385678 2.789163)
(xy -4.37404 2.753288)
(xy -4.356147 2.721548)
(xy -4.352192 2.715648)
(xy -4.285733 2.636104)
(xy -4.213315 2.589929)
(xy -4.125151 2.571599)
(xy -4.095213 2.570703)
(xy -3.983114 2.587256)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 42f70efe-8b78-4049-83a6-e
(fp_poly
  (pts
(xy 4.245224 2.647838)
```

(xy 4.322528 2.698361)
(xy 4.359814 2.74359)
(xy 4.389353 2.825663)
(xy 4.391699 2.890607)
(xy 4.386385 2.977445)
(xy 4.186115 3.065103)
(xy 4.088739 3.109887)
(xy 4.025113 3.145913)
(xy 3.992029 3.177117)
(xy 3.98628 3.207436)
(xy 4.004658 3.240805)
(xy 4.024923 3.262923)
(xy 4.083889 3.298393)
(xy 4.148024 3.300879)
(xy 4.206926 3.273235)
(xy 4.250197 3.21832)
(xy 4.257936 3.198928)
(xy 4.295006 3.138364)
(xy 4.337654 3.112552)
(xy 4.396154 3.090471)
(xy 4.396154 3.174184)
(xy 4.390982 3.23115)
(xy 4.370723 3.279189)
(xy 4.328262 3.334346)
(xy 4.321951 3.341514)
(xy 4.27472 3.390585)
(xy 4.234121 3.41692)
(xy 4.183328 3.429035)
(xy 4.14122 3.433003)
(xy 4.065902 3.433991)
(xy 4.012286 3.421466)
(xy 3.978838 3.402869)
(xy 3.926268 3.361975)
(xy 3.889879 3.317748)
(xy 3.86685 3.262126)

```
(xy 3.854359 3.187047)
(xy 3.849587 3.084449)
(xy 3.849206 3.032376)
(xy 3.850501 2.969948)
(xy 3.968471 2.969948)
(xy 3.969839 3.003438)
(xy 3.973249 3.008923)
(xy 3.995753 3.001472)
(xy 4.044182 2.981753)
(xy 4.108908 2.953718)
(xy 4.122443 2.947692)
(xy 4.204244 2.906096)
(xy 4.249312 2.869538)
(xy 4.259217 2.835296)
(xy 4.235526 2.800648)
(xy 4.21596 2.785339)
(xy 4.14536 2.754721)
(xy 4.07928 2.75978)
(xy 4.023959 2.797151)
(xy 3.985636 2.863473)
(xy 3.973349 2.916116)
(xy 3.968471 2.969948)
(xy 3.850501 2.969948)
(xy 3.85173 2.91072)
(xy 3.861032 2.82071)
(xy 3.87946 2.755167)
(xy 3.90936 2.706912)
(xy 3.95308 2.668767)
(xy 3.972141 2.65644)
(xy 4.058726 2.624336)
(xy 4.153522 2.622316)
(xy 4.245224 2.647838)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 32c6d2d1-c62a-4e0d-b0bb-b5)
```

```
(fp_poly
  (pts
    (xy 1.602081 2.780289)
    (xy 1.601833 2.92632)
    (xy 1.600872 3.038655)
    (xy 1.598794 3.122678)
    (xy 1.595193 3.183769)
    (xy 1.589665 3.227309)
    (xy 1.581804 3.258679)
    (xy 1.571207 3.283262)
    (xy 1.563182 3.297294)
    (xy 1.496728 3.373388)
    (xy 1.41247 3.421084)
    (xy 1.319249 3.438199)
    (xy 1.2259 3.422546)
    (xy 1.170312 3.394418)
    (xy 1.111957 3.34576)
    (xy 1.072186 3.286333)
    (xy 1.04819 3.208507)
    (xy 1.037161 3.104652)
    (xy 1.035599 3.028462)
    (xy 1.035809 3.022986)
    (xy 1.172308 3.022986)
    (xy 1.173141 3.110355)
    (xy 1.176961 3.168192)
    (xy 1.185746 3.206029)
    (xy 1.201474 3.233398)
    (xy 1.220266 3.254042)
    (xy 1.283375 3.29389)
    (xy 1.351137 3.297295)
    (xy 1.415179 3.264025)
    (xy 1.420164 3.259517)
    (xy 1.441439 3.236067)
    (xy 1.454779 3.208166)
    (xy 1.462001 3.166641)
```

(xy 1.464923 3.102316)
(xy 1.465385 3.0312)
(xy 1.464383 2.941858)
(xy 1.460238 2.882258)
(xy 1.451236 2.843089)
(xy 1.435667 2.81504)
(xy 1.422902 2.800144)
(xy 1.3636 2.762575)
(xy 1.295301 2.758057)
(xy 1.23011 2.786753)
(xy 1.217528 2.797406)
(xy 1.196111 2.821063)
(xy 1.182744 2.849251)
(xy 1.175566 2.891245)
(xy 1.172719 2.956319)
(xy 1.172308 3.022986)
(xy 1.035809 3.022986)
(xy 1.040322 2.905765)
(xy 1.056362 2.813577)
(xy 1.086528 2.744269)
(xy 1.133629 2.690211)
(xy 1.170312 2.662505)
(xy 1.23699 2.632572)
(xy 1.314272 2.618678)
(xy 1.38611 2.622397)
(xy 1.426308 2.6374)
(xy 1.442082 2.64167)
(xy 1.45255 2.62575)
(xy 1.459856 2.583089)
(xy 1.465385 2.518106)
(xy 1.471437 2.445732)
(xy 1.479844 2.402187)
(xy 1.495141 2.377287)
(xy 1.521864 2.360845)
(xy 1.538654 2.353564)


```
(xy 1.602154 2.326963)
(xy 1.602081 2.780289)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp d6bbf5c4-33d1-4df8-973c-6
(fp_poly
```

```
(pts
(xy -2.465746 2.599745)
(xy -2.388714 2.651567)
(xy -2.329184 2.726412)
(xy -2.293622 2.821654)
(xy -2.286429 2.891756)
(xy -2.287246 2.921009)
(xy -2.294086 2.943407)
(xy -2.312888 2.963474)
(xy -2.349592 2.985733)
(xy -2.410138 3.014709)
(xy -2.500466 3.054927)
(xy -2.500923 3.055129)
(xy -2.584067 3.09321)
(xy -2.652247 3.127025)
(xy -2.698495 3.152933)
(xy -2.715842 3.167295)
(xy -2.715846 3.167411)
(xy -2.700557 3.198685)
(xy -2.664804 3.233157)
(xy -2.623758 3.25799)
(xy -2.602963 3.262923)
(xy -2.54623 3.245862)
(xy -2.497373 3.203133)
(xy -2.473535 3.156155)
(xy -2.450603 3.121522)
(xy -2.405682 3.082081)
(xy -2.352877 3.048009)
(xy -2.30629 3.02948)
```

(xy -2.296548 3.028462)
(xy -2.285582 3.045215)
(xy -2.284921 3.088039)
(xy -2.29298 3.145781)
(xy -2.308173 3.207289)
(xy -2.328914 3.261409)
(xy -2.329962 3.26351)
(xy -2.392379 3.35066)
(xy -2.473274 3.409939)
(xy -2.565144 3.439034)
(xy -2.660487 3.435634)
(xy -2.751802 3.397428)
(xy -2.755862 3.394741)
(xy -2.827694 3.329642)
(xy -2.874927 3.244705)
(xy -2.901066 3.133021)
(xy -2.904574 3.101643)
(xy -2.910787 2.953536)
(xy -2.903339 2.884468)
(xy -2.715846 2.884468)
(xy -2.71341 2.927552)
(xy -2.700086 2.940126)
(xy -2.666868 2.930719)
(xy -2.614506 2.908483)
(xy -2.555976 2.88061)
(xy -2.554521 2.879872)
(xy -2.504911 2.853777)
(xy -2.485 2.836363)
(xy -2.48991 2.818107)
(xy -2.510584 2.79412)
(xy -2.563181 2.759406)
(xy -2.619823 2.756856)
(xy -2.670631 2.782119)
(xy -2.705724 2.830847)
(xy -2.715846 2.884468)

```
(xy -2.903339 2.884468)
(xy -2.898008 2.835036)
(xy -2.865222 2.741055)
(xy -2.819579 2.675215)
(xy -2.737198 2.608681)
(xy -2.646454 2.575676)
(xy -2.553815 2.573573)
(xy -2.465746 2.599745)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp f927f668-44c0-4e91-bf1c-a
(fp_poly
(pts
(xy 0.053501 2.626303)
(xy 0.13006 2.654733)
(xy 0.130936 2.655279)
(xy 0.178285 2.690127)
(xy 0.213241 2.730852)
(xy 0.237825 2.783925)
(xy 0.254062 2.855814)
(xy 0.263975 2.952992)
(xy 0.269586 3.081928)
(xy 0.270077 3.100298)
(xy 0.277141 3.377287)
(xy 0.217695 3.408028)
(xy 0.174681 3.428802)
(xy 0.14871 3.438646)
(xy 0.147509 3.438769)
(xy 0.143014 3.420606)
(xy 0.139444 3.371612)
(xy 0.137248 3.300031)
(xy 0.136769 3.242068)
(xy 0.136758 3.14817)
(xy 0.132466 3.089203)
(xy 0.117503 3.061079)
```

(xy 0.085482 3.059706)
(xy 0.030014 3.080998)
(xy -0.053731 3.120136)
(xy -0.115311 3.152643)
(xy -0.146983 3.180845)
(xy -0.156294 3.211582)
(xy -0.156308 3.213104)
(xy -0.140943 3.266054)
(xy -0.095453 3.29466)
(xy -0.025834 3.298803)
(xy 0.024313 3.298084)
(xy 0.050754 3.312527)
(xy 0.067243 3.347218)
(xy 0.076733 3.391416)
(xy 0.063057 3.416493)
(xy 0.057907 3.420082)
(xy 0.009425 3.434496)
(xy -0.058469 3.436537)
(xy -0.128388 3.426983)
(xy -0.177932 3.409522)
(xy -0.24643 3.351364)
(xy -0.285366 3.270408)
(xy -0.293077 3.20716)
(xy -0.287193 3.150111)
(xy -0.265899 3.103542)
(xy -0.223735 3.062181)
(xy -0.155241 3.020755)
(xy -0.054956 2.973993)
(xy -0.048846 2.97135)
(xy 0.04149 2.929617)
(xy 0.097235 2.895391)
(xy 0.121129 2.864635)
(xy 0.115913 2.833311)
(xy 0.084328 2.797383)
(xy 0.074883 2.789116)

```
(xy 0.011617 2.757058)
(xy -0.053936 2.758407)
(xy -0.111028 2.789838)
(xy -0.148907 2.848024)
(xy -0.152426 2.859446)
(xy -0.1867 2.914837)
(xy -0.230191 2.941518)
(xy -0.293077 2.96796)
(xy -0.293077 2.899548)
(xy -0.273948 2.80011)
(xy -0.217169 2.708902)
(xy -0.187622 2.678389)
(xy -0.120458 2.639228)
(xy -0.035044 2.6215)
(xy 0.053501 2.626303)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 1783d830-89fa-4149-bb0a-f)
(fp_poly
(pts
```

```
(xy -3.231114 2.584505)
(xy -3.156461 2.621727)
(xy -3.090569 2.690261)
(xy -3.072423 2.715648)
(xy -3.052655 2.748866)
(xy -3.039828 2.784945)
(xy -3.03249 2.833098)
(xy -3.029187 2.902536)
(xy -3.028462 2.994206)
(xy -3.031737 3.11983)
(xy -3.043123 3.214154)
(xy -3.064959 3.284523)
(xy -3.099581 3.338286)
(xy -3.14933 3.382788)
(xy -3.152986 3.385423)
```

(xy -3.202015 3.412377)
(xy -3.261055 3.425712)
(xy -3.336141 3.429)
(xy -3.458205 3.429)
(xy -3.458256 3.547497)
(xy -3.459392 3.613492)
(xy -3.466314 3.652202)
(xy -3.484402 3.675419)
(xy -3.519038 3.694933)
(xy -3.527355 3.69892)
(xy -3.56628 3.717603)
(xy -3.596417 3.729403)
(xy -3.618826 3.730422)
(xy -3.634567 3.716761)
(xy -3.644698 3.684522)
(xy -3.650277 3.629804)
(xy -3.652365 3.548711)
(xy -3.652019 3.437344)
(xy -3.6503 3.291802)
(xy -3.649763 3.248269)
(xy -3.647828 3.098205)
(xy -3.646096 3.000042)
(xy -3.458308 3.000042)
(xy -3.457252 3.083364)
(xy -3.452562 3.13788)
(xy -3.441949 3.173837)
(xy -3.423128 3.201482)
(xy -3.41035 3.214965)
(xy -3.35811 3.254417)
(xy -3.311858 3.257628)
(xy -3.264133 3.225049)
(xy -3.262923 3.223846)
(xy -3.243506 3.198668)
(xy -3.231693 3.164447)
(xy -3.225735 3.111748)

```
(xy -3.22388 3.031131)
(xy -3.223846 3.013271)
(xy -3.22833 2.902175)
(xy -3.242926 2.825161)
(xy -3.26935 2.778147)
(xy -3.309317 2.75705)
(xy -3.332416 2.754923)
(xy -3.387238 2.7649)
(xy -3.424842 2.797752)
(xy -3.447477 2.857857)
(xy -3.457394 2.949598)
(xy -3.458308 3.000042)
(xy -3.646096 3.000042)
(xy -3.645778 2.98206)
(xy -3.643127 2.894679)
(xy -3.639394 2.830905)
(xy -3.634093 2.785582)
(xy -3.626742 2.753555)
(xy -3.616857 2.729668)
(xy -3.603954 2.708764)
(xy -3.598421 2.700898)
(xy -3.525031 2.626595)
(xy -3.43224 2.584467)
(xy -3.324904 2.572722)
(xy -3.231114 2.584505)
)
```

```
(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 785089b3-15e3-4dcf-808a-fa
(fp_poly
(pts
(xy 2.887333 2.633528)
(xy 2.94359 2.659117)
(xy 2.987747 2.690124)
(xy 3.020101 2.724795)
(xy 3.042438 2.76952)
```

(xy 3.056546 2.830692)
(xy 3.064211 2.914701)
(xy 3.06722 3.02794)
(xy 3.067538 3.102509)
(xy 3.067538 3.39342)
(xy 3.017773 3.416095)
(xy 2.978576 3.432667)
(xy 2.959157 3.438769)
(xy 2.955442 3.42061)
(xy 2.952495 3.371648)
(xy 2.950691 3.300153)
(xy 2.950308 3.243385)
(xy 2.948661 3.161371)
(xy 2.944222 3.096309)
(xy 2.93774 3.056467)
(xy 2.93259 3.048)
(xy 2.897977 3.056646)
(xy 2.84364 3.078823)
(xy 2.780722 3.108886)
(xy 2.720368 3.141192)
(xy 2.673721 3.170098)
(xy 2.651926 3.189961)
(xy 2.651839 3.190175)
(xy 2.653714 3.226935)
(xy 2.670525 3.262026)
(xy 2.700039 3.290528)
(xy 2.743116 3.300061)
(xy 2.779932 3.29895)
(xy 2.832074 3.298133)
(xy 2.859444 3.310349)
(xy 2.875882 3.342624)
(xy 2.877955 3.34871)
(xy 2.885081 3.394739)
(xy 2.866024 3.422687)
(xy 2.816353 3.436007)

(xy 2.762697 3.43847)
(xy 2.666142 3.42021)
(xy 2.616159 3.394131)
(xy 2.554429 3.332868)
(xy 2.52169 3.25767)
(xy 2.518753 3.178211)
(xy 2.546424 3.104167)
(xy 2.588047 3.057769)
(xy 2.629604 3.031793)
(xy 2.694922 2.998907)
(xy 2.771038 2.965557)
(xy 2.783726 2.960461)
(xy 2.867333 2.923565)
(xy 2.91553 2.891046)
(xy 2.93103 2.858718)
(xy 2.91655 2.822394)
(xy 2.891692 2.794)
(xy 2.832939 2.759039)
(xy 2.768293 2.756417)
(xy 2.709008 2.783358)
(xy 2.666339 2.837088)
(xy 2.660739 2.85095)
(xy 2.628133 2.901936)
(xy 2.58053 2.939787)
(xy 2.520461 2.97085)
(xy 2.520461 2.882768)
(xy 2.523997 2.828951)
(xy 2.539156 2.786534)
(xy 2.572768 2.741279)
(xy 2.605035 2.70642)
(xy 2.655209 2.657062)
(xy 2.694193 2.630547)
(xy 2.736064 2.619911)
(xy 2.78346 2.618154)
(xy 2.887333 2.633528)

)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp f7ddaede-616a-4e06-aeeb-8

(fp_poly

(pts

(xy 0.139878 -3.712224)

(xy 0.245612 -3.711645)

(xy 0.322132 -3.710078)

(xy 0.374372 -3.707028)

(xy 0.407263 -3.702004)

(xy 0.425737 -3.694511)

(xy 0.434727 -3.684056)

(xy 0.439163 -3.670147)

(xy 0.439594 -3.668346)

(xy 0.446333 -3.635855)

(xy 0.458808 -3.571748)

(xy 0.475719 -3.482849)

(xy 0.495771 -3.375981)

(xy 0.517664 -3.257967)

(xy 0.518429 -3.253822)

(xy 0.540359 -3.138169)

(xy 0.560877 -3.035986)

(xy 0.578659 -2.953402)

(xy 0.592381 -2.896544)

(xy 0.600718 -2.871542)

(xy 0.601116 -2.871099)

(xy 0.625677 -2.85889)

(xy 0.676315 -2.838544)

(xy 0.742095 -2.814455)

(xy 0.742461 -2.814326)

(xy 0.825317 -2.783182)

(xy 0.923 -2.743509)

(xy 1.015077 -2.703619)

(xy 1.019434 -2.701647)

(xy 1.169407 -2.63358)

(xy 1.501498 -2.860361)
(xy 1.603374 -2.929496)
(xy 1.695657 -2.991303)
(xy 1.773003 -3.042267)
(xy 1.830064 -3.078873)
(xy 1.861495 -3.097606)
(xy 1.864479 -3.098996)
(xy 1.887321 -3.09281)
(xy 1.929982 -3.062965)
(xy 1.994128 -3.008053)
(xy 2.081421 -2.926666)
(xy 2.170535 -2.840078)
(xy 2.256441 -2.754753)
(xy 2.333327 -2.676892)
(xy 2.396564 -2.611303)
(xy 2.441523 -2.562795)
(xy 2.463576 -2.536175)
(xy 2.464396 -2.534805)
(xy 2.466834 -2.516537)
(xy 2.45765 -2.486705)
(xy 2.434574 -2.441279)
(xy 2.395337 -2.37623)
(xy 2.33767 -2.28753)
(xy 2.260795 -2.173343)
(xy 2.19257 -2.072838)
(xy 2.131582 -1.982697)
(xy 2.081356 -1.908151)
(xy 2.045416 -1.854435)
(xy 2.027287 -1.826782)
(xy 2.026146 -1.824905)
(xy 2.028359 -1.79841)
(xy 2.045138 -1.746914)
(xy 2.073142 -1.680149)
(xy 2.083122 -1.658828)
(xy 2.126672 -1.563841)

(xy 2.173134 -1.456063)
(xy 2.210877 -1.362808)
(xy 2.238073 -1.293594)
(xy 2.259675 -1.240994)
(xy 2.272158 -1.213503)
(xy 2.273709 -1.211384)
(xy 2.296668 -1.207876)
(xy 2.350786 -1.198262)
(xy 2.428868 -1.183911)
(xy 2.523719 -1.166193)
(xy 2.628143 -1.146475)
(xy 2.734944 -1.126126)
(xy 2.836926 -1.106514)
(xy 2.926894 -1.089009)
(xy 2.997653 -1.074978)
(xy 3.042006 -1.065791)
(xy 3.052885 -1.063193)
(xy 3.064122 -1.056782)
(xy 3.072605 -1.042303)
(xy 3.078714 -1.014867)
(xy 3.082832 -0.969589)
(xy 3.085341 -0.90158)
(xy 3.086621 -0.805953)
(xy 3.087054 -0.67782)
(xy 3.087077 -0.625299)
(xy 3.087077 -0.198155)
(xy 2.9845 -0.177909)
(xy 2.927431 -0.16693)
(xy 2.842269 -0.150905)
(xy 2.739372 -0.131767)
(xy 2.629096 -0.111449)
(xy 2.598615 -0.105868)
(xy 2.496855 -0.086083)
(xy 2.408205 -0.066627)
(xy 2.340108 -0.049303)

(xy 2.300004 -0.035912)
(xy 2.293323 -0.031921)
(xy 2.276919 -0.003658)
(xy 2.253399 0.051109)
(xy 2.227316 0.121588)
(xy 2.222142 0.136769)
(xy 2.187956 0.230896)
(xy 2.145523 0.337101)
(xy 2.103997 0.432473)
(xy 2.103792 0.432916)
(xy 2.03464 0.582525)
(xy 2.489512 1.251617)
(xy 2.1975 1.544116)
(xy 2.10918 1.63117)
(xy 2.028625 1.707909)
(xy 1.96036 1.770237)
(xy 1.908908 1.814056)
(xy 1.878794 1.83527)
(xy 1.874474 1.836616)
(xy 1.849111 1.826016)
(xy 1.797358 1.796547)
(xy 1.724868 1.751705)
(xy 1.637294 1.694984)
(xy 1.542612 1.631462)
(xy 1.446516 1.566668)
(xy 1.360837 1.510287)
(xy 1.291016 1.465788)
(xy 1.242494 1.436639)
(xy 1.220782 1.426308)
(xy 1.194293 1.43505)
(xy 1.144062 1.458087)
(xy 1.080451 1.490631)
(xy 1.073708 1.494249)
(xy 0.988046 1.53721)
(xy 0.929306 1.558279)

(xy 0.892772 1.558503)
(xy 0.873731 1.538928)
(xy 0.87362 1.538654)
(xy 0.864102 1.515472)
(xy 0.841403 1.460441)
(xy 0.807282 1.377822)
(xy 0.7635 1.271872)
(xy 0.711816 1.146852)
(xy 0.653992 1.00702)
(xy 0.597991 0.871637)
(xy 0.536447 0.722234)
(xy 0.479939 0.583832)
(xy 0.430161 0.460673)
(xy 0.388806 0.357002)
(xy 0.357568 0.277059)
(xy 0.338141 0.225088)
(xy 0.332154 0.205692)
(xy 0.347168 0.183443)
(xy 0.386439 0.147982)
(xy 0.438807 0.108887)
(xy 0.587941 -0.014755)
(xy 0.704511 -0.156478)
(xy 0.787118 -0.313296)
(xy 0.834366 -0.482225)
(xy 0.844857 -0.660278)
(xy 0.837231 -0.742461)
(xy 0.795682 -0.912969)
(xy 0.724123 -1.063541)
(xy 0.626995 -1.192691)
(xy 0.508734 -1.298936)
(xy 0.37378 -1.38079)
(xy 0.226571 -1.436768)
(xy 0.071544 -1.465385)
(xy -0.086861 -1.465156)
(xy -0.244206 -1.434595)

(xy -0.396054 -1.372218)
(xy -0.537965 -1.27654)
(xy -0.597197 -1.222428)
(xy -0.710797 -1.08348)
(xy -0.789894 -0.931639)
(xy -0.835014 -0.771333)
(xy -0.846684 -0.606988)
(xy -0.825431 -0.443029)
(xy -0.77178 -0.283882)
(xy -0.68626 -0.133975)
(xy -0.569395 0.002267)
(xy -0.438807 0.108887)
(xy -0.384412 0.149642)
(xy -0.345986 0.184718)
(xy -0.332154 0.205726)
(xy -0.339397 0.228635)
(xy -0.359995 0.283365)
(xy -0.392254 0.365672)
(xy -0.434479 0.471315)
(xy -0.484977 0.59605)
(xy -0.542052 0.735636)
(xy -0.598146 0.87167)
(xy -0.660033 1.021201)
(xy -0.717356 1.159767)
(xy -0.768356 1.283107)
(xy -0.811273 1.386964)
(xy -0.844347 1.46708)
(xy -0.865819 1.519195)
(xy -0.873775 1.538654)
(xy -0.892571 1.558423)
(xy -0.928926 1.558365)
(xy -0.987521 1.537441)
(xy -1.073032 1.494613)
(xy -1.073708 1.494249)
(xy -1.138093 1.461012)

(xy -1.190139 1.436802)
(xy -1.219488 1.426404)
(xy -1.220783 1.426308)
(xy -1.242876 1.436855)
(xy -1.291652 1.466184)
(xy -1.361669 1.510827)
(xy -1.447486 1.567314)
(xy -1.542612 1.631462)
(xy -1.63946 1.696411)
(xy -1.726747 1.752896)
(xy -1.798819 1.797421)
(xy -1.850023 1.82649)
(xy -1.874474 1.836616)
(xy -1.89699 1.823307)
(xy -1.942258 1.786112)
(xy -2.005756 1.729128)
(xy -2.082961 1.656449)
(xy -2.169349 1.572171)
(xy -2.197601 1.544016)
(xy -2.489713 1.251416)
(xy -2.267369 0.925104)
(xy -2.199798 0.824897)
(xy -2.140493 0.734963)
(xy -2.092783 0.66051)
(xy -2.059993 0.606751)
(xy -2.045452 0.578894)
(xy -2.045026 0.576912)
(xy -2.052692 0.550655)
(xy -2.073311 0.497837)
(xy -2.103315 0.42731)
(xy -2.124375 0.380093)
(xy -2.163752 0.289694)
(xy -2.200835 0.198366)
(xy -2.229585 0.1212)
(xy -2.237395 0.097692)

(xy -2.259583 0.034916)
(xy -2.281273 -0.013589)
(xy -2.293187 -0.031921)
(xy -2.319477 -0.043141)
(xy -2.376858 -0.059046)
(xy -2.457882 -0.077833)
(xy -2.555105 -0.097701)
(xy -2.598615 -0.105868)
(xy -2.709104 -0.126171)
(xy -2.815084 -0.14583)
(xy -2.906199 -0.162912)
(xy -2.972092 -0.175482)
(xy -2.9845 -0.177909)
(xy -3.087077 -0.198155)
(xy -3.087077 -0.625299)
(xy -3.086847 -0.765754)
(xy -3.085901 -0.872021)
(xy -3.083859 -0.948987)
(xy -3.080338 -1.00154)
(xy -3.074957 -1.034567)
(xy -3.067334 -1.052955)
(xy -3.057088 -1.061592)
(xy -3.052885 -1.063193)
(xy -3.02753 -1.068873)
(xy -2.971516 -1.080205)
(xy -2.892036 -1.095821)
(xy -2.796288 -1.114353)
(xy -2.691467 -1.134431)
(xy -2.584768 -1.154688)
(xy -2.483387 -1.173754)
(xy -2.394521 -1.190261)
(xy -2.325363 -1.202841)
(xy -2.283111 -1.210125)
(xy -2.27371 -1.211384)
(xy -2.265193 -1.228237)

(xy -2.24634 -1.27313)
(xy -2.220676 -1.33757)
(xy -2.210877 -1.362808)
(xy -2.171352 -1.460314)
(xy -2.124808 -1.568041)
(xy -2.083123 -1.658828)
(xy -2.05245 -1.728247)
(xy -2.032044 -1.78529)
(xy -2.025232 -1.820223)
(xy -2.026318 -1.824905)
(xy -2.040715 -1.847009)
(xy -2.073588 -1.896169)
(xy -2.12141 -1.967152)
(xy -2.180652 -2.054722)
(xy -2.247785 -2.153643)
(xy -2.261059 -2.17317)
(xy -2.338954 -2.28886)
(xy -2.396213 -2.376956)
(xy -2.435119 -2.441514)
(xy -2.457956 -2.486589)
(xy -2.467006 -2.516237)
(xy -2.464552 -2.534515)
(xy -2.464489 -2.534631)
(xy -2.445173 -2.558639)
(xy -2.402449 -2.605053)
(xy -2.340949 -2.669063)
(xy -2.265302 -2.745855)
(xy -2.180139 -2.830618)
(xy -2.170535 -2.840078)
(xy -2.06321 -2.944011)
(xy -1.980385 -3.020325)
(xy -1.920395 -3.070429)
(xy -1.881577 -3.09573)
(xy -1.86448 -3.098996)
(xy -1.839527 -3.08475)

(xy -1.787745 -3.051844)
(xy -1.71448 -3.003792)
(xy -1.62508 -2.94411)
(xy -1.524889 -2.876312)
(xy -1.501499 -2.860361)
(xy -1.169407 -2.63358)
(xy -1.019435 -2.701647)
(xy -0.92823 -2.741315)
(xy -0.830331 -2.781209)
(xy -0.746169 -2.813017)
(xy -0.742462 -2.814326)
(xy -0.676631 -2.838424)
(xy -0.625884 -2.8588)
(xy -0.601158 -2.871064)
(xy -0.601116 -2.871099)
(xy -0.593271 -2.893266)
(xy -0.579934 -2.947783)
(xy -0.56243 -3.02852)
(xy -0.542083 -3.12935)
(xy -0.520218 -3.244144)
(xy -0.518429 -3.253822)
(xy -0.496496 -3.372096)
(xy -0.47636 -3.479458)
(xy -0.45932 -3.569083)
(xy -0.446672 -3.634149)
(xy -0.439716 -3.667832)
(xy -0.439594 -3.668346)
(xy -0.435361 -3.682675)
(xy -0.427129 -3.693493)
(xy -0.409967 -3.701294)
(xy -0.378942 -3.706571)
(xy -0.329122 -3.709818)
(xy -0.255576 -3.711528)
(xy -0.153371 -3.712193)
(xy -0.017575 -3.712307)

```

(xy 0 -3.712308)
(xy 0.139878 -3.712224)
)

(stroke (width 0.01) (type solid)) (fill solid) (layer "F.Silks") (tstamp 5bae6033-6487-4475-bcd5-7
)

(fp footprint "Glasgow:null_Logo_Silks_4mm" locked (layer "F.Cu")
(tstamp 00000000-0000-0000-0000-00005f7c9631)
(at 65.7 87.65)
(descr "NULL Logo, Silk Screen, 4mm")
(tags "logo symbol null")
(attr board_only exclude_from_pos_files exclude_from_bom)
(fp_text reference "REF**" (at 0 -3) (layer "F.Silks") hide
(effects (font (size 1 1) (thickness 0.15))))
(tstamp cd7c3bc6-5927-41ee-85f0-a65036f20616)
)
(fp_text value "null_Logo_Silks_4mm" (at 0 3) (layer "F.Fab") hide
(effects (font (size 1 1) (thickness 0.15))))
(tstamp 2d697791-6594-41cc-822a-6ac5fa1d1401)
)
(fp_line (start -2 -2) (end -2 2)
(stroke (width 0.16) (type solid)) (layer "F.Silks") (tstamp 7126c2ff-ee73-4716-b923-92d03e36a8aa))
(fp_line (start -2 2) (end 2 2)
(stroke (width 0.16) (type solid)) (layer "F.Silks") (tstamp 5f6fd8b3-14f7-498f-9dec-fd5be85ceacb))
(fp_line (start -1.5 -0.5) (end -1 0.5)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp ccc79708-d01b-460e-8e24-f8847793e614))
(fp_line (start -1.5 0.5) (end -1.5 -0.5)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 5e51044a-bd4c-49bd-9491-a73281ce3e60))
(fp_line (start -1 0.5) (end -1 -0.5)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 86658a4c-28a4-499f-b192-d38c1c75b5e7))
(fp_line (start -0.7 -0.5) (end -0.7 0.2)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a0838cef-fd9a-4ebc-8da5-71064c36df65))
(fp_line (start -0.1 0.2) (end -0.1 -0.5)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 172cbb74-076b-460d-a002-7124bca20943))

```

```

(fp_line (start 0.2 -0.5) (end 0.2 0.5)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 32f0e423-f43d-424b-a818-608b588614ae))
(fp_line (start 0.2 0.5) (end 0.7 0.5)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp fb086217-9974-4110-9cac-860ae817af5d))
(fp_line (start 1 -0.5) (end 1 0.5)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 497b8724-fd70-4179-877a-2130e75d5fd2))
(fp_line (start 1 0.5) (end 1.5 0.5)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp 7550e12e-f3d6-4acb-9571-bf07f9af27df))
(fp_line (start 2 -2) (end -2 -2)
  (stroke (width 0.16) (type solid)) (layer "F.SilkS") (tstamp 049d6c2b-6638-4026-a85e-99e77a38f8ee))
(fp_line (start 2 -2) (end 2 2)
  (stroke (width 0.16) (type solid)) (layer "F.SilkS") (tstamp 67f05c35-8eda-41e9-911c-50b69e9fa420))
(fp_arc (start -0.1 0.2) (mid -0.4 0.5) (end -0.7 0.2)
  (stroke (width 0.15) (type solid)) (layer "F.SilkS") (tstamp e6e0cffa-3e06-4083-90b4-ab5cde44456b))
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "F.Cu")
  (tstamp 00000000-0000-0000-0000-00005f8427e7)
  (at 117.5 89.6)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")
  (attr smd)
  (fp_text reference "C54" (at 0 0) (layer "F.SilkS") hide
    (effects (font (size 0.25 0.25) (thickness 0.05))))
    (tstamp b2f6b4c0-af7e-4af8-9b5b-8fe6d5db1288)
  )
  (fp_text value "u1" (at -1 0 180) (layer "F.Fab"))
)

```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)))
        (tstamp 5bc2bae9-20ec-43b1-a110-4c43f983a758)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)))
        (tstamp 958de941-d4da-4b40-b5a7-a8b260416686)
    )
    (fp_line (start -0.93 -0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 4ab2c34b-e3f6-4675-b71c-123c81721c5f))
    (fp_line (start -0.93 0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp eba85ea1-9556-4d65-bd13-0b91f4eab69e))
    (fp_line (start 0.93 -0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 897da746-f77c-46f1-9f4d-8de2a85a7eaa))
    (fp_line (start 0.93 0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 81d3ec9b-5ade-40fd-8491-4a3b14bf4bbc))
    (fp_line (start -0.5 -0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp b936c4a6-6839-428a-bd5a-a35e64efed4f))
    (fp_line (start -0.5 0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 0b90a21f-4cef-4802-bd3a-4c4989383e42))
    (fp_line (start 0.5 -0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 162f2765-3b3b-43c3-b8a5-9becccc21b784))
    (fp_line (start 0.5 0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp aac983bf-c668-4615-8b6a-60dc2360c9c4))
    (pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 108 "IO_Banks/VIOA") (pintype "passive") (tstamp 33fe9e19-c647-4d56-82d4-3cf444f2f61d))
    (pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rratio 0.5)
        (net 3 "GND") (pintype "passive") (tstamp abd09683-be97-4610-89b5-3ad030617128))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "F.Cu"))

```

```

(timestamp 00000000-0000-0000-0000-00006008d830)

(at 92.225 86.25)

(descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0603-4u7")

(property "MPN" "LMK107BJ475KAHT")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-000060181a79")

(attr smd)

(fp_text reference "C92" (at 0 -1.43) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15))))
(timestamp b82df628-596b-42fa-a06e-930cfc59e6f)
)

(fp_text value "4u7" (at 0 1) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 6c1b588b-35c3-4f15-a654-5822fc61d6e2)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "F.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06))))
(timestamp 16f742bb-1f70-4d90-9359-863b1134525b)
)

(fp_line (start -0.14058 -0.51) (end 0.14058 -0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp cab8b174-3694-409e-8280-69b7d7ac4e6e))

(fp_line (start -0.14058 0.51) (end 0.14058 0.51)
  (stroke (width 0.12) (type solid)) (layer "F.Silks") (timestamp 5e6cb1f3-2e0b-4870-898e-9d9113956a69))

(fp_line (start -1.48 -0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 556ed551-d172-43fc-ac8c-1eb3ef25cf28))

(fp_line (start -1.48 0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp f38dfdee-3dfd-4efd-bbf1-cd161d9473d7))

(fp_line (start 1.48 -0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (timestamp 850d0fcf-95c6-46cb-ba6d-ce77eb1e91bb))

```

```

(fp_line (start 1.48 0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "F.CrtYd") (tstamp 9bfee6b8-c954-4cbd-b4ab-8ed5884d76e3))
(fp_line (start -0.8 -0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp f4187e42-898d-4545-8b0a-0c296560b56e))
(fp_line (start -0.8 0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 1ca5f1c5-fdf9-4f70-9177-7311bffb9451))
(fp_line (start 0.8 -0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 881c196d-acfa-4e1c-8168-7baeab206f59))
(fp_line (start 0.8 0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "F.Fab") (tstamp 81e8b12b-d3c6-468e-8626-99b12691ac0f))
(pad "1" smd roundrect (at -0.775 0) (size 0.9 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 139 "/IO_Banks/VIO_AUX") (pintype "passive") (tstamp d79d324e-da8a-4880-902f-36404e8f3a52))
(pad "2" smd roundrect (at 0.775 0) (size 0.9 0.95) (layers "F.Cu" "F.Paste" "F.Mask") (roundrect_rra
  (net 3 "GND") (pintype "passive") (tstamp b91a3eef-2bff-401c-a336-66ac1fe46c02))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "kikit:Tab" (layer "F.Cu")
  (tstamp 030eefa5-1a5f-43ad-b5d6-18ef4bc56412)
  (at 120 70.5 -90)
  (descr "A symbol representing annotation for tab placement")
  (attr board_only exclude_from_pos_files exclude_from_bom)
  (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
    (effects (font (size 1 1) (thickness 0.15))))
  (tstamp 211a54f6-cc99-4633-af46-5381522ba182)
)
(fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
  (effects (font (size 0.5 0.5) (thickness 0.1))))
(tstamp 4c7d6d37-23ee-4631-bbdf-129c414afa90)
)
(fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User"))

```



```

        (effects (font (size 0.5 0.5) (thickness 0.1)))
        (tstamp 37b96ff1-e1ac-42fd-b597-a2c3215a15e1)
    )
    (fp_line (start 0.25 0) (end -2.75 0)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 4056d97d-41ef-486d-8d4b-3868d8618ea9)
    (fp_line (start 0.25 0) (end -0.75 -1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp c09e8750-c978-47ed-8746-f5c25aaeaa5e)
    (fp_line (start 0.25 0) (end -0.75 1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 80130b9e-8d66-4921-bd58-29be5c388b6b)
    (fp_line (start 0.25 1) (end 0.25 -1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp b79cb194-827f-4192-a439-7e7b6e3a6856)
    )

    (footprint "kikit:Tab" (layer "F.Cu")
        (tstamp 39c2e6c8-7157-4be2-8dcb-a24b50b4bf85)
        (at 60 120.5 90)
        (descr "A symbol representing annotation for tab placement")
        (attr board_only exclude_from_pos_files exclude_from_bom)
        (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
            (effects (font (size 1 1) (thickness 0.15)))
            (tstamp b2e22890-42d1-431f-b949-60eae2962bf0)
        )
        (fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
            (effects (font (size 0.5 0.5) (thickness 0.1)))
            (tstamp 02b06e4f-e84f-4292-811b-5bc2c9cd45a0)
        )
        (fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
            (effects (font (size 0.5 0.5) (thickness 0.1)))
            (tstamp f6809192-025b-4f05-966f-c61a6e7212b4)
        )
        (fp_line (start 0.25 0) (end -2.75 0)
            (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 63699deb-f80a-49e9-96d8-412bd9b928f1)
        (fp_line (start 0.25 0) (end -0.75 -1)
            (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 3311f514-0b89-4cc7-8f2e-b18179b2e774)
        (fp_line (start 0.25 0) (end -0.75 1)
            (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 3311f514-0b89-4cc7-8f2e-b18179b2e774)
        )
    )

```

```

        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 95423787-6ca9-4f5f-aaa7-0296ddd4d202)
      (fp_line (start 0.25 1) (end 0.25 -1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp b4f88516-b713-42e6-a5ab-628b83e24769)
      )
    (footprint "kikit:Tab" (layer "F.Cu")
      (tstamp 3a87c260-437b-4908-a78a-c4cc27109ddb)
      (at 60 70.6 -90)
      (descr "A symbol representing annotation for tab placement")
      (attr board_only exclude_from_pos_files exclude_from_bom)
      (fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)))
        (tstamp 1cecf2c9-7768-44dc-b93a-6e27d5666df9)
      )
      (fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
        (effects (font (size 0.5 0.5) (thickness 0.1)))
        (tstamp c84c9f0a-4148-437e-ab60-d9581a648366)
      )
      (fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
        (effects (font (size 0.5 0.5) (thickness 0.1)))
        (tstamp 8e29d9f4-c082-40bd-84b8-d7f74919edfc)
      )
      (fp_line (start 0.25 0) (end -2.75 0)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp a92cd40b-583d-425c-9c69-3c3458ade36d)
      )
      (fp_line (start 0.25 0) (end -0.75 -1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp bc285037-2185-47ce-a1c5-e62cdc69da55)
      )
      (fp_line (start 0.25 0) (end -0.75 1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 51d8da5d-38ad-4b71-a13a-eeb6793395f6)
      )
      (fp_line (start 0.25 1) (end 0.25 -1)
        (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp b8541681-929e-42ee-b8fe-93dd5c864ace)
      )
    )

    (footprint "kikit:Tab" (layer "F.Cu")
      (tstamp 4efc7289-ef83-4e9d-9520-bcd29ff22150)
      (at 120 120.5 90)
      (descr "A symbol representing annotation for tab placement")

```

```

(attr board_only exclude_from_pos_files exclude_from_bom)

(fp_text reference "REF**" (at 0 -2 90) (layer "F.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)))
  (tstamp 2c3a8d66-a430-4957-91c0-1c2591a6e73a)
)

(fp_text value "Tab" (at -1.6 -0.6 90) (layer "Dwgs.User")
  (effects (font (size 0.5 0.5) (thickness 0.1)))
  (tstamp 9fc2ba98-8017-46df-9fcf-f3cb73aa2754)
)

(fp_text user "KIKIT: width: 3mm" (at -3.4 0) (layer "Dwgs.User")
  (effects (font (size 0.5 0.5) (thickness 0.1)))
  (tstamp 3c042378-25ad-4d71-8fb2-cd763bad3f32)
)

(fp_line (start 0.25 0) (end -2.75 0)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp e293e280-ebd0-4ab9-959f-aebc099cd896)
(fp_line (start 0.25 0) (end -0.75 -1)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 28433843-1a7e-4be3-b39c-412b2410bfac)
(fp_line (start 0.25 0) (end -0.75 1)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 1f0546e6-7148-459a-a196-1a72459740f7)
(fp_line (start 0.25 1) (end 0.25 -1)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 32576971-a2ef-4a8f-be4e-e3320aa679b7)
)

(footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005aecd683)
  (at 58 118.5)
  (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
  (tags "fiducial")
(attr smd board_only exclude_from_bom)

(fp_text reference "FID4" (at 0 2) (layer "B.Silks") hide
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
  (tstamp e9fc33e2-52da-41c8-a65e-ce20c1fa32c5)
)

(fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 -2) (layer "B.Fab") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

```

```

        (tstamp 089db5bb-4e88-43e4-b8d0-1a526809dc82)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
        (effects (font (size 0.3 0.3) (thickness 0.05)) (justify mirror))
        (tstamp 9e7ccc24-56cc-42cb-ac07-01892e779f75)
    )
    (fp_circle (center 0 0) (end 1 0)
        (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp a7d0f6ba-55ed-4727-9902-d8a0-1a526809dc82)
    )
    (fp_circle (center 0 0) (end 0.75 0)
        (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (tstamp 8a2b36d7-bbf4-4cd2-b109-f42ea0-1a526809dc82)
        (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")
            (solder_mask_margin 0.375) (clearance 0.375) (tstamp dd2c4cf9-9d5a-4a43-94ce-581514a91e52))
        )
    )

    (footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005aecd6d3)
        (at 122 72.5)
        (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
        (tags "fiducial")
        (attr smd board_only exclude_from_bom)
        (fp_text reference "FID5" (at 0 2) (layer "B.Silks") hide
            (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
            (tstamp ffe92a18-895b-4bc3-92b7-19e18a1e3973)
        )
        (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 -2) (layer "B.Fab") hide
            (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
            (tstamp e35700b5-d8a0-4417-a7b5-a43ecc614270)
        )
        (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
            (effects (font (size 0.3 0.3) (thickness 0.05)) (justify mirror))
            (tstamp de2362f8-9243-481f-9f6f-d40714f3503d)
        )
        (fp_circle (center 0 0) (end 1 0)
            (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 912a3e17-06da-4f21-8a21-56a0-1a526809dc82)
        )
        (fp_circle (center 0 0) (end 0.75 0)
            (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (tstamp 8a2b36d7-bbf4-4cd2-b109-f42ea0-1a526809dc82)
            (pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")
                (solder_mask_margin 0.375) (clearance 0.375) (tstamp dd2c4cf9-9d5a-4a43-94ce-581514a91e52))
            )
        )
    )

```

```

        (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (tstamp 9f50945a-2b87-4cfe-a92d-7efd1
(pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")

(solder_mask_margin 0.375) (clearance 0.375) (tstamp 4fe1c571-24b4-48a4-86a1-f527ccfc9b68))
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

(tstamp 00000000-0000-0000-0000-00005bcbaef6)

(at 83.7 96.7 180)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005b0dd01d")
(attr smd)

(fp_text reference "C23" (at 0 0) (layer "B.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(tstamp 99e9ccc3-4d7e-48e1-9eb9-8acd6a1242c4)

)

(fp_text value "u1" (at 0 -0.8 180) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp c266fbf3-005d-4d53-bde3-4c0c1cb5a781)

)

(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

(tstamp 19862204-952b-492a-8feb-29da990ae5ce)

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bf7357d8-6dd7-4b1f-9710-fef26db9e524))

(fp_line (start -0.93 0.47) (end 0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e20606ee-9d8c-4259-a274-ab1b4841431c))

```

```

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5a42b38a-e85a-440d-ae3c-0ffa2fc2ff9c))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bd1fa792-aa19-4c31-ab2b-609b6b35ace9))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7869e4f0-3018-48d7-8f4f-f31604f754f6))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a1ea03a2-0d82-4816-801f-cb72b26de801))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 06a1721c-fbbd-4d92-9100-370679b9b953))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 962ad931-c1ef-480d-b212-1c2e213620db))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 145d92a2-a011-4419-8a0c-dc6303553447))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 417202d4-0485-41ab-b071-ea5fd8ed0477))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bcd3f1c)
  (at 84.9 95.5 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")

```

```

(path "/00000000-0000-0000-0000-00005bcedc3e")

(attr smd)

(fp_text reference "C77" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 00537db5-9231-4788-809e-ca767ba60ebe)
)

(fp_text value "u1" (at 1 0 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(tstamp 9da24055-8845-4f48-8694-99fb20c6a6fb)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp cbfe05f7-ac4f-4d6c-b9a6-de065d2a594b)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 79aaaf8d-b238-4bf7-b07a-53b2bfa05c12))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2cf20cfb-f703-48db-90f5-88a4c4d83df9))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 53c8c68b-4563-470e-b193-38ddc1283437))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3ce4699d-400f-4c24-87b0-9d2eae9b19a5))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 32454230-4c43-4455-b55c-a1360ae3498e))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 04d36507-cb4f-4229-9fff-0006ff73684d))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 60110a3a-47ce-4db1-913b-82fac2ee6fae))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d26d343b-de8d-4610-acc4-64ba7559f4f6))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (tstamp 20fd8a8d-2b84-4d9e-967e-e17495dc234c))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp a9da3451-92f6-4d7c-bb50-1c4f98fb294c))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

```

```
(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005be41495)

  (at 99.15 93.75 -90)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body : 
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_A")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

  (attr smd)

  (fp_text reference "C48" (at 0 0 90) (layer "B.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

    (tstamp e7d8ce50-1e86-4936-bf18-8a9a0dc1dc1d)

  )

  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp a7026456-44b2-4050-b941-2d775ef00ecb)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

    (tstamp 9cbc3daf-c3ea-46fd-83fb-059c8db05d35)

  )

  (fp_line (start -0.93 -0.47) (end -0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 26c21fb5-cf57-4c76-aa2b-486f18ffc651))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)
```



```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp aeb24f25-7701-48d9-8e89-d9a037d2ffe0))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6ee78385-52bc-4a75-a918-4defa6c45734))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp af5cb117-f011-4d15-8bd3-36a6c5aed68e))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c3fe14f5-9c87-4950-bf51-a0c2347f12f6))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9ad654e4-8a33-4286-92bb-41b014ca74cb))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1dd2b728-8d1d-46db-aa8d-d04ef9ec7129))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bb8e3cf1-9613-4a66-9b08-a379c6f50c69))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 296f19a7-1a46-470d-be31-a7b600a48c41))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp a0776e36-c0b2-4e61-86c6-a8393cd96293))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005be414a3)
    (at 101.05 85.35 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_A")
    (property "ki_description" "Unpolarized capacitor")

```

```
(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c8d6f7e0b")

(attr smd)

(fp_text reference "C49" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp db15ab0b-b130-40db-bc39-2f2521b1a864)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 7e56e38d-807f-46d5-99e7-57cbda949535)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp b86bc5c9-3b23-4e4d-a535-79099289d2e7)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp dba689ff-533b-40a5-a831-f3eda67f6661))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bd16c792-c0e6-4e8e-bb6c-dcc5e6cf7e0b))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ca48470e-2225-499d-9e87-6c4709c721c9))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ae9d428f-2179-4686-be9-830721144f9c))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 69af99a8-bc06-45c6-b658-3c025ea6039c))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0f25b080-d8a7-4efb-bf95-7575cb259976))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6d801a67-39b9-436d-b4b7-1009457d8037))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f12d9c2d-e1c3-4ff7-a1dd-186fa4873dae))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_pads false)
    (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 7e2b8d0f-ac67-439a-979d-fbea2cd3b069))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_pads false)
    (net 3 "GND") (pintype "passive") (tstamp 2a358ee4-d349-4c0f-bf1c-832f34aee697))
```

```
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(fpfootprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

(timestamp 00000000-0000-0000-0000-00005be414cd)

(at 101.05 93.75 -90)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e"

(attr smd)

(fp_text reference "C52" (at 0 0 90) (layer "B.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(timestamp e7e6019c-de2c-49e3-82bc-2348a034b9cc)

)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(timestamp e8586568-d5c3-4ef9-851e-3c97b2c6ec08)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

(timestamp 3ee4666e-dfcc-4636-aeca-9ca0f87e8244)

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp bf822402-8845-4055-a5de-7e4da166bfcf))
```

```

(fp_line (start -0.93 0.47) (end 0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e7ceee73-c84a-4e60-abb8-255922613b3a))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1495161a-42da-4b23-95e7-34f20d654c7d))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5c942fdc-b3b5-4760-9c02-24ee48b11f44))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f5fb74d3-f701-4421-8827-02060ce62a85))

(fp_line (start -0.5 0.25) (end 0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bcaaa756-f977-464b-89bf-f8fba1b2dc94))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d3cb5ace-e2b7-419c-8177-1fc27c88dbdd))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a5ce566f-15e2-4db6-acb1-66369e002b8b))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp c2a1704c-7dd3-41db-bbf0-92371653f9b2))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp fdfb1a0e-0be3-46ca-b230-2e1132d8d497))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005be41591)

  (at 97.05 96.5 -90)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

```

```

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C64" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 6d2a1b87-7926-4622-b4cd-3301be370e75)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp cd280a9a-0c0f-471b-a3e8-96c5d61bf097)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp e71d2042-3339-4e14-9778-2abefeb9c284)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d3daab16-57c5-487b-94f0-e71efa9929e4))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1b93cfed-3c38-4cbb-a57b-258cec772270))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fef58981-f7ff-4100-b7b0-d90f90e1d5f0))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fe13a986-17bd-45d5-a24a-7dbccded2dbf))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c71ab88a-f03c-4f3e-b44b-ced79cb5eba3))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2169f059-e2fb-4cff-9170-fd5bdbd8145d))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a53d0817-bf24-4af0-b8f6-c7e247ed5648))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 90e3a7c9-0cd0-4776-ab86-6bbcb69a47423))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp e7ef4905-0526-4861-a5c6-6d6b0d484a90))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

```

```
(net 3 "GND") (pintype "passive") (tstamp fcb77f48-e6ea-48aa-a751-7db15df0d6f6))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

(offset (xyz 0 0 0))
(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)


(fp_text reference "C40" (at 0 0 90) (layer "B.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(tstamp 319953e4-c73a-4997-818e-8d823498eae2)

)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp f93286d6-6d61-4f56-b558-0a3556040ca9)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

(tstamp c954c4e7-f2d0-4215-a448-b8234f3d01c2)

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cbd1ff37-263f-4433-a57d-9071e25c9943))
(fp_line (start -0.93 0.47) (end 0.93 0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3e61e4ce-6424-453e-9057-b2d62cfa62ef))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7ed17f28-048e-4c1f-b2e0-a9b32dd9d1b9))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 707a478f-5427-4f05-aaa2-d8f5b5f95797))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 14427206-149b-487b-91d6-677f9864102f))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a52516c3-2f04-44ca-9556-7741875cf421))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 82e12a38-2040-4ab4-bcbd-86ab94fbf8a3))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp aa98760e-1f6a-4817-b241-a4e40ec2e6e6))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 32074ba1-802e-40b0-a7bc-fdcfbd9aae02))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 30209718-0697-4179-80cc-4b36380f5661))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005be4161d)
(at 99.15 96.55 -90)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "io_buffer.kicad_sch")

```

```

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C68" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 71d7ee2b-1b1a-49de-95d2-b892fbc9eb20)
)

(fp_text value "u1" (at -0.05 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 4ec110e3-9057-4e54-8911-5d7ca4d003d3)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp d3783298-86ad-47d1-993d-eca4a16abb1a)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 95a68d1a-427f-49b2-b9d8-ea903c11ac26))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1cdb3bf4-3476-4f90-a405-704b937a6d58))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bcaa5d4e-efb4-411d-8d05-e0adfbcf9a9dc))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 95c24ab5-2075-41fb-a148-18c90a1f5e13))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cd816b58-a990-435e-9985-ff2aeed9e6dd))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 804c6d80-1b04-4c1b-a7ec-17694747a8d4))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp da02feb0-a675-4147-85aa-4daf467e9a92))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8d32877d-576a-43f4-a6ed-3352fb7b6b92))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_pads
  (net 2 "+3V3") (pintype "passive") (tstamp 59d50ff4-0767-44b1-a16e-a6a51b80c8ac))

```



```

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1fcd3aed-bba1-49ee-b857-975ff420025c))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7676eba1-230f-4ce6-93d6-84f3ac54eb94))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9a0c8c22-a6d0-4e63-b4c5-31dc7c9f25c2))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 14af840b-341b-4928-a6e1-72724a3daaf3))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9fe1f945-74cc-4e20-8d9a-03ad5514897e))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp dc74f856-2e41-49cf-9fb2-becf14992453))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 593ee557-244a-4507-9d5a-8e9755fe2555))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 102ca8d7-9593-48b7-8c49-140eaaf6c121))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 624405fa-fa20-442d-9c37-72c1a87fc86d))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 2e3ebc7f-fa09-49a5-94f7-e503e1c19dbb))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be41663)
  (at 99.15 102.15 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")

```

```
(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr smd)

(fp_text reference "C70" (at 0 0 90) (layer "B.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(timestamp f0c2f1a3-6eda-4bb4-b1c0-0989d072de78)

)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(timestamp 80bc9ae0-1289-4527-85e9-e7812ead2917)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

(timestamp 3415aea8-6ea4-49ed-8253-efb00ccb26aa)

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp bf48e583-6fa0-4ea4-868a-b27bbe54ac21))

(fp_line (start -0.93 0.47) (end 0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 20bead93-4b7c-4a29-a594-f786e427709d))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 8fa973f5-a2c8-4858-86fd-45b8f55d26a4))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)

    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 7cc1b37e-8d71-4da0-9fa6-65fc8fa6d05a))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)

    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 1777c178-0486-4d1e-b4b9-5ff10a95d1e5))

(fp_line (start -0.5 0.25) (end 0.5 0.25)

    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp d5f8da70-4608-40af-b888-d4d5ddc2f9a4))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 640c7c9d-d26d-40a3-b7d8-b719c9933a5a))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)

    (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 8ed1abcd-d703-4800-99ad-4e4bfb3d0b74))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundradius 0.125))
```

```
(net 2 "+3V3") (pintype "passive") (tstamp 79ebacde-1b86-4ca2-ac35-6f66457deffb))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp def0e442-3f1c-4767-98ad-ed1c66751348))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005be41671)

    (at 99.15 104.95 -90)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_B")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

    (attr smd)

    (fp_text reference "C71" (at 0 0 90) (layer "B.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

        (tstamp ca4bd30e-3315-4fcf-90ed-5895e8428298)

    )

    (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp b9786555-3068-480b-81f2-509d65985df5)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

    (tstamp 50b649d5-d482-4da5-b0a9-b427538170b2)
```

```

)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 92233456-1aab-45b5-8d41-bd3bb9d891c5))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e8f5510e-eb73-49d0-8882-55ec568a0650))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3663a3c2-8192-4f09-b811-e2f86c14c10e))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f5aebef7-8ab3-4379-b175-61b6ab5bc886))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3851496d-aae4-4bcc-aa91-9cfb485d33c8))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d33c1e9c-8e0c-4dc2-8199-892d1c9d0f67))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9762e360-c88f-4640-be32-db471e7743a4))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b3cce0c6-7cb2-4188-b497-651122c9aca0))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp a55c7552-dc83-4dd1-9e91-1db4980cd7fb))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp e6f39aae-0f5d-4e15-948f-da0689d8e484))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be4167f)
  (at 101.05 96.55 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F"))

```

```

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C72" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 463116cc-ddb7-4b67-acdc-bffe308a1b1c)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 74e1b2fa-23d3-4bbb-8e56-ea23e5c2fd62)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp ef578c9d-db84-4eb0-97ea-c972a3ac1058)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 317ca959-937d-4d29-a38c-8cbfd9f363a2))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4eed1c4b-3811-42f4-9dbe-403312d46b76))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c7e55510-54c9-49af-a4f9-55e16aaad91f))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 279b7660-c13a-495a-b28b-a3a1df7dd399))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 70278ff4-0fc9-4a9e-8a88-43767d24da55))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 29469592-10e5-44c7-bbd1-eb3bf1d9f797))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 044f9767-708c-4f9c-9bd4-dc8220aff9dc))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 85fde3f4-12e8-4a4f-b354-4a4717c19cb0))

```

```

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 107 "/IO_Banks/VIOB") (pintype "passive") (tstamp 374a2276-24cb-417e-a996-65080e238d99))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp cf71f125-52e6-49a3-b5fb-ee1f86404492))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005be4168d)
    (at 101.05 99.35 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "C73" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp e206df65-cbd1-40d0-924e-45404d7c0a9f)
    )
    (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 96fbff58-b9ef-41a3-a60e-eefb9c13bf71)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

```

```

        (tstamp 2b8da121-323b-41f9-82dd-155cfbfbfd3a5)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bc6cfe00-32fa-44c0-8184-77b33f99987a))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e4a6d4b9-c2f6-48d9-8b7d-0d37e617cb97))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e2fa6b99-d6a8-49ad-908a-d45ca3f0065e))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 798cabb7-2748-46e9-a8f1-c68a4cbcecb1))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 801a5dfa-171b-4fe1-84ca-f5f912457831))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8084d6e8-40c5-47b9-a326-1415eea243a5))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8f792016-18be-45c4-9c87-b911bb8b9c95))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 13d9872d-4252-4888-bede-8afa3e0d87b4))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 84b7c12d-4aee-43ad-8bea-7869d7dbe5d8))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 3873e189-0615-42d0-8863-f38d8550ceb6))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005be4170b)
    (at 101.05 102.15 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")

```


[illegible]

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 050030e6-347b-495f-986f-e46cbfab3676))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rra

    (net 107 "/IO_Banks/VIOB") (pintype "passive") (tstamp 5eebf99d-670b-4736-bd1f-4eb7dd3cd577))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rra

    (net 3 "GND") (pintype "passive") (tstamp 90c53b71-6964-4614-9737-dad4b576b383))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005be48c55)

    (at 82.1 97.5)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c082b33")

    (attr smd)

    (fp_text reference "C18" (at 0 0) (layer "B.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

        (tstamp 90ac9838-a87d-490e-8b89-cda958d80eba)

    )

    (fp_text value "u1" (at 0 0.8) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp a27df476-0e13-41dc-b357-cd70e8a4c702)

    )

    (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab"))

```

```

        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 9d9d67d5-ca56-48b2-95b7-83b083fdf95d)
    )
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 89ad9eec-5754-416d-83e1-6af9ecf72337))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cd1e0fd5-6890-42e4-a29e-37f2e57d8086))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 825ff369-e943-4736-80af-d85967ffe2ea))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fbb3e2cd-259d-4d5b-b9ce-992b774e0900))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 09d42a0a-0386-4c57-b436-cc563e34b3a0))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3b3869e5-19fa-4508-8912-d1ea671a74fe))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 55eb4c37-e59d-4cfe-be1e-27e096a8d70f))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d97cc906-79fe-4e93-a444-e5c33d4acaed))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 29 "+1V2") (pintype "passive") (tstamp 86c7684b-5ab5-48cb-a0cf-543da67b1ce1))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 3 "GND") (pintype "passive") (tstamp eadb8959-54b0-43e8-b6c6-3d38ac5825a6))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be4c27a)
  (at 83.7 94.3 180)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")

```

```

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_banks.kicad_sch")

(property "Sheetname" "IO_Banks")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005cf06543")

(attr smd)

(fp_text reference "C33" (at 0 0) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 5d4c8362-1ffd-410b-b588-4f1965475f64)
)

(fp_text value "u1" (at 0 0.8 180) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 81248a23-0e62-4b6b-a7bf-fde27522c5fe)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 6ee7f7e2-8957-4f82-a97b-bc835dc9153d)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4421673f-d72d-4b47-88e2-f339982aaa95))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1870fbcf-1891-43a1-823b-69c7dbd3255f))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1af6c9b6-4456-4666-bc61-1a29d3196eff))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 886a36f0-a348-4f12-af05-84391d790154))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 11de312a-ab90-43ad-b97a-f7215ed22505))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp defaf6a6-158e-41f9-8879-97cb5190ca36))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7ad75a1a-6c28-4203-a994-96907c379c11))

```

```

(fp_line (start 0.5 0.25) (end 0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ef6548b9-46d7-4dc5-80ca-7baa120c257a))

(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

  (net 139 "/IO_Banks/VIO_AUX") (pintype "passive") (tstamp 07f7617d-0fb8-49b8-b91f-1ffde59153da))

(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

  (net 3 "GND") (pintype "passive") (tstamp ac917bbf-6636-4d1a-9bb9-311e76a7b283))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005be56bbb)

  (at 79.815 94.9 180)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

  (tags "capacitor")
(property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005bda7918")

  (attr smd)

  (fp_text reference "C78" (at 0 0) (layer "B.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

    (tstamp 94e16a9a-96fb-4a03-9938-c8bc70ca6c00)

  )

  (fp_text value "u1" (at 0 0.8 180) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp 79701cd8-9c87-4a60-829f-63f7fa69abb0)

  )

)

```

```

(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp d34cffae-5a87-4a89-a2b9-a5c9449cf0c4)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4f758943-5562-4335-9e31-c9e21be51dfa))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c8f228a8-4363-4a5d-9abd-7f828eb5d6cd))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b34fc2e7-761f-44a1-b06e-f5b84734d192))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3048c580-722e-4c94-aa2b-0ee9824ac71c))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b9a5e761-bd1b-4072-aeae-7b2aa63e0899))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 479f6eba-fdef-4bd2-a96e-e8565ded3968))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ccc64df2-21b2-459f-8bd1-566de7bcf7e3))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 351fa474-8344-4492-addb-205b9c537e4a))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 49 "/VCCPLL0") (pintype "passive") (tstamp c09e2351-eab0-4455-b8d2-6bdafebd711a))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 51 "/GNDPLL0") (pintype "passive") (tstamp f5a653b7-4daf-4d2d-af7f-535affa8f09d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005be63934)
  (at 77.9 97.6 180)
  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

```

```

(tags "resistor")

(property "1b2-bom-key" "res-0402-100r")

(property "MPN" "RC0402FR-13100RL")

(property "Mfg" "Yageo")

(property "Sheetfile" "glasgow.kicad_sch")

(property "Sheetname" "")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")
(path "/00000000-0000-0000-0000-00005bf227e9")

(attr smd)

(fp_text reference "R31" (at 0 0) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp b9943b16-81a3-411c-83fb-9c4d335f7651)
)

(fp_text value "100R" (at 0 -0.8 180) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 55d6e199-9922-458e-b203-54eb380b3fc2)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 74f15dd3-9a68-436b-b96b-6c221f0db6b4)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 611308e0-e878-410e-882a-b8c37525095b))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 936ca847-ee60-40d0-afae-674c07a98ef8))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 709ab235-17d3-485f-9101-2f34f4a9de7a))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fcefb123-8277-49b6-8a64-72a96f0f0497))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d9412c9f-a8d5-4cff-995d-8b48493c5c1a))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 99330400-e17a-4265-9d0e-2a33904f4876))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 278c6750-a495-47ff-8f90-59e3207ddc1e))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b3ccdb80-8b5a-412a-a7bb-dd510ea96517))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 49 "/VCCPLL0") (pintype "passive") (tstamp 6e88b91f-4619-46fd-83a4-59b57b556225))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 29 "+1V2") (pintype "passive") (tstamp 01a0977d-f68f-4029-adbe-f126fb6607e5))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005be9c493)

    (at 78.6 96.4 180)

    (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0603-4u7")

    (property "MPN" "LMK107BJ475KAHT")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c364e77")

    (attr smd)

    (fp_text reference "C76" (at 0 0) (layer "B.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp 9d9747ac-a86a-4416-8412-147468d3edfc)
    )

    (fp_text value "4u7" (at -1.15 0 270) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp ec9ad4da-ee15-4aa6-ae0d-459c79eab8e7)

```



```

)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 4e7e204c-1882-444b-9f62-d6f461e3fda6)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp a01c666e-212d-403f-9963-2a504c76fcd5))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp ac2f900d-80d0-4887-95cf-38a27d72311b))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a22d76f1-8d2a-40af-bc89-b306fc9fbc0))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 47a4f83b-d7f7-46b8-9de1-5f9ba19c1723))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8a6e5083-cbc0-47b8-b81e-9336c1550cbd))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e1d7f797-d09f-4c37-b656-1e87851d3706))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a78dfe77-c75d-4bd0-854f-ee0822fdcaa7))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8782f68b-166e-4586-ad66-e921e309acb5))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1b8e4fda-379b-4aa1-bca4-564935bec5a9))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2729df76-14b0-4590-954f-7bbf55e08151))
(pad "1" smd roundrect (at -0.7875 0 180) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 49 "/VCCPLL0") (pintype "passive") (tstamp e9361722-3dcc-4c47-98ab-f9742195863b))
(pad "2" smd roundrect (at 0.7875 0 180) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 51 "/GNDPLL0") (pintype "passive") (tstamp 965a5bf4-5c5a-4a9f-9fd5-ef382dceed7b))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005bea726c)

  (at 85.3 93.5)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005b0dd093")

  (attr smd)

  (fp_text reference "C24" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 557bf437-5357-4343-98a1-e8ea8c645c31)
  )

  (fp_text value "u1" (at 0.1 -0.8) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 5c70a603-fb18-4031-afde-419f94827204)
  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 2144b763-4c97-4ee7-968f-6ecc5af72be4)
  )

  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7bc63628-bb5c-443b-8c67-6369359f1b4b))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7d1ff03b-8f5a-454e-8d9a-88c440394641))

  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ddec821f-5f62-4190-a837-860faadaa1c4))

  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1f428586-68ab-4232-9467-d307e5be8810))

  (fp_line (start -0.5 -0.25) (end -0.5 0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 07bb0d43-1457-427b-b3a1-e5fef9abf036))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a2114412-1fd2-4384-ac47-068ff9141cf0))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 53d45fcb-738b-4e11-b3dc-f7d0d1d77fd9))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ac12c5de-db1c-4079-8f93-14916275c495))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
        (net 29 "+1V2") (pintype "passive") (tstamp f335eec6-9633-4cdc-bfeb-6233c0af1bc2))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
        (net 3 "GND") (pintype "passive") (tstamp 8f897d47-e8c7-45d7-adc4-cc11a35a535e))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005bed17e1)

    (at 67.3 91.55)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005acf720b")

    (attr smd)

    (fp_text reference "C7" (at 0 0) (layer "B.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 4c2f418e-d2db-4cd8-b8d3-7a0252bbe5ea)

```

```

)
(fp_text value "u1" (at 0 -0.75) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 774c1d48-d4df-4aa1-b8f7-40a4e97305d2)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 5b8301c2-527a-47ab-ad79-846f1ddefb80)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1c86f909-8a08-4f41-a5a9-48e2cd5ac434))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c662979f-8ab5-4588-bb6a-f427c2e432bf))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d379d8d2-b60a-40f0-9700-64c4a5059b45))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 822bfcec-5046-4b56-9478-9986bbc1a555))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b0ab565-d1b0-44c1-8d01-df4843a48278))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 583f20cf-ce67-4662-b879-c21534f27d35))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 25ff8878-11d1-4653-b0a0-e7ffaafbbfca7))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d19c7c8a-f5fc-4914-8426-2d7bb2955dd9))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 2 "+3V3") (pintype "passive") (tstamp 5833b891-db3e-467f-8f18-13f9ab253495))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
  (net 3 "GND") (pintype "passive") (tstamp 9c3ed652-e8a7-4514-8527-06616a544af8))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005bed180b)

  (at 72.1 99.45 180)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005acf71c9")

  (attr smd)

  (fp_text reference "C6" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp b0958a10-c2c4-4c5a-aa8b-26767e87502c)
  )

  (fp_text value "u1" (at 0 -0.75 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 84e2be0c-4775-4916-9402-23ecf33231f4)
  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 98748938-49bb-43ac-afef-fc59af806899)
  )

  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6cf7f4b9-63e9-49e5-9755-283f8a799484))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 37a71008-3040-4ed7-b9c5-1ce2af5cd91c))

  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a600e3f7-510b-48c1-82f2-9a424a984b41))

  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2e574f11-cc21-4702-b556-a3070dda68af))

  (fp_line (start -0.5 -0.25) (end -0.5 0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4a0099f1-216f-491f-87e2-1c6c3ddf2ec3))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 51f9e0ea-976a-431d-ac9e-e478e23ae89c))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9e59b177-568e-4f09-943a-e8a59afb9a6c))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 40db5dc6-f701-49d5-bfdd-0a0192db5437))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 0518afe3-a9fe-4cd2-95e9-247c7a928b5a))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp aa7f0f6d-8233-45a5-993b-9b3246d4540a))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bed1835)
    (at 65.9 93.765 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005acf72a1")
    (attr smd)
    (fp_text reference "C9" (at 0 0 90) (layer "B.SilkS") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 3e185cca-d6c6-41fa-88ee-7176dd029047))

```

```

)
(fp_text value "u1" (at 0 0.8 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 0323ef00-0e43-411b-a723-2e5acb1670f0)
)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp c0700caf-f2f1-4ad4-99cd-8eee9b3d4cc4)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c1685625-7a17-463e-aa27-c9ab954fa26f))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ed4c6a42-2dac-40f0-b41f-254c9930adaa))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 57b85340-cd4f-4874-a965-7a6d1814d534))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3c22dc9a-a9e5-4284-a405-1275ecaf18cc))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 44b37e91-975f-4b0c-bb21-4e86d6505ac6))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f9548186-45ff-4ef1-9b5f-b4f090a994aa))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp daad3e17-6792-48b1-8f28-60fce29dfcf9))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 02de7c8e-b211-40ec-b6b1-746af4b54f1e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
(net 2 "+3V3") (pintype "passive") (tstamp 08e98b15-06cc-4377-bb4c-ed3456903908))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
(net 3 "GND") (pintype "passive") (tstamp 5674a33a-1fec-4195-b6f4-d6edfa9e6d2e))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed185f)
  (at 68.1 99.45)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005ad97c38")
  (attr smd)
  (fp_text reference "C10" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp ba234c6b-f9c5-4518-b18f-f179948b074d)
  )
  (fp_text value "u1" (at 0 0.75) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp b8f27c25-d6b8-4772-9b78-ca6de5ee2db2)
  )
  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 1ac3f6d4-6bca-42db-a002-89dd2f6c9c9b)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c6825f6f-35f9-4861-ab7a-e0a83b77fd42))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a5d78753-31f5-4d5d-8b42-10d9fe03bf23))
  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 568934dc-29c6-43d9-b3ef-0100ad01c0d4))
  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ebe2e772-3f92-4526-ac19-2b17da4b81d3))
  (fp_line (start -0.5 -0.25) (end -0.5 0.25)

```



```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8387b124-51ee-4f38-af6f-43e52f7ab899))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ddb23896-5d7a-4e16-b77a-45f535c5b081))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea3f83d9-3dd9-4082-a354-10706e2a60c9))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a61a1558-347d-4a6b-88a6-b31a46ebe6ef))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
        (net 2 "+3V3") (pintype "passive") (tstamp 98414957-95b1-4eb6-bc4c-48ded98a36b3))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr
        (net 3 "GND") (pintype "passive") (tstamp a7392aa2-1017-488c-9b26-9e2362de56ea))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005bed1889)
        (at 72.5 91.55 180)
        (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
        (tags "capacitor")
        (property "1b2-bom-key" "cap-cer-0402-100n")
        (property "MPN" "TMK105BJ104KV-F")
        (property "Mfg" "Taiyo Yuden")
        (property "Sheetfile" "glasgow.kicad_sch")
        (property "Sheetname" "")
        (property "ki_description" "Unpolarized capacitor")
        (property "ki_keywords" "cap capacitor")
        (path "/00000000-0000-0000-0000-00005acf7188")
        (attr smd)
        (fp_text reference "C5" (at 0 0) (layer "B.Silks") hide
                (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 369964cd-abdc-4827-8aaa-6a0417b3b740)

```

```

)
(fp_text value "u1" (at 0 0.75 180) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 453db6be-26d3-432a-a83b-d8e64c0652da)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp a28a2ed8-120c-4e37-89cf-6b38c2f6ebc8)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c37fb3e6-65df-481a-b26a-95845bafc9f0))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2e461cc7-76cc-4ebc-933c-2a1ed089fc63))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7b379154-d14b-4922-8424-37effcf0140a))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 528e9ff4-2e3c-4448-9aa8-fb089000ccd7))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4d027868-421a-438b-9290-e77757bb811a))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b2f745a2-ca3b-4ecf-9f72-29105e068fa1))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 60496b6b-945d-4510-95fb-b33d182ef1ba))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8e6beccd-5aa3-440b-a47f-767cab664862))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp c9b8b197-324f-4a58-a183-626a827dccf5))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 5c7ad12f-9092-4a20-9637-c3433d7b0c83))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0603_1608Metric" locked (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005bed1aad)

  (at 65.4 99.5)

  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
(tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0603-4u7")

  (property "MPN" "LMK107BJ475KAHT")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005acf0aa9")

  (attr smd)

  (fp_text reference "C1" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 6645a680-39f0-4038-b26c-50b8affab576)
  )

  (fp_text value "4u7" (at 0 0.8 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp b6777d39-fe39-4df5-81fb-027dd9d8fedc)
  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 6c2c1851-4c05-4e4b-959c-0e4a825bb91d)
  )

  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 42795db6-45f7-4fca-bfc7-1aae6e4efd88))

  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 472c0bef-e7c8-4c36-8f46-829e544f439a))

  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 40499fd6-d8d2-40c9-b933-1052bcd8ab8b))

  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b2d1d6ec-dc3c-44c1-b02b-85b3e503be67))

  (fp_line (start 1.48 -0.73) (end -1.48 -0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp efc78611-8dd8-48b5-a887-90c9990b73ce))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a5ad1696-296f-43a5-a416-b8342db4ee7b))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8aa5000d-a6bc-46d4-a6fd-f12ec201da50))
(fp_line (start -0.8 0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8234fafb-977d-4916-a5d1-0a72f36642e0))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 18973576-9251-4b7f-a9fd-4700ce0027af))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 94ab45fb-9c0c-4e0a-9708-90d75c425481))
(pad "1" smd roundrect locked (at -0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (rou
        (net 2 "+3V3") (pintype "passive") (tstamp d1739395-4331-4a30-a799-2f1b25bf9ab1))
(pad "2" smd roundrect locked (at 0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (rou
        (net 3 "GND") (pintype "passive") (tstamp 28de909f-a1df-47a4-b9ae-77e692e40604))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bed1b41)
    (at 65.9 97.75 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005acd6c50")

```

```

(attr smd)

(fp_text reference "C2" (at 0 0 90) (layer "B.SilkS") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp c940db5c-a3b2-4163-9640-37a41c739c25)
)

(fp_text value "u1" (at 0 0.8 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp ef6947da-22a6-4ca8-93af-d672085583b3)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp c6bf6598-b914-4f9b-9052-9b00e8c2cede)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 58124b84-5934-48aa-9341-c0fb50bcc2e2))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8de29966-a7d9-4c88-8f7b-1b78c06797fe))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 17ea26c1-30cb-4b7b-a1af-e1d707c5ac16))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 111ad92c-e7ea-4ac2-989d-e5fcf37f090d))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 450c118a-5314-4005-a23f-8b00550d9fbd))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ffa2f328-ad5d-458c-8e04-538bafef124e7))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8adaaeb7-a6db-49c5-a238-bfd391e71e73))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 952cf038-aff5-4d9d-b3d1-7fbe78871d3e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 40536622-5907-4364-aa53-d42bc2563504))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 1831ad82-fb9d-4d66-bd36-a39df9023974))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))

```

```

        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bed1b6e)
  (at 65.9 95.75 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005acf711c")
  (attr smd)
  (fp_text reference "C3" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 12ba740e-9b4f-4a6b-88e4-13ff7b54bc5d)
  )
  (fp_text value "u1" (at 0 0.8 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp d46a3c1c-6817-4faa-9f57-efc605a47cfd)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 81eebee2-162c-4319-9d37-1116efc03397)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1bbfac08-9fa6-46da-9827-2d0abd7946e1))
  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4ca88426-72f3-4ddc-a704-68c6dcc0598a))

```

```

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1251a528-1e7c-4dfe-b034-81bdb57bce63))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6890fedb-444e-4f98-9465-c8e1821620f3))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9bf6cff0-b497-4bd7-8cb5-9373663e4117))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b776b207-b86f-406b-9f2e-e39482be4aeb))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 93ad460a-7539-4466-b5f3-78725343cbaf))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a7e65745-c9dc-4b69-a4fb-68f9eab28c08))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 81b8594d-e36b-442c-9e2a-d8f581ad9980))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 6e2c2217-7934-4819-a74a-7144f24d0eff))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-000005bed1ba1)
  (at 73.8 97.765 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")

```

```

(path "/00000000-0000-0000-0000-00005acf7152")

(attr smd)

(fp_text reference "C4" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 2da0b360-9f55-45d6-bdbd-31cc4298cd36)
)

(fp_text value "u1" (at 0.035 -0.8 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 51de6dcf-eff8-4ebc-bc22-c288c097e3c6)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 15a170d7-9901-4743-9cb1-1729cd1abae9)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1e31238c-b39c-4b90-afe4-4a843124a811))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e238e83a-4822-4562-bd87-f3a566adb8d2))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d016dd44-a99f-4d2a-a081-9b313bf4afac))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8726e3bd-e521-4ede-acf3-48ce812393e5))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7a13b41c-b7c7-49bc-aa85-7c07c4c86d16))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0320f274-c194-49a0-a6bd-fc63f6cc5680))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 13b048e6-a8fa-4c7e-a260-904293fdff65))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 633b5801-b8ce-4661-9e91-0aa7e6355678))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp 3838076c-dbdb-46ba-9b78-4b71aa2de05c))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 61fa6b68-0302-4e8c-85c8-0b626ec2b83e))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

```



```

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bee9778)
    (at 80.05 99.5 90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005c2c0b38")
    (attr smd)
    (fp_text reference "C81" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 27de9714-c90b-43f4-9a9a-e60faa52b966)
    )
    (fp_text value "u1" (at 0 0.75 90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp c395e7e5-a2b7-443c-8491-978cc8bf17bf)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 3d1088ee-6475-46b3-95ed-d86dd59cdfd2)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1d1b5e37-616a-4ff1-b7b7-13eed0b069a))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a009e099-88d6-4611-aef4-e87b184cc90d))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp eef0ba78-277b-427e-bafa-a4a7b3739051))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 28e4459a-aee2-4785-b438-29e196c5e1a0))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0665eb31-90e6-4415-b0a0-c875562ca1b8))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a35b53fb-9adf-496d-9871-dea2d269600d))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp af55c28f-925d-4c39-9147-53fe26999427))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7ce547d1-24f2-46a0-a3cb-75ceb2138a72))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 018a977a-906a-4cc8-852b-bdea7993b574))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 45128830-2d11-4a35-8835-8b449417e064))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005befa460)
        (at 89.85 95.75 90)
        (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
        (tags "resistor")
        (property "1b2-bom-key" "res-0402-100r")
        (property "MPN" "RC0402FR-13100RL")
        (property "Mfg" "Yageo")
        (property "Sheetfile" "glasgow.kicad_sch")
        (property "Sheetname" "")
        (property "ki_description" "Resistor")

```

```

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005bf22e2d")

(attr smd)

(fp_text reference "R32" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp f1c46079-b6cb-4e46-9d34-df940c21ff5e)
)

(fp_text value "100R" (at -0.05 0.85 270) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp f9c2b9c9-cccc-4266-aae3-984632c9d86c)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 17112e7a-1527-43a7-a8c4-bccd13b58b22)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ca94eaa2-6962-403d-8c4d-f1aeb97e7e3))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7060b30a-ae0-47d2-8f23-bc69258a99b1))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0a755ed0-1e8b-4720-842f-282919d6c81f))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 052a5d30-3899-40cd-ba29-56b528e62b8c))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cf7dbaf5-1285-48e4-8119-0ca1efb8aa38))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 115fb16d-8b62-4fd5-8e67-203514db974c))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4604e41e-f077-46bc-bd61-f4056ba06214))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 65ad64cb-9950-4d40-b472-adb38c77b5b3))

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 48 "/VCCPLL1") (pintype "passive") (tstamp a7042639-c027-49ca-9e91-b1d4273b949d))

(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (tstamp c39c12e7-1de0-4821-99b8-8ace357433f4))

```

```
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

(timestamp 00000000-0000-0000-0000-00005bf934b8)

(at 97.05 85.35 -90)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e"

(attr smd)

(fp_text reference "C38" (at 0 0 90) (layer "B.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(timestamp 9dd08dda-6659-4218-9d44-9a4a82a40ddd)

)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(timestamp 18b343f4-2b07-459a-b34c-9cca20851e48)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

(timestamp 32875bc9-8bb1-40ed-9f97-b76a5657fa79)

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)

(stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp ef505c0f-e4bc-4260-a9a7-da20e3260808))
```

```

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 08a38afe-8de6-4ae7-8e28-3ed22ffd648c))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a8a8b066-e10c-47ec-bbbf-cc3223c3abb2))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 54b91be0-22f4-486b-8145-afbd90848819))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ad037652-5df9-4c4b-b28b-1564b122cd51))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c6ffad41-60c0-44ee-8feb-cf352e1b122f))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 43fc5efc-95a1-4878-b07d-a9a2f65c5a56))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea09b079-88c8-46f3-9e89-246380ddf629))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_r
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 6eed44cd-c0e5-46b4-a0ae-df9b5f282528))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_r
  (net 3 "GND") (pintype "passive") (tstamp 477adf3c-6b8f-46ca-8932-2a872e28c413))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bf934c6)
  (at 95.15 85.35 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")

```

```

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C34" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp a0579776-801f-4ebd-9a13-2fcc2d031aa3)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 6960252a-6928-405c-9081-563e26c21d0a)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 913fc220-abc3-45c6-b1e6-aacac3c969c2)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 634f29f7-7cd1-4655-bc6c-41903f7869c7))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a93f0601-2e48-4e74-87f4-369895bb9752))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b7e2f35e-e245-44d3-ad91-543efcd3c14b))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bf9688e4-dcbd-4a70-b50f-f8109c17c9b9))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp fcd50796-a774-48e1-8873-65b28f34c462))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8c762514-5dff-4904-a116-0b5fbedd2bc4))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bc0bcbdb-68ff-4bf4-a3a0-2cfb9db17872))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b51f918f-c989-4006-a1b5-84a5a1c05db2))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_p0 0.05))
  (net 2 "+3V3") (pintype "passive") (tstamp 8c868f7f-ecc5-45bc-bc51-5414b13ac067))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_p0 0.05))

```

```
(net 3 "GND") (pintype "passive") (tstamp a56906b1-3fa7-4b85-9bc2-cbb24cc37285))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))
(rotate (xyz 0 0 0))

)

)

(fp_text reference "C60" (at 0 0 90) (layer "B.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(tstamp 1a2421aa-97bf-4db7-bdc8-31c14ded4ba8)

)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp f43a3e95-f6eb-47c1-82b7-553117e4ae75)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

(effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

(tstamp 18ef205a-0164-4754-bedf-cea4cc3122c3)

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp dd48c66f-f1ac-4d82-b142-66b499255208))
(fp_line (start -0.93 0.47) (end 0.93 0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8ed052e5-742a-4582-be12-6ecfe697572f))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 21618f55-7758-4970-963c-9b58396de372))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 46c06409-da5a-460f-a250-adf75f233ab7))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 38edb34b-fecd-49d7-98dd-f0bce13d30bd))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 233387c5-e854-47ee-85e2-5bdb13445178))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 122dc6b9-26ef-46af-b541-086536eadcf5))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b6ad42e1-5aae-4988-ad32-832eb48fd07a))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 2c56dc29-b84d-414d-86e4-4158fdb4231c))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp a8141e4d-a017-446d-ba96-0b2388074a98))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bfe4ab8)
    (at 97.05 99.35 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")

```



```

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C65" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp ad022377-43fa-47de-9817-32e4987bbd4e)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 72439bb4-4777-4f9a-90c7-73545c173462)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 33c89716-f02a-43c5-8d48-62cad129c488)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fff7b7f8-734a-45a1-a7ee-1597b31608e8))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 523e64c7-0edd-43b4-838d-c6f2bfca3f6e))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2d430553-cf26-4f4d-8010-a6fc816ab768))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b841573c-e8e4-424a-a699-34c19a644b55))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 99954f96-fdd7-46b0-9799-ad3ede548a45))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp fc761066-7929-447f-a968-38d740394b67))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0ba72fb5-7459-42af-89ab-d20bb3de700d))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 50aadd99-546d-4872-ad7c-6c47c9b54918))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_pads
  (net 107 "IO_Banks/VI0B") (pintype "passive") (tstamp 942e1b41-6826-4121-906b-d23a40e9e2e9))

```



```

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7b4f6626-8efd-4a87-8f2e-c72866993387))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e9ab007d-eaff-4e5b-a8e9-4b05d5596437))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f8da4a0e-3f82-4477-a58d-a29cb80fd3ac))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 83445458-8d14-4532-b529-c2343b9e7a90))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f71e4cd9-e0c5-43ce-9579-9e23150375d7))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bd281043-efc8-4be0-9e57-56b4d72f9ec2))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 81b6a218-9cdf-4926-a9db-95c6c7a9ca64))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 67d977ce-a7b8-400c-be59-046181fef0ac))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp f9772475-0f90-483d-8ac5-4170f45b3ba0))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 41b37031-1e5c-430f-b8d4-b01f73f0a65b))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005bfe4b02)
  (at 95.15 102.15 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")

```

```

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr smd)

(fp_text reference "C62" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp df2eceed-b65a-46ba-8f24-55dbd0a4920a)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 1ba79ef2-7e18-4f00-a51a-d68332ddc545)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 7fc8c75d-a81c-4693-80c2-f039030d52c4)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f7274e75-1729-4b57-807a-05e5db18d9b9))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 756f9693-629a-4b88-b9f1-94d93645e432))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9869ef06-3abd-4302-b8dd-cfe1a4c0bdb1))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8c5ae03e-851e-4d11-bc05-135d9de77f2e))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e1175df3-8e67-429b-b48c-18aec57c6f56))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d041963b-e182-4d77-bee2-563d19c64354))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp aa696f70-c9fc-4997-b13d-8eceb78b4a0d))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 10e161fd-ebc7-44a2-840e-34c3e02f1e98))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundre

```

```

        (net 2 "+3V3") (pintype "passive") (tstamp 79becb82-1a5e-40cd-b5f9-8310b9d55e8c))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

    (net 3 "GND") (pintype "passive") (tstamp a5fd034f-ae24-4839-a70e-0c2476c2577c))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005bfe4b12)

    (at 97.05 102.15 -90)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_B")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

    (attr smd)

    (fp_text reference "C66" (at 0 0 90) (layer "B.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

        (tstamp c37a7e34-a79c-47ed-ab52-3a0ca1270681)

    )

    (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp e9d4d984-afd5-4651-9c22-d1652089e850)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

    (tstamp 0a9ba958-6894-4d5c-80a7-ab4254a9f8f7)

```

```

)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ae00be4a-42f5-4e4f-81e2-41e0ac473fde))

(fp_line (start -0.93 0.47) (end 0.93 0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f78f93eb-aec3-40ec-a34c-cad75dcc8abb))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2e7a4112-11b0-46e2-b2f3-e8941a74f684))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 747c4e0d-8fe3-4d38-8e61-18235e44d85c))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b1c69def-8687-4a9e-918a-8da83be66b8e))

(fp_line (start -0.5 0.25) (end 0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ec9f3a1c-1be4-46d7-baad-a4552f4c465a))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7a4c2ccd-fe77-4a4b-9c81-a7455f206ef1))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 5845de17-978a-4660-82bc-74fa1d24a1b0))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 080a463e-6ecc-40e3-94ad-613b89d9ccd4))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp d2eccc85-8333-4b9e-87c5-5ad7c8991bb3))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005bfe4b51)

  (at 95.15 104.95 -90)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")

```

```

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C63" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp c91d0cca-0f00-453f-9403-22ff472706fd)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 0a7305ea-9c5d-43da-9d22-ddcd31136bf9)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 9d16779a-abd6-4691-884c-3f907a478a3f)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 24c782c8-18f7-453a-8b42-072ab891773a))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8ec4542c-e8fd-4d3e-91ff-5b3c3827dc75))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f47a725c-bc62-459e-ab25-4f07993a6596))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 08bd4cfb-3662-45cc-a9bf-337ae16034cc))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 29ec9429-02bd-4b8f-8046-7bf325fa184c))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 850998bb-93fc-404c-ad1c-4a46f38f98bf))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 75ce924c-0cf0-4c93-a79b-6b433687a01e))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp dc22261a-9737-4296-9b5d-162d7a6ff4ce))

```

```

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 8ab42276-3033-4ded-918d-f66c6fa7bd76))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp 1f12662e-c8ec-4ad2-aba7-ca1a9ce3b2e0))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bfe4b62)
    (at 97.05 104.95 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "C67" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp a4d7fe92-1fde-4b50-9cd0-397320a810c7)
    )
    (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 556115d2-f4cd-40ed-a483-9d48825cb9fe)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    )
)

```



```

        (tstamp 1d08dde6-9ca8-4007-91ef-b2649742c86c)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 44dc3ac2-c8e3-4e54-88f5-deff2d71e035))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6b201569-27a7-446f-b571-58fdc655942b))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 251164cb-1226-474a-a98d-de8bf4750547))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1794fd02-b80b-4410-b835-d2dd518f691d))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 36b3abd1-5b84-4a2a-8031-0e1e94801cb8))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cd0a7edd-46fd-43bf-8908-61d91e3bfd66))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f54482e8-1078-4b67-9184-aa54c6ddef61))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ae9ead5-edf9-4b57-a186-b46207ca0b01))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 9071b673-e8d3-403f-8e2b-02a7f61763a8))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 393ed44e-05b8-48fd-b96a-00534252bc40))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bfff64bc)
    (at 95.15 88.15 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")

```

[illegible]

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 37592079-6946-4e08-afa3-e5c28d1a6eeb))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp e0e478a9-3b76-42e3-bcf5-3e3c4c2dd6d9))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
(net 3 "GND") (pintype "passive") (tstamp dcd51a00-0e47-4607-9bc0-c5a34c5ea204))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

    (offset (xyz 0 0 0))

    (scale (xyz 1 1 1))

    (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005bff6573)

    (at 95.15 93.75 -90)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_A")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

    (attr smd)

    (fp_text reference "C37" (at 0 0 90) (layer "B.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

        (tstamp 783b3116-797e-4d42-8d45-868ff7196b18)

    )

    (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp 5fd63162-2db9-4769-9b16-232feb1a92c6)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

```

```

        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 186a7f8e-8631-4ab7-85d7-06b156b8d090)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9ab20e3a-9df0-4654-919f-018cb9909700))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ae9cf400-93bc-4e6f-83ee-ccf5b31aada8))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 545deaaa-676f-4c19-9ac9-d37534fdcf0e))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7b67b2d4-fe6d-4270-ad93-19af5ac69728))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp df838590-7d5d-479b-acfd-d4d91e157b53))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4f41b315-ab04-4211-94f9-460cfd7a4b83))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 5847e10b-6855-4b1f-be22-5da2303c2e30))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 83a3eb2e-724a-4ad6-b10a-404c79a24dd5))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 95a04937-06d0-4f0b-8fcc-f81ca553ce3f))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 5f5e15a6-6caf-47e0-b0b3-01962ecafd36))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)
(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005bfff6582)
    (at 95.15 90.95 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")

```

[illegible]

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 42c81038-d42c-4dbd-9283-fc5e43d2b5c5))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 2 "+3V3") (pintype "passive") (tstamp 37ca19dd-0e59-46ba-aa37-47677032d84b))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 3 "GND") (pintype "passive") (tstamp d5a4ab21-e8e5-4dc6-b9c9-dd60dd558b45))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005c065dca)
    (at 81.7 94.7 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005b0dd103")
    (attr smd)
    (fp_text reference "C25" (at 0 0 90) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 4958a673-54fc-4a6c-bd8f-c1e4c104d9d4)
    )
    (fp_text value "u1" (at -1.4 -0.05 -90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 7e528477-b83c-4690-a78a-7ab6ed45ece3)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

```

```

        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 15fba2b2-2fd2-4fa4-a06f-3c8ea56d3e3a)
    )
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp df8a442e-e284-4bea-8b41-e0f717e5cffa))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp aad47c6e-c7f3-48c8-a072-675fc5de7f5e))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0d8f0137-60f7-48ee-9bbd-4b9b284c7c50))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1ebd683d-de2f-4d1c-9104-49efb21a9114))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2686fb98-9cf7-4fd1-ae7a-4a5e836dd92f))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 08db366e-bb43-4ec7-91d2-8ae4683b7ad2))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e8715780-874d-44e9-8f22-cb5373006381))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8db479e8-ee3e-4ba1-9891-1e4a6f827a6f))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 29 "+1V2") (pintype "passive") (tstamp c124d0c7-e9bb-4a91-a3e2-08194755fcc5))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 1f7b7110-f4b6-4392-9967-afc6930fe751))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:nono_hana_lines" locked (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005c07534e)
  (at 73.8 82.5 180)
  (descr "Imported from /home/marcan/media/images/nono_hana3.svg")
  (tags "svg2mod")

```

```

(attr board_only exclude_from_pos_files exclude_from_bom)

(fp_text reference "NONO_HANA" (at 0 12.841393 180) (layer "B.Silks") hide
  (effects (font (size 1.524 1.524) (thickness 0.3048)) (justify mirror))
  (tstamp 83621d91-48c1-4fbe-9a20-87f754895222)
)

(fp_text value "MECHOKKU" (at 0 -12.841393 180) (layer "B.Silks") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 1b36cde0-cfc8-45bc-9b1b-4eba6ee3e5f2)
)

(fp_line (start -17.273 -5.305) (end -17.221 -5.391)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b41d40ca-dec4-4259-966d-c036cbe60754)
(fp_line (start -17.232 -5.437) (end -17.273 -5.305)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3c655b8b-91b2-4216-97c3-e75d263516b5)
(fp_line (start -17.221 -5.391) (end -17.158 -5.462)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6abff0ff-8c01-427b-9c11-c7faf9ec961e)
(fp_line (start -17.188 -5.564) (end -17.232 -5.437)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e577643e-6e1b-4e62-ba99-5c01ecb1635c)
(fp_line (start -17.158 -5.462) (end -17.086 -5.519)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b1babb9-3d5c-4328-bf78-9648bf211bd5)
(fp_line (start -17.14 -5.685) (end -17.188 -5.564)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 70fa9139-54c8-4197-9ad1-8c5822ffca61)
(fp_line (start -17.087 -5.798) (end -17.14 -5.685)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2a187d6-cb18-4433-a48e-fccfb8c68b34)
(fp_line (start -17.086 -5.519) (end -17.009 -5.562)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ba9e183-fc54-4cf5-a2fd-2fba1f387de0)
(fp_line (start -17.043 -3.819) (end -17.039 -3.701)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 005e09fe-c4da-4e16-acad-f21669e93815)
(fp_line (start -17.039 -3.701) (end -17.019 -3.592)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 349ad8ea-497c-408e-88b0-0056d7617c2e)
(fp_line (start -17.027 -5.903) (end -17.087 -5.798)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 21cd22be-89dc-45a7-9a10-c6d65a758b88)
(fp_line (start -17.027 -3.946) (end -17.043 -3.819)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8abd37f2-2594-498e-95a0-05911ddb39fe)
(fp_line (start -17.019 -3.592) (end -16.981 -3.49)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9889d223-6062-4b43-a970-3c668ef3213b)

```



```
(fp_line (start -17.009 -5.562) (end -16.928 -5.591)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05387e29-1d13-4294-8a0d-8cd9e0068d67)
(fp_line (start -16.993 -4.082) (end -17.027 -3.946)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1e7ab5b-df5b-4f92-b8c6-acc1210ff6bf)
(fp_line (start -16.981 -3.49) (end -16.928 -3.397)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ea030e20-2f51-4468-8c6f-4f38d79ca682)
(fp_line (start -16.96 -5.996) (end -17.027 -5.903)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f9fea05-370d-49dd-93e2-980934027258)
(fp_line (start -16.939 -4.228) (end -16.993 -4.082)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 75c4bc6f-ac75-4f4c-83db-56a16c519629)
(fp_line (start -16.928 -5.591) (end -16.846 -5.606)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 70492442-c619-4492-b6b3-8bb020eaf1a0)
(fp_line (start -16.928 -3.397) (end -16.859 -3.31)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 81659566-7c62-492c-a1b2-ae70f5651789)
(fp_line (start -16.885 -6.077) (end -16.96 -5.996)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 10b8de1d-dab3-42ce-963d-8c6cf5eefcd4)
(fp_line (start -16.865 -4.385) (end -16.939 -4.228)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d58ccacc-b899-4dc2-80eb-b2000bf4555e)
(fp_line (start -16.859 -3.31) (end -16.775 -3.231)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b54d9b3d-0a77-4c13-8915-3b25011144ec)
(fp_line (start -16.846 -5.606) (end -16.765 -5.608)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 96fe415c-c909-463c-aec7-730493ae2cab)
(fp_line (start -16.8 -6.143) (end -16.885 -6.077)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88b72bc3-eef5-48c3-8dda-bd2377d8425a)
(fp_line (start -16.775 -3.231) (end -16.678 -3.157)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fdcdd588-21f9-4430-9534-fb0c26404700)
(fp_line (start -16.769 -4.552) (end -16.865 -4.385)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2071710-db61-4556-98ec-dd38a85489ff)
(fp_line (start -16.765 -5.608) (end -16.688 -5.596)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5906fb25-4b0d-468e-9573-1bbe9c3579cd)
(fp_line (start -16.704 -6.194) (end -16.8 -6.143)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6de704c-b8ea-46a9-bde3-1d6b79cb7f9b)
(fp_line (start -16.688 -5.596) (end -16.617 -5.57)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0e3556d1-7ca3-4a5e-ac06-94111c977a63))
(fp_line (start -16.678 -3.157) (end -16.567 -3.089)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72fa1e2d-81ca-4aba-a0ff-dd700a759a11)
(fp_line (start -16.652 -4.73) (end -16.769 -4.552))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f5228072-f4d6-4f2b-8901-84f8e1cf3200)
(fp_line (start -16.617 -5.57) (end -16.555 -5.531))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 03baa9db-5185-4fd0-953c-6ee3ee8da544)
(fp_line (start -16.597 -6.228) (end -16.704 -6.194))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7344f7f-983f-469e-a062-edb4050f0127)
(fp_line (start -16.567 -3.089) (end -16.445 -3.027))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c1f2b4e2-b000-4276-94c4-81a71a79976e)
(fp_line (start -16.559 -4.877) (end -16.652 -4.73))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aeae913e-7f83-49d5-af37-356b80305fb9)
(fp_line (start -16.555 -5.531) (end -16.503 -5.478))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 02e9b3c2-4232-4a07-b866-3b03f5efcda7)
(fp_line (start -16.503 -5.478) (end -16.465 -5.411))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a176d373-b575-4f7b-8e36-10e287d48d8b)
(fp_line (start -16.494 -5.01) (end -16.559 -4.877))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a927044e-31b8-4ad1-8184-ac7c68e18411)
(fp_line (start -16.477 -6.243) (end -16.597 -6.228))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 46a33fad-821b-4366-a45c-6bc652f293ff)
(fp_line (start -16.465 -5.411) (end -16.443 -5.331))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 200e83db-7196-4d0b-a9f5-cca747329639)
(fp_line (start -16.455 -5.131) (end -16.494 -5.01))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3c1a49af-94eb-4f04-bf2b-f2a70ae2a7a7)
(fp_line (start -16.445 -3.027) (end -16.296 -2.956))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3876e0e4-9caf-410a-a375-ec515ff74416)
(fp_line (start -16.443 -5.331) (end -16.438 -5.238))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 06b81f11-e49e-4439-b49c-83001083f315)
(fp_line (start -16.438 -5.238) (end -16.455 -5.131))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 738da55b-d626-462d-9efb-2881123926e4)
(fp_line (start -16.433 -9.782) (end -16.377 -9.731))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b4234376-dd49-4253-810e-5a77602283c6)
(fp_line (start -16.377 -9.731) (end -16.263 -9.618))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 26abf6e4-af12-4f8e-a730-43cddec6775d)
(fp_line (start -16.343 -6.237) (end -16.477 -6.243))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9c7ce35b-1db1-49f8-994c-687a1f1d6d62)

(fp_line (start -16.296 -2.956) (end -16.15 -2.88)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 82fe6303-bda8-477c-a73a-461dd63fdeb5)
(fp_line (start -16.272 1.021) (end -16.272 1.131)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cc0379d3-5fef-4263-a461-ba65665a51db)
(fp_line (start -16.272 1.131) (end -16.269 1.249)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0085ac6a-7f33-4789-afad-f592878dd5d4)
(fp_line (start -16.269 0.919) (end -16.272 1.021)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp de14d482-d8ad-4128-955c-e29c9731fad8)
(fp_line (start -16.269 1.249) (end -16.263 1.375)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c5c9219-9393-4b0e-a30f-e2d85d089a22)
(fp_line (start -16.263 -9.618) (end -16.168 -9.506)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb12245f-1d37-49db-be79-d69fa28a6c65)
(fp_line (start -16.263 0.826) (end -16.269 0.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36b881c3-c672-40ab-8dcb-d5544ddb6c1a)
(fp_line (start -16.263 1.375) (end -16.253 1.507)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb6777e4-b1a2-4818-91cb-c0a597442314)
(fp_line (start -16.254 0.741) (end -16.263 0.826)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9a839839-8440-4281-9ccb-af24c625c64c)
(fp_line (start -16.253 1.507) (end -16.239 1.647)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c37908c4-4628-45e3-bfa1-8e42099253fb)
(fp_line (start -16.243 0.665) (end -16.254 0.741)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 062ae9fc-f666-4d65-82d6-6ec93eca4011)
(fp_line (start -16.239 1.647) (end -16.222 1.794)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ab131975-d7d4-4dc7-b04f-3add1da40967))
(fp_line (start -16.23 0.598) (end -16.243 0.665)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e8e7f2ab-36eb-4a81-8c54-75d317e69e91)
(fp_line (start -16.222 1.794) (end -16.2 1.947)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94214e83-9055-4e87-be9d-92b590097d71)
(fp_line (start -16.214 0.541) (end -16.23 0.598)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5503eb56-3605-40ee-af3a-ed3d51502802)
(fp_line (start -16.2 1.947) (end -16.175 2.107)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a5427c9-ef99-458b-8163-e0c47c23a317)
(fp_line (start -16.195 -6.209) (end -16.343 -6.237)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8c5eec17-81ff-4585-b206-9fe198dbaa8b)
(fp_line (start -16.184 0.449) (end -16.214 0.541)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 290bfd00-282e-4cab-8a85-b618a4a0c3c2)
(fp_line (start -16.175 2.107) (end -16.145 2.272)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2ab4c5bf-79d0-4ec3-9a02-5a8ebf14967e)
(fp_line (start -16.168 -9.506) (end -16.138 -9.399)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6dbc84c4-8b9b-42c7-a40a-3f1f3aac0279)
(fp_line (start -16.15 -2.88) (end -16.009 -2.801)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf9f74e8-28f0-4251-b319-3282d38aeb10)
(fp_line (start -16.145 0.339) (end -16.184 0.449)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 75943f61-9423-48c0-8469-b72ba403f35c)
(fp_line (start -16.145 2.272) (end -16.11 2.444)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7bfa406-d253-4e35-812f-5ae59c697062)
(fp_line (start -16.138 -9.399) (end -16.118 -9.246)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb674145-6878-4a45-862c-105716f3f934)
(fp_line (start -16.118 -9.246) (end -16.083 -9.09)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c2a3b532-8999-4c11-99d0-9d485c3639df)
(fp_line (start -16.11 2.444) (end -16.071 2.621)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d0fdd291-ce6b-4cfb-b132-298dfff17be9)
(fp_line (start -16.098 0.213) (end -16.145 0.339)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73bf0dcc-7311-4a8a-a6e2-540c04f035f6)
(fp_line (start -16.083 -9.09) (end -16.007 -8.977)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1fc279b9-2c3d-4482-bc1a-fd702664f54a)
(fp_line (start -16.071 2.621) (end -16.027 2.803)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b8a158f-695d-42aa-bf7c-4e60d45afab0)
(fp_line (start -16.045 0.074) (end -16.098 0.213)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ebfda14-5616-49a0-a38c-c32126f7342f)
(fp_line (start -16.03 -6.157) (end -16.195 -6.209)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8be57b54-ec9b-4d13-a8e2-b9defa59daf3)
(fp_line (start -16.027 2.803) (end -15.978 2.99)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69622b17-0c75-439e-9263-9ce90f00ee23)
(fp_line (start -16.025 -6.157) (end -15.856 -6.092)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2c06ff6f-b063-4425-bc46-9c413d5177b3)
(fp_line (start -16.009 -2.801) (end -15.874 -2.717)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d2f0b2c-550e-443b-a782-3bf6007ac441)
(fp_line (start -16.007 -8.977) (end -15.902 -8.919)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 71b1b3a1-e816-4152-a094-a77f6207856a)

```
(fp_line (start -15.988 -0.076) (end -16.045 0.074)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c61f6c89-4730-46d1-a8fb-4f283aeebdf8)
(fp_line (start -15.978 2.99) (end -15.924 3.181)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 721daad1-b709-4199-8146-59a222f92170)
(fp_line (start -15.974 -6.237) (end -16.03 -6.157)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0e3337da-118c-47ac-831d-d5da9faaed80)
(fp_line (start -15.926 -0.234) (end -15.988 -0.076)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 950015f7-ea71-4922-b81d-5a351d90c312)
(fp_line (start -15.924 3.181) (end -15.865 3.377)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 581a02a7-9720-435d-8568-98b6aedfb92e)
(fp_line (start -15.905 -6.31) (end -15.974 -6.237)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7a5a0beb-0440-4598-aa87-82813874b750)
(fp_line (start -15.902 -8.919) (end -15.746 -8.856)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d50f82b6-208e-4a7c-a80b-eea8825e7c2b))
(fp_line (start -15.874 -2.717) (end -15.748 -2.629)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 677f36e2-dd90-4633-8904-26ab00165416)
(fp_line (start -15.865 3.377) (end -15.8 3.577)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b5083d3-8315-457f-8c3c-b592d06f190f)
(fp_line (start -15.861 -0.399) (end -15.926 -0.234)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd6286df-e553-4b89-903c-71cc1a6d914f)
(fp_line (start -15.856 -6.092) (end -15.717 -6.032)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 004d8b9c-6b4b-4e5a-9fc2-a14c3950c610)
(fp_line (start -15.825 -6.373) (end -15.905 -6.31)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5168daf0-8377-4a31-8eb0-7a73a6a6c431)
(fp_line (start -15.8 3.577) (end -15.729 3.782)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ae4d6ac-02e2-4650-8278-9b05cbb849e3)
(fp_line (start -15.795 -0.567) (end -15.861 -0.399)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 241214e9-281a-467d-bb0c-530b3fb29d92)
(fp_line (start -15.748 -2.629) (end -15.634 -2.537)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 647d25d5-90e0-4c01-9bfe-b0b77a6126bf)
(fp_line (start -15.746 -8.856) (end -15.57 -8.794)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2270aab-86a6-4176-8f99-be146bb59a13)
(fp_line (start -15.732 -6.425) (end -15.825 -6.373)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 30f6320d-b6b9-4f02-963b-e5680effc880)
(fp_line (start -15.729 3.782) (end -15.653 3.989)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7fba1e41-23f3-4494-a7df-d434da278b6e)
(fp_line (start -15.728 -0.737) (end -15.795 -0.567))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb47c670-1aa9-41ff-8d7a-38b29f4e5259)
(fp_line (start -15.717 -6.032) (end -15.602 -5.971))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ba72be42-2aea-4a6a-a624-f783375d6d53)
(fp_line (start -15.661 -0.905) (end -15.728 -0.737))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f9a4358b-57fa-43c8-bd5c-9353b0efb4ba)
(fp_line (start -15.653 3.989) (end -15.57 4.2))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f17d99e-08c9-4376-904f-91a3415af731)
(fp_line (start -15.639 0.08) (end -15.527 -0.151))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f861cb72-3870-4a7e-bc33-ae480d595259)
(fp_line (start -15.634 -2.537) (end -15.533 -2.44))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 279952fc-e648-498f-b428-8910b849e31a)
(fp_line (start -15.629 -6.462) (end -15.732 -6.425))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1da924ef-7716-4881-b075-13bb85c6719d)
(fp_line (start -15.602 -5.971) (end -15.502 -5.906))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a1137a35-eb0d-4860-b4f9-e915adb7892f)
(fp_line (start -15.597 -1.07) (end -15.661 -0.905))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e117c15-0a1e-49eb-8b5a-5e2d562fcf93)
(fp_line (start -15.57 -8.794) (end -15.406 -8.74))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fde8a85b-b157-4af8-86dc-0c8b9ce08234)
(fp_line (start -15.57 4.2) (end -15.517 4.331))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7ef9edb4-e2b3-4668-8c69-24d7cf1738f2)
(fp_line (start -15.547 -8.758) (end -15.527 -8.715))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 616d8d5a-92d5-47e0-aabf-88f7dd95630a)
(fp_line (start -15.535 -1.23) (end -15.597 -1.07))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e0e5c9ae-dd8e-4ade-a07e-933bc459b156)
(fp_line (start -15.533 -2.44) (end -15.448 -2.338))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 671a4d93-8bbb-403b-87ce-9221c5840edc)
(fp_line (start -15.527 -8.715) (end -15.487 -8.642))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 60dfa456-0e0c-423c-96fb-1542c3ed37db)
(fp_line (start -15.527 -0.151) (end -15.43 -0.357))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 40c7f928-d148-4eac-84ff-c45e27a0fe51)
(fp_line (start -15.517 4.331) (end -15.46 4.462))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 06c671ae-796a-4309-8e4e-5661bb5c9abc)

(fp_line (start -15.514 -6.48) (end -15.629 -6.462)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp be39e31a-d03e-4110-985b-9b7d5a0e5012)
(fp_line (start -15.502 -5.906) (end -15.413 -5.832)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db926848-cc33-47bd-bff3-ea64ed095fa6))
(fp_line (start -15.487 -8.642) (end -15.428 -8.543)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b65c2b71-1f1b-4a22-b1cc-abe7772ee2a9)
(fp_line (start -15.477 -1.381) (end -15.535 -1.23)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ff937fc-64ce-4c46-b4c6-c086304b0592)
(fp_line (start -15.46 4.462) (end -15.401 4.594)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88a845fd-ef83-48ce-9668-b469e58995ca)
(fp_line (start -15.448 -2.338) (end -15.381 -2.232)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69cd2f06-6722-4cf7-a2d4-a02a5021212a)
(fp_line (start -15.43 -0.357) (end -15.347 -0.542)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 26890bcb-3cb6-4356-8127-dc4bbd3cfc67)
(fp_line (start -15.428 -8.543) (end -15.353 -8.421)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9dc20249-6350-4d0a-b72f-6172fd8ac106)
(fp_line (start -15.425 -1.521) (end -15.477 -1.381)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 26dd89e1-fbe7-4ce4-876c-a12320513d27)
(fp_line (start -15.413 -5.832) (end -15.326 -5.742)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 57113820-eb01-48d1-810f-cc30201a3c42)
(fp_line (start -15.406 -8.74) (end -15.284 -8.703)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3771b202-87c2-48cf-b7d4-203a4c9e2214)
(fp_line (start -15.401 4.594) (end -15.338 4.726)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fae81fd5-b92d-4206-b932-eac0d3e8bbdf)
(fp_line (start -15.389 -6.478) (end -15.514 -6.48)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 34041059-3ba2-47d2-a30e-1e6cbfc6bf78)
(fp_line (start -15.381 -2.232) (end -15.335 -2.122)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5a27af8e-735d-4600-a2a3-6bfa313cf388)
(fp_line (start -15.379 -1.649) (end -15.425 -1.521)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d93c647c-2150-4052-8b6e-ce00dd16fac3)
(fp_line (start -15.378 2.244) (end -15.374 2.095)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 382835cb-ad60-49e9-8ba6-8c7773cae68d)
(fp_line (start -15.378 2.391) (end -15.378 2.244)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 934f1182-c38b-4ec7-8a85-74a1314f409b)
(fp_line (start -15.374 2.095) (end -15.364 1.945)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48d71889-592a-4d10-b7f2-917271e915e1)
(fp_line (start -15.373 2.537) (end -15.378 2.391)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1c4f6cff-440b-46cd-bd2a-e0d65c9a8013)
(fp_line (start -15.364 1.945) (end -15.349 1.794)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 625a32d2-411a-4560-8bc8-2dc025fb678c)
(fp_line (start -15.363 2.681) (end -15.373 2.537)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9c0102c9-c4d9-4abd-99e4-8f9332fc520e)
(fp_line (start -15.353 -8.421) (end -15.265 -8.282)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0792cc50-104d-4cb6-8517-2b5e54eaa2d0)
(fp_line (start -15.349 1.794) (end -15.33 1.643)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp af2c697c-1d40-4920-82dc-870935d25c31)
(fp_line (start -15.347 -0.542) (end -15.278 -0.708)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 38ea34f7-01b5-4f62-814e-9140cb8ad08e)
(fp_line (start -15.34 -1.761) (end -15.379 -1.649)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 965cd26c-1a6a-48eb-96b8-a793c8f87ea2)
(fp_line (start -15.338 4.726) (end -15.273 4.859)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0beb6fa7-c500-4ff5-b71d-4268ab78b4de)
(fp_line (start -15.335 -2.122) (end -15.311 -2.006)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8830bda7-7156-4940-aa25-1ba03e46d315)
(fp_line (start -15.33 1.643) (end -15.307 1.491)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9fa78bbc-abbd-4caf-a329-1a9ec4228a06)
(fp_line (start -15.326 -5.742) (end -15.235 -5.634)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2762daa4-6bff-473c-a9a9-ad19e06a635d)
(fp_line (start -15.312 -1.886) (end -15.34 -1.761)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a69391c-0731-48d6-8955-b61344475e2b)
(fp_line (start -15.311 -2.006) (end -15.312 -1.886)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8489a6e5-9908-4410-83b8-8ede1f136691)
(fp_line (start -15.307 1.491) (end -15.279 1.339)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63684a7a-4737-44fb-8a14-b0251969a02a)
(fp_line (start -15.284 -8.703) (end -15.237 -8.689)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d16568bd-f48c-4eaa-9d3f-9b3fe4e9ebcd)
(fp_line (start -15.279 1.339) (end -15.246 1.188)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 334a4cb9-22bf-4064-aaa2-4810b7d33492)
(fp_line (start -15.278 -0.708) (end -15.222 -0.857)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8dd6b34c-1e47-4a5a-9f11-cbaf02519bc3)

(fp_line (start -15.273 4.859) (end -15.206 4.993)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eaa5f2ee-cf29-42ae-85da-026b36fcd892)
(fp_line (start -15.265 -8.282) (end -15.167 -8.129)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b85c7d5-1015-44f5-b1e9-00977c7b6438)
(fp_line (start -15.254 -6.452) (end -15.389 -6.478)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8a7512e-36dd-4600-9b2e-5687b7ef8597)
(fp_line (start -15.246 1.188) (end -15.21 1.036)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9714b883-f4cf-43d5-9994-e6d5cf61e5ab)
(fp_line (start -15.235 -5.634) (end -15.133 -5.501)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1cab6327-6505-45d0-b475-7452cee29e4b)
(fp_line (start -15.224 -1.905) (end -15.271 -2.037)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2c8e0574-db71-40ad-adbf-0d80efebba38)
(fp_line (start -15.222 -0.857) (end -15.178 -0.993)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3cb84a9e-62ee-4851-a2d8-49d315f8e0ca)
(fp_line (start -15.21 1.036) (end -15.169 0.886)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5828506e-d8ef-4587-9483-eb19e7c67fbb)
(fp_line (start -15.206 4.993) (end -15.135 5.127)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63d9e03f-4ba5-46b7-8114-71c9c8de403a)
(fp_line (start -15.185 -1.783) (end -15.224 -1.905)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp deef9b2e-90a5-4356-ac01-bf68d98e1292)
(fp_line (start -15.178 -0.993) (end -15.147 -1.118)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4294eb44-3071-4359-b669-01b332c4311e)
(fp_line (start -15.169 0.886) (end -15.124 0.736)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 14017c7f-a078-46e2-9353-e729348be9cc)
(fp_line (start -15.167 -8.129) (end -15.06 -7.967)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa24b3fe-8ccb-4047-8d83-c785b0056ee8)
(fp_line (start -15.155 -1.669) (end -15.185 -1.783)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 312904cc-ca8e-4348-abf8-a45f9da06d9c)
(fp_line (start -15.147 -1.118) (end -15.127 -1.234)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 12aa3a22-e6c3-4cd8-bcae-f22c261e4b32)
(fp_line (start -15.135 5.127) (end -15.062 5.261)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d387984-51d7-486f-8b42-a85b21bd5761)
(fp_line (start -15.133 -1.559) (end -15.155 -1.669)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8418109-be2e-4925-bee3-8bfd9f560d7e)
(fp_line (start -15.127 -1.234) (end -15.119 -1.345)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e0ffab12-19c6-4578-9247-6a4eacd1e9b0)
(fp_line (start -15.124 0.736) (end -15.075 0.587))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ea3b4b32-3e07-4620-83d1-a89e4420d79b)
(fp_line (start -15.121 -1.452) (end -15.133 -1.559))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f98786df-ca9e-423a-8706-b593aff1b11c)
(fp_line (start -15.119 -1.345) (end -15.121 -1.452))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9fa7ee1b-6790-4ab4-8ef3-6c178654a1f6)
(fp_line (start -15.108 -6.4) (end -15.254 -6.452))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72ed65a3-52d6-47eb-ba14-1734bd649345)
(fp_line (start -15.075 0.587) (end -15.022 0.44))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6cb64ca7-f341-4ad4-8b10-99d124b6749d)
(fp_line (start -15.062 5.261) (end -14.987 5.395))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f56d3cdf-c3d5-4136-86ff-c7638002185c)
(fp_line (start -15.06 -7.967) (end -14.948 -7.799))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 15e18c1c-4574-430a-a99e-6fa628827c25)
(fp_line (start -15.022 0.44) (end -14.966 0.294))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a2e91fcd-82e8-4792-90ce-87cf0326cd91)
(fp_line (start -14.987 5.395) (end -14.909 5.529))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cdbc3c2a-ab4f-48f7-9b88-0d264c3f14ba))
(fp_line (start -14.966 0.294) (end -14.905 0.151))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 776e0755-8e9a-4b18-8003-86d68d28a847)
(fp_line (start -14.953 -6.318) (end -15.108 -6.4))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 64764ad9-b947-49d6-b917-b3185d053608)
(fp_line (start -14.948 -7.799) (end -14.832 -7.631))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7c9de4f-67b9-4295-a5f0-d096724b2edc)
(fp_line (start -14.909 5.529) (end -14.829 5.663))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aa5fec7a-381a-42ef-8355-756c0c56be4f)
(fp_line (start -14.905 0.151) (end -14.842 0.009))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4aa53d69-98da-4994-b57e-fc8f4e1d8fc2)
(fp_line (start -14.842 0.009) (end -14.774 -0.131))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7797b8a3-0224-46ce-8308-30587c70e1d0)
(fp_line (start -14.832 -7.631) (end -14.716 -7.466))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 309a9486-4a9a-4466-b873-fe343487e8c4)
(fp_line (start -14.829 5.663) (end -14.746 5.796))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63a388b1-e22a-43aa-b484-b64a85d0788a)

(fp_line (start -14.788 -6.203) (end -14.953 -6.318)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d591c5bc-937b-4453-bce4-d1e2924e4df0)
(fp_line (start -14.774 -0.131) (end -14.703 -0.268)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 07d8f5eb-515b-4da9-8244-d6a82f649393)
(fp_line (start -14.746 5.796) (end -14.661 5.929)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c1aa2471-d61a-4c00-9d52-1dd2096e54a3)
(fp_line (start -14.728 -6.401) (end -14.788 -6.203)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7e18455-9adc-46de-ad47-8997f24b786a)
(fp_line (start -14.716 -7.466) (end -14.602 -7.308)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp edc70e66-2b82-411c-a907-98ad7b7eac78)
(fp_line (start -14.703 -0.268) (end -14.629 -0.402)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8da5957e-dcae-4574-957e-4cbdc7f7c62c)
(fp_line (start -14.695 2.049) (end -14.693 1.885)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 049c8f27-8aa0-4e47-8c68-f295701daf47)
(fp_line (start -14.693 1.885) (end -14.687 1.721)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff03290b-84e4-4a76-948f-7dd1c1046961)
(fp_line (start -14.693 2.212) (end -14.695 2.049)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a1441c26-aede-4bd1-875e-42d47bdf6887)
(fp_line (start -14.687 1.721) (end -14.677 1.556)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6f85186c-a852-44b8-9288-645fb6d2d923)
(fp_line (start -14.687 2.375) (end -14.693 2.212)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 46c5cfac-5576-49bb-bc8a-17916ca6b744)
(fp_line (start -14.678 2.536) (end -14.687 2.375)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dbfed8d6-ff25-4af8-82f7-ac68d5bc79cf)
(fp_line (start -14.677 1.556) (end -14.663 1.393)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb6d0ed0-33e4-420d-ac18-e5088e65bcce)
(fp_line (start -14.666 2.696) (end -14.678 2.536)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2400afc-8af1-461a-81a3-2a3496a555fc)
(fp_line (start -14.663 1.393) (end -14.644 1.23)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 491cb4f9-1566-4d2c-8ea5-9bfd1ca60fe8)
(fp_line (start -14.661 5.929) (end -14.574 6.061)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3b9eebb6-0bd7-47fb-96da-4870eb15165d)
(fp_line (start -14.653 -6.561) (end -14.728 -6.401)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d9cdd9e-9f58-4c92-986d-b972da662159)
(fp_line (start -14.65 2.853) (end -14.666 2.696)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ab485aa9-4b15-4aa7-9cf8-deb6f859af36)
(fp_line (start -14.644 1.23) (end -14.621 1.068))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e210298-31d3-4074-a04c-0f87226bf8a0)
(fp_line (start -14.632 3.008) (end -14.65 2.853))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b1bb2ea-5833-4644-957a-d80c1aa4d417)
(fp_line (start -14.629 -0.402) (end -14.552 -0.533))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a783838d-d7d0-4a6b-a671-779d352de3e1)
(fp_line (start -14.621 1.068) (end -14.592 0.908))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7ee28e36-fd6d-48cd-b8f5-f7309bb1716c))
(fp_line (start -14.611 3.161) (end -14.632 3.008))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 752e0309-733a-49b0-b9b2-35fa838cf4ae)
(fp_line (start -14.602 -7.308) (end -14.493 -7.162))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1092790-360d-49f5-a9af-657d9cc8bbfc)
(fp_line (start -14.592 0.908) (end -14.559 0.75))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eacef44e-4bf6-49e6-8a74-9c94bdbfe0dc)
(fp_line (start -14.587 3.31) (end -14.611 3.161))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b28fd3a0-2046-462e-9578-43eddd7a20b0)
(fp_line (start -14.574 6.061) (end -14.484 6.192))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 89b0c21f-6bb2-4122-be28-4b8555f12f91)
(fp_line (start -14.567 -6.687) (end -14.653 -6.561))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3fbb11e4-d128-4cd8-a730-aba596033e69)
(fp_line (start -14.56 3.456) (end -14.587 3.31))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 30811815-4f2e-4fbe-8b8e-1f10c6c16d03)
(fp_line (start -14.559 0.75) (end -14.52 0.594))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6cd83f94-e458-4347-bd43-d1bff323095f)
(fp_line (start -14.552 -0.533) (end -14.472 -0.66))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 834e6f95-e6bd-49fa-a39c-0624c29b9383)
(fp_line (start -14.531 3.598) (end -14.56 3.456))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9f5362dd-007d-4c0e-8e58-777ab18b7ea4)
(fp_line (start -14.52 0.594) (end -14.477 0.44))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 61b75c60-03a0-41d4-9112-fa98bee66465)
(fp_line (start -14.501 3.736) (end -14.531 3.598))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2baea3f6-1177-4231-bb03-84f6b0fdbc1a)
(fp_line (start -14.493 -7.162) (end -14.39 -7.032))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a74c6cf-4cda-40e4-87e1-17d16749a6c2)

```
(fp_line (start -14.484 6.192) (end -14.392 6.323)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 955867f8-f05a-4c54-b289-de3e693762a7)
(fp_line (start -14.479 -6.781) (end -14.567 -6.687)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 360e29ab-105b-4a92-a75c-e58d0d309c95)
(fp_line (start -14.477 0.44) (end -14.427 0.29)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 080c058f-8a06-4364-af5f-82be4ff39ce7)
(fp_line (start -14.472 -0.66) (end -14.388 -0.785)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9db2eaf4-4be5-4742-9d08-bed8572a6e2c)
(fp_line (start -14.468 3.869) (end -14.501 3.736)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 29884abd-88a7-4395-96d3-c7bd7867689d)
(fp_line (start -14.433 3.998) (end -14.468 3.869)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 676835f8-46e6-4df8-8ad2-b4f2d19a857b)
(fp_line (start -14.427 0.29) (end -14.372 0.142)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f7a6649-d90f-4db6-8245-f34c1d1ebc88)
(fp_line (start -14.397 4.121) (end -14.433 3.998)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4005d0e-f13e-4d88-8836-09ae8acf44fc)
(fp_line (start -14.394 -6.845) (end -14.479 -6.781)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 34c46fd7-c17c-4796-991e-aa1b779d27b1)
(fp_line (start -14.392 6.323) (end -14.298 6.453)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d056da99-00d3-49ee-bb10-4a71cdfbeb85)
(fp_line (start -14.39 -7.032) (end -14.297 -6.923)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cf5d50fe-441b-4364-b637-a6a83510451f)
(fp_line (start -14.388 -0.785) (end -14.302 -0.905)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c5bb0c0-2fc9-4412-8524-01dfe103dc77)
(fp_line (start -14.372 0.142) (end -14.312 -0.001)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 61bf660c-e214-49bf-bb89-6832e4b56eb1)
(fp_line (start -14.359 4.239) (end -14.397 4.121)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5e54c6d-c3f3-4508-8844-9fcc2cda5b1f)
(fp_line (start -14.32 4.351) (end -14.359 4.239)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 59511d89-214b-44ff-b4e0-6cf47b04c558)
(fp_line (start -14.318 -6.882) (end -14.394 -6.845)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ed03773-8dca-4e46-a57a-47deb9957054)
(fp_line (start -14.312 -0.001) (end -14.245 -0.141)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0cc2a0fe-dad9-4266-904c-085de6b76bc7))
(fp_line (start -14.302 -0.905) (end -14.213 -1.022)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f59aca0e-08ef-42b0-a645-d08c06445387)
(fp_line (start -14.298 6.453) (end -14.202 6.581))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ad559a08-3d43-41bd-bc52-feefd168b2af6)
(fp_line (start -14.297 -6.923) (end -14.216 -6.837))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20cce51e-4a67-4a62-b441-58c1f2f6ad98)
(fp_line (start -14.28 4.457) (end -14.32 4.351))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a075a103-f0bf-4948-9d8d-fb07fb318a10)
(fp_line (start -14.259 -6.894) (end -14.318 -6.882))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6e6086e-4d5b-4a65-9d60-627212c43cf9)
(fp_line (start -14.245 -0.141) (end -14.172 -0.276))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 119a13f0-fc77-42d3-a63c-e1265b058446)
(fp_line (start -14.238 4.555) (end -14.28 4.457))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp df9742da-5cca-4f2f-ba47-05d039939966)
(fp_line (start -14.216 -6.837) (end -14.15 -6.78))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b86e12d-1a69-4a0b-9b8a-117bb435c616)
(fp_line (start -14.213 -1.022) (end -14.121 -1.134))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8431d98e-a673-4a04-9c44-fd7fdaed4342)
(fp_line (start -14.202 6.581) (end -14.104 6.708))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 47c9bb03-391f-4e33-b982-5d5ff61eef45)
(fp_line (start -14.196 4.647) (end -14.238 4.555))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d8fb28c3-5eb9-4bab-85e9-980d485c065b)
(fp_line (start -14.19 -7.607) (end -14.132 -9.779))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5cb5c16d-78b0-4f82-9c3b-ee7f8b64aa8f)
(fp_line (start -14.18 -0.69) (end -14.16 -0.91))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a341fb0b-033c-454e-b0fb-8fb1ce21dcdf))
(fp_line (start -14.18 -0.57) (end -14.18 -0.69))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d3bb6ef3-80e6-4611-a8b2-25cae3cb742d))
(fp_line (start -14.17 -0.43) (end -14.18 -0.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 92cf2947-5962-430a-93e9-ea2ec2566a7e))
(fp_line (start -14.16 -0.91) (end -14.14 -1.02))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ce624b9c-f67d-4715-9ade-416c2f7fc307))
(fp_line (start -14.15 -6.78) (end -13.968 -6.651))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5cd5e7d1-661f-4005-aea3-589e47c17461)
(fp_line (start -14.15 -0.34) (end -14.17 -0.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b75e10b8-f066-4f1c-9ab1-497cbaee3192))

```
(fp_line (start -14.14 -1.02) (end -14.1 -1.16)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e593ab69-b381-40e0-b765-48801720c574))
(fp_line (start -14.11 -0.2) (end -14.15 -0.34)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30197904-ff4f-4f53-bef6-81b0ee5fcdf3))
(fp_line (start -14.104 6.708) (end -14.004 6.834)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5e45a079-fd37-43ad-aa13-5c39a61e39eb))
(fp_line (start -14.1 -1.16) (end -14.06 -1.27)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 94224867-d39a-4647-b9a9-236d9b0fa3ed))
(fp_line (start -14.06 -1.27) (end -13.98 -1.46)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c47b9df0-9e8a-437b-a09a-992a3b8f4233))
(fp_line (start -14.05 -0.1) (end -14.11 -0.2)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8f22107c-1d06-4b6c-ae32-daed7fde7b1f))
(fp_line (start -14.009 -5.082) (end -14.008 -5.209)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 374aeada-c402-4042-b72a-9d6faca56baa))
(fp_line (start -14.008 -5.209) (end -14.001 -5.334)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a403b6b4-c851-4230-9cb3-25985c3176a3))
(fp_line (start -14.004 6.834) (end -13.903 6.958)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb08a454-114a-41d0-b018-c5a916adb60c))
(fp_line (start -14.003 -4.955) (end -14.009 -5.082)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fde516dd-e28d-4666-aa9e-cc7deaf693d5))
(fp_line (start -14.001 -5.334) (end -13.986 -5.458)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c727ba4-2654-449a-ba18-d730be235e14))
(fp_line (start -14 -0.04) (end -14.05 -0.1)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 24f9094b-0c9f-477a-a6c3-69fccf17dd55))
(fp_line (start -13.99 -4.826) (end -14.003 -4.955)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4faf3061-0f41-4bfb-9082-49d184b803d6))
(fp_line (start -13.986 -5.458) (end -13.963 -5.579)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ac19d2a8-9557-44a0-987b-b8ee020366ff))
(fp_line (start -13.98 -1.46) (end -13.92 -1.58)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8fca4ef-e347-4fe4-bf31-b7138887a6f3))
(fp_line (start -13.972 -4.698) (end -13.99 -4.826)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp da7f2bad-250f-4eb1-be81-366c33177bfc))
(fp_line (start -13.968 -6.651) (end -13.805 -6.532)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b3f74a3e-73bf-40f2-9b41-8440ac97f9ce))
(fp_line (start -13.963 -5.579) (end -13.932 -5.697)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c4fca821-8b69-452d-a30d-f36f0a102661)
(fp_line (start -13.955 2.075) (end -13.953 1.892)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1dd1a35a-57dd-41e3-a3a0-13ff3fde6ce3)
(fp_line (start -13.954 2.258) (end -13.955 2.075)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e0e517a-d4a2-41fb-b154-c6d5fadaa7e1)
(fp_line (start -13.953 1.892) (end -13.948 1.709)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63d1de38-6456-484b-a6bd-0fb13c9774bf)
(fp_line (start -13.95 -0.65) (end -13.9 -0.6)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 26f43e57-3c13-4677-82d9-9a0391406137))
(fp_line (start -13.95 2.44) (end -13.954 2.258)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5efa29c0-5bc9-45dc-9d4a-b1f6dac613cd)
(fp_line (start -13.949 -4.571) (end -13.972 -4.698)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 95c4cb23-cdcd-48f8-ab81-d2254d1be187)
(fp_line (start -13.948 1.709) (end -13.94 1.527)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7dc9d4b0-b3fb-42a2-8b64-a2caa916dab7)
(fp_line (start -13.944 2.62) (end -13.95 2.44)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fe9763e5-7528-41f0-8849-b5ce6b4e461f)
(fp_line (start -13.94 1.527) (end -13.929 1.345)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a9ef5bb1-3a48-4850-83e0-b17710d6c38f)
(fp_line (start -13.935 2.8) (end -13.944 2.62)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4649b485-ce28-4911-9fdb-d6652c1994b8)
(fp_line (start -13.932 -5.697) (end -13.893 -5.813)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e5fff7c8-f344-46a5-a0d0-e5e043815d83)
(fp_line (start -13.929 1.345) (end -13.915 1.164)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb36aa54-327f-4b34-8a1f-b525caa97270)
(fp_line (start -13.924 2.978) (end -13.935 2.8)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8f15d8d9-9be6-428b-a1bc-144a6bda5cc2)
(fp_line (start -13.921 -4.444) (end -13.949 -4.571)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 748d7071-0a50-44f0-bbcf-ec02efad6f72)
(fp_line (start -13.92 -1.58) (end -13.84 -1.71)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2b11a009-e4e1-4649-a98e-03f372f7345e))
(fp_line (start -13.915 1.164) (end -13.898 0.985)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2fe8deab-c440-4810-a1e9-8991c39e7856)
(fp_line (start -13.911 3.154) (end -13.924 2.978)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c053c386-0956-4a0f-9ae1-e5fc6f630b3e)


```
(fp_line (start -13.91 0.03) (end -14 -0.04)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 13a405a4-845e-41da-a423-9e176dc68049))
(fp_line (start -13.903 6.958) (end -13.799 7.081)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bff13e40-753f-4878-af5e-698bc93d3ba3))
(fp_line (start -13.9 -0.6) (end -13.85 -0.57)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ab0d6e2-0cca-4aca-bcb4-051baa13c8a9))
(fp_line (start -13.898 0.985) (end -13.878 0.807)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 74c96378-e4c0-46eb-9a14-2b4806f18608))
(fp_line (start -13.895 3.328) (end -13.911 3.154)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9f5ef89-896e-456b-b2fd-f604f62d44c6))
(fp_line (start -13.893 -5.813) (end -13.845 -5.925)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 471ed32d-e7fa-4e80-8db6-312b76cbd899))
(fp_line (start -13.888 -4.318) (end -13.921 -4.444)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 909f493f-b26b-44ef-81dc-b05e276db495))
(fp_line (start -13.878 0.807) (end -13.854 0.631)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 841eb6f3-28a2-4ad5-88d5-a4d6348bc109))
(fp_line (start -13.878 3.499) (end -13.895 3.328)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d933b5aa-bce7-46e3-ad64-7891600472ae))
(fp_line (start -13.858 3.668) (end -13.878 3.499)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f69f0598-b9ff-45ad-837c-64138821a3ed))
(fp_line (start -13.854 0.631) (end -13.827 0.458)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 31d89a3b-bbc1-4a1e-8b12-b8e9d8050976))
(fp_line (start -13.85 -4.194) (end -13.888 -4.318)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db90f88f-2968-441f-9564-77e74a9814cd))
(fp_line (start -13.85 -0.57) (end -13.78 -0.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 31614431-2b3d-44d8-be86-490b0cae6c7d))
(fp_line (start -13.845 -5.925) (end -13.787 -6.033)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3aaafb1a-8412-47aa-9ee4-71cabcdf8248))
(fp_line (start -13.84 -1.71) (end -13.76 -1.83)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1e67ce7e-377c-4af8-815b-2f36dc98e991))
(fp_line (start -13.836 3.833) (end -13.858 3.668)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 230d6ab9-deb1-43cb-8ae7-85167f99c236))
(fp_line (start -13.827 0.458) (end -13.796 0.287)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 758a7526-e8e2-4549-bd08-b3f0500cd018))
(fp_line (start -13.812 3.994) (end -13.836 3.833)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f314411c-c85f-4a8c-97c7-8bfd400a12e6)
(fp_line (start -13.809 -4.072) (end -13.85 -4.194))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66621ce7-466d-4938-bc18-e38855d51231)
(fp_line (start -13.805 -6.532) (end -13.673 -6.434))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fcc0e80e-5f66-4b72-9a01-4fc25c413318)
(fp_line (start -13.799 7.081) (end -13.693 7.201))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d2187ab0-7e2d-4c3c-9dab-12f62d48d0ad)
(fp_line (start -13.796 0.287) (end -13.762 0.119))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c5a4fa0c-ec2b-4a87-b56a-a3db61bc3e06)
(fp_line (start -13.79 0.08) (end -13.91 0.03))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1a865dc0-7a34-4608-8da8-681444ee3eb8))
(fp_line (start -13.787 -6.033) (end -13.72 -6.137))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4014bff7-7ca7-4976-b754-ebab756495c6)
(fp_line (start -13.787 4.152) (end -13.812 3.994))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8041f1be-c6cc-4cfd-896a-6fc0b4de2e83)
(fp_line (start -13.78 -0.56) (end -13.72 -0.56))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3e320fa4-b0ee-4e39-95bf-a758392f1291))
(fp_line (start -13.765 -3.952) (end -13.809 -4.072))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 923b43c1-6a1d-45d2-ba87-9be1d6bb4b2e)
(fp_line (start -13.762 0.119) (end -13.724 -0.046))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66605a04-ae22-4816-b8b2-01ee59dc46f7)
(fp_line (start -13.76 -1.83) (end -13.69 -1.91))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8b9dc36e-10df-47c4-a268-9ca8cdb10bd7))
(fp_line (start -13.759 4.305) (end -13.787 4.152))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d11fe9c0-027e-4ad9-83dc-cbadcbc2c92e)
(fp_line (start -13.73 4.454) (end -13.759 4.305))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9320ba28-93b8-4cb5-8872-f2393cbc6604)
(fp_line (start -13.72 -6.137) (end -13.643 -6.235))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cd14c782-f436-4886-ad26-e996fc1ce51a)
(fp_line (start -13.72 -0.56) (end -13.65 -0.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6df22b8f-7379-45ad-8840-af977cc1bd40))
(fp_line (start -13.717 -3.836) (end -13.765 -3.952))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6bc559d5-4eaa-46a0-b3ad-7c740769b00f)
(fp_line (start -13.7 -0.08) (end -13.79 0.08))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cad1d459-3b9e-4e72-968e-d2d98a19aba7))

(fp_line (start -13.7 4.598) (end -13.73 4.454)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f4913feb-d266-4944-b633-a80d6f9fbcf3))
(fp_line (start -13.693 7.201) (end -13.586 7.32)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 084ff0c6-1539-4b1d-a6f8-80ab5d4a2255))
(fp_line (start -13.69 -1.91) (end -13.62 -1.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e698e66a-4de4-4d89-af93-3a91453a8171))
(fp_line (start -13.673 -6.434) (end -13.584 -6.368)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22a30db0-469d-4af4-aef0-0a59fa735ef7))
(fp_line (start -13.668 4.737) (end -13.7 4.598)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ff21320-6ef5-4e4a-993f-f53fabaea6ac))
(fp_line (start -13.667 -3.723) (end -13.717 -3.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f5a76e53-8bde-44cd-91c6-1f4bb5dacfd3))
(fp_line (start -13.65 -0.57) (end -13.58 -0.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 955f175c-26d9-4491-b6d4-b638a94dc7c6))
(fp_line (start -13.643 -6.235) (end -13.555 -6.329)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a2eb375d-28c7-4d60-bc3b-cca86ed2230b))
(fp_line (start -13.634 4.871) (end -13.668 4.737)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1ef9b0d-50d7-48f9-9f6a-0a7a11916323))
(fp_line (start -13.62 -1.98) (end -13.54 -2.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 37903817-e678-4fc2-86bc-43f9352f9500))
(fp_line (start -13.62 -0.26) (end -13.7 -0.08)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3a89ac2d-b3d0-435c-b986-eacf2dcb2324))
(fp_line (start -13.614 -3.614) (end -13.667 -3.723)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dd00dbf8-42f5-43a1-85f8-e552b76c5b62))
(fp_line (start -13.6 4.998) (end -13.634 4.871)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7e205cc-fcca-4f21-a6af-6a7b08cb6895))
(fp_line (start -13.586 7.32) (end -13.477 7.437)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7311bab8-4011-4b43-aa78-4b4ee2062b1c))
(fp_line (start -13.584 -6.368) (end -13.552 -6.343)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 082dfa5c-9b95-4dda-9216-dfddd4b0efe5))
(fp_line (start -13.58 -0.6) (end -13.52 -0.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b536738a-1ad7-4a80-860c-27aa30c08caf))
(fp_line (start -13.564 5.119) (end -13.6 4.998)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52ead605-0222-4a90-944f-41573952b5cc))
(fp_line (start -13.555 -6.329) (end -13.456 -6.417)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73900802-ca6f-4425-bfad-f0a208b1e4b4))
(fp_line (start -13.54 -2.05) (end -13.46 -2.11))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bfffec59-dd66-4aee-aeb0-00d2a0388772))
(fp_line (start -13.527 5.234) (end -13.564 5.119))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05ac083a-9c65-457d-9a53-ab089bc91074))
(fp_line (start -13.52 -0.66) (end -13.47 -0.74))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eabd5b19-ba85-4cc4-91f3-e4d565f3d9b1))
(fp_line (start -13.5 -0.47) (end -13.62 -0.26))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 491ea6c3-064c-4d58-8bbe-ba204c5ea806))
(fp_line (start -13.489 5.342) (end -13.527 5.234))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d5ffb86-5c67-4be9-b871-048259f2a792))
(fp_line (start -13.477 7.437) (end -13.366 7.551))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84510aad-4f95-4448-b399-50c57334c644))
(fp_line (start -13.47 -0.74) (end -13.41 -0.87))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b56bdfa3-4c4e-4ff7-8a42-3b0a87c9fad1))
(fp_line (start -13.46 -2.11) (end -13.37 -2.17))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8a8a2de7-6f8d-463d-9dfe-baaa90f6b4bf))
(fp_line (start -13.456 -6.417) (end -13.346 -6.499))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d529aee1-0f16-4f74-bd86-6aa053958134))
(fp_line (start -13.45 5.443) (end -13.489 5.342))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb2c03b7-c5a6-4423-a12f-d7fc0e185402))
(fp_line (start -13.44 -1.29) (end -13.43 -1.37))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 808e7ab4-93d8-47fe-97bc-8dd48dfd74bc))
(fp_line (start -13.44 -1.2) (end -13.44 -1.29))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 28e601df-8c1e-4ebf-8e21-ccfc3d636ca2))
(fp_line (start -13.43 -1.37) (end -13.39 -1.46))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bea0726f-827f-40be-9c33-62a790874643))
(fp_line (start -13.43 -1.14) (end -13.44 -1.2))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7dea2f0a-915b-4020-988f-55c9241e9095))
(fp_line (start -13.41 -1.06) (end -13.43 -1.14))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5e5ccc68-8541-4271-8548-922ed3558941))
(fp_line (start -13.41 -0.87) (end -13.4 -0.94))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 41655de1-12d0-4894-b23f-03122b499127))
(fp_line (start -13.41 5.537) (end -13.45 5.443))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d309736-ba87-4f40-8ac5-b6b0e6d059ee))

(fp_line (start -13.4 -1) (end -13.41 -1.06)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 59bc22eb-1083-48c1-a184-c7a649094a7a))
(fp_line (start -13.4 -0.94) (end -13.4 -1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 307e8b26-ee0f-4aa2-95af-3794f70586ed))
(fp_line (start -13.39 -1.46) (end -13.34 -1.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8976219b-4d67-4015-a884-f7dad5f6845f))
(fp_line (start -13.37 -2.17) (end -13.29 -2.22)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aa3d0513-47f1-4640-b91c-700582a8335f))
(fp_line (start -13.369 5.622) (end -13.41 5.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5b50dac7-3c97-445b-880c-2e0a19b49d73))
(fp_line (start -13.366 7.551) (end -13.254 7.664)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f699445e-590d-4a37-ac57-3ba13872a826))
(fp_line (start -13.36 -0.69) (end -13.5 -0.47)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5f6b80a6-3635-4781-a2d1-d533b5b9b4ac))
(fp_line (start -13.346 -6.499) (end -13.225 -6.574)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1bac13de-9730-4044-b747-a628f04ed0a3))
(fp_line (start -13.34 -1.53) (end -13.29 -1.59)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a0807b90-f744-42cb-a5ed-b7852b3f3d54))
(fp_line (start -13.328 5.7) (end -13.369 5.622)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3dbbcbe2-e645-4c4b-856c-1a6936055810))
(fp_line (start -13.3 -9.605) (end -13.326 -9.77)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22dd69a7-a1ac-4481-ab4e-f0dacf71dab5))
(fp_line (start -13.29 -2.22) (end -13.16 -2.28)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b89b343-9593-4d82-8080-516c7fbd9da6))
(fp_line (start -13.29 -1.59) (end -13.23 -1.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 38d7530c-bede-4fef-bd2a-66be7871670d))
(fp_line (start -13.286 5.769) (end -13.328 5.7)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ea7507a-fa9e-4cc3-9064-23dfc05743a8))
(fp_line (start -13.271 -9.435) (end -13.3 -9.605)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c3395aa7-7acd-437d-b067-4fa71cd6b6e3))
(fp_line (start -13.27 -0.82) (end -13.36 -0.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d550eb58-2101-4fc9-bcfd-5667084163bb))
(fp_line (start -13.254 7.664) (end -13.14 7.773)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d451d87a-e8d7-4d75-804d-4bb3ba699590))
(fp_line (start -13.243 5.829) (end -13.286 5.769)

```
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf53dcf5-e21b-45b3-acda-d0446aeb0c44)
(fp_line (start -13.239 -9.263) (end -13.271 -9.435))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9834895-b381-418d-8ed3-bdeea5bbcad3)
(fp_line (start -13.23 -1.65) (end -13.16 -1.72))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7045c986-5eff-48e4-b9f8-d8ce93c5df1d))
(fp_line (start -13.229 -2.335) (end -13.292 -2.187))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 438ba522-5142-40c2-8a03-94d75a05bcb0)
(fp_line (start -13.225 -6.574) (end -13.091 -6.642))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 316360fd-75c3-4e3f-a1c7-f02179977655)
(fp_line (start -13.206 -9.088) (end -13.239 -9.263))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94e328b5-2dec-47ce-8487-5df81eb9a7d5)
(fp_line (start -13.201 -5.69) (end -13.195 -5.531))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d097201f-aa8f-44f2-916a-fcaf74894501)
(fp_line (start -13.2 5.881) (end -13.243 5.829))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb0b526d-8fcc-454d-93b2-7bbc21d2f13e)
(fp_line (start -13.197 -5.844) (end -13.201 -5.69))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 87ca701d-0ced-4242-8077-b3d2a6e5a687)
(fp_line (start -13.195 -5.531) (end -13.18 -5.366))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d2f2a85-1ae4-4895-b4b5-726de7737519))
(fp_line (start -13.183 -5.991) (end -13.197 -5.844))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e4de42d2-159c-4d5e-b4fd-93e1732f185c)
(fp_line (start -13.18 -5.366) (end -13.155 -5.199))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a38dcd53-f508-4ab1-a152-3e7267130708)
(fp_line (start -13.171 -2.482) (end -13.229 -2.335))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b10ab3e3-d235-40f6-b12d-24598945e656)
(fp_line (start -13.17 -8.912) (end -13.206 -9.088))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b54b6ee-538c-4c9f-b3bd-c6f936ce3e41)
(fp_line (start -13.16 -2.28) (end -13.07 -2.31))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 015f19bb-3a2c-4807-ac35-ed35efc326d4))
(fp_line (start -13.16 -1.72) (end -13.09 -1.76))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dc5a5d76-4ee5-4fa9-8897-d1812843e432))
(fp_line (start -13.16 -0.97) (end -13.27 -0.82))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8e3a542-1196-4f02-b061-189d8b8add21))
(fp_line (start -13.159 -6.131) (end -13.183 -5.991))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 866c8a38-4b19-4af2-ac41-bfa18a89c8aa)
```

(fp_line (start -13.155 -5.199) (end -13.121 -5.029)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9bee61dc-a121-439a-95ef-87904abcae79)
(fp_line (start -13.14 7.773) (end -13.025 7.881)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1bce853e-1bf4-4ca1-b90c-4790337d87fd)
(fp_line (start -13.132 -8.734) (end -13.17 -8.912)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b84e198-68be-46cd-8e1d-011128a3e682)
(fp_line (start -13.125 -6.262) (end -13.159 -6.131)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5a254d5-5e08-4266-84d0-a893d3eee8bf)
(fp_line (start -13.121 -5.029) (end -13.079 -4.857)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp efca408e-9261-40dd-884a-fb138db4a84a)
(fp_line (start -13.117 -2.628) (end -13.171 -2.482)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 145f4654-0154-4d2f-b076-26a536039282)
(fp_line (start -13.108 -6.147) (end -13.143 -6.157)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05770cdd-670b-49ed-8a88-6189902ace0c)
(fp_line (start -13.093 -8.555) (end -13.132 -8.734)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp abe3abe0-383f-4913-a9db-bfb551bf2847)
(fp_line (start -13.091 -6.642) (end -12.945 -6.703)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ebedb93f-eee3-42fe-9ff9-9a47cfe43b81)
(fp_line (start -13.09 -1.76) (end -13.02 -1.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 504687af-9031-4a71-8d6a-4345bd13d0b6)
(fp_line (start -13.079 -6.384) (end -13.125 -6.262)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3aa6b42c-a92a-4902-8c07-49eae48cd5a6)
(fp_line (start -13.079 -4.857) (end -13.028 -4.684)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 03499d1b-4718-42ae-b0fc-6ed11c1b93a9)
(fp_line (start -13.07 -2.31) (end -12.94 -2.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e071697c-9ff8-43df-89a5-08d7c9874e87))
(fp_line (start -13.068 -2.774) (end -13.117 -2.628)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0eedd9e2-7d52-42e1-b3e6-5f4127807e2e)
(fp_line (start -13.053 -8.377) (end -13.093 -8.555)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e2445553-a6de-4c91-9da1-bc5654ac9ec9)
(fp_line (start -13.028 -4.684) (end -12.983 -4.532)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5beb2724-8363-4e0a-9718-d1b607268d3d)
(fp_line (start -13.025 -2.919) (end -13.068 -2.774)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d3e28fad-e734-40a5-b2b5-8899f2444c5b)
(fp_line (start -13.025 7.881) (end -12.908 7.985)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e4a1b6c-4d77-440a-9a9e-46593b0cc219)
(fp_line (start -13.023 -6.495) (end -13.079 -6.384))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a5ec5ab-1f2d-4a49-8c5c-dd580aba32c2)
(fp_line (start -13.02 -1.79) (end -12.93 -1.82))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8dd9a2d3-17ea-458f-9c6d-44df04705c55))
(fp_line (start -13.011 -8.2) (end -13.053 -8.377))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a07308c0-f090-44e7-9c40-4a581fdee016)
(fp_line (start -13.01 -6.124) (end -13.108 -6.147))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cc8ee530-e5c9-4138-92a8-527e4c1939fa))
(fp_line (start -12.987 -3.064) (end -13.025 -2.919))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7cf7ac3e-1b25-4ed6-97fd-4efb25817374)
(fp_line (start -12.983 -4.532) (end -12.948 -4.382))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp acc14652-c2b8-43cd-9734-dda4d7c6272b)
(fp_line (start -12.97 1.25) (end -12.96 0.96))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1e4c6e9c-983a-415a-8015-f753e383cd55))
(fp_line (start -12.97 1.79) (end -12.97 1.25))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ea6c6916-4692-4977-9d77-2c9fc1d2e15b))
(fp_line (start -12.969 -8.025) (end -13.011 -8.2))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1fcdca23-7722-469d-a360-3d81315602e6)
(fp_line (start -12.96 0.96) (end -12.94 0.59))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6d667546-efd4-4a40-9586-0c0217655dac))
(fp_line (start -12.956 -6.594) (end -13.023 -6.495))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 35084351-c6b9-474c-a92f-8f7531b66ae4)
(fp_line (start -12.955 -3.209) (end -12.987 -3.064))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2bc667b4-e5a3-492f-bd5d-c8efa1eb61cf)
(fp_line (start -12.95 -1.22) (end -13.16 -0.97))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9a273b6d-186e-40bc-bf48-f94c178dc7a1))
(fp_line (start -12.95 2.33) (end -12.97 1.79))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 59088309-0537-4e8e-993d-4bd028d63bc6))
(fp_line (start -12.948 -4.382) (end -12.922 -4.233))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63c9013a-b735-4d62-a9a7-3d5264b6bd94)
(fp_line (start -12.945 -6.703) (end -12.786 -6.756))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8e7fec9-b539-4aab-b5b2-ffa358763d8a)
(fp_line (start -12.94 -2.34) (end -12.85 -2.35))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9730f1c6-c90f-4755-a089-8c0d140d4129))


```
(fp_line (start -12.94 0.59) (end -12.91 0.32)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 08a9f671-a377-4e60-bee5-42163ff165ed))
(fp_line (start -12.93 2.69) (end -12.95 2.33)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f5963277-618a-4f1f-9996-2f61dc90ae90))
(fp_line (start -12.929 -3.354) (end -12.955 -3.209)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c6da276-4926-4b7c-9b8c-078059aed236))
(fp_line (start -12.927 -7.852) (end -12.969 -8.025)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 44d1450e-ef5a-448c-999c-92cf7916eb31))
(fp_line (start -12.922 -4.233) (end -12.904 -4.085)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 494dd7be-bbb1-4097-9171-654664e32cec))
(fp_line (start -12.91 -3.499) (end -12.929 -3.354)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1288fc83-be50-4598-b877-97789236da38))
(fp_line (start -12.91 0.32) (end -12.88 0.11)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a3e2fd42-ee05-4b8d-a060-1823187ee0f3))
(fp_line (start -12.91 3.02) (end -12.93 2.69)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4cebb568-445d-4398-9d78-004c29fb21a2))
(fp_line (start -12.908 7.985) (end -12.79 8.087)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e29642c-94cc-4524-b456-f4858200bc06))
(fp_line (start -12.904 -4.085) (end -12.894 -3.937)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9670554f-bfae-45b9-8092-348eeca2209c))
(fp_line (start -12.902 3.1) (end -12.905 3.017)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f288a578-230a-4cf9-88f9-4187eb57b69e))
(fp_line (start -12.897 -3.645) (end -12.91 -3.499)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 486401a6-5ce3-4430-a2c4-31b930923cf7))
(fp_line (start -12.896 3.208) (end -12.902 3.1)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dc82b931-ee3e-4d1f-bcd1-cfde4b2461fb))
(fp_line (start -12.894 -3.937) (end -12.892 -3.791)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9a3e451e-4998-4d0c-b255-5666c62fa54b))
(fp_line (start -12.892 -3.791) (end -12.897 -3.645)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9127bf94-fe62-4fea-8263-a1890d9540c6))
(fp_line (start -12.886 3.337) (end -12.896 3.208)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9716c1ce-bc22-4870-ab2c-b34e76b3326e))
(fp_line (start -12.884 -7.682) (end -12.927 -7.852)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73e222e4-6f06-416d-b2f9-a66d6a23b3b6))
(fp_line (start -12.88 0.11) (end -12.84 -0.12))
```

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b2c9695f-c580-4b31-a726-236cb66c99d8))
(fp_line (start -12.877 -6.682) (end -12.956 -6.594))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b2b610b-f70f-4e8f-8b7c-3867325e7242)
(fp_line (start -12.873 3.484) (end -12.886 3.337))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 930a996c-426d-41d6-b2c2-3c0e2b02e4a4)
(fp_line (start -12.857 -6.095) (end -13.01 -6.124))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22ebdd10-7fca-4a3a-9e62-99387b049916)
(fp_line (start -12.857 3.647) (end -12.873 3.484))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 13935c2d-6842-4483-9585-edc0c2dd45da)
(fp_line (start -12.85 -2.35) (end -12.75 -2.35))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1cb0fac-db01-4f3a-9cfa-ec8efc16c84f))
(fp_line (start -12.84 -7.515) (end -12.884 -7.682))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5b651c5b-db97-43de-9960-a108bea639eb)
(fp_line (start -12.84 -0.12) (end -12.77 -0.46))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3151a36d-7f85-435c-a709-285212f3d85e))
(fp_line (start -12.838 3.821) (end -12.857 3.647))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3dfd555f-ca27-4984-aff3-169bea933eb7)
(fp_line (start -12.818 4.005) (end -12.838 3.821))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7a7229dd-4c7e-4548-ae0c-9a85e843a2ca)
(fp_line (start -12.81 1.01) (end -12.95 1.05))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5bd11ca8-6021-45cc-9fe4-b70122390460))
(fp_line (start -12.798 -7.353) (end -12.84 -7.515))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f81fb71-ff8f-4b8f-869b-ae57795b3dc6)
(fp_line (start -12.796 4.194) (end -12.818 4.005))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78e47101-bb2d-416f-86b6-f52746f6b38b)
(fp_line (start -12.79 8.087) (end -12.671 8.186))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b7cda19-9490-42c3-ad97-2a84b522dc9a)
(fp_line (start -12.786 -6.756) (end -12.877 -6.682))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6803ade-6349-44f8-bbb4-6d501f63a77c)
(fp_line (start -12.78 3.15) (end -12.91 3.02))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 46a95cb8-14c2-4d03-9c50-40aa063a6d49))
(fp_line (start -12.772 4.385) (end -12.796 4.194))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fde005f0-3500-4b38-83c6-bf141f778544)
(fp_line (start -12.77 -0.46) (end -12.73 -0.61))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1ef36bc7-7334-4864-ba35-85456bbb19eb))

```
(fp_line (start -12.755 -7.197) (end -12.798 -7.353)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5c92357-223f-4529-ad2c-96a0d1cac2ac))
(fp_line (start -12.75 -2.35) (end -12.65 -2.35)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7c00effe-c094-488c-b889-af84d428ba6b))
(fp_line (start -12.748 4.576) (end -12.772 4.385)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76ffe0aa-2973-4a21-ac13-ca2cdb59c8c0))
(fp_line (start -12.73 -0.61) (end -12.66 -0.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fefb9838-96f6-4078-84f4-cc8cf41e3a77))
(fp_line (start -12.722 4.763) (end -12.748 4.576)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4440207d-0874-4bee-bd55-e1a450385a5a))
(fp_line (start -12.713 -7.046) (end -12.755 -7.197)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5fa1c03d-7d00-4011-8984-3d67a5fa318f))
(fp_line (start -12.7 0.98) (end -12.81 1.01)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d1a41f1a-5787-4390-8930-64fe3f49d064))
(fp_line (start -12.697 4.943) (end -12.722 4.763)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ee5719a-4193-49b0-9306-3ac68dc50ba5))
(fp_line (start -12.672 -6.901) (end -12.713 -7.046)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 35e69c56-d7af-4e70-b9fd-f592cc349ac8))
(fp_line (start -12.672 5.113) (end -12.697 4.943)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4c43886a-48b4-4ffd-9bc3-d907ec17c657))
(fp_line (start -12.671 8.186) (end -12.55 8.281)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a23849c4-44fb-4a4b-b620-e4f4f8cd9ec5))
(fp_line (start -12.66 -0.84) (end -12.58 -1.06)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1c95a9fa-eea0-4b24-8676-aac47574bb1f))
(fp_line (start -12.66 3.26) (end -12.78 3.15)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7ab84afd-fe49-4fd6-8b09-dffdc0d2aea9))
(fp_line (start -12.657 -6.069) (end -12.857 -6.095)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9d87a2b9-5ead-4ab0-97f9-e0d8e07c0a19))
(fp_line (start -12.65 -2.35) (end -12.59 -2.35)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4094aebd-460e-4df6-b8eb-23d2c583364d))
(fp_line (start -12.65 -1.56) (end -12.95 -1.22)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 52c5fc42-1b18-4b76-83c5-e50ceabf99f6))
(fp_line (start -12.647 5.269) (end -12.672 5.113)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 066a98a6-c6df-4589-932e-279d1a49a0f9))
(fp_line (start -12.64 0.45) (end -12.89 0.41)
```

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b534a5c-9285-4b5d-a4d4-3b7cd2e10e8b))
(fp_line (start -12.632 -6.764) (end -12.672 -6.901))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cec1a0ba-89dd-4f7d-9a95-87d3a1488125)
(fp_line (start -12.63 0.43) (end -12.63 0.61))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e4b46dac-32db-4d7d-ac75-c002c73640ef))
(fp_line (start -12.63 0.61) (end -12.61 0.76))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8ca037f1-bf0a-43e8-b653-37d0b6cab05b))
(fp_line (start -12.623 5.409) (end -12.647 5.269))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 472ff7ae-96aa-4fc6-be0c-ebe5e7ebd394)
(fp_line (start -12.62 -0.15) (end -12.79 -0.23))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6bb8245a-fbf5-4c7e-877b-880e1bd46281))
(fp_line (start -12.62 0.32) (end -12.63 0.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ae2bc4ce-60b9-4d33-9d8e-8fc4fcfb9d58))
(fp_line (start -12.61 0.76) (end -12.58 0.89))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3757f2d4-0d5f-4fda-968d-1e9153aaed7b))
(fp_line (start -12.6 5.53) (end -12.623 5.409))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 98c201bb-aa3e-4f65-8810-7036926f3453)
(fp_line (start -12.594 -6.635) (end -12.632 -6.764))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0151b2d8-5ed7-4bc3-9b38-ca3e110cd864)
(fp_line (start -12.59 -2.35) (end -12.55 -2.41))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0070a646-c208-4e08-9d18-9bd003748d47))
(fp_line (start -12.58 -1.06) (end -12.49 -1.26))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 26a84bfa-e8e7-436e-839b-60e832b4c3cb))
(fp_line (start -12.58 0.15) (end -12.62 0.32))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa05d508-b5c6-4f54-bf0e-ec2852f0151a))
(fp_line (start -12.58 0.89) (end -12.52 1.06))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2352d995-7890-4c8f-9ac3-74f85e7790ed))
(fp_line (start -12.579 5.627) (end -12.6 5.53))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 067e56ca-b8e5-4812-9fde-faf0cd323b53))
(fp_line (start -12.56 0.96) (end -12.7 0.98))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8af04843-c41d-48d4-9b8a-27ff1dc5a97e))
(fp_line (start -12.557 -6.514) (end -12.594 -6.635))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 960c710f-e4af-4278-9041-f2b5c4609dd0))
(fp_line (start -12.55 -2.41) (end -12.43 -2.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 85e4599b-7ca3-4583-84de-842a24fb8149))

```
(fp_line (start -12.55 0.32) (end -12.48 0.99)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9ad8c0a7-1755-4afb-a23b-8b6363fe6081))
(fp_line (start -12.55 3.37) (end -12.66 3.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10e23cb5-16ca-45c8-919b-9f2f1fdbe3f9))
(fp_line (start -12.55 8.281) (end -12.428 8.374)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66824273-b4ee-4922-a43d-11e35d7c74ad))
(fp_line (start -12.54 0.04) (end -12.58 0.15)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f62040c3-7b90-47fa-b49c-d5f6a4691ebd))
(fp_line (start -12.522 -6.403) (end -12.557 -6.514)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3a91618e-f4fd-4a5c-8430-9a63e0d9527b))
(fp_line (start -12.52 1.06) (end -12.43 1.23)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa869a18-8ba1-40de-bd6d-717c215fe29c))
(fp_line (start -12.5 -0.06) (end -12.62 -0.15)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 15e8f235-bc5f-43a0-9e52-2957884cb771))
(fp_line (start -12.49 -6.302) (end -12.522 -6.403)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5fa88dc4-6ef9-4e6a-aac3-f336f9dcc7fc))
(fp_line (start -12.49 -1.26) (end -12.35 -1.54)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f124e97c-c598-4a44-90e3-6a123b1c070c))
(fp_line (start -12.49 0.45) (end -12.48 0.62)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3de0e1a1-d000-48a6-a331-43ba2442d08a))
(fp_line (start -12.48 -1.73) (end -12.65 -1.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b6b80529-6549-4336-bd36-fdc4011b7ed1))
(fp_line (start -12.48 0.26) (end -12.49 0.45)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b6e37c58-270e-4e3b-a1e0-e1192f788564))
(fp_line (start -12.48 0.62) (end -12.44 0.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa7c583f-b9fd-4962-a6cc-3bfa058c9762))
(fp_line (start -12.48 0.99) (end -12.02 1.54)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a4ed8a48-b1a3-4472-a5fc-1d6739702391))
(fp_line (start -12.46 -0.12) (end -12.54 0.04)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7aed3f33-2369-4a93-976a-4234ccad7e47))
(fp_line (start -12.459 -6.211) (end -12.49 -6.302)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76a74a50-2ef7-4a68-b2fc-052b15fed566))
(fp_line (start -12.45 0.04) (end -12.48 0.26)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4e322f7d-b473-45ef-a22a-347ccb34f917))
(fp_line (start -12.44 0.84) (end -12.37 1.03)
```

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c1fbce26-dedc-429c-9162-0abe6d255eb5))
(fp_line (start -12.431 -6.132) (end -12.459 -6.211))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7e1b568-2c05-4e54-ad63-fbe8f5c41b04))
(fp_line (start -12.43 -2.57) (end -12.33 -2.72))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 495f9d8b-741d-4be6-a41b-87f21c979602))
(fp_line (start -12.43 1.23) (end -12.33 1.37))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 701c03a5-bcad-4d34-8b96-17b7b452d59b))
(fp_line (start -12.428 8.374) (end -12.305 8.463))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 869ecfc2-93f7-4ae4-bdc4-302cdeb0c3ab))
(fp_line (start -12.42 -0.11) (end -12.45 0.04))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ae18fb4c-535b-48c9-be67-d997afd40132))
(fp_line (start -12.418 -6.054) (end -12.657 -6.069))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 115e3ac1-2eaa-4df0-b21a-96858c6d8486))
(fp_line (start -12.406 -6.065) (end -12.431 -6.132))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 25c66366-8711-406c-a242-b7739a4de8b1))
(fp_line (start -12.4 3.5) (end -12.55 3.37))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fefcfff79-24d0-4fc2-a13d-910e5b1eab17))
(fp_line (start -12.37 1.03) (end -12.25 1.22))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp af93da9e-bffa-4dab-a4ba-3095675ff2ed))
(fp_line (start -12.361 3.623) (end -12.361 3.481))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c3700013-7c78-47c3-b252-80c983fbea5f))
(fp_line (start -12.352 3.777) (end -12.361 3.623))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 413fc412-8622-4e70-a4ea-b8308eede5c9))
(fp_line (start -12.35 -1.54) (end -12.24 -1.74))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f4f65d07-3fd3-43ee-8988-1dd20652563a))
(fp_line (start -12.35 -0.24) (end -12.46 -0.12))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a58d6d8f-2c7d-40f2-a5f2-1c2e9feccd82))
(fp_line (start -12.35 -0.24) (end -12.42 -0.11))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 97b2282c-77bf-4114-8cb0-31468d33f19d))
(fp_line (start -12.336 3.941) (end -12.352 3.777))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b1cfda97-2c9d-48c5-b320-fd2a1324cbc3))
(fp_line (start -12.33 -2.72) (end -12.15 -2.96))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cd76f87e-4ea4-4717-85b5-e200bffa323d))
(fp_line (start -12.33 -1.89) (end -12.48 -1.73))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4d964445-0b73-49a1-961d-1551feba1a3a))

```
(fp_line (start -12.33 1.37) (end -12.22 1.49)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7c341012-058f-4f46-af9f-1ef336d5c537))

(fp_line (start -12.314 4.114) (end -12.336 3.941)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2bd97f5-805c-41b9-a9cc-c9eeb837109e))

(fp_line (start -12.305 8.463) (end -12.18 8.548)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7bd53c41-4f82-4565-b01c-41c63f99aacb)

(fp_line (start -12.291 -9.781) (end -12.269 -9.684)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56130aed-cdb3-4e4c-869d-3e7e839423f5)

(fp_line (start -12.288 -5.949) (end -12.406 -6.065)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 92c79641-f547-4420-9a99-ebf444b6bf54)

(fp_line (start -12.286 4.293) (end -12.314 4.114)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78daba2b-22a4-4c07-9d2a-bbd45009457c)

(fp_line (start -12.269 -9.684) (end -12.24 -9.567)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b12f19e9-8022-46eb-a7b8-ec8b02b964f2)

(fp_line (start -12.253 4.476) (end -12.286 4.293)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7241452-a5b9-4e56-a402-973b47191162)

(fp_line (start -12.25 1.22) (end -12.14 1.35)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 70a12dca-9292-49e6-abc3-a201d3e459eb))

(fp_line (start -12.24 -9.567) (end -12.207 -9.432)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 51ed8a8e-5a62-4e8f-9355-2b65d36e45bf)

(fp_line (start -12.24 -1.74) (end -12.07 -2.02)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 487eca1e-f5b6-42c2-8029-df4dc147ea7b))

(fp_line (start -12.23 3.65) (end -12.4 3.5)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3b20b55d-e98d-4143-9d4c-6a63df9a11ff))

(fp_line (start -12.22 1.49) (end -12.11 1.59)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e8fb506-1f0c-486f-b8c3-1b42bb1150fb))

(fp_line (start -12.216 4.66) (end -12.253 4.476)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ad186d38-c2a3-417a-8634-2ea0c9e93be5)

(fp_line (start -12.207 -9.432) (end -12.168 -9.283)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 19b3db91-c22a-4ae7-b58e-32c6cc188db2)

(fp_line (start -12.18 8.548) (end -12.055 8.63)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp df0075f5-c10a-48ae-9108-cdd91df174fe)

(fp_line (start -12.174 4.843) (end -12.216 4.66)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8081558d-4ff9-4534-8b69-e3701106eca4)

(fp_line (start -12.168 -9.283) (end -12.126 -9.119)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9794bac-0706-4624-b724-b807d3af8ede)
(fp_line (start -12.156 -5.873) (end -12.288 -5.949))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84fb8c15-5191-4461-bdc3-36d1ae7450b6)
(fp_line (start -12.15 -2.96) (end -12.03 -3.12))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 53534d3c-e27d-457a-a4b9-abe0bcbbba63f))
(fp_line (start -12.14 1.35) (end -12.02 1.45))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 914ab8e8-aa91-40ed-9133-eb9708452b0c))
(fp_line (start -12.131 5.023) (end -12.174 4.843))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7659a1f7-66d9-4819-b894-4f401e556091)
(fp_line (start -12.126 -9.119) (end -12.079 -8.944))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b135867-3f1a-4362-972b-8438c018686a)
(fp_line (start -12.11 1.59) (end -11.97 1.7))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 07a27bdc-0e9e-4784-92b6-e91b8f099251))
(fp_line (start -12.085 5.198) (end -12.131 5.023))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48c4e518-ed31-4165-bc62-b0e1e42cd002)
(fp_line (start -12.079 -8.944) (end -12.03 -8.759))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ef53f05d-b13b-44e1-be06-610344814a50)
(fp_line (start -12.07 -2.02) (end -12.33 -1.89))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 82369297-f77f-46e3-baf8-3b1e6562f82c))
(fp_line (start -12.07 3.77) (end -12.23 3.65))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d4ec5f0d-ecda-4799-8182-3ed1cdf67b6b))
(fp_line (start -12.055 8.63) (end -11.928 8.708))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0f9d68dc-377a-40fa-9552-4b777834abd2)
(fp_line (start -12.037 5.365) (end -12.085 5.198))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 231505ab-5945-4004-8f42-d8931d7d5ba7)
(fp_line (start -12.03 -8.759) (end -11.979 -8.567))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9ba9e195-6c25-4263-b5c8-66a22376d319)
(fp_line (start -12.03 -3.12) (end -11.75 -3.44))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp af2059ae-28b3-4891-96a2-f8eac53a6170))
(fp_line (start -12.02 1.45) (end -11.91 1.54))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cd2d7074-cb7f-4cf7-b53d-98638c49157e))
(fp_line (start -12.02 1.54) (end -11.62 1.8))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68226ab0-48d9-4913-8c7e-94c0fff4eb22))
(fp_line (start -12.017 -5.832) (end -12.156 -5.873))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8167e913-082d-4dc5-9764-134646999fcd))

(fp_line (start -11.989 5.523) (end -12.037 5.365)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cf877b61-8618-4bec-a4fe-987da9e38177))
(fp_line (start -11.98 0.32) (end -11.97 0.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c0ada118-e3be-4cf3-bed2-8a111777128b))
(fp_line (start -11.979 -8.567) (end -11.926 -8.368)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9d77634d-3b0b-411d-ae7e-324251bf1439))
(fp_line (start -11.97 0.19) (end -11.98 0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 15b1e484-b816-4f2f-a5a3-d3c68fa51533))
(fp_line (start -11.97 0.41) (end -11.96 0.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 20ecf226-eda4-4d17-982b-9c4ddb2fe4))
(fp_line (start -11.97 1.7) (end -11.89 1.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7c480e8f-e3aa-46c6-94d6-4e195a0af3a6))
(fp_line (start -11.96 0.56) (end -11.93 0.69)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64cdcc02-c8ec-4b32-bad2-6fd2a7685f93))
(fp_line (start -11.95 0.05) (end -11.97 0.19)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 58befcb1-f2d8-4a6c-a044-0addf74dec22))
(fp_line (start -11.941 5.668) (end -11.989 5.523)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 319bde44-d1b5-4fb1-beca-ffe317817c0a))
(fp_line (start -11.93 0.69) (end -11.9 0.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bfec20b2-0d52-4edb-b3b2-ee15f2a8cbfe))
(fp_line (start -11.928 8.708) (end -11.801 8.782)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b3d70ca-1344-49c8-94d3-f78d80e95509))
(fp_line (start -11.926 -8.368) (end -11.872 -8.166)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d77cc3c5-c310-44f7-8f16-5d2be989ef93))
(fp_line (start -11.91 1.54) (end -11.8 1.61)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7bc182ca-9411-4920-8ed4-7b9460ed2c5a))
(fp_line (start -11.9 -0.09) (end -11.95 0.05)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bee2eee5-9f63-4c01-b248-7f2460ecc0b2))
(fp_line (start -11.9 0.78) (end -11.86 0.88)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ec8877af-1fba-4b39-a954-e0992107814e))
(fp_line (start -11.9 3.9) (end -12.07 3.77)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f72bce2d-f0fd-4bb8-906a-1c9e88bab81))
(fp_line (start -11.894 5.799) (end -11.941 5.668)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d182d5ed-d88b-4ed4-9a6c-a9790ac06ace))
(fp_line (start -11.89 1.77) (end -11.71 1.89)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp df7d6e5a-bba7-460e-808c-2ad98a28dc60))
(fp_line (start -11.877 -5.819) (end -12.017 -5.832))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e36e72c-bcb0-45ef-8a24-134034a47aaa)
(fp_line (start -11.872 -8.166) (end -11.817 -7.962))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 15998e44-ce45-438a-9dba-7c2b29b9a3ab)
(fp_line (start -11.86 0.88) (end -11.77 1.02))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6e37e298-c22d-4f30-943a-e7b69062c710))
(fp_line (start -11.848 5.913) (end -11.894 5.799))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f301692-7570-45b1-9c9e-235613ec868e)
(fp_line (start -11.84 -0.21) (end -11.9 -0.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 96bcc2b0-ca18-438f-a0b5-35393177ef7b))
(fp_line (start -11.817 -7.962) (end -11.762 -7.758))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dc64dd1b-d507-4415-8286-cfc64cee82ba)
(fp_line (start -11.805 6.009) (end -11.848 5.913))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db0a9e81-a4b9-4abc-b0cd-a3ad19e35d29)
(fp_line (start -11.801 8.782) (end -11.673 8.853))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d500c0c4-169d-4692-8504-a3a64638a461)
(fp_line (start -11.8 1.61) (end -11.66 1.68))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4d353989-1a39-479a-a667-9ae743ff3513))
(fp_line (start -11.78 -0.32) (end -11.84 -0.21))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 78c84d93-a2ca-42d3-8859-cb6c75b122af))
(fp_line (start -11.78 0.89) (end -11.77 0.79))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c9a1bccb-9098-4ad4-9b63-ca4b41e54e37))
(fp_line (start -11.77 0.79) (end -11.72 0.71))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 916d35b0-85e7-443e-921f-ecc2a3535141))
(fp_line (start -11.77 1.02) (end -11.78 0.89))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e2d41ff-d2e1-4f85-b660-d5c531500cad))
(fp_line (start -11.764 6.083) (end -11.805 6.009))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7782828-c1e7-4a04-99d7-10dcda2506be)
(fp_line (start -11.762 -7.758) (end -11.708 -7.556))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 82acc313-6001-499a-baab-a7b6d986b3bb)
(fp_line (start -11.75 -3.44) (end -11.61 -3.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9980ceed-330c-4950-9acf-9b6ac1e6e0d1))
(fp_line (start -11.747 -4.217) (end -11.746 -4.379))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 57942c5f-56a6-4adb-b030-4d05a7bb8e0a))

(fp_line (start -11.746 -4.379) (end -11.738 -4.537)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ee1512c-64d0-4442-ac31-f54c7957ace9)
(fp_line (start -11.743 -4.055) (end -11.747 -4.217)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7570b21c-475c-45db-8b08-4967a0104485)
(fp_line (start -11.74 -5.829) (end -11.877 -5.819)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 97a40b38-7f6a-496b-87b3-9adb73921da4)
(fp_line (start -11.738 -4.537) (end -11.723 -4.693)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fed44dd4-8b6a-4e54-984e-1dfac5e7c5fc)
(fp_line (start -11.733 -3.892) (end -11.743 -4.055)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a6a9f03-7efc-47f5-8c26-a69b1cacd5dd)
(fp_line (start -11.73 4.02) (end -11.9 3.9)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0a6fa873-d178-4494-9967-577c83c0f69c))
(fp_line (start -11.728 6.134) (end -11.764 6.083)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ca2dcb6-9fc5-4e0a-ac77-15a5f7696d4d)
(fp_line (start -11.723 -4.693) (end -11.701 -4.844)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ba95001a-8ea0-4916-b3d5-0d126ae81c1f)
(fp_line (start -11.72 0.71) (end -11.65 0.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3926bef-bdad-4abd-9dfd-e7cd190af179))
(fp_line (start -11.718 -3.731) (end -11.733 -3.892)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3aebc35e-1f4c-441b-af4e-cd51e7730bcd)
(fp_line (start -11.71 -0.42) (end -11.78 -0.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4f3eab3b-095d-4586-93e1-1380080ffc2b))
(fp_line (start -11.71 1.89) (end -11.5 1.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d7b7ccbc-c6f1-4a42-9e4d-8ec526aded96))
(fp_line (start -11.708 -7.556) (end -11.655 -7.359)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3b548d0a-9902-48c5-a1c7-1894aba59a7f)
(fp_line (start -11.701 -4.844) (end -11.671 -4.989)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7da43509-2022-4f82-ada3-43d3830c5999)
(fp_line (start -11.699 -3.572) (end -11.718 -3.731)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ed9dab6-58c8-401c-882b-16b3c4155fdf)
(fp_line (start -11.673 8.853) (end -11.543 8.919)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d2b2ac0-05ef-47b3-8962-1cc2177c9469)
(fp_line (start -11.671 -4.989) (end -11.632 -5.128)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dad5dbad-14a6-4cee-9b46-fcb592fcc42e)
(fp_line (start -11.66 1.68) (end -11.53 1.73)

```
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 357af0e6-7706-46fb-849a-b6c6d11afa25))
(fp_line (start -11.655 -7.359) (end -11.604 -7.167))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2399d0f5-b83d-40c4-812c-1303858c385d)
(fp_line (start -11.65 0.66) (end -11.57 0.63))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c718ae11-b502-4ee3-917c-5c6a672b55bc))
(fp_line (start -11.632 -5.128) (end -11.585 -5.259))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 21d272eb-ccccf-41ac-ac4b-fa5891ead652)
(fp_line (start -11.63 -0.5) (end -11.71 -0.42))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aa55793c-6bde-4d59-8fb1-c0c46c021ee2))
(fp_line (start -11.62 1.8) (end -11.23 1.94))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a201c1a8-548f-4b7a-8195-4fc90e2d607f))
(fp_line (start -11.614 -5.855) (end -11.74 -5.829))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f31b6401-9ccb-435a-a6d6-1c3b88f243d1)
(fp_line (start -11.61 -3.57) (end -11.47 -3.68))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ca215f93-a82e-42e7-8944-7addf27f5b4a))
(fp_line (start -11.604 -7.167) (end -11.555 -6.983))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1c068c9-b39f-4274-aab8-1c5485755e11)
(fp_line (start -11.585 -5.259) (end -11.528 -5.381))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a0c5b634-12a8-4a42-86fa-7e0c12caa212)
(fp_line (start -11.57 0.63) (end -11.47 0.62))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 19dfa2fa-f025-41a2-8ccb-dffb609c656e))
(fp_line (start -11.555 -6.983) (end -11.509 -6.809))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 55e56cd9-0313-4778-b82f-785808418c7e)
(fp_line (start -11.543 8.919) (end -11.297 9.034))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 048ca169-26e4-4179-9bc4-8521fc1ba7dc)
(fp_line (start -11.54 -0.57) (end -11.63 -0.5))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 81492245-5649-48e9-b854-4fb92e4cfdd8))
(fp_line (start -11.54 4.14) (end -11.73 4.02))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e794c1f2-19c0-4b91-9341-68fb0027f1e4))
(fp_line (start -11.53 1.73) (end -11.34 1.8))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 681ad36d-90c8-45a0-b60a-e6d3e73e3ff1))
(fp_line (start -11.528 -5.381) (end -11.462 -5.492))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa126a1c-1e98-4394-92ed-4cb5a92bec5f)
(fp_line (start -11.509 -6.809) (end -11.467 -6.647))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c46a573-f66d-4f0e-bad7-0e92daeed106))
```

```
(fp_line (start -11.504 -5.892) (end -11.614 -5.855)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83222a7e-f4fe-47d3-80a8-88dcda624b1a))
(fp_line (start -11.5 -0.78) (end -11.4 -0.81)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 927913bd-4721-4470-8d62-1bb0fa6fa803))
(fp_line (start -11.5 1.98) (end -11.28 2.05)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6b473bd2-c371-40be-83b4-78f5d95465d8))
(fp_line (start -11.47 -3.68) (end -11.16 -3.88)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b1bf7784-da1b-45ab-b476-ee4bef12e8a8))
(fp_line (start -11.47 0.62) (end -11.36 0.62)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 398ac9ff-97fe-405f-87c2-017552432a0d))
(fp_line (start -11.467 -6.647) (end -11.43 -6.498)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ef328a56-efc8-40e9-b300-b1e0262f7a45))
(fp_line (start -11.462 -5.492) (end -11.385 -5.593)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 05ffb32f-7716-4ab3-a24a-e95c70dd9034))
(fp_line (start -11.452 -9.678) (end -11.451 -9.767)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ae13dcf5-2101-46c4-a98d-4093c809be2a))
(fp_line (start -11.452 -9.571) (end -11.452 -9.678)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b8c19f08-5afd-485b-9f77-0301e4a273f1))
(fp_line (start -11.452 -9.449) (end -11.452 -9.571)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a144cf9f-cabd-4b6c-baa6-d47087444615))
(fp_line (start -11.452 -9.314) (end -11.452 -9.449)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6dd9ecbe-9172-4363-83e7-b8cb82cdecdb))
(fp_line (start -11.452 -9.166) (end -11.452 -9.314)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4c9b2bf9-27c3-4fe7-9733-feefabc6baad))
(fp_line (start -11.452 -9.008) (end -11.452 -9.166)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1db7e59-7722-440c-85a9-6332059881bd))
(fp_line (start -11.452 -8.842) (end -11.452 -9.008)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1996e3b2-278a-4d52-a031-2deb92dc8866))
(fp_line (start -11.451 -8.67) (end -11.452 -8.842)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cee5f224-ba3a-49b0-994c-29aa6cd1ef0d))
(fp_line (start -11.449 -8.492) (end -11.451 -8.67)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6dddb4cf-ab93-423e-8c51-ef3037fd1654))
(fp_line (start -11.448 -8.312) (end -11.449 -8.492)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63c36a67-b532-4ee1-bd81-5a6763193ec1))
(fp_line (start -11.445 -8.13) (end -11.448 -8.312)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a49aec49-1856-4e31-bc38-c72e60f47e32)
(fp_line (start -11.442 -7.949) (end -11.445 -8.13))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 04e5c8fd-5029-44a9-ab6d-18d3bc30949e)
(fp_line (start -11.438 -7.77) (end -11.442 -7.949))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9c92c41-58cf-4cc6-a66d-b3a94136b6ae)
(fp_line (start -11.433 -7.596) (end -11.438 -7.77))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2577e5cf-57bf-4a18-8135-14886611f78e)
(fp_line (start -11.43 -6.498) (end -11.397 -6.366))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69a4dba9-a031-4487-8262-42b79d3aa002)
(fp_line (start -11.428 -7.427) (end -11.433 -7.596))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6797840-0e6c-4617-b86e-f4061586758d)
(fp_line (start -11.421 -7.266) (end -11.428 -7.427))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f590cf86-9ae8-4b9b-8fa1-aa589c83d54c)
(fp_line (start -11.415 -5.934) (end -11.504 -5.892))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85e5fd1f-e359-4b68-814b-433ca7bd2dc2)
(fp_line (start -11.413 -7.115) (end -11.421 -7.266))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20114e9e-5b56-4de1-aa52-7c0d859d89e6)
(fp_line (start -11.41 -0.62) (end -11.54 -0.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b704125f-6dac-4ece-b3e8-e6d8695c3d99))
(fp_line (start -11.404 -6.975) (end -11.413 -7.115))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c76853d-4334-416c-b4ef-3d72f39783b8)
(fp_line (start -11.4 -0.81) (end -11.31 -0.83))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fe9e8776-357c-40df-8271-755b326c0187))
(fp_line (start -11.397 -6.366) (end -11.369 -6.251))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e79f9b7-5cc4-4dfa-a0fc-6ab4f74af565)
(fp_line (start -11.394 -6.848) (end -11.404 -6.975))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d299361c-37ec-4db1-a00a-bb16c488bc9b)
(fp_line (start -11.385 -5.593) (end -11.298 -5.682))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0df22347-105b-4e31-9804-0e4125407348)
(fp_line (start -11.37 4.24) (end -11.54 4.14))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7574526d-da17-41d9-818d-e85e67969387))
(fp_line (start -11.369 -6.251) (end -11.348 -6.156))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84c65cb3-6c1a-4d00-8796-e656e1d603e5)
(fp_line (start -11.36 -7.04) (end -11.36 -6.96))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b64134e1-889c-447c-82bd-c8f7b3cfed34))

(fp_line (start -11.36 -6.96) (end -11.36 -6.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ebcfc690-659b-4fcc-bb6a-5fb4fba76f28))
(fp_line (start -11.36 -6.85) (end -11.35 -6.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd61381a-9799-4035-ae32-b5ccfd1a2c73))
(fp_line (start -11.36 0.62) (end -11.26 0.65)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 67b2ca2d-2419-4091-a748-331130918381))
(fp_line (start -11.354 -5.974) (end -11.415 -5.934)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2da79a2-1155-4eb8-af0d-012a37774ca6))
(fp_line (start -11.35 -6.75) (end -11.33 -6.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bfba1464-4ea1-4ff1-b24b-d96beae960b8))
(fp_line (start -11.348 -6.156) (end -11.333 -6.082)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa717e72-3a58-4b2b-b7b0-7da27e8d399e))
(fp_line (start -11.34 1.8) (end -11.16 1.84)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 954c0ad4-f6e5-42ea-acf5-64a336740039))
(fp_line (start -11.333 -6.082) (end -11.325 -6.032)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d15605b-1210-4a2c-a666-693e4eb7910d))
(fp_line (start -11.33 -6.6) (end -11.31 -6.42)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 55df928f-0ca7-43ca-b2a2-99508a3c4904))
(fp_line (start -11.325 -6.032) (end -11.325 -6.007)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9038ba5f-a006-41e1-b6f8-21343e0fdf52))
(fp_line (start -11.325 -6.007) (end -11.354 -5.974)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0fa54da8-cb49-4759-ac9a-c25bb7ca6e9e))
(fp_line (start -11.31 -6.42) (end -11.29 -6.27)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a7846f81-9bdc-4d83-9a3f-d5d797fba7de))
(fp_line (start -11.31 -0.83) (end -11.2 -0.84)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 31ffc572-acde-48fd-b5dd-e2ed3ac33212))
(fp_line (start -11.298 -5.682) (end -11.11 -5.8)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eadb5711-8861-4f5c-bc30-b68019293901))
(fp_line (start -11.297 9.034) (end -11.062 9.132)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d2f1020-6445-4f07-93fd-3861e6aa05aa))
(fp_line (start -11.29 -6.27) (end -11.28 -6.13)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 447fbf9d-5dfe-48d2-9ce5-ad405265e33b))
(fp_line (start -11.28 -7.5) (end -11.36 -7.03)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1a57a54f-f1f2-431d-b4b2-bf64874b3bb3))
(fp_line (start -11.28 -6.13) (end -11.27 -5.99)

(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp f27b2c7f-2047-4265-a823-9d66af8e36c4))
(fp_line (start -11.28 2.05) (end -11.13 2.08))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 0ba2956b-55fe-4b9a-bb43-a65a7e75d9fc))
(fp_line (start -11.27 -5.99) (end -11.15 -5.86))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp b32bacd1-c1b6-46dc-8ef7-d1e20a338c41))
(fp_line (start -11.26 -0.65) (end -11.41 -0.62))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 18bfec52-f94f-4c8f-8487-ce97d7f3b2f5))
(fp_line (start -11.26 0.65) (end -11.15 0.71))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp aa5c9968-463a-42d3-a52c-7e95ed52f7ac))
(fp_line (start -11.25 -7.61) (end -11.28 -7.5))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 3a0290b4-779f-48db-b180-637f306c2913))
(fp_line (start -11.23 1.94) (end -11.05 1.97))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp da6baa9e-5d3d-4352-befe-a175c0d8cabb))
(fp_line (start -11.21 -7.75) (end -11.25 -7.61))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp c46283f3-223e-4b96-9297-166a79bb516b))
(fp_line (start -11.2 -0.84) (end -11.08 -0.84))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 35600cbd-b2e8-4334-8c59-1215ebdef2c3))
(fp_line (start -11.19 4.34) (end -11.37 4.24))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp ed9b6610-024c-43c9-af27-f7e89c68a48d))
(fp_line (start -11.17 -7.86) (end -11.21 -7.75))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 0560264f-8106-4a67-beaa-3d24a87ae30b))
(fp_line (start -11.16 -3.88) (end -10.98 -3.98))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 32013f15-f10a-496b-b936-3f5b7f283af5))
(fp_line (start -11.16 1.84) (end -10.98 1.87))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp b9acb408-23c7-4488-87b7-bf60ba1b0a48))
(fp_line (start -11.15 -5.86) (end -11.01 -5.74))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 16edca54-4a9b-4dea-8e7d-a848f852d812))
(fp_line (start -11.15 0.71) (end -11.07 0.77))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp dcaef0d4-6724-4c87-adb6-e378648ff4eb))
(fp_line (start -11.15 3.45) (end -10.99 3.41))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 0b1645ba-31d0-4b02-b835-a4e6ea889fa6))
(fp_line (start -11.15 3.45) (end -10.81 3.26))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 7205a709-e472-4dbd-b80e-e2a295144072))
(fp_line (start -11.14 -7.96) (end -11.17 -7.86))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 03f37330-50b3-4b3f-b9a2-1cccba20ef2c))


```
(fp_line (start -11.13 2.08) (end -10.91 2.07)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bf7d68ce-e4b8-4abb-9bab-072214a115bd))
(fp_line (start -11.09 -8.08) (end -11.14 -7.96)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c5c8673a-05bf-45ae-8686-1910442baec1))
(fp_line (start -11.09 -0.65) (end -11.26 -0.65)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4f6c2b1a-9a01-40b7-b046-d231618d8ac4))
(fp_line (start -11.08 -0.84) (end -10.95 -0.83)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 90621067-388e-480b-87ff-e04e20f0ab73))
(fp_line (start -11.072 4.504) (end -11.072 4.396)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7765055-6d39-4ebf-a010-169fb6088434))
(fp_line (start -11.07 0.77) (end -11 0.84)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e512fff2-c817-406f-b291-4e017bb8de5d))
(fp_line (start -11.064 4.631) (end -11.072 4.504)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 06074a1a-ef94-4800-bf66-b4c42f88583f))
(fp_line (start -11.062 9.132) (end -10.84 9.213)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 23c818d1-d8ff-47dd-8c29-b3c3962aa863))
(fp_line (start -11.05 1.97) (end -10.71 1.95)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c3999f93-a31a-4ef8-900f-00981071855f))
(fp_line (start -11.05 3.36) (end -11.15 3.45)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d7c5dd7a-a656-4260-8a16-77959a7bfc5d))
(fp_line (start -11.047 4.775) (end -11.064 4.631)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aa52c62c-5d3a-4123-a386-824497a5c746))
(fp_line (start -11.023 4.932) (end -11.047 4.775)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 71305f34-42a0-4af9-8d2b-52a76f1932b7))
(fp_line (start -11.01 -8.24) (end -11.09 -8.08)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7da82573-3612-4755-9500-e8142c5794e8))
(fp_line (start -11.01 -5.74) (end -10.87 -5.62)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp da440082-7f43-43fa-ac4a-7b6431b23072))
(fp_line (start -11 0.84) (end -10.94 0.92)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b4f4dae0-14ab-4a38-8ecb-d3dd2b2dde2d))
(fp_line (start -10.993 5.099) (end -11.023 4.932)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c40814e8-81d1-4321-9243-08592e67d46b))
(fp_line (start -10.99 3.41) (end -10.86 3.37)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8f49fafe-54f6-4a92-b6f5-eee9cf580a85))
(fp_line (start -10.98 -3.98) (end -10.59 -4.18)
```

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0fb4e90b-ca3c-4929-9f50-07ae540e7944))
(fp_line (start -10.98 1.87) (end -10.79 1.85))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 51de5621-aacd-4cae-9663-d019f2507eac))
(fp_line (start -10.957 5.273) (end -10.993 5.099))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fe56ddce-f15a-4cfe-9dd0-7b911d1244bb))
(fp_line (start -10.95 -0.83) (end -10.87 -0.82))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e26a65b-403e-43e9-a734-4cf323d5172c))
(fp_line (start -10.95 4.46) (end -11.19 4.34))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 46b6fb4f-0440-44d1-ba47-8c3827db3ece))
(fp_line (start -10.94 -8.33) (end -11.01 -8.24))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c3c4091-a88a-45c8-aca6-aecf0ab777d6))
(fp_line (start -10.94 0.92) (end -10.88 1.02))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb713d79-ec1c-48c3-8bc9-6d291c9cba34))
(fp_line (start -10.94 3.26) (end -11.05 3.36))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10238822-28d9-4e1e-90eb-4584569a7123))
(fp_line (start -10.92 -0.63) (end -11.09 -0.65))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1b7916a1-dad8-4b7b-8f93-1c190081684c))
(fp_line (start -10.916 5.45) (end -10.957 5.273))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f203380c-f560-42ae-88b5-9367f065c893))
(fp_line (start -10.91 2.07) (end -10.7 2.04))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 90c76d3c-7ef1-4dcc-b8cd-c9e454b89559))
(fp_line (start -10.88 -8.4) (end -10.94 -8.33))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4c7ee448-dc72-415d-bc23-a87629415df0))
(fp_line (start -10.88 1.02) (end -10.85 1.11))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7ebdec4e-6264-40dc-a114-4b65f4f5374a))
(fp_line (start -10.871 5.627) (end -10.916 5.45))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8b4acb1b-cdc1-44e9-985d-b02cb8786e92))
(fp_line (start -10.87 -5.62) (end -10.76 -5.54))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e39f9724-2c50-45ef-8a38-5f2d76a39da2))
(fp_line (start -10.87 -0.82) (end -10.79 -0.8))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fd48d20a-9dab-42d8-90c8-3dac7b181dd6))
(fp_line (start -10.87 1.4) (end -10.77 1.42))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a29e12e6-cc6f-4b48-b5c5-a103f4697467))
(fp_line (start -10.86 3.19) (end -10.94 3.26))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 38065c05-631c-437c-b2e2-67982d1faf9f))

```
(fp_line (start -10.86 3.37) (end -10.69 3.29)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0d646b21-4207-40e2-baba-b32fe85b1202))

(fp_line (start -10.85 1.11) (end -10.84 1.19)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 599730ba-6f91-474e-9ed2-564c22044790))

(fp_line (start -10.85 1.34) (end -10.89 1.42)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9e0557f7-5f73-418e-b419-6f7a972197c0))

(fp_line (start -10.84 1.19) (end -10.84 1.26)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db748241-81e6-42fc-bf7d-4975a8ed5322))

(fp_line (start -10.84 1.26) (end -10.85 1.34)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 98a204c7-7497-4c1d-a787-d299b5789816))

(fp_line (start -10.84 9.213) (end -10.629 9.279)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d19b70d-4eb0-476c-b943-fceae388c859))

(fp_line (start -10.823 5.801) (end -10.871 5.627)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c58338ce-5b01-4614-be0c-2798c1fa88ca))

(fp_line (start -10.82 -8.43) (end -10.88 -8.4)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c3308561-89b5-443d-aa74-806162a5ad3c))

(fp_line (start -10.81 3.26) (end -9.92 2.63)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4292cb33-72ef-4ed3-b0b8-f3261e9e4823))

(fp_line (start -10.79 -0.8) (end -10.73 -0.78)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 53beb14d-228b-4461-a021-097036b72217))

(fp_line (start -10.79 1.85) (end -10.65 1.82)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fb6e01b5-226c-4f82-a169-618e89e92b49))

(fp_line (start -10.78 -0.59) (end -10.92 -0.63)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8ef08348-41bb-43fb-99cb-04b73f30577e))

(fp_line (start -10.772 5.968) (end -10.823 5.801)

  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8d30c4c5-ecb9-44ef-b991-45c556d42c8d))

(fp_line (start -10.77 1.42) (end -10.67 1.42)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6520337e-0c97-4ae0-b374-a7f0c24dae0d))

(fp_line (start -10.77 3.12) (end -10.86 3.19)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 513190ed-138c-4af8-80a0-0c8b1ba37d9a))

(fp_line (start -10.77 4.55) (end -10.95 4.46)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 239f287e-f88b-431a-b9cd-b45de584d8fc))

(fp_line (start -10.76 -5.54) (end -10.64 -5.45)

  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 91e6aef7-3e50-4190-bb50-10b0ea589834))

(fp_line (start -10.72 6.126) (end -10.772 5.968))
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf0f8b33-4ab1-4209-aa69-f5dc5e770489))
(fp_line (start -10.71 1.95) (end -10.47 1.86))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c174801-30f4-470b-adb6-e54948ea14ce))
(fp_line (start -10.7 -8.43) (end -10.82 -8.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 756fea92-f2c7-4ae4-82ea-fb4a5f246e1d))
(fp_line (start -10.7 2.04) (end -10.52 1.98))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a95a78f8-5601-4734-9183-352ed1532874))
(fp_line (start -10.69 3.29) (end -10.51 3.18))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 97c91694-6a24-437b-adf8-15adab813070))
(fp_line (start -10.67 1.42) (end -10.55 1.38))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0998a9e6-8973-4bd4-9fb1-9bb2d5a3a4e4))
(fp_line (start -10.67 3.04) (end -10.77 3.12))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fb3b65e5-f289-45c0-bc0b-2010ccb25722))
(fp_line (start -10.666 6.271) (end -10.72 6.126))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b8a0cce-a4f9-4712-b7cd-c516d146b77b))
(fp_line (start -10.66 -0.55) (end -10.78 -0.59))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 84b5533e-3313-4c93-8e3c-414487f67454))
(fp_line (start -10.65 1.82) (end -10.53 1.78))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e1f3779c-600e-49d9-a96f-c7206a174908))
(fp_line (start -10.64 -5.45) (end -10.53 -5.36))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8fea6cea-2be3-4660-abd3-7135ef2259ab))
(fp_line (start -10.629 9.279) (end -10.431 9.33))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ccfc34305-f66c-435a-b16e-347c29ecb822))
(fp_line (start -10.613 6.399) (end -10.666 6.271))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8446c014-80ee-4db4-aedc-d3d285b2218a))
(fp_line (start -10.59 -8.39) (end -10.7 -8.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 931f5da6-dc63-4d1c-b409-dc9e7e383564))
(fp_line (start -10.59 -4.18) (end -10.3 -4.31))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 57bfef72-b5e7-4199-9969-2a7e8c29b160))
(fp_line (start -10.59 2.98) (end -10.67 3.04))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9d57d3c2-10a3-4c3a-baef-bdf1739cbcab))
(fp_line (start -10.56 6.508) (end -10.613 6.399))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 072bb17d-6528-4a2f-8beb-2f03a82a211d))
(fp_line (start -10.55 -0.49) (end -10.66 -0.55))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3d8c45b-a127-4a8d-8b8c-dbf4dbce3f9e))

(fp_line (start -10.55 1.38) (end -10.44 1.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd54cb50-2bfe-41fa-a4b3-64c163cd13c0))
(fp_line (start -10.53 -5.36) (end -10.35 -5.18)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9c47493f-d589-4da4-a489-8a3d76b6484a))
(fp_line (start -10.53 1.78) (end -10.42 1.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 43657f34-c66b-418f-af18-fbdc04ccb20d))
(fp_line (start -10.52 1.98) (end -10.4 1.93)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4abb8606-cf75-42de-aeca-6da4798a5baa))
(fp_line (start -10.51 3.18) (end -10.38 3.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 938d58e8-62cb-4f68-abe8-d61857257b5c))
(fp_line (start -10.508 6.594) (end -10.56 6.508)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45387b08-37ce-4db7-973c-1373f3e5c629))
(fp_line (start -10.49 -8.32) (end -10.59 -8.39)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bceb2964-9d4e-4799-b09b-ddfd98cd073d))
(fp_line (start -10.49 2.91) (end -10.59 2.98)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d0085195-fd05-4623-9598-2bc2597fe7da))
(fp_line (start -10.47 -0.44) (end -10.55 -0.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9d64742-5892-4716-b767-802d8b878156))
(fp_line (start -10.47 1.86) (end -10.2 1.63)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9b2265de-dcaa-469b-8157-2247fc65fa80))
(fp_line (start -10.47 4.68) (end -10.77 4.55)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c8f5e1dc-d410-40cd-b9f8-7916b537a694))
(fp_line (start -10.44 1.31) (end -10.32 1.17)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4a3c1f7b-0482-4a84-bead-74576628ab19))
(fp_line (start -10.431 9.33) (end -10.244 9.369)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0bcf8d05-f2ec-46b3-8efa-e37d9a5cab87))
(fp_line (start -10.42 1.72) (end -10.32 1.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9dd979ca-f2fc-48dc-917a-fb57143ab01a))
(fp_line (start -10.4 -8.24) (end -10.49 -8.32)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9d5d3f8f-90f2-484e-b5c2-438aef044db2))
(fp_line (start -10.4 1.93) (end -10.26 1.84)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bc35d10f-1bd7-47bf-a113-43dcf40668ff))
(fp_line (start -10.39 -0.36) (end -10.47 -0.44)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01d8f80c-fb30-4fc3-a7f5-c42faf2019db))
(fp_line (start -10.38 2.83) (end -10.49 2.91)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1e8a98c4-12d6-4a0e-9d31-a6b081d29f77))
(fp_line (start -10.38 3.1) (end -10.2 2.97))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c4c648f-452f-4655-94b9-c97af83d1083))
(fp_line (start -10.36 -8.19) (end -10.4 -8.24))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9dcea4f-3ee1-4626-b0ab-1e9958d20756))
(fp_line (start -10.35 -5.18) (end -10.25 -5.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 607f2f1f-42d0-4f09-b245-7cf167988190))
(fp_line (start -10.33 -0.28) (end -10.39 -0.36))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e413b51-7770-4899-8e43-6f38f85c3605))
(fp_line (start -10.32 1.17) (end -10.26 1.04))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7f53680d-98fd-4a36-a422-dc38e659e2a7))
(fp_line (start -10.32 1.66) (end -10.18 1.56))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 976f7db5-919e-4915-938c-9a56194e3cf4))
(fp_line (start -10.3 -4.31) (end -10.06 -4.41))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6864b3d0-add8-458e-847f-51fd6141e532))
(fp_line (start -10.28 -8.1) (end -10.36 -8.19))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4b85b351-ddc2-4a42-9a74-4bacdfaf4a3d))
(fp_line (start -10.26 1.04) (end -10.21 0.89))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c56e52e-267d-4f61-a1a6-f1eece85e042))
(fp_line (start -10.26 1.84) (end -10.15 1.76))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c675a0b2-d25e-4018-869f-6df435457f53))
(fp_line (start -10.25 -5.09) (end -10.21 -5.05))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a5ebd531-0ca7-40e5-b897-6b8485ff6aa6))
(fp_line (start -10.244 9.369) (end -10.068 9.396))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1d97196e-7eaa-4d3d-b677-528d49f156f7))
(fp_line (start -10.24 -0.13) (end -10.33 -0.28))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d31f8c7a-549f-4479-be33-586317e8d203))
(fp_line (start -10.24 2.74) (end -10.38 2.83))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64adb97b-b32b-4340-aa9e-39a66bf7b8ea))
(fp_line (start -10.21 -5.05) (end -10.14 -5))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f47a4794-944d-49e6-be19-5b0d947947d3))
(fp_line (start -10.21 0.89) (end -10.18 0.71))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 221baf54-18f9-47bd-a854-a6cf6130d83c))
(fp_line (start -10.2 2.97) (end -10.07 2.87))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c3643a97-ea7c-483f-9d8c-94943ac2ed0d))

(fp_line (start -10.19 0.01) (end -10.24 -0.13)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 677dd31e-8e06-4d51-9399-5c83ccdbc1a8))
(fp_line (start -10.18 0.71) (end -10.16 0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a20c62f8-895e-4f40-af15-042ecf0b1cb2))
(fp_line (start -10.17 0.14) (end -10.19 0.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a36ac0b4-e910-4b83-9a28-bce23124454d))
(fp_line (start -10.16 -7.96) (end -10.28 -8.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9aca0168-ee88-4535-911d-03a3759eef1b))
(fp_line (start -10.16 0.27) (end -10.17 0.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0b2d44c6-0f77-4e1b-85e2-8ec48cc4689e))
(fp_line (start -10.16 0.57) (end -10.15 0.4)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 160c8e83-36b5-42c3-9946-2f200315314f))
(fp_line (start -10.15 -2.26) (end -10.09 -2.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9bc70098-ddaf-4b1c-89b5-2cfd79d4fbb6))
(fp_line (start -10.15 0.4) (end -10.16 0.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb159277-d25a-4a67-ac59-f5486232b84b))
(fp_line (start -10.14 -5) (end -10.07 -4.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3d2b50f5-3416-4d6d-991a-a7e78474b62b))
(fp_line (start -10.12 4.81) (end -10.47 4.68)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9747a8c7-7003-4492-bfe9-2eae8740935d))
(fp_line (start -10.09 -2.31) (end -9.99 -2.39)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5d91a6e2-f8f2-4197-a3be-33e73f90dca0))
(fp_line (start -10.08 2.64) (end -10.24 2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16e7b185-eeb7-4d01-8fa9-cc8042f5bd92))
(fp_line (start -10.07 -7.85) (end -10.16 -7.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 968bc116-825c-4cd6-8b29-e0d24986374d))
(fp_line (start -10.07 -4.97) (end -10 -4.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7f5f1937-4038-4762-a8ba-21e019e68599))
(fp_line (start -10.07 2.87) (end -9.98 2.78)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d2cbc11c-d13a-4f78-be54-a89e038a4134))
(fp_line (start -10.068 9.396) (end -9.904 9.413)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8703d79-4298-48be-8106-a217b649aff9))
(fp_line (start -10.06 -4.41) (end -9.85 -4.49)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 525b76b0-bb25-452f-92bb-9c045d49e9a4))
(fp_line (start -10 -4.96) (end -9.93 -4.96)

```
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d92844d6-4281-49be-879a-9fd46dab69ac))
(fp_line (start -9.99 -2.39) (end -9.91 -2.45))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 369c9f3a-593e-4ac7-9db8-aa69f501ad8d))
(fp_line (start -9.98 2.58) (end -10.08 2.64))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ea3a2efb-8ca7-43c4-b1d3-2db14047163c))
(fp_line (start -9.98 2.78) (end -9.88 2.68))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9c400bf4-61b0-41af-8c7a-08e8a9eea0c1))
(fp_line (start -9.97 -7.74) (end -10.07 -7.85))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5fb73197-cec7-42dc-95f2-943ac9b709e1))
(fp_line (start -9.95 -5.46) (end -8.78 -6.97))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 99f55654-4eba-418f-b113-89667685a330))
(fp_line (start -9.93 -4.96) (end -9.91 -4.97))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b40cad88-2f0d-4a15-b037-4c83261bbc27))
(fp_line (start -9.91 -4.97) (end -9.95 -5.46))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3748a9ea-d600-4216-b6a8-3b05784370ab))
(fp_line (start -9.91 -2.45) (end -9.85 -2.49))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5dd9653f-9806-4d54-ac9c-6baf1ae4a007))
(fp_line (start -9.904 9.413) (end -9.751 9.42))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8eebccf4-06fb-4681-8984-364f4eff3bc7))
(fp_line (start -9.884 -4.5) (end -9.932 -5.045))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 46e749f0-2084-410d-bd0a-911453178189))
(fp_line (start -9.88 2.68) (end -9.8 2.58))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3374b4f8-786b-4e2d-8f73-11fd5e5a3a55))
(fp_line (start -9.88 4.89) (end -10.12 4.81))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f9941bb8-fad4-47d3-9de3-8263947cd521))
(fp_line (start -9.87 -7.63) (end -9.97 -7.74))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8b43f0ea-7c15-40c7-b4c4-2cdb768e2f3d))
(fp_line (start -9.85 -4.49) (end -9.68 -4.56))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dbeeda5c-9b12-413a-be8f-50da2104caa9))
(fp_line (start -9.85 -2.49) (end -9.75 -2.55))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c50fcb8-5d88-4a8d-89cb-5dc2bf512ba1))
(fp_line (start -9.85 2.51) (end -9.98 2.58))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b0134c4d-c753-4ce2-affe-2223e2a38619))
(fp_line (start -9.8 2.58) (end -9.76 2.5))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 18841cb5-76a1-49ea-8532-5bb3361d3bfb))
```



```
(fp_line (start -9.79 -7.54) (end -9.87 -7.63)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4da99d36-e9f7-4b1c-b2f4-7bda27d19ac2))
(fp_line (start -9.76 2.5) (end -9.75 2.46)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 592de3b3-97ad-4048-b958-25c8436ce92c))
(fp_line (start -9.751 9.42) (end -9.609 9.419)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3369ef03-0150-4db1-a450-d5a485068e20))
(fp_line (start -9.75 -2.55) (end -9.63 -2.61)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30fc4023-f83b-4b11-bbc7-bd7cfe1497fe))
(fp_line (start -9.75 2.46) (end -9.85 2.51)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 496c7646-d831-4957-b00c-8f56859a13f4))
(fp_line (start -9.68 -4.56) (end -9.43 -4.64)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f4602102-f4b6-4dd5-a3a0-77c14b41da91))
(fp_line (start -9.679 -9.77) (end -9.611 -9.624)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 523f8f85-5ce9-4eb6-86c3-63b9992fb031))
(fp_line (start -9.678 -7.446) (end -9.677 -7.599)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4038215c-7650-4f65-b934-d1882018b7fc))
(fp_line (start -9.677 -7.599) (end -9.666 -7.762)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d8312c90-24e1-4f86-8adf-23304cc5c92f))
(fp_line (start -9.666 -7.762) (end -9.646 -7.928)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 23275edf-8fc4-403f-8f66-afd8dd6fa0d0))
(fp_line (start -9.65 -7.37) (end -9.79 -7.54)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7b4d3911-f159-4603-86f3-89889a7d4988))
(fp_line (start -9.646 -7.928) (end -9.616 -8.094)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 088bf13f-899e-4025-842a-53a845e2470c))
(fp_line (start -9.63 -2.61) (end -9.5 -2.66)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 58d2fc75-e9a4-435a-b186-1f8baee2e3b3))
(fp_line (start -9.616 -8.094) (end -9.577 -8.252)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4a85579-a719-4edf-8041-5bd3be25ae33))
(fp_line (start -9.611 -9.624) (end -9.547 -9.469)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a7eae497-1c6c-4060-91d2-7982799f91ea))
(fp_line (start -9.609 9.419) (end -9.477 9.412)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c594b5c-9c8d-4268-aad3-7a500034ae51))
(fp_line (start -9.58 4.99) (end -9.88 4.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8e9da860-c7b2-4ff9-873b-c5b35a4923a5))
(fp_line (start -9.577 -8.252) (end -9.531 -8.398)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1801d667-c143-4129-9cac-66a40a543d17)
(fp_line (start -9.55 -7.26) (end -9.65 -7.37))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1ac59891-a52c-4cc2-ba76-cb34170abed5))
(fp_line (start -9.547 -9.469) (end -9.487 -9.311))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7b55a594-fdd2-4b2e-8108-5cc605d69a42)
(fp_line (start -9.531 -8.398) (end -9.477 -8.526))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 264327e5-ae43-4619-8023-24442182427d)
(fp_line (start -9.5 -2.66) (end -9.34 -2.71))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a2f309d5-ecfd-4f20-9573-4b86a90a5a91))
(fp_line (start -9.487 -9.311) (end -9.429 -9.159))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1713b4fb-5e2f-47ca-836c-d76f8065b28b)
(fp_line (start -9.477 -8.526) (end -9.417 -8.63))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4be0802-9938-48d4-b04d-b55ba66c915c)
(fp_line (start -9.477 9.412) (end -9.356 9.399))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94991b5a-0bdf-44b4-acb8-1cb0a3293513)
(fp_line (start -9.47 -7.2) (end -9.55 -7.26))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d8da96ab-f34a-49f9-8a8e-d5520c4de3a6))
(fp_line (start -9.43 -4.64) (end -9.19 -4.71))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2a4a3a1a-0eab-47c0-a87a-f8d1a1283c06))
(fp_line (start -9.429 -9.159) (end -9.375 -9.019))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b419658b-a600-4c0f-b1b6-7df709c08cd9)
(fp_line (start -9.417 -8.63) (end -9.35 -8.705))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c42bb0d0-1999-4dcc-857f-c5b82388dd15)
(fp_line (start -9.403 5.083) (end -9.405 4.987))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6792262e-7742-44e1-b1c9-5f226f349786)
(fp_line (start -9.397 5.207) (end -9.403 5.083))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5e7469f2-3837-4807-bcfc-e582f6f8a703)
(fp_line (start -9.388 5.354) (end -9.397 5.207))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp abd1296b-4693-404b-8e3d-44455fd479e5)
(fp_line (start -9.375 -9.019) (end -9.324 -8.898))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8ff5048-17ac-4574-a8cb-860e7b603f47)
(fp_line (start -9.375 5.517) (end -9.388 5.354))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b5d76fa-197f-4230-9574-36b9f31283a9)
(fp_line (start -9.37 -7.14) (end -9.47 -7.2))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9433609d-98cb-4bfd-aaf9-a263068fe20b))

(fp_line (start -9.358 5.691) (end -9.375 5.517)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c2d038b-cdb8-479b-a321-37df3e3a3ce0))
(fp_line (start -9.356 9.399) (end -9.246 9.382)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c29b4a3f-0325-4cbb-810d-508625012d30))
(fp_line (start -9.35 -8.705) (end -9.277 -8.746)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2b8f9226-a0fc-49b5-b2ea-78f48eaaefbb))
(fp_line (start -9.34 -2.71) (end -9.22 -2.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2437fc68-87fc-4c20-ad3f-809634870729))
(fp_line (start -9.338 5.871) (end -9.358 5.691)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2edd54fe-3b82-4a55-9a42-5d3cee4a4554))
(fp_line (start -9.324 -8.898) (end -9.276 -8.805)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f067745b-769f-4b01-87d6-6fdf40787745))
(fp_line (start -9.315 6.051) (end -9.338 5.871)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e16cea5-252b-4e3c-91bf-81557376e76e))
(fp_line (start -9.288 6.225) (end -9.315 6.051)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2ad8e2a3-8afb-40fc-aca0-2651df5f9458))
(fp_line (start -9.28 -7.09) (end -9.37 -7.14)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0f9f934e-4a45-4fca-a2f8-70f3f46d12be))
(fp_line (start -9.28 5.07) (end -9.58 4.99)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0e520381-802c-43f5-96cd-9d17a2d6ffc8))
(fp_line (start -9.276 -8.805) (end -9.231 -8.746)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 81b0746a-70a9-4e24-ace3-7d7338b84503))
(fp_line (start -9.258 6.388) (end -9.288 6.225)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 30b23264-dc83-4b5b-9d8c-a9217d232250))
(fp_line (start -9.246 9.382) (end -9.145 9.362)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8cb1c301-72b7-4618-ac8f-bbd9b3b021cb))
(fp_line (start -9.231 -8.746) (end -9.183 -8.706)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f1d3bdf-10df-41ad-bf2c-41ef748b55d0))
(fp_line (start -9.225 6.535) (end -9.258 6.388)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e5bda599-b234-4a73-9ed5-98974b9db149))
(fp_line (start -9.22 -2.74) (end -9.12 -2.76)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 278a58d3-f4af-42ec-b055-3fee88635b9a))
(fp_line (start -9.19 -7.05) (end -9.28 -7.09)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 153650d0-f690-4bf7-b74c-7213d8c84dbc))
(fp_line (start -9.19 -4.71) (end -8.98 -4.76)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 82e2c547-5166-4eeb-bacc-d2bfdccabe25))
(fp_line (start -9.189 6.659) (end -9.225 6.535))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9e9181b9-6793-45b0-9914-1a8c4e06bbdd))
(fp_line (start -9.183 -8.706) (end -9.112 -8.652))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76415edf-e617-4a4d-b3cb-ca4d19a2780c))
(fp_line (start -9.15 6.755) (end -9.189 6.659))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f2467a3-6002-4637-b2b7-30c658e51550))
(fp_line (start -9.145 9.362) (end -9.055 9.34))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b764939-4d8c-4601-afab-60c646a5f743))
(fp_line (start -9.12 -2.76) (end -8.95 -2.78))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0baee96d-760e-4713-9175-b0c4cf58efe9))
(fp_line (start -9.112 -8.652) (end -9.021 -8.593))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1938d0d-4808-482e-9797-026b7b6cfc59))
(fp_line (start -9.08 -7) (end -9.19 -7.05))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 24321190-46dd-4533-9eba-d4bae386f54f))
(fp_line (start -9.055 9.34) (end -8.974 9.318))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 25ff6992-6c14-4ef3-9c9d-43fbd67f871e))
(fp_line (start -9.021 -8.593) (end -8.916 -8.536))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 213d1321-b540-4635-82fb-5b2758a31b5d))
(fp_line (start -8.99 5.15) (end -9.28 5.07))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6b064f5a-d8a0-4225-8195-c8a25e1f3337))
(fp_line (start -8.98 -6.96) (end -9.08 -7))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3b7bafd0-1055-41bd-a89d-5932c602e96c))
(fp_line (start -8.98 -4.76) (end -8.7 -4.81))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3b7db34d-6db7-4411-9ebf-d07146fc827a))
(fp_line (start -8.974 9.318) (end -8.904 9.296))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9efdde9d-d292-4f88-8ed1-376409175c7b))
(fp_line (start -8.95 -2.78) (end -8.91 -2.78))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d108bab9-5dfc-43a3-9478-22b8d984948f))
(fp_line (start -8.916 -8.536) (end -8.801 -8.49))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e8f2bcde-9125-4f49-a88b-099449b39094))
(fp_line (start -8.904 9.296) (end -8.842 9.276))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 671cf992-09a5-4460-a1c0-9ce2415d6978))
(fp_line (start -8.89 -6.93) (end -8.98 -6.96))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b1f7e387-793e-4fa6-96dd-c2348acb82dd))

```
(fp_line (start -8.85 -6.98) (end -8.89 -6.93)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7672e944-add5-477b-b12d-3c707c562490))
(fp_line (start -8.842 9.276) (end -8.79 9.26)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6b7317ec-fbb3-44ca-ad38-3c45f43ef6b1))
(fp_line (start -8.84 -0.62) (end -8.81 -0.67)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9a1f8b6d-4f60-4efa-aafb-7fd31a80664c))
(fp_line (start -8.81 -7.02) (end -8.85 -6.98)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 528c2b80-0d49-4de7-8bb1-e57c5ac09e44))
(fp_line (start -8.81 -0.67) (end -8.78 -0.73)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ffe21d89-c519-49a1-8513-4d0a219c3102))
(fp_line (start -8.801 -8.49) (end -8.681 -8.462)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bd1818f3-2276-46da-968b-2f5fa434b70b))
(fp_line (start -8.79 9.26) (end -8.747 9.248)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 427f0d9d-764b-45b2-b380-5054f75a1a2c))
(fp_line (start -8.78 -0.73) (end -8.76 -0.79)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cf4492ff-9ebe-4de4-8c9a-aecf53e86dea))
(fp_line (start -8.76 -0.79) (end -8.75 -0.84)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0bd3e7a6-0dab-4e33-9404-ba7b30c3694f))
(fp_line (start -8.75 -6.98) (end -8.69 -6.9)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 00ca8d52-e21d-450a-acb0-975264050c53))
(fp_line (start -8.75 -0.84) (end -8.75 -0.87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 222c7aad-c3fd-4d4e-a7bf-c01718dc37d8))
(fp_line (start -8.747 9.248) (end -8.713 9.241)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bc377ba2-cf10-434c-a41a-46ac725679ec))
(fp_line (start -8.713 9.241) (end -8.675 9.241)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b7f1785-e5dc-494a-b00f-737f3c6b315a))
(fp_line (start -8.71 -7.07) (end -8.81 -7.02)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 04834197-ae4d-4273-be40-340d3062773a))
(fp_line (start -8.7 -4.81) (end -8.56 -4.81)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5e860525-ff08-49d1-8d5e-f3ba8d674ba5))
(fp_line (start -8.69 -6.9) (end -8.59 -6.76)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 263caa8c-40e5-4c3c-ab9b-e9187522233a))
(fp_line (start -8.681 -8.462) (end -8.561 -8.462)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5926fc67-e653-4e1c-8e91-1bf2b201f995))
(fp_line (start -8.675 9.241) (end -8.62 9.248)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp faf46731-ef97-47a5-9c39-66f95b55f0d4)
(fp_line (start -8.67 5.23) (end -8.99 5.15))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7d9c6918-6123-4d80-831f-40536253a311))
(fp_line (start -8.62 9.248) (end -8.549 9.259))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7696d1a4-f2d0-4c6c-a954-86185f4014c7)
(fp_line (start -8.61 -7.09) (end -8.71 -7.07))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 634adf1f-2011-4283-9a37-68f724dc84ad))
(fp_line (start -8.59 -6.76) (end -7.66 -5.48))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bcf7e43f-48a7-4a6c-b518-14ade64eea25))
(fp_line (start -8.57 -7.09) (end -8.61 -7.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 17041345-5e1a-45a7-b6d2-e406cdabf249))
(fp_line (start -8.561 -8.462) (end -8.444 -8.496))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9996890f-54b6-49bd-b0dd-ffbdf5451f27)
(fp_line (start -8.56 -4.81) (end -8.49 -4.8))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 672bcba5-33f2-481c-9df9-360a6c03d924))
(fp_line (start -8.549 9.259) (end -8.463 9.275))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f4e9b2e8-273a-4089-afbc-93a2fa42c92e)
(fp_line (start -8.49 -7.09) (end -8.57 -7.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8340b626-1143-4491-bbe8-08a1bc05bcd8))
(fp_line (start -8.49 -4.8) (end -8.39 -4.78))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 15d501f0-44fe-4ee3-a98e-1eae3efb7b39))
(fp_line (start -8.47 5.28) (end -8.67 5.23))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30dd4721-f3bb-4ef4-8eb5-e7c74ec49f8a))
(fp_line (start -8.463 9.275) (end -8.364 9.293))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6f3f9d3a-9395-4fec-9ee6-da149f68c122)
(fp_line (start -8.444 -8.496) (end -8.336 -8.572))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 61ae857c-1a7a-4310-ba7f-d2b7d02df82b)
(fp_line (start -8.41 -7.08) (end -8.49 -7.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp de278cbe-4918-4037-91fe-88e5313075d0))
(fp_line (start -8.39 -4.78) (end -8.3 -4.76))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3d22c2cd-f121-420c-9773-407bb647b780))
(fp_line (start -8.37 -2.75) (end -8.29 -2.74))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c4f00a27-e77c-4623-bd9f-4f5e4ac0f69f))
(fp_line (start -8.364 9.293) (end -8.252 9.312))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 27785425-5c7a-4087-9d82-12a50747cd4d))

(fp_line (start -8.336 -8.572) (end -8.242 -8.699)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4e4a999e-9351-4acc-83f6-b6e851df1da5)
(fp_line (start -8.3 -7.07) (end -8.41 -7.08)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16ee72c2-109f-4e86-9ed2-da435a4b66b4))
(fp_line (start -8.3 -4.76) (end -8.21 -4.73)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 71a8eb5d-d435-4a92-8c0b-74987a13b3d4))
(fp_line (start -8.29 -2.74) (end -8.19 -2.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32474e63-fad2-471b-9992-8842a673d298))
(fp_line (start -8.252 9.312) (end -8.128 9.331)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 062cb25e-8fb7-435e-a0c0-2918d9c20fab)
(fp_line (start -8.242 -8.699) (end -8.141 -8.895)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5baa5f58-e63f-4c73-851a-fe272185e562)
(fp_line (start -8.23 5.33) (end -8.47 5.28)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 62145d8c-1f98-4c23-967f-b9d1e8901f04))
(fp_line (start -8.21 -4.73) (end -8.02 -4.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dcf5b7e7-7db5-4f67-8519-64c7e0735656))
(fp_line (start -8.2 -7.07) (end -8.3 -7.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 184b357c-e28e-4c56-a786-eb2f330f8fb4))
(fp_line (start -8.19 -2.72) (end -8.09 -2.7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eb81d48c-5884-40a6-8058-7ee8673ea687))
(fp_line (start -8.161 -8.603) (end -8.23 -8.712)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cd9933d5-68a2-4957-9eda-fdd4e47a9a28)
(fp_line (start -8.141 -8.895) (end -8.054 -9.087)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6d4a2123-f106-4950-968b-c21808cfc6ed)
(fp_line (start -8.128 9.331) (end -7.993 9.35)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4864613-cc5a-4497-b22f-08d59be446cb)
(fp_line (start -8.106 -8.479) (end -8.161 -8.603)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88f03877-2e00-4fbc-990a-b9992c229f63)
(fp_line (start -8.09 -7.08) (end -8.2 -7.07)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 20ba8cfd-641c-4a6e-900c-34f4be017b5e))
(fp_line (start -8.09 -2.7) (end -7.99 -2.67)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0acc1e59-4a9d-4517-a4d9-ae429b741dbb))
(fp_line (start -8.08 5.37) (end -8.23 5.33)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 679709fa-e3f5-49d3-a548-42a6942fe31f))
(fp_line (start -8.065 -8.343) (end -8.106 -8.479)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d97a62ec-ae86-40ae-8558-0f1aa06361f1)
(fp_line (start -8.054 -9.087) (end -7.981 -9.269))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0e5158e3-0c0e-4f94-9605-5eb466b18313)
(fp_line (start -8.037 -8.198) (end -8.065 -8.343))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e52760c-1650-4f7d-a2cc-ade534b2cdb2)
(fp_line (start -8.036 -7.178) (end -8.026 -7.304))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 34a6c378-e69e-43b1-baa2-ef9e221d50d0)
(fp_line (start -8.03 5.59) (end -8.08 5.37))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb7ee794-9d5b-450f-95f1-61181c409918))
(fp_line (start -8.026 -7.304) (end -8.017 -7.442))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 11a8503f-abfa-4f37-a036-62bf042a5637)
(fp_line (start -8.02 -4.66) (end -7.9 -4.61))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa290a70-8d44-4ce4-8e62-32138414ae59))
(fp_line (start -8.018 -8.047) (end -8.037 -8.198))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69fec893-9f39-445c-9d8c-32cd94a74eb1)
(fp_line (start -8.017 -7.442) (end -8.009 -7.588))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 57d651e8-f4c3-4851-8baa-026a32165d60)
(fp_line (start -8.009 -7.893) (end -8.018 -8.047))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8a6c9a32-e963-459c-a5fa-c74d394f97d2)
(fp_line (start -8.009 -7.588) (end -8.006 -7.739))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58646b8b-e43c-48f0-a36f-f070fda2e186)
(fp_line (start -8.006 -7.739) (end -8.009 -7.893))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp afb766f4-ce50-4093-9783-c36839bf1d02)
(fp_line (start -7.993 9.35) (end -7.849 9.365))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83771a56-9003-482e-94e0-755f2d7db333)
(fp_line (start -7.99 -7.11) (end -8.09 -7.08))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01b68b0d-f7a9-413b-aeb6-448bc53965f6))
(fp_line (start -7.99 -2.67) (end -7.9 -2.64))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7d98bfd4-af3c-4888-b95a-fcfd04c3dc9))
(fp_line (start -7.981 -9.269) (end -7.921 -9.435))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e98d935d-007d-4951-8c81-f9eb98b5ea9c)
(fp_line (start -7.97 2.53) (end -7.86 2.55))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 120ef1ba-f411-4333-af3e-0e3a373ccb1d))
(fp_line (start -7.97 5.85) (end -8.03 5.59))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0534dc9e-6ea6-46a8-9661-792efc91a3d0))

(fp_line (start -7.921 -9.435) (end -7.875 -9.575)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 095e7643-58b8-44ad-9d03-6557c7913ff0))
(fp_line (start -7.9 -4.61) (end -7.8 -4.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 647d5f5f-2e21-4483-8ff0-8dc3000e034f))
(fp_line (start -7.9 -2.64) (end -7.81 -2.6)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5a164485-426c-4592-b6de-1fa62fa73d60))
(fp_line (start -7.9 2.63) (end -7.97 2.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b0e2d37b-d576-4260-a366-9830f14989cc))
(fp_line (start -7.9 6.15) (end -7.97 5.85)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9f7f76d4-c145-4604-a8f0-af5007f09f08))
(fp_line (start -7.88 -7.16) (end -7.99 -7.11)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f6eda95b-0247-45c0-b403-0e380903afc9))
(fp_line (start -7.88 5.47) (end -7.88 5.66)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9c9dc775-05b9-4cae-9936-094e822d74bb))
(fp_line (start -7.88 5.66) (end -7.88 5.97)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a9b43470-c50b-4f54-afda-0021427a5feb))
(fp_line (start -7.88 5.97) (end -7.88 6.17)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32512d14-7055-4e3e-a6ae-24ae7422d45c))
(fp_line (start -7.88 6.17) (end -7.87 6.38)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f9c51041-3988-4a00-a8a1-8eb5cdcd4c3c))
(fp_line (start -7.875 -9.575) (end -7.842 -9.685)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ba1f1500-de97-4424-b2b4-9b5a0cbd5fb7))
(fp_line (start -7.87 6.38) (end -7.9 6.15)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1eeab00c-0cdf-480d-ac4f-417c063bc8bc))
(fp_line (start -7.86 2.55) (end -7.75 2.58)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c40fcef6-ecd1-47f1-85c9-fe15e4ea0ee2))
(fp_line (start -7.849 9.365) (end -7.697 9.378)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1724b076-3811-4666-a37a-06e6a3e8d918))
(fp_line (start -7.842 -9.685) (end -7.823 -9.756)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7710fb6d-12e7-41a1-8778-22c9f27e6928))
(fp_line (start -7.823 -9.756) (end -7.816 -9.781)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 805ea104-09ab-497f-8cd3-d036a8ac7f16))
(fp_line (start -7.81 -2.6) (end -7.73 -2.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f18f6b9b-f69d-4300-b9f8-39bb5fbd8270))
(fp_line (start -7.8 -4.56) (end -7.65 -4.49)

(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 5cbb5b07-8c8a-483a-9e70-310e39d0de84))
(fp_line (start -7.8 2.73) (end -7.9 2.63))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 98ec93b8-2176-4144-acf0-8c8411e31c7c))
(fp_line (start -7.79 5.26) (end -7.88 5.47))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 4b43138c-0f57-4cc5-bba9-be4915cc3abf))
(fp_line (start -7.78 -7.21) (end -7.88 -7.16))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp acbd3423-625f-43a7-b0e1-325bcfe914f7))
(fp_line (start -7.75 2.58) (end -7.61 2.64))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 5cf28f96-4623-4c9c-93b2-575be293b18d))
(fp_line (start -7.73 -2.56) (end -7.65 -2.49))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 85ca1217-da9e-4487-99c6-4570185c2d32))
(fp_line (start -7.7 -7.26) (end -7.78 -7.21))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 43d50454-a8c1-45ab-b0d2-e3fd2301e70e))
(fp_line (start -7.697 9.378) (end -7.536 9.385))
(stroke (width 0.159) (type solid)) (layer "B.SilkS") (tstamp 3dfc627e-85fb-46e7-8a45-cb3a0f9136e5))
(fp_line (start -7.696 -4.535) (end -7.671 -4.974))
(stroke (width 0.159) (type solid)) (layer "B.SilkS") (tstamp 1963ce33-322d-4b06-9db3-ea76647fd663))
(fp_line (start -7.69 5.87) (end -7.79 5.26))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 4f419e0c-d823-4d09-9a78-d900e43a1a3f))
(fp_line (start -7.67 -4.92) (end -7.59 -4.91))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 45bc0cf8-8d5b-4c05-8b58-309a10c0d383))
(fp_line (start -7.66 -5.48) (end -7.69 -4.92))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp a2baec99-d627-4cd5-b75c-695b3b8bb899))
(fp_line (start -7.65 -4.49) (end -7.43 -4.37))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 5db581bd-435e-4232-917d-fdbbe61abc4a))
(fp_line (start -7.65 -2.49) (end -7.6 -2.43))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 82d9889a-b3c8-4c5f-a6e6-72da56523be0))
(fp_line (start -7.65 2.86) (end -7.8 2.73))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 01399ca4-2142-4afe-8271-aef34e335ced))
(fp_line (start -7.65 6.09) (end -7.69 5.87))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 0352a9c2-a2e1-4089-b16a-b96538de9f69))
(fp_line (start -7.61 2.64) (end -7.5 2.7))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 23f948af-4735-4bfa-a1f0-cd4c5c15134a))
(fp_line (start -7.61 6.26) (end -7.65 6.09))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp e7c3e3b7-808f-4c62-acfb-23168be2cd40))

(fp_line (start -7.6 -2.43) (end -7.55 -2.36))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb17a846-4599-4865-80b5-c1f4fd2579e3))
(fp_line (start -7.59 -7.34) (end -7.7 -7.26))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 235aaae8-13dd-4643-83ce-bc436ab1bdf0))
(fp_line (start -7.59 -4.91) (end -7.5 -4.93))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8195a093-32d9-48cf-8e2a-e497dc4875b4))
(fp_line (start -7.57 6.44) (end -7.61 6.26))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e27d7b07-55cb-481f-8445-d64dbe9a7711))
(fp_line (start -7.55 -2.36) (end -7.53 -2.33))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f0652246-4bee-4157-9f3f-c6a46bdcdbf1))
(fp_line (start -7.55 1.77) (end -7.37 1.88))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cb978e28-8586-46ba-a6f2-21edef5c4562))
(fp_line (start -7.536 9.385) (end -7.37 9.386))
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68fc18be-d8a9-41d4-a910-7f9676fd213c))
(fp_line (start -7.52 1.51) (end -7.49 1.59))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 75202bf7-8ac7-4806-b766-654fd1ab3cb2))
(fp_line (start -7.5 -4.93) (end -7.39 -4.98))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0e2edffa-1f9e-4bfc-8260-719701166694))
(fp_line (start -7.5 2.7) (end -7.35 2.79))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9757bd15-d40b-4c24-934f-47904070ce88))
(fp_line (start -7.5 6.63) (end -7.57 6.44))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d5143223-6453-470c-9094-6b2eae566ee6))
(fp_line (start -7.49 -7.42) (end -7.59 -7.34))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5dda2c48-369f-418e-9fd2-b506e39e37c3))
(fp_line (start -7.49 1.59) (end -7.45 1.67))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b14707ec-d11c-445a-898f-aa93ec09d139))
(fp_line (start -7.46 3) (end -7.65 2.86))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 94a98489-89ca-4ac2-b5a9-5003cc893b8c))
(fp_line (start -7.46 6.43) (end -7.5 6.63))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ceedd792-8302-4851-b630-c4e5149b3f1d))
(fp_line (start -7.45 1.67) (end -7.39 1.75))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6c8f2529-60ef-4d38-8954-478a370aa33f))
(fp_line (start -7.43 -4.37) (end -7.27 -4.28))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7ff6cb4-af2d-43be-8041-8e2ebbf75404))
(fp_line (start -7.43 1.62) (end -7.52 1.51))

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd6a1675-9796-4080-8581-0081decb68be))
(fp_line (start -7.42 6.25) (end -7.46 6.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e02ecd8-8e67-4dc0-acf1-d3d6494b4a01))
(fp_line (start -7.39 -4.98) (end -7.28 -5.03))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 616850a9-8040-4cb5-9909-ed3e470870ed))
(fp_line (start -7.39 1.75) (end -6.94 1.95))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2f9f20f6-8663-4baf-9133-799283405538))
(fp_line (start -7.38 6.07) (end -7.42 6.25))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e16e5465-36d0-4ea8-8ab6-74b5f4590758))
(fp_line (start -7.37 -7.53) (end -7.49 -7.42))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c367f539-aea0-4435-89a0-abcabf8bd6b7))
(fp_line (start -7.37 0.31) (end -7.37 0.42))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ebb8e9af-ac88-4c5c-84b2-923e69bb5ee9))
(fp_line (start -7.37 0.42) (end -7.37 0.5))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c9e85359-0ea7-441f-bb7a-f3a2e5672628))
(fp_line (start -7.37 0.5) (end -7.36 0.61))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2a2ad5ce-f4ff-4f29-b7ba-26dde42f843d))
(fp_line (start -7.37 1.88) (end -7.13 1.99))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b8a7d4eb-2fb1-412b-ae93-81f831a0186c))
(fp_line (start -7.37 9.386) (end -7.197 9.38))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a5ecbbfb-e0d1-441a-a5a0-f89f3283472a))
(fp_line (start -7.36 0.61) (end -7.34 0.73))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d197c6f2-7397-45c7-9426-d1c33f65e68f))
(fp_line (start -7.36 1.67) (end -7.43 1.62))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9fd2cd43-29ce-45e6-9c7e-295993dc4f9b))
(fp_line (start -7.35 0.18) (end -7.37 0.31))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ec68446a-a860-4748-9c1c-a9d92f14464a))
(fp_line (start -7.35 2.79) (end -7.21 2.88))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 25b49ec3-5e97-4271-929c-9f0bc1bcd5c))
(fp_line (start -7.34 0.73) (end -7.32 0.82))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8143542d-61c3-40ab-9abf-ff7a5deb4284))
(fp_line (start -7.34 5.85) (end -7.38 6.07))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 79b638b2-1f0b-4dec-8042-0d335c9e6aa9))
(fp_line (start -7.32 0.82) (end -7.28 0.96))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 27bae904-606c-472f-95b5-7380993356b5))

```
(fp_line (start -7.31 0.05) (end -7.35 0.18)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 36a493e5-a30a-4da3-90eb-8857b90965dd))
(fp_line (start -7.31 5.69) (end -7.34 5.85)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp a2f212ca-78f3-4a74-9461-e0842b4ba056))
(fp_line (start -7.29 1.73) (end -7.36 1.67)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 22aa41c5-0087-400a-bfaa-a920eb9fee3e))
(fp_line (start -7.28 -5.03) (end -7.2 -5.08)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp de1e6253-3632-4748-bb7f-fef16be6d32d))
(fp_line (start -7.28 0.96) (end -7.24 1.08)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 3bbdb57-9733-4920-b679-d01d8b242a9b))
(fp_line (start -7.28 5.51) (end -7.31 5.69)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 357888b2-90e3-4281-843d-a41ecb4cf3b7))
(fp_line (start -7.27 -4.28) (end -7.05 -4.14)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 9f9cd80b-f7d3-4c3c-95d1-1f0a7ba9b33b))
(fp_line (start -7.27 -0.04) (end -7.31 0.05)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp a9916872-ef88-4fd7-ad00-79f74855d8b2))
(fp_line (start -7.25 -7.65) (end -7.37 -7.53)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp d2426bb4-437d-4fd5-837b-7f392d01ba88))
(fp_line (start -7.25 5.29) (end -7.28 5.51)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 8461a830-2562-47a6-9693-d8e7dbf1b601))
(fp_line (start -7.24 1.08) (end -7.23 1.11)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 7e396eae-db15-482b-bb51-a2988ec60af5))
(fp_line (start -7.23 -0.11) (end -7.27 -0.04)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp e8371a24-51ee-4a73-abef-0531a11a45c1))
(fp_line (start -7.23 3.15) (end -7.46 3)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp bc4d0626-9e25-4e73-9d98-7868832a200c))
(fp_line (start -7.22 5.11) (end -7.25 5.29)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 00aeaedb-fe13-4551-9aaa-8ee4dd599a56))
(fp_line (start -7.21 1.12) (end -7.15 0.99)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 6ee8f403-8f55-4197-b4e6-9d2320a55fd0))
(fp_line (start -7.21 2.88) (end -7.09 2.97)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp f5f8581a-ac4b-4612-bcbe-503149eeaca4))
(fp_line (start -7.2 -5.08) (end -7.1 -5.14)
  (stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 389e3dd7-e5fe-465c-ba6d-ba30516957a1))
(fp_line (start -7.197 9.38) (end -7.021 9.365)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b0248920-5d85-4feb-b45e-551c28791164)
(fp_line (start -7.17 -0.21) (end -7.23 -0.11))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d7406500-b4c6-4b16-aa62-4ad70d75cfcc))
(fp_line (start -7.17 1.79) (end -7.29 1.73))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a95c2355-7173-4423-a0aa-62eb66436192))
(fp_line (start -7.15 0.99) (end -7.11 0.93))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 777d1c59-9da3-4a8a-b937-1d4f44e552c3))
(fp_line (start -7.15 5) (end -7.22 5.11))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 581dd913-115a-4ff5-b9dd-bb8a7b324a29))
(fp_line (start -7.13 1.99) (end -6.95 2.04))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5806f54c-be4d-440f-8250-70c72881b537))
(fp_line (start -7.12 -7.8) (end -7.25 -7.65))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d379dbaa-0e07-447e-9d5e-e8c4f1ccce1b))
(fp_line (start -7.12 -0.58) (end -7.05 -0.62))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 63b815e1-752a-4556-b2c1-42eab983de04))
(fp_line (start -7.12 5) (end -7.15 5))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2737352e-42cd-4040-9262-d22adc66924c))
(fp_line (start -7.11 0.93) (end -7.05 0.88))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1d293acc-0460-41f6-9a12-045d86d67eb9))
(fp_line (start -7.1 -5.14) (end -7.01 -5.2))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cd7cf4a3-f6c6-4862-b14a-a58fac782776))
(fp_line (start -7.09 -0.31) (end -7.17 -0.21))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0b950c97-8a12-4d24-9ee7-f5778c520278))
(fp_line (start -7.09 1.83) (end -7.17 1.79))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 968bf7fe-f267-4c44-885e-5f71fe3d21cc))
(fp_line (start -7.09 2.97) (end -6.94 3.08))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50e2a88c-5c08-4f21-8fb4-ff6e5421b24b))
(fp_line (start -7.08 -7.85) (end -7.05 -7.8))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50fb3908-ba9d-4855-852f-8e14d6ce6d63))
(fp_line (start -7.07 5.41) (end -7.12 5))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ee824164-587a-49b4-97ea-e344b9df9573))
(fp_line (start -7.05 -7.8) (end -7.02 -7.76))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aaf9dfbe-8320-4f00-935b-cc97e38ff7da))
(fp_line (start -7.05 -4.14) (end -6.67 -3.88))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4dd5cb48-75af-4856-ae69-509020e61f8d))

(fp_line (start -7.05 -0.62) (end -6.99 -0.65)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd1e207e-e360-455c-b85f-3c563d120c5d))
(fp_line (start -7.05 0.88) (end -6.96 0.84)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a82784f3-05fc-40a3-b25d-b80be2942794))
(fp_line (start -7.04 5.71) (end -7.07 5.41)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 640ab2c1-9e70-4f56-90a5-1e31432687df))
(fp_line (start -7.021 9.365) (end -6.841 9.341)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cbcf5997-b174-405b-b687-fd431b59d3c2))
(fp_line (start -7.02 -7.93) (end -7.12 -7.8)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b5871be9-3182-4b95-800d-2f4d8bdc922f))
(fp_line (start -7.02 -7.76) (end -6.98 -7.72)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 555d8651-fb56-4336-9a70-9e9ac1d07ddd))
(fp_line (start -7.01 -5.2) (end -6.91 -5.27)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 523e7012-78de-479f-acd0-6ac28a7a718a))
(fp_line (start -7.01 5.99) (end -7.04 5.71)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e68dfdbd-8b45-4d57-a6ce-a6184778cdcf))
(fp_line (start -7 6.43) (end -7.01 5.99)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 259ee24f-a806-4553-a412-9e2b29a5c75e))
(fp_line (start -6.99 -0.65) (end -6.91 -0.69)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 041d4291-b6e4-4479-a02d-2541ad8c3386))
(fp_line (start -6.99 -0.4) (end -7.09 -0.31)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 952b59db-e966-4e8e-81fd-f8d59feb4257))
(fp_line (start -6.99 3.29) (end -7.23 3.15)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 855d4d9f-82b7-43fb-bcb5-a503e9660023))
(fp_line (start -6.98 -7.72) (end -6.94 -7.69)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4747c3bb-9257-48a4-8561-d12b84047525))
(fp_line (start -6.98 1.86) (end -7.09 1.83)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7e5c619-0d8f-4e17-bee2-71452e5d73a2))
(fp_line (start -6.97 6.15) (end -7 6.43)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0db38416-b260-4dbc-b692-513b0dfd910d))
(fp_line (start -6.96 0.84) (end -6.86 0.82)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4c493925-0773-4838-b48b-a09d677c3c82))
(fp_line (start -6.95 -8.02) (end -7.02 -7.93)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3f06563e-5cdf-40d5-b4e6-5860e85bada0))
(fp_line (start -6.95 2.04) (end -6.79 2.07)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3b0b7b4-78e5-47f0-8420-77fcbe783c7f))
(fp_line (start -6.94 -7.69) (end -6.9 -7.67))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8df38c38-d7d2-4eaf-ba97-6e204d8f95a8))
(fp_line (start -6.94 1.95) (end -6.59 1.98))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 62b7fef1-3235-4bae-9ac7-0947652655eb))
(fp_line (start -6.94 3.08) (end -6.83 3.16))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 09ea058f-ebb4-4593-9965-58ed0abda56b))
(fp_line (start -6.93 5.81) (end -6.97 6.15))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1cae3644-bdd7-4f3f-a8d2-26d04280691f))
(fp_line (start -6.92 5.57) (end -6.93 5.81))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cc730b09-267e-4fe5-bdf3-160788115f79))
(fp_line (start -6.91 -5.27) (end -6.82 -5.33))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d67fb52c-51b8-47cc-b96a-4872b36d089f))
(fp_line (start -6.91 -0.69) (end -6.85 -0.72))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0c0bfb83-1679-4faa-9c2b-ed9ae3a82b12))
(fp_line (start -6.91 5.34) (end -6.92 5.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8f79a34b-0264-4f13-942c-e0f10407bc64))
(fp_line (start -6.9 -7.67) (end -6.85 -7.65))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d216d8d2-d05c-467b-a7ae-dd4f42fcba66))
(fp_line (start -6.9 5.12) (end -6.91 5.34))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7903dba-6fda-4abe-9f28-31f0b886081d))
(fp_line (start -6.88 -0.48) (end -6.99 -0.4))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b2cf4484-dcba-48fd-86d0-cc17837cc8df))
(fp_line (start -6.87 -8.14) (end -6.95 -8.02))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8d84ca72-9e5b-483c-93c4-948eb912bea4))
(fp_line (start -6.86 0.82) (end -6.74 0.82))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68526006-08a0-474f-b9d1-6f1860e9073b))
(fp_line (start -6.85 -7.65) (end -6.79 -7.64))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 140d56fd-ef80-4fff-9df5-426965d29e42))
(fp_line (start -6.85 -0.72) (end -6.77 -0.75))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d0a4b145-9f47-4e6e-a09a-3c9448aa48b6))
(fp_line (start -6.85 1.89) (end -6.98 1.86))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2b8dcbbb-0e65-441d-b254-62bdec8eed13))
(fp_line (start -6.841 9.341) (end -6.658 9.305))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b3ba5bb-2ed1-485f-8257-466c12c97f8f))


```
(fp_line (start -6.83 3.16) (end -6.73 3.25)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6f6fb754-9a9b-47fa-b1b6-9cfe6303c18a))
(fp_line (start -6.82 -8.21) (end -6.87 -8.14)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 25478c5b-7ba1-4e6f-8c3a-4dfe4ef0f534))
(fp_line (start -6.82 -5.33) (end -6.71 -5.41)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5aa8f81a-05f2-4872-992d-d0aa132c5626))
(fp_line (start -6.79 -7.64) (end -6.75 -7.64)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f271044e-e6bb-46ca-bda0-fdbe264c7e85))
(fp_line (start -6.79 2.07) (end -6.62 2.09)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0d0556fd-4eba-4426-af3f-64765175eb92))
(fp_line (start -6.79 5.04) (end -6.9 5.12)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2395326e-5c7c-4710-8816-91f62fc5aad7))
(fp_line (start -6.78 -0.53) (end -6.88 -0.48)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 91a00bd1-2c44-4482-b3e4-5da3c974a49d))
(fp_line (start -6.77 -0.75) (end -6.68 -0.78)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a0ac2865-3d6e-402b-9fe8-a3033eca490f))
(fp_line (start -6.76 -8.32) (end -6.82 -8.21)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e419c97f-1b2f-49a3-91e1-ba57fe35dd66))
(fp_line (start -6.76 3.4) (end -6.99 3.29)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d5fe24a4-e416-4d50-bac4-c27bd7757a87))
(fp_line (start -6.75 -7.64) (end -6.7 -7.65)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1e09caa-d7c6-48c6-8fa1-24827cd2624f))
(fp_line (start -6.75 1.91) (end -6.85 1.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10cf47fd-f16e-4c09-b659-374e4851e2b1))
(fp_line (start -6.74 -8.32) (end -6.76 -8.32)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7da950d2-9f32-4558-bc20-38c1a77046a6))
(fp_line (start -6.74 0.82) (end -6.65 0.82)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 90b7e746-312d-4fe7-830a-5fe4f581b1bc))
(fp_line (start -6.73 3.25) (end -6.64 3.32)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9a55945a-3e0b-4a97-9bfd-8abaea959314))
(fp_line (start -6.71 -5.41) (end -6.57 -5.52)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3aaf988-ac14-4809-9909-291571ff7316))
(fp_line (start -6.7 -7.65) (end -6.62 -7.68)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 16d5c7df-bb0e-4a44-b9d1-ec3dbef01fae))
(fp_line (start -6.69 -8.24) (end -6.74 -8.32)
```

(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp ee4b9373-7005-41f8-919b-cc8ccf8a7f90))
(fp_line (start -6.68 -0.78) (end -6.61 -0.79))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp c8cbae5e-212f-415e-9a93-6d9eaa35eff0))
(fp_line (start -6.67 -3.88) (end -6.47 -3.73))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp cc0e555b-3ed8-4e22-a0fe-45e39720738f))
(fp_line (start -6.66 -0.56) (end -6.78 -0.53))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 1bc402e8-5fcd-49a2-9298-358656996b60))
(fp_line (start -6.66 1.91) (end -6.75 1.91))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp b57114b3-1d7a-4860-9e1f-04122f771c12))
(fp_line (start -6.658 9.305) (end -6.474 9.258))
(stroke (width 0.159) (type solid)) (layer "B.SilkS") (tstamp a4b16277-7971-4fb8-8216-bd25e3ace075))
(fp_line (start -6.65 0.82) (end -6.53 0.85))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 634320c7-2986-4d7f-8b71-c13eb9bda4ff))
(fp_line (start -6.64 -8.15) (end -6.69 -8.24))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 5156d44c-d717-4d88-86c8-3a5f56ac93cb))
(fp_line (start -6.64 3.32) (end -6.54 3.41))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp eb11a640-a2b3-4ea6-8e7d-05f69b21c44a))
(fp_line (start -6.62 -7.68) (end -6.6 -7.7))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 6e42d119-a337-4cf7-b333-a209838155ce))
(fp_line (start -6.62 2.09) (end -6.45 2.08))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp a88e7b08-0849-4ca6-9779-508b90ae99ef))
(fp_line (start -6.62 3.46) (end -6.76 3.4))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp e52588ba-a691-4053-96dd-60b2c695bf9c))
(fp_line (start -6.61 -0.79) (end -6.53 -0.8))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 63761068-f5b6-4a7e-a553-0c26b12ea3b3))
(fp_line (start -6.61 4.9) (end -6.79 5.04))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp db44894c-0993-4811-a454-c15e2ee759c6))
(fp_line (start -6.6 -7.7) (end -6.56 -7.74))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp cb573c08-7f13-4ad1-944a-90c4db815bcf))
(fp_line (start -6.59 -8.04) (end -6.64 -8.15))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 29502fe0-32b2-40fd-b9d6-5fa8d8db806f))
(fp_line (start -6.59 1.98) (end -6.16 1.93))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp b06b8948-ba14-406c-adf3-509787646844))
(fp_line (start -6.57 -5.52) (end -6.5 -5.58))
(stroke (width 0.13) (type solid)) (layer "B.SilkS") (tstamp 963becf6-19e1-48df-b038-fb0b7af7caee))

```
(fp_line (start -6.56 -7.74) (end -6.52 -7.78)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8592f8c4-df32-46c6-86b4-976da36de02e))
(fp_line (start -6.55 -7.95) (end -6.59 -8.04)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d394bd0d-cac3-4640-8bc5-27c1faccd6a7))
(fp_line (start -6.54 3.41) (end -6.39 3.53)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e485a5c0-b5b8-43cc-afe5-ebd38fa98b63))
(fp_line (start -6.53 -0.8) (end -6.4 -0.79)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d9acc3af-8eef-45aa-aa58-a02256c06d79))
(fp_line (start -6.53 0.85) (end -6.45 0.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68fac8a5-d78d-4641-a603-c68123ca6ba9))
(fp_line (start -6.53 1.91) (end -6.66 1.91)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 725fb2da-f370-4341-88ac-00799f1cb6e7))
(fp_line (start -6.52 -7.78) (end -6.5 -7.81)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4cf19e14-ac99-4d3c-aec7-72bc25b65fbe))
(fp_line (start -6.5 -7.81) (end -6.55 -7.95)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 886e7393-c458-40f6-903b-924ff042b2fc))
(fp_line (start -6.5 -5.58) (end -6.43 -5.64)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 715613ec-9da1-4319-9d97-c677f3b415ac))
(fp_line (start -6.5 -0.58) (end -6.66 -0.56)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5f649d44-a1bd-4ac4-9f40-dd48b46046de))
(fp_line (start -6.48 3.51) (end -6.62 3.46)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 43eb621a-3d32-49b5-a2e2-0715b6da98c0))
(fp_line (start -6.474 9.258) (end -6.29 9.196)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b25bfd10-b6dc-4507-a764-d0c3170b0182))
(fp_line (start -6.47 -3.73) (end -6.3 -3.6)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5117cda0-b0aa-4cca-a702-854a1ccc31aa))
(fp_line (start -6.45 0.89) (end -6.39 0.94)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 12c3e2e0-5143-478b-a2b3-cf25a8fcff15))
(fp_line (start -6.45 2.08) (end -6.26 2.05)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp fa54d580-1284-45f5-ba6f-b77192f38c82))
(fp_line (start -6.44 -7.59) (end -6.5 -7.81)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dfb0bbbb-ae6b-4d7e-93e6-2c14bd8bf81e))
(fp_line (start -6.43 -5.64) (end -6.32 -5.74)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e73d9f14-fe92-4b2b-9983-7f11f5d6cb8c))
(fp_line (start -6.43 4.74) (end -6.61 4.9)
```

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 147378e8-18ea-4178-aa07-2a7e710387ca))
(fp_line (start -6.4 -0.79) (end -6.3 -0.77))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eff680fb-4ef5-4f37-a717-37c56146feed))
(fp_line (start -6.39 -7.39) (end -6.44 -7.59))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9369942f-0d4d-4903-9e9f-048f866ff45e))
(fp_line (start -6.39 0.94) (end -6.33 1.01))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 52bb871a-b16a-4c57-8182-4267070bde70))
(fp_line (start -6.39 3.53) (end -7.82 2.64))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9f33ac49-9102-428c-9125-000aced7ad50))
(fp_line (start -6.39 3.53) (end -6.48 3.51))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0eb2b722-20bb-4b65-8f39-cd6bf1b3dc1c))
(fp_line (start -6.38 1.89) (end -6.53 1.91))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9075bb62-b68e-4ab6-8454-d925447d5632))
(fp_line (start -6.35 -0.57) (end -6.5 -0.58))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3dd21cbe-d9de-4179-aebe-175f844ebf8c))
(fp_line (start -6.33 -7.09) (end -6.39 -7.39))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e4326b96-2cff-4155-a477-16a4ae0c358f))
(fp_line (start -6.33 1.01) (end -6.3 1.06))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 49fcb364-727a-4e0f-b9bc-cbc80b96eb41))
(fp_line (start -6.32 -5.74) (end -6.24 -5.82))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b9cce16d-cb46-479f-91a7-698cd7329a9e))
(fp_line (start -6.3 -6.91) (end -6.33 -7.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a5a2a021-58f9-40d2-86ba-86651c88c7ba))
(fp_line (start -6.3 -3.6) (end -6.17 -3.49))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7dae9b56-68dc-4a46-8793-e7c5f9b6ee1e))
(fp_line (start -6.3 -0.77) (end -6.22 -0.75))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 532d95b1-f2e2-4b97-8c08-0d8e2bd450f3))
(fp_line (start -6.3 1.06) (end -6.27 1.16))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7bbde281-c03a-458b-92c4-1a835fe99404))
(fp_line (start -6.29 9.196) (end -6.106 9.12))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9fa4783-9f08-4520-929d-d5838fb3c982))
(fp_line (start -6.28 -6.75) (end -6.3 -6.91))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 88f59f85-2a43-4b39-bbef-52f58bb4a475))
(fp_line (start -6.27 1.16) (end -6.26 1.2))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 76144a48-8111-4153-948b-0a58c73432fb))

(fp_line (start -6.26 1.2) (end -6.25 1.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 05913f22-c46a-4b13-b3f2-90eba05e9cb4))
(fp_line (start -6.26 1.86) (end -6.38 1.89)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ab02b99e-5492-494a-bc79-e464c9e75bd6))
(fp_line (start -6.26 2.05) (end -6.08 2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0203530f-2cfd-4937-b8f8-27324545c06e))
(fp_line (start -6.25 -6.5) (end -6.28 -6.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0c5c44b6-d665-487e-a6e9-0282ec85f443))
(fp_line (start -6.25 1.27) (end -6.25 1.34)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 36060dab-4a3a-4e88-8c19-8672dc8c1356))
(fp_line (start -6.25 1.34) (end -6.25 1.42)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f3f76e0e-eccb-48d8-9e40-3261c334b74e))
(fp_line (start -6.25 1.42) (end -6.15 1.36)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2a85a99b-5562-432c-85e8-81891ba69aee))
(fp_line (start -6.24 -5.82) (end -6.15 -5.94)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10bf1447-30e0-462c-a1cd-20ad69f304fe))
(fp_line (start -6.23 -0.54) (end -6.35 -0.57)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d02e3a26-e2b4-4401-889f-897d1e9e686e))
(fp_line (start -6.22 -0.75) (end -6.14 -0.72)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 574a4596-17ec-46ae-bc65-e9809c7b06a9))
(fp_line (start -6.22 4.54) (end -6.43 4.74)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a716bb47-e6cc-4133-b024-d37cf95b0804))
(fp_line (start -6.199 -5.783) (end -6.18 -5.802)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 703f11ea-be4b-4c0a-8035-108024149a02))
(fp_line (start -6.19 -6.15) (end -6.25 -6.5)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 973062c4-30b4-4f2d-9cb0-693ac057cec8))
(fp_line (start -6.18 -5.802) (end -6.155 -5.835)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 95960cc1-c523-4567-ac7f-c8a56480661c))
(fp_line (start -6.17 -6.12) (end -6.155 -6.26)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aab0303e-73d3-4cf1-9063-97c78fd38b51))
(fp_line (start -6.17 -3.49) (end -5.97 -3.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 532928d0-0d63-4785-aada-960f18ccb714))
(fp_line (start -6.16 1.93) (end -5.84 1.75)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0e1a071a-1187-484f-ba02-37e679c316e0))
(fp_line (start -6.156 -5.771) (end -6.199 -5.783)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69163223-c8a8-4b52-99b3-803f0fba2af9)
(fp_line (start -6.155 -6.26) (end -6.137 -6.347))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4fa108c3-c7e8-4c5b-8bca-cbd38393fd7c)
(fp_line (start -6.155 -5.835) (end -6.127 -5.884))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9f042463-df0b-4d85-a8e2-73abc1eb174d)
(fp_line (start -6.15 -5.94) (end -6.19 -6.15))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 96c0c094-dc60-46a3-938e-064e12bf50b3))
(fp_line (start -6.15 1.36) (end -6.06 1.31))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 435c9076-6af7-4df5-a1bb-a10437ca0c38))
(fp_line (start -6.14 -0.72) (end -6.12 -0.71))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 94295311-1b9b-4183-bdf6-5ca845cc2391))
(fp_line (start -6.137 -6.347) (end -6.117 -6.441))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22427815-4c9a-4ba6-beea-fa1e9e4bf6d4)
(fp_line (start -6.127 -5.884) (end -6.094 -5.946))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b626fbc7-a526-4922-9776-cb84f80a2071)
(fp_line (start -6.12 -0.5) (end -6.23 -0.54))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ac6c105e-2cd9-4a57-8629-2994966189fa))
(fp_line (start -6.117 -6.441) (end -6.096 -6.544))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 44b4677e-3483-4da4-a1cf-36f9ab2fcd3a))
(fp_line (start -6.11 1.8) (end -6.26 1.86))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9cfb87f0-ba96-42db-8331-36f1030fd735))
(fp_line (start -6.106 9.12) (end -5.924 9.028))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ecea0d06-23d8-4cb0-9ffe-bdf2ebac37e1)
(fp_line (start -6.096 -6.544) (end -6.076 -6.655))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 67027584-49ba-4a3e-8364-277e5abec738)
(fp_line (start -6.094 -5.946) (end -6.057 -6.021))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68cdda44-ebab-4a49-9e52-e50dd86e6512)
(fp_line (start -6.08 2) (end -5.96 1.95))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 57debb96-5d4b-4203-a2cd-b30fa1318bf2))
(fp_line (start -6.076 -6.655) (end -6.055 -6.775))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b4ad76e4-26e7-4692-ac55-414240236b19)
(fp_line (start -6.06 1.31) (end -5.91 1.2))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 78d04342-f508-46ec-90ed-b1a5fd506bd0))
(fp_line (start -6.057 -6.021) (end -6.018 -6.109))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36f6c098-9c13-41fe-9539-86ef8c58cc10))

```
(fp_line (start -6.055 -6.775) (end -6.034 -6.903)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c9f3f92c-8731-4729-a87b-fc206c92810d))
(fp_line (start -6.05 4.37) (end -6.22 4.54)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e5b6936e-f7c4-4c1f-82e1-9630c8de533d))
(fp_line (start -6.043 -5.743) (end -6.156 -5.771)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 90fe87f8-882a-4932-8376-4f8de6120137))
(fp_line (start -6.034 -6.903) (end -6.013 -7.039)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4db3c1a4-757f-4149-a30a-a014d5c475bd))
(fp_line (start -6.03 -0.45) (end -6.12 -0.5)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d4677d88-8bac-4284-88ab-d5110d5b8aae))
(fp_line (start -6.018 -6.109) (end -5.975 -6.21)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2614d19e-a7e9-40da-8fc7-8dd304fa7654))
(fp_line (start -6.013 -7.039) (end -5.993 -7.184)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0458ebaf-2b0a-45da-a963-f7f8b186767f))
(fp_line (start -5.993 -7.184) (end -5.974 -7.337)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 719309de-e590-460c-817f-72d26c470070))
(fp_line (start -5.993 -5.646) (end -6.11 -5.793)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff864788-3169-4b40-92b5-b74883807fb9))
(fp_line (start -5.975 -6.21) (end -5.93 -6.321)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 764646d1-399c-43b7-a8ad-3e3f8a2b9a8e))
(fp_line (start -5.974 -7.337) (end -5.955 -7.497)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e7563c3e-de42-4e26-9853-16549f3a5d37))
(fp_line (start -5.97 -3.31) (end -5.81 -3.15)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d9af2006-9a68-46a1-8e6e-430c5bc5d8a4))
(fp_line (start -5.96 1.72) (end -6.11 1.8)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c88c774e-dc31-4597-86f8-e31c585001df))
(fp_line (start -5.96 1.95) (end -5.83 1.89)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 40832194-f837-462f-8221-bff933b66ab4))
(fp_line (start -5.955 -7.497) (end -5.938 -7.666)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ccfa4ad-0250-4977-9bab-49ad58271427))
(fp_line (start -5.938 -7.666) (end -5.922 -7.843)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 947fddfd-ea7-40c9-9a55-f03414dd0a64))
(fp_line (start -5.93 -6.321) (end -5.883 -6.443)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c9f8629-9a4c-4988-8343-f48322391d42))
(fp_line (start -5.924 9.028) (end -5.745 8.919)
```

```
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 520d1c69-ae55-4e18-bf21-092f9a17c0c2)
(fp_line (start -5.922 -7.843) (end -5.907 -8.028)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d67a9ec4-94e6-4c71-8b63-9c7a944e83f0)
(fp_line (start -5.91 -0.36) (end -6.03 -0.45)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2ff20c1e-1c46-419d-bd43-6ced8fd0be45))
(fp_line (start -5.91 1.2) (end -5.82 1.1)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f123076d-c726-4012-87f8-709cfdd2ee6d))
(fp_line (start -5.907 -8.028) (end -5.894 -8.221)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c16cd29-7ca2-49c4-80f1-07c3b505e9f7))
(fp_line (start -5.894 -8.221) (end -5.883 -8.423)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 027acdbc-d850-4434-87a3-dbd0742d1f38)
(fp_line (start -5.888 -5.499) (end -5.993 -5.646)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d35a237-73bd-4b78-bf3a-7a93a7fa6452)
(fp_line (start -5.883 -8.423) (end -5.875 -8.631)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 917a273c-b8f3-4cca-86f1-37300daccaf4)
(fp_line (start -5.883 -6.443) (end -5.834 -6.576)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a216ce57-d69f-4d41-a1ef-cd5af5884103)
(fp_line (start -5.881 -5.709) (end -6.043 -5.743)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f93f63fd-04a5-498e-8d30-ae5df43d15b0)
(fp_line (start -5.88 4.18) (end -6.05 4.37)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 28eb30a6-dc50-41f7-a89b-5d94b9e3a2ed))
(fp_line (start -5.875 -8.631) (end -5.868 -8.848)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6ad3473-ad56-4459-9dd1-62461d80570e)
(fp_line (start -5.868 -8.848) (end -5.865 -9.073)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a96ebc9e-25a2-4f39-9ec0-4e5ebe54c581)
(fp_line (start -5.866 -9.545) (end -5.872 -9.793)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b4dc2f4b-8d74-453d-bc77-db8bef4c394d)
(fp_line (start -5.865 -9.073) (end -5.864 -9.305)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce95247d-4010-454c-ada7-f778cd076a20)
(fp_line (start -5.864 -9.305) (end -5.866 -9.545)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 65260577-7a3d-4da4-8282-fb9738db88de)
(fp_line (start -5.846 5.737) (end -5.883 5.858)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1d409c7c-019e-4194-8c15-e807ba52fafd)
(fp_line (start -5.84 -0.29) (end -5.91 -0.36)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f6af1aa0-245a-4108-b659-5db010e9a503))
```



```
(fp_line (start -5.84 1.63) (end -5.96 1.72)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 89e8e036-40b0-4c9d-bfca-087579d59020))
(fp_line (start -5.84 1.75) (end -5.55 1.51)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1e4d00a-eb47-40e1-978f-424f62737ebf))
(fp_line (start -5.834 -6.576) (end -5.784 -6.718)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 280022f7-b750-4f23-9f9c-903e2efab57f))
(fp_line (start -5.83 1.89) (end -5.72 1.81)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0d77eeab-6d7b-4e9c-8b9f-de3c120eb018))
(fp_line (start -5.82 1.1) (end -5.74 0.98)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6f52585e-ba52-432d-af9f-1203b048564a))
(fp_line (start -5.815 5.598) (end -5.846 5.737)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7b339655-68cc-44be-b884-c98603672c5c))
(fp_line (start -5.81 -3.15) (end -5.63 -2.94)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7ac77148-dcc3-46c8-95b1-b9476275dffa))
(fp_line (start -5.794 -5.351) (end -5.888 -5.499)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 361b3692-1dc7-4df2-8fe5-eced11ee3961))
(fp_line (start -5.79 -0.23) (end -5.84 -0.29)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d70dd1b7-06ae-478b-9180-58163d0e9e19))
(fp_line (start -5.79 5.442) (end -5.815 5.598)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cfdca433-1294-4348-8c26-e463ea8b12e0))
(fp_line (start -5.784 -6.718) (end -5.732 -6.869)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c40233ce-f0c4-4c2a-bd7a-83483b2a73bc))
(fp_line (start -5.77 5.276) (end -5.79 5.442)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9180a6cf-8fb9-4b05-9242-d1979ced56b0))
(fp_line (start -5.755 5.101) (end -5.77 5.276)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 450f2770-da90-479d-9d35-ee3c1df54531))
(fp_line (start -5.745 8.919) (end -5.683 8.877)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a7af50a1-a2b9-4fec-a890-f86894ac050a))
(fp_line (start -5.744 4.923) (end -5.755 5.101)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ab0cffff-90e9-4f35-8ef9-dfc64d03ed75))
(fp_line (start -5.74 0.98) (end -5.7 0.9)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4fab7e47-0bf5-41e1-a049-d60da329f8cd))
(fp_line (start -5.735 4.744) (end -5.744 4.923)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c6db9b6-346c-4fe5-b48e-b21a368859cb))
(fp_line (start -5.732 -6.869) (end -5.68 -7.028)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb3f25ea-7485-4307-91b0-d85011fa712e)
(fp_line (start -5.73 -0.14) (end -5.79 -0.23))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ccf34981-2c88-4df5-8b5a-e18cdcd73700))
(fp_line (start -5.73 4.569) (end -5.735 4.744))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ebce81e-113b-4387-b9a6-9c4e4db1e4c3)
(fp_line (start -5.727 4.403) (end -5.73 4.569))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ed69d593-fbf0-45dd-9192-01948ef0a356)
(fp_line (start -5.725 3.987) (end -5.725 4.108))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bdd44071-b498-403f-a1c0-1d7454fcb100)
(fp_line (start -5.725 4.108) (end -5.725 4.247))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83350246-fb2f-4c67-a2fb-ac993896c953)
(fp_line (start -5.725 4.247) (end -5.727 4.403))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79ad3465-9d1e-451a-b17c-52569b6bbafb)
(fp_line (start -5.72 1.53) (end -5.84 1.63))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e38533e8-e94c-46f3-bcc6-36223a3bf9db))
(fp_line (start -5.72 1.81) (end -5.63 1.74))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 81a45a80-11cc-4327-92e0-8c4ea31e63b5))
(fp_line (start -5.72 4) (end -5.88 4.18))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b47b3434-e844-4081-a5bb-776b516b86c9))
(fp_line (start -5.711 -5.203) (end -5.794 -5.351))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0d1a215f-3fc1-4ea6-a882-c4de5a58dfc2)
(fp_line (start -5.7 0.9) (end -5.66 0.77))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9a9bcc8a-7ad0-4ba9-bd04-be6e4d0fc86c))
(fp_line (start -5.694 -5.68) (end -5.881 -5.709))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a3f22ea9-8340-4aaf-bbe1-30c93087d99b)
(fp_line (start -5.683 8.877) (end -5.619 8.831))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b9d6a2c7-0b6c-42b0-a520-0b17cfc78751)
(fp_line (start -5.68 -7.028) (end -5.627 -7.195))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56d1c0fa-8621-4ac1-827b-47257731631f)
(fp_line (start -5.68 -0.02) (end -5.73 -0.14))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7364cff-2181-422e-b595-4bb4cf368307))
(fp_line (start -5.66 0.77) (end -5.63 0.63))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 58408ad3-e4ee-4054-85ef-28faadf4b23f))
(fp_line (start -5.638 -5.055) (end -5.711 -5.203))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f3fe287a-8a1a-43d5-993f-b3ca9e9f76a4))

(fp_line (start -5.63 -2.94) (end -5.55 -2.83))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bd6cedd1-9819-437d-a434-73c2433cb53c))
(fp_line (start -5.63 0.15) (end -5.68 -0.02))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8e1457c7-c3fa-421a-960c-b21b40b333d9))
(fp_line (start -5.63 0.63) (end -5.62 0.52))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4e0fdab5-2157-428f-b1a7-4161ae5699ff))
(fp_line (start -5.63 1.44) (end -5.72 1.53))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a2810f04-fa2f-4fee-aae7-eb010cdef3c2))
(fp_line (start -5.63 1.74) (end -5.52 1.64))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp efb6e118-4a1e-4780-b792-f7ef4668b4a2))
(fp_line (start -5.627 -7.195) (end -5.575 -7.369))
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e36c7b71-e23b-4b04-a2a5-d7e96fd38c3c))
(fp_line (start -5.62 0.29) (end -5.63 0.15))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 35af7cb8-09cf-4440-a8c9-7b44cb3dc7dd))
(fp_line (start -5.62 0.38) (end -5.62 0.29))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8936e64f-601a-4b76-a76d-8e00ac291fc0))
(fp_line (start -5.62 0.52) (end -5.62 0.38))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c5ebe02d-554b-461f-a9aa-f3d45e3c7a00))
(fp_line (start -5.619 8.831) (end -5.551 8.782))
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 91651469-ede7-443f-a1b9-faf3b3f73bda))
(fp_line (start -5.575 -7.369) (end -5.523 -7.549))
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ee9391e-a9e8-4db8-bb8b-60940f391573))
(fp_line (start -5.575 -4.908) (end -5.638 -5.055))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ccadf79f-e3b1-46bc-9dcd-b02ff9e86e3f))
(fp_line (start -5.57 3.81) (end -5.72 4))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5c64fd2f-06f1-435e-8e5e-657e087da6eb))
(fp_line (start -5.551 8.782) (end -5.481 8.729))
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bea148bc-7372-4612-82a3-8acf132d3b94))
(fp_line (start -5.55 -2.83) (end -5.5 -2.74))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 36052e1b-6ab9-462a-b06f-4e12aef6e99d))
(fp_line (start -5.55 1.51) (end -5.31 1.19))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7bb57092-b841-4f67-aaba-2f216c9be423))
(fp_line (start -5.54 1.34) (end -5.63 1.44))
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a85f9e18-00ac-4d39-bf1d-aec5e0ca754f))
(fp_line (start -5.523 -7.549) (end -5.471 -7.735))

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69fe3ddf-7743-4579-bf76-7e13fa132fcb)
(fp_line (start -5.521 -4.762) (end -5.575 -4.908))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58b2d535-fb3b-44a6-b8f5-a48cd21eb2f5)
(fp_line (start -5.52 1.64) (end -5.42 1.53))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 676995b9-526a-4744-8835-09633e2b98ab))
(fp_line (start -5.504 -5.668) (end -5.694 -5.68))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e4c23b3d-a597-4b74-991d-833677b8c66e)
(fp_line (start -5.5 -2.74) (end -5.39 -2.49))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c17d762-bbfb-4c84-b513-662bce557cbe))
(fp_line (start -5.481 8.729) (end -5.408 8.673))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78d5b70d-fccc-43a6-b8fe-a952d9ac3c28)
(fp_line (start -5.476 -4.618) (end -5.521 -4.762))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72e62073-ace7-47a6-a8cd-661dce858d20)
(fp_line (start -5.471 -7.735) (end -5.421 -7.927))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b437d44-c6f1-4433-b09b-14ec62e2c183)
(fp_line (start -5.45 -1.68) (end -5.41 -1.59))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp be114b0a-52ac-4378-9802-829c19b3f925))
(fp_line (start -5.438 -4.475) (end -5.476 -4.618))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 506ab84b-94ea-4a5d-a5f1-b6f0a79ce803)
(fp_line (start -5.43 -1.76) (end -5.45 -1.69))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 65436105-9e08-4adf-a6e2-be91ce1d726b))
(fp_line (start -5.43 1.2) (end -5.54 1.34))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1be11952-98cd-46e7-bb64-6eef972eachb5))
(fp_line (start -5.421 -7.927) (end -5.372 -8.123))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a7e2e2de-1e46-4c97-85f6-0ba5eda2e1c0)
(fp_line (start -5.42 1.53) (end -5.34 1.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5ff32529-aab8-4f86-9671-c8626fde3d50))
(fp_line (start -5.42 3.62) (end -5.57 3.81))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a736c64f-a962-4f6f-befc-aeafa3ab86d51))
(fp_line (start -5.408 8.673) (end -5.333 8.613))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e08053e-f97a-4550-990f-ddedfa1ee745)
(fp_line (start -5.407 -4.334) (end -5.438 -4.475))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1a9c56cf-5d1f-470e-a163-e3be232b8f35)
(fp_line (start -5.4 -1.59) (end -5.29 -1.33))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ada342e6-a077-4888-9230-9880fddbae24))

```
(fp_line (start -5.39 -2.49) (end -5.33 -2.33)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8121938f-71e7-4c0b-8fbe-1a07656110f1))
(fp_line (start -5.383 -4.196) (end -5.407 -4.334)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1cb6be66-c362-4a30-bc10-f6bbb2144f99))
(fp_line (start -5.372 -8.123) (end -5.325 -8.322)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d8925b13-ac9b-4805-a45b-ceee7e617ffa))
(fp_line (start -5.365 -4.061) (end -5.383 -4.196)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 205f2853-f8d4-46ee-9fb2-16f517a3bcea))
(fp_line (start -5.352 -3.929) (end -5.365 -4.061)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0a3825c6-cc35-4bba-b33a-555b8a9efc06))
(fp_line (start -5.35 1.07) (end -5.43 1.2)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 880764ea-7ad8-472b-b15b-230cce8277cc))
(fp_line (start -5.345 -3.327) (end -5.341 -3.438)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7e07b308-8827-41ec-bb03-38dbd758e930))
(fp_line (start -5.343 -3.8) (end -5.352 -3.929)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0673ab49-6917-44be-b993-e99bd8d16f04))
(fp_line (start -5.341 -3.438) (end -5.339 -3.554)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 99ef0d44-fa2a-45e0-8187-3a3c44669eb8))
(fp_line (start -5.34 -2.74) (end -5.46 -2.71)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f4f2e062-b34a-4af1-ba2c-2f17df55ddb8))
(fp_line (start -5.34 1.43) (end -5.26 1.32)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db16c8b4-2760-459f-b0b0-662cd02e76e7))
(fp_line (start -5.339 -3.675) (end -5.343 -3.8)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0799560b-11d8-4dcb-aec0-b1a5cbe53a7e))
(fp_line (start -5.339 -3.554) (end -5.339 -3.675)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c32cc1ce-dd6d-46fe-9c0f-6feafae9f6f))
(fp_line (start -5.335 -5.683) (end -5.504 -5.668)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d29e5f78-5f92-49ce-a42b-ee071fbb90c9))
(fp_line (start -5.333 8.613) (end -5.255 8.55)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68b370eb-54fb-417c-ae5c-f9d00f9dd223))
(fp_line (start -5.33 -2.33) (end -5.25 -2.12)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 33989f76-6c82-41b6-9576-659755d5b1dc))
(fp_line (start -5.33 -0.17) (end -5.26 -0.05)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dbc9bc05-c6ad-42a8-9a54-4575c90facc4))
(fp_line (start -5.325 -8.322) (end -5.28 -8.526)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9bb91dd4-6c27-4b7e-b534-42a9b413b8cf))
(fp_line (start -5.31 1.19) (end -5.19 1.01))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6b7b2163-09fb-499d-96fb-6c8f01931142))
(fp_line (start -5.29 -1.7) (end -5.43 -1.76))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0439313f-378a-4758-8178-2fa9fc40cd2f))
(fp_line (start -5.29 -1.33) (end -5.2 -1.11))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a86dec13-32e0-4d52-8aad-5410e1769489))
(fp_line (start -5.28 -8.526) (end -5.238 -8.732))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1ac60dd-e4e7-42f0-ac75-14ed484d148a))
(fp_line (start -5.27 -0.1) (end -5.33 -0.17))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2ab6ae10-1675-4cf1-aaa0-56bc1582f275))
(fp_line (start -5.27 0.91) (end -5.35 1.07))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e0862a49-28f9-4945-b06d-d4e0d9751be4))
(fp_line (start -5.27 3.43) (end -5.42 3.62))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c54886e1-7194-464c-9f95-2b3da9952e29))
(fp_line (start -5.26 -0.05) (end -5.22 0.05))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 98950fdb-30e0-4d42-bb83-7273a522c53e))
(fp_line (start -5.26 1.32) (end -5.17 1.18))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7eb16de6-0908-472b-a510-19617a626bcd))
(fp_line (start -5.255 8.55) (end -5.175 8.484))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f184a424-f4f6-4828-8b08-3d4a20e96528))
(fp_line (start -5.25 -2.12) (end -5.21 -2.01))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 103561a4-3600-4bbf-9bb0-143993763457))
(fp_line (start -5.24 -1.66) (end -5.29 -1.7))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 68e1755b-c0f2-48d4-82bc-e530fe54d305))
(fp_line (start -5.238 -8.732) (end -5.199 -8.94))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a9650bc1-ea9e-425e-b5de-82cfc60f217f))
(fp_line (start -5.23 -2.75) (end -5.34 -2.74))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 69968115-0363-480c-a569-9c2d7c29a1fa))
(fp_line (start -5.23 -2.75) (end -5.13 -2.75))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 019e77d0-bd83-48a9-b420-6f7aef62e6b4))
(fp_line (start -5.23 0.81) (end -5.27 0.91))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b2601540-67e4-4122-a13b-d0b854219b41))
(fp_line (start -5.22 0.05) (end -5.18 0.19))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50d7e4d3-00fe-4f13-9705-4e782a1615ab))

```
(fp_line (start -5.21 -5.737) (end -5.335 -5.683)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a05cf5b-fd41-4528-ba78-dcdfff726cce))
(fp_line (start -5.21 -2.01) (end -5.18 -1.88)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bb4d3075-36d5-46a2-85bc-4a3808fbe3eb))
(fp_line (start -5.2 -1.11) (end -5.1 -0.85)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c7982a48-b991-44fd-915a-f346f5bb82c0))
(fp_line (start -5.199 -8.94) (end -5.163 -9.149)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb34cd3e-426d-43d3-a62d-be10a2db738f))
(fp_line (start -5.19 -1.62) (end -5.24 -1.66)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8a471df9-7d03-48c4-8f71-abbfd400c38c))
(fp_line (start -5.19 0.68) (end -5.23 0.81)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 50ae7181-206a-4c8e-a5f7-e0db8d0c5061))
(fp_line (start -5.19 1.01) (end -5.1 0.78)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 424ade95-7c09-4768-89b2-41a282ae483f))
(fp_line (start -5.184 -5.763) (end -5.21 -5.737)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fbea6cda-527b-4c04-b594-582052a4fa6d))
(fp_line (start -5.18 -1.88) (end -5.16 -1.77)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ee6aef2b-1c72-42aa-b5ed-8fc27dfbf34a))
(fp_line (start -5.18 0.19) (end -5.17 0.28)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c5b45d51-abde-4c4c-af6e-b96f72682a2a))
(fp_line (start -5.175 8.484) (end -5.094 8.414)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 37f97521-965d-4d21-a3a3-8d72eea84167))
(fp_line (start -5.17 0.28) (end -5.16 0.41)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 38a4257e-76ff-4669-baab-60337d1e6c2b))
(fp_line (start -5.17 1.18) (end -5.09 1.04)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 673c122d-e0bd-4966-84a2-b46ae1532efd))
(fp_line (start -5.163 -9.149) (end -5.13 -9.359)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 053ca9dc-a47f-424c-9886-9f4ef467d599))
(fp_line (start -5.16 -1.77) (end -5.14 -1.59)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e79a3df8-df14-447c-a39f-751ce6ef2c8d))
(fp_line (start -5.16 0.41) (end -5.16 0.54)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9bbc270a-47a5-429f-9e2c-23b5dec5e9bc))
(fp_line (start -5.16 0.54) (end -5.19 0.68)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32c5f679-f349-454b-8b9d-2b3b74622cb5))
(fp_line (start -5.154 -5.802) (end -5.184 -5.763)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 67db5591-3312-4039-9834-841f4d3a7151)
(fp_line (start -5.14 0.06) (end -5.27 -0.1))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0fc6c87e-0f65-46f8-8761-3185f4c0e143))
(fp_line (start -5.13 -9.359) (end -5.102 -9.57))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 96e3bdeb-d30f-469e-98f3-9ede205cd53c)
(fp_line (start -5.13 -2.75) (end -5.03 -2.73))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp ce6e4a80-94f2-48be-843c-068c9b1333e3))
(fp_line (start -5.13 3.24) (end -5.27 3.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 77b430be-168f-4ff5-ba9d-6daba31deb00))
(fp_line (start -5.122 -5.853) (end -5.154 -5.802))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69c15465-dcaf-42df-a976-628907116b91)
(fp_line (start -5.12 -1.56) (end -5.19 -1.62))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7a7c3a63-4af0-4705-9a11-6c4c5a703e17))
(fp_line (start -5.11 0.09) (end -5.06 0.05))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 32303be6-2fca-49c5-87d2-d0d750ef9635))
(fp_line (start -5.102 -9.57) (end -5.078 -9.78))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f035240-4856-4249-b4b4-e2f8bc323e42)
(fp_line (start -5.1 -0.85) (end -5.02 -0.6))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0abdfaef-0a67-46f2-aa9e-139590a4b0c1))
(fp_line (start -5.1 0.78) (end -5.04 0.57))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9db05263-6bcb-4fb2-b0ca-1175597f2ac0))
(fp_line (start -5.094 8.414) (end -5.01 8.341))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 60e4baf4-d1d8-4ec9-a672-eabc290f8ede)
(fp_line (start -5.09 1.04) (end -5.04 0.93))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 30204cb7-e1e6-4c06-9da8-23e528474a37))
(fp_line (start -5.087 -5.916) (end -5.122 -5.853))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4e800fa6-8865-406f-9342-dd5aadca98a9)
(fp_line (start -5.07 0.18) (end -5.14 0.06))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b6b5ab27-254d-4f32-a971-f7a8866a7e6d))
(fp_line (start -5.06 0.05) (end -4.99 0.02))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7e08ab84-6833-4e53-9c03-2d252e1940aa))
(fp_line (start -5.06 0.41) (end -5.1 0.25))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 88c7325b-f5ae-4afd-8a73-50f3f17f8262))
(fp_line (start -5.06 1.03) (end -4.95 1.09))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8668b73f-d32f-4add-bd49-f42c2c72de67))

(fp_line (start -5.05 -5.99) (end -5.087 -5.916)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 711d4c99-f1e7-45f1-9eb5-663fcee74d4e))
(fp_line (start -5.04 -1.48) (end -5.12 -1.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp a3ab5805-4d62-45a1-b51b-95001db0b7fb))
(fp_line (start -5.04 0.57) (end -5.03 0.53)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e4456cfd-09b7-41fa-b1be-627f85df1eab))
(fp_line (start -5.04 0.93) (end -4.98 0.79)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 67d92141-4256-4599-8d8e-5dbf45e7dd77))
(fp_line (start -5.03 -2.73) (end -4.94 -2.7)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6a64b76e-fbf2-4779-bcad-3d2bdb9b4ae0))
(fp_line (start -5.03 0.53) (end -5.06 0.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 51c0be1f-ecf7-45a9-8a37-ad82535db237))
(fp_line (start -5.02 -0.6) (end -4.93 -0.31)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 00681d4d-5194-4ab5-87e5-989642877aa4))
(fp_line (start -5.011 -6.075) (end -5.05 -5.99)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 952358a2-d011-466e-9115-0a2f6c7ea272))
(fp_line (start -5.01 8.341) (end -4.924 8.264)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1b39251c-8e93-4523-b1ba-8bad01c35467))
(fp_line (start -4.99 0.02) (end -4.88 -0.02)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 81bf3858-7775-434a-9d77-ed270bb1b56e))
(fp_line (start -4.99 0.32) (end -5.07 0.18)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d0464f52-b9f1-4c5b-ad2e-46fd76531bc5))
(fp_line (start -4.99 3.05) (end -5.13 3.24)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b5857b7e-f0dc-47d6-a056-f716620e142d))
(fp_line (start -4.98 0.79) (end -4.91 0.56)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6402d933-bcfa-4abd-a535-da2faf598a38))
(fp_line (start -4.97 -6.171) (end -5.011 -6.075)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 86ad431b-dc26-4e98-adf2-8f18e98b94cc))
(fp_line (start -4.97 -1.41) (end -5.04 -1.48)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 1cdc8a75-9fc2-4ad4-a205-61f9b509d8ce))
(fp_line (start -4.963 5.397) (end -4.933 5.338)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c4cd1575-7b0a-4ac7-a886-f4ffeea5f8c2))
(fp_line (start -4.95 1.09) (end -4.83 1.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 72952af5-dee4-4951-8649-34340ef8cddf))
(fp_line (start -4.94 -2.7) (end -4.85 -2.66)

```
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 76e87c09-708c-4169-b7d0-9ad8f47f6666))
(fp_line (start -4.933 5.338) (end -4.905 5.27)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7831250-cda2-470e-bd15-c18e8b6424ec)
(fp_line (start -4.93 -0.31) (end -4.87 -0.07)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f02f204d-0133-4acc-b995-02f3a428a680))
(fp_line (start -4.928 -6.278) (end -4.97 -6.171)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ebd2513-ed6-410f-84c3-921c72ee4a89)
(fp_line (start -4.924 8.264) (end -4.837 8.185)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e3f6f04-3943-4b39-9735-874283f5afda)
(fp_line (start -4.91 0.56) (end -4.9 0.5)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f74bc9b6-5fc7-48d2-bf4e-28b2cb78725a))
(fp_line (start -4.906 -4.157) (end -4.894 -4.275)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4275e50f-aea9-4296-a0c7-6c20cf6cb8d3)
(fp_line (start -4.905 -4.065) (end -4.906 -4.157)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6f43a9a0-fc3e-4807-a7c5-6b8ffe682783)
(fp_line (start -4.905 5.27) (end -4.877 5.194)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e29ead30-329a-40f1-a055-ca3e8209d501)
(fp_line (start -4.902 -3.974) (end -4.905 -4.065)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb2c4bf9-6133-44e0-a86c-d5872de41cf5))
(fp_line (start -4.9 -1.34) (end -4.97 -1.41)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp aff80a87-b29a-46a5-a727-e593473fba35))
(fp_line (start -4.9 0.5) (end -4.99 0.32)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 349e9bb3-c0c8-4900-951d-7f2b9ee72ac8))
(fp_line (start -4.896 -3.883) (end -4.902 -3.974)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b43a7174-8092-422c-9cec-c7b26c25476e)
(fp_line (start -4.894 -6.029) (end -4.971 -6.037)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c59a39ac-9d64-43b8-be66-f91c6bdc9051)
(fp_line (start -4.894 -4.275) (end -4.861 -4.391)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d769876a-e3ec-4868-9c5b-c7544fc9c266)
(fp_line (start -4.884 -6.394) (end -4.928 -6.278)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85e7e5a4-3baa-46fe-99b3-200fca4b41d6)
(fp_line (start -4.884 -3.791) (end -4.896 -3.883)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dfe46721-54d8-474b-9d3c-125a97cbe59a)
(fp_line (start -4.877 5.194) (end -4.85 5.11)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1328d820-f0fc-4e34-a1ca-3f41bc6e276e)
```

(fp_line (start -4.87 -0.07) (end -4.81 0.16)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64366890-b7fb-4623-bc6f-e1cf236f3dc4))
(fp_line (start -4.87 0.52) (end -4.76 0.52)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 684bd887-05f5-4252-ab93-ea76cfcbb5671))
(fp_line (start -4.867 -3.695) (end -4.884 -3.791)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 78fa9aab-3e6e-4241-8dd6-cdd4b0ae3eb0))
(fp_line (start -4.861 -4.391) (end -4.812 -4.509)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3c0eee26-f6b5-457f-8b68-e5ea1aed4131))
(fp_line (start -4.85 -2.66) (end -4.76 -2.61)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9df2cc4e-f3d0-4a5a-8cf5-f3736eab4b3e))
(fp_line (start -4.85 5.11) (end -4.825 5.017)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 13141b38-6dec-4fa8-9268-e09a250ccbb3))
(fp_line (start -4.841 -3.594) (end -4.867 -3.695)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f269fdb-832a-4da9-9248-6d720e8e649d))
(fp_line (start -4.839 -6.52) (end -4.884 -6.394)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6f4ce17-e4ed-4f0d-a1e7-34fddcc2020b))
(fp_line (start -4.837 8.185) (end -4.748 8.102)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ad6a8f7-b846-4d78-b587-2959e68dfad3))
(fp_line (start -4.83 1.16) (end -4.68 1.24)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp edfeeb01-d82f-498b-ab5d-ed43b72a7e26))
(fp_line (start -4.828 -6.762) (end -4.825 -6.802)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a084c14-c0e7-41c8-b028-fcf111c7e419))
(fp_line (start -4.825 -6.802) (end -4.804 -6.819)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c9dcaf17-9b36-4f94-bba1-4367a3f7bc72))
(fp_line (start -4.825 5.017) (end -4.8 4.915)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 107a4cd1-3a7e-48c8-816a-c2f01b88732b))
(fp_line (start -4.812 -4.509) (end -4.75 -4.627)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2cff5f93-7c00-4587-81f7-a2dc57a74f13))
(fp_line (start -4.81 0.16) (end -4.77 0.37)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9cec9854-841a-40f3-af47-a848daa40206))
(fp_line (start -4.807 -3.486) (end -4.841 -3.594)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 63b3366b-f118-4101-bf18-3bc9b98d140f))
(fp_line (start -4.804 -6.819) (end -4.766 -6.83)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f49c5495-745c-47d0-86e9-bde26c156f3e))
(fp_line (start -4.8 -6.713) (end -4.828 -6.762)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 821c4a6b-ea9a-446e-a6d2-1a93a5a86777)
(fp_line (start -4.8 -1.22) (end -4.9 -1.34))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 757a5323-cf3f-4d30-8ce3-3ebc1cd28c48))
(fp_line (start -4.8 4.915) (end -4.777 4.805))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 42c146fe-e527-4beb-9983-169c32225984)
(fp_line (start -4.793 -6.655) (end -4.839 -6.52))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 17567248-2d24-4ecb-b8d4-2ef858c0471a)
(fp_line (start -4.78 2.75) (end -4.99 3.05))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2de417cb-8340-4e98-ad57-93320a330ef1))
(fp_line (start -4.777 4.805) (end -4.755 4.685))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 233a9b53-d312-40ab-aad1-198abdd969eb)
(fp_line (start -4.773 -6.037) (end -4.894 -6.029))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f8b328f-474e-497a-9dc9-dda8218c4524)
(fp_line (start -4.77 0.37) (end -4.73 0.6))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 73dbd0fd-7222-4306-9489-55036bd75681))
(fp_line (start -4.766 -6.83) (end -4.712 -6.834))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 392fe6df-04c8-4126-97aa-f68ee3e93316)
(fp_line (start -4.762 -3.37) (end -4.807 -3.486))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ae270d8f-c66e-43f7-a02b-53b77aae2959)
(fp_line (start -4.76 -2.61) (end -4.65 -2.53))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 7361703e-22b6-41ec-8ccd-c6c01c0cc71a))
(fp_line (start -4.755 4.685) (end -4.735 4.556))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp abdbdd26-0a36-4265-95db-7100cdf93bbd)
(fp_line (start -4.75 -4.627) (end -4.68 -4.748))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b515e873-ff30-4703-af9f-3a58d3a8d9d1)
(fp_line (start -4.75 -1.16) (end -4.8 -1.22))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp debf3921-c401-4047-b1c7-f5398446a917))
(fp_line (start -4.748 -6.652) (end -4.8 -6.713))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f860feb9-c554-4931-a024-c8f8be1bdf1))
(fp_line (start -4.748 8.102) (end -4.658 8.016))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56f18287-70dc-4992-ba80-8fd9255ce495)
(fp_line (start -4.746 -6.799) (end -4.793 -6.655))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f949694c-5c2e-4cfb-bab6-a96a6c33c682)
(fp_line (start -4.735 4.556) (end -4.716 4.418))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 026e7c59-8371-40ab-b564-0639a8b49337))

```

(fp_line (start -4.73 -2.09) (end -4.79 -2.16)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2b1f7550-fb7d-4475-9609-8b36e497dd37))
(fp_line (start -4.73 0.6) (end -4.7 0.83)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 09926b90-e7b1-414d-bf16-cd6552204094))
(fp_line (start -4.716 4.418) (end -4.698 4.27)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52b46bb9-fb04-404a-8cad-4343fdc4fdf2))
(fp_line (start -4.712 -6.834) (end -4.645 -6.83)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 907d3114-4439-499e-a130-4e8a6612283c))
(fp_line (start -4.706 -3.243) (end -4.762 -3.37)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d7fd7281-5d4d-4388-881e-2b90f5ec9076))
(fp_line (start -4.7 0.83) (end -4.67 1.11)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 65fc3c42-c8b4-4436-8878-c0c4335a86bd))
(fp_line (start -4.698 -6.952) (end -4.746 -6.799)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cae6e370-947b-445b-94f5-72d796d73d0b))
(fp_line (start -4.698 4.27) (end -4.683 4.112)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp df4c6294-8865-4b3b-9acd-5cf63d411b0a))
(fp_line (start -4.683 4.112) (end -4.669 3.944)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1e3f2d93-6f9f-45cf-bf5d-3f7125cd95ac))
(fp_line (start -4.68 -4.748) (end -4.606 -4.873)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f1330275-88d7-4a79-8c80-29130e7a10df))
(fp_line (start -4.678 -6.579) (end -4.748 -6.652)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e94f873b-cc3f-47ef-a3d3-afe211d3da1b))
(fp_line (start -4.67 -2.01) (end -4.73 -2.09)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 5c8fa875-6c58-414d-8617-ffb166320d8a))
(fp_line (start -4.67 -1.07) (end -4.56 -1.19)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b8900548-478a-45ea-a3e5-ab37bdfcec7e))
(fp_line (start -4.67 1.11) (end -4.66 1.24)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f42ab32c-b8c4-49f8-a0a2-36a22034cbf6))
(fp_line (start -4.669 3.944) (end -4.657 3.767)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 569631e9-e86a-4675-adee-160973cf35b5))
(fp_line (start -4.66 1.24) (end -4.64 1.44)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c336b7f6-00e8-4afb-ac89-2ba5a979c866))
(fp_line (start -4.658 8.016) (end -4.567 7.927)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d377847-cfd3-460f-aa40-24f2211d90fb))
(fp_line (start -4.657 3.767) (end -4.647 3.579)

```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a815d8ac-87ae-49b5-a2ed-da1d3214db73)
(fp_line (start -4.651 -7.113) (end -4.698 -6.952))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79ef88fc-7bf4-4caa-b36e-fc76d50b0c03)
(fp_line (start -4.65 -2.53) (end -4.58 -2.47))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 8d0aad8e-5002-414e-8c6a-36c0469d9ae3))
(fp_line (start -4.647 3.579) (end -4.64 3.38))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3a3191d3-1b37-49b4-93b2-714c6bdcd7fb)
(fp_line (start -4.645 -6.83) (end -4.567 -6.818))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0960ce55-b144-453d-a5d6-115fde9ddd9d)
(fp_line (start -4.64 -1.03) (end -4.75 -1.16))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 484882a9-800b-4b71-a2fa-c8c90839f1ad))
(fp_line (start -4.64 1.44) (end -4.63 1.67))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 325531f5-eee5-499e-8fd1-94a3734b6129))
(fp_line (start -4.64 3.38) (end -4.634 3.171))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7bdccabe-6cb7-4842-a1bb-ff834c140291)
(fp_line (start -4.636 -3.104) (end -4.706 -3.243))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 850c93ab-d89a-4a7f-b5dc-bdd0c9e7c992)
(fp_line (start -4.634 3.171) (end -4.631 2.951))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 532c7d53-e31f-4cf4-aada-1053ab931262)
(fp_line (start -4.632 2.479) (end -4.637 2.226))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c1c2f81-1501-4ca9-ad14-3f24916d7120)
(fp_line (start -4.631 2.951) (end -4.63 2.721))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9dddf6a7-6401-4e9c-9f0b-d966c116c051)
(fp_line (start -4.63 1.67) (end -4.62 1.9))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c1a5d188-9375-4c57-b76a-7155ce8a1d1f))
(fp_line (start -4.63 2.52) (end -4.78 2.75))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 01c56740-502d-43d7-a03b-8c58f3181b7a))
(fp_line (start -4.63 2.721) (end -4.632 2.479))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dd201be3-6ca6-480a-ae03-c3f66967b673)
(fp_line (start -4.62 1.9) (end -4.61 2.21))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 9702fd13-df5a-4e53-81fa-388dc32352a2))
(fp_line (start -4.62 2.43) (end -4.62 2.58))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f721a9aa-4ff5-4afa-b260-8df8af5888e2))
(fp_line (start -4.611 -6.058) (end -4.773 -6.037))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 821f0230-727b-4c88-b133-1cbfd0f2d0d3))

(fp_line (start -4.61 -1.93) (end -4.67 -2.01)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6d253758-798d-4f46-82a4-efae5bf2a1ab))
(fp_line (start -4.61 2.21) (end -4.62 2.43)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp bc26df6b-75c9-4835-8f58-1ed0cc073d14))
(fp_line (start -4.606 -4.873) (end -4.532 -5.002)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4ed12944-f24b-4e3e-b92a-faedb0e046ba))
(fp_line (start -4.603 -7.281) (end -4.651 -7.113)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52317cf9-f3d5-43c2-b4e5-cabf41b32b98))
(fp_line (start -4.599 -6.491) (end -4.678 -6.579)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45259b51-fa47-4361-9e1a-e58e8efc2a16))
(fp_line (start -4.58 -2.47) (end -4.51 -2.41)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6fdc7874-09fc-4ece-96d6-08451ce0547c))
(fp_line (start -4.567 -6.818) (end -4.478 -6.796)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c5e3167e-2db8-4b9a-a787-4fd7e47d68e7))
(fp_line (start -4.567 7.927) (end -4.474 7.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eda79fd0-8b83-4c14-bf01-8bf0df7eef2f))
(fp_line (start -4.56 -1.19) (end -4.47 -1.3)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp cfff44c3-9953-47bd-86bf-4dab5213b3ad))
(fp_line (start -4.555 -7.457) (end -4.603 -7.281)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 42cbbef8-8f74-4ce7-a4e7-3fcfc03efc7d))
(fp_line (start -4.552 -2.951) (end -4.636 -3.104)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 56e0d774-3a1c-42e3-aed0-4fe26050d2c4))
(fp_line (start -4.54 -1.83) (end -4.61 -1.93)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3d0d2a80-8d6b-47ec-99cb-38f552886981))
(fp_line (start -4.532 -5.002) (end -4.462 -5.136)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3bc3790f-37fc-4a7c-8d54-c5e11cb3c2d9))
(fp_line (start -4.517 -6.386) (end -4.599 -6.491)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7afce61-998a-4e40-ac3a-6df120c3959b))
(fp_line (start -4.51 -2.41) (end -4.41 -2.3)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp eca2df4e-0cf2-4693-96cf-92fc5c145f46))
(fp_line (start -4.51 -0.83) (end -4.64 -1.03)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 28c85268-734a-477f-b173-21357db3550f))
(fp_line (start -4.507 -7.64) (end -4.555 -7.457)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ca5bb773-9dbd-4112-8a3f-7682bee45715))
(fp_line (start -4.478 -6.796) (end -4.382 -6.764)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a51ca04d-31be-4a21-8aa4-e844e191809a)
(fp_line (start -4.474 7.836) (end -4.381 7.741))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 55ac4e0c-adcd-42fa-8426-e3afdd2dad44)
(fp_line (start -4.47 -1.73) (end -4.54 -1.83))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e8f2f11d-690a-47b1-b4e5-1b050f26efd5))
(fp_line (start -4.47 -1.3) (end -4.43 -1.36))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d1f13809-93dc-4226-af83-32e87c340cd9))
(fp_line (start -4.462 -5.136) (end -4.401 -5.278))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd4929fe-094c-4cbd-93a7-83b63baa1d64)
(fp_line (start -4.461 -7.829) (end -4.507 -7.64))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 331f4b96-e9f1-4d94-9d82-93f9d3c9a51d)
(fp_line (start -4.452 -2.782) (end -4.552 -2.951))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f425a1c-913d-47ef-a377-7dab06b8f124)
(fp_line (start -4.44 -6.261) (end -4.517 -6.386))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 37ea27b4-7b71-4bf4-9728-db932649570b)
(fp_line (start -4.43 -1.67) (end -4.47 -1.73))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp b0216238-dec3-44a4-8693-46060ee6e320))
(fp_line (start -4.43 -1.36) (end -4.39 -1.44))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6f5c02b2-1cc5-436d-9905-39c6a3dfc0a6))
(fp_line (start -4.415 -8.025) (end -4.461 -7.829))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ac7cd3c-5fc6-4071-8cc5-2b9493eb6d8d)
(fp_line (start -4.41 -6.086) (end -4.611 -6.058))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6786c9b0-6b2c-4930-94b9-0e59273419f9)
(fp_line (start -4.41 -2.3) (end -4.34 -2.21))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 10559eea-4f29-4aee-bbe5-3cddac3f175f))
(fp_line (start -4.401 -5.278) (end -4.353 -5.427))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 348e32d2-e7d4-4f9f-aef2-169ff0003b52)
(fp_line (start -4.39 -1.57) (end -4.43 -1.67))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp f1013ca3-cccb-4dd2-92c5-9717892959d8))
(fp_line (start -4.39 -1.44) (end -4.38 -1.51))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 825dc872-41fa-499b-a748-868585a80d63))
(fp_line (start -4.387 6.111) (end -4.334 5.985))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4737613b-9a52-4f78-8402-068d18c54df5)
(fp_line (start -4.382 -6.764) (end -4.279 -6.72))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fc7dfab2-9f90-46df-abae-87acb6a56582))


```
(fp_line (start -4.381 7.741) (end -4.286 7.643)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c77f5e0-e59a-481e-b554-fc1c4d94499d))
(fp_line (start -4.38 -1.51) (end -4.39 -1.57)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp db75a99e-5fe0-4908-9634-9620c6f83d50))
(fp_line (start -4.376 -6.115) (end -4.44 -6.261)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f9772f67-d4c9-44c3-a4c1-ae0929edde02))
(fp_line (start -4.37 -0.63) (end -4.21 -0.54)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4d3d076c-c733-4ebb-a80a-7ae622194e03))
(fp_line (start -4.369 -8.226) (end -4.415 -8.025)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 66cec8bf-d305-43ba-9dbf-54bcc59b2bb8))
(fp_line (start -4.353 -5.427) (end -4.322 -5.585)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 73cc15ea-91ce-4aa7-8948-174c26de2c27))
(fp_line (start -4.34 -2.21) (end -4.26 -2.1)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c29599a8-187e-4e5c-b14b-cf04f64619a1))
(fp_line (start -4.34 -0.56) (end -4.51 -0.83)
  (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 20eec461-24ed-44ea-83af-1f0021d1e055))
(fp_line (start -4.335 -2.596) (end -4.452 -2.782)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a1912e34-8ac5-48b0-886e-8aebb8feddb0))
(fp_line (start -4.334 5.985) (end -4.283 5.857)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 82ad7e62-0aee-4b2f-8cdc-eb9197c9b875))
(fp_line (start -4.33 -5.947) (end -4.376 -6.115)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 784c4f85-b6c0-4deb-a6c0-971990994e18))
(fp_line (start -4.326 -8.433) (end -4.369 -8.226)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 822df62c-775a-4f20-945e-00a9e3b9ca41))
(fp_line (start -4.322 -5.585) (end -4.312 -5.752)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9d8f161d-ce84-4a93-977f-70e5d5bce6f1))
(fp_line (start -4.312 -5.752) (end -4.33 -5.947)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 773497a6-23ae-4539-83dc-d88b6dffe704))
(fp_line (start -4.286 7.643) (end -4.191 7.543)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b6cc94a5-52f6-4b50-910a-7ea294b02196))
(fp_line (start -4.283 -8.646) (end -4.326 -8.433)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd34ad55-8a9a-47a6-97e3-b36d22c66d1a))
(fp_line (start -4.283 5.857) (end -4.233 5.727)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 579d71c3-6d00-45d4-b61e-ab2305ff478f))
(fp_line (start -4.279 -6.72) (end -4.171 -6.664)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ae60f752-8a4b-4a3d-83e3-42708e5200c3)
(fp_line (start -4.26 -2.1) (end -4.18 -1.98))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 67b4d018-aa26-48cd-8eb2-51272fdab139))
(fp_line (start -4.25 -0.4) (end -4.34 -0.56))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 4a2859d2-c5cf-4cd2-a5e8-1444e7cb205e))
(fp_line (start -4.242 -8.863) (end -4.283 -8.646))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d6f41008-966c-48b0-ac99-404c261c5bcd)
(fp_line (start -4.24 -0.38) (end -4.25 -0.4))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 96300514-a624-4937-a0ce-ae06d2d3e217))
(fp_line (start -4.233 5.727) (end -4.185 5.596))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4bd78c8e-0de9-42dd-a852-ac4d4ac3565f))
(fp_line (start -4.21 -0.54) (end -4.13 -0.51))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 71fcd07a-f23b-4a01-8617-f6737cc5d280))
(fp_line (start -4.203 -9.084) (end -4.242 -8.863))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 92c71a3f-588a-485d-8d6b-cbe8d8c632b8))
(fp_line (start -4.199 -2.39) (end -4.335 -2.596))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4bf71992-7cb8-4d15-a05d-c5a9c58f75f9))
(fp_line (start -4.191 7.543) (end -4.095 7.439))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2cdf8a1-e92d-4660-96b3-db7ff514c2c4))
(fp_line (start -4.185 5.596) (end -4.139 5.463))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e3eb7761-bc18-464f-a8af-ca697b213f42))
(fp_line (start -4.18 -1.98) (end -4.13 -1.89))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 72344f6f-8271-43ff-b29d-5a986a51aa7e))
(fp_line (start -4.171 -6.664) (end -4.062 -6.595))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3e84185b-80c5-4d91-99b4-76d97a9fa1c3))
(fp_line (start -4.167 -9.31) (end -4.203 -9.084))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2c4db533-9e50-4012-a0ad-8a05fbb0005a))
(fp_line (start -4.16 -0.21) (end -4.24 -0.38))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp d5a3ed55-a328-43e9-9631-77cad198fdae))
(fp_line (start -4.139 5.463) (end -4.095 5.328))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e61d2f63-46c8-4e21-8b0a-b78e4a919d62))
(fp_line (start -4.132 -9.539) (end -4.167 -9.31))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 98ec5b14-4d50-4ce7-9488-c2249721c70b))
(fp_line (start -4.13 -1.89) (end -4.07 -1.79))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e14c8eac-b1ee-488c-8004-edb349ca6ef3))

(fp_line (start -4.13 -0.51) (end -4.06 -0.51)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46d31d6a-7f57-46af-89f0-eb8532691f32))
(fp_line (start -4.12 -0.12) (end -4.16 -0.21)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ea3358c-d4b8-46db-b379-36635e85981a))
(fp_line (start -4.1 -9.771) (end -4.132 -9.539)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b995e090-9d29-45c3-be4c-2e6054ec9213))
(fp_line (start -4.095 5.328) (end -4.053 5.191)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ac141669-cbc6-4f62-9d4e-4877373e059c))
(fp_line (start -4.095 7.439) (end -3.999 7.333)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6789cf8b-6c4a-4027-b781-7ba0968a73f1))
(fp_line (start -4.08 -0.11) (end -4.12 -0.12)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 877afe22-1dbb-4fe0-8106-0c1e845fa0b7))
(fp_line (start -4.07 -1.79) (end -4.03 -1.71)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 64f7d2a4-f8ba-4d1f-b843-c4f68ad14e7f))
(fp_line (start -4.07 0.007) (end -4.121 -0.15)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a26aea4a-c72a-4348-8ec9-12e5d3a93229))
(fp_line (start -4.062 -6.595) (end -3.951 -6.511)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2a920c6-f303-4459-9db3-bc0f73bfb819))
(fp_line (start -4.06 -0.51) (end -3.98 -0.56)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9ff6060-a23c-445f-944a-062ed572ceef))
(fp_line (start -4.053 5.191) (end -4.013 5.053)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 633a8015-e85a-476f-8cc4-b9f67e6c143a))
(fp_line (start -4.044 -2.164) (end -4.199 -2.39)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a0def3a0-a0f3-447b-8714-a4d920aa6e3b))
(fp_line (start -4.03 -1.71) (end -3.97 -1.58)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3c125927-28ca-47a3-aea1-afe225e2232f))
(fp_line (start -4.022 0.163) (end -4.07 0.007)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6cee4176-50f8-47ea-953d-bd8527c466aa))
(fp_line (start -4.013 5.053) (end -3.975 4.914)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa1a0f66-5cae-425e-b2ff-a5059df2f5b4))
(fp_line (start -4.01 -0.11) (end -4.08 -0.11)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6917236e-f1fb-4fea-b6aa-4a2169b0d14d))
(fp_line (start -3.999 7.333) (end -3.903 7.224)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84feadc2-98e1-4384-802f-a1f334c0d1f4))
(fp_line (start -3.98 -0.56) (end -3.93 -0.62)

```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85eb9057-6ed0-45a5-9091-af2ef40b4167))
(fp_line (start -3.978 0.321) (end -4.022 0.163)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 42bc5866-ca7b-4423-a725-788f2f3d2758)
(fp_line (start -3.975 4.914) (end -3.939 4.773)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b93d02eb-6960-4b3b-a23e-44b912a8a32f)
(fp_line (start -3.97 -1.58) (end -3.92 -1.48)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 93c6a362-a716-44ec-b4ed-8aa691dcbfa5))
(fp_line (start -3.951 -6.511) (end -3.842 -6.412)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f9780350-45ab-4652-9945-8888b4e3ae36)
(fp_line (start -3.95 -0.13) (end -4.01 -0.11)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 0993a17d-b124-49bf-b610-bf74568f4b9c))
(fp_line (start -3.939 4.773) (end -3.905 4.631)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 90fc3de9-4d12-491b-bcf7-7ce75fae004b)
(fp_line (start -3.937 0.478) (end -3.978 0.321)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2312592-ed9f-4c40-a744-ec8f74e585a1)
(fp_line (start -3.93 -0.62) (end -3.91 -0.68)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7d6bf904-8b74-40e9-a998-a0bb65287769))
(fp_line (start -3.92 -1.48) (end -3.88 -1.37)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp e3e83984-e475-4a2b-bbdc-b12a6c426fd7))
(fp_line (start -3.91 -0.68) (end -3.89 -0.74)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74f34755-4ab4-4fa1-87ee-c6777257ac06))
(fp_line (start -3.905 4.631) (end -3.874 4.487)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e3014a57-5cd4-4d82-b504-a9a9860992d1)
(fp_line (start -3.903 7.224) (end -3.806 7.113)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a486d264-1e5b-4a68-99a3-d423eb7ca891)
(fp_line (start -3.899 0.636) (end -3.937 0.478)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94939ede-8fcf-425a-92f5-3afed64c32de)
(fp_line (start -3.89 -0.17) (end -3.95 -0.13)
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6fc2cd11-82f5-4476-a68e-a366712cb9d1))
(fp_line (start -3.88 -1.37) (end -3.85 -1.29)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 49762f30-7297-41e3-a4a0-724ed94247c7))
(fp_line (start -3.874 4.487) (end -3.844 4.342)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5ab4fc35-4aef-4f54-9d2d-ed2bd8f014cd)
(fp_line (start -3.864 0.794) (end -3.899 0.636)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1251024f-de8a-4c4e-80f3-bdbd4dbfcc88))
```

(fp_line (start -3.85 -1.29) (end -3.82 -1.2)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 77f6af7a-09f1-456f-88e7-a014e6d958d8))
(fp_line (start -3.85 -0.21) (end -3.89 -0.17)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dc716c21-756f-41f7-9e39-c36c716f0905))
(fp_line (start -3.844 4.342) (end -3.817 4.196)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 69d78494-938f-47ff-b7b7-6c69e51c97e4))
(fp_line (start -3.842 -6.412) (end -3.736 -6.297)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bab968dd-e11c-4284-bbd1-3076a69b63aa))
(fp_line (start -3.832 0.952) (end -3.864 0.794)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 10543dad-b2cb-4da2-bb81-7bfc05956569))
(fp_line (start -3.82 -1.2) (end -3.79 -1.1)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6ca6c573-00e8-4b7b-b597-2e1c43395b6e))
(fp_line (start -3.817 4.196) (end -3.792 4.049)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6a834165-2ed6-4297-95a6-91590ceb1bd1))
(fp_line (start -3.81 -0.27) (end -3.85 -0.21)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 71b43253-d9cd-4439-a86a-cdf2d75755e5))
(fp_line (start -3.806 7.113) (end -3.709 6.999)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8286574f-8390-4fc2-ab53-a31301db7efe))
(fp_line (start -3.804 1.11) (end -3.832 0.952)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce7e5420-37cc-4a66-a7ec-af75c34ea390))
(fp_line (start -3.792 4.049) (end -3.77 3.901)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b943023b-e2b2-4ed2-957c-62aeaf84ffc5))
(fp_line (start -3.79 -1.1) (end -3.75 -0.96)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 3df3a48e-f6d7-46ee-9712-795e1addd0e8))
(fp_line (start -3.78 -0.34) (end -3.81 -0.27)
 (stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 001a31be-903c-4b35-8cec-dd31352cd930))
(fp_line (start -3.778 1.268) (end -3.804 1.11)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3a9ab7d8-e1bf-4471-9122-9e6e5ff6188b))
(fp_line (start -3.775 -6.363) (end -3.669 -6.42)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6623a1eb-6ff1-4c84-a129-56433bdc7470))
(fp_line (start -3.77 3.901) (end -3.75 3.751)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ec67f5be-7798-474f-94ff-b9ebb0d3ffe6))
(fp_line (start -3.755 1.426) (end -3.778 1.268)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f467176f-51e6-48c5-a27f-1c4bf70e147e))
(fp_line (start -3.75 -0.96) (end -3.72 -0.79)

(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp dc7ef961-c7bd-4a9e-9c12-5a1b78fe1561))
(fp_line (start -3.75 -0.43) (end -3.78 -0.34))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 6be18934-bc72-402d-8500-ea81733d08ca))
(fp_line (start -3.75 3.751) (end -3.732 3.601))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a6b59ba6-fc29-4ad5-b99a-f7bf3ec1835e))
(fp_line (start -3.736 -6.297) (end -3.634 -6.165))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 824b391f-8906-421a-b5ad-936bc92b2674))
(fp_line (start -3.736 1.584) (end -3.755 1.426))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f57f06f6-a905-400f-80d9-97cd0ff108ff))
(fp_line (start -3.732 3.601) (end -3.717 3.45))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 519800c8-82c5-4335-aca6-2964b70af79a))
(fp_line (start -3.73 -0.54) (end -3.75 -0.43))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 718923bf-4487-453f-9725-6e73beaf978e))
(fp_line (start -3.72 -0.79) (end -3.72 -0.66))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp 2cc455a9-17aa-4d81-b9bc-428316fb30cf))
(fp_line (start -3.72 -0.66) (end -3.73 -0.54))
(stroke (width 0.13) (type solid)) (layer "B.Silks") (tstamp c516f001-5223-4ead-b49e-a8637a2f4ce2))
(fp_line (start -3.719 1.742) (end -3.736 1.584))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bfef6d19-cc33-40da-bc0f-8a1efeb9e98fc))
(fp_line (start -3.717 3.45) (end -3.704 3.297))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 469dfa0f-d52c-46d3-b945-170c2752eba6))
(fp_line (start -3.709 6.999) (end -3.612 6.882))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dc35cfb4-fea4-4733-a9e1-7c45022f967a))
(fp_line (start -3.705 1.899) (end -3.719 1.742))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bdc834c0-340a-49bf-b5b5-262cd59625c1))
(fp_line (start -3.704 3.297) (end -3.693 3.144))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c24e89f-3b46-4d22-b659-fad46d48b482))
(fp_line (start -3.694 2.056) (end -3.705 1.899))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fb5b408a-a4c4-4ebe-bff5-e110821a4271))
(fp_line (start -3.693 3.144) (end -3.685 2.991))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 141ca96a-8010-49d8-a3b8-882bce430e04))
(fp_line (start -3.686 2.213) (end -3.694 2.056))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7b5cf39b-fd56-4447-b549-69f5dcf087de))
(fp_line (start -3.685 2.991) (end -3.68 2.836))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c6be8538-a8b2-4140-955e-6c399e88621f))

(fp_line (start -3.68 2.37) (end -3.686 2.213)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 491227a2-3eee-4d47-bfbe-f0073a1389a3)
(fp_line (start -3.68 2.836) (end -3.678 2.681)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 435651f0-4509-481c-9404-b6afc2799f31)
(fp_line (start -3.678 2.526) (end -3.68 2.37)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bcb3efaa-7b7b-46cd-9d22-39507fc9d988)
(fp_line (start -3.678 2.681) (end -3.678 2.526)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22da0712-0b1c-4bfd-834d-cc5cae44b140)
(fp_line (start -3.669 -6.42) (end -3.559 -6.492)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 567799b1-e59c-47a0-b474-e6b2e94dd0d2)
(fp_line (start -3.634 -6.165) (end -3.539 -6.015)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 495e1d7e-7513-4976-98d8-c7d6db17217e)
(fp_line (start -3.612 6.882) (end -3.516 6.763)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45957aac-2d65-4945-bae9-45b944e01521)
(fp_line (start -3.559 -6.492) (end -3.447 -6.577)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9bd6f989-4531-4c9e-809c-8ec6654647a7)
(fp_line (start -3.542 -0.653) (end -3.72 -0.886)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7c5522fd-3d21-4e2e-b69d-cc08550d9e03)
(fp_line (start -3.539 -6.015) (end -3.453 -5.846)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cfd39817-110f-4756-a665-3355b0409676)
(fp_line (start -3.534 -0.529) (end -3.628 -0.702)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e9ca12a5-ff59-48b9-b24d-894e312d3dd7)
(fp_line (start -3.516 6.763) (end -3.42 6.641)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d3c3b95a-390b-4a44-99fd-74b6c6769ff0)
(fp_line (start -3.453 -5.846) (end -3.377 -5.657)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 45ebb77a-b846-401b-8bd7-0c457cc3894b)
(fp_line (start -3.447 -6.577) (end -3.333 -6.672)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 76941317-f641-472b-b68e-bec3193014fb)
(fp_line (start -3.446 -0.356) (end -3.534 -0.529)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c110540d-49b1-46c9-a96f-20e317cc3eaa)
(fp_line (start -3.42 6.641) (end -3.324 6.517)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 918a8adb-8246-4a95-80c8-0b938a1838dd)
(fp_line (start -3.385 -9.744) (end -3.386 -9.767)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5e941abe-7103-4e25-84e9-86dd19d4a6ba)
(fp_line (start -3.383 -9.678) (end -3.385 -9.744)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 374073ed-bdbe-456d-a522-f9e805bc2455)
(fp_line (start -3.381 -0.432) (end -3.542 -0.653)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8fe2b7d-2504-49d0-9ad4-3c23fd043628)
(fp_line (start -3.378 -9.576) (end -3.383 -9.678)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c62e484b-3ae4-47ef-ab08-608da10b0de5)
(fp_line (start -3.377 -5.657) (end -3.313 -5.447)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1572040a-48b4-4ebc-9857-899d9281a109)
(fp_line (start -3.371 -9.444) (end -3.378 -9.576)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 798a3eb6-8652-40b6-91ba-65e2c1ba2ce4))
(fp_line (start -3.366 -0.185) (end -3.446 -0.356)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 72496fba-f518-45a5-8696-a55fecdf3708)
(fp_line (start -3.363 -9.288) (end -3.371 -9.444)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce02157f-e177-4452-b3b0-c8a45f94900e)
(fp_line (start -3.352 -9.113) (end -3.363 -9.288)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 38ccdf8-8750-4d6e-99ab-0a2ed06a7a66)
(fp_line (start -3.339 -8.925) (end -3.352 -9.113)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cc20b596-cb48-4a00-8d72-58470cd29f5e)
(fp_line (start -3.333 -6.672) (end -3.219 -6.777)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 410eb8df-4f6e-47e4-a0c5-33b4d44cc042)
(fp_line (start -3.324 6.517) (end -3.229 6.391)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ffd30772-942f-4850-a3d1-5ca3198dcc00)
(fp_line (start -3.323 -8.731) (end -3.339 -8.925)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 84c66b58-9afd-4c53-a9a1-9d1b3cff54e5)
(fp_line (start -3.313 -5.447) (end -3.263 -5.215)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8e37ff33-1a4d-47e8-b141-a8d28a16595a)
(fp_line (start -3.305 -8.537) (end -3.323 -8.731)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bb0c6123-ed98-481a-8fbf-d229d32b6555)
(fp_line (start -3.291 -0.014) (end -3.366 -0.185)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp de7f3bc4-cc02-4a2b-8335-56aba5197377)
(fp_line (start -3.284 -8.348) (end -3.305 -8.537)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 937d26da-8ce4-4471-bad0-d6a70c630a85)
(fp_line (start -3.26 -8.171) (end -3.284 -8.348)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff676000-02d6-4e9c-9e90-2be1bf1536a7)
(fp_line (start -3.237 -0.223) (end -3.381 -0.432)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 97252293-e1d8-4ef8-a3df-39a2c157cf59)


```
(fp_line (start -3.229 6.391) (end -3.135 6.262)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e52c22ec-d67d-4e22-8186-595e85b733b4)
(fp_line (start -3.223 0.156) (end -3.291 -0.014)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf9212d3-30a2-4970-b03b-eb35a68e9cdb)
(fp_line (start -3.219 -6.777) (end -3.104 -6.89)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20c69640-94ec-46d8-9cd2-4a5d2554a328)
(fp_line (start -3.162 0.324) (end -3.223 0.156)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bfbed5bd-716d-45fc-926e-b660f82ae548)
(fp_line (start -3.135 6.262) (end -3.041 6.131)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 40f3b983-1b5b-498a-87e1-6a1b11b64e7e)
(fp_line (start -3.109 -0.026) (end -3.237 -0.223)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fc59a6ed-3475-4af8-b404-9ddc2341c455)
(fp_line (start -3.106 0.491) (end -3.162 0.324)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp af6ebd32-f86d-417f-b270-a5b06f6d2b51)
(fp_line (start -3.104 -6.89) (end -2.99 -7.007)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1a59cbc4-d626-4784-a09e-654f9e20bb87)
(fp_line (start -3.056 0.657) (end -3.106 0.491)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c65d12ed-3068-48a4-83fd-d2ea7389db31)
(fp_line (start -3.041 6.131) (end -2.949 5.997)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 364d319e-ac50-4232-944d-0d9a14577092)
(fp_line (start -3.011 0.821) (end -3.056 0.657)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 847033d0-dd97-4f03-85b8-438663da984c)
(fp_line (start -2.997 0.16) (end -3.109 -0.026)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22331291-6c60-4e83-b3cc-1b3a8ce07332)
(fp_line (start -2.99 -7.007) (end -2.879 -7.127)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c0557d75-6470-4050-8cfa-0c8d796262e8)
(fp_line (start -2.971 0.984) (end -3.011 0.821)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9ec58a95-682d-4b0c-9e1c-f75e22f7b058)
(fp_line (start -2.961 3.878) (end -2.941 3.769)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36eda110-d21b-45f0-9828-290361ccbf47)
(fp_line (start -2.949 5.997) (end -2.858 5.862)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c9620cd-95ff-4746-9c36-b3a249051db3)
(fp_line (start -2.941 -7.034) (end -2.948 -7.039)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 33c5e322-c97f-4e65-9a28-af756a485372))
(fp_line (start -2.941 3.769) (end -2.922 3.657)
```

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58cf1eeb-5a64-4ed2-9a0b-89d90818593c)
(fp_line (start -2.937 1.145) (end -2.971 0.984))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2a92f796-efc7-413d-b715-184f7706f313)
(fp_line (start -2.922 3.657) (end -2.904 3.542))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 53b68c8f-c858-42e8-917b-d2360ec67418)
(fp_line (start -2.917 -6.986) (end -2.941 -7.034))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 02fb5988-b27d-4010-ac76-304db1361cdd)
(fp_line (start -2.907 1.304) (end -2.937 1.145))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22365d21-3444-45a4-b801-87dedfed982b)
(fp_line (start -2.904 3.542) (end -2.886 3.423))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b8cb59e6-16dc-4192-9c2d-8317e129292b)
(fp_line (start -2.898 0.335) (end -2.997 0.16))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 55d1459f-728e-44c8-8d72-bff0bd6d6839)
(fp_line (start -2.886 3.423) (end -2.871 3.301))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3514ffcd-1445-4208-94df-2a9e2ea2f455)
(fp_line (start -2.882 1.462) (end -2.907 1.304))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp db931d56-5852-431b-96cb-86f8da48238e)
(fp_line (start -2.879 -7.127) (end -2.769 -7.249))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 74e050ce-5183-4170-bb64-299da18949f2)
(fp_line (start -2.871 -6.848) (end -2.917 -6.986))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e4e768ab-1bce-4872-83cd-c8a587b92cb6)
(fp_line (start -2.871 3.301) (end -2.856 3.175))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7f33046-63cd-4c4b-b61a-78a586a5f25a)
(fp_line (start -2.861 1.617) (end -2.882 1.462))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9417342a-5892-4fd9-b892-d6fa0660f8c7)
(fp_line (start -2.858 5.862) (end -2.768 5.724))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c8607f4b-cf00-454a-ac2a-d30c5fccf0df)
(fp_line (start -2.856 3.175) (end -2.844 3.047))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b35f37b-7393-4fc7-adc3-b808fbb757c8)
(fp_line (start -2.844 1.771) (end -2.861 1.617))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2031ccc3-d5af-4d20-8890-9493f0f9c17c)
(fp_line (start -2.844 3.047) (end -2.833 2.916))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 87d3a460-7a53-4a0f-988e-2572340c09b4)
(fp_line (start -2.833 2.916) (end -2.824 2.782))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1acc8a96-4f03-454c-b07b-e79ca5d34a88)

(fp_line (start -2.831 1.922) (end -2.844 1.771)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7a95bdef-1a97-4842-b837-3cb600e32f82)
(fp_line (start -2.824 2.782) (end -2.818 2.645)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 213bca1c-4b7c-493b-b20d-e7ac941982f4)
(fp_line (start -2.822 2.072) (end -2.831 1.922)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f6508426-51b7-4898-83a6-da6450aa45b4)
(fp_line (start -2.818 2.645) (end -2.815 2.505)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d5df24d8-b24a-42e8-954f-8a32a85ff056)
(fp_line (start -2.816 2.219) (end -2.822 2.072)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 749d0500-6300-4caa-b90c-246e5dee3eff)
(fp_line (start -2.815 2.505) (end -2.814 2.363)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 896d33a2-f265-43fa-bcc3-d662eb2a808f)
(fp_line (start -2.814 2.363) (end -2.816 2.219)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 931a5fe4-848c-4e8f-8661-bde662ed0b9b)
(fp_line (start -2.813 0.5) (end -2.898 0.335)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1939ae55-86bf-4561-a4dd-be32f5e45e08)
(fp_line (start -2.8 -6.571) (end -2.871 -6.848)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3ab97b83-b2a5-48dd-8ac8-ad208b3f3b9e)
(fp_line (start -2.769 -7.249) (end -2.664 -7.369)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8f1477de-23ed-4131-9d84-9afbcac50c05)
(fp_line (start -2.768 5.724) (end -2.679 5.584)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 88179488-aed2-4e24-9702-60cedcd39c8d)
(fp_line (start -2.74 0.656) (end -2.813 0.5)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d91d667e-7289-48b0-a2b6-a71871c28034))
(fp_line (start -2.679 5.584) (end -2.592 5.443)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c5e6c139-3efb-40f5-894e-d237b68b059b)
(fp_line (start -2.678 0.802) (end -2.74 0.656)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eaca2bf6-894e-40eb-90a1-4aa5203703f4)
(fp_line (start -2.664 -7.369) (end -2.563 -7.487)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 10e24f54-5781-4adf-9437-03f078246b6b)
(fp_line (start -2.644 -6.668) (end -2.8 -6.571)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 021f1407-d31d-45ce-84d5-a7a379495336)
(fp_line (start -2.627 0.939) (end -2.678 0.802)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 338d1c8b-dc3c-40be-8bf4-7cef8c1639b9)
(fp_line (start -2.592 5.443) (end -2.506 5.299)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b6e68202-8695-43b0-b423-e4d5e1f3c9e4)
(fp_line (start -2.585 1.069) (end -2.627 0.939))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 02d9c610-cbe1-4ce2-b1e8-ebe5fe816bbe)
(fp_line (start -2.572 -1.471) (end -2.568 -1.6))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2dfd665c-6a99-4f5c-b9e4-b76e40ac329d)
(fp_line (start -2.568 -1.6) (end -2.554 -1.726))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp da051945-ae71-4c5f-b40a-c8d1c66c18eb)
(fp_line (start -2.565 -1.339) (end -2.572 -1.471))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79006e19-acc6-4be1-a67a-4423fc7eff6d)
(fp_line (start -2.563 -7.487) (end -2.467 -7.601))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5f833ea0-0f0c-4048-b1fd-807f6b98cb05)
(fp_line (start -2.554 -1.726) (end -2.529 -1.847))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 622a586f-3b12-4686-abe1-c035d1b805f8)
(fp_line (start -2.552 1.19) (end -2.585 1.069))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 12d6ace3-6e98-43a0-964c-f8e790875cea)
(fp_line (start -2.549 -1.205) (end -2.565 -1.339))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 325f4a57-271e-4c51-a488-0478ed7cba63)
(fp_line (start -2.529 -1.847) (end -2.492 -1.964))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 080f5487-abfd-45e7-8346-5b53e1787c0a)
(fp_line (start -2.526 1.305) (end -2.552 1.19))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b504ad87-37cc-4e3b-9568-68d198c6ee94)
(fp_line (start -2.524 -1.07) (end -2.549 -1.205))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 20ffe771-2a91-41f1-8ff7-698d26a67389)
(fp_line (start -2.507 1.413) (end -2.526 1.305))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c73a1905-ef1d-4ef4-a843-bcc1efc6be15)
(fp_line (start -2.506 5.299) (end -2.423 5.153))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e53c8f90-10b1-4b7b-9ab3-bc7d41696660)
(fp_line (start -2.494 1.515) (end -2.507 1.413))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ccfd5224-d05a-4b8b-a238-674579c49fa2)
(fp_line (start -2.492 -1.964) (end -2.443 -2.074))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6e9524f8-a578-4487-bb15-96e6bdbd7f32)
(fp_line (start -2.491 -6.743) (end -2.644 -6.668))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a278acf1-e94a-43db-8f11-c2d30ddbd2b7)
(fp_line (start -2.49 -0.935) (end -2.524 -1.07))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4d40c2f3-1c8e-4b72-8ada-f953446218d3)

(fp_line (start -2.487 2.102) (end -2.485 2.028)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 460a5b37-7053-410e-b925-9ec29f8e7c24)
(fp_line (start -2.487 2.173) (end -2.487 2.102)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cf43d757-008f-49ea-a7a5-dc83ea3ec692)
(fp_line (start -2.486 1.611) (end -2.494 1.515)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fbcda3e3-4ee3-47df-b2f9-c2b2068161c6)
(fp_line (start -2.485 2.028) (end -2.483 1.952)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4d043f54-34b6-42c0-9adf-21131cea1e62)
(fp_line (start -2.484 2.244) (end -2.487 2.173)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b7584877-53a5-4a2d-b631-f32bb489c237)
(fp_line (start -2.483 1.952) (end -2.481 1.872)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce04dd7a-2795-416d-b365-93394287be16)
(fp_line (start -2.482 1.703) (end -2.486 1.611)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4259baec-c990-47a0-8bb0-fbcfa40c6448))
(fp_line (start -2.481 1.872) (end -2.48 1.79)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b0573a1-2232-4552-86f2-48cb2dd007f7)
(fp_line (start -2.48 1.79) (end -2.482 1.703)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 65dc0f1f-3224-46c0-bce2-50e959aa712b)
(fp_line (start -2.478 2.313) (end -2.484 2.244)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 36eae15-5a17-423b-9f9c-cbfe8db6aa18)
(fp_line (start -2.467 -7.601) (end -2.378 -7.707)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8a2ef767-bf95-4725-84e7-28a0dbc768e9)
(fp_line (start -2.448 -0.8) (end -2.49 -0.935)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1817e556-b857-46a4-9f24-cf603dc8dfd1)
(fp_line (start -2.443 -2.074) (end -2.381 -2.179)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5069c863-7ec5-4ad0-b266-b8443aa98035)
(fp_line (start -2.423 5.153) (end -2.341 5.005)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0fec1bd-f417-4681-a0b5-f4529d7ea495)
(fp_line (start -2.399 -0.666) (end -2.448 -0.8)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ff150ce9-cb19-4cbd-ac3e-a933da474e17)
(fp_line (start -2.381 -2.179) (end -2.306 -2.276)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 71d37509-d58a-4736-a616-c1dbd5ab521c)
(fp_line (start -2.378 -7.707) (end -2.296 -7.805)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94af026c-7f37-4af6-b432-c17d214f43d4)
(fp_line (start -2.342 -0.534) (end -2.399 -0.666)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a08b8b7d-e6e7-4ee2-a0b2-b054a4dbd732)
(fp_line (start -2.341 -6.799) (end -2.491 -6.743))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0c2b9d56-a34f-4f80-8001-d82f73320bb3)
(fp_line (start -2.341 5.005) (end -2.262 4.855))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 133fd317-354d-485d-8953-9298bb1f0d08)
(fp_line (start -2.306 -2.276) (end -2.217 -2.364))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3f6cee0c-5182-41f5-b22d-3567eba7b50a)
(fp_line (start -2.299 -1.936) (end -2.284 -2.079))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 81f89a0b-5bb8-442e-9366-6853f56a1a2e)
(fp_line (start -2.299 -1.785) (end -2.299 -1.936))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 648558bb-0d52-4983-be3f-b83eae827464)
(fp_line (start -2.296 -7.805) (end -2.221 -7.893))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 118efb0f-52eb-404f-bb27-7005fd83eca6)
(fp_line (start -2.288 -1.626) (end -2.299 -1.785))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 549c03d4-fc50-4f4e-aa81-3fc605b1c382)
(fp_line (start -2.284 -2.079) (end -2.25 -2.213))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 58d2dfb6-fab6-4974-96a8-4bcf76434861)
(fp_line (start -2.278 -0.405) (end -2.342 -0.534))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5f371b92-a7a4-47e0-b352-0da7503a8246)
(fp_line (start -2.271 -1.462) (end -2.288 -1.626))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2ab2365e-516a-4251-b2b9-7cdaf9cb0cf8)
(fp_line (start -2.262 4.855) (end -2.184 4.704))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22e238e9-5979-4853-a96b-0cc77e010a7e)
(fp_line (start -2.257 -1.396) (end -2.271 -1.462))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d23d138c-407a-4f3c-949e-e7811dd198f4)
(fp_line (start -2.25 -2.213) (end -2.193 -2.337))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 21e7d778-8ace-4c74-a07b-de72a9fbec3f)
(fp_line (start -2.231 -1.321) (end -2.257 -1.396))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 22f6410e-1cc5-4eb6-acde-23bfcd83aace)
(fp_line (start -2.221 -7.893) (end -2.126 -8.009))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a79a168-2346-4c18-834b-2d2d6953b7dd)
(fp_line (start -2.217 -2.364) (end -2.115 -2.444))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp faeb99a2-4621-48ed-ad8a-3c65bff9c8db)
(fp_line (start -2.209 -0.28) (end -2.278 -0.405))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 54eed4c1-3080-4450-a0ee-1d4957624dde)

(fp_line (start -2.195 -6.836) (end -2.341 -6.799)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd19e15e-22e2-443b-911d-8d04acde45ca)
 (fp_line (start -2.195 -1.237) (end -2.231 -1.321)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e71524e3-84be-4ea4-8350-28d26e11e9d0))
 (fp_line (start -2.193 -2.337) (end -2.109 -2.451)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1254ecf5-fa22-4461-8637-2cc456f6ab3a)
 (fp_line (start -2.184 4.704) (end -2.109 4.551)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp bf7a1705-f752-41bf-91fd-6aaca11ba9ff)
 (fp_line (start -2.149 -1.145) (end -2.195 -1.237)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 32bc1d27-fad8-432e-bb31-edd08abe3ba8)
 (fp_line (start -2.134 -0.158) (end -2.209 -0.28)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d6654315-fea1-4b83-86a7-517bb1d5381c)
 (fp_line (start -2.126 -8.009) (end -2.023 -8.151)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 91f8179c-a42a-432a-87a6-074494c92cfe)
 (fp_line (start -2.109 -2.451) (end -2.046 -2.513)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 67d0348c-a3f1-4c74-8b60-6f425e8324df)
 (fp_line (start -2.109 4.551) (end -2.037 4.396)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 52b0bb82-42f5-4d09-9be8-7859ccc6df7c)
 (fp_line (start -2.096 -1.045) (end -2.149 -1.145)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3fceca43-5e60-4963-b791-b0db814ff4c5)
 (fp_line (start -2.053 -6.856) (end -2.195 -6.836)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ce42140-0284-49b8-a9e8-8474ec30cc33)
 (fp_line (start -2.053 -0.042) (end -2.134 -0.158)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp aa782bb9-9d39-473d-b3a0-5fd1094d7d64)
 (fp_line (start -2.046 -2.513) (end -1.957 -2.588)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 853d0839-abe8-4b34-9af0-3fe4a202c26e)
 (fp_line (start -2.037 4.396) (end -1.967 4.239)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp b2a1bc15-5f48-4c8f-a1f9-a2de0d00d18c)
 (fp_line (start -2.036 -0.936) (end -2.096 -1.045)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8555800b-27fc-473a-82e7-deab06a777d0)
 (fp_line (start -2.023 -8.151) (end -1.916 -8.307)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2e5154b3-c527-4935-a6ae-b69d5069ec58)
 (fp_line (start -1.971 -0.819) (end -2.036 -0.936)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 383cffc4-2347-436c-bdf4-b1ec5f8ca58d)
 (fp_line (start -1.968 0.069) (end -2.053 -0.042)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4053685-fe22-42b2-ad03-8f2936ca3f96)
(fp_line (start -1.967 4.239) (end -1.899 4.081))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 547e4484-5acb-4fff-84e5-e49fc93f0f24)
(fp_line (start -1.957 -2.588) (end -1.848 -2.675))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f73f9ec-6e5c-4e0c-9d41-e745a1494417)
(fp_line (start -1.916 -8.307) (end -1.812 -8.468))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a4289a05-f419-4fd9-bc17-a3bff0792bda)
(fp_line (start -1.916 -6.859) (end -2.053 -6.856))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8c9ba333-9d76-4328-8a63-f49c278bc922)
(fp_line (start -1.903 -0.695) (end -1.971 -0.819))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c21b6cc6-6217-4256-be7f-a39af0141473)
(fp_line (start -1.899 4.081) (end -1.835 3.921))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 68500755-096f-4881-89b2-46bc90c084f3)
(fp_line (start -1.879 0.172) (end -1.968 0.069))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4991e097-d229-4a54-9ddc-81dd9ed9a668)
(fp_line (start -1.848 -2.675) (end -1.723 -2.772))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0ebe0953-3f5f-48a1-8f35-c80cd35ed10c)
(fp_line (start -1.835 3.921) (end -1.774 3.759))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7e4040cc-04b3-4005-b024-fb8a6f01294a)
(fp_line (start -1.832 -0.562) (end -1.903 -0.695))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 6c57c87a-9008-49bb-b615-164fe273191f)
(fp_line (start -1.812 -8.468) (end -1.716 -8.623))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f7eaf78b-636d-4e6a-a09b-c7fd1dd1c0e0)
(fp_line (start -1.783 -6.847) (end -1.916 -6.859))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c7c0448a-1dff-402c-86c4-18f53e98315c)
(fp_line (start -1.774 3.759) (end -1.715 3.597))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5480ce1c-9c06-45ed-a3f7-7a77db8db861)
(fp_line (start -1.76 -0.421) (end -1.832 -0.562))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d65af3f-cac0-4513-8158-c4b294e44ce8))
(fp_line (start -1.723 -2.772) (end -1.588 -2.876))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c792300f-b503-4b0e-a51c-99efddadaad6)
(fp_line (start -1.722 -5.558) (end -1.72 -5.65))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d9626a52-b9a0-4843-aaf8-ac573fd49360)
(fp_line (start -1.72 -5.65) (end -1.704 -5.737))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d4345617-ec1d-4165-a206-069f60c7586b))

(fp_line (start -1.716 -8.623) (end -1.631 -8.761)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 60183ee6-9728-4f31-b21c-2914e5aa850f)
(fp_line (start -1.715 3.597) (end -1.66 3.432)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b22e05a-3d9c-4444-858c-2fe4a90ac716)
(fp_line (start -1.71 -5.462) (end -1.722 -5.558)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d093fcea-05ac-4189-93d1-996955b08b41)
(fp_line (start -1.704 -5.737) (end -1.672 -5.818)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a72be438-c82d-4c1c-bed6-ea752b34a2d6)
(fp_line (start -1.689 -0.272) (end -1.76 -0.421)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48a2c731-b383-4616-8f81-7c7115bfce56)
(fp_line (start -1.685 -5.366) (end -1.71 -5.462)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e756ed2a-6a98-435b-88e7-e7722ccfb58c)
(fp_line (start -1.672 -5.818) (end -1.624 -5.891)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e1d6e14e-5131-4399-999c-ca8ba29c1046)
(fp_line (start -1.667 -8.692) (end -1.582 -8.665)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 095c4e32-4d98-48aa-ac6d-241e4866744d)
(fp_line (start -1.66 3.432) (end -1.609 3.266)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0550f229-d13e-4458-8c30-62b767f1b726)
(fp_line (start -1.656 -6.82) (end -1.783 -6.847)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f634c0c-a56a-45db-983f-eadcce073174)
(fp_line (start -1.648 -5.269) (end -1.685 -5.366)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f627032-44f7-4fd5-a31d-c8159017a919)
(fp_line (start -1.631 -8.761) (end -1.565 -8.873)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 79825ee3-618c-4319-b7d7-b520620ee02d)
(fp_line (start -1.624 -5.891) (end -1.558 -5.954)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2058d980-50b0-4660-adc9-c8b3ceaa1b33)
(fp_line (start -1.62 -0.116) (end -1.689 -0.272)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 452563f0-77cc-4672-b7e2-b6f78d28958c)
(fp_line (start -1.609 3.266) (end -1.561 3.099)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 44a0b4d6-1cd8-4627-9836-0084511976dd)
(fp_line (start -1.599 -5.174) (end -1.648 -5.269)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8935e388-de60-4210-8144-6852d35e0352)
(fp_line (start -1.588 -2.876) (end -1.448 -2.985)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8f332545-8844-4138-958a-6cef37e883e5)
(fp_line (start -1.582 -8.665) (end -1.488 -8.671)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 134e19db-99e2-4d1e-8a93-f637159ebc88)
(fp_line (start -1.565 -8.873) (end -1.521 -8.948))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 08863555-0c16-4775-941c-5ad1852ff8e8)
(fp_line (start -1.561 3.099) (end -1.516 2.931))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85f095c8-7b63-4b9b-a40c-6ed4e84ffd49)
(fp_line (start -1.558 -5.954) (end -1.474 -6.006))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 568bce60-d2c7-4a7b-91bd-55a2cec484ac)
(fp_line (start -1.554 0.048) (end -1.62 -0.116))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 49925e60-2b9f-4497-981e-c3dd0a9c3ab1)
(fp_line (start -1.541 -5.082) (end -1.599 -5.174))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 94f7b805-ddf0-411b-90ee-81146117fe45)
(fp_line (start -1.534 -6.781) (end -1.656 -6.82))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 39ae53f6-3750-4d14-8010-7a4501b5e287)
(fp_line (start -1.521 -8.948) (end -1.505 -8.975))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4240be1f-1218-4215-af45-ffe22665e5cd)
(fp_line (start -1.516 2.931) (end -1.476 2.761))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e0b67345-cbdf-498c-ba71-0e380b6ccf45)
(fp_line (start -1.492 0.219) (end -1.554 0.048))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4f577e08-8c39-4029-8c49-34a4b3b3cd94))
(fp_line (start -1.488 -8.671) (end -1.387 -8.714))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d24db112-cf4c-45de-845f-28519140e17b)
(fp_line (start -1.476 2.761) (end -1.439 2.59))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1c73c432-410d-42b5-9aa9-4371a2ca286a)
(fp_line (start -1.474 -6.006) (end -1.371 -6.046))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e617793f-ba61-443e-ab4b-5d8294c92a56)
(fp_line (start -1.473 -4.995) (end -1.541 -5.082))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4a5e1861-d781-49e8-be14-c04f79f5c48f)
(fp_line (start -1.448 -2.985) (end -1.307 -3.099))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 91094559-a027-4fe1-bf75-b5eb08f12564)
(fp_line (start -1.439 2.59) (end -1.407 2.418))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 87300938-9aaf-4239-89de-900890178eba)
(fp_line (start -1.437 0.398) (end -1.492 0.219))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5188d1ff-2ecd-4492-afeb-59ff6db3e922)
(fp_line (start -1.418 -6.731) (end -1.534 -6.781))
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d2969919-244c-43f9-8545-e9815f637439)

(fp_line (start -1.407 2.418) (end -1.378 2.245)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2d1c7a94-7343-4945-93af-947ba7e8dc0f)
(fp_line (start -1.396 -4.914) (end -1.473 -4.995)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7cfc2d7e-cbf1-4c60-978a-3b4ce196a4ec)
(fp_line (start -1.389 0.584) (end -1.437 0.398)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp ce1afc92-b490-4b92-bca9-dc6ca837df57)
(fp_line (start -1.387 -8.714) (end -1.281 -8.793)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fa53b0c4-4939-4334-8c41-5871ffffac110)
(fp_line (start -1.378 2.245) (end -1.354 2.071)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4b99028e-f75b-4ee7-8f09-61c80ef81ff1)
(fp_line (start -1.371 -6.046) (end -1.249 -6.07)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f2f776d2-5c7e-4557-a592-7ce1e3b3fdc7)
(fp_line (start -1.354 2.071) (end -1.335 1.896)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 2bdb0f3c-e801-4f9e-a243-e12338120350)
(fp_line (start -1.35 0.778) (end -1.389 0.584)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fd75d05e-2a1c-4a9f-bb64-4aa96f54a811)
(fp_line (start -1.335 1.896) (end -1.32 1.719)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1d262bff-f3c0-4e36-aa1a-a92ae21924b5)
(fp_line (start -1.321 0.978) (end -1.35 0.778)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d1f78df6-395b-4974-a938-6d02956459e7)
(fp_line (start -1.32 1.719) (end -1.31 1.542)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0b4f0e66-c07f-477b-80a7-6fe142ef3642)
(fp_line (start -1.31 1.542) (end -1.304 1.364)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 649373fc-64c8-4750-af18-737a23b17bc6)
(fp_line (start -1.309 -6.669) (end -1.418 -6.731)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1f118e3d-a49e-4936-b0b0-9326b18b1969)
(fp_line (start -1.307 -3.099) (end -1.171 -3.214)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp cd2500cc-2fd2-49b0-8826-40e0b0f81315)
(fp_line (start -1.304 1.185) (end -1.321 0.978)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1ae6f001-7888-46a3-baa3-f5e3a433da97)
(fp_line (start -1.304 1.364) (end -1.304 1.185)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp d27baf1e-f92e-4a91-a6e5-cf83e8bda98c)
(fp_line (start -1.281 -8.793) (end -1.171 -8.909)
 (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 344e5b01-8ea9-49fc-8ab3-ad1bfd8f96f7)
(fp_line (start -1.249 -6.07) (end -1.105 -6.079)

(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp fab83b53-9c1d-4691-a312-570f691ebb56)
(fp_line (start -1.248 -4.768) (end -1.396 -4.914)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a8f7cca5-2e4e-4d35-8f98-1ea53b5156f6)
(fp_line (start -1.206 -6.599) (end -1.309 -6.669)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 41b5d2b5-55de-486c-b9d2-d796a923288a)
(fp_line (start -1.171 -8.909) (end -1.058 -9.064)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5429c08c-099c-41ce-8ad2-1765acdc904)
(fp_line (start -1.171 -3.214) (end -1.044 -3.329)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp a52ea13d-8439-4bd3-b473-1b937ca7fa57))
(fp_line (start -1.125 -4.634) (end -1.248 -4.768)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp feabd0e9-a0c8-42c2-a9ca-60947ac5507f)
(fp_line (start -1.11 -6.52) (end -1.206 -6.599)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 48f5d09d-ac81-4c13-b555-1cbad1ac406c)
(fp_line (start -1.105 -6.079) (end -0.94 -6.07)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 194f77c4-efc6-4c4a-bd92-bd400710929f)
(fp_line (start -1.058 -9.064) (end -0.975 -9.198)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp c2efe58b-c1e7-4b8e-a21a-092765fa1981)
(fp_line (start -1.044 -3.329) (end -0.932 -3.442)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp eb6f22fd-bb5e-4020-8d3e-303785727116)
(fp_line (start -1.024 -4.511) (end -1.125 -4.634)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 85dbae58-1e0b-4366-ba81-38277d86242b)
(fp_line (start -1.022 -6.434) (end -1.11 -6.52)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8a9eedd-30b4-41c1-9705-4d3f9e53ea85)
(fp_line (start -0.975 -9.198) (end -0.913 -9.306)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 588262ab-6258-4777-a080-87612a8f19bf)
(fp_line (start -0.942 -6.342) (end -1.022 -6.434)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 83ea4834-6841-4557-ba73-b3f0dc544619)
(fp_line (start -0.942 -4.395) (end -1.024 -4.511)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 31a74147-2f17-4e6f-84fc-7c58f5da3edf)
(fp_line (start -0.94 -6.07) (end -0.752 -6.042)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 0586a800-8510-4b92-a8bb-ec9929f9a343)
(fp_line (start -0.932 -3.442) (end -0.84 -3.551)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 8a525af6-5898-410d-86a7-95521b197589)
(fp_line (start -0.913 -9.306) (end -0.859 -9.398)
(stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f8162a48-ceae-4f6f-94e2-78f4d842ef5d)

```
(fp_line (start -0.876 -4.284) (end -0.942 -4.395)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 3b11d678-1e31-4d4e-a14d-8a2d04bffb17)
(fp_line (start -0.87 -6.245) (end -0.942 -6.342)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 43bc7d8a-1da4-4c99-ae4c-d5d8a818cf9c)
(fp_line (start -0.859 -9.398) (end -0.8 -9.482)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 9b3d752b-a987-4cf3-9219-38d34113d6eb)
(fp_line (start -0.84 -3.551) (end -0.772 -3.653)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 97fa4c04-15fd-40c4-8ba1-e5848cca8245)
(fp_line (start -0.825 -4.174) (end -0.876 -4.284)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 406830a1-46c5-4efd-8eb1-4041afd713e9)
(fp_line (start -0.806 -6.145) (end -0.87 -6.245)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 052c13ea-614d-4d96-858a-5a99c086ad0f)
(fp_line (start -0.8 -9.482) (end -0.724 -9.567)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 1bc195ee-9acc-49e5-a028-f13f9f678130)
(fp_line (start -0.785 -4.064) (end -0.825 -4.174)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 7f4bc8ca-e55d-4941-bf63-098539206da5)
(fp_line (start -0.772 -3.653) (end -0.733 -3.748)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 13497f49-d836-43f3-a312-731d2436d5c1)
(fp_line (start -0.754 -3.951) (end -0.785 -4.064)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp e6e21499-ea9a-46c8-869b-f1d3f5b39042)
(fp_line (start -0.752 -6.042) (end -0.806 -6.145)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp dd3ca10c-fe4c-497d-b8c5-9dc2ab5b1913)
(fp_line (start -0.733 -3.748) (end -0.729 -3.832)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp f461a0c8-185f-4544-a5a3-1881109596d2)
(fp_line (start -0.729 -3.832) (end -0.754 -3.951)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 4befbcda-96cc-4f55-973b-289d5c5d270b)
(fp_line (start -0.724 -9.567) (end -0.618 -9.663)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 5c83e66d-598e-4b58-8662-a003df9bb960)
(fp_line (start -0.618 -9.663) (end -0.469 -9.779)
  (stroke (width 0.159) (type solid)) (layer "B.Silks") (tstamp 465355db-ece1-4340-accb-73825651d03d)
(fp_line (start -0.199 1.337) (end -0.199 -0.036)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1c6dd2d6-1e9f-478e-a067-9e03a0e9beeb))
(fp_line (start -0.056 -5.017) (end -0.049 -5.147)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 95bcf2fc-16ec-49ed-9cee-7034adbf6883))
(fp_line (start -0.049 -5.147) (end -0.029 -5.276)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3b27b311-54a9-4677-925a-6b6ce9413ef5))
(fp_line (start -0.049 -4.886) (end -0.056 -5.017))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e6a05cbf-c56e-46c2-a144-185ef69caf2b))
(fp_line (start -0.029 -5.276) (end 0.004 -5.403))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3cd5a61d-e882-445e-9bef-8457c9668cfa))
(fp_line (start -0.029 -4.756) (end -0.049 -4.886))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b4f0da2e-1a96-410b-ae83-3dfdc1107123))
(fp_line (start 0.004 -5.403) (end 0.051 -5.528))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36840f9d-c549-474b-a480-2f24df86fe94))
(fp_line (start 0.004 -4.626) (end -0.029 -4.756))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 184481ca-3293-4369-b8b6-ebf1a5339a52))
(fp_line (start 0.051 -5.528) (end 0.111 -5.65))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb02f3f2-002b-4a81-be11-52147ce8ee95))
(fp_line (start 0.051 -4.498) (end 0.004 -4.626))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3a84c684-5028-43b6-9173-d02be4ec443a))
(fp_line (start 0.111 -5.65) (end 0.184 -5.768))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 548c97d0-660b-45b0-9c08-aafe41f5ddc1))
(fp_line (start 0.111 -4.372) (end 0.051 -4.498))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e257ed16-380c-46ae-980d-495a0c9a0906))
(fp_line (start 0.184 -5.768) (end 0.27 -5.882))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f1d5edef-ab5d-44d9-b33b-f4fa57a63a77))
(fp_line (start 0.184 -4.248) (end 0.111 -4.372))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4e7a9854-7864-45bc-afcf-f08a2e8905f3))
(fp_line (start 0.27 -5.882) (end 0.37 -5.99))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6bdb5fc1-7e44-4cea-9c6a-0f88971070b9))
(fp_line (start 0.27 -4.129) (end 0.184 -4.248))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8f1f9b1f-04cd-4384-8e7d-6a77dfa423ec))
(fp_line (start 0.37 -4.013) (end 0.27 -4.129))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp abfe2f71-d7de-45ae-8d1e-6cd5e03e1ca3))
(fp_line (start 0.41 1.337) (end -0.199 1.337))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b3404fd-bd2e-4077-8f5a-c86ab0c4b94c))
(fp_line (start 0.618 -5.841) (end 1.655 -5.666))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b5cd30ce-b3cb-4599-95da-5536aa63f3f7))
(fp_line (start 0.684 -5.306) (end 1.582 -5.306))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5e1b530a-7f7d-4526-8dd4-3e28aef8ce1))

```
(fp_line (start 0.708 -4.934) (end 0.708 -4.177)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 06942c3f-5f02-44d1-9c22-041eb01fbbb2))
(fp_line (start 0.708 -4.552) (end 1.553 -4.552)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c0e42907-5ea0-439e-b136-3b7f23878c79))
(fp_line (start 0.708 -4.177) (end 1.553 -4.177)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d780f49-fafa-40da-9b63-ee781b67b95c))
(fp_line (start 0.758 -1.866) (end 0.789 -1.868)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6e1af1b9-28b4-494f-8e68-eeb9b36f281c))
(fp_line (start 0.758 0.827) (end 0.789 0.825)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e9390735-0dfa-4e75-ba4e-2bf93785f7ee))
(fp_line (start 0.789 -1.868) (end 0.874 -1.872)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cd86a848-f2be-404e-a1c9-c8b89d7d9442))
(fp_line (start 0.789 0.825) (end 0.874 0.821)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp daafaa0c-3d3c-403b-9824-76d96a81172c))
(fp_line (start 0.874 -1.872) (end 1.003 -1.873)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d1b1f689-2f67-429c-bca2-bbd88973b753))
(fp_line (start 0.874 0.821) (end 1.003 0.82)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39230260-7cfa-4ad1-8f05-e4d1edb70897))
(fp_line (start 0.929 -2.596) (end 0.816 -2.758)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 989de751-4a22-46da-a3d4-dc08ac4f72f5))
(fp_line (start 0.929 0.098) (end 0.816 -0.065)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9218086-b6c7-4da0-986a-e64144464c1d))
(fp_line (start 1.003 -1.873) (end 1.163 -1.867)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8ae083e9-0877-4a99-bdd0-82d2d231a206))
(fp_line (start 1.003 0.82) (end 1.163 0.826)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 55f7991b-035c-4ce1-9faa-8aea1c7caf43))
(fp_line (start 1.025 -2.444) (end 0.929 -2.596)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5f1114b-9c18-4311-b339-663a1be74b34))
(fp_line (start 1.026 0.25) (end 0.929 0.098)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fcef8fa7-7283-4da5-ab54-84b818cdb9f6))
(fp_line (start 1.107 -2.301) (end 1.025 -2.444)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80aabfc5-cfe3-4696-803c-40519036ff90))
(fp_line (start 1.107 0.392) (end 1.026 0.25)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d6dc48e0-5339-4994-a4b2-fb01a130d17d))
(fp_line (start 1.133 -4.177) (end 1.133 -5.757)
```

(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 633e6a53-6c09-4bfb-be00-09b10b8cd550))
(fp_line (start 1.163 -1.867) (end 1.342 -1.851))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 911a4981-bfbf-4840-b83f-86558bc8487c))
(fp_line (start 1.163 0.826) (end 1.342 0.842))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 1ba570cd-e3a4-4b42-861d-eb983e5f8933))
(fp_line (start 1.175 -2.166) (end 1.107 -2.301))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 708fe1cc-2789-41db-9fa2-05666e667c3a))
(fp_line (start 1.175 0.527) (end 1.107 0.392))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp bb19dc64-3142-4dc1-87d1-a7ccec55ad96))
(fp_line (start 1.231 -2.038) (end 1.175 -2.166))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 2a583287-a85b-468b-a231-4673fc3d9ec8))
(fp_line (start 1.231 0.655) (end 1.175 0.527))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 8db7132a-d1bb-4cd0-acc3-1a81d19d0a46))
(fp_line (start 1.276 -2.951) (end 1.287 -2.876))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 1b47aa52-83a0-4f76-aa06-459039dde7b2))
(fp_line (start 1.276 -0.258) (end 1.287 -0.182))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 6ac1493d-55c4-44e5-a6f8-f930d6830e69))
(fp_line (start 1.278 -1.916) (end 1.231 -2.038))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 5d3f2729-8c6b-47a2-ad87-f93cd5d921da))
(fp_line (start 1.278 0.778) (end 1.231 0.655))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 2d017710-c963-4ebf-9193-f9fcf83194fb))
(fp_line (start 1.287 -2.876) (end 1.323 -2.811))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 73484c12-b133-48b9-9bbf-215ccba2d1ac))
(fp_line (start 1.287 -0.182) (end 1.323 -0.117))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 7384f1e8-3847-4685-9824-442c09474f30))
(fp_line (start 1.307 -3.048) (end 1.276 -2.951))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 7f6e08ee-a835-48f8-a89f-7e6d8b4863cd))
(fp_line (start 1.307 -0.355) (end 1.276 -0.258))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 6a5408e8-79cc-4551-8941-36eaf6320949))
(fp_line (start 1.315 -1.797) (end 1.278 -1.916))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp a122695f-6e16-46d5-a9a8-6fe8140b82d2))
(fp_line (start 1.315 0.896) (end 1.278 0.778))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp e28f15aa-549a-4d8f-9eeb-62f59559ce2d))
(fp_line (start 1.323 -2.811) (end 1.382 -2.758))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp d092d4f2-3f73-4dfa-8211-0ac7033818b6))


```
(fp_line (start 1.323 -0.117) (end 1.382 -0.065)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7e3982d0-0e6a-4277-8002-21d610b325cb))
(fp_line (start 1.342 -1.851) (end 1.53 -1.819)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e05b14a2-a662-4af7-bd8c-2627ec016aaf))
(fp_line (start 1.342 0.842) (end 1.53 0.874)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc7eef70-c1bc-4d1f-9084-d6e93b5fadd0))
(fp_line (start 1.346 -1.681) (end 1.315 -1.797)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9ad28c40-3895-471f-b90e-60aea79a86a6))
(fp_line (start 1.346 1.013) (end 1.315 0.896)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c6b74785-6b35-4107-8994-4e1d487d0376))
(fp_line (start 1.371 -1.566) (end 1.346 -1.681)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f97d2797-17dd-47db-b9ab-67bd849e2dd3))
(fp_line (start 1.371 1.127) (end 1.346 1.013)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89877a11-2146-4e79-832c-b4bf2cb3ea0d))
(fp_line (start 1.382 -2.758) (end 1.462 -2.72)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4616b501-aede-4552-8985-12f5ced1958f))
(fp_line (start 1.382 -0.065) (end 1.462 -0.027)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fa2010bd-e754-4379-b2a4-28b823929958))
(fp_line (start 1.383 -3.117) (end 1.307 -3.048)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3624ec6c-29d1-43fa-ad93-badb8cceed57))
(fp_line (start 1.383 -0.424) (end 1.307 -0.355)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aee85517-434f-467b-9a35-3033949b86ca))
(fp_line (start 1.393 -1.451) (end 1.371 -1.566)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2022c829-09af-479a-9d9b-ddf455bfe3d1))
(fp_line (start 1.393 1.242) (end 1.371 1.127)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3b2b7b2d-f14e-43e3-b8db-71302a0728ff))
(fp_line (start 1.462 -2.72) (end 1.56 -2.698)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f01d0f86-7d7a-438c-8978-24428ca0004d))
(fp_line (start 1.462 -0.027) (end 1.56 -0.005)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b44ef249-abd3-46e0-8f76-02380899a77a))
(fp_line (start 1.487 -3.159) (end 1.383 -3.117)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 94b3126d-8992-49f1-ab89-6c4f93f90eea))
(fp_line (start 1.487 -0.466) (end 1.383 -0.424)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0ab7e68e-9c07-44b8-986e-431dc461eed3))
(fp_line (start 1.53 -1.819) (end 1.714 -1.768)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5eb3dddd-1264-431e-bb43-2d0f57274e9f))
(fp_line (start 1.53 0.874) (end 1.714 0.926))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c01ad5e3-2ac1-4e36-ae02-2959f6033984))
(fp_line (start 1.553 -4.934) (end 0.708 -4.934))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9237c2b-181f-4013-bf21-74a4a7ace145))
(fp_line (start 1.553 -4.177) (end 1.553 -4.934))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6d5d418-c984-4683-abdd-6b855fc94dec))
(fp_line (start 1.56 -2.698) (end 1.674 -2.694))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 76437792-e769-4d32-b9a6-6ecc2b83facf))
(fp_line (start 1.56 -0.005) (end 1.674 -0.001))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e98af015-1620-4508-b68d-9dac62ed1ded))
(fp_line (start 1.607 -3.172) (end 1.487 -3.159))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc178fec-6fcf-45dd-84df-5da743f48934))
(fp_line (start 1.607 -0.479) (end 1.487 -0.466))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2012e5ee-0a3c-43ff-a35a-ebcbd0111b1e))
(fp_line (start 1.673 -4.861) (end 2.531 -4.868))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 471d3831-ecc6-4508-8161-4d28f126a482))
(fp_line (start 1.673 -4.188) (end 2.498 -4.184))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 29bf133f-b3d7-43b8-8b4f-7e65a12643e3))
(fp_line (start 1.674 -2.694) (end 1.8 -2.71))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a8329efc-5c86-43e8-9058-f5f404f8a669))
(fp_line (start 1.674 -0.001) (end 1.8 -0.017))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 747c2d92-8219-4515-84bb-d9c860d3a5a1))
(fp_line (start 1.725 -3.157) (end 1.607 -3.172))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 55536783-e3cc-4e75-b626-4c205bcb9a9f))
(fp_line (start 1.725 -0.463) (end 1.607 -0.479))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4d6fc25a-57a6-4790-8f6e-16694b466a87))
(fp_line (start 1.792 -5.933) (end 1.713 -5.928))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f3ccf40b-9880-4200-a209-fb356dd6269e))
(fp_line (start 1.8 -2.71) (end 1.936 -2.748))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e0c8be50-0704-46c7-b301-2587a93d10e2))
(fp_line (start 1.8 -0.017) (end 1.936 -0.054))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8e0110cd-f392-403e-8d2e-691af439fabf))
(fp_line (start 1.804 -4.413) (end 1.869 -4.453))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 317e7e89-96be-4d72-939f-181992dedfab))

```
(fp_line (start 1.829 -3.113) (end 1.725 -3.157)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c69f7f99-df50-4fc8-8357-45974163ae87))

(fp_line (start 1.829 -0.419) (end 1.725 -0.463)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fd43aa63-f7c0-4602-8b81-45e5ea883ffa))

(fp_line (start 1.869 -4.453) (end 1.957 -4.509)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f95a3003-8dd8-490f-8d6c-5e1ecf62c782))

(fp_line (start 1.901 -3.039) (end 1.829 -3.113)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7a32ee50-db4a-4c94-8ce8-d8d54a1d6ce3))

(fp_line (start 1.901 -0.346) (end 1.829 -0.419)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 98bca00f-ce93-4a68-b5b4-4d14fdefca0e))

(fp_line (start 1.904 -2.114) (end 1.912 -2.343)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e1b379fb-c6f0-46cf-a58d-19eb495132ac))

(fp_line (start 1.904 0.58) (end 1.912 0.35)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1f74f3f7-06c1-42d9-8cda-6c3220048273))

(fp_line (start 1.912 -2.343) (end 1.918 -2.542)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2aa5c57-cc77-4b22-ba76-814b964c2612))

(fp_line (start 1.912 0.35) (end 1.918 0.151)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e1ebd442-7342-449f-8064-8cd95ed485ce))

(fp_line (start 1.918 -2.542) (end 1.923 -2.707)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 40746a9a-d93f-41ee-968c-c5fbab01e505))

(fp_line (start 1.918 0.151) (end 1.923 -0.014)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4b74849-fd47-42ee-96a5-1518eb7883cc))

(fp_line (start 1.923 -2.707) (end 1.927 -2.831)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f1e278b1-7bb3-4580-a254-3347fd37b6f4))

(fp_line (start 1.923 -0.014) (end 1.927 -0.138)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d3e52423-fb83-4ef0-952a-a174f8b0f829))

(fp_line (start 1.927 -2.831) (end 1.928 -2.909)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c112bc84-0bf1-4eaa-87a0-374b8c2dd9b7))

(fp_line (start 1.927 -0.138) (end 1.928 -0.216)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5fc53036-cbff-4656-baaf-b30105661ec7))

(fp_line (start 1.928 -2.909) (end 1.929 -2.937)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6129c584-a773-4a39-a4df-58c21a614e84))

(fp_line (start 1.928 -0.216) (end 1.929 -0.243)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f4a18494-02c6-4156-ab24-4ea89210cb09))

(fp_line (start 1.929 -2.937) (end 1.901 -3.039)
```

```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b09a9218-2534-486f-abb2-c74eea0c737e))
(fp_line (start 1.929 -0.243) (end 1.901 -0.346))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2a7b2942-c3b9-4e11-808f-848ae3b654b3))
(fp_line (start 1.936 -2.748) (end 2.08 -2.809))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 371c2ea1-9e9c-45b9-afea-9fe316d16744))
(fp_line (start 1.936 -0.054) (end 2.08 -0.116))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 54b83c7d-3cd5-4fed-9159-bf89fa51d83e))
(fp_line (start 1.949 -5.936) (end 1.792 -5.933))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2b459921-a756-4aa1-bcd0-5b07f61e699b))
(fp_line (start 1.957 -4.509) (end 2.062 -4.586))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 368aab36-3b65-40ef-b103-5493ec2306b0))
(fp_line (start 1.987 -1.804) (end 2.125 -1.874))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b26e9c6-923d-4f67-bfca-7eddd3a041ec))
(fp_line (start 1.987 0.889) (end 2.125 0.819))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b60f17c-884b-4b14-a0f7-1bbb39667d53))
(fp_line (start 2.06 -5.921) (end 1.949 -5.936))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ab3eca8d-35aa-4527-964d-9ae783ba131e))
(fp_line (start 2.062 -4.586) (end 2.182 -4.691))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp da52baf1-7910-4a39-bf37-e09c6570f750))
(fp_line (start 2.071 -5.864) (end 2.06 -5.921))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9b69660-e1e4-4592-a2dd-a613dc91e011))
(fp_line (start 2.074 -4.861) (end 2.075 -4.903))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dda0b0e3-0585-4524-86ec-fa39f00e36db))
(fp_line (start 2.075 -4.903) (end 2.076 -5.014))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 569ea437-142e-4b8b-9964-6b1636d72520))
(fp_line (start 2.076 -5.729) (end 2.071 -5.864))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a1608f76-ebdb-436c-a893-d30d8729f2f7))
(fp_line (start 2.076 -5.014) (end 2.077 -5.172))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81d69e2e-d3ba-4f99-a758-b28773eedf0e))
(fp_line (start 2.077 -5.172) (end 2.078 -5.355))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 59b012f6-c50a-47f1-8578-4cc52d6215e2))
(fp_line (start 2.078 -5.542) (end 2.076 -5.729))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fd501c01-9624-4fd4-802d-f3677b1e0344))
(fp_line (start 2.078 -5.355) (end 2.078 -5.542))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81c7a9d4-9fc2-4d3c-a7aa-5244f703139d))
```

(fp_line (start 2.08 -2.809) (end 2.23 -2.896)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f7802651-e7a7-48ef-b965-7668e122e518))
(fp_line (start 2.08 -0.116) (end 2.23 -0.202)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 87ee16b7-f02f-4dc0-a04b-71e512dad8e))
(fp_line (start 2.125 -1.874) (end 2.274 -1.963)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 15a92a7a-9255-4757-afeb-aad84bbab00a))
(fp_line (start 2.125 0.819) (end 2.274 0.73)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6bec4bfe-01a1-437e-99b0-a0f37851b7ef))
(fp_line (start 2.174 -4.535) (end 2.082 -4.606)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fc802be8-6191-4cc7-a1e6-d88ef490dc61))
(fp_line (start 2.182 -4.691) (end 2.312 -4.828)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d385a8cf-6ab2-4604-8ef7-e9378f5d39a9))
(fp_line (start 2.23 -2.896) (end 2.382 -3.01)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7e9465b2-be23-410f-9f2d-1b7296b032a9))
(fp_line (start 2.23 -0.202) (end 2.382 -0.316)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dfdb6212-6949-46a2-9b0d-8e681d015f4a))
(fp_line (start 2.274 -1.963) (end 2.394 -2.041)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9319fdf7-474d-4ca4-8a43-8170066b1513))
(fp_line (start 2.274 0.73) (end 2.394 0.653)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f31d26a0-d7d0-4a8d-a947-55034ea1f8d7))
(fp_line (start 2.282 -4.434) (end 2.174 -4.535)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 904a9d3b-d9b1-428c-9ad8-db8c249faf2f))
(fp_line (start 2.385 -5.204) (end 2.33 -5.313)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89036bce-fac5-4219-aabf-e1bbd26611d8))
(fp_line (start 2.393 -4.314) (end 2.282 -4.434)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 413972e1-2518-4256-aa0a-0a7edee61809))
(fp_line (start 2.394 -2.041) (end 2.444 -2.074)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aa8a5be3-7535-43ff-bb69-68c0a6b6b0cb))
(fp_line (start 2.394 0.653) (end 2.444 0.62)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 75fcb829-c169-49f4-8e7b-c2ec110e45b7))
(fp_line (start 2.438 -5.094) (end 2.385 -5.204)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0adb4ace-11dc-4e26-905f-1f0224dc159a))
(fp_line (start 2.486 -4.982) (end 2.438 -5.094)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 258022d2-dfca-4c7c-b452-c14a997eb38d))
(fp_line (start 2.498 -4.184) (end 2.393 -4.314)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp eff6fcab-935f-4705-98a7-af953f531412))
(fp_line (start 2.531 -4.868) (end 2.486 -4.982))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 683d462a-e9c5-4236-9f59-744560e9e9ba))
(fp_line (start 2.87 -4.231) (end 4.107 -4.235))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 53dd08cd-70a3-428f-8634-24b518afd09b))
(fp_line (start 2.912 -3.146) (end 2.968 -3.012))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4f39336-7e42-4387-92d8-e1b1acffd72c))
(fp_line (start 2.912 -0.453) (end 2.968 -0.318))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 07e574cf-4e78-4925-a3b2-58223ca1d621))
(fp_line (start 2.919 -3.13) (end 2.912 -3.146))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cd5fd9e7-d4df-4254-bd48-a0361e2a6bfd))
(fp_line (start 2.919 -0.436) (end 2.912 -0.453))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c17ffde1-f405-4ba7-879b-c498fd872f72))
(fp_line (start 2.931 -5.798) (end 2.797 -5.943))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00ae4da4-2e43-45f7-8ee0-176ed22f11d5))
(fp_line (start 2.939 -3.081) (end 2.919 -3.13))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b2ad16a0-4587-4134-ba80-a7ba76d9f75b))
(fp_line (start 2.939 -0.388) (end 2.919 -0.436))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3c2a073d-7d8c-48b9-95ae-e417d4a34c83))
(fp_line (start 2.968 -3.012) (end 3.025 -2.886))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5b6dfdac-d460-4a55-bae6-77e9529264e6))
(fp_line (start 2.968 -0.318) (end 3.025 -0.192))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 69df2d96-ac3b-4d3a-8c6f-9ad3206ace3c))
(fp_line (start 2.973 -3.004) (end 2.939 -3.081))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a690a795-63bc-4472-b269-b88756dd3586))
(fp_line (start 2.973 -0.311) (end 2.939 -0.388))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 08d367e9-113e-45bd-b113-4f7180a2a7a4))
(fp_line (start 3.019 -2.901) (end 2.973 -3.004))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b081e3a2-8f4f-48a5-99aa-ca3184954069))
(fp_line (start 3.019 -0.208) (end 2.973 -0.311))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 990b498f-194a-4308-9b9a-f514faf4d5f1))
(fp_line (start 3.025 -2.886) (end 3.082 -2.769))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f5498c8c-8e1e-4af8-ac19-bccb785595ea))
(fp_line (start 3.025 -0.192) (end 3.082 -0.076))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c218a83-89a7-4c2d-a62e-23a06a165b6a))

(fp_line (start 3.041 -5.651) (end 2.931 -5.798)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2646f498-b0f2-41fa-9a23-c5dc505d4b8b))
(fp_line (start 3.076 -2.776) (end 3.019 -2.901)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d3f69e0-d5a5-4d93-a0be-238da07aa078))
(fp_line (start 3.076 -0.083) (end 3.019 -0.208)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ec301687-cb32-4580-8e36-f0a49cf9a117))
(fp_line (start 3.082 -2.769) (end 3.14 -2.664)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 64ea55ed-e84f-4dac-a038-c68c04e12731))
(fp_line (start 3.082 -0.076) (end 3.14 0.03)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9e44c67-d725-48fc-8481-83efbf1f4a27))
(fp_line (start 3.131 -5.502) (end 3.041 -5.651)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a10ccb10-1a7b-4d7a-8472-ed46ad5f0ece))
(fp_line (start 3.14 -2.664) (end 3.201 -2.569)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cfb46d78-016e-4f33-a16d-32116da86a51))
(fp_line (start 3.14 0.03) (end 3.201 0.124)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 68e0437f-86ac-423a-86bf-0d1b57b85014))
(fp_line (start 3.144 -2.63) (end 3.076 -2.776)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d109d82a-2cc3-4c14-b0ad-a0d8d770ee50))
(fp_line (start 3.144 0.063) (end 3.076 -0.083)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9a90355-0a90-464c-af03-aec6d75899d1))
(fp_line (start 3.201 -5.353) (end 3.131 -5.502)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb43732f-7ec1-4a4a-a182-2159b5ff49ad))
(fp_line (start 3.201 -2.569) (end 3.298 -2.447)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a20553ca-e0c3-4672-94aa-3db319b88f20))
(fp_line (start 3.201 0.124) (end 3.298 0.246)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f45634d4-0abe-4434-83dd-fcc8f7a1720c))
(fp_line (start 3.223 -2.468) (end 3.144 -2.63)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d09925b2-6066-480f-a7bc-27d2d22dfe96))
(fp_line (start 3.223 0.225) (end 3.144 0.063)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9a1911a-ea4b-402d-9e57-d7b43c36a826))
(fp_line (start 3.254 -5.206) (end 3.201 -5.353)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a49babcc-2d2a-4b41-b5af-567a0ca5f1d5))
(fp_line (start 3.292 -5.061) (end 3.254 -5.206)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 42cff729-cf70-48f3-94d3-5293aee24499))
(fp_line (start 3.298 -2.447) (end 3.405 -2.357)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c508e52c-28ad-403f-a788-59c2b479c736))
(fp_line (start 3.298 0.246) (end 3.405 0.336))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8351e0c2-0749-40a1-9f20-a49df09be0f5))
(fp_line (start 3.311 -2.292) (end 3.223 -2.468))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e59e42bd-91f0-4496-a320-485565c28a50))
(fp_line (start 3.311 0.401) (end 3.223 0.225))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bef70bac-8ea8-4ae1-b7f1-de58e64ce971))
(fp_line (start 3.318 -4.92) (end 3.292 -5.061))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 942e15fb-b0c7-4a8e-a882-ace6cd01e711))
(fp_line (start 3.334 -4.784) (end 3.318 -4.92))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 65cf8da0-721c-432d-bf14-efd3f4005301))
(fp_line (start 3.337 -4.228) (end 3.339 -4.318))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46d43224-acb7-4639-b938-2bc7edd6ae0c))
(fp_line (start 3.339 -4.318) (end 3.342 -4.42))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 054cc0c0-5876-40cd-855b-72db9fc6259c))
(fp_line (start 3.342 -4.654) (end 3.334 -4.784))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7d829efa-4c66-4a3d-bfe3-13d0946a4439))
(fp_line (start 3.342 -4.42) (end 3.344 -4.533))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b646ce70-11b5-4a67-a7e5-cc0aeaf946ff))
(fp_line (start 3.344 -4.533) (end 3.342 -4.654))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3c0e3a5f-26a7-4cbd-af3f-b4525d9c1924))
(fp_line (start 3.405 -2.357) (end 3.521 -2.301))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f63df23c-1c07-4dfd-97c4-0e29ea707055))
(fp_line (start 3.405 0.336) (end 3.521 0.393))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30fde824-6cdc-4515-936e-7836f79252f2))
(fp_line (start 3.408 -2.104) (end 3.311 -2.292))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 230caa9b-9313-407b-92af-56b5818f3bca))
(fp_line (start 3.408 0.589) (end 3.311 0.401))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3850ad01-689b-41ad-b581-87c4a778336f))
(fp_line (start 3.514 -1.909) (end 3.408 -2.104))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4c47752-8343-4853-8fdd-cca9a92b0d76))
(fp_line (start 3.514 0.784) (end 3.408 0.589))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9127a943-907a-48fe-97ec-f6acc49742f1))
(fp_line (start 3.521 -2.301) (end 3.652 -2.281))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 959b998e-26fc-4cdf-8622-1e6bf01d3518))


```
(fp_line (start 3.521 0.393) (end 3.652 0.412)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 592986f0-2805-4b41-bd28-a948c5c49a7d))
(fp_line (start 3.627 -1.708) (end 3.514 -1.909)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b5457e18-ff6c-4848-b16c-821e1a80d79d))
(fp_line (start 3.627 0.985) (end 3.514 0.784)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e8fb1036-0fa5-4c8b-89bf-be0aadcd3099))
(fp_line (start 3.652 -2.281) (end 3.79 -2.319)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4268fed3-3ab7-4a1c-bab7-b1c2f94313d0))
(fp_line (start 3.652 0.412) (end 3.79 0.374)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2ab6035e-c827-4bce-b222-e41de48720cb))
(fp_line (start 3.746 -1.505) (end 3.627 -1.708)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 873a9eee-d0ba-4c56-b622-53240e7fb11e))
(fp_line (start 3.746 1.188) (end 3.627 0.985)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f64083ac-98bd-4c4a-8575-358914f6fda3))
(fp_line (start 3.79 -2.319) (end 3.85 -2.407)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3e8136b1-9abd-44a4-9fb7-88b8b8011d53))
(fp_line (start 3.79 0.374) (end 3.85 0.286)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2bf71576-883a-4a9d-9dea-b1c80b8d06d5))
(fp_line (start 3.85 -2.407) (end 3.864 -2.514)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1ad668b0-e443-4004-a74c-b81674ddf661))
(fp_line (start 3.85 0.286) (end 3.864 0.18)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cefb8e41-cf31-40b6-8ddb-b40a9520ef78))
(fp_line (start 3.863 -2.609) (end 3.866 -2.739)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c87f475d-23ca-4a41-a792-0e1133bdef0b))
(fp_line (start 3.863 0.084) (end 3.866 -0.046)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 418dacbb-30b0-4924-aef6-ac9384708515))
(fp_line (start 3.864 -2.514) (end 3.863 -2.609)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7ff4bbc-a361-4ce3-b945-695cedfd08f9))
(fp_line (start 3.864 0.18) (end 3.863 0.084)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a0d50958-d263-4f2b-ae4-d5b9053af04e))
(fp_line (start 3.866 -2.739) (end 3.867 -2.87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cd16ba62-30a6-4fe4-b3f7-4520b502394b))
(fp_line (start 3.866 -0.046) (end 3.867 -0.177)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7d54ef8a-ba66-43af-9883-cf4f2725964d))
(fp_line (start 3.867 -2.929) (end 3.9 -3.04)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e4a12111-f5ce-4853-8c48-b41d882b86f2))
(fp_line (start 3.867 -2.87) (end 3.867 -2.929))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f0639665-0bb4-4070-9488-9ea474d4e550))
(fp_line (start 3.867 -0.236) (end 3.9 -0.347))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7dacfec8-41bd-447f-bc34-a93b63625fa3))
(fp_line (start 3.867 -0.177) (end 3.867 -0.236))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2a58baf4-d353-4c99-b426-7c6d9ec25f7d))
(fp_line (start 3.9 -3.04) (end 3.985 -3.115))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8eca40d1-f5c3-4def-8e5d-2afb69eefe87))
(fp_line (start 3.9 -0.347) (end 3.985 -0.422))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 20aba0c5-32a5-4c92-b5e5-66c70cf13544))
(fp_line (start 3.985 -3.115) (end 4.075 -3.137))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7acfdbb7-39ff-4546-8b2d-77ebe808ead9))
(fp_line (start 3.985 -0.422) (end 4.075 -0.444))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c0369bbe-45a7-435d-8438-92dffdb5461c))
(fp_line (start 4.022 -5.921) (end 3.947 -5.918))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b4382334-3704-42f6-ab8d-c1217d6bbc50))
(fp_line (start 4.035 -4.844) (end 4.012 -4.985))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2c7b41f1-5de0-4340-b4fd-7043a85e876f))
(fp_line (start 4.041 -4.796) (end 4.596 -4.8))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 456b9ca8-8b1f-4326-9fb8-d19f7da81b62))
(fp_line (start 4.06 -4.651) (end 4.035 -4.844))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6158a02d-29ca-49ae-99db-94faef4ed12c))
(fp_line (start 4.075 -3.137) (end 4.172 -3.136))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f46ee9ca-14d8-494a-b336-44081e73916b))
(fp_line (start 4.075 -0.444) (end 4.172 -0.443))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3d9f54c8-4450-431e-8fbc-ae7916b69338))
(fp_line (start 4.083 -4.452) (end 4.06 -4.651))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp adc4abbe-4ef8-4a1c-a693-24508dba0155))
(fp_line (start 4.1 -4.298) (end 4.083 -4.452))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 23619340-c896-40ba-945e-f28a03d34b42))
(fp_line (start 4.107 -4.235) (end 4.1 -4.298))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8376b320-ba67-4124-8560-6537ee60cd8d))
(fp_line (start 4.172 -3.136) (end 4.271 -3.107))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d790fa22-16a2-4778-af61-0f9bfe8ad639))

```
(fp_line (start 4.172 -0.443) (end 4.271 -0.414)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cf9358b1-f232-44b4-91c6-099438222639))
(fp_line (start 4.182 -5.928) (end 4.022 -5.921)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 84ece22d-b680-445e-8d0d-2f2b1e33e4ba))
(fp_line (start 4.271 -3.107) (end 4.371 -3.045)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1c8ce8f0-cc7c-4db4-8abc-8a4b6acc11ef))
(fp_line (start 4.271 -0.414) (end 4.371 -0.352)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c993832b-0ea2-49ab-a05f-bb290a230f24))
(fp_line (start 4.33 -5.929) (end 4.182 -5.928)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e113bea6-6783-46ae-bab0-7175f290c52f))
(fp_line (start 4.371 -3.045) (end 4.468 -2.944)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62a810f5-1c1d-4e2a-80c1-fa65ddf796b0))
(fp_line (start 4.371 -0.352) (end 4.468 -0.25)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f0c31eb5-3d22-4f5e-b51b-b6cc861b9837))
(fp_line (start 4.425 -5.891) (end 4.33 -5.929)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c42c225-8c82-4dd1-a23e-51490b328226))
(fp_line (start 4.468 -2.944) (end 4.559 -2.799)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89b15dc7-5e87-4be4-b445-03e2837c5b75))
(fp_line (start 4.468 -0.25) (end 4.559 -0.106)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 619de6b8-4b7f-49c7-a45e-0853f813ad4c))
(fp_line (start 4.492 -5.781) (end 4.425 -5.891)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 751b646d-aaf7-4081-85ed-39d45f730fa4))
(fp_line (start 4.534 -5.59) (end 4.492 -5.781)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b3ffe358-00b5-40ee-b3c0-59396111e2a6))
(fp_line (start 4.552 -5.418) (end 4.534 -5.59)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9c6a08f7-e2df-42ba-88f0-f71daba6449a))
(fp_line (start 4.559 -2.799) (end 4.64 -2.605)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c2a1bd80-8932-4bac-848b-34821646629d))
(fp_line (start 4.559 -0.106) (end 4.64 0.088)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b2b7be2-6a08-4a2a-b3a9-3440e925882a))
(fp_line (start 4.569 -5.211) (end 4.552 -5.418)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1dbe75ea-5bda-443d-85d1-a7581ae9ad88))
(fp_line (start 4.583 -5.011) (end 4.569 -5.211)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a533c8b-3984-4c29-bbe2-5f309de18e8a))
(fp_line (start 4.592 -4.86) (end 4.583 -5.011)
```

(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 33e3c71c-9633-429f-af53-3df77191a8a4))
(fp_line (start 4.596 -4.8) (end 4.592 -4.86))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp bca5265c-98ae-4ea3-be14-2ea2b6c8a9b4))
(fp_line (start 4.913 -1.811) (end 5.101 -1.789))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 3aedaa77-0fbe-46ea-aeab-3044e769be7b))
(fp_line (start 4.913 0.882) (end 5.101 0.905))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp d711bbe1-b9a8-4b67-88aa-71b292a01371))
(fp_line (start 5.101 -1.789) (end 5.289 -1.767))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 01ef7cd3-e888-4cc0-8ad2-606419a5f09a))
(fp_line (start 5.101 0.905) (end 5.289 0.926))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 874e2171-d48a-47d6-815c-3aede5eb70bc))
(fp_line (start 5.147 -5.27) (end 5.154 -5.413))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 35fb61b8-6fa1-4355-ae49-2ebe75eb1339))
(fp_line (start 5.148 -5.128) (end 5.147 -5.27))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp e4b5f894-7747-46ec-bdbb-22d1d0b5eb78))
(fp_line (start 5.154 -5.413) (end 5.169 -5.558))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp a38b4099-0216-4997-8050-376bd6c9ea89))
(fp_line (start 5.156 -4.984) (end 5.148 -5.128))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 705913b3-4628-4800-a811-efcedf6f942d))
(fp_line (start 5.169 -5.558) (end 5.193 -5.706))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 0d0cfe12-28f3-478c-9dc1-8dba8a7af1bb))
(fp_line (start 5.17 -4.838) (end 5.156 -4.984))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 0360e5b9-f0fd-4c84-a818-991537da427f))
(fp_line (start 5.189 -4.688) (end 5.17 -4.838))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 29fe1898-773c-4f1c-bb78-fcc4283885ec))
(fp_line (start 5.193 -5.706) (end 5.227 -5.859))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 866cc6be-60fc-400b-ba61-6c71df817833))
(fp_line (start 5.213 -4.532) (end 5.189 -4.688))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 8498e4e6-fb9e-4547-b93e-51b646c9babc))
(fp_line (start 5.225 -5.752) (end 5.248 -5.632))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 690f2160-63fa-41a3-b3d5-9a049bac7143))
(fp_line (start 5.227 -5.859) (end 5.225 -5.752))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 361ec363-f623-4c4d-b7af-e67fc492938b))
(fp_line (start 5.241 -4.37) (end 5.213 -4.532))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 8c78a0aa-34cf-42f2-9a51-dcc3035261f9))

```
(fp_line (start 5.248 -5.632) (end 5.288 -5.505)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bd4e0f14-f310-4a0f-a624-10d1c9ee145f))
(fp_line (start 5.271 -4.198) (end 5.241 -4.37)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6074878b-2947-45bf-8b1c-5454fb2a4991))
(fp_line (start 5.288 -5.505) (end 5.336 -5.377)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 921ee484-73f9-4d91-81f5-1e825c509cc3))
(fp_line (start 5.289 -1.767) (end 5.474 -1.747)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e970c802-4b3d-428a-8673-945cf912279f))
(fp_line (start 5.289 0.926) (end 5.474 0.946)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3389638b-381c-4698-9a7e-bb6b35f5969e))
(fp_line (start 5.336 -5.377) (end 5.384 -5.255)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8f2025ad-1104-45d4-96dd-4471771650e8))
(fp_line (start 5.474 -1.747) (end 5.655 -1.729)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 855fa63e-5d4b-4b6c-a586-5fe26f2d1e02))
(fp_line (start 5.474 0.946) (end 5.655 0.964)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6606febf-a83c-49a5-92af-1a780d4d3596))
(fp_line (start 5.593 -2.54) (end 5.611 -2.661)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c4c866c-5aa2-4404-a073-bc01b4c8793b))
(fp_line (start 5.593 0.153) (end 5.611 0.032)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d9befe4-862c-4d1e-9bbe-3d90515bac60))
(fp_line (start 5.596 -2.415) (end 5.593 -2.54)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 71f052cb-f917-4fcc-aaaa-785f68ac7873))
(fp_line (start 5.596 0.279) (end 5.593 0.153)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8cc64ec1-342b-4b3c-aa1e-7e096cb780b9))
(fp_line (start 5.611 -2.661) (end 5.653 -2.772)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3bc1798e-8342-4b5c-8ab2-6587f019fcc1))
(fp_line (start 5.611 0.032) (end 5.653 -0.079)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 98038fa5-9fd6-4ec1-8732-a2ec69436dd8))
(fp_line (start 5.621 -2.282) (end 5.596 -2.415)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1baa1337-b8e4-4d6a-9481-36b08cf6abd4))
(fp_line (start 5.621 0.411) (end 5.596 0.279)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61f936ea-43b1-4823-b28d-9058479f5f7f))
(fp_line (start 5.653 -2.772) (end 5.718 -2.873)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b5660072-75b5-4440-b2e9-46aae484d84e))
(fp_line (start 5.653 -0.079) (end 5.718 -0.18)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 57d3902b-c940-474a-a16a-56c4ba51d23f))
(fp_line (start 5.655 -1.729) (end 5.828 -1.713))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a2b7871-964e-4c16-a1d6-24ab4e8edc20))
(fp_line (start 5.655 0.964) (end 5.828 0.98))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 99af076f-0124-4995-82f0-c0856b03450e))
(fp_line (start 5.677 -2.149) (end 5.621 -2.282))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9f0020f4-bbb2-4fd6-bcf1-bd78fd422d94))
(fp_line (start 5.677 0.545) (end 5.621 0.411))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp beb16e31-5a14-4fb0-a1f9-7aaa64bf7559))
(fp_line (start 5.695 -5.6) (end 5.709 -5.505))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ce563e13-d9c3-4497-ae86-178f9b1f6ca5))
(fp_line (start 5.7 -4.634) (end 5.812 -4.64))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85d55b66-c128-42a2-a52f-0512e3fc88a8))
(fp_line (start 5.709 -5.505) (end 5.769 -5.417))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bf3108b1-92ae-41c9-ad15-0ce4673874bf))
(fp_line (start 5.718 -2.873) (end 5.807 -2.961))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6413ba2a-e8ae-456d-ada6-d87c3fb0e030))
(fp_line (start 5.718 -0.18) (end 5.807 -0.267))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ad86ce5d-d70f-4644-bc0e-13b94f249f1d))
(fp_line (start 5.722 -5.686) (end 5.695 -5.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 402719e4-ed60-462f-946b-70dd7c0d4f59))
(fp_line (start 5.769 -5.417) (end 5.894 -5.354))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 05ffffb73-237a-48ed-b4a0-6a25313f611b))
(fp_line (start 5.783 -1.985) (end 5.677 -2.149))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9e4ef97-4150-4d03-81c2-4c472ae7fe7c))
(fp_line (start 5.783 0.708) (end 5.677 0.545))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ea367887-46a1-45bf-a7ae-2fa95395b450))
(fp_line (start 5.794 -5.756) (end 5.722 -5.686))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 23da773b-2a05-4368-b1e7-38376a4ededc))
(fp_line (start 5.807 -2.961) (end 5.918 -3.034))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3fb64e49-b8dc-4567-a4dd-89911f09f576))
(fp_line (start 5.807 -0.267) (end 5.918 -0.341))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 52013949-2cbc-4474-807d-dd218957ad71))
(fp_line (start 5.812 -4.64) (end 5.951 -4.645))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 915f99c5-0d0f-4ec8-81d5-397baac89dbc))

(fp_line (start 5.828 -1.713) (end 5.991 -1.699))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp df1ba456-7294-44ac-ad89-54fbad3db90b))
(fp_line (start 5.828 0.98) (end 5.991 0.994))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 08a3c1f3-2263-45c4-b675-a36d4f6c0d58))
(fp_line (start 5.892 -1.864) (end 5.783 -1.985))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61397b18-6586-4d70-8011-e7ca0ae49467))
(fp_line (start 5.892 0.829) (end 5.783 0.708))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 319041f6-e614-4f4c-8a54-be99ebaa9111))
(fp_line (start 5.894 -5.354) (end 6.103 -5.335))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4d298236-c863-464b-af74-ab674bba3173))
(fp_line (start 5.899 -5.804) (end 5.794 -5.756))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e0b3abeb-d49d-47bd-89ef-66e66c5859e9))
(fp_line (start 5.918 -3.034) (end 6.052 -3.092))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 800006e4-9d71-40f6-b4a3-2a40b882d572))
(fp_line (start 5.918 -0.341) (end 6.052 -0.399))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 429c51af-6793-4adf-b1cf-6fa1bf7ce4a3))
(fp_line (start 5.951 -4.645) (end 6.11 -4.647))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ef8b488c-f41a-4a3e-8104-0e9c5934b27e))
(fp_line (start 5.991 -1.699) (end 6.141 -1.687))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fbdafe0be-fd0a-411c-ad46-e04a8d5ae2c3))
(fp_line (start 5.991 0.994) (end 6.141 1.006))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3999d9bb-8de0-4cc1-9dd6-ceb7085baea9))
(fp_line (start 6.004 -1.778) (end 5.892 -1.864))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8777fea3-6ff2-4f56-b51b-e8807294a734))
(fp_line (start 6.004 0.915) (end 5.892 0.829))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fc59bb60-95d1-409e-bfb7-30beec37961b))
(fp_line (start 6.028 -5.824) (end 5.899 -5.804))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e9f4ff91-a882-44da-8833-b17722f8a6fa))
(fp_line (start 6.052 -3.092) (end 6.208 -3.132))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 25e9ec4e-0065-4e3d-948b-288cc0594fc4))
(fp_line (start 6.052 -0.399) (end 6.208 -0.439))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7cb5d9a7-3bdb-4a53-9a0b-f82abce5a1a5))
(fp_line (start 6.103 -5.335) (end 6.261 -5.352))
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0478c713-5d43-47ba-a892-125e4e809b78))
(fp_line (start 6.11 -4.647) (end 6.279 -4.644))

```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6005a99a-36ef-4448-a633-3ebb5e6e1f77))
(fp_line (start 6.117 -1.722) (end 6.004 -1.778)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5f17a88-5849-4f4d-b461-dd290f265c8b))
(fp_line (start 6.117 0.972) (end 6.004 0.915)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 56717c4b-4c42-415e-a8f3-f6aba8d4d3e1))
(fp_line (start 6.141 -1.687) (end 6.276 -1.678)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4589f646-c5b4-4707-a46d-c05dd88f23ff))
(fp_line (start 6.141 1.006) (end 6.276 1.015)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6797b66-4cce-4320-8da1-adb008cbef82))
(fp_line (start 6.156 -5.814) (end 6.028 -5.824)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 007ca052-891f-4e72-b811-5fea3021f68a))
(fp_line (start 6.186 -2.091) (end 6.271 -2.216)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4840fc2-dd8c-4dc9-a95e-b752a7732be4))
(fp_line (start 6.186 0.602) (end 6.271 0.478)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2fe35b9d-2ac0-48ab-9417-c4b89bc922b9))
(fp_line (start 6.208 -3.132) (end 6.387 -3.153)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a83e7067-ddbd-46b9-ac82-0c366e6928eb))
(fp_line (start 6.208 -0.439) (end 6.387 -0.46)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp faafe014-e696-4637-ad8c-0a6a16d42bf0))
(fp_line (start 6.23 -1.689) (end 6.117 -1.722)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 577196fe-8840-4fa4-9f2d-16c2bbe76777))
(fp_line (start 6.23 1.004) (end 6.117 0.972)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b1c630a-90dc-4781-a550-c7e2a4aa9dd0))
(fp_line (start 6.261 -5.772) (end 6.156 -5.814)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ddda9ebd-559d-4951-9238-e239b3e99573))
(fp_line (start 6.261 -5.352) (end 6.396 -5.391)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c1a4684-1d98-443a-8da8-b063aa3a6aff))
(fp_line (start 6.271 -2.216) (end 6.346 -2.342)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3abddf43-bda7-41b4-9bf1-1a5264cb4386))
(fp_line (start 6.271 0.478) (end 6.346 0.351)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aeb9a833-353f-480f-8cf6-d052598fd346))
(fp_line (start 6.276 -1.678) (end 6.393 -1.672)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a696c8ca-f4ad-47f8-8ad4-3876ccea6156))
(fp_line (start 6.276 1.015) (end 6.393 1.021)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 005006e1-de0f-4c88-a159-306977b21912))
```


(fp_line (start 6.279 -4.644) (end 6.45 -4.634)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6493b5f0-0309-42b1-b039-b68bb8202ef2))
(fp_line (start 6.332 -5.691) (end 6.261 -5.772)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d49e4ed2-4a88-4988-bf03-1c2048a8d5a8))
(fp_line (start 6.336 -4.651) (end 6.339 -4.811)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8379d31b-8c43-47a7-894c-71675b9dfe65))
(fp_line (start 6.336 -4.493) (end 6.336 -4.651)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85ee159c-3c25-44a1-b6b6-65c83a0c4754))
(fp_line (start 6.338 -4.341) (end 6.336 -4.493)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8e014d2e-da68-4901-9b7e-4c03afdfdd11))
(fp_line (start 6.339 -4.811) (end 6.343 -4.972)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 333170a1-63a5-4edf-a898-06ad47df62e6))
(fp_line (start 6.343 -4.972) (end 6.348 -5.13)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3ae9572c-bd3c-443d-8616-f6d91874aa4d))
(fp_line (start 6.343 -4.196) (end 6.338 -4.341)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 390f6e69-2dd8-4aa8-a626-d199c0c6be9e))
(fp_line (start 6.343 -1.673) (end 6.23 -1.689)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74358e6a-dd5a-4e79-9d29-d58d57ee8439))
(fp_line (start 6.343 1.02) (end 6.23 1.004)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e13b2373-e04f-4979-8944-2a90ef96c0d0))
(fp_line (start 6.346 -2.342) (end 6.377 -2.4)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6c9d88fd-e227-45dd-a1af-9766e0064b53))
(fp_line (start 6.346 0.351) (end 6.377 0.293)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 283db006-2ce6-461c-b3a3-f6a400a831bf))
(fp_line (start 6.348 -5.13) (end 6.353 -5.283)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6eb52050-582b-4ff9-aa33-3cab9b29e929))
(fp_line (start 6.353 -5.283) (end 6.357 -5.428)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8699a93d-accd-44ba-9b15-4bd592b5756c))
(fp_line (start 6.357 -5.428) (end 6.361 -5.564)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80fe8a84-a34f-45cf-a4ff-0a57efee7002))
(fp_line (start 6.361 -5.564) (end 6.332 -5.691)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c02609a7-1bf2-43d1-a89e-24d3159db0f5))
(fp_line (start 6.393 -1.672) (end 6.489 -1.669)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp afcaf1e6-0adb-4673-bdf6-a77c0675d5ae))
(fp_line (start 6.393 1.021) (end 6.489 1.024)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9412561b-2e23-47b7-8134-43ac3b65f5ba))
(fp_line (start 6.396 -5.391) (end 6.513 -5.448))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 066150ed-42e5-4bcf-8972-78bc4c059958))
(fp_line (start 6.45 -4.634) (end 6.615 -4.617))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ba8528ad-6ed7-470f-9188-497b064392ea))
(fp_line (start 6.454 -1.669) (end 6.343 -1.673))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 65e88f9a-6c2d-4103-8c8f-3059692d0943))
(fp_line (start 6.454 1.024) (end 6.343 1.02))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fc096957-433b-48e6-9351-b5ba16dc8978))
(fp_line (start 6.469 -1.948) (end 6.549 -2.065))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 698a5ebd-352e-4d6a-acfe-f3dcb837024f))
(fp_line (start 6.469 0.745) (end 6.549 0.628))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fb63b44b-c38f-4b93-be3a-0af9289b5606))
(fp_line (start 6.489 -1.669) (end 6.562 -1.67))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1db92022-8326-40b2-813e-9cd02ff026b7))
(fp_line (start 6.489 1.024) (end 6.562 1.024))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8fb3f5ad-21f6-4fd2-90b0-2fac43703a8d))
(fp_line (start 6.513 -5.448) (end 6.616 -5.515))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81fa8395-6b20-4396-9141-c19ce6536103))
(fp_line (start 6.549 -2.065) (end 6.627 -2.194))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 23e6603a-3b3d-4376-b691-7515eb300a7a))
(fp_line (start 6.549 0.628) (end 6.627 0.5))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b37cfc2d-1e4d-48be-83b2-226662f1d067))
(fp_line (start 6.562 -1.67) (end 6.454 -1.669))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 92f79d83-13c6-4bed-800b-6490bb894fcb))
(fp_line (start 6.562 1.024) (end 6.454 1.024))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4dbd60ac-6d16-4243-a0ee-14f2a367cbeb))
(fp_line (start 6.615 -4.617) (end 6.766 -4.59))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b648f3dc-530d-4de1-ad82-6ebf55eaca38))
(fp_line (start 6.616 -5.515) (end 6.71 -5.59))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 37caabfc-f8b6-46f5-9072-5fd440e6d019))
(fp_line (start 6.627 -2.194) (end 6.663 -2.254))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 11814796-ab00-4153-a615-d204b6d1bc1b))
(fp_line (start 6.627 0.5) (end 6.663 0.439))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp da2bd541-3701-4a53-8153-791a08f74a17))

(fp_line (start 6.71 -5.59) (end 6.799 -5.667)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6ebfff57-d9e8-44e8-ad84-59bf9e5fbdcc))
(fp_line (start 7.096 -2.339) (end 7.215 -2.371)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9b789be7-d77f-4c28-9455-64dd8b64eca1))
(fp_line (start 7.096 0.354) (end 7.215 0.323)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a05c8326-018e-48b3-81fb-74de354b6da4))
(fp_line (start 7.158 -1.806) (end 7.237 -1.83)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b0e478c3-a143-41d4-ba4c-523c41b7a1fe))
(fp_line (start 7.158 0.887) (end 7.237 0.864)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e02d26ba-8541-4b11-b7e8-850b233d0781))
(fp_line (start 7.215 -2.371) (end 7.333 -2.398)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1b763954-6276-43ec-b1a0-53f50db14cbf))
(fp_line (start 7.215 0.323) (end 7.333 0.296)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f28c13e-ec6c-4e0d-b9d7-b208a5eebda8))
(fp_line (start 7.23 -4.555) (end 7.261 -4.557)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8774dc04-83b3-4f60-8b44-219bddfbbc75))
(fp_line (start 7.237 -1.83) (end 7.332 -1.852)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b72f8f96-b018-422b-8934-df9b99933dab))
(fp_line (start 7.237 0.864) (end 7.332 0.841)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9cf4e1b-2298-4894-9059-245add21b9a7))
(fp_line (start 7.261 -4.557) (end 7.347 -4.561)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 350723dc-ce45-4f5a-affc-a7c59e6817c9))
(fp_line (start 7.332 -1.852) (end 7.446 -1.871)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7bc3ca22-f6d4-4b40-94a2-8819f76ffbed))
(fp_line (start 7.332 0.841) (end 7.446 0.822)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5df1804-2426-48fe-a886-718a850032e5))
(fp_line (start 7.333 -2.398) (end 7.46 -2.419)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d8a481b-6fa0-4015-a9d8-2b8750ba52d2))
(fp_line (start 7.333 0.296) (end 7.46 0.275)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 16d0cb87-f011-4973-ba7c-77c17bddbdc9))
(fp_line (start 7.347 -4.561) (end 7.475 -4.562)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5dae93aa-0008-48d9-b06c-55af2b7d4bf7))
(fp_line (start 7.402 -5.284) (end 7.289 -5.447)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5dd4c591-a70e-476c-a821-8eb6496ee81e))
(fp_line (start 7.446 -1.871) (end 7.584 -1.885)

(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 48c05478-58ec-4d89-90d0-d1debbc860c0))
(fp_line (start 7.446 0.822) (end 7.584 0.808))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 341c7435-d172-4cfc-9b3c-d8773faee562))
(fp_line (start 7.46 -2.419) (end 7.6 -2.432))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 7a38ce0e-af15-4000-892b-fdb08db4a7f6))
(fp_line (start 7.46 0.275) (end 7.6 0.262))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 77bbe693-8832-48a5-9919-5a1cb5f2a25a))
(fp_line (start 7.475 -4.562) (end 7.635 -4.556))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp e5b038e5-8d43-4856-80c3-02788aa1e215))
(fp_line (start 7.498 -5.132) (end 7.402 -5.284))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 6ffb92ce-960d-4727-a468-4528f7d33cd2))
(fp_line (start 7.58 -4.99) (end 7.498 -5.132))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp a7458ee2-5fc9-4e93-a4f5-c073ff5f6369))
(fp_line (start 7.584 -1.885) (end 7.75 -1.892))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 0c938821-b8f8-42f4-9d34-4599adadaa59d))
(fp_line (start 7.584 0.808) (end 7.75 0.802))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 8d6f1c17-ff1a-4e1c-bdfa-d8143646a225))
(fp_line (start 7.594 -2.687) (end 7.603 -2.84))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp d5810364-5086-477e-a447-7963e87a8b7f))
(fp_line (start 7.594 0.006) (end 7.603 -0.146))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 0bbb88f0-7b2a-4d27-819a-1573395fc195))
(fp_line (start 7.6 -2.432) (end 7.762 -2.436))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp e44c22b4-87e5-4a7e-a67f-4133bf6514d5))
(fp_line (start 7.6 0.262) (end 7.762 0.258))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 7977b05f-cc55-4a73-bfe1-d8fcf37d6c1b))
(fp_line (start 7.603 -2.84) (end 7.643 -2.961))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp d2489bb1-c59d-4bb3-aff8-ebcf18eeddbf))
(fp_line (start 7.603 -2.554) (end 7.594 -2.687))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 818bb4b4-6984-4e92-b581-b74a1f4d25ca))
(fp_line (start 7.603 -0.146) (end 7.643 -0.268))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp fb912212-69fe-4657-9c1d-ad848abb89b6))
(fp_line (start 7.603 0.139) (end 7.594 0.006))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp c7c11b7b-5cef-4daf-ad3b-bc021551b1be))
(fp_line (start 7.616 -2.412) (end 7.603 -2.554))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 15b75959-7385-45cd-a273-f24b6653d3c6))

```
(fp_line (start 7.616 0.281) (end 7.603 0.139)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 73b25485-65a0-4515-8e79-3f25bd499f71))
(fp_line (start 7.632 -2.262) (end 7.616 -2.412)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 0ffeb464-882f-4c6b-833a-52d5bb78a1d0))
(fp_line (start 7.632 0.432) (end 7.616 0.281)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp bde1b869-3a56-41e2-8864-28e25635b8a9))
(fp_line (start 7.635 -4.556) (end 7.815 -4.54)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 15e9db63-93a0-4ec9-92e8-de4fe7533331))
(fp_line (start 7.643 -2.961) (end 7.712 -3.052)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 172abc69-cba1-4cb6-a9e6-c89a86a32b36))
(fp_line (start 7.643 -0.268) (end 7.712 -0.359)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp c507aab0-1722-4c46-981c-52a5f1946cf2))
(fp_line (start 7.648 -4.855) (end 7.58 -4.99)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp a3edcd33-9595-461b-b3fc-5fba526d3844))
(fp_line (start 7.649 -2.106) (end 7.632 -2.262)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 96479a17-2ea1-49df-8141-632163e074c8))
(fp_line (start 7.649 0.587) (end 7.632 0.432)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 267efd81-2afa-4177-9211-6bc6b791314d))
(fp_line (start 7.669 -1.949) (end 7.649 -2.106)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp f24ab976-665c-40ea-9451-1f0d20688d42))
(fp_line (start 7.669 0.745) (end 7.649 0.587)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 3b2b3216-c6e2-41f7-bcfb-6e1279c1f69a))
(fp_line (start 7.688 -1.791) (end 7.669 -1.949)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 5f67e8ed-5349-44ae-b510-a3dd847091b4))
(fp_line (start 7.688 0.902) (end 7.669 0.745)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp f6230c86-aeec-4ac6-b207-49faffe355f5))
(fp_line (start 7.704 -4.727) (end 7.648 -4.855)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp c6efcb6f-ef06-422b-9c1a-aab24c305c8a))
(fp_line (start 7.708 -1.636) (end 7.688 -1.791)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 9913e8d3-de06-4d22-8f1f-35e45ccb8d83))
(fp_line (start 7.708 1.057) (end 7.688 0.902)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp b15f1bdd-2301-45b9-928d-dae8ce7a9166))
(fp_line (start 7.712 -3.052) (end 7.804 -3.115)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp e2d766d5-7788-4a02-8e70-842f29a9a800))
(fp_line (start 7.712 -0.359) (end 7.804 -0.422)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b57d473-9f74-4886-804f-f8409ccbc22d))
(fp_line (start 7.726 -1.487) (end 7.708 -1.636))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp de2f6f8e-7b62-41d5-b57b-ff21f87c9099))
(fp_line (start 7.726 1.206) (end 7.708 1.057))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ecd91bb0-89d4-4c88-a73d-720bc6a10638))
(fp_line (start 7.748 -5.64) (end 7.759 -5.564))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b03553f-cb5a-4fc6-b6ff-fa973f2b0201))
(fp_line (start 7.75 -4.604) (end 7.704 -4.727))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ac0b4aa1-3b9c-4dd4-92ac-26f9f629c23b))
(fp_line (start 7.75 -1.892) (end 7.948 -1.889))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a1542b22-0fe8-4cb1-8326-3caf88122a1d))
(fp_line (start 7.75 0.802) (end 7.948 0.804))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10ac4bf1-e3c9-4220-b5ee-26671f56951b))
(fp_line (start 7.759 -5.564) (end 7.795 -5.499))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8175fbaf-a612-48e3-b62a-a8360d1f9d27))
(fp_line (start 7.762 -2.436) (end 7.952 -2.428))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 782aaa77-a33d-45cc-9572-daa014d65572))
(fp_line (start 7.762 0.258) (end 7.952 0.265))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp adc8d97d-d507-4980-a898-d295fd2b9479))
(fp_line (start 7.78 -5.737) (end 7.748 -5.64))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 823fc4d5-ba3e-43d7-90d6-4fb6a52ac0a1))
(fp_line (start 7.788 -4.486) (end 7.75 -4.604))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 192cad6-7f25-4db7-a4ab-53eb0d0cc7dc))
(fp_line (start 7.795 -5.499) (end 7.855 -5.447))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f4d28844-0b6f-4a30-9314-654965f21bdf))
(fp_line (start 7.804 -3.115) (end 7.917 -3.151))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp eb8a3378-52db-46ef-858b-32ec355afd65))
(fp_line (start 7.804 -0.422) (end 7.917 -0.458))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39b655cf-659a-4f94-a7ad-eb4b9d016d5d))
(fp_line (start 7.815 -4.54) (end 8.002 -4.508))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3f1f59ec-c92c-4a83-8a85-544e6183a23f))
(fp_line (start 7.818 -4.37) (end 7.788 -4.486))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7c3f93e7-0f61-42f6-a423-d970764f38d2))
(fp_line (start 7.844 -4.255) (end 7.818 -4.37))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 89f5ab05-2cf0-4d17-b1ed-63740c2bfc3b))

(fp_line (start 7.855 -5.806) (end 7.78 -5.737)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 64c3a1ec-595b-4f50-b428-2e2c9f7b1719))
(fp_line (start 7.855 -5.447) (end 7.935 -5.409)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dd2d4c42-fd60-4afc-92c8-ff19e46f42cc))
(fp_line (start 7.865 -4.14) (end 7.844 -4.255)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ce91c95f-4c47-4cca-b193-a62673dddcc8))
(fp_line (start 7.917 -3.151) (end 8.046 -3.161)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7c5e0040-5f57-44e0-af7e-091db636abe6))
(fp_line (start 7.917 -0.458) (end 8.046 -0.468)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0204fedf-c307-4741-b55b-a45959a205a6))
(fp_line (start 7.935 -5.409) (end 8.033 -5.387)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1a186f12-1188-4217-9163-ad04497ff381))
(fp_line (start 7.948 -1.889) (end 8.183 -1.876)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5da3b47c-6140-4a73-b488-cdf8daff2df3))
(fp_line (start 7.948 0.804) (end 8.183 0.818)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 20129a99-2298-4d7d-80e1-b65338c0e2b9))
(fp_line (start 7.952 -2.428) (end 8.177 -2.409)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 468eddb7-874c-4ed2-b9ca-9afa3fe82546))
(fp_line (start 7.952 0.265) (end 8.177 0.284)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39da216e-0ca1-4a7e-bf1b-8680b73a29cd))
(fp_line (start 7.96 -5.848) (end 7.855 -5.806)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bc592044-a63b-47d8-8a15-df93add7d549))
(fp_line (start 8.002 -4.508) (end 8.186 -4.456)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a32ad193-65ea-4238-a825-646457124074))
(fp_line (start 8.033 -5.387) (end 8.146 -5.383)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 27f05c9a-e190-4971-b6b1-dbf9c8bdcb31))
(fp_line (start 8.046 -3.161) (end 8.165 -3.152)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0fac14db-5edb-42e7-8e3c-a3ca88d7edca))
(fp_line (start 8.046 -0.468) (end 8.165 -0.459)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 067a112e-9ba8-432a-b6d4-772171586abd))
(fp_line (start 8.079 -5.861) (end 7.96 -5.848)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 820ded4f-4d17-445d-ab3b-1a824652d87e))
(fp_line (start 8.146 -5.383) (end 8.272 -5.399)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b6350a35-2dd6-43f8-862c-29209622fc67))
(fp_line (start 8.165 -3.152) (end 8.287 -3.13))

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5521758f-2950-4221-a87a-8168e315ccf3))
(fp_line (start 8.165 -0.459) (end 8.287 -0.437))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fce66e69-a51d-4bf4-9616-d2314adc5363))
(fp_line (start 8.198 -5.846) (end 8.079 -5.861))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a85340e2-eb0d-4a16-a48e-83676e9c433e))
(fp_line (start 8.272 -5.399) (end 8.409 -5.437))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8951ca5b-21d8-4f32-b008-d35deda1db89))
(fp_line (start 8.287 -3.13) (end 8.402 -3.09))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ff04d0c4-f5db-4b84-85a7-05029b9a5ebc))
(fp_line (start 8.287 -0.437) (end 8.402 -0.397))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a1b132f2-1e31-41b6-854b-55b4a1242231))
(fp_line (start 8.301 -5.801) (end 8.198 -5.846))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7c2251c3-9c42-4953-8fe0-ec2ca4914259))
(fp_line (start 8.374 -5.728) (end 8.301 -5.801))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 50451d2c-c934-45d1-9aee-26f28b68f96e))
(fp_line (start 8.376 -4.802) (end 8.384 -5.032))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1cfca0ec-c810-444f-8847-801cacb6fb24))
(fp_line (start 8.384 -5.032) (end 8.391 -5.231))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1393dc47-f2aa-4e94-a1a0-486e528307f5))
(fp_line (start 8.391 -5.231) (end 8.396 -5.396))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 87b18272-0d70-4e09-bda0-c2f5910c63d0))
(fp_line (start 8.396 -5.396) (end 8.399 -5.52))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b6679665-ce1c-4138-8f74-a34f70eddefa))
(fp_line (start 8.399 -5.52) (end 8.401 -5.598))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 49e288df-cc1e-49dd-ac87-fb515c6110ca))
(fp_line (start 8.401 -5.598) (end 8.402 -5.625))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7954769f-8326-4f49-b52a-53d31ad6aedb))
(fp_line (start 8.402 -5.625) (end 8.374 -5.728))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35e097ab-775d-4664-a9bd-99e0d3be78a2))
(fp_line (start 8.402 -3.09) (end 8.504 -3.03))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 79988fe5-2021-43c4-922b-5dca687f0c60))
(fp_line (start 8.402 -0.397) (end 8.504 -0.336))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5fcce79d-e78e-4eb6-afef-6a871fb52900))
(fp_line (start 8.409 -5.437) (end 8.553 -5.498))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 15b51488-2e1d-41f3-8f22-4f10fbaeedd7))


```
(fp_line (start 8.46 -4.493) (end 8.597 -4.563)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ff3ed1b6-b9da-48d3-95cf-a7b732560e00))
(fp_line (start 8.504 -3.03) (end 8.586 -2.946)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d327fa1a-1493-4d03-92ee-df0816c5ef1b))
(fp_line (start 8.504 -0.336) (end 8.586 -0.253)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b89fee53-3b93-4c34-9c66-71704eb632b8))
(fp_line (start 8.505 -2.335) (end 8.42 -2.254)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e97e6ccf-0b2b-4f7e-af73-578517cd8db3))
(fp_line (start 8.505 0.358) (end 8.42 0.439)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5cc8c06f-0072-4ca2-a051-610c9160e719))
(fp_line (start 8.553 -5.498) (end 8.702 -5.584)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6e9f33b-f14e-493b-a21b-8cfeaf787f59))
(fp_line (start 8.579 -2.438) (end 8.505 -2.335)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 41b7d4ba-d3ed-4db5-8a57-128e55656626))
(fp_line (start 8.579 0.256) (end 8.505 0.358)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2fc9d654-a5e7-4eb8-ad1d-a01939ff82e3))
(fp_line (start 8.586 -2.946) (end 8.638 -2.836)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6415d70c-7bb9-4f6d-84fa-99b8c8c311b7))
(fp_line (start 8.586 -0.253) (end 8.638 -0.143)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5b48e1a9-358e-4326-b3b9-0783a9cb77f6))
(fp_line (start 8.597 -4.563) (end 8.747 -4.652)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 25f83d83-ad68-46e3-9a19-cde942682c9e))
(fp_line (start 8.632 -2.559) (end 8.579 -2.438)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c363d622-c5b2-4d86-9a74-b821cf22ddd9))
(fp_line (start 8.632 0.134) (end 8.579 0.256)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 32b32a70-0e1d-4626-8cd5-d3e8ca001798))
(fp_line (start 8.638 -2.836) (end 8.655 -2.697)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 34d964f2-ab45-401e-ba20-9f0d7cc1d6a3))
(fp_line (start 8.638 -0.143) (end 8.655 -0.004)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d832134-272e-4cb2-a946-61a761da8938))
(fp_line (start 8.655 -2.697) (end 8.632 -2.559)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62c58d73-36a8-47cf-9216-7a42711057d3))
(fp_line (start 8.655 -0.004) (end 8.632 0.134)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b12ad13c-695c-4bbf-bbaf-1c4a2f714b10))
(fp_line (start 8.702 -5.584) (end 8.854 -5.698)
```

(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 2d7165cd-db38-45fa-8a8d-8aaa11dd267d))
(fp_line (start 8.747 -4.652) (end 8.867 -4.729))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp b333aaa3-be1e-4b02-90e9-6bc235308ee6))
(fp_line (start 8.867 -4.729) (end 8.916 -4.762))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp f9845315-4393-444b-9ba4-49cd9dc7c13b))
(fp_line (start 9.157 0.882) (end 9.344 0.905))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 6926b978-9d27-4fcc-970d-dee6c33dfed0))
(fp_line (start 9.266 -4.013) (end 9.366 -4.129))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp bc558630-caaf-44b3-824f-db928fac0847))
(fp_line (start 9.274 -1.866) (end 9.305 -1.868))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 19f7ff8c-6d1f-46be-97e1-31a7a7eab64a))
(fp_line (start 9.305 -1.868) (end 9.39 -1.872))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp a7e52e6b-f243-4286-be16-fefcc456b79f))
(fp_line (start 9.344 0.905) (end 9.532 0.926))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp b2d4a37a-cf84-4a4a-bbf6-c284b08cffd6))
(fp_line (start 9.366 -5.882) (end 9.266 -5.99))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 267adbc2-20a1-4a72-90d4-8e98f94db5d8))
(fp_line (start 9.366 -4.129) (end 9.452 -4.248))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp bb9cfe79-773a-4fa7-b815-39ab5bb0199e))
(fp_line (start 9.39 -1.872) (end 9.519 -1.873))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp e25224cf-e896-45ae-970e-f602436097cb))
(fp_line (start 9.445 -2.596) (end 9.332 -2.758))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 421d4b57-5929-4151-ada8-dad79a8e0b35))
(fp_line (start 9.452 -5.768) (end 9.366 -5.882))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 0a32a139-ff74-4d31-b687-462d4d24309e))
(fp_line (start 9.452 -4.248) (end 9.525 -4.372))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 9d077555-4b94-44ea-ac00-6233339ed1a3))
(fp_line (start 9.519 -1.873) (end 9.679 -1.867))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 12f3c130-8004-494d-a311-8c2ba9441083))
(fp_line (start 9.525 -5.65) (end 9.452 -5.768))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp d36d77fd-24cf-4d54-888b-46764e4b34c3))
(fp_line (start 9.525 -4.372) (end 9.585 -4.498))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 46710e5d-9aa5-46fa-971d-6893912c5f18))
(fp_line (start 9.532 0.926) (end 9.718 0.946))
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp f089023d-509c-45ca-bfa4-21b70084575c))

```
(fp_line (start 9.541 -2.444) (end 9.445 -2.596)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 319c75c0-3e14-4145-9c34-a4d21a94baf6))

(fp_line (start 9.585 -5.528) (end 9.525 -5.65)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ab29c6bc-ea09-440d-95e7-26cef7f678cd))

(fp_line (start 9.585 -4.498) (end 9.632 -4.626)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62bb22ae-0731-436a-a6cb-b5bc723bee2e))

(fp_line (start 9.623 -2.301) (end 9.541 -2.444)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61c208c2-13b5-4fb5-a741-041a3499e30c))

(fp_line (start 9.632 -5.403) (end 9.585 -5.528)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10042f16-4875-4306-87d6-f742fb80e721))

(fp_line (start 9.632 -4.626) (end 9.665 -4.756)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 73bf1931-8853-4996-ba2b-00e1bb7800bb))

(fp_line (start 9.665 -5.276) (end 9.632 -5.403)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35eef5ca-6112-41a5-a26c-c8641c22546d))

(fp_line (start 9.665 -4.756) (end 9.685 -4.886)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cfa598f7-28bc-45c7-b767-1c1d3e8c713f))

(fp_line (start 9.679 -1.867) (end 9.858 -1.851)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp eb6b3e13-faa3-4db2-80b2-f405b43774c6))

(fp_line (start 9.685 -5.147) (end 9.665 -5.276)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8edf52fc-6ccd-491f-99e7-4f39209d354e))

(fp_line (start 9.685 -4.886) (end 9.692 -5.017)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0568e322-7912-4a50-b7f4-d59918b4d68a))

(fp_line (start 9.691 -2.166) (end 9.623 -2.301)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp be4a062a-52c3-421e-823d-3d5aef56fb5f))

(fp_line (start 9.692 -5.017) (end 9.685 -5.147)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 706ec246-d582-425f-97f7-dd3af6de1c4f))

(fp_line (start 9.718 0.946) (end 9.898 0.964)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e24dc9a2-a267-46b5-9aa8-5f574a2c18c8))

(fp_line (start 9.747 -2.038) (end 9.691 -2.166)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ac10aba6-48b2-43c9-bab5-7085c83000d4))

(fp_line (start 9.792 -2.951) (end 9.802 -2.876)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ff72ac5b-fbaa-45bb-8553-4f2fffe45d82))

(fp_line (start 9.794 -1.916) (end 9.747 -2.038)

  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6f2634fd-280d-45f6-8d22-7053a1e9e7f1))

(fp_line (start 9.802 -2.876) (end 9.839 -2.811)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp db5e19b7-07ca-44e7-9794-33b2be3604a2))
(fp_line (start 9.823 -3.048) (end 9.792 -2.951))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c2e314ec-6da2-43ce-a19c-6945187cf6df))
(fp_line (start 9.831 -1.797) (end 9.794 -1.916))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4f0aacb-1d19-4f67-8a2c-85dda5647f53))
(fp_line (start 9.836 0.153) (end 9.854 0.032))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4ae00538-7e3c-4d55-b0e7-920644039adb))
(fp_line (start 9.839 -2.811) (end 9.898 -2.758))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f35f754-85d7-4b9f-bcd3-c6185f4ffb87))
(fp_line (start 9.839 0.279) (end 9.836 0.153))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8e786ad8-0179-41a2-9a82-c152d5bc6fc7))
(fp_line (start 9.854 0.032) (end 9.896 -0.079))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39a28f09-fdbf-4f7e-8bd4-652b5b41dd88))
(fp_line (start 9.858 -1.851) (end 10.046 -1.819))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f75e107d-791c-477f-9675-c55e394b08b1))
(fp_line (start 9.862 -1.681) (end 9.831 -1.797))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 47c0ea2e-9b61-4145-85ef-f6fcaca76876))
(fp_line (start 9.865 0.411) (end 9.839 0.279))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c77962c8-36be-4fad-bf8f-256241288d39))
(fp_line (start 9.887 -1.566) (end 9.862 -1.681))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c080ed65-67df-43f1-960a-3f5ef3a2f65b))
(fp_line (start 9.896 -0.079) (end 9.961 -0.18))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1de0ebc9-34fa-4710-9f52-bf377fb2bdea))
(fp_line (start 9.898 -3.117) (end 9.823 -3.048))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d9c51b10-32d7-4416-b2c5-661c8e3634eb))
(fp_line (start 9.898 -2.758) (end 9.978 -2.72))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fa61f0c5-b9a0-4dd0-abbf-636305b6a81c))
(fp_line (start 9.898 0.964) (end 10.071 0.98))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 345c3d50-2e26-40fe-8919-1b8b61aba3a3))
(fp_line (start 9.909 -1.451) (end 9.887 -1.566))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36b41e5d-210b-432c-93cb-539a68de0ba6))
(fp_line (start 9.92 0.545) (end 9.865 0.411))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d9d8808-0d20-4f84-a115-ca851af74d05))
(fp_line (start 9.961 -0.18) (end 10.05 -0.267))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 46b56585-eddc-44f9-9f19-a8ef34c9a8e0))

(fp_line (start 9.978 -2.72) (end 10.076 -2.698)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ca6389ef-657c-4ffc-92ec-0e10ba3701fc))
(fp_line (start 10.003 -3.159) (end 9.898 -3.117)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 33a1fbbf-fb83-4629-a0a3-38fa63026a04))
(fp_line (start 10.026 0.708) (end 9.92 0.545)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 942dac0e-0b30-4eca-a7f3-953f9a22455f))
(fp_line (start 10.046 -1.819) (end 10.23 -1.768)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cef4ee44-744e-48ee-88db-e5476029b069))
(fp_line (start 10.05 -0.267) (end 10.161 -0.341)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6f537804-3583-4a0b-8d42-a453d9b8d905))
(fp_line (start 10.071 0.98) (end 10.234 0.994)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c55b3ebd-d976-4462-b05c-cb348e257ff5))
(fp_line (start 10.076 -2.698) (end 10.19 -2.694)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 13bf5da8-7d10-451f-9e24-6f43dc1d8ef6))
(fp_line (start 10.122 -3.172) (end 10.003 -3.159)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b3c87a9-94b6-4040-b37e-02bf61de8896))
(fp_line (start 10.135 0.829) (end 10.026 0.708)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 793eca7c-beb1-4eab-aa9a-a2382dbb01cb))
(fp_line (start 10.161 -0.341) (end 10.295 -0.399)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 59813d86-0472-4c0c-8cdb-8c0d3ced304c))
(fp_line (start 10.19 -2.694) (end 10.316 -2.71)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3f232544-ecd4-43f2-9dfe-2714f310269c))
(fp_line (start 10.234 0.994) (end 10.385 1.006)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c39f2495-923d-45b9-b9f2-55d111833724))
(fp_line (start 10.241 -3.157) (end 10.122 -3.172)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 050bc43e-9f94-4221-bfb4-27b1a2639477))
(fp_line (start 10.247 0.915) (end 10.135 0.829)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bfaadf4c-c008-4bf0-9d94-2364f0aead99))
(fp_line (start 10.295 -0.399) (end 10.452 -0.439)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f73d148b-c8f4-4ed4-9341-3c1fe290ec83))
(fp_line (start 10.316 -2.71) (end 10.452 -2.748)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 35f120e0-0260-4c42-baae-8a7fe3bccce0))
(fp_line (start 10.344 -3.113) (end 10.241 -3.157)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d25d368-2fa9-41cd-b1fe-1c9c64b5cdd0))
(fp_line (start 10.36 0.972) (end 10.247 0.915)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3d2a1d1f-bc5c-4be1-ac15-893c4f33da6e))
(fp_line (start 10.385 1.006) (end 10.519 1.015))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 17494c74-4dd6-47bb-af41-a9dd537dd541))
(fp_line (start 10.417 -3.039) (end 10.344 -3.113))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9fbf42ba-8edc-4b11-afd2-aada2d4e2859))
(fp_line (start 10.419 -2.114) (end 10.428 -2.343))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cab6cf8f-c61c-451e-b05a-c6e2af23b62e))
(fp_line (start 10.428 -2.343) (end 10.434 -2.542))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fe71fbc8-27cc-48ea-9446-f41b381ac0d7))
(fp_line (start 10.43 0.602) (end 10.515 0.478))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3c9513d8-e088-4691-ac7e-ae3019a172fe))
(fp_line (start 10.434 -2.542) (end 10.439 -2.707))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6d97b951-7307-4db1-9d3e-804e11fb9354))
(fp_line (start 10.439 -2.707) (end 10.442 -2.831))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8626f4fa-7d2e-4dd4-873a-7b441d546d40))
(fp_line (start 10.442 -2.831) (end 10.444 -2.909))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30f4074e-4dfe-435b-a2a0-7572ec4a9fb2))
(fp_line (start 10.444 -2.909) (end 10.445 -2.937))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30b84d49-ccb6-4e31-919d-7ca9dda1c32f))
(fp_line (start 10.445 -2.937) (end 10.417 -3.039))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a421cdfb-2cd6-4f24-9887-db0e76aacf11))
(fp_line (start 10.452 -2.748) (end 10.596 -2.809))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp be29508a-b2d5-43fe-8256-144257ba0643))
(fp_line (start 10.452 -0.439) (end 10.63 -0.46))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b6b43723-434d-4bcd-aaf2-a45ef544f903))
(fp_line (start 10.473 1.004) (end 10.36 0.972))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9eb860d9-93aa-4714-b1d7-da54b3551cee))
(fp_line (start 10.503 -1.804) (end 10.641 -1.874))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a73a96e2-7841-4838-8ada-79c74731e746))
(fp_line (start 10.515 0.478) (end 10.589 0.351))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b90dee98-4d6a-41a0-9020-dd4031259aaa))
(fp_line (start 10.519 1.015) (end 10.636 1.021))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39e8d331-3fc3-4a27-b954-a33c59a7792c))
(fp_line (start 10.586 1.02) (end 10.473 1.004))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c3d85055-a3fc-484d-a8ac-5dcb2dd87336))

```
(fp_line (start 10.589 0.351) (end 10.621 0.293)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 94c1cf09-899a-4572-9cc9-203889928945))
(fp_line (start 10.596 -2.809) (end 10.746 -2.896)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f6d69f7e-b916-47aa-8ac5-ba9dd4433e12))
(fp_line (start 10.636 1.021) (end 10.732 1.024)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f49ec343-eb1c-4893-8428-317954346a58))
(fp_line (start 10.641 -1.874) (end 10.79 -1.963)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6daf1b83-da24-4bee-bae3-51f8229509c1))
(fp_line (start 10.697 1.024) (end 10.586 1.02)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2980b803-7307-4ad9-801c-e5e445851d8e))
(fp_line (start 10.713 0.745) (end 10.793 0.628)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 450idd62-40be-45c9-a888-06de7f2f905a))
(fp_line (start 10.732 1.024) (end 10.805 1.024)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4e59b41-10d0-4235-abbc-5a0babb2bfe4))
(fp_line (start 10.746 -2.896) (end 10.898 -3.01)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5388d4ac-ac90-4141-a0fe-cebc869a2a74))
(fp_line (start 10.79 -1.963) (end 10.91 -2.041)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 93ced0f6-20a7-437d-bd94-123c0c093118))
(fp_line (start 10.793 0.628) (end 10.871 0.5)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 90e611c3-566c-4949-8e2c-a44c59a2232a))
(fp_line (start 10.805 1.024) (end 10.697 1.024)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 86dc57ed-b2a5-4ff8-9eb1-a314c4b97efb))
(fp_line (start 10.871 0.5) (end 10.906 0.439)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 38bf95b9-3ced-49b0-b072-6005c40f0aef))
(fp_line (start 10.91 -2.041) (end 10.96 -2.074)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dbdcdf10-6a95-4cb6-a344-a66da9174f82))
(fp_line (start 11.358 -2.864) (end 11.472 -2.703)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b01240fe-d2d1-40d1-8d59-46ead569cb03))
(fp_line (start 11.394 -1.913) (end 11.589 -1.891)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00d98427-9d1a-4474-b518-8a72275f032d))
(fp_line (start 11.472 -2.703) (end 11.584 -2.55)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a4c8ebf-8886-4bf9-95e9-0e4006d883e4))
(fp_line (start 11.483 0.5) (end 11.587 0.495)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f133ce01-4b86-4e4b-a267-5de32679087c))
(fp_line (start 11.501 0.944) (end 11.64 0.932)
```

```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e469be9e-2e68-49c4-8683-dbdda31a74a9))
(fp_line (start 11.584 -2.55) (end 11.685 -2.412)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp acb98d7d-51cd-4588-a0a3-69e2ab0359e8))
(fp_line (start 11.586 -0.195) (end 11.636 -0.305)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9c7be71f-7167-4aa8-8b7c-eee50757ce41))
(fp_line (start 11.587 0.495) (end 11.699 0.489)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1fc27eca-9859-4213-84d3-f213f2bade69))
(fp_line (start 11.588 -0.052) (end 11.586 -0.195)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1785ad7c-de40-4717-8dc3-2870f17aa958))
(fp_line (start 11.589 -1.891) (end 11.757 -1.868)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d7a1f793-76bb-42b3-acff-2c92df9f4b14))
(fp_line (start 11.629 0.103) (end 11.588 -0.052)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0c0893cb-6f81-4aee-b3d2-a4e92aad845b))
(fp_line (start 11.636 -0.305) (end 11.674 -0.345)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 65ce601b-9a9f-4550-8cca-70532dfba419))
(fp_line (start 11.64 0.932) (end 11.778 0.924)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 30ae5216-bda4-4502-b08d-636786aaabec))
(fp_line (start 11.674 -0.345) (end 11.727 -0.385)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9f2fd20e-7368-4127-98ea-21e9bb6a8063))
(fp_line (start 11.685 -2.412) (end 11.767 -2.302)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7438de9c-090e-4414-904e-0dfb4e43f89f))
(fp_line (start 11.699 0.489) (end 11.82 0.484)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b19dc3b9-3b6a-4b5d-bbb5-63509904719d))
(fp_line (start 11.727 -0.385) (end 11.806 -0.421)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74f6befa-ad72-4594-bb60-45574916b29e))
(fp_line (start 11.757 -1.868) (end 11.883 -1.849)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp df3532aa-4e01-4f66-8a70-6b012540983c))
(fp_line (start 11.767 -2.302) (end 11.823 -2.228)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ec4935a9-8d7d-45f8-ab7b-b2087b7f6bcc))
(fp_line (start 11.778 0.924) (end 11.914 0.921)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3a1e0f0b-9440-4208-a869-a7ae8c9bed81))
(fp_line (start 11.806 -0.421) (end 11.921 -0.448)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 58322908-45cb-4917-928b-0018872cdb36))
(fp_line (start 11.82 0.484) (end 11.949 0.481)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36d9444c-15c3-4dd8-91d7-d5cb01321b5e))
```



```
(fp_line (start 11.823 -2.228) (end 11.843 -2.201)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 932ea128-f4a6-4a92-9a97-8178f52f5c8d))
(fp_line (start 11.829 -2.751) (end 11.83 -2.961)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c367cd4d-7cd0-4b0a-a56d-4d4acad87c7b))
(fp_line (start 11.83 -2.961) (end 11.836 -3.177)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8a04a749-1c50-4556-865d-399d20984bb5))
(fp_line (start 11.832 -2.549) (end 11.829 -2.751)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5f9195a-6910-4995-baea-326edb72578d))
(fp_line (start 11.838 -2.357) (end 11.832 -2.549)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d8b83021-4895-423e-9efd-463da966e309))
(fp_line (start 11.846 -2.178) (end 11.838 -2.357)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bd6a852e-dddc-4913-b878-79cbcdf8249))
(fp_line (start 11.855 -2.013) (end 11.846 -2.178)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b8afca1-5756-4e4e-b656-b430e3601859))
(fp_line (start 11.865 -1.864) (end 11.855 -2.013)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4cb0bc5f-4e91-4d18-82d0-5b8ec06a6682))
(fp_line (start 11.872 -1.964) (end 11.854 -2.015)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a454528e-4dd0-4ad4-8458-dc085ecaf4d9))
(fp_line (start 11.875 -1.734) (end 11.865 -1.864)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 803e7d35-dcdf-4926-b731-a18505377d10))
(fp_line (start 11.883 -1.849) (end 11.952 -1.837)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 87fd497b-080f-4728-9dab-58026c7e5d94))
(fp_line (start 11.885 -1.625) (end 11.875 -1.734)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bfee3be5-a5f4-4baa-a281-f68584118133))
(fp_line (start 11.892 -1.538) (end 11.885 -1.625)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5be8f4f4-620a-4c13-a8dc-c6806fd01539))
(fp_line (start 11.898 -1.476) (end 11.892 -1.538)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 39960c85-fb95-4a8c-970b-6a81960d8f9d))
(fp_line (start 11.914 0.921) (end 12.051 0.922)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 865dd12e-56b5-4659-afd6-49d57c74e73f))
(fp_line (start 11.921 -0.448) (end 12.083 -0.461)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9eb21137-e40f-4e46-b7d8-b3c5c005acd5))
(fp_line (start 11.949 0.481) (end 12.086 0.483)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f612f6d8-e723-4ac8-8639-cd9895250a35))
(fp_line (start 11.952 -1.837) (end 11.872 -1.964)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5e0096a1-329f-40a6-81f9-10f99b668a8d))
(fp_line (start 12.012 -2.109) (end 11.841 -2.292))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ded83d56-4745-42ef-a1d1-7780f795ec78))
(fp_line (start 12.051 0.922) (end 12.189 0.93))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5d05a352-bc08-4e3f-9f9d-6be5e269577a))
(fp_line (start 12.083 -0.461) (end 12.303 -0.457))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c2eb72fe-2aa7-4b0e-862c-75723bab22be))
(fp_line (start 12.086 0.483) (end 12.233 0.491))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e6cc2bfe-ee0a-4c17-b27b-9f426b38b7b4))
(fp_line (start 12.163 -1.977) (end 12.012 -2.109))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 782bc0e1-023f-4218-b726-fd1f1689e22e))
(fp_line (start 12.18 1.221) (end 12.225 1.108))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 033a1569-05af-4fc0-a76e-1877b5760ed4))
(fp_line (start 12.189 0.93) (end 12.328 0.945))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cc0c8eb6-0fd7-4ded-b3a0-f6217a3ed192))
(fp_line (start 12.225 1.108) (end 12.277 0.981))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a91e410b-cfd6-4405-9896-c3101f976388))
(fp_line (start 12.233 0.491) (end 12.388 0.507))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 41459e2c-12bc-40e9-ba2c-7b70180b8326))
(fp_line (start 12.277 0.981) (end 12.335 0.844))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 761099c2-e7d1-4c5a-87ef-95dd5f46b020))
(fp_line (start 12.294 -1.889) (end 12.163 -1.977))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fd703cce-1709-4cc5-a8eb-1942c3ac5b57))
(fp_line (start 12.303 -0.457) (end 12.592 -0.429))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6c6266f5-1e66-4549-a3ca-48594dc019bd))
(fp_line (start 12.328 0.945) (end 12.469 0.968))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d82d3360-c3b1-4700-b4c4-15b052aa99ab))
(fp_line (start 12.335 0.844) (end 12.397 0.702))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 91a8b260-fc5d-42a3-9992-fbde50a205cb))
(fp_line (start 12.377 0.094) (end 12.326 0.103))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 61a10109-d0d9-4dba-8d86-2146cdd1edb1))
(fp_line (start 12.388 0.507) (end 12.552 0.534))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 06f5691b-66d2-4272-a984-5d66b4bf95db))
(fp_line (start 12.397 0.702) (end 12.462 0.558))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2451989b-1e6b-4b40-9ee5-02a869a97ed5))

```
(fp_line (start 12.408 -1.839) (end 12.294 -1.889)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bef6ba0e-ab9f-4a11-8ad6-7481d1bc1060))
(fp_line (start 12.462 0.558) (end 12.527 0.416)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6c684009-4946-4fd2-84de-5fa5a5db6d30))
(fp_line (start 12.469 0.968) (end 12.613 0.998)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 80096e65-eec1-44f2-ac32-156c397bfbfa))
(fp_line (start 12.509 -1.818) (end 12.408 -1.839)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1c02eab2-8208-4d70-adea-f04d442df1a5))
(fp_line (start 12.514 0.072) (end 12.377 0.094)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4098035c-d7dd-4281-92b0-e5c84c993654))
(fp_line (start 12.527 0.416) (end 12.591 0.28)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 8f1134ab-250f-4ec0-86f4-07d06be8485f))
(fp_line (start 12.552 0.534) (end 12.725 0.574)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c6a035a3-74c4-4660-a186-c0e4334f8277))
(fp_line (start 12.591 0.28) (end 12.653 0.155)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0883c327-bede-40dd-8a14-389532755b14))
(fp_line (start 12.598 -1.821) (end 12.509 -1.818)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6903612f-ed18-4887-96c7-6c02f1971bef))
(fp_line (start 12.613 0.998) (end 12.76 1.039)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 349a565c-c1a7-465b-83e5-c113b845cf51))
(fp_line (start 12.653 0.155) (end 12.709 0.044)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a0b5b44e-93bd-4ee8-a32f-0d0ba788a374))
(fp_line (start 12.679 -1.84) (end 12.598 -1.821)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d24dee9b-82b3-4fde-9758-a9d01aee8c3f))
(fp_line (start 12.706 -2.799) (end 12.718 -2.649)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a57fdda7-13d1-4aae-ac9d-1cc6cc981236))
(fp_line (start 12.709 0.044) (end 12.514 0.072)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c18f79cf-ac08-4d7a-be3d-c8eed4174516))
(fp_line (start 12.71 -2.913) (end 12.706 -2.799)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5cf81d70-6052-4323-9f31-67efd4b53375))
(fp_line (start 12.718 -2.649) (end 12.744 -2.46)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a30766b-f8a4-4556-ab47-28a1bc1be848))
(fp_line (start 12.725 0.574) (end 12.906 0.627)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bcbccd8a-63e6-4f02-85b9-9c0beb2158f6))
(fp_line (start 12.733 -2.995) (end 12.71 -2.913)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9913975c-a0f2-4a25-a7e2-a036cda495ab))
(fp_line (start 12.744 -2.46) (end 12.776 -2.267))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2f797bf8-9a86-43c1-85d4-cff413c54db3))
(fp_line (start 12.759 -1.894) (end 12.679 -1.84))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a5431341-15c2-4863-b913-9162f3492dc6))
(fp_line (start 12.776 -2.267) (end 12.796 -2.107))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e86fc9de-8051-4390-b4d4-f07a21ddcc5b))
(fp_line (start 12.777 -3.046) (end 12.733 -2.995))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7be32092-2b86-4a10-92d3-2e03a53f41d4))
(fp_line (start 12.795 -1.983) (end 12.759 -1.894))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d0de7d1b-6717-4b42-a87f-82cc2899a357))
(fp_line (start 12.796 -2.107) (end 12.795 -1.983))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d7378c93-f491-4f9a-9f68-c65d616cc759))
(fp_line (start 12.864 -3.074) (end 12.777 -3.046))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 754f7fc0-53b5-469c-8c18-40728b9ba811))
(fp_line (start 12.981 -3.06) (end 12.864 -3.074))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp af8df778-2504-407a-a422-2a3e112ba207))
(fp_line (start 13.115 -2.998) (end 12.981 -3.06))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 273c22cc-8893-4c8b-a62c-9966130338c2))
(fp_line (start 13.255 -2.878) (end 13.115 -2.998))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp be944d5e-cb36-4e61-b369-da4d7ff79ce1))
(fp_line (start 13.534 0.058) (end 13.699 0.193))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 78abf31f-bdf4-4b5d-a081-7e830df0c80b))
(fp_line (start 13.56 0.081) (end 13.534 0.058))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 565bc4c8-488c-46a1-8c2f-19bdbfabdc83))
(fp_line (start 13.631 0.143) (end 13.56 0.081))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 28a8f6c5-747f-4e27-a7cd-0d47889bc47a))
(fp_line (start 13.669 -2.635) (end 13.833 -2.5))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f1d142a9-ab3d-446b-88ff-1196f65cd3a3))
(fp_line (start 13.695 -2.613) (end 13.669 -2.635))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4c0affd0-59e6-4894-85c7-d38860e2e79d))
(fp_line (start 13.699 0.193) (end 13.829 0.294))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7b7fa20a-5c09-4ada-a564-1e27f41c8530))
(fp_line (start 13.738 0.237) (end 13.631 0.143))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a2dbf046-240d-4b79-9a19-f68b48d04166))

```
(fp_line (start 13.766 -2.55) (end 13.695 -2.613)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 02a5b055-0975-442e-b08b-8ed434ca2fc3))
(fp_line (start 13.772 1.052) (end 13.869 1.055)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp daa3e34a-1b4f-498f-a0aa-18e4edddad2))
(fp_line (start 13.829 0.294) (end 13.939 0.367)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7e7b1fb9-bd05-42d3-9ce3-9be75687a4e2))
(fp_line (start 13.833 -2.5) (end 13.963 -2.399)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 85d6cf47-eba4-4394-9f9e-afaeb232c04b))
(fp_line (start 13.869 1.055) (end 14.026 1.062)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 218aefa3-6d8c-4cab-96aa-a3d23f2d456e))
(fp_line (start 13.872 0.354) (end 13.738 0.237)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9a6c401c-3975-4a1b-b60c-a0e7d3d290f7))
(fp_line (start 13.873 -2.456) (end 13.766 -2.55)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 756ea0a3-9f07-4936-81ad-60529ae9b87c))
(fp_line (start 13.906 -1.641) (end 14.003 -1.639)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 656f48cc-e4ca-4acb-880a-bc626afb234c))
(fp_line (start 13.929 -0.183) (end 13.985 -0.094)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4c18e250-719a-4998-93ce-a0d8780d2239))
(fp_line (start 13.935 -0.291) (end 13.929 -0.183)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0f9fc0b0-03a5-4287-afae-138a1f2c344a))
(fp_line (start 13.939 0.367) (end 14.042 0.416)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9d8c8dc-9a83-482e-b307-cd7840ac1d29))
(fp_line (start 13.963 -2.399) (end 14.073 -2.326)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 25334977-1ec5-4389-8d48-2f7713d98d6a))
(fp_line (start 13.977 -0.356) (end 13.935 -0.291)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10deba14-8da0-4664-aea8-80a1ec62e2cd))
(fp_line (start 13.985 -0.094) (end 14.076 -0.048)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 36ad0344-6187-4b94-b41c-0cc99aaae7bd))
(fp_line (start 14.003 -1.639) (end 14.16 -1.632)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0bfe2a24-8542-46fc-a757-b0d0cb26d532))
(fp_line (start 14.006 -2.34) (end 13.873 -2.456)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2cbac46-93e7-443d-9d28-5eff42b39502))
(fp_line (start 14.022 0.485) (end 13.872 0.354)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ec18001d-c393-4e0b-961a-1ec9aceb2261))
(fp_line (start 14.026 1.062) (end 14.214 1.071)
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f978848e-382f-4ac0-a198-a8e409bb806a))
(fp_line (start 14.042 0.416) (end 14.152 0.448))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5eaf9935-6ff7-44c6-a286-a66fbd31529b))
(fp_line (start 14.057 -0.413) (end 13.977 -0.356))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 86d39317-3bd9-4726-8c15-cdcc5f22a7fa))
(fp_line (start 14.064 -2.876) (end 14.12 -2.787))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 54cfb569-eabc-456d-97f3-e78cc8c6fc6a))
(fp_line (start 14.069 -2.984) (end 14.064 -2.876))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 591908ac-53a6-4842-b926-65b80f151fc8))
(fp_line (start 14.073 -2.326) (end 14.176 -2.277))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dfbe264f-c72b-42b2-b17f-eecca0fe672d))
(fp_line (start 14.076 -0.048) (end 14.213 -0.038))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9e38cc36-36a2-46ad-8901-bb4a1e94c906))
(fp_line (start 14.111 -3.049) (end 14.069 -2.984))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 74a93e12-f6d4-4b4c-ab27-0f9db5986d69))
(fp_line (start 14.12 -2.787) (end 14.211 -2.741))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7fbc6e1-cc6f-4149-a8ee-cfe71c28d7bc))
(fp_line (start 14.152 0.448) (end 14.283 0.467))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e6664ceb-e508-4dd4-a83d-e855c84e5b39))
(fp_line (start 14.156 -2.208) (end 14.006 -2.34))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp de19bea4-fe63-4e41-adc1-53ac4020f97b))
(fp_line (start 14.16 -1.632) (end 14.348 -1.622))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4a33700e-af46-4cbf-a000-0ce76f43c651))
(fp_line (start 14.176 -2.277) (end 14.286 -2.246))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9e7e7c98-5adb-4589-bcb2-403933e39b28))
(fp_line (start 14.18 0.622) (end 14.022 0.485))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 832fd3fd-2258-4649-b353-815cab1ee6f4))
(fp_line (start 14.182 -0.45) (end 14.057 -0.413))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4b30134a-089e-4514-ac4e-1081ce5650c1))
(fp_line (start 14.191 -3.106) (end 14.111 -3.049))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 81036a91-acfb-4fa0-96cf-0d53ea6a8125))
(fp_line (start 14.211 -2.741) (end 14.347 -2.731))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6e745bd4-14fe-41cf-85a2-b91eb4738bb4))
(fp_line (start 14.213 -0.038) (end 14.341 -0.07))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bd68c5c6-2355-49a0-9b50-1baff8da422a))

(fp_line (start 14.214 1.071) (end 14.408 1.081)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e5bc47a3-050e-4712-b93b-c3fff3f007bd))
(fp_line (start 14.283 0.467) (end 14.413 0.472)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a3b07560-0f36-4968-bcbf-fc2bde82f865))
(fp_line (start 14.286 -2.246) (end 14.417 -2.226)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c7129a28-b8e7-478c-b154-1d236e34d860))
(fp_line (start 14.314 -2.071) (end 14.156 -2.208)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6b191c30-a88d-468b-bb1a-2214eee8e826))
(fp_line (start 14.316 -3.143) (end 14.191 -3.106)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2f6a5c37-9d5c-4c12-99f6-c052fd3c183b))
(fp_line (start 14.333 -0.462) (end 14.182 -0.45)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9d690696-db2e-4ee6-bc0b-eebfc67a4274))
(fp_line (start 14.336 0.757) (end 14.18 0.622)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 68606301-e24a-4f82-8092-3b91f4eccead))
(fp_line (start 14.341 -0.07) (end 14.461 -0.166)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7dc3dfe4-5e88-494d-8ac8-7c7bcc9a3b7e))
(fp_line (start 14.347 -2.731) (end 14.475 -2.763)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1e84d2e5-2afc-4f04-8e59-a3bf42c99d6e))
(fp_line (start 14.348 -1.622) (end 14.542 -1.612)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2293de70-5d76-49c7-ad86-02bbef8858d6))
(fp_line (start 14.408 1.081) (end 14.58 1.091)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9a9b1ba-fc5d-4d46-8163-eb0319318476))
(fp_line (start 14.413 0.472) (end 14.548 0.459)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 01f7a4bb-db4f-40bf-a7ae-7ad4282a4cde))
(fp_line (start 14.417 -2.226) (end 14.547 -2.221)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 70cb5ab0-d97e-4818-b7df-8a73a634457a))
(fp_line (start 14.461 -0.166) (end 14.531 -0.293)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3ac6a585-36d4-4c90-9f67-207037c683ee))
(fp_line (start 14.467 -3.155) (end 14.316 -3.143)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c4759ba5-e852-4d06-bcdd-349d030487c3))
(fp_line (start 14.47 -1.937) (end 14.314 -2.071)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1d2cc0f2-563b-4970-9472-202458ed8461))
(fp_line (start 14.475 -2.763) (end 14.595 -2.859)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5ac5afd8-7dd4-4cc5-9fa8-22fa82f76b0a))
(fp_line (start 14.478 -0.452) (end 14.333 -0.462)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9e98b42-1c88-4ab6-9119-acfc80fc1ba4))
(fp_line (start 14.48 0.88) (end 14.336 0.757))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 37e2e56d-7cab-4522-8333-fae3ca43d454))
(fp_line (start 14.531 -0.293) (end 14.569 -0.431))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1babd4a1-08ef-4e17-9908-b8a34610d78f))
(fp_line (start 14.542 -1.612) (end 14.714 -1.602))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ab5e0cb6-d8eb-4ed1-b3ca-6fb7fac1db8f))
(fp_line (start 14.547 -2.221) (end 14.683 -2.234))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5e39ee3e-56e0-4b98-a36a-879e805bd66f))
(fp_line (start 14.548 0.459) (end 14.679 0.426))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a7c82aca-5259-428e-a0e8-69826d5227b9))
(fp_line (start 14.58 1.091) (end 14.703 1.098))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 878f035a-214e-4c3a-af6d-13dd84d60327))
(fp_line (start 14.595 -2.859) (end 14.665 -2.986))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5f198651-f338-4a32-bd16-6db230d33e26))
(fp_line (start 14.603 0.984) (end 14.48 0.88))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2e1307c2-c84c-42ae-b82d-7340deda219a))
(fp_line (start 14.612 -3.145) (end 14.467 -3.155))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f81231bc-cd04-4a7c-959e-a7bf3e98051c))
(fp_line (start 14.612 -0.421) (end 14.478 -0.452))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6df43a5f-0e1d-46ef-a7b1-fbadd9584159))
(fp_line (start 14.614 -1.813) (end 14.47 -1.937))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp db60d60-9e28-42ff-a9e6-792398dc22d7))
(fp_line (start 14.665 -2.986) (end 14.703 -3.125))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0b50d27d-55eb-4d3c-8b8c-7f0ced44cf77))
(fp_line (start 14.679 0.426) (end 14.797 0.369))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6745a144-1058-4063-9269-4553c14fb328))
(fp_line (start 14.683 -2.234) (end 14.813 -2.267))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 063f4ac2-e87e-46d1-8f0b-41596d2b79fc))
(fp_line (start 14.697 1.061) (end 14.603 0.984))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 72c6ec8e-e394-4fcd-881f-b24c59e95ece))
(fp_line (start 14.703 1.098) (end 14.75 1.101))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0e8bb7ce-a538-4b92-8c1d-89f141cc6cf0))
(fp_line (start 14.714 -1.602) (end 14.837 -1.595))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp cc2aa80f-d0a9-4c93-9859-2125003b92d1))

(fp_line (start 14.732 -0.369) (end 14.612 -0.421)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fa192eea-750f-4e96-8245-d47f39b96a95))
(fp_line (start 14.738 -1.709) (end 14.614 -1.813)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 7aa1df82-31a9-4ffd-9b26-e2e9ca859ee8))
(fp_line (start 14.746 -3.114) (end 14.612 -3.145)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e16b48e7-e933-495d-b2ed-41ed026c65a7))
(fp_line (start 14.75 1.101) (end 14.697 1.061)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a0416f5e-6cd2-445f-b049-008f12cf3378))
(fp_line (start 14.797 0.369) (end 14.891 0.287)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp fec2701f-2c2f-403c-b999-3fde456ca29b))
(fp_line (start 14.813 -2.267) (end 14.931 -2.324)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6835f660-b1ae-4aff-a458-f22b7aded4f5))
(fp_line (start 14.831 -1.632) (end 14.738 -1.709)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 3aa4a374-87c9-45c2-ba7e-0b604de01819))
(fp_line (start 14.832 -0.297) (end 14.732 -0.369)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b9602bef-9c47-4912-ae3f-08289dbdfef5))
(fp_line (start 14.837 -1.595) (end 14.884 -1.593)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 4f2f890d-4816-4dbf-ba7b-3d20ec67e84c))
(fp_line (start 14.866 -3.062) (end 14.746 -3.114)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp dd52529a-d75b-4264-ab18-a8ad8f3e8f29))
(fp_line (start 14.884 -1.593) (end 14.831 -1.632)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ba94c995-35d7-4851-9497-42ccf846a613))
(fp_line (start 14.891 0.287) (end 14.955 0.176)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 27a5bdd2-8391-409f-ac48-39370495d9ce))
(fp_line (start 14.909 -0.205) (end 14.832 -0.297)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 334d05fe-a7aa-46c3-ad9a-96aeff41708e))
(fp_line (start 14.931 -2.324) (end 15.026 -2.406)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d2d8d063-18ee-474a-ab25-62096d0e1da5))
(fp_line (start 14.955 0.176) (end 14.977 0.035)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9252f856-7706-4c98-b903-d9243980c114))
(fp_line (start 14.959 -0.094) (end 14.909 -0.205)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp aa37b4e2-8bbd-4202-afa1-8409653901bf))
(fp_line (start 14.966 -2.99) (end 14.866 -3.062)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 111a939f-87fb-4df0-b0c7-be0eb8f57f67))
(fp_line (start 14.977 0.035) (end 14.959 -0.094)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 598a78d8-0c64-48fc-8c0f-7c7bce83eaca))
(fp_line (start 15.026 -2.406) (end 15.089 -2.517))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 6f2cd79f-3f78-4485-96fb-72bc5772b596))
(fp_line (start 15.043 -2.898) (end 14.966 -2.99))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 368c1567-cd7b-4c16-a25b-76a180877342))
(fp_line (start 15.089 -2.517) (end 15.111 -2.659))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 9b031d5b-abd2-45b1-b2f3-ee72b5082f02))
(fp_line (start 15.093 -2.788) (end 15.043 -2.898))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b124765f-fc2c-45c0-82b0-df0e7b64019a))
(fp_line (start 15.111 -2.659) (end 15.093 -2.788))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f4ce8115-9f32-4087-acb3-a23fee6f5650))
(fp_line (start 15.841 -0.313) (end 15.864 -0.258))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 90801ac7-855c-4787-b6a3-7e91607fcd93))
(fp_line (start 15.864 -0.368) (end 15.841 -0.313))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ea655d7d-6bff-4050-b06c-7599e078e87d))
(fp_line (start 15.864 -0.258) (end 15.919 -0.236))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ded7a13d-95ad-40ff-8c08-08ec56fd4ec8))
(fp_line (start 15.916 0.622) (end 15.917 0.445))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 1a667518-1233-4bcf-b929-ff10f4c44bb2))
(fp_line (start 15.916 0.808) (end 15.916 0.622))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5c90b523-2646-4ba1-96a2-dbe001ba2d9b))
(fp_line (start 15.917 0.289) (end 15.918 0.163))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 458dbdca-ebf5-4e4a-8a73-327afcb6ea03))
(fp_line (start 15.917 0.445) (end 15.917 0.289))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 716f4c9b-1db2-4c62-bdd2-f3c7c9a29729))
(fp_line (start 15.917 0.993) (end 15.916 0.808))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 622ecbbb-e171-40ed-8437-2cc1d99399c5))
(fp_line (start 15.918 0.08) (end 15.919 0.05))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 27eabf97-8a90-4cd7-b1c1-578a5fc98096))
(fp_line (start 15.918 0.163) (end 15.918 0.08))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 49be04e3-daf1-4931-8ed6-66ac12578aa6))
(fp_line (start 15.919 -0.39) (end 15.864 -0.368))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp bf8d3472-30a5-4464-b8c0-bb5170049632))
(fp_line (start 15.919 -0.236) (end 15.974 -0.258))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a9a17b53-321c-4036-b2a9-67d0727ef63a))

(fp_line (start 15.919 1.165) (end 15.917 0.993)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2d32a152-7a3a-413f-b25a-c795ec13372b))
(fp_line (start 15.968 -3.006) (end 15.991 -2.951)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 873ff18d-87d5-4a9a-9028-3852568c30d2))
(fp_line (start 15.974 -0.368) (end 15.919 -0.39)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 93601ed0-df89-46d8-8f2e-cd64ea6a13ae))
(fp_line (start 15.974 -0.258) (end 15.996 -0.313)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 0305f1c0-5da0-4eae-b5b3-36c3b48bb44f))
(fp_line (start 15.991 -3.061) (end 15.968 -3.006)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 10fbd94a-de0f-40e7-8c6d-4f7a48e99fcf))
(fp_line (start 15.991 -2.951) (end 16.046 -2.929)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 486388b6-d30c-496f-8fc2-d1c11c67151a))
(fp_line (start 15.996 -0.313) (end 15.974 -0.368)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 691898e6-71cc-491c-b5fe-9955deaf9923))
(fp_line (start 16.043 -2.071) (end 16.044 -2.248)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 59a8cb9c-75f6-4a5b-9e3a-35008afb7fd2))
(fp_line (start 16.044 -2.404) (end 16.045 -2.53)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp a4ca253b-700f-4159-982b-ba126cf30328))
(fp_line (start 16.044 -2.248) (end 16.044 -2.404)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 935e5966-c92a-49a8-8963-be6aa9212833))
(fp_line (start 16.044 -1.885) (end 16.043 -2.071)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 62fdb2b5-701d-4645-b7cb-7bed5cb4c953))
(fp_line (start 16.044 -1.7) (end 16.044 -1.885)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp c1e0338c-4cf9-4981-9f45-d73415c85413))
(fp_line (start 16.045 -2.53) (end 16.046 -2.613)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 93622df2-808b-41db-8a56-e139983ec2d3))
(fp_line (start 16.046 -3.084) (end 15.991 -3.061)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e407f1c7-be59-4722-9397-2a7a44372b43))
(fp_line (start 16.046 -2.929) (end 16.101 -2.951)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 72a21e97-ddc2-448a-b163-4cacbe5fd2ab))
(fp_line (start 16.046 -2.613) (end 16.046 -2.643)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp b3d1fa8e-7443-4b41-b71b-3800ba9006da))
(fp_line (start 16.046 -1.528) (end 16.044 -1.7)
 (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp ad628d31-c042-44c2-ba7d-1c76c8eaced8))
(fp_line (start 16.101 -3.061) (end 16.046 -3.084)

```

        (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 34019cd3-37a8-414d-a0c2-3daf2991af95))
(fp_line (start 16.101 -2.951) (end 16.123 -3.006)

        (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp a48b8494-a60f-4b3f-8329-ccf8480ebdae))
(fp_line (start 16.123 -3.006) (end 16.101 -3.061)

        (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 5c4c0b94-de23-4255-b980-ffa6f8a7cc1c))
(fp_line (start 16.686 -3.272) (end 17.296 -3.272)

        (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 20158583-d5e8-414b-bd5c-ea2285c0ecf7))
(fp_line (start 17.296 -3.272) (end 17.296 -1.899)
(stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 8de6dd61-095e-4c81-a57f-2c766629f7b2))

(fp_poly
  (pts
    (xy -3.661 2.871)
    (xy -2.874 1.598)
    (xy -2.841 2.045)
    (xy -3.689 3.503)
    (xy -3.661 2.871)
  )

  (stroke (width 0) (type solid)) (fill solid) (layer "B.SilkS") (tstamp 18b05395-225b-4c7a-bfba-3f05)

  (fp_poly
    (pts
      (xy -14.615 1.266)
      (xy -13.862 0.621)
      (xy -13.81 0.305)
      (xy -13.851 0.34)
      (xy -13.958 0.431)
      (xy -14.104 0.556)
      (xy -14.263 0.692)
      (xy -14.41 0.817)
      (xy -14.519 0.911)
      (xy -14.564 0.949)
      (xy -14.615 1.266)
    )
  )

  (stroke (width 0.159) (type solid)) (fill solid) (layer "B.SilkS") (tstamp e1cbe360-7b94-4d7e-99c9-

```

```

(fp_poly
  (pts
    (xy -3.881 0.701)
    (xy -3.841 0.736)
    (xy -3.757 0.819)
    (xy -3.64 0.938)
    (xy -3.503 1.081)
    (xy -3.356 1.235)
    (xy -3.21 1.389)
    (xy -3.077 1.529)
    (xy -2.968 1.644)
    (xy -2.894 1.723)
    (xy -2.867 1.751)
    (xy -2.967 1.294)
    (xy -4.012 0.198)
    (xy -3.881 0.701)
  )

  (stroke (width 0.159) (type solid)) (fill solid) (layer "B.SilkS") (tstamp e08fc5c2-f03d-4b4c-980c-7
(fp_poly
  (pts
    (xy -2.934 3.699)
    (xy -3.688 2.21)
    (xy -3.692 1.66)
    (xy -3.611 1.802)
    (xy -3.533 1.939)
    (xy -3.457 2.073)
    (xy -3.384 2.205)
    (xy -3.313 2.334)
    (xy -3.244 2.463)
    (xy -3.176 2.591)
    (xy -3.11 2.719)
    (xy -3.046 2.848)
    (xy -2.983 2.979)
    (xy -2.921 3.112)

```

```
(xy -2.859 3.249)
(xy -2.934 3.699)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.SilkS") (tstamp ca2c08c5-50d7-4c06-a673-2e9b
(fp_poly
```

```
(pts
(xy -6.42 0.77)
(xy -6.33 0.73)
(xy -6.25 0.65)
(xy -6.2 0.53)
(xy -6.18 0.37)
(xy -6.2 0.21)
(xy -6.26 0.1)
(xy -6.34 0.03)
(xy -6.47 0)
(xy -6.55 0)
(xy -6.64 0.03)
(xy -6.75 0.1)
(xy -6.82 0.19)
(xy -6.86 0.29)
(xy -6.87 0.37)
(xy -6.87 0.44)
(xy -6.85 0.57)
(xy -6.8 0.67)
(xy -6.74 0.74)
(xy -6.7 0.76)
(xy -6.64 0.78)
(xy -6.57 0.79)
(xy -6.49 0.79)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.SilkS") (tstamp 2c8125f9-6d00-474f-ad47-45f1
(fp_poly
(pts
```

```
(xy -14.681 2.464)
(xy -14.645 2.496)
(xy -14.568 2.579)
(xy -14.462 2.698)
(xy -14.338 2.84)
(xy -14.21 2.991)
(xy -14.09 3.138)
(xy -13.989 3.267)
(xy -13.92 3.365)
(xy -13.924 3.128)
(xy -13.928 2.974)
(xy -13.931 2.89)
(xy -13.933 2.864)
(xy -14.035 2.77)
(xy -14.15 2.653)
(xy -14.27 2.521)
(xy -14.389 2.385)
(xy -14.498 2.254)
(xy -14.59 2.139)
(xy -14.658 2.049)
(xy -14.693 1.992)
(xy -14.69 2.26)
(xy -14.684 2.414)
(xy -14.681 2.464)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.SilkS") (tstamp fb13c05a-dc46-4cc4-a519-ceac
(fp_poly
(pts
(xy -14.549 3.36)
(xy -14.464 3.189)
(xy -14.379 3.003)
(xy -14.298 2.809)
(xy -14.222 2.617)
(xy -14.153 2.432)
```

```
(xy -14.092 2.264)
(xy -14.041 2.12)
(xy -14.003 2.007)
(xy -13.978 1.934)
(xy -13.97 1.908)
(xy -13.961 1.343)
(xy -14.01 1.466)
(xy -14.073 1.621)
(xy -14.146 1.799)
(xy -14.226 1.991)
(xy -14.308 2.188)
(xy -14.388 2.38)
(xy -14.463 2.557)
(xy -14.528 2.711)
(xy -14.579 2.833)
(xy -14.613 2.913)
(xy -14.625 2.942)
(xy -14.549 3.36)
)
```

```
(stroke (width 0) (type solid)) (fill solid) (layer "B.Silks") (tstamp aa02769a-167d-426e-b019-89ee
(fp_poly
(pts
(xy -10.78 0.69)
(xy -10.68 0.6)
(xy -10.61 0.47)
(xy -10.6 0.41)
(xy -10.59 0.32)
(xy -10.62 0.17)
(xy -10.65 0.1)
(xy -10.7 0.03)
(xy -10.77 -0.03)
(xy -10.85 -0.08)
(xy -10.96 -0.1)
(xy -11.1 -0.06)
```



```

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 4f5107b8-5cb7-45af-bdf8-aff083a09f04)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 3eacc62d-afdb-4e1c-9c33-6a43fb789773)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7ade4133-9516-4dd8-86e7-de6a77de2aab))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bd7cf591-8179-474c-8c03-a201e559125b))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 78e8b41d-8cd5-4ad0-a828-1684d1337d9b))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4b4a804b-5dbc-47f7-9d07-763a1401709f))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a74072ba-d198-48b2-b2f5-c60a4bd92f10))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4680df3c-9c54-40c9-8ce1-61d44cf55a06))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp eef08b2d-a397-4670-a6fc-a5fcdcd96dcac))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 17d1dc4a-3075-463f-bddd-5c40a2c24385))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 52a300ca-20d0-4f76-8a0d-e8a7c8bb71ff))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp c4341b23-d13c-4274-91dc-579a2d4cf76b))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
    (footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005c0ce4d5)
    )

```

```
(at 99.15 88.15 -90)
(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/000000000-0000-0000-0000-00005c7b59b0/000000000-0000-0000-0000-00005c9e337e/000000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "C43" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 9db89cf4-4b5e-417c-9aaa-4e76e39fc9fb)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 89754c28-41bd-445a-9198-f7c66cd56576)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp ab334223-bdc3-4187-8e71-e22a48b1bef5)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2fa130f4-c68c-4a48-a37c-1d35a2d235c4))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1278b12c-3eb3-4b86-87c6-b8471be0997c))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e9369968-df92-42f3-b578-e7cf69199ef0))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9c626d62-0669-4055-91e9-0adb3fc3caf4))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d088eab6-1e35-49bf-b849-211918a933f9))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
```

```
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b39f6df-6cb2-4949-bc32-be5b7a17949d))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 589255ea-79c4-4450-bf77-77bd150cf59e))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)

(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ff058c5-b7bc-4844-89e9-c8d91e990306))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec

(net 2 "+3V3") (pintype "passive") (tstamp b3b81225-9b87-439f-96f7-e43dd650cf4e))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrec

(net 3 "GND") (pintype "passive") (tstamp 54e42a46-5c1b-4e09-8af3-975f27a0ab95))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

 footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

(tstamp 00000000-0000-0000-0000-00005c0ce554)

(at 99.15 90.95 -90)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-

(attr smd)

(fp_text reference "C47" (at 0 0 -90) (layer "B.Silks") hide

(effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

(tstamp ef28cf74-bae2-4c37-a171-ac40222fd319)

)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab"))
```

```

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 919767b9-7a69-4de3-a8d4-c3d7baf2521d)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
        (tstamp 14e495b1-c848-4f0c-a368-f9c91412d6ae)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ff77ba9a-7734-4d6c-8aa9-37f7ba55740b))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0f9c1614-5ecc-4421-8391-7ffebd0bddae))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 19f1428f-c551-4b91-800c-2072196c3cca))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 17de2d02-0eec-4378-b7fb-5f0af03f8049))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a1d6b85b-2912-46ea-9540-8a31a6a27978))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4cc1a617-23c8-4547-a2a4-a05e18568f11))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6f5bc678-f46c-4be6-a5fe-daea86e18874))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b861188e-65fe-4749-918e-e2fe1728a23d))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 2 "+3V3") (pintype "passive") (tstamp 32306efa-daf8-4530-9a8a-150156c06177))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 749ac16f-3871-4336-8d2b-ef999d1acccc))
    (model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
    )
    (footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005c0ce60b)
    )

```

```

(at 97.05 93.75 -90)

(descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
(tags "capacitor")

(property "1b2-bom-key" "cap-cer-0402-100n")

(property "MPN" "TMK105BJ104KV-F")

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "C41" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05))(justify mirror))
  (tstamp c4355118-c70f-446e-8e46-40de533e9a5e)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 2c54afe6-7ef0-49c1-b132-329d0b90c1c2)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp e61f7da3-45b1-4e11-bf0b-0d9c29560e76)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 320494a5-c26c-452f-abc4-ae66d400736c))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0fe234f4-a08a-4e62-b00a-cf55368d0fb4))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0dbbe3f4-dfcf-4977-973e-afc89bc740f5))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cf7cf40f-94f2-40fd-88cd-53a7c5ceef57))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d5a6021c-4511-4614-b616-b87459e9b4b8))

(fp_line (start -0.5 0.25) (end 0.5 0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp aab7ba48-c6cf-49cc-85ff-241bdd33bfae))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b1587efe-7dab-470e-ac1d-8694409c6053))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c1e08292-b6ec-481a-a8ac-4485378e72b7))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp c54f4ae3-da5c-4e41-8143-cc9d0fad146d))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp cca46b56-8a47-4dcf-95c2-59cbcd392dba))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

 footprint "Fiducial:Fiducial_0.75mm_Mask1.5mm" locked (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005c160e8a)
    (at 122 118.5)
    (descr "Circular Fiducial, 0.75mm bare copper, 1.5mm soldermask opening (Level B)")
    (tags "fiducial")
    (attr smd board_only exclude_from_bom)
    (fp_text reference "FID6" (at 0 2) (layer "B.Silks") hide
        (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
        (tstamp 5f4f3553-420f-4142-b773-4a76d8af471d)
    )
    (fp_text value "Fiducial_0.75mm_Mask1.5mm" (at 0 -2) (layer "B.Fab") hide
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp b2273114-2125-475b-b34c-c839bf1e60a8)
    )
    (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
        (effects (font (size 0.3 0.3) (thickness 0.05)) (justify mirror))
        (tstamp 4579fa8a-f36d-4d31-8c1f-94406c4e2963)
    )
    (fp_circle (center 0 0) (end 1 0)

```

```

        (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp d37e6b0a-45bc-437c-b1ab-d70
(fp_circle (center 0 0) (end 0.75 0)

        (stroke (width 0.1) (type solid)) (fill none) (layer "B.Fab") (tstamp 33f8dc0b-1aff-49a3-988a-ac321
(pad "" smd circle locked (at 0 0) (size 0.75 0.75) (layers "B.Cu" "B.Mask")

        (solder_mask_margin 0.375) (clearance 0.375) (tstamp eb8cbe3d-075a-4b15-89c0-03990a55f917))
    )

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005c9f31b9)

    (at 85.9 100)

    (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0603-4u7")

    (property "MPN" "LMK107BJ475KAHT")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005b0dccfb")

    (attr smd)

    (fp_text reference "C19" (at 0 0) (layer "B.Silks") hide

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp a1e76925-e2f5-43b6-a2e9-79cb83e359ea)
    )

    (fp_text value "4u7" (at 1.2 0 90) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp ad171cbc-b179-4e67-bb66-7db30ad7bd0e)
    )

    (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp 693d6378-57eb-4b04-ada6-0e98beb220f9)
    )

    (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)

        (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 628fba77-faaf-4415-89ef-b566a828c3fd))

```



```

(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp adddbe2c-acdf-42f0-b208-0bd1191a918f))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 418fcf70-223f-4524-9aea-baccac923772))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bc6d43ef-cc42-4819-9309-75a3828d047e))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b05efd77-eab9-4391-8a28-6fe9d1cd1c75))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 81db25ce-ebe9-4244-b783-6c4e36aa6469))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4ab19e69-4225-4921-b4e6-178d56adee07))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d0c3dc47-cd1e-4adb-91e4-54698ce54f31))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 45d7653a-ae88-482f-9d8a-c77739b6e571))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b65d6f1f-4821-4927-972d-7f2a67666633))
(pad "1" smd roundrect (at -0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 2 "+3V3") (pintype "passive") (tstamp 3a570800-fd8c-4338-9263-2e8774a51a75))
(pad "2" smd roundrect (at 0.7875 0) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_
  (net 3 "GND") (pintype "passive") (tstamp c01a2dba-1c35-42dc-980e-55ec97b1997d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005ca39c02)

  (at 88.3 111)

  (descr "SMD pad as test Point, diameter 1.0mm")

  (tags "test point SMD pad")

  (property "Sheetfile" "glasgow.kicad_sch")

```

```

(property "Sheetname" "")
(property "exclude_from_bom" "")
(property "ki_description" "test point")
(property "ki_keywords" "test point tp")
(path "/00000000-0000-0000-0000-00005ca9d135")
(attr exclude_from_pos_files exclude_from_bom)
(fp_text reference "TP12" (at 0 1.448) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 68292002-7a0e-47fa-b16b-001ae00de115)
)
(fp_text value "GND" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 56f4f0fe-d090-4636-b6cb-520e67d89e99)
)
(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp efb06754-c440-4525-9635-1fee2f88fbf6)
)
(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp e4aa9176-f06f-4064-9aba-ed
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 93e433c1-745b-4966-809a-71
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 3 "GND") (pinfunction "1") (pintype "passive") (tstamp 3986ea8e-9844-485d-a3b2-15d3dd0f1aa6))
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca39c0a)
  (at 88.3 113.5)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")

```

```

(property "ki_keywords" "test point tp")

(path "/00000000-0000-0000-0000-00005ca9ce28")

(attr exclude_from_pos_files exclude_from_bom)

(fp_text reference "TP11" (at 0 1.448) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 32a0e56f-8bc1-4a32-bfca-86a22f544605)
)

(fp_text value "SCL" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 17f90a9f-883c-460e-bf97-d86333e67bed)
)

(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp d2989bff-6951-4308-8a9f-83688b4cc609)
)

(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 13489bbb-9a6f-4b9e-917e-78)
)

(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 1087f278-6baa-44b8-aa18-e0)
)

(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
(net 4 "SCL") (pinfunction "1") (pintype "passive") (tstamp 50a36df5-06d2-4395-868f-f99cc0fa984a))
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca39c12)
  (at 88.3 116)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9cd70")
  (attr exclude_from_pos_files exclude_from_bom)
)

```

```

(fp_text reference "TP10" (at 0 1.448) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 5e6b4d50-cd8d-4e0d-9039-23cc4c831152)
)
(fp_text value "SDA" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp c916d965-740d-44bf-bc68-7df7762e8071)
)
(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 85307057-1e26-4052-af8e-ec53cb826ded)
)
(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 903cccd3-5d93-4a94-9762-2f
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp fedb17be-eaf7-4582-9e63-2e
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 1 "/SDA") (pinfunction "1") (pintype "passive") (tstamp 8a081b48-7de5-4f7d-9b6d-b25ef667799e))
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca39c22)
  (at 81.5 116)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9b5fe")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP8" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp d6a0bec7-cab1-47e4-b244-c28515dded68)
  )

```

```

)
(fp_text value "5V" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp e215fcdcf-ddd3-4d67-8a4b-f7bddf5438c7)
)
(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 482722c6-aa5f-491f-81fc-ce5b080ccf10)
)
(fp_circle (center 0 0) (end 0 -0.7)
(stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 7cc5a340-c38a-4618-8eef-2412d93b
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp dfebca87-b5e2-4b66-9e13-fa
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
  (net 5 "+5V") (pinfunction "1") (pintype "passive") (tstamp 74529d55-107c-41cb-8006-ee2a2a7eb123))
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ca403c9)
  (at 81.5 111)
  (descr "SMD pad as test Point, diameter 1.0mm")
  (tags "test point SMD pad")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "exclude_from_bom" "")
  (property "ki_description" "test point")
  (property "ki_keywords" "test point tp")
  (path "/00000000-0000-0000-0000-00005ca9ccba")
  (attr exclude_from_pos_files exclude_from_bom)
  (fp_text reference "TP9" (at 0 1.448) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp b1df1883-8f59-4b8f-bfe8-7ff1e461cdae)
  )
  (fp_text value "3V3" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

```

```

        (tstamp efccbfcf-7fcf-4e10-9c56-90303fbc8f31)
    )
    (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
        (tstamp 9b708eac-0962-4ce5-872f-a688a4574bd0)
    )
    (fp_circle (center 0 0) (end 0 -0.7)
        (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 2d1c9beb-9765-486f-84d8-d3b)
    )
    (fp_circle (center 0 0) (end 1 0)
        (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 087d764d-fc14-493d-ba3a-33b)
    )
    (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
        (net 2 "+3V3") (pinfunction "1") (pintype "passive") (tstamp 2fa512a3-826f-44aa-b9b0-0f3a999fb906))
    )

    (footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005cacecf5)
        (at 55.5 94.25)
        (descr "SMD pad as test Point, diameter 1.0mm")
        (tags "test point SMD pad")
        (property "Sheetfile" "glasgow.kicad_sch")
        (property "Sheetname" "")
        (property "exclude_from_bom" "")
        (property "ki_description" "test point")
        (property "ki_keywords" "test point tp")
        (path "/00000000-0000-0000-0000-00005caf0599")
        (attr exclude_from_pos_files exclude_from_bom)
        (fp_text reference "TP13" (at 0 1.448) (layer "B.Silks") hide
            (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
            (tstamp 8e0bb9b2-91b4-454e-928a-61e22bd86523)
        )
        (fp_text value "VBUS" (at 0 0) (layer "B.Fab")
            (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
            (tstamp cc185762-4dc0-4829-adc6-26f54b28d4ed)
        )
        (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide

```

```

(effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp b8f6b73d-6be7-49cd-b3cc-8dfe8171e5b7)
)
(fp_circle (center 0 0) (end 0 -0.7)
    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp c0cd2bf1-8f92-40f7-8ca2-97
(fp_circle (center 0 0) (end 1 0)
    (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 475b3708-d816-4785-909f-0d
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
    (net 187 "/xVBUS") (pinfunction "1") (pintype "passive") (tstamp d5bbf164-05d5-452c-b7b1-7d133dbd08
)

```

```

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005cad0bb5)
    (at 57.9 96.8)
    (descr "SMD pad as test Point, diameter 1.0mm")
    (tags "test point SMD pad")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "exclude_from_bom" "")
    (property "ki_description" "test point")
    (property "ki_keywords" "test point tp")
    (path "/00000000-0000-0000-0000-00005caf1844")
    (attr exclude_from_pos_files exclude_from_bom)
    (fp_text reference "TP14" (at 0 1.448) (layer "B.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
        (tstamp 8afdbe49-a8d5-4b5e-8da0-c1e756752cde)
    )
    (fp_text value "USBGND" (at 0 0) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 8932486d-ff66-4e5f-90e4-f89afb7ace76)
    )
    (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
        (tstamp 93a3b888-0ec0-4e04-afb5-45964964bede)
    )
)

```

```

(fp_circle (center 0 0) (end 0 -0.7)

  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp c1aac444-bba5-400e-b0e1-ce2)

(fp_circle (center 0 0) (end 1 0)

  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 526b3d25-23a0-4c04-afc1-62)

(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")

  (net 3 "GND") (pinfunction "1") (pintype "passive") (tstamp 04fafd72-06b7-49a5-a16e-63624719832f))

)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005cad756a)

  (at 57.9 94.7)

  (descr "SMD pad as test Point, diameter 1.0mm")

  (tags "test point SMD pad")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "exclude_from_bom" "")

  (property "ki_description" "test point")

  (property "ki_keywords" "test point tp")

  (path "/00000000-0000-0000-0000-00005caee18c")

  (attr exclude_from_pos_files exclude_from_bom)

  (fp_text reference "TP16" (at 0 1.448) (layer "B.Silks") hide

    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

    (tstamp 0b5d478f-1629-4a6a-83ba-83f67304de78)

  )

  (fp_text value "USBDM" (at 0 0) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp 1c0a7c84-1d69-478d-9d4a-d41b79941271)

  )

  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide

    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

    (tstamp cd6e6d2c-d5a3-4b5a-87c6-e75b6acb60ec)

  )

  (fp_circle (center 0 0) (end 0 -0.7)

    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 0b890482-9707-4076-94cd-7c)

  (fp_circle (center 0 0) (end 1 0)

```



```

        (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 9b730479-0058-438f-bf0c-ed
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")

        (net 11 "/USB_N") (pinfunction "1") (pintype "passive") (tstamp 24d7f07b-941a-4f80-83ef-8faa42babad
)

(footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005cad75c3)

    (at 55.5 96.3)

    (descr "SMD pad as test Point, diameter 1.0mm")

    (tags "test point SMD pad")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "exclude_from_bom" "")

    (property "ki_description" "test point")

    (property "ki_keywords" "test point tp")

    (path "/00000000-0000-0000-0000-00005caede5c")

    (attr exclude_from_pos_files exclude_from_bom)

    (fp_text reference "TP15" (at 0 1.448) (layer "B.Silks") hide

        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

        (tstamp 73a81a2f-445f-4755-925a-dddad1535683)

    )

    (fp_text value "USBDP" (at 0 0) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp c942ab8e-45cf-4268-984b-62bd3383e8f6)

    )

    (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide

        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

        (tstamp 4d2ba614-5ed4-45ad-9ba5-947ed6a2e312)

    )

    (fp_circle (center 0 0) (end 0 -0.7)

        (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 131e5703-a0f5-4d4b-8017-78

    (fp_circle (center 0 0) (end 1 0)

        (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp b646281c-63b6-4b52-bc47-fb

    (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
        (net 8 "/USB_P") (pinfunction "1") (pintype "passive") (tstamp cce97440-4e1d-4f60-a3e8-497eb06b3110

```

```

)

 footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb0d6d5)
  (at 88.4 95.5 90)
  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0603-4u7")
  (property "MPN" "LMK107BJ475KAHT")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" "")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005bda8a1e")
(attr smd)

  (fp_text reference "C80" (at 0 0 270) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 74cf3280-5199-494d-81c7-02e340c003a0)
  )

  (fp_text value "4u7" (at 1.15 0 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 1ff8c662-9dc8-4542-b356-7d4b629c71b2)
  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 781a48fe-2b2d-4973-94c1-4ca9911c35b6)
  )

  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp f45e9c90-34ec-4c81-964d-5aecce827686))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp f2b48037-244f-43ee-91b1-b57268a8b333))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f48c7334-e639-454e-8759-081f908bad81))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 67e65e5c-72f8-4463-ab32-589af62daecc))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9158b9de-5a99-4682-995d-f8d4dfd7d6ca))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 93b8f356-a352-4d2d-8331-2c286c4b564a))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c85ae5f7-71ba-47e5-aca1-84cb489d076b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b784ef9-ccca-4724-b2ac-6cf504ccf10b))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 000bcd9e-4632-46c8-9eae-de8b4589b07e))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp d711ed81-e4cb-4cab-b042-8c03266eb63b))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 48 "/VCCPLL1") (pintype "passive") (tstamp 0ed5ae89-f371-4ac8-8139-1b0c1dacb96d))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 50 "/GNDPLL1") (pintype "passive") (tstamp 9eec7b16-69cf-422e-a6d7-c8c0c4ff91aa))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0603_1608Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005cb23fcf)
    (at 89.8 99.25 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_banks.kicad_sch")
    (property "Sheetname" "IO_Banks")
    (property "ki_description" "Unpolarized capacitor")

```

```

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005ccc4d9e")

(attr smd)

(fp_text reference "C85" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
(timestamp f90dcc78-38c4-4b99-9d33-e4c2b51d4c89)
)

(fp_text value "u1" (at 0 0.75 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(timestamp 7d833056-aef7-4471-a9e3-bf109477ad21)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
(timestamp 9ad0c5ca-d384-48c0-9090-bdf7531d5461)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 84d05ca2-8939-40a8-9ab3-48f35c8cde20))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp ea8466c6-f7cb-4d8f-a065-51055baf5271))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp 1110c06c-e35c-4839-8c47-613c4f9a4b6e))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (timestamp ac9df7da-68bc-4081-9b61-1cec46b059bb))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp 82096b40-0c59-4478-ab8c-1b28150a04cb))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp a18725b3-4ac6-4247-b47f-b3dd03112b51))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp e7d26f62-513b-46a5-832c-db9055c67d86))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (timestamp e483977a-7831-4db9-8db4-02d9f4b09872))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (timestamp dcc7ae74-72ef-4adb-b391-1a61b4b278e7))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (timestamp d4d488cb-52a6-44a6-b6f5-7eb157a46e32))

```

```

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005cb276a6)

  (at 85.7 94.8 90)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005b0dcf1b")

  (attr smd)

  (fp_text reference "C21" (at 0 0 90) (layer "B.Silks") hide

    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))

    (tstamp c19b94ae-d2ef-43af-9dd9-946f1ba2875b)

  )

  (fp_text value "u1" (at -1.05 0 90) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp 1e17cb35-e2c1-4b7a-8c46-1f87fb2f2626)

  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

    (tstamp 47fc4dda-1968-44f2-93ea-f645bee7fba6)

  )

  (fp_line (start -0.93 -0.47) (end -0.93 0.47)

    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 452f528e-f07e-4c34-b4cd-9d7836940aa5))

```

```

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2c9fa51b-01a3-48dd-b408-10fb46b725ea))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bd27a4b8-b5c9-4e06-ab89-0b06b0c9a9fa))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 57b1b2fb-5ef8-414c-b284-a55bf046a6b))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1824af28-bd51-4504-abb4-931317f26436))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f4c6a9e8-5dea-4e81-b0ee-5aecd8bf891b))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 924e36c5-007b-4550-8e2b-64d9a33e7adc))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 336560e4-e5e1-42c1-904f-898125f543ef))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 2 "+3V3") (pintype "passive") (tstamp b01bca50-c68b-4998-9f9d-c7295349e6ad))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 337f7cee-1328-4692-9121-3266513c15b8))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cb314ce)
  (at 87.2 95.5 90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "glasgow.kicad_sch")
  (property "Sheetname" ""))

```

```

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005bda8948")

(attr smd)

(fp_text reference "C79" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 5a05ce9e-8a6c-4e18-ad7a-43a9afe2a57c)
)

(fp_text value "u1" (at 1.3 0 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp d65e89fb-ec52-4875-94b5-1e752586c7ab)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 765c8a5f-1d98-438c-843d-b728b9b7d3b4)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9c21d1da-1776-48ff-948c-f2cddb741d63))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 08e647a4-55c0-41fb-92bd-23952f7e7cba))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a167cf8e-2d53-4165-b3fc-74e17379a8cd))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d16cb052-8929-4c50-ac3b-12106b1a0fa4))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4b170bc1-e4d7-4e99-9431-839781b86fa1))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 238d878a-0e95-48d3-9b0a-44bfff4df0614))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ad9cf2b-9517-44c6-b373-36376855d579))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2b5b4214-2b35-430a-885f-d45fbc07a742))

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 48 "/VCCPLL1") (pintype "passive") (tstamp 0254f046-8b4e-4720-89dd-cf1aacb8c111))

(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

```

```

    (net 50 "/GNDPLL1") (pintype "passive") (tstamp b6a72d04-9e03-475e-bfec-6d19707f2970))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(fp_footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005cb34414)

  (at 70.65 111.2)

  (descr "SMD pad as test Point, diameter 1.0mm")

  (tags "test point SMD pad")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "exclude_from_bom" "")

  (property "ki_description" "test point")

  (property "ki_keywords" "test point tp")

  (path "/00000000-0000-0000-0000-00005cc2abf8")

  (attr exclude_from_pos_files exclude_from_bom)

  (fp_text reference "TP17" (at 0 1.448) (layer "B.Silks") hide

    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

    (tstamp 33d3951c-8333-4318-9dfe-bb2fdd436982)

  )

  (fp_text value "1V2" (at 0 0) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp 93c5b5ad-5c31-4c4b-886b-0b2de818cfe2)

  )

  (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide

    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

    (tstamp 8d50dd16-4a43-4a22-b3ba-a3d4fe003272)

  )

  (fp_circle (center 0 0) (end 0 -0.7)

    (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp 52700e36-09e2-428d-84f2-d0)

    (fp_circle (center 0 0) (end 1 0)

```



```
(stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp a28b998a-68b0-40af-abb3-27)

(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask"))

(net 29 "+1V2") (pinfunction "1") (pintype "passive") (tstamp 38278230-9cde-49e9-887f-ac7fd4e64a99)

)

(footprint "Resistor_SMD:R_0603_1608Metric" (layer "B.Cu")

(tstamp 00000000-0000-0000-0000-00005cc279d9)

(at 124.05 103.4 -90)

(descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

(tags "resistor")

(property "1b2-bom-key" "res-0603-0r15")

(property "MPN" "KDV06FR150ET")

(property "Mfg" "Ohmite")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr smd)

(fp_text reference "R48" (at 0 0 90) (layer "B.Silks") hide

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp e2dd7cb0-2468-486a-9027-29838dfc28cb)

)

(fp_text value "0R15" (at 0 0.8 90) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp 87ab8ed9-bbf1-463a-bb22-88dc7e8656cf)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp 1afaff80-aa62-4709-9759-5f51da73d5ee)

)

(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)

(stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 0ba43476-4d59-44a7-a2cf-0ad9909c8d23))

(fp_line (start -0.162779 0.51) (end 0.162779 0.51)

(stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp b72763de-4869-4d8c-bbc2-c7635e6115ed))
```

```

(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 44141088-2c4c-434b-b46c-7cd9dcbe642f))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 466aad4d-f2d6-4244-ab91-5f76206e3745))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 91910fffb-1f6d-494a-b6c0-2c553d551d4e))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e1277b2a-2402-461a-a1c6-b4996aa01720))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9085e53e-3a27-4261-992a-63d95a709ea8))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4b5dfbad-a06c-46c8-b74d-54914d4d99e9))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6c3eebaa-e8a5-4651-8395-b4b645008aae))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 307a2e75-3d70-482b-8884-13e99d5f57d6))
(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp 9fe5c991-a4bb-46ca-b81d-72a45f5f5f5f))
(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 107 "/IO_Banks/VIOB") (pintype "passive") (tstamp 212aa087-f922-4c93-bf39-0e34e7e54b8a))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0603_1608Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005cccabd4)
  (at 122.55 87.6 90)
  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
  (property "1b2-bom-key" "res-0603-0r15")
  (property "MPN" "KDV06FR150ET")
  (property "Mfg" "Ohmite")

```

```
(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "R49" (at 0 0 90) (layer "B.Silks") hide

  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

  (tstamp 7f814a7a-7fe0-43b0-8352-5efa9b20a4eb)

)

(fp_text value "0R15" (at 0 0.85 270) (layer "B.Fab")

  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

  (tstamp 061fae2e-ea8f-4611-bc7f-e9234dce56f7)

)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

  (tstamp d53659ba-db44-4e5c-9272-84689a802824)

)

(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)

  (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp fc05b44d-c80e-4ebb-8546-1dc4169a0a71))

(fp_line (start -0.162779 0.51) (end 0.162779 0.51)

  (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 4908f496-99ec-4448-b5c7-a9194d4ffc40))

(fp_line (start -1.48 -0.73) (end -1.48 0.73)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp afa83f24-3b11-4acb-8337-df65eca84206))

(fp_line (start -1.48 0.73) (end 1.48 0.73)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 966210e2-a1c5-4731-b05a-cb1e01226b14))

(fp_line (start 1.48 -0.73) (end -1.48 -0.73)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d0c81c13-cac8-4dfa-9ae8-45b4eaaa560b))

(fp_line (start 1.48 0.73) (end 1.48 -0.73)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bd71ea8e-b7d0-4ae0-a5c3-3d3284181db3))

(fp_line (start -0.8 -0.4) (end -0.8 0.4)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b02ae2de-1d1b-4ced-8c46-eaaed504cfdb))

(fp_line (start -0.8 0.4) (end 0.8 0.4)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 958af715-ebfe-412b-ba75-81e238e7cde2))

(fp_line (start 0.8 -0.4) (end -0.8 -0.4)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 958af715-ebfe-412b-ba75-81e238e7cde2))
```

```
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a1be7e48-b276-430d-b816-6a603b199bf3))

(fp_line (start 0.8 0.4) (end 0.8 -0.4)

(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 61f03554-fc37-497f-80fa-678283f1c4ba))

(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundre

(net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp ccac78ec-7566-4092-8385-a747ff

(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundre

(net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp a2fc0e44-8993-41b4-9391-8b9a9cbb729c))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0603_1608Metric.step"

(offset (xyz 0 0 0))

(scale (xyz 1 1 1))

(rotate (xyz 0 0 0))

)

)

 footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")

(tstamp 00000000-0000-0000-0000-00005cd07154)

(at 122 99.8)

(descr "SMD pad as test Point, diameter 1.0mm")

(tags "test point SMD pad")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_B")

(property "exclude_from_bom" "")

(property "ki_description" "test point")

(property "ki_keywords" "test point tp")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

(attr exclude_from_pos_files exclude_from_bom)

(fp_text reference "TP18" (at 0 1.448) (layer "B.Silks") hide

(effects (font (size 1 1) (thickness 0.15)) (justify mirror))

(tstamp 875f2639-cc91-4f48-8d5e-c33fba313e21)

)

(fp_text value "VDAC" (at 0 0) (layer "B.Fab")

(effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

(tstamp e7547a3e-de3d-4489-b330-42e9d288d702)

)

(fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
```

```

        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
        (tstamp 235362e3-db73-44a6-a9b5-fcc3fae30a22)
    )
    (fp_circle (center 0 0) (end 0 -0.7)
        (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp afa88414-a1f7-4cd4-bb7e-4a
    (fp_circle (center 0 0) (end 1 0)
        (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp 4cdd4682-ed23-4930-83ee-34
    (pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask")
        (net 226 "/IO_Banks/IO_Buffer_B/VDAC") (pinfunction "1") (pintype "passive") (tstamp a17e4ba1-0428-
    )

    (footprint "TestPoint:TestPoint_Pad_D1.0mm" (layer "B.Cu")
        (tstamp 00000000-0000-0000-0000-00005cd0715c)
        (at 124.6 91.2)
        (descr "SMD pad as test Point, diameter 1.0mm")
        (tags "test point SMD pad")
        (property "Sheetfile" "io_buffer.kicad_sch")
        (property "Sheetname" "IO_Buffer_A")
        (property "exclude_from_bom" "")
        (property "ki_description" "test point")
        (property "ki_keywords" "test point tp")
        (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-
        (attr exclude_from_pos_files exclude_from_bom)
        (fp_text reference "TP19" (at 0 1.448) (layer "B.Silks") hide
            (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
            (tstamp fa5121cc-8b43-4727-a13a-d40650644c93)
        )
        (fp_text value "VDAC" (at 0 0) (layer "B.Fab")
            (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
            (tstamp 5075c8f2-6cc4-4c44-aac9-f476ae845d5b)
        )
        (fp_text user "${REFERENCE}" (at 0 1.45) (layer "B.Fab") hide
            (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
            (tstamp 80ef2612-9221-4833-8123-1878ec7bd03c)
        )
    )

```

```
(fp_circle (center 0 0) (end 0 -0.7)
  (stroke (width 0.12) (type solid)) (fill none) (layer "B.Silks") (tstamp fb75a524-0376-4483-babb-1b)
(fp_circle (center 0 0) (end 1 0)
  (stroke (width 0.05) (type solid)) (fill none) (layer "B.CrtYd") (tstamp e92e2b71-0483-4b60-b79f-bd)
(pad "1" smd circle (at 0 0) (size 1 1) (layers "B.Cu" "B.Mask"))
  (net 227 "/IO_Banks/IO_Buffer_A/VDAC") (pinfunction "1") (pintype "passive") (tstamp d582f78b-5274-)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ecae8cd)
  (at 101.05 104.95 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
(property "Mfg" "Taiyo Yuden")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_B")
  (property "ki_description" "Unpolarized capacitor")
  (property "ki_keywords" "cap capacitor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-
  (attr smd)
  (fp_text reference "C75" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 6cd1287d-4edb-4c5c-962e-fbcc54dab4fd)
  )
  (fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 6ada45b8-c5c9-4e7b-94bd-916e3dbb0a9e)
  )
  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 5b450b0d-6126-46ba-a472-e04bc923f6cb)
  )
  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cb939237-c3a6-47a5-935d-d73a65a97bb2))
(fp_line (start -0.93 0.47) (end 0.93 0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8b88a483-a742-428a-9f4a-c457cb44d42c))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e6823e84-636c-438d-b0cc-dfb5daa05ced))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 73b59c60-05d1-4417-91ba-20434137bd9b))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3752f570-84e3-4134-af93-dbb87d826ab5))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 753dd23c-b7b3-4f8c-85a6-7a15d412ad73))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2a3a3d9c-b648-49b9-a3cf-4e61bb0b0c7c))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 9a4a5ed3-98a0-4b95-9461-b8d865a23e9e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 107 "IO_Banks/VIOB") (pintype "passive") (tstamp e8b321c3-bdaa-4b32-867b-7ce294f992ce))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 3 "GND") (pintype "passive") (tstamp 20aa8226-dd1e-4b55-824a-dc1adfac9b8c))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005ecaeb3d)
    (at 101.05 90.95 -90)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "io_buffer.kicad_sch")

```

```

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)
(fp_text reference "C51" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp e4134c2f-b56c-4794-9fb7-36311e1f38bc)
)

(fp_text value "u1" (at 0 0.75 -90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp b3863704-4084-41a2-b263-721e7e9c8e8b)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp 4c8528fb-5f68-4ea1-897c-ecf104bc38)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6ddb3b5e-f027-4b47-82ae-f57fc212445f))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b97dba90-6bd4-49dc-ae46-9c065a17b0a9))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 16984a37-40cc-43fe-80d4-40904a47c79f))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c5f79c5d-1835-43f5-b3ed-9dfec48b6855))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 64946492-e2a0-4227-9bc1-8e228a49a670))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8d01ca74-5d02-4b6a-808a-1dce73e23551))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp eca224f7-ab05-40e1-b007-7367deba1919))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 05a2633b-5f62-4c85-a1b3-6841e2f6a74e))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect-params 0.05 0.05 0.05 0.05))
(net 108 "IO_Banks/VIOA") (pintype "passive") (tstamp 9f55b55c-a949-4310-8c0d-9166add5e2c1))

```



```

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4e4a7021-4a8e-48f8-a02a-70dde8b68d85))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bca0b812-6e99-46f1-8c01-c46448ae09f7))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fba92f36-7bf6-4ed3-98b1-1a864071eefd))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b547a74b-2880-497a-bdee-bffd8472d869))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b1af97b8-0427-4a4c-be85-c619e89de983))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b49e8cde-34f3-4fe7-a24e-9c3e3232b662))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea478520-9a5b-4281-b647-8e9ef9154176))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cf7d4499-9347-400c-9ec7-9682a77dc013))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 50d9a170-835c-4f42-920a-90a5ce2396f7))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 3 "GND") (pintype "passive") (tstamp 981aa11e-9380-4101-881b-083c0971aada))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005ed21aeb)
  (at 101.05 88.15 -90)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")
  (property "Mfg" "Taiyo Yuden")

```

```

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "C50" (at 0 0 90) (layer "B.Silks") hide
  (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
  (tstamp 5ee726a4-1f96-43a6-a399-8413a5f1e02e)
)

(fp_text value "u1" (at -0.05 0.75 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 21cc5bf6-8034-4f94-bfa8-f21082abcc41)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 33c9d725-f318-4618-ac6d-c5d7ea845a14)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cf84ed27-fb68-4264-93bb-62d2f78ebe2f))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7bad99a7-10ca-4d99-a39a-2a37de8defcc))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f4ad3689-e064-4037-a7d6-437ac9435aa4))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp cfea6f5c-ebfe-4e41-99fd-814507661424))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0a041631-eb4a-48b8-815c-a9c6c10e56d0))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 5383cf4d-a0c3-4312-ab64-f2c960ff4477))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8e2e8405-1717-4f9c-bab7-e5757d77b531))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 112a97cc-cd0c-499a-82c5-3ca37d141ee8))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundre

```

```
(net 108 "/IO_Banks/VI0A") (pintype "passive") (tstamp cc6859e7-837b-45f7-8a59-b04bec60820b))

(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect

  (net 3 "GND") (pintype "passive") (tstamp 6b90ed77-0c01-4f6b-a417-c6d9d8df3aef))

(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005eddd5e4)

  (at 123.3 107.8 180)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :

  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")

  (attr smd)

  (fp_text reference "C44" (at 0 1.17) (layer "B.Silks") hide

    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

    (tstamp cd0dbb47-c5fa-4a1b-8a5b-d5e215707201)

  )

  (fp_text value "u1" (at 0 0.65) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp 49c109f0-412d-49c1-b64a-80ee4f2ff7e4)

  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")

    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

    (tstamp db23c016-3c1a-47e9-bc4f-afd78d217867)
```

```

)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp dd46847c-abe8-428e-89b4-310f9d3b056e))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 328a762a-3b99-496b-b394-ac1b278df5f9))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 23133294-7b1e-4e7a-a6a7-35161d2c174e))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp d01c7202-b06b-4d17-a11e-281a9c42f2f5))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
(stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp fb7b6b34-9815-4987-904e-fbb25c03d2b3))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 145f3d2d-19e7-45b8-8e54-e6a37e632364))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 714c7f01-d8f6-4075-a82d-e1b511dd4df7))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 62634c9c-ff42-46c6-ae7b-c09d9882020c))
(pad "1" smd roundrect (at -0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 35 "Net-(U12-Vin-)") (pintype "passive") (tstamp 2103961a-c043-410f-8860-a55e4c87b84c))
(pad "2" smd roundrect (at 0.485 0 180) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 34 "Net-(U12-Vin+)") (pintype "passive") (tstamp 86e3da30-fe00-4af6-a6fe-678e0b0516a3))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005eddd749)
  (at 123.3 83.2)
  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
  (tags "capacitor")
  (property "1b2-bom-key" "cap-cer-0402-100n")
  (property "MPN" "TMK105BJ104KV-F")

```

```

(property "Mfg" "Taiyo Yuden")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Unpolarized capacitor")

(property "ki_keywords" "cap capacitor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c7b59b0")

(attr smd)

(fp_text reference "C58" (at 0 1.17) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 4a69e599-59b6-43bb-889a-3245374b686b)
)

(fp_text value "u1" (at 0 0.7) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 74e3d58d-ffd6-454a-bc68-55b5c4e23654)
)

(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp a940e815-d271-4873-99d7-d57bc44530fd)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a893918e-c5bd-4daa-87c8-a9511ba954a9))

(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp a44912b2-ff91-48a1-bfeb-e768087df165))

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2f485fd3-62e0-4e7c-ae57-2d03581f0e95))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 71908535-9308-4b64-985e-d65addbb3b28))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 5b23f65e-7329-44d7-b210-61f9347726b2))

(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6ae5597d-8e86-4fbf-84cb-c3a25f36737a))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8d9f6912-9860-4986-ac74-51bd64e5adba))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 987da26a-c336-463f-b873-687ad61a195d))

```

```

(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rratio
    (net 39 "Net-(U21-Vin-)") (pintype "passive") (tstamp 414488ca-5f8f-4da0-a738-b80e5765102e))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rratio
    (net 38 "Net-(U21-Vin+)") (pintype "passive") (tstamp 42e17773-05dc-4fed-a50a-1cf2da23f2ff))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005edde3fd)
    (at 123.8 105.9 -90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-4r7")
    (property "MPN" "RC0402FR-074R7L")
    (property "Mfg" "Yageo")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr smd)
    (fp_text reference "R25" (at 0 1.17 90) (layer "B.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
        (tstamp 0164800a-6ef0-4b8d-b109-c09b5eb3c546)
    )
    (fp_text value "4R7" (at 0 -0.7 -90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 7ee133f0-578f-4d8e-b1a6-556e1678983c)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

```

```

        (tstamp fd685ff9-30f2-46d9-bc6f-cb19988fa61c)
    )
    (fp_line (start -0.93 -0.47) (end -0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5c0892e9-e62e-452a-b9fa-b635cce2c964))
    (fp_line (start -0.93 0.47) (end 0.93 0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b928e705-7c26-4ad1-a444-140c8e532e0c))
    (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9712ab0d-0b57-4333-8aae-6e19bc803a72))
    (fp_line (start 0.93 0.47) (end 0.93 -0.47)
        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 8fb6c1af-728b-40f1-a946-16d2cbe0b386))
    (fp_line (start -0.5 -0.25) (end -0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c3998616-2d9f-4872-bda7-33bc142208ef))
    (fp_line (start -0.5 0.25) (end 0.5 0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 99a72845-2578-462f-b3fe-d4eb30620807))
    (fp_line (start 0.5 -0.25) (end -0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c93167e7-0465-45e5-a93e-b2dd5697d707))
    (fp_line (start 0.5 0.25) (end 0.5 -0.25)
        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6cc38646-fcde-4894-a663-112b179369d4))
    (pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 5d5f0ad1-64f5-4d16-bfa7-561223b43fe9))
    (pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 35 "Net-(U12-Vin-)") (pintype "passive") (tstamp 741bb34f-d3e6-4e9b-8ff0-61d04eee8329))
    (model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
    )
)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005edde6c0)
    (at 122.8 85.1 90)
    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
    (tags "resistor")
    (property "1b2-bom-key" "res-0402-4r7")

```


[illegible]

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c65bfb57-3eaa-4a2a-a0af-198441b527ed))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp 6cdc5b4d-6c9d-46b9-b121-f350167673c2))
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
    (net 39 "Net-(U21-Vin-)") (pintype "passive") (tstamp d0dcef82-cd3a-4afa-9c70-fdc95c95abd6))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
    (offset (xyz 0 0 0))
    (scale (xyz 1 1 1))
    (rotate (xyz 0 0 0))
)
)

(fp_text reference "Glasgow:R_0603_1608Metric_DNP" (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005f0b48b7)
    (at 125.95 100.6 -90)
(descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size :
    (tags "resistor DNP")
    (property "DNP" "DNP")
    (property "Sheetfile" "io_buffer.kicad_sch")
    (property "Sheetname" "IO_Buffer_B")
    (property "dnp" "")
    (property "ki_description" "Resistor")
    (property "ki_keywords" "R res resistor")
    (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c9e338e")
    (attr exclude_from_pos_files)
    (fp_text reference "R6" (at 0 1.43 90) (layer "B.Silks") hide
        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
        (tstamp 77b9cf32-83b0-4dd4-a61a-41a1855ca6fc)
    )
    (fp_text value "DNP" (at 0 0.8 90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
        (tstamp 4529c278-cc22-473e-af63-ba2d33583d2b)
    )
    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

```

```

        (tstamp e20adb92-d42e-40c8-8f58-00d83b712e54)
    )
    (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
      (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp 1837561e-15bd-4f0c-9d0f-e35609b85a76))
    (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
      (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp 8e12e817-5f56-4b11-be2e-12a7c4a86676))
    (fp_line (start -1.48 -0.73) (end -1.48 0.73)
      (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9418b791-6b8a-4934-9e8d-761261486ddf))
    (fp_line (start -1.48 0.73) (end 1.48 0.73)
      (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 073db053-28e7-4f8d-afee-acd0b3988a17))
    (fp_line (start 1.48 -0.73) (end -1.48 -0.73)
      (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1fba3867-0d3a-40ed-ba27-153a6fb0838f))
    (fp_line (start 1.48 0.73) (end 1.48 -0.73)
      (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2fcbb34e-94ff-4e36-a273-f7d8a3db9ee1))
    (fp_line (start -0.8 -0.4) (end -0.8 0.4)
      (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 568305f5-f119-48e7-92df-f36f8d47bc7c))
    (fp_line (start -0.8 0.4) (end 0.8 0.4)
      (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 8db9de5c-01fc-42bf-9256-c24f21555e55))
    (fp_line (start 0.8 -0.4) (end -0.8 -0.4)
      (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1fbea404-7dde-4a9e-9c36-e923d564ac1f))
    (fp_line (start 0.8 0.4) (end 0.8 -0.4)
      (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 0ef24da9-d5c8-4029-9a65-a0a40de2840c))
    (pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
      (net 231 "Net-(U14-OUT)") (pintype "passive") (tstamp 7c4ada15-2a6f-44c0-a547-8aa194f8f876))
    (pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
      (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp 7e6d951d-4ea6-4637-afe0-8a0af8
    )

    (footprint "Resistor_SMD:R_0603_1608Metric" (layer "B.Cu")
      (tstamp 00000000-0000-0000-0000-00005f0b48c8)
      (at 124.05 100.6 -90)
      (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
      (tags "resistor")
      (property "1b2-bom-key" "res-0603-0r33")
      (property "MPN" "KDV06FR330ET")

```

```
(property "Mfg" "Ohmite")  
  
(property "Sheetfile" "io_buffer.kicad_sch")  
  
(property "Sheetname" "IO_Buffer_B")  
  
(property "ki_description" "Resistor")  
  
(property "ki_keywords" "R res resistor")  
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000  
  
(attr smd)  
  
(fp_text reference "R7" (at 0 0 90) (layer "B.Silks") hide  
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))  
    (tstamp 7990986a-9283-4724-9475-0559d2692639)  
)  
  
(fp_text value "0R33" (at 0 0.8 -90) (layer "B.Fab")  
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))  
    (tstamp 92929510-a7db-4032-b305-1fc6405e6628)  
)  
  
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")  
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))  
    (tstamp a770e531-c09c-4f41-b096-216077bd858e)  
)  
  
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)  
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp dd7e98a1-790a-4be4-94ef-320f6e855763))  
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)  
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp e7956c47-515f-431f-bb07-7abfbеbed1с9))  
(fp_line (start -1.48 -0.73) (end -1.48 0.73)  
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c7d40ec8-81e5-4b2a-93f8-57728009b5cb))  
(fp_line (start -1.48 0.73) (end 1.48 0.73)  
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp edb87174-8e78-4bfa-b230-5775dc215a1e))  
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)  
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e800d42e-ae10-42b3-a362-2816d4a7afbd))  
(fp_line (start 1.48 0.73) (end 1.48 -0.73)  
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4f7635f1-f60d-433b-80d5-2f6b167bd1bf))  
(fp_line (start -0.8 -0.4) (end -0.8 0.4)  
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 84a814e2-cfa6-4346-b1bf-924a1f98b6ba))  
(fp_line (start -0.8 0.4) (end 0.8 0.4)  
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6c7f745e-7e07-47f5-a3d4-032e30235ae5)))
```

```

(fp_line (start 0.8 -0.4) (end -0.8 -0.4)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1f0b6cbb-576f-487d-9382-f09310ba115b))

(fp_line (start 0.8 0.4) (end 0.8 -0.4)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f49e338d-8c14-4945-a8c4-55c9a1cd718b))

(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 231 "Net-(U14-OUT)") (pintype "passive") (tstamp 4c48e9c5-f07c-450a-866a-305063f25526))

(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp e2c67ead-47f6-4e16-880d-620ac4b1b1b1))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0603_1608Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Glasgow:R_0603_1608Metric_DNP" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005f0b48d9)

  (at 120.65 90.4 90)

  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body size 1.6x0.8mm)

  (tags "resistor DNP")

  (property "DNP" "DNP")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_A")

  (property "dnp" "")

  (property "ki_description" "Resistor")

  (property "ki_keywords" "R res resistor")

  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

  (attr exclude_from_pos_files)

  (fp_text reference "R8" (at 0 1.43 90) (layer "B.Silks") hide

    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

  (tstamp 2f69d74f-a09f-4422-b0c2-41d0d83f12c2)

  )

  (fp_text value "DNP" (at 0 0.85 90) (layer "B.Fab")

    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

    (tstamp 5e0d394a-361d-4f07-9852-7c7cccfb3d79)

```

```

)
(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp f4f39b7a-8728-4b94-b7c0-38f6d2ec97de)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp e2a7783d-b9d1-44ce-9c68-f1f0e2cee362))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp 0d926db7-3e2a-4955-8dee-89dfdbd8c8c8))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 11d4a5d9-32e7-48e7-9267-b072cd64d1a0))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp da0546d9-5674-4546-84bb-f0174154d38b))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5a2de275-7f95-4613-a702-aa8735c52bda))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 14c47220-c60d-403b-a7a3-0680c779079d))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 50dfdbf8-a4f9-4c2a-843c-21988515242b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 886268b4-73a0-401c-b507-d49240c6463f))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3283ac61-a796-419b-8e83-d750c381462f))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a6239617-bdd5-494a-b2df-1a6f2816090f))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio 0.5)
  (net 232 "Net-(U31-OUT)") (pintype "passive") (tstamp 13a82b65-b037-4016-ac9a-9aad69cee6e1))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio 0.5)
  (net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp 283b8806-4502-47ca-94b1-8b466a6a6a6a))
)

(footprint "Resistor_SMD:R_0603_1608Metric" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f0b4dae)
  (at 122.55 90.4 90)
  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

```

```

(tags "resistor")

(property "1b2-bom-key" "res-0603-0r33")

(property "MPN" "KDV06FR330ET")

(property "Mfg" "Ohmite")

(property "Sheetfile" "io_buffer.kicad_sch")

(property "Sheetname" "IO_Buffer_A")

(property "ki_description" "Resistor")

(property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-00005c9e337e")

(attr smd)

(fp_text reference "R56" (at 0.0125 0 90) (layer "B.SilkS") hide
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp e8c8b9aa-59ea-442f-af46-e556ac884204)
)

(fp_text value "0R33" (at 0 0.85 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 836d8329-4bb9-41b7-8d23-d7941bcd5979)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(tstamp 96a1a474-c898-45ea-8be1-978d22fa9f1e)
)

(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp 45f38585-00f1-4b6c-9b6a-424e679725c4))

(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp 629d1fb1-5503-4829-bbb0-9beb6fcaa6ce))

(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 15021947-ab0d-42d9-81c3-0279f11b737b))

(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 499b2860-2ed0-4c02-be69-9c6fa8a725c2))

(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9c4d7728-8714-4578-92c9-c0dc5ecede8a))

(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 62f2dfd9-3f20-4c5c-849c-11ed0afae3ae))

(fp_line (start -0.8 -0.4) (end -0.8 0.4)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 64216ccb-0451-46a5-a4c4-d565c3009dd1))
(fp_line (start -0.8 0.4) (end 0.8 0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a7159131-17e4-4f2f-bc37-2f45bd010e2a))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1b5080f8-99f4-43f8-b1e9-a27a8c60b267))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 39b4e5ce-ba38-4ce1-9fd2-01a1902e62d0))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 232 "Net-(U31-OUT)") (pintype "passive") (tstamp 4f403389-f63f-403e-93ab-e502fa8f61b7))
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp f2dd3cfc-3750-40fc-a252-be11f1f1f1f1))
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0603_1608Metric.step"

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" locked (layer "B.Cu")
    (tstamp 00000000-0000-0000-0000-00005f44afb8)
    (at 75.9 110.1)
    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")
    (property "1b2-bom-key" "cap-cer-0402-100n")
    (property "MPN" "TMK105BJ104KV-F")
    (property "Mfg" "Taiyo Yuden")
    (property "Sheetfile" "glasgow.kicad_sch")
    (property "Sheetname" "")
    (property "ki_description" "Unpolarized capacitor")
    (property "ki_keywords" "cap capacitor")
    (path "/00000000-0000-0000-0000-00005ad48d38")
    (attr smd)
    (fp_text reference "C17" (at 0 0) (layer "B.Silks") hide
        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp 9ec46670-0d53-46db-9311-4b8df9beb648))

```



```

)
(fp_text value "u1" (at 0.015 -0.8) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 358c19ab-13a1-4ff0-a653-aa7c0250ec99)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 34d5ced3-330a-462b-b030-1549b4fcfef7)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 98b5027b-f4e0-4ec6-89ad-284a1632ad1e))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6ab3b97e-a317-4d86-959b-167048c09600))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c6b13524-2748-40ec-9463-cdfcc45fd748))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 14f6bcf2-6d68-48b4-bdde-0cd45444c980))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bb7150be-ac73-4cf5-a354-a19620eb504c))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f91687c2-06b0-48b4-9425-ae21c499d202))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7bea7aeb-8398-45fd-998d-24450e03db51))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 42e05743-3e1f-4951-84a3-cbb9c8d6d394))
(pad "1" smd roundrect locked (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (round
  (net 2 "+3V3") (pintype "passive") (tstamp 3147652f-e2e1-4001-a170-351c8cb89d36))
(pad "2" smd roundrect locked (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (round
  (net 3 "GND") (pintype "passive") (tstamp 82a72962-01c7-47c5-becf-ef14ec5adf63))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0402_1005Metric" locked (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005f4552b9)

  (at 72.4 110.1)

  (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0402-100n")

  (property "MPN" "TMK105BJ104KV-F")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005ad0e0a2")

  (attr smd)

  (fp_text reference "C15" (at 0 0) (layer "B.Silks") hide
    (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
    (tstamp 344ff700-39b7-45cd-a882-35de34a045de)
  )

  (fp_text value "u1" (at 0.015 -0.8) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp dadb649c-eba6-4b5c-8142-c2cdb5198c19)
  )

  (fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
    (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
    (tstamp fb30f155-d075-4c5c-bf0c-7ce9cad1a8ae)
  )

  (fp_line (start -0.93 -0.47) (end -0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp f142cd55-1494-498c-9215-9f8d4a71c155))

  (fp_line (start -0.93 0.47) (end 0.93 0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c41cc918-ce25-4bbc-80dc-a3f4ee653493))

  (fp_line (start 0.93 -0.47) (end -0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 014a1495-280a-4462-ba5b-a98cb6e8cb9a))

  (fp_line (start 0.93 0.47) (end 0.93 -0.47)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 02901caa-d55b-4cc6-97fe-d298bfa3f349))

  (fp_line (start -0.5 -0.25) (end -0.5 0.25)

```

```

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c635cc04-34e7-4614-bcb0-2d1244275e2b))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 6b088bc6-0b38-42e8-b3ba-d3e630e6a625))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp ea4fe2de-e0e5-4f62-b4b2-39d1b6ad87aa))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp c394073f-9722-43cc-bbb5-fa0742f6da76))
(pad "1" smd roundrect locked (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (round
        (net 2 "+3V3") (pintype "passive") (tstamp dea8eab4-1fd2-471e-81d6-17051497f6e2))
(pad "2" smd roundrect locked (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (round
        (net 3 "GND") (pintype "passive") (tstamp 9a96515b-d1ec-489f-b888-724acadc9985))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"

        (offset (xyz 0 0 0))
        (scale (xyz 1 1 1))
        (rotate (xyz 0 0 0))
    )
)

(footprint "Capacitor_SMD:C_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005f4840a9)

    (at 87.65 98.8)

    (descr "Capacitor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body :
    (tags "capacitor")

    (property "1b2-bom-key" "cap-cer-0402-100n")

    (property "MPN" "TMK105BJ104KV-F")

    (property "Mfg" "Taiyo Yuden")

    (property "Sheetfile" "glasgow.kicad_sch")

    (property "Sheetname" "")

    (property "ki_description" "Unpolarized capacitor")

    (property "ki_keywords" "cap capacitor")

    (path "/00000000-0000-0000-0000-00005b0dcdb9")

    (attr smd)

    (fp_text reference "C20" (at 0 0) (layer "B.Silks") hide

        (effects (font (size 0.25 0.25) (thickness 0.05)) (justify mirror))
        (tstamp d939540d-543b-4d46-8b48-03755b3ac663)

```

```

)
(fp_text value "u1" (at 0.05 -0.8) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp bed0296f-707b-4147-8a45-ac4ec21460e2)
)
(fp_text user "${REFERENCE}" (at 0 0) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 659acff3-ea9e-48f1-a963-94dbe8af9d91)
)
(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3d750556-d1e4-47ed-aad0-5126cda23fa6))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c7808e97-d0d5-4c8c-bf30-660ec22bfc3b))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 9f2ea4f2-bc78-4ff3-a969-39681bc843f4))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7f51dbd1-ed5d-4e86-a754-6f41bcfbf332))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 26d49ca8-db1e-4045-a972-f804b379f15e))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 61e08907-6f28-4b6d-a98e-9a427c871f45))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 2ccfee9f-dcf1-4b2a-99e5-e4b824a3ad9b))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 3dfbfaa4-eee0-49cf-9261-e942f4bdc7))
(pad "1" smd roundrect (at -0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr)
  (net 2 "+3V3") (pintype "passive") (tstamp 5ff96719-5dd5-4c87-b357-88a437399551))
(pad "2" smd roundrect (at 0.485 0) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect_rr)
  (net 3 "GND") (pintype "passive") (tstamp 84372264-1a63-4672-b1ab-664a147d103d))
(model "${KICAD6_3DMODEL_DIR}/Capacitor_SMD.3dshapes/C_0402_1005Metric.step"
  (offset (xyz 0 0 0))
  (scale (xyz 1 1 1))
  (rotate (xyz 0 0 0))
)
)

```

```

(footprint "Capacitor_SMD:C_0603_1608Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005f49d658)

  (at 78.15 101.325 -90)

  (descr "Capacitor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body
  (tags "capacitor")

  (property "1b2-bom-key" "cap-cer-0603-4u7")

  (property "MPN" "LMK107BJ475KAHT")

  (property "Mfg" "Taiyo Yuden")

  (property "Sheetfile" "glasgow.kicad_sch")

  (property "Sheetname" "")

  (property "ki_description" "Unpolarized capacitor")

  (property "ki_keywords" "cap capacitor")

  (path "/00000000-0000-0000-0000-00005c9cea94")

  (attr smd)

  (fp_text reference "C14" (at 0 0 90) (layer "B.Silks") hide
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 70437273-e248-46c1-a42b-cd10c953db1b)
  )

  (fp_text value "4u7" (at -1.125 0 180) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 43f2ddc0-2b35-4610-9b93-a3bcd4557c96)
  )

  (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 24aaf9e3-ae53-4b8b-a61d-a22c20b9ecd5)
  )

  (fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp d45f9afb-8a36-48b9-a8a4-a1c486062ba9))
  (fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp d249a028-abe0-487d-92a5-f86c16639b4b))
  (fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 02572258-a7a9-471c-9617-2fa3c27591df))
  (fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 314739f2-2a9a-4afb-a7d8-3e85bb2a6196))
  (fp_line (start 1.48 -0.73) (end -1.48 -0.73)

```



```

(attr smd)

(fp_text reference "R24" (at 0 1.17 90) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp 94f3d417-1483-48d2-93e0-f1e0414afbe9)
)

(fp_text value "4R7" (at 0 0.65 -90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp cf4ca902-269b-4f62-b60c-9ea1e600738d)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp de0825fe-7452-4d17-a1d0-0c234d632e37)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c86717e6-3198-40e7-aaf7-75b79f235386))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 1bf5d99a-686d-4916-bb82-2fb380aa3787))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4db9a60f-52c3-4c77-a1d0-7bd781136ae8))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 2121497d-987e-4b84-a331-a444b98a9c76))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 662af9cc-c4b9-4193-8faa-8fda7ef04cf0))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 199a00fa-3921-443e-952e-3341a4a7a26d))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 82efa950-9ebd-49b6-bbcd-45ca1b4488f0))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 827db228-e2f2-4c53-8b4c-f2cc2e48f45d))

(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp ffa8c620-95bb-4f0b-8aa3-ccad4a
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 34 "Net-(U12-Vin+)") (pintype "passive") (tstamp 1a67911b-8970-4249-a34a-46a6573c70f3))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"
  (offset (xyz 0 0 0))

```

[illegible]


```

(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 5c5538d0-1cff-4feb-8a68-5ed560df4c9e))

(fp_line (start 0.93 0.47) (end 0.93 -0.47)

  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 684fcf68-2741-4f05-87cd-c0369de2a191))

(fp_line (start -0.5 -0.25) (end -0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 35292c04-2224-4275-bcf7-8eb1982e2f0e))

(fp_line (start -0.5 0.25) (end 0.5 0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp b3e09059-024c-4f82-b327-466fbe8e8228))

(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 81f421b0-c7de-48c3-b601-271e4c3c25f9))

(fp_line (start 0.5 0.25) (end 0.5 -0.25)

  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 7e061a6b-b368-4a60-824b-afb7692c299b))

(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp 399ace2a-6972-4c15-b85c-007f5e
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 38 "Net-(U21-Vin+)") (pintype "passive") (tstamp 90f518e0-4e97-4897-b5c3-2f748ee96d7f))

(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

  (offset (xyz 0 0 0))

  (scale (xyz 1 1 1))

  (rotate (xyz 0 0 0))

)

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")

  (tstamp 00000000-0000-0000-0000-00005f600bf1)

  (at 127 105.9 90)

  (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor")
(property "1b2-bom-key" "res-0402-470")

  (property "MPN" "RC0402FR-07470RL")

  (property "Mfg" "Yageo")

  (property "Sheetfile" "io_buffer.kicad_sch")

  (property "Sheetname" "IO_Buffer_B")

  (property "ki_description" "Resistor")

  (property "ki_keywords" "R res resistor")

```

```

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-00005c7b59b0")
(attr smd)

(fp_text reference "R59" (at 0 1.17 90) (layer "B.Silks") hide
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
  (tstamp dc446ed5-d4e2-4f63-8e82-097524227f11)
)

(fp_text value "470" (at 0 -0.65 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp 114eab69-8ccc-497c-a2e0-99eff2554705)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))
  (tstamp 101433b0-309a-488b-b750-5dfc6f63548b)
)

(fp_line (start -0.93 -0.47) (end -0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 0efe143b-b124-4dd5-81fc-ab22500892e5))
(fp_line (start -0.93 0.47) (end 0.93 0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 49d88bba-a347-492e-bad4-90cae49c6b21))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp c035d37e-f450-424c-b832-a38bf8cbf469))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 4b07e785-7036-4edc-9b6e-98bb30d002e9))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp f210797f-8c27-433a-a3b3-2c44ef14a76d))
(fp_line (start -0.5 0.25) (end 0.5 0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp a86dc3d3-57fe-4b37-8b37-e19e304ee51e))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 15b8c76c-4a20-4824-a77e-5ccffbfefb658))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e59e54a5-7f4c-463b-a3f0-f13f30ca8ce0))
(pad "1" smd roundrect (at -0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 41 "Net-(U12-Vbus)" (pintype "passive") (tstamp 60c11bed-f1c4-4d8e-ab6a-9346b297cdec))
)
(pad "2" smd roundrect (at 0.485 0 90) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
  (net 110 "/IO_Banks/IO_Buffer_B/VSENSE") (pintype "passive") (tstamp 21ab43e7-e874-4c10-b0ad-18f465
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

```

```

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))

    )

)

(footprint "Resistor_SMD:R_0402_1005Metric" (layer "B.Cu")

    (tstamp 00000000-0000-0000-0000-00005f600c00)

    (at 120.8 85.1 -90)

    (descr "Resistor SMD 0402 (1005 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s

    (tags "resistor")

    (property "1b2-bom-key" "res-0402-470")

    (property "MPN" "RC0402FR-07470RL")

    (property "Mfg" "Yageo")

    (property "Sheetfile" "io_buffer.kicad_sch")

    (property "Sheetname" "IO_Buffer_A")

    (property "ki_description" "Resistor")

    (property "ki_keywords" "R res resistor")

(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0000-0000

    (attr smd)

    (fp_text reference "R60" (at 0 1.17 90) (layer "B.Silks") hide

        (effects (font (size 1 1) (thickness 0.15)) (justify mirror))

        (tstamp dc3546a0-81b1-40dd-a3e4-20b0ac3be387)

    )

    (fp_text value "470" (at 0 -0.7 90) (layer "B.Fab")

        (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))

        (tstamp 4b963c79-369f-40ae-b389-de58017f7b0e)

    )

    (fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")

        (effects (font (size 0.25 0.25) (thickness 0.04)) (justify mirror))

        (tstamp 6a68b2bb-85ea-4fd4-8407-967eb595f987)

    )

    (fp_line (start -0.93 -0.47) (end -0.93 0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp e6399bc3-baa8-4bff-8725-c587d0155611))

    (fp_line (start -0.93 0.47) (end 0.93 0.47)

```

```

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7a997e00-bbd2-4ecc-bfaa-6a34ca8a0d33))
(fp_line (start 0.93 -0.47) (end -0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 6d4f7ca2-6015-4198-9a8a-091aa4aa5ac3))
(fp_line (start 0.93 0.47) (end 0.93 -0.47)

        (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp ef0fa8ac-2262-4f52-9328-abf143d67212))
(fp_line (start -0.5 -0.25) (end -0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp bed42c50-a647-4e3e-acfc-ba64936f2a18))
(fp_line (start -0.5 0.25) (end 0.5 0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp cbc74fc6-edfc-46ab-a3f1-cb167637bd9b))
(fp_line (start 0.5 -0.25) (end -0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp e02c5722-c957-4391-9bfe-934443654f58))
(fp_line (start 0.5 0.25) (end 0.5 -0.25)

        (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1f5d7bde-e333-45ad-92b1-5cd8f3ce9380))
(pad "1" smd roundrect (at -0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 52 "Net-(U21-Vbus)") (pintype "passive") (tstamp b4510cac-1c73-4404-a26c-4e975914fa3d))
(pad "2" smd roundrect (at 0.485 0 270) (size 0.59 0.64) (layers "B.Cu" "B.Paste" "B.Mask") (roundrect
        (net 106 "/IO_Banks/IO_Buffer_A/VSENSE") (pintype "passive") (tstamp 86cb0202-bc0c-4a81-8f5e-50065b
(model "${KICAD6_3DMODEL_DIR}/Resistor_SMD.3dshapes/R_0402_1005Metric.step"

        (offset (xyz 0 0 0))

        (scale (xyz 1 1 1))

        (rotate (xyz 0 0 0))
)
)

(footprint "Glasgow:R_0603_1608Metric_DNP" (layer "B.Cu")

        (tstamp 00000000-0000-0000-0000-00005f71b6d7)

        (at 125.95 103.4 -90)

        (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
        (tags "resistor DNP")

        (property "DNP" "DNP")

        (property "Sheetfile" "io_buffer.kicad_sch")

        (property "Sheetname" "IO_Buffer_B")

        (property "dnp" "")

        (property "ki_description" "Resistor")
        (property "ki_keywords" "R res resistor")

```

```
(path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e338e/00000000-0000-0000-0000-0000")
(attr exclude_from_pos_files)

(fp_text reference "R50" (at 0 1.43 90) (layer "B.SilkS") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp d1815702-5192-4c71-ab8f-c5ad36e64e6d)
)

(fp_text value "DNP" (at 0 0.8 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
(tstamp 2d61f2b9-b214-4716-980e-d95d0d0884ec)
)

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 55bdc693-0c54-4422-8588-149b2bfa2d4d)
)

(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
    (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp e27e5bac-65dd-4e4c-b62c-d822f992496d))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
    (stroke (width 0.12) (type solid)) (layer "B.SilkS") (tstamp 235fa438-1694-4427-ab9c-bae533fc50c6))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp bab02826-d677-434b-8cc8-adaa8e539545))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 7a93883e-82a2-443a-add0-ceb666966607))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 3eba9758-b546-4be6-a678-85dc896a14e8))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
    (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 60af1b3e-8864-49ab-8c46-ab3eb8c3ec74))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1fc16908-2f2c-4c09-b3a0-21ce5d5c5f7b))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 66730440-b6b7-42b1-9843-ebc406259b2f))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 78390c0b-b76f-4e7a-b0dd-91645830264c))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
    (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 1637d94e-24b6-484d-a491-1753d6b8fd79))
(pad "1" smd roundrect (at -0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
```

```

        (net 202 "/IO_Banks/IO_Buffer_B/ISNS_H") (pintype "passive") (tstamp 294ab080-9596-4a26-aab6-51fe9e)
(pad "2" smd roundrect (at 0.7875 0 270) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
        (net 107 "/IO_Banks/VI0B") (pintype "passive") (tstamp 64a7b4b5-277f-49da-a804-0e2eb3775fb0))
)

(footprint "Glasgow:null_Logo_Silks_6mm" locked (layer "B.Cu")
(tstamp 00000000-0000-0000-0000-00005f7cc25c)
(at 59.5 107 180)
(descr "NULL Logo, Silk Screen, 6mm")
(tags "logo symbol null")
(attr board_only exclude_from_pos_files exclude_from_bom)
(fp_text reference "REF**" (at 0 4) (layer "B.Silks") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp bca9e11d-c6a5-4eec-87c2-cf6bd6b7198a)
)
(fp_text value "null_Logo_Silks_6mm" (at 0 -4) (layer "B.Fab") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp 1bdfa41c-ab24-4b42-92e5-be2d6aa62ff2)
)
(fp_line (start -3 -3) (end 3 -3)
    (stroke (width 0.24) (type solid)) (layer "B.Silks") (tstamp 818c34a0-c18f-4c85-889e-0780294f2c64))
(fp_line (start -3 3) (end -3 -3)
    (stroke (width 0.24) (type solid)) (layer "B.Silks") (tstamp 25490283-9ac5-4798-8dbc-5538683b5452))
(fp_line (start -1.5 -0.5) (end -1.5 0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 16a96de0-8aef-4cef-a53a-7e0a094f3aec))
(fp_line (start -1.5 0.5) (end -1 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 2c3e2d4a-4bf7-4f53-9202-c86b86a042f8))
(fp_line (start -1 -0.5) (end -1 0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 914e9e7a-af59-4a32-a1e8-b61ece1cb3e1))
(fp_line (start -0.7 0.5) (end -0.7 -0.2)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 12a1e13a-383e-46fb-9406-c950df479050))
(fp_line (start -0.1 -0.2) (end -0.1 0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp e9906847-f3d5-408f-b329-5784a92009aa))
(fp_line (start 0.2 -0.5) (end 0.7 -0.5)
    (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 5160cdcd-1b94-4f6c-98fe-7ff26406953e))

```

```

(fp_line (start 0.2 0.5) (end 0.2 -0.5)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp c42cec75-23ea-49f6-ad56-6f9a87c4feec))
(fp_line (start 1 -0.5) (end 1.5 -0.5)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp b91e503a-b282-43b0-9bad-dee5c6f5b6c2))
(fp_line (start 1 0.5) (end 1 -0.5)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 80ce4153-a041-41f9-8b49-93adee61a00c))
(fp_line (start 3 3) (end -3 3)
  (stroke (width 0.24) (type solid)) (layer "B.SilkS") (tstamp 82200ba2-4dcc-45d4-abbb-9a57a0d1507f))
(fp_line (start 3 3) (end 3 -3)
  (stroke (width 0.24) (type solid)) (layer "B.SilkS") (tstamp 648f61cf-c9d3-4500-8c8c-3e7cb1de3dc7))
(fp_arc (start -0.7 -0.2) (mid -0.4 -0.5) (end -0.1 -0.2)
  (stroke (width 0.15) (type solid)) (layer "B.SilkS") (tstamp 8a81eb38-64a4-4cc0-9f70-e6e859242e76))
)

```

```

(footprint "Glasgow:R_0603_1608Metric_DNP" (layer "B.Cu")
  (tstamp 00000000-0000-0000-0000-00005f8eae04)
  (at 120.65 87.6 90)
  (descr "Resistor SMD 0603 (1608 Metric), square (rectangular) end terminal, IPC_7351 nominal, (Body s
  (tags "resistor DNP")
  (property "DNP" "DNP")
  (property "Sheetfile" "io_buffer.kicad_sch")
  (property "Sheetname" "IO_Buffer_A")
  (property "dnp" "")
  (property "ki_description" "Resistor")
  (property "ki_keywords" "R res resistor")
  (path "/00000000-0000-0000-0000-00005c7b59b0/00000000-0000-0000-0000-00005c9e337e/00000000-0000-0000-0
  (attr exclude_from_pos_files)
  (fp_text reference "R51" (at 0 1.43 90) (layer "B.SilkS") hide
    (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
    (tstamp a28b3e33-33e2-499e-9020-052098179363)
  )
  (fp_text value "DNP" (at 0 0.85 90) (layer "B.Fab")
    (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
    (tstamp 6072a3fb-fc4d-4ece-ba15-b7d80a52f22d)
  )
)

```

```

(fp_text user "${REFERENCE}" (at 0 0 90) (layer "B.Fab")
  (effects (font (size 0.4 0.4) (thickness 0.06)) (justify mirror))
  (tstamp c1c7435a-bc4b-42fc-bb41-035340eae3e4)
)
(fp_line (start -0.162779 -0.51) (end 0.162779 -0.51)
  (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 67ed59c2-08bd-4c61-9ea8-11c93bfec7a5))
(fp_line (start -0.162779 0.51) (end 0.162779 0.51)
  (stroke (width 0.12) (type solid)) (layer "B.Silks") (tstamp 99cf6bf4-ea7c-4fd5-8886-51364d26d0ef))
(fp_line (start -1.48 -0.73) (end -1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 92641698-cb14-480c-87ab-cae9e188abee))
(fp_line (start -1.48 0.73) (end 1.48 0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp 199dbf24-c059-473d-ac38-eb4cdafcd98a))
(fp_line (start 1.48 -0.73) (end -1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp b78efd7f-2825-497e-a31d-5473d565f7da))
(fp_line (start 1.48 0.73) (end 1.48 -0.73)
  (stroke (width 0.05) (type solid)) (layer "B.CrtYd") (tstamp fee7886b-bf14-4e9a-84e0-61d2b85164e1))
(fp_line (start -0.8 -0.4) (end -0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp efc6b64d-0f78-4fbc-aed4-38d3efd947f6))
(fp_line (start -0.8 0.4) (end 0.8 0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 545fff58-4bad-4abd-a113-7751dec2a13c))
(fp_line (start 0.8 -0.4) (end -0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp 4cae1513-30e8-4777-a55f-02b315709a23))
(fp_line (start 0.8 0.4) (end 0.8 -0.4)
  (stroke (width 0.1) (type solid)) (layer "B.Fab") (tstamp fbafe23fc-88ce-4406-b96f-bb6ba201ab0b))
(pad "1" smd roundrect (at -0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
  (net 203 "/IO_Banks/IO_Buffer_A/ISNS_H") (pintype "passive") (tstamp 63bb3d8d-8f64-40ab-8eac-03e363
(pad "2" smd roundrect (at 0.7875 0 90) (size 0.875 0.95) (layers "B.Cu" "B.Mask") (roundrect_rratio
  (net 108 "/IO_Banks/VIOA") (pintype "passive") (tstamp bdf46b5d-e7f4-4e03-9170-bd67d4b87481))
)

(gr_line (start 95.11 117.95) (end 101.8 117.95)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53068))
(gr_line (start 112.89 117.95) (end 106.2 117.95)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53069))
(gr_line (start 112.89 117.1) (end 112.89 117.95)

```



```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca5306a))
(gr_line (start 95.11 117.1) (end 95.11 117.95)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03011))
(gr_line (start 95.11 73.9) (end 95.11 73.05)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb0360e))
(gr_line (start 112.89 73.05) (end 106.2 73.05)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03610))
(gr_line (start 112.89 73.9) (end 112.89 73.05)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03611))
(gr_line (start 95.11 73.05) (end 101.8 73.05)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb03612))
(gr_line (start 115.83 107.6) (end 115.83 104.3)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb126e))
(gr_line (start 115.43 107.6) (end 115.83 107.6)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb126f))
(gr_line (start 115.43 107.6) (end 115.43 107.9)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1270))
(gr_line (start 115.83 104.3) (end 115.43 104.3)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1271))
(gr_line (start 115.43 104) (end 115.43 104.3)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1272))
(gr_line (start 115.43 104.3) (end 115.03 104.3)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1274))
(gr_line (start 115.03 107.6) (end 115.43 107.6)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1275))
(gr_line (start 115.03 104.3) (end 115.03 107.6)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1276))
(gr_line (start 114.16 107.6) (end 114.56 107.6)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1280))
(gr_line (start 113.76 107.6) (end 114.16 107.6)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1281))
(gr_line (start 114.56 107.6) (end 114.56 104.3)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1282))
(gr_line (start 114.16 104) (end 114.16 104.3)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1283))
```

```
(gr_line (start 114.16 104.3) (end 113.76 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1285))
(gr_line (start 113.76 104.3) (end 113.76 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1286))
(gr_line (start 114.56 104.3) (end 114.16 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1287))
(gr_line (start 114.16 107.6) (end 114.16 107.9)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1288))
(gr_line (start 112.89 104.3) (end 112.49 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1292))
(gr_line (start 112.49 104.3) (end 112.49 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1293))
(gr_line (start 113.29 104.3) (end 112.89 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1294))
(gr_line (start 113.29 107.6) (end 113.29 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1295))
(gr_line (start 112.89 104) (end 112.89 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1296))
(gr_line (start 112.89 107.6) (end 113.29 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1297))
(gr_line (start 112.89 107.6) (end 112.89 107.9)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1298))
(gr_line (start 112.49 107.6) (end 112.89 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1299))
(gr_line (start 111.62 107.6) (end 112.02 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12a4))
(gr_line (start 111.22 104.3) (end 111.22 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12a5))
(gr_line (start 112.02 107.6) (end 112.02 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12a6))
(gr_line (start 111.62 104.3) (end 111.22 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12a7))
(gr_line (start 111.62 104) (end 111.62 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12a8))
(gr_line (start 112.02 104.3) (end 111.62 104.3))
```

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12a9))
(gr_line (start 111.22 107.6) (end 111.62 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12ab))
(gr_line (start 111.62 107.6) (end 111.62 107.9))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12ac))
(gr_line (start 110.35 104.3) (end 109.95 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12b6))
(gr_line (start 109.95 107.6) (end 110.35 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12b7))
(gr_line (start 109.95 104.3) (end 109.95 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12b9))
(gr_line (start 110.35 107.6) (end 110.75 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12ba))
(gr_line (start 110.35 107.6) (end 110.35 107.9))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12bb))
(gr_line (start 110.35 104) (end 110.35 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12bc))
(gr_line (start 110.75 107.6) (end 110.75 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12bd))
(gr_line (start 110.75 104.3) (end 110.35 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12be))
(gr_line (start 109.48 107.6) (end 109.48 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12c8))
(gr_line (start 109.08 107.6) (end 109.48 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12c9))
(gr_line (start 109.08 107.6) (end 109.08 107.9))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12ca))
(gr_line (start 109.08 104.3) (end 108.68 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12cb))
(gr_line (start 108.68 104.3) (end 108.68 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12cc))
(gr_line (start 109.08 104) (end 109.08 104.3))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12cd))
(gr_line (start 108.68 107.6) (end 109.08 107.6))
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12ce))

```
(gr_line (start 109.48 104.3) (end 109.08 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12cf))
(gr_line (start 107.81 104.3) (end 107.41 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12da))
(gr_line (start 108.21 107.6) (end 108.21 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12dc))
(gr_line (start 107.81 107.6) (end 107.81 107.9)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12dd))
(gr_line (start 107.81 107.6) (end 108.21 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12de))
(gr_line (start 107.41 107.6) (end 107.81 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12df))
(gr_line (start 107.41 104.3) (end 107.41 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12e0))
(gr_line (start 108.21 104.3) (end 107.81 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12e1))
(gr_line (start 107.81 104) (end 107.81 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12e2))
(gr_line (start 109.08 83.4) (end 108.68 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c20))
(gr_line (start 111.62 83.4) (end 111.22 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c21))
(gr_line (start 112.89 86.7) (end 113.29 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c22))
(gr_line (start 115.43 86.7) (end 115.83 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c23))
(gr_line (start 115.03 86.7) (end 115.43 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c25))
(gr_line (start 109.48 86.7) (end 109.48 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c26))
(gr_line (start 114.16 83.4) (end 113.76 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c27))
(gr_line (start 111.22 86.7) (end 111.62 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c28))
(gr_line (start 117.1 86.7) (end 117.1 83.4)
```

```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c2a))
(gr_line (start 110.75 86.7) (end 110.75 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c2b))
(gr_line (start 110.35 86.7) (end 110.75 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c2c))
(gr_line (start 115.83 86.7) (end 115.83 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c2d))
(gr_line (start 112.49 83.4) (end 112.49 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c2e))
(gr_line (start 113.29 86.7) (end 113.29 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c2f))
(gr_line (start 113.76 83.4) (end 113.76 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c30))
(gr_line (start 110.35 86.7) (end 110.35 87)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c31))
(gr_line (start 115.43 83.1) (end 115.43 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c32))
(gr_line (start 107.81 83.1) (end 107.81 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c33))
(gr_line (start 116.7 86.7) (end 117.1 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c35))
(gr_line (start 116.7 86.7) (end 116.7 87)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c36))
(gr_line (start 112.89 83.4) (end 112.49 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c37))
(gr_line (start 117.1 83.4) (end 116.7 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c38))
(gr_line (start 109.08 86.7) (end 109.08 87)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c39))
(gr_line (start 114.56 83.4) (end 114.16 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3a))
(gr_line (start 116.7 83.1) (end 116.7 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3b))
(gr_line (start 109.08 86.7) (end 109.48 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3c))
```

```
(gr_line (start 108.21 83.4) (end 107.81 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3d))
(gr_line (start 112.89 83.1) (end 112.89 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3e))
(gr_line (start 110.35 83.4) (end 109.95 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c3f))
(gr_line (start 108.68 86.7) (end 109.08 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c41))
(gr_line (start 108.68 83.4) (end 108.68 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c42))
(gr_line (start 107.81 83.4) (end 107.41 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c43))
(gr_line (start 111.22 83.4) (end 111.22 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c44))
(gr_line (start 109.95 83.4) (end 109.95 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c45))
(gr_line (start 114.56 86.7) (end 114.56 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c46))
(gr_line (start 114.16 83.1) (end 114.16 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c47))
(gr_line (start 110.35 83.1) (end 110.35 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c48))
(gr_line (start 109.95 86.7) (end 110.35 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c49))
(gr_line (start 109.48 83.4) (end 109.08 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4a))
(gr_line (start 114.16 86.7) (end 114.56 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4b))
(gr_line (start 109.08 83.1) (end 109.08 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4c))
(gr_line (start 115.43 83.4) (end 115.03 83.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4d))
(gr_line (start 107.41 86.7) (end 107.81 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4e))
(gr_line (start 113.29 83.4) (end 112.89 83.4)
```

```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c4f))
(gr_line (start 107.81 86.7) (end 108.21 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c50))
(gr_line (start 111.62 86.7) (end 112.02 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c51))
(gr_line (start 111.62 86.7) (end 111.62 87)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c52))
(gr_line (start 116.7 83.4) (end 116.3 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c53))
(gr_line (start 115.03 83.4) (end 115.03 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c54))
(gr_line (start 114.16 86.7) (end 114.16 87)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c55))
(gr_line (start 110.75 83.4) (end 110.35 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c56))
(gr_line (start 111.62 83.1) (end 111.62 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c57))
(gr_line (start 113.76 86.7) (end 114.16 86.7)
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c58))
(gr_line (start 115.83 83.4) (end 115.43 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5a))
(gr_line (start 115.43 86.7) (end 115.43 87)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5b))
(gr_line (start 112.02 86.7) (end 112.02 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5c))
(gr_line (start 107.81 86.7) (end 107.81 87)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5d))
(gr_line (start 112.49 86.7) (end 112.89 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5e))
(gr_line (start 112.02 83.4) (end 111.62 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c5f))
(gr_line (start 107.41 83.4) (end 107.41 86.7)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c62))
(gr_line (start 108.21 86.7) (end 108.21 83.4)

(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c63))
```

```
(gr_line (start 116.3 86.7) (end 116.7 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c64))
(gr_line (start 116.3 83.4) (end 116.3 86.7)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c65))
(gr_line (start 112.89 86.7) (end 112.89 87)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c66))
(gr_line (start 129 92.2) (end 129 94.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc0))
(gr_line (start 106.8 98.8) (end 106.8 92.2)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc9))
(gr_line (start 106.8 92.2) (end 129 92.2)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc6))
(gr_line (start 129 94.4) (end 129 98.8)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdc9))
(gr_line (start 129 98.8) (end 106.8 98.8)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdcc))
(gr_line (start 119.4 94.4) (end 119.4 92.2)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdcf))
(gr_line (start 129 94.4) (end 119.4 94.4)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005f8ffdd2))
(gr_line (start 116.7 104.3) (end 116.3 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 11817809-1d51-4afa-8bd4-f70062ab6ba8))
(gr_line (start 117.1 107.6) (end 117.1 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 215e7262-11ea-4541-9af8-a33b651a64c4))
(gr_line (start 116.3 104.3) (end 116.3 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 77c5e7be-0bd4-487a-b7a8-6b61fd6b3fa9))
(gr_line (start 116.7 107.6) (end 117.1 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp 90edf4dd-dc5e-4e4e-9a2b-3b0e38a0aa0b))
(gr_line (start 116.7 107.6) (end 116.7 107.9)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d1373360-bc68-4def-b861-7eda80193718))
(gr_line (start 116.7 104) (end 116.7 104.3)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp d60c1a31-1fee-4eda-b31a-f0454038bed6))
(gr_line (start 116.3 107.6) (end 116.7 107.6)
  (stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp decdadf6-8d72-4893-bae3-d55da4cbfbeb))
(gr_line (start 117.1 104.3) (end 116.7 104.3)
```



```
(stroke (width 0.15) (type solid)) (layer "B.Silks") (tstamp f0b7695f-5c89-4226-8b0c-25480e7fcb5e))
(gr_line (start 51 101.5) (end 51 110.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f8b))
(gr_line (start 51 80.5) (end 51 89.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fa7))
(gr_line (start 61 101) (end 51.5 101)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1935b9))
(gr_line (start 51.5 111) (end 61 111)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1935ba))
(gr_line (start 61.5 110.5) (end 61.5 101.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1935bb))
(gr_line (start 74.1 81.05) (end 74.1 85.2)

(stroke (width 0.2) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1952ec))
(gr_line (start 71.2 114.9) (end 79.75 114.9)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f3ab7c4))
(gr_line (start 63.4 114.6) (end 63.4 107.6)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f476d7d))
(gr_line (start 78 114.9) (end 78 119.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f6fe6c6))
(gr_line (start 61.5 110) (end 63.4 110)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f70b4cf))
(gr_line (start 98.9 81.3) (end 98.9 84.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f7c248f))
(gr_line (start 98.9 106.5) (end 98.9 109.7)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f7c2494))
(gr_arc (start 51.5 111) (mid 51.146447 110.853553) (end 51 110.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f8b9281))
(gr_line (start 129 82.4) (end 129 91.2)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f94d8db))
(gr_line (start 129 108.6) (end 118.5 108.6)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 013fd605-7a5e-4ec8-8c14-8193f22df6e7))
(gr_line (start 62.7 119.5) (end 59 119.5)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 04cf1543-02a6-4b46-b04d-48bc255d170c))
(gr_arc (start 61.5 89.5) (mid 61.353553 89.853553) (end 61 90)

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 04e0db23-c788-4236-b132-baa946330e4c))
```

```

(gr_poly
  (pts
    (xy 58.25 77.25)
    (xy 57.5 77.75)
    (xy 57.5 76.75)
  )

  (stroke (width 0.1) (type solid)) (fill solid) (layer "F.Silks") (tstamp 07bce82f-127f-4e7f-bc5a-a004
(gr_line (start 71.2 114.9) (end 71.2 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 09ad8e85-27d0-4f6a-9c39-b454efb3c1a3))
(gr_line (start 129 86.3) (end 118.5 86.3)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 1467a7dc-ff85-42d2-8817-7d3779555522))
(gr_arc (start 51 101.5) (mid 51.146447 101.146447) (end 51.5 101)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 1572dfbc-130b-416a-ba8a-469760e3de4c))
(gr_line (start 108.8 98.9) (end 107 98.9)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 25a23da7-ed0d-45ec-bd15-c0d02691ddbd))
(gr_line (start 116.8 95.5) (end 108.8 95.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 35289fb3-e50f-4d1c-8a5d-258540c10c2c))
(gr_line (start 107 93.5) (end 108.8 93.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 3f80048f-848a-42fd-9093-abae865131b9))
(gr_arc (start 51.5 90) (mid 51.146447 89.853553) (end 51 89.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 48460a54-6de0-482f-9e46-d578f38cc9ba))
(gr_line (start 79.75 106.6) (end 71.03 106.6)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 4d95d1ce-693f-4dd7-b2aa-0f24c88e37cc))
(gr_line (start 59 119.5) (end 59 111)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 653616f0-53b9-48e9-95f0-6f58e341aebb))
(gr_line (start 108.8 93.5) (end 108.8 98.9)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 67d94c11-c2aa-4d11-af82-07c6d92a4bf6))
(gr_line (start 129 104.7) (end 118.5 104.7)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 78cedf99-c2a0-448a-8470-ef03a51f72c1))
(gr_line (start 70 113.2) (end 63.4 113.2)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 7e18d019-f419-4926-9dff-5b177a7f75db))
  (gr_line (start 63.4 114.6) (end 63.4 119.5)
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 7f70ee7d-986d-451c-b1c5-d68f25a7e747))
  (gr_line (start 79.75 106.6) (end 79.75 114.9)

```

(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8441d06d-7b9d-47d9-acb4-6fdc899aaba4))
(gr_arc (start 51 80.5) (mid 51.146447 80.146447) (end 51.5 80))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8558fb97-c64a-4df9-828f-2a4a79a68986))
(gr_line (start 107 98.9) (end 107 109.6))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8699ab1f-000e-4520-834f-edfbe9590bba))
(gr_arc (start 61 101) (mid 61.353553 101.146447) (end 61.5 101.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 871859f9-b2a1-4f8a-932d-3ab1a26d66c6))
(gr_line (start 71.2 119.5) (end 71.7 119.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8c2d62dc-eb70-4e09-ac8b-e68a91a269e4))
(gr_line (start 118.5 81.3) (end 118.5 109.7))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 8c7b8b5a-58b8-4bef-a7ab-3691edbedb9b))
(gr_line (start 93.9 90.6) (end 93.9 84.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 92365c73-1655-4c20-8cc5-5371a33eff19))
(gr_line (start 51.5 90) (end 61 90))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 96d24477-f791-4ab4-a599-ab89676a4924))
(gr_arc (start 61 80) (mid 61.353553 80.146447) (end 61.5 80.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 974911e5-427a-4b18-9c0f-f1ba32d7b294))
(gr_line (start 128.7 91.7) (end 118.5 91.7))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 9c4b11f1-4775-4276-a23b-de863515068a))
(gr_line (start 118.5 81.3) (end 98.9 81.3))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp 9cf32e8d-2104-4e92-9c87-1f52e9deef11))
(gr_line (start 118.5 109.7) (end 98.9 109.7))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp a68c967a-c658-4f3f-859f-768a0ce626db))
(gr_line (start 107 106.5) (end 93.9 106.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp abf80526-2a94-4ed6-b38f-3bf14ca2b474))
(gr_line (start 61 80) (end 51.5 80))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp b10f2b8d-0f4f-4c12-b38f-f077ce940a06))
(gr_line (start 101.7 84.5) (end 101.7 106.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp b1908458-00da-4e65-a6f7-1a52d1cc4ee9))
(gr_line (start 129 99.8) (end 129 108.6))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp c54d97c2-bc18-40c3-b37c-a87719c564e7))
(gr_line (start 61.5 89.5) (end 61.5 80.5))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp cd34830d-d683-430d-bf62-c1eab35608a0))
(gr_line (start 129 82.4) (end 118.5 82.4))
(stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d05be541-4b4c-4378-b24f-afba5e483b48))

```
(gr_line (start 128.7 99.3) (end 118.5 99.3)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d2f71452-b193-438e-897a-967805d73c77))
(gr_line (start 107 81.3) (end 107 93.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d3ad81d1-64fb-4bc2-a04a-6f32332c6b10))
(gr_line (start 70 119.5) (end 70 113.2)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp d833835f-e939-4767-9440-1af603e355b8))
(gr_line (start 93.9 100.4) (end 93.9 106.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp da24d241-84a9-440b-8f02-e787e183d74c))
(gr_line (start 62.7 119.5) (end 71.2 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp deac84a0-e599-4877-8720-3963cd6e9991))
(gr_line (start 63.4 107.6) (end 65.2 107.6)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp dfa6fd52-d1a0-4cd8-95cb-32126d2290a8))
(gr_line (start 93.9 84.5) (end 107 84.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp e673c8fd-8bcd-4629-80ae-859d010f9f06))
(gr_line (start 78 119.5) (end 77.6 119.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp f0a255fe-2f7d-47e2-990e-57851670606a))
(gr_line (start 70 113.2) (end 70 107.63)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp f262e65c-c38c-4db9-92f4-488ab9c5d004))
(gr_line (start 118.5 95.5) (end 128.7 95.5)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp f71a2538-4759-4fd0-91c6-b12872d864de))
(gr_arc (start 61.5 110.5) (mid 61.353553 110.853553) (end 61 111)
  (stroke (width 0.15) (type solid)) (layer "F.Silks") (tstamp fd766316-facf-4d3a-b0eb-4cd0ba0a9316))
(gr_line (start 50 95.5) (end 130 95.5)
  (stroke (width 0.1) (type solid)) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005ae3353a))
(gr_line (start 130 113.28) (end 91 113.28)
  (stroke (width 0.2) (type solid)) (layer "Dwgs.User") (tstamp 4e3ef329-850f-4187-9122-230d608b0499))
(gr_line (start 54 115) (end 54 129.5)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 72e9c4c5-3d2f-4349-be6f-f4e6fd1764f9))
(gr_line (start 58.5 67.75) (end 59.25 65)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp 733e6c14-b220-428c-a483-a21079fd321b))
(gr_line (start 92.57 79.25) (end 92.57 71)
  (stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp 911a39f5-0aa3-4e0d-9778-d648aa24ac3d))
(gr_line (start 126 115) (end 126 128.5)
  (stroke (width 0.3) (type solid)) (layer "Dwgs.User") (tstamp 9384750a-20c0-4453-9107-89e848f3702b))
(gr_line (start 115.43 79.25) (end 115.43 71)
```

```
(stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp 93bcc33d-370a-4402-80c5-8c0345307bbf))
(gr_line (start 58.5 67.75) (end 57.75 65)

(stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp b155dbef-42bc-40e3-a6d8-6341f57f167b))
(gr_line (start 90 120) (end 90 71)

(stroke (width 0.1) (type solid)) (layer "Dwgs.User") (tstamp bce37595-adbb-4130-940c-58a9a479ffcb))
(gr_line (start 91 77.72) (end 130 77.72)

(stroke (width 0.2) (type solid)) (layer "Dwgs.User") (tstamp bf327908-f4dc-49c7-9715-6d8fc3993177))
(gr_line (start 58.5 67.75) (end 58.5 62)

(stroke (width 0.15) (type solid)) (layer "Dwgs.User") (tstamp f32d00cf-7d28-4127-8749-e3572b77a4b2))
(gr_line (start 50 116) (end 50 75)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 42fba163-cdd8-41fb-b8a8-f2ae476788db))
(gr_arc (start 50 75) (mid 51.171573 72.171573) (end 54 71)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 440f7d21-f037-463d-b001-407d599ba1c8))
(gr_line (start 54 71) (end 126 71)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 75cf114b-beba-4af1-8f3d-a97576725c33))
(gr_arc (start 126 71) (mid 128.828427 72.171573) (end 130 75)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp 98fc9e3c-a00d-4902-8345-cb0c8599b8ae))
(gr_arc (start 130 116) (mid 128.828427 118.828427) (end 126 120)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp bf487883-cb63-434c-af99-18d28f2ea3c1))
(gr_line (start 130 75) (end 130 116)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp c5205736-bd0e-4b26-9549-cc005a0671bd))
(gr_arc (start 54 120) (mid 51.171573 118.828427) (end 50 116)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp ed2149b0-dfbe-43cc-8805-937f2437e2a8))
(gr_line (start 126 120) (end 54 120)

(stroke (width 0.1) (type solid)) (layer "Edge.Cuts") (tstamp f825e956-bf62-467c-b870-1c087819482c))
(gr_line (start 104.3 89.1) (end 104.3 81.6)

(stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b16))
(gr_line (start 120.2 91.1) (end 109.15 91.1)

(stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b17))
(gr_line (start 104.3 81.6) (end 88.7 81.6)

(stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b18))
(gr_line (start 88.7 81.6) (end 88.7 71)

(stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b19))
(gr_line (start 120.2 91.1) (end 120.2 71)
(stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005c224b1a))
```

```

(gr_line (start 109.15 99.9) (end 109.15 91.1)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 1360e4ab-e428-49d8-8847-400546decbf9))
(gr_line (start 120.2 99.9) (end 109.15 99.9)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 18706d59-89a2-485d-bc9d-6578e208bc9b))
(gr_line (start 104.3 89.1) (end 101.4 89.1)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 21f764f4-cd57-449b-92ad-fde5b20ba400))
(gr_line (start 77.7 104.5) (end 77.7 120)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 30768870-26ad-4853-ab8d-78aa7068b3f0))
(gr_line (start 87.9 104.5) (end 77.7 104.5)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 3edb174f-47d4-47eb-87cb-11368e60f446))
(gr_line (start 101.4 101.9) (end 104.3 101.9)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 6ff213c5-fb12-443e-ad29-e391980a142c))
(gr_line (start 104.3 109.4) (end 87.9 109.4)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 8a242b41-0798-48fb-a9e6-36504432c925))
(gr_line (start 87.9 109.4) (end 87.9 104.5)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 8efdaa5a-106a-499b-a8e0-7acbd4dc95ad))
(gr_line (start 120.2 99.9) (end 120.2 120)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp 995a3521-e3ff-444c-878a-bf0387ec5d4d))
(gr_line (start 104.3 101.9) (end 104.3 109.4)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp d7a9edd9-cb60-43c6-9586-da775d1c154c))
(gr_line (start 101.4 89.1) (end 101.4 101.9)
  (stroke (width 0.2) (type solid)) (layer "B.Fab") (tstamp e55c957b-014b-4f3d-a42d-34d786a236d4))
(gr_arc (start 76.729647 118.091667) (mid 77.230858 117.168077) (end 78.215109 116.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 0286dc95-8417-4150-87aa-504a56f7f0fc))
(gr_line (start 126 69) (end 54 69)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 0d817c2c-d13a-4a6c-92e5-a11fa265616e))
(gr_line (start 71.084891 116.8) (end 61.57 116.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 12c39b52-cc56-4edb-a74f-9cb9624bf4d2))
(gr_arc (start 59.354005 77.903226) (mid 59.441321 79.950382) (end 57.681556 81)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 13ad483b-60ce-44c3-80de-e0ffa7af0acb))
(gr_line (start 61.57 73.8) (end 101.784891 73.8)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1895f10c-f7bc-4242-9d8c-4ef0fc0cc7f8))
(gr_arc (start 102.87423 72.852778) (mid 105.35 70.7) (end 107.82577 72.852778)
  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1966a20f-337e-4d00-a204-104b3d1b467a))
(gr_line (start 49.6 75) (end 49.6 116)

```

```

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1c9af1a5-2565-45e3-b2bf-25649d63cb48))
(gr_arc (start 54 120.4) (mid 50.88873 119.11127) (end 49.6 116))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 1ea1cc88-3b81-4daa-84d4-8f0066a3e6b0))
(gr_line (start 118.43 117.2) (end 78.215109 117.2))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 220f9ec9-98b0-4d7b-8fd2-1912773bd28b))
(gr_line (start 118.43 116.8) (end 78.215109 116.8))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 23c62e17-ca12-44e4-8d02-32b50a68cf0f))
(gr_arc (start 51.4 83) (mid 51.868629 81.868629) (end 53 81.4))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 24dcab4c-16d9-475d-a760-9ffc4e19893d))
(gr_line (start 127 109.6) (end 122.318444 109.6))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 25aa8b8f-d9f2-4ad9-8bc7-bc21e0a7a2fd))
(gr_circle (center 126 75) (end 127.2645 75))
    (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp 2af2f0f4-dda3-4008-8ac0-a7124))
(gr_line (start 132 116) (end 132 75))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 31a8f541-96a9-4848-863a-c23348c4ef7c))
(gr_arc (start 130.4 116) (mid 129.11127 119.11127) (end 126 120.4))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 34668f55-5deb-4ff0-834d-e4e88775e851))
(gr_arc (start 48 75) (mid 49.757359 70.757359) (end 54 69))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 3e58b5d2-3ca3-4023-ba33-305ec597e8ab))
(gr_line (start 54 122) (end 126 122))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 3f9bc911-26ec-43a5-8215-742ff1c1b1f4))
(gr_line (start 128.6 83) (end 128.6 108))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 456155b5-09af-42de-bdd9-aee04f588a9b))
(gr_arc (start 71.084891 117.2) (mid 71.806675 117.469923) (end 72.17423 118.147222))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 481c4ec0-f82e-48af-bbe7-7e6412f3a06e))
(gr_arc (start 120.311505 113.316129) (mid 120.409736 115.619179) (end 118.43 116.8))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4a3a0d14-1969-43b3-9470-ceab6f753c1f))
(gr_arc (start 51 83) (mid 51.585786 81.585786) (end 53 81))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4b1180bf-f407-4234-b87f-367b50b3090c))
(gr_line (start 61.57 74.2) (end 101.784891 74.2))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4d677f66-c774-43f8-91e5-7c593cb50c14))
(gr_line (start 57.681556 110) (end 53 110))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 4dae7431-eaf2-4218-9b21-04eb4ca512f9))
(gr_arc (start 59.354005 77.903226) (mid 59.238311 75.190744) (end 61.57 73.8))
    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 571adf0d-b86a-4cd0-9108-eec08560a90a))

```

```
(gr_line (start 122.318444 81.4) (end 127 81.4)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 5a1e6eca-23bc-4cb5-95a6-958575b4bb01))

(gr_arc (start 108.915109 74.2) (mid 107.930858 73.831923) (end 107.429647 72.908333)
(stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 61cca196-bc44-4313-b4b5-7531e86f1642))

(gr_arc (start 59.688495 77.683871) (mid 59.793274 80.140458) (end 57.681556 81.4)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 65e06bec-5337-45d2-b444-a9d45ddcb2fd))

(gr_arc (start 108.915109 73.8) (mid 108.193325 73.530077) (end 107.82577 72.852778)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 6d5eedc1-a618-4fc3-9e1d-d36249996fac))

(gr_arc (start 132 116) (mid 130.242641 120.242641) (end 126 122)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 6d64593d-fe9a-404b-8964-1b3fce2190a9))

(gr_line (start 108.915109 73.8) (end 118.43 73.8)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 724a93fe-422d-4b94-a769-33364448cc0e))

(gr_arc (start 61.57 117.2) (mid 59.238311 115.809256) (end 59.354005 113.096774)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 72d686a6-f9d8-4f4c-9c07-5e17f557d29c))

(gr_arc (start 129 108) (mid 128.414214 109.414214) (end 127 110)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 7436fc93-d435-47b7-97b6-5b5479a29b56))

(gr_line (start 130.4 116) (end 130.4 75)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 7b4acfd5-f37a-4efd-90d1-adf010172b80))

(gr_line (start 51 108) (end 51 83)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 7d3bbf56-78b4-4b97-b483-a5e0e267b147))

(gr_line (start 126 70.6) (end 54 70.6)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 87ce3564-1d69-46b4-8708-e2879e6a26a9))

(gr_arc (start 103.270353 72.908333) (mid 102.769142 73.831923) (end 101.784891 74.2)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8811c9c9-f4fd-4202-b101-42401903087c))

(gr_line (start 53 81.4) (end 57.681556 81.4)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8b2697cc-03b4-4137-834d-d1d636035aae))

(gr_line (start 54 120.4) (end 126 120.4)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8c4812e7-2851-434d-ba16-4b98074ef882))

(gr_arc (start 118.43 73.8) (mid 120.761689 75.190744) (end 120.645995 77.903226)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8e77173a-13b3-42d4-b838-aff5a90ec080))

(gr_arc (start 71.084891 116.8) (mid 72.069142 117.168077) (end 72.570353 118.091667)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 8f4247c1-d59a-4f06-b3e7-9766a9acefb5))

(gr_arc (start 57.681556 110) (mid 59.441321 111.049618) (end 59.354005 113.096774)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 98fb9826-c9d8-450b-9abb-f98afd297e8e))

(gr_arc (start 126 69) (mid 130.242641 70.757359) (end 132 75)
```



```

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp 99d1d74f-4ed7-425f-8fb6-e7f302f6fa81))
(gr_line (start 122.318444 81) (end 127 81)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp a05c54fb-968f-4edf-80dc-5c4c46ab4757))
(gr_arc (start 103.270353 72.908333) (mid 105.35 71.1) (end 107.429647 72.908333)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp a46ee5e0-33f5-4089-bb09-9c3f3687fc1e))
(gr_arc (start 120.645995 113.096774) (mid 120.558679 111.049618) (end 122.318444 110)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp a5a28b15-be69-493a-9935-6f76e8e66df2))
(gr_arc (start 76.729647 118.091667) (mid 74.65 119.9) (end 72.570353 118.091667)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp aa0cab07-fc99-485f-ba1f-dcff7ece8646))
(gr_arc (start 77.12577 118.147222) (mid 74.65 120.3) (end 72.17423 118.147222)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp adb83766-2012-45bf-915c-691aa91066ba))
(gr_arc (start 128.6 108) (mid 128.131371 109.131371) (end 127 109.6)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp af6da678-ef05-4e54-8c0d-7c5bccb81727))
(gr_arc (start 77.12577 118.147222) (mid 77.493325 117.469923) (end 78.215109 117.2)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp b82d7fd0-769b-4769-8f2e-153070488f92))
(gr_arc (start 53 109.6) (mid 51.868629 109.131371) (end 51.4 108)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp b9a4925f-c903-4942-96bf-daaa02f026a6))
(gr_circle (center 54 75) (end 55.2645 75)

    (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp b9c898ee-8584-4942-9ef7-6c79b0b0b0b0))
(gr_circle (center 54 116) (end 55.2645 116)

    (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp ba2132bd-1343-479c-9e2c-902b80b0b0b0))
(gr_arc (start 61.57 116.8) (mid 59.590264 115.61918) (end 59.688495 113.316129)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp bb22ce4e-b386-427f-a636-adf71349d72e))
(gr_arc (start 59.688495 77.683871) (mid 59.590264 75.380821) (end 61.57 74.2)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp bd7f6d8d-6c9a-4757-8452-70ec55c7fcc9))
(gr_arc (start 118.43 74.2) (mid 120.409736 75.38082) (end 120.311505 77.683871)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c3878947-6c74-43ff-b80a-0f6b11cc443a))
(gr_line (start 108.915109 74.2) (end 118.43 74.2)
(stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c3dd3c96-df6c-4e92-a5ce-ffbf5ec8e9af))

(gr_line (start 127 110) (end 122.318444 110)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c49ba654-9f39-4bca-9d86-4c01df406c86))
(gr_line (start 53 81) (end 57.681556 81)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c6b8eb31-bd48-4c43-bfc5-002fb6559830))
(gr_arc (start 54 122) (mid 49.757359 120.242641) (end 48 116)

    (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c7f7ec1c-c7c8-472f-b96d-13ec77f62b70))

```

```

(gr_line (start 71.084891 117.2) (end 61.57 117.2)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp c94c80de-52a6-4ec6-8c50-4664362214bb))

(gr_arc (start 122.318444 81.4) (mid 120.206726 80.140458) (end 120.311505 77.683871)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp d3ff2b9e-8630-4dc9-b662-32fd2ca857e6))

(gr_arc (start 126 70.6) (mid 129.11127 71.88873) (end 130.4 75)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp d6807fcb-4131-411d-862e-f880615ea0a5))

(gr_circle (center 126 116) (end 127.2645 116)

  (stroke (width 0.01) (type solid)) (fill none) (layer "User.1") (tstamp d6ffe4a9-b6fc-4bc9-84b6-0c329))

(gr_arc (start 53 110) (mid 51.585786 109.414214) (end 51 108)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp d8c22d37-2c95-4827-87da-910df4261dcc))

(gr_line (start 48 75) (end 48 116)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp db976dfb-22b3-4e93-82a2-5635aa8e1373))

(gr_arc (start 57.681556 109.6) (mid 59.793274 110.859542) (end 59.688495 113.316129)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp dbb8b175-7b41-4419-82b2-0dea98f2db52))

(gr_arc (start 127 81) (mid 128.414214 81.585786) (end 129 83)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp de3c32e5-5fec-4d74-a492-2025dfca757f))

(gr_arc (start 120.645995 113.096774) (mid 120.761689 115.809256) (end 118.43 117.2)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp dfc1cd81-81c0-48fd-ac6e-6026711c6329))

(gr_line (start 51.4 108) (end 51.4 83)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp e77d5e63-dd14-4d97-bccf-54ee9c426604))

(gr_line (start 129 83) (end 129 108)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp ea27b106-77ae-4c8e-a457-2f000a59bf1d))

(gr_arc (start 102.87423 72.852778) (mid 102.506675 73.530077) (end 101.784891 73.8)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp eecf70ff-0151-40b2-932a-313edf2d3206))

(gr_arc (start 120.311505 113.316129) (mid 120.206726 110.859542) (end 122.318444 109.6)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp effb698f-d772-432d-8a8e-d950b11e6da5))

(gr_arc (start 49.6 75) (mid 50.88873 71.88873) (end 54 70.6)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp f8af8d76-c143-4687-bc9c-ec322e646020))

(gr_arc (start 122.318444 81) (mid 120.558679 79.950382) (end 120.645995 77.903226)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp fbc2b66e-1e10-40ef-a122-47be35c41ebd))

(gr_line (start 57.681556 109.6) (end 53 109.6)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp fd3d34f8-3edb-402a-b192-2423bec527a2))

(gr_arc (start 127 81.4) (mid 128.131371 81.868629) (end 128.6 83)

  (stroke (width 0.01) (type solid)) (layer "User.1") (tstamp fe22d50c-bda6-4dbe-87ed-777e3ae44abd))

(gr_line (start 126 69) (end 54 69)

```

```
(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 00242d58-e772-4e92-b902-20b5c2823f97))
(gr_line (start 126.5 112) (end 122.93 112)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0126765d-987b-47f3-a225-5e56dc1819cc))
(gr_line (start 120.93 72.625) (end 120.93 76.6)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0133c162-af3a-47b7-8bd4-38eef59f1424))
(gr_arc (start 54.7 80.910387) (mid 55.011807 79.838008) (end 55.85 79.1)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 01d8fda4-8918-418c-9902-8f78dc138f4a))
(gr_line (start 70.031242 119.085) (end 59 119.085)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0495a9fa-bc61-4867-b248-a47a9f7b7876))
(gr_line (start 73.6 122.4) (end 73.6 119.98)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 04c96fa0-2987-4458-97d5-789c54dc0cca))
(gr_arc (start 70.031242 119.085) (mid 70.765053 119.232442) (end 71.385002 119.651833)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 04e24fbc-5432-4fd4-8e33-c50bd03962c4))
(gr_line (start 119.93 119.375) (end 88.07 119.375)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0637cc9f-1c95-4898-a8ec-57847f3ed9a1))
(gr_arc (start 72.168758 119.98) (mid 71.743924 119.894633) (end 71.385002 119.651833)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0aa36502-78a9-4e9d-8ac3-c45977d53ef2))
(gr_line (start 80.26 120.999999) (end 80.26 112.165736)
(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0aa3789c-ed6c-438e-b3a1-ab912cb2e5b5))
(gr_line (start 57 117.485) (end 57 113.710387)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0d5403b2-3cfe-42c4-9a5e-aa78ee5f9fb1))
(gr_line (start 87.47 118.375) (end 87.47 112.165736)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 0da05805-6861-423e-98be-5bcfbf36e391))
(gr_arc (start 132 116) (mid 130.242641 120.242641) (end 126 122)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 11616c82-abc4-4e29-a299-9ba6a2948132))
(gr_line (start 55.1 89) (end 55.1 80.910387)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 12d3a05c-f815-432c-99c4-4f167e1f9efe))
(gr_line (start 59 72.025) (end 119.93 72.025)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 154d2267-2a92-4d4d-be89-fcf9cbeeb5bf))
(gr_arc (start 77.8 118.88) (mid 77.477817 119.657817) (end 76.7 119.98)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 18762295-ea1f-479a-87e2-4cda66184fbc))
(gr_line (start 53.08 100.38) (end 48 100.38)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1a24bc4b-09e9-4927-a316-407da5ecb7f1))
(gr_arc (start 119.93 72.025) (mid 120.354264 72.200736) (end 120.53 72.625)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1c27dba5-83a1-4eee-8279-5a4ed0eed7e4))
```

```

(gr_line (start 54.7 110.089613) (end 54.7 102)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1dc1142a-979d-4c42-89df-93da6eab42b8))
(gr_line (start 122.93 79) (end 126.5 79)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 1dcbfad9-0667-4a47-ba1e-13ff93926721))
(gr_line (start 75.7 119.98) (end 75.7 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 20b2a041-b076-4b9a-be7c-291e615849ad))
(gr_arc (start 88.07 118.975) (mid 87.645736 118.799264) (end 87.47 118.375)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 218b14d3-a42c-4362-af00-60f8b5cf127c))
(gr_line (start 57.4 117.485) (end 57.4 113.710387)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 28fd6501-b1d4-4222-9c3e-33b0efdcbb9))
(gr_line (start 122.93 78.6) (end 126.5 78.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 29d8f68f-7597-4825-ba14-8f35ebd3e1b5))
(gr_arc (start 126 69) (mid 130.242641 70.757359) (end 132 75)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 2ba39466-d940-4df7-b98c-272a80cc889a))
(gr_arc (start 78.2 112.165736) (mid 78.394761 111.695487) (end 78.865 111.500736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 2f5752e7-06cc-4961-bc93-f16f46440ace))
(gr_line (start 76.7 119.98) (end 75.7 119.98)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 3883105b-3501-4644-9e43-342f1dafef6b))
(gr_line (start 128.1 80.6) (end 128.1 110.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4169ef77-1642-4dc2-97d3-61b1a92e5cfa))
(gr_line (start 86.74 122) (end 126 122)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 43f837c5-3df6-4293-81cf-68f17a490060))
(gr_line (start 126.5 112.4) (end 122.93 112.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 47201999-f4bf-4262-adcc-da66c1995dba))
(gr_line (start 75.7 122.4) (end 78.859999 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4785e968-5634-42fe-b5a8-7e96ca067988))
(gr_arc (start 55.85 111.9) (mid 56.688199 112.638005) (end 57 113.710387)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 49420061-a561-45ef-973e-5af5be443f34))
(gr_arc (start 132.4 116) (mid 130.525483 120.525483) (end 126 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4a359150-54bc-4456-875a-7d37fc4e3172))
(gr_arc (start 53.08 99.98) (mid 54.508356 100.571644) (end 55.1 102)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4b66e61a-fe77-4eb5-8d87-0971906261aa))
(gr_arc (start 126.5 79) (mid 127.631371 79.468629) (end 128.1 80.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4e519a8d-d60c-45d8-b191-7642fb446bc6))
(gr_arc (start 79.195 111.100736) (mid 79.948056 111.412669) (end 80.26 112.165736)

```

```
(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 4f4117a6-15bd-4c66-8a36-d25876f32c8f))
(gr_arc (start 80.26 120.999999) (mid 79.849949 121.989949) (end 78.859999 122.4)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 555842db-9e0f-4dca-891a-71c6d895bc47))
(gr_line (start 57 77.289613) (end 57 73.625)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 56242ca6-00ab-458e-a1cd-341f4dfee9e7))
(gr_line (start 120.93 114.4) (end 120.93 118.375)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 58bac623-f7cf-4c06-b6e8-35c013cec1de))
(gr_arc (start 120.93 118.375) (mid 120.637107 119.082107) (end 119.93 119.375)
(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 593714b0-8d96-43ca-b8c5-fa5b9f8d0b6b))
(gr_arc (start 86.74 122.4) (mid 85.750051 121.989949) (end 85.34 121)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 5d93f524-911c-43d1-8f67-561edc6cdc9))
(gr_arc (start 70.031242 119.485) (mid 70.610564 119.601404) (end 71.1 119.9325)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 6208a5c0-5be1-4ee4-b9fa-2c5aaf80ed62))
(gr_arc (start 48 75) (mid 49.757359 70.757359) (end 54 69)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 62766bfb-31ab-4dce-b9ec-41818299166b))
(gr_line (start 76.1 120.38) (end 76.1 122)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 63141cd1-5714-494d-bc30-7303f430163f))
(gr_arc (start 79.86 120.999999) (mid 79.567107 121.707107) (end 78.859999 122)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 647f9741-78b2-4a4a-959d-e90f71ab325f))
(gr_arc (start 85.74 112.165736) (mid 86.405 111.500736) (end 87.07 112.165736)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 699fdf64-e18a-4e48-8bbd-fcbc9a44a80e))
(gr_circle (center 54 116) (end 55.75 116)

(stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp 6b2dd3f9-11bf-4182-909b-3baa6)
(gr_arc (start 55.85 111.9) (mid 55.011801 111.161995) (end 54.7 110.089613)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 6c9e03a1-0653-4bcb-bf88-8ddff0506da5))
(gr_line (start 47.6 91.03) (end 53.07 91.03)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7092d363-dd7b-4dce-b573-c39fd439bc5c))
(gr_line (start 53.08 99.98) (end 47.6 99.98)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 73c172bd-8dbc-4572-8506-5a9dccc4d7d9))
(gr_line (start 47.6 99.98) (end 47.6 116)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 747051c9-1660-4725-8d60-1e65e00b63a3))
(gr_line (start 48 100.38) (end 48 116)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7494e041-13fb-4d1e-b4b4-76dd8190a34e))
(gr_line (start 57.4 77.289613) (end 57.4 73.625)

(stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 769ef32d-005e-4fd3-9111-80515d014fab))
```

```

(gr_arc (start 120.93 114.4) (mid 121.515786 112.985786) (end 122.93 112.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 77c4d812-f7e2-40e6-866b-0ffff1367be4))
(gr_line (start 85.74 112.165736) (end 85.74 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 78eb9b74-85b6-4a2e-b085-d4c0e5dbaa28))
(gr_arc (start 122.93 78.6) (mid 121.515786 78.014214) (end 120.93 76.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7b080d4b-a284-4a23-a952-f99e5757914b))
(gr_arc (start 55.1 89) (mid 54.505427 90.435427) (end 53.07 91.03)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7da6f068-06bf-4875-abc3-3e9758ff3cac))
(gr_arc (start 122.93 79) (mid 121.232944 78.297056) (end 120.53 76.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 7f0a9efd-6652-427e-861b-ee7b55698c33))
(gr_circle (center 126 75) (end 127.75 75)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp 7fabe2f9-e574-40c6-9082-c993d))
(gr_arc (start 86.74 122) (mid 86.032893 121.707107) (end 85.74 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 81fda36a-0535-41a7-8c40-aafdb40d478d))
(gr_arc (start 128.1 110.4) (mid 127.631371 111.531371) (end 126.5 112)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 821f8943-5d93-4172-8dc2-e3c8d2d36fe6))
(gr_line (start 55.1 110.089613) (end 55.1 102)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 87dc08d9-2669-4eea-96a0-e370138a6933))
(gr_arc (start 59 119.485) (mid 57.585786 118.899214) (end 57 117.485)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 88edbafe-67fe-4155-a751-33cf6c39ec4d))
(gr_line (start 78.2 112.165736) (end 78.2 118.88)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 8a8caab4-cdcb-4a8a-9eff-d5200c5a43d9))
(gr_line (start 128.5 80.6) (end 128.5 110.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 8e94b478-17a1-4cb9-9b14-592e2337d86e))
(gr_arc (start 55.1 80.910387) (mid 55.349446 80.052484) (end 56.02 79.462077)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 905f70d8-8222-4f53-a807-aae1aaff718d))
(gr_arc (start 57 77.289613) (mid 56.688193 78.361992) (end 55.85 79.1)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 90ace7ff-490b-427a-b178-10169f1d0658))
(gr_arc (start 126.5 78.6) (mid 127.914214 79.185786) (end 128.5 80.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 95ee5ba2-4e98-4cce-8538-e5a644068e96))
(gr_line (start 85.34 112.165736) (end 85.34 121)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 99352fa1-b0c4-4c86-b92d-fc3e2665be27))
(gr_line (start 126 68.6) (end 54 68.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9aa62924-8544-48ca-af4d-517f95570d5c))
(gr_line (start 79.195 111.100736) (end 78.865 111.100736)

```

```

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9c31a310-40db-46d5-8d07-aed14564330e))
(gr_line (start 119.93 118.975) (end 88.07 118.975)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9c68dd91-27b3-4758-8dd9-64719f53acc8))
(gr_line (start 120.53 114.4) (end 120.53 118.375)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9ceea44d-000d-4381-bcd4-cd34bfe86bf1))
(gr_arc (start 78.2 118.88) (mid 77.76066 119.94066) (end 76.7 120.38)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9da7a185-2db4-4ff2-a486-98c7e8d33fe7))
(gr_arc (start 119.93 71.625) (mid 120.637107 71.917893) (end 120.93 72.625)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp 9eecfbc4-2951-4584-9b4b-165b8e2144a1))
(gr_arc (start 85.34 112.165736) (mid 86.405 111.100736) (end 87.47 112.165736)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a40f1857-f21f-4e7f-97da-0e64d9ed9e41))
(gr_arc (start 72.168758 120.38) (mid 71.589436 120.263596) (end 71.1 119.9325)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a53e1fb4-4e50-4595-981e-46cdd2a8ac0e))
(gr_line (start 77.8 112.165736) (end 77.8 118.88)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a67ef4ee-e36b-4de4-ad65-a3f38bc30369))
(gr_arc (start 53.08 100.38) (mid 54.225513 100.854487) (end 54.7 102)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a819a1ec-c126-4b17-92e4-e645d0d00eac))
(gr_arc (start 77.8 112.165736) (mid 78.111919 111.412644) (end 78.865 111.100736)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp a907865a-3ede-4326-9050-da4ceaba2c5d))
(gr_arc (start 54.7 89) (mid 54.222584 90.152584) (end 53.07 90.63)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp abb77112-0d24-43a8-ae34-fc43411fb83b))
(gr_circle (center 126 116) (end 127.75 116)

    (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp ac6c781b-3248-43b1-8f69-f4233

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp b29fa949-22c2-40d5-9761-61f37a4df66d))
(gr_line (start 48 75) (end 48 90.63)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp b7a4c96e-9a79-43af-b1fc-317dfd91d5d4))
(gr_line (start 79.86 120.999999) (end 79.86 112.165736)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp bbd13cc1-3c9e-4228-90ae-b274841f5bc9))
(gr_arc (start 79.195 111.500736) (mid 79.665213 111.695512) (end 79.86 112.165736)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp bc514d20-eb72-4fcb-b706-4c3bd977b258))
(gr_arc (start 57.4 73.625) (mid 57.868629 72.493629) (end 59 72.025)

    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c0882d97-60f7-4bb4-be60-ffc9afc2daf8))
(gr_arc (start 47.6 75) (mid 49.474517 70.474517) (end 54 68.6)
    (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c0caa370-2813-4a38-938a-1fa294dcfb86))

```

```

(gr_line (start 79.195 111.500736) (end 78.865 111.500736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c5903aaf-2ba6-4736-95e9-6db6be39de1d))
(gr_line (start 54.7 89) (end 54.7 80.910387)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c60aec90-396e-418c-9618-a588f615857c))
(gr_line (start 86.74 122.4) (end 126 122.4)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c7972341-9ffb-49b5-b8d4-c0c183e5396e))
(gr_line (start 48 90.63) (end 53.07 90.63)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp c9920a24-5b5a-4fd6-8d6d-68ea2b412147))
(gr_circle (center 54 75) (end 55.75 75)
  (stroke (width 0.01) (type solid)) (fill none) (layer "User.2") (tstamp cdc7b829-71f3-4b6b-9f0b-f06ee))
(gr_line (start 70.031242 119.485) (end 59 119.485)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp cfb540c8-c00f-4934-9680-def7a8db8e20))
(gr_line (start 47.6 75) (end 47.6 91.03)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d021ac64-9809-4dc5-91a5-26e6cf03c49d))
(gr_line (start 132 116) (end 132 75)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d0344fdf-ad2b-4987-845e-f527573cf23d))
(gr_line (start 73.6 119.98) (end 72.168758 119.98)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d2bd07e2-56be-4829-b9bc-b98dc2a8da34))
(gr_line (start 120.53 72.625) (end 120.53 76.6)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d5345bfe-2d96-444f-a266-310218cab2e))
(gr_arc (start 59 119.085) (mid 57.868629 118.616371) (end 57.4 117.485)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d60f6874-b45f-4669-b941-91d0588ef802))
(gr_arc (start 57 73.625) (mid 57.585786 72.210786) (end 59 71.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d71ec0c9-88d9-482e-b38e-d92ccaac872b))
(gr_arc (start 56.02 111.537923) (mid 57.025838 112.423529) (end 57.4 113.710387)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d72b0813-e0e7-4e3d-94e4-4c67eb886a92))
(gr_line (start 73.2 122) (end 73.2 120.38)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp d839a8e6-544f-4496-bb8a-6e03869bedc0))
(gr_line (start 73.2 120.38) (end 72.168758 120.38)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp dbeb24e0-215c-4fc8-b35a-d1db0621f368))
(gr_line (start 87.07 118.375) (end 87.07 112.165736)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp dd2c5b0d-5fac-404e-a643-44795c42a42d))
(gr_line (start 59 71.625) (end 119.93 71.625)
  (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp dd4b8a44-a685-4bca-a9d9-973339a44b88))
(gr_arc (start 56.02 111.537923) (mid 55.349439 110.947519) (end 55.1 110.089613)

```



```

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp df8b9572-3d45-4bc8-b838-faa90afd48da))
(gr_arc (start 120.53 114.4) (mid 121.232944 112.702944) (end 122.93 112)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e43796d7-c5a0-4071-b00c-e0920e5f7a53))
(gr_line (start 54 122) (end 73.2 122)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e4c97bf4-21c3-4cc4-97e7-b41d33fce7d2))
(gr_arc (start 120.53 118.375) (mid 120.354264 118.799264) (end 119.93 118.975)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e55834b2-e7fc-44d5-84aa-cc410954fc0a))
(gr_arc (start 88.07 119.375) (mid 87.362893 119.082107) (end 87.07 118.375)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp e84e4485-195d-45e9-a286-ba964885ff0f))
(gr_arc (start 54 122) (mid 49.757359 120.242641) (end 48 116)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp ea123408-dcb4-47d3-8229-9929b1206557))
(gr_arc (start 128.5 110.4) (mid 127.914214 111.814214) (end 126.5 112.4)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp ebf8f755-a514-4009-a9f1-77aa807da995))
(gr_line (start 76.1 122) (end 78.859999 122)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp ef04ad5b-b9cf-4399-89e3-9ebd5b16a712))
(gr_line (start 54 122.4) (end 73.6 122.4)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f1e60cab-fde1-46fb-aebf-1ccbb662e625))
(gr_line (start 132.4 116) (end 132.4 75)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f41563db-f8ca-4853-82e0-7890cc842bc1))
(gr_arc (start 126 68.6) (mid 130.525483 70.474517) (end 132.4 75)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f70ce9ed-e10a-4434-87b2-2cb3aad5147))
(gr_arc (start 57.4 77.289613) (mid 57.025832 78.576468) (end 56.02 79.462077)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp f7fb8b5d-00b9-4129-875f-2ce4844eb931))
(gr_arc (start 54 122.4) (mid 49.474517 120.525483) (end 47.6 116)

        (stroke (width 0.01) (type solid)) (layer "User.2") (tstamp fcfab889-44b0-4cf9-a850-a33baf3e5050))
(gr_text "5V" (at 80.5 116.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3bc42)

        (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "SCL" (at 87.25 113.55) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3bc53)

        (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "GND" (at 87.25 111.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3bc56)

        (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "V" (at 115.43 118) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca3066)

```

```

    (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "GND" (at 104 118) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca5306b)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "2" (at 107.81 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fbe)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "S" (at 115.43 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fbf)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "5" (at 100.19 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fc0)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "0" (at 112.89 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fc1)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "1" (at 110.35 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca53fc2)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "A" (at 119.3 76.65) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca65fb3)
  (effects (font (size 2.8 2.8) (thickness 0.3)) (justify mirror))
)
(gr_text "V" (at 92.6 73.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca666e2)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "B" (at 119.3 114.65) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ca677d8)
  (effects (font (size 2.8 2.8) (thickness 0.3)) (justify mirror))
)
(gr_text "7" (at 95.11 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb02fa5)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "6" (at 97.65 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb02fdb)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)

```

```
(gr_text "GND" (at 104 73.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb0365c)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "S" (at 92.57 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037bc)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "6" (at 110.35 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037bf)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "7" (at 112.89 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037c2)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "5" (at 107.81 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037c5)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "4" (at 105.27 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037c8)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "0" (at 95.11 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037cb)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "1" (at 97.65 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037ce)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "2" (at 100.19 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037d1)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "3" (at 102.73 80) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037d4)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "4" (at 102.73 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037e3)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
(gr_text "3" (at 105.27 111.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb037e8)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify mirror))
)
```

```

)
(gr_text "1V2" (at 72.4 112.9) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cb35192)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "VUSB" (at 50.6 94.2) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2feb)
  (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
)
(gr_text "D-" (at 58.7 94.7) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2fef)
  (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
)
(gr_text "D+" (at 52.2 96.3) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2ff1)
  (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
)
(gr_text "GND" (at 58.7 96.8) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cbb2ff3)
  (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
)
(gr_text "3V3" (at 80.5 111.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cc97353)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "G" (at 85.3 108.45) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ccace41)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify right mirror))
)
(gr_text "VDAC" (at 125.3 91.2) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cd09ae2)
  (effects (font (size 1 1) (thickness 0.16)) (justify right mirror))
)
(gr_text "VDAC" (at 121.3 99.8) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cd09b2b)
  (effects (font (size 1 1) (thickness 0.16)) (justify left mirror))
)
(gr_text "SDA" (at 87.25 116.05) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005cd09bd0)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "B\n0" (at 116.7 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1258)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n1" (at 115.43 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1273)

```

```

    (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n2" (at 114.16 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1284)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n3" (at 112.89 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb129a)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n4" (at 111.62 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12aa)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n5" (at 110.35 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12b8)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n6" (at 109.08 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12d0)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "B\n7" (at 107.81 106) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb12db)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n1" (at 109.08 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c24)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n3" (at 111.62 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c29)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n6" (at 115.43 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c34)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n7" (at 116.7 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c40)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n4" (at 112.89 85.1) (layer "B.Silks") (tstamp 00000000-0000-0000-0000-00005ecb1c59)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)

```

```
(gr_text "A\n0" (at 107.81 85.1) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ecb1c60)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n2" (at 110.35 85.1) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ecb1c61)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "A\n5" (at 114.16 85.1) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ecb1c67)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "Pull-Up/Down\nResistors Bank A" (at 112.2 89.5) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ecb1c68)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "Pull-Up/Down\nResistors Bank B" (at 112.3 101.6) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ecb1c69)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify mirror))
)
(gr_text "NULL" (at 59 111.5) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ed7c0f2)
  (effects (font (size 1 1) (thickness 0.2)) (justify mirror))
)
(gr_text "manufactured\nby" (at 59 101.75) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005ed7c0f3)
  (effects (font (size 1 1) (thickness 0.15)) (justify mirror))
)
(gr_text "A" (at 124.6 89.7) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005f7d0e74)
  (effects (font (size 1 1) (thickness 0.16)) (justify mirror))
)
(gr_text "B" (at 122 101.5) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005f7d1c06)
  (effects (font (size 1 1) (thickness 0.16)) (justify mirror))
)
(gr_text "Serial No:" (at 128.8 93.3) (layer "B.SilkS") (tstamp 00000000-0000-0000-0000-00005f8ffdba)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "S" (at 80.5 108.45) (layer "B.SilkS") (tstamp 6e2ae4b2-21df-47fc-aa21-6cd5ca9deba9)
  (effects (font (size 1.2 1.2) (thickness 0.16)) (justify left mirror))
)
(gr_text "https://glasgow-embedded.org" (at 79.3 103.9) (layer "B.SilkS") (tstamp ce7fe6ec-7eaa-4e1c-9c00-000000000000)
  (effects (font (size 1.2 1.2) (thickness 0.2)) (justify mirror))
)
```

```

)
(gr_text "CLKREF" (at 74 89) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ad617e6)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "U1" (at 53 102) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f79)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "U2" (at 53 104) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f7c)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "U3" (at 53 106) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f7f)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "U4" (at 53 108) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f82)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "U5" (at 53 110) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53f85)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "ERR" (at 53 89) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fa9)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "ACT" (at 53 87) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53faa)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "ICE" (at 53 85) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fab)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "FX2" (at 53 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf53fac)
  (effects (font (size 1.2 1.2) (thickness 0.15))))
)
(gr_text "FX2MEM" (at 70.7 110.2 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005bf62952)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "A" (at 92.5 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c0dfe9d)

```

```

    (effects (font (size 2.8 2.8) (thickness 0.3)))
)
(gr_text "B" (at 92.5 108.2) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c0dfea2)
  (effects (font (size 2.8 2.8) (thickness 0.3)))
)
(gr_text "by" (at 71.5 84.6) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005c1952f6)
  (effects (font (size 1 1) (thickness 0.15)) (justify left))
)
(gr_text "SCL" (at 77.25 105) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb0500a)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "5V" (at 95.5 109) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb0504d)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "3V3" (at 95.5 107.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb05052)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "LVDS" (at 72.5 72.2) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cb3982d)
  (effects (font (size 1.2 1.2) (thickness 0.2)))
)
(gr_text "VIO B" (at 122.6 112) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc1364a)
  (effects (font (size 0.8 0.8) (thickness 0.15)))
)
(gr_text "PWR" (at 53 81) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc30c71)
  (effects (font (size 1.2 1.2) (thickness 0.15)))
)
(gr_text "SYNC" (at 82.9 106.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc30d66)
  (effects (font (size 1.2 1.2) (thickness 0.2)))
)
(gr_text "SDA" (at 77.25 103.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005cc98790)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left))
)
(gr_text "USB FIFO" (at 69.8 90.5) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9171d)
  (effects (font (size 0.8 0.8) (thickness 0.15)))
)

```



```

(gr_text "FPGA" (at 83.6 90.2) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec92036)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "iCE40HX8K" (at 84.2 100.9) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec929e0)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "FX2" (at 72.2 100.6) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec93c13)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "LEVEL SHIFTERS" (at 93.5 95.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec95
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "DAC A" (at 128.3 93.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9b174)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "VREG A" (at 128.3 89 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9bb33)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "ADC A" (at 128.3 84.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9c4cd)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "DAC B" (at 128.3 97.4 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9cf99)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "VREG B" (at 128.3 102 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9cfb6)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "ADC B" (at 128.3 106.6 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9cfba)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "10kΩ" (at 108.4 106) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ec9d959)
  (effects (font (size 0.6 0.6) (thickness 0.125))))
)
(gr_text "AUX" (at 104.9 90.6) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca07b4)
  (effects (font (size 1.2 1.2) (thickness 0.2))))

```

```

)
(gr_text "VIO SET/SENSE" (at 129.4 95.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca2)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "VREG_1V2" (at 66.7 108.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca3665)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "VREG_3V3" (at 66.7 118.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eca3f84)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "USER LEDS" (at 60.5 106 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecb802e)
  (effects (font (size 1 1) (thickness 0.15))))
)
(gr_text "B7" (at 98.5 105.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecc80d8)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B6" (at 94.5 105.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecc89f2)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B4" (at 94.5 102.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca56c)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B5" (at 98.5 102.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca56e)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B0" (at 94.5 96.9 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58b)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B1" (at 98.5 96.9 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58c)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B3" (at 98.5 99.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58d)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "B2" (at 94.5 99.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca58e)

```

```

    (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A6" (at 94.5 94.1 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5ce)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A7" (at 98.5 94.1 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5d1)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A4" (at 94.5 91.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5d5)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A5" (at 98.5 91.3 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca5d6)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A0" (at 94.5 85.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca620)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A2" (at 94.5 88.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca621)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A3" (at 98.5 88.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca622)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "A1" (at 98.5 85.7 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ecca646)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "SYNC" (at 89 99.6 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005eccb874)
  (effects (font (size 0.6 0.6) (thickness 0.15)))
)
(gr_text "CLKIF" (at 63.6 99.9) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed7735d)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify right))
)
(gr_text "mfr." (at 68.1 86.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed78f99)
  (effects (font (size 1 1) (thickness 0.15)) (justify left))
)

```

```

(gr_text "PWR" (at 60.5 117.7) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed798c6)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "NULL" (at 73.6 86.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed7b748)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "@whitequark\n@awygle\n@marcan42" (at 74.3 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005ed7b748)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "ESD PROTECTION" (at 102.95 83.85) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f0261)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "IO PULL-UP/DOWN" (at 117.5 95.5 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f4d)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "10kΩ" (at 108.3 85) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f4451fc)
  (effects (font (size 0.6 0.6) (thickness 0.125))))
)
(gr_text "STATUS LEDS" (at 60.5 85 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f46218a)
  (effects (font (size 1 1) (thickness 0.15))))
)
(gr_text "ICE_MEM" (at 78.9 110.9 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f46c05f)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "RECOVER" (at 70.6 117.1 90) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f46e581)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "1V2" (at 78.1 101.4) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f49d625)
  (effects (font (size 0.8 0.8) (thickness 0.15)) (justify left)))
)
(gr_text "RESET" (at 75.2 115.7) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f5b1449)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "Glasgow\nrevC3" (at 63 83) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f6abb09)
  (effects (font (size 1.6 1.6) (thickness 0.25)) (justify left)))
)

```

```

)
(gr_text "SEQ" (at 60.5 118.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f6c983c)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "PU/PD A" (at 112.7 88.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f753cfc)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "PU/PD B" (at 112.7 102.3) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f76fdb3)
  (effects (font (size 0.7 0.7) (thickness 0.15))))
)
(gr_text "by" (at 71.5 86.8) (layer "F.Silks") (tstamp 00000000-0000-0000-0000-00005f77d1ab)
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "ESD PROTECTION" (at 102.95 107.25) (layer "F.Silks") (tstamp d02cbc61-a799-4968-9aa5-b0e84b86)
  (effects (font (size 0.6 0.6) (thickness 0.15))))
)
(gr_text "1" (at 58 78.5) (layer "F.Silks") (tstamp db089e0a-50a1-42c2-8f13-40ce10aa0fd0)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "VIO A" (at 122.6 79.1) (layer "F.Silks") (tstamp ff1a92fc-a1df-44f8-9518-03a651fce930)
  (effects (font (size 0.8 0.8) (thickness 0.15))))
)
(gr_text "Caution:\nCheck washer & screw size for \nconflicts with LVDS connector" (at 49.75 59.5) (layer "F.Silks")
  (effects (font (size 1 1) (thickness 0.15)) (justify left)))
)
(gr_text "YYYYMMDDhhmmNN" (at 112.5 127.1) (layer "Dwgs.User") (tstamp 43612b3e-1de5-462e-8ed7-7c9969a8)
  (effects (font (size 1.2 1.2) (thickness 0.16))))
)
(gr_text "Wave soldering keepout" (at 104.6 69.4) (layer "B.Fab") (tstamp 00000000-0000-0000-0000-00005f753cfc)
  (effects (font (size 1.5 1.5) (thickness 0.3)) (justify mirror)))
)
(gr_text "Wave soldering keepout" (at 104.6 121.3) (layer "B.Fab") (tstamp 78098ee0-711e-426e-9c75-40d7)
  (effects (font (size 1.5 1.5) (thickness 0.3)) (justify mirror)))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005bf5391f))

```

```

(pts (xy 50 71) (xy 50 120))

(height 5)

(gr_text "49.0000 mm" (at 43.2 95.5 90) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005bf53)
  (effects (font (size 1.5 1.5) (thickness 0.3))))
)

(format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))

(style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)

(dimension (type aligned) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005cadf4af)
  (pts (xy 130 120) (xy 50 120))
  (height -5)
  (gr_text "80.0000 mm" (at 90 123.2) (layer "Dwgs.User") (tstamp 00000000-0000-0000-0000-00005cadf4af)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
)

(format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))

(style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)

(dimension (type aligned) (layer "Dwgs.User") (tstamp 12dcc757-c8ef-4f65-b642-70c279cb6728)
  (pts (xy 130 113.28) (xy 130 77.72))
  (height 5)
  (gr_text "35.5600 mm" (at 135 95.5 90) (layer "Dwgs.User") (tstamp 12dcc757-c8ef-4f65-b642-70c279cb6728)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
)

(format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))

(style (thickness 0.3) (arrow_length 1.27) (text_position_mode 2) (extension_height 0.58642) (extension_line_offset 0))
)

(dimension (type aligned) (layer "Dwgs.User") (tstamp 250c5a1f-91a0-46b1-8f22-f04770e8c600)
  (pts (xy 55 75) (xy 55 116))
  (height 14)
  (gr_text "41.0000 mm" (at 39.2 95.5 90) (layer "Dwgs.User") (tstamp 250c5a1f-91a0-46b1-8f22-f04770e8c600)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
)

(format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))

(style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)

```

```

(dimension (type aligned) (layer "Dwgs.User") (tstamp 741b3af8-945c-4076-bf9b-2b056aff947f)
  (pts (xy 92.57 71) (xy 115.43 71))
  (height -5)
  (gr_text "22.8600 mm" (at 104 64.2) (layer "Dwgs.User") (tstamp 741b3af8-945c-4076-bf9b-2b056aff947f)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp 8b6f6457-9560-42db-a065-00b2b1d8f1b4)
  (pts (xy 50 71) (xy 92.57 71))
  (height -5)
  (gr_text "42.5700 mm" (at 71.285 64.2) (layer "Dwgs.User") (tstamp 8b6f6457-9560-42db-a065-00b2b1d8f1b4)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp c60f5146-6e4f-4b53-892e-7109368e17ca)
  (pts (xy 54 127.5) (xy 126 127.5))
  (height 1.5)
  (gr_text "72.0000 mm" (at 90 127.2) (layer "Dwgs.User") (tstamp c60f5146-6e4f-4b53-892e-7109368e17ca)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)
(dimension (type aligned) (layer "Dwgs.User") (tstamp cc2774f7-1aa6-479f-849d-c0579f4a8418)
  (pts (xy 130 77.72) (xy 130 71))
  (height 5)
  (gr_text "6.7200 mm" (at 137 74.36 90) (layer "Dwgs.User") (tstamp cc2774f7-1aa6-479f-849d-c0579f4a8418)
    (effects (font (size 1.5 1.5) (thickness 0.3))))
  )
  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))
  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 2) (extension_height 0.58642) (extension_line_offset 0))
)

```

```

)

(dimension (type aligned) (layer "Dwgs.User") (tstamp e1535f66-27f2-4201-9b12-126be3ba61e2)

  (pts (xy 115.43 71) (xy 130 71))
(height -5)

  (gr_text "14.5700 mm" (at 122.715 64.2) (layer "Dwgs.User") (tstamp e1535f66-27f2-4201-9b12-126be3ba61e2)

    (effects (font (size 1.5 1.5) (thickness 0.3))))

  )

  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))

  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 0) (extension_height 0.58642) (extension_line_offset 0))
)

(dimension (type aligned) (layer "Dwgs.User") (tstamp e7808871-6941-4712-8427-f0ff3aca365b)

  (pts (xy 130 120) (xy 130 113.28))

  (height 5)

  (gr_text "6.7200 mm" (at 137 116.6 90) (layer "Dwgs.User") (tstamp e7808871-6941-4712-8427-f0ff3aca365b)

    (effects (font (size 1.5 1.5) (thickness 0.3))))

  )

  (format (prefix "") (suffix "") (units 2) (units_format 1) (precision 4))

  (style (thickness 0.3) (arrow_length 1.27) (text_position_mode 2) (extension_height 0.58642) (extension_line_offset 0))
)

(segment (start 73.875 106.725) (end 73.9 106.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 065e20db-a5b1-4000-9000-000000000000))
(segment (start 121.005786 96.45) (end 122.2 96.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp 159c210f-5b11-4000-9000-000000000000))
(segment (start 117 92.444214) (end 121.005786 96.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp 193fc0e0-5b11-4000-9000-000000000000))
(segment (start 109.225 100.425) (end 108.5 99.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 196e350f-5b11-4000-9000-000000000000))
(segment (start 125.5 83.9) (end 126.6 83.9) (width 0.15) (layer "F.Cu") (net 1) (tstamp 1ce4dc1b-09cd-4000-9000-000000000000))
(segment (start 77.375 106.725098) (end 77.4 106.700098) (width 0.15) (layer "F.Cu") (net 1) (tstamp 23b1e0e0-5b11-4000-9000-000000000000))
(segment (start 117 91.3) (end 117 92.444214) (width 0.15) (layer "F.Cu") (net 1) (tstamp 25072539-3957-4000-9000-000000000000))
(segment (start 77.375 108.0375) (end 77.375 106.725098) (width 0.15) (layer "F.Cu") (net 1) (tstamp 2da0e0e0-5b11-4000-9000-000000000000))
(segment (start 76.4 103.3) (end 77.4 104.3) (width 0.15) (layer "F.Cu") (net 1) (tstamp 3e85e891-d661-4000-9000-000000000000))
(segment (start 81.3 97.1) (end 80.9 97.5) (width 0.15) (layer "F.Cu") (net 1) (tstamp 427a5777-f210-4000-9000-000000000000))
(segment (start 73.875 108.0375) (end 73.875 106.725) (width 0.15) (layer "F.Cu") (net 1) (tstamp 43ec90e0-5b11-4000-9000-000000000000))
(segment (start 108.5 99.7) (end 108.200006 99.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 44ec821f-5b11-4000-9000-000000000000))
(segment (start 116.9 91.3) (end 116.175 90.575) (width 0.15) (layer "F.Cu") (net 1) (tstamp 45a52044-e0e0-4000-9000-000000000000))
(segment (start 126.6 83.9) (end 126.7 84) (width 0.15) (layer "F.Cu") (net 1) (tstamp 4e04a1bc-e2a4-4000-9000-000000000000))
(segment (start 67.1 99.5) (end 67 99.6) (width 0.15) (layer "F.Cu") (net 1) (tstamp 523deb5b-ee79-4e40-9000-000000000000))

```


(segment (start 73.9 106.325099) (end 73.9 106.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp 5450bb18-
(segment (start 121 112.624136) (end 121 109.012068) (width 0.15) (layer "F.Cu") (net 1) (tstamp 55af59
(segment (start 122.2 107.4) (end 121.9 107.1) (width 0.15) (layer "F.Cu") (net 1) (tstamp 62605f2c-29c
(segment (start 88.3 116) (end 89.799909 117.499909) (width 0.15) (layer "F.Cu") (net 1) (tstamp 6476ed
(segment (start 122.35 96.45) (end 124.25 94.55) (width 0.15) (layer "F.Cu") (net 1) (tstamp 6535506f-0
(segment (start 117 91.3) (end 116.9 91.3) (width 0.15) (layer "F.Cu") (net 1) (tstamp 66302310-c00c-46
(segment (start 115.65 90.575) (end 116.125 90.575) (width 0.15) (layer "F.Cu") (net 1) (tstamp 6bac8d8
(segment (start 73.6 103.45) (end 73.6 106.025099) (width 0.15) (layer "F.Cu") (net 1) (tstamp 71deb69d
(segment (start 77.4 106.323146) (end 77.4 106.700098) (width 0.15) (layer "F.Cu") (net 1) (tstamp 7fbb
(segment (start 89.799909 117.499909) (end 116.124227 117.499909) (width 0.15) (layer "F.Cu") (net 1) (
(segment (start 69.174957 102.774959) (end 72.924959 102.774959) (width 0.15) (layer "F.Cu") (net 1) (t
(segment (start 77.4 104.3) (end 77.4 106.323146) (width 0.15) (layer "F.Cu") (net 1) (tstamp 8a3bf8bd-
(segment (start 74.915 103.3) (end 74.9 103.315) (width 0.15) (layer "F.Cu") (net 1) (tstamp 9069606b-3
(segment (start 122.2 107.812068) (end 122.2 107.4) (width 0.15) (layer "F.Cu") (net 1) (tstamp 952a9c9
(segment (start 123.35 94.55) (end 123.3 94.5) (width 0.15) (layer "F.Cu") (net 1) (tstamp 961d9fdc-c9d
(segment (start 122.2 96.45) (end 122.35 96.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp 9a4859b7-bb
(segment (start 67.899998 101.5) (end 69.174957 102.774959) (width 0.15) (layer "F.Cu") (net 1) (tstamp
(segment (start 124.25 94.55) (end 124.4 94.55) (width 0.15) (layer "F.Cu") (net 1) (tstamp a56fbf68-28
(segment (start 73.6 106.025099) (end 73.9 106.325099) (width 0.15) (layer "F.Cu") (net 1) (tstamp a7ee
(segment (start 121.1 107.1) (end 119.7 107.1) (width 0.15) (layer "F.Cu") (net 1) (tstamp ade649ae-e3c
(segment (start 67 100.600002) (end 67.899998 101.5) (width 0.15) (layer "F.Cu") (net 1) (tstamp b0dcac
(segment (start 72.924959 102.774959) (end 73.6 103.45) (width 0.15) (layer "F.Cu") (net 1) (tstamp b13
(segment (start 124.4 94.55) (end 123.35 94.55) (width 0.15) (layer "F.Cu") (net 1) (tstamp b171ea16-37
(segment (start 118.8 104.4) (end 118.1 103.7) (width 0.15) (layer "F.Cu") (net 1) (tstamp b3cf17c7-4a5
(segment (start 118.8 106.2) (end 118.8 104.4) (width 0.15) (layer "F.Cu") (net 1) (tstamp b68b28fa-9b7
(segment (start 121.9 107.1) (end 121.1 107.1) (width 0.15) (layer "F.Cu") (net 1) (tstamp c85f157d-79a
(segment (start 116.175 90.575) (end 115.5625 90.575) (width 0.15) (layer "F.Cu") (net 1) (tstamp cc405
(segment (start 121 109.012068) (end 122.2 107.812068) (width 0.15) (layer "F.Cu") (net 1) (tstamp cc88
(segment (start 67 99.6) (end 67 100.600002) (width 0.15) (layer "F.Cu") (net 1) (tstamp d6c0531c-ae64-48
(segment (start 109.8375 100.425) (end 109.225 100.425) (width 0.15) (layer "F.Cu") (net 1) (tstamp dbf
(segment (start 116.124227 117.499909) (end 121 112.624136) (width 0.15) (layer "F.Cu") (net 1) (tstamp
(segment (start 76.4 103.3) (end 74.915 103.3) (width 0.15) (layer "F.Cu") (net 1) (tstamp f8cdfa1c-634
(segment (start 119.7 107.1) (end 118.8 106.2) (width 0.15) (layer "F.Cu") (net 1) (tstamp fe3df6f4-c32
(via (at 77.4 106.700098) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 30afd0b5-f46c-4
(via (at 88.3 116) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 3c1f717a-f2d7-4792-b30

(via (at 126.7 84) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 3d061d57-cd3b-40ab-a4a

(via (at 67.899998 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 7267b131-610e-4

(via (at 73.9 106.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp 9b48ebe1-42f7-4472-8

(via (at 118.1 103.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp ae35b9a6-b019-4ae2-5

(via (at 108.200006 99.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp b36d638f-1050-4

(via (at 123.3 94.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp b5009e44-b265-44c3-9

(via (at 80.9 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 1) (tstamp e03e2243-2496-4e0d-ab

(via (at 117 91.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 1) (tstamp efe99c6b-11a8-4723-a68

(segment (start 115.3 91.3) (end 117 91.3) (width 0.15) (layer "B.Cu") (net 1) (tstamp 09bd0780-43da-4e

(segment (start 69.299998 102.9) (end 67.899998 101.5) (width 0.15) (layer "B.Cu") (net 1) (tstamp 263a

(segment (start 86.3 108.1) (end 84.675099 106.475099) (width 0.15) (layer "B.Cu") (net 1) (tstamp 2808

(segment (start 107.9 99.399994) (end 107.9 98.7) (width 0.15) (layer "B.Cu") (net 1) (tstamp 2db8e929-a

(segment (start 74.45 102.9) (end 69.299998 102.9) (width 0.15) (layer "B.Cu") (net 1) (tstamp 34a40bb9

(segment (start 108.200006 99.7) (end 108.899916 100.39991) (width 0.15) (layer "B.Cu") (net 1) (tstamp

(segment (start 84.675099 106.475099) (end 77.624999 106.475099) (width 0.15) (layer "B.Cu") (net 1) (t

(segment (start 78.605268 98.744732) (end 74.45 102.9) (width 0.15) (layer "B.Cu") (net 1) (tstamp 4a3c

(segment (start 125.824136 94.5) (end 128.07509 92.249048) (width 0.15) (layer "B.Cu") (net 1) (tstamp 4

(segment (start 108.899916 100.39991) (end 118.875773 100.399911) (width 0.15) (layer "B.Cu") (net 1) (

(segment (start 80.402224 97.5) (end 79.157492 98.744732) (width 0.15) (layer "B.Cu") (net 1) (tstamp 5

(segment (start 73.9 106.7) (end 74.2 107) (width 0.15) (layer "B.Cu") (net 1) (tstamp 579cd553-6283-4e

(segment (start 79.157492 98.744732) (end 78.605268 98.744732) (width 0.15) (layer "B.Cu") (net 1) (tst

(segment (start 77.100098 107) (end 77.4 106.700098) (width 0.15) (layer "B.Cu") (net 1) (tstamp 713ecc

(segment (start 80.9 97.5) (end 80.402224 97.5) (width 0.15) (layer "B.Cu") (net 1) (tstamp 9d9f3faa-f2

(segment (start 128.07509 85.37509) (end 126.7 84) (width 0.15) (layer "B.Cu") (net 1) (tstamp a1e411e4

(segment (start 86.3 114) (end 86.3 108.1) (width 0.15) (layer "B.Cu") (net 1) (tstamp aba52e2c-67cd-46

(segment (start 118.875773 100.399911) (end 119.200178 100.724316) (width 0.15) (layer "B.Cu") (net 1) (

(segment (start 107.9 98.7) (end 115.3 91.3) (width 0.15) (layer "B.Cu") (net 1) (tstamp b8fdb1cc-6f99-a

(segment (start 123.3 94.5) (end 125.824136 94.5) (width 0.15) (layer "B.Cu") (net 1) (tstamp b9da41e2-c

(segment (start 119.200178 102.599822) (end 118.1 103.7) (width 0.15) (layer "B.Cu") (net 1) (tstamp c9

(segment (start 77.624999 106.475099) (end 77.4 106.700098) (width 0.15) (layer "B.Cu") (net 1) (tstamp

(segment (start 74.2 107) (end 77.100098 107) (width 0.15) (layer "B.Cu") (net 1) (tstamp d9aca30d-832c

(segment (start 128.07509 92.249048) (end 128.07509 85.37509) (width 0.15) (layer "B.Cu") (net 1) (tst

(segment (start 108.200006 99.7) (end 107.9 99.399994) (width 0.15) (layer "B.Cu") (net 1) (tstamp e2eel

(segment (start 119.200178 100.724316) (end 119.200178 102.599822) (width 0.15) (layer "B.Cu") (net 1) (

(segment (start 88.3 116) (end 86.3 114) (width 0.15) (layer "B.Cu") (net 1) (tstamp f66d06ac-e654-492b

(segment (start 67.1 90.75) (end 66.8 90.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 93.25) (end 64.9 93.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.1 91.5) (end 67.1 90.75) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 95.25) (end 64.9 95.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.8 91.55) (end 73.54 91.55) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 99.5) (end 72.6 100.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.49 91.5) (end 73.8 91.55) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 73.1 91.5) (end 73.49 91.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.85 97.25) (end 64.9 97.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 115.65) (end 67.875 115.65) (width 0.35) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 67.875 115.65) (end 68.5 116.275) (width 0.35) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.95 115.65) (end 66.95 115) (width 0.35) (layer "F.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 95.15 101.85) (end 96.1 101.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp 01214897-6c3a-4b32-b008-000000000000))
(segment (start 74.15 105.4) (end 74.885 105.4) (width 0.15) (layer "F.Cu") (net 2) (tstamp 03ec1d29-3411-4000-b008-000000000000))
(segment (start 73.85 97.25) (end 74.75 97.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 0c2f18ed-a831-4000-b008-000000000000))
(segment (start 67.6 99.5) (end 67.6 100.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 0e7632b6-5d1e-4000-b008-000000000000))
(segment (start 79.7 99.5) (end 79.20001 99.99999) (width 0.25) (layer "F.Cu") (net 2) (tstamp 106a8f21-0000-4000-b008-000000000000))
(segment (start 99.15 90.65) (end 100.086954 90.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp 10857681-0000-4000-b008-000000000000))
(segment (start 117.03 101.6) (end 117.03 102.34509) (width 0.25) (layer "F.Cu") (net 2) (tstamp 12913b53-0000-4000-b008-000000000000))
(segment (start 99.15 99.05) (end 100.1 99.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp 135c0b7d-fd21-4000-b008-000000000000))
(segment (start 74.9 104.285) (end 74.9 105.415) (width 0.25) (layer "F.Cu") (net 2) (tstamp 1610de32-d000-4000-b008-000000000000))
(segment (start 108.35 89.865) (end 108.865 89.865) (width 0.25) (layer "F.Cu") (net 2) (tstamp 19298c53-0000-4000-b008-000000000000))
(segment (start 79.20001 99.99999) (end 79.20001 100) (width 0.25) (layer "F.Cu") (net 2) (tstamp 1b4ee100-0000-4000-b008-000000000000))
(segment (start 58.8 75.9) (end 58.8 76.499994) (width 0.25) (layer "F.Cu") (net 2) (tstamp 1c0413c2-aad0-4000-b008-000000000000))
(segment (start 117.03 102.34509) (end 116.97509 102.4) (width 0.25) (layer "F.Cu") (net 2) (tstamp 27900000-0000-4000-b008-000000000000))
(segment (start 68.5 116.1875) (end 69.3125 116.1875) (width 0.75) (layer "F.Cu") (net 2) (tstamp 29491100-0000-4000-b008-000000000000))
(segment (start 99.15 93.45) (end 100.1 93.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 2a50df9a-63df-4000-b008-000000000000))
(segment (start 120.1 106.1) (end 119.9 106.3) (width 0.25) (layer "F.Cu") (net 2) (tstamp 2b5222ce-fe31-4000-b008-000000000000))
(segment (start 89.85 98.95) (end 90.75 98.95) (width 0.25) (layer "F.Cu") (net 2) (tstamp 2c59f555-7cb1-4000-b008-000000000000))
(segment (start 127.8 108.1) (end 127.015 108.1) (width 0.25) (layer "F.Cu") (net 2) (tstamp 304785d0-8a00-4000-b008-000000000000))
(segment (start 95.15 99.05) (end 96.1 99.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp 369c18f7-6761-4000-b008-000000000000))
(segment (start 108.35 92.75) (end 108.35 93.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 38d7f33a-e311-4000-b008-000000000000))
(segment (start 71.925 108.0375) (end 71.925 109.225) (width 0.15) (layer "F.Cu") (net 2) (tstamp 3cec9000-0000-4000-b008-000000000000))
(segment (start 69.3125 116.1875) (end 69.55 115.95) (width 0.75) (layer "F.Cu") (net 2) (tstamp 3e67b500-0000-4000-b008-000000000000))
(segment (start 108.865 89.865) (end 108.9 89.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 414e890a-a000-4000-b008-000000000000))

(segment (start 71.4025 114.285) (end 71.925 113.7625) (width 0.15) (layer "F.Cu") (net 2) (tstamp 43f33-8))
(segment (start 75.425 109.225) (end 75.5 109.3) (width 0.15) (layer "F.Cu") (net 2) (tstamp 48045267-8))
(segment (start 72.6 91.5) (end 73.1 91.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 55e3106f-3dbb-45))
(segment (start 75.425 108.0375) (end 75.425 109.225) (width 0.15) (layer "F.Cu") (net 2) (tstamp 578b5))
(segment (start 123.75 92.65) (end 124.4 92.65) (width 0.15) (layer "F.Cu") (net 2) (tstamp 581d9402-6c))
(segment (start 69.281132 116.1875) (end 69.543821 116.450189) (width 0.75) (layer "F.Cu") (net 2) (tstamp 581d9402-6c))
(segment (start 85.3 95.5) (end 85.7 95.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5ba227ff-b546-46))
(segment (start 116.6 101.6) (end 117.03 101.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5c151fd8-ed))
(segment (start 59.165 75.535) (end 58.8 75.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5e684a1c-892))
(segment (start 115.5625 101.075) (end 116.075 101.075) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5e7))
(segment (start 59.165 74.525) (end 59.165 73.585) (width 0.25) (layer "F.Cu") (net 2) (tstamp 5efbe1c3-))
(segment (start 95.15 104.65) (end 96.1 104.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6272c319-16))
(segment (start 82.1 95.5) (end 81.7 95.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 66fcd5ca-d700-41))
(segment (start 125.5 107.6) (end 126.515 107.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6bdf6d9-1))
(segment (start 120.9 93.615) (end 120.115 93.615) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6be49396-))
(segment (start 59.165 74.55) (end 59.165 75.535) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6c7b1455-))
(segment (start 76.075 112.525) (end 76.1 112.5) (width 0.15) (layer "F.Cu") (net 2) (tstamp 6eeca9f9-a))
(segment (start 120.085 83.4) (end 119.6 82.915) (width 0.25) (layer "F.Cu") (net 2) (tstamp 6f80f553-3))
(segment (start 86.5 99.1) (end 86.1 98.7) (width 0.25) (layer "F.Cu") (net 2) (tstamp 7021e452-d2e3-48))
(segment (start 86.35 107.165) (end 87.165 106.35) (width 0.15) (layer "F.Cu") (net 2) (tstamp 70c98a23-))
(segment (start 124.4 97.4) (end 124.43 97.37) (width 0.25) (layer "F.Cu") (net 2) (tstamp 77bf8b31-d54))
(segment (start 127.015 108.1) (end 127 108.085) (width 0.25) (layer "F.Cu") (net 2) (tstamp 77e62ff4-a))
(segment (start 70.6 114.285) (end 71.4025 114.285) (width 0.15) (layer "F.Cu") (net 2) (tstamp 7955c06))
(segment (start 119.585 82.9) (end 119.6 82.915) (width 0.25) (layer "F.Cu") (net 2) (tstamp 7df772ed-4))
(segment (start 61.7 117.21919) (end 61.989606 117.508796) (width 0.25) (layer "F.Cu") (net 2) (tstamp 7))
(segment (start 95.15 96.25) (end 96 96.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp 820c0769-f82b-4))
(segment (start 126.47 97.37) (end 126.5 97.4) (width 0.25) (layer "F.Cu") (net 2) (tstamp 82d3cd70-f6b))
(segment (start 109.8375 89.925) (end 108.925 89.925) (width 0.25) (layer "F.Cu") (net 2) (tstamp 83875))
(segment (start 121.1 83.4) (end 120.085 83.4) (width 0.25) (layer "F.Cu") (net 2) (tstamp 83d7c169-a24))
(segment (start 59.165 73.585) (end 59.6 73.15) (width 0.25) (layer "F.Cu") (net 2) (tstamp 862482b4-87))
(segment (start 90.75 98.95) (end 90.8 98.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 89d6d147-98cf-))
(segment (start 99.15 101.85) (end 100.1 101.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8ad23d6b-fl))
(segment (start 117.985 99.715) (end 118.2 99.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8dcfb8bb-ab))
(segment (start 90.85 98.95) (end 90.8 98.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8f84370f-478b-))
(segment (start 122.2 93.6) (end 123.1 93.6) (width 0.15) (layer "F.Cu") (net 2) (tstamp 8fe16203-2baa-))

(segment (start 125.7 97.37) (end 126.47 97.37) (width 0.25) (layer "F.Cu") (net 2) (tstamp 8fe55987-9d
(segment (start 120.115 93.615) (end 120.1 93.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp 929f82b2-0
(segment (start 85.474999 95.674999) (end 85.7 95.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp 93a80f
(segment (start 100.090782 104.65) (end 100.100153 104.640629) (width 0.25) (layer "F.Cu") (net 2) (tsta
(segment (start 95.15 90.65) (end 96.1 90.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9a0e12c8-affa
(segment (start 95.15 93.45) (end 96.1 93.45) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9d21dc49-c968
(segment (start 120.915 93.6) (end 120.9 93.615) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9df1a4f6-6
(segment (start 76.885 90.3) (end 77.6 90.3) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9efa18c9-f821-
(segment (start 83.7 97.1) (end 84.1 97.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp 9fb13429-2e80-45e1
(segment (start 61.7 116.5) (end 61.7 117.21919) (width 0.25) (layer "F.Cu") (net 2) (tstamp a0d38a19-0
(segment (start 96 96.25) (end 96.1 96.35) (width 0.25) (layer "F.Cu") (net 2) (tstamp a373a982-45e6-44
(segment (start 74.75 97.25) (end 74.8 97.3) (width 0.25) (layer "F.Cu") (net 2) (tstamp a3ae0d40-3000-
(segment (start 117.985 100.4) (end 117.985 99.715) (width 0.25) (layer "F.Cu") (net 2) (tstamp a7017c2
(segment (start 107.55 89.85) (end 108.35 89.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp a82b3a9f-0
(segment (start 123.1 93.6) (end 123.4 93.3) (width 0.15) (layer "F.Cu") (net 2) (tstamp a8a8de6a-c983-
(segment (start 69.55 116.44401) (end 69.543821 116.450189) (width 0.75) (layer "F.Cu") (net 2) (tstamp
(segment (start 108.925 89.925) (end 108.9 89.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp afd859bd-al
(segment (start 100.086954 90.65) (end 100.093477 90.643477) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 96.1 87.85) (end 95.15 87.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp b3c6cfb1-9ecc
(segment (start 121.1 106.1) (end 120.1 106.1) (width 0.25) (layer "F.Cu") (net 2) (tstamp bbdd8a67-e9a
(segment (start 87.165 106.35) (end 87.65 106.35) (width 0.15) (layer "F.Cu") (net 2) (tstamp c5081bc9-
(segment (start 71.925 109.225) (end 72 109.3) (width 0.15) (layer "F.Cu") (net 2) (tstamp c703871a-f20
(segment (start 118.8 82.9) (end 119.585 82.9) (width 0.25) (layer "F.Cu") (net 2) (tstamp ca92bc44-13f
(segment (start 99.15 104.65) (end 100.090782 104.65) (width 0.25) (layer "F.Cu") (net 2) (tstamp cc64f
(segment (start 74.885 105.4) (end 74.9 105.415) (width 0.25) (layer "F.Cu") (net 2) (tstamp cd5171cd-8
(segment (start 124.43 97.37) (end 125.7 97.37) (width 0.25) (layer "F.Cu") (net 2) (tstamp cded2b18-44
(segment (start 99.970666 85.05) (end 100.093878 85.173212) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 122.2 93.6) (end 120.915 93.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp cfa37633-c04
(segment (start 76.075 113.7625) (end 76.075 112.525) (width 0.15) (layer "F.Cu") (net 2) (tstamp d0ea7
(segment (start 126.515 107.6) (end 127 108.085) (width 0.25) (layer "F.Cu") (net 2) (tstamp d1254bbd-0
(segment (start 68.5 116.1875) (end 69.281132 116.1875) (width 0.75) (layer "F.Cu") (net 2) (tstamp d4c
(segment (start 99.15 85.05) (end 99.970666 85.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp d4f8ff38
(segment (start 116.075 101.075) (end 116.6 101.6) (width 0.25) (layer "F.Cu") (net 2) (tstamp d6038338
(segment (start 99.15 87.85) (end 100.1 87.85) (width 0.25) (layer "F.Cu") (net 2) (tstamp d9539b12-c8a
(segment (start 91.75 98.95) (end 90.85 98.95) (width 0.25) (layer "F.Cu") (net 2) (tstamp dc3da3e0-59e

(segment (start 94.7 107.3) (end 93.599998 107.3) (width 0.45) (layer "F.Cu") (net 2) (tstamp dc96c817-0
(segment (start 58.8 76.499994) (end 58.800006 76.5) (width 0.25) (layer "F.Cu") (net 2) (tstamp ddf07e
(segment (start 123.4 93.3) (end 123.4 93) (width 0.15) (layer "F.Cu") (net 2) (tstamp e21b03e8-350b-42
(segment (start 99.15 96.25) (end 100 96.25) (width 0.25) (layer "F.Cu") (net 2) (tstamp e51798dc-7549
(segment (start 62.45081 117.97) (end 61.989606 117.508796) (width 0.25) (layer "F.Cu") (net 2) (tstamp
(segment (start 62.8 117.97) (end 62.45081 117.97) (width 0.25) (layer "F.Cu") (net 2) (tstamp e67d19d9
(segment (start 69.55 115.95) (end 69.55 116.44401) (width 0.75) (layer "F.Cu") (net 2) (tstamp f341a14
(segment (start 100 96.25) (end 100.1 96.35) (width 0.25) (layer "F.Cu") (net 2) (tstamp f5b676d8-7afb-
(segment (start 59.485 81) (end 59.7 81) (width 0.15) (layer "F.Cu") (net 2) (tstamp f72386fa-3a14-4d0d
(segment (start 96.1 85.05) (end 95.15 85.05) (width 0.25) (layer "F.Cu") (net 2) (tstamp f9fc3ef2-eb47
(segment (start 59 81.485) (end 59.485 81) (width 0.15) (layer "F.Cu") (net 2) (tstamp fc7aa7c7-c62e-47
(segment (start 123.4 93) (end 123.75 92.65) (width 0.15) (layer "F.Cu") (net 2) (tstamp fd5319b1-6ab6-
(via (at 84.1 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-00
(via (at 67.6 100.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-
(via (at 64.9 93.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 72.6 100.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-
(via (at 64.9 97.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 66.8 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 73.8 91.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 64.9 95.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 96.1 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 69.55 115.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000
(via (at 126.5 97.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00000000-0000-0000-0
(via (at 93.599998 107.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 00dcdcf4-2381-4
(via (at 100.1 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 02dba642-3394-4caf-
(via (at 81.7 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0410410d-0204-4034-a5
(via (at 59.6 73) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 05ac8cba-9c35-4bad-9e0a
(via (at 118.8 82.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0aa214ca-4c98-404b-a
(via (at 75.5 109.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0c9a1a0e-b3d2-4bfd-8
(via (at 108.35 93.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0ebdb72b-6656-4099-
(via (at 118.2 99.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 0f037b4f-5e8f-4cad-a
(via (at 96.1 90.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 1a1e93e1-33aa-466e-b
(via (at 86.5 99.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 1aac283c-7c59-4137-90
(via (at 96.1 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 1bdf87fd-af96-4c64-a4
(via (at 87.65 106.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 22361b1e-d165-49a0

(via (at 100.100153 104.640629) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 231438d9-5
(via (at 116.97509 102.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 23623adf-1271-4
(via (at 127.8 108.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 2dca0c8a-79e9-48a6-5
(via (at 100.1 87.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 32822f01-b505-41c5-5
(via (at 77.6 90.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 37b68c17-ca5a-4b74-b0
(via (at 100.1 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 482676e6-b60e-4211
(via (at 59.7 81) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 56b8bb42-5453-4adf-9a3f
(via (at 74.15 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 600c2615-b943-4f3a-5
(via (at 100.1 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 604f6854-1673-4342-5
(via (at 120.1 93.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 68ebc0c7-f6f1-466e-9
(via (at 96.1 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 695bf3ac-d308-4189-9
(via (at 61.989606 117.508796) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 6e3ea3ac-5
(via (at 70.6 114.285) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 706f8798-a96c-4f48
(via (at 100.1 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 7e79099f-824b-4f5c-5
(via (at 96.1 104.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 83279359-88d2-4e10-5
(via (at 96.1 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 929b14d9-9021-4229-8
(via (at 96.1 87.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp 985193f2-1aef-4e03-9
(via (at 85.7 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 2) (tstamp 9ad68c36-4838-43d0-ac
(via (at 58.800006 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp a0af4a66-3025-4c
(via (at 82.8 111) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp b5035d30-cf68-4b95-842
(via (at 100.093878 85.173212) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp b73f5998-9
(via (at 90.8 98.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp bc042c4d-93b2-4bd1-9c
(via (at 100.093477 90.643477) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp bdb5267f-6
(via (at 74.8 97.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp c71d9230-852f-4dd4-ba
(via (at 76.1 112.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp cbfe77a6-10ca-47f8-9
(via (at 69.543821 116.450189) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp dbabd3c5-f
(via (at 72 109.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp e0c05ca2-b5b3-48c3-a4b
(via (at 96.1 85.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp ec6e6da5-ddb6-4ef0-b
(via (at 79.20001 100) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp ee398070-f3ec-4698
(via (at 119.9 106.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp f0436d7a-c555-4b19-5
(via (at 107.55 89.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 2) (tstamp f4d3e42f-6e7e-4aa3
(segment (start 58.800006 76.5) (end 58.800006 76.800006) (width 0.25) (layer "In2.Cu") (net 2) (tstamp
(segment (start 59.7 77.7) (end 59.7 78.7) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 228f5cd0-962c-
(segment (start 58.800006 76.199994) (end 59.5 75.5) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 57aa
(segment (start 59.5 75.5) (end 59.75 75.5) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 63d75345-9823

(segment (start 59.7 78.7) (end 59.7 81) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 65c82778-8941-42a1-8000-000000000000))
(segment (start 58.800006 76.5) (end 58.800006 76.199994) (width 0.25) (layer "In2.Cu") (net 2) (tstamp 65c82778-8941-42a1-8000-000000000000))
(segment (start 58.800006 76.800006) (end 59.7 77.7) (width 0.25) (layer "In2.Cu") (net 2) (tstamp f7210000-0000-0000-0000-000000000000))
(segment (start 64.9 95.25) (end 65.885 95.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 100.45) (end 72.6 99.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.9 93.25) (end 65.87 93.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.8 90.45) (end 66.8 91.535) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.885 97.25) (end 65.9 97.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.9 97.25) (end 65.885 97.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.87 93.25) (end 65.9 93.28) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.985 91.55) (end 73.8 91.55) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 72.6 99.465) (end 72.585 99.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 66.8 91.535) (end 66.815 91.55) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 65.885 95.25) (end 65.9 95.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 99.815 96.065) (end 99.15 96.065) (width 0.25) (layer "B.Cu") (net 2) (tstamp 0f4e6d56-f5c3-42a1-8000-000000000000))
(segment (start 74.8 97.3) (end 73.82 97.3) (width 0.25) (layer "B.Cu") (net 2) (tstamp 10376ae6-b15f-42a1-8000-000000000000))
(segment (start 95.915 93.265) (end 96.1 93.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 10d881ad-b5c3-42a1-8000-000000000000))
(segment (start 99.915 101.665) (end 100.1 101.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp 10ed1087-f5c3-42a1-8000-000000000000))
(segment (start 96.1 96.35) (end 95.765 96.015) (width 0.25) (layer "B.Cu") (net 2) (tstamp 183ef6ad-b881-42a1-8000-000000000000))
(segment (start 99.15 104.465) (end 99.924524 104.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 19ff3000-0000-0000-0000-000000000000))
(segment (start 99.15 101.665) (end 99.915 101.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp 23017e5d-f5c3-42a1-8000-000000000000))
(segment (start 99.15 98.865) (end 99.915 98.865) (width 0.25) (layer "B.Cu") (net 2) (tstamp 2496525a-f5c3-42a1-8000-000000000000))
(segment (start 99.15 87.665) (end 99.915 87.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp 249da651-f5c3-42a1-8000-000000000000))
(segment (start 99.915 98.865) (end 100.1 99.05) (width 0.25) (layer "B.Cu") (net 2) (tstamp 2533f091-f5c3-42a1-8000-000000000000))
(segment (start 64.6125 99.5) (end 64.6125 97.5375) (width 0.25) (layer "B.Cu") (net 2) (tstamp 2d44b65d-f5c3-42a1-8000-000000000000))
(segment (start 71.915 110.1) (end 71.915 109.385) (width 0.15) (layer "B.Cu") (net 2) (tstamp 2e3821b2-f5c3-42a1-8000-000000000000))
(segment (start 75.415 110.1) (end 75.415 109.385) (width 0.15) (layer "B.Cu") (net 2) (tstamp 30989efc-f5c3-42a1-8000-000000000000))
(segment (start 67.6 100.6) (end 67.6 99.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 35d09802-982f-42a1-8000-000000000000))
(segment (start 95.15 90.465) (end 95.915 90.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 3850f75a-f5c3-42a1-8000-000000000000))
(segment (start 99.915 93.265) (end 100.1 93.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 3dcff9b4-21b2-42a1-8000-000000000000))
(segment (start 95.915 87.665) (end 96.1 87.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp 434bc288-dbf1-42a1-8000-000000000000))
(segment (start 95.15 101.665) (end 95.915 101.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp 43742db1-f5c3-42a1-8000-000000000000))
(segment (start 90.665 98.765) (end 90.8 98.9) (width 0.25) (layer "B.Cu") (net 2) (tstamp 4377b50d-4690-42a1-8000-000000000000))
(segment (start 84.1 96.785) (end 84.185 96.7) (width 0.25) (layer "B.Cu") (net 2) (tstamp 4b061e29-efd1-42a1-8000-000000000000))
(segment (start 79.20001 100) (end 80.035 100) (width 0.25) (layer "B.Cu") (net 2) (tstamp 4eb54a78-6c41-42a1-8000-000000000000))

(segment (start 95.915 84.865) (end 96.1 85.05) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5161120e-fbf0-4000-9000-000000000000))
(segment (start 99.458212 85.173212) (end 100.093878 85.173212) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5161120e-fbf0-4000-9000-000000000000))
(segment (start 86.8 98.8) (end 86.5 99.1) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5bcb10d0-ca01-4300-9000-000000000000))
(segment (start 99.915 90.465) (end 100.093477 90.643477) (width 0.25) (layer "B.Cu") (net 2) (tstamp 5161120e-fbf0-4000-9000-000000000000))
(segment (start 95.915 98.865) (end 96.1 99.05) (width 0.25) (layer "B.Cu") (net 2) (tstamp 67bba26d-1b00-4000-9000-000000000000))
(segment (start 86.0125 99.1) (end 85.1125 100) (width 0.25) (layer "B.Cu") (net 2) (tstamp 7195735b-7a00-4000-9000-000000000000))
(segment (start 99.15 93.265) (end 99.915 93.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 8473e104-5000-4000-9000-000000000000))
(segment (start 95.15 93.265) (end 95.915 93.265) (width 0.25) (layer "B.Cu") (net 2) (tstamp 85dea7b4-5000-4000-9000-000000000000))
(segment (start 95.915 101.665) (end 96.1 101.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp 85e6aa23-5000-4000-9000-000000000000))
(segment (start 64.6125 97.5375) (end 64.9 97.25) (width 0.25) (layer "B.Cu") (net 2) (tstamp 874b7f0e-5000-4000-9000-000000000000))
(segment (start 100.1 96.35) (end 99.815 96.065) (width 0.25) (layer "B.Cu") (net 2) (tstamp 88d45873-5000-4000-9000-000000000000))
(segment (start 67.6 99.465) (end 67.615 99.45) (width 0.25) (layer "B.Cu") (net 2) (tstamp 8b41a80b-ab00-4000-9000-000000000000))
(segment (start 95.15 104.465) (end 95.915 104.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp 92d6a390-5000-4000-9000-000000000000))
(segment (start 86.5 99.1) (end 86.0125 99.1) (width 0.25) (layer "B.Cu") (net 2) (tstamp 94c60e49-5086-4000-9000-000000000000))
(segment (start 95.15 84.865) (end 95.915 84.865) (width 0.25) (layer "B.Cu") (net 2) (tstamp 99d29cdc-5000-4000-9000-000000000000))
(segment (start 95.915 104.465) (end 96.1 104.65) (width 0.25) (layer "B.Cu") (net 2) (tstamp 9d9428fe-5000-4000-9000-000000000000))
(segment (start 73.82 97.3) (end 73.8 97.28) (width 0.25) (layer "B.Cu") (net 2) (tstamp aae9a101-d65b-4000-9000-000000000000))
(segment (start 84.1 97.5) (end 84.1 96.785) (width 0.25) (layer "B.Cu") (net 2) (tstamp b10347b7-320e-4000-9000-000000000000))
(segment (start 95.765 96.015) (end 95.15 96.015) (width 0.25) (layer "B.Cu") (net 2) (tstamp b193673a-5000-4000-9000-000000000000))
(segment (start 95.15 87.665) (end 95.915 87.665) (width 0.25) (layer "B.Cu") (net 2) (tstamp b1992429-5000-4000-9000-000000000000))
(segment (start 81.5 111) (end 82.8 111) (width 0.45) (layer "B.Cu") (net 2) (tstamp b1e2a7ab-10d7-4ce6-9000-000000000000))
(segment (start 80.035 100) (end 80.05 99.985) (width 0.25) (layer "B.Cu") (net 2) (tstamp b41563f4-32a0-4000-9000-000000000000))
(segment (start 95.915 90.465) (end 96.1 90.65) (width 0.25) (layer "B.Cu") (net 2) (tstamp d1ae65fb-9c00-4000-9000-000000000000))
(segment (start 99.15 84.865) (end 99.458212 85.173212) (width 0.25) (layer "B.Cu") (net 2) (tstamp d320e104-5000-4000-9000-000000000000))
(segment (start 95.15 98.865) (end 95.915 98.865) (width 0.25) (layer "B.Cu") (net 2) (tstamp d4d00c14-5000-4000-9000-000000000000))
(segment (start 89.8 98.765) (end 90.665 98.765) (width 0.25) (layer "B.Cu") (net 2) (tstamp d8a21f8e-6300-4000-9000-000000000000))
(segment (start 86.8 98.8) (end 87.165 98.8) (width 0.25) (layer "B.Cu") (net 2) (tstamp dbbbaecc-ed0e-4000-9000-000000000000))
(segment (start 99.915 87.665) (end 100.1 87.85) (width 0.25) (layer "B.Cu") (net 2) (tstamp df8dd762-b100-4000-9000-000000000000))
(segment (start 85.7 95.9) (end 85.7 95.285) (width 0.25) (layer "B.Cu") (net 2) (tstamp e3803cb8-5108-4000-9000-000000000000))
(segment (start 71.915 109.385) (end 72 109.3) (width 0.15) (layer "B.Cu") (net 2) (tstamp e620bba8-ec20-4000-9000-000000000000))
(segment (start 75.415 109.385) (end 75.5 109.3) (width 0.15) (layer "B.Cu") (net 2) (tstamp f266fec5-8000-4000-9000-000000000000))
(segment (start 99.924524 104.465) (end 100.100153 104.640629) (width 0.25) (layer "B.Cu") (net 2) (tstamp f266fec5-8000-4000-9000-000000000000))
(segment (start 99.15 90.465) (end 99.915 90.465) (width 0.25) (layer "B.Cu") (net 2) (tstamp fa03869f-5000-4000-9000-000000000000))
(segment (start 84.1 95.1) (end 84.5 94.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 84.1 95.9) (end 83.7 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 83.3 95.9) (end 84.1 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 83.3 95.1) (end 83.7 94.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.62501 92.07501) (end 66.9 92.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 73.85 92.75) (end 72.6 92.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 72.1 98.33) (end 72.39 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 72.8 98.45) (end 72.39 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.62501 91.52501) (end 66.62501 92.07501) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 65.87501 98.72499) (end 66.62501 98.72499) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.62501 98.72499) (end 67.010001 98.339999) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 72.6 92.75) (end 72.39 92.96) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 72.1 99.5) (end 72.1 98.33) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.9 92.55) (end 67.31 92.96) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 65.85 96.75) (end 67.29 96.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 68.1 91.5) (end 68.1 92.48) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.79 94.75) (end 67.31 94.23) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 73.1 99.5) (end 73.1 98.946912) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 65.85 98.75) (end 65.87501 98.72499) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 68.1 92.48) (end 68.58 92.96) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 67.010001 98.339999) (end 67.31 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 67.29 96.75) (end 67.31 96.77) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 67.02 97.75) (end 67.31 98.04) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 65.85 94.75) (end 66.79 94.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 73.1 98.946912) (end 73.096912 98.946912) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.6 91.5) (end 66.62501 91.52501) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.9 92.35) (end 66.9 92.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 73.096912 98.946912) (end 72.8 98.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 72.8 98.65) (end 72.8 98.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 65.85 97.75) (end 67.02 97.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 68.5 114.525) (end 68.5 113.45) (width 0.75) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.95 114.35) (end 66 114.35) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.95 109.25) (end 68.325 109.25) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66.95 114.35) (end 68.325 114.35) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66 114.35) (end 65.9 114.45) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 66 109.25) (end 65.9 109.35) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 68.325 114.35) (end 68.5 114.525) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))

(segment (start 68.325 109.25) (end 68.5 109.425) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 66.95 109.25) (end 66 109.25) (width 0.35) (layer "F.Cu") (net 3) (tstamp 00000000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 104.45 82.35) (end 104.45 81.775) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 104.45 82.35) (end 104.45 82.925) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 119.615 83.9) (end 119.6 83.885) (width 0.25) (layer "F.Cu") (net 3) (tstamp 000e9650-20000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 61.415 90.2) (end 60.65 90.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 018e1669-b0a90000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 126.685 103.6) (end 126.685 102.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 06e2a58f-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 96.1 97.1) (end 95.9 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 083605d7-78ef-46a9-8000-000000000000))
(segment (start 117.985 89.6) (end 117.985 88.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 08ca95d4-b0a90000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 62.975 78.45) (end 62.975 80.359028) (width 0.25) (layer "F.Cu") (net 3) (tstamp 0ad49800-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 62.975 80.359028) (end 63.02491 80.408938) (width 0.25) (layer "F.Cu") (net 3) (tstamp 00000000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 61.705 76.305002) (end 61.9 76.500002) (width 0.25) (layer "F.Cu") (net 3) (tstamp 0da20000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 121.1 105.6) (end 120.1 105.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 116ad2f0-a0600000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 109.8375 94.475) (end 111.075 94.475) (width 0.25) (layer "F.Cu") (net 3) (tstamp 11834000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 121.1 83.9) (end 119.615 83.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 136de064-e3f00000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 78.215 78.45) (end 78.215 80.385) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1432e4b2-c0000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 100.45 82.35) (end 100.45 82.925) (width 0.25) (layer "F.Cu") (net 3) (tstamp 15b16a97-f0000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 119.9 87.415) (end 119.915 87.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 15c26802-30000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 95.15 105.3) (end 96 105.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 15f05c56-a09f-4a90-8000-000000000000))
(segment (start 86.6 111) (end 87.20001 111) (width 0.15) (layer "F.Cu") (net 3) (tstamp 15f71ca3-fbf1-4a90-8000-000000000000))
(segment (start 73.875 112.575) (end 73.8 112.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp 1832ef86-30000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 77.375 113.7625) (end 77.375 112.675) (width 0.15) (layer "F.Cu") (net 3) (tstamp 1865a000-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 96 91.3) (end 96.1 91.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1892129b-46ac-4c89-8000-000000000000))
(segment (start 101.45 108.075) (end 101.45 108.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 19add090-00000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 84.1 108.4) (end 84.1 108.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp 1d3fdfb0-9748-4a90-8000-000000000000))
(segment (start 99.15 99.7) (end 100 99.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1d7dc6c3-c7fa-4c89-8000-000000000000))
(segment (start 73.85 92.75) (end 74.8 92.75) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1e1147a6-de5b0000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 126.4 85.4) (end 126.65 85.15) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1e24c216-79900000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 111.075 94.475) (end 111.1 94.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1ec8d23c-20000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 107.3 97.8) (end 107.8 98.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 1f2d2d02-8e01-4a90-8000-000000000000))
(segment (start 70.595 80.395) (end 70.6 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2055c527-74400000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 95.15 91.3) (end 96 91.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 22531d25-e157-4550-8000-000000000000))
(segment (start 119.915 87.4) (end 119.915 86.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 22d11fdb-20000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 127.8 107.1) (end 127.015 107.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 239f9285-20000000-00000000-00000000-00000000-00000000-00000000-00000000))
(segment (start 127.015 107.1) (end 127 107.115) (width 0.25) (layer "F.Cu") (net 3) (tstamp 269866ce-b0a90000-00000000-00000000-00000000-00000000-00000000-00000000))

(segment (start 57.350006 98.75) (end 57.8 99.199994) (width 0.45) (layer "F.Cu") (net 3) (tstamp 2716a

(segment (start 93.2 85.2) (end 93.2 86.05) (width 0.25) (layer "F.Cu") (net 3) (tstamp 27efa05b-6b1e-4

(segment (start 80.755 74.45) (end 80.755 76.454988) (width 0.25) (layer "F.Cu") (net 3) (tstamp 297f31

(segment (start 125.7 96.4) (end 126.5 96.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 29eea895-fb00-40

(segment (start 75.207053 100.842947) (end 74.457053 100.842947) (width 0.25) (layer "F.Cu") (net 3) (t

(segment (start 125.5 85.4) (end 126.4 85.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2b2ad754-ff7b-

(segment (start 65.515 74.45) (end 65.515 76.485) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2c931b7f-

(segment (start 96 105.3) (end 96.1 105.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2dca2d1d-f51c-47

(segment (start 92.7 85.2) (end 93.2 85.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2f15c286-68bf-48

(segment (start 56.2125 106) (end 55.05001 106) (width 0.25) (layer "F.Cu") (net 3) (tstamp 2fde6df7-f9

(segment (start 93.2 86.05) (end 93 86.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp 30ebc2e1-b618-46

(segment (start 83.7 96.3) (end 82.5 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 30ee337d-3ec5-4c

(segment (start 63 93.25) (end 63 93.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 31546540-845d-43fc

(segment (start 61.705 74.55) (end 61.705 76.305002) (width 0.25) (layer "F.Cu") (net 3) (tstamp 31ef28

(segment (start 96 88.5) (end 96.1 88.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 32f4b6be-21b2-4301

(segment (start 101.45 109.225) (end 101.45 108.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 32fbbc1

(segment (start 57.8 99.199994) (end 58.515006 99.199994) (width 0.35) (layer "F.Cu") (net 3) (tstamp 3

(segment (start 84.1 95.9) (end 84.5 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 35323fb1-d374-48

(segment (start 124.685 110.5) (end 125.1 110.085) (width 0.15) (layer "F.Cu") (net 3) (tstamp 35bcd451

(segment (start 118 102.37509) (end 118.02491 102.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 36cace

(segment (start 107.415 100.5) (end 107.415 99.715) (width 0.25) (layer "F.Cu") (net 3) (tstamp 377f437

(segment (start 106.535 100.5) (end 106.5 100.465) (width 0.25) (layer "F.Cu") (net 3) (tstamp 392f750a

(segment (start 117.985 88.7) (end 118 88.685) (width 0.25) (layer "F.Cu") (net 3) (tstamp 39c3ace2-de6

(segment (start 96.8 82.2) (end 97.3 81.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3b1fbf0c-4aa5-4e

(segment (start 84.565 74.45) (end 84.565 75.635) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3b573ed5-

(segment (start 56.2125 104) (end 55.05 104) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3bc307a3-596b-

(segment (start 92.7 85.2) (end 92.7 85.95) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3d012f65-cc50-4

(segment (start 74.457053 100.842947) (end 74.25 101.05) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3d

(segment (start 65.9 116.125) (end 67.00009 117.22509) (width 0.75) (layer "F.Cu") (net 3) (tstamp 3edf

(segment (start 59.535 97.25) (end 60.75 97.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3f197157-71

(segment (start 61.915 109.815) (end 61.9 109.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3f41d349-f

(segment (start 99.15 85.7) (end 99.794605 85.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 3f90d099-b

(segment (start 108.665 90.835) (end 108.85 90.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4009eb93

(segment (start 83.7 94.7) (end 84.5 95.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 406efb85-2a1c-42

(segment (start 75.4 92.15) (end 75.4 91.887378) (width 0.25) (layer "F.Cu") (net 3) (tstamp 420038d9-3

(segment (start 114.375 96.525) (end 114.3 96.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4235c13a-93
(segment (start 55.05 83) (end 56.2125 83) (width 0.25) (layer "F.Cu") (net 3) (tstamp 429dee60-9c31-44
(segment (start 95.15 85.7) (end 96 85.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 42f3ff55-d273-473
(segment (start 76.945 74.45) (end 76.945 76.454998) (width 0.25) (layer "F.Cu") (net 3) (tstamp 43fa01
(segment (start 63 93.35) (end 64 94.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 443f0d6e-1c54-47c8
(segment (start 65.9 115.4) (end 65.9 116.125) (width 0.75) (layer "F.Cu") (net 3) (tstamp 45096903-7d6
(segment (start 58.265 91.6) (end 58.365 91.7) (width 0.35) (layer "F.Cu") (net 3) (tstamp 47d4b338-4ea
(segment (start 84.200075 76.000075) (end 84.200075 76.500006) (width 0.25) (layer "F.Cu") (net 3) (tsta
(segment (start 107.415 100.5) (end 106.535 100.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 48e0b85d
(segment (start 124.4 96.45) (end 125.65 96.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 49b39e55-6e
(segment (start 75.49491 91.792468) (end 75.49491 90.84491) (width 0.25) (layer "F.Cu") (net 3) (tstamp
(segment (start 95.15 88.5) (end 96 88.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4c269cfb-6368-4ee
(segment (start 120.1 105.6) (end 119.9 105.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4c2c76cb-ab0
(segment (start 71.765 115.55) (end 71.765 115.825) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4cbb8f6
(segment (start 99.15 91.3) (end 100 91.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4cf94a0c-4052-43
(segment (start 118.8 83.9) (end 119.585 83.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4d54b999-99a
(segment (start 99.15 105.3) (end 99.997434 105.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4ee03c0a
(segment (start 60.8 90.35) (end 60.65 90.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 4f2866e5-b127-
(segment (start 82.9 94.7) (end 83.3 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5482f85d-0abf-41
(segment (start 65.9 111.025) (end 65.9 110.3) (width 0.75) (layer "F.Cu") (net 3) (tstamp 55606c31-2d0
(segment (start 67.85 112.25) (end 67.5 111.9) (width 0.75) (layer "F.Cu") (net 3) (tstamp 55b376c3-139
(segment (start 73.135 76.465006) (end 73.100006 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5956
(segment (start 100 99.7) (end 100.1 99.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5a3e9825-c75e-49
(segment (start 58.585 96.3) (end 59.535 97.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5c1262fd-f6
(segment (start 100.1 97.1) (end 99.9 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 5d41ec53-f893-4
(segment (start 115.7 106.4) (end 116.1 106.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 62de1379-42e
(segment (start 99.997434 105.3) (end 100.087874 105.39044) (width 0.25) (layer "F.Cu") (net 3) (tstamp
(segment (start 96.8 82.7) (end 96.8 82.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 66414292-765f-49
(segment (start 84.2 76) (end 84.200075 76.000075) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6772e48b-b
(segment (start 59.35 92.665) (end 59.685 92.665) (width 0.25) (layer "F.Cu") (net 3) (tstamp 68efe866-
(segment (start 55.049976 87) (end 56.2125 87) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6b10cb6f-3a4
(segment (start 100 102.5) (end 100.1 102.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6b857d12-ed98-
(segment (start 85.835 80.435) (end 85.835 78.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 6eb289aa-
(segment (start 85.835 80.365) (end 85.8 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 71246f3c-81a
(segment (start 118.185 89.8) (end 117.985 89.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp 718166f3-0

(segment (start 84.1 108.5) (end 86.4 110.8) (width 0.15) (layer "F.Cu") (net 3) (tstamp 77376ca0-66e0-4
(segment (start 107.415 99.715) (end 107.4 99.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7795d1a9-fa
(segment (start 100.45 82.35) (end 100.45 81.775) (width 0.25) (layer "F.Cu") (net 3) (tstamp 78c343ff-
(segment (start 118 101.6) (end 118 102.37509) (width 0.25) (layer "F.Cu") (net 3) (tstamp 792932e7-35b
(segment (start 75.15 90.5) (end 74.9 90.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7a410344-f3eb-4
(segment (start 82.5 95.1) (end 82.9 94.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7ae994de-537d-4e
(segment (start 119.9 88.315) (end 119.9 87.415) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7b4cd8eb-7
(segment (start 122.2 94.55) (end 120.935 94.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7c823fa4-3
(segment (start 91.1 97.7) (end 90.8 98) (width 0.15) (layer "F.Cu") (net 3) (tstamp 7eb8062b-ecea-4d3b
(segment (start 59.165 78.45) (end 58.6 78.45) (width 0.25) (layer "F.Cu") (net 3) (tstamp 7f7587fc-c38
(segment (start 100 94.1) (end 100.1 94.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8039f98f-2f06-47
(segment (start 56.695 98.75) (end 57.350006 98.75) (width 0.45) (layer "F.Cu") (net 3) (tstamp 843bd8d
(segment (start 74.405 78.45) (end 74.405 80.395) (width 0.25) (layer "F.Cu") (net 3) (tstamp 84532734-
(segment (start 85.835 78.45) (end 85.835 80.365) (width 0.25) (layer "F.Cu") (net 3) (tstamp 86655e34-
(segment (start 96 99.7) (end 96.1 99.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 86e47c6b-a7ec-4d7c
(segment (start 124.885 80.5) (end 125.3 80.915) (width 0.15) (layer "F.Cu") (net 3) (tstamp 8ba19c31-e
(segment (start 119.715 87.6) (end 119.915 87.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8bbf03bf-c
(segment (start 82.025 80.375) (end 82 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8d5bf9d9-ce0e-
(segment (start 121.15 98.35) (end 120.8 98) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8d649f87-851b-
(segment (start 76.945 76.454998) (end 76.899998 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8e62
(segment (start 95.9 96.9) (end 95.15 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp 8f470442-5e26-4
(segment (start 60.8 91.55) (end 60.8 90.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp 91b29b37-6145-
(segment (start 119.915 86.1) (end 119.6 85.785) (width 0.25) (layer "F.Cu") (net 3) (tstamp 91ef45ee-c
(segment (start 82.025 78.45) (end 82.025 80.375) (width 0.25) (layer "F.Cu") (net 3) (tstamp 93df1411-
(segment (start 126.685 104.9) (end 127 105.215) (width 0.25) (layer "F.Cu") (net 3) (tstamp 93e54eec-2
(segment (start 126.4 84.9) (end 126.65 85.15) (width 0.25) (layer "F.Cu") (net 3) (tstamp 94ebff56-59f
(segment (start 91.515 97.7) (end 91.1 97.7) (width 0.15) (layer "F.Cu") (net 3) (tstamp 97decf29-253a-
(segment (start 90.75 99.6) (end 90.8 99.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp 98f47819-b8b6-
(segment (start 67.00009 117.22509) (end 67.85 117.22509) (width 0.75) (layer "F.Cu") (net 3) (tstamp 9
(segment (start 59.685 92.665) (end 60.8 91.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9afed5e2-30
(segment (start 78.215 80.385) (end 78.2 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9b5b23d2-5dd
(segment (start 60.75 97.25) (end 60.8 97.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9b62e101-c802-
(segment (start 73.875 113.7625) (end 73.875 112.575) (width 0.15) (layer "F.Cu") (net 3) (tstamp 9cd33
(segment (start 107.3 97.6) (end 107.3 97.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp 9eeee92c-dd9d-
(segment (start 125.65 96.45) (end 125.7 96.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp a0702834-acd

(segment (start 55.050002 85) (end 56.2125 85) (width 0.25) (layer "F.Cu") (net 3) (tstamp a13f35c1-74e3-4000-8000-000000000000))
(segment (start 66.785 80.385) (end 66.8 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp a5065264-aa90-4000-8000-000000000000))
(segment (start 58.15 78.9) (end 58.15 79.55) (width 0.25) (layer "F.Cu") (net 3) (tstamp a57759da-8ea0-4000-8000-000000000000))
(segment (start 55.05 81) (end 56.2125 81) (width 0.25) (layer "F.Cu") (net 3) (tstamp a7b4db47-6479-4000-8000-000000000000))
(segment (start 124.3 110.5) (end 124.685 110.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp a7b71d65-0a00-4000-8000-000000000000))
(segment (start 57.985 92.25) (end 58.4 92.665) (width 0.25) (layer "F.Cu") (net 3) (tstamp a91b38ad-fd00-4000-8000-000000000000))
(segment (start 99.15 102.5) (end 100 102.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp a94641d0-36ca-4000-8000-000000000000))
(segment (start 75.4 91.887378) (end 75.49491 91.792468) (width 0.25) (layer "F.Cu") (net 3) (tstamp ab100000-0000-4000-8000-000000000000))
(segment (start 58.6 78.45) (end 58.15 78.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp ad3d8702-ddc0-4000-8000-000000000000))
(segment (start 123.3875 80.5) (end 124.5 80.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp ad6ac348-b000-4000-8000-000000000000))
(segment (start 82.1 94.7) (end 82.5 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp ade4254d-28b3-4000-8000-000000000000))
(segment (start 127.4 103.6) (end 127.5 103.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp ae984137-a880-4000-8000-000000000000))
(segment (start 107.3 95.3) (end 107.8 95.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp aee25ce5-89a8-4000-8000-000000000000))
(segment (start 99.15 88.5) (end 100 88.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp af4e0167-3418-4000-8000-000000000000))
(segment (start 119.585 83.9) (end 119.6 83.885) (width 0.25) (layer "F.Cu") (net 3) (tstamp b089e476-3b00-4000-8000-000000000000))
(segment (start 107.3 95.1) (end 107.3 95.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp b246f1c6-00bf-4000-8000-000000000000))
(segment (start 100 91.3) (end 100.1 91.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp b24ec7aa-fd69-4000-8000-000000000000))
(segment (start 95.15 99.7) (end 96 99.7) (width 0.25) (layer "F.Cu") (net 3) (tstamp b39ef369-4056-4000-8000-000000000000))
(segment locked (start 70.595 78.45) (end 70.595 80.395) (width 0.25) (layer "F.Cu") (net 3) (tstamp b5a80000-0000-4000-8000-000000000000))
(segment (start 82.9 96.3) (end 83.3 95.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp b5bbf57e-7aa4-4000-8000-000000000000))
(segment (start 96 102.5) (end 96.1 102.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp b6586e66-b83b-4000-8000-000000000000))
(segment (start 118.7 89.8) (end 118.185 89.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp b7070099-09b0-4000-8000-000000000000))
(segment (start 99.15 94.1) (end 100 94.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp b75ba97a-4c57-4000-8000-000000000000))
(segment (start 71.765 115.825) (end 71.28 116.31) (width 0.25) (layer "F.Cu") (net 3) (tstamp b76c7143-0000-4000-8000-000000000000))
(segment (start 84.1 95.9) (end 83.3 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp b7f84ac6-234b-4000-8000-000000000000))
(segment (start 99.794605 85.7) (end 100.013397 85.918792) (width 0.25) (layer "F.Cu") (net 3) (tstamp b8000000-0000-4000-8000-000000000000))
(segment (start 105.45 108.65) (end 105.45 109.225) (width 0.25) (layer "F.Cu") (net 3) (tstamp b9554dd0-0000-4000-8000-000000000000))
(segment (start 108.35 90.835) (end 108.665 90.835) (width 0.25) (layer "F.Cu") (net 3) (tstamp b968f0e0-0000-4000-8000-000000000000))
(segment (start 69.325 76.474996) (end 69.299996 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp bb030000-0000-4000-8000-000000000000))
(segment (start 66.785 78.45) (end 66.785 80.385) (width 0.25) (layer "F.Cu") (net 3) (tstamp bbad76d0-0000-4000-8000-000000000000))
(segment (start 96 85.7) (end 96.1 85.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp bcb41db1-cd3a-4000-8000-000000000000))
(segment (start 82.5 95.1) (end 82.9 95.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp bd8d8189-9445-4000-8000-000000000000))
(segment (start 67.5 111.9) (end 66.775 111.9) (width 0.75) (layer "F.Cu") (net 3) (tstamp bdcfd18a-fb30-4000-8000-000000000000))
(segment (start 77.375 112.675) (end 77.2 112.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp bf035157-1000-4000-8000-000000000000))
(segment (start 60.8 97.3) (end 61.270189 97.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp bf7b1fc7-bc00-4000-8000-000000000000))

(segment (start 58.565 96.3) (end 58.585 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp c00bc2ba-c66b-4000-8000-000000000000))
(segment (start 86.4 110.8) (end 86.6 111) (width 0.15) (layer "F.Cu") (net 3) (tstamp c0e10639-438b-4a00-8000-000000000000))
(segment (start 57.6 91.6) (end 58.265 91.6) (width 0.35) (layer "F.Cu") (net 3) (tstamp c13524fc-fdf8-4000-8000-000000000000))
(segment (start 120.115 94.585) (end 120.1 94.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp c1701e61-5b00-4000-8000-000000000000))
(segment (start 107.55 90.8) (end 108.35 90.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp c3d11623-1470-4000-8000-000000000000))
(segment (start 115.5625 96.525) (end 114.375 96.525) (width 0.25) (layer "F.Cu") (net 3) (tstamp c7bbcc00-0000-4000-8000-000000000000))
(segment (start 61.270189 97.3) (end 61.72018 97.749991) (width 0.25) (layer "F.Cu") (net 3) (tstamp c8800000-0000-4000-8000-000000000000))
(segment (start 115.2 106) (end 115.3 106) (width 0.25) (layer "F.Cu") (net 3) (tstamp c86aa805-fc3c-4500-8000-000000000000))
(segment (start 56.2125 110) (end 55.050004 110) (width 0.25) (layer "F.Cu") (net 3) (tstamp c89c2185-8000-4000-8000-000000000000))
(segment (start 56.2125 108) (end 55.05 108) (width 0.25) (layer "F.Cu") (net 3) (tstamp cb5062d1-3afe-4000-8000-000000000000))
(segment (start 89.85 99.6) (end 90.75 99.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp cb65d1d8-3dd1-4000-8000-000000000000))
(segment (start 56.2125 102) (end 55.05 102) (width 0.25) (layer "F.Cu") (net 3) (tstamp cc5836f2-bb35-4000-8000-000000000000))
(segment (start 120.9 94.585) (end 120.115 94.585) (width 0.25) (layer "F.Cu") (net 3) (tstamp cc65df55-0000-4000-8000-000000000000))
(segment (start 122.2 98.35) (end 121.15 98.35) (width 0.25) (layer "F.Cu") (net 3) (tstamp cdf9828d-1e00-4000-8000-000000000000))
(segment (start 124.5 80.5) (end 124.885 80.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp d02421db-f180-4000-8000-000000000000))
(segment (start 74.405 80.395) (end 74.4 80.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp d10d5d81-ad10-4000-8000-000000000000))
(segment (start 107.415 101.4) (end 107.415 100.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp d16326e7-0000-4000-8000-000000000000))
(segment (start 126.685 103.6) (end 127.4 103.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp d445bb1d-6000-4000-8000-000000000000))
(segment (start 69.325 74.45) (end 69.325 76.474996) (width 0.25) (layer "F.Cu") (net 3) (tstamp d476fc00-0000-4000-8000-000000000000))
(segment (start 65.515 76.485) (end 65.5 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp d5ab588e-7f80-4000-8000-000000000000))
(segment (start 92.7 85.95) (end 93 86.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp d66a0b93-a349-4300-8000-000000000000))
(segment (start 126.685 103.6) (end 126.685 104.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp d7f59b38-0000-4000-8000-000000000000))
(segment (start 120.935 94.55) (end 120.9 94.585) (width 0.25) (layer "F.Cu") (net 3) (tstamp dac33f20-f000-4000-8000-000000000000))
(segment (start 75.49491 90.84491) (end 75.15 90.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp db524c50-0000-4000-8000-000000000000))
(segment (start 66.775 111.9) (end 65.9 111.025) (width 0.75) (layer "F.Cu") (net 3) (tstamp dbc5bf03-9000-4000-8000-000000000000))
(segment (start 119.2 87.6) (end 119.715 87.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp dbe209f8-23c0-4000-8000-000000000000))
(segment (start 58.4 96.3) (end 57.9 96.8) (width 0.25) (layer "F.Cu") (net 3) (tstamp dd46a3da-998f-4900-8000-000000000000))
(segment (start 60.2 112.05) (end 60.465 112.05) (width 0.25) (layer "F.Cu") (net 3) (tstamp dd6b419a-f000-4000-8000-000000000000))
(segment (start 115.3 106) (end 115.7 106.4) (width 0.25) (layer "F.Cu") (net 3) (tstamp de6aea08-377a-4000-8000-000000000000))
(segment (start 73.135 74.45) (end 73.135 76.465006) (width 0.25) (layer "F.Cu") (net 3) (tstamp e0327000-0000-4000-8000-000000000000))
(segment (start 60.435 74.45) (end 60.799901 74.814901) (width 0.25) (layer "F.Cu") (net 3) (tstamp e1800000-0000-4000-8000-000000000000))
(segment (start 61.915 110.6) (end 61.915 109.815) (width 0.25) (layer "F.Cu") (net 3) (tstamp e195530f-0000-4000-8000-000000000000))
(segment (start 126.985 107.1) (end 127 107.115) (width 0.25) (layer "F.Cu") (net 3) (tstamp e4bc56c5-f000-4000-8000-000000000000))
(segment (start 58.515006 99.199994) (end 58.565 99.15) (width 0.35) (layer "F.Cu") (net 3) (tstamp e5b00000-0000-4000-8000-000000000000))
(segment (start 55.05 89) (end 56.2125 89) (width 0.25) (layer "F.Cu") (net 3) (tstamp e60f0be1-3abe-4f00-8000-000000000000))

(segment (start 99.9 96.9) (end 99.15 96.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp e6fe0f9e-b642-4f
(segment (start 109.8375 90.575) (end 108.925 90.575) (width 0.25) (layer "F.Cu") (net 3) (tstamp eaadcl
(segment (start 84.5 95.5) (end 84.1 95.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp ead227de-0736-4f
(segment (start 105.45 108.65) (end 105.45 108.075) (width 0.25) (layer "F.Cu") (net 3) (tstamp eadfc15
(segment (start 80.755 76.454988) (end 80.800012 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp ec25
(segment (start 60.799901 74.814901) (end 60.799901 76.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp e
(segment (start 100 88.5) (end 100.1 88.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp ec7e0093-8f55-48
(segment (start 56.695 92.25) (end 57.985 92.25) (width 0.25) (layer "F.Cu") (net 3) (tstamp ecf24957-7
(segment (start 125.5 107.1) (end 126.985 107.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp ef5ec1e4-5fb
(segment (start 126.685 102.7) (end 126.7 102.685) (width 0.25) (layer "F.Cu") (net 3) (tstamp eff8ae27
(segment (start 84.565 75.635) (end 84.2 76) (width 0.25) (layer "F.Cu") (net 3) (tstamp f0556cb8-195a-
(segment (start 60.465 112.05) (end 61.915 110.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp f1065ded-
(segment (start 125.5 84.9) (end 126.4 84.9) (width 0.25) (layer "F.Cu") (net 3) (tstamp f2a8b3e8-cc24-
(segment (start 95.15 94.1) (end 96 94.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp f2c8765c-43d7-40b
(segment (start 117.985 90.5) (end 117.985 89.6) (width 0.25) (layer "F.Cu") (net 3) (tstamp f5f43750-e
(segment (start 68.5 109.425) (end 68.5 108.35) (width 0.75) (layer "F.Cu") (net 3) (tstamp f8493ac1-a8
(segment (start 123.3875 110.5) (end 124.3 110.5) (width 0.15) (layer "F.Cu") (net 3) (tstamp f9446d67-
(segment (start 82.9 95.5) (end 83.3 95.1) (width 0.25) (layer "F.Cu") (net 3) (tstamp f9b531e3-3480-43
(segment (start 74.8 92.75) (end 75.4 92.15) (width 0.25) (layer "F.Cu") (net 3) (tstamp fc501fb2-53d6-
(segment (start 56.95 92.25) (end 57.6 91.6) (width 0.35) (layer "F.Cu") (net 3) (tstamp fcf90714-1873-
(segment (start 56.695 92.25) (end 56.95 92.25) (width 0.35) (layer "F.Cu") (net 3) (tstamp fd56d504-b5
(segment (start 108.925 90.575) (end 108.85 90.65) (width 0.25) (layer "F.Cu") (net 3) (tstamp fd73200b
(segment (start 95.15 102.5) (end 96 102.5) (width 0.25) (layer "F.Cu") (net 3) (tstamp ff789b4c-7c02-4
(segment (start 96 94.1) (end 96.1 94.2) (width 0.25) (layer "F.Cu") (net 3) (tstamp ff9edd07-0989-4fcc
(segment (start 58.565 96.3) (end 58.4 96.3) (width 0.25) (layer "F.Cu") (net 3) (tstamp ffa63da6-4dee-
(via (at 67.2 108.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 67.2 107.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 64.6 108.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 64.6 107.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 70 105.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000
(via (at 69.2 105.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 70.8 105.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 71.6 105.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 107.3 95.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00
(via (at 58.15 79.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-00

(via (at 64.6 112.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 68.5 113.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 67.2 112.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 67.85 112.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 67.2 113.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 64.6 113.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via locked (at 104.45 82.35) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 124.7 88) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 126.5 96.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 123.5 86.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 123.5 88) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 120.6 101.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 06539d51-27af-4996-8000-00000000))
(via (at 55.05001 106) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0688d367-37f4-47a7-8000-00000000))
(via (at 100.1 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0a656df3-f238-45bc-8000-00000000))
(via (at 100.1 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0a973441-a2a8-421d-9000-00000000))
(via (at 111.1 94.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0eb9f322-7a5c-49b2-b000-00000000))
(via (at 55.049976 87) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 0f1914dc-a42d-4122-8000-00000000))
(via (at 100.1 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 14568959-b24b-4792-9000-00000000))
(via (at 90.8 99.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 192ff479-ae89-40d2-9000-00000000))
(via (at 69.299996 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 1d35ba21-3c4e-44b0-8000-00000000))
(via (at 76.4 110.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 1d59660b-82bf-46ba-a000-00000000))
(via (at 83.3 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 1f391607-3339-48da-a500-00000000))
(via (at 87.20001 111) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 20e5bad6-7b3c-4d78-8000-00000000))
(via (at 79.1 102.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 232ac935-88eb-4f31-8000-00000000))
(via (at 100.087874 105.39044) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 23a82ad7-0000-0000-0000-00000000))
(via locked (at 73.100006 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 26819ad8-f000-0000-0000-00000000))
(via (at 57.8 99.199994) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 29dcacd8-7136-4100-8000-00000000))
(via (at 64 94.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 2d48e54b-9ac9-4e81-b3b0-00000000))
(via (at 61.9 76.500002) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 322f295c-02f8-4d00-8000-00000000))
(via (at 125.4 89.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 33087e37-4986-417e-9000-00000000))
(via (at 78.2 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 331ebbec-2b59-4b0a-bb00-00000000))
(via (at 82.5 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 39f76d08-7f1a-4d92-b100-00000000))
(via (at 96.1 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 3e8d622f-6a68-48d9-bd00-00000000))
(via (at 55.05 104) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 457431cd-d404-4390-8005-00000000))
(via (at 124.7 86.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 4c5fbaf9-f435-42ce-b000-00000000))

(via (at 55.050004 110) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 4d3eb1b5-02cd-4be3-9000-000000000000))

(via (at 96.1 85.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 4dc0822e-dbc3-476d-8f30-000000000000))

(via (at 100.45 82.35) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 521860be-a7d4-4a6d-8f30-000000000000))

(via (at 96.1 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 5691431f-87ae-4837-a3f0-000000000000))

(via (at 57.6 91.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 59abb02c-7348-487f-b000-000000000000))

(via (at 68.5 108.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 5bc3d363-97c8-4fdf-8f30-000000000000))

(via (at 73.8 112.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 67709de7-220c-443a-a3f0-000000000000))

(via (at 120.8 98) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 68621cc6-acf2-4980-af90-000000000000))

(via (at 123.1 104.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 68b7a76f-81a2-42e1-8f30-000000000000))

(via (at 84.1 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6b22112b-02fc-4409-8e30-000000000000))

(via (at 55.05 89) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6c136333-b8e6-4f12-b910-000000000000))

(via (at 55.050002 85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6eaa8c00-6049-47d2-8f30-000000000000))

(via (at 65.5 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 6ee4211b-0807-4650-8a30-000000000000))

(via (at 121.9 103) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 70eecf45-500d-4b16-bf00-000000000000))

(via (at 55.05 83) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7124dda5-dc10-4ead-85d0-000000000000))

(via (at 60.799901 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 721c25cf-26f9-42e1-8f30-000000000000))

(via (at 100.013397 85.918792) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 73689711-8a30-000000000000))

(via (at 57.9 96.8) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7617199e-29ba-4ef9-8a30-000000000000))

(via (at 55.05 108) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7a6e9ec1-9ec4-4e08-8f30-000000000000))

(via (at 107.3 97.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7aec5efa-8eac-4b94-8f30-000000000000))

(via (at 85.8 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7bf3741c-6b96-4263-8000-000000000000))

(via (at 97.3 81.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 7e3e7c2d-cdfd-42b1-bd00-000000000000))

(via (at 100.1 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 802a631a-5c39-48ee-bd00-000000000000))

(via (at 61.72018 97.749991) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 82a78f03-5050-000000000000))

(via (at 90.8 98) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 8314ea2d-4c0d-44af-b505-000000000000))

(via (at 123.1 103) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 85612266-a4f5-4858-ab00-000000000000))

(via (at 77.2 112.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 86c8f739-e2d3-43c3-8f30-000000000000))

(via (at 74.25 101.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 894fd13c-acf1-4556-8f30-000000000000))

(via (at 118.8 83.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 8f7f0d98-2e27-42c1-8f30-000000000000))

(via (at 96.1 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 93b512a2-dae3-4488-8600-000000000000))

(via (at 114.3 96.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 96ede52e-8df6-414f-8f30-000000000000))

(via (at 127.5 103.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 988f2d83-56b8-4824-f000-000000000000))

(via (at 96.1 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9991aeaa-c893-41d2-b400-000000000000))

(via (at 87.799998 100.168111) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9a84d658-7000-000000000000))

(via (at 80.800012 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9c4e8423-a1ff-4200-000000000000))

(via (at 124.5 80.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9de2844a-bccf-414f-b3-
(via (at 116.1 106.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9ebc10d3-0bbe-433d-
(via (at 93.2 85.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9ec76e66-7f6f-471e-b8-
(via (at 121.9 104.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9f7693a9-313f-4d9f-
(via (at 83.3 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp 9f7ec9a9-ab59-45dd-bc-
(via (at 96.1 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp a9d1f095-e61b-4cc7-b5-
(via (at 71.28 116.31) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp a9f74b94-190b-4c2d-
(via (at 60.65 90.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp aa682714-21fc-49d2-8-
(via locked (at 70.6 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp aa68c496-1b16-
(via (at 92.7 85.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp ad248f9b-898c-4b6e-95-
(via (at 61.9 109.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp aeb10ff1-8ee6-47c5-8-
(via (at 124.3 110.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp af7a012c-5362-44d1-l-
(via (at 72.9 110.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp b06a7c7d-9540-48ef-8-
(via (at 55.05 81) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp b1bbde59-5495-4a69-808-
(via (at 76.899998 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp bab39184-676e-44-
(via (at 67.85 117.22509) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp bcc13983-4ffb-4-
(via (at 107.4 99.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp bcd34de7-07f1-46d8-9-
(via (at 82 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp c310681e-2ac0-49a4-8bce-
(via (at 118.7 89.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp c4346b78-1831-4e86-8-
(via locked (at 74.4 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp c48e1b74-e3d7-
(via (at 105.45 108.65) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp cd963780-23f8-4e8-
(via (at 101.45 108.65) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp cf56c69f-d204-46a-
(via (at 79 99.269642) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d151c3b4-6f79-4713-
(via (at 100.1 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d165f7f0-d48c-44e1-b6a-
(via (at 119.2 87.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d3bf5e28-6d44-4d60-9-
(via (at 126.65 85.15) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d6e178c1-ccac-4aa3-
(via (at 121.2 101.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d7ab465a-c77d-4450-
(via (at 55.05 102) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp d9f6434d-0178-4d6f-94-
(via (at 63.02491 80.408938) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp dc585ecf-eb2-
(via (at 100.1 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp dc9e6892-138c-4a08-b-
(via (at 120.1 94.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp dd0a4c11-a790-45d6-8-
(via (at 107.55 90.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp df5f1671-b539-48f6-
(via (at 66.8 80.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp ec6c58b0-88e5-4152-9d-
(via (at 96.1 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp ef75fdf6-7b0e-4cb8-a0-
(via (at 127.8 107.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp f4bb36b7-9909-42d2-l-

(via (at 84.200075 76.500006) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp f4cf4454-6112-4000-8000-000000000000))

(via (at 126 89.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp f6990440-0e08-4ad7-a700-000000000000))

(via (at 84.1 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 3) (tstamp fa6dfed9-788e-4fea-a700-000000000000))

(via (at 118.02491 102.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp fcfb6c72-0795-4000-0000-000000000000))

(via (at 96.1 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp fd9e390c-ab65-4eaa-8000-000000000000))

(via (at 119.9 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 3) (tstamp fddcd339-5dd1-468d-8000-000000000000))

(segment (start 68.585 98.045) (end 68.58 98.04) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 67.785 91.55) (end 67.785 93.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 65.9 98.235) (end 67.115 98.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 67.115 98.235) (end 67.31 98.04) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 67.785 93.435) (end 69.85 95.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 72.015 91.55) (end 72.015 93.335) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 72.6 98.25) (end 72.39 98.04) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 71.615 97.265) (end 69.85 95.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 68.585 99.45) (end 68.585 98.045) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 65.9 96.235) (end 68.045 96.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 68.045 96.235) (end 68.58 96.77) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 72.015 93.335) (end 72.090001 93.259999) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 72.090001 93.259999) (end 72.39 92.96) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 71.615 99.45) (end 71.615 97.265) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 73.8 98.25) (end 72.6 98.25) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 100.065 102.635) (end 100.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 00f88548-4000-4000-8000-000000000000))

(segment (start 101.05 102.635) (end 100.135 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp 05e48000-4000-4000-8000-000000000000))

(segment (start 84.815 95.1) (end 84.9 95.015) (width 0.25) (layer "B.Cu") (net 3) (tstamp 0793cea4-2670-4000-8000-000000000000))

(segment (start 81.785 95.1) (end 81.7 95.185) (width 0.25) (layer "B.Cu") (net 3) (tstamp 0bdfb3d3-0820-4000-8000-000000000000))

(segment (start 96.135 94.235) (end 96.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 10bf6662-fda0-4000-8000-000000000000))

(segment (start 84.1 95.1) (end 84.815 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 167f0488-e6f8-4000-8000-000000000000))

(segment (start 83.215 96.754602) (end 83.215 96.7) (width 0.25) (layer "B.Cu") (net 3) (tstamp 16a93a60-4000-4000-8000-000000000000))

(segment (start 100.065 91.435) (end 100.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 16c4104d-bb00-4000-8000-000000000000))

(segment (start 95.15 91.435) (end 96.065 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 195714e3-5000-4000-8000-000000000000))

(segment (start 66.1875 99.2125) (end 66.1875 99.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 1b063a90-4000-4000-8000-000000000000))

(segment (start 100.135 88.635) (end 100.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 1c9cd454-c000-4000-8000-000000000000))

(segment (start 67.31 98.04) (end 67.31 98.09) (width 0.25) (layer "B.Cu") (net 3) (tstamp 1e00c7b5-6e90-4000-8000-000000000000))

(segment (start 96.135 91.435) (end 96.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 20665ecd-f060-4000-8000-000000000000))

(segment (start 100.065 99.835) (end 100.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 22078c97-a000-4000-8000-000000000000))

(segment (start 96.065 88.635) (end 96.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 24c73461-24b3-4000-8000-000000000000))
(segment (start 100.135 94.235) (end 100.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 25182b1f-5500-4000-8000-000000000000))
(segment (start 82.585 97.5) (end 82.585 97.384602) (width 0.25) (layer "B.Cu") (net 3) (tstamp 262bc06b-4000-4000-8000-000000000000))
(segment (start 88.135 98.8) (end 88.135 99.833109) (width 0.25) (layer "B.Cu") (net 3) (tstamp 28c1317f-4000-4000-8000-000000000000))
(segment (start 99.15 99.835) (end 100.065 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2a2c188e-4000-4000-8000-000000000000))
(segment (start 100.065 94.235) (end 100.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2bbddaab-1a00-4000-8000-000000000000))
(segment (start 87.635371 100.164629) (end 87.796516 100.164629) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2c3d3d3d-4000-4000-8000-000000000000))
(segment (start 96.065 99.835) (end 96.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2d306ed1-dbd0-4000-8000-000000000000))
(segment (start 100.135 91.435) (end 100.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 2f29f2b1-b100-4000-8000-000000000000))
(segment (start 97.05 85.835) (end 96.135 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp 300a3791-4000-4000-8000-000000000000))
(segment (start 85.7 93.585) (end 85.785 93.5) (width 0.25) (layer "B.Cu") (net 3) (tstamp 338dbc43-6930-4000-8000-000000000000))
(segment (start 76.385 110.1) (end 76.385 110.885) (width 0.15) (layer "B.Cu") (net 3) (tstamp 3f454a7c-4000-4000-8000-000000000000))
(segment (start 82.585 97.384602) (end 83.215 96.754602) (width 0.25) (layer "B.Cu") (net 3) (tstamp 3f454a7c-4000-4000-8000-000000000000))
(segment (start 99.15 102.635) (end 100.065 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp 409db98e-4000-4000-8000-000000000000))
(segment (start 79.1 102.2) (end 78.2375 102.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp 422196d3-e600-4000-8000-000000000000))
(segment (start 89.8 99.735) (end 90.715 99.735) (width 0.25) (layer "B.Cu") (net 3) (tstamp 432e1e4a-6000-4000-8000-000000000000))
(segment (start 79.795358 99.269642) (end 79 99.269642) (width 0.25) (layer "B.Cu") (net 3) (tstamp 43b3b3b3-4000-4000-8000-000000000000))
(segment (start 96.135 102.635) (end 96.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 440fc5e0-a000-4000-8000-000000000000))
(segment (start 87.799998 100.168111) (end 87.631887 100) (width 0.25) (layer "B.Cu") (net 3) (tstamp 440fc5e0-a000-4000-8000-000000000000))
(segment (start 95.985 96.985) (end 95.15 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp 4652e3cd-4000-4000-8000-000000000000))
(segment (start 72.885 110.1) (end 72.885 110.885) (width 0.15) (layer "B.Cu") (net 3) (tstamp 4c47c871-4000-4000-8000-000000000000))
(segment (start 97.05 94.235) (end 96.135 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 4eccc3da-4000-4000-8000-000000000000))
(segment (start 99.929605 85.835) (end 100.013397 85.918792) (width 0.25) (layer "B.Cu") (net 3) (tstamp 4eccc3da-4000-4000-8000-000000000000))
(segment (start 96.135 99.835) (end 96.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 503d9716-df20-4000-8000-000000000000))
(segment (start 65.9 94.25) (end 67.29 94.25) (width 0.25) (layer "B.Cu") (net 3) (tstamp 516a3fb4-551e-4000-8000-000000000000))
(segment (start 97.05 105.435) (end 96.135 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 520a177f-4000-4000-8000-000000000000))
(segment (start 97.05 88.635) (end 96.135 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp 587addeb-4000-4000-8000-000000000000))
(segment (start 83.3 95.9) (end 83.3 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 5a030cb7-8fb7-4600-8000-000000000000))
(segment (start 96.065 102.635) (end 96.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 5ef1a5d9-4000-4000-8000-000000000000))
(segment (start 83.3 96.615) (end 83.215 96.7) (width 0.25) (layer "B.Cu") (net 3) (tstamp 6469bf26-a700-4000-8000-000000000000))
(segment (start 100.132434 105.435) (end 100.087874 105.39044) (width 0.25) (layer "B.Cu") (net 3) (tstamp 6469bf26-a700-4000-8000-000000000000))
(segment (start 100.043314 105.435) (end 100.087874 105.39044) (width 0.25) (layer "B.Cu") (net 3) (tstamp 6469bf26-a700-4000-8000-000000000000))
(segment (start 72.885 110.885) (end 72.9 110.9) (width 0.15) (layer "B.Cu") (net 3) (tstamp 702915f2-5000-4000-8000-000000000000))
(segment (start 96.065 91.435) (end 96.1 91.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 709c5952-5aa0-4000-8000-000000000000))
(segment (start 83.3 94.385) (end 83.215 94.3) (width 0.25) (layer "B.Cu") (net 3) (tstamp 718aae4c-4120-4000-8000-000000000000))

(segment (start 96.135 105.435) (end 96.1 105.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp 719558f3-9b2b-4000-9000-000000000000))
(segment (start 100.1 97.1) (end 100.035 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp 72c1ed36-b000-4000-9000-000000000000))
(segment (start 101.05 85.835) (end 100.097189 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp 744d0000-0000-4000-9000-000000000000))
(segment (start 99.15 105.435) (end 100.043314 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7ab00000-0000-4000-9000-000000000000))
(segment (start 96.1 97.1) (end 95.985 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7ae41378-88a0-4000-9000-000000000000))
(segment (start 100.135 102.635) (end 100.1 102.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7b133b4e-0000-4000-9000-000000000000))
(segment (start 82.5 95.1) (end 81.785 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 7dce040f-9926-4000-9000-000000000000))
(segment (start 95.15 105.435) (end 96.065 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 811b2600-0000-4000-9000-000000000000))
(segment (start 97.05 91.435) (end 96.135 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 82742659-0000-4000-9000-000000000000))
(segment (start 82.5 95.1) (end 83.3 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8421c34c-c135-4000-9000-000000000000))
(segment (start 101.05 105.435) (end 100.132434 105.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 85000000-0000-4000-9000-000000000000))
(segment (start 95.15 94.235) (end 96.065 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp 85e9019f-0000-4000-9000-000000000000))
(segment (start 99.15 91.435) (end 100.065 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8822ccf8-0000-4000-9000-000000000000))
(segment (start 83.3 95.9) (end 83.3 96.615) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8a28984c-aa3d-4000-9000-000000000000))
(segment (start 84.9 95.015) (end 85 95.015) (width 0.25) (layer "B.Cu") (net 3) (tstamp 8a7b05be-69a2-4000-9000-000000000000))
(segment (start 100.135 99.835) (end 100.1 99.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp 93879460-7000-4000-9000-000000000000))
(segment (start 67.31 98.09) (end 66.1875 99.2125) (width 0.25) (layer "B.Cu") (net 3) (tstamp 97f66164-0000-4000-9000-000000000000))
(segment (start 96.135 88.635) (end 96.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp 990a7541-e2b0-4000-9000-000000000000))
(segment (start 101.05 91.435) (end 100.135 91.435) (width 0.25) (layer "B.Cu") (net 3) (tstamp 9c41dd13-0000-4000-9000-000000000000))
(segment (start 97.05 99.835) (end 96.135 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp a0a706c1-0000-4000-9000-000000000000))
(segment (start 100.097189 85.835) (end 100.013397 85.918792) (width 0.25) (layer "B.Cu") (net 3) (tstamp a0000000-0000-4000-9000-000000000000))
(segment (start 76.385 110.885) (end 76.4 110.9) (width 0.15) (layer "B.Cu") (net 3) (tstamp a832a453-1000-4000-9000-000000000000))
(segment (start 90.715 99.735) (end 90.8 99.65) (width 0.25) (layer "B.Cu") (net 3) (tstamp a9a4adb2-d400-4000-9000-000000000000))
(segment (start 96.065 85.835) (end 96.1 85.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp b0925e31-0480-4000-9000-000000000000))
(segment (start 100.035 97.035) (end 99.15 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp b21ffdbe-0000-4000-9000-000000000000))
(segment (start 100.065 88.635) (end 100.1 88.6) (width 0.25) (layer "B.Cu") (net 3) (tstamp b278b30f-3000-4000-9000-000000000000))
(segment (start 101.05 99.835) (end 100.135 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp b3849400-0000-4000-9000-000000000000))
(segment (start 83.3 95.1) (end 84.1 95.1) (width 0.25) (layer "B.Cu") (net 3) (tstamp b8eef984-2ba8-4000-9000-000000000000))
(segment (start 99.15 94.235) (end 100.065 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp b9ab0a0a-0000-4000-9000-000000000000))
(segment (start 99.15 85.835) (end 99.929605 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp b9d69e00-0000-4000-9000-000000000000))
(segment (start 100.165 97.035) (end 101.05 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp bf567f70-0000-4000-9000-000000000000))
(segment (start 67.29 94.25) (end 67.31 94.23) (width 0.25) (layer "B.Cu") (net 3) (tstamp c0604952-0a80-4000-9000-000000000000))
(segment (start 96.215 96.985) (end 97.05 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp c13024ce-0000-4000-9000-000000000000))
(segment (start 84.1 95.9) (end 83.3 95.9) (width 0.25) (layer "B.Cu") (net 3) (tstamp c2703b1d-4405-4000-9000-000000000000))
(segment (start 80.05 99.015) (end 79.795358 99.269642) (width 0.25) (layer "B.Cu") (net 3) (tstamp c2900000-0000-4000-9000-000000000000))

(segment (start 95.15 102.635) (end 96.065 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp c30e5ba

(segment (start 99.15 88.635) (end 100.065 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp c825673c

(segment (start 85.7 94.315) (end 85.7 93.585) (width 0.25) (layer "B.Cu") (net 3) (tstamp cdad5853-94b

(segment (start 96.065 94.235) (end 96.1 94.2) (width 0.25) (layer "B.Cu") (net 3) (tstamp ce107c90-6f80-

(segment (start 95.15 85.835) (end 96.065 85.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp d20b490e-

(segment (start 96.065 105.435) (end 96.1 105.4) (width 0.25) (layer "B.Cu") (net 3) (tstamp d2c8632f-c

(segment (start 96.135 85.835) (end 96.1 85.8) (width 0.25) (layer "B.Cu") (net 3) (tstamp d55e241d-ae4

(segment (start 101.05 94.235) (end 100.135 94.235) (width 0.25) (layer "B.Cu") (net 3) (tstamp ddf78ca

(segment (start 101.05 88.635) (end 100.135 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp e2f5d67

(segment (start 83.3 95.1) (end 83.3 94.385) (width 0.25) (layer "B.Cu") (net 3) (tstamp e44a7e65-720f-

(segment (start 87.631887 100) (end 86.6875 100) (width 0.25) (layer "B.Cu") (net 3) (tstamp e95b0990-3

(segment (start 84.1 95.1) (end 84.1 95.9) (width 0.25) (layer "B.Cu") (net 3) (tstamp eaae716f-68bf-40

(segment (start 96.1 97.1) (end 96.215 96.985) (width 0.25) (layer "B.Cu") (net 3) (tstamp eac8466e-cc8

(segment (start 95.15 88.635) (end 96.065 88.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp ec335102-

(segment (start 88.135 99.833109) (end 87.799998 100.168111) (width 0.25) (layer "B.Cu") (net 3) (tstamp

(segment (start 100.1 97.1) (end 100.165 97.035) (width 0.25) (layer "B.Cu") (net 3) (tstamp f03766e1-d

(segment (start 85 95.015) (end 85.7 94.315) (width 0.25) (layer "B.Cu") (net 3) (tstamp f22dcbbc-ed20-

(segment (start 88.25 111) (end 87.20001 111) (width 0.45) (layer "B.Cu") (net 3) (tstamp f356efac-c171

(segment (start 87.796516 100.164629) (end 87.799998 100.168111) (width 0.25) (layer "B.Cu") (net 3) (t

(segment (start 78.2375 102.2) (end 78.15 102.1125) (width 0.25) (layer "B.Cu") (net 3) (tstamp f8d2813

(segment (start 97.05 102.635) (end 96.135 102.635) (width 0.25) (layer "B.Cu") (net 3) (tstamp fbba21e

(segment (start 95.15 99.835) (end 96.065 99.835) (width 0.25) (layer "B.Cu") (net 3) (tstamp fddfb7c3-

(segment (start 109.6 95.5) (end 115.8 95.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp 04b4b9a3-dea9-

(segment (start 109.275 99.775) (end 109.8375 99.775) (width 0.15) (layer "F.Cu") (net 4) (tstamp 06353

(segment (start 76.7 105.3) (end 76.4 105) (width 0.15) (layer "F.Cu") (net 4) (tstamp 070a3204-963d-4b

(segment (start 116.117247 91.225) (end 115.5625 91.225) (width 0.15) (layer "F.Cu") (net 4) (tstamp 0f

(segment (start 124.4 93.6) (end 126.3 93.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 108d82ff-df68-

(segment (start 115.8 95.5) (end 117.715825 93.584175) (width 0.15) (layer "F.Cu") (net 4) (tstamp 121e

(segment (start 118.5 106.4) (end 118.5 104.9) (width 0.15) (layer "F.Cu") (net 4) (tstamp 16464c6c-93f

(segment (start 120.7 108.887932) (end 121.1 108.487932) (width 0.15) (layer "F.Cu") (net 4) (tstamp 17

(segment (start 121.1 108.487932) (end 121.1 107.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 23c4cc6

(segment (start 73.2 103.55) (end 73.2 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 27e2b0c7-861b

(segment (start 119.7 107.6) (end 118.5 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 283ebe09-b59

(segment (start 116 117.2) (end 120.7 112.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp 2c79e618-980c-

(segment (start 128.07491 91.82509) (end 128.07491 84.57491) (width 0.15) (layer "F.Cu") (net 4) (tstamp

(segment (start 75.7 106.4) (end 74.915 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 39246a2b-a011-4150-9000-000000000000))
(segment (start 122.5 97.4) (end 123.5 96.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 398ee06f-42f6-4150-9000-000000000000))
(segment (start 116.6 91.707753) (end 116.117247 91.225) (width 0.15) (layer "F.Cu") (net 4) (tstamp 41111111-1111-1111-1111-111111111111))
(segment (start 121.1 107.6) (end 119.7 107.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 49dea8e0-6f3f-4150-9000-000000000000))
(segment (start 124.9 95.2) (end 125.2 94.9) (width 0.15) (layer "F.Cu") (net 4) (tstamp 4c6bf91b-e319-4150-9000-000000000000))
(segment (start 108.5 98.9) (end 108.5 99) (width 0.15) (layer "F.Cu") (net 4) (tstamp 508544c9-fc37-4d50-b000-000000000000))
(segment (start 123.5 96.4) (end 123.5 96.15) (width 0.15) (layer "F.Cu") (net 4) (tstamp 5827aef2-fcdf-4150-9000-000000000000))
(segment (start 125.2 94.9) (end 125.2 94.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 58aca1e8-0a0b-4150-9000-000000000000))
(segment (start 126.9 83.4) (end 125.5 83.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 58d0cbf5-c88e-4150-9000-000000000000))
(segment (start 108.5 98.9) (end 108.5 96.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 5917dcc2-8aba-4150-9000-000000000000))
(segment (start 116.6 92.46835) (end 116.6 91.707753) (width 0.15) (layer "F.Cu") (net 4) (tstamp 5d332111-1111-1111-1111-111111111111))
(segment (start 82.1 97.9) (end 81.7 98.3) (width 0.15) (layer "F.Cu") (net 4) (tstamp 610595e2-7972-4250-b000-000000000000))
(segment (start 128.07491 84.57491) (end 126.9 83.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6842d4d1-1111-1111-1111-111111111111))
(segment (start 121.53165 97.4) (end 117.715825 93.584175) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6842d4d1-1111-1111-1111-111111111111))
(segment (start 122.2 97.4) (end 122.5 97.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6c028625-293f-4150-9000-000000000000))
(segment (start 126.3 93.6) (end 128.07491 91.82509) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6eb73a11-1111-1111-1111-111111111111))
(segment (start 117.715825 93.584175) (end 116.6 92.46835) (width 0.15) (layer "F.Cu") (net 4) (tstamp 6842d4d1-1111-1111-1111-111111111111))
(segment (start 92 117.2) (end 116 117.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 7e554456-af8c-4db0-b000-000000000000))
(segment (start 124.45 95.2) (end 124.9 95.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 87062231-5a37-4150-9000-000000000000))
(segment (start 76.725 108.0375) (end 76.725 106.425) (width 0.15) (layer "F.Cu") (net 4) (tstamp 8e876111-1111-1111-1111-111111111111))
(segment (start 75.7 106.4) (end 76.7 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp 8fe354ed-bb4e-4150-9000-000000000000))
(segment (start 124.6 93.6) (end 124.4 93.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 91f274e5-c55e-4150-9000-000000000000))
(segment (start 125.2 94.2) (end 124.6 93.6) (width 0.15) (layer "F.Cu") (net 4) (tstamp 96a08330-c56b-4150-9000-000000000000))
(segment (start 118.5 104.9) (end 118.1 104.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp 99aa5f8f-26c1-4150-9000-000000000000))
(segment (start 123.5 96.15) (end 124.45 95.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp 9bbb8dd2-d841-4150-9000-000000000000))
(segment (start 76.7 106.4) (end 76.7 105.3) (width 0.15) (layer "F.Cu") (net 4) (tstamp a53fb521-9acb-4150-9000-000000000000))
(segment (start 76.725 106.425) (end 76.7 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp a715e00d-0000-4150-9000-000000000000))
(segment (start 108.5 99) (end 109.275 99.775) (width 0.15) (layer "F.Cu") (net 4) (tstamp a7a558a2-90b1-4150-9000-000000000000))
(segment (start 108.5 96.6) (end 109.6 95.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp a976d533-585c-4d50-b000-000000000000))
(segment (start 88.3 113.5) (end 92 117.2) (width 0.15) (layer "F.Cu") (net 4) (tstamp b75acb1c-c4bf-4950-b000-000000000000))
(segment (start 67 101.5) (end 68.6 103.1) (width 0.15) (layer "F.Cu") (net 4) (tstamp cc862686-5296-4f50-b000-000000000000))
(segment (start 120.7 112.5) (end 120.7 108.887932) (width 0.15) (layer "F.Cu") (net 4) (tstamp cf20b251-1111-1111-1111-111111111111))
(segment (start 74.915 106.4) (end 74.9 106.385) (width 0.15) (layer "F.Cu") (net 4) (tstamp d2776f32-4150-9000-000000000000))
(segment (start 72.75 103.1) (end 73.2 103.55) (width 0.15) (layer "F.Cu") (net 4) (tstamp dd60ac1a-1201-4150-9000-000000000000))
(segment (start 66.6 99.5) (end 66.6 101.1) (width 0.15) (layer "F.Cu") (net 4) (tstamp e9fc8d8f-5eed-4150-9000-000000000000))

(segment (start 68.6 103.1) (end 72.75 103.1) (width 0.15) (layer "F.Cu") (net 4) (tstamp f0955e4b-2792-4b01-9000-000000000000))
(segment (start 66.6 101.1) (end 67 101.5) (width 0.15) (layer "F.Cu") (net 4) (tstamp f44133d7-1e2c-4b01-9000-000000000000))
(segment (start 73.225 108.0375) (end 73.225 106.425) (width 0.15) (layer "F.Cu") (net 4) (tstamp f8d04000-0000-0000-0000-000000000000))
(segment (start 73.225 106.425) (end 73.2 106.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp fb5bd1e8-d000-0000-0000-000000000000))
(segment (start 122.2 97.4) (end 121.53165 97.4) (width 0.15) (layer "F.Cu") (net 4) (tstamp fdc5e012-7000-0000-0000-000000000000))
(via (at 67 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 04e8d527-f97e-4425-87c0-000000000000))
(via (at 118.1 104.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 2fb54194-9dd5-4483-a000-000000000000))
(via (at 73.2 106.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 7c865fef-4ebd-43f9-a000-000000000000))
(via (at 81.7 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 4) (tstamp 821ac472-92b5-42fb-af00-000000000000))
(via (at 88.3 113.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp 9a4c5512-63d8-460b-9000-000000000000))
(via (at 108.5 98.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp cdd66b92-9b80-4427-b000-000000000000))
(via (at 76.7 106.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 4) (tstamp f3f144e5-6b97-4c33-9000-000000000000))
(segment (start 88.3 113.5) (end 88.3 113.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 76.7 106.4) (end 76.924812 106.175188) (width 0.15) (layer "B.Cu") (net 4) (tstamp 00a80000-0000-0000-0000-000000000000))
(segment (start 73.45 106.15) (end 73.2 106.4) (width 0.15) (layer "B.Cu") (net 4) (tstamp 09c5ca62-5aef-4000-0000-000000000000))
(segment (start 119.500089 103.099911) (end 118.1 104.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp 15a00000-0000-0000-0000-000000000000))
(segment (start 84.875188 106.175188) (end 86.6 107.9) (width 0.15) (layer "B.Cu") (net 4) (tstamp 197a0000-0000-0000-0000-000000000000))
(segment (start 86.6 107.9) (end 86.6 111.8) (width 0.15) (layer "B.Cu") (net 4) (tstamp 23d19e38-75e9-4000-0000-000000000000))
(segment (start 76.924812 106.175188) (end 84.875188 106.175188) (width 0.15) (layer "B.Cu") (net 4) (tstamp 25000000-0000-0000-0000-000000000000))
(segment (start 109.7 100.1) (end 119 100.1) (width 0.15) (layer "B.Cu") (net 4) (tstamp 4b872481-35be-4000-0000-000000000000))
(segment (start 108.5 98.9) (end 109.7 100.1) (width 0.15) (layer "B.Cu") (net 4) (tstamp 54b70891-f4b5-4000-0000-000000000000))
(segment (start 81.7 100.45) (end 78.95 103.2) (width 0.15) (layer "B.Cu") (net 4) (tstamp 5ebecfd0-325f-4000-0000-000000000000))
(segment (start 119.500089 100.600089) (end 119.500089 103.099911) (width 0.15) (layer "B.Cu") (net 4) (tstamp 5f000000-0000-0000-0000-000000000000))
(segment (start 76.45 106.15) (end 73.45 106.15) (width 0.15) (layer "B.Cu") (net 4) (tstamp 8fe549d6-5aef-4000-0000-000000000000))
(segment (start 76.7 106.4) (end 76.45 106.15) (width 0.15) (layer "B.Cu") (net 4) (tstamp 9577a808-55bd-4000-0000-000000000000))
(segment (start 81.7 98.3) (end 81.7 100.45) (width 0.15) (layer "B.Cu") (net 4) (tstamp 99cab4e5-7643-4000-0000-000000000000))
(segment (start 86.6 111.8) (end 88.3 113.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp ac089478-e0cb-4000-0000-000000000000))
(segment (start 78.95 103.2) (end 68.7 103.2) (width 0.15) (layer "B.Cu") (net 4) (tstamp e57a281e-3ff2-4000-0000-000000000000))
(segment (start 119 100.1) (end 119.500089 100.600089) (width 0.15) (layer "B.Cu") (net 4) (tstamp f7960000-0000-0000-0000-000000000000))
(segment (start 68.7 103.2) (end 67 101.5) (width 0.15) (layer "B.Cu") (net 4) (tstamp fa295249-abd5-4000-0000-000000000000))
(segment (start 94.7 109) (end 93.7 109) (width 0.45) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.85 109.25) (end 64.85 109.9) (width 0.25) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 63.7 111.9) (end 63.7 112.6) (width 0.75) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 63.65 111.85) (end 63.7 111.9) (width 0.25) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.85 109.9) (end 64.85 110.55) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))

(segment (start 64.85 115) (end 64.85 115.65) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.85 110.55) (end 64.85 111.725) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.85 111.725) (end 65.025 111.9) (width 0.35) (layer "F.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 64.8 104.2) (end 63.7 104.2) (width 0.75) (layer "F.Cu") (net 5) (tstamp 04c75200-599b-42dd-8000-000000000000))
(segment (start 63.5 111.85) (end 63.7 112.05) (width 0.25) (layer "F.Cu") (net 5) (tstamp 0d512896-2cbb-42dd-8000-000000000000))
(segment (start 64.85 115.65) (end 64.85 116.7375) (width 0.35) (layer "F.Cu") (net 5) (tstamp 47b8b26a-42dd-8000-0000-000000000000))
(segment (start 63.7 104.2) (end 63.7 112.6) (width 0.75) (layer "F.Cu") (net 5) (tstamp 47f9fddf-42dd-8000-0000-000000000000))
(segment (start 65.1125 117) (end 63.700038 117) (width 0.75) (layer "F.Cu") (net 5) (tstamp 484b7476-a58b-42dd-8000-000000000000))
(segment (start 63.700038 117) (end 63.7 116.999962) (width 0.75) (layer "F.Cu") (net 5) (tstamp 4c202b1b-42dd-8000-0000-000000000000))
(segment (start 62.2 111.85) (end 62.2 111.285) (width 0.25) (layer "F.Cu") (net 5) (tstamp 4eb49589-348b-42dd-8000-000000000000))
(segment (start 93.7 109) (end 90.7 112) (width 0.45) (layer "F.Cu") (net 5) (tstamp 5396a7fa-c445-4827-bb33-000000000000))
(segment (start 63 101.8) (end 63.7 102.5) (width 0.75) (layer "F.Cu") (net 5) (tstamp 800ae977-7387-438a-bb33-000000000000))
(segment (start 62.2 111.285) (end 62.3 111.185) (width 0.25) (layer "F.Cu") (net 5) (tstamp 82bdba93-2cbb-42dd-8000-000000000000))
(segment (start 63.7 102.5) (end 63.7 104.2) (width 0.75) (layer "F.Cu") (net 5) (tstamp 951c5dbf-fe5c-42dd-8000-000000000000))
(segment (start 62.2 111.85) (end 63.5 111.85) (width 0.25) (layer "F.Cu") (net 5) (tstamp 96de99a9-e58b-42dd-8000-000000000000))
(segment (start 64.85 116.7375) (end 65.1125 117) (width 0.35) (layer "F.Cu") (net 5) (tstamp bf524820-599b-42dd-8000-000000000000))
(segment (start 63.7 116.999962) (end 63.7 117.55018) (width 0.75) (layer "F.Cu") (net 5) (tstamp c9435f1b-42dd-8000-0000-000000000000))
(segment (start 62.3 111.185) (end 62.885 110.6) (width 0.25) (layer "F.Cu") (net 5) (tstamp e26f0410-8000-0000-0000-000000000000))
(segment (start 63 98.25) (end 63 101.8) (width 0.75) (layer "F.Cu") (net 5) (tstamp ec69df72-4d76-458b-9000-000000000000))
(segment (start 65.1125 111.9) (end 63.7 111.9) (width 0.75) (layer "F.Cu") (net 5) (tstamp fae57a06-638b-42dd-8000-000000000000))
(via (at 63.7 112.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 63.7 116.999962) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 63.7 112.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 90.7 112) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 78c5f73f-f201-451f-888b-000000000000))
(via (at 126.6 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 7da4d333-92db-4475-a58b-000000000000))
(via (at 127.1 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 824cec97-109a-4776-a58b-000000000000))
(via (at 63.7 117.55018) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp 8bd72a39-e66f-4e58-bb33-000000000000))
(via (at 126.1 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp a9cb4379-2766-41b0-bb33-000000000000))
(via (at 121 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp aac40922-0d3d-4254-ab33-000000000000))
(via (at 125.6 91.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp cd77050f-d487-469a-a58b-000000000000))
(via (at 63.7 110.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp d5a808ce-d372-445c-a58b-000000000000))
(via (at 119.5 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp d6cc1bbc-abc1-46c6-9000-000000000000))
(via (at 82.8 116) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp e5fd9793-1f99-4db5-8fd7-bb33-000000000000))
(via (at 63.7 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp e785648c-b3ab-4880-bb33-000000000000))
(via (at 120.5 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp edb5702b-8622-43ea-9000-000000000000))

```
(via (at 120 99.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 5) (tstamp f3ad0a19-9c7d-4076-bdff-  
(segment (start 120.5 99.1) (end 121 99.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 00fcecfc-e22c-4  
(segment (start 121 99.1) (end 125.6 94.5) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 04d7adda-4188-4  
(segment (start 88.9 118.2) (end 90.7 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 1e3fda58-d7a  
(segment (start 125.6 94.5) (end 125.6 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 2f60931d-68b  
(segment (start 119 115.5) (end 116.3 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 3e669d0c-d75  
(segment (start 76.65 116) (end 72.865146 116) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 569632ef-7  
(segment (start 119.5 99.1) (end 120 99.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 80a34ccd-ebd6-4  
(segment (start 78.85 118.2) (end 76.65 116) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 833af21d-0afl  
(segment (start 119.5 99.1) (end 119.5 101.6) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 8414ce7d-4cl  
(segment (start 82.8 118.2) (end 78.85 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 8d4098a1-39  
(segment (start 126.6 91.9) (end 127.1 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 94c47594-653  
(segment (start 70.465146 118.4) (end 64.54982 118.4) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 995  
(segment (start 63.7 112.05) (end 63.7 110.95) (width 0.75) (layer "In2.Cu") (net 5) (tstamp 9a252c29-7  
(segment (start 63.7 116.999962) (end 63.7 117.55018) (width 0.75) (layer "In2.Cu") (net 5) (tstamp aaf  
(segment (start 116.3 118.2) (end 90.7 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp b3f988d5-3e  
(segment (start 63.7 112.6) (end 63.7 116.999962) (width 0.75) (layer "In2.Cu") (net 5) (tstamp b6f747b  
(segment (start 82.8 118.2) (end 82.8 116) (width 0.45) (layer "In2.Cu") (net 5) (tstamp bf3b63e4-c113-4  
(segment (start 120 99.1) (end 120.5 99.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp c2a2962c-aecd-4  
(segment (start 63.7 111.9) (end 63.7 112.6) (width 0.75) (layer "In2.Cu") (net 5) (tstamp d3b48963-ceb  
(segment (start 90.7 118.2) (end 90.7 112) (width 0.45) (layer "In2.Cu") (net 5) (tstamp d49dc3cc-0dc4-4  
(segment (start 119.5 101.6) (end 119 102.1) (width 0.75) (layer "In2.Cu") (net 5) (tstamp d8d7a8a3-355  
(segment (start 126.1 91.9) (end 126.6 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp dafce945-a0c  
(segment (start 119 102.1) (end 119 115.5) (width 0.75) (layer "In2.Cu") (net 5) (tstamp dbe8f83b-899d-4  
(segment (start 125.6 91.9) (end 126.1 91.9) (width 0.75) (layer "In2.Cu") (net 5) (tstamp df6e3d72-986  
(segment (start 72.865146 116) (end 70.465146 118.4) (width 0.75) (layer "In2.Cu") (net 5) (tstamp ea78  
(segment (start 64.54982 118.4) (end 63.7 117.55018) (width 0.75) (layer "In2.Cu") (net 5) (tstamp eb42  
(segment (start 88.9 118.2) (end 82.8 118.2) (width 0.75) (layer "In2.Cu") (net 5) (tstamp f747b261-56b  
(segment (start 81.5 116) (end 82.8 116) (width 0.45) (layer "B.Cu") (net 5) (tstamp 015919cd-82e9-4742  
(segment (start 59.75 115.8) (end 59.75 115.349986) (width 0.15) (layer "F.Cu") (net 6) (tstamp 24c6125  
(segment (start 74.9 91.47) (end 74.67 91.47) (width 0.15) (layer "F.Cu") (net 6) (tstamp 2624a85f-7789  
(segment (start 74.67 91.47) (end 74.1 90.9) (width 0.15) (layer "F.Cu") (net 6) (tstamp 384a23b2-2549-4  
(segment (start 74.9 92.05) (end 74.9 91.47) (width 0.15) (layer "F.Cu") (net 6) (tstamp 40d8e64c-5e1b-4  
(segment (start 73.85 92.25) (end 74.7 92.25) (width 0.15) (layer "F.Cu") (net 6) (tstamp a9fe7cb9-cba0  
(segment (start 62.1 115.8) (end 59.75 115.8) (width 0.15) (layer "F.Cu") (net 6) (tstamp aaed2eaf-b503
```

(segment (start 59.75 115.8) (end 59.7 115.85) (width 0.15) (layer "F.Cu") (net 6) (tstamp b9a3f50f-5600-4000-9000-000000000000))
(segment (start 74.7 92.25) (end 74.9 92.05) (width 0.15) (layer "F.Cu") (net 6) (tstamp b9e4b07f-7c1b-4000-9000-000000000000))
(segment (start 62.1 115.8) (end 62.8 115.1) (width 0.15) (layer "F.Cu") (net 6) (tstamp bb353fdb-4015-4000-9000-000000000000))
(segment (start 74.1 89.5) (end 74.7 88.9) (width 0.15) (layer "F.Cu") (net 6) (tstamp c9cfadd6-f047-4d00-9000-000000000000))
(segment (start 59.75 115.349986) (end 59.400014 115) (width 0.15) (layer "F.Cu") (net 6) (tstamp cc3bd000-4000-9000-000000000000))
(segment (start 74.1 90.9) (end 74.1 89.5) (width 0.15) (layer "F.Cu") (net 6) (tstamp f841f6e6-70a7-4f00-9000-000000000000))
(via (at 74.7 88.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 6) (tstamp 953367e1-eb7b-4e07-9a00-000000000000))
(via (at 59.400014 115) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 6) (tstamp b5b489e2-d6d5-4c00-9000-000000000000))
(segment (start 63.5 88.9) (end 74.7 88.9) (width 0.15) (layer "B.Cu") (net 6) (tstamp 38bef01c-5ee0-434f00-000000000000))
(segment (start 58.8 114.399986) (end 58.8 93.6) (width 0.15) (layer "B.Cu") (net 6) (tstamp ba6c3525-9000-4000-9000-000000000000))
(segment (start 58.8 93.6) (end 63.5 88.9) (width 0.15) (layer "B.Cu") (net 6) (tstamp d03ccab4-cf7a-4000-9000-000000000000))
(segment (start 59.400014 115) (end 58.8 114.399986) (width 0.15) (layer "B.Cu") (net 6) (tstamp e9dae400-4000-9000-000000000000))
(segment (start 58.878195 99.824895) (end 59.535 99.16809) (width 0.35) (layer "F.Cu") (net 7) (tstamp 10000000-0000-4000-9000-000000000000))
(segment (start 58.628189 90.975099) (end 59.335 91.68191) (width 0.35) (layer "F.Cu") (net 7) (tstamp 10000000-0000-4000-9000-000000000000))
(segment (start 51.855294 91.27491) (end 51.6 91.27491) (width 0.45) (layer "F.Cu") (net 7) (tstamp 2a000000-0000-4000-9000-000000000000))
(segment (start 59.535 99.16809) (end 59.535 99.15) (width 0.35) (layer "F.Cu") (net 7) (tstamp 31d18640-0000-4000-9000-000000000000))
(segment (start 51.950204 91.18) (end 51.855294 91.27491) (width 0.45) (layer "F.Cu") (net 7) (tstamp 60000000-0000-4000-9000-000000000000))
(segment (start 57.300047 90.975099) (end 58.628189 90.975099) (width 0.35) (layer "F.Cu") (net 7) (tstamp 70000000-0000-4000-9000-000000000000))
(segment (start 55.78 91.18) (end 57.095146 91.18) (width 0.35) (layer "F.Cu") (net 7) (tstamp 94fd69e6-0000-4000-9000-000000000000))
(segment (start 59.335 91.68191) (end 59.335 91.7) (width 0.35) (layer "F.Cu") (net 7) (tstamp 9d422be1-0000-4000-9000-000000000000))
(segment (start 55.78 99.82) (end 55.784895 99.824895) (width 0.35) (layer "F.Cu") (net 7) (tstamp b4b10000-0000-4000-9000-000000000000))
(segment (start 57.095146 91.18) (end 57.300047 90.975099) (width 0.35) (layer "F.Cu") (net 7) (tstamp c0000000-0000-4000-9000-000000000000))
(segment (start 55.784895 99.824895) (end 58.878195 99.824895) (width 0.35) (layer "F.Cu") (net 7) (tstamp d0000000-0000-4000-9000-000000000000))
(segment (start 58.1 95.25) (end 56.695 95.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp 082c35f1-3420-4000-9000-000000000000))
(segment (start 65.85 95.75) (end 65.35 95.75) (width 0.19) (layer "F.Cu") (net 8) (tstamp 0b0e323e-1710-4000-9000-000000000000))
(segment (start 62.07 96.279582) (end 62.07 95.779582) (width 0.19) (layer "F.Cu") (net 8) (tstamp 36850000-0000-4000-9000-000000000000))
(segment (start 56.695 95.25) (end 55.5 95.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp 3e84c132-56f0-4000-9000-000000000000))
(segment (start 61.599975 95.309557) (end 58.159557 95.309557) (width 0.19) (layer "F.Cu") (net 8) (tstamp 40000000-0000-4000-9000-000000000000))
(segment (start 63.305 96.655) (end 63 96.35) (width 0.19) (layer "F.Cu") (net 8) (tstamp 50fd149c-eb24-4000-9000-000000000000))
(segment (start 62.445418 96.655) (end 62.07 96.279582) (width 0.19) (layer "F.Cu") (net 8) (tstamp 5c800000-0000-4000-9000-000000000000))
(segment (start 64.679582 95.83) (end 63.854582 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp 62500000-0000-4000-9000-000000000000))
(segment (start 63.854582 96.655) (end 63.305 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp 6ec4b000-0000-4000-9000-000000000000))
(segment (start 62.07 95.779582) (end 61.599975 95.309557) (width 0.19) (layer "F.Cu") (net 8) (tstamp 70000000-0000-4000-9000-000000000000))
(segment (start 62.695 96.655) (end 62.445418 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp ad4d0000-0000-4000-9000-000000000000))
(segment (start 63 96.35) (end 62.695 96.655) (width 0.19) (layer "F.Cu") (net 8) (tstamp c6706ac7-f9f0-4000-9000-000000000000))

(segment (start 55.55 96.25) (end 56.695 96.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp d86e44c6-2e
(segment (start 58.159557 95.309557) (end 58.1 95.25) (width 0.19) (layer "F.Cu") (net 8) (tstamp dd7f8
(segment (start 65.35 95.75) (end 65.27 95.83) (width 0.19) (layer "F.Cu") (net 8) (tstamp ed318dba-a3b
(segment (start 65.27 95.83) (end 64.679582 95.83) (width 0.19) (layer "F.Cu") (net 8) (tstamp f0c32808
(segment (start 55.5 96.3) (end 55.55 96.25) (width 0.15) (layer "F.Cu") (net 8) (tstamp fac1c464-23fd-
(via (at 55.5 95.25) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 8) (tstamp 99ff94fe-72bb-43ba-b
(via (at 55.5 96.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 8) (tstamp bd93a59a-1254-49ea-b7
(segment (start 55.5 95.25) (end 55.5 96.3) (width 0.19) (layer "B.Cu") (net 8) (tstamp 34a9e940-d2b3-4
(segment (start 64.1 91.55) (end 63 91.55) (width 0.15) (layer "F.Cu") (net 9) (tstamp 37256a4e-6ddb-46
(segment (start 64.375099 91.825099) (end 64.1 91.55) (width 0.15) (layer "F.Cu") (net 9) (tstamp 6426a
(segment (start 65.151953 93.774901) (end 64.624901 93.774901) (width 0.15) (layer "F.Cu") (net 9) (tsta
(segment (start 64.375099 93.525099) (end 64.375099 91.825099) (width 0.15) (layer "F.Cu") (net 9) (tsta
(segment (start 65.176854 93.75) (end 65.151953 93.774901) (width 0.15) (layer "F.Cu") (net 9) (tstamp
(segment (start 63 91.55) (end 63 90.815) (width 0.15) (layer "F.Cu") (net 9) (tstamp aff134af-fc4f-45a
(segment (start 64.624901 93.774901) (end 64.375099 93.525099) (width 0.15) (layer "F.Cu") (net 9) (tsta
(segment (start 65.85 93.75) (end 65.176854 93.75) (width 0.15) (layer "F.Cu") (net 9) (tstamp dc35418c
(segment (start 63 90.815) (end 62.385 90.2) (width 0.15) (layer "F.Cu") (net 9) (tstamp fd208ae2-01b5-4
(segment (start 61.55 93.25) (end 62.37491 92.42509) (width 0.15) (layer "F.Cu") (net 10) (tstamp 171c9
(segment (start 59.35 93.635) (end 60.415 93.635) (width 0.15) (layer "F.Cu") (net 10) (tstamp 29ba7d2b
(segment (start 60.8 93.25) (end 61.55 93.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp 4273f566-ae9
(segment (start 60.415 93.635) (end 60.8 93.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp 63a2b219-6
(segment (start 63.67509 92.42509) (end 64.05 92.8) (width 0.15) (layer "F.Cu") (net 10) (tstamp 6e6f2d
(segment (start 62.37491 92.42509) (end 63.67509 92.42509) (width 0.15) (layer "F.Cu") (net 10) (tstamp
(segment (start 64.05 92.8) (end 64.05 93.65) (width 0.15) (layer "F.Cu") (net 10) (tstamp c97179f5-d1f
(segment (start 64.65 94.25) (end 65.85 94.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp df1ba78c-f2
(segment (start 64.05 93.65) (end 64.65 94.25) (width 0.15) (layer "F.Cu") (net 10) (tstamp f502a908-18
(segment (start 61.459139 95.649557) (end 58.045343 95.649557) (width 0.19) (layer "F.Cu") (net 11) (ts
(segment (start 65.85 96.25) (end 65.35 96.25) (width 0.19) (layer "F.Cu") (net 11) (tstamp 2a4750e0-ea
(segment (start 64.820418 96.17) (end 63.995418 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp 39
(segment (start 62.695 96.995) (end 62.304582 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp 3c4c
(segment (start 61.73 96.420418) (end 61.73 95.920418) (width 0.19) (layer "F.Cu") (net 11) (tstamp 423
(segment (start 63 97.3) (end 62.695 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp 47eff3ec-2076
(segment (start 65.35 96.25) (end 65.27 96.17) (width 0.19) (layer "F.Cu") (net 11) (tstamp 4e4eaf7a-eb
(segment (start 58.045343 95.649557) (end 57.9 95.7949) (width 0.19) (layer "F.Cu") (net 11) (tstamp 5da8
(segment (start 56.695 95.75) (end 57.8551 95.75) (width 0.19) (layer "F.Cu") (net 11) (tstamp 7fee6fd7

```
(segment (start 65.27 96.17)(end 64.820418 96.17) (width 0.19) (layer "F.Cu") (net 11) (tstamp 8be4dd42)
(segment (start 63.995418 96.995) (end 63.305 96.995) (width 0.19) (layer "F.Cu") (net 11) (tstamp a94f5f)
(segment (start 62.304582 96.995) (end 61.73 96.420418) (width 0.19) (layer "F.Cu") (net 11) (tstamp b8a9f5)
(segment (start 61.73 95.920418) (end 61.459139 95.649557) (width 0.19) (layer "F.Cu") (net 11) (tstamp b8a9f5)
(segment (start 63.305 96.995) (end 63 97.3) (width 0.19) (layer "F.Cu") (net 11) (tstamp daa9a5cb-b487-4063-8a5f)
(segment (start 57.85 94.75) (end 57.9 94.7) (width 0.19) (layer "F.Cu") (net 11) (tstamp f644b8c1-0eba-4063-8a5f)
(segment (start 57.8551 95.75) (end 57.9 95.7949) (width 0.19) (layer "F.Cu") (net 11) (tstamp fd711558-4063-8a5f)
(segment (start 56.695 94.75) (end 57.85 94.75) (width 0.19) (layer "F.Cu") (net 11) (tstamp fde8cd30-f5e0-4063-8a5f)
(via (at 57.9 94.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 11) (tstamp 51b8a5fc-4063-4467-8a5f)
(via (at 57.9 95.7949) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 11) (tstamp e99984cf-4699-46d1-8a5f)
(segment (start 57.9 94.7) (end 57.9 95.7949) (width 0.19) (layer "B.Cu") (net 11) (tstamp d1a77be8-ad00-4063-8a5f)
(segment (start 82.1 96.3) (end 81.7 96.7) (width 0.15) (layer "F.Cu") (net 12) (tstamp 136ae85b-a9f0-4063-8a5f)
(segment (start 68.2 100.95) (end 68.75 101.5) (width 0.15) (layer "F.Cu") (net 12) (tstamp 4ba855cc-eb00-4063-8a5f)
(segment (start 68.2 99.6) (end 68.2 100.95) (width 0.15) (layer "F.Cu") (net 12) (tstamp 820bc94b-3552-4063-8a5f)
(segment (start 68.1 99.5) (end 68.2 99.6) (width 0.15) (layer "F.Cu") (net 12) (tstamp b926db40-f8ad-4063-8a5f)
(via (at 81.7 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 12) (tstamp 02830174-1e04-4523-8a5f)
(via (at 68.75 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 12) (tstamp e2a6057c-cade-4fe6-8a5f)
(segment (start 74.3 102.6) (end 69.85 102.6) (width 0.15) (layer "B.Cu") (net 12) (tstamp 13000488-55f3-4063-8a5f)
(segment (start 80.778086 96.7) (end 79.033265 98.444821) (width 0.15) (layer "B.Cu") (net 12) (tstamp 13000488-55f3-4063-8a5f)
(segment (start 69.85 102.6) (end 68.75 101.5) (width 0.15) (layer "B.Cu") (net 12) (tstamp 24b93581-5e00-4063-8a5f)
(segment (start 81.7 96.7) (end 80.778086 96.7) (width 0.15) (layer "B.Cu") (net 12) (tstamp b3df905b-0200-4063-8a5f)
(segment (start 78.455179 98.444821) (end 74.3 102.6) (width 0.15) (layer "B.Cu") (net 12) (tstamp b9ab1b00-4063-8a5f)
(segment (start 79.033265 98.444821) (end 78.455179 98.444821) (width 0.15) (layer "B.Cu") (net 12) (tstamp b9ab1b00-4063-8a5f)
(segment (start 68.6 100.500001) (end 69.599999 101.5) (width 0.15) (layer "F.Cu") (net 13) (tstamp 0e110000-4063-8a5f)
(segment (start 81.3 96.3) (end 80.9 95.9) (width 0.15) (layer "F.Cu") (net 13) (tstamp 80669080-6da9-4063-8a5f)
(segment (start 68.6 99.5) (end 68.6 100.500001) (width 0.15) (layer "F.Cu") (net 13) (tstamp a590c2c9-f5e0-4063-8a5f)
(via (at 69.599999 101.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 13) (tstamp 001757fb-dd9b-4063-8a5f)
(via (at 80.9 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 13) (tstamp 62f45bfb-9586-40ae-ba5f)
(segment (start 80.5 96.553948) (end 78.909037 98.144911) (width 0.15) (layer "B.Cu") (net 13) (tstamp 30000000-4063-8a5f)
(segment (start 70.399999 102.3) (end 69.599999 101.5) (width 0.15) (layer "B.Cu") (net 13) (tstamp 44100000-4063-8a5f)
(segment (start 78.909037 98.144911) (end 78.330951 98.144911) (width 0.15) (layer "B.Cu") (net 13) (tstamp 30000000-4063-8a5f)
(segment (start 74.175862 102.3) (end 70.399999 102.3) (width 0.15) (layer "B.Cu") (net 13) (tstamp 9c400000-4063-8a5f)
(segment (start 80.5 96.3) (end 80.5 96.553948) (width 0.15) (layer "B.Cu") (net 13) (tstamp c8abc06a-9000-4063-8a5f)
(segment (start 78.330951 98.144911) (end 74.175862 102.3) (width 0.15) (layer "B.Cu") (net 13) (tstamp 30000000-4063-8a5f)
(segment (start 80.9 95.9) (end 80.5 96.3) (width 0.15) (layer "B.Cu") (net 13) (tstamp f372efe3-e30b-4063-8a5f)
```

```
(segment (start 79.175724 101.3) (end 79.7 101.3) (width 0.15) (layer "F.Cu") (net 14) (tstamp 00000000)
(segment (start 69.1 99.5) (end 69.1 100.15) (width 0.15) (layer "F.Cu") (net 14) (tstamp 027bb820-9dfa)
(segment (start 78.000675 102.475049) (end 79.175724 101.3) (width 0.15) (layer "F.Cu") (net 14) (tstamp
(segment (start 81.3 97.9) (end 80.9 98.3) (width 0.15) (layer "F.Cu") (net 14) (tstamp 29c897a4-6205-4f
(segment (start 71.425049 102.475049) (end 78.000675 102.475049) (width 0.15) (layer "F.Cu") (net 14) (
(segment (start 69.1 100.15) (end 71.425049 102.475049) (width 0.15) (layer "F.Cu") (net 14) (tstamp a9
(via (at 79.7 101.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 14) (tstamp 75ecf8b4-4d07-4e00-8
(via (at 80.9 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 14) (tstamp e51ea4b1-f053-4fee-8
(segment (start 80.9 100.1) (end 79.7 101.3) (width 0.15) (layer "B.Cu") (net 14) (tstamp 460340e6-4682
(segment (start 80.9 98.3) (end 80.9 100.1) (width 0.15) (layer "B.Cu") (net 14) (tstamp 68cb1255-cebc-4
(segment (start 69.6 100.15) (end 71.62504 102.17504) (width 0.15) (layer "F.Cu") (net 15) (tstamp 2d4c
(segment (start 71.700764 102.175041) (end 77.847957 102.175041) (width 0.15) (layer "F.Cu") (net 15) (
(segment (start 69.6 99.5) (end 69.6 100.15) (width 0.15) (layer "F.Cu") (net 15) (tstamp 706fc505-bc1c
(segment (start 80.1 99.922998) (end 80.1 99.1) (width 0.15) (layer "F.Cu") (net 15) (tstamp aac8067e-c
(segment (start 71.62504 102.17504) (end 71.700764 102.175041) (width 0.15) (layer "F.Cu") (net 15) (ts
(segment (start 80.1 99.1) (end 80.5 98.7) (width 0.15) (layer "F.Cu") (net 15) (tstamp e05852af-5b80-4
(segment (start 77.847957 102.175041) (end 80.1 99.922998) (width 0.15) (layer "F.Cu") (net 15) (tstamp
(segment (start 79.7 98.7) (end 78.8 98.7) (width 0.15) (layer "F.Cu") (net 16) (tstamp 26403237-e4ef-4
(segment (start 71.825031 101.875031) (end 70.1 100.15) (width 0.15) (layer "F.Cu") (net 16) (tstamp 44
(segment (start 75.624968 101.875032) (end 71.825031 101.875031) (width 0.15) (layer "F.Cu") (net 16) (
(segment (start 78.8 98.7) (end 75.624968 101.875032) (width 0.15) (layer "F.Cu") (net 16) (tstamp 8c59
(segment (start 70.1 100.15) (end 70.1 99.5) (width 0.15) (layer "F.Cu") (net 16) (tstamp f3ceea13-0f0c
(segment (start 72.025021 101.575021) (end 75.5007 101.575021) (width 0.15) (layer "F.Cu") (net 17) (ts
(segment (start 70.6 99.5) (end 70.6 100.15) (width 0.15) (layer "F.Cu") (net 17) (tstamp 1ef82376-2995-4
(segment (start 70.6 100.15) (end 72.025021 101.575021) (width 0.15) (layer "F.Cu") (net 17) (tstamp 38
(segment (start 80.1 98.3) (end 80.5 97.9) (width 0.15) (layer "F.Cu") (net 17) (tstamp 479d55b9-78f8-4
(segment (start 75.5007 101.575021) (end 78.775721 98.3) (width 0.15) (layer "F.Cu") (net 17) (tstamp 9
(segment (start 78.775721 98.3) (end 80.1 98.3) (width 0.15) (layer "F.Cu") (net 17) (tstamp dfb0a81f-b
(segment (start 78.702885 97.1) (end 79.7 97.1) (width 0.15) (layer "F.Cu") (net 18) (tstamp 1b8dcf48-9
(segment (start 76.434868 98.108958) (end 77.693927 98.108958) (width 0.15) (layer "F.Cu") (net 18) (ts
(segment (start 71.1 99.5) (end 71.1 100.151281) (width 0.15) (layer "F.Cu") (net 18) (tstamp 2ee9ec25-c
(segment (start 77.693927 98.108958) (end 78.702885 97.1) (width 0.15) (layer "F.Cu") (net 18) (tstamp
(segment (start 71.1 100.151281) (end 72.223731 101.275012) (width 0.15) (layer "F.Cu") (net 18) (tstamp
(segment (start 73.268814 101.275012) (end 76.434868 98.108958) (width 0.15) (layer "F.Cu") (net 18) (t
(segment (start 72.223731 101.275012) (end 73.268814 101.275012) (width 0.15) (layer "F.Cu") (net 18) (
```


(segment (start 78.678604 96.7) (end 77.569557 97.809047) (width 0.15) (layer "F.Cu") (net 19) (tstamp :
(segment (start 80.5 96.3) (end 80.1 96.7) (width 0.15) (layer "F.Cu") (net 19) (tstamp 29fdfadc-e547-4
(segment (start 71.6 100.227002) (end 71.6 99.5) (width 0.15) (layer "F.Cu") (net 19) (tstamp 7c472d8d-l
(segment (start 80.1 96.7) (end 78.678604 96.7) (width 0.15) (layer "F.Cu") (net 19) (tstamp 8347e59e-0
(segment (start 72.347999 100.975001) (end 71.6 100.227002) (width 0.15) (layer "F.Cu") (net 19) (tstamp
(segment (start 77.569557 97.809047) (end 76.310501 97.809047) (width 0.15) (layer "F.Cu") (net 19) (ts
(segment (start 76.310501 97.809047) (end 73.144547 100.975001) (width 0.15) (layer "F.Cu") (net 19) (t
(segment (start 73.144547 100.975001) (end 72.347999 100.975001) (width 0.15) (layer "F.Cu") (net 19) (t
(segment (start 76.186133 97.509136) (end 77.44519 97.509136) (width 0.15) (layer "F.Cu") (net 20) (tsta
(segment (start 74.945269 98.75) (end 76.186133 97.509136) (width 0.15) (layer "F.Cu") (net 20) (tstamp
(segment (start 73.85 98.75) (end 74.945269 98.75) (width 0.15) (layer "F.Cu") (net 20) (tstamp 9239f72
(segment (start 77.44519 97.509136) (end 78.654326 96.3) (width 0.15) (layer "F.Cu") (net 20) (tstamp 9
(segment (start 78.654326 96.3) (end 79.7 96.3) (width 0.15) (layer "F.Cu") (net 20) (tstamp fde4446c-f
(segment (start 78.3 94.9) (end 77.332126 94.9) (width 0.15) (layer "F.Cu") (net 21) (tstamp 12f5b9fe-e
(segment (start 75.02099 98.25) (end 73.85 98.25) (width 0.15) (layer "F.Cu") (net 21) (tstamp 49a668d3
(segment (start 76.100011 97.170979) (end 75.02099 98.25) (width 0.15) (layer "F.Cu") (net 21) (tstamp 4
(segment (start 80.5 94.7) (end 80.1 95.1) (width 0.15) (layer "F.Cu") (net 21) (tstamp 544a62b9-eead-4
(segment (start 80.1 95.1) (end 78.5 95.1) (width 0.15) (layer "F.Cu") (net 21) (tstamp 6574b4b6-44b0-4
(segment (start 76.100011 96.132115) (end 76.100011 97.170979) (width 0.15) (layer "F.Cu") (net 21) (ts
(segment (start 77.332126 94.9) (end 76.100011 96.132115) (width 0.15) (layer "F.Cu") (net 21) (tstamp
(segment (start 78.5 95.1) (end 78.3 94.9) (width 0.15) (layer "F.Cu") (net 21) (tstamp e8b7a21d-a833-4
(segment (start 75.8 96.007988) (end 75.8 97.046712) (width 0.15) (layer "F.Cu") (net 22) (tstamp 026fa
(segment (start 75.8 97.046712) (end 74.946712 97.9) (width 0.15) (layer "F.Cu") (net 22) (tstamp 15c70
(segment (start 74.6 97.9) (end 74.45 97.75) (width 0.15) (layer "F.Cu") (net 22) (tstamp 1972b365-e511
(segment (start 77.623007 94.599989) (end 77.207999 94.599989) (width 0.15) (layer "F.Cu") (net 22) (ts
(segment (start 79.674998 93.874998) (end 78.347998 93.874998) (width 0.15) (layer "F.Cu") (net 22) (ts
(segment (start 77.207999 94.599989) (end 75.8 96.007988) (width 0.15) (layer "F.Cu") (net 22) (tstamp :
(segment (start 78.347998 93.874998) (end 77.623007 94.599989) (width 0.15) (layer "F.Cu") (net 22) (ts
(segment (start 79.7 93.9) (end 79.674998 93.874998) (width 0.15) (layer "F.Cu") (net 22) (tstamp 83687
(segment (start 74.45 97.75) (end 73.85 97.75) (width 0.15) (layer "F.Cu") (net 22) (tstamp 8ace0c7f-45
(segment (start 74.946712 97.9) (end 74.6 97.9) (width 0.15) (layer "F.Cu") (net 22) (tstamp fc0bda2d-5
(segment (start 75.15 95.65) (end 76.9 93.9) (width 0.15) (layer "F.Cu") (net 23) (tstamp 15cf40df-c95a
(segment (start 74.5 95.75) (end 74.6 95.65) (width 0.15) (layer "F.Cu") (net 23) (tstamp 220de81b-1169
(segment (start 77.541514 93.1) (end 79.7 93.1) (width 0.15) (layer "F.Cu") (net 23) (tstamp 2e2cfa32-1
(segment (start 73.85 95.75) (end 74.5 95.75) (width 0.15) (layer "F.Cu") (net 23) (tstamp 599d9910-e06

(segment (start 76.9 93.9) (end 76.9 93.741514) (width 0.15) (layer "F.Cu") (net 23) (tstamp 5d67e56d-83
(segment (start 76.9 93.741514) (end 77.541514 93.1) (width 0.15) (layer "F.Cu") (net 23) (tstamp c3bcc
(segment (start 74.6 95.65) (end 75.15 95.65) (width 0.15) (layer "F.Cu") (net 23) (tstamp daf61311-10e
(segment (start 80.5 93.1) (end 80.1 92.7) (width 0.15) (layer "F.Cu") (net 24) (tstamp 199adc54-cbc3-4
(segment (start 74.65 94.6) (end 74.5 94.75) (width 0.15) (layer "F.Cu") (net 24) (tstamp 524ef0f6-5dc2
(segment (start 74.5 94.75) (end 73.85 94.75) (width 0.15) (layer "F.Cu") (net 24) (tstamp 5a539167-b55
(segment (start 77.517376 92.7) (end 75.617376 94.6) (width 0.15) (layer "F.Cu") (net 24) (tstamp 625a1
(segment (start 80.1 92.7) (end 77.517376 92.7) (width 0.15) (layer "F.Cu") (net 24) (tstamp 88cdb187-2
(segment (start 75.617376 94.6) (end 74.65 94.6) (width 0.15) (layer "F.Cu") (net 24) (tstamp af172638-
(segment (start 77.493238 92.3) (end 75.543238 94.25) (width 0.15) (layer "F.Cu") (net 25) (tstamp 5a45
(segment (start 75.543238 94.25) (end 73.85 94.25) (width 0.15) (layer "F.Cu") (net 25) (tstamp 7e93456
(segment (start 79.7 92.3) (end 77.493238 92.3) (width 0.15) (layer "F.Cu") (net 25) (tstamp ef6bd951-a
(segment (start 79.200011 91.999989) (end 77.369111 91.999989) (width 0.15) (layer "F.Cu") (net 26) (ts
(segment (start 77.369111 91.999989) (end 75.6191 93.75) (width 0.15) (layer "F.Cu") (net 26) (tstamp 440
(segment (start 75.6191 93.75) (end 73.85 93.75) (width 0.15) (layer "F.Cu") (net 26) (tstamp 67628615-
(segment (start 79.7 91.5) (end 79.200011 91.999989) (width 0.15) (layer "F.Cu") (net 26) (tstamp f95ed
(segment (start 73.85 95.25) (end 74.775006 95.25) (width 0.15) (layer "F.Cu") (net 27) (tstamp 4add58a
(segment (start 78.727164 97.5) (end 77.527164 98.7) (width 0.15) (layer "F.Cu") (net 27) (tstamp 6d1da
(segment (start 74.775006 95.25) (end 74.899996 95.12501) (width 0.15) (layer "F.Cu") (net 27) (tstamp
(segment (start 80.5 97.1) (end 80.1 97.5) (width 0.15) (layer "F.Cu") (net 27) (tstamp 733c5537-7391-4
(segment (start 77.527164 98.7) (end 76.6 98.7) (width 0.15) (layer "F.Cu") (net 27) (tstamp 9461a107-0
(segment (start 80.1 97.5) (end 78.727164 97.5) (width 0.15) (layer "F.Cu") (net 27) (tstamp d907ed5a-e
(via (at 76.6 98.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 27) (tstamp b9c92da2-c38b-49c0-9
(via (at 74.899996 95.12501) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 27) (tstamp db8bfdb5-60
(segment (start 74.899996 95.12501) (end 75.8 96.025014) (width 0.15) (layer "B.Cu") (net 27) (tstamp 7
(segment (start 75.8 96.025014) (end 75.8 97.9) (width 0.15) (layer "B.Cu") (net 27) (tstamp aff6d5b9-8
(segment (start 75.8 97.9) (end 76.6 98.7) (width 0.15) (layer "B.Cu") (net 27) (tstamp b00b246f-f18f-4
(segment (start 73.85 96.25) (end 74.838141 96.25) (width 0.15) (layer "F.Cu") (net 28) (tstamp 6fb47dd
(segment (start 74.838141 96.25) (end 74.902957 96.185184) (width 0.15) (layer "F.Cu") (net 28) (tstamp
(segment (start 79.7 97.9) (end 78.751442 97.9) (width 0.15) (layer "F.Cu") (net 28) (tstamp 7a2c738c-5
(segment (start 78.751442 97.9) (end 77.351442 99.3) (width 0.15) (layer "F.Cu") (net 28) (tstamp a7d90
(segment (start 75.892947 100.157053) (end 75.892947 99.407053) (width 0.15) (layer "F.Cu") (net 28) (t
(segment (start 77.351442 99.3) (end 76 99.3) (width 0.15) (layer "F.Cu") (net 28) (tstamp d09bdcdc-655
(segment (start 75.892947 99.407053) (end 76 99.3) (width 0.15) (layer "F.Cu") (net 28) (tstamp e7bc5a0
(via (at 76 99.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 28) (tstamp 22539c02-84f5-4bda-bfd

```
(via (at 74.902957 96.185184) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 28) (tstamp 6e772f99-fb
(segment (start 75.399999 98.699999) (end 75.399999 96.682226) (width 0.15) (layer "B.Cu") (net 28) (ts
(segment (start 75.399999 96.682226) (end 74.902957 96.185184) (width 0.15) (layer "B.Cu") (net 28) (ts
(segment (start 76 99.3) (end 75.399999 98.699999) (width 0.15) (layer "B.Cu") (net 28) (tstamp f34fbd8
(segment (start 69.55 111.55) (end 69.55 110.85) (width 0.75) (layer "F.Cu") (net 29) (tstamp 00000000-0
(segment (start 66.95 109.9) (end 66.95 110.55) (width 0.35) (layer "F.Cu") (net 29) (tstamp 00000000-0
(segment (start 66.95 110.55) (end 67.875 110.55) (width 0.35) (layer "F.Cu") (net 29) (tstamp 00000000
(segment (start 67.875 110.55) (end 68.5 111.175) (width 0.35) (layer "F.Cu") (net 29) (tstamp 00000000
(segment (start 68.5 111.0875) (end 69.3125 111.0875) (width 0.75) (layer "F.Cu") (net 29) (tstamp 0e6d
(segment (start 85.3 93.9) (end 84.9 94.3) (width 0.25) (layer "F.Cu") (net 29) (tstamp 2df771e7-ad1b-4
(segment (start 69.0875 111.0875) (end 69.55 111.55) (width 0.75) (layer "F.Cu") (net 29) (tstamp 42163
(segment (start 68.5 111.0875) (end 69.0875 111.0875) (width 0.75) (layer "F.Cu") (net 29) (tstamp 5cfd
(segment (start 82.1 93.9) (end 82.5 94.3) (width 0.25) (layer "F.Cu") (net 29) (tstamp a2809759-6400-4
(segment (start 85.3 97.1) (end 84.9 96.7) (width 0.25) (layer "F.Cu") (net 29) (tstamp a4cdb6b0-bcc4-4
(segment (start 69.3125 111.0875) (end 69.55 110.85) (width 0.75) (layer "F.Cu") (net 29) (tstamp bb743
(segment (start 82.1 97.1) (end 82.5 96.7) (width 0.25) (layer "F.Cu") (net 29) (tstamp f36802a0-8d91-4
(via (at 69.55 111.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 00000000-0000-0000
(via (at 69.55 110.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 00000000-0000-0000
(via (at 77.3 101.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 04fb2951-11d1-4171-1
(via (at 84.9 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 2506618a-cf15-4e46-a
(via (at 82.5 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 30062f69-3d3f-41cd-9
(via (at 84.9 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 850bc720-6613-4312-a
(via (at 89.1 95.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp 93996550-a039-4353-9
(via (at 82.5 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 29) (tstamp 97bbe9f6-de40-427d-8
(via (at 76.803211 96.984235) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 29) (tstamp ce593301-a
(segment (start 86.25 98.05) (end 84.9 96.7) (width 0.25) (layer "In2.Cu") (net 29) (tstamp 17f139ae-2a
(segment (start 69.55 111.55) (end 69.55 111.25) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 18a2b81
(segment (start 82.5 96.7) (end 81.975099 97.224901) (width 0.25) (layer "In2.Cu") (net 29) (tstamp 1b4
(segment (start 82.5 94.3) (end 84.9 94.3) (width 0.45) (layer "In2.Cu") (net 29) (tstamp 2ad26875-7f96
(segment (start 77.3 101.4) (end 77.3 99.75) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 36f2201d-51
(segment (start 89.1 95.5) (end 89.1 96) (width 0.25) (layer "In2.Cu") (net 29) (tstamp 3af2b6c7-b2d2-4
(segment (start 81.401755 97.224901) (end 81.151953 96.975099) (width 0.25) (layer "In2.Cu") (net 29) (
(segment (start 75.8 106.7) (end 74.5 108) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 4b06c11a-5fd9
(segment (start 69.55 109.35) (end 69.55 111.55) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 5d74423
(segment (start 77.3 99.75) (end 79.6 97.45) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 6542d473-32
```

(segment (start 70.9 108) (end 69.55 109.35) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 6c308dfd-95
(segment (start 79.134235 96.984235) (end 76.803211 96.984235) (width 0.25) (layer "In2.Cu") (net 29) (
(segment (start 69.55 110.85) (end 69.55 111.55) (width 0.75) (layer "In2.Cu") (net 29) (tstamp 7c798c2
(segment (start 77.3 103.470854) (end 75.8 104.970854) (width 0.75) (layer "In2.Cu") (net 29) (tstamp a72
(segment (start 79.6 97.45) (end 79.134235 96.984235) (width 0.25) (layer "In2.Cu") (net 29) (tstamp ab
(segment (start 77.3 101.4) (end 77.3 103.470854) (width 0.75) (layer "In2.Cu") (net 29) (tstamp b8d094
(segment (start 84.9 96.7) (end 82.5 96.7) (width 0.45) (layer "In2.Cu") (net 29) (tstamp bac63cbc-5388
(segment (start 81.975099 97.224901) (end 81.401755 97.224901) (width 0.25) (layer "In2.Cu") (net 29) (
(segment (start 84.9 94.3) (end 84.9 96.7) (width 0.45) (layer "In2.Cu") (net 29) (tstamp c01686da-8aa6
(segment (start 81.151953 96.975099) (end 80.074901 96.975099) (width 0.25) (layer "In2.Cu") (net 29) (
(segment (start 87.05 98.05) (end 86.25 98.05) (width 0.25) (layer "In2.Cu") (net 29) (tstamp d16e4f0a-
(segment (start 75.8 104.970854) (end 75.8 106.7) (width 0.75) (layer "In2.Cu") (net 29) (tstamp d1c038
(segment (start 80.074901 96.975099) (end 79.6 97.45) (width 0.25) (layer "In2.Cu") (net 29) (tstamp da
(segment (start 89.1 96) (end 87.05 98.05) (width 0.25) (layer "In2.Cu") (net 29) (tstamp e40f1cb9-ded3
(segment (start 74.5 108) (end 70.9 108) (width 0.75) (layer "In2.Cu") (net 29) (tstamp ed946c70-501e-4
(segment (start 69.55 110.85) (end 69.55 111.55) (width 0.75) (layer "B.Cu") (net 29) (tstamp 00000000-
(segment (start 81.667622 97.5) (end 82.467622 96.7) (width 0.25) (layer "B.Cu") (net 29) (tstamp 39011
(segment (start 77.218976 97.4) (end 76.803211 96.984235) (width 0.25) (layer "B.Cu") (net 29) (tstamp
(segment (start 89.1 95.5) (end 89.335 95.265) (width 0.25) (layer "B.Cu") (net 29) (tstamp 581d2d71-bd
(segment (start 81.615 97.5) (end 81.667622 97.5) (width 0.25) (layer "B.Cu") (net 29) (tstamp 589a5b25
(segment (start 84.9 94.3) (end 84.9 93.585) (width 0.25) (layer "B.Cu") (net 29) (tstamp 65a2c3ef-d1a8
(segment (start 78.15 100.5375) (end 78.15 100.55) (width 0.45) (layer "B.Cu") (net 29) (tstamp 6631aec
(segment (start 78.15 100.55) (end 77.3 101.4) (width 0.45) (layer "B.Cu") (net 29) (tstamp 6df62e4d-d2
(segment (start 84.9 93.585) (end 84.815 93.5) (width 0.25) (layer "B.Cu") (net 29) (tstamp 7bc0f912-46
(segment (start 89.335 95.265) (end 89.85 95.265) (width 0.25) (layer "B.Cu") (net 29) (tstamp 848d49cb
(segment (start 69.9 111.2) (end 69.55 111.55) (width 0.75) (layer "B.Cu") (net 29) (tstamp 891f57ca-07
(segment (start 84.9 96.7) (end 84.9 95.985) (width 0.25) (layer "B.Cu") (net 29) (tstamp 9e50baf2-e773
(segment (start 69.9 111.2) (end 69.55 110.85) (width 0.75) (layer "B.Cu") (net 29) (tstamp cc552e38-b4
(segment (start 81.785 94.3) (end 81.7 94.215) (width 0.25) (layer "B.Cu") (net 29) (tstamp dbec2834-9c
(segment (start 77.53 97.4) (end 77.218976 97.4) (width 0.25) (layer "B.Cu") (net 29) (tstamp edfd17dc-
(segment (start 82.5 94.3) (end 81.785 94.3) (width 0.25) (layer "B.Cu") (net 29) (tstamp eee8b4e3-2e93
(segment (start 70.65 111.2) (end 69.9 111.2) (width 0.75) (layer "B.Cu") (net 29) (tstamp ef837bb9-cb2
(segment (start 82.467622 96.7) (end 82.5 96.7) (width 0.25) (layer "B.Cu") (net 29) (tstamp f9423dbf-d
(segment (start 80.5 95.5) (end 80.1 95.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp 2c81730f-cccf-4
(segment (start 65.300022 99.9) (end 65.9 100.499978) (width 0.15) (layer "F.Cu") (net 30) (tstamp 411b

(segment (start 78.607106 95.9) (end 78.269875 96.237231) (width 0.15) (layer "F.Cu") (net 30) (tstamp 4cfc11cb-a700-4000-9000-000000000000))
(segment (start 65.85 98.25) (end 64.95 98.25) (width 0.15) (layer "F.Cu") (net 30) (tstamp 4cfc11cb-a700-4000-9000-000000000000))
(segment (start 64.4 99.9) (end 65.300022 99.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp 52681de9-f000-4000-9000-000000000000))
(segment (start 80.1 95.9) (end 78.607106 95.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp 9e70ac48-1000-4000-9000-000000000000))
(segment (start 78.269875 96.237231) (end 76.737231 96.237231) (width 0.15) (layer "F.Cu") (net 30) (tstamp 9e70ac48-1000-4000-9000-000000000000))
(segment (start 64.4 98.8) (end 64.4 99.9) (width 0.15) (layer "F.Cu") (net 30) (tstamp be87be93-ae8e-4000-9000-000000000000))
(segment (start 64.95 98.25) (end 64.4 98.8) (width 0.15) (layer "F.Cu") (net 30) (tstamp f760a24e-2995-4000-9000-000000000000))
(via (at 76.737231 96.237231) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 30) (tstamp 7d1a9ac1-4000-4000-9000-000000000000))
(via (at 65.9 100.499978) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 30) (tstamp c841c4fc-cbdf-4000-4000-9000-000000000000))
(segment (start 66.374923 100.974901) (end 65.9 100.499978) (width 0.15) (layer "B.Cu") (net 30) (tstamp c841c4fc-cbdf-4000-4000-9000-000000000000))
(segment (start 74.05 102) (end 70.85 102) (width 0.15) (layer "B.Cu") (net 30) (tstamp 1993ece5-ab15-4000-9000-000000000000))
(segment (start 77.2 98.4) (end 77.2 98.85) (width 0.15) (layer "B.Cu") (net 30) (tstamp 63beaac2-354d-4000-9000-000000000000))
(segment (start 77.2 98.85) (end 74.05 102) (width 0.15) (layer "B.Cu") (net 30) (tstamp 680d2c6d-2f58-4000-9000-000000000000))
(segment (start 69.824901 100.974901) (end 66.374923 100.974901) (width 0.15) (layer "B.Cu") (net 30) (tstamp 680d2c6d-2f58-4000-9000-000000000000))
(segment (start 70.85 102) (end 69.824901 100.974901) (width 0.15) (layer "B.Cu") (net 30) (tstamp a44ea000-4000-4000-9000-000000000000))
(segment (start 76.2 96.774462) (end 76.2 97.4) (width 0.15) (layer "B.Cu") (net 30) (tstamp c3bba3d7-1000-4000-9000-000000000000))
(segment (start 76.737231 96.237231) (end 76.2 96.774462) (width 0.15) (layer "B.Cu") (net 30) (tstamp c3bba3d7-1000-4000-9000-000000000000))
(segment (start 76.2 97.4) (end 77.2 98.4) (width 0.15) (layer "B.Cu") (net 30) (tstamp fd7d2d0c-a947-4000-9000-000000000000))
(segment (start 73.85 93.25) (end 75.694962 93.25) (width 0.15) (layer "F.Cu") (net 31) (tstamp 5073e04f-0000-4000-9000-000000000000))
(segment (start 77.644962 91.3) (end 78.6 91.3) (width 0.15) (layer "F.Cu") (net 31) (tstamp 5a1acb67-7000-4000-9000-000000000000))
(segment (start 75.694962 93.25) (end 77.644962 91.3) (width 0.15) (layer "F.Cu") (net 31) (tstamp 5a1acb67-7000-4000-9000-000000000000))
(segment (start 81.3 93.1) (end 80.9 92.7) (width 0.15) (layer "F.Cu") (net 31) (tstamp 92e63d46-161f-4000-9000-000000000000))
(via (at 80.9 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 31) (tstamp a384addf-42cf-4165-a000-000000000000))
(via (at 78.6 91.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 31) (tstamp d03a8004-a0c3-4f06-8000-000000000000))
(segment (start 80.9 92.7) (end 80 92.7) (width 0.15) (layer "B.Cu") (net 31) (tstamp 37f8af5d-7b98-4010-9000-000000000000))
(segment (start 80 92.7) (end 78.6 91.3) (width 0.15) (layer "B.Cu") (net 31) (tstamp 8dd99151-4ca5-49b0-9000-000000000000))
(segment (start 60.824901 98.274901) (end 60.8 98.25) (width 0.15) (layer "F.Cu") (net 32) (tstamp 16650000-0000-4000-9000-000000000000))
(segment (start 59.535 98.2) (end 60.75 98.2) (width 0.45) (layer "F.Cu") (net 32) (tstamp 23dac5f0-ac70-4000-9000-000000000000))
(segment (start 61.977053 97.225099) (end 62.24509 97.493136) (width 0.15) (layer "F.Cu") (net 32) (tstamp 23dac5f0-ac70-4000-9000-000000000000))
(segment (start 61.975099 97.225099) (end 61.977053 97.225099) (width 0.15) (layer "F.Cu") (net 32) (tstamp 23dac5f0-ac70-4000-9000-000000000000))
(segment (start 62.125099 98.274901) (end 60.824901 98.274901) (width 0.15) (layer "F.Cu") (net 32) (tstamp 23dac5f0-ac70-4000-9000-000000000000))
(segment (start 59.535 96.3) (end 60.75 96.3) (width 0.25) (layer "F.Cu") (net 32) (tstamp 50d8d5ac-c470-4000-9000-000000000000))
(segment (start 60.75 98.2) (end 60.8 98.25) (width 0.45) (layer "F.Cu") (net 32) (tstamp 6c04f690-b34e-4000-9000-000000000000))
(segment (start 60.8 96.35) (end 61.1 96.35) (width 0.15) (layer "F.Cu") (net 32) (tstamp 95d354c5-e638-4000-9000-000000000000))
(segment (start 61.1 96.35) (end 61.975099 97.225099) (width 0.15) (layer "F.Cu") (net 32) (tstamp d0b90000-0000-4000-9000-000000000000))

(segment (start 62.24509 98.15491) (end 62.125099 98.274901) (width 0.15) (layer "F.Cu") (net 32) (timestamp 785d52a6-c085-4f01-b030-ef6944e6-b030))
(segment (start 62.24509 97.493136) (end 62.24509 98.15491) (width 0.15) (layer "F.Cu") (net 32) (timestamp fc19e3ff-e39e-4c01-b030-ef6944e6-b030))
(segment (start 60.75 96.3) (end 60.8 96.35) (width 0.25) (layer "F.Cu") (net 32) (timestamp 785d52a6-c085-4f01-b030-ef6944e6-b030))
(segment (start 71.1 91.5) (end 71.1 90.7) (width 0.15) (layer "F.Cu") (net 33) (timestamp d6b66186-59ea-4c01-b030-ef6944e6-b030))
(segment (start 71.1 90.7) (end 68.35 87.95) (width 0.15) (layer "F.Cu") (net 33) (timestamp ee4a4156-d3e1-4c01-b030-ef6944e6-b030))
(segment (start 68.35 87.95) (end 63.465 87.95) (width 0.15) (layer "F.Cu") (net 33) (timestamp ef6944e6-b030-4c01-b030-ef6944e6-b030))
(segment (start 63.465 87.95) (end 59 83.485) (width 0.15) (layer "F.Cu") (net 33) (timestamp 4c7201c3-8c5d-4c01-b030-ef6944e6-b030))
(segment (start 124.3 105.6) (end 122.8 107.1) (width 0.15) (layer "F.Cu") (net 34) (timestamp 8738c342-155d-4c01-b030-ef6944e6-b030))
(segment (start 125.5 105.6) (end 124.3 105.6) (width 0.15) (layer "F.Cu") (net 34) (timestamp 3ee810e8-698e-4a94-b030-ef6944e6-b030))
(via (at 122.8 107.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 34) (timestamp 0eae2d6c-3d5d-4c01-b030-ef6944e6-b030))
(segment (start 122.8 106.385) (end 122.8 107.1) (width 0.15) (layer "B.Cu") (net 34) (timestamp 2cba86d4-7b5d-4c01-b030-ef6944e6-b030))
(segment (start 122.8 107.1) (end 122.8 107.785) (width 0.15) (layer "B.Cu") (net 34) (timestamp fa04b3c0-3d5d-4c01-b030-ef6944e6-b030))
(segment (start 122.8 107.785) (end 122.815 107.8) (width 0.15) (layer "B.Cu") (net 34) (timestamp a8893c34-62d1-4c01-b030-ef6944e6-b030))
(segment (start 124.8 106.1) (end 123.8 107.1) (width 0.15) (layer "F.Cu") (net 35) (timestamp d85a2c4c-de5d-4c01-b030-ef6944e6-b030))
(segment (start 125.5 106.1) (end 124.8 106.1) (width 0.15) (layer "F.Cu") (net 35) (timestamp 5f251263-dc5a-44f8-b030-ef6944e6-b030))
(via (at 123.8 107.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 35) (timestamp 2288fbc0-3d5d-4c01-b030-ef6944e6-b030))
(segment (start 123.8 107.785) (end 123.785 107.8) (width 0.15) (layer "B.Cu") (net 35) (timestamp 2c060a64-0d5d-4c01-b030-ef6944e6-b030))
(segment (start 123.8 107.1) (end 123.8 107.785) (width 0.15) (layer "B.Cu") (net 35) (timestamp f883d126-3d5d-4c01-b030-ef6944e6-b030))
(segment (start 123.8 106.385) (end 123.8 107.1) (width 0.15) (layer "B.Cu") (net 35) (timestamp 0ad797a1-24a2-4c70-b030-ef6944e6-b030))
(segment (start 67.9 89) (end 59.485 89) (width 0.15) (layer "F.Cu") (net 36) (timestamp 14960d84-3bf1-4c70-b030-ef6944e6-b030))
(segment (start 59.485 89) (end 59 89.485) (width 0.15) (layer "F.Cu") (net 36) (timestamp 22a43d9d-498f-4c70-b030-ef6944e6-b030))
(segment (start 69.6 91.5) (end 69.6 90.7) (width 0.15) (layer "F.Cu") (net 36) (timestamp 28c71a5f-88fe-4ec3-b030-ef6944e6-b030))
(segment (start 69.6 90.7) (end 67.9 89) (width 0.15) (layer "F.Cu") (net 36) (timestamp 3ad8505a-a85d-4c70-b030-ef6944e6-b030))
(segment (start 68.05 88.65) (end 60.165 88.65) (width 0.15) (layer "F.Cu") (net 37) (timestamp 984104eb-711a-4c70-b030-ef6944e6-b030))
(segment (start 70.1 91.5) (end 70.1 90.7) (width 0.15) (layer "F.Cu") (net 37) (timestamp 9e1b2b47-6bc0-4c70-b030-ef6944e6-b030))
(segment (start 70.1 90.7) (end 68.05 88.65) (width 0.15) (layer "F.Cu") (net 37) (timestamp b3dfe110-8009-4c70-b030-ef6944e6-b030))
(segment (start 60.165 88.65) (end 59 87.485) (width 0.15) (layer "F.Cu") (net 37) (timestamp 29e4b331-25e2-4c70-b030-ef6944e6-b030))
(segment (start 122.3 85.4) (end 123.8 83.9) (width 0.15) (layer "F.Cu") (net 38) (timestamp 4c2063bf-1e22-4c70-b030-ef6944e6-b030))
(segment (start 121.1 85.4) (end 122.3 85.4) (width 0.15) (layer "F.Cu") (net 38) (timestamp cc65600e-24bd-4234-5d5d-4c70-b030-ef6944e6-b030))
(via (at 123.8 83.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 38) (timestamp 5bea120c-1f5d-4c70-b030-ef6944e6-b030))
(segment (start 123.8 83.9) (end 123.8 83.215) (width 0.15) (layer "B.Cu") (net 38) (timestamp 8266436e-d4e1-4c70-b030-ef6944e6-b030))
(segment (start 123.8 83.9) (end 123.8 84.615) (width 0.15) (layer "B.Cu") (net 38) (timestamp db2ab6f0-0d5d-4c70-b030-ef6944e6-b030))
(segment (start 123.8 83.215) (end 123.785 83.2) (width 0.15) (layer "B.Cu") (net 38) (timestamp 7e731065-0e3b-4c70-b030-ef6944e6-b030))
(segment (start 121.8 84.9) (end 122.8 83.9) (width 0.15) (layer "F.Cu") (net 39) (timestamp bd49225c-d711-4c70-b030-ef6944e6-b030))
(segment (start 121.1 84.9) (end 121.8 84.9) (width 0.15) (layer "F.Cu") (net 39) (timestamp bd49225c-d711-4c70-b030-ef6944e6-b030))

```
(via (at 122.8 83.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 39) (tstamp 2cc9604b-dc9e-447d-9b11-000000000000)
(segment (start 122.8 83.9) (end 122.8 83.215) (width 0.15) (layer "B.Cu") (net 39) (tstamp 15977d25-3c4a-4b11-000000000000)
(segment (start 122.8 83.9) (end 122.8 84.615) (width 0.15) (layer "B.Cu") (net 39) (tstamp 7f995224-fd3a-4b11-000000000000)
(segment (start 122.8 83.215) (end 122.815 83.2) (width 0.15) (layer "B.Cu") (net 39) (tstamp 9f999f34-a111-4b11-000000000000)
(segment (start 68.2 88.3) (end 61.815 88.3) (width 0.15) (layer "F.Cu") (net 40) (tstamp 3c4a9f10-b68f-4b11-000000000000)
(segment (start 61.815 88.3) (end 59 85.485) (width 0.15) (layer "F.Cu") (net 40) (tstamp 48543903-94f4-4b11-000000000000)
(segment (start 70.6 90.7) (end 68.2 88.3) (width 0.15) (layer "F.Cu") (net 40) (tstamp 9624acc5-3c08-4b11-000000000000)
(segment (start 70.6 91.5) (end 70.6 90.7) (width 0.15) (layer "F.Cu") (net 40) (tstamp ce30ca0d-b97a-4b11-000000000000)
(segment (start 125.5 106.6) (end 126.585 106.6) (width 0.15) (layer "F.Cu") (net 41) (tstamp 2ef461ef-5b11-4b11-000000000000)
(segment (start 127.015 106.2) (end 127 106.185) (width 0.15) (layer "F.Cu") (net 41) (tstamp 8911d9f0-5b11-4b11-000000000000)
(segment (start 126.585 106.6) (end 127 106.185) (width 0.15) (layer "F.Cu") (net 41) (tstamp bec7895e-5b11-4b11-000000000000)
(segment (start 127.8 106.2) (end 127.015 106.2) (width 0.15) (layer "F.Cu") (net 41) (tstamp dcc89e25-5b11-4b11-000000000000)
(via (at 127.8 106.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 41) (tstamp 09744b95-d5a6-4e58-b111-000000000000)
(segment (start 127.185 106.2) (end 127 106.385) (width 0.15) (layer "B.Cu") (net 41) (tstamp 6f86ab4d-5b11-4b11-000000000000)
(segment (start 127.8 106.2) (end 127.185 106.2) (width 0.15) (layer "B.Cu") (net 41) (tstamp f8232524-5b11-4b11-000000000000)
(segment (start 120.349992 103.95) (end 120.299992 103.9) (width 0.15) (layer "F.Cu") (net 42) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 126.25 87.05) (end 126.3 87.1) (width 0.15) (layer "F.Cu") (net 42) (tstamp 0ed3cbab-bb11-4b11-000000000000)
(segment (start 80.1 93.5) (end 77.88385 93.5) (width 0.15) (layer "F.Cu") (net 42) (tstamp 1cc50840-92f4-4b11-000000000000)
(segment (start 73.85 96.75) (end 75.25 96.75) (width 0.15) (layer "F.Cu") (net 42) (tstamp 430137dc-99fc-4b11-000000000000)
(segment (start 75.915 90.3) (end 75.915 92.136808) (width 0.15) (layer "F.Cu") (net 42) (tstamp 4823ef3a-4b11-4b11-000000000000)
(segment (start 75.49999 95.88386) (end 77.541925 93.841925) (width 0.15) (layer "F.Cu") (net 42) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 121.1 103.95) (end 120.349992 103.95) (width 0.15) (layer "F.Cu") (net 42) (tstamp 7229a111-4b11-000000000000)
(segment (start 125.5 87.05) (end 126.25 87.05) (width 0.15) (layer "F.Cu") (net 42) (tstamp 77097a1b-fd3a-4b11-000000000000)
(segment (start 75.49999 96.50001) (end 75.49999 95.88386) (width 0.15) (layer "F.Cu") (net 42) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 75.9 90.285) (end 75.9 88.199998) (width 0.15) (layer "F.Cu") (net 42) (tstamp 82d0edae-5b11-4b11-000000000000)
(segment (start 75.915 92.136808) (end 75.97315 92.194958) (width 0.15) (layer "F.Cu") (net 42) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 77.88385 93.5) (end 77.541925 93.841925) (width 0.15) (layer "F.Cu") (net 42) (tstamp b111-4b11-000000000000)
(segment (start 80.5 93.9) (end 80.1 93.5) (width 0.15) (layer "F.Cu") (net 42) (tstamp e43516da-2e9d-4b11-000000000000)
(segment (start 75.915 90.3) (end 75.9 90.285) (width 0.15) (layer "F.Cu") (net 42) (tstamp f3243d35-f511-4b11-000000000000)
(segment (start 75.25 96.75) (end 75.49999 96.50001) (width 0.15) (layer "F.Cu") (net 42) (tstamp fe0111-4b11-000000000000)
(via (at 126.3 87.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp 40daa4af-e630-468e-b111-000000000000)
(via (at 77.541925 93.841925) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp 4a259547-6a11-4b11-000000000000)
(via (at 75.9 88.199998) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp 7e0818d1-030a-4b11-000000000000)
(via (at 75.97315 92.194958) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp a0f3cc17-3011-4b11-000000000000)
(via (at 120.299992 103.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 42) (tstamp e3f9f7af-cff7-4b11-000000000000)
```

```
(segment (start 115.97606 73.3) (end 65.56304 73.3) (width 0.15) (layer "B.Cu") (net 42) (tstamp 00efcf3f-4242-4242-4242-42424242))
(segment (start 65.56304 73.3) (end 62.5 76.36304) (width 0.15) (layer "B.Cu") (net 42) (tstamp 0de29ff3-4242-4242-4242-42424242))
(segment (start 127.775179 92.124821) (end 127.775179 88.575179) (width 0.15) (layer "B.Cu") (net 42) (tstamp 2eacaf3f-4242-4242-4242-42424242))
(segment (start 123.5 80.82394) (end 115.97606 73.3) (width 0.15) (layer "B.Cu") (net 42) (tstamp 2eacaf3f-4242-4242-4242-42424242))
(segment (start 126.3 87.1) (end 126.1 86.9) (width 0.15) (layer "B.Cu") (net 42) (tstamp 3a55e3ce-a53a-4242-4242-42424242))
(segment (start 123 93.9) (end 126 93.9) (width 0.15) (layer "B.Cu") (net 42) (tstamp 43f478b4-cbb8-45d1-4242-42424242))
(segment (start 74.800002 87.1) (end 75.9 88.199998) (width 0.15) (layer "B.Cu") (net 42) (tstamp 4955a53f-4242-4242-4242-42424242))
(segment (start 120.299992 103.9) (end 119.8 103.400008) (width 0.15) (layer "B.Cu") (net 42) (tstamp 5a3f3f3f-4242-4242-4242-42424242))
(segment (start 126.1 84.6) (end 123.5 82) (width 0.15) (layer "B.Cu") (net 42) (tstamp 57c3f7b7-7da2-4242-4242-42424242))
(segment (start 126 93.9) (end 127.775179 92.124821) (width 0.15) (layer "B.Cu") (net 42) (tstamp 683493f3-4242-4242-4242-42424242))
(segment (start 118.9 99.5) (end 118.9 98) (width 0.15) (layer "B.Cu") (net 42) (tstamp 6a5a2de3-23f8-4242-4242-42424242))
(segment (start 119.8 103.400008) (end 119.8 100.4) (width 0.15) (layer "B.Cu") (net 42) (tstamp 761de7b7-4242-4242-4242-42424242))
(segment (start 127.775179 88.575179) (end 126.3 87.1) (width 0.15) (layer "B.Cu") (net 42) (tstamp 7f113f3f-4242-4242-4242-42424242))
(segment (start 123.5 82) (end 123.5 80.82394) (width 0.15) (layer "B.Cu") (net 42) (tstamp 807ba378-4e3a-4242-4242-42424242))
(segment (start 119.8 100.4) (end 118.9 99.5) (width 0.15) (layer "B.Cu") (net 42) (tstamp 8cd188ab-002f-4242-4242-42424242))
(segment (start 75.97315 92.194958) (end 75.97315 92.27315) (width 0.15) (layer "B.Cu") (net 42) (tstamp 8f3f3f3f-4242-4242-4242-42424242))
(segment (start 62.5 81) (end 68.6 87.1) (width 0.15) (layer "B.Cu") (net 42) (tstamp a0b235cc-a66a-48ab-4242-42424242))
(segment (start 68.6 87.1) (end 74.800002 87.1) (width 0.15) (layer "B.Cu") (net 42) (tstamp a70af7db-9242-4242-4242-42424242))
(segment (start 118.9 98) (end 123 93.9) (width 0.15) (layer "B.Cu") (net 42) (tstamp b6e96622-a5e8-413a-4242-42424242))
(segment (start 62.5 76.36304) (end 62.5 81) (width 0.15) (layer "B.Cu") (net 42) (tstamp b967d3c9-f371-4242-4242-42424242))
(segment (start 126.1 86.9) (end 126.1 84.6) (width 0.15) (layer "B.Cu") (net 42) (tstamp bbc2acdf-17bc-4242-4242-42424242))
(segment (start 75.97315 92.27315) (end 77.541925 93.841925) (width 0.15) (layer "B.Cu") (net 42) (tstamp c3f3f3f3-4242-4242-4242-42424242))
(segment (start 67.6 91.5) (end 67.6 90.45) (width 0.15) (layer "F.Cu") (net 43) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 85.699901 94.300099) (end 86.499901 94.300099) (width 0.15) (layer "F.Cu") (net 43) (tstamp 00000000-0000-0000-0000-00000000))
(segment (start 85.3 94.7) (end 85.699901 94.300099) (width 0.15) (layer "F.Cu") (net 43) (tstamp 510293f3-4242-4242-4242-42424242))
(segment (start 79.7 94.7) (end 78.899999 94.699999) (width 0.15) (layer "F.Cu") (net 43) (tstamp 733143f3-4242-4242-4242-42424242))
(segment (start 86.499901 94.300099) (end 86.5 94.3) (width 0.15) (layer "F.Cu") (net 43) (tstamp 754463f3-4242-4242-4242-42424242))
(segment (start 86.500099 94.299901) (end 87.299901 94.299901) (width 0.15) (layer "F.Cu") (net 43) (tstamp 754463f3-4242-4242-4242-42424242))
(segment (start 73.1 89) (end 73.1 90.45) (width 0.15) (layer "F.Cu") (net 43) (tstamp af0122a1-1784-4c3f-4242-42424242))
(segment (start 78.899999 94.699999) (end 78.6 94.4) (width 0.15) (layer "F.Cu") (net 43) (tstamp b75aa3f3-4242-4242-4242-42424242))
(segment (start 87.299901 94.299901) (end 87.3 94.3) (width 0.15) (layer "F.Cu") (net 43) (tstamp cfbba3f3-4242-4242-4242-42424242))
(segment (start 86.499901 94.300099) (end 86.500099 94.299901) (width 0.15) (layer "F.Cu") (net 43) (tstamp cfbba3f3-4242-4242-4242-42424242))
(via (at 67.6 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 43) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 87.3 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 43) (tstamp 00000000-0000-0000-0000-00000000))
(via (at 73.1 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 43) (tstamp e0f6753e-6cc0-4c82-4242-42424242))
```



```
(via (at 78.6 94.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 43) (tstamp f32174ab-7d73-4f4e-92
(segment (start 87.3 94.3) (end 87.6 94) (width 0.15) (layer "In2.Cu") (net 43) (tstamp 18c7c0fe-c790-4
(segment (start 81.3 89.45) (end 78.6 92.15) (width 0.15) (layer "In2.Cu") (net 43) (tstamp 421c5535-6e
(segment (start 87.6 89.8) (end 87.25 89.45) (width 0.15) (layer "In2.Cu") (net 43) (tstamp 52bab089-7d
(segment (start 87.6 94) (end 87.6 89.8) (width 0.15) (layer "In2.Cu") (net 43) (tstamp a79e1922-80a2-4
(segment (start 87.25 89.45) (end 81.3 89.45) (width 0.15) (layer "In2.Cu") (net 43) (tstamp b0ca3c4f-b
(segment (start 78.6 92.15) (end 78.6 94.4) (width 0.15) (layer "In2.Cu") (net 43) (tstamp c7abbd8e-4cc
(segment (start 75.35 90.45) (end 78.6 93.7) (width 0.15) (layer "B.Cu") (net 43) (tstamp 44421fe2-0869
(segment (start 67.6 90.45) (end 75.35 90.45) (width 0.15) (layer "B.Cu") (net 43) (tstamp 8abd6033-cc4d-4
(segment (start 78.6 93.7) (end 78.6 94.4) (width 0.15) (layer "B.Cu") (net 43) (tstamp 92be2c6f-6fc4-4
(segment (start 69.1 91.5) (end 69.1 90.85) (width 0.15) (layer "F.Cu") (net 44) (tstamp 3c1ad8d1-4014-4
(segment (start 126.715 100.8) (end 126.7 100.785) (width 0.15) (layer "F.Cu") (net 44) (tstamp 3ce9585
(segment (start 125.015 109.2) (end 125.1 109.115) (width 0.15) (layer "F.Cu") (net 44) (tstamp 5c934e8
(segment (start 67.9 89.65) (end 65.050002 89.65) (width 0.15) (layer "F.Cu") (net 44) (tstamp 6bcb9d4b
(segment (start 122.6 111.3) (end 122.6 109.685) (width 0.15) (layer "F.Cu") (net 44) (tstamp 8b300dce-3
(segment (start 125.1 109.115) (end 125.1 109.1) (width 0.15) (layer "F.Cu") (net 44) (tstamp 8f492a1f-4
(segment (start 127.6 100.8) (end 126.715 100.8) (width 0.15) (layer "F.Cu") (net 44) (tstamp 9a4d3415-3
(segment (start 122.6 109.685) (end 123.085 109.2) (width 0.15) (layer "F.Cu") (net 44) (tstamp ce0da80
(segment (start 125.1 109.1) (end 125.7 108.5) (width 0.15) (layer "F.Cu") (net 44) (tstamp d32d021d-76
(segment (start 69.1 90.85) (end 67.9 89.65) (width 0.15) (layer "F.Cu") (net 44) (tstamp f2ecaa8e-70f8
(segment (start 123.085 109.2) (end 125.015 109.2) (width 0.15) (layer "F.Cu") (net 44) (tstamp fea6f6d
(via (at 125.7 108.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp 4c7a0853-e59f-41f3
(via (at 65.050002 89.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp ad1b520f-605d-4
(via (at 127.6 100.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp c1696aa1-3f38-45fa
(via (at 122.6 111.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 44) (tstamp fe802ecd-58c7-4e49
(segment (start 60 116.296044) (end 61.779046 118.07509) (width 0.15) (layer "B.Cu") (net 44) (tstamp 0
(segment (start 128.07509 101.27509) (end 128.07509 103.82491) (width 0.15) (layer "B.Cu") (net 44) (ts
(segment (start 59.1 113.9) (end 60 114.8) (width 0.15) (layer "B.Cu") (net 44) (tstamp 3c975e44-5018-4
(segment (start 128.07509 103.82491) (end 127.3 104.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp 467
(segment (start 72.6 118.25) (end 76.773146 118.25) (width 0.15) (layer "B.Cu") (net 44) (tstamp 4b1a10
(segment (start 65.050002 89.65) (end 59.1 95.600002) (width 0.15) (layer "B.Cu") (net 44) (tstamp 4d11
(segment (start 125.7 105.668332) (end 125.7 108.5) (width 0.15) (layer "B.Cu") (net 44) (tstamp 65c713
(segment (start 61.779046 118.07509) (end 72.42509 118.07509) (width 0.15) (layer "B.Cu") (net 44) (ts
(segment (start 72.42509 118.07509) (end 72.6 118.25) (width 0.15) (layer "B.Cu") (net 44) (tstamp 9f51
(segment (start 77.423146 117.6) (end 116.3 117.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp d39f1b7
```

```
(segment (start 127.3 104.6) (end 126.768332 104.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp d82e8f1
(segment (start 116.3 117.6) (end 122.6 111.3) (width 0.15) (layer "B.Cu") (net 44) (tstamp e001b570-c1
(segment (start 126.768332 104.6) (end 125.7 105.668332) (width 0.15) (layer "B.Cu") (net 44) (tstamp e
(segment (start 127.6 100.8) (end 128.07509 101.27509) (width 0.15) (layer "B.Cu") (net 44) (tstamp e13
(segment (start 59.1 95.600002) (end 59.1 113.9) (width 0.15) (layer "B.Cu") (net 44) (tstamp ebaad124-
(segment (start 60 114.8) (end 60 116.296044) (width 0.15) (layer "B.Cu") (net 44) (tstamp f4105d4d-d23
(segment (start 76.773146 118.25) (end 77.423146 117.6) (width 0.15) (layer "B.Cu") (net 44) (tstamp fc
(segment (start 123.085 81.8) (end 124.1 81.8) (width 0.15) (layer "F.Cu") (net 45) (tstamp 14af2eee-b6
(segment (start 118.6 88.915) (end 118.6 85.5) (width 0.15) (layer "F.Cu") (net 45) (tstamp 4ac5d37e-2a
(segment (start 118.524901 82.375099) (end 122.509901 82.375099) (width 0.15) (layer "F.Cu") (net 45) (
(segment (start 124.1 81.8) (end 125.215 81.8) (width 0.15) (layer "F.Cu") (net 45) (tstamp 8a6b7b4b-69
(segment (start 118.2 85.1) (end 118.2 82.7) (width 0.15) (layer "F.Cu") (net 45) (tstamp 9e40c270-d258
(segment (start 125.215 81.8) (end 125.3 81.885) (width 0.15) (layer "F.Cu") (net 45) (tstamp adde187c-
(segment (start 72.1 91.5) (end 72.1 88.699992) (width 0.15) (layer "F.Cu") (net 45) (tstamp b7ecaf88-d
(segment (start 118.6 85.5) (end 118.2 85.1) (width 0.15) (layer "F.Cu") (net 45) (tstamp b8f7211f-7710
(segment (start 118.2 82.7) (end 118.524901 82.375099) (width 0.15) (layer "F.Cu") (net 45) (tstamp baf
(segment (start 119.9 90.215) (end 118.6 88.915) (width 0.15) (layer "F.Cu") (net 45) (tstamp bd242973-
(segment (start 122.509901 82.375099) (end 123.085 81.8) (width 0.15) (layer "F.Cu") (net 45) (tstamp d
(segment (start 72.1 88.699992) (end 71.450008 88.05) (width 0.15) (layer "F.Cu") (net 45) (tstamp e5d2
(via (at 124.1 81.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 45) (tstamp 83aa804d-4266-4478-
(via (at 71.450008 88.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 45) (tstamp c77b2052-5a79-
(segment (start 71.450008 88.05) (end 68.65 88.05) (width 0.15) (layer "B.Cu") (net 45) (tstamp 2fbe1d9
(segment (start 68.65 88.05) (end 61.324803 80.724803) (width 0.15) (layer "B.Cu") (net 45) (tstamp 41a
(segment (start 116.15 73) (end 124.1 80.95) (width 0.15) (layer "B.Cu") (net 45) (tstamp 6609cffc-36c9
(segment (start 64.65 73) (end 116.15 73) (width 0.15) (layer "B.Cu") (net 45) (tstamp ba92f4fa-5230-47
(segment (start 124.1 80.95) (end 124.1 81.8) (width 0.15) (layer "B.Cu") (net 45) (tstamp c3bb9026-40b
(segment (start 61.324803 80.724803) (end 61.324803 76.325197) (width 0.15) (layer "B.Cu") (net 45) (ts
(segment (start 61.324803 76.325197) (end 64.65 73) (width 0.15) (layer "B.Cu") (net 45) (tstamp f867d4
(segment (start 65.042375 92.592375) (end 65.042375 90.456053) (width 0.15) (layer "F.Cu") (net 46) (ts
(segment (start 65.2 92.75) (end 65.042375 92.592375) (width 0.15) (layer "F.Cu") (net 46) (tstamp 7bba
(segment (start 81.3 93.9) (end 80.9 93.5) (width 0.15) (layer "F.Cu") (net 46) (tstamp a6207af8-59d3-4
(segment (start 65.85 92.75) (end 65.2 92.75) (width 0.15) (layer "F.Cu") (net 46) (tstamp e7a30546-df5
(via (at 80.9 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 46) (tstamp 16658285-1d8d-4608-8
(via (at 65.042375 90.456053) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 46) (tstamp 77ef698e-0c9
(segment (start 65.948427 89.550001) (end 65.042375 90.456053) (width 0.15) (layer "B.Cu") (net 46) (ts
```

(segment (start 76.072999 89.550001) (end 65.948427 89.550001) (width 0.15) (layer "B.Cu") (net 46) (timestamp c87e09ef-3000-4000-8000-000000000000))
(segment (start 80.9 93.5) (end 80.022998 93.5) (width 0.15) (layer "B.Cu") (net 46) (timestamp c87e09ef-3000-4000-8000-000000000000))
(segment (start 80.022998 93.5) (end 76.072999 89.550001) (width 0.15) (layer "B.Cu") (net 46) (timestamp c87e09ef-3000-4000-8000-000000000000))
(segment (start 65.85 92.25) (end 65.8 92.2) (width 0.15) (layer "F.Cu") (net 47) (timestamp 00000000-0000-4000-8000-000000000000))
(segment (start 65.8 90.45001) (end 65.80001 90.45) (width 0.15) (layer "F.Cu") (net 47) (timestamp 00000000-0000-4000-8000-000000000000))
(segment (start 65.8 92.2) (end 65.8 90.45001) (width 0.15) (layer "F.Cu") (net 47) (timestamp 00000000-0000-4000-8000-000000000000))
(segment (start 81.3 94.7) (end 80.9 94.3) (width 0.15) (layer "F.Cu") (net 47) (timestamp be8dc9ea-386d-4000-8000-000000000000))
(via (at 65.80001 90.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 47) (timestamp 00000000-0000-4000-8000-000000000000))
(via (at 80.9 94.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 47) (timestamp 559e0af7-a804-4a25-b000-000000000000))
(segment (start 75.6 89.9) (end 66.35001 89.9) (width 0.15) (layer "B.Cu") (net 47) (timestamp 4530943c-6e30-4000-8000-000000000000))
(segment (start 80 94.3) (end 75.6 89.9) (width 0.15) (layer "B.Cu") (net 47) (timestamp 9543a176-17e8-47bf-b000-000000000000))
(segment (start 66.35001 89.9) (end 65.80001 90.45) (width 0.15) (layer "B.Cu") (net 47) (timestamp ccbf6200-4000-8000-8000-000000000000))
(segment (start 80.9 94.3) (end 80 94.3) (width 0.15) (layer "B.Cu") (net 47) (timestamp dd7a9c00-dfa3-4d40-b000-000000000000))
(segment (start 86.1 95.5) (end 86.5 95.9) (width 0.25) (layer "F.Cu") (net 48) (timestamp 40792193-d94f-4000-b000-000000000000))
(via (at 86.5 95.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 48) (timestamp 2f206710-9416-48da-b000-000000000000))
(segment (start 87.115 95.9) (end 87.2 95.985) (width 0.25) (layer "B.Cu") (net 48) (timestamp 1c22b49f-2b30-4000-b000-000000000000))
(segment (start 88.4525 96.235) (end 88.4 96.2875) (width 0.25) (layer "B.Cu") (net 48) (timestamp 2cef74a0-4000-b000-b000-000000000000))
(segment (start 86.5 95.9) (end 87.115 95.9) (width 0.25) (layer "B.Cu") (net 48) (timestamp 32f0dff8-cd0a-4000-b000-000000000000))
(segment (start 87.2 95.985) (end 88.0975 95.985) (width 0.25) (layer "B.Cu") (net 48) (timestamp 84235745-4000-b000-b000-000000000000))
(segment (start 88.0975 95.985) (end 88.4 96.2875) (width 0.25) (layer "B.Cu") (net 48) (timestamp e32a9640-4000-b000-b000-000000000000))
(segment (start 89.85 96.235) (end 88.4525 96.235) (width 0.25) (layer "B.Cu") (net 48) (timestamp ee9fa540-4000-b000-b000-000000000000))
(segment (start 81.3 95.5) (end 80.9 95.1) (width 0.25) (layer "F.Cu") (net 49) (timestamp 4b2911c9-3062-4000-b000-000000000000))
(via (at 80.9 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 49) (timestamp 65327774-35f0-406f-9000-000000000000))
(segment (start 78.385 97.6) (end 78.385 97.4025) (width 0.25) (layer "B.Cu") (net 49) (timestamp 12492c3e-4000-b000-b000-000000000000))
(segment (start 78.385 97.4025) (end 79.3875 96.4) (width 0.25) (layer "B.Cu") (net 49) (timestamp 4ab60210-4000-b000-b000-000000000000))
(segment (start 80.3 94.9) (end 80.7 94.9) (width 0.25) (layer "B.Cu") (net 49) (timestamp 759de282-b95b-4000-b000-000000000000))
(segment (start 80.7 94.9) (end 80.9 95.1) (width 0.25) (layer "B.Cu") (net 49) (timestamp c9c4a196-1c12-4000-b000-000000000000))
(segment (start 79.3875 96.4) (end 79.3875 95.8125) (width 0.25) (layer "B.Cu") (net 49) (timestamp ce169400-4000-b000-b000-000000000000))
(segment (start 80.3 94.9) (end 79.7 95.5) (width 0.25) (layer "B.Cu") (net 49) (timestamp db341afa-9a3f-4000-b000-000000000000))
(segment (start 79.3875 95.8125) (end 79.7 95.5) (width 0.25) (layer "B.Cu") (net 49) (timestamp f8d93dd0-4000-b000-b000-000000000000))
(segment (start 86.1 94.7) (end 86.5 95.1) (width 0.25) (layer "F.Cu") (net 50) (timestamp ccd96bf6-2864-4000-b000-000000000000))
(via (at 86.5 95.1) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 50) (timestamp 00000000-0000-0000-0000-000000000000))
(segment (start 86.5 95.1) (end 87.115 95.1) (width 0.25) (layer "B.Cu") (net 50) (timestamp 3ccc2413-22c7-4000-b000-000000000000))
(segment (start 87.2 95.015) (end 88.0975 95.015) (width 0.25) (layer "B.Cu") (net 50) (timestamp 6fa2f1b4-4000-b000-b000-000000000000))
(segment (start 87.115 95.1) (end 87.2 95.015) (width 0.25) (layer "B.Cu") (net 50) (timestamp 837e9ff3-ff00-4000-b000-000000000000))

```
(segment (start 88.0975 95.015) (end 88.4 94.7125) (width 0.25) (layer "B.Cu") (net 50) (tstamp 9ea18733-4000-4000-8000-000000000000))
(segment (start 79.7 95.5) (end 78.1 95.5) (width 0.25) (layer "F.Cu") (net 51) (tstamp 2517c92c-9404-4000-8000-000000000000))
(via (at 78.1 95.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 51) (tstamp 2a7a654e-cb5a-44ff-8000-000000000000))
(segment (start 77.8125 95.7875) (end 78.1 95.5) (width 0.25) (layer "B.Cu") (net 51) (tstamp 0cf341d6-4000-4000-8000-000000000000))
(segment (start 79.33 94.9) (end 78.73 95.5) (width 0.25) (layer "B.Cu") (net 51) (tstamp 16e0b56e-55ea-4000-8000-000000000000))
(segment (start 78.73 95.5) (end 78.1 95.5) (width 0.25) (layer "B.Cu") (net 51) (tstamp 39705b41-826b-4000-8000-000000000000))
(segment (start 77.8125 96.4) (end 77.8125 95.7875) (width 0.25) (layer "B.Cu") (net 51) (tstamp 6da4a83d-4000-4000-8000-000000000000))
(segment (start 118.8 84.8) (end 119.585 84.8) (width 0.15) (layer "F.Cu") (net 52) (tstamp 060a06a1-96f2-4000-8000-000000000000))
(segment (start 119.585 84.8) (end 119.6 84.815) (width 0.15) (layer "F.Cu") (net 52) (tstamp 35f56d73-4000-4000-8000-000000000000))
(segment (start 121.1 84.4) (end 120.015 84.4) (width 0.15) (layer "F.Cu") (net 52) (tstamp 6f4eb0b9-299d-4000-8000-000000000000))
(segment (start 120.015 84.4) (end 119.6 84.815) (width 0.15) (layer "F.Cu") (net 52) (tstamp ae4bde02-4000-4000-8000-000000000000))
(via (at 118.8 84.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 52) (tstamp de81ccaf-a511-40ce-8000-000000000000))
(segment (start 118.8 84.8) (end 120.615 84.8) (width 0.15) (layer "B.Cu") (net 52) (tstamp 8755e102-aef2-4000-8000-000000000000))
(segment (start 120.615 84.8) (end 120.8 84.615) (width 0.15) (layer "B.Cu") (net 52) (tstamp fd0a6af8-4000-4000-8000-000000000000))
(segment (start 58.515 81) (end 59 80.515) (width 0.15) (layer "F.Cu") (net 53) (tstamp 70f58d44-f401-4000-8000-000000000000))
(segment (start 57.7875 81) (end 58.515 81) (width 0.15) (layer "F.Cu") (net 53) (tstamp a8e23526-0b8f-4000-8000-000000000000))
(segment (start 57.7875 83) (end 58.515 83) (width 0.15) (layer "F.Cu") (net 54) (tstamp 0e67f9dd-f706-4000-8000-000000000000))
(segment (start 58.515 83) (end 59 82.515) (width 0.15) (layer "F.Cu") (net 54) (tstamp b9a7d8fb-6778-4000-8000-000000000000))
(segment (start 57.7875 85) (end 58.515 85) (width 0.15) (layer "F.Cu") (net 55) (tstamp 2a72a6a2-f5ff-4000-8000-000000000000))
(segment (start 58.515 85) (end 59 84.515) (width 0.15) (layer "F.Cu") (net 55) (tstamp 75790fc8-3787-4000-8000-000000000000))
(segment (start 58.515 87) (end 59 86.515) (width 0.15) (layer "F.Cu") (net 56) (tstamp 2831890c-73d1-4000-8000-000000000000))
(segment (start 57.7875 87) (end 58.515 87) (width 0.15) (layer "F.Cu") (net 56) (tstamp 5693accb-505e-4000-8000-000000000000))
(segment (start 98.8 95.8) (end 102.05 95.8) (width 0.15) (layer "F.Cu") (net 57) (tstamp 1ee2c6f2-1f21-4000-8000-000000000000))
(segment (start 98.4 96.2) (end 98.8 95.8) (width 0.15) (layer "F.Cu") (net 57) (tstamp 37ebe5d9-5af2-4100-8000-000000000000))
(segment (start 102.05 95.8) (end 102.4 96.15) (width 0.15) (layer "F.Cu") (net 57) (tstamp 50d9e2fa-8b11-4000-8000-000000000000))
(segment (start 102.4 96.15) (end 102.4 97.95) (width 0.15) (layer "F.Cu") (net 57) (tstamp 6af968e0-0c11-4000-8000-000000000000))
(segment (start 97.6 97.65) (end 98.05 97.65) (width 0.15) (layer "F.Cu") (net 57) (tstamp 71274434-a0b1-4000-8000-000000000000))
(segment (start 103.3 99.85) (end 103.3 98.85) (width 0.15) (layer "F.Cu") (net 57) (tstamp 885d35e7-56f1-4000-8000-000000000000))
(segment (start 97.05 97.55) (end 97.5 97.55) (width 0.15) (layer "F.Cu") (net 57) (tstamp 8b4a9519-634d-4000-8000-000000000000))
(segment (start 97.5 97.55) (end 97.6 97.65) (width 0.15) (layer "F.Cu") (net 57) (tstamp 8d2d5f06-82b6-4000-8000-000000000000))
(segment (start 103.3 98.85) (end 102.4 97.95) (width 0.15) (layer "F.Cu") (net 57) (tstamp 95834459-fa11-4000-8000-000000000000))
(segment (start 106.45 104.5) (end 106.45 103) (width 0.15) (layer "F.Cu") (net 57) (tstamp 9f6695a9-42b1-4000-8000-000000000000))
(segment (start 98.4 97.3) (end 98.4 96.2) (width 0.15) (layer "F.Cu") (net 57) (tstamp cf66cfa3-8a81-4000-8000-000000000000))
(segment (start 106.45 103) (end 103.3 99.85) (width 0.15) (layer "F.Cu") (net 57) (tstamp e930d1d7-2b61-4000-8000-000000000000))
(segment (start 98.05 97.65) (end 98.4 97.3) (width 0.15) (layer "F.Cu") (net 57) (tstamp f01b24d1-49b2-4000-8000-000000000000))
```

(segment (start 106.45 105.5) (end 106.45 106.05) (width 0.15) (layer "F.Cu") (net 58) (tstamp 044738a1-
(segment (start 116.15 107.3) (end 116.7 107.85) (width 0.15) (layer "F.Cu") (net 58) (tstamp 0bf79e51-
(segment (start 114.15 106.5) (end 114.15 107.05) (width 0.15) (layer "F.Cu") (net 58) (tstamp 228b2916-
(segment (start 104.95 109.57819) (end 106.9469 111.57509) (width 0.15) (layer "F.Cu") (net 58) (tstamp
(segment (start 116.7 107.85) (end 116.7 108.5) (width 0.15) (layer "F.Cu") (net 58) (tstamp 499709a8-5
(segment (start 104.95 109.225) (end 104.95 109.57819) (width 0.15) (layer "F.Cu") (net 58) (tstamp 4d4
(segment (start 104.95 107.55) (end 104.95 108.075) (width 0.15) (layer "F.Cu") (net 58) (tstamp 5fa066
(segment (start 107.03728 111.5) (end 106.96219 111.57509) (width 0.15) (layer "F.Cu") (net 58) (tstamp
(segment (start 114.15 107.05) (end 114.4 107.3) (width 0.15) (layer "F.Cu") (net 58) (tstamp 9c2104d0-
(segment (start 106.45 106.05) (end 104.95 107.55) (width 0.15) (layer "F.Cu") (net 58) (tstamp 9e5e378
(segment (start 104.95 108.075) (end 104.95 109.225) (width 0.15) (layer "F.Cu") (net 58) (tstamp c4f46
(segment (start 106.9469 111.57509) (end 106.96219 111.57509) (width 0.15) (layer "F.Cu") (net 58) (tsta
(segment (start 111.16 111.5) (end 107.03728 111.5) (width 0.15) (layer "F.Cu") (net 58) (tstamp cea666
(segment (start 112.89 113.23) (end 111.16 111.5) (width 0.15) (layer "F.Cu") (net 58) (tstamp d05fc719
(segment (start 114.4 107.3) (end 116.15 107.3) (width 0.15) (layer "F.Cu") (net 58) (tstamp d920e551-2
(via (at 106.96219 111.57509) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 58) (tstamp e9dbc99f-9
(segment (start 113.9 111.3) (end 107.23728 111.3) (width 0.15) (layer "B.Cu") (net 58) (tstamp 18bda2e
(segment (start 107.23728 111.3) (end 106.96219 111.57509) (width 0.15) (layer "B.Cu") (net 58) (tstamp
(segment (start 116.7 108.5) (end 113.9 111.3) (width 0.15) (layer "B.Cu") (net 58) (tstamp 465d9597-ce
(segment (start 101.7 105.45) (end 101.7 105.145) (width 0.15) (layer "F.Cu") (net 59) (tstamp 33d3bb8e
(segment (start 101.05 105.95) (end 101.2 105.95) (width 0.15) (layer "F.Cu") (net 59) (tstamp 5b6279bf
(segment (start 101.2 105.95) (end 101.7 105.45) (width 0.15) (layer "F.Cu") (net 59) (tstamp 7adc3a1a-
(segment (start 101.7 105.145) (end 102.345 104.5) (width 0.15) (layer "F.Cu") (net 59) (tstamp e8ff420
(segment (start 99.45 107.75) (end 99.45 108.075) (width 0.15) (layer "F.Cu") (net 60) (tstamp 00134a9a
(segment (start 107.81 108.5) (end 108.91 107.4) (width 0.15) (layer "F.Cu") (net 60) (tstamp 0ad11f93-
(segment (start 110.15 106.95) (end 110.15 106.5) (width 0.15) (layer "F.Cu") (net 60) (tstamp 469c63b2
(segment (start 102.45 105.5) (end 102.45 105.85) (width 0.15) (layer "F.Cu") (net 60) (tstamp 508ae797
(segment (start 108.91 107.4) (end 109.7 107.4) (width 0.15) (layer "F.Cu") (net 60) (tstamp 693caa55-8
(segment (start 101.2 111.5) (end 96.84 111.5) (width 0.15) (layer "F.Cu") (net 60) (tstamp 7f27bbe8-19
(segment (start 101.6 106.7) (end 100.5 106.7) (width 0.15) (layer "F.Cu") (net 60) (tstamp 8c12c498-50
(segment (start 96.84 111.5) (end 95.11 113.23) (width 0.15) (layer "F.Cu") (net 60) (tstamp 8cc84d87-d
(segment (start 100.5 106.7) (end 99.45 107.75) (width 0.15) (layer "F.Cu") (net 60) (tstamp 96bbb370-f
(segment (start 99.45 108.075) (end 99.45 109.225) (width 0.15) (layer "F.Cu") (net 60) (tstamp 9f7c360
(segment (start 99.45 109.225) (end 99.45 109.75) (width 0.15) (layer "F.Cu") (net 60) (tstamp b4f47f6c
(segment (start 109.7 107.4) (end 110.15 106.95) (width 0.15) (layer "F.Cu") (net 60) (tstamp d302c226-3

```
(segment (start 102.45 105.85) (end 101.6 106.7) (width 0.15) (layer "F.Cu") (net 60) (tstamp e5969bf7-5
(segment (start 99.45 109.75) (end 101.2 111.5) (width 0.15) (layer "F.Cu") (net 60) (tstamp f0196d1f-9
(via (at 101.2 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 60) (tstamp 00000000-0000-0000
(segment (start 101.2 111.5) (end 103.500099 109.199901) (width 0.15) (layer "B.Cu") (net 60) (tstamp 5
(segment (start 103.500099 109.199901) (end 107.100099 109.199901) (width 0.15) (layer "B.Cu") (net 60)
(segment (start 107.8 108.5) (end 107.81 108.5) (width 0.15) (layer "B.Cu") (net 60) (tstamp eafcd9d4-a
(segment (start 107.100099 109.199901) (end 107.8 108.5) (width 0.15) (layer "B.Cu") (net 60) (tstamp f
(segment (start 105.95 102.924139) (end 103.000089 99.974227) (width 0.15) (layer "F.Cu") (net 61) (tsta
(segment (start 103.000089 99.974227) (end 103.000089 99.000089) (width 0.15) (layer "F.Cu") (net 61) (
(segment (start 101.55 97.55) (end 101.05 97.55) (width 0.15) (layer "F.Cu") (net 61) (tstamp 961a3e11-c
(segment (start 103.000089 99.000089) (end 101.55 97.55) (width 0.15) (layer "F.Cu") (net 61) (tstamp 9
(segment (start 105.95 104.5) (end 105.95 102.924139) (width 0.15) (layer "F.Cu") (net 61) (tstamp fc6f
(segment (start 102.700179 100.098455) (end 102.700178 99.150178) (width 0.15) (layer "F.Cu") (net 62)
(segment (start 105.45 102.848274) (end 102.700179 100.098455) (width 0.15) (layer "F.Cu") (net 62) (tsta
(segment (start 102.700178 99.150178) (end 102.05 98.5) (width 0.15) (layer "F.Cu") (net 62) (tstamp 2c
(segment (start 102.05 98.5) (end 98.9 98.5) (width 0.15) (layer "F.Cu") (net 62) (tstamp 8f8cf6db-9b6f
(segment (start 105.45 104.5) (end 105.45 102.848274) (width 0.15) (layer "F.Cu") (net 62) (tstamp 960c
(segment (start 98.4 100) (end 98.05 100.35) (width 0.15) (layer "F.Cu") (net 62) (tstamp 992c9a5c-7f06
(segment (start 98.9 98.5) (end 98.4 99) (width 0.15) (layer "F.Cu") (net 62) (tstamp a4517317-1a78-405f
(segment (start 98.4 99) (end 98.4 100) (width 0.15) (layer "F.Cu") (net 62) (tstamp af4dc03e-b610-4c57
(segment (start 98.05 100.35) (end 97.05 100.35) (width 0.15) (layer "F.Cu") (net 62) (tstamp dad76950-
(segment (start 104.95 102.772414) (end 102.527586 100.35) (width 0.15) (layer "F.Cu") (net 63) (tstamp
(segment (start 101.05 100.35) (end 102.527586 100.35) (width 0.15) (layer "F.Cu") (net 63) (tstamp 67c
(segment (start 104.95 104.5) (end 104.95 102.772414) (width 0.15) (layer "F.Cu") (net 63) (tstamp f683
(segment (start 102.05 101.25) (end 98.95 101.25) (width 0.15) (layer "F.Cu") (net 64) (tstamp 535d3215
(segment (start 98.4 102.8) (end 98.05 103.15) (width 0.15) (layer "F.Cu") (net 64) (tstamp 66c038f1-22
(segment (start 103.95 103.15) (end 102.05 101.25) (width 0.15) (layer "F.Cu") (net 64) (tstamp 8ccdb88
(segment (start 98.05 103.15) (end 97.05 103.15) (width 0.15) (layer "F.Cu") (net 64) (tstamp 8eee05de-l
(segment (start 98.95 101.25) (end 98.4 101.8) (width 0.15) (layer "F.Cu") (net 64) (tstamp a8eab974-1c
(segment (start 103.95 104.5) (end 103.95 103.15) (width 0.15) (layer "F.Cu") (net 64) (tstamp c1198897
(segment (start 98.4 101.8) (end 98.4 102.8) (width 0.15) (layer "F.Cu") (net 64) (tstamp d5329e55-816e
(segment (start 103.45 104.15) (end 103.45 104.5) (width 0.15) (layer "F.Cu") (net 65) (tstamp 45e69d0d
(segment (start 102.45 103.15) (end 103.45 104.15) (width 0.15) (layer "F.Cu") (net 65) (tstamp 9ae47be
(segment (start 101.05 103.15) (end 102.45 103.15) (width 0.15) (layer "F.Cu") (net 65) (tstamp b32e7b1
(segment (start 98.4 105.65) (end 98.4 104.6) (width 0.15) (layer "F.Cu") (net 66) (tstamp 17cc9b62-4ca
```

(segment (start 99.4 103.6) (end 102.4 103.6) (width 0.15) (layer "F.Cu") (net 66) (tstamp 2098cc63-0ce

(segment (start 102.4 103.6) (end 102.95 104.15) (width 0.15) (layer "F.Cu") (net 66) (tstamp 3144b443-

(segment (start 97.05 105.95) (end 98.1 105.95) (width 0.15) (layer "F.Cu") (net 66) (tstamp 78d4b0e4-d

(segment (start 98.1 105.95) (end 98.4 105.65) (width 0.15) (layer "F.Cu") (net 66) (tstamp 83fe27bb-a1

(segment (start 102.95 104.15) (end 102.95 104.5) (width 0.15) (layer "F.Cu") (net 66) (tstamp 849733ab

(segment (start 98.4 104.6) (end 99.4 103.6) (width 0.15) (layer "F.Cu") (net 66) (tstamp 89529370-4fc4

(segment (start 114.275099 107.775099) (end 114.705099 107.775099) (width 0.15) (layer "F.Cu") (net 67)

(segment (start 104.45 107.55) (end 104.45 108.075) (width 0.15) (layer "F.Cu") (net 67) (tstamp 2182d0

(segment (start 104.45 108.075) (end 104.45 109.225) (width 0.15) (layer "F.Cu") (net 67) (tstamp 29034

(segment (start 110.35 113.28) (end 109.17 112.1) (width 0.15) (layer "F.Cu") (net 67) (tstamp 443c78cb

(segment (start 114.705099 107.775099) (end 114.930001 108.000001) (width 0.15) (layer "F.Cu") (net 67)

(segment (start 105.95 106.05) (end 104.45 107.55) (width 0.15) (layer "F.Cu") (net 67) (tstamp 85c9da4

(segment (start 106.694956 112.1) (end 106.147478 111.552522) (width 0.15) (layer "F.Cu") (net 67) (tsta

(segment (start 105.95 105.5) (end 105.95 106.05) (width 0.15) (layer "F.Cu") (net 67) (tstamp a39b9ed2

(segment (start 104.45 109.855044) (end 106.147478 111.552522) (width 0.15) (layer "F.Cu") (net 67) (ts

(segment (start 113.65 106.5) (end 113.65 107.15) (width 0.15) (layer "F.Cu") (net 67) (tstamp cbd3232a

(segment (start 113.65 107.15) (end 114.275099 107.775099) (width 0.15) (layer "F.Cu") (net 67) (tstamp

(segment (start 114.930001 108.000001) (end 115.43 108.5) (width 0.15) (layer "F.Cu") (net 67) (tstamp

(segment (start 109.17 112.1) (end 106.694956 112.1) (width 0.15) (layer "F.Cu") (net 67) (tstamp f37a4

(segment (start 104.45 109.225) (end 104.45 109.855044) (width 0.15) (layer "F.Cu") (net 67) (tstamp f8

(via (at 106.147478 111.552522) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 67) (tstamp 64731fe5

(segment (start 106.7 111) (end 106.147478 111.552522) (width 0.15) (layer "B.Cu") (net 67) (tstamp 0973

(segment (start 115.43 108.5) (end 112.93 111) (width 0.15) (layer "B.Cu") (net 67) (tstamp 2d4f46f5-42

(segment (start 112.93 111) (end 106.7 111) (width 0.15) (layer "B.Cu") (net 67) (tstamp c4ac7905-314c-

(segment (start 105.45 106.05) (end 103.95 107.55) (width 0.15) (layer "F.Cu") (net 68) (tstamp 1c80b53

(segment (start 103.95 109.225) (end 103.95 110.287128) (width 0.15) (layer "F.Cu") (net 68) (tstamp 1c

(segment (start 107.81 113.23) (end 106.892872 113.23) (width 0.15) (layer "F.Cu") (net 68) (tstamp 212

(segment (start 113.15 106.5) (end 113.15 107.49) (width 0.15) (layer "F.Cu") (net 68) (tstamp 35d4eb09

(segment (start 106.892872 113.23) (end 105.2 111.537128) (width 0.15) (layer "F.Cu") (net 68) (tstamp

(segment (start 105.45 105.5) (end 105.45 106.05) (width 0.15) (layer "F.Cu") (net 68) (tstamp ae4af497

(segment (start 103.95 108.075) (end 103.95 109.225) (width 0.15) (layer "F.Cu") (net 68) (tstamp df1ae

(segment (start 113.15 107.49) (end 114.16 108.5) (width 0.15) (layer "F.Cu") (net 68) (tstamp efbdf151

(segment (start 103.95 107.55) (end 103.95 108.075) (width 0.15) (layer "F.Cu") (net 68) (tstamp f336c3

(segment (start 103.95 110.287128) (end 105.2 111.537128) (width 0.15) (layer "F.Cu") (net 68) (tstamp

(via (at 105.2 111.537128) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 68) (tstamp 3d7e44e1-0237

(segment (start 111.96 110.7) (end 106.076311 110.7) (width 0.15) (layer "B.Cu") (net 68) (tstamp 5531a2-5531a2))
(segment (start 106.076311 110.7) (end 105.239183 111.537128) (width 0.15) (layer "B.Cu") (net 68) (tstamp 5531a2-5531a2))
(segment (start 114.16 108.5) (end 111.96 110.7) (width 0.15) (layer "B.Cu") (net 68) (tstamp a98f52f2-5531a2))
(segment (start 105.239183 111.537128) (end 105.2 111.537128) (width 0.15) (layer "B.Cu") (net 68) (tstamp a98f52f2-5531a2))
(segment (start 103.45 110.55) (end 104.4 111.5) (width 0.15) (layer "F.Cu") (net 69) (tstamp 11da3eba-5531a2))
(segment (start 104.95 105.5) (end 104.95 106.05) (width 0.15) (layer "F.Cu") (net 69) (tstamp 23a220aa-5531a2))
(segment (start 112.65 106.5) (end 112.65 108.26) (width 0.15) (layer "F.Cu") (net 69) (tstamp 50aeaf17-5531a2))
(segment (start 104.4 111.5) (end 104.4 112.36) (width 0.15) (layer "F.Cu") (net 69) (tstamp 6c97c0bf-600000))
(segment (start 104.95 106.05) (end 103.45 107.55) (width 0.15) (layer "F.Cu") (net 69) (tstamp 731c74b2-600000))
(segment (start 103.45 108.075) (end 103.45 109.225) (width 0.15) (layer "F.Cu") (net 69) (tstamp a38e4200-600000))
(segment (start 104.4 112.36) (end 105.27 113.23) (width 0.15) (layer "F.Cu") (net 69) (tstamp b0663c20-600000))
(segment (start 103.45 107.55) (end 103.45 108.075) (width 0.15) (layer "F.Cu") (net 69) (tstamp b4973500-600000))
(segment (start 112.65 108.26) (end 112.89 108.5) (width 0.15) (layer "F.Cu") (net 69) (tstamp b9b3c81d-600000))
(segment (start 103.45 109.225) (end 103.45 110.55) (width 0.15) (layer "F.Cu") (net 69) (tstamp c9fce400-600000))
(via (at 104.4 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 69) (tstamp 29878974-6a63-4244-8000-000000000000))
(segment (start 104.4 111.5) (end 105.5 110.4) (width 0.15) (layer "B.Cu") (net 69) (tstamp 167b7d78-c40000))
(segment (start 110.99 110.4) (end 112.89 108.5) (width 0.15) (layer "B.Cu") (net 69) (tstamp 4fc38c5d-5531a2))
(segment (start 105.5 110.4) (end 110.99 110.4) (width 0.15) (layer "B.Cu") (net 69) (tstamp 8aec1774-e00000))
(segment (start 100.45 108.075) (end 100.45 109.225) (width 0.15) (layer "F.Cu") (net 70) (tstamp 171a9200-600000))
(segment (start 100.9 107.3) (end 102 107.3) (width 0.15) (layer "F.Cu") (net 70) (tstamp 321af3f5-ec8d00))
(segment (start 100.9 110.1) (end 101.4 110.1) (width 0.15) (layer "F.Cu") (net 70) (tstamp 404d5dad-d80000))
(segment (start 100.45 107.75) (end 100.9 107.3) (width 0.15) (layer "F.Cu") (net 70) (tstamp 6478982f-f00000))
(segment (start 111.15 107.7) (end 110.35 108.5) (width 0.15) (layer "F.Cu") (net 70) (tstamp 69e4ab86-f00000))
(segment (start 100.45 109.65) (end 100.9 110.1) (width 0.15) (layer "F.Cu") (net 70) (tstamp 78cbfbb1-f00000))
(segment (start 100.45 108.075) (end 100.45 107.75) (width 0.15) (layer "F.Cu") (net 70) (tstamp 81479000-600000))
(segment (start 101.07 113.23) (end 100.19 113.23) (width 0.15) (layer "F.Cu") (net 70) (tstamp 9c14a0b2-600000))
(segment (start 103.45 105.85) (end 103.45 105.5) (width 0.15) (layer "F.Cu") (net 70) (tstamp 9c47196d-600000))
(segment (start 101.4 110.1) (end 102.8 111.5) (width 0.15) (layer "F.Cu") (net 70) (tstamp 9d09005b-dd0000))
(segment (start 111.15 106.5) (end 111.15 107.7) (width 0.15) (layer "F.Cu") (net 70) (tstamp e58c44d8-f00000))
(segment (start 102.8 111.5) (end 101.07 113.23) (width 0.15) (layer "F.Cu") (net 70) (tstamp ed435e88-f00000))
(segment (start 100.45 109.225) (end 100.45 109.65) (width 0.15) (layer "F.Cu") (net 70) (tstamp f2980c00-600000))
(segment (start 102 107.3) (end 103.45 105.85) (width 0.15) (layer "F.Cu") (net 70) (tstamp fb9ba25d-610000))
(via (at 102.8 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 70) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 102.8 111.5) (end 104.500279 109.799721) (width 0.15) (layer "B.Cu") (net 70) (tstamp a0000000-000000))
(segment (start 109.050279 109.799721) (end 110.35 108.5) (width 0.15) (layer "B.Cu") (net 70) (tstamp c0000000-000000))

(segment (start 104.500279 109.799721) (end 109.050279 109.799721) (width 0.15) (layer "B.Cu") (net 70))
(segment (start 103.6 112.36) (end 102.73 113.23) (width 0.15) (layer "F.Cu") (net 71) (tstamp 15e25bfb-
(segment (start 100.95 109.65) (end 101.1 109.8) (width 0.15) (layer "F.Cu") (net 71) (tstamp 416e5213-
(segment (start 103.6 111.5) (end 103.6 112.36) (width 0.15) (layer "F.Cu") (net 71) (tstamp 4a45419c-e5
(segment (start 100.95 108.075) (end 100.95 109.225) (width 0.15) (layer "F.Cu") (net 71) (tstamp 6cf85
(segment (start 102.174569 107.60009) (end 103.95 105.824659) (width 0.15) (layer "F.Cu") (net 71) (tsta
(segment (start 101.1 109.8) (end 101.9 109.8) (width 0.15) (layer "F.Cu") (net 71) (tstamp 990856d4-ba
(segment (start 100.95 108.075) (end 100.95 107.75) (width 0.15) (layer "F.Cu") (net 71) (tstamp ac0506
(segment (start 103.95 105.824659) (end 103.95 105.5) (width 0.15) (layer "F.Cu") (net 71) (tstamp b725
(segment (start 111.65 106.5) (end 111.65 108.47) (width 0.15) (layer "F.Cu") (net 71) (tstamp c191a595
(segment (start 101.9 109.8) (end 103.6 111.5) (width 0.15) (layer "F.Cu") (net 71) (tstamp c4da8e1c-35
(segment (start 111.65 108.47) (end 111.62 108.5) (width 0.15) (layer "F.Cu") (net 71) (tstamp c74f2c89
(segment (start 100.95 107.75) (end 101.09991 107.60009) (width 0.15) (layer "F.Cu") (net 71) (tstamp f
(segment (start 100.95 109.225) (end 100.95 109.65) (width 0.15) (layer "F.Cu") (net 71) (tstamp f60792
(segment (start 101.09991 107.60009) (end 102.174569 107.60009) (width 0.15) (layer "F.Cu") (net 71) (t
(via (at 103.6 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 71) (tstamp 00000000-0000-0000
(segment (start 103.6 111.5) (end 105 110.1) (width 0.15) (layer "B.Cu") (net 71) (tstamp 526a2a0e-c68c
(segment (start 105 110.1) (end 110.02 110.1) (width 0.15) (layer "B.Cu") (net 71) (tstamp 7dea5bd7-fb7
(segment (start 110.02 110.1) (end 111.62 108.5) (width 0.15) (layer "B.Cu") (net 71) (tstamp c5c9ccaa-a
(segment (start 100.9 110.4) (end 102 111.5) (width 0.15) (layer "F.Cu") (net 72) (tstamp 05e25bb8-50ca
(segment (start 98.78 112.1) (end 97.65 113.23) (width 0.15) (layer "F.Cu") (net 72) (tstamp 1029a904-4
(segment (start 110.65 106.93) (end 109.579999 108.000001) (width 0.15) (layer "F.Cu") (net 72) (tstamp
(segment (start 102.95 105.85) (end 102.95 105.5) (width 0.15) (layer "F.Cu") (net 72) (tstamp 1ca5dc54
(segment (start 99.95 107.75) (end 100.7 107) (width 0.15) (layer "F.Cu") (net 72) (tstamp 27391791-d80
(segment (start 99.95 108.075) (end 99.95 107.75) (width 0.15) (layer "F.Cu") (net 72) (tstamp 29f08c34
(segment (start 99.95 109.65) (end 100.7 110.4) (width 0.15) (layer "F.Cu") (net 72) (tstamp 41e61779-1
(segment (start 101.4 112.1) (end 98.78 112.1) (width 0.15) (layer "F.Cu") (net 72) (tstamp 4e837274-89
(segment (start 100.7 110.4) (end 100.9 110.4) (width 0.15) (layer "F.Cu") (net 72) (tstamp 54a84a6c-ae
(segment (start 99.95 108.075) (end 99.95 109.225) (width 0.15) (layer "F.Cu") (net 72) (tstamp 6bd080fc-
(segment (start 109.579999 108.000001) (end 109.08 108.5) (width 0.15) (layer "F.Cu") (net 72) (tstamp
(segment (start 102 111.5) (end 101.4 112.1) (width 0.15) (layer "F.Cu") (net 72) (tstamp 9624e933-35e4
(segment (start 99.95 109.225) (end 99.95 109.65) (width 0.15) (layer "F.Cu") (net 72) (tstamp 9fd440ef
(segment (start 100.7 107) (end 101.8 107) (width 0.15) (layer "F.Cu") (net 72) (tstamp a5dc077b-f1fe-4
(segment (start 101.8 107) (end 102.95 105.85) (width 0.15) (layer "F.Cu") (net 72) (tstamp ca3e96c1-81
(segment (start 110.65 106.5) (end 110.65 106.93) (width 0.15) (layer "F.Cu") (net 72) (tstamp dd6a6be2

```
(via (at 102 111.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 72) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 102 111.5) (end 104 109.5) (width 0.15) (layer "B.Cu") (net 72) (tstamp 28c6fe61-ee52-4b54bc4-102-111.5)
(segment (start 108.08 109.5) (end 109.08 108.5) (width 0.15) (layer "B.Cu") (net 72) (tstamp 48b54bc4-102-111.5)
(segment (start 104 109.5) (end 108.08 109.5) (width 0.15) (layer "B.Cu") (net 72) (tstamp 7f6afd03-5923-4b54bc4-102-111.5)
(segment (start 99.881792 83.9) (end 99.882306 83.899486) (width 0.15) (layer "F.Cu") (net 73) (tstamp 299094a4-102-111.5)
(segment (start 101.8 85.955) (end 102.345 86.5) (width 0.15) (layer "F.Cu") (net 73) (tstamp 299094a4-102-111.5)
(segment (start 98.374901 86.051953) (end 98.374901 84.525099) (width 0.15) (layer "F.Cu") (net 73) (tstamp 5b9a4d87-87f3-4a4d0d87-102-111.5)
(segment (start 100.799486 83.899486) (end 101.8 84.9) (width 0.15) (layer "F.Cu") (net 73) (tstamp 5b9a4d87-87f3-4a4d0d87-102-111.5)
(segment (start 97.05 86.35) (end 98.076854 86.35) (width 0.15) (layer "F.Cu") (net 73) (tstamp 75d515d8-102-111.5)
(segment (start 101.8 84.9) (end 101.8 85.955) (width 0.15) (layer "F.Cu") (net 73) (tstamp a4ad0d87-87f3-4a4d0d87-102-111.5)
(segment (start 98.374901 84.525099) (end 99 83.9) (width 0.15) (layer "F.Cu") (net 73) (tstamp ba2435b1-102-111.5)
(segment (start 99 83.9) (end 99.881792 83.9) (width 0.15) (layer "F.Cu") (net 73) (tstamp c61ddd97-6243-4c61ddd9-102-111.5)
(segment (start 99.882306 83.899486) (end 100.799486 83.899486) (width 0.15) (layer "F.Cu") (net 73) (tstamp c61ddd97-6243-4c61ddd9-102-111.5)
(segment (start 98.076854 86.35) (end 98.374901 86.051953) (width 0.15) (layer "F.Cu") (net 73) (tstamp c61ddd97-6243-4c61ddd9-102-111.5)
(segment (start 101.2 79.5) (end 96.84 79.5) (width 0.15) (layer "F.Cu") (net 74) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 96.84 79.5) (end 95.11 77.77) (width 0.15) (layer "F.Cu") (net 74) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 100.95 83.45) (end 100.95 82.925) (width 0.15) (layer "F.Cu") (net 74) (tstamp 2220c2da-102-111.5)
(segment (start 100.95 81.775) (end 100.95 79.75) (width 0.15) (layer "F.Cu") (net 74) (tstamp 22fe8ef3-102-111.5)
(segment (start 102.45 84.95) (end 100.95 83.45) (width 0.15) (layer "F.Cu") (net 74) (tstamp 25fb4309-102-111.5)
(segment (start 100.95 81.775) (end 100.95 82.925) (width 0.15) (layer "F.Cu") (net 74) (tstamp 4772990a-102-111.5)
(segment (start 100.95 79.75) (end 101.2 79.5) (width 0.15) (layer "F.Cu") (net 74) (tstamp 49b72934-c820-49b72934-102-111.5)
(segment (start 109.11 83.8) (end 109.8 83.8) (width 0.15) (layer "F.Cu") (net 74) (tstamp 53a57caf-cd20-49b72934-102-111.5)
(segment (start 107.81 82.5) (end 109.11 83.8) (width 0.15) (layer "F.Cu") (net 74) (tstamp 6b90c14d-990a-49b72934-102-111.5)
(segment (start 110.15 84.15) (end 110.15 84.5) (width 0.15) (layer "F.Cu") (net 74) (tstamp 80d8a69d-a4ad-49b72934-102-111.5)
(segment (start 102.45 85.5) (end 102.45 84.95) (width 0.15) (layer "F.Cu") (net 74) (tstamp f7eca052-2a3b-49b72934-102-111.5)
(segment (start 109.8 83.8) (end 110.15 84.15) (width 0.15) (layer "F.Cu") (net 74) (tstamp fc58965e-dea1-49b72934-102-111.5)
(via (at 101.2 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 74) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 101.2 79.5) (end 103.566982 81.866982) (width 0.15) (layer "B.Cu") (net 74) (tstamp 1efb1b3b-102-111.5)
(segment (start 107.166982 81.866982) (end 107.8 82.5) (width 0.15) (layer "B.Cu") (net 74) (tstamp b1b3b1b3-102-111.5)
(segment (start 103.566982 81.866982) (end 107.166982 81.866982) (width 0.15) (layer "B.Cu") (net 74) (tstamp b1b3b1b3-102-111.5)
(segment (start 106.45 88.45) (end 106.45 86.5) (width 0.15) (layer "F.Cu") (net 75) (tstamp 3c221df4-102-111.5)
(segment (start 102.4 94.4) (end 102.4 92.5) (width 0.15) (layer "F.Cu") (net 75) (tstamp 548d8c30-9374-48acc9c33-102-111.5)
(segment (start 102.4 92.5) (end 106.45 88.45) (width 0.15) (layer "F.Cu") (net 75) (tstamp 8acc9c33-4f0e-48acc9c33-102-111.5)
(segment (start 102.05 94.75) (end 102.4 94.4) (width 0.15) (layer "F.Cu") (net 75) (tstamp 9eecf7ae-3909-48acc9c33-102-111.5)
(segment (start 101.05 94.75) (end 102.05 94.75) (width 0.15) (layer "F.Cu") (net 75) (tstamp d5c752f9-102-111.5)
```

```
(segment (start 111.16 79.5) (end 112.89 77.77) (width 0.15) (layer "F.Cu") (net 76) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 106.8 79.5) (end 111.16 79.5) (width 0.15) (layer "F.Cu") (net 76) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 114.15 84.15) (end 114.4 83.9) (width 0.15) (layer "F.Cu") (net 76) (tstamp 196ca20d-1ca2-4201-9000-000000000000)
(segment (start 106.45 81.775) (end 106.45 79.85) (width 0.15) (layer "F.Cu") (net 76) (tstamp 1c7d8610-1c7d-4201-9000-000000000000)
(segment (start 116.7 83.15) (end 116.7 82.5) (width 0.15) (layer "F.Cu") (net 76) (tstamp 53f2e6be-2ac0-4201-9000-000000000000)
(segment (start 106.45 85.5) (end 106.45 82.925) (width 0.15) (layer "F.Cu") (net 76) (tstamp 72969689-7296-4201-9000-000000000000)
(segment (start 114.4 83.9) (end 115.95 83.9) (width 0.15) (layer "F.Cu") (net 76) (tstamp 7d6cd9b0-6f11-4201-9000-000000000000)
(segment (start 106.45 82.925) (end 106.45 81.775) (width 0.15) (layer "F.Cu") (net 76) (tstamp 929d752f-929d-4201-9000-000000000000)
(segment (start 106.45 79.85) (end 106.8 79.5) (width 0.15) (layer "F.Cu") (net 76) (tstamp a3719e4b-6711-4201-9000-000000000000)
(segment (start 115.95 83.9) (end 116.7 83.15) (width 0.15) (layer "F.Cu") (net 76) (tstamp b0bef90b-8c11-4201-9000-000000000000)
(segment (start 114.15 84.5) (end 114.15 84.15) (width 0.15) (layer "F.Cu") (net 76) (tstamp efceef83-8311-4201-9000-000000000000)
(via (at 106.8 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 76) (tstamp 00000000-0000-0000-0000-000000000000)
(segment (start 113.9 79.7) (end 116.7 82.5) (width 0.15) (layer "B.Cu") (net 76) (tstamp 582d8e6b-9349-4201-9000-000000000000)
(segment (start 106.8 79.5) (end 107 79.7) (width 0.15) (layer "B.Cu") (net 76) (tstamp 9f4045e9-83b4-4201-9000-000000000000)
(segment (start 107 79.7) (end 113.9 79.7) (width 0.15) (layer "B.Cu") (net 76) (tstamp a749fd6b-0977-4201-9000-000000000000)
(segment (start 101.05 86.35) (end 101.15 86.35) (width 0.15) (layer "F.Cu") (net 77) (tstamp 0de759fb-a759-4201-9000-000000000000)
(segment (start 101.15 86.35) (end 101.80009 87.00009) (width 0.15) (layer "F.Cu") (net 77) (tstamp 4e3f1000-4e3f-4201-9000-000000000000)
(segment (start 102.69991 87.00009) (end 102.95 86.75) (width 0.15) (layer "F.Cu") (net 77) (tstamp 6a700000-6a70-4201-9000-000000000000)
(segment (start 101.80009 87.00009) (end 102.69991 87.00009) (width 0.15) (layer "F.Cu") (net 77) (tstamp 6a700000-6a70-4201-9000-000000000000)
(segment (start 102.95 86.75) (end 102.95 86.5) (width 0.15) (layer "F.Cu") (net 77) (tstamp d4824a87-c482-4201-9000-000000000000)
(segment (start 103.45 87.05) (end 103.45 86.5) (width 0.15) (layer "F.Cu") (net 78) (tstamp 5da24cf2-6da2-4201-9000-000000000000)
(segment (start 98.4 87.8) (end 98.9 87.3) (width 0.15) (layer "F.Cu") (net 78) (tstamp 8f432de6-319c-4201-9000-000000000000)
(segment (start 98.05 89.15) (end 98.4 88.8) (width 0.15) (layer "F.Cu") (net 78) (tstamp 910d4024-2a4a-4201-9000-000000000000)
(segment (start 97.05 89.15) (end 98.05 89.15) (width 0.15) (layer "F.Cu") (net 78) (tstamp ac186562-9c18-4201-9000-000000000000)
(segment (start 103.2 87.3) (end 103.45 87.05) (width 0.15) (layer "F.Cu") (net 78) (tstamp bcf5cf22-84cf-4201-9000-000000000000)
(segment (start 98.9 87.3) (end 103.2 87.3) (width 0.15) (layer "F.Cu") (net 78) (tstamp d62af05f-5139-4201-9000-000000000000)
(segment (start 98.4 88.8) (end 98.4 87.8) (width 0.15) (layer "F.Cu") (net 78) (tstamp e3c3d3c7-e290-4201-9000-000000000000)
(segment (start 103.95 87.85) (end 103.95 86.5) (width 0.15) (layer "F.Cu") (net 79) (tstamp b7f58058-0a58-4201-9000-000000000000)
(segment (start 101.05 89.15) (end 102.65 89.15) (width 0.15) (layer "F.Cu") (net 79) (tstamp c445f97d-5f97-4201-9000-000000000000)
(segment (start 102.65 89.15) (end 103.95 87.85) (width 0.15) (layer "F.Cu") (net 79) (tstamp dbf25297-7297-4201-9000-000000000000)
(segment (start 98.05 91.95) (end 98.4 91.6) (width 0.15) (layer "F.Cu") (net 80) (tstamp 1f78ddb3-e78a-4201-9000-000000000000)
(segment (start 103.45 90.1) (end 104.95 88.6) (width 0.15) (layer "F.Cu") (net 80) (tstamp 635dfec0-3650-4201-9000-000000000000)
(segment (start 97.05 91.95) (end 98.05 91.95) (width 0.15) (layer "F.Cu") (net 80) (tstamp 73ad5d3c-6d3c-4201-9000-000000000000)
(segment (start 98.9 90.1) (end 103.45 90.1) (width 0.15) (layer "F.Cu") (net 80) (tstamp 86d0cb85-4715-4201-9000-000000000000)
(segment (start 98.4 90.6) (end 98.9 90.1) (width 0.15) (layer "F.Cu") (net 80) (tstamp 8807ba5e-088b-4201-9000-000000000000)
```

```
(segment (start 98.4 91.6) (end 98.4 90.6) (width 0.15) (layer "F.Cu") (net 80) (tstamp d0dbd451-4509-4
(segment (start 104.95 88.6) (end 104.95 86.5) (width 0.15) (layer "F.Cu") (net 80) (tstamp e6adc360-f5
(segment (start 102.05 91.95) (end 101.05 91.95) (width 0.15) (layer "F.Cu") (net 81) (tstamp 05438898-
(segment (start 105.45 88.55) (end 105.45 86.5) (width 0.15) (layer "F.Cu") (net 81) (tstamp 7a1ac35c-8
(segment (start 105.45 88.55) (end 102.05 91.95) (width 0.15) (layer "F.Cu") (net 81) (tstamp ef2b69aa-4
(segment (start 101.55 92.9) (end 105.95 88.5) (width 0.15) (layer "F.Cu") (net 82) (tstamp 2cf16462-2f
(segment (start 105.95 88.5) (end 105.95 86.5) (width 0.15) (layer "F.Cu") (net 82) (tstamp 49ff4b6a-77
(segment (start 98.4 93.4) (end 98.9 92.9) (width 0.15) (layer "F.Cu") (net 82) (tstamp 4de0d1a5-5ece-4
(segment (start 98.9 92.9) (end 101.55 92.9) (width 0.15) (layer "F.Cu") (net 82) (tstamp 4faa193c-fac9
(segment (start 98.4 94.4) (end 98.4 93.4) (width 0.15) (layer "F.Cu") (net 82) (tstamp 893e3340-18bd-4
(segment (start 98.05 94.75) (end 98.4 94.4) (width 0.15) (layer "F.Cu") (net 82) (tstamp a7b0c5eb-d5aa-4
(segment (start 97.05 94.75) (end 98.05 94.75) (width 0.15) (layer "F.Cu") (net 82) (tstamp f4eb4b62-92
(segment (start 101.4 78.9) (end 98.78 78.9) (width 0.15) (layer "F.Cu") (net 83) (tstamp 00000000-0000
(segment (start 102 79.5) (end 101.4 78.9) (width 0.15) (layer "F.Cu") (net 83) (tstamp 00000000-0000-0
(segment (start 98.78 78.9) (end 97.65 77.77) (width 0.15) (layer "F.Cu") (net 83) (tstamp 00000000-0000
(segment (start 101.45 81.775) (end 101.45 82.925) (width 0.15) (layer "F.Cu") (net 83) (tstamp 303aeba
(segment (start 102.95 85.5) (end 102.95 84.95) (width 0.15) (layer "F.Cu") (net 83) (tstamp 39fdb5dc-6
(segment (start 102.95 84.95) (end 101.45 83.45) (width 0.15) (layer "F.Cu") (net 83) (tstamp 4fd36c1e-
(segment (start 101.45 80.05) (end 102 79.5) (width 0.15) (layer "F.Cu") (net 83) (tstamp 56f7cfff6-7087
(segment (start 110.65 84.07) (end 109.08 82.5) (width 0.15) (layer "F.Cu") (net 83) (tstamp 6f9fe6d3-5
(segment (start 101.45 81.775) (end 101.45 80.05) (width 0.15) (layer "F.Cu") (net 83) (tstamp 75311b8c
(segment (start 110.65 84.5) (end 110.65 84.07) (width 0.15) (layer "F.Cu") (net 83) (tstamp b6e349e2-8
(segment (start 101.45 83.45) (end 101.45 82.925) (width 0.15) (layer "F.Cu") (net 83) (tstamp f68e048c
(via (at 102 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 83) (tstamp 00000000-0000-0000-0000
(segment (start 108.217071 81.567071) (end 104.067071 81.567071) (width 0.15) (layer "B.Cu") (net 83) (
(segment (start 103.150089 80.650089) (end 102 79.5) (width 0.15) (layer "B.Cu") (net 83) (tstamp bf33c
(segment (start 109.08 82.43) (end 108.217071 81.567071) (width 0.15) (layer "B.Cu") (net 83) (tstamp e
(segment (start 104.067071 81.567071) (end 103.150089 80.650089) (width 0.15) (layer "B.Cu") (net 83) (
(segment (start 109.08 82.5) (end 109.08 82.43) (width 0.15) (layer "B.Cu") (net 83) (tstamp eb833d39-4
(segment (start 102.8 79.5) (end 101.07 77.77) (width 0.15) (layer "F.Cu") (net 84) (tstamp 00000000-0000
(segment (start 101.07 77.77) (end 100.19 77.77) (width 0.15) (layer "F.Cu") (net 84) (tstamp 00000000-
(segment (start 101.95 81.775) (end 101.95 80.35) (width 0.15) (layer "F.Cu") (net 84) (tstamp 30b54c12
(segment (start 111.15 83.25) (end 110.4 82.5) (width 0.15) (layer "F.Cu") (net 84) (tstamp 69a74f7f-8b
(segment (start 101.95 80.35) (end 102.8 79.5) (width 0.15) (layer "F.Cu") (net 84) (tstamp 70aca038-ba
(segment (start 103.45 85.5) (end 103.45 84.95) (width 0.15) (layer "F.Cu") (net 84) (tstamp adfa9e7f-d
```

(segment (start 101.95 81.775) (end 101.95 82.925) (width 0.15) (layer "F.Cu") (net 84) (tstamp da0f1e73-0000-0000-0000-000000000000))
(segment (start 110.4 82.5) (end 110.35 82.5) (width 0.15) (layer "F.Cu") (net 84) (tstamp ded40ac7-f953-4b32-b0e0-000000000000))
(segment (start 111.15 84.5) (end 111.15 83.25) (width 0.15) (layer "F.Cu") (net 84) (tstamp e049d3db-2000-4000-b000-000000000000))
(segment (start 101.95 83.45) (end 101.95 82.925) (width 0.15) (layer "F.Cu") (net 84) (tstamp e2394773-0000-0000-0000-000000000000))
(segment (start 103.45 84.95) (end 101.95 83.45) (width 0.15) (layer "F.Cu") (net 84) (tstamp fd2f6f58-0000-0000-0000-000000000000))
(via (at 102.8 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 84) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 102.8 79.5) (end 104.56716 81.26716) (width 0.15) (layer "B.Cu") (net 84) (tstamp 74ceff00-0000-0000-0000-000000000000))
(segment (start 104.56716 81.26716) (end 109.11716 81.26716) (width 0.15) (layer "B.Cu") (net 84) (tstamp 94c38600-0000-0000-0000-000000000000))
(segment (start 109.11716 81.26716) (end 110.35 82.5) (width 0.15) (layer "B.Cu") (net 84) (tstamp 94c38600-0000-0000-0000-000000000000))
(segment (start 103.6 79.5) (end 103.6 78.64) (width 0.15) (layer "F.Cu") (net 85) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 103.6 78.64) (end 102.73 77.77) (width 0.15) (layer "F.Cu") (net 85) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 102.45 83.45) (end 102.45 82.925) (width 0.15) (layer "F.Cu") (net 85) (tstamp 013f4791-0000-0000-0000-000000000000))
(segment (start 102.45 80.65) (end 103.6 79.5) (width 0.15) (layer "F.Cu") (net 85) (tstamp 3c5be78a-bc00-4000-b000-000000000000))
(segment (start 111.65 82.53) (end 111.62 82.5) (width 0.15) (layer "F.Cu") (net 85) (tstamp 53df6791-1000-4000-b000-000000000000))
(segment (start 103.95 85.5) (end 103.95 84.95) (width 0.15) (layer "F.Cu") (net 85) (tstamp 570b60b8-0000-0000-0000-000000000000))
(segment (start 102.45 81.775) (end 102.45 82.925) (width 0.15) (layer "F.Cu") (net 85) (tstamp 6f851fa0-0000-0000-0000-000000000000))
(segment (start 103.95 84.95) (end 102.45 83.45) (width 0.15) (layer "F.Cu") (net 85) (tstamp 99c7b264-0000-0000-0000-000000000000))
(segment (start 111.65 84.5) (end 111.65 82.53) (width 0.15) (layer "F.Cu") (net 85) (tstamp ccf7d377-0000-0000-0000-000000000000))
(segment (start 102.45 81.775) (end 102.45 80.65) (width 0.15) (layer "F.Cu") (net 85) (tstamp fbe00198-0000-0000-0000-000000000000))
(via (at 103.6 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 85) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 103.6 79.5) (end 105.05 80.95) (width 0.15) (layer "B.Cu") (net 85) (tstamp 1cdf10c1-2900-4000-b000-000000000000))
(segment (start 105.05 80.95) (end 110.07 80.95) (width 0.15) (layer "B.Cu") (net 85) (tstamp a7f54f49-c000-4000-b000-000000000000))
(segment (start 110.07 80.95) (end 111.62 82.5) (width 0.15) (layer "B.Cu") (net 85) (tstamp da07fd67-4000-4000-b000-000000000000))
(segment (start 106.93 77.77) (end 107.81 77.77) (width 0.15) (layer "F.Cu") (net 86) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 105.2 79.5) (end 106.93 77.77) (width 0.15) (layer "F.Cu") (net 86) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 114 82.5) (end 114.16 82.5) (width 0.15) (layer "F.Cu") (net 86) (tstamp 1cfe5d1d-464b-4000-b000-000000000000))
(segment (start 113.15 83.35) (end 114 82.5) (width 0.15) (layer "F.Cu") (net 86) (tstamp 2bf9d33f-51a3-4000-b000-000000000000))
(segment (start 105.45 82.925) (end 105.45 81.775) (width 0.15) (layer "F.Cu") (net 86) (tstamp 71b2b120-0000-0000-0000-000000000000))
(segment (start 113.15 84.5) (end 113.15 83.35) (width 0.15) (layer "F.Cu") (net 86) (tstamp 9ecd3d22-c000-4000-b000-000000000000))
(segment (start 105.45 81.775) (end 105.45 79.75) (width 0.15) (layer "F.Cu") (net 86) (tstamp c50d1906-0000-0000-0000-000000000000))
(segment (start 105.45 79.75) (end 105.2 79.5) (width 0.15) (layer "F.Cu") (net 86) (tstamp d282b3f4-2100-4000-b000-000000000000))
(segment (start 105.45 85.5) (end 105.45 82.925) (width 0.15) (layer "F.Cu") (net 86) (tstamp f44127ec-0000-0000-0000-000000000000))
(via (at 105.2 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 86) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 106.024811 80.324811) (end 111.984811 80.324811) (width 0.15) (layer "B.Cu") (net 86) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 111.984811 80.324811) (end 114.16 82.5) (width 0.15) (layer "B.Cu") (net 86) (tstamp c3000000-0000-0000-0000-000000000000))

```
(segment (start 105.2 79.5) (end 106.024811 80.324811) (width 0.15) (layer "B.Cu") (net 86) (tstamp e46b3000-0000-0000-0000-000000000000))
(segment (start 104.4 79.5) (end 104.4 78.64) (width 0.15) (layer "F.Cu") (net 87) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 104.4 78.64) (end 105.27 77.77) (width 0.15) (layer "F.Cu") (net 87) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 112.65 82.74) (end 112.89 82.5) (width 0.15) (layer "F.Cu") (net 87) (tstamp 29d60519-3800-4000-8000-000000000000))
(segment (start 104.95 85.5) (end 104.95 82.925) (width 0.15) (layer "F.Cu") (net 87) (tstamp 2fd2e1f0-4000-4000-8000-000000000000))
(segment (start 112.65 84.5) (end 112.65 82.74) (width 0.15) (layer "F.Cu") (net 87) (tstamp 5fa3620d-2000-4000-8000-000000000000))
(segment (start 104.95 81.775) (end 104.95 80.05) (width 0.15) (layer "F.Cu") (net 87) (tstamp 67b5f662-4000-4000-8000-000000000000))
(segment (start 104.95 82.925) (end 104.95 81.775) (width 0.15) (layer "F.Cu") (net 87) (tstamp 7bf8b58d-4000-4000-8000-000000000000))
(segment (start 104.95 80.05) (end 104.4 79.5) (width 0.15) (layer "F.Cu") (net 87) (tstamp b74636e1-ee00-4000-8000-000000000000))
(via (at 104.4 79.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 87) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 105.524721 80.624721) (end 111.014721 80.624721) (width 0.15) (layer "B.Cu") (net 87) (tstamp b1000000-0000-0000-0000-000000000000))
(segment (start 111.014721 80.624721) (end 112.89 82.5) (width 0.15) (layer "B.Cu") (net 87) (tstamp b1000000-0000-0000-0000-000000000000))
(segment (start 104.4 79.5) (end 105.524721 80.624721) (width 0.15) (layer "B.Cu") (net 87) (tstamp d0000000-0000-0000-0000-000000000000))
(segment (start 105.95 85.5) (end 105.95 82.925) (width 0.15) (layer "F.Cu") (net 88) (tstamp 1a852559-3800-4000-8000-000000000000))
(segment (start 110.35 77.77) (end 109.22 78.9) (width 0.15) (layer "F.Cu") (net 88) (tstamp 1b6a2713-3800-4000-8000-000000000000))
(segment (start 113.65 84.5) (end 113.65 84.05) (width 0.15) (layer "F.Cu") (net 88) (tstamp 3f082c47-4000-4000-8000-000000000000))
(segment (start 114.930001 82.999999) (end 115.43 82.5) (width 0.15) (layer "F.Cu") (net 88) (tstamp 86000000-0000-0000-0000-000000000000))
(segment (start 109.22 78.9) (end 106.557664 78.9) (width 0.15) (layer "F.Cu") (net 88) (tstamp 914583d0-4000-4000-8000-000000000000))
(segment (start 105.95 82.925) (end 105.95 81.775) (width 0.15) (layer "F.Cu") (net 88) (tstamp 9768ea9f-4000-4000-8000-000000000000))
(segment (start 105.95 81.775) (end 105.95 79.507664) (width 0.15) (layer "F.Cu") (net 88) (tstamp c28b0000-0000-0000-0000-000000000000))
(segment (start 114.700001 82.999999) (end 114.930001 82.999999) (width 0.15) (layer "F.Cu") (net 88) (tstamp c28b0000-0000-0000-0000-000000000000))
(segment (start 105.95 79.507664) (end 105.981323 79.476341) (width 0.15) (layer "F.Cu") (net 88) (tstamp c28b0000-0000-0000-0000-000000000000))
(segment (start 106.557664 78.9) (end 105.981323 79.476341) (width 0.15) (layer "F.Cu") (net 88) (tstamp c28b0000-0000-0000-0000-000000000000))
(segment (start 113.65 84.05) (end 114.700001 82.999999) (width 0.15) (layer "F.Cu") (net 88) (tstamp f5000000-0000-0000-0000-000000000000))
(via (at 105.981323 79.476341) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 88) (tstamp 224b4746-3800-4000-8000-000000000000))
(segment (start 106.529883 80.024901) (end 105.981323 79.476341) (width 0.15) (layer "B.Cu") (net 88) (tstamp 91000000-0000-0000-0000-000000000000))
(segment (start 115.43 82.5) (end 112.954901 80.024901) (width 0.15) (layer "B.Cu") (net 88) (tstamp 91000000-0000-0000-0000-000000000000))
(segment (start 112.954901 80.024901) (end 106.529883 80.024901) (width 0.15) (layer "B.Cu") (net 88) (tstamp 91000000-0000-0000-0000-000000000000))
(segment (start 83.7 99.5) (end 83.7 100.9) (width 0.15) (layer "F.Cu") (net 89) (tstamp 7f24ea2c-80ba-4000-8000-000000000000))
(segment (start 88.45 105.65) (end 90.3 105.65) (width 0.15) (layer "F.Cu") (net 89) (tstamp 907688b9-8000-4000-8000-000000000000))
(segment (start 83.7 100.9) (end 88.45 105.65) (width 0.15) (layer "F.Cu") (net 89) (tstamp f8a06b75-2400-4000-8000-000000000000))
(segment (start 84.5 100.047974) (end 85.375547 100.923521) (width 0.15) (layer "F.Cu") (net 90) (tstamp 22513767-3800-4000-8000-000000000000))
(segment (start 84.5 99.5) (end 84.5 100.047974) (width 0.15) (layer "F.Cu") (net 90) (tstamp 22513767-3800-4000-8000-000000000000))
(segment (start 88.474138 105.15) (end 90.3 105.15) (width 0.15) (layer "F.Cu") (net 90) (tstamp 60b3839c-4000-4000-8000-000000000000))
(segment (start 85.375547 100.923521) (end 85.375547 102.051409) (width 0.15) (layer "F.Cu") (net 90) (tstamp 60b3839c-4000-4000-8000-000000000000))
```

```
(segment (start 85.375547 102.051409) (end 88.474138 105.15) (width 0.15) (layer "F.Cu") (net 90) (tstamp 29a854d6-89dc-4d3e-a1ad-827ef022-83f1))
(segment (start 88.398276 104.65) (end 90.3 104.65) (width 0.15) (layer "F.Cu") (net 91) (tstamp 29a854d6-89dc-4d3e-a1ad-827ef022-83f1))
(segment (start 85.675458 101.927182) (end 88.398276 104.65) (width 0.15) (layer "F.Cu") (net 91) (tstamp 29a854d6-89dc-4d3e-a1ad-827ef022-83f1))
(segment (start 84.5 98.7) (end 84.9 99.1) (width 0.15) (layer "F.Cu") (net 91) (tstamp 4b1b8251-3263-4c3e-a1ad-827ef022-83f1))
(segment (start 85.675458 100.575458) (end 85.675458 101.927182) (width 0.15) (layer "F.Cu") (net 91) (tstamp 4b1b8251-3263-4c3e-a1ad-827ef022-83f1))
(segment (start 84.9 99.1) (end 84.9 99.8) (width 0.15) (layer "F.Cu") (net 91) (tstamp a88d13e6-89dc-4d3e-a1ad-827ef022-83f1))
(segment (start 84.9 99.8) (end 85.675458 100.575458) (width 0.15) (layer "F.Cu") (net 91) (tstamp aa1ad827ef022-83f1))
(segment (start 85.975369 101.802955) (end 85.975369 100.451231) (width 0.15) (layer "F.Cu") (net 92) (tstamp 65f0fd22-83f1))
(segment (start 87.822414 103.65) (end 90.3 103.65) (width 0.15) (layer "F.Cu") (net 92) (tstamp 65f0fd22-83f1))
(segment (start 85.975369 100.451231) (end 85.3 99.775862) (width 0.15) (layer "F.Cu") (net 92) (tstamp 827ef022-83f1))
(segment (start 87.822414 103.65) (end 85.975369 101.802955) (width 0.15) (layer "F.Cu") (net 92) (tstamp 827ef022-83f1))
(segment (start 85.3 99.775862) (end 85.3 99.5) (width 0.15) (layer "F.Cu") (net 92) (tstamp 827ef022-83f1))
(segment (start 85.7 99.1) (end 85.7 99.7) (width 0.15) (layer "F.Cu") (net 93) (tstamp 2fff78a7-dfbc-4c3e-a1ad-827ef022-83f1))
(segment (start 86.275279 100.275279) (end 86.275279 101.625279) (width 0.15) (layer "F.Cu") (net 93) (tstamp 8175f022-83f1))
(segment (start 85.7 99.7) (end 86.275279 100.275279) (width 0.15) (layer "F.Cu") (net 93) (tstamp 8175f022-83f1))
(segment (start 87.8 103.15) (end 90.3 103.15) (width 0.15) (layer "F.Cu") (net 93) (tstamp 8d8be9e8-853f-4c3e-a1ad-827ef022-83f1))
(segment (start 86.275279 101.625279) (end 87.8 103.15) (width 0.15) (layer "F.Cu") (net 93) (tstamp 9005a649-c3f1-4c3e-a1ad-827ef022-83f1))
(segment (start 85.3 98.7) (end 85.7 99.1) (width 0.15) (layer "F.Cu") (net 93) (tstamp e81eb9cd-c8ee-4d3e-a1ad-827ef022-83f1))
(segment (start 86.575189 101.425189) (end 87.8 102.65) (width 0.15) (layer "F.Cu") (net 94) (tstamp 3005a649-c3f1-4c3e-a1ad-827ef022-83f1))
(segment (start 86.575189 99.975189) (end 86.575189 101.425189) (width 0.15) (layer "F.Cu") (net 94) (tstamp 3005a649-c3f1-4c3e-a1ad-827ef022-83f1))
(segment (start 86.1 99.5) (end 86.575189 99.975189) (width 0.15) (layer "F.Cu") (net 94) (tstamp 8d64c3f1-4c3e-a1ad-827ef022-83f1))
(segment (start 87.8 102.65) (end 90.3 102.65) (width 0.15) (layer "F.Cu") (net 94) (tstamp bb1ae5b9-b1f1-4c3e-a1ad-827ef022-83f1))
(segment (start 88.35 106.15) (end 90.3 106.15) (width 0.15) (layer "F.Cu") (net 95) (tstamp 36f4fb76-5f11-4c3e-a1ad-827ef022-83f1))
(segment (start 83.300099 101.100099) (end 88.35 106.15) (width 0.15) (layer "F.Cu") (net 95) (tstamp 74b1f14c3e-a1ad-827ef022-83f1))
(segment (start 83.300099 99.099901) (end 83.300099 101.100099) (width 0.15) (layer "F.Cu") (net 95) (tstamp 74b1f14c3e-a1ad-827ef022-83f1))
(segment (start 83.7 98.7) (end 83.300099 99.099901) (width 0.15) (layer "F.Cu") (net 95) (tstamp b61dea5f11-4c3e-a1ad-827ef022-83f1))
(segment (start 87.8 102.15) (end 90.3 102.15) (width 0.15) (layer "F.Cu") (net 96) (tstamp 1005a649-c3f1-4c3e-a1ad-827ef022-83f1))
(segment (start 86.875097 101.225097) (end 87.8 102.15) (width 0.15) (layer "F.Cu") (net 96) (tstamp 3805a649-c3f1-4c3e-a1ad-827ef022-83f1))
(segment (start 86.9 99.5) (end 86.875097 99.524903) (width 0.15) (layer "F.Cu") (net 96) (tstamp 8986b1f1-4c3e-a1ad-827ef022-83f1))
(segment (start 86.875097 99.524903) (end 86.875097 101.225097) (width 0.15) (layer "F.Cu") (net 96) (tstamp 8986b1f1-4c3e-a1ad-827ef022-83f1))
(segment (start 89.65 89.55) (end 90.3 89.55) (width 0.15) (layer "F.Cu") (net 97) (tstamp 1bd80997-05f1-4c3e-a1ad-827ef022-83f1))
(segment (start 87.7 91.5) (end 89.65 89.55) (width 0.15) (layer "F.Cu") (net 97) (tstamp 55c6f13c-d3e4-4c3e-a1ad-827ef022-83f1))
(segment (start 90.3 93.55) (end 89.4 93.55) (width 0.15) (layer "F.Cu") (net 98) (tstamp 00363113-a6d7-f444-4c3e-a1ad-827ef022-83f1))
(segment (start 88.25 94.7) (end 87.7 94.7) (width 0.15) (layer "F.Cu") (net 98) (tstamp 1a784f00-f444-4c3e-a1ad-827ef022-83f1))
(segment (start 89.4 93.55) (end 88.25 94.7) (width 0.15) (layer "F.Cu") (net 98) (tstamp 9a80421d-367e-f444-4c3e-a1ad-827ef022-83f1))
```

```
(segment (start 87.7 92.3) (end 88.099901 91.900099) (width 0.15) (layer "F.Cu") (net 99) (tstamp 864da
(segment (start 88.099901 91.550099) (end 89.6 90.05) (width 0.15) (layer "F.Cu") (net 99) (tstamp b2f2
(segment (start 88.099901 91.900099) (end 88.099901 91.550099) (width 0.15) (layer "F.Cu") (net 99) (ts
(segment (start 89.6 90.05) (end 90.3 90.05) (width 0.15) (layer "F.Cu") (net 99) (tstamp d718da73-f03c
(segment (start 88.4 91.75) (end 89.6 90.55) (width 0.15) (layer "F.Cu") (net 100) (tstamp 04acd64b-cf0
(segment (start 86.9 93.1) (end 87.300099 92.699901) (width 0.15) (layer "F.Cu") (net 100) (tstamp 21d5
(segment (start 88.4 92.191854) (end 88.4 91.75) (width 0.15) (layer "F.Cu") (net 100) (tstamp 7e06e9ea
(segment (start 89.6 90.55) (end 90.3 90.55) (width 0.15) (layer "F.Cu") (net 100) (tstamp 9734a0c5-027
(segment (start 87.891953 92.699901) (end 88.4 92.191854) (width 0.15) (layer "F.Cu") (net 100) (tstamp
(segment (start 87.300099 92.699901) (end 87.891953 92.699901) (width 0.15) (layer "F.Cu") (net 100) (t
(segment (start 88.704812 91.945188) (end 89.6 91.05) (width 0.15) (layer "F.Cu") (net 101) (tstamp 618
(segment (start 87.7 93.1) (end 87.95 93.1) (width 0.15) (layer "F.Cu") (net 101) (tstamp 90cdf938-3262
(segment (start 89.6 91.05) (end 90.3 91.05) (width 0.15) (layer "F.Cu") (net 101) (tstamp a264d5b4-106
(segment (start 87.95 93.1) (end 88.704812 92.345188) (width 0.15) (layer "F.Cu") (net 101) (tstamp e3b
(segment (start 88.704812 92.345188) (end 88.704812 91.945188) (width 0.15) (layer "F.Cu") (net 101) (t
(segment (start 89.6 94.15) (end 89.25 94.15) (width 0.15) (layer "F.Cu") (net 102) (tstamp 2445d4d4-bd
(segment (start 89.25 94.15) (end 88.3 95.1) (width 0.15) (layer "F.Cu") (net 102) (tstamp 40ff80ff-a07
(segment (start 87.3 95.1) (end 86.9 95.5) (width 0.15) (layer "F.Cu") (net 102) (tstamp 4fd22523-aa49-
(segment (start 88.3 95.1) (end 87.3 95.1) (width 0.15) (layer "F.Cu") (net 102) (tstamp 9fe68bc0-001d-
(segment (start 86.9 94.7) (end 87.3 95.1) (width 0.15) (layer "F.Cu") (net 102) (tstamp b39fdd8c-66d7-
(segment (start 90.3 92.05) (end 89.55 92.05) (width 0.15) (layer "F.Cu") (net 102) (tstamp c4f005d7-49
(segment (start 89.55 92.05) (end 89.5 92) (width 0.15) (layer "F.Cu") (net 102) (tstamp fa7307cb-2d68-
(via (at 89.6 94.15) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 102) (tstamp 3c6bc199-c040-413b
(via (at 89.5 92) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 102) (tstamp d9b9d2b0-64bb-4145-bf2f
(segment (start 89.6 94.15) (end 89.5 94.05) (width 0.15) (layer "B.Cu") (net 102) (tstamp 20d40879-385
(segment (start 89.5 94.05) (end 89.5 92) (width 0.15) (layer "B.Cu") (net 102) (tstamp 3b557d22-c339-4
(segment (start 88.6 93.9) (end 89.95 92.55) (width 0.15) (layer "F.Cu") (net 103) (tstamp a22e3f9b-fde
(segment (start 89.95 92.55) (end 90.3 92.55) (width 0.15) (layer "F.Cu") (net 103) (tstamp dae65b17-00
(segment (start 87.7 93.9) (end 88.6 93.9) (width 0.15) (layer "F.Cu") (net 103) (tstamp f7eeb1ec-8c0c-
(segment (start 90.55 93.05) (end 90.3 93.05) (width 0.15) (layer "F.Cu") (net 104) (tstamp 14d0436c-71
(segment (start 90.8 94.1) (end 90.8 93.3) (width 0.15) (layer "F.Cu") (net 104) (tstamp 19fc17b4-a463-
(segment (start 87.7 95.5) (end 86.9 96.3) (width 0.15) (layer "F.Cu") (net 104) (tstamp 4f99d517-f95d-
(segment (start 90.8 93.3) (end 90.55 93.05) (width 0.15) (layer "F.Cu") (net 104) (tstamp 655d1a4e-ea6
(segment (start 89.15 94.7) (end 90.2 94.7) (width 0.15) (layer "F.Cu") (net 104) (tstamp 92c9a277-59d0
(segment (start 90.2 94.7) (end 90.8 94.1) (width 0.15) (layer "F.Cu") (net 104) (tstamp af46ec77-a168-
```


(segment (start 88.35 95.5) (end 89.15 94.7) (width 0.15) (layer "F.Cu") (net 104) (tstamp b27d424d-a3f7-4000-9000-000000000000))
(segment (start 87.7 95.5) (end 88.35 95.5) (width 0.15) (layer "F.Cu") (net 104) (tstamp d352489b-a7d1-4000-9000-000000000000))
(segment (start 59.7 102) (end 59.485 102) (width 0.15) (layer "F.Cu") (net 105) (tstamp 11325e60-85c4-4000-9000-000000000000))
(segment (start 59.485 102) (end 59 101.515) (width 0.15) (layer "F.Cu") (net 105) (tstamp a0fbbed88-6bfb-4000-9000-000000000000))
(segment (start 82.9 97.9) (end 82.5 98.3) (width 0.15) (layer "F.Cu") (net 105) (tstamp df9c86f0-b076-4000-9000-000000000000))
(via (at 82.5 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 105) (tstamp 336b1018-5149-4993-4000-000000000000))
(via (at 59.7 102) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 105) (tstamp f6785e21-1e01-460a-b000-000000000000))
(segment (start 79.151813 103.49991) (end 82.5 100.151723) (width 0.15) (layer "B.Cu") (net 105) (tstamp 8b3b2b2b-4000-9000-0000-000000000000))
(segment (start 59.7 102) (end 61.199911 103.499911) (width 0.15) (layer "B.Cu") (net 105) (tstamp 8b3b2b2b-4000-9000-0000-000000000000))
(segment (start 82.5 100.151723) (end 82.5 98.3) (width 0.15) (layer "B.Cu") (net 105) (tstamp 8ba16c7b-4000-9000-0000-000000000000))
(segment (start 61.199911 103.499911) (end 79.151813 103.49991) (width 0.15) (layer "B.Cu") (net 105) (tstamp 8ba16c7b-4000-9000-0000-000000000000))
(segment (start 93.5 81.8) (end 92.57 80.87) (width 0.15) (layer "F.Cu") (net 106) (tstamp 475c9e69-e54d-4000-9000-000000000000))
(segment (start 94.4 82.7) (end 94.5 82.7) (width 0.15) (layer "F.Cu") (net 106) (tstamp 7c8376eb-d094-4000-9000-000000000000))
(segment (start 92.57 80.87) (end 92.57 77.72) (width 0.15) (layer "F.Cu") (net 106) (tstamp 8d15c628-4000-9000-0000-000000000000))
(segment (start 93.5 81.8) (end 94.4 82.7) (width 0.15) (layer "F.Cu") (net 106) (tstamp f800b300-b988-4000-9000-000000000000))
(via (at 93.5 81.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 106) (tstamp ddec82cf-851c-4a6c-b000-000000000000))
(segment (start 94.2 81.1) (end 93.5 81.8) (width 0.15) (layer "B.Cu") (net 106) (tstamp 085cf4f1-1f13-4000-9000-000000000000))
(segment (start 103.8 83.3) (end 101.6 81.1) (width 0.15) (layer "B.Cu") (net 106) (tstamp 2271d08e-5e4d-4000-9000-000000000000))
(segment (start 101.6 81.1) (end 94.2 81.1) (width 0.15) (layer "B.Cu") (net 106) (tstamp 32d9d06f-0840-4000-9000-000000000000))
(segment (start 116.4 83.3) (end 103.8 83.3) (width 0.15) (layer "B.Cu") (net 106) (tstamp 858a2795-a84d-4000-9000-000000000000))
(segment (start 118.685 85.585) (end 116.4 83.3) (width 0.15) (layer "B.Cu") (net 106) (tstamp b0094c56-4000-9000-0000-000000000000))
(segment (start 120.8 85.585) (end 118.685 85.585) (width 0.15) (layer "B.Cu") (net 106) (tstamp ca5881d1-4000-9000-0000-000000000000))
(segment (start 107.265 102.2) (end 108.1 102.2) (width 0.25) (layer "F.Cu") (net 107) (tstamp 076678be-4000-9000-0000-000000000000))
(segment (start 109.8375 101.075) (end 108.395 101.075) (width 0.25) (layer "F.Cu") (net 107) (tstamp 1076678be-4000-9000-0000-000000000000))
(segment (start 105.95 108.075) (end 105.95 108.4) (width 0.25) (layer "F.Cu") (net 107) (tstamp 286486b1-4000-9000-0000-000000000000))
(segment (start 116.109494 100.425) (end 116.684494 101) (width 0.15) (layer "F.Cu") (net 107) (tstamp 286486b1-4000-9000-0000-000000000000))
(segment (start 97.05 101.85) (end 97.85 101.85) (width 0.25) (layer "F.Cu") (net 107) (tstamp 2c9f49cb-4000-9000-0000-000000000000))
(segment (start 106.45 108.4) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 3209ce96-4000-9000-0000-000000000000))
(segment (start 97.75 96.25) (end 97.85 96.35) (width 0.25) (layer "F.Cu") (net 107) (tstamp 5315026b-4000-9000-0000-000000000000))
(segment (start 101.7 104.1244) (end 101.1744 104.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 572d1d4d-4000-9000-0000-000000000000))
(segment (start 108.385 101.4) (end 108.385 101.085) (width 0.25) (layer "F.Cu") (net 107) (tstamp 5be77d4d-4000-9000-0000-000000000000))
(segment (start 106.45 108.9) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 6271d4d7-4000-9000-0000-000000000000))
(segment (start 101.05 101.85) (end 101.85 101.85) (width 0.25) (layer "F.Cu") (net 107) (tstamp 673f15d1-4000-9000-0000-000000000000))
(segment (start 116.684494 101) (end 118.600012 101) (width 0.15) (layer "F.Cu") (net 107) (tstamp 6a1ca1d1-4000-9000-0000-000000000000))
(segment (start 106.45 109.225) (end 106.45 108.9) (width 0.25) (layer "F.Cu") (net 107) (tstamp 765c50b1-4000-9000-0000-000000000000))

(segment (start 108.395 101.075) (end 108.385 101.085) (width 0.25) (layer "F.Cu") (net 107) (tstamp 7f
(segment (start 125.7 102.685) (end 125.7 103.585) (width 0.25) (layer "F.Cu") (net 107) (tstamp 8c7bf0
(segment (start 115.5625 100.425) (end 116.109494 100.425) (width 0.15) (layer "F.Cu") (net 107) (tstamp
(segment (start 101.1744 104.65) (end 101.05 104.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp 982c
(segment (start 106.45 108.075) (end 106.45 108.4) (width 0.25) (layer "F.Cu") (net 107) (tstamp 98c3b4
(segment (start 97.05 99.05) (end 97.85 99.05) (width 0.25) (layer "F.Cu") (net 107) (tstamp 9ba750aa-d
(segment (start 101.75 96.25) (end 101.85 96.35) (width 0.25) (layer "F.Cu") (net 107) (tstamp d4c8b357
(segment (start 101.05 99.05) (end 101.85 99.05) (width 0.25) (layer "F.Cu") (net 107) (tstamp d9803219
(segment (start 106.5 101.435) (end 107.265 102.2) (width 0.25) (layer "F.Cu") (net 107) (tstamp e25601
(segment (start 105.95 108.9) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp e6f5caf2
(segment (start 101.05 96.25) (end 101.75 96.25) (width 0.25) (layer "F.Cu") (net 107) (tstamp e721411e
(segment (start 108.385 101.915) (end 108.1 102.2) (width 0.25) (layer "F.Cu") (net 107) (tstamp e743bd
(segment (start 105.95 109.225) (end 105.95 108.9) (width 0.25) (layer "F.Cu") (net 107) (tstamp ed1953
(segment (start 108.385 101.4) (end 108.385 101.915) (width 0.25) (layer "F.Cu") (net 107) (tstamp f10277
(segment (start 105.95 108.4) (end 106.2 108.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp f1e75f4f
(segment (start 125.7 103.585) (end 125.715 103.6) (width 0.25) (layer "F.Cu") (net 107) (tstamp f3aed3
(segment (start 97.05 96.25) (end 97.75 96.25) (width 0.25) (layer "F.Cu") (net 107) (tstamp fb8b05c1-9
(segment (start 97.05 104.65) (end 97.85 104.65) (width 0.25) (layer "F.Cu") (net 107) (tstamp fdf6042d
(segment (start 108.385 101.085) (end 108.385 100.5) (width 0.25) (layer "F.Cu") (net 107) (tstamp ff53
(via (at 125 103) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 00000000-0000-0000-00
(via (at 125 104.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 00000000-0000-0000-0
(via (at 125 103.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 00000000-0000-0000-0
(via (at 97.05 106.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 03237589-f4f5-42
(via (at 101.85 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 05dac5db-cf40-42
(via (at 97.85 104.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 105cf9aa-4739-42
(via (at 101.85 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 24a3a04a-3668-4
(via (at 97.85 101.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 453cb35c-fd1b-41
(via (at 108.25 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 4b44ed3e-ba78-42
(via (at 101.7 104.1244) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 4dc898a7-bd69-4
(via (at 101.85 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 50c79bed-652f-4a
(via (at 107.75 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 70612f23-b1f2-45
(via (at 108.1 102.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 7a8fed6e-afa4-4f2
(via (at 97.5 106.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 86d3047e-a7fd-4c4
(via (at 97.85 96.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp 942054eb-e8ec-430
(via (at 106.2 108.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp a032574f-438d-4b

```
(via (at 118.600012 101) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp a599f4a3-501c-4
(via (at 107.3 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp bde3995b-b9d3-40b
(via (at 97.85 99.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 107) (tstamp e3716803-76d6-47e
(segment (start 106.3 106.15) (end 107.05 105.4) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 0b3441
(segment (start 97.5 106.95) (end 97.05 106.5) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 20985ba8
(segment (start 106.3 109.2) (end 106.3 106.15) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 25f439d
(segment (start 97.05 104.3) (end 97.4 104.65) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 26998103
(segment (start 114.128501 114.468501) (end 114.128501 112.328501) (width 0.45) (layer "In2.Cu") (net 1
(segment (start 107.35 110.25) (end 106.3 109.2) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 355abd
(segment (start 97.85 99.05) (end 97.05 99.05) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 39a733cf
(segment (start 97.05 106.5) (end 97.05 106.35) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 3d001e1
(segment (start 107.3 105.4) (end 107.75 105.4) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 4403dc6
(segment (start 97.05 106.95) (end 97.5 106.95) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 5900a1a
(segment (start 97.05 96.7) (end 97.05 104.3) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 62fc55dc-
(segment (start 114 112.2) (end 112.05 110.25) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 7396c185
(segment (start 97.05 104.3) (end 97.05 106.35) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 7d2d08b
(segment (start 97.85 96.35) (end 97.4 96.35) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 7e988ce0-
(segment (start 114.128501 112.328501) (end 114 112.2) (width 0.45) (layer "In2.Cu") (net 107) (tstamp
(segment (start 97.05 106.35) (end 97.05 106.95) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 89815a
(segment (start 97.85 101.85) (end 97.05 101.85) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 8d9842
(segment (start 97.4 104.65) (end 97.85 104.65) (width 0.45) (layer "In2.Cu") (net 107) (tstamp 9512f04
(segment (start 107.05 105.4) (end 108.25 105.4) (width 0.75) (layer "In2.Cu") (net 107) (tstamp 9f265f
(segment (start 97.4 96.35) (end 97.05 96.7) (width 0.45) (layer "In2.Cu") (net 107) (tstamp a592947d-8
(segment (start 115.43 115.77) (end 114.128501 114.468501) (width 0.45) (layer "In2.Cu") (net 107) (ts
(segment (start 112.05 110.25) (end 107.35 110.25) (width 0.75) (layer "In2.Cu") (net 107) (tstamp d581
(segment (start 107.75 105.4) (end 108.25 105.4) (width 0.45) (layer "In2.Cu") (net 107) (tstamp fdd8aa
(segment (start 97.665 101.665) (end 97.85 101.85) (width 0.25) (layer "B.Cu") (net 107) (tstamp 0227a4
(segment (start 97.665 104.465) (end 97.85 104.65) (width 0.25) (layer "B.Cu") (net 107) (tstamp 1b207c
(segment (start 125 108) (end 124.2 108.8) (width 0.75) (layer "B.Cu") (net 107) (tstamp 25691c65-b935-4
(segment (start 106.2 105.4) (end 102.7 105.4) (width 0.45) (layer "B.Cu") (net 107) (tstamp 25c02a75-9
(segment (start 97.665 98.865) (end 97.85 99.05) (width 0.25) (layer "B.Cu") (net 107) (tstamp 3908da72
(segment (start 102.7 99.05) (end 102.7 96.9) (width 0.45) (layer "B.Cu") (net 107) (tstamp 4ad1fbc8-bc
(segment (start 102.7 101.85) (end 102.7 99.05) (width 0.45) (layer "B.Cu") (net 107) (tstamp 4fddce6e-l
(segment (start 97.05 104.465) (end 97.665 104.465) (width 0.25) (layer "B.Cu") (net 107) (tstamp 523db
(segment (start 102.6756 104.1244) (end 102.7 104.1) (width 0.45) (layer "B.Cu") (net 107) (tstamp 55b2
```

(segment (start 102.7 105.4) (end 102.7 106.05) (width 0.45) (layer "B.Cu") (net 107) (tstamp 55b39729-5
(segment (start 97.515 96.015) (end 97.05 96.015) (width 0.25) (layer "B.Cu") (net 107) (tstamp 5eb3f65b-
(segment (start 107.3 105.4) (end 106.2 105.4) (width 0.45) (layer "B.Cu") (net 107) (tstamp 63c29874-8
(segment (start 101.05 98.865) (end 101.665 98.865) (width 0.25) (layer "B.Cu") (net 107) (tstamp 664aa26a-
(segment (start 102.7 106.05) (end 101.8 106.95) (width 0.45) (layer "B.Cu") (net 107) (tstamp 690df73b-
(segment (start 101.85 96.35) (end 102.15 96.35) (width 0.45) (layer "B.Cu") (net 107) (tstamp 751353d8-
(segment (start 106.9 105.4) (end 106.9 103.183146) (width 0.25) (layer "B.Cu") (net 107) (tstamp 7751f-
(segment (start 123.8 104.4375) (end 124.05 104.1875) (width 0.15) (layer "B.Cu") (net 107) (tstamp 7b3b-
(segment (start 102.7 99.05) (end 101.85 99.05) (width 0.45) (layer "B.Cu") (net 107) (tstamp 814cc086-
(segment (start 124.2 108.8) (end 120.9 108.8) (width 0.75) (layer "B.Cu") (net 107) (tstamp 8ea3771f-2
(segment (start 120.9 108.8) (end 117.5 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp 9209a016-6
(segment (start 117.5 105.4) (end 108.25 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp 92958f83-
(segment (start 101.3906 104.1244) (end 101.05 104.465) (width 0.25) (layer "B.Cu") (net 107) (tstamp a-
(segment (start 123.8 105.415) (end 123.8 104.4375) (width 0.15) (layer "B.Cu") (net 107) (tstamp a8031-
(segment (start 117.5 105.4) (end 117.5 102.1) (width 0.15) (layer "B.Cu") (net 107) (tstamp b31fcd6c-e
(segment (start 101.7 104.1244) (end 102.6756 104.1244) (width 0.45) (layer "B.Cu") (net 107) (tstamp b-
(segment (start 117.5 102.1) (end 118.6 101) (width 0.15) (layer "B.Cu") (net 107) (tstamp b61955f8-670
(segment (start 97.5 106.95) (end 97.05 106.95) (width 0.45) (layer "B.Cu") (net 107) (tstamp bcd00042-
(segment (start 107.883146 102.2) (end 108.1 102.2) (width 0.25) (layer "B.Cu") (net 107) (tstamp bdcad-
(segment (start 101.85 96.35) (end 101.565 96.065) (width 0.25) (layer "B.Cu") (net 107) (tstamp beb750-
(segment (start 102.7 101.85) (end 101.85 101.85) (width 0.45) (layer "B.Cu") (net 107) (tstamp c1d90da-
(segment (start 97.05 98.865) (end 97.665 98.865) (width 0.25) (layer "B.Cu") (net 107) (tstamp cbeff39-
(segment (start 102.15 96.35) (end 102.7 96.9) (width 0.45) (layer "B.Cu") (net 107) (tstamp cc1e0bdc-3
(segment (start 101.05 101.665) (end 101.665 101.665) (width 0.25) (layer "B.Cu") (net 107) (tstamp ce5-
(segment (start 101.7 104.1244) (end 101.3906 104.1244) (width 0.25) (layer "B.Cu") (net 107) (tstamp d-
(segment (start 125 104.4) (end 125 108) (width 0.75) (layer "B.Cu") (net 107) (tstamp d3b55a27-7612-49
(segment (start 101.665 101.665) (end 101.85 101.85) (width 0.25) (layer "B.Cu") (net 107) (tstamp d7cd-
(segment (start 101.8 106.95) (end 97.5 106.95) (width 0.45) (layer "B.Cu") (net 107) (tstamp d875b51c-
(segment (start 101.665 98.865) (end 101.85 99.05) (width 0.25) (layer "B.Cu") (net 107) (tstamp da8de7-
(segment (start 101.565 96.065) (end 101.05 96.065) (width 0.25) (layer "B.Cu") (net 107) (tstamp debf6-
(segment (start 107.75 105.4) (end 108.25 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp e30baa5c-
(segment (start 108.25 105.4) (end 107.3 105.4) (width 0.75) (layer "B.Cu") (net 107) (tstamp e5349806-
(segment (start 97.05 101.665) (end 97.665 101.665) (width 0.25) (layer "B.Cu") (net 107) (tstamp e641f-
(segment (start 106.9 103.183146) (end 107.883146 102.2) (width 0.25) (layer "B.Cu") (net 107) (tstamp e-
(segment (start 102.7 104.1) (end 102.7 101.85) (width 0.45) (layer "B.Cu") (net 107) (tstamp ea9fd251-

(segment (start 97.85 96.35) (end 97.515 96.015) (width 0.25) (layer "B.Cu") (net 107) (tstamp f463fa1e-
(segment (start 106.2 108.65) (end 106.2 105.4) (width 0.45) (layer "B.Cu") (net 107) (tstamp f7d260c3-
(segment (start 118.6 101) (end 118.600012 101) (width 0.15) (layer "B.Cu") (net 107) (tstamp fc064bdb-
(segment (start 102.7 105.4) (end 102.7 104.1) (width 0.45) (layer "B.Cu") (net 107) (tstamp ff6819d2-d
(segment (start 99.95 82.925) (end 99.95 82.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp 05fe3ee6-1
(segment (start 97.85 87.85) (end 97.05 87.85) (width 0.25) (layer "F.Cu") (net 108) (tstamp 15a088f0-1
(segment (start 116.575 89.925) (end 116.9 89.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp 1da14194
(segment (start 101.05 93.45) (end 101.85 93.45) (width 0.25) (layer "F.Cu") (net 108) (tstamp 20550846
(segment (start 97.05 85.05) (end 97.85 85.05) (width 0.25) (layer "F.Cu") (net 108) (tstamp 211453c8-8
(segment (start 101.05 90.65) (end 101.85 90.65) (width 0.25) (layer "F.Cu") (net 108) (tstamp 419fa813
(segment (start 117.015 89.6) (end 117.015 88.715) (width 0.25) (layer "F.Cu") (net 108) (tstamp 433800
(segment (start 120.9 87.415) (end 120.885 87.4) (width 0.25) (layer "F.Cu") (net 108) (tstamp 470c67cf
(segment (start 99.45 81.775) (end 99.45 82.1) (width 0.25) (layer "F.Cu") (net 108) (tstamp 486a1c19-1
(segment (start 101.807664 87.85) (end 101.828832 87.871168) (width 0.25) (layer "F.Cu") (net 108) (tsta
(segment (start 101.05 87.85) (end 101.807664 87.85) (width 0.25) (layer "F.Cu") (net 108) (tstamp 4dfc
(segment (start 117.985 87.715) (end 117 88.7) (width 0.25) (layer "F.Cu") (net 108) (tstamp 5ae0f28a-7
(segment (start 97.05 93.45) (end 97.85 93.45) (width 0.25) (layer "F.Cu") (net 108) (tstamp 611b9802-4
(segment (start 115.5625 89.925) (end 116.575 89.925) (width 0.25) (layer "F.Cu") (net 108) (tstamp 73b
(segment (start 99.45 82.6) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp 7b3ef420-868
(segment (start 101.05 85.05) (end 100.95 85.05) (width 0.25) (layer "F.Cu") (net 108) (tstamp 820248eb
(segment (start 99.95 82.1) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp 868a53de-265
(segment (start 99.95 81.775) (end 99.95 82.1) (width 0.25) (layer "F.Cu") (net 108) (tstamp 873c0548-0
(segment (start 99.45 82.1) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp 8a0a7a3e-0c5
(segment (start 116.9 89.6) (end 117.015 89.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp a4569783-7
(segment (start 100.95 85.05) (end 100.324388 84.424388) (width 0.25) (layer "F.Cu") (net 108) (tstamp a
(segment (start 117.015 89.6) (end 117.015 90.5) (width 0.25) (layer "F.Cu") (net 108) (tstamp aebbd26a
(segment (start 120.9 88.315) (end 120.9 87.415) (width 0.25) (layer "F.Cu") (net 108) (tstamp afc85e4a
(segment (start 99.45 82.925) (end 99.45 82.6) (width 0.25) (layer "F.Cu") (net 108) (tstamp b5ee1014-1
(segment (start 97.05 90.65) (end 97.85 90.65) (width 0.25) (layer "F.Cu") (net 108) (tstamp b76b0fe6-3d1
(segment (start 99.95 82.6) (end 99.7 82.35) (width 0.25) (layer "F.Cu") (net 108) (tstamp c7f19821-5c9
(segment (start 118 87.715) (end 117.985 87.715) (width 0.25) (layer "F.Cu") (net 108) (tstamp d16debde
(segment (start 100.324388 84.424388) (end 100.13426 84.424388) (width 0.25) (layer "F.Cu") (net 108) (t
(via (at 99.7 82.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 00000000-0000-0000
(via (at 121.6 86.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 00000000-0000-0000
(via (at 117 88.7) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 00000000-0000-0000-0

(via (at 101.828832 87.871168) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 1a4dc3d6
(via (at 97.85 85.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 2e3a6ff3-8807-45b
(via (at 107.9 85.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 404178d5-281f-4c75
(via (at 97.85 84.55) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 4cb32310-d519-401
(via (at 97.85 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 5ec84c62-313f-47c
(via (at 107.4 85.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 6ac8fd50-fe24-4645
(via (at 121.6 87.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 81d6c35d-5fbc-4d4d
(via (at 101.85 90.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 900c63b9-1ee2-41
(via (at 97.85 87.85) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp 9e3148a0-dd85-462
(via (at 97.85 90.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp abefcb1f-dafe-4a3
(via (at 101.85 93.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp bf269315-19a4-4c
(via (at 100.13426 84.424388) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp d3d861ea-
(via (at 121.6 88) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp d8773600-0cbf-4351-8
(via (at 108.4 85.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 108) (tstamp f5ca4e81-775a-4230
(segment (start 97.07 87.85) (end 97.05 87.83) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 01898af1
(segment (start 97.05 93.15) (end 97.35 93.45) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 087398f7
(segment (start 94.875099 80.275099) (end 100.175099 80.275099) (width 0.75) (layer "In2.Cu") (net 108)
(segment (start 97.45 84.95) (end 97.45 85.05) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 116ae443
(segment (start 93.85 76.51) (end 93.85 79.25) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 1770ba52
(segment (start 97.85 87.85) (end 97.07 87.85) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 2a57ca00
(segment (start 97.85 90.65) (end 97.07 90.65) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 4e47cdc4
(segment (start 97.45 85.05) (end 97.05 85.45) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 58d1162a
(segment (start 93.85 79.25) (end 93.9 79.3) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 5fff4c5a-4
(segment (start 100.175099 80.275099) (end 105.5 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp
(segment (start 97.85 85.05) (end 97.85 84.55) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 6b5a5b62
(segment (start 97.35 93.45) (end 97.85 93.45) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 95d71bee
(segment (start 97.05 87.83) (end 97.05 90.67) (width 0.45) (layer "In2.Cu") (net 108) (tstamp 9a2375d7
(segment (start 105.5 85.6) (end 107.4 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp 9aeb7429-cl
(segment (start 107.8 85.6) (end 107.4 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp a3aec711-1
(segment (start 92.57 75.23) (end 93.85 76.51) (width 0.45) (layer "In2.Cu") (net 108) (tstamp bbb9523b
(segment (start 93.9 79.3) (end 94.875099 80.275099) (width 0.75) (layer "In2.Cu") (net 108) (tstamp c2
(segment (start 97.85 84.55) (end 97.45 84.95) (width 0.45) (layer "In2.Cu") (net 108) (tstamp c743453b
(segment (start 97.07 90.65) (end 97.05 90.67) (width 0.45) (layer "In2.Cu") (net 108) (tstamp db5bfd23
(segment (start 97.05 90.67) (end 97.05 93.15) (width 0.45) (layer "In2.Cu") (net 108) (tstamp e0335324
(segment (start 107.9 85.6) (end 108.4 85.6) (width 0.75) (layer "In2.Cu") (net 108) (tstamp e65dc398-9

```
(segment (start 97.85 85.05) (end 97.45 85.05) (width 0.45) (layer "In2.Cu") (net 108) (tstamp f0bc0639)
(segment (start 97.05 85.45) (end 97.05 87.83) (width 0.45) (layer "In2.Cu") (net 108) (tstamp f90453b1)
(segment (start 102.7 88.85) (end 102.7 89.8) (width 0.45) (layer "B.Cu") (net 108) (tstamp 00000000-00000000)
(segment (start 102.7 87.8) (end 102.7 88.85) (width 0.45) (layer "B.Cu") (net 108) (tstamp 00000000-00000000)
(segment (start 102.7 88.85) (end 102.7 90.2) (width 0.45) (layer "B.Cu") (net 108) (tstamp 00000000-00000000)
(segment (start 101.665 90.465) (end 101.85 90.65) (width 0.25) (layer "B.Cu") (net 108) (tstamp 075a3b)
(segment (start 117.475105 88.224895) (end 117.475105 86.675105) (width 0.15) (layer "B.Cu") (net 108)
(segment (start 98.9 84) (end 99.7 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 1533e17c-2f2a-4b79)
(segment (start 100.765 84.865) (end 100.324388 84.424388) (width 0.25) (layer "B.Cu") (net 108) (tstamp
(segment (start 120.512605 86.675105) (end 120.65 86.8125) (width 0.75) (layer "B.Cu") (net 108) (tstamp
(segment (start 99.7 82.35) (end 99.7 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 1fb18444-3f25-4
(segment (start 102.7 92.6) (end 102.7 90.2) (width 0.45) (layer "B.Cu") (net 108) (tstamp 206896f0-34d
(segment (start 99.7 84) (end 100.1 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 2163a860-cec3-4e6
(segment (start 107.4 85.6) (end 107.8 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp 22c71e38-575
(segment (start 97.665 90.465) (end 97.05 90.465) (width 0.25) (layer "B.Cu") (net 108) (tstamp 27d3a78
(segment (start 97.85 85.05) (end 98.9 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 3f4b2dc1-5d3b-
(segment (start 100.1 84) (end 102.1 84) (width 0.45) (layer "B.Cu") (net 108) (tstamp 49160ecb-51ca-46
(segment (start 101.85 93.45) (end 102.7 92.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 4afccf18-7
(segment (start 101.665 93.265) (end 101.85 93.45) (width 0.25) (layer "B.Cu") (net 108) (tstamp 4cc6f155
(segment (start 102.7 84.6) (end 102.7 85.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 4d1a2927-464
(segment (start 117.475105 86.675105) (end 120.512605 86.675105) (width 0.75) (layer "B.Cu") (net 108)
(segment (start 97.85 85.05) (end 97.85 84.55) (width 0.45) (layer "B.Cu") (net 108) (tstamp 59ee2763-4
(segment (start 100.1 84.390128) (end 100.13426 84.424388) (width 0.45) (layer "B.Cu") (net 108) (tstamp
(segment (start 107.9 85.6) (end 108.45 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp 5a3e4944-63
(segment (start 122.8 86.5625) (end 122.55 86.8125) (width 0.15) (layer "B.Cu") (net 108) (tstamp 5af5b
(segment (start 97.05 93.265) (end 97.665 93.265) (width 0.25) (layer "B.Cu") (net 108) (tstamp 62ded97
(segment (start 122.8 85.585) (end 122.8 86.5625) (width 0.15) (layer "B.Cu") (net 108) (tstamp 70bf674
(segment (start 97.665 84.865) (end 97.85 85.05) (width 0.25) (layer "B.Cu") (net 108) (tstamp 77a65e60
(segment (start 101.85 90.65) (end 102.7 90.65) (width 0.45) (layer "B.Cu") (net 108) (tstamp 7a21ca5c-
(segment (start 100.324388 84.424388) (end 100.13426 84.424388) (width 0.25) (layer "B.Cu") (net 108)
(segment (start 102.7 85.6) (end 102.7 87.8) (width 0.45) (layer "B.Cu") (net 108) (tstamp 7cffbd29-392
(segment (start 107.8 85.6) (end 102.7 85.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 80d8b6df-2f0
(segment (start 101.05 90.465) (end 101.665 90.465) (width 0.25) (layer "B.Cu") (net 108) (tstamp 819e0
(segment (start 101.05 84.865) (end 100.765 84.865) (width 0.25) (layer "B.Cu") (net 108) (tstamp 86982
(segment (start 101.622664 87.665) (end 101.828832 87.871168) (width 0.25) (layer "B.Cu") (net 108) (ts
```

```
(segment (start 97.05 84.865) (end 97.665 84.865) (width 0.25) (layer "B.Cu") (net 108) (tstamp 8d20ac0a-4b31-4000-9000-000000000000))
(segment (start 101.05 93.265) (end 101.665 93.265) (width 0.25) (layer "B.Cu") (net 108) (tstamp 8fbff000-4b31-4000-9000-000000000000))
(segment (start 108.4 85.6) (end 116.4 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp 93051c54-77c0-4000-9000-000000000000))
(segment (start 97.85 90.65) (end 97.665 90.465) (width 0.25) (layer "B.Cu") (net 108) (tstamp 93ee7a6d-4b31-4000-9000-000000000000))
(segment (start 102.1 84) (end 102.7 84.6) (width 0.45) (layer "B.Cu") (net 108) (tstamp 99d6c898-d839-4000-9000-000000000000))
(segment (start 116.4 85.6) (end 117.475105 86.675105) (width 0.75) (layer "B.Cu") (net 108) (tstamp 9d000000-4b31-4000-9000-000000000000))
(segment (start 100.1 84) (end 100.1 84.390128) (width 0.45) (layer "B.Cu") (net 108) (tstamp a83f67d8-4b31-4000-9000-000000000000))
(segment (start 108.45 85.6) (end 107.8 85.6) (width 0.75) (layer "B.Cu") (net 108) (tstamp af797417-b900-4000-9000-000000000000))
(segment (start 97.05 87.665) (end 97.665 87.665) (width 0.25) (layer "B.Cu") (net 108) (tstamp c551b3a0-4b31-4000-9000-000000000000))
(segment (start 101.05 87.665) (end 101.622664 87.665) (width 0.25) (layer "B.Cu") (net 108) (tstamp cb000000-4b31-4000-9000-000000000000))
(segment (start 102.628832 87.871168) (end 101.828832 87.871168) (width 0.45) (layer "B.Cu") (net 108) (tstamp c0000000-4b31-4000-9000-000000000000))
(segment (start 97.665 93.265) (end 97.85 93.45) (width 0.25) (layer "B.Cu") (net 108) (tstamp d7626373-4b31-4000-9000-000000000000))
(segment (start 117 88.7) (end 117.475105 88.224895) (width 0.15) (layer "B.Cu") (net 108) (tstamp eea90000-4b31-4000-9000-000000000000))
(segment (start 97.665 87.665) (end 97.85 87.85) (width 0.25) (layer "B.Cu") (net 108) (tstamp f08a6e1c-4b31-4000-9000-000000000000))
(segment (start 59.485 104) (end 59 103.515) (width 0.15) (layer "F.Cu") (net 109) (tstamp 2c51f88e-7580-4000-9000-000000000000))
(segment (start 82.9 97.1) (end 83.3 97.5) (width 0.15) (layer "F.Cu") (net 109) (tstamp 2f494732-88c6-4000-9000-000000000000))
(segment (start 59.7 104) (end 59.485 104) (width 0.15) (layer "F.Cu") (net 109) (tstamp 4a2d06a6-4e8e-4000-9000-000000000000))
(via (at 83.3 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 109) (tstamp 0a801310-01f7-475e-4000-000000000000))
(via (at 59.7 104) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 109) (tstamp c00841f6-7702-4d70-8000-000000000000))
(segment (start 59.7 104) (end 59.900179 103.799821) (width 0.15) (layer "B.Cu") (net 109) (tstamp 74b20000-4b31-4000-9000-000000000000))
(segment (start 79.313972 103.799821) (end 83.3 99.813793) (width 0.15) (layer "B.Cu") (net 109) (tstamp 79000000-4b31-4000-9000-000000000000))
(segment (start 83.3 99.813793) (end 83.3 97.5) (width 0.15) (layer "B.Cu") (net 109) (tstamp 945464e4-4b31-4000-9000-000000000000))
(segment (start 59.900179 103.799821) (end 79.313972 103.799821) (width 0.15) (layer "B.Cu") (net 109) (tstamp 99000000-4b31-4000-9000-000000000000))
(segment (start 117.5 109.6) (end 117.5 106) (width 0.15) (layer "F.Cu") (net 110) (tstamp 0f46be7a-e490-4000-9000-000000000000))
(segment (start 115.43 113.28) (end 117.5 111.21) (width 0.15) (layer "F.Cu") (net 110) (tstamp 158a7fc0-4b31-4000-9000-000000000000))
(segment (start 117.5 111.21) (end 117.5 109.6) (width 0.15) (layer "F.Cu") (net 110) (tstamp 65ad12bb-4b31-4000-9000-000000000000))
(via (at 117.5 109.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 110) (tstamp c90e4948-613c-4ca0-4000-000000000000))
(segment (start 126.3 106.115) (end 127 105.415) (width 0.15) (layer "B.Cu") (net 110) (tstamp 2be27669-4b31-4000-9000-000000000000))
(segment (start 126.3 108.7) (end 125.4 109.6) (width 0.15) (layer "B.Cu") (net 110) (tstamp 6e7ecade-2b00-4000-9000-000000000000))
(segment (start 126.3 108.7) (end 126.3 106.115) (width 0.15) (layer "B.Cu") (net 110) (tstamp 72850914-4b31-4000-9000-000000000000))
(segment (start 125.4 109.6) (end 117.5 109.6) (width 0.15) (layer "B.Cu") (net 110) (tstamp f89b8716-4b31-4000-9000-000000000000))
(segment (start 59.7 110) (end 59.485 110) (width 0.15) (layer "F.Cu") (net 111) (tstamp 7876046d-8b5c-4000-9000-000000000000))
(segment (start 59.485 110) (end 59 109.515) (width 0.15) (layer "F.Cu") (net 111) (tstamp d328ae7c-00e0-4000-9000-000000000000))
(segment (start 84.5 97.1) (end 84.9 97.5) (width 0.15) (layer "F.Cu") (net 111) (tstamp db27f76e-3e0e-4000-9000-000000000000))
(via (at 59.7 110) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 111) (tstamp bd8cbdbe-6f09-4f00-b000-000000000000))
```


(via (at 84.9 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 111) (tstamp db565e77-b33a-4341-f
(via (at 87.499986 100.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 111) (tstamp e54a0a93-9b02-
(segment (start 87.299986 100.7) (end 87.499986 100.9) (width 0.15) (layer "In2.Cu") (net 111) (tstamp
(segment (start 84.852116 97.5) (end 84.352588 97.999528) (width 0.15) (layer "In2.Cu") (net 111) (tsta
(segment (start 86.6 100.7) (end 87.299986 100.7) (width 0.15) (layer "In2.Cu") (net 111) (tstamp 7b460
(segment (start 84.352588 98.452588) (end 86.6 100.7) (width 0.15) (layer "In2.Cu") (net 111) (tstamp 8
(segment (start 84.9 97.5) (end 84.852116 97.5) (width 0.15) (layer "In2.Cu") (net 111) (tstamp b4bf1fe
(segment (start 84.352588 97.999528) (end 84.352588 98.452588) (width 0.15) (layer "In2.Cu") (net 111) (t
(segment (start 59.7 110) (end 59.7 108.8) (width 0.15) (layer "B.Cu") (net 111) (tstamp 06551493-e3ea-46
(segment (start 59.7 108.8) (end 63.800448 104.699552) (width 0.15) (layer "B.Cu") (net 111) (tstamp 86
(segment (start 87.299986 100.7) (end 87.499986 100.9) (width 0.15) (layer "B.Cu") (net 111) (tstamp 91
(segment (start 83.724138 100.7) (end 87.299986 100.7) (width 0.15) (layer "B.Cu") (net 111) (tstamp d8
(segment (start 63.800448 104.699552) (end 79.724586 104.699552) (width 0.15) (layer "B.Cu") (net 111) (t
(segment (start 79.724586 104.699552) (end 83.724138 100.7) (width 0.15) (layer "B.Cu") (net 111) (tsta
(segment (start 85.3 97.9) (end 85.7 98.3) (width 0.15) (layer "F.Cu") (net 112) (tstamp 4720649e-59e8-
(segment (start 59.7 108) (end 59.485 108) (width 0.15) (layer "F.Cu") (net 112) (tstamp 9dda1b8f-56ac-
(segment (start 59.485 108) (end 59 107.515) (width 0.15) (layer "F.Cu") (net 112) (tstamp a9198660-67af-
(via (at 59.7 108) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 112) (tstamp 50f5fc29-72f8-401d-9
(via (at 85.7 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 112) (tstamp f0ee687a-d533-49f4-
(segment (start 59.7 108) (end 59.7 106.9) (width 0.15) (layer "B.Cu") (net 112) (tstamp 164c2c5a-e2fc-
(segment (start 62.200359 104.399641) (end 79.600359 104.399641) (width 0.15) (layer "B.Cu") (net 112) (t
(segment (start 79.600359 104.399641) (end 85.7 98.3) (width 0.15) (layer "B.Cu") (net 112) (tstamp a80
(segment (start 59.7 106.9) (end 62.200359 104.399641) (width 0.15) (layer "B.Cu") (net 112) (tstamp cb
(segment (start 59.7 106) (end 59.485 106) (width 0.15) (layer "F.Cu") (net 113) (tstamp 0b2ceaff-7b35-
(segment (start 84.5 97.9) (end 84.9 98.3) (width 0.15) (layer "F.Cu") (net 113) (tstamp 1b765d7b-3f84-
(segment (start 59.485 106) (end 59 105.515) (width 0.15) (layer "F.Cu") (net 113) (tstamp 21a94bfa-8e5f-
(via (at 84.9 98.3) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 113) (tstamp 09f30f25-ee65-4fcd-
(via (at 59.7 106) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 113) (tstamp a27a59e4-a827-428c-b
(segment (start 61.600269 104.099731) (end 79.450269 104.099731) (width 0.15) (layer "B.Cu") (net 113) (t
(segment (start 59.7 106) (end 61.600269 104.099731) (width 0.15) (layer "B.Cu") (net 113) (tstamp 7f4f
(segment (start 84.9 98.65) (end 79.450269 104.099731) (width 0.15) (layer "B.Cu") (net 113) (tstamp 83
(segment (start 84.9 98.3) (end 84.9 98.65) (width 0.15) (layer "B.Cu") (net 113) (tstamp 8862eebc-48b0-
(segment (start 86.9 91.5) (end 86.9 90.982211) (width 0.15) (layer "F.Cu") (net 114) (tstamp 00000000-
(segment (start 90.65827 83.448815) (end 90.618111 83.434763) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.761069 83.662278) (end 90.765832 83.62) (width 0.19) (layer "F.Cu") (net 114) (tstamp

(segment (start 88.453459 89.416885) (end 88.505982 89.375) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.102677 88.141316) (end 89.067183 88.105822) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.395063 82.328547) (end 89.425147 82.298463) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.575832 83.81) (end 90.618111 83.805236) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.179888 84.481746) (end 88.167368 84.370625) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.555621 83.417479) (end 88.450072 83.380546) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.72438 85.178463) (end 90.747017 85.142437) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 87.699337 89.851785) (end 87.657452 89.799263) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.765832 83.62) (end 90.761069 83.577721) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.276315 84.68198) (end 88.216821 84.587295) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.747017 85.142437) (end 90.761069 85.102278) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.694296 85.208547) (end 90.72438 85.178463) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.417696 88.274619) (end 89.382202 88.239125) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.14518 87.612419) (end 89.192559 87.595841) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.040477 87.717122) (end 89.067183 87.674619) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.72438 84.941536) (end 90.694296 84.911452) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.355387 84.761052) (end 88.276315 84.68198) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 87.657453 90.223528) (end 87.699337 90.171005) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.359037 82.351184) (end 89.395063 82.328547) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.023899 87.764501) (end 89.040477 87.717122) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.444402 88.317122) (end 89.417696 88.274619) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.276315 83.24198) (end 88.216821 83.147295) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.618111 85.245236) (end 90.65827 85.231184) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.4666 87.36606) (end 89.4666 85.749374) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.765832 85.06) (end 90.761069 85.017721) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.167368 84.370625) (end 88.167368 84.309374) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.65827 85.231184) (end 90.694296 85.208547) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.355387 83.918947) (end 88.450072 83.859453) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 87.444998 89.346626) (end 87.474145 89.2861) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 90.65827 83.791184) (end 90.694296 83.768547) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.102677 87.639125) (end 89.14518 87.612419) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.216821 84.587295) (end 88.179888 84.481746) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.355387 83.321052) (end 88.276315 83.24198) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 88.167368 82.869374) (end 88.179888 82.758253) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 87.827247 89.162545) (end 87.887773 89.191693) (width 0.19) (layer "F.Cu") (net 114) (timestamp 1641111111.111111))

(segment (start 89.425147 82.298463) (end 89.447784 82.262437) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.46098 88.364501) (end 89.444402 88.317122) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 83.295 79.28) (end 83.295 78.45) (width 0.19) (layer "F.Cu") (net 114) (tstamp 506d02d9

(segment (start 89.023899 88.01594) (end 89.018278 87.96606) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.447784 82.262437) (end 89.461836 82.222278) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.318878 82.365236) (end 89.359037 82.351184) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.040477 88.063319) (end 89.023899 88.01594) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.906582 81.4) (end 84.740982 81.4) (width 0.19) (layer "F.Cu") (net 114) (tstamp 56fe

(segment (start 88.355387 82.478947) (end 88.450072 82.419453) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.29232 87.5846) (end 89.339699 87.568022) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.747017 84.977562) (end 90.72438 84.941536) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.965975 85.25) (end 90.575832 85.25) (width 0.19) (layer "F.Cu") (net 114) (tstamp 5a

(segment (start 90.618111 83.805236) (end 90.65827 83.791184) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.618111 84.874763) (end 90.575832 84.87) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.179888 82.758253) (end 88.216821 82.652704) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.694296 84.911452) (end 90.65827 84.888815) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.657452 89.799263) (end 87.516031 89.657842) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.761752 89.147597) (end 87.827247 89.162545) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.450072 84.820546) (end 88.355387 84.761052) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.728485 89.912311) (end 87.699337 89.851785) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.747017 83.702437) (end 90.761069 83.662278) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.940295 89.233578) (end 88.081717 89.375) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.761069 85.102278) (end 90.765832 85.06) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.575832 84.87) (end 88.666742 84.87) (width 0.19) (layer "F.Cu") (net 114) (tstamp 66

(segment (start 88.276315 83.998019) (end 88.355387 83.918947) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.179888 83.041746) (end 88.167368 82.930625) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.666742 82.37) (end 89.2766 82.37) (width 0.19) (layer "F.Cu") (net 114) (tstamp 6a38

(segment (start 88.666742 83.81) (end 90.575832 83.81) (width 0.19) (layer "F.Cu") (net 114) (tstamp 6d

(segment (start 88.450072 83.859453) (end 88.555621 83.82252) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.450072 82.419453) (end 88.555621 82.38252) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.4666 81.960018) (end 88.906582 81.4) (width 0.19) (layer "F.Cu") (net 114) (tstamp 6

(segment (start 89.018278 87.96606) (end 89.018278 87.814382) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.26026 89.460981) (end 88.327439 89.460981) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.081717 89.375) (end 88.13424 89.416885) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.392933 89.446032) (end 88.453459 89.416885) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.72438 83.738463) (end 90.747017 83.702437) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.618111 83.434763) (end 90.575832 83.43) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 90.761069 85.017721) (end 90.747017 84.977562) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.555621 82.38252) (end 88.666742 82.37) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.167368 82.930625) (end 88.167368 82.869374) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 90.694296 83.471452) (end 90.65827 83.448815) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 85.749374) (end 89.479121 85.638253) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.179888 84.198253) (end 88.216821 84.092704) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.382202 88.239125) (end 89.339699 88.212419) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.568553 89.191693) (end 87.629079 89.162545) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.505982 89.375) (end 89.4666 88.414382) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 88.216821 82.652704) (end 88.276315 82.558019) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.887773 89.191693) (end 87.940295 89.233578) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.555621 84.857479) (end 88.450072 84.820546) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.4666 82.18) (end 89.4666 81.960018) (width 0.19) (layer "F.Cu") (net 114) (tstamp 7f
(segment (start 89.749305 85.299453) (end 89.854854 85.26252) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.444998 89.544793) (end 87.430049 89.479299) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.65462 85.358947) (end 89.749305 85.299453) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.192559 88.1846) (end 89.14518 88.168022) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.339699 88.212419) (end 89.29232 88.195841) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.516054 85.532704) (end 89.575548 85.438019) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.666742 84.87) (end 88.555621 84.857479) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 89.479121 85.638253) (end 89.516054 85.532704) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.417696 87.505822) (end 89.444402 87.463319) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.629079 89.162545) (end 87.694574 89.147597) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 86.9 90.980982) (end 87.657453 90.223528) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 84.740982 81.4) (end 83.76 80.419018) (width 0.19) (layer "F.Cu") (net 114) (tstamp 945
(segment (start 87.430049 89.41212) (end 87.444998 89.346626) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.854854 85.26252) (end 89.965975 85.25) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 89.018278 87.814382) (end 89.023899 87.764501) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.474145 89.2861) (end 87.516031 89.233578) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.694574 89.147597) (end 87.761752 89.147597) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.555621 83.82252) (end 88.666742 83.81) (width 0.19) (layer "F.Cu") (net 114) (tstamp
(segment (start 87.516031 89.233578) (end 87.568553 89.191693) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 89.46098 87.41594) (end 89.4666 87.36606) (width 0.19) (layer "F.Cu") (net 114) (tstamp

(segment (start 89.2766 82.37) (end 89.318878 82.365236) (width 0.19) (layer "F.Cu") (net 114) (tstamp a

(segment (start 88.327439 89.460981) (end 88.392933 89.446032) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.461836 82.222278) (end 89.4666 82.18) (width 0.19) (layer "F.Cu") (net 114) (tstamp a

(segment (start 88.167368 84.309374) (end 88.179888 84.198253) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.192559 87.595841) (end 89.29232 87.5846) (width 0.19) (layer "F.Cu") (net 114) (tstar

(segment (start 89.575548 85.438019) (end 89.65462 85.358947) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.761069 83.577721) (end 90.747017 83.537562) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.516031 89.657842) (end 87.474145 89.605319) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.72438 83.501536) (end 90.694296 83.471452) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.216821 83.147295) (end 88.179888 83.041746) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.14518 88.168022) (end 89.102677 88.141316) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.29232 88.195841) (end 89.192559 88.1846) (width 0.19) (layer "F.Cu") (net 114) (tstar

(segment (start 88.666742 83.43) (end 88.555621 83.417479) (width 0.19) (layer "F.Cu") (net 114) (tstamp

(segment (start 90.65827 84.888815) (end 90.618111 84.874763) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.728485 90.110479) (end 87.743433 90.044984) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.444402 87.463319) (end 89.46098 87.41594) (width 0.19) (layer "F.Cu") (net 114) (tsta

(segment (start 83.76 79.745) (end 83.295 79.28) (width 0.19) (layer "F.Cu") (net 114) (tstamp d0e3ff34

(segment (start 88.216821 84.092704) (end 88.276315 83.998019) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.450072 83.380546) (end 88.355387 83.321052) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.575832 85.25) (end 90.618111 85.245236) (width 0.19) (layer "F.Cu") (net 114) (tstamp

(segment (start 88.13424 89.416885) (end 88.194766 89.446032) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.382202 87.541316) (end 89.417696 87.505822) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.743433 90.044984) (end 87.743433 89.977806) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.339699 87.568022) (end 89.382202 87.541316) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 83.76 80.419018) (end 83.76 79.745) (width 0.19) (layer "F.Cu") (net 114) (tstamp ea7ac

(segment (start 90.747017 83.537562) (end 90.72438 83.501536) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.474145 89.605319) (end 87.444998 89.544793) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 88.276315 82.558019) (end 88.355387 82.478947) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.067183 87.674619) (end 89.102677 87.639125) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.4666 88.414382) (end 89.46098 88.364501) (width 0.19) (layer "F.Cu") (net 114) (tstar

(segment (start 90.575832 83.43) (end 88.666742 83.43) (width 0.19) (layer "F.Cu") (net 114) (tstamp f9

(segment (start 87.743433 89.977806) (end 87.728485 89.912311) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.430049 89.479299) (end 87.430049 89.41212) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 87.699337 90.171005) (end 87.728485 90.110479) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 90.694296 83.768547) (end 90.72438 83.738463) (width 0.19) (layer "F.Cu") (net 114) (ts

(segment (start 89.067183 88.105822) (end 89.040477 88.063319) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 88.194766 89.446032) (end 88.26026 89.460981) (width 0.19) (layer "F.Cu") (net 114) (ts
(segment (start 87.076184 85.357184) (end 85.425558 85.357184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 83.045203) (end 85.114203 82.966131) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.975637 83.634479) (end 84.938704 83.52893) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.076184 85.737184) (end 87.118463 85.73242) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.024647 82.815731) (end 86.054731 82.785647) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 86.74773) (end 85.114203 86.688236) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 83.245437) (end 84.975637 83.139888) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 86.125437) (end 84.975637 86.019888) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 85.749704) (end 85.425558 85.737184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.224732 83.98872) (end 87.194648 83.958636) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.909371 88.102617) (end 85.936908 88.092981) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 85.737184) (end 87.076184 85.737184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.926184 86.236558) (end 84.938704 86.125437) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.656019 90.17029) (end 85.599138 90.134549) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.786184 90.2) (end 85.719428 90.192478) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 85.425558 83.917184) (end 85.314437 83.904663) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.247369 85.629621) (end 87.261421 85.589462) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.088663 89.366756) (end 86.096184 89.3) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 86.096184 89.3) (end 86.096184 88.82) (width 0.19) (layer "F.Cu") (net 115) (tstamp 20f
(segment (start 85.838881 88.588421) (end 85.835614 88.55943) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 82.906637) (end 85.314437 82.869704) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.926184 83.417809) (end 84.926184 83.356558) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.926184 84.796558) (end 84.938704 84.685437) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.06776 88.040661) (end 86.083282 88.015958) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.024647 86.838636) (end 85.988621 86.815999) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.1 90.979626) (end 86.096184 90.97581) (width 0.15) (layer "F.Cu") (net 115) (tstamp
(segment (start 85.114203 85.248236) (end 85.035131 85.169164) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.096184 90.5) (end 86.088663 90.433243) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 86.047131 88.06129) (end 86.06776 88.040661) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.114203 84.406131) (end 85.208888 84.346637) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.486184 89.9) (end 85.493706 89.833243) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 87.261421 84.064905) (end 87.247369 84.024746) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 79.95 80.61) (end 79.95 79.745) (width 0.19) (layer "F.Cu") (net 115) (tstamp 3a0c1a8b-

(segment (start 85.906184 82.857184) (end 85.948462 82.85242) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 83.52893) (end 84.926184 83.417809) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.247369 85.464746) (end 87.224732 85.42872) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.247369 84.189621) (end 87.261421 84.149462) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 79.95 79.745) (end 79.485 79.28) (width 0.19) (layer "F.Cu") (net 115) (tstamp 4176d0bd
(segment (start 86.1 91.5) (end 86.1 90.979626) (width 0.15) (layer "F.Cu") (net 115) (tstamp 43e2e900-
(segment (start 85.948462 86.801947) (end 85.906184 86.797184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 83.904663) (end 85.208888 83.86773) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.096184 86.987184) (end 86.09142 86.944905) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 85.357184) (end 85.314437 85.344663) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.030734 89.487046) (end 86.066475 89.430165) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.975637 84.579888) (end 85.035131 84.485203) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.118463 85.73242) (end 87.158622 85.718368) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.076184 83.917184) (end 85.425558 83.917184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.848517 88.163471) (end 85.864039 88.138768) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.224732 84.225647) (end 87.247369 84.189621) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 85.344663) (end 85.208888 85.30773) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.118463 84.29242) (end 87.158622 84.278368) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.975637 85.074479) (end 84.938704 84.96893) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 84.278368) (end 87.194648 84.255731) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.083282 88.763471) (end 86.06776 88.738768) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.054731 86.86872) (end 86.024647 86.838636) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.022428 88.702617) (end 85.994891 88.692981) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.975637 86.019888) (end 85.035131 85.925203) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.848517 88.615958) (end 85.838881 88.588421) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.864039 88.138768) (end 85.884668 88.118139) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.030734 90.312953) (end 85.983231 90.26545) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.909371 88.676812) (end 85.884668 88.66129) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.118463 83.921947) (end 87.076184 83.917184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.786184 89.6) (end 85.796184 89.6) (width 0.19) (layer "F.Cu") (net 115) (tstamp 73d8
(segment (start 87.224732 85.42872) (end 87.194648 85.398636) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 86.797184) (end 85.314437 86.784663) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 85.925203) (end 85.114203 85.846131) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.09142 82.709462) (end 86.096184 82.667184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.194648 84.255731) (end 87.224732 84.225647) (width 0.19) (layer "F.Cu") (net 115) (ts

(segment (start 85.988621 82.838368) (end 86.024647 82.815731) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.796184 89.6) (end 85.862941 89.592478) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 86.096184 82.667184) (end 85.7504 82.3214) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 84.975637 83.139888) (end 85.035131 83.045203) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 81.6614 82.3214) (end 79.95 80.61) (width 0.19) (layer "F.Cu") (net 115) (tstamp 7e4513f
(segment (start 84.926184 84.857809) (end 84.926184 84.796558) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.114203 86.688236) (end 85.035131 86.609164) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 83.86773) (end 85.114203 83.808236) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.862941 90.207521) (end 85.796184 90.2) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 85.948462 82.85242) (end 85.988621 82.838368) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.114203 82.966131) (end 85.208888 82.906637) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.077368 86.904746) (end 86.054731 86.86872) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.884668 88.118139) (end 85.909371 88.102617) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.656019 89.629709) (end 85.719428 89.607521) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.066475 90.369834) (end 86.030734 90.312953) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.936908 88.092981) (end 85.994891 88.086448) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.06776 88.738768) (end 86.047131 88.718139) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.983231 89.534549) (end 86.030734 89.487046) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.884668 88.66129) (end 85.864039 88.640661) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 83.935999) (end 87.118463 83.921947) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.208888 85.30773) (end 85.114203 85.248236) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.118463 85.361947) (end 87.076184 85.357184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.022428 88.076812) (end 86.047131 88.06129) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.077368 82.749621) (end 86.09142 82.709462) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 79.485 79.28) (end 79.485 78.45) (width 0.19) (layer "F.Cu") (net 115) (tstamp 998e97eb
(segment (start 85.515894 90.030165) (end 85.493706 89.966756) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.314437 84.309704) (end 85.425558 84.297184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.425558 82.857184) (end 85.906184 82.857184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 86.40893) (end 84.926184 86.297809) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.515894 89.769834) (end 85.551635 89.712953) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.988621 86.815999) (end 85.948462 86.801947) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.096184 88.82) (end 86.092918 88.791008) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 84.938704 84.96893) (end 84.926184 84.857809) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.047131 88.718139) (end 86.022428 88.702617) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.493706 89.966756) (end 85.486184 89.9) (width 0.19) (layer "F.Cu") (net 115) (tstamp

(segment (start 85.7504 82.3214) (end 81.6614 82.3214) (width 0.19) (layer "F.Cu") (net 115) (tstamp a60
(segment (start 85.599138 90.134549) (end 85.551635 90.087046) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.247369 84.024746) (end 87.224732 83.98872) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.906184 86.797184) (end 85.425558 86.797184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 86.609164) (end 84.975637 86.514479) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.261421 85.504905) (end 87.247369 85.464746) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.493706 89.833243) (end 85.515894 89.769834) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.083282 88.015958) (end 86.092918 87.988421) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.599138 89.66545) (end 85.656019 89.629709) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.938704 84.685437) (end 84.975637 84.579888) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.076184 84.297184) (end 87.118463 84.29242) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.194648 83.958636) (end 87.158622 83.935999) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.835614 88.55943) (end 85.835614 88.22) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 87.261421 84.149462) (end 87.266184 84.107184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.09142 86.944905) (end 86.077368 86.904746) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.194648 85.398636) (end 87.158622 85.375999) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.92635 89.57029) (end 85.983231 89.534549) (width 0.19) (layer "F.Cu") (net 115) (tsta
(segment (start 85.994891 88.086448) (end 86.022428 88.076812) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.994891 88.692981) (end 85.936908 88.686448) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.835614 88.22) (end 85.838881 88.191008) (width 0.19) (layer "F.Cu") (net 115) (tstamp
(segment (start 84.926184 86.297809) (end 84.926184 86.236558) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 84.926184 83.356558) (end 84.938704 83.245437) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.224732 85.665647) (end 87.247369 85.629621) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.551635 89.712953) (end 85.599138 89.66545) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 85.375999) (end 87.118463 85.361947) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 84.485203) (end 85.114203 84.406131) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.092918 88.791008) (end 86.083282 88.763471) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.092918 87.988421) (end 86.096184 87.95943) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.088663 90.433243) (end 86.066475 90.369834) (width 0.19) (layer "F.Cu") (net 115) (tsta
(segment (start 86.096184 87.95943) (end 86.096184 86.987184) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 85.169164) (end 84.975637 85.074479) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.066475 89.430165) (end 86.088663 89.366756) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 87.158622 85.718368) (end 87.194648 85.695731) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 86.054731 82.785647) (end 86.077368 82.749621) (width 0.19) (layer "F.Cu") (net 115) (ts
(segment (start 85.035131 83.729164) (end 84.975637 83.634479) (width 0.19) (layer "F.Cu") (net 115) (ts

(segment (start 87.266184 84.107184) (end 87.261421 84.064905) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 87.266184 85.547184) (end 87.261421 85.504905) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.983231 90.26545) (end 85.92635 90.229709) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.208888 85.786637) (end 85.314437 85.749704) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 87.194648 85.695731) (end 87.224732 85.665647) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.314437 82.869704) (end 85.425558 82.857184) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 86.096184 90.97581) (end 86.096184 90.5) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.92635 90.229709) (end 85.862941 90.207521) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.719428 89.607521) (end 85.786184 89.6) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.796184 90.2) (end 85.786184 90.2) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 87.261421 85.589462) (end 87.266184 85.547184) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.425558 84.297184) (end 87.076184 84.297184) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.719428 90.192478) (end 85.656019 90.17029) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.114203 85.846131) (end 85.208888 85.786637) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.936908 88.686448) (end 85.909371 88.676812) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.864039 88.640661) (end 85.848517 88.615958) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.114203 83.808236) (end 85.035131 83.729164) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.208888 84.346637) (end 85.314437 84.309704) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.551635 90.087046) (end 85.515894 90.030165) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.314437 86.784663) (end 85.208888 86.74773) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 84.975637 86.514479) (end 84.938704 86.40893) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.862941 89.592478) (end 85.92635 89.57029) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 85.838881 88.191008) (end 85.848517 88.163471) (width 0.19) (layer "F.Cu") (net 115) (tstamp 1))
(segment (start 77.600547 80.937704) (end 77.63748 81.043253) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 78.3458 83.4268) (end 78.3458 82.141175) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 82.417253 83.094504) (end 82.476747 82.999819) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 82.756053 82.82432) (end 82.867174 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 78.322892 83.492266) (end 78.335401 83.472357) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 79.447252 82.740264) (end 79.477336 82.770348) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 77.976198 83.472357) (end 77.988707 83.492266) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 82.1778 83.9818) (end 82.220078 83.977036) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 79.393279 82.030054) (end 79.4058 82.141175) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 76.67 81.715) (end 76.627722 81.719763) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 76.551537 81.756452) (end 76.521453 81.786536) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))
(segment (start 78.005333 83.508892) (end 78.025242 83.521401) (width 0.19) (layer "F.Cu") (net 116) (tstamp 1))

(segment (start 82.095362 83.962984) (end 82.135521 83.977036) (width 0.19) (layer "F.Cu") (net 116) (timestamp 1c3d0cad))
(segment (start 77.600547 81.432295) (end 77.541053 81.52698) (width 0.19) (layer "F.Cu") (net 116) (timestamp 2a2d0cad))
(segment (start 82.296263 83.940347) (end 82.326347 83.910263) (width 0.19) (layer "F.Cu") (net 116) (timestamp 38d622))
(segment (start 75.5 80.275) (end 75.457721 80.279763) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 82.220078 83.977036) (end 82.260237 83.962984) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.63748 81.043253) (end 77.65 81.154374) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 75.351452 80.583463) (end 75.381536 80.613547) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 81.79978 82.920747) (end 81.878852 82.999819) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.150626 80.655) (end 77.261747 80.66752) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 82.135521 83.977036) (end 82.1778 83.9818) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 76.945 79.28) (end 76.48 79.745) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.461981 80.763947) (end 77.541053 80.843019) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 82.555819 82.920747) (end 82.650504 82.861253) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.150626 81.715) (end 76.67 81.715) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 76.48 79.745) (end 76.48 79.775625) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.261747 80.66752) (end 77.367296 80.704453) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.367296 80.704453) (end 77.461981 80.763947) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 78.35832 82.030054) (end 78.395253 81.924505) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 77.541053 81.52698) (end 77.461981 81.606052) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 81.975279 83.200053) (end 81.9878 83.311174) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 76.627722 81.719763) (end 76.587563 81.733815) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 79.477336 82.770348) (end 79.513362 82.792985) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 76.587563 81.733815) (end 76.551537 81.756452) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 79.017546 81.654321) (end 79.123095 81.691254) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 75.417562 80.293815) (end 75.381536 80.316452) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 79.553521 82.807037) (end 79.5958 82.8118) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 82.348984 83.874237) (end 82.363036 83.834078) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 82.363036 83.834078) (end 82.3678 83.7918) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 76.48 82.13) (end 77.1618 82.8118) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 76.498816 81.822562) (end 76.484764 81.862721) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 79.410563 82.664079) (end 79.424615 82.704238) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 79.4058 82.6218) (end 79.410563 82.664079) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 75.381536 80.613547) (end 75.417562 80.636184) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 75.314763 80.507278) (end 75.328815 80.547437) (width 0.19) (layer "F.Cu") (net 116) (timestamp 517bee))
(segment (start 84.5488 83.9888) (end 84.5488 86.8856) (width 0.19) (layer "F.Cu") (net 116) (timestamp 60d0cad))

(segment (start 76.371052 80.08698) (end 76.29198 80.166052) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 77.63748 81.326746) (end 77.600547 81.432295) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 81.938346 83.094504) (end 81.975279 83.200053) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 77.461981 81.606052) (end 77.367296 81.665546) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 78.047435 83.529167) (end 78.0708 83.5318) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 75.5 80.655) (end 77.150626 80.655) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 82.3678 83.7918) (end 82.3678 83.311174) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 75.381536 80.316452) (end 75.351452 80.346536) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 77.1618 82.8118) (end 77.546513 82.8118) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 78.335401 83.472357) (end 78.343167 83.450164) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 81.705095 82.861253) (end 81.79978 82.920747) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 75.351452 80.346536) (end 75.328815 80.382562) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 81.878852 82.999819) (end 81.938346 83.094504) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7022c1))
(segment (start 76.945 78.45) (end 76.945 79.28) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7750d0a0))
(segment (start 78.395253 81.924505) (end 78.454747 81.82982) (width 0.19) (layer "F.Cu") (net 116) (timestamp 7750d0a0))
(segment (start 75.980625 80.275) (end 75.5 80.275) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 82.650504 82.861253) (end 82.756053 82.82432) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 79.4058 82.141175) (end 79.4058 82.6218) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 77.924277 83.049164) (end 77.955287 83.137786) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 81.599546 82.82432) (end 81.705095 82.861253) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 77.65 81.215625) (end 77.63748 81.326746) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 75.417562 80.636184) (end 75.457721 80.650236) (width 0.19) (layer "F.Cu") (net 116) (timestamp 79ce1))
(segment (start 75.314763 80.422721) (end 75.31 80.465) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 82.006615 83.874237) (end 82.029252 83.910263) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 77.65 81.154374) (end 77.65 81.215625) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 78.025242 83.521401) (end 78.047435 83.529167) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 82.476747 82.999819) (end 82.555819 82.920747) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 78.286357 83.521401) (end 78.306266 83.508892) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 78.264164 83.529167) (end 78.286357 83.521401) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 81.9878 83.311174) (end 81.9878 83.7918) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 78.845174 81.6418) (end 78.906425 81.6418) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 76.091746 80.262479) (end 75.980625 80.275) (width 0.19) (layer "F.Cu") (net 116) (timestamp 89e))
(segment (start 85.07 87.4068) (end 85.07 91.27) (width 0.19) (layer "F.Cu") (net 116) (timestamp 956a3710))
(segment (start 85.07 91.27) (end 85.3 91.5) (width 0.19) (layer "F.Cu") (net 116) (timestamp 9aea50f0-eba))
(segment (start 75.457721 80.650236) (end 75.5 80.655) (width 0.19) (layer "F.Cu") (net 116) (timestamp 9e))

```
(segment (start 77.546513 82.8118) (end 77.639813 82.822312) (width 0.19) (layer "F.Cu") (net 116) (tstamp a
(segment (start 75.31 80.465) (end 75.314763 80.507278) (width 0.19) (layer "F.Cu") (net 116) (tstamp a
(segment (start 82.867174 82.8118) (end 83.3718 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp a
(segment (start 79.356346 81.924505) (end 79.393279 82.030054) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 77.9658 83.231086) (end 77.9658 83.4268) (width 0.19) (layer "F.Cu") (net 116) (tstamp a
(segment (start 78.306266 83.508892) (end 78.322892 83.492266) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 78.454747 81.82982) (end 78.533819 81.750748) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.639813 82.822312) (end 77.728435 82.853322) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 81.9878 83.7918) (end 81.992563 83.834078) (width 0.19) (layer "F.Cu") (net 116) (tstamp l
(segment (start 79.123095 81.691254) (end 79.21778 81.750748) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.968432 83.450164) (end 77.976198 83.472357) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.906425 81.6418) (end 79.017546 81.654321) (width 0.19) (layer "F.Cu") (net 116) (tsa
(segment (start 76.29198 80.166052) (end 76.197295 80.225546) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.734053 81.654321) (end 78.845174 81.6418) (width 0.19) (layer "F.Cu") (net 116) (tsa
(segment (start 76.197295 80.225546) (end 76.091746 80.262479) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.0708 83.5318) (end 78.2408 83.5318) (width 0.19) (layer "F.Cu") (net 116) (tstamp c6
(segment (start 82.326347 83.910263) (end 82.348984 83.874237) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.261747 81.702479) (end 77.150626 81.715) (width 0.19) (layer "F.Cu") (net 116) (tsa
(segment (start 84.5488 86.8856) (end 85.07 87.4068) (width 0.19) (layer "F.Cu") (net 116) (tstamp c8a2
(segment (start 77.988707 83.492266) (end 78.005333 83.508892) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.3678 83.311174) (end 82.38032 83.200053) (width 0.19) (layer "F.Cu") (net 116) (tsa
(segment (start 77.728435 82.853322) (end 77.807934 82.903275) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.955287 83.137786) (end 77.9658 83.231086) (width 0.19) (layer "F.Cu") (net 116) (tsa
(segment (start 77.807934 82.903275) (end 77.874324 82.969665) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 76.467479 79.886746) (end 76.430546 79.992295) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.328815 80.547437) (end 75.351452 80.583463) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.38032 83.200053) (end 82.417253 83.094504) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 75.328815 80.382562) (end 75.314763 80.422721) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 81.992563 83.834078) (end 82.006615 83.874237) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.260237 83.962984) (end 82.296263 83.940347) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.296852 81.82982) (end 79.356346 81.924505) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 78.628504 81.691254) (end 78.734053 81.654321) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 77.541053 80.843019) (end 77.600547 80.937704) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 82.029252 83.910263) (end 82.059336 83.940347) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 83.3718 82.8118) (end 84.5488 83.9888) (width 0.19) (layer "F.Cu") (net 116) (tstamp df
```

(segment (start 78.2408 83.5318) (end 78.264164 83.529167) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.513362 82.792985) (end 79.553521 82.807037) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 76.48 81.905) (end 76.48 82.13) (width 0.19) (layer "F.Cu") (net 116) (tstamp e5bf40bc-
(segment (start 79.21778 81.750748) (end 79.296852 81.82982) (width 0.19) (layer "F.Cu") (net 116) (tsta
(segment (start 76.521453 81.786536) (end 76.498816 81.822562) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 81.488425 82.8118) (end 81.599546 82.82432) (width 0.19) (layer "F.Cu") (net 116) (tstar
(segment (start 78.533819 81.750748) (end 78.628504 81.691254) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 77.9658 83.4268) (end 77.968432 83.450164) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 78.343167 83.450164) (end 78.3458 83.4268) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 76.430546 79.992295) (end 76.371052 80.08698) (width 0.19) (layer "F.Cu") (net 116) (ts
(segment (start 79.5958 82.8118) (end 81.488425 82.8118) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 79.424615 82.704238) (end 79.447252 82.740264) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 75.457721 80.279763) (end 75.417562 80.293815) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 78.3458 82.141175) (end 78.35832 82.030054) (width 0.19) (layer "F.Cu") (net 116) (tstar
(segment (start 76.484764 81.862721) (end 76.48 81.905) (width 0.19) (layer "F.Cu") (net 116) (tstamp f
(segment (start 77.874324 82.969665) (end 77.924277 83.049164) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 77.367296 81.665546) (end 77.261747 81.702479) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 82.059336 83.940347) (end 82.095362 83.962984) (width 0.19) (layer "F.Cu") (net 116) (t
(segment (start 76.48 79.775625) (end 76.467479 79.886746) (width 0.19) (layer "F.Cu") (net 116) (tstamp
(segment (start 77.268548 81.303463) (end 77.291185 81.267437) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 77.31 81.185) (end 77.305237 81.142721) (width 0.19) (layer "F.Cu") (net 117) (tstamp 0
(segment (start 81.606347 83.223336) (end 81.576263 83.193252) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 79.07832 82.763547) (end 79.0658 82.652426) (width 0.19) (layer "F.Cu") (net 117) (tstar
(segment (start 78.675287 83.545813) (end 78.644277 83.634435) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 78.644277 83.634435) (end 78.594324 83.713934) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 77.783665 83.780324) (end 77.717275 83.713934) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 78.958237 82.000616) (end 78.918078 81.986564) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 78.793362 82.000616) (end 78.757336 82.023253) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 75.358253 79.94752) (end 75.469374 79.935) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 77.238464 81.333547) (end 77.268548 81.303463) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 78.448435 83.830277) (end 78.359813 83.861287) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 76.528254 81.38752) (end 76.639375 81.375) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 78.994263 82.023253) (end 78.958237 82.000616) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 78.727252 82.053337) (end 78.704615 82.089363) (width 0.19) (layer "F.Cu") (net 117) (tsta
(segment (start 78.690563 82.129522) (end 78.6858 82.1718) (width 0.19) (layer "F.Cu") (net 117) (tstamp

(segment (start 76.248948 81.563019) (end 76.32802 81.483947) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 81.66032 83.933546) (end 81.6478 83.822425) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 75.019453 80.712295) (end 74.98252 80.606746) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.359813 83.861287) (end 78.266513 83.8718) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 79.0658 82.652426) (end 79.0658 82.1718) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 79.0658 82.1718) (end 79.061036 82.129522) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 76.068463 79.893547) (end 76.098547 79.863463) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 81.930504 84.272346) (end 81.835819 84.212852) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 76.422705 81.424453) (end 76.528254 81.38752) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.8758 81.9818) (end 78.833521 81.986564) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 82.51978 84.212852) (end 82.425095 84.272346) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 77.268548 81.066536) (end 77.238464 81.036452) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 81.697253 84.039095) (end 81.66032 83.933546) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.6858 83.452513) (end 78.675287 83.545813) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 76.135236 79.787278) (end 76.14 79.745) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 79.174747 82.963781) (end 79.115253 82.869096) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 77.623167 83.233435) (end 77.615401 83.211242) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.527934 83.780324) (end 78.448435 83.830277) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 77.951786 83.861287) (end 77.863164 83.830277) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 77.12 80.995) (end 75.469374 80.995) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.045086 83.8718) (end 77.951786 83.861287) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 82.658346 84.039095) (end 82.598852 84.13378) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.757336 82.023253) (end 78.727252 82.053337) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 77.202438 81.013815) (end 77.162279 80.999763) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.6858 82.1718) (end 78.6858 83.452513) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 76.152521 81.763253) (end 76.189454 81.657704) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 74.98252 80.323253) (end 75.019453 80.217704) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 82.036053 84.309279) (end 81.930504 84.272346) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 82.712563 83.299521) (end 82.7078 83.3418) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 77.305237 81.142721) (end 77.291185 81.102562) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 82.7078 83.822425) (end 82.695279 83.933546) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 79.046984 82.089363) (end 79.024347 82.053337) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 82.855521 83.156563) (end 82.815362 83.170615) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 78.833521 81.986564) (end 78.793362 82.000616) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))
(segment (start 83.2118 83.1518) (end 82.8978 83.1518) (width 0.19) (layer "F.Cu") (net 117) (timestamp 395520))

(segment (start 79.565174 83.1518) (end 79.454053 83.13928) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da

(segment (start 74.97 80.434374) (end 74.98252 80.323253) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da

(segment (start 84.5 91.5) (end 84.73 91.27) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da

(segment (start 75.158019 80.886052) (end 75.078947 80.80698) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da

(segment (start 79.024347 82.053337) (end 78.994263 82.023253) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da

(segment (start 81.4578 83.1518) (end 79.565174 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6823b53a-1da

(segment (start 76.14 82.29) (end 76.14 81.874374) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f16188

(segment (start 75.358253 80.982479) (end 75.252704 80.945546) (width 0.19) (layer "F.Cu") (net 117) (tstamp 6f16188

(segment (start 77.5208 83.1518) (end 77.0018 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 82.147174 84.3218) (end 82.036053 84.309279) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 77.615401 83.211242) (end 77.602892 83.191333) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 82.779336 83.193252) (end 82.749252 83.223336) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 77.202438 81.356184) (end 77.238464 81.333547) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 77.717275 83.713934) (end 77.667322 83.634435) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 76.032437 79.916184) (end 76.068463 79.893547) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 77.238464 81.036452) (end 77.202438 81.013815) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 81.628984 83.259362) (end 81.606347 83.223336) (width 0.19) (layer "F.Cu") (net 117) (tstamp 72

(segment (start 77.162279 80.999763) (end 77.12 80.995) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 77.544164 83.154432) (end 77.5208 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 79.061036 82.129522) (end 79.046984 82.089363) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 82.208425 84.3218) (end 82.147174 84.3218) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 77.291185 81.102562) (end 77.268548 81.066536) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 81.540237 83.170615) (end 81.500078 83.156563) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 81.500078 83.156563) (end 81.4578 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 77.566357 83.162198) (end 77.544164 83.154432) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 82.598852 84.13378) (end 82.51978 84.212852) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 79.348504 83.102347) (end 79.253819 83.042853) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 77.863164 83.830277) (end 77.783665 83.780324) (width 0.19) (layer "F.Cu") (net 117) (tstamp 80

(segment (start 84.2088 84.1488) (end 83.2118 83.1518) (width 0.19) (layer "F.Cu") (net 117) (tstamp a0

(segment (start 79.115253 82.869096) (end 79.07832 82.763547) (width 0.19) (layer "F.Cu") (net 117) (tstamp a0

(segment (start 77.305237 81.227278) (end 77.31 81.185) (width 0.19) (layer "F.Cu") (net 117) (tstamp a0

(segment (start 76.14 79.745) (end 75.675 79.28) (width 0.19) (layer "F.Cu") (net 117) (tstamp a594e6b4

(segment (start 82.726615 83.259362) (end 82.712563 83.299521) (width 0.19) (layer "F.Cu") (net 117) (tstamp a594e6b4

(segment (start 76.14 81.874374) (end 76.152521 81.763253) (width 0.19) (layer "F.Cu") (net 117) (tstamp a594e6b4

(segment (start 76.098547 79.863463) (end 76.121184 79.827437) (width 0.19) (layer "F.Cu") (net 117) (tstamp a594e6b4

(segment (start 84.73 91.27) (end 84.73 87.5494) (width 0.19) (layer "F.Cu") (net 117) (tstamp a9d1f73c

(segment (start 76.121184 79.827437) (end 76.135236 79.787278) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 75.252704 80.945546) (end 75.158019 80.886052) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 79.454053 83.13928) (end 79.348504 83.102347) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 77.6258 83.452513) (end 77.6258 83.2568) (width 0.19) (layer "F.Cu") (net 117) (tstamp a

(segment (start 77.667322 83.634435) (end 77.636312 83.545813) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 75.675 79.28) (end 75.675 78.45) (width 0.19) (layer "F.Cu") (net 117) (tstamp b22766c2

(segment (start 77.6258 83.2568) (end 77.623167 83.233435) (width 0.19) (layer "F.Cu") (net 117) (tstamp

(segment (start 81.643036 83.299521) (end 81.628984 83.259362) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 81.835819 84.212852) (end 81.756747 84.13378) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 78.704615 82.089363) (end 78.690563 82.129522) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 77.602892 83.191333) (end 77.586266 83.174707) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 77.586266 83.174707) (end 77.566357 83.162198) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 81.6478 83.3418) (end 81.643036 83.299521) (width 0.19) (layer "F.Cu") (net 117) (tstamp

(segment (start 75.078947 80.80698) (end 75.019453 80.712295) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 75.469374 79.935) (end 75.95 79.935) (width 0.19) (layer "F.Cu") (net 117) (tstamp c32c

(segment (start 82.7078 83.3418) (end 82.7078 83.822425) (width 0.19) (layer "F.Cu") (net 117) (tstamp c

(segment (start 81.576263 83.193252) (end 81.540237 83.170615) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 82.319546 84.309279) (end 82.208425 84.3218) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 82.8978 83.1518) (end 82.855521 83.156563) (width 0.19) (layer "F.Cu") (net 117) (tstamp

(segment (start 77.162279 81.370236) (end 77.202438 81.356184) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 74.98252 80.606746) (end 74.97 80.495625) (width 0.19) (layer "F.Cu") (net 117) (tstamp

(segment (start 82.695279 83.933546) (end 82.658346 84.039095) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 82.815362 83.170615) (end 82.779336 83.193252) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 77.291185 81.267437) (end 77.305237 81.227278) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 77.0018 83.1518) (end 76.14 82.29) (width 0.19) (layer "F.Cu") (net 117) (tstamp d4619f

(segment (start 76.32802 81.483947) (end 76.422705 81.424453) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 75.992278 79.930236) (end 76.032437 79.916184) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 75.95 79.935) (end 75.992278 79.930236) (width 0.19) (layer "F.Cu") (net 117) (tstamp d

(segment (start 82.425095 84.272346) (end 82.319546 84.309279) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 84.73 87.5494) (end 84.2088 87.0282) (width 0.19) (layer "F.Cu") (net 117) (tstamp dcb

(segment (start 81.756747 84.13378) (end 81.697253 84.039095) (width 0.19) (layer "F.Cu") (net 117) (ts

(segment (start 76.639375 81.375) (end 77.12 81.375) (width 0.19) (layer "F.Cu") (net 117) (tstamp e028

(segment (start 78.594324 83.713934) (end 78.527934 83.780324) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 76.189454 81.657704) (end 76.248948 81.563019) (width 0.19) (layer "F.Cu") (net 117) (t

(segment (start 81.6478 83.822425) (end 81.6478 83.3418) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 75.158019 80.043947) (end 75.252704 79.984453) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 82.749252 83.223336) (end 82.726615 83.259362) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 77.12 81.375) (end 77.162279 81.370236) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 79.253819 83.042853) (end 79.174747 82.963781) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 84.2088 87.0282) (end 84.2088 84.1488) (width 0.19) (layer "F.Cu") (net 117) (tstamp eb
(segment (start 75.078947 80.123019) (end 75.158019 80.043947) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 75.019453 80.217704) (end 75.078947 80.123019) (width 0.19) (layer "F.Cu") (net 117) (t
(segment (start 74.97 80.495625) (end 74.97 80.434374) (width 0.19) (layer "F.Cu") (net 117) (tstamp f3
(segment (start 75.469374 80.995) (end 75.358253 80.982479) (width 0.19) (layer "F.Cu") (net 117) (tstar
(segment (start 77.636312 83.545813) (end 77.6258 83.452513) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 75.252704 79.984453) (end 75.358253 79.94752) (width 0.19) (layer "F.Cu") (net 117) (ts
(segment (start 78.918078 81.986564) (end 78.8758 81.9818) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 78.266513 83.8718) (end 78.045086 83.8718) (width 0.19) (layer "F.Cu") (net 117) (tstamp
(segment (start 74.487452 84.411581) (end 74.40838 84.490653) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 82.891127 87.690066) (end 82.823947 87.690065) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 75.364653 84.58708) (end 75.259104 84.550147) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 82.758454 87.675117) (end 82.697927 87.645969) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 82.574371 87.491035) (end 82.559423 87.425542) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 71.17252 81.788253) (end 71.209453 81.682704) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 73.495237 82.607721) (end 73.481185 82.567562) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 73.31 82.46) (end 71.659374 82.46) (width 0.19) (layer "F.Cu") (net 118) (tstamp 09988e
(segment (start 71.548253 82.447479) (end 71.442704 82.410546) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 72.33 79.7976) (end 71.865 79.3326) (width 0.19) (layer "F.Cu") (net 118) (tstamp 0f56a
(segment (start 72.612705 82.889453) (end 72.718254 82.85252) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 83.7 90.982211) (end 83.703894 90.978317) (width 0.15) (layer "F.Cu") (net 118) (tstamp
(segment (start 74.40838 84.490653) (end 74.313695 84.550147) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 83.228258 87.456132) (end 83.175736 87.498019) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 82.822503 86.762538) (end 82.793355 86.702011) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 72.258463 81.358547) (end 72.288547 81.328463) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 74.601163 83.577322) (end 74.5964 83.6196) (width 0.19) (layer "F.Cu") (net 118) (tstamp
(segment (start 82.603519 87.551562) (end 82.574371 87.491035) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 82.697927 87.645969) (end 82.645404 87.604084) (width 0.19) (layer "F.Cu") (net 118) (t
(segment (start 74.9764 83.6196) (end 74.971636 83.577322) (width 0.19) (layer "F.Cu") (net 118) (tstamp
(segment (start 71.348019 81.508947) (end 71.442704 81.449453) (width 0.19) (layer "F.Cu") (net 118) (t

(segment (start 73.352279 82.835236) (end 73.392438 82.821184) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 71.16 81.899374) (end 71.17252 81.788253) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 74.868837 83.448416) (end 74.828678 83.434364) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 83.421458 87.412037) (end 83.354278 87.412036) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 73.428464 82.798547) (end 73.458548 82.768463) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 73.481185 82.567562) (end 73.458548 82.531536) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 71.268947 81.588019) (end 71.348019 81.508947) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 72.829375 82.84) (end 73.31 82.84) (width 0.19) (layer "F.Cu") (net 118) (tstamp 43e77d00))
(segment (start 71.659374 82.46) (end 71.548253 82.447479) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 83.486951 87.426985) (end 83.421458 87.412037) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 82.751471 86.649489) (end 80.701582 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 74.637852 83.501137) (end 74.615215 83.537163) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 72.941882 84.5996) (end 72.33 83.987718) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 71.209453 81.682704) (end 71.268947 81.588019) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 80.701582 84.5996) (end 75.475774 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 74.097025 84.5996) (end 72.941882 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 82.645405 87.17982) (end 82.75147 87.073752) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 82.645404 87.604084) (end 82.603519 87.551562) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 74.208146 84.58708) (end 74.097025 84.5996) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 82.75147 87.073752) (end 82.793356 87.021231) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 74.615215 83.537163) (end 74.601163 83.577322) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 73.495237 82.692278) (end 73.5 82.65) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 82.95662 87.675116) (end 82.891127 87.690066) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 72.33 81.21) (end 72.33 79.7976) (width 0.19) (layer "F.Cu") (net 118) (tstamp 735a349b))
(segment (start 82.837452 86.895211) (end 82.837451 86.828031) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 74.703962 83.448416) (end 74.667936 83.471053) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 72.718254 82.85252) (end 72.829375 82.84) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 73.352279 82.464763) (end 73.31 82.46) (width 0.19) (layer "F.Cu") (net 118) (tstamp 79000000))
(segment (start 74.546946 84.316896) (end 74.487452 84.411581) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 75.164419 84.490653) (end 75.085347 84.411581) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 83.6 87.498018) (end 83.547478 87.456133) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 82.822502 86.960704) (end 82.837452 86.895211) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 73.392438 82.478815) (end 73.352279 82.464763) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 73.481185 82.732437) (end 73.495237 82.692278) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))
(segment (start 83.547478 87.456133) (end 83.486951 87.426985) (width 0.19) (layer "F.Cu") (net 118) (tstamp 6cd00000))

(segment (start 71.442704 82.410546) (end 71.348019 82.351052) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 74.5964 83.6196) (end 74.5964 84.100226) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 74.313695 84.550147) (end 74.208146 84.58708) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 83.069668 87.604084) (end 83.017147 87.64597) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 83.7 91.5) (end 83.7 90.982211) (width 0.15) (layer "F.Cu") (net 118) (tstamp 893e4cba-2))

(segment (start 71.16 81.960625) (end 71.16 81.899374) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 71.865 79.3326) (end 71.865 78.45) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8d34d9a2))

(segment (start 83.703894 90.978317) (end 83.703894 87.601912) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 74.98892 84.211347) (end 74.9764 84.100226) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 72.33 83.987718) (end 72.33 83.339374) (width 0.19) (layer "F.Cu") (net 118) (tstamp 92f3d9a2))

(segment (start 74.583879 84.211347) (end 74.546946 84.316896) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.574372 87.292869) (end 82.603518 87.232342) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 75.259104 84.550147) (end 75.164419 84.490653) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 75.085347 84.411581) (end 75.025853 84.316896) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 72.311184 81.292437) (end 72.325236 81.252278) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.559423 87.425542) (end 82.559422 87.358362) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 72.379454 83.122704) (end 72.438948 83.028019) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 74.7864 83.4296) (end 74.744121 83.434364) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.837451 86.828031) (end 82.822503 86.762538) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 72.182278 81.395236) (end 72.222437 81.381184) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 74.828678 83.434364) (end 74.7864 83.4296) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 71.548253 81.41252) (end 71.659374 81.4) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 73.5 82.65) (end 73.495237 82.607721) (width 0.19) (layer "F.Cu") (net 118) (tstamp b8f3d9a2))

(segment (start 72.342521 83.228253) (end 72.379454 83.122704) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.793355 86.702011) (end 82.751471 86.649489) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 72.51802 82.948947) (end 72.612705 82.889453) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.603518 87.232342) (end 82.645405 87.17982) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 83.703894 87.601912) (end 83.6 87.498018) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 71.209453 82.177295) (end 71.17252 82.071746) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 73.392438 82.821184) (end 73.428464 82.798547) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 83.017147 87.64597) (end 82.95662 87.675116) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.793356 87.021231) (end 82.822502 86.960704) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 71.17252 82.071746) (end 71.16 81.960625) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 72.438948 83.028019) (end 72.51802 82.948947) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 74.934947 83.501137) (end 74.904863 83.471053) (width 0.19) (layer "F.Cu") (net 118) (tstamp 8c3d9a2b))

(segment (start 82.823947 87.690065) (end 82.758454 87.675117) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 73.458548 82.768463) (end 73.481185 82.732437) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 74.957584 83.537163) (end 74.934947 83.501137) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 83.175736 87.498019) (end 83.069668 87.604084) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 74.904863 83.471053) (end 74.868837 83.448416) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 83.288785 87.426986) (end 83.228258 87.456132) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 82.559422 87.358362) (end 82.574372 87.292869) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 71.659374 81.4) (end 72.14 81.4) (width 0.19) (layer "F.Cu") (net 118) (tstamp e30ed806
(segment (start 71.348019 82.351052) (end 71.268947 82.27198) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 72.14 81.4) (end 72.182278 81.395236) (width 0.19) (layer "F.Cu") (net 118) (tstamp eb4
(segment (start 75.475774 84.5996) (end 75.364653 84.58708) (width 0.19) (layer "F.Cu") (net 118) (tsta
(segment (start 74.971636 83.577322) (end 74.957584 83.537163) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 72.33 83.339374) (end 72.342521 83.228253) (width 0.19) (layer "F.Cu") (net 118) (tstamp
(segment (start 71.442704 81.449453) (end 71.548253 81.41252) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 75.025853 84.316896) (end 74.98892 84.211347) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 73.458548 82.531536) (end 73.428464 82.501452) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 74.744121 83.434364) (end 74.703962 83.448416) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 73.428464 82.501452) (end 73.392438 82.478815) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 72.222437 81.381184) (end 72.258463 81.358547) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 74.667936 83.471053) (end 74.637852 83.501137) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 74.5964 84.100226) (end 74.583879 84.211347) (width 0.19) (layer "F.Cu") (net 118) (tsta
(segment (start 73.31 82.84) (end 73.352279 82.835236) (width 0.19) (layer "F.Cu") (net 118) (tstamp f7
(segment (start 72.288547 81.328463) (end 72.311184 81.292437) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 83.354278 87.412036) (end 83.288785 87.426986) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 71.268947 82.27198) (end 71.209453 82.177295) (width 0.19) (layer "F.Cu") (net 118) (ts
(segment (start 72.325236 81.252278) (end 72.33 81.21) (width 0.19) (layer "F.Cu") (net 118) (tstamp fe
(segment (start 74.9764 84.100226) (end 74.9764 83.6196) (width 0.19) (layer "F.Cu") (net 118) (tstamp
(segment (start 82.9 91.5) (end 82.9 90.982211) (width 0.15) (layer "F.Cu") (net 119) (tstamp 00000000-
(segment (start 82.9 90.982211) (end 82.903894 90.978317) (width 0.15) (layer "F.Cu") (net 119) (tstamp 0
(segment (start 69.309315 82.353384) (end 69.269337 82.339395) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.78467 82.221697) (end 67.703308 82.140335) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.227248 82.714653) (end 69.269337 82.70991) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.703308 81.434864) (end 67.78467 81.353502) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.903894 90.978317) (end 82.903894 88.864742) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.09725 88.068735) (end 82.055365 88.016213) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 81.957948 88.537895) (end 82.055364 88.440476) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 81.886915 88.650944) (end 81.916061 88.590417) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.532152 88.822856) (end 82.47963 88.864743) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.592679 88.79371) (end 82.532152 88.822856) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.055 79.3326) (end 68.055 78.45) (width 0.19) (layer "F.Cu") (net 119) (tstamp 1942f7

(segment (start 69.227248 82.334653) (end 68.6819 82.334653) (width 0.19) (layer "F.Cu") (net 119) (tsta

(segment (start 81.916061 88.590417) (end 81.957948 88.537895) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.09725 88.387955) (end 82.126398 88.327429) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.943011 85.303011) (end 68.5038 84.8638) (width 0.19) (layer "F.Cu") (net 119) (tstamp

(segment (start 69.345179 82.375918) (end 69.309315 82.353384) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.658172 88.77876) (end 82.592679 88.79371) (width 0.19) (layer "F.Cu") (net 119) (tsta

(segment (start 68.485069 81.13432) (end 68.499058 81.094342) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.141347 88.194756) (end 82.126398 88.129261) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.382211 88.962159) (end 82.32969 89.004045) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.396721 81.222668) (end 68.432585 81.200134) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 69.397663 82.607573) (end 69.411652 82.567595) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.5038 83.228488) (end 68.516682 83.114149) (width 0.19) (layer "F.Cu") (net 119) (tsta

(segment (start 82.851372 88.822857) (end 82.790845 88.793709) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 81.957947 88.962159) (end 81.916062 88.909637) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.136491 89.048142) (end 82.070996 89.033193) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 67.990702 81.254282) (end 68.105041 81.2414) (width 0.19) (layer "F.Cu") (net 119) (tsta

(segment (start 67.990702 82.320917) (end 67.882096 82.282914) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 67.78467 81.353502) (end 67.882096 81.292285) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.6819 82.334653) (end 68.6819 82.3338) (width 0.19) (layer "F.Cu") (net 119) (tstamp 4

(segment (start 81.886914 88.84911) (end 81.871966 88.783617) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 69.017635 82.714653) (end 69.227248 82.714653) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 69.309315 82.695921) (end 69.345179 82.673387) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.790845 88.793709) (end 82.725352 88.778761) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 69.416395 82.5238) (end 69.411652 82.48171) (width 0.19) (layer "F.Cu") (net 119) (tstar

(segment (start 69.397663 82.441732) (end 69.375129 82.405868) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.055364 88.440476) (end 82.09725 88.387955) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.5038 79.7814) (end 68.055 79.3326) (width 0.19) (layer "F.Cu") (net 119) (tstamp 5df

(segment (start 82.126398 88.327429) (end 82.141347 88.261934) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 68.432585 81.200134) (end 68.462535 81.170184) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 67.591205 81.755235) (end 67.604088 81.640896) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 82.126398 88.129261) (end 82.09725 88.068735) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.642091 82.042909) (end 67.604088 81.934303) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.314653 81.2414) (end 68.356743 81.236657) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.105041 81.2414) (end 68.314653 81.2414) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 79.342163 85.303011) (end 68.943011 85.303011) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.47963 88.864743) (end 82.382211 88.962159) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.203669 89.048142) (end 82.136491 89.048142) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.345179 82.673387) (end 69.375129 82.643437) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.416395 82.525506) (end 69.416395 82.5238) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.871965 88.716437) (end 81.886915 88.650944) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.604088 81.934303) (end 67.591205 81.819964) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.141347 88.261934) (end 82.141347 88.194756) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.871966 88.783617) (end 81.871965 88.716437) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.703308 82.140335) (end 67.642091 82.042909) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.591205 81.819964) (end 67.591205 81.755235) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.269337 82.70991) (end 69.309315 82.695921) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.554685 83.005543) (end 68.615902 82.908117) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.269164 89.033193) (end 82.203669 89.048142) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.697264 82.826755) (end 68.79469 82.765538) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.375129 82.643437) (end 69.397663 82.607573) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.725352 88.778761) (end 82.658172 88.77876) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.642091 81.53229) (end 67.703308 81.434864) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.5038 81.052253) (end 68.5038 79.7814) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.01047 89.004045) (end 81.957947 88.962159) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.070996 89.033193) (end 82.01047 89.004045) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.32969 89.004045) (end 82.269164 89.033193) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.903894 88.864742) (end 82.851372 88.822857) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.903296 82.727535) (end 69.017635 82.714653) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.105041 82.3338) (end 67.990702 82.320917) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.882096 81.292285) (end 67.990702 81.254282) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.055365 88.016213) (end 79.342163 85.303011) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.882096 82.282914) (end 67.78467 82.221697) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 81.916062 88.909637) (end 81.886914 88.84911) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.499058 81.094342) (end 68.5038 81.052253) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.516682 83.114149) (end 68.554685 83.005543) (width 0.19) (layer "F.Cu") (net 119) (ts

(segment (start 69.269337 82.339395) (end 69.227248 82.334653) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.79469 82.765538) (end 68.903296 82.727535) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.462535 81.170184) (end 68.485069 81.13432) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.411652 82.567595) (end 69.416395 82.525506) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 67.604088 81.640896) (end 67.642091 81.53229) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.6819 82.3338) (end 68.105041 82.3338) (width 0.19) (layer "F.Cu") (net 119) (tstamp
(segment (start 69.375129 82.405868) (end 69.345179 82.375918) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.5038 84.8638) (end 68.5038 83.228488) (width 0.19) (layer "F.Cu") (net 119) (tstamp
(segment (start 68.615902 82.908117) (end 68.697264 82.826755) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 68.356743 81.236657) (end 68.396721 81.222668) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 69.411652 82.48171) (end 69.397663 82.441732) (width 0.19) (layer "F.Cu") (net 119) (ts
(segment (start 82.1 91.5) (end 82.1 90.982211) (width 0.15) (layer "F.Cu") (net 120) (tstamp 00000000-
(segment (start 82.1 90.982211) (end 82.103894 90.978317) (width 0.15) (layer "F.Cu") (net 120) (tstamp
(segment (start 65.93666 84.349009) (end 65.944463 84.383197) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.858172 90.10833) (end 81.925352 90.108331) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.12537 85.5356) (end 66.230148 85.5356) (width 0.19) (layer "F.Cu") (net 120) (tstamp
(segment (start 81.078266 89.989163) (end 81.063316 90.054656) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 67.779582 86.169998) (end 66.870579 85.260995) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 64.71 79.745) (end 64.71 83.100418) (width 0.19) (layer "F.Cu") (net 120) (tstamp 0eef0
(segment (start 81.326397 89.458832) (end 81.341345 89.524325) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.792679 90.12328) (end 81.858172 90.10833) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.063317 90.121836) (end 81.078265 90.187329) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.944463 84.383197) (end 65.944463 84.418263) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.648293 85.137357) (end 65.693754 85.231758) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 64.245 79.28) (end 64.71 79.745) (width 0.19) (layer "F.Cu") (net 120) (tstamp 1d2f886f
(segment (start 81.255364 89.770046) (end 81.149299 89.876114) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.732152 90.152426) (end 81.792679 90.12328) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.149298 90.300378) (end 81.201821 90.342263) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.693754 84.733879) (end 65.648293 84.82828) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.149299 89.876114) (end 81.107412 89.928636) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.426699 85.466824) (end 66.508617 85.401496) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.395021 90.38636) (end 81.460514 90.37141) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.297249 89.398305) (end 81.326397 89.458832) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.82661 85.381205) (end 65.846901 85.401496) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.777381 85.216113) (end 66.811569 85.223916) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 64.245 78.45) (end 64.245 79.28) (width 0.19) (layer "F.Cu") (net 120) (tstamp 4f90f8a4

(segment (start 64.71 83.100418) (end 65.899582 84.289999) (width 0.19) (layer "F.Cu") (net 120) (tstamp

(segment (start 81.341345 89.524325) (end 81.341346 89.591505) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 67.779582 86.17) (end 78.079582 86.17) (width 0.19) (layer "F.Cu") (net 120) (tstamp 5f

(segment (start 81.107412 89.928636) (end 81.078266 89.989163) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.063316 90.054656) (end 81.063317 90.121836) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.649117 85.260995) (end 66.676533 85.239131) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.341346 89.591505) (end 81.326396 89.656998) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.693754 85.231758) (end 65.759081 85.313677) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.332298 85.512285) (end 66.426699 85.466824) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.648293 84.82828) (end 65.624978 84.93043) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.230148 85.5356) (end 66.332298 85.512285) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.078265 90.187329) (end 81.107413 90.247856) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.846901 85.401496) (end 65.928819 85.466824) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.326396 89.656998) (end 81.29725 89.717525) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.759081 85.313677) (end 65.82661 85.381205) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 78.079582 86.17) (end 81.255365 89.345783) (width 0.19) (layer "F.Cu") (net 120) (tstamp

(segment (start 65.944463 84.418263) (end 65.93666 84.452451) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.201821 90.342263) (end 81.262348 90.371411) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.327841 90.386359) (end 81.395021 90.38636) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.899582 84.289999) (end 65.921445 84.317416) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.93666 84.452451) (end 65.921445 84.484045) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.759081 84.651961) (end 65.693754 84.733879) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.742315 85.216113) (end 66.777381 85.216113) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 65.928819 85.466824) (end 66.02322 85.512285) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.29725 89.717525) (end 81.255364 89.770046) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.811569 85.223916) (end 66.843162 85.239131) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.67963 90.194313) (end 81.732152 90.152426) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.925352 90.108331) (end 81.990845 90.123279) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.843162 85.239131) (end 66.870579 85.260995) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 82.051372 90.152427) (end 82.103894 90.194312) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 82.103894 90.194312) (end 82.103894 90.978317) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 66.02322 85.512285) (end 66.12537 85.5356) (width 0.19) (layer "F.Cu") (net 120) (tstamp

(segment (start 65.921445 84.317416) (end 65.93666 84.349009) (width 0.19) (layer "F.Cu") (net 120) (ts

(segment (start 81.255365 89.345783) (end 81.297249 89.398305) (width 0.19) (layer "F.Cu") (net 120) (ts

```
(segment (start 65.899582 84.511461) (end 65.759081 84.651961) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 67.779582 86.17) (end 67.779582 86.169998) (width 0.19) (layer "F.Cu") (net 120) (tstamp
(segment (start 66.708127 85.223916) (end 66.742315 85.216113) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.921445 84.484045) (end 65.899582 84.511461) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.460514 90.37141) (end 81.521041 90.342264) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.573562 90.300378) (end 81.67963 90.194313) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.262348 90.371411) (end 81.327841 90.386359) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.990845 90.123279) (end 82.051372 90.152427) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.508617 85.401496) (end 66.649117 85.260995) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.624978 84.93043) (end 65.624978 85.035207) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 65.624978 85.035207) (end 65.648293 85.137357) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.107413 90.247856) (end 81.149298 90.300378) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 66.676533 85.239131) (end 66.708127 85.223916) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 81.521041 90.342264) (end 81.573562 90.300378) (width 0.19) (layer "F.Cu") (net 120) (ts
(segment (start 69.998 87.7034) (end 69.998 87.222774) (width 0.19) (layer "F.Cu") (net 121) (tstamp 05
(segment (start 69.659452 87.821863) (end 69.689536 87.851947) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 70.386253 86.73592) (end 70.497374 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstar
(segment (start 69.118625 86.7234) (end 69.229746 86.73592) (width 0.19) (layer "F.Cu") (net 121) (tstar
(segment (start 81.07 91.27) (end 81.3 91.5) (width 0.19) (layer "F.Cu") (net 121) (tstamp 0fec6fef-41d
(segment (start 61.705 78.45) (end 61.705 79.28) (width 0.19) (layer "F.Cu") (net 121) (tstamp 112757a0
(segment (start 69.622763 87.745678) (end 69.636815 87.785837) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 70.106947 86.911419) (end 70.186019 86.832347) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 69.725562 87.874584) (end 69.765721 87.888636) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 81.07 90.722) (end 81.07 91.27) (width 0.19) (layer "F.Cu") (net 121) (tstamp 2b23c16c-
(segment (start 70.047453 87.006104) (end 70.106947 86.911419) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 77.0714 86.7234) (end 81.07 90.722) (width 0.19) (layer "F.Cu") (net 121) (tstamp 3c1cd
(segment (start 69.956547 87.821863) (end 69.979184 87.785837) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 69.765721 87.888636) (end 69.808 87.8934) (width 0.19) (layer "F.Cu") (net 121) (tstamp
(segment (start 69.618 87.7034) (end 69.622763 87.745678) (width 0.19) (layer "F.Cu") (net 121) (tstamp
(segment (start 69.42998 86.832347) (end 69.509052 86.911419) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 69.850278 87.888636) (end 69.890437 87.874584) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 70.186019 86.832347) (end 70.280704 86.772853) (width 0.19) (layer "F.Cu") (net 121) (ts
(segment (start 69.605479 87.111653) (end 69.618 87.222774) (width 0.19) (layer "F.Cu") (net 121) (tstar
(segment (start 69.229746 86.73592) (end 69.335295 86.772853) (width 0.19) (layer "F.Cu") (net 121) (tstar
(segment (start 69.808 87.8934) (end 69.850278 87.888636) (width 0.19) (layer "F.Cu") (net 121) (tstamp
```

(segment (start 69.890437 87.874584) (end 69.926463 87.851947) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a8d-4231-4231-4231-4231))

(segment (start 69.618 87.222774) (end 69.618 87.7034) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.926463 87.851947) (end 69.956547 87.821863) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 61.24 81.38) (end 66.5834 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp b1660a8d-4231-4231-4231-4231))

(segment (start 69.509052 86.911419) (end 69.568546 87.006104) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.636815 87.785837) (end 69.659452 87.821863) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.280704 86.772853) (end 70.386253 86.73592) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.568546 87.006104) (end 69.605479 87.111653) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 61.24 79.745) (end 61.24 81.38) (width 0.19) (layer "F.Cu") (net 121) (tstamp d0b1f0ce-4231-4231-4231-4231))

(segment (start 69.993236 87.745678) (end 69.998 87.7034) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.979184 87.785837) (end 69.993236 87.745678) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.998 87.222774) (end 70.01052 87.111653) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.689536 87.851947) (end 69.725562 87.874584) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 61.705 79.28) (end 61.24 79.745) (width 0.19) (layer "F.Cu") (net 121) (tstamp ddc35731-4231-4231-4231-4231))

(segment (start 69.335295 86.772853) (end 69.42998 86.832347) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 66.5834 86.7234) (end 69.118625 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.497374 86.7234) (end 77.0714 86.7234) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.01052 87.111653) (end 70.047453 87.006104) (width 0.19) (layer "F.Cu") (net 121) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.273236 87.211121) (end 69.278 87.2534) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.259184 87.170962) (end 69.273236 87.211121) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.14998 88.124452) (end 70.229052 88.04538) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.356815 87.170962) (end 70.379452 87.134936) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.088 87.0634) (end 69.130278 87.068163) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.229052 88.04538) (end 70.288546 87.950695) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 60.9 79.745) (end 60.9 81.53) (width 0.19) (layer "F.Cu") (net 122) (tstamp 16efe8b9-c357-4231-4231-4231))

(segment (start 60.435 78.45) (end 60.435 79.28) (width 0.19) (layer "F.Cu") (net 122) (tstamp 230d666a-4231-4231-4231-4231))

(segment (start 80.73 91.27) (end 80.5 91.5) (width 0.19) (layer "F.Cu") (net 122) (tstamp 2a1d166c-b5d9-4231-4231-4231))

(segment (start 70.485721 87.068163) (end 70.528 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 60.435 79.28) (end 60.9 79.745) (width 0.19) (layer "F.Cu") (net 122) (tstamp 2fd8406d-4231-4231-4231-4231))

(segment (start 69.278 87.734025) (end 69.29052 87.845146) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.445562 87.082215) (end 70.485721 87.068163) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.325479 87.845146) (end 70.338 87.734025) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.386947 88.04538) (end 69.466019 88.124452) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 69.777374 88.2334) (end 69.838625 88.2334) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c1b1b1b-4231-4231-4231-4231))

(segment (start 70.528 87.0634) (end 76.9288 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp 48e1b1b1-4231-4231-4231-4231))

(segment (start 70.342763 87.211121) (end 70.356815 87.170962) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.206463 87.104852) (end 69.236547 87.134936) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 70.379452 87.134936) (end 70.409536 87.104852) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.130278 87.068163) (end 69.170437 87.082215) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.327453 87.950695) (end 69.386947 88.04538) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 80.73 90.8646) (end 80.73 91.27) (width 0.19) (layer "F.Cu") (net 122) (tstamp 9c399365
(segment (start 69.29052 87.845146) (end 69.327453 87.950695) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 70.055295 88.183946) (end 70.14998 88.124452) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.838625 88.2334) (end 69.949746 88.220879) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.666253 88.220879) (end 69.777374 88.2334) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.949746 88.220879) (end 70.055295 88.183946) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.466019 88.124452) (end 69.560704 88.183946) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.560704 88.183946) (end 69.666253 88.220879) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.236547 87.134936) (end 69.259184 87.170962) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.170437 87.082215) (end 69.206463 87.104852) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 60.9 81.53) (end 66.4334 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp d92b101
(segment (start 66.4334 87.0634) (end 69.088 87.0634) (width 0.19) (layer "F.Cu") (net 122) (tstamp e32
(segment (start 70.409536 87.104852) (end 70.445562 87.082215) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 70.338 87.734025) (end 70.338 87.2534) (width 0.19) (layer "F.Cu") (net 122) (tstamp f2
(segment (start 76.9288 87.0634) (end 80.73 90.8646) (width 0.19) (layer "F.Cu") (net 122) (tstamp f265
(segment (start 70.288546 87.950695) (end 70.325479 87.845146) (width 0.19) (layer "F.Cu") (net 122) (ts
(segment (start 69.278 87.2534) (end 69.278 87.734025) (width 0.19) (layer "F.Cu") (net 122) (tstamp f5
(segment (start 70.338 87.2534) (end 70.342763 87.211121) (width 0.19) (layer "F.Cu") (net 122) (tstamp
(segment (start 86.9 92.3) (end 87.300001 91.899999) (width 0.15) (layer "F.Cu") (net 123) (tstamp 000000
(segment (start 88.578904 83.048547) (end 88.61493 83.071184) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.823128 83.139453) (end 90.917813 83.198947) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.54882 84.221536) (end 88.526183 84.257562) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.917813 84.041052) (end 90.823128 84.100546) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.093312 83.478253) (end 91.105832 83.589374) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.996885 83.96198) (end 90.917813 84.041052) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.54882 83.018463) (end 88.578904 83.048547) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 91.056379 83.867295) (end 90.996885 83.96198) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.512131 84.382278) (end 88.526183 84.422437) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 90.917813 83.198947) (end 90.996885 83.278019) (width 0.19) (layer "F.Cu") (net 123) (ts
(segment (start 88.526183 82.817562) (end 88.512131 82.857721) (width 0.19) (layer "F.Cu") (net 123) (ts

(segment (start 90.717579 85.577479) (end 90.606458 85.59) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.9966 85.59) (end 89.954322 85.594763) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.507368 84.34) (end 88.512131 84.382278) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.8066 88.555218) (end 87.311818 91.05) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.697368 84.15) (end 88.655089 84.154763) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.697368 84.53) (end 90.606458 84.53) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 90.917813 85.481052) (end 90.823128 85.540546) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 90.996885 85.40198) (end 90.917813 85.481052) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 90.717579 84.137479) (end 90.606458 84.15) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.307225 82.71) (end 88.697368 82.71) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.61493 83.071184) (end 88.655089 83.085236) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 91.056379 84.812704) (end 91.093312 84.918253) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.697652 82.52198) (end 89.61858 82.601052) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.578904 84.191452) (end 88.54882 84.221536) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.697368 82.71) (end 88.655089 82.714763) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.757146 82.427295) (end 89.697652 82.52198) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.825416 85.697562) (end 89.811364 85.737721) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 84.565 78.45) (end 84.565 79.28) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 91.093312 84.918253) (end 91.105832 85.029374) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.526183 84.422437) (end 88.54882 84.458463) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.54882 84.458463) (end 88.578904 84.488547) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 87.300001 91.061817) (end 87.311818 91.05) (width 0.15) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.54882 82.781536) (end 88.526183 82.817562) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 90.606458 84.15) (end 88.697368 84.15) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.512131 82.942278) (end 88.526183 82.982437) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.697368 83.09) (end 90.606458 83.09) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.655089 84.154763) (end 88.61493 84.168815) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.655089 82.714763) (end 88.61493 82.728815) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 90.823128 84.100546) (end 90.717579 84.137479) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 90.996885 83.278019) (end 91.056379 83.372704) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.811364 85.737721) (end 89.8066 85.78) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.507368 82.9) (end 88.512131 82.942278) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 91.056379 85.307295) (end 90.996885 85.40198) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 88.61493 82.728815) (end 88.578904 82.751452) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))
(segment (start 89.794079 82.321746) (end 89.757146 82.427295) (width 0.19) (layer "F.Cu") (net 123) (timestamp 65677690))

(segment (start 88.655089 84.525236) (end 88.697368 84.53) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.655089 84.525236))
(segment (start 88.61493 84.511184) (end 88.655089 84.525236) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.61493 84.511184))
(segment (start 88.512131 82.857721) (end 88.507368 82.9) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.512131 82.857721))
(segment (start 89.878137 85.631452) (end 89.848053 85.661536) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.878137 85.631452))
(segment (start 91.093312 83.761746) (end 91.056379 83.867295) (width 0.19) (layer "F.Cu") (net 123) (timestamp 91.093312 83.761746))
(segment (start 90.717579 84.54252) (end 90.823128 84.579453) (width 0.19) (layer "F.Cu") (net 123) (timestamp 90.717579 84.54252))
(segment (start 88.61493 84.168815) (end 88.578904 84.191452) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.61493 84.168815))
(segment (start 89.61858 82.601052) (end 89.523895 82.660546) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.61858 82.601052))
(segment (start 89.848053 85.661536) (end 89.825416 85.697562) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.848053 85.661536))
(segment (start 87.300001 91.899999) (end 87.300001 91.061817) (width 0.15) (layer "F.Cu") (net 123) (timestamp 87.300001 91.899999))
(segment (start 90.606458 85.59) (end 89.9966 85.59) (width 0.19) (layer "F.Cu") (net 123) (timestamp 90.606458 85.59))
(segment (start 90.823128 84.579453) (end 90.917813 84.638947) (width 0.19) (layer "F.Cu") (net 123) (timestamp 90.823128 84.579453))
(segment (start 88.526183 84.257562) (end 88.512131 84.297721) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.526183 84.257562))
(segment (start 89.523895 82.660546) (end 89.418346 82.697479) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.523895 82.660546))
(segment (start 88.578904 84.488547) (end 88.61493 84.511184) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.578904 84.488547))
(segment (start 91.093312 85.201746) (end 91.056379 85.307295) (width 0.19) (layer "F.Cu") (net 123) (timestamp 91.093312 85.201746))
(segment (start 91.105832 83.650625) (end 91.093312 83.761746) (width 0.19) (layer "F.Cu") (net 123) (timestamp 91.105832 83.650625))
(segment (start 84.1 79.745) (end 84.1 80.278182) (width 0.19) (layer "F.Cu") (net 123) (timestamp 84.1 79.745))
(segment (start 88.655089 83.085236) (end 88.697368 83.09) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.655089 83.085236))
(segment (start 89.418346 82.697479) (end 89.307225 82.71) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.418346 82.697479))
(segment (start 89.8066 82.210625) (end 89.794079 82.321746) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.8066 82.210625))
(segment (start 89.8066 81.819182) (end 89.8066 82.210625) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.8066 81.819182))
(segment (start 91.105832 83.589374) (end 91.105832 83.650625) (width 0.19) (layer "F.Cu") (net 123) (timestamp 91.105832 83.589374))
(segment (start 89.8066 85.78) (end 89.8066 88.555218) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.8066 85.78))
(segment (start 84.881018 81.0592) (end 89.046618 81.0592) (width 0.19) (layer "F.Cu") (net 123) (timestamp 84.881018 81.0592))
(segment (start 88.512131 84.297721) (end 88.507368 84.34) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.512131 84.297721))
(segment (start 88.578904 82.751452) (end 88.54882 82.781536) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.578904 82.751452))
(segment (start 84.1 80.278182) (end 84.881018 81.0592) (width 0.19) (layer "F.Cu") (net 123) (timestamp 84.1 80.278182))
(segment (start 89.914163 85.608815) (end 89.878137 85.631452) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.914163 85.608815))
(segment (start 88.526183 82.982437) (end 88.54882 83.018463) (width 0.19) (layer "F.Cu") (net 123) (timestamp 88.526183 82.982437))
(segment (start 89.954322 85.594763) (end 89.914163 85.608815) (width 0.19) (layer "F.Cu") (net 123) (timestamp 89.954322 85.594763))
(segment (start 84.565 79.28) (end 84.1 79.745) (width 0.19) (layer "F.Cu") (net 123) (timestamp 84.565 79.28))
(segment (start 91.105832 85.029374) (end 91.105832 85.090625) (width 0.19) (layer "F.Cu") (net 123) (timestamp 91.105832 85.029374))
(segment (start 90.823128 85.540546) (end 90.717579 85.577479) (width 0.19) (layer "F.Cu") (net 123) (timestamp 90.823128 85.540546))
(segment (start 91.105832 85.090625) (end 91.093312 85.201746) (width 0.19) (layer "F.Cu") (net 123) (timestamp 91.105832 85.090625))

(segment (start 91.056379 83.372704) (end 91.093312 83.478253) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 90.606458 84.53) (end 90.717579 84.54252) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 90.606458 83.09) (end 90.717579 83.10252) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 90.996885 84.718019) (end 91.056379 84.812704) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 90.917813 84.638947) (end 90.996885 84.718019) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 90.717579 83.10252) (end 90.823128 83.139453) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 89.046618 81.0592) (end 89.8066 81.819182) (width 0.19) (layer "F.Cu") (net 123) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 87.556731 83.859888) (end 87.593664 83.965437) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.270947 84.869462) (end 85.284999 84.909621) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.284999 84.909621) (end 85.307636 84.945647) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.423663 82.80893) (end 86.38673 82.914479) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 87.593664 83.965437) (end 87.606184 84.076558) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.373746 84.998368) (end 85.413905 85.01242) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.248164 83.088236) (end 86.153479 83.14773) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.248164 86.566131) (end 86.327236 86.645203) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 80.755 78.45) (end 80.755 79.28) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.33772 86.118636) (end 85.307636 86.14872) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.413905 83.57242) (end 85.456184 83.577184) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.270947 83.344905) (end 85.266184 83.387184) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.284999 86.184746) (end 85.270947 86.224905) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.327236 83.009164) (end 86.248164 83.088236) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.456184 86.077184) (end 85.413905 86.081947) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 80.29 80.4) (end 81.87 81.98) (width 0.19) (layer "F.Cu") (net 124) (timestamp 2f3c17c1-189450f2-189450f2-189450f2))

(segment (start 85.33772 86.415731) (end 85.373746 86.438368) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.153479 83.14773) (end 86.04793 83.184663) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.153479 86.506637) (end 86.248164 86.566131) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.270947 83.429462) (end 85.284999 83.469621) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.38673 82.914479) (end 86.327236 83.009164) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 87.32348 83.626637) (end 87.418165 83.686131) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.373746 84.655999) (end 85.33772 84.678636) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.373746 83.215999) (end 85.33772 83.238636) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 87.217931 86.064663) (end 87.10681 86.077184) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.373746 86.095999) (end 85.33772 86.118636) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 86.04793 83.184663) (end 85.936809 83.197184) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 85.266184 86.267184) (end 85.270947 86.309462) (width 0.19) (layer "F.Cu") (net 124) (timestamp 189450f2-189450f2-189450f2-189450f2))

(segment (start 87.593664 84.24893) (end 87.556731 84.354479) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.89 81.98) (end 86.436184 82.526184) (width 0.19) (layer "F.Cu") (net 124) (tstamp 4b
(segment (start 85.413905 86.45242) (end 85.456184 86.457184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.499901 91.039527) (end 86.436184 90.97581) (width 0.15) (layer "F.Cu") (net 124) (tsta
(segment (start 85.456184 86.457184) (end 85.936809 86.457184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 85.017184) (end 87.10681 85.017184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 84.624663) (end 87.10681 84.637184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 84.70872) (end 85.284999 84.744746) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 86.02773) (end 87.217931 86.064663) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 86.1 92.3) (end 86.499901 91.900099) (width 0.15) (layer "F.Cu") (net 124) (tstamp 630d
(segment (start 87.497237 83.765203) (end 87.556731 83.859888) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.606184 84.076558) (end 87.606184 84.137809) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 84.678636) (end 85.307636 84.70872) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 85.413905 85.01242) (end 85.456184 85.017184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.327236 86.645203) (end 86.38673 86.739888) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.499901 91.900099) (end 86.499901 91.039527) (width 0.15) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 83.577184) (end 87.10681 83.577184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 83.505647) (end 85.33772 83.535731) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 84.637184) (end 85.413905 84.641947) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.38673 86.739888) (end 86.423663 86.845437) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 84.945647) (end 85.33772 84.975731) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.497237 84.449164) (end 87.418165 84.528236) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 86.14872) (end 85.284999 86.184746) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 83.469621) (end 85.307636 83.505647) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 84.641947) (end 85.373746 84.655999) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 86.349621) (end 85.307636 86.385647) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 85.968236) (end 87.32348 86.02773) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 81.87 81.98) (end 85.89 81.98) (width 0.19) (layer "F.Cu") (net 124) (tstamp 93606c70-8
(segment (start 87.593664 85.68893) (end 87.556731 85.794479) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 85.029704) (end 87.32348 85.066637) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.497237 85.205203) (end 87.556731 85.299888) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 86.438368) (end 85.413905 86.45242) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.217931 83.589704) (end 87.32348 83.626637) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 85.066637) (end 87.418165 85.126131) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.436184 82.526184) (end 86.436184 82.697809) (width 0.19) (layer "F.Cu") (net 124) (ts

(segment (start 80.29 79.745) (end 80.29 80.4) (width 0.19) (layer "F.Cu") (net 124) (tstamp a0e7384a-13
(segment (start 87.606184 85.516558) (end 87.606184 85.577809) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 83.577184) (end 87.217931 83.589704) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.593664 85.405437) (end 87.606184 85.516558) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 84.528236) (end 87.32348 84.58773) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 87.10681 86.077184) (end 85.456184 86.077184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.32348 84.58773) (end 87.217931 84.624663) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 86.436184 82.697809) (end 86.423663 82.80893) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.497237 85.889164) (end 87.418165 85.968236) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.423663 86.845437) (end 86.436184 86.956558) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 84.784905) (end 85.266184 84.827184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.606184 84.137809) (end 87.593664 84.24893) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.266184 84.827184) (end 85.270947 84.869462) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 83.201947) (end 85.373746 83.215999) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 84.744746) (end 85.270947 84.784905) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.266184 83.387184) (end 85.270947 83.429462) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 86.224905) (end 85.266184 86.267184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 86.04793 86.469704) (end 86.153479 86.506637) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 83.686131) (end 87.497237 83.765203) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.456184 83.197184) (end 85.413905 83.201947) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 83.238636) (end 85.307636 83.26872) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 86.436184 86.956558) (end 86.436184 90.97581) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.936809 86.457184) (end 86.04793 86.469704) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.284999 83.304746) (end 85.270947 83.344905) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 83.26872) (end 85.284999 83.304746) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.373746 83.558368) (end 85.413905 83.57242) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.270947 86.309462) (end 85.284999 86.349621) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.556731 85.794479) (end 87.497237 85.889164) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.307636 86.385647) (end 85.33772 86.415731) (width 0.19) (layer "F.Cu") (net 124) (tsta
(segment (start 85.33772 84.975731) (end 85.373746 84.998368) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 80.755 79.28) (end 80.29 79.745) (width 0.19) (layer "F.Cu") (net 124) (tstamp e5a9e1af
(segment (start 85.936809 83.197184) (end 85.456184 83.197184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.606184 85.577809) (end 87.593664 85.68893) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.556731 84.354479) (end 87.497237 84.449164) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 85.017184) (end 87.217931 85.029704) (width 0.19) (layer "F.Cu") (net 124) (ts

(segment (start 87.556731 85.299888) (end 87.593664 85.405437) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.413905 86.081947) (end 85.373746 86.095999) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.10681 84.637184) (end 85.456184 84.637184) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 87.418165 85.126131) (end 87.497237 85.205203) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 85.33772 83.535731) (end 85.373746 83.558368) (width 0.19) (layer "F.Cu") (net 124) (ts
(segment (start 78.215 74.55) (end 78.215 76.485) (width 0.19) (layer "F.Cu") (net 125) (tstamp 752d137
(segment (start 78.215 76.485) (end 78.2 76.5) (width 0.19) (layer "F.Cu") (net 125) (tstamp 8313c6ce-5
(segment (start 85.3 92.3) (end 85.7 91.9) (width 0.19) (layer "F.Cu") (net 125) (tstamp 9704cb6d-9200-
(via (at 78.2 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 125) (tstamp 0e5be8c9-c5e7-410b-
(via (at 85.7 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 125) (tstamp ab6af469-5d56-4b13-
(segment (start 87.154029 86.168463) (end 87.176666 86.132437) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.195482 86.05) (end 87.190718 86.007721) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 85.452772 86.25252) (end 85.563893 86.24) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 86.017047 90.034549) (end 86.06455 89.987046) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.347223 86.289453) (end 85.452772 86.25252) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.154029 85.931536) (end 87.123945 85.901452) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 85.896757 90.092478) (end 85.960166 90.07029) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.190718 86.092278) (end 87.195482 86.05) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 85.982279 87.304763) (end 85.94 87.3) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1aa
(segment (start 86.629374 85.86) (end 86.518253 85.847479) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 85.064518 86.739374) (end 85.077039 86.628253) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.13 85.360625) (end 86.13 85.075018) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1f
(segment (start 86.13 91) (end 86.122479 90.933243) (width 0.19) (layer "B.Cu") (net 125) (tstamp 20393
(segment (start 79.907582 84.498) (end 79.28 83.870418) (width 0.19) (layer "B.Cu") (net 125) (tstamp 2
(segment (start 85.793557 90.7) (end 85.726801 90.692478) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 86.318019 85.751052) (end 86.238947 85.67198) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.122479 89.866756) (end 86.13 89.8) (width 0.19) (layer "B.Cu") (net 125) (tstamp 25f
(segment (start 86.14252 85.471746) (end 86.13 85.360625) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 86.179453 85.577295) (end 86.14252 85.471746) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.125237 87.447721) (end 86.111185 87.407562) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 87.005482 85.86) (end 86.629374 85.86) (width 0.19) (layer "B.Cu") (net 125) (tstamp 2e
(segment (start 87.04776 85.864763) (end 87.005482 85.86) (width 0.19) (layer "B.Cu") (net 125) (tstamp
(segment (start 87.123945 85.901452) (end 87.087919 85.878815) (width 0.19) (layer "B.Cu") (net 125) (ts
(segment (start 86.13 91.789167) (end 86.13 91) (width 0.19) (layer "B.Cu") (net 125) (tstamp 3849a52f-
(segment (start 85.606511 90.634549) (end 85.559008 90.587046) (width 0.19) (layer "B.Cu") (net 125) (ts

(segment (start 87.005482 86.24) (end 87.04776 86.235236) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.606511 90.16545) (end 85.663392 90.129709) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.960166 90.07029) (end 86.017047 90.034549) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 86.058464 87.341452) (end 86.022438 87.318815) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 86.122479 90.933243) (end 86.100291 90.869834) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.663392 90.129709) (end 85.726801 90.107521) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 78.68 79.620418) (end 79.28 80.220418) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.252538 86.348947) (end 85.347223 86.289453) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.94 87.3) (end 85.563893 87.3) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 86.088548 87.371536) (end 86.058464 87.341452) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.077039 86.911746) (end 85.064518 86.800625) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.452772 87.287479) (end 85.347223 87.250546) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.559008 90.212953) (end 85.606511 90.16545) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.064518 86.800625) (end 85.064518 86.739374) (width 0.19) (layer "B.Cu") (net 125) (timestamp 56371c4c-8000-4000-8000-800000000000))

(segment (start 85.7 91.9) (end 86.019167 91.9) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 86.022438 87.318815) (end 85.982279 87.304763) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 86.111185 87.407562) (end 86.088548 87.371536) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 86.518253 85.847479) (end 86.412704 85.810546) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 85.559008 90.587046) (end 85.523267 90.530165) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 86.238947 85.67198) (end 86.179453 85.577295) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 86.412704 85.810546) (end 86.318019 85.751052) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 85.347223 87.250546) (end 85.252538 87.191052) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 85.726801 90.692478) (end 85.663392 90.67029) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 86.100291 90.869834) (end 86.06455 90.812953) (width 0.19) (layer "B.Cu") (net 125) (timestamp 67353f0d-8000-4000-8000-800000000000))

(segment (start 79.28 80.220418) (end 79.28 83.870418) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 87.176666 85.967562) (end 87.154029 85.931536) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 86.13 85.075018) (end 85.552982 84.498) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 87.190718 86.007721) (end 87.176666 85.967562) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 86.017047 90.76545) (end 85.960166 90.729709) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 85.113972 87.017295) (end 85.077039 86.911746) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 87.123945 86.198547) (end 87.154029 86.168463) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 85.501079 90.466756) (end 85.493557 90.4) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 86.06455 89.987046) (end 86.100291 89.930165) (width 0.19) (layer "B.Cu") (net 125) (timestamp 7e000000-8000-4000-8000-800000000000))

(segment (start 86.019167 91.9) (end 86.13 91.789167) (width 0.19) (layer "B.Cu") (net 125) (timestamp 8fd00000-8000-4000-8000-800000000000))

(segment (start 85.896757 90.707521) (end 85.83 90.7) (width 0.19) (layer "B.Cu") (net 125) (timestamp 9a000000-8000-4000-8000-800000000000))

(segment (start 85.83 90.7) (end 85.793557 90.7) (width 0.19) (layer "B.Cu") (net 125) (tstamp 9de3703e-4b28-4000-9000-000000000000))
(segment (start 78.68 76.98) (end 78.68 79.620418) (width 0.19) (layer "B.Cu") (net 125) (tstamp 9efd5a1b-4b28-4000-9000-000000000000))
(segment (start 86.13 89.8) (end 86.13 87.49) (width 0.19) (layer "B.Cu") (net 125) (tstamp a1a26b7b-1500-4000-9000-000000000000))
(segment (start 78.68 76.98) (end 78.2 76.5) (width 0.19) (layer "B.Cu") (net 125) (tstamp abfeac04-4c69-4000-9000-000000000000))
(segment (start 85.663392 90.67029) (end 85.606511 90.634549) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.173466 86.428019) (end 85.252538 86.348947) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.960166 90.729709) (end 85.896757 90.707521) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.563893 86.24) (end 87.005482 86.24) (width 0.19) (layer "B.Cu") (net 125) (tstamp b500-4000-9000-000000000000))
(segment (start 85.726801 90.107521) (end 85.793557 90.1) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.173466 87.11198) (end 85.113972 87.017295) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 87.176666 86.132437) (end 87.190718 86.092278) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 87.087919 85.878815) (end 87.04776 85.864763) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 87.087919 86.221184) (end 87.123945 86.198547) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.793557 90.1) (end 85.83 90.1) (width 0.19) (layer "B.Cu") (net 125) (tstamp d0bec879-4b28-4000-9000-000000000000))
(segment (start 86.06455 90.812953) (end 86.017047 90.76545) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 87.04776 86.235236) (end 87.087919 86.221184) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.83 90.1) (end 85.896757 90.092478) (width 0.19) (layer "B.Cu") (net 125) (tstamp d890-4000-9000-000000000000))
(segment (start 85.493557 90.4) (end 85.501079 90.333243) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.501079 90.333243) (end 85.523267 90.269834) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 86.100291 89.930165) (end 86.122479 89.866756) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.077039 86.628253) (end 85.113972 86.522704) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.523267 90.530165) (end 85.501079 90.466756) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.552982 84.498) (end 79.907582 84.498) (width 0.19) (layer "B.Cu") (net 125) (tstamp c000-4000-9000-000000000000))
(segment (start 86.13 87.49) (end 86.125237 87.447721) (width 0.19) (layer "B.Cu") (net 125) (tstamp f100-4000-9000-000000000000))
(segment (start 85.563893 87.3) (end 85.452772 87.287479) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.252538 87.191052) (end 85.173466 87.11198) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.113972 86.522704) (end 85.173466 86.428019) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 85.523267 90.269834) (end 85.559008 90.212953) (width 0.19) (layer "B.Cu") (net 125) (tstamp 1500-4000-9000-000000000000))
(segment (start 75.675 74.55) (end 75.675 76.475) (width 0.19) (layer "F.Cu") (net 126) (tstamp 20ab7d77-4b28-4000-9000-000000000000))
(segment (start 84.5 92.3) (end 84.9 91.9) (width 0.19) (layer "F.Cu") (net 126) (tstamp 896645bd-424c-4000-9000-000000000000))
(segment (start 75.675 76.475) (end 75.7 76.5) (width 0.19) (layer "F.Cu") (net 126) (tstamp ae04276d-e000-4000-9000-000000000000))
(via (at 84.9 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 126) (tstamp d1f21b0d-4692-4d75-4000-000000000000))
(via (at 75.7 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 126) (tstamp db0f0361-bf28-4fb2-4000-000000000000))
(segment (start 77.852006 83.602966) (end 77.861474 83.644446) (width 0.19) (layer "B.Cu") (net 126) (tstamp 1500-4000-9000-000000000000))
(segment (start 81.615013 87.417859) (end 81.653346 87.436319) (width 0.19) (layer "B.Cu") (net 126) (tstamp 1500-4000-9000-000000000000))

(segment (start 76.887575 81.196605) (end 76.996596 81.221488) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.565979 81.270006) (end 76.66673 81.221488) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.371207 81.79206) (end 77.346324 81.901081) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.879935 83.68278) (end 77.906461 83.716044) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.136548 87.204519) (end 83.161432 87.313541) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.861704 82.66455) (end 76.888231 82.697813) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.088028 87.103766) (end 83.136548 87.204519) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.906461 83.716044) (end 81.581749 87.391332) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.792687 89.362087) (end 83.853213 89.332939) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.22 76.98) (end 75.22 79.479582) (width 0.19) (layer "B.Cu") (net 126) (tstamp 163ef0
(segment (start 82.573471 88.174145) (end 82.555011 88.212479) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.043852 82.752266) (end 77.085333 82.7428) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.161432 87.425368) (end 83.136548 87.534391) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.001306 82.752266) (end 77.043852 82.752266) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.594519 89.362087) (end 83.660014 89.377036) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.224661 83.129146) (end 77.906461 83.447343) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.097347 81.270007) (end 77.184774 81.339728) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.085333 82.7428) (end 77.123665 82.724339) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.423871 89.579433) (end 84.394723 89.639959) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.852006 83.56042) (end 77.852006 83.602966) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.018305 87.722573) (end 82.599998 88.140881) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.555011 88.337985) (end 82.573471 88.376318) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.47 91.789167) (end 84.580833 91.9) (width 0.19) (layer "B.Cu") (net 126) (tstamp 2a9
(segment (start 81.653346 87.436319) (end 81.694826 87.445787) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.533993 89.332939) (end 83.594519 89.362087) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.228084 81.383037) (end 77.297806 81.470466) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.545543 88.296505) (end 82.555011 88.337985) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.888231 82.697813) (end 76.921493 82.724339) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.996596 81.221488) (end 77.097347 81.270007) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.833775 82.584736) (end 76.843243 82.626216) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.906461 83.447343) (end 77.879935 83.480608) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.850449 87.391332) (end 82.268758 86.973025) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.905735 89.291054) (end 83.928573 89.268217) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.793982 82.214835) (end 77.905806 82.214835) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.138698 81.679581) (end 76.478552 81.339728) (width 0.19) (layer "B.Cu") (net 126) (ts

(segment (start 83.928573 89.268217) (end 83.981096 89.226331) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.025621 81.734036) (end 76.067102 81.72457) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.346324 81.901081) (end 77.297805 82.001832) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.565963 86.829899) (end 82.677789 86.829899) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.244019 89.893862) (end 84.244019 89.961041) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.817185 87.417859) (end 81.850449 87.391332) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.156929 82.697811) (end 77.496783 82.357958) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.599998 88.409582) (end 83.481472 89.291055) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.843243 82.50071) (end 76.833775 82.54219) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.694826 87.445787) (end 81.737372 87.445787) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.87 80.129582) (end 75.87 81.679583) (width 0.19) (layer "B.Cu") (net 126) (timestamp 5c
(segment (start 83.088028 87.635143) (end 83.018305 87.722573) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.45694 86.854782) (end 82.565963 86.829899) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.58421 82.288236) (end 77.684961 82.239718) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.423871 89.381265) (end 84.43882 89.44676) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.677789 86.829899) (end 82.786812 86.854782) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.105434 81.706109) (end 76.138698 81.679581) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.786812 86.854782) (end 82.887564 86.903302) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.297805 82.001832) (end 77.228084 82.089259) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.014827 82.239718) (end 78.115578 82.288237) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.316037 82.488696) (end 78.364555 82.589445) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.330001 90.139584) (end 84.47 90.279582) (width 0.19) (layer "B.Cu") (net 126) (timestamp
(segment (start 77.861474 83.644446) (end 77.879935 83.68278) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.853213 89.332939) (end 83.905735 89.291054) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.887564 86.903302) (end 82.974994 86.973025) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.330001 89.715319) (end 84.288115 89.767842) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.300315 89.226331) (end 84.352838 89.268217) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.481472 89.291055) (end 83.533993 89.332939) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.018306 87.016337) (end 83.088028 87.103766) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.067102 81.72457) (end 76.105434 81.706109) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.174295 89.182235) (end 84.239789 89.197184) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.136548 87.534391) (end 83.088028 87.635143) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.861474 83.51894) (end 77.852006 83.56042) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.352838 89.692481) (end 84.330001 89.715319) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.297806 81.470466) (end 77.346324 81.571215) (width 0.19) (layer "B.Cu") (net 126) (ts

(segment (start 84.394723 89.320739) (end 84.423871 89.381265) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.833775 82.54219) (end 76.833775 82.584736) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.364555 82.919311) (end 78.316036 83.020062) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.389438 82.81029) (end 78.364555 82.919311) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.7 76.5) (end 75.22 76.98) (width 0.19) (layer "B.Cu") (net 126) (tstamp 8bca243c-ffe
(segment (start 84.041622 89.197184) (end 84.107116 89.182235) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.580833 91.9) (end 84.9 91.9) (width 0.19) (layer "B.Cu") (net 126) (tstamp 912070a5-
(segment (start 84.288115 90.087061) (end 84.330001 90.139584) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.43882 89.513938) (end 84.423871 89.579433) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.239789 89.197184) (end 84.300315 89.226331) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.660014 89.377036) (end 83.727192 89.377036) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.879935 83.480608) (end 77.861474 83.51894) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.123665 82.724339) (end 77.156929 82.697811) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.389438 82.698466) (end 78.389438 82.81029) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.974994 86.973025) (end 83.018306 87.016337) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.727192 89.377036) (end 83.792687 89.362087) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.684961 82.239718) (end 77.793982 82.214835) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.903262 81.706109) (end 75.941596 81.72457) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.88823 82.429113) (end 76.861704 82.462378) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.478552 81.339728) (end 76.565979 81.270006) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.861704 82.462378) (end 76.843243 82.50071) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.184774 81.339728) (end 77.228084 81.383037) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.555011 88.212479) (end 82.545543 88.253958) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.246315 83.107489) (end 78.224661 83.129146) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.737372 87.445787) (end 81.778852 87.436319) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.228084 82.089259) (end 77.20643 82.110916) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.778852 87.436319) (end 81.817185 87.417859) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.244019 89.961041) (end 84.258968 90.026535) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.268758 86.973025) (end 82.356187 86.903302) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.921493 82.724339) (end 76.959827 82.7428) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.288115 89.767842) (end 84.258968 89.828368) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.258968 90.026535) (end 84.288115 90.087061) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.20643 82.110916) (end 76.88823 82.429113) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.545543 88.253958) (end 82.545543 88.296505) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.22 79.479582) (end 75.87 80.129582) (width 0.19) (layer "B.Cu") (net 126) (tstamp d03

(segment (start 84.352838 89.268217) (end 84.394723 89.320739) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.364555 82.589445) (end 78.389438 82.698466) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.599998 88.140881) (end 82.573471 88.174145) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.203005 82.357958) (end 78.246315 82.401267) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.959827 82.7428) (end 77.001306 82.752266) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.258968 89.828368) (end 84.244019 89.893862) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.905806 82.214835) (end 78.014827 82.239718) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.47 90.279582) (end 84.47 91.789167) (width 0.19) (layer "B.Cu") (net 126) (tstamp d9
(segment (start 76.843243 82.626216) (end 76.861704 82.66455) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.107116 89.182235) (end 84.174295 89.182235) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.115578 82.288237) (end 78.203005 82.357958) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.496783 82.357958) (end 77.58421 82.288236) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.371207 81.680236) (end 77.371207 81.79206) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.66673 81.221488) (end 76.775751 81.196605) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.246315 82.401267) (end 78.316037 82.488696) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 81.581749 87.391332) (end 81.615013 87.417859) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.43882 89.44676) (end 84.43882 89.513938) (width 0.19) (layer "B.Cu") (net 126) (tstar
(segment (start 82.356187 86.903302) (end 82.45694 86.854782) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 78.316036 83.020062) (end 78.246315 83.107489) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.981096 89.226331) (end 84.041622 89.197184) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 84.394723 89.639959) (end 84.352838 89.692481) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.941596 81.72457) (end 75.983075 81.734036) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 82.573471 88.376318) (end 82.599998 88.409582) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 75.87 81.679583) (end 75.903262 81.706109) (width 0.19) (layer "B.Cu") (net 126) (tstamp
(segment (start 75.983075 81.734036) (end 76.025621 81.734036) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 77.346324 81.571215) (end 77.371207 81.680236) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 76.775751 81.196605) (end 76.887575 81.196605) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 83.161432 87.313541) (end 83.161432 87.425368) (width 0.19) (layer "B.Cu") (net 126) (ts
(segment (start 71.518815 81.847562) (end 71.504763 81.887721) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 71.541452 81.811536) (end 71.518815 81.847562) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 75.464121 84.254837) (end 75.5064 84.2596) (width 0.19) (layer "F.Cu") (net 127) (tstamp
(segment (start 71.607562 81.758815) (end 71.571536 81.781452) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 72.741537 83.221452) (end 72.711453 83.251536) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 71.504763 81.972278) (end 71.518815 82.012437) (width 0.19) (layer "F.Cu") (net 127) (ts
(segment (start 73.731053 82.99198) (end 73.651981 83.071052) (width 0.19) (layer "F.Cu") (net 127) (ts

(segment (start 72.817722 83.184763) (end 72.777563 83.198815) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.237584 84.152038) (end 74.251636 84.111879) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.644653 83.102121) (end 74.755774 83.0896) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 73.340626 82.12) (end 73.451747 82.13252) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 75.5064 84.2596) (end 80.842418 84.2596) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.928146 83.102121) (end 75.033695 83.139054) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 72.688816 83.287562) (end 72.674764 83.327721) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 73.651981 83.071052) (end 73.557296 83.130546) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 72.777563 83.198815) (end 72.741537 83.221452) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 75.335215 84.152038) (end 75.357852 84.188064) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.305853 83.372305) (end 74.365347 83.27762) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 73.790547 82.402704) (end 73.82748 82.508253) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.539104 83.139054) (end 74.644653 83.102121) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.444419 83.198548) (end 74.539104 83.139054) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 73.651981 82.228947) (end 73.731053 82.308019) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 72.620546 81.457295) (end 72.561052 81.55198) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 73.557296 83.130546) (end 73.451747 83.167479) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 71.518815 82.012437) (end 71.541452 82.048463) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 71.647721 81.744763) (end 71.607562 81.758815) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 72.86 83.18) (end 72.817722 83.184763) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.148837 84.240785) (end 74.184863 84.218148) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 72.711453 83.251536) (end 72.688816 83.287562) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 74.2564 83.588975) (end 74.26892 83.477854) (width 0.19) (layer "F.Cu") (net 127) (tstamp 511531))
(segment (start 72.67 79.8062) (end 72.67 81.240625) (width 0.19) (layer "F.Cu") (net 127) (tstamp 595600))
(segment (start 71.541452 82.048463) (end 71.571536 82.078547) (width 0.19) (layer "F.Cu") (net 127) (tstamp 595600))
(segment (start 73.84 82.680625) (end 73.82748 82.791746) (width 0.19) (layer "F.Cu") (net 127) (tstamp 595600))
(segment (start 71.504763 81.887721) (end 71.5 81.93) (width 0.19) (layer "F.Cu") (net 127) (tstamp 695200))
(segment (start 73.082718 84.2596) (end 74.0664 84.2596) (width 0.19) (layer "F.Cu") (net 127) (tstamp 695200))
(segment (start 72.281746 81.727479) (end 72.170625 81.74) (width 0.19) (layer "F.Cu") (net 127) (tstamp 695200))
(segment (start 83.7 92.3) (end 84.100001 91.899999) (width 0.15) (layer "F.Cu") (net 127) (tstamp 732300))
(segment (start 71.69 82.12) (end 73.340626 82.12) (width 0.19) (layer "F.Cu") (net 127) (tstamp 76f36900))
(segment (start 74.184863 84.218148) (end 74.214947 84.188064) (width 0.19) (layer "F.Cu") (net 127) (tstamp 76f36900))
(segment (start 73.82748 82.791746) (end 73.790547 82.897295) (width 0.19) (layer "F.Cu") (net 127) (tstamp 76f36900))
(segment (start 84.100001 91.034424) (end 84.043894 90.978317) (width 0.15) (layer "F.Cu") (net 127) (tstamp 76f36900))
(segment (start 74.365347 83.27762) (end 74.444419 83.198548) (width 0.19) (layer "F.Cu") (net 127) (tstamp 76f36900))

(segment (start 72.67 81.240625) (end 72.657479 81.351746) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 74.817025 83.0896) (end 74.928146 83.102121) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 75.3164 83.588975) (end 75.3164 84.0696) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 72.48198 81.631052) (end 72.387295 81.690546) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 75.303879 83.477854) (end 75.3164 83.588975) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 72.387295 81.690546) (end 72.281746 81.727479) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 71.571536 82.078547) (end 71.607562 82.101184) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 75.423962 84.240785) (end 75.464121 84.254837) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 73.84 82.619374) (end 73.84 82.680625) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 84.100001 91.899999) (end 84.100001 91.034424) (width 0.15) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 73.451747 82.13252) (end 73.557296 82.169453) (width 0.19) (layer "F.Cu") (net 127) (timestamp 9b2f6d3c))
(segment (start 71.5 81.93) (end 71.504763 81.972278) (width 0.19) (layer "F.Cu") (net 127) (timestamp a0000000))
(segment (start 74.214947 84.188064) (end 74.237584 84.152038) (width 0.19) (layer "F.Cu") (net 127) (timestamp a0000000))
(segment (start 75.12838 83.198548) (end 75.207452 83.27762) (width 0.19) (layer "F.Cu") (net 127) (timestamp a0000000))
(segment (start 72.67 83.37) (end 72.67 83.846882) (width 0.19) (layer "F.Cu") (net 127) (timestamp b4ef74d3))
(segment (start 72.170625 81.74) (end 71.69 81.74) (width 0.19) (layer "F.Cu") (net 127) (timestamp b52f6d3c))
(segment (start 71.647721 82.115236) (end 71.69 82.12) (width 0.19) (layer "F.Cu") (net 127) (timestamp b6000000))
(segment (start 73.135 78.45) (end 73.135 79.3412) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 75.207452 83.27762) (end 75.266946 83.372305) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 75.266946 83.372305) (end 75.303879 83.477854) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 74.251636 84.111879) (end 74.2564 84.0696) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 72.657479 81.351746) (end 72.620546 81.457295) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 73.451747 83.167479) (end 73.340626 83.18) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 80.842418 84.2596) (end 84.043894 87.461076) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 84.043894 87.461076) (end 84.043894 90.978317) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 73.82748 82.508253) (end 73.84 82.619374) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 75.321163 84.111879) (end 75.335215 84.152038) (width 0.19) (layer "F.Cu") (net 127) (timestamp b8d175d3))
(segment (start 73.340626 83.18) (end 72.86 83.18) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 73.790547 82.897295) (end 73.731053 82.99198) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 75.357852 84.188064) (end 75.387936 84.218148) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 72.67 83.846882) (end 73.082718 84.2596) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 73.731053 82.308019) (end 73.790547 82.402704) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 74.108678 84.254837) (end 74.148837 84.240785) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 71.607562 82.101184) (end 71.647721 82.115236) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))
(segment (start 74.0664 84.2596) (end 74.108678 84.254837) (width 0.19) (layer "F.Cu") (net 127) (timestamp cd2eb9d3))

(segment (start 72.561052 81.55198) (end 72.48198 81.631052) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 71.571536 81.781452) (end 71.541452 81.811536) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 74.2564 84.0696) (end 74.2564 83.588975) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 73.557296 82.169453) (end 73.651981 82.228947) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 75.387936 84.218148) (end 75.423962 84.240785) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 75.033695 83.139054) (end 75.12838 83.198548) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 72.674764 83.327721) (end 72.67 83.37) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 75.3164 84.0696) (end 75.321163 84.111879) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 74.755774 83.0896) (end 74.817025 83.0896) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 73.135 79.3412) (end 72.67 79.8062) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 74.26892 83.477854) (end 74.305853 83.372305) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 71.69 81.74) (end 71.647721 81.744763) (width 0.19) (layer "F.Cu") (net 127) (timestamp 0.000000))
(segment (start 83.300001 91.899999) (end 83.300001 91.034424) (width 0.15) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 83.300001 91.034424) (end 83.243894 90.978317) (width 0.15) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 82.9 92.3) (end 83.300001 91.899999) (width 0.15) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 67.966137 81.704679) (end 67.988671 81.668815) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.018621 81.936334) (end 67.988671 81.906384) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.6819 81.978453) (end 68.6819 81.9776) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 69.57913 82.95875) (end 69.660492 82.877388) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 69.007057 83.075595) (end 69.049147 83.070853) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.86 83.26) (end 68.864742 83.21791) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 69.772595 82.557017) (end 69.772595 82.492288) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.054485 81.958868) (end 68.018621 81.936334) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.747898 81.404135) (end 68.809115 81.306709) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.054485 81.616331) (end 68.094463 81.602342) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.878731 83.177932) (end 68.901265 83.142068) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.136552 81.5976) (end 68.346165 81.5976) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.901265 83.142068) (end 68.931215 83.112118) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.847118 81.198103) (end 68.86 81.083764) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 83.243894 88.723894) (end 79.483 84.963) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.6819 81.9776) (end 68.136552 81.9776) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 69.759712 82.671356) (end 69.772595 82.557017) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 69.660492 82.171917) (end 69.57913 82.090555) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 68.460504 81.584717) (end 68.56911 81.546714) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))
(segment (start 69.759712 82.377949) (end 69.721709 82.269343) (width 0.19) (layer "F.Cu") (net 128) (timestamp 0.000000))

(segment (start 68.86 81.083764) (end 68.86 79.7808) (width 0.19) (layer "F.Cu") (net 128) (tstamp 3794

(segment (start 69.57913 82.090555) (end 69.481704 82.029338) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.931215 83.112118) (end 68.967079 83.089584) (width 0.19) (layer "F.Cu") (net 128) (t

(segment (start 79.483 84.963) (end 69.1134 84.963) (width 0.19) (layer "F.Cu") (net 128) (tstamp 4eef909

(segment (start 68.864742 83.21791) (end 68.878731 83.177932) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.049147 83.070853) (end 69.258759 83.070853) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.86 79.7808) (end 69.325 79.3158) (width 0.19) (layer "F.Cu") (net 128) (tstamp 5dd71

(segment (start 69.373098 81.991335) (end 69.258759 81.978453) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.809115 81.306709) (end 68.847118 81.198103) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 67.988671 81.906384) (end 67.966137 81.87052) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.660492 82.877388) (end 69.721709 82.779962) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.721709 82.779962) (end 69.759712 82.671356) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.258759 81.978453) (end 68.6819 81.978453) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.481704 83.019967) (end 69.57913 82.95875) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.018621 81.638865) (end 68.054485 81.616331) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.325 79.3158) (end 69.325 78.45) (width 0.19) (layer "F.Cu") (net 128) (tstamp 78f134

(segment (start 68.666536 81.485497) (end 68.747898 81.404135) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 67.952148 81.744657) (end 67.966137 81.704679) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.094463 81.602342) (end 68.136552 81.5976) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.346165 81.5976) (end 68.460504 81.584717) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.094463 81.972857) (end 68.054485 81.958868) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 67.947405 81.788453) (end 67.947405 81.786747) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 67.988671 81.668815) (end 68.018621 81.638865) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 67.966137 81.87052) (end 67.952148 81.830542) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.56911 81.546714) (end 68.666536 81.485497) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.373098 83.05797) (end 69.481704 83.019967) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.136552 81.9776) (end 68.094463 81.972857) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.721709 82.269343) (end 69.660492 82.171917) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 67.952148 81.830542) (end 67.947405 81.788453) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.481704 82.029338) (end 69.373098 81.991335) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 83.243894 90.978317) (end 83.243894 88.723894) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.86 84.7096) (end 68.86 83.26) (width 0.19) (layer "F.Cu") (net 128) (tstamp ce96e64e

(segment (start 67.947405 81.786747) (end 67.952148 81.744657) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 68.967079 83.089584) (end 69.007057 83.075595) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.258759 83.070853) (end 69.373098 83.05797) (width 0.19) (layer "F.Cu") (net 128) (ts

(segment (start 69.1134 84.963) (end 68.86 84.7096) (width 0.19) (layer "F.Cu") (net 128) (tstamp e8422
(segment (start 69.772595 82.492288) (end 69.759712 82.377949) (width 0.19) (layer "F.Cu") (net 128) (t
(segment (start 82.1 92.3) (end 82.500001 91.899999) (width 0.15) (layer "F.Cu") (net 129) (tstamp 0000
(segment (start 82.500001 91.899999) (end 82.500001 91.034424) (width 0.15) (layer "F.Cu") (net 129) (t
(segment (start 82.500001 91.034424) (end 82.443894 90.978317) (width 0.15) (layer "F.Cu") (net 129) (t
(segment (start 65.997925 84.899504) (end 65.98271 84.931098) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.271079 84.246191) (end 66.294394 84.348342) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 66.225617 84.15179) (end 66.271079 84.246191) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.067027 85.140788) (end 66.094444 85.162652) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 65.974907 85.000352) (end 65.98271 85.03454) (width 0.19) (layer "F.Cu") (net 129) (tsta
(segment (start 66.261073 85.162652) (end 66.288489 85.140788) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 65.515 79.28) (end 65.05 79.745) (width 0.19) (layer "F.Cu") (net 129) (tstamp 234068a2
(segment (start 66.019789 85.09355) (end 66.067027 85.140788) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 65.98271 84.931098) (end 65.974907 84.965286) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.160225 85.18567) (end 66.195292 85.18567) (width 0.19) (layer "F.Cu") (net 129) (tsta
(segment (start 66.914385 84.889499) (end 67.008786 84.93496) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.812235 84.866184) (end 66.914385 84.889499) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 82.443894 90.053476) (end 82.443894 90.978317) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 65.515 78.45) (end 65.515 79.28) (width 0.19) (layer "F.Cu") (net 129) (tstamp 4fbc0250
(segment (start 66.605308 84.889499) (end 66.707458 84.866184) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 66.510907 84.93496) (end 66.605308 84.889499) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.294394 84.348342) (end 66.294394 84.453119) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 67.920418 85.83) (end 78.220418 85.83) (width 0.19) (layer "F.Cu") (net 129) (tstamp 76
(segment (start 66.225617 84.64967) (end 66.16029 84.731588) (width 0.19) (layer "F.Cu") (net 129) (tsta
(segment (start 66.16029 84.731588) (end 66.019789 84.872088) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 78.220418 85.83) (end 82.443894 90.053476) (width 0.19) (layer "F.Cu") (net 129) (tstamp
(segment (start 67.090705 85.000287) (end 67.110995 85.020578) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 65.98271 85.03454) (end 65.997925 85.066133) (width 0.19) (layer "F.Cu") (net 129) (tsta
(segment (start 65.05 79.745) (end 65.05 82.959582) (width 0.19) (layer "F.Cu") (net 129) (tstamp 9baa100
(segment (start 66.271079 84.555269) (end 66.225617 84.64967) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 66.294394 84.453119) (end 66.271079 84.555269) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 66.195292 85.18567) (end 66.229479 85.177867) (width 0.19) (layer "F.Cu") (net 129) (ts
(segment (start 67.110995 85.020578) (end 67.920418 85.83) (width 0.19) (layer "F.Cu") (net 129) (tstamp
(segment (start 65.974907 84.965286) (end 65.974907 85.000352) (width 0.19) (layer "F.Cu") (net 129) (t
(segment (start 65.997925 85.066133) (end 66.019789 85.09355) (width 0.19) (layer "F.Cu") (net 129) (ts

```
(segment (start 66.16029 84.069872) (end 66.225617 84.15179) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.094444 85.162652) (end 66.126038 85.177867) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.126038 85.177867) (end 66.160225 85.18567) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.428989 85.000287) (end 66.510907 84.93496) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.288489 85.140788) (end 66.428989 85.000287) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.019789 84.872088) (end 65.997925 84.899504) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 65.05 82.959582) (end 66.16029 84.069872) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.707458 84.866184) (end 66.812235 84.866184) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 67.008786 84.93496) (end 67.090705 85.000287) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 66.229479 85.177867) (end 66.261073 85.162652) (width 0.19) (layer "F.Cu") (net 129) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 64.245 74.55) (end 64.245 75.94) (width 0.19) (layer "F.Cu") (net 130) (tstamp 653e4549-f89d-421f-90cb-a030))
(segment (start 64.25 75.945) (end 64.25 76.5) (width 0.19) (layer "F.Cu") (net 130) (tstamp ab423043-f89d-421f-90cb-a030))
(segment (start 81.3 92.3) (end 80.9 91.9) (width 0.19) (layer "F.Cu") (net 130) (tstamp e317b6a7-bb5a-f89d-421f-90cb-a030))
(segment (start 64.245 75.94) (end 64.25 75.945) (width 0.19) (layer "F.Cu") (net 130) (tstamp f2ae4158-f89d-421f-90cb-a030))
(via (at 80.9 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 130) (tstamp 90cba060-299a-4288-f89d-421f-90cb-a030))
(via (at 64.25 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 130) (tstamp 97bd47ef-8e45-421f-90cb-a030))
(segment (start 63.909722 81.169304) (end 68.790418 86.05) (width 0.19) (layer "B.Cu") (net 130) (tstamp 95b30390-f89d-421f-90cb-a030))
(segment (start 80.67 91.339582) (end 80.67 91.67) (width 0.19) (layer "B.Cu") (net 130) (tstamp 3e30390f-f89d-421f-90cb-a030))
(segment (start 80.67 91.67) (end 80.9 91.9) (width 0.19) (layer "B.Cu") (net 130) (tstamp 4d8078db-a030-f89d-421f-90cb-a030))
(segment (start 63.795 76.955) (end 63.795 79.891868) (width 0.19) (layer "B.Cu") (net 130) (tstamp 71f89d-421f-90cb-a030))
(segment (start 63.795 79.891868) (end 63.909722 80.00659) (width 0.19) (layer "B.Cu") (net 130) (tstamp 71f89d-421f-90cb-a030))
(segment (start 75.380418 86.05) (end 80.67 91.339582) (width 0.19) (layer "B.Cu") (net 130) (tstamp 95b30390-f89d-421f-90cb-a030))
(segment (start 64.25 76.5) (end 63.795 76.955) (width 0.19) (layer "B.Cu") (net 130) (tstamp 9a2b9d59-f89d-421f-90cb-a030))
(segment (start 63.909722 80.00659) (end 63.909722 81.169304) (width 0.19) (layer "B.Cu") (net 130) (tstamp 95b30390-f89d-421f-90cb-a030))
(segment (start 68.790418 86.05) (end 75.380418 86.05) (width 0.19) (layer "B.Cu") (net 130) (tstamp f89d-421f-90cb-a030))
(segment (start 80.5 92.3) (end 80.1 91.9) (width 0.19) (layer "F.Cu") (net 131) (tstamp dd23f4e0-ef89-f89d-421f-90cb-a030))
(segment (start 62.975 74.55) (end 62.975 76.365598) (width 0.19) (layer "F.Cu") (net 131) (tstamp e751f89d-421f-90cb-a030))
(segment (start 62.975 76.365598) (end 63.114727 76.505325) (width 0.19) (layer "F.Cu") (net 131) (tstamp e751f89d-421f-90cb-a030))
(via (at 63.114727 76.505325) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 131) (tstamp 5d71d36b-f89d-421f-90cb-a030))
(via (at 80.1 91.9) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 131) (tstamp f41c0a7f-12c8-47cb-f89d-421f-90cb-a030))
(segment (start 75.239582 86.39) (end 68.649582 86.39) (width 0.19) (layer "B.Cu") (net 131) (tstamp 04f89d-421f-90cb-a030))
(segment (start 68.649582 86.39) (end 63.569811 81.310229) (width 0.19) (layer "B.Cu") (net 131) (tstamp 04f89d-421f-90cb-a030))
(segment (start 63.455 76.845598) (end 63.114727 76.505325) (width 0.19) (layer "B.Cu") (net 131) (tstamp 04f89d-421f-90cb-a030))
(segment (start 63.455 80.032574) (end 63.455 76.845598) (width 0.19) (layer "B.Cu") (net 131) (tstamp 04f89d-421f-90cb-a030))
(segment (start 63.569811 81.310229) (end 63.569811 80.147385) (width 0.19) (layer "B.Cu") (net 131) (tstamp 04f89d-421f-90cb-a030))
```

(segment (start 80.1 91.9) (end 80.33 91.67) (width 0.19) (layer "B.Cu") (net 131) (tstamp c0c1feab-74e3-4000-9000-000000000000))
(segment (start 80.33 91.480418) (end 75.239582 86.39) (width 0.19) (layer "B.Cu") (net 131) (tstamp c4000000-0000-9000-0000-000000000000))
(segment (start 80.33 91.67) (end 80.33 91.480418) (width 0.19) (layer "B.Cu") (net 131) (tstamp c67cc100-0000-9000-0000-000000000000))
(segment (start 63.569811 80.147385) (end 63.455 80.032574) (width 0.19) (layer "B.Cu") (net 131) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 82.025 76.475) (end 82 76.5) (width 0.19) (layer "F.Cu") (net 132) (tstamp 6dddbcc4-b7c1-4000-9000-000000000000))
(segment (start 82.025 74.55) (end 82.025 76.475) (width 0.19) (layer "F.Cu") (net 132) (tstamp 730cf950-0000-9000-0000-000000000000))
(segment (start 86.1 93.1) (end 86.5 92.7) (width 0.19) (layer "F.Cu") (net 132) (tstamp 8c23dcc9-d374-4000-9000-000000000000))
(via (at 86.5 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 132) (tstamp 9a78c4a3-2cfa-47d3-4000-000000000000))
(via (at 82 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 132) (tstamp a8956a42-c3a8-4472-9ff0-000000000000))
(segment (start 87.103852 87.222704) (end 87.163346 87.128019) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 87.979582 92.55) (end 88.19 92.339582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 04000000-0000-9000-0000-000000000000))
(segment (start 88.19 92.339582) (end 88.182479 92.272825) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 86.5 92.7) (end 86.65 92.55) (width 0.19) (layer "B.Cu") (net 132) (tstamp 08d044e9-10a0-4000-9000-000000000000))
(segment (start 87.956757 92.047103) (end 87.89 92.039582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 89.135601 88) (end 87.553773 88) (width 0.19) (layer "B.Cu") (net 132) (tstamp 0c5978f2-0000-9000-0000-000000000000))
(segment (start 88.689375 88.38) (end 89.135601 88.38) (width 0.19) (layer "B.Cu") (net 132) (tstamp 10000000-0000-9000-0000-000000000000))
(segment (start 88.37802 88.488947) (end 88.472705 88.429453) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 87.553773 88) (end 87.442652 87.987479) (width 0.19) (layer "B.Cu") (net 132) (tstamp 10000000-0000-9000-0000-000000000000))
(segment (start 87.85977 91.439582) (end 87.89 91.439582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 10000000-0000-9000-0000-000000000000))
(segment (start 88.020166 91.409872) (end 88.077047 91.374131) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 89.17788 88.004763) (end 89.135601 88) (width 0.19) (layer "B.Cu") (net 132) (tstamp 1a000000-0000-9000-0000-000000000000))
(segment (start 87.163346 87.128019) (end 87.242418 87.048947) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 86.65 92.55) (end 87.979582 92.55) (width 0.19) (layer "B.Cu") (net 132) (tstamp 1f3e6600-0000-9000-0000-000000000000))
(segment (start 87.89 91.439582) (end 87.956757 91.43206) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 88.182479 92.272825) (end 88.160291 92.209416) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 89.254065 88.338547) (end 89.284149 88.308463) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 88.160291 91.269747) (end 88.182479 91.206338) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 88 86.94) (end 88.042278 86.935236) (width 0.19) (layer "B.Cu") (net 132) (tstamp 2c01c000-0000-9000-0000-000000000000))
(segment (start 87.054399 87.500625) (end 87.054399 87.439374) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 87.793014 92.03206) (end 87.729605 92.009872) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 87.442652 87.987479) (end 87.337103 87.950546) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 87.066919 87.611746) (end 87.054399 87.500625) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 88.118463 86.898547) (end 88.148547 86.868463) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))
(segment (start 83.13 80.270418) (end 82.48 79.620418) (width 0.19) (layer "B.Cu") (net 132) (tstamp 3b000000-0000-9000-0000-000000000000))
(segment (start 88.077047 91.374131) (end 88.12455 91.326628) (width 0.19) (layer "B.Cu") (net 132) (tstamp 00000000-0000-9000-0000-000000000000))

(segment (start 88.19 91.139582) (end 88.19 88.879374) (width 0.19) (layer "B.Cu") (net 132) (tstamp 3f
(segment (start 88.202521 88.768253) (end 88.239454 88.662704) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 82.48 79.620418) (end 82.48 76.98) (width 0.19) (layer "B.Cu") (net 132) (tstamp 4a1001
(segment (start 88.082437 86.921184) (end 88.118463 86.898547) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.472705 88.429453) (end 88.578254 88.39252) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 89.17788 88.375236) (end 89.218039 88.361184) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.625221 91.552535) (end 87.672724 91.505032) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.148547 86.868463) (end 88.171184 86.832437) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.12455 92.152535) (end 88.077047 92.105032) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.077047 92.105032) (end 88.020166 92.069291) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.242418 87.048947) (end 87.337103 86.989453) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.553773 86.94) (end 88 86.94) (width 0.19) (layer "B.Cu") (net 132) (tstamp 60098e27-
(segment (start 88.042278 86.935236) (end 88.082437 86.921184) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.239454 88.662704) (end 88.298948 88.568019) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.672724 91.974131) (end 87.625221 91.926628) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.19 88.879374) (end 88.202521 88.768253) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 89.135601 88.38) (end 89.17788 88.375236) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 83.13 82.887818) (end 83.13 80.270418) (width 0.19) (layer "B.Cu") (net 132) (tstamp 70
(segment (start 87.337103 87.950546) (end 87.242418 87.891052) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.672724 91.505032) (end 87.729605 91.469291) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.793014 91.447103) (end 87.85977 91.439582) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 88.020166 92.069291) (end 87.956757 92.047103) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.218039 88.018815) (end 89.17788 88.004763) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.58948 91.869747) (end 87.567292 91.806338) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.066919 87.328253) (end 87.103852 87.222704) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 89.306786 88.107562) (end 89.284149 88.071536) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.442652 86.95252) (end 87.553773 86.94) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 88.298948 88.568019) (end 88.37802 88.488947) (width 0.19) (layer "B.Cu") (net 132) (ts
(segment (start 87.103852 87.717295) (end 87.066919 87.611746) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 88.19 84.899818) (end 86.848382 83.5582) (width 0.19) (layer "B.Cu") (net 132) (tstamp 8
(segment (start 89.254065 88.041452) (end 89.218039 88.018815) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 82.48 76.98) (end 82 76.5) (width 0.19) (layer "B.Cu") (net 132) (tstamp 8e0d4075-b058-4
(segment (start 87.89 92.039582) (end 87.85977 92.039582) (width 0.19) (layer "B.Cu") (net 132) (tstamp
(segment (start 87.729605 92.009872) (end 87.672724 91.974131) (width 0.19) (layer "B.Cu") (net 132) (t
(segment (start 87.625221 91.926628) (end 87.58948 91.869747) (width 0.19) (layer "B.Cu") (net 132) (ts

(segment (start 89.320838 88.232278) (end 89.325601 88.19) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 89.306786 88.272437) (end 89.320838 88.232278) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 89.284149 88.308463) (end 89.306786 88.272437) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.567292 91.672825) (end 87.58948 91.609416) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.12455 91.326628) (end 88.160291 91.269747) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.242418 87.891052) (end 87.163346 87.81198) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.160291 92.209416) (end 88.12455 92.152535) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.567292 91.806338) (end 87.55977 91.739582) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 89.325601 88.19) (end 89.320838 88.147721) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.171184 86.832437) (end 88.185236 86.792278) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.956757 91.43206) (end 88.020166 91.409872) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.55977 91.739582) (end 87.567292 91.672825) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.578254 88.39252) (end 88.689375 88.38) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.054399 87.439374) (end 87.066919 87.328253) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.729605 91.469291) (end 87.793014 91.447103) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.185236 86.792278) (end 88.19 86.75) (width 0.19) (layer "B.Cu") (net 132) (timestamp e09bdc72-0000-0000-0000-00000000))
(segment (start 87.163346 87.81198) (end 87.103852 87.717295) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.85977 92.039582) (end 87.793014 92.03206) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.19 86.75) (end 88.19 84.899818) (width 0.19) (layer "B.Cu") (net 132) (timestamp e9bdc72-0000-0000-0000-00000000))
(segment (start 87.337103 86.989453) (end 87.442652 86.95252) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 86.848382 83.5582) (end 83.800382 83.5582) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 89.320838 88.147721) (end 89.306786 88.107562) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 89.218039 88.361184) (end 89.254065 88.338547) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 88.182479 91.206338) (end 88.19 91.139582) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 89.284149 88.071536) (end 89.254065 88.041452) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 87.58948 91.609416) (end 87.625221 91.552535) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 83.800382 83.5582) (end 83.13 82.887818) (width 0.19) (layer "B.Cu") (net 132) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 79.485 76.485) (end 79.5 76.5) (width 0.19) (layer "F.Cu") (net 133) (timestamp 30d4d5f2-e09bdc72-0000-0000-0000-00000000))
(segment (start 85.3 93.1) (end 85.7 92.7) (width 0.19) (layer "F.Cu") (net 133) (timestamp 53d57382-d857-f3b9-4f3f-00000000))
(segment (start 79.485 74.55) (end 79.485 76.485) (width 0.19) (layer "F.Cu") (net 133) (timestamp 635b3fb9-4f3f-0000-0000-00000000))
(via (at 79.5 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 133) (timestamp 0ddd5989-ee78-4c20-9b94-00000000))
(via (at 85.7 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 133) (timestamp 4d805ed3-0b63-47f3-9b94-00000000))
(segment (start 86.47 84.934182) (end 85.693818 84.158) (width 0.19) (layer "B.Cu") (net 133) (timestamp 00000000-0000-0000-0000-00000000))
(segment (start 79.02 76.98) (end 79.02 79.479582) (width 0.19) (layer "B.Cu") (net 133) (timestamp 1b4a0b63-4f3f-0000-0000-00000000))
(segment (start 80.048418 84.158) (end 79.62 83.729582) (width 0.19) (layer "B.Cu") (net 133) (timestamp 20000000-0000-0000-0000-00000000))

(segment (start 79.02 79.479582) (end 79.62 80.079582) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.617721 85.515236) (end 86.577562 85.501184) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.45748 87.348253) (end 86.420547 87.242704) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.7 92.7) (end 86.47 91.93) (width 0.19) (layer "B.Cu") (net 133) (tstamp 2cd96e56-b30f-4000-9000-000000000000))
(segment (start 87.535482 86.019374) (end 87.522961 85.908253) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.081747 86.97252) (end 85.970626 86.96) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.423334 86.852437) (end 85.409282 86.812278) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.511452 85.448463) (end 86.488815 85.412437) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.486028 86.297295) (end 87.522961 86.191746) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.347462 86.471052) (end 87.426534 86.39198) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.577562 85.501184) (end 86.541536 85.478547) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.361053 87.148019) (end 86.281981 87.068947) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.512081 86.598815) (end 85.55224 86.584763) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.66 85.52) (end 86.617721 85.515236) (width 0.19) (layer "B.Cu") (net 133) (tstamp 39f9d000))
(segment (start 86.47 85.33) (end 86.47 84.934182) (width 0.19) (layer "B.Cu") (net 133) (tstamp 39f9d000))
(segment (start 85.55224 86.955236) (end 85.512081 86.941184) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.404518 86.77) (end 85.409282 86.727721) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.147228 86.567479) (end 87.252777 86.530546) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.445971 86.651536) (end 85.476055 86.621452) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.252777 85.569453) (end 87.147228 85.53252) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.036107 86.58) (end 87.147228 86.567479) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.594518 86.96) (end 85.55224 86.955236) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.486028 85.802704) (end 87.426534 85.708019) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.488815 85.412437) (end 86.474763 85.372278) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.420547 87.242704) (end 86.361053 87.148019) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.594518 86.58) (end 87.036107 86.58) (width 0.19) (layer "B.Cu") (net 133) (tstamp 5ef92000))
(segment (start 87.426534 85.708019) (end 87.347462 85.628947) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 79.62 80.079582) (end 79.62 83.729582) (width 0.19) (layer "B.Cu") (net 133) (tstamp 69f92000))
(segment (start 86.47 87.459374) (end 86.45748 87.348253) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.426534 86.39198) (end 87.486028 86.297295) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.476055 86.621452) (end 85.512081 86.598815) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.445971 86.888463) (end 85.423334 86.852437) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 86.541536 85.478547) (end 86.511452 85.448463) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 87.522961 85.908253) (end 87.486028 85.802704) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))
(segment (start 85.423334 86.687562) (end 85.445971 86.651536) (width 0.19) (layer "B.Cu") (net 133) (tstamp 24f92000))

(segment (start 86.47 91.93) (end 86.47 87.459374) (width 0.19) (layer "B.Cu") (net 133) (tstamp b8d9aa5a-8000-4000-9000-000000000000))
(segment (start 85.409282 86.812278) (end 85.404518 86.77) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 85.693818 84.158) (end 80.048418 84.158) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 86.474763 85.372278) (end 86.47 85.33) (width 0.19) (layer "B.Cu") (net 133) (tstamp c6a00000-8000-4000-9000-000000000000))
(segment (start 87.522961 86.191746) (end 87.535482 86.080625) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 85.55224 86.584763) (end 85.594518 86.58) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 87.036107 85.52) (end 86.66 85.52) (width 0.19) (layer "B.Cu") (net 133) (tstamp cfc7c400-8000-4000-9000-000000000000))
(segment (start 86.281981 87.068947) (end 86.187296 87.009453) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 85.512081 86.941184) (end 85.476055 86.918547) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 87.147228 85.53252) (end 87.036107 85.52) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 85.476055 86.918547) (end 85.445971 86.888463) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 86.187296 87.009453) (end 86.081747 86.97252) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 85.970626 86.96) (end 85.594518 86.96) (width 0.19) (layer "B.Cu") (net 133) (tstamp eb000000-8000-4000-9000-000000000000))
(segment (start 79.02 76.98) (end 79.5 76.5) (width 0.19) (layer "B.Cu") (net 133) (tstamp ee158fcd-83d0-4000-9000-000000000000))
(segment (start 85.409282 86.727721) (end 85.423334 86.687562) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 87.535482 86.080625) (end 87.535482 86.019374) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 87.252777 86.530546) (end 87.347462 86.471052) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 87.347462 85.628947) (end 87.252777 85.569453) (width 0.19) (layer "B.Cu") (net 133) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 74.405 74.55) (end 74.405 75.94) (width 0.19) (layer "F.Cu") (net 134) (tstamp 253c90a9-8000-4000-9000-000000000000))
(segment (start 74.405 75.94) (end 74.4 75.945) (width 0.19) (layer "F.Cu") (net 134) (tstamp b5dd1c92-8000-4000-9000-000000000000))
(segment (start 84.5 93.1) (end 84.9 92.7) (width 0.19) (layer "F.Cu") (net 134) (tstamp bcfffaf6-5ab1-4000-9000-000000000000))
(segment (start 74.4 75.945) (end 74.4 76.5) (width 0.19) (layer "F.Cu") (net 134) (tstamp f7fc4f4f-8a30-4000-9000-000000000000))
(via locked (at 74.4 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 134) (tstamp 55ecbc36-7a3f-4000-9000-000000000000))
(via (at 84.9 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 134) (tstamp d7cb5eac-f70b-4e00-9000-000000000000))
(segment (start 77.501267 83.637605) (end 77.52615 83.746626) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 82.194793 88.331145) (end 82.219677 88.440168) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 77.984245 82.88873) (end 77.64439 83.228582) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 76.852937 81.547345) (end 76.894417 81.556813) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 77.52615 83.746626) (end 77.574669 83.847377) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 76.730577 81.575272) (end 76.768911 81.556813) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 81.660186 87.796537) (end 81.772013 87.796538) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 77.020469 81.714877) (end 77.020469 81.757423) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 82.268196 88.54092) (end 82.337919 88.62835) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 77.57467 83.316011) (end 77.52615 83.41676) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))
(segment (start 75.53 81.820418) (end 75.651238 81.941654) (width 0.19) (layer "B.Cu") (net 134) (tstamp 55e90000-8000-4000-9000-000000000000))

(segment (start 74.4 76.5) (end 74.88 76.98) (width 0.19) (layer "B.Cu") (net 134) (tstamp 2ada25a2-c0e

(segment (start 76.966014 81.6018) (end 76.99254 81.635063) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 77.748808 82.593502) (end 77.787142 82.575043) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 81.981788 87.723134) (end 82.069218 87.653411) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.574669 83.847377) (end 77.64439 83.934804) (width 0.19) (layer "B.Cu") (net 134) (ts

(segment (start 76.483036 82.507551) (end 76.483036 82.619375) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 76.556438 82.829147) (end 76.626159 82.916574) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 82.810682 87.348182) (end 82.810682 87.390728) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 76.966014 81.8705) (end 76.626159 82.210352) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 76.894417 81.556813) (end 76.932749 81.575272) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.187513 83.078124) (end 77.288262 83.029604) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.787142 82.575043) (end 77.828622 82.565575) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 82.722962 87.208577) (end 82.756227 87.235105) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.95098 82.593502) (end 77.984245 82.62003) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 82.219677 88.110295) (end 82.194793 88.219318) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.52615 83.41676) (end 77.501267 83.525781) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 76.669469 82.959884) (end 76.756896 83.029605) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 76.756896 83.029605) (end 76.857647 83.078124) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 82.194793 88.219318) (end 82.194793 88.331145) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 78.010771 82.653293) (end 78.029232 82.691627) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.288262 83.029604) (end 77.375691 82.959884) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 81.772013 87.796538) (end 81.881036 87.771654) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 74.88 76.98) (end 74.88 79.620418) (width 0.19) (layer "B.Cu") (net 134) (tstamp 61b3bb

(segment (start 76.060261 82.084777) (end 76.169282 82.059894) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 75.948437 82.084777) (end 76.060261 82.084777) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 78.0387 82.775653) (end 78.029232 82.817133) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 76.932749 81.575272) (end 76.966014 81.6018) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 82.810682 87.390728) (end 82.801214 87.432208) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 77.64439 83.228582) (end 77.57467 83.316011) (width 0.19) (layer "B.Cu") (net 134) (tsta

(segment (start 76.169282 82.059894) (end 76.270031 82.011374) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 82.782754 87.470541) (end 82.756227 87.503805) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 84.13 90.420418) (end 84.13 91.93) (width 0.19) (layer "B.Cu") (net 134) (tstamp 71507a

(segment (start 77.501267 83.525781) (end 77.501267 83.637605) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 76.626159 82.916574) (end 76.669469 82.959884) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 81.450411 87.723134) (end 81.551163 87.771654) (width 0.19) (layer "B.Cu") (net 134) (t

(segment (start 76.99254 81.837235) (end 76.966014 81.8705) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.99254 81.837235))

(segment (start 75.53 80.270418) (end 75.53 81.820418) (width 0.19) (layer "B.Cu") (net 134) (tstamp 75.53 80.270418))

(segment (start 77.011001 81.673397) (end 77.020469 81.714877) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.011001 81.673397))

(segment (start 82.337919 88.62835) (end 84.129988 90.420418) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.337919 88.62835))

(segment (start 75.839416 82.059894) (end 75.948437 82.084777) (width 0.19) (layer "B.Cu") (net 134) (tstamp 75.839416 82.059894))

(segment (start 77.375691 82.959884) (end 77.715545 82.62003) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.375691 82.959884))

(segment (start 77.64439 83.934804) (end 77.64439 83.93482) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.64439 83.934804))

(segment (start 77.011001 81.798903) (end 76.99254 81.837235) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.011001 81.798903))

(segment (start 75.651238 81.941654) (end 75.738665 82.011375) (width 0.19) (layer "B.Cu") (net 134) (tstamp 75.651238 81.941654))

(segment (start 78.029232 82.817133) (end 78.010771 82.855465) (width 0.19) (layer "B.Cu") (net 134) (tstamp 78.029232 82.817133))

(segment (start 76.99254 81.635063) (end 77.011001 81.673397) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.99254 81.635063))

(segment (start 76.507919 82.728396) (end 76.556438 82.829147) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.507919 82.728396))

(segment (start 84.129988 90.420418) (end 84.13 90.420418) (width 0.19) (layer "B.Cu") (net 134) (tstamp 84.129988 90.420418))

(segment (start 81.881036 87.771654) (end 81.981788 87.723134) (width 0.19) (layer "B.Cu") (net 134) (tstamp 81.881036 87.771654))

(segment (start 76.507919 82.39853) (end 76.483036 82.507551) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.507919 82.39853))

(segment (start 76.270031 82.011374) (end 76.35746 81.941654) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.270031 82.011374))

(segment (start 82.52079 87.208577) (end 82.559123 87.190117) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.52079 87.208577))

(segment (start 76.35746 81.941654) (end 76.697314 81.6018) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.35746 81.941654))

(segment (start 82.559123 87.190117) (end 82.600603 87.180649) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.559123 87.190117))

(segment (start 82.782754 87.268369) (end 82.801214 87.306702) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.782754 87.268369))

(segment (start 77.828622 82.565575) (end 77.871168 82.565575) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.828622 82.565575))

(segment (start 77.912648 82.575043) (end 77.95098 82.593502) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.912648 82.575043))

(segment (start 82.268197 88.009543) (end 82.219677 88.110295) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.268197 88.009543))

(segment (start 82.801214 87.306702) (end 82.810682 87.348182) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.801214 87.306702))

(segment (start 76.857647 83.078124) (end 76.966668 83.103007) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.857647 83.078124))

(segment (start 82.684629 87.190117) (end 82.722962 87.208577) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.684629 87.190117))

(segment (start 78.010771 82.855465) (end 77.984245 82.88873) (width 0.19) (layer "B.Cu") (net 134) (tstamp 78.010771 82.855465))

(segment (start 82.801214 87.432208) (end 82.782754 87.470541) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.801214 87.432208))

(segment (start 82.643149 87.180649) (end 82.684629 87.190117) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.643149 87.180649))

(segment (start 77.020469 81.757423) (end 77.011001 81.798903) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.020469 81.757423))

(segment (start 77.715545 82.62003) (end 77.748808 82.593502) (width 0.19) (layer "B.Cu") (net 134) (tstamp 77.715545 82.62003))

(segment (start 81.551163 87.771654) (end 81.660186 87.796537) (width 0.19) (layer "B.Cu") (net 134) (tstamp 81.551163 87.771654))

(segment (start 82.219677 88.440168) (end 82.268196 88.54092) (width 0.19) (layer "B.Cu") (net 134) (tstamp 82.219677 88.440168))

(segment (start 81.362981 87.653411) (end 81.450411 87.723134) (width 0.19) (layer "B.Cu") (net 134) (tstamp 81.362981 87.653411))

(segment (start 76.556439 82.297781) (end 76.507919 82.39853) (width 0.19) (layer "B.Cu") (net 134) (tstamp 76.556439 82.297781))

(segment (start 82.487526 87.235104) (end 82.52079 87.208577) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.626159 82.210352) (end 76.556439 82.297781) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 74.88 79.620418) (end 75.53 80.270418) (width 0.19) (layer "B.Cu") (net 134) (tstamp d0
(segment (start 82.069218 87.653411) (end 82.487526 87.235104) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.756227 87.235105) (end 82.782754 87.268369) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 75.738665 82.011375) (end 75.839416 82.059894) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.697314 81.6018) (end 76.730577 81.575272) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 78.0387 82.733107) (end 78.0387 82.775653) (width 0.19) (layer "B.Cu") (net 134) (tstamp
(segment (start 76.966668 83.103007) (end 77.078492 83.103007) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.483036 82.619375) (end 76.507919 82.728396) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.984245 82.62003) (end 78.010771 82.653293) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 78.029232 82.691627) (end 78.0387 82.733107) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.768911 81.556813) (end 76.810391 81.547345) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.600603 87.180649) (end 82.643149 87.180649) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.871168 82.565575) (end 77.912648 82.575043) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.64439 83.93482) (end 81.362981 87.653411) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.337919 87.922113) (end 82.268197 88.009543) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 76.810391 81.547345) (end 76.852937 81.547345) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 77.078492 83.103007) (end 77.187513 83.078124) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 82.756227 87.503805) (end 82.337919 87.922113) (width 0.19) (layer "B.Cu") (net 134) (ts
(segment (start 84.13 91.93) (end 84.9 92.7) (width 0.19) (layer "B.Cu") (net 134) (tstamp fdfff512-725
(segment (start 70.595 74.55) (end 70.595 76.495) (width 0.19) (layer "F.Cu") (net 135) (tstamp 0916935
(segment (start 83.7 93.1) (end 83.3 92.7) (width 0.19) (layer "F.Cu") (net 135) (tstamp 41b3162d-a267-
(segment (start 70.595 76.495) (end 70.6 76.5) (width 0.19) (layer "F.Cu") (net 135) (tstamp b6791242-7
(via (at 83.3 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 135) (tstamp 57846b3e-fb69-4288-
(via locked (at 70.6 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 135) (tstamp edd9c0ec-4aa
(segment locked (start 72.963296 81.603714) (end 72.893573 81.516284) (width 0.19) (layer "B.Cu") (net
(segment locked (start 73.269885 80.262409) (end 73.231552 80.243948) (width 0.19) (layer "B.Cu") (net
(segment (start 82.522503 90.404938) (end 82.493355 90.344411) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 82.493356 90.663631) (end 82.522502 90.603104) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment (start 75.2996 83.1596) (end 75.29001 83.15001) (width 0.19) (layer "B.Cu") (net 135) (tstamp
(segment (start 82.234081 91.093284) (end 82.23408 91.026104) (width 0.19) (layer "B.Cu") (net 135) (ts
(segment locked (start 72.963296 80.897488) (end 73.303148 80.557635) (width 0.19) (layer "B.Cu") (net
(segment locked (start 71.502587 80.169615) (end 71.484127 80.131282) (width 0.19) (layer "B.Cu") (net
(segment (start 82.45147 90.716152) (end 82.493356 90.663631) (width 0.19) (layer "B.Cu") (net 135) (ts

(segment locked (start 73.348135 80.360532) (end 73.329676 80.3222) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 72.461694 80.861694) (end 71.867282 81.456106) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.744326 91.271826) (end 82.691805 91.313712) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.484127 80.131282) (end 71.4576 80.098017) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.522502 90.603104) (end 82.537452 90.537611) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 72.893574 80.984916) (end 72.963296 80.897488) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.147525 80.23448) (end 73.106046 80.243948) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.320063 90.847562) (end 82.45147 90.716152) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 83.3 91.140418) (end 83.247478 91.098533) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.779854 81.525828) (end 71.679103 81.574347) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.691805 91.313712) (end 82.631278 91.342858) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.512055 80.253641) (end 71.512055 80.211094) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.372585 91.313711) (end 82.320062 91.271826) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.502587 80.295121) (end 71.512055 80.253641) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.329676 80.3222) (end 73.303148 80.288935) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 83.3 92.7) (end 83.3 91.140418) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.357603 80.402012) (end 73.348135 80.360532) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 72.461692 80.861692) (end 72.461694 80.861694) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.106046 80.243948) (end 73.067713 80.262409) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.249029 91.158777) (end 82.234081 91.093284) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.24903 90.960611) (end 82.278176 90.900084) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.458257 81.59923) (end 71.349236 81.574347) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.451471 90.291889) (end 75.319182 83.1596) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.190071 80.23448) (end 73.147525 80.23448) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.303148 80.557635) (end 73.329676 80.524372) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 73.329676 80.524372) (end 73.348135 80.486038) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 70.974623 81.00377) (end 70.999506 80.894749) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 74.509592 83.15001) (end 72.963296 81.603714) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 72.820172 81.194688) (end 72.845055 81.085667) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.928258 91.098532) (end 82.875736 91.140419) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.537451 90.470431) (end 82.522503 90.404938) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 82.433112 91.342859) (end 82.372585 91.313711) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 70.999506 81.224617) (end 70.974623 81.115595) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.570082 81.59923) (end 71.458257 81.59923) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment (start 83.054278 91.054436) (end 82.988785 91.069386) (width 0.19) (layer "B.Cu") (net 135) (timestamp 4b960844-4b960844-4b960844-4b960844))

(segment locked (start 71.117747 80.70657) (end 71.4576 80.366718) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 72.893573 81.516284) (end 72.845055 81.415535) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.867282 81.456106) (end 71.779854 81.525828) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.278176 90.900084) (end 82.320063 90.847562) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.4576 80.098017) (end 71.08 79.720418) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.988785 91.069386) (end 82.928258 91.098532) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 73.067713 80.262409) (end 73.034448 80.288935) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 83.121458 91.054437) (end 83.054278 91.054436) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 72.845055 81.085667) (end 72.893574 80.984916) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 73.357603 80.444558) (end 73.357603 80.402012) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.512055 80.211094) (end 71.502587 80.169615) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.048025 80.793998) (end 71.117747 80.70657) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.278177 91.219304) (end 82.249029 91.158777) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.23408 91.026104) (end 82.24903 90.960611) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 73.303148 80.288935) (end 73.269885 80.262409) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.08 76.98) (end 70.6 76.5) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.484127 80.333454) (end 71.502587 80.295121) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 70.974623 81.115595) (end 70.974623 81.00377) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.679103 81.574347) (end 71.570082 81.59923) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.349236 81.574347) (end 71.248485 81.525828) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.493355 90.344411) (end 82.451471 90.291889) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 73.231552 80.243948) (end 73.190071 80.23448) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 72.845055 81.415535) (end 72.820171 81.306512) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 75.319182 83.1596) (end 75.2996 83.1596) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.537452 90.537611) (end 82.537451 90.470431) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 70.999506 80.894749) (end 71.048025 80.793998) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 73.034448 80.288935) (end 72.461692 80.861692) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.117747 81.412796) (end 71.048025 81.325367) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.498605 91.357807) (end 82.433112 91.342859) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 73.348135 80.486038) (end 73.357603 80.444558) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.875736 91.140419) (end 82.744326 91.271826) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.4576 80.366718) (end 71.484127 80.333454) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 71.248485 81.525828) (end 71.161057 81.456106) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.565785 91.357808) (end 82.498605 91.357807) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment (start 82.631278 91.342858) (end 82.565785 91.357808) (width 0.19) (layer "B.Cu") (net 135) (tstamp c5d83c))

(segment locked (start 72.820171 81.306512) (end 72.820172 81.194688) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 83.186951 91.069385) (end 83.121458 91.054437) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment locked (start 71.08 79.720418) (end 71.08 76.98) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment locked (start 71.161057 81.456106) (end 71.117747 81.412796) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 82.320062 91.271826) (end 82.278177 91.219304) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment locked (start 71.048025 81.325367) (end 70.999506 81.224617) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 83.247478 91.098533) (end 83.186951 91.069385) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 75.29001 83.15001) (end 74.509592 83.15001) (width 0.19) (layer "B.Cu") (net 135) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 68.055 74.55) (end 68.055 76.495) (width 0.19) (layer "F.Cu") (net 136) (timestamp 035cb66b-4000-4000-4000-4000))

(segment (start 82.9 93.1) (end 82.5 92.7) (width 0.19) (layer "F.Cu") (net 136) (timestamp 5d9d1867-f4e5-4000-4000-4000))

(segment (start 68.055 76.495) (end 68.05 76.5) (width 0.19) (layer "F.Cu") (net 136) (timestamp 64992ea5-4000-4000-4000-4000))

(via (at 68.05 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 136) (timestamp bcefb9e2-bc03-4000-4000-4000))

(via (at 82.5 92.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 136) (timestamp eea4e809-766a-437f-4000-4000))

(segment (start 73.232401 83.068947) (end 73.137716 83.009452) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 81.469908 90.555408) (end 81.511793 90.502885) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 72.355654 83.982278) (end 72.341602 84.022437) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 72.372938 83.348253) (end 72.360418 83.459375) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 80.912686 90.222085) (end 80.847191 90.237034) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 80.653992 90.192937) (end 80.601471 90.151053) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 72.341602 84.022437) (end 72.318965 84.058463) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 81.540941 90.44236) (end 81.55589 90.376865) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 73.425185 83.982278) (end 73.420422 83.939999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 74.580417 84.129999) (end 73.610422 84.129999) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 81.511793 90.183666) (end 81.469908 90.131144) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 67.57 79.529582) (end 67.57 76.98) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 72.548438 83.068947) (end 72.469366 83.148019) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 82.07 91.619582) (end 81.45 90.999582) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1a000000-4000-4000-4000-4000))

(segment (start 82.180833 92.7) (end 82.07 92.589167) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1f300000-4000-4000-4000-4000))

(segment (start 81.408114 90.62784) (end 81.45 90.575317) (width 0.19) (layer "B.Cu") (net 136) (timestamp 20000000-4000-4000-4000-4000))

(segment (start 81.469908 90.131144) (end 81.417385 90.089258) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 72.318965 84.058463) (end 72.288881 84.088547) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 73.137716 83.009452) (end 73.032167 82.972519) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 72.748672 82.972519) (end 72.643123 83.009452) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 81.098166 90.089258) (end 81.045643 90.131144) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 73.370968 83.242704) (end 73.311473 83.148019) (width 0.19) (layer "B.Cu") (net 136) (timestamp 1710eb0b-4000-4000-4000-4000))

(segment (start 73.610422 84.129999) (end 73.568143 84.125236) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 82.5 92.7) (end 82.180833 92.7) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 73.420422 83.459375) (end 73.407901 83.348253) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 72.288881 84.088547) (end 72.252855 84.111184) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 72.252855 84.111184) (end 72.212696 84.125236) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 81.045643 90.131144) (end 81.025734 90.151052) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 73.568143 84.125236) (end 73.527984 84.111184) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 72.921045 82.959998) (end 72.859794 82.959998) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 73.461874 84.058463) (end 73.439237 84.022437) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 81.45 90.999582) (end 81.408114 90.947059) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 72.469366 83.148019) (end 72.409871 83.242704) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 80.847191 90.237034) (end 80.780013 90.237034) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 72.643123 83.009452) (end 72.548438 83.068947) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 81.224186 90.045162) (end 81.158692 90.060111) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 72.409871 83.242704) (end 72.372938 83.348253) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 81.378967 90.688366) (end 81.408114 90.62784) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 80.601471 90.151053) (end 74.580417 84.129999) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 73.032167 82.972519) (end 72.921045 82.959998) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 80.714518 90.222085) (end 80.653992 90.192937) (width 0.19) (layer "B.Cu") (net 136) (tstamp 3efd2f95-00000000000000000000000000000000))
(segment (start 82.07 92.589167) (end 82.07 91.619582) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 73.311473 83.148019) (end 73.232401 83.068947) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 73.420422 83.939999) (end 73.420422 83.459375) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 73.407901 83.348253) (end 73.370968 83.242704) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 72.170418 84.129999) (end 67.57 79.529582) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 80.973211 90.192937) (end 80.912686 90.222085) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 72.212696 84.125236) (end 72.170418 84.129999) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 73.491958 84.088547) (end 73.461874 84.058463) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 81.025734 90.151052) (end 80.973211 90.192937) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 81.45 90.575317) (end 81.469908 90.555408) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 81.378967 90.886533) (end 81.364018 90.821039) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 72.859794 82.959998) (end 72.748672 82.972519) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 81.291365 90.045162) (end 81.224186 90.045162) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 81.364018 90.821039) (end 81.364018 90.75386) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 72.360418 83.939999) (end 72.355654 83.982278) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))
(segment (start 73.439237 84.022437) (end 73.425185 83.982278) (width 0.19) (layer "B.Cu") (net 136) (tstamp 8b30000000000000000000000000000000))

```
(segment (start 81.356859 90.060111) (end 81.291365 90.045162) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 73.527984 84.111184) (end 73.491958 84.088547) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.408114 90.947059) (end 81.378967 90.886533) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.55589 90.376865) (end 81.55589 90.309687) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.158692 90.060111) (end 81.098166 90.089258) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.364018 90.75386) (end 81.378967 90.688366) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.540941 90.244192) (end 81.511793 90.183666) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.417385 90.089258) (end 81.356859 90.060111) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 80.780013 90.237034) (end 80.714518 90.222085) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 72.360418 83.459375) (end 72.360418 83.939999) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.511793 90.502885) (end 81.540941 90.44236) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 81.55589 90.309687) (end 81.540941 90.244192) (width 0.19) (layer "B.Cu") (net 136) (tstamp 7e1dcbf2))
(segment (start 67.57 76.98) (end 68.05 76.5) (width 0.19) (layer "B.Cu") (net 136) (tstamp ffac17aa-c68d-4c00-a000-000000000000))
(segment (start 82.1 93.1) (end 82.5 93.5) (width 0.19) (layer "F.Cu") (net 137) (tstamp 674285e2-b25d-4000-a000-000000000000))
(segment (start 66.785 74.55) (end 66.785 76.485) (width 0.19) (layer "F.Cu") (net 137) (tstamp 7ce1dcbf2))
(via (at 82.5 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 137) (tstamp 12f06b11-66d8-4e21-b000-000000000000))
(via (at 66.785 76.485) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 137) (tstamp d3d05fdf-fb9f-4000-a000-000000000000))
(segment (start 72.89042 83.3) (end 72.932698 83.304764) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.029582 84.47) (end 72.201043 84.470001) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.972857 83.318816) (end 73.008883 83.341453) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.771956 83.341453) (end 72.807982 83.318816) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.417714 84.420548) (end 72.512399 84.361053) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.650966 84.187296) (end 72.687899 84.081747) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 67.23 79.670418) (end 72.029582 84.47) (width 0.19) (layer "B.Cu") (net 137) (tstamp 39f00000-0000-0000-0000-000000000000))
(segment (start 72.807982 83.318816) (end 72.848141 83.304764) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.719235 83.407563) (end 72.741872 83.371537) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.70042 83.970625) (end 72.70042 83.49) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 73.468674 84.457481) (end 73.579796 84.470001) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 81.73 91.760418) (end 81.73 92.73) (width 0.19) (layer "B.Cu") (net 137) (tstamp 5f51b400-0000-0000-0000-000000000000))
(segment (start 72.512399 84.361053) (end 72.591471 84.281981) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 73.038967 83.371537) (end 73.061604 83.407563) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.70042 83.49) (end 72.705183 83.447722) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.687899 84.081747) (end 72.70042 83.970625) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.932698 83.304764) (end 72.972857 83.318816) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
(segment (start 72.312165 84.457481) (end 72.417714 84.420548) (width 0.19) (layer "B.Cu") (net 137) (tstamp 7e1dcbf2))
```

(segment (start 72.201043 84.470001) (end 72.312165 84.457481) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 73.061604 83.407563) (end 73.075656 83.447722) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 72.705183 83.447722) (end 72.719235 83.407563) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 73.26844 84.361053) (end 73.363125 84.420548) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 72.591471 84.281981) (end 72.650966 84.187296) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 73.129873 84.187296) (end 73.189368 84.281981) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 74.439583 84.470001) (end 81.73 91.760418) (width 0.19) (layer "B.Cu") (net 137) (tstamp
(segment (start 66.785 76.485) (end 67.23 76.93) (width 0.19) (layer "B.Cu") (net 137) (tstamp c0e40de7
(segment (start 73.363125 84.420548) (end 73.468674 84.457481) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 73.189368 84.281981) (end 73.26844 84.361053) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 67.23 76.93) (end 67.23 79.670418) (width 0.19) (layer "B.Cu") (net 137) (tstamp d2627e
(segment (start 73.08042 83.49) (end 73.08042 83.970625) (width 0.19) (layer "B.Cu") (net 137) (tstamp
(segment (start 72.848141 83.304764) (end 72.89042 83.3) (width 0.19) (layer "B.Cu") (net 137) (tstamp
(segment (start 73.008883 83.341453) (end 73.038967 83.371537) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 81.73 92.73) (end 82.5 93.5) (width 0.19) (layer "B.Cu") (net 137) (tstamp d9597f66-489
(segment (start 73.08042 83.970625) (end 73.09294 84.081747) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 72.741872 83.371537) (end 72.771956 83.341453) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 73.09294 84.081747) (end 73.129873 84.187296) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 73.075656 83.447722) (end 73.08042 83.49) (width 0.19) (layer "B.Cu") (net 137) (tstamp
(segment (start 73.579796 84.470001) (end 74.439583 84.470001) (width 0.19) (layer "B.Cu") (net 137) (ts
(segment (start 83.295 74.55) (end 83.295 76.495) (width 0.19) (layer "F.Cu") (net 138) (tstamp 2e17271
(segment (start 86.1 93.9) (end 86.5 93.5) (width 0.19) (layer "F.Cu") (net 138) (tstamp e70fe8ba-95e0-
(via (at 86.5 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 138) (tstamp 1a5f888d-61f4-46e9-
(via (at 83.295 76.495) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 138) (tstamp 6bb5f65b-1166-4
(segment (start 87.399162 87.512278) (end 87.413214 87.552437) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 88.601537 88.761452) (end 88.571453 88.791536) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 83.295 76.495) (end 82.82 76.97) (width 0.19) (layer "B.Cu") (net 138) (tstamp 09728ec7
(segment (start 87.1 92.9) (end 86.5 93.5) (width 0.19) (layer "B.Cu") (net 138) (tstamp 0c8e6939-fbf3-
(segment (start 87.394399 87.47) (end 87.399162 87.512278) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 89.616148 88.437295) (end 89.556654 88.53198) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.166227 88.72) (end 88.72 88.72) (width 0.19) (layer "B.Cu") (net 138) (tstamp 18886b
(segment (start 88.571453 88.791536) (end 88.548816 88.827562) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 88.480546 86.997295) (end 88.421052 87.09198) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.477582 88.611052) (end 89.382897 88.670546) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 88.548816 88.827562) (end 88.534764 88.867721) (width 0.19) (layer "B.Cu") (net 138) (ts

(segment (start 88.53 84.758982) (end 88.53 86.780625) (width 0.19) (layer "B.Cu") (net 138) (tstamp 27
(segment (start 88.517479 86.891746) (end 88.480546 86.997295) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.465935 87.618547) (end 87.501961 87.641184) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.53 88.91) (end 88.53 92.480418) (width 0.19) (layer "B.Cu") (net 138) (tstamp 368559
(segment (start 89.665601 88.220625) (end 89.653081 88.331746) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 86.989218 83.2182) (end 88.53 84.758982) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.141746 87.267479) (end 88.030625 87.28) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.72 88.72) (end 88.677722 88.724763) (width 0.19) (layer "B.Cu") (net 138) (tstamp 48
(segment (start 87.501961 87.641184) (end 87.54212 87.655236) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 89.653081 88.048253) (end 89.665601 88.159374) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.247295 87.230546) (end 88.141746 87.267479) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.435851 87.588463) (end 87.465935 87.618547) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 88.110418 92.9) (end 87.1 92.9) (width 0.19) (layer "B.Cu") (net 138) (tstamp 5ae6c81e-
(segment (start 88.677722 88.724763) (end 88.637563 88.738815) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 89.382897 87.709453) (end 89.477582 87.768947) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.399162 87.427721) (end 87.394399 87.47) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 82.82 76.97) (end 82.82 79.479582) (width 0.19) (layer "B.Cu") (net 138) (tstamp 69f160
(segment (start 89.382897 88.670546) (end 89.277348 88.707479) (width 0.19) (layer "B.Cu") (net 138) (t
(segment (start 87.584399 87.66) (end 89.166227 87.66) (width 0.19) (layer "B.Cu") (net 138) (tstamp 70
(segment (start 89.277348 87.67252) (end 89.382897 87.709453) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 87.465935 87.321452) (end 87.435851 87.351536) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 88.34198 87.171052) (end 88.247295 87.230546) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.556654 88.53198) (end 89.477582 88.611052) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 88.53 86.780625) (end 88.517479 86.891746) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 87.54212 87.284763) (end 87.501961 87.298815) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.277348 88.707479) (end 89.166227 88.72) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 83.47 82.746982) (end 83.941218 83.2182) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 83.941218 83.2182) (end 86.989218 83.2182) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.53 92.480418) (end 88.110418 92.9) (width 0.19) (layer "B.Cu") (net 138) (tstamp b16
(segment (start 87.584399 87.28) (end 87.54212 87.284763) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 89.556654 87.848019) (end 89.616148 87.942704) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 87.435851 87.351536) (end 87.413214 87.387562) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 89.653081 88.331746) (end 89.616148 88.437295) (width 0.19) (layer "B.Cu") (net 138) (ts
(segment (start 87.54212 87.655236) (end 87.584399 87.66) (width 0.19) (layer "B.Cu") (net 138) (tstamp
(segment (start 88.637563 88.738815) (end 88.601537 88.761452) (width 0.19) (layer "B.Cu") (net 138) (ts

(segment (start 87.501961 87.298815) (end 87.465935 87.321452) (width 0.19) (layer "B.Cu") (net 138) (tstamp c9000000-0000-0000-0000-000000000000))
(segment (start 87.413214 87.552437) (end 87.435851 87.588463) (width 0.19) (layer "B.Cu") (net 138) (tstamp c9000000-0000-0000-0000-000000000000))
(segment (start 88.030625 87.28) (end 87.584399 87.28) (width 0.19) (layer "B.Cu") (net 138) (tstamp c9000000-0000-0000-0000-000000000000))
(segment (start 82.82 79.479582) (end 83.47 80.129582) (width 0.19) (layer "B.Cu") (net 138) (tstamp dc000000-0000-0000-0000-000000000000))
(segment (start 89.616148 87.942704) (end 89.653081 88.048253) (width 0.19) (layer "B.Cu") (net 138) (tstamp e1000000-0000-0000-0000-000000000000))
(segment (start 83.47 80.129582) (end 83.47 82.746982) (width 0.19) (layer "B.Cu") (net 138) (tstamp e1000000-0000-0000-0000-000000000000))
(segment (start 88.534764 88.867721) (end 88.53 88.91) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed000000-0000-0000-0000-000000000000))
(segment (start 89.665601 88.159374) (end 89.665601 88.220625) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed000000-0000-0000-0000-000000000000))
(segment (start 89.477582 87.768947) (end 89.556654 87.848019) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed000000-0000-0000-0000-000000000000))
(segment (start 88.421052 87.09198) (end 88.34198 87.171052) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed000000-0000-0000-0000-000000000000))
(segment (start 89.166227 87.66) (end 89.277348 87.67252) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed000000-0000-0000-0000-000000000000))
(segment (start 87.413214 87.387562) (end 87.399162 87.427721) (width 0.19) (layer "B.Cu") (net 138) (tstamp ed000000-0000-0000-0000-000000000000))
(segment (start 83.3 94.3) (end 84.1 94.3) (width 0.15) (layer "F.Cu") (net 139) (tstamp 00000000-0000-0000-0000-000000000000))
(segment (start 91.8 85.9) (end 91.45 86.25) (width 0.25) (layer "F.Cu") (net 139) (tstamp 3b6f9fbf-f9e0-4000-9000-000000000000))
(segment (start 85.835 74.55) (end 85.835 75.635) (width 0.25) (layer "F.Cu") (net 139) (tstamp 4302c660-4000-9000-9000-000000000000))
(segment (start 84.1 94.3) (end 84.5 93.9) (width 0.15) (layer "F.Cu") (net 139) (tstamp 46928506-ead7-4000-9000-000000000000))
(segment (start 84.5 93.9) (end 84.1 93.5) (width 0.25) (layer "F.Cu") (net 139) (tstamp 7979f5de-be4a-4000-9000-000000000000))
(segment (start 82.9 93.9) (end 83.3 94.3) (width 0.15) (layer "F.Cu") (net 139) (tstamp 97cfa6f7-b4b4-4000-9000-000000000000))
(segment (start 85.835 75.635) (end 91.8 81.6) (width 0.25) (layer "F.Cu") (net 139) (tstamp a984eb2b-f9e0-4000-9000-000000000000))
(segment (start 91.45 86.25) (end 91.45 87.2) (width 0.25) (layer "F.Cu") (net 139) (tstamp acaa31d9-9555-4433-b000-000000000000))
(segment (start 91.8 81.6) (end 91.8 85.9) (width 0.25) (layer "F.Cu") (net 139) (tstamp dc001e77-6440-4000-9000-000000000000))
(segment (start 91.45 87.2) (end 91.55 87.3) (width 0.25) (layer "F.Cu") (net 139) (tstamp ed80b67e-5d00-4000-9000-000000000000))
(via (at 87.05 90) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 00000000-0000-0000-0000-000000000000))
(via (at 91.05 87.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 0cbc2ad7-9555-4433-b000-000000000000))
(via (at 91.55 87.3) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 4b53013b-a8ca-41b6-b000-000000000000))
(via (at 87.15 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 6cfcb431-8bcd-49bd-b000-000000000000))
(via (at 84.1 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 139) (tstamp 75f34dee-a384-431a-b000-000000000000))
(via (at 87.65 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 139) (tstamp 9c59679d-1cee-4f4f-b000-000000000000))
(segment (start 91.55 87.3) (end 91.05 87.3) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 2c9c9308-43d0-b000-9000-000000000000))
(segment (start 91.05 87.3) (end 88.95 87.3) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 5b2bcf10-d0b0-b000-9000-000000000000))
(segment (start 85.3 90) (end 83.85 91.45) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 5f68cde4-66f0-b000-9000-000000000000))
(segment (start 87.05 90) (end 85.3 90) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 6cd0e07b-19e8-4000-9000-000000000000))
(segment (start 83.85 93.25) (end 84.1 93.5) (width 0.25) (layer "In2.Cu") (net 139) (tstamp 7dfa596a-d0b0-b000-9000-000000000000))
(segment (start 87.65 88.6) (end 87.15 88.6) (width 0.25) (layer "In2.Cu") (net 139) (tstamp a5493b35-1ce0-b000-9000-000000000000))
(segment (start 88.95 87.3) (end 87.65 88.6) (width 0.25) (layer "In2.Cu") (net 139) (tstamp aeb90892-f9e0-4000-9000-000000000000))

(segment (start 83.85 91.45) (end 83.85 93.25) (width 0.25) (layer "In2.Cu") (net 139) (tstamp b55265cd
(segment (start 87.05 89.2) (end 87.65 88.6) (width 0.25) (layer "B.Cu") (net 139) (tstamp 06578341-0ed
(segment (start 84.1 93.5) (end 84.1 94.215) (width 0.25) (layer "B.Cu") (net 139) (tstamp 2bbe0232-d18
(segment (start 87.15 88.6) (end 87.15 89.1) (width 0.25) (layer "B.Cu") (net 139) (tstamp 9bc7322e-ed1
(segment (start 84.1 94.315) (end 84.085 94.3) (width 0.25) (layer "B.Cu") (net 139) (tstamp 9daa1b62-2
(segment (start 87.65 88.6) (end 87.15 88.6) (width 0.25) (layer "B.Cu") (net 139) (tstamp cfa9f8a0-7f7
(segment (start 84.1 94.215) (end 84.185 94.3) (width 0.25) (layer "B.Cu") (net 139) (tstamp db2e1c6c-d
(segment (start 87.15 89.1) (end 87.05 89.2) (width 0.25) (layer "B.Cu") (net 139) (tstamp e0fac18c-907
(segment (start 87.05 90) (end 87.05 89.2) (width 0.25) (layer "B.Cu") (net 139) (tstamp f6b23e96-5a8f-
(segment (start 71.865 76.485) (end 71.85 76.5) (width 0.19) (layer "F.Cu") (net 140) (tstamp 4220253f-
(segment (start 83.7 93.9) (end 83.3 93.5) (width 0.19) (layer "F.Cu") (net 140) (tstamp a9193963-1f75-
(segment (start 71.865 74.55) (end 71.865 76.485) (width 0.19) (layer "F.Cu") (net 140) (tstamp e2f4c0f
(via (at 83.3 93.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 140) (tstamp 69d0a3f3-bac1-470b-
(via locked (at 71.85 76.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 140) (tstamp d14a4ce8-d1
(segment (start 74.650418 82.81) (end 73.225369 81.384951) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 73.565221 80.070172) (end 73.521911 80.026862) (width 0.19) (layer "B.Cu") (net 140) (t
(segment (start 73.180382 81.313354) (end 73.170914 81.271874) (width 0.19) (layer "B.Cu") (net 140) (t
(segment (start 73.333732 79.908621) (end 73.224711 79.883738) (width 0.19) (layer "B.Cu") (net 140) (t
(segment (start 83.64 90.999572) (end 75.450428 82.81) (width 0.19) (layer "B.Cu") (net 140) (tstamp 19
(segment (start 71.648519 81.194033) (end 71.615255 81.22056) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.379819 80.925333) (end 71.719673 80.58548) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.837913 80.067434) (end 71.789394 79.966683) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.565222 80.776398) (end 73.634944 80.68897) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.198841 81.351686) (end 73.180382 81.313354) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.862797 80.176455) (end 71.837913 80.067434) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.795001 92.462399) (end 83.64 92.307398) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 71.789394 80.498052) (end 71.837913 80.397301) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.434483 79.95714) (end 73.333732 79.908621) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.795001 93.004999) (end 83.795001 92.462399) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.719673 79.879255) (end 71.42 79.579582) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 71.334832 81.122436) (end 71.325364 81.080956) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.789394 79.966683) (end 71.719673 79.879255) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.42 76.93) (end 71.85 76.5) (width 0.19) (layer "B.Cu") (net 140) (tstamp 5694a539-97
(segment (start 73.683463 80.588219) (end 73.708346 80.479198) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.535442 81.248488) (end 71.492896 81.248488) (width 0.19) (layer "B.Cu") (net 140) (ts

(segment (start 73.198841 81.149514) (end 73.225369 81.116251) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.683462 80.258351) (end 73.634943 80.1576) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.003866 79.908623) (end 72.903115 79.957141) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.862797 80.28828) (end 71.862797 80.176455) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.170914 81.229328) (end 73.180382 81.187848) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.492896 81.248488) (end 71.451416 81.23902) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.576922 81.23902) (end 71.535442 81.248488) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.353292 80.958597) (end 71.379819 80.925333) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.708345 80.367372) (end 73.683462 80.258351) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 72.815687 80.026864) (end 71.648519 81.194033) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.634943 80.1576) (end 73.565221 80.070172) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.42 79.579582) (end 71.42 76.93) (width 0.19) (layer "B.Cu") (net 140) (tstamp 889fff
(segment (start 73.224711 79.883738) (end 73.112887 79.883739) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.353292 81.160769) (end 71.334832 81.122436) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.634944 80.68897) (end 73.683463 80.588219) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.3 93.5) (end 83.795001 93.004999) (width 0.19) (layer "B.Cu") (net 140) (tstamp 9d48
(segment (start 73.225369 81.116251) (end 73.565222 80.776398) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.615255 81.22056) (end 71.576922 81.23902) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 72.903115 79.957141) (end 72.815687 80.026864) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.719673 80.58548) (end 71.789394 80.498052) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 83.64 92.307398) (end 83.64 90.999572) (width 0.19) (layer "B.Cu") (net 140) (tstamp b5f
(segment (start 73.170914 81.271874) (end 73.170914 81.229328) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.112887 79.883739) (end 73.003866 79.908623) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.325364 81.03841) (end 71.334832 80.99693) (width 0.19) (layer "B.Cu") (net 140) (tstamp
(segment (start 71.413083 81.22056) (end 71.379819 81.194033) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.180382 81.187848) (end 73.198841 81.149514) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.521911 80.026862) (end 73.434483 79.95714) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.837913 80.397301) (end 71.862797 80.28828) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.379819 81.194033) (end 71.353292 81.160769) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.225369 81.384951) (end 73.198841 81.351686) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 73.708346 80.479198) (end 73.708345 80.367372) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.325364 81.080956) (end 71.325364 81.03841) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.334832 80.99693) (end 71.353292 80.958597) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 71.451416 81.23902) (end 71.413083 81.22056) (width 0.19) (layer "B.Cu") (net 140) (ts
(segment (start 75.450428 82.81) (end 74.650418 82.81) (width 0.19) (layer "B.Cu") (net 140) (tstamp fc

(segment (start 97.05 85.7) (end 97.75 85.7) (width 0.15) (layer "F.Cu") (net 141) (tstamp 32b6ef26-f7c3-4280-9000-000000000000))
(segment (start 86.1 96.3) (end 86.5 96.7) (width 0.15) (layer "F.Cu") (net 141) (tstamp a1ffa48-5b98-4280-9000-000000000000))
(segment (start 97.75 85.7) (end 97.85 85.8) (width 0.15) (layer "F.Cu") (net 141) (tstamp b72ddd83-316f-4280-9000-000000000000))
(via (at 86.5 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 141) (tstamp 446d7c6a-43a2-4add-9000-000000000000))
(via (at 97.85 85.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 141) (tstamp f8e83fb7-5863-48e5-9000-000000000000))
(segment (start 95.05 86.4) (end 97.35 86.4) (width 0.15) (layer "B.Cu") (net 141) (tstamp 5c2bcabf-38f1-4280-9000-000000000000))
(segment (start 89.65 97.3) (end 90.9 96.05) (width 0.15) (layer "B.Cu") (net 141) (tstamp 7a61a864-097f-4280-9000-000000000000))
(segment (start 90.9 90.55) (end 95.05 86.4) (width 0.15) (layer "B.Cu") (net 141) (tstamp 950e9e40-5fc1-4280-9000-000000000000))
(segment (start 97.85 85.9) (end 97.85 85.8) (width 0.15) (layer "B.Cu") (net 141) (tstamp 9f699ac5-f1c1-4280-9000-000000000000))
(segment (start 86.5 96.7) (end 87.1 97.3) (width 0.15) (layer "B.Cu") (net 141) (tstamp a2b216c4-bca4-4280-9000-000000000000))
(segment (start 87.1 97.3) (end 89.65 97.3) (width 0.15) (layer "B.Cu") (net 141) (tstamp a3c55e25-be6d-4280-9000-000000000000))
(segment (start 90.9 96.05) (end 90.9 90.55) (width 0.15) (layer "B.Cu") (net 141) (tstamp cf8649c5-27e1-4280-9000-000000000000))
(segment (start 97.35 86.4) (end 97.85 85.9) (width 0.15) (layer "B.Cu") (net 141) (tstamp d6c9774a-443f-4280-9000-000000000000))
(segment (start 91.20431 94.6) (end 92.35 94.6) (width 0.15) (layer "F.Cu") (net 142) (tstamp 1b037ac9-f1c1-4280-9000-000000000000))
(segment (start 89.10431 96.7) (end 91.20431 94.6) (width 0.15) (layer "F.Cu") (net 142) (tstamp 83ce73b1-4280-9000-000000000000))
(segment (start 87.3 96.7) (end 89.10431 96.7) (width 0.15) (layer "F.Cu") (net 142) (tstamp 90bec7dc-63f1-4280-9000-000000000000))
(segment (start 86.9 97.1) (end 87.3 96.7) (width 0.15) (layer "F.Cu") (net 142) (tstamp d176e73e-0cec-4280-9000-000000000000))
(segment (start 97.05 91.3) (end 97.75 91.3) (width 0.15) (layer "F.Cu") (net 142) (tstamp d8fe3d00-28e1-4280-9000-000000000000))
(segment (start 97.75 91.3) (end 97.85 91.4) (width 0.15) (layer "F.Cu") (net 142) (tstamp fe86812b-4af1-4280-9000-000000000000))
(via (at 97.85 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 142) (tstamp d98367ab-9337-4902-9000-000000000000))
(via (at 92.35 94.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 142) (tstamp da4aaa52-e08b-4fe7-9000-000000000000))
(segment (start 92.35 94.6) (end 92.65 94.3) (width 0.15) (layer "B.Cu") (net 142) (tstamp 0a0d9aa9-3f51-4280-9000-000000000000))
(segment (start 94.15 92) (end 97.35 92) (width 0.15) (layer "B.Cu") (net 142) (tstamp 0d4b7a1c-4c8d-48f1-4280-9000-000000000000))
(segment (start 97.85 91.4) (end 97.85 91.5) (width 0.15) (layer "B.Cu") (net 142) (tstamp 11887a1a-885a-4280-9000-000000000000))
(segment (start 97.35 92) (end 97.85 91.5) (width 0.15) (layer "B.Cu") (net 142) (tstamp 33e9e9c9-981d-4280-9000-000000000000))
(segment (start 92.65 93.5) (end 94.15 92) (width 0.15) (layer "B.Cu") (net 142) (tstamp 933a79d3-82c3-4280-9000-000000000000))
(segment (start 92.65 94.3) (end 92.65 93.5) (width 0.15) (layer "B.Cu") (net 142) (tstamp a1185cc8-daa1-4280-9000-000000000000))
(segment (start 91.940908 96.25) (end 90.402586 96.25) (width 0.15) (layer "F.Cu") (net 143) (tstamp 23b1a48d-4280-9000-000000000000))
(segment (start 93.45 95.1) (end 93.090908 95.1) (width 0.15) (layer "F.Cu") (net 143) (tstamp 3b0dba43-4280-9000-000000000000))
(segment (start 97.75 94.1) (end 97.85 94.2) (width 0.15) (layer "F.Cu") (net 143) (tstamp 4a40143f-8811-4280-9000-000000000000))
(segment (start 90.402586 96.25) (end 89.152586 97.5) (width 0.15) (layer "F.Cu") (net 143) (tstamp 4f91a48d-4280-9000-000000000000))
(segment (start 89.152586 97.5) (end 87.3 97.5) (width 0.15) (layer "F.Cu") (net 143) (tstamp 4fad6bb6-3f51-4280-9000-000000000000))
(segment (start 97.05 94.1) (end 97.75 94.1) (width 0.15) (layer "F.Cu") (net 143) (tstamp 921ca58e-3c91-4280-9000-000000000000))
(segment (start 93.090908 95.1) (end 91.940908 96.25) (width 0.15) (layer "F.Cu") (net 143) (tstamp c2b1a48d-4280-9000-000000000000))
(segment (start 87.3 97.5) (end 86.9 97.9) (width 0.15) (layer "F.Cu") (net 143) (tstamp c335f135-268f-4280-9000-000000000000))

(via (at 97.85 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 143) (tstamp 388660c4-68ed-464d-
(via (at 93.45 95.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 143) (tstamp 5d41d112-70b9-4a62-
(segment (start 93.75 94.8) (end 97.35 94.8) (width 0.15) (layer "B.Cu") (net 143) (tstamp 0862b1f0-70e5-
(segment (start 97.35 94.8) (end 97.85 94.3) (width 0.15) (layer "B.Cu") (net 143) (tstamp 163da203-df80-
(segment (start 93.45 95.1) (end 93.75 94.8) (width 0.15) (layer "B.Cu") (net 143) (tstamp 35f06f2f-b133-
(segment (start 97.85 94.3) (end 97.85 94.2) (width 0.15) (layer "B.Cu") (net 143) (tstamp 7faa844b-5be1-
(segment (start 86.1 97.1) (end 86.5 97.5) (width 0.15) (layer "F.Cu") (net 144) (tstamp 3c94d962-e058-
(segment (start 100.50009 86.115416) (end 100.50009 86.35275) (width 0.15) (layer "F.Cu") (net 144) (ts
(segment (start 100.50009 86.35275) (end 100.208259 86.644581) (width 0.15) (layer "F.Cu") (net 144) (t
(segment (start 100.915506 85.7) (end 100.50009 86.115416) (width 0.15) (layer "F.Cu") (net 144) (tstamp
(segment (start 101.05 85.7) (end 100.915506 85.7) (width 0.15) (layer "F.Cu") (net 144) (tstamp b32a54-
(via (at 86.5 97.5) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 144) (tstamp 0942ed50-d2f4-47d1-
(via (at 100.208259 86.644581) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 144) (tstamp c591d797-
(segment (start 86.5 97.5) (end 86.749999 97.749999) (width 0.15) (layer "B.Cu") (net 144) (tstamp 3a0157-
(segment (start 91.199911 90.800089) (end 91.2 90.8) (width 0.15) (layer "B.Cu") (net 144) (tstamp 42be
(segment (start 91.2 90.8) (end 91.2 90.7) (width 0.15) (layer "B.Cu") (net 144) (tstamp 49acaba2-cb46-
(segment (start 91.2 90.7) (end 95.2 86.7) (width 0.15) (layer "B.Cu") (net 144) (tstamp 5fc55323-8e16-
(segment (start 91.199911 96.200089) (end 91.199911 90.800089) (width 0.15) (layer "B.Cu") (net 144) (ts
(segment (start 100.15284 86.7) (end 100.208259 86.644581) (width 0.15) (layer "B.Cu") (net 144) (tstamp
(segment (start 86.749999 97.749999) (end 89.650001 97.749999) (width 0.15) (layer "B.Cu") (net 144) (ts
(segment (start 89.650001 97.749999) (end 91.199911 96.200089) (width 0.15) (layer "B.Cu") (net 144) (ts
(segment (start 95.2 86.7) (end 100.15284 86.7) (width 0.15) (layer "B.Cu") (net 144) (tstamp e127d218-
(segment (start 101.729839 88.5) (end 101.850603 88.620764) (width 0.15) (layer "F.Cu") (net 145) (tstar
(segment (start 91.749928 94.2) (end 92.1 93.849928) (width 0.15) (layer "F.Cu") (net 145) (tstamp 40a5
(segment (start 101.05 88.5) (end 101.729839 88.5) (width 0.15) (layer "F.Cu") (net 145) (tstamp 8f707b
(segment (start 89.080172 96.3) (end 91.180172 94.2) (width 0.15) (layer "F.Cu") (net 145) (tstamp a01d
(segment (start 91.180172 94.2) (end 91.749928 94.2) (width 0.15) (layer "F.Cu") (net 145) (tstamp a4b1
(segment (start 87.7 96.3) (end 89.080172 96.3) (width 0.15) (layer "F.Cu") (net 145) (tstamp d00e3c8c-
(via (at 92.1 93.849928) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 145) (tstamp 27f74848-0a1b-
(via (at 101.850603 88.620764) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 145) (tstamp eb2daafc-
(segment (start 92.1 91.85) (end 94.45 89.5) (width 0.15) (layer "B.Cu") (net 145) (tstamp 142f5664-c73f-
(segment (start 92.1 93.849928) (end 92.1 91.85) (width 0.15) (layer "B.Cu") (net 145) (tstamp 564ee630-
(segment (start 94.45 89.5) (end 101.05 89.5) (width 0.15) (layer "B.Cu") (net 145) (tstamp 59b4b976-6c
(segment (start 101.05 89.5) (end 101.850603 88.699397) (width 0.15) (layer "B.Cu") (net 145) (tstamp 6
(segment (start 101.850603 88.699397) (end 101.850603 88.620764) (width 0.15) (layer "B.Cu") (net 145) (

```
(segment (start 101.75 91.3) (end 101.85 91.4) (width 0.15) (layer "F.Cu") (net 146) (tstamp 197ae24d-7
(segment (start 89.128448 97.1) (end 90.278359 95.950089) (width 0.15) (layer "F.Cu") (net 146) (tstamp
(segment (start 101.05 91.3) (end 101.75 91.3) (width 0.15) (layer "F.Cu") (net 146) (tstamp 98cfaa54-9
(segment (start 87.7 97.1) (end 89.128448 97.1) (width 0.15) (layer "F.Cu") (net 146) (tstamp 9f84d445-
(segment (start 91.445251 95.950089) (end 92.04534 95.35) (width 0.15) (layer "F.Cu") (net 146) (tstamp
(segment (start 90.278359 95.950089) (end 91.445251 95.950089) (width 0.15) (layer "F.Cu") (net 146) (t
(via (at 92.04534 95.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 146) (tstamp 61410dae-7e1a-
(via (at 101.85 91.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 146) (tstamp 6a76ac49-4dda-415
(segment (start 92.45 95.35) (end 92.04534 95.35) (width 0.15) (layer "B.Cu") (net 146) (tstamp 1881cd3
(segment (start 92.949911 93.650089) (end 92.949911 94.850089) (width 0.15) (layer "B.Cu") (net 146) (t
(segment (start 101.85 91.5) (end 101.05 92.3) (width 0.15) (layer "B.Cu") (net 146) (tstamp 29a8fec3-8
(segment (start 94.3 92.3) (end 92.949911 93.650089) (width 0.15) (layer "B.Cu") (net 146) (tstamp 3a73
(segment (start 101.85 91.4) (end 101.85 91.5) (width 0.15) (layer "B.Cu") (net 146) (tstamp 4aac3fba-d
(segment (start 101.05 92.3) (end 94.3 92.3) (width 0.15) (layer "B.Cu") (net 146) (tstamp 8195ac99-2a9
(segment (start 92.949911 94.850089) (end 92.45 95.35) (width 0.15) (layer "B.Cu") (net 146) (tstamp 82
(segment (start 90.526724 96.55) (end 92.4 96.55) (width 0.15) (layer "F.Cu") (net 147) (tstamp 4ded156
(segment (start 87.7 97.9) (end 89.176724 97.9) (width 0.15) (layer "F.Cu") (net 147) (tstamp 5e890b2b-
(segment (start 92.4 96.55) (end 93.15 95.8) (width 0.15) (layer "F.Cu") (net 147) (tstamp c00d33c1-dda
(segment (start 101.75 94.1) (end 101.85 94.2) (width 0.15) (layer "F.Cu") (net 147) (tstamp c3dcf72e-8
(segment (start 101.05 94.1) (end 101.75 94.1) (width 0.15) (layer "F.Cu") (net 147) (tstamp eef259dd-b
(segment (start 89.176724 97.9) (end 90.526724 96.55) (width 0.15) (layer "F.Cu") (net 147) (tstamp f9c
(via (at 93.15 95.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 147) (tstamp 01a3f217-db23-4aec
(via (at 101.85 94.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 147) (tstamp b02508cb-83f1-41e
(segment (start 93.15 95.8) (end 93.5 95.8) (width 0.15) (layer "B.Cu") (net 147) (tstamp 1a1db60f-472a
(segment (start 101.85 94.3) (end 101.85 94.2) (width 0.15) (layer "B.Cu") (net 147) (tstamp 2f6b3995-5
(segment (start 98 94.8) (end 101.35 94.8) (width 0.15) (layer "B.Cu") (net 147) (tstamp 5aeb24b2-c946-
(segment (start 93.5 95.8) (end 94.2 95.1) (width 0.15) (layer "B.Cu") (net 147) (tstamp 6568eaec-fd9e-
(segment (start 97.7 95.1) (end 98 94.8) (width 0.15) (layer "B.Cu") (net 147) (tstamp 9f65c40b-a230-4e
(segment (start 94.2 95.1) (end 97.7 95.1) (width 0.15) (layer "B.Cu") (net 147) (tstamp a1d66938-29ca-
(segment (start 101.35 94.8) (end 101.85 94.3) (width 0.15) (layer "B.Cu") (net 147) (tstamp a8e680b8-8
(segment (start 97.85 97.1) (end 97.65 96.9) (width 0.15) (layer "F.Cu") (net 148) (tstamp 05270caa-030
(segment (start 84.1 98.3) (end 84.1 100.549814) (width 0.15) (layer "F.Cu") (net 148) (tstamp 38c9a139
(segment (start 84.1 100.549814) (end 84.799998 101.249812) (width 0.15) (layer "F.Cu") (net 148) (tsta
(segment (start 83.7 97.9) (end 84.1 98.3) (width 0.15) (layer "F.Cu") (net 148) (tstamp 54f14f7e-d0b0-
(segment (start 97.65 96.9) (end 97.05 96.9) (width 0.15) (layer "F.Cu") (net 148) (tstamp d71664c3-5d8
```

```
(via (at 84.799998 101.249812) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 148) (tstamp 3e5f28a1-  
    (segment (start 97.85 97.1) (end 97.85 97.1) (width 0.15) (layer "B.Cu") (net 148) (tstamp a468341a-59a1-41a1-  
    (segment (start 97.8 97.1) (end 97.25 97.65) (width 0.15) (layer "B.Cu") (net 148) (tstamp 1edd7e55-cac0-  
(segment (start 97.85 97.1) (end 97.8 97.1) (width 0.15) (layer "B.Cu") (net 148) (tstamp 20dfc13e-f80f-4d-  
    (segment (start 90.1 101.8) (end 85.350186 101.8) (width 0.15) (layer "B.Cu") (net 148) (tstamp a7f1a733-  
    (segment (start 85.350186 101.8) (end 84.799998 101.249812) (width 0.15) (layer "B.Cu") (net 148) (tstamp 1edd7e55-cac0-  
    (segment (start 97.25 97.65) (end 94.25 97.65) (width 0.15) (layer "B.Cu") (net 148) (tstamp c94f5b15-8a-  
    (segment (start 94.25 97.65) (end 90.1 101.8) (width 0.15) (layer "B.Cu") (net 148) (tstamp fa65aa9e-f20f-4d-  
    (segment (start 82.1 98.7) (end 81.7 99.1) (width 0.15) (layer "F.Cu") (net 149) (tstamp 203acea8-1edf-4d-  
    (segment (start 97.75 102.5) (end 97.85 102.6) (width 0.15) (layer "F.Cu") (net 149) (tstamp 247fc90d-0b-  
    (segment (start 81.8 103.575736) (end 81.8 104) (width 0.15) (layer "F.Cu") (net 149) (tstamp 252550e0-f20f-4d-  
    (segment (start 81.7 99.1) (end 81.7 103.475736) (width 0.15) (layer "F.Cu") (net 149) (tstamp 8ab1cec2-f20f-4d-  
    (segment (start 81.7 103.475736) (end 81.8 103.575736) (width 0.15) (layer "F.Cu") (net 149) (tstamp dfc13e-f80f-4d-  
    (segment (start 97.05 102.5) (end 97.75 102.5) (width 0.15) (layer "F.Cu") (net 149) (tstamp ea3955e2-ba81-45a1-  
(via (at 81.8 104) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 149) (tstamp 08a90d33-f4cc-4908-9f20-f80f-4d-  
(via (at 97.85 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 149) (tstamp 37572249-f575-4d33-f80f-4d-  
(segment (start 97.85 102.7) (end 97.85 102.6) (width 0.15) (layer "B.Cu") (net 149) (tstamp 006e4717-ba81-45a1-  
(segment (start 92.2 103.2) (end 97.35 103.2) (width 0.15) (layer "B.Cu") (net 149) (tstamp 2efb078e-17b1-45a1-  
(segment (start 91.4 104) (end 92.2 103.2) (width 0.15) (layer "B.Cu") (net 149) (tstamp 8c6c2539-9275-f20f-4d-  
(segment (start 97.35 103.2) (end 97.85 102.7) (width 0.15) (layer "B.Cu") (net 149) (tstamp c570e5f3-1a-  
(segment (start 81.8 104) (end 91.4 104) (width 0.15) (layer "B.Cu") (net 149) (tstamp d072b228-ba81-45a1-  
(segment (start 97.75 105.3) (end 97.85 105.4) (width 0.15) (layer "F.Cu") (net 150) (tstamp 027e782e-5f33-f80f-4d-  
(segment (start 97.05 105.3) (end 97.75 105.3) (width 0.15) (layer "F.Cu") (net 150) (tstamp 7d07bba9-d5b1-45a1-  
(segment (start 81.3 98.7) (end 80.9 99.1) (width 0.15) (layer "F.Cu") (net 150) (tstamp a4d213e9-fa38-f20f-4d-  
(segment (start 80.9 99.1) (end 80.9 103.3) (width 0.15) (layer "F.Cu") (net 150) (tstamp d7274a2e-fc91-f20f-4d-  
(segment (start 80.9 103.3) (end 80.6 103.6) (width 0.15) (layer "F.Cu") (net 150) (tstamp de76d5b9-d9b1-45a1-  
(segment (start 80.6 103.6) (end 80.6 105.2) (width 0.15) (layer "F.Cu") (net 150) (tstamp fb75a890-a75b-f20f-4d-  
(via (at 97.85 105.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 150) (tstamp 1177b6aa-fb76-44af-f20f-4d-  
(via (at 80.6 105.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 150) (tstamp bd84f357-c0bd-4195-f20f-4d-  
(segment (start 97.35 106) (end 97.85 105.5) (width 0.15) (layer "B.Cu") (net 150) (tstamp 22f05070-7db1-45a1-  
(segment (start 91.3 105.2) (end 92.1 106) (width 0.15) (layer "B.Cu") (net 150) (tstamp 6fae339a-bee9-f20f-4d-  
(segment (start 97.85 105.5) (end 97.85 105.4) (width 0.15) (layer "B.Cu") (net 150) (tstamp b60eadca-60b1-45a1-  
(segment locked (start 80.6 105.2) (end 91.3 105.2) (width 0.15) (layer "B.Cu") (net 150) (tstamp e8a92f20-f80f-4d-  
(segment (start 92.1 106) (end 97.35 106) (width 0.15) (layer "B.Cu") (net 150) (tstamp f7bc79ed-6ada-4195-f20f-4d-  
(segment (start 82.9 99.5) (end 82.9 101.5) (width 0.15) (layer "F.Cu") (net 151) (tstamp 6eb4cb92-ec3b-f20f-4d-
```

```
(segment (start 101.85 97.1) (end 101.65 96.9) (width 0.15) (layer "F.Cu") (net 151) (tstamp bcbdb910-83
(segment (start 101.65 96.9) (end 101.05 96.9) (width 0.15) (layer "F.Cu") (net 151) (tstamp bf8ee51e-2
(segment (start 82.9 101.5) (end 83.6 102.2) (width 0.15) (layer "F.Cu") (net 151) (tstamp ee0da389-c4b
(via (at 83.6 102.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 151) (tstamp 5824f783-c37c-4934
(via (at 101.85 97.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 151) (tstamp ab14b379-feb9-4a3
(segment (start 101 97.95) (end 94.4 97.95) (width 0.15) (layer "B.Cu") (net 151) (tstamp 252c99ed-d910
(segment (start 101.85 97.1) (end 101 97.95) (width 0.15) (layer "B.Cu") (net 151) (tstamp 28506ff5-b3d
(segment (start 94.4 97.95) (end 90.15 102.2) (width 0.15) (layer "B.Cu") (net 151) (tstamp 9dbca4cd-e1
(segment (start 90.15 102.2) (end 83.6 102.2) (width 0.15) (layer "B.Cu") (net 151) (tstamp e7653d12-db
(segment (start 82.1 99.5) (end 82.100001 103.100001) (width 0.15) (layer "F.Cu") (net 152) (tstamp 362
(segment (start 101.05 99.7) (end 101.75 99.7) (width 0.15) (layer "F.Cu") (net 152) (tstamp 53b792ee-a
(segment (start 82.100001 103.100001) (end 82.4 103.4) (width 0.15) (layer "F.Cu") (net 152) (tstamp 6c
(segment (start 101.75 99.7) (end 101.85 99.8) (width 0.15) (layer "F.Cu") (net 152) (tstamp d2fd7df9-a
(via (at 82.4 103.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 152) (tstamp 9da5e2d7-fffa-4f20
(via (at 101.85 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 152) (tstamp e1d6e4af-a4c7-4d8
(segment (start 82.4 103.4) (end 90.5 103.4) (width 0.15) (layer "B.Cu") (net 152) (tstamp 48db20f4-426
(segment (start 90.5 103.4) (end 93.2 100.7) (width 0.15) (layer "B.Cu") (net 152) (tstamp 54b2bc59-67d
(segment (start 101.85 99.9) (end 101.85 99.8) (width 0.15) (layer "B.Cu") (net 152) (tstamp 5e412b7b-4
(segment (start 101.05 100.7) (end 101.85 99.9) (width 0.15) (layer "B.Cu") (net 152) (tstamp c78f3e14-
(segment (start 93.2 100.7) (end 101.05 100.7) (width 0.15) (layer "B.Cu") (net 152) (tstamp f4ee344f-5
(segment (start 81.3 99.5) (end 81.3 103.5) (width 0.15) (layer "F.Cu") (net 153) (tstamp 2ee4b494-be16
(segment (start 81.3 103.5) (end 81.2 103.6) (width 0.15) (layer "F.Cu") (net 153) (tstamp 4a8ea31f-254
(segment (start 101.75 102.5) (end 101.85 102.6) (width 0.15) (layer "F.Cu") (net 153) (tstamp 6d06012a
(segment (start 81.2 103.6) (end 81.2 104.6) (width 0.15) (layer "F.Cu") (net 153) (tstamp b89f6d2d-473
(segment (start 101.05 102.5) (end 101.75 102.5) (width 0.15) (layer "F.Cu") (net 153) (tstamp eacd05e3
(via (at 81.2 104.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 153) (tstamp 80cff1c7-5f64-439e
(via (at 101.85 102.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 153) (tstamp 88caea33-0652-45
(segment (start 92.4 103.5) (end 101.05 103.5) (width 0.15) (layer "B.Cu") (net 153) (tstamp 0a184525-9
(segment (start 81.2 104.6) (end 91.3 104.6) (width 0.15) (layer "B.Cu") (net 153) (tstamp 605e603a-f727-
(segment (start 91.3 104.6) (end 92.4 103.5) (width 0.15) (layer "B.Cu") (net 153) (tstamp 63c3ba0c-1a0
(segment (start 101.85 102.7) (end 101.85 102.6) (width 0.15) (layer "B.Cu") (net 153) (tstamp 9ba1f160
(segment (start 101.05 103.5) (end 101.85 102.7) (width 0.15) (layer "B.Cu") (net 153) (tstamp e32204cd
(segment (start 100.50009 105.74991) (end 100.1 106.15) (width 0.15) (layer "F.Cu") (net 154) (tstamp 0
(segment (start 100.50009 105.715416) (end 100.50009 105.74991) (width 0.15) (layer "F.Cu") (net 154) (
(segment (start 80.5 99.5) (end 80.5 103.15) (width 0.15) (layer "F.Cu") (net 154) (tstamp 94c2ab81-eb5
```

(segment (start 80 103.65) (end 80 105.650278) (width 0.15) (layer "F.Cu") (net 154) (tstamp 9b2de5c4-00000000-00000000-00000000))
(segment (start 101.05 105.3) (end 100.915506 105.3) (width 0.15) (layer "F.Cu") (net 154) (tstamp 9e200000-00000000-00000000-00000000))
(segment (start 80.5 103.15) (end 80 103.65) (width 0.15) (layer "F.Cu") (net 154) (tstamp e40da159-ab100000-00000000-00000000))
(segment (start 100.915506 105.3) (end 100.50009 105.715416) (width 0.15) (layer "F.Cu") (net 154) (tstamp 00000000-00000000-00000000-00000000))
(via (at 100.1 106.15) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 154) (tstamp 71e3f7a0-4ee1-4500-0000-000000000000))
(via (at 80 105.650278) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 154) (tstamp 8d38dc5d-0c5a-4000-0000-000000000000))
(segment (start 80.149722 105.8) (end 80 105.650278) (width 0.15) (layer "B.Cu") (net 154) (tstamp 144d0000-00000000-00000000-00000000))
(segment (start 100.1 106.15) (end 99.95 106.3) (width 0.15) (layer "B.Cu") (net 154) (tstamp 48522571-00000000-00000000-00000000))
(segment (start 91.9 106.3) (end 91.4 105.8) (width 0.15) (layer "B.Cu") (net 154) (tstamp a36aff2c-a1b00000-00000000-00000000-00000000))
(segment (start 99.95 106.3) (end 91.9 106.3) (width 0.15) (layer "B.Cu") (net 154) (tstamp bfc963fc-83000000-00000000-00000000-00000000))
(segment (start 91.4 105.8) (end 80.149722 105.8) (width 0.15) (layer "B.Cu") (net 154) (tstamp f7317e10-00000000-00000000-00000000-00000000))
(segment (start 85.3 96.3) (end 85.7 96.7) (width 0.15) (layer "F.Cu") (net 155) (tstamp 02d9641a-cdde-4000-0000-000000000000))
(segment (start 97.05 88.5) (end 97.75 88.5) (width 0.15) (layer "F.Cu") (net 155) (tstamp b22fb483-63200000-00000000-00000000-00000000))
(segment (start 97.75 88.5) (end 97.85 88.6) (width 0.15) (layer "F.Cu") (net 155) (tstamp ec6e8655-58000000-00000000-00000000-00000000))
(via (at 97.85 88.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 155) (tstamp 83285efa-e1b5-48d3-0000-000000000000))
(via (at 85.7 96.7) (size 0.4) (drill 0.2) (layers "F.Cu" "B.Cu") (net 155) (tstamp bf70ac25-c949-4118-0000-000000000000))
(segment (start 85.7 97.5) (end 86.39501 98.19501) (width 0.15) (layer "B.Cu") (net 155) (tstamp 39613100-00000000-00000000-00000000-00000000))
(segment (start 86.39501 98.19501) (end 89.65499 98.19501) (width 0.15) (layer "B.Cu") (net 155) (tstamp 00000000-00000000-00000000-00000000-00000000))
(segment (start 97.85 88.7) (end 97.85 88.6) (width 0.15) (layer "B.Cu") (net 155) (tstamp 4cdc9bad-e1f00000-00000000-00000000-00000000))
(segment (start 91.5 96.35) (end 91.5 92) (width 0.15) (layer "B.Cu") (net 155) (tstamp 581b7969-e41e-4000-0000-000000000000))
(segment (start 85.7 96.7) (end 85.7 97.5) (width 0.15) (layer "B.Cu") (net 155) (tstamp 6dbe5ca4-cf3a-4000-0000-000000000000))
(segment (start 89.65499 98.19501) (end 91.5 96.35) (width 0.15) (layer "B.Cu") (net 155) (tstamp 80de4000-00000000-00000000-00000000-00000000))
(segment (start 94.3 89.2) (end 97.35 89.2) (width 0.15) (layer "B.Cu") (net 155) (tstamp bac88166-33c80000-00000000-00000000-00000000))
(segment (start 91.5 92) (end 94.3 89.2) (width 0.15) (layer "B.Cu") (net 155) (tstamp c0e6a131-3823-4400-0000-000000000000))
(segment (start 97.35 89.2) (end 97.85 88.7) (width 0.15) (layer "B.Cu") (net 155) (tstamp cbb32e24-3b800000-00000000-00000000-00000000))
(segment (start 82.9 98.7) (end 82.5 99.1) (width 0.15) (layer "F.Cu") (net 156) (tstamp 1d249ea1-fb8d-4000-0000-000000000000))
(segment (start 97.75 99.7) (end 97.85 99.8) (width 0.15) (layer "F.Cu") (net 156) (tstamp 3c67ff69-1b100000-00000000-00000000-00000000))
(segment (start 82.5 99.1) (end 82.5 102.3) (width 0.15) (layer "F.Cu") (net 156) (tstamp 6e1e03b1-ae500000-00000000-00000000-00000000))
(segment (start 97.05 99.7) (end 97.75 99.7) (width 0.15) (layer "F.Cu") (net 156) (tstamp 7f80cb8c-04300000-00000000-00000000-00000000))
(segment (start 82.5 102.3) (end 83 102.8) (width 0.15) (layer "F.Cu") (net 156) (tstamp f1279000-d782-4000-0000-000000000000))
(via (at 83 102.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 156) (tstamp 13bc1733-0f48-4c92-8000-000000000000))
(via (at 97.85 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 156) (tstamp 8b63907a-325a-4e33-0000-000000000000))
(segment (start 90.65 102.8) (end 93.05 100.4) (width 0.15) (layer "B.Cu") (net 156) (tstamp 0b75131a-80000000-00000000-00000000-00000000))
(segment (start 93.05 100.4) (end 97.35 100.4) (width 0.15) (layer "B.Cu") (net 156) (tstamp 2e8bf1ae-d0000000-00000000-00000000-00000000))
(segment (start 97.35 100.4) (end 97.85 99.9) (width 0.15) (layer "B.Cu") (net 156) (tstamp 3101c3ee-34000000-00000000-00000000-00000000))

(segment (start 97.85 99.9) (end 97.85 99.8) (width 0.15) (layer "B.Cu") (net 156) (tstamp 9b5a05eb-8455-4200-9000-000000000000))
(segment (start 83 102.8) (end 90.65 102.8) (width 0.15) (layer "B.Cu") (net 156) (tstamp c0f281a5-f0d7-4200-9000-000000000000))
(segment (start 124.4 102.15) (end 125.265 102.15) (width 0.15) (layer "F.Cu") (net 157) (tstamp 483f57b1-4200-9000-9000-000000000000))
(segment (start 125.7 101.715) (end 126.7 101.715) (width 0.15) (layer "F.Cu") (net 157) (tstamp 924dff01-4200-9000-9000-000000000000))
(segment (start 125.265 102.15) (end 125.7 101.715) (width 0.15) (layer "F.Cu") (net 157) (tstamp d0876101-4200-9000-9000-000000000000))
(segment (start 125.7 100.785) (end 125.7 101.715) (width 0.15) (layer "F.Cu") (net 157) (tstamp e467d601-4200-9000-9000-000000000000))
(segment (start 122.2 88.85) (end 121.335 88.85) (width 0.15) (layer "F.Cu") (net 158) (tstamp 4c2a5d49-4200-9000-9000-000000000000))
(segment (start 119.9 89.285) (end 120.9 89.285) (width 0.15) (layer "F.Cu") (net 158) (tstamp 7e4a99a5-4200-9000-9000-000000000000))
(segment (start 121.335 88.85) (end 120.9 89.285) (width 0.15) (layer "F.Cu") (net 158) (tstamp 8d782071-4200-9000-9000-000000000000))
(segment (start 120.9 90.215) (end 120.9 89.285) (width 0.15) (layer "F.Cu") (net 158) (tstamp a8601a4b-4200-9000-9000-000000000000))
(segment (start 86.35 108.135) (end 86.35 109.35) (width 0.15) (layer "F.Cu") (net 159) (tstamp 047483b1-4200-9000-9000-000000000000))
(segment (start 82.88491 107.07509) (end 81.56 108.4) (width 0.15) (layer "F.Cu") (net 159) (tstamp 0fb00101-4200-9000-9000-000000000000))
(segment (start 85.29009 107.07509) (end 82.88491 107.07509) (width 0.15) (layer "F.Cu") (net 159) (tstamp 0fb00101-4200-9000-9000-000000000000))
(segment (start 86.35 109.35) (end 86.4 109.4) (width 0.15) (layer "F.Cu") (net 159) (tstamp c8524606-1000-9000-9000-000000000000))
(segment (start 86.35 108.135) (end 85.29009 107.07509) (width 0.15) (layer "F.Cu") (net 159) (tstamp e1000000-4200-9000-9000-000000000000))
(segment (start 87.3 108.135) (end 86.35 108.135) (width 0.15) (layer "F.Cu") (net 159) (tstamp f0155d81-4200-9000-9000-000000000000))
(segment (start 58.515 89) (end 59 88.515) (width 0.15) (layer "F.Cu") (net 160) (tstamp ae9ff39f-edb8-4200-9000-000000000000))
(segment (start 57.7875 89) (end 58.515 89) (width 0.15) (layer "F.Cu") (net 160) (tstamp cbc7c5e8-d555-4200-9000-000000000000))
(segment (start 57.7875 102) (end 58.515 102) (width 0.15) (layer "F.Cu") (net 161) (tstamp 4d009c56-7384-4200-9000-000000000000))
(segment (start 58.515 102) (end 59 102.485) (width 0.15) (layer "F.Cu") (net 161) (tstamp 624967d9-3311-4200-9000-000000000000))
(segment (start 58.515 104) (end 59 104.485) (width 0.15) (layer "F.Cu") (net 162) (tstamp 1ec69e25-ad61-4200-9000-000000000000))
(segment (start 57.7875 104) (end 58.515 104) (width 0.15) (layer "F.Cu") (net 162) (tstamp 6bb649fa-0201-4200-9000-000000000000))
(segment (start 57.7875 106) (end 58.515 106) (width 0.15) (layer "F.Cu") (net 163) (tstamp 0239f9c3-ae01-4200-9000-000000000000))
(segment (start 58.515 106) (end 59 106.485) (width 0.15) (layer "F.Cu") (net 163) (tstamp e2688a32-6a21-4200-9000-000000000000))
(segment (start 58.515 108) (end 59 108.485) (width 0.15) (layer "F.Cu") (net 164) (tstamp 0d90ac6a-cf91-4200-9000-000000000000))
(segment (start 57.7875 108) (end 58.515 108) (width 0.15) (layer "F.Cu") (net 164) (tstamp d8e2e054-d801-4200-9000-000000000000))
(segment (start 58.515 110) (end 59 110.485) (width 0.15) (layer "F.Cu") (net 165) (tstamp 0270dd0c-8951-4200-9000-000000000000))
(segment (start 57.7875 110) (end 58.515 110) (width 0.15) (layer "F.Cu") (net 165) (tstamp 22cfba73-f601-4200-9000-000000000000))
(segment (start 103 97.235) (end 103.535 97.235) (width 0.15) (layer "F.Cu") (net 166) (tstamp 2971d678-4200-9000-9000-000000000000))
(segment (start 106.4 95.5) (end 107.8 96.9) (width 0.15) (layer "F.Cu") (net 166) (tstamp 62ac05a4-a9e1-4200-9000-000000000000))
(segment (start 103.535 97.235) (end 105.27 95.5) (width 0.15) (layer "F.Cu") (net 166) (tstamp 93434ced-4200-9000-9000-000000000000))
(segment (start 105.27 95.5) (end 106.4 95.5) (width 0.15) (layer "F.Cu") (net 166) (tstamp bfad8802-6901-4200-9000-000000000000))
(segment (start 103.815 94.415) (end 105.27 92.96) (width 0.15) (layer "F.Cu") (net 167) (tstamp d6cc2301-4200-9000-9000-000000000000))
(segment (start 106.36 92.96) (end 107.8 94.4) (width 0.15) (layer "F.Cu") (net 167) (tstamp dd932c6e-2a01-4200-9000-000000000000))
(segment (start 105.27 92.96) (end 106.36 92.96) (width 0.15) (layer "F.Cu") (net 167) (tstamp f7931ba7-4200-9000-9000-000000000000))

(segment (start 103 94.415) (end 103.815 94.415) (width 0.15) (layer "F.Cu") (net 167) (tstamp fd48d72e-
(segment (start 122.115 109.2) (end 122.115 110.1975) (width 0.15) (layer "F.Cu") (net 168) (tstamp 2e1-
(segment (start 122.115 110.1975) (end 121.8125 110.5) (width 0.15) (layer "F.Cu") (net 168) (tstamp 9e-
(segment (start 122.115 80.8025) (end 121.8125 80.5) (width 0.15) (layer "F.Cu") (net 169) (tstamp 7cf6-
(segment (start 122.115 81.8) (end 122.115 80.8025) (width 0.15) (layer "F.Cu") (net 169) (tstamp d0da0-
(segment (start 119.1 103.3) (end 119.1 103.7) (width 0.15) (layer "F.Cu") (net 170) (tstamp 0511b602-c-
(segment (start 121.9 106.6) (end 121.1 106.6) (width 0.15) (layer "F.Cu") (net 170) (tstamp 3fa7bf8a-a-
(segment (start 119.1 103.7) (end 120.6 105.2) (width 0.15) (layer "F.Cu") (net 170) (tstamp 4b3bd623-8-
(segment (start 120.6 105.2) (end 121.9 105.2) (width 0.15) (layer "F.Cu") (net 170) (tstamp 55a861ad-5-
(segment (start 121.9 105.2) (end 122.1 105.4) (width 0.15) (layer "F.Cu") (net 170) (tstamp b452d161-4-
(segment (start 122.1 105.4) (end 122.1 106.4) (width 0.15) (layer "F.Cu") (net 170) (tstamp d74385d0-5-
(segment (start 122.1 106.4) (end 121.9 106.6) (width 0.15) (layer "F.Cu") (net 170) (tstamp f08db576-d-
(segment (start 124.5 85.6) (end 124.5 84.6) (width 0.15) (layer "F.Cu") (net 171) (tstamp 138ea6cb-af5-
(segment (start 124.7 85.8) (end 124.5 85.6) (width 0.15) (layer "F.Cu") (net 171) (tstamp 23e286bb-ef3-
(segment (start 126 85.8) (end 124.7 85.8) (width 0.15) (layer "F.Cu") (net 171) (tstamp 40c3a952-a0a4--
(segment (start 124.5 84.6) (end 124.7 84.4) (width 0.15) (layer "F.Cu") (net 171) (tstamp 4f5df27e-ab5-
(segment (start 127.5 87.7) (end 127.5 87.3) (width 0.15) (layer "F.Cu") (net 171) (tstamp 8c520366-59b-
(segment (start 127.5 87.3) (end 126 85.8) (width 0.15) (layer "F.Cu") (net 171) (tstamp ccb5dfe3-896e--
(segment (start 124.7 84.4) (end 125.5 84.4) (width 0.15) (layer "F.Cu") (net 171) (tstamp f81c66b3-c62-
(segment (start 91.8 103.65) (end 91.3 103.65) (width 0.15) (layer "F.Cu") (net 173) (tstamp 0c39cf8d-0-
(segment (start 98.5 100.35) (end 99.15 100.35) (width 0.15) (layer "F.Cu") (net 173) (tstamp 2c9bddac--
(segment (start 94.65 100.8) (end 98.05 100.8) (width 0.15) (layer "F.Cu") (net 173) (tstamp 562fa261-6-
(segment (start 98.05 100.8) (end 98.5 100.35) (width 0.15) (layer "F.Cu") (net 173) (tstamp 7f752c89-2-
(segment (start 91.8 103.65) (end 94.65 100.8) (width 0.15) (layer "F.Cu") (net 173) (tstamp ab4eee37-2-
(segment (start 94.65 100.35) (end 95.15 100.35) (width 0.15) (layer "F.Cu") (net 174) (tstamp 9fcfd8b4-
(segment (start 91.85 103.15) (end 91.3 103.15) (width 0.15) (layer "F.Cu") (net 174) (tstamp b25bff8d-
(segment (start 91.85 103.15) (end 94.65 100.35) (width 0.15) (layer "F.Cu") (net 174) (tstamp c6cd7766-
(segment (start 91.9 102.65) (end 91.3 102.65) (width 0.15) (layer "F.Cu") (net 175) (tstamp 092de6ff-0-
(segment (start 98.6 97.55) (end 99.15 97.55) (width 0.15) (layer "F.Cu") (net 175) (tstamp 0c75823e-6f-
(segment (start 98.15 98) (end 98.6 97.55) (width 0.15) (layer "F.Cu") (net 175) (tstamp 20ceb4af-fe7b--
(segment (start 91.9 102.65) (end 93.95 100.6) (width 0.15) (layer "F.Cu") (net 175) (tstamp 873c5b4f-b-
(segment (start 94.65 98) (end 98.15 98) (width 0.15) (layer "F.Cu") (net 175) (tstamp 9d6aad07-a3e1-4d-
(segment (start 93.95 100.6) (end 93.95 98.7) (width 0.15) (layer "F.Cu") (net 175) (tstamp ad0ade1e-94-
(segment (start 93.95 98.7) (end 94.65 98) (width 0.15) (layer "F.Cu") (net 175) (tstamp c24bac40-3599--
(segment (start 94.37509 106.15) (end 94.6 106.37491) (width 0.15) (layer "F.Cu") (net 176) (tstamp 48a-

(segment (start 98.65 105.95) (end 99.15 105.95) (width 0.15) (layer "F.Cu") (net 176) (tstamp 53e537a5-
(segment (start 98.22509 106.37491) (end 98.65 105.95) (width 0.15) (layer "F.Cu") (net 176) (tstamp 5c
(segment (start 94.37509 106.15) (end 91.3 106.15) (width 0.15) (layer "F.Cu") (net 176) (tstamp c6f088
(segment (start 94.6 106.37491) (end 98.22509 106.37491) (width 0.15) (layer "F.Cu") (net 176) (tstamp
(segment (start 94.35 105.65) (end 91.3 105.65) (width 0.15) (layer "F.Cu") (net 177) (tstamp 2a33e616-
(segment (start 94.65 105.95) (end 95.15 105.95) (width 0.15) (layer "F.Cu") (net 177) (tstamp 873da84d
(segment (start 94.35 105.65) (end 94.65 105.95) (width 0.15) (layer "F.Cu") (net 177) (tstamp e8ab2b32
(segment (start 93.1 105.15) (end 91.3 105.15) (width 0.15) (layer "F.Cu") (net 178) (tstamp 2ce47efa-f
(segment (start 98.5 103.15) (end 99.15 103.15) (width 0.15) (layer "F.Cu") (net 178) (tstamp 527a6b9f-b9
(segment (start 93.1 105.15) (end 94.65 103.6) (width 0.15) (layer "F.Cu") (net 178) (tstamp 6a60a14f-b
(segment (start 94.65 103.6) (end 98.05 103.6) (width 0.15) (layer "F.Cu") (net 178) (tstamp b54188cc-5
(segment (start 98.05 103.6) (end 98.5 103.15) (width 0.15) (layer "F.Cu") (net 178) (tstamp d73e415e-4
(segment (start 93.15 104.65) (end 91.3 104.65) (width 0.15) (layer "F.Cu") (net 179) (tstamp 239b133f-
(segment (start 93.15 104.65) (end 94.65 103.15) (width 0.15) (layer "F.Cu") (net 179) (tstamp 9c45889a
(segment (start 94.65 103.15) (end 95.15 103.15) (width 0.15) (layer "F.Cu") (net 179) (tstamp ba619f5d
(segment (start 93.6 89.6) (end 98.05 89.6) (width 0.15) (layer "F.Cu") (net 180) (tstamp 29261a0f-db8a
(segment (start 91.3 91.05) (end 92.15 91.05) (width 0.15) (layer "F.Cu") (net 180) (tstamp 42a8e1b5-aa
(segment (start 92.15 91.05) (end 93.6 89.6) (width 0.15) (layer "F.Cu") (net 180) (tstamp 7cc9e011-be2
(segment (start 98.5 89.15) (end 99.15 89.15) (width 0.15) (layer "F.Cu") (net 180) (tstamp 9e0e097d-03
(segment (start 98.05 89.6) (end 98.5 89.15) (width 0.15) (layer "F.Cu") (net 180) (tstamp e9296fb4-dbb
(segment (start 93.45 89.15) (end 95.15 89.15) (width 0.15) (layer "F.Cu") (net 181) (tstamp 409be5df-3
(segment (start 92.05 90.55) (end 93.45 89.15) (width 0.15) (layer "F.Cu") (net 181) (tstamp b7fe830d-c
(segment (start 91.3 90.55) (end 92.05 90.55) (width 0.15) (layer "F.Cu") (net 181) (tstamp cc70dde7-bcl
(segment (start 98.1 86.8) (end 98.55 86.35) (width 0.15) (layer "F.Cu") (net 182) (tstamp 030a788b-df9
(segment (start 92.375 89.525) (end 92.375 88.475) (width 0.15) (layer "F.Cu") (net 182) (tstamp 3f08eb
(segment (start 91.85 90.05) (end 92.375 89.525) (width 0.15) (layer "F.Cu") (net 182) (tstamp 65a490bc
(segment (start 91.3 90.05) (end 91.85 90.05) (width 0.15) (layer "F.Cu") (net 182) (tstamp 998f844a-4b
(segment (start 94.05 86.8) (end 98.1 86.8) (width 0.15) (layer "F.Cu") (net 182) (tstamp bd072e4a-7eda
(segment (start 98.55 86.35) (end 99.15 86.35) (width 0.15) (layer "F.Cu") (net 182) (tstamp d42b9e69-9
(segment (start 92.375 88.475) (end 94.05 86.8) (width 0.15) (layer "F.Cu") (net 182) (tstamp d65a3494-
(segment (start 91.9 93.3) (end 92.4 93.3) (width 0.15) (layer "F.Cu") (net 183) (tstamp 317052c2-046c-
(segment (start 91.65 93.55) (end 91.9 93.3) (width 0.15) (layer "F.Cu") (net 183) (tstamp 55bcc5cb-49e
(segment (start 98.05 95.2) (end 98.5 94.75) (width 0.15) (layer "F.Cu") (net 183) (tstamp 89921060-823
(segment (start 94.3 95.2) (end 98.05 95.2) (width 0.15) (layer "F.Cu") (net 183) (tstamp 9bc67ee9-8ca2
(segment (start 92.4 93.3) (end 94.3 95.2) (width 0.15) (layer "F.Cu") (net 183) (tstamp a2f26aff-543d-

```
(segment (start 91.3 93.55) (end 91.65 93.55) (width 0.15) (layer "F.Cu") (net 183) (tstamp e4e04547-2f7
(segment (start 98.5 94.75) (end 99.15 94.75) (width 0.15) (layer "F.Cu") (net 183) (tstamp fe221695-54
(segment (start 94.35 94.75) (end 95.15 94.75) (width 0.15) (layer "F.Cu") (net 184) (tstamp 3b8eb05f-e
(segment (start 91.3 93.05) (end 91.65 93.05) (width 0.15) (layer "F.Cu") (net 184) (tstamp 6c974e1f-92
(segment (start 91.65 93.05) (end 91.8 92.9) (width 0.15) (layer "F.Cu") (net 184) (tstamp 797248fd-238
(segment (start 91.8 92.9) (end 92.5 92.9) (width 0.15) (layer "F.Cu") (net 184) (tstamp c29efa4b-f0f1-
(segment (start 92.5 92.9) (end 94.35 94.75) (width 0.15) (layer "F.Cu") (net 184) (tstamp f588399d-e8a
(segment (start 91.3 92.55) (end 97.9 92.55) (width 0.15) (layer "F.Cu") (net 185) (tstamp 89148680-876
(segment (start 98.5 91.95) (end 99.15 91.95) (width 0.15) (layer "F.Cu") (net 185) (tstamp b1999823-13
(segment (start 97.9 92.55) (end 98.5 91.95) (width 0.15) (layer "F.Cu") (net 185) (tstamp e471daac-0d5
(segment (start 94.65 91.95) (end 95.15 91.95) (width 0.15) (layer "F.Cu") (net 186) (tstamp 192c85c4-d
(segment (start 91.3 92.05) (end 94.55 92.05) (width 0.15) (layer "F.Cu") (net 186) (tstamp b5852a5c-8c
(segment (start 94.55 92.05) (end 94.65 91.95) (width 0.15) (layer "F.Cu") (net 186) (tstamp eb017f3c-d
(segment (start 54.4651 94.6) (end 56.0151 93.05) (width 0.45) (layer "F.Cu") (net 187) (tstamp 008c60a
(segment (start 54.4 94.6) (end 54.4 96.352411) (width 0.45) (layer "F.Cu") (net 187) (tstamp 0b4e3dbb-
(segment (start 56.0151 93.05) (end 56.695 93.05) (width 0.45) (layer "F.Cu") (net 187) (tstamp 37b9601
(segment (start 57.65 97.95) (end 57.9 98.2) (width 0.45) (layer "F.Cu") (net 187) (tstamp 4a573af5-a8f
(segment (start 55.997589 97.95) (end 57.65 97.95) (width 0.45) (layer "F.Cu") (net 187) (tstamp 579544
(segment (start 54.4 96.352411) (end 55.997589 97.95) (width 0.45) (layer "F.Cu") (net 187) (tstamp 709
(segment (start 54.4 94.6) (end 54.4651 94.6) (width 0.45) (layer "F.Cu") (net 187) (tstamp 71bfa25e-67
(segment (start 57.9 98.2) (end 58.565 98.2) (width 0.45) (layer "F.Cu") (net 187) (tstamp e8459f11-347
(via (at 54.4 94.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 187) (tstamp 02a09903-ad17-4bce-
(segment (start 54.75 94.25) (end 55.5 94.25) (width 0.15) (layer "B.Cu") (net 187) (tstamp 194013bd-2d
(segment (start 54.4 94.6) (end 54.75 94.25) (width 0.15) (layer "B.Cu") (net 187) (tstamp e6a5b241-12d
(segment (start 58.215 93.635) (end 57.6 94.25) (width 0.15) (layer "F.Cu") (net 188) (tstamp 3442b3f8-
(segment (start 57.6 94.25) (end 56.695 94.25) (width 0.15) (layer "F.Cu") (net 188) (tstamp 6b30324a-8
(segment (start 58.4 93.635) (end 58.215 93.635) (width 0.15) (layer "F.Cu") (net 188) (tstamp a9239e09
(segment (start 57.648047 97.324901) (end 58.490099 97.324901) (width 0.15) (layer "F.Cu") (net 189) (t
(segment (start 57.573146 97.25) (end 57.648047 97.324901) (width 0.15) (layer "F.Cu") (net 189) (tstamp
(segment (start 58.490099 97.324901) (end 58.565 97.25) (width 0.15) (layer "F.Cu") (net 189) (tstamp 9
(segment (start 56.695 97.25) (end 57.573146 97.25) (width 0.15) (layer "F.Cu") (net 189) (tstamp c832a
(segment (start 127.585 99.815) (end 127.6 99.8) (width 0.15) (layer "F.Cu") (net 195) (tstamp 11a0c0a3
(segment (start 120.85 102.65) (end 120.4 103.1) (width 0.15) (layer "F.Cu") (net 195) (tstamp 1eb4fd58
(segment (start 121.1 102.65) (end 120.85 102.65) (width 0.15) (layer "F.Cu") (net 195) (tstamp 58b1ea9b-
(segment (start 121.35 102.65) (end 121.85 102.15) (width 0.15) (layer "F.Cu") (net 195) (tstamp 5c4be8
```

(segment (start 121.1 102.65) (end 121.35 102.65) (width 0.15) (layer "F.Cu") (net 195) (tstamp 819c3d2a-
(segment (start 121.85 102.15) (end 122.2 102.15) (width 0.15) (layer "F.Cu") (net 195) (tstamp c179367f-
(segment (start 126.7 99.815) (end 127.585 99.815) (width 0.15) (layer "F.Cu") (net 195) (tstamp d7662d8f-
(via (at 127.6 99.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 195) (tstamp 8e4e9d77-da45-426f-
(via (at 120.4 103.1) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 195) (tstamp df27fa45-0c48-496b-
(segment (start 126.8 100.6) (end 123.4 100.6) (width 0.15) (layer "B.Cu") (net 195) (tstamp 2ff8082c-6b-
(segment (start 127.6 99.8) (end 126.8 100.6) (width 0.15) (layer "B.Cu") (net 195) (tstamp 57530b70-d09f-
(segment (start 120.9 103.1) (end 120.4 103.1) (width 0.15) (layer "B.Cu") (net 195) (tstamp 947d2888-bb-
(segment (start 123.4 100.6) (end 120.9 103.1) (width 0.15) (layer "B.Cu") (net 195) (tstamp b87a4257-cf-
(segment (start 125.5 88.35) (end 125.75 88.35) (width 0.15) (layer "F.Cu") (net 197) (tstamp 11217d15-
(segment (start 125.25 88.35) (end 125.5 88.35) (width 0.15) (layer "F.Cu") (net 197) (tstamp 27003ddf-
(segment (start 125.75 88.35) (end 126.2 87.9) (width 0.15) (layer "F.Cu") (net 197) (tstamp 45b5f0a8-1f-
(segment (start 119.9 91.185) (end 119.015 91.185) (width 0.15) (layer "F.Cu") (net 197) (tstamp 53ef911f-
(segment (start 124.4 88.85) (end 124.75 88.85) (width 0.15) (layer "F.Cu") (net 197) (tstamp 732c1a4d-
(segment (start 124.75 88.85) (end 125.25 88.35) (width 0.15) (layer "F.Cu") (net 197) (tstamp d906068a-
(segment (start 119.015 91.185) (end 119 91.2) (width 0.15) (layer "F.Cu") (net 197) (tstamp f290fb29-8f-
(via (at 126.2 87.9) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 197) (tstamp 53bc6e24-0721-403a-
(via (at 119 91.2) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 197) (tstamp 84e33e36-be78-4389-9f-
(segment (start 119 91.2) (end 119.8 90.4) (width 0.15) (layer "B.Cu") (net 197) (tstamp 07b1afb2-f55d-4f-
(segment (start 125.7 87.9) (end 126.2 87.9) (width 0.15) (layer "B.Cu") (net 197) (tstamp 18bcaafc-01e1-
(segment (start 123.2 90.4) (end 125.7 87.9) (width 0.15) (layer "B.Cu") (net 197) (tstamp 2e303493-806f-
(segment (start 119.8 90.4) (end 123.2 90.4) (width 0.15) (layer "B.Cu") (net 197) (tstamp 94c97df9-257f-
(segment (start 62.8 117) (end 62.8 116.07) (width 0.15) (layer "F.Cu") (net 199) (tstamp 27b0abc3-4702-
(segment (start 64.85 114.35) (end 63.55 114.35) (width 0.15) (layer "F.Cu") (net 200) (tstamp 00000000-00-
(segment (start 63.55 114.35) (end 63.4 114.5) (width 0.15) (layer "F.Cu") (net 200) (tstamp 00000000-00-
(segment (start 61.7 115.2) (end 60.25 113.75) (width 0.15) (layer "F.Cu") (net 200) (tstamp 3233792a-1f-
(segment (start 63.4 114.5) (end 62.4 114.5) (width 0.15) (layer "F.Cu") (net 200) (tstamp 60bc089c-86c1-
(segment (start 60.25 113.75) (end 60.2 113.75) (width 0.15) (layer "F.Cu") (net 200) (tstamp 9028e199-a1-
(segment (start 62.4 114.5) (end 61.7 115.2) (width 0.15) (layer "F.Cu") (net 200) (tstamp ebf65e61-3d3e-
(segment (start 122.8 105.415) (end 122.5 105.115) (width 0.15) (layer "B.Cu") (net 202) (tstamp 1b7083f1-
(segment (start 123.8375 102.4) (end 124.05 102.6125) (width 0.15) (layer "B.Cu") (net 202) (tstamp 1b7083f1-
(segment (start 122.5 105.115) (end 122.5 102.7) (width 0.15) (layer "B.Cu") (net 202) (tstamp 8b50cf92-
(segment (start 122.5 102.7) (end 122.8 102.4) (width 0.15) (layer "B.Cu") (net 202) (tstamp b11f0bb2-f9-
(segment (start 122.8 102.4) (end 123.8375 102.4) (width 0.15) (layer "B.Cu") (net 202) (tstamp c065eb3a-
(segment (start 123.8 85.585) (end 124.1 85.885) (width 0.15) (layer "B.Cu") (net 203) (tstamp 27048b8f-

(segment (start 123.8 88.6) (end 122.7625 88.6) (width 0.15) (layer "B.Cu") (net 203) (tstamp 5e122941-3
(segment (start 122.7625 88.6) (end 122.55 88.3875) (width 0.15) (layer "B.Cu") (net 203) (tstamp aa0b77-3
(segment (start 124.1 88.3) (end 123.8 88.6) (width 0.15) (layer "B.Cu") (net 203) (tstamp df0a460e-1bd
(segment (start 124.1 85.885) (end 124.1 88.3) (width 0.15) (layer "B.Cu") (net 203) (tstamp e53cbb7f-6
(via (at 72.15 118.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 16262f59-5ea6-40
(via (at 77.15 118.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 52aeefe3-ddd7-4c
(via (at 72.15 119.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 5ecd6005-3ca5-47
(via (at 77.15 119.45) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 204) (tstamp 6bacf5b2-2508-4e
(segment (start 91.95 102.15) (end 91.3 102.15) (width 0.15) (layer "F.Cu") (net 207) (tstamp 2fe47683-3
(segment (start 94.65 97.55) (end 95.15 97.55) (width 0.15) (layer "F.Cu") (net 207) (tstamp 6685b40a-9
(segment (start 93.65 100.45) (end 93.65 98.55) (width 0.15) (layer "F.Cu") (net 207) (tstamp 7a0e777c-3
(segment (start 93.65 98.55) (end 94.65 97.55) (width 0.15) (layer "F.Cu") (net 207) (tstamp b0644ee4-5
(segment (start 91.95 102.15) (end 93.65 100.45) (width 0.15) (layer "F.Cu") (net 207) (tstamp fdacb305-
(segment (start 92 89.3) (end 92 88.4) (width 0.15) (layer "F.Cu") (net 208) (tstamp 68c07d40-99e3-4cff
(segment (start 94.05 86.35) (end 95.15 86.35) (width 0.15) (layer "F.Cu") (net 208) (tstamp b265698c-0
(segment (start 91.75 89.55) (end 92 89.3) (width 0.15) (layer "F.Cu") (net 208) (tstamp c8181924-9426-4
(segment (start 91.3 89.55) (end 91.75 89.55) (width 0.15) (layer "F.Cu") (net 208) (tstamp d4662b2a-61
(segment (start 92 88.4) (end 94.05 86.35) (width 0.15) (layer "F.Cu") (net 208) (tstamp de695c68-c2ab-4
(segment (start 109.13 102.1) (end 110.104822 102.1) (width 0.15) (layer "F.Cu") (net 209) (tstamp 06d8
(segment (start 107.81 103.42) (end 109.13 102.1) (width 0.15) (layer "F.Cu") (net 209) (tstamp 2583c73
(segment (start 109.8 104.7) (end 109.09 104.7) (width 0.15) (layer "F.Cu") (net 209) (tstamp 279c222a-4
(segment (start 110.65 98.475) (end 109.75 98.475) (width 0.15) (layer "F.Cu") (net 209) (tstamp 2ef9e9f
(segment (start 110.9 101.304822) (end 110.9 98.725) (width 0.15) (layer "F.Cu") (net 209) (tstamp 3e46
(segment (start 110.15 105.5) (end 110.15 105.05) (width 0.15) (layer "F.Cu") (net 209) (tstamp 461b6f2a-3
(segment (start 109.09 104.7) (end 107.81 103.42) (width 0.15) (layer "F.Cu") (net 209) (tstamp 7397c23
(segment (start 110.9 98.725) (end 110.65 98.475) (width 0.15) (layer "F.Cu") (net 209) (tstamp c808cd3
(segment (start 110.15 105.05) (end 109.8 104.7) (width 0.15) (layer "F.Cu") (net 209) (tstamp dbd803ec
(segment (start 110.104822 102.1) (end 110.9 101.304822) (width 0.15) (layer "F.Cu") (net 209) (tstamp
(segment (start 110.65 104.99) (end 109.579999 103.919999) (width 0.15) (layer "F.Cu") (net 210) (tstamp
(segment (start 109.08 103.42) (end 109.9 102.6) (width 0.15) (layer "F.Cu") (net 210) (tstamp 343df964
(segment (start 109.579999 103.919999) (end 109.08 103.42) (width 0.15) (layer "F.Cu") (net 210) (tstamp
(segment (start 110.65 105.5) (end 110.65 104.99) (width 0.15) (layer "F.Cu") (net 210) (tstamp 638c86f
(segment (start 110.65 97.825) (end 109.75 97.825) (width 0.15) (layer "F.Cu") (net 210) (tstamp 6e6df4
(segment (start 109.9 102.6) (end 110.4 102.6) (width 0.15) (layer "F.Cu") (net 210) (tstamp b211279a-5
(segment (start 111.4 98.575) (end 110.65 97.825) (width 0.15) (layer "F.Cu") (net 210) (tstamp be5f256

(segment (start 111.4 101.6) (end 111.4 98.575) (width 0.15) (layer "F.Cu") (net 210) (tstamp ce223c74-
(segment (start 110.4 102.6) (end 111.4 101.6) (width 0.15) (layer "F.Cu") (net 210) (tstamp dc243064-c
(segment (start 110.35 103.45) (end 110.35 103.42) (width 0.15) (layer "F.Cu") (net 211) (tstamp 05d8f3
(segment (start 111.15 104.25) (end 110.35 103.45) (width 0.15) (layer "F.Cu") (net 211) (tstamp 086bc4
(segment (start 111.9 101.87) (end 111.9 98.425) (width 0.15) (layer "F.Cu") (net 211) (tstamp 67f90654
(segment (start 110.65 97.175) (end 109.75 97.175) (width 0.15) (layer "F.Cu") (net 211) (tstamp 7c9d4d
(segment (start 111.9 98.425) (end 110.65 97.175) (width 0.15) (layer "F.Cu") (net 211) (tstamp 96cc5a8
(segment (start 110.35 103.42) (end 111.9 101.87) (width 0.15) (layer "F.Cu") (net 211) (tstamp da05398
(segment (start 111.15 105.5) (end 111.15 104.25) (width 0.15) (layer "F.Cu") (net 211) (tstamp ee37a7d
(segment (start 112.4 102.1) (end 112.4 98.275) (width 0.15) (layer "F.Cu") (net 212) (tstamp 02a44b02-
(segment (start 112.4 98.275) (end 110.65 96.525) (width 0.15) (layer "F.Cu") (net 212) (tstamp 47ecf0c
(segment (start 111.65 103.45) (end 111.62 103.42) (width 0.15) (layer "F.Cu") (net 212) (tstamp 825c62
(segment (start 111.62 103.42) (end 111.62 102.88) (width 0.15) (layer "F.Cu") (net 212) (tstamp 8f8ab4
(segment (start 110.65 96.525) (end 109.75 96.525) (width 0.15) (layer "F.Cu") (net 212) (tstamp 93617b
(segment (start 111.65 105.5) (end 111.65 103.45) (width 0.15) (layer "F.Cu") (net 212) (tstamp ad755a5
(segment (start 111.62 102.88) (end 112.4 102.1) (width 0.15) (layer "F.Cu") (net 212) (tstamp b903238d
(segment (start 112.65 105.5) (end 112.65 103.66) (width 0.15) (layer "F.Cu") (net 213) (tstamp 4386a9e
(segment (start 112.9 99.025) (end 114.75 97.175) (width 0.15) (layer "F.Cu") (net 213) (tstamp 5656c22
(segment (start 112.9 103.41) (end 112.9 99.025) (width 0.15) (layer "F.Cu") (net 213) (tstamp 91366caa
(segment (start 112.89 103.42) (end 112.9 103.41) (width 0.15) (layer "F.Cu") (net 213) (tstamp b36da8a
(segment (start 112.65 103.66) (end 112.89 103.42) (width 0.15) (layer "F.Cu") (net 213) (tstamp cda698
(segment (start 114.75 97.175) (end 115.65 97.175) (width 0.15) (layer "F.Cu") (net 213) (tstamp eb6ca0
(segment (start 113.4 102.1) (end 113.4 99.175) (width 0.15) (layer "F.Cu") (net 214) (tstamp 1998db52-
(segment (start 114.16 102.86) (end 113.4 102.1) (width 0.15) (layer "F.Cu") (net 214) (tstamp 2d48c7c4
(segment (start 113.4 99.175) (end 114.75 97.825) (width 0.15) (layer "F.Cu") (net 214) (tstamp 637504b
(segment (start 114.75 97.825) (end 115.65 97.825) (width 0.15) (layer "F.Cu") (net 214) (tstamp 91d875
(segment (start 114.16 103.44) (end 114.16 103.42) (width 0.15) (layer "F.Cu") (net 214) (tstamp b94737
(segment (start 113.15 104.45) (end 114.16 103.44) (width 0.15) (layer "F.Cu") (net 214) (tstamp b9fdf5
(segment (start 114.16 103.42) (end 114.16 102.86) (width 0.15) (layer "F.Cu") (net 214) (tstamp ecc7f9
(segment (start 113.15 105.5) (end 113.15 104.45) (width 0.15) (layer "F.Cu") (net 214) (tstamp fd1c8e6
(segment (start 114.75 98.475) (end 113.9 99.325) (width 0.15) (layer "F.Cu") (net 215) (tstamp 08c4a58
(segment (start 113.9 99.325) (end 113.9 101.89) (width 0.15) (layer "F.Cu") (net 215) (tstamp 2527b89d
(segment (start 113.9 101.89) (end 114.930001 102.920001) (width 0.15) (layer "F.Cu") (net 215) (tstamp
(segment (start 113.65 105.5) (end 113.65 105.05) (width 0.15) (layer "F.Cu") (net 215) (tstamp 7b0a66b
(segment (start 114.705099 104.144901) (end 114.930001 103.919999) (width 0.15) (layer "F.Cu") (net 215

(segment (start 113.65 105.05) (end 114.555099 104.144901) (width 0.15) (layer "F.Cu") (net 215) (timestamp ef819e2a-0000-0000-0000-000000000000))
(segment (start 114.930001 103.919999) (end 115.43 103.42) (width 0.15) (layer "F.Cu") (net 215) (timestamp 03707c79-f000-0000-0000-000000000000))
(segment (start 114.930001 102.920001) (end 115.43 103.42) (width 0.15) (layer "F.Cu") (net 215) (timestamp 073fb9be-0000-0000-0000-000000000000))
(segment (start 115.65 98.475) (end 114.75 98.475) (width 0.15) (layer "F.Cu") (net 215) (timestamp ef819e2a-0000-0000-0000-000000000000))
(segment (start 114.555099 104.144901) (end 114.705099 104.144901) (width 0.15) (layer "F.Cu") (net 215) (timestamp 03707c79-f000-0000-0000-000000000000))
(segment (start 115.4 102.1) (end 116.7 103.4) (width 0.15) (layer "F.Cu") (net 216) (timestamp 03707c79-f000-0000-0000-000000000000))
(segment (start 114.15 105.15) (end 114.6 104.7) (width 0.15) (layer "F.Cu") (net 216) (timestamp 073fb9be-0000-0000-0000-000000000000))
(segment (start 114.4 99.5) (end 114.4 101.6) (width 0.15) (layer "F.Cu") (net 216) (timestamp 15fd2fd1-3c00-0000-0000-000000000000))
(segment (start 114.4 101.6) (end 114.9 102.1) (width 0.15) (layer "F.Cu") (net 216) (timestamp 17b3dc02-a000-0000-0000-000000000000))
(segment (start 114.775 99.125) (end 114.4 99.5) (width 0.15) (layer "F.Cu") (net 216) (timestamp 1ee0a1e6-0000-0000-0000-000000000000))
(segment (start 114.15 105.5) (end 114.15 105.15) (width 0.15) (layer "F.Cu") (net 216) (timestamp 2581361f-0000-0000-0000-000000000000))
(segment (start 114.9 102.1) (end 115.4 102.1) (width 0.15) (layer "F.Cu") (net 216) (timestamp 36c5a7e4-c000-0000-0000-000000000000))
(segment (start 114.6 104.7) (end 116.07 104.7) (width 0.15) (layer "F.Cu") (net 216) (timestamp 61e95d78-0000-0000-0000-000000000000))
(segment (start 116.7 103.4) (end 116.7 103.42) (width 0.15) (layer "F.Cu") (net 216) (timestamp 9c23774d-aaf000-0000-0000-000000000000))
(segment (start 116.07 104.7) (end 116.7 104.07) (width 0.15) (layer "F.Cu") (net 216) (timestamp 9feb1bb1-0000-0000-0000-000000000000))
(segment (start 115.65 99.125) (end 114.775 99.125) (width 0.15) (layer "F.Cu") (net 216) (timestamp d9f7c000-0000-0000-0000-000000000000))
(segment (start 116.7 104.07) (end 116.7 103.42) (width 0.15) (layer "F.Cu") (net 216) (timestamp e1d28798-0000-0000-0000-000000000000))
(segment (start 114.5 86.2) (end 115.97 86.2) (width 0.15) (layer "F.Cu") (net 217) (timestamp 1a9559ab-1a00-0000-0000-000000000000))
(segment (start 114.4 92.175) (end 114.75 92.525) (width 0.15) (layer "F.Cu") (net 217) (timestamp 36f1f040-0000-0000-0000-000000000000))
(segment (start 115.97 86.2) (end 116.7 86.93) (width 0.15) (layer "F.Cu") (net 217) (timestamp 5060475f-a000-0000-0000-000000000000))
(segment (start 114.4 89.404822) (end 114.4 92.175) (width 0.15) (layer "F.Cu") (net 217) (timestamp 5c89b000-0000-0000-0000-000000000000))
(segment (start 115.4 88.904822) (end 114.9 88.904822) (width 0.15) (layer "F.Cu") (net 217) (timestamp 6b000000-0000-0000-0000-000000000000))
(segment (start 114.15 85.5) (end 114.15 85.85) (width 0.15) (layer "F.Cu") (net 217) (timestamp 78c066df-0000-0000-0000-000000000000))
(segment (start 114.75 92.525) (end 115.65 92.525) (width 0.15) (layer "F.Cu") (net 217) (timestamp 79ece000-0000-0000-0000-000000000000))
(segment (start 114.9 88.904822) (end 114.4 89.404822) (width 0.15) (layer "F.Cu") (net 217) (timestamp 81000000-0000-0000-0000-000000000000))
(segment (start 116.7 86.93) (end 116.7 87.6) (width 0.15) (layer "F.Cu") (net 217) (timestamp 9f504373-e800-0000-0000-000000000000))
(segment (start 116.7 87.604822) (end 115.4 88.904822) (width 0.15) (layer "F.Cu") (net 217) (timestamp a4000000-0000-0000-0000-000000000000))
(segment (start 114.15 85.85) (end 114.5 86.2) (width 0.15) (layer "F.Cu") (net 217) (timestamp f7454ebf-c000-0000-0000-000000000000))
(segment (start 114.455099 86.855099) (end 114.705099 86.855099) (width 0.15) (layer "F.Cu") (net 218) (timestamp 1c941300-0000-0000-0000-000000000000))
(segment (start 114.75 93.175) (end 115.65 93.175) (width 0.15) (layer "F.Cu") (net 218) (timestamp 1c941300-0000-0000-0000-000000000000))
(segment (start 113.65 85.5) (end 113.65 86.05) (width 0.15) (layer "F.Cu") (net 218) (timestamp 3f4588f5-0000-0000-0000-000000000000))
(segment (start 113.9 89.114822) (end 113.9 92.325) (width 0.15) (layer "F.Cu") (net 218) (timestamp 3f946000-0000-0000-0000-000000000000))
(segment (start 114.705099 86.855099) (end 115.43 87.58) (width 0.15) (layer "F.Cu") (net 218) (timestamp 80000000-0000-0000-0000-000000000000))
(segment (start 115.43 87.584822) (end 113.9 89.114822) (width 0.15) (layer "F.Cu") (net 218) (timestamp 80000000-0000-0000-0000-000000000000))
(segment (start 113.9 92.325) (end 114.75 93.175) (width 0.15) (layer "F.Cu") (net 218) (timestamp d60a5570-0000-0000-0000-000000000000))

(segment (start 113.65 86.05) (end 114.455099 86.855099) (width 0.15) (layer "F.Cu") (net 218) (tstamp 1
(segment (start 114.16 88.144822) (end 113.4 88.904822) (width 0.15) (layer "F.Cu") (net 219) (tstamp 1
(segment (start 113.15 86.55) (end 114.16 87.56) (width 0.15) (layer "F.Cu") (net 219) (tstamp 22b83212
(segment (start 114.16 87.584822) (end 114.16 88.144822) (width 0.15) (layer "F.Cu") (net 219) (tstamp
(segment (start 114.75 93.825) (end 115.65 93.825) (width 0.15) (layer "F.Cu") (net 219) (tstamp 89340f
(segment (start 113.15 85.5) (end 113.15 86.55) (width 0.15) (layer "F.Cu") (net 219) (tstamp c40cd54e-
(segment (start 113.4 88.904822) (end 113.4 92.475) (width 0.15) (layer "F.Cu") (net 219) (tstamp f5b2f
(segment (start 113.4 92.475) (end 114.75 93.825) (width 0.15) (layer "F.Cu") (net 219) (tstamp fd1f3bb
(segment (start 112.89 87.584822) (end 112.9 87.594822) (width 0.15) (layer "F.Cu") (net 220) (tstamp 0
(segment (start 112.65 87.34) (end 112.89 87.58) (width 0.15) (layer "F.Cu") (net 220) (tstamp 3a476f4f
(segment (start 112.9 87.594822) (end 112.9 92.625) (width 0.15) (layer "F.Cu") (net 220) (tstamp 3ac11
(segment (start 112.9 92.625) (end 114.75 94.475) (width 0.15) (layer "F.Cu") (net 220) (tstamp 7ffe271
(segment (start 112.65 85.5) (end 112.65 87.34) (width 0.15) (layer "F.Cu") (net 220) (tstamp 91163847-
(segment (start 114.75 94.475) (end 115.65 94.475) (width 0.15) (layer "F.Cu") (net 220) (tstamp c73731
(segment (start 111.65 87.55) (end 111.62 87.58) (width 0.15) (layer "F.Cu") (net 221) (tstamp 047852c1
(segment (start 112.4 92.1) (end 110.675 93.825) (width 0.15) (layer "F.Cu") (net 221) (tstamp 0faa93e7
(segment (start 111.65 85.5) (end 111.65 87.55) (width 0.15) (layer "F.Cu") (net 221) (tstamp 3e8e8de5-
(segment (start 111.62 87.584822) (end 111.62 88.124822) (width 0.15) (layer "F.Cu") (net 221) (tstamp 5
(segment (start 111.62 88.124822) (end 112.4 88.904822) (width 0.15) (layer "F.Cu") (net 221) (tstamp 6
(segment (start 112.4 88.904822) (end 112.4 92.1) (width 0.15) (layer "F.Cu") (net 221) (tstamp ada070c
(segment (start 110.675 93.825) (end 109.75 93.825) (width 0.15) (layer "F.Cu") (net 221) (tstamp bf6cf
(segment (start 110.35 87.58) (end 110.35 87.565) (width 0.15) (layer "F.Cu") (net 222) (tstamp 22a578e
(segment (start 110.35 87.565) (end 111.15 86.765) (width 0.15) (layer "F.Cu") (net 222) (tstamp 282b9e
(segment (start 111.9 89.134822) (end 111.9 91.95) (width 0.15) (layer "F.Cu") (net 222) (tstamp 2ab847
(segment (start 110.35 87.584822) (end 111.9 89.134822) (width 0.15) (layer "F.Cu") (net 222) (tstamp 3
(segment (start 111.15 86.765) (end 111.15 85.5) (width 0.15) (layer "F.Cu") (net 222) (tstamp 51223ca9
(segment (start 111.9 91.95) (end 110.675 93.175) (width 0.15) (layer "F.Cu") (net 222) (tstamp 6b8ad32
(segment (start 110.675 93.175) (end 109.75 93.175) (width 0.15) (layer "F.Cu") (net 222) (tstamp f2775
(segment (start 110.65 86.01) (end 109.804901 86.855099) (width 0.15) (layer "F.Cu") (net 223) (tstamp :
(segment (start 111.4 89.404822) (end 111.4 91.8) (width 0.15) (layer "F.Cu") (net 223) (tstamp 2b3db02
(segment (start 110.4 88.404822) (end 111.4 89.404822) (width 0.15) (layer "F.Cu") (net 223) (tstamp 35
(segment (start 109.9 88.404822) (end 110.4 88.404822) (width 0.15) (layer "F.Cu") (net 223) (tstamp 44
(segment (start 110.65 85.5) (end 110.65 86.01) (width 0.15) (layer "F.Cu") (net 223) (tstamp 597582b6-
(segment (start 109.08 87.584822) (end 109.9 88.404822) (width 0.15) (layer "F.Cu") (net 223) (tstamp 5
(segment (start 111.4 91.8) (end 110.675 92.525) (width 0.15) (layer "F.Cu") (net 223) (tstamp 6f148407

(segment (start 110.675 92.525) (end 109.75 92.525) (width 0.15) (layer "F.Cu") (net 223) (tstamp 6ff690-
(segment (start 109.804901 86.855099) (end 109.08 87.58) (width 0.15) (layer "F.Cu") (net 223) (tstamp 8
(segment (start 109.9 86.2) (end 109.19 86.2) (width 0.15) (layer "F.Cu") (net 224) (tstamp 03400ddd-fd
(segment (start 107.81 87.584822) (end 109.125178 88.9) (width 0.15) (layer "F.Cu") (net 224) (tstamp 1ab
(segment (start 110.1 88.9) (end 110.9 89.7) (width 0.15) (layer "F.Cu") (net 224) (tstamp 25142d6c-6a8
(segment (start 109.125178 88.9) (end 110.1 88.9) (width 0.15) (layer "F.Cu") (net 224) (tstamp 3a2dd01
(segment (start 110.15 85.95) (end 109.9 86.2) (width 0.15) (layer "F.Cu") (net 224) (tstamp 638296dd-9
(segment (start 110.9 91.625) (end 110.65 91.875) (width 0.15) (layer "F.Cu") (net 224) (tstamp ae66f90
(segment (start 110.65 91.875) (end 109.75 91.875) (width 0.15) (layer "F.Cu") (net 224) (tstamp c51a2c
(segment (start 110.9 89.7) (end 110.9 91.625) (width 0.15) (layer "F.Cu") (net 224) (tstamp d5370457-b
(segment (start 109.19 86.2) (end 107.81 87.58) (width 0.15) (layer "F.Cu") (net 224) (tstamp e869af15-
(segment (start 110.15 85.5) (end 110.15 85.95) (width 0.15) (layer "F.Cu") (net 224) (tstamp fa1dc66a-
(segment (start 61.3 112.85) (end 62.2 113.75) (width 0.15) (layer "F.Cu") (net 225) (tstamp 34707ecd-7
(segment (start 61.3 112.8) (end 61.3 112.85) (width 0.15) (layer "F.Cu") (net 225) (tstamp 5ff4bb1d-c5
(segment (start 72.735 115.55) (end 73.1 115.915) (width 0.15) (layer "F.Cu") (net 225) (tstamp 7bb2e39
(segment (start 73.1 115.915) (end 73.1 117.33) (width 0.15) (layer "F.Cu") (net 225) (tstamp 9e90786d-
(segment (start 73.1 117.33) (end 73.15 117.38) (width 0.15) (layer "F.Cu") (net 225) (tstamp b35d534d-
(via (at 61.3 112.8) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 225) (tstamp 00000000-0000-0000
(segment (start 63.45 116.45) (end 63.15 116.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp 01c8f9d0
(segment (start 63.95 116.45) (end 63.45 116.45) (width 0.15) (layer "B.Cu") (net 225) (tstamp 024a2a11
(segment (start 60.3 116.15) (end 60.3 113.3) (width 0.15) (layer "B.Cu") (net 225) (tstamp 19f267ab-51
(segment (start 61.1 116.95) (end 60.3 116.15) (width 0.15) (layer "B.Cu") (net 225) (tstamp 1e776ed5-5
(segment (start 64.25 116.75) (end 63.95 116.45) (width 0.15) (layer "B.Cu") (net 225) (tstamp 24436789
(segment (start 63.1 116.95) (end 61.1 116.95) (width 0.15) (layer "B.Cu") (net 225) (tstamp 280e07e8-e
(segment (start 60.3 113.3) (end 60.8 112.8) (width 0.15) (layer "B.Cu") (net 225) (tstamp 30daf0d9-ef5
(segment (start 63.15 116.9) (end 63.1 116.95) (width 0.15) (layer "B.Cu") (net 225) (tstamp 4d713546-0
(segment (start 60.8 112.8) (end 61.3 112.8) (width 0.15) (layer "B.Cu") (net 225) (tstamp 84a90d48-4e6
(segment (start 64.5 117.75) (end 64.25 117.5) (width 0.15) (layer "B.Cu") (net 225) (tstamp bebfb522-0
(segment (start 64.25 117.5) (end 64.25 116.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp c159829d-
(segment (start 73.15 117.38) (end 72.78 117.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp d8f55833
(segment (start 72.78 117.75) (end 64.5 117.75) (width 0.15) (layer "B.Cu") (net 225) (tstamp ec65e444-
(segment (start 63.15 116.75) (end 63.15 116.9) (width 0.15) (layer "B.Cu") (net 225) (tstamp ecb7b1a1-
(segment (start 125.7 99.25) (end 124.8 98.35) (width 0.15) (layer "F.Cu") (net 226) (tstamp 1e167f3a-4
(segment (start 124.4 98.35) (end 123.35 98.35) (width 0.15) (layer "F.Cu") (net 226) (tstamp 60f59060-
(segment (start 123.35 98.35) (end 123.3 98.4) (width 0.15) (layer "F.Cu") (net 226) (tstamp 8a23da8b-1


```
(segment (start 125.7 99.815) (end 125.7 99.25) (width 0.15) (layer "F.Cu") (net 226) (tstamp c7744ca7-0
(segment (start 124.8 98.35) (end 124.4 98.35) (width 0.15) (layer "F.Cu") (net 226) (tstamp ff27258d-2
(via (at 123.3 98.4) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 226) (tstamp 7a54f1b1-0396-47dd
(segment (start 122 99.7) (end 122 99.8) (width 0.15) (layer "B.Cu") (net 226) (tstamp 16237063-5282-46
(segment (start 123.3 98.4) (end 122 99.7) (width 0.15) (layer "B.Cu") (net 226) (tstamp 34c91192-6309-4
(segment (start 122.15 92.6) (end 122.2 92.65) (width 0.15) (layer "F.Cu") (net 227) (tstamp 1733870f-3
(segment (start 120.9 92.6) (end 122.15 92.6) (width 0.15) (layer "F.Cu") (net 227) (tstamp 4c30727d-11
(segment (start 120.9 91.7) (end 120.9 92.6) (width 0.15) (layer "F.Cu") (net 227) (tstamp 9f6c0a48-867
(segment (start 120.9 91.185) (end 120.9 91.7) (width 0.15) (layer "F.Cu") (net 227) (tstamp f18f699c-7
(via (at 120.9 92.6) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 227) (tstamp 277d558c-aab0-45b0
(segment (start 123.3 92.6) (end 124.6 91.3) (width 0.15) (layer "B.Cu") (net 227) (tstamp 11819976-4b4
(segment (start 124.6 91.3) (end 124.6 91.2) (width 0.15) (layer "B.Cu") (net 227) (tstamp df4d46cc-d31
(segment (start 120.9 92.6) (end 123.3 92.6) (width 0.15) (layer "B.Cu") (net 227) (tstamp ec45f75e-f11
(segment (start 124.4 100.25) (end 123.25 100.25) (width 0.65) (layer "F.Cu") (net 231) (tstamp 00000000
(via (at 123.2 99.95) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 231) (tstamp 1ca89e44-abed-451
(via (at 123.2 99.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 231) (tstamp c749a7c4-f2d7-43d
(via (at 125 99.35) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 231) (tstamp e7552b58-47de-4413-5
(via (at 123.4 91.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 232) (tstamp 00000000-0000-0000
(via (at 121.6 91.65) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 232) (tstamp 7f5f52cd-87af-441
(via (at 123.4 91.05) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 232) (tstamp 90024a9a-f6db-4d4
(segment (start 92.65 97.865) (end 92.485 97.7) (width 0.15) (layer "F.Cu") (net 233) (tstamp 5da6ab15-
(segment (start 92.65 98.5) (end 92.65 97.865) (width 0.15) (layer "F.Cu") (net 233) (tstamp 74e16537-1
(segment (start 88.3 93.5) (end 87.3 93.5) (width 0.15) (layer "F.Cu") (net 233) (tstamp 89e45a02-7b84-
(segment (start 88.6 93.2) (end 88.3 93.5) (width 0.15) (layer "F.Cu") (net 233) (tstamp 95f8a0a1-8a8a-
(segment (start 92.3 99.6) (end 91.75 99.6) (width 0.15) (layer "F.Cu") (net 233) (tstamp 97405085-8153
(segment (start 92.65 98.5) (end 92.65 99.25) (width 0.15) (layer "F.Cu") (net 233) (tstamp a515b018-31
(segment (start 92.65 99.25) (end 92.3 99.6) (width 0.15) (layer "F.Cu") (net 233) (tstamp c7e9a476-d1a
(segment (start 87.3 93.5) (end 86.9 93.9) (width 0.15) (layer "F.Cu") (net 233) (tstamp d598d130-204f-
(via (at 92.65 98.5) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 233) (tstamp 46450490-d7ae-4827-8
(via (at 88.6 93.2) (size 0.5) (drill 0.3) (layers "F.Cu" "B.Cu") (net 233) (tstamp 6507d4e7-4efe-4447-5
(segment (start 91.45 94.5) (end 91.45 97.3) (width 0.15) (layer "In2.Cu") (net 233) (tstamp 75d39fc3-9
(segment (start 90.15 93.2) (end 91.45 94.5) (width 0.15) (layer "In2.Cu") (net 233) (tstamp 8b9cd343-d
(segment (start 88.6 93.2) (end 90.15 93.2) (width 0.15) (layer "In2.Cu") (net 233) (tstamp d549919e-58
(segment (start 91.45 97.3) (end 92.65 98.5) (width 0.15) (layer "In2.Cu") (net 233) (tstamp f109ee1c-6
(segment (start 116.39 99.775) (end 117.015 100.4) (width 0.15) (layer "F.Cu") (net 234) (tstamp 89551f9
```

(segment (start 115.5625 99.775) (end 116.39 99.775) (width 0.15) (layer "F.Cu") (net 234) (tstamp 8dbf
(segment (start 108.975 91.225) (end 109.8375 91.225) (width 0.15) (layer "F.Cu") (net 235) (tstamp 193
(segment (start 108.35 91.765) (end 108.435 91.765) (width 0.15) (layer "F.Cu") (net 235) (tstamp 9ce05
(segment (start 108.435 91.765) (end 108.975 91.225) (width 0.15) (layer "F.Cu") (net 235) (tstamp d0d8
(segment (start 87.315 107.15) (end 87.3 107.165) (width 0.15) (layer "F.Cu") (net 236) (tstamp 3db53e2
(segment (start 90.8 106.5) (end 90.15 107.15) (width 0.15) (layer "F.Cu") (net 236) (tstamp 42dacc0c-b
(segment (start 90.8 101.4) (end 90.8 106.5) (width 0.15) (layer "F.Cu") (net 236) (tstamp 73eb4c2c-764
(segment (start 90.15 107.15) (end 87.315 107.15) (width 0.15) (layer "F.Cu") (net 236) (tstamp ad3d212
(segment (start 91.95 100.25) (end 90.8 101.4) (width 0.15) (layer "F.Cu") (net 236) (tstamp f2fe03b6-6
(segment (start 93.15 97.15) (end 90.775 97.15) (width 0.15) (layer "F.Cu") (net 237) (tstamp 52f5bbef-c
(segment (start 94.5 95.8) (end 93.15 97.15) (width 0.15) (layer "F.Cu") (net 237) (tstamp 5807b68c-dbb
(segment (start 103 96.265) (end 102.235 95.5) (width 0.15) (layer "F.Cu") (net 237) (tstamp 6c36ddf2-b
(segment (start 98.65 95.5) (end 98.35 95.8) (width 0.15) (layer "F.Cu") (net 237) (tstamp 754e17a3-7fa
(segment (start 89.225 98.7) (end 87.7 98.7) (width 0.15) (layer "F.Cu") (net 237) (tstamp 7d391253-b2e
(segment (start 90.775 97.15) (end 89.225 98.7) (width 0.15) (layer "F.Cu") (net 237) (tstamp 9e02f81f-c
(segment (start 102.235 95.5) (end 98.65 95.5) (width 0.15) (layer "F.Cu") (net 237) (tstamp c1f6254c-3
(segment (start 98.35 95.8) (end 94.5 95.8) (width 0.15) (layer "F.Cu") (net 237) (tstamp fb585f5d-10b4
(segment (start 72.575 113.215506) (end 72.575 113.7625) (width 0.15) (layer "F.Cu") (net 238) (tstamp
(segment (start 72.159584 112.80009) (end 72.575 113.215506) (width 0.15) (layer "F.Cu") (net 238) (tsta
(segment (start 70.6075 113.3075) (end 71.11491 112.80009) (width 0.15) (layer "F.Cu") (net 238) (tstamp
(segment (start 71.11491 112.80009) (end 72.159584 112.80009) (width 0.15) (layer "F.Cu") (net 238) (ts
(via (at 70.6075 113.3075) (size 0.6) (drill 0.3) (layers "F.Cu" "B.Cu") (net 238) (tstamp 1e7fbab1-cd7
(segment (start 94.35 95.5) (end 98.2 95.5) (width 0.15) (layer "F.Cu") (net 239) (tstamp 097b2791-3911
(segment (start 86.1 97.9) (end 86.5 98.3) (width 0.15) (layer "F.Cu") (net 239) (tstamp 09dd7f29-7a74-a
(segment (start 86.500099 98.299901) (end 89.200961 98.299901) (width 0.15) (layer "F.Cu") (net 239) (ts
(segment (start 98.2 95.5) (end 98.5 95.2) (width 0.15) (layer "F.Cu") (net 239) (tstamp 8cde7429-9a28-7
(segment (start 90.650862 96.85) (end 93 96.85) (width 0.15) (layer "F.Cu") (net 239) (tstamp 9b8e2a81-3
(segment (start 93 96.85) (end 94.35 95.5) (width 0.15) (layer "F.Cu") (net 239) (tstamp 9e2cd009-5576-a
(segment (start 86.5 98.3) (end 86.500099 98.299901) (width 0.15) (layer "F.Cu") (net 239) (tstamp a830
(segment (start 102.815 95.2) (end 103 95.385) (width 0.15) (layer "F.Cu") (net 239) (tstamp b049ee24-9
(segment (start 98.5 95.2) (end 102.815 95.2) (width 0.15) (layer "F.Cu") (net 239) (tstamp cd1f54ec-0d
(segment (start 89.200961 98.299901) (end 90.650862 96.85) (width 0.15) (layer "F.Cu") (net 239) (tstamp
(segment (start 87.7 99.5) (end 88 99.5) (width 0.15) (layer "F.Cu") (net 240) (tstamp 0d171291-f041-42
(segment (start 88.35 99.85) (end 88.35 100.4) (width 0.15) (layer "F.Cu") (net 240) (tstamp 0d466c62-d
(segment (start 88 99.5) (end 88.35 99.85) (width 0.15) (layer "F.Cu") (net 240) (tstamp 7a76dbb6-2a71-a

```

(segment (start 88.35 100.4) (end 88.35 101.25) (width 0.15) (layer "F.Cu") (net 240) (tstamp a9ab2740-
(segment (start 88.1 101.5) (end 88.35 101.25) (width 0.15) (layer "F.Cu") (net 240) (tstamp b48ab17e-a
(segment (start 88.065 101.5) (end 88.1 101.5) (width 0.15) (layer "F.Cu") (net 240) (tstamp bcbbecf6-9
(segment (start 89.035 100.715) (end 89.5 100.25) (width 0.15) (layer "F.Cu") (net 241) (tstamp 322aafb
(segment (start 89.5 100.25) (end 89.85 100.25) (width 0.15) (layer "F.Cu") (net 241) (tstamp be02ac54-l
(segment (start 89.035 101.5) (end 89.035 100.715) (width 0.15) (layer "F.Cu") (net 241) (tstamp c34082

(zone (net 231) (net_name "Net-(U14-OUT)") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5372)

(connect_pads yes (clearance 0.1))

(min_thickness 0.254) (filled_areas_thickness no)

(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))

(polygon
  (pts
    (xy 122.9 99.05)
    (xy 125.3 99.05)
    (xy 125.3 99.65)
    (xy 124.925 99.65)
    (xy 124.925 100.575)
(xy 122.9 100.575)
  )
)

(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 125.012171 99.052421)
    (xy 125.090224 99.067946)
    (xy 125.13564 99.086758)
    (xy 125.191295 99.123945)
    (xy 125.226054 99.158704)
    (xy 125.26324 99.214356)
    (xy 125.282053 99.259775)
    (xy 125.297579 99.337827)
    (xy 125.3 99.362409)
    (xy 125.3 99.424331)
    (xy 125.282043 99.485485)

```

(xy 125.282192 99.485551)
(xy 125.281691 99.486684)
(xy 125.279998 99.492452)
(xy 125.277953 99.495533)
(xy 125.277478 99.496225)
(xy 125.246978 99.565301)
(xy 125.201164 99.619538)
(xy 125.164326 99.636112)
(xy 125.112501 99.649999)
(xy 125.112497 99.65)
(xy 124.925 99.65)
(xy 124.925 99.837499)
(xy 124.925 99.8375)
(xy 124.925 99.837501)
(xy 124.925 100.26259)
(xy 124.922579 100.287172)
(xy 124.907053 100.365224)
(xy 124.88824 100.410643)
(xy 124.851057 100.466292)
(xy 124.816292 100.501057)
(xy 124.760643 100.53824)
(xy 124.715224 100.557053)
(xy 124.656856 100.568663)
(xy 124.63717 100.572579)
(xy 124.61259 100.575)
(xy 123.21241 100.575)
(xy 123.187829 100.572579)
(xy 123.157954 100.566636)
(xy 123.109775 100.557053)
(xy 123.064356 100.53824)
(xy 123.008704 100.501054)
(xy 122.973945 100.466295)
(xy 122.936758 100.41064)
(xy 122.917946 100.365224)
(xy 122.902421 100.287171)

```

(xy 122.9 100.26259)
(xy 122.9 99.362409)
(xy 122.902421 99.337828)
(xy 122.902421 99.337827)
(xy 122.917947 99.259773)
(xy 122.936757 99.21436)
(xy 122.973947 99.158701)
(xy 123.008701 99.123947)
(xy 123.06436 99.086757)
(xy 123.109775 99.067946)
(xy 123.156043 99.058743)
(xy 123.18783 99.052421)
(xy 123.21241 99.05)
(xy 124.98759 99.05)
)
)
)
(zone (net 232) (net_name "Net-(U31-OUT)") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5375)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 123.7 91.95)
(xy 121.3 91.95)
(xy 121.3 91.35)
(xy 121.675 91.35)
(xy 121.675 90.425)
(xy 123.7 90.425)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 123.412171 90.427421)

```

(xy 123.490224 90.442946)
(xy 123.53564 90.461758)
(xy 123.591295 90.498945)
(xy 123.626054 90.533704)
(xy 123.66324 90.589356)
(xy 123.682053 90.634775)
(xy 123.697579 90.712827)
(xy 123.7 90.737409)
(xy 123.7 91.63759)
(xy 123.697579 91.662172)
(xy 123.682053 91.740224)
(xy 123.66324 91.785643)
(xy 123.626057 91.841292)
(xy 123.591292 91.876057)
(xy 123.535643 91.91324)
(xy 123.490224 91.932053)
(xy 123.431856 91.943663)
(xy 123.41217 91.947579)
(xy 123.38759 91.95)
(xy 121.61241 91.95)
(xy 121.587829 91.947579)
(xy 121.557954 91.941636)
(xy 121.509775 91.932053)
(xy 121.464356 91.91324)
(xy 121.408704 91.876054)
(xy 121.373945 91.841295)
(xy 121.336758 91.78564)
(xy 121.317946 91.740224)
(xy 121.302421 91.662171)
(xy 121.3 91.63759)
(xy 121.3 91.575669)
(xy 121.317955 91.514517)
(xy 121.317807 91.514452)
(xy 121.318307 91.513317)
(xy 121.320002 91.507548)

```

(xy 121.32205 91.504463)
(xy 121.322521 91.503775)
(xy 121.322522 91.503771)
(xy 121.322524 91.50377)
(xy 121.353022 91.434696)
(xy 121.398833 91.380462)
(xy 121.435673 91.363886)
(xy 121.4875 91.35)
(xy 121.675 91.35)
(xy 121.675 90.737408)
(xy 121.677421 90.712828)
(xy 121.677421 90.712827)
(xy 121.692947 90.634773)
(xy 121.711757 90.58936)
(xy 121.748947 90.533701)
(xy 121.783701 90.498947)
(xy 121.83936 90.461757)
(xy 121.884775 90.442946)
(xy 121.931043 90.433743)
(xy 121.96283 90.427421)
(xy 121.98741 90.425)
(xy 123.38759 90.425)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5378) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 121.6 102.7)
(xy 122.9 102.7)
(xy 122.9 101.6)
(xy 121.5 101.6)

```

```
(xy 121.5 102.2)
(xy 119.1 102.2)
(xy 119.1 100.875)
(xy 123.4 100.875)
(xy 123.4 104.7)
(xy 121.6 104.7)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 123.112171 100.877421)
(xy 123.190224 100.892946)
(xy 123.23564 100.911758)
(xy 123.291295 100.948945)
(xy 123.326054 100.983704)
(xy 123.36324 101.039356)
(xy 123.382053 101.084775)
(xy 123.397579 101.162827)
(xy 123.4 101.187409)
(xy 123.4 104.38759)
(xy 123.397579 104.412172)
(xy 123.382053 104.490224)
(xy 123.36324 104.535643)
(xy 123.326057 104.591292)
(xy 123.291292 104.626057)
(xy 123.235643 104.66324)
(xy 123.190224 104.682053)
(xy 123.131856 104.693663)
(xy 123.11217 104.697579)
(xy 123.08759 104.7)
(xy 121.91241 104.7)
(xy 121.887829 104.697579)
(xy 121.857954 104.691636)
(xy 121.809775 104.682053)
```


(xy 121.764356 104.66324)
(xy 121.708704 104.626054)
(xy 121.673945 104.591295)
(xy 121.636758 104.53564)
(xy 121.617946 104.490224)
(xy 121.602421 104.412171)
(xy 121.6 104.38759)
(xy 121.6 104.09555)
(xy 121.600304 104.089364)
(xy 121.600398 104.088401)
(xy 121.6004 104.088396)
(xy 121.6004 103.811604)
(xy 121.600303 103.810619)
(xy 121.6 103.804443)
(xy 121.6 103.012409)
(xy 121.602421 102.987828)
(xy 121.617947 102.909773)
(xy 121.636757 102.86436)
(xy 121.673947 102.808701)
(xy 121.708701 102.773947)
(xy 121.76436 102.736757)
(xy 121.809775 102.717946)
(xy 121.856043 102.708743)
(xy 121.88783 102.702421)
(xy 121.91241 102.7)
(xy 122.599999 102.7)
(xy 122.6 102.7)
(xy 122.9 102.7)
(xy 122.9 101.6)
(xy 122.600005 101.6)
(xy 121.799994 101.6)
(xy 121.5 101.6)
(xy 121.5 101.9)
(xy 121.5 101.900001)
(xy 121.482053 101.990224)

(xy 121.46324 102.035643)
(xy 121.426057 102.091292)
(xy 121.391292 102.126057)
(xy 121.335643 102.16324)
(xy 121.290224 102.182053)
(xy 121.231856 102.193663)
(xy 121.21217 102.197579)
(xy 121.18759 102.2)
(xy 119.41241 102.2)
(xy 119.387829 102.197579)
(xy 119.357954 102.191636)
(xy 119.309775 102.182053)
(xy 119.264356 102.16324)
(xy 119.208704 102.126054)
(xy 119.173945 102.091295)
(xy 119.136758 102.03564)
(xy 119.117946 101.990224)
(xy 119.102421 101.912171)
(xy 119.1 101.88759)
(xy 119.1 101.187409)
(xy 119.102421 101.162828)
(xy 119.102421 101.162827)
(xy 119.117947 101.084773)
(xy 119.136757 101.03936)
(xy 119.173947 100.983701)
(xy 119.208701 100.948947)
(xy 119.26436 100.911757)
(xy 119.309775 100.892946)
(xy 119.356043 100.883743)
(xy 119.38783 100.877421)
(xy 119.41241 100.875)
(xy 123.08759 100.875)
)
)
)

```

(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf537b) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 119.2 98.8)
(xy 121.3 98.8)
(xy 121.3 99.925)
(xy 122.3 99.925)
(xy 122.3 100.575)
(xy 119.2 100.575)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 121.012171 98.802421)
(xy 121.090224 98.817946)
(xy 121.13564 98.836758)
(xy 121.191295 98.873945)
(xy 121.226054 98.908704)
(xy 121.26324 98.964356)
(xy 121.282053 99.009776)
(xy 121.297578 99.087828)
(xy 121.299999 99.112409)
(xy 121.299999 99.624998)
(xy 121.3 99.625005)
(xy 121.3 99.925)
(xy 121.98759 99.925)
(xy 122.012171 99.927421)
(xy 122.090224 99.942946)
(xy 122.13564 99.961758)
(xy 122.191295 99.998945)
(xy 122.226054 100.033704)

```

(xy 122.26324 100.089356)
(xy 122.282053 100.134775)
(xy 122.297579 100.212827)
(xy 122.3 100.237409)
(xy 122.3 100.26259)
(xy 122.297579 100.287172)
(xy 122.282053 100.365224)
(xy 122.26324 100.410643)
(xy 122.226057 100.466292)
(xy 122.191292 100.501057)
(xy 122.135643 100.53824)
(xy 122.090224 100.557053)
(xy 122.031856 100.568663)
(xy 122.01217 100.572579)
(xy 121.98759 100.575)
(xy 119.51241 100.575)
(xy 119.487829 100.572579)
(xy 119.457954 100.566636)
(xy 119.409775 100.557053)
(xy 119.364356 100.53824)
(xy 119.308704 100.501054)
(xy 119.273945 100.466295)
(xy 119.236758 100.41064)
(xy 119.217946 100.365224)
(xy 119.202421 100.287171)
(xy 119.2 100.26259)
(xy 119.2 99.112409)
(xy 119.202421 99.087828)
(xy 119.217947 99.009773)
(xy 119.236757 98.96436)
(xy 119.273947 98.908701)
(xy 119.308701 98.873947)
(xy 119.36436 98.836757)
(xy 119.409775 98.817946)
(xy 119.456043 98.808743)

```

        (xy 119.48783 98.802421)

        (xy 119.51241 98.8)

        (xy 120.98759 98.8)

    )

)

)

(zone (net 107) (net_name "/IO_Banks/VIOB") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf537e)

    (connect_pads yes (clearance 0.1))

    (min_thickness 0.0256) (filled_areas_thickness no)

    (fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))

    (polygon

        (pts

            (xy 126.1 104.7)

            (xy 123.6 104.7)

            (xy 123.6 102.7)

            (xy 126.1 102.7)

        )

    )

    (filled_polygon

        (layer "F.Cu")

        (pts

            (xy 125.801141 102.700227)

            (xy 125.912502 102.722378)

            (xy 125.916756 102.72414)

            (xy 126.01018 102.786564)

            (xy 126.013435 102.789819)

            (xy 126.075859 102.883243)

            (xy 126.077621 102.887497)
(xy 126.099773 102.998858)

            (xy 126.1 103.00116)

            (xy 126.1 104.398839)

            (xy 126.099773 104.401141)

            (xy 126.077621 104.512502)

            (xy 126.075859 104.516756)

            (xy 126.013435 104.61018)

```

```

(xy 126.01018 104.613435)
(xy 125.916756 104.675859)
(xy 125.912502 104.677621)
(xy 125.801141 104.699773)
(xy 125.798839 104.7)
(xy 123.901161 104.7)
(xy 123.898859 104.699773)
(xy 123.787497 104.677621)
(xy 123.783243 104.675859)
(xy 123.689819 104.613435)
(xy 123.686564 104.61018)
(xy 123.62414 104.516756)
(xy 123.622378 104.512502)
(xy 123.600227 104.401141)
(xy 123.6 104.398839)
(xy 123.6 103.00116)
(xy 123.600227 102.998858)
(xy 123.622378 102.887497)
(xy 123.62414 102.883243)
(xy 123.686564 102.789819)
(xy 123.689817 102.786565)
(xy 123.783244 102.724139)
(xy 123.787496 102.722378)
(xy 123.898858 102.700227)
(xy 123.901161 102.7)
(xy 125.798839 102.7)
)
)
)
(zone (net 108) (net_name "/IO_Banks/VIOA") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5381
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts

```

```
(xy 123 88.3)
(xy 120.5 88.3)
(xy 120.5 86.3)
(xy 123 86.3)
)
)
(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 122.701141 86.300227)
    (xy 122.812502 86.322378)
    (xy 122.816756 86.32414)
    (xy 122.91018 86.386564)
    (xy 122.913435 86.389819)
    (xy 122.975859 86.483243)
    (xy 122.977621 86.487497)
    (xy 122.999773 86.598858)
    (xy 123 86.60116)
(xy 123 87.998839)
    (xy 122.999773 88.001141)
    (xy 122.977621 88.112502)
    (xy 122.975859 88.116756)
    (xy 122.913435 88.21018)
    (xy 122.91018 88.213435)
    (xy 122.816756 88.275859)
    (xy 122.812502 88.277621)
    (xy 122.701141 88.299773)
    (xy 122.698839 88.3)
    (xy 120.801161 88.3)
    (xy 120.798859 88.299773)
    (xy 120.687497 88.277621)
    (xy 120.683243 88.275859)
    (xy 120.589819 88.213435)
    (xy 120.586564 88.21018)
    (xy 120.52414 88.116756)
```

```

(xy 120.522378 88.112502)
(xy 120.500227 88.001141)
(xy 120.5 87.998839)
(xy 120.5 86.60116)
(xy 120.500227 86.598858)
(xy 120.522378 86.487497)
(xy 120.52414 86.483243)
(xy 120.586564 86.389819)
(xy 120.589817 86.386565)
(xy 120.683244 86.324139)
(xy 120.687496 86.322378)
(xy 120.798858 86.300227)
(xy 120.801161 86.3)
(xy 122.698839 86.3)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5393) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 125 88.3)
(xy 123.7 88.3)
(xy 123.7 89.4)
(xy 125.1 89.4)
(xy 125.1 88.8)
(xy 127.5 88.8)
(xy 127.5 90.125)
(xy 123.2 90.125)
(xy 123.2 86.3)
(xy 125 86.3)
)
)

```



```
(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 124.712171 86.302421)
    (xy 124.790224 86.317946)
    (xy 124.83564 86.336758)
    (xy 124.891295 86.373945)
    (xy 124.926054 86.408704)
    (xy 124.96324 86.464356)
    (xy 124.982053 86.509776)
    (xy 124.997578 86.587828)
    (xy 124.999999 86.612409)
    (xy 125 86.904442)
    (xy 124.999697 86.910619)
    (xy 124.9996 86.911604)
    (xy 124.9996 87.188396)
    (xy 124.999601 87.188401)
    (xy 124.999696 87.189364)
    (xy 125 87.19555)
    (xy 125 87.98759)
    (xy 124.997579 88.012172)
    (xy 124.982053 88.090224)
    (xy 124.96324 88.135643)
    (xy 124.926057 88.191292)
    (xy 124.891292 88.226057)
    (xy 124.835643 88.26324)
    (xy 124.790224 88.282053)
    (xy 124.731856 88.293663)
    (xy 124.71217 88.297579)
    (xy 124.68759 88.3)
    (xy 123.7 88.3)
    (xy 123.7 89.4)
    (xy 124.799999 89.4)
    (xy 124.8 89.4)
    (xy 125.1 89.4)
```

(xy 125.1 89.1)
(xy 125.117946 89.009775)
(xy 125.136757 88.96436)
(xy 125.173947 88.908701)
(xy 125.208701 88.873947)
(xy 125.26436 88.836757)
(xy 125.309775 88.817946)
(xy 125.356043 88.808743)
(xy 125.38783 88.802421)
(xy 125.41241 88.8)
(xy 127.18759 88.8)
(xy 127.212171 88.802421)
(xy 127.290224 88.817946)
(xy 127.33564 88.836758)
(xy 127.391295 88.873945)
(xy 127.426054 88.908704)
(xy 127.46324 88.964356)
(xy 127.482053 89.009775)
(xy 127.497579 89.087827)
(xy 127.5 89.112409)
(xy 127.5 89.81259)
(xy 127.497579 89.837172)
(xy 127.482053 89.915224)
(xy 127.46324 89.960643)
(xy 127.426057 90.016292)
(xy 127.391292 90.051057)
(xy 127.335643 90.08824)
(xy 127.290224 90.107053)
(xy 127.231856 90.118663)
(xy 127.21217 90.122579)
(xy 127.18759 90.125)
(xy 123.51241 90.125)
(xy 123.487829 90.122579)
(xy 123.457954 90.116636)
(xy 123.409775 90.107053)

```

(xy 123.364356 90.08824)
(xy 123.308704 90.051054)
(xy 123.273945 90.016295)
(xy 123.236758 89.96064)
(xy 123.217946 89.915224)
(xy 123.202421 89.837171)
(xy 123.2 89.81259)
(xy 123.2 86.612409)
(xy 123.202421 86.587828)
(xy 123.217947 86.509773)
(xy 123.236757 86.46436)
(xy 123.273947 86.408701)
(xy 123.308701 86.373947)
(xy 123.36436 86.336757)
(xy 123.409775 86.317946)
(xy 123.456043 86.308743)
(xy 123.48783 86.302421)
(xy 123.51241 86.3)
(xy 124.68759 86.3)
)
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf5396) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 127.4 92.2)
(xy 125.3 92.2)
(xy 125.3 91.075)
(xy 124.3 91.075)
(xy 124.3 90.425)
(xy 127.4 90.425)
)
)

```

```
)  
(filled_polygon  
  (layer "F.Cu")  
    (pts  
      (xy 127.112171 90.427421)  
      (xy 127.190224 90.442946)  
      (xy 127.23564 90.461758)  
      (xy 127.291295 90.498945)  
      (xy 127.326054 90.533704)  
      (xy 127.36324 90.589356)  
      (xy 127.382053 90.634775)  
      (xy 127.397579 90.712827)  
      (xy 127.4 90.737409)  
      (xy 127.4 91.88759)  
      (xy 127.397579 91.912172)  
      (xy 127.382053 91.990224)  
      (xy 127.36324 92.035643)  
      (xy 127.326057 92.091292)  
      (xy 127.291292 92.126057)  
      (xy 127.235643 92.16324)  
      (xy 127.190224 92.182053)  
      (xy 127.131856 92.193663)  
      (xy 127.11217 92.197579)  
      (xy 127.08759 92.2)  
      (xy 125.61241 92.2)  
      (xy 125.587829 92.197579)  
      (xy 125.557954 92.191636)  
      (xy 125.509775 92.182053)  
      (xy 125.464356 92.16324)  
      (xy 125.408704 92.126054)  
      (xy 125.373945 92.091295)  
      (xy 125.336758 92.03564)  
      (xy 125.317946 91.990224)  
      (xy 125.302421 91.912171)  
      (xy 125.3 91.88759)
```

```

(xy 125.3 91.375001)
(xy 125.3 91.375)
(xy 125.3 91.075)
(xy 125.000005 91.075)
(xy 124.61241 91.075)
(xy 124.587829 91.072579)
(xy 124.557954 91.066636)
(xy 124.509775 91.057053)
(xy 124.464356 91.03824)
(xy 124.408704 91.001054)
(xy 124.373945 90.966295)
(xy 124.336758 90.91064)
(xy 124.317946 90.865223)
(xy 124.302421 90.787171)
(xy 124.3 90.76259)
(xy 124.3 90.737409)
(xy 124.302421 90.712828)
(xy 124.302421 90.712827)
(xy 124.317947 90.634773)
(xy 124.336757 90.58936)
(xy 124.373947 90.533701)
(xy 124.408701 90.498947)
(xy 124.46436 90.461757)
(xy 124.509775 90.442946)
(xy 124.556043 90.433743)
(xy 124.58783 90.427421)
(xy 124.61241 90.425)
(xy 127.08759 90.425)
)
)
)
(zone (net 7) (net_name "/SHLD") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53a5) (hatch ed
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)

```

```

(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))

(polygon
  (pts
    (xy 56.8 90.7)
    (xy 56.8 100.3)
    (xy 50 100.3)
    (xy 50 90.7)
  )
)

(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 56.30322 90.700424)
    (xy 56.318306 90.70241)
    (xy 56.416489 90.715336)
    (xy 56.441447 90.722023)
    (xy 56.53796 90.762)
    (xy 56.560336 90.774918)
    (xy 56.643216 90.838515)
    (xy 56.661484 90.856783)
    (xy 56.725079 90.93966)
    (xy 56.738001 90.962042)
    (xy 56.777975 91.058548)
    (xy 56.784664 91.083512)
    (xy 56.799576 91.196779)
    (xy 56.8 91.203247)
    (xy 56.8 91.7006)
    (xy 56.781093 91.758791)
    (xy 56.731593 91.794755)
    (xy 56.701 91.7996)
    (xy 56.073019 91.7996)
    (xy 56.048116 91.802489)
    (xy 55.94623 91.847476)
    (xy 55.867476 91.92623)
    (xy 55.822489 92.028116)
  )
)

```

(xy 55.8196 92.053019)
(xy 55.8196 92.120916)
(xy 55.800693 92.179107)
(xy 55.751193 92.215071)
(xy 55.690007 92.215071)
(xy 55.660332 92.199458)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 54.686152 92.73623)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.133795 93.175167)
(xy 55.189021 93.201507)
(xy 55.218216 93.255278)
(xy 55.21023 93.31594)
(xy 55.190878 93.343323)
(xy 54.4136 94.120603)

(xy 54.359083 94.148381)
(xy 54.343596 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 53.963399 94.728195)
(xy 53.9634 94.728197)
(xy 54.015654 94.842617)
(xy 54.0246 94.883743)
(xy 54.0246 96.303209)
(xy 54.022493 96.323524)
(xy 54.020454 96.333251)
(xy 54.019734 96.336683)
(xy 54.02422 96.37267)
(xy 54.0246 96.378798)
(xy 54.0246 96.383523)
(xy 54.028442 96.406548)
(xy 54.035231 96.461012)
(xy 54.037473 96.468541)
(xy 54.040029 96.475988)
(xy 54.04003 96.475989)
(xy 54.066156 96.524266)
(xy 54.090258 96.573566)
(xy 54.094829 96.579968)
(xy 54.099659 96.586174)
(xy 54.140045 96.623352)
(xy 55.175405 97.658712)

(xy 55.203182 97.713229)
(xy 55.193611 97.773661)
(xy 55.150346 97.816926)
(xy 55.118326 97.826869)
(xy 55.105873 97.828508)
(xy 55.099764 97.829313)
(xy 55.099762 97.829313)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 54.689033 98.538114)
(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660332 98.800541)
(xy 55.718008 98.780117)
(xy 55.776674 98.797494)
(xy 55.813921 98.846035)
(xy 55.8196 98.879083)
(xy 55.8196 98.94698)
(xy 55.822489 98.971883)

(xy 55.822489 98.971885)
(xy 55.82249 98.971886)
(xy 55.867476 99.07377)
(xy 55.94623 99.152524)
(xy 56.048114 99.19751)
(xy 56.07302 99.200399)
(xy 56.073022 99.2004)
(xy 56.073024 99.2004)
(xy 56.701 99.2004)
(xy 56.759191 99.219307)
(xy 56.795155 99.268807)
(xy 56.8 99.2994)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)

```

(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)
(xy 50.262035 90.762001)
(xy 50.358554 90.722022)
(xy 50.383508 90.715336)
(xy 50.484332 90.702062)
(xy 50.49678 90.700424)
(xy 50.503247 90.7)
(xy 56.296753 90.7)
)
)
)
(zone (net 204) (net_name "/SWSH") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53ab) (hatch 0
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 77.5 119.8)
(xy 71.8 119.8)
(xy 71.8 118.3)
(xy 77.5 118.3)
)
)
)
(filled_polygon
(layer "F.Cu")

```

(pts

(xy 77.00322 118.300424)
(xy 77.018306 118.30241)
(xy 77.116489 118.315336)
(xy 77.141447 118.322023)
(xy 77.23796 118.362)
(xy 77.260336 118.374918)
(xy 77.343216 118.438515)
(xy 77.361484 118.456783)
(xy 77.425079 118.53966)
(xy 77.438001 118.562042)
(xy 77.477975 118.658548)
(xy 77.484664 118.683512)
(xy 77.499576 118.796779)
(xy 77.5 118.803247)
(xy 77.5 119.296752)
(xy 77.499576 119.30322)
(xy 77.484664 119.416487)
(xy 77.477975 119.441451)
(xy 77.438001 119.537957)
(xy 77.425079 119.560339)
(xy 77.361487 119.643213)
(xy 77.343213 119.661487)
(xy 77.260339 119.725079)
(xy 77.237957 119.738001)
(xy 77.141451 119.777975)
(xy 77.116487 119.784664)
(xy 77.003221 119.799576)
(xy 76.996753 119.8)
(xy 72.303247 119.8)
(xy 72.296779 119.799576)
(xy 72.183512 119.784664)
(xy 72.158548 119.777975)
(xy 72.062042 119.738001)
(xy 72.03966 119.725079)

```

(xy 71.956783 119.661484)
(xy 71.938515 119.643216)
(xy 71.874918 119.560336)
(xy 71.862 119.53796)
(xy 71.822023 119.441447)
(xy 71.815336 119.416489)
(xy 71.800424 119.303219)
(xy 71.8 119.296752)
(xy 71.8 118.803247)
(xy 71.800424 118.79678)
(xy 71.802062 118.784332)
(xy 71.815336 118.683508)
(xy 71.822022 118.658554)
(xy 71.862001 118.562035)
(xy 71.874916 118.539666)
(xy 71.938518 118.456779)
(xy 71.956779 118.438518)
(xy 72.039666 118.374916)
(xy 72.062035 118.362001)
(xy 72.158554 118.322022)
(xy 72.183508 118.315336)
(xy 72.284332 118.302062)
(xy 72.29678 118.300424)
(xy 72.303247 118.3)
(xy 76.996753 118.3)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53b1) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 63.7 107.4)

```

```
(xy 63.7 118.1)
(xy 69.4 118.1)
(xy 69.4 107.4)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 69.342121 107.420002)
(xy 69.388614 107.473658)
(xy 69.4 107.526)
(xy 69.4 110.2186)
(xy 69.379998 110.286721)
(xy 69.326342 110.333214)
(xy 69.274 110.3446)
(xy 68.316559 110.3446)
(xy 68.248438 110.324598)
(xy 68.227463 110.307695)
(xy 67.543845 109.624076)
(xy 67.543842 109.624073)
(xy 67.53765 109.618511)
(xy 67.537642 109.618504)
(xy 67.537641 109.618503)
(xy 67.513444 109.599003)
(xy 67.513441 109.599001)
(xy 67.485337 109.5843)
(xy 67.459713 109.570897)
(xy 67.391595 109.550896)
(xy 67.391593 109.550895)
(xy 67.391591 109.550895)
(xy 67.391587 109.550894)
(xy 67.39158 109.550893)
(xy 67.347813 109.5446)
(xy 67.34781 109.5446)
(xy 66.726 109.5446)
```

(xy 66.725993 109.5446)
(xy 66.692967 109.548151)
(xy 66.67007 109.553132)
(xy 66.640626 109.559537)
(xy 66.640625 109.559537)
(xy 66.640622 109.559538)
(xy 66.571893 109.593941)
(xy 66.571891 109.593942)
(xy 66.518237 109.640434)
(xy 66.512765 109.645409)
(xy 66.470898 109.714095)
(xy 66.470897 109.714099)
(xy 66.450896 109.782214)
(xy 66.450893 109.782229)
(xy 66.4446 109.825996)
(xy 66.4446 110.75197)
(xy 66.445046 110.760295)
(xy 66.445046 110.760296)
(xy 66.448369 110.791203)
(xy 66.466488 110.849068)
(xy 66.500518 110.911387)
(xy 66.527017 110.946784)
(xy 66.527027 110.946796)
(xy 66.715864 111.135632)
(xy 66.856153 111.275921)
(xy 66.862343 111.281482)
(xy 66.880263 111.295923)
(xy 66.886558 111.300997)
(xy 66.911051 111.313808)
(xy 66.940288 111.329103)
(xy 67.008409 111.349105)
(xy 67.052187 111.355399)
(xy 67.052188 111.3554)
(xy 67.05219 111.3554)
(xy 67.483441 111.3554)

(xy 67.551562 111.375402)
(xy 67.572536 111.392304)
(xy 68.156157 111.975926)
(xy 68.162349 111.981488)
(xy 68.162356 111.981494)
(xy 68.162357 111.981495)
(xy 68.169768 111.987467)
(xy 68.186559 112.000998)
(xy 68.186562 112.000999)
(xy 68.186564 112.001001)
(xy 68.24028 112.029099)
(xy 68.240288 112.029103)
(xy 68.308409 112.049105)
(xy 68.352187 112.055399)
(xy 68.352188 112.0554)
(xy 68.35219 112.0554)
(xy 69.274 112.0554)
(xy 69.342121 112.075402)
(xy 69.388614 112.129058)
(xy 69.4 112.1814)
(xy 69.4 115.3186)
(xy 69.379998 115.386721)
(xy 69.326342 115.433214)
(xy 69.274 115.4446)
(xy 68.316559 115.4446)
(xy 68.248438 115.424598)
(xy 68.227463 115.407695)
(xy 67.543845 114.724076)
(xy 67.543842 114.724073)
(xy 67.53765 114.718511)
(xy 67.537642 114.718504)
(xy 67.537641 114.718503)
(xy 67.513444 114.699003)
(xy 67.513441 114.699001)
(xy 67.485337 114.6843)

(xy 67.459713 114.670897)
(xy 67.391595 114.650896)
(xy 67.391593 114.650895)
(xy 67.391591 114.650895)
(xy 67.391587 114.650894)
(xy 67.39158 114.650893)
(xy 67.347813 114.6446)
(xy 67.34781 114.6446)
(xy 66.726 114.6446)
(xy 66.725993 114.6446)
(xy 66.692967 114.648151)
(xy 66.665197 114.654192)
(xy 66.640626 114.659537)
(xy 66.640625 114.659537)
(xy 66.640622 114.659538)
(xy 66.571893 114.693941)
(xy 66.571891 114.693942)
(xy 66.518237 114.740434)
(xy 66.512765 114.745409)
(xy 66.470898 114.814095)
(xy 66.470897 114.814099)
(xy 66.450896 114.882214)
(xy 66.450893 114.882229)
(xy 66.4446 114.925996)
(xy 66.4446 115.85197)
(xy 66.445046 115.860295)
(xy 66.445046 115.860296)
(xy 66.448369 115.891203)
(xy 66.466488 115.949068)
(xy 66.500518 116.011387)
(xy 66.527017 116.046784)
(xy 66.527027 116.046796)
(xy 66.715864 116.235632)
(xy 66.856153 116.375921)
(xy 66.862343 116.381482)

(xy 66.880263 116.395923)
(xy 66.886558 116.400997)
(xy 66.911051 116.413808)
(xy 66.940288 116.429103)
(xy 67.008409 116.449105)
(xy 67.052187 116.455399)
(xy 67.052188 116.4554)
(xy 67.05219 116.4554)
(xy 67.483442 116.4554)
(xy 67.551563 116.475402)
(xy 67.572532 116.4923)
(xy 67.896632 116.8164)
(xy 67.928048 116.84065)
(xy 67.975363 116.868329)
(xy 67.975363 116.868328)
(xy 67.977374 116.869505)
(xy 67.980541 116.87143)
(xy 67.980541 116.871431)
(xy 68.058713 116.918968)
(xy 68.070899 116.926378)
(xy 68.097516 116.948033)
(xy 68.153359 117.007826)
(xy 68.164658 117.021802)
(xy 68.174981 117.036619)
(xy 68.218733 117.084648)
(xy 68.221145 117.087236)
(xy 68.289832 117.129103)
(xy 68.357953 117.149105)
(xy 68.401731 117.155399)
(xy 68.401732 117.1554)
(xy 69.274 117.1554)
(xy 69.342121 117.175402)
(xy 69.388614 117.229058)
(xy 69.4 117.2814)
(xy 69.4 117.974)

(xy 69.379998 118.042121)
(xy 69.326342 118.088614)
(xy 69.274 118.1)
(xy 64.200558 118.1)
(xy 64.132437 118.079998)
(xy 64.085944 118.026342)
(xy 64.07584 117.956068)
(xy 64.105334 117.891488)
(xy 64.109664 117.886992)
(xy 64.111385 117.884876)
(xy 64.111391 117.884871)
(xy 64.186434 117.761468)
(xy 64.188483 117.754153)
(xy 64.22072 117.699046)
(xy 64.22747 117.692296)
(xy 64.289783 117.658278)
(xy 64.316557 117.6554)
(xy 65.473994 117.6554)
(xy 65.474 117.6554)
(xy 65.507032 117.651849)
(xy 65.559374 117.640463)
(xy 65.628107 117.606058)
(xy 65.634427 117.600581)
(xy 65.681763 117.559566)
(xy 65.684771 117.556829)
(xy 65.687236 117.554589)
(xy 65.729103 117.485902)
(xy 65.749105 117.417781)
(xy 65.7554 117.374)
(xy 65.7554 116.748027)
(xy 65.7554 116.748019)
(xy 65.754955 116.739721)
(xy 65.754955 116.73972)
(xy 65.752006 116.7123)
(xy 65.751629 116.708792)

(xy 65.733512 116.650932)
(xy 65.726459 116.638015)
(xy 65.699489 116.588622)
(xy 65.699485 116.588616)
(xy 65.672985 116.553218)
(xy 65.672972 116.553203)
(xy 65.392305 116.272536)
(xy 65.358279 116.210224)
(xy 65.3554 116.183441)
(xy 65.3554 114.926005)
(xy 65.355399 114.925996)
(xy 65.351849 114.892968)
(xy 65.340463 114.840626)
(xy 65.306058 114.771893)
(xy 65.306057 114.771891)
(xy 65.259566 114.718237)
(xy 65.254591 114.712765)
(xy 65.253873 114.712327)
(xy 65.252466 114.71147)
(xy 65.250792 114.709628)
(xy 65.247641 114.707027)
(xy 65.248015 114.706573)
(xy 65.204709 114.658938)
(xy 65.192934 114.588925)
(xy 65.209528 114.544026)
(xy 65.209436 114.543988)
(xy 65.21043 114.541587)
(xy 65.21328 114.533875)
(xy 65.214185 114.532522)
(xy 65.2254 114.476139)
(xy 65.225399 114.223862)
(xy 65.214185 114.167478)
(xy 65.171462 114.103538)
(xy 65.17146 114.103537)
(xy 65.17146 114.103536)

(xy 65.107524 114.060815)
(xy 65.05114 114.0496)
(xy 64.648865 114.0496)
(xy 64.64886 114.049601)
(xy 64.592479 114.060814)
(xy 64.592477 114.060815)
(xy 64.592478 114.060815)
(xy 64.528794 114.103366)
(xy 64.461043 114.12458)
(xy 64.458795 114.1246)
(xy 63.826 114.1246)
(xy 63.757879 114.104598)
(xy 63.711386 114.050942)
(xy 63.7 113.9986)
(xy 63.7 113.239133)
(xy 63.720002 113.171012)
(xy 63.773658 113.124519)
(xy 63.800359 113.115769)
(xy 63.8776 113.099719)
(xy 64.005837 113.033272)
(xy 64.111391 112.934691)
(xy 64.186434 112.811288)
(xy 64.2254 112.672215)
(xy 64.2254 112.672207)
(xy 64.226495 112.664245)
(xy 64.255586 112.599482)
(xy 64.315072 112.560727)
(xy 64.351322 112.5554)
(xy 65.473994 112.5554)
(xy 65.474 112.5554)
(xy 65.507032 112.551849)
(xy 65.559374 112.540463)
(xy 65.628107 112.506058)
(xy 65.634427 112.500581)
(xy 65.681763 112.459566)

(xy 65.684771 112.456829)
(xy 65.687236 112.454589)
(xy 65.729103 112.385902)
(xy 65.749105 112.317781)
(xy 65.7554 112.274)
(xy 65.7554 111.648027)
(xy 65.7554 111.648019)
(xy 65.754955 111.639721)
(xy 65.754955 111.63972)
(xy 65.753072 111.622215)
(xy 65.751629 111.608792)
(xy 65.733512 111.550932)
(xy 65.699488 111.488621)
(xy 65.699485 111.488616)
(xy 65.672985 111.453218)
(xy 65.672972 111.453203)
(xy 65.392305 111.172536)
(xy 65.358279 111.110224)
(xy 65.3554 111.083441)
(xy 65.3554 109.826005)
(xy 65.355399 109.825996)
(xy 65.351849 109.792968)
(xy 65.340463 109.740626)
(xy 65.306058 109.671893)
(xy 65.306057 109.671891)
(xy 65.259566 109.618237)
(xy 65.254591 109.612765)
(xy 65.253873 109.612327)
(xy 65.252466 109.61147)
(xy 65.250792 109.609628)
(xy 65.247641 109.607027)
(xy 65.248015 109.606573)
(xy 65.204709 109.558938)
(xy 65.192934 109.488925)
(xy 65.209528 109.444026)

```
(xy 65.209436 109.443988)
(xy 65.21043 109.441587)
(xy 65.21328 109.433875)
(xy 65.214185 109.432522)
(xy 65.2254 109.376139)
(xy 65.225399 109.123862)
(xy 65.214185 109.067478)
(xy 65.171462 109.003538)
(xy 65.17146 109.003537)
(xy 65.17146 109.003536)
(xy 65.107524 108.960815)
(xy 65.05114 108.9496)
(xy 64.648865 108.9496)
(xy 64.64886 108.949601)
(xy 64.592479 108.960814)
(xy 64.528536 109.003539)
(xy 64.485815 109.067475)
(xy 64.485815 109.067476)
(xy 64.474979 109.121954)
(xy 64.442071 109.184863)
(xy 64.380376 109.219995)
(xy 64.309481 109.216195)
(xy 64.251895 109.174669)
(xy 64.225901 109.108602)
(xy 64.2254 109.097372)
(xy 64.2254 107.526)
(xy 64.245402 107.457879)
(xy 64.299058 107.411386)
(xy 64.3514 107.4)
(xy 69.274 107.4)
)
)
)
(zone (net 3) (net_name "GND") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53b4) (hatch edge
(connect_pads thru_hole_only (clearance 0.1))
```

```

(min_thickness 0.1) (filled_areas_thickness no)

(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))

(polygon
  (pts
    (xy 68.65 103.75)
    (xy 68.65 106.15)
    (xy 72.15 106.15)
    (xy 72.15 103.75)
  )
)

(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 72.135648 103.764352)
    (xy 72.15 103.799)
    (xy 72.15 106.101)
    (xy 72.135648 106.135648)
    (xy 72.101 106.15)
    (xy 68.699 106.15)
    (xy 68.664352 106.135648)
    (xy 68.65 106.101)
    (xy 68.65 103.799)
    (xy 68.664352 103.764352)
    (xy 68.699 103.75)
    (xy 72.101 103.75)
  )
)

(zone (net 2) (net_name "+3V3") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53b7) (hatch edge
  (priority 1)
  (connect_pads yes (clearance 0.1))
  (min_thickness 0.254) (filled_areas_thickness no)
  (fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
  (polygon
    (pts

```



```
(xy 66.6 114.8)
(xy 66.6 115.9)
(xy 67 116.3)
(xy 67.6 116.3)
(xy 68.3 117)
(xy 69.6 117)
(xy 69.6 115.6)
(xy 68.2 115.6)
(xy 67.4 114.8)
)
)
(filled_polygon
(layer "F.Cu")
(pts
(xy 67.415931 114.820002)
(xy 67.4369 114.8369)
(xy 68.2 115.6)
(xy 69.474 115.6)
(xy 69.542121 115.620002)
(xy 69.588614 115.673658)
(xy 69.6 115.726)
(xy 69.6 116.874)
(xy 69.579998 116.942121)
(xy 69.526342 116.988614)
(xy 69.474 117)
(xy 68.401734 117)
(xy 68.333613 116.979998)
(xy 68.289861 116.931969)
(xy 68.288745 116.929816)
(xy 68.283272 116.919253)
(xy 68.184691 116.813699)
(xy 68.061288 116.738656)
(xy 68.061286 116.738655)
(xy 68.061284 116.738654)
(xy 68.053385 116.735223)
```

```

(xy 68.053831 116.734195)
(xy 68.006516 116.706516)
(xy 67.6 116.3)
(xy 67.05219 116.3)
(xy 66.984069 116.279998)
(xy 66.963095 116.263095)
(xy 66.636905 115.936905)
(xy 66.602879 115.874593)
(xy 66.6 115.84781)
(xy 66.6 114.926)
(xy 66.620002 114.857879)
(xy 66.673658 114.811386)
(xy 66.726 114.8)
(xy 67.34781 114.8)
)
)
)
(zone (net 29) (net_name "+1V2") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53ba) (hatch ed
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 66.6 109.7)
(xy 66.6 110.8)
(xy 67 111.2)
(xy 67.6 111.2)
(xy 68.3 111.9)
(xy 69.6 111.9)
(xy 69.6 110.5)
(xy 68.2 110.5)
(xy 67.4 109.7)
)
)
)

```

```

(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 67.415931 109.720002)
    (xy 67.4369 109.7369)
    (xy 68.2 110.5)
    (xy 69.474 110.5)
    (xy 69.542121 110.520002)
    (xy 69.588614 110.573658)
    (xy 69.6 110.626)
    (xy 69.6 111.774)
    (xy 69.579998 111.842121)
    (xy 69.526342 111.888614)
    (xy 69.474 111.9)
    (xy 68.35219 111.9)
    (xy 68.284069 111.879998)
    (xy 68.263099 111.863099)
    (xy 67.6 111.2)
    (xy 67.05219 111.2)
    (xy 66.984069 111.179998)
    (xy 66.963095 111.163095)
    (xy 66.636905 110.836905)
    (xy 66.602879 110.774593)
    (xy 66.6 110.74781)
    (xy 66.6 109.826)
    (xy 66.620002 109.757879)
    (xy 66.673658 109.711386)
    (xy 66.726 109.7)
    (xy 67.34781 109.7)
  )
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53bd) (hatch edge
  (priority 1)
  (connect_pads yes (clearance 0.1))

```

```

(min_thickness 0.254) (filled_areas_thickness no)

(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))

(polygon
  (pts
    (xy 63.7 111.6)
    (xy 64.2 111.6)
    (xy 64.2 109.7)
    (xy 65.2 109.7)
    (xy 65.2 111.2)
    (xy 65.6 111.6)
    (xy 65.6 112.4)
    (xy 64.2 112.4)
    (xy 63.7 112.9)
  )
)

(filled_polygon
  (layer "F.Cu")
  (pts
    (xy 65.142121 109.720002)
    (xy 65.188614 109.773658)
    (xy 65.2 109.826)
    (xy 65.2 111.2)
    (xy 65.563096 111.563096)
(xy 65.59712 111.625407)
    (xy 65.6 111.65219)
    (xy 65.6 112.274)
    (xy 65.579998 112.342121)
    (xy 65.526342 112.388614)
    (xy 65.474 112.4)
    (xy 64.199998 112.4)
    (xy 63.915095 112.684904)
    (xy 63.852783 112.71893)
    (xy 63.781968 112.713865)
    (xy 63.725132 112.671318)
    (xy 63.700321 112.604798)
  )
)

```

```

(xy 63.7 112.595809)
(xy 63.7 111.726)
(xy 63.720002 111.657879)
(xy 63.773658 111.611386)
(xy 63.826 111.6)
(xy 64.2 111.6)
(xy 64.2 109.826)
(xy 64.220002 109.757879)
(xy 64.273658 109.711386)
(xy 64.326 109.7)
(xy 65.074 109.7)
)
)
)
(zone (net 5) (net_name "+5V") (layer "F.Cu") (tstamp 00000000-0000-0000-0000-00005faf53c0) (hatch edge
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
(pts
(xy 64.2 114.8)
(xy 65.2 114.8)
(xy 65.2 116.3)
(xy 65.6 116.7)
(xy 65.6 117.5)
(xy 64.2 117.5)
(xy 63.7 118)
(xy 63.7 116.7)
(xy 64.2 116.7)
)
)
(filled_polygon
(layer "F.Cu")
(pts

```

```
(xy 65.142121 114.820002)
(xy 65.188614 114.873658)
(xy 65.2 114.926)
(xy 65.2 116.3)
(xy 65.563096 116.663096)
(xy 65.59712 116.725407)
(xy 65.6 116.75219)
(xy 65.6 117.374)
(xy 65.579998 117.442121)
(xy 65.526342 117.488614)
(xy 65.474 117.5)
(xy 64.199998 117.5)
(xy 63.915095 117.784904)
(xy 63.852783 117.81893)
(xy 63.781968 117.813865)
(xy 63.725132 117.771318)
(xy 63.700321 117.704798)
(xy 63.7 117.695809)
(xy 63.7 116.826)
(xy 63.720002 116.757879)
(xy 63.773658 116.711386)
(xy 63.826 116.7)
(xy 64.2 116.7)
(xy 64.2 114.926)
(xy 64.220002 114.857879)
(xy 64.273658 114.811386)
(xy 64.326 114.8)
(xy 65.074 114.8)
)
)
)
(zone (net 0) (net_name "") (layers "F&B.Cu") (tstamp 00000000-0000-0000-0000-00005cca7240) (hatch edge
(connect_pads (clearance 0))
(min_thickness 0.0256) (filled_areas_thickness no)
(keepout (tracks not_allowed) (vias not_allowed) (pads allowed) (copperpour allowed) (footprints allow
```

```

(fill (thermal_gap 0.508) (thermal_bridge_width 0.508))

(polygon
  (pts
    (xy 50 120)
    (xy 130 120)
    (xy 130 71)
    (xy 50 71)
  )
)

(polygon
  (pts
    (xy 51.7 90.9)
    (xy 50.35 90.9)
    (xy 50.35 100.1)
    (xy 51.7 100.1)
    (xy 51.7 118.3)
    (xy 71.7 118.3)
    (xy 71.7 119.8)
    (xy 77.6 119.8)
    (xy 77.6 118.3)
    (xy 128.3 118.3)
    (xy 128.3 72.7)
    (xy 51.7 72.7)
  )
)

(zone (net 7) (net_name "/SHLD") (layer "In1.Cu") (tstamp 00000000-0000-0000-0000-00005faf53a2) (hatch 0)
  (priority 2)
  (connect_pads yes (clearance 0.1))
  (min_thickness 0.2) (filled_areas_thickness no)
  (fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
  (polygon
    (pts
      (xy 56.8 90.7)
      (xy 56.8 100.3)
    )
  )
)

```

```
(xy 50 100.3)
(xy 50 90.7)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 56.30322 90.700424)
(xy 56.318306 90.70241)
(xy 56.416489 90.715336)
(xy 56.441447 90.722023)
(xy 56.53796 90.762)
(xy 56.560336 90.774918)
(xy 56.643216 90.838515)
(xy 56.661484 90.856783)
(xy 56.725079 90.93966)
(xy 56.738001 90.962042)
(xy 56.777975 91.058548)
(xy 56.784664 91.083512)
(xy 56.799576 91.196779)
(xy 56.8 91.203247)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
```


(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 98.39)
(xy 54.669534 98.39)
(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660451 98.800451)
(xy 55.752698 98.680233)
(xy 55.810687 98.540236)
(xy 55.830466 98.39)
(xy 55.810687 98.239764)
(xy 55.752698 98.099767)
(xy 55.660451 97.979549)
(xy 55.540233 97.887302)
(xy 55.400236 97.829313)
(xy 55.400234 97.829312)

(xy 55.400232 97.829312)
(xy 55.28772 97.8145)
(xy 55.21228 97.8145)
(xy 55.212279 97.8145)
(xy 55.099767 97.829312)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 50.0505 98.39)
(xy 50.0505 96.300002)
(xy 55.044968 96.300002)
(xy 55.063398 96.428191)
(xy 55.063399 96.428194)
(xy 55.117204 96.546011)
(xy 55.202014 96.643888)
(xy 55.202016 96.643889)
(xy 55.202017 96.64389)
(xy 55.310973 96.713912)
(xy 55.435242 96.7504)
(xy 55.435244 96.7504)
(xy 55.564756 96.7504)
(xy 55.564758 96.7504)
(xy 55.689027 96.713912)
(xy 55.797983 96.64389)
(xy 55.882797 96.546009)
(xy 55.9366 96.428197)
(xy 55.955032 96.3)
(xy 55.9366 96.171803)
(xy 55.882797 96.053991)

(xy 55.882795 96.053989)
(xy 55.882795 96.053988)
(xy 55.797985 95.956111)
(xy 55.689027 95.886088)
(xy 55.689024 95.886087)
(xy 55.634201 95.86999)
(xy 55.583694 95.835454)
(xy 55.563132 95.777827)
(xy 55.58037 95.71912)
(xy 55.628823 95.681758)
(xy 55.634201 95.68001)
(xy 55.689027 95.663912)
(xy 55.797983 95.59389)
(xy 55.882797 95.496009)
(xy 55.9366 95.378197)
(xy 55.955032 95.25)
(xy 55.9366 95.121803)
(xy 55.882797 95.003991)
(xy 55.882795 95.003989)
(xy 55.882795 95.003988)
(xy 55.797985 94.906111)
(xy 55.689027 94.836088)
(xy 55.689024 94.836087)
(xy 55.56476 94.7996)
(xy 55.564758 94.7996)
(xy 55.435242 94.7996)
(xy 55.435239 94.7996)
(xy 55.310975 94.836087)
(xy 55.310972 94.836088)
(xy 55.202014 94.906111)
(xy 55.117204 95.003988)
(xy 55.063399 95.121805)
(xy 55.063398 95.121808)
(xy 55.044968 95.249997)
(xy 55.044968 95.250002)

(xy 55.063398 95.378191)
(xy 55.063399 95.378194)
(xy 55.117204 95.496011)
(xy 55.202014 95.593888)
(xy 55.202016 95.593889)
(xy 55.202017 95.59389)
(xy 55.310973 95.663912)
(xy 55.365799 95.68001)
(xy 55.416305 95.714546)
(xy 55.436867 95.772173)
(xy 55.419629 95.83088)
(xy 55.371176 95.868243)
(xy 55.365799 95.86999)
(xy 55.310973 95.886088)
(xy 55.310972 95.886088)
(xy 55.202014 95.956111)
(xy 55.117204 96.053988)
(xy 55.063399 96.171805)
(xy 55.063398 96.171808)
(xy 55.044968 96.299997)
(xy 55.044968 96.300002)
(xy 50.0505 96.300002)
(xy 50.0505 94.600002)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 54.017204 94.846011)
(xy 54.102014 94.943888)
(xy 54.102016 94.943889)
(xy 54.102017 94.94389)
(xy 54.210973 95.013912)
(xy 54.335242 95.0504)
(xy 54.335244 95.0504)
(xy 54.464756 95.0504)
(xy 54.464758 95.0504)

(xy 54.589027 95.013912)
(xy 54.697983 94.94389)
(xy 54.782797 94.846009)
(xy 54.8366 94.728197)
(xy 54.855032 94.6)
(xy 54.8366 94.471803)
(xy 54.782797 94.353991)
(xy 54.782795 94.353989)
(xy 54.782795 94.353988)
(xy 54.697985 94.256111)
(xy 54.589027 94.186088)
(xy 54.589024 94.186087)
(xy 54.46476 94.1496)
(xy 54.464758 94.1496)
(xy 54.335242 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 50.0505 94.600002)
(xy 50.0505 92.61)
(xy 54.669534 92.61)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.21228 93.1855)
(xy 55.212281 93.1855)
(xy 55.287719 93.1855)

(xy 55.28772 93.1855)
(xy 55.400236 93.170687)
(xy 55.540233 93.112698)
(xy 55.660451 93.020451)
(xy 55.752698 92.900233)
(xy 55.810687 92.760236)
(xy 55.830466 92.61)
(xy 55.810687 92.459764)
(xy 55.752698 92.319767)
(xy 55.660451 92.199549)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 50.0505 92.61)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)

```

(xy 50.262035 90.762001)
(xy 50.358554 90.722022)
(xy 50.383508 90.715336)
(xy 50.484332 90.702062)
(xy 50.49678 90.700424)
(xy 50.503247 90.7)
(xy 56.296753 90.7)
)
)
)
(zone (net 204) (net_name "/SWSH") (layer "In1.Cu") (tstamp 00000000-0000-0000-0000-00005faf53ae) (hatch
(priority 2)
(connect_pads (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 77.5 119.8)
(xy 71.8 119.8)
(xy 71.8 118.3)
(xy 77.5 118.3)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 74.152364 118.318907)
(xy 74.188328 118.368407)
(xy 74.188328 118.429593)
(xy 74.152364 118.479093)
(xy 74.152363 118.479093)
(xy 74.128536 118.496403)
(xy 74.128535 118.496404)
(xy 74.403219 118.771088)
(xy 74.430996 118.825604)

```

(xy 74.421425 118.886036)
(xy 74.403219 118.911095)
(xy 74.331095 118.983219)
(xy 74.276578 119.010996)
(xy 74.216146 119.001425)
(xy 74.191088 118.983219)
(xy 73.913508 118.705639)
(xy 73.913507 118.70564)
(xy 73.82328 118.861921)
(xy 73.764819 119.041843)
(xy 73.745043 119.23)
(xy 73.764819 119.418156)
(xy 73.823279 119.598074)
(xy 73.823285 119.598088)
(xy 73.854123 119.6515)
(xy 73.866845 119.711348)
(xy 73.841959 119.767244)
(xy 73.788971 119.797837)
(xy 73.768387 119.8)
(xy 72.303247 119.8)
(xy 72.296779 119.799576)
(xy 72.183512 119.784664)
(xy 72.158548 119.777975)
(xy 72.062042 119.738001)
(xy 72.03966 119.725079)
(xy 71.968411 119.670407)
(xy 71.956783 119.661484)
(xy 71.938515 119.643216)
(xy 71.874918 119.560336)
(xy 71.862 119.53796)
(xy 71.822023 119.441447)
(xy 71.815336 119.416489)
(xy 71.800424 119.303219)
(xy 71.8 119.296752)
(xy 71.8 118.803247)


```
(xy 71.800424 118.79678)
(xy 71.803806 118.771087)
(xy 71.815336 118.683508)
(xy 71.822022 118.658554)
(xy 71.862001 118.562035)
(xy 71.874916 118.539666)
(xy 71.938518 118.456779)
(xy 71.956779 118.438518)
(xy 72.039666 118.374916)
(xy 72.062035 118.362001)
(xy 72.158554 118.322022)
(xy 72.183508 118.315336)
(xy 72.284332 118.302062)
(xy 72.29678 118.300424)
(xy 72.303247 118.3)
(xy 74.094173 118.3)
)
)
(filled_polygon
(layer "In1.Cu")
(pts
(xy 77.00322 118.300424)
(xy 77.018306 118.30241)
(xy 77.116489 118.315336)
(xy 77.141447 118.322023)
(xy 77.23796 118.362)
(xy 77.260336 118.374918)
(xy 77.343216 118.438515)
(xy 77.361484 118.456783)
(xy 77.391886 118.496403)
(xy 77.425079 118.53966)
(xy 77.438001 118.562042)
(xy 77.477975 118.658548)
(xy 77.484664 118.683512)
(xy 77.499576 118.796779)
```

(xy 77.5 118.803247)
(xy 77.5 119.296752)
(xy 77.499576 119.30322)
(xy 77.484664 119.416487)
(xy 77.477975 119.441451)
(xy 77.438001 119.537957)
(xy 77.425079 119.560339)
(xy 77.361487 119.643213)
(xy 77.343213 119.661487)
(xy 77.260339 119.725079)
(xy 77.237957 119.738001)
(xy 77.141451 119.777975)
(xy 77.116487 119.784664)
(xy 77.003221 119.799576)
(xy 76.996753 119.8)
(xy 75.531613 119.8)
(xy 75.473422 119.781093)
(xy 75.437458 119.731593)
(xy 75.437458 119.670407)
(xy 75.445877 119.6515)
(xy 75.476714 119.598088)
(xy 75.47672 119.598074)
(xy 75.53518 119.418156)
(xy 75.554956 119.23)
(xy 75.53518 119.041843)
(xy 75.47672 118.861925)
(xy 75.476717 118.861918)
(xy 75.38649 118.70564)
(xy 75.108912 118.983219)
(xy 75.054395 119.010996)
(xy 74.993963 119.001425)
(xy 74.968907 118.983221)
(xy 74.896778 118.911092)
(xy 74.869003 118.856578)
(xy 74.878574 118.796146)

```

        (xy 74.89678 118.771087)
        (xy 75.171462 118.496404)
        (xy 75.147635 118.479093)
        (xy 75.111671 118.429593)
        (xy 75.111671 118.368408)
        (xy 75.147635 118.318907)
        (xy 75.205826 118.3)
        (xy 76.996753 118.3)
    )
)
)
(zone (net 3) (net_name "GND") (layer "In1.Cu") (tstamp 00000000-0000-0000-0000-00005faf53cc) (hatch ed
    (connect_pads (clearance 0.15))
    (min_thickness 0.15) (filled_areas_thickness no)
    (fill yes (thermal_gap 0.5) (thermal_bridge_width 0.5))
    (polygon
        (pts
            (xy 50 120)
            (xy 130 120)
            (xy 130 71)
            (xy 50 71)
        )
    )
)
(filled_polygon
    (layer "In1.Cu")
    (pts
        (xy 126.000832 71.050538)
        (xy 126.362706 71.067269)
        (xy 126.366095 71.067582)
        (xy 126.724039 71.117513)
        (xy 126.727363 71.118134)
        (xy 127.079183 71.200882)
        (xy 127.082441 71.201809)
        (xy 127.425108 71.316659)
        (xy 127.42829 71.317893)
    )
)

```

(xy 127.758878 71.463862)
(xy 127.761939 71.465386)
(xy 128.077648 71.641234)
(xy 128.080552 71.643031)
(xy 128.378699 71.847268)
(xy 128.381418 71.849322)
(xy 128.659446 72.080192)
(xy 128.661973 72.082496)
(xy 128.917503 72.338026)
(xy 128.919807 72.340553)
(xy 129.150677 72.618581)
(xy 129.152733 72.621303)
(xy 129.176525 72.656034)
(xy 129.356965 72.919443)
(xy 129.358765 72.922351)
(xy 129.534613 73.23806)
(xy 129.536137 73.241121)
(xy 129.682106 73.571709)
(xy 129.683342 73.574897)
(xy 129.798188 73.917552)
(xy 129.799121 73.92083)
(xy 129.88186 74.272613)
(xy 129.882488 74.275974)
(xy 129.932415 74.633888)
(xy 129.93273 74.637293)
(xy 129.94946 74.999145)
(xy 129.949499 75.000854)
(xy 129.949499 115.999167)
(xy 129.94946 116.000854)
(xy 129.943572 116.128223)
(xy 129.93273 116.362707)
(xy 129.932415 116.366111)
(xy 129.882488 116.724025)
(xy 129.88186 116.727384)
(xy 129.804031 117.058296)

(xy 129.799124 117.079158)
(xy 129.798188 117.082447)
(xy 129.683342 117.425102)
(xy 129.682106 117.42829)
(xy 129.536137 117.758878)
(xy 129.534613 117.761939)
(xy 129.358765 118.077648)
(xy 129.356965 118.080556)
(xy 129.152738 118.37869)
(xy 129.150677 118.381418)
(xy 128.919807 118.659446)
(xy 128.917503 118.661973)
(xy 128.661973 118.917503)
(xy 128.659446 118.919807)
(xy 128.381418 119.150677)
(xy 128.37869 119.152738)
(xy 128.080556 119.356965)
(xy 128.077648 119.358765)
(xy 127.761939 119.534613)
(xy 127.758878 119.536137)
(xy 127.42829 119.682106)
(xy 127.425102 119.683342)
(xy 127.082447 119.798188)
(xy 127.079163 119.799122)
(xy 126.727386 119.88186)
(xy 126.724025 119.882488)
(xy 126.366111 119.932415)
(xy 126.362707 119.93273)
(xy 126.133015 119.94335)
(xy 126.000832 119.949461)
(xy 125.999146 119.9495)
(xy 77.458055 119.9495)
(xy 77.410489 119.932187)
(xy 77.385179 119.88835)
(xy 77.393969 119.8385)

(xy 77.418046 119.813248)
(xy 77.448049 119.793967)
(xy 77.532882 119.696063)
(xy 77.557165 119.642889)
(xy 77.558769 119.63978)
(xy 77.575214 119.611298)
(xy 77.579716 119.602167)
(xy 77.623586 119.496255)
(xy 77.624754 119.492812)
(xy 77.626859 119.486616)
(xy 77.626858 119.486617)
(xy 77.626859 119.486614)
(xy 77.630799 119.471908)
(xy 77.636183 119.451817)
(xy 77.636183 119.451818)
(xy 77.636752 119.44895)
(xy 77.638169 119.441831)
(xy 77.63817 119.44182)
(xy 77.638171 119.44182)
(xy 77.654078 119.320994)
(xy 77.654578 119.31593)
(xy 77.655333 119.304386)
(xy 77.6555 119.299299)
(xy 77.6555 118.8007)
(xy 77.655333 118.795613)
(xy 77.654578 118.784069)
(xy 77.654078 118.779005)
(xy 77.638171 118.658179)
(xy 77.63817 118.658178)
(xy 77.638169 118.658168)
(xy 77.636183 118.648183)
(xy 77.636183 118.648182)
(xy 77.636182 118.648181)
(xy 77.626861 118.613392)
(xy 77.626859 118.613385)

(xy 77.626858 118.613382)
(xy 77.626859 118.613383)
(xy 77.624754 118.607186)
(xy 77.623586 118.603744)
(xy 77.579716 118.497832)
(xy 77.575214 118.488701)
(xy 77.558771 118.460221)
(xy 77.557156 118.45709)
(xy 77.532882 118.403937)
(xy 77.448049 118.306033)
(xy 77.381032 118.262964)
(xy 77.339068 118.235995)
(xy 77.330556 118.233496)
(xy 77.314409 118.226581)
(xy 77.311306 118.22479)
(xy 77.311305 118.224789)
(xy 77.302169 118.220284)
(xy 77.30217 118.220284)
(xy 77.196258 118.176414)
(xy 77.196257 118.176413)
(xy 77.186605 118.173136)
(xy 77.163527 118.166954)
(xy 77.151816 118.163817)
(xy 77.141832 118.161831)
(xy 77.131975 118.160533)
(xy 77.082389 118.154004)
(xy 77.03749 118.13063)
(xy 77.018119 118.083863)
(xy 77.032996 118.036041)
(xy 77.089245 117.961555)
(xy 77.180113 117.779067)
(xy 77.180115 117.779062)
(xy 77.235904 117.582984)
(xy 77.254713 117.380003)
(xy 77.254713 117.379996)

(xy 77.235904 117.177015)
(xy 77.180115 116.980937)
(xy 77.180112 116.980927)
(xy 77.089248 116.798447)
(xy 77.087465 116.796086)
(xy 76.638757 117.244794)
(xy 76.59288 117.266186)
(xy 76.543986 117.253085)
(xy 76.520497 117.226064)
(xy 76.489296 117.16483)
(xy 76.477641 117.141955)
(xy 76.388045 117.052359)
(xy 76.303932 117.009501)
(xy 76.269412 116.972482)
(xy 76.266763 116.921932)
(xy 76.285203 116.891242)
(xy 76.730688 116.445757)
(xy 76.642423 116.391106)
(xy 76.642408 116.391099)
(xy 76.45232 116.317459)
(xy 76.251933 116.28)
(xy 76.048066 116.28)
(xy 75.847679 116.317459)
(xy 75.657591 116.391099)
(xy 75.657585 116.391102)
(xy 75.569311 116.445757)
(xy 76.014795 116.891242)
(xy 76.036187 116.937119)
(xy 76.023086 116.986013)
(xy 75.996065 117.009502)
(xy 75.911953 117.05236)
(xy 75.82236 117.141953)
(xy 75.779502 117.226065)
(xy 75.742481 117.260587)
(xy 75.691932 117.263235)

(xy 75.661242 117.244795)
(xy 75.212533 116.796086)
(xy 75.212532 116.796086)
(xy 75.210752 116.798446)
(xy 75.119887 116.980927)
(xy 75.119884 116.980937)
(xy 75.064095 117.177015)
(xy 75.045287 117.379996)
(xy 75.045287 117.380003)
(xy 75.064095 117.582984)
(xy 75.119884 117.779062)
(xy 75.119886 117.779067)
(xy 75.210754 117.961557)
(xy 75.210756 117.96156)
(xy 75.259494 118.026099)
(xy 75.274344 118.074491)
(xy 75.254613 118.121106)
(xy 75.209535 118.144133)
(xy 75.206264 118.144465)
(xy 75.205829 118.144499)
(xy 75.157769 118.152111)
(xy 75.114419 118.166196)
(xy 75.099584 118.171017)
(xy 75.084385 118.17685)
(xy 75.021835 118.227503)
(xy 75.021826 118.227513)
(xy 74.985864 118.277013)
(xy 74.977004 118.290656)
(xy 74.977003 118.290659)
(xy 74.956171 118.368405)
(xy 74.956171 118.429593)
(xy 74.9564 118.433973)
(xy 74.941594 118.482378)
(xy 74.899138 118.509942)
(xy 74.858061 118.507684)

(xy 74.818062 118.493688)
(xy 74.818059 118.493687)
(xy 74.65 118.474751)
(xy 74.481941 118.493687)
(xy 74.481938 118.493687)
(xy 74.481938 118.493688)
(xy 74.441814 118.507727)
(xy 74.391199 118.507095)
(xy 74.352832 118.474075)
(xy 74.34521 118.434444)
(xy 74.343828 118.434444)
(xy 74.343828 118.368411)
(xy 74.343828 118.368405)
(xy 74.342976 118.352153)
(xy 74.31413 118.277006)
(xy 74.278172 118.227513)
(xy 74.278172 118.227514)
(xy 74.278166 118.227506)
(xy 74.267922 118.214856)
(xy 74.200415 118.171017)
(xy 74.200413 118.171016)
(xy 74.200411 118.171015)
(xy 74.200409 118.171014)
(xy 74.142229 118.152111)
(xy 74.142225 118.15211)
(xy 74.142224 118.15211)
(xy 74.103152 118.145922)
(xy 74.094174 118.1445)
(xy 74.094173 118.1445)
(xy 73.600795 118.1445)
(xy 73.553229 118.127187)
(xy 73.527919 118.08335)
(xy 73.536709 118.0335)
(xy 73.561424 118.007843)
(xy 73.620885 117.97048)

(xy 73.620884 117.97048)
(xy 73.62089 117.970477)
(xy 73.740477 117.85089)
(xy 73.830456 117.70769)
(xy 73.886313 117.548059)
(xy 73.905249 117.38)
(xy 73.886313 117.211941)
(xy 73.830456 117.05231)
(xy 73.803558 117.009502)
(xy 73.74048 116.909114)
(xy 73.740478 116.909112)
(xy 73.740477 116.90911)
(xy 73.62089 116.789523)
(xy 73.620887 116.789521)
(xy 73.620885 116.789519)
(xy 73.477691 116.699544)
(xy 73.318067 116.643689)
(xy 73.318059 116.643687)
(xy 73.15 116.624751)
(xy 72.98194 116.643687)
(xy 72.981932 116.643689)
(xy 72.822308 116.699544)
(xy 72.679114 116.789519)
(xy 72.559519 116.909114)
(xy 72.469544 117.052308)
(xy 72.413689 117.211932)
(xy 72.413687 117.21194)
(xy 72.408796 117.255353)
(xy 72.394751 117.38)
(xy 72.399478 117.421954)
(xy 72.413687 117.548059)
(xy 72.413689 117.548067)
(xy 72.469544 117.707691)
(xy 72.559519 117.850885)
(xy 72.559521 117.850887)

(xy 72.559523 117.85089)
(xy 72.67911 117.970477)
(xy 72.679112 117.970478)
(xy 72.679114 117.97048)
(xy 72.738576 118.007843)
(xy 72.76964 118.047809)
(xy 72.767747 118.098392)
(xy 72.733782 118.135925)
(xy 72.699205 118.1445)
(xy 72.3007 118.1445)
(xy 72.295611 118.144667)
(xy 72.284069 118.145424)
(xy 72.279005 118.145922)
(xy 72.217617 118.154004)
(xy 72.158165 118.161831)
(xy 72.148181 118.163817)
(xy 72.12404 118.170284)
(xy 72.113391 118.173137)
(xy 72.113392 118.173137)
(xy 72.103751 118.17641)
(xy 72.046605 118.20008)
(xy 71.997824 118.220286)
(xy 71.997825 118.220286)
(xy 71.988687 118.224792)
(xy 71.988683 118.224794)
(xy 71.985579 118.226586)
(xy 71.969437 118.233498)
(xy 71.960931 118.235995)
(xy 71.851954 118.306031)
(xy 71.85195 118.306034)
(xy 71.767118 118.403935)
(xy 71.742854 118.457067)
(xy 71.74124 118.460198)
(xy 71.72479 118.48869)
(xy 71.720286 118.497824)

(xy 71.720283 118.497832)
(xy 71.67641 118.603751)
(xy 71.673137 118.613392)
(xy 71.663817 118.648181)
(xy 71.661831 118.658165)
(xy 71.661831 118.658168)
(xy 71.66183 118.658173)
(xy 71.645922 118.779005)
(xy 71.645424 118.784069)
(xy 71.644667 118.795611)
(xy 71.6445 118.8007)
(xy 71.6445 119.299299)
(xy 71.644667 119.304387)
(xy 71.645424 119.315931)
(xy 71.645921 119.320993)
(xy 71.661025 119.435716)
(xy 71.661831 119.441832)
(xy 71.663817 119.451816)
(xy 71.663818 119.451818)
(xy 71.673137 119.486606)
(xy 71.676413 119.496257)
(xy 71.676414 119.496258)
(xy 71.720284 119.60217)
(xy 71.720284 119.602169)
(xy 71.724786 119.611299)
(xy 71.729329 119.619168)
(xy 71.741232 119.639787)
(xy 71.742845 119.642916)
(xy 71.767116 119.696061)
(xy 71.851947 119.793963)
(xy 71.851948 119.793964)
(xy 71.851951 119.793967)
(xy 71.881952 119.813247)
(xy 71.912608 119.853528)
(xy 71.910199 119.904089)

(xy 71.875854 119.941274)
(xy 71.841945 119.9495)
(xy 54.000854 119.9495)
(xy 53.999167 119.949461)
(xy 53.862628 119.943148)
(xy 53.637292 119.93273)
(xy 53.633888 119.932415)
(xy 53.275974 119.882488)
(xy 53.272619 119.881861)
(xy 52.92083 119.799121)
(xy 52.917552 119.798188)
(xy 52.574897 119.683342)
(xy 52.571709 119.682106)
(xy 52.241121 119.536137)
(xy 52.23806 119.534613)
(xy 51.922351 119.358765)
(xy 51.919443 119.356965)
(xy 51.835258 119.299297)
(xy 51.621303 119.152733)
(xy 51.618581 119.150677)
(xy 51.340553 118.919807)
(xy 51.338026 118.917503)
(xy 51.082496 118.661973)
(xy 51.080192 118.659446)
(xy 50.849322 118.381418)
(xy 50.847268 118.378699)
(xy 50.643031 118.080552)
(xy 50.641234 118.077648)
(xy 50.465386 117.761939)
(xy 50.463862 117.758878)
(xy 50.35344 117.508796)
(xy 61.534473 117.508796)
(xy 61.552908 117.637019)
(xy 61.552908 117.63702)
(xy 61.552909 117.637022)

(xy 61.606724 117.754859)
(xy 61.691557 117.852763)
(xy 61.800537 117.9228)
(xy 61.924834 117.959296)
(xy 62.054378 117.959296)
(xy 62.178675 117.9228)
(xy 62.287655 117.852763)
(xy 62.372488 117.754859)
(xy 62.426303 117.637022)
(xy 62.438789 117.55018)
(xy 63.244867 117.55018)
(xy 63.263302 117.678403)
(xy 63.263302 117.678404)
(xy 63.263303 117.678406)
(xy 63.317118 117.796243)
(xy 63.401951 117.894147)
(xy 63.510931 117.964184)
(xy 63.635228 118.00068)
(xy 63.764772 118.00068)
(xy 63.889069 117.964184)
(xy 63.998049 117.894147)
(xy 64.082882 117.796243)
(xy 64.136697 117.678406)
(xy 64.155133 117.55018)
(xy 64.136697 117.421954)
(xy 64.083654 117.305809)
(xy 64.079644 117.255353)
(xy 64.08365 117.244341)
(xy 64.136697 117.128188)
(xy 64.155133 116.999962)
(xy 64.136697 116.871736)
(xy 64.082882 116.753899)
(xy 63.998049 116.655995)
(xy 63.931032 116.612926)
(xy 63.889068 116.585957)

(xy 63.764772 116.549462)
(xy 63.635228 116.549462)
(xy 63.510931 116.585957)
(xy 63.401954 116.655993)
(xy 63.40195 116.655996)
(xy 63.317119 116.753897)
(xy 63.263302 116.871738)
(xy 63.244867 116.999962)
(xy 63.263302 117.128185)
(xy 63.263302 117.128186)
(xy 63.263303 117.128188)
(xy 63.316344 117.24433)
(xy 63.320355 117.29479)
(xy 63.316344 117.305812)
(xy 63.263302 117.421956)
(xy 63.244867 117.55018)
(xy 62.438789 117.55018)
(xy 62.444739 117.508796)
(xy 62.426303 117.38057)
(xy 62.372488 117.262733)
(xy 62.287655 117.164829)
(xy 62.220638 117.12176)
(xy 62.178674 117.094791)
(xy 62.054378 117.058296)
(xy 61.924834 117.058296)
(xy 61.800537 117.094791)
(xy 61.69156 117.164827)
(xy 61.691556 117.16483)
(xy 61.606725 117.262731)
(xy 61.552908 117.380572)
(xy 61.534473 117.508796)
(xy 50.35344 117.508796)
(xy 50.317893 117.42829)
(xy 50.316657 117.425102)
(xy 50.301731 117.38057)

(xy 50.201809 117.082441)
(xy 50.200882 117.079183)
(xy 50.118134 116.727363)
(xy 50.117513 116.724039)
(xy 50.079312 116.450188)
(xy 69.088688 116.450188)
(xy 69.107123 116.578412)
(xy 69.107123 116.578413)
(xy 69.107124 116.578415)
(xy 69.160939 116.696252)
(xy 69.245772 116.794156)
(xy 69.354752 116.864193)
(xy 69.479049 116.900689)
(xy 69.608593 116.900689)
(xy 69.73289 116.864193)
(xy 69.84187 116.794156)
(xy 69.926703 116.696252)
(xy 69.980518 116.578415)
(xy 69.998954 116.450189)
(xy 69.980518 116.321963)
(xy 69.941989 116.237599)
(xy 69.937979 116.18714)
(xy 69.941987 116.176125)
(xy 69.986697 116.078226)
(xy 69.997944 116)
(xy 82.344867 116)
(xy 82.363302 116.128223)
(xy 82.363302 116.128224)
(xy 82.363303 116.128226)
(xy 82.417118 116.246063)
(xy 82.501951 116.343967)
(xy 82.610931 116.414004)
(xy 82.735228 116.4505)
(xy 82.864772 116.4505)
(xy 82.989069 116.414004)

(xy 83.098049 116.343967)
(xy 83.182882 116.246063)
(xy 83.236697 116.128226)
(xy 83.255133 116)
(xy 87.844867 116)
(xy 87.863302 116.128223)
(xy 87.863302 116.128224)
(xy 87.863303 116.128226)
(xy 87.917118 116.246063)
(xy 88.001951 116.343967)
(xy 88.110931 116.414004)
(xy 88.235228 116.4505)
(xy 88.364772 116.4505)
(xy 88.489069 116.414004)
(xy 88.598049 116.343967)
(xy 88.682882 116.246063)
(xy 88.736697 116.128226)
(xy 88.755133 116)
(xy 88.736697 115.871774)
(xy 88.713052 115.82)
(xy 91.564659 115.82)
(xy 91.583976 116.016133)
(xy 91.641187 116.204731)
(xy 91.70385 116.321963)
(xy 91.73409 116.378538)
(xy 91.859117 116.530883)
(xy 92.011462 116.65591)
(xy 92.086937 116.696252)
(xy 92.185268 116.748812)
(xy 92.18527 116.748812)
(xy 92.185273 116.748814)
(xy 92.373868 116.806024)
(xy 92.57 116.825341)
(xy 92.766132 116.806024)
(xy 92.954727 116.748814)

(xy 93.128538 116.65591)
(xy 93.280883 116.530883)
(xy 93.40591 116.378538)
(xy 93.498814 116.204727)
(xy 93.556024 116.016132)
(xy 93.575341 115.820005)
(xy 93.754843 115.820005)
(xy 93.77543 116.055317)
(xy 93.775431 116.055325)
(xy 93.836566 116.283483)
(xy 93.836571 116.283494)
(xy 93.936402 116.497582)
(xy 93.995072 116.581373)
(xy 94.544923 116.031522)
(xy 94.590799 116.01013)
(xy 94.639694 116.023231)
(xy 94.659502 116.043841)
(xy 94.681598 116.078223)
(xy 94.728239 116.150798)
(xy 94.8369 116.244952)
(xy 94.878415 116.263911)
(xy 94.914491 116.299419)
(xy 94.919303 116.349809)
(xy 94.900001 116.38355)
(xy 94.348625 116.934925)
(xy 94.43242 116.993598)
(xy 94.646505 117.093428)
(xy 94.646516 117.093433)
(xy 94.874674 117.154568)
(xy 94.874682 117.154569)
(xy 95.109995 117.175157)
(xy 95.110005 117.175157)
(xy 95.345317 117.154569)
(xy 95.345325 117.154568)
(xy 95.573483 117.093433)

(xy 95.573494 117.093428)
(xy 95.787579 116.993598)
(xy 95.871373 116.934926)
(xy 95.319998 116.383551)
(xy 95.298606 116.337675)
(xy 95.311707 116.28878)
(xy 95.341582 116.263912)
(xy 95.3831 116.244952)
(xy 95.491761 116.150798)
(xy 95.560499 116.043838)
(xy 95.600776 116.013185)
(xy 95.651338 116.015593)
(xy 95.675075 116.031522)
(xy 96.224926 116.581373)
(xy 96.283598 116.497579)
(xy 96.312933 116.434673)
(xy 96.348726 116.39888)
(xy 96.399153 116.394469)
(xy 96.440617 116.423502)
(xy 96.447067 116.434673)
(xy 96.476402 116.497582)
(xy 96.535072 116.581373)
(xy 97.084923 116.031522)
(xy 97.130799 116.01013)
(xy 97.179694 116.023231)
(xy 97.199502 116.043841)
(xy 97.221598 116.078223)
(xy 97.268239 116.150798)
(xy 97.3769 116.244952)
(xy 97.418415 116.263911)
(xy 97.454491 116.299419)
(xy 97.459303 116.349809)
(xy 97.440001 116.38355)
(xy 96.888625 116.934925)
(xy 96.97242 116.993598)

(xy 97.186505 117.093428)
(xy 97.186516 117.093433)
(xy 97.414674 117.154568)
(xy 97.414682 117.154569)
(xy 97.649995 117.175157)
(xy 97.650005 117.175157)
(xy 97.885317 117.154569)
(xy 97.885325 117.154568)
(xy 98.113483 117.093433)
(xy 98.113494 117.093428)
(xy 98.327579 116.993598)
(xy 98.411373 116.934926)
(xy 97.859998 116.383551)
(xy 97.838606 116.337675)
(xy 97.851707 116.28878)
(xy 97.881582 116.263912)
(xy 97.9231 116.244952)
(xy 98.031761 116.150798)
(xy 98.100499 116.043838)
(xy 98.140776 116.013185)
(xy 98.191338 116.015593)
(xy 98.215075 116.031522)
(xy 98.764926 116.581373)
(xy 98.823598 116.497579)
(xy 98.852933 116.434673)
(xy 98.888726 116.39888)
(xy 98.939153 116.394469)
(xy 98.980617 116.423502)
(xy 98.987067 116.434673)
(xy 99.016402 116.497582)
(xy 99.075072 116.581373)
(xy 99.624923 116.031522)
(xy 99.670799 116.01013)
(xy 99.719694 116.023231)
(xy 99.739502 116.043841)

(xy 99.761598 116.078223)
(xy 99.808239 116.150798)
(xy 99.9169 116.244952)
(xy 99.958415 116.263911)
(xy 99.994491 116.299419)
(xy 99.999303 116.349809)
(xy 99.980001 116.38355)
(xy 99.428625 116.934925)
(xy 99.51242 116.993598)
(xy 99.726505 117.093428)
(xy 99.726516 117.093433)
(xy 99.954674 117.154568)
(xy 99.954682 117.154569)
(xy 100.189995 117.175157)
(xy 100.190005 117.175157)
(xy 100.425317 117.154569)
(xy 100.425325 117.154568)
(xy 100.653483 117.093433)
(xy 100.653494 117.093428)
(xy 100.867579 116.993598)
(xy 100.951373 116.934926)
(xy 100.399998 116.383551)
(xy 100.378606 116.337675)
(xy 100.391707 116.28878)
(xy 100.421582 116.263912)
(xy 100.4631 116.244952)
(xy 100.571761 116.150798)
(xy 100.640499 116.043838)
(xy 100.680776 116.013185)
(xy 100.731338 116.015593)
(xy 100.755075 116.031522)
(xy 101.304926 116.581373)
(xy 101.363598 116.497579)
(xy 101.392933 116.434673)
(xy 101.428726 116.39888)

(xy 101.479153 116.394469)
(xy 101.520617 116.423502)
(xy 101.527067 116.434673)
(xy 101.556402 116.497582)
(xy 101.615072 116.581373)
(xy 102.164923 116.031522)
(xy 102.210799 116.01013)
(xy 102.259694 116.023231)
(xy 102.279502 116.043841)
(xy 102.301598 116.078223)
(xy 102.348239 116.150798)
(xy 102.4569 116.244952)
(xy 102.498415 116.263911)
(xy 102.534491 116.299419)
(xy 102.539303 116.349809)
(xy 102.520001 116.38355)
(xy 101.968625 116.934925)
(xy 102.05242 116.993598)
(xy 102.266505 117.093428)
(xy 102.266516 117.093433)
(xy 102.494674 117.154568)
(xy 102.494682 117.154569)
(xy 102.729995 117.175157)
(xy 102.730005 117.175157)
(xy 102.965317 117.154569)
(xy 102.965325 117.154568)
(xy 103.193483 117.093433)
(xy 103.193494 117.093428)
(xy 103.407579 116.993598)
(xy 103.491373 116.934926)
(xy 102.939998 116.383551)
(xy 102.918606 116.337675)
(xy 102.931707 116.28878)
(xy 102.961582 116.263912)
(xy 103.0031 116.244952)

(xy 103.111761 116.150798)
(xy 103.180499 116.043838)
(xy 103.220776 116.013185)
(xy 103.271338 116.015593)
(xy 103.295075 116.031522)
(xy 103.844926 116.581373)
(xy 103.903598 116.497579)
(xy 103.932933 116.434673)
(xy 103.968726 116.39888)
(xy 104.019153 116.394469)
(xy 104.060617 116.423502)
(xy 104.067067 116.434673)
(xy 104.096402 116.497582)
(xy 104.155072 116.581373)
(xy 104.704923 116.031522)
(xy 104.750799 116.01013)
(xy 104.799694 116.023231)
(xy 104.819502 116.043841)
(xy 104.841598 116.078223)
(xy 104.888239 116.150798)
(xy 104.9969 116.244952)
(xy 105.038415 116.263911)
(xy 105.074491 116.299419)
(xy 105.079303 116.349809)
(xy 105.060001 116.38355)
(xy 104.508625 116.934925)
(xy 104.59242 116.993598)
(xy 104.806505 117.093428)
(xy 104.806516 117.093433)
(xy 105.034674 117.154568)
(xy 105.034682 117.154569)
(xy 105.269995 117.175157)
(xy 105.270005 117.175157)
(xy 105.505317 117.154569)
(xy 105.505325 117.154568)

(xy 105.733483 117.093433)
(xy 105.733494 117.093428)
(xy 105.947579 116.993598)
(xy 106.031373 116.934926)
(xy 105.479998 116.383551)
(xy 105.458606 116.337675)
(xy 105.471707 116.28878)
(xy 105.501582 116.263912)
(xy 105.5431 116.244952)
(xy 105.651761 116.150798)
(xy 105.720499 116.043838)
(xy 105.760776 116.013185)
(xy 105.811338 116.015593)
(xy 105.835075 116.031522)
(xy 106.384926 116.581373)
(xy 106.443598 116.497579)
(xy 106.472933 116.434673)
(xy 106.508726 116.39888)
(xy 106.559153 116.394469)
(xy 106.600617 116.423502)
(xy 106.607067 116.434673)
(xy 106.636402 116.497582)
(xy 106.695072 116.581373)
(xy 107.244923 116.031522)
(xy 107.290799 116.01013)
(xy 107.339694 116.023231)
(xy 107.359502 116.043841)
(xy 107.381598 116.078223)
(xy 107.428239 116.150798)
(xy 107.5369 116.244952)
(xy 107.578415 116.263911)
(xy 107.614491 116.299419)
(xy 107.619303 116.349809)
(xy 107.600001 116.38355)
(xy 107.048625 116.934925)

(xy 107.13242 116.993598)
(xy 107.346505 117.093428)
(xy 107.346516 117.093433)
(xy 107.574674 117.154568)
(xy 107.574682 117.154569)
(xy 107.809995 117.175157)
(xy 107.810005 117.175157)
(xy 108.045317 117.154569)
(xy 108.045325 117.154568)
(xy 108.273483 117.093433)
(xy 108.273494 117.093428)
(xy 108.487579 116.993598)
(xy 108.571373 116.934926)
(xy 108.019998 116.383551)
(xy 107.998606 116.337675)
(xy 108.011707 116.28878)
(xy 108.041582 116.263912)
(xy 108.0831 116.244952)
(xy 108.191761 116.150798)
(xy 108.260499 116.043838)
(xy 108.300776 116.013185)
(xy 108.351338 116.015593)
(xy 108.375075 116.031522)
(xy 108.924926 116.581373)
(xy 108.983598 116.497579)
(xy 109.012933 116.434673)
(xy 109.048726 116.39888)
(xy 109.099153 116.394469)
(xy 109.140617 116.423502)
(xy 109.147067 116.434673)
(xy 109.176402 116.497582)
(xy 109.235072 116.581373)
(xy 109.784923 116.031522)
(xy 109.830799 116.01013)
(xy 109.879694 116.023231)

(xy 109.899502 116.043841)
(xy 109.921598 116.078223)
(xy 109.968239 116.150798)
(xy 110.0769 116.244952)
(xy 110.118415 116.263911)
(xy 110.154491 116.299419)
(xy 110.159303 116.349809)
(xy 110.140001 116.38355)
(xy 109.588625 116.934925)
(xy 109.67242 116.993598)
(xy 109.886505 117.093428)
(xy 109.886516 117.093433)
(xy 110.114674 117.154568)
(xy 110.114682 117.154569)
(xy 110.349995 117.175157)
(xy 110.350005 117.175157)
(xy 110.585317 117.154569)
(xy 110.585325 117.154568)
(xy 110.813483 117.093433)
(xy 110.813494 117.093428)
(xy 111.027579 116.993598)
(xy 111.111373 116.934926)
(xy 110.559998 116.383551)
(xy 110.538606 116.337675)
(xy 110.551707 116.28878)
(xy 110.581582 116.263912)
(xy 110.6231 116.244952)
(xy 110.731761 116.150798)
(xy 110.800499 116.043838)
(xy 110.840776 116.013185)
(xy 110.891338 116.015593)
(xy 110.915075 116.031522)
(xy 111.464926 116.581373)
(xy 111.523598 116.497579)
(xy 111.552933 116.434673)

(xy 111.588726 116.39888)
(xy 111.639153 116.394469)
(xy 111.680617 116.423502)
(xy 111.687067 116.434673)
(xy 111.716402 116.497582)
(xy 111.775072 116.581373)
(xy 112.324923 116.031522)
(xy 112.370799 116.01013)
(xy 112.419694 116.023231)
(xy 112.439502 116.043841)
(xy 112.461598 116.078223)
(xy 112.508239 116.150798)
(xy 112.6169 116.244952)
(xy 112.658415 116.263911)
(xy 112.694491 116.299419)
(xy 112.699303 116.349809)
(xy 112.680001 116.38355)
(xy 112.128625 116.934925)
(xy 112.21242 116.993598)
(xy 112.426505 117.093428)
(xy 112.426516 117.093433)
(xy 112.654674 117.154568)
(xy 112.654682 117.154569)
(xy 112.889995 117.175157)
(xy 112.890005 117.175157)
(xy 113.125317 117.154569)
(xy 113.125325 117.154568)
(xy 113.353483 117.093433)
(xy 113.353494 117.093428)
(xy 113.567579 116.993598)
(xy 113.651373 116.934926)
(xy 113.099998 116.383551)
(xy 113.078606 116.337675)
(xy 113.091707 116.28878)
(xy 113.121582 116.263912)

(xy 113.1631 116.244952)
(xy 113.271761 116.150798)
(xy 113.340499 116.043838)
(xy 113.380776 116.013185)
(xy 113.431338 116.015593)
(xy 113.455075 116.031522)
(xy 114.004926 116.581373)
(xy 114.063598 116.497579)
(xy 114.163428 116.283494)
(xy 114.163433 116.283483)
(xy 114.224568 116.055325)
(xy 114.224569 116.055317)
(xy 114.245157 115.820005)
(xy 114.245157 115.82)
(xy 114.424659 115.82)
(xy 114.443976 116.016133)
(xy 114.501187 116.204731)
(xy 114.56385 116.321963)
(xy 114.59409 116.378538)
(xy 114.719117 116.530883)
(xy 114.871462 116.65591)
(xy 114.946937 116.696252)
(xy 115.045268 116.748812)
(xy 115.04527 116.748812)
(xy 115.045273 116.748814)
(xy 115.233868 116.806024)
(xy 115.43 116.825341)
(xy 115.626132 116.806024)
(xy 115.814727 116.748814)
(xy 115.988538 116.65591)
(xy 116.140883 116.530883)
(xy 116.26591 116.378538)
(xy 116.358814 116.204727)
(xy 116.416024 116.016132)
(xy 116.435341 115.82)

(xy 116.416024 115.623868)
(xy 116.358814 115.435273)
(xy 116.358812 115.43527)
(xy 116.358812 115.435268)
(xy 116.297199 115.32)
(xy 116.26591 115.261462)
(xy 116.140883 115.109117)
(xy 115.988538 114.98409)
(xy 115.978597 114.978776)
(xy 115.814731 114.891187)
(xy 115.626133 114.833976)
(xy 115.43 114.814659)
(xy 115.233866 114.833976)
(xy 115.045268 114.891187)
(xy 114.871463 114.984089)
(xy 114.719117 115.109117)
(xy 114.594089 115.261463)
(xy 114.501187 115.435268)
(xy 114.443976 115.623866)
(xy 114.424659 115.82)
(xy 114.245157 115.82)
(xy 114.245157 115.819994)
(xy 114.224569 115.584682)
(xy 114.224568 115.584674)
(xy 114.163433 115.356516)
(xy 114.163428 115.356505)
(xy 114.063596 115.142416)
(xy 114.004925 115.058625)
(xy 113.455075 115.608476)
(xy 113.409198 115.629868)
(xy 113.360304 115.616767)
(xy 113.340496 115.596157)
(xy 113.333966 115.585996)
(xy 113.271761 115.489202)
(xy 113.1631 115.395048)

(xy 113.163098 115.395047)
(xy 113.121581 115.376086)
(xy 113.085506 115.340578)
(xy 113.080695 115.290188)
(xy 113.099997 115.256448)
(xy 113.651373 114.705072)
(xy 113.567582 114.646402)
(xy 113.353494 114.546571)
(xy 113.353483 114.546566)
(xy 113.125325 114.485431)
(xy 113.125317 114.48543)
(xy 112.890005 114.464843)
(xy 112.889995 114.464843)
(xy 112.654682 114.48543)
(xy 112.654674 114.485431)
(xy 112.426516 114.546566)
(xy 112.426505 114.546571)
(xy 112.21242 114.646401)
(xy 112.128625 114.705072)
(xy 112.680002 115.256449)
(xy 112.701394 115.302325)
(xy 112.688293 115.35122)
(xy 112.658417 115.376087)
(xy 112.616902 115.395047)
(xy 112.616898 115.395049)
(xy 112.50824 115.489201)
(xy 112.508237 115.489205)
(xy 112.439503 115.596158)
(xy 112.399222 115.626814)
(xy 112.348661 115.624405)
(xy 112.324924 115.608477)
(xy 111.775072 115.058625)
(xy 111.716401 115.14242)
(xy 111.687067 115.205327)
(xy 111.651273 115.24112)

(xy 111.600847 115.245531)
(xy 111.559382 115.216497)
(xy 111.552933 115.205327)
(xy 111.523597 115.142416)
(xy 111.464925 115.058625)
(xy 110.915075 115.608476)
(xy 110.869198 115.629868)
(xy 110.820304 115.616767)
(xy 110.800496 115.596157)
(xy 110.793966 115.585996)
(xy 110.731761 115.489202)
(xy 110.6231 115.395048)
(xy 110.623098 115.395047)
(xy 110.581581 115.376086)
(xy 110.545506 115.340578)
(xy 110.540695 115.290188)
(xy 110.559997 115.256448)
(xy 111.111373 114.705072)
(xy 111.027582 114.646402)
(xy 110.813494 114.546571)
(xy 110.813483 114.546566)
(xy 110.585325 114.485431)
(xy 110.585317 114.48543)
(xy 110.350005 114.464843)
(xy 110.349995 114.464843)
(xy 110.114682 114.48543)
(xy 110.114674 114.485431)
(xy 109.886516 114.546566)
(xy 109.886505 114.546571)
(xy 109.67242 114.646401)
(xy 109.588625 114.705072)
(xy 110.140002 115.256449)
(xy 110.161394 115.302325)
(xy 110.148293 115.35122)
(xy 110.118417 115.376087)

(xy 110.076902 115.395047)
(xy 110.076898 115.395049)
(xy 109.96824 115.489201)
(xy 109.968237 115.489205)
(xy 109.899503 115.596158)
(xy 109.859222 115.626814)
(xy 109.808661 115.624405)
(xy 109.784924 115.608477)
(xy 109.235072 115.058625)
(xy 109.176401 115.14242)
(xy 109.147067 115.205327)
(xy 109.111273 115.24112)
(xy 109.060847 115.245531)
(xy 109.019382 115.216497)
(xy 109.012933 115.205327)
(xy 108.983597 115.142416)
(xy 108.924925 115.058625)
(xy 108.375075 115.608476)
(xy 108.329198 115.629868)
(xy 108.280304 115.616767)
(xy 108.260496 115.596157)
(xy 108.253966 115.585996)
(xy 108.191761 115.489202)
(xy 108.0831 115.395048)
(xy 108.083098 115.395047)
(xy 108.041581 115.376086)
(xy 108.005506 115.340578)
(xy 108.000695 115.290188)
(xy 108.019997 115.256448)
(xy 108.571373 114.705072)
(xy 108.487582 114.646402)
(xy 108.273494 114.546571)
(xy 108.273483 114.546566)
(xy 108.045325 114.485431)
(xy 108.045317 114.48543)

(xy 107.810005 114.464843)
(xy 107.809995 114.464843)
(xy 107.574682 114.48543)
(xy 107.574674 114.485431)
(xy 107.346516 114.546566)
(xy 107.346505 114.546571)
(xy 107.13242 114.646401)
(xy 107.048625 114.705072)
(xy 107.600002 115.256449)
(xy 107.621394 115.302325)
(xy 107.608293 115.35122)
(xy 107.578417 115.376087)
(xy 107.536902 115.395047)
(xy 107.536898 115.395049)
(xy 107.42824 115.489201)
(xy 107.428237 115.489205)
(xy 107.359503 115.596158)
(xy 107.319222 115.626814)
(xy 107.268661 115.624405)
(xy 107.244924 115.608477)
(xy 106.695072 115.058625)
(xy 106.636401 115.14242)
(xy 106.607067 115.205327)
(xy 106.571273 115.24112)
(xy 106.520847 115.245531)
(xy 106.479382 115.216497)
(xy 106.472933 115.205327)
(xy 106.443597 115.142416)
(xy 106.384925 115.058625)
(xy 105.835075 115.608476)
(xy 105.789198 115.629868)
(xy 105.740304 115.616767)
(xy 105.720496 115.596157)
(xy 105.713966 115.585996)
(xy 105.651761 115.489202)

(xy 105.5431 115.395048)
(xy 105.543098 115.395047)
(xy 105.501581 115.376086)
(xy 105.465506 115.340578)
(xy 105.460695 115.290188)
(xy 105.479997 115.256448)
(xy 106.031373 114.705072)
(xy 105.947582 114.646402)
(xy 105.733494 114.546571)
(xy 105.733483 114.546566)
(xy 105.505325 114.485431)
(xy 105.505317 114.48543)
(xy 105.270005 114.464843)
(xy 105.269995 114.464843)
(xy 105.034682 114.48543)
(xy 105.034674 114.485431)
(xy 104.806516 114.546566)
(xy 104.806505 114.546571)
(xy 104.59242 114.646401)
(xy 104.508625 114.705072)
(xy 105.060002 115.256449)
(xy 105.081394 115.302325)
(xy 105.068293 115.35122)
(xy 105.038417 115.376087)
(xy 104.996902 115.395047)
(xy 104.996898 115.395049)
(xy 104.88824 115.489201)
(xy 104.888237 115.489205)
(xy 104.819503 115.596158)
(xy 104.779222 115.626814)
(xy 104.728661 115.624405)
(xy 104.704924 115.608477)
(xy 104.155072 115.058625)
(xy 104.096401 115.14242)
(xy 104.067067 115.205327)

(xy 104.031273 115.24112)
(xy 103.980847 115.245531)
(xy 103.939382 115.216497)
(xy 103.932933 115.205327)
(xy 103.903597 115.142416)
(xy 103.844925 115.058625)
(xy 103.295075 115.608476)
(xy 103.249198 115.629868)
(xy 103.200304 115.616767)
(xy 103.180496 115.596157)
(xy 103.173966 115.585996)
(xy 103.111761 115.489202)
(xy 103.0031 115.395048)
(xy 103.003098 115.395047)
(xy 102.961581 115.376086)
(xy 102.925506 115.340578)
(xy 102.920695 115.290188)
(xy 102.939997 115.256448)
(xy 103.491373 114.705072)
(xy 103.407582 114.646402)
(xy 103.193494 114.546571)
(xy 103.193483 114.546566)
(xy 102.965325 114.485431)
(xy 102.965317 114.48543)
(xy 102.730005 114.464843)
(xy 102.729995 114.464843)
(xy 102.494682 114.48543)
(xy 102.494674 114.485431)
(xy 102.266516 114.546566)
(xy 102.266505 114.546571)
(xy 102.05242 114.646401)
(xy 101.968625 114.705072)
(xy 102.520002 115.256449)
(xy 102.541394 115.302325)
(xy 102.528293 115.35122)

(xy 102.498417 115.376087)
(xy 102.456902 115.395047)
(xy 102.456898 115.395049)
(xy 102.34824 115.489201)
(xy 102.348237 115.489205)
(xy 102.279503 115.596158)
(xy 102.239222 115.626814)
(xy 102.188661 115.624405)
(xy 102.164924 115.608477)
(xy 101.615072 115.058625)
(xy 101.556401 115.14242)
(xy 101.527067 115.205327)
(xy 101.491273 115.24112)
(xy 101.440847 115.245531)
(xy 101.399382 115.216497)
(xy 101.392933 115.205327)
(xy 101.363597 115.142416)
(xy 101.304925 115.058625)
(xy 100.755075 115.608476)
(xy 100.709198 115.629868)
(xy 100.660304 115.616767)
(xy 100.640496 115.596157)
(xy 100.633966 115.585996)
(xy 100.571761 115.489202)
(xy 100.4631 115.395048)
(xy 100.463098 115.395047)
(xy 100.421581 115.376086)
(xy 100.385506 115.340578)
(xy 100.380695 115.290188)
(xy 100.399997 115.256448)
(xy 100.951373 114.705072)
(xy 100.867582 114.646402)
(xy 100.653494 114.546571)
(xy 100.653483 114.546566)
(xy 100.425325 114.485431)

(xy 100.425317 114.48543)
(xy 100.190005 114.464843)
(xy 100.189995 114.464843)
(xy 99.954682 114.48543)
(xy 99.954674 114.485431)
(xy 99.726516 114.546566)
(xy 99.726505 114.546571)
(xy 99.51242 114.646401)
(xy 99.428625 114.705072)
(xy 99.980002 115.256449)
(xy 100.001394 115.302325)
(xy 99.988293 115.35122)
(xy 99.958417 115.376087)
(xy 99.916902 115.395047)
(xy 99.916898 115.395049)
(xy 99.80824 115.489201)
(xy 99.808237 115.489205)
(xy 99.739503 115.596158)
(xy 99.699222 115.626814)
(xy 99.648661 115.624405)
(xy 99.624924 115.608477)
(xy 99.075072 115.058625)
(xy 99.016401 115.14242)
(xy 98.987067 115.205327)
(xy 98.951273 115.24112)
(xy 98.900847 115.245531)
(xy 98.859382 115.216497)
(xy 98.852933 115.205327)
(xy 98.823597 115.142416)
(xy 98.764925 115.058625)
(xy 98.215075 115.608476)
(xy 98.169198 115.629868)
(xy 98.120304 115.616767)
(xy 98.100496 115.596157)
(xy 98.093966 115.585996)

(xy 98.031761 115.489202)
(xy 97.9231 115.395048)
(xy 97.923098 115.395047)
(xy 97.881581 115.376086)
(xy 97.845506 115.340578)
(xy 97.840695 115.290188)
(xy 97.859997 115.256448)
(xy 98.411373 114.705072)
(xy 98.327582 114.646402)
(xy 98.113494 114.546571)
(xy 98.113483 114.546566)
(xy 97.885325 114.485431)
(xy 97.885317 114.48543)
(xy 97.650005 114.464843)
(xy 97.649995 114.464843)
(xy 97.414682 114.48543)
(xy 97.414674 114.485431)
(xy 97.186516 114.546566)
(xy 97.186505 114.546571)
(xy 96.97242 114.646401)
(xy 96.888625 114.705072)
(xy 97.440002 115.256449)
(xy 97.461394 115.302325)
(xy 97.448293 115.35122)
(xy 97.418417 115.376087)
(xy 97.376902 115.395047)
(xy 97.376898 115.395049)
(xy 97.26824 115.489201)
(xy 97.268237 115.489205)
(xy 97.199503 115.596158)
(xy 97.159222 115.626814)
(xy 97.108661 115.624405)
(xy 97.084924 115.608477)
(xy 96.535072 115.058625)
(xy 96.476401 115.14242)

(xy 96.447067 115.205327)
(xy 96.411273 115.24112)
(xy 96.360847 115.245531)
(xy 96.319382 115.216497)
(xy 96.312933 115.205327)
(xy 96.283597 115.142416)
(xy 96.224925 115.058625)
(xy 95.675075 115.608476)
(xy 95.629198 115.629868)
(xy 95.580304 115.616767)
(xy 95.560496 115.596157)
(xy 95.553966 115.585996)
(xy 95.491761 115.489202)
(xy 95.3831 115.395048)
(xy 95.383098 115.395047)
(xy 95.341581 115.376086)
(xy 95.305506 115.340578)
(xy 95.300695 115.290188)
(xy 95.319997 115.256448)
(xy 95.871373 114.705072)
(xy 95.787582 114.646402)
(xy 95.573494 114.546571)
(xy 95.573483 114.546566)
(xy 95.345325 114.485431)
(xy 95.345317 114.48543)
(xy 95.110005 114.464843)
(xy 95.109995 114.464843)
(xy 94.874682 114.48543)
(xy 94.874674 114.485431)
(xy 94.646516 114.546566)
(xy 94.646505 114.546571)
(xy 94.43242 114.646401)
(xy 94.348625 114.705072)
(xy 94.900002 115.256449)
(xy 94.921394 115.302325)

(xy 94.908293 115.35122)
(xy 94.878417 115.376087)
(xy 94.836902 115.395047)
(xy 94.836898 115.395049)
(xy 94.72824 115.489201)
(xy 94.728237 115.489205)
(xy 94.659503 115.596158)
(xy 94.619222 115.626814)
(xy 94.568661 115.624405)
(xy 94.544924 115.608477)
(xy 93.995072 115.058625)
(xy 93.936401 115.14242)
(xy 93.836571 115.356505)
(xy 93.836566 115.356516)
(xy 93.775431 115.584674)
(xy 93.77543 115.584682)
(xy 93.754843 115.819994)
(xy 93.754843 115.820005)
(xy 93.575341 115.820005)
(xy 93.575341 115.82)
(xy 93.556024 115.623868)
(xy 93.498814 115.435273)
(xy 93.498812 115.43527)
(xy 93.498812 115.435268)
(xy 93.437199 115.32)
(xy 93.40591 115.261462)
(xy 93.280883 115.109117)
(xy 93.128538 114.98409)
(xy 93.118597 114.978776)
(xy 92.954731 114.891187)
(xy 92.766133 114.833976)
(xy 92.668065 114.824317)
(xy 92.57 114.814659)
(xy 92.569999 114.814659)
(xy 92.373866 114.833976)

(xy 92.185268 114.891187)
(xy 92.011463 114.984089)
(xy 91.859117 115.109117)
(xy 91.734089 115.261463)
(xy 91.641187 115.435268)
(xy 91.583976 115.623866)
(xy 91.564659 115.82)
(xy 88.713052 115.82)
(xy 88.682882 115.753937)
(xy 88.598049 115.656033)
(xy 88.520244 115.606031)
(xy 88.489068 115.585995)
(xy 88.364772 115.5495)
(xy 88.235228 115.5495)
(xy 88.110931 115.585995)
(xy 88.001954 115.656031)
(xy 88.00195 115.656034)
(xy 87.917119 115.753935)
(xy 87.863302 115.871776)
(xy 87.844867 116)
(xy 83.255133 116)
(xy 83.236697 115.871774)
(xy 83.182882 115.753937)
(xy 83.098049 115.656033)
(xy 83.020244 115.606031)
(xy 82.989068 115.585995)
(xy 82.864772 115.5495)
(xy 82.735228 115.5495)
(xy 82.610931 115.585995)
(xy 82.501954 115.656031)
(xy 82.50195 115.656034)
(xy 82.417119 115.753935)
(xy 82.363302 115.871776)
(xy 82.344867 116)
(xy 69.997944 116)

(xy 70.005133 115.95)
(xy 69.986697 115.821774)
(xy 69.932882 115.703937)
(xy 69.848049 115.606033)
(xy 69.760082 115.5495)
(xy 69.739068 115.535995)
(xy 69.614772 115.4995)
(xy 69.485228 115.4995)
(xy 69.360931 115.535995)
(xy 69.251954 115.606031)
(xy 69.25195 115.606034)
(xy 69.167119 115.703935)
(xy 69.167118 115.703936)
(xy 69.167118 115.703937)
(xy 69.14021 115.762855)
(xy 69.113302 115.821776)
(xy 69.094867 115.95)
(xy 69.113302 116.078223)
(xy 69.113302 116.078224)
(xy 69.113303 116.078226)
(xy 69.151831 116.162589)
(xy 69.155842 116.213048)
(xy 69.151831 116.22407)
(xy 69.107123 116.321965)
(xy 69.088688 116.450188)
(xy 50.079312 116.450188)
(xy 50.067582 116.366095)
(xy 50.067269 116.362706)
(xy 50.059586 116.196528)
(xy 50.050538 116.000833)
(xy 50.0505 115.999145)
(xy 50.0505 115)
(xy 58.944881 115)
(xy 58.963316 115.128223)
(xy 58.963316 115.128224)

(xy 58.963317 115.128226)
(xy 59.017132 115.246063)
(xy 59.101965 115.343967)
(xy 59.210945 115.414004)
(xy 59.335242 115.4505)
(xy 59.464786 115.4505)
(xy 59.589083 115.414004)
(xy 59.698063 115.343967)
(xy 59.782896 115.246063)
(xy 59.836711 115.128226)
(xy 59.855147 115)
(xy 59.836711 114.871774)
(xy 59.782896 114.753937)
(xy 59.698063 114.656033)
(xy 59.631046 114.612964)
(xy 59.589082 114.585995)
(xy 59.464786 114.5495)
(xy 59.335242 114.5495)
(xy 59.210945 114.585995)
(xy 59.101968 114.656031)
(xy 59.101964 114.656034)
(xy 59.017133 114.753935)
(xy 58.963316 114.871776)
(xy 58.944881 115)
(xy 50.0505 115)
(xy 50.0505 114.285)
(xy 70.144867 114.285)
(xy 70.163302 114.413223)
(xy 70.163302 114.413224)
(xy 70.163303 114.413226)
(xy 70.217118 114.531063)
(xy 70.301951 114.628967)
(xy 70.410931 114.699004)
(xy 70.535228 114.7355)
(xy 70.664772 114.7355)

(xy 70.789069 114.699004)
(xy 70.898049 114.628967)
(xy 70.982882 114.531063)
(xy 71.036697 114.413226)
(xy 71.055133 114.285)
(xy 71.036697 114.156774)
(xy 70.982882 114.038937)
(xy 70.898049 113.941033)
(xy 70.831032 113.897964)
(xy 70.789068 113.870995)
(xy 70.780071 113.868354)
(xy 70.739309 113.838341)
(xy 70.727375 113.789149)
(xy 70.749853 113.743795)
(xy 70.780072 113.726348)
(xy 70.783641 113.725299)
(xy 70.796569 113.721504)
(xy 70.905549 113.651467)
(xy 70.990382 113.553563)
(xy 71.014844 113.5)
(xy 87.844867 113.5)
(xy 87.863302 113.628223)
(xy 87.863302 113.628224)
(xy 87.863303 113.628226)
(xy 87.917118 113.746063)
(xy 88.001951 113.843967)
(xy 88.110931 113.914004)
(xy 88.235228 113.9505)
(xy 88.364772 113.9505)
(xy 88.489069 113.914004)
(xy 88.598049 113.843967)
(xy 88.682882 113.746063)
(xy 88.736697 113.628226)
(xy 88.755133 113.5)
(xy 88.736697 113.371774)

(xy 88.694785 113.28)
(xy 91.564659 113.28)
(xy 91.583976 113.476133)
(xy 91.641187 113.664731)
(xy 91.707691 113.789149)
(xy 91.73409 113.838538)
(xy 91.859117 113.990883)
(xy 92.011462 114.11591)
(xy 92.087913 114.156774)
(xy 92.185268 114.208812)
(xy 92.18527 114.208812)
(xy 92.185273 114.208814)
(xy 92.373868 114.266024)
(xy 92.57 114.285341)
(xy 92.766132 114.266024)
(xy 92.954727 114.208814)
(xy 92.956157 114.20805)
(xy 92.974608 114.198187)
(xy 93.128538 114.11591)
(xy 93.280883 113.990883)
(xy 93.40591 113.838538)
(xy 93.498814 113.664727)
(xy 93.556024 113.476132)
(xy 93.575341 113.28)
(xy 94.104659 113.28)
(xy 94.123976 113.476133)
(xy 94.181187 113.664731)
(xy 94.247691 113.789149)
(xy 94.27409 113.838538)
(xy 94.399117 113.990883)
(xy 94.551462 114.11591)
(xy 94.627913 114.156774)
(xy 94.725268 114.208812)
(xy 94.72527 114.208812)
(xy 94.725273 114.208814)

(xy 94.913868 114.266024)
(xy 95.11 114.285341)
(xy 95.306132 114.266024)
(xy 95.494727 114.208814)
(xy 95.496157 114.20805)
(xy 95.514608 114.198187)
(xy 95.668538 114.11591)
(xy 95.820883 113.990883)
(xy 95.94591 113.838538)
(xy 96.038814 113.664727)
(xy 96.096024 113.476132)
(xy 96.115341 113.28)
(xy 96.644659 113.28)
(xy 96.663976 113.476133)
(xy 96.721187 113.664731)
(xy 96.787691 113.789149)
(xy 96.81409 113.838538)
(xy 96.939117 113.990883)
(xy 97.091462 114.11591)
(xy 97.167913 114.156774)
(xy 97.265268 114.208812)
(xy 97.26527 114.208812)
(xy 97.265273 114.208814)
(xy 97.453868 114.266024)
(xy 97.65 114.285341)
(xy 97.846132 114.266024)
(xy 98.034727 114.208814)
(xy 98.036157 114.20805)
(xy 98.054608 114.198187)
(xy 98.208538 114.11591)
(xy 98.360883 113.990883)
(xy 98.48591 113.838538)
(xy 98.578814 113.664727)
(xy 98.636024 113.476132)
(xy 98.655341 113.28)

(xy 99.184659 113.28)
(xy 99.203976 113.476133)
(xy 99.261187 113.664731)
(xy 99.327691 113.789149)
(xy 99.35409 113.838538)
(xy 99.479117 113.990883)
(xy 99.631462 114.11591)
(xy 99.707913 114.156774)
(xy 99.805268 114.208812)
(xy 99.80527 114.208812)
(xy 99.805273 114.208814)
(xy 99.993868 114.266024)
(xy 100.19 114.285341)
(xy 100.386132 114.266024)
(xy 100.574727 114.208814)
(xy 100.576157 114.20805)
(xy 100.594608 114.198187)
(xy 100.748538 114.11591)
(xy 100.900883 113.990883)
(xy 101.02591 113.838538)
(xy 101.118814 113.664727)
(xy 101.176024 113.476132)
(xy 101.195341 113.28)
(xy 101.724659 113.28)
(xy 101.743976 113.476133)
(xy 101.801187 113.664731)
(xy 101.867691 113.789149)
(xy 101.89409 113.838538)
(xy 102.019117 113.990883)
(xy 102.171462 114.11591)
(xy 102.247913 114.156774)
(xy 102.345268 114.208812)
(xy 102.34527 114.208812)
(xy 102.345273 114.208814)
(xy 102.533868 114.266024)

(xy 102.73 114.285341)
(xy 102.926132 114.266024)
(xy 103.114727 114.208814)
(xy 103.116157 114.20805)
(xy 103.134608 114.198187)
(xy 103.288538 114.11591)
(xy 103.440883 113.990883)
(xy 103.56591 113.838538)
(xy 103.658814 113.664727)
(xy 103.716024 113.476132)
(xy 103.735341 113.28)
(xy 104.264659 113.28)
(xy 104.283976 113.476133)
(xy 104.341187 113.664731)
(xy 104.407691 113.789149)
(xy 104.43409 113.838538)
(xy 104.559117 113.990883)
(xy 104.711462 114.11591)
(xy 104.787913 114.156774)
(xy 104.885268 114.208812)
(xy 104.88527 114.208812)
(xy 104.885273 114.208814)
(xy 105.073868 114.266024)
(xy 105.27 114.285341)
(xy 105.466132 114.266024)
(xy 105.654727 114.208814)
(xy 105.656157 114.20805)
(xy 105.674608 114.198187)
(xy 105.828538 114.11591)
(xy 105.980883 113.990883)
(xy 106.10591 113.838538)
(xy 106.198814 113.664727)
(xy 106.256024 113.476132)
(xy 106.275341 113.28)
(xy 106.804659 113.28)

(xy 106.823976 113.476133)
(xy 106.881187 113.664731)
(xy 106.947691 113.789149)
(xy 106.97409 113.838538)
(xy 107.099117 113.990883)
(xy 107.251462 114.11591)
(xy 107.327913 114.156774)
(xy 107.425268 114.208812)
(xy 107.42527 114.208812)
(xy 107.425273 114.208814)
(xy 107.613868 114.266024)
(xy 107.81 114.285341)
(xy 108.006132 114.266024)
(xy 108.194727 114.208814)
(xy 108.196157 114.20805)
(xy 108.214608 114.198187)
(xy 108.368538 114.11591)
(xy 108.520883 113.990883)
(xy 108.64591 113.838538)
(xy 108.738814 113.664727)
(xy 108.796024 113.476132)
(xy 108.815341 113.28)
(xy 109.344659 113.28)
(xy 109.363976 113.476133)
(xy 109.421187 113.664731)
(xy 109.487691 113.789149)
(xy 109.51409 113.838538)
(xy 109.639117 113.990883)
(xy 109.791462 114.11591)
(xy 109.867913 114.156774)
(xy 109.965268 114.208812)
(xy 109.96527 114.208812)
(xy 109.965273 114.208814)
(xy 110.153868 114.266024)
(xy 110.35 114.285341)

(xy 110.546132 114.266024)
(xy 110.734727 114.208814)
(xy 110.736157 114.20805)
(xy 110.754608 114.198187)
(xy 110.908538 114.11591)
(xy 111.060883 113.990883)
(xy 111.18591 113.838538)
(xy 111.278814 113.664727)
(xy 111.336024 113.476132)
(xy 111.355341 113.28)
(xy 111.884659 113.28)
(xy 111.903976 113.476133)
(xy 111.961187 113.664731)
(xy 112.027691 113.789149)
(xy 112.05409 113.838538)
(xy 112.179117 113.990883)
(xy 112.331462 114.11591)
(xy 112.407913 114.156774)
(xy 112.505268 114.208812)
(xy 112.50527 114.208812)
(xy 112.505273 114.208814)
(xy 112.693868 114.266024)
(xy 112.89 114.285341)
(xy 113.086132 114.266024)
(xy 113.274727 114.208814)
(xy 113.276157 114.20805)
(xy 113.294608 114.198187)
(xy 113.448538 114.11591)
(xy 113.600883 113.990883)
(xy 113.666016 113.911519)
(xy 114.4295 113.911519)
(xy 114.444353 114.005304)
(xy 114.444354 114.005306)
(xy 114.500711 114.11591)
(xy 114.50195 114.118342)

(xy 114.591658 114.20805)
(xy 114.704696 114.265646)
(xy 114.798481 114.2805)
(xy 116.061518 114.280499)
(xy 116.061519 114.280499)
(xy 116.155304 114.265646)
(xy 116.155306 114.265645)
(xy 116.157419 114.264568)
(xy 116.268342 114.20805)
(xy 116.35805 114.118342)
(xy 116.415646 114.005304)
(xy 116.4305 113.911519)
(xy 116.430499 112.648482)
(xy 116.415646 112.554696)
(xy 116.415646 112.554695)
(xy 116.415645 112.554693)
(xy 116.359289 112.44409)
(xy 116.35805 112.441658)
(xy 116.268342 112.35195)
(xy 116.155304 112.294354)
(xy 116.155302 112.294353)
(xy 116.155301 112.294353)
(xy 116.061519 112.2795)
(xy 114.79848 112.2795)
(xy 114.704695 112.294353)
(xy 114.704693 112.294354)
(xy 114.591657 112.35195)
(xy 114.501951 112.441656)
(xy 114.444353 112.554698)
(xy 114.4295 112.64848)
(xy 114.4295 113.911519)
(xy 113.666016 113.911519)
(xy 113.72591 113.838538)
(xy 113.818814 113.664727)
(xy 113.876024 113.476132)

(xy 113.895341 113.28)
(xy 113.876024 113.083868)
(xy 113.818814 112.895273)
(xy 113.818812 112.89527)
(xy 113.818812 112.895268)
(xy 113.73906 112.746064)
(xy 113.72591 112.721462)
(xy 113.600883 112.569117)
(xy 113.448538 112.44409)
(xy 113.438597 112.438776)
(xy 113.274731 112.351187)
(xy 113.086133 112.293976)
(xy 112.939152 112.2795)
(xy 112.89 112.274659)
(xy 112.889999 112.274659)
(xy 112.693866 112.293976)
(xy 112.505268 112.351187)
(xy 112.331463 112.444089)
(xy 112.179117 112.569117)
(xy 112.054089 112.721463)
(xy 111.961187 112.895268)
(xy 111.903976 113.083866)
(xy 111.884659 113.28)
(xy 111.355341 113.28)
(xy 111.336024 113.083868)
(xy 111.278814 112.895273)
(xy 111.278812 112.89527)
(xy 111.278812 112.895268)
(xy 111.19906 112.746064)
(xy 111.18591 112.721462)
(xy 111.060883 112.569117)
(xy 110.908538 112.44409)
(xy 110.898597 112.438776)
(xy 110.734731 112.351187)
(xy 110.546133 112.293976)

(xy 110.35 112.274659)
(xy 110.153866 112.293976)
(xy 109.965268 112.351187)
(xy 109.791463 112.444089)
(xy 109.639117 112.569117)
(xy 109.514089 112.721463)
(xy 109.421187 112.895268)
(xy 109.363976 113.083866)
(xy 109.344659 113.28)
(xy 108.815341 113.28)
(xy 108.796024 113.083868)
(xy 108.738814 112.895273)
(xy 108.738812 112.89527)
(xy 108.738812 112.895268)
(xy 108.65906 112.746064)
(xy 108.64591 112.721462)
(xy 108.520883 112.569117)
(xy 108.368538 112.44409)
(xy 108.358597 112.438776)
(xy 108.194731 112.351187)
(xy 108.006133 112.293976)
(xy 107.859152 112.2795)
(xy 107.81 112.274659)
(xy 107.809999 112.274659)
(xy 107.613866 112.293976)
(xy 107.425268 112.351187)
(xy 107.251463 112.444089)
(xy 107.099117 112.569117)
(xy 106.974089 112.721463)
(xy 106.881187 112.895268)
(xy 106.823976 113.083866)
(xy 106.804659 113.28)
(xy 106.275341 113.28)
(xy 106.256024 113.083868)
(xy 106.198814 112.895273)

(xy 106.198812 112.89527)
(xy 106.198812 112.895268)
(xy 106.11906 112.746064)
(xy 106.10591 112.721462)
(xy 105.980883 112.569117)
(xy 105.828538 112.44409)
(xy 105.818597 112.438776)
(xy 105.654731 112.351187)
(xy 105.466133 112.293976)
(xy 105.27 112.274659)
(xy 105.073866 112.293976)
(xy 104.885268 112.351187)
(xy 104.711463 112.444089)
(xy 104.559117 112.569117)
(xy 104.434089 112.721463)
(xy 104.341187 112.895268)
(xy 104.283976 113.083866)
(xy 104.264659 113.28)
(xy 103.735341 113.28)
(xy 103.716024 113.083868)
(xy 103.658814 112.895273)
(xy 103.658812 112.89527)
(xy 103.658812 112.895268)
(xy 103.57906 112.746064)
(xy 103.56591 112.721462)
(xy 103.440883 112.569117)
(xy 103.288538 112.44409)
(xy 103.278597 112.438776)
(xy 103.114731 112.351187)
(xy 102.926133 112.293976)
(xy 102.779152 112.2795)
(xy 102.73 112.274659)
(xy 102.729999 112.274659)
(xy 102.533866 112.293976)
(xy 102.345268 112.351187)

(xy 102.171463 112.444089)
(xy 102.019117 112.569117)
(xy 101.894089 112.721463)
(xy 101.801187 112.895268)
(xy 101.743976 113.083866)
(xy 101.724659 113.28)
(xy 101.195341 113.28)
(xy 101.176024 113.083868)
(xy 101.118814 112.895273)
(xy 101.118812 112.89527)
(xy 101.118812 112.895268)
(xy 101.03906 112.746064)
(xy 101.02591 112.721462)
(xy 100.900883 112.569117)
(xy 100.748538 112.44409)
(xy 100.738597 112.438776)
(xy 100.574731 112.351187)
(xy 100.386133 112.293976)
(xy 100.19 112.274659)
(xy 99.993866 112.293976)
(xy 99.805268 112.351187)
(xy 99.631463 112.444089)
(xy 99.479117 112.569117)
(xy 99.354089 112.721463)
(xy 99.261187 112.895268)
(xy 99.203976 113.083866)
(xy 99.184659 113.28)
(xy 98.655341 113.28)
(xy 98.636024 113.083868)
(xy 98.578814 112.895273)
(xy 98.578812 112.89527)
(xy 98.578812 112.895268)
(xy 98.49906 112.746064)
(xy 98.48591 112.721462)
(xy 98.360883 112.569117)

(xy 98.208538 112.44409)
(xy 98.198597 112.438776)
(xy 98.034731 112.351187)
(xy 97.846133 112.293976)
(xy 97.699152 112.2795)
(xy 97.65 112.274659)
(xy 97.649999 112.274659)
(xy 97.453866 112.293976)
(xy 97.265268 112.351187)
(xy 97.091463 112.444089)
(xy 96.939117 112.569117)
(xy 96.814089 112.721463)
(xy 96.721187 112.895268)
(xy 96.663976 113.083866)
(xy 96.644659 113.28)
(xy 96.115341 113.28)
(xy 96.096024 113.083868)
(xy 96.038814 112.895273)
(xy 96.038812 112.89527)
(xy 96.038812 112.895268)
(xy 95.95906 112.746064)
(xy 95.94591 112.721462)
(xy 95.820883 112.569117)
(xy 95.668538 112.44409)
(xy 95.658597 112.438776)
(xy 95.494731 112.351187)
(xy 95.306133 112.293976)
(xy 95.11 112.274659)
(xy 94.913866 112.293976)
(xy 94.725268 112.351187)
(xy 94.551463 112.444089)
(xy 94.399117 112.569117)
(xy 94.274089 112.721463)
(xy 94.181187 112.895268)
(xy 94.123976 113.083866)

(xy 94.104659 113.28)
(xy 93.575341 113.28)
(xy 93.556024 113.083868)
(xy 93.498814 112.895273)
(xy 93.498812 112.89527)
(xy 93.498812 112.895268)
(xy 93.41906 112.746064)
(xy 93.40591 112.721462)
(xy 93.280883 112.569117)
(xy 93.128538 112.44409)
(xy 93.118597 112.438776)
(xy 92.954731 112.351187)
(xy 92.766133 112.293976)
(xy 92.619152 112.2795)
(xy 92.57 112.274659)
(xy 92.569999 112.274659)
(xy 92.373866 112.293976)
(xy 92.185268 112.351187)
(xy 92.011463 112.444089)
(xy 91.859117 112.569117)
(xy 91.734089 112.721463)
(xy 91.641187 112.895268)
(xy 91.583976 113.083866)
(xy 91.564659 113.28)
(xy 88.694785 113.28)
(xy 88.682882 113.253937)
(xy 88.598049 113.156033)
(xy 88.531032 113.112964)
(xy 88.489068 113.085995)
(xy 88.364772 113.0495)
(xy 88.235228 113.0495)
(xy 88.110931 113.085995)
(xy 88.001954 113.156031)
(xy 88.00195 113.156034)
(xy 87.917119 113.253935)

(xy 87.863302 113.371776)
(xy 87.844867 113.5)
(xy 71.014844 113.5)
(xy 71.044197 113.435726)
(xy 71.062633 113.3075)
(xy 71.044197 113.179274)
(xy 70.990382 113.061437)
(xy 70.905549 112.963533)
(xy 70.82848 112.914004)
(xy 70.796568 112.893495)
(xy 70.672272 112.857)
(xy 70.542728 112.857)
(xy 70.418431 112.893495)
(xy 70.309454 112.963531)
(xy 70.30945 112.963534)
(xy 70.224619 113.061435)
(xy 70.170802 113.179276)
(xy 70.152367 113.3075)
(xy 70.170802 113.435723)
(xy 70.170802 113.435724)
(xy 70.170803 113.435726)
(xy 70.224618 113.553563)
(xy 70.309451 113.651467)
(xy 70.418431 113.721504)
(xy 70.427426 113.724145)
(xy 70.468188 113.754155)
(xy 70.480124 113.803346)
(xy 70.457649 113.848702)
(xy 70.427431 113.86615)
(xy 70.410932 113.870995)
(xy 70.301954 113.941031)
(xy 70.30195 113.941034)
(xy 70.217119 114.038935)
(xy 70.163302 114.156776)
(xy 70.144867 114.285)

(xy 50.0505 114.285)
(xy 50.0505 112.799999)
(xy 60.844867 112.799999)
(xy 60.863302 112.928223)
(xy 60.863302 112.928224)
(xy 60.863303 112.928226)
(xy 60.917118 113.046063)
(xy 61.001951 113.143967)
(xy 61.110931 113.214004)
(xy 61.235228 113.2505)
(xy 61.364772 113.2505)
(xy 61.489069 113.214004)
(xy 61.598049 113.143967)
(xy 61.682882 113.046063)
(xy 61.736697 112.928226)
(xy 61.755133 112.8)
(xy 61.736697 112.671774)
(xy 61.703919 112.6)
(xy 63.244867 112.6)
(xy 63.263302 112.728223)
(xy 63.263302 112.728224)
(xy 63.263303 112.728226)
(xy 63.317118 112.846063)
(xy 63.401951 112.943967)
(xy 63.510931 113.014004)
(xy 63.635228 113.0505)
(xy 63.764772 113.0505)
(xy 63.889069 113.014004)
(xy 63.998049 112.943967)
(xy 64.082882 112.846063)
(xy 64.136697 112.728226)
(xy 64.155133 112.6)
(xy 64.140755 112.5)
(xy 75.644867 112.5)
(xy 75.663302 112.628223)

(xy 75.663302 112.628224)
(xy 75.663303 112.628226)
(xy 75.717118 112.746063)
(xy 75.801951 112.843967)
(xy 75.910931 112.914004)
(xy 76.035228 112.9505)
(xy 76.164772 112.9505)
(xy 76.289069 112.914004)
(xy 76.398049 112.843967)
(xy 76.482882 112.746063)
(xy 76.536697 112.628226)
(xy 76.555133 112.5)
(xy 76.536697 112.371774)
(xy 76.482882 112.253937)
(xy 76.398049 112.156033)
(xy 76.331032 112.112964)
(xy 76.289068 112.085995)
(xy 76.164772 112.0495)
(xy 76.035228 112.0495)
(xy 75.910931 112.085995)
(xy 75.801954 112.156031)
(xy 75.80195 112.156034)
(xy 75.717119 112.253935)
(xy 75.717118 112.253936)
(xy 75.717118 112.253937)
(xy 75.705444 112.2795)
(xy 75.663302 112.371776)
(xy 75.644867 112.5)
(xy 64.140755 112.5)
(xy 64.136697 112.471774)
(xy 64.083704 112.355738)
(xy 64.079694 112.305281)
(xy 64.083701 112.294268)
(xy 64.136697 112.178226)
(xy 64.155133 112.05)

(xy 64.136697 111.921774)
(xy 64.083704 111.805738)
(xy 64.079694 111.755281)
(xy 64.083701 111.744268)
(xy 64.136697 111.628226)
(xy 64.147944 111.55)
(xy 69.094867 111.55)
(xy 69.113302 111.678223)
(xy 69.113302 111.678224)
(xy 69.113303 111.678226)
(xy 69.167118 111.796063)
(xy 69.251951 111.893967)
(xy 69.360931 111.964004)
(xy 69.485228 112.0005)
(xy 69.614772 112.0005)
(xy 69.616475 112)
(xy 90.244867 112)
(xy 90.263302 112.128223)
(xy 90.263302 112.128224)
(xy 90.263303 112.128226)
(xy 90.317118 112.246063)
(xy 90.401951 112.343967)
(xy 90.510931 112.414004)
(xy 90.635228 112.4505)
(xy 90.764772 112.4505)
(xy 90.889069 112.414004)
(xy 90.998049 112.343967)
(xy 91.082882 112.246063)
(xy 91.136697 112.128226)
(xy 91.155133 112)
(xy 91.136697 111.871774)
(xy 91.082882 111.753937)
(xy 90.998049 111.656033)
(xy 90.931032 111.612964)
(xy 90.889068 111.585995)

(xy 90.764772 111.5495)
(xy 90.635228 111.5495)
(xy 90.510931 111.585995)
(xy 90.401954 111.656031)
(xy 90.40195 111.656034)
(xy 90.317119 111.753935)
(xy 90.317118 111.753936)
(xy 90.317118 111.753937)
(xy 90.29346 111.80574)
(xy 90.263302 111.871776)
(xy 90.244867 112)
(xy 69.616475 112)
(xy 69.739069 111.964004)
(xy 69.848049 111.893967)
(xy 69.932882 111.796063)
(xy 69.986697 111.678226)
(xy 70.005133 111.55)
(xy 69.997944 111.499999)
(xy 100.744867 111.499999)
(xy 100.763302 111.628223)
(xy 100.763302 111.628224)
(xy 100.763303 111.628226)
(xy 100.817118 111.746063)
(xy 100.901951 111.843967)
(xy 101.010931 111.914004)
(xy 101.135228 111.9505)
(xy 101.264772 111.9505)
(xy 101.389069 111.914004)
(xy 101.498049 111.843967)
(xy 101.544074 111.790849)
(xy 101.588308 111.76624)
(xy 101.638012 111.775819)
(xy 101.655924 111.790848)
(xy 101.701951 111.843967)
(xy 101.810931 111.914004)

(xy 101.935228 111.9505)
(xy 102.064772 111.9505)
(xy 102.189069 111.914004)
(xy 102.298049 111.843967)
(xy 102.344074 111.790849)
(xy 102.388308 111.76624)
(xy 102.438012 111.775819)
(xy 102.455924 111.790848)
(xy 102.501951 111.843967)
(xy 102.610931 111.914004)
(xy 102.735228 111.9505)
(xy 102.864772 111.9505)
(xy 102.989069 111.914004)
(xy 103.098049 111.843967)
(xy 103.144074 111.790849)
(xy 103.188308 111.76624)
(xy 103.238012 111.775819)
(xy 103.255924 111.790848)
(xy 103.301951 111.843967)
(xy 103.410931 111.914004)
(xy 103.535228 111.9505)
(xy 103.664772 111.9505)
(xy 103.789069 111.914004)
(xy 103.898049 111.843967)
(xy 103.944074 111.790849)
(xy 103.988308 111.76624)
(xy 104.038012 111.775819)
(xy 104.055924 111.790848)
(xy 104.101951 111.843967)
(xy 104.210931 111.914004)
(xy 104.335228 111.9505)
(xy 104.464772 111.9505)
(xy 104.589069 111.914004)
(xy 104.698049 111.843967)
(xy 104.727989 111.809413)

(xy 104.77222 111.784803)
(xy 104.821925 111.794381)
(xy 104.83984 111.809414)
(xy 104.901947 111.881091)
(xy 104.901948 111.881092)
(xy 104.901951 111.881095)
(xy 105.010931 111.951132)
(xy 105.135228 111.987628)
(xy 105.264772 111.987628)
(xy 105.389069 111.951132)
(xy 105.498049 111.881095)
(xy 105.582882 111.783191)
(xy 105.602911 111.739331)
(xy 105.638417 111.703258)
(xy 105.688807 111.698446)
(xy 105.730501 111.727149)
(xy 105.737535 111.739332)
(xy 105.762676 111.794381)
(xy 105.764596 111.798585)
(xy 105.849429 111.896489)
(xy 105.958409 111.966526)
(xy 106.082706 112.003022)
(xy 106.21225 112.003022)
(xy 106.336547 111.966526)
(xy 106.445527 111.896489)
(xy 106.489131 111.846166)
(xy 106.533363 111.821556)
(xy 106.583067 111.831135)
(xy 106.600982 111.846167)
(xy 106.664137 111.919053)
(xy 106.664138 111.919054)
(xy 106.664141 111.919057)
(xy 106.773121 111.989094)
(xy 106.897418 112.02559)
(xy 107.026962 112.02559)

(xy 107.151259 111.989094)
(xy 107.260239 111.919057)
(xy 107.345072 111.821153)
(xy 107.398887 111.703316)
(xy 107.417323 111.57509)
(xy 107.398887 111.446864)
(xy 107.345072 111.329027)
(xy 107.31992 111.3)
(xy 122.144867 111.3)
(xy 122.163302 111.428223)
(xy 122.163302 111.428224)
(xy 122.163303 111.428226)
(xy 122.217118 111.546063)
(xy 122.301951 111.643967)
(xy 122.410931 111.714004)
(xy 122.535228 111.7505)
(xy 122.664772 111.7505)
(xy 122.789069 111.714004)
(xy 122.898049 111.643967)
(xy 122.982882 111.546063)
(xy 123.036697 111.428226)
(xy 123.055133 111.3)
(xy 123.036697 111.171774)
(xy 122.982882 111.053937)
(xy 122.898049 110.956033)
(xy 122.831032 110.912964)
(xy 122.789068 110.885995)
(xy 122.664772 110.8495)
(xy 122.535228 110.8495)
(xy 122.410931 110.885995)
(xy 122.301954 110.956031)
(xy 122.30195 110.956034)
(xy 122.217119 111.053935)
(xy 122.217118 111.053936)
(xy 122.217118 111.053937)

(xy 122.202477 111.085995)
(xy 122.163302 111.171776)
(xy 122.144867 111.3)
(xy 107.31992 111.3)
(xy 107.260239 111.231123)
(xy 107.16789 111.171774)
(xy 107.151258 111.161085)
(xy 107.026962 111.12459)
(xy 106.897418 111.12459)
(xy 106.773121 111.161085)
(xy 106.664144 111.231121)
(xy 106.664136 111.231127)
(xy 106.620536 111.281445)
(xy 106.576303 111.306056)
(xy 106.526598 111.296476)
(xy 106.508685 111.281444)
(xy 106.44553 111.208558)
(xy 106.445528 111.208557)
(xy 106.445527 111.208555)
(xy 106.359609 111.153339)
(xy 106.336546 111.138517)
(xy 106.21225 111.102022)
(xy 106.082706 111.102022)
(xy 105.958409 111.138517)
(xy 105.849432 111.208553)
(xy 105.849428 111.208556)
(xy 105.764596 111.306458)
(xy 105.764595 111.30646)
(xy 105.744566 111.350317)
(xy 105.709058 111.386392)
(xy 105.658668 111.391203)
(xy 105.616975 111.362498)
(xy 105.609941 111.350316)
(xy 105.607042 111.343968)
(xy 105.582882 111.291065)

(xy 105.498049 111.193161)
(xy 105.397008 111.128226)
(xy 105.389068 111.123123)
(xy 105.264772 111.086628)
(xy 105.135228 111.086628)
(xy 105.010931 111.123123)
(xy 104.901954 111.193159)
(xy 104.901946 111.193165)
(xy 104.87201 111.227714)
(xy 104.827777 111.252325)
(xy 104.778072 111.242744)
(xy 104.760159 111.227713)
(xy 104.698052 111.156036)
(xy 104.69805 111.156035)
(xy 104.698049 111.156033)
(xy 104.604737 111.096065)
(xy 104.589068 111.085995)
(xy 104.464772 111.0495)
(xy 104.335228 111.0495)
(xy 104.210931 111.085995)
(xy 104.108942 111.15154)
(xy 104.101951 111.156033)
(xy 104.056441 111.208556)
(xy 104.055926 111.20915)
(xy 104.011692 111.23376)
(xy 103.961988 111.224181)
(xy 103.944074 111.20915)
(xy 103.943561 111.208558)
(xy 103.898049 111.156033)
(xy 103.804737 111.096065)
(xy 103.789068 111.085995)
(xy 103.664772 111.0495)
(xy 103.535228 111.0495)
(xy 103.410931 111.085995)
(xy 103.308942 111.15154)

(xy 103.301951 111.156033)
(xy 103.256441 111.208556)
(xy 103.255926 111.20915)
(xy 103.211692 111.23376)
(xy 103.161988 111.224181)
(xy 103.144074 111.20915)
(xy 103.143561 111.208558)
(xy 103.098049 111.156033)
(xy 103.004737 111.096065)
(xy 102.989068 111.085995)
(xy 102.864772 111.0495)
(xy 102.735228 111.0495)
(xy 102.610931 111.085995)
(xy 102.508942 111.15154)
(xy 102.501951 111.156033)
(xy 102.456441 111.208556)
(xy 102.455926 111.20915)
(xy 102.411692 111.23376)
(xy 102.361988 111.224181)
(xy 102.344074 111.20915)
(xy 102.343561 111.208558)
(xy 102.298049 111.156033)
(xy 102.204737 111.096065)
(xy 102.189068 111.085995)
(xy 102.064772 111.0495)
(xy 101.935228 111.0495)
(xy 101.810931 111.085995)
(xy 101.708942 111.15154)
(xy 101.701951 111.156033)
(xy 101.656441 111.208556)
(xy 101.655926 111.20915)
(xy 101.611692 111.23376)
(xy 101.561988 111.224181)
(xy 101.544074 111.20915)
(xy 101.543561 111.208558)

(xy 101.498049 111.156033)
(xy 101.404737 111.096065)
(xy 101.389068 111.085995)
(xy 101.264772 111.0495)
(xy 101.135228 111.0495)
(xy 101.010931 111.085995)
(xy 100.901954 111.156031)
(xy 100.90195 111.156034)
(xy 100.817119 111.253935)
(xy 100.817118 111.253936)
(xy 100.817118 111.253937)
(xy 100.793316 111.306056)
(xy 100.763302 111.371776)
(xy 100.744867 111.499999)
(xy 69.997944 111.499999)
(xy 69.986697 111.421774)
(xy 69.932882 111.303937)
(xy 69.88481 111.248458)
(xy 69.866746 111.201174)
(xy 69.883302 111.153339)
(xy 69.884791 111.151563)
(xy 69.932882 111.096063)
(xy 69.976753 111)
(xy 82.344867 111)
(xy 82.363302 111.128223)
(xy 82.363302 111.128224)
(xy 82.363303 111.128226)
(xy 82.417118 111.246063)
(xy 82.501951 111.343967)
(xy 82.610931 111.414004)
(xy 82.735228 111.4505)
(xy 82.864772 111.4505)
(xy 82.989069 111.414004)
(xy 83.098049 111.343967)
(xy 83.182882 111.246063)

(xy 83.236697 111.128226)
(xy 83.255133 111)
(xy 83.236697 110.871774)
(xy 83.182882 110.753937)
(xy 83.098049 110.656033)
(xy 83.016983 110.603935)
(xy 82.989068 110.585995)
(xy 82.864772 110.5495)
(xy 82.735228 110.5495)
(xy 82.610931 110.585995)
(xy 82.501954 110.656031)
(xy 82.50195 110.656034)
(xy 82.417119 110.753935)
(xy 82.363302 110.871776)
(xy 82.344867 111)
(xy 69.976753 111)
(xy 69.986697 110.978226)
(xy 70.005133 110.85)
(xy 69.986697 110.721774)
(xy 69.932882 110.603937)
(xy 69.848049 110.506033)
(xy 69.761638 110.4505)
(xy 69.739068 110.435995)
(xy 69.614772 110.3995)
(xy 69.485228 110.3995)
(xy 69.360931 110.435995)
(xy 69.251954 110.506031)
(xy 69.25195 110.506034)
(xy 69.167119 110.603935)
(xy 69.113302 110.721776)
(xy 69.094867 110.85)
(xy 69.113302 110.978223)
(xy 69.113302 110.978224)
(xy 69.113303 110.978226)
(xy 69.158971 111.078223)

(xy 69.167119 111.096065)
(xy 69.167121 111.096067)
(xy 69.215188 111.151541)
(xy 69.233253 111.198827)
(xy 69.216696 111.246662)
(xy 69.215188 111.248459)
(xy 69.167121 111.303932)
(xy 69.167119 111.303934)
(xy 69.113302 111.421776)
(xy 69.094867 111.55)
(xy 64.147944 111.55)
(xy 64.155133 111.5)
(xy 64.136697 111.371774)
(xy 64.083704 111.255738)
(xy 64.079694 111.205281)
(xy 64.083701 111.194268)
(xy 64.136697 111.078226)
(xy 64.155133 110.95)
(xy 64.136697 110.821774)
(xy 64.082882 110.703937)
(xy 63.998049 110.606033)
(xy 63.910082 110.5495)
(xy 63.889068 110.535995)
(xy 63.764772 110.4995)
(xy 63.635228 110.4995)
(xy 63.510931 110.535995)
(xy 63.401954 110.606031)
(xy 63.40195 110.606034)
(xy 63.317119 110.703935)
(xy 63.317118 110.703936)
(xy 63.317118 110.703937)
(xy 63.29021 110.762855)
(xy 63.263302 110.821776)
(xy 63.244867 110.95)
(xy 63.263302 111.078223)

(xy 63.263302 111.078224)
(xy 63.263303 111.078226)
(xy 63.284477 111.12459)
(xy 63.316294 111.194259)
(xy 63.320305 111.244719)
(xy 63.316294 111.255741)
(xy 63.263302 111.371776)
(xy 63.244867 111.5)
(xy 63.263302 111.628223)
(xy 63.263302 111.628224)
(xy 63.263303 111.628226)
(xy 63.297596 111.703316)
(xy 63.316294 111.744258)
(xy 63.320305 111.794718)
(xy 63.316294 111.80574)
(xy 63.263302 111.921776)
(xy 63.244867 112.049999)
(xy 63.263302 112.178223)
(xy 63.263302 112.178224)
(xy 63.263303 112.178226)
(xy 63.302445 112.263935)
(xy 63.316294 112.294259)
(xy 63.320305 112.344719)
(xy 63.316294 112.355741)
(xy 63.263302 112.471776)
(xy 63.244867 112.6)
(xy 61.703919 112.6)
(xy 61.682882 112.553937)
(xy 61.598049 112.456033)
(xy 61.531032 112.412964)
(xy 61.489068 112.385995)
(xy 61.364772 112.3495)
(xy 61.235228 112.3495)
(xy 61.110931 112.385995)
(xy 61.001954 112.456031)

(xy 61.00195 112.456034)
(xy 60.917119 112.553935)
(xy 60.917118 112.553936)
(xy 60.917118 112.553937)
(xy 60.896082 112.599999)
(xy 60.863302 112.671776)
(xy 60.844867 112.799999)
(xy 50.0505 112.799999)
(xy 50.0505 110)
(xy 59.244867 110)
(xy 59.248587 110.025875)
(xy 59.263302 110.128223)
(xy 59.263302 110.128224)
(xy 59.263303 110.128226)
(xy 59.317118 110.246063)
(xy 59.401951 110.343967)
(xy 59.510931 110.414004)
(xy 59.635228 110.4505)
(xy 59.764772 110.4505)
(xy 59.889069 110.414004)
(xy 59.998049 110.343967)
(xy 60.082882 110.246063)
(xy 60.136697 110.128226)
(xy 60.155133 110)
(xy 60.136697 109.871774)
(xy 60.082882 109.753937)
(xy 59.998049 109.656033)
(xy 59.91086 109.6)
(xy 59.889068 109.585995)
(xy 59.764772 109.5495)
(xy 59.635228 109.5495)
(xy 59.510931 109.585995)
(xy 59.401954 109.656031)
(xy 59.40195 109.656034)
(xy 59.317119 109.753935)

(xy 59.263302 109.871776)
(xy 59.252923 109.943967)
(xy 59.244867 110)
(xy 50.0505 110)
(xy 50.0505 109.299999)
(xy 71.544867 109.299999)
(xy 71.563302 109.428223)
(xy 71.563302 109.428224)
(xy 71.563303 109.428226)
(xy 71.617118 109.546063)
(xy 71.701951 109.643967)
(xy 71.810931 109.714004)
(xy 71.935228 109.7505)
(xy 72.064772 109.7505)
(xy 72.189069 109.714004)
(xy 72.298049 109.643967)
(xy 72.382882 109.546063)
(xy 72.436697 109.428226)
(xy 72.455133 109.3)
(xy 72.455133 109.299999)
(xy 75.044867 109.299999)
(xy 75.063302 109.428223)
(xy 75.063302 109.428224)
(xy 75.063303 109.428226)
(xy 75.117118 109.546063)
(xy 75.201951 109.643967)
(xy 75.310931 109.714004)
(xy 75.435228 109.7505)
(xy 75.564772 109.7505)
(xy 75.689069 109.714004)
(xy 75.798049 109.643967)
(xy 75.882882 109.546063)
(xy 75.936697 109.428226)
(xy 75.955133 109.3)
(xy 75.936697 109.171774)

(xy 75.882882 109.053937)
(xy 75.798049 108.956033)
(xy 75.731032 108.912964)
(xy 75.689068 108.885995)
(xy 75.564772 108.8495)
(xy 75.435228 108.8495)
(xy 75.310931 108.885995)
(xy 75.201954 108.956031)
(xy 75.20195 108.956034)
(xy 75.117119 109.053935)
(xy 75.063302 109.171776)
(xy 75.044867 109.299999)
(xy 72.455133 109.299999)
(xy 72.436697 109.171774)
(xy 72.382882 109.053937)
(xy 72.298049 108.956033)
(xy 72.231032 108.912964)
(xy 72.189068 108.885995)
(xy 72.064772 108.8495)
(xy 71.935228 108.8495)
(xy 71.810931 108.885995)
(xy 71.701954 108.956031)
(xy 71.70195 108.956034)
(xy 71.617119 109.053935)
(xy 71.563302 109.171776)
(xy 71.544867 109.299999)
(xy 50.0505 109.299999)
(xy 50.0505 108.680135)
(xy 80.5395 108.680135)
(xy 80.554266 108.830053)
(xy 80.612619 109.022418)
(xy 80.61262 109.022421)
(xy 80.612621 109.022422)
(xy 80.707374 109.199695)
(xy 80.707384 109.19971)

(xy 80.78969 109.299999)
(xy 80.834906 109.355094)
(xy 80.834911 109.355098)
(xy 80.834912 109.355099)
(xy 80.990289 109.482615)
(xy 80.990292 109.482617)
(xy 80.990297 109.482621)
(xy 81.167582 109.577381)
(xy 81.359947 109.635734)
(xy 81.56 109.655438)
(xy 81.760053 109.635734)
(xy 81.952418 109.577381)
(xy 82.129703 109.482621)
(xy 82.285094 109.355094)
(xy 82.412621 109.199703)
(xy 82.507381 109.022418)
(xy 82.565734 108.830053)
(xy 82.5805 108.680135)
(xy 82.5805 108.15)
(xy 82.73 108.15)
(xy 83.444024 108.15)
(xy 83.49159 108.167313)
(xy 83.5169 108.21115)
(xy 83.515703 108.23851)
(xy 83.516077 108.23856)
(xy 83.515514 108.242833)
(xy 83.5155 108.243163)
(xy 83.515445 108.243364)
(xy 83.515444 108.243369)
(xy 83.515443 108.243373)
(xy 83.515443 108.243375)
(xy 83.507194 108.306031)
(xy 83.494823 108.4)
(xy 83.515444 108.556631)
(xy 83.515446 108.556636)

(xy 83.5155 108.556837)
(xy 83.515488 108.556969)
(xy 83.516077 108.56144)
(xy 83.515086 108.56157)
(xy 83.511095 108.607264)
(xy 83.475308 108.643062)
(xy 83.444024 108.65)
(xy 82.730001 108.65)
(xy 82.730001 109.299976)
(xy 82.740494 109.402698)
(xy 82.79564 109.569118)
(xy 82.795642 109.569124)
(xy 82.887682 109.718343)
(xy 83.011656 109.842317)
(xy 83.160875 109.934357)
(xy 83.160881 109.934359)
(xy 83.327301 109.989505)
(xy 83.430025 109.999999)
(xy 83.85 109.999999)
(xy 83.85 109.055976)
(xy 83.867313 109.00841)
(xy 83.91115 108.9831)
(xy 83.93851 108.984296)
(xy 83.93856 108.983923)
(xy 83.942833 108.984485)
(xy 83.943163 108.9845)
(xy 83.943358 108.984551)
(xy 83.943369 108.984556)
(xy 84.060677 109)
(xy 84.060679 109)
(xy 84.139321 109)
(xy 84.139323 109)
(xy 84.256631 108.984556)
(xy 84.256643 108.98455)
(xy 84.256837 108.9845)

(xy 84.256969 108.984511)
(xy 84.26144 108.983923)
(xy 84.26157 108.984913)
(xy 84.307264 108.988905)
(xy 84.343062 109.024692)
(xy 84.35 109.055976)
(xy 84.35 109.999999)
(xy 84.769971 109.999999)
(xy 84.769976 109.999998)
(xy 84.872698 109.989505)
(xy 85.039118 109.934359)
(xy 85.039124 109.934357)
(xy 85.188343 109.842317)
(xy 85.312317 109.718343)
(xy 85.385312 109.6)
(xy 117.044867 109.6)
(xy 117.063302 109.728223)
(xy 117.063302 109.728224)
(xy 117.063303 109.728226)
(xy 117.117118 109.846063)
(xy 117.201951 109.943967)
(xy 117.310931 110.014004)
(xy 117.435228 110.0505)
(xy 117.564772 110.0505)
(xy 117.689069 110.014004)
(xy 117.798049 109.943967)
(xy 117.882882 109.846063)
(xy 117.936697 109.728226)
(xy 117.955133 109.6)
(xy 117.936697 109.471774)
(xy 117.882882 109.353937)
(xy 117.798049 109.256033)
(xy 117.731032 109.212964)
(xy 117.689068 109.185995)
(xy 117.564772 109.1495)

(xy 117.435228 109.1495)
(xy 117.310931 109.185995)
(xy 117.201954 109.256031)
(xy 117.20195 109.256034)
(xy 117.117119 109.353935)
(xy 117.063302 109.471776)
(xy 117.044867 109.6)
(xy 85.385312 109.6)
(xy 85.404357 109.569124)
(xy 85.404359 109.569118)
(xy 85.459505 109.402698)
(xy 85.469999 109.299975)
(xy 85.47 109.299973)
(xy 85.47 108.65)
(xy 84.755976 108.65)
(xy 84.755973 108.649999)
(xy 105.744867 108.649999)
(xy 105.763302 108.778223)
(xy 105.763302 108.778224)
(xy 105.763303 108.778226)
(xy 105.817118 108.896063)
(xy 105.901951 108.993967)
(xy 106.010931 109.064004)
(xy 106.135228 109.1005)
(xy 106.264772 109.1005)
(xy 106.389069 109.064004)
(xy 106.498049 108.993967)
(xy 106.582882 108.896063)
(xy 106.636697 108.778226)
(xy 106.655133 108.65)
(xy 106.636697 108.521774)
(xy 106.626754 108.500003)
(xy 107.154722 108.500003)
(xy 107.173761 108.656808)
(xy 107.173764 108.656822)

(xy 107.229778 108.804521)
(xy 107.319516 108.934529)
(xy 107.319517 108.93453)
(xy 107.43776 109.039283)
(xy 107.577635 109.112696)
(xy 107.731015 109.1505)
(xy 107.731019 109.1505)
(xy 107.888981 109.1505)
(xy 107.888985 109.1505)
(xy 108.042365 109.112696)
(xy 108.18224 109.039283)
(xy 108.300483 108.93453)
(xy 108.3841 108.813389)
(xy 108.425368 108.784079)
(xy 108.475823 108.788152)
(xy 108.505899 108.813388)
(xy 108.556016 108.885995)
(xy 108.589515 108.934528)
(xy 108.589517 108.93453)
(xy 108.70776 109.039283)
(xy 108.847635 109.112696)
(xy 109.001015 109.1505)
(xy 109.001019 109.1505)
(xy 109.158981 109.1505)
(xy 109.158985 109.1505)
(xy 109.312365 109.112696)
(xy 109.45224 109.039283)
(xy 109.570483 108.93453)
(xy 109.6541 108.813389)
(xy 109.695368 108.784079)
(xy 109.745823 108.788152)
(xy 109.775899 108.813388)
(xy 109.826016 108.885995)
(xy 109.859515 108.934528)
(xy 109.859517 108.93453)

(xy 109.97776 109.039283)
(xy 110.117635 109.112696)
(xy 110.271015 109.1505)
(xy 110.271019 109.1505)
(xy 110.428981 109.1505)
(xy 110.428985 109.1505)
(xy 110.582365 109.112696)
(xy 110.72224 109.039283)
(xy 110.840483 108.93453)
(xy 110.9241 108.813389)
(xy 110.965368 108.784079)
(xy 111.015823 108.788152)
(xy 111.045899 108.813388)
(xy 111.096016 108.885995)
(xy 111.129515 108.934528)
(xy 111.129517 108.93453)
(xy 111.24776 109.039283)
(xy 111.387635 109.112696)
(xy 111.541015 109.1505)
(xy 111.541019 109.1505)
(xy 111.698981 109.1505)
(xy 111.698985 109.1505)
(xy 111.852365 109.112696)
(xy 111.99224 109.039283)
(xy 112.110483 108.93453)
(xy 112.1941 108.813389)
(xy 112.235368 108.784079)
(xy 112.285823 108.788152)
(xy 112.315899 108.813388)
(xy 112.366016 108.885995)
(xy 112.399515 108.934528)
(xy 112.399517 108.93453)
(xy 112.51776 109.039283)
(xy 112.657635 109.112696)
(xy 112.811015 109.1505)

(xy 112.811019 109.1505)
(xy 112.968981 109.1505)
(xy 112.968985 109.1505)
(xy 113.122365 109.112696)
(xy 113.26224 109.039283)
(xy 113.380483 108.93453)
(xy 113.4641 108.813389)
(xy 113.505368 108.784079)
(xy 113.555823 108.788152)
(xy 113.585899 108.813388)
(xy 113.636016 108.885995)
(xy 113.669515 108.934528)
(xy 113.669517 108.93453)
(xy 113.78776 109.039283)
(xy 113.927635 109.112696)
(xy 114.081015 109.1505)
(xy 114.081019 109.1505)
(xy 114.238981 109.1505)
(xy 114.238985 109.1505)
(xy 114.392365 109.112696)
(xy 114.53224 109.039283)
(xy 114.650483 108.93453)
(xy 114.7341 108.813389)
(xy 114.775368 108.784079)
(xy 114.825823 108.788152)
(xy 114.855899 108.813388)
(xy 114.906016 108.885995)
(xy 114.939515 108.934528)
(xy 114.939517 108.93453)
(xy 115.05776 109.039283)
(xy 115.197635 109.112696)
(xy 115.351015 109.1505)
(xy 115.351019 109.1505)
(xy 115.508981 109.1505)
(xy 115.508985 109.1505)

(xy 115.662365 109.112696)
(xy 115.80224 109.039283)
(xy 115.920483 108.93453)
(xy 116.004099 108.813389)
(xy 116.045366 108.784079)
(xy 116.095821 108.788152)
(xy 116.1259 108.81339)
(xy 116.209516 108.934529)
(xy 116.209517 108.93453)
(xy 116.32776 109.039283)
(xy 116.467635 109.112696)
(xy 116.621015 109.1505)
(xy 116.621019 109.1505)
(xy 116.778981 109.1505)
(xy 116.778985 109.1505)
(xy 116.932365 109.112696)
(xy 117.07224 109.039283)
(xy 117.190483 108.93453)
(xy 117.28022 108.804523)
(xy 117.287974 108.784079)
(xy 117.298892 108.755287)
(xy 117.336237 108.656818)
(xy 117.355278 108.5)
(xy 125.244867 108.5)
(xy 125.247998 108.521774)
(xy 125.263302 108.628223)
(xy 125.263302 108.628224)
(xy 125.263303 108.628226)
(xy 125.317118 108.746063)
(xy 125.401951 108.843967)
(xy 125.510931 108.914004)
(xy 125.635228 108.9505)
(xy 125.764772 108.9505)
(xy 125.889069 108.914004)
(xy 125.998049 108.843967)

(xy 126.082882 108.746063)
(xy 126.136697 108.628226)
(xy 126.155133 108.5)
(xy 126.136697 108.371774)
(xy 126.082882 108.253937)
(xy 125.998049 108.156033)
(xy 125.910858 108.099999)
(xy 127.344867 108.099999)
(xy 127.363302 108.228223)
(xy 127.363302 108.228224)
(xy 127.363303 108.228226)
(xy 127.417118 108.346063)
(xy 127.501951 108.443967)
(xy 127.610931 108.514004)
(xy 127.735228 108.5505)
(xy 127.864772 108.5505)
(xy 127.989069 108.514004)
(xy 128.098049 108.443967)
(xy 128.182882 108.346063)
(xy 128.236697 108.228226)
(xy 128.255133 108.1)
(xy 128.236697 107.971774)
(xy 128.182882 107.853937)
(xy 128.098049 107.756033)
(xy 128.031032 107.712964)
(xy 127.989068 107.685995)
(xy 127.864772 107.6495)
(xy 127.735228 107.6495)
(xy 127.610931 107.685995)
(xy 127.501954 107.756031)
(xy 127.50195 107.756034)
(xy 127.417119 107.853935)
(xy 127.363302 107.971776)
(xy 127.344867 108.099999)
(xy 125.910858 108.099999)

(xy 125.906831 108.097411)
(xy 125.889068 108.085995)
(xy 125.764772 108.0495)
(xy 125.635228 108.0495)
(xy 125.510931 108.085995)
(xy 125.401954 108.156031)
(xy 125.40195 108.156034)
(xy 125.317119 108.253935)
(xy 125.263302 108.371776)
(xy 125.244867 108.499999)
(xy 125.244867 108.5)
(xy 117.355278 108.5)
(xy 117.348474 108.443967)
(xy 117.336238 108.343191)
(xy 117.336237 108.343182)
(xy 117.299405 108.246063)
(xy 117.280221 108.195478)
(xy 117.190483 108.06547)
(xy 117.172456 108.0495)
(xy 117.07224 107.960717)
(xy 117.060139 107.954366)
(xy 116.932366 107.887304)
(xy 116.778987 107.8495)
(xy 116.778985 107.8495)
(xy 116.621015 107.8495)
(xy 116.621012 107.8495)
(xy 116.467633 107.887304)
(xy 116.327761 107.960716)
(xy 116.209516 108.06547)
(xy 116.125901 108.186609)
(xy 116.084632 108.21592)
(xy 116.034177 108.211847)
(xy 116.004099 108.186609)
(xy 115.920483 108.06547)
(xy 115.902456 108.0495)

(xy 115.80224 107.960717)
(xy 115.790139 107.954366)
(xy 115.662366 107.887304)
(xy 115.508987 107.8495)
(xy 115.508985 107.8495)
(xy 115.351015 107.8495)
(xy 115.351012 107.8495)
(xy 115.197633 107.887304)
(xy 115.057761 107.960716)
(xy 114.939516 108.06547)
(xy 114.855901 108.186609)
(xy 114.814632 108.21592)
(xy 114.764177 108.211847)
(xy 114.734099 108.186609)
(xy 114.650483 108.06547)
(xy 114.632456 108.0495)
(xy 114.53224 107.960717)
(xy 114.520139 107.954366)
(xy 114.392366 107.887304)
(xy 114.238987 107.8495)
(xy 114.238985 107.8495)
(xy 114.081015 107.8495)
(xy 114.081012 107.8495)
(xy 113.927633 107.887304)
(xy 113.787761 107.960716)
(xy 113.669516 108.06547)
(xy 113.585901 108.186609)
(xy 113.544632 108.21592)
(xy 113.494177 108.211847)
(xy 113.464099 108.186609)
(xy 113.380483 108.06547)
(xy 113.362456 108.0495)
(xy 113.26224 107.960717)
(xy 113.250139 107.954366)
(xy 113.122366 107.887304)

(xy 112.968987 107.8495)
(xy 112.968985 107.8495)
(xy 112.811015 107.8495)
(xy 112.811012 107.8495)
(xy 112.657633 107.887304)
(xy 112.517761 107.960716)
(xy 112.399516 108.06547)
(xy 112.315901 108.186609)
(xy 112.274632 108.21592)
(xy 112.224177 108.211847)
(xy 112.194099 108.186609)
(xy 112.110483 108.06547)
(xy 112.092456 108.0495)
(xy 111.99224 107.960717)
(xy 111.980139 107.954366)
(xy 111.852366 107.887304)
(xy 111.698987 107.8495)
(xy 111.698985 107.8495)
(xy 111.541015 107.8495)
(xy 111.541012 107.8495)
(xy 111.387633 107.887304)
(xy 111.247761 107.960716)
(xy 111.129516 108.06547)
(xy 111.045901 108.186609)
(xy 111.004632 108.21592)
(xy 110.954177 108.211847)
(xy 110.924099 108.186609)
(xy 110.840483 108.06547)
(xy 110.822456 108.0495)
(xy 110.72224 107.960717)
(xy 110.710139 107.954366)
(xy 110.582366 107.887304)
(xy 110.428987 107.8495)
(xy 110.428985 107.8495)
(xy 110.271015 107.8495)

(xy 110.271012 107.8495)
(xy 110.117633 107.887304)
(xy 109.977761 107.960716)
(xy 109.859516 108.06547)
(xy 109.7759 108.186609)
(xy 109.734631 108.21592)
(xy 109.684176 108.211847)
(xy 109.654098 108.186608)
(xy 109.633618 108.156938)
(xy 109.584651 108.085996)
(xy 109.570484 108.065471)
(xy 109.552456 108.0495)
(xy 109.45224 107.960717)
(xy 109.440139 107.954366)
(xy 109.312366 107.887304)
(xy 109.158987 107.8495)
(xy 109.158985 107.8495)
(xy 109.001015 107.8495)
(xy 109.001012 107.8495)
(xy 108.847633 107.887304)
(xy 108.707761 107.960716)
(xy 108.589516 108.06547)
(xy 108.505901 108.186609)
(xy 108.464632 108.21592)
(xy 108.414177 108.211847)
(xy 108.384099 108.186609)
(xy 108.300483 108.06547)
(xy 108.282456 108.0495)
(xy 108.18224 107.960717)
(xy 108.170139 107.954366)
(xy 108.042366 107.887304)
(xy 107.888987 107.8495)
(xy 107.888985 107.8495)
(xy 107.731015 107.8495)
(xy 107.731012 107.8495)

(xy 107.577633 107.887304)
(xy 107.437761 107.960716)
(xy 107.319516 108.06547)
(xy 107.229779 108.195478)
(xy 107.229778 108.195478)
(xy 107.173764 108.343177)
(xy 107.173761 108.343191)
(xy 107.154722 108.499996)
(xy 107.154722 108.500003)
(xy 106.626754 108.500003)
(xy 106.582882 108.403937)
(xy 106.498049 108.306033)
(xy 106.416983 108.253935)
(xy 106.389068 108.235995)
(xy 106.264772 108.1995)
(xy 106.135228 108.1995)
(xy 106.010931 108.235995)
(xy 105.901954 108.306031)
(xy 105.90195 108.306034)
(xy 105.817119 108.403935)
(xy 105.763302 108.521776)
(xy 105.744867 108.649999)
(xy 84.755973 108.649999)
(xy 84.70841 108.632687)
(xy 84.6831 108.58885)
(xy 84.684296 108.561489)
(xy 84.683923 108.56144)
(xy 84.684485 108.557166)
(xy 84.6845 108.556837)
(xy 84.68455 108.556643)
(xy 84.684556 108.556631)
(xy 84.705177 108.4)
(xy 84.684556 108.243369)
(xy 84.684551 108.243358)
(xy 84.6845 108.243163)

(xy 84.684511 108.24303)
(xy 84.683923 108.23856)
(xy 84.684913 108.238429)
(xy 84.688905 108.192736)
(xy 84.724692 108.156938)
(xy 84.755976 108.15)
(xy 85.469999 108.15)
(xy 85.469999 107.500029)
(xy 85.469998 107.500023)
(xy 85.459505 107.397301)
(xy 85.427263 107.3)
(xy 93.144865 107.3)
(xy 93.1633 107.428223)
(xy 93.1633 107.428224)
(xy 93.163301 107.428226)
(xy 93.217116 107.546063)
(xy 93.301949 107.643967)
(xy 93.410929 107.714004)
(xy 93.535226 107.7505)
(xy 93.66477 107.7505)
(xy 93.789067 107.714004)
(xy 93.898047 107.643967)
(xy 93.98288 107.546063)
(xy 94.036695 107.428226)
(xy 94.055131 107.3)
(xy 94.036695 107.171774)
(xy 93.98288 107.053937)
(xy 93.898047 106.956033)
(xy 93.888659 106.95)
(xy 96.594867 106.95)
(xy 96.613302 107.078223)
(xy 96.613302 107.078224)
(xy 96.613303 107.078226)
(xy 96.667118 107.196063)
(xy 96.751951 107.293967)

(xy 96.860931 107.364004)
(xy 96.985228 107.4005)
(xy 97.114775 107.4005)
(xy 97.114775 107.400499)
(xy 97.125667 107.397301)
(xy 97.239069 107.364004)
(xy 97.239073 107.364)
(xy 97.243889 107.361803)
(xy 97.245064 107.364377)
(xy 97.284229 107.355454)
(xy 97.305493 107.363178)
(xy 97.30612 107.361807)
(xy 97.310928 107.364003)
(xy 97.31093 107.364003)
(xy 97.310931 107.364004)
(xy 97.435228 107.4005)
(xy 97.564772 107.4005)
(xy 97.689069 107.364004)
(xy 97.798049 107.293967)
(xy 97.882882 107.196063)
(xy 97.926753 107.1)
(xy 122.344867 107.1)
(xy 122.346895 107.114102)
(xy 122.363302 107.228223)
(xy 122.363302 107.228224)
(xy 122.363303 107.228226)
(xy 122.417118 107.346063)
(xy 122.501951 107.443967)
(xy 122.610931 107.514004)
(xy 122.735228 107.5505)
(xy 122.864772 107.5505)
(xy 122.989069 107.514004)
(xy 123.098049 107.443967)
(xy 123.182882 107.346063)
(xy 123.232688 107.237003)

(xy 123.268195 107.200929)
(xy 123.318585 107.196118)
(xy 123.360279 107.224822)
(xy 123.367309 107.236999)
(xy 123.417118 107.346063)
(xy 123.501951 107.443967)
(xy 123.610931 107.514004)
(xy 123.735228 107.5505)
(xy 123.864772 107.5505)
(xy 123.989069 107.514004)
(xy 124.098049 107.443967)
(xy 124.182882 107.346063)
(xy 124.236697 107.228226)
(xy 124.255133 107.1)
(xy 124.236697 106.971774)
(xy 124.182882 106.853937)
(xy 124.098049 106.756033)
(xy 124.001474 106.693968)
(xy 123.989068 106.685995)
(xy 123.864772 106.6495)
(xy 123.735228 106.6495)
(xy 123.610931 106.685995)
(xy 123.501954 106.756031)
(xy 123.50195 106.756034)
(xy 123.417119 106.853935)
(xy 123.417118 106.853936)
(xy 123.417118 106.853937)
(xy 123.370492 106.956034)
(xy 123.367313 106.962994)
(xy 123.331804 106.99907)
(xy 123.281415 107.003881)
(xy 123.239721 106.975177)
(xy 123.232687 106.962994)
(xy 123.230261 106.957682)
(xy 123.182882 106.853937)

(xy 123.098049 106.756033)
(xy 123.001474 106.693968)
(xy 122.989068 106.685995)
(xy 122.864772 106.6495)
(xy 122.735228 106.6495)
(xy 122.610931 106.685995)
(xy 122.501954 106.756031)
(xy 122.50195 106.756034)
(xy 122.417119 106.853935)
(xy 122.417118 106.853936)
(xy 122.417118 106.853937)
(xy 122.402477 106.885995)
(xy 122.363302 106.971776)
(xy 122.347504 107.081656)
(xy 122.344867 107.1)
(xy 97.926753 107.1)
(xy 97.936697 107.078226)
(xy 97.955133 106.95)
(xy 97.936697 106.821774)
(xy 97.882882 106.703937)
(xy 97.798049 106.606033)
(xy 97.724999 106.559087)
(xy 97.689068 106.535995)
(xy 97.564772 106.4995)
(xy 97.435228 106.4995)
(xy 97.310932 106.535995)
(xy 97.306124 106.538192)
(xy 97.304964 106.535653)
(xy 97.265593 106.544524)
(xy 97.244491 106.536843)
(xy 97.243876 106.538192)
(xy 97.239067 106.535995)
(xy 97.114772 106.4995)
(xy 96.985228 106.4995)
(xy 96.860931 106.535995)

(xy 96.751954 106.606031)
(xy 96.75195 106.606034)
(xy 96.667119 106.703935)
(xy 96.613302 106.821776)
(xy 96.594867 106.95)
(xy 93.888659 106.95)
(xy 93.83103 106.912964)
(xy 93.789066 106.885995)
(xy 93.66477 106.8495)
(xy 93.535226 106.8495)
(xy 93.410929 106.885995)
(xy 93.301952 106.956031)
(xy 93.301948 106.956034)
(xy 93.217117 107.053935)
(xy 93.217116 107.053936)
(xy 93.217116 107.053937)
(xy 93.204457 107.081656)
(xy 93.1633 107.171776)
(xy 93.144865 107.3)
(xy 85.427263 107.3)
(xy 85.404359 107.230881)
(xy 85.404357 107.230875)
(xy 85.312317 107.081656)
(xy 85.188343 106.957682)
(xy 85.039124 106.865642)
(xy 85.039118 106.86564)
(xy 84.872698 106.810494)
(xy 84.769975 106.8)
(xy 84.35 106.8)
(xy 84.35 107.744023)
(xy 84.332687 107.791589)
(xy 84.28885 107.816899)
(xy 84.261489 107.815704)
(xy 84.26144 107.816077)
(xy 84.257182 107.815516)

(xy 84.25685 107.815502)
(xy 84.256635 107.815444)
(xy 84.178425 107.805148)
(xy 84.139323 107.8)
(xy 84.060677 107.8)
(xy 84.02716 107.804412)
(xy 83.943364 107.815444)
(xy 83.94315 107.815502)
(xy 83.943016 107.81549)
(xy 83.93856 107.816077)
(xy 83.938429 107.815088)
(xy 83.892723 107.811088)
(xy 83.856932 107.775294)
(xy 83.85 107.744023)
(xy 83.85 106.8)
(xy 83.430029 106.8)
(xy 83.430023 106.800001)
(xy 83.327301 106.810494)
(xy 83.160881 106.86564)
(xy 83.160875 106.865642)
(xy 83.011656 106.957682)
(xy 82.887682 107.081656)
(xy 82.795642 107.230875)
(xy 82.79564 107.230881)
(xy 82.740494 107.397301)
(xy 82.73 107.500024)
(xy 82.73 108.15)
(xy 82.5805 108.15)
(xy 82.5805 108.119865)
(xy 82.565734 107.969947)
(xy 82.507381 107.777582)
(xy 82.43892 107.6495)
(xy 82.412625 107.600304)
(xy 82.412623 107.600302)
(xy 82.412621 107.600297)

(xy 82.412617 107.600292)
(xy 82.412615 107.600289)
(xy 82.285099 107.444912)
(xy 82.285098 107.444911)
(xy 82.285094 107.444906)
(xy 82.28395 107.443967)
(xy 82.12971 107.317384)
(xy 82.129705 107.31738)
(xy 82.129703 107.317379)
(xy 82.1297 107.317377)
(xy 82.129695 107.317374)
(xy 81.952422 107.222621)
(xy 81.952421 107.22262)
(xy 81.952418 107.222619)
(xy 81.813591 107.180506)
(xy 81.760054 107.164266)
(xy 81.56 107.144562)
(xy 81.359945 107.164266)
(xy 81.25287 107.196747)
(xy 81.167582 107.222619)
(xy 81.167579 107.22262)
(xy 81.167577 107.222621)
(xy 80.990304 107.317374)
(xy 80.990289 107.317384)
(xy 80.834912 107.4449)
(xy 80.8349 107.444912)
(xy 80.707384 107.600289)
(xy 80.707374 107.600304)
(xy 80.612621 107.777577)
(xy 80.61262 107.777579)
(xy 80.612619 107.777582)
(xy 80.590803 107.8495)
(xy 80.554266 107.969945)
(xy 80.544858 108.06547)
(xy 80.5395 108.119865)

(xy 80.5395 108.680135)
(xy 50.0505 108.680135)
(xy 50.0505 107.999999)
(xy 59.244867 107.999999)
(xy 59.263302 108.128223)
(xy 59.263302 108.128224)
(xy 59.263303 108.128226)
(xy 59.317118 108.246063)
(xy 59.401951 108.343967)
(xy 59.510931 108.414004)
(xy 59.635228 108.4505)
(xy 59.764772 108.4505)
(xy 59.889069 108.414004)
(xy 59.998049 108.343967)
(xy 60.082882 108.246063)
(xy 60.136697 108.128226)
(xy 60.155133 108)
(xy 60.136697 107.871774)
(xy 60.082882 107.753937)
(xy 59.998049 107.656033)
(xy 59.911322 107.600297)
(xy 59.889068 107.585995)
(xy 59.764772 107.5495)
(xy 59.635228 107.5495)
(xy 59.510931 107.585995)
(xy 59.401954 107.656031)
(xy 59.40195 107.656034)
(xy 59.317119 107.753935)
(xy 59.317118 107.753936)
(xy 59.317118 107.753937)
(xy 59.306322 107.777577)
(xy 59.263302 107.871776)
(xy 59.244867 107.999999)
(xy 50.0505 107.999999)
(xy 50.0505 106)

(xy 59.244867 106)
(xy 59.245735 106.006034)
(xy 59.263302 106.128223)
(xy 59.263302 106.128224)
(xy 59.263303 106.128226)
(xy 59.317118 106.246063)
(xy 59.401951 106.343967)
(xy 59.510931 106.414004)
(xy 59.635228 106.4505)
(xy 59.764772 106.4505)
(xy 59.889069 106.414004)
(xy 59.91086 106.4)
(xy 72.744867 106.4)
(xy 72.763302 106.528223)
(xy 72.763302 106.528224)
(xy 72.763303 106.528226)
(xy 72.817118 106.646063)
(xy 72.901951 106.743967)
(xy 73.010931 106.814004)
(xy 73.135228 106.8505)
(xy 73.264772 106.8505)
(xy 73.387277 106.81453)
(xy 73.437792 106.817741)
(xy 73.474427 106.852672)
(xy 73.475421 106.854762)
(xy 73.517118 106.946063)
(xy 73.601951 107.043967)
(xy 73.710931 107.114004)
(xy 73.835228 107.1505)
(xy 73.964772 107.1505)
(xy 74.089069 107.114004)
(xy 74.198049 107.043967)
(xy 74.282882 106.946063)
(xy 74.336697 106.828226)
(xy 74.355133 106.7)

(xy 74.336697 106.571774)
(xy 74.282882 106.453937)
(xy 74.236146 106.4)
(xy 76.244867 106.4)
(xy 76.263302 106.528223)
(xy 76.263302 106.528224)
(xy 76.263303 106.528226)
(xy 76.317118 106.646063)
(xy 76.401951 106.743967)
(xy 76.510931 106.814004)
(xy 76.635228 106.8505)
(xy 76.764772 106.8505)
(xy 76.887236 106.814542)
(xy 76.937752 106.817753)
(xy 76.974387 106.852684)
(xy 76.975395 106.854804)
(xy 77.017115 106.946157)
(xy 77.017118 106.946161)
(xy 77.101951 107.044065)
(xy 77.210931 107.114102)
(xy 77.335228 107.150598)
(xy 77.464772 107.150598)
(xy 77.589069 107.114102)
(xy 77.698049 107.044065)
(xy 77.782882 106.946161)
(xy 77.836697 106.828324)
(xy 77.855133 106.700098)
(xy 77.836697 106.571872)
(xy 77.782882 106.454035)
(xy 77.698049 106.356131)
(xy 77.688509 106.35)
(xy 87.194867 106.35)
(xy 87.213302 106.478223)
(xy 87.213302 106.478224)
(xy 87.213303 106.478226)

(xy 87.267118 106.596063)
(xy 87.351951 106.693967)
(xy 87.460931 106.764004)
(xy 87.585228 106.8005)
(xy 87.714772 106.8005)
(xy 87.839069 106.764004)
(xy 87.948049 106.693967)
(xy 88.032882 106.596063)
(xy 88.086697 106.478226)
(xy 88.105133 106.35)
(xy 88.086697 106.221774)
(xy 88.053919 106.15)
(xy 99.644867 106.15)
(xy 99.663302 106.278223)
(xy 99.663302 106.278224)
(xy 99.663303 106.278226)
(xy 99.717118 106.396063)
(xy 99.801951 106.493967)
(xy 99.910931 106.564004)
(xy 100.035228 106.6005)
(xy 100.164772 106.6005)
(xy 100.289069 106.564004)
(xy 100.398049 106.493967)
(xy 100.482882 106.396063)
(xy 100.526753 106.299999)
(xy 119.444867 106.299999)
(xy 119.463302 106.428223)
(xy 119.463302 106.428224)
(xy 119.463303 106.428226)
(xy 119.517118 106.546063)
(xy 119.601951 106.643967)
(xy 119.710931 106.714004)
(xy 119.835228 106.7505)
(xy 119.964772 106.7505)
(xy 120.089069 106.714004)

(xy 120.198049 106.643967)
(xy 120.282882 106.546063)
(xy 120.336697 106.428226)
(xy 120.355133 106.3)
(xy 120.340755 106.2)
(xy 127.344867 106.2)
(xy 127.363302 106.328223)
(xy 127.363302 106.328224)
(xy 127.363303 106.328226)
(xy 127.417118 106.446063)
(xy 127.501951 106.543967)
(xy 127.610931 106.614004)
(xy 127.735228 106.6505)
(xy 127.864772 106.6505)
(xy 127.989069 106.614004)
(xy 128.098049 106.543967)
(xy 128.182882 106.446063)
(xy 128.236697 106.328226)
(xy 128.255133 106.2)
(xy 128.236697 106.071774)
(xy 128.182882 105.953937)
(xy 128.098049 105.856033)
(xy 128.020244 105.806031)
(xy 127.989068 105.785995)
(xy 127.864772 105.7495)
(xy 127.735228 105.7495)
(xy 127.610931 105.785995)
(xy 127.501954 105.856031)
(xy 127.50195 105.856034)
(xy 127.417119 105.953935)
(xy 127.363302 106.071776)
(xy 127.344867 106.2)
(xy 120.340755 106.2)
(xy 120.336697 106.171774)
(xy 120.282882 106.053937)

(xy 120.198049 105.956033)
(xy 120.105168 105.896342)
(xy 120.089068 105.885995)
(xy 119.964772 105.8495)
(xy 119.835228 105.8495)
(xy 119.710931 105.885995)
(xy 119.601954 105.956031)
(xy 119.60195 105.956034)
(xy 119.517119 106.053935)
(xy 119.517118 106.053936)
(xy 119.517118 106.053937)
(xy 119.49021 106.112855)
(xy 119.463302 106.171776)
(xy 119.444867 106.299999)
(xy 100.526753 106.299999)
(xy 100.536697 106.278226)
(xy 100.555133 106.15)
(xy 100.536697 106.021774)
(xy 100.482882 105.903937)
(xy 100.398049 105.806033)
(xy 100.301474 105.743968)
(xy 100.289068 105.735995)
(xy 100.164772 105.6995)
(xy 100.035228 105.6995)
(xy 99.910931 105.735995)
(xy 99.801954 105.806031)
(xy 99.80195 105.806034)
(xy 99.717119 105.903935)
(xy 99.717118 105.903936)
(xy 99.717118 105.903937)
(xy 99.693327 105.956031)
(xy 99.663302 106.021776)
(xy 99.644867 106.15)
(xy 88.053919 106.15)
(xy 88.032882 106.103937)

(xy 87.948049 106.006033)
(xy 87.860082 105.9495)
(xy 87.839068 105.935995)
(xy 87.714772 105.8995)
(xy 87.585228 105.8995)
(xy 87.460931 105.935995)
(xy 87.351954 106.006031)
(xy 87.35195 106.006034)
(xy 87.267119 106.103935)
(xy 87.267118 106.103936)
(xy 87.267118 106.103937)
(xy 87.24021 106.162855)
(xy 87.213302 106.221776)
(xy 87.194867 106.35)
(xy 77.688509 106.35)
(xy 77.610706 106.299999)
(xy 77.589068 106.286093)
(xy 77.464772 106.249598)
(xy 77.335228 106.249598)
(xy 77.335227 106.249598)
(xy 77.212762 106.285555)
(xy 77.162245 106.282344)
(xy 77.125611 106.247412)
(xy 77.124625 106.24534)
(xy 77.082882 106.153937)
(xy 76.998049 106.056033)
(xy 76.910858 105.999999)
(xy 76.889068 105.985995)
(xy 76.764772 105.9495)
(xy 76.635228 105.9495)
(xy 76.510931 105.985995)
(xy 76.401954 106.056031)
(xy 76.40195 106.056034)
(xy 76.317119 106.153935)
(xy 76.263302 106.271776)

(xy 76.244867 106.4)
(xy 74.236146 106.4)
(xy 74.198049 106.356033)
(xy 74.110858 106.299999)
(xy 74.089068 106.285995)
(xy 73.964772 106.2495)
(xy 73.835228 106.2495)
(xy 73.835227 106.2495)
(xy 73.712723 106.285469)
(xy 73.662206 106.282258)
(xy 73.625572 106.247326)
(xy 73.62459 106.245264)
(xy 73.582882 106.153937)
(xy 73.498049 106.056033)
(xy 73.410858 105.999999)
(xy 73.389068 105.985995)
(xy 73.264772 105.9495)
(xy 73.135228 105.9495)
(xy 73.010931 105.985995)
(xy 72.901954 106.056031)
(xy 72.90195 106.056034)
(xy 72.817119 106.153935)
(xy 72.763302 106.271776)
(xy 72.744867 106.4)
(xy 59.91086 106.4)
(xy 59.998049 106.343967)
(xy 60.082882 106.246063)
(xy 60.136697 106.128226)
(xy 60.155133 106)
(xy 60.136697 105.871774)
(xy 60.082882 105.753937)
(xy 59.998049 105.656033)
(xy 59.931032 105.612964)
(xy 59.889068 105.585995)
(xy 59.764772 105.5495)

(xy 59.635228 105.5495)
(xy 59.510931 105.585995)
(xy 59.401954 105.656031)
(xy 59.40195 105.656034)
(xy 59.317119 105.753935)
(xy 59.317118 105.753936)
(xy 59.317118 105.753937)
(xy 59.302477 105.785995)
(xy 59.263302 105.871776)
(xy 59.24688 105.985996)
(xy 59.244867 106)
(xy 50.0505 106)
(xy 50.0505 105.4)
(xy 73.694867 105.4)
(xy 73.713302 105.528223)
(xy 73.713302 105.528224)
(xy 73.713303 105.528226)
(xy 73.767118 105.646063)
(xy 73.851951 105.743967)
(xy 73.960931 105.814004)
(xy 74.085228 105.8505)
(xy 74.214772 105.8505)
(xy 74.339069 105.814004)
(xy 74.448049 105.743967)
(xy 74.52923 105.650278)
(xy 79.544867 105.650278)
(xy 79.545695 105.656034)
(xy 79.563302 105.778501)
(xy 79.563302 105.778502)
(xy 79.563303 105.778504)
(xy 79.617118 105.896341)
(xy 79.701951 105.994245)
(xy 79.810931 106.064282)
(xy 79.935228 106.100778)
(xy 80.064772 106.100778)

(xy 80.189069 106.064282)
(xy 80.298049 105.994245)
(xy 80.382882 105.896341)
(xy 80.436697 105.778504)
(xy 80.446193 105.712456)
(xy 80.470099 105.667839)
(xy 80.517092 105.649025)
(xy 80.529823 105.650884)
(xy 80.529987 105.649747)
(xy 80.535226 105.6505)
(xy 80.535228 105.6505)
(xy 80.664772 105.6505)
(xy 80.789069 105.614004)
(xy 80.898049 105.543967)
(xy 80.982882 105.446063)
(xy 81.003919 105.4)
(xy 97.394867 105.4)
(xy 97.413302 105.528223)
(xy 97.413302 105.528224)
(xy 97.413303 105.528226)
(xy 97.467118 105.646063)
(xy 97.551951 105.743967)
(xy 97.660931 105.814004)
(xy 97.785228 105.8505)
(xy 97.914772 105.8505)
(xy 98.039069 105.814004)
(xy 98.148049 105.743967)
(xy 98.232882 105.646063)
(xy 98.286697 105.528226)
(xy 98.305133 105.4)
(xy 106.844867 105.4)
(xy 106.863302 105.528223)
(xy 106.863302 105.528224)
(xy 106.863303 105.528226)
(xy 106.917118 105.646063)

(xy 107.001951 105.743967)
(xy 107.110931 105.814004)
(xy 107.235228 105.8505)
(xy 107.364775 105.8505)
(xy 107.364775 105.850499)
(xy 107.489069 105.814004)
(xy 107.489076 105.813999)
(xy 107.493886 105.811804)
(xy 107.495053 105.81436)
(xy 107.534318 105.805465)
(xy 107.555489 105.81317)
(xy 107.556114 105.811804)
(xy 107.560926 105.814)
(xy 107.560931 105.814004)
(xy 107.656754 105.842139)
(xy 107.685224 105.850499)
(xy 107.685225 105.8505)
(xy 107.685228 105.8505)
(xy 107.814772 105.8505)
(xy 107.939069 105.814004)
(xy 107.959993 105.800556)
(xy 108.009366 105.789404)
(xy 108.040004 105.800555)
(xy 108.060931 105.814004)
(xy 108.185228 105.8505)
(xy 108.314772 105.8505)
(xy 108.439069 105.814004)
(xy 108.548049 105.743967)
(xy 108.632882 105.646063)
(xy 108.686697 105.528226)
(xy 108.705133 105.4)
(xy 108.686697 105.271774)
(xy 108.632882 105.153937)
(xy 108.548049 105.056033)
(xy 108.451474 104.993968)

(xy 108.439068 104.985995)
(xy 108.314772 104.9495)
(xy 108.185228 104.9495)
(xy 108.06093 104.985996)
(xy 108.040006 104.999443)
(xy 107.990631 105.010593)
(xy 107.959994 104.999443)
(xy 107.939069 104.985996)
(xy 107.814772 104.9495)
(xy 107.685228 104.9495)
(xy 107.560932 104.985995)
(xy 107.556124 104.988192)
(xy 107.554964 104.985653)
(xy 107.515593 104.994524)
(xy 107.494491 104.986843)
(xy 107.493876 104.988192)
(xy 107.489067 104.985995)
(xy 107.364772 104.9495)
(xy 107.235228 104.9495)
(xy 107.110931 104.985995)
(xy 107.001954 105.056031)
(xy 107.00195 105.056034)
(xy 106.917119 105.153935)
(xy 106.863302 105.271776)
(xy 106.844867 105.4)
(xy 98.305133 105.4)
(xy 98.286697 105.271774)
(xy 98.232882 105.153937)
(xy 98.23288 105.153935)
(xy 98.23288 105.153934)
(xy 98.232878 105.153932)
(xy 98.163149 105.07346)
(xy 98.145083 105.026174)
(xy 98.161639 104.978339)
(xy 98.163149 104.97654)

(xy 98.232882 104.896063)
(xy 98.286697 104.778226)
(xy 98.305133 104.65)
(xy 98.303786 104.640629)
(xy 99.64502 104.640629)
(xy 99.646367 104.649999)
(xy 99.663455 104.768852)
(xy 99.663455 104.768853)
(xy 99.663456 104.768855)
(xy 99.717271 104.886692)
(xy 99.802104 104.984596)
(xy 99.911084 105.054633)
(xy 100.035381 105.091129)
(xy 100.164925 105.091129)
(xy 100.289222 105.054633)
(xy 100.398202 104.984596)
(xy 100.483035 104.886692)
(xy 100.53685 104.768855)
(xy 100.555286 104.640629)
(xy 100.53685 104.512403)
(xy 100.483035 104.394566)
(xy 100.398202 104.296662)
(xy 100.319468 104.246063)
(xy 100.289221 104.226624)
(xy 100.164925 104.190129)
(xy 100.035381 104.190129)
(xy 99.911084 104.226624)
(xy 99.802107 104.29666)
(xy 99.802103 104.296663)
(xy 99.717272 104.394564)
(xy 99.663455 104.512405)
(xy 99.646804 104.628223)
(xy 99.64502 104.640629)
(xy 98.303786 104.640629)
(xy 98.286697 104.521774)

(xy 98.232882 104.403937)
(xy 98.148049 104.306033)
(xy 98.064941 104.252623)
(xy 98.039068 104.235995)
(xy 97.914772 104.1995)
(xy 97.785228 104.1995)
(xy 97.660931 104.235995)
(xy 97.551954 104.306031)
(xy 97.55195 104.306034)
(xy 97.467119 104.403935)
(xy 97.467118 104.403936)
(xy 97.467118 104.403937)
(xy 97.44021 104.462855)
(xy 97.413302 104.521776)
(xy 97.394867 104.649999)
(xy 97.413302 104.778223)
(xy 97.413302 104.778224)
(xy 97.413303 104.778226)
(xy 97.444284 104.846064)
(xy 97.467119 104.896065)
(xy 97.46712 104.896067)
(xy 97.536851 104.976541)
(xy 97.554916 105.023826)
(xy 97.53836 105.071661)
(xy 97.536851 105.073459)
(xy 97.46712 105.153932)
(xy 97.467119 105.153934)
(xy 97.413302 105.271776)
(xy 97.394867 105.4)
(xy 81.003919 105.4)
(xy 81.036697 105.328226)
(xy 81.055133 105.2)
(xy 81.045547 105.133328)
(xy 81.055914 105.083784)
(xy 81.095703 105.052494)

(xy 81.129668 105.051955)
(xy 81.129986 105.049747)
(xy 81.135225 105.0505)
(xy 81.135228 105.0505)
(xy 81.264772 105.0505)
(xy 81.389069 105.014004)
(xy 81.498049 104.943967)
(xy 81.582882 104.846063)
(xy 81.636697 104.728226)
(xy 81.647944 104.649999)
(xy 95.644867 104.649999)
(xy 95.663302 104.778223)
(xy 95.663302 104.778224)
(xy 95.663303 104.778226)
(xy 95.717118 104.896063)
(xy 95.801951 104.993967)
(xy 95.910931 105.064004)
(xy 96.035228 105.1005)
(xy 96.164772 105.1005)
(xy 96.289069 105.064004)
(xy 96.398049 104.993967)
(xy 96.482882 104.896063)
(xy 96.536697 104.778226)
(xy 96.555133 104.65)
(xy 96.536697 104.521774)
(xy 96.482882 104.403937)
(xy 96.398049 104.306033)
(xy 96.314941 104.252623)
(xy 96.289068 104.235995)
(xy 96.164772 104.1995)
(xy 96.035228 104.1995)
(xy 95.910931 104.235995)
(xy 95.801954 104.306031)
(xy 95.80195 104.306034)
(xy 95.717119 104.403935)

(xy 95.717118 104.403936)
(xy 95.717118 104.403937)
(xy 95.69021 104.462855)
(xy 95.663302 104.521776)
(xy 95.644867 104.649999)
(xy 81.647944 104.649999)
(xy 81.655133 104.6)
(xy 81.645547 104.533328)
(xy 81.655914 104.483784)
(xy 81.695703 104.452494)
(xy 81.729668 104.451955)
(xy 81.729986 104.449747)
(xy 81.735225 104.4505)
(xy 81.735228 104.4505)
(xy 81.864772 104.4505)
(xy 81.989069 104.414004)
(xy 82.098049 104.343967)
(xy 82.182882 104.246063)
(xy 82.236697 104.128226)
(xy 82.237247 104.1244)
(xy 101.244867 104.1244)
(xy 101.263302 104.252623)
(xy 101.263302 104.252624)
(xy 101.263303 104.252626)
(xy 101.317118 104.370463)
(xy 101.401951 104.468367)
(xy 101.510931 104.538404)
(xy 101.635228 104.5749)
(xy 101.764772 104.5749)
(xy 101.889069 104.538404)
(xy 101.948829 104.499999)
(xy 117.644867 104.499999)
(xy 117.663302 104.628223)
(xy 117.663302 104.628224)
(xy 117.663303 104.628226)

(xy 117.717118 104.746063)
(xy 117.801951 104.843967)
(xy 117.910931 104.914004)
(xy 118.035228 104.9505)
(xy 118.164772 104.9505)
(xy 118.289069 104.914004)
(xy 118.398049 104.843967)
(xy 118.482882 104.746063)
(xy 118.536697 104.628226)
(xy 118.555133 104.5)
(xy 118.540755 104.4)
(xy 124.544867 104.4)
(xy 124.563302 104.528223)
(xy 124.563302 104.528224)
(xy 124.563303 104.528226)
(xy 124.617118 104.646063)
(xy 124.701951 104.743967)
(xy 124.810931 104.814004)
(xy 124.935228 104.8505)
(xy 125.064772 104.8505)
(xy 125.189069 104.814004)
(xy 125.298049 104.743967)
(xy 125.382882 104.646063)
(xy 125.436697 104.528226)
(xy 125.455133 104.4)
(xy 125.436697 104.271774)
(xy 125.382882 104.153937)
(xy 125.38288 104.153935)
(xy 125.38288 104.153934)
(xy 125.382878 104.153932)
(xy 125.334811 104.098458)
(xy 125.316746 104.051172)
(xy 125.333303 104.003338)
(xy 125.334796 104.001557)
(xy 125.382882 103.946063)

(xy 125.436697 103.828226)
(xy 125.455133 103.7)
(xy 125.436697 103.571774)
(xy 125.382882 103.453937)
(xy 125.38288 103.453935)
(xy 125.38288 103.453934)
(xy 125.382878 103.453932)
(xy 125.334811 103.398458)
(xy 125.316746 103.351172)
(xy 125.333303 103.303338)
(xy 125.334796 103.301557)
(xy 125.382882 103.246063)
(xy 125.436697 103.128226)
(xy 125.455133 103)
(xy 125.436697 102.871774)
(xy 125.382882 102.753937)
(xy 125.298049 102.656033)
(xy 125.21086 102.6)
(xy 125.189068 102.585995)
(xy 125.064772 102.5495)
(xy 124.935228 102.5495)
(xy 124.810931 102.585995)
(xy 124.701954 102.656031)
(xy 124.70195 102.656034)
(xy 124.617119 102.753935)
(xy 124.563302 102.871776)
(xy 124.544867 103)
(xy 124.563302 103.128223)
(xy 124.563302 103.128224)
(xy 124.563303 103.128226)
(xy 124.575044 103.153935)
(xy 124.617119 103.246065)
(xy 124.617121 103.246067)
(xy 124.665188 103.301541)
(xy 124.683253 103.348827)

(xy 124.666696 103.396662)
(xy 124.665188 103.398459)
(xy 124.617121 103.453932)
(xy 124.617119 103.453934)
(xy 124.563302 103.571776)
(xy 124.544867 103.7)
(xy 124.563302 103.828223)
(xy 124.563302 103.828224)
(xy 124.563303 103.828226)
(xy 124.611303 103.93333)
(xy 124.617119 103.946065)
(xy 124.617121 103.946067)
(xy 124.665188 104.001541)
(xy 124.683253 104.048827)
(xy 124.666696 104.096662)
(xy 124.665188 104.098459)
(xy 124.617121 104.153932)
(xy 124.617119 104.153934)
(xy 124.563302 104.271776)
(xy 124.544867 104.4)
(xy 118.540755 104.4)
(xy 118.536697 104.371774)
(xy 118.482882 104.253937)
(xy 118.398049 104.156033)
(xy 118.398045 104.15603)
(xy 118.397927 104.155928)
(xy 118.397872 104.15583)
(xy 118.394583 104.152034)
(xy 118.395377 104.151345)
(xy 118.373314 104.111695)
(xy 118.382891 104.061991)
(xy 118.394627 104.048004)
(xy 118.394583 104.047966)
(xy 118.397003 104.045172)
(xy 118.397927 104.044072)

(xy 118.398044 104.04397)
(xy 118.398049 104.043967)
(xy 118.482882 103.946063)
(xy 118.503919 103.9)
(xy 119.844859 103.9)
(xy 119.863294 104.028223)
(xy 119.863294 104.028224)
(xy 119.863295 104.028226)
(xy 119.91711 104.146063)
(xy 120.001943 104.243967)
(xy 120.110923 104.314004)
(xy 120.23522 104.3505)
(xy 120.364764 104.3505)
(xy 120.489061 104.314004)
(xy 120.598041 104.243967)
(xy 120.682874 104.146063)
(xy 120.736689 104.028226)
(xy 120.755125 103.9)
(xy 120.736689 103.771774)
(xy 120.682874 103.653937)
(xy 120.682872 103.653935)
(xy 120.682872 103.653934)
(xy 120.68287 103.653932)
(xy 120.627365 103.589875)
(xy 120.609299 103.542589)
(xy 120.625855 103.494754)
(xy 120.643279 103.479165)
(xy 120.698049 103.443967)
(xy 120.782882 103.346063)
(xy 120.836697 103.228226)
(xy 120.855133 103.1)
(xy 120.836697 102.971774)
(xy 120.782882 102.853937)
(xy 120.698049 102.756033)
(xy 120.625704 102.70954)

(xy 120.589068 102.685995)
(xy 120.464772 102.6495)
(xy 120.335228 102.6495)
(xy 120.210931 102.685995)
(xy 120.101954 102.756031)
(xy 120.10195 102.756034)
(xy 120.017119 102.853935)
(xy 119.963302 102.971776)
(xy 119.944867 103.1)
(xy 119.963302 103.228223)
(xy 119.963302 103.228224)
(xy 119.963303 103.228226)
(xy 120.017118 103.346063)
(xy 120.072627 103.410125)
(xy 120.090692 103.45741)
(xy 120.074136 103.505245)
(xy 120.056709 103.520836)
(xy 120.001948 103.556029)
(xy 120.001942 103.556034)
(xy 119.917111 103.653935)
(xy 119.863294 103.771776)
(xy 119.844859 103.9)
(xy 118.503919 103.9)
(xy 118.536697 103.828226)
(xy 118.555133 103.7)
(xy 118.536697 103.571774)
(xy 118.482882 103.453937)
(xy 118.398049 103.356033)
(xy 118.313258 103.301541)
(xy 118.289068 103.285995)
(xy 118.164772 103.2495)
(xy 118.035228 103.2495)
(xy 117.910931 103.285995)
(xy 117.801954 103.356031)
(xy 117.80195 103.356034)

(xy 117.717119 103.453935)
(xy 117.663302 103.571776)
(xy 117.644867 103.699999)
(xy 117.644867 103.7)
(xy 117.646039 103.708152)
(xy 117.663302 103.828223)
(xy 117.663302 103.828224)
(xy 117.663303 103.828226)
(xy 117.717118 103.946063)
(xy 117.766746 104.003338)
(xy 117.801954 104.04397)
(xy 117.802079 104.044078)
(xy 117.802134 104.044177)
(xy 117.805417 104.047966)
(xy 117.804624 104.048653)
(xy 117.826686 104.088313)
(xy 117.817103 104.138017)
(xy 117.805373 104.151996)
(xy 117.805417 104.152034)
(xy 117.803026 104.154792)
(xy 117.802079 104.155922)
(xy 117.801954 104.156029)
(xy 117.717119 104.253935)
(xy 117.663302 104.371776)
(xy 117.644867 104.499999)
(xy 101.948829 104.499999)
(xy 101.998049 104.468367)
(xy 102.082882 104.370463)
(xy 102.136697 104.252626)
(xy 102.155133 104.1244)
(xy 102.136697 103.996174)
(xy 102.082882 103.878337)
(xy 101.998049 103.780433)
(xy 101.92485 103.733391)
(xy 101.889068 103.710395)

(xy 101.764772 103.6739)
(xy 101.635228 103.6739)
(xy 101.510931 103.710395)
(xy 101.401954 103.780431)
(xy 101.40195 103.780434)
(xy 101.317119 103.878335)
(xy 101.263302 103.996176)
(xy 101.244867 104.1244)
(xy 82.237247 104.1244)
(xy 82.255133 104)
(xy 82.245547 103.933328)
(xy 82.255914 103.883784)
(xy 82.295703 103.852494)
(xy 82.329668 103.851955)
(xy 82.329986 103.849747)
(xy 82.335225 103.8505)
(xy 82.335228 103.8505)
(xy 82.464772 103.8505)
(xy 82.589069 103.814004)
(xy 82.698049 103.743967)
(xy 82.782882 103.646063)
(xy 82.836697 103.528226)
(xy 82.852257 103.420003)
(xy 107.154722 103.420003)
(xy 107.173761 103.576808)
(xy 107.173764 103.576822)
(xy 107.229778 103.724521)
(xy 107.319516 103.854529)
(xy 107.319517 103.85453)
(xy 107.43776 103.959283)
(xy 107.508049 103.996174)
(xy 107.569112 104.028223)
(xy 107.577635 104.032696)
(xy 107.731015 104.0705)
(xy 107.731019 104.0705)

(xy 107.888981 104.0705)
(xy 107.888985 104.0705)
(xy 108.042365 104.032696)
(xy 108.18224 103.959283)
(xy 108.300483 103.85453)
(xy 108.3841 103.733389)
(xy 108.425368 103.704079)
(xy 108.475823 103.708152)
(xy 108.505899 103.733388)
(xy 108.560271 103.81216)
(xy 108.589515 103.854528)
(xy 108.589517 103.85453)
(xy 108.70776 103.959283)
(xy 108.778049 103.996174)
(xy 108.839112 104.028223)
(xy 108.847635 104.032696)
(xy 109.001015 104.0705)
(xy 109.001019 104.0705)
(xy 109.158981 104.0705)
(xy 109.158985 104.0705)
(xy 109.312365 104.032696)
(xy 109.45224 103.959283)
(xy 109.570483 103.85453)
(xy 109.6541 103.733389)
(xy 109.695368 103.704079)
(xy 109.745823 103.708152)
(xy 109.775899 103.733388)
(xy 109.830271 103.81216)
(xy 109.859515 103.854528)
(xy 109.859517 103.85453)
(xy 109.97776 103.959283)
(xy 110.048049 103.996174)
(xy 110.109112 104.028223)
(xy 110.117635 104.032696)
(xy 110.271015 104.0705)

(xy 110.271019 104.0705)
(xy 110.428981 104.0705)
(xy 110.428985 104.0705)
(xy 110.582365 104.032696)
(xy 110.72224 103.959283)
(xy 110.840483 103.85453)
(xy 110.924099 103.733389)
(xy 110.965366 103.704079)
(xy 111.015821 103.708152)
(xy 111.0459 103.73339)
(xy 111.129516 103.854529)
(xy 111.129517 103.85453)
(xy 111.24776 103.959283)
(xy 111.318049 103.996174)
(xy 111.379112 104.028223)
(xy 111.387635 104.032696)
(xy 111.541015 104.0705)
(xy 111.541019 104.0705)
(xy 111.698981 104.0705)
(xy 111.698985 104.0705)
(xy 111.852365 104.032696)
(xy 111.99224 103.959283)
(xy 112.110483 103.85453)
(xy 112.1941 103.733389)
(xy 112.235368 103.704079)
(xy 112.285823 103.708152)
(xy 112.315899 103.733388)
(xy 112.370271 103.81216)
(xy 112.399515 103.854528)
(xy 112.399517 103.85453)
(xy 112.51776 103.959283)
(xy 112.588049 103.996174)
(xy 112.649112 104.028223)
(xy 112.657635 104.032696)
(xy 112.811015 104.0705)

(xy 112.811019 104.0705)
(xy 112.968981 104.0705)
(xy 112.968985 104.0705)
(xy 113.122365 104.032696)
(xy 113.26224 103.959283)
(xy 113.380483 103.85453)
(xy 113.4641 103.733389)
(xy 113.505368 103.704079)
(xy 113.555823 103.708152)
(xy 113.585899 103.733388)
(xy 113.640271 103.81216)
(xy 113.669515 103.854528)
(xy 113.669517 103.85453)
(xy 113.78776 103.959283)
(xy 113.858049 103.996174)
(xy 113.919112 104.028223)
(xy 113.927635 104.032696)
(xy 114.081015 104.0705)
(xy 114.081019 104.0705)
(xy 114.238981 104.0705)
(xy 114.238985 104.0705)
(xy 114.392365 104.032696)
(xy 114.53224 103.959283)
(xy 114.650483 103.85453)
(xy 114.7341 103.733389)
(xy 114.775368 103.704079)
(xy 114.825823 103.708152)
(xy 114.855899 103.733388)
(xy 114.910271 103.81216)
(xy 114.939515 103.854528)
(xy 114.939517 103.85453)
(xy 115.05776 103.959283)
(xy 115.128049 103.996174)
(xy 115.189112 104.028223)
(xy 115.197635 104.032696)

(xy 115.351015 104.0705)
(xy 115.351019 104.0705)
(xy 115.508981 104.0705)
(xy 115.508985 104.0705)
(xy 115.662365 104.032696)
(xy 115.80224 103.959283)
(xy 115.920483 103.85453)
(xy 116.004099 103.733389)
(xy 116.045366 103.704079)
(xy 116.095821 103.708152)
(xy 116.1259 103.73339)
(xy 116.209516 103.854529)
(xy 116.209517 103.85453)
(xy 116.32776 103.959283)
(xy 116.398049 103.996174)
(xy 116.459112 104.028223)
(xy 116.467635 104.032696)
(xy 116.621015 104.0705)
(xy 116.621019 104.0705)
(xy 116.778981 104.0705)
(xy 116.778985 104.0705)
(xy 116.932365 104.032696)
(xy 117.07224 103.959283)
(xy 117.190483 103.85453)
(xy 117.28022 103.724523)
(xy 117.287974 103.704079)
(xy 117.306195 103.656033)
(xy 117.336237 103.576818)
(xy 117.343864 103.514004)
(xy 117.355278 103.420003)
(xy 117.355278 103.419996)
(xy 117.339007 103.285995)
(xy 117.336237 103.263182)
(xy 117.294806 103.153937)
(xy 117.280221 103.115478)

(xy 117.190483 102.98547)
(xy 117.138691 102.939587)
(xy 117.114568 102.895086)
(xy 117.124692 102.84549)
(xy 117.159931 102.817497)
(xy 117.159341 102.816205)
(xy 117.164156 102.814005)
(xy 117.164156 102.814004)
(xy 117.164159 102.814004)
(xy 117.273139 102.743967)
(xy 117.357972 102.646063)
(xy 117.411787 102.528226)
(xy 117.430223 102.4)
(xy 117.411787 102.271774)
(xy 117.357972 102.153937)
(xy 117.273139 102.056033)
(xy 117.185948 101.999999)
(xy 117.164158 101.985995)
(xy 117.039862 101.9495)
(xy 116.910318 101.9495)
(xy 116.786021 101.985995)
(xy 116.677044 102.056031)
(xy 116.67704 102.056034)
(xy 116.592209 102.153935)
(xy 116.538392 102.271776)
(xy 116.519957 102.4)
(xy 116.538392 102.528223)
(xy 116.538392 102.528224)
(xy 116.538393 102.528226)
(xy 116.57731 102.613442)
(xy 116.592209 102.646065)
(xy 116.59221 102.646067)
(xy 116.606236 102.662254)
(xy 116.6243 102.70954)
(xy 116.607743 102.757374)

(xy 116.568018 102.782562)
(xy 116.467633 102.807304)
(xy 116.327761 102.880716)
(xy 116.209516 102.98547)
(xy 116.125901 103.106609)
(xy 116.084632 103.13592)
(xy 116.034177 103.131847)
(xy 116.004099 103.106609)
(xy 115.920483 102.98547)
(xy 115.905023 102.971774)
(xy 115.80224 102.880717)
(xy 115.736215 102.846064)
(xy 115.662366 102.807304)
(xy 115.508987 102.7695)
(xy 115.508985 102.7695)
(xy 115.351015 102.7695)
(xy 115.351012 102.7695)
(xy 115.197633 102.807304)
(xy 115.057761 102.880716)
(xy 114.939516 102.98547)
(xy 114.855901 103.106609)
(xy 114.814632 103.13592)
(xy 114.764177 103.131847)
(xy 114.734099 103.106609)
(xy 114.650483 102.98547)
(xy 114.635023 102.971774)
(xy 114.53224 102.880717)
(xy 114.466215 102.846064)
(xy 114.392366 102.807304)
(xy 114.238987 102.7695)
(xy 114.238985 102.7695)
(xy 114.081015 102.7695)
(xy 114.081012 102.7695)
(xy 113.927633 102.807304)
(xy 113.787761 102.880716)

(xy 113.669516 102.98547)
(xy 113.5859 103.106609)
(xy 113.544631 103.13592)
(xy 113.494176 103.131847)
(xy 113.464098 103.106608)
(xy 113.380484 102.985471)
(xy 113.365023 102.971774)
(xy 113.26224 102.880717)
(xy 113.196215 102.846064)
(xy 113.122366 102.807304)
(xy 112.968987 102.7695)
(xy 112.968985 102.7695)
(xy 112.811015 102.7695)
(xy 112.811012 102.7695)
(xy 112.657633 102.807304)
(xy 112.517761 102.880716)
(xy 112.399516 102.98547)
(xy 112.315901 103.106609)
(xy 112.274632 103.13592)
(xy 112.224177 103.131847)
(xy 112.194099 103.106609)
(xy 112.110483 102.98547)
(xy 112.095023 102.971774)
(xy 111.99224 102.880717)
(xy 111.926215 102.846064)
(xy 111.852366 102.807304)
(xy 111.698987 102.7695)
(xy 111.698985 102.7695)
(xy 111.541015 102.7695)
(xy 111.541012 102.7695)
(xy 111.387633 102.807304)
(xy 111.247761 102.880716)
(xy 111.129516 102.98547)
(xy 111.045901 103.106609)
(xy 111.004632 103.13592)

(xy 110.954177 103.131847)
(xy 110.924099 103.106609)
(xy 110.840483 102.98547)
(xy 110.825023 102.971774)
(xy 110.72224 102.880717)
(xy 110.656215 102.846064)
(xy 110.582366 102.807304)
(xy 110.428987 102.7695)
(xy 110.428985 102.7695)
(xy 110.271015 102.7695)
(xy 110.271012 102.7695)
(xy 110.117633 102.807304)
(xy 109.977761 102.880716)
(xy 109.859516 102.98547)
(xy 109.7759 103.106609)
(xy 109.734631 103.13592)
(xy 109.684176 103.131847)
(xy 109.654098 103.106608)
(xy 109.570484 102.985471)
(xy 109.555023 102.971774)
(xy 109.45224 102.880717)
(xy 109.386215 102.846064)
(xy 109.312366 102.807304)
(xy 109.158987 102.7695)
(xy 109.158985 102.7695)
(xy 109.001015 102.7695)
(xy 109.001012 102.7695)
(xy 108.847633 102.807304)
(xy 108.707761 102.880716)
(xy 108.589516 102.98547)
(xy 108.505901 103.106609)
(xy 108.464632 103.13592)
(xy 108.414177 103.131847)
(xy 108.384099 103.106609)
(xy 108.300483 102.98547)

(xy 108.285023 102.971774)
(xy 108.18224 102.880717)
(xy 108.116215 102.846064)
(xy 108.042366 102.807304)
(xy 107.888987 102.7695)
(xy 107.888985 102.7695)
(xy 107.731015 102.7695)
(xy 107.731012 102.7695)
(xy 107.577633 102.807304)
(xy 107.437761 102.880716)
(xy 107.319516 102.98547)
(xy 107.229779 103.115478)
(xy 107.229778 103.115478)
(xy 107.173764 103.263177)
(xy 107.173761 103.263191)
(xy 107.154722 103.419996)
(xy 107.154722 103.420003)
(xy 82.852257 103.420003)
(xy 82.855133 103.4)
(xy 82.845547 103.333328)
(xy 82.855914 103.283784)
(xy 82.895703 103.252494)
(xy 82.929668 103.251955)
(xy 82.929986 103.249747)
(xy 82.935225 103.2505)
(xy 82.935228 103.2505)
(xy 83.064772 103.2505)
(xy 83.189069 103.214004)
(xy 83.298049 103.143967)
(xy 83.382882 103.046063)
(xy 83.436697 102.928226)
(xy 83.455133 102.8)
(xy 83.445547 102.733328)
(xy 83.455914 102.683784)
(xy 83.495703 102.652494)

(xy 83.529668 102.651955)
(xy 83.529986 102.649747)
(xy 83.535225 102.6505)
(xy 83.535228 102.6505)
(xy 83.664772 102.6505)
(xy 83.789069 102.614004)
(xy 83.81086 102.6)
(xy 97.394867 102.6)
(xy 97.413302 102.728223)
(xy 97.413302 102.728224)
(xy 97.413303 102.728226)
(xy 97.467118 102.846063)
(xy 97.551951 102.943967)
(xy 97.660931 103.014004)
(xy 97.785228 103.0505)
(xy 97.914772 103.0505)
(xy 98.039069 103.014004)
(xy 98.148049 102.943967)
(xy 98.232882 102.846063)
(xy 98.286697 102.728226)
(xy 98.305133 102.6)
(xy 101.394867 102.6)
(xy 101.413302 102.728223)
(xy 101.413302 102.728224)
(xy 101.413303 102.728226)
(xy 101.467118 102.846063)
(xy 101.551951 102.943967)
(xy 101.660931 103.014004)
(xy 101.785228 103.0505)
(xy 101.914772 103.0505)
(xy 102.039069 103.014004)
(xy 102.148049 102.943967)
(xy 102.232882 102.846063)
(xy 102.286697 102.728226)
(xy 102.305133 102.6)

(xy 102.286697 102.471774)
(xy 102.232882 102.353937)
(xy 102.23288 102.353935)
(xy 102.23288 102.353934)
(xy 102.232878 102.353932)
(xy 102.163149 102.27346)
(xy 102.145083 102.226174)
(xy 102.154142 102.2)
(xy 107.644867 102.2)
(xy 107.663302 102.328223)
(xy 107.663302 102.328224)
(xy 107.663303 102.328226)
(xy 107.717118 102.446063)
(xy 107.801951 102.543967)
(xy 107.910931 102.614004)
(xy 108.035228 102.6505)
(xy 108.164772 102.6505)
(xy 108.289069 102.614004)
(xy 108.398049 102.543967)
(xy 108.482882 102.446063)
(xy 108.536697 102.328226)
(xy 108.555133 102.2)
(xy 108.536697 102.071774)
(xy 108.482882 101.953937)
(xy 108.398049 101.856033)
(xy 108.331032 101.812964)
(xy 108.289068 101.785995)
(xy 108.164772 101.7495)
(xy 108.035228 101.7495)
(xy 107.910931 101.785995)
(xy 107.801954 101.856031)
(xy 107.80195 101.856034)
(xy 107.717119 101.953935)
(xy 107.717118 101.953936)
(xy 107.717118 101.953937)

(xy 107.702477 101.985995)
(xy 107.663302 102.071776)
(xy 107.644867 102.2)
(xy 102.154142 102.2)
(xy 102.161639 102.178339)
(xy 102.163149 102.17654)
(xy 102.232882 102.096063)
(xy 102.286697 101.978226)
(xy 102.305133 101.85)
(xy 102.286697 101.721774)
(xy 102.232882 101.603937)
(xy 102.148049 101.506033)
(xy 102.061638 101.4505)
(xy 102.039068 101.435995)
(xy 101.914772 101.3995)
(xy 101.785228 101.3995)
(xy 101.660931 101.435995)
(xy 101.551954 101.506031)
(xy 101.55195 101.506034)
(xy 101.467119 101.603935)
(xy 101.467118 101.603936)
(xy 101.467118 101.603937)
(xy 101.448838 101.643965)
(xy 101.413302 101.721776)
(xy 101.404069 101.785995)
(xy 101.394867 101.85)
(xy 101.395735 101.856034)
(xy 101.413302 101.978223)
(xy 101.413302 101.978224)
(xy 101.413303 101.978226)
(xy 101.467118 102.096063)
(xy 101.467119 102.096065)
(xy 101.46712 102.096067)
(xy 101.536851 102.176541)
(xy 101.554916 102.223826)

(xy 101.53836 102.271661)
(xy 101.536851 102.273459)
(xy 101.46712 102.353932)
(xy 101.467119 102.353934)
(xy 101.413302 102.471776)
(xy 101.394867 102.6)
(xy 98.305133 102.6)
(xy 98.286697 102.471774)
(xy 98.232882 102.353937)
(xy 98.23288 102.353935)
(xy 98.23288 102.353934)
(xy 98.232878 102.353932)
(xy 98.163149 102.27346)
(xy 98.145083 102.226174)
(xy 98.161639 102.178339)
(xy 98.163149 102.17654)
(xy 98.232882 102.096063)
(xy 98.286697 101.978226)
(xy 98.305133 101.85)
(xy 99.644867 101.85)
(xy 99.645735 101.856034)
(xy 99.663302 101.978223)
(xy 99.663302 101.978224)
(xy 99.663303 101.978226)
(xy 99.717118 102.096063)
(xy 99.801951 102.193967)
(xy 99.910931 102.264004)
(xy 100.035228 102.3005)
(xy 100.164772 102.3005)
(xy 100.289069 102.264004)
(xy 100.398049 102.193967)
(xy 100.482882 102.096063)
(xy 100.536697 101.978226)
(xy 100.555133 101.85)
(xy 100.536697 101.721774)

(xy 100.482882 101.603937)
(xy 100.398049 101.506033)
(xy 100.311638 101.4505)
(xy 100.289068 101.435995)
(xy 100.164772 101.3995)
(xy 100.035228 101.3995)
(xy 99.910931 101.435995)
(xy 99.801954 101.506031)
(xy 99.80195 101.506034)
(xy 99.717119 101.603935)
(xy 99.717118 101.603936)
(xy 99.717118 101.603937)
(xy 99.698838 101.643965)
(xy 99.663302 101.721776)
(xy 99.654069 101.785995)
(xy 99.644867 101.85)
(xy 98.305133 101.85)
(xy 98.286697 101.721774)
(xy 98.232882 101.603937)
(xy 98.148049 101.506033)
(xy 98.061638 101.4505)
(xy 98.039068 101.435995)
(xy 97.914772 101.3995)
(xy 97.785228 101.3995)
(xy 97.660931 101.435995)
(xy 97.551954 101.506031)
(xy 97.55195 101.506034)
(xy 97.467119 101.603935)
(xy 97.467118 101.603936)
(xy 97.467118 101.603937)
(xy 97.448838 101.643965)
(xy 97.413302 101.721776)
(xy 97.404069 101.785995)
(xy 97.394867 101.85)
(xy 97.395735 101.856034)

(xy 97.413302 101.978223)
(xy 97.413302 101.978224)
(xy 97.413303 101.978226)
(xy 97.467118 102.096063)
(xy 97.467119 102.096065)
(xy 97.46712 102.096067)
(xy 97.536851 102.176541)
(xy 97.554916 102.223826)
(xy 97.53836 102.271661)
(xy 97.536851 102.273459)
(xy 97.46712 102.353932)
(xy 97.467119 102.353934)
(xy 97.413302 102.471776)
(xy 97.394867 102.6)
(xy 83.81086 102.6)
(xy 83.898049 102.543967)
(xy 83.982882 102.446063)
(xy 84.036697 102.328226)
(xy 84.055133 102.2)
(xy 84.036697 102.071774)
(xy 83.982882 101.953937)
(xy 83.898049 101.856033)
(xy 83.888661 101.85)
(xy 95.644867 101.85)
(xy 95.645735 101.856034)
(xy 95.663302 101.978223)
(xy 95.663302 101.978224)
(xy 95.663303 101.978226)
(xy 95.717118 102.096063)
(xy 95.801951 102.193967)
(xy 95.910931 102.264004)
(xy 96.035228 102.3005)
(xy 96.164772 102.3005)
(xy 96.289069 102.264004)
(xy 96.398049 102.193967)

(xy 96.482882 102.096063)
(xy 96.536697 101.978226)
(xy 96.555133 101.85)
(xy 96.536697 101.721774)
(xy 96.482882 101.603937)
(xy 96.398049 101.506033)
(xy 96.311638 101.4505)
(xy 96.289068 101.435995)
(xy 96.164772 101.3995)
(xy 96.035228 101.3995)
(xy 95.910931 101.435995)
(xy 95.801954 101.506031)
(xy 95.80195 101.506034)
(xy 95.717119 101.603935)
(xy 95.717118 101.603936)
(xy 95.717118 101.603937)
(xy 95.698838 101.643965)
(xy 95.663302 101.721776)
(xy 95.654069 101.785995)
(xy 95.644867 101.85)
(xy 83.888661 101.85)
(xy 83.831032 101.812964)
(xy 83.789068 101.785995)
(xy 83.664772 101.7495)
(xy 83.535228 101.7495)
(xy 83.410931 101.785995)
(xy 83.301954 101.856031)
(xy 83.30195 101.856034)
(xy 83.217119 101.953935)
(xy 83.217118 101.953936)
(xy 83.217118 101.953937)
(xy 83.202477 101.985995)
(xy 83.163302 102.071776)
(xy 83.144867 102.2)
(xy 83.154452 102.266669)

(xy 83.144084 102.316215)
(xy 83.104295 102.347505)
(xy 83.070329 102.34806)
(xy 83.070014 102.350253)
(xy 83.064775 102.3495)
(xy 83.064772 102.3495)
(xy 82.935228 102.3495)
(xy 82.810931 102.385995)
(xy 82.701954 102.456031)
(xy 82.70195 102.456034)
(xy 82.617119 102.553935)
(xy 82.563302 102.671776)
(xy 82.544867 102.8)
(xy 82.554452 102.866669)
(xy 82.544084 102.916215)
(xy 82.504295 102.947505)
(xy 82.470329 102.94806)
(xy 82.470014 102.950253)
(xy 82.464775 102.9495)
(xy 82.464772 102.9495)
(xy 82.335228 102.9495)
(xy 82.210931 102.985995)
(xy 82.101954 103.056031)
(xy 82.10195 103.056034)
(xy 82.017119 103.153935)
(xy 81.963302 103.271776)
(xy 81.944867 103.4)
(xy 81.954452 103.466669)
(xy 81.944084 103.516215)
(xy 81.904295 103.547505)
(xy 81.870329 103.54806)
(xy 81.870014 103.550253)
(xy 81.864775 103.5495)
(xy 81.864772 103.5495)
(xy 81.735228 103.5495)

(xy 81.610931 103.585995)
(xy 81.501954 103.656031)
(xy 81.50195 103.656034)
(xy 81.417119 103.753935)
(xy 81.363302 103.871776)
(xy 81.344867 104)
(xy 81.354452 104.066669)
(xy 81.344084 104.116215)
(xy 81.304295 104.147505)
(xy 81.270329 104.14806)
(xy 81.270014 104.150253)
(xy 81.264775 104.1495)
(xy 81.264772 104.1495)
(xy 81.135228 104.1495)
(xy 81.010931 104.185995)
(xy 80.901954 104.256031)
(xy 80.90195 104.256034)
(xy 80.817119 104.353935)
(xy 80.817118 104.353936)
(xy 80.817118 104.353937)
(xy 80.79021 104.412855)
(xy 80.763302 104.471776)
(xy 80.744867 104.6)
(xy 80.754452 104.666669)
(xy 80.744084 104.716215)
(xy 80.704295 104.747505)
(xy 80.670329 104.74806)
(xy 80.670014 104.750253)
(xy 80.664775 104.7495)
(xy 80.664772 104.7495)
(xy 80.535228 104.7495)
(xy 80.410931 104.785995)
(xy 80.301954 104.856031)
(xy 80.30195 104.856034)
(xy 80.217119 104.953935)

(xy 80.163302 105.071776)
(xy 80.153806 105.137821)
(xy 80.129899 105.182439)
(xy 80.082906 105.201252)
(xy 80.070144 105.19962)
(xy 80.070014 105.200531)
(xy 80.064775 105.199778)
(xy 80.064772 105.199778)
(xy 79.935228 105.199778)
(xy 79.810931 105.236273)
(xy 79.701954 105.306309)
(xy 79.70195 105.306312)
(xy 79.617119 105.404213)
(xy 79.563302 105.522054)
(xy 79.554109 105.585995)
(xy 79.544867 105.650278)
(xy 74.52923 105.650278)
(xy 74.532882 105.646063)
(xy 74.586697 105.528226)
(xy 74.605133 105.4)
(xy 74.586697 105.271774)
(xy 74.532882 105.153937)
(xy 74.448049 105.056033)
(xy 74.351474 104.993968)
(xy 74.339068 104.985995)
(xy 74.214772 104.9495)
(xy 74.085228 104.9495)
(xy 73.960931 104.985995)
(xy 73.851954 105.056031)
(xy 73.85195 105.056034)
(xy 73.767119 105.153935)
(xy 73.713302 105.271776)
(xy 73.694867 105.4)
(xy 50.0505 105.4)
(xy 50.0505 103.999999)

(xy 59.244867 103.999999)
(xy 59.263302 104.128223)
(xy 59.263302 104.128224)
(xy 59.263303 104.128226)
(xy 59.317118 104.246063)
(xy 59.401951 104.343967)
(xy 59.510931 104.414004)
(xy 59.635228 104.4505)
(xy 59.764772 104.4505)
(xy 59.889069 104.414004)
(xy 59.998049 104.343967)
(xy 60.082882 104.246063)
(xy 60.136697 104.128226)
(xy 60.155133 104)
(xy 60.136697 103.871774)
(xy 60.082882 103.753937)
(xy 59.998049 103.656033)
(xy 59.889942 103.586557)
(xy 59.889068 103.585995)
(xy 59.764772 103.5495)
(xy 59.635228 103.5495)
(xy 59.510931 103.585995)
(xy 59.401954 103.656031)
(xy 59.40195 103.656034)
(xy 59.317119 103.753935)
(xy 59.263302 103.871776)
(xy 59.244867 103.999999)
(xy 50.0505 103.999999)
(xy 50.0505 101.999999)
(xy 59.244867 101.999999)
(xy 59.263302 102.128223)
(xy 59.263302 102.128224)
(xy 59.263303 102.128226)
(xy 59.317118 102.246063)
(xy 59.401951 102.343967)

(xy 59.510931 102.414004)
(xy 59.635228 102.4505)
(xy 59.764772 102.4505)
(xy 59.889069 102.414004)
(xy 59.998049 102.343967)
(xy 60.082882 102.246063)
(xy 60.136697 102.128226)
(xy 60.155133 102)
(xy 60.136697 101.871774)
(xy 60.082882 101.753937)
(xy 59.998049 101.656033)
(xy 59.916983 101.603935)
(xy 59.889068 101.585995)
(xy 59.764772 101.5495)
(xy 59.635228 101.5495)
(xy 59.510931 101.585995)
(xy 59.401954 101.656031)
(xy 59.40195 101.656034)
(xy 59.317119 101.753935)
(xy 59.263302 101.871776)
(xy 59.244867 101.999999)
(xy 50.0505 101.999999)
(xy 50.0505 101.5)
(xy 66.544867 101.5)
(xy 66.563302 101.628223)
(xy 66.563302 101.628224)
(xy 66.563303 101.628226)
(xy 66.617118 101.746063)
(xy 66.701951 101.843967)
(xy 66.810931 101.914004)
(xy 66.935228 101.9505)
(xy 67.064772 101.9505)
(xy 67.189069 101.914004)
(xy 67.298049 101.843967)
(xy 67.382882 101.746063)

(xy 67.382884 101.746057)
(xy 67.38574 101.741615)
(xy 67.386809 101.742302)
(xy 67.418194 101.710416)
(xy 67.468584 101.705604)
(xy 67.510277 101.734308)
(xy 67.516605 101.745267)
(xy 67.517116 101.746063)
(xy 67.601949 101.843967)
(xy 67.710929 101.914004)
(xy 67.835226 101.9505)
(xy 67.96477 101.9505)
(xy 68.089067 101.914004)
(xy 68.198047 101.843967)
(xy 68.230795 101.806172)
(xy 68.269073 101.761998)
(xy 68.313307 101.737387)
(xy 68.363011 101.746966)
(xy 68.380925 101.761998)
(xy 68.451947 101.843963)
(xy 68.451948 101.843964)
(xy 68.451951 101.843967)
(xy 68.560931 101.914004)
(xy 68.685228 101.9505)
(xy 68.814772 101.9505)
(xy 68.939069 101.914004)
(xy 69.048049 101.843967)
(xy 69.119074 101.761998)
(xy 69.163306 101.737388)
(xy 69.21301 101.746967)
(xy 69.230925 101.761999)
(xy 69.301946 101.843963)
(xy 69.301947 101.843964)
(xy 69.30195 101.843967)
(xy 69.41093 101.914004)

(xy 69.535227 101.9505)
(xy 69.664771 101.9505)
(xy 69.789068 101.914004)
(xy 69.898048 101.843967)
(xy 69.982881 101.746063)
(xy 70.036696 101.628226)
(xy 70.055132 101.5)
(xy 70.040754 101.4)
(xy 76.844867 101.4)
(xy 76.863302 101.528223)
(xy 76.863302 101.528224)
(xy 76.863303 101.528226)
(xy 76.917118 101.646063)
(xy 77.001951 101.743967)
(xy 77.110931 101.814004)
(xy 77.235228 101.8505)
(xy 77.364772 101.8505)
(xy 77.489069 101.814004)
(xy 77.598049 101.743967)
(xy 77.682882 101.646063)
(xy 77.736697 101.528226)
(xy 77.755133 101.4)
(xy 77.740755 101.3)
(xy 79.244867 101.3)
(xy 79.263302 101.428223)
(xy 79.263302 101.428224)
(xy 79.263303 101.428226)
(xy 79.317118 101.546063)
(xy 79.401951 101.643967)
(xy 79.510931 101.714004)
(xy 79.635228 101.7505)
(xy 79.764772 101.7505)
(xy 79.889069 101.714004)
(xy 79.998049 101.643967)
(xy 80.082882 101.546063)

(xy 80.136697 101.428226)
(xy 80.155133 101.3)
(xy 80.147917 101.249812)
(xy 84.344865 101.249812)
(xy 84.3633 101.378035)
(xy 84.3633 101.378036)
(xy 84.363301 101.378038)
(xy 84.417116 101.495875)
(xy 84.501949 101.593779)
(xy 84.610929 101.663816)
(xy 84.735226 101.700312)
(xy 84.86477 101.700312)
(xy 84.989067 101.663816)
(xy 85.098047 101.593779)
(xy 85.18288 101.495875)
(xy 85.236695 101.378038)
(xy 85.255131 101.249812)
(xy 85.236695 101.121586)
(xy 85.18288 101.003749)
(xy 85.098047 100.905845)
(xy 85.088952 100.9)
(xy 87.044853 100.9)
(xy 87.063288 101.028223)
(xy 87.063288 101.028224)
(xy 87.063289 101.028226)
(xy 87.117104 101.146063)
(xy 87.201937 101.243967)
(xy 87.310917 101.314004)
(xy 87.435214 101.3505)
(xy 87.564758 101.3505)
(xy 87.689055 101.314004)
(xy 87.798035 101.243967)
(xy 87.882868 101.146063)
(xy 87.936683 101.028226)
(xy 87.940741 101)

(xy 118.144879 101)
(xy 118.163314 101.128223)
(xy 118.163314 101.128224)
(xy 118.163315 101.128226)
(xy 118.21713 101.246063)
(xy 118.301963 101.343967)
(xy 118.410943 101.414004)
(xy 118.53524 101.4505)
(xy 118.664784 101.4505)
(xy 118.789081 101.414004)
(xy 118.898061 101.343967)
(xy 118.982894 101.246063)
(xy 119.036709 101.128226)
(xy 119.055145 101)
(xy 119.036709 100.871774)
(xy 119.00393 100.799999)
(xy 127.144867 100.799999)
(xy 127.163302 100.928223)
(xy 127.163302 100.928224)
(xy 127.163303 100.928226)
(xy 127.217118 101.046063)
(xy 127.301951 101.143967)
(xy 127.410931 101.214004)
(xy 127.535228 101.2505)
(xy 127.664772 101.2505)
(xy 127.789069 101.214004)
(xy 127.898049 101.143967)
(xy 127.982882 101.046063)
(xy 128.036697 100.928226)
(xy 128.055133 100.8)
(xy 128.036697 100.671774)
(xy 127.982882 100.553937)
(xy 127.898049 100.456033)
(xy 127.789069 100.385996)
(xy 127.789066 100.385994)

(xy 127.738005 100.371001)
(xy 127.697243 100.340989)
(xy 127.68531 100.291796)
(xy 127.707789 100.246442)
(xy 127.738006 100.228997)
(xy 127.765871 100.220815)
(xy 127.789067 100.214005)
(xy 127.789069 100.214004)
(xy 127.898049 100.143967)
(xy 127.982882 100.046063)
(xy 128.036697 99.928226)
(xy 128.055133 99.8)
(xy 128.036697 99.671774)
(xy 127.982882 99.553937)
(xy 127.898049 99.456033)
(xy 127.831032 99.412964)
(xy 127.789068 99.385995)
(xy 127.664772 99.3495)
(xy 127.535228 99.3495)
(xy 127.410931 99.385995)
(xy 127.301954 99.456031)
(xy 127.30195 99.456034)
(xy 127.217119 99.553935)
(xy 127.163302 99.671776)
(xy 127.144867 99.8)
(xy 127.163302 99.928223)
(xy 127.163302 99.928224)
(xy 127.163303 99.928226)
(xy 127.217118 100.046063)
(xy 127.301951 100.143967)
(xy 127.410931 100.214003)
(xy 127.410931 100.214004)
(xy 127.461993 100.228997)
(xy 127.502755 100.25901)
(xy 127.514689 100.308202)

(xy 127.492211 100.353556)
(xy 127.461993 100.371003)
(xy 127.410931 100.385995)
(xy 127.301954 100.456031)
(xy 127.30195 100.456034)
(xy 127.217119 100.553935)
(xy 127.217118 100.553936)
(xy 127.217118 100.553937)
(xy 127.202477 100.585995)
(xy 127.163302 100.671776)
(xy 127.144867 100.799999)
(xy 119.00393 100.799999)
(xy 118.982894 100.753937)
(xy 118.898061 100.656033)
(xy 118.831044 100.612964)
(xy 118.78908 100.585995)
(xy 118.664784 100.5495)
(xy 118.53524 100.5495)
(xy 118.410943 100.585995)
(xy 118.301966 100.656031)
(xy 118.301962 100.656034)
(xy 118.217131 100.753935)
(xy 118.163314 100.871776)
(xy 118.144879 101)
(xy 87.940741 101)
(xy 87.955119 100.9)
(xy 87.936683 100.771774)
(xy 87.882868 100.653937)
(xy 87.798035 100.556033)
(xy 87.731018 100.512964)
(xy 87.689054 100.485995)
(xy 87.564758 100.4495)
(xy 87.435214 100.4495)
(xy 87.310917 100.485995)
(xy 87.20194 100.556031)

(xy 87.201936 100.556034)
(xy 87.117105 100.653935)
(xy 87.063288 100.771776)
(xy 87.044853 100.9)
(xy 85.088952 100.9)
(xy 85.03103 100.862776)
(xy 84.989066 100.835807)
(xy 84.86477 100.799312)
(xy 84.735226 100.799312)
(xy 84.610929 100.835807)
(xy 84.501952 100.905843)
(xy 84.501948 100.905846)
(xy 84.417117 101.003747)
(xy 84.3633 101.121588)
(xy 84.344865 101.249812)
(xy 80.147917 101.249812)
(xy 80.136697 101.171774)
(xy 80.082882 101.053937)
(xy 79.998049 100.956033)
(xy 79.91086 100.9)
(xy 79.889068 100.885995)
(xy 79.764772 100.8495)
(xy 79.635228 100.8495)
(xy 79.510931 100.885995)
(xy 79.401954 100.956031)
(xy 79.40195 100.956034)
(xy 79.317119 101.053935)
(xy 79.263302 101.171776)
(xy 79.244867 101.3)
(xy 77.740755 101.3)
(xy 77.736697 101.271774)
(xy 77.682882 101.153937)
(xy 77.598049 101.056033)
(xy 77.51086 101)
(xy 77.489068 100.985995)

(xy 77.364772 100.9495)
(xy 77.235228 100.9495)
(xy 77.110931 100.985995)
(xy 77.001954 101.056031)
(xy 77.00195 101.056034)
(xy 76.917119 101.153935)
(xy 76.863302 101.271776)
(xy 76.844867 101.4)
(xy 70.040754 101.4)
(xy 70.036696 101.371774)
(xy 69.982881 101.253937)
(xy 69.898048 101.156033)
(xy 69.831031 101.112964)
(xy 69.789067 101.085995)
(xy 69.664771 101.0495)
(xy 69.535227 101.0495)
(xy 69.41093 101.085995)
(xy 69.301953 101.156031)
(xy 69.301945 101.156037)
(xy 69.230924 101.238001)
(xy 69.186691 101.262611)
(xy 69.136987 101.253032)
(xy 69.119073 101.238)
(xy 69.048052 101.156036)
(xy 69.04805 101.156035)
(xy 69.048049 101.156033)
(xy 68.981032 101.112964)
(xy 68.939068 101.085995)
(xy 68.814772 101.0495)
(xy 68.685228 101.0495)
(xy 68.560931 101.085995)
(xy 68.451954 101.156031)
(xy 68.451946 101.156037)
(xy 68.380924 101.238002)
(xy 68.336691 101.262613)

(xy 68.286987 101.253033)
(xy 68.269074 101.238002)
(xy 68.198051 101.156037)
(xy 68.198049 101.156035)
(xy 68.198047 101.156033)
(xy 68.13103 101.112964)
(xy 68.089066 101.085995)
(xy 67.96477 101.0495)
(xy 67.835226 101.0495)
(xy 67.710929 101.085995)
(xy 67.601952 101.156031)
(xy 67.601948 101.156034)
(xy 67.517116 101.253936)
(xy 67.514258 101.258385)
(xy 67.513189 101.257698)
(xy 67.481798 101.289586)
(xy 67.431408 101.294394)
(xy 67.389717 101.265686)
(xy 67.383393 101.254732)
(xy 67.382881 101.253936)
(xy 67.369074 101.238002)
(xy 67.298049 101.156033)
(xy 67.231032 101.112964)
(xy 67.189068 101.085995)
(xy 67.064772 101.0495)
(xy 66.935228 101.0495)
(xy 66.810931 101.085995)
(xy 66.701954 101.156031)
(xy 66.70195 101.156034)
(xy 66.617119 101.253935)
(xy 66.563302 101.371776)
(xy 66.544867 101.5)
(xy 50.0505 101.5)
(xy 50.0505 100.499978)
(xy 65.444867 100.499978)

(xy 65.463302 100.628201)
(xy 65.463302 100.628202)
(xy 65.463303 100.628204)
(xy 65.517118 100.746041)
(xy 65.601951 100.843945)
(xy 65.710931 100.913982)
(xy 65.835228 100.950478)
(xy 65.964772 100.950478)
(xy 66.089069 100.913982)
(xy 66.198049 100.843945)
(xy 66.282882 100.746041)
(xy 66.336697 100.628204)
(xy 66.355133 100.499978)
(xy 66.347947 100.45)
(xy 67.144867 100.45)
(xy 67.163302 100.578223)
(xy 67.163302 100.578224)
(xy 67.163303 100.578226)
(xy 67.217118 100.696063)
(xy 67.301951 100.793967)
(xy 67.410931 100.864004)
(xy 67.535228 100.9005)
(xy 67.664772 100.9005)
(xy 67.789069 100.864004)
(xy 67.898049 100.793967)
(xy 67.982882 100.696063)
(xy 68.036697 100.578226)
(xy 68.055133 100.45)
(xy 72.144867 100.45)
(xy 72.145735 100.456034)
(xy 72.163302 100.578223)
(xy 72.163302 100.578224)
(xy 72.163303 100.578226)
(xy 72.217118 100.696063)
(xy 72.301951 100.793967)

(xy 72.410931 100.864004)
(xy 72.535228 100.9005)
(xy 72.664772 100.9005)
(xy 72.789069 100.864004)
(xy 72.898049 100.793967)
(xy 72.982882 100.696063)
(xy 73.036697 100.578226)
(xy 73.055133 100.45)
(xy 73.036697 100.321774)
(xy 72.982882 100.203937)
(xy 72.898049 100.106033)
(xy 72.831032 100.062964)
(xy 72.789068 100.035995)
(xy 72.666475 100)
(xy 78.744877 100)
(xy 78.763312 100.128223)
(xy 78.763312 100.128224)
(xy 78.763313 100.128226)
(xy 78.817128 100.246063)
(xy 78.901961 100.343967)
(xy 79.010941 100.414004)
(xy 79.135238 100.4505)
(xy 79.264782 100.4505)
(xy 79.389079 100.414004)
(xy 79.498059 100.343967)
(xy 79.582892 100.246063)
(xy 79.636707 100.128226)
(xy 79.655143 100)
(xy 79.636707 99.871774)
(xy 79.603929 99.8)
(xy 97.394867 99.8)
(xy 97.413302 99.928223)
(xy 97.413302 99.928224)
(xy 97.413303 99.928226)
(xy 97.467118 100.046063)

(xy 97.551951 100.143967)
(xy 97.660931 100.214004)
(xy 97.785228 100.2505)
(xy 97.914772 100.2505)
(xy 98.039069 100.214004)
(xy 98.148049 100.143967)
(xy 98.232882 100.046063)
(xy 98.286697 99.928226)
(xy 98.305133 99.8)
(xy 101.394867 99.8)
(xy 101.413302 99.928223)
(xy 101.413302 99.928224)
(xy 101.413303 99.928226)
(xy 101.467118 100.046063)
(xy 101.551951 100.143967)
(xy 101.660931 100.214004)
(xy 101.785228 100.2505)
(xy 101.914772 100.2505)
(xy 102.039069 100.214004)
(xy 102.148049 100.143967)
(xy 102.232882 100.046063)
(xy 102.286697 99.928226)
(xy 102.305133 99.8)
(xy 102.290755 99.7)
(xy 107.744873 99.7)
(xy 107.748593 99.725875)
(xy 107.763308 99.828223)
(xy 107.763308 99.828224)
(xy 107.763309 99.828226)
(xy 107.817124 99.946063)
(xy 107.901957 100.043967)
(xy 108.010937 100.114004)
(xy 108.135234 100.1505)
(xy 108.264778 100.1505)
(xy 108.389075 100.114004)

(xy 108.498055 100.043967)
(xy 108.582888 99.946063)
(xy 108.636703 99.828226)
(xy 108.655139 99.7)
(xy 108.636703 99.571774)
(xy 108.603925 99.5)
(xy 117.744867 99.5)
(xy 117.748587 99.525875)
(xy 117.763302 99.628223)
(xy 117.763302 99.628224)
(xy 117.763303 99.628226)
(xy 117.817118 99.746063)
(xy 117.901951 99.843967)
(xy 118.010931 99.914004)
(xy 118.135228 99.9505)
(xy 118.264772 99.9505)
(xy 118.266475 99.95)
(xy 122.744867 99.95)
(xy 122.763302 100.078223)
(xy 122.763302 100.078224)
(xy 122.763303 100.078226)
(xy 122.817118 100.196063)
(xy 122.901951 100.293967)
(xy 123.010931 100.364004)
(xy 123.135228 100.4005)
(xy 123.264772 100.4005)
(xy 123.389069 100.364004)
(xy 123.498049 100.293967)
(xy 123.582882 100.196063)
(xy 123.636697 100.078226)
(xy 123.655133 99.95)
(xy 123.636697 99.821774)
(xy 123.582882 99.703937)
(xy 123.58288 99.703935)
(xy 123.58288 99.703934)

(xy 123.582878 99.703932)
(xy 123.578137 99.69846)
(xy 123.560071 99.651175)
(xy 123.576627 99.60334)
(xy 123.578137 99.60154)
(xy 123.580949 99.598293)
(xy 123.582882 99.596063)
(xy 123.636697 99.478226)
(xy 123.655133 99.35)
(xy 124.544867 99.35)
(xy 124.545735 99.356034)
(xy 124.563302 99.478223)
(xy 124.563302 99.478224)
(xy 124.563303 99.478226)
(xy 124.617118 99.596063)
(xy 124.701951 99.693967)
(xy 124.810931 99.764004)
(xy 124.935228 99.8005)
(xy 125.064772 99.8005)
(xy 125.189069 99.764004)
(xy 125.298049 99.693967)
(xy 125.382882 99.596063)
(xy 125.436697 99.478226)
(xy 125.455133 99.35)
(xy 125.436697 99.221774)
(xy 125.382882 99.103937)
(xy 125.298049 99.006033)
(xy 125.211638 98.9505)
(xy 125.189068 98.935995)
(xy 125.064772 98.8995)
(xy 124.935228 98.8995)
(xy 124.810931 98.935995)
(xy 124.701954 99.006031)
(xy 124.70195 99.006034)
(xy 124.617119 99.103935)

(xy 124.617118 99.103936)
(xy 124.617118 99.103937)
(xy 124.593327 99.156031)
(xy 124.563302 99.221776)
(xy 124.545433 99.346063)
(xy 124.544867 99.35)
(xy 123.655133 99.35)
(xy 123.636697 99.221774)
(xy 123.582882 99.103937)
(xy 123.498049 99.006033)
(xy 123.42645 98.960019)
(xy 123.395795 98.919739)
(xy 123.398204 98.869177)
(xy 123.432549 98.831993)
(xy 123.445611 98.826764)
(xy 123.489069 98.814004)
(xy 123.598049 98.743967)
(xy 123.682882 98.646063)
(xy 123.736697 98.528226)
(xy 123.755133 98.4)
(xy 123.736697 98.271774)
(xy 123.682882 98.153937)
(xy 123.598049 98.056033)
(xy 123.530937 98.012903)
(xy 123.489068 97.985995)
(xy 123.364772 97.9495)
(xy 123.235228 97.9495)
(xy 123.110931 97.985995)
(xy 123.001954 98.056031)
(xy 123.00195 98.056034)
(xy 122.917119 98.153935)
(xy 122.863302 98.271776)
(xy 122.844867 98.4)
(xy 122.863302 98.528223)
(xy 122.863302 98.528224)

(xy 122.863303 98.528226)
(xy 122.917118 98.646063)
(xy 123.001951 98.743967)
(xy 123.073548 98.789979)
(xy 123.104204 98.83026)
(xy 123.101795 98.880821)
(xy 123.06745 98.918006)
(xy 123.05439 98.923234)
(xy 123.010933 98.935994)
(xy 122.901954 99.006031)
(xy 122.90195 99.006034)
(xy 122.817119 99.103935)
(xy 122.817118 99.103936)
(xy 122.817118 99.103937)
(xy 122.793327 99.156031)
(xy 122.763302 99.221776)
(xy 122.744867 99.35)
(xy 122.763302 99.478223)
(xy 122.763302 99.478224)
(xy 122.763303 99.478226)
(xy 122.817118 99.596063)
(xy 122.818664 99.597847)
(xy 122.821866 99.601543)
(xy 122.839929 99.648829)
(xy 122.823371 99.696663)
(xy 122.821866 99.698457)
(xy 122.817119 99.703935)
(xy 122.817118 99.703936)
(xy 122.763302 99.821776)
(xy 122.744867 99.95)
(xy 118.266475 99.95)
(xy 118.389069 99.914004)
(xy 118.498049 99.843967)
(xy 118.582882 99.746063)
(xy 118.636697 99.628226)

(xy 118.655133 99.5)
(xy 118.636697 99.371774)
(xy 118.582882 99.253937)
(xy 118.498049 99.156033)
(xy 118.41086 99.1)
(xy 119.044867 99.1)
(xy 119.063302 99.228223)
(xy 119.063302 99.228224)
(xy 119.063303 99.228226)
(xy 119.117118 99.346063)
(xy 119.201951 99.443967)
(xy 119.310931 99.514004)
(xy 119.435228 99.5505)
(xy 119.564772 99.5505)
(xy 119.689069 99.514004)
(xy 119.709992 99.500557)
(xy 119.759364 99.489404)
(xy 119.790003 99.500554)
(xy 119.810931 99.514004)
(xy 119.935228 99.5505)
(xy 120.064775 99.5505)
(xy 120.064775 99.550499)
(xy 120.189069 99.514004)
(xy 120.209992 99.500557)
(xy 120.259364 99.489404)
(xy 120.290002 99.500554)
(xy 120.310931 99.514004)
(xy 120.435228 99.5505)
(xy 120.564772 99.5505)
(xy 120.689069 99.514004)
(xy 120.709993 99.500556)
(xy 120.759366 99.489404)
(xy 120.790004 99.500555)
(xy 120.810931 99.514004)
(xy 120.935228 99.5505)

(xy 121.064772 99.5505)
(xy 121.189069 99.514004)
(xy 121.298049 99.443967)
(xy 121.382882 99.346063)
(xy 121.436697 99.228226)
(xy 121.455133 99.1)
(xy 121.436697 98.971774)
(xy 121.382882 98.853937)
(xy 121.298049 98.756033)
(xy 121.209993 98.699443)
(xy 121.189068 98.685995)
(xy 121.064772 98.6495)
(xy 120.935228 98.6495)
(xy 120.81093 98.685996)
(xy 120.790006 98.699443)
(xy 120.740631 98.710593)
(xy 120.709994 98.699443)
(xy 120.689069 98.685996)
(xy 120.564772 98.6495)
(xy 120.435228 98.6495)
(xy 120.31093 98.685996)
(xy 120.310927 98.685997)
(xy 120.290004 98.699443)
(xy 120.240628 98.710593)
(xy 120.209992 98.699442)
(xy 120.189068 98.685995)
(xy 120.064772 98.6495)
(xy 119.935228 98.6495)
(xy 119.81093 98.685996)
(xy 119.790006 98.699443)
(xy 119.740631 98.710593)
(xy 119.709994 98.699443)
(xy 119.689069 98.685996)
(xy 119.564772 98.6495)
(xy 119.435228 98.6495)

(xy 119.310931 98.685995)
(xy 119.201954 98.756031)
(xy 119.20195 98.756034)
(xy 119.117119 98.853935)
(xy 119.063302 98.971776)
(xy 119.044867 99.1)
(xy 118.41086 99.1)
(xy 118.410858 99.099999)
(xy 118.389068 99.085995)
(xy 118.264772 99.0495)
(xy 118.135228 99.0495)
(xy 118.010931 99.085995)
(xy 117.901954 99.156031)
(xy 117.90195 99.156034)
(xy 117.817119 99.253935)
(xy 117.763302 99.371776)
(xy 117.74639 99.489404)
(xy 117.744867 99.5)
(xy 108.603925 99.5)
(xy 108.582888 99.453937)
(xy 108.582886 99.453935)
(xy 108.582886 99.453934)
(xy 108.580024 99.44948)
(xy 108.581082 99.4488)
(xy 108.565104 99.406972)
(xy 108.581662 99.359138)
(xy 108.618246 99.334798)
(xy 108.689069 99.314004)
(xy 108.798049 99.243967)
(xy 108.882882 99.146063)
(xy 108.936697 99.028226)
(xy 108.955133 98.9)
(xy 108.936697 98.771774)
(xy 108.882882 98.653937)
(xy 108.798049 98.556033)

(xy 108.710858 98.499999)
(xy 108.689068 98.485995)
(xy 108.564772 98.4495)
(xy 108.435228 98.4495)
(xy 108.310931 98.485995)
(xy 108.201954 98.556031)
(xy 108.20195 98.556034)
(xy 108.117119 98.653935)
(xy 108.063302 98.771776)
(xy 108.044939 98.8995)
(xy 108.044867 98.9)
(xy 108.047456 98.918006)
(xy 108.063302 99.028223)
(xy 108.063302 99.028224)
(xy 108.063303 99.028226)
(xy 108.10222 99.113442)
(xy 108.117119 99.146065)
(xy 108.119982 99.15052)
(xy 108.118923 99.151199)
(xy 108.134901 99.193029)
(xy 108.118342 99.240863)
(xy 108.081758 99.2652)
(xy 108.01094 99.285993)
(xy 108.010939 99.285994)
(xy 107.90196 99.356031)
(xy 107.901956 99.356034)
(xy 107.817125 99.453935)
(xy 107.817124 99.453936)
(xy 107.817124 99.453937)
(xy 107.800927 99.489404)
(xy 107.763308 99.571776)
(xy 107.751194 99.656033)
(xy 107.744873 99.7)
(xy 102.290755 99.7)
(xy 102.286697 99.671774)

(xy 102.232882 99.553937)
(xy 102.23288 99.553935)
(xy 102.23288 99.553934)
(xy 102.232878 99.553932)
(xy 102.19828 99.514003)
(xy 102.163148 99.473459)
(xy 102.145083 99.426174)
(xy 102.161639 99.378339)
(xy 102.163149 99.37654)
(xy 102.178228 99.359138)
(xy 102.232882 99.296063)
(xy 102.286697 99.178226)
(xy 102.305133 99.05)
(xy 102.286697 98.921774)
(xy 102.232882 98.803937)
(xy 102.148049 98.706033)
(xy 102.068436 98.654869)
(xy 102.039068 98.635995)
(xy 101.914772 98.5995)
(xy 101.785228 98.5995)
(xy 101.660931 98.635995)
(xy 101.551954 98.706031)
(xy 101.55195 98.706034)
(xy 101.467119 98.803935)
(xy 101.467118 98.803936)
(xy 101.467118 98.803937)
(xy 101.44021 98.862855)
(xy 101.413302 98.921776)
(xy 101.394867 99.049999)
(xy 101.413302 99.178223)
(xy 101.413302 99.178224)
(xy 101.413303 99.178226)
(xy 101.453023 99.2652)
(xy 101.467119 99.296065)
(xy 101.46712 99.296067)

(xy 101.536851 99.376541)
(xy 101.554916 99.423826)
(xy 101.53836 99.471661)
(xy 101.536851 99.473459)
(xy 101.46712 99.553932)
(xy 101.467119 99.553934)
(xy 101.413302 99.671776)
(xy 101.394867 99.8)
(xy 98.305133 99.8)
(xy 98.286697 99.671774)
(xy 98.232882 99.553937)
(xy 98.23288 99.553935)
(xy 98.23288 99.553934)
(xy 98.232878 99.553932)
(xy 98.19828 99.514003)
(xy 98.163148 99.473459)
(xy 98.145083 99.426174)
(xy 98.161639 99.378339)
(xy 98.163149 99.37654)
(xy 98.178228 99.359138)
(xy 98.232882 99.296063)
(xy 98.286697 99.178226)
(xy 98.305133 99.05)
(xy 98.305133 99.049999)
(xy 99.644867 99.049999)
(xy 99.663302 99.178223)
(xy 99.663302 99.178224)
(xy 99.663303 99.178226)
(xy 99.717118 99.296063)
(xy 99.801951 99.393967)
(xy 99.910931 99.464004)
(xy 100.035228 99.5005)
(xy 100.164772 99.5005)
(xy 100.289069 99.464004)
(xy 100.398049 99.393967)

(xy 100.482882 99.296063)
(xy 100.536697 99.178226)
(xy 100.555133 99.05)
(xy 100.536697 98.921774)
(xy 100.482882 98.803937)
(xy 100.398049 98.706033)
(xy 100.318436 98.654869)
(xy 100.289068 98.635995)
(xy 100.164772 98.5995)
(xy 100.035228 98.5995)
(xy 99.910931 98.635995)
(xy 99.801954 98.706031)
(xy 99.80195 98.706034)
(xy 99.717119 98.803935)
(xy 99.717118 98.803936)
(xy 99.717118 98.803937)
(xy 99.69021 98.862855)
(xy 99.663302 98.921776)
(xy 99.644867 99.049999)
(xy 98.305133 99.049999)
(xy 98.286697 98.921774)
(xy 98.232882 98.803937)
(xy 98.148049 98.706033)
(xy 98.068436 98.654869)
(xy 98.039068 98.635995)
(xy 97.914772 98.5995)
(xy 97.785228 98.5995)
(xy 97.660931 98.635995)
(xy 97.551954 98.706031)
(xy 97.55195 98.706034)
(xy 97.467119 98.803935)
(xy 97.467118 98.803936)
(xy 97.467118 98.803937)
(xy 97.44021 98.862855)
(xy 97.413302 98.921776)

(xy 97.394867 99.049999)
(xy 97.413302 99.178223)
(xy 97.413302 99.178224)
(xy 97.413303 99.178226)
(xy 97.453023 99.2652)
(xy 97.467119 99.296065)
(xy 97.46712 99.296067)
(xy 97.536851 99.376541)
(xy 97.554916 99.423826)
(xy 97.53836 99.471661)
(xy 97.536851 99.473459)
(xy 97.46712 99.553932)
(xy 97.467119 99.553934)
(xy 97.413302 99.671776)
(xy 97.394867 99.8)
(xy 79.603929 99.8)
(xy 79.582892 99.753937)
(xy 79.498059 99.656033)
(xy 79.404747 99.596065)
(xy 79.389078 99.585995)
(xy 79.264782 99.5495)
(xy 79.135238 99.5495)
(xy 79.010941 99.585995)
(xy 78.901964 99.656031)
(xy 78.90196 99.656034)
(xy 78.817129 99.753935)
(xy 78.763312 99.871776)
(xy 78.744877 100)
(xy 72.666475 100)
(xy 72.664772 99.9995)
(xy 72.535228 99.9995)
(xy 72.410931 100.035995)
(xy 72.301954 100.106031)
(xy 72.30195 100.106034)
(xy 72.217119 100.203935)

(xy 72.163302 100.321776)
(xy 72.146568 100.438169)
(xy 72.144867 100.45)
(xy 68.055133 100.45)
(xy 68.036697 100.321774)
(xy 67.982882 100.203937)
(xy 67.898049 100.106033)
(xy 67.831032 100.062964)
(xy 67.789068 100.035995)
(xy 67.664772 99.9995)
(xy 67.535228 99.9995)
(xy 67.410931 100.035995)
(xy 67.301954 100.106031)
(xy 67.30195 100.106034)
(xy 67.217119 100.203935)
(xy 67.163302 100.321776)
(xy 67.144867 100.45)
(xy 66.347947 100.45)
(xy 66.336697 100.371752)
(xy 66.282882 100.253915)
(xy 66.198049 100.156011)
(xy 66.120283 100.106034)
(xy 66.089068 100.085973)
(xy 65.964772 100.049478)
(xy 65.835228 100.049478)
(xy 65.710931 100.085973)
(xy 65.601954 100.156009)
(xy 65.60195 100.156012)
(xy 65.517119 100.253913)
(xy 65.463302 100.371754)
(xy 65.444867 100.499978)
(xy 50.0505 100.499978)
(xy 50.0505 100.423594)
(xy 50.067813 100.376028)
(xy 50.11165 100.350718)

(xy 50.161496 100.359507)
(xy 50.186714 100.374066)
(xy 50.188706 100.375217)
(xy 50.188703 100.375215)
(xy 50.197832 100.379716)
(xy 50.303744 100.423586)
(xy 50.307186 100.424754)
(xy 50.313383 100.426859)
(xy 50.313382 100.426858)
(xy 50.313385 100.426859)
(xy 50.32809 100.430799)
(xy 50.348182 100.436183)
(xy 50.348181 100.436183)
(xy 50.351048 100.436752)
(xy 50.358168 100.438169)
(xy 50.358178 100.43817)
(xy 50.358179 100.438171)
(xy 50.451827 100.4505)
(xy 50.479004 100.454078)
(xy 50.479504 100.454127)
(xy 50.484069 100.454578)
(xy 50.495613 100.455333)
(xy 50.5007 100.4555)
(xy 50.500702 100.4555)
(xy 51.150053 100.4555)
(xy 51.168456 100.457825)
(xy 51.217823 100.4705)
(xy 51.940924 100.4705)
(xy 51.940925 100.4705)
(xy 52.057355 100.455791)
(xy 52.061988 100.4555)
(xy 55.080053 100.4555)
(xy 55.098456 100.457825)
(xy 55.147823 100.4705)
(xy 56.370924 100.4705)

(xy 56.370925 100.4705)
(xy 56.410428 100.465509)
(xy 56.493052 100.455072)
(xy 56.493052 100.455071)
(xy 56.493058 100.455071)
(xy 56.645871 100.394568)
(xy 56.778837 100.297963)
(xy 56.8836 100.171326)
(xy 56.953579 100.022613)
(xy 56.959704 99.990504)
(xy 56.984376 99.861172)
(xy 56.984376 99.86117)
(xy 56.982303 99.828223)
(xy 56.974056 99.69714)
(xy 56.959119 99.65117)
(xy 56.9555 99.628315)
(xy 56.9555 99.3)
(xy 75.544867 99.3)
(xy 75.548587 99.325875)
(xy 75.563302 99.428223)
(xy 75.563302 99.428224)
(xy 75.563303 99.428226)
(xy 75.617118 99.546063)
(xy 75.701951 99.643967)
(xy 75.810931 99.714004)
(xy 75.935228 99.7505)
(xy 76.064772 99.7505)
(xy 76.189069 99.714004)
(xy 76.298049 99.643967)
(xy 76.382882 99.546063)
(xy 76.436697 99.428226)
(xy 76.455133 99.3)
(xy 76.445547 99.233328)
(xy 76.455914 99.183784)
(xy 76.495703 99.152494)

(xy 76.529668 99.151955)
(xy 76.529986 99.149747)
(xy 76.535225 99.1505)
(xy 76.535228 99.1505)
(xy 76.664772 99.1505)
(xy 76.789069 99.114004)
(xy 76.81086 99.1)
(xy 86.145131 99.1)
(xy 86.162499 99.20966)
(xy 86.190798 99.2652)
(xy 86.212905 99.308587)
(xy 86.291413 99.387095)
(xy 86.390339 99.4375)
(xy 86.5 99.454869)
(xy 86.609661 99.4375)
(xy 86.708587 99.387095)
(xy 86.787095 99.308587)
(xy 86.8375 99.209661)
(xy 86.854869 99.1)
(xy 86.8375 98.990339)
(xy 86.79147 98.9)
(xy 90.344867 98.9)
(xy 90.363302 99.028223)
(xy 90.363302 99.028224)
(xy 90.363303 99.028226)
(xy 90.417118 99.146063)
(xy 90.501951 99.243967)
(xy 90.610931 99.314004)
(xy 90.735228 99.3505)
(xy 90.864772 99.3505)
(xy 90.989069 99.314004)
(xy 91.098049 99.243967)
(xy 91.182882 99.146063)
(xy 91.226753 99.049999)
(xy 95.644867 99.049999)

(xy 95.663302 99.178223)
(xy 95.663302 99.178224)
(xy 95.663303 99.178226)
(xy 95.717118 99.296063)
(xy 95.801951 99.393967)
(xy 95.910931 99.464004)
(xy 96.035228 99.5005)
(xy 96.164772 99.5005)
(xy 96.289069 99.464004)
(xy 96.398049 99.393967)
(xy 96.482882 99.296063)
(xy 96.536697 99.178226)
(xy 96.555133 99.05)
(xy 96.536697 98.921774)
(xy 96.482882 98.803937)
(xy 96.398049 98.706033)
(xy 96.318436 98.654869)
(xy 96.289068 98.635995)
(xy 96.164772 98.5995)
(xy 96.035228 98.5995)
(xy 95.910931 98.635995)
(xy 95.801954 98.706031)
(xy 95.80195 98.706034)
(xy 95.717119 98.803935)
(xy 95.717118 98.803936)
(xy 95.717118 98.803937)
(xy 95.69021 98.862855)
(xy 95.663302 98.921776)
(xy 95.644867 99.049999)
(xy 91.226753 99.049999)
(xy 91.236697 99.028226)
(xy 91.255133 98.9)
(xy 91.236697 98.771774)
(xy 91.182882 98.653937)
(xy 91.098049 98.556033)

(xy 91.010858 98.499999)
(xy 92.194867 98.499999)
(xy 92.213302 98.628223)
(xy 92.213302 98.628224)
(xy 92.213303 98.628226)
(xy 92.267118 98.746063)
(xy 92.351951 98.843967)
(xy 92.460931 98.914004)
(xy 92.585228 98.9505)
(xy 92.714772 98.9505)
(xy 92.839069 98.914004)
(xy 92.948049 98.843967)
(xy 93.032882 98.746063)
(xy 93.086697 98.628226)
(xy 93.100857 98.529739)
(xy 103.92 98.529739)
(xy 103.926355 98.610495)
(xy 103.926358 98.61051)
(xy 103.976678 98.798306)
(xy 103.976682 98.798315)
(xy 104.064956 98.971564)
(xy 104.187324 99.122675)
(xy 104.338435 99.245043)
(xy 104.511684 99.333317)
(xy 104.511693 99.333321)
(xy 104.699489 99.383641)
(xy 104.699504 99.383644)
(xy 104.780261 99.39)
(xy 105.02 99.39)
(xy 105.02 98.590648)
(xy 105.037313 98.543082)
(xy 105.08115 98.517772)
(xy 105.124739 98.523334)
(xy 105.127685 98.52468)
(xy 105.234237 98.54)

(xy 105.234243 98.54)
(xy 105.305757 98.54)
(xy 105.305763 98.54)
(xy 105.412315 98.52468)
(xy 105.41526 98.523334)
(xy 105.465719 98.519324)
(xy 105.506952 98.548685)
(xy 105.52 98.590648)
(xy 105.52 99.39)
(xy 105.759739 99.39)
(xy 105.840495 99.383644)
(xy 105.84051 99.383641)
(xy 106.028306 99.333321)
(xy 106.028315 99.333317)
(xy 106.201564 99.245043)
(xy 106.352675 99.122675)
(xy 106.475043 98.971564)
(xy 106.563317 98.798315)
(xy 106.563321 98.798306)
(xy 106.613641 98.61051)
(xy 106.613644 98.610495)
(xy 106.62 98.529739)
(xy 106.62 98.29)
(xy 105.816554 98.29)
(xy 105.768988 98.272687)
(xy 105.743678 98.22885)
(xy 105.745552 98.195151)
(xy 105.77 98.111891)
(xy 105.77 97.968108)
(xy 105.745552 97.884849)
(xy 105.748762 97.834332)
(xy 105.783693 97.797697)
(xy 105.816554 97.79)
(xy 106.619999 97.79)
(xy 106.62 97.550261)

(xy 106.613644 97.469504)
(xy 106.613641 97.469489)
(xy 106.595021 97.4)
(xy 126.044867 97.4)
(xy 126.063302 97.528223)
(xy 126.063302 97.528224)
(xy 126.063303 97.528226)
(xy 126.117118 97.646063)
(xy 126.201951 97.743967)
(xy 126.310931 97.814004)
(xy 126.435228 97.8505)
(xy 126.564772 97.8505)
(xy 126.689069 97.814004)
(xy 126.798049 97.743967)
(xy 126.882882 97.646063)
(xy 126.936697 97.528226)
(xy 126.955133 97.4)
(xy 126.936697 97.271774)
(xy 126.882882 97.153937)
(xy 126.798049 97.056033)
(xy 126.690781 96.987096)
(xy 126.689068 96.985995)
(xy 126.564772 96.9495)
(xy 126.435228 96.9495)
(xy 126.310931 96.985995)
(xy 126.201954 97.056031)
(xy 126.20195 97.056034)
(xy 126.117119 97.153935)
(xy 126.063302 97.271776)
(xy 126.044867 97.4)
(xy 106.595021 97.4)
(xy 106.563321 97.281693)
(xy 106.563317 97.281684)
(xy 106.475043 97.108435)
(xy 106.352675 96.957324)

(xy 106.201564 96.834956)
(xy 106.028315 96.746682)
(xy 106.028306 96.746678)
(xy 105.84051 96.696358)
(xy 105.840495 96.696355)
(xy 105.759739 96.69)
(xy 105.52 96.69)
(xy 105.52 97.489352)
(xy 105.502687 97.536918)
(xy 105.45885 97.562228)
(xy 105.415262 97.556666)
(xy 105.412315 97.55532)
(xy 105.412313 97.555319)
(xy 105.412311 97.555319)
(xy 105.305767 97.54)
(xy 105.305763 97.54)
(xy 105.234237 97.54)
(xy 105.234232 97.54)
(xy 105.127688 97.555319)
(xy 105.127685 97.55532)
(xy 105.124738 97.556666)
(xy 105.074278 97.560675)
(xy 105.033046 97.531312)
(xy 105.02 97.489352)
(xy 105.02 96.69)
(xy 104.780261 96.69)
(xy 104.699504 96.696355)
(xy 104.699489 96.696358)
(xy 104.511693 96.746678)
(xy 104.511684 96.746682)
(xy 104.338435 96.834956)
(xy 104.187324 96.957324)
(xy 104.064956 97.108435)
(xy 103.976682 97.281684)
(xy 103.976678 97.281693)

(xy 103.926358 97.469489)
(xy 103.926355 97.469504)
(xy 103.92 97.550261)
(xy 103.92 97.79)
(xy 104.723446 97.79)
(xy 104.771012 97.807313)
(xy 104.796322 97.85115)
(xy 104.794448 97.884849)
(xy 104.77 97.968108)
(xy 104.77 98.111891)
(xy 104.794448 98.195151)
(xy 104.791238 98.245668)
(xy 104.756307 98.282303)
(xy 104.723446 98.29)
(xy 103.92 98.29)
(xy 103.92 98.529739)
(xy 93.100857 98.529739)
(xy 93.105133 98.5)
(xy 93.086697 98.371774)
(xy 93.032882 98.253937)
(xy 92.948049 98.156033)
(xy 92.847498 98.091413)
(xy 92.839068 98.085995)
(xy 92.714772 98.0495)
(xy 92.585228 98.0495)
(xy 92.460931 98.085995)
(xy 92.351954 98.156031)
(xy 92.35195 98.156034)
(xy 92.267119 98.253935)
(xy 92.213302 98.371776)
(xy 92.194867 98.499999)
(xy 91.010858 98.499999)
(xy 90.989068 98.485995)
(xy 90.864772 98.4495)
(xy 90.735228 98.4495)

(xy 90.610931 98.485995)
(xy 90.501954 98.556031)
(xy 90.50195 98.556034)
(xy 90.417119 98.653935)
(xy 90.363302 98.771776)
(xy 90.344867 98.9)
(xy 86.79147 98.9)
(xy 86.787095 98.891413)
(xy 86.708587 98.812905)
(xy 86.690982 98.803935)
(xy 86.60966 98.762499)
(xy 86.5 98.745131)
(xy 86.390339 98.762499)
(xy 86.291412 98.812905)
(xy 86.212905 98.891412)
(xy 86.162499 98.990339)
(xy 86.145131 99.1)
(xy 76.81086 99.1)
(xy 76.898049 99.043967)
(xy 76.982882 98.946063)
(xy 77.036697 98.828226)
(xy 77.055133 98.7)
(xy 77.036697 98.571774)
(xy 76.982882 98.453937)
(xy 76.898049 98.356033)
(xy 76.81086 98.3)
(xy 80.545131 98.3)
(xy 80.562499 98.40966)
(xy 80.590672 98.464952)
(xy 80.612905 98.508587)
(xy 80.691413 98.587095)
(xy 80.790339 98.6375)
(xy 80.9 98.654869)
(xy 81.009661 98.6375)
(xy 81.108587 98.587095)

(xy 81.187095 98.508587)
(xy 81.234065 98.416401)
(xy 81.271086 98.38188)
(xy 81.321635 98.37923)
(xy 81.362061 98.409693)
(xy 81.365932 98.416397)
(xy 81.412905 98.508587)
(xy 81.491413 98.587095)
(xy 81.590339 98.6375)
(xy 81.7 98.654869)
(xy 81.809661 98.6375)
(xy 81.908587 98.587095)
(xy 81.987095 98.508587)
(xy 82.034065 98.416401)
(xy 82.071086 98.38188)
(xy 82.121635 98.37923)
(xy 82.162061 98.409693)
(xy 82.165932 98.416397)
(xy 82.212905 98.508587)
(xy 82.291413 98.587095)
(xy 82.390339 98.6375)
(xy 82.5 98.654869)
(xy 82.609661 98.6375)
(xy 82.708587 98.587095)
(xy 82.787095 98.508587)
(xy 82.8375 98.409661)
(xy 82.854869 98.3)
(xy 82.8375 98.190339)
(xy 82.787095 98.091413)
(xy 82.708587 98.012905)
(xy 82.655773 97.985995)
(xy 82.60966 97.962499)
(xy 82.5 97.945131)
(xy 82.390339 97.962499)
(xy 82.291412 98.012905)

(xy 82.212903 98.091414)
(xy 82.165934 98.183597)
(xy 82.128914 98.218119)
(xy 82.078365 98.220769)
(xy 82.037938 98.190305)
(xy 82.034066 98.183597)
(xy 81.987096 98.091414)
(xy 81.908587 98.012905)
(xy 81.80966 97.962499)
(xy 81.7 97.945131)
(xy 81.590339 97.962499)
(xy 81.491412 98.012905)
(xy 81.412903 98.091414)
(xy 81.365934 98.183597)
(xy 81.328914 98.218119)
(xy 81.278365 98.220769)
(xy 81.237938 98.190305)
(xy 81.234066 98.183597)
(xy 81.187096 98.091414)
(xy 81.108587 98.012905)
(xy 81.108583 98.012903)
(xy 81.016401 97.965934)
(xy 80.98188 97.928914)
(xy 80.97923 97.878365)
(xy 81.009693 97.837939)
(xy 81.016397 97.834067)
(xy 81.108587 97.787095)
(xy 81.187095 97.708587)
(xy 81.2375 97.609661)
(xy 81.254869 97.5)
(xy 82.945131 97.5)
(xy 82.962499 97.60966)
(xy 82.981048 97.646064)
(xy 83.012905 97.708587)
(xy 83.091413 97.787095)

(xy 83.190339 97.8375)
(xy 83.3 97.854869)
(xy 83.409661 97.8375)
(xy 83.508587 97.787095)
(xy 83.587095 97.708587)
(xy 83.634065 97.616401)
(xy 83.671086 97.58188)
(xy 83.721635 97.57923)
(xy 83.762061 97.609693)
(xy 83.765932 97.616397)
(xy 83.812905 97.708587)
(xy 83.891413 97.787095)
(xy 83.990339 97.8375)
(xy 84.1 97.854869)
(xy 84.209661 97.8375)
(xy 84.308587 97.787095)
(xy 84.387095 97.708587)
(xy 84.434065 97.616401)
(xy 84.471086 97.58188)
(xy 84.521635 97.57923)
(xy 84.562061 97.609693)
(xy 84.565932 97.616397)
(xy 84.612904 97.708587)
(xy 84.612905 97.708587)
(xy 84.691414 97.787096)
(xy 84.783597 97.834066)
(xy 84.818119 97.871086)
(xy 84.820769 97.921635)
(xy 84.790305 97.962062)
(xy 84.783597 97.965934)
(xy 84.691414 98.012903)
(xy 84.612905 98.091412)
(xy 84.562499 98.190339)
(xy 84.545131 98.3)
(xy 84.562499 98.40966)

(xy 84.590672 98.464952)
(xy 84.612905 98.508587)
(xy 84.691413 98.587095)
(xy 84.790339 98.6375)
(xy 84.9 98.654869)
(xy 85.009661 98.6375)
(xy 85.108587 98.587095)
(xy 85.187095 98.508587)
(xy 85.234065 98.416401)
(xy 85.271086 98.38188)
(xy 85.321635 98.37923)
(xy 85.362061 98.409693)
(xy 85.365932 98.416397)
(xy 85.412905 98.508587)
(xy 85.491413 98.587095)
(xy 85.590339 98.6375)
(xy 85.7 98.654869)
(xy 85.809661 98.6375)
(xy 85.908587 98.587095)
(xy 85.987095 98.508587)
(xy 86.0375 98.409661)
(xy 86.054869 98.3)
(xy 86.0375 98.190339)
(xy 85.987095 98.091413)
(xy 85.908587 98.012905)
(xy 85.855773 97.985995)
(xy 85.80966 97.962499)
(xy 85.7 97.945131)
(xy 85.590339 97.962499)
(xy 85.491412 98.012905)
(xy 85.412903 98.091414)
(xy 85.365934 98.183597)
(xy 85.328914 98.218119)
(xy 85.278365 98.220769)
(xy 85.237938 98.190305)

(xy 85.234066 98.183597)
(xy 85.187096 98.091414)
(xy 85.108587 98.012905)
(xy 85.108583 98.012903)
(xy 85.016401 97.965934)
(xy 84.98188 97.928914)
(xy 84.97923 97.878365)
(xy 85.009693 97.837939)
(xy 85.016397 97.834067)
(xy 85.108587 97.787095)
(xy 85.187095 97.708587)
(xy 85.2375 97.609661)
(xy 85.254869 97.5)
(xy 85.2375 97.390339)
(xy 85.187095 97.291413)
(xy 85.108587 97.212905)
(xy 85.016401 97.165934)
(xy 84.98188 97.128914)
(xy 84.97923 97.078365)
(xy 85.009693 97.037939)
(xy 85.016397 97.034067)
(xy 85.108587 96.987095)
(xy 85.187095 96.908587)
(xy 85.234065 96.816401)
(xy 85.271086 96.78188)
(xy 85.321635 96.77923)
(xy 85.362061 96.809693)
(xy 85.365932 96.816397)
(xy 85.412905 96.908587)
(xy 85.491413 96.987095)
(xy 85.590339 97.0375)
(xy 85.7 97.054869)
(xy 85.809661 97.0375)
(xy 85.908587 96.987095)
(xy 85.987095 96.908587)

(xy 86.034065 96.816401)
(xy 86.071086 96.78188)
(xy 86.121635 96.77923)
(xy 86.162061 96.809693)
(xy 86.165932 96.816397)
(xy 86.201394 96.885995)
(xy 86.212905 96.908587)
(xy 86.291414 96.987096)
(xy 86.383597 97.034066)
(xy 86.418119 97.071086)
(xy 86.420769 97.121635)
(xy 86.390305 97.162062)
(xy 86.383597 97.165934)
(xy 86.291414 97.212903)
(xy 86.212905 97.291412)
(xy 86.162499 97.390339)
(xy 86.145131 97.5)
(xy 86.162499 97.60966)
(xy 86.181048 97.646064)
(xy 86.212905 97.708587)
(xy 86.291413 97.787095)
(xy 86.390339 97.8375)
(xy 86.5 97.854869)
(xy 86.609661 97.8375)
(xy 86.708587 97.787095)
(xy 86.787095 97.708587)
(xy 86.8375 97.609661)
(xy 86.854869 97.5)
(xy 86.8375 97.390339)
(xy 86.787095 97.291413)
(xy 86.708587 97.212905)
(xy 86.616401 97.165934)
(xy 86.58188 97.128914)
(xy 86.580364 97.099999)
(xy 97.394867 97.099999)

(xy 97.413302 97.228223)
(xy 97.413302 97.228224)
(xy 97.413303 97.228226)
(xy 97.467118 97.346063)
(xy 97.551951 97.443967)
(xy 97.660931 97.514004)
(xy 97.785228 97.5505)
(xy 97.914772 97.5505)
(xy 98.039069 97.514004)
(xy 98.148049 97.443967)
(xy 98.232882 97.346063)
(xy 98.286697 97.228226)
(xy 98.305133 97.1)
(xy 98.305133 97.099999)
(xy 101.394867 97.099999)
(xy 101.413302 97.228223)
(xy 101.413302 97.228224)
(xy 101.413303 97.228226)
(xy 101.467118 97.346063)
(xy 101.551951 97.443967)
(xy 101.660931 97.514004)
(xy 101.785228 97.5505)
(xy 101.914772 97.5505)
(xy 102.039069 97.514004)
(xy 102.148049 97.443967)
(xy 102.232882 97.346063)
(xy 102.286697 97.228226)
(xy 102.305133 97.1)
(xy 102.286697 96.971774)
(xy 102.232882 96.853937)
(xy 102.23288 96.853935)
(xy 102.23288 96.853934)
(xy 102.232878 96.853932)
(xy 102.163149 96.77346)
(xy 102.145083 96.726174)

(xy 102.161639 96.678339)
(xy 102.163149 96.67654)
(xy 102.232882 96.596063)
(xy 102.286697 96.478226)
(xy 102.305133 96.35)
(xy 102.286697 96.221774)
(xy 102.232882 96.103937)
(xy 102.148049 96.006033)
(xy 102.043932 95.939121)
(xy 102.039068 95.935995)
(xy 101.914772 95.8995)
(xy 101.785228 95.8995)
(xy 101.660931 95.935995)
(xy 101.551954 96.006031)
(xy 101.55195 96.006034)
(xy 101.467119 96.103935)
(xy 101.467118 96.103936)
(xy 101.467118 96.103937)
(xy 101.464803 96.109007)
(xy 101.413302 96.221776)
(xy 101.394867 96.35)
(xy 101.413302 96.478223)
(xy 101.413302 96.478224)
(xy 101.413303 96.478226)
(xy 101.460329 96.581198)
(xy 101.467119 96.596065)
(xy 101.46712 96.596067)
(xy 101.536851 96.676541)
(xy 101.554916 96.723826)
(xy 101.53836 96.771661)
(xy 101.536851 96.773459)
(xy 101.46712 96.853932)
(xy 101.467119 96.853934)
(xy 101.413302 96.971776)
(xy 101.394867 97.099999)

(xy 98.305133 97.099999)
(xy 98.286697 96.971774)
(xy 98.232882 96.853937)
(xy 98.23288 96.853935)
(xy 98.23288 96.853934)
(xy 98.232878 96.853932)
(xy 98.163149 96.77346)
(xy 98.145083 96.726174)
(xy 98.161639 96.678339)
(xy 98.163149 96.67654)
(xy 98.232882 96.596063)
(xy 98.286697 96.478226)
(xy 98.305133 96.35)
(xy 99.644867 96.35)
(xy 99.663302 96.478223)
(xy 99.663302 96.478224)
(xy 99.663303 96.478226)
(xy 99.717118 96.596063)
(xy 99.801951 96.693967)
(xy 99.910931 96.764004)
(xy 100.035228 96.8005)
(xy 100.164772 96.8005)
(xy 100.289069 96.764004)
(xy 100.398049 96.693967)
(xy 100.482882 96.596063)
(xy 100.536697 96.478226)
(xy 100.555133 96.35)
(xy 100.536697 96.221774)
(xy 100.482882 96.103937)
(xy 100.398049 96.006033)
(xy 100.293932 95.939121)
(xy 100.289068 95.935995)
(xy 100.164772 95.8995)
(xy 100.035228 95.8995)
(xy 99.910931 95.935995)

(xy 99.801954 96.006031)
(xy 99.80195 96.006034)
(xy 99.717119 96.103935)
(xy 99.717118 96.103936)
(xy 99.717118 96.103937)
(xy 99.714803 96.109007)
(xy 99.663302 96.221776)
(xy 99.644867 96.35)
(xy 98.305133 96.35)
(xy 98.286697 96.221774)
(xy 98.232882 96.103937)
(xy 98.148049 96.006033)
(xy 98.043932 95.939121)
(xy 98.039068 95.935995)
(xy 97.914772 95.8995)
(xy 97.785228 95.8995)
(xy 97.660931 95.935995)
(xy 97.551954 96.006031)
(xy 97.55195 96.006034)
(xy 97.467119 96.103935)
(xy 97.467118 96.103936)
(xy 97.467118 96.103937)
(xy 97.464803 96.109007)
(xy 97.413302 96.221776)
(xy 97.394867 96.35)
(xy 97.413302 96.478223)
(xy 97.413302 96.478224)
(xy 97.413303 96.478226)
(xy 97.460329 96.581198)
(xy 97.467119 96.596065)
(xy 97.46712 96.596067)
(xy 97.536851 96.676541)
(xy 97.554916 96.723826)
(xy 97.53836 96.771661)
(xy 97.536851 96.773459)

(xy 97.46712 96.853932)
(xy 97.467119 96.853934)
(xy 97.413302 96.971776)
(xy 97.394867 97.099999)
(xy 86.580364 97.099999)
(xy 86.57923 97.078365)
(xy 86.609693 97.037939)
(xy 86.616397 97.034067)
(xy 86.708587 96.987095)
(xy 86.787095 96.908587)
(xy 86.8375 96.809661)
(xy 86.854869 96.7)
(xy 86.8375 96.590339)
(xy 86.787095 96.491413)
(xy 86.708587 96.412905)
(xy 86.616401 96.365934)
(xy 86.601543 96.35)
(xy 95.644867 96.35)
(xy 95.663302 96.478223)
(xy 95.663302 96.478224)
(xy 95.663303 96.478226)
(xy 95.717118 96.596063)
(xy 95.801951 96.693967)
(xy 95.910931 96.764004)
(xy 96.035228 96.8005)
(xy 96.164772 96.8005)
(xy 96.289069 96.764004)
(xy 96.398049 96.693967)
(xy 96.482882 96.596063)
(xy 96.536697 96.478226)
(xy 96.555133 96.35)
(xy 96.536697 96.221774)
(xy 96.482882 96.103937)
(xy 96.398049 96.006033)
(xy 96.293932 95.939121)

(xy 96.289068 95.935995)
(xy 96.164772 95.8995)
(xy 96.035228 95.8995)
(xy 95.910931 95.935995)
(xy 95.801954 96.006031)
(xy 95.80195 96.006034)
(xy 95.717119 96.103935)
(xy 95.717118 96.103936)
(xy 95.717118 96.103937)
(xy 95.714803 96.109007)
(xy 95.663302 96.221776)
(xy 95.644867 96.35)
(xy 86.601543 96.35)
(xy 86.58188 96.328914)
(xy 86.57923 96.278365)
(xy 86.609693 96.237939)
(xy 86.616397 96.234067)
(xy 86.708587 96.187095)
(xy 86.787095 96.108587)
(xy 86.8375 96.009661)
(xy 86.854869 95.9)
(xy 86.8375 95.790339)
(xy 86.787095 95.691413)
(xy 86.708587 95.612905)
(xy 86.616401 95.565934)
(xy 86.58188 95.528914)
(xy 86.580364 95.5)
(xy 88.644867 95.5)
(xy 88.663302 95.628223)
(xy 88.663302 95.628224)
(xy 88.663303 95.628226)
(xy 88.717118 95.746063)
(xy 88.801951 95.843967)
(xy 88.910931 95.914004)
(xy 89.035228 95.9505)

(xy 89.164772 95.9505)
(xy 89.289069 95.914004)
(xy 89.398049 95.843967)
(xy 89.482882 95.746063)
(xy 89.536697 95.628226)
(xy 89.555133 95.5)
(xy 89.536697 95.371774)
(xy 89.526753 95.35)
(xy 91.590207 95.35)
(xy 91.608642 95.478223)
(xy 91.608642 95.478224)
(xy 91.608643 95.478226)
(xy 91.662458 95.596063)
(xy 91.747291 95.693967)
(xy 91.856271 95.764004)
(xy 91.980568 95.8005)
(xy 92.110112 95.8005)
(xy 92.111815 95.8)
(xy 92.694867 95.8)
(xy 92.713302 95.928223)
(xy 92.713302 95.928224)
(xy 92.713303 95.928226)
(xy 92.767118 96.046063)
(xy 92.851951 96.143967)
(xy 92.960931 96.214004)
(xy 93.085228 96.2505)
(xy 93.214772 96.2505)
(xy 93.339069 96.214004)
(xy 93.448049 96.143967)
(xy 93.532882 96.046063)
(xy 93.586697 95.928226)
(xy 93.605133 95.8)
(xy 93.586697 95.671774)
(xy 93.564834 95.623901)
(xy 93.560821 95.573442)

(xy 93.590183 95.532208)
(xy 93.611297 95.522158)
(xy 93.639069 95.514004)
(xy 93.66086 95.5)
(xy 104.264659 95.5)
(xy 104.283976 95.696133)
(xy 104.341187 95.884731)
(xy 104.428776 96.048597)
(xy 104.43409 96.058538)
(xy 104.559117 96.210883)
(xy 104.711462 96.33591)
(xy 104.767633 96.365934)
(xy 104.885268 96.428812)
(xy 104.88527 96.428812)
(xy 104.885273 96.428814)
(xy 105.073868 96.486024)
(xy 105.27 96.505341)
(xy 105.466132 96.486024)
(xy 105.654727 96.428814)
(xy 105.828538 96.33591)
(xy 105.980883 96.210883)
(xy 106.10591 96.058538)
(xy 106.198814 95.884727)
(xy 106.256024 95.696132)
(xy 106.275341 95.5)
(xy 106.256024 95.303868)
(xy 106.198814 95.115273)
(xy 106.198812 95.11527)
(xy 106.198812 95.115268)
(xy 106.139304 95.003937)
(xy 106.10591 94.941462)
(xy 105.980883 94.789117)
(xy 105.828538 94.66409)
(xy 105.778792 94.6375)
(xy 105.654731 94.571187)

(xy 105.466133 94.513976)
(xy 105.324219 94.499999)
(xy 122.844867 94.499999)
(xy 122.863302 94.628223)
(xy 122.863302 94.628224)
(xy 122.863303 94.628226)
(xy 122.917118 94.746063)
(xy 123.001951 94.843967)
(xy 123.110931 94.914004)
(xy 123.235228 94.9505)
(xy 123.364772 94.9505)
(xy 123.489069 94.914004)
(xy 123.598049 94.843967)
(xy 123.682882 94.746063)
(xy 123.736697 94.628226)
(xy 123.755133 94.5)
(xy 123.736697 94.371774)
(xy 123.682882 94.253937)
(xy 123.598049 94.156033)
(xy 123.497498 94.091413)
(xy 123.489068 94.085995)
(xy 123.364772 94.0495)
(xy 123.235228 94.0495)
(xy 123.110931 94.085995)
(xy 123.001954 94.156031)
(xy 123.00195 94.156034)
(xy 122.917119 94.253935)
(xy 122.917118 94.253936)
(xy 122.917118 94.253937)
(xy 122.902477 94.285995)
(xy 122.863302 94.371776)
(xy 122.844867 94.499999)
(xy 105.324219 94.499999)
(xy 105.27 94.494659)
(xy 105.073866 94.513976)

(xy 104.885268 94.571187)
(xy 104.711463 94.664089)
(xy 104.559117 94.789117)
(xy 104.434089 94.941463)
(xy 104.341187 95.115268)
(xy 104.283976 95.303866)
(xy 104.264659 95.5)
(xy 93.66086 95.5)
(xy 93.748049 95.443967)
(xy 93.832882 95.346063)
(xy 93.886697 95.228226)
(xy 93.905133 95.1)
(xy 93.886697 94.971774)
(xy 93.832882 94.853937)
(xy 93.748049 94.756033)
(xy 93.660858 94.699999)
(xy 93.639068 94.685995)
(xy 93.514772 94.6495)
(xy 93.385228 94.6495)
(xy 93.260931 94.685995)
(xy 93.151954 94.756031)
(xy 93.15195 94.756034)
(xy 93.067119 94.853935)
(xy 93.013302 94.971776)
(xy 92.994867 95.1)
(xy 93.013302 95.228223)
(xy 93.013302 95.228224)
(xy 93.013303 95.228226)
(xy 93.024725 95.253236)
(xy 93.035166 95.276098)
(xy 93.039177 95.326558)
(xy 93.009816 95.367791)
(xy 92.988703 95.377841)
(xy 92.96093 95.385996)
(xy 92.960929 95.385996)

(xy 92.851954 95.456031)
(xy 92.85195 95.456034)
(xy 92.767119 95.553935)
(xy 92.713302 95.671776)
(xy 92.694867 95.8)
(xy 92.111815 95.8)
(xy 92.234409 95.764004)
(xy 92.343389 95.693967)
(xy 92.428222 95.596063)
(xy 92.482037 95.478226)
(xy 92.500473 95.35)
(xy 92.482037 95.221774)
(xy 92.440589 95.131018)
(xy 92.436579 95.08056)
(xy 92.46594 95.039327)
(xy 92.487056 95.029276)
(xy 92.539069 95.014004)
(xy 92.648049 94.943967)
(xy 92.732882 94.846063)
(xy 92.786697 94.728226)
(xy 92.805133 94.6)
(xy 92.786697 94.471774)
(xy 92.732882 94.353937)
(xy 92.648049 94.256033)
(xy 92.56086 94.2)
(xy 97.394867 94.2)
(xy 97.413302 94.328223)
(xy 97.413302 94.328224)
(xy 97.413303 94.328226)
(xy 97.467118 94.446063)
(xy 97.551951 94.543967)
(xy 97.660931 94.614004)
(xy 97.785228 94.6505)
(xy 97.914772 94.6505)
(xy 98.039069 94.614004)

(xy 98.148049 94.543967)
(xy 98.232882 94.446063)
(xy 98.286697 94.328226)
(xy 98.305133 94.2)
(xy 101.394867 94.2)
(xy 101.413302 94.328223)
(xy 101.413302 94.328224)
(xy 101.413303 94.328226)
(xy 101.467118 94.446063)
(xy 101.551951 94.543967)
(xy 101.660931 94.614004)
(xy 101.785228 94.6505)
(xy 101.914772 94.6505)
(xy 102.039069 94.614004)
(xy 102.148049 94.543967)
(xy 102.232882 94.446063)
(xy 102.286697 94.328226)
(xy 102.305133 94.2)
(xy 102.286697 94.071774)
(xy 102.232882 93.953937)
(xy 102.23288 93.953935)
(xy 102.23288 93.953934)
(xy 102.232878 93.953932)
(xy 102.163149 93.87346)
(xy 102.145083 93.826174)
(xy 102.161639 93.778339)
(xy 102.163149 93.77654)
(xy 102.232882 93.696063)
(xy 102.286697 93.578226)
(xy 102.305133 93.45)
(xy 102.286697 93.321774)
(xy 102.232882 93.203937)
(xy 102.148049 93.106033)
(xy 102.068436 93.054869)
(xy 102.039068 93.035995)

(xy 101.914772 92.9995)
(xy 101.785228 92.9995)
(xy 101.660931 93.035995)
(xy 101.551954 93.106031)
(xy 101.55195 93.106034)
(xy 101.467119 93.203935)
(xy 101.467118 93.203936)
(xy 101.467118 93.203937)
(xy 101.443327 93.256031)
(xy 101.413302 93.321776)
(xy 101.394867 93.449999)
(xy 101.413302 93.578223)
(xy 101.413302 93.578224)
(xy 101.413303 93.578226)
(xy 101.423247 93.6)
(xy 101.467119 93.696065)
(xy 101.46712 93.696067)
(xy 101.536851 93.776541)
(xy 101.554916 93.823826)
(xy 101.53836 93.871661)
(xy 101.536851 93.873459)
(xy 101.46712 93.953932)
(xy 101.467119 93.953934)
(xy 101.413302 94.071776)
(xy 101.394867 94.2)
(xy 98.305133 94.2)
(xy 98.286697 94.071774)
(xy 98.232882 93.953937)
(xy 98.23288 93.953935)
(xy 98.23288 93.953934)
(xy 98.232878 93.953932)
(xy 98.163149 93.87346)
(xy 98.145083 93.826174)
(xy 98.161639 93.778339)
(xy 98.163149 93.77654)

(xy 98.232882 93.696063)
(xy 98.286697 93.578226)
(xy 98.305133 93.45)
(xy 98.305133 93.449999)
(xy 99.644867 93.449999)
(xy 99.663302 93.578223)
(xy 99.663302 93.578224)
(xy 99.663303 93.578226)
(xy 99.717118 93.696063)
(xy 99.801951 93.793967)
(xy 99.910931 93.864004)
(xy 100.035228 93.9005)
(xy 100.164772 93.9005)
(xy 100.289069 93.864004)
(xy 100.398049 93.793967)
(xy 100.482882 93.696063)
(xy 100.536697 93.578226)
(xy 100.555133 93.45)
(xy 100.536697 93.321774)
(xy 100.482882 93.203937)
(xy 100.398049 93.106033)
(xy 100.318436 93.054869)
(xy 100.289068 93.035995)
(xy 100.164772 92.9995)
(xy 100.035228 92.9995)
(xy 99.910931 93.035995)
(xy 99.801954 93.106031)
(xy 99.80195 93.106034)
(xy 99.717119 93.203935)
(xy 99.717118 93.203936)
(xy 99.717118 93.203937)
(xy 99.693327 93.256031)
(xy 99.663302 93.321776)
(xy 99.644867 93.449999)
(xy 98.305133 93.449999)

(xy 98.286697 93.321774)
(xy 98.232882 93.203937)
(xy 98.148049 93.106033)
(xy 98.068436 93.054869)
(xy 98.039068 93.035995)
(xy 97.914772 92.9995)
(xy 97.785228 92.9995)
(xy 97.660931 93.035995)
(xy 97.551954 93.106031)
(xy 97.55195 93.106034)
(xy 97.467119 93.203935)
(xy 97.467118 93.203936)
(xy 97.467118 93.203937)
(xy 97.443327 93.256031)
(xy 97.413302 93.321776)
(xy 97.394867 93.449999)
(xy 97.413302 93.578223)
(xy 97.413302 93.578224)
(xy 97.413303 93.578226)
(xy 97.423247 93.6)
(xy 97.467119 93.696065)
(xy 97.46712 93.696067)
(xy 97.536851 93.776541)
(xy 97.554916 93.823826)
(xy 97.53836 93.871661)
(xy 97.536851 93.873459)
(xy 97.46712 93.953932)
(xy 97.467119 93.953934)
(xy 97.413302 94.071776)
(xy 97.394867 94.2)
(xy 92.56086 94.2)
(xy 92.539069 94.185996)
(xy 92.535217 94.184865)
(xy 92.494458 94.154852)
(xy 92.482526 94.105659)

(xy 92.488756 94.083128)
(xy 92.536697 93.978154)
(xy 92.555133 93.849928)
(xy 92.536697 93.721702)
(xy 92.482882 93.603865)
(xy 92.398049 93.505961)
(xy 92.31097 93.449999)
(xy 95.644867 93.449999)
(xy 95.663302 93.578223)
(xy 95.663302 93.578224)
(xy 95.663303 93.578226)
(xy 95.717118 93.696063)
(xy 95.801951 93.793967)
(xy 95.910931 93.864004)
(xy 96.035228 93.9005)
(xy 96.164772 93.9005)
(xy 96.289069 93.864004)
(xy 96.398049 93.793967)
(xy 96.482882 93.696063)
(xy 96.536697 93.578226)
(xy 96.555133 93.45)
(xy 96.536697 93.321774)
(xy 96.482882 93.203937)
(xy 96.398049 93.106033)
(xy 96.318436 93.054869)
(xy 96.289068 93.035995)
(xy 96.164772 92.9995)
(xy 96.035228 92.9995)
(xy 95.910931 93.035995)
(xy 95.801954 93.106031)
(xy 95.80195 93.106034)
(xy 95.717119 93.203935)
(xy 95.717118 93.203936)
(xy 95.717118 93.203937)
(xy 95.693327 93.256031)

(xy 95.663302 93.321776)
(xy 95.644867 93.449999)
(xy 92.31097 93.449999)
(xy 92.289068 93.435923)
(xy 92.164772 93.399428)
(xy 92.035228 93.399428)
(xy 91.910931 93.435923)
(xy 91.801954 93.505959)
(xy 91.80195 93.505962)
(xy 91.717119 93.603863)
(xy 91.717118 93.603864)
(xy 91.717118 93.603865)
(xy 91.705994 93.628223)
(xy 91.663302 93.721704)
(xy 91.644867 93.849928)
(xy 91.663302 93.978151)
(xy 91.663302 93.978152)
(xy 91.663303 93.978154)
(xy 91.717118 94.095991)
(xy 91.801951 94.193895)
(xy 91.91093 94.263932)
(xy 91.910931 94.263932)
(xy 91.914776 94.265061)
(xy 91.955538 94.295074)
(xy 91.967472 94.344266)
(xy 91.961241 94.366805)
(xy 91.913302 94.471776)
(xy 91.894867 94.6)
(xy 91.913302 94.728223)
(xy 91.913302 94.728224)
(xy 91.913303 94.728226)
(xy 91.941111 94.789117)
(xy 91.954749 94.818979)
(xy 91.95876 94.869439)
(xy 91.929398 94.910672)

(xy 91.908285 94.920722)
(xy 91.856273 94.935994)
(xy 91.747294 95.006031)
(xy 91.74729 95.006034)
(xy 91.662459 95.103935)
(xy 91.662458 95.103936)
(xy 91.662458 95.103937)
(xy 91.641193 95.1505)
(xy 91.608642 95.221776)
(xy 91.590207 95.35)
(xy 89.526753 95.35)
(xy 89.482882 95.253937)
(xy 89.398049 95.156033)
(xy 89.310858 95.099999)
(xy 89.289068 95.085995)
(xy 89.164772 95.0495)
(xy 89.035228 95.0495)
(xy 88.910931 95.085995)
(xy 88.801954 95.156031)
(xy 88.80195 95.156034)
(xy 88.717119 95.253935)
(xy 88.663302 95.371776)
(xy 88.644867 95.5)
(xy 86.580364 95.5)
(xy 86.57923 95.478365)
(xy 86.609693 95.437939)
(xy 86.616397 95.434067)
(xy 86.708587 95.387095)
(xy 86.787095 95.308587)
(xy 86.8375 95.209661)
(xy 86.854869 95.1)
(xy 86.8375 94.990339)
(xy 86.787095 94.891413)
(xy 86.708587 94.812905)
(xy 86.682278 94.7995)

(xy 86.60966 94.762499)
(xy 86.5 94.745131)
(xy 86.390339 94.762499)
(xy 86.291412 94.812905)
(xy 86.212905 94.891412)
(xy 86.162499 94.990339)
(xy 86.145131 95.1)
(xy 86.162499 95.20966)
(xy 86.212905 95.308587)
(xy 86.291414 95.387096)
(xy 86.383597 95.434066)
(xy 86.418119 95.471086)
(xy 86.420769 95.521635)
(xy 86.390305 95.562062)
(xy 86.383597 95.565934)
(xy 86.291414 95.612903)
(xy 86.212903 95.691414)
(xy 86.165934 95.783597)
(xy 86.128914 95.818119)
(xy 86.078365 95.820769)
(xy 86.037938 95.790305)
(xy 86.034066 95.783597)
(xy 85.987096 95.691414)
(xy 85.908587 95.612905)
(xy 85.80966 95.562499)
(xy 85.7 95.545131)
(xy 85.590339 95.562499)
(xy 85.491412 95.612905)
(xy 85.412905 95.691412)
(xy 85.362499 95.790339)
(xy 85.345131 95.9)
(xy 85.362499 96.00966)
(xy 85.412905 96.108587)
(xy 85.491414 96.187096)
(xy 85.583597 96.234066)

(xy 85.618119 96.271086)
(xy 85.620769 96.321635)
(xy 85.590305 96.362062)
(xy 85.583597 96.365934)
(xy 85.491414 96.412903)
(xy 85.412903 96.491414)
(xy 85.365934 96.583597)
(xy 85.328914 96.618119)
(xy 85.278365 96.620769)
(xy 85.237938 96.590305)
(xy 85.234066 96.583597)
(xy 85.187096 96.491414)
(xy 85.108587 96.412905)
(xy 85.00966 96.362499)
(xy 84.9 96.345131)
(xy 84.790339 96.362499)
(xy 84.691412 96.412905)
(xy 84.612905 96.491412)
(xy 84.562499 96.590339)
(xy 84.545131 96.7)
(xy 84.562499 96.80966)
(xy 84.612905 96.908587)
(xy 84.691414 96.987096)
(xy 84.783597 97.034066)
(xy 84.818119 97.071086)
(xy 84.820769 97.121635)
(xy 84.790305 97.162062)
(xy 84.783597 97.165934)
(xy 84.691414 97.212903)
(xy 84.612903 97.291414)
(xy 84.565934 97.383597)
(xy 84.528914 97.418119)
(xy 84.478365 97.420769)
(xy 84.437938 97.390305)
(xy 84.434066 97.383597)

(xy 84.387096 97.291414)
(xy 84.308587 97.212905)
(xy 84.20966 97.162499)
(xy 84.1 97.145131)
(xy 83.990339 97.162499)
(xy 83.891412 97.212905)
(xy 83.812903 97.291414)
(xy 83.765934 97.383597)
(xy 83.728914 97.418119)
(xy 83.678365 97.420769)
(xy 83.637938 97.390305)
(xy 83.634066 97.383597)
(xy 83.587096 97.291414)
(xy 83.508587 97.212905)
(xy 83.40966 97.162499)
(xy 83.3 97.145131)
(xy 83.190339 97.162499)
(xy 83.091412 97.212905)
(xy 83.012905 97.291412)
(xy 82.962499 97.390339)
(xy 82.945131 97.5)
(xy 81.254869 97.5)
(xy 81.2375 97.390339)
(xy 81.187095 97.291413)
(xy 81.108587 97.212905)
(xy 81.108583 97.212903)
(xy 81.00966 97.162499)
(xy 80.9 97.145131)
(xy 80.790339 97.162499)
(xy 80.691412 97.212905)
(xy 80.612905 97.291412)
(xy 80.562499 97.390339)
(xy 80.545131 97.5)
(xy 80.562499 97.60966)
(xy 80.612905 97.708587)

(xy 80.691414 97.787096)
(xy 80.783597 97.834066)
(xy 80.818119 97.871086)
(xy 80.820769 97.921635)
(xy 80.790305 97.962062)
(xy 80.783597 97.965934)
(xy 80.691414 98.012903)
(xy 80.612905 98.091412)
(xy 80.562499 98.190339)
(xy 80.545131 98.3)
(xy 76.81086 98.3)
(xy 76.810858 98.299999)
(xy 76.789068 98.285995)
(xy 76.664772 98.2495)
(xy 76.535228 98.2495)
(xy 76.410931 98.285995)
(xy 76.301954 98.356031)
(xy 76.30195 98.356034)
(xy 76.217119 98.453935)
(xy 76.163302 98.571776)
(xy 76.144867 98.7)
(xy 76.154452 98.766669)
(xy 76.144084 98.816215)
(xy 76.104295 98.847505)
(xy 76.070329 98.84806)
(xy 76.070014 98.850253)
(xy 76.064775 98.8495)
(xy 76.064772 98.8495)
(xy 75.935228 98.8495)
(xy 75.810931 98.885995)
(xy 75.701954 98.956031)
(xy 75.70195 98.956034)
(xy 75.617119 99.053935)
(xy 75.617118 99.053936)
(xy 75.617118 99.053937)

(xy 75.59021 99.112855)
(xy 75.563302 99.171776)
(xy 75.54987 99.2652)
(xy 75.544867 99.3)
(xy 56.9555 99.3)
(xy 56.9555 97.25)
(xy 64.444867 97.25)
(xy 64.463302 97.378223)
(xy 64.463302 97.378224)
(xy 64.463303 97.378226)
(xy 64.517118 97.496063)
(xy 64.601951 97.593967)
(xy 64.710931 97.664004)
(xy 64.835228 97.7005)
(xy 64.964772 97.7005)
(xy 65.089069 97.664004)
(xy 65.198049 97.593967)
(xy 65.282882 97.496063)
(xy 65.336697 97.378226)
(xy 65.347944 97.3)
(xy 74.344867 97.3)
(xy 74.363302 97.428223)
(xy 74.363302 97.428224)
(xy 74.363303 97.428226)
(xy 74.417118 97.546063)
(xy 74.501951 97.643967)
(xy 74.610931 97.714004)
(xy 74.735228 97.7505)
(xy 74.864772 97.7505)
(xy 74.989069 97.714004)
(xy 75.098049 97.643967)
(xy 75.182882 97.546063)
(xy 75.236697 97.428226)
(xy 75.255133 97.3)
(xy 75.236697 97.171774)

(xy 75.182882 97.053937)
(xy 75.098049 96.956033)
(xy 75.020244 96.906031)
(xy 74.989068 96.885995)
(xy 74.864772 96.8495)
(xy 74.735228 96.8495)
(xy 74.610931 96.885995)
(xy 74.501954 96.956031)
(xy 74.50195 96.956034)
(xy 74.417119 97.053935)
(xy 74.363302 97.171776)
(xy 74.344867 97.3)
(xy 65.347944 97.3)
(xy 65.355133 97.25)
(xy 65.336697 97.121774)
(xy 65.282882 97.003937)
(xy 65.198049 96.906033)
(xy 65.110082 96.8495)
(xy 65.089068 96.835995)
(xy 64.964772 96.7995)
(xy 64.835228 96.7995)
(xy 64.710931 96.835995)
(xy 64.601954 96.906031)
(xy 64.60195 96.906034)
(xy 64.517119 97.003935)
(xy 64.517118 97.003936)
(xy 64.517118 97.003937)
(xy 64.493858 97.054868)
(xy 64.463302 97.121776)
(xy 64.444867 97.25)
(xy 56.9555 97.25)
(xy 56.9555 95.7949)
(xy 57.444867 95.7949)
(xy 57.463302 95.923123)
(xy 57.463302 95.923124)

(xy 57.463303 95.923126)
(xy 57.517118 96.040963)
(xy 57.601951 96.138867)
(xy 57.710931 96.208904)
(xy 57.835228 96.2454)
(xy 57.964772 96.2454)
(xy 58.089069 96.208904)
(xy 58.12598 96.185183)
(xy 74.447824 96.185183)
(xy 74.466259 96.313407)
(xy 74.466259 96.313408)
(xy 74.46626 96.31341)
(xy 74.520075 96.431247)
(xy 74.604908 96.529151)
(xy 74.713888 96.599188)
(xy 74.838185 96.635684)
(xy 74.967729 96.635684)
(xy 75.092026 96.599188)
(xy 75.201006 96.529151)
(xy 75.285839 96.431247)
(xy 75.339654 96.31341)
(xy 75.350607 96.237231)
(xy 76.282098 96.237231)
(xy 76.300533 96.365454)
(xy 76.300533 96.365455)
(xy 76.300534 96.365457)
(xy 76.354349 96.483294)
(xy 76.439182 96.581198)
(xy 76.439184 96.581199)
(xy 76.439186 96.581201)
(xy 76.442597 96.583393)
(xy 76.473251 96.623675)
(xy 76.47084 96.674236)
(xy 76.458513 96.694103)
(xy 76.420332 96.738167)

(xy 76.42033 96.738169)
(xy 76.366513 96.856011)
(xy 76.348078 96.984235)
(xy 76.366513 97.112458)
(xy 76.366513 97.112459)
(xy 76.366514 97.112461)
(xy 76.420329 97.230298)
(xy 76.505162 97.328202)
(xy 76.614142 97.398239)
(xy 76.738439 97.434735)
(xy 76.867983 97.434735)
(xy 76.99228 97.398239)
(xy 77.10126 97.328202)
(xy 77.186093 97.230298)
(xy 77.239908 97.112461)
(xy 77.258344 96.984235)
(xy 77.239908 96.856009)
(xy 77.186093 96.738172)
(xy 77.10126 96.640268)
(xy 77.100019 96.63947)
(xy 77.097842 96.638071)
(xy 77.06719 96.597788)
(xy 77.069602 96.547226)
(xy 77.081929 96.527361)
(xy 77.113077 96.491414)
(xy 77.120113 96.483294)
(xy 77.173928 96.365457)
(xy 77.192364 96.237231)
(xy 77.173928 96.109005)
(xy 77.120113 95.991168)
(xy 77.03528 95.893264)
(xy 76.95429 95.841215)
(xy 76.926299 95.823226)
(xy 76.802003 95.786731)
(xy 76.672459 95.786731)

(xy 76.548162 95.823226)
(xy 76.439185 95.893262)
(xy 76.439181 95.893265)
(xy 76.35435 95.991166)
(xy 76.300533 96.109007)
(xy 76.282098 96.237231)
(xy 75.350607 96.237231)
(xy 75.35809 96.185184)
(xy 75.339654 96.056958)
(xy 75.285839 95.939121)
(xy 75.201006 95.841217)
(xy 75.116224 95.786731)
(xy 75.092025 95.771179)
(xy 74.967729 95.734684)
(xy 74.838185 95.734684)
(xy 74.713888 95.771179)
(xy 74.604911 95.841215)
(xy 74.604907 95.841218)
(xy 74.520076 95.939119)
(xy 74.466259 96.05696)
(xy 74.447824 96.185183)
(xy 58.12598 96.185183)
(xy 58.198049 96.138867)
(xy 58.282882 96.040963)
(xy 58.336697 95.923126)
(xy 58.355133 95.7949)
(xy 58.336697 95.666674)
(xy 58.282882 95.548837)
(xy 58.198049 95.450933)
(xy 58.131032 95.407864)
(xy 58.089068 95.380895)
(xy 57.964772 95.3444)
(xy 57.835228 95.3444)
(xy 57.710931 95.380895)
(xy 57.601954 95.450931)

(xy 57.60195 95.450934)
(xy 57.517119 95.548835)
(xy 57.517118 95.548836)
(xy 57.517118 95.548837)
(xy 57.496508 95.593967)
(xy 57.463302 95.666676)
(xy 57.444867 95.7949)
(xy 56.9555 95.7949)
(xy 56.9555 95.25)
(xy 64.444867 95.25)
(xy 64.463302 95.378223)
(xy 64.463302 95.378224)
(xy 64.463303 95.378226)
(xy 64.517118 95.496063)
(xy 64.601951 95.593967)
(xy 64.710931 95.664004)
(xy 64.835228 95.7005)
(xy 64.964772 95.7005)
(xy 65.089069 95.664004)
(xy 65.198049 95.593967)
(xy 65.282882 95.496063)
(xy 65.336697 95.378226)
(xy 65.355133 95.25)
(xy 65.337162 95.12501)
(xy 74.444863 95.12501)
(xy 74.463298 95.253233)
(xy 74.463298 95.253234)
(xy 74.463299 95.253236)
(xy 74.517114 95.371073)
(xy 74.601947 95.468977)
(xy 74.710927 95.539014)
(xy 74.835224 95.57551)
(xy 74.964768 95.57551)
(xy 75.089065 95.539014)
(xy 75.149772 95.5)

(xy 77.644867 95.5)
(xy 77.647978 95.521635)
(xy 77.663302 95.628223)
(xy 77.663302 95.628224)
(xy 77.663303 95.628226)
(xy 77.717118 95.746063)
(xy 77.801951 95.843967)
(xy 77.910931 95.914004)
(xy 78.035228 95.9505)
(xy 78.164772 95.9505)
(xy 78.289069 95.914004)
(xy 78.398049 95.843967)
(xy 78.482882 95.746063)
(xy 78.536697 95.628226)
(xy 78.555133 95.5)
(xy 78.536697 95.371774)
(xy 78.482882 95.253937)
(xy 78.398049 95.156033)
(xy 78.310858 95.099999)
(xy 78.289068 95.085995)
(xy 78.164772 95.0495)
(xy 78.035228 95.0495)
(xy 77.910931 95.085995)
(xy 77.801954 95.156031)
(xy 77.80195 95.156034)
(xy 77.717119 95.253935)
(xy 77.663302 95.371776)
(xy 77.645433 95.496063)
(xy 77.644867 95.5)
(xy 75.149772 95.5)
(xy 75.198045 95.468977)
(xy 75.282878 95.371073)
(xy 75.336693 95.253236)
(xy 75.355129 95.12501)
(xy 75.336693 94.996784)

(xy 75.282878 94.878947)
(xy 75.198045 94.781043)
(xy 75.131028 94.737974)
(xy 75.089064 94.711005)
(xy 74.964768 94.67451)
(xy 74.835224 94.67451)
(xy 74.710927 94.711005)
(xy 74.60195 94.781041)
(xy 74.601946 94.781044)
(xy 74.517115 94.878945)
(xy 74.463298 94.996786)
(xy 74.444863 95.12501)
(xy 65.337162 95.12501)
(xy 65.336697 95.121774)
(xy 65.282882 95.003937)
(xy 65.198049 94.906033)
(xy 65.111638 94.8505)
(xy 65.089068 94.835995)
(xy 64.964772 94.7995)
(xy 64.835228 94.7995)
(xy 64.710931 94.835995)
(xy 64.601954 94.906031)
(xy 64.60195 94.906034)
(xy 64.517119 95.003935)
(xy 64.463302 95.121776)
(xy 64.444867 95.25)
(xy 56.9555 95.25)
(xy 56.9555 94.7)
(xy 57.444867 94.7)
(xy 57.463302 94.828223)
(xy 57.463302 94.828224)
(xy 57.463303 94.828226)
(xy 57.517118 94.946063)
(xy 57.601951 95.043967)
(xy 57.710931 95.114004)

(xy 57.835228 95.1505)
(xy 57.964772 95.1505)
(xy 58.089069 95.114004)
(xy 58.198049 95.043967)
(xy 58.282882 94.946063)
(xy 58.336697 94.828226)
(xy 58.355133 94.7)
(xy 58.336697 94.571774)
(xy 58.282882 94.453937)
(xy 58.236146 94.4)
(xy 78.144867 94.4)
(xy 78.163302 94.528223)
(xy 78.163302 94.528224)
(xy 78.163303 94.528226)
(xy 78.217118 94.646063)
(xy 78.301951 94.743967)
(xy 78.410931 94.814004)
(xy 78.535228 94.8505)
(xy 78.664772 94.8505)
(xy 78.789069 94.814004)
(xy 78.898049 94.743967)
(xy 78.982882 94.646063)
(xy 79.036697 94.528226)
(xy 79.055133 94.4)
(xy 79.036697 94.271774)
(xy 78.982882 94.153937)
(xy 78.898049 94.056033)
(xy 78.830937 94.012903)
(xy 78.789068 93.985995)
(xy 78.664772 93.9495)
(xy 78.535228 93.9495)
(xy 78.410931 93.985995)
(xy 78.301954 94.056031)
(xy 78.30195 94.056034)
(xy 78.217119 94.153935)

(xy 78.217118 94.153936)
(xy 78.217118 94.153937)
(xy 78.19887 94.193895)
(xy 78.163302 94.271776)
(xy 78.144867 94.4)
(xy 58.236146 94.4)
(xy 58.198049 94.356033)
(xy 58.110858 94.299999)
(xy 58.089068 94.285995)
(xy 57.964772 94.2495)
(xy 57.835228 94.2495)
(xy 57.710931 94.285995)
(xy 57.601954 94.356031)
(xy 57.60195 94.356034)
(xy 57.517119 94.453935)
(xy 57.463302 94.571776)
(xy 57.444867 94.7)
(xy 56.9555 94.7)
(xy 56.9555 93.841925)
(xy 77.086792 93.841925)
(xy 77.105227 93.970148)
(xy 77.105227 93.970149)
(xy 77.105228 93.970151)
(xy 77.159043 94.087988)
(xy 77.243876 94.185892)
(xy 77.352856 94.255929)
(xy 77.477153 94.292425)
(xy 77.606697 94.292425)
(xy 77.730994 94.255929)
(xy 77.839974 94.185892)
(xy 77.924807 94.087988)
(xy 77.978622 93.970151)
(xy 77.997058 93.841925)
(xy 77.978622 93.713699)
(xy 77.924807 93.595862)

(xy 77.839974 93.497958)
(xy 77.747211 93.438343)
(xy 77.730993 93.42792)
(xy 77.606697 93.391425)
(xy 77.477153 93.391425)
(xy 77.352856 93.42792)
(xy 77.243879 93.497956)
(xy 77.243875 93.497959)
(xy 77.159044 93.59586)
(xy 77.105227 93.713701)
(xy 77.086792 93.841925)
(xy 56.9555 93.841925)
(xy 56.9555 93.25)
(xy 64.444867 93.25)
(xy 64.463302 93.378223)
(xy 64.463302 93.378224)
(xy 64.463303 93.378226)
(xy 64.517118 93.496063)
(xy 64.601951 93.593967)
(xy 64.710931 93.664004)
(xy 64.835228 93.7005)
(xy 64.964772 93.7005)
(xy 65.089069 93.664004)
(xy 65.198049 93.593967)
(xy 65.282882 93.496063)
(xy 65.336697 93.378226)
(xy 65.355133 93.25)
(xy 65.336697 93.121774)
(xy 65.282882 93.003937)
(xy 65.198049 92.906033)
(xy 65.131032 92.862964)
(xy 65.089068 92.835995)
(xy 64.964772 92.7995)
(xy 64.835228 92.7995)
(xy 64.710931 92.835995)

(xy 64.601954 92.906031)
(xy 64.60195 92.906034)
(xy 64.517119 93.003935)
(xy 64.463302 93.121776)
(xy 64.444867 93.25)
(xy 56.9555 93.25)
(xy 56.9555 92.194957)
(xy 75.518017 92.194957)
(xy 75.536452 92.323181)
(xy 75.536452 92.323182)
(xy 75.536453 92.323184)
(xy 75.590268 92.441021)
(xy 75.675101 92.538925)
(xy 75.784081 92.608962)
(xy 75.908378 92.645458)
(xy 76.037922 92.645458)
(xy 76.162219 92.608962)
(xy 76.271199 92.538925)
(xy 76.356032 92.441021)
(xy 76.409847 92.323184)
(xy 76.428283 92.194958)
(xy 76.409847 92.066732)
(xy 76.356032 91.948895)
(xy 76.313665 91.9)
(xy 79.745131 91.9)
(xy 79.762499 92.00966)
(xy 79.771959 92.028226)
(xy 79.812905 92.108587)
(xy 79.891413 92.187095)
(xy 79.990339 92.2375)
(xy 80.1 92.254869)
(xy 80.209661 92.2375)
(xy 80.308587 92.187095)
(xy 80.387095 92.108587)
(xy 80.434065 92.016401)

(xy 80.471086 91.98188)
(xy 80.521635 91.97923)
(xy 80.562061 92.009693)
(xy 80.565932 92.016397)
(xy 80.612904 92.108587)
(xy 80.612905 92.108587)
(xy 80.691414 92.187096)
(xy 80.783597 92.234066)
(xy 80.818119 92.271086)
(xy 80.820769 92.321635)
(xy 80.790305 92.362062)
(xy 80.783597 92.365934)
(xy 80.691414 92.412903)
(xy 80.612905 92.491412)
(xy 80.562499 92.590339)
(xy 80.545131 92.7)
(xy 80.562499 92.80966)
(xy 80.612905 92.908587)
(xy 80.691414 92.987096)
(xy 80.783597 93.034066)
(xy 80.818119 93.071086)
(xy 80.820769 93.121635)
(xy 80.790305 93.162062)
(xy 80.783597 93.165934)
(xy 80.691414 93.212903)
(xy 80.612905 93.291412)
(xy 80.562499 93.390339)
(xy 80.545131 93.5)
(xy 80.562499 93.60966)
(xy 80.612905 93.708587)
(xy 80.691414 93.787096)
(xy 80.783597 93.834066)
(xy 80.818119 93.871086)
(xy 80.820769 93.921635)
(xy 80.790305 93.962062)

(xy 80.783597 93.965934)
(xy 80.691414 94.012903)
(xy 80.612905 94.091412)
(xy 80.562499 94.190339)
(xy 80.545131 94.3)
(xy 80.562499 94.40966)
(xy 80.612905 94.508587)
(xy 80.691414 94.587096)
(xy 80.783597 94.634066)
(xy 80.818119 94.671086)
(xy 80.820769 94.721635)
(xy 80.790305 94.762062)
(xy 80.783597 94.765934)
(xy 80.691414 94.812903)
(xy 80.612905 94.891412)
(xy 80.562499 94.990339)
(xy 80.545131 95.1)
(xy 80.562499 95.20966)
(xy 80.612905 95.308587)
(xy 80.691414 95.387096)
(xy 80.783597 95.434066)
(xy 80.818119 95.471086)
(xy 80.820769 95.521635)
(xy 80.790305 95.562062)
(xy 80.783597 95.565934)
(xy 80.691414 95.612903)
(xy 80.612905 95.691412)
(xy 80.562499 95.790339)
(xy 80.545131 95.9)
(xy 80.562499 96.00966)
(xy 80.581048 96.046064)
(xy 80.612905 96.108587)
(xy 80.691413 96.187095)
(xy 80.790339 96.2375)
(xy 80.9 96.254869)

(xy 81.009661 96.2375)
(xy 81.108587 96.187095)
(xy 81.187095 96.108587)
(xy 81.234065 96.016401)
(xy 81.271086 95.98188)
(xy 81.321635 95.97923)
(xy 81.362061 96.009693)
(xy 81.365935 96.016402)
(xy 81.412905 96.108587)
(xy 81.491414 96.187096)
(xy 81.583597 96.234066)
(xy 81.618119 96.271086)
(xy 81.620769 96.321635)
(xy 81.590305 96.362062)
(xy 81.583597 96.365934)
(xy 81.491414 96.412903)
(xy 81.412905 96.491412)
(xy 81.362499 96.590339)
(xy 81.345131 96.7)
(xy 81.362499 96.80966)
(xy 81.386115 96.856009)
(xy 81.412905 96.908587)
(xy 81.491413 96.987095)
(xy 81.590339 97.0375)
(xy 81.7 97.054869)
(xy 81.809661 97.0375)
(xy 81.908587 96.987095)
(xy 81.987095 96.908587)
(xy 82.034065 96.816401)
(xy 82.071086 96.78188)
(xy 82.121635 96.77923)
(xy 82.162061 96.809693)
(xy 82.165932 96.816397)
(xy 82.212905 96.908587)
(xy 82.291413 96.987095)

(xy 82.390339 97.0375)
(xy 82.5 97.054869)
(xy 82.609661 97.0375)
(xy 82.708587 96.987095)
(xy 82.787095 96.908587)
(xy 82.8375 96.809661)
(xy 82.854869 96.7)
(xy 82.8375 96.590339)
(xy 82.787095 96.491413)
(xy 82.708587 96.412905)
(xy 82.708583 96.412903)
(xy 82.60966 96.362499)
(xy 82.5 96.345131)
(xy 82.390339 96.362499)
(xy 82.291412 96.412905)
(xy 82.212903 96.491414)
(xy 82.165934 96.583597)
(xy 82.128914 96.618119)
(xy 82.078365 96.620769)
(xy 82.037938 96.590305)
(xy 82.034066 96.583597)
(xy 81.987096 96.491414)
(xy 81.908587 96.412905)
(xy 81.908583 96.412903)
(xy 81.816401 96.365934)
(xy 81.78188 96.328914)
(xy 81.77923 96.278365)
(xy 81.809693 96.237939)
(xy 81.816397 96.234067)
(xy 81.908587 96.187095)
(xy 81.987095 96.108587)
(xy 82.0375 96.009661)
(xy 82.054869 95.9)
(xy 82.0375 95.790339)
(xy 81.987095 95.691413)

(xy 81.908587 95.612905)
(xy 81.908583 95.612903)
(xy 81.80966 95.562499)
(xy 81.7 95.545131)
(xy 81.590339 95.562499)
(xy 81.491412 95.612905)
(xy 81.412903 95.691414)
(xy 81.365934 95.783597)
(xy 81.328914 95.818119)
(xy 81.278365 95.820769)
(xy 81.237938 95.790305)
(xy 81.234066 95.783597)
(xy 81.187096 95.691414)
(xy 81.108587 95.612905)
(xy 81.075534 95.596064)
(xy 81.016401 95.565934)
(xy 80.98188 95.528914)
(xy 80.97923 95.478365)
(xy 81.009693 95.437939)
(xy 81.016397 95.434067)
(xy 81.108587 95.387095)
(xy 81.187095 95.308587)
(xy 81.2375 95.209661)
(xy 81.254869 95.1)
(xy 81.2375 94.990339)
(xy 81.187095 94.891413)
(xy 81.108587 94.812905)
(xy 81.016401 94.765934)
(xy 80.98188 94.728914)
(xy 80.97923 94.678365)
(xy 81.009693 94.637939)
(xy 81.016397 94.634067)
(xy 81.108587 94.587095)
(xy 81.187095 94.508587)
(xy 81.2375 94.409661)

(xy 81.254869 94.3)
(xy 82.145131 94.3)
(xy 82.162499 94.40966)
(xy 82.194148 94.471774)
(xy 82.212905 94.508587)
(xy 82.291413 94.587095)
(xy 82.390339 94.6375)
(xy 82.5 94.654869)
(xy 82.609661 94.6375)
(xy 82.708587 94.587095)
(xy 82.787095 94.508587)
(xy 82.8375 94.409661)
(xy 82.854869 94.3)
(xy 84.545131 94.3)
(xy 84.562499 94.40966)
(xy 84.594148 94.471774)
(xy 84.612905 94.508587)
(xy 84.691413 94.587095)
(xy 84.790339 94.6375)
(xy 84.9 94.654869)
(xy 85.009661 94.6375)
(xy 85.108587 94.587095)
(xy 85.187095 94.508587)
(xy 85.2375 94.409661)
(xy 85.254869 94.3)
(xy 86.945131 94.3)
(xy 86.962499 94.40966)
(xy 86.994148 94.471774)
(xy 87.012905 94.508587)
(xy 87.091413 94.587095)
(xy 87.190339 94.6375)
(xy 87.3 94.654869)
(xy 87.409661 94.6375)
(xy 87.508587 94.587095)
(xy 87.587095 94.508587)

(xy 87.6375 94.409661)
(xy 87.654869 94.3)
(xy 87.6375 94.190339)
(xy 87.616946 94.15)
(xy 89.144867 94.15)
(xy 89.163302 94.278223)
(xy 89.163302 94.278224)
(xy 89.163303 94.278226)
(xy 89.217118 94.396063)
(xy 89.301951 94.493967)
(xy 89.410931 94.564004)
(xy 89.535228 94.6005)
(xy 89.664772 94.6005)
(xy 89.789069 94.564004)
(xy 89.898049 94.493967)
(xy 89.982882 94.396063)
(xy 90.036697 94.278226)
(xy 90.055133 94.15)
(xy 90.036697 94.021774)
(xy 89.982882 93.903937)
(xy 89.898049 93.806033)
(xy 89.831032 93.762964)
(xy 89.789068 93.735995)
(xy 89.664772 93.6995)
(xy 89.535228 93.6995)
(xy 89.410931 93.735995)
(xy 89.301954 93.806031)
(xy 89.30195 93.806034)
(xy 89.217119 93.903935)
(xy 89.217118 93.903936)
(xy 89.217118 93.903937)
(xy 89.190573 93.962062)
(xy 89.163302 94.021776)
(xy 89.144867 94.15)
(xy 87.616946 94.15)

(xy 87.587095 94.091413)
(xy 87.508587 94.012905)
(xy 87.455773 93.985995)
(xy 87.40966 93.962499)
(xy 87.3 93.945131)
(xy 87.190339 93.962499)
(xy 87.091412 94.012905)
(xy 87.012905 94.091412)
(xy 86.962499 94.190339)
(xy 86.945131 94.3)
(xy 85.254869 94.3)
(xy 85.2375 94.190339)
(xy 85.187095 94.091413)
(xy 85.108587 94.012905)
(xy 85.055773 93.985995)
(xy 85.00966 93.962499)
(xy 84.9 93.945131)
(xy 84.790339 93.962499)
(xy 84.691412 94.012905)
(xy 84.612905 94.091412)
(xy 84.562499 94.190339)
(xy 84.545131 94.3)
(xy 82.854869 94.3)
(xy 82.8375 94.190339)
(xy 82.787095 94.091413)
(xy 82.708587 94.012905)
(xy 82.616401 93.965934)
(xy 82.58188 93.928914)
(xy 82.57923 93.878365)
(xy 82.609693 93.837939)
(xy 82.616397 93.834067)
(xy 82.708587 93.787095)
(xy 82.787095 93.708587)
(xy 82.834065 93.616401)
(xy 82.871086 93.58188)

(xy 82.921635 93.57923)
(xy 82.962061 93.609693)
(xy 82.965932 93.616397)
(xy 83.012905 93.708587)
(xy 83.091413 93.787095)
(xy 83.190339 93.8375)
(xy 83.3 93.854869)
(xy 83.409661 93.8375)
(xy 83.508587 93.787095)
(xy 83.587095 93.708587)
(xy 83.634065 93.616401)
(xy 83.671086 93.58188)
(xy 83.721635 93.57923)
(xy 83.762061 93.609693)
(xy 83.765932 93.616397)
(xy 83.812905 93.708587)
(xy 83.891413 93.787095)
(xy 83.990339 93.8375)
(xy 84.1 93.854869)
(xy 84.209661 93.8375)
(xy 84.308587 93.787095)
(xy 84.387095 93.708587)
(xy 84.4375 93.609661)
(xy 84.454869 93.5)
(xy 84.4375 93.390339)
(xy 84.387095 93.291413)
(xy 84.308587 93.212905)
(xy 84.290982 93.203935)
(xy 84.20966 93.162499)
(xy 84.1 93.145131)
(xy 83.990339 93.162499)
(xy 83.891412 93.212905)
(xy 83.812903 93.291414)
(xy 83.765934 93.383597)
(xy 83.728914 93.418119)

(xy 83.678365 93.420769)
(xy 83.637938 93.390305)
(xy 83.634066 93.383597)
(xy 83.587096 93.291414)
(xy 83.508587 93.212905)
(xy 83.483259 93.2)
(xy 83.416401 93.165934)
(xy 83.38188 93.128914)
(xy 83.37923 93.078365)
(xy 83.409693 93.037939)
(xy 83.416397 93.034067)
(xy 83.508587 92.987095)
(xy 83.587095 92.908587)
(xy 83.6375 92.809661)
(xy 83.654869 92.7)
(xy 84.545131 92.7)
(xy 84.562499 92.80966)
(xy 84.594238 92.871951)
(xy 84.612905 92.908587)
(xy 84.691413 92.987095)
(xy 84.790339 93.0375)
(xy 84.9 93.054869)
(xy 85.009661 93.0375)
(xy 85.108587 92.987095)
(xy 85.187095 92.908587)
(xy 85.234065 92.816401)
(xy 85.271086 92.78188)
(xy 85.321635 92.77923)
(xy 85.362061 92.809693)
(xy 85.365932 92.816397)
(xy 85.412905 92.908587)
(xy 85.491413 92.987095)
(xy 85.590339 93.0375)
(xy 85.7 93.054869)
(xy 85.809661 93.0375)

(xy 85.908587 92.987095)
(xy 85.987095 92.908587)
(xy 86.034065 92.816401)
(xy 86.071086 92.78188)
(xy 86.121635 92.77923)
(xy 86.162061 92.809693)
(xy 86.165932 92.816397)
(xy 86.181048 92.846063)
(xy 86.212905 92.908587)
(xy 86.291414 92.987096)
(xy 86.383597 93.034066)
(xy 86.418119 93.071086)
(xy 86.420769 93.121635)
(xy 86.390305 93.162062)
(xy 86.383597 93.165934)
(xy 86.291414 93.212903)
(xy 86.212905 93.291412)
(xy 86.162499 93.390339)
(xy 86.145131 93.5)
(xy 86.162499 93.60966)
(xy 86.171959 93.628226)
(xy 86.212905 93.708587)
(xy 86.291413 93.787095)
(xy 86.390339 93.8375)
(xy 86.5 93.854869)
(xy 86.609661 93.8375)
(xy 86.708587 93.787095)
(xy 86.787095 93.708587)
(xy 86.8375 93.609661)
(xy 86.854869 93.5)
(xy 86.8375 93.390339)
(xy 86.787095 93.291413)
(xy 86.708587 93.212905)
(xy 86.683259 93.2)
(xy 88.194508 93.2)

(xy 88.214353 93.325301)
(xy 88.214353 93.325302)
(xy 88.214354 93.325304)
(xy 88.27195 93.438342)
(xy 88.361658 93.52805)
(xy 88.474696 93.585646)
(xy 88.6 93.605492)
(xy 88.725304 93.585646)
(xy 88.838342 93.52805)
(xy 88.92805 93.438342)
(xy 88.985646 93.325304)
(xy 89.005492 93.2)
(xy 88.985646 93.074696)
(xy 88.92805 92.961658)
(xy 88.926392 92.96)
(xy 104.264659 92.96)
(xy 104.283976 93.156133)
(xy 104.341187 93.344731)
(xy 104.409094 93.471774)
(xy 104.43409 93.518538)
(xy 104.559117 93.670883)
(xy 104.711462 93.79591)
(xy 104.730403 93.806034)
(xy 104.885268 93.888812)
(xy 104.88527 93.888812)
(xy 104.885273 93.888814)
(xy 105.073868 93.946024)
(xy 105.27 93.965341)
(xy 105.466132 93.946024)
(xy 105.654727 93.888814)
(xy 105.828538 93.79591)
(xy 105.980883 93.670883)
(xy 106.10591 93.518538)
(xy 106.115819 93.5)
(xy 107.894867 93.5)

(xy 107.913302 93.628223)
(xy 107.913302 93.628224)
(xy 107.913303 93.628226)
(xy 107.967118 93.746063)
(xy 108.051951 93.843967)
(xy 108.160931 93.914004)
(xy 108.285228 93.9505)
(xy 108.414772 93.9505)
(xy 108.539069 93.914004)
(xy 108.648049 93.843967)
(xy 108.732882 93.746063)
(xy 108.786697 93.628226)
(xy 108.790755 93.6)
(xy 119.644867 93.6)
(xy 119.663302 93.728223)
(xy 119.663302 93.728224)
(xy 119.663303 93.728226)
(xy 119.717118 93.846063)
(xy 119.801951 93.943967)
(xy 119.910931 94.014004)
(xy 120.035228 94.0505)
(xy 120.164772 94.0505)
(xy 120.289069 94.014004)
(xy 120.398049 93.943967)
(xy 120.482882 93.846063)
(xy 120.536697 93.728226)
(xy 120.555133 93.6)
(xy 120.536697 93.471774)
(xy 120.482882 93.353937)
(xy 120.398049 93.256033)
(xy 120.31086 93.2)
(xy 120.289068 93.185995)
(xy 120.164772 93.1495)
(xy 120.035228 93.1495)
(xy 119.910931 93.185995)

(xy 119.801954 93.256031)
(xy 119.80195 93.256034)
(xy 119.717119 93.353935)
(xy 119.717118 93.353936)
(xy 119.717118 93.353937)
(xy 119.703573 93.383597)
(xy 119.663302 93.471776)
(xy 119.644867 93.6)
(xy 108.790755 93.6)
(xy 108.805133 93.5)
(xy 108.786697 93.371774)
(xy 108.732882 93.253937)
(xy 108.648049 93.156033)
(xy 108.570244 93.106031)
(xy 108.539068 93.085995)
(xy 108.414772 93.0495)
(xy 108.285228 93.0495)
(xy 108.160931 93.085995)
(xy 108.051954 93.156031)
(xy 108.05195 93.156034)
(xy 107.967119 93.253935)
(xy 107.913302 93.371776)
(xy 107.894867 93.5)
(xy 106.115819 93.5)
(xy 106.198814 93.344727)
(xy 106.256024 93.156132)
(xy 106.275341 92.96)
(xy 106.256024 92.763868)
(xy 106.206315 92.6)
(xy 120.444867 92.6)
(xy 120.463302 92.728223)
(xy 120.463302 92.728224)
(xy 120.463303 92.728226)
(xy 120.517118 92.846063)
(xy 120.601951 92.943967)

(xy 120.710931 93.014004)
(xy 120.835228 93.0505)
(xy 120.964772 93.0505)
(xy 121.089069 93.014004)
(xy 121.198049 92.943967)
(xy 121.282882 92.846063)
(xy 121.336697 92.728226)
(xy 121.355133 92.6)
(xy 121.336697 92.471774)
(xy 121.282882 92.353937)
(xy 121.198049 92.256033)
(xy 121.131032 92.212964)
(xy 121.089068 92.185995)
(xy 120.964772 92.1495)
(xy 120.835228 92.1495)
(xy 120.710931 92.185995)
(xy 120.601954 92.256031)
(xy 120.60195 92.256034)
(xy 120.517119 92.353935)
(xy 120.463302 92.471776)
(xy 120.444867 92.6)
(xy 106.206315 92.6)
(xy 106.198814 92.575273)
(xy 106.198812 92.57527)
(xy 106.198812 92.575268)
(xy 106.127055 92.441022)
(xy 106.10591 92.401462)
(xy 105.980883 92.249117)
(xy 105.828538 92.12409)
(xy 105.799534 92.108587)
(xy 105.654731 92.031187)
(xy 105.466133 91.973976)
(xy 105.27 91.954659)
(xy 105.073866 91.973976)
(xy 104.885268 92.031187)

(xy 104.711463 92.124089)
(xy 104.559117 92.249117)
(xy 104.434089 92.401463)
(xy 104.341187 92.575268)
(xy 104.283976 92.763866)
(xy 104.264659 92.96)
(xy 88.926392 92.96)
(xy 88.838342 92.87195)
(xy 88.725304 92.814354)
(xy 88.725302 92.814353)
(xy 88.725301 92.814353)
(xy 88.6 92.794508)
(xy 88.474698 92.814353)
(xy 88.361656 92.871951)
(xy 88.271951 92.961656)
(xy 88.214353 93.074698)
(xy 88.194508 93.2)
(xy 86.683259 93.2)
(xy 86.616401 93.165934)
(xy 86.58188 93.128914)
(xy 86.57923 93.078365)
(xy 86.609693 93.037939)
(xy 86.616397 93.034067)
(xy 86.708587 92.987095)
(xy 86.787095 92.908587)
(xy 86.8375 92.809661)
(xy 86.854869 92.7)
(xy 86.8375 92.590339)
(xy 86.787095 92.491413)
(xy 86.708587 92.412905)
(xy 86.686129 92.401462)
(xy 86.60966 92.362499)
(xy 86.5 92.345131)
(xy 86.390339 92.362499)
(xy 86.291412 92.412905)

(xy 86.212903 92.491414)
(xy 86.165934 92.583597)
(xy 86.128914 92.618119)
(xy 86.078365 92.620769)
(xy 86.037938 92.590305)
(xy 86.034066 92.583597)
(xy 85.987096 92.491414)
(xy 85.908587 92.412905)
(xy 85.886129 92.401462)
(xy 85.816401 92.365934)
(xy 85.78188 92.328914)
(xy 85.77923 92.278365)
(xy 85.809693 92.237939)
(xy 85.816397 92.234067)
(xy 85.908587 92.187095)
(xy 85.987095 92.108587)
(xy 86.0375 92.009661)
(xy 86.03903 92)
(xy 89.044867 92)
(xy 89.063302 92.128223)
(xy 89.063302 92.128224)
(xy 89.063303 92.128226)
(xy 89.117118 92.246063)
(xy 89.201951 92.343967)
(xy 89.310931 92.414004)
(xy 89.435228 92.4505)
(xy 89.564772 92.4505)
(xy 89.689069 92.414004)
(xy 89.798049 92.343967)
(xy 89.882882 92.246063)
(xy 89.936697 92.128226)
(xy 89.955133 92)
(xy 89.936697 91.871774)
(xy 89.882882 91.753937)
(xy 89.798049 91.656033)

(xy 89.73094 91.612905)
(xy 89.689068 91.585995)
(xy 89.564772 91.5495)
(xy 89.435228 91.5495)
(xy 89.310931 91.585995)
(xy 89.201954 91.656031)
(xy 89.20195 91.656034)
(xy 89.117119 91.753935)
(xy 89.117118 91.753936)
(xy 89.117118 91.753937)
(xy 89.10478 91.780953)
(xy 89.063302 91.871776)
(xy 89.044867 92)
(xy 86.03903 92)
(xy 86.054869 91.9)
(xy 86.0375 91.790339)
(xy 85.987095 91.691413)
(xy 85.908587 91.612905)
(xy 85.855773 91.585995)
(xy 85.80966 91.562499)
(xy 85.7 91.545131)
(xy 85.590339 91.562499)
(xy 85.491412 91.612905)
(xy 85.412903 91.691414)
(xy 85.365934 91.783597)
(xy 85.328914 91.818119)
(xy 85.278365 91.820769)
(xy 85.237938 91.790305)
(xy 85.234066 91.783597)
(xy 85.187096 91.691414)
(xy 85.108587 91.612905)
(xy 85.00966 91.562499)
(xy 84.9 91.545131)
(xy 84.790339 91.562499)
(xy 84.691412 91.612905)

(xy 84.612905 91.691412)
(xy 84.562499 91.790339)
(xy 84.545131 91.9)
(xy 84.562499 92.00966)
(xy 84.612905 92.108587)
(xy 84.691414 92.187096)
(xy 84.783597 92.234066)
(xy 84.818119 92.271086)
(xy 84.820769 92.321635)
(xy 84.790305 92.362062)
(xy 84.783597 92.365934)
(xy 84.691414 92.412903)
(xy 84.612905 92.491412)
(xy 84.562499 92.590339)
(xy 84.545131 92.7)
(xy 83.654869 92.7)
(xy 83.6375 92.590339)
(xy 83.587095 92.491413)
(xy 83.508587 92.412905)
(xy 83.486129 92.401462)
(xy 83.40966 92.362499)
(xy 83.3 92.345131)
(xy 83.190339 92.362499)
(xy 83.091412 92.412905)
(xy 83.012903 92.491414)
(xy 82.965934 92.583597)
(xy 82.928914 92.618119)
(xy 82.878365 92.620769)
(xy 82.837938 92.590305)
(xy 82.834066 92.583597)
(xy 82.787096 92.491414)
(xy 82.708587 92.412905)
(xy 82.60966 92.362499)
(xy 82.5 92.345131)
(xy 82.390339 92.362499)

(xy 82.291412 92.412905)
(xy 82.212905 92.491412)
(xy 82.162499 92.590339)
(xy 82.145131 92.7)
(xy 82.162499 92.80966)
(xy 82.212905 92.908587)
(xy 82.291414 92.987096)
(xy 82.383597 93.034066)
(xy 82.418119 93.071086)
(xy 82.420769 93.121635)
(xy 82.390305 93.162062)
(xy 82.383597 93.165934)
(xy 82.291414 93.212903)
(xy 82.212905 93.291412)
(xy 82.162499 93.390339)
(xy 82.145131 93.5)
(xy 82.162499 93.60966)
(xy 82.212905 93.708587)
(xy 82.291414 93.787096)
(xy 82.383597 93.834066)
(xy 82.418119 93.871086)
(xy 82.420769 93.921635)
(xy 82.390305 93.962062)
(xy 82.383597 93.965934)
(xy 82.291414 94.012903)
(xy 82.212905 94.091412)
(xy 82.162499 94.190339)
(xy 82.145131 94.3)
(xy 81.254869 94.3)
(xy 81.2375 94.190339)
(xy 81.187095 94.091413)
(xy 81.108587 94.012905)
(xy 81.016401 93.965934)
(xy 80.98188 93.928914)
(xy 80.97923 93.878365)

(xy 81.009693 93.837939)
(xy 81.016397 93.834067)
(xy 81.108587 93.787095)
(xy 81.187095 93.708587)
(xy 81.2375 93.609661)
(xy 81.254869 93.5)
(xy 81.2375 93.390339)
(xy 81.187095 93.291413)
(xy 81.108587 93.212905)
(xy 81.016401 93.165934)
(xy 80.98188 93.128914)
(xy 80.97923 93.078365)
(xy 81.009693 93.037939)
(xy 81.016397 93.034067)
(xy 81.108587 92.987095)
(xy 81.187095 92.908587)
(xy 81.2375 92.809661)
(xy 81.254869 92.7)
(xy 81.2375 92.590339)
(xy 81.187095 92.491413)
(xy 81.108587 92.412905)
(xy 81.016401 92.365934)
(xy 80.98188 92.328914)
(xy 80.97923 92.278365)
(xy 81.009693 92.237939)
(xy 81.016397 92.234067)
(xy 81.108587 92.187095)
(xy 81.187095 92.108587)
(xy 81.2375 92.009661)
(xy 81.254869 91.9)
(xy 81.2375 91.790339)
(xy 81.187095 91.691413)
(xy 81.108587 91.612905)
(xy 81.055773 91.585995)
(xy 81.00966 91.562499)

(xy 80.9 91.545131)
(xy 80.790339 91.562499)
(xy 80.691412 91.612905)
(xy 80.612903 91.691414)
(xy 80.565934 91.783597)
(xy 80.528914 91.818119)
(xy 80.478365 91.820769)
(xy 80.437938 91.790305)
(xy 80.434066 91.783597)
(xy 80.387096 91.691414)
(xy 80.308587 91.612905)
(xy 80.20966 91.562499)
(xy 80.1 91.545131)
(xy 79.990339 91.562499)
(xy 79.891412 91.612905)
(xy 79.812905 91.691412)
(xy 79.762499 91.790339)
(xy 79.745131 91.9)
(xy 76.313665 91.9)
(xy 76.271199 91.850991)
(xy 76.185729 91.796063)
(xy 76.162218 91.780953)
(xy 76.037922 91.744458)
(xy 75.908378 91.744458)
(xy 75.784081 91.780953)
(xy 75.675104 91.850989)
(xy 75.6751 91.850992)
(xy 75.590269 91.948893)
(xy 75.536452 92.066734)
(xy 75.518017 92.194957)
(xy 56.9555 92.194957)
(xy 56.9555 91.55)
(xy 73.344867 91.55)
(xy 73.345735 91.556034)
(xy 73.363302 91.678223)

(xy 73.363302 91.678224)
(xy 73.363303 91.678226)
(xy 73.417118 91.796063)
(xy 73.501951 91.893967)
(xy 73.610931 91.964004)
(xy 73.735228 92.0005)
(xy 73.864772 92.0005)
(xy 73.989069 91.964004)
(xy 74.098049 91.893967)
(xy 74.182882 91.796063)
(xy 74.236697 91.678226)
(xy 74.255133 91.55)
(xy 74.236697 91.421774)
(xy 74.182882 91.303937)
(xy 74.179471 91.3)
(xy 78.144867 91.3)
(xy 78.163302 91.428223)
(xy 78.163302 91.428224)
(xy 78.163303 91.428226)
(xy 78.217118 91.546063)
(xy 78.301951 91.643967)
(xy 78.410931 91.714004)
(xy 78.535228 91.7505)
(xy 78.664772 91.7505)
(xy 78.789069 91.714004)
(xy 78.898049 91.643967)
(xy 78.982882 91.546063)
(xy 79.036697 91.428226)
(xy 79.040755 91.4)
(xy 97.394867 91.4)
(xy 97.413302 91.528223)
(xy 97.413302 91.528224)
(xy 97.413303 91.528226)
(xy 97.467118 91.646063)
(xy 97.551951 91.743967)

(xy 97.660931 91.814004)
(xy 97.785228 91.8505)
(xy 97.914772 91.8505)
(xy 98.039069 91.814004)
(xy 98.148049 91.743967)
(xy 98.232882 91.646063)
(xy 98.286697 91.528226)
(xy 98.305133 91.4)
(xy 101.394867 91.4)
(xy 101.413302 91.528223)
(xy 101.413302 91.528224)
(xy 101.413303 91.528226)
(xy 101.467118 91.646063)
(xy 101.551951 91.743967)
(xy 101.660931 91.814004)
(xy 101.785228 91.8505)
(xy 101.914772 91.8505)
(xy 102.039069 91.814004)
(xy 102.148049 91.743967)
(xy 102.232882 91.646063)
(xy 102.286697 91.528226)
(xy 102.305133 91.4)
(xy 102.290755 91.3)
(xy 116.544867 91.3)
(xy 116.545735 91.306034)
(xy 116.563302 91.428223)
(xy 116.563302 91.428224)
(xy 116.563303 91.428226)
(xy 116.617118 91.546063)
(xy 116.701951 91.643967)
(xy 116.810931 91.714004)
(xy 116.935228 91.7505)
(xy 117.064772 91.7505)
(xy 117.189069 91.714004)
(xy 117.298049 91.643967)

(xy 117.382882 91.546063)
(xy 117.436697 91.428226)
(xy 117.455133 91.3)
(xy 117.440755 91.2)
(xy 118.544867 91.2)
(xy 118.545735 91.206034)
(xy 118.563302 91.328223)
(xy 118.563302 91.328224)
(xy 118.563303 91.328226)
(xy 118.617118 91.446063)
(xy 118.701951 91.543967)
(xy 118.810931 91.614004)
(xy 118.935228 91.6505)
(xy 119.064772 91.6505)
(xy 119.066475 91.65)
(xy 121.144867 91.65)
(xy 121.145735 91.656034)
(xy 121.163302 91.778223)
(xy 121.163302 91.778224)
(xy 121.163303 91.778226)
(xy 121.217118 91.896063)
(xy 121.301951 91.993967)
(xy 121.410931 92.064004)
(xy 121.535228 92.1005)
(xy 121.664772 92.1005)
(xy 121.789069 92.064004)
(xy 121.898049 91.993967)
(xy 121.982882 91.896063)
(xy 122.036697 91.778226)
(xy 122.055133 91.65)
(xy 122.944867 91.65)
(xy 122.963302 91.778223)
(xy 122.963302 91.778224)
(xy 122.963303 91.778226)
(xy 123.017118 91.896063)

(xy 123.101951 91.993967)
(xy 123.210931 92.064004)
(xy 123.335228 92.1005)
(xy 123.464772 92.1005)
(xy 123.589069 92.064004)
(xy 123.698049 91.993967)
(xy 123.779471 91.9)
(xy 125.144867 91.9)
(xy 125.163302 92.028223)
(xy 125.163302 92.028224)
(xy 125.163303 92.028226)
(xy 125.217118 92.146063)
(xy 125.301951 92.243967)
(xy 125.410931 92.314004)
(xy 125.535228 92.3505)
(xy 125.664775 92.3505)
(xy 125.664775 92.350499)
(xy 125.789069 92.314004)
(xy 125.809992 92.300557)
(xy 125.859364 92.289404)
(xy 125.890002 92.300554)
(xy 125.910931 92.314004)
(xy 126.035228 92.3505)
(xy 126.164772 92.3505)
(xy 126.289069 92.314004)
(xy 126.309993 92.300556)
(xy 126.359366 92.289404)
(xy 126.390004 92.300555)
(xy 126.410931 92.314004)
(xy 126.535228 92.3505)
(xy 126.664775 92.3505)
(xy 126.664775 92.350499)
(xy 126.789069 92.314004)
(xy 126.809992 92.300557)
(xy 126.859364 92.289404)

(xy 126.890002 92.300554)
(xy 126.910931 92.314004)
(xy 127.035228 92.3505)
(xy 127.164772 92.3505)
(xy 127.289069 92.314004)
(xy 127.398049 92.243967)
(xy 127.482882 92.146063)
(xy 127.536697 92.028226)
(xy 127.555133 91.9)
(xy 127.536697 91.771774)
(xy 127.482882 91.653937)
(xy 127.398049 91.556033)
(xy 127.309993 91.499443)
(xy 127.289068 91.485995)
(xy 127.164772 91.4495)
(xy 127.035228 91.4495)
(xy 126.91093 91.485996)
(xy 126.910927 91.485997)
(xy 126.890004 91.499443)
(xy 126.840628 91.510593)
(xy 126.809992 91.499442)
(xy 126.789068 91.485995)
(xy 126.664772 91.4495)
(xy 126.535228 91.4495)
(xy 126.41093 91.485996)
(xy 126.390006 91.499443)
(xy 126.340631 91.510593)
(xy 126.309994 91.499443)
(xy 126.289069 91.485996)
(xy 126.164772 91.4495)
(xy 126.035228 91.4495)
(xy 125.91093 91.485996)
(xy 125.910927 91.485997)
(xy 125.890004 91.499443)
(xy 125.840628 91.510593)

(xy 125.809992 91.499442)
(xy 125.789068 91.485995)
(xy 125.664772 91.4495)
(xy 125.535228 91.4495)
(xy 125.410931 91.485995)
(xy 125.301954 91.556031)
(xy 125.30195 91.556034)
(xy 125.217119 91.653935)
(xy 125.217118 91.653936)
(xy 125.217118 91.653937)
(xy 125.200004 91.691412)
(xy 125.163302 91.771776)
(xy 125.144867 91.9)
(xy 123.779471 91.9)
(xy 123.782882 91.896063)
(xy 123.836697 91.778226)
(xy 123.855133 91.65)
(xy 123.836697 91.521774)
(xy 123.782882 91.403937)
(xy 123.78288 91.403935)
(xy 123.78288 91.403934)
(xy 123.782878 91.403932)
(xy 123.778137 91.39846)
(xy 123.760071 91.351175)
(xy 123.776627 91.30334)
(xy 123.778137 91.30154)
(xy 123.780949 91.298293)
(xy 123.782882 91.296063)
(xy 123.836697 91.178226)
(xy 123.855133 91.05)
(xy 123.836697 90.921774)
(xy 123.782882 90.803937)
(xy 123.698049 90.706033)
(xy 123.631032 90.662964)
(xy 123.589068 90.635995)

(xy 123.464772 90.5995)
(xy 123.335228 90.5995)
(xy 123.210931 90.635995)
(xy 123.101954 90.706031)
(xy 123.10195 90.706034)
(xy 123.017119 90.803935)
(xy 122.963302 90.921776)
(xy 122.944867 91.049999)
(xy 122.944867 91.05)
(xy 122.947981 91.071661)
(xy 122.963302 91.178223)
(xy 122.963302 91.178224)
(xy 122.963303 91.178226)
(xy 123.017118 91.296063)
(xy 123.018664 91.297847)
(xy 123.021866 91.301543)
(xy 123.039929 91.348829)
(xy 123.023371 91.396663)
(xy 123.021866 91.398457)
(xy 123.017119 91.403935)
(xy 123.017118 91.403936)
(xy 122.963302 91.521776)
(xy 122.944867 91.65)
(xy 122.055133 91.65)
(xy 122.036697 91.521774)
(xy 121.982882 91.403937)
(xy 121.898049 91.306033)
(xy 121.831032 91.262964)
(xy 121.789068 91.235995)
(xy 121.664772 91.1995)
(xy 121.535228 91.1995)
(xy 121.410931 91.235995)
(xy 121.301954 91.306031)
(xy 121.30195 91.306034)
(xy 121.217119 91.403935)

(xy 121.217118 91.403936)
(xy 121.217118 91.403937)
(xy 121.197879 91.446063)
(xy 121.163302 91.521776)
(xy 121.154069 91.585995)
(xy 121.144867 91.65)
(xy 119.066475 91.65)
(xy 119.189069 91.614004)
(xy 119.298049 91.543967)
(xy 119.382882 91.446063)
(xy 119.436697 91.328226)
(xy 119.455133 91.2)
(xy 119.436697 91.071774)
(xy 119.382882 90.953937)
(xy 119.298049 90.856033)
(xy 119.216983 90.803935)
(xy 119.189068 90.785995)
(xy 119.064772 90.7495)
(xy 118.935228 90.7495)
(xy 118.810931 90.785995)
(xy 118.701954 90.856031)
(xy 118.70195 90.856034)
(xy 118.617119 90.953935)
(xy 118.563302 91.071776)
(xy 118.544939 91.1995)
(xy 118.544867 91.2)
(xy 117.440755 91.2)
(xy 117.436697 91.171774)
(xy 117.382882 91.053937)
(xy 117.298049 90.956033)
(xy 117.229703 90.91211)
(xy 117.189068 90.885995)
(xy 117.064772 90.8495)
(xy 116.935228 90.8495)
(xy 116.810931 90.885995)

(xy 116.701954 90.956031)
(xy 116.70195 90.956034)
(xy 116.617119 91.053935)
(xy 116.617118 91.053936)
(xy 116.617118 91.053937)
(xy 116.608202 91.07346)
(xy 116.563302 91.171776)
(xy 116.554069 91.235995)
(xy 116.544867 91.3)
(xy 102.290755 91.3)
(xy 102.286697 91.271774)
(xy 102.232882 91.153937)
(xy 102.23288 91.153935)
(xy 102.23288 91.153934)
(xy 102.232878 91.153932)
(xy 102.163149 91.07346)
(xy 102.145083 91.026174)
(xy 102.161639 90.978339)
(xy 102.163149 90.97654)
(xy 102.232882 90.896063)
(xy 102.286697 90.778226)
(xy 102.305133 90.65)
(xy 102.286697 90.521774)
(xy 102.232882 90.403937)
(xy 102.148049 90.306033)
(xy 102.081032 90.262964)
(xy 102.039068 90.235995)
(xy 101.914772 90.1995)
(xy 101.785228 90.1995)
(xy 101.660931 90.235995)
(xy 101.551954 90.306031)
(xy 101.55195 90.306034)
(xy 101.467119 90.403935)
(xy 101.467118 90.403936)
(xy 101.467118 90.403937)

(xy 101.446082 90.449999)
(xy 101.413302 90.521776)
(xy 101.394867 90.649999)
(xy 101.413302 90.778223)
(xy 101.413302 90.778224)
(xy 101.413303 90.778226)
(xy 101.467118 90.896063)
(xy 101.467119 90.896065)
(xy 101.46712 90.896067)
(xy 101.536851 90.976541)
(xy 101.554916 91.023826)
(xy 101.53836 91.071661)
(xy 101.536851 91.073459)
(xy 101.46712 91.153932)
(xy 101.467119 91.153934)
(xy 101.413302 91.271776)
(xy 101.394867 91.4)
(xy 98.305133 91.4)
(xy 98.286697 91.271774)
(xy 98.232882 91.153937)
(xy 98.23288 91.153935)
(xy 98.23288 91.153934)
(xy 98.232878 91.153932)
(xy 98.163149 91.07346)
(xy 98.145083 91.026174)
(xy 98.161639 90.978339)
(xy 98.163149 90.97654)
(xy 98.232882 90.896063)
(xy 98.286697 90.778226)
(xy 98.305133 90.65)
(xy 98.304195 90.643477)
(xy 99.638344 90.643477)
(xy 99.656779 90.7717)
(xy 99.656779 90.771701)
(xy 99.65678 90.771703)

(xy 99.710595 90.88954)
(xy 99.795428 90.987444)
(xy 99.904408 91.057481)
(xy 100.028705 91.093977)
(xy 100.158249 91.093977)
(xy 100.282546 91.057481)
(xy 100.391526 90.987444)
(xy 100.476359 90.88954)
(xy 100.530174 90.771703)
(xy 100.54861 90.643477)
(xy 100.530174 90.515251)
(xy 100.476359 90.397414)
(xy 100.391526 90.29951)
(xy 100.308361 90.246063)
(xy 100.282545 90.229472)
(xy 100.158249 90.192977)
(xy 100.028705 90.192977)
(xy 99.904408 90.229472)
(xy 99.795431 90.299508)
(xy 99.795427 90.299511)
(xy 99.710596 90.397412)
(xy 99.710595 90.397413)
(xy 99.710595 90.397414)
(xy 99.68658 90.449999)
(xy 99.656779 90.515253)
(xy 99.638344 90.643477)
(xy 98.304195 90.643477)
(xy 98.286697 90.521774)
(xy 98.232882 90.403937)
(xy 98.148049 90.306033)
(xy 98.081032 90.262964)
(xy 98.039068 90.235995)
(xy 97.914772 90.1995)
(xy 97.785228 90.1995)
(xy 97.660931 90.235995)

(xy 97.551954 90.306031)
(xy 97.55195 90.306034)
(xy 97.467119 90.403935)
(xy 97.467118 90.403936)
(xy 97.467118 90.403937)
(xy 97.446082 90.449999)
(xy 97.413302 90.521776)
(xy 97.394867 90.649999)
(xy 97.413302 90.778223)
(xy 97.413302 90.778224)
(xy 97.413303 90.778226)
(xy 97.467118 90.896063)
(xy 97.467119 90.896065)
(xy 97.46712 90.896067)
(xy 97.536851 90.976541)
(xy 97.554916 91.023826)
(xy 97.53836 91.071661)
(xy 97.536851 91.073459)
(xy 97.46712 91.153932)
(xy 97.467119 91.153934)
(xy 97.413302 91.271776)
(xy 97.394867 91.4)
(xy 79.040755 91.4)
(xy 79.055133 91.3)
(xy 79.036697 91.171774)
(xy 78.982882 91.053937)
(xy 78.898049 90.956033)
(xy 78.829703 90.91211)
(xy 78.789068 90.885995)
(xy 78.664772 90.8495)
(xy 78.535228 90.8495)
(xy 78.410931 90.885995)
(xy 78.301954 90.956031)
(xy 78.30195 90.956034)
(xy 78.217119 91.053935)

(xy 78.217118 91.053936)
(xy 78.217118 91.053937)
(xy 78.208202 91.07346)
(xy 78.163302 91.171776)
(xy 78.144867 91.3)
(xy 74.179471 91.3)
(xy 74.098049 91.206033)
(xy 74.016978 91.153932)
(xy 73.989068 91.135995)
(xy 73.864772 91.0995)
(xy 73.735228 91.0995)
(xy 73.610931 91.135995)
(xy 73.501954 91.206031)
(xy 73.50195 91.206034)
(xy 73.417119 91.303935)
(xy 73.417118 91.303936)
(xy 73.417118 91.303937)
(xy 73.396616 91.348829)
(xy 73.363302 91.421776)
(xy 73.345735 91.543965)
(xy 73.344867 91.55)
(xy 56.9555 91.55)
(xy 56.9555 91.379535)
(xy 56.956811 91.365668)
(xy 56.960024 91.348829)
(xy 56.984376 91.22117)
(xy 56.974056 91.05714)
(xy 56.958575 91.009495)
(xy 56.92327 90.900834)
(xy 56.923266 90.900826)
(xy 56.835205 90.762064)
(xy 56.835203 90.762062)
(xy 56.835202 90.76206)
(xy 56.715393 90.649552)
(xy 56.715392 90.649551)

(xy 56.571368 90.570373)
(xy 56.571369 90.570373)
(xy 56.412181 90.529501)
(xy 56.41218 90.5295)
(xy 56.412177 90.5295)
(xy 55.189075 90.5295)
(xy 55.189068 90.5295)
(xy 55.118735 90.538385)
(xy 55.072644 90.544208)
(xy 55.068012 90.5445)
(xy 52.049947 90.5445)
(xy 52.031544 90.542175)
(xy 51.982177 90.5295)
(xy 51.259075 90.5295)
(xy 51.259068 90.5295)
(xy 51.188735 90.538385)
(xy 51.142644 90.544208)
(xy 51.138012 90.5445)
(xy 50.5007 90.5445)
(xy 50.495611 90.544667)
(xy 50.484069 90.545424)
(xy 50.479005 90.545922)
(xy 50.44089 90.55094)
(xy 50.358165 90.561831)
(xy 50.348181 90.563817)
(xy 50.32404 90.570284)
(xy 50.313391 90.573137)
(xy 50.313392 90.573137)
(xy 50.303751 90.57641)
(xy 50.248007 90.5995)
(xy 50.197824 90.620286)
(xy 50.18869 90.62479)
(xy 50.161499 90.640488)
(xy 50.111649 90.649278)
(xy 50.067812 90.623967)

(xy 50.0505 90.576402)
(xy 50.0505 90.456053)
(xy 64.587242 90.456053)
(xy 64.605677 90.584276)
(xy 64.605677 90.584277)
(xy 64.605678 90.584279)
(xy 64.659493 90.702116)
(xy 64.744326 90.80002)
(xy 64.853306 90.870057)
(xy 64.977603 90.906553)
(xy 65.107147 90.906553)
(xy 65.231444 90.870057)
(xy 65.340424 90.80002)
(xy 65.367888 90.768322)
(xy 65.41212 90.743712)
(xy 65.461824 90.75329)
(xy 65.479739 90.768322)
(xy 65.501956 90.793962)
(xy 65.501957 90.793963)
(xy 65.501961 90.793967)
(xy 65.610941 90.864004)
(xy 65.735238 90.9005)
(xy 65.864782 90.9005)
(xy 65.989079 90.864004)
(xy 66.098059 90.793967)
(xy 66.182892 90.696063)
(xy 66.232693 90.587014)
(xy 66.2682 90.55094)
(xy 66.31859 90.546129)
(xy 66.360284 90.574833)
(xy 66.367314 90.58701)
(xy 66.417118 90.696063)
(xy 66.501951 90.793967)
(xy 66.610931 90.864004)
(xy 66.735228 90.9005)

(xy 66.864772 90.9005)
(xy 66.989069 90.864004)
(xy 67.098049 90.793967)
(xy 67.144074 90.740849)
(xy 67.188308 90.71624)
(xy 67.238012 90.725819)
(xy 67.255924 90.740848)
(xy 67.301951 90.793967)
(xy 67.410931 90.864004)
(xy 67.535228 90.9005)
(xy 67.664772 90.9005)
(xy 67.789069 90.864004)
(xy 67.898049 90.793967)
(xy 67.982882 90.696063)
(xy 68.036697 90.578226)
(xy 68.055133 90.45)
(xy 68.055133 90.449999)
(xy 72.644867 90.449999)
(xy 72.663302 90.578223)
(xy 72.663302 90.578224)
(xy 72.663303 90.578226)
(xy 72.717118 90.696063)
(xy 72.801951 90.793967)
(xy 72.910931 90.864004)
(xy 73.035228 90.9005)
(xy 73.164772 90.9005)
(xy 73.289069 90.864004)
(xy 73.398049 90.793967)
(xy 73.482882 90.696063)
(xy 73.536697 90.578226)
(xy 73.555133 90.45)
(xy 73.536697 90.321774)
(xy 73.526753 90.3)
(xy 77.144867 90.3)
(xy 77.163302 90.428223)

(xy 77.163302 90.428224)
(xy 77.163303 90.428226)
(xy 77.217118 90.546063)
(xy 77.301951 90.643967)
(xy 77.410931 90.714004)
(xy 77.535228 90.7505)
(xy 77.664772 90.7505)
(xy 77.789069 90.714004)
(xy 77.888663 90.649999)
(xy 95.644867 90.649999)
(xy 95.663302 90.778223)
(xy 95.663302 90.778224)
(xy 95.663303 90.778226)
(xy 95.717118 90.896063)
(xy 95.801951 90.993967)
(xy 95.910931 91.064004)
(xy 96.035228 91.1005)
(xy 96.164772 91.1005)
(xy 96.289069 91.064004)
(xy 96.398049 90.993967)
(xy 96.482882 90.896063)
(xy 96.536697 90.778226)
(xy 96.555133 90.65)
(xy 96.536697 90.521774)
(xy 96.482882 90.403937)
(xy 96.398049 90.306033)
(xy 96.331032 90.262964)
(xy 96.289068 90.235995)
(xy 96.164772 90.1995)
(xy 96.035228 90.1995)
(xy 95.910931 90.235995)
(xy 95.801954 90.306031)
(xy 95.80195 90.306034)
(xy 95.717119 90.403935)
(xy 95.717118 90.403936)

(xy 95.717118 90.403937)
(xy 95.696082 90.449999)
(xy 95.663302 90.521776)
(xy 95.644867 90.649999)
(xy 77.888663 90.649999)
(xy 77.898049 90.643967)
(xy 77.982882 90.546063)
(xy 78.036697 90.428226)
(xy 78.055133 90.3)
(xy 78.036697 90.171774)
(xy 77.982882 90.053937)
(xy 77.936146 90)
(xy 86.594867 90)
(xy 86.613302 90.128223)
(xy 86.613302 90.128224)
(xy 86.613303 90.128226)
(xy 86.667118 90.246063)
(xy 86.751951 90.343967)
(xy 86.860931 90.414004)
(xy 86.985228 90.4505)
(xy 87.114772 90.4505)
(xy 87.239069 90.414004)
(xy 87.348049 90.343967)
(xy 87.432882 90.246063)
(xy 87.486697 90.128226)
(xy 87.505133 90)
(xy 87.486697 89.871774)
(xy 87.476753 89.849999)
(xy 107.094867 89.849999)
(xy 107.113302 89.978223)
(xy 107.113302 89.978224)
(xy 107.113303 89.978226)
(xy 107.167118 90.096063)
(xy 107.251951 90.193967)
(xy 107.360931 90.264004)

(xy 107.485228 90.3005)
(xy 107.614772 90.3005)
(xy 107.739069 90.264004)
(xy 107.848049 90.193967)
(xy 107.932882 90.096063)
(xy 107.986697 89.978226)
(xy 108.005133 89.85)
(xy 107.986697 89.721774)
(xy 107.932882 89.603937)
(xy 107.848049 89.506033)
(xy 107.781032 89.462964)
(xy 107.739068 89.435995)
(xy 107.614772 89.3995)
(xy 107.485228 89.3995)
(xy 107.360931 89.435995)
(xy 107.251954 89.506031)
(xy 107.25195 89.506034)
(xy 107.167119 89.603935)
(xy 107.113302 89.721776)
(xy 107.094867 89.849999)
(xy 87.476753 89.849999)
(xy 87.432882 89.753937)
(xy 87.348049 89.656033)
(xy 87.266983 89.603935)
(xy 87.239068 89.585995)
(xy 87.114772 89.5495)
(xy 86.985228 89.5495)
(xy 86.860931 89.585995)
(xy 86.751954 89.656031)
(xy 86.75195 89.656034)
(xy 86.667119 89.753935)
(xy 86.667118 89.753936)
(xy 86.667118 89.753937)
(xy 86.64021 89.812855)
(xy 86.613302 89.871776)

(xy 86.594867 90)
(xy 77.936146 90)
(xy 77.898049 89.956033)
(xy 77.831032 89.912964)
(xy 77.789068 89.885995)
(xy 77.664772 89.8495)
(xy 77.535228 89.8495)
(xy 77.410931 89.885995)
(xy 77.301954 89.956031)
(xy 77.30195 89.956034)
(xy 77.217119 90.053935)
(xy 77.163302 90.171776)
(xy 77.144867 90.3)
(xy 73.526753 90.3)
(xy 73.482882 90.203937)
(xy 73.398049 90.106033)
(xy 73.316983 90.053935)
(xy 73.289068 90.035995)
(xy 73.164772 89.9995)
(xy 73.035228 89.9995)
(xy 72.910931 90.035995)
(xy 72.801954 90.106031)
(xy 72.80195 90.106034)
(xy 72.717119 90.203935)
(xy 72.663302 90.321776)
(xy 72.644867 90.449999)
(xy 68.055133 90.449999)
(xy 68.036697 90.321774)
(xy 67.982882 90.203937)
(xy 67.898049 90.106033)
(xy 67.816983 90.053935)
(xy 67.789068 90.035995)
(xy 67.664772 89.9995)
(xy 67.535228 89.9995)
(xy 67.410931 90.035995)

(xy 67.317463 90.096064)
(xy 67.301951 90.106033)
(xy 67.261463 90.15276)
(xy 67.255926 90.15915)
(xy 67.211692 90.18376)
(xy 67.161988 90.174181)
(xy 67.144074 90.15915)
(xy 67.098049 90.106033)
(xy 67.016983 90.053935)
(xy 66.989068 90.035995)
(xy 66.864772 89.9995)
(xy 66.735228 89.9995)
(xy 66.610931 90.035995)
(xy 66.501954 90.106031)
(xy 66.50195 90.106034)
(xy 66.417119 90.203935)
(xy 66.417118 90.203936)
(xy 66.417118 90.203937)
(xy 66.370492 90.306034)
(xy 66.367318 90.312983)
(xy 66.331809 90.349059)
(xy 66.28142 90.35387)
(xy 66.239726 90.325166)
(xy 66.232692 90.312983)
(xy 66.182892 90.203937)
(xy 66.098059 90.106033)
(xy 66.016993 90.053935)
(xy 65.989078 90.035995)
(xy 65.864782 89.9995)
(xy 65.735238 89.9995)
(xy 65.610941 90.035995)
(xy 65.501964 90.106031)
(xy 65.501959 90.106035)
(xy 65.474494 90.137731)
(xy 65.43026 90.162341)

(xy 65.380556 90.15276)
(xy 65.362645 90.13773)
(xy 65.340424 90.112086)
(xy 65.340423 90.112085)
(xy 65.340113 90.111817)
(xy 65.339973 90.111565)
(xy 65.336958 90.108086)
(xy 65.337686 90.107455)
(xy 65.315501 90.067584)
(xy 65.325079 90.01788)
(xy 65.344443 89.997894)
(xy 65.344047 89.997437)
(xy 65.348047 89.99397)
(xy 65.348047 89.993969)
(xy 65.348051 89.993967)
(xy 65.432884 89.896063)
(xy 65.486699 89.778226)
(xy 65.505135 89.65)
(xy 65.486699 89.521774)
(xy 65.432884 89.403937)
(xy 65.348051 89.306033)
(xy 65.251476 89.243968)
(xy 65.23907 89.235995)
(xy 65.114774 89.1995)
(xy 64.98523 89.1995)
(xy 64.860933 89.235995)
(xy 64.751956 89.306031)
(xy 64.751952 89.306034)
(xy 64.667121 89.403935)
(xy 64.613304 89.521776)
(xy 64.594869 89.65)
(xy 64.613304 89.778223)
(xy 64.613304 89.778224)
(xy 64.613305 89.778226)
(xy 64.66712 89.896063)

(xy 64.751953 89.993967)
(xy 64.751955 89.993968)
(xy 64.75196 89.993974)
(xy 64.752269 89.994242)
(xy 64.752406 89.994489)
(xy 64.755419 89.997966)
(xy 64.754691 89.998596)
(xy 64.776876 90.038477)
(xy 64.767293 90.08818)
(xy 64.747931 90.108166)
(xy 64.748326 90.108621)
(xy 64.744325 90.112087)
(xy 64.659494 90.209988)
(xy 64.605677 90.327829)
(xy 64.587242 90.456053)
(xy 50.0505 90.456053)
(xy 50.0505 88.899999)
(xy 74.244867 88.899999)
(xy 74.263302 89.028223)
(xy 74.263302 89.028224)
(xy 74.263303 89.028226)
(xy 74.317118 89.146063)
(xy 74.401951 89.243967)
(xy 74.510931 89.314004)
(xy 74.635228 89.3505)
(xy 74.764772 89.3505)
(xy 74.889069 89.314004)
(xy 74.998049 89.243967)
(xy 75.082882 89.146063)
(xy 75.136697 89.028226)
(xy 75.155133 88.9)
(xy 75.136697 88.771774)
(xy 75.082882 88.653937)
(xy 74.998049 88.556033)
(xy 74.899249 88.492538)

(xy 74.889068 88.485995)
(xy 74.764772 88.4495)
(xy 74.635228 88.4495)
(xy 74.510931 88.485995)
(xy 74.401954 88.556031)
(xy 74.40195 88.556034)
(xy 74.317119 88.653935)
(xy 74.263302 88.771776)
(xy 74.244867 88.899999)
(xy 50.0505 88.899999)
(xy 50.0505 88.05)
(xy 70.994875 88.05)
(xy 71.01331 88.178223)
(xy 71.01331 88.178224)
(xy 71.013311 88.178226)
(xy 71.067126 88.296063)
(xy 71.151959 88.393967)
(xy 71.260939 88.464004)
(xy 71.385236 88.5005)
(xy 71.51478 88.5005)
(xy 71.639077 88.464004)
(xy 71.748057 88.393967)
(xy 71.83289 88.296063)
(xy 71.876762 88.199998)
(xy 75.444867 88.199998)
(xy 75.463302 88.328221)
(xy 75.463302 88.328222)
(xy 75.463303 88.328224)
(xy 75.517118 88.446061)
(xy 75.601951 88.543965)
(xy 75.710931 88.614002)
(xy 75.835228 88.650498)
(xy 75.964772 88.650498)
(xy 76.089069 88.614002)
(xy 76.110857 88.6)

(xy 86.694867 88.6)
(xy 86.713302 88.728223)
(xy 86.713302 88.728224)
(xy 86.713303 88.728226)
(xy 86.767118 88.846063)
(xy 86.851951 88.943967)
(xy 86.960931 89.014004)
(xy 87.085228 89.0505)
(xy 87.214772 89.0505)
(xy 87.339069 89.014004)
(xy 87.359993 89.000556)
(xy 87.409366 88.989404)
(xy 87.440004 89.000555)
(xy 87.460931 89.014004)
(xy 87.585228 89.0505)
(xy 87.714772 89.0505)
(xy 87.839069 89.014004)
(xy 87.948049 88.943967)
(xy 88.032882 88.846063)
(xy 88.086697 88.728226)
(xy 88.105133 88.6)
(xy 97.394867 88.6)
(xy 97.413302 88.728223)
(xy 97.413302 88.728224)
(xy 97.413303 88.728226)
(xy 97.467118 88.846063)
(xy 97.551951 88.943967)
(xy 97.660931 89.014004)
(xy 97.785228 89.0505)
(xy 97.914772 89.0505)
(xy 98.039069 89.014004)
(xy 98.148049 88.943967)
(xy 98.232882 88.846063)
(xy 98.286697 88.728226)
(xy 98.305133 88.6)

(xy 98.286697 88.471774)
(xy 98.232882 88.353937)
(xy 98.23288 88.353935)
(xy 98.23288 88.353934)
(xy 98.232878 88.353932)
(xy 98.186579 88.3005)
(xy 98.163148 88.273459)
(xy 98.145083 88.226174)
(xy 98.161639 88.178339)
(xy 98.163149 88.17654)
(xy 98.186579 88.1495)
(xy 98.232882 88.096063)
(xy 98.286697 87.978226)
(xy 98.305133 87.85)
(xy 99.644867 87.85)
(xy 99.647998 87.871774)
(xy 99.663302 87.978223)
(xy 99.663302 87.978224)
(xy 99.663303 87.978226)
(xy 99.717118 88.096063)
(xy 99.801951 88.193967)
(xy 99.910931 88.264004)
(xy 100.035228 88.3005)
(xy 100.164772 88.3005)
(xy 100.289069 88.264004)
(xy 100.398049 88.193967)
(xy 100.482882 88.096063)
(xy 100.536697 87.978226)
(xy 100.55209 87.871168)
(xy 101.373699 87.871168)
(xy 101.392134 87.999391)
(xy 101.392134 87.999392)
(xy 101.392135 87.999394)
(xy 101.42519 88.071774)
(xy 101.445951 88.117233)

(xy 101.445952 88.117235)
(xy 101.526393 88.210069)
(xy 101.544458 88.257354)
(xy 101.527902 88.305189)
(xy 101.526393 88.306987)
(xy 101.467724 88.374696)
(xy 101.467722 88.374698)
(xy 101.413905 88.49254)
(xy 101.39547 88.620764)
(xy 101.413905 88.748987)
(xy 101.413905 88.748988)
(xy 101.413906 88.74899)
(xy 101.467721 88.866827)
(xy 101.552554 88.964731)
(xy 101.661534 89.034768)
(xy 101.785831 89.071264)
(xy 101.915375 89.071264)
(xy 102.039672 89.034768)
(xy 102.148652 88.964731)
(xy 102.233485 88.866827)
(xy 102.2873 88.74899)
(xy 102.305736 88.620764)
(xy 102.2873 88.492538)
(xy 102.233485 88.374701)
(xy 102.233483 88.374699)
(xy 102.233483 88.374698)
(xy 102.233482 88.374696)
(xy 102.153041 88.281862)
(xy 102.134976 88.234577)
(xy 102.151532 88.186742)
(xy 102.153042 88.184943)
(xy 102.198224 88.132799)
(xy 102.211714 88.117231)
(xy 102.265529 87.999394)
(xy 102.283965 87.871168)

(xy 102.265529 87.742942)
(xy 102.211714 87.625105)
(xy 102.189963 87.600003)
(xy 107.144722 87.600003)
(xy 107.163761 87.756808)
(xy 107.163764 87.756822)
(xy 107.219778 87.904521)
(xy 107.309516 88.034529)
(xy 107.309517 88.03453)
(xy 107.42776 88.139283)
(xy 107.567635 88.212696)
(xy 107.721015 88.2505)
(xy 107.721019 88.2505)
(xy 107.878981 88.2505)
(xy 107.878985 88.2505)
(xy 108.032365 88.212696)
(xy 108.17224 88.139283)
(xy 108.290483 88.03453)
(xy 108.3741 87.913389)
(xy 108.415368 87.884079)
(xy 108.465823 87.888152)
(xy 108.495899 87.913388)
(xy 108.501689 87.921776)
(xy 108.575165 88.028226)
(xy 108.579517 88.03453)
(xy 108.69776 88.139283)
(xy 108.837635 88.212696)
(xy 108.991015 88.2505)
(xy 108.991019 88.2505)
(xy 109.148981 88.2505)
(xy 109.148985 88.2505)
(xy 109.302365 88.212696)
(xy 109.44224 88.139283)
(xy 109.560483 88.03453)
(xy 109.6441 87.913389)

(xy 109.685368 87.884079)
(xy 109.735823 87.888152)
(xy 109.765899 87.913388)
(xy 109.771689 87.921776)
(xy 109.845165 88.028226)
(xy 109.849517 88.03453)
(xy 109.96776 88.139283)
(xy 110.107635 88.212696)
(xy 110.261015 88.2505)
(xy 110.261019 88.2505)
(xy 110.418981 88.2505)
(xy 110.418985 88.2505)
(xy 110.572365 88.212696)
(xy 110.71224 88.139283)
(xy 110.830483 88.03453)
(xy 110.9141 87.913389)
(xy 110.955368 87.884079)
(xy 111.005823 87.888152)
(xy 111.035899 87.913388)
(xy 111.041689 87.921776)
(xy 111.115165 88.028226)
(xy 111.119517 88.03453)
(xy 111.23776 88.139283)
(xy 111.377635 88.212696)
(xy 111.531015 88.2505)
(xy 111.531019 88.2505)
(xy 111.688981 88.2505)
(xy 111.688985 88.2505)
(xy 111.842365 88.212696)
(xy 111.98224 88.139283)
(xy 112.100483 88.03453)
(xy 112.1841 87.913389)
(xy 112.225368 87.884079)
(xy 112.275823 87.888152)
(xy 112.305899 87.913388)

(xy 112.311689 87.921776)
(xy 112.385165 88.028226)
(xy 112.389517 88.03453)
(xy 112.50776 88.139283)
(xy 112.647635 88.212696)
(xy 112.801015 88.2505)
(xy 112.801019 88.2505)
(xy 112.958981 88.2505)
(xy 112.958985 88.2505)
(xy 113.112365 88.212696)
(xy 113.25224 88.139283)
(xy 113.370483 88.03453)
(xy 113.4541 87.913389)
(xy 113.495368 87.884079)
(xy 113.545823 87.888152)
(xy 113.575899 87.913388)
(xy 113.581689 87.921776)
(xy 113.655165 88.028226)
(xy 113.659517 88.03453)
(xy 113.77776 88.139283)
(xy 113.917635 88.212696)
(xy 114.071015 88.2505)
(xy 114.071019 88.2505)
(xy 114.228981 88.2505)
(xy 114.228985 88.2505)
(xy 114.382365 88.212696)
(xy 114.52224 88.139283)
(xy 114.640483 88.03453)
(xy 114.7241 87.913389)
(xy 114.765368 87.884079)
(xy 114.815823 87.888152)
(xy 114.845899 87.913388)
(xy 114.851689 87.921776)
(xy 114.925165 88.028226)
(xy 114.929517 88.03453)

(xy 115.04776 88.139283)
(xy 115.187635 88.212696)
(xy 115.341015 88.2505)
(xy 115.341019 88.2505)
(xy 115.498981 88.2505)
(xy 115.498985 88.2505)
(xy 115.652365 88.212696)
(xy 115.79224 88.139283)
(xy 115.910483 88.03453)
(xy 115.9941 87.913389)
(xy 116.035368 87.884079)
(xy 116.085823 87.888152)
(xy 116.115899 87.913388)
(xy 116.121689 87.921776)
(xy 116.195165 88.028226)
(xy 116.199517 88.03453)
(xy 116.31776 88.139283)
(xy 116.457635 88.212696)
(xy 116.611015 88.2505)
(xy 116.611019 88.2505)
(xy 116.631359 88.2505)
(xy 116.678925 88.267813)
(xy 116.704235 88.31165)
(xy 116.695445 88.3615)
(xy 116.687284 88.37296)
(xy 116.617121 88.453932)
(xy 116.617119 88.453934)
(xy 116.563302 88.571776)
(xy 116.544867 88.699999)
(xy 116.563302 88.828223)
(xy 116.563302 88.828224)
(xy 116.563303 88.828226)
(xy 116.617118 88.946063)
(xy 116.701951 89.043967)
(xy 116.810931 89.114004)

(xy 116.935228 89.1505)
(xy 117.064772 89.1505)
(xy 117.189069 89.114004)
(xy 117.298049 89.043967)
(xy 117.382882 88.946063)
(xy 117.436697 88.828226)
(xy 117.455133 88.7)
(xy 117.436697 88.571774)
(xy 117.382882 88.453937)
(xy 117.298049 88.356033)
(xy 117.211638 88.3005)
(xy 117.189068 88.285995)
(xy 117.097781 88.259192)
(xy 117.057019 88.229179)
(xy 117.045085 88.179987)
(xy 117.067563 88.134633)
(xy 117.069531 88.132823)
(xy 117.180483 88.03453)
(xy 117.204317 88)
(xy 121.144867 88)
(xy 121.163302 88.128223)
(xy 121.163302 88.128224)
(xy 121.163303 88.128226)
(xy 121.217118 88.246063)
(xy 121.301951 88.343967)
(xy 121.410931 88.414004)
(xy 121.535228 88.4505)
(xy 121.664772 88.4505)
(xy 121.789069 88.414004)
(xy 121.898049 88.343967)
(xy 121.982882 88.246063)
(xy 122.036697 88.128226)
(xy 122.055133 88)
(xy 122.040755 87.9)
(xy 125.744867 87.9)

(xy 125.763302 88.028223)
(xy 125.763302 88.028224)
(xy 125.763303 88.028226)
(xy 125.817118 88.146063)
(xy 125.901951 88.243967)
(xy 126.010931 88.314004)
(xy 126.135228 88.3505)
(xy 126.264772 88.3505)
(xy 126.389069 88.314004)
(xy 126.498049 88.243967)
(xy 126.582882 88.146063)
(xy 126.636697 88.028226)
(xy 126.655133 87.9)
(xy 126.636697 87.771774)
(xy 126.582882 87.653937)
(xy 126.58288 87.653935)
(xy 126.58288 87.653934)
(xy 126.582878 87.653932)
(xy 126.539038 87.603338)
(xy 126.527369 87.589871)
(xy 126.509304 87.542586)
(xy 126.52586 87.494751)
(xy 126.543285 87.479161)
(xy 126.598049 87.443967)
(xy 126.682882 87.346063)
(xy 126.736697 87.228226)
(xy 126.755133 87.1)
(xy 126.736697 86.971774)
(xy 126.682882 86.853937)
(xy 126.598049 86.756033)
(xy 126.531032 86.712964)
(xy 126.489068 86.685995)
(xy 126.364772 86.6495)
(xy 126.235228 86.6495)
(xy 126.110931 86.685995)

(xy 126.001954 86.756031)
(xy 126.00195 86.756034)
(xy 125.917119 86.853935)
(xy 125.863302 86.971776)
(xy 125.844867 87.099999)
(xy 125.863302 87.228223)
(xy 125.863302 87.228224)
(xy 125.863303 87.228226)
(xy 125.901492 87.311847)
(xy 125.917119 87.346065)
(xy 125.917121 87.346067)
(xy 125.972629 87.410127)
(xy 125.990695 87.457413)
(xy 125.974139 87.505248)
(xy 125.956712 87.520839)
(xy 125.901956 87.556029)
(xy 125.90195 87.556034)
(xy 125.817119 87.653935)
(xy 125.763302 87.771776)
(xy 125.744867 87.9)
(xy 122.040755 87.9)
(xy 122.036697 87.871774)
(xy 121.982882 87.753937)
(xy 121.98288 87.753935)
(xy 121.98288 87.753934)
(xy 121.982878 87.753932)
(xy 121.934811 87.698458)
(xy 121.916746 87.651172)
(xy 121.933303 87.603338)
(xy 121.934796 87.601557)
(xy 121.982882 87.546063)
(xy 122.036697 87.428226)
(xy 122.055133 87.3)
(xy 122.036697 87.171774)
(xy 121.982882 87.053937)

(xy 121.93481 86.998458)
(xy 121.916746 86.951174)
(xy 121.933302 86.903339)
(xy 121.934791 86.901563)
(xy 121.982882 86.846063)
(xy 122.036697 86.728226)
(xy 122.055133 86.6)
(xy 122.036697 86.471774)
(xy 121.982882 86.353937)
(xy 121.898049 86.256033)
(xy 121.80165 86.194081)
(xy 121.789068 86.185995)
(xy 121.664772 86.1495)
(xy 121.535228 86.1495)
(xy 121.410931 86.185995)
(xy 121.301954 86.256031)
(xy 121.30195 86.256034)
(xy 121.217119 86.353935)
(xy 121.163302 86.471776)
(xy 121.144867 86.6)
(xy 121.163302 86.728223)
(xy 121.163302 86.728224)
(xy 121.163303 86.728226)
(xy 121.217118 86.846063)
(xy 121.265188 86.90154)
(xy 121.283253 86.948825)
(xy 121.266697 86.99666)
(xy 121.265188 86.998458)
(xy 121.217121 87.053932)
(xy 121.217119 87.053934)
(xy 121.163302 87.171776)
(xy 121.144867 87.3)
(xy 121.163302 87.428223)
(xy 121.163302 87.428224)
(xy 121.163303 87.428226)

(xy 121.217118 87.546063)
(xy 121.265188 87.60154)
(xy 121.283253 87.648825)
(xy 121.266697 87.69666)
(xy 121.265188 87.698458)
(xy 121.217121 87.753932)
(xy 121.217119 87.753934)
(xy 121.163302 87.871776)
(xy 121.144867 88)
(xy 117.204317 88)
(xy 117.27022 87.904523)
(xy 117.271936 87.9)
(xy 117.326235 87.756822)
(xy 117.326237 87.756818)
(xy 117.333541 87.69666)
(xy 117.345278 87.600003)
(xy 117.345278 87.599996)
(xy 117.326238 87.443191)
(xy 117.326237 87.443182)
(xy 117.309671 87.3995)
(xy 117.270221 87.295478)
(xy 117.180483 87.16547)
(xy 117.180483 87.165469)
(xy 117.06224 87.060717)
(xy 117.049312 87.053932)
(xy 116.922366 86.987304)
(xy 116.768987 86.9495)
(xy 116.768985 86.9495)
(xy 116.611015 86.9495)
(xy 116.611012 86.9495)
(xy 116.457633 86.987304)
(xy 116.317761 87.060716)
(xy 116.199516 87.16547)
(xy 116.115901 87.286609)
(xy 116.074632 87.31592)

(xy 116.024177 87.311847)
(xy 115.994099 87.286609)
(xy 115.910483 87.16547)
(xy 115.910482 87.165469)
(xy 115.79224 87.060717)
(xy 115.779312 87.053932)
(xy 115.652366 86.987304)
(xy 115.498987 86.9495)
(xy 115.498985 86.9495)
(xy 115.341015 86.9495)
(xy 115.341012 86.9495)
(xy 115.187633 86.987304)
(xy 115.047761 87.060716)
(xy 114.929516 87.16547)
(xy 114.845901 87.286609)
(xy 114.804632 87.31592)
(xy 114.754177 87.311847)
(xy 114.724099 87.286609)
(xy 114.640483 87.16547)
(xy 114.640483 87.165469)
(xy 114.52224 87.060717)
(xy 114.509312 87.053932)
(xy 114.382366 86.987304)
(xy 114.228987 86.9495)
(xy 114.228985 86.9495)
(xy 114.071015 86.9495)
(xy 114.071012 86.9495)
(xy 113.917633 86.987304)
(xy 113.777761 87.060716)
(xy 113.659516 87.16547)
(xy 113.575901 87.286609)
(xy 113.534632 87.31592)
(xy 113.484177 87.311847)
(xy 113.454099 87.286609)
(xy 113.370483 87.16547)

(xy 113.370482 87.165469)
(xy 113.25224 87.060717)
(xy 113.239312 87.053932)
(xy 113.112366 86.987304)
(xy 112.958987 86.9495)
(xy 112.958985 86.9495)
(xy 112.801015 86.9495)
(xy 112.801012 86.9495)
(xy 112.647633 86.987304)
(xy 112.507761 87.060716)
(xy 112.389516 87.16547)
(xy 112.305901 87.286609)
(xy 112.264632 87.31592)
(xy 112.214177 87.311847)
(xy 112.184099 87.286609)
(xy 112.100483 87.16547)
(xy 112.100483 87.165469)
(xy 111.98224 87.060717)
(xy 111.969312 87.053932)
(xy 111.842366 86.987304)
(xy 111.688987 86.9495)
(xy 111.688985 86.9495)
(xy 111.531015 86.9495)
(xy 111.531012 86.9495)
(xy 111.377633 86.987304)
(xy 111.237761 87.060716)
(xy 111.119516 87.16547)
(xy 111.035901 87.286609)
(xy 110.994632 87.31592)
(xy 110.944177 87.311847)
(xy 110.914099 87.286609)
(xy 110.830483 87.16547)
(xy 110.830482 87.165469)
(xy 110.71224 87.060717)
(xy 110.699312 87.053932)

(xy 110.572366 86.987304)
(xy 110.418987 86.9495)
(xy 110.418985 86.9495)
(xy 110.261015 86.9495)
(xy 110.261012 86.9495)
(xy 110.107633 86.987304)
(xy 109.967761 87.060716)
(xy 109.849516 87.16547)
(xy 109.765901 87.286609)
(xy 109.724632 87.31592)
(xy 109.674177 87.311847)
(xy 109.644099 87.286609)
(xy 109.560483 87.16547)
(xy 109.560483 87.165469)
(xy 109.44224 87.060717)
(xy 109.429312 87.053932)
(xy 109.302366 86.987304)
(xy 109.148987 86.9495)
(xy 109.148985 86.9495)
(xy 108.991015 86.9495)
(xy 108.991012 86.9495)
(xy 108.837633 86.987304)
(xy 108.697761 87.060716)
(xy 108.579516 87.16547)
(xy 108.4959 87.286609)
(xy 108.454631 87.31592)
(xy 108.404176 87.311847)
(xy 108.374098 87.286608)
(xy 108.290484 87.165471)
(xy 108.290483 87.16547)
(xy 108.17224 87.060717)
(xy 108.159312 87.053932)
(xy 108.032366 86.987304)
(xy 107.878987 86.9495)
(xy 107.878985 86.9495)

(xy 107.721015 86.9495)
(xy 107.721012 86.9495)
(xy 107.567633 86.987304)
(xy 107.427761 87.060716)
(xy 107.309516 87.16547)
(xy 107.219779 87.295478)
(xy 107.219778 87.295478)
(xy 107.163764 87.443177)
(xy 107.163761 87.443191)
(xy 107.144722 87.599996)
(xy 107.144722 87.600003)
(xy 102.189963 87.600003)
(xy 102.126881 87.527201)
(xy 102.045071 87.474625)
(xy 102.0179 87.457163)
(xy 101.893604 87.420668)
(xy 101.76406 87.420668)
(xy 101.639763 87.457163)
(xy 101.530786 87.527199)
(xy 101.530782 87.527202)
(xy 101.445951 87.625103)
(xy 101.44595 87.625104)
(xy 101.44595 87.625105)
(xy 101.423234 87.674846)
(xy 101.392134 87.742944)
(xy 101.373699 87.871168)
(xy 100.55209 87.871168)
(xy 100.555133 87.85)
(xy 100.536697 87.721774)
(xy 100.482882 87.603937)
(xy 100.398049 87.506033)
(xy 100.301474 87.443968)
(xy 100.289068 87.435995)
(xy 100.164772 87.3995)
(xy 100.035228 87.3995)

(xy 99.910931 87.435995)
(xy 99.801954 87.506031)
(xy 99.80195 87.506034)
(xy 99.717119 87.603935)
(xy 99.717118 87.603936)
(xy 99.717118 87.603937)
(xy 99.693326 87.656033)
(xy 99.663302 87.721776)
(xy 99.644867 87.849999)
(xy 99.644867 87.85)
(xy 98.305133 87.85)
(xy 98.286697 87.721774)
(xy 98.232882 87.603937)
(xy 98.148049 87.506033)
(xy 98.051474 87.443968)
(xy 98.039068 87.435995)
(xy 97.914772 87.3995)
(xy 97.785228 87.3995)
(xy 97.660931 87.435995)
(xy 97.551954 87.506031)
(xy 97.55195 87.506034)
(xy 97.467119 87.603935)
(xy 97.467118 87.603936)
(xy 97.467118 87.603937)
(xy 97.443326 87.656033)
(xy 97.413302 87.721776)
(xy 97.394867 87.849999)
(xy 97.394867 87.85)
(xy 97.397998 87.871774)
(xy 97.413302 87.978223)
(xy 97.413302 87.978224)
(xy 97.413303 87.978226)
(xy 97.467118 88.096063)
(xy 97.467119 88.096065)
(xy 97.46712 88.096067)

(xy 97.536851 88.176541)
(xy 97.554916 88.223826)
(xy 97.53836 88.271661)
(xy 97.536851 88.273459)
(xy 97.46712 88.353932)
(xy 97.467119 88.353934)
(xy 97.413302 88.471776)
(xy 97.394867 88.6)
(xy 88.105133 88.6)
(xy 88.086697 88.471774)
(xy 88.032882 88.353937)
(xy 87.948049 88.256033)
(xy 87.851474 88.193968)
(xy 87.839068 88.185995)
(xy 87.714772 88.1495)
(xy 87.585228 88.1495)
(xy 87.46093 88.185996)
(xy 87.440006 88.199443)
(xy 87.390631 88.210593)
(xy 87.359994 88.199443)
(xy 87.339069 88.185996)
(xy 87.214772 88.1495)
(xy 87.085228 88.1495)
(xy 86.960931 88.185995)
(xy 86.851954 88.256031)
(xy 86.85195 88.256034)
(xy 86.767119 88.353935)
(xy 86.713302 88.471776)
(xy 86.694867 88.6)
(xy 76.110857 88.6)
(xy 76.198049 88.543965)
(xy 76.282882 88.446061)
(xy 76.336697 88.328224)
(xy 76.355133 88.199998)
(xy 76.336697 88.071772)

(xy 76.282882 87.953935)
(xy 76.198049 87.856031)
(xy 76.188665 87.85)
(xy 95.644867 87.85)
(xy 95.647998 87.871774)
(xy 95.663302 87.978223)
(xy 95.663302 87.978224)
(xy 95.663303 87.978226)
(xy 95.717118 88.096063)
(xy 95.801951 88.193967)
(xy 95.910931 88.264004)
(xy 96.035228 88.3005)
(xy 96.164772 88.3005)
(xy 96.289069 88.264004)
(xy 96.398049 88.193967)
(xy 96.482882 88.096063)
(xy 96.536697 87.978226)
(xy 96.555133 87.85)
(xy 96.536697 87.721774)
(xy 96.482882 87.603937)
(xy 96.398049 87.506033)
(xy 96.301474 87.443968)
(xy 96.289068 87.435995)
(xy 96.164772 87.3995)
(xy 96.035228 87.3995)
(xy 95.910931 87.435995)
(xy 95.801954 87.506031)
(xy 95.80195 87.506034)
(xy 95.717119 87.603935)
(xy 95.717118 87.603936)
(xy 95.717118 87.603937)
(xy 95.693326 87.656033)
(xy 95.663302 87.721776)
(xy 95.644867 87.849999)
(xy 95.644867 87.85)

(xy 76.188665 87.85)
(xy 76.116986 87.803935)
(xy 76.089068 87.785993)
(xy 75.964772 87.749498)
(xy 75.835228 87.749498)
(xy 75.710931 87.785993)
(xy 75.601954 87.856029)
(xy 75.60195 87.856032)
(xy 75.517119 87.953933)
(xy 75.463302 88.071774)
(xy 75.444867 88.199998)
(xy 71.876762 88.199998)
(xy 71.886705 88.178226)
(xy 71.905141 88.05)
(xy 71.886705 87.921774)
(xy 71.83289 87.803937)
(xy 71.748057 87.706033)
(xy 71.666986 87.653932)
(xy 71.639076 87.635995)
(xy 71.51478 87.5995)
(xy 71.385236 87.5995)
(xy 71.260939 87.635995)
(xy 71.151962 87.706031)
(xy 71.151958 87.706034)
(xy 71.067127 87.803935)
(xy 71.01331 87.921776)
(xy 70.994875 88.05)
(xy 50.0505 88.05)
(xy 50.0505 87.299999)
(xy 90.594867 87.299999)
(xy 90.613302 87.428223)
(xy 90.613302 87.428224)
(xy 90.613303 87.428226)
(xy 90.667118 87.546063)
(xy 90.751951 87.643967)

(xy 90.860931 87.714004)
(xy 90.985228 87.7505)
(xy 91.114775 87.7505)
(xy 91.114775 87.750499)
(xy 91.239069 87.714004)
(xy 91.259992 87.700557)
(xy 91.309364 87.689404)
(xy 91.340002 87.700554)
(xy 91.360931 87.714004)
(xy 91.485228 87.7505)
(xy 91.614772 87.7505)
(xy 91.739069 87.714004)
(xy 91.848049 87.643967)
(xy 91.932882 87.546063)
(xy 91.986697 87.428226)
(xy 92.005133 87.3)
(xy 91.986697 87.171774)
(xy 91.932882 87.053937)
(xy 91.848049 86.956033)
(xy 91.777343 86.910593)
(xy 91.739068 86.885995)
(xy 91.614772 86.8495)
(xy 91.485228 86.8495)
(xy 91.36093 86.885996)
(xy 91.340006 86.899443)
(xy 91.290631 86.910593)
(xy 91.259994 86.899443)
(xy 91.239069 86.885996)
(xy 91.114772 86.8495)
(xy 90.985228 86.8495)
(xy 90.860931 86.885995)
(xy 90.751954 86.956031)
(xy 90.75195 86.956034)
(xy 90.667119 87.053935)
(xy 90.613302 87.171776)

(xy 90.594867 87.299999)
(xy 50.0505 87.299999)
(xy 50.0505 86.64458)
(xy 99.753126 86.64458)
(xy 99.771561 86.772804)
(xy 99.771561 86.772805)
(xy 99.771562 86.772807)
(xy 99.825377 86.890644)
(xy 99.91021 86.988548)
(xy 100.01919 87.058585)
(xy 100.143487 87.095081)
(xy 100.273031 87.095081)
(xy 100.397328 87.058585)
(xy 100.506308 86.988548)
(xy 100.591141 86.890644)
(xy 100.644956 86.772807)
(xy 100.663392 86.644581)
(xy 100.644956 86.516355)
(xy 100.591141 86.398518)
(xy 100.506308 86.300614)
(xy 100.428329 86.2505)
(xy 100.397327 86.230576)
(xy 100.273031 86.194081)
(xy 100.143487 86.194081)
(xy 100.01919 86.230576)
(xy 99.910213 86.300612)
(xy 99.910209 86.300615)
(xy 99.825378 86.398516)
(xy 99.771561 86.516357)
(xy 99.753126 86.64458)
(xy 50.0505 86.64458)
(xy 50.0505 85.8)
(xy 97.394867 85.8)
(xy 97.413302 85.928223)
(xy 97.413302 85.928224)

(xy 97.413303 85.928226)
(xy 97.467118 86.046063)
(xy 97.551951 86.143967)
(xy 97.660931 86.214004)
(xy 97.785228 86.2505)
(xy 97.914772 86.2505)
(xy 98.039069 86.214004)
(xy 98.148049 86.143967)
(xy 98.232882 86.046063)
(xy 98.286697 85.928226)
(xy 98.305133 85.8)
(xy 98.286697 85.671774)
(xy 98.232882 85.553937)
(xy 98.23288 85.553935)
(xy 98.23288 85.553934)
(xy 98.232878 85.553932)
(xy 98.163149 85.47346)
(xy 98.145083 85.426174)
(xy 98.161639 85.378339)
(xy 98.163149 85.37654)
(xy 98.232882 85.296063)
(xy 98.286697 85.178226)
(xy 98.287418 85.173212)
(xy 99.638745 85.173212)
(xy 99.65718 85.301435)
(xy 99.65718 85.301436)
(xy 99.657181 85.301438)
(xy 99.710996 85.419275)
(xy 99.795829 85.517179)
(xy 99.904809 85.587216)
(xy 100.029106 85.623712)
(xy 100.15865 85.623712)
(xy 100.239408 85.6)
(xy 106.944867 85.6)
(xy 106.963302 85.728223)

(xy 106.963302 85.728224)
(xy 106.963303 85.728226)
(xy 107.017118 85.846063)
(xy 107.101951 85.943967)
(xy 107.210931 86.014004)
(xy 107.335228 86.0505)
(xy 107.464775 86.0505)
(xy 107.464775 86.050499)
(xy 107.589069 86.014004)
(xy 107.609992 86.000557)
(xy 107.659364 85.989404)
(xy 107.690002 86.000554)
(xy 107.710931 86.014004)
(xy 107.835228 86.0505)
(xy 107.964772 86.0505)
(xy 108.089069 86.014004)
(xy 108.109992 86.000557)
(xy 108.159364 85.989404)
(xy 108.190003 86.000554)
(xy 108.210931 86.014004)
(xy 108.335228 86.0505)
(xy 108.464772 86.0505)
(xy 108.589069 86.014004)
(xy 108.698049 85.943967)
(xy 108.782882 85.846063)
(xy 108.836697 85.728226)
(xy 108.855133 85.6)
(xy 108.836697 85.471774)
(xy 108.782882 85.353937)
(xy 108.698049 85.256033)
(xy 108.609993 85.199443)
(xy 108.589068 85.185995)
(xy 108.464772 85.1495)
(xy 108.335228 85.1495)
(xy 108.21093 85.185996)

(xy 108.190006 85.199443)
(xy 108.140631 85.210593)
(xy 108.109994 85.199443)
(xy 108.089069 85.185996)
(xy 107.964772 85.1495)
(xy 107.835228 85.1495)
(xy 107.71093 85.185996)
(xy 107.710927 85.185997)
(xy 107.690004 85.199443)
(xy 107.640628 85.210593)
(xy 107.609992 85.199442)
(xy 107.589068 85.185995)
(xy 107.464772 85.1495)
(xy 107.335228 85.1495)
(xy 107.210931 85.185995)
(xy 107.101954 85.256031)
(xy 107.10195 85.256034)
(xy 107.017119 85.353935)
(xy 106.963302 85.471776)
(xy 106.944867 85.6)
(xy 100.239408 85.6)
(xy 100.282947 85.587216)
(xy 100.391927 85.517179)
(xy 100.47676 85.419275)
(xy 100.530575 85.301438)
(xy 100.549011 85.173212)
(xy 100.530575 85.044986)
(xy 100.47676 84.927149)
(xy 100.476758 84.927147)
(xy 100.476758 84.927146)
(xy 100.476757 84.927144)
(xy 100.427568 84.870377)
(xy 100.409503 84.823092)
(xy 100.417495 84.8)
(xy 118.344867 84.8)

(xy 118.363302 84.928223)
(xy 118.363302 84.928224)
(xy 118.363303 84.928226)
(xy 118.417118 85.046063)
(xy 118.501951 85.143967)
(xy 118.610931 85.214004)
(xy 118.735228 85.2505)
(xy 118.864772 85.2505)
(xy 118.989069 85.214004)
(xy 119.098049 85.143967)
(xy 119.182882 85.046063)
(xy 119.236697 84.928226)
(xy 119.255133 84.8)
(xy 119.236697 84.671774)
(xy 119.182882 84.553937)
(xy 119.098049 84.456033)
(xy 119.031032 84.412964)
(xy 118.989068 84.385995)
(xy 118.864772 84.3495)
(xy 118.735228 84.3495)
(xy 118.610931 84.385995)
(xy 118.501954 84.456031)
(xy 118.50195 84.456034)
(xy 118.417119 84.553935)
(xy 118.363302 84.671776)
(xy 118.344867 84.8)
(xy 100.417495 84.8)
(xy 100.426059 84.775257)
(xy 100.428858 84.772367)
(xy 100.428843 84.772354)
(xy 100.432306 84.768356)
(xy 100.432309 84.768355)
(xy 100.517142 84.670451)
(xy 100.570957 84.552614)
(xy 100.589393 84.424388)

(xy 100.570957 84.296162)
(xy 100.517142 84.178325)
(xy 100.432309 84.080421)
(xy 100.345795 84.024822)
(xy 100.323328 84.010383)
(xy 100.199032 83.973888)
(xy 100.069488 83.973888)
(xy 99.945191 84.010383)
(xy 99.836214 84.080419)
(xy 99.83621 84.080422)
(xy 99.751379 84.178323)
(xy 99.697562 84.296164)
(xy 99.679127 84.424388)
(xy 99.697562 84.552611)
(xy 99.697562 84.552612)
(xy 99.697563 84.552614)
(xy 99.735642 84.635995)
(xy 99.751379 84.670453)
(xy 99.75138 84.670455)
(xy 99.800569 84.727222)
(xy 99.818634 84.774507)
(xy 99.802078 84.822342)
(xy 99.799279 84.825232)
(xy 99.799295 84.825246)
(xy 99.79583 84.829243)
(xy 99.795829 84.829245)
(xy 99.750634 84.881402)
(xy 99.710997 84.927147)
(xy 99.65718 85.044988)
(xy 99.638745 85.173212)
(xy 98.287418 85.173212)
(xy 98.305133 85.05)
(xy 98.286697 84.921774)
(xy 98.263224 84.870377)
(xy 98.245123 84.830741)

(xy 98.24111 84.780282)
(xy 98.245123 84.769259)
(xy 98.286697 84.678226)
(xy 98.287815 84.670451)
(xy 98.305133 84.55)
(xy 98.286697 84.421774)
(xy 98.232882 84.303937)
(xy 98.148049 84.206033)
(xy 98.081032 84.162964)
(xy 98.039068 84.135995)
(xy 97.914772 84.0995)
(xy 97.785228 84.0995)
(xy 97.660931 84.135995)
(xy 97.551954 84.206031)
(xy 97.55195 84.206034)
(xy 97.467119 84.303935)
(xy 97.413302 84.421776)
(xy 97.394867 84.55)
(xy 97.413302 84.678225)
(xy 97.454876 84.76926)
(xy 97.458887 84.81972)
(xy 97.454876 84.83074)
(xy 97.413302 84.921774)
(xy 97.394867 85.049999)
(xy 97.413302 85.178223)
(xy 97.413302 85.178224)
(xy 97.413303 85.178226)
(xy 97.434734 85.225153)
(xy 97.467119 85.296065)
(xy 97.46712 85.296067)
(xy 97.536851 85.376541)
(xy 97.554916 85.423826)
(xy 97.53836 85.471661)
(xy 97.536851 85.473459)
(xy 97.46712 85.553932)

(xy 97.467119 85.553934)
(xy 97.413302 85.671776)
(xy 97.394867 85.8)
(xy 50.0505 85.8)
(xy 50.0505 85.049999)
(xy 95.644867 85.049999)
(xy 95.663302 85.178223)
(xy 95.663302 85.178224)
(xy 95.663303 85.178226)
(xy 95.717118 85.296063)
(xy 95.801951 85.393967)
(xy 95.910931 85.464004)
(xy 96.035228 85.5005)
(xy 96.164772 85.5005)
(xy 96.289069 85.464004)
(xy 96.398049 85.393967)
(xy 96.482882 85.296063)
(xy 96.536697 85.178226)
(xy 96.555133 85.05)
(xy 96.536697 84.921774)
(xy 96.482882 84.803937)
(xy 96.398049 84.706033)
(xy 96.331032 84.662964)
(xy 96.289068 84.635995)
(xy 96.164772 84.5995)
(xy 96.035228 84.5995)
(xy 95.910931 84.635995)
(xy 95.801954 84.706031)
(xy 95.80195 84.706034)
(xy 95.717119 84.803935)
(xy 95.717118 84.803936)
(xy 95.717118 84.803937)
(xy 95.70991 84.81972)
(xy 95.663302 84.921776)
(xy 95.644867 85.049999)

(xy 50.0505 85.049999)
(xy 50.0505 83.899999)
(xy 122.344867 83.899999)
(xy 122.363302 84.028223)
(xy 122.363302 84.028224)
(xy 122.363303 84.028226)
(xy 122.417118 84.146063)
(xy 122.501951 84.243967)
(xy 122.610931 84.314004)
(xy 122.735228 84.3505)
(xy 122.864772 84.3505)
(xy 122.989069 84.314004)
(xy 123.098049 84.243967)
(xy 123.182882 84.146063)
(xy 123.232688 84.037003)
(xy 123.268195 84.000929)
(xy 123.318585 83.996118)
(xy 123.360279 84.024822)
(xy 123.367309 84.036999)
(xy 123.417118 84.146063)
(xy 123.501951 84.243967)
(xy 123.610931 84.314004)
(xy 123.735228 84.3505)
(xy 123.864772 84.3505)
(xy 123.989069 84.314004)
(xy 124.098049 84.243967)
(xy 124.182882 84.146063)
(xy 124.236697 84.028226)
(xy 124.240755 84)
(xy 126.244867 84)
(xy 126.263302 84.128223)
(xy 126.263302 84.128224)
(xy 126.263303 84.128226)
(xy 126.317118 84.246063)
(xy 126.401951 84.343967)

(xy 126.510931 84.414004)
(xy 126.635228 84.4505)
(xy 126.764772 84.4505)
(xy 126.889069 84.414004)
(xy 126.998049 84.343967)
(xy 127.082882 84.246063)
(xy 127.136697 84.128226)
(xy 127.155133 84)
(xy 127.136697 83.871774)
(xy 127.082882 83.753937)
(xy 126.998049 83.656033)
(xy 126.931032 83.612964)
(xy 126.889068 83.585995)
(xy 126.764772 83.5495)
(xy 126.635228 83.5495)
(xy 126.510931 83.585995)
(xy 126.401954 83.656031)
(xy 126.40195 83.656034)
(xy 126.317119 83.753935)
(xy 126.263302 83.871776)
(xy 126.244867 84)
(xy 124.240755 84)
(xy 124.255133 83.9)
(xy 124.236697 83.771774)
(xy 124.182882 83.653937)
(xy 124.098049 83.556033)
(xy 124.031032 83.512964)
(xy 123.989068 83.485995)
(xy 123.864772 83.4495)
(xy 123.735228 83.4495)
(xy 123.610931 83.485995)
(xy 123.501954 83.556031)
(xy 123.50195 83.556034)
(xy 123.417119 83.653935)
(xy 123.367313 83.762994)

(xy 123.331804 83.79907)
(xy 123.281415 83.803881)
(xy 123.239721 83.775177)
(xy 123.232687 83.762994)
(xy 123.22855 83.753935)
(xy 123.182882 83.653937)
(xy 123.098049 83.556033)
(xy 123.031032 83.512964)
(xy 122.989068 83.485995)
(xy 122.864772 83.4495)
(xy 122.735228 83.4495)
(xy 122.610931 83.485995)
(xy 122.501954 83.556031)
(xy 122.50195 83.556034)
(xy 122.417119 83.653935)
(xy 122.363302 83.771776)
(xy 122.344867 83.899999)
(xy 50.0505 83.899999)
(xy 50.0505 82.35)
(xy 99.244867 82.35)
(xy 99.263302 82.478223)
(xy 99.263302 82.478224)
(xy 99.263303 82.478226)
(xy 99.317118 82.596063)
(xy 99.401951 82.693967)
(xy 99.510931 82.764004)
(xy 99.635228 82.8005)
(xy 99.764772 82.8005)
(xy 99.889069 82.764004)
(xy 99.998049 82.693967)
(xy 100.082882 82.596063)
(xy 100.126752 82.500003)
(xy 107.144722 82.500003)
(xy 107.163761 82.656808)
(xy 107.163764 82.656822)

(xy 107.219778 82.804521)
(xy 107.309516 82.934529)
(xy 107.309517 82.93453)
(xy 107.42776 83.039283)
(xy 107.567635 83.112696)
(xy 107.721015 83.1505)
(xy 107.721019 83.1505)
(xy 107.878981 83.1505)
(xy 107.878985 83.1505)
(xy 108.032365 83.112696)
(xy 108.17224 83.039283)
(xy 108.290483 82.93453)
(xy 108.374099 82.813389)
(xy 108.415366 82.784079)
(xy 108.465821 82.788152)
(xy 108.4959 82.81339)
(xy 108.579516 82.934529)
(xy 108.579517 82.93453)
(xy 108.69776 83.039283)
(xy 108.837635 83.112696)
(xy 108.991015 83.1505)
(xy 108.991019 83.1505)
(xy 109.148981 83.1505)
(xy 109.148985 83.1505)
(xy 109.302365 83.112696)
(xy 109.44224 83.039283)
(xy 109.560483 82.93453)
(xy 109.6441 82.813389)
(xy 109.685368 82.784079)
(xy 109.735823 82.788152)
(xy 109.765899 82.813388)
(xy 109.820271 82.89216)
(xy 109.849515 82.934528)
(xy 109.849517 82.93453)
(xy 109.96776 83.039283)

(xy 110.107635 83.112696)
(xy 110.261015 83.1505)
(xy 110.261019 83.1505)
(xy 110.418981 83.1505)
(xy 110.418985 83.1505)
(xy 110.572365 83.112696)
(xy 110.71224 83.039283)
(xy 110.830483 82.93453)
(xy 110.9141 82.813389)
(xy 110.955368 82.784079)
(xy 111.005823 82.788152)
(xy 111.035899 82.813388)
(xy 111.090271 82.89216)
(xy 111.119515 82.934528)
(xy 111.119517 82.93453)
(xy 111.23776 83.039283)
(xy 111.377635 83.112696)
(xy 111.531015 83.1505)
(xy 111.531019 83.1505)
(xy 111.688981 83.1505)
(xy 111.688985 83.1505)
(xy 111.842365 83.112696)
(xy 111.98224 83.039283)
(xy 112.100483 82.93453)
(xy 112.1841 82.813389)
(xy 112.225368 82.784079)
(xy 112.275823 82.788152)
(xy 112.305899 82.813388)
(xy 112.360271 82.89216)
(xy 112.389515 82.934528)
(xy 112.389517 82.93453)
(xy 112.50776 83.039283)
(xy 112.647635 83.112696)
(xy 112.801015 83.1505)
(xy 112.801019 83.1505)

(xy 112.958981 83.1505)
(xy 112.958985 83.1505)
(xy 113.112365 83.112696)
(xy 113.25224 83.039283)
(xy 113.370483 82.93453)
(xy 113.4541 82.813389)
(xy 113.495368 82.784079)
(xy 113.545823 82.788152)
(xy 113.575899 82.813388)
(xy 113.630271 82.89216)
(xy 113.659515 82.934528)
(xy 113.659517 82.93453)
(xy 113.77776 83.039283)
(xy 113.917635 83.112696)
(xy 114.071015 83.1505)
(xy 114.071019 83.1505)
(xy 114.228981 83.1505)
(xy 114.228985 83.1505)
(xy 114.382365 83.112696)
(xy 114.52224 83.039283)
(xy 114.640483 82.93453)
(xy 114.7241 82.813389)
(xy 114.765368 82.784079)
(xy 114.815823 82.788152)
(xy 114.845899 82.813388)
(xy 114.900271 82.89216)
(xy 114.929515 82.934528)
(xy 114.929517 82.93453)
(xy 115.04776 83.039283)
(xy 115.187635 83.112696)
(xy 115.341015 83.1505)
(xy 115.341019 83.1505)
(xy 115.498981 83.1505)
(xy 115.498985 83.1505)
(xy 115.652365 83.112696)

(xy 115.79224 83.039283)
(xy 115.910483 82.93453)
(xy 115.9941 82.813389)
(xy 116.035368 82.784079)
(xy 116.085823 82.788152)
(xy 116.115899 82.813388)
(xy 116.170271 82.89216)
(xy 116.199515 82.934528)
(xy 116.199517 82.93453)
(xy 116.31776 83.039283)
(xy 116.457635 83.112696)
(xy 116.611015 83.1505)
(xy 116.611019 83.1505)
(xy 116.768981 83.1505)
(xy 116.768985 83.1505)
(xy 116.922365 83.112696)
(xy 117.06224 83.039283)
(xy 117.180483 82.93453)
(xy 117.204318 82.899999)
(xy 118.344867 82.899999)
(xy 118.363302 83.028223)
(xy 118.363302 83.028224)
(xy 118.363303 83.028226)
(xy 118.417118 83.146063)
(xy 118.501951 83.243967)
(xy 118.610931 83.314004)
(xy 118.735228 83.3505)
(xy 118.864772 83.3505)
(xy 118.989069 83.314004)
(xy 119.098049 83.243967)
(xy 119.182882 83.146063)
(xy 119.236697 83.028226)
(xy 119.255133 82.9)
(xy 119.236697 82.771774)
(xy 119.182882 82.653937)

(xy 119.098049 82.556033)
(xy 119.031032 82.512964)
(xy 118.989068 82.485995)
(xy 118.864772 82.4495)
(xy 118.735228 82.4495)
(xy 118.610931 82.485995)
(xy 118.501954 82.556031)
(xy 118.50195 82.556034)
(xy 118.417119 82.653935)
(xy 118.417118 82.653936)
(xy 118.417118 82.653937)
(xy 118.414313 82.660079)
(xy 118.363302 82.771776)
(xy 118.344867 82.899999)
(xy 117.204318 82.899999)
(xy 117.27022 82.804523)
(xy 117.277974 82.784079)
(xy 117.326235 82.656822)
(xy 117.326237 82.656818)
(xy 117.338474 82.556034)
(xy 117.345278 82.500003)
(xy 117.345278 82.499996)
(xy 117.326238 82.343191)
(xy 117.326237 82.343182)
(xy 117.318213 82.322025)
(xy 117.270221 82.195478)
(xy 117.180483 82.06547)
(xy 117.158577 82.046063)
(xy 117.06224 81.960717)
(xy 117.015137 81.935995)
(xy 116.922366 81.887304)
(xy 116.768987 81.8495)
(xy 116.768985 81.8495)
(xy 116.611015 81.8495)
(xy 116.611012 81.8495)

(xy 116.457633 81.887304)
(xy 116.317761 81.960716)
(xy 116.199516 82.06547)
(xy 116.115901 82.186609)
(xy 116.074632 82.21592)
(xy 116.024177 82.211847)
(xy 115.994099 82.186609)
(xy 115.910483 82.06547)
(xy 115.888577 82.046063)
(xy 115.79224 81.960717)
(xy 115.745137 81.935995)
(xy 115.652366 81.887304)
(xy 115.498987 81.8495)
(xy 115.498985 81.8495)
(xy 115.341015 81.8495)
(xy 115.341012 81.8495)
(xy 115.187633 81.887304)
(xy 115.047761 81.960716)
(xy 114.929516 82.06547)
(xy 114.845901 82.186609)
(xy 114.804632 82.21592)
(xy 114.754177 82.211847)
(xy 114.724099 82.186609)
(xy 114.640483 82.06547)
(xy 114.618577 82.046063)
(xy 114.52224 81.960717)
(xy 114.475137 81.935995)
(xy 114.382366 81.887304)
(xy 114.228987 81.8495)
(xy 114.228985 81.8495)
(xy 114.071015 81.8495)
(xy 114.071012 81.8495)
(xy 113.917633 81.887304)
(xy 113.777761 81.960716)
(xy 113.659516 82.06547)

(xy 113.575901 82.186609)
(xy 113.534632 82.21592)
(xy 113.484177 82.211847)
(xy 113.454099 82.186609)
(xy 113.370483 82.06547)
(xy 113.348577 82.046063)
(xy 113.25224 81.960717)
(xy 113.205137 81.935995)
(xy 113.112366 81.887304)
(xy 112.958987 81.8495)
(xy 112.958985 81.8495)
(xy 112.801015 81.8495)
(xy 112.801012 81.8495)
(xy 112.647633 81.887304)
(xy 112.507761 81.960716)
(xy 112.389516 82.06547)
(xy 112.305901 82.186609)
(xy 112.264632 82.21592)
(xy 112.214177 82.211847)
(xy 112.184099 82.186609)
(xy 112.100483 82.06547)
(xy 112.078577 82.046063)
(xy 111.98224 81.960717)
(xy 111.935137 81.935995)
(xy 111.842366 81.887304)
(xy 111.688987 81.8495)
(xy 111.688985 81.8495)
(xy 111.531015 81.8495)
(xy 111.531012 81.8495)
(xy 111.377633 81.887304)
(xy 111.237761 81.960716)
(xy 111.119516 82.06547)
(xy 111.035901 82.186609)
(xy 110.994632 82.21592)
(xy 110.944177 82.211847)

(xy 110.914099 82.186609)
(xy 110.830483 82.06547)
(xy 110.808577 82.046063)
(xy 110.71224 81.960717)
(xy 110.665137 81.935995)
(xy 110.572366 81.887304)
(xy 110.418987 81.8495)
(xy 110.418985 81.8495)
(xy 110.261015 81.8495)
(xy 110.261012 81.8495)
(xy 110.107633 81.887304)
(xy 109.967761 81.960716)
(xy 109.849516 82.06547)
(xy 109.765901 82.186609)
(xy 109.724632 82.21592)
(xy 109.674177 82.211847)
(xy 109.644099 82.186609)
(xy 109.560483 82.06547)
(xy 109.538577 82.046063)
(xy 109.44224 81.960717)
(xy 109.395137 81.935995)
(xy 109.302366 81.887304)
(xy 109.148987 81.8495)
(xy 109.148985 81.8495)
(xy 108.991015 81.8495)
(xy 108.991012 81.8495)
(xy 108.837633 81.887304)
(xy 108.697761 81.960716)
(xy 108.579516 82.06547)
(xy 108.4959 82.186609)
(xy 108.454631 82.21592)
(xy 108.404176 82.211847)
(xy 108.374098 82.186608)
(xy 108.290484 82.065471)
(xy 108.268577 82.046063)

(xy 108.17224 81.960717)
(xy 108.125137 81.935995)
(xy 108.032366 81.887304)
(xy 107.878987 81.8495)
(xy 107.878985 81.8495)
(xy 107.721015 81.8495)
(xy 107.721012 81.8495)
(xy 107.567633 81.887304)
(xy 107.427761 81.960716)
(xy 107.309516 82.06547)
(xy 107.219779 82.195478)
(xy 107.219778 82.195478)
(xy 107.163764 82.343177)
(xy 107.163761 82.343191)
(xy 107.144722 82.499996)
(xy 107.144722 82.500003)
(xy 100.126752 82.500003)
(xy 100.136697 82.478226)
(xy 100.155133 82.35)
(xy 100.136697 82.221774)
(xy 100.082882 82.103937)
(xy 99.998049 82.006033)
(xy 99.927534 81.960716)
(xy 99.889068 81.935995)
(xy 99.764772 81.8995)
(xy 99.635228 81.8995)
(xy 99.510931 81.935995)
(xy 99.401954 82.006031)
(xy 99.40195 82.006034)
(xy 99.317119 82.103935)
(xy 99.263302 82.221776)
(xy 99.244867 82.35)
(xy 50.0505 82.35)
(xy 50.0505 81.8)
(xy 93.044867 81.8)

(xy 93.063302 81.928223)
(xy 93.063302 81.928224)
(xy 93.063303 81.928226)
(xy 93.117118 82.046063)
(xy 93.201951 82.143967)
(xy 93.310931 82.214004)
(xy 93.435228 82.2505)
(xy 93.564772 82.2505)
(xy 93.689069 82.214004)
(xy 93.798049 82.143967)
(xy 93.882882 82.046063)
(xy 93.936697 81.928226)
(xy 93.955133 81.8)
(xy 123.644867 81.8)
(xy 123.663302 81.928223)
(xy 123.663302 81.928224)
(xy 123.663303 81.928226)
(xy 123.717118 82.046063)
(xy 123.801951 82.143967)
(xy 123.910931 82.214004)
(xy 124.035228 82.2505)
(xy 124.164772 82.2505)
(xy 124.289069 82.214004)
(xy 124.398049 82.143967)
(xy 124.482882 82.046063)
(xy 124.536697 81.928226)
(xy 124.555133 81.8)
(xy 124.536697 81.671774)
(xy 124.482882 81.553937)
(xy 124.398049 81.456033)
(xy 124.331032 81.412964)
(xy 124.289068 81.385995)
(xy 124.164772 81.3495)
(xy 124.035228 81.3495)
(xy 123.910931 81.385995)

(xy 123.801954 81.456031)
(xy 123.80195 81.456034)
(xy 123.717119 81.553935)
(xy 123.663302 81.671776)
(xy 123.644867 81.8)
(xy 93.955133 81.8)
(xy 93.936697 81.671774)
(xy 93.882882 81.553937)
(xy 93.798049 81.456033)
(xy 93.731032 81.412964)
(xy 93.689068 81.385995)
(xy 93.564772 81.3495)
(xy 93.435228 81.3495)
(xy 93.310931 81.385995)
(xy 93.201954 81.456031)
(xy 93.20195 81.456034)
(xy 93.117119 81.553935)
(xy 93.063302 81.671776)
(xy 93.044867 81.8)
(xy 50.0505 81.8)
(xy 50.0505 81)
(xy 59.244867 81)
(xy 59.263302 81.128223)
(xy 59.263302 81.128224)
(xy 59.263303 81.128226)
(xy 59.317118 81.246063)
(xy 59.401951 81.343967)
(xy 59.510931 81.414004)
(xy 59.635228 81.4505)
(xy 59.764772 81.4505)
(xy 59.889069 81.414004)
(xy 59.998049 81.343967)
(xy 60.082882 81.246063)
(xy 60.136697 81.128226)
(xy 60.155133 81)

(xy 60.136697 80.871774)
(xy 60.082882 80.753937)
(xy 59.998049 80.656033)
(xy 59.931032 80.612964)
(xy 59.889068 80.585995)
(xy 59.764772 80.5495)
(xy 59.635228 80.5495)
(xy 59.510931 80.585995)
(xy 59.401954 80.656031)
(xy 59.40195 80.656034)
(xy 59.317119 80.753935)
(xy 59.263302 80.871776)
(xy 59.244867 81)
(xy 50.0505 81)
(xy 50.0505 79.499999)
(xy 100.744867 79.499999)
(xy 100.763302 79.628223)
(xy 100.763302 79.628224)
(xy 100.763303 79.628226)
(xy 100.817118 79.746063)
(xy 100.901951 79.843967)
(xy 101.010931 79.914004)
(xy 101.135228 79.9505)
(xy 101.264772 79.9505)
(xy 101.389069 79.914004)
(xy 101.498049 79.843967)
(xy 101.544074 79.790849)
(xy 101.588308 79.76624)
(xy 101.638012 79.775819)
(xy 101.655924 79.790848)
(xy 101.701951 79.843967)
(xy 101.810931 79.914004)
(xy 101.935228 79.9505)
(xy 102.064772 79.9505)
(xy 102.189069 79.914004)

(xy 102.298049 79.843967)
(xy 102.344074 79.790849)
(xy 102.388308 79.76624)
(xy 102.438012 79.775819)
(xy 102.455924 79.790848)
(xy 102.501951 79.843967)
(xy 102.610931 79.914004)
(xy 102.735228 79.9505)
(xy 102.864772 79.9505)
(xy 102.989069 79.914004)
(xy 103.098049 79.843967)
(xy 103.144074 79.790849)
(xy 103.188308 79.76624)
(xy 103.238012 79.775819)
(xy 103.255924 79.790848)
(xy 103.301951 79.843967)
(xy 103.410931 79.914004)
(xy 103.535228 79.9505)
(xy 103.664772 79.9505)
(xy 103.789069 79.914004)
(xy 103.898049 79.843967)
(xy 103.944074 79.790849)
(xy 103.988308 79.76624)
(xy 104.038012 79.775819)
(xy 104.055924 79.790848)
(xy 104.101951 79.843967)
(xy 104.210931 79.914004)
(xy 104.335228 79.9505)
(xy 104.464772 79.9505)
(xy 104.589069 79.914004)
(xy 104.698049 79.843967)
(xy 104.744074 79.790849)
(xy 104.788308 79.76624)
(xy 104.838012 79.775819)
(xy 104.855924 79.790848)

(xy 104.901951 79.843967)
(xy 105.010931 79.914004)
(xy 105.135228 79.9505)
(xy 105.264772 79.9505)
(xy 105.389069 79.914004)
(xy 105.498049 79.843967)
(xy 105.544986 79.789796)
(xy 105.589218 79.765187)
(xy 105.638922 79.774766)
(xy 105.656835 79.789795)
(xy 105.683274 79.820308)
(xy 105.792254 79.890345)
(xy 105.916551 79.926841)
(xy 106.046095 79.926841)
(xy 106.170392 79.890345)
(xy 106.279372 79.820308)
(xy 106.324485 79.768243)
(xy 106.368718 79.743633)
(xy 106.418423 79.753212)
(xy 106.436336 79.768242)
(xy 106.501951 79.843967)
(xy 106.610931 79.914004)
(xy 106.735228 79.9505)
(xy 106.864772 79.9505)
(xy 106.989069 79.914004)
(xy 107.098049 79.843967)
(xy 107.182882 79.746063)
(xy 107.236697 79.628226)
(xy 107.255133 79.5)
(xy 107.236697 79.371774)
(xy 107.182882 79.253937)
(xy 107.098049 79.156033)
(xy 107.031032 79.112964)
(xy 106.989068 79.085995)
(xy 106.864772 79.0495)

(xy 106.735228 79.0495)
(xy 106.610931 79.085995)
(xy 106.501954 79.156031)
(xy 106.501946 79.156037)
(xy 106.456836 79.208098)
(xy 106.412603 79.232709)
(xy 106.362899 79.223129)
(xy 106.344985 79.208097)
(xy 106.279375 79.132377)
(xy 106.279373 79.132376)
(xy 106.279372 79.132374)
(xy 106.207205 79.085995)
(xy 106.170391 79.062336)
(xy 106.046095 79.025841)
(xy 105.916551 79.025841)
(xy 105.792254 79.062336)
(xy 105.683277 79.132372)
(xy 105.683269 79.132378)
(xy 105.636336 79.186543)
(xy 105.592103 79.211153)
(xy 105.542399 79.201574)
(xy 105.524485 79.186542)
(xy 105.498052 79.156036)
(xy 105.49805 79.156035)
(xy 105.498049 79.156033)
(xy 105.431032 79.112964)
(xy 105.389068 79.085995)
(xy 105.264772 79.0495)
(xy 105.135228 79.0495)
(xy 105.010931 79.085995)
(xy 104.901954 79.156031)
(xy 104.901951 79.156033)
(xy 104.856838 79.208098)
(xy 104.855926 79.20915)
(xy 104.811692 79.23376)

(xy 104.761988 79.224181)
(xy 104.744074 79.20915)
(xy 104.698049 79.156033)
(xy 104.631032 79.112964)
(xy 104.589068 79.085995)
(xy 104.464772 79.0495)
(xy 104.335228 79.0495)
(xy 104.210931 79.085995)
(xy 104.101954 79.156031)
(xy 104.101951 79.156033)
(xy 104.056838 79.208098)
(xy 104.055926 79.20915)
(xy 104.011692 79.23376)
(xy 103.961988 79.224181)
(xy 103.944074 79.20915)
(xy 103.898049 79.156033)
(xy 103.831032 79.112964)
(xy 103.789068 79.085995)
(xy 103.664772 79.0495)
(xy 103.535228 79.0495)
(xy 103.410931 79.085995)
(xy 103.301954 79.156031)
(xy 103.301951 79.156033)
(xy 103.256838 79.208098)
(xy 103.255926 79.20915)
(xy 103.211692 79.23376)
(xy 103.161988 79.224181)
(xy 103.144074 79.20915)
(xy 103.098049 79.156033)
(xy 103.031032 79.112964)
(xy 102.989068 79.085995)
(xy 102.864772 79.0495)
(xy 102.735228 79.0495)
(xy 102.610931 79.085995)
(xy 102.501954 79.156031)

(xy 102.501951 79.156033)
(xy 102.456838 79.208098)
(xy 102.455926 79.20915)
(xy 102.411692 79.23376)
(xy 102.361988 79.224181)
(xy 102.344074 79.20915)
(xy 102.298049 79.156033)
(xy 102.231032 79.112964)
(xy 102.189068 79.085995)
(xy 102.064772 79.0495)
(xy 101.935228 79.0495)
(xy 101.810931 79.085995)
(xy 101.701954 79.156031)
(xy 101.701951 79.156033)
(xy 101.656838 79.208098)
(xy 101.655926 79.20915)
(xy 101.611692 79.23376)
(xy 101.561988 79.224181)
(xy 101.544074 79.20915)
(xy 101.498049 79.156033)
(xy 101.431032 79.112964)
(xy 101.389068 79.085995)
(xy 101.264772 79.0495)
(xy 101.135228 79.0495)
(xy 101.010931 79.085995)
(xy 100.901954 79.156031)
(xy 100.90195 79.156034)
(xy 100.817119 79.253935)
(xy 100.763302 79.371776)
(xy 100.744867 79.499999)
(xy 50.0505 79.499999)
(xy 50.0505 78.351519)
(xy 91.5695 78.351519)
(xy 91.584353 78.445304)
(xy 91.584354 78.445306)

(xy 91.640711 78.55591)
(xy 91.64195 78.558342)
(xy 91.731658 78.64805)
(xy 91.844696 78.705646)
(xy 91.938481 78.7205)
(xy 93.201518 78.720499)
(xy 93.201519 78.720499)
(xy 93.295304 78.705646)
(xy 93.295306 78.705645)
(xy 93.297419 78.704568)
(xy 93.408342 78.64805)
(xy 93.49805 78.558342)
(xy 93.555646 78.445304)
(xy 93.5705 78.351519)
(xy 93.570499 77.72)
(xy 94.104659 77.72)
(xy 94.123976 77.916133)
(xy 94.181187 78.104731)
(xy 94.268776 78.268597)
(xy 94.27409 78.278538)
(xy 94.399117 78.430883)
(xy 94.551462 78.55591)
(xy 94.628426 78.597048)
(xy 94.725268 78.648812)
(xy 94.72527 78.648812)
(xy 94.725273 78.648814)
(xy 94.913868 78.706024)
(xy 95.11 78.725341)
(xy 95.306132 78.706024)
(xy 95.494727 78.648814)
(xy 95.496157 78.64805)
(xy 95.514608 78.638187)
(xy 95.668538 78.55591)
(xy 95.820883 78.430883)
(xy 95.94591 78.278538)

(xy 96.038814 78.104727)
(xy 96.096024 77.916132)
(xy 96.115341 77.72)
(xy 96.644659 77.72)
(xy 96.663976 77.916133)
(xy 96.721187 78.104731)
(xy 96.808776 78.268597)
(xy 96.81409 78.278538)
(xy 96.939117 78.430883)
(xy 97.091462 78.55591)
(xy 97.168426 78.597048)
(xy 97.265268 78.648812)
(xy 97.26527 78.648812)
(xy 97.265273 78.648814)
(xy 97.453868 78.706024)
(xy 97.65 78.725341)
(xy 97.846132 78.706024)
(xy 98.034727 78.648814)
(xy 98.036157 78.64805)
(xy 98.054608 78.638187)
(xy 98.208538 78.55591)
(xy 98.360883 78.430883)
(xy 98.48591 78.278538)
(xy 98.578814 78.104727)
(xy 98.636024 77.916132)
(xy 98.655341 77.72)
(xy 99.184659 77.72)
(xy 99.203976 77.916133)
(xy 99.261187 78.104731)
(xy 99.348776 78.268597)
(xy 99.35409 78.278538)
(xy 99.479117 78.430883)
(xy 99.631462 78.55591)
(xy 99.708426 78.597048)
(xy 99.805268 78.648812)

(xy 99.80527 78.648812)
(xy 99.805273 78.648814)
(xy 99.993868 78.706024)
(xy 100.19 78.725341)
(xy 100.386132 78.706024)
(xy 100.574727 78.648814)
(xy 100.576157 78.64805)
(xy 100.594608 78.638187)
(xy 100.748538 78.55591)
(xy 100.900883 78.430883)
(xy 101.02591 78.278538)
(xy 101.118814 78.104727)
(xy 101.176024 77.916132)
(xy 101.195341 77.72)
(xy 101.724659 77.72)
(xy 101.743976 77.916133)
(xy 101.801187 78.104731)
(xy 101.888776 78.268597)
(xy 101.89409 78.278538)
(xy 102.019117 78.430883)
(xy 102.171462 78.55591)
(xy 102.248426 78.597048)
(xy 102.345268 78.648812)
(xy 102.34527 78.648812)
(xy 102.345273 78.648814)
(xy 102.533868 78.706024)
(xy 102.73 78.725341)
(xy 102.926132 78.706024)
(xy 103.114727 78.648814)
(xy 103.116157 78.64805)
(xy 103.134608 78.638187)
(xy 103.288538 78.55591)
(xy 103.440883 78.430883)
(xy 103.56591 78.278538)
(xy 103.658814 78.104727)

(xy 103.716024 77.916132)
(xy 103.735341 77.72)
(xy 104.264659 77.72)
(xy 104.283976 77.916133)
(xy 104.341187 78.104731)
(xy 104.428776 78.268597)
(xy 104.43409 78.278538)
(xy 104.559117 78.430883)
(xy 104.711462 78.55591)
(xy 104.788426 78.597048)
(xy 104.885268 78.648812)
(xy 104.88527 78.648812)
(xy 104.885273 78.648814)
(xy 105.073868 78.706024)
(xy 105.27 78.725341)
(xy 105.466132 78.706024)
(xy 105.654727 78.648814)
(xy 105.656157 78.64805)
(xy 105.674608 78.638187)
(xy 105.828538 78.55591)
(xy 105.980883 78.430883)
(xy 106.10591 78.278538)
(xy 106.198814 78.104727)
(xy 106.256024 77.916132)
(xy 106.275341 77.72)
(xy 106.804659 77.72)
(xy 106.823976 77.916133)
(xy 106.881187 78.104731)
(xy 106.968776 78.268597)
(xy 106.97409 78.278538)
(xy 107.099117 78.430883)
(xy 107.251462 78.55591)
(xy 107.328426 78.597048)
(xy 107.425268 78.648812)
(xy 107.42527 78.648812)

(xy 107.425273 78.648814)
(xy 107.613868 78.706024)
(xy 107.81 78.725341)
(xy 108.006132 78.706024)
(xy 108.194727 78.648814)
(xy 108.196157 78.64805)
(xy 108.214608 78.638187)
(xy 108.368538 78.55591)
(xy 108.520883 78.430883)
(xy 108.64591 78.278538)
(xy 108.738814 78.104727)
(xy 108.796024 77.916132)
(xy 108.815341 77.72)
(xy 109.344659 77.72)
(xy 109.363976 77.916133)
(xy 109.421187 78.104731)
(xy 109.508776 78.268597)
(xy 109.51409 78.278538)
(xy 109.639117 78.430883)
(xy 109.791462 78.55591)
(xy 109.868426 78.597048)
(xy 109.965268 78.648812)
(xy 109.96527 78.648812)
(xy 109.965273 78.648814)
(xy 110.153868 78.706024)
(xy 110.35 78.725341)
(xy 110.546132 78.706024)
(xy 110.734727 78.648814)
(xy 110.736157 78.64805)
(xy 110.754608 78.638187)
(xy 110.908538 78.55591)
(xy 111.060883 78.430883)
(xy 111.18591 78.278538)
(xy 111.278814 78.104727)
(xy 111.336024 77.916132)

(xy 111.355341 77.72)
(xy 111.884659 77.72)
(xy 111.903976 77.916133)
(xy 111.961187 78.104731)
(xy 112.048776 78.268597)
(xy 112.05409 78.278538)
(xy 112.179117 78.430883)
(xy 112.331462 78.55591)
(xy 112.408426 78.597048)
(xy 112.505268 78.648812)
(xy 112.50527 78.648812)
(xy 112.505273 78.648814)
(xy 112.693868 78.706024)
(xy 112.89 78.725341)
(xy 113.086132 78.706024)
(xy 113.274727 78.648814)
(xy 113.276157 78.64805)
(xy 113.294608 78.638187)
(xy 113.448538 78.55591)
(xy 113.600883 78.430883)
(xy 113.72591 78.278538)
(xy 113.818814 78.104727)
(xy 113.876024 77.916132)
(xy 113.895341 77.72)
(xy 114.424659 77.72)
(xy 114.443976 77.916133)
(xy 114.501187 78.104731)
(xy 114.588776 78.268597)
(xy 114.59409 78.278538)
(xy 114.719117 78.430883)
(xy 114.871462 78.55591)
(xy 114.948426 78.597048)
(xy 115.045268 78.648812)
(xy 115.04527 78.648812)
(xy 115.045273 78.648814)

(xy 115.233868 78.706024)
(xy 115.43 78.725341)
(xy 115.626132 78.706024)
(xy 115.814727 78.648814)
(xy 115.816157 78.64805)
(xy 115.834608 78.638187)
(xy 115.988538 78.55591)
(xy 116.140883 78.430883)
(xy 116.26591 78.278538)
(xy 116.358814 78.104727)
(xy 116.416024 77.916132)
(xy 116.435341 77.72)
(xy 116.416024 77.523868)
(xy 116.358814 77.335273)
(xy 116.358812 77.33527)
(xy 116.358812 77.335268)
(xy 116.307048 77.238426)
(xy 116.26591 77.161462)
(xy 116.140883 77.009117)
(xy 115.988538 76.88409)
(xy 115.978597 76.878776)
(xy 115.814731 76.791187)
(xy 115.626133 76.733976)
(xy 115.43 76.714659)
(xy 115.233866 76.733976)
(xy 115.045268 76.791187)
(xy 114.871463 76.884089)
(xy 114.719117 77.009117)
(xy 114.594089 77.161463)
(xy 114.501187 77.335268)
(xy 114.443976 77.523866)
(xy 114.424659 77.72)
(xy 113.895341 77.72)
(xy 113.876024 77.523868)
(xy 113.818814 77.335273)

(xy 113.818812 77.33527)
(xy 113.818812 77.335268)
(xy 113.767048 77.238426)
(xy 113.72591 77.161462)
(xy 113.600883 77.009117)
(xy 113.448538 76.88409)
(xy 113.438597 76.878776)
(xy 113.274731 76.791187)
(xy 113.086133 76.733976)
(xy 112.89 76.714659)
(xy 112.693866 76.733976)
(xy 112.505268 76.791187)
(xy 112.331463 76.884089)
(xy 112.179117 77.009117)
(xy 112.054089 77.161463)
(xy 111.961187 77.335268)
(xy 111.903976 77.523866)
(xy 111.884659 77.72)
(xy 111.355341 77.72)
(xy 111.336024 77.523868)
(xy 111.278814 77.335273)
(xy 111.278812 77.33527)
(xy 111.278812 77.335268)
(xy 111.227048 77.238426)
(xy 111.18591 77.161462)
(xy 111.060883 77.009117)
(xy 110.908538 76.88409)
(xy 110.898597 76.878776)
(xy 110.734731 76.791187)
(xy 110.546133 76.733976)
(xy 110.35 76.714659)
(xy 110.153866 76.733976)
(xy 109.965268 76.791187)
(xy 109.791463 76.884089)
(xy 109.639117 77.009117)

(xy 109.514089 77.161463)
(xy 109.421187 77.335268)
(xy 109.363976 77.523866)
(xy 109.344659 77.72)
(xy 108.815341 77.72)
(xy 108.796024 77.523868)
(xy 108.738814 77.335273)
(xy 108.738812 77.33527)
(xy 108.738812 77.335268)
(xy 108.687048 77.238426)
(xy 108.64591 77.161462)
(xy 108.520883 77.009117)
(xy 108.368538 76.88409)
(xy 108.358597 76.878776)
(xy 108.194731 76.791187)
(xy 108.006133 76.733976)
(xy 107.81 76.714659)
(xy 107.613866 76.733976)
(xy 107.425268 76.791187)
(xy 107.251463 76.884089)
(xy 107.099117 77.009117)
(xy 106.974089 77.161463)
(xy 106.881187 77.335268)
(xy 106.823976 77.523866)
(xy 106.804659 77.72)
(xy 106.275341 77.72)
(xy 106.256024 77.523868)
(xy 106.198814 77.335273)
(xy 106.198812 77.33527)
(xy 106.198812 77.335268)
(xy 106.147048 77.238426)
(xy 106.10591 77.161462)
(xy 105.980883 77.009117)
(xy 105.828538 76.88409)
(xy 105.818597 76.878776)

(xy 105.654731 76.791187)
(xy 105.466133 76.733976)
(xy 105.27 76.714659)
(xy 105.073866 76.733976)
(xy 104.885268 76.791187)
(xy 104.711463 76.884089)
(xy 104.559117 77.009117)
(xy 104.434089 77.161463)
(xy 104.341187 77.335268)
(xy 104.283976 77.523866)
(xy 104.264659 77.72)
(xy 103.735341 77.72)
(xy 103.716024 77.523868)
(xy 103.658814 77.335273)
(xy 103.658812 77.33527)
(xy 103.658812 77.335268)
(xy 103.607048 77.238426)
(xy 103.56591 77.161462)
(xy 103.440883 77.009117)
(xy 103.288538 76.88409)
(xy 103.278597 76.878776)
(xy 103.114731 76.791187)
(xy 102.926133 76.733976)
(xy 102.73 76.714659)
(xy 102.533866 76.733976)
(xy 102.345268 76.791187)
(xy 102.171463 76.884089)
(xy 102.019117 77.009117)
(xy 101.894089 77.161463)
(xy 101.801187 77.335268)
(xy 101.743976 77.523866)
(xy 101.724659 77.72)
(xy 101.195341 77.72)
(xy 101.176024 77.523868)
(xy 101.118814 77.335273)

(xy 101.118812 77.33527)
(xy 101.118812 77.335268)
(xy 101.067048 77.238426)
(xy 101.02591 77.161462)
(xy 100.900883 77.009117)
(xy 100.748538 76.88409)
(xy 100.738597 76.878776)
(xy 100.574731 76.791187)
(xy 100.386133 76.733976)
(xy 100.19 76.714659)
(xy 99.993866 76.733976)
(xy 99.805268 76.791187)
(xy 99.631463 76.884089)
(xy 99.479117 77.009117)
(xy 99.354089 77.161463)
(xy 99.261187 77.335268)
(xy 99.203976 77.523866)
(xy 99.184659 77.72)
(xy 98.655341 77.72)
(xy 98.636024 77.523868)
(xy 98.578814 77.335273)
(xy 98.578812 77.33527)
(xy 98.578812 77.335268)
(xy 98.527048 77.238426)
(xy 98.48591 77.161462)
(xy 98.360883 77.009117)
(xy 98.208538 76.88409)
(xy 98.198597 76.878776)
(xy 98.034731 76.791187)
(xy 97.846133 76.733976)
(xy 97.65 76.714659)
(xy 97.453866 76.733976)
(xy 97.265268 76.791187)
(xy 97.091463 76.884089)
(xy 96.939117 77.009117)

(xy 96.814089 77.161463)
(xy 96.721187 77.335268)
(xy 96.663976 77.523866)
(xy 96.644659 77.72)
(xy 96.115341 77.72)
(xy 96.096024 77.523868)
(xy 96.038814 77.335273)
(xy 96.038812 77.33527)
(xy 96.038812 77.335268)
(xy 95.987048 77.238426)
(xy 95.94591 77.161462)
(xy 95.820883 77.009117)
(xy 95.668538 76.88409)
(xy 95.658597 76.878776)
(xy 95.494731 76.791187)
(xy 95.306133 76.733976)
(xy 95.11 76.714659)
(xy 94.913866 76.733976)
(xy 94.725268 76.791187)
(xy 94.551463 76.884089)
(xy 94.399117 77.009117)
(xy 94.274089 77.161463)
(xy 94.181187 77.335268)
(xy 94.123976 77.523866)
(xy 94.104659 77.72)
(xy 93.570499 77.72)
(xy 93.570499 77.088482)
(xy 93.565497 77.0569)
(xy 93.555646 76.994695)
(xy 93.555645 76.994693)
(xy 93.514531 76.914004)
(xy 93.49805 76.881658)
(xy 93.408342 76.79195)
(xy 93.295304 76.734354)
(xy 93.295302 76.734353)

(xy 93.295301 76.734353)
(xy 93.201519 76.7195)
(xy 91.93848 76.7195)
(xy 91.844695 76.734353)
(xy 91.844693 76.734354)
(xy 91.731657 76.79195)
(xy 91.641951 76.881656)
(xy 91.584353 76.994698)
(xy 91.5695 77.08848)
(xy 91.5695 78.351519)
(xy 50.0505 78.351519)
(xy 50.0505 76.5)
(xy 58.344873 76.5)
(xy 58.363308 76.628223)
(xy 58.363308 76.628224)
(xy 58.363309 76.628226)
(xy 58.417124 76.746063)
(xy 58.501957 76.843967)
(xy 58.610937 76.914004)
(xy 58.735234 76.9505)
(xy 58.864778 76.9505)
(xy 58.989075 76.914004)
(xy 59.098055 76.843967)
(xy 59.133075 76.80355)
(xy 59.177306 76.77894)
(xy 59.227011 76.788518)
(xy 59.25148 76.812359)
(xy 59.310326 76.905085)
(xy 59.310329 76.905089)
(xy 59.31033 76.90509)
(xy 59.426456 77.014139)
(xy 59.566053 77.090883)
(xy 59.662104 77.115545)
(xy 59.720344 77.130499)
(xy 59.720346 77.130499)

(xy 59.720349 77.1305)
(xy 59.720352 77.1305)
(xy 59.839667 77.1305)
(xy 59.83967 77.130499)
(xy 59.877953 77.125663)
(xy 59.958039 77.115546)
(xy 59.958039 77.115545)
(xy 59.958045 77.115545)
(xy 60.10616 77.056903)
(xy 60.171932 77.009117)
(xy 60.235033 76.963271)
(xy 60.235033 76.96327)
(xy 60.235037 76.963268)
(xy 60.33658 76.840524)
(xy 60.404407 76.696384)
(xy 60.417409 76.628226)
(xy 60.434257 76.539906)
(xy 60.434257 76.539904)
(xy 60.432081 76.505324)
(xy 62.659594 76.505324)
(xy 62.678029 76.633548)
(xy 62.678029 76.633549)
(xy 62.67803 76.633551)
(xy 62.731845 76.751388)
(xy 62.816678 76.849292)
(xy 62.925658 76.919329)
(xy 63.049955 76.955825)
(xy 63.179499 76.955825)
(xy 63.303796 76.919329)
(xy 63.412776 76.849292)
(xy 63.497609 76.751388)
(xy 63.551424 76.633551)
(xy 63.56986 76.505325)
(xy 63.569094 76.5)
(xy 63.794867 76.5)

(xy 63.813302 76.628223)
(xy 63.813302 76.628224)
(xy 63.813303 76.628226)
(xy 63.867118 76.746063)
(xy 63.951951 76.843967)
(xy 64.060931 76.914004)
(xy 64.185228 76.9505)
(xy 64.314772 76.9505)
(xy 64.439069 76.914004)
(xy 64.548049 76.843967)
(xy 64.632882 76.746063)
(xy 64.686697 76.628226)
(xy 64.705133 76.5)
(xy 64.702976 76.485)
(xy 66.329867 76.485)
(xy 66.348302 76.613223)
(xy 66.348302 76.613224)
(xy 66.348303 76.613226)
(xy 66.402118 76.731063)
(xy 66.486951 76.828967)
(xy 66.595931 76.899004)
(xy 66.720228 76.9355)
(xy 66.849772 76.9355)
(xy 66.974069 76.899004)
(xy 67.083049 76.828967)
(xy 67.167882 76.731063)
(xy 67.221697 76.613226)
(xy 67.237976 76.5)
(xy 67.594867 76.5)
(xy 67.613302 76.628223)
(xy 67.613302 76.628224)
(xy 67.613303 76.628226)
(xy 67.667118 76.746063)
(xy 67.751951 76.843967)
(xy 67.860931 76.914004)

(xy 67.985228 76.9505)
(xy 68.114772 76.9505)
(xy 68.239069 76.914004)
(xy 68.348049 76.843967)
(xy 68.432882 76.746063)
(xy 68.486697 76.628226)
(xy 68.505133 76.5)
(xy 70.144867 76.5)
(xy 70.163302 76.628223)
(xy 70.163302 76.628224)
(xy 70.163303 76.628226)
(xy 70.217118 76.746063)
(xy 70.301951 76.843967)
(xy 70.410931 76.914004)
(xy 70.535228 76.9505)
(xy 70.664772 76.9505)
(xy 70.789069 76.914004)
(xy 70.898049 76.843967)
(xy 70.982882 76.746063)
(xy 71.036697 76.628226)
(xy 71.055133 76.5)
(xy 71.394867 76.5)
(xy 71.395633 76.505325)
(xy 71.413302 76.628223)
(xy 71.413302 76.628224)
(xy 71.413303 76.628226)
(xy 71.467118 76.746063)
(xy 71.551951 76.843967)
(xy 71.660931 76.914004)
(xy 71.785228 76.9505)
(xy 71.914772 76.9505)
(xy 72.039069 76.914004)
(xy 72.148049 76.843967)
(xy 72.232882 76.746063)
(xy 72.286697 76.628226)

(xy 72.305133 76.5)
(xy 73.944867 76.5)
(xy 73.945633 76.505325)
(xy 73.963302 76.628223)
(xy 73.963302 76.628224)
(xy 73.963303 76.628226)
(xy 74.017118 76.746063)
(xy 74.101951 76.843967)
(xy 74.210931 76.914004)
(xy 74.335228 76.9505)
(xy 74.464772 76.9505)
(xy 74.589069 76.914004)
(xy 74.698049 76.843967)
(xy 74.782882 76.746063)
(xy 74.836697 76.628226)
(xy 74.855133 76.5)
(xy 75.244867 76.5)
(xy 75.263302 76.628223)
(xy 75.263302 76.628224)
(xy 75.263303 76.628226)
(xy 75.317118 76.746063)
(xy 75.401951 76.843967)
(xy 75.510931 76.914004)
(xy 75.635228 76.9505)
(xy 75.764772 76.9505)
(xy 75.889069 76.914004)
(xy 75.998049 76.843967)
(xy 76.082882 76.746063)
(xy 76.136697 76.628226)
(xy 76.155133 76.5)
(xy 77.744867 76.5)
(xy 77.745633 76.505325)
(xy 77.763302 76.628223)
(xy 77.763302 76.628224)
(xy 77.763303 76.628226)

(xy 77.817118 76.746063)
(xy 77.901951 76.843967)
(xy 78.010931 76.914004)
(xy 78.135228 76.9505)
(xy 78.264772 76.9505)
(xy 78.389069 76.914004)
(xy 78.498049 76.843967)
(xy 78.582882 76.746063)
(xy 78.636697 76.628226)
(xy 78.655133 76.5)
(xy 79.044867 76.5)
(xy 79.045633 76.505325)
(xy 79.063302 76.628223)
(xy 79.063302 76.628224)
(xy 79.063303 76.628226)
(xy 79.117118 76.746063)
(xy 79.201951 76.843967)
(xy 79.310931 76.914004)
(xy 79.435228 76.9505)
(xy 79.564772 76.9505)
(xy 79.689069 76.914004)
(xy 79.798049 76.843967)
(xy 79.882882 76.746063)
(xy 79.936697 76.628226)
(xy 79.955133 76.5)
(xy 81.544867 76.5)
(xy 81.563302 76.628223)
(xy 81.563302 76.628224)
(xy 81.563303 76.628226)
(xy 81.617118 76.746063)
(xy 81.701951 76.843967)
(xy 81.810931 76.914004)
(xy 81.935228 76.9505)
(xy 82.064772 76.9505)
(xy 82.189069 76.914004)

(xy 82.298049 76.843967)
(xy 82.382882 76.746063)
(xy 82.436697 76.628226)
(xy 82.455133 76.5)
(xy 82.454414 76.495)
(xy 82.839867 76.495)
(xy 82.858302 76.623223)
(xy 82.858302 76.623224)
(xy 82.858303 76.623226)
(xy 82.912118 76.741063)
(xy 82.996951 76.838967)
(xy 83.105931 76.909004)
(xy 83.230228 76.9455)
(xy 83.359772 76.9455)
(xy 83.484069 76.909004)
(xy 83.593049 76.838967)
(xy 83.677882 76.741063)
(xy 83.731697 76.623226)
(xy 83.750133 76.495)
(xy 83.745114 76.460092)
(xy 84.565743 76.460092)
(xy 84.575745 76.619079)
(xy 84.575746 76.619085)
(xy 84.624969 76.770581)
(xy 84.624973 76.770589)
(xy 84.710326 76.905085)
(xy 84.710329 76.905089)
(xy 84.71033 76.90509)
(xy 84.826456 77.014139)
(xy 84.966053 77.090883)
(xy 85.062104 77.115545)
(xy 85.120344 77.130499)
(xy 85.120346 77.130499)
(xy 85.120349 77.1305)
(xy 85.120352 77.1305)

(xy 85.239667 77.1305)
(xy 85.23967 77.130499)
(xy 85.277953 77.125663)
(xy 85.358039 77.115546)
(xy 85.358039 77.115545)
(xy 85.358045 77.115545)
(xy 85.50616 77.056903)
(xy 85.571932 77.009117)
(xy 85.635033 76.963271)
(xy 85.635033 76.96327)
(xy 85.635037 76.963268)
(xy 85.73658 76.840524)
(xy 85.804407 76.696384)
(xy 85.817409 76.628226)
(xy 85.834257 76.539906)
(xy 85.834257 76.539904)
(xy 85.824254 76.38092)
(xy 85.824253 76.380914)
(xy 85.77503 76.229418)
(xy 85.775026 76.22941)
(xy 85.689673 76.094914)
(xy 85.689668 76.094908)
(xy 85.573545 75.985862)
(xy 85.573544 75.985861)
(xy 85.433947 75.909117)
(xy 85.279655 75.8695)
(xy 85.279651 75.8695)
(xy 85.160334 75.8695)
(xy 85.160326 75.8695)
(xy 85.04196 75.884453)
(xy 84.893839 75.943097)
(xy 84.893835 75.943099)
(xy 84.764966 76.036728)
(xy 84.66342 76.159476)
(xy 84.663419 76.159477)

(xy 84.595592 76.303615)
(xy 84.565743 76.460092)
(xy 83.745114 76.460092)
(xy 83.731697 76.366774)
(xy 83.677882 76.248937)
(xy 83.593049 76.151033)
(xy 83.500134 76.09132)
(xy 83.484068 76.080995)
(xy 83.359772 76.0445)
(xy 83.230228 76.0445)
(xy 83.105931 76.080995)
(xy 82.996954 76.151031)
(xy 82.99695 76.151034)
(xy 82.912119 76.248935)
(xy 82.912118 76.248936)
(xy 82.912118 76.248937)
(xy 82.909835 76.253937)
(xy 82.858302 76.366776)
(xy 82.839867 76.495)
(xy 82.454414 76.495)
(xy 82.436697 76.371774)
(xy 82.382882 76.253937)
(xy 82.298049 76.156033)
(xy 82.224575 76.108814)
(xy 82.189068 76.085995)
(xy 82.064772 76.0495)
(xy 81.935228 76.0495)
(xy 81.810931 76.085995)
(xy 81.701954 76.156031)
(xy 81.70195 76.156034)
(xy 81.617119 76.253935)
(xy 81.563302 76.371776)
(xy 81.544867 76.5)
(xy 79.955133 76.5)
(xy 79.936697 76.371774)

(xy 79.882882 76.253937)
(xy 79.798049 76.156033)
(xy 79.724575 76.108814)
(xy 79.689068 76.085995)
(xy 79.564772 76.0495)
(xy 79.435228 76.0495)
(xy 79.310931 76.085995)
(xy 79.201954 76.156031)
(xy 79.20195 76.156034)
(xy 79.117119 76.253935)
(xy 79.063302 76.371776)
(xy 79.045586 76.495)
(xy 79.044867 76.5)
(xy 78.655133 76.5)
(xy 78.636697 76.371774)
(xy 78.582882 76.253937)
(xy 78.498049 76.156033)
(xy 78.424575 76.108814)
(xy 78.389068 76.085995)
(xy 78.264772 76.0495)
(xy 78.135228 76.0495)
(xy 78.010931 76.085995)
(xy 77.901954 76.156031)
(xy 77.90195 76.156034)
(xy 77.817119 76.253935)
(xy 77.763302 76.371776)
(xy 77.745586 76.495)
(xy 77.744867 76.5)
(xy 76.155133 76.5)
(xy 76.136697 76.371774)
(xy 76.082882 76.253937)
(xy 75.998049 76.156033)
(xy 75.924575 76.108814)
(xy 75.889068 76.085995)
(xy 75.764772 76.0495)

(xy 75.635228 76.0495)
(xy 75.510931 76.085995)
(xy 75.401954 76.156031)
(xy 75.40195 76.156034)
(xy 75.317119 76.253935)
(xy 75.263302 76.371776)
(xy 75.244867 76.5)
(xy 74.855133 76.5)
(xy 74.836697 76.371774)
(xy 74.782882 76.253937)
(xy 74.698049 76.156033)
(xy 74.624575 76.108814)
(xy 74.589068 76.085995)
(xy 74.464772 76.0495)
(xy 74.335228 76.0495)
(xy 74.210931 76.085995)
(xy 74.101954 76.156031)
(xy 74.10195 76.156034)
(xy 74.017119 76.253935)
(xy 73.963302 76.371776)
(xy 73.945586 76.495)
(xy 73.944867 76.5)
(xy 72.305133 76.5)
(xy 72.286697 76.371774)
(xy 72.232882 76.253937)
(xy 72.148049 76.156033)
(xy 72.074575 76.108814)
(xy 72.039068 76.085995)
(xy 71.914772 76.0495)
(xy 71.785228 76.0495)
(xy 71.660931 76.085995)
(xy 71.551954 76.156031)
(xy 71.55195 76.156034)
(xy 71.467119 76.253935)
(xy 71.413302 76.371776)

(xy 71.395586 76.495)
(xy 71.394867 76.5)
(xy 71.055133 76.5)
(xy 71.036697 76.371774)
(xy 70.982882 76.253937)
(xy 70.898049 76.156033)
(xy 70.824575 76.108814)
(xy 70.789068 76.085995)
(xy 70.664772 76.0495)
(xy 70.535228 76.0495)
(xy 70.410931 76.085995)
(xy 70.301954 76.156031)
(xy 70.30195 76.156034)
(xy 70.217119 76.253935)
(xy 70.163302 76.371776)
(xy 70.144867 76.5)
(xy 68.505133 76.5)
(xy 68.486697 76.371774)
(xy 68.432882 76.253937)
(xy 68.348049 76.156033)
(xy 68.274575 76.108814)
(xy 68.239068 76.085995)
(xy 68.114772 76.0495)
(xy 67.985228 76.0495)
(xy 67.860931 76.085995)
(xy 67.751954 76.156031)
(xy 67.75195 76.156034)
(xy 67.667119 76.253935)
(xy 67.613302 76.371776)
(xy 67.594867 76.5)
(xy 67.237976 76.5)
(xy 67.240133 76.485)
(xy 67.221697 76.356774)
(xy 67.167882 76.238937)
(xy 67.083049 76.141033)

(xy 67.011277 76.094908)
(xy 66.974068 76.070995)
(xy 66.849772 76.0345)
(xy 66.720228 76.0345)
(xy 66.595931 76.070995)
(xy 66.486954 76.141031)
(xy 66.48695 76.141034)
(xy 66.402119 76.238935)
(xy 66.348302 76.356776)
(xy 66.329867 76.485)
(xy 64.702976 76.485)
(xy 64.686697 76.371774)
(xy 64.632882 76.253937)
(xy 64.548049 76.156033)
(xy 64.474575 76.108814)
(xy 64.439068 76.085995)
(xy 64.314772 76.0495)
(xy 64.185228 76.0495)
(xy 64.060931 76.085995)
(xy 63.951954 76.156031)
(xy 63.95195 76.156034)
(xy 63.867119 76.253935)
(xy 63.813302 76.371776)
(xy 63.794867 76.5)
(xy 63.569094 76.5)
(xy 63.551424 76.377099)
(xy 63.497609 76.259262)
(xy 63.412776 76.161358)
(xy 63.309381 76.09491)
(xy 63.303795 76.09132)
(xy 63.179499 76.054825)
(xy 63.049955 76.054825)
(xy 62.925658 76.09132)
(xy 62.816681 76.161356)
(xy 62.816677 76.161359)

(xy 62.731846 76.25926)
(xy 62.678029 76.377101)
(xy 62.659594 76.505324)
(xy 60.432081 76.505324)
(xy 60.424254 76.38092)
(xy 60.424253 76.380914)
(xy 60.37503 76.229418)
(xy 60.375026 76.22941)
(xy 60.289673 76.094914)
(xy 60.289668 76.094908)
(xy 60.173545 75.985862)
(xy 60.173544 75.985861)
(xy 60.033947 75.909117)
(xy 59.879655 75.8695)
(xy 59.879651 75.8695)
(xy 59.760334 75.8695)
(xy 59.760326 75.8695)
(xy 59.64196 75.884453)
(xy 59.493839 75.943097)
(xy 59.493835 75.943099)
(xy 59.364966 76.036728)
(xy 59.26342 76.159476)
(xy 59.263419 76.159477)
(xy 59.254688 76.178032)
(xy 59.21877 76.2137)
(xy 59.168329 76.217935)
(xy 59.131805 76.194983)
(xy 59.098058 76.156036)
(xy 59.098056 76.156035)
(xy 59.098055 76.156033)
(xy 59.024581 76.108814)
(xy 58.989074 76.085995)
(xy 58.864778 76.0495)
(xy 58.735234 76.0495)
(xy 58.610937 76.085995)

(xy 58.50196 76.156031)
(xy 58.501956 76.156034)
(xy 58.417125 76.253935)
(xy 58.363308 76.371776)
(xy 58.344873 76.5)
(xy 50.0505 76.5)
(xy 50.0505 75.18)
(xy 91.564659 75.18)
(xy 91.583976 75.376133)
(xy 91.641187 75.564731)
(xy 91.712248 75.697675)
(xy 91.73409 75.738538)
(xy 91.859117 75.890883)
(xy 92.011462 76.01591)
(xy 92.084267 76.054825)
(xy 92.185268 76.108812)
(xy 92.18527 76.108812)
(xy 92.185273 76.108814)
(xy 92.373868 76.166024)
(xy 92.57 76.185341)
(xy 92.766132 76.166024)
(xy 92.954727 76.108814)
(xy 93.128538 76.01591)
(xy 93.280883 75.890883)
(xy 93.40591 75.738538)
(xy 93.498814 75.564727)
(xy 93.556024 75.376132)
(xy 93.575341 75.180005)
(xy 93.754843 75.180005)
(xy 93.77543 75.415317)
(xy 93.775431 75.415325)
(xy 93.836566 75.643483)
(xy 93.836571 75.643494)
(xy 93.936402 75.857582)
(xy 93.995072 75.941373)

(xy 94.544923 75.391522)
(xy 94.590799 75.37013)
(xy 94.639694 75.383231)
(xy 94.659502 75.403841)
(xy 94.681995 75.438841)
(xy 94.728239 75.510798)
(xy 94.8369 75.604952)
(xy 94.878415 75.623911)
(xy 94.914491 75.659419)
(xy 94.919303 75.709809)
(xy 94.900001 75.74355)
(xy 94.348625 76.294925)
(xy 94.43242 76.353598)
(xy 94.646505 76.453428)
(xy 94.646516 76.453433)
(xy 94.874674 76.514568)
(xy 94.874682 76.514569)
(xy 95.109995 76.535157)
(xy 95.110005 76.535157)
(xy 95.345317 76.514569)
(xy 95.345325 76.514568)
(xy 95.573483 76.453433)
(xy 95.573494 76.453428)
(xy 95.787579 76.353598)
(xy 95.871373 76.294926)
(xy 95.319998 75.743551)
(xy 95.298606 75.697675)
(xy 95.311707 75.64878)
(xy 95.341582 75.623912)
(xy 95.3831 75.604952)
(xy 95.491761 75.510798)
(xy 95.560499 75.403838)
(xy 95.600776 75.373185)
(xy 95.651338 75.375593)
(xy 95.675075 75.391522)

(xy 96.224926 75.941373)
(xy 96.283598 75.857579)
(xy 96.312933 75.794673)
(xy 96.348726 75.75888)
(xy 96.399153 75.754469)
(xy 96.440617 75.783502)
(xy 96.447067 75.794673)
(xy 96.476402 75.857582)
(xy 96.535072 75.941373)
(xy 97.084923 75.391522)
(xy 97.130799 75.37013)
(xy 97.179694 75.383231)
(xy 97.199502 75.403841)
(xy 97.221995 75.438841)
(xy 97.268239 75.510798)
(xy 97.3769 75.604952)
(xy 97.418415 75.623911)
(xy 97.454491 75.659419)
(xy 97.459303 75.709809)
(xy 97.440001 75.74355)
(xy 96.888625 76.294925)
(xy 96.97242 76.353598)
(xy 97.186505 76.453428)
(xy 97.186516 76.453433)
(xy 97.414674 76.514568)
(xy 97.414682 76.514569)
(xy 97.649995 76.535157)
(xy 97.650005 76.535157)
(xy 97.885317 76.514569)
(xy 97.885325 76.514568)
(xy 98.113483 76.453433)
(xy 98.113494 76.453428)
(xy 98.327579 76.353598)
(xy 98.411373 76.294926)
(xy 97.859998 75.743551)

(xy 97.838606 75.697675)
(xy 97.851707 75.64878)
(xy 97.881582 75.623912)
(xy 97.9231 75.604952)
(xy 98.031761 75.510798)
(xy 98.100499 75.403838)
(xy 98.140776 75.373185)
(xy 98.191338 75.375593)
(xy 98.215075 75.391522)
(xy 98.764926 75.941373)
(xy 98.823598 75.857579)
(xy 98.852933 75.794673)
(xy 98.888726 75.75888)
(xy 98.939153 75.754469)
(xy 98.980617 75.783502)
(xy 98.987067 75.794673)
(xy 99.016402 75.857582)
(xy 99.075072 75.941373)
(xy 99.624923 75.391522)
(xy 99.670799 75.37013)
(xy 99.719694 75.383231)
(xy 99.739502 75.403841)
(xy 99.761995 75.438841)
(xy 99.808239 75.510798)
(xy 99.9169 75.604952)
(xy 99.958415 75.623911)
(xy 99.994491 75.659419)
(xy 99.999303 75.709809)
(xy 99.980001 75.74355)
(xy 99.428625 76.294925)
(xy 99.51242 76.353598)
(xy 99.726505 76.453428)
(xy 99.726516 76.453433)
(xy 99.954674 76.514568)
(xy 99.954682 76.514569)

(xy 100.189995 76.535157)
(xy 100.190005 76.535157)
(xy 100.425317 76.514569)
(xy 100.425325 76.514568)
(xy 100.653483 76.453433)
(xy 100.653494 76.453428)
(xy 100.867579 76.353598)
(xy 100.951373 76.294926)
(xy 100.399998 75.743551)
(xy 100.378606 75.697675)
(xy 100.391707 75.64878)
(xy 100.421582 75.623912)
(xy 100.4631 75.604952)
(xy 100.571761 75.510798)
(xy 100.640499 75.403838)
(xy 100.680776 75.373185)
(xy 100.731338 75.375593)
(xy 100.755075 75.391522)
(xy 101.304926 75.941373)
(xy 101.363598 75.857579)
(xy 101.392933 75.794673)
(xy 101.428726 75.75888)
(xy 101.479153 75.754469)
(xy 101.520617 75.783502)
(xy 101.527067 75.794673)
(xy 101.556402 75.857582)
(xy 101.615072 75.941373)
(xy 102.164923 75.391522)
(xy 102.210799 75.37013)
(xy 102.259694 75.383231)
(xy 102.279502 75.403841)
(xy 102.301995 75.438841)
(xy 102.348239 75.510798)
(xy 102.4569 75.604952)
(xy 102.498415 75.623911)

(xy 102.534491 75.659419)
(xy 102.539303 75.709809)
(xy 102.520001 75.74355)
(xy 101.968625 76.294925)
(xy 102.05242 76.353598)
(xy 102.266505 76.453428)
(xy 102.266516 76.453433)
(xy 102.494674 76.514568)
(xy 102.494682 76.514569)
(xy 102.729995 76.535157)
(xy 102.730005 76.535157)
(xy 102.965317 76.514569)
(xy 102.965325 76.514568)
(xy 103.193483 76.453433)
(xy 103.193494 76.453428)
(xy 103.407579 76.353598)
(xy 103.491373 76.294926)
(xy 102.939998 75.743551)
(xy 102.918606 75.697675)
(xy 102.931707 75.64878)
(xy 102.961582 75.623912)
(xy 103.0031 75.604952)
(xy 103.111761 75.510798)
(xy 103.180499 75.403838)
(xy 103.220776 75.373185)
(xy 103.271338 75.375593)
(xy 103.295075 75.391522)
(xy 103.844926 75.941373)
(xy 103.903598 75.857579)
(xy 103.932933 75.794673)
(xy 103.968726 75.75888)
(xy 104.019153 75.754469)
(xy 104.060617 75.783502)
(xy 104.067067 75.794673)
(xy 104.096402 75.857582)

(xy 104.155072 75.941373)
(xy 104.704923 75.391522)
(xy 104.750799 75.37013)
(xy 104.799694 75.383231)
(xy 104.819502 75.403841)
(xy 104.841995 75.438841)
(xy 104.888239 75.510798)
(xy 104.9969 75.604952)
(xy 105.038415 75.623911)
(xy 105.074491 75.659419)
(xy 105.079303 75.709809)
(xy 105.060001 75.74355)
(xy 104.508625 76.294925)
(xy 104.59242 76.353598)
(xy 104.806505 76.453428)
(xy 104.806516 76.453433)
(xy 105.034674 76.514568)
(xy 105.034682 76.514569)
(xy 105.269995 76.535157)
(xy 105.270005 76.535157)
(xy 105.505317 76.514569)
(xy 105.505325 76.514568)
(xy 105.733483 76.453433)
(xy 105.733494 76.453428)
(xy 105.947579 76.353598)
(xy 106.031373 76.294926)
(xy 105.479998 75.743551)
(xy 105.458606 75.697675)
(xy 105.471707 75.64878)
(xy 105.501582 75.623912)
(xy 105.5431 75.604952)
(xy 105.651761 75.510798)
(xy 105.720499 75.403838)
(xy 105.760776 75.373185)
(xy 105.811338 75.375593)

(xy 105.835075 75.391522)
(xy 106.384926 75.941373)
(xy 106.443598 75.857579)
(xy 106.472933 75.794673)
(xy 106.508726 75.75888)
(xy 106.559153 75.754469)
(xy 106.600617 75.783502)
(xy 106.607067 75.794673)
(xy 106.636402 75.857582)
(xy 106.695072 75.941373)
(xy 107.244923 75.391522)
(xy 107.290799 75.37013)
(xy 107.339694 75.383231)
(xy 107.359502 75.403841)
(xy 107.381995 75.438841)
(xy 107.428239 75.510798)
(xy 107.5369 75.604952)
(xy 107.578415 75.623911)
(xy 107.614491 75.659419)
(xy 107.619303 75.709809)
(xy 107.600001 75.74355)
(xy 107.048625 76.294925)
(xy 107.13242 76.353598)
(xy 107.346505 76.453428)
(xy 107.346516 76.453433)
(xy 107.574674 76.514568)
(xy 107.574682 76.514569)
(xy 107.809995 76.535157)
(xy 107.810005 76.535157)
(xy 108.045317 76.514569)
(xy 108.045325 76.514568)
(xy 108.273483 76.453433)
(xy 108.273494 76.453428)
(xy 108.487579 76.353598)
(xy 108.571373 76.294926)

(xy 108.019998 75.743551)
(xy 107.998606 75.697675)
(xy 108.011707 75.64878)
(xy 108.041582 75.623912)
(xy 108.0831 75.604952)
(xy 108.191761 75.510798)
(xy 108.260499 75.403838)
(xy 108.300776 75.373185)
(xy 108.351338 75.375593)
(xy 108.375075 75.391522)
(xy 108.924926 75.941373)
(xy 108.983598 75.857579)
(xy 109.012933 75.794673)
(xy 109.048726 75.75888)
(xy 109.099153 75.754469)
(xy 109.140617 75.783502)
(xy 109.147067 75.794673)
(xy 109.176402 75.857582)
(xy 109.235072 75.941373)
(xy 109.784923 75.391522)
(xy 109.830799 75.37013)
(xy 109.879694 75.383231)
(xy 109.899502 75.403841)
(xy 109.921995 75.438841)
(xy 109.968239 75.510798)
(xy 110.0769 75.604952)
(xy 110.118415 75.623911)
(xy 110.154491 75.659419)
(xy 110.159303 75.709809)
(xy 110.140001 75.74355)
(xy 109.588625 76.294925)
(xy 109.67242 76.353598)
(xy 109.886505 76.453428)
(xy 109.886516 76.453433)
(xy 110.114674 76.514568)

(xy 110.114682 76.514569)
(xy 110.349995 76.535157)
(xy 110.350005 76.535157)
(xy 110.585317 76.514569)
(xy 110.585325 76.514568)
(xy 110.813483 76.453433)
(xy 110.813494 76.453428)
(xy 111.027579 76.353598)
(xy 111.111373 76.294926)
(xy 110.559998 75.743551)
(xy 110.538606 75.697675)
(xy 110.551707 75.64878)
(xy 110.581582 75.623912)
(xy 110.6231 75.604952)
(xy 110.731761 75.510798)
(xy 110.800499 75.403838)
(xy 110.840776 75.373185)
(xy 110.891338 75.375593)
(xy 110.915075 75.391522)
(xy 111.464926 75.941373)
(xy 111.523598 75.857579)
(xy 111.552933 75.794673)
(xy 111.588726 75.75888)
(xy 111.639153 75.754469)
(xy 111.680617 75.783502)
(xy 111.687067 75.794673)
(xy 111.716402 75.857582)
(xy 111.775072 75.941373)
(xy 112.324923 75.391522)
(xy 112.370799 75.37013)
(xy 112.419694 75.383231)
(xy 112.439502 75.403841)
(xy 112.461995 75.438841)
(xy 112.508239 75.510798)
(xy 112.6169 75.604952)

(xy 112.658415 75.623911)
(xy 112.694491 75.659419)
(xy 112.699303 75.709809)
(xy 112.680001 75.74355)
(xy 112.128625 76.294925)
(xy 112.21242 76.353598)
(xy 112.426505 76.453428)
(xy 112.426516 76.453433)
(xy 112.654674 76.514568)
(xy 112.654682 76.514569)
(xy 112.889995 76.535157)
(xy 112.890005 76.535157)
(xy 113.125317 76.514569)
(xy 113.125325 76.514568)
(xy 113.353483 76.453433)
(xy 113.353494 76.453428)
(xy 113.567579 76.353598)
(xy 113.651373 76.294926)
(xy 113.099998 75.743551)
(xy 113.078606 75.697675)
(xy 113.091707 75.64878)
(xy 113.121582 75.623912)
(xy 113.1631 75.604952)
(xy 113.271761 75.510798)
(xy 113.340499 75.403838)
(xy 113.380776 75.373185)
(xy 113.431338 75.375593)
(xy 113.455075 75.391522)
(xy 114.004926 75.941373)
(xy 114.063598 75.857579)
(xy 114.163428 75.643494)
(xy 114.163433 75.643483)
(xy 114.224568 75.415325)
(xy 114.224569 75.415317)
(xy 114.245157 75.180005)

(xy 114.245157 75.18)
(xy 114.424659 75.18)
(xy 114.443976 75.376133)
(xy 114.501187 75.564731)
(xy 114.572248 75.697675)
(xy 114.59409 75.738538)
(xy 114.719117 75.890883)
(xy 114.871462 76.01591)
(xy 114.944267 76.054825)
(xy 115.045268 76.108812)
(xy 115.04527 76.108812)
(xy 115.045273 76.108814)
(xy 115.233868 76.166024)
(xy 115.43 76.185341)
(xy 115.626132 76.166024)
(xy 115.814727 76.108814)
(xy 115.988538 76.01591)
(xy 116.140883 75.890883)
(xy 116.26591 75.738538)
(xy 116.358814 75.564727)
(xy 116.416024 75.376132)
(xy 116.435341 75.18)
(xy 116.416024 74.983868)
(xy 116.358814 74.795273)
(xy 116.358812 74.79527)
(xy 116.358812 74.795268)
(xy 116.297199 74.68)
(xy 116.26591 74.621462)
(xy 116.140883 74.469117)
(xy 115.988538 74.34409)
(xy 115.978597 74.338776)
(xy 115.814731 74.251187)
(xy 115.626133 74.193976)
(xy 115.43 74.174659)
(xy 115.233866 74.193976)

(xy 115.045268 74.251187)
(xy 114.871463 74.344089)
(xy 114.719117 74.469117)
(xy 114.594089 74.621463)
(xy 114.501187 74.795268)
(xy 114.443976 74.983866)
(xy 114.424659 75.18)
(xy 114.245157 75.18)
(xy 114.245157 75.179994)
(xy 114.224569 74.944682)
(xy 114.224568 74.944674)
(xy 114.163433 74.716516)
(xy 114.163428 74.716505)
(xy 114.063596 74.502416)
(xy 114.004925 74.418625)
(xy 113.455075 74.968476)
(xy 113.409198 74.989868)
(xy 113.360304 74.976767)
(xy 113.340496 74.956157)
(xy 113.271761 74.849202)
(xy 113.1631 74.755048)
(xy 113.163098 74.755047)
(xy 113.121581 74.736086)
(xy 113.085506 74.700578)
(xy 113.080695 74.650188)
(xy 113.099997 74.616448)
(xy 113.651373 74.065072)
(xy 113.567582 74.006402)
(xy 113.353494 73.906571)
(xy 113.353483 73.906566)
(xy 113.125325 73.845431)
(xy 113.125317 73.84543)
(xy 112.890005 73.824843)
(xy 112.889995 73.824843)
(xy 112.654682 73.84543)

(xy 112.654674 73.845431)
(xy 112.426516 73.906566)
(xy 112.426505 73.906571)
(xy 112.21242 74.006401)
(xy 112.128625 74.065072)
(xy 112.680002 74.616449)
(xy 112.701394 74.662325)
(xy 112.688293 74.71122)
(xy 112.658417 74.736087)
(xy 112.616902 74.755047)
(xy 112.616898 74.755049)
(xy 112.50824 74.849201)
(xy 112.508237 74.849205)
(xy 112.439503 74.956158)
(xy 112.399222 74.986814)
(xy 112.348661 74.984405)
(xy 112.324924 74.968477)
(xy 111.775072 74.418625)
(xy 111.716401 74.50242)
(xy 111.687067 74.565327)
(xy 111.651273 74.60112)
(xy 111.600847 74.605531)
(xy 111.559382 74.576497)
(xy 111.552933 74.565327)
(xy 111.523597 74.502416)
(xy 111.464925 74.418625)
(xy 110.915075 74.968476)
(xy 110.869198 74.989868)
(xy 110.820304 74.976767)
(xy 110.800496 74.956157)
(xy 110.731761 74.849202)
(xy 110.6231 74.755048)
(xy 110.623098 74.755047)
(xy 110.581581 74.736086)
(xy 110.545506 74.700578)

(xy 110.540695 74.650188)
(xy 110.559997 74.616448)
(xy 111.111373 74.065072)
(xy 111.027582 74.006402)
(xy 110.813494 73.906571)
(xy 110.813483 73.906566)
(xy 110.585325 73.845431)
(xy 110.585317 73.84543)
(xy 110.350005 73.824843)
(xy 110.349995 73.824843)
(xy 110.114682 73.84543)
(xy 110.114674 73.845431)
(xy 109.886516 73.906566)
(xy 109.886505 73.906571)
(xy 109.67242 74.006401)
(xy 109.588625 74.065072)
(xy 110.140002 74.616449)
(xy 110.161394 74.662325)
(xy 110.148293 74.71122)
(xy 110.118417 74.736087)
(xy 110.076902 74.755047)
(xy 110.076898 74.755049)
(xy 109.96824 74.849201)
(xy 109.968237 74.849205)
(xy 109.899503 74.956158)
(xy 109.859222 74.986814)
(xy 109.808661 74.984405)
(xy 109.784924 74.968477)
(xy 109.235072 74.418625)
(xy 109.176401 74.50242)
(xy 109.147067 74.565327)
(xy 109.111273 74.60112)
(xy 109.060847 74.605531)
(xy 109.019382 74.576497)
(xy 109.012933 74.565327)

(xy 108.983597 74.502416)
(xy 108.924925 74.418625)
(xy 108.375075 74.968476)
(xy 108.329198 74.989868)
(xy 108.280304 74.976767)
(xy 108.260496 74.956157)
(xy 108.191761 74.849202)
(xy 108.0831 74.755048)
(xy 108.083098 74.755047)
(xy 108.041581 74.736086)
(xy 108.005506 74.700578)
(xy 108.000695 74.650188)
(xy 108.019997 74.616448)
(xy 108.571373 74.065072)
(xy 108.487582 74.006402)
(xy 108.273494 73.906571)
(xy 108.273483 73.906566)
(xy 108.045325 73.845431)
(xy 108.045317 73.84543)
(xy 107.810005 73.824843)
(xy 107.809995 73.824843)
(xy 107.574682 73.84543)
(xy 107.574674 73.845431)
(xy 107.346516 73.906566)
(xy 107.346505 73.906571)
(xy 107.13242 74.006401)
(xy 107.048625 74.065072)
(xy 107.600002 74.616449)
(xy 107.621394 74.662325)
(xy 107.608293 74.71122)
(xy 107.578417 74.736087)
(xy 107.536902 74.755047)
(xy 107.536898 74.755049)
(xy 107.42824 74.849201)
(xy 107.428237 74.849205)

(xy 107.359503 74.956158)
(xy 107.319222 74.986814)
(xy 107.268661 74.984405)
(xy 107.244924 74.968477)
(xy 106.695072 74.418625)
(xy 106.636401 74.50242)
(xy 106.607067 74.565327)
(xy 106.571273 74.60112)
(xy 106.520847 74.605531)
(xy 106.479382 74.576497)
(xy 106.472933 74.565327)
(xy 106.443597 74.502416)
(xy 106.384925 74.418625)
(xy 105.835075 74.968476)
(xy 105.789198 74.989868)
(xy 105.740304 74.976767)
(xy 105.720496 74.956157)
(xy 105.651761 74.849202)
(xy 105.5431 74.755048)
(xy 105.543098 74.755047)
(xy 105.501581 74.736086)
(xy 105.465506 74.700578)
(xy 105.460695 74.650188)
(xy 105.479997 74.616448)
(xy 106.031373 74.065072)
(xy 105.947582 74.006402)
(xy 105.733494 73.906571)
(xy 105.733483 73.906566)
(xy 105.505325 73.845431)
(xy 105.505317 73.84543)
(xy 105.270005 73.824843)
(xy 105.269995 73.824843)
(xy 105.034682 73.84543)
(xy 105.034674 73.845431)
(xy 104.806516 73.906566)

(xy 104.806505 73.906571)
(xy 104.59242 74.006401)
(xy 104.508625 74.065072)
(xy 105.060002 74.616449)
(xy 105.081394 74.662325)
(xy 105.068293 74.71122)
(xy 105.038417 74.736087)
(xy 104.996902 74.755047)
(xy 104.996898 74.755049)
(xy 104.88824 74.849201)
(xy 104.888237 74.849205)
(xy 104.819503 74.956158)
(xy 104.779222 74.986814)
(xy 104.728661 74.984405)
(xy 104.704924 74.968477)
(xy 104.155072 74.418625)
(xy 104.096401 74.50242)
(xy 104.067067 74.565327)
(xy 104.031273 74.60112)
(xy 103.980847 74.605531)
(xy 103.939382 74.576497)
(xy 103.932933 74.565327)
(xy 103.903597 74.502416)
(xy 103.844925 74.418625)
(xy 103.295075 74.968476)
(xy 103.249198 74.989868)
(xy 103.200304 74.976767)
(xy 103.180496 74.956157)
(xy 103.111761 74.849202)
(xy 103.0031 74.755048)
(xy 103.003098 74.755047)
(xy 102.961581 74.736086)
(xy 102.925506 74.700578)
(xy 102.920695 74.650188)
(xy 102.939997 74.616448)

(xy 103.491373 74.065072)
(xy 103.407582 74.006402)
(xy 103.193494 73.906571)
(xy 103.193483 73.906566)
(xy 102.965325 73.845431)
(xy 102.965317 73.84543)
(xy 102.730005 73.824843)
(xy 102.729995 73.824843)
(xy 102.494682 73.84543)
(xy 102.494674 73.845431)
(xy 102.266516 73.906566)
(xy 102.266505 73.906571)
(xy 102.05242 74.006401)
(xy 101.968625 74.065072)
(xy 102.520002 74.616449)
(xy 102.541394 74.662325)
(xy 102.528293 74.71122)
(xy 102.498417 74.736087)
(xy 102.456902 74.755047)
(xy 102.456898 74.755049)
(xy 102.34824 74.849201)
(xy 102.348237 74.849205)
(xy 102.279503 74.956158)
(xy 102.239222 74.986814)
(xy 102.188661 74.984405)
(xy 102.164924 74.968477)
(xy 101.615072 74.418625)
(xy 101.556401 74.50242)
(xy 101.527067 74.565327)
(xy 101.491273 74.60112)
(xy 101.440847 74.605531)
(xy 101.399382 74.576497)
(xy 101.392933 74.565327)
(xy 101.363597 74.502416)
(xy 101.304925 74.418625)

(xy 100.755075 74.968476)
(xy 100.709198 74.989868)
(xy 100.660304 74.976767)
(xy 100.640496 74.956157)
(xy 100.571761 74.849202)
(xy 100.4631 74.755048)
(xy 100.463098 74.755047)
(xy 100.421581 74.736086)
(xy 100.385506 74.700578)
(xy 100.380695 74.650188)
(xy 100.399997 74.616448)
(xy 100.951373 74.065072)
(xy 100.867582 74.006402)
(xy 100.653494 73.906571)
(xy 100.653483 73.906566)
(xy 100.425325 73.845431)
(xy 100.425317 73.84543)
(xy 100.190005 73.824843)
(xy 100.189995 73.824843)
(xy 99.954682 73.84543)
(xy 99.954674 73.845431)
(xy 99.726516 73.906566)
(xy 99.726505 73.906571)
(xy 99.51242 74.006401)
(xy 99.428625 74.065072)
(xy 99.980002 74.616449)
(xy 100.001394 74.662325)
(xy 99.988293 74.71122)
(xy 99.958417 74.736087)
(xy 99.916902 74.755047)
(xy 99.916898 74.755049)
(xy 99.80824 74.849201)
(xy 99.808237 74.849205)
(xy 99.739503 74.956158)
(xy 99.699222 74.986814)

(xy 99.648661 74.984405)
(xy 99.624924 74.968477)
(xy 99.075072 74.418625)
(xy 99.016401 74.50242)
(xy 98.987067 74.565327)
(xy 98.951273 74.60112)
(xy 98.900847 74.605531)
(xy 98.859382 74.576497)
(xy 98.852933 74.565327)
(xy 98.823597 74.502416)
(xy 98.764925 74.418625)
(xy 98.215075 74.968476)
(xy 98.169198 74.989868)
(xy 98.120304 74.976767)
(xy 98.100496 74.956157)
(xy 98.031761 74.849202)
(xy 97.9231 74.755048)
(xy 97.923098 74.755047)
(xy 97.881581 74.736086)
(xy 97.845506 74.700578)
(xy 97.840695 74.650188)
(xy 97.859997 74.616448)
(xy 98.411373 74.065072)
(xy 98.327582 74.006402)
(xy 98.113494 73.906571)
(xy 98.113483 73.906566)
(xy 97.885325 73.845431)
(xy 97.885317 73.84543)
(xy 97.650005 73.824843)
(xy 97.649995 73.824843)
(xy 97.414682 73.84543)
(xy 97.414674 73.845431)
(xy 97.186516 73.906566)
(xy 97.186505 73.906571)
(xy 96.97242 74.006401)

(xy 96.888625 74.065072)
(xy 97.440002 74.616449)
(xy 97.461394 74.662325)
(xy 97.448293 74.71122)
(xy 97.418417 74.736087)
(xy 97.376902 74.755047)
(xy 97.376898 74.755049)
(xy 97.26824 74.849201)
(xy 97.268237 74.849205)
(xy 97.199503 74.956158)
(xy 97.159222 74.986814)
(xy 97.108661 74.984405)
(xy 97.084924 74.968477)
(xy 96.535072 74.418625)
(xy 96.476401 74.50242)
(xy 96.447067 74.565327)
(xy 96.411273 74.60112)
(xy 96.360847 74.605531)
(xy 96.319382 74.576497)
(xy 96.312933 74.565327)
(xy 96.283597 74.502416)
(xy 96.224925 74.418625)
(xy 95.675075 74.968476)
(xy 95.629198 74.989868)
(xy 95.580304 74.976767)
(xy 95.560496 74.956157)
(xy 95.491761 74.849202)
(xy 95.3831 74.755048)
(xy 95.383098 74.755047)
(xy 95.341581 74.736086)
(xy 95.305506 74.700578)
(xy 95.300695 74.650188)
(xy 95.319997 74.616448)
(xy 95.871373 74.065072)
(xy 95.787582 74.006402)

(xy 95.573494 73.906571)
(xy 95.573483 73.906566)
(xy 95.345325 73.845431)
(xy 95.345317 73.84543)
(xy 95.110005 73.824843)
(xy 95.109995 73.824843)
(xy 94.874682 73.84543)
(xy 94.874674 73.845431)
(xy 94.646516 73.906566)
(xy 94.646505 73.906571)
(xy 94.43242 74.006401)
(xy 94.348625 74.065072)
(xy 94.900002 74.616449)
(xy 94.921394 74.662325)
(xy 94.908293 74.71122)
(xy 94.878417 74.736087)
(xy 94.836902 74.755047)
(xy 94.836898 74.755049)
(xy 94.72824 74.849201)
(xy 94.728237 74.849205)
(xy 94.659503 74.956158)
(xy 94.619222 74.986814)
(xy 94.568661 74.984405)
(xy 94.544924 74.968477)
(xy 93.995072 74.418625)
(xy 93.936401 74.50242)
(xy 93.836571 74.716505)
(xy 93.836566 74.716516)
(xy 93.775431 74.944674)
(xy 93.77543 74.944682)
(xy 93.754843 75.179994)
(xy 93.754843 75.180005)
(xy 93.575341 75.180005)
(xy 93.575341 75.18)
(xy 93.556024 74.983868)

(xy 93.498814 74.795273)
(xy 93.498812 74.79527)
(xy 93.498812 74.795268)
(xy 93.437199 74.68)
(xy 93.40591 74.621462)
(xy 93.280883 74.469117)
(xy 93.128538 74.34409)
(xy 93.118597 74.338776)
(xy 92.954731 74.251187)
(xy 92.766133 74.193976)
(xy 92.57 74.174659)
(xy 92.373866 74.193976)
(xy 92.185268 74.251187)
(xy 92.011463 74.344089)
(xy 91.859117 74.469117)
(xy 91.734089 74.621463)
(xy 91.641187 74.795268)
(xy 91.583976 74.983866)
(xy 91.564659 75.18)
(xy 50.0505 75.18)
(xy 50.0505 75.000854)
(xy 50.050538 74.999167)
(xy 50.067269 74.637291)
(xy 50.067582 74.633906)
(xy 50.117514 74.275956)
(xy 50.118133 74.27264)
(xy 50.200883 73.92081)
(xy 50.201807 73.917564)
(xy 50.316662 73.574883)
(xy 50.317893 73.571709)
(xy 50.463862 73.241121)
(xy 50.465386 73.23806)
(xy 50.597984 73)
(xy 59.144867 73)
(xy 59.163302 73.128223)

(xy 59.163302 73.128224)
(xy 59.163303 73.128226)
(xy 59.217118 73.246063)
(xy 59.301951 73.343967)
(xy 59.410931 73.414004)
(xy 59.535228 73.4505)
(xy 59.664772 73.4505)
(xy 59.789069 73.414004)
(xy 59.898049 73.343967)
(xy 59.982882 73.246063)
(xy 60.036697 73.128226)
(xy 60.055133 73)
(xy 60.036697 72.871774)
(xy 59.982882 72.753937)
(xy 59.898049 72.656033)
(xy 59.831032 72.612964)
(xy 59.789068 72.585995)
(xy 59.664772 72.5495)
(xy 59.535228 72.5495)
(xy 59.410931 72.585995)
(xy 59.301954 72.656031)
(xy 59.30195 72.656034)
(xy 59.217119 72.753935)
(xy 59.163302 72.871776)
(xy 59.144867 73)
(xy 50.597984 73)
(xy 50.641234 72.922351)
(xy 50.643025 72.919457)
(xy 50.847275 72.621289)
(xy 50.849322 72.618581)
(xy 50.906686 72.5495)
(xy 51.080201 72.340542)
(xy 51.082485 72.338037)
(xy 51.338037 72.082485)
(xy 51.340542 72.080201)

```

(xy 51.618582 71.84932)
(xy 51.621289 71.847275)
(xy 51.919457 71.643025)
(xy 51.922346 71.641236)
(xy 52.238064 71.465383)
(xy 52.241121 71.463862)
(xy 52.571709 71.317893)
(xy 52.574883 71.316662)
(xy 52.917564 71.201807)
(xy 52.92081 71.200883)
(xy 53.27264 71.118133)
(xy 53.275956 71.117514)
(xy 53.633906 71.067582)
(xy 53.637291 71.067269)
(xy 53.999167 71.050538)
(xy 54.000854 71.0505)
(xy 54.016408 71.0505)
(xy 125.983592 71.0505)
(xy 125.999146 71.0505)
)
)
)
(zone (net 7) (net_name "/SHLD") (layer "In2.Cu") (tstamp 00000000-0000-0000-0000-00005faf539c) (hatch 0
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
(pts
(xy 56.8 90.7)
(xy 56.8 100.3)
(xy 50 100.3)
(xy 50 90.7)
)
)
)

```

```
(filled_polygon
  (layer "In2.Cu")
    (pts
      (xy 56.30322 90.700424)
        (xy 56.318306 90.70241)
        (xy 56.416489 90.715336)
        (xy 56.441447 90.722023)
        (xy 56.53796 90.762)
        (xy 56.560336 90.774918)
        (xy 56.643216 90.838515)
        (xy 56.661484 90.856783)
        (xy 56.725079 90.93966)
        (xy 56.738001 90.962042)
        (xy 56.777975 91.058548)
        (xy 56.784664 91.083512)
        (xy 56.799576 91.196779)
        (xy 56.8 91.203247)
        (xy 56.8 99.796752)
        (xy 56.799576 99.80322)
        (xy 56.784664 99.916487)
        (xy 56.777975 99.941451)
        (xy 56.738001 100.037957)
        (xy 56.725079 100.060339)
        (xy 56.661487 100.143213)
        (xy 56.643213 100.161487)
        (xy 56.560339 100.225079)
        (xy 56.537957 100.238001)
        (xy 56.441451 100.277975)
        (xy 56.416487 100.284664)
        (xy 56.303221 100.299576)
        (xy 56.296753 100.3)
        (xy 50.503247 100.3)
        (xy 50.496779 100.299576)
        (xy 50.383512 100.284664)
        (xy 50.358548 100.277975)
```

(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 98.39)
(xy 54.669534 98.39)
(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660451 98.800451)
(xy 55.752698 98.680233)
(xy 55.810687 98.540236)
(xy 55.830466 98.39)
(xy 55.810687 98.239764)
(xy 55.752698 98.099767)
(xy 55.660451 97.979549)
(xy 55.540233 97.887302)
(xy 55.400236 97.829313)
(xy 55.400234 97.829312)
(xy 55.400232 97.829312)
(xy 55.28772 97.8145)
(xy 55.21228 97.8145)
(xy 55.212279 97.8145)

(xy 55.099767 97.829312)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)
(xy 50.0505 98.39)
(xy 50.0505 96.300002)
(xy 55.044968 96.300002)
(xy 55.063398 96.428191)
(xy 55.063399 96.428194)
(xy 55.117204 96.546011)
(xy 55.202014 96.643888)
(xy 55.202016 96.643889)
(xy 55.202017 96.64389)
(xy 55.310973 96.713912)
(xy 55.435242 96.7504)
(xy 55.435244 96.7504)
(xy 55.564756 96.7504)
(xy 55.564758 96.7504)
(xy 55.689027 96.713912)
(xy 55.797983 96.64389)
(xy 55.882797 96.546009)
(xy 55.9366 96.428197)
(xy 55.955032 96.3)
(xy 55.9366 96.171803)
(xy 55.882797 96.053991)
(xy 55.882795 96.053989)
(xy 55.882795 96.053988)
(xy 55.797985 95.956111)
(xy 55.689027 95.886088)

(xy 55.689024 95.886087)
(xy 55.634201 95.86999)
(xy 55.583694 95.835454)
(xy 55.563132 95.777827)
(xy 55.58037 95.71912)
(xy 55.628823 95.681758)
(xy 55.634201 95.68001)
(xy 55.689027 95.663912)
(xy 55.797983 95.59389)
(xy 55.882797 95.496009)
(xy 55.9366 95.378197)
(xy 55.955032 95.25)
(xy 55.9366 95.121803)
(xy 55.882797 95.003991)
(xy 55.882795 95.003989)
(xy 55.882795 95.003988)
(xy 55.797985 94.906111)
(xy 55.689027 94.836088)
(xy 55.689024 94.836087)
(xy 55.56476 94.7996)
(xy 55.564758 94.7996)
(xy 55.435242 94.7996)
(xy 55.435239 94.7996)
(xy 55.310975 94.836087)
(xy 55.310972 94.836088)
(xy 55.202014 94.906111)
(xy 55.117204 95.003988)
(xy 55.063399 95.121805)
(xy 55.063398 95.121808)
(xy 55.044968 95.249997)
(xy 55.044968 95.250002)
(xy 55.063398 95.378191)
(xy 55.063399 95.378194)
(xy 55.117204 95.496011)
(xy 55.202014 95.593888)

(xy 55.202016 95.593889)
(xy 55.202017 95.59389)
(xy 55.310973 95.663912)
(xy 55.365799 95.68001)
(xy 55.416305 95.714546)
(xy 55.436867 95.772173)
(xy 55.419629 95.83088)
(xy 55.371176 95.868243)
(xy 55.365799 95.86999)
(xy 55.310973 95.886088)
(xy 55.310972 95.886088)
(xy 55.202014 95.956111)
(xy 55.117204 96.053988)
(xy 55.063399 96.171805)
(xy 55.063398 96.171808)
(xy 55.044968 96.299997)
(xy 55.044968 96.300002)
(xy 50.0505 96.300002)
(xy 50.0505 94.600002)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 54.017204 94.846011)
(xy 54.102014 94.943888)
(xy 54.102016 94.943889)
(xy 54.102017 94.94389)
(xy 54.210973 95.013912)
(xy 54.335242 95.0504)
(xy 54.335244 95.0504)
(xy 54.464756 95.0504)
(xy 54.464758 95.0504)
(xy 54.589027 95.013912)
(xy 54.697983 94.94389)
(xy 54.782797 94.846009)
(xy 54.8366 94.728197)

(xy 54.855032 94.6)
(xy 54.8366 94.471803)
(xy 54.782797 94.353991)
(xy 54.782795 94.353989)
(xy 54.782795 94.353988)
(xy 54.697985 94.256111)
(xy 54.589027 94.186088)
(xy 54.589024 94.186087)
(xy 54.46476 94.1496)
(xy 54.464758 94.1496)
(xy 54.335242 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 50.0505 94.600002)
(xy 50.0505 92.61)
(xy 54.669534 92.61)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.21228 93.1855)
(xy 55.212281 93.1855)
(xy 55.287719 93.1855)
(xy 55.28772 93.1855)
(xy 55.400236 93.170687)
(xy 55.540233 93.112698)
(xy 55.660451 93.020451)

(xy 55.752698 92.900233)
(xy 55.810687 92.760236)
(xy 55.830466 92.61)
(xy 55.810687 92.459764)
(xy 55.752698 92.319767)
(xy 55.660451 92.199549)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 50.0505 92.61)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)
(xy 50.262035 90.762001)
(xy 50.358554 90.722022)
(xy 50.383508 90.715336)
(xy 50.484332 90.702062)

```

        (xy 50.49678 90.700424)

        (xy 50.503247 90.7)

        (xy 56.296753 90.7)

    )

)

)

(zone (net 29) (net_name "+1V2") (layer "In2.Cu") (tstamp 00000000-0000-0000-0000-00005faf53c9) (hatch 0)

    (priority 1)

    (connect_pads (clearance 0.1))

    (min_thickness 0.1) (filled_areas_thickness no)

    (fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))

    (polygon

        (pts

            (xy 78.35 96.8)

            (xy 78.35 99.2)

            (xy 83.2 99.2)

            (xy 83.2 97.1)

            (xy 85.3 97.1)

            (xy 85.3 93.9)

            (xy 81.8 93.9)

            (xy 81.8 95.4)

            (xy 82.1 95.7)

            (xy 82.1 96.1)

            (xy 81.9 96.3)

            (xy 81.9 96.8)

        )

    )

)

(filled_polygon

    (layer "In2.Cu")

    (pts

        (xy 85.285648 93.914352)

        (xy 85.3 93.949)

        (xy 85.3 97.051)

        (xy 85.285648 97.085648)

        (xy 85.251 97.1)

    )

)

```

(xy 83.2 97.1)
(xy 83.2 97.127549)
(xy 83.185648 97.162197)
(xy 83.173246 97.171208)
(xy 83.091417 97.212901)
(xy 83.091412 97.212905)
(xy 83.012905 97.291412)
(xy 83.012903 97.291415)
(xy 82.9625 97.390338)
(xy 82.962499 97.390339)
(xy 82.9625 97.390339)
(xy 82.945131 97.5)
(xy 82.9625 97.609661)
(xy 83.012905 97.708587)
(xy 83.091413 97.787095)
(xy 83.173246 97.828791)
(xy 83.197602 97.857306)
(xy 83.2 97.872449)
(xy 83.2 99.151)
(xy 83.185648 99.185648)
(xy 83.151 99.2)
(xy 79.487477 99.2)
(xy 79.452829 99.185648)
(xy 79.438976 99.157973)
(xy 79.4366 99.141445)
(xy 79.382797 99.023633)
(xy 79.297983 98.925752)
(xy 79.189027 98.85573)
(xy 79.189024 98.855729)
(xy 79.064762 98.819242)
(xy 79.064758 98.819242)
(xy 78.935242 98.819242)
(xy 78.935237 98.819242)
(xy 78.810975 98.855729)
(xy 78.702016 98.925752)

(xy 78.617205 99.023629)
(xy 78.617204 99.023631)
(xy 78.5634 99.141443)
(xy 78.5634 99.141444)
(xy 78.561024 99.157973)
(xy 78.541888 99.190226)
(xy 78.512523 99.2)
(xy 78.399 99.2)
(xy 78.364352 99.185648)
(xy 78.35 99.151)
(xy 78.35 98.3)
(xy 80.545131 98.3)
(xy 80.5625 98.409661)
(xy 80.602739 98.488636)
(xy 80.612905 98.508587)
(xy 80.691413 98.587095)
(xy 80.790339 98.6375)
(xy 80.9 98.654869)
(xy 81.009661 98.6375)
(xy 81.108587 98.587095)
(xy 81.187095 98.508587)
(xy 81.2375 98.409661)
(xy 81.251603 98.320614)
(xy 81.262947 98.302104)
(xy 81.260358 98.300518)
(xy 81.259271 98.297894)
(xy 81.337052 98.297894)
(xy 81.339642 98.299481)
(xy 81.348395 98.320613)
(xy 81.362499 98.409661)
(xy 81.3625 98.409661)
(xy 81.402739 98.488636)
(xy 81.412905 98.508587)
(xy 81.491413 98.587095)
(xy 81.590339 98.6375)

(xy 81.7 98.654869)
(xy 81.809661 98.6375)
(xy 81.908587 98.587095)
(xy 81.987095 98.508587)
(xy 82.0375 98.409661)
(xy 82.051603 98.320614)
(xy 82.062947 98.302104)
(xy 82.060358 98.300518)
(xy 82.059271 98.297894)
(xy 82.137052 98.297894)
(xy 82.139642 98.299481)
(xy 82.148395 98.320613)
(xy 82.162499 98.409661)
(xy 82.1625 98.409661)
(xy 82.202739 98.488636)
(xy 82.212905 98.508587)
(xy 82.291413 98.587095)
(xy 82.390339 98.6375)
(xy 82.5 98.654869)
(xy 82.609661 98.6375)
(xy 82.708587 98.587095)
(xy 82.787095 98.508587)
(xy 82.8375 98.409661)
(xy 82.854869 98.3)
(xy 82.8375 98.190339)
(xy 82.787095 98.091413)
(xy 82.708587 98.012905)
(xy 82.708584 98.012903)
(xy 82.609661 97.9625)
(xy 82.5 97.945131)
(xy 82.390338 97.9625)
(xy 82.291415 98.012903)
(xy 82.291412 98.012905)
(xy 82.212905 98.091412)
(xy 82.212903 98.091415)

(xy 82.1625 98.190338)
(xy 82.162499 98.190339)
(xy 82.1625 98.190339)
(xy 82.148396 98.279384)
(xy 82.137052 98.297894)
(xy 82.059271 98.297894)
(xy 82.051603 98.279385)
(xy 82.0375 98.190339)
(xy 81.987095 98.091413)
(xy 81.908587 98.012905)
(xy 81.908584 98.012903)
(xy 81.809661 97.9625)
(xy 81.7 97.945131)
(xy 81.590338 97.9625)
(xy 81.491415 98.012903)
(xy 81.491412 98.012905)
(xy 81.412905 98.091412)
(xy 81.412903 98.091415)
(xy 81.3625 98.190338)
(xy 81.362499 98.190339)
(xy 81.3625 98.190339)
(xy 81.348396 98.279384)
(xy 81.337052 98.297894)
(xy 81.259271 98.297894)
(xy 81.251603 98.279385)
(xy 81.2375 98.190339)
(xy 81.187095 98.091413)
(xy 81.108587 98.012905)
(xy 81.108584 98.012903)
(xy 81.009661 97.9625)
(xy 81.009661 97.962499)
(xy 80.920614 97.948396)
(xy 80.902104 97.937052)
(xy 80.900518 97.939642)
(xy 80.879385 97.948396)

(xy 80.811374 97.959168)
(xy 80.790338 97.9625)
(xy 80.691415 98.012903)
(xy 80.691412 98.012905)
(xy 80.612905 98.091412)
(xy 80.612903 98.091415)
(xy 80.5625 98.190338)
(xy 80.545131 98.3)
(xy 78.35 98.3)
(xy 78.35 97.5)
(xy 80.545131 97.5)
(xy 80.5625 97.609661)
(xy 80.612905 97.708587)
(xy 80.691413 97.787095)
(xy 80.790339 97.8375)
(xy 80.879384 97.851603)
(xy 80.897894 97.862947)
(xy 80.899481 97.860358)
(xy 80.920613 97.851604)
(xy 81.009661 97.8375)
(xy 81.108587 97.787095)
(xy 81.187095 97.708587)
(xy 81.2375 97.609661)
(xy 81.254869 97.5)
(xy 81.2375 97.390339)
(xy 81.187095 97.291413)
(xy 81.108587 97.212905)
(xy 81.108584 97.212903)
(xy 81.009661 97.1625)
(xy 80.9 97.145131)
(xy 80.790338 97.1625)
(xy 80.691415 97.212903)
(xy 80.691412 97.212905)
(xy 80.612905 97.291412)
(xy 80.612903 97.291415)

(xy 80.5625 97.390338)
(xy 80.562499 97.390339)
(xy 80.5625 97.390339)
(xy 80.545131 97.5)
(xy 78.35 97.5)
(xy 78.35 96.849)
(xy 78.364352 96.814352)
(xy 78.399 96.8)
(xy 81.32755 96.8)
(xy 81.362198 96.814352)
(xy 81.371209 96.826755)
(xy 81.4129 96.90858)
(xy 81.412903 96.908584)
(xy 81.412905 96.908587)
(xy 81.491413 96.987095)
(xy 81.590339 97.0375)
(xy 81.7 97.054869)
(xy 81.809661 97.0375)
(xy 81.908587 96.987095)
(xy 81.987095 96.908587)
(xy 82.0375 96.809661)
(xy 82.054869 96.7)
(xy 82.0375 96.590339)
(xy 81.987095 96.491413)
(xy 81.987092 96.49141)
(xy 81.914352 96.418669)
(xy 81.9 96.384021)
(xy 81.9 96.320296)
(xy 81.914352 96.285648)
(xy 81.962501 96.237499)
(xy 82.1 96.1)
(xy 82.1 95.9)
(xy 82.945131 95.9)
(xy 82.9625 96.009661)
(xy 83.008529 96.1)

(xy 83.012905 96.108587)
(xy 83.091413 96.187095)
(xy 83.190339 96.2375)
(xy 83.3 96.254869)
(xy 83.409661 96.2375)
(xy 83.508587 96.187095)
(xy 83.587095 96.108587)
(xy 83.6375 96.009661)
(xy 83.651603 95.920614)
(xy 83.662947 95.902104)
(xy 83.660358 95.900518)
(xy 83.659271 95.897894)
(xy 83.737052 95.897894)
(xy 83.739642 95.899481)
(xy 83.748395 95.920613)
(xy 83.753114 95.9504)
(xy 83.7625 96.009661)
(xy 83.808529 96.1)
(xy 83.812905 96.108587)
(xy 83.891413 96.187095)
(xy 83.990339 96.2375)
(xy 84.1 96.254869)
(xy 84.209661 96.2375)
(xy 84.308587 96.187095)
(xy 84.387095 96.108587)
(xy 84.4375 96.009661)
(xy 84.454869 95.9)
(xy 84.4375 95.790339)
(xy 84.387095 95.691413)
(xy 84.308587 95.612905)
(xy 84.308584 95.612903)
(xy 84.209661 95.5625)
(xy 84.209661 95.562499)
(xy 84.120614 95.548396)
(xy 84.102104 95.537052)

(xy 84.100518 95.539642)
(xy 84.079385 95.548396)
(xy 84.011374 95.559168)
(xy 83.990338 95.5625)
(xy 83.891415 95.612903)
(xy 83.891412 95.612905)
(xy 83.812905 95.691412)
(xy 83.812903 95.691415)
(xy 83.7625 95.790338)
(xy 83.762499 95.790339)
(xy 83.7625 95.790339)
(xy 83.748396 95.879384)
(xy 83.737052 95.897894)
(xy 83.659271 95.897894)
(xy 83.651603 95.879385)
(xy 83.6375 95.790339)
(xy 83.587095 95.691413)
(xy 83.508587 95.612905)
(xy 83.508584 95.612903)
(xy 83.409661 95.5625)
(xy 83.409661 95.562499)
(xy 83.320614 95.548396)
(xy 83.302104 95.537052)
(xy 83.300518 95.539642)
(xy 83.279385 95.548396)
(xy 83.211374 95.559168)
(xy 83.190338 95.5625)
(xy 83.091415 95.612903)
(xy 83.091412 95.612905)
(xy 83.012905 95.691412)
(xy 83.012903 95.691415)
(xy 82.9625 95.790338)
(xy 82.945131 95.9)
(xy 82.1 95.9)
(xy 82.1 95.7)

(xy 81.814352 95.414352)
(xy 81.8 95.379704)
(xy 81.8 95.1)
(xy 82.145131 95.1)
(xy 82.1625 95.209661)
(xy 82.212905 95.308587)
(xy 82.291413 95.387095)
(xy 82.390339 95.4375)
(xy 82.5 95.454869)
(xy 82.609661 95.4375)
(xy 82.708587 95.387095)
(xy 82.787095 95.308587)
(xy 82.8375 95.209661)
(xy 82.851603 95.120614)
(xy 82.862947 95.102104)
(xy 82.860358 95.100518)
(xy 82.859271 95.097894)
(xy 82.937052 95.097894)
(xy 82.939642 95.099481)
(xy 82.948395 95.120613)
(xy 82.9625 95.209661)
(xy 83.012905 95.308587)
(xy 83.091413 95.387095)
(xy 83.190339 95.4375)
(xy 83.279384 95.451603)
(xy 83.297894 95.462947)
(xy 83.299481 95.460358)
(xy 83.320613 95.451604)
(xy 83.409661 95.4375)
(xy 83.508587 95.387095)
(xy 83.587095 95.308587)
(xy 83.6375 95.209661)
(xy 83.651603 95.120614)
(xy 83.662947 95.102104)
(xy 83.660358 95.100518)

(xy 83.659271 95.097894)
(xy 83.737052 95.097894)
(xy 83.739642 95.099481)
(xy 83.748395 95.120613)
(xy 83.7625 95.209661)
(xy 83.812905 95.308587)
(xy 83.891413 95.387095)
(xy 83.990339 95.4375)
(xy 84.079384 95.451603)
(xy 84.097894 95.462947)
(xy 84.099481 95.460358)
(xy 84.120613 95.451604)
(xy 84.209661 95.4375)
(xy 84.308587 95.387095)
(xy 84.387095 95.308587)
(xy 84.4375 95.209661)
(xy 84.454869 95.1)
(xy 84.4375 94.990339)
(xy 84.387095 94.891413)
(xy 84.308587 94.812905)
(xy 84.308584 94.812903)
(xy 84.209661 94.7625)
(xy 84.1 94.745131)
(xy 83.990338 94.7625)
(xy 83.891415 94.812903)
(xy 83.891412 94.812905)
(xy 83.812905 94.891412)
(xy 83.812903 94.891415)
(xy 83.7625 94.990338)
(xy 83.762499 94.990339)
(xy 83.7625 94.990339)
(xy 83.748396 95.079384)
(xy 83.737052 95.097894)
(xy 83.659271 95.097894)
(xy 83.651603 95.079385)

(xy 83.6375 94.990339)
(xy 83.587095 94.891413)
(xy 83.508587 94.812905)
(xy 83.508584 94.812903)
(xy 83.409661 94.7625)
(xy 83.3 94.745131)
(xy 83.190338 94.7625)
(xy 83.091415 94.812903)
(xy 83.091412 94.812905)
(xy 83.012905 94.891412)
(xy 83.012903 94.891415)
(xy 82.9625 94.990338)
(xy 82.962499 94.990339)
(xy 82.9625 94.990339)
(xy 82.948396 95.079384)
(xy 82.937052 95.097894)
(xy 82.859271 95.097894)
(xy 82.851603 95.079385)
(xy 82.8375 94.990339)
(xy 82.787095 94.891413)
(xy 82.708587 94.812905)
(xy 82.708584 94.812903)
(xy 82.609661 94.7625)
(xy 82.5 94.745131)
(xy 82.390338 94.7625)
(xy 82.291415 94.812903)
(xy 82.291412 94.812905)
(xy 82.212905 94.891412)
(xy 82.212903 94.891415)
(xy 82.1625 94.990338)
(xy 82.162499 94.990339)
(xy 82.1625 94.990339)
(xy 82.145131 95.1)
(xy 81.8 95.1)
(xy 81.8 93.949)

```

        (xy 81.814352 93.914352)

        (xy 81.849 93.9)

        (xy 85.251 93.9)

    )

)

)

(zone (net 2) (net_name "+3V3") (layer "In2.Cu") (tstamp 00000000-0000-0000-0000-00005ffb3ada) (hatch e

(connect_pads (clearance 0.1))

(min_thickness 0.254) (filled_areas_thickness no)

(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))

(polygon

    (pts

        (xy 50 111)

        (xy 50 80)

        (xy 59 80)

        (xy 59 71)

        (xy 121 71)

        (xy 121 80)

        (xy 129.954083 79.999765)

        (xy 129.989668 111.000011)

        (xy 121 111)

        (xy 121 120)

        (xy 59 120)

        (xy 59 111)

    )

)

(filled_polygon

    (layer "In2.Cu")

    (pts

        (xy 120.942121 71.070502)

        (xy 120.988614 71.124158)

        (xy 121 71.1765)

        (xy 121 79.999998)

        (xy 121 80)

        (xy 124.061454 79.999919)

```

(xy 124.129573 80.019919)
(xy 124.176067 80.073574)
(xy 124.186173 80.143847)
(xy 124.156682 80.208429)
(xy 124.15668 80.208431)
(xy 124.117203 80.25399)
(xy 124.0634 80.371802)
(xy 124.063398 80.371809)
(xy 124.044968 80.499996)
(xy 124.044968 80.500003)
(xy 124.063398 80.62819)
(xy 124.0634 80.628197)
(xy 124.117203 80.746009)
(xy 124.117206 80.746013)
(xy 124.202014 80.843888)
(xy 124.202016 80.843889)
(xy 124.202017 80.84389)
(xy 124.310973 80.913912)
(xy 124.435242 80.9504)
(xy 124.564758 80.9504)
(xy 124.689027 80.913912)
(xy 124.797983 80.84389)
(xy 124.882797 80.746009)
(xy 124.9366 80.628197)
(xy 124.942654 80.586089)
(xy 124.955032 80.500003)
(xy 124.955032 80.499996)
(xy 124.936601 80.371809)
(xy 124.9366 80.371808)
(xy 124.9366 80.371803)
(xy 124.882797 80.253991)
(xy 124.843299 80.208408)
(xy 124.813807 80.143828)
(xy 124.82391 80.073554)
(xy 124.870403 80.019898)

(xy 124.938518 79.999896)
(xy 129.823497 79.999768)
(xy 129.891617 80.019768)
(xy 129.938111 80.073423)
(xy 129.949499 80.125768)
(xy 129.949499 110.874009)
(xy 129.929497 110.94213)
(xy 129.875841 110.988623)
(xy 129.823499 111.000009)
(xy 124.73861 111.000004)
(xy 124.670489 110.980002)
(xy 124.623996 110.926346)
(xy 124.613893 110.856072)
(xy 124.643385 110.791492)
(xy 124.682797 110.746009)
(xy 124.7366 110.628197)
(xy 124.742654 110.586089)
(xy 124.755032 110.500003)
(xy 124.755032 110.499996)
(xy 124.736601 110.371809)
(xy 124.7366 110.371808)
(xy 124.7366 110.371803)
(xy 124.682797 110.253991)
(xy 124.682793 110.253986)
(xy 124.597985 110.156111)
(xy 124.597983 110.15611)
(xy 124.578965 110.143888)
(xy 124.489027 110.086088)
(xy 124.489026 110.086087)
(xy 124.489025 110.086087)
(xy 124.364758 110.0496)
(xy 124.235242 110.0496)
(xy 124.110974 110.086087)
(xy 124.110971 110.086089)
(xy 124.002016 110.15611)

(xy 124.002014 110.156111)
(xy 123.917206 110.253986)
(xy 123.917203 110.25399)
(xy 123.8634 110.371802)
(xy 123.863398 110.371809)
(xy 123.844968 110.499996)
(xy 123.844968 110.500003)
(xy 123.863398 110.62819)
(xy 123.8634 110.628197)
(xy 123.917203 110.746009)
(xy 123.956613 110.791491)
(xy 123.986106 110.856072)
(xy 123.976001 110.926346)
(xy 123.929508 110.980001)
(xy 123.861388 111.000003)
(xy 122.993557 111.000002)
(xy 122.925436 110.98)
(xy 122.89833 110.95651)
(xy 122.897983 110.95611)
(xy 122.789027 110.886088)
(xy 122.789026 110.886087)
(xy 122.789025 110.886087)
(xy 122.664758 110.8496)
(xy 122.535242 110.8496)
(xy 122.410974 110.886087)
(xy 122.410971 110.886089)
(xy 122.302016 110.95611)
(xy 122.302014 110.956111)
(xy 122.301661 110.95652)
(xy 122.301207 110.956811)
(xy 122.295208 110.96201)
(xy 122.29446 110.961146)
(xy 122.241931 110.994899)
(xy 122.206443 111)
(xy 121 111)

(xy 121 119.8235)
(xy 120.979998 119.891621)
(xy 120.926342 119.938114)
(xy 120.874 119.9495)
(xy 77.589048 119.9495)
(xy 77.520927 119.929498)
(xy 77.474434 119.875842)
(xy 77.46433 119.805568)
(xy 77.493823 119.740988)
(xy 77.521253 119.709331)
(xy 77.532797 119.696009)
(xy 77.5866 119.578197)
(xy 77.605032 119.45)
(xy 77.605032 119.449996)
(xy 77.586601 119.321809)
(xy 77.5866 119.321808)
(xy 77.5866 119.321803)
(xy 77.532797 119.203991)
(xy 77.47086 119.132512)
(xy 77.441368 119.067932)
(xy 77.451471 118.997658)
(xy 77.470861 118.967487)
(xy 77.532797 118.896009)
(xy 77.5866 118.778197)
(xy 77.590866 118.748528)
(xy 77.605032 118.650003)
(xy 77.605032 118.649996)
(xy 77.586601 118.521809)
(xy 77.5866 118.521808)
(xy 77.5866 118.521803)
(xy 77.532797 118.403991)
(xy 77.5121 118.380105)
(xy 77.447985 118.306111)
(xy 77.447983 118.30611)
(xy 77.425296 118.29153)

(xy 77.339027 118.236088)
(xy 77.339026 118.236087)
(xy 77.339025 118.236087)
(xy 77.214758 118.1996)
(xy 77.085242 118.1996)
(xy 76.960974 118.236087)
(xy 76.960971 118.236089)
(xy 76.852016 118.30611)
(xy 76.852014 118.306111)
(xy 76.767206 118.403986)
(xy 76.767203 118.40399)
(xy 76.7134 118.521802)
(xy 76.713398 118.521809)
(xy 76.694968 118.649996)
(xy 76.694968 118.650003)
(xy 76.713398 118.77819)
(xy 76.7134 118.778197)
(xy 76.767203 118.896009)
(xy 76.829139 118.967488)
(xy 76.858632 119.032069)
(xy 76.848527 119.102343)
(xy 76.829139 119.132512)
(xy 76.767203 119.20399)
(xy 76.7134 119.321802)
(xy 76.713398 119.321809)
(xy 76.694968 119.449996)
(xy 76.694968 119.450003)
(xy 76.713398 119.57819)
(xy 76.7134 119.578197)
(xy 76.767203 119.696009)
(xy 76.806177 119.740988)
(xy 76.83567 119.805569)
(xy 76.825565 119.875843)
(xy 76.779072 119.929498)
(xy 76.710952 119.9495)

(xy 75.295916 119.9495)
(xy 75.227795 119.929498)
(xy 75.181302 119.875842)
(xy 75.171198 119.805568)
(xy 75.200692 119.740988)
(xy 75.206821 119.734405)
(xy 75.240394 119.700831)
(xy 75.240398 119.700827)
(xy 75.330365 119.557646)
(xy 75.386215 119.398036)
(xy 75.405148 119.23)
(xy 75.386215 119.061964)
(xy 75.330365 118.902354)
(xy 75.240398 118.759173)
(xy 75.240394 118.759169)
(xy 75.240394 118.759168)
(xy 75.120831 118.639605)
(xy 75.120828 118.639603)
(xy 75.120827 118.639602)
(xy 74.997301 118.561985)
(xy 74.977645 118.549634)
(xy 74.868455 118.511427)
(xy 74.818036 118.493785)
(xy 74.65 118.474852)
(xy 74.649999 118.474852)
(xy 74.625558 118.477605)
(xy 74.481964 118.493785)
(xy 74.481961 118.493785)
(xy 74.481961 118.493786)
(xy 74.322354 118.549634)
(xy 74.257456 118.590413)
(xy 74.179173 118.639602)
(xy 74.179171 118.639603)
(xy 74.179169 118.639605)
(xy 74.179168 118.639605)

(xy 74.059605 118.759168)
(xy 74.059605 118.759169)
(xy 74.059603 118.759171)
(xy 74.059602 118.759173)
(xy 74.039879 118.790562)
(xy 73.969634 118.902354)
(xy 73.917971 119.05)
(xy 73.913785 119.061964)
(xy 73.894852 119.23)
(xy 73.913785 119.398036)
(xy 73.913786 119.398038)
(xy 73.969634 119.557645)
(xy 73.969635 119.557646)
(xy 74.059602 119.700827)
(xy 74.059605 119.700829)
(xy 74.059605 119.70083)
(xy 74.059605 119.700831)
(xy 74.093179 119.734405)
(xy 74.127205 119.796717)
(xy 74.12214 119.867532)
(xy 74.079593 119.924368)
(xy 74.013073 119.949179)
(xy 74.004084 119.9495)
(xy 72.589048 119.9495)
(xy 72.520927 119.929498)
(xy 72.474434 119.875842)
(xy 72.46433 119.805568)
(xy 72.493823 119.740988)
(xy 72.521253 119.709331)
(xy 72.532797 119.696009)
(xy 72.5866 119.578197)
(xy 72.605032 119.45)
(xy 72.605032 119.449996)
(xy 72.586601 119.321809)
(xy 72.5866 119.321808)

(xy 72.5866 119.321803)
(xy 72.532797 119.203991)
(xy 72.47086 119.132512)
(xy 72.441368 119.067932)
(xy 72.451471 118.997658)
(xy 72.470861 118.967487)
(xy 72.532797 118.896009)
(xy 72.5866 118.778197)
(xy 72.590866 118.748528)
(xy 72.605032 118.650003)
(xy 72.605032 118.649996)
(xy 72.586601 118.521809)
(xy 72.5866 118.521808)
(xy 72.5866 118.521803)
(xy 72.532797 118.403991)
(xy 72.5121 118.380105)
(xy 72.447985 118.306111)
(xy 72.447983 118.30611)
(xy 72.425296 118.29153)
(xy 72.339027 118.236088)
(xy 72.339026 118.236087)
(xy 72.339025 118.236087)
(xy 72.214758 118.1996)
(xy 72.085242 118.1996)
(xy 71.960974 118.236087)
(xy 71.960971 118.236089)
(xy 71.852016 118.30611)
(xy 71.852014 118.306111)
(xy 71.767206 118.403986)
(xy 71.767203 118.40399)
(xy 71.7134 118.521802)
(xy 71.713398 118.521809)
(xy 71.694968 118.649996)
(xy 71.694968 118.650003)
(xy 71.713398 118.77819)

(xy 71.7134 118.778197)
(xy 71.767203 118.896009)
(xy 71.829139 118.967488)
(xy 71.858632 119.032069)
(xy 71.848527 119.102343)
(xy 71.829139 119.132512)
(xy 71.767203 119.20399)
(xy 71.7134 119.321802)
(xy 71.713398 119.321809)
(xy 71.694968 119.449996)
(xy 71.694968 119.450003)
(xy 71.713398 119.57819)
(xy 71.7134 119.578197)
(xy 71.767203 119.696009)
(xy 71.806177 119.740988)
(xy 71.83567 119.805569)
(xy 71.825565 119.875843)
(xy 71.779072 119.929498)
(xy 71.710952 119.9495)
(xy 59.126 119.9495)
(xy 59.057879 119.929498)
(xy 59.011386 119.875842)
(xy 59 119.8235)
(xy 59 117.604414)
(xy 63.17244 117.604414)
(xy 63.182395 117.645273)
(xy 63.1836 117.651612)
(xy 63.189325 117.69326)
(xy 63.189326 117.693264)
(xy 63.195572 117.707645)
(xy 63.195889 117.708374)
(xy 63.202734 117.728729)
(xy 63.206636 117.744738)
(xy 63.206636 117.744739)
(xy 63.22724 117.781382)

(xy 63.230111 117.787163)
(xy 63.246867 117.825737)
(xy 63.257258 117.838509)
(xy 63.269346 117.856268)
(xy 63.277422 117.87063)
(xy 63.307155 117.900363)
(xy 63.31147 117.905143)
(xy 63.338015 117.937772)
(xy 63.351476 117.947274)
(xy 63.367902 117.96111)
(xy 63.786897 118.380105)
(xy 64.171952 118.76516)
(xy 64.215129 118.811391)
(xy 64.251055 118.833238)
(xy 64.256387 118.836866)
(xy 64.264134 118.842741)
(xy 64.289895 118.862277)
(xy 64.305219 118.86832)
(xy 64.324457 118.877875)
(xy 64.338532 118.886434)
(xy 64.377175 118.897261)
(xy 64.379017 118.897777)
(xy 64.385121 118.899829)
(xy 64.424254 118.915261)
(xy 64.440643 118.916945)
(xy 64.461743 118.920956)
(xy 64.477605 118.9254)
(xy 64.519652 118.9254)
(xy 64.5261 118.925731)
(xy 64.567925 118.930031)
(xy 64.567925 118.93003)
(xy 64.567927 118.930031)
(xy 64.58416 118.927232)
(xy 64.605569 118.9254)
(xy 70.456151 118.9254)

(xy 70.519381 118.92756)
(xy 70.560228 118.917605)
(xy 70.566568 118.9164)
(xy 70.569887 118.915943)
(xy 70.60823 118.910674)
(xy 70.623344 118.904108)
(xy 70.643695 118.897264)
(xy 70.659704 118.893364)
(xy 70.696376 118.872743)
(xy 70.702109 118.869895)
(xy 70.740702 118.853133)
(xy 70.753481 118.842735)
(xy 70.771233 118.830653)
(xy 70.785596 118.822578)
(xy 70.815323 118.792849)
(xy 70.820116 118.788524)
(xy 70.83281 118.778197)
(xy 70.852738 118.761985)
(xy 70.862239 118.748524)
(xy 70.876077 118.732095)
(xy 72.192967 117.415205)
(xy 72.255277 117.381181)
(xy 72.326092 117.386246)
(xy 72.382928 117.428793)
(xy 72.407267 117.490191)
(xy 72.413785 117.548036)
(xy 72.413785 117.548038)
(xy 72.413786 117.548039)
(xy 72.469634 117.707645)
(xy 72.469635 117.707646)
(xy 72.559602 117.850827)
(xy 72.559605 117.85083)
(xy 72.559605 117.850831)
(xy 72.679168 117.970394)
(xy 72.67917 117.970395)

(xy 72.679173 117.970398)
(xy 72.822354 118.060365)
(xy 72.981964 118.116215)
(xy 73.15 118.135148)
(xy 73.318036 118.116215)
(xy 73.477646 118.060365)
(xy 73.620827 117.970398)
(xy 73.740398 117.850827)
(xy 73.830365 117.707646)
(xy 73.886215 117.548036)
(xy 73.905148 117.38)
(xy 73.886215 117.211964)
(xy 73.830365 117.052354)
(xy 73.740398 116.909173)
(xy 73.740394 116.909169)
(xy 73.740394 116.909168)
(xy 73.62083 116.789604)
(xy 73.597095 116.77469)
(xy 73.57067 116.758086)
(xy 73.523634 116.704908)
(xy 73.512814 116.634741)
(xy 73.541647 116.569862)
(xy 73.600979 116.530872)
(xy 73.637708 116.5254)
(xy 75.662292 116.5254)
(xy 75.730413 116.545402)
(xy 75.776906 116.599058)
(xy 75.78701 116.669332)
(xy 75.757516 116.733912)
(xy 75.729329 116.758087)
(xy 75.679169 116.789604)
(xy 75.559605 116.909168)
(xy 75.559605 116.909169)
(xy 75.469634 117.052354)
(xy 75.429356 117.167465)

(xy 75.413785 117.211964)
(xy 75.394852 117.38)
(xy 75.413785 117.548036)
(xy 75.421113 117.568978)
(xy 75.469634 117.707645)
(xy 75.469635 117.707646)
(xy 75.559602 117.850827)
(xy 75.559605 117.85083)
(xy 75.559605 117.850831)
(xy 75.679168 117.970394)
(xy 75.67917 117.970395)
(xy 75.679173 117.970398)
(xy 75.822354 118.060365)
(xy 75.981964 118.116215)
(xy 76.15 118.135148)
(xy 76.318036 118.116215)
(xy 76.477646 118.060365)
(xy 76.620827 117.970398)
(xy 76.740398 117.850827)
(xy 76.830365 117.707646)
(xy 76.886215 117.548036)
(xy 76.905148 117.38)
(xy 76.89698 117.307511)
(xy 76.909229 117.237582)
(xy 76.957342 117.185374)
(xy 77.026042 117.167465)
(xy 77.093519 117.189541)
(xy 77.111283 117.204311)
(xy 78.472132 118.56516)
(xy 78.515309 118.611391)
(xy 78.551235 118.633238)
(xy 78.556567 118.636866)
(xy 78.564314 118.642741)
(xy 78.590075 118.662277)
(xy 78.605399 118.66832)

(xy 78.624637 118.677875)
(xy 78.638712 118.686434)
(xy 78.677355 118.697261)
(xy 78.679197 118.697777)
(xy 78.685301 118.699829)
(xy 78.724434 118.715261)
(xy 78.740823 118.716945)
(xy 78.761923 118.720956)
(xy 78.777785 118.7254)
(xy 78.819832 118.7254)
(xy 78.82628 118.725731)
(xy 78.868105 118.730031)
(xy 78.868105 118.73003)
(xy 78.868107 118.730031)
(xy 78.88434 118.727232)
(xy 78.905749 118.7254)
(xy 82.727785 118.7254)
(xy 88.827785 118.7254)
(xy 90.627785 118.7254)
(xy 116.291005 118.7254)
(xy 116.354235 118.72756)
(xy 116.395082 118.717605)
(xy 116.401422 118.7164)
(xy 116.404741 118.715943)
(xy 116.443084 118.710674)
(xy 116.458198 118.704108)
(xy 116.478549 118.697264)
(xy 116.494558 118.693364)
(xy 116.53123 118.672743)
(xy 116.536963 118.669895)
(xy 116.575556 118.653133)
(xy 116.588335 118.642735)
(xy 116.606087 118.630653)
(xy 116.62045 118.622578)
(xy 116.650177 118.592849)

(xy 116.65497 118.588524)
(xy 116.687592 118.561985)
(xy 116.697093 118.548524)
(xy 116.710931 118.532095)
(xy 119.36516 115.877867)
(xy 119.411391 115.834691)
(xy 119.43324 115.798759)
(xy 119.436862 115.793437)
(xy 119.462277 115.759925)
(xy 119.468321 115.744597)
(xy 119.477876 115.725359)
(xy 119.486434 115.711288)
(xy 119.497775 115.670806)
(xy 119.499834 115.664685)
(xy 119.515259 115.625571)
(xy 119.515258 115.625571)
(xy 119.515261 115.625566)
(xy 119.516946 115.60917)
(xy 119.520957 115.58807)
(xy 119.5254 115.572215)
(xy 119.5254 115.530168)
(xy 119.525731 115.52372)
(xy 119.530031 115.481894)
(xy 119.528716 115.474269)
(xy 119.527232 115.465658)
(xy 119.5254 115.444251)
(xy 119.5254 108.500003)
(xy 125.244968 108.500003)
(xy 125.263398 108.62819)
(xy 125.2634 108.628197)
(xy 125.317203 108.746009)
(xy 125.317206 108.746013)
(xy 125.402014 108.843888)
(xy 125.402016 108.843889)
(xy 125.402017 108.84389)

(xy 125.510973 108.913912)
(xy 125.635242 108.9504)
(xy 125.764758 108.9504)
(xy 125.889027 108.913912)
(xy 125.997983 108.84389)
(xy 126.082797 108.746009)
(xy 126.1366 108.628197)
(xy 126.150979 108.52819)
(xy 126.155032 108.500003)
(xy 126.155032 108.499996)
(xy 126.136601 108.371809)
(xy 126.1366 108.371808)
(xy 126.1366 108.371803)
(xy 126.082797 108.253991)
(xy 126.07458 108.244508)
(xy 125.997985 108.156111)
(xy 125.997983 108.15611)
(xy 125.981727 108.145663)
(xy 125.889027 108.086088)
(xy 125.889026 108.086087)
(xy 125.889025 108.086087)
(xy 125.764758 108.0496)
(xy 125.635242 108.0496)
(xy 125.510974 108.086087)
(xy 125.510971 108.086089)
(xy 125.402016 108.15611)
(xy 125.402014 108.156111)
(xy 125.317206 108.253986)
(xy 125.317203 108.25399)
(xy 125.2634 108.371802)
(xy 125.263398 108.371809)
(xy 125.244968 108.499996)
(xy 125.244968 108.500003)
(xy 119.5254 108.500003)
(xy 119.5254 107.100003)

(xy 122.344968 107.100003)
(xy 122.363398 107.22819)
(xy 122.3634 107.228197)
(xy 122.417203 107.346009)
(xy 122.417206 107.346013)
(xy 122.502014 107.443888)
(xy 122.502016 107.443889)
(xy 122.502017 107.44389)
(xy 122.610973 107.513912)
(xy 122.735242 107.5504)
(xy 122.864758 107.5504)
(xy 122.989027 107.513912)
(xy 123.097983 107.44389)
(xy 123.182797 107.346009)
(xy 123.185386 107.340339)
(xy 123.231877 107.286684)
(xy 123.299998 107.266681)
(xy 123.368119 107.286682)
(xy 123.414612 107.340336)
(xy 123.417203 107.346009)
(xy 123.417204 107.34601)
(xy 123.417206 107.346013)
(xy 123.502014 107.443888)
(xy 123.502016 107.443889)
(xy 123.502017 107.44389)
(xy 123.610973 107.513912)
(xy 123.735242 107.5504)
(xy 123.864758 107.5504)
(xy 123.989027 107.513912)
(xy 124.097983 107.44389)
(xy 124.182797 107.346009)
(xy 124.2366 107.228197)
(xy 124.241228 107.196009)
(xy 124.255032 107.100003)
(xy 127.344968 107.100003)

(xy 127.363398 107.22819)
(xy 127.3634 107.228197)
(xy 127.417203 107.346009)
(xy 127.417206 107.346013)
(xy 127.502014 107.443888)
(xy 127.502016 107.443889)
(xy 127.502017 107.44389)
(xy 127.610973 107.513912)
(xy 127.735242 107.5504)
(xy 127.864758 107.5504)
(xy 127.989027 107.513912)
(xy 128.097983 107.44389)
(xy 128.182797 107.346009)
(xy 128.2366 107.228197)
(xy 128.241228 107.196009)
(xy 128.255032 107.100003)
(xy 128.255032 107.099996)
(xy 128.236601 106.971809)
(xy 128.2366 106.971808)
(xy 128.2366 106.971803)
(xy 128.182797 106.853991)
(xy 128.182793 106.853986)
(xy 128.097985 106.756111)
(xy 128.097813 106.756001)
(xy 128.097679 106.755846)
(xy 128.091171 106.750207)
(xy 128.091981 106.749271)
(xy 128.051318 106.702347)
(xy 128.041211 106.632074)
(xy 128.070701 106.567492)
(xy 128.097813 106.543999)
(xy 128.097983 106.54389)
(xy 128.104744 106.536088)
(xy 128.151288 106.482372)
(xy 128.182797 106.446009)

(xy 128.2366 106.328197)
(xy 128.24264 106.286186)
(xy 128.255032 106.200003)
(xy 128.255032 106.199996)
(xy 128.236601 106.071809)
(xy 128.2366 106.071808)
(xy 128.2366 106.071803)
(xy 128.182797 105.953991)
(xy 128.182793 105.953986)
(xy 128.097985 105.856111)
(xy 128.097983 105.85611)
(xy 128.049807 105.825149)
(xy 127.989027 105.786088)
(xy 127.989026 105.786087)
(xy 127.989025 105.786087)
(xy 127.864758 105.7496)
(xy 127.735242 105.7496)
(xy 127.610974 105.786087)
(xy 127.610971 105.786089)
(xy 127.502016 105.85611)
(xy 127.502014 105.856111)
(xy 127.417206 105.953986)
(xy 127.417203 105.95399)
(xy 127.3634 106.071802)
(xy 127.363398 106.071809)
(xy 127.344968 106.199996)
(xy 127.344968 106.200003)
(xy 127.363398 106.32819)
(xy 127.3634 106.328197)
(xy 127.417203 106.446009)
(xy 127.417206 106.446013)
(xy 127.502014 106.543888)
(xy 127.502018 106.543891)
(xy 127.502192 106.544003)
(xy 127.502327 106.544158)

(xy 127.508829 106.549793)
(xy 127.508018 106.550727)
(xy 127.548684 106.597659)
(xy 127.558787 106.667934)
(xy 127.529293 106.732514)
(xy 127.502192 106.755997)
(xy 127.502018 106.756108)
(xy 127.502014 106.756111)
(xy 127.417206 106.853986)
(xy 127.417203 106.85399)
(xy 127.3634 106.971802)
(xy 127.363398 106.971809)
(xy 127.344968 107.099996)
(xy 127.344968 107.100003)
(xy 124.255032 107.100003)
(xy 124.255032 107.099996)
(xy 124.236601 106.971809)
(xy 124.2366 106.971808)
(xy 124.2366 106.971803)
(xy 124.182797 106.853991)
(xy 124.182793 106.853986)
(xy 124.097985 106.756111)
(xy 124.097983 106.75611)
(xy 124.030476 106.712726)
(xy 123.989027 106.686088)
(xy 123.989026 106.686087)
(xy 123.989025 106.686087)
(xy 123.864758 106.6496)
(xy 123.735242 106.6496)
(xy 123.610974 106.686087)
(xy 123.610971 106.686089)
(xy 123.502016 106.75611)
(xy 123.502014 106.756111)
(xy 123.417206 106.853986)
(xy 123.417199 106.853995)

(xy 123.414609 106.859668)
(xy 123.368112 106.913321)
(xy 123.29999 106.933318)
(xy 123.231871 106.913311)
(xy 123.185384 106.859656)
(xy 123.182797 106.853991)
(xy 123.182793 106.853986)
(xy 123.097985 106.756111)
(xy 123.097983 106.75611)
(xy 123.030476 106.712726)
(xy 122.989027 106.686088)
(xy 122.989026 106.686087)
(xy 122.989025 106.686087)
(xy 122.864758 106.6496)
(xy 122.735242 106.6496)
(xy 122.610974 106.686087)
(xy 122.610971 106.686089)
(xy 122.502016 106.75611)
(xy 122.502014 106.756111)
(xy 122.417206 106.853986)
(xy 122.417203 106.85399)
(xy 122.3634 106.971802)
(xy 122.363398 106.971809)
(xy 122.344968 107.099996)
(xy 122.344968 107.100003)
(xy 119.5254 107.100003)
(xy 119.5254 105.925223)
(xy 119.545402 105.857102)
(xy 119.599058 105.810609)
(xy 119.669332 105.800505)
(xy 119.703744 105.81061)
(xy 119.710968 105.813908)
(xy 119.710973 105.813912)
(xy 119.835242 105.8504)
(xy 119.964758 105.8504)

(xy 120.089027 105.813912)
(xy 120.197983 105.74389)
(xy 120.282797 105.646009)
(xy 120.3366 105.528197)
(xy 120.336872 105.526301)
(xy 120.355032 105.400003)
(xy 120.355032 105.399996)
(xy 120.336601 105.271809)
(xy 120.3366 105.271808)
(xy 120.3366 105.271803)
(xy 120.282797 105.153991)
(xy 120.282793 105.153986)
(xy 120.197985 105.056111)
(xy 120.197983 105.05611)
(xy 120.169827 105.038015)
(xy 120.089027 104.986088)
(xy 120.089026 104.986087)
(xy 120.089025 104.986087)
(xy 119.964758 104.9496)
(xy 119.835242 104.9496)
(xy 119.710974 104.986087)
(xy 119.703738 104.989392)
(xy 119.633463 104.999493)
(xy 119.568884 104.969997)
(xy 119.530502 104.91027)
(xy 119.5254 104.874776)
(xy 119.5254 104.400003)
(xy 121.444968 104.400003)
(xy 121.463398 104.52819)
(xy 121.4634 104.528197)
(xy 121.517203 104.646009)
(xy 121.517206 104.646013)
(xy 121.602014 104.743888)
(xy 121.602016 104.743889)
(xy 121.602017 104.74389)

(xy 121.710973 104.813912)
(xy 121.835242 104.8504)
(xy 121.964758 104.8504)
(xy 122.089027 104.813912)
(xy 122.197983 104.74389)
(xy 122.204576 104.736282)
(xy 122.255579 104.67742)
(xy 122.282797 104.646009)
(xy 122.3366 104.528197)
(xy 122.340655 104.499996)
(xy 122.355032 104.400003)
(xy 122.644968 104.400003)
(xy 122.663398 104.52819)
(xy 122.6634 104.528197)
(xy 122.717203 104.646009)
(xy 122.717206 104.646013)
(xy 122.802014 104.743888)
(xy 122.802016 104.743889)
(xy 122.802017 104.74389)
(xy 122.910973 104.813912)
(xy 123.035242 104.8504)
(xy 123.164758 104.8504)
(xy 123.289027 104.813912)
(xy 123.397983 104.74389)
(xy 123.404576 104.736282)
(xy 123.455579 104.67742)
(xy 123.482797 104.646009)
(xy 123.5366 104.528197)
(xy 123.540655 104.499996)
(xy 123.555032 104.400003)
(xy 124.544968 104.400003)
(xy 124.563398 104.52819)
(xy 124.5634 104.528197)
(xy 124.617203 104.646009)
(xy 124.617206 104.646013)

(xy 124.702014 104.743888)
(xy 124.702016 104.743889)
(xy 124.702017 104.74389)
(xy 124.810973 104.813912)
(xy 124.935242 104.8504)
(xy 125.064758 104.8504)
(xy 125.189027 104.813912)
(xy 125.297983 104.74389)
(xy 125.304576 104.736282)
(xy 125.355579 104.67742)
(xy 125.382797 104.646009)
(xy 125.4366 104.528197)
(xy 125.440655 104.499996)
(xy 125.455032 104.400003)
(xy 125.455032 104.399996)
(xy 125.436601 104.271809)
(xy 125.4366 104.271808)
(xy 125.4366 104.271803)
(xy 125.382797 104.153991)
(xy 125.364185 104.132511)
(xy 125.334693 104.067933)
(xy 125.344796 103.997659)
(xy 125.364186 103.967487)
(xy 125.371366 103.959201)
(xy 125.382797 103.946009)
(xy 125.4366 103.828197)
(xy 125.441342 103.795215)
(xy 125.455032 103.700003)
(xy 125.455032 103.699996)
(xy 125.436601 103.571809)
(xy 125.4366 103.571808)
(xy 125.4366 103.571803)
(xy 125.40381 103.500003)
(xy 127.044968 103.500003)
(xy 127.063398 103.62819)

(xy 127.0634 103.628197)
(xy 127.117203 103.746009)
(xy 127.117206 103.746013)
(xy 127.202014 103.843888)
(xy 127.202016 103.843889)
(xy 127.202017 103.84389)
(xy 127.310973 103.913912)
(xy 127.435242 103.9504)
(xy 127.564758 103.9504)
(xy 127.689027 103.913912)
(xy 127.797983 103.84389)
(xy 127.882797 103.746009)
(xy 127.9366 103.628197)
(xy 127.941169 103.596418)
(xy 127.955032 103.500003)
(xy 127.955032 103.499996)
(xy 127.936601 103.371809)
(xy 127.9366 103.371808)
(xy 127.9366 103.371803)
(xy 127.882797 103.253991)
(xy 127.882134 103.253226)
(xy 127.797985 103.156111)
(xy 127.797983 103.15611)
(xy 127.778965 103.143888)
(xy 127.689027 103.086088)
(xy 127.689026 103.086087)
(xy 127.689025 103.086087)
(xy 127.564758 103.0496)
(xy 127.435242 103.0496)
(xy 127.310974 103.086087)
(xy 127.310971 103.086089)
(xy 127.202016 103.15611)
(xy 127.202014 103.156111)
(xy 127.117206 103.253986)
(xy 127.117203 103.25399)

(xy 127.0634 103.371802)
(xy 127.063398 103.371809)
(xy 127.044968 103.499996)
(xy 127.044968 103.500003)
(xy 125.40381 103.500003)
(xy 125.382797 103.453991)
(xy 125.364185 103.432511)
(xy 125.334693 103.367933)
(xy 125.344796 103.297659)
(xy 125.364186 103.267487)
(xy 125.367894 103.263208)
(xy 125.382797 103.246009)
(xy 125.4366 103.128197)
(xy 125.442654 103.086089)
(xy 125.455032 103.000003)
(xy 125.455032 102.999996)
(xy 125.436601 102.871809)
(xy 125.4366 102.871808)
(xy 125.4366 102.871803)
(xy 125.382797 102.753991)
(xy 125.380331 102.751145)
(xy 125.297985 102.656111)
(xy 125.297983 102.65611)
(xy 125.232322 102.613912)
(xy 125.189027 102.586088)
(xy 125.189026 102.586087)
(xy 125.189025 102.586087)
(xy 125.064758 102.5496)
(xy 124.935242 102.5496)
(xy 124.810974 102.586087)
(xy 124.810971 102.586089)
(xy 124.702016 102.65611)
(xy 124.702014 102.656111)
(xy 124.617206 102.753986)
(xy 124.617203 102.75399)

(xy 124.5634 102.871802)
(xy 124.563398 102.871809)
(xy 124.544968 102.999996)
(xy 124.544968 103.000003)
(xy 124.563398 103.12819)
(xy 124.5634 103.128197)
(xy 124.617203 103.246009)
(xy 124.617206 103.246013)
(xy 124.635814 103.267489)
(xy 124.665307 103.33207)
(xy 124.655202 103.402344)
(xy 124.635814 103.432511)
(xy 124.617206 103.453986)
(xy 124.617203 103.45399)
(xy 124.5634 103.571802)
(xy 124.563398 103.571809)
(xy 124.544968 103.699996)
(xy 124.544968 103.700003)
(xy 124.563398 103.82819)
(xy 124.5634 103.828197)
(xy 124.617203 103.946009)
(xy 124.617206 103.946013)
(xy 124.635814 103.967489)
(xy 124.665307 104.03207)
(xy 124.655202 104.102344)
(xy 124.635814 104.132511)
(xy 124.617206 104.153986)
(xy 124.617203 104.15399)
(xy 124.5634 104.271802)
(xy 124.563398 104.271809)
(xy 124.544968 104.399996)
(xy 124.544968 104.400003)
(xy 123.555032 104.400003)
(xy 123.555032 104.399996)
(xy 123.536601 104.271809)

(xy 123.5366 104.271808)
(xy 123.5366 104.271803)
(xy 123.482797 104.153991)
(xy 123.481369 104.152343)
(xy 123.397985 104.056111)
(xy 123.397983 104.05611)
(xy 123.360576 104.03207)
(xy 123.289027 103.986088)
(xy 123.289026 103.986087)
(xy 123.289025 103.986087)
(xy 123.164758 103.9496)
(xy 123.035242 103.9496)
(xy 122.910974 103.986087)
(xy 122.910971 103.986089)
(xy 122.802016 104.05611)
(xy 122.802014 104.056111)
(xy 122.717206 104.153986)
(xy 122.717203 104.15399)
(xy 122.6634 104.271802)
(xy 122.663398 104.271809)
(xy 122.644968 104.399996)
(xy 122.644968 104.400003)
(xy 122.355032 104.400003)
(xy 122.355032 104.399996)
(xy 122.336601 104.271809)
(xy 122.3366 104.271808)
(xy 122.3366 104.271803)
(xy 122.282797 104.153991)
(xy 122.281369 104.152343)
(xy 122.197985 104.056111)
(xy 122.197983 104.05611)
(xy 122.160576 104.03207)
(xy 122.089027 103.986088)
(xy 122.089026 103.986087)
(xy 122.089025 103.986087)

(xy 121.964758 103.9496)
(xy 121.835242 103.9496)
(xy 121.710974 103.986087)
(xy 121.710971 103.986089)
(xy 121.602016 104.05611)
(xy 121.602014 104.056111)
(xy 121.517206 104.153986)
(xy 121.517203 104.15399)
(xy 121.4634 104.271802)
(xy 121.463398 104.271809)
(xy 121.444968 104.399996)
(xy 121.444968 104.400003)
(xy 119.5254 104.400003)
(xy 119.5254 103.900003)
(xy 119.84496 103.900003)
(xy 119.86339 104.02819)
(xy 119.863392 104.028197)
(xy 119.917195 104.146009)
(xy 119.917198 104.146013)
(xy 120.002006 104.243888)
(xy 120.002008 104.243889)
(xy 120.002009 104.24389)
(xy 120.110965 104.313912)
(xy 120.235234 104.3504)
(xy 120.36475 104.3504)
(xy 120.489019 104.313912)
(xy 120.597975 104.24389)
(xy 120.601491 104.239833)
(xy 120.647422 104.186825)
(xy 120.682789 104.146009)
(xy 120.736592 104.028197)
(xy 120.742646 103.986089)
(xy 120.755024 103.900003)
(xy 120.755024 103.899996)
(xy 120.736593 103.771809)

(xy 120.736592 103.771808)
(xy 120.736592 103.771803)
(xy 120.682789 103.653991)
(xy 120.675873 103.646009)
(xy 120.666512 103.635206)
(xy 120.637019 103.570625)
(xy 120.647124 103.500351)
(xy 120.693617 103.446696)
(xy 120.693617 103.446695)
(xy 120.697983 103.44389)
(xy 120.782797 103.346009)
(xy 120.8366 103.228197)
(xy 120.844281 103.174776)
(xy 120.855032 103.100003)
(xy 120.855032 103.099996)
(xy 120.840655 103.000003)
(xy 121.444968 103.000003)
(xy 121.463398 103.12819)
(xy 121.4634 103.128197)
(xy 121.517203 103.246009)
(xy 121.517206 103.246013)
(xy 121.602014 103.343888)
(xy 121.602016 103.343889)
(xy 121.602017 103.34389)
(xy 121.710973 103.413912)
(xy 121.835242 103.4504)
(xy 121.964758 103.4504)
(xy 122.089027 103.413912)
(xy 122.197983 103.34389)
(xy 122.282797 103.246009)
(xy 122.3366 103.128197)
(xy 122.342654 103.086089)
(xy 122.355032 103.000003)
(xy 122.644968 103.000003)
(xy 122.663398 103.12819)

(xy 122.6634 103.128197)
(xy 122.717203 103.246009)
(xy 122.717206 103.246013)
(xy 122.802014 103.343888)
(xy 122.802016 103.343889)
(xy 122.802017 103.34389)
(xy 122.910973 103.413912)
(xy 123.035242 103.4504)
(xy 123.164758 103.4504)
(xy 123.289027 103.413912)
(xy 123.397983 103.34389)
(xy 123.482797 103.246009)
(xy 123.5366 103.128197)
(xy 123.542654 103.086089)
(xy 123.555032 103.000003)
(xy 123.555032 102.999996)
(xy 123.536601 102.871809)
(xy 123.5366 102.871808)
(xy 123.5366 102.871803)
(xy 123.482797 102.753991)
(xy 123.480331 102.751145)
(xy 123.397985 102.656111)
(xy 123.397983 102.65611)
(xy 123.332322 102.613912)
(xy 123.289027 102.586088)
(xy 123.289026 102.586087)
(xy 123.289025 102.586087)
(xy 123.164758 102.5496)
(xy 123.035242 102.5496)
(xy 122.910974 102.586087)
(xy 122.910971 102.586089)
(xy 122.802016 102.65611)
(xy 122.802014 102.656111)
(xy 122.717206 102.753986)
(xy 122.717203 102.75399)

(xy 122.6634 102.871802)
(xy 122.663398 102.871809)
(xy 122.644968 102.999996)
(xy 122.644968 103.000003)
(xy 122.355032 103.000003)
(xy 122.355032 102.999996)
(xy 122.336601 102.871809)
(xy 122.3366 102.871808)
(xy 122.3366 102.871803)
(xy 122.282797 102.753991)
(xy 122.280331 102.751145)
(xy 122.197985 102.656111)
(xy 122.197983 102.65611)
(xy 122.132322 102.613912)
(xy 122.089027 102.586088)
(xy 122.089026 102.586087)
(xy 122.089025 102.586087)
(xy 121.964758 102.5496)
(xy 121.835242 102.5496)
(xy 121.710974 102.586087)
(xy 121.710971 102.586089)
(xy 121.602016 102.65611)
(xy 121.602014 102.656111)
(xy 121.517206 102.753986)
(xy 121.517203 102.75399)
(xy 121.4634 102.871802)
(xy 121.463398 102.871809)
(xy 121.444968 102.999996)
(xy 121.444968 103.000003)
(xy 120.840655 103.000003)
(xy 120.836601 102.971809)
(xy 120.8366 102.971808)
(xy 120.8366 102.971803)
(xy 120.782797 102.853991)
(xy 120.782793 102.853986)

(xy 120.697985 102.756111)
(xy 120.697983 102.75611)
(xy 120.671087 102.738825)
(xy 120.589027 102.686088)
(xy 120.589026 102.686087)
(xy 120.589025 102.686087)
(xy 120.464758 102.6496)
(xy 120.335242 102.6496)
(xy 120.210974 102.686087)
(xy 120.210971 102.686089)
(xy 120.102016 102.75611)
(xy 120.102014 102.756111)
(xy 120.017206 102.853986)
(xy 120.017203 102.85399)
(xy 119.9634 102.971802)
(xy 119.963398 102.971809)
(xy 119.944968 103.099996)
(xy 119.944968 103.100003)
(xy 119.963398 103.22819)
(xy 119.9634 103.228197)
(xy 120.017203 103.346009)
(xy 120.033479 103.364793)
(xy 120.062972 103.429374)
(xy 120.052867 103.499648)
(xy 120.006382 103.553298)
(xy 120.002013 103.556105)
(xy 120.002006 103.556111)
(xy 119.917198 103.653986)
(xy 119.917195 103.65399)
(xy 119.863392 103.771802)
(xy 119.86339 103.771809)
(xy 119.84496 103.899996)
(xy 119.84496 103.900003)
(xy 119.5254 103.900003)
(xy 119.5254 102.369818)

(xy 119.545402 102.301697)
(xy 119.562305 102.280723)
(xy 119.865161 101.977867)
(xy 119.895427 101.9496)
(xy 119.911391 101.934691)
(xy 119.921924 101.917369)
(xy 119.974407 101.869558)
(xy 120.044408 101.85771)
(xy 120.109702 101.885589)
(xy 120.149558 101.944342)
(xy 120.154299 101.964903)
(xy 120.163398 102.02819)
(xy 120.1634 102.028197)
(xy 120.217203 102.146009)
(xy 120.217206 102.146013)
(xy 120.302014 102.243888)
(xy 120.302016 102.243889)
(xy 120.302017 102.24389)
(xy 120.410973 102.313912)
(xy 120.535242 102.3504)
(xy 120.664758 102.3504)
(xy 120.789027 102.313912)
(xy 120.831878 102.286372)
(xy 120.899999 102.26637)
(xy 120.968117 102.28637)
(xy 120.968122 102.286373)
(xy 121.010969 102.31391)
(xy 121.010971 102.31391)
(xy 121.010973 102.313912)
(xy 121.135242 102.3504)
(xy 121.264758 102.3504)
(xy 121.389027 102.313912)
(xy 121.497983 102.24389)
(xy 121.582797 102.146009)
(xy 121.6366 102.028197)

(xy 121.642654 101.986089)
(xy 121.655032 101.900003)
(xy 121.655032 101.899996)
(xy 121.636601 101.771809)
(xy 121.6366 101.771808)
(xy 121.6366 101.771803)
(xy 121.582797 101.653991)
(xy 121.582793 101.653986)
(xy 121.497985 101.556111)
(xy 121.497983 101.55611)
(xy 121.420183 101.506111)
(xy 121.389027 101.486088)
(xy 121.389026 101.486087)
(xy 121.389025 101.486087)
(xy 121.264758 101.4496)
(xy 121.135242 101.4496)
(xy 121.010974 101.486087)
(xy 121.010967 101.48609)
(xy 120.96812 101.513627)
(xy 120.899999 101.533629)
(xy 120.83188 101.513627)
(xy 120.789032 101.48609)
(xy 120.789025 101.486087)
(xy 120.664758 101.4496)
(xy 120.535242 101.4496)
(xy 120.410974 101.486087)
(xy 120.410971 101.486089)
(xy 120.302016 101.55611)
(xy 120.302014 101.556111)
(xy 120.246624 101.620036)
(xy 120.186898 101.65842)
(xy 120.115902 101.65842)
(xy 120.056176 101.620036)
(xy 120.026682 101.555456)
(xy 120.0254 101.537524)

(xy 120.0254 100.800003)
(xy 127.144968 100.800003)
(xy 127.163398 100.92819)
(xy 127.1634 100.928197)
(xy 127.217203 101.046009)
(xy 127.217206 101.046013)
(xy 127.302014 101.143888)
(xy 127.302016 101.143889)
(xy 127.302017 101.14389)
(xy 127.410973 101.213912)
(xy 127.535242 101.2504)
(xy 127.664758 101.2504)
(xy 127.789027 101.213912)
(xy 127.897983 101.14389)
(xy 127.982797 101.046009)
(xy 128.0366 100.928197)
(xy 128.040655 100.899996)
(xy 128.055032 100.800003)
(xy 128.055032 100.799996)
(xy 128.036601 100.671809)
(xy 128.0366 100.671808)
(xy 128.0366 100.671803)
(xy 127.982797 100.553991)
(xy 127.982793 100.553986)
(xy 127.897985 100.456111)
(xy 127.897983 100.45611)
(xy 127.866825 100.436086)
(xy 127.820006 100.405997)
(xy 127.773514 100.352342)
(xy 127.76341 100.282068)
(xy 127.792903 100.217488)
(xy 127.820007 100.194002)
(xy 127.897983 100.14389)
(xy 127.982797 100.046009)
(xy 128.0366 99.928197)

(xy 128.050979 99.82819)
(xy 128.055032 99.800003)
(xy 128.055032 99.799996)
(xy 128.036601 99.671809)
(xy 128.0366 99.671808)
(xy 128.0366 99.671803)
(xy 127.982797 99.553991)
(xy 127.982052 99.553131)
(xy 127.897985 99.456111)
(xy 127.897983 99.45611)
(xy 127.855889 99.429058)
(xy 127.789027 99.386088)
(xy 127.789026 99.386087)
(xy 127.789025 99.386087)
(xy 127.664758 99.3496)
(xy 127.535242 99.3496)
(xy 127.410974 99.386087)
(xy 127.410971 99.386089)
(xy 127.302016 99.45611)
(xy 127.302014 99.456111)
(xy 127.217206 99.553986)
(xy 127.217203 99.55399)
(xy 127.1634 99.671802)
(xy 127.163398 99.671809)
(xy 127.144968 99.799996)
(xy 127.144968 99.800003)
(xy 127.163398 99.92819)
(xy 127.1634 99.928197)
(xy 127.217203 100.046009)
(xy 127.217206 100.046013)
(xy 127.302014 100.143888)
(xy 127.302016 100.143889)
(xy 127.302017 100.14389)
(xy 127.33971 100.168114)
(xy 127.379992 100.194002)

(xy 127.426485 100.247658)
(xy 127.436588 100.317932)
(xy 127.407095 100.382513)
(xy 127.379992 100.405998)
(xy 127.302016 100.45611)
(xy 127.302014 100.456111)
(xy 127.217206 100.553986)
(xy 127.217203 100.55399)
(xy 127.1634 100.671802)
(xy 127.163398 100.671809)
(xy 127.144968 100.799996)
(xy 127.144968 100.800003)
(xy 120.0254 100.800003)
(xy 120.0254 99.7514)
(xy 120.045402 99.683279)
(xy 120.099058 99.636786)
(xy 120.1514 99.6254)
(xy 120.427785 99.6254)
(xy 120.991005 99.6254)
(xy 121.054235 99.62756)
(xy 121.095082 99.617605)
(xy 121.101422 99.6164)
(xy 121.104741 99.615943)
(xy 121.143084 99.610674)
(xy 121.158198 99.604108)
(xy 121.178549 99.597264)
(xy 121.194558 99.593364)
(xy 121.23123 99.572743)
(xy 121.236963 99.569895)
(xy 121.275556 99.553133)
(xy 121.288335 99.542735)
(xy 121.306087 99.530653)
(xy 121.32045 99.522578)
(xy 121.350177 99.492849)
(xy 121.35497 99.488524)

(xy 121.387592 99.461985)
(xy 121.397093 99.448524)
(xy 121.410931 99.432095)
(xy 122.644775 98.198251)
(xy 122.707086 98.164226)
(xy 122.777901 98.169291)
(xy 122.834737 98.211838)
(xy 122.859548 98.278358)
(xy 122.858586 98.305278)
(xy 122.845507 98.396256)
(xy 122.844968 98.400002)
(xy 122.844968 98.400003)
(xy 122.863398 98.52819)
(xy 122.8634 98.528197)
(xy 122.917203 98.646009)
(xy 122.917206 98.646013)
(xy 123.002014 98.743888)
(xy 123.005984 98.747328)
(xy 123.044364 98.807056)
(xy 123.04436 98.878053)
(xy 123.005973 98.937777)
(xy 122.991587 98.948546)
(xy 122.902016 99.00611)
(xy 122.902014 99.006111)
(xy 122.817206 99.103986)
(xy 122.817203 99.10399)
(xy 122.7634 99.221802)
(xy 122.763398 99.221809)
(xy 122.744968 99.349996)
(xy 122.744968 99.350003)
(xy 122.763398 99.47819)
(xy 122.7634 99.478197)
(xy 122.817956 99.597658)
(xy 122.828059 99.667932)
(xy 122.817956 99.702342)

(xy 122.7634 99.821802)
(xy 122.763398 99.821809)
(xy 122.744968 99.949996)
(xy 122.744968 99.950003)
(xy 122.763398 100.07819)
(xy 122.7634 100.078197)
(xy 122.817203 100.196009)
(xy 122.817206 100.196013)
(xy 122.902014 100.293888)
(xy 122.902016 100.293889)
(xy 122.902017 100.29389)
(xy 123.010973 100.363912)
(xy 123.135242 100.4004)
(xy 123.264758 100.4004)
(xy 123.389027 100.363912)
(xy 123.497983 100.29389)
(xy 123.582797 100.196009)
(xy 123.6366 100.078197)
(xy 123.641228 100.046009)
(xy 123.655032 99.950003)
(xy 123.655032 99.949996)
(xy 123.636601 99.821809)
(xy 123.6366 99.821808)
(xy 123.6366 99.821803)
(xy 123.582797 99.703991)
(xy 123.582795 99.703989)
(xy 123.582043 99.702341)
(xy 123.571939 99.632067)
(xy 123.582044 99.597656)
(xy 123.582795 99.596011)
(xy 123.582797 99.596009)
(xy 123.6366 99.478197)
(xy 123.63971 99.456564)
(xy 123.655032 99.350003)
(xy 124.544968 99.350003)

(xy 124.563398 99.47819)
(xy 124.5634 99.478197)
(xy 124.617203 99.596009)
(xy 124.617206 99.596013)
(xy 124.702014 99.693888)
(xy 124.702016 99.693889)
(xy 124.702017 99.69389)
(xy 124.810973 99.763912)
(xy 124.935242 99.8004)
(xy 125.064758 99.8004)
(xy 125.189027 99.763912)
(xy 125.297983 99.69389)
(xy 125.307178 99.683279)
(xy 125.34131 99.643888)
(xy 125.382797 99.596009)
(xy 125.4366 99.478197)
(xy 125.43971 99.456564)
(xy 125.455032 99.350003)
(xy 125.455032 99.349996)
(xy 125.436601 99.221809)
(xy 125.4366 99.221808)
(xy 125.4366 99.221803)
(xy 125.382797 99.103991)
(xy 125.363366 99.081566)
(xy 125.297985 99.006111)
(xy 125.297983 99.00611)
(xy 125.276191 98.992105)
(xy 125.189027 98.936088)
(xy 125.189026 98.936087)
(xy 125.189025 98.936087)
(xy 125.064758 98.8996)
(xy 124.935242 98.8996)
(xy 124.810974 98.936087)
(xy 124.810971 98.936089)
(xy 124.702016 99.00611)

(xy 124.702014 99.006111)
(xy 124.617206 99.103986)
(xy 124.617203 99.10399)
(xy 124.5634 99.221802)
(xy 124.563398 99.221809)
(xy 124.544968 99.349996)
(xy 124.544968 99.350003)
(xy 123.655032 99.350003)
(xy 123.655032 99.349996)
(xy 123.636601 99.221809)
(xy 123.6366 99.221808)
(xy 123.6366 99.221803)
(xy 123.582797 99.103991)
(xy 123.563247 99.081429)
(xy 123.497981 99.006107)
(xy 123.494015 99.00267)
(xy 123.455635 98.942942)
(xy 123.455639 98.871945)
(xy 123.494026 98.812222)
(xy 123.508409 98.801455)
(xy 123.597983 98.74389)
(xy 123.682797 98.646009)
(xy 123.7366 98.528197)
(xy 123.74053 98.500862)
(xy 123.755032 98.400003)
(xy 123.755032 98.399996)
(xy 123.736601 98.271809)
(xy 123.7366 98.271808)
(xy 123.7366 98.271803)
(xy 123.682797 98.153991)
(xy 123.682793 98.153986)
(xy 123.597985 98.056111)
(xy 123.597983 98.05611)
(xy 123.532322 98.013912)
(xy 123.489027 97.986088)

(xy 123.489026 97.986087)
(xy 123.489025 97.986087)
(xy 123.364758 97.9496)
(xy 123.235242 97.9496)
(xy 123.225 97.952607)
(xy 123.154004 97.952604)
(xy 123.094279 97.914218)
(xy 123.064789 97.849636)
(xy 123.074896 97.779362)
(xy 123.10041 97.742616)
(xy 124.443023 96.400003)
(xy 126.044968 96.400003)
(xy 126.063398 96.52819)
(xy 126.0634 96.528197)
(xy 126.117203 96.646009)
(xy 126.117206 96.646013)
(xy 126.202014 96.743888)
(xy 126.202016 96.743889)
(xy 126.202017 96.74389)
(xy 126.310973 96.813912)
(xy 126.435242 96.8504)
(xy 126.564758 96.8504)
(xy 126.689027 96.813912)
(xy 126.797983 96.74389)
(xy 126.882797 96.646009)
(xy 126.9366 96.528197)
(xy 126.940778 96.499137)
(xy 126.955032 96.400003)
(xy 126.955032 96.399996)
(xy 126.936601 96.271809)
(xy 126.9366 96.271808)
(xy 126.9366 96.271803)
(xy 126.882797 96.153991)
(xy 126.882793 96.153986)
(xy 126.797985 96.056111)

(xy 126.797983 96.05611)
(xy 126.720183 96.006111)
(xy 126.689027 95.986088)
(xy 126.689026 95.986087)
(xy 126.689025 95.986087)
(xy 126.564758 95.9496)
(xy 126.435242 95.9496)
(xy 126.310974 95.986087)
(xy 126.310971 95.986089)
(xy 126.202016 96.05611)
(xy 126.202014 96.056111)
(xy 126.117206 96.153986)
(xy 126.117203 96.15399)
(xy 126.0634 96.271802)
(xy 126.063398 96.271809)
(xy 126.044968 96.399996)
(xy 126.044968 96.400003)
(xy 124.443023 96.400003)
(xy 125.965145 94.877881)
(xy 126.011391 94.834691)
(xy 126.033244 94.798753)
(xy 126.036866 94.793432)
(xy 126.062276 94.759926)
(xy 126.068316 94.744607)
(xy 126.077873 94.725363)
(xy 126.086434 94.711288)
(xy 126.097782 94.670781)
(xy 126.099826 94.664702)
(xy 126.115261 94.625566)
(xy 126.116946 94.60917)
(xy 126.120957 94.58807)
(xy 126.1254 94.572215)
(xy 126.1254 94.530168)
(xy 126.125731 94.52372)
(xy 126.130031 94.481894)

(xy 126.129392 94.47819)
(xy 126.127232 94.465658)
(xy 126.1254 94.444251)
(xy 126.1254 92.5514)
(xy 126.145402 92.483279)
(xy 126.199058 92.436786)
(xy 126.2514 92.4254)
(xy 127.135942 92.4254)
(xy 127.135955 92.425399)
(xy 127.24308 92.410675)
(xy 127.243081 92.410674)
(xy 127.243084 92.410674)
(xy 127.375556 92.353133)
(xy 127.375557 92.353131)
(xy 127.375559 92.353131)
(xy 127.375561 92.353129)
(xy 127.487586 92.26199)
(xy 127.487586 92.261989)
(xy 127.487592 92.261985)
(xy 127.570881 92.143991)
(xy 127.619247 92.007901)
(xy 127.629104 91.863808)
(xy 127.599719 91.7224)
(xy 127.599718 91.722398)
(xy 127.599718 91.722397)
(xy 127.557841 91.641579)
(xy 127.533272 91.594163)
(xy 127.434691 91.488609)
(xy 127.311288 91.413566)
(xy 127.172215 91.3746)
(xy 127.172214 91.3746)
(xy 125.620103 91.3746)
(xy 125.615807 91.374453)
(xy 125.563808 91.370896)
(xy 125.563807 91.370896)

(xy 125.512771 91.381501)
(xy 125.508544 91.382229)
(xy 125.492473 91.384438)
(xy 125.456916 91.389325)
(xy 125.456915 91.389325)
(xy 125.452096 91.391419)
(xy 125.427545 91.399211)
(xy 125.422407 91.400278)
(xy 125.422398 91.400282)
(xy 125.376133 91.424253)
(xy 125.37225 91.4261)
(xy 125.324444 91.446866)
(xy 125.32444 91.446868)
(xy 125.320366 91.450183)
(xy 125.298833 91.464307)
(xy 125.294166 91.466725)
(xy 125.294161 91.466728)
(xy 125.256074 91.502299)
(xy 125.252832 91.505126)
(xy 125.212405 91.538016)
(xy 125.209377 91.542307)
(xy 125.192451 91.561719)
(xy 125.188612 91.565304)
(xy 125.188608 91.565308)
(xy 125.161528 91.609837)
(xy 125.159171 91.613432)
(xy 125.12912 91.656006)
(xy 125.129118 91.656001)
(xy 125.127359 91.66096)
(xy 125.116299 91.684217)
(xy 125.113566 91.688711)
(xy 125.113563 91.688716)
(xy 125.099505 91.738893)
(xy 125.098204 91.742993)
(xy 125.080753 91.792096)

(xy 125.080752 91.792105)
(xy 125.080393 91.797346)
(xy 125.076019 91.822715)
(xy 125.0746 91.827779)
(xy 125.0746 91.879896)
(xy 125.074453 91.884191)
(xy 125.073587 91.896856)
(xy 125.070896 91.936191)
(xy 125.071964 91.941329)
(xy 125.0746 91.966968)
(xy 125.0746 94.230181)
(xy 125.054598 94.298302)
(xy 125.037695 94.319276)
(xy 121.44285 97.914121)
(xy 121.380538 97.948147)
(xy 121.309723 97.943082)
(xy 121.252887 97.900535)
(xy 121.239141 97.877368)
(xy 121.2366 97.871803)
(xy 121.182797 97.753991)
(xy 121.172939 97.742614)
(xy 121.097985 97.656111)
(xy 121.097983 97.65611)
(xy 121.064816 97.634795)
(xy 120.989027 97.586088)
(xy 120.989026 97.586087)
(xy 120.989025 97.586087)
(xy 120.864758 97.5496)
(xy 120.735242 97.5496)
(xy 120.610974 97.586087)
(xy 120.610971 97.586089)
(xy 120.502016 97.65611)
(xy 120.502014 97.656111)
(xy 120.417206 97.753986)
(xy 120.417203 97.75399)

(xy 120.3634 97.871802)
(xy 120.363398 97.871809)
(xy 120.344968 97.999996)
(xy 120.344968 98.000003)
(xy 120.363398 98.12819)
(xy 120.3634 98.128197)
(xy 120.417203 98.246009)
(xy 120.417206 98.246013)
(xy 120.502014 98.343888)
(xy 120.508829 98.349793)
(xy 120.507536 98.351285)
(xy 120.546505 98.396256)
(xy 120.55661 98.46653)
(xy 120.527118 98.531111)
(xy 120.467392 98.569496)
(xy 120.431892 98.5746)
(xy 119.520103 98.5746)
(xy 119.515807 98.574453)
(xy 119.463808 98.570896)
(xy 119.463807 98.570896)
(xy 119.412771 98.581501)
(xy 119.408544 98.582229)
(xy 119.392473 98.584438)
(xy 119.356916 98.589325)
(xy 119.356915 98.589325)
(xy 119.352096 98.591419)
(xy 119.327545 98.599211)
(xy 119.322407 98.600278)
(xy 119.322398 98.600282)
(xy 119.276133 98.624253)
(xy 119.27225 98.6261)
(xy 119.224444 98.646866)
(xy 119.22444 98.646868)
(xy 119.220366 98.650183)
(xy 119.198833 98.664307)

(xy 119.194166 98.666725)
(xy 119.194161 98.666728)
(xy 119.156074 98.702299)
(xy 119.152832 98.705126)
(xy 119.112405 98.738016)
(xy 119.109377 98.742307)
(xy 119.092451 98.761719)
(xy 119.088612 98.765304)
(xy 119.088608 98.765308)
(xy 119.061528 98.809837)
(xy 119.059171 98.813432)
(xy 119.02912 98.856006)
(xy 119.029118 98.85601)
(xy 119.027359 98.86096)
(xy 119.016299 98.884217)
(xy 119.013566 98.888711)
(xy 119.013563 98.888716)
(xy 118.999505 98.938893)
(xy 118.998204 98.942993)
(xy 118.980753 98.992096)
(xy 118.980752 98.992105)
(xy 118.980393 98.997346)
(xy 118.976019 99.022715)
(xy 118.9746 99.027779)
(xy 118.9746 99.079896)
(xy 118.974453 99.084196)
(xy 118.970896 99.136191)
(xy 118.971964 99.141329)
(xy 118.9746 99.166968)
(xy 118.9746 100.47477)
(xy 118.954598 100.542891)
(xy 118.900942 100.589384)
(xy 118.830668 100.599488)
(xy 118.796265 100.589387)
(xy 118.789041 100.586088)

(xy 118.66477 100.5496)
(xy 118.535254 100.5496)
(xy 118.410986 100.586087)
(xy 118.410983 100.586089)
(xy 118.302028 100.65611)
(xy 118.302026 100.656111)
(xy 118.217218 100.753986)
(xy 118.217215 100.75399)
(xy 118.163412 100.871802)
(xy 118.16341 100.871809)
(xy 118.14498 100.999996)
(xy 118.14498 101.000003)
(xy 118.16341 101.12819)
(xy 118.163412 101.128197)
(xy 118.217215 101.246009)
(xy 118.217218 101.246013)
(xy 118.302026 101.343888)
(xy 118.302028 101.343889)
(xy 118.302029 101.34389)
(xy 118.410985 101.413912)
(xy 118.535254 101.4504)
(xy 118.60238 101.4504)
(xy 118.670501 101.470402)
(xy 118.716994 101.524058)
(xy 118.727098 101.594332)
(xy 118.697604 101.658912)
(xy 118.691475 101.665495)
(xy 118.634839 101.722132)
(xy 118.58861 101.765307)
(xy 118.588607 101.765311)
(xy 118.566763 101.801231)
(xy 118.563132 101.806566)
(xy 118.537723 101.840074)
(xy 118.531677 101.855403)
(xy 118.522128 101.874628)

(xy 118.513569 101.888704)
(xy 118.513566 101.888712)
(xy 118.502221 101.929199)
(xy 118.500164 101.935315)
(xy 118.482597 101.979862)
(xy 118.439 102.035896)
(xy 118.372029 102.059464)
(xy 118.302948 102.043083)
(xy 118.297261 102.039637)
(xy 118.235578 101.999996)
(xy 118.213937 101.986088)
(xy 118.213936 101.986087)
(xy 118.213935 101.986087)
(xy 118.089668 101.9496)
(xy 117.960152 101.9496)
(xy 117.835884 101.986087)
(xy 117.835881 101.986089)
(xy 117.726926 102.05611)
(xy 117.726924 102.056111)
(xy 117.642116 102.153986)
(xy 117.642113 102.15399)
(xy 117.58831 102.271802)
(xy 117.588308 102.271809)
(xy 117.569878 102.399996)
(xy 117.569878 102.400003)
(xy 117.588308 102.52819)
(xy 117.58831 102.528197)
(xy 117.642113 102.646009)
(xy 117.642116 102.646013)
(xy 117.726924 102.743888)
(xy 117.726926 102.743889)
(xy 117.726927 102.74389)
(xy 117.835883 102.813912)
(xy 117.960152 102.8504)
(xy 118.089668 102.8504)

(xy 118.213937 102.813912)
(xy 118.280479 102.771147)
(xy 118.348599 102.751145)
(xy 118.41672 102.771146)
(xy 118.463213 102.824802)
(xy 118.4746 102.877145)
(xy 118.4746 103.174776)
(xy 118.454598 103.242897)
(xy 118.400942 103.28939)
(xy 118.330668 103.299494)
(xy 118.296262 103.289392)
(xy 118.289025 103.286087)
(xy 118.164758 103.2496)
(xy 118.035242 103.2496)
(xy 117.910974 103.286087)
(xy 117.910971 103.286089)
(xy 117.802016 103.35611)
(xy 117.802014 103.356111)
(xy 117.717206 103.453986)
(xy 117.717203 103.45399)
(xy 117.6634 103.571802)
(xy 117.663398 103.571809)
(xy 117.644968 103.699996)
(xy 117.644968 103.700003)
(xy 117.663398 103.82819)
(xy 117.6634 103.828197)
(xy 117.717203 103.946009)
(xy 117.779139 104.017488)
(xy 117.808632 104.082069)
(xy 117.798527 104.152343)
(xy 117.779139 104.182512)
(xy 117.717203 104.25399)
(xy 117.6634 104.371802)
(xy 117.663398 104.371809)
(xy 117.644968 104.499996)

(xy 117.644968 104.500003)
(xy 117.663398 104.62819)
(xy 117.6634 104.628197)
(xy 117.717203 104.746009)
(xy 117.717206 104.746013)
(xy 117.802014 104.843888)
(xy 117.802016 104.843889)
(xy 117.802017 104.84389)
(xy 117.910973 104.913912)
(xy 118.035242 104.9504)
(xy 118.164758 104.9504)
(xy 118.289027 104.913912)
(xy 118.289034 104.913907)
(xy 118.296256 104.91061)
(xy 118.36653 104.900505)
(xy 118.431111 104.929997)
(xy 118.469496 104.989723)
(xy 118.4746 105.025223)
(xy 118.4746 115.230182)
(xy 118.454598 115.298303)
(xy 118.437695 115.319277)
(xy 116.119277 117.637695)
(xy 116.056965 117.671721)
(xy 116.030182 117.6746)
(xy 91.2014 117.6746)
(xy 91.133279 117.654598)
(xy 91.086786 117.600942)
(xy 91.0754 117.5486)
(xy 91.0754 115.820003)
(xy 91.564759 115.820003)
(xy 91.584072 116.016104)
(xy 91.584073 116.016109)
(xy 91.584074 116.016113)
(xy 91.598598 116.063991)
(xy 91.641278 116.20469)

(xy 91.715683 116.34389)
(xy 91.734173 116.378482)
(xy 91.859187 116.530813)
(xy 92.011518 116.655827)
(xy 92.185311 116.748722)
(xy 92.373887 116.805926)
(xy 92.373893 116.805926)
(xy 92.373895 116.805927)
(xy 92.569997 116.825241)
(xy 92.57 116.825241)
(xy 92.570003 116.825241)
(xy 92.766104 116.805927)
(xy 92.766104 116.805926)
(xy 92.766113 116.805926)
(xy 92.954689 116.748722)
(xy 93.128482 116.655827)
(xy 93.280813 116.530813)
(xy 93.405827 116.378482)
(xy 93.498722 116.204689)
(xy 93.555926 116.016113)
(xy 93.560851 115.96611)
(xy 93.575241 115.820003)
(xy 94.104759 115.820003)
(xy 94.124072 116.016104)
(xy 94.124073 116.016109)
(xy 94.124074 116.016113)
(xy 94.138598 116.063991)
(xy 94.181278 116.20469)
(xy 94.255683 116.34389)
(xy 94.274173 116.378482)
(xy 94.399187 116.530813)
(xy 94.551518 116.655827)
(xy 94.725311 116.748722)
(xy 94.913887 116.805926)
(xy 94.913893 116.805926)

(xy 94.913895 116.805927)
(xy 95.109997 116.825241)
(xy 95.11 116.825241)
(xy 95.110003 116.825241)
(xy 95.306104 116.805927)
(xy 95.306104 116.805926)
(xy 95.306113 116.805926)
(xy 95.494689 116.748722)
(xy 95.668482 116.655827)
(xy 95.820813 116.530813)
(xy 95.945827 116.378482)
(xy 96.038722 116.204689)
(xy 96.095926 116.016113)
(xy 96.100851 115.96611)
(xy 96.115241 115.820003)
(xy 96.644759 115.820003)
(xy 96.664072 116.016104)
(xy 96.664073 116.016109)
(xy 96.664074 116.016113)
(xy 96.678598 116.063991)
(xy 96.721278 116.20469)
(xy 96.795683 116.34389)
(xy 96.814173 116.378482)
(xy 96.939187 116.530813)
(xy 97.091518 116.655827)
(xy 97.265311 116.748722)
(xy 97.453887 116.805926)
(xy 97.453893 116.805926)
(xy 97.453895 116.805927)
(xy 97.649997 116.825241)
(xy 97.65 116.825241)
(xy 97.650003 116.825241)
(xy 97.846104 116.805927)
(xy 97.846104 116.805926)
(xy 97.846113 116.805926)

(xy 98.034689 116.748722)
(xy 98.208482 116.655827)
(xy 98.360813 116.530813)
(xy 98.485827 116.378482)
(xy 98.578722 116.204689)
(xy 98.635926 116.016113)
(xy 98.640851 115.96611)
(xy 98.655241 115.820003)
(xy 99.184759 115.820003)
(xy 99.204072 116.016104)
(xy 99.204073 116.016109)
(xy 99.204074 116.016113)
(xy 99.218598 116.063991)
(xy 99.261278 116.20469)
(xy 99.335683 116.34389)
(xy 99.354173 116.378482)
(xy 99.479187 116.530813)
(xy 99.631518 116.655827)
(xy 99.805311 116.748722)
(xy 99.993887 116.805926)
(xy 99.993893 116.805926)
(xy 99.993895 116.805927)
(xy 100.189997 116.825241)
(xy 100.19 116.825241)
(xy 100.190003 116.825241)
(xy 100.386104 116.805927)
(xy 100.386104 116.805926)
(xy 100.386113 116.805926)
(xy 100.574689 116.748722)
(xy 100.748482 116.655827)
(xy 100.900813 116.530813)
(xy 101.025827 116.378482)
(xy 101.118722 116.204689)
(xy 101.175926 116.016113)
(xy 101.180851 115.96611)

(xy 101.195241 115.820003)
(xy 101.724759 115.820003)
(xy 101.744072 116.016104)
(xy 101.744073 116.016109)
(xy 101.744074 116.016113)
(xy 101.758598 116.063991)
(xy 101.801278 116.20469)
(xy 101.875683 116.34389)
(xy 101.894173 116.378482)
(xy 102.019187 116.530813)
(xy 102.171518 116.655827)
(xy 102.345311 116.748722)
(xy 102.533887 116.805926)
(xy 102.533893 116.805926)
(xy 102.533895 116.805927)
(xy 102.729997 116.825241)
(xy 102.73 116.825241)
(xy 102.730003 116.825241)
(xy 102.926104 116.805927)
(xy 102.926104 116.805926)
(xy 102.926113 116.805926)
(xy 103.114689 116.748722)
(xy 103.288482 116.655827)
(xy 103.440813 116.530813)
(xy 103.565827 116.378482)
(xy 103.658722 116.204689)
(xy 103.715926 116.016113)
(xy 103.720851 115.96611)
(xy 103.735241 115.820003)
(xy 104.264759 115.820003)
(xy 104.284072 116.016104)
(xy 104.284073 116.016109)
(xy 104.284074 116.016113)
(xy 104.298598 116.063991)
(xy 104.341278 116.20469)

(xy 104.415683 116.34389)
(xy 104.434173 116.378482)
(xy 104.559187 116.530813)
(xy 104.711518 116.655827)
(xy 104.885311 116.748722)
(xy 105.073887 116.805926)
(xy 105.073893 116.805926)
(xy 105.073895 116.805927)
(xy 105.269997 116.825241)
(xy 105.27 116.825241)
(xy 105.270003 116.825241)
(xy 105.466104 116.805927)
(xy 105.466104 116.805926)
(xy 105.466113 116.805926)
(xy 105.654689 116.748722)
(xy 105.828482 116.655827)
(xy 105.980813 116.530813)
(xy 106.105827 116.378482)
(xy 106.198722 116.204689)
(xy 106.255926 116.016113)
(xy 106.260851 115.96611)
(xy 106.275241 115.820003)
(xy 106.804759 115.820003)
(xy 106.824072 116.016104)
(xy 106.824073 116.016109)
(xy 106.824074 116.016113)
(xy 106.838598 116.063991)
(xy 106.881278 116.20469)
(xy 106.955683 116.34389)
(xy 106.974173 116.378482)
(xy 107.099187 116.530813)
(xy 107.251518 116.655827)
(xy 107.425311 116.748722)
(xy 107.613887 116.805926)
(xy 107.613893 116.805926)

(xy 107.613895 116.805927)
(xy 107.809997 116.825241)
(xy 107.81 116.825241)
(xy 107.810003 116.825241)
(xy 108.006104 116.805927)
(xy 108.006104 116.805926)
(xy 108.006113 116.805926)
(xy 108.194689 116.748722)
(xy 108.368482 116.655827)
(xy 108.520813 116.530813)
(xy 108.645827 116.378482)
(xy 108.738722 116.204689)
(xy 108.795926 116.016113)
(xy 108.800851 115.96611)
(xy 108.815241 115.820003)
(xy 109.344759 115.820003)
(xy 109.364072 116.016104)
(xy 109.364073 116.016109)
(xy 109.364074 116.016113)
(xy 109.378598 116.063991)
(xy 109.421278 116.20469)
(xy 109.495683 116.34389)
(xy 109.514173 116.378482)
(xy 109.639187 116.530813)
(xy 109.791518 116.655827)
(xy 109.965311 116.748722)
(xy 110.153887 116.805926)
(xy 110.153893 116.805926)
(xy 110.153895 116.805927)
(xy 110.349997 116.825241)
(xy 110.35 116.825241)
(xy 110.350003 116.825241)
(xy 110.546104 116.805927)
(xy 110.546104 116.805926)
(xy 110.546113 116.805926)

(xy 110.734689 116.748722)
(xy 110.908482 116.655827)
(xy 111.060813 116.530813)
(xy 111.185827 116.378482)
(xy 111.278722 116.204689)
(xy 111.335926 116.016113)
(xy 111.340851 115.96611)
(xy 111.355241 115.820003)
(xy 111.884759 115.820003)
(xy 111.904072 116.016104)
(xy 111.904073 116.016109)
(xy 111.904074 116.016113)
(xy 111.918598 116.063991)
(xy 111.961278 116.20469)
(xy 112.035683 116.34389)
(xy 112.054173 116.378482)
(xy 112.179187 116.530813)
(xy 112.331518 116.655827)
(xy 112.505311 116.748722)
(xy 112.693887 116.805926)
(xy 112.693893 116.805926)
(xy 112.693895 116.805927)
(xy 112.889997 116.825241)
(xy 112.89 116.825241)
(xy 112.890003 116.825241)
(xy 113.086104 116.805927)
(xy 113.086104 116.805926)
(xy 113.086113 116.805926)
(xy 113.274689 116.748722)
(xy 113.448482 116.655827)
(xy 113.600813 116.530813)
(xy 113.725827 116.378482)
(xy 113.818722 116.204689)
(xy 113.875926 116.016113)
(xy 113.880851 115.96611)

(xy 113.895241 115.820003)
(xy 113.895241 115.819996)
(xy 113.875927 115.623895)
(xy 113.875926 115.623893)
(xy 113.875926 115.623887)
(xy 113.818722 115.435311)
(xy 113.725827 115.261518)
(xy 113.600813 115.109187)
(xy 113.448482 114.984173)
(xy 113.44848 114.984172)
(xy 113.448479 114.984171)
(xy 113.27469 114.891278)
(xy 113.210508 114.871809)
(xy 113.086113 114.834074)
(xy 113.086109 114.834073)
(xy 113.086104 114.834072)
(xy 112.890003 114.814759)
(xy 112.889997 114.814759)
(xy 112.693895 114.834072)
(xy 112.693889 114.834073)
(xy 112.693887 114.834074)
(xy 112.616017 114.857695)
(xy 112.505309 114.891278)
(xy 112.33152 114.984171)
(xy 112.179187 115.109187)
(xy 112.054171 115.26152)
(xy 111.961278 115.435309)
(xy 111.933391 115.527243)
(xy 111.905889 115.617906)
(xy 111.904072 115.623895)
(xy 111.884759 115.819996)
(xy 111.884759 115.820003)
(xy 111.355241 115.820003)
(xy 111.355241 115.819996)
(xy 111.335927 115.623895)

(xy 111.335926 115.623893)
(xy 111.335926 115.623887)
(xy 111.278722 115.435311)
(xy 111.185827 115.261518)
(xy 111.060813 115.109187)
(xy 110.908482 114.984173)
(xy 110.90848 114.984172)
(xy 110.908479 114.984171)
(xy 110.73469 114.891278)
(xy 110.670508 114.871809)
(xy 110.546113 114.834074)
(xy 110.546109 114.834073)
(xy 110.546104 114.834072)
(xy 110.350003 114.814759)
(xy 110.349997 114.814759)
(xy 110.153895 114.834072)
(xy 110.153889 114.834073)
(xy 110.153887 114.834074)
(xy 110.076017 114.857695)
(xy 109.965309 114.891278)
(xy 109.79152 114.984171)
(xy 109.639187 115.109187)
(xy 109.514171 115.26152)
(xy 109.421278 115.435309)
(xy 109.393391 115.527243)
(xy 109.365889 115.617906)
(xy 109.364072 115.623895)
(xy 109.344759 115.819996)
(xy 109.344759 115.820003)
(xy 108.815241 115.820003)
(xy 108.815241 115.819996)
(xy 108.795927 115.623895)
(xy 108.795926 115.623893)
(xy 108.795926 115.623887)
(xy 108.738722 115.435311)

(xy 108.645827 115.261518)
(xy 108.520813 115.109187)
(xy 108.368482 114.984173)
(xy 108.36848 114.984172)
(xy 108.368479 114.984171)
(xy 108.19469 114.891278)
(xy 108.130508 114.871809)
(xy 108.006113 114.834074)
(xy 108.006109 114.834073)
(xy 108.006104 114.834072)
(xy 107.810003 114.814759)
(xy 107.809997 114.814759)
(xy 107.613895 114.834072)
(xy 107.613889 114.834073)
(xy 107.613887 114.834074)
(xy 107.536017 114.857695)
(xy 107.425309 114.891278)
(xy 107.25152 114.984171)
(xy 107.099187 115.109187)
(xy 106.974171 115.26152)
(xy 106.881278 115.435309)
(xy 106.853391 115.527243)
(xy 106.825889 115.617906)
(xy 106.824072 115.623895)
(xy 106.804759 115.819996)
(xy 106.804759 115.820003)
(xy 106.275241 115.820003)
(xy 106.275241 115.819996)
(xy 106.255927 115.623895)
(xy 106.255926 115.623893)
(xy 106.255926 115.623887)
(xy 106.198722 115.435311)
(xy 106.105827 115.261518)
(xy 105.980813 115.109187)
(xy 105.828482 114.984173)

(xy 105.82848 114.984172)
(xy 105.828479 114.984171)
(xy 105.65469 114.891278)
(xy 105.590508 114.871809)
(xy 105.466113 114.834074)
(xy 105.466109 114.834073)
(xy 105.466104 114.834072)
(xy 105.270003 114.814759)
(xy 105.269997 114.814759)
(xy 105.073895 114.834072)
(xy 105.073889 114.834073)
(xy 105.073887 114.834074)
(xy 104.996017 114.857695)
(xy 104.885309 114.891278)
(xy 104.71152 114.984171)
(xy 104.559187 115.109187)
(xy 104.434171 115.26152)
(xy 104.341278 115.435309)
(xy 104.313391 115.527243)
(xy 104.285889 115.617906)
(xy 104.284072 115.623895)
(xy 104.264759 115.819996)
(xy 104.264759 115.820003)
(xy 103.735241 115.820003)
(xy 103.735241 115.819996)
(xy 103.715927 115.623895)
(xy 103.715926 115.623893)
(xy 103.715926 115.623887)
(xy 103.658722 115.435311)
(xy 103.565827 115.261518)
(xy 103.440813 115.109187)
(xy 103.288482 114.984173)
(xy 103.28848 114.984172)
(xy 103.288479 114.984171)
(xy 103.11469 114.891278)

(xy 103.050508 114.871809)
(xy 102.926113 114.834074)
(xy 102.926109 114.834073)
(xy 102.926104 114.834072)
(xy 102.730003 114.814759)
(xy 102.729997 114.814759)
(xy 102.533895 114.834072)
(xy 102.533889 114.834073)
(xy 102.533887 114.834074)
(xy 102.456017 114.857695)
(xy 102.345309 114.891278)
(xy 102.17152 114.984171)
(xy 102.019187 115.109187)
(xy 101.894171 115.26152)
(xy 101.801278 115.435309)
(xy 101.773391 115.527243)
(xy 101.745889 115.617906)
(xy 101.744072 115.623895)
(xy 101.724759 115.819996)
(xy 101.724759 115.820003)
(xy 101.195241 115.820003)
(xy 101.195241 115.819996)
(xy 101.175927 115.623895)
(xy 101.175926 115.623893)
(xy 101.175926 115.623887)
(xy 101.118722 115.435311)
(xy 101.025827 115.261518)
(xy 100.900813 115.109187)
(xy 100.748482 114.984173)
(xy 100.74848 114.984172)
(xy 100.748479 114.984171)
(xy 100.57469 114.891278)
(xy 100.510508 114.871809)
(xy 100.386113 114.834074)
(xy 100.386109 114.834073)

(xy 100.386104 114.834072)
(xy 100.190003 114.814759)
(xy 100.189997 114.814759)
(xy 99.993895 114.834072)
(xy 99.993889 114.834073)
(xy 99.993887 114.834074)
(xy 99.916017 114.857695)
(xy 99.805309 114.891278)
(xy 99.63152 114.984171)
(xy 99.479187 115.109187)
(xy 99.354171 115.26152)
(xy 99.261278 115.435309)
(xy 99.233391 115.527243)
(xy 99.205889 115.617906)
(xy 99.204072 115.623895)
(xy 99.184759 115.819996)
(xy 99.184759 115.820003)
(xy 98.655241 115.820003)
(xy 98.655241 115.819996)
(xy 98.635927 115.623895)
(xy 98.635926 115.623893)
(xy 98.635926 115.623887)
(xy 98.578722 115.435311)
(xy 98.485827 115.261518)
(xy 98.360813 115.109187)
(xy 98.208482 114.984173)
(xy 98.20848 114.984172)
(xy 98.208479 114.984171)
(xy 98.03469 114.891278)
(xy 97.970508 114.871809)
(xy 97.846113 114.834074)
(xy 97.846109 114.834073)
(xy 97.846104 114.834072)
(xy 97.650003 114.814759)
(xy 97.649997 114.814759)

(xy 97.453895 114.834072)
(xy 97.453889 114.834073)
(xy 97.453887 114.834074)
(xy 97.376017 114.857695)
(xy 97.265309 114.891278)
(xy 97.09152 114.984171)
(xy 96.939187 115.109187)
(xy 96.814171 115.26152)
(xy 96.721278 115.435309)
(xy 96.693391 115.527243)
(xy 96.665889 115.617906)
(xy 96.664072 115.623895)
(xy 96.644759 115.819996)
(xy 96.644759 115.820003)
(xy 96.115241 115.820003)
(xy 96.115241 115.819996)
(xy 96.095927 115.623895)
(xy 96.095926 115.623893)
(xy 96.095926 115.623887)
(xy 96.038722 115.435311)
(xy 95.945827 115.261518)
(xy 95.820813 115.109187)
(xy 95.668482 114.984173)
(xy 95.66848 114.984172)
(xy 95.668479 114.984171)
(xy 95.49469 114.891278)
(xy 95.430508 114.871809)
(xy 95.306113 114.834074)
(xy 95.306109 114.834073)
(xy 95.306104 114.834072)
(xy 95.110003 114.814759)
(xy 95.109997 114.814759)
(xy 94.913895 114.834072)
(xy 94.913889 114.834073)
(xy 94.913887 114.834074)

(xy 94.836017 114.857695)
(xy 94.725309 114.891278)
(xy 94.55152 114.984171)
(xy 94.399187 115.109187)
(xy 94.274171 115.26152)
(xy 94.181278 115.435309)
(xy 94.153391 115.527243)
(xy 94.125889 115.617906)
(xy 94.124072 115.623895)
(xy 94.104759 115.819996)
(xy 94.104759 115.820003)
(xy 93.575241 115.820003)
(xy 93.575241 115.819996)
(xy 93.555927 115.623895)
(xy 93.555926 115.623893)
(xy 93.555926 115.623887)
(xy 93.498722 115.435311)
(xy 93.405827 115.261518)
(xy 93.280813 115.109187)
(xy 93.128482 114.984173)
(xy 93.12848 114.984172)
(xy 93.128479 114.984171)
(xy 92.95469 114.891278)
(xy 92.890508 114.871809)
(xy 92.766113 114.834074)
(xy 92.766109 114.834073)
(xy 92.766104 114.834072)
(xy 92.570003 114.814759)
(xy 92.569997 114.814759)
(xy 92.373895 114.834072)
(xy 92.373889 114.834073)
(xy 92.373887 114.834074)
(xy 92.296017 114.857695)
(xy 92.185309 114.891278)
(xy 92.01152 114.984171)

(xy 91.859187 115.109187)
(xy 91.734171 115.26152)
(xy 91.641278 115.435309)
(xy 91.613391 115.527243)
(xy 91.585889 115.617906)
(xy 91.584072 115.623895)
(xy 91.564759 115.819996)
(xy 91.564759 115.820003)
(xy 91.0754 115.820003)
(xy 91.0754 113.280003)
(xy 91.564759 113.280003)
(xy 91.584072 113.476104)
(xy 91.584073 113.476109)
(xy 91.584074 113.476113)
(xy 91.607552 113.553509)
(xy 91.641278 113.66469)
(xy 91.734171 113.838479)
(xy 91.734173 113.838482)
(xy 91.859187 113.990813)
(xy 92.011518 114.115827)
(xy 92.185311 114.208722)
(xy 92.373887 114.265926)
(xy 92.373893 114.265926)
(xy 92.373895 114.265927)
(xy 92.569997 114.285241)
(xy 92.57 114.285241)
(xy 92.570003 114.285241)
(xy 92.766104 114.265927)
(xy 92.766104 114.265926)
(xy 92.766113 114.265926)
(xy 92.954689 114.208722)
(xy 93.128482 114.115827)
(xy 93.280813 113.990813)
(xy 93.405827 113.838482)
(xy 93.498722 113.664689)

(xy 93.555926 113.476113)
(xy 93.566199 113.371809)
(xy 93.575241 113.280003)
(xy 94.104759 113.280003)
(xy 94.124072 113.476104)
(xy 94.124073 113.476109)
(xy 94.124074 113.476113)
(xy 94.147552 113.553509)
(xy 94.181278 113.66469)
(xy 94.274171 113.838479)
(xy 94.274173 113.838482)
(xy 94.399187 113.990813)
(xy 94.551518 114.115827)
(xy 94.725311 114.208722)
(xy 94.913887 114.265926)
(xy 94.913893 114.265926)
(xy 94.913895 114.265927)
(xy 95.109997 114.285241)
(xy 95.11 114.285241)
(xy 95.110003 114.285241)
(xy 95.306104 114.265927)
(xy 95.306104 114.265926)
(xy 95.306113 114.265926)
(xy 95.494689 114.208722)
(xy 95.668482 114.115827)
(xy 95.820813 113.990813)
(xy 95.945827 113.838482)
(xy 96.038722 113.664689)
(xy 96.095926 113.476113)
(xy 96.106199 113.371809)
(xy 96.115241 113.280003)
(xy 96.644759 113.280003)
(xy 96.664072 113.476104)
(xy 96.664073 113.476109)
(xy 96.664074 113.476113)

(xy 96.687552 113.553509)
(xy 96.721278 113.66469)
(xy 96.814171 113.838479)
(xy 96.814173 113.838482)
(xy 96.939187 113.990813)
(xy 97.091518 114.115827)
(xy 97.265311 114.208722)
(xy 97.453887 114.265926)
(xy 97.453893 114.265926)
(xy 97.453895 114.265927)
(xy 97.649997 114.285241)
(xy 97.65 114.285241)
(xy 97.650003 114.285241)
(xy 97.846104 114.265927)
(xy 97.846104 114.265926)
(xy 97.846113 114.265926)
(xy 98.034689 114.208722)
(xy 98.208482 114.115827)
(xy 98.360813 113.990813)
(xy 98.485827 113.838482)
(xy 98.578722 113.664689)
(xy 98.635926 113.476113)
(xy 98.646199 113.371809)
(xy 98.655241 113.280003)
(xy 99.184759 113.280003)
(xy 99.204072 113.476104)
(xy 99.204073 113.476109)
(xy 99.204074 113.476113)
(xy 99.227552 113.553509)
(xy 99.261278 113.66469)
(xy 99.354171 113.838479)
(xy 99.354173 113.838482)
(xy 99.479187 113.990813)
(xy 99.631518 114.115827)
(xy 99.805311 114.208722)

(xy 99.993887 114.265926)
(xy 99.993893 114.265926)
(xy 99.993895 114.265927)
(xy 100.189997 114.285241)
(xy 100.19 114.285241)
(xy 100.190003 114.285241)
(xy 100.386104 114.265927)
(xy 100.386104 114.265926)
(xy 100.386113 114.265926)
(xy 100.574689 114.208722)
(xy 100.748482 114.115827)
(xy 100.900813 113.990813)
(xy 101.025827 113.838482)
(xy 101.118722 113.664689)
(xy 101.175926 113.476113)
(xy 101.186199 113.371809)
(xy 101.195241 113.280003)
(xy 101.724759 113.280003)
(xy 101.744072 113.476104)
(xy 101.744073 113.476109)
(xy 101.744074 113.476113)
(xy 101.767552 113.553509)
(xy 101.801278 113.66469)
(xy 101.894171 113.838479)
(xy 101.894173 113.838482)
(xy 102.019187 113.990813)
(xy 102.171518 114.115827)
(xy 102.345311 114.208722)
(xy 102.533887 114.265926)
(xy 102.533893 114.265926)
(xy 102.533895 114.265927)
(xy 102.729997 114.285241)
(xy 102.73 114.285241)
(xy 102.730003 114.285241)
(xy 102.926104 114.265927)

(xy 102.926104 114.265926)
(xy 102.926113 114.265926)
(xy 103.114689 114.208722)
(xy 103.288482 114.115827)
(xy 103.440813 113.990813)
(xy 103.565827 113.838482)
(xy 103.658722 113.664689)
(xy 103.715926 113.476113)
(xy 103.726199 113.371809)
(xy 103.735241 113.280003)
(xy 104.264759 113.280003)
(xy 104.284072 113.476104)
(xy 104.284073 113.476109)
(xy 104.284074 113.476113)
(xy 104.307552 113.553509)
(xy 104.341278 113.66469)
(xy 104.434171 113.838479)
(xy 104.434173 113.838482)
(xy 104.559187 113.990813)
(xy 104.711518 114.115827)
(xy 104.885311 114.208722)
(xy 105.073887 114.265926)
(xy 105.073893 114.265926)
(xy 105.073895 114.265927)
(xy 105.269997 114.285241)
(xy 105.27 114.285241)
(xy 105.270003 114.285241)
(xy 105.466104 114.265927)
(xy 105.466104 114.265926)
(xy 105.466113 114.265926)
(xy 105.654689 114.208722)
(xy 105.828482 114.115827)
(xy 105.980813 113.990813)
(xy 106.105827 113.838482)
(xy 106.198722 113.664689)

(xy 106.255926 113.476113)
(xy 106.266199 113.371809)
(xy 106.275241 113.280003)
(xy 106.804759 113.280003)
(xy 106.824072 113.476104)
(xy 106.824073 113.476109)
(xy 106.824074 113.476113)
(xy 106.847552 113.553509)
(xy 106.881278 113.66469)
(xy 106.974171 113.838479)
(xy 106.974173 113.838482)
(xy 107.099187 113.990813)
(xy 107.251518 114.115827)
(xy 107.425311 114.208722)
(xy 107.613887 114.265926)
(xy 107.613893 114.265926)
(xy 107.613895 114.265927)
(xy 107.809997 114.285241)
(xy 107.81 114.285241)
(xy 107.810003 114.285241)
(xy 108.006104 114.265927)
(xy 108.006104 114.265926)
(xy 108.006113 114.265926)
(xy 108.194689 114.208722)
(xy 108.368482 114.115827)
(xy 108.520813 113.990813)
(xy 108.645827 113.838482)
(xy 108.738722 113.664689)
(xy 108.795926 113.476113)
(xy 108.806199 113.371809)
(xy 108.815241 113.280003)
(xy 109.344759 113.280003)
(xy 109.364072 113.476104)
(xy 109.364073 113.476109)
(xy 109.364074 113.476113)

(xy 109.387552 113.553509)
(xy 109.421278 113.66469)
(xy 109.514171 113.838479)
(xy 109.514173 113.838482)
(xy 109.639187 113.990813)
(xy 109.791518 114.115827)
(xy 109.965311 114.208722)
(xy 110.153887 114.265926)
(xy 110.153893 114.265926)
(xy 110.153895 114.265927)
(xy 110.349997 114.285241)
(xy 110.35 114.285241)
(xy 110.350003 114.285241)
(xy 110.546104 114.265927)
(xy 110.546104 114.265926)
(xy 110.546113 114.265926)
(xy 110.734689 114.208722)
(xy 110.908482 114.115827)
(xy 111.060813 113.990813)
(xy 111.185827 113.838482)
(xy 111.278722 113.664689)
(xy 111.335926 113.476113)
(xy 111.346199 113.371809)
(xy 111.355241 113.280003)
(xy 111.355241 113.279996)
(xy 111.335927 113.083895)
(xy 111.335926 113.083893)
(xy 111.335926 113.083887)
(xy 111.278722 112.895311)
(xy 111.2778 112.893587)
(xy 111.185828 112.72152)
(xy 111.185827 112.721518)
(xy 111.060813 112.569187)
(xy 110.908482 112.444173)
(xy 110.90848 112.444172)

(xy 110.908479 112.444171)
(xy 110.73469 112.351278)
(xy 110.679335 112.334486)
(xy 110.546113 112.294074)
(xy 110.546109 112.294073)
(xy 110.546104 112.294072)
(xy 110.350003 112.274759)
(xy 110.349997 112.274759)
(xy 110.153895 112.294072)
(xy 110.153889 112.294073)
(xy 110.153887 112.294074)
(xy 110.117777 112.305028)
(xy 109.965309 112.351278)
(xy 109.79152 112.444171)
(xy 109.639187 112.569187)
(xy 109.514171 112.72152)
(xy 109.421278 112.895309)
(xy 109.400559 112.963611)
(xy 109.37087 113.061486)
(xy 109.364072 113.083895)
(xy 109.344759 113.279996)
(xy 109.344759 113.280003)
(xy 108.815241 113.280003)
(xy 108.815241 113.279996)
(xy 108.795927 113.083895)
(xy 108.795926 113.083893)
(xy 108.795926 113.083887)
(xy 108.738722 112.895311)
(xy 108.7378 112.893587)
(xy 108.645828 112.72152)
(xy 108.645827 112.721518)
(xy 108.520813 112.569187)
(xy 108.368482 112.444173)
(xy 108.36848 112.444172)
(xy 108.368479 112.444171)

(xy 108.19469 112.351278)
(xy 108.139335 112.334486)
(xy 108.006113 112.294074)
(xy 108.006109 112.294073)
(xy 108.006104 112.294072)
(xy 107.810003 112.274759)
(xy 107.809997 112.274759)
(xy 107.613895 112.294072)
(xy 107.613889 112.294073)
(xy 107.613887 112.294074)
(xy 107.577777 112.305028)
(xy 107.425309 112.351278)
(xy 107.25152 112.444171)
(xy 107.099187 112.569187)
(xy 106.974171 112.72152)
(xy 106.881278 112.895309)
(xy 106.860559 112.963611)
(xy 106.83087 113.061486)
(xy 106.824072 113.083895)
(xy 106.804759 113.279996)
(xy 106.804759 113.280003)
(xy 106.275241 113.280003)
(xy 106.275241 113.279996)
(xy 106.255927 113.083895)
(xy 106.255926 113.083893)
(xy 106.255926 113.083887)
(xy 106.198722 112.895311)
(xy 106.1978 112.893587)
(xy 106.105828 112.72152)
(xy 106.105827 112.721518)
(xy 105.980813 112.569187)
(xy 105.828482 112.444173)
(xy 105.82848 112.444172)
(xy 105.828479 112.444171)
(xy 105.65469 112.351278)

(xy 105.599335 112.334486)
(xy 105.466113 112.294074)
(xy 105.466109 112.294073)
(xy 105.466104 112.294072)
(xy 105.270003 112.274759)
(xy 105.269997 112.274759)
(xy 105.073895 112.294072)
(xy 105.073889 112.294073)
(xy 105.073887 112.294074)
(xy 105.037777 112.305028)
(xy 104.885309 112.351278)
(xy 104.71152 112.444171)
(xy 104.559187 112.569187)
(xy 104.434171 112.72152)
(xy 104.341278 112.895309)
(xy 104.320559 112.963611)
(xy 104.29087 113.061486)
(xy 104.284072 113.083895)
(xy 104.264759 113.279996)
(xy 104.264759 113.280003)
(xy 103.735241 113.280003)
(xy 103.735241 113.279996)
(xy 103.715927 113.083895)
(xy 103.715926 113.083893)
(xy 103.715926 113.083887)
(xy 103.658722 112.895311)
(xy 103.6578 112.893587)
(xy 103.565828 112.72152)
(xy 103.565827 112.721518)
(xy 103.440813 112.569187)
(xy 103.288482 112.444173)
(xy 103.28848 112.444172)
(xy 103.288479 112.444171)
(xy 103.11469 112.351278)
(xy 103.059335 112.334486)

(xy 102.926113 112.294074)
(xy 102.926109 112.294073)
(xy 102.926104 112.294072)
(xy 102.730003 112.274759)
(xy 102.729997 112.274759)
(xy 102.533895 112.294072)
(xy 102.533889 112.294073)
(xy 102.533887 112.294074)
(xy 102.497777 112.305028)
(xy 102.345309 112.351278)
(xy 102.17152 112.444171)
(xy 102.019187 112.569187)
(xy 101.894171 112.72152)
(xy 101.801278 112.895309)
(xy 101.780559 112.963611)
(xy 101.75087 113.061486)
(xy 101.744072 113.083895)
(xy 101.724759 113.279996)
(xy 101.724759 113.280003)
(xy 101.195241 113.280003)
(xy 101.195241 113.279996)
(xy 101.175927 113.083895)
(xy 101.175926 113.083893)
(xy 101.175926 113.083887)
(xy 101.118722 112.895311)
(xy 101.1178 112.893587)
(xy 101.025828 112.72152)
(xy 101.025827 112.721518)
(xy 100.900813 112.569187)
(xy 100.748482 112.444173)
(xy 100.74848 112.444172)
(xy 100.748479 112.444171)
(xy 100.57469 112.351278)
(xy 100.519335 112.334486)
(xy 100.386113 112.294074)

(xy 100.386109 112.294073)
(xy 100.386104 112.294072)
(xy 100.190003 112.274759)
(xy 100.189997 112.274759)
(xy 99.993895 112.294072)
(xy 99.993889 112.294073)
(xy 99.993887 112.294074)
(xy 99.957777 112.305028)
(xy 99.805309 112.351278)
(xy 99.63152 112.444171)
(xy 99.479187 112.569187)
(xy 99.354171 112.72152)
(xy 99.261278 112.895309)
(xy 99.240559 112.963611)
(xy 99.21087 113.061486)
(xy 99.204072 113.083895)
(xy 99.184759 113.279996)
(xy 99.184759 113.280003)
(xy 98.655241 113.280003)
(xy 98.655241 113.279996)
(xy 98.635927 113.083895)
(xy 98.635926 113.083893)
(xy 98.635926 113.083887)
(xy 98.578722 112.895311)
(xy 98.5778 112.893587)
(xy 98.485828 112.72152)
(xy 98.485827 112.721518)
(xy 98.360813 112.569187)
(xy 98.208482 112.444173)
(xy 98.20848 112.444172)
(xy 98.208479 112.444171)
(xy 98.03469 112.351278)
(xy 97.979335 112.334486)
(xy 97.846113 112.294074)
(xy 97.846109 112.294073)

(xy 97.846104 112.294072)
(xy 97.650003 112.274759)
(xy 97.649997 112.274759)
(xy 97.453895 112.294072)
(xy 97.453889 112.294073)
(xy 97.453887 112.294074)
(xy 97.417777 112.305028)
(xy 97.265309 112.351278)
(xy 97.09152 112.444171)
(xy 96.939187 112.569187)
(xy 96.814171 112.72152)
(xy 96.721278 112.895309)
(xy 96.700559 112.963611)
(xy 96.67087 113.061486)
(xy 96.664072 113.083895)
(xy 96.644759 113.279996)
(xy 96.644759 113.280003)
(xy 96.115241 113.280003)
(xy 96.115241 113.279996)
(xy 96.095927 113.083895)
(xy 96.095926 113.083893)
(xy 96.095926 113.083887)
(xy 96.038722 112.895311)
(xy 96.0378 112.893587)
(xy 95.945828 112.72152)
(xy 95.945827 112.721518)
(xy 95.820813 112.569187)
(xy 95.668482 112.444173)
(xy 95.66848 112.444172)
(xy 95.668479 112.444171)
(xy 95.49469 112.351278)
(xy 95.439335 112.334486)
(xy 95.306113 112.294074)
(xy 95.306109 112.294073)
(xy 95.306104 112.294072)

(xy 95.110003 112.274759)
(xy 95.109997 112.274759)
(xy 94.913895 112.294072)
(xy 94.913889 112.294073)
(xy 94.913887 112.294074)
(xy 94.877777 112.305028)
(xy 94.725309 112.351278)
(xy 94.55152 112.444171)
(xy 94.399187 112.569187)
(xy 94.274171 112.72152)
(xy 94.181278 112.895309)
(xy 94.160559 112.963611)
(xy 94.13087 113.061486)
(xy 94.124072 113.083895)
(xy 94.104759 113.279996)
(xy 94.104759 113.280003)
(xy 93.575241 113.280003)
(xy 93.575241 113.279996)
(xy 93.555927 113.083895)
(xy 93.555926 113.083893)
(xy 93.555926 113.083887)
(xy 93.498722 112.895311)
(xy 93.4978 112.893587)
(xy 93.405828 112.72152)
(xy 93.405827 112.721518)
(xy 93.280813 112.569187)
(xy 93.128482 112.444173)
(xy 93.12848 112.444172)
(xy 93.128479 112.444171)
(xy 92.95469 112.351278)
(xy 92.899335 112.334486)
(xy 92.766113 112.294074)
(xy 92.766109 112.294073)
(xy 92.766104 112.294072)
(xy 92.570003 112.274759)

(xy 92.569997 112.274759)
(xy 92.373895 112.294072)
(xy 92.373889 112.294073)
(xy 92.373887 112.294074)
(xy 92.337777 112.305028)
(xy 92.185309 112.351278)
(xy 92.01152 112.444171)
(xy 91.859187 112.569187)
(xy 91.734171 112.72152)
(xy 91.641278 112.895309)
(xy 91.620559 112.963611)
(xy 91.59087 113.061486)
(xy 91.584072 113.083895)
(xy 91.564759 113.279996)
(xy 91.564759 113.280003)
(xy 91.0754 113.280003)
(xy 91.0754 112.289616)
(xy 91.086786 112.237274)
(xy 91.1366 112.128197)
(xy 91.142654 112.086089)
(xy 91.155032 112.000003)
(xy 91.155032 111.999996)
(xy 91.136601 111.871809)
(xy 91.1366 111.871808)
(xy 91.1366 111.871803)
(xy 91.082797 111.753991)
(xy 91.082793 111.753986)
(xy 90.997985 111.656111)
(xy 90.997983 111.65611)
(xy 90.978968 111.64389)
(xy 90.889027 111.586088)
(xy 90.889026 111.586087)
(xy 90.889025 111.586087)
(xy 90.764758 111.5496)
(xy 90.635242 111.5496)

(xy 90.510974 111.586087)
(xy 90.510971 111.586089)
(xy 90.402016 111.65611)
(xy 90.402014 111.656111)
(xy 90.317206 111.753986)
(xy 90.317203 111.75399)
(xy 90.2634 111.871802)
(xy 90.263398 111.871809)
(xy 90.244968 111.999996)
(xy 90.244968 112.000003)
(xy 90.263398 112.12819)
(xy 90.2634 112.128197)
(xy 90.305452 112.220279)
(xy 90.313214 112.237274)
(xy 90.3246 112.289616)
(xy 90.3246 117.5486)
(xy 90.304598 117.616721)
(xy 90.250942 117.663214)
(xy 90.1986 117.6746)
(xy 83.3014 117.6746)
(xy 83.233279 117.654598)
(xy 83.186786 117.600942)
(xy 83.1754 117.5486)
(xy 83.1754 116.289616)
(xy 83.186786 116.237274)
(xy 83.200585 116.207058)
(xy 83.2366 116.128197)
(xy 83.236872 116.126301)
(xy 83.255032 116.000003)
(xy 87.844968 116.000003)
(xy 87.863398 116.12819)
(xy 87.8634 116.128197)
(xy 87.917203 116.246009)
(xy 87.917206 116.246013)
(xy 88.002014 116.343888)

(xy 88.002016 116.343889)
(xy 88.002017 116.34389)
(xy 88.110973 116.413912)
(xy 88.235242 116.4504)
(xy 88.364758 116.4504)
(xy 88.489027 116.413912)
(xy 88.597983 116.34389)
(xy 88.682797 116.246009)
(xy 88.7366 116.128197)
(xy 88.736872 116.126301)
(xy 88.755032 116.000003)
(xy 88.755032 115.999996)
(xy 88.736601 115.871809)
(xy 88.7366 115.871808)
(xy 88.7366 115.871803)
(xy 88.682797 115.753991)
(xy 88.682793 115.753986)
(xy 88.597985 115.656111)
(xy 88.597983 115.65611)
(xy 88.564885 115.634839)
(xy 88.489027 115.586088)
(xy 88.489026 115.586087)
(xy 88.489025 115.586087)
(xy 88.364758 115.5496)
(xy 88.235242 115.5496)
(xy 88.110974 115.586087)
(xy 88.110971 115.586089)
(xy 88.002016 115.65611)
(xy 88.002014 115.656111)
(xy 87.917206 115.753986)
(xy 87.917203 115.75399)
(xy 87.8634 115.871802)
(xy 87.863398 115.871809)
(xy 87.844968 115.999996)
(xy 87.844968 116.000003)

(xy 83.255032 116.000003)
(xy 83.255032 115.999996)
(xy 83.236601 115.871809)
(xy 83.2366 115.871808)
(xy 83.2366 115.871803)
(xy 83.182797 115.753991)
(xy 83.182793 115.753986)
(xy 83.097985 115.656111)
(xy 83.097983 115.65611)
(xy 83.064885 115.634839)
(xy 82.989027 115.586088)
(xy 82.989026 115.586087)
(xy 82.989025 115.586087)
(xy 82.864758 115.5496)
(xy 82.735242 115.5496)
(xy 82.610974 115.586087)
(xy 82.610971 115.586089)
(xy 82.502016 115.65611)
(xy 82.502014 115.656111)
(xy 82.417206 115.753986)
(xy 82.417203 115.75399)
(xy 82.3634 115.871802)
(xy 82.363398 115.871809)
(xy 82.344968 115.999996)
(xy 82.344968 116.000003)
(xy 82.363398 116.12819)
(xy 82.3634 116.128197)
(xy 82.413214 116.237274)
(xy 82.4246 116.289616)
(xy 82.4246 117.5486)
(xy 82.404598 117.616721)
(xy 82.350942 117.663214)
(xy 82.2986 117.6746)
(xy 79.119818 117.6746)
(xy 79.051697 117.654598)

(xy 79.030723 117.637695)
(xy 77.027867 115.634839)
(xy 76.984692 115.58861)
(xy 76.984691 115.588609)
(xy 76.980545 115.586088)
(xy 76.948757 115.566757)
(xy 76.943432 115.563133)
(xy 76.909926 115.537723)
(xy 76.909924 115.537722)
(xy 76.894596 115.531677)
(xy 76.875361 115.522123)
(xy 76.86129 115.513567)
(xy 76.861289 115.513566)
(xy 76.845242 115.50907)
(xy 76.820795 115.50222)
(xy 76.814689 115.500166)
(xy 76.775569 115.484739)
(xy 76.775563 115.484738)
(xy 76.759176 115.483053)
(xy 76.73808 115.479044)
(xy 76.722215 115.4746)
(xy 76.680168 115.4746)
(xy 76.67372 115.474269)
(xy 76.631894 115.469968)
(xy 76.615659 115.472768)
(xy 76.594251 115.4746)
(xy 72.874141 115.4746)
(xy 72.810911 115.47244)
(xy 72.81091 115.47244)
(xy 72.770051 115.482395)
(xy 72.763713 115.4836)
(xy 72.722063 115.489325)
(xy 72.706945 115.495891)
(xy 72.686591 115.502735)
(xy 72.670591 115.506634)

(xy 72.670588 115.506635)
(xy 72.633936 115.527243)
(xy 72.628158 115.530113)
(xy 72.589592 115.546865)
(xy 72.589589 115.546867)
(xy 72.576809 115.557264)
(xy 72.559053 115.569349)
(xy 72.544695 115.577422)
(xy 72.544694 115.577422)
(xy 72.514962 115.607154)
(xy 72.510173 115.611476)
(xy 72.477552 115.638015)
(xy 72.46805 115.651477)
(xy 72.454209 115.667907)
(xy 71.915058 116.207058)
(xy 71.852746 116.241084)
(xy 71.781931 116.236019)
(xy 71.725095 116.193472)
(xy 71.711349 116.170305)
(xy 71.692119 116.128197)
(xy 71.662797 116.063991)
(xy 71.621311 116.016113)
(xy 71.577985 115.966111)
(xy 71.577983 115.96611)
(xy 71.561302 115.95539)
(xy 71.469027 115.896088)
(xy 71.469026 115.896087)
(xy 71.469025 115.896087)
(xy 71.344758 115.8596)
(xy 71.215242 115.8596)
(xy 71.090974 115.896087)
(xy 71.090971 115.896089)
(xy 70.982016 115.96611)
(xy 70.982014 115.966111)
(xy 70.897206 116.063986)

(xy 70.897203 116.06399)
(xy 70.8434 116.181802)
(xy 70.843398 116.181809)
(xy 70.824968 116.309996)
(xy 70.824968 116.310003)
(xy 70.843398 116.43819)
(xy 70.8434 116.438197)
(xy 70.897203 116.556009)
(xy 70.897206 116.556013)
(xy 70.982014 116.653888)
(xy 70.982016 116.653889)
(xy 70.982017 116.65389)
(xy 71.090973 116.723912)
(xy 71.090975 116.723912)
(xy 71.090976 116.723913)
(xy 71.12471 116.733818)
(xy 71.184437 116.772201)
(xy 71.21393 116.836781)
(xy 71.203827 116.907055)
(xy 71.17831 116.943806)
(xy 70.284421 117.837696)
(xy 70.222111 117.87172)
(xy 70.195328 117.8746)
(xy 68.101546 117.8746)
(xy 68.033425 117.854598)
(xy 67.986932 117.800942)
(xy 67.976828 117.730668)
(xy 68.006322 117.666088)
(xy 68.033425 117.642602)
(xy 68.039027 117.639002)
(xy 68.147983 117.56898)
(xy 68.232797 117.471099)
(xy 68.2866 117.353287)
(xy 68.305032 117.22509)
(xy 68.305032 117.225086)

(xy 68.286601 117.096899)
(xy 68.2866 117.096898)
(xy 68.2866 117.096893)
(xy 68.232797 116.979081)
(xy 68.202234 116.943809)
(xy 68.147985 116.881201)
(xy 68.147983 116.8812)
(xy 68.060909 116.825241)
(xy 68.039027 116.811178)
(xy 68.039026 116.811177)
(xy 68.039025 116.811177)
(xy 67.914758 116.77469)
(xy 67.785242 116.77469)
(xy 67.660974 116.811177)
(xy 67.660971 116.811179)
(xy 67.552016 116.8812)
(xy 67.552014 116.881201)
(xy 67.467206 116.979076)
(xy 67.467203 116.97908)
(xy 67.4134 117.096892)
(xy 67.413398 117.096899)
(xy 67.394968 117.225086)
(xy 67.394968 117.225093)
(xy 67.413398 117.35328)
(xy 67.4134 117.353287)
(xy 67.467203 117.471099)
(xy 67.467206 117.471103)
(xy 67.552014 117.568978)
(xy 67.552016 117.568979)
(xy 67.552017 117.56898)
(xy 67.660973 117.639002)
(xy 67.666575 117.642602)
(xy 67.713068 117.696258)
(xy 67.723171 117.766532)
(xy 67.693678 117.831112)

(xy 67.633952 117.869496)
(xy 67.598454 117.8746)
(xy 64.819638 117.8746)
(xy 64.751517 117.854598)
(xy 64.730543 117.837695)
(xy 64.262305 117.369457)
(xy 64.228279 117.307145)
(xy 64.2254 117.280362)
(xy 64.2254 115.55)
(xy 65.494508 115.55)
(xy 65.514354 115.675304)
(xy 65.514355 115.675305)
(xy 65.571949 115.788342)
(xy 65.661657 115.87805)
(xy 65.697057 115.896087)
(xy 65.774696 115.935646)
(xy 65.868481 115.9505)
(xy 65.868486 115.9505)
(xy 65.869667 115.950687)
(xy 65.872159 115.950981)
(xy 65.9 115.955391)
(xy 65.927837 115.950982)
(xy 65.930337 115.950686)
(xy 65.931511 115.9505)
(xy 65.931519 115.9505)
(xy 66.025304 115.935646)
(xy 66.138342 115.87805)
(xy 66.22805 115.788342)
(xy 66.285646 115.675304)
(xy 66.305492 115.55)
(xy 66.285646 115.424696)
(xy 66.239161 115.333465)
(xy 66.22805 115.311657)
(xy 66.138342 115.221949)
(xy 66.062502 115.183307)

(xy 66.025304 115.164354)
(xy 65.931519 115.1495)
(xy 65.931515 115.1495)
(xy 65.930303 115.149308)
(xy 65.927799 115.149011)
(xy 65.900001 115.144609)
(xy 65.899998 115.144609)
(xy 65.872202 115.149011)
(xy 65.869701 115.149307)
(xy 65.868482 115.1495)
(xy 65.868481 115.1495)
(xy 65.774696 115.164354)
(xy 65.774694 115.164354)
(xy 65.774694 115.164355)
(xy 65.661657 115.221949)
(xy 65.571949 115.311657)
(xy 65.525371 115.403074)
(xy 65.514354 115.424696)
(xy 65.501376 115.506635)
(xy 65.495005 115.546865)
(xy 65.494508 115.55)
(xy 64.2254 115.55)
(xy 64.2254 114.45)
(xy 65.494508 114.45)
(xy 65.514354 114.575304)
(xy 65.525372 114.596927)
(xy 65.571949 114.688342)
(xy 65.661657 114.77805)
(xy 65.700299 114.797738)
(xy 65.774696 114.835646)
(xy 65.868481 114.8505)
(xy 65.868486 114.8505)
(xy 65.869667 114.850687)
(xy 65.872159 114.850981)
(xy 65.9 114.855391)

(xy 65.927837 114.850982)
(xy 65.930337 114.850686)
(xy 65.931511 114.8505)
(xy 65.931519 114.8505)
(xy 66.025304 114.835646)
(xy 66.138342 114.77805)
(xy 66.22805 114.688342)
(xy 66.285646 114.575304)
(xy 66.305492 114.45)
(xy 66.285646 114.324696)
(xy 66.247738 114.250299)
(xy 66.22805 114.211657)
(xy 66.138342 114.121949)
(xy 66.062502 114.083307)
(xy 66.025304 114.064354)
(xy 65.931519 114.0495)
(xy 65.931515 114.0495)
(xy 65.930303 114.049308)
(xy 65.927799 114.049011)
(xy 65.900001 114.044609)
(xy 65.899998 114.044609)
(xy 65.872202 114.049011)
(xy 65.869701 114.049307)
(xy 65.868482 114.0495)
(xy 65.868481 114.0495)
(xy 65.774696 114.064354)
(xy 65.774694 114.064354)
(xy 65.774694 114.064355)
(xy 65.661657 114.121949)
(xy 65.571949 114.211657)
(xy 65.520311 114.313005)
(xy 65.514354 114.324696)
(xy 65.494508 114.45)
(xy 64.2254 114.45)
(xy 64.2254 114.025223)

(xy 64.245402 113.957102)
(xy 64.299058 113.910609)
(xy 64.369332 113.900505)
(xy 64.403744 113.91061)
(xy 64.410968 113.913908)
(xy 64.410973 113.913912)
(xy 64.535242 113.9504)
(xy 64.664758 113.9504)
(xy 64.789027 113.913912)
(xy 64.897983 113.84389)
(xy 64.982797 113.746009)
(xy 65.0366 113.628197)
(xy 65.04379 113.57819)
(xy 65.055032 113.500003)
(xy 66.744968 113.500003)
(xy 66.763398 113.62819)
(xy 66.7634 113.628197)
(xy 66.817203 113.746009)
(xy 66.817206 113.746013)
(xy 66.902014 113.843888)
(xy 66.902016 113.843889)
(xy 66.902017 113.84389)
(xy 67.010973 113.913912)
(xy 67.135242 113.9504)
(xy 67.264758 113.9504)
(xy 67.389027 113.913912)
(xy 67.497983 113.84389)
(xy 67.582797 113.746009)
(xy 67.6366 113.628197)
(xy 67.64379 113.57819)
(xy 67.655032 113.500003)
(xy 67.655032 113.499996)
(xy 67.647844 113.450003)
(xy 68.044968 113.450003)
(xy 68.063398 113.57819)

(xy 68.0634 113.578197)
(xy 68.117203 113.696009)
(xy 68.117206 113.696013)
(xy 68.202014 113.793888)
(xy 68.202016 113.793889)
(xy 68.202017 113.793889)
(xy 68.310973 113.863912)
(xy 68.435242 113.9004)
(xy 68.564758 113.9004)
(xy 68.689027 113.863912)
(xy 68.797983 113.793889)
(xy 68.882797 113.696009)
(xy 68.9366 113.578197)
(xy 68.955032 113.45)
(xy 68.955032 113.449996)
(xy 68.936601 113.321809)
(xy 68.9366 113.321808)
(xy 68.9366 113.321803)
(xy 68.930069 113.307503)
(xy 70.152468 113.307503)
(xy 70.170898 113.43569)
(xy 70.1709 113.435697)
(xy 70.224703 113.553509)
(xy 70.224706 113.553513)
(xy 70.309514 113.651388)
(xy 70.309516 113.651389)
(xy 70.309517 113.65139)
(xy 70.418473 113.721412)
(xy 70.542742 113.7579)
(xy 70.672258 113.7579)
(xy 70.796527 113.721412)
(xy 70.905483 113.65139)
(xy 70.990297 113.553509)
(xy 71.014732 113.500003)
(xy 87.844968 113.500003)

(xy 87.863398 113.62819)
(xy 87.8634 113.628197)
(xy 87.917203 113.746009)
(xy 87.917206 113.746013)
(xy 88.002014 113.843888)
(xy 88.002016 113.843889)
(xy 88.002017 113.84389)
(xy 88.110973 113.913912)
(xy 88.235242 113.9504)
(xy 88.364758 113.9504)
(xy 88.489027 113.913912)
(xy 88.597983 113.84389)
(xy 88.682797 113.746009)
(xy 88.7366 113.628197)
(xy 88.74379 113.57819)
(xy 88.755032 113.500003)
(xy 88.755032 113.499996)
(xy 88.736601 113.371809)
(xy 88.7366 113.371808)
(xy 88.7366 113.371803)
(xy 88.682797 113.253991)
(xy 88.681368 113.252342)
(xy 88.597985 113.156111)
(xy 88.597983 113.15611)
(xy 88.520183 113.106111)
(xy 88.489027 113.086088)
(xy 88.489026 113.086087)
(xy 88.489025 113.086087)
(xy 88.364758 113.0496)
(xy 88.235242 113.0496)
(xy 88.110974 113.086087)
(xy 88.110971 113.086089)
(xy 88.002016 113.15611)
(xy 88.002014 113.156111)
(xy 87.917206 113.253986)

(xy 87.917203 113.25399)
(xy 87.8634 113.371802)
(xy 87.863398 113.371809)
(xy 87.844968 113.499996)
(xy 87.844968 113.500003)
(xy 71.014732 113.500003)
(xy 71.0441 113.435697)
(xy 71.062532 113.3075)
(xy 71.062532 113.307496)
(xy 71.044101 113.179309)
(xy 71.0441 113.179308)
(xy 71.0441 113.179303)
(xy 70.990297 113.061491)
(xy 70.990293 113.061486)
(xy 70.905485 112.963611)
(xy 70.905483 112.96361)
(xy 70.850379 112.928197)
(xy 70.796527 112.893588)
(xy 70.796526 112.893587)
(xy 70.796525 112.893587)
(xy 70.672258 112.8571)
(xy 70.542742 112.8571)
(xy 70.418474 112.893587)
(xy 70.418471 112.893589)
(xy 70.309516 112.96361)
(xy 70.309514 112.963611)
(xy 70.224706 113.061486)
(xy 70.224703 113.06149)
(xy 70.1709 113.179302)
(xy 70.170898 113.179309)
(xy 70.152468 113.307496)
(xy 70.152468 113.307503)
(xy 68.930069 113.307503)
(xy 68.882797 113.203991)
(xy 68.863802 113.182069)

(xy 68.797985 113.106111)
(xy 68.797983 113.10611)
(xy 68.763403 113.083887)
(xy 68.689027 113.036088)
(xy 68.689026 113.036087)
(xy 68.689025 113.036087)
(xy 68.564758 112.9996)
(xy 68.435242 112.9996)
(xy 68.310974 113.036087)
(xy 68.310971 113.036089)
(xy 68.202016 113.10611)
(xy 68.202014 113.106111)
(xy 68.117206 113.203986)
(xy 68.117203 113.20399)
(xy 68.0634 113.321802)
(xy 68.063398 113.321809)
(xy 68.044968 113.449996)
(xy 68.044968 113.450003)
(xy 67.647844 113.450003)
(xy 67.636601 113.371809)
(xy 67.6366 113.371808)
(xy 67.6366 113.371803)
(xy 67.582797 113.253991)
(xy 67.582796 113.25399)
(xy 67.582044 113.252343)
(xy 67.571939 113.182069)
(xy 67.582044 113.147657)
(xy 67.582797 113.146009)
(xy 67.6366 113.028197)
(xy 67.655032 112.9)
(xy 67.655031 112.899996)
(xy 67.648864 112.8571)
(xy 67.646933 112.843672)
(xy 67.657036 112.7734)
(xy 67.703528 112.719744)

(xy 67.771648 112.699741)
(xy 67.780859 112.7004)
(xy 67.785242 112.7004)
(xy 67.914758 112.7004)
(xy 68.039027 112.663912)
(xy 68.147983 112.59389)
(xy 68.229336 112.500003)
(xy 73.344968 112.500003)
(xy 73.363398 112.62819)
(xy 73.3634 112.628197)
(xy 73.417203 112.746009)
(xy 73.417206 112.746013)
(xy 73.502014 112.843888)
(xy 73.502016 112.843889)
(xy 73.502017 112.84389)
(xy 73.610973 112.913912)
(xy 73.735242 112.9504)
(xy 73.864758 112.9504)
(xy 73.989027 112.913912)
(xy 74.097983 112.84389)
(xy 74.182797 112.746009)
(xy 74.2366 112.628197)
(xy 74.241533 112.593888)
(xy 74.255032 112.500003)
(xy 76.744968 112.500003)
(xy 76.763398 112.62819)
(xy 76.7634 112.628197)
(xy 76.817203 112.746009)
(xy 76.817206 112.746013)
(xy 76.902014 112.843888)
(xy 76.902016 112.843889)
(xy 76.902017 112.84389)
(xy 77.010973 112.913912)
(xy 77.135242 112.9504)
(xy 77.264758 112.9504)

(xy 77.389027 112.913912)
(xy 77.497983 112.84389)
(xy 77.582797 112.746009)
(xy 77.6366 112.628197)
(xy 77.641533 112.593888)
(xy 77.655032 112.500003)
(xy 77.655032 112.499996)
(xy 77.636601 112.371809)
(xy 77.6366 112.371808)
(xy 77.6366 112.371803)
(xy 77.582797 112.253991)
(xy 77.582793 112.253986)
(xy 77.497985 112.156111)
(xy 77.497983 112.15611)
(xy 77.467197 112.136325)
(xy 77.389027 112.086088)
(xy 77.389026 112.086087)
(xy 77.389025 112.086087)
(xy 77.264758 112.0496)
(xy 77.135242 112.0496)
(xy 77.010974 112.086087)
(xy 77.010971 112.086089)
(xy 76.902016 112.15611)
(xy 76.902014 112.156111)
(xy 76.817206 112.253986)
(xy 76.817203 112.25399)
(xy 76.7634 112.371802)
(xy 76.763398 112.371809)
(xy 76.744968 112.499996)
(xy 76.744968 112.500003)
(xy 74.255032 112.500003)
(xy 74.255032 112.499996)
(xy 74.236601 112.371809)
(xy 74.2366 112.371808)
(xy 74.2366 112.371803)

(xy 74.182797 112.253991)
(xy 74.182793 112.253986)
(xy 74.097985 112.156111)
(xy 74.097983 112.15611)
(xy 74.067197 112.136325)
(xy 73.989027 112.086088)
(xy 73.989026 112.086087)
(xy 73.989025 112.086087)
(xy 73.864758 112.0496)
(xy 73.735242 112.0496)
(xy 73.610974 112.086087)
(xy 73.610971 112.086089)
(xy 73.502016 112.15611)
(xy 73.502014 112.156111)
(xy 73.417206 112.253986)
(xy 73.417203 112.25399)
(xy 73.3634 112.371802)
(xy 73.363398 112.371809)
(xy 73.344968 112.499996)
(xy 73.344968 112.500003)
(xy 68.229336 112.500003)
(xy 68.232797 112.496009)
(xy 68.2866 112.378197)
(xy 68.298695 112.294074)
(xy 68.305032 112.250003)
(xy 68.305032 112.249996)
(xy 68.286601 112.121809)
(xy 68.2866 112.121808)
(xy 68.2866 112.121803)
(xy 68.232797 112.003991)
(xy 68.231871 112.002922)
(xy 68.147985 111.906111)
(xy 68.147983 111.90611)
(xy 68.125046 111.891369)
(xy 68.039027 111.836088)

(xy 68.039026 111.836087)
(xy 68.039025 111.836087)
(xy 67.914758 111.7996)
(xy 67.785242 111.7996)
(xy 67.660974 111.836087)
(xy 67.660971 111.836089)
(xy 67.552016 111.90611)
(xy 67.552014 111.906111)
(xy 67.467206 112.003986)
(xy 67.467203 112.00399)
(xy 67.4134 112.121802)
(xy 67.413398 112.121809)
(xy 67.394968 112.249996)
(xy 67.394968 112.250003)
(xy 67.403066 112.306326)
(xy 67.392963 112.3766)
(xy 67.34647 112.430256)
(xy 67.278349 112.450258)
(xy 67.269143 112.4496)
(xy 67.264758 112.4496)
(xy 67.135242 112.4496)
(xy 67.010974 112.486087)
(xy 67.010971 112.486089)
(xy 66.902016 112.55611)
(xy 66.902014 112.556111)
(xy 66.817206 112.653986)
(xy 66.817203 112.65399)
(xy 66.7634 112.771802)
(xy 66.763398 112.771809)
(xy 66.744968 112.899996)
(xy 66.744968 112.900003)
(xy 66.763398 113.02819)
(xy 66.7634 113.028197)
(xy 66.817956 113.147658)
(xy 66.828059 113.217932)

(xy 66.817956 113.252342)
(xy 66.7634 113.371802)
(xy 66.763398 113.371809)
(xy 66.744968 113.499996)
(xy 66.744968 113.500003)
(xy 65.055032 113.500003)
(xy 65.055032 113.499996)
(xy 65.036601 113.371809)
(xy 65.0366 113.371808)
(xy 65.0366 113.371803)
(xy 64.982797 113.253991)
(xy 64.982796 113.25399)
(xy 64.982044 113.252343)
(xy 64.971939 113.182069)
(xy 64.982044 113.147657)
(xy 64.982797 113.146009)
(xy 65.0366 113.028197)
(xy 65.055032 112.9)
(xy 65.055032 112.899998)
(xy 65.055032 112.899996)
(xy 65.036601 112.771809)
(xy 65.0366 112.771808)
(xy 65.0366 112.771803)
(xy 64.982797 112.653991)
(xy 64.9746 112.644531)
(xy 64.897985 112.556111)
(xy 64.897983 112.55611)
(xy 64.894678 112.553986)
(xy 64.789027 112.486088)
(xy 64.789026 112.486087)
(xy 64.789025 112.486087)
(xy 64.664758 112.4496)
(xy 64.535242 112.4496)
(xy 64.410974 112.486087)
(xy 64.403738 112.489392)

(xy 64.333463 112.499493)
(xy 64.268884 112.469997)
(xy 64.230502 112.41027)
(xy 64.2254 112.374776)
(xy 64.2254 110.914057)
(xy 64.225399 110.914044)
(xy 64.210675 110.806919)
(xy 64.205672 110.795402)
(xy 64.153133 110.674444)
(xy 64.153132 110.674443)
(xy 64.153131 110.67444)
(xy 64.153129 110.674438)
(xy 64.06199 110.562413)
(xy 64.061986 110.562409)
(xy 64.061985 110.562408)
(xy 64.061982 110.562406)
(xy 64.06198 110.562404)
(xy 63.94399 110.479118)
(xy 63.862058 110.45)
(xy 65.494508 110.45)
(xy 65.514354 110.575304)
(xy 65.533307 110.612502)
(xy 65.571949 110.688342)
(xy 65.661657 110.77805)
(xy 65.688037 110.791491)
(xy 65.774696 110.835646)
(xy 65.868481 110.8505)
(xy 65.868486 110.8505)
(xy 65.869667 110.850687)
(xy 65.872159 110.850981)
(xy 65.9 110.855391)
(xy 65.927837 110.850982)
(xy 65.930337 110.850686)
(xy 65.931511 110.8505)
(xy 65.931519 110.8505)

(xy 66.025304 110.835646)
(xy 66.138342 110.77805)
(xy 66.22805 110.688342)
(xy 66.285646 110.575304)
(xy 66.305492 110.45)
(xy 66.285646 110.324696)
(xy 66.245553 110.246009)
(xy 66.22805 110.211657)
(xy 66.138342 110.121949)
(xy 66.062502 110.083307)
(xy 66.025304 110.064354)
(xy 65.931519 110.0495)
(xy 65.931515 110.0495)
(xy 65.930303 110.049308)
(xy 65.927799 110.049011)
(xy 65.900001 110.044609)
(xy 65.899998 110.044609)
(xy 65.872202 110.049011)
(xy 65.869701 110.049307)
(xy 65.868482 110.0495)
(xy 65.868481 110.0495)
(xy 65.774696 110.064354)
(xy 65.774694 110.064354)
(xy 65.774694 110.064355)
(xy 65.661657 110.121949)
(xy 65.571949 110.211657)
(xy 65.514355 110.324694)
(xy 65.514354 110.324696)
(xy 65.494508 110.45)
(xy 63.862058 110.45)
(xy 63.807898 110.430752)
(xy 63.807903 110.430752)
(xy 63.663808 110.420896)
(xy 63.522397 110.450281)
(xy 63.394164 110.516727)

(xy 63.394161 110.516729)
(xy 63.28861 110.615307)
(xy 63.288609 110.615308)
(xy 63.213567 110.73871)
(xy 63.213566 110.738712)
(xy 63.175658 110.874009)
(xy 63.1746 110.877785)
(xy 63.1746 117.541185)
(xy 63.17244 117.604414)
(xy 59 117.604414)
(xy 59 115.50907)
(xy 59.020002 115.440949)
(xy 59.073658 115.394456)
(xy 59.143932 115.384352)
(xy 59.194122 115.403073)
(xy 59.210987 115.413912)
(xy 59.335256 115.4504)
(xy 59.464772 115.4504)
(xy 59.589041 115.413912)
(xy 59.697997 115.34389)
(xy 59.782811 115.246009)
(xy 59.836614 115.128197)
(xy 59.855046 115)
(xy 59.855046 114.999996)
(xy 59.836615 114.871809)
(xy 59.836614 114.871808)
(xy 59.836614 114.871803)
(xy 59.782811 114.753991)
(xy 59.782807 114.753986)
(xy 59.697999 114.656111)
(xy 59.697997 114.65611)
(xy 59.63703 114.616929)
(xy 59.589041 114.586088)
(xy 59.58904 114.586087)
(xy 59.589039 114.586087)

(xy 59.464772 114.5496)
(xy 59.335256 114.5496)
(xy 59.210988 114.586087)
(xy 59.210981 114.58609)
(xy 59.19412 114.596927)
(xy 59.126 114.616929)
(xy 59.057879 114.596927)
(xy 59.011386 114.543271)
(xy 59 114.490929)
(xy 59 112.800003)
(xy 60.844968 112.800003)
(xy 60.863398 112.92819)
(xy 60.8634 112.928197)
(xy 60.917203 113.046009)
(xy 60.917206 113.046013)
(xy 61.002014 113.143888)
(xy 61.002016 113.143889)
(xy 61.002017 113.14389)
(xy 61.110973 113.213912)
(xy 61.235242 113.2504)
(xy 61.364758 113.2504)
(xy 61.489027 113.213912)
(xy 61.597983 113.14389)
(xy 61.682797 113.046009)
(xy 61.7366 112.928197)
(xy 61.740654 112.9)
(xy 61.755032 112.800003)
(xy 61.755032 112.799996)
(xy 61.736601 112.671809)
(xy 61.7366 112.671808)
(xy 61.7366 112.671803)
(xy 61.682797 112.553991)
(xy 61.682793 112.553986)
(xy 61.597985 112.456111)
(xy 61.597983 112.45611)

(xy 61.575587 112.441717)
(xy 61.489027 112.386088)
(xy 61.489026 112.386087)
(xy 61.489025 112.386087)
(xy 61.364758 112.3496)
(xy 61.235242 112.3496)
(xy 61.110974 112.386087)
(xy 61.110971 112.386089)
(xy 61.002016 112.45611)
(xy 61.002014 112.456111)
(xy 60.917206 112.553986)
(xy 60.917203 112.55399)
(xy 60.8634 112.671802)
(xy 60.863398 112.671809)
(xy 60.844968 112.799996)
(xy 60.844968 112.800003)
(xy 59 112.800003)
(xy 59 111)
(xy 50.1765 111)
(xy 50.108379 110.979998)
(xy 50.061886 110.926342)
(xy 50.0505 110.874)
(xy 50.0505 110.000003)
(xy 54.594972 110.000003)
(xy 54.613402 110.12819)
(xy 54.613404 110.128197)
(xy 54.667207 110.246009)
(xy 54.66721 110.246013)
(xy 54.752018 110.343888)
(xy 54.75202 110.343889)
(xy 54.752021 110.34389)
(xy 54.860977 110.413912)
(xy 54.985246 110.4504)
(xy 55.114762 110.4504)
(xy 55.239031 110.413912)

(xy 55.347987 110.34389)
(xy 55.432801 110.246009)
(xy 55.486604 110.128197)
(xy 55.492658 110.086089)
(xy 55.505036 110.000003)
(xy 59.244968 110.000003)
(xy 59.263398 110.12819)
(xy 59.2634 110.128197)
(xy 59.317203 110.246009)
(xy 59.317206 110.246013)
(xy 59.402014 110.343888)
(xy 59.402016 110.343889)
(xy 59.402017 110.34389)
(xy 59.510973 110.413912)
(xy 59.635242 110.4504)
(xy 59.764758 110.4504)
(xy 59.889027 110.413912)
(xy 59.997983 110.34389)
(xy 60.082797 110.246009)
(xy 60.1366 110.128197)
(xy 60.142654 110.086089)
(xy 60.155032 110.000003)
(xy 60.155032 109.999996)
(xy 60.136601 109.871809)
(xy 60.1366 109.871808)
(xy 60.1366 109.871803)
(xy 60.10381 109.800003)
(xy 61.444968 109.800003)
(xy 61.463398 109.92819)
(xy 61.4634 109.928197)
(xy 61.517203 110.046009)
(xy 61.517206 110.046013)
(xy 61.602014 110.143888)
(xy 61.602016 110.143889)
(xy 61.602017 110.14389)

(xy 61.710973 110.213912)
(xy 61.835242 110.2504)
(xy 61.964758 110.2504)
(xy 62.089027 110.213912)
(xy 62.197983 110.14389)
(xy 62.282797 110.046009)
(xy 62.3366 109.928197)
(xy 62.342834 109.884839)
(xy 62.355032 109.800003)
(xy 62.355032 109.799996)
(xy 62.336601 109.671809)
(xy 62.3366 109.671808)
(xy 62.3366 109.671803)
(xy 62.282797 109.553991)
(xy 62.281475 109.552465)
(xy 62.197985 109.456111)
(xy 62.197983 109.45611)
(xy 62.163618 109.434025)
(xy 62.089027 109.386088)
(xy 62.089026 109.386087)
(xy 62.089025 109.386087)
(xy 61.96612 109.35)
(xy 65.494508 109.35)
(xy 65.514354 109.475304)
(xy 65.520967 109.488282)
(xy 65.571949 109.588342)
(xy 65.661657 109.67805)
(xy 65.680587 109.687695)
(xy 65.774696 109.735646)
(xy 65.868481 109.7505)
(xy 65.868486 109.7505)
(xy 65.869667 109.750687)
(xy 65.872159 109.750981)
(xy 65.9 109.755391)
(xy 65.927837 109.750982)

(xy 65.930337 109.750686)
(xy 65.931511 109.7505)
(xy 65.931519 109.7505)
(xy 66.025304 109.735646)
(xy 66.138342 109.67805)
(xy 66.22805 109.588342)
(xy 66.285646 109.475304)
(xy 66.302624 109.368105)
(xy 69.019968 109.368105)
(xy 69.022768 109.384341)
(xy 69.0246 109.405749)
(xy 69.0246 111.585955)
(xy 69.039324 111.69308)
(xy 69.096868 111.825559)
(xy 69.09687 111.825561)
(xy 69.188009 111.937586)
(xy 69.188013 111.937589)
(xy 69.188015 111.937592)
(xy 69.188018 111.937594)
(xy 69.188019 111.937595)
(xy 69.280567 112.002922)
(xy 69.306009 112.020881)
(xy 69.442099 112.069247)
(xy 69.442096 112.069247)
(xy 69.468108 112.071026)
(xy 69.586192 112.079104)
(xy 69.7276 112.049719)
(xy 69.855837 111.983272)
(xy 69.961391 111.884691)
(xy 70.036434 111.761288)
(xy 70.0754 111.622215)
(xy 70.0754 111.500003)
(xy 100.744968 111.500003)
(xy 100.763398 111.62819)
(xy 100.7634 111.628197)

(xy 100.817203 111.746009)
(xy 100.817206 111.746013)
(xy 100.902014 111.843888)
(xy 100.902016 111.843889)
(xy 100.902017 111.84389)
(xy 101.010973 111.913912)
(xy 101.135242 111.9504)
(xy 101.264758 111.9504)
(xy 101.389027 111.913912)
(xy 101.497983 111.84389)
(xy 101.504743 111.836089)
(xy 101.504775 111.836052)
(xy 101.5645 111.797667)
(xy 101.635497 111.797666)
(xy 101.695223 111.836049)
(xy 101.695225 111.836052)
(xy 101.702015 111.843889)
(xy 101.702017 111.84389)
(xy 101.810973 111.913912)
(xy 101.935242 111.9504)
(xy 102.064758 111.9504)
(xy 102.189027 111.913912)
(xy 102.297983 111.84389)
(xy 102.304743 111.836089)
(xy 102.304775 111.836052)
(xy 102.3645 111.797667)
(xy 102.435497 111.797666)
(xy 102.495223 111.836049)
(xy 102.495225 111.836052)
(xy 102.502015 111.843889)
(xy 102.502017 111.84389)
(xy 102.610973 111.913912)
(xy 102.735242 111.9504)
(xy 102.864758 111.9504)
(xy 102.989027 111.913912)

(xy 103.097983 111.84389)
(xy 103.104743 111.836089)
(xy 103.104775 111.836052)
(xy 103.1645 111.797667)
(xy 103.235497 111.797666)
(xy 103.295223 111.836049)
(xy 103.295225 111.836052)
(xy 103.302015 111.843889)
(xy 103.302017 111.84389)
(xy 103.410973 111.913912)
(xy 103.535242 111.9504)
(xy 103.664758 111.9504)
(xy 103.789027 111.913912)
(xy 103.897983 111.84389)
(xy 103.904743 111.836089)
(xy 103.904775 111.836052)
(xy 103.9645 111.797667)
(xy 104.035497 111.797666)
(xy 104.095223 111.836049)
(xy 104.095225 111.836052)
(xy 104.102015 111.843889)
(xy 104.102017 111.84389)
(xy 104.210973 111.913912)
(xy 104.335242 111.9504)
(xy 104.464758 111.9504)
(xy 104.589027 111.913912)
(xy 104.697983 111.84389)
(xy 104.697986 111.843885)
(xy 104.700913 111.841351)
(xy 104.704441 111.839739)
(xy 104.705564 111.839018)
(xy 104.705667 111.839179)
(xy 104.765492 111.811854)
(xy 104.835766 111.821953)
(xy 104.878655 111.854057)

(xy 104.902017 111.881018)
(xy 105.010973 111.95104)
(xy 105.135242 111.987528)
(xy 105.264758 111.987528)
(xy 105.389027 111.95104)
(xy 105.497983 111.881018)
(xy 105.571846 111.795774)
(xy 105.63157 111.757392)
(xy 105.702566 111.757392)
(xy 105.762293 111.795775)
(xy 105.762294 111.795776)
(xy 105.76468 111.79853)
(xy 105.764681 111.798531)
(xy 105.849495 111.896412)
(xy 105.958451 111.966434)
(xy 106.08272 112.002922)
(xy 106.212236 112.002922)
(xy 106.336505 111.966434)
(xy 106.445461 111.896412)
(xy 106.449831 111.891367)
(xy 106.509555 111.852985)
(xy 106.580552 111.852983)
(xy 106.640279 111.891366)
(xy 106.664207 111.91898)
(xy 106.773163 111.989002)
(xy 106.897432 112.02549)
(xy 107.026948 112.02549)
(xy 107.151217 111.989002)
(xy 107.260173 111.91898)
(xy 107.264565 111.913912)
(xy 107.316429 111.854057)
(xy 107.344987 111.821099)
(xy 107.39879 111.703287)
(xy 107.40733 111.64389)
(xy 107.417222 111.575093)

(xy 107.417222 111.575086)
(xy 107.398791 111.446899)
(xy 107.39879 111.446898)
(xy 107.39879 111.446893)
(xy 107.344987 111.329081)
(xy 107.344983 111.329076)
(xy 107.260175 111.231201)
(xy 107.260173 111.2312)
(xy 107.235227 111.215168)
(xy 107.151217 111.161178)
(xy 107.151216 111.161177)
(xy 107.151215 111.161177)
(xy 107.026948 111.12469)
(xy 106.897432 111.12469)
(xy 106.773164 111.161177)
(xy 106.773161 111.161179)
(xy 106.664206 111.2312)
(xy 106.664205 111.231201)
(xy 106.65983 111.23625)
(xy 106.600101 111.27463)
(xy 106.529104 111.274625)
(xy 106.469387 111.236244)
(xy 106.44546 111.208631)
(xy 106.348018 111.146009)
(xy 106.336505 111.13861)
(xy 106.336504 111.138609)
(xy 106.336503 111.138609)
(xy 106.212236 111.102122)
(xy 106.08272 111.102122)
(xy 105.958452 111.138609)
(xy 105.958449 111.138611)
(xy 105.849495 111.208631)
(xy 105.775632 111.293874)
(xy 105.715906 111.332257)
(xy 105.644909 111.332257)

(xy 105.585183 111.293873)
(xy 105.550625 111.253991)
(xy 105.497983 111.193238)
(xy 105.497982 111.193237)
(xy 105.412979 111.138609)
(xy 105.389027 111.123216)
(xy 105.389026 111.123215)
(xy 105.389025 111.123215)
(xy 105.264758 111.086728)
(xy 105.135242 111.086728)
(xy 105.010974 111.123215)
(xy 105.010971 111.123217)
(xy 104.902012 111.193241)
(xy 104.899076 111.195785)
(xy 104.895544 111.197397)
(xy 104.894436 111.19811)
(xy 104.894333 111.19795)
(xy 104.834494 111.225275)
(xy 104.76422 111.215168)
(xy 104.721344 111.18307)
(xy 104.702374 111.161178)
(xy 104.697983 111.15611)
(xy 104.697982 111.156109)
(xy 104.613976 111.102122)
(xy 104.589027 111.086088)
(xy 104.589026 111.086087)
(xy 104.589025 111.086087)
(xy 104.464758 111.0496)
(xy 104.335242 111.0496)
(xy 104.210974 111.086087)
(xy 104.210971 111.086089)
(xy 104.102018 111.156109)
(xy 104.102017 111.156109)
(xy 104.102017 111.15611)
(xy 104.097627 111.161177)

(xy 104.095223 111.163951)
(xy 104.035496 111.202333)
(xy 103.964499 111.202331)
(xy 103.904777 111.163951)
(xy 103.902374 111.161178)
(xy 103.897983 111.15611)
(xy 103.789027 111.086088)
(xy 103.789026 111.086087)
(xy 103.789025 111.086087)
(xy 103.664758 111.0496)
(xy 103.535242 111.0496)
(xy 103.410974 111.086087)
(xy 103.410971 111.086089)
(xy 103.302018 111.156109)
(xy 103.302017 111.156109)
(xy 103.302017 111.15611)
(xy 103.297627 111.161177)
(xy 103.295223 111.163951)
(xy 103.235496 111.202333)
(xy 103.164499 111.202331)
(xy 103.104777 111.163951)
(xy 103.102374 111.161178)
(xy 103.097983 111.15611)
(xy 102.989027 111.086088)
(xy 102.989026 111.086087)
(xy 102.989025 111.086087)
(xy 102.864758 111.0496)
(xy 102.735242 111.0496)
(xy 102.610974 111.086087)
(xy 102.610971 111.086089)
(xy 102.502018 111.156109)
(xy 102.502017 111.156109)
(xy 102.502017 111.15611)
(xy 102.497627 111.161177)
(xy 102.495223 111.163951)

(xy 102.435496 111.202333)
(xy 102.364499 111.202331)
(xy 102.304777 111.163951)
(xy 102.302374 111.161178)
(xy 102.297983 111.15611)
(xy 102.189027 111.086088)
(xy 102.189026 111.086087)
(xy 102.189025 111.086087)
(xy 102.064758 111.0496)
(xy 101.935242 111.0496)
(xy 101.810974 111.086087)
(xy 101.810971 111.086089)
(xy 101.702018 111.156109)
(xy 101.702017 111.156109)
(xy 101.702017 111.15611)
(xy 101.697627 111.161177)
(xy 101.695223 111.163951)
(xy 101.635496 111.202333)
(xy 101.564499 111.202331)
(xy 101.504777 111.163951)
(xy 101.502374 111.161178)
(xy 101.497983 111.15611)
(xy 101.389027 111.086088)
(xy 101.389026 111.086087)
(xy 101.389025 111.086087)
(xy 101.264758 111.0496)
(xy 101.135242 111.0496)
(xy 101.010974 111.086087)
(xy 101.010971 111.086089)
(xy 100.902016 111.15611)
(xy 100.902014 111.156111)
(xy 100.817206 111.253986)
(xy 100.817203 111.25399)
(xy 100.7634 111.371802)
(xy 100.763398 111.371809)

(xy 100.744968 111.499996)
(xy 100.744968 111.500003)
(xy 70.0754 111.500003)
(xy 70.0754 110.900003)
(xy 72.444968 110.900003)
(xy 72.463398 111.02819)
(xy 72.4634 111.028197)
(xy 72.517203 111.146009)
(xy 72.517206 111.146013)
(xy 72.602014 111.243888)
(xy 72.602016 111.243889)
(xy 72.602017 111.24389)
(xy 72.710973 111.313912)
(xy 72.835242 111.3504)
(xy 72.964758 111.3504)
(xy 73.089027 111.313912)
(xy 73.197983 111.24389)
(xy 73.282797 111.146009)
(xy 73.3366 111.028197)
(xy 73.34229 110.988623)
(xy 73.355032 110.900003)
(xy 75.944968 110.900003)
(xy 75.963398 111.02819)
(xy 75.9634 111.028197)
(xy 76.017203 111.146009)
(xy 76.017206 111.146013)
(xy 76.102014 111.243888)
(xy 76.102016 111.243889)
(xy 76.102017 111.24389)
(xy 76.210973 111.313912)
(xy 76.335242 111.3504)
(xy 76.464758 111.3504)
(xy 76.589027 111.313912)
(xy 76.697983 111.24389)
(xy 76.782797 111.146009)

(xy 76.8366 111.028197)
(xy 76.840654 111)
(xy 86.744978 111)
(xy 86.763408 111.12819)
(xy 86.76341 111.128197)
(xy 86.817213 111.246009)
(xy 86.817216 111.246013)
(xy 86.902024 111.343888)
(xy 86.902026 111.343889)
(xy 86.902027 111.34389)
(xy 87.010983 111.413912)
(xy 87.135252 111.4504)
(xy 87.264768 111.4504)
(xy 87.389037 111.413912)
(xy 87.497993 111.34389)
(xy 87.582807 111.246009)
(xy 87.63661 111.128197)
(xy 87.655042 111)
(xy 87.655042 110.999996)
(xy 87.636611 110.871809)
(xy 87.63661 110.871808)
(xy 87.63661 110.871803)
(xy 87.582807 110.753991)
(xy 87.579206 110.749835)
(xy 87.497995 110.656111)
(xy 87.497993 110.65611)
(xy 87.494688 110.653986)
(xy 87.389037 110.586088)
(xy 87.389036 110.586087)
(xy 87.389035 110.586087)
(xy 87.264768 110.5496)
(xy 87.135252 110.5496)
(xy 87.010984 110.586087)
(xy 87.010981 110.586089)
(xy 86.902026 110.65611)

(xy 86.902024 110.656111)
(xy 86.817216 110.753986)
(xy 86.817213 110.75399)
(xy 86.76341 110.871802)
(xy 86.763408 110.871809)
(xy 86.744978 110.999996)
(xy 86.744978 111)
(xy 76.840654 111)
(xy 76.84229 110.988623)
(xy 76.855032 110.900003)
(xy 76.855032 110.899996)
(xy 76.836601 110.771809)
(xy 76.8366 110.771808)
(xy 76.8366 110.771803)
(xy 76.782797 110.653991)
(xy 76.782793 110.653986)
(xy 76.697985 110.556111)
(xy 76.697983 110.55611)
(xy 76.636705 110.516729)
(xy 76.589027 110.486088)
(xy 76.589026 110.486087)
(xy 76.589025 110.486087)
(xy 76.464758 110.4496)
(xy 76.335242 110.4496)
(xy 76.210974 110.486087)
(xy 76.210971 110.486089)
(xy 76.102016 110.55611)
(xy 76.102014 110.556111)
(xy 76.017206 110.653986)
(xy 76.017203 110.65399)
(xy 75.9634 110.771802)
(xy 75.963398 110.771809)
(xy 75.944968 110.899996)
(xy 75.944968 110.900003)
(xy 73.355032 110.900003)

(xy 73.355032 110.899996)
(xy 73.336601 110.771809)
(xy 73.3366 110.771808)
(xy 73.3366 110.771803)
(xy 73.282797 110.653991)
(xy 73.282793 110.653986)
(xy 73.197985 110.556111)
(xy 73.197983 110.55611)
(xy 73.136705 110.516729)
(xy 73.089027 110.486088)
(xy 73.089026 110.486087)
(xy 73.089025 110.486087)
(xy 72.964758 110.4496)
(xy 72.835242 110.4496)
(xy 72.710974 110.486087)
(xy 72.710971 110.486089)
(xy 72.602016 110.55611)
(xy 72.602014 110.556111)
(xy 72.517206 110.653986)
(xy 72.517203 110.65399)
(xy 72.4634 110.771802)
(xy 72.463398 110.771809)
(xy 72.444968 110.899996)
(xy 72.444968 110.900003)
(xy 70.0754 110.900003)
(xy 70.0754 110.814058)
(xy 70.0754 109.619818)
(xy 70.095402 109.551697)
(xy 70.112305 109.530723)
(xy 70.962897 108.680131)
(xy 80.5396 108.680131)
(xy 80.554363 108.830026)
(xy 80.554364 108.830032)
(xy 80.554365 108.830033)
(xy 80.612712 109.022379)

(xy 80.707463 109.199647)
(xy 80.834977 109.355023)
(xy 80.990353 109.482537)
(xy 81.167621 109.577288)
(xy 81.359967 109.635635)
(xy 81.359971 109.635635)
(xy 81.359973 109.635636)
(xy 81.559997 109.655337)
(xy 81.56 109.655337)
(xy 81.560003 109.655337)
(xy 81.760026 109.635636)
(xy 81.760027 109.635635)
(xy 81.760033 109.635635)
(xy 81.952379 109.577288)
(xy 82.129647 109.482537)
(xy 82.285023 109.355023)
(xy 82.345354 109.28151)
(xy 83.0796 109.28151)
(xy 83.094449 109.375271)
(xy 83.152031 109.488283)
(xy 83.241714 109.577966)
(xy 83.241717 109.577968)
(xy 83.354727 109.63555)
(xy 83.448487 109.6504)
(xy 84.751512 109.650399)
(xy 84.845273 109.63555)
(xy 84.958283 109.577968)
(xy 85.047968 109.488283)
(xy 85.10555 109.375273)
(xy 85.1204 109.281513)
(xy 85.1204 108.65)
(xy 101.044508 108.65)
(xy 101.064354 108.775304)
(xy 101.083307 108.812502)
(xy 101.121949 108.888342)

(xy 101.211657 108.97805)
(xy 101.22014 108.982372)
(xy 101.324696 109.035646)
(xy 101.45 109.055492)
(xy 101.575304 109.035646)
(xy 101.688342 108.97805)
(xy 101.77805 108.888342)
(xy 101.835646 108.775304)
(xy 101.855492 108.65)
(xy 105.044508 108.65)
(xy 105.064354 108.775304)
(xy 105.083307 108.812502)
(xy 105.121949 108.888342)
(xy 105.211657 108.97805)
(xy 105.22014 108.982372)
(xy 105.324696 109.035646)
(xy 105.45 109.055492)
(xy 105.575304 109.035646)
(xy 105.591397 109.027445)
(xy 105.661174 109.014342)
(xy 105.726958 109.041042)
(xy 105.767865 109.09907)
(xy 105.7746 109.139713)
(xy 105.7746 109.191005)
(xy 105.77244 109.254234)
(xy 105.782395 109.295093)
(xy 105.7836 109.301432)
(xy 105.786573 109.323059)
(xy 105.789326 109.343084)
(xy 105.794511 109.355022)
(xy 105.795889 109.358194)
(xy 105.802734 109.378549)
(xy 105.806636 109.394558)
(xy 105.806636 109.394559)
(xy 105.82724 109.431202)

(xy 105.830111 109.436983)
(xy 105.846867 109.475557)
(xy 105.857258 109.488329)
(xy 105.869346 109.506088)
(xy 105.877422 109.52045)
(xy 105.907155 109.550183)
(xy 105.91147 109.554963)
(xy 105.938015 109.587592)
(xy 105.951476 109.597094)
(xy 105.967908 109.610936)
(xy 106.972132 110.61516)
(xy 107.015309 110.661391)
(xy 107.051234 110.683237)
(xy 107.05656 110.686862)
(xy 107.090074 110.712277)
(xy 107.105412 110.718325)
(xy 107.124638 110.727875)
(xy 107.138712 110.736434)
(xy 107.172888 110.746009)
(xy 107.179196 110.747776)
(xy 107.185317 110.749834)
(xy 107.224434 110.765261)
(xy 107.240821 110.766945)
(xy 107.261923 110.770956)
(xy 107.277785 110.7754)
(xy 107.319832 110.7754)
(xy 107.32628 110.775731)
(xy 107.368105 110.780031)
(xy 107.368105 110.78003)
(xy 107.368107 110.780031)
(xy 107.38434 110.777232)
(xy 107.405749 110.7754)
(xy 111.780182 110.7754)
(xy 111.848303 110.795402)
(xy 111.869277 110.812305)

(xy 113.130985 112.074013)
(xy 113.165011 112.136325)
(xy 113.159946 112.20714)
(xy 113.117399 112.263976)
(xy 113.050879 112.288787)
(xy 113.029541 112.288501)
(xy 112.890004 112.274759)
(xy 112.889997 112.274759)
(xy 112.693895 112.294072)
(xy 112.693889 112.294073)
(xy 112.693887 112.294074)
(xy 112.657777 112.305028)
(xy 112.505309 112.351278)
(xy 112.33152 112.444171)
(xy 112.179187 112.569187)
(xy 112.054171 112.72152)
(xy 111.961278 112.895309)
(xy 111.940559 112.963611)
(xy 111.91087 113.061486)
(xy 111.904072 113.083895)
(xy 111.884759 113.279996)
(xy 111.884759 113.280003)
(xy 111.904072 113.476104)
(xy 111.904073 113.476109)
(xy 111.904074 113.476113)
(xy 111.927552 113.553509)
(xy 111.961278 113.66469)
(xy 112.054171 113.838479)
(xy 112.054173 113.838482)
(xy 112.179187 113.990813)
(xy 112.331518 114.115827)
(xy 112.505311 114.208722)
(xy 112.693887 114.265926)
(xy 112.693893 114.265926)
(xy 112.693895 114.265927)

(xy 112.889997 114.285241)
(xy 112.89 114.285241)
(xy 112.890003 114.285241)
(xy 113.086104 114.265927)
(xy 113.086104 114.265926)
(xy 113.086113 114.265926)
(xy 113.274689 114.208722)
(xy 113.448482 114.115827)
(xy 113.54717 114.034835)
(xy 113.612515 114.007084)
(xy 113.682493 114.019066)
(xy 113.734885 114.066979)
(xy 113.753101 114.132237)
(xy 113.753101 114.416499)
(xy 113.750419 114.442358)
(xy 113.748234 114.452773)
(xy 113.750713 114.472657)
(xy 113.752617 114.487933)
(xy 113.753101 114.495722)
(xy 113.753101 114.499609)
(xy 113.756943 114.522637)
(xy 113.763732 114.5771)
(xy 113.765971 114.584624)
(xy 113.76853 114.592076)
(xy 113.768531 114.592079)
(xy 113.794657 114.640356)
(xy 113.806439 114.664456)
(xy 113.818757 114.689653)
(xy 113.823348 114.696083)
(xy 113.828158 114.702263)
(xy 113.868546 114.739442)
(xy 114.462571 115.333467)
(xy 114.496595 115.395778)
(xy 114.49405 115.459136)
(xy 114.444072 115.623893)

(xy 114.424759 115.819996)
(xy 114.424759 115.820003)
(xy 114.444072 116.016104)
(xy 114.444073 116.016109)
(xy 114.444074 116.016113)
(xy 114.458598 116.063991)
(xy 114.501278 116.20469)
(xy 114.575683 116.34389)
(xy 114.594173 116.378482)
(xy 114.719187 116.530813)
(xy 114.871518 116.655827)
(xy 115.045311 116.748722)
(xy 115.233887 116.805926)
(xy 115.233893 116.805926)
(xy 115.233895 116.805927)
(xy 115.429997 116.825241)
(xy 115.43 116.825241)
(xy 115.430003 116.825241)
(xy 115.626104 116.805927)
(xy 115.626104 116.805926)
(xy 115.626113 116.805926)
(xy 115.814689 116.748722)
(xy 115.988482 116.655827)
(xy 116.140813 116.530813)
(xy 116.265827 116.378482)
(xy 116.358722 116.204689)
(xy 116.415926 116.016113)
(xy 116.420851 115.96611)
(xy 116.435241 115.820003)
(xy 116.435241 115.819996)
(xy 116.415927 115.623895)
(xy 116.415926 115.623893)
(xy 116.415926 115.623887)
(xy 116.358722 115.435311)
(xy 116.265827 115.261518)

(xy 116.140813 115.109187)
(xy 115.988482 114.984173)
(xy 115.98848 114.984172)
(xy 115.988479 114.984171)
(xy 115.81469 114.891278)
(xy 115.750508 114.871809)
(xy 115.626113 114.834074)
(xy 115.626109 114.834073)
(xy 115.626104 114.834072)
(xy 115.430003 114.814759)
(xy 115.429997 114.814759)
(xy 115.233893 114.834072)
(xy 115.145862 114.860776)
(xy 115.074868 114.861409)
(xy 115.020192 114.829296)
(xy 114.683928 114.493032)
(xy 114.649902 114.43072)
(xy 114.654967 114.359905)
(xy 114.697514 114.303069)
(xy 114.764034 114.278258)
(xy 114.792736 114.279489)
(xy 114.798487 114.2804)
(xy 114.798488 114.2804)
(xy 116.06151 114.2804)
(xy 116.061512 114.2804)
(xy 116.155273 114.26555)
(xy 116.268283 114.207968)
(xy 116.357968 114.118283)
(xy 116.41555 114.005273)
(xy 116.4304 113.911512)
(xy 116.4304 112.648488)
(xy 116.41555 112.554727)
(xy 116.372378 112.469997)
(xy 116.357968 112.441716)
(xy 116.268283 112.352031)

(xy 116.155271 112.294449)
(xy 116.09121 112.284303)
(xy 116.061512 112.2796)
(xy 114.798488 112.2796)
(xy 114.767234 112.284549)
(xy 114.704723 112.29445)
(xy 114.695298 112.297513)
(xy 114.694415 112.294797)
(xy 114.639874 112.305028)
(xy 114.574095 112.278315)
(xy 114.533201 112.220279)
(xy 114.526548 112.175356)
(xy 114.527559 112.145768)
(xy 114.527558 112.145767)
(xy 114.527559 112.145765)
(xy 114.493364 112.005442)
(xy 114.492548 112.00399)
(xy 114.422579 111.879552)
(xy 114.422572 111.879543)
(xy 112.427867 109.884839)
(xy 112.384692 109.83861)
(xy 112.384691 109.838609)
(xy 112.384691 109.838608)
(xy 112.348757 109.816757)
(xy 112.343432 109.813133)
(xy 112.309926 109.787723)
(xy 112.309924 109.787722)
(xy 112.294596 109.781677)
(xy 112.275361 109.772123)
(xy 112.26129 109.763567)
(xy 112.261289 109.763566)
(xy 112.248799 109.760066)
(xy 112.220795 109.75222)
(xy 112.214689 109.750166)
(xy 112.175569 109.734739)

(xy 112.175563 109.734738)
(xy 112.159176 109.733053)
(xy 112.13808 109.729044)
(xy 112.122215 109.7246)
(xy 112.080168 109.7246)
(xy 112.07372 109.724269)
(xy 112.031894 109.719968)
(xy 112.015659 109.722768)
(xy 111.994251 109.7246)
(xy 107.619818 109.7246)
(xy 107.551697 109.704598)
(xy 107.530722 109.687695)
(xy 107.44303 109.600003)
(xy 117.044968 109.600003)
(xy 117.063398 109.72819)
(xy 117.0634 109.728197)
(xy 117.117203 109.846009)
(xy 117.117206 109.846013)
(xy 117.202014 109.943888)
(xy 117.202016 109.943889)
(xy 117.202017 109.94389)
(xy 117.310973 110.013912)
(xy 117.435242 110.0504)
(xy 117.564758 110.0504)
(xy 117.689027 110.013912)
(xy 117.797983 109.94389)
(xy 117.882797 109.846009)
(xy 117.9366 109.728197)
(xy 117.94381 109.67805)
(xy 117.955032 109.600003)
(xy 117.955032 109.599996)
(xy 117.936601 109.471809)
(xy 117.9366 109.471808)
(xy 117.9366 109.471803)
(xy 117.882797 109.353991)

(xy 117.879339 109.35)
(xy 117.797985 109.256111)
(xy 117.797983 109.25611)
(xy 117.710125 109.199647)
(xy 117.689027 109.186088)
(xy 117.689026 109.186087)
(xy 117.689025 109.186087)
(xy 117.564758 109.1496)
(xy 117.435242 109.1496)
(xy 117.310974 109.186087)
(xy 117.310971 109.186089)
(xy 117.202016 109.25611)
(xy 117.202014 109.256111)
(xy 117.117206 109.353986)
(xy 117.117203 109.35399)
(xy 117.0634 109.471802)
(xy 117.063398 109.471809)
(xy 117.044968 109.599996)
(xy 117.044968 109.600003)
(xy 107.44303 109.600003)
(xy 106.862304 109.019276)
(xy 106.828279 108.956964)
(xy 106.8254 108.930181)
(xy 106.8254 108.500003)
(xy 107.154823 108.500003)
(xy 107.173859 108.656791)
(xy 107.229871 108.804479)
(xy 107.31959 108.93446)
(xy 107.319592 108.934462)
(xy 107.319593 108.934463)
(xy 107.437817 109.0392)
(xy 107.577671 109.112601)
(xy 107.731027 109.1504)
(xy 107.731028 109.1504)
(xy 107.888972 109.1504)

(xy 107.888973 109.1504)
(xy 108.042329 109.112601)
(xy 108.182183 109.0392)
(xy 108.300407 108.934463)
(xy 108.341304 108.875212)
(xy 108.396462 108.830513)
(xy 108.46703 108.82273)
(xy 108.530605 108.854334)
(xy 108.548695 108.875212)
(xy 108.589593 108.934463)
(xy 108.707817 109.0392)
(xy 108.847671 109.112601)
(xy 109.001027 109.1504)
(xy 109.001028 109.1504)
(xy 109.158972 109.1504)
(xy 109.158973 109.1504)
(xy 109.312329 109.112601)
(xy 109.452183 109.0392)
(xy 109.570407 108.934463)
(xy 109.611304 108.875212)
(xy 109.666462 108.830513)
(xy 109.73703 108.82273)
(xy 109.800605 108.854334)
(xy 109.818695 108.875212)
(xy 109.859593 108.934463)
(xy 109.977817 109.0392)
(xy 110.117671 109.112601)
(xy 110.271027 109.1504)
(xy 110.271028 109.1504)
(xy 110.428972 109.1504)
(xy 110.428973 109.1504)
(xy 110.582329 109.112601)
(xy 110.722183 109.0392)
(xy 110.840407 108.934463)
(xy 110.881304 108.875212)

(xy 110.936462 108.830513)
(xy 111.00703 108.82273)
(xy 111.070605 108.854334)
(xy 111.088695 108.875212)
(xy 111.129593 108.934463)
(xy 111.247817 109.0392)
(xy 111.387671 109.112601)
(xy 111.541027 109.1504)
(xy 111.541028 109.1504)
(xy 111.698972 109.1504)
(xy 111.698973 109.1504)
(xy 111.852329 109.112601)
(xy 111.992183 109.0392)
(xy 112.110407 108.934463)
(xy 112.151304 108.875212)
(xy 112.206462 108.830513)
(xy 112.27703 108.82273)
(xy 112.340605 108.854334)
(xy 112.358695 108.875212)
(xy 112.399593 108.934463)
(xy 112.517817 109.0392)
(xy 112.657671 109.112601)
(xy 112.811027 109.1504)
(xy 112.811028 109.1504)
(xy 112.968972 109.1504)
(xy 112.968973 109.1504)
(xy 113.122329 109.112601)
(xy 113.262183 109.0392)
(xy 113.380407 108.934463)
(xy 113.421304 108.875212)
(xy 113.476462 108.830513)
(xy 113.54703 108.82273)
(xy 113.610605 108.854334)
(xy 113.628695 108.875212)
(xy 113.669593 108.934463)

(xy 113.787817 109.0392)
(xy 113.927671 109.112601)
(xy 114.081027 109.1504)
(xy 114.081028 109.1504)
(xy 114.238972 109.1504)
(xy 114.238973 109.1504)
(xy 114.392329 109.112601)
(xy 114.532183 109.0392)
(xy 114.650407 108.934463)
(xy 114.691303 108.875213)
(xy 114.74646 108.830514)
(xy 114.817028 108.82273)
(xy 114.880603 108.854333)
(xy 114.898695 108.875212)
(xy 114.914406 108.897973)
(xy 114.939593 108.934463)
(xy 115.057817 109.0392)
(xy 115.197671 109.112601)
(xy 115.351027 109.1504)
(xy 115.351028 109.1504)
(xy 115.508972 109.1504)
(xy 115.508973 109.1504)
(xy 115.662329 109.112601)
(xy 115.802183 109.0392)
(xy 115.920407 108.934463)
(xy 115.961303 108.875213)
(xy 116.01646 108.830514)
(xy 116.087028 108.82273)
(xy 116.150603 108.854333)
(xy 116.168695 108.875212)
(xy 116.184406 108.897973)
(xy 116.209593 108.934463)
(xy 116.327817 109.0392)
(xy 116.467671 109.112601)
(xy 116.621027 109.1504)

(xy 116.621028 109.1504)
(xy 116.778972 109.1504)
(xy 116.778973 109.1504)
(xy 116.932329 109.112601)
(xy 117.072183 109.0392)
(xy 117.190407 108.934463)
(xy 117.28013 108.804476)
(xy 117.336139 108.656794)
(xy 117.336139 108.656793)
(xy 117.33614 108.656791)
(xy 117.351754 108.52819)
(xy 117.355177 108.5)
(xy 117.344724 108.41391)
(xy 117.33614 108.343208)
(xy 117.299278 108.246013)
(xy 117.28013 108.195524)
(xy 117.280128 108.195522)
(xy 117.280128 108.19552)
(xy 117.190409 108.065539)
(xy 117.190407 108.065537)
(xy 117.072183 107.9608)
(xy 116.932329 107.887399)
(xy 116.932328 107.887398)
(xy 116.932327 107.887398)
(xy 116.778974 107.8496)
(xy 116.778973 107.8496)
(xy 116.621027 107.8496)
(xy 116.621025 107.8496)
(xy 116.467673 107.887398)
(xy 116.467672 107.887398)
(xy 116.32782 107.960798)
(xy 116.327818 107.960799)
(xy 116.327817 107.9608)
(xy 116.276671 108.006111)
(xy 116.20959 108.065539)

(xy 116.168696 108.124786)
(xy 116.113537 108.169486)
(xy 116.042969 108.177269)
(xy 115.979395 108.145664)
(xy 115.961304 108.124786)
(xy 115.920409 108.065539)
(xy 115.920407 108.065537)
(xy 115.802183 107.9608)
(xy 115.662329 107.887399)
(xy 115.662328 107.887398)
(xy 115.662327 107.887398)
(xy 115.508974 107.8496)
(xy 115.508973 107.8496)
(xy 115.351027 107.8496)
(xy 115.351025 107.8496)
(xy 115.197673 107.887398)
(xy 115.197672 107.887398)
(xy 115.05782 107.960798)
(xy 115.057818 107.960799)
(xy 115.057817 107.9608)
(xy 114.939593 108.065537)
(xy 114.93959 108.06554)
(xy 114.939589 108.065541)
(xy 114.898694 108.124787)
(xy 114.843535 108.169487)
(xy 114.772966 108.177269)
(xy 114.709393 108.145663)
(xy 114.691303 108.124786)
(xy 114.650409 108.06554)
(xy 114.650408 108.065538)
(xy 114.650407 108.065537)
(xy 114.532183 107.9608)
(xy 114.392329 107.887399)
(xy 114.392328 107.887398)
(xy 114.392327 107.887398)

(xy 114.238974 107.8496)
(xy 114.238973 107.8496)
(xy 114.081027 107.8496)
(xy 114.081025 107.8496)
(xy 113.927673 107.887398)
(xy 113.927672 107.887398)
(xy 113.78782 107.960798)
(xy 113.787818 107.960799)
(xy 113.787817 107.9608)
(xy 113.736671 108.006111)
(xy 113.66959 108.065539)
(xy 113.628696 108.124786)
(xy 113.573537 108.169486)
(xy 113.502969 108.177269)
(xy 113.439395 108.145664)
(xy 113.421304 108.124786)
(xy 113.380409 108.065539)
(xy 113.380407 108.065537)
(xy 113.262183 107.9608)
(xy 113.122329 107.887399)
(xy 113.122328 107.887398)
(xy 113.122327 107.887398)
(xy 112.968974 107.8496)
(xy 112.968973 107.8496)
(xy 112.811027 107.8496)
(xy 112.811025 107.8496)
(xy 112.657673 107.887398)
(xy 112.657672 107.887398)
(xy 112.51782 107.960798)
(xy 112.517818 107.960799)
(xy 112.517817 107.9608)
(xy 112.466671 108.006111)
(xy 112.39959 108.065539)
(xy 112.358696 108.124786)
(xy 112.303537 108.169486)

(xy 112.232969 108.177269)
(xy 112.169395 108.145664)
(xy 112.151304 108.124786)
(xy 112.110409 108.065539)
(xy 112.110407 108.065537)
(xy 111.992183 107.9608)
(xy 111.852329 107.887399)
(xy 111.852328 107.887398)
(xy 111.852327 107.887398)
(xy 111.698974 107.8496)
(xy 111.698973 107.8496)
(xy 111.541027 107.8496)
(xy 111.541025 107.8496)
(xy 111.387673 107.887398)
(xy 111.387672 107.887398)
(xy 111.24782 107.960798)
(xy 111.247818 107.960799)
(xy 111.247817 107.9608)
(xy 111.129593 108.065537)
(xy 111.12959 108.06554)
(xy 111.129589 108.065541)
(xy 111.088694 108.124787)
(xy 111.033535 108.169487)
(xy 110.962966 108.177269)
(xy 110.899393 108.145663)
(xy 110.881303 108.124786)
(xy 110.840409 108.06554)
(xy 110.840408 108.065538)
(xy 110.840407 108.065537)
(xy 110.722183 107.9608)
(xy 110.582329 107.887399)
(xy 110.582328 107.887398)
(xy 110.582327 107.887398)
(xy 110.428974 107.8496)
(xy 110.428973 107.8496)

(xy 110.271027 107.8496)
(xy 110.271025 107.8496)
(xy 110.117673 107.887398)
(xy 110.117672 107.887398)
(xy 109.97782 107.960798)
(xy 109.977818 107.960799)
(xy 109.977817 107.9608)
(xy 109.926671 108.006111)
(xy 109.85959 108.065539)
(xy 109.818696 108.124786)
(xy 109.763537 108.169486)
(xy 109.692969 108.177269)
(xy 109.629395 108.145664)
(xy 109.611304 108.124786)
(xy 109.570409 108.065539)
(xy 109.570407 108.065537)
(xy 109.452183 107.9608)
(xy 109.312329 107.887399)
(xy 109.312328 107.887398)
(xy 109.312327 107.887398)
(xy 109.158974 107.8496)
(xy 109.158973 107.8496)
(xy 109.001027 107.8496)
(xy 109.001025 107.8496)
(xy 108.847673 107.887398)
(xy 108.847672 107.887398)
(xy 108.70782 107.960798)
(xy 108.707818 107.960799)
(xy 108.707817 107.9608)
(xy 108.656671 108.006111)
(xy 108.58959 108.065539)
(xy 108.548696 108.124786)
(xy 108.493537 108.169486)
(xy 108.422969 108.177269)
(xy 108.359395 108.145664)

(xy 108.341304 108.124786)
(xy 108.300409 108.065539)
(xy 108.300407 108.065537)
(xy 108.182183 107.9608)
(xy 108.042329 107.887399)
(xy 108.042328 107.887398)
(xy 108.042327 107.887398)
(xy 107.888974 107.8496)
(xy 107.888973 107.8496)
(xy 107.731027 107.8496)
(xy 107.731025 107.8496)
(xy 107.577673 107.887398)
(xy 107.577672 107.887398)
(xy 107.43782 107.960798)
(xy 107.437818 107.960799)
(xy 107.437817 107.9608)
(xy 107.386671 108.006111)
(xy 107.31959 108.065539)
(xy 107.229871 108.19552)
(xy 107.173859 108.343208)
(xy 107.154823 108.499996)
(xy 107.154823 108.500003)
(xy 106.8254 108.500003)
(xy 106.8254 106.419818)
(xy 106.831218 106.400003)
(xy 115.644968 106.400003)
(xy 115.663398 106.52819)
(xy 115.6634 106.528197)
(xy 115.717203 106.646009)
(xy 115.717206 106.646013)
(xy 115.802014 106.743888)
(xy 115.802016 106.743889)
(xy 115.802017 106.74389)
(xy 115.910973 106.813912)
(xy 116.035242 106.8504)

(xy 116.164758 106.8504)
(xy 116.289027 106.813912)
(xy 116.397983 106.74389)
(xy 116.482797 106.646009)
(xy 116.5366 106.528197)
(xy 116.541533 106.493888)
(xy 116.555032 106.400003)
(xy 116.555032 106.399996)
(xy 116.536601 106.271809)
(xy 116.5366 106.271808)
(xy 116.5366 106.271803)
(xy 116.482797 106.153991)
(xy 116.482793 106.153986)
(xy 116.397985 106.056111)
(xy 116.397983 106.05611)
(xy 116.310668 105.999996)
(xy 116.289027 105.986088)
(xy 116.289026 105.986087)
(xy 116.289025 105.986087)
(xy 116.164758 105.9496)
(xy 116.035242 105.9496)
(xy 115.910974 105.986087)
(xy 115.910971 105.986089)
(xy 115.802016 106.05611)
(xy 115.802014 106.056111)
(xy 115.717206 106.153986)
(xy 115.717203 106.15399)
(xy 115.6634 106.271802)
(xy 115.663398 106.271809)
(xy 115.644968 106.399996)
(xy 115.644968 106.400003)
(xy 106.831218 106.400003)
(xy 106.845402 106.351697)
(xy 106.862305 106.330723)
(xy 107.230723 105.962305)

(xy 107.293035 105.928279)
(xy 107.319818 105.9254)
(xy 108.285942 105.9254)
(xy 108.285955 105.925399)
(xy 108.39308 105.910675)
(xy 108.393081 105.910674)
(xy 108.393084 105.910674)
(xy 108.525556 105.853133)
(xy 108.525557 105.853131)
(xy 108.525559 105.853131)
(xy 108.525561 105.853129)
(xy 108.637586 105.76199)
(xy 108.637586 105.761989)
(xy 108.637592 105.761985)
(xy 108.720881 105.643991)
(xy 108.769247 105.507901)
(xy 108.779104 105.363808)
(xy 108.749719 105.2224)
(xy 108.749718 105.222398)
(xy 108.749718 105.222397)
(xy 108.713021 105.151576)
(xy 108.683272 105.094163)
(xy 108.584691 104.988609)
(xy 108.461288 104.913566)
(xy 108.322215 104.8746)
(xy 108.322214 104.8746)
(xy 107.058995 104.8746)
(xy 106.995765 104.87244)
(xy 106.995764 104.87244)
(xy 106.995762 104.87244)
(xy 106.954909 104.882395)
(xy 106.94857 104.8836)
(xy 106.906921 104.889324)
(xy 106.90691 104.889327)
(xy 106.891803 104.895889)

(xy 106.871451 104.902733)
(xy 106.855446 104.906634)
(xy 106.85544 104.906636)
(xy 106.818784 104.927246)
(xy 106.813006 104.930116)
(xy 106.774443 104.946867)
(xy 106.77444 104.946868)
(xy 106.761655 104.957269)
(xy 106.743905 104.96935)
(xy 106.72955 104.977422)
(xy 106.699823 105.007148)
(xy 106.695034 105.01147)
(xy 106.662409 105.038013)
(xy 106.662406 105.038016)
(xy 106.652905 105.051476)
(xy 106.639065 105.067905)
(xy 105.934839 105.772132)
(xy 105.88861 105.815307)
(xy 105.888607 105.815311)
(xy 105.866763 105.851231)
(xy 105.863132 105.856566)
(xy 105.837723 105.890074)
(xy 105.831677 105.905403)
(xy 105.822128 105.924628)
(xy 105.813569 105.938704)
(xy 105.813566 105.938712)
(xy 105.802221 105.979198)
(xy 105.800165 105.985313)
(xy 105.784738 106.024436)
(xy 105.783053 106.040823)
(xy 105.779044 106.061919)
(xy 105.7746 106.077783)
(xy 105.7746 106.119831)
(xy 105.774269 106.126279)
(xy 105.769968 106.168105)

(xy 105.772768 106.184341)
(xy 105.7746 106.205749)
(xy 105.7746 108.160286)
(xy 105.754598 108.228407)
(xy 105.700942 108.2749)
(xy 105.630668 108.285004)
(xy 105.591401 108.272555)
(xy 105.575306 108.264355)
(xy 105.575305 108.264354)
(xy 105.575304 108.264354)
(xy 105.45 108.244508)
(xy 105.449999 108.244508)
(xy 105.426418 108.248242)
(xy 105.324696 108.264354)
(xy 105.324694 108.264354)
(xy 105.324694 108.264355)
(xy 105.211657 108.321949)
(xy 105.121949 108.411657)
(xy 105.064355 108.524694)
(xy 105.064354 108.524696)
(xy 105.044508 108.65)
(xy 101.855492 108.65)
(xy 101.835646 108.524696)
(xy 101.790419 108.435934)
(xy 101.77805 108.411657)
(xy 101.688342 108.321949)
(xy 101.612502 108.283307)
(xy 101.575304 108.264354)
(xy 101.45 108.244508)
(xy 101.324696 108.264354)
(xy 101.324694 108.264354)
(xy 101.324694 108.264355)
(xy 101.211657 108.321949)
(xy 101.121949 108.411657)
(xy 101.064355 108.524694)

(xy 101.064354 108.524696)
(xy 101.044508 108.65)
(xy 85.1204 108.65)
(xy 85.120399 107.518488)
(xy 85.10555 107.424727)
(xy 85.065443 107.346013)
(xy 85.047968 107.311716)
(xy 84.958285 107.222033)
(xy 84.958282 107.222031)
(xy 84.845275 107.164451)
(xy 84.845276 107.164451)
(xy 84.845274 107.16445)
(xy 84.845273 107.16445)
(xy 84.751513 107.1496)
(xy 84.751509 107.1496)
(xy 83.448489 107.1496)
(xy 83.354728 107.164449)
(xy 83.241716 107.222031)
(xy 83.152033 107.311714)
(xy 83.152031 107.311717)
(xy 83.094451 107.424723)
(xy 83.09445 107.424725)
(xy 83.09445 107.424727)
(xy 83.081478 107.506634)
(xy 83.0796 107.51849)
(xy 83.0796 109.28151)
(xy 82.345354 109.28151)
(xy 82.412537 109.199647)
(xy 82.507288 109.022379)
(xy 82.565635 108.830033)
(xy 82.566355 108.82273)
(xy 82.572007 108.765337)
(xy 82.5804 108.680125)
(xy 82.5804 108.119875)
(xy 82.569195 108.00611)

(xy 82.565636 107.969973)
(xy 82.565635 107.969971)
(xy 82.565635 107.969967)
(xy 82.507288 107.777621)
(xy 82.412537 107.600353)
(xy 82.285023 107.444977)
(xy 82.129647 107.317463)
(xy 81.952379 107.222712)
(xy 81.760033 107.164365)
(xy 81.760032 107.164364)
(xy 81.760026 107.164363)
(xy 81.560003 107.144663)
(xy 81.559997 107.144663)
(xy 81.359973 107.164363)
(xy 81.16762 107.222712)
(xy 80.990352 107.317463)
(xy 80.834977 107.444977)
(xy 80.707463 107.600352)
(xy 80.612712 107.77762)
(xy 80.554363 107.969973)
(xy 80.5396 108.119868)
(xy 80.5396 108.680131)
(xy 70.962897 108.680131)
(xy 71.080723 108.562305)
(xy 71.143035 108.528279)
(xy 71.169818 108.5254)
(xy 74.491005 108.5254)
(xy 74.554235 108.52756)
(xy 74.595082 108.517605)
(xy 74.601422 108.5164)
(xy 74.604741 108.515943)
(xy 74.643084 108.510674)
(xy 74.658198 108.504108)
(xy 74.678549 108.497264)
(xy 74.694558 108.493364)

(xy 74.73123 108.472743)
(xy 74.736963 108.469895)
(xy 74.775556 108.453133)
(xy 74.788335 108.442735)
(xy 74.806087 108.430653)
(xy 74.82045 108.422578)
(xy 74.850177 108.392849)
(xy 74.85497 108.388524)
(xy 74.875516 108.371809)
(xy 74.887592 108.361985)
(xy 74.897093 108.348524)
(xy 74.910926 108.3321)
(xy 76.16516 107.077867)
(xy 76.211391 107.034691)
(xy 76.23324 106.998759)
(xy 76.236862 106.993437)
(xy 76.262277 106.959925)
(xy 76.268321 106.944597)
(xy 76.277876 106.925359)
(xy 76.286434 106.911288)
(xy 76.297775 106.870806)
(xy 76.299828 106.864701)
(xy 76.300512 106.862964)
(xy 76.302212 106.858654)
(xy 76.3458 106.802615)
(xy 76.412767 106.779037)
(xy 76.481851 106.795406)
(xy 76.487551 106.79886)
(xy 76.510973 106.813912)
(xy 76.635242 106.8504)
(xy 76.764758 106.8504)
(xy 76.844057 106.827116)
(xy 76.915054 106.827116)
(xy 76.97478 106.8655)
(xy 76.994168 106.895669)

(xy 77.017201 106.946104)
(xy 77.017206 106.946111)
(xy 77.102014 107.043986)
(xy 77.102016 107.043987)
(xy 77.102017 107.043988)
(xy 77.210973 107.11401)
(xy 77.335242 107.150498)
(xy 77.464758 107.150498)
(xy 77.589027 107.11401)
(xy 77.697983 107.043988)
(xy 77.782797 106.946107)
(xy 77.8366 106.828295)
(xy 77.846979 106.756108)
(xy 77.855032 106.700101)
(xy 77.855032 106.700094)
(xy 77.836601 106.571907)
(xy 77.8366 106.571906)
(xy 77.8366 106.571901)
(xy 77.782797 106.454089)
(xy 77.782712 106.453991)
(xy 77.697985 106.356209)
(xy 77.697983 106.356208)
(xy 77.678813 106.343888)
(xy 77.589027 106.286186)
(xy 77.589026 106.286185)
(xy 77.589025 106.286185)
(xy 77.464758 106.249698)
(xy 77.335242 106.249698)
(xy 77.255942 106.272982)
(xy 77.184945 106.272982)
(xy 77.125219 106.234598)
(xy 77.10583 106.204427)
(xy 77.10381 106.200003)
(xy 77.082797 106.153991)
(xy 77.082793 106.153986)

(xy 76.997985 106.056111)
(xy 76.997983 106.05611)
(xy 76.910668 105.999996)
(xy 76.889027 105.986088)
(xy 76.889026 105.986087)
(xy 76.889025 105.986087)
(xy 76.764758 105.9496)
(xy 76.635242 105.9496)
(xy 76.510974 105.986087)
(xy 76.503738 105.989392)
(xy 76.433463 105.999493)
(xy 76.368884 105.969997)
(xy 76.330502 105.91027)
(xy 76.3254 105.874776)
(xy 76.3254 105.650281)
(xy 79.544968 105.650281)
(xy 79.563398 105.778468)
(xy 79.5634 105.778475)
(xy 79.617203 105.896287)
(xy 79.617206 105.896291)
(xy 79.702014 105.994166)
(xy 79.702016 105.994167)
(xy 79.702017 105.994168)
(xy 79.810973 106.06419)
(xy 79.935242 106.100678)
(xy 80.064758 106.100678)
(xy 80.189027 106.06419)
(xy 80.297983 105.994168)
(xy 80.302122 105.989392)
(xy 80.346036 105.938712)
(xy 80.382797 105.896287)
(xy 80.4366 105.778475)
(xy 80.439476 105.758467)
(xy 80.468969 105.693888)
(xy 80.528695 105.655504)

(xy 80.564194 105.6504)
(xy 80.664758 105.6504)
(xy 80.789027 105.613912)
(xy 80.897983 105.54389)
(xy 80.982797 105.446009)
(xy 81.003807 105.400003)
(xy 95.644968 105.400003)
(xy 95.663398 105.52819)
(xy 95.6634 105.528197)
(xy 95.717203 105.646009)
(xy 95.717206 105.646013)
(xy 95.802014 105.743888)
(xy 95.802016 105.743889)
(xy 95.802017 105.74389)
(xy 95.910973 105.813912)
(xy 96.035242 105.8504)
(xy 96.164758 105.8504)
(xy 96.289027 105.813912)
(xy 96.397983 105.74389)
(xy 96.453376 105.679961)
(xy 96.513101 105.641579)
(xy 96.584097 105.641579)
(xy 96.643824 105.679962)
(xy 96.673317 105.744542)
(xy 96.6746 105.762475)
(xy 96.6746 106.447998)
(xy 96.671918 106.473857)
(xy 96.669733 106.484272)
(xy 96.671483 106.498303)
(xy 96.674116 106.519432)
(xy 96.6746 106.527221)
(xy 96.6746 106.660384)
(xy 96.663214 106.712726)
(xy 96.6134 106.821802)
(xy 96.613398 106.821809)

(xy 96.594968 106.949996)
(xy 96.594968 106.950003)
(xy 96.613398 107.07819)
(xy 96.6134 107.078197)
(xy 96.667203 107.196009)
(xy 96.667206 107.196013)
(xy 96.752014 107.293888)
(xy 96.752016 107.293889)
(xy 96.752017 107.29389)
(xy 96.860973 107.363912)
(xy 96.985242 107.4004)
(xy 97.114758 107.4004)
(xy 97.239027 107.363912)
(xy 97.239028 107.363911)
(xy 97.239502 107.363772)
(xy 97.310498 107.363772)
(xy 97.310971 107.363911)
(xy 97.310973 107.363912)
(xy 97.435242 107.4004)
(xy 97.564758 107.4004)
(xy 97.689027 107.363912)
(xy 97.797983 107.29389)
(xy 97.882797 107.196009)
(xy 97.9366 107.078197)
(xy 97.948021 106.998764)
(xy 97.955032 106.950003)
(xy 97.955032 106.949996)
(xy 97.936601 106.821809)
(xy 97.9366 106.821808)
(xy 97.9366 106.821803)
(xy 97.882797 106.703991)
(xy 97.882793 106.703986)
(xy 97.797985 106.606111)
(xy 97.797983 106.60611)
(xy 97.732322 106.563912)

(xy 97.689027 106.536088)
(xy 97.617891 106.5152)
(xy 97.564298 106.483402)
(xy 97.462301 106.381405)
(xy 97.428279 106.319098)
(xy 97.4254 106.292323)
(xy 97.4254 105.893269)
(xy 97.445402 105.825149)
(xy 97.499058 105.778656)
(xy 97.569332 105.768553)
(xy 97.619519 105.787271)
(xy 97.660973 105.813912)
(xy 97.785242 105.8504)
(xy 97.914758 105.8504)
(xy 98.039027 105.813912)
(xy 98.147983 105.74389)
(xy 98.232797 105.646009)
(xy 98.2866 105.528197)
(xy 98.286872 105.526301)
(xy 98.305032 105.400003)
(xy 98.305032 105.399996)
(xy 98.303658 105.390443)
(xy 99.632842 105.390443)
(xy 99.651272 105.51863)
(xy 99.651274 105.518637)
(xy 99.705077 105.636449)
(xy 99.70508 105.636453)
(xy 99.755555 105.694705)
(xy 99.785049 105.759285)
(xy 99.774945 105.829559)
(xy 99.755556 105.859729)
(xy 99.717203 105.90399)
(xy 99.6634 106.021802)
(xy 99.663398 106.021809)
(xy 99.644968 106.149996)

(xy 99.644968 106.150003)
(xy 99.663398 106.27819)
(xy 99.6634 106.278197)
(xy 99.717203 106.396009)
(xy 99.717206 106.396013)
(xy 99.802014 106.493888)
(xy 99.802016 106.493889)
(xy 99.802017 106.49389)
(xy 99.910973 106.563912)
(xy 100.035242 106.6004)
(xy 100.164758 106.6004)
(xy 100.289027 106.563912)
(xy 100.397983 106.49389)
(xy 100.407964 106.482372)
(xy 100.432475 106.454084)
(xy 100.482797 106.396009)
(xy 100.5366 106.278197)
(xy 100.545843 106.21391)
(xy 100.555032 106.150003)
(xy 100.555032 106.149996)
(xy 100.536601 106.021809)
(xy 100.5366 106.021808)
(xy 100.5366 106.021803)
(xy 100.482797 105.903991)
(xy 100.432317 105.845734)
(xy 100.402825 105.781154)
(xy 100.412928 105.71088)
(xy 100.432314 105.680714)
(xy 100.470671 105.636449)
(xy 100.524474 105.518637)
(xy 100.526818 105.502333)
(xy 100.542906 105.390443)
(xy 100.542906 105.390436)
(xy 100.524475 105.262249)
(xy 100.524474 105.262248)

(xy 100.524474 105.262243)
(xy 100.470671 105.144431)
(xy 100.460549 105.132749)
(xy 100.385859 105.046551)
(xy 100.385857 105.04655)
(xy 100.352947 105.0254)
(xy 100.276901 104.976528)
(xy 100.2769 104.976527)
(xy 100.276899 104.976527)
(xy 100.152632 104.94004)
(xy 100.023116 104.94004)
(xy 99.898848 104.976527)
(xy 99.898845 104.976529)
(xy 99.78989 105.04655)
(xy 99.789888 105.046551)
(xy 99.70508 105.144426)
(xy 99.705077 105.14443)
(xy 99.651274 105.262242)
(xy 99.651272 105.262249)
(xy 99.632842 105.390436)
(xy 99.632842 105.390443)
(xy 98.303658 105.390443)
(xy 98.286601 105.271809)
(xy 98.2866 105.271808)
(xy 98.2866 105.271803)
(xy 98.232797 105.153991)
(xy 98.232793 105.153986)
(xy 98.192523 105.10751)
(xy 98.16303 105.042929)
(xy 98.173135 104.972655)
(xy 98.192522 104.942488)
(xy 98.232797 104.896009)
(xy 98.2866 104.778197)
(xy 98.291533 104.743888)
(xy 98.305032 104.650003)

(xy 98.305032 104.649996)
(xy 98.286601 104.521809)
(xy 98.2866 104.521808)
(xy 98.2866 104.521803)
(xy 98.232797 104.403991)
(xy 98.232793 104.403986)
(xy 98.147985 104.306111)
(xy 98.147983 104.30611)
(xy 98.147983 104.306109)
(xy 98.039027 104.236088)
(xy 98.039026 104.236087)
(xy 98.039025 104.236087)
(xy 97.914758 104.1996)
(xy 97.785242 104.1996)
(xy 97.660975 104.236087)
(xy 97.66097 104.236089)
(xy 97.659173 104.237244)
(xy 97.658744 104.237521)
(xy 97.658728 104.237531)
(xy 97.656171 104.238281)
(xy 97.652774 104.239833)
(xy 97.65255 104.239344)
(xy 97.590606 104.257528)
(xy 97.522486 104.237521)
(xy 97.501517 104.220622)
(xy 97.462303 104.181407)
(xy 97.431177 104.124403)
(xy 101.244968 104.124403)
(xy 101.263398 104.25259)
(xy 101.2634 104.252597)
(xy 101.317203 104.370409)
(xy 101.317206 104.370413)
(xy 101.402014 104.468288)
(xy 101.402016 104.468289)
(xy 101.402017 104.46829)

(xy 101.510973 104.538312)
(xy 101.635242 104.5748)
(xy 101.764758 104.5748)
(xy 101.889027 104.538312)
(xy 101.997983 104.46829)
(xy 102.082797 104.370409)
(xy 102.1366 104.252597)
(xy 102.138435 104.239833)
(xy 102.155032 104.124403)
(xy 102.155032 104.124396)
(xy 102.136601 103.996209)
(xy 102.1366 103.996208)
(xy 102.1366 103.996203)
(xy 102.082797 103.878391)
(xy 102.077094 103.871809)
(xy 101.997985 103.780511)
(xy 101.997983 103.78051)
(xy 101.944305 103.746013)
(xy 101.889027 103.710488)
(xy 101.889026 103.710487)
(xy 101.889025 103.710487)
(xy 101.764758 103.674)
(xy 101.635242 103.674)
(xy 101.510974 103.710487)
(xy 101.510971 103.710489)
(xy 101.402016 103.78051)
(xy 101.402014 103.780511)
(xy 101.317206 103.878386)
(xy 101.317203 103.87839)
(xy 101.2634 103.996202)
(xy 101.263398 103.996209)
(xy 101.244968 104.124396)
(xy 101.244968 104.124403)
(xy 97.431177 104.124403)
(xy 97.428279 104.119095)

(xy 97.4254 104.092313)
(xy 97.4254 103.420003)
(xy 107.154823 103.420003)
(xy 107.173859 103.576791)
(xy 107.229871 103.724479)
(xy 107.31959 103.85446)
(xy 107.319592 103.854462)
(xy 107.319593 103.854463)
(xy 107.437817 103.9592)
(xy 107.577671 104.032601)
(xy 107.731027 104.0704)
(xy 107.731028 104.0704)
(xy 107.888972 104.0704)
(xy 107.888973 104.0704)
(xy 108.042329 104.032601)
(xy 108.182183 103.9592)
(xy 108.300407 103.854463)
(xy 108.341304 103.795212)
(xy 108.396462 103.750513)
(xy 108.46703 103.74273)
(xy 108.530605 103.774334)
(xy 108.548695 103.795212)
(xy 108.589593 103.854463)
(xy 108.707817 103.9592)
(xy 108.847671 104.032601)
(xy 109.001027 104.0704)
(xy 109.001028 104.0704)
(xy 109.158972 104.0704)
(xy 109.158973 104.0704)
(xy 109.312329 104.032601)
(xy 109.452183 103.9592)
(xy 109.570407 103.854463)
(xy 109.611304 103.795212)
(xy 109.666462 103.750513)
(xy 109.73703 103.74273)

(xy 109.800605 103.774334)
(xy 109.818695 103.795212)
(xy 109.859593 103.854463)
(xy 109.977817 103.9592)
(xy 110.117671 104.032601)
(xy 110.271027 104.0704)
(xy 110.271028 104.0704)
(xy 110.428972 104.0704)
(xy 110.428973 104.0704)
(xy 110.582329 104.032601)
(xy 110.722183 103.9592)
(xy 110.840407 103.854463)
(xy 110.881303 103.795213)
(xy 110.93646 103.750514)
(xy 111.007028 103.74273)
(xy 111.070603 103.774333)
(xy 111.088695 103.795212)
(xy 111.101093 103.813174)
(xy 111.129593 103.854463)
(xy 111.247817 103.9592)
(xy 111.387671 104.032601)
(xy 111.541027 104.0704)
(xy 111.541028 104.0704)
(xy 111.698972 104.0704)
(xy 111.698973 104.0704)
(xy 111.852329 104.032601)
(xy 111.992183 103.9592)
(xy 112.110407 103.854463)
(xy 112.151304 103.795212)
(xy 112.206462 103.750513)
(xy 112.27703 103.74273)
(xy 112.340605 103.774334)
(xy 112.358695 103.795212)
(xy 112.399593 103.854463)
(xy 112.517817 103.9592)

(xy 112.657671 104.032601)
(xy 112.811027 104.0704)
(xy 112.811028 104.0704)
(xy 112.968972 104.0704)
(xy 112.968973 104.0704)
(xy 113.122329 104.032601)
(xy 113.262183 103.9592)
(xy 113.380407 103.854463)
(xy 113.421304 103.795212)
(xy 113.476462 103.750513)
(xy 113.54703 103.74273)
(xy 113.610605 103.774334)
(xy 113.628695 103.795212)
(xy 113.669593 103.854463)
(xy 113.787817 103.9592)
(xy 113.927671 104.032601)
(xy 114.081027 104.0704)
(xy 114.081028 104.0704)
(xy 114.238972 104.0704)
(xy 114.238973 104.0704)
(xy 114.392329 104.032601)
(xy 114.532183 103.9592)
(xy 114.650407 103.854463)
(xy 114.691303 103.795213)
(xy 114.74646 103.750514)
(xy 114.817028 103.74273)
(xy 114.880603 103.774333)
(xy 114.898695 103.795212)
(xy 114.911093 103.813174)
(xy 114.939593 103.854463)
(xy 115.057817 103.9592)
(xy 115.197671 104.032601)
(xy 115.351027 104.0704)
(xy 115.351028 104.0704)
(xy 115.508972 104.0704)

(xy 115.508973 104.0704)
(xy 115.662329 104.032601)
(xy 115.802183 103.9592)
(xy 115.920407 103.854463)
(xy 115.961304 103.795212)
(xy 116.016462 103.750513)
(xy 116.08703 103.74273)
(xy 116.150605 103.774334)
(xy 116.168695 103.795212)
(xy 116.209593 103.854463)
(xy 116.327817 103.9592)
(xy 116.467671 104.032601)
(xy 116.621027 104.0704)
(xy 116.621028 104.0704)
(xy 116.778972 104.0704)
(xy 116.778973 104.0704)
(xy 116.932329 104.032601)
(xy 117.072183 103.9592)
(xy 117.190407 103.854463)
(xy 117.28013 103.724476)
(xy 117.336139 103.576794)
(xy 117.336139 103.576793)
(xy 117.33614 103.576791)
(xy 117.346122 103.494574)
(xy 117.355177 103.42)
(xy 117.346678 103.35)
(xy 117.33614 103.263208)
(xy 117.31256 103.201035)
(xy 117.28013 103.115524)
(xy 117.280128 103.115522)
(xy 117.280128 103.11552)
(xy 117.190409 102.985539)
(xy 117.174903 102.971802)
(xy 117.072183 102.8808)
(xy 116.932329 102.807399)

(xy 116.932328 102.807398)
(xy 116.932327 102.807398)
(xy 116.778974 102.7696)
(xy 116.778973 102.7696)
(xy 116.621027 102.7696)
(xy 116.621025 102.7696)
(xy 116.467673 102.807398)
(xy 116.467672 102.807398)
(xy 116.32782 102.880798)
(xy 116.327818 102.880799)
(xy 116.327817 102.8808)
(xy 116.274325 102.92819)
(xy 116.20959 102.985539)
(xy 116.168696 103.044786)
(xy 116.113537 103.089486)
(xy 116.042969 103.097269)
(xy 115.979395 103.065664)
(xy 115.961304 103.044786)
(xy 115.920409 102.985539)
(xy 115.904903 102.971802)
(xy 115.802183 102.8808)
(xy 115.662329 102.807399)
(xy 115.662328 102.807398)
(xy 115.662327 102.807398)
(xy 115.508974 102.7696)
(xy 115.508973 102.7696)
(xy 115.351027 102.7696)
(xy 115.351025 102.7696)
(xy 115.197673 102.807398)
(xy 115.197672 102.807398)
(xy 115.05782 102.880798)
(xy 115.057818 102.880799)
(xy 115.057817 102.8808)
(xy 115.004325 102.92819)
(xy 114.93959 102.985539)

(xy 114.898696 103.044786)
(xy 114.843537 103.089486)
(xy 114.772969 103.097269)
(xy 114.709395 103.065664)
(xy 114.691304 103.044786)
(xy 114.650409 102.985539)
(xy 114.634903 102.971802)
(xy 114.532183 102.8808)
(xy 114.392329 102.807399)
(xy 114.392328 102.807398)
(xy 114.392327 102.807398)
(xy 114.238974 102.7696)
(xy 114.238973 102.7696)
(xy 114.081027 102.7696)
(xy 114.081025 102.7696)
(xy 113.927673 102.807398)
(xy 113.927672 102.807398)
(xy 113.78782 102.880798)
(xy 113.787818 102.880799)
(xy 113.787817 102.8808)
(xy 113.734325 102.92819)
(xy 113.66959 102.985539)
(xy 113.628696 103.044786)
(xy 113.573537 103.089486)
(xy 113.502969 103.097269)
(xy 113.439395 103.065664)
(xy 113.421304 103.044786)
(xy 113.380409 102.985539)
(xy 113.364903 102.971802)
(xy 113.262183 102.8808)
(xy 113.122329 102.807399)
(xy 113.122328 102.807398)
(xy 113.122327 102.807398)
(xy 112.968974 102.7696)
(xy 112.968973 102.7696)

(xy 112.811027 102.7696)
(xy 112.811025 102.7696)
(xy 112.657673 102.807398)
(xy 112.657672 102.807398)
(xy 112.51782 102.880798)
(xy 112.517818 102.880799)
(xy 112.517817 102.8808)
(xy 112.464325 102.92819)
(xy 112.39959 102.985539)
(xy 112.358696 103.044786)
(xy 112.303537 103.089486)
(xy 112.232969 103.097269)
(xy 112.169395 103.065664)
(xy 112.151304 103.044786)
(xy 112.110409 102.985539)
(xy 112.094903 102.971802)
(xy 111.992183 102.8808)
(xy 111.852329 102.807399)
(xy 111.852328 102.807398)
(xy 111.852327 102.807398)
(xy 111.698974 102.7696)
(xy 111.698973 102.7696)
(xy 111.541027 102.7696)
(xy 111.541025 102.7696)
(xy 111.387673 102.807398)
(xy 111.387672 102.807398)
(xy 111.24782 102.880798)
(xy 111.247818 102.880799)
(xy 111.247817 102.8808)
(xy 111.194325 102.92819)
(xy 111.12959 102.985539)
(xy 111.088696 103.044786)
(xy 111.033537 103.089486)
(xy 110.962969 103.097269)
(xy 110.899395 103.065664)

(xy 110.881304 103.044786)
(xy 110.840409 102.985539)
(xy 110.824903 102.971802)
(xy 110.722183 102.8808)
(xy 110.582329 102.807399)
(xy 110.582328 102.807398)
(xy 110.582327 102.807398)
(xy 110.428974 102.7696)
(xy 110.428973 102.7696)
(xy 110.271027 102.7696)
(xy 110.271025 102.7696)
(xy 110.117673 102.807398)
(xy 110.117672 102.807398)
(xy 109.97782 102.880798)
(xy 109.977818 102.880799)
(xy 109.977817 102.8808)
(xy 109.924325 102.92819)
(xy 109.85959 102.985539)
(xy 109.818696 103.044786)
(xy 109.763537 103.089486)
(xy 109.692969 103.097269)
(xy 109.629395 103.065664)
(xy 109.611304 103.044786)
(xy 109.570409 102.985539)
(xy 109.554903 102.971802)
(xy 109.452183 102.8808)
(xy 109.312329 102.807399)
(xy 109.312328 102.807398)
(xy 109.312327 102.807398)
(xy 109.158974 102.7696)
(xy 109.158973 102.7696)
(xy 109.001027 102.7696)
(xy 109.001025 102.7696)
(xy 108.847673 102.807398)
(xy 108.847672 102.807398)

(xy 108.70782 102.880798)
(xy 108.707818 102.880799)
(xy 108.707817 102.8808)
(xy 108.654325 102.92819)
(xy 108.58959 102.985539)
(xy 108.548696 103.044786)
(xy 108.493537 103.089486)
(xy 108.422969 103.097269)
(xy 108.359395 103.065664)
(xy 108.341304 103.044786)
(xy 108.300409 102.985539)
(xy 108.284903 102.971802)
(xy 108.182183 102.8808)
(xy 108.182179 102.880798)
(xy 108.182177 102.880796)
(xy 108.170181 102.8745)
(xy 108.119159 102.825131)
(xy 108.102927 102.756015)
(xy 108.126639 102.689095)
(xy 108.182767 102.645618)
(xy 108.19324 102.642037)
(xy 108.289027 102.613912)
(xy 108.397983 102.54389)
(xy 108.482797 102.446009)
(xy 108.5366 102.328197)
(xy 108.539574 102.30751)
(xy 108.555032 102.200003)
(xy 108.555032 102.199996)
(xy 108.536601 102.071809)
(xy 108.5366 102.071808)
(xy 108.5366 102.071803)
(xy 108.482797 101.953991)
(xy 108.482793 101.953986)
(xy 108.397985 101.856111)
(xy 108.397983 101.85611)

(xy 108.373032 101.840075)
(xy 108.289027 101.786088)
(xy 108.289026 101.786087)
(xy 108.289025 101.786087)
(xy 108.164758 101.7496)
(xy 108.035242 101.7496)
(xy 107.910974 101.786087)
(xy 107.910971 101.786089)
(xy 107.802016 101.85611)
(xy 107.802014 101.856111)
(xy 107.717206 101.953986)
(xy 107.717203 101.95399)
(xy 107.6634 102.071802)
(xy 107.663398 102.071809)
(xy 107.644968 102.199996)
(xy 107.644968 102.200003)
(xy 107.663398 102.32819)
(xy 107.6634 102.328197)
(xy 107.717203 102.446009)
(xy 107.717206 102.446013)
(xy 107.802013 102.543887)
(xy 107.807194 102.548376)
(xy 107.845577 102.608103)
(xy 107.845577 102.679099)
(xy 107.807193 102.738825)
(xy 107.742611 102.768318)
(xy 107.73858 102.768606)
(xy 107.73859 102.768682)
(xy 107.731025 102.7696)
(xy 107.577673 102.807398)
(xy 107.577672 102.807398)
(xy 107.43782 102.880798)
(xy 107.437818 102.880799)
(xy 107.437817 102.8808)
(xy 107.384325 102.92819)

(xy 107.31959 102.985539)
(xy 107.229871 103.11552)
(xy 107.173859 103.263208)
(xy 107.154823 103.419996)
(xy 107.154823 103.420003)
(xy 97.4254 103.420003)
(xy 97.4254 103.09327)
(xy 97.445402 103.025149)
(xy 97.499058 102.978656)
(xy 97.569332 102.968552)
(xy 97.619519 102.987271)
(xy 97.660973 103.013912)
(xy 97.785242 103.0504)
(xy 97.914758 103.0504)
(xy 98.039027 103.013912)
(xy 98.147983 102.94389)
(xy 98.232797 102.846009)
(xy 98.2866 102.728197)
(xy 98.292654 102.686089)
(xy 98.305032 102.600003)
(xy 99.644968 102.600003)
(xy 99.663398 102.72819)
(xy 99.6634 102.728197)
(xy 99.717203 102.846009)
(xy 99.717206 102.846013)
(xy 99.802014 102.943888)
(xy 99.802016 102.943889)
(xy 99.802017 102.94389)
(xy 99.910973 103.013912)
(xy 100.035242 103.0504)
(xy 100.164758 103.0504)
(xy 100.289027 103.013912)
(xy 100.397983 102.94389)
(xy 100.482797 102.846009)
(xy 100.5366 102.728197)

(xy 100.542654 102.686089)
(xy 100.555032 102.600003)
(xy 101.394968 102.600003)
(xy 101.413398 102.72819)
(xy 101.4134 102.728197)
(xy 101.467203 102.846009)
(xy 101.467206 102.846013)
(xy 101.552014 102.943888)
(xy 101.552016 102.943889)
(xy 101.552017 102.94389)
(xy 101.660973 103.013912)
(xy 101.785242 103.0504)
(xy 101.914758 103.0504)
(xy 102.039027 103.013912)
(xy 102.147983 102.94389)
(xy 102.232797 102.846009)
(xy 102.2866 102.728197)
(xy 102.292654 102.686089)
(xy 102.305032 102.600003)
(xy 102.305032 102.599996)
(xy 102.286601 102.471809)
(xy 102.2866 102.471808)
(xy 102.2866 102.471803)
(xy 102.232797 102.353991)
(xy 102.232793 102.353986)
(xy 102.192523 102.30751)
(xy 102.16303 102.242929)
(xy 102.173135 102.172655)
(xy 102.192522 102.142488)
(xy 102.232797 102.096009)
(xy 102.2866 101.978197)
(xy 102.29008 101.953991)
(xy 102.305032 101.850003)
(xy 102.305032 101.849996)
(xy 102.286601 101.721809)

(xy 102.2866 101.721808)
(xy 102.2866 101.721803)
(xy 102.232797 101.603991)
(xy 102.232793 101.603986)
(xy 102.147985 101.506111)
(xy 102.147983 101.50611)
(xy 102.116827 101.486087)
(xy 102.039027 101.436088)
(xy 102.039026 101.436087)
(xy 102.039025 101.436087)
(xy 101.914758 101.3996)
(xy 101.785242 101.3996)
(xy 101.660974 101.436087)
(xy 101.660971 101.436089)
(xy 101.552016 101.50611)
(xy 101.552014 101.506111)
(xy 101.467206 101.603986)
(xy 101.467203 101.60399)
(xy 101.4134 101.721802)
(xy 101.413398 101.721809)
(xy 101.394968 101.849996)
(xy 101.394968 101.850003)
(xy 101.413398 101.97819)
(xy 101.4134 101.978197)
(xy 101.467203 102.096009)
(xy 101.507477 102.142488)
(xy 101.53697 102.207069)
(xy 101.526866 102.277343)
(xy 101.507477 102.307512)
(xy 101.467203 102.35399)
(xy 101.4134 102.471802)
(xy 101.413398 102.471809)
(xy 101.394968 102.599996)
(xy 101.394968 102.600003)
(xy 100.555032 102.600003)

(xy 100.555032 102.599996)
(xy 100.536601 102.471809)
(xy 100.5366 102.471808)
(xy 100.5366 102.471803)
(xy 100.482797 102.353991)
(xy 100.482793 102.353986)
(xy 100.397985 102.256111)
(xy 100.397983 102.25611)
(xy 100.310679 102.200003)
(xy 100.289027 102.186088)
(xy 100.289026 102.186087)
(xy 100.289025 102.186087)
(xy 100.164758 102.1496)
(xy 100.035242 102.1496)
(xy 99.910974 102.186087)
(xy 99.910971 102.186089)
(xy 99.802016 102.25611)
(xy 99.802014 102.256111)
(xy 99.717206 102.353986)
(xy 99.717203 102.35399)
(xy 99.6634 102.471802)
(xy 99.663398 102.471809)
(xy 99.644968 102.599996)
(xy 99.644968 102.600003)
(xy 98.305032 102.600003)
(xy 98.305032 102.599996)
(xy 98.286601 102.471809)
(xy 98.2866 102.471808)
(xy 98.2866 102.471803)
(xy 98.232797 102.353991)
(xy 98.232793 102.353986)
(xy 98.192523 102.30751)
(xy 98.16303 102.242929)
(xy 98.173135 102.172655)
(xy 98.192522 102.142488)

(xy 98.232797 102.096009)
(xy 98.2866 101.978197)
(xy 98.29008 101.953991)
(xy 98.305032 101.850003)
(xy 98.305032 101.849996)
(xy 98.286601 101.721809)
(xy 98.2866 101.721808)
(xy 98.2866 101.721803)
(xy 98.232797 101.603991)
(xy 98.232793 101.603986)
(xy 98.147985 101.506111)
(xy 98.147983 101.50611)
(xy 98.116827 101.486087)
(xy 98.039027 101.436088)
(xy 98.039026 101.436087)
(xy 98.039025 101.436087)
(xy 97.914758 101.3996)
(xy 97.785242 101.3996)
(xy 97.660975 101.436087)
(xy 97.660973 101.436088)
(xy 97.632168 101.454599)
(xy 97.56405 101.4746)
(xy 97.5514 101.4746)
(xy 97.483279 101.454598)
(xy 97.436786 101.400942)
(xy 97.4254 101.3486)
(xy 97.4254 100.29327)
(xy 97.445402 100.225149)
(xy 97.499058 100.178656)
(xy 97.569332 100.168552)
(xy 97.619519 100.187271)
(xy 97.660973 100.213912)
(xy 97.785242 100.2504)
(xy 97.914758 100.2504)
(xy 98.039027 100.213912)

(xy 98.147983 100.14389)
(xy 98.232797 100.046009)
(xy 98.2866 99.928197)
(xy 98.300979 99.82819)
(xy 98.305032 99.800003)
(xy 99.644968 99.800003)
(xy 99.663398 99.92819)
(xy 99.6634 99.928197)
(xy 99.717203 100.046009)
(xy 99.717206 100.046013)
(xy 99.802014 100.143888)
(xy 99.802016 100.143889)
(xy 99.802017 100.14389)
(xy 99.910973 100.213912)
(xy 100.035242 100.2504)
(xy 100.164758 100.2504)
(xy 100.289027 100.213912)
(xy 100.397983 100.14389)
(xy 100.482797 100.046009)
(xy 100.5366 99.928197)
(xy 100.550979 99.82819)
(xy 100.555032 99.800003)
(xy 101.394968 99.800003)
(xy 101.413398 99.92819)
(xy 101.4134 99.928197)
(xy 101.467203 100.046009)
(xy 101.467206 100.046013)
(xy 101.552014 100.143888)
(xy 101.552016 100.143889)
(xy 101.552017 100.14389)
(xy 101.660973 100.213912)
(xy 101.785242 100.2504)
(xy 101.914758 100.2504)
(xy 102.039027 100.213912)
(xy 102.147983 100.14389)

(xy 102.232797 100.046009)
(xy 102.2866 99.928197)
(xy 102.300979 99.82819)
(xy 102.305032 99.800003)
(xy 102.305032 99.799996)
(xy 102.290655 99.700003)
(xy 106.944968 99.700003)
(xy 106.963398 99.82819)
(xy 106.9634 99.828197)
(xy 107.017203 99.946009)
(xy 107.017206 99.946013)
(xy 107.102014 100.043888)
(xy 107.102016 100.043889)
(xy 107.102017 100.04389)
(xy 107.210973 100.113912)
(xy 107.335242 100.1504)
(xy 107.464758 100.1504)
(xy 107.589027 100.113912)
(xy 107.697983 100.04389)
(xy 107.704775 100.03605)
(xy 107.764495 99.997665)
(xy 107.835492 99.99766)
(xy 107.895221 100.03604)
(xy 107.895226 100.036046)
(xy 107.902021 100.043888)
(xy 107.902023 100.04389)
(xy 108.010979 100.113912)
(xy 108.135248 100.1504)
(xy 108.264764 100.1504)
(xy 108.389033 100.113912)
(xy 108.497989 100.04389)
(xy 108.499992 100.041579)
(xy 108.564071 99.967627)
(xy 108.582803 99.946009)
(xy 108.636606 99.828197)

(xy 108.647245 99.7542)
(xy 108.655038 99.700003)
(xy 108.655038 99.699996)
(xy 108.636607 99.571809)
(xy 108.636606 99.571808)
(xy 108.636606 99.571803)
(xy 108.599359 99.490245)
(xy 108.589256 99.419974)
(xy 108.618749 99.355393)
(xy 108.678471 99.317011)
(xy 108.689027 99.313912)
(xy 108.797983 99.24389)
(xy 108.804744 99.236088)
(xy 108.864636 99.166968)
(xy 108.882797 99.146009)
(xy 108.9366 99.028197)
(xy 108.939179 99.010257)
(xy 108.955032 98.900003)
(xy 108.955032 98.899996)
(xy 108.936601 98.771809)
(xy 108.9366 98.771808)
(xy 108.9366 98.771803)
(xy 108.882797 98.653991)
(xy 108.882793 98.653986)
(xy 108.797985 98.556111)
(xy 108.797983 98.55611)
(xy 108.759084 98.531111)
(xy 108.689027 98.486088)
(xy 108.689026 98.486087)
(xy 108.689025 98.486087)
(xy 108.564758 98.4496)
(xy 108.435242 98.4496)
(xy 108.310974 98.486087)
(xy 108.310971 98.486089)
(xy 108.202016 98.55611)

(xy 108.202014 98.556111)
(xy 108.117206 98.653986)
(xy 108.117203 98.65399)
(xy 108.0634 98.771802)
(xy 108.063398 98.771809)
(xy 108.044968 98.899996)
(xy 108.044968 98.900003)
(xy 108.063398 99.02819)
(xy 108.0634 99.028197)
(xy 108.100645 99.109752)
(xy 108.110748 99.180026)
(xy 108.081255 99.244607)
(xy 108.021531 99.282989)
(xy 108.016288 99.284528)
(xy 108.010978 99.286088)
(xy 108.010977 99.286089)
(xy 107.902023 99.356109)
(xy 107.895227 99.363953)
(xy 107.835501 99.402336)
(xy 107.764504 99.402336)
(xy 107.704779 99.363953)
(xy 107.697982 99.356109)
(xy 107.620183 99.306111)
(xy 107.589027 99.286088)
(xy 107.589026 99.286087)
(xy 107.589025 99.286087)
(xy 107.464758 99.2496)
(xy 107.335242 99.2496)
(xy 107.210974 99.286087)
(xy 107.210971 99.286089)
(xy 107.102016 99.35611)
(xy 107.102014 99.356111)
(xy 107.017206 99.453986)
(xy 107.017203 99.45399)
(xy 106.9634 99.571802)

(xy 106.963398 99.571809)
(xy 106.944968 99.699996)
(xy 106.944968 99.700003)
(xy 102.290655 99.700003)
(xy 102.286601 99.671809)
(xy 102.2866 99.671808)
(xy 102.2866 99.671803)
(xy 102.232797 99.553991)
(xy 102.232052 99.553131)
(xy 102.192523 99.50751)
(xy 102.16303 99.442929)
(xy 102.173135 99.372655)
(xy 102.192522 99.342488)
(xy 102.232797 99.296009)
(xy 102.2866 99.178197)
(xy 102.287721 99.1704)
(xy 102.305032 99.050003)
(xy 102.305032 99.049996)
(xy 102.286601 98.921809)
(xy 102.2866 98.921808)
(xy 102.2866 98.921803)
(xy 102.232797 98.803991)
(xy 102.217278 98.786081)
(xy 102.147985 98.706111)
(xy 102.147983 98.70611)
(xy 102.105457 98.67878)
(xy 102.039027 98.636088)
(xy 102.039026 98.636087)
(xy 102.039025 98.636087)
(xy 101.914758 98.5996)
(xy 101.785242 98.5996)
(xy 101.660974 98.636087)
(xy 101.660971 98.636089)
(xy 101.552016 98.70611)
(xy 101.552014 98.706111)

(xy 101.467206 98.803986)
(xy 101.467203 98.80399)
(xy 101.4134 98.921802)
(xy 101.413398 98.921809)
(xy 101.394968 99.049996)
(xy 101.394968 99.050003)
(xy 101.413398 99.17819)
(xy 101.4134 99.178197)
(xy 101.467203 99.296009)
(xy 101.507477 99.342488)
(xy 101.53697 99.407069)
(xy 101.526866 99.477343)
(xy 101.507477 99.507512)
(xy 101.467203 99.55399)
(xy 101.4134 99.671802)
(xy 101.413398 99.671809)
(xy 101.394968 99.799996)
(xy 101.394968 99.800003)
(xy 100.555032 99.800003)
(xy 100.555032 99.799996)
(xy 100.536601 99.671809)
(xy 100.5366 99.671808)
(xy 100.5366 99.671803)
(xy 100.482797 99.553991)
(xy 100.482052 99.553131)
(xy 100.397985 99.456111)
(xy 100.397983 99.45611)
(xy 100.355889 99.429058)
(xy 100.289027 99.386088)
(xy 100.289026 99.386087)
(xy 100.289025 99.386087)
(xy 100.164758 99.3496)
(xy 100.035242 99.3496)
(xy 99.910974 99.386087)
(xy 99.910971 99.386089)

(xy 99.802016 99.45611)
(xy 99.802014 99.456111)
(xy 99.717206 99.553986)
(xy 99.717203 99.55399)
(xy 99.6634 99.671802)
(xy 99.663398 99.671809)
(xy 99.644968 99.799996)
(xy 99.644968 99.800003)
(xy 98.305032 99.800003)
(xy 98.305032 99.799996)
(xy 98.286601 99.671809)
(xy 98.2866 99.671808)
(xy 98.2866 99.671803)
(xy 98.232797 99.553991)
(xy 98.232052 99.553131)
(xy 98.192523 99.50751)
(xy 98.16303 99.442929)
(xy 98.173135 99.372655)
(xy 98.192522 99.342488)
(xy 98.232797 99.296009)
(xy 98.2866 99.178197)
(xy 98.287721 99.1704)
(xy 98.305032 99.050003)
(xy 98.305032 99.049996)
(xy 98.286601 98.921809)
(xy 98.2866 98.921808)
(xy 98.2866 98.921803)
(xy 98.232797 98.803991)
(xy 98.217278 98.786081)
(xy 98.147985 98.706111)
(xy 98.147983 98.70611)
(xy 98.105457 98.67878)
(xy 98.039027 98.636088)
(xy 98.039026 98.636087)
(xy 98.039025 98.636087)

(xy 97.914758 98.5996)
(xy 97.785242 98.5996)
(xy 97.660975 98.636087)
(xy 97.660973 98.636088)
(xy 97.632168 98.654599)
(xy 97.56405 98.6746)
(xy 97.5514 98.6746)
(xy 97.483279 98.654598)
(xy 97.436786 98.600942)
(xy 97.4254 98.5486)
(xy 97.4254 98.502715)
(xy 104.2696 98.502715)
(xy 104.284409 98.615208)
(xy 104.342388 98.755181)
(xy 104.342393 98.755189)
(xy 104.434619 98.87538)
(xy 104.55481 98.967606)
(xy 104.554817 98.967611)
(xy 104.69479 99.02559)
(xy 104.807286 99.0404)
(xy 104.807294 99.0404)
(xy 105.732706 99.0404)
(xy 105.732714 99.0404)
(xy 105.84521 99.02559)
(xy 105.985183 98.967611)
(xy 106.10538 98.87538)
(xy 106.197611 98.755183)
(xy 106.25559 98.61521)
(xy 106.2704 98.502714)
(xy 106.2704 97.600003)
(xy 106.844968 97.600003)
(xy 106.863398 97.72819)
(xy 106.8634 97.728197)
(xy 106.917203 97.846009)
(xy 106.917206 97.846013)

(xy 107.002014 97.943888)
(xy 107.002016 97.943889)
(xy 107.002017 97.94389)
(xy 107.110973 98.013912)
(xy 107.235242 98.0504)
(xy 107.364758 98.0504)
(xy 107.489027 98.013912)
(xy 107.597983 97.94389)
(xy 107.682797 97.846009)
(xy 107.7366 97.728197)
(xy 107.741213 97.696111)
(xy 107.755032 97.600003)
(xy 107.755032 97.599996)
(xy 107.736601 97.471809)
(xy 107.7366 97.471808)
(xy 107.7366 97.471803)
(xy 107.682797 97.353991)
(xy 107.672042 97.341579)
(xy 107.597985 97.256111)
(xy 107.597983 97.25611)
(xy 107.557735 97.230244)
(xy 107.489027 97.186088)
(xy 107.489026 97.186087)
(xy 107.489025 97.186087)
(xy 107.364758 97.1496)
(xy 107.235242 97.1496)
(xy 107.110974 97.186087)
(xy 107.110971 97.186089)
(xy 107.002016 97.25611)
(xy 107.002014 97.256111)
(xy 106.917206 97.353986)
(xy 106.917203 97.35399)
(xy 106.8634 97.471802)
(xy 106.863398 97.471809)
(xy 106.844968 97.599996)

(xy 106.844968 97.600003)
(xy 106.2704 97.600003)
(xy 106.2704 97.577286)
(xy 106.25559 97.46479)
(xy 106.197611 97.324817)
(xy 106.180965 97.303123)
(xy 106.10538 97.204619)
(xy 105.985189 97.112393)
(xy 105.985181 97.112388)
(xy 105.845208 97.054409)
(xy 105.732715 97.0396)
(xy 105.732714 97.0396)
(xy 104.807286 97.0396)
(xy 104.807284 97.0396)
(xy 104.694791 97.054409)
(xy 104.554818 97.112388)
(xy 104.55481 97.112393)
(xy 104.434619 97.204619)
(xy 104.342393 97.32481)
(xy 104.342388 97.324818)
(xy 104.284409 97.464791)
(xy 104.2696 97.577284)
(xy 104.2696 98.502715)
(xy 97.4254 98.502715)
(xy 97.4254 97.59327)
(xy 97.445402 97.525149)
(xy 97.499058 97.478656)
(xy 97.569332 97.468552)
(xy 97.619519 97.487271)
(xy 97.660973 97.513912)
(xy 97.785242 97.5504)
(xy 97.914758 97.5504)
(xy 98.039027 97.513912)
(xy 98.147983 97.44389)
(xy 98.151512 97.439818)

(xy 98.18505 97.401112)
(xy 98.232797 97.346009)
(xy 98.2866 97.228197)
(xy 98.288891 97.212265)
(xy 98.305032 97.100003)
(xy 99.644968 97.100003)
(xy 99.663398 97.22819)
(xy 99.6634 97.228197)
(xy 99.717203 97.346009)
(xy 99.717206 97.346013)
(xy 99.802014 97.443888)
(xy 99.802016 97.443889)
(xy 99.802017 97.44389)
(xy 99.910973 97.513912)
(xy 100.035242 97.5504)
(xy 100.164758 97.5504)
(xy 100.289027 97.513912)
(xy 100.397983 97.44389)
(xy 100.401512 97.439818)
(xy 100.43505 97.401112)
(xy 100.482797 97.346009)
(xy 100.5366 97.228197)
(xy 100.538891 97.212265)
(xy 100.555032 97.100003)
(xy 101.394968 97.100003)
(xy 101.413398 97.22819)
(xy 101.4134 97.228197)
(xy 101.467203 97.346009)
(xy 101.467206 97.346013)
(xy 101.552014 97.443888)
(xy 101.552016 97.443889)
(xy 101.552017 97.44389)
(xy 101.660973 97.513912)
(xy 101.785242 97.5504)
(xy 101.914758 97.5504)

(xy 102.039027 97.513912)
(xy 102.147983 97.44389)
(xy 102.151512 97.439818)
(xy 102.18505 97.401112)
(xy 102.232797 97.346009)
(xy 102.2866 97.228197)
(xy 102.288891 97.212265)
(xy 102.305032 97.100003)
(xy 102.305032 97.099996)
(xy 102.286601 96.971809)
(xy 102.2866 96.971808)
(xy 102.2866 96.971803)
(xy 102.232797 96.853991)
(xy 102.232793 96.853986)
(xy 102.192523 96.80751)
(xy 102.16303 96.742929)
(xy 102.173135 96.672655)
(xy 102.192522 96.642488)
(xy 102.229336 96.600003)
(xy 113.844968 96.600003)
(xy 113.863398 96.72819)
(xy 113.8634 96.728197)
(xy 113.917203 96.846009)
(xy 113.917206 96.846013)
(xy 114.002014 96.943888)
(xy 114.002016 96.943889)
(xy 114.002017 96.94389)
(xy 114.110973 97.013912)
(xy 114.235242 97.0504)
(xy 114.364758 97.0504)
(xy 114.489027 97.013912)
(xy 114.597983 96.94389)
(xy 114.682797 96.846009)
(xy 114.7366 96.728197)
(xy 114.742654 96.686089)

(xy 114.755032 96.600003)
(xy 114.755032 96.599996)
(xy 114.736601 96.471809)
(xy 114.7366 96.471808)
(xy 114.7366 96.471803)
(xy 114.682797 96.353991)
(xy 114.680808 96.351695)
(xy 114.597985 96.256111)
(xy 114.597983 96.25611)
(xy 114.568607 96.237231)
(xy 114.489027 96.186088)
(xy 114.489026 96.186087)
(xy 114.489025 96.186087)
(xy 114.364758 96.1496)
(xy 114.235242 96.1496)
(xy 114.110974 96.186087)
(xy 114.110971 96.186089)
(xy 114.002016 96.25611)
(xy 114.002014 96.256111)
(xy 113.917206 96.353986)
(xy 113.917203 96.35399)
(xy 113.8634 96.471802)
(xy 113.863398 96.471809)
(xy 113.844968 96.599996)
(xy 113.844968 96.600003)
(xy 102.229336 96.600003)
(xy 102.232797 96.596009)
(xy 102.2866 96.478197)
(xy 102.29095 96.44794)
(xy 102.305032 96.350003)
(xy 102.305032 96.349996)
(xy 102.286601 96.221809)
(xy 102.2866 96.221808)
(xy 102.2866 96.221803)
(xy 102.232797 96.103991)

(xy 102.232793 96.103986)
(xy 102.147985 96.006111)
(xy 102.147983 96.00611)
(xy 102.120925 95.988721)
(xy 102.039027 95.936088)
(xy 102.039026 95.936087)
(xy 102.039025 95.936087)
(xy 101.914758 95.8996)
(xy 101.785242 95.8996)
(xy 101.660974 95.936087)
(xy 101.660971 95.936089)
(xy 101.552016 96.00611)
(xy 101.552014 96.006111)
(xy 101.467206 96.103986)
(xy 101.467203 96.10399)
(xy 101.4134 96.221802)
(xy 101.413398 96.221809)
(xy 101.394968 96.349996)
(xy 101.394968 96.350003)
(xy 101.413398 96.47819)
(xy 101.4134 96.478197)
(xy 101.467203 96.596009)
(xy 101.507477 96.642488)
(xy 101.53697 96.707069)
(xy 101.526866 96.777343)
(xy 101.507477 96.807512)
(xy 101.467203 96.85399)
(xy 101.4134 96.971802)
(xy 101.413398 96.971809)
(xy 101.394968 97.099996)
(xy 101.394968 97.100003)
(xy 100.555032 97.100003)
(xy 100.555032 97.099996)
(xy 100.536601 96.971809)
(xy 100.5366 96.971808)

(xy 100.5366 96.971803)
(xy 100.482797 96.853991)
(xy 100.482793 96.853986)
(xy 100.397985 96.756111)
(xy 100.397983 96.75611)
(xy 100.359401 96.731315)
(xy 100.289027 96.686088)
(xy 100.289026 96.686087)
(xy 100.289025 96.686087)
(xy 100.164758 96.6496)
(xy 100.035242 96.6496)
(xy 99.910974 96.686087)
(xy 99.910971 96.686089)
(xy 99.802016 96.75611)
(xy 99.802014 96.756111)
(xy 99.717206 96.853986)
(xy 99.717203 96.85399)
(xy 99.6634 96.971802)
(xy 99.663398 96.971809)
(xy 99.644968 97.099996)
(xy 99.644968 97.100003)
(xy 98.305032 97.100003)
(xy 98.305032 97.099996)
(xy 98.286601 96.971809)
(xy 98.2866 96.971808)
(xy 98.2866 96.971803)
(xy 98.232797 96.853991)
(xy 98.232793 96.853986)
(xy 98.192523 96.80751)
(xy 98.16303 96.742929)
(xy 98.173135 96.672655)
(xy 98.192522 96.642488)
(xy 98.232797 96.596009)
(xy 98.2866 96.478197)
(xy 98.29095 96.44794)

(xy 98.305032 96.350003)
(xy 98.305032 96.349996)
(xy 98.286601 96.221809)
(xy 98.2866 96.221808)
(xy 98.2866 96.221803)
(xy 98.232797 96.103991)
(xy 98.232793 96.103986)
(xy 98.147985 96.006111)
(xy 98.147983 96.00611)
(xy 98.120925 95.988721)
(xy 98.039027 95.936088)
(xy 98.039026 95.936087)
(xy 98.039025 95.936087)
(xy 97.914758 95.8996)
(xy 97.785242 95.8996)
(xy 97.660975 95.936087)
(xy 97.660973 95.936088)
(xy 97.632168 95.954599)
(xy 97.56405 95.9746)
(xy 97.452004 95.9746)
(xy 97.426149 95.971919)
(xy 97.415725 95.969733)
(xy 97.393045 95.972561)
(xy 97.380566 95.974116)
(xy 97.372778 95.9746)
(xy 97.368891 95.9746)
(xy 97.345862 95.978442)
(xy 97.324078 95.981157)
(xy 97.2914 95.985231)
(xy 97.283884 95.987468)
(xy 97.276419 95.990031)
(xy 97.228139 96.016159)
(xy 97.178849 96.040256)
(xy 97.172428 96.04484)
(xy 97.166234 96.049661)

(xy 97.129047 96.090057)
(xy 96.82132 96.397782)
(xy 96.801148 96.414164)
(xy 96.792236 96.419986)
(xy 96.79223 96.419992)
(xy 96.770476 96.44794)
(xy 96.765318 96.453783)
(xy 96.762561 96.45654)
(xy 96.762555 96.456549)
(xy 96.748985 96.475554)
(xy 96.736639 96.491417)
(xy 96.715277 96.518863)
(xy 96.711535 96.525777)
(xy 96.708078 96.532849)
(xy 96.692415 96.58546)
(xy 96.674599 96.637358)
(xy 96.673301 96.645134)
(xy 96.67233 96.652925)
(xy 96.6746 96.707777)
(xy 96.6746 96.737524)
(xy 96.654598 96.805645)
(xy 96.600942 96.852138)
(xy 96.530668 96.862242)
(xy 96.466088 96.832748)
(xy 96.453376 96.820036)
(xy 96.397985 96.756111)
(xy 96.397983 96.75611)
(xy 96.359401 96.731315)
(xy 96.289027 96.686088)
(xy 96.289026 96.686087)
(xy 96.289025 96.686087)
(xy 96.164758 96.6496)
(xy 96.035242 96.6496)
(xy 95.910974 96.686087)
(xy 95.910971 96.686089)

(xy 95.802016 96.75611)
(xy 95.802014 96.756111)
(xy 95.717206 96.853986)
(xy 95.717203 96.85399)
(xy 95.6634 96.971802)
(xy 95.663398 96.971809)
(xy 95.644968 97.099996)
(xy 95.644968 97.100003)
(xy 95.663398 97.22819)
(xy 95.6634 97.228197)
(xy 95.717203 97.346009)
(xy 95.717206 97.346013)
(xy 95.802014 97.443888)
(xy 95.802016 97.443889)
(xy 95.802017 97.44389)
(xy 95.910973 97.513912)
(xy 96.035242 97.5504)
(xy 96.164758 97.5504)
(xy 96.289027 97.513912)
(xy 96.397983 97.44389)
(xy 96.453376 97.379961)
(xy 96.513101 97.341579)
(xy 96.584097 97.341579)
(xy 96.643824 97.379962)
(xy 96.673317 97.444542)
(xy 96.6746 97.462475)
(xy 96.6746 99.031859)
(xy 96.674385 99.037064)
(xy 96.670709 99.081428)
(xy 96.670744 99.081566)
(xy 96.6746 99.112498)
(xy 96.6746 99.437524)
(xy 96.654598 99.505645)
(xy 96.600942 99.552138)
(xy 96.530668 99.562242)

(xy 96.466088 99.532748)
(xy 96.453376 99.520036)
(xy 96.397985 99.456111)
(xy 96.397983 99.45611)
(xy 96.355889 99.429058)
(xy 96.289027 99.386088)
(xy 96.289026 99.386087)
(xy 96.289025 99.386087)
(xy 96.164758 99.3496)
(xy 96.035242 99.3496)
(xy 95.910974 99.386087)
(xy 95.910971 99.386089)
(xy 95.802016 99.45611)
(xy 95.802014 99.456111)
(xy 95.717206 99.553986)
(xy 95.717203 99.55399)
(xy 95.6634 99.671802)
(xy 95.663398 99.671809)
(xy 95.644968 99.799996)
(xy 95.644968 99.800003)
(xy 95.663398 99.92819)
(xy 95.6634 99.928197)
(xy 95.717203 100.046009)
(xy 95.717206 100.046013)
(xy 95.802014 100.143888)
(xy 95.802016 100.143889)
(xy 95.802017 100.14389)
(xy 95.910973 100.213912)
(xy 96.035242 100.2504)
(xy 96.164758 100.2504)
(xy 96.289027 100.213912)
(xy 96.397983 100.14389)
(xy 96.453376 100.079961)
(xy 96.513101 100.041579)
(xy 96.584097 100.041579)

(xy 96.643824 100.079962)
(xy 96.673317 100.144542)
(xy 96.6746 100.162475)
(xy 96.6746 101.831859)
(xy 96.674385 101.837064)
(xy 96.670709 101.881428)
(xy 96.670744 101.881566)
(xy 96.6746 101.912498)
(xy 96.6746 102.237524)
(xy 96.654598 102.305645)
(xy 96.600942 102.352138)
(xy 96.530668 102.362242)
(xy 96.466088 102.332748)
(xy 96.453376 102.320036)
(xy 96.397985 102.256111)
(xy 96.397983 102.25611)
(xy 96.310679 102.200003)
(xy 96.289027 102.186088)
(xy 96.289026 102.186087)
(xy 96.289025 102.186087)
(xy 96.164758 102.1496)
(xy 96.035242 102.1496)
(xy 95.910974 102.186087)
(xy 95.910971 102.186089)
(xy 95.802016 102.25611)
(xy 95.802014 102.256111)
(xy 95.717206 102.353986)
(xy 95.717203 102.35399)
(xy 95.6634 102.471802)
(xy 95.663398 102.471809)
(xy 95.644968 102.599996)
(xy 95.644968 102.600003)
(xy 95.663398 102.72819)
(xy 95.6634 102.728197)
(xy 95.717203 102.846009)

(xy 95.717206 102.846013)
(xy 95.802014 102.943888)
(xy 95.802016 102.943889)
(xy 95.802017 102.94389)
(xy 95.910973 103.013912)
(xy 96.035242 103.0504)
(xy 96.164758 103.0504)
(xy 96.289027 103.013912)
(xy 96.397983 102.94389)
(xy 96.453376 102.879961)
(xy 96.513101 102.841579)
(xy 96.584097 102.841579)
(xy 96.643824 102.879962)
(xy 96.673317 102.944542)
(xy 96.6746 102.962475)
(xy 96.6746 104.247998)
(xy 96.671918 104.273857)
(xy 96.669734 104.284271)
(xy 96.674115 104.319422)
(xy 96.674599 104.327222)
(xy 96.6746 105.037524)
(xy 96.654598 105.105645)
(xy 96.600942 105.152138)
(xy 96.530669 105.162242)
(xy 96.466088 105.132749)
(xy 96.453376 105.120036)
(xy 96.397985 105.056111)
(xy 96.397983 105.05611)
(xy 96.369827 105.038015)
(xy 96.289027 104.986088)
(xy 96.289026 104.986087)
(xy 96.289025 104.986087)
(xy 96.164758 104.9496)
(xy 96.035242 104.9496)
(xy 95.910974 104.986087)

(xy 95.910971 104.986089)
(xy 95.802016 105.05611)
(xy 95.802014 105.056111)
(xy 95.717206 105.153986)
(xy 95.717203 105.15399)
(xy 95.6634 105.271802)
(xy 95.663398 105.271809)
(xy 95.644968 105.399996)
(xy 95.644968 105.400003)
(xy 81.003807 105.400003)
(xy 81.0366 105.328197)
(xy 81.039736 105.306388)
(xy 81.055032 105.200003)
(xy 81.055032 105.199997)
(xy 81.054217 105.194328)
(xy 81.064323 105.124054)
(xy 81.110817 105.0704)
(xy 81.178935 105.0504)
(xy 81.264758 105.0504)
(xy 81.389027 105.013912)
(xy 81.497983 104.94389)
(xy 81.582797 104.846009)
(xy 81.6366 104.728197)
(xy 81.644113 104.675946)
(xy 81.655032 104.600003)
(xy 81.655032 104.599997)
(xy 81.654217 104.594328)
(xy 81.664323 104.524054)
(xy 81.710817 104.4704)
(xy 81.778935 104.4504)
(xy 81.864758 104.4504)
(xy 81.989027 104.413912)
(xy 82.097983 104.34389)
(xy 82.115817 104.323309)
(xy 82.158023 104.2746)

(xy 82.182797 104.246009)
(xy 82.2366 104.128197)
(xy 82.236872 104.126301)
(xy 82.255032 104.000003)
(xy 82.255032 103.999997)
(xy 82.254217 103.994328)
(xy 82.264323 103.924054)
(xy 82.310817 103.8704)
(xy 82.378935 103.8504)
(xy 82.464758 103.8504)
(xy 82.589027 103.813912)
(xy 82.697983 103.74389)
(xy 82.709346 103.730777)
(xy 82.739302 103.696205)
(xy 82.782797 103.646009)
(xy 82.8366 103.528197)
(xy 82.841434 103.494574)
(xy 82.855032 103.400003)
(xy 82.855032 103.399997)
(xy 82.854217 103.394328)
(xy 82.864323 103.324054)
(xy 82.910817 103.2704)
(xy 82.978935 103.2504)
(xy 83.064758 103.2504)
(xy 83.189027 103.213912)
(xy 83.297983 103.14389)
(xy 83.382797 103.046009)
(xy 83.4366 102.928197)
(xy 83.444113 102.875946)
(xy 83.455032 102.800003)
(xy 83.455032 102.799997)
(xy 83.454217 102.794328)
(xy 83.464323 102.724054)
(xy 83.510817 102.6704)
(xy 83.578935 102.6504)

(xy 83.664758 102.6504)
(xy 83.789027 102.613912)
(xy 83.897983 102.54389)
(xy 83.982797 102.446009)
(xy 84.0366 102.328197)
(xy 84.039574 102.30751)
(xy 84.055032 102.200003)
(xy 84.055032 102.199996)
(xy 84.036601 102.071809)
(xy 84.0366 102.071808)
(xy 84.0366 102.071803)
(xy 83.982797 101.953991)
(xy 83.982793 101.953986)
(xy 83.897985 101.856111)
(xy 83.897983 101.85611)
(xy 83.873032 101.840075)
(xy 83.789027 101.786088)
(xy 83.789026 101.786087)
(xy 83.789025 101.786087)
(xy 83.664758 101.7496)
(xy 83.535242 101.7496)
(xy 83.410974 101.786087)
(xy 83.410971 101.786089)
(xy 83.302016 101.85611)
(xy 83.302014 101.856111)
(xy 83.217206 101.953986)
(xy 83.217203 101.95399)
(xy 83.1634 102.071802)
(xy 83.163398 102.071809)
(xy 83.144968 102.199996)
(xy 83.144968 102.200002)
(xy 83.145783 102.205672)
(xy 83.135677 102.275946)
(xy 83.089183 102.3296)
(xy 83.021065 102.3496)

(xy 82.935242 102.3496)
(xy 82.810974 102.386087)
(xy 82.810971 102.386089)
(xy 82.702016 102.45611)
(xy 82.702014 102.456111)
(xy 82.617206 102.553986)
(xy 82.617203 102.55399)
(xy 82.5634 102.671802)
(xy 82.563398 102.671809)
(xy 82.544968 102.799996)
(xy 82.544968 102.800002)
(xy 82.545783 102.805672)
(xy 82.535677 102.875946)
(xy 82.489183 102.9296)
(xy 82.421065 102.9496)
(xy 82.335242 102.9496)
(xy 82.210974 102.986087)
(xy 82.210971 102.986089)
(xy 82.102016 103.05611)
(xy 82.102014 103.056111)
(xy 82.017206 103.153986)
(xy 82.017203 103.15399)
(xy 81.9634 103.271802)
(xy 81.963398 103.271809)
(xy 81.944968 103.399996)
(xy 81.944968 103.400002)
(xy 81.945783 103.405672)
(xy 81.935677 103.475946)
(xy 81.889183 103.5296)
(xy 81.821065 103.5496)
(xy 81.735242 103.5496)
(xy 81.610974 103.586087)
(xy 81.610971 103.586089)
(xy 81.502016 103.65611)
(xy 81.502014 103.656111)

(xy 81.417206 103.753986)
(xy 81.417203 103.75399)
(xy 81.3634 103.871802)
(xy 81.363398 103.871809)
(xy 81.344968 103.999996)
(xy 81.344968 104.000002)
(xy 81.345783 104.005672)
(xy 81.335677 104.075946)
(xy 81.289183 104.1296)
(xy 81.221065 104.1496)
(xy 81.135242 104.1496)
(xy 81.010974 104.186087)
(xy 81.010971 104.186089)
(xy 80.902016 104.25611)
(xy 80.902014 104.256111)
(xy 80.817206 104.353986)
(xy 80.817203 104.35399)
(xy 80.7634 104.471802)
(xy 80.763398 104.471809)
(xy 80.744968 104.599996)
(xy 80.744968 104.600002)
(xy 80.745783 104.605672)
(xy 80.735677 104.675946)
(xy 80.689183 104.7296)
(xy 80.621065 104.7496)
(xy 80.535242 104.7496)
(xy 80.410974 104.786087)
(xy 80.410971 104.786089)
(xy 80.302016 104.85611)
(xy 80.302014 104.856111)
(xy 80.217206 104.953986)
(xy 80.217203 104.95399)
(xy 80.1634 105.071802)
(xy 80.1634 105.071803)
(xy 80.160524 105.091809)

(xy 80.131031 105.15639)
(xy 80.071305 105.194774)
(xy 80.035806 105.199878)
(xy 79.935242 105.199878)
(xy 79.810974 105.236365)
(xy 79.810971 105.236367)
(xy 79.702016 105.306388)
(xy 79.702014 105.306389)
(xy 79.617206 105.404264)
(xy 79.617203 105.404268)
(xy 79.5634 105.52208)
(xy 79.563398 105.522087)
(xy 79.544968 105.650274)
(xy 79.544968 105.650281)
(xy 76.3254 105.650281)
(xy 76.3254 105.240671)
(xy 76.345402 105.17255)
(xy 76.362305 105.151576)
(xy 77.665146 103.848734)
(xy 77.687136 103.828197)
(xy 77.711391 103.805545)
(xy 77.733244 103.769607)
(xy 77.736866 103.764286)
(xy 77.762276 103.73078)
(xy 77.768316 103.715461)
(xy 77.777873 103.696217)
(xy 77.786434 103.682142)
(xy 77.797782 103.641635)
(xy 77.799826 103.635556)
(xy 77.815261 103.59642)
(xy 77.816946 103.580024)
(xy 77.820957 103.558924)
(xy 77.8254 103.543069)
(xy 77.8254 103.501022)
(xy 77.825731 103.494574)

(xy 77.830031 103.452748)
(xy 77.827232 103.436512)
(xy 77.8254 103.415105)
(xy 77.8254 102.200003)
(xy 78.644968 102.200003)
(xy 78.663398 102.32819)
(xy 78.6634 102.328197)
(xy 78.717203 102.446009)
(xy 78.717206 102.446013)
(xy 78.802014 102.543888)
(xy 78.802016 102.543889)
(xy 78.802017 102.54389)
(xy 78.910973 102.613912)
(xy 79.035242 102.6504)
(xy 79.164758 102.6504)
(xy 79.289027 102.613912)
(xy 79.397983 102.54389)
(xy 79.482797 102.446009)
(xy 79.5366 102.328197)
(xy 79.539574 102.30751)
(xy 79.555032 102.200003)
(xy 79.555032 102.199996)
(xy 79.536601 102.071809)
(xy 79.5366 102.071808)
(xy 79.5366 102.071803)
(xy 79.482797 101.953991)
(xy 79.475173 101.945193)
(xy 79.445679 101.880615)
(xy 79.455781 101.81034)
(xy 79.502272 101.756683)
(xy 79.570392 101.736679)
(xy 79.605893 101.741783)
(xy 79.635241 101.7504)
(xy 79.635242 101.7504)
(xy 79.764758 101.7504)

(xy 79.889027 101.713912)
(xy 79.997983 101.64389)
(xy 80.082797 101.546009)
(xy 80.1366 101.428197)
(xy 80.143817 101.378002)
(xy 80.155032 101.300003)
(xy 80.155032 101.299996)
(xy 80.147817 101.249815)
(xy 84.344966 101.249815)
(xy 84.363396 101.378002)
(xy 84.363398 101.378009)
(xy 84.417201 101.495821)
(xy 84.417204 101.495825)
(xy 84.502012 101.5937)
(xy 84.502014 101.593701)
(xy 84.502015 101.593702)
(xy 84.610971 101.663724)
(xy 84.73524 101.700212)
(xy 84.864756 101.700212)
(xy 84.989025 101.663724)
(xy 85.097981 101.593702)
(xy 85.10458 101.586087)
(xy 85.130554 101.556111)
(xy 85.182795 101.495821)
(xy 85.236598 101.378009)
(xy 85.247815 101.299996)
(xy 85.25503 101.249815)
(xy 85.25503 101.249808)
(xy 85.236599 101.121621)
(xy 85.236598 101.12162)
(xy 85.236598 101.121615)
(xy 85.182795 101.003803)
(xy 85.182791 101.003798)
(xy 85.097983 100.905923)
(xy 85.097981 100.905922)

(xy 85.02095 100.856417)
(xy 84.989025 100.8359)
(xy 84.989024 100.835899)
(xy 84.989023 100.835899)
(xy 84.864756 100.799412)
(xy 84.73524 100.799412)
(xy 84.610972 100.835899)
(xy 84.610969 100.835901)
(xy 84.502014 100.905922)
(xy 84.502012 100.905923)
(xy 84.417204 101.003798)
(xy 84.417201 101.003802)
(xy 84.363398 101.121614)
(xy 84.363396 101.121621)
(xy 84.344966 101.249808)
(xy 84.344966 101.249815)
(xy 80.147817 101.249815)
(xy 80.136601 101.171809)
(xy 80.1366 101.171808)
(xy 80.1366 101.171803)
(xy 80.082797 101.053991)
(xy 80.082793 101.053986)
(xy 79.997985 100.956111)
(xy 79.997983 100.95611)
(xy 79.956877 100.929693)
(xy 79.889027 100.886088)
(xy 79.889026 100.886087)
(xy 79.889025 100.886087)
(xy 79.764758 100.8496)
(xy 79.635242 100.8496)
(xy 79.510974 100.886087)
(xy 79.510971 100.886089)
(xy 79.402016 100.95611)
(xy 79.402014 100.956111)
(xy 79.317206 101.053986)

(xy 79.317203 101.05399)
(xy 79.2634 101.171802)
(xy 79.263398 101.171809)
(xy 79.244968 101.299996)
(xy 79.244968 101.300003)
(xy 79.263398 101.42819)
(xy 79.2634 101.428197)
(xy 79.317203 101.546009)
(xy 79.324825 101.554805)
(xy 79.35432 101.619385)
(xy 79.344218 101.689659)
(xy 79.297727 101.743316)
(xy 79.229606 101.76332)
(xy 79.194108 101.758217)
(xy 79.164758 101.7496)
(xy 79.035242 101.7496)
(xy 78.910974 101.786087)
(xy 78.910971 101.786089)
(xy 78.802016 101.85611)
(xy 78.802014 101.856111)
(xy 78.717206 101.953986)
(xy 78.717203 101.95399)
(xy 78.6634 102.071802)
(xy 78.663398 102.071809)
(xy 78.644968 102.199996)
(xy 78.644968 102.200003)
(xy 77.8254 102.200003)
(xy 77.8254 100.019818)
(xy 77.845402 99.951697)
(xy 77.862305 99.930723)
(xy 78.382342 99.410686)
(xy 78.444654 99.37666)
(xy 78.515469 99.381725)
(xy 78.572305 99.424272)
(xy 78.58605 99.447438)

(xy 78.617201 99.515648)
(xy 78.617206 99.515655)
(xy 78.702014 99.61353)
(xy 78.702016 99.613531)
(xy 78.702017 99.613532)
(xy 78.810973 99.683554)
(xy 78.935242 99.720042)
(xy 79.064758 99.720042)
(xy 79.189027 99.683554)
(xy 79.297983 99.613532)
(xy 79.30046 99.610674)
(xy 79.349576 99.55399)
(xy 79.382797 99.515651)
(xy 79.422343 99.429056)
(xy 79.468835 99.375402)
(xy 79.536955 99.3554)
(xy 83.150995 99.3554)
(xy 83.151 99.3554)
(xy 83.21047 99.34357)
(xy 83.245118 99.329218)
(xy 83.280249 99.308936)
(xy 83.282418 99.30611)
(xy 83.300158 99.28299)
(xy 83.329218 99.245118)
(xy 83.34357 99.21047)
(xy 83.3554 99.151)
(xy 83.3554 97.94236)
(xy 83.375402 97.874239)
(xy 83.424198 97.830093)
(xy 83.508587 97.787095)
(xy 83.587095 97.708587)
(xy 83.6375 97.609661)
(xy 83.654869 97.5)
(xy 83.639205 97.401107)
(xy 83.648304 97.330701)

(xy 83.694025 97.276386)
(xy 83.761853 97.255413)
(xy 83.763654 97.2554)
(xy 84.436345 97.2554)
(xy 84.504466 97.275402)
(xy 84.550959 97.329058)
(xy 84.561063 97.399332)
(xy 84.560793 97.401113)
(xy 84.553751 97.44557)
(xy 84.523338 97.509722)
(xy 84.518398 97.514952)
(xy 84.198567 97.834784)
(xy 84.196176 97.837053)
(xy 84.166161 97.86408)
(xy 84.16616 97.864081)
(xy 84.15792 97.882588)
(xy 84.148491 97.899953)
(xy 84.137457 97.916945)
(xy 84.137455 97.916949)
(xy 84.137196 97.918588)
(xy 84.127861 97.950105)
(xy 84.127188 97.951616)
(xy 84.127188 97.97187)
(xy 84.125637 97.991578)
(xy 84.122468 98.011588)
(xy 84.122895 98.013182)
(xy 84.127188 98.045792)
(xy 84.127188 98.445033)
(xy 84.127102 98.448305)
(xy 84.124989 98.488636)
(xy 84.129352 98.500003)
(xy 84.132247 98.507543)
(xy 84.13786 98.526492)
(xy 84.14111 98.541784)
(xy 84.142074 98.546316)

(xy 84.143045 98.547652)
(xy 84.158737 98.576553)
(xy 84.159325 98.578085)
(xy 84.15933 98.578093)
(xy 84.173643 98.592406)
(xy 84.186483 98.607439)
(xy 84.198393 98.623832)
(xy 84.198394 98.623833)
(xy 84.198396 98.623835)
(xy 84.199825 98.62466)
(xy 84.225921 98.644684)
(xy 86.435279 100.854043)
(xy 86.437532 100.856417)
(xy 86.464551 100.886426)
(xy 86.464554 100.886428)
(xy 86.483055 100.894665)
(xy 86.500432 100.904099)
(xy 86.517419 100.915131)
(xy 86.51905 100.915389)
(xy 86.550583 100.924729)
(xy 86.55209 100.9254)
(xy 86.572342 100.9254)
(xy 86.59205 100.926951)
(xy 86.595186 100.927447)
(xy 86.61206 100.93012)
(xy 86.613654 100.929692)
(xy 86.646263 100.9254)
(xy 86.939426 100.9254)
(xy 87.007547 100.945402)
(xy 87.05404 100.999058)
(xy 87.06012 101.019762)
(xy 87.060847 101.019549)
(xy 87.063386 101.028197)
(xy 87.117189 101.146009)
(xy 87.117192 101.146013)

(xy 87.202 101.243888)
(xy 87.202002 101.243889)
(xy 87.202003 101.24389)
(xy 87.310959 101.313912)
(xy 87.435228 101.3504)
(xy 87.564744 101.3504)
(xy 87.689013 101.313912)
(xy 87.797969 101.24389)
(xy 87.882783 101.146009)
(xy 87.936586 101.028197)
(xy 87.940093 101.003803)
(xy 87.955018 100.900003)
(xy 87.955018 100.899996)
(xy 87.936587 100.771809)
(xy 87.936586 100.771808)
(xy 87.936586 100.771803)
(xy 87.926263 100.7492)
(xy 87.91616 100.678928)
(xy 87.945653 100.614348)
(xy 87.98173 100.58734)
(xy 87.981444 100.586895)
(xy 87.987679 100.582887)
(xy 87.988538 100.582245)
(xy 87.989015 100.582025)
(xy 87.989025 100.582023)
(xy 88.097981 100.512001)
(xy 88.108397 100.499981)
(xy 88.14641 100.456111)
(xy 88.182795 100.41412)
(xy 88.236598 100.296308)
(xy 88.239666 100.274969)
(xy 88.25503 100.168114)
(xy 88.25503 100.168107)
(xy 88.236599 100.03992)
(xy 88.236598 100.039919)

(xy 88.236598 100.039914)
(xy 88.182795 99.922102)
(xy 88.182791 99.922097)
(xy 88.097983 99.824222)
(xy 88.097981 99.824221)
(xy 88.060297 99.800003)
(xy 87.989025 99.754199)
(xy 87.989024 99.754198)
(xy 87.989023 99.754198)
(xy 87.864756 99.717711)
(xy 87.73524 99.717711)
(xy 87.610972 99.754198)
(xy 87.610969 99.7542)
(xy 87.502014 99.824221)
(xy 87.502012 99.824222)
(xy 87.417204 99.922097)
(xy 87.417201 99.922101)
(xy 87.363398 100.039913)
(xy 87.363396 100.03992)
(xy 87.344966 100.168107)
(xy 87.344966 100.168114)
(xy 87.363396 100.296301)
(xy 87.365937 100.304953)
(xy 87.364678 100.305322)
(xy 87.37348 100.366527)
(xy 87.34399 100.431109)
(xy 87.284265 100.469495)
(xy 87.248762 100.4746)
(xy 86.745554 100.4746)
(xy 86.677433 100.454598)
(xy 86.656459 100.437695)
(xy 85.868767 99.650003)
(xy 90.344968 99.650003)
(xy 90.363398 99.77819)
(xy 90.3634 99.778197)

(xy 90.417203 99.896009)
(xy 90.417206 99.896013)
(xy 90.502014 99.993888)
(xy 90.502016 99.993889)
(xy 90.502017 99.99389)
(xy 90.610973 100.063912)
(xy 90.735242 100.1004)
(xy 90.864758 100.1004)
(xy 90.989027 100.063912)
(xy 91.097983 99.99389)
(xy 91.182797 99.896009)
(xy 91.2366 99.778197)
(xy 91.244528 99.723059)
(xy 91.255032 99.650003)
(xy 91.255032 99.649996)
(xy 91.236601 99.521809)
(xy 91.2366 99.521808)
(xy 91.2366 99.521803)
(xy 91.182797 99.403991)
(xy 91.181363 99.402336)
(xy 91.097985 99.306111)
(xy 91.097983 99.30611)
(xy 91.010052 99.2496)
(xy 90.989027 99.236088)
(xy 90.989026 99.236087)
(xy 90.989025 99.236087)
(xy 90.864758 99.1996)
(xy 90.735242 99.1996)
(xy 90.610974 99.236087)
(xy 90.610971 99.236089)
(xy 90.502016 99.30611)
(xy 90.502014 99.306111)
(xy 90.417206 99.403986)
(xy 90.417203 99.40399)
(xy 90.3634 99.521802)

(xy 90.363398 99.521809)
(xy 90.344968 99.649996)
(xy 90.344968 99.650003)
(xy 85.868767 99.650003)
(xy 85.844164 99.6254)
(xy 85.030669 98.811906)
(xy 84.996645 98.749595)
(xy 85.001709 98.67878)
(xy 85.044256 98.621944)
(xy 85.062563 98.610545)
(xy 85.068659 98.607439)
(xy 85.108587 98.587095)
(xy 85.187095 98.508587)
(xy 85.187732 98.507335)
(xy 85.188908 98.50609)
(xy 85.192926 98.500561)
(xy 85.19364 98.50108)
(xy 85.236481 98.455719)
(xy 85.305395 98.438653)
(xy 85.372597 98.461553)
(xy 85.406658 98.500862)
(xy 85.407074 98.500561)
(xy 85.410587 98.505397)
(xy 85.412267 98.507335)
(xy 85.412905 98.508587)
(xy 85.491413 98.587095)
(xy 85.590339 98.6375)
(xy 85.7 98.654869)
(xy 85.809661 98.6375)
(xy 85.908587 98.587095)
(xy 85.987095 98.508587)
(xy 86.0375 98.409661)
(xy 86.037501 98.409648)
(xy 86.039865 98.402376)
(xy 86.079934 98.343767)

(xy 86.145328 98.316125)
(xy 86.18428 98.317722)
(xy 86.25 98.330795)
(xy 86.264951 98.327821)
(xy 86.289533 98.3254)
(xy 87.010467 98.3254)
(xy 87.035048 98.327821)
(xy 87.049999 98.330795)
(xy 87.049999 98.330794)
(xy 87.05 98.330795)
(xy 87.077123 98.3254)
(xy 87.157456 98.309421)
(xy 87.248552 98.248552)
(xy 87.257023 98.235872)
(xy 87.272689 98.216783)
(xy 87.489469 98.000003)
(xy 90.344968 98.000003)
(xy 90.363398 98.12819)
(xy 90.3634 98.128197)
(xy 90.417203 98.246009)
(xy 90.417206 98.246013)
(xy 90.502014 98.343888)
(xy 90.502016 98.343889)
(xy 90.502017 98.34389)
(xy 90.610973 98.413912)
(xy 90.735242 98.4504)
(xy 90.864758 98.4504)
(xy 90.989027 98.413912)
(xy 91.097983 98.34389)
(xy 91.182797 98.246009)
(xy 91.2366 98.128197)
(xy 91.240778 98.099137)
(xy 91.255032 98.000003)
(xy 91.255032 97.999996)
(xy 91.236601 97.871809)

(xy 91.2366 97.871808)
(xy 91.2366 97.871803)
(xy 91.182797 97.753991)
(xy 91.172939 97.742614)
(xy 91.097985 97.656111)
(xy 91.097983 97.65611)
(xy 91.064816 97.634795)
(xy 90.989027 97.586088)
(xy 90.989026 97.586087)
(xy 90.989025 97.586087)
(xy 90.864758 97.5496)
(xy 90.735242 97.5496)
(xy 90.610974 97.586087)
(xy 90.610971 97.586089)
(xy 90.502016 97.65611)
(xy 90.502014 97.656111)
(xy 90.417206 97.753986)
(xy 90.417203 97.75399)
(xy 90.3634 97.871802)
(xy 90.363398 97.871809)
(xy 90.344968 97.999996)
(xy 90.344968 98.000003)
(xy 87.489469 98.000003)
(xy 89.266783 96.222689)
(xy 89.285872 96.207023)
(xy 89.298552 96.198552)
(xy 89.359421 96.107456)
(xy 89.3754 96.027123)
(xy 89.3754 96.027122)
(xy 89.380795 96)
(xy 89.378028 95.986087)
(xy 89.377821 95.985047)
(xy 89.3754 95.960467)
(xy 89.3754 95.916947)
(xy 89.395402 95.848826)

(xy 89.406171 95.834439)
(xy 89.482797 95.746009)
(xy 89.5366 95.628197)
(xy 89.538891 95.612265)
(xy 89.555032 95.500003)
(xy 89.555032 95.499996)
(xy 89.536601 95.371809)
(xy 89.5366 95.371808)
(xy 89.5366 95.371803)
(xy 89.482797 95.253991)
(xy 89.468505 95.237497)
(xy 89.397985 95.156111)
(xy 89.397983 95.15611)
(xy 89.349595 95.125013)
(xy 89.289027 95.086088)
(xy 89.289026 95.086087)
(xy 89.289025 95.086087)
(xy 89.164758 95.0496)
(xy 89.035242 95.0496)
(xy 88.910974 95.086087)
(xy 88.910971 95.086089)
(xy 88.802016 95.15611)
(xy 88.802014 95.156111)
(xy 88.717206 95.253986)
(xy 88.717203 95.25399)
(xy 88.6634 95.371802)
(xy 88.663398 95.371809)
(xy 88.644968 95.499996)
(xy 88.644968 95.500003)
(xy 88.663398 95.62819)
(xy 88.6634 95.628197)
(xy 88.717203 95.746009)
(xy 88.755194 95.789854)
(xy 88.784687 95.854435)
(xy 88.774582 95.924709)

(xy 88.749064 95.961461)
(xy 87.062144 97.648381)
(xy 86.999832 97.682407)
(xy 86.929017 97.677342)
(xy 86.872181 97.634795)
(xy 86.84737 97.568275)
(xy 86.848601 97.539573)
(xy 86.854869 97.500002)
(xy 86.850445 97.472071)
(xy 86.8375 97.390339)
(xy 86.787095 97.291413)
(xy 86.708587 97.212905)
(xy 86.708585 97.212904)
(xy 86.708584 97.212903)
(xy 86.707335 97.212267)
(xy 86.70609 97.211091)
(xy 86.700561 97.207074)
(xy 86.70108 97.206359)
(xy 86.655719 97.163519)
(xy 86.638653 97.094605)
(xy 86.661553 97.027403)
(xy 86.700862 96.993341)
(xy 86.700561 96.992926)
(xy 86.705397 96.989412)
(xy 86.707335 96.987733)
(xy 86.707495 96.98765)
(xy 86.708587 96.987095)
(xy 86.787095 96.908587)
(xy 86.8375 96.809661)
(xy 86.854869 96.7)
(xy 86.8375 96.590339)
(xy 86.787095 96.491413)
(xy 86.708587 96.412905)
(xy 86.708585 96.412904)
(xy 86.708584 96.412903)

(xy 86.707335 96.412267)
(xy 86.70609 96.411091)
(xy 86.700561 96.407074)
(xy 86.70108 96.406359)
(xy 86.655719 96.363519)
(xy 86.638653 96.294605)
(xy 86.661553 96.227403)
(xy 86.700862 96.193341)
(xy 86.700561 96.192926)
(xy 86.705397 96.189412)
(xy 86.707335 96.187733)
(xy 86.707495 96.18765)
(xy 86.708587 96.187095)
(xy 86.787095 96.108587)
(xy 86.8375 96.009661)
(xy 86.854869 95.9)
(xy 86.8375 95.790339)
(xy 86.787095 95.691413)
(xy 86.708587 95.612905)
(xy 86.708585 95.612904)
(xy 86.708584 95.612903)
(xy 86.707335 95.612267)
(xy 86.70609 95.611091)
(xy 86.700561 95.607074)
(xy 86.70108 95.606359)
(xy 86.655719 95.563519)
(xy 86.638653 95.494605)
(xy 86.661553 95.427403)
(xy 86.700862 95.393341)
(xy 86.700561 95.392926)
(xy 86.705397 95.389412)
(xy 86.707335 95.387733)
(xy 86.707495 95.38765)
(xy 86.708587 95.387095)
(xy 86.787095 95.308587)

(xy 86.8375 95.209661)
(xy 86.854869 95.1)
(xy 86.8375 94.990339)
(xy 86.787095 94.891413)
(xy 86.708587 94.812905)
(xy 86.708587 94.812904)
(xy 86.708586 94.812904)
(xy 86.609663 94.762501)
(xy 86.609662 94.7625)
(xy 86.609661 94.7625)
(xy 86.5 94.745131)
(xy 86.390339 94.7625)
(xy 86.390337 94.7625)
(xy 86.390336 94.762501)
(xy 86.291413 94.812904)
(xy 86.212904 94.891413)
(xy 86.162501 94.990336)
(xy 86.1625 94.990337)
(xy 86.1625 94.990339)
(xy 86.145131 95.1)
(xy 86.1625 95.209661)
(xy 86.1625 95.209662)
(xy 86.162501 95.209663)
(xy 86.208423 95.299792)
(xy 86.212905 95.308587)
(xy 86.291413 95.387095)
(xy 86.291415 95.387096)
(xy 86.291417 95.387097)
(xy 86.292668 95.387735)
(xy 86.293912 95.38891)
(xy 86.299439 95.392926)
(xy 86.29892 95.39364)
(xy 86.344282 95.436485)
(xy 86.361346 95.5054)
(xy 86.338443 95.572601)

(xy 86.299137 95.606659)
(xy 86.299439 95.607074)
(xy 86.294607 95.610584)
(xy 86.292668 95.612265)
(xy 86.291417 95.612902)
(xy 86.291411 95.612906)
(xy 86.212904 95.691413)
(xy 86.162501 95.790336)
(xy 86.1625 95.790337)
(xy 86.1625 95.790339)
(xy 86.145131 95.9)
(xy 86.1625 96.009661)
(xy 86.1625 96.009662)
(xy 86.162501 96.009663)
(xy 86.212328 96.107456)
(xy 86.212905 96.108587)
(xy 86.291413 96.187095)
(xy 86.291415 96.187096)
(xy 86.291417 96.187097)
(xy 86.292668 96.187735)
(xy 86.293912 96.18891)
(xy 86.299439 96.192926)
(xy 86.29892 96.19364)
(xy 86.344282 96.236485)
(xy 86.361346 96.3054)
(xy 86.338443 96.372601)
(xy 86.299137 96.406659)
(xy 86.299439 96.407074)
(xy 86.294607 96.410584)
(xy 86.292668 96.412265)
(xy 86.291417 96.412902)
(xy 86.291411 96.412906)
(xy 86.212906 96.491411)
(xy 86.212902 96.491417)
(xy 86.212265 96.492668)

(xy 86.211089 96.493912)
(xy 86.207074 96.499439)
(xy 86.206359 96.49892)
(xy 86.163515 96.544282)
(xy 86.0946 96.561346)
(xy 86.027399 96.538443)
(xy 85.99334 96.499137)
(xy 85.992926 96.499439)
(xy 85.989415 96.494607)
(xy 85.987735 96.492668)
(xy 85.987097 96.491417)
(xy 85.987095 96.491413)
(xy 85.908587 96.412905)
(xy 85.908586 96.412904)
(xy 85.809663 96.362501)
(xy 85.809662 96.3625)
(xy 85.809661 96.3625)
(xy 85.7 96.345131)
(xy 85.699999 96.345131)
(xy 85.669284 96.349996)
(xy 85.60111 96.360793)
(xy 85.5307 96.351695)
(xy 85.476386 96.305973)
(xy 85.455413 96.238145)
(xy 85.4554 96.236345)
(xy 85.4554 93.949004)
(xy 85.4554 93.949)
(xy 85.44357 93.88953)
(xy 85.429218 93.854882)
(xy 85.408936 93.819751)
(xy 85.408934 93.819749)
(xy 85.408934 93.819748)
(xy 85.345121 93.770784)
(xy 85.345117 93.770781)
(xy 85.310468 93.756429)

(xy 85.274658 93.749306)
(xy 85.251 93.7446)
(xy 85.250998 93.7446)
(xy 84.563654 93.7446)
(xy 84.495533 93.724598)
(xy 84.44904 93.670942)
(xy 84.438936 93.600668)
(xy 84.439177 93.599069)
(xy 84.454869 93.5)
(xy 84.4375 93.390339)
(xy 84.387095 93.291413)
(xy 84.308587 93.212905)
(xy 84.308587 93.212904)
(xy 84.308586 93.212904)
(xy 84.200825 93.157998)
(xy 84.201786 93.15611)
(xy 84.153853 93.123331)
(xy 84.12622 93.057933)
(xy 84.1254 93.043577)
(xy 84.1254 92.7)
(xy 84.545131 92.7)
(xy 84.5625 92.809661)
(xy 84.5625 92.809662)
(xy 84.562501 92.809663)
(xy 84.611632 92.90609)
(xy 84.612905 92.908587)
(xy 84.691413 92.987095)
(xy 84.790339 93.0375)
(xy 84.9 93.054869)
(xy 85.009661 93.0375)
(xy 85.108587 92.987095)
(xy 85.187095 92.908587)
(xy 85.187732 92.907335)
(xy 85.188908 92.90609)
(xy 85.192926 92.900561)

(xy 85.19364 92.90108)
(xy 85.236481 92.855719)
(xy 85.305395 92.838653)
(xy 85.372597 92.861553)
(xy 85.406658 92.900862)
(xy 85.407074 92.900561)
(xy 85.410587 92.905397)
(xy 85.412267 92.907335)
(xy 85.412905 92.908587)
(xy 85.491413 92.987095)
(xy 85.590339 93.0375)
(xy 85.7 93.054869)
(xy 85.809661 93.0375)
(xy 85.908587 92.987095)
(xy 85.987095 92.908587)
(xy 85.987732 92.907335)
(xy 85.988908 92.90609)
(xy 85.992926 92.900561)
(xy 85.99364 92.90108)
(xy 86.036481 92.855719)
(xy 86.105395 92.838653)
(xy 86.172597 92.861553)
(xy 86.206658 92.900862)
(xy 86.207074 92.900561)
(xy 86.210587 92.905397)
(xy 86.212267 92.907335)
(xy 86.212905 92.908587)
(xy 86.291413 92.987095)
(xy 86.291415 92.987096)
(xy 86.291417 92.987097)
(xy 86.292668 92.987735)
(xy 86.293912 92.98891)
(xy 86.299439 92.992926)
(xy 86.29892 92.99364)
(xy 86.344282 93.036485)

(xy 86.361346 93.1054)
(xy 86.338443 93.172601)
(xy 86.299137 93.206659)
(xy 86.299439 93.207074)
(xy 86.294607 93.210584)
(xy 86.292668 93.212265)
(xy 86.291417 93.212902)
(xy 86.291411 93.212906)
(xy 86.212904 93.291413)
(xy 86.162501 93.390336)
(xy 86.1625 93.390337)
(xy 86.1625 93.390339)
(xy 86.145131 93.5)
(xy 86.1625 93.609661)
(xy 86.1625 93.609662)
(xy 86.162501 93.609663)
(xy 86.208325 93.6996)
(xy 86.212905 93.708587)
(xy 86.291413 93.787095)
(xy 86.390339 93.8375)
(xy 86.5 93.854869)
(xy 86.609661 93.8375)
(xy 86.708587 93.787095)
(xy 86.787095 93.708587)
(xy 86.8375 93.609661)
(xy 86.854869 93.5)
(xy 86.8375 93.390339)
(xy 86.787095 93.291413)
(xy 86.708587 93.212905)
(xy 86.708585 93.212904)
(xy 86.708584 93.212903)
(xy 86.707335 93.212267)
(xy 86.70609 93.211091)
(xy 86.700561 93.207074)
(xy 86.70108 93.206359)

(xy 86.655719 93.163519)
(xy 86.638653 93.094605)
(xy 86.661553 93.027403)
(xy 86.700862 92.993341)
(xy 86.700561 92.992926)
(xy 86.705397 92.989412)
(xy 86.707335 92.987733)
(xy 86.707495 92.98765)
(xy 86.708587 92.987095)
(xy 86.787095 92.908587)
(xy 86.8375 92.809661)
(xy 86.854869 92.7)
(xy 86.8375 92.590339)
(xy 86.787095 92.491413)
(xy 86.708587 92.412905)
(xy 86.708587 92.412904)
(xy 86.708586 92.412904)
(xy 86.609663 92.362501)
(xy 86.609662 92.3625)
(xy 86.609661 92.3625)
(xy 86.5 92.345131)
(xy 86.390339 92.3625)
(xy 86.390337 92.3625)
(xy 86.390336 92.362501)
(xy 86.291413 92.412904)
(xy 86.212906 92.491411)
(xy 86.212902 92.491417)
(xy 86.212265 92.492668)
(xy 86.211089 92.493912)
(xy 86.207074 92.499439)
(xy 86.206359 92.49892)
(xy 86.163515 92.544282)
(xy 86.0946 92.561346)
(xy 86.027399 92.538443)
(xy 85.99334 92.499137)

(xy 85.992926 92.499439)
(xy 85.989415 92.494607)
(xy 85.987735 92.492668)
(xy 85.987097 92.491417)
(xy 85.987095 92.491413)
(xy 85.908587 92.412905)
(xy 85.908585 92.412904)
(xy 85.908584 92.412903)
(xy 85.907335 92.412267)
(xy 85.90609 92.411091)
(xy 85.900561 92.407074)
(xy 85.90108 92.406359)
(xy 85.855719 92.363519)
(xy 85.838653 92.294605)
(xy 85.861553 92.227403)
(xy 85.900862 92.193341)
(xy 85.900561 92.192926)
(xy 85.905397 92.189412)
(xy 85.907335 92.187733)
(xy 85.907495 92.18765)
(xy 85.908587 92.187095)
(xy 85.987095 92.108587)
(xy 86.0375 92.009661)
(xy 86.054869 91.9)
(xy 86.0375 91.790339)
(xy 85.987095 91.691413)
(xy 85.908587 91.612905)
(xy 85.908587 91.612904)
(xy 85.908586 91.612904)
(xy 85.809663 91.562501)
(xy 85.809662 91.5625)
(xy 85.809661 91.5625)
(xy 85.7 91.545131)
(xy 85.590339 91.5625)
(xy 85.590337 91.5625)

(xy 85.590336 91.562501)
(xy 85.491413 91.612904)
(xy 85.412906 91.691411)
(xy 85.412902 91.691417)
(xy 85.412265 91.692668)
(xy 85.411089 91.693912)
(xy 85.407074 91.699439)
(xy 85.406359 91.69892)
(xy 85.363515 91.744282)
(xy 85.2946 91.761346)
(xy 85.227399 91.738443)
(xy 85.19334 91.699137)
(xy 85.192926 91.699439)
(xy 85.189415 91.694607)
(xy 85.187735 91.692668)
(xy 85.187097 91.691417)
(xy 85.187095 91.691413)
(xy 85.108587 91.612905)
(xy 85.108586 91.612904)
(xy 85.009663 91.562501)
(xy 85.009662 91.5625)
(xy 85.009661 91.5625)
(xy 84.9 91.545131)
(xy 84.790339 91.5625)
(xy 84.790337 91.5625)
(xy 84.790336 91.562501)
(xy 84.691413 91.612904)
(xy 84.612904 91.691413)
(xy 84.562501 91.790336)
(xy 84.5625 91.790337)
(xy 84.5625 91.790339)
(xy 84.545131 91.9)
(xy 84.5625 92.009661)
(xy 84.5625 92.009662)
(xy 84.562501 92.009663)

(xy 84.611632 92.10609)
(xy 84.612905 92.108587)
(xy 84.691413 92.187095)
(xy 84.691415 92.187096)
(xy 84.691417 92.187097)
(xy 84.692668 92.187735)
(xy 84.693912 92.18891)
(xy 84.699439 92.192926)
(xy 84.69892 92.19364)
(xy 84.744282 92.236485)
(xy 84.761346 92.3054)
(xy 84.738443 92.372601)
(xy 84.699137 92.406659)
(xy 84.699439 92.407074)
(xy 84.694607 92.410584)
(xy 84.692668 92.412265)
(xy 84.691417 92.412902)
(xy 84.691411 92.412906)
(xy 84.612904 92.491413)
(xy 84.562501 92.590336)
(xy 84.5625 92.590337)
(xy 84.5625 92.590339)
(xy 84.545131 92.7)
(xy 84.1254 92.7)
(xy 84.1254 91.616264)
(xy 84.145402 91.548143)
(xy 84.162305 91.527169)
(xy 85.377169 90.312305)
(xy 85.439481 90.278279)
(xy 85.466264 90.2754)
(xy 86.635128 90.2754)
(xy 86.703249 90.295402)
(xy 86.730351 90.318886)
(xy 86.752017 90.34389)
(xy 86.860973 90.413912)

(xy 86.985242 90.4504)
(xy 87.114758 90.4504)
(xy 87.213102 90.421524)
(xy 87.284099 90.421524)
(xy 87.343825 90.459908)
(xy 87.373318 90.524489)
(xy 87.3746 90.54242)
(xy 87.3746 93.825701)
(xy 87.354598 93.893822)
(xy 87.300942 93.940315)
(xy 87.268312 93.950149)
(xy 87.19034 93.962499)
(xy 87.091413 94.012904)
(xy 87.012904 94.091413)
(xy 86.962501 94.190336)
(xy 86.9625 94.190337)
(xy 86.9625 94.190339)
(xy 86.945131 94.3)
(xy 86.9625 94.409661)
(xy 86.9625 94.409662)
(xy 86.962501 94.409663)
(xy 87.008529 94.5)
(xy 87.012905 94.508587)
(xy 87.091413 94.587095)
(xy 87.190339 94.6375)
(xy 87.3 94.654869)
(xy 87.409661 94.6375)
(xy 87.508587 94.587095)
(xy 87.587095 94.508587)
(xy 87.6375 94.409661)
(xy 87.654869 94.3)
(xy 87.654868 94.299997)
(xy 87.655259 94.297532)
(xy 87.685672 94.233379)
(xy 87.690595 94.228166)

(xy 87.75406 94.164701)
(xy 87.756399 94.162482)
(xy 87.77026 94.150003)
(xy 89.144968 94.150003)
(xy 89.163398 94.27819)
(xy 89.1634 94.278197)
(xy 89.217203 94.396009)
(xy 89.217206 94.396013)
(xy 89.302014 94.493888)
(xy 89.302016 94.493889)
(xy 89.302017 94.49389)
(xy 89.410973 94.563912)
(xy 89.535242 94.6004)
(xy 89.664758 94.6004)
(xy 89.789027 94.563912)
(xy 89.897983 94.49389)
(xy 89.908379 94.481893)
(xy 89.931653 94.455033)
(xy 89.982797 94.396009)
(xy 90.0366 94.278197)
(xy 90.039242 94.259822)
(xy 90.055032 94.150003)
(xy 90.055032 94.149996)
(xy 90.036601 94.021809)
(xy 90.0366 94.021808)
(xy 90.0366 94.021803)
(xy 89.982797 93.903991)
(xy 89.982793 93.903986)
(xy 89.897985 93.806111)
(xy 89.897983 93.80611)
(xy 89.875901 93.791919)
(xy 89.789027 93.736088)
(xy 89.789026 93.736087)
(xy 89.789025 93.736087)
(xy 89.664758 93.6996)

(xy 89.535242 93.6996)
(xy 89.410974 93.736087)
(xy 89.410971 93.736089)
(xy 89.302016 93.80611)
(xy 89.302014 93.806111)
(xy 89.217206 93.903986)
(xy 89.217203 93.90399)
(xy 89.1634 94.021802)
(xy 89.163398 94.021809)
(xy 89.144968 94.149996)
(xy 89.144968 94.150003)
(xy 87.77026 94.150003)
(xy 87.786427 94.135447)
(xy 87.794665 94.116941)
(xy 87.8041 94.099566)
(xy 87.805708 94.09709)
(xy 87.815131 94.082581)
(xy 87.815389 94.080949)
(xy 87.824729 94.049415)
(xy 87.8254 94.04791)
(xy 87.8254 94.027658)
(xy 87.826951 94.00795)
(xy 87.827414 94.005028)
(xy 87.83012 93.98794)
(xy 87.829691 93.986341)
(xy 87.8254 93.953736)
(xy 87.8254 93.2)
(xy 88.194508 93.2)
(xy 88.214354 93.325304)
(xy 88.214355 93.325305)
(xy 88.271949 93.438342)
(xy 88.361657 93.52805)
(xy 88.387305 93.541118)
(xy 88.474696 93.585646)
(xy 88.6 93.605492)

(xy 88.725304 93.585646)
(xy 88.838342 93.52805)
(xy 88.868357 93.498035)
(xy 88.904088 93.462305)
(xy 88.9664 93.428279)
(xy 88.993183 93.4254)
(xy 90.004447 93.4254)
(xy 90.072568 93.445402)
(xy 90.093541 93.462304)
(xy 91.187695 94.556459)
(xy 91.22172 94.618769)
(xy 91.224599 94.645552)
(xy 91.224599 97.292445)
(xy 91.224513 97.295741)
(xy 91.2224 97.336046)
(xy 91.222401 97.336048)
(xy 91.229288 97.35399)
(xy 91.229659 97.354955)
(xy 91.235272 97.373904)
(xy 91.237766 97.385635)
(xy 91.239486 97.393728)
(xy 91.240457 97.395064)
(xy 91.256149 97.423965)
(xy 91.256737 97.425497)
(xy 91.256742 97.425505)
(xy 91.271055 97.439818)
(xy 91.283895 97.454851)
(xy 91.295805 97.471244)
(xy 91.295806 97.471245)
(xy 91.295808 97.471247)
(xy 91.297238 97.472072)
(xy 91.323333 97.492096)
(xy 92.167499 98.336263)
(xy 92.201524 98.398575)
(xy 92.203121 98.443287)

(xy 92.194968 98.5)
(xy 92.194968 98.500003)
(xy 92.213398 98.62819)
(xy 92.2134 98.628197)
(xy 92.267203 98.746009)
(xy 92.267206 98.746013)
(xy 92.352014 98.843888)
(xy 92.352016 98.843889)
(xy 92.352017 98.84389)
(xy 92.460973 98.913912)
(xy 92.585242 98.9504)
(xy 92.714758 98.9504)
(xy 92.839027 98.913912)
(xy 92.947983 98.84389)
(xy 93.032797 98.746009)
(xy 93.0866 98.628197)
(xy 93.092189 98.589325)
(xy 93.105032 98.500003)
(xy 93.105032 98.499996)
(xy 93.086601 98.371809)
(xy 93.0866 98.371808)
(xy 93.0866 98.371803)
(xy 93.032797 98.253991)
(xy 93.032793 98.253986)
(xy 92.947985 98.156111)
(xy 92.947983 98.15611)
(xy 92.904713 98.128302)
(xy 92.839027 98.086088)
(xy 92.839026 98.086087)
(xy 92.839025 98.086087)
(xy 92.714758 98.0496)
(xy 92.585242 98.0496)
(xy 92.576231 98.0496)
(xy 92.576231 98.047169)
(xy 92.518909 98.038919)

(xy 92.482172 98.013408)
(xy 91.712305 97.243541)
(xy 91.678279 97.181229)
(xy 91.6754 97.154446)
(xy 91.6754 95.877351)
(xy 91.695402 95.80923)
(xy 91.749058 95.762737)
(xy 91.819332 95.752633)
(xy 91.853746 95.762739)
(xy 91.856305 95.763907)
(xy 91.856313 95.763912)
(xy 91.980582 95.8004)
(xy 92.110098 95.8004)
(xy 92.11145 95.800003)
(xy 92.694968 95.800003)
(xy 92.713398 95.92819)
(xy 92.7134 95.928197)
(xy 92.767203 96.046009)
(xy 92.767206 96.046013)
(xy 92.852014 96.143888)
(xy 92.852016 96.143889)
(xy 92.852017 96.14389)
(xy 92.960973 96.213912)
(xy 93.085242 96.2504)
(xy 93.214758 96.2504)
(xy 93.339027 96.213912)
(xy 93.447983 96.14389)
(xy 93.532797 96.046009)
(xy 93.5866 95.928197)
(xy 93.590712 95.8996)
(xy 93.605032 95.800003)
(xy 93.605032 95.799996)
(xy 93.586601 95.671809)
(xy 93.5866 95.671808)
(xy 93.5866 95.671803)

(xy 93.586597 95.671798)
(xy 93.584061 95.663158)
(xy 93.586294 95.662502)
(xy 93.577999 95.604831)
(xy 93.607489 95.540249)
(xy 93.634598 95.516758)
(xy 93.639025 95.513912)
(xy 93.639027 95.513912)
(xy 93.66067 95.500003)
(xy 104.264759 95.500003)
(xy 104.284072 95.696104)
(xy 104.284073 95.696109)
(xy 104.284074 95.696113)
(xy 104.311593 95.786831)
(xy 104.341278 95.88469)
(xy 104.433373 96.056986)
(xy 104.434173 96.058482)
(xy 104.559187 96.210813)
(xy 104.711518 96.335827)
(xy 104.738026 96.349996)
(xy 104.85843 96.414354)
(xy 104.885311 96.428722)
(xy 105.073887 96.485926)
(xy 105.073893 96.485926)
(xy 105.073895 96.485927)
(xy 105.269997 96.505241)
(xy 105.27 96.505241)
(xy 105.270003 96.505241)
(xy 105.466104 96.485927)
(xy 105.466104 96.485926)
(xy 105.466113 96.485926)
(xy 105.654689 96.428722)
(xy 105.828482 96.335827)
(xy 105.980813 96.210813)
(xy 106.105827 96.058482)

(xy 106.198722 95.884689)
(xy 106.255926 95.696113)
(xy 106.25832 95.671803)
(xy 106.275241 95.500003)
(xy 106.275241 95.499996)
(xy 106.255927 95.303895)
(xy 106.255926 95.303893)
(xy 106.255926 95.303887)
(xy 106.198722 95.115311)
(xy 106.19054 95.100003)
(xy 106.844968 95.100003)
(xy 106.863398 95.22819)
(xy 106.8634 95.228197)
(xy 106.917203 95.346009)
(xy 106.917206 95.346013)
(xy 107.002014 95.443888)
(xy 107.002016 95.443889)
(xy 107.002017 95.44389)
(xy 107.110973 95.513912)
(xy 107.235242 95.5504)
(xy 107.364758 95.5504)
(xy 107.489027 95.513912)
(xy 107.597983 95.44389)
(xy 107.60207 95.439174)
(xy 107.647196 95.387095)
(xy 107.682797 95.346009)
(xy 107.7366 95.228197)
(xy 107.739265 95.209661)
(xy 107.755032 95.100003)
(xy 107.755032 95.099996)
(xy 107.736601 94.971809)
(xy 107.7366 94.971808)
(xy 107.7366 94.971803)
(xy 107.682797 94.853991)
(xy 107.682793 94.853986)

(xy 107.597985 94.756111)
(xy 107.597983 94.75611)
(xy 107.564471 94.734573)
(xy 107.489027 94.686088)
(xy 107.489026 94.686087)
(xy 107.489025 94.686087)
(xy 107.364758 94.6496)
(xy 107.235242 94.6496)
(xy 107.110974 94.686087)
(xy 107.110971 94.686089)
(xy 107.002016 94.75611)
(xy 107.002014 94.756111)
(xy 106.917206 94.853986)
(xy 106.917203 94.85399)
(xy 106.8634 94.971802)
(xy 106.863398 94.971809)
(xy 106.844968 95.099996)
(xy 106.844968 95.100003)
(xy 106.19054 95.100003)
(xy 106.105827 94.941518)
(xy 105.980813 94.789187)
(xy 105.828482 94.664173)
(xy 105.82848 94.664172)
(xy 105.828479 94.664171)
(xy 105.65469 94.571278)
(xy 105.599335 94.554486)
(xy 105.466113 94.514074)
(xy 105.466109 94.514073)
(xy 105.466104 94.514072)
(xy 105.32325 94.500003)
(xy 110.644968 94.500003)
(xy 110.663398 94.62819)
(xy 110.6634 94.628197)
(xy 110.717203 94.746009)
(xy 110.717206 94.746013)

(xy 110.802014 94.843888)
(xy 110.802016 94.843889)
(xy 110.802017 94.84389)
(xy 110.910973 94.913912)
(xy 111.035242 94.9504)
(xy 111.164758 94.9504)
(xy 111.289027 94.913912)
(xy 111.397983 94.84389)
(xy 111.482797 94.746009)
(xy 111.5366 94.628197)
(xy 111.540654 94.600003)
(xy 119.644968 94.600003)
(xy 119.663398 94.72819)
(xy 119.6634 94.728197)
(xy 119.717203 94.846009)
(xy 119.717206 94.846013)
(xy 119.802014 94.943888)
(xy 119.802016 94.943889)
(xy 119.802017 94.94389)
(xy 119.910973 95.013912)
(xy 120.035242 95.0504)
(xy 120.164758 95.0504)
(xy 120.289027 95.013912)
(xy 120.397983 94.94389)
(xy 120.400039 94.941518)
(xy 120.45421 94.879)
(xy 120.482797 94.846009)
(xy 120.5366 94.728197)
(xy 120.539058 94.711099)
(xy 120.555032 94.600003)
(xy 120.555032 94.599996)
(xy 120.540655 94.500003)
(xy 122.844968 94.500003)
(xy 122.863398 94.62819)
(xy 122.8634 94.628197)

(xy 122.917203 94.746009)
(xy 122.917206 94.746013)
(xy 123.002014 94.843888)
(xy 123.002016 94.843889)
(xy 123.002017 94.84389)
(xy 123.110973 94.913912)
(xy 123.235242 94.9504)
(xy 123.364758 94.9504)
(xy 123.489027 94.913912)
(xy 123.597983 94.84389)
(xy 123.682797 94.746009)
(xy 123.7366 94.628197)
(xy 123.740655 94.599996)
(xy 123.755032 94.500003)
(xy 123.755032 94.499996)
(xy 123.736601 94.371809)
(xy 123.7366 94.371808)
(xy 123.7366 94.371803)
(xy 123.682797 94.253991)
(xy 123.682539 94.253693)
(xy 123.597985 94.156111)
(xy 123.597983 94.15611)
(xy 123.517827 94.104597)
(xy 123.489027 94.086088)
(xy 123.489026 94.086087)
(xy 123.489025 94.086087)
(xy 123.364758 94.0496)
(xy 123.235242 94.0496)
(xy 123.110974 94.086087)
(xy 123.110971 94.086089)
(xy 123.002016 94.15611)
(xy 123.002014 94.156111)
(xy 122.917206 94.253986)
(xy 122.917203 94.25399)
(xy 122.8634 94.371802)

(xy 122.863398 94.371809)
(xy 122.844968 94.499996)
(xy 122.844968 94.500003)
(xy 120.540655 94.500003)
(xy 120.536601 94.471809)
(xy 120.5366 94.471808)
(xy 120.5366 94.471803)
(xy 120.482797 94.353991)
(xy 120.479339 94.35)
(xy 120.397985 94.256111)
(xy 120.397983 94.25611)
(xy 120.310668 94.199996)
(xy 120.289027 94.186088)
(xy 120.289026 94.186087)
(xy 120.289025 94.186087)
(xy 120.164758 94.1496)
(xy 120.035242 94.1496)
(xy 119.910974 94.186087)
(xy 119.910971 94.186089)
(xy 119.802016 94.25611)
(xy 119.802014 94.256111)
(xy 119.717206 94.353986)
(xy 119.717203 94.35399)
(xy 119.6634 94.471802)
(xy 119.663398 94.471809)
(xy 119.644968 94.599996)
(xy 119.644968 94.600003)
(xy 111.540654 94.600003)
(xy 111.540655 94.599996)
(xy 111.555032 94.500003)
(xy 111.555032 94.499996)
(xy 111.536601 94.371809)
(xy 111.5366 94.371808)
(xy 111.5366 94.371803)
(xy 111.482797 94.253991)

(xy 111.482539 94.253693)
(xy 111.397985 94.156111)
(xy 111.397983 94.15611)
(xy 111.317827 94.104597)
(xy 111.289027 94.086088)
(xy 111.289026 94.086087)
(xy 111.289025 94.086087)
(xy 111.164758 94.0496)
(xy 111.035242 94.0496)
(xy 110.910974 94.086087)
(xy 110.910971 94.086089)
(xy 110.802016 94.15611)
(xy 110.802014 94.156111)
(xy 110.717206 94.253986)
(xy 110.717203 94.25399)
(xy 110.6634 94.371802)
(xy 110.663398 94.371809)
(xy 110.644968 94.499996)
(xy 110.644968 94.500003)
(xy 105.32325 94.500003)
(xy 105.270003 94.494759)
(xy 105.269997 94.494759)
(xy 105.073895 94.514072)
(xy 105.073889 94.514073)
(xy 105.073887 94.514074)
(xy 104.996017 94.537695)
(xy 104.885309 94.571278)
(xy 104.71152 94.664171)
(xy 104.559187 94.789187)
(xy 104.434171 94.94152)
(xy 104.341278 95.115309)
(xy 104.308975 95.221799)
(xy 104.285317 95.299792)
(xy 104.284072 95.303895)
(xy 104.264759 95.499996)

(xy 104.264759 95.500003)
(xy 93.66067 95.500003)
(xy 93.747983 95.44389)
(xy 93.75207 95.439174)
(xy 93.797196 95.387095)
(xy 93.832797 95.346009)
(xy 93.8866 95.228197)
(xy 93.889265 95.209661)
(xy 93.905032 95.100003)
(xy 93.905032 95.099996)
(xy 93.886601 94.971809)
(xy 93.8866 94.971808)
(xy 93.8866 94.971803)
(xy 93.832797 94.853991)
(xy 93.832793 94.853986)
(xy 93.747985 94.756111)
(xy 93.747983 94.75611)
(xy 93.714471 94.734573)
(xy 93.639027 94.686088)
(xy 93.639026 94.686087)
(xy 93.639025 94.686087)
(xy 93.514758 94.6496)
(xy 93.385242 94.6496)
(xy 93.260974 94.686087)
(xy 93.260971 94.686089)
(xy 93.152016 94.75611)
(xy 93.152014 94.756111)
(xy 93.067206 94.853986)
(xy 93.067203 94.85399)
(xy 93.0134 94.971802)
(xy 93.013398 94.971809)
(xy 92.994968 95.099996)
(xy 92.994968 95.100003)
(xy 93.013398 95.22819)
(xy 93.015939 95.236842)

(xy 93.013706 95.237497)
(xy 93.021998 95.295179)
(xy 92.992502 95.359759)
(xy 92.965402 95.383241)
(xy 92.852016 95.45611)
(xy 92.852014 95.456111)
(xy 92.767206 95.553986)
(xy 92.767203 95.55399)
(xy 92.7134 95.671802)
(xy 92.713398 95.671809)
(xy 92.694968 95.799996)
(xy 92.694968 95.800003)
(xy 92.11145 95.800003)
(xy 92.234367 95.763912)
(xy 92.343323 95.69389)
(xy 92.34547 95.691413)
(xy 92.400252 95.62819)
(xy 92.428137 95.596009)
(xy 92.48194 95.478197)
(xy 92.483277 95.468898)
(xy 92.500372 95.350003)
(xy 92.500372 95.349996)
(xy 92.481941 95.221809)
(xy 92.48194 95.221808)
(xy 92.48194 95.221803)
(xy 92.46538 95.185543)
(xy 92.455276 95.11527)
(xy 92.484769 95.050689)
(xy 92.532043 95.020307)
(xy 92.530832 95.017654)
(xy 92.539017 95.013914)
(xy 92.539027 95.013912)
(xy 92.647983 94.94389)
(xy 92.650039 94.941518)
(xy 92.70421 94.879)

(xy 92.732797 94.846009)
(xy 92.7866 94.728197)
(xy 92.789058 94.711099)
(xy 92.805032 94.600003)
(xy 92.805032 94.599996)
(xy 92.786601 94.471809)
(xy 92.7866 94.471808)
(xy 92.7866 94.471803)
(xy 92.732797 94.353991)
(xy 92.729339 94.35)
(xy 92.647985 94.256111)
(xy 92.647983 94.25611)
(xy 92.560679 94.200003)
(xy 95.644968 94.200003)
(xy 95.663398 94.32819)
(xy 95.6634 94.328197)
(xy 95.717203 94.446009)
(xy 95.717206 94.446013)
(xy 95.802014 94.543888)
(xy 95.802016 94.543889)
(xy 95.802017 94.54389)
(xy 95.910973 94.613912)
(xy 96.035242 94.6504)
(xy 96.164758 94.6504)
(xy 96.289027 94.613912)
(xy 96.397983 94.54389)
(xy 96.482797 94.446009)
(xy 96.5366 94.328197)
(xy 96.541758 94.292325)
(xy 96.555032 94.200003)
(xy 96.555032 94.199996)
(xy 96.536601 94.071809)
(xy 96.5366 94.071808)
(xy 96.5366 94.071803)
(xy 96.482797 93.953991)

(xy 96.478476 93.949004)
(xy 96.397985 93.856111)
(xy 96.397983 93.85611)
(xy 96.375911 93.841925)
(xy 96.289027 93.786088)
(xy 96.289026 93.786087)
(xy 96.289025 93.786087)
(xy 96.164758 93.7496)
(xy 96.035242 93.7496)
(xy 95.910974 93.786087)
(xy 95.910971 93.786089)
(xy 95.802016 93.85611)
(xy 95.802014 93.856111)
(xy 95.717206 93.953986)
(xy 95.717203 93.95399)
(xy 95.6634 94.071802)
(xy 95.663398 94.071809)
(xy 95.644968 94.199996)
(xy 95.644968 94.200003)
(xy 92.560679 94.200003)
(xy 92.555574 94.196722)
(xy 92.509081 94.143066)
(xy 92.498978 94.072792)
(xy 92.50908 94.038385)
(xy 92.5366 93.978125)
(xy 92.540787 93.949004)
(xy 92.555032 93.849931)
(xy 92.555032 93.849924)
(xy 92.536601 93.721737)
(xy 92.5366 93.721736)
(xy 92.5366 93.721731)
(xy 92.482797 93.603919)
(xy 92.478438 93.598888)
(xy 92.397985 93.506039)
(xy 92.397983 93.506038)

(xy 92.308533 93.448552)
(xy 92.289027 93.436016)
(xy 92.289026 93.436015)
(xy 92.289025 93.436015)
(xy 92.164758 93.399528)
(xy 92.035242 93.399528)
(xy 91.910974 93.436015)
(xy 91.910971 93.436017)
(xy 91.802016 93.506038)
(xy 91.802014 93.506039)
(xy 91.717206 93.603914)
(xy 91.717203 93.603918)
(xy 91.6634 93.72173)
(xy 91.663398 93.721737)
(xy 91.644968 93.849924)
(xy 91.644968 93.849931)
(xy 91.663398 93.978118)
(xy 91.6634 93.978124)
(xy 91.6634 93.978125)
(xy 91.695268 94.047907)
(xy 91.717205 94.095941)
(xy 91.71755 94.096478)
(xy 91.717729 94.09709)
(xy 91.720947 94.104135)
(xy 91.719934 94.104597)
(xy 91.737552 94.164599)
(xy 91.71755 94.232719)
(xy 91.663894 94.279212)
(xy 91.59362 94.289315)
(xy 91.529039 94.259822)
(xy 91.522457 94.253693)
(xy 91.2225 93.953736)
(xy 90.314727 93.045964)
(xy 90.312475 93.043591)
(xy 90.285447 93.013573)

(xy 90.285446 93.013572)
(xy 90.266944 93.005335)
(xy 90.249571 92.995902)
(xy 90.232581 92.984869)
(xy 90.232576 92.984867)
(xy 90.230939 92.984608)
(xy 90.199421 92.975272)
(xy 90.197913 92.974601)
(xy 90.197911 92.9746)
(xy 90.19791 92.9746)
(xy 90.197909 92.9746)
(xy 90.177658 92.9746)
(xy 90.15795 92.973049)
(xy 90.148006 92.971474)
(xy 90.13794 92.96988)
(xy 90.137939 92.96988)
(xy 90.136346 92.970307)
(xy 90.103736 92.9746)
(xy 88.993183 92.9746)
(xy 88.925062 92.954598)
(xy 88.904088 92.937695)
(xy 88.838342 92.871949)
(xy 88.759547 92.831802)
(xy 88.725304 92.814354)
(xy 88.6 92.794508)
(xy 88.474696 92.814354)
(xy 88.474694 92.814354)
(xy 88.474694 92.814355)
(xy 88.361657 92.871949)
(xy 88.271949 92.961657)
(xy 88.226733 93.0504)
(xy 88.214354 93.074696)
(xy 88.194508 93.2)
(xy 87.8254 93.2)
(xy 87.8254 92.000003)

(xy 89.044968 92.000003)
(xy 89.063398 92.12819)
(xy 89.0634 92.128197)
(xy 89.117203 92.246009)
(xy 89.117206 92.246013)
(xy 89.202014 92.343888)
(xy 89.202016 92.343889)
(xy 89.202017 92.34389)
(xy 89.310973 92.413912)
(xy 89.435242 92.4504)
(xy 89.564758 92.4504)
(xy 89.689027 92.413912)
(xy 89.797983 92.34389)
(xy 89.882797 92.246009)
(xy 89.9366 92.128197)
(xy 89.940571 92.100577)
(xy 89.955032 92.000003)
(xy 89.955032 91.999996)
(xy 89.936601 91.871809)
(xy 89.9366 91.871808)
(xy 89.9366 91.871803)
(xy 89.882797 91.753991)
(xy 89.882793 91.753986)
(xy 89.797985 91.656111)
(xy 89.797983 91.65611)
(xy 89.775372 91.641579)
(xy 89.689027 91.586088)
(xy 89.689026 91.586087)
(xy 89.689025 91.586087)
(xy 89.564758 91.5496)
(xy 89.435242 91.5496)
(xy 89.310974 91.586087)
(xy 89.310971 91.586089)
(xy 89.202016 91.65611)
(xy 89.202014 91.656111)

(xy 89.117206 91.753986)
(xy 89.117203 91.75399)
(xy 89.0634 91.871802)
(xy 89.063398 91.871809)
(xy 89.044968 91.999996)
(xy 89.044968 92.000003)
(xy 87.8254 92.000003)
(xy 87.8254 91.400003)
(xy 95.644968 91.400003)
(xy 95.663398 91.52819)
(xy 95.6634 91.528197)
(xy 95.717203 91.646009)
(xy 95.717206 91.646013)
(xy 95.802014 91.743888)
(xy 95.802016 91.743889)
(xy 95.802017 91.74389)
(xy 95.910973 91.813912)
(xy 96.035242 91.8504)
(xy 96.164758 91.8504)
(xy 96.289027 91.813912)
(xy 96.397983 91.74389)
(xy 96.453376 91.679961)
(xy 96.513101 91.641579)
(xy 96.584097 91.641579)
(xy 96.643824 91.679962)
(xy 96.673317 91.744542)
(xy 96.6746 91.762475)
(xy 96.6746 93.097998)
(xy 96.671918 93.123857)
(xy 96.669733 93.134272)
(xy 96.671899 93.151643)
(xy 96.674116 93.169432)
(xy 96.6746 93.177221)
(xy 96.6746 93.181109)
(xy 96.678442 93.204137)

(xy 96.679535 93.212902)
(xy 96.685231 93.258599)
(xy 96.68747 93.266123)
(xy 96.690029 93.273575)
(xy 96.69003 93.273578)
(xy 96.716156 93.321855)
(xy 96.717843 93.325305)
(xy 96.740256 93.371152)
(xy 96.744847 93.377582)
(xy 96.749657 93.383762)
(xy 96.766784 93.399528)
(xy 96.790045 93.420941)
(xy 97.047782 93.678678)
(xy 97.064165 93.698852)
(xy 97.069989 93.707767)
(xy 97.097948 93.729528)
(xy 97.103795 93.734691)
(xy 97.106549 93.737445)
(xy 97.117941 93.745579)
(xy 97.125555 93.751015)
(xy 97.150953 93.770783)
(xy 97.168859 93.78472)
(xy 97.168863 93.784721)
(xy 97.175796 93.788473)
(xy 97.182844 93.791919)
(xy 97.182845 93.791919)
(xy 97.182846 93.79192)
(xy 97.23051 93.80611)
(xy 97.235461 93.807584)
(xy 97.287357 93.8254)
(xy 97.295144 93.826699)
(xy 97.302921 93.827669)
(xy 97.302923 93.827668)
(xy 97.302924 93.827669)
(xy 97.324071 93.826794)

(xy 97.392961 93.843962)
(xy 97.441632 93.895649)
(xy 97.454633 93.965445)
(xy 97.443895 94.005028)
(xy 97.4134 94.071802)
(xy 97.413398 94.071809)
(xy 97.394968 94.199996)
(xy 97.394968 94.200003)
(xy 97.413398 94.32819)
(xy 97.4134 94.328197)
(xy 97.467203 94.446009)
(xy 97.467206 94.446013)
(xy 97.552014 94.543888)
(xy 97.552016 94.543889)
(xy 97.552017 94.54389)
(xy 97.660973 94.613912)
(xy 97.785242 94.6504)
(xy 97.914758 94.6504)
(xy 98.039027 94.613912)
(xy 98.147983 94.54389)
(xy 98.232797 94.446009)
(xy 98.2866 94.328197)
(xy 98.291758 94.292325)
(xy 98.305032 94.200003)
(xy 99.644968 94.200003)
(xy 99.663398 94.32819)
(xy 99.6634 94.328197)
(xy 99.717203 94.446009)
(xy 99.717206 94.446013)
(xy 99.802014 94.543888)
(xy 99.802016 94.543889)
(xy 99.802017 94.54389)
(xy 99.910973 94.613912)
(xy 100.035242 94.6504)
(xy 100.164758 94.6504)

(xy 100.289027 94.613912)
(xy 100.397983 94.54389)
(xy 100.482797 94.446009)
(xy 100.5366 94.328197)
(xy 100.541758 94.292325)
(xy 100.555032 94.200003)
(xy 101.394968 94.200003)
(xy 101.413398 94.32819)
(xy 101.4134 94.328197)
(xy 101.467203 94.446009)
(xy 101.467206 94.446013)
(xy 101.552014 94.543888)
(xy 101.552016 94.543889)
(xy 101.552017 94.54389)
(xy 101.660973 94.613912)
(xy 101.785242 94.6504)
(xy 101.914758 94.6504)
(xy 102.039027 94.613912)
(xy 102.147983 94.54389)
(xy 102.232797 94.446009)
(xy 102.2866 94.328197)
(xy 102.291758 94.292325)
(xy 102.305032 94.200003)
(xy 102.305032 94.199996)
(xy 102.286601 94.071809)
(xy 102.2866 94.071808)
(xy 102.2866 94.071803)
(xy 102.232797 93.953991)
(xy 102.228476 93.949004)
(xy 102.192523 93.90751)
(xy 102.16303 93.842929)
(xy 102.173135 93.772655)
(xy 102.192522 93.742488)
(xy 102.232797 93.696009)
(xy 102.2866 93.578197)

(xy 102.29381 93.52805)
(xy 102.305032 93.450003)
(xy 102.305032 93.449996)
(xy 102.286601 93.321809)
(xy 102.2866 93.321808)
(xy 102.2866 93.321803)
(xy 102.232797 93.203991)
(xy 102.209601 93.177221)
(xy 102.147985 93.106111)
(xy 102.147983 93.10611)
(xy 102.146878 93.1054)
(xy 102.039027 93.036088)
(xy 102.039026 93.036087)
(xy 102.039025 93.036087)
(xy 101.914758 92.9996)
(xy 101.785242 92.9996)
(xy 101.660974 93.036087)
(xy 101.660971 93.036089)
(xy 101.552016 93.10611)
(xy 101.552014 93.106111)
(xy 101.467206 93.203986)
(xy 101.467203 93.20399)
(xy 101.4134 93.321802)
(xy 101.413398 93.321809)
(xy 101.394968 93.449996)
(xy 101.394968 93.450003)
(xy 101.413398 93.57819)
(xy 101.4134 93.578197)
(xy 101.467203 93.696009)
(xy 101.507477 93.742488)
(xy 101.53697 93.807069)
(xy 101.526866 93.877343)
(xy 101.507477 93.907512)
(xy 101.467203 93.95399)
(xy 101.4134 94.071802)

(xy 101.413398 94.071809)
(xy 101.394968 94.199996)
(xy 101.394968 94.200003)
(xy 100.555032 94.200003)
(xy 100.555032 94.199996)
(xy 100.536601 94.071809)
(xy 100.5366 94.071808)
(xy 100.5366 94.071803)
(xy 100.482797 93.953991)
(xy 100.478476 93.949004)
(xy 100.397985 93.856111)
(xy 100.397983 93.85611)
(xy 100.375911 93.841925)
(xy 100.289027 93.786088)
(xy 100.289026 93.786087)
(xy 100.289025 93.786087)
(xy 100.164758 93.7496)
(xy 100.035242 93.7496)
(xy 99.910974 93.786087)
(xy 99.910971 93.786089)
(xy 99.802016 93.85611)
(xy 99.802014 93.856111)
(xy 99.717206 93.953986)
(xy 99.717203 93.95399)
(xy 99.6634 94.071802)
(xy 99.663398 94.071809)
(xy 99.644968 94.199996)
(xy 99.644968 94.200003)
(xy 98.305032 94.200003)
(xy 98.305032 94.199996)
(xy 98.286601 94.071809)
(xy 98.2866 94.071808)
(xy 98.2866 94.071803)
(xy 98.232797 93.953991)
(xy 98.228476 93.949004)

(xy 98.192523 93.90751)
(xy 98.16303 93.842929)
(xy 98.173135 93.772655)
(xy 98.192522 93.742488)
(xy 98.232797 93.696009)
(xy 98.2866 93.578197)
(xy 98.29381 93.52805)
(xy 98.305032 93.450003)
(xy 98.305032 93.449996)
(xy 98.286601 93.321809)
(xy 98.2866 93.321808)
(xy 98.2866 93.321803)
(xy 98.232797 93.203991)
(xy 98.209601 93.177221)
(xy 98.147985 93.106111)
(xy 98.147983 93.10611)
(xy 98.146878 93.1054)
(xy 98.039027 93.036088)
(xy 98.039026 93.036087)
(xy 98.039025 93.036087)
(xy 97.914758 92.9996)
(xy 97.785242 92.9996)
(xy 97.660975 93.036087)
(xy 97.660973 93.036088)
(xy 97.632168 93.054599)
(xy 97.56405 93.0746)
(xy 97.557687 93.0746)
(xy 97.489566 93.054598)
(xy 97.468592 93.037695)
(xy 97.462304 93.031407)
(xy 97.428278 92.969095)
(xy 97.427301 92.960003)
(xy 104.264759 92.960003)
(xy 104.284072 93.156104)
(xy 104.284073 93.156109)

(xy 104.284074 93.156113)
(xy 104.315162 93.258597)
(xy 104.341278 93.34469)
(xy 104.424294 93.5)
(xy 104.434173 93.518482)
(xy 104.559187 93.670813)
(xy 104.711518 93.795827)
(xy 104.71152 93.795828)
(xy 104.864022 93.877343)
(xy 104.885311 93.888722)
(xy 105.073887 93.945926)
(xy 105.073893 93.945926)
(xy 105.073895 93.945927)
(xy 105.269997 93.965241)
(xy 105.27 93.965241)
(xy 105.270003 93.965241)
(xy 105.466104 93.945927)
(xy 105.466104 93.945926)
(xy 105.466113 93.945926)
(xy 105.654689 93.888722)
(xy 105.828482 93.795827)
(xy 105.980813 93.670813)
(xy 106.105827 93.518482)
(xy 106.198722 93.344689)
(xy 106.255926 93.156113)
(xy 106.265596 93.057933)
(xy 106.275241 92.960003)
(xy 106.275241 92.959996)
(xy 106.255927 92.763895)
(xy 106.255926 92.763893)
(xy 106.255926 92.763887)
(xy 106.206212 92.600003)
(xy 120.444968 92.600003)
(xy 120.463398 92.72819)
(xy 120.4634 92.728197)

(xy 120.517203 92.846009)
(xy 120.517206 92.846013)
(xy 120.602014 92.943888)
(xy 120.602016 92.943889)
(xy 120.602017 92.94389)
(xy 120.710973 93.013912)
(xy 120.835242 93.0504)
(xy 120.964758 93.0504)
(xy 121.089027 93.013912)
(xy 121.197983 92.94389)
(xy 121.199351 92.942312)
(xy 121.274383 92.855719)
(xy 121.282797 92.846009)
(xy 121.3366 92.728197)
(xy 121.340654 92.699999)
(xy 121.355032 92.600003)
(xy 121.355032 92.599996)
(xy 121.336601 92.471809)
(xy 121.3366 92.471808)
(xy 121.3366 92.471803)
(xy 121.282797 92.353991)
(xy 121.27512 92.345131)
(xy 121.197985 92.256111)
(xy 121.197983 92.25611)
(xy 121.104861 92.196264)
(xy 121.089027 92.186088)
(xy 121.089026 92.186087)
(xy 121.089025 92.186087)
(xy 120.964758 92.1496)
(xy 120.835242 92.1496)
(xy 120.710974 92.186087)
(xy 120.710971 92.186089)
(xy 120.602016 92.25611)
(xy 120.602014 92.256111)
(xy 120.517206 92.353986)

(xy 120.517203 92.35399)
(xy 120.4634 92.471802)
(xy 120.463398 92.471809)
(xy 120.444968 92.599996)
(xy 120.444968 92.600003)
(xy 106.206212 92.600003)
(xy 106.198722 92.575311)
(xy 106.191257 92.561346)
(xy 106.111914 92.412906)
(xy 106.105827 92.401518)
(xy 105.980813 92.249187)
(xy 105.828482 92.124173)
(xy 105.82848 92.124172)
(xy 105.828479 92.124171)
(xy 105.65469 92.031278)
(xy 105.577622 92.0079)
(xy 105.466113 91.974074)
(xy 105.466109 91.974073)
(xy 105.466104 91.974072)
(xy 105.270003 91.954759)
(xy 105.269997 91.954759)
(xy 105.073895 91.974072)
(xy 105.073889 91.974073)
(xy 105.073887 91.974074)
(xy 105.029519 91.987533)
(xy 104.885309 92.031278)
(xy 104.71152 92.124171)
(xy 104.559187 92.249187)
(xy 104.434171 92.40152)
(xy 104.341278 92.575309)
(xy 104.328901 92.616111)
(xy 104.294901 92.728197)
(xy 104.284072 92.763895)
(xy 104.264759 92.959996)
(xy 104.264759 92.960003)

(xy 97.427301 92.960003)
(xy 97.425399 92.942312)
(xy 97.425399 92.294605)
(xy 97.425399 91.893267)
(xy 97.445401 91.825149)
(xy 97.499057 91.778656)
(xy 97.569331 91.768552)
(xy 97.619519 91.787272)
(xy 97.660967 91.813909)
(xy 97.66097 91.81391)
(xy 97.660973 91.813912)
(xy 97.785242 91.8504)
(xy 97.914758 91.8504)
(xy 98.039027 91.813912)
(xy 98.147983 91.74389)
(xy 98.148761 91.742993)
(xy 98.1865 91.699439)
(xy 98.232797 91.646009)
(xy 98.2866 91.528197)
(xy 98.292292 91.488609)
(xy 98.305032 91.400003)
(xy 99.644968 91.400003)
(xy 99.663398 91.52819)
(xy 99.6634 91.528197)
(xy 99.717203 91.646009)
(xy 99.717206 91.646013)
(xy 99.802014 91.743888)
(xy 99.802016 91.743889)
(xy 99.802017 91.74389)
(xy 99.910973 91.813912)
(xy 100.035242 91.8504)
(xy 100.164758 91.8504)
(xy 100.289027 91.813912)
(xy 100.397983 91.74389)
(xy 100.398761 91.742993)

(xy 100.4365 91.699439)
(xy 100.482797 91.646009)
(xy 100.5366 91.528197)
(xy 100.542292 91.488609)
(xy 100.555032 91.400003)
(xy 101.394968 91.400003)
(xy 101.413398 91.52819)
(xy 101.4134 91.528197)
(xy 101.467203 91.646009)
(xy 101.467206 91.646013)
(xy 101.552014 91.743888)
(xy 101.552016 91.743889)
(xy 101.552017 91.74389)
(xy 101.660973 91.813912)
(xy 101.785242 91.8504)
(xy 101.914758 91.8504)
(xy 102.039027 91.813912)
(xy 102.147983 91.74389)
(xy 102.148761 91.742993)
(xy 102.1865 91.699439)
(xy 102.232797 91.646009)
(xy 102.2866 91.528197)
(xy 102.292292 91.488609)
(xy 102.305032 91.400003)
(xy 102.305032 91.399996)
(xy 102.290655 91.300003)
(xy 116.544968 91.300003)
(xy 116.563398 91.42819)
(xy 116.5634 91.428197)
(xy 116.617203 91.546009)
(xy 116.617206 91.546013)
(xy 116.702014 91.643888)
(xy 116.702016 91.643889)
(xy 116.702017 91.64389)
(xy 116.810973 91.713912)

(xy 116.935242 91.7504)
(xy 117.064758 91.7504)
(xy 117.189027 91.713912)
(xy 117.297983 91.64389)
(xy 117.299986 91.641579)
(xy 117.336017 91.599996)
(xy 117.382797 91.546009)
(xy 117.4366 91.428197)
(xy 117.437167 91.424253)
(xy 117.455032 91.300003)
(xy 117.455032 91.299996)
(xy 117.440655 91.200003)
(xy 118.544968 91.200003)
(xy 118.563398 91.32819)
(xy 118.5634 91.328197)
(xy 118.617203 91.446009)
(xy 118.617206 91.446013)
(xy 118.702014 91.543888)
(xy 118.702016 91.543889)
(xy 118.702017 91.54389)
(xy 118.810973 91.613912)
(xy 118.935242 91.6504)
(xy 119.064758 91.6504)
(xy 119.06611 91.650003)
(xy 121.144968 91.650003)
(xy 121.163398 91.77819)
(xy 121.1634 91.778197)
(xy 121.217203 91.896009)
(xy 121.217206 91.896013)
(xy 121.302014 91.993888)
(xy 121.302016 91.993889)
(xy 121.302017 91.99389)
(xy 121.410973 92.063912)
(xy 121.535242 92.1004)
(xy 121.664758 92.1004)

(xy 121.789027 92.063912)
(xy 121.897983 91.99389)
(xy 121.903492 91.987533)
(xy 121.947979 91.936191)
(xy 121.982797 91.896009)
(xy 122.0366 91.778197)
(xy 122.037987 91.768552)
(xy 122.055032 91.650003)
(xy 122.944968 91.650003)
(xy 122.963398 91.77819)
(xy 122.9634 91.778197)
(xy 123.017203 91.896009)
(xy 123.017206 91.896013)
(xy 123.102014 91.993888)
(xy 123.102016 91.993889)
(xy 123.102017 91.99389)
(xy 123.210973 92.063912)
(xy 123.335242 92.1004)
(xy 123.464758 92.1004)
(xy 123.589027 92.063912)
(xy 123.697983 91.99389)
(xy 123.703492 91.987533)
(xy 123.747979 91.936191)
(xy 123.782797 91.896009)
(xy 123.8366 91.778197)
(xy 123.837987 91.768552)
(xy 123.855032 91.650003)
(xy 123.855032 91.649996)
(xy 123.836601 91.521809)
(xy 123.8366 91.521808)
(xy 123.8366 91.521803)
(xy 123.782797 91.403991)
(xy 123.782796 91.40399)
(xy 123.782044 91.402343)
(xy 123.771939 91.332069)

(xy 123.782044 91.297657)
(xy 123.782797 91.296009)
(xy 123.8366 91.178197)
(xy 123.838894 91.162242)
(xy 123.855032 91.050003)
(xy 123.855032 91.049996)
(xy 123.836601 90.921809)
(xy 123.8366 90.921808)
(xy 123.8366 90.921803)
(xy 123.782797 90.803991)
(xy 123.782793 90.803986)
(xy 123.697985 90.706111)
(xy 123.697983 90.70611)
(xy 123.644599 90.671802)
(xy 123.589027 90.636088)
(xy 123.589026 90.636087)
(xy 123.589025 90.636087)
(xy 123.464758 90.5996)
(xy 123.335242 90.5996)
(xy 123.210974 90.636087)
(xy 123.210971 90.636089)
(xy 123.102016 90.70611)
(xy 123.102014 90.706111)
(xy 123.017206 90.803986)
(xy 123.017203 90.80399)
(xy 122.9634 90.921802)
(xy 122.963398 90.921809)
(xy 122.944968 91.049996)
(xy 122.944968 91.050003)
(xy 122.963398 91.17819)
(xy 122.9634 91.178197)
(xy 123.017956 91.297658)
(xy 123.028059 91.367932)
(xy 123.017956 91.402342)
(xy 122.9634 91.521802)

(xy 122.963398 91.521809)
(xy 122.944968 91.649996)
(xy 122.944968 91.650003)
(xy 122.055032 91.650003)
(xy 122.055032 91.649996)
(xy 122.036601 91.521809)
(xy 122.0366 91.521808)
(xy 122.0366 91.521803)
(xy 121.982797 91.403991)
(xy 121.981368 91.402342)
(xy 121.897985 91.306111)
(xy 121.897983 91.30611)
(xy 121.820183 91.256111)
(xy 121.789027 91.236088)
(xy 121.789026 91.236087)
(xy 121.789025 91.236087)
(xy 121.664758 91.1996)
(xy 121.535242 91.1996)
(xy 121.410974 91.236087)
(xy 121.410971 91.236089)
(xy 121.302016 91.30611)
(xy 121.302014 91.306111)
(xy 121.217206 91.403986)
(xy 121.217203 91.40399)
(xy 121.1634 91.521802)
(xy 121.163398 91.521809)
(xy 121.144968 91.649996)
(xy 121.144968 91.650003)
(xy 119.06611 91.650003)
(xy 119.189027 91.613912)
(xy 119.297983 91.54389)
(xy 119.382797 91.446009)
(xy 119.4366 91.328197)
(xy 119.436872 91.326301)
(xy 119.455032 91.200003)

(xy 119.455032 91.199996)
(xy 119.436601 91.071809)
(xy 119.4366 91.071808)
(xy 119.4366 91.071803)
(xy 119.382797 90.953991)
(xy 119.382793 90.953986)
(xy 119.297985 90.856111)
(xy 119.297983 90.85611)
(xy 119.287077 90.849101)
(xy 119.189027 90.786088)
(xy 119.189026 90.786087)
(xy 119.189025 90.786087)
(xy 119.064758 90.7496)
(xy 118.935242 90.7496)
(xy 118.810974 90.786087)
(xy 118.810971 90.786089)
(xy 118.702016 90.85611)
(xy 118.702014 90.856111)
(xy 118.617206 90.953986)
(xy 118.617203 90.95399)
(xy 118.5634 91.071802)
(xy 118.563398 91.071809)
(xy 118.544968 91.199996)
(xy 118.544968 91.200003)
(xy 117.440655 91.200003)
(xy 117.436601 91.171809)
(xy 117.4366 91.171808)
(xy 117.4366 91.171803)
(xy 117.382797 91.053991)
(xy 117.382793 91.053986)
(xy 117.297985 90.956111)
(xy 117.297983 90.95611)
(xy 117.274946 90.941305)
(xy 117.189027 90.886088)
(xy 117.189026 90.886087)

(xy 117.189025 90.886087)
(xy 117.064758 90.8496)
(xy 116.935242 90.8496)
(xy 116.810974 90.886087)
(xy 116.810971 90.886089)
(xy 116.702016 90.95611)
(xy 116.702014 90.956111)
(xy 116.617206 91.053986)
(xy 116.617203 91.05399)
(xy 116.5634 91.171802)
(xy 116.563398 91.171809)
(xy 116.544968 91.299996)
(xy 116.544968 91.300003)
(xy 102.290655 91.300003)
(xy 102.286601 91.271809)
(xy 102.2866 91.271808)
(xy 102.2866 91.271803)
(xy 102.232797 91.153991)
(xy 102.232793 91.153986)
(xy 102.192523 91.10751)
(xy 102.16303 91.042929)
(xy 102.173135 90.972655)
(xy 102.192522 90.942488)
(xy 102.232797 90.896009)
(xy 102.276642 90.800003)
(xy 107.094968 90.800003)
(xy 107.113398 90.92819)
(xy 107.1134 90.928197)
(xy 107.167203 91.046009)
(xy 107.167206 91.046013)
(xy 107.252014 91.143888)
(xy 107.252016 91.143889)
(xy 107.252017 91.14389)
(xy 107.360973 91.213912)
(xy 107.485242 91.2504)

(xy 107.614758 91.2504)
(xy 107.739027 91.213912)
(xy 107.847983 91.14389)
(xy 107.932797 91.046009)
(xy 107.9866 90.928197)
(xy 107.991228 90.896009)
(xy 108.005032 90.800003)
(xy 108.005032 90.799996)
(xy 107.986601 90.671809)
(xy 107.9866 90.671808)
(xy 107.9866 90.671803)
(xy 107.932797 90.553991)
(xy 107.925892 90.546022)
(xy 107.847985 90.456111)
(xy 107.847983 90.45611)
(xy 107.782322 90.413912)
(xy 107.739027 90.386088)
(xy 107.739026 90.386087)
(xy 107.739025 90.386087)
(xy 107.614758 90.3496)
(xy 107.485242 90.3496)
(xy 107.360974 90.386087)
(xy 107.360971 90.386089)
(xy 107.252016 90.45611)
(xy 107.252014 90.456111)
(xy 107.167206 90.553986)
(xy 107.167203 90.55399)
(xy 107.1134 90.671802)
(xy 107.113398 90.671809)
(xy 107.094968 90.799996)
(xy 107.094968 90.800003)
(xy 102.276642 90.800003)
(xy 102.2866 90.778197)
(xy 102.295208 90.718328)
(xy 102.305032 90.650003)

(xy 102.305032 90.649996)
(xy 102.286601 90.521809)
(xy 102.2866 90.521808)
(xy 102.2866 90.521803)
(xy 102.232797 90.403991)
(xy 102.217285 90.386089)
(xy 102.147985 90.306111)
(xy 102.147983 90.30611)
(xy 102.100197 90.2754)
(xy 102.039027 90.236088)
(xy 102.039026 90.236087)
(xy 102.039025 90.236087)
(xy 101.914758 90.1996)
(xy 101.785242 90.1996)
(xy 101.660974 90.236087)
(xy 101.660971 90.236089)
(xy 101.552016 90.30611)
(xy 101.552014 90.306111)
(xy 101.467206 90.403986)
(xy 101.467203 90.40399)
(xy 101.4134 90.521802)
(xy 101.413398 90.521809)
(xy 101.394968 90.649996)
(xy 101.394968 90.650003)
(xy 101.413398 90.77819)
(xy 101.4134 90.778197)
(xy 101.467203 90.896009)
(xy 101.507477 90.942488)
(xy 101.53697 91.007069)
(xy 101.526866 91.077343)
(xy 101.507477 91.107512)
(xy 101.467203 91.15399)
(xy 101.4134 91.271802)
(xy 101.413398 91.271809)
(xy 101.394968 91.399996)

(xy 101.394968 91.400003)
(xy 100.555032 91.400003)
(xy 100.555032 91.399996)
(xy 100.536601 91.271809)
(xy 100.5366 91.271808)
(xy 100.5366 91.271803)
(xy 100.482797 91.153991)
(xy 100.482793 91.153986)
(xy 100.397985 91.056111)
(xy 100.397983 91.05611)
(xy 100.301167 90.99389)
(xy 100.289027 90.986088)
(xy 100.289026 90.986087)
(xy 100.289025 90.986087)
(xy 100.164758 90.9496)
(xy 100.035242 90.9496)
(xy 99.910974 90.986087)
(xy 99.910971 90.986089)
(xy 99.802016 91.05611)
(xy 99.802014 91.056111)
(xy 99.717206 91.153986)
(xy 99.717203 91.15399)
(xy 99.6634 91.271802)
(xy 99.663398 91.271809)
(xy 99.644968 91.399996)
(xy 99.644968 91.400003)
(xy 98.305032 91.400003)
(xy 98.305032 91.399996)
(xy 98.286601 91.271809)
(xy 98.2866 91.271808)
(xy 98.2866 91.271803)
(xy 98.232797 91.153991)
(xy 98.232793 91.153986)
(xy 98.192523 91.10751)
(xy 98.16303 91.042929)

(xy 98.173135 90.972655)
(xy 98.192522 90.942488)
(xy 98.232797 90.896009)
(xy 98.2866 90.778197)
(xy 98.295208 90.718328)
(xy 98.305032 90.650003)
(xy 98.305032 90.649996)
(xy 98.286601 90.521809)
(xy 98.2866 90.521808)
(xy 98.2866 90.521803)
(xy 98.232797 90.403991)
(xy 98.217285 90.386089)
(xy 98.147985 90.306111)
(xy 98.147983 90.30611)
(xy 98.100197 90.2754)
(xy 98.039027 90.236088)
(xy 98.039026 90.236087)
(xy 98.039025 90.236087)
(xy 97.914758 90.1996)
(xy 97.785242 90.1996)
(xy 97.660975 90.236087)
(xy 97.660973 90.236088)
(xy 97.632168 90.254599)
(xy 97.56405 90.2746)
(xy 97.5514 90.2746)
(xy 97.483279 90.254598)
(xy 97.436786 90.200942)
(xy 97.4254 90.1486)
(xy 97.4254 89.800003)
(xy 118.244968 89.800003)
(xy 118.263398 89.92819)
(xy 118.2634 89.928197)
(xy 118.317203 90.046009)
(xy 118.317206 90.046013)
(xy 118.402014 90.143888)

(xy 118.402016 90.143889)
(xy 118.402017 90.14389)
(xy 118.510973 90.213912)
(xy 118.635242 90.2504)
(xy 118.764758 90.2504)
(xy 118.889027 90.213912)
(xy 118.997983 90.14389)
(xy 119.009034 90.131137)
(xy 119.074593 90.055477)
(xy 119.082797 90.046009)
(xy 119.1366 89.928197)
(xy 119.145179 89.868527)
(xy 119.155032 89.800003)
(xy 119.155032 89.799996)
(xy 119.136601 89.671809)
(xy 119.1366 89.671808)
(xy 119.1366 89.671803)
(xy 119.082797 89.553991)
(xy 119.082793 89.553986)
(xy 118.997985 89.456111)
(xy 118.997983 89.45611)
(xy 118.932322 89.413912)
(xy 118.889027 89.386088)
(xy 118.889026 89.386087)
(xy 118.889025 89.386087)
(xy 118.764758 89.3496)
(xy 118.635242 89.3496)
(xy 118.510974 89.386087)
(xy 118.510971 89.386089)
(xy 118.402016 89.45611)
(xy 118.402014 89.456111)
(xy 118.317206 89.553986)
(xy 118.317203 89.55399)
(xy 118.2634 89.671802)
(xy 118.263398 89.671809)

(xy 118.244968 89.799996)
(xy 118.244968 89.800003)
(xy 97.4254 89.800003)
(xy 97.4254 89.09327)
(xy 97.445402 89.025149)
(xy 97.499058 88.978656)
(xy 97.569332 88.968552)
(xy 97.619519 88.987271)
(xy 97.660973 89.013912)
(xy 97.785242 89.0504)
(xy 97.914758 89.0504)
(xy 98.039027 89.013912)
(xy 98.147983 88.94389)
(xy 98.232797 88.846009)
(xy 98.2866 88.728197)
(xy 98.292654 88.686089)
(xy 98.305032 88.600003)
(xy 99.644968 88.600003)
(xy 99.663398 88.72819)
(xy 99.6634 88.728197)
(xy 99.717203 88.846009)
(xy 99.717206 88.846013)
(xy 99.802014 88.943888)
(xy 99.802016 88.943889)
(xy 99.802017 88.94389)
(xy 99.910973 89.013912)
(xy 100.035242 89.0504)
(xy 100.164758 89.0504)
(xy 100.289027 89.013912)
(xy 100.397983 88.94389)
(xy 100.482797 88.846009)
(xy 100.5366 88.728197)
(xy 100.542654 88.686089)
(xy 100.555032 88.600003)
(xy 100.555032 88.599996)

(xy 100.536601 88.471809)
(xy 100.5366 88.471808)
(xy 100.5366 88.471803)
(xy 100.482797 88.353991)
(xy 100.482793 88.353986)
(xy 100.397985 88.256111)
(xy 100.397983 88.25611)
(xy 100.389098 88.2504)
(xy 100.289027 88.186088)
(xy 100.289026 88.186087)
(xy 100.289025 88.186087)
(xy 100.164758 88.1496)
(xy 100.035242 88.1496)
(xy 99.910974 88.186087)
(xy 99.910971 88.186089)
(xy 99.802016 88.25611)
(xy 99.802014 88.256111)
(xy 99.717206 88.353986)
(xy 99.717203 88.35399)
(xy 99.6634 88.471802)
(xy 99.663398 88.471809)
(xy 99.644968 88.599996)
(xy 99.644968 88.600003)
(xy 98.305032 88.600003)
(xy 98.305032 88.599996)
(xy 98.286601 88.471809)
(xy 98.2866 88.471808)
(xy 98.2866 88.471803)
(xy 98.232797 88.353991)
(xy 98.232793 88.353986)
(xy 98.192523 88.30751)
(xy 98.16303 88.242929)
(xy 98.173135 88.172655)
(xy 98.192522 88.142488)
(xy 98.232797 88.096009)

(xy 98.2866 87.978197)
(xy 98.294575 87.92273)
(xy 98.301988 87.871171)
(xy 101.3738 87.871171)
(xy 101.39223 87.999358)
(xy 101.392232 87.999365)
(xy 101.446035 88.117177)
(xy 101.497019 88.176016)
(xy 101.526512 88.240597)
(xy 101.516408 88.31087)
(xy 101.49702 88.341039)
(xy 101.467806 88.374754)
(xy 101.414003 88.492566)
(xy 101.414001 88.492573)
(xy 101.395571 88.62076)
(xy 101.395571 88.620767)
(xy 101.414001 88.748954)
(xy 101.414003 88.748961)
(xy 101.467806 88.866773)
(xy 101.467809 88.866777)
(xy 101.552617 88.964652)
(xy 101.552619 88.964653)
(xy 101.55262 88.964654)
(xy 101.661576 89.034676)
(xy 101.785845 89.071164)
(xy 101.915361 89.071164)
(xy 102.03963 89.034676)
(xy 102.148586 88.964654)
(xy 102.164739 88.946013)
(xy 102.204612 88.899996)
(xy 102.2334 88.866773)
(xy 102.287203 88.748961)
(xy 102.300858 88.65399)
(xy 102.305635 88.620767)
(xy 102.305635 88.62076)

(xy 102.287204 88.492573)
(xy 102.287203 88.492572)
(xy 102.287203 88.492567)
(xy 102.2334 88.374755)
(xy 102.233396 88.37475)
(xy 102.182416 88.315915)
(xy 102.152922 88.251335)
(xy 102.163026 88.181061)
(xy 102.182414 88.150892)
(xy 102.211629 88.117177)
(xy 102.265432 87.999365)
(xy 102.268905 87.975212)
(xy 102.283864 87.871171)
(xy 102.283864 87.871164)
(xy 102.265433 87.742977)
(xy 102.265432 87.742976)
(xy 102.265432 87.742971)
(xy 102.211629 87.625159)
(xy 102.211625 87.625154)
(xy 102.189832 87.600003)
(xy 107.144823 87.600003)
(xy 107.163859 87.756791)
(xy 107.219871 87.904479)
(xy 107.30959 88.03446)
(xy 107.309592 88.034462)
(xy 107.309593 88.034463)
(xy 107.427817 88.1392)
(xy 107.567671 88.212601)
(xy 107.721027 88.2504)
(xy 107.721028 88.2504)
(xy 107.878972 88.2504)
(xy 107.878973 88.2504)
(xy 108.032329 88.212601)
(xy 108.172183 88.1392)
(xy 108.290407 88.034463)

(xy 108.331304 87.975212)
(xy 108.386462 87.930513)
(xy 108.45703 87.92273)
(xy 108.520605 87.954334)
(xy 108.538695 87.975212)
(xy 108.579593 88.034463)
(xy 108.697817 88.1392)
(xy 108.837671 88.212601)
(xy 108.991027 88.2504)
(xy 108.991028 88.2504)
(xy 109.148972 88.2504)
(xy 109.148973 88.2504)
(xy 109.302329 88.212601)
(xy 109.442183 88.1392)
(xy 109.560407 88.034463)
(xy 109.601304 87.975212)
(xy 109.656462 87.930513)
(xy 109.72703 87.92273)
(xy 109.790605 87.954334)
(xy 109.808695 87.975212)
(xy 109.849593 88.034463)
(xy 109.967817 88.1392)
(xy 110.107671 88.212601)
(xy 110.261027 88.2504)
(xy 110.261028 88.2504)
(xy 110.418972 88.2504)
(xy 110.418973 88.2504)
(xy 110.572329 88.212601)
(xy 110.712183 88.1392)
(xy 110.830407 88.034463)
(xy 110.871304 87.975212)
(xy 110.926462 87.930513)
(xy 110.99703 87.92273)
(xy 111.060605 87.954334)
(xy 111.078695 87.975212)

(xy 111.119593 88.034463)
(xy 111.237817 88.1392)
(xy 111.377671 88.212601)
(xy 111.531027 88.2504)
(xy 111.531028 88.2504)
(xy 111.688972 88.2504)
(xy 111.688973 88.2504)
(xy 111.842329 88.212601)
(xy 111.982183 88.1392)
(xy 112.100407 88.034463)
(xy 112.141304 87.975212)
(xy 112.196462 87.930513)
(xy 112.26703 87.92273)
(xy 112.330605 87.954334)
(xy 112.348695 87.975212)
(xy 112.389593 88.034463)
(xy 112.507817 88.1392)
(xy 112.647671 88.212601)
(xy 112.801027 88.2504)
(xy 112.801028 88.2504)
(xy 112.958972 88.2504)
(xy 112.958973 88.2504)
(xy 113.112329 88.212601)
(xy 113.252183 88.1392)
(xy 113.370407 88.034463)
(xy 113.411304 87.975212)
(xy 113.466462 87.930513)
(xy 113.53703 87.92273)
(xy 113.600605 87.954334)
(xy 113.618695 87.975212)
(xy 113.659593 88.034463)
(xy 113.777817 88.1392)
(xy 113.917671 88.212601)
(xy 114.071027 88.2504)
(xy 114.071028 88.2504)

(xy 114.228972 88.2504)
(xy 114.228973 88.2504)
(xy 114.382329 88.212601)
(xy 114.522183 88.1392)
(xy 114.640407 88.034463)
(xy 114.681304 87.975212)
(xy 114.736462 87.930513)
(xy 114.80703 87.92273)
(xy 114.870605 87.954334)
(xy 114.888695 87.975212)
(xy 114.929593 88.034463)
(xy 115.047817 88.1392)
(xy 115.187671 88.212601)
(xy 115.341027 88.2504)
(xy 115.341028 88.2504)
(xy 115.498972 88.2504)
(xy 115.498973 88.2504)
(xy 115.652329 88.212601)
(xy 115.792183 88.1392)
(xy 115.910407 88.034463)
(xy 115.951303 87.975213)
(xy 116.00646 87.930514)
(xy 116.077028 87.92273)
(xy 116.140603 87.954333)
(xy 116.158695 87.975212)
(xy 116.174406 87.997973)
(xy 116.199593 88.034463)
(xy 116.317817 88.1392)
(xy 116.457671 88.212601)
(xy 116.457672 88.212601)
(xy 116.457674 88.212602)
(xy 116.467639 88.215058)
(xy 116.561596 88.238216)
(xy 116.622951 88.273939)
(xy 116.655252 88.337162)

(xy 116.648245 88.407812)
(xy 116.626669 88.443066)
(xy 116.617203 88.45399)
(xy 116.5634 88.571802)
(xy 116.563398 88.571809)
(xy 116.544968 88.699996)
(xy 116.544968 88.700003)
(xy 116.563398 88.82819)
(xy 116.5634 88.828197)
(xy 116.617203 88.946009)
(xy 116.617206 88.946013)
(xy 116.702014 89.043888)
(xy 116.702016 89.043889)
(xy 116.702017 89.04389)
(xy 116.810973 89.113912)
(xy 116.935242 89.1504)
(xy 117.064758 89.1504)
(xy 117.189027 89.113912)
(xy 117.21067 89.100003)
(xy 124.944968 89.100003)
(xy 124.963398 89.22819)
(xy 124.9634 89.228197)
(xy 125.017203 89.346009)
(xy 125.017206 89.346013)
(xy 125.102014 89.443888)
(xy 125.102016 89.443889)
(xy 125.102017 89.44389)
(xy 125.210973 89.513912)
(xy 125.335242 89.5504)
(xy 125.464758 89.5504)
(xy 125.589027 89.513912)
(xy 125.631878 89.486372)
(xy 125.699999 89.46637)
(xy 125.768117 89.48637)
(xy 125.768122 89.486373)

(xy 125.810969 89.51391)
(xy 125.810971 89.51391)
(xy 125.810973 89.513912)
(xy 125.935242 89.5504)
(xy 126.064758 89.5504)
(xy 126.189027 89.513912)
(xy 126.297983 89.44389)
(xy 126.382797 89.346009)
(xy 126.4366 89.228197)
(xy 126.447786 89.1504)
(xy 126.455032 89.100003)
(xy 126.455032 89.099996)
(xy 126.436601 88.971809)
(xy 126.4366 88.971808)
(xy 126.4366 88.971803)
(xy 126.382797 88.853991)
(xy 126.372042 88.841579)
(xy 126.297985 88.756111)
(xy 126.297983 88.75611)
(xy 126.263002 88.733629)
(xy 126.189027 88.686088)
(xy 126.189026 88.686087)
(xy 126.189025 88.686087)
(xy 126.064758 88.6496)
(xy 125.935242 88.6496)
(xy 125.810974 88.686087)
(xy 125.810967 88.68609)
(xy 125.76812 88.713627)
(xy 125.699999 88.733629)
(xy 125.63188 88.713627)
(xy 125.589032 88.68609)
(xy 125.589025 88.686087)
(xy 125.464758 88.6496)
(xy 125.335242 88.6496)
(xy 125.210974 88.686087)

(xy 125.210971 88.686089)
(xy 125.102016 88.75611)
(xy 125.102014 88.756111)
(xy 125.017206 88.853986)
(xy 125.017203 88.85399)
(xy 124.9634 88.971802)
(xy 124.963398 88.971809)
(xy 124.944968 89.099996)
(xy 124.944968 89.100003)
(xy 117.21067 89.100003)
(xy 117.297983 89.04389)
(xy 117.382797 88.946009)
(xy 117.4366 88.828197)
(xy 117.436872 88.826301)
(xy 117.455032 88.700003)
(xy 117.455032 88.699996)
(xy 117.436601 88.571809)
(xy 117.4366 88.571808)
(xy 117.4366 88.571803)
(xy 117.382797 88.453991)
(xy 117.382793 88.453986)
(xy 117.297985 88.356111)
(xy 117.297983 88.35611)
(xy 117.261631 88.332748)
(xy 117.189027 88.286088)
(xy 117.189024 88.286087)
(xy 117.189022 88.286086)
(xy 117.187768 88.285718)
(xy 117.186668 88.285011)
(xy 117.180832 88.282346)
(xy 117.181215 88.281506)
(xy 117.128043 88.247334)
(xy 117.098551 88.182752)
(xy 117.108656 88.112478)
(xy 117.139712 88.070515)

(xy 117.180407 88.034463)
(xy 117.27013 87.904476)
(xy 117.326139 87.756794)
(xy 117.326139 87.756793)
(xy 117.32614 87.756791)
(xy 117.336104 87.674726)
(xy 117.345177 87.600003)
(xy 118.744968 87.600003)
(xy 118.763398 87.72819)
(xy 118.7634 87.728197)
(xy 118.817203 87.846009)
(xy 118.817206 87.846013)
(xy 118.902014 87.943888)
(xy 118.902016 87.943889)
(xy 118.902017 87.94389)
(xy 119.010973 88.013912)
(xy 119.135242 88.0504)
(xy 119.264758 88.0504)
(xy 119.389027 88.013912)
(xy 119.41067 88.000003)
(xy 121.144968 88.000003)
(xy 121.163398 88.12819)
(xy 121.1634 88.128197)
(xy 121.217203 88.246009)
(xy 121.217206 88.246013)
(xy 121.302014 88.343888)
(xy 121.302016 88.343889)
(xy 121.302017 88.34389)
(xy 121.410973 88.413912)
(xy 121.535242 88.4504)
(xy 121.664758 88.4504)
(xy 121.789027 88.413912)
(xy 121.897983 88.34389)
(xy 121.900454 88.341039)
(xy 121.939472 88.296009)

(xy 121.982797 88.246009)
(xy 122.0366 88.128197)
(xy 122.050077 88.034463)
(xy 122.055032 88.000003)
(xy 123.044968 88.000003)
(xy 123.063398 88.12819)
(xy 123.0634 88.128197)
(xy 123.117203 88.246009)
(xy 123.117206 88.246013)
(xy 123.202014 88.343888)
(xy 123.202016 88.343889)
(xy 123.202017 88.34389)
(xy 123.310973 88.413912)
(xy 123.435242 88.4504)
(xy 123.564758 88.4504)
(xy 123.689027 88.413912)
(xy 123.797983 88.34389)
(xy 123.800454 88.341039)
(xy 123.839472 88.296009)
(xy 123.882797 88.246009)
(xy 123.9366 88.128197)
(xy 123.950077 88.034463)
(xy 123.955032 88.000003)
(xy 124.244968 88.000003)
(xy 124.263398 88.12819)
(xy 124.2634 88.128197)
(xy 124.317203 88.246009)
(xy 124.317206 88.246013)
(xy 124.402014 88.343888)
(xy 124.402016 88.343889)
(xy 124.402017 88.34389)
(xy 124.510973 88.413912)
(xy 124.635242 88.4504)
(xy 124.764758 88.4504)
(xy 124.889027 88.413912)

(xy 124.997983 88.34389)
(xy 125.000454 88.341039)
(xy 125.039472 88.296009)
(xy 125.082797 88.246009)
(xy 125.1366 88.128197)
(xy 125.150077 88.034463)
(xy 125.155032 88.000003)
(xy 125.155032 87.999996)
(xy 125.140655 87.900003)
(xy 125.744968 87.900003)
(xy 125.763398 88.02819)
(xy 125.7634 88.028197)
(xy 125.817203 88.146009)
(xy 125.817206 88.146013)
(xy 125.902014 88.243888)
(xy 125.902016 88.243889)
(xy 125.902017 88.24389)
(xy 126.010973 88.313912)
(xy 126.135242 88.3504)
(xy 126.264758 88.3504)
(xy 126.389027 88.313912)
(xy 126.497983 88.24389)
(xy 126.500837 88.240597)
(xy 126.547746 88.18646)
(xy 126.582797 88.146009)
(xy 126.6366 88.028197)
(xy 126.640655 87.999996)
(xy 126.655032 87.900003)
(xy 126.655032 87.899996)
(xy 126.636601 87.771809)
(xy 126.6366 87.771808)
(xy 126.6366 87.771803)
(xy 126.582797 87.653991)
(xy 126.566517 87.635203)
(xy 126.537025 87.570623)

(xy 126.547128 87.500349)
(xy 126.593621 87.446693)
(xy 126.593623 87.446692)
(xy 126.597983 87.44389)
(xy 126.604744 87.436088)
(xy 126.666519 87.364795)
(xy 126.682797 87.346009)
(xy 126.7366 87.228197)
(xy 126.742654 87.186089)
(xy 126.755032 87.100003)
(xy 126.755032 87.099996)
(xy 126.736601 86.971809)
(xy 126.7366 86.971808)
(xy 126.7366 86.971803)
(xy 126.682797 86.853991)
(xy 126.682793 86.853986)
(xy 126.597985 86.756111)
(xy 126.597983 86.75611)
(xy 126.594678 86.753986)
(xy 126.489027 86.686088)
(xy 126.489026 86.686087)
(xy 126.489025 86.686087)
(xy 126.364758 86.6496)
(xy 126.235242 86.6496)
(xy 126.110974 86.686087)
(xy 126.110971 86.686089)
(xy 126.002016 86.75611)
(xy 126.002014 86.756111)
(xy 125.917206 86.853986)
(xy 125.917203 86.85399)
(xy 125.8634 86.971802)
(xy 125.863398 86.971809)
(xy 125.844968 87.099996)
(xy 125.844968 87.100003)
(xy 125.863398 87.22819)

(xy 125.8634 87.228197)
(xy 125.917203 87.346009)
(xy 125.933481 87.364795)
(xy 125.962974 87.429376)
(xy 125.952871 87.49965)
(xy 125.906386 87.553301)
(xy 125.902019 87.556107)
(xy 125.902014 87.556111)
(xy 125.817206 87.653986)
(xy 125.817203 87.65399)
(xy 125.7634 87.771802)
(xy 125.763398 87.771809)
(xy 125.744968 87.899996)
(xy 125.744968 87.900003)
(xy 125.140655 87.900003)
(xy 125.136601 87.871809)
(xy 125.1366 87.871808)
(xy 125.1366 87.871803)
(xy 125.082797 87.753991)
(xy 125.082793 87.753986)
(xy 124.997985 87.656111)
(xy 124.997983 87.65611)
(xy 124.949821 87.625158)
(xy 124.889027 87.586088)
(xy 124.889026 87.586087)
(xy 124.889025 87.586087)
(xy 124.764758 87.5496)
(xy 124.635242 87.5496)
(xy 124.510974 87.586087)
(xy 124.510971 87.586089)
(xy 124.402016 87.65611)
(xy 124.402014 87.656111)
(xy 124.317206 87.753986)
(xy 124.317203 87.75399)
(xy 124.2634 87.871802)

(xy 124.263398 87.871809)
(xy 124.244968 87.999996)
(xy 124.244968 88.000003)
(xy 123.955032 88.000003)
(xy 123.955032 87.999996)
(xy 123.936601 87.871809)
(xy 123.9366 87.871808)
(xy 123.9366 87.871803)
(xy 123.882797 87.753991)
(xy 123.882793 87.753986)
(xy 123.797985 87.656111)
(xy 123.797983 87.65611)
(xy 123.749821 87.625158)
(xy 123.689027 87.586088)
(xy 123.689026 87.586087)
(xy 123.689025 87.586087)
(xy 123.564758 87.5496)
(xy 123.435242 87.5496)
(xy 123.310974 87.586087)
(xy 123.310971 87.586089)
(xy 123.202016 87.65611)
(xy 123.202014 87.656111)
(xy 123.117206 87.753986)
(xy 123.117203 87.75399)
(xy 123.0634 87.871802)
(xy 123.063398 87.871809)
(xy 123.044968 87.999996)
(xy 123.044968 88.000003)
(xy 122.055032 88.000003)
(xy 122.055032 87.999996)
(xy 122.036601 87.871809)
(xy 122.0366 87.871808)
(xy 122.0366 87.871803)
(xy 121.982797 87.753991)
(xy 121.964185 87.732511)

(xy 121.934693 87.667933)
(xy 121.944796 87.597659)
(xy 121.964186 87.567487)
(xy 121.982797 87.546009)
(xy 122.0366 87.428197)
(xy 122.047269 87.353991)
(xy 122.055032 87.300003)
(xy 122.055032 87.299996)
(xy 122.036601 87.171809)
(xy 122.0366 87.171808)
(xy 122.0366 87.171803)
(xy 121.982797 87.053991)
(xy 121.964185 87.032511)
(xy 121.934693 86.967933)
(xy 121.944796 86.897659)
(xy 121.964186 86.867487)
(xy 121.982797 86.846009)
(xy 122.0366 86.728197)
(xy 122.042654 86.686089)
(xy 122.055032 86.600003)
(xy 123.044968 86.600003)
(xy 123.063398 86.72819)
(xy 123.0634 86.728197)
(xy 123.117203 86.846009)
(xy 123.117206 86.846013)
(xy 123.202014 86.943888)
(xy 123.202016 86.943889)
(xy 123.202017 86.94389)
(xy 123.310973 87.013912)
(xy 123.435242 87.0504)
(xy 123.564758 87.0504)
(xy 123.689027 87.013912)
(xy 123.797983 86.94389)
(xy 123.882797 86.846009)
(xy 123.9366 86.728197)

(xy 123.942654 86.686089)
(xy 123.955032 86.600003)
(xy 124.244968 86.600003)
(xy 124.263398 86.72819)
(xy 124.2634 86.728197)
(xy 124.317203 86.846009)
(xy 124.317206 86.846013)
(xy 124.402014 86.943888)
(xy 124.402016 86.943889)
(xy 124.402017 86.94389)
(xy 124.510973 87.013912)
(xy 124.635242 87.0504)
(xy 124.764758 87.0504)
(xy 124.889027 87.013912)
(xy 124.997983 86.94389)
(xy 125.082797 86.846009)
(xy 125.1366 86.728197)
(xy 125.142654 86.686089)
(xy 125.155032 86.600003)
(xy 125.155032 86.599996)
(xy 125.136601 86.471809)
(xy 125.1366 86.471808)
(xy 125.1366 86.471803)
(xy 125.082797 86.353991)
(xy 125.082793 86.353986)
(xy 124.997985 86.256111)
(xy 124.997983 86.25611)
(xy 124.949807 86.225149)
(xy 124.889027 86.186088)
(xy 124.889026 86.186087)
(xy 124.889025 86.186087)
(xy 124.764758 86.1496)
(xy 124.635242 86.1496)
(xy 124.510974 86.186087)
(xy 124.510971 86.186089)

(xy 124.402016 86.25611)
(xy 124.402014 86.256111)
(xy 124.317206 86.353986)
(xy 124.317203 86.35399)
(xy 124.2634 86.471802)
(xy 124.263398 86.471809)
(xy 124.244968 86.599996)
(xy 124.244968 86.600003)
(xy 123.955032 86.600003)
(xy 123.955032 86.599996)
(xy 123.936601 86.471809)
(xy 123.9366 86.471808)
(xy 123.9366 86.471803)
(xy 123.882797 86.353991)
(xy 123.882793 86.353986)
(xy 123.797985 86.256111)
(xy 123.797983 86.25611)
(xy 123.749807 86.225149)
(xy 123.689027 86.186088)
(xy 123.689026 86.186087)
(xy 123.689025 86.186087)
(xy 123.564758 86.1496)
(xy 123.435242 86.1496)
(xy 123.310974 86.186087)
(xy 123.310971 86.186089)
(xy 123.202016 86.25611)
(xy 123.202014 86.256111)
(xy 123.117206 86.353986)
(xy 123.117203 86.35399)
(xy 123.0634 86.471802)
(xy 123.063398 86.471809)
(xy 123.044968 86.599996)
(xy 123.044968 86.600003)
(xy 122.055032 86.600003)
(xy 122.055032 86.599996)

(xy 122.036601 86.471809)
(xy 122.0366 86.471808)
(xy 122.0366 86.471803)
(xy 121.982797 86.353991)
(xy 121.982793 86.353986)
(xy 121.897985 86.256111)
(xy 121.897983 86.25611)
(xy 121.849807 86.225149)
(xy 121.789027 86.186088)
(xy 121.789026 86.186087)
(xy 121.789025 86.186087)
(xy 121.664758 86.1496)
(xy 121.535242 86.1496)
(xy 121.410974 86.186087)
(xy 121.410971 86.186089)
(xy 121.302016 86.25611)
(xy 121.302014 86.256111)
(xy 121.217206 86.353986)
(xy 121.217203 86.35399)
(xy 121.1634 86.471802)
(xy 121.163398 86.471809)
(xy 121.144968 86.599996)
(xy 121.144968 86.600003)
(xy 121.163398 86.72819)
(xy 121.1634 86.728197)
(xy 121.217203 86.846009)
(xy 121.217206 86.846013)
(xy 121.235814 86.867489)
(xy 121.265307 86.93207)
(xy 121.255202 87.002344)
(xy 121.235814 87.032511)
(xy 121.217206 87.053986)
(xy 121.217203 87.05399)
(xy 121.1634 87.171802)
(xy 121.163398 87.171809)

(xy 121.144968 87.299996)
(xy 121.144968 87.300003)
(xy 121.163398 87.42819)
(xy 121.1634 87.428197)
(xy 121.217203 87.546009)
(xy 121.217206 87.546013)
(xy 121.235814 87.567489)
(xy 121.265307 87.63207)
(xy 121.255202 87.702344)
(xy 121.235814 87.732511)
(xy 121.217206 87.753986)
(xy 121.217203 87.75399)
(xy 121.1634 87.871802)
(xy 121.163398 87.871809)
(xy 121.144968 87.999996)
(xy 121.144968 88.000003)
(xy 119.41067 88.000003)
(xy 119.497983 87.94389)
(xy 119.582797 87.846009)
(xy 119.6366 87.728197)
(xy 119.638654 87.71391)
(xy 119.655032 87.600003)
(xy 119.655032 87.599996)
(xy 119.636601 87.471809)
(xy 119.6366 87.471808)
(xy 119.6366 87.471803)
(xy 119.582797 87.353991)
(xy 119.575881 87.346009)
(xy 119.497985 87.256111)
(xy 119.497983 87.25611)
(xy 119.481727 87.245663)
(xy 119.389027 87.186088)
(xy 119.389026 87.186087)
(xy 119.389025 87.186087)
(xy 119.264758 87.1496)

(xy 119.135242 87.1496)
(xy 119.010974 87.186087)
(xy 119.010971 87.186089)
(xy 118.902016 87.25611)
(xy 118.902014 87.256111)
(xy 118.817206 87.353986)
(xy 118.817203 87.35399)
(xy 118.7634 87.471802)
(xy 118.763398 87.471809)
(xy 118.744968 87.599996)
(xy 118.744968 87.600003)
(xy 117.345177 87.600003)
(xy 117.345177 87.6)
(xy 117.333777 87.50611)
(xy 117.32614 87.443208)
(xy 117.289278 87.346013)
(xy 117.27013 87.295524)
(xy 117.270128 87.295522)
(xy 117.270128 87.29552)
(xy 117.180409 87.165539)
(xy 117.180407 87.165537)
(xy 117.062183 87.0608)
(xy 116.922329 86.987399)
(xy 116.922328 86.987398)
(xy 116.922327 86.987398)
(xy 116.768974 86.9496)
(xy 116.768973 86.9496)
(xy 116.611027 86.9496)
(xy 116.611025 86.9496)
(xy 116.457673 86.987398)
(xy 116.457672 86.987398)
(xy 116.31782 87.060798)
(xy 116.317818 87.060799)
(xy 116.317817 87.0608)
(xy 116.199593 87.165537)

(xy 116.19959 87.16554)
(xy 116.199589 87.165541)
(xy 116.158694 87.224787)
(xy 116.103535 87.269487)
(xy 116.032966 87.277269)
(xy 115.969393 87.245663)
(xy 115.951303 87.224786)
(xy 115.914732 87.171803)
(xy 115.910408 87.165538)
(xy 115.910407 87.165537)
(xy 115.792183 87.0608)
(xy 115.652329 86.987399)
(xy 115.652328 86.987398)
(xy 115.652327 86.987398)
(xy 115.498974 86.9496)
(xy 115.498973 86.9496)
(xy 115.341027 86.9496)
(xy 115.341025 86.9496)
(xy 115.187673 86.987398)
(xy 115.187672 86.987398)
(xy 115.04782 87.060798)
(xy 115.047818 87.060799)
(xy 115.047817 87.0608)
(xy 115.009235 87.094981)
(xy 114.92959 87.165539)
(xy 114.888696 87.224786)
(xy 114.833537 87.269486)
(xy 114.762969 87.277269)
(xy 114.699395 87.245664)
(xy 114.681304 87.224786)
(xy 114.640409 87.165539)
(xy 114.640407 87.165537)
(xy 114.522183 87.0608)
(xy 114.382329 86.987399)
(xy 114.382328 86.987398)

(xy 114.382327 86.987398)
(xy 114.228974 86.9496)
(xy 114.228973 86.9496)
(xy 114.071027 86.9496)
(xy 114.071025 86.9496)
(xy 113.917673 86.987398)
(xy 113.917672 86.987398)
(xy 113.77782 87.060798)
(xy 113.777818 87.060799)
(xy 113.777817 87.0608)
(xy 113.739235 87.094981)
(xy 113.65959 87.165539)
(xy 113.618696 87.224786)
(xy 113.563537 87.269486)
(xy 113.492969 87.277269)
(xy 113.429395 87.245664)
(xy 113.411304 87.224786)
(xy 113.370409 87.165539)
(xy 113.370407 87.165537)
(xy 113.252183 87.0608)
(xy 113.112329 86.987399)
(xy 113.112328 86.987398)
(xy 113.112327 86.987398)
(xy 112.958974 86.9496)
(xy 112.958973 86.9496)
(xy 112.801027 86.9496)
(xy 112.801025 86.9496)
(xy 112.647673 86.987398)
(xy 112.647672 86.987398)
(xy 112.50782 87.060798)
(xy 112.507818 87.060799)
(xy 112.507817 87.0608)
(xy 112.469235 87.094981)
(xy 112.38959 87.165539)
(xy 112.348696 87.224786)

(xy 112.293537 87.269486)
(xy 112.222969 87.277269)
(xy 112.159395 87.245664)
(xy 112.141304 87.224786)
(xy 112.100409 87.165539)
(xy 112.100407 87.165537)
(xy 111.982183 87.0608)
(xy 111.842329 86.987399)
(xy 111.842328 86.987398)
(xy 111.842327 86.987398)
(xy 111.688974 86.9496)
(xy 111.688973 86.9496)
(xy 111.531027 86.9496)
(xy 111.531025 86.9496)
(xy 111.377673 86.987398)
(xy 111.377672 86.987398)
(xy 111.23782 87.060798)
(xy 111.237818 87.060799)
(xy 111.237817 87.0608)
(xy 111.199235 87.094981)
(xy 111.11959 87.165539)
(xy 111.078696 87.224786)
(xy 111.023537 87.269486)
(xy 110.952969 87.277269)
(xy 110.889395 87.245664)
(xy 110.871304 87.224786)
(xy 110.830409 87.165539)
(xy 110.830407 87.165537)
(xy 110.712183 87.0608)
(xy 110.572329 86.987399)
(xy 110.572328 86.987398)
(xy 110.572327 86.987398)
(xy 110.418974 86.9496)
(xy 110.418973 86.9496)
(xy 110.261027 86.9496)

(xy 110.261025 86.9496)
(xy 110.107673 86.987398)
(xy 110.107672 86.987398)
(xy 109.96782 87.060798)
(xy 109.967818 87.060799)
(xy 109.967817 87.0608)
(xy 109.929235 87.094981)
(xy 109.84959 87.165539)
(xy 109.808696 87.224786)
(xy 109.753537 87.269486)
(xy 109.682969 87.277269)
(xy 109.619395 87.245664)
(xy 109.601304 87.224786)
(xy 109.560409 87.165539)
(xy 109.560407 87.165537)
(xy 109.442183 87.0608)
(xy 109.302329 86.987399)
(xy 109.302328 86.987398)
(xy 109.302327 86.987398)
(xy 109.148974 86.9496)
(xy 109.148973 86.9496)
(xy 108.991027 86.9496)
(xy 108.991025 86.9496)
(xy 108.837673 86.987398)
(xy 108.837672 86.987398)
(xy 108.69782 87.060798)
(xy 108.697818 87.060799)
(xy 108.697817 87.0608)
(xy 108.659235 87.094981)
(xy 108.57959 87.165539)
(xy 108.538696 87.224786)
(xy 108.483537 87.269486)
(xy 108.412969 87.277269)
(xy 108.349395 87.245664)
(xy 108.331304 87.224786)

(xy 108.290409 87.165539)
(xy 108.290407 87.165537)
(xy 108.172183 87.0608)
(xy 108.032329 86.987399)
(xy 108.032328 86.987398)
(xy 108.032327 86.987398)
(xy 107.878974 86.9496)
(xy 107.878973 86.9496)
(xy 107.721027 86.9496)
(xy 107.721025 86.9496)
(xy 107.567673 86.987398)
(xy 107.567672 86.987398)
(xy 107.42782 87.060798)
(xy 107.427818 87.060799)
(xy 107.427817 87.0608)
(xy 107.389235 87.094981)
(xy 107.30959 87.165539)
(xy 107.219871 87.29552)
(xy 107.163859 87.443208)
(xy 107.144823 87.599996)
(xy 107.144823 87.600003)
(xy 102.189832 87.600003)
(xy 102.126817 87.527279)
(xy 102.126815 87.527278)
(xy 102.106017 87.513912)
(xy 102.017859 87.457256)
(xy 102.017858 87.457255)
(xy 102.017857 87.457255)
(xy 101.89359 87.420768)
(xy 101.764074 87.420768)
(xy 101.639806 87.457255)
(xy 101.639803 87.457257)
(xy 101.530848 87.527278)
(xy 101.530846 87.527279)
(xy 101.446038 87.625154)

(xy 101.446035 87.625158)
(xy 101.392232 87.74297)
(xy 101.39223 87.742977)
(xy 101.3738 87.871164)
(xy 101.3738 87.871171)
(xy 98.301988 87.871171)
(xy 98.305032 87.850003)
(xy 98.305032 87.849996)
(xy 98.286601 87.721809)
(xy 98.2866 87.721808)
(xy 98.2866 87.721803)
(xy 98.232797 87.603991)
(xy 98.232793 87.603986)
(xy 98.147985 87.506111)
(xy 98.147983 87.50611)
(xy 98.099044 87.474659)
(xy 98.039027 87.436088)
(xy 98.039026 87.436087)
(xy 98.039025 87.436087)
(xy 97.914758 87.3996)
(xy 97.785242 87.3996)
(xy 97.660975 87.436087)
(xy 97.660973 87.436088)
(xy 97.632168 87.454599)
(xy 97.56405 87.4746)
(xy 97.5514 87.4746)
(xy 97.483279 87.454598)
(xy 97.436786 87.400942)
(xy 97.4254 87.3486)
(xy 97.4254 86.29327)
(xy 97.445402 86.225149)
(xy 97.499058 86.178656)
(xy 97.569332 86.168552)
(xy 97.619519 86.187271)
(xy 97.660973 86.213912)

(xy 97.785242 86.2504)
(xy 97.914758 86.2504)
(xy 98.039027 86.213912)
(xy 98.147983 86.14389)
(xy 98.164006 86.125399)
(xy 98.197768 86.086435)
(xy 98.232797 86.046009)
(xy 98.2866 85.928197)
(xy 98.287952 85.918795)
(xy 99.558365 85.918795)
(xy 99.576795 86.046982)
(xy 99.576797 86.046989)
(xy 99.6306 86.164801)
(xy 99.630603 86.164805)
(xy 99.715411 86.26268)
(xy 99.715413 86.262681)
(xy 99.715414 86.262682)
(xy 99.733346 86.274206)
(xy 99.756622 86.289165)
(xy 99.803115 86.342821)
(xy 99.813218 86.413095)
(xy 99.803115 86.447505)
(xy 99.771659 86.516383)
(xy 99.771657 86.51639)
(xy 99.753227 86.644577)
(xy 99.753227 86.644584)
(xy 99.771657 86.772771)
(xy 99.771659 86.772778)
(xy 99.825462 86.89059)
(xy 99.825465 86.890594)
(xy 99.910273 86.988469)
(xy 99.910275 86.98847)
(xy 99.910276 86.988471)
(xy 100.019232 87.058493)
(xy 100.143501 87.094981)

(xy 100.273017 87.094981)
(xy 100.397286 87.058493)
(xy 100.506242 86.988471)
(xy 100.591056 86.89059)
(xy 100.644859 86.772778)
(xy 100.657323 86.686088)
(xy 100.663291 86.644584)
(xy 100.663291 86.644577)
(xy 100.64486 86.51639)
(xy 100.644859 86.516389)
(xy 100.644859 86.516384)
(xy 100.591056 86.398572)
(xy 100.552426 86.35399)
(xy 100.506244 86.300692)
(xy 100.50624 86.300689)
(xy 100.465032 86.274206)
(xy 100.41854 86.22055)
(xy 100.408437 86.150276)
(xy 100.418538 86.115873)
(xy 100.449997 86.046989)
(xy 100.455116 86.011389)
(xy 100.468429 85.918795)
(xy 100.468429 85.918788)
(xy 100.449998 85.790601)
(xy 100.449997 85.7906)
(xy 100.449997 85.790595)
(xy 100.396194 85.672783)
(xy 100.395344 85.671802)
(xy 100.311382 85.574903)
(xy 100.31138 85.574902)
(xy 100.278834 85.553986)
(xy 100.202424 85.50488)
(xy 100.202423 85.504879)
(xy 100.202422 85.504879)
(xy 100.078155 85.468392)

(xy 99.948639 85.468392)
(xy 99.824371 85.504879)
(xy 99.824368 85.504881)
(xy 99.715413 85.574902)
(xy 99.715411 85.574903)
(xy 99.630603 85.672778)
(xy 99.6306 85.672782)
(xy 99.576797 85.790594)
(xy 99.576795 85.790601)
(xy 99.558365 85.918788)
(xy 99.558365 85.918795)
(xy 98.287952 85.918795)
(xy 98.305032 85.8)
(xy 98.305032 85.799996)
(xy 98.286601 85.671809)
(xy 98.2866 85.671808)
(xy 98.2866 85.671803)
(xy 98.232797 85.553991)
(xy 98.192522 85.507511)
(xy 98.16303 85.442933)
(xy 98.173133 85.372659)
(xy 98.19252 85.34249)
(xy 98.232797 85.296009)
(xy 98.2866 85.178197)
(xy 98.29379 85.12819)
(xy 98.305032 85.050003)
(xy 98.305032 85.049996)
(xy 98.286601 84.921809)
(xy 98.2866 84.921808)
(xy 98.2866 84.921803)
(xy 98.254877 84.852341)
(xy 98.244775 84.782068)
(xy 98.254878 84.747658)
(xy 98.2866 84.678197)
(xy 98.289645 84.657021)

(xy 98.305032 84.550003)
(xy 98.305032 84.549996)
(xy 98.286972 84.424391)
(xy 99.679228 84.424391)
(xy 99.697658 84.552578)
(xy 99.69766 84.552585)
(xy 99.751463 84.670397)
(xy 99.751466 84.670401)
(xy 99.836274 84.768276)
(xy 99.836276 84.768277)
(xy 99.836277 84.768278)
(xy 99.945233 84.8383)
(xy 100.069502 84.874788)
(xy 100.199018 84.874788)
(xy 100.323287 84.8383)
(xy 100.432243 84.768278)
(xy 100.517057 84.670397)
(xy 100.57086 84.552585)
(xy 100.571289 84.5496)
(xy 100.589292 84.424391)
(xy 100.589292 84.424384)
(xy 100.570861 84.296197)
(xy 100.57086 84.296196)
(xy 100.57086 84.296191)
(xy 100.517057 84.178379)
(xy 100.489012 84.146013)
(xy 100.432245 84.080499)
(xy 100.432243 84.080498)
(xy 100.35085 84.02819)
(xy 100.323287 84.010476)
(xy 100.323286 84.010475)
(xy 100.323285 84.010475)
(xy 100.199018 83.973988)
(xy 100.069502 83.973988)
(xy 99.945234 84.010475)

(xy 99.945231 84.010477)
(xy 99.836276 84.080498)
(xy 99.836274 84.080499)
(xy 99.751466 84.178374)
(xy 99.751463 84.178378)
(xy 99.69766 84.29619)
(xy 99.697658 84.296197)
(xy 99.679228 84.424384)
(xy 99.679228 84.424391)
(xy 98.286972 84.424391)
(xy 98.286601 84.421809)
(xy 98.2866 84.421806)
(xy 98.2866 84.421803)
(xy 98.232797 84.303991)
(xy 98.232793 84.303986)
(xy 98.147985 84.206111)
(xy 98.147983 84.20611)
(xy 98.104825 84.178374)
(xy 98.039027 84.136088)
(xy 98.039026 84.136087)
(xy 98.039025 84.136087)
(xy 97.914758 84.0996)
(xy 97.785242 84.0996)
(xy 97.660974 84.136087)
(xy 97.660971 84.136089)
(xy 97.552016 84.20611)
(xy 97.552014 84.206111)
(xy 97.467206 84.303986)
(xy 97.467203 84.30399)
(xy 97.413398 84.421806)
(xy 97.41086 84.430452)
(xy 97.409089 84.429932)
(xy 97.384172 84.484479)
(xy 97.378052 84.49105)
(xy 97.221323 84.647779)

(xy 97.201151 84.664162)
(xy 97.192236 84.669986)
(xy 97.19223 84.669992)
(xy 97.170476 84.69794)
(xy 97.165318 84.703783)
(xy 97.162561 84.70654)
(xy 97.162555 84.706549)
(xy 97.148985 84.725554)
(xy 97.13027 84.7496)
(xy 97.115277 84.768863)
(xy 97.111535 84.775777)
(xy 97.108078 84.782849)
(xy 97.092415 84.835461)
(xy 97.080328 84.870668)
(xy 97.05025 84.918853)
(xy 96.82132 85.147782)
(xy 96.801148 85.164164)
(xy 96.792236 85.169986)
(xy 96.79223 85.169992)
(xy 96.770476 85.19794)
(xy 96.765318 85.203783)
(xy 96.762561 85.20654)
(xy 96.762555 85.206549)
(xy 96.748985 85.225554)
(xy 96.729647 85.2504)
(xy 96.715277 85.268863)
(xy 96.711535 85.275777)
(xy 96.708078 85.282849)
(xy 96.692415 85.33546)
(xy 96.674599 85.387358)
(xy 96.673301 85.395134)
(xy 96.67233 85.402925)
(xy 96.673499 85.43117)
(xy 96.65633 85.500059)
(xy 96.604642 85.54873)

(xy 96.534845 85.56173)
(xy 96.469101 85.534931)
(xy 96.452383 85.51889)
(xy 96.397985 85.456111)
(xy 96.397983 85.45611)
(xy 96.345529 85.4224)
(xy 96.289027 85.386088)
(xy 96.289026 85.386087)
(xy 96.289025 85.386087)
(xy 96.164758 85.3496)
(xy 96.035242 85.3496)
(xy 95.910974 85.386087)
(xy 95.910971 85.386089)
(xy 95.802016 85.45611)
(xy 95.802014 85.456111)
(xy 95.717206 85.553986)
(xy 95.717203 85.55399)
(xy 95.6634 85.671802)
(xy 95.663398 85.671809)
(xy 95.644968 85.799996)
(xy 95.644968 85.800003)
(xy 95.663398 85.92819)
(xy 95.6634 85.928197)
(xy 95.717203 86.046009)
(xy 95.717206 86.046013)
(xy 95.802014 86.143888)
(xy 95.802016 86.143889)
(xy 95.802017 86.14389)
(xy 95.910973 86.213912)
(xy 96.035242 86.2504)
(xy 96.164758 86.2504)
(xy 96.289027 86.213912)
(xy 96.397983 86.14389)
(xy 96.453376 86.079961)
(xy 96.513101 86.041579)

(xy 96.584097 86.041579)
(xy 96.643824 86.079962)
(xy 96.673317 86.144542)
(xy 96.6746 86.162475)
(xy 96.6746 87.777998)
(xy 96.671918 87.803857)
(xy 96.669733 87.814272)
(xy 96.672212 87.834156)
(xy 96.674116 87.849432)
(xy 96.6746 87.857221)
(xy 96.6746 88.237524)
(xy 96.654598 88.305645)
(xy 96.600942 88.352138)
(xy 96.530668 88.362242)
(xy 96.466088 88.332748)
(xy 96.453376 88.320036)
(xy 96.397985 88.256111)
(xy 96.397983 88.25611)
(xy 96.389098 88.2504)
(xy 96.289027 88.186088)
(xy 96.289026 88.186087)
(xy 96.289025 88.186087)
(xy 96.164758 88.1496)
(xy 96.035242 88.1496)
(xy 95.910974 88.186087)
(xy 95.910971 88.186089)
(xy 95.802016 88.25611)
(xy 95.802014 88.256111)
(xy 95.717206 88.353986)
(xy 95.717203 88.35399)
(xy 95.6634 88.471802)
(xy 95.663398 88.471809)
(xy 95.644968 88.599996)
(xy 95.644968 88.600003)
(xy 95.663398 88.72819)

(xy 95.6634 88.728197)
(xy 95.717203 88.846009)
(xy 95.717206 88.846013)
(xy 95.802014 88.943888)
(xy 95.802016 88.943889)
(xy 95.802017 88.94389)
(xy 95.910973 89.013912)
(xy 96.035242 89.0504)
(xy 96.164758 89.0504)
(xy 96.289027 89.013912)
(xy 96.397983 88.94389)
(xy 96.453376 88.879961)
(xy 96.513101 88.841579)
(xy 96.584097 88.841579)
(xy 96.643824 88.879962)
(xy 96.673317 88.944542)
(xy 96.6746 88.962475)
(xy 96.6746 90.596946)
(xy 96.672372 90.612411)
(xy 96.673622 90.612567)
(xy 96.67233 90.622925)
(xy 96.6746 90.677777)
(xy 96.6746 91.037524)
(xy 96.654598 91.105645)
(xy 96.600942 91.152138)
(xy 96.530668 91.162242)
(xy 96.466088 91.132748)
(xy 96.453376 91.120036)
(xy 96.397985 91.056111)
(xy 96.397983 91.05611)
(xy 96.301167 90.99389)
(xy 96.289027 90.986088)
(xy 96.289026 90.986087)
(xy 96.289025 90.986087)
(xy 96.164758 90.9496)

(xy 96.035242 90.9496)
(xy 95.910974 90.986087)
(xy 95.910971 90.986089)
(xy 95.802016 91.05611)
(xy 95.802014 91.056111)
(xy 95.717206 91.153986)
(xy 95.717203 91.15399)
(xy 95.6634 91.271802)
(xy 95.663398 91.271809)
(xy 95.644968 91.399996)
(xy 95.644968 91.400003)
(xy 87.8254 91.400003)
(xy 87.8254 89.807554)
(xy 87.825485 89.804282)
(xy 87.827599 89.763952)
(xy 87.821882 89.749058)
(xy 87.820341 89.745043)
(xy 87.814726 89.726086)
(xy 87.810514 89.706275)
(xy 87.810514 89.706274)
(xy 87.810514 89.706273)
(xy 87.809543 89.704937)
(xy 87.793849 89.676031)
(xy 87.79326 89.674496)
(xy 87.778935 89.660171)
(xy 87.766102 89.645146)
(xy 87.754192 89.628753)
(xy 87.754191 89.628752)
(xy 87.752762 89.627927)
(xy 87.726669 89.607905)
(xy 87.414736 89.295973)
(xy 87.412465 89.29358)
(xy 87.385447 89.263573)
(xy 87.385446 89.263572)
(xy 87.366944 89.255335)

(xy 87.34957 89.245902)
(xy 87.346472 89.24389)
(xy 87.332581 89.234869)
(xy 87.332579 89.234868)
(xy 87.327914 89.231839)
(xy 87.281676 89.177963)
(xy 87.271906 89.107642)
(xy 87.301705 89.043202)
(xy 87.332313 89.020406)
(xy 87.33132 89.018865)
(xy 87.331753 89.018586)
(xy 87.336728 89.017118)
(xy 87.344218 89.011541)
(xy 87.347248 89.010158)
(xy 87.3488 89.013558)
(xy 87.39985 88.998503)
(xy 87.451239 89.013525)
(xy 87.452773 89.010167)
(xy 87.46097 89.01391)
(xy 87.460973 89.013912)
(xy 87.585242 89.0504)
(xy 87.714758 89.0504)
(xy 87.839027 89.013912)
(xy 87.947983 88.94389)
(xy 88.032797 88.846009)
(xy 88.0866 88.728197)
(xy 88.092654 88.686089)
(xy 88.105032 88.600003)
(xy 88.105032 88.590988)
(xy 88.107799 88.590988)
(xy 88.115866 88.534847)
(xy 88.141386 88.498086)
(xy 89.027169 87.612304)
(xy 89.089482 87.578279)
(xy 89.116265 87.5754)

(xy 90.635128 87.5754)
(xy 90.703249 87.595402)
(xy 90.730351 87.618886)
(xy 90.752017 87.64389)
(xy 90.860973 87.713912)
(xy 90.985242 87.7504)
(xy 91.114758 87.7504)
(xy 91.239027 87.713912)
(xy 91.239031 87.713908)
(xy 91.247227 87.710167)
(xy 91.248786 87.713581)
(xy 91.299717 87.698503)
(xy 91.351246 87.713508)
(xy 91.352773 87.710167)
(xy 91.36097 87.71391)
(xy 91.360973 87.713912)
(xy 91.485242 87.7504)
(xy 91.614758 87.7504)
(xy 91.739027 87.713912)
(xy 91.847983 87.64389)
(xy 91.854744 87.636088)
(xy 91.876254 87.611263)
(xy 91.932797 87.546009)
(xy 91.9866 87.428197)
(xy 91.997269 87.353991)
(xy 92.005032 87.300003)
(xy 92.005032 87.299996)
(xy 91.986601 87.171809)
(xy 91.9866 87.171808)
(xy 91.9866 87.171803)
(xy 91.932797 87.053991)
(xy 91.932793 87.053986)
(xy 91.847985 86.956111)
(xy 91.847983 86.95611)
(xy 91.763002 86.901496)

(xy 91.739027 86.886088)
(xy 91.739026 86.886087)
(xy 91.739025 86.886087)
(xy 91.614758 86.8496)
(xy 91.485242 86.8496)
(xy 91.360974 86.886087)
(xy 91.352773 86.889833)
(xy 91.351233 86.88646)
(xy 91.299944 86.901496)
(xy 91.248763 86.886468)
(xy 91.247227 86.889833)
(xy 91.239025 86.886087)
(xy 91.114758 86.8496)
(xy 90.985242 86.8496)
(xy 90.860974 86.886087)
(xy 90.860971 86.886089)
(xy 90.752017 86.956109)
(xy 90.730353 86.981112)
(xy 90.670627 87.019496)
(xy 90.635128 87.0246)
(xy 88.989533 87.0246)
(xy 88.964952 87.022179)
(xy 88.95 87.019205)
(xy 88.922877 87.0246)
(xy 88.842544 87.040578)
(xy 88.751446 87.101449)
(xy 88.742972 87.114131)
(xy 88.727306 87.133218)
(xy 87.747829 88.112696)
(xy 87.685519 88.14672)
(xy 87.658736 88.1496)
(xy 87.585242 88.1496)
(xy 87.460974 88.186087)
(xy 87.452773 88.189833)
(xy 87.451233 88.18646)

(xy 87.399944 88.201496)
(xy 87.348763 88.186468)
(xy 87.347227 88.189833)
(xy 87.339025 88.186087)
(xy 87.214758 88.1496)
(xy 87.085242 88.1496)
(xy 86.960974 88.186087)
(xy 86.960971 88.186089)
(xy 86.852016 88.25611)
(xy 86.852014 88.256111)
(xy 86.767206 88.353986)
(xy 86.767203 88.35399)
(xy 86.7134 88.471802)
(xy 86.713398 88.471809)
(xy 86.694968 88.599996)
(xy 86.694968 88.600003)
(xy 86.713398 88.72819)
(xy 86.7134 88.728197)
(xy 86.767203 88.846009)
(xy 86.767206 88.846013)
(xy 86.852014 88.943888)
(xy 86.852016 88.943889)
(xy 86.852017 88.94389)
(xy 86.89546 88.971809)
(xy 86.927814 88.992602)
(xy 86.974307 89.046258)
(xy 86.98441 89.116532)
(xy 86.954917 89.181113)
(xy 86.895191 89.219496)
(xy 86.859693 89.2246)
(xy 81.307566 89.2246)
(xy 81.304292 89.224514)
(xy 81.263952 89.2224)
(xy 81.263949 89.2224)
(xy 81.245034 89.229661)

(xy 81.226085 89.235274)
(xy 81.206272 89.239485)
(xy 81.204933 89.240459)
(xy 81.176041 89.256146)
(xy 81.174499 89.256737)
(xy 81.174494 89.256741)
(xy 81.160173 89.271062)
(xy 81.145143 89.283899)
(xy 81.128753 89.295807)
(xy 81.128749 89.295812)
(xy 81.127923 89.297243)
(xy 81.107904 89.32333)
(xy 79.234781 91.196454)
(xy 79.172469 91.230479)
(xy 79.101654 91.225415)
(xy 79.044818 91.182868)
(xy 79.031075 91.159705)
(xy 78.982797 91.053991)
(xy 78.982793 91.053986)
(xy 78.897985 90.956111)
(xy 78.897983 90.95611)
(xy 78.874946 90.941305)
(xy 78.789027 90.886088)
(xy 78.789026 90.886087)
(xy 78.789025 90.886087)
(xy 78.664758 90.8496)
(xy 78.535242 90.8496)
(xy 78.410974 90.886087)
(xy 78.410971 90.886089)
(xy 78.302016 90.95611)
(xy 78.302014 90.956111)
(xy 78.217206 91.053986)
(xy 78.217203 91.05399)
(xy 78.1634 91.171802)
(xy 78.163398 91.171809)

(xy 78.144968 91.299996)
(xy 78.144968 91.300003)
(xy 78.163398 91.42819)
(xy 78.1634 91.428197)
(xy 78.217203 91.546009)
(xy 78.217206 91.546013)
(xy 78.302014 91.643888)
(xy 78.302016 91.643889)
(xy 78.302017 91.64389)
(xy 78.410973 91.713912)
(xy 78.438339 91.721947)
(xy 78.444029 91.723618)
(xy 78.503755 91.762001)
(xy 78.533248 91.826582)
(xy 78.523145 91.896856)
(xy 78.497626 91.933609)
(xy 78.445973 91.985263)
(xy 78.443581 91.987533)
(xy 78.413576 92.014548)
(xy 78.413572 92.014555)
(xy 78.405332 92.03306)
(xy 78.395904 92.050425)
(xy 78.384868 92.06742)
(xy 78.384867 92.067421)
(xy 78.384608 92.06906)
(xy 78.375273 92.100577)
(xy 78.3746 92.102088)
(xy 78.3746 92.122342)
(xy 78.373049 92.14205)
(xy 78.36988 92.16206)
(xy 78.370307 92.163654)
(xy 78.3746 92.196264)
(xy 78.3746 93.940662)
(xy 78.354598 94.008783)
(xy 78.316725 94.046657)

(xy 78.30202 94.056108)
(xy 78.302011 94.056115)
(xy 78.217206 94.153986)
(xy 78.217203 94.15399)
(xy 78.1634 94.271802)
(xy 78.163398 94.271809)
(xy 78.144968 94.399996)
(xy 78.144968 94.400003)
(xy 78.163398 94.52819)
(xy 78.1634 94.528197)
(xy 78.217203 94.646009)
(xy 78.217206 94.646013)
(xy 78.302014 94.743888)
(xy 78.302016 94.743889)
(xy 78.302017 94.74389)
(xy 78.410973 94.813912)
(xy 78.535242 94.8504)
(xy 78.664758 94.8504)
(xy 78.789027 94.813912)
(xy 78.897983 94.74389)
(xy 78.982797 94.646009)
(xy 79.0366 94.528197)
(xy 79.041533 94.493888)
(xy 79.055032 94.400003)
(xy 79.055032 94.399996)
(xy 79.036601 94.271809)
(xy 79.0366 94.271808)
(xy 79.0366 94.271803)
(xy 78.982797 94.153991)
(xy 78.982793 94.153986)
(xy 78.897988 94.056115)
(xy 78.897985 94.056113)
(xy 78.897983 94.05611)
(xy 78.890766 94.051472)
(xy 78.883275 94.046657)

(xy 78.836784 93.993)
(xy 78.8254 93.940662)
(xy 78.8254 92.295553)
(xy 78.845402 92.227432)
(xy 78.862305 92.206458)
(xy 79.168763 91.9)
(xy 79.745131 91.9)
(xy 79.7625 92.009661)
(xy 79.7625 92.009662)
(xy 79.762501 92.009663)
(xy 79.811632 92.10609)
(xy 79.812905 92.108587)
(xy 79.891413 92.187095)
(xy 79.990339 92.2375)
(xy 80.1 92.254869)
(xy 80.209661 92.2375)
(xy 80.308587 92.187095)
(xy 80.387095 92.108587)
(xy 80.387732 92.107335)
(xy 80.388908 92.10609)
(xy 80.392926 92.100561)
(xy 80.39364 92.10108)
(xy 80.436481 92.055719)
(xy 80.505395 92.038653)
(xy 80.572597 92.061553)
(xy 80.606658 92.100862)
(xy 80.607074 92.100561)
(xy 80.610587 92.105397)
(xy 80.612267 92.107335)
(xy 80.612905 92.108587)
(xy 80.691413 92.187095)
(xy 80.691415 92.187096)
(xy 80.691417 92.187097)
(xy 80.692668 92.187735)
(xy 80.693912 92.18891)

(xy 80.699439 92.192926)
(xy 80.69892 92.19364)
(xy 80.744282 92.236485)
(xy 80.761346 92.3054)
(xy 80.738443 92.372601)
(xy 80.699137 92.406659)
(xy 80.699439 92.407074)
(xy 80.694607 92.410584)
(xy 80.692668 92.412265)
(xy 80.691417 92.412902)
(xy 80.691411 92.412906)
(xy 80.612904 92.491413)
(xy 80.562501 92.590336)
(xy 80.5625 92.590337)
(xy 80.5625 92.590339)
(xy 80.545131 92.7)
(xy 80.5625 92.809661)
(xy 80.5625 92.809662)
(xy 80.562501 92.809663)
(xy 80.611632 92.90609)
(xy 80.612905 92.908587)
(xy 80.691413 92.987095)
(xy 80.691415 92.987096)
(xy 80.691417 92.987097)
(xy 80.692668 92.987735)
(xy 80.693912 92.98891)
(xy 80.699439 92.992926)
(xy 80.69892 92.99364)
(xy 80.744282 93.036485)
(xy 80.761346 93.1054)
(xy 80.738443 93.172601)
(xy 80.699137 93.206659)
(xy 80.699439 93.207074)
(xy 80.694607 93.210584)
(xy 80.692668 93.212265)

(xy 80.691417 93.212902)
(xy 80.691411 93.212906)
(xy 80.612904 93.291413)
(xy 80.562501 93.390336)
(xy 80.5625 93.390337)
(xy 80.5625 93.390339)
(xy 80.545131 93.5)
(xy 80.5625 93.609661)
(xy 80.5625 93.609662)
(xy 80.562501 93.609663)
(xy 80.608325 93.6996)
(xy 80.612905 93.708587)
(xy 80.691413 93.787095)
(xy 80.691415 93.787096)
(xy 80.691417 93.787097)
(xy 80.692668 93.787735)
(xy 80.693912 93.78891)
(xy 80.699439 93.792926)
(xy 80.69892 93.79364)
(xy 80.744282 93.836485)
(xy 80.761346 93.9054)
(xy 80.738443 93.972601)
(xy 80.699137 94.006659)
(xy 80.699439 94.007074)
(xy 80.694607 94.010584)
(xy 80.692668 94.012265)
(xy 80.691417 94.012902)
(xy 80.691411 94.012906)
(xy 80.612904 94.091413)
(xy 80.562501 94.190336)
(xy 80.5625 94.190337)
(xy 80.5625 94.190339)
(xy 80.545131 94.3)
(xy 80.5625 94.409661)
(xy 80.5625 94.409662)

(xy 80.562501 94.409663)
(xy 80.608529 94.5)
(xy 80.612905 94.508587)
(xy 80.691413 94.587095)
(xy 80.691415 94.587096)
(xy 80.691417 94.587097)
(xy 80.692668 94.587735)
(xy 80.693912 94.58891)
(xy 80.699439 94.592926)
(xy 80.69892 94.59364)
(xy 80.744282 94.636485)
(xy 80.761346 94.7054)
(xy 80.738443 94.772601)
(xy 80.699137 94.806659)
(xy 80.699439 94.807074)
(xy 80.694607 94.810584)
(xy 80.692668 94.812265)
(xy 80.691417 94.812902)
(xy 80.691411 94.812906)
(xy 80.612904 94.891413)
(xy 80.562501 94.990336)
(xy 80.5625 94.990337)
(xy 80.5625 94.990339)
(xy 80.554018 95.04389)
(xy 80.545132 95.099996)
(xy 80.545131 95.1)
(xy 80.5625 95.209661)
(xy 80.5625 95.209662)
(xy 80.562501 95.209663)
(xy 80.608423 95.299792)
(xy 80.612905 95.308587)
(xy 80.691413 95.387095)
(xy 80.691415 95.387096)
(xy 80.691417 95.387097)
(xy 80.692668 95.387735)

(xy 80.693912 95.38891)
(xy 80.699439 95.392926)
(xy 80.69892 95.39364)
(xy 80.744282 95.436485)
(xy 80.761346 95.5054)
(xy 80.738443 95.572601)
(xy 80.699137 95.606659)
(xy 80.699439 95.607074)
(xy 80.694607 95.610584)
(xy 80.692668 95.612265)
(xy 80.691417 95.612902)
(xy 80.691411 95.612906)
(xy 80.612904 95.691413)
(xy 80.562501 95.790336)
(xy 80.5625 95.790337)
(xy 80.5625 95.790339)
(xy 80.549157 95.874576)
(xy 80.546186 95.893342)
(xy 80.545131 95.9)
(xy 80.5625 96.009661)
(xy 80.5625 96.009662)
(xy 80.562501 96.009663)
(xy 80.612328 96.107456)
(xy 80.612905 96.108587)
(xy 80.691413 96.187095)
(xy 80.790339 96.2375)
(xy 80.9 96.254869)
(xy 81.009661 96.2375)
(xy 81.108587 96.187095)
(xy 81.187095 96.108587)
(xy 81.2375 96.009661)
(xy 81.254869 95.9)
(xy 81.2375 95.790339)
(xy 81.187095 95.691413)
(xy 81.108587 95.612905)

(xy 81.108585 95.612904)
(xy 81.108584 95.612903)
(xy 81.107335 95.612267)
(xy 81.10609 95.611091)
(xy 81.100561 95.607074)
(xy 81.10108 95.606359)
(xy 81.055719 95.563519)
(xy 81.038653 95.494605)
(xy 81.061553 95.427403)
(xy 81.100862 95.393341)
(xy 81.100561 95.392926)
(xy 81.105397 95.389412)
(xy 81.107335 95.387733)
(xy 81.107495 95.38765)
(xy 81.108587 95.387095)
(xy 81.187095 95.308587)
(xy 81.2375 95.209661)
(xy 81.254869 95.1)
(xy 81.2375 94.990339)
(xy 81.187095 94.891413)
(xy 81.108587 94.812905)
(xy 81.108585 94.812904)
(xy 81.108584 94.812903)
(xy 81.107335 94.812267)
(xy 81.10609 94.811091)
(xy 81.100561 94.807074)
(xy 81.10108 94.806359)
(xy 81.055719 94.763519)
(xy 81.038653 94.694605)
(xy 81.061553 94.627403)
(xy 81.100862 94.593341)
(xy 81.100561 94.592926)
(xy 81.105397 94.589412)
(xy 81.107335 94.587733)
(xy 81.107495 94.58765)

(xy 81.108587 94.587095)
(xy 81.187095 94.508587)
(xy 81.2375 94.409661)
(xy 81.254869 94.3)
(xy 81.2375 94.190339)
(xy 81.187095 94.091413)
(xy 81.108587 94.012905)
(xy 81.108585 94.012904)
(xy 81.108584 94.012903)
(xy 81.107335 94.012267)
(xy 81.10609 94.011091)
(xy 81.100561 94.007074)
(xy 81.10108 94.006359)
(xy 81.055719 93.963519)
(xy 81.038653 93.894605)
(xy 81.061553 93.827403)
(xy 81.100862 93.793341)
(xy 81.100561 93.792926)
(xy 81.105397 93.789412)
(xy 81.107335 93.787733)
(xy 81.107495 93.78765)
(xy 81.108587 93.787095)
(xy 81.187095 93.708587)
(xy 81.2375 93.609661)
(xy 81.254869 93.5)
(xy 81.2375 93.390339)
(xy 81.187095 93.291413)
(xy 81.108587 93.212905)
(xy 81.108585 93.212904)
(xy 81.108584 93.212903)
(xy 81.107335 93.212267)
(xy 81.10609 93.211091)
(xy 81.100561 93.207074)
(xy 81.10108 93.206359)
(xy 81.055719 93.163519)

(xy 81.038653 93.094605)
(xy 81.061553 93.027403)
(xy 81.100862 92.993341)
(xy 81.100561 92.992926)
(xy 81.105397 92.989412)
(xy 81.107335 92.987733)
(xy 81.107495 92.98765)
(xy 81.108587 92.987095)
(xy 81.187095 92.908587)
(xy 81.2375 92.809661)
(xy 81.254869 92.7)
(xy 81.2375 92.590339)
(xy 81.187095 92.491413)
(xy 81.108587 92.412905)
(xy 81.108585 92.412904)
(xy 81.108584 92.412903)
(xy 81.107335 92.412267)
(xy 81.10609 92.411091)
(xy 81.100561 92.407074)
(xy 81.10108 92.406359)
(xy 81.055719 92.363519)
(xy 81.038653 92.294605)
(xy 81.061553 92.227403)
(xy 81.100862 92.193341)
(xy 81.100561 92.192926)
(xy 81.105397 92.189412)
(xy 81.107335 92.187733)
(xy 81.107495 92.18765)
(xy 81.108587 92.187095)
(xy 81.187095 92.108587)
(xy 81.2375 92.009661)
(xy 81.254869 91.9)
(xy 81.2375 91.790339)
(xy 81.187095 91.691413)
(xy 81.108587 91.612905)

(xy 81.108587 91.612904)
(xy 81.108586 91.612904)
(xy 81.009663 91.562501)
(xy 81.009662 91.5625)
(xy 81.009661 91.5625)
(xy 80.9 91.545131)
(xy 80.790339 91.5625)
(xy 80.790337 91.5625)
(xy 80.790336 91.562501)
(xy 80.691413 91.612904)
(xy 80.612906 91.691411)
(xy 80.612902 91.691417)
(xy 80.612265 91.692668)
(xy 80.611089 91.693912)
(xy 80.607074 91.699439)
(xy 80.606359 91.69892)
(xy 80.563515 91.744282)
(xy 80.4946 91.761346)
(xy 80.427399 91.738443)
(xy 80.39334 91.699137)
(xy 80.392926 91.699439)
(xy 80.389415 91.694607)
(xy 80.387735 91.692668)
(xy 80.387097 91.691417)
(xy 80.387095 91.691413)
(xy 80.308587 91.612905)
(xy 80.308586 91.612904)
(xy 80.209663 91.562501)
(xy 80.209662 91.5625)
(xy 80.209661 91.5625)
(xy 80.1 91.545131)
(xy 79.990339 91.5625)
(xy 79.990337 91.5625)
(xy 79.990336 91.562501)
(xy 79.891413 91.612904)

(xy 79.812904 91.691413)
(xy 79.762501 91.790336)
(xy 79.7625 91.790337)
(xy 79.7625 91.790339)
(xy 79.745131 91.9)
(xy 79.168763 91.9)
(xy 81.356459 89.712305)
(xy 81.418771 89.678279)
(xy 81.445554 89.6754)
(xy 84.930935 89.6754)
(xy 84.999056 89.695402)
(xy 85.045549 89.749058)
(xy 85.055653 89.819332)
(xy 85.026159 89.883912)
(xy 85.02003 89.890495)
(xy 83.683218 91.227306)
(xy 83.664131 91.242972)
(xy 83.651449 91.251446)
(xy 83.590578 91.342544)
(xy 83.579095 91.400281)
(xy 83.574327 91.424253)
(xy 83.569205 91.45)
(xy 83.569241 91.450183)
(xy 83.572179 91.46495)
(xy 83.5746 91.489532)
(xy 83.5746 92.242667)
(xy 83.554598 92.310788)
(xy 83.500942 92.357281)
(xy 83.430668 92.367385)
(xy 83.409679 92.362505)
(xy 83.409671 92.362502)
(xy 83.409662 92.3625)
(xy 83.409661 92.3625)
(xy 83.3 92.345131)
(xy 83.190339 92.3625)

(xy 83.190337 92.3625)
(xy 83.190336 92.362501)
(xy 83.091413 92.412904)
(xy 83.012906 92.491411)
(xy 83.012902 92.491417)
(xy 83.012265 92.492668)
(xy 83.011089 92.493912)
(xy 83.007074 92.499439)
(xy 83.006359 92.49892)
(xy 82.963515 92.544282)
(xy 82.8946 92.561346)
(xy 82.827399 92.538443)
(xy 82.79334 92.499137)
(xy 82.792926 92.499439)
(xy 82.789415 92.494607)
(xy 82.787735 92.492668)
(xy 82.787097 92.491417)
(xy 82.787095 92.491413)
(xy 82.708587 92.412905)
(xy 82.708586 92.412904)
(xy 82.609663 92.362501)
(xy 82.609662 92.3625)
(xy 82.609661 92.3625)
(xy 82.5 92.345131)
(xy 82.390339 92.3625)
(xy 82.390337 92.3625)
(xy 82.390336 92.362501)
(xy 82.291413 92.412904)
(xy 82.212904 92.491413)
(xy 82.162501 92.590336)
(xy 82.1625 92.590337)
(xy 82.1625 92.590339)
(xy 82.145131 92.7)
(xy 82.1625 92.809661)
(xy 82.1625 92.809662)

(xy 82.162501 92.809663)
(xy 82.211632 92.90609)
(xy 82.212905 92.908587)
(xy 82.291413 92.987095)
(xy 82.291415 92.987096)
(xy 82.291417 92.987097)
(xy 82.292668 92.987735)
(xy 82.293912 92.98891)
(xy 82.299439 92.992926)
(xy 82.29892 92.99364)
(xy 82.344282 93.036485)
(xy 82.361346 93.1054)
(xy 82.338443 93.172601)
(xy 82.299137 93.206659)
(xy 82.299439 93.207074)
(xy 82.294607 93.210584)
(xy 82.292668 93.212265)
(xy 82.291417 93.212902)
(xy 82.291411 93.212906)
(xy 82.212904 93.291413)
(xy 82.162501 93.390336)
(xy 82.1625 93.390337)
(xy 82.1625 93.390339)
(xy 82.145131 93.5)
(xy 82.160794 93.598892)
(xy 82.151696 93.669299)
(xy 82.105975 93.723614)
(xy 82.038147 93.744587)
(xy 82.036346 93.7446)
(xy 81.849 93.7446)
(xy 81.829355 93.748507)
(xy 81.789533 93.756429)
(xy 81.789531 93.756429)
(xy 81.78953 93.75643)
(xy 81.754882 93.770782)

(xy 81.75488 93.770783)
(xy 81.719749 93.791065)
(xy 81.719748 93.791065)
(xy 81.670784 93.854878)
(xy 81.670781 93.854882)
(xy 81.656429 93.889531)
(xy 81.647168 93.936089)
(xy 81.6446 93.949)
(xy 81.6446 95.1)
(xy 81.6446 95.379704)
(xy 81.655895 95.436485)
(xy 81.65643 95.439173)
(xy 81.65643 95.439175)
(xy 81.67078 95.47382)
(xy 81.670782 95.473824)
(xy 81.699471 95.516758)
(xy 81.704468 95.524236)
(xy 81.907696 95.727464)
(xy 81.94172 95.789774)
(xy 81.9446 95.816558)
(xy 81.9446 95.983441)
(xy 81.924598 96.051562)
(xy 81.907695 96.072536)
(xy 81.804472 96.175758)
(xy 81.804465 96.175767)
(xy 81.770782 96.226175)
(xy 81.77078 96.226179)
(xy 81.756429 96.260828)
(xy 81.755319 96.264486)
(xy 81.754218 96.266164)
(xy 81.754062 96.266543)
(xy 81.75399 96.266513)
(xy 81.716397 96.323862)
(xy 81.654461 96.352343)
(xy 81.590339 96.362499)

(xy 81.491413 96.412904)
(xy 81.412906 96.491411)
(xy 81.412903 96.491416)
(xy 81.369907 96.575802)
(xy 81.321159 96.627418)
(xy 81.25764 96.6446)
(xy 78.399 96.6446)
(xy 78.391897 96.646013)
(xy 78.339533 96.656429)
(xy 78.339531 96.656429)
(xy 78.33953 96.65643)
(xy 78.304882 96.670782)
(xy 78.30488 96.670783)
(xy 78.304875 96.670785)
(xy 78.268208 96.691955)
(xy 78.20521 96.708835)
(xy 77.218083 96.708835)
(xy 77.149962 96.688833)
(xy 77.12286 96.665349)
(xy 77.114042 96.655172)
(xy 77.084549 96.590594)
(xy 77.094651 96.52032)
(xy 77.114041 96.490148)
(xy 77.120028 96.48324)
(xy 77.173831 96.365428)
(xy 77.181868 96.309532)
(xy 77.192263 96.237234)
(xy 77.192263 96.237227)
(xy 77.173832 96.10904)
(xy 77.173831 96.109039)
(xy 77.173831 96.109034)
(xy 77.120028 95.991222)
(xy 77.117861 95.988721)
(xy 77.035216 95.893342)
(xy 77.035214 95.893341)

(xy 77.010333 95.877351)
(xy 76.926258 95.823319)
(xy 76.926257 95.823318)
(xy 76.926256 95.823318)
(xy 76.801989 95.786831)
(xy 76.672473 95.786831)
(xy 76.548205 95.823318)
(xy 76.548202 95.82332)
(xy 76.439247 95.893341)
(xy 76.439245 95.893342)
(xy 76.354437 95.991217)
(xy 76.354434 95.991221)
(xy 76.300631 96.109033)
(xy 76.300629 96.10904)
(xy 76.282199 96.237227)
(xy 76.282199 96.237234)
(xy 76.300629 96.365421)
(xy 76.300631 96.365428)
(xy 76.354434 96.48324)
(xy 76.422383 96.561658)
(xy 76.426399 96.566292)
(xy 76.455892 96.630873)
(xy 76.445789 96.701147)
(xy 76.426401 96.731315)
(xy 76.420417 96.73822)
(xy 76.420414 96.738225)
(xy 76.366611 96.856037)
(xy 76.366609 96.856044)
(xy 76.348179 96.984231)
(xy 76.348179 96.984238)
(xy 76.366609 97.112425)
(xy 76.366611 97.112432)
(xy 76.420414 97.230244)
(xy 76.420417 97.230248)
(xy 76.505225 97.328123)

(xy 76.505227 97.328124)
(xy 76.505228 97.328125)
(xy 76.614184 97.398147)
(xy 76.738453 97.434635)
(xy 76.867969 97.434635)
(xy 76.992238 97.398147)
(xy 77.101194 97.328125)
(xy 77.122858 97.303122)
(xy 77.182584 97.264739)
(xy 77.218083 97.259635)
(xy 78.0686 97.259635)
(xy 78.136721 97.279637)
(xy 78.183214 97.333293)
(xy 78.1946 97.385635)
(xy 78.1946 98.060181)
(xy 78.174598 98.128302)
(xy 78.157695 98.149276)
(xy 76.934839 99.372132)
(xy 76.88861 99.415307)
(xy 76.888609 99.415309)
(xy 76.866766 99.451228)
(xy 76.863134 99.456564)
(xy 76.837723 99.490074)
(xy 76.831677 99.505403)
(xy 76.822128 99.524628)
(xy 76.813569 99.538704)
(xy 76.813566 99.538712)
(xy 76.802221 99.579198)
(xy 76.800165 99.585313)
(xy 76.784738 99.624436)
(xy 76.783053 99.640823)
(xy 76.779044 99.661919)
(xy 76.7746 99.677783)
(xy 76.7746 99.719831)
(xy 76.774269 99.726279)

(xy 76.769968 99.768105)
(xy 76.772768 99.784341)
(xy 76.7746 99.805749)
(xy 76.7746 103.201035)
(xy 76.754598 103.269156)
(xy 76.737695 103.29013)
(xy 75.434839 104.592986)
(xy 75.38861 104.636161)
(xy 75.388607 104.636165)
(xy 75.366763 104.672085)
(xy 75.363132 104.67742)
(xy 75.337723 104.710928)
(xy 75.331677 104.726257)
(xy 75.322128 104.745482)
(xy 75.313569 104.759558)
(xy 75.313566 104.759566)
(xy 75.302221 104.800052)
(xy 75.300165 104.806167)
(xy 75.284738 104.84529)
(xy 75.283053 104.861677)
(xy 75.279044 104.882773)
(xy 75.2746 104.898637)
(xy 75.2746 104.940685)
(xy 75.274269 104.947133)
(xy 75.269968 104.988959)
(xy 75.272768 105.005195)
(xy 75.2746 105.026603)
(xy 75.2746 106.430182)
(xy 75.254598 106.498303)
(xy 75.237695 106.519277)
(xy 74.319277 107.437695)
(xy 74.256965 107.471721)
(xy 74.230182 107.4746)
(xy 70.908978 107.4746)
(xy 70.845765 107.472441)

(xy 70.845764 107.472441)
(xy 70.804918 107.482394)
(xy 70.79858 107.483598)
(xy 70.795671 107.483998)
(xy 70.75692 107.489324)
(xy 70.741798 107.495892)
(xy 70.721445 107.502735)
(xy 70.705446 107.506634)
(xy 70.70544 107.506636)
(xy 70.668784 107.527246)
(xy 70.663006 107.530116)
(xy 70.624443 107.546867)
(xy 70.62444 107.546868)
(xy 70.611655 107.557269)
(xy 70.593905 107.56935)
(xy 70.57955 107.577422)
(xy 70.549823 107.607148)
(xy 70.545034 107.61147)
(xy 70.512409 107.638013)
(xy 70.512407 107.638015)
(xy 70.502904 107.651478)
(xy 70.489063 107.667908)
(xy 69.184839 108.972132)
(xy 69.13861 109.015307)
(xy 69.138607 109.015311)
(xy 69.116763 109.051231)
(xy 69.113132 109.056566)
(xy 69.087723 109.090074)
(xy 69.081677 109.105403)
(xy 69.072128 109.124628)
(xy 69.063569 109.138704)
(xy 69.063566 109.138712)
(xy 69.052221 109.179198)
(xy 69.050165 109.185313)
(xy 69.034738 109.224436)

(xy 69.033053 109.240823)
(xy 69.029044 109.261919)
(xy 69.0246 109.277783)
(xy 69.0246 109.319831)
(xy 69.024269 109.326279)
(xy 69.019968 109.368105)
(xy 66.302624 109.368105)
(xy 66.305492 109.35)
(xy 66.285646 109.224696)
(xy 66.229971 109.115428)
(xy 66.22805 109.111657)
(xy 66.138342 109.021949)
(xy 66.040569 108.972132)
(xy 66.025304 108.964354)
(xy 65.931519 108.9495)
(xy 65.931515 108.9495)
(xy 65.930303 108.949308)
(xy 65.927799 108.949011)
(xy 65.900001 108.944609)
(xy 65.899998 108.944609)
(xy 65.872202 108.949011)
(xy 65.869701 108.949307)
(xy 65.868482 108.9495)
(xy 65.868481 108.9495)
(xy 65.774696 108.964354)
(xy 65.774694 108.964354)
(xy 65.774694 108.964355)
(xy 65.661657 109.021949)
(xy 65.571949 109.111657)
(xy 65.527117 109.199647)
(xy 65.514354 109.224696)
(xy 65.494508 109.35)
(xy 61.96612 109.35)
(xy 61.964758 109.3496)
(xy 61.835242 109.3496)

(xy 61.710974 109.386087)
(xy 61.710971 109.386089)
(xy 61.602016 109.45611)
(xy 61.602014 109.456111)
(xy 61.517206 109.553986)
(xy 61.517203 109.55399)
(xy 61.4634 109.671802)
(xy 61.463398 109.671809)
(xy 61.444968 109.799996)
(xy 61.444968 109.800003)
(xy 60.10381 109.800003)
(xy 60.082797 109.753991)
(xy 60.080509 109.75135)
(xy 59.997985 109.656111)
(xy 59.997983 109.65611)
(xy 59.989098 109.6504)
(xy 59.889027 109.586088)
(xy 59.889026 109.586087)
(xy 59.889025 109.586087)
(xy 59.764758 109.5496)
(xy 59.635242 109.5496)
(xy 59.510974 109.586087)
(xy 59.510971 109.586089)
(xy 59.402016 109.65611)
(xy 59.402014 109.656111)
(xy 59.317206 109.753986)
(xy 59.317203 109.75399)
(xy 59.2634 109.871802)
(xy 59.263398 109.871809)
(xy 59.244968 109.999996)
(xy 59.244968 110.000003)
(xy 55.505036 110.000003)
(xy 55.505036 109.999996)
(xy 55.486605 109.871809)
(xy 55.486604 109.871808)

(xy 55.486604 109.871803)
(xy 55.432801 109.753991)
(xy 55.430513 109.75135)
(xy 55.347989 109.656111)
(xy 55.347987 109.65611)
(xy 55.339102 109.6504)
(xy 55.239031 109.586088)
(xy 55.23903 109.586087)
(xy 55.239029 109.586087)
(xy 55.114762 109.5496)
(xy 54.985246 109.5496)
(xy 54.860978 109.586087)
(xy 54.860975 109.586089)
(xy 54.75202 109.65611)
(xy 54.752018 109.656111)
(xy 54.66721 109.753986)
(xy 54.667207 109.75399)
(xy 54.613404 109.871802)
(xy 54.613402 109.871809)
(xy 54.594972 109.999996)
(xy 54.594972 110.000003)
(xy 50.0505 110.000003)
(xy 50.0505 108.000003)
(xy 54.594968 108.000003)
(xy 54.613398 108.12819)
(xy 54.6134 108.128197)
(xy 54.667203 108.246009)
(xy 54.667206 108.246013)
(xy 54.752014 108.343888)
(xy 54.752016 108.343889)
(xy 54.752017 108.34389)
(xy 54.860973 108.413912)
(xy 54.985242 108.4504)
(xy 55.114758 108.4504)
(xy 55.239027 108.413912)

(xy 55.347983 108.34389)
(xy 55.35821 108.332088)
(xy 55.416901 108.264354)
(xy 55.432797 108.246009)
(xy 55.4866 108.128197)
(xy 55.49008 108.103991)
(xy 55.505032 108.000003)
(xy 59.244968 108.000003)
(xy 59.263398 108.12819)
(xy 59.2634 108.128197)
(xy 59.317203 108.246009)
(xy 59.317206 108.246013)
(xy 59.402014 108.343888)
(xy 59.402016 108.343889)
(xy 59.402017 108.34389)
(xy 59.510973 108.413912)
(xy 59.635242 108.4504)
(xy 59.764758 108.4504)
(xy 59.889027 108.413912)
(xy 59.91067 108.400003)
(xy 64.144968 108.400003)
(xy 64.163398 108.52819)
(xy 64.1634 108.528197)
(xy 64.217203 108.646009)
(xy 64.217206 108.646013)
(xy 64.302014 108.743888)
(xy 64.302016 108.743889)
(xy 64.302017 108.74389)
(xy 64.410973 108.813912)
(xy 64.535242 108.8504)
(xy 64.664758 108.8504)
(xy 64.789027 108.813912)
(xy 64.897983 108.74389)
(xy 64.982797 108.646009)
(xy 65.0366 108.528197)

(xy 65.03912 108.510673)
(xy 65.055032 108.400003)
(xy 66.744968 108.400003)
(xy 66.763398 108.52819)
(xy 66.7634 108.528197)
(xy 66.817203 108.646009)
(xy 66.817206 108.646013)
(xy 66.902014 108.743888)
(xy 66.902016 108.743889)
(xy 66.902017 108.74389)
(xy 67.010973 108.813912)
(xy 67.135242 108.8504)
(xy 67.264758 108.8504)
(xy 67.389027 108.813912)
(xy 67.497983 108.74389)
(xy 67.582797 108.646009)
(xy 67.6366 108.528197)
(xy 67.63912 108.510673)
(xy 67.655032 108.400003)
(xy 67.655032 108.399996)
(xy 67.647844 108.350003)
(xy 68.044968 108.350003)
(xy 68.063398 108.47819)
(xy 68.0634 108.478197)
(xy 68.117203 108.596009)
(xy 68.117206 108.596013)
(xy 68.202014 108.693888)
(xy 68.202016 108.693889)
(xy 68.202017 108.69389)
(xy 68.310973 108.763912)
(xy 68.435242 108.8004)
(xy 68.564758 108.8004)
(xy 68.689027 108.763912)
(xy 68.797983 108.69389)
(xy 68.809911 108.680125)

(xy 68.854912 108.62819)
(xy 68.882797 108.596009)
(xy 68.9366 108.478197)
(xy 68.949493 108.388524)
(xy 68.955032 108.350003)
(xy 68.955032 108.349996)
(xy 68.936601 108.221809)
(xy 68.9366 108.221808)
(xy 68.9366 108.221803)
(xy 68.882797 108.103991)
(xy 68.867285 108.086089)
(xy 68.797985 108.006111)
(xy 68.797983 108.00611)
(xy 68.741753 107.969973)
(xy 68.689027 107.936088)
(xy 68.689026 107.936087)
(xy 68.689025 107.936087)
(xy 68.564758 107.8996)
(xy 68.435242 107.8996)
(xy 68.310974 107.936087)
(xy 68.310971 107.936089)
(xy 68.202016 108.00611)
(xy 68.202014 108.006111)
(xy 68.117206 108.103986)
(xy 68.117203 108.10399)
(xy 68.0634 108.221802)
(xy 68.063398 108.221809)
(xy 68.044968 108.349996)
(xy 68.044968 108.350003)
(xy 67.647844 108.350003)
(xy 67.636601 108.271809)
(xy 67.6366 108.271808)
(xy 67.6366 108.271803)
(xy 67.582797 108.153991)
(xy 67.582795 108.153989)

(xy 67.582043 108.152341)
(xy 67.571939 108.082067)
(xy 67.582044 108.047656)
(xy 67.582795 108.046011)
(xy 67.582797 108.046009)
(xy 67.6366 107.928197)
(xy 67.642466 107.887398)
(xy 67.655032 107.800003)
(xy 67.655032 107.799996)
(xy 67.636601 107.671809)
(xy 67.6366 107.671808)
(xy 67.6366 107.671803)
(xy 67.582797 107.553991)
(xy 67.582793 107.553986)
(xy 67.497985 107.456111)
(xy 67.497983 107.45611)
(xy 67.449144 107.424723)
(xy 67.389027 107.386088)
(xy 67.389026 107.386087)
(xy 67.389025 107.386087)
(xy 67.264758 107.3496)
(xy 67.135242 107.3496)
(xy 67.010974 107.386087)
(xy 67.010971 107.386089)
(xy 66.902016 107.45611)
(xy 66.902014 107.456111)
(xy 66.817206 107.553986)
(xy 66.817203 107.55399)
(xy 66.7634 107.671802)
(xy 66.763398 107.671809)
(xy 66.744968 107.799996)
(xy 66.744968 107.800003)
(xy 66.763398 107.92819)
(xy 66.7634 107.928197)
(xy 66.817956 108.047658)

(xy 66.828059 108.117932)
(xy 66.817956 108.152342)
(xy 66.7634 108.271802)
(xy 66.763398 108.271809)
(xy 66.744968 108.399996)
(xy 66.744968 108.400003)
(xy 65.055032 108.400003)
(xy 65.055032 108.399996)
(xy 65.036601 108.271809)
(xy 65.0366 108.271808)
(xy 65.0366 108.271803)
(xy 64.982797 108.153991)
(xy 64.982795 108.153989)
(xy 64.982043 108.152341)
(xy 64.971939 108.082067)
(xy 64.982044 108.047656)
(xy 64.982795 108.046011)
(xy 64.982797 108.046009)
(xy 65.0366 107.928197)
(xy 65.042466 107.887398)
(xy 65.055032 107.800003)
(xy 65.055032 107.799996)
(xy 65.036601 107.671809)
(xy 65.0366 107.671808)
(xy 65.0366 107.671803)
(xy 64.982797 107.553991)
(xy 64.982793 107.553986)
(xy 64.897985 107.456111)
(xy 64.897983 107.45611)
(xy 64.849144 107.424723)
(xy 64.789027 107.386088)
(xy 64.789026 107.386087)
(xy 64.789025 107.386087)
(xy 64.664758 107.3496)
(xy 64.535242 107.3496)

(xy 64.410974 107.386087)
(xy 64.410971 107.386089)
(xy 64.302016 107.45611)
(xy 64.302014 107.456111)
(xy 64.217206 107.553986)
(xy 64.217203 107.55399)
(xy 64.1634 107.671802)
(xy 64.163398 107.671809)
(xy 64.144968 107.799996)
(xy 64.144968 107.800003)
(xy 64.163398 107.92819)
(xy 64.1634 107.928197)
(xy 64.217956 108.047658)
(xy 64.228059 108.117932)
(xy 64.217956 108.152342)
(xy 64.1634 108.271802)
(xy 64.163398 108.271809)
(xy 64.144968 108.399996)
(xy 64.144968 108.400003)
(xy 59.91067 108.400003)
(xy 59.997983 108.34389)
(xy 60.00821 108.332088)
(xy 60.066901 108.264354)
(xy 60.082797 108.246009)
(xy 60.1366 108.128197)
(xy 60.14008 108.103991)
(xy 60.155032 108.000003)
(xy 60.155032 107.999996)
(xy 60.136601 107.871809)
(xy 60.1366 107.871808)
(xy 60.1366 107.871803)
(xy 60.082797 107.753991)
(xy 60.082793 107.753986)
(xy 59.997985 107.656111)
(xy 59.997983 107.65611)

(xy 59.969827 107.638015)
(xy 59.889027 107.586088)
(xy 59.889026 107.586087)
(xy 59.889025 107.586087)
(xy 59.764758 107.5496)
(xy 59.635242 107.5496)
(xy 59.510974 107.586087)
(xy 59.510971 107.586089)
(xy 59.402016 107.65611)
(xy 59.402014 107.656111)
(xy 59.317206 107.753986)
(xy 59.317203 107.75399)
(xy 59.2634 107.871802)
(xy 59.263398 107.871809)
(xy 59.244968 107.999996)
(xy 59.244968 108.000003)
(xy 55.505032 108.000003)
(xy 55.505032 107.999996)
(xy 55.486601 107.871809)
(xy 55.4866 107.871808)
(xy 55.4866 107.871803)
(xy 55.432797 107.753991)
(xy 55.432793 107.753986)
(xy 55.347985 107.656111)
(xy 55.347983 107.65611)
(xy 55.319827 107.638015)
(xy 55.239027 107.586088)
(xy 55.239026 107.586087)
(xy 55.239025 107.586087)
(xy 55.114758 107.5496)
(xy 54.985242 107.5496)
(xy 54.860974 107.586087)
(xy 54.860971 107.586089)
(xy 54.752016 107.65611)
(xy 54.752014 107.656111)

(xy 54.667206 107.753986)
(xy 54.667203 107.75399)
(xy 54.6134 107.871802)
(xy 54.613398 107.871809)
(xy 54.594968 107.999996)
(xy 54.594968 108.000003)
(xy 50.0505 108.000003)
(xy 50.0505 106.000003)
(xy 54.594978 106.000003)
(xy 54.613408 106.12819)
(xy 54.61341 106.128197)
(xy 54.667213 106.246009)
(xy 54.667216 106.246013)
(xy 54.752024 106.343888)
(xy 54.752026 106.343889)
(xy 54.752027 106.34389)
(xy 54.860983 106.413912)
(xy 54.985252 106.4504)
(xy 55.114768 106.4504)
(xy 55.239037 106.413912)
(xy 55.347993 106.34389)
(xy 55.432807 106.246009)
(xy 55.48661 106.128197)
(xy 55.493858 106.077785)
(xy 55.505042 106.000003)
(xy 59.244968 106.000003)
(xy 59.263398 106.12819)
(xy 59.2634 106.128197)
(xy 59.317203 106.246009)
(xy 59.317206 106.246013)
(xy 59.402014 106.343888)
(xy 59.402016 106.343889)
(xy 59.402017 106.34389)
(xy 59.510973 106.413912)
(xy 59.635242 106.4504)

(xy 59.764758 106.4504)
(xy 59.889027 106.413912)
(xy 59.91067 106.400003)
(xy 72.744968 106.400003)
(xy 72.763398 106.52819)
(xy 72.7634 106.528197)
(xy 72.817203 106.646009)
(xy 72.817206 106.646013)
(xy 72.902014 106.743888)
(xy 72.902016 106.743889)
(xy 72.902017 106.74389)
(xy 73.010973 106.813912)
(xy 73.135242 106.8504)
(xy 73.264757 106.8504)
(xy 73.264758 106.8504)
(xy 73.344098 106.827104)
(xy 73.415092 106.827104)
(xy 73.474818 106.865487)
(xy 73.494207 106.895657)
(xy 73.517201 106.946006)
(xy 73.517206 106.946013)
(xy 73.602014 107.043888)
(xy 73.602016 107.043889)
(xy 73.602017 107.04389)
(xy 73.710973 107.113912)
(xy 73.835242 107.1504)
(xy 73.964758 107.1504)
(xy 74.089027 107.113912)
(xy 74.197983 107.04389)
(xy 74.282797 106.946009)
(xy 74.3366 106.828197)
(xy 74.340818 106.798862)
(xy 74.355032 106.700003)
(xy 74.355032 106.699996)
(xy 74.336601 106.571809)

(xy 74.3366 106.571808)
(xy 74.3366 106.571803)
(xy 74.282797 106.453991)
(xy 74.282793 106.453986)
(xy 74.197985 106.356111)
(xy 74.197983 106.35611)
(xy 74.155228 106.328633)
(xy 74.089027 106.286088)
(xy 74.089026 106.286087)
(xy 74.089025 106.286087)
(xy 73.964758 106.2496)
(xy 73.835242 106.2496)
(xy 73.835241 106.2496)
(xy 73.755902 106.272895)
(xy 73.684905 106.272895)
(xy 73.62518 106.23451)
(xy 73.605791 106.204341)
(xy 73.60381 106.200003)
(xy 73.582797 106.153991)
(xy 73.582793 106.153986)
(xy 73.497985 106.056111)
(xy 73.497983 106.05611)
(xy 73.410668 105.999996)
(xy 73.389027 105.986088)
(xy 73.389026 105.986087)
(xy 73.389025 105.986087)
(xy 73.264758 105.9496)
(xy 73.135242 105.9496)
(xy 73.010974 105.986087)
(xy 73.010971 105.986089)
(xy 72.902016 106.05611)
(xy 72.902014 106.056111)
(xy 72.817206 106.153986)
(xy 72.817203 106.15399)
(xy 72.7634 106.271802)

(xy 72.763398 106.271809)
(xy 72.744968 106.399996)
(xy 72.744968 106.400003)
(xy 59.91067 106.400003)
(xy 59.997983 106.34389)
(xy 60.082797 106.246009)
(xy 60.1366 106.128197)
(xy 60.143848 106.077785)
(xy 60.155032 106.000003)
(xy 60.155032 105.999996)
(xy 60.136601 105.871809)
(xy 60.1366 105.871808)
(xy 60.1366 105.871803)
(xy 60.10381 105.800003)
(xy 68.744968 105.800003)
(xy 68.763398 105.92819)
(xy 68.7634 105.928197)
(xy 68.817203 106.046009)
(xy 68.817206 106.046013)
(xy 68.902014 106.143888)
(xy 68.902016 106.143889)
(xy 68.902017 106.14389)
(xy 69.010973 106.213912)
(xy 69.135242 106.2504)
(xy 69.264758 106.2504)
(xy 69.389027 106.213912)
(xy 69.497983 106.14389)
(xy 69.504774 106.136052)
(xy 69.5645 106.097667)
(xy 69.635497 106.097666)
(xy 69.695223 106.136049)
(xy 69.695225 106.136052)
(xy 69.702015 106.143889)
(xy 69.717733 106.15399)
(xy 69.810973 106.213912)

(xy 69.935242 106.2504)
(xy 70.064758 106.2504)
(xy 70.189027 106.213912)
(xy 70.297983 106.14389)
(xy 70.304774 106.136052)
(xy 70.3645 106.097667)
(xy 70.435497 106.097666)
(xy 70.495223 106.136049)
(xy 70.495225 106.136052)
(xy 70.502015 106.143889)
(xy 70.517733 106.15399)
(xy 70.610973 106.213912)
(xy 70.735242 106.2504)
(xy 70.864758 106.2504)
(xy 70.989027 106.213912)
(xy 71.097983 106.14389)
(xy 71.104774 106.136052)
(xy 71.1645 106.097667)
(xy 71.235497 106.097666)
(xy 71.295223 106.136049)
(xy 71.295225 106.136052)
(xy 71.302015 106.143889)
(xy 71.317733 106.15399)
(xy 71.410973 106.213912)
(xy 71.535242 106.2504)
(xy 71.664758 106.2504)
(xy 71.789027 106.213912)
(xy 71.897983 106.14389)
(xy 71.982797 106.046009)
(xy 72.0366 105.928197)
(xy 72.04008 105.903991)
(xy 72.055032 105.800003)
(xy 72.055032 105.799996)
(xy 72.036601 105.671809)
(xy 72.0366 105.671808)

(xy 72.0366 105.671803)
(xy 71.982797 105.553991)
(xy 71.982793 105.553986)
(xy 71.897985 105.456111)
(xy 71.897983 105.45611)
(xy 71.817317 105.404269)
(xy 71.789027 105.386088)
(xy 71.789026 105.386087)
(xy 71.789025 105.386087)
(xy 71.664758 105.3496)
(xy 71.535242 105.3496)
(xy 71.410974 105.386087)
(xy 71.410971 105.386089)
(xy 71.302018 105.456109)
(xy 71.295223 105.463951)
(xy 71.235496 105.502333)
(xy 71.164499 105.502331)
(xy 71.104777 105.463951)
(xy 71.097983 105.45611)
(xy 70.989027 105.386088)
(xy 70.989026 105.386087)
(xy 70.989025 105.386087)
(xy 70.864758 105.3496)
(xy 70.735242 105.3496)
(xy 70.610974 105.386087)
(xy 70.610971 105.386089)
(xy 70.502018 105.456109)
(xy 70.495223 105.463951)
(xy 70.435496 105.502333)
(xy 70.364499 105.502331)
(xy 70.304777 105.463951)
(xy 70.297983 105.45611)
(xy 70.189027 105.386088)
(xy 70.189026 105.386087)
(xy 70.189025 105.386087)

(xy 70.064758 105.3496)
(xy 69.935242 105.3496)
(xy 69.810974 105.386087)
(xy 69.810971 105.386089)
(xy 69.702018 105.456109)
(xy 69.695223 105.463951)
(xy 69.635496 105.502333)
(xy 69.564499 105.502331)
(xy 69.504777 105.463951)
(xy 69.497983 105.45611)
(xy 69.389027 105.386088)
(xy 69.389026 105.386087)
(xy 69.389025 105.386087)
(xy 69.264758 105.3496)
(xy 69.135242 105.3496)
(xy 69.010974 105.386087)
(xy 69.010971 105.386089)
(xy 68.902016 105.45611)
(xy 68.902014 105.456111)
(xy 68.817206 105.553986)
(xy 68.817203 105.55399)
(xy 68.7634 105.671802)
(xy 68.763398 105.671809)
(xy 68.744968 105.799996)
(xy 68.744968 105.800003)
(xy 60.10381 105.800003)
(xy 60.082797 105.753991)
(xy 60.082793 105.753986)
(xy 59.997985 105.656111)
(xy 59.997983 105.65611)
(xy 59.982266 105.646009)
(xy 59.889027 105.586088)
(xy 59.889026 105.586087)
(xy 59.889025 105.586087)
(xy 59.764758 105.5496)

(xy 59.635242 105.5496)
(xy 59.510974 105.586087)
(xy 59.510971 105.586089)
(xy 59.402016 105.65611)
(xy 59.402014 105.656111)
(xy 59.317206 105.753986)
(xy 59.317203 105.75399)
(xy 59.2634 105.871802)
(xy 59.263398 105.871809)
(xy 59.244968 105.999996)
(xy 59.244968 106.000003)
(xy 55.505042 106.000003)
(xy 55.505042 105.999996)
(xy 55.486611 105.871809)
(xy 55.48661 105.871808)
(xy 55.48661 105.871803)
(xy 55.432807 105.753991)
(xy 55.432803 105.753986)
(xy 55.347995 105.656111)
(xy 55.347993 105.65611)
(xy 55.332276 105.646009)
(xy 55.239037 105.586088)
(xy 55.239036 105.586087)
(xy 55.239035 105.586087)
(xy 55.114768 105.5496)
(xy 54.985252 105.5496)
(xy 54.860984 105.586087)
(xy 54.860981 105.586089)
(xy 54.752026 105.65611)
(xy 54.752024 105.656111)
(xy 54.667216 105.753986)
(xy 54.667213 105.75399)
(xy 54.61341 105.871802)
(xy 54.613408 105.871809)
(xy 54.594978 105.999996)

(xy 54.594978 106.000003)
(xy 50.0505 106.000003)
(xy 50.0505 104.000003)
(xy 54.594968 104.000003)
(xy 54.613398 104.12819)
(xy 54.6134 104.128197)
(xy 54.667203 104.246009)
(xy 54.667206 104.246013)
(xy 54.752014 104.343888)
(xy 54.752016 104.343889)
(xy 54.752017 104.34389)
(xy 54.860973 104.413912)
(xy 54.985242 104.4504)
(xy 55.114758 104.4504)
(xy 55.239027 104.413912)
(xy 55.347983 104.34389)
(xy 55.365817 104.323309)
(xy 55.408023 104.2746)
(xy 55.432797 104.246009)
(xy 55.4866 104.128197)
(xy 55.486872 104.126301)
(xy 55.505032 104.000003)
(xy 59.244968 104.000003)
(xy 59.263398 104.12819)
(xy 59.2634 104.128197)
(xy 59.317203 104.246009)
(xy 59.317206 104.246013)
(xy 59.402014 104.343888)
(xy 59.402016 104.343889)
(xy 59.402017 104.34389)
(xy 59.510973 104.413912)
(xy 59.635242 104.4504)
(xy 59.764758 104.4504)
(xy 59.889027 104.413912)
(xy 59.997983 104.34389)

(xy 60.015817 104.323309)
(xy 60.058023 104.2746)
(xy 60.082797 104.246009)
(xy 60.1366 104.128197)
(xy 60.136872 104.126301)
(xy 60.155032 104.000003)
(xy 60.155032 103.999996)
(xy 60.136601 103.871809)
(xy 60.1366 103.871808)
(xy 60.1366 103.871803)
(xy 60.082797 103.753991)
(xy 60.082793 103.753986)
(xy 59.997985 103.656111)
(xy 59.997983 103.65611)
(xy 59.965456 103.635206)
(xy 59.889027 103.586088)
(xy 59.889026 103.586087)
(xy 59.889025 103.586087)
(xy 59.764758 103.5496)
(xy 59.635242 103.5496)
(xy 59.510974 103.586087)
(xy 59.510971 103.586089)
(xy 59.402016 103.65611)
(xy 59.402014 103.656111)
(xy 59.317206 103.753986)
(xy 59.317203 103.75399)
(xy 59.2634 103.871802)
(xy 59.263398 103.871809)
(xy 59.244968 103.999996)
(xy 59.244968 104.000003)
(xy 55.505032 104.000003)
(xy 55.505032 103.999996)
(xy 55.486601 103.871809)
(xy 55.4866 103.871808)
(xy 55.4866 103.871803)

(xy 55.432797 103.753991)
(xy 55.432793 103.753986)
(xy 55.347985 103.656111)
(xy 55.347983 103.65611)
(xy 55.315456 103.635206)
(xy 55.239027 103.586088)
(xy 55.239026 103.586087)
(xy 55.239025 103.586087)
(xy 55.114758 103.5496)
(xy 54.985242 103.5496)
(xy 54.860974 103.586087)
(xy 54.860971 103.586089)
(xy 54.752016 103.65611)
(xy 54.752014 103.656111)
(xy 54.667206 103.753986)
(xy 54.667203 103.75399)
(xy 54.6134 103.871802)
(xy 54.613398 103.871809)
(xy 54.594968 103.999996)
(xy 54.594968 104.000003)
(xy 50.0505 104.000003)
(xy 50.0505 102.000003)
(xy 54.594968 102.000003)
(xy 54.613398 102.12819)
(xy 54.6134 102.128197)
(xy 54.667203 102.246009)
(xy 54.667206 102.246013)
(xy 54.752014 102.343888)
(xy 54.752016 102.343889)
(xy 54.752017 102.34389)
(xy 54.860973 102.413912)
(xy 54.985242 102.4504)
(xy 55.114758 102.4504)
(xy 55.239027 102.413912)
(xy 55.347983 102.34389)

(xy 55.432797 102.246009)
(xy 55.4866 102.128197)
(xy 55.494528 102.073059)
(xy 55.505032 102.000003)
(xy 59.244968 102.000003)
(xy 59.263398 102.12819)
(xy 59.2634 102.128197)
(xy 59.317203 102.246009)
(xy 59.317206 102.246013)
(xy 59.402014 102.343888)
(xy 59.402016 102.343889)
(xy 59.402017 102.34389)
(xy 59.510973 102.413912)
(xy 59.635242 102.4504)
(xy 59.764758 102.4504)
(xy 59.889027 102.413912)
(xy 59.997983 102.34389)
(xy 60.082797 102.246009)
(xy 60.1366 102.128197)
(xy 60.144528 102.073059)
(xy 60.155032 102.000003)
(xy 60.155032 101.999996)
(xy 60.136601 101.871809)
(xy 60.1366 101.871808)
(xy 60.1366 101.871803)
(xy 60.082797 101.753991)
(xy 60.082793 101.753986)
(xy 59.997985 101.656111)
(xy 59.997983 101.65611)
(xy 59.978965 101.643888)
(xy 59.889027 101.586088)
(xy 59.889026 101.586087)
(xy 59.889025 101.586087)
(xy 59.764758 101.5496)
(xy 59.635242 101.5496)

(xy 59.510974 101.586087)
(xy 59.510971 101.586089)
(xy 59.402016 101.65611)
(xy 59.402014 101.656111)
(xy 59.317206 101.753986)
(xy 59.317203 101.75399)
(xy 59.2634 101.871802)
(xy 59.263398 101.871809)
(xy 59.244968 101.999996)
(xy 59.244968 102.000003)
(xy 55.505032 102.000003)
(xy 55.505032 101.999996)
(xy 55.486601 101.871809)
(xy 55.4866 101.871808)
(xy 55.4866 101.871803)
(xy 55.432797 101.753991)
(xy 55.432793 101.753986)
(xy 55.347985 101.656111)
(xy 55.347983 101.65611)
(xy 55.328965 101.643888)
(xy 55.239027 101.586088)
(xy 55.239026 101.586087)
(xy 55.239025 101.586087)
(xy 55.114758 101.5496)
(xy 54.985242 101.5496)
(xy 54.860974 101.586087)
(xy 54.860971 101.586089)
(xy 54.752016 101.65611)
(xy 54.752014 101.656111)
(xy 54.667206 101.753986)
(xy 54.667203 101.75399)
(xy 54.6134 101.871802)
(xy 54.613398 101.871809)
(xy 54.594968 101.999996)
(xy 54.594968 102.000003)

(xy 50.0505 102.000003)
(xy 50.0505 101.500003)
(xy 66.544968 101.500003)
(xy 66.563398 101.62819)
(xy 66.5634 101.628197)
(xy 66.617203 101.746009)
(xy 66.617206 101.746013)
(xy 66.702014 101.843888)
(xy 66.702016 101.843889)
(xy 66.702017 101.84389)
(xy 66.810973 101.913912)
(xy 66.935242 101.9504)
(xy 67.064758 101.9504)
(xy 67.189027 101.913912)
(xy 67.297983 101.84389)
(xy 67.354774 101.778348)
(xy 67.4145 101.739965)
(xy 67.485497 101.739965)
(xy 67.545222 101.778347)
(xy 67.602015 101.84389)
(xy 67.710971 101.913912)
(xy 67.83524 101.9504)
(xy 67.964756 101.9504)
(xy 68.089025 101.913912)
(xy 68.197981 101.84389)
(xy 68.229775 101.807197)
(xy 68.2895 101.768814)
(xy 68.360496 101.768814)
(xy 68.420221 101.807196)
(xy 68.452017 101.84389)
(xy 68.560973 101.913912)
(xy 68.685242 101.9504)
(xy 68.814758 101.9504)
(xy 68.939027 101.913912)
(xy 69.047983 101.84389)

(xy 69.079774 101.8072)
(xy 69.139499 101.768816)
(xy 69.210496 101.768815)
(xy 69.270223 101.807199)
(xy 69.302016 101.84389)
(xy 69.410972 101.913912)
(xy 69.535241 101.9504)
(xy 69.664757 101.9504)
(xy 69.789026 101.913912)
(xy 69.897982 101.84389)
(xy 69.982796 101.746009)
(xy 70.036599 101.628197)
(xy 70.040079 101.603991)
(xy 70.055031 101.500003)
(xy 70.055031 101.499996)
(xy 70.0366 101.371809)
(xy 70.036599 101.371808)
(xy 70.036599 101.371803)
(xy 69.982796 101.253991)
(xy 69.982792 101.253986)
(xy 69.897984 101.156111)
(xy 69.897982 101.15611)
(xy 69.878964 101.143888)
(xy 69.789026 101.086088)
(xy 69.789025 101.086087)
(xy 69.789024 101.086087)
(xy 69.66613 101.050003)
(xy 73.794968 101.050003)
(xy 73.813398 101.17819)
(xy 73.8134 101.178197)
(xy 73.867203 101.296009)
(xy 73.867206 101.296013)
(xy 73.952014 101.393888)
(xy 73.952016 101.393889)
(xy 73.952017 101.39389)

(xy 74.060973 101.463912)
(xy 74.185242 101.5004)
(xy 74.314758 101.5004)
(xy 74.439027 101.463912)
(xy 74.547983 101.39389)
(xy 74.557964 101.382372)
(xy 74.617284 101.313912)
(xy 74.632797 101.296009)
(xy 74.6866 101.178197)
(xy 74.687519 101.171802)
(xy 74.705032 101.050003)
(xy 74.705032 101.049996)
(xy 74.686601 100.921809)
(xy 74.6866 100.921808)
(xy 74.6866 100.921803)
(xy 74.632797 100.803991)
(xy 74.632793 100.803986)
(xy 74.547985 100.706111)
(xy 74.547983 100.70611)
(xy 74.470183 100.656111)
(xy 74.439027 100.636088)
(xy 74.439026 100.636087)
(xy 74.439025 100.636087)
(xy 74.314758 100.5996)
(xy 74.185242 100.5996)
(xy 74.060974 100.636087)
(xy 74.060971 100.636089)
(xy 73.952016 100.70611)
(xy 73.952014 100.706111)
(xy 73.867206 100.803986)
(xy 73.867203 100.80399)
(xy 73.8134 100.921802)
(xy 73.813398 100.921809)
(xy 73.794968 101.049996)
(xy 73.794968 101.050003)

(xy 69.66613 101.050003)
(xy 69.664757 101.0496)
(xy 69.535241 101.0496)
(xy 69.410973 101.086087)
(xy 69.41097 101.086089)
(xy 69.302015 101.15611)
(xy 69.270222 101.192801)
(xy 69.210496 101.231184)
(xy 69.139499 101.231183)
(xy 69.079775 101.192799)
(xy 69.047985 101.156111)
(xy 69.047983 101.15611)
(xy 69.028965 101.143888)
(xy 68.939027 101.086088)
(xy 68.939026 101.086087)
(xy 68.939025 101.086087)
(xy 68.814758 101.0496)
(xy 68.685242 101.0496)
(xy 68.560974 101.086087)
(xy 68.560971 101.086089)
(xy 68.452017 101.156109)
(xy 68.420223 101.192802)
(xy 68.360497 101.231185)
(xy 68.2895 101.231185)
(xy 68.229775 101.192802)
(xy 68.19798 101.156109)
(xy 68.143502 101.121098)
(xy 68.089025 101.086088)
(xy 68.089024 101.086087)
(xy 68.089023 101.086087)
(xy 67.964756 101.0496)
(xy 67.83524 101.0496)
(xy 67.710972 101.086087)
(xy 67.710969 101.086089)
(xy 67.602015 101.156109)

(xy 67.545223 101.221651)
(xy 67.485497 101.260034)
(xy 67.4145 101.260034)
(xy 67.354775 101.221651)
(xy 67.297982 101.156109)
(xy 67.243505 101.121098)
(xy 67.189027 101.086088)
(xy 67.189026 101.086087)
(xy 67.189025 101.086087)
(xy 67.064758 101.0496)
(xy 66.935242 101.0496)
(xy 66.810974 101.086087)
(xy 66.810971 101.086089)
(xy 66.702016 101.15611)
(xy 66.702014 101.156111)
(xy 66.617206 101.253986)
(xy 66.617203 101.25399)
(xy 66.5634 101.371802)
(xy 66.563398 101.371809)
(xy 66.544968 101.499996)
(xy 66.544968 101.500003)
(xy 50.0505 101.500003)
(xy 50.0505 100.507153)
(xy 50.052606 100.499981)
(xy 65.444968 100.499981)
(xy 65.463398 100.628168)
(xy 65.4634 100.628175)
(xy 65.517203 100.745987)
(xy 65.517206 100.745991)
(xy 65.602014 100.843866)
(xy 65.602016 100.843867)
(xy 65.602017 100.843868)
(xy 65.710973 100.91389)
(xy 65.835242 100.950378)
(xy 65.964758 100.950378)

(xy 66.089027 100.91389)
(xy 66.197983 100.843868)
(xy 66.204887 100.835901)
(xy 66.260427 100.771803)
(xy 66.282797 100.745987)
(xy 66.3366 100.628175)
(xy 66.336872 100.626279)
(xy 66.355032 100.499981)
(xy 66.355032 100.499974)
(xy 66.336601 100.371787)
(xy 66.3366 100.371786)
(xy 66.3366 100.371781)
(xy 66.282797 100.253969)
(xy 66.282793 100.253964)
(xy 66.197985 100.156089)
(xy 66.197983 100.156088)
(xy 66.111331 100.1004)
(xy 66.089027 100.086066)
(xy 66.089026 100.086065)
(xy 66.089025 100.086065)
(xy 65.964758 100.049578)
(xy 65.835242 100.049578)
(xy 65.710974 100.086065)
(xy 65.710971 100.086067)
(xy 65.602016 100.156088)
(xy 65.602014 100.156089)
(xy 65.517206 100.253964)
(xy 65.517203 100.253968)
(xy 65.4634 100.37178)
(xy 65.463398 100.371787)
(xy 65.444968 100.499974)
(xy 65.444968 100.499981)
(xy 50.052606 100.499981)
(xy 50.070502 100.439032)
(xy 50.124158 100.392539)

(xy 50.194432 100.382435)
(xy 50.224711 100.390741)
(xy 50.292703 100.418905)
(xy 50.303781 100.423494)
(xy 50.303784 100.423495)
(xy 50.313407 100.426761)
(xy 50.313405 100.42676)
(xy 50.313414 100.426763)
(xy 50.327386 100.430507)
(xy 50.348199 100.436085)
(xy 50.348201 100.436085)
(xy 50.348205 100.436085)
(xy 50.348206 100.436086)
(xy 50.358184 100.438071)
(xy 50.358183 100.438071)
(xy 50.38235 100.441252)
(xy 50.479016 100.453978)
(xy 50.484077 100.454477)
(xy 50.49562 100.455234)
(xy 50.500704 100.4554)
(xy 51.143498 100.4554)
(xy 51.174832 100.459358)
(xy 51.217835 100.4704)
(xy 51.217838 100.4704)
(xy 51.940914 100.4704)
(xy 51.940917 100.4704)
(xy 51.94092 100.470399)
(xy 51.940929 100.470399)
(xy 51.987975 100.464455)
(xy 52.055724 100.455896)
(xy 52.063617 100.4554)
(xy 55.073498 100.4554)
(xy 55.104832 100.459358)
(xy 55.147835 100.4704)
(xy 55.147838 100.4704)

(xy 56.370914 100.4704)
(xy 56.370917 100.4704)
(xy 56.398023 100.466975)
(xy 56.493028 100.454974)
(xy 56.493028 100.454973)
(xy 56.493033 100.454973)
(xy 56.645823 100.394479)
(xy 56.778768 100.297889)
(xy 56.883515 100.171271)
(xy 56.953483 100.022582)
(xy 56.958956 99.99389)
(xy 56.984274 99.86117)
(xy 56.984275 99.861159)
(xy 56.973958 99.697164)
(xy 56.973956 99.697156)
(xy 56.972895 99.69389)
(xy 56.961566 99.659023)
(xy 56.955399 99.620096)
(xy 56.955399 99.199997)
(xy 57.344968 99.199997)
(xy 57.363398 99.328184)
(xy 57.3634 99.328191)
(xy 57.417203 99.446003)
(xy 57.417206 99.446007)
(xy 57.502014 99.543882)
(xy 57.502016 99.543883)
(xy 57.502017 99.543884)
(xy 57.610973 99.613906)
(xy 57.735242 99.650394)
(xy 57.864758 99.650394)
(xy 57.989027 99.613906)
(xy 58.097983 99.543884)
(xy 58.098974 99.542741)
(xy 58.14323 99.491666)
(xy 58.182797 99.446003)

(xy 58.2366 99.328191)
(xy 58.238653 99.31391)
(xy 58.240653 99.300003)
(xy 75.544968 99.300003)
(xy 75.563398 99.42819)
(xy 75.5634 99.428197)
(xy 75.617203 99.546009)
(xy 75.617206 99.546013)
(xy 75.702014 99.643888)
(xy 75.702016 99.643889)
(xy 75.702017 99.64389)
(xy 75.810973 99.713912)
(xy 75.935242 99.7504)
(xy 76.064758 99.7504)
(xy 76.189027 99.713912)
(xy 76.297983 99.64389)
(xy 76.382797 99.546009)
(xy 76.4366 99.428197)
(xy 76.44008 99.403991)
(xy 76.455032 99.300003)
(xy 76.455032 99.299997)
(xy 76.454217 99.294328)
(xy 76.464323 99.224054)
(xy 76.510817 99.1704)
(xy 76.578935 99.1504)
(xy 76.664758 99.1504)
(xy 76.789027 99.113912)
(xy 76.897983 99.04389)
(xy 76.982797 98.946009)
(xy 77.0366 98.828197)
(xy 77.04008 98.803991)
(xy 77.055032 98.700003)
(xy 77.055032 98.699996)
(xy 77.036601 98.571809)
(xy 77.0366 98.571808)

(xy 77.0366 98.571803)
(xy 76.982797 98.453991)
(xy 76.982727 98.45391)
(xy 76.897985 98.356111)
(xy 76.897983 98.35611)
(xy 76.878777 98.343767)
(xy 76.789027 98.286088)
(xy 76.789026 98.286087)
(xy 76.789025 98.286087)
(xy 76.664758 98.2496)
(xy 76.535242 98.2496)
(xy 76.410974 98.286087)
(xy 76.410971 98.286089)
(xy 76.302016 98.35611)
(xy 76.302014 98.356111)
(xy 76.217206 98.453986)
(xy 76.217203 98.45399)
(xy 76.1634 98.571802)
(xy 76.163398 98.571809)
(xy 76.144968 98.699996)
(xy 76.144968 98.700002)
(xy 76.145783 98.705672)
(xy 76.135677 98.775946)
(xy 76.089183 98.8296)
(xy 76.021065 98.8496)
(xy 75.935242 98.8496)
(xy 75.810974 98.886087)
(xy 75.810971 98.886089)
(xy 75.702016 98.95611)
(xy 75.702014 98.956111)
(xy 75.617206 99.053986)
(xy 75.617203 99.05399)
(xy 75.5634 99.171802)
(xy 75.563398 99.171809)
(xy 75.544968 99.299996)

(xy 75.544968 99.300003)
(xy 58.240653 99.300003)
(xy 58.255032 99.199997)
(xy 58.255032 99.19999)
(xy 58.236601 99.071803)
(xy 58.2366 99.071802)
(xy 58.2366 99.071797)
(xy 58.182797 98.953985)
(xy 58.178084 98.948546)
(xy 58.097985 98.856105)
(xy 58.097983 98.856104)
(xy 58.078976 98.843889)
(xy 57.989027 98.786082)
(xy 57.989026 98.786081)
(xy 57.989025 98.786081)
(xy 57.864758 98.749594)
(xy 57.735242 98.749594)
(xy 57.610974 98.786081)
(xy 57.610971 98.786083)
(xy 57.502016 98.856104)
(xy 57.502014 98.856105)
(xy 57.417206 98.95398)
(xy 57.417203 98.953984)
(xy 57.3634 99.071796)
(xy 57.363398 99.071803)
(xy 57.344968 99.19999)
(xy 57.344968 99.199997)
(xy 56.955399 99.199997)
(xy 56.955399 97.749994)
(xy 61.265148 97.749994)
(xy 61.283578 97.878181)
(xy 61.28358 97.878188)
(xy 61.337383 97.996)
(xy 61.337386 97.996004)
(xy 61.422194 98.093879)

(xy 61.422196 98.09388)
(xy 61.422197 98.093881)
(xy 61.531153 98.163903)
(xy 61.655422 98.200391)
(xy 61.784938 98.200391)
(xy 61.909207 98.163903)
(xy 62.018163 98.093881)
(xy 62.020304 98.091411)
(xy 62.055839 98.0504)
(xy 62.064848 98.040003)
(xy 66.854968 98.040003)
(xy 66.873398 98.16819)
(xy 66.8734 98.168197)
(xy 66.927203 98.286009)
(xy 66.927206 98.286013)
(xy 67.012014 98.383888)
(xy 67.012016 98.383889)
(xy 67.012017 98.38389)
(xy 67.120973 98.453912)
(xy 67.245242 98.4904)
(xy 67.374758 98.4904)
(xy 67.499027 98.453912)
(xy 67.607983 98.38389)
(xy 67.618457 98.371803)
(xy 67.656567 98.327821)
(xy 67.692797 98.286009)
(xy 67.7466 98.168197)
(xy 67.74932 98.149276)
(xy 67.765032 98.040003)
(xy 68.124968 98.040003)
(xy 68.143398 98.16819)
(xy 68.1434 98.168197)
(xy 68.197203 98.286009)
(xy 68.197206 98.286013)
(xy 68.282014 98.383888)

(xy 68.282016 98.383889)
(xy 68.282017 98.38389)
(xy 68.390973 98.453912)
(xy 68.515242 98.4904)
(xy 68.644758 98.4904)
(xy 68.769027 98.453912)
(xy 68.877983 98.38389)
(xy 68.888457 98.371803)
(xy 68.926567 98.327821)
(xy 68.962797 98.286009)
(xy 69.0166 98.168197)
(xy 69.01932 98.149276)
(xy 69.035032 98.040003)
(xy 69.394968 98.040003)
(xy 69.413398 98.16819)
(xy 69.4134 98.168197)
(xy 69.467203 98.286009)
(xy 69.467206 98.286013)
(xy 69.552014 98.383888)
(xy 69.552016 98.383889)
(xy 69.552017 98.38389)
(xy 69.660973 98.453912)
(xy 69.785242 98.4904)
(xy 69.914758 98.4904)
(xy 70.039027 98.453912)
(xy 70.147983 98.38389)
(xy 70.158457 98.371803)
(xy 70.196567 98.327821)
(xy 70.232797 98.286009)
(xy 70.2866 98.168197)
(xy 70.28932 98.149276)
(xy 70.305032 98.040003)
(xy 70.664968 98.040003)
(xy 70.683398 98.16819)
(xy 70.6834 98.168197)

(xy 70.737203 98.286009)
(xy 70.737206 98.286013)
(xy 70.822014 98.383888)
(xy 70.822016 98.383889)
(xy 70.822017 98.38389)
(xy 70.930973 98.453912)
(xy 71.055242 98.4904)
(xy 71.184758 98.4904)
(xy 71.309027 98.453912)
(xy 71.417983 98.38389)
(xy 71.428457 98.371803)
(xy 71.466567 98.327821)
(xy 71.502797 98.286009)
(xy 71.5566 98.168197)
(xy 71.55932 98.149276)
(xy 71.575032 98.040003)
(xy 71.934968 98.040003)
(xy 71.953398 98.16819)
(xy 71.9534 98.168197)
(xy 72.007203 98.286009)
(xy 72.007206 98.286013)
(xy 72.092014 98.383888)
(xy 72.092016 98.383889)
(xy 72.092017 98.38389)
(xy 72.200973 98.453912)
(xy 72.325242 98.4904)
(xy 72.454758 98.4904)
(xy 72.579027 98.453912)
(xy 72.687983 98.38389)
(xy 72.698457 98.371803)
(xy 72.736567 98.327821)
(xy 72.772797 98.286009)
(xy 72.8266 98.168197)
(xy 72.82932 98.149276)
(xy 72.845032 98.040003)

(xy 72.845032 98.039996)
(xy 72.826601 97.911809)
(xy 72.8266 97.911808)
(xy 72.8266 97.911803)
(xy 72.772797 97.793991)
(xy 72.772234 97.793341)
(xy 72.687985 97.696111)
(xy 72.687983 97.69611)
(xy 72.666661 97.682407)
(xy 72.579027 97.626088)
(xy 72.579026 97.626087)
(xy 72.579025 97.626087)
(xy 72.454758 97.5896)
(xy 72.325242 97.5896)
(xy 72.200974 97.626087)
(xy 72.200971 97.626089)
(xy 72.092016 97.69611)
(xy 72.092014 97.696111)
(xy 72.007206 97.793986)
(xy 72.007203 97.79399)
(xy 71.9534 97.911802)
(xy 71.953398 97.911809)
(xy 71.934968 98.039996)
(xy 71.934968 98.040003)
(xy 71.575032 98.040003)
(xy 71.575032 98.039996)
(xy 71.556601 97.911809)
(xy 71.5566 97.911808)
(xy 71.5566 97.911803)
(xy 71.502797 97.793991)
(xy 71.502234 97.793341)
(xy 71.417985 97.696111)
(xy 71.417983 97.69611)
(xy 71.396661 97.682407)
(xy 71.309027 97.626088)

(xy 71.309026 97.626087)
(xy 71.309025 97.626087)
(xy 71.184758 97.5896)
(xy 71.055242 97.5896)
(xy 70.930974 97.626087)
(xy 70.930971 97.626089)
(xy 70.822016 97.69611)
(xy 70.822014 97.696111)
(xy 70.737206 97.793986)
(xy 70.737203 97.79399)
(xy 70.6834 97.911802)
(xy 70.683398 97.911809)
(xy 70.664968 98.039996)
(xy 70.664968 98.040003)
(xy 70.305032 98.040003)
(xy 70.305032 98.039996)
(xy 70.286601 97.911809)
(xy 70.2866 97.911808)
(xy 70.2866 97.911803)
(xy 70.232797 97.793991)
(xy 70.232234 97.793341)
(xy 70.147985 97.696111)
(xy 70.147983 97.69611)
(xy 70.126661 97.682407)
(xy 70.039027 97.626088)
(xy 70.039026 97.626087)
(xy 70.039025 97.626087)
(xy 69.914758 97.5896)
(xy 69.785242 97.5896)
(xy 69.660974 97.626087)
(xy 69.660971 97.626089)
(xy 69.552016 97.69611)
(xy 69.552014 97.696111)
(xy 69.467206 97.793986)
(xy 69.467203 97.79399)

(xy 69.4134 97.911802)
(xy 69.413398 97.911809)
(xy 69.394968 98.039996)
(xy 69.394968 98.040003)
(xy 69.035032 98.040003)
(xy 69.035032 98.039996)
(xy 69.016601 97.911809)
(xy 69.0166 97.911808)
(xy 69.0166 97.911803)
(xy 68.962797 97.793991)
(xy 68.962234 97.793341)
(xy 68.877985 97.696111)
(xy 68.877983 97.69611)
(xy 68.856661 97.682407)
(xy 68.769027 97.626088)
(xy 68.769026 97.626087)
(xy 68.769025 97.626087)
(xy 68.644758 97.5896)
(xy 68.515242 97.5896)
(xy 68.390974 97.626087)
(xy 68.390971 97.626089)
(xy 68.282016 97.69611)
(xy 68.282014 97.696111)
(xy 68.197206 97.793986)
(xy 68.197203 97.79399)
(xy 68.1434 97.911802)
(xy 68.143398 97.911809)
(xy 68.124968 98.039996)
(xy 68.124968 98.040003)
(xy 67.765032 98.040003)
(xy 67.765032 98.039996)
(xy 67.746601 97.911809)
(xy 67.7466 97.911808)
(xy 67.7466 97.911803)
(xy 67.692797 97.793991)

(xy 67.692234 97.793341)
(xy 67.607985 97.696111)
(xy 67.607983 97.69611)
(xy 67.586661 97.682407)
(xy 67.499027 97.626088)
(xy 67.499026 97.626087)
(xy 67.499025 97.626087)
(xy 67.374758 97.5896)
(xy 67.245242 97.5896)
(xy 67.120974 97.626087)
(xy 67.120971 97.626089)
(xy 67.012016 97.69611)
(xy 67.012014 97.696111)
(xy 66.927206 97.793986)
(xy 66.927203 97.79399)
(xy 66.8734 97.911802)
(xy 66.873398 97.911809)
(xy 66.854968 98.039996)
(xy 66.854968 98.040003)
(xy 62.064848 98.040003)
(xy 62.102977 97.996)
(xy 62.15678 97.878188)
(xy 62.168886 97.79399)
(xy 62.175212 97.749994)
(xy 62.175212 97.749987)
(xy 62.156781 97.6218)
(xy 62.15678 97.621799)
(xy 62.15678 97.621794)
(xy 62.102977 97.503982)
(xy 62.102973 97.503977)
(xy 62.018165 97.406102)
(xy 62.018163 97.406101)
(xy 61.986317 97.385635)
(xy 61.909207 97.336079)
(xy 61.909206 97.336078)

(xy 61.909205 97.336078)
(xy 61.784938 97.299591)
(xy 61.655422 97.299591)
(xy 61.531154 97.336078)
(xy 61.531151 97.33608)
(xy 61.422196 97.406101)
(xy 61.422194 97.406102)
(xy 61.337386 97.503977)
(xy 61.337383 97.503981)
(xy 61.28358 97.621793)
(xy 61.283578 97.6218)
(xy 61.265148 97.749987)
(xy 61.265148 97.749994)
(xy 56.955399 97.749994)
(xy 56.955399 95.794903)
(xy 57.444968 95.794903)
(xy 57.463398 95.92309)
(xy 57.4634 95.923097)
(xy 57.517203 96.040909)
(xy 57.517206 96.040913)
(xy 57.602014 96.138788)
(xy 57.602016 96.138789)
(xy 57.602017 96.13879)
(xy 57.710973 96.208812)
(xy 57.710979 96.208813)
(xy 57.719168 96.212554)
(xy 57.717678 96.215816)
(xy 57.762982 96.244945)
(xy 57.792461 96.309532)
(xy 57.782342 96.379804)
(xy 57.735838 96.43345)
(xy 57.724943 96.439703)
(xy 57.661662 96.471946)
(xy 57.661655 96.471951)
(xy 57.571949 96.561657)

(xy 57.516348 96.670782)
(xy 57.514354 96.674696)
(xy 57.494508 96.8)
(xy 57.514354 96.925304)
(xy 57.514355 96.925305)
(xy 57.571949 97.038342)
(xy 57.661657 97.12805)
(xy 57.695181 97.145131)
(xy 57.774696 97.185646)
(xy 57.9 97.205492)
(xy 58.025304 97.185646)
(xy 58.138342 97.12805)
(xy 58.22805 97.038342)
(xy 58.285646 96.925304)
(xy 58.305492 96.8)
(xy 58.300741 96.770003)
(xy 66.854968 96.770003)
(xy 66.873398 96.89819)
(xy 66.8734 96.898197)
(xy 66.927203 97.016009)
(xy 66.927206 97.016013)
(xy 67.012014 97.113888)
(xy 67.012016 97.113889)
(xy 67.012017 97.11389)
(xy 67.120973 97.183912)
(xy 67.245242 97.2204)
(xy 67.374758 97.2204)
(xy 67.499027 97.183912)
(xy 67.607983 97.11389)
(xy 67.609247 97.112432)
(xy 67.674175 97.0375)
(xy 67.692797 97.016009)
(xy 67.7466 96.898197)
(xy 67.752662 96.856037)
(xy 67.765032 96.770003)

(xy 68.124968 96.770003)
(xy 68.143398 96.89819)
(xy 68.1434 96.898197)
(xy 68.197203 97.016009)
(xy 68.197206 97.016013)
(xy 68.282014 97.113888)
(xy 68.282016 97.113889)
(xy 68.282017 97.11389)
(xy 68.390973 97.183912)
(xy 68.515242 97.2204)
(xy 68.644758 97.2204)
(xy 68.769027 97.183912)
(xy 68.877983 97.11389)
(xy 68.879247 97.112432)
(xy 68.944175 97.0375)
(xy 68.962797 97.016009)
(xy 69.0166 96.898197)
(xy 69.022662 96.856037)
(xy 69.035032 96.770003)
(xy 69.394968 96.770003)
(xy 69.413398 96.89819)
(xy 69.4134 96.898197)
(xy 69.467203 97.016009)
(xy 69.467206 97.016013)
(xy 69.552014 97.113888)
(xy 69.552016 97.113889)
(xy 69.552017 97.11389)
(xy 69.660973 97.183912)
(xy 69.785242 97.2204)
(xy 69.914758 97.2204)
(xy 70.039027 97.183912)
(xy 70.147983 97.11389)
(xy 70.149247 97.112432)
(xy 70.214175 97.0375)
(xy 70.232797 97.016009)

(xy 70.2866 96.898197)
(xy 70.292662 96.856037)
(xy 70.305032 96.770003)
(xy 70.664968 96.770003)
(xy 70.683398 96.89819)
(xy 70.6834 96.898197)
(xy 70.737203 97.016009)
(xy 70.737206 97.016013)
(xy 70.822014 97.113888)
(xy 70.822016 97.113889)
(xy 70.822017 97.11389)
(xy 70.930973 97.183912)
(xy 71.055242 97.2204)
(xy 71.184758 97.2204)
(xy 71.309027 97.183912)
(xy 71.417983 97.11389)
(xy 71.419247 97.112432)
(xy 71.484175 97.0375)
(xy 71.502797 97.016009)
(xy 71.5566 96.898197)
(xy 71.562662 96.856037)
(xy 71.575032 96.770003)
(xy 71.934968 96.770003)
(xy 71.953398 96.89819)
(xy 71.9534 96.898197)
(xy 72.007203 97.016009)
(xy 72.007206 97.016013)
(xy 72.092014 97.113888)
(xy 72.092016 97.113889)
(xy 72.092017 97.11389)
(xy 72.200973 97.183912)
(xy 72.325242 97.2204)
(xy 72.454758 97.2204)
(xy 72.579027 97.183912)
(xy 72.687983 97.11389)

(xy 72.689247 97.112432)
(xy 72.754175 97.0375)
(xy 72.772797 97.016009)
(xy 72.8266 96.898197)
(xy 72.832662 96.856037)
(xy 72.845032 96.770003)
(xy 72.845032 96.769996)
(xy 72.826601 96.641809)
(xy 72.8266 96.641808)
(xy 72.8266 96.641803)
(xy 72.772797 96.523991)
(xy 72.76835 96.518859)
(xy 72.687985 96.426111)
(xy 72.687983 96.42611)
(xy 72.667434 96.412904)
(xy 72.579027 96.356088)
(xy 72.579026 96.356087)
(xy 72.579025 96.356087)
(xy 72.454758 96.3196)
(xy 72.325242 96.3196)
(xy 72.200974 96.356087)
(xy 72.200971 96.356089)
(xy 72.092016 96.42611)
(xy 72.092014 96.426111)
(xy 72.007206 96.523986)
(xy 72.007203 96.52399)
(xy 71.9534 96.641802)
(xy 71.953398 96.641809)
(xy 71.934968 96.769996)
(xy 71.934968 96.770003)
(xy 71.575032 96.770003)
(xy 71.575032 96.769996)
(xy 71.556601 96.641809)
(xy 71.5566 96.641808)
(xy 71.5566 96.641803)

(xy 71.502797 96.523991)
(xy 71.49835 96.518859)
(xy 71.417985 96.426111)
(xy 71.417983 96.42611)
(xy 71.397434 96.412904)
(xy 71.309027 96.356088)
(xy 71.309026 96.356087)
(xy 71.309025 96.356087)
(xy 71.184758 96.3196)
(xy 71.055242 96.3196)
(xy 70.930974 96.356087)
(xy 70.930971 96.356089)
(xy 70.822016 96.42611)
(xy 70.822014 96.426111)
(xy 70.737206 96.523986)
(xy 70.737203 96.52399)
(xy 70.6834 96.641802)
(xy 70.683398 96.641809)
(xy 70.664968 96.769996)
(xy 70.664968 96.770003)
(xy 70.305032 96.770003)
(xy 70.305032 96.769996)
(xy 70.286601 96.641809)
(xy 70.2866 96.641808)
(xy 70.2866 96.641803)
(xy 70.232797 96.523991)
(xy 70.22835 96.518859)
(xy 70.147985 96.426111)
(xy 70.147983 96.42611)
(xy 70.127434 96.412904)
(xy 70.039027 96.356088)
(xy 70.039026 96.356087)
(xy 70.039025 96.356087)
(xy 69.914758 96.3196)
(xy 69.785242 96.3196)

(xy 69.660974 96.356087)
(xy 69.660971 96.356089)
(xy 69.552016 96.42611)
(xy 69.552014 96.426111)
(xy 69.467206 96.523986)
(xy 69.467203 96.52399)
(xy 69.4134 96.641802)
(xy 69.413398 96.641809)
(xy 69.394968 96.769996)
(xy 69.394968 96.770003)
(xy 69.035032 96.770003)
(xy 69.035032 96.769996)
(xy 69.016601 96.641809)
(xy 69.0166 96.641808)
(xy 69.0166 96.641803)
(xy 68.962797 96.523991)
(xy 68.95835 96.518859)
(xy 68.877985 96.426111)
(xy 68.877983 96.42611)
(xy 68.857434 96.412904)
(xy 68.769027 96.356088)
(xy 68.769026 96.356087)
(xy 68.769025 96.356087)
(xy 68.644758 96.3196)
(xy 68.515242 96.3196)
(xy 68.390974 96.356087)
(xy 68.390971 96.356089)
(xy 68.282016 96.42611)
(xy 68.282014 96.426111)
(xy 68.197206 96.523986)
(xy 68.197203 96.52399)
(xy 68.1434 96.641802)
(xy 68.143398 96.641809)
(xy 68.124968 96.769996)
(xy 68.124968 96.770003)

(xy 67.765032 96.770003)
(xy 67.765032 96.769996)
(xy 67.746601 96.641809)
(xy 67.7466 96.641808)
(xy 67.7466 96.641803)
(xy 67.692797 96.523991)
(xy 67.68835 96.518859)
(xy 67.607985 96.426111)
(xy 67.607983 96.42611)
(xy 67.587434 96.412904)
(xy 67.499027 96.356088)
(xy 67.499026 96.356087)
(xy 67.499025 96.356087)
(xy 67.374758 96.3196)
(xy 67.245242 96.3196)
(xy 67.120974 96.356087)
(xy 67.120971 96.356089)
(xy 67.012016 96.42611)
(xy 67.012014 96.426111)
(xy 66.927206 96.523986)
(xy 66.927203 96.52399)
(xy 66.8734 96.641802)
(xy 66.873398 96.641809)
(xy 66.854968 96.769996)
(xy 66.854968 96.770003)
(xy 58.300741 96.770003)
(xy 58.285646 96.674696)
(xy 58.235257 96.575802)
(xy 58.22805 96.561657)
(xy 58.138342 96.471949)
(xy 58.075056 96.439704)
(xy 58.023441 96.390956)
(xy 58.006375 96.322041)
(xy 58.029276 96.254839)
(xy 58.081281 96.213538)

(xy 58.080832 96.212554)
(xy 58.084808 96.210737)
(xy 58.084873 96.210687)
(xy 58.085073 96.210617)
(xy 58.089017 96.208814)
(xy 58.089027 96.208812)
(xy 58.197983 96.13879)
(xy 58.282797 96.040909)
(xy 58.3366 95.923097)
(xy 58.340878 95.893341)
(xy 58.355032 95.794903)
(xy 58.355032 95.794896)
(xy 58.336601 95.666709)
(xy 58.3366 95.666708)
(xy 58.3366 95.666703)
(xy 58.282797 95.548891)
(xy 58.279539 95.545131)
(xy 58.240436 95.500003)
(xy 66.854968 95.500003)
(xy 66.873398 95.62819)
(xy 66.8734 95.628197)
(xy 66.927203 95.746009)
(xy 66.927206 95.746013)
(xy 67.012014 95.843888)
(xy 67.012016 95.843889)
(xy 67.012017 95.84389)
(xy 67.120973 95.913912)
(xy 67.245242 95.9504)
(xy 67.374758 95.9504)
(xy 67.499027 95.913912)
(xy 67.607983 95.84389)
(xy 67.610233 95.841294)
(xy 67.654385 95.790339)
(xy 67.692797 95.746009)
(xy 67.7466 95.628197)

(xy 67.748891 95.612265)
(xy 67.765032 95.500003)
(xy 68.124968 95.500003)
(xy 68.143398 95.62819)
(xy 68.1434 95.628197)
(xy 68.197203 95.746009)
(xy 68.197206 95.746013)
(xy 68.282014 95.843888)
(xy 68.282016 95.843889)
(xy 68.282017 95.84389)
(xy 68.390973 95.913912)
(xy 68.515242 95.9504)
(xy 68.644758 95.9504)
(xy 68.769027 95.913912)
(xy 68.877983 95.84389)
(xy 68.880233 95.841294)
(xy 68.924385 95.790339)
(xy 68.962797 95.746009)
(xy 69.0166 95.628197)
(xy 69.018891 95.612265)
(xy 69.035032 95.500003)
(xy 69.394968 95.500003)
(xy 69.413398 95.62819)
(xy 69.4134 95.628197)
(xy 69.467203 95.746009)
(xy 69.467206 95.746013)
(xy 69.552014 95.843888)
(xy 69.552016 95.843889)
(xy 69.552017 95.84389)
(xy 69.660973 95.913912)
(xy 69.785242 95.9504)
(xy 69.914758 95.9504)
(xy 70.039027 95.913912)
(xy 70.147983 95.84389)
(xy 70.150233 95.841294)

(xy 70.194385 95.790339)
(xy 70.232797 95.746009)
(xy 70.2866 95.628197)
(xy 70.288891 95.612265)
(xy 70.305032 95.500003)
(xy 70.664968 95.500003)
(xy 70.683398 95.62819)
(xy 70.6834 95.628197)
(xy 70.737203 95.746009)
(xy 70.737206 95.746013)
(xy 70.822014 95.843888)
(xy 70.822016 95.843889)
(xy 70.822017 95.84389)
(xy 70.930973 95.913912)
(xy 71.055242 95.9504)
(xy 71.184758 95.9504)
(xy 71.309027 95.913912)
(xy 71.417983 95.84389)
(xy 71.420233 95.841294)
(xy 71.464385 95.790339)
(xy 71.502797 95.746009)
(xy 71.5566 95.628197)
(xy 71.558891 95.612265)
(xy 71.575032 95.500003)
(xy 71.934968 95.500003)
(xy 71.953398 95.62819)
(xy 71.9534 95.628197)
(xy 72.007203 95.746009)
(xy 72.007206 95.746013)
(xy 72.092014 95.843888)
(xy 72.092016 95.843889)
(xy 72.092017 95.84389)
(xy 72.200973 95.913912)
(xy 72.325242 95.9504)
(xy 72.454758 95.9504)

(xy 72.579027 95.913912)
(xy 72.687983 95.84389)
(xy 72.690233 95.841294)
(xy 72.734385 95.790339)
(xy 72.772797 95.746009)
(xy 72.8266 95.628197)
(xy 72.828891 95.612265)
(xy 72.845032 95.500003)
(xy 72.845032 95.499996)
(xy 72.826601 95.371809)
(xy 72.8266 95.371808)
(xy 72.8266 95.371803)
(xy 72.772797 95.253991)
(xy 72.758505 95.237497)
(xy 72.687985 95.156111)
(xy 72.687983 95.15611)
(xy 72.639595 95.125013)
(xy 74.444964 95.125013)
(xy 74.463394 95.2532)
(xy 74.463396 95.253207)
(xy 74.517199 95.371019)
(xy 74.517202 95.371023)
(xy 74.60201 95.468898)
(xy 74.602012 95.468899)
(xy 74.602013 95.4689)
(xy 74.710969 95.538922)
(xy 74.710971 95.538922)
(xy 74.715867 95.541159)
(xy 74.769523 95.587651)
(xy 74.789526 95.655771)
(xy 74.769525 95.723892)
(xy 74.721138 95.76582)
(xy 74.721511 95.7664)
(xy 74.717481 95.768989)
(xy 74.71587 95.770386)

(xy 74.715869 95.770386)
(xy 74.713932 95.77127)
(xy 74.604973 95.841294)
(xy 74.604971 95.841295)
(xy 74.520163 95.93917)
(xy 74.52016 95.939174)
(xy 74.466357 96.056986)
(xy 74.466355 96.056993)
(xy 74.447925 96.18518)
(xy 74.447925 96.185187)
(xy 74.466355 96.313374)
(xy 74.466357 96.313381)
(xy 74.52016 96.431193)
(xy 74.520163 96.431197)
(xy 74.604971 96.529072)
(xy 74.604973 96.529073)
(xy 74.604974 96.529074)
(xy 74.71393 96.599096)
(xy 74.838199 96.635584)
(xy 74.967715 96.635584)
(xy 75.091984 96.599096)
(xy 75.20094 96.529074)
(xy 75.205345 96.523991)
(xy 75.263783 96.456549)
(xy 75.285754 96.431193)
(xy 75.339557 96.313381)
(xy 75.340622 96.305973)
(xy 75.357989 96.185187)
(xy 75.357989 96.18518)
(xy 75.339558 96.056993)
(xy 75.339557 96.056992)
(xy 75.339557 96.056987)
(xy 75.285754 95.939175)
(xy 75.283079 95.936088)
(xy 75.200942 95.841295)

(xy 75.20094 95.841294)
(xy 75.16245 95.816558)
(xy 75.091984 95.771272)
(xy 75.091983 95.771271)
(xy 75.091979 95.771269)
(xy 75.087081 95.769032)
(xy 75.033427 95.722538)
(xy 75.013426 95.654417)
(xy 75.03343 95.586297)
(xy 75.081814 95.544373)
(xy 75.081442 95.543794)
(xy 75.085469 95.541205)
(xy 75.087086 95.539805)
(xy 75.087097 95.5398)
(xy 75.089009 95.538926)
(xy 75.089023 95.538922)
(xy 75.149582 95.500003)
(xy 77.644968 95.500003)
(xy 77.663398 95.62819)
(xy 77.6634 95.628197)
(xy 77.717203 95.746009)
(xy 77.717206 95.746013)
(xy 77.802014 95.843888)
(xy 77.802016 95.843889)
(xy 77.802017 95.84389)
(xy 77.910973 95.913912)
(xy 78.035242 95.9504)
(xy 78.164758 95.9504)
(xy 78.289027 95.913912)
(xy 78.397983 95.84389)
(xy 78.400233 95.841294)
(xy 78.444385 95.790339)
(xy 78.482797 95.746009)
(xy 78.5366 95.628197)
(xy 78.538891 95.612265)

(xy 78.555032 95.500003)
(xy 78.555032 95.499996)
(xy 78.536601 95.371809)
(xy 78.5366 95.371808)
(xy 78.5366 95.371803)
(xy 78.482797 95.253991)
(xy 78.468505 95.237497)
(xy 78.397985 95.156111)
(xy 78.397983 95.15611)
(xy 78.349595 95.125013)
(xy 78.289027 95.086088)
(xy 78.289026 95.086087)
(xy 78.289025 95.086087)
(xy 78.164758 95.0496)
(xy 78.035242 95.0496)
(xy 77.910974 95.086087)
(xy 77.910971 95.086089)
(xy 77.802016 95.15611)
(xy 77.802014 95.156111)
(xy 77.717206 95.253986)
(xy 77.717203 95.25399)
(xy 77.6634 95.371802)
(xy 77.663398 95.371809)
(xy 77.644968 95.499996)
(xy 77.644968 95.500003)
(xy 75.149582 95.500003)
(xy 75.197979 95.4689)
(xy 75.223738 95.439173)
(xy 75.263451 95.393341)
(xy 75.282793 95.371019)
(xy 75.336596 95.253207)
(xy 75.342857 95.209661)
(xy 75.355028 95.125013)
(xy 75.355028 95.125006)
(xy 75.336597 94.996819)

(xy 75.336596 94.996818)
(xy 75.336596 94.996813)
(xy 75.282793 94.879001)
(xy 75.261121 94.85399)
(xy 75.197981 94.781121)
(xy 75.197979 94.78112)
(xy 75.169006 94.7625)
(xy 75.089023 94.711098)
(xy 75.089022 94.711097)
(xy 75.089021 94.711097)
(xy 74.964754 94.67461)
(xy 74.835238 94.67461)
(xy 74.71097 94.711097)
(xy 74.710967 94.711099)
(xy 74.602012 94.78112)
(xy 74.60201 94.781121)
(xy 74.517202 94.878996)
(xy 74.517199 94.879)
(xy 74.463396 94.996812)
(xy 74.463394 94.996819)
(xy 74.444964 95.125006)
(xy 74.444964 95.125013)
(xy 72.639595 95.125013)
(xy 72.579027 95.086088)
(xy 72.579026 95.086087)
(xy 72.579025 95.086087)
(xy 72.454758 95.0496)
(xy 72.325242 95.0496)
(xy 72.200974 95.086087)
(xy 72.200971 95.086089)
(xy 72.092016 95.15611)
(xy 72.092014 95.156111)
(xy 72.007206 95.253986)
(xy 72.007203 95.25399)
(xy 71.9534 95.371802)

(xy 71.953398 95.371809)
(xy 71.934968 95.499996)
(xy 71.934968 95.500003)
(xy 71.575032 95.500003)
(xy 71.575032 95.499996)
(xy 71.556601 95.371809)
(xy 71.5566 95.371808)
(xy 71.5566 95.371803)
(xy 71.502797 95.253991)
(xy 71.488505 95.237497)
(xy 71.417985 95.156111)
(xy 71.417983 95.15611)
(xy 71.369595 95.125013)
(xy 71.309027 95.086088)
(xy 71.309026 95.086087)
(xy 71.309025 95.086087)
(xy 71.184758 95.0496)
(xy 71.055242 95.0496)
(xy 70.930974 95.086087)
(xy 70.930971 95.086089)
(xy 70.822016 95.15611)
(xy 70.822014 95.156111)
(xy 70.737206 95.253986)
(xy 70.737203 95.25399)
(xy 70.6834 95.371802)
(xy 70.683398 95.371809)
(xy 70.664968 95.499996)
(xy 70.664968 95.500003)
(xy 70.305032 95.500003)
(xy 70.305032 95.499996)
(xy 70.286601 95.371809)
(xy 70.2866 95.371808)
(xy 70.2866 95.371803)
(xy 70.232797 95.253991)
(xy 70.218505 95.237497)

(xy 70.147985 95.156111)
(xy 70.147983 95.15611)
(xy 70.099595 95.125013)
(xy 70.039027 95.086088)
(xy 70.039026 95.086087)
(xy 70.039025 95.086087)
(xy 69.914758 95.0496)
(xy 69.785242 95.0496)
(xy 69.660974 95.086087)
(xy 69.660971 95.086089)
(xy 69.552016 95.15611)
(xy 69.552014 95.156111)
(xy 69.467206 95.253986)
(xy 69.467203 95.25399)
(xy 69.4134 95.371802)
(xy 69.413398 95.371809)
(xy 69.394968 95.499996)
(xy 69.394968 95.500003)
(xy 69.035032 95.500003)
(xy 69.035032 95.499996)
(xy 69.016601 95.371809)
(xy 69.0166 95.371808)
(xy 69.0166 95.371803)
(xy 68.962797 95.253991)
(xy 68.948505 95.237497)
(xy 68.877985 95.156111)
(xy 68.877983 95.15611)
(xy 68.829595 95.125013)
(xy 68.769027 95.086088)
(xy 68.769026 95.086087)
(xy 68.769025 95.086087)
(xy 68.644758 95.0496)
(xy 68.515242 95.0496)
(xy 68.390974 95.086087)
(xy 68.390971 95.086089)

(xy 68.282016 95.15611)
(xy 68.282014 95.156111)
(xy 68.197206 95.253986)
(xy 68.197203 95.25399)
(xy 68.1434 95.371802)
(xy 68.143398 95.371809)
(xy 68.124968 95.499996)
(xy 68.124968 95.500003)
(xy 67.765032 95.500003)
(xy 67.765032 95.499996)
(xy 67.746601 95.371809)
(xy 67.7466 95.371808)
(xy 67.7466 95.371803)
(xy 67.692797 95.253991)
(xy 67.678505 95.237497)
(xy 67.607985 95.156111)
(xy 67.607983 95.15611)
(xy 67.559595 95.125013)
(xy 67.499027 95.086088)
(xy 67.499026 95.086087)
(xy 67.499025 95.086087)
(xy 67.374758 95.0496)
(xy 67.245242 95.0496)
(xy 67.120974 95.086087)
(xy 67.120971 95.086089)
(xy 67.012016 95.15611)
(xy 67.012014 95.156111)
(xy 66.927206 95.253986)
(xy 66.927203 95.25399)
(xy 66.8734 95.371802)
(xy 66.873398 95.371809)
(xy 66.854968 95.499996)
(xy 66.854968 95.500003)
(xy 58.240436 95.500003)
(xy 58.197985 95.451011)

(xy 58.197983 95.45101)
(xy 58.186904 95.44389)
(xy 58.089027 95.380988)
(xy 58.089026 95.380987)
(xy 58.089025 95.380987)
(xy 58.055075 95.371019)
(xy 58.04597 95.368345)
(xy 57.986245 95.329963)
(xy 57.956752 95.265382)
(xy 57.966855 95.195108)
(xy 58.013348 95.141453)
(xy 58.04597 95.126554)
(xy 58.089027 95.113912)
(xy 58.197983 95.04389)
(xy 58.282797 94.946009)
(xy 58.3366 94.828197)
(xy 58.338891 94.812265)
(xy 58.355032 94.700003)
(xy 58.355032 94.699996)
(xy 58.336601 94.571809)
(xy 58.3366 94.571808)
(xy 58.3366 94.571803)
(xy 58.282797 94.453991)
(xy 58.275881 94.446009)
(xy 58.197985 94.356111)
(xy 58.197983 94.35611)
(xy 58.188476 94.35)
(xy 63.544968 94.35)
(xy 63.563398 94.47819)
(xy 63.5634 94.478197)
(xy 63.617203 94.596009)
(xy 63.617206 94.596013)
(xy 63.702014 94.693888)
(xy 63.702016 94.693889)
(xy 63.702017 94.69389)

(xy 63.810973 94.763912)
(xy 63.935242 94.8004)
(xy 64.064758 94.8004)
(xy 64.189027 94.763912)
(xy 64.297983 94.69389)
(xy 64.304744 94.686088)
(xy 64.357186 94.625566)
(xy 64.382797 94.596009)
(xy 64.4366 94.478197)
(xy 64.455032 94.35)
(xy 64.455032 94.349996)
(xy 64.437779 94.23)
(xy 66.854968 94.23)
(xy 66.873398 94.35819)
(xy 66.8734 94.358197)
(xy 66.927203 94.476009)
(xy 66.927206 94.476013)
(xy 67.012014 94.573888)
(xy 67.012016 94.573889)
(xy 67.012017 94.57389)
(xy 67.120973 94.643912)
(xy 67.245242 94.6804)
(xy 67.374758 94.6804)
(xy 67.499027 94.643912)
(xy 67.607983 94.57389)
(xy 67.609435 94.572215)
(xy 67.651455 94.52372)
(xy 67.692797 94.476009)
(xy 67.7466 94.358197)
(xy 67.765032 94.23)
(xy 68.124968 94.23)
(xy 68.143398 94.35819)
(xy 68.1434 94.358197)
(xy 68.197203 94.476009)
(xy 68.197206 94.476013)

(xy 68.282014 94.573888)
(xy 68.282016 94.573889)
(xy 68.282017 94.57389)
(xy 68.390973 94.643912)
(xy 68.515242 94.6804)
(xy 68.644758 94.6804)
(xy 68.769027 94.643912)
(xy 68.877983 94.57389)
(xy 68.879435 94.572215)
(xy 68.921455 94.52372)
(xy 68.962797 94.476009)
(xy 69.0166 94.358197)
(xy 69.035032 94.23)
(xy 69.394968 94.23)
(xy 69.413398 94.35819)
(xy 69.4134 94.358197)
(xy 69.467203 94.476009)
(xy 69.467206 94.476013)
(xy 69.552014 94.573888)
(xy 69.552016 94.573889)
(xy 69.552017 94.57389)
(xy 69.660973 94.643912)
(xy 69.785242 94.6804)
(xy 69.914758 94.6804)
(xy 70.039027 94.643912)
(xy 70.147983 94.57389)
(xy 70.149435 94.572215)
(xy 70.191455 94.52372)
(xy 70.232797 94.476009)
(xy 70.2866 94.358197)
(xy 70.305032 94.23)
(xy 70.664968 94.23)
(xy 70.683398 94.35819)
(xy 70.6834 94.358197)
(xy 70.737203 94.476009)

(xy 70.737206 94.476013)
(xy 70.822014 94.573888)
(xy 70.822016 94.573889)
(xy 70.822017 94.57389)
(xy 70.930973 94.643912)
(xy 71.055242 94.6804)
(xy 71.184758 94.6804)
(xy 71.309027 94.643912)
(xy 71.417983 94.57389)
(xy 71.419435 94.572215)
(xy 71.461455 94.52372)
(xy 71.502797 94.476009)
(xy 71.5566 94.358197)
(xy 71.575032 94.23)
(xy 71.934968 94.23)
(xy 71.953398 94.35819)
(xy 71.9534 94.358197)
(xy 72.007203 94.476009)
(xy 72.007206 94.476013)
(xy 72.092014 94.573888)
(xy 72.092016 94.573889)
(xy 72.092017 94.57389)
(xy 72.200973 94.643912)
(xy 72.325242 94.6804)
(xy 72.454758 94.6804)
(xy 72.579027 94.643912)
(xy 72.687983 94.57389)
(xy 72.689435 94.572215)
(xy 72.731455 94.52372)
(xy 72.772797 94.476009)
(xy 72.8266 94.358197)
(xy 72.845032 94.23)
(xy 72.845032 94.229996)
(xy 72.826601 94.101809)
(xy 72.8266 94.101808)

(xy 72.8266 94.101803)
(xy 72.772797 93.983991)
(xy 72.767714 93.978125)
(xy 72.687985 93.886111)
(xy 72.687983 93.88611)
(xy 72.639371 93.854869)
(xy 72.619235 93.841928)
(xy 77.086893 93.841928)
(xy 77.105323 93.970115)
(xy 77.105325 93.970122)
(xy 77.159128 94.087934)
(xy 77.159131 94.087938)
(xy 77.243939 94.185813)
(xy 77.243941 94.185814)
(xy 77.243942 94.185815)
(xy 77.352898 94.255837)
(xy 77.477167 94.292325)
(xy 77.606683 94.292325)
(xy 77.730952 94.255837)
(xy 77.839908 94.185815)
(xy 77.924722 94.087934)
(xy 77.978525 93.970122)
(xy 77.981397 93.950149)
(xy 77.996957 93.841928)
(xy 77.996957 93.841921)
(xy 77.978526 93.713734)
(xy 77.978525 93.713733)
(xy 77.978525 93.713728)
(xy 77.924722 93.595916)
(xy 77.915823 93.585646)
(xy 77.83991 93.498036)
(xy 77.839908 93.498035)
(xy 77.762911 93.448552)
(xy 77.730952 93.428013)
(xy 77.730951 93.428012)

(xy 77.73095 93.428012)
(xy 77.606683 93.391525)
(xy 77.477167 93.391525)
(xy 77.352899 93.428012)
(xy 77.352896 93.428014)
(xy 77.243941 93.498035)
(xy 77.243939 93.498036)
(xy 77.159131 93.595911)
(xy 77.159128 93.595915)
(xy 77.105325 93.713727)
(xy 77.105323 93.713734)
(xy 77.086893 93.841921)
(xy 77.086893 93.841928)
(xy 72.619235 93.841928)
(xy 72.579027 93.816088)
(xy 72.579026 93.816087)
(xy 72.579025 93.816087)
(xy 72.454758 93.7796)
(xy 72.325242 93.7796)
(xy 72.200974 93.816087)
(xy 72.200971 93.816089)
(xy 72.092016 93.88611)
(xy 72.092014 93.886111)
(xy 72.007206 93.983986)
(xy 72.007203 93.98399)
(xy 71.9534 94.101802)
(xy 71.953398 94.101809)
(xy 71.934968 94.229996)
(xy 71.934968 94.23)
(xy 71.575032 94.23)
(xy 71.575032 94.229996)
(xy 71.556601 94.101809)
(xy 71.5566 94.101808)
(xy 71.5566 94.101803)
(xy 71.502797 93.983991)

(xy 71.497714 93.978125)
(xy 71.417985 93.886111)
(xy 71.417983 93.88611)
(xy 71.369371 93.854869)
(xy 71.309027 93.816088)
(xy 71.309026 93.816087)
(xy 71.309025 93.816087)
(xy 71.184758 93.7796)
(xy 71.055242 93.7796)
(xy 70.930974 93.816087)
(xy 70.930971 93.816089)
(xy 70.822016 93.88611)
(xy 70.822014 93.886111)
(xy 70.737206 93.983986)
(xy 70.737203 93.98399)
(xy 70.6834 94.101802)
(xy 70.683398 94.101809)
(xy 70.664968 94.229996)
(xy 70.664968 94.23)
(xy 70.305032 94.23)
(xy 70.305032 94.229996)
(xy 70.286601 94.101809)
(xy 70.2866 94.101808)
(xy 70.2866 94.101803)
(xy 70.232797 93.983991)
(xy 70.227714 93.978125)
(xy 70.147985 93.886111)
(xy 70.147983 93.88611)
(xy 70.099371 93.854869)
(xy 70.039027 93.816088)
(xy 70.039026 93.816087)
(xy 70.039025 93.816087)
(xy 69.914758 93.7796)
(xy 69.785242 93.7796)
(xy 69.660974 93.816087)

(xy 69.660971 93.816089)
(xy 69.552016 93.88611)
(xy 69.552014 93.886111)
(xy 69.467206 93.983986)
(xy 69.467203 93.98399)
(xy 69.4134 94.101802)
(xy 69.413398 94.101809)
(xy 69.394968 94.229996)
(xy 69.394968 94.23)
(xy 69.035032 94.23)
(xy 69.035032 94.229996)
(xy 69.016601 94.101809)
(xy 69.0166 94.101808)
(xy 69.0166 94.101803)
(xy 68.962797 93.983991)
(xy 68.957714 93.978125)
(xy 68.877985 93.886111)
(xy 68.877983 93.88611)
(xy 68.829371 93.854869)
(xy 68.769027 93.816088)
(xy 68.769026 93.816087)
(xy 68.769025 93.816087)
(xy 68.644758 93.7796)
(xy 68.515242 93.7796)
(xy 68.390974 93.816087)
(xy 68.390971 93.816089)
(xy 68.282016 93.88611)
(xy 68.282014 93.886111)
(xy 68.197206 93.983986)
(xy 68.197203 93.98399)
(xy 68.1434 94.101802)
(xy 68.143398 94.101809)
(xy 68.124968 94.229996)
(xy 68.124968 94.23)
(xy 67.765032 94.23)

(xy 67.765032 94.229996)
(xy 67.746601 94.101809)
(xy 67.7466 94.101808)
(xy 67.7466 94.101803)
(xy 67.692797 93.983991)
(xy 67.687714 93.978125)
(xy 67.607985 93.886111)
(xy 67.607983 93.88611)
(xy 67.559371 93.854869)
(xy 67.499027 93.816088)
(xy 67.499026 93.816087)
(xy 67.499025 93.816087)
(xy 67.374758 93.7796)
(xy 67.245242 93.7796)
(xy 67.120974 93.816087)
(xy 67.120971 93.816089)
(xy 67.012016 93.88611)
(xy 67.012014 93.886111)
(xy 66.927206 93.983986)
(xy 66.927203 93.98399)
(xy 66.8734 94.101802)
(xy 66.873398 94.101809)
(xy 66.854968 94.229996)
(xy 66.854968 94.23)
(xy 64.437779 94.23)
(xy 64.436601 94.221809)
(xy 64.4366 94.221808)
(xy 64.4366 94.221803)
(xy 64.382797 94.103991)
(xy 64.382793 94.103986)
(xy 64.297985 94.006111)
(xy 64.297983 94.00611)
(xy 64.296299 94.005028)
(xy 64.189027 93.936088)
(xy 64.189026 93.936087)

(xy 64.189025 93.936087)
(xy 64.064758 93.8996)
(xy 63.935242 93.8996)
(xy 63.810974 93.936087)
(xy 63.810971 93.936089)
(xy 63.702016 94.00611)
(xy 63.702014 94.006111)
(xy 63.617206 94.103986)
(xy 63.617203 94.10399)
(xy 63.5634 94.221802)
(xy 63.563398 94.221809)
(xy 63.544968 94.349996)
(xy 63.544968 94.35)
(xy 58.188476 94.35)
(xy 58.155415 94.328753)
(xy 58.089027 94.286088)
(xy 58.089026 94.286087)
(xy 58.089025 94.286087)
(xy 57.964758 94.2496)
(xy 57.835242 94.2496)
(xy 57.710974 94.286087)
(xy 57.710971 94.286089)
(xy 57.602016 94.35611)
(xy 57.602014 94.356111)
(xy 57.517206 94.453986)
(xy 57.517203 94.45399)
(xy 57.4634 94.571802)
(xy 57.463398 94.571809)
(xy 57.444968 94.699996)
(xy 57.444968 94.700003)
(xy 57.463398 94.82819)
(xy 57.4634 94.828197)
(xy 57.517203 94.946009)
(xy 57.517206 94.946013)
(xy 57.602014 95.043888)

(xy 57.602016 95.043889)
(xy 57.602017 95.04389)
(xy 57.710973 95.113912)
(xy 57.745563 95.124068)
(xy 57.754028 95.126554)
(xy 57.813754 95.164937)
(xy 57.843247 95.229518)
(xy 57.833144 95.299792)
(xy 57.786651 95.353448)
(xy 57.754028 95.368346)
(xy 57.710975 95.380987)
(xy 57.710971 95.380989)
(xy 57.602016 95.45101)
(xy 57.602014 95.451011)
(xy 57.517206 95.548886)
(xy 57.517203 95.54889)
(xy 57.4634 95.666702)
(xy 57.463398 95.666709)
(xy 57.444968 95.794896)
(xy 57.444968 95.794903)
(xy 56.955399 95.794903)
(xy 56.9554 92.960003)
(xy 66.854968 92.960003)
(xy 66.873398 93.08819)
(xy 66.8734 93.088197)
(xy 66.927203 93.206009)
(xy 66.927206 93.206013)
(xy 67.012014 93.303888)
(xy 67.012016 93.303889)
(xy 67.012017 93.30389)
(xy 67.120973 93.373912)
(xy 67.245242 93.4104)
(xy 67.374758 93.4104)
(xy 67.499027 93.373912)
(xy 67.607983 93.30389)

(xy 67.612102 93.299137)
(xy 67.654679 93.25)
(xy 67.692797 93.206009)
(xy 67.7466 93.088197)
(xy 67.751431 93.054598)
(xy 67.765032 92.960003)
(xy 68.124968 92.960003)
(xy 68.143398 93.08819)
(xy 68.1434 93.088197)
(xy 68.197203 93.206009)
(xy 68.197206 93.206013)
(xy 68.282014 93.303888)
(xy 68.282016 93.303889)
(xy 68.282017 93.30389)
(xy 68.390973 93.373912)
(xy 68.515242 93.4104)
(xy 68.644758 93.4104)
(xy 68.769027 93.373912)
(xy 68.877983 93.30389)
(xy 68.882102 93.299137)
(xy 68.924679 93.25)
(xy 68.962797 93.206009)
(xy 69.0166 93.088197)
(xy 69.021431 93.054598)
(xy 69.035032 92.960003)
(xy 69.394968 92.960003)
(xy 69.413398 93.08819)
(xy 69.4134 93.088197)
(xy 69.467203 93.206009)
(xy 69.467206 93.206013)
(xy 69.552014 93.303888)
(xy 69.552016 93.303889)
(xy 69.552017 93.30389)
(xy 69.660973 93.373912)
(xy 69.785242 93.4104)

(xy 69.914758 93.4104)
(xy 70.039027 93.373912)
(xy 70.147983 93.30389)
(xy 70.152102 93.299137)
(xy 70.194679 93.25)
(xy 70.232797 93.206009)
(xy 70.2866 93.088197)
(xy 70.291431 93.054598)
(xy 70.305032 92.960003)
(xy 70.664968 92.960003)
(xy 70.683398 93.08819)
(xy 70.6834 93.088197)
(xy 70.737203 93.206009)
(xy 70.737206 93.206013)
(xy 70.822014 93.303888)
(xy 70.822016 93.303889)
(xy 70.822017 93.30389)
(xy 70.930973 93.373912)
(xy 71.055242 93.4104)
(xy 71.184758 93.4104)
(xy 71.309027 93.373912)
(xy 71.417983 93.30389)
(xy 71.422102 93.299137)
(xy 71.464679 93.25)
(xy 71.502797 93.206009)
(xy 71.5566 93.088197)
(xy 71.561431 93.054598)
(xy 71.575032 92.960003)
(xy 71.934968 92.960003)
(xy 71.953398 93.08819)
(xy 71.9534 93.088197)
(xy 72.007203 93.206009)
(xy 72.007206 93.206013)
(xy 72.092014 93.303888)
(xy 72.092016 93.303889)

(xy 72.092017 93.30389)
(xy 72.200973 93.373912)
(xy 72.325242 93.4104)
(xy 72.454758 93.4104)
(xy 72.579027 93.373912)
(xy 72.687983 93.30389)
(xy 72.692102 93.299137)
(xy 72.734679 93.25)
(xy 72.772797 93.206009)
(xy 72.8266 93.088197)
(xy 72.831431 93.054598)
(xy 72.845032 92.960003)
(xy 72.845032 92.959996)
(xy 72.826601 92.831809)
(xy 72.8266 92.831808)
(xy 72.8266 92.831803)
(xy 72.772797 92.713991)
(xy 72.760673 92.699999)
(xy 72.687985 92.616111)
(xy 72.687983 92.61611)
(xy 72.662909 92.599996)
(xy 72.579027 92.546088)
(xy 72.579026 92.546087)
(xy 72.579025 92.546087)
(xy 72.454758 92.5096)
(xy 72.325242 92.5096)
(xy 72.200974 92.546087)
(xy 72.200971 92.546089)
(xy 72.092016 92.61611)
(xy 72.092014 92.616111)
(xy 72.007206 92.713986)
(xy 72.007203 92.71399)
(xy 71.9534 92.831802)
(xy 71.953398 92.831809)
(xy 71.934968 92.959996)

(xy 71.934968 92.960003)
(xy 71.575032 92.960003)
(xy 71.575032 92.959996)
(xy 71.556601 92.831809)
(xy 71.5566 92.831808)
(xy 71.5566 92.831803)
(xy 71.502797 92.713991)
(xy 71.490673 92.699999)
(xy 71.417985 92.616111)
(xy 71.417983 92.61611)
(xy 71.392909 92.599996)
(xy 71.309027 92.546088)
(xy 71.309026 92.546087)
(xy 71.309025 92.546087)
(xy 71.184758 92.5096)
(xy 71.055242 92.5096)
(xy 70.930974 92.546087)
(xy 70.930971 92.546089)
(xy 70.822016 92.61611)
(xy 70.822014 92.616111)
(xy 70.737206 92.713986)
(xy 70.737203 92.71399)
(xy 70.6834 92.831802)
(xy 70.683398 92.831809)
(xy 70.664968 92.959996)
(xy 70.664968 92.960003)
(xy 70.305032 92.960003)
(xy 70.305032 92.959996)
(xy 70.286601 92.831809)
(xy 70.2866 92.831808)
(xy 70.2866 92.831803)
(xy 70.232797 92.713991)
(xy 70.220673 92.699999)
(xy 70.147985 92.616111)
(xy 70.147983 92.61611)

(xy 70.122909 92.599996)
(xy 70.039027 92.546088)
(xy 70.039026 92.546087)
(xy 70.039025 92.546087)
(xy 69.914758 92.5096)
(xy 69.785242 92.5096)
(xy 69.660974 92.546087)
(xy 69.660971 92.546089)
(xy 69.552016 92.61611)
(xy 69.552014 92.616111)
(xy 69.467206 92.713986)
(xy 69.467203 92.71399)
(xy 69.4134 92.831802)
(xy 69.413398 92.831809)
(xy 69.394968 92.959996)
(xy 69.394968 92.960003)
(xy 69.035032 92.960003)
(xy 69.035032 92.959996)
(xy 69.016601 92.831809)
(xy 69.0166 92.831808)
(xy 69.0166 92.831803)
(xy 68.962797 92.713991)
(xy 68.950673 92.699999)
(xy 68.877985 92.616111)
(xy 68.877983 92.61611)
(xy 68.852909 92.599996)
(xy 68.769027 92.546088)
(xy 68.769026 92.546087)
(xy 68.769025 92.546087)
(xy 68.644758 92.5096)
(xy 68.515242 92.5096)
(xy 68.390974 92.546087)
(xy 68.390971 92.546089)
(xy 68.282016 92.61611)
(xy 68.282014 92.616111)

(xy 68.197206 92.713986)
(xy 68.197203 92.71399)
(xy 68.1434 92.831802)
(xy 68.143398 92.831809)
(xy 68.124968 92.959996)
(xy 68.124968 92.960003)
(xy 67.765032 92.960003)
(xy 67.765032 92.959996)
(xy 67.746601 92.831809)
(xy 67.7466 92.831808)
(xy 67.7466 92.831803)
(xy 67.692797 92.713991)
(xy 67.680673 92.699999)
(xy 67.607985 92.616111)
(xy 67.607983 92.61611)
(xy 67.582909 92.599996)
(xy 67.499027 92.546088)
(xy 67.499026 92.546087)
(xy 67.499025 92.546087)
(xy 67.374758 92.5096)
(xy 67.245242 92.5096)
(xy 67.120974 92.546087)
(xy 67.120971 92.546089)
(xy 67.012016 92.61611)
(xy 67.012014 92.616111)
(xy 66.927206 92.713986)
(xy 66.927203 92.71399)
(xy 66.8734 92.831802)
(xy 66.873398 92.831809)
(xy 66.854968 92.959996)
(xy 66.854968 92.960003)
(xy 56.9554 92.960003)
(xy 56.9554 92.194961)
(xy 75.518118 92.194961)
(xy 75.536548 92.323148)

(xy 75.53655 92.323155)
(xy 75.590353 92.440967)
(xy 75.590356 92.440971)
(xy 75.675164 92.538846)
(xy 75.675166 92.538847)
(xy 75.675167 92.538848)
(xy 75.784123 92.60887)
(xy 75.908392 92.645358)
(xy 76.037908 92.645358)
(xy 76.162177 92.60887)
(xy 76.271133 92.538848)
(xy 76.355947 92.440967)
(xy 76.40975 92.323155)
(xy 76.420385 92.249187)
(xy 76.428182 92.194961)
(xy 76.428182 92.194954)
(xy 76.409751 92.066767)
(xy 76.40975 92.066766)
(xy 76.40975 92.066761)
(xy 76.355947 91.948949)
(xy 76.355943 91.948944)
(xy 76.271135 91.851069)
(xy 76.271133 91.851068)
(xy 76.213314 91.81391)
(xy 76.162177 91.781046)
(xy 76.162176 91.781045)
(xy 76.162175 91.781045)
(xy 76.037908 91.744558)
(xy 75.908392 91.744558)
(xy 75.784124 91.781045)
(xy 75.784121 91.781047)
(xy 75.675166 91.851068)
(xy 75.675164 91.851069)
(xy 75.590356 91.948944)
(xy 75.590353 91.948948)

(xy 75.53655 92.06676)
(xy 75.536548 92.066767)
(xy 75.518118 92.194954)
(xy 75.518118 92.194961)
(xy 56.9554 92.194961)
(xy 56.9554 91.851953)
(xy 56.975402 91.783832)
(xy 57.029058 91.737339)
(xy 57.099332 91.727236)
(xy 57.163912 91.756729)
(xy 57.196013 91.79961)
(xy 57.202544 91.81391)
(xy 57.217203 91.846009)
(xy 57.217206 91.846013)
(xy 57.302014 91.943888)
(xy 57.302016 91.943889)
(xy 57.302017 91.94389)
(xy 57.410973 92.013912)
(xy 57.535242 92.0504)
(xy 57.664758 92.0504)
(xy 57.789027 92.013912)
(xy 57.897983 91.94389)
(xy 57.904654 91.936192)
(xy 57.967374 91.863808)
(xy 57.982797 91.846009)
(xy 58.0366 91.728197)
(xy 58.040778 91.699137)
(xy 58.055032 91.600003)
(xy 58.055032 91.599996)
(xy 58.036601 91.471809)
(xy 58.0366 91.471808)
(xy 58.0366 91.471803)
(xy 57.982797 91.353991)
(xy 57.979339 91.35)
(xy 57.897985 91.256111)

(xy 57.897983 91.25611)
(xy 57.86682 91.236083)
(xy 57.789027 91.186088)
(xy 57.789026 91.186087)
(xy 57.789025 91.186087)
(xy 57.664758 91.1496)
(xy 57.535242 91.1496)
(xy 57.410974 91.186087)
(xy 57.410971 91.186089)
(xy 57.302016 91.25611)
(xy 57.302014 91.256111)
(xy 57.217206 91.353986)
(xy 57.217202 91.353991)
(xy 57.207936 91.374282)
(xy 57.161442 91.427937)
(xy 57.093321 91.447938)
(xy 57.025201 91.427935)
(xy 56.978709 91.374279)
(xy 56.968606 91.304005)
(xy 56.969555 91.298327)
(xy 56.969998 91.296009)
(xy 56.984275 91.221164)
(xy 56.982944 91.2)
(xy 56.973958 91.057164)
(xy 56.973956 91.057155)
(xy 56.923178 90.900873)
(xy 56.923177 90.900872)
(xy 56.835126 90.762125)
(xy 56.738941 90.671802)
(xy 56.715334 90.649634)
(xy 56.71533 90.649632)
(xy 56.715328 90.64963)
(xy 56.571332 90.570467)
(xy 56.571328 90.570466)
(xy 56.412172 90.529601)

(xy 56.412166 90.5296)
(xy 56.412165 90.5296)
(xy 55.189083 90.5296)
(xy 55.18907 90.5296)
(xy 55.110037 90.539585)
(xy 55.074275 90.544103)
(xy 55.066383 90.5446)
(xy 52.056502 90.5446)
(xy 52.025167 90.540641)
(xy 52.007774 90.536175)
(xy 51.98217 90.529601)
(xy 51.982167 90.5296)
(xy 51.982165 90.5296)
(xy 51.259083 90.5296)
(xy 51.25907 90.5296)
(xy 51.180037 90.539585)
(xy 51.144275 90.544103)
(xy 51.136383 90.5446)
(xy 50.500701 90.5446)
(xy 50.495618 90.544767)
(xy 50.492733 90.544956)
(xy 50.484077 90.545523)
(xy 50.479017 90.546022)
(xy 50.358182 90.561929)
(xy 50.348203 90.563914)
(xy 50.348202 90.563914)
(xy 50.336609 90.56702)
(xy 50.313421 90.573233)
(xy 50.303786 90.576504)
(xy 50.303782 90.576505)
(xy 50.303775 90.576508)
(xy 50.303776 90.576508)
(xy 50.224717 90.609254)
(xy 50.154127 90.616843)
(xy 50.090641 90.585063)

(xy 50.054414 90.524005)
(xy 50.0505 90.492845)
(xy 50.0505 90.200003)
(xy 60.194968 90.200003)
(xy 60.213398 90.32819)
(xy 60.2134 90.328197)
(xy 60.267203 90.446009)
(xy 60.267206 90.446013)
(xy 60.352014 90.543888)
(xy 60.352016 90.543889)
(xy 60.352017 90.54389)
(xy 60.460973 90.613912)
(xy 60.585242 90.6504)
(xy 60.714758 90.6504)
(xy 60.839027 90.613912)
(xy 60.947983 90.54389)
(xy 60.950799 90.540641)
(xy 60.976254 90.511263)
(xy 61.024091 90.456056)
(xy 64.587343 90.456056)
(xy 64.605773 90.584243)
(xy 64.605775 90.58425)
(xy 64.659578 90.702062)
(xy 64.659581 90.702066)
(xy 64.744389 90.799941)
(xy 64.744391 90.799942)
(xy 64.744392 90.799943)
(xy 64.853348 90.869965)
(xy 64.977617 90.906453)
(xy 65.107133 90.906453)
(xy 65.231402 90.869965)
(xy 65.340358 90.799943)
(xy 65.340363 90.799937)
(xy 65.342164 90.798377)
(xy 65.344345 90.79738)

(xy 65.347939 90.795071)
(xy 65.34827 90.795587)
(xy 65.406742 90.768878)
(xy 65.477017 90.778976)
(xy 65.493917 90.789839)
(xy 65.494446 90.789018)
(xy 65.502026 90.793889)
(xy 65.502027 90.79389)
(xy 65.610983 90.863912)
(xy 65.735252 90.9004)
(xy 65.864768 90.9004)
(xy 65.989037 90.863912)
(xy 66.097993 90.79389)
(xy 66.104754 90.786088)
(xy 66.157662 90.725028)
(xy 66.182807 90.696009)
(xy 66.23661 90.578197)
(xy 66.24009 90.553991)
(xy 66.255042 90.450003)
(xy 67.144968 90.450003)
(xy 67.163398 90.57819)
(xy 67.1634 90.578197)
(xy 67.217203 90.696009)
(xy 67.217206 90.696013)
(xy 67.302014 90.793888)
(xy 67.302016 90.793889)
(xy 67.302017 90.79389)
(xy 67.410973 90.863912)
(xy 67.535242 90.9004)
(xy 67.664758 90.9004)
(xy 67.789027 90.863912)
(xy 67.897983 90.79389)
(xy 67.904744 90.786088)
(xy 67.957652 90.725028)
(xy 67.982797 90.696009)

(xy 68.0366 90.578197)
(xy 68.04008 90.553991)
(xy 68.055032 90.450003)
(xy 72.644968 90.450003)
(xy 72.663398 90.57819)
(xy 72.6634 90.578197)
(xy 72.717203 90.696009)
(xy 72.717206 90.696013)
(xy 72.802014 90.793888)
(xy 72.802016 90.793889)
(xy 72.802017 90.79389)
(xy 72.910973 90.863912)
(xy 73.035242 90.9004)
(xy 73.164758 90.9004)
(xy 73.289027 90.863912)
(xy 73.397983 90.79389)
(xy 73.404744 90.786088)
(xy 73.457652 90.725028)
(xy 73.482797 90.696009)
(xy 73.5366 90.578197)
(xy 73.54008 90.553991)
(xy 73.555032 90.450003)
(xy 73.555032 90.449996)
(xy 73.536601 90.321809)
(xy 73.5366 90.321808)
(xy 73.5366 90.321803)
(xy 73.482797 90.203991)
(xy 73.482793 90.203986)
(xy 73.397985 90.106111)
(xy 73.397983 90.10611)
(xy 73.344599 90.071802)
(xy 73.289027 90.036088)
(xy 73.289026 90.036087)
(xy 73.289025 90.036087)
(xy 73.164758 89.9996)

(xy 73.035242 89.9996)
(xy 72.910974 90.036087)
(xy 72.910971 90.036089)
(xy 72.802016 90.10611)
(xy 72.802014 90.106111)
(xy 72.717206 90.203986)
(xy 72.717203 90.20399)
(xy 72.6634 90.321802)
(xy 72.663398 90.321809)
(xy 72.644968 90.449996)
(xy 72.644968 90.450003)
(xy 68.055032 90.450003)
(xy 68.055032 90.449996)
(xy 68.036601 90.321809)
(xy 68.0366 90.321808)
(xy 68.0366 90.321803)
(xy 67.982797 90.203991)
(xy 67.982793 90.203986)
(xy 67.897985 90.106111)
(xy 67.897983 90.10611)
(xy 67.844599 90.071802)
(xy 67.789027 90.036088)
(xy 67.789026 90.036087)
(xy 67.789025 90.036087)
(xy 67.664758 89.9996)
(xy 67.535242 89.9996)
(xy 67.410974 90.036087)
(xy 67.410971 90.036089)
(xy 67.302016 90.10611)
(xy 67.302014 90.106111)
(xy 67.217206 90.203986)
(xy 67.217203 90.20399)
(xy 67.1634 90.321802)
(xy 67.163398 90.321809)
(xy 67.144968 90.449996)

(xy 67.144968 90.450003)
(xy 66.255042 90.450003)
(xy 66.255042 90.449996)
(xy 66.236611 90.321809)
(xy 66.23661 90.321808)
(xy 66.23661 90.321803)
(xy 66.182807 90.203991)
(xy 66.182803 90.203986)
(xy 66.097995 90.106111)
(xy 66.097993 90.10611)
(xy 66.044609 90.071802)
(xy 65.989037 90.036088)
(xy 65.989036 90.036087)
(xy 65.989035 90.036087)
(xy 65.864768 89.9996)
(xy 65.735252 89.9996)
(xy 65.610987 90.036087)
(xy 65.602336 90.038627)
(xy 65.601855 90.036989)
(xy 65.542013 90.045585)
(xy 65.477436 90.016083)
(xy 65.439061 89.956351)
(xy 65.439071 89.885355)
(xy 65.445346 89.868534)
(xy 65.486602 89.778197)
(xy 65.4927 89.735786)
(xy 65.505034 89.650003)
(xy 65.505034 89.649996)
(xy 65.486603 89.521809)
(xy 65.486602 89.521808)
(xy 65.486602 89.521803)
(xy 65.432799 89.403991)
(xy 65.417287 89.386089)
(xy 65.347987 89.306111)
(xy 65.347985 89.30611)

(xy 65.334188 89.297243)
(xy 65.239029 89.236088)
(xy 65.239028 89.236087)
(xy 65.239027 89.236087)
(xy 65.11476 89.1996)
(xy 64.985244 89.1996)
(xy 64.860976 89.236087)
(xy 64.860973 89.236089)
(xy 64.752018 89.30611)
(xy 64.752016 89.306111)
(xy 64.667208 89.403986)
(xy 64.667205 89.40399)
(xy 64.613402 89.521802)
(xy 64.6134 89.521809)
(xy 64.59497 89.649996)
(xy 64.59497 89.650003)
(xy 64.6134 89.77819)
(xy 64.613402 89.778197)
(xy 64.667205 89.896009)
(xy 64.72795 89.966113)
(xy 64.757443 90.030694)
(xy 64.747338 90.100968)
(xy 64.72795 90.131137)
(xy 64.659578 90.210043)
(xy 64.605775 90.327855)
(xy 64.605773 90.327862)
(xy 64.587343 90.456049)
(xy 64.587343 90.456056)
(xy 61.024091 90.456056)
(xy 61.032797 90.446009)
(xy 61.0866 90.328197)
(xy 61.088885 90.312305)
(xy 61.105032 90.200003)
(xy 61.105032 90.199996)
(xy 61.086601 90.071809)

(xy 61.0866 90.071808)
(xy 61.0866 90.071803)
(xy 61.032797 89.953991)
(xy 61.032793 89.953986)
(xy 60.947985 89.856111)
(xy 60.947983 89.85611)
(xy 60.898707 89.824442)
(xy 60.839027 89.786088)
(xy 60.839026 89.786087)
(xy 60.839025 89.786087)
(xy 60.714758 89.7496)
(xy 60.585242 89.7496)
(xy 60.460974 89.786087)
(xy 60.460971 89.786089)
(xy 60.352016 89.85611)
(xy 60.352014 89.856111)
(xy 60.267206 89.953986)
(xy 60.267203 89.95399)
(xy 60.2134 90.071802)
(xy 60.213398 90.071809)
(xy 60.194968 90.199996)
(xy 60.194968 90.200003)
(xy 50.0505 90.200003)
(xy 50.0505 89.000003)
(xy 54.594968 89.000003)
(xy 54.613398 89.12819)
(xy 54.6134 89.128197)
(xy 54.667203 89.246009)
(xy 54.667206 89.246013)
(xy 54.752014 89.343888)
(xy 54.752016 89.343889)
(xy 54.752017 89.34389)
(xy 54.860973 89.413912)
(xy 54.985242 89.4504)
(xy 55.114758 89.4504)

(xy 55.239027 89.413912)
(xy 55.347983 89.34389)
(xy 55.432797 89.246009)
(xy 55.4866 89.128197)
(xy 55.498722 89.043888)
(xy 55.505032 89.000003)
(xy 55.505032 88.999996)
(xy 55.490655 88.900003)
(xy 74.244968 88.900003)
(xy 74.263398 89.02819)
(xy 74.2634 89.028197)
(xy 74.317203 89.146009)
(xy 74.317206 89.146013)
(xy 74.402014 89.243888)
(xy 74.402016 89.243889)
(xy 74.402017 89.24389)
(xy 74.510973 89.313912)
(xy 74.635242 89.3504)
(xy 74.764758 89.3504)
(xy 74.889027 89.313912)
(xy 74.997983 89.24389)
(xy 75.004744 89.236088)
(xy 75.078992 89.1504)
(xy 75.082797 89.146009)
(xy 75.1366 89.028197)
(xy 75.144288 88.974726)
(xy 75.155032 88.900003)
(xy 75.155032 88.899996)
(xy 75.136601 88.771809)
(xy 75.1366 88.771808)
(xy 75.1366 88.771803)
(xy 75.082797 88.653991)
(xy 75.079684 88.650398)
(xy 74.997985 88.556111)
(xy 74.997983 88.55611)

(xy 74.964897 88.534847)
(xy 74.889027 88.486088)
(xy 74.889026 88.486087)
(xy 74.889025 88.486087)
(xy 74.764758 88.4496)
(xy 74.635242 88.4496)
(xy 74.510974 88.486087)
(xy 74.510971 88.486089)
(xy 74.402016 88.55611)
(xy 74.402014 88.556111)
(xy 74.317206 88.653986)
(xy 74.317203 88.65399)
(xy 74.2634 88.771802)
(xy 74.263398 88.771809)
(xy 74.244968 88.899996)
(xy 74.244968 88.900003)
(xy 55.490655 88.900003)
(xy 55.486601 88.871809)
(xy 55.4866 88.871808)
(xy 55.4866 88.871803)
(xy 55.432797 88.753991)
(xy 55.432793 88.753986)
(xy 55.347985 88.656111)
(xy 55.347983 88.65611)
(xy 55.292988 88.620767)
(xy 55.239027 88.586088)
(xy 55.239026 88.586087)
(xy 55.239025 88.586087)
(xy 55.114758 88.5496)
(xy 54.985242 88.5496)
(xy 54.860974 88.586087)
(xy 54.860971 88.586089)
(xy 54.752016 88.65611)
(xy 54.752014 88.656111)
(xy 54.667206 88.753986)

(xy 54.667203 88.75399)
(xy 54.6134 88.871802)
(xy 54.613398 88.871809)
(xy 54.594968 88.999996)
(xy 54.594968 89.000003)
(xy 50.0505 89.000003)
(xy 50.0505 88.050003)
(xy 70.994976 88.050003)
(xy 71.013406 88.17819)
(xy 71.013408 88.178197)
(xy 71.067211 88.296009)
(xy 71.067214 88.296013)
(xy 71.152022 88.393888)
(xy 71.152024 88.393889)
(xy 71.152025 88.39389)
(xy 71.260981 88.463912)
(xy 71.38525 88.5004)
(xy 71.514766 88.5004)
(xy 71.639035 88.463912)
(xy 71.747991 88.39389)
(xy 71.764572 88.374755)
(xy 71.780727 88.35611)
(xy 71.832805 88.296009)
(xy 71.87665 88.200001)
(xy 75.444968 88.200001)
(xy 75.463398 88.328188)
(xy 75.4634 88.328195)
(xy 75.517203 88.446007)
(xy 75.517206 88.446011)
(xy 75.602014 88.543886)
(xy 75.602016 88.543887)
(xy 75.602017 88.543888)
(xy 75.710973 88.61391)
(xy 75.835242 88.650398)
(xy 75.964758 88.650398)

(xy 76.089027 88.61391)
(xy 76.197983 88.543888)
(xy 76.282797 88.446007)
(xy 76.3366 88.328195)
(xy 76.342654 88.286088)
(xy 76.355032 88.200001)
(xy 76.355032 88.199994)
(xy 76.336601 88.071807)
(xy 76.3366 88.071806)
(xy 76.3366 88.071801)
(xy 76.282797 87.953989)
(xy 76.282793 87.953984)
(xy 76.197985 87.856109)
(xy 76.197983 87.856108)
(xy 76.132885 87.814272)
(xy 76.089027 87.786086)
(xy 76.089026 87.786085)
(xy 76.089025 87.786085)
(xy 75.964758 87.749598)
(xy 75.835242 87.749598)
(xy 75.710974 87.786085)
(xy 75.710971 87.786087)
(xy 75.602016 87.856108)
(xy 75.602014 87.856109)
(xy 75.517206 87.953984)
(xy 75.517203 87.953988)
(xy 75.4634 88.0718)
(xy 75.463398 88.071807)
(xy 75.444968 88.199994)
(xy 75.444968 88.200001)
(xy 71.87665 88.200001)
(xy 71.886608 88.178197)
(xy 71.891236 88.146009)
(xy 71.90504 88.050003)
(xy 71.90504 88.049996)

(xy 71.886609 87.921809)
(xy 71.886608 87.921808)
(xy 71.886608 87.921803)
(xy 71.832805 87.803991)
(xy 71.821605 87.791065)
(xy 71.747993 87.706111)
(xy 71.747991 87.70611)
(xy 71.736154 87.698503)
(xy 71.639035 87.636088)
(xy 71.639034 87.636087)
(xy 71.639033 87.636087)
(xy 71.514766 87.5996)
(xy 71.38525 87.5996)
(xy 71.260982 87.636087)
(xy 71.260979 87.636089)
(xy 71.152024 87.70611)
(xy 71.152022 87.706111)
(xy 71.067214 87.803986)
(xy 71.067211 87.80399)
(xy 71.013408 87.921802)
(xy 71.013406 87.921809)
(xy 70.994976 88.049996)
(xy 70.994976 88.050003)
(xy 50.0505 88.050003)
(xy 50.0505 87.000003)
(xy 54.594944 87.000003)
(xy 54.613374 87.12819)
(xy 54.613376 87.128197)
(xy 54.667179 87.246009)
(xy 54.667182 87.246013)
(xy 54.75199 87.343888)
(xy 54.751992 87.343889)
(xy 54.751993 87.34389)
(xy 54.860949 87.413912)
(xy 54.985218 87.4504)

(xy 55.114734 87.4504)
(xy 55.239003 87.413912)
(xy 55.347959 87.34389)
(xy 55.432773 87.246009)
(xy 55.486576 87.128197)
(xy 55.497245 87.053991)
(xy 55.505008 87.000003)
(xy 55.505008 86.999996)
(xy 55.486577 86.871809)
(xy 55.486576 86.871808)
(xy 55.486576 86.871803)
(xy 55.432773 86.753991)
(xy 55.432769 86.753986)
(xy 55.347961 86.656111)
(xy 55.347959 86.65611)
(xy 55.330024 86.644584)
(xy 55.239003 86.586088)
(xy 55.239002 86.586087)
(xy 55.239001 86.586087)
(xy 55.114734 86.5496)
(xy 54.985218 86.5496)
(xy 54.86095 86.586087)
(xy 54.860947 86.586089)
(xy 54.751992 86.65611)
(xy 54.75199 86.656111)
(xy 54.667182 86.753986)
(xy 54.667179 86.75399)
(xy 54.613376 86.871802)
(xy 54.613374 86.871809)
(xy 54.594944 86.999996)
(xy 54.594944 87.000003)
(xy 50.0505 87.000003)
(xy 50.0505 85.000003)
(xy 54.59497 85.000003)
(xy 54.6134 85.12819)

(xy 54.613402 85.128197)
(xy 54.667205 85.246009)
(xy 54.667208 85.246013)
(xy 54.752016 85.343888)
(xy 54.752018 85.343889)
(xy 54.752019 85.34389)
(xy 54.860975 85.413912)
(xy 54.985244 85.4504)
(xy 55.11476 85.4504)
(xy 55.239029 85.413912)
(xy 55.347985 85.34389)
(xy 55.432799 85.246009)
(xy 55.453809 85.200003)
(xy 92.244968 85.200003)
(xy 92.263398 85.32819)
(xy 92.2634 85.328197)
(xy 92.317203 85.446009)
(xy 92.317206 85.446013)
(xy 92.402014 85.543888)
(xy 92.402016 85.543889)
(xy 92.402017 85.54389)
(xy 92.510973 85.613912)
(xy 92.635242 85.6504)
(xy 92.764758 85.6504)
(xy 92.889027 85.613912)
(xy 92.889032 85.613908)
(xy 92.897225 85.610168)
(xy 92.898779 85.613572)
(xy 92.94979 85.598503)
(xy 93.001242 85.613518)
(xy 93.002773 85.610167)
(xy 93.01097 85.61391)
(xy 93.010973 85.613912)
(xy 93.135242 85.6504)
(xy 93.264758 85.6504)

(xy 93.389027 85.613912)
(xy 93.497983 85.54389)
(xy 93.582797 85.446009)
(xy 93.6366 85.328197)
(xy 93.647786 85.2504)
(xy 93.655032 85.200003)
(xy 93.655032 85.199996)
(xy 93.636601 85.071809)
(xy 93.6366 85.071808)
(xy 93.6366 85.071803)
(xy 93.582797 84.953991)
(xy 93.582793 84.953986)
(xy 93.497985 84.856111)
(xy 93.497983 84.85611)
(xy 93.470267 84.838298)
(xy 93.389027 84.786088)
(xy 93.389026 84.786087)
(xy 93.389025 84.786087)
(xy 93.264758 84.7496)
(xy 93.135242 84.7496)
(xy 93.010974 84.786087)
(xy 93.002773 84.789833)
(xy 93.001233 84.78646)
(xy 92.949944 84.801496)
(xy 92.898763 84.786468)
(xy 92.897227 84.789833)
(xy 92.889025 84.786087)
(xy 92.764758 84.7496)
(xy 92.635242 84.7496)
(xy 92.510974 84.786087)
(xy 92.510971 84.786089)
(xy 92.402016 84.85611)
(xy 92.402014 84.856111)
(xy 92.317206 84.953986)
(xy 92.317203 84.95399)

(xy 92.2634 85.071802)
(xy 92.263398 85.071809)
(xy 92.244968 85.199996)
(xy 92.244968 85.200003)
(xy 55.453809 85.200003)
(xy 55.486602 85.128197)
(xy 55.486874 85.126301)
(xy 55.505034 85.000003)
(xy 55.505034 84.999996)
(xy 55.486603 84.871809)
(xy 55.486602 84.871808)
(xy 55.486602 84.871803)
(xy 55.432799 84.753991)
(xy 55.432795 84.753986)
(xy 55.347987 84.656111)
(xy 55.347985 84.65611)
(xy 55.335022 84.647779)
(xy 55.239029 84.586088)
(xy 55.239028 84.586087)
(xy 55.239027 84.586087)
(xy 55.11476 84.5496)
(xy 54.985244 84.5496)
(xy 54.860976 84.586087)
(xy 54.860973 84.586089)
(xy 54.752018 84.65611)
(xy 54.752016 84.656111)
(xy 54.667208 84.753986)
(xy 54.667205 84.75399)
(xy 54.613402 84.871802)
(xy 54.6134 84.871809)
(xy 54.59497 84.999996)
(xy 54.59497 85.000003)
(xy 50.0505 85.000003)
(xy 50.0505 83.000003)
(xy 54.594968 83.000003)

(xy 54.613398 83.12819)
(xy 54.6134 83.128197)
(xy 54.667203 83.246009)
(xy 54.667206 83.246013)
(xy 54.752014 83.343888)
(xy 54.752016 83.343889)
(xy 54.752017 83.34389)
(xy 54.860973 83.413912)
(xy 54.985242 83.4504)
(xy 55.114758 83.4504)
(xy 55.239027 83.413912)
(xy 55.347983 83.34389)
(xy 55.432797 83.246009)
(xy 55.4866 83.128197)
(xy 55.505032 83)
(xy 55.505032 82.999996)
(xy 55.486601 82.871809)
(xy 55.4866 82.871808)
(xy 55.4866 82.871803)
(xy 55.432797 82.753991)
(xy 55.432793 82.753986)
(xy 55.347985 82.656111)
(xy 55.347983 82.65611)
(xy 55.314852 82.634818)
(xy 55.239027 82.586088)
(xy 55.239026 82.586087)
(xy 55.239025 82.586087)
(xy 55.114758 82.5496)
(xy 54.985242 82.5496)
(xy 54.860974 82.586087)
(xy 54.860971 82.586089)
(xy 54.752016 82.65611)
(xy 54.752014 82.656111)
(xy 54.667206 82.753986)
(xy 54.667203 82.75399)

(xy 54.6134 82.871802)
(xy 54.613398 82.871809)
(xy 54.594968 82.999996)
(xy 54.594968 83.000003)
(xy 50.0505 83.000003)
(xy 50.0505 82.350003)
(xy 99.244968 82.350003)
(xy 99.263398 82.47819)
(xy 99.2634 82.478197)
(xy 99.317203 82.596009)
(xy 99.317206 82.596013)
(xy 99.402014 82.693888)
(xy 99.402016 82.693889)
(xy 99.402017 82.69389)
(xy 99.510973 82.763912)
(xy 99.635242 82.8004)
(xy 99.764758 82.8004)
(xy 99.889027 82.763912)
(xy 99.997983 82.69389)
(xy 100.015907 82.673204)
(xy 100.075631 82.63482)
(xy 100.146627 82.634818)
(xy 100.200227 82.66662)
(xy 100.211657 82.67805)
(xy 100.250299 82.697738)
(xy 100.324696 82.735646)
(xy 100.45 82.755492)
(xy 100.575304 82.735646)
(xy 100.688342 82.67805)
(xy 100.77805 82.588342)
(xy 100.835646 82.475304)
(xy 100.855492 82.35)
(xy 100.835646 82.224696)
(xy 100.795377 82.145664)
(xy 100.77805 82.111657)

(xy 100.688342 82.021949)
(xy 100.612502 81.983307)
(xy 100.575304 81.964354)
(xy 100.45 81.944508)
(xy 100.449999 81.944508)
(xy 100.426418 81.948242)
(xy 100.324696 81.964354)
(xy 100.324694 81.964354)
(xy 100.324694 81.964355)
(xy 100.211657 82.021949)
(xy 100.211657 82.02195)
(xy 100.200225 82.033382)
(xy 100.137912 82.067405)
(xy 100.067096 82.062338)
(xy 100.015907 82.026796)
(xy 100.011707 82.021949)
(xy 99.997983 82.00611)
(xy 99.997982 82.006109)
(xy 99.927476 81.960798)
(xy 99.889027 81.936088)
(xy 99.889026 81.936087)
(xy 99.889025 81.936087)
(xy 99.764758 81.8996)
(xy 99.635242 81.8996)
(xy 99.510974 81.936087)
(xy 99.510971 81.936089)
(xy 99.402016 82.00611)
(xy 99.402014 82.006111)
(xy 99.317206 82.103986)
(xy 99.317203 82.10399)
(xy 99.2634 82.221802)
(xy 99.263398 82.221809)
(xy 99.244968 82.349996)
(xy 99.244968 82.350003)
(xy 50.0505 82.350003)

(xy 50.0505 81.800003)
(xy 93.044968 81.800003)
(xy 93.063398 81.92819)
(xy 93.0634 81.928197)
(xy 93.117203 82.046009)
(xy 93.117206 82.046013)
(xy 93.202014 82.143888)
(xy 93.202016 82.143889)
(xy 93.202017 82.14389)
(xy 93.310973 82.213912)
(xy 93.435242 82.2504)
(xy 93.564758 82.2504)
(xy 93.689027 82.213912)
(xy 93.797983 82.14389)
(xy 93.882797 82.046009)
(xy 93.9366 81.928197)
(xy 93.955032 81.8)
(xy 93.955032 81.799996)
(xy 93.940655 81.700003)
(xy 96.844968 81.700003)
(xy 96.863398 81.82819)
(xy 96.8634 81.828197)
(xy 96.917203 81.946009)
(xy 96.917206 81.946013)
(xy 97.002014 82.043888)
(xy 97.002016 82.043889)
(xy 97.002017 82.04389)
(xy 97.110973 82.113912)
(xy 97.235242 82.1504)
(xy 97.364758 82.1504)
(xy 97.489027 82.113912)
(xy 97.597983 82.04389)
(xy 97.682797 81.946009)
(xy 97.7366 81.828197)
(xy 97.755032 81.7)

(xy 97.755032 81.699996)
(xy 97.736601 81.571809)
(xy 97.7366 81.571808)
(xy 97.7366 81.571803)
(xy 97.682797 81.453991)
(xy 97.682793 81.453986)
(xy 97.597985 81.356111)
(xy 97.597983 81.35611)
(xy 97.578965 81.343888)
(xy 97.489027 81.286088)
(xy 97.489026 81.286087)
(xy 97.489025 81.286087)
(xy 97.364758 81.2496)
(xy 97.235242 81.2496)
(xy 97.110974 81.286087)
(xy 97.110971 81.286089)
(xy 97.002016 81.35611)
(xy 97.002014 81.356111)
(xy 96.917206 81.453986)
(xy 96.917203 81.45399)
(xy 96.8634 81.571802)
(xy 96.863398 81.571809)
(xy 96.844968 81.699996)
(xy 96.844968 81.700003)
(xy 93.940655 81.700003)
(xy 93.936601 81.671809)
(xy 93.9366 81.671808)
(xy 93.9366 81.671803)
(xy 93.882797 81.553991)
(xy 93.882793 81.553986)
(xy 93.797985 81.456111)
(xy 93.797983 81.45611)
(xy 93.732322 81.413912)
(xy 93.689027 81.386088)
(xy 93.689026 81.386087)

(xy 93.689025 81.386087)
(xy 93.564758 81.3496)
(xy 93.435242 81.3496)
(xy 93.310974 81.386087)
(xy 93.310971 81.386089)
(xy 93.202016 81.45611)
(xy 93.202014 81.456111)
(xy 93.117206 81.553986)
(xy 93.117203 81.55399)
(xy 93.0634 81.671802)
(xy 93.063398 81.671809)
(xy 93.044968 81.799996)
(xy 93.044968 81.800003)
(xy 50.0505 81.800003)
(xy 50.0505 81.000003)
(xy 54.594968 81.000003)
(xy 54.613398 81.12819)
(xy 54.6134 81.128197)
(xy 54.667203 81.246009)
(xy 54.667206 81.246013)
(xy 54.752014 81.343888)
(xy 54.752016 81.343889)
(xy 54.752017 81.34389)
(xy 54.860973 81.413912)
(xy 54.985242 81.4504)
(xy 55.114758 81.4504)
(xy 55.239027 81.413912)
(xy 55.347983 81.34389)
(xy 55.432797 81.246009)
(xy 55.4866 81.128197)
(xy 55.505032 81)
(xy 55.505032 80.999996)
(xy 55.486601 80.871809)
(xy 55.4866 80.871808)
(xy 55.4866 80.871803)

(xy 55.432797 80.753991)
(xy 55.432793 80.753986)
(xy 55.347985 80.656111)
(xy 55.347983 80.65611)
(xy 55.323318 80.640259)
(xy 55.239027 80.586088)
(xy 55.239026 80.586087)
(xy 55.239025 80.586087)
(xy 55.114758 80.5496)
(xy 54.985242 80.5496)
(xy 54.860974 80.586087)
(xy 54.860971 80.586089)
(xy 54.752016 80.65611)
(xy 54.752014 80.656111)
(xy 54.667206 80.753986)
(xy 54.667203 80.75399)
(xy 54.6134 80.871802)
(xy 54.613398 80.871809)
(xy 54.594968 80.999996)
(xy 54.594968 81.000003)
(xy 50.0505 81.000003)
(xy 50.0505 80.408941)
(xy 62.569878 80.408941)
(xy 62.588308 80.537128)
(xy 62.58831 80.537135)
(xy 62.642113 80.654947)
(xy 62.642116 80.654951)
(xy 62.726924 80.752826)
(xy 62.726926 80.752827)
(xy 62.726927 80.752828)
(xy 62.835883 80.82285)
(xy 62.960152 80.859338)
(xy 63.089668 80.859338)
(xy 63.213937 80.82285)
(xy 63.322893 80.752828)

(xy 63.407707 80.654947)
(xy 63.46151 80.537135)
(xy 63.479942 80.408938)
(xy 63.479942 80.408934)
(xy 63.478658 80.400003)
(xy 66.344968 80.400003)
(xy 66.363398 80.52819)
(xy 66.3634 80.528197)
(xy 66.417203 80.646009)
(xy 66.417206 80.646013)
(xy 66.502014 80.743888)
(xy 66.502016 80.743889)
(xy 66.502017 80.74389)
(xy 66.610973 80.813912)
(xy 66.735242 80.8504)
(xy 66.864758 80.8504)
(xy 66.989027 80.813912)
(xy 67.097983 80.74389)
(xy 67.103628 80.737376)
(xy 67.147722 80.686488)
(xy 67.182797 80.646009)
(xy 67.2366 80.528197)
(xy 67.240655 80.499996)
(xy 67.255032 80.400003)
(xy 70.144968 80.400003)
(xy 70.163398 80.52819)
(xy 70.1634 80.528197)
(xy 70.217203 80.646009)
(xy 70.217206 80.646013)
(xy 70.302014 80.743888)
(xy 70.302016 80.743889)
(xy 70.302017 80.74389)
(xy 70.410973 80.813912)
(xy 70.535242 80.8504)
(xy 70.664758 80.8504)

(xy 70.789027 80.813912)
(xy 70.897983 80.74389)
(xy 70.903628 80.737376)
(xy 70.947722 80.686488)
(xy 70.982797 80.646009)
(xy 71.0366 80.528197)
(xy 71.040655 80.499996)
(xy 71.055032 80.400003)
(xy 73.944968 80.400003)
(xy 73.963398 80.52819)
(xy 73.9634 80.528197)
(xy 74.017203 80.646009)
(xy 74.017206 80.646013)
(xy 74.102014 80.743888)
(xy 74.102016 80.743889)
(xy 74.102017 80.74389)
(xy 74.210973 80.813912)
(xy 74.335242 80.8504)
(xy 74.464758 80.8504)
(xy 74.589027 80.813912)
(xy 74.697983 80.74389)
(xy 74.703628 80.737376)
(xy 74.747722 80.686488)
(xy 74.782797 80.646009)
(xy 74.8366 80.528197)
(xy 74.840655 80.499996)
(xy 74.855032 80.400003)
(xy 77.744968 80.400003)
(xy 77.763398 80.52819)
(xy 77.7634 80.528197)
(xy 77.817203 80.646009)
(xy 77.817206 80.646013)
(xy 77.902014 80.743888)
(xy 77.902016 80.743889)
(xy 77.902017 80.74389)

(xy 78.010973 80.813912)
(xy 78.135242 80.8504)
(xy 78.264758 80.8504)
(xy 78.389027 80.813912)
(xy 78.497983 80.74389)
(xy 78.503628 80.737376)
(xy 78.547722 80.686488)
(xy 78.582797 80.646009)
(xy 78.6366 80.528197)
(xy 78.640655 80.499996)
(xy 78.655032 80.400003)
(xy 81.544968 80.400003)
(xy 81.563398 80.52819)
(xy 81.5634 80.528197)
(xy 81.617203 80.646009)
(xy 81.617206 80.646013)
(xy 81.702014 80.743888)
(xy 81.702016 80.743889)
(xy 81.702017 80.74389)
(xy 81.810973 80.813912)
(xy 81.935242 80.8504)
(xy 82.064758 80.8504)
(xy 82.189027 80.813912)
(xy 82.297983 80.74389)
(xy 82.303628 80.737376)
(xy 82.347722 80.686488)
(xy 82.382797 80.646009)
(xy 82.4366 80.528197)
(xy 82.440655 80.499996)
(xy 82.455032 80.400003)
(xy 85.344968 80.400003)
(xy 85.363398 80.52819)
(xy 85.3634 80.528197)
(xy 85.417203 80.646009)
(xy 85.417206 80.646013)

(xy 85.502014 80.743888)
(xy 85.502016 80.743889)
(xy 85.502017 80.74389)
(xy 85.610973 80.813912)
(xy 85.735242 80.8504)
(xy 85.864758 80.8504)
(xy 85.989027 80.813912)
(xy 86.097983 80.74389)
(xy 86.103628 80.737376)
(xy 86.147722 80.686488)
(xy 86.182797 80.646009)
(xy 86.2366 80.528197)
(xy 86.240655 80.499996)
(xy 86.255032 80.400003)
(xy 86.255032 80.399996)
(xy 86.236601 80.271809)
(xy 86.2366 80.271808)
(xy 86.2366 80.271803)
(xy 86.182797 80.153991)
(xy 86.182793 80.153986)
(xy 86.097985 80.056111)
(xy 86.097983 80.05611)
(xy 86.028391 80.011386)
(xy 85.989027 79.986088)
(xy 85.989026 79.986087)
(xy 85.989025 79.986087)
(xy 85.864758 79.9496)
(xy 85.735242 79.9496)
(xy 85.610974 79.986087)
(xy 85.610971 79.986089)
(xy 85.502016 80.05611)
(xy 85.502014 80.056111)
(xy 85.417206 80.153986)
(xy 85.417203 80.15399)
(xy 85.3634 80.271802)

(xy 85.363398 80.271809)
(xy 85.344968 80.399996)
(xy 85.344968 80.400003)
(xy 82.455032 80.400003)
(xy 82.455032 80.399996)
(xy 82.436601 80.271809)
(xy 82.4366 80.271808)
(xy 82.4366 80.271803)
(xy 82.382797 80.153991)
(xy 82.382793 80.153986)
(xy 82.297985 80.056111)
(xy 82.297983 80.05611)
(xy 82.228391 80.011386)
(xy 82.189027 79.986088)
(xy 82.189026 79.986087)
(xy 82.189025 79.986087)
(xy 82.064758 79.9496)
(xy 81.935242 79.9496)
(xy 81.810974 79.986087)
(xy 81.810971 79.986089)
(xy 81.702016 80.05611)
(xy 81.702014 80.056111)
(xy 81.617206 80.153986)
(xy 81.617203 80.15399)
(xy 81.5634 80.271802)
(xy 81.563398 80.271809)
(xy 81.544968 80.399996)
(xy 81.544968 80.400003)
(xy 78.655032 80.400003)
(xy 78.655032 80.399996)
(xy 78.636601 80.271809)
(xy 78.6366 80.271808)
(xy 78.6366 80.271803)
(xy 78.582797 80.153991)
(xy 78.582793 80.153986)

(xy 78.497985 80.056111)
(xy 78.497983 80.05611)
(xy 78.428391 80.011386)
(xy 78.389027 79.986088)
(xy 78.389026 79.986087)
(xy 78.389025 79.986087)
(xy 78.264758 79.9496)
(xy 78.135242 79.9496)
(xy 78.010974 79.986087)
(xy 78.010971 79.986089)
(xy 77.902016 80.05611)
(xy 77.902014 80.056111)
(xy 77.817206 80.153986)
(xy 77.817203 80.15399)
(xy 77.7634 80.271802)
(xy 77.763398 80.271809)
(xy 77.744968 80.399996)
(xy 77.744968 80.400003)
(xy 74.855032 80.400003)
(xy 74.855032 80.399996)
(xy 74.836601 80.271809)
(xy 74.8366 80.271808)
(xy 74.8366 80.271803)
(xy 74.782797 80.153991)
(xy 74.782793 80.153986)
(xy 74.697985 80.056111)
(xy 74.697983 80.05611)
(xy 74.628391 80.011386)
(xy 74.589027 79.986088)
(xy 74.589026 79.986087)
(xy 74.589025 79.986087)
(xy 74.464758 79.9496)
(xy 74.335242 79.9496)
(xy 74.210974 79.986087)
(xy 74.210971 79.986089)

(xy 74.102016 80.05611)
(xy 74.102014 80.056111)
(xy 74.017206 80.153986)
(xy 74.017203 80.15399)
(xy 73.9634 80.271802)
(xy 73.963398 80.271809)
(xy 73.944968 80.399996)
(xy 73.944968 80.400003)
(xy 71.055032 80.400003)
(xy 71.055032 80.399996)
(xy 71.036601 80.271809)
(xy 71.0366 80.271808)
(xy 71.0366 80.271803)
(xy 70.982797 80.153991)
(xy 70.982793 80.153986)
(xy 70.897985 80.056111)
(xy 70.897983 80.05611)
(xy 70.828391 80.011386)
(xy 70.789027 79.986088)
(xy 70.789026 79.986087)
(xy 70.789025 79.986087)
(xy 70.664758 79.9496)
(xy 70.535242 79.9496)
(xy 70.410974 79.986087)
(xy 70.410971 79.986089)
(xy 70.302016 80.05611)
(xy 70.302014 80.056111)
(xy 70.217206 80.153986)
(xy 70.217203 80.15399)
(xy 70.1634 80.271802)
(xy 70.163398 80.271809)
(xy 70.144968 80.399996)
(xy 70.144968 80.400003)
(xy 67.255032 80.400003)
(xy 67.255032 80.399996)

(xy 67.236601 80.271809)
(xy 67.2366 80.271808)
(xy 67.2366 80.271803)
(xy 67.182797 80.153991)
(xy 67.182793 80.153986)
(xy 67.097985 80.056111)
(xy 67.097983 80.05611)
(xy 67.028391 80.011386)
(xy 66.989027 79.986088)
(xy 66.989026 79.986087)
(xy 66.989025 79.986087)
(xy 66.864758 79.9496)
(xy 66.735242 79.9496)
(xy 66.610974 79.986087)
(xy 66.610971 79.986089)
(xy 66.502016 80.05611)
(xy 66.502014 80.056111)
(xy 66.417206 80.153986)
(xy 66.417203 80.15399)
(xy 66.3634 80.271802)
(xy 66.363398 80.271809)
(xy 66.344968 80.399996)
(xy 66.344968 80.400003)
(xy 63.478658 80.400003)
(xy 63.461511 80.280747)
(xy 63.46151 80.280746)
(xy 63.46151 80.280741)
(xy 63.407707 80.162929)
(xy 63.407703 80.162924)
(xy 63.322895 80.065049)
(xy 63.322893 80.065048)
(xy 63.308985 80.05611)
(xy 63.213937 79.995026)
(xy 63.213936 79.995025)
(xy 63.213935 79.995025)

(xy 63.089668 79.958538)
(xy 62.960152 79.958538)
(xy 62.835884 79.995025)
(xy 62.835881 79.995027)
(xy 62.726926 80.065048)
(xy 62.726924 80.065049)
(xy 62.642116 80.162924)
(xy 62.642113 80.162928)
(xy 62.58831 80.28074)
(xy 62.588308 80.280747)
(xy 62.569878 80.408934)
(xy 62.569878 80.408941)
(xy 50.0505 80.408941)
(xy 50.0505 80.126)
(xy 50.070502 80.057879)
(xy 50.124158 80.011386)
(xy 50.1765 80)
(xy 58.073447 80)
(xy 58.079038 80.0004)
(xy 58.085242 80.0004)
(xy 58.220962 80.0004)
(xy 58.226553 80)
(xy 59 80)
(xy 59 76.849782)
(xy 59.020002 76.781661)
(xy 59.073658 76.735168)
(xy 59.143932 76.725064)
(xy 59.208512 76.754558)
(xy 59.232382 76.782263)
(xy 59.287936 76.869803)
(xy 59.310331 76.905092)
(xy 59.310336 76.905098)
(xy 59.42645 77.014135)
(xy 59.426456 77.014139)
(xy 59.566053 77.090883)

(xy 59.566056 77.090884)
(xy 59.720341 77.130498)
(xy 59.720349 77.1305)
(xy 59.720352 77.1305)
(xy 59.839663 77.1305)
(xy 59.839666 77.1305)
(xy 59.885342 77.124729)
(xy 59.95804 77.115546)
(xy 59.958041 77.115545)
(xy 59.958045 77.115545)
(xy 60.10616 77.056903)
(xy 60.235037 76.963268)
(xy 60.245678 76.950406)
(xy 60.280006 76.90891)
(xy 60.321821 76.858364)
(xy 60.380653 76.818627)
(xy 60.451631 76.817004)
(xy 60.494012 76.839523)
(xy 60.494337 76.839018)
(xy 60.500426 76.842931)
(xy 60.501425 76.843462)
(xy 60.501915 76.843887)
(xy 60.501918 76.84389)
(xy 60.610874 76.913912)
(xy 60.735143 76.9504)
(xy 60.864659 76.9504)
(xy 60.988928 76.913912)
(xy 61.097884 76.84389)
(xy 61.099556 76.841961)
(xy 61.143472 76.791278)
(xy 61.182698 76.746009)
(xy 61.235337 76.630743)
(xy 61.281829 76.57709)
(xy 61.349949 76.557088)
(xy 61.41807 76.57709)

(xy 61.464562 76.630744)
(xy 61.517202 76.746009)
(xy 61.517203 76.746011)
(xy 61.517206 76.746015)
(xy 61.602014 76.84389)
(xy 61.602016 76.843891)
(xy 61.602017 76.843892)
(xy 61.710973 76.913914)
(xy 61.835242 76.950402)
(xy 61.964758 76.950402)
(xy 62.089027 76.913914)
(xy 62.197983 76.843892)
(xy 62.197987 76.843888)
(xy 62.24292 76.792032)
(xy 62.282797 76.746011)
(xy 62.3366 76.628199)
(xy 62.342536 76.586911)
(xy 62.354267 76.505328)
(xy 62.659695 76.505328)
(xy 62.678125 76.633515)
(xy 62.678127 76.633522)
(xy 62.73193 76.751334)
(xy 62.731933 76.751338)
(xy 62.816741 76.849213)
(xy 62.816743 76.849214)
(xy 62.816744 76.849215)
(xy 62.9257 76.919237)
(xy 63.049969 76.955725)
(xy 63.179485 76.955725)
(xy 63.303754 76.919237)
(xy 63.41271 76.849215)
(xy 63.417323 76.843892)
(xy 63.462912 76.791278)
(xy 63.497524 76.751334)
(xy 63.551327 76.633522)

(xy 63.558028 76.586908)
(xy 63.587521 76.52233)
(xy 63.617741 76.502908)
(xy 63.616974 76.502415)
(xy 63.746984 76.502415)
(xy 63.77797 76.522329)
(xy 63.807463 76.58691)
(xy 63.813398 76.62819)
(xy 63.8134 76.628197)
(xy 63.867203 76.746009)
(xy 63.867206 76.746013)
(xy 63.952014 76.843888)
(xy 63.952016 76.843889)
(xy 63.952017 76.84389)
(xy 64.060973 76.913912)
(xy 64.185242 76.9504)
(xy 64.314758 76.9504)
(xy 64.439027 76.913912)
(xy 64.547983 76.84389)
(xy 64.549655 76.841961)
(xy 64.593571 76.791278)
(xy 64.632797 76.746009)
(xy 64.6866 76.628197)
(xy 64.695071 76.569279)
(xy 64.705032 76.500003)
(xy 65.044968 76.500003)
(xy 65.063398 76.62819)
(xy 65.0634 76.628197)
(xy 65.117203 76.746009)
(xy 65.117206 76.746013)
(xy 65.202014 76.843888)
(xy 65.202016 76.843889)
(xy 65.202017 76.84389)
(xy 65.310973 76.913912)
(xy 65.435242 76.9504)

(xy 65.564758 76.9504)
(xy 65.689027 76.913912)
(xy 65.797983 76.84389)
(xy 65.799655 76.841961)
(xy 65.843571 76.791278)
(xy 65.882797 76.746009)
(xy 65.9366 76.628197)
(xy 65.945071 76.569279)
(xy 65.955032 76.500003)
(xy 65.955032 76.499996)
(xy 65.952876 76.485003)
(xy 66.329968 76.485003)
(xy 66.348398 76.61319)
(xy 66.3484 76.613197)
(xy 66.402203 76.731009)
(xy 66.402206 76.731013)
(xy 66.487014 76.828888)
(xy 66.487016 76.828889)
(xy 66.487017 76.82889)
(xy 66.595973 76.898912)
(xy 66.720242 76.9354)
(xy 66.849758 76.9354)
(xy 66.974027 76.898912)
(xy 67.082983 76.82889)
(xy 67.167797 76.731009)
(xy 67.2216 76.613197)
(xy 67.22538 76.58691)
(xy 67.237875 76.500003)
(xy 67.594968 76.500003)
(xy 67.613398 76.62819)
(xy 67.6134 76.628197)
(xy 67.667203 76.746009)
(xy 67.667206 76.746013)
(xy 67.752014 76.843888)
(xy 67.752016 76.843889)

(xy 67.752017 76.84389)
(xy 67.860973 76.913912)
(xy 67.985242 76.9504)
(xy 68.114758 76.9504)
(xy 68.239027 76.913912)
(xy 68.347983 76.84389)
(xy 68.349655 76.841961)
(xy 68.393571 76.791278)
(xy 68.432797 76.746009)
(xy 68.4866 76.628197)
(xy 68.495071 76.569279)
(xy 68.505032 76.500003)
(xy 68.844964 76.500003)
(xy 68.863394 76.62819)
(xy 68.863396 76.628197)
(xy 68.917199 76.746009)
(xy 68.917202 76.746013)
(xy 69.00201 76.843888)
(xy 69.002012 76.843889)
(xy 69.002013 76.84389)
(xy 69.110969 76.913912)
(xy 69.235238 76.9504)
(xy 69.364754 76.9504)
(xy 69.489023 76.913912)
(xy 69.597979 76.84389)
(xy 69.599651 76.841961)
(xy 69.643567 76.791278)
(xy 69.682793 76.746009)
(xy 69.736596 76.628197)
(xy 69.745067 76.569279)
(xy 69.755028 76.500003)
(xy 70.144968 76.500003)
(xy 70.163398 76.62819)
(xy 70.1634 76.628197)
(xy 70.217203 76.746009)

(xy 70.217206 76.746013)
(xy 70.302014 76.843888)
(xy 70.302016 76.843889)
(xy 70.302017 76.84389)
(xy 70.410973 76.913912)
(xy 70.535242 76.9504)
(xy 70.664758 76.9504)
(xy 70.789027 76.913912)
(xy 70.897983 76.84389)
(xy 70.899655 76.841961)
(xy 70.943571 76.791278)
(xy 70.982797 76.746009)
(xy 71.0366 76.628197)
(xy 71.045071 76.569279)
(xy 71.055032 76.500003)
(xy 71.394968 76.500003)
(xy 71.413398 76.62819)
(xy 71.4134 76.628197)
(xy 71.467203 76.746009)
(xy 71.467206 76.746013)
(xy 71.552014 76.843888)
(xy 71.552016 76.843889)
(xy 71.552017 76.84389)
(xy 71.660973 76.913912)
(xy 71.785242 76.9504)
(xy 71.914758 76.9504)
(xy 72.039027 76.913912)
(xy 72.147983 76.84389)
(xy 72.149655 76.841961)
(xy 72.193571 76.791278)
(xy 72.232797 76.746009)
(xy 72.2866 76.628197)
(xy 72.295071 76.569279)
(xy 72.305032 76.500003)
(xy 72.644974 76.500003)

(xy 72.663404 76.62819)
(xy 72.663406 76.628197)
(xy 72.717209 76.746009)
(xy 72.717212 76.746013)
(xy 72.80202 76.843888)
(xy 72.802022 76.843889)
(xy 72.802023 76.84389)
(xy 72.910979 76.913912)
(xy 73.035248 76.9504)
(xy 73.164764 76.9504)
(xy 73.289033 76.913912)
(xy 73.397989 76.84389)
(xy 73.399661 76.841961)
(xy 73.443577 76.791278)
(xy 73.482803 76.746009)
(xy 73.536606 76.628197)
(xy 73.545077 76.569279)
(xy 73.555038 76.500003)
(xy 73.944968 76.500003)
(xy 73.963398 76.62819)
(xy 73.9634 76.628197)
(xy 74.017203 76.746009)
(xy 74.017206 76.746013)
(xy 74.102014 76.843888)
(xy 74.102016 76.843889)
(xy 74.102017 76.84389)
(xy 74.210973 76.913912)
(xy 74.335242 76.9504)
(xy 74.464758 76.9504)
(xy 74.589027 76.913912)
(xy 74.697983 76.84389)
(xy 74.699655 76.841961)
(xy 74.743571 76.791278)
(xy 74.782797 76.746009)
(xy 74.8366 76.628197)

(xy 74.845071 76.569279)
(xy 74.855032 76.500003)
(xy 75.244968 76.500003)
(xy 75.263398 76.62819)
(xy 75.2634 76.628197)
(xy 75.317203 76.746009)
(xy 75.317206 76.746013)
(xy 75.402014 76.843888)
(xy 75.402016 76.843889)
(xy 75.402017 76.84389)
(xy 75.510973 76.913912)
(xy 75.635242 76.9504)
(xy 75.764758 76.9504)
(xy 75.889027 76.913912)
(xy 75.997983 76.84389)
(xy 75.999655 76.841961)
(xy 76.043571 76.791278)
(xy 76.082797 76.746009)
(xy 76.1366 76.628197)
(xy 76.145071 76.569279)
(xy 76.155032 76.500003)
(xy 76.444966 76.500003)
(xy 76.463396 76.62819)
(xy 76.463398 76.628197)
(xy 76.517201 76.746009)
(xy 76.517204 76.746013)
(xy 76.602012 76.843888)
(xy 76.602014 76.843889)
(xy 76.602015 76.84389)
(xy 76.710971 76.913912)
(xy 76.83524 76.9504)
(xy 76.964756 76.9504)
(xy 77.089025 76.913912)
(xy 77.197981 76.84389)
(xy 77.199653 76.841961)

(xy 77.243569 76.791278)
(xy 77.282795 76.746009)
(xy 77.336598 76.628197)
(xy 77.345069 76.569279)
(xy 77.35503 76.500003)
(xy 77.744968 76.500003)
(xy 77.763398 76.62819)
(xy 77.7634 76.628197)
(xy 77.817203 76.746009)
(xy 77.817206 76.746013)
(xy 77.902014 76.843888)
(xy 77.902016 76.843889)
(xy 77.902017 76.84389)
(xy 78.010973 76.913912)
(xy 78.135242 76.9504)
(xy 78.264758 76.9504)
(xy 78.389027 76.913912)
(xy 78.497983 76.84389)
(xy 78.499655 76.841961)
(xy 78.543571 76.791278)
(xy 78.582797 76.746009)
(xy 78.6366 76.628197)
(xy 78.645071 76.569279)
(xy 78.655032 76.500003)
(xy 79.044968 76.500003)
(xy 79.063398 76.62819)
(xy 79.0634 76.628197)
(xy 79.117203 76.746009)
(xy 79.117206 76.746013)
(xy 79.202014 76.843888)
(xy 79.202016 76.843889)
(xy 79.202017 76.84389)
(xy 79.310973 76.913912)
(xy 79.435242 76.9504)
(xy 79.564758 76.9504)

(xy 79.689027 76.913912)
(xy 79.797983 76.84389)
(xy 79.799655 76.841961)
(xy 79.843571 76.791278)
(xy 79.882797 76.746009)
(xy 79.9366 76.628197)
(xy 79.945071 76.569279)
(xy 79.955032 76.500003)
(xy 80.34498 76.500003)
(xy 80.36341 76.62819)
(xy 80.363412 76.628197)
(xy 80.417215 76.746009)
(xy 80.417218 76.746013)
(xy 80.502026 76.843888)
(xy 80.502028 76.843889)
(xy 80.502029 76.84389)
(xy 80.610985 76.913912)
(xy 80.735254 76.9504)
(xy 80.86477 76.9504)
(xy 80.989039 76.913912)
(xy 81.097995 76.84389)
(xy 81.099667 76.841961)
(xy 81.143583 76.791278)
(xy 81.182809 76.746009)
(xy 81.236612 76.628197)
(xy 81.245083 76.569279)
(xy 81.255044 76.500003)
(xy 81.544968 76.500003)
(xy 81.563398 76.62819)
(xy 81.5634 76.628197)
(xy 81.617203 76.746009)
(xy 81.617206 76.746013)
(xy 81.702014 76.843888)
(xy 81.702016 76.843889)
(xy 81.702017 76.84389)

(xy 81.810973 76.913912)
(xy 81.935242 76.9504)
(xy 82.064758 76.9504)
(xy 82.189027 76.913912)
(xy 82.297983 76.84389)
(xy 82.299655 76.841961)
(xy 82.343571 76.791278)
(xy 82.382797 76.746009)
(xy 82.4366 76.628197)
(xy 82.445071 76.569279)
(xy 82.455032 76.500003)
(xy 82.455032 76.499996)
(xy 82.454314 76.495003)
(xy 82.839968 76.495003)
(xy 82.858398 76.62319)
(xy 82.8584 76.623197)
(xy 82.912203 76.741009)
(xy 82.912206 76.741013)
(xy 82.997014 76.838888)
(xy 82.997016 76.838889)
(xy 82.997017 76.83889)
(xy 83.105973 76.908912)
(xy 83.230242 76.9454)
(xy 83.359758 76.9454)
(xy 83.484027 76.908912)
(xy 83.592983 76.83889)
(xy 83.650144 76.772922)
(xy 83.709868 76.734538)
(xy 83.780865 76.734538)
(xy 83.840592 76.772921)
(xy 83.840592 76.772922)
(xy 83.902089 76.843894)
(xy 83.902091 76.843895)
(xy 83.902092 76.843896)
(xy 84.011048 76.913918)

(xy 84.135317 76.950406)
(xy 84.264833 76.950406)
(xy 84.389102 76.913918)
(xy 84.498058 76.843896)
(xy 84.498064 76.843889)
(xy 84.499421 76.842714)
(xy 84.501067 76.841961)
(xy 84.505639 76.839024)
(xy 84.506061 76.83968)
(xy 84.564 76.813216)
(xy 84.634274 76.823314)
(xy 84.687934 76.869803)
(xy 84.688326 76.870418)
(xy 84.710327 76.905086)
(xy 84.710336 76.905098)
(xy 84.82645 77.014135)
(xy 84.826456 77.014139)
(xy 84.966053 77.090883)
(xy 84.966056 77.090884)
(xy 85.120341 77.130498)
(xy 85.120349 77.1305)
(xy 85.120352 77.1305)
(xy 85.239663 77.1305)
(xy 85.239666 77.1305)
(xy 85.285342 77.124729)
(xy 85.35804 77.115546)
(xy 85.358041 77.115545)
(xy 85.358045 77.115545)
(xy 85.50616 77.056903)
(xy 85.635037 76.963268)
(xy 85.645678 76.950406)
(xy 85.675868 76.913912)
(xy 85.73658 76.840524)
(xy 85.804407 76.696384)
(xy 85.82529 76.58691)

(xy 85.834256 76.53991)
(xy 85.834256 76.539909)
(xy 85.834257 76.539904)
(xy 85.824254 76.380917)
(xy 85.824254 76.380915)
(xy 85.775028 76.229413)
(xy 85.689672 76.094913)
(xy 85.689663 76.094901)
(xy 85.573549 75.985864)
(xy 85.573543 75.98586)
(xy 85.433946 75.909116)
(xy 85.433943 75.909115)
(xy 85.279658 75.869501)
(xy 85.279652 75.8695)
(xy 85.279651 75.8695)
(xy 85.160334 75.8695)
(xy 85.160331 75.8695)
(xy 85.160319 75.869501)
(xy 85.041959 75.884453)
(xy 85.041954 75.884455)
(xy 84.893841 75.943096)
(xy 84.893836 75.943098)
(xy 84.764963 76.036731)
(xy 84.764959 76.036734)
(xy 84.678165 76.14165)
(xy 84.619331 76.181388)
(xy 84.548353 76.183009)
(xy 84.505961 76.160485)
(xy 84.505639 76.160988)
(xy 84.499585 76.157097)
(xy 84.498566 76.156556)
(xy 84.498058 76.156116)
(xy 84.49027 76.151111)
(xy 84.389102 76.086094)
(xy 84.389101 76.086093)

(xy 84.3891 76.086093)
(xy 84.264833 76.049606)
(xy 84.135317 76.049606)
(xy 84.011049 76.086093)
(xy 84.011046 76.086095)
(xy 83.902092 76.156115)
(xy 83.84493 76.222084)
(xy 83.785204 76.260467)
(xy 83.714207 76.260467)
(xy 83.654481 76.222083)
(xy 83.623887 76.186776)
(xy 83.592983 76.15111)
(xy 83.592982 76.151109)
(xy 83.50552 76.094901)
(xy 83.484027 76.081088)
(xy 83.484026 76.081087)
(xy 83.484025 76.081087)
(xy 83.359758 76.0446)
(xy 83.230242 76.0446)
(xy 83.105974 76.081087)
(xy 83.105971 76.081089)
(xy 82.997016 76.15111)
(xy 82.997014 76.151111)
(xy 82.912206 76.248986)
(xy 82.912203 76.24899)
(xy 82.8584 76.366802)
(xy 82.858398 76.366809)
(xy 82.839968 76.494996)
(xy 82.839968 76.495003)
(xy 82.454314 76.495003)
(xy 82.436601 76.371809)
(xy 82.4366 76.371804)
(xy 82.4366 76.371803)
(xy 82.382797 76.253991)
(xy 82.382793 76.253986)

(xy 82.297985 76.156111)
(xy 82.297983 76.15611)
(xy 82.256708 76.129584)
(xy 82.189027 76.086088)
(xy 82.189026 76.086087)
(xy 82.189025 76.086087)
(xy 82.064758 76.0496)
(xy 81.935242 76.0496)
(xy 81.810974 76.086087)
(xy 81.810971 76.086089)
(xy 81.702016 76.15611)
(xy 81.702014 76.156111)
(xy 81.617206 76.253986)
(xy 81.617203 76.25399)
(xy 81.5634 76.371802)
(xy 81.563398 76.371809)
(xy 81.544968 76.499996)
(xy 81.544968 76.500003)
(xy 81.255044 76.500003)
(xy 81.255044 76.499996)
(xy 81.236613 76.371809)
(xy 81.236612 76.371804)
(xy 81.236612 76.371803)
(xy 81.182809 76.253991)
(xy 81.182805 76.253986)
(xy 81.097997 76.156111)
(xy 81.097995 76.15611)
(xy 81.05672 76.129584)
(xy 80.989039 76.086088)
(xy 80.989038 76.086087)
(xy 80.989037 76.086087)
(xy 80.86477 76.0496)
(xy 80.735254 76.0496)
(xy 80.610986 76.086087)
(xy 80.610983 76.086089)

(xy 80.502028 76.15611)
(xy 80.502026 76.156111)
(xy 80.417218 76.253986)
(xy 80.417215 76.25399)
(xy 80.363412 76.371802)
(xy 80.36341 76.371809)
(xy 80.34498 76.499996)
(xy 80.34498 76.500003)
(xy 79.955032 76.500003)
(xy 79.955032 76.499996)
(xy 79.936601 76.371809)
(xy 79.9366 76.371804)
(xy 79.9366 76.371803)
(xy 79.882797 76.253991)
(xy 79.882793 76.253986)
(xy 79.797985 76.156111)
(xy 79.797983 76.15611)
(xy 79.756708 76.129584)
(xy 79.689027 76.086088)
(xy 79.689026 76.086087)
(xy 79.689025 76.086087)
(xy 79.564758 76.0496)
(xy 79.435242 76.0496)
(xy 79.310974 76.086087)
(xy 79.310971 76.086089)
(xy 79.202016 76.15611)
(xy 79.202014 76.156111)
(xy 79.117206 76.253986)
(xy 79.117203 76.25399)
(xy 79.0634 76.371802)
(xy 79.063398 76.371809)
(xy 79.044968 76.499996)
(xy 79.044968 76.500003)
(xy 78.655032 76.500003)
(xy 78.655032 76.499996)

(xy 78.636601 76.371809)
(xy 78.6366 76.371804)
(xy 78.6366 76.371803)
(xy 78.582797 76.253991)
(xy 78.582793 76.253986)
(xy 78.497985 76.156111)
(xy 78.497983 76.15611)
(xy 78.456708 76.129584)
(xy 78.389027 76.086088)
(xy 78.389026 76.086087)
(xy 78.389025 76.086087)
(xy 78.264758 76.0496)
(xy 78.135242 76.0496)
(xy 78.010974 76.086087)
(xy 78.010971 76.086089)
(xy 77.902016 76.15611)
(xy 77.902014 76.156111)
(xy 77.817206 76.253986)
(xy 77.817203 76.25399)
(xy 77.7634 76.371802)
(xy 77.763398 76.371809)
(xy 77.744968 76.499996)
(xy 77.744968 76.500003)
(xy 77.35503 76.500003)
(xy 77.35503 76.499996)
(xy 77.336599 76.371809)
(xy 77.336598 76.371804)
(xy 77.336598 76.371803)
(xy 77.282795 76.253991)
(xy 77.282791 76.253986)
(xy 77.197983 76.156111)
(xy 77.197981 76.15611)
(xy 77.156706 76.129584)
(xy 77.089025 76.086088)
(xy 77.089024 76.086087)

(xy 77.089023 76.086087)
(xy 76.964756 76.0496)
(xy 76.83524 76.0496)
(xy 76.710972 76.086087)
(xy 76.710969 76.086089)
(xy 76.602014 76.15611)
(xy 76.602012 76.156111)
(xy 76.517204 76.253986)
(xy 76.517201 76.25399)
(xy 76.463398 76.371802)
(xy 76.463396 76.371809)
(xy 76.444966 76.499996)
(xy 76.444966 76.500003)
(xy 76.155032 76.500003)
(xy 76.155032 76.499996)
(xy 76.136601 76.371809)
(xy 76.1366 76.371804)
(xy 76.1366 76.371803)
(xy 76.082797 76.253991)
(xy 76.082793 76.253986)
(xy 75.997985 76.156111)
(xy 75.997983 76.15611)
(xy 75.956708 76.129584)
(xy 75.889027 76.086088)
(xy 75.889026 76.086087)
(xy 75.889025 76.086087)
(xy 75.764758 76.0496)
(xy 75.635242 76.0496)
(xy 75.510974 76.086087)
(xy 75.510971 76.086089)
(xy 75.402016 76.15611)
(xy 75.402014 76.156111)
(xy 75.317206 76.253986)
(xy 75.317203 76.25399)
(xy 75.2634 76.371802)

(xy 75.263398 76.371809)
(xy 75.244968 76.499996)
(xy 75.244968 76.500003)
(xy 74.855032 76.500003)
(xy 74.855032 76.499996)
(xy 74.836601 76.371809)
(xy 74.8366 76.371804)
(xy 74.8366 76.371803)
(xy 74.782797 76.253991)
(xy 74.782793 76.253986)
(xy 74.697985 76.156111)
(xy 74.697983 76.15611)
(xy 74.656708 76.129584)
(xy 74.589027 76.086088)
(xy 74.589026 76.086087)
(xy 74.589025 76.086087)
(xy 74.464758 76.0496)
(xy 74.335242 76.0496)
(xy 74.210974 76.086087)
(xy 74.210971 76.086089)
(xy 74.102016 76.15611)
(xy 74.102014 76.156111)
(xy 74.017206 76.253986)
(xy 74.017203 76.25399)
(xy 73.9634 76.371802)
(xy 73.963398 76.371809)
(xy 73.944968 76.499996)
(xy 73.944968 76.500003)
(xy 73.555038 76.500003)
(xy 73.555038 76.499996)
(xy 73.536607 76.371809)
(xy 73.536606 76.371804)
(xy 73.536606 76.371803)
(xy 73.482803 76.253991)
(xy 73.482799 76.253986)

(xy 73.397991 76.156111)
(xy 73.397989 76.15611)
(xy 73.356714 76.129584)
(xy 73.289033 76.086088)
(xy 73.289032 76.086087)
(xy 73.289031 76.086087)
(xy 73.164764 76.0496)
(xy 73.035248 76.0496)
(xy 72.91098 76.086087)
(xy 72.910977 76.086089)
(xy 72.802022 76.15611)
(xy 72.80202 76.156111)
(xy 72.717212 76.253986)
(xy 72.717209 76.25399)
(xy 72.663406 76.371802)
(xy 72.663404 76.371809)
(xy 72.644974 76.499996)
(xy 72.644974 76.500003)
(xy 72.305032 76.500003)
(xy 72.305032 76.499996)
(xy 72.286601 76.371809)
(xy 72.2866 76.371804)
(xy 72.2866 76.371803)
(xy 72.232797 76.253991)
(xy 72.232793 76.253986)
(xy 72.147985 76.156111)
(xy 72.147983 76.15611)
(xy 72.106708 76.129584)
(xy 72.039027 76.086088)
(xy 72.039026 76.086087)
(xy 72.039025 76.086087)
(xy 71.914758 76.0496)
(xy 71.785242 76.0496)
(xy 71.660974 76.086087)
(xy 71.660971 76.086089)

(xy 71.552016 76.15611)
(xy 71.552014 76.156111)
(xy 71.467206 76.253986)
(xy 71.467203 76.25399)
(xy 71.4134 76.371802)
(xy 71.413398 76.371809)
(xy 71.394968 76.499996)
(xy 71.394968 76.500003)
(xy 71.055032 76.500003)
(xy 71.055032 76.499996)
(xy 71.036601 76.371809)
(xy 71.0366 76.371804)
(xy 71.0366 76.371803)
(xy 70.982797 76.253991)
(xy 70.982793 76.253986)
(xy 70.897985 76.156111)
(xy 70.897983 76.15611)
(xy 70.856708 76.129584)
(xy 70.789027 76.086088)
(xy 70.789026 76.086087)
(xy 70.789025 76.086087)
(xy 70.664758 76.0496)
(xy 70.535242 76.0496)
(xy 70.410974 76.086087)
(xy 70.410971 76.086089)
(xy 70.302016 76.15611)
(xy 70.302014 76.156111)
(xy 70.217206 76.253986)
(xy 70.217203 76.25399)
(xy 70.1634 76.371802)
(xy 70.163398 76.371809)
(xy 70.144968 76.499996)
(xy 70.144968 76.500003)
(xy 69.755028 76.500003)
(xy 69.755028 76.499996)

(xy 69.736597 76.371809)
(xy 69.736596 76.371804)
(xy 69.736596 76.371803)
(xy 69.682793 76.253991)
(xy 69.682789 76.253986)
(xy 69.597981 76.156111)
(xy 69.597979 76.15611)
(xy 69.556704 76.129584)
(xy 69.489023 76.086088)
(xy 69.489022 76.086087)
(xy 69.489021 76.086087)
(xy 69.364754 76.0496)
(xy 69.235238 76.0496)
(xy 69.11097 76.086087)
(xy 69.110967 76.086089)
(xy 69.002012 76.15611)
(xy 69.00201 76.156111)
(xy 68.917202 76.253986)
(xy 68.917199 76.25399)
(xy 68.863396 76.371802)
(xy 68.863394 76.371809)
(xy 68.844964 76.499996)
(xy 68.844964 76.500003)
(xy 68.505032 76.500003)
(xy 68.505032 76.499996)
(xy 68.486601 76.371809)
(xy 68.4866 76.371804)
(xy 68.4866 76.371803)
(xy 68.432797 76.253991)
(xy 68.432793 76.253986)
(xy 68.347985 76.156111)
(xy 68.347983 76.15611)
(xy 68.306708 76.129584)
(xy 68.239027 76.086088)
(xy 68.239026 76.086087)

(xy 68.239025 76.086087)
(xy 68.114758 76.0496)
(xy 67.985242 76.0496)
(xy 67.860974 76.086087)
(xy 67.860971 76.086089)
(xy 67.752016 76.15611)
(xy 67.752014 76.156111)
(xy 67.667206 76.253986)
(xy 67.667203 76.25399)
(xy 67.6134 76.371802)
(xy 67.613398 76.371809)
(xy 67.594968 76.499996)
(xy 67.594968 76.500003)
(xy 67.237875 76.500003)
(xy 67.240032 76.485003)
(xy 67.240032 76.484996)
(xy 67.221601 76.356809)
(xy 67.2216 76.356808)
(xy 67.2216 76.356803)
(xy 67.167797 76.238991)
(xy 67.159498 76.229413)
(xy 67.082985 76.141111)
(xy 67.082983 76.14111)
(xy 67.079062 76.13859)
(xy 66.974027 76.071088)
(xy 66.974026 76.071087)
(xy 66.974025 76.071087)
(xy 66.849758 76.0346)
(xy 66.720242 76.0346)
(xy 66.595974 76.071087)
(xy 66.595971 76.071089)
(xy 66.487016 76.14111)
(xy 66.487014 76.141111)
(xy 66.402206 76.238986)
(xy 66.402203 76.23899)

(xy 66.3484 76.356802)
(xy 66.348398 76.356809)
(xy 66.329968 76.484996)
(xy 66.329968 76.485003)
(xy 65.952876 76.485003)
(xy 65.936601 76.371809)
(xy 65.9366 76.371804)
(xy 65.9366 76.371803)
(xy 65.882797 76.253991)
(xy 65.882793 76.253986)
(xy 65.797985 76.156111)
(xy 65.797983 76.15611)
(xy 65.756708 76.129584)
(xy 65.689027 76.086088)
(xy 65.689026 76.086087)
(xy 65.689025 76.086087)
(xy 65.564758 76.0496)
(xy 65.435242 76.0496)
(xy 65.310974 76.086087)
(xy 65.310971 76.086089)
(xy 65.202016 76.15611)
(xy 65.202014 76.156111)
(xy 65.117206 76.253986)
(xy 65.117203 76.25399)
(xy 65.0634 76.371802)
(xy 65.063398 76.371809)
(xy 65.044968 76.499996)
(xy 65.044968 76.500003)
(xy 64.705032 76.500003)
(xy 64.705032 76.499996)
(xy 64.686601 76.371809)
(xy 64.6866 76.371804)
(xy 64.6866 76.371803)
(xy 64.632797 76.253991)
(xy 64.632793 76.253986)

(xy 64.547985 76.156111)
(xy 64.547983 76.15611)
(xy 64.506708 76.129584)
(xy 64.439027 76.086088)
(xy 64.439026 76.086087)
(xy 64.439025 76.086087)
(xy 64.314758 76.0496)
(xy 64.185242 76.0496)
(xy 64.060974 76.086087)
(xy 64.060971 76.086089)
(xy 63.952016 76.15611)
(xy 63.952014 76.156111)
(xy 63.867206 76.253986)
(xy 63.867203 76.25399)
(xy 63.8134 76.371802)
(xy 63.813398 76.371808)
(xy 63.806697 76.418416)
(xy 63.777203 76.482996)
(xy 63.746984 76.502415)
(xy 63.616974 76.502415)
(xy 63.586754 76.482993)
(xy 63.557263 76.418414)
(xy 63.551327 76.377128)
(xy 63.497524 76.259316)
(xy 63.492915 76.253997)
(xy 63.412712 76.161436)
(xy 63.41271 76.161435)
(xy 63.405118 76.156556)
(xy 63.303754 76.091413)
(xy 63.303753 76.091412)
(xy 63.303752 76.091412)
(xy 63.179485 76.054925)
(xy 63.049969 76.054925)
(xy 62.925701 76.091412)
(xy 62.925698 76.091414)

(xy 62.816743 76.161435)
(xy 62.816741 76.161436)
(xy 62.731933 76.259311)
(xy 62.73193 76.259315)
(xy 62.678127 76.377127)
(xy 62.678125 76.377134)
(xy 62.659695 76.505321)
(xy 62.659695 76.505328)
(xy 62.354267 76.505328)
(xy 62.355032 76.500005)
(xy 62.355032 76.499998)
(xy 62.336601 76.371811)
(xy 62.3366 76.37181)
(xy 62.3366 76.371805)
(xy 62.282797 76.253993)
(xy 62.278462 76.24899)
(xy 62.197985 76.156113)
(xy 62.197983 76.156112)
(xy 62.174641 76.141111)
(xy 62.089027 76.08609)
(xy 62.089026 76.086089)
(xy 62.089025 76.086089)
(xy 61.964758 76.049602)
(xy 61.835242 76.049602)
(xy 61.710974 76.086089)
(xy 61.710971 76.086091)
(xy 61.602016 76.156112)
(xy 61.602014 76.156113)
(xy 61.517206 76.253988)
(xy 61.517201 76.253995)
(xy 61.464563 76.369256)
(xy 61.41807 76.422911)
(xy 61.349949 76.442913)
(xy 61.281829 76.422911)
(xy 61.235338 76.369258)

(xy 61.182698 76.253991)
(xy 61.182694 76.253986)
(xy 61.097886 76.156111)
(xy 61.097884 76.15611)
(xy 61.056609 76.129584)
(xy 60.988928 76.086088)
(xy 60.988927 76.086087)
(xy 60.988926 76.086087)
(xy 60.864659 76.0496)
(xy 60.735143 76.0496)
(xy 60.610875 76.086087)
(xy 60.610872 76.086089)
(xy 60.501913 76.156113)
(xy 60.500557 76.157288)
(xy 60.498926 76.158032)
(xy 60.494337 76.160982)
(xy 60.493912 76.160321)
(xy 60.435974 76.186776)
(xy 60.365701 76.176666)
(xy 60.312049 76.130169)
(xy 60.311667 76.129571)
(xy 60.289672 76.094913)
(xy 60.289663 76.094901)
(xy 60.173549 75.985864)
(xy 60.173543 75.98586)
(xy 60.033946 75.909116)
(xy 60.033943 75.909115)
(xy 59.879658 75.869501)
(xy 59.879652 75.8695)
(xy 59.879651 75.8695)
(xy 59.760334 75.8695)
(xy 59.760331 75.8695)
(xy 59.760319 75.869501)
(xy 59.641959 75.884453)
(xy 59.641954 75.884455)

(xy 59.493841 75.943096)
(xy 59.493836 75.943098)
(xy 59.364963 76.036731)
(xy 59.36496 76.036733)
(xy 59.263419 76.159476)
(xy 59.240008 76.209228)
(xy 59.192905 76.262349)
(xy 59.12456 76.281572)
(xy 59.056673 76.260793)
(xy 59.010796 76.206609)
(xy 59 76.15558)
(xy 59 75.180003)
(xy 91.564759 75.180003)
(xy 91.584072 75.376104)
(xy 91.584073 75.376107)
(xy 91.584074 75.376113)
(xy 91.624486 75.509335)
(xy 91.641278 75.56469)
(xy 91.66327 75.605833)
(xy 91.734173 75.738482)
(xy 91.859187 75.890813)
(xy 92.011518 76.015827)
(xy 92.01152 76.015828)
(xy 92.152926 76.091412)
(xy 92.185311 76.108722)
(xy 92.373887 76.165926)
(xy 92.373893 76.165926)
(xy 92.373895 76.165927)
(xy 92.569997 76.185241)
(xy 92.57 76.185241)
(xy 92.570003 76.185241)
(xy 92.766105 76.165927)
(xy 92.766106 76.165926)
(xy 92.766113 76.165926)
(xy 92.854136 76.139223)

(xy 92.925129 76.13859)
(xy 92.979807 76.170703)
(xy 93.316071 76.506967)
(xy 93.350097 76.569279)
(xy 93.345032 76.640094)
(xy 93.302485 76.69693)
(xy 93.235965 76.721741)
(xy 93.207273 76.720512)
(xy 93.201513 76.7196)
(xy 93.201512 76.7196)
(xy 91.938488 76.7196)
(xy 91.91285 76.72366)
(xy 91.844728 76.734449)
(xy 91.731716 76.792031)
(xy 91.642031 76.881716)
(xy 91.584449 76.994728)
(xy 91.5696 77.088489)
(xy 91.5696 78.35151)
(xy 91.584449 78.445271)
(xy 91.642031 78.558283)
(xy 91.731716 78.647968)
(xy 91.788221 78.676759)
(xy 91.844727 78.70555)
(xy 91.938488 78.7204)
(xy 91.93849 78.7204)
(xy 93.20151 78.7204)
(xy 93.201512 78.7204)
(xy 93.295273 78.70555)
(xy 93.295274 78.705549)
(xy 93.295276 78.705549)
(xy 93.304702 78.702487)
(xy 93.30548 78.704881)
(xy 93.361159 78.694418)
(xy 93.426947 78.721111)
(xy 93.46786 78.779133)

(xy 93.4746 78.819791)
(xy 93.4746 78.952967)
(xy 93.454598 79.021088)
(xy 93.45396 79.022071)
(xy 93.421062 79.072228)
(xy 93.377371 79.209885)
(xy 93.37244 79.354238)
(xy 93.406633 79.49455)
(xy 93.406637 79.494561)
(xy 93.477419 79.620446)
(xy 93.477426 79.620455)
(xy 94.0008 80.143828)
(xy 94.497231 80.640259)
(xy 94.540408 80.68649)
(xy 94.576333 80.708336)
(xy 94.581659 80.711961)
(xy 94.615173 80.737376)
(xy 94.630511 80.743424)
(xy 94.649737 80.752974)
(xy 94.663811 80.761533)
(xy 94.663817 80.761534)
(xy 94.663815 80.761534)
(xy 94.704295 80.772875)
(xy 94.710416 80.774933)
(xy 94.749533 80.79036)
(xy 94.76592 80.792044)
(xy 94.787022 80.796055)
(xy 94.802884 80.800499)
(xy 94.844931 80.800499)
(xy 94.851379 80.80083)
(xy 94.893204 80.80513)
(xy 94.893204 80.805129)
(xy 94.893206 80.80513)
(xy 94.909439 80.802331)
(xy 94.930848 80.800499)

(xy 99.905281 80.800499)
(xy 99.973402 80.820501)
(xy 99.994376 80.837404)
(xy 105.122132 85.96516)
(xy 105.165309 86.011391)
(xy 105.201234 86.033237)
(xy 105.20656 86.036862)
(xy 105.240074 86.062277)
(xy 105.255412 86.068325)
(xy 105.274638 86.077875)
(xy 105.288712 86.086434)
(xy 105.288718 86.086435)
(xy 105.288716 86.086435)
(xy 105.329196 86.097776)
(xy 105.335318 86.099835)
(xy 105.362802 86.110674)
(xy 105.374434 86.115261)
(xy 105.390821 86.116945)
(xy 105.411923 86.120956)
(xy 105.427785 86.1254)
(xy 105.469832 86.1254)
(xy 105.47628 86.125731)
(xy 105.518105 86.130031)
(xy 105.518105 86.13003)
(xy 105.518107 86.130031)
(xy 105.53434 86.127232)
(xy 105.555749 86.1254)
(xy 108.435942 86.1254)
(xy 108.435955 86.125399)
(xy 108.54308 86.110675)
(xy 108.543081 86.110674)
(xy 108.543084 86.110674)
(xy 108.675556 86.053133)
(xy 108.675557 86.053131)
(xy 108.675559 86.053131)

(xy 108.675561 86.053129)
(xy 108.787586 85.96199)
(xy 108.787586 85.961989)
(xy 108.787592 85.961985)
(xy 108.870881 85.843991)
(xy 108.919247 85.707901)
(xy 108.929104 85.563808)
(xy 108.899719 85.4224)
(xy 108.899718 85.422398)
(xy 108.899718 85.422397)
(xy 108.850903 85.32819)
(xy 108.833272 85.294163)
(xy 108.745332 85.200003)
(xy 108.734692 85.18861)
(xy 108.734691 85.188609)
(xy 108.717558 85.17819)
(xy 108.611288 85.113566)
(xy 108.472215 85.0746)
(xy 108.472214 85.0746)
(xy 105.769817 85.0746)
(xy 105.701696 85.054598)
(xy 105.680722 85.037695)
(xy 105.44303 84.800003)
(xy 118.344968 84.800003)
(xy 118.363398 84.92819)
(xy 118.3634 84.928197)
(xy 118.417203 85.046009)
(xy 118.417206 85.046013)
(xy 118.502014 85.143888)
(xy 118.502016 85.143889)
(xy 118.502017 85.14389)
(xy 118.610973 85.213912)
(xy 118.735242 85.2504)
(xy 118.864758 85.2504)
(xy 118.989027 85.213912)

(xy 119.088471 85.150003)
(xy 126.194968 85.150003)
(xy 126.213398 85.27819)
(xy 126.2134 85.278197)
(xy 126.267203 85.396009)
(xy 126.267206 85.396013)
(xy 126.352014 85.493888)
(xy 126.352016 85.493889)
(xy 126.352017 85.49389)
(xy 126.460973 85.563912)
(xy 126.585242 85.6004)
(xy 126.714758 85.6004)
(xy 126.839027 85.563912)
(xy 126.947983 85.49389)
(xy 127.032797 85.396009)
(xy 127.0866 85.278197)
(xy 127.095843 85.21391)
(xy 127.105032 85.150003)
(xy 127.105032 85.149996)
(xy 127.086601 85.021809)
(xy 127.0866 85.021808)
(xy 127.0866 85.021803)
(xy 127.032797 84.903991)
(xy 127.007493 84.874788)
(xy 126.947985 84.806111)
(xy 126.947983 84.80611)
(xy 126.932266 84.796009)
(xy 126.839027 84.736088)
(xy 126.839026 84.736087)
(xy 126.839025 84.736087)
(xy 126.706911 84.697296)
(xy 126.677021 84.678087)
(xy 126.675712 84.679598)
(xy 126.607592 84.6996)
(xy 126.585242 84.6996)

(xy 126.460974 84.736087)
(xy 126.460971 84.736089)
(xy 126.352016 84.80611)
(xy 126.352014 84.806111)
(xy 126.267206 84.903986)
(xy 126.267203 84.90399)
(xy 126.2134 85.021802)
(xy 126.213398 85.021809)
(xy 126.194968 85.149996)
(xy 126.194968 85.150003)
(xy 119.088471 85.150003)
(xy 119.097983 85.14389)
(xy 119.182797 85.046009)
(xy 119.2366 84.928197)
(xy 119.24008 84.903991)
(xy 119.255032 84.800003)
(xy 119.255032 84.799996)
(xy 119.236601 84.671809)
(xy 119.2366 84.671808)
(xy 119.2366 84.671803)
(xy 119.182797 84.553991)
(xy 119.181573 84.552578)
(xy 119.097985 84.456111)
(xy 119.097813 84.456001)
(xy 119.097679 84.455846)
(xy 119.091171 84.450207)
(xy 119.091981 84.449271)
(xy 119.051318 84.402347)
(xy 119.041211 84.332074)
(xy 119.070701 84.267492)
(xy 119.097813 84.243999)
(xy 119.097983 84.24389)
(xy 119.182797 84.146009)
(xy 119.2366 84.028197)
(xy 119.255032 83.900003)

(xy 122.344968 83.900003)
(xy 122.363398 84.02819)
(xy 122.3634 84.028197)
(xy 122.417203 84.146009)
(xy 122.417206 84.146013)
(xy 122.502014 84.243888)
(xy 122.502016 84.243889)
(xy 122.502017 84.24389)
(xy 122.610973 84.313912)
(xy 122.735242 84.3504)
(xy 122.864758 84.3504)
(xy 122.989027 84.313912)
(xy 123.097983 84.24389)
(xy 123.182797 84.146009)
(xy 123.185386 84.140339)
(xy 123.231877 84.086684)
(xy 123.299998 84.066681)
(xy 123.368119 84.086682)
(xy 123.414612 84.140336)
(xy 123.417203 84.146009)
(xy 123.417204 84.14601)
(xy 123.417206 84.146013)
(xy 123.502014 84.243888)
(xy 123.502016 84.243889)
(xy 123.502017 84.24389)
(xy 123.610973 84.313912)
(xy 123.735242 84.3504)
(xy 123.864758 84.3504)
(xy 123.989027 84.313912)
(xy 124.097983 84.24389)
(xy 124.182797 84.146009)
(xy 124.2366 84.028197)
(xy 124.240654 84.000003)
(xy 126.244968 84.000003)
(xy 126.263398 84.12819)

(xy 126.2634 84.128197)
(xy 126.317203 84.246009)
(xy 126.317206 84.246013)
(xy 126.402014 84.343888)
(xy 126.402016 84.343889)
(xy 126.402017 84.343889)
(xy 126.510973 84.413912)
(xy 126.635242 84.4504)
(xy 126.643089 84.452704)
(xy 126.672978 84.471912)
(xy 126.674288 84.470402)
(xy 126.742408 84.4504)
(xy 126.764758 84.4504)
(xy 126.889027 84.413912)
(xy 126.997983 84.343889)
(xy 127.082797 84.246009)
(xy 127.1366 84.128197)
(xy 127.155032 84)
(xy 127.155032 83.999996)
(xy 127.136601 83.871809)
(xy 127.1366 83.871808)
(xy 127.1366 83.871803)
(xy 127.082797 83.753991)
(xy 127.064884 83.733318)
(xy 126.997985 83.656111)
(xy 126.997983 83.65611)
(xy 126.994678 83.653986)
(xy 126.889027 83.586088)
(xy 126.889026 83.586087)
(xy 126.889025 83.586087)
(xy 126.764758 83.5496)
(xy 126.635242 83.5496)
(xy 126.510974 83.586087)
(xy 126.510971 83.586089)
(xy 126.402016 83.65611)

(xy 126.402014 83.656111)
(xy 126.317206 83.753986)
(xy 126.317203 83.75399)
(xy 126.2634 83.871802)
(xy 126.263398 83.871809)
(xy 126.244968 83.999996)
(xy 126.244968 84.000003)
(xy 124.240654 84.000003)
(xy 124.255032 83.9)
(xy 124.255032 83.899996)
(xy 124.236601 83.771809)
(xy 124.2366 83.771808)
(xy 124.2366 83.771803)
(xy 124.182797 83.653991)
(xy 124.182793 83.653986)
(xy 124.097985 83.556111)
(xy 124.097983 83.55611)
(xy 124.087853 83.5496)
(xy 123.989027 83.486088)
(xy 123.989026 83.486087)
(xy 123.989025 83.486087)
(xy 123.864758 83.4496)
(xy 123.735242 83.4496)
(xy 123.610974 83.486087)
(xy 123.610971 83.486089)
(xy 123.502016 83.55611)
(xy 123.502014 83.556111)
(xy 123.417206 83.653986)
(xy 123.417199 83.653995)
(xy 123.414609 83.659668)
(xy 123.368112 83.713321)
(xy 123.29999 83.733318)
(xy 123.231871 83.713311)
(xy 123.185384 83.659656)
(xy 123.182797 83.653991)

(xy 123.182793 83.653986)
(xy 123.097985 83.556111)
(xy 123.097983 83.55611)
(xy 123.087853 83.5496)
(xy 122.989027 83.486088)
(xy 122.989026 83.486087)
(xy 122.989025 83.486087)
(xy 122.864758 83.4496)
(xy 122.735242 83.4496)
(xy 122.610974 83.486087)
(xy 122.610971 83.486089)
(xy 122.502016 83.55611)
(xy 122.502014 83.556111)
(xy 122.417206 83.653986)
(xy 122.417203 83.65399)
(xy 122.3634 83.771802)
(xy 122.363398 83.771809)
(xy 122.344968 83.899996)
(xy 122.344968 83.900003)
(xy 119.255032 83.900003)
(xy 119.255032 83.9)
(xy 119.255032 83.899996)
(xy 119.236601 83.771809)
(xy 119.2366 83.771808)
(xy 119.2366 83.771803)
(xy 119.182797 83.653991)
(xy 119.182793 83.653986)
(xy 119.097985 83.556111)
(xy 119.097983 83.55611)
(xy 119.087853 83.5496)
(xy 118.989027 83.486088)
(xy 118.989026 83.486087)
(xy 118.989025 83.486087)
(xy 118.864758 83.4496)
(xy 118.735242 83.4496)

(xy 118.610974 83.486087)
(xy 118.610971 83.486089)
(xy 118.502016 83.55611)
(xy 118.502014 83.556111)
(xy 118.417206 83.653986)
(xy 118.417203 83.65399)
(xy 118.3634 83.771802)
(xy 118.363398 83.771809)
(xy 118.344968 83.899996)
(xy 118.344968 83.900003)
(xy 118.363398 84.02819)
(xy 118.3634 84.028197)
(xy 118.417203 84.146009)
(xy 118.417206 84.146013)
(xy 118.502014 84.243888)
(xy 118.502018 84.243891)
(xy 118.502192 84.244003)
(xy 118.502327 84.244158)
(xy 118.508829 84.249793)
(xy 118.508018 84.250727)
(xy 118.548684 84.297659)
(xy 118.558787 84.367934)
(xy 118.529293 84.432514)
(xy 118.502192 84.455997)
(xy 118.502018 84.456108)
(xy 118.502014 84.456111)
(xy 118.417206 84.553986)
(xy 118.417203 84.55399)
(xy 118.3634 84.671802)
(xy 118.363398 84.671809)
(xy 118.344968 84.799996)
(xy 118.344968 84.800003)
(xy 105.44303 84.800003)
(xy 103.121224 82.478197)
(xy 102.993027 82.35)

(xy 104.044508 82.35)
(xy 104.064354 82.475304)
(xy 104.076935 82.499996)
(xy 104.121949 82.588342)
(xy 104.211657 82.67805)
(xy 104.250299 82.697738)
(xy 104.324696 82.735646)
(xy 104.45 82.755492)
(xy 104.575304 82.735646)
(xy 104.688342 82.67805)
(xy 104.77805 82.588342)
(xy 104.823061 82.500003)
(xy 107.144823 82.500003)
(xy 107.163859 82.656791)
(xy 107.219871 82.804479)
(xy 107.30959 82.93446)
(xy 107.309592 82.934462)
(xy 107.309593 82.934463)
(xy 107.427817 83.0392)
(xy 107.567671 83.112601)
(xy 107.721027 83.1504)
(xy 107.721028 83.1504)
(xy 107.878972 83.1504)
(xy 107.878973 83.1504)
(xy 108.032329 83.112601)
(xy 108.172183 83.0392)
(xy 108.290407 82.934463)
(xy 108.331304 82.875212)
(xy 108.386462 82.830513)
(xy 108.45703 82.82273)
(xy 108.520605 82.854334)
(xy 108.538695 82.875212)
(xy 108.579593 82.934463)
(xy 108.697817 83.0392)
(xy 108.837671 83.112601)

(xy 108.991027 83.1504)
(xy 108.991028 83.1504)
(xy 109.148972 83.1504)
(xy 109.148973 83.1504)
(xy 109.302329 83.112601)
(xy 109.442183 83.0392)
(xy 109.560407 82.934463)
(xy 109.601304 82.875212)
(xy 109.656462 82.830513)
(xy 109.72703 82.82273)
(xy 109.790605 82.854334)
(xy 109.808695 82.875212)
(xy 109.849593 82.934463)
(xy 109.967817 83.0392)
(xy 110.107671 83.112601)
(xy 110.261027 83.1504)
(xy 110.261028 83.1504)
(xy 110.418972 83.1504)
(xy 110.418973 83.1504)
(xy 110.572329 83.112601)
(xy 110.712183 83.0392)
(xy 110.830407 82.934463)
(xy 110.871304 82.875212)
(xy 110.926462 82.830513)
(xy 110.99703 82.82273)
(xy 111.060605 82.854334)
(xy 111.078695 82.875212)
(xy 111.119593 82.934463)
(xy 111.237817 83.0392)
(xy 111.377671 83.112601)
(xy 111.531027 83.1504)
(xy 111.531028 83.1504)
(xy 111.688972 83.1504)
(xy 111.688973 83.1504)
(xy 111.842329 83.112601)

(xy 111.982183 83.0392)
(xy 112.100407 82.934463)
(xy 112.141304 82.875212)
(xy 112.196462 82.830513)
(xy 112.26703 82.82273)
(xy 112.330605 82.854334)
(xy 112.348695 82.875212)
(xy 112.389593 82.934463)
(xy 112.507817 83.0392)
(xy 112.647671 83.112601)
(xy 112.801027 83.1504)
(xy 112.801028 83.1504)
(xy 112.958972 83.1504)
(xy 112.958973 83.1504)
(xy 113.112329 83.112601)
(xy 113.252183 83.0392)
(xy 113.370407 82.934463)
(xy 113.411304 82.875212)
(xy 113.466462 82.830513)
(xy 113.53703 82.82273)
(xy 113.600605 82.854334)
(xy 113.618695 82.875212)
(xy 113.659593 82.934463)
(xy 113.777817 83.0392)
(xy 113.917671 83.112601)
(xy 114.071027 83.1504)
(xy 114.071028 83.1504)
(xy 114.228972 83.1504)
(xy 114.228973 83.1504)
(xy 114.382329 83.112601)
(xy 114.522183 83.0392)
(xy 114.640407 82.934463)
(xy 114.681304 82.875212)
(xy 114.736462 82.830513)
(xy 114.80703 82.82273)

(xy 114.870605 82.854334)
(xy 114.888695 82.875212)
(xy 114.929593 82.934463)
(xy 115.047817 83.0392)
(xy 115.187671 83.112601)
(xy 115.341027 83.1504)
(xy 115.341028 83.1504)
(xy 115.498972 83.1504)
(xy 115.498973 83.1504)
(xy 115.652329 83.112601)
(xy 115.792183 83.0392)
(xy 115.910407 82.934463)
(xy 115.951303 82.875213)
(xy 116.00646 82.830514)
(xy 116.077028 82.82273)
(xy 116.140603 82.854333)
(xy 116.158695 82.875212)
(xy 116.199593 82.934463)
(xy 116.317817 83.0392)
(xy 116.457671 83.112601)
(xy 116.611027 83.1504)
(xy 116.611028 83.1504)
(xy 116.768972 83.1504)
(xy 116.768973 83.1504)
(xy 116.922329 83.112601)
(xy 117.062183 83.0392)
(xy 117.180407 82.934463)
(xy 117.27013 82.804476)
(xy 117.326139 82.656794)
(xy 117.326139 82.656793)
(xy 117.32614 82.656791)
(xy 117.338931 82.551443)
(xy 117.345177 82.5)
(xy 117.337475 82.436574)
(xy 117.32614 82.343208)

(xy 117.290942 82.2504)
(xy 117.27013 82.195524)
(xy 117.270128 82.195522)
(xy 117.270128 82.19552)
(xy 117.180409 82.065539)
(xy 117.176796 82.062338)
(xy 117.062183 81.9608)
(xy 116.922329 81.887399)
(xy 116.922328 81.887398)
(xy 116.922327 81.887398)
(xy 116.768974 81.8496)
(xy 116.768973 81.8496)
(xy 116.611027 81.8496)
(xy 116.611025 81.8496)
(xy 116.457673 81.887398)
(xy 116.457672 81.887398)
(xy 116.31782 81.960798)
(xy 116.317818 81.960799)
(xy 116.317817 81.9608)
(xy 116.266671 82.006111)
(xy 116.19959 82.065539)
(xy 116.158696 82.124786)
(xy 116.103537 82.169486)
(xy 116.032969 82.177269)
(xy 115.969395 82.145664)
(xy 115.951304 82.124786)
(xy 115.910409 82.065539)
(xy 115.906796 82.062338)
(xy 115.792183 81.9608)
(xy 115.652329 81.887399)
(xy 115.652328 81.887398)
(xy 115.652327 81.887398)
(xy 115.498974 81.8496)
(xy 115.498973 81.8496)
(xy 115.341027 81.8496)

(xy 115.341025 81.8496)
(xy 115.187673 81.887398)
(xy 115.187672 81.887398)
(xy 115.04782 81.960798)
(xy 115.047818 81.960799)
(xy 115.047817 81.9608)
(xy 114.996671 82.006111)
(xy 114.92959 82.065539)
(xy 114.888696 82.124786)
(xy 114.833537 82.169486)
(xy 114.762969 82.177269)
(xy 114.699395 82.145664)
(xy 114.681304 82.124786)
(xy 114.640409 82.065539)
(xy 114.636796 82.062338)
(xy 114.522183 81.9608)
(xy 114.382329 81.887399)
(xy 114.382328 81.887398)
(xy 114.382327 81.887398)
(xy 114.228974 81.8496)
(xy 114.228973 81.8496)
(xy 114.071027 81.8496)
(xy 114.071025 81.8496)
(xy 113.917673 81.887398)
(xy 113.917672 81.887398)
(xy 113.77782 81.960798)
(xy 113.777818 81.960799)
(xy 113.777817 81.9608)
(xy 113.726671 82.006111)
(xy 113.65959 82.065539)
(xy 113.618696 82.124786)
(xy 113.563537 82.169486)
(xy 113.492969 82.177269)
(xy 113.429395 82.145664)
(xy 113.411304 82.124786)

(xy 113.370409 82.065539)
(xy 113.366796 82.062338)
(xy 113.252183 81.9608)
(xy 113.112329 81.887399)
(xy 113.112328 81.887398)
(xy 113.112327 81.887398)
(xy 112.958974 81.8496)
(xy 112.958973 81.8496)
(xy 112.801027 81.8496)
(xy 112.801025 81.8496)
(xy 112.647673 81.887398)
(xy 112.647672 81.887398)
(xy 112.50782 81.960798)
(xy 112.507818 81.960799)
(xy 112.507817 81.9608)
(xy 112.456671 82.006111)
(xy 112.38959 82.065539)
(xy 112.348696 82.124786)
(xy 112.293537 82.169486)
(xy 112.222969 82.177269)
(xy 112.159395 82.145664)
(xy 112.141304 82.124786)
(xy 112.100409 82.065539)
(xy 112.096796 82.062338)
(xy 111.982183 81.9608)
(xy 111.842329 81.887399)
(xy 111.842328 81.887398)
(xy 111.842327 81.887398)
(xy 111.688974 81.8496)
(xy 111.688973 81.8496)
(xy 111.531027 81.8496)
(xy 111.531025 81.8496)
(xy 111.377673 81.887398)
(xy 111.377672 81.887398)
(xy 111.23782 81.960798)

(xy 111.237818 81.960799)
(xy 111.237817 81.9608)
(xy 111.186671 82.006111)
(xy 111.11959 82.065539)
(xy 111.078696 82.124786)
(xy 111.023537 82.169486)
(xy 110.952969 82.177269)
(xy 110.889395 82.145664)
(xy 110.871304 82.124786)
(xy 110.830409 82.065539)
(xy 110.826796 82.062338)
(xy 110.712183 81.9608)
(xy 110.572329 81.887399)
(xy 110.572328 81.887398)
(xy 110.572327 81.887398)
(xy 110.418974 81.8496)
(xy 110.418973 81.8496)
(xy 110.261027 81.8496)
(xy 110.261025 81.8496)
(xy 110.107673 81.887398)
(xy 110.107672 81.887398)
(xy 109.96782 81.960798)
(xy 109.967818 81.960799)
(xy 109.967817 81.9608)
(xy 109.853204 82.062338)
(xy 109.84959 82.06554)
(xy 109.849589 82.065541)
(xy 109.808694 82.124787)
(xy 109.753535 82.169487)
(xy 109.682966 82.177269)
(xy 109.619393 82.145663)
(xy 109.601303 82.124786)
(xy 109.573054 82.083859)
(xy 109.560408 82.065538)
(xy 109.556796 82.062338)

(xy 109.442183 81.9608)
(xy 109.302329 81.887399)
(xy 109.302328 81.887398)
(xy 109.302327 81.887398)
(xy 109.148974 81.8496)
(xy 109.148973 81.8496)
(xy 108.991027 81.8496)
(xy 108.991025 81.8496)
(xy 108.837673 81.887398)
(xy 108.837672 81.887398)
(xy 108.69782 81.960798)
(xy 108.697818 81.960799)
(xy 108.697817 81.9608)
(xy 108.646671 82.006111)
(xy 108.57959 82.065539)
(xy 108.538696 82.124786)
(xy 108.483537 82.169486)
(xy 108.412969 82.177269)
(xy 108.349395 82.145664)
(xy 108.331304 82.124786)
(xy 108.290409 82.065539)
(xy 108.286796 82.062338)
(xy 108.172183 81.9608)
(xy 108.032329 81.887399)
(xy 108.032328 81.887398)
(xy 108.032327 81.887398)
(xy 107.878974 81.8496)
(xy 107.878973 81.8496)
(xy 107.721027 81.8496)
(xy 107.721025 81.8496)
(xy 107.567673 81.887398)
(xy 107.567672 81.887398)
(xy 107.42782 81.960798)
(xy 107.427818 81.960799)
(xy 107.427817 81.9608)

(xy 107.376671 82.006111)
(xy 107.30959 82.065539)
(xy 107.219871 82.19552)
(xy 107.163859 82.343208)
(xy 107.144823 82.499996)
(xy 107.144823 82.500003)
(xy 104.823061 82.500003)
(xy 104.835646 82.475304)
(xy 104.855492 82.35)
(xy 104.835646 82.224696)
(xy 104.795377 82.145664)
(xy 104.77805 82.111657)
(xy 104.688342 82.021949)
(xy 104.612502 81.983307)
(xy 104.575304 81.964354)
(xy 104.45 81.944508)
(xy 104.449999 81.944508)
(xy 104.426418 81.948242)
(xy 104.324696 81.964354)
(xy 104.324694 81.964354)
(xy 104.324694 81.964355)
(xy 104.211657 82.021949)
(xy 104.121949 82.111657)
(xy 104.088519 82.177269)
(xy 104.064354 82.224696)
(xy 104.060283 82.2504)
(xy 104.044509 82.349996)
(xy 104.044508 82.35)
(xy 102.993027 82.35)
(xy 102.44303 81.800003)
(xy 123.644968 81.800003)
(xy 123.663398 81.92819)
(xy 123.6634 81.928197)
(xy 123.717203 82.046009)
(xy 123.717206 82.046013)

(xy 123.802014 82.143888)
(xy 123.802016 82.143889)
(xy 123.802017 82.14389)
(xy 123.910973 82.213912)
(xy 124.035242 82.2504)
(xy 124.164758 82.2504)
(xy 124.289027 82.213912)
(xy 124.397983 82.14389)
(xy 124.482797 82.046009)
(xy 124.5366 81.928197)
(xy 124.555032 81.8)
(xy 124.555032 81.799996)
(xy 124.536601 81.671809)
(xy 124.5366 81.671808)
(xy 124.5366 81.671803)
(xy 124.482797 81.553991)
(xy 124.482793 81.553986)
(xy 124.397985 81.456111)
(xy 124.397983 81.45611)
(xy 124.332322 81.413912)
(xy 124.289027 81.386088)
(xy 124.289026 81.386087)
(xy 124.289025 81.386087)
(xy 124.164758 81.3496)
(xy 124.035242 81.3496)
(xy 123.910974 81.386087)
(xy 123.910971 81.386089)
(xy 123.802016 81.45611)
(xy 123.802014 81.456111)
(xy 123.717206 81.553986)
(xy 123.717203 81.55399)
(xy 123.6634 81.671802)
(xy 123.663398 81.671809)
(xy 123.644968 81.799996)
(xy 123.644968 81.800003)

(xy 102.44303 81.800003)
(xy 100.552966 79.909938)
(xy 100.50979 79.863708)
(xy 100.473856 79.841856)
(xy 100.468531 79.838232)
(xy 100.465656 79.836052)
(xy 100.461118 79.83261)
(xy 100.435025 79.812822)
(xy 100.435023 79.812821)
(xy 100.419695 79.806776)
(xy 100.40046 79.797222)
(xy 100.386389 79.788666)
(xy 100.386388 79.788665)
(xy 100.373898 79.785165)
(xy 100.345894 79.777319)
(xy 100.339788 79.775265)
(xy 100.300668 79.759838)
(xy 100.300662 79.759837)
(xy 100.284275 79.758152)
(xy 100.263179 79.754143)
(xy 100.247314 79.749699)
(xy 100.205267 79.749699)
(xy 100.198819 79.749368)
(xy 100.156993 79.745067)
(xy 100.140758 79.747867)
(xy 100.11935 79.749699)
(xy 95.144917 79.749699)
(xy 95.076796 79.729697)
(xy 95.055821 79.712794)
(xy 94.84303 79.500003)
(xy 100.744968 79.500003)
(xy 100.763398 79.62819)
(xy 100.7634 79.628197)
(xy 100.817203 79.746009)
(xy 100.817206 79.746013)

(xy 100.902014 79.843888)
(xy 100.902016 79.843889)
(xy 100.902017 79.843889)
(xy 101.010973 79.913912)
(xy 101.135242 79.9504)
(xy 101.264758 79.9504)
(xy 101.389027 79.913912)
(xy 101.497983 79.843889)
(xy 101.504774 79.836052)
(xy 101.5645 79.797667)
(xy 101.635497 79.797666)
(xy 101.695223 79.836049)
(xy 101.695225 79.836052)
(xy 101.702015 79.843889)
(xy 101.702017 79.843889)
(xy 101.810973 79.913912)
(xy 101.935242 79.9504)
(xy 102.064758 79.9504)
(xy 102.189027 79.913912)
(xy 102.297983 79.843889)
(xy 102.304774 79.836052)
(xy 102.3645 79.797667)
(xy 102.435497 79.797666)
(xy 102.495223 79.836049)
(xy 102.495225 79.836052)
(xy 102.502015 79.843889)
(xy 102.502017 79.843889)
(xy 102.610973 79.913912)
(xy 102.735242 79.9504)
(xy 102.864758 79.9504)
(xy 102.989027 79.913912)
(xy 103.097983 79.843889)
(xy 103.104774 79.836052)
(xy 103.1645 79.797667)
(xy 103.235497 79.797666)

(xy 103.295223 79.836049)
(xy 103.295225 79.836052)
(xy 103.302015 79.843889)
(xy 103.302017 79.84389)
(xy 103.410973 79.913912)
(xy 103.535242 79.9504)
(xy 103.664758 79.9504)
(xy 103.789027 79.913912)
(xy 103.897983 79.84389)
(xy 103.904774 79.836052)
(xy 103.9645 79.797667)
(xy 104.035497 79.797666)
(xy 104.095223 79.836049)
(xy 104.095225 79.836052)
(xy 104.102015 79.843889)
(xy 104.102017 79.84389)
(xy 104.210973 79.913912)
(xy 104.335242 79.9504)
(xy 104.464758 79.9504)
(xy 104.589027 79.913912)
(xy 104.697983 79.84389)
(xy 104.704774 79.836052)
(xy 104.7645 79.797667)
(xy 104.835497 79.797666)
(xy 104.895223 79.836049)
(xy 104.895225 79.836052)
(xy 104.902015 79.843889)
(xy 104.902017 79.84389)
(xy 105.010973 79.913912)
(xy 105.135242 79.9504)
(xy 105.264758 79.9504)
(xy 105.389027 79.913912)
(xy 105.497983 79.84389)
(xy 105.506666 79.833868)
(xy 105.566387 79.795484)

(xy 105.637384 79.79548)
(xy 105.675247 79.816154)
(xy 105.675759 79.815359)
(xy 105.683339 79.82023)
(xy 105.68334 79.820231)
(xy 105.792296 79.890253)
(xy 105.916565 79.926741)
(xy 106.046081 79.926741)
(xy 106.17035 79.890253)
(xy 106.279306 79.820231)
(xy 106.285186 79.813444)
(xy 106.344909 79.775061)
(xy 106.415906 79.775059)
(xy 106.475632 79.81344)
(xy 106.502017 79.84389)
(xy 106.610973 79.913912)
(xy 106.735242 79.9504)
(xy 106.864758 79.9504)
(xy 106.989027 79.913912)
(xy 107.097983 79.84389)
(xy 107.106665 79.833871)
(xy 107.13993 79.79548)
(xy 107.182797 79.746009)
(xy 107.2366 79.628197)
(xy 107.255032 79.5)
(xy 107.255032 79.499996)
(xy 107.236601 79.371809)
(xy 107.2366 79.371808)
(xy 107.2366 79.371803)
(xy 107.182797 79.253991)
(xy 107.182793 79.253986)
(xy 107.097985 79.156111)
(xy 107.097983 79.15611)
(xy 107.097981 79.156109)
(xy 106.989027 79.086088)

(xy 106.989026 79.086087)
(xy 106.989025 79.086087)
(xy 106.864758 79.0496)
(xy 106.735242 79.0496)
(xy 106.610974 79.086087)
(xy 106.610971 79.086089)
(xy 106.502017 79.156109)
(xy 106.496132 79.162901)
(xy 106.436404 79.201282)
(xy 106.365407 79.201278)
(xy 106.305687 79.162896)
(xy 106.279306 79.132451)
(xy 106.279305 79.13245)
(xy 106.224828 79.09744)
(xy 106.17035 79.062429)
(xy 106.170349 79.062428)
(xy 106.170348 79.062428)
(xy 106.046081 79.025941)
(xy 105.916565 79.025941)
(xy 105.792297 79.062428)
(xy 105.792294 79.06243)
(xy 105.68334 79.13245)
(xy 105.674654 79.142475)
(xy 105.614927 79.180858)
(xy 105.543931 79.180858)
(xy 105.506074 79.160187)
(xy 105.505564 79.160982)
(xy 105.496841 79.155376)
(xy 105.389027 79.086088)
(xy 105.389026 79.086087)
(xy 105.389025 79.086087)
(xy 105.264758 79.0496)
(xy 105.135242 79.0496)
(xy 105.010974 79.086087)
(xy 105.010971 79.086089)

(xy 104.902018 79.156109)
(xy 104.902017 79.156109)
(xy 104.902017 79.15611)
(xy 104.897796 79.160982)
(xy 104.895223 79.163951)
(xy 104.835496 79.202333)
(xy 104.764499 79.202331)
(xy 104.704777 79.163951)
(xy 104.703863 79.162896)
(xy 104.697983 79.15611)
(xy 104.589027 79.086088)
(xy 104.589026 79.086087)
(xy 104.589025 79.086087)
(xy 104.464758 79.0496)
(xy 104.335242 79.0496)
(xy 104.210974 79.086087)
(xy 104.210971 79.086089)
(xy 104.102018 79.156109)
(xy 104.102017 79.156109)
(xy 104.102017 79.15611)
(xy 104.097796 79.160982)
(xy 104.095223 79.163951)
(xy 104.035496 79.202333)
(xy 103.964499 79.202331)
(xy 103.904777 79.163951)
(xy 103.903863 79.162896)
(xy 103.897983 79.15611)
(xy 103.789027 79.086088)
(xy 103.789026 79.086087)
(xy 103.789025 79.086087)
(xy 103.664758 79.0496)
(xy 103.535242 79.0496)
(xy 103.410974 79.086087)
(xy 103.410971 79.086089)
(xy 103.302018 79.156109)

(xy 103.302017 79.156109)
(xy 103.302017 79.15611)
(xy 103.297796 79.160982)
(xy 103.295223 79.163951)
(xy 103.235496 79.202333)
(xy 103.164499 79.202331)
(xy 103.104777 79.163951)
(xy 103.103863 79.162896)
(xy 103.097983 79.15611)
(xy 102.989027 79.086088)
(xy 102.989026 79.086087)
(xy 102.989025 79.086087)
(xy 102.864758 79.0496)
(xy 102.735242 79.0496)
(xy 102.610974 79.086087)
(xy 102.610971 79.086089)
(xy 102.502018 79.156109)
(xy 102.502017 79.156109)
(xy 102.502017 79.15611)
(xy 102.497796 79.160982)
(xy 102.495223 79.163951)
(xy 102.435496 79.202333)
(xy 102.364499 79.202331)
(xy 102.304777 79.163951)
(xy 102.303863 79.162896)
(xy 102.297983 79.15611)
(xy 102.189027 79.086088)
(xy 102.189026 79.086087)
(xy 102.189025 79.086087)
(xy 102.064758 79.0496)
(xy 101.935242 79.0496)
(xy 101.810974 79.086087)
(xy 101.810971 79.086089)
(xy 101.702018 79.156109)
(xy 101.702017 79.156109)

(xy 101.702017 79.15611)
(xy 101.697796 79.160982)
(xy 101.695223 79.163951)
(xy 101.635496 79.202333)
(xy 101.564499 79.202331)
(xy 101.504777 79.163951)
(xy 101.503863 79.162896)
(xy 101.497983 79.15611)
(xy 101.389027 79.086088)
(xy 101.389026 79.086087)
(xy 101.389025 79.086087)
(xy 101.264758 79.0496)
(xy 101.135242 79.0496)
(xy 101.010974 79.086087)
(xy 101.010971 79.086089)
(xy 100.902016 79.15611)
(xy 100.902014 79.156111)
(xy 100.817206 79.253986)
(xy 100.817203 79.25399)
(xy 100.7634 79.371802)
(xy 100.763398 79.371809)
(xy 100.744968 79.499996)
(xy 100.744968 79.500003)
(xy 94.84303 79.500003)
(xy 94.262304 78.919276)
(xy 94.228279 78.856964)
(xy 94.2254 78.830181)
(xy 94.2254 78.694418)
(xy 94.2254 78.55459)
(xy 94.245401 78.486474)
(xy 94.299056 78.439981)
(xy 94.36933 78.429876)
(xy 94.431332 78.457194)
(xy 94.481114 78.498049)
(xy 94.551518 78.555827)

(xy 94.725311 78.648722)
(xy 94.913887 78.705926)
(xy 94.913893 78.705926)
(xy 94.913895 78.705927)
(xy 95.109997 78.725241)
(xy 95.11 78.725241)
(xy 95.110003 78.725241)
(xy 95.306104 78.705927)
(xy 95.306104 78.705926)
(xy 95.306113 78.705926)
(xy 95.494689 78.648722)
(xy 95.668482 78.555827)
(xy 95.820813 78.430813)
(xy 95.945827 78.278482)
(xy 96.038722 78.104689)
(xy 96.095926 77.916113)
(xy 96.115241 77.720003)
(xy 96.644759 77.720003)
(xy 96.664072 77.916104)
(xy 96.664073 77.916109)
(xy 96.664074 77.916113)
(xy 96.676565 77.957289)
(xy 96.721278 78.10469)
(xy 96.814171 78.278479)
(xy 96.814173 78.278482)
(xy 96.939187 78.430813)
(xy 97.091518 78.555827)
(xy 97.265311 78.648722)
(xy 97.453887 78.705926)
(xy 97.453893 78.705926)
(xy 97.453895 78.705927)
(xy 97.649997 78.725241)
(xy 97.65 78.725241)
(xy 97.650003 78.725241)
(xy 97.846104 78.705927)

(xy 97.846104 78.705926)
(xy 97.846113 78.705926)
(xy 98.034689 78.648722)
(xy 98.208482 78.555827)
(xy 98.360813 78.430813)
(xy 98.485827 78.278482)
(xy 98.578722 78.104689)
(xy 98.635926 77.916113)
(xy 98.655241 77.720003)
(xy 99.184759 77.720003)
(xy 99.204072 77.916104)
(xy 99.204073 77.916109)
(xy 99.204074 77.916113)
(xy 99.216565 77.957289)
(xy 99.261278 78.10469)
(xy 99.354171 78.278479)
(xy 99.354173 78.278482)
(xy 99.479187 78.430813)
(xy 99.631518 78.555827)
(xy 99.805311 78.648722)
(xy 99.993887 78.705926)
(xy 99.993893 78.705926)
(xy 99.993895 78.705927)
(xy 100.189997 78.725241)
(xy 100.19 78.725241)
(xy 100.190003 78.725241)
(xy 100.386104 78.705927)
(xy 100.386104 78.705926)
(xy 100.386113 78.705926)
(xy 100.574689 78.648722)
(xy 100.748482 78.555827)
(xy 100.900813 78.430813)
(xy 101.025827 78.278482)
(xy 101.118722 78.104689)
(xy 101.175926 77.916113)

(xy 101.195241 77.720003)
(xy 101.724759 77.720003)
(xy 101.744072 77.916104)
(xy 101.744073 77.916109)
(xy 101.744074 77.916113)
(xy 101.756565 77.957289)
(xy 101.801278 78.10469)
(xy 101.894171 78.278479)
(xy 101.894173 78.278482)
(xy 102.019187 78.430813)
(xy 102.171518 78.555827)
(xy 102.345311 78.648722)
(xy 102.533887 78.705926)
(xy 102.533893 78.705926)
(xy 102.533895 78.705927)
(xy 102.729997 78.725241)
(xy 102.73 78.725241)
(xy 102.730003 78.725241)
(xy 102.926104 78.705927)
(xy 102.926104 78.705926)
(xy 102.926113 78.705926)
(xy 103.114689 78.648722)
(xy 103.288482 78.555827)
(xy 103.440813 78.430813)
(xy 103.565827 78.278482)
(xy 103.658722 78.104689)
(xy 103.715926 77.916113)
(xy 103.735241 77.720003)
(xy 104.264759 77.720003)
(xy 104.284072 77.916104)
(xy 104.284073 77.916109)
(xy 104.284074 77.916113)
(xy 104.296565 77.957289)
(xy 104.341278 78.10469)
(xy 104.434171 78.278479)

(xy 104.434173 78.278482)
(xy 104.559187 78.430813)
(xy 104.711518 78.555827)
(xy 104.885311 78.648722)
(xy 105.073887 78.705926)
(xy 105.073893 78.705926)
(xy 105.073895 78.705927)
(xy 105.269997 78.725241)
(xy 105.27 78.725241)
(xy 105.270003 78.725241)
(xy 105.466104 78.705927)
(xy 105.466104 78.705926)
(xy 105.466113 78.705926)
(xy 105.654689 78.648722)
(xy 105.828482 78.555827)
(xy 105.980813 78.430813)
(xy 106.105827 78.278482)
(xy 106.198722 78.104689)
(xy 106.255926 77.916113)
(xy 106.275241 77.720003)
(xy 106.804759 77.720003)
(xy 106.824072 77.916104)
(xy 106.824073 77.916109)
(xy 106.824074 77.916113)
(xy 106.836565 77.957289)
(xy 106.881278 78.10469)
(xy 106.974171 78.278479)
(xy 106.974173 78.278482)
(xy 107.099187 78.430813)
(xy 107.251518 78.555827)
(xy 107.425311 78.648722)
(xy 107.613887 78.705926)
(xy 107.613893 78.705926)
(xy 107.613895 78.705927)
(xy 107.809997 78.725241)

(xy 107.81 78.725241)
(xy 107.810003 78.725241)
(xy 108.006104 78.705927)
(xy 108.006104 78.705926)
(xy 108.006113 78.705926)
(xy 108.194689 78.648722)
(xy 108.368482 78.555827)
(xy 108.520813 78.430813)
(xy 108.645827 78.278482)
(xy 108.738722 78.104689)
(xy 108.795926 77.916113)
(xy 108.815241 77.720003)
(xy 109.344759 77.720003)
(xy 109.364072 77.916104)
(xy 109.364073 77.916109)
(xy 109.364074 77.916113)
(xy 109.376565 77.957289)
(xy 109.421278 78.10469)
(xy 109.514171 78.278479)
(xy 109.514173 78.278482)
(xy 109.639187 78.430813)
(xy 109.791518 78.555827)
(xy 109.965311 78.648722)
(xy 110.153887 78.705926)
(xy 110.153893 78.705926)
(xy 110.153895 78.705927)
(xy 110.349997 78.725241)
(xy 110.35 78.725241)
(xy 110.350003 78.725241)
(xy 110.546104 78.705927)
(xy 110.546104 78.705926)
(xy 110.546113 78.705926)
(xy 110.734689 78.648722)
(xy 110.908482 78.555827)
(xy 111.060813 78.430813)

(xy 111.185827 78.278482)
(xy 111.278722 78.104689)
(xy 111.335926 77.916113)
(xy 111.355241 77.720003)
(xy 111.884759 77.720003)
(xy 111.904072 77.916104)
(xy 111.904073 77.916109)
(xy 111.904074 77.916113)
(xy 111.916565 77.957289)
(xy 111.961278 78.10469)
(xy 112.054171 78.278479)
(xy 112.054173 78.278482)
(xy 112.179187 78.430813)
(xy 112.331518 78.555827)
(xy 112.505311 78.648722)
(xy 112.693887 78.705926)
(xy 112.693893 78.705926)
(xy 112.693895 78.705927)
(xy 112.889997 78.725241)
(xy 112.89 78.725241)
(xy 112.890003 78.725241)
(xy 113.086104 78.705927)
(xy 113.086104 78.705926)
(xy 113.086113 78.705926)
(xy 113.274689 78.648722)
(xy 113.448482 78.555827)
(xy 113.600813 78.430813)
(xy 113.725827 78.278482)
(xy 113.818722 78.104689)
(xy 113.875926 77.916113)
(xy 113.895241 77.720003)
(xy 114.424759 77.720003)
(xy 114.444072 77.916104)
(xy 114.444073 77.916109)
(xy 114.444074 77.916113)

(xy 114.456565 77.957289)
(xy 114.501278 78.10469)
(xy 114.594171 78.278479)
(xy 114.594173 78.278482)
(xy 114.719187 78.430813)
(xy 114.871518 78.555827)
(xy 115.045311 78.648722)
(xy 115.233887 78.705926)
(xy 115.233893 78.705926)
(xy 115.233895 78.705927)
(xy 115.429997 78.725241)
(xy 115.43 78.725241)
(xy 115.430003 78.725241)
(xy 115.626104 78.705927)
(xy 115.626104 78.705926)
(xy 115.626113 78.705926)
(xy 115.814689 78.648722)
(xy 115.988482 78.555827)
(xy 116.140813 78.430813)
(xy 116.265827 78.278482)
(xy 116.358722 78.104689)
(xy 116.415926 77.916113)
(xy 116.435241 77.72)
(xy 116.434896 77.716499)
(xy 116.415927 77.523895)
(xy 116.415926 77.523893)
(xy 116.415926 77.523887)
(xy 116.358722 77.335311)
(xy 116.265827 77.161518)
(xy 116.140813 77.009187)
(xy 115.988482 76.884173)
(xy 115.98848 76.884172)
(xy 115.988479 76.884171)
(xy 115.81469 76.791278)
(xy 115.74648 76.770587)

(xy 115.626113 76.734074)
(xy 115.626109 76.734073)
(xy 115.626104 76.734072)
(xy 115.430003 76.714759)
(xy 115.429997 76.714759)
(xy 115.233895 76.734072)
(xy 115.233889 76.734073)
(xy 115.233887 76.734074)
(xy 115.156017 76.757695)
(xy 115.045309 76.791278)
(xy 114.87152 76.884171)
(xy 114.719187 77.009187)
(xy 114.594171 77.16152)
(xy 114.501278 77.335309)
(xy 114.444072 77.523895)
(xy 114.424759 77.719996)
(xy 114.424759 77.720003)
(xy 113.895241 77.720003)
(xy 113.895241 77.72)
(xy 113.894896 77.716499)
(xy 113.875927 77.523895)
(xy 113.875926 77.523893)
(xy 113.875926 77.523887)
(xy 113.818722 77.335311)
(xy 113.725827 77.161518)
(xy 113.600813 77.009187)
(xy 113.448482 76.884173)
(xy 113.44848 76.884172)
(xy 113.448479 76.884171)
(xy 113.27469 76.791278)
(xy 113.20648 76.770587)
(xy 113.086113 76.734074)
(xy 113.086109 76.734073)
(xy 113.086104 76.734072)
(xy 112.890003 76.714759)

(xy 112.889997 76.714759)
(xy 112.693895 76.734072)
(xy 112.693889 76.734073)
(xy 112.693887 76.734074)
(xy 112.616017 76.757695)
(xy 112.505309 76.791278)
(xy 112.33152 76.884171)
(xy 112.179187 77.009187)
(xy 112.054171 77.16152)
(xy 111.961278 77.335309)
(xy 111.904072 77.523895)
(xy 111.884759 77.719996)
(xy 111.884759 77.720003)
(xy 111.355241 77.720003)
(xy 111.355241 77.72)
(xy 111.354896 77.716499)
(xy 111.335927 77.523895)
(xy 111.335926 77.523893)
(xy 111.335926 77.523887)
(xy 111.278722 77.335311)
(xy 111.185827 77.161518)
(xy 111.060813 77.009187)
(xy 110.908482 76.884173)
(xy 110.90848 76.884172)
(xy 110.908479 76.884171)
(xy 110.73469 76.791278)
(xy 110.66648 76.770587)
(xy 110.546113 76.734074)
(xy 110.546109 76.734073)
(xy 110.546104 76.734072)
(xy 110.350003 76.714759)
(xy 110.349997 76.714759)
(xy 110.153895 76.734072)
(xy 110.153889 76.734073)
(xy 110.153887 76.734074)

(xy 110.076017 76.757695)
(xy 109.965309 76.791278)
(xy 109.79152 76.884171)
(xy 109.639187 77.009187)
(xy 109.514171 77.16152)
(xy 109.421278 77.335309)
(xy 109.364072 77.523895)
(xy 109.344759 77.719996)
(xy 109.344759 77.720003)
(xy 108.815241 77.720003)
(xy 108.815241 77.72)
(xy 108.814896 77.716499)
(xy 108.795927 77.523895)
(xy 108.795926 77.523893)
(xy 108.795926 77.523887)
(xy 108.738722 77.335311)
(xy 108.645827 77.161518)
(xy 108.520813 77.009187)
(xy 108.368482 76.884173)
(xy 108.36848 76.884172)
(xy 108.368479 76.884171)
(xy 108.19469 76.791278)
(xy 108.12648 76.770587)
(xy 108.006113 76.734074)
(xy 108.006109 76.734073)
(xy 108.006104 76.734072)
(xy 107.810003 76.714759)
(xy 107.809997 76.714759)
(xy 107.613895 76.734072)
(xy 107.613889 76.734073)
(xy 107.613887 76.734074)
(xy 107.536017 76.757695)
(xy 107.425309 76.791278)
(xy 107.25152 76.884171)
(xy 107.099187 77.009187)

(xy 106.974171 77.16152)
(xy 106.881278 77.335309)
(xy 106.824072 77.523895)
(xy 106.804759 77.719996)
(xy 106.804759 77.720003)
(xy 106.275241 77.720003)
(xy 106.275241 77.72)
(xy 106.274896 77.716499)
(xy 106.255927 77.523895)
(xy 106.255926 77.523893)
(xy 106.255926 77.523887)
(xy 106.198722 77.335311)
(xy 106.105827 77.161518)
(xy 105.980813 77.009187)
(xy 105.828482 76.884173)
(xy 105.82848 76.884172)
(xy 105.828479 76.884171)
(xy 105.65469 76.791278)
(xy 105.58648 76.770587)
(xy 105.466113 76.734074)
(xy 105.466109 76.734073)
(xy 105.466104 76.734072)
(xy 105.270003 76.714759)
(xy 105.269997 76.714759)
(xy 105.073895 76.734072)
(xy 105.073889 76.734073)
(xy 105.073887 76.734074)
(xy 104.996017 76.757695)
(xy 104.885309 76.791278)
(xy 104.71152 76.884171)
(xy 104.559187 77.009187)
(xy 104.434171 77.16152)
(xy 104.341278 77.335309)
(xy 104.284072 77.523895)
(xy 104.264759 77.719996)

(xy 104.264759 77.720003)
(xy 103.735241 77.720003)
(xy 103.735241 77.72)
(xy 103.734896 77.716499)
(xy 103.715927 77.523895)
(xy 103.715926 77.523893)
(xy 103.715926 77.523887)
(xy 103.658722 77.335311)
(xy 103.565827 77.161518)
(xy 103.440813 77.009187)
(xy 103.288482 76.884173)
(xy 103.28848 76.884172)
(xy 103.288479 76.884171)
(xy 103.11469 76.791278)
(xy 103.04648 76.770587)
(xy 102.926113 76.734074)
(xy 102.926109 76.734073)
(xy 102.926104 76.734072)
(xy 102.730003 76.714759)
(xy 102.729997 76.714759)
(xy 102.533895 76.734072)
(xy 102.533889 76.734073)
(xy 102.533887 76.734074)
(xy 102.456017 76.757695)
(xy 102.345309 76.791278)
(xy 102.17152 76.884171)
(xy 102.019187 77.009187)
(xy 101.894171 77.16152)
(xy 101.801278 77.335309)
(xy 101.744072 77.523895)
(xy 101.724759 77.719996)
(xy 101.724759 77.720003)
(xy 101.195241 77.720003)
(xy 101.195241 77.72)
(xy 101.194896 77.716499)

(xy 101.175927 77.523895)
(xy 101.175926 77.523893)
(xy 101.175926 77.523887)
(xy 101.118722 77.335311)
(xy 101.025827 77.161518)
(xy 100.900813 77.009187)
(xy 100.748482 76.884173)
(xy 100.74848 76.884172)
(xy 100.748479 76.884171)
(xy 100.57469 76.791278)
(xy 100.50648 76.770587)
(xy 100.386113 76.734074)
(xy 100.386109 76.734073)
(xy 100.386104 76.734072)
(xy 100.190003 76.714759)
(xy 100.189997 76.714759)
(xy 99.993895 76.734072)
(xy 99.993889 76.734073)
(xy 99.993887 76.734074)
(xy 99.916017 76.757695)
(xy 99.805309 76.791278)
(xy 99.63152 76.884171)
(xy 99.479187 77.009187)
(xy 99.354171 77.16152)
(xy 99.261278 77.335309)
(xy 99.204072 77.523895)
(xy 99.184759 77.719996)
(xy 99.184759 77.720003)
(xy 98.655241 77.720003)
(xy 98.655241 77.72)
(xy 98.654896 77.716499)
(xy 98.635927 77.523895)
(xy 98.635926 77.523893)
(xy 98.635926 77.523887)
(xy 98.578722 77.335311)

(xy 98.485827 77.161518)
(xy 98.360813 77.009187)
(xy 98.208482 76.884173)
(xy 98.20848 76.884172)
(xy 98.208479 76.884171)
(xy 98.03469 76.791278)
(xy 97.96648 76.770587)
(xy 97.846113 76.734074)
(xy 97.846109 76.734073)
(xy 97.846104 76.734072)
(xy 97.650003 76.714759)
(xy 97.649997 76.714759)
(xy 97.453895 76.734072)
(xy 97.453889 76.734073)
(xy 97.453887 76.734074)
(xy 97.376017 76.757695)
(xy 97.265309 76.791278)
(xy 97.09152 76.884171)
(xy 96.939187 77.009187)
(xy 96.814171 77.16152)
(xy 96.721278 77.335309)
(xy 96.664072 77.523895)
(xy 96.644759 77.719996)
(xy 96.644759 77.720003)
(xy 96.115241 77.720003)
(xy 96.115241 77.72)
(xy 96.114896 77.716499)
(xy 96.095927 77.523895)
(xy 96.095926 77.523893)
(xy 96.095926 77.523887)
(xy 96.038722 77.335311)
(xy 95.945827 77.161518)
(xy 95.820813 77.009187)
(xy 95.668482 76.884173)
(xy 95.66848 76.884172)

(xy 95.668479 76.884171)
(xy 95.49469 76.791278)
(xy 95.42648 76.770587)
(xy 95.306113 76.734074)
(xy 95.306109 76.734073)
(xy 95.306104 76.734072)
(xy 95.110003 76.714759)
(xy 95.109997 76.714759)
(xy 94.913895 76.734072)
(xy 94.913889 76.734073)
(xy 94.913887 76.734074)
(xy 94.836017 76.757695)
(xy 94.725309 76.791278)
(xy 94.55152 76.884171)
(xy 94.431333 76.982805)
(xy 94.365985 77.010558)
(xy 94.296007 76.998576)
(xy 94.243616 76.950662)
(xy 94.2254 76.885405)
(xy 94.2254 76.562002)
(xy 94.228082 76.536142)
(xy 94.230266 76.525727)
(xy 94.227723 76.505328)
(xy 94.225883 76.490567)
(xy 94.2254 76.482778)
(xy 94.2254 76.478889)
(xy 94.221557 76.455862)
(xy 94.219943 76.442913)
(xy 94.214769 76.401403)
(xy 94.214767 76.401399)
(xy 94.212519 76.393846)
(xy 94.20997 76.386422)
(xy 94.183843 76.338144)
(xy 94.159742 76.288844)
(xy 94.155159 76.282426)

(xy 94.150343 76.276239)
(xy 94.131954 76.259311)
(xy 94.109954 76.239058)
(xy 93.537426 75.66653)
(xy 93.503403 75.60422)
(xy 93.505948 75.540865)
(xy 93.555926 75.376113)
(xy 93.575241 75.180003)
(xy 94.104759 75.180003)
(xy 94.124072 75.376104)
(xy 94.124073 75.376107)
(xy 94.124074 75.376113)
(xy 94.164486 75.509335)
(xy 94.181278 75.56469)
(xy 94.20327 75.605833)
(xy 94.274173 75.738482)
(xy 94.399187 75.890813)
(xy 94.551518 76.015827)
(xy 94.55152 76.015828)
(xy 94.692926 76.091412)
(xy 94.725311 76.108722)
(xy 94.913887 76.165926)
(xy 94.913893 76.165926)
(xy 94.913895 76.165927)
(xy 95.109997 76.185241)
(xy 95.11 76.185241)
(xy 95.110003 76.185241)
(xy 95.306104 76.165927)
(xy 95.306104 76.165926)
(xy 95.306113 76.165926)
(xy 95.494689 76.108722)
(xy 95.668482 76.015827)
(xy 95.820813 75.890813)
(xy 95.945827 75.738482)
(xy 96.038722 75.564689)

(xy 96.095926 75.376113)
(xy 96.115241 75.180003)
(xy 96.644759 75.180003)
(xy 96.664072 75.376104)
(xy 96.664073 75.376107)
(xy 96.664074 75.376113)
(xy 96.704486 75.509335)
(xy 96.721278 75.56469)
(xy 96.74327 75.605833)
(xy 96.814173 75.738482)
(xy 96.939187 75.890813)
(xy 97.091518 76.015827)
(xy 97.09152 76.015828)
(xy 97.232926 76.091412)
(xy 97.265311 76.108722)
(xy 97.453887 76.165926)
(xy 97.453893 76.165926)
(xy 97.453895 76.165927)
(xy 97.649997 76.185241)
(xy 97.65 76.185241)
(xy 97.650003 76.185241)
(xy 97.846104 76.165927)
(xy 97.846104 76.165926)
(xy 97.846113 76.165926)
(xy 98.034689 76.108722)
(xy 98.208482 76.015827)
(xy 98.360813 75.890813)
(xy 98.485827 75.738482)
(xy 98.578722 75.564689)
(xy 98.635926 75.376113)
(xy 98.655241 75.180003)
(xy 99.184759 75.180003)
(xy 99.204072 75.376104)
(xy 99.204073 75.376107)
(xy 99.204074 75.376113)

(xy 99.244486 75.509335)
(xy 99.261278 75.56469)
(xy 99.28327 75.605833)
(xy 99.354173 75.738482)
(xy 99.479187 75.890813)
(xy 99.631518 76.015827)
(xy 99.63152 76.015828)
(xy 99.772926 76.091412)
(xy 99.805311 76.108722)
(xy 99.993887 76.165926)
(xy 99.993893 76.165926)
(xy 99.993895 76.165927)
(xy 100.189997 76.185241)
(xy 100.19 76.185241)
(xy 100.190003 76.185241)
(xy 100.386104 76.165927)
(xy 100.386104 76.165926)
(xy 100.386113 76.165926)
(xy 100.574689 76.108722)
(xy 100.748482 76.015827)
(xy 100.900813 75.890813)
(xy 101.025827 75.738482)
(xy 101.118722 75.564689)
(xy 101.175926 75.376113)
(xy 101.195241 75.180003)
(xy 101.724759 75.180003)
(xy 101.744072 75.376104)
(xy 101.744073 75.376107)
(xy 101.744074 75.376113)
(xy 101.784486 75.509335)
(xy 101.801278 75.56469)
(xy 101.82327 75.605833)
(xy 101.894173 75.738482)
(xy 102.019187 75.890813)
(xy 102.171518 76.015827)

(xy 102.17152 76.015828)
(xy 102.312926 76.091412)
(xy 102.345311 76.108722)
(xy 102.533887 76.165926)
(xy 102.533893 76.165926)
(xy 102.533895 76.165927)
(xy 102.729997 76.185241)
(xy 102.73 76.185241)
(xy 102.730003 76.185241)
(xy 102.926104 76.165927)
(xy 102.926104 76.165926)
(xy 102.926113 76.165926)
(xy 103.114689 76.108722)
(xy 103.288482 76.015827)
(xy 103.440813 75.890813)
(xy 103.565827 75.738482)
(xy 103.658722 75.564689)
(xy 103.715926 75.376113)
(xy 103.735241 75.180003)
(xy 104.264759 75.180003)
(xy 104.284072 75.376104)
(xy 104.284073 75.376107)
(xy 104.284074 75.376113)
(xy 104.324486 75.509335)
(xy 104.341278 75.56469)
(xy 104.36327 75.605833)
(xy 104.434173 75.738482)
(xy 104.559187 75.890813)
(xy 104.711518 76.015827)
(xy 104.71152 76.015828)
(xy 104.852926 76.091412)
(xy 104.885311 76.108722)
(xy 105.073887 76.165926)
(xy 105.073893 76.165926)
(xy 105.073895 76.165927)

(xy 105.269997 76.185241)
(xy 105.27 76.185241)
(xy 105.270003 76.185241)
(xy 105.466104 76.165927)
(xy 105.466104 76.165926)
(xy 105.466113 76.165926)
(xy 105.654689 76.108722)
(xy 105.828482 76.015827)
(xy 105.980813 75.890813)
(xy 106.105827 75.738482)
(xy 106.198722 75.564689)
(xy 106.255926 75.376113)
(xy 106.275241 75.180003)
(xy 106.804759 75.180003)
(xy 106.824072 75.376104)
(xy 106.824073 75.376107)
(xy 106.824074 75.376113)
(xy 106.864486 75.509335)
(xy 106.881278 75.56469)
(xy 106.90327 75.605833)
(xy 106.974173 75.738482)
(xy 107.099187 75.890813)
(xy 107.251518 76.015827)
(xy 107.25152 76.015828)
(xy 107.392926 76.091412)
(xy 107.425311 76.108722)
(xy 107.613887 76.165926)
(xy 107.613893 76.165926)
(xy 107.613895 76.165927)
(xy 107.809997 76.185241)
(xy 107.81 76.185241)
(xy 107.810003 76.185241)
(xy 108.006104 76.165927)
(xy 108.006104 76.165926)
(xy 108.006113 76.165926)

(xy 108.194689 76.108722)
(xy 108.368482 76.015827)
(xy 108.520813 75.890813)
(xy 108.645827 75.738482)
(xy 108.738722 75.564689)
(xy 108.795926 75.376113)
(xy 108.815241 75.180003)
(xy 109.344759 75.180003)
(xy 109.364072 75.376104)
(xy 109.364073 75.376107)
(xy 109.364074 75.376113)
(xy 109.404486 75.509335)
(xy 109.421278 75.56469)
(xy 109.44327 75.605833)
(xy 109.514173 75.738482)
(xy 109.639187 75.890813)
(xy 109.791518 76.015827)
(xy 109.79152 76.015828)
(xy 109.932926 76.091412)
(xy 109.965311 76.108722)
(xy 110.153887 76.165926)
(xy 110.153893 76.165926)
(xy 110.153895 76.165927)
(xy 110.349997 76.185241)
(xy 110.35 76.185241)
(xy 110.350003 76.185241)
(xy 110.546104 76.165927)
(xy 110.546104 76.165926)
(xy 110.546113 76.165926)
(xy 110.734689 76.108722)
(xy 110.908482 76.015827)
(xy 111.060813 75.890813)
(xy 111.185827 75.738482)
(xy 111.278722 75.564689)
(xy 111.335926 75.376113)

(xy 111.355241 75.180003)
(xy 111.884759 75.180003)
(xy 111.904072 75.376104)
(xy 111.904073 75.376107)
(xy 111.904074 75.376113)
(xy 111.944486 75.509335)
(xy 111.961278 75.56469)
(xy 111.98327 75.605833)
(xy 112.054173 75.738482)
(xy 112.179187 75.890813)
(xy 112.331518 76.015827)
(xy 112.33152 76.015828)
(xy 112.472926 76.091412)
(xy 112.505311 76.108722)
(xy 112.693887 76.165926)
(xy 112.693893 76.165926)
(xy 112.693895 76.165927)
(xy 112.889997 76.185241)
(xy 112.89 76.185241)
(xy 112.890003 76.185241)
(xy 113.086104 76.165927)
(xy 113.086104 76.165926)
(xy 113.086113 76.165926)
(xy 113.274689 76.108722)
(xy 113.448482 76.015827)
(xy 113.600813 75.890813)
(xy 113.725827 75.738482)
(xy 113.818722 75.564689)
(xy 113.875926 75.376113)
(xy 113.895241 75.180003)
(xy 114.424759 75.180003)
(xy 114.444072 75.376104)
(xy 114.444073 75.376107)
(xy 114.444074 75.376113)
(xy 114.484486 75.509335)

(xy 114.501278 75.56469)
(xy 114.52327 75.605833)
(xy 114.594173 75.738482)
(xy 114.719187 75.890813)
(xy 114.871518 76.015827)
(xy 114.87152 76.015828)
(xy 115.012926 76.091412)
(xy 115.045311 76.108722)
(xy 115.233887 76.165926)
(xy 115.233893 76.165926)
(xy 115.233895 76.165927)
(xy 115.429997 76.185241)
(xy 115.43 76.185241)
(xy 115.430003 76.185241)
(xy 115.626104 76.165927)
(xy 115.626104 76.165926)
(xy 115.626113 76.165926)
(xy 115.814689 76.108722)
(xy 115.988482 76.015827)
(xy 116.140813 75.890813)
(xy 116.265827 75.738482)
(xy 116.358722 75.564689)
(xy 116.415926 75.376113)
(xy 116.435241 75.18)
(xy 116.415926 74.983887)
(xy 116.358722 74.795311)
(xy 116.265827 74.621518)
(xy 116.140813 74.469187)
(xy 115.988482 74.344173)
(xy 115.98848 74.344172)
(xy 115.988479 74.344171)
(xy 115.81469 74.251278)
(xy 115.759335 74.234486)
(xy 115.626113 74.194074)
(xy 115.626109 74.194073)

(xy 115.626104 74.194072)
(xy 115.430003 74.174759)
(xy 115.429997 74.174759)
(xy 115.233895 74.194072)
(xy 115.233889 74.194073)
(xy 115.233887 74.194074)
(xy 115.156017 74.217695)
(xy 115.045309 74.251278)
(xy 114.87152 74.344171)
(xy 114.719187 74.469187)
(xy 114.594171 74.62152)
(xy 114.501278 74.795309)
(xy 114.444072 74.983895)
(xy 114.424759 75.179996)
(xy 114.424759 75.180003)
(xy 113.895241 75.180003)
(xy 113.895241 75.18)
(xy 113.875926 74.983887)
(xy 113.818722 74.795311)
(xy 113.725827 74.621518)
(xy 113.600813 74.469187)
(xy 113.448482 74.344173)
(xy 113.44848 74.344172)
(xy 113.448479 74.344171)
(xy 113.27469 74.251278)
(xy 113.219335 74.234486)
(xy 113.086113 74.194074)
(xy 113.086109 74.194073)
(xy 113.086104 74.194072)
(xy 112.890003 74.174759)
(xy 112.889997 74.174759)
(xy 112.693895 74.194072)
(xy 112.693889 74.194073)
(xy 112.693887 74.194074)
(xy 112.616017 74.217695)

(xy 112.505309 74.251278)
(xy 112.33152 74.344171)
(xy 112.179187 74.469187)
(xy 112.054171 74.62152)
(xy 111.961278 74.795309)
(xy 111.904072 74.983895)
(xy 111.884759 75.179996)
(xy 111.884759 75.180003)
(xy 111.355241 75.180003)
(xy 111.355241 75.18)
(xy 111.335926 74.983887)
(xy 111.278722 74.795311)
(xy 111.185827 74.621518)
(xy 111.060813 74.469187)
(xy 110.908482 74.344173)
(xy 110.90848 74.344172)
(xy 110.908479 74.344171)
(xy 110.73469 74.251278)
(xy 110.679335 74.234486)
(xy 110.546113 74.194074)
(xy 110.546109 74.194073)
(xy 110.546104 74.194072)
(xy 110.350003 74.174759)
(xy 110.349997 74.174759)
(xy 110.153895 74.194072)
(xy 110.153889 74.194073)
(xy 110.153887 74.194074)
(xy 110.076017 74.217695)
(xy 109.965309 74.251278)
(xy 109.79152 74.344171)
(xy 109.639187 74.469187)
(xy 109.514171 74.62152)
(xy 109.421278 74.795309)
(xy 109.364072 74.983895)
(xy 109.344759 75.179996)

(xy 109.344759 75.180003)
(xy 108.815241 75.180003)
(xy 108.815241 75.18)
(xy 108.795926 74.983887)
(xy 108.738722 74.795311)
(xy 108.645827 74.621518)
(xy 108.520813 74.469187)
(xy 108.368482 74.344173)
(xy 108.36848 74.344172)
(xy 108.368479 74.344171)
(xy 108.19469 74.251278)
(xy 108.139335 74.234486)
(xy 108.006113 74.194074)
(xy 108.006109 74.194073)
(xy 108.006104 74.194072)
(xy 107.810003 74.174759)
(xy 107.809997 74.174759)
(xy 107.613895 74.194072)
(xy 107.613889 74.194073)
(xy 107.613887 74.194074)
(xy 107.536017 74.217695)
(xy 107.425309 74.251278)
(xy 107.25152 74.344171)
(xy 107.099187 74.469187)
(xy 106.974171 74.62152)
(xy 106.881278 74.795309)
(xy 106.824072 74.983895)
(xy 106.804759 75.179996)
(xy 106.804759 75.180003)
(xy 106.275241 75.180003)
(xy 106.275241 75.18)
(xy 106.255926 74.983887)
(xy 106.198722 74.795311)
(xy 106.105827 74.621518)
(xy 105.980813 74.469187)

(xy 105.828482 74.344173)
(xy 105.82848 74.344172)
(xy 105.828479 74.344171)
(xy 105.65469 74.251278)
(xy 105.599335 74.234486)
(xy 105.466113 74.194074)
(xy 105.466109 74.194073)
(xy 105.466104 74.194072)
(xy 105.270003 74.174759)
(xy 105.269997 74.174759)
(xy 105.073895 74.194072)
(xy 105.073889 74.194073)
(xy 105.073887 74.194074)
(xy 104.996017 74.217695)
(xy 104.885309 74.251278)
(xy 104.71152 74.344171)
(xy 104.559187 74.469187)
(xy 104.434171 74.62152)
(xy 104.341278 74.795309)
(xy 104.284072 74.983895)
(xy 104.264759 75.179996)
(xy 104.264759 75.180003)
(xy 103.735241 75.180003)
(xy 103.735241 75.18)
(xy 103.715926 74.983887)
(xy 103.658722 74.795311)
(xy 103.565827 74.621518)
(xy 103.440813 74.469187)
(xy 103.288482 74.344173)
(xy 103.28848 74.344172)
(xy 103.288479 74.344171)
(xy 103.11469 74.251278)
(xy 103.059335 74.234486)
(xy 102.926113 74.194074)
(xy 102.926109 74.194073)

(xy 102.926104 74.194072)
(xy 102.730003 74.174759)
(xy 102.729997 74.174759)
(xy 102.533895 74.194072)
(xy 102.533889 74.194073)
(xy 102.533887 74.194074)
(xy 102.456017 74.217695)
(xy 102.345309 74.251278)
(xy 102.17152 74.344171)
(xy 102.019187 74.469187)
(xy 101.894171 74.62152)
(xy 101.801278 74.795309)
(xy 101.744072 74.983895)
(xy 101.724759 75.179996)
(xy 101.724759 75.180003)
(xy 101.195241 75.180003)
(xy 101.195241 75.18)
(xy 101.175926 74.983887)
(xy 101.118722 74.795311)
(xy 101.025827 74.621518)
(xy 100.900813 74.469187)
(xy 100.748482 74.344173)
(xy 100.74848 74.344172)
(xy 100.748479 74.344171)
(xy 100.57469 74.251278)
(xy 100.519335 74.234486)
(xy 100.386113 74.194074)
(xy 100.386109 74.194073)
(xy 100.386104 74.194072)
(xy 100.190003 74.174759)
(xy 100.189997 74.174759)
(xy 99.993895 74.194072)
(xy 99.993889 74.194073)
(xy 99.993887 74.194074)
(xy 99.916017 74.217695)

(xy 99.805309 74.251278)
(xy 99.63152 74.344171)
(xy 99.479187 74.469187)
(xy 99.354171 74.62152)
(xy 99.261278 74.795309)
(xy 99.204072 74.983895)
(xy 99.184759 75.179996)
(xy 99.184759 75.180003)
(xy 98.655241 75.180003)
(xy 98.655241 75.18)
(xy 98.635926 74.983887)
(xy 98.578722 74.795311)
(xy 98.485827 74.621518)
(xy 98.360813 74.469187)
(xy 98.208482 74.344173)
(xy 98.20848 74.344172)
(xy 98.208479 74.344171)
(xy 98.03469 74.251278)
(xy 97.979335 74.234486)
(xy 97.846113 74.194074)
(xy 97.846109 74.194073)
(xy 97.846104 74.194072)
(xy 97.650003 74.174759)
(xy 97.649997 74.174759)
(xy 97.453895 74.194072)
(xy 97.453889 74.194073)
(xy 97.453887 74.194074)
(xy 97.376017 74.217695)
(xy 97.265309 74.251278)
(xy 97.09152 74.344171)
(xy 96.939187 74.469187)
(xy 96.814171 74.62152)
(xy 96.721278 74.795309)
(xy 96.664072 74.983895)
(xy 96.644759 75.179996)

(xy 96.644759 75.180003)
(xy 96.115241 75.180003)
(xy 96.115241 75.18)
(xy 96.095926 74.983887)
(xy 96.038722 74.795311)
(xy 95.945827 74.621518)
(xy 95.820813 74.469187)
(xy 95.668482 74.344173)
(xy 95.66848 74.344172)
(xy 95.668479 74.344171)
(xy 95.49469 74.251278)
(xy 95.439335 74.234486)
(xy 95.306113 74.194074)
(xy 95.306109 74.194073)
(xy 95.306104 74.194072)
(xy 95.110003 74.174759)
(xy 95.109997 74.174759)
(xy 94.913895 74.194072)
(xy 94.913889 74.194073)
(xy 94.913887 74.194074)
(xy 94.836017 74.217695)
(xy 94.725309 74.251278)
(xy 94.55152 74.344171)
(xy 94.399187 74.469187)
(xy 94.274171 74.62152)
(xy 94.181278 74.795309)
(xy 94.124072 74.983895)
(xy 94.104759 75.179996)
(xy 94.104759 75.180003)
(xy 93.575241 75.180003)
(xy 93.575241 75.18)
(xy 93.555926 74.983887)
(xy 93.498722 74.795311)
(xy 93.405827 74.621518)
(xy 93.280813 74.469187)

```

(xy 93.128482 74.344173)
(xy 93.12848 74.344172)
(xy 93.128479 74.344171)
(xy 92.95469 74.251278)

(xy 92.899335 74.234486)
(xy 92.766113 74.194074)
(xy 92.766109 74.194073)
(xy 92.766104 74.194072)
(xy 92.570003 74.174759)
(xy 92.569997 74.174759)
(xy 92.373895 74.194072)
(xy 92.373889 74.194073)
(xy 92.373887 74.194074)
(xy 92.296017 74.217695)
(xy 92.185309 74.251278)
(xy 92.01152 74.344171)
(xy 91.859187 74.469187)
(xy 91.734171 74.62152)
(xy 91.641278 74.795309)
(xy 91.584072 74.983895)
(xy 91.564759 75.179996)
(xy 91.564759 75.180003)
(xy 59 75.180003)
(xy 59 71.1765)
(xy 59.020002 71.108379)
(xy 59.073658 71.061886)
(xy 59.126 71.0505)
(xy 120.874 71.0505)

)

)

)

(zone (net 231) (net_name "Net-(U14-OUT)") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf5384)

(connect_pads yes (clearance 0.1))

(min_thickness 0.0256) (filled_areas_thickness no)

(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))

```

```
(polygon
  (pts
    (xy 122.9 99.05)
    (xy 126.45 99.05)
    (xy 126.45 100.25)
    (xy 122.9 100.25)
  )
)

(filled_polygon
  (layer "B.Cu")
  (pts
    (xy 126.151141 99.050227)
    (xy 126.262502 99.072378)
    (xy 126.266756 99.07414)
    (xy 126.36018 99.136564)
    (xy 126.363435 99.139819)
    (xy 126.425859 99.233243)
    (xy 126.427621 99.237497)
    (xy 126.449773 99.348858)
    (xy 126.45 99.35116)
    (xy 126.45 99.948839)
    (xy 126.449773 99.951141)
    (xy 126.427621 100.062502)
    (xy 126.425859 100.066756)
    (xy 126.363435 100.16018)
    (xy 126.36018 100.163435)
    (xy 126.266756 100.225859)
    (xy 126.262502 100.227621)
    (xy 126.151141 100.249773)
    (xy 126.148839 100.25)
    (xy 123.201161 100.25)
    (xy 123.198859 100.249773)
    (xy 123.087497 100.227621)
    (xy 123.083243 100.225859)
    (xy 122.989819 100.163435)
```

```

(xy 122.986564 100.16018)
(xy 122.92414 100.066756)
(xy 122.922378 100.062502)
(xy 122.900227 99.951141)
(xy 122.9 99.948839)
(xy 122.9 99.35116)
(xy 122.900227 99.348858)
(xy 122.922378 99.237497)
(xy 122.92414 99.233243)
(xy 122.986564 99.139819)
(xy 122.989817 99.136565)
(xy 123.083244 99.074139)
(xy 123.087496 99.072378)
(xy 123.198858 99.050227)
(xy 123.201161 99.05)
(xy 126.148839 99.05)
)
)
)
(zone (net 232) (net_name "Net-(U31-OUT)") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf5387)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))
(polygon
(pts
(xy 123.7 91.95)
(xy 120.15 91.95)
(xy 120.15 90.75)
(xy 123.7 90.75)
)
)
(filled_polygon
(layer "B.Cu")
(pts
(xy 123.401141 90.750227)

```

(xy 123.512502 90.772378)
(xy 123.516756 90.77414)
(xy 123.61018 90.836564)
(xy 123.613435 90.839819)
(xy 123.675859 90.933243)
(xy 123.677621 90.937497)
(xy 123.699773 91.048858)
(xy 123.7 91.05116)
(xy 123.7 91.648839)
(xy 123.699773 91.651141)
(xy 123.677621 91.762502)
(xy 123.675859 91.766756)
(xy 123.613435 91.86018)
(xy 123.61018 91.863435)
(xy 123.516756 91.925859)
(xy 123.512502 91.927621)
(xy 123.401141 91.949773)
(xy 123.398839 91.95)
(xy 120.451161 91.95)
(xy 120.448859 91.949773)
(xy 120.337497 91.927621)
(xy 120.333243 91.925859)
(xy 120.239819 91.863435)
(xy 120.236564 91.86018)
(xy 120.17414 91.766756)
(xy 120.172378 91.762502)
(xy 120.150227 91.651141)
(xy 120.15 91.648839)
(xy 120.15 91.05116)
(xy 120.150227 91.048858)
(xy 120.172378 90.937497)
(xy 120.17414 90.933243)
(xy 120.236564 90.839819)
(xy 120.239817 90.836565)
(xy 120.333244 90.774139)

```

        (xy 120.337496 90.772378)

        (xy 120.448858 90.750227)

        (xy 120.451161 90.75)

        (xy 123.398839 90.75)

    )

)

)

(zone (net 202) (net_name "/IO_Banks/IO_Buffer_B/ISNS_H") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-000000000000)

    (connect_pads yes (clearance 0.1))

    (min_thickness 0.0256) (filled_areas_thickness no)

    (fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.2))

    (polygon

        (pts

            (xy 123.55 100.95)

            (xy 126.45 100.95)

            (xy 126.45 103.05)

            (xy 123.55 103.05)

        )

    )

    (filled_polygon

        (layer "B.Cu")

        (pts

            (xy 126.251141 100.950227)

            (xy 126.324234 100.964766)

            (xy 126.328488 100.966528)

            (xy 126.389469 101.007275)

            (xy 126.392724 101.01053)

            (xy 126.433471 101.071511)

            (xy 126.435233 101.075765)

            (xy 126.449773 101.148858)

            (xy 126.45 101.15116)

            (xy 126.45 102.848839)

            (xy 126.449773 102.851141)

            (xy 126.435233 102.924234)

            (xy 126.433471 102.928488)

        )

    )

)

```


(xy 126.392724 102.989469)
(xy 126.389469 102.992724)
(xy 126.328488 103.033471)
(xy 126.324234 103.035233)
(xy 126.251141 103.049773)
(xy 126.248839 103.05)
(xy 125.4672 103.05)
(xy 125.458856 103.046544)
(xy 125.4554 103.0382)
(xy 125.4554 102.997338)
(xy 125.455026 102.989723)
(xy 125.455026 102.989722)
(xy 125.45405 102.979827)
(xy 125.45405 102.979824)
(xy 125.454049 102.979816)
(xy 125.45293 102.972277)
(xy 125.446157 102.938233)
(xy 125.446111 102.937959)
(xy 125.444749 102.928488)
(xy 125.4366 102.871803)
(xy 125.432797 102.863477)
(xy 125.430424 102.858279)
(xy 125.430145 102.85754)
(xy 125.421195 102.828037)
(xy 125.421193 102.828031)
(xy 125.421193 102.82803)
(xy 125.419431 102.823776)
(xy 125.405069 102.796907)
(xy 125.397152 102.785058)
(xy 125.39623 102.783406)
(xy 125.396228 102.783401)
(xy 125.382797 102.753991)
(xy 125.35506 102.721981)
(xy 125.354613 102.721394)
(xy 125.348129 102.711691)

(xy 125.342645 102.703483)
(xy 125.323319 102.679935)
(xy 125.320064 102.67668)
(xy 125.306094 102.665214)
(xy 125.304669 102.663826)
(xy 125.304666 102.663822)
(xy 125.297983 102.65611)
(xy 125.210814 102.60009)
(xy 125.203092 102.59493)
(xy 125.203079 102.594923)
(xy 125.203076 102.594921)
(xy 125.201476 102.594066)
(xy 125.201068 102.593826)
(xy 125.189027 102.586088)
(xy 125.189024 102.586087)
(xy 125.184691 102.584815)
(xy 125.182456 102.5839)
(xy 125.176232 102.580572)
(xy 125.176225 102.580569)
(xy 125.176223 102.580568)
(xy 125.171969 102.578806)
(xy 125.171968 102.578805)
(xy 125.171961 102.578803)
(xy 125.142815 102.569962)
(xy 125.129872 102.567388)
(xy 125.125787 102.566575)
(xy 125.116071 102.564642)
(xy 125.11557 102.564519)
(xy 125.064759 102.5496)
(xy 125.064758 102.5496)
(xy 125.041604 102.5496)
(xy 125.039302 102.549373)
(xy 125.038273 102.549168)
(xy 125.032614 102.548042)
(xy 125.002303 102.545057)

(xy 125.002298 102.545057)
(xy 124.997702 102.545057)
(xy 124.997697 102.545057)
(xy 124.967385 102.548042)
(xy 124.961547 102.549204)
(xy 124.960697 102.549373)
(xy 124.958396 102.5496)
(xy 124.93524 102.5496)
(xy 124.884427 102.56452)
(xy 124.883915 102.564646)
(xy 124.857183 102.569962)
(xy 124.82804 102.578801)
(xy 124.828018 102.578809)
(xy 124.823784 102.580563)
(xy 124.823762 102.580574)
(xy 124.817531 102.583903)
(xy 124.815299 102.584816)
(xy 124.810973 102.586087)
(xy 124.79894 102.593819)
(xy 124.798535 102.594057)
(xy 124.796917 102.594922)
(xy 124.796917 102.594923)
(xy 124.789146 102.600115)
(xy 124.702014 102.656112)
(xy 124.702013 102.656112)
(xy 124.695332 102.663822)
(xy 124.693902 102.665214)
(xy 124.679921 102.676691)
(xy 124.676658 102.679955)
(xy 124.657359 102.703475)
(xy 124.657347 102.703492)
(xy 124.645381 102.7214)
(xy 124.644934 102.721986)
(xy 124.617203 102.75399)
(xy 124.603771 102.783401)

(xy 124.602849 102.785054)
(xy 124.594932 102.796904)
(xy 124.580566 102.823779)
(xy 124.578808 102.828024)
(xy 124.578805 102.828031)
(xy 124.569854 102.857538)
(xy 124.569575 102.858276)
(xy 124.5634 102.8718)
(xy 124.563399 102.871804)
(xy 124.553887 102.937957)
(xy 124.553834 102.938268)
(xy 124.550035 102.957372)
(xy 124.547071 102.972272)
(xy 124.547071 102.972271)
(xy 124.54595 102.979824)
(xy 124.54595 102.979825)
(xy 124.544974 102.989722)
(xy 124.544974 102.989723)
(xy 124.5446 102.997338)
(xy 124.5446 103.0382)
(xy 124.541144 103.046544)
(xy 124.5328 103.05)
(xy 123.751161 103.05)
(xy 123.748859 103.049773)
(xy 123.675765 103.035233)
(xy 123.671511 103.033471)
(xy 123.61053 102.992724)
(xy 123.607275 102.989469)
(xy 123.566528 102.928488)
(xy 123.564766 102.924234)
(xy 123.550227 102.851141)
(xy 123.55 102.848839)
(xy 123.55 101.15116)
(xy 123.550227 101.148858)
(xy 123.564766 101.075765)

```

        (xy 123.566528 101.071511)

        (xy 123.607275 101.01053)

        (xy 123.610528 101.007276)

        (xy 123.671512 100.966527)

        (xy 123.675764 100.964766)

        (xy 123.748858 100.950227)

        (xy 123.751161 100.95)

        (xy 126.248839 100.95)

    )

)

)

(zone (net 107) (net_name "/IO_Banks/VIOB") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf538d)

    (priority 1)

    (connect_pads yes (clearance 0.1))

    (min_thickness 0.0256) (filled_areas_thickness no)

    (fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.3))

    (polygon

        (pts

            (xy 123.55 103.7)

            (xy 124.7 103.7)

            (xy 124.7 102.7)

            (xy 125.3 102.7)

            (xy 125.3 103.7)

            (xy 126.45 103.7)

            (xy 126.45 104.7)

            (xy 123.55 104.7)

        )

    )

)

(filled_polygon

    (layer "B.Cu")

    (pts

        (xy 125.099553 102.719802)

        (xy 125.112502 102.722378)

        (xy 125.116756 102.72414)

        (xy 125.21018 102.786564)

```

(xy 125.213435 102.789819)
(xy 125.275859 102.883243)
(xy 125.277621 102.887497)
(xy 125.299773 102.998858)
(xy 125.3 103.00116)
(xy 125.3 103.7)
(xy 126.148839 103.7)
(xy 126.151141 103.700227)
(xy 126.262502 103.722378)
(xy 126.266756 103.72414)
(xy 126.36018 103.786564)
(xy 126.363435 103.789819)
(xy 126.425859 103.883243)
(xy 126.427621 103.887497)
(xy 126.449773 103.998858)
(xy 126.45 104.00116)
(xy 126.45 104.398839)
(xy 126.449773 104.401141)
(xy 126.427621 104.512502)
(xy 126.425859 104.516756)
(xy 126.363435 104.61018)
(xy 126.36018 104.613435)
(xy 126.266756 104.675859)
(xy 126.262502 104.677621)
(xy 126.151141 104.699773)
(xy 126.148839 104.7)
(xy 123.851161 104.7)
(xy 123.848859 104.699773)
(xy 123.737497 104.677621)
(xy 123.733243 104.675859)
(xy 123.639819 104.613435)
(xy 123.636564 104.61018)
(xy 123.57414 104.516756)
(xy 123.572378 104.512502)
(xy 123.57084 104.50477)

```
(xy 123.553313 104.416659)
(xy 123.553207 104.412691)
(xy 123.555032 104.4)
(xy 123.55012 104.365835)
(xy 123.55 104.364156)
(xy 123.55 104.00116)
(xy 123.550227 103.998858)
(xy 123.572378 103.887497)
(xy 123.57414 103.883243)
(xy 123.636564 103.789819)
(xy 123.639817 103.786565)
(xy 123.733244 103.724139)
(xy 123.737496 103.722378)
(xy 123.848858 103.700227)
(xy 123.851161 103.7)
(xy 124.399995 103.7)
(xy 124.4 103.7)
(xy 124.7 103.7)
(xy 124.7 103.00116)
(xy 124.700227 102.998858)
(xy 124.722378 102.887497)
(xy 124.72414 102.883243)
(xy 124.786564 102.789819)
(xy 124.789817 102.786565)
(xy 124.883244 102.724139)
(xy 124.887496 102.722378)
(xy 124.997702 102.700457)
(xy 125.002298 102.700457)
)
)
)
(zone (net 108) (net_name "/IO_Banks/VIOA") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf5390
(priority 1)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
```

```

(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.2))

(polygon
  (pts
(xy 123.05 87.3)

    (xy 121.9 87.3)

    (xy 121.9 88.3)

    (xy 121.3 88.3)

    (xy 121.3 87.3)

    (xy 120.15 87.3)

    (xy 120.15 86.3)

    (xy 123.05 86.3)

  )
)

(filled_polygon
  (layer "B.Cu")
  (pts
    (xy 122.851141 86.300227)
    (xy 122.924234 86.314766)
    (xy 122.928488 86.316528)
    (xy 122.989469 86.357275)
    (xy 122.992724 86.36053)
    (xy 123.033471 86.421511)
    (xy 123.035233 86.425765)
    (xy 123.049773 86.498858)
    (xy 123.05 86.50116)
    (xy 123.05 86.564156)
    (xy 123.04988 86.565835)
    (xy 123.044968 86.599999)
    (xy 123.04988 86.634163)
    (xy 123.05 86.635842)
    (xy 123.05 87.098839)
    (xy 123.049773 87.101141)
    (xy 123.035233 87.174234)
    (xy 123.033471 87.178488)
    (xy 122.992724 87.239469)
  )
)

```


(xy 122.989469 87.242724)
(xy 122.928488 87.283471)
(xy 122.924234 87.285233)
(xy 122.851141 87.299773)
(xy 122.848839 87.3)
(xy 121.9 87.3)
(xy 121.9 87.499997)
(xy 121.9 88.098839)
(xy 121.899773 88.101141)
(xy 121.885233 88.174234)
(xy 121.883471 88.178488)
(xy 121.842724 88.239469)
(xy 121.839469 88.242724)
(xy 121.778488 88.283471)
(xy 121.774234 88.285233)
(xy 121.701141 88.299773)
(xy 121.698839 88.3)
(xy 121.501161 88.3)
(xy 121.498859 88.299773)
(xy 121.425765 88.285233)
(xy 121.421511 88.283471)
(xy 121.36053 88.242724)
(xy 121.357275 88.239469)
(xy 121.316528 88.178488)
(xy 121.314766 88.174234)
(xy 121.300227 88.101141)
(xy 121.3 88.098839)
(xy 121.3 87.500004)
(xy 121.3 87.5)
(xy 121.3 87.3)
(xy 121.100002 87.3)
(xy 120.351161 87.3)
(xy 120.348859 87.299773)
(xy 120.275765 87.285233)
(xy 120.271511 87.283471)

```

(xy 120.21053 87.242724)
(xy 120.207275 87.239469)
(xy 120.166528 87.178488)
(xy 120.164766 87.174234)
(xy 120.150227 87.101141)
(xy 120.15 87.098839)
(xy 120.15 86.50116)
(xy 120.150227 86.498858)
(xy 120.164766 86.425765)
(xy 120.166528 86.421511)
(xy 120.207275 86.36053)
(xy 120.210528 86.357276)
(xy 120.271512 86.316527)
(xy 120.275764 86.314766)
(xy 120.348858 86.300227)
(xy 120.351161 86.3)
(xy 122.848839 86.3)
)
)
)
(zone (net 203) (net_name "/IO_Banks/IO_Buffer_A/ISNS_H") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-000000000000)
(connect_pads yes (clearance 0.1))
(min_thickness 0.0256) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508) (smoothing fillet) (radius 0.2))
(polygon
(pts
(xy 123.05 90.05)
(xy 120.15 90.05)
(xy 120.15 87.95)
(xy 123.05 87.95)
)
)
(filled_polygon
(layer "B.Cu")
(pts

```

(xy 121.141144 87.953456)
(xy 121.1446 87.9618)
(xy 121.1446 88.102658)
(xy 121.144975 88.110288)
(xy 121.145951 88.120183)
(xy 121.14707 88.127721)
(xy 121.151732 88.15116)
(xy 121.16235 88.204546)
(xy 121.171191 88.233693)
(xy 121.171196 88.233706)
(xy 121.172954 88.237949)
(xy 121.172957 88.237957)
(xy 121.187318 88.264826)
(xy 121.227238 88.324569)
(xy 121.228065 88.325806)
(xy 121.228069 88.325811)
(xy 121.228072 88.325815)
(xy 121.247386 88.349348)
(xy 121.25065 88.352612)
(xy 121.274183 88.371926)
(xy 121.274193 88.371934)
(xy 121.305095 88.392582)
(xy 121.335172 88.41268)
(xy 121.335174 88.412681)
(xy 121.362044 88.427043)
(xy 121.366298 88.428805)
(xy 121.395447 88.437647)
(xy 121.395452 88.437648)
(xy 121.395451 88.437648)
(xy 121.43546 88.445606)
(xy 121.472278 88.45293)
(xy 121.472281 88.45293)
(xy 121.472289 88.452932)
(xy 121.475058 88.453342)
(xy 121.479817 88.454049)

(xy 121.489712 88.455025)
(xy 121.489713 88.455025)
(xy 121.489723 88.455026)
(xy 121.489724 88.455026)
(xy 121.497339 88.4554)
(xy 121.497342 88.4554)
(xy 121.702661 88.4554)
(xy 121.710276 88.455026)
(xy 121.710277 88.455026)
(xy 121.710286 88.455025)
(xy 121.710288 88.455025)
(xy 121.720183 88.454049)
(xy 121.724942 88.453342)
(xy 121.727711 88.452932)
(xy 121.727718 88.45293)
(xy 121.727722 88.45293)
(xy 121.804553 88.437647)
(xy 121.833701 88.428805)
(xy 121.837955 88.427043)
(xy 121.864825 88.412681)
(xy 121.925806 88.371934)
(xy 121.949353 88.352608)
(xy 121.952608 88.349353)
(xy 121.971934 88.325806)
(xy 122.012681 88.264825)
(xy 122.027043 88.237955)
(xy 122.028805 88.233701)
(xy 122.037647 88.204553)
(xy 122.05293 88.127722)
(xy 122.052933 88.127707)
(xy 122.053342 88.124942)
(xy 122.054049 88.120183)
(xy 122.055025 88.110288)
(xy 122.0554 88.102658)
(xy 122.0554 87.9618)

(xy 122.058856 87.953456)
(xy 122.0672 87.95)
(xy 122.848839 87.95)
(xy 122.851141 87.950227)
(xy 122.924234 87.964766)
(xy 122.928488 87.966528)
(xy 122.989469 88.007275)
(xy 122.992724 88.01053)
(xy 123.033471 88.071511)
(xy 123.035233 88.075765)
(xy 123.049773 88.148858)
(xy 123.05 88.15116)
(xy 123.05 89.848839)
(xy 123.049773 89.851141)
(xy 123.035233 89.924234)
(xy 123.033471 89.928488)
(xy 122.992724 89.989469)
(xy 122.989469 89.992724)
(xy 122.928488 90.033471)
(xy 122.924234 90.035233)
(xy 122.851141 90.049773)
(xy 122.848839 90.05)
(xy 120.351161 90.05)
(xy 120.348859 90.049773)
(xy 120.275765 90.035233)
(xy 120.271511 90.033471)
(xy 120.21053 89.992724)
(xy 120.207275 89.989469)
(xy 120.166528 89.928488)
(xy 120.164766 89.924234)
(xy 120.150227 89.851141)
(xy 120.15 89.848839)
(xy 120.15 88.15116)
(xy 120.150227 88.148858)
(xy 120.154434 88.127711)

```

        (xy 120.164766 88.075764)
        (xy 120.166528 88.071511)
        (xy 120.207275 88.01053)
        (xy 120.210528 88.007276)
        (xy 120.271512 87.966527)
        (xy 120.275764 87.964766)
        (xy 120.348858 87.950227)
        (xy 120.351161 87.95)
        (xy 121.1328 87.95)
    )
)
)
(zone (net 7) (net_name "/SHLD") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf539f) (hatch ed
(priority 2)
(connect_pads yes (clearance 0.1))
(min_thickness 0.2) (filled_areas_thickness no)
(fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
(polygon
    (pts
        (xy 56.8 90.7)
        (xy 56.8 100.3)
        (xy 50 100.3)
        (xy 50 90.7)
    )
)
(filled_polygon
    (layer "B.Cu")
    (pts
        (xy 56.30322 90.700424)
        (xy 56.318306 90.70241)
        (xy 56.416489 90.715336)
        (xy 56.441447 90.722023)
        (xy 56.53796 90.762)
        (xy 56.560336 90.774918)
        (xy 56.643216 90.838515)
    )
)

```

(xy 56.661484 90.856783)
(xy 56.725079 90.93966)
(xy 56.738001 90.962042)
(xy 56.777975 91.058548)
(xy 56.784664 91.083512)
(xy 56.799576 91.196779)
(xy 56.8 91.203247)
(xy 56.8 99.796752)
(xy 56.799576 99.80322)
(xy 56.784664 99.916487)
(xy 56.777975 99.941451)
(xy 56.738001 100.037957)
(xy 56.725079 100.060339)
(xy 56.661487 100.143213)
(xy 56.643213 100.161487)
(xy 56.560339 100.225079)
(xy 56.537957 100.238001)
(xy 56.441451 100.277975)
(xy 56.416487 100.284664)
(xy 56.303221 100.299576)
(xy 56.296753 100.3)
(xy 50.503247 100.3)
(xy 50.496779 100.299576)
(xy 50.383512 100.284664)
(xy 50.358548 100.277975)
(xy 50.262042 100.238001)
(xy 50.23966 100.225079)
(xy 50.156783 100.161484)
(xy 50.138512 100.143212)
(xy 50.07492 100.060337)
(xy 50.061997 100.037953)
(xy 50.058035 100.028387)
(xy 50.0505 99.990504)
(xy 50.0505 98.39)
(xy 54.669534 98.39)

(xy 54.689313 98.540236)
(xy 54.747302 98.680233)
(xy 54.839549 98.800451)
(xy 54.959767 98.892698)
(xy 55.099764 98.950687)
(xy 55.21228 98.9655)
(xy 55.212281 98.9655)
(xy 55.287719 98.9655)
(xy 55.28772 98.9655)
(xy 55.400236 98.950687)
(xy 55.540233 98.892698)
(xy 55.660451 98.800451)
(xy 55.752698 98.680233)
(xy 55.810687 98.540236)
(xy 55.830466 98.39)
(xy 55.810687 98.239764)
(xy 55.752698 98.099767)
(xy 55.660451 97.979549)
(xy 55.540233 97.887302)
(xy 55.400236 97.829313)
(xy 55.400234 97.829312)
(xy 55.400232 97.829312)
(xy 55.28772 97.8145)
(xy 55.21228 97.8145)
(xy 55.212279 97.8145)
(xy 55.099767 97.829312)
(xy 55.099761 97.829314)
(xy 54.959768 97.887301)
(xy 54.839551 97.979547)
(xy 54.839547 97.979551)
(xy 54.747301 98.099768)
(xy 54.689314 98.239761)
(xy 54.689312 98.239767)
(xy 54.669534 98.389999)
(xy 54.669534 98.39)

(xy 50.0505 98.39)
(xy 50.0505 94.600002)
(xy 53.944968 94.600002)
(xy 53.963398 94.728191)
(xy 53.963399 94.728194)
(xy 53.963399 94.728195)
(xy 53.9634 94.728197)
(xy 53.993657 94.79445)
(xy 54.017204 94.846011)
(xy 54.102014 94.943888)
(xy 54.102016 94.943889)
(xy 54.102017 94.94389)
(xy 54.210973 95.013912)
(xy 54.335242 95.0504)
(xy 54.335244 95.0504)
(xy 54.464756 95.0504)
(xy 54.464758 95.0504)
(xy 54.589027 95.013912)
(xy 54.697983 94.94389)
(xy 54.782797 94.846009)
(xy 54.8366 94.728197)
(xy 54.8366 94.728191)
(xy 54.838596 94.7214)
(xy 54.841568 94.722272)
(xy 54.862691 94.679214)
(xy 54.916779 94.650612)
(xy 54.97735 94.659265)
(xy 55.007848 94.682494)
(xy 55.009593 94.684464)
(xy 55.127812 94.789197)
(xy 55.127815 94.789199)
(xy 55.127817 94.7892)
(xy 55.137822 94.794451)
(xy 55.180561 94.838234)
(xy 55.189402 94.898777)

(xy 55.166635 94.946941)
(xy 55.117204 95.003988)
(xy 55.063399 95.121805)
(xy 55.063398 95.121808)
(xy 55.044968 95.249997)
(xy 55.044968 95.250002)
(xy 55.063398 95.378191)
(xy 55.063399 95.378194)
(xy 55.117204 95.496011)
(xy 55.196416 95.587426)
(xy 55.220234 95.643785)
(xy 55.206376 95.70338)
(xy 55.167606 95.739916)
(xy 55.127815 95.7608)
(xy 55.127813 95.760801)
(xy 55.009594 95.865534)
(xy 55.009593 95.865536)
(xy 54.919869 95.995525)
(xy 54.919867 95.995528)
(xy 54.863863 96.143198)
(xy 54.86386 96.143207)
(xy 54.844823 96.299998)
(xy 54.844823 96.300001)
(xy 54.86386 96.456792)
(xy 54.863863 96.456801)
(xy 54.919867 96.604471)
(xy 54.919869 96.604474)
(xy 55.009593 96.734463)
(xy 55.009594 96.734465)
(xy 55.127812 96.839197)
(xy 55.127815 96.839199)
(xy 55.127817 96.8392)
(xy 55.267671 96.912601)
(xy 55.421027 96.9504)
(xy 55.42103 96.9504)

(xy 55.57897 96.9504)
(xy 55.578973 96.9504)
(xy 55.732329 96.912601)
(xy 55.872183 96.8392)
(xy 55.872185 96.839197)
(xy 55.872187 96.839197)
(xy 55.990405 96.734465)
(xy 55.990405 96.734464)
(xy 55.990407 96.734463)
(xy 56.08013 96.604476)
(xy 56.136139 96.456794)
(xy 56.155177 96.3)
(xy 56.136139 96.143206)
(xy 56.08013 95.995524)
(xy 55.990407 95.865537)
(xy 55.990406 95.865536)
(xy 55.990405 95.865534)
(xy 55.872187 95.760802)
(xy 55.832394 95.739917)
(xy 55.789655 95.696132)
(xy 55.780815 95.635589)
(xy 55.80358 95.587429)
(xy 55.882797 95.496009)
(xy 55.9366 95.378197)
(xy 55.955032 95.25)
(xy 55.9366 95.121803)
(xy 55.882797 95.003991)
(xy 55.833364 94.946942)
(xy 55.809547 94.890582)
(xy 55.823406 94.830987)
(xy 55.862177 94.794451)
(xy 55.872183 94.7892)
(xy 55.990407 94.684463)
(xy 56.08013 94.554476)
(xy 56.136139 94.406794)

(xy 56.155177 94.25)
(xy 56.136139 94.093206)
(xy 56.115766 94.039488)
(xy 56.080132 93.945528)
(xy 56.08013 93.945525)
(xy 56.08013 93.945524)
(xy 55.990407 93.815537)
(xy 55.990406 93.815536)
(xy 55.990405 93.815534)
(xy 55.872187 93.710802)
(xy 55.732327 93.637398)
(xy 55.578975 93.5996)
(xy 55.578973 93.5996)
(xy 55.421027 93.5996)
(xy 55.421024 93.5996)
(xy 55.267672 93.637398)
(xy 55.127812 93.710802)
(xy 55.009594 93.815534)
(xy 55.009593 93.815536)
(xy 54.919869 93.945524)
(xy 54.914113 93.960705)
(xy 54.8758 94.00841)
(xy 54.821546 94.0246)
(xy 54.7572 94.0246)
(xy 54.754617 94.024532)
(xy 54.746467 94.024105)
(xy 54.713951 94.0224)
(xy 54.713949 94.0224)
(xy 54.693056 94.03042)
(xy 54.678171 94.03483)
(xy 54.656274 94.039485)
(xy 54.656268 94.039488)
(xy 54.652056 94.042548)
(xy 54.629361 94.054871)
(xy 54.624498 94.056737)

(xy 54.60867 94.072565)
(xy 54.596863 94.082648)
(xy 54.578755 94.095805)
(xy 54.578752 94.095808)
(xy 54.576149 94.100317)
(xy 54.560421 94.120813)
(xy 54.55799 94.123244)
(xy 54.503473 94.151021)
(xy 54.471999 94.149)
(xy 54.471768 94.150608)
(xy 54.464759 94.1496)
(xy 54.464758 94.1496)
(xy 54.335242 94.1496)
(xy 54.335239 94.1496)
(xy 54.210975 94.186087)
(xy 54.210972 94.186088)
(xy 54.102014 94.256111)
(xy 54.017204 94.353988)
(xy 53.963399 94.471805)
(xy 53.963398 94.471808)
(xy 53.944968 94.599997)
(xy 53.944968 94.600002)
(xy 50.0505 94.600002)
(xy 50.0505 92.61)
(xy 54.669534 92.61)
(xy 54.689313 92.760236)
(xy 54.747302 92.900233)
(xy 54.839549 93.020451)
(xy 54.959767 93.112698)
(xy 55.099764 93.170687)
(xy 55.21228 93.1855)
(xy 55.212281 93.1855)
(xy 55.287719 93.1855)
(xy 55.28772 93.1855)
(xy 55.400236 93.170687)

(xy 55.540233 93.112698)
(xy 55.660451 93.020451)
(xy 55.752698 92.900233)
(xy 55.810687 92.760236)
(xy 55.830466 92.61)
(xy 55.810687 92.459764)
(xy 55.752698 92.319767)
(xy 55.660451 92.199549)
(xy 55.540233 92.107302)
(xy 55.400236 92.049313)
(xy 55.400234 92.049312)
(xy 55.400232 92.049312)
(xy 55.28772 92.0345)
(xy 55.21228 92.0345)
(xy 55.212279 92.0345)
(xy 55.099767 92.049312)
(xy 55.099761 92.049314)
(xy 54.959768 92.107301)
(xy 54.839551 92.199547)
(xy 54.839547 92.199551)
(xy 54.747301 92.319768)
(xy 54.689314 92.459761)
(xy 54.689312 92.459767)
(xy 54.669534 92.609999)
(xy 54.669534 92.61)
(xy 50.0505 92.61)
(xy 50.0505 91.009495)
(xy 50.058033 90.971616)
(xy 50.061999 90.962041)
(xy 50.074916 90.939666)
(xy 50.138518 90.856779)
(xy 50.156779 90.838518)
(xy 50.239666 90.774916)
(xy 50.262035 90.762001)
(xy 50.358554 90.722022)

```

        (xy 50.383508 90.715336)
        (xy 50.484332 90.702062)
        (xy 50.49678 90.700424)
        (xy 50.503247 90.7)
        (xy 56.296753 90.7)
    )
)
)
(zone (net 204) (net_name "/SWSH") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf53a8) (hatch 0)
    (priority 2)
    (connect_pads yes (clearance 0.1))
    (min_thickness 0.2) (filled_areas_thickness no)
    (fill yes (thermal_gap 0.3) (thermal_bridge_width 0.3) (smoothing fillet) (radius 0.5))
    (polygon
        (pts
            (xy 77.5 119.8)
            (xy 71.8 119.8)
            (xy 71.8 118.3)
            (xy 77.5 118.3)
        )
    )
)
(filled_polygon
    (layer "B.Cu")
    (pts
        (xy 72.339359 118.313888)
        (xy 72.362124 118.330887)
        (xy 72.435514 118.404278)
        (xy 72.437298 118.406158)
        (xy 72.464551 118.436426)
        (xy 72.464552 118.436426)
        (xy 72.464553 118.436427)
        (xy 72.484999 118.44553)
        (xy 72.498636 118.452933)
        (xy 72.517419 118.465131)
        (xy 72.522559 118.465945)
    )
)

```

(xy 72.547336 118.473284)
(xy 72.55114 118.474977)
(xy 72.55209 118.4754)
(xy 72.574468 118.4754)
(xy 72.589954 118.476618)
(xy 72.61206 118.48012)
(xy 72.61206 118.480119)
(xy 72.612061 118.48012)
(xy 72.617086 118.478774)
(xy 72.64271 118.4754)
(xy 76.765946 118.4754)
(xy 76.768528 118.475467)
(xy 76.796734 118.476945)
(xy 76.809192 118.477599)
(xy 76.809192 118.477598)
(xy 76.809194 118.477599)
(xy 76.830093 118.469575)
(xy 76.844971 118.465168)
(xy 76.866873 118.460514)
(xy 76.871086 118.457452)
(xy 76.893801 118.44512)
(xy 76.89865 118.443259)
(xy 76.914473 118.427434)
(xy 76.926278 118.417352)
(xy 76.944393 118.404192)
(xy 76.946996 118.399681)
(xy 76.962724 118.379183)
(xy 77.002513 118.339394)
(xy 77.057025 118.311619)
(xy 77.08543 118.311247)
(xy 77.116491 118.315336)
(xy 77.141447 118.322023)
(xy 77.23796 118.362)
(xy 77.260336 118.374918)
(xy 77.343216 118.438515)

(xy 77.361484 118.456783)
(xy 77.378359 118.478774)
(xy 77.425079 118.53966)
(xy 77.438001 118.562042)
(xy 77.477975 118.658548)
(xy 77.484664 118.683512)
(xy 77.499576 118.796779)
(xy 77.5 118.803247)
(xy 77.5 119.296752)
(xy 77.499576 119.30322)
(xy 77.484664 119.416487)
(xy 77.477975 119.441451)
(xy 77.438001 119.537957)
(xy 77.425079 119.560339)
(xy 77.361487 119.643213)
(xy 77.343213 119.661487)
(xy 77.260339 119.725079)
(xy 77.237957 119.738001)
(xy 77.141451 119.777975)
(xy 77.116487 119.784664)
(xy 77.003221 119.799576)
(xy 76.996753 119.8)
(xy 72.303247 119.8)
(xy 72.296779 119.799576)
(xy 72.183512 119.784664)
(xy 72.158548 119.777975)
(xy 72.062042 119.738001)
(xy 72.03966 119.725079)
(xy 71.956783 119.661484)
(xy 71.938515 119.643216)
(xy 71.874918 119.560336)
(xy 71.862 119.53796)
(xy 71.822023 119.441447)
(xy 71.815336 119.416489)
(xy 71.800424 119.303219)

```

        (xy 71.8 119.296752)
        (xy 71.8 118.803247)
        (xy 71.800424 118.79678)
        (xy 71.802062 118.784332)
        (xy 71.815336 118.683508)
        (xy 71.822022 118.658554)
        (xy 71.862001 118.562035)
        (xy 71.874916 118.539666)
        (xy 71.938518 118.456779)
        (xy 71.956779 118.438518)
        (xy 72.039666 118.374916)
        (xy 72.062035 118.362001)
        (xy 72.158554 118.322022)
        (xy 72.183506 118.315336)
        (xy 72.279199 118.302738)
    )
)
)
(zone (net 3) (net_name "GND") (layer "B.Cu") (tstamp 00000000-0000-0000-0000-00005faf53c3) (hatch edge
(connect_pads yes (clearance 0.1))
(min_thickness 0.254) (filled_areas_thickness no)
(fill yes (thermal_gap 0.508) (thermal_bridge_width 0.508))
(polygon
    (pts
        (xy 60.4 107.2)
        (xy 72.4 107.2)
        (xy 72.4 119)
        (xy 60.4 119)
    )
)
(filled_polygon
    (layer "B.Cu")
    (pts
(xy 72.342121 107.220002)
        (xy 72.388614 107.273658)

```

(xy 72.4 107.326)
(xy 72.4 108.79092)
(xy 72.379998 108.859041)
(xy 72.326342 108.905534)
(xy 72.256068 108.915638)
(xy 72.20588 108.896918)
(xy 72.189032 108.88609)
(xy 72.189025 108.886087)
(xy 72.064758 108.8496)
(xy 71.935242 108.8496)
(xy 71.810974 108.886087)
(xy 71.810971 108.886089)
(xy 71.702016 108.95611)
(xy 71.702014 108.956111)
(xy 71.617206 109.053986)
(xy 71.617203 109.05399)
(xy 71.5634 109.171802)
(xy 71.563398 109.171809)
(xy 71.544968 109.299996)
(xy 71.544968 109.300003)
(xy 71.563398 109.42819)
(xy 71.5634 109.428197)
(xy 71.615502 109.542284)
(xy 71.625605 109.612558)
(xy 71.596112 109.677139)
(xy 71.589984 109.683721)
(xy 71.517475 109.756229)
(xy 71.472489 109.858114)
(xy 71.4696 109.883018)
(xy 71.4696 110.316981)
(xy 71.472489 110.341885)
(xy 71.517476 110.44377)
(xy 71.517477 110.443772)
(xy 71.596227 110.522522)
(xy 71.596229 110.522523)

(xy 71.59623 110.522524)
(xy 71.698114 110.56751)
(xy 71.723019 110.570399)
(xy 71.723021 110.5704)
(xy 71.723024 110.5704)
(xy 72.106979 110.5704)
(xy 72.106979 110.570399)
(xy 72.131886 110.56751)
(xy 72.223107 110.527231)
(xy 72.293501 110.518014)
(xy 72.357705 110.548319)
(xy 72.395334 110.608524)
(xy 72.4 110.642496)
(xy 72.4 117.330766)
(xy 72.399604 117.337824)
(xy 72.397811 117.353743)
(xy 72.394852 117.380001)
(xy 72.394852 117.380004)
(xy 72.395358 117.384497)
(xy 72.383106 117.454429)
(xy 72.334992 117.506635)
(xy 72.27015 117.5246)
(xy 64.645554 117.5246)
(xy 64.577433 117.504598)
(xy 64.556459 117.487695)
(xy 64.512305 117.443541)
(xy 64.478279 117.381229)
(xy 64.4754 117.354446)
(xy 64.4754 116.757554)
(xy 64.475485 116.754282)
(xy 64.477599 116.713952)
(xy 64.470338 116.695039)
(xy 64.464726 116.676091)
(xy 64.460514 116.656273)
(xy 64.460513 116.656272)

(xy 64.460513 116.65627)
(xy 64.460512 116.656269)
(xy 64.459541 116.654932)
(xy 64.443847 116.626027)
(xy 64.44326 116.624499)
(xy 64.443259 116.624496)
(xy 64.428937 116.610174)
(xy 64.416101 116.595145)
(xy 64.404192 116.578753)
(xy 64.40419 116.578752)
(xy 64.404191 116.578752)
(xy 64.402756 116.577924)
(xy 64.376664 116.557901)
(xy 64.268955 116.450192)
(xy 69.088789 116.450192)
(xy 69.107219 116.578379)
(xy 69.107221 116.578386)
(xy 69.161024 116.696198)
(xy 69.161027 116.696202)
(xy 69.245835 116.794077)
(xy 69.245837 116.794078)
(xy 69.245838 116.794079)
(xy 69.354794 116.864101)
(xy 69.479063 116.900589)
(xy 69.608579 116.900589)
(xy 69.732848 116.864101)
(xy 69.841804 116.794079)
(xy 69.845684 116.789602)
(xy 69.876311 116.754256)
(xy 69.926618 116.696198)
(xy 69.980421 116.578386)
(xy 69.980693 116.57649)
(xy 69.998853 116.450192)
(xy 69.998853 116.450185)
(xy 69.980422 116.321998)

(xy 69.980421 116.321997)
(xy 69.980421 116.321992)
(xy 69.951745 116.259202)
(xy 69.941641 116.188929)
(xy 69.951745 116.154518)
(xy 69.957925 116.140986)
(xy 69.9866 116.078197)
(xy 70.005032 115.95)
(xy 70.005032 115.949996)
(xy 69.986601 115.821809)
(xy 69.9866 115.821808)
(xy 69.9866 115.821803)
(xy 69.932797 115.703991)
(xy 69.932793 115.703986)
(xy 69.847985 115.606111)
(xy 69.847983 115.60611)
(xy 69.847982 115.606109)
(xy 69.739027 115.536088)
(xy 69.739026 115.536087)
(xy 69.739025 115.536087)
(xy 69.614758 115.4996)
(xy 69.485242 115.4996)
(xy 69.360974 115.536087)
(xy 69.360971 115.536089)
(xy 69.252016 115.60611)
(xy 69.252014 115.606111)
(xy 69.167206 115.703986)
(xy 69.167203 115.70399)
(xy 69.1134 115.821802)
(xy 69.113398 115.821809)
(xy 69.094968 115.949996)
(xy 69.094968 115.950003)
(xy 69.113398 116.07819)
(xy 69.1134 116.078197)
(xy 69.142075 116.140986)

(xy 69.152178 116.21126)
(xy 69.142075 116.245669)
(xy 69.107222 116.321988)
(xy 69.107219 116.321998)
(xy 69.088789 116.450185)
(xy 69.088789 116.450192)
(xy 64.268955 116.450192)
(xy 64.26164 116.442877)
(xy 64.114727 116.295964)
(xy 64.112475 116.293591)
(xy 64.085447 116.263573)
(xy 64.085446 116.263572)
(xy 64.066944 116.255335)
(xy 64.049571 116.245902)
(xy 64.032581 116.234869)
(xy 64.032576 116.234867)
(xy 64.030939 116.234608)
(xy 63.999421 116.225272)
(xy 63.997913 116.224601)
(xy 63.997911 116.2246)
(xy 63.99791 116.2246)
(xy 63.997909 116.2246)
(xy 63.977658 116.2246)
(xy 63.95795 116.223049)
(xy 63.948006 116.221474)
(xy 63.93794 116.21988)
(xy 63.937939 116.21988)
(xy 63.936346 116.220307)
(xy 63.903736 116.2246)
(xy 63.457555 116.2246)
(xy 63.454281 116.224514)
(xy 63.413952 116.222401)
(xy 63.41395 116.222401)
(xy 63.395043 116.229659)
(xy 63.376091 116.235273)

(xy 63.356272 116.239486)
(xy 63.35493 116.240461)
(xy 63.32604 116.256147)
(xy 63.324501 116.256737)
(xy 63.324495 116.256741)
(xy 63.310173 116.271063)
(xy 63.295146 116.283896)
(xy 63.289569 116.287949)
(xy 63.278752 116.295808)
(xy 63.278748 116.295812)
(xy 63.27792 116.297248)
(xy 63.257902 116.323333)
(xy 62.995973 116.585263)
(xy 62.993581 116.587533)
(xy 62.963576 116.614548)
(xy 62.963572 116.614555)
(xy 62.955332 116.63306)
(xy 62.945906 116.650422)
(xy 62.942978 116.654932)
(xy 62.934999 116.667218)
(xy 62.881128 116.713458)
(xy 62.829323 116.7246)
(xy 61.245553 116.7246)
(xy 61.177432 116.704598)
(xy 61.156458 116.687695)
(xy 60.562305 116.093542)
(xy 60.528279 116.03123)
(xy 60.5254 116.004447)
(xy 60.5254 114.285003)
(xy 70.144968 114.285003)
(xy 70.163398 114.41319)
(xy 70.1634 114.413197)
(xy 70.217203 114.531009)
(xy 70.217206 114.531013)
(xy 70.302014 114.628888)

(xy 70.302016 114.628889)
(xy 70.302017 114.62889)
(xy 70.410973 114.698912)
(xy 70.535242 114.7354)
(xy 70.664758 114.7354)
(xy 70.789027 114.698912)
(xy 70.897983 114.62889)
(xy 70.982797 114.531009)
(xy 71.0366 114.413197)
(xy 71.055032 114.285)
(xy 71.055032 114.284996)
(xy 71.036601 114.156809)
(xy 71.0366 114.156808)
(xy 71.0366 114.156803)
(xy 70.982797 114.038991)
(xy 70.982793 114.038986)
(xy 70.897985 113.941111)
(xy 70.897979 113.941106)
(xy 70.841262 113.904656)
(xy 70.794769 113.851001)
(xy 70.784666 113.780726)
(xy 70.814159 113.716146)
(xy 70.841258 113.692664)
(xy 70.905483 113.65139)
(xy 70.990297 113.553509)
(xy 71.0441 113.435697)
(xy 71.059344 113.329675)
(xy 71.062532 113.307503)
(xy 71.062532 113.307496)
(xy 71.044101 113.179309)
(xy 71.0441 113.179308)
(xy 71.0441 113.179303)
(xy 70.990297 113.061491)
(xy 70.980687 113.0504)
(xy 70.905485 112.963611)

(xy 70.905483 112.96361)
(xy 70.874798 112.94389)
(xy 70.796527 112.893588)
(xy 70.796526 112.893587)
(xy 70.796525 112.893587)
(xy 70.672258 112.8571)
(xy 70.542742 112.8571)
(xy 70.418474 112.893587)
(xy 70.418471 112.893589)
(xy 70.309516 112.96361)
(xy 70.309514 112.963611)
(xy 70.224706 113.061486)
(xy 70.224703 113.06149)
(xy 70.1709 113.179302)
(xy 70.170898 113.179309)
(xy 70.152468 113.307496)
(xy 70.152468 113.307503)
(xy 70.170898 113.43569)
(xy 70.1709 113.435697)
(xy 70.224703 113.553509)
(xy 70.224706 113.553513)
(xy 70.309514 113.651388)
(xy 70.309516 113.651389)
(xy 70.309517 113.65139)
(xy 70.338288 113.66988)
(xy 70.366237 113.687842)
(xy 70.41273 113.741498)
(xy 70.422833 113.811772)
(xy 70.39334 113.876353)
(xy 70.366237 113.899838)
(xy 70.302016 113.94111)
(xy 70.302014 113.941111)
(xy 70.217206 114.038986)
(xy 70.217203 114.03899)
(xy 70.1634 114.156802)

(xy 70.163398 114.156809)
(xy 70.144968 114.284996)
(xy 70.144968 114.285003)
(xy 60.5254 114.285003)
(xy 60.5254 113.445554)
(xy 60.545402 113.377433)
(xy 60.562305 113.356459)
(xy 60.800873 113.117891)
(xy 60.863185 113.083865)
(xy 60.934 113.08893)
(xy 60.985192 113.124473)
(xy 61.002017 113.14389)
(xy 61.110973 113.213912)
(xy 61.235242 113.2504)
(xy 61.364758 113.2504)
(xy 61.489027 113.213912)
(xy 61.597983 113.14389)
(xy 61.682797 113.046009)
(xy 61.7366 112.928197)
(xy 61.746822 112.8571)
(xy 61.755032 112.800003)
(xy 61.755032 112.799996)
(xy 61.736601 112.671809)
(xy 61.7366 112.671808)
(xy 61.7366 112.671803)
(xy 61.70381 112.600003)
(xy 63.244968 112.600003)
(xy 63.263398 112.72819)
(xy 63.2634 112.728197)
(xy 63.317203 112.846009)
(xy 63.317206 112.846013)
(xy 63.402014 112.943888)
(xy 63.402016 112.943889)
(xy 63.402017 112.94389)
(xy 63.510973 113.013912)

(xy 63.635242 113.0504)
(xy 63.764758 113.0504)
(xy 63.889027 113.013912)
(xy 63.997983 112.94389)
(xy 64.082797 112.846009)
(xy 64.1366 112.728197)
(xy 64.142986 112.683783)
(xy 64.155032 112.600003)
(xy 64.155032 112.599996)
(xy 64.136601 112.471809)
(xy 64.1366 112.471808)
(xy 64.1366 112.471803)
(xy 64.09346 112.377341)
(xy 64.083356 112.307069)
(xy 64.093461 112.272658)
(xy 64.1366 112.178197)
(xy 64.136872 112.176301)
(xy 64.155032 112.050003)
(xy 64.155032 112.049996)
(xy 64.136601 111.921809)
(xy 64.1366 111.921808)
(xy 64.1366 111.921803)
(xy 64.09346 111.827341)
(xy 64.083356 111.757069)
(xy 64.093461 111.722658)
(xy 64.1366 111.628197)
(xy 64.14524 111.568103)
(xy 69.019968 111.568103)
(xy 69.019969 111.568107)
(xy 69.030714 111.630428)
(xy 69.038547 111.687416)
(xy 69.039327 111.693092)
(xy 69.041651 111.701386)
(xy 69.041106 111.701538)
(xy 69.041361 111.702391)

(xy 69.041901 111.70222)
(xy 69.044506 111.710427)
(xy 69.044508 111.710432)
(xy 69.044509 111.710435)
(xy 69.071668 111.767543)
(xy 69.0875 111.803991)
(xy 69.096867 111.825556)
(xy 69.101344 111.832918)
(xy 69.10086 111.833212)
(xy 69.101341 111.833973)
(xy 69.101815 111.833663)
(xy 69.106539 111.840866)
(xy 69.148104 111.888535)
(xy 69.188015 111.937592)
(xy 69.188019 111.937595)
(xy 69.194312 111.943472)
(xy 69.193922 111.943888)
(xy 69.194588 111.94449)
(xy 69.194963 111.944061)
(xy 69.201458 111.949723)
(xy 69.201459 111.949725)
(xy 69.236302 111.972578)
(xy 69.254352 111.984417)
(xy 69.306007 112.02088)
(xy 69.31366 112.024845)
(xy 69.313396 112.025354)
(xy 69.314196 112.025751)
(xy 69.314442 112.025235)
(xy 69.322224 112.028936)
(xy 69.322226 112.028936)
(xy 69.322227 112.028937)
(xy 69.382525 112.048074)
(xy 69.442099 112.069247)
(xy 69.442101 112.069247)
(xy 69.450536 112.071)

(xy 69.450419 112.07156)
(xy 69.451294 112.071726)
(xy 69.451391 112.071164)
(xy 69.459885 112.072628)
(xy 69.459887 112.072628)
(xy 69.45989 112.072629)
(xy 69.523108 112.074788)
(xy 69.532119 112.075404)
(xy 69.586186 112.079104)
(xy 69.586188 112.079103)
(xy 69.586192 112.079104)
(xy 69.586194 112.079103)
(xy 69.594788 112.078515)
(xy 69.594827 112.079089)
(xy 69.595715 112.079013)
(xy 69.595657 112.078441)
(xy 69.604226 112.077559)
(xy 69.604235 112.07756)
(xy 69.66568 112.062586)
(xy 69.7276 112.049719)
(xy 69.727608 112.049714)
(xy 69.735722 112.046832)
(xy 69.735914 112.047373)
(xy 69.736745 112.047061)
(xy 69.736535 112.046528)
(xy 69.744552 112.043365)
(xy 69.744558 112.043364)
(xy 69.784545 112.02088)
(xy 69.799682 112.012369)
(xy 69.81423 112.00483)
(xy 69.855837 111.983272)
(xy 69.855842 111.983266)
(xy 69.862883 111.978298)
(xy 69.863214 111.978767)
(xy 69.863925 111.978247)

(xy 69.863578 111.977789)
(xy 69.870446 111.97258)
(xy 69.87045 111.972578)
(xy 69.91516 111.927867)
(xy 69.961391 111.884691)
(xy 69.961392 111.884687)
(xy 69.966832 111.878003)
(xy 69.967274 111.878363)
(xy 69.976828 111.866198)
(xy 70.080723 111.762304)
(xy 70.143037 111.728279)
(xy 70.169819 111.7254)
(xy 70.220466 111.7254)
(xy 70.279021 111.739832)
(xy 70.417671 111.812601)
(xy 70.571027 111.8504)
(xy 70.571028 111.8504)
(xy 70.728972 111.8504)
(xy 70.728973 111.8504)
(xy 70.882329 111.812601)
(xy 71.022183 111.7392)
(xy 71.140407 111.634463)
(xy 71.23013 111.504476)
(xy 71.286139 111.356794)
(xy 71.286139 111.356793)
(xy 71.28614 111.356791)
(xy 71.305177 111.200003)
(xy 71.305177 111.199996)
(xy 71.28614 111.043208)
(xy 71.236685 110.912809)
(xy 71.23013 110.895524)
(xy 71.230128 110.895522)
(xy 71.230128 110.89552)
(xy 71.140409 110.765539)
(xy 71.134037 110.759894)

(xy 71.022183 110.6608)
(xy 70.882329 110.587399)
(xy 70.882328 110.587398)
(xy 70.882327 110.587398)
(xy 70.728974 110.5496)
(xy 70.728973 110.5496)
(xy 70.571027 110.5496)
(xy 70.571025 110.5496)
(xy 70.417673 110.587398)
(xy 70.417672 110.587398)
(xy 70.279021 110.660168)
(xy 70.220466 110.6746)
(xy 70.169818 110.6746)
(xy 70.101697 110.654598)
(xy 70.080723 110.637695)
(xy 70.012361 110.569333)
(xy 69.942842 110.499814)
(xy 69.938527 110.495033)
(xy 69.911986 110.462409)
(xy 69.911985 110.462408)
(xy 69.860322 110.42594)
(xy 69.809924 110.387722)
(xy 69.802414 110.383499)
(xy 69.802692 110.383004)
(xy 69.801904 110.382579)
(xy 69.801643 110.383084)
(xy 69.793993 110.37912)
(xy 69.793991 110.379119)
(xy 69.734414 110.357945)
(xy 69.68583 110.338786)
(xy 69.675564 110.334738)
(xy 69.667192 110.332698)
(xy 69.667326 110.332145)
(xy 69.666457 110.331948)
(xy 69.666341 110.332507)

(xy 69.657898 110.330752)
(xy 69.59981 110.326778)
(xy 69.594812 110.326437)
(xy 69.590539 110.325997)
(xy 69.531897 110.319968)
(xy 69.523282 110.320263)
(xy 69.523262 110.319699)
(xy 69.522363 110.319745)
(xy 69.522402 110.320308)
(xy 69.513812 110.320895)
(xy 69.451882 110.333764)
(xy 69.38957 110.344507)
(xy 69.381356 110.347115)
(xy 69.381184 110.346574)
(xy 69.38033 110.346862)
(xy 69.38052 110.347395)
(xy 69.372402 110.350279)
(xy 69.34484 110.36456)
(xy 69.316241 110.37938)
(xy 69.277538 110.397785)
(xy 69.259133 110.406539)
(xy 69.251934 110.411261)
(xy 69.251626 110.410792)
(xy 69.250877 110.411302)
(xy 69.2512 110.41176)
(xy 69.244163 110.416727)
(xy 69.197942 110.459895)
(xy 69.150277 110.501456)
(xy 69.144614 110.507951)
(xy 69.144188 110.50758)
(xy 69.143608 110.508269)
(xy 69.144046 110.508626)
(xy 69.138606 110.515312)
(xy 69.105756 110.569333)
(xy 69.071062 110.622227)

(xy 69.067362 110.630008)
(xy 69.066852 110.629765)
(xy 69.06648 110.630584)
(xy 69.066998 110.630809)
(xy 69.063564 110.638713)
(xy 69.046506 110.699596)
(xy 69.027369 110.759894)
(xy 69.025905 110.768386)
(xy 69.025348 110.76829)
(xy 69.025211 110.769172)
(xy 69.025773 110.76925)
(xy 69.0246 110.777786)
(xy 69.0246 110.841005)
(xy 69.02244 110.90424)
(xy 69.023321 110.912809)
(xy 69.022754 110.912867)
(xy 69.0246 110.92823)
(xy 69.0246 111.519831)
(xy 69.024269 111.526279)
(xy 69.019968 111.568103)
(xy 64.14524 111.568103)
(xy 64.154388 111.504479)
(xy 64.155032 111.500003)
(xy 64.155032 111.499996)
(xy 64.136601 111.371809)
(xy 64.1366 111.371808)
(xy 64.1366 111.371803)
(xy 64.09346 111.277341)
(xy 64.083356 111.207069)
(xy 64.093461 111.172658)
(xy 64.1366 111.078197)
(xy 64.155032 110.95)
(xy 64.155032 110.949996)
(xy 64.136601 110.821809)
(xy 64.1366 110.821808)

(xy 64.1366 110.821803)
(xy 64.082797 110.703991)
(xy 64.05733 110.6746)
(xy 63.997985 110.606111)
(xy 63.997983 110.60611)
(xy 63.942417 110.5704)
(xy 63.889027 110.536088)
(xy 63.889026 110.536087)
(xy 63.889025 110.536087)
(xy 63.764758 110.4996)
(xy 63.635242 110.4996)
(xy 63.510974 110.536087)
(xy 63.510971 110.536089)
(xy 63.402016 110.60611)
(xy 63.402014 110.606111)
(xy 63.317206 110.703986)
(xy 63.317203 110.70399)
(xy 63.2634 110.821802)
(xy 63.263398 110.821809)
(xy 63.244968 110.949996)
(xy 63.244968 110.950003)
(xy 63.263398 111.07819)
(xy 63.2634 111.078197)
(xy 63.306538 111.172657)
(xy 63.306539 111.172658)
(xy 63.316642 111.242932)
(xy 63.306539 111.277341)
(xy 63.301771 111.287781)
(xy 63.2634 111.371802)
(xy 63.263398 111.371809)
(xy 63.244968 111.499996)
(xy 63.244968 111.500003)
(xy 63.263398 111.62819)
(xy 63.2634 111.628197)
(xy 63.306538 111.722657)

(xy 63.306539 111.722658)
(xy 63.316642 111.792932)
(xy 63.306539 111.827341)
(xy 63.304124 111.83263)
(xy 63.2634 111.921802)
(xy 63.263398 111.921809)
(xy 63.244968 112.049996)
(xy 63.244968 112.050003)
(xy 63.263398 112.17819)
(xy 63.2634 112.178197)
(xy 63.306538 112.272657)
(xy 63.306539 112.272658)
(xy 63.316642 112.342932)
(xy 63.306539 112.377341)
(xy 63.302545 112.386087)
(xy 63.2634 112.471802)
(xy 63.263398 112.471809)
(xy 63.244968 112.599996)
(xy 63.244968 112.600003)
(xy 61.70381 112.600003)
(xy 61.682797 112.553991)
(xy 61.682793 112.553986)
(xy 61.597985 112.456111)
(xy 61.597983 112.45611)
(xy 61.597981 112.456109)
(xy 61.489027 112.386088)
(xy 61.489026 112.386087)
(xy 61.489025 112.386087)
(xy 61.364758 112.3496)
(xy 61.235242 112.3496)
(xy 61.110974 112.386087)
(xy 61.110971 112.386089)
(xy 61.002017 112.456109)
(xy 60.937028 112.531112)
(xy 60.877302 112.569496)

```
(xy 60.841803 112.5746)
(xy 60.807555 112.5746)
(xy 60.804281 112.574514)
(xy 60.763952 112.572401)
(xy 60.763951 112.572401)
(xy 60.763949 112.572401)
(xy 60.745041 112.579659)
(xy 60.726093 112.585272)
(xy 60.706272 112.589486)
(xy 60.704933 112.590459)
(xy 60.676041 112.606146)
(xy 60.674499 112.606737)
(xy 60.674494 112.606741)
(xy 60.660173 112.621062)
(xy 60.645143 112.633899)
(xy 60.628753 112.645807)
(xy 60.619893 112.655648)
(xy 60.61647 112.652566)
(xy 60.583722 112.683783)
(xy 60.514006 112.69721)
(xy 60.448099 112.670814)
(xy 60.406924 112.612977)
(xy 60.4 112.571782)
(xy 60.4 108.470953)
(xy 60.420002 108.402832)
(xy 60.436905 108.381858)
(xy 61.581858 107.236905)
(xy 61.64417 107.202879)
(xy 61.670953 107.2)
(xy 72.274 107.2)
)
)
)
(group "" (id ec80925a-95ca-4f3f-b690-77efdd14d02d)
(members
```

0286dc95-8417-4150-87aa-504a56f7f0fc
0d817c2c-d13a-4a6c-92e5-a11fa265616e
12c39b52-cc56-4edb-a74f-9cb9624bf4d2
13ad483b-60ce-44c3-80de-e0ffa7af0acb
1895f10c-f7bc-4242-9d8c-4ef0fc0cc7f8
1966a20f-337e-4d00-a204-104b3d1b467a
1c9af1a5-2565-45e3-b2bf-25649d63cb48
1ea1cc88-3b81-4daa-84d4-8f0066a3e6b0
220f9ec9-98b0-4d7b-8fd2-1912773bd28b
23c62e17-ca12-44e4-8d02-32b50a68cf0f
24dcab4c-16d9-475d-a760-9ffc4e19893d
25aa8b8f-d9f2-4ad9-8bc7-bc21e0a7a2fd
2af2f0f4-dda3-4008-8ac0-a712452fc597
31a8f541-96a9-4848-863a-c23348c4ef7c
34668f55-5deb-4ff0-834d-e4e88775e851
3e58b5d2-3ca3-4023-ba33-305ec597e8ab
3f9bc911-26ec-43a5-8215-742ff1c1b1f4
456155b5-09af-42de-bdd9-aee04f588a9b
481c4ec0-f82e-48af-bbe7-7e6412f3a06e
4a3a0d14-1969-43b3-9470-ceab6f753c1f
4b1180bf-f407-4234-b87f-367b50b3090c
4d677f66-c774-43f8-91e5-7c593cb50c14
4dae7431-eaf2-4218-9b21-04eb4ca512f9
571adf0d-b86a-4cd0-9108-eec08560a90a
5a1e6eca-23bc-4cb5-95a6-958575b4bb01
61cca196-bc44-4313-b4b5-7531e86f1642
65e06bec-5337-45d2-b444-a9d45ddcb2fd
6d5eedc1-a618-4fc3-9e1d-d36249996fac
6d64593d-fe9a-404b-8964-1b3fce2190a9
724a93fe-422d-4b94-a769-33364448cc0e
72d686a6-f9d8-4f4c-9c07-5e17f557d29c
7436fc93-d435-47b7-97b6-5b5479a29b56
7b4acfd5-f37a-4efd-90d1-adf010172b80
7d3bbf56-78b4-4b97-b483-a5e0e267b147
87ce3564-1d69-46b4-8708-e2879e6a26a9

8811c9c9-f4fd-4202-b101-42401903087c
8b2697cc-03b4-4137-834d-d1d636035aae
8c4812e7-2851-434d-ba16-4b98074ef882
8e77173a-13b3-42d4-b838-aff5a90ec080
8f4247c1-d59a-4f06-b3e7-9766a9acefb5
98fb9826-c9d8-450b-9abb-f98afd297e8e
99d1d74f-4ed7-425f-8fb6-e7f302f6fa81
a05c54fb-968f-4edf-80dc-5c4c46ab4757
a46ee5e0-33f5-4089-bb09-9c3f3687fc1e
a5a28b15-be69-493a-9935-6f76e8e66df2
aa0cab07-fc99-485f-ba1f-dcff7ece8646
adb83766-2012-45bf-915c-691aa91066ba
af6da678-ef05-4e54-8c0d-7c5bccb81727
b82d7fd0-769b-4769-8f2e-153070488f92
b9a4925f-c903-4942-96bf-daaa02f026a6
b9c898ee-8584-4942-9ef7-6c79b60d5ef5
ba2132bd-1343-479c-9e2c-902b8d30d240
bb22ce4e-b386-427f-a636-adf71349d72e
bd7f6d8d-6c9a-4757-8452-70ec55c7fcc9
c3878947-6c74-43ff-b80a-0f6b11cc443a
c3dd3c96-df6c-4e92-a5ce-ffbf5ec8e9af
c49ba654-9f39-4bca-9d86-4c01df406c86
c6b8eb31-bd48-4c43-bfc5-002fb6559830
c7f7ec1c-c7c8-472f-b96d-13ec77f62b70
c94c80de-52a6-4ec6-8c50-4664362214bb
d3ff2b9e-8630-4dc9-b662-32fd2ca857e6
d6807fcb-4131-411d-862e-f880615ea0a5
d6ffe4a9-b6fc-4bc9-84b6-0c32920db9df
d8c22d37-2c95-4827-87da-910df4261dcc
db976dfb-22b3-4e93-82a2-5635aa8e1373
dbb8b175-7b41-4419-82b2-0dea98f2db52
de3c32e5-5fec-4d74-a492-2025dfca757f
dfc1cd81-81c0-48fd-ac6e-6026711c6329
e77d5e63-dd14-4d97-bccf-54ee9c426604
ea27b106-77ae-4c8e-a457-2f000a59bf1d

```
eecf70ff-0151-40b2-932a-313edf2d3206
effb698f-d772-432d-8a8e-d950b11e6da5
f8af8d76-c143-4687-bc9c-ec322e646020
fbc2b66e-1e10-40ef-a122-47be35c41ebd
fd3d34f8-3edb-402a-b192-2423bec527a2
fe22d50c-bda6-4dbe-87ed-777e3ae44abd
)
)
(group "" (id bca68876-f2ae-4914-9122-10b0de5eb183)
(members
00242d58-e772-4e92-b902-20b5c2823f97
0126765d-987b-47f3-a225-5e56dc1819cc
0133c162-af3a-47b7-8bd4-38eef59f1424
01d8fda4-8918-418c-9902-8f78dc138f4a
0495a9fa-bc61-4867-b248-a47a9f7b7876
04c96fa0-2987-4458-97d5-789c54dc0cca
04e24fbc-5432-4fd4-8e33-c50bd03962c4
0637cc9f-1c95-4898-a8ec-57847f3ed9a1
0aa36502-78a9-4e9d-8ac3-c45977d53ef2
0aa3789c-ed6c-438e-b3a1-ab912cb2e5b5
0d5403b2-3cfe-42c4-9a5e-aa78ee5f9fb1
0da05805-6861-423e-98be-5bcfbf36e391
11616c82-abc4-4e29-a299-9ba6a2948132
12d3a05c-f815-432c-99c4-4f167e1f9efe
154d2267-2a92-4d4d-be89-fcf9cbeeb5bf
18762295-ea1f-479a-87e2-4cda66184fbc
1a24bc4b-09e9-4927-a316-407da5ecb7f1
1c27dba5-83a1-4eee-8279-5a4ed0eed7e4
1dc1142a-979d-4c42-89df-93da6eab42b8
1dcbfad9-0667-4a47-ba1e-13ff93926721
20b2a041-b076-4b9a-be7c-291e615849ad
218b14d3-a42c-4362-af00-60f8b5cf127c
28fd6501-b1d4-4222-9c3e-33b0efdcbbba9
29d8f68f-7597-4825-ba14-8f35ebd3e1b5
2ba39466-d940-4df7-b98c-272a80cc889a
```


2f5752e7-06cc-4961-bc93-f16f46440ace
3883105b-3501-4644-9e43-342f1dafef6b
4169ef77-1642-4dc2-97d3-61b1a92e5cfa
43f837c5-3df6-4293-81cf-68f17a490060
47201999-f4bf-4262-adcc-da66c1995dba
4785e968-5634-42fe-b5a8-7e96ca067988
49420061-a561-45ef-973e-5af5be443f34
4a359150-54bc-4456-875a-7d37fc4e3172
4b66e61a-fe77-4eb5-8d87-0971906261aa
4e519a8d-d60c-45d8-b191-7642fb446bc6
4f4117a6-15bd-4c66-8a36-d25876f32c8f
555842db-9e0f-4dca-891a-71c6d895bc47
56242ca6-00ab-458e-a1cd-341f4dfee9e7
58bac623-f7cf-4c06-b6e8-35c013cec1de
593714b0-8d96-43ca-b8c5-fa5b9f8d0b6b
5d93f524-911c-43d1-8f67-561edc6cdcf9
6208a5c0-5be1-4ee4-b9fa-2c5aaf80ed62
62766bfb-31ab-4dce-b9ec-41818299166b
63141cd1-5714-494d-bc30-7303f430163f
647f9741-78b2-4a4a-959d-e90f71ab325f
699fdf64-e18a-4e48-8bbd-fcbc9a44a80e
6b2dd3f9-11bf-4182-909b-3baa619b9283
6c9e03a1-0653-4bcb-bf88-8ddff0506da5
7092d363-dd7b-4dce-b573-c39fd439bc5c
73c172bd-8dbc-4572-8506-5a9dccc4d7d9
747051c9-1660-4725-8d60-1e65e00b63a3
7494e041-13fb-4d1e-b4b4-76dd8190a34e
769ef32d-005e-4fd3-9111-80515d014fab
77c4d812-f7e2-40e6-866b-0ffff1367be4
78eb9b74-85b6-4a2e-b085-d4c0e5dbaa28
7b080d4b-a284-4a23-a952-f99e5757914b
7da6f068-06bf-4875-abc3-3e9758ff3cac
7f0a9efd-6652-427e-861b-ee7b55698c33
7fabe2f9-e574-40c6-9082-c993d70e880c
81fda36a-0535-41a7-8c40-aafdb40d478d

821f8943-5d93-4172-8dc2-e3c8d2d36fe6
87dc08d9-2669-4eea-96a0-e370138a6933
88edbafa-67fe-4155-a751-33cf6c39ec4d
8a8caab4-cdcb-4a8a-9eff-d5200c5a43d9
8e94b478-17a1-4cb9-9b14-592e2337d86e
905f70d8-8222-4f53-a807-aae1aaff718d
90ace7ff-490b-427a-b178-10169f1d0658
95ee5ba2-4e98-4cce-8538-e5a644068e96
99352fa1-b0c4-4c86-b92d-fc3e2665be27
9aa62924-8544-48ca-af4d-517f95570d5c
9c31a310-40db-46d5-8d07-aed14564330e
9c68dd91-27b3-4758-8dd9-64719f53acc8
9ceea44d-000d-4381-bcd4-cd34bfe86bf1
9da7a185-2db4-4ff2-a486-98c7e8d33fe7
9eecfbc4-2951-4584-9b4b-165b8e2144a1
a40f1857-f21f-4e7f-97da-0e64d9ed9e41
a53e1fb4-4e50-4595-981e-46cdd2a8ac0e
a67ef4ee-e36b-4de4-ad65-a3f38bc30369
a819a1ec-c126-4b17-92e4-e645d0d00eac
a907865a-3ede-4326-9050-da4ceaba2c5d
abb77112-0d24-43a8-ae34-fc43411fb83b
ac6c781b-3248-43b1-8f69-f4233d34ae5c
b29fa949-22c2-40d5-9761-61f37a4df66d
b7a4c96e-9a79-43af-b1fc-317dfd91d5d4
bbd13cc1-3c9e-4228-90ae-b274841f5bc9
bc514d20-eb72-4fcb-b706-4c3bd977b258
c0882d97-60f7-4bb4-be60-ffc9afc2daf8
c0caa370-2813-4a38-938a-1fa294dcfb86
c5903aaf-2ba6-4736-95e9-6db6be39de1d
c60aec90-396e-418c-9618-a588f615857c
c7972341-9ffb-49b5-b8d4-c0c183e5396e
c9920a24-5b5a-4fd6-8d6d-68ea2b412147
cdc7b829-71f3-4b6b-9f0b-f06ee9ea2e6a
cfb540c8-c00f-4934-9680-def7a8db8e20
d021ac64-9809-4dc5-91a5-26e6cf03c49d

d0344fdf-ad2b-4987-845e-f527573cf23d
d2bd07e2-56be-4829-b9bc-b98dc2a8da34
d5345bfe-2d96-444f-a266-310218cab2e
d60f6874-b45f-4669-b941-91d0588ef802
d71ec0c9-88d9-482e-b38e-d92ccaac872b
d72b0813-e0e7-4e3d-94e4-4c67eb886a92
d839a8e6-544f-4496-bb8a-6e03869bedc0
dbeb24e0-215c-4fc8-b35a-d1db0621f368
dd2c5b0d-5fac-404e-a643-44795c42a42d
dd4b8a44-a685-4bca-a9d9-973339a44b88
df8b9572-3d45-4bc8-b838-faa90afd48da
e43796d7-c5a0-4071-b00c-e0920e5f7a53
e4c97bf4-21c3-4cc4-97e7-b41d33fce7d2
e55834b2-e7fc-44d5-84aa-cc410954fc0a
e84e4485-195d-45e9-a286-ba964885ff0f
ea123408-dcb4-47d3-8229-9929b1206557
ebf8f755-a514-4009-a9f1-77aa807da995
ef04ad5b-b9cf-4399-89e3-9ebd5b16a712
f1e60cab-fde1-46fb-aebf-1ccbb662e625
f41563db-f8ca-4853-82e0-7890cc842bc1
f70ce9ed-e10a-4434-87b2-2cb3aad5147
f7fb8b5d-00b9-4129-875f-2ce4844eb931
fcfab889-44b0-4cf9-a850-a33baf3e5050

)
)
)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-boardview\pcbnew2boardview.nv

Resumo: #!/usr/bin/env python import sys import re import argparse import pcbnew def skip_module(module, tp=False): if module.GetPadCount() == 0: return True refdes = module.Reference().GetText() if tp and not refdes.startswith("TP"): return True if not tp ...

```
#!/usr/bin/env python
```

```
import sys
```

```
import re
```

```
import argparse
```

```
import pcbnew
```

```
def skip_module(module, tp=False):
```

```
    if module.GetPadCount() == 0:
```

```
        return True
```

```
    refdes = module.Reference().GetText()
```

```
    if tp and not refdes.startswith("TP"):
```

```
        return True
```

```
    if not tp and refdes.startswith("TP"):
```

```
        return True
```

```
    return False
```

```
def coord(nanometers):
```

```
    milliinches = nanometers * 5 // 127000
```

```
    return milliinches
```

```
def y_coord(maxy, y, flipped):
```

```
    # Adjust y-coordinate to start from the bottom of the board and account for flipped components
```

```
    return coord(maxy - y) if not flipped else coord(y)
```

```
def natural_sort_key(s):
```

```
    is_blank = s.strip() == ''
```

```

        return (is_blank, [int(text) if text.isdigit() else text.casefold()
                             for text in re.compile('[0-9]+').split(s)])

def convert_brd(pcb, brd):
    # Board outline
    outlines = pcbnew.SHAPE_POLY_SET()
    pcb.GetBoardPolygonOutlines(outlines)
    outline = outlines.Outline(0)
    outline_points = [outline.GetPoint(n) for n in range(outline.PointCount())]
    outline_maxx = max(map(lambda p: p.x, outline_points))
    outline_maxy = max(map(lambda p: p.y, outline_points))

    brd.write("0\n") # unknown

    brd.write("BRDOUT: {count} {width} {height}\n"
              .format(count =len(outline_points) + outline.IsClosed(),
                      width =coord(outline_maxx),
                      height=coord(outline_maxy)))

    for point in outline_points:
        brd.write("{x} {y}\n"
                  .format(x=coord(point.x),
                          y=y_coord(outline_maxy, point.y, False)))

    if outline.IsClosed():
        brd.write("{x} {y}\n"
                  .format(x=coord(outline_points[0].x),
                          y=y_coord(outline_maxy, outline_points[0].y, False)))

    brd.write("\n")
# Nets
    net_info = pcb.GetNetInfo()
    net_items = [net_info.GetNetItem(n) for n in range(1, net_info.GetNetCount())]

    brd.write("NETS: {count}\n"
              .format(count=len(net_items)))

    for net_item in net_items:

```

```

        brd.write("{code} {name}\n"
                    .format(code=net_item.GetNetCode(),
                            name=net_item.GetNetname()))

brd.write("\n")

# Parts

module_list = pcb.GetFootprints()
modules = []

for module in module_list:
    if not skip_module(module):
        modules.append(module)

brd.write("PARTS: {count}\n"
          .format(count=len(modules)))

pin_at = 0

for module in modules:
    module_bbox = module.GetBoundingBox()

    flipped = module.IsFlipped()

    brd.write("{ref} {x1} {y1} {x2} {y2} {pin} {side}\n"
              .format(ref=module.Reference().GetText(),
                      x1=coord(module_bbox.GetLeft()),
                      y1=y_coord(outline_maxy, module_bbox.GetTop(), flipped),
                      x2=coord(module_bbox.GetRight()),
                      y2=y_coord(outline_maxy, module_bbox.GetBottom(), flipped),
                      pin=pin_at,
                      side=1 + flipped))

    pin_at += module.GetPadCount()

brd.write("\n")

# Pins

module_list = pcb.GetFootprints()
pads = []

for module in module_list:
    if not skip_module(module):
        pads_list = module.Pads()

```

```

        for pad in sorted(pads_list, key=lambda pad: natural_sort_key(pad.GetName())):
            pads.append(pad)

brd.write("PINS: {count}\n"
          .format(count=len(pads)))

for pad in pads:
    pad_pos = pad.GetPosition()
    flipped = pad.IsFlipped()
    brd.write("{x} {y} {net} {side}\n"
              .format(x=coord(pad_pos.x),
                      y=y_coord(outline_maxy, pad_pos.y, flipped),
                      net=pad.GetNetCode(),
                      side=1 + flipped))

brd.write("\n")

# Nails
module_list = pcb.GetFootprints()

testpoints = []
for module in module_list:
    if not skip_module(module, tp=True):
        pads_list = module.Pads()
        for pad in sorted(pads_list, key=lambda pad: natural_sort_key(pad.GetName())):
            testpoints.append((module, pad))

brd.write("NAILS: {count}\n"
          .format(count=len(testpoints)))

for module, pad in testpoints:
    pad_pos = pad.GetPosition()
    flipped = pad.IsFlipped()
    brd.write("{probe} {x} {y} {net} {side}\n"
              .format(probe=module.GetReference()[2:],
                      x=coord(pad_pos.x),
                      y=y_coord(outline_maxy, pad_pos.y, flipped),
                      net=pad.GetNetCode(),
                      side=1 + flipped))

```

```
brd.write("\n")
```

```
def convert_bvr(pcb, bvr):
```

```
    bvr.write("BVRW_FORMAT_3\n")
```

```
    outlines = pcbnew.SHAPE_POLY_SET()
```

```
    pcb.GetBoardPolygonOutlines(outlines)
```

```
    outline = outlines.Outline(0)
```

```
    outline_points = [outline.GetPoint(n) for n in range(outline.PointCount())]
```

```
    outline_maxx = max(map(lambda p: p.x, outline_points))
```

```
    outline_maxy = max(map(lambda p: p.y, outline_points))
```

```
    module_list = pcb.GetFootprints()
```

```
    modules = []
```

```
    for module in module_list:
```

```
        if not skip_module(module):
```

```
            modules.append(module)
```

```
        ref = module.GetReference()
```

```
        flipped = module.IsFlipped()
```

```
        side = "B" if flipped else "T"
```

```
        mount = module.GetTypeName()
```

```
        pads_list = module.Pads()
```

```
    bvr.write("\n")
```

```
    bvr.write(f"PART_NAME {ref}\n")
```

```
    bvr.write(f"    PART_SIDE {side}\n")
```

```
    bvr.write(f"    PART_ORIGIN 0.000 0.000\n")
```

```
    bvr.write(f"    PART_MOUNT {mount}\n")
```

```
    bvr.write("\n")
```

```
    for pad in sorted(pads_list, key=lambda pad: natural_sort_key(pad.GetName())):
```

```
        pin_num = pad.GetNumber()
```

```
        net = pad.GetNetname()
```



```

pad_bbox = pad.GetBoundingBox()
pad_size = pad.GetSize()

x_center = (pad_bbox.GetLeft() + pad_bbox.GetRight()) / 2
y_center = (pad_bbox.GetTop() + pad_bbox.GetBottom()) / 2
x = coord(x_center)
y = y_coord(outline_maxy, y_center, flipped)
if flipped:
    y = coord(outline_maxy - y_center)

if pad.GetShape() == pcbnew.PAD_SHAPE_CIRCLE:
    radius = coord(pad_size.x / 1.6)
else:
    smaller_dimension = min(pad_size.x, pad_size.y)
    radius = coord(smaller_dimension / 1.6)

bvr.write(f"    PIN_ID {ref}-{pin_num}\n")
bvr.write(f"        PIN_NUMBER {pin_num}\n")
bvr.write(f"        PIN_NAME {pin_num}\n")
bvr.write(f"        PIN_SIDE {side}\n")
bvr.write(f"        PIN_ORIGIN {x} {y}\n")
bvr.write(f"        PIN_RADIUS {radius}\n")
bvr.write(f"        PIN_NET {net}\n")
bvr.write("        PIN_TYPE 2\n")
bvr.write("        PIN_COMMENT\n")
bvr.write("    PIN_END\n")
bvr.write("\n")

bvr.write("PART_END\n")
bvr.write("\n")

first_point = outline_points[0]
outline_pts = ""

for point in outline_points:

```

```

        x = coord(point.x)

        y = y_coord(outline_maxy, point.y, False)

        outline_pts += (f"{x} {y} ")

x = coord(first_point.x)
y = y_coord(outline_maxy, first_point.y, False)
outline_pts += (f"{x} {y}")

bvr.write("OUTLINE_POINTS ")

bvr.write(outline_pts)


def convert_obdata(pcb, obdata):

    obdata.write("COMPONENTS_DATA_START\n")

    obdata.write("### Component Category Value Comment\n")

    obdata.write("### v = value, p = package, c = manufacturer code, r = rating, m = misc, s = status\n")
    obdata.write("###\n")

    for module in pcb.GetFootprints():

        ref = module.GetReference()

        package = module.GetFPIDAsString()

        value = module.GetValue()

        package = re.sub(r'^.*:', '', package)

        obdata.write(f"{ref} p {package}\n")

        if module.IsDNP() or value in ["NO-FIT", "DNP", "NM"]:

            obdata.write(f"{ref} s -\n")

        obdata.write(f"{ref} v {value}\n")

    obdata.write("COMPONENTS_DATA_END\n")

    obdata.write("### END")
def main():

    parser = argparse.ArgumentParser()

    parser.add_argument(

```

```

        "kicad_pcb_file", metavar="KICAD-PCB-FILE", type=str,
        help="input in .kicad_pcb format")
parser.add_argument(
    "brd_file", metavar="BRD-FILE", type=argparse.FileType("w"),
    help="output in .brd format")
parser.add_argument(
    "--bvr_file", metavar="BVR-FILE", type=argparse.FileType("w"),
    help="output in .bvr format")
parser.add_argument(
    "--obdata", dest="obdata_file", metavar="OBDATA-FILE", type=argparse.FileType("w"),
    help="output in .obdata format")

args = parser.parse_args()
board = pcbnew.LoadBoard(args.kicad_pcb_file)
convert_brd(board, args.brd_file)
if args.bvr_file:
    convert_bvr(board, args.bvr_file)
if args.obdata_file:
    convert_obdata(board, args.obdata_file)

if __name__ == "__main__":
    main()

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-do cslarchetvnes\default.md

Resumo: --- title: "{{ replace .Name "-" " " | title }}" date: {{ .Date }} draft: true ---

title: "{{ replace .Name "-" " " | title }}"

date: {{ .Date }}

draft: true

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docslassets\sl\anchor.min.js

Resumo: // @license

magnet:?xt=urn:btih:d3d9a9a6595521f9666a5e94cc830dab83b65699&dn=expat.txt Expat // //

AnchorJS - v5.0.0 - 2023-01-18 // https://www.bryanbraun.com/anchorjs/ // Copyright (c) 2023

Bryan Braun; Licensed MIT // // @license

magnet:?xt=urn:btih:d3d9a9a6595521f9666a5e94cc830dab83b65699&d...

// @license magnet:?xt=urn:btih:d3d9a9a6595521f9666a5e94cc830dab83b65699&dn=expat.txt Expat

//

// AnchorJS - v5.0.0 - 2023-01-18

// https://www.bryanbraun.com/anchorjs/

// Copyright (c) 2023 Bryan Braun; Licensed MIT

//

// @license magnet:?xt=urn:btih:d3d9a9a6595521f9666a5e94cc830dab83b65699&dn=expat.txt Expat

!function(A,e){"use strict";"function"==typeof define&&define.amd?define([],e):"object"==typeof module&&m

// @license-end

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\ index.adoc

Resumo: +++ description = "KiCad Developer Documentation" +++ == Welcome to the KiCad Developer Documentation This site contains information for contributors to the KiCad source code, translations, and Python plugins. === Building and Contributing to KiCad Software If you would like to build ...

+++

description = "KiCad Developer Documentation"

+++

== Welcome to the KiCad Developer Documentation

This site contains information for contributors to the KiCad source code, translations, and Python plugins.

=== Building and Contributing to KiCad Software

If you would like to build KiCad from source and contribute bug fixes or new features, please read the link:./getting-started[Getting Started] section carefully. We welcome contributions from new developers and expect all new contributors to familiarize themselves with our policies and guidelines before opening a merge request.

=== Translating KiCad

If you are interested in improving the translation of KiCad into your language, or adding a new language, please read the link:./translation[translation information] page for details.

=== Developing Python plugins

If you are interested in creating plugins using the KiCad Python API (currently only accessible in the PCB editor), the link:./apis-and-binding/pcbnew[Python] section has information about where to find SWIG binding documentation and some examples.

=== Publishing Addons (Plugin and Content Manager packages)

If you are interested in publishing your Python plugin, color theme, or symbol/footprint libraries in the KiCad public content repository, please read the link:./addons[KiCad addons] documentation

for requirements and suggested guidelines.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\ index.zh-cn.adoc

[illegible]

== ■■■■ KiCad ■■■■

■■■■■ KiCad ■■■■■■■ Python ■■■■■■■■■

[illegible][illegible]

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\addons\ index.en.adoc

Resumo: --- title: KiCad Addons weight: 18 pre: "<i class='fas fa-chevron-right'></i> " --- == Publishing KiCad Addons This document is a guide for users and plugin developers who are interested in creating addon packages that can be installed by the KiCad plugin and content manager. === The...

title: KiCad Addons

weight: 18

pre: "<i class='fas fa-chevron-right'></i> "

== Publishing KiCad Addons

This document is a guide for users and plugin developers who are interested in creating addon packages that can be installed by the KiCad plugin and content manager.

=== The Plugin and Content Manager

The plugin and content manager (PCM) allows KiCad users to discover and install addon packages from public or private repositories. These addon packages may contain Python plugins, symbol or footprint libraries, color themes, and other KiCad content.

The KiCad team operates an official repository of addon content that is available by default to KiCad users. Users may also add other repositories, either hosted publicly by third parties or privately (for example, an internal corporate repository).

=== Packaging your content

A KiCad addon package consists of a compressed archive file containing a metadata file, the package content, and several optional files. The archive must be in ZIP format (compatible with the ISO 21320-1 standard). The contents of the archive file depend on the package type, but all packages must include a control file called `metadata.json` that is described in detail below.

NOTE: Addon archives must follow the exact folder structure listed below. Extra files that are not related to your addon are not permitted and must be stripped out of the archive.

==== Python plugins

The structure of a Python plugin archive must look like:

```

Archive root

```
| - plugins
 | - __init__.py
 | - ...
| - resources
 | - icon.png
| - metadata.json
```

```

`icon.png` is an optional 64x64-pixel icon that will be displayed alongside your package in the PCM dialog. If no icon is supplied, the `resources` subdirectory may be empty or omitted.

The contents of the `plugins` subdirectory should include any Python source files and resources required by your plugin. Place your plugin directly inside the `plugins` subdirectory, not inside a second level of subdirectory.

NOTE: For action plugins that supply a toolbar button icon, this icon should be smaller (24x24) and located inside the `plugins` subdirectory. The action plugin toolbar icon will not be used by the PCM.

==== Content libraries

The structure of a content library package must look like:

```

Archive root

```
| - footprints
 | - first-library.pretty
 | - my-footprint.kicad_mod
 | - ...
| - second-library.pretty
```

```

 |- another-footprint.kicad_mod
 |- ...
|- 3dmodels
 |- 3d-library.3dshapes
 |- my-model.stp
 |- my-model.wrl
 |- ...
|- symbols
 |- my-symbols.kicad_sym
 |- ...
|- resources
 |- icon.png
|- metadata.json
...

```

Each content library package must contain one or more of the `footprints`, `3dmodels`, or `symbols` subdirectories. Each of these subdirectories may contain one or more libraries of the corresponding type.

`icon.png` is an optional 64x64-pixel icon that will be displayed alongside your package in the PCM dialog. If no icon is supplied, the `resources` subdirectory may be empty or omitted.

#### ==== Color themes

The structure of a color theme package must look like:

```

...

Archive root
|- colors
 |- my-theme.json
|- resources
 |- icon.png
|- metadata.json
...

```

`icon.png` is an optional 64x64-pixel icon that will be displayed alongside your package in the PCM

dialog. If no icon is supplied, the `resources` subdirectory may be empty or omitted. For color themes, it is best if the icon somehow represents the theme, for example by using the same primary colors and background color as the theme.

==== Metadata file format

The metadata file, `metadata.json`, follows a JSON schema, currently published at <https://go.kicad.org/pcm/schemas/v1>

Unless otherwise noted all fields are limited to valid UTF-8 code points and 1000 characters.

Example `metadata.json` for a color theme:

```
...
{
 "$schema": "https://go.kicad.org/pcm/schemas/v1",
 "name": "My Beautiful Theme",

 "description": "A theme that makes KiCad truly beautiful",
 "description_full": "I came up with this theme in a dream one night.",
 "identifier": "com.github.kicad-user.kicad-beautiful-theme",
 "type": "colortheme",
 "author": {
 "name": "KiCad User",
 "contact": {
 "web": "https://mywebsite.com"
 }
 },
 "maintainer": {
 "name": "KiCad User",
 "contact": {
 "web": "https://mywebsite.com"
 }
 },
 "license": "CC0-1.0",
 "resources": {
```

```

 "homepage": "https://github.com/kicad-user/kicad-beautiful-theme"
 },
 "versions": [
 {
 "version": "1.0",
 "status": "stable",
 "kicad_version": "5.99",
 "download_sha256": "YOUR_SHA256_HERE",
 "download_size": 1234,
 "download_url": "https://github.com/YOUR/DOWNLOAD/URL/kicad-beautiful-theme.zip",
 "install_size": 5678
 }
]
}
...

```

==== Fields

``$schema``: **\*\*(optional)\*\*** Must contain the URL to the current KiCad package JSON schema  
(<https://go.kicad.org/pcm/schemas/v1>)

``name``: **\*\*(required)\*\*** The human-readable name of the package (may contain any valid UTF-8 characters)

``description``: **\*\*(required)\*\*** A short free-form description of the package that will be shown in the PCM  
the package name. May contain a maximum of 150 characters.

``description_full``: **\*\*(required)\*\*** A long free-form description of the package that will be shown in the PCM  
the package is selected by the user. May include line breaks.

``identifier``: **\*\*(required)\*\*** The unique identifier for the package. May contain only alphanumeric characters  
the dash (`-`) symbol. Must be between 2 and 50 characters in length. Must start  
with a latin character and end with a latin character or a numeral. See instructions  
below on namespaces for guidelines for selecting an identifier.

``type``: **\*\*(required)\*\*** The type of the package; one of ``plugin``, ``library``, or ``colortheme``.

``author``: **\*\*(required)\*\*** Object containing one mandatory field, ``name``, containing the name of the package  
creator. An optional ``contact`` field may be present, containing free-form fields with

contact information.

``maintainer``: **\*\*(optional)\*\*** Semantics same as ``author``, but containing information about the maintainer. Can be omitted if same as author.

``license``: **\*\*(required)\*\*** A string containing the license under which the package is distributed.

The license must be a valid string under [link:https://www.debian.org/doc/packaging-manuals/copyright-form](https://www.debian.org/doc/packaging-manuals/copyright-form) with the following modifications:

- The MIT license is always taken to mean the [link:https://www.debian.org/legal/licenses/mit](https://www.debian.org/legal/licenses/mit) [Expat license].
- The Creative Commons licenses are permitted without a version number, indicating the author did not specify which version applies.
- Stripping of trailing zeroes is not recognized.
- ``CERN-OHL`` is recognized as a valid license.
- ``WTFPL`` is recognized as a valid license.
- ``Unlicense`` is recognized as a valid license.

The following license strings are also valid and indicate other licensing not described above:

- ``open-source``: Other Open Source Initiative (OSI) approved license.
- ``unrestricted``: Not an OSI approved license, but not restricted.

``resources``: **\*\*(optional)\*\*** Additional resource links for the package. Place your website, github, documentation and other links here.

``keep_on_update``: **\*\*(optional)\*\*** **\*\*(since KiCad 7.0)\*\*** List of regular expressions describing which files be kept on package update. Each file from the extracted package is tested against all regex with the ``$KICADX_3RD_PARTY`` component removed. If it matches any expression then it will be deleted.

If your plugin type package archive has ``keepme.txt`` file directly in ``plugins`` directory, then path ``/plugins/your_package_id/keepme.txt`` will be tested against all regex in the list.

[NOTE]

====

\* For consistency, directory delimiter will always be forward slash (`/`) even on windows. Tested path with a leading forward slash.

\* Dots in package identifier are replaced with underscore (`\_`) when extracted.

\* When updating the package `keep\_on\_update` field is used as it is in the repository at the moment of update, not at the moment of previous version installation.

\* [link:https://en.wikibooks.org/wiki/Regular\\_Expressions/POSIX-Extended\\_Regular\\_Expressions](https://en.wikibooks.org/wiki/Regular_Expressions/POSIX-Extended_Regular_Expressions)[Extended POSIX regular expressions is used.

====

[TIP]

====

If you want to keep all ini and bkp files on update, this regex will work: `.\*(\.ini|\.bkp)\$`.

If you want to keep all .step files from 3d models directory: `^/3dmodels/.\*\.step\$`

====

`versions`: **\*\*(required)\*\*** A list of objects describing package versions. Each version object can contain the following keys:

`version`: **\*\*(required)\*\*** A string containing the version of the package (format of this is up to you).

`status`: **\*\*(required)\*\*** A string containing one of the following:

- `stable`: This package is stable for general use.
- `testing`: This package is in a testing phase, users should be cautious and report issues.
- `development`: This package is in a development phase and should not be expected to work fully.
- `deprecated`: This package is no longer maintained.

`kicad\_version`: **\*\*(required)\*\*** The minimum required KiCad version for this package (major.minor).

`kicad\_version\_max`: **\*\*(optional)\*\*** The latest KiCad version this package is compatible with (major.minor).

``download_sha256``: **\*\*(optional)\*\*** A string containing a SHA-256 hash of the package archive.

``download_url``: **\*\*(optional)\*\*** A string containing a direct download URL for the package archive.

``download_size``: **\*\*(optional)\*\*** The size of the package archive, in bytes.

``install_size``: **\*\*(optional)\*\*** The size of the package (uncompressed), in bytes.

``keep_on_update``: **\*\*(optional)\*\*** **\*\*(since KiCad 7.0)\*\*** Same semantics as corresponding field in package schema specific to this version. Field of the package version user is updating **\*\*to\*\*** is used, package user is updating **\*\*from\*\***.

``runtime``: **\*\*(optional)\*\*** **\*\*(since KiCad 9.0.1)\*\*** For plugin packages, this field may be set to either "ipc" or "swig" to indicate which runtime the plugin requires. If not set, the plugin will be assumed to require the SWIG (legacy) runtime.

NOTE: The ``download_*`` keys must only be present in the version of the ``metadata.json`` that you submit to the package metadata repository, not in the version of the file that is actually present in the package archive. It is not possible to put a valid ``download_sha256`` value in the ``metadata.json`` file inside the archive.

### === Submission to the official repository

KiCad hosts an official addons repository that is available by default to all KiCad users. To be included in the official repository, your package must meet several requirements beyond the technical requirements described above.

### ==== Namespacing and naming

- Your package identifier **\*\*must\*\*** be namespaced using reverse-DNS format. For example, official KiCad addons use the namespace ``org.kicad.packagename``.
- If your addon content is hosted on a publicly-visible code-hosting service such as GitHub or GitLab, your namespace should be based on this service. For example, ``com.github.username.packagename``. The package identifier should generally match the repository



name if there is a 1-to-1 correspondence between the package and the repository.

- Your package namespace may also be based on a domain name that you control. If there is no obvious link between the domain name you submit and the download location of your package, or if it is not otherwise clear that you control the domain name, the KiCad team may request further information before approving your submission.
- Your package identifier **\*\*must\*\*** be unique. The namespacing requirements above should make this easy.
- If you are not clearly a maintainer of the project, we must have written confirmation from a maintainer that you are permitted to submit the project to the KiCad repository on their behalf.
- Your package must not be a fork or copy of an existing package in the KiCad repository, unless your fork is significantly different in scope from the original work and has a clearly unique name, or unless you are proposing to replace an abandoned project (see below).

#### ==== Licensing

- Packages **\*\*must\*\*** be licensed under a valid open-source license. Closed-source packages may be used with KiCad under a third-party repository, but all packages in the official KiCad repository must be open-source to allow for code review, issue reporting, and to maintain license compatibility with KiCad itself.
- Packages containing code (Python plugins) **\*\*must\*\*** be licensed under an open-source license [link:https://www.gnu.org/licenses/license-list.en.html#GPLCompatibleLicenses](https://www.gnu.org/licenses/license-list.en.html#GPLCompatibleLicenses)[compatible with the GNU GPL].
- Packages containing data (color themes, libraries, etc) should be licensed under a Creative Commons or similar license.

#### ==== Technical requirements

- Metadata files submitted to the official repository **\*\*must\*\*** include the ``download_sha256`` key in the metadata, containing a valid SHA-256 hash of the archive file.

- The ``download_url`` **must** point to a publicly-accessible URL.
- Package metadata **must** be in English. Package contents (for example, the language used inside a dialog created by a Python plugin) may be in any language, but the package description should clearly state if the contents are in a language other than English. At this time, KiCad does not have a built-in mechanism to allow for plugins to offer multiple language translations.
- The package source **must** be hosted in a location that allows issue reporting and tracking. Examples that meet this requirement include GitHub, GitLab, Bitbucket and Sourceforge.

#### ==== Content policy

- Packages added to the official KiCad addon repository **must** follow our community link:[https://www.kicad.org/contribute/code-of-conduct/\[Code of Conduct\]](https://www.kicad.org/contribute/code-of-conduct/[Code of Conduct]).  
The KiCad team reserves the right to review package content and metadata and reject submissions that violate this code of conduct.
- The KiCad team makes no guarantees about the quality, security, or safety of any addon content, but will strive to maintain a general standard of security and safety. If a security, safety, or privacy issue related to a package is brought to our attention, we reserve the right to take corrective actions up to and including removing a package from the repository without advance notice. In this case, the package can be submitted to the repository again once the issue has been resolved to the satisfaction of the KiCad team.
- The KiCad team reserves the right to modify or expand on this policy in the future in order to best meet the needs of the KiCad user community. Publishers of existing packages that become in violation of new or updated content policies will receive advance notice and have the opportunity to make changes to meet the updated policies.

#### ==== Abandoned content policy

- The KiCad team may consider a package published to the official repository abandoned if we are unable to contact the maintainer, or if it has bugs preventing its use on a stable version of KiCad that remain open with no feedback for longer than 90 days. In order to prevent the situation of users installing broken packages from the official repository, the KiCad team may

edit (for example, by changing the `kicad\_version\_max` field) or remove packages from the repository if they have been abandoned.

- Anyone wishing to "revive" an abandoned project can do so either by taking over maintenance of it from the original submitter (with their permission) or by forking it and submitting it under a new name. The standard requirements for all packages will apply to the newly-forked project.

#### ==== Commercial Services

- Packages that link to or provide commercial services, including but not limited to PCB fabrication, component lookup and order management, **\*\*must\*\*** first contact the KiCad team at [plugins@kicad.org](mailto:plugins@kicad.org)

#### ===== Commercial Service FAQ

.Why do we need to e-mail the KiCad Team?

[%collapsible]

====

We need to have a simple contract on file with the commercial service provider. This protects both the KiCad project and the commercial service provider.

====

.I wrote a plugin that only uses public APIs of a service provider. Do I need to e-mail the KiCad Team?

[%collapsible]

====

In general, we will only deal with the service provider. They may be interested in contracting with you to build a plugin or in allowing third-party plugins generally. Either way, we need to discuss this directly with the service provider.

====

.What if the API terms of service already allow my plugin?

[%collapsible]

====

We are not lawyers. We pay lawyers to review our contracts and make sure that the KiCad project and, by extension, our users are legally safe. We do not have the resources to review other entities' terms of service or to watch them for changes. This is one reason why we need

a direct contract with the commercial service provider.

====

.Doesn't this process go against the spirit of Open Source?

[%collapsible]

====

No. We place no restrictions on users publishing and publicising their own plugins. Open Source does not require us to distribute or publish others' content.

====

.My plugin formats KiCad data for easier use by a commercial service provider. Do I need to e-mail the KiCad team?

[%collapsible]

====

No. As long as your plugin doesn't connect to the commercial service provider, we do not need a contract with the provider.

====

.I represent a commercial service provider. Can we provide a blanket allowance for developers to use our /

[%collapsible]

====

Yes! We love it when we can make the process of PCB creation easier for our users. Please e-mail the KiCad team at [plugins@kicad.org](mailto:plugins@kicad.org) and we'll help to make this happen.

====

### === Submitting your package

Once you have created a package following the guidelines above, and confirmed that your package is available for download using the URL listed in the metadata file, you can submit your package to the official KiCad addon repository.

To do so, you must have an account at GitLab, and submit your metadata file as a merge request to the Package Metadata repository at <https://gitlab.com/kicad/addons/metadata>. Create a directory inside the packages directory named the same as your package identifier, and containing the `metadata.json` file and any additional optional metadata files (for example, an icon) as described

above. You may submit more than one new package in a single merge request as long as the packages share a namespace.

NOTE: Do not submit merge requests to the public-facing repository at

<https://gitlab.com/kicad/addons/repository> - changes to this repository are made automatically based on changes to the metadata repository.

### === Updating your package

Updates should be submitted as additional merge requests that change the `metadata.json` file (and any other package files that need updating). You may submit updates to more than one package in a single merge request as long as the packages share a namespace.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\addons\ index.zh-cn.adoc

[illegible]

```

title: KiCad ■■
weight: 18
pre: "<i class='fas fa-chevron-right'></i> "

```

== ■■ KiCad ■■

**KiCad**

== 

[illegible]

■■■■■■■■ Python ■■■■■■■■■■■■■■■■■■■■■ KiCad ■■■■

[illegible]

**XXXXXXXXXXXXXXXXXXXXXXX (XXXXXXXXXX)■**

== 

**KiCad**

■■■■■■■■ ZIP ■■ (■ ISO (■■■■■■■■) 21320-1 ■■■■)■

[illegible]

**NOTE:**

**XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX**

```
==== Python ████
Python ██
```



```
| - my-model.wrl // wrl 3D ██████

 | - ...

| - symbols // ██████

 | - my-symbols.kicad_sym // ██████

 | - ...

| - resources // ██████

 | - icon.png // png ██████

| - metadata.json // json ██████

...
```

██████████████████████`███`██`3D███`██`███`██████  
████████████████████████████████████████████████████████

[illegible]

==      ■■■■

**■■■■■■■■■■**

...

Archive root // ██████████

```
| - colors // ■■■■
 | - my-theme.json // json ■■■■■■
| - resources // ■■■■
 | - icon.png // png ■■■■
| - metadata.json // json ■■■■■■
...

```

[illegible]

```
==== ██████████
██████ `metadata.json` ███ JSON ██████████
```





```

// ■■ KiCad ■■

"contact": {

// ■■■■

 "web": "https://mywebsite.com"

 // ■■ https://mywebsite.com

}

},

"license": "CC0-1.0",

// ■■■■ CC0-1.0

"resources": {

// ■■■■

 "homepage": "https://github.com/kicad-user/kicad-beautiful-theme"

 // ■■ https://github.com/kicad-user/kicad-beautiful-theme

},

"versions": [

// ■■

{

 "version": "1.0",

 // ■■ 1.0

 "status": "stable",

 // ■■ ■■■■

 "kicad_version": "5.99",

 // kicad ■■ 5.99

 "download_sha256": "YOUR_SHA256_HERE",

 // ■■■■■■ sha256 ■■■■

 "download_size": 1234,

 // ■■■■■■■■

 "download_url": "https://github.com/YOUR/DOWNLOAD/URL/kicad-beautiful-theme.zip",

 // ■■■■■■ url

 "install_size": 5678

 // ■■■■

 // ■ json ■■■■■■■■■■■■■■ `,`

}

]

}

```

...

====

`\$schema`: **KiCad** **JSON** **URL**  
(<https://go.kicad.org/pcm/schemas/v1>)  
`name` (**):** **(UTF-8** **)**

`description` (**):** **PCM**  
**150**

`description\_full` (**):** **PCM**

`identifier` (**):** **(`-`)**  
**2** **50**

`type` (**):** **`plugin`** **`Library`** **`colortheme`**

`author` (**):** **`name`**   
**`contact`**

`maintainer` (**):** **`author`**

`license` (**):**

**link:**<https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/#license-specification>

- MIT (**)**   
**link:**<https://www.debian.org/legal/licenses/mit>**[Expat** **]**.
- **CC** (**)**
- Stripping of trailing zeroes is not recognized. (**)**
- **`CERN-OHL`**

- `WTFPL` ██████████

- `Unlicense` ██████████

████████████████████████████████████████

- `open-source` (██)`: ██████████ (OSI) ██████████

- `unrestricted` (████)`: ██ OSI ████████████████████

`versions` (██)`: ████████████████████████████████████████

`version` (██)`: ██████████ (██████)█

`status` (██)`: ████████████████████

- `stable` (████)`: ████████████████████████████████

- `testing` (████)`: ████████████████████████████████████████

- `development` (████)`: ████████████████████████████████████████████

- `deprecated` (████)`: ████████████████

- `invalid` (████)`: ████████████████

`kicad\_version` (KiCad ██)`: ████████████████ KiCad ██ (major (████).minor (████))█

`kicad\_version\_max` (KiCad █████) ` (██): ████████████████ KiCad ██ (major (████).minor (████))█

`download\_sha256` (sha256 █████)`: ████████████████████ SHA-256 ████████████████

`download\_url` (████)`: ████████████████████████████████ URL ██████

`download\_size` (██████)`: ████████████████████ (██████)█

`install\_size` (██████)`: ██████████ (████)█(██████)█

NOTE: `download\_\*` ████████████████████████████████████████ `metadata.json` ██████

████████████████████████████████████████

██████████ `metadata.json` ████████████ `download\_sha256` ███

TODO: ████████

=== ██████████



- **\*\*\*\*\* \*\*** **\*\*\*\*\*** (**Python \*\*\*\*\***) **\*\*\*\*\***  
**\*\*\*\*\*KiCad \*\*\*\*\***

- **\*\*\*\*\* \*\*** **\*\*\*\*\*** **\*\*\*\*\*** **GitHubGitLabBitbucket** **Sourceforge**

==== **\*\*\*\*\***

- **\*\*\*\*\* KiCad \*\*\*\*\* \*\*** **\*\*\*\*\*** **link:https://www.kicad.org/contribute/code-of-conduct/**  
**KiCad \*\*\*\*\***

- **KiCad \*\*\*\*\***  
**\*\*\*\*\***  
**\*\*\*\*\* KiCad \*\*\*\*\***  
- **KiCad \*\*\*\*\* KiCad \*\*\*\*\***  
**\*\*\*\*\***

==== **\*\*\*\*\***

- **\*\*\*\*\*** (**\*\*\*\*\* PCB \*\*\*\*\***)**\*\*\*\*\* \*\*** **\*\*\*\*\*** **plugins@kicad.org** **KiCad \*\*\*\*\***

=== **\*\*\*\*\***

**\*\*\*\*\* URL \*\*\*\*\* KiCad \*\*\*\*\***

**\*\*\*\*\* GitLab \*\*\*\*\* https://gitlab.com/kicad/addons/metadata \*\*\*\*\***  
 **`packages (``) ` \*\*\*\*\* `package (``) ` \*\*\*\*\* `metadata.json` \*\*\*\*\***  
**\*\*\*\*\***

NOTE: **\*\*\*\*\* https://gitlab.com/kicad/addons/repository \*\*\*\*\*** -  
**\*\*\*\*\***

=== **\*\*\*\*\***

**\*\*\*\*\* `metadata.json` (\*\*\*\*\* ) \*\*\*\*\***  
**\*\*\*\*\***

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-bindings\ index.en.adoc

Resumo: --- title: APIs and Bindings weight: 9 pre: "<i class='fas fa-chevron-right'></i> " --- ==  
Pages {{% children description="true" %}}

---

title: APIs and Bindings

weight: 9

pre: "<i class='fas fa-chevron-right'></i> "

---

== Pages

{{% children description="true" %}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ index.zh-cn.adoc

Resumo: --- title: Python ■■ weight: 9 pre: "<i class='fas fa-chevron-right'></i> " --- == ■■ {{% children description="true" %}}

---

title: Python ■■

weight: 9

pre: "<i class='fas fa-chevron-right'></i> "

---

== ■■

{{% children description="true" %}}



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\http-libraries\ index.en.adoc

*Resumo: --- date: 2024-04-08T14:30:00+10:00 title: HTTP Libraries weight: 18 --- :toc: === HTTP Libraries HTTP libraries are a type of KiCad symbol library that sources data about parts for an external source such an ERP system. They do not contain any symbol or footprint definitions as standard ...*

---

date: 2024-04-08T14:30:00+10:00

title: HTTP Libraries

weight: 18

---

:toc:

=== HTTP Libraries

HTTP libraries are a type of KiCad symbol library that sources data about parts for an external source such

HTTP libraries are read only for now but will eventually support read/write in the future. At the moment o

==== Authentication

Authentication is done via an *\*Access Token\** only; usually issued by the providing application. The token

==== REST API Endpoint Definition

Different to ODBC, the REST API provides the information already pre-formatted. KiCad does not know anyth

KiCad expects a root-URL and an api-version to access the library. This must be provided via the *\*Configur*

- *\*categories\**

- *\*parts\**

### Examples

Return all parts belonging to a category with *\*ID = 16\** using the *\*root-url\** and the *\*api-version\** as show  
Another example would be using a *\*non integer ID\** such as *\*Resistors\** *\*{root-url}/{api-version}/parts/cat*  
As shown further below, KiCad expects an ID (numeric or not) which is used to query the API and an option  
*\*Please note that KiCad expects strings only. All integers, Boolean values, doubles, floats etc must be c*

#### ==== Endpoint Validation

KiCad queries the root-URL on `*{root-url}/{api-version}/*` and expects it to return a dictionary with the e

...

HTTP\_200\_OK

```
{
 "categories": "",
 "parts": ""
}
```

...

\*Note: Only keys are validated. The values can be left blank or set to the actual URL.\*

#### ==== Fetching Categories

To fetch the categories, KiCad queries `*{root-url}/{api-version}/categories.json*` using a standard GET re

...

HTTP\_200\_OK

```
[
 {
 "id": "16",
 "name": "Active Parts/Clock and Timer ICs",
 "description" : "A description of Active Parts/Clock and Timer ICs"
 },
 {
 "id": "17",
 "name": "Active Parts/Driver ICs",
 "description" : "A description of Active Parts/Driver ICs"
 },
 {
 "id": "20",
 "name": "Active Parts/Embedded Processors and Controllers",
 "description" : "A description of Active Parts/Embedded Processors and Controllers"
 },
 {
 "id": "22",
```

```

 "name": "Active Parts/Interfaces",
 "description" : "A description of Active Parts/Interfaces"
 },
 {
 "id": "15",
 "name": "Active Parts/Logic ICs",
 "description" : "A description of Active Parts/Logic ICs"
 }
]
```

```

==== Fetching Parts for Symbol Chooser

To display parts underneath a certain category inside KiCad's *Symbol Chooser*, KiCad queries the parts endpoint

For each part KiCad expects only an `id`. If there is a need to display a different name to the `id`

```

HTTP\_200\_OK

```

[
 {
 "id": "69",
 "name": "830050789",
 "description": "CRYSTAL 32.7680KHZ 12.5PF SMD"
 },
 {
 "id": "40",
 "name": "NE555PSR",
 "description": "IC OSC SINGLE TIMER 100KHZ 8SO"
 },
 {
 "id": "238",
 "name": "TLC555CPSR",
 "description": "IC OSC SINGLE TIMER 2.1MHZ 8SO"
 }
]

```

```

TIP: Since the part details are just for the high-level overview within the ***Symbol Chooser***, one should

==== Fetching Detailed Part Information

When a user clicks on a part inside the ***Symbol Chooser***, KiCad will try to retrieve full detailed information

The dict ```fields``` can contain any number of additional key/value pairs; this includes being an empty dict

Each ***KiCad FIELD*** is represented using a dict, and must contain at least the ```value``` key. Additionally

As mentioned above all types ***must*** be converted to strings. Allowed booleans are: "1", "0", "true", "false"

```

HTTP\_200\_OK

```
{
 "id": "16",
 "name": "R_0R0_0603_0.125W_1%",
 "symbolIdStr": "Device:R",
 "exclude_from_bom": "False",
 "exclude_from_board": "False",
 "exclude_from_sim": "True",
 "fields": {
 "footprint": {
 "value": "Resistor_SMD:R_0603_1608Metric",
 "visible": "False"
 },
 "datasheet": {
 "value": "www.kicad.org",
 "visible": "False"
 },
 "value": {
 "value": "0R0"
 },
 "reference": {
```

```

 "value": "R"
 },
 "description": {
 "value": "I am a resistor",
 "visible": "False"
 },
 "keywords": {
 "value": "RES passive smd",
 "visible": "False"
 },
 "custom1": {
 "value": "MyText1",
 "visible": "False"
 },
 "custom2": {
 "value": "MyText2",
 "visible": "False"
 },
 "custom3": {
 "value": "MyText3",
 "visible": "False"
 }
}
}

```

```

...

```

```

==== Symbol Attributes

```

The API provides the functionality to include exclusion flags, as illustrated in the example above. These

```

``exclude_from_bom``

```

```

``exclude_from_board``

```

```

``exclude_from_sim``

```

It's important to note that if one ore more of these exclusion flags are not explicitly specified, KiCad v

==== Server Response Codes

If KiCad receives anything else than HTTP 200, it will simply display an error message to the user and ignore the response.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ipc-api\ index.en.adoc

*Resumo: --- date: 2024-02-06T10:30:00+10:00 title: KiCad IPC API weight: 16 --- :toc: == KiCad IPC API The IPC API is an interface that can be used to remotely control a running instance of KiCad. This can be used to implement KiCad plug-ins as well as to interface KiCad with external software...*

---

date: 2024-02-06T10:30:00+10:00

title: KiCad IPC API

weight: 16

---

:toc:

== KiCad IPC API

The IPC API is an interface that can be used to remotely control a running instance of KiCad. This can be used to implement KiCad plug-ins as well as to interface KiCad with external software. The API is currently under development, with the plan of stabilizing the first version for KiCad 9.0.

=== Overall Design Principles

The KiCad API is implemented using Protocol Buffers to define the structure and contents of messages, and NNG to transport messages between processes using UNIX sockets. This implementation supports all supported KiCad platforms, including Windows, macOS, and many Linux/BSD variants. Each running KiCad instance acts as a server when the API is enabled, and plugins and other applications act as clients which open connections to KiCad.

KiCad is an event-driven GUI application, and like most other such applications, it operates a single thread that handles all events (background worker threads are used for certain computations to improve performance). While the API server itself is decoupled from the rest of KiCad, API events are handled like any other form of user input, and thus are synchronous. This is an important difference from other APIs that users may be used to (for example, APIs for web services) which are often asynchronous to some extent. In practice, this means a few things must be kept in mind:

1. The KiCad user may be doing something with the application that blocks the API, in order to prevent out-of-order event issues and to prevent third-party software from disrupting the user.

This means that API clients need to anticipate that API messages may sometimes timeout or fail because KiCad is busy, and should have a facility to retry requests.

2. An application should not open multiple connections to KiCad at the same time. While the underlying transport layer supports this, KiCad itself will force an ordering of handling API requests and so there is no advantage to doing so.

The API surface described by Protocol Buffers messages ("protobufs") is stable following the link:[https://protobuf.dev/programming-guides/dos-donts/\[best practices\]](https://protobuf.dev/programming-guides/dos-donts/[best practices]) described by the Protocol Buffers team. In general, this means that new versions of KiCad may introduce new messages and fields, but will not modify the meaning of existing messages and fields. Items in the API may be deprecated over time; deprecated messages and fields will be supported for at least one major version of KiCad after the deprecation is announced.

Plugins developed for the IPC API are launched in standalone processes that then communicate with the KiCad process that launched them. Environment variables are used to inform the plugin about the IPC socket path and a unique identifier for the running KiCad instance. This allows multiple instances of KiCad to run side-by-side and launch plugins that can communicate with the correct instance. Third-party software that is not launched as a KiCad plugin can also communicate with any running KiCad instance, however it is up to the third-party software to decide how (and if) to handle the case of multiple running KiCad instances.

=== Detailed information

The link:./for-kicad-developers/[For KiCad Developers] section contains information on the technical implementation of the API on the C++ side, and guidelines for modifying and extending the API. Please read this section before working on contributions that touch the API.

The link:./for-addon-developers/[For Add-on Developers] section contain information for users of the API. Please read this section if you are interested in developing KiCad plugins or interfaces with third-party software.



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ipc-api\for-addon-developers\\_index.en.adoc

*Resumo: --- date: 2024-02-06T10:30:00+10:00 title: For Add-on Developers weight: 17 --- :toc:  
== API Documentation for Add-on Developers The KiCad IPC API is a new feature in KiCad 9.0 that allows third-party applications to interact with KiCad. Unlike the SWIG-based Python bindings to KiCad'...*

---

date: 2024-02-06T10:30:00+10:00

title: For Add-on Developers

weight: 17

---

:toc:

== API Documentation for Add-on Developers

The KiCad IPC API is a new feature in KiCad 9.0 that allows third-party applications to interact with KiCad. Unlike the SWIG-based Python bindings to KiCad's PCB editor, the IPC API is designed to be a stable interface that does not change when KiCad's internals are refactored, and does not require that KiCad build against Python directly. It is also designed to be language-agnostic, so that interoperability with software written in languages other than Python is possible.

=== API Status and Goals

The initial release of the IPC API in KiCad 9.0 is focused on a particular set of use cases that will allow many (but not all) of the things that people have built using the SWIG-based Python bindings to be done with the new API. The API will be expanded over time (and, when practical, additions will be backported to the 9.0 branch).

There are a few important limitations to be aware of when considering use of the IPC API:

1. The IPC API currently only supports communication with a running instance of the KiCad GUI.

There is no support for running KiCad in a headless mode, and unlike the SWIG-based Python bindings, the IPC API does not provide an independent way to load and process KiCad PCB files outside of the KiCad editor. In the future, a headless mode (implemented through `kicad-cli`) will support third-party tools that want a way to interact with KiCad design files without

running the full KiCad GUI. Even then, third-party tools will need to launch ``kicad-cli`` and then communicate with it. There are no plans to support a standalone library for loading and manipulating KiCad files separate from the client-server (IPC) model.

2. The IPC API currently has no support for plotting or exporting files from KiCad designs. This support may be added in the future, however the primary way we expect users to export files and generate other outputs from KiCad design files in an automated way is through the use of the ``kicad-cli`` tool. If you are currently relying on Python scripting for generating outputs from KiCad, we recommend moving to ``kicad-cli``.

In KiCad 9.0, the IPC API and the new IPC plugin system are only implemented in the PCB editor, due to development time constraints. In the future, the IPC API will be expanded to support the schematic editor, library editors, and other parts of KiCad. While there are specific places where the IPC API has new features that are not available in the SWIG-based Python bindings, in general, the capabilities of the IPC API in KiCad 9.0 should be seen as equivalent to the Action Plugins system present since KiCad 5: a way to interact with a running KiCad PCB Editor session.

The API is still under active development, although after KiCad 9.0.0 is released, existing API messages will be treated as stable and will be supported according to our deprecation policy. We encourage developers to report issues and request new capabilities as they experiment with the API.

### === Connecting to KiCad

API clients such as scripts and plugins connect to KiCad using a Unix domain socket on macOS and Linux, and a named pipe on Windows. The socket or pipe is created by KiCad in the user's temporary directory when KiCad is launched. The name of the socket or pipe is ``api.sock`` by default, but multiple instances of KiCad can be run simultaneously, and if this name is already taken, KiCad will append its process id number (PID) to the name to make it unique.

When KiCad launches API plugins (see below), it will set several environment variables that can be used by the client to know where to connect to the IPC API. These variables include:

- ``KICAD_API_SOCKET``: The full path to the socket or pipe that the client should connect to.
- ``KICAD_API_TOKEN``: A generated token that the client should use in request messages. This token is generally passed to the API client library when creating a connection to KiCad (for example,

in the `__init__` method of a `KiCad` object in `kicad-python`). This token is unique to the running instance of KiCad, and can be used by long-running clients to detect if KiCad restarts in the middle of a session.

API clients do not need to be launched from KiCad, but if they are not (for example, if a client is launched from an IDE while developing a plugin), the client will not have access to these environment variables. For this reason, it is recommended that plugin developers run only one instance of KiCad at a time while developing and testing plugins.

### === Plugin Action registration

IPC plugins can register actions that appear on the PCB editor's toolbar much like the SWIG-based Action Plugins system. There are several differences in how this is done, however:

1. The default directory for IPC plugins is ``${KICAD_DOCUMENTS_HOME}/<version>/plugins``, where ``${KICAD_DOCUMENTS_HOME}`` is the root path for KiCad's user data directory, which is platform-dependent. On Windows, it is typically `C:\Users\<username>\Documents\KiCad`, on macOS it is typically `~/Users/<username>/Documents/KiCad`, and on Linux it is typically `~/.local/share/KiCad`.
2. Plugins must provide a `plugin.json` file containing metadata about the plugin and any actions it provides. The `plugin.json` file must be in a subdirectory of the plugins directory, and must follow the link:<https://go.kicad.org/api/schemas/v1>[schema defined by KiCad].

The plugin system currently supports two types of plugins: Python-based, and executable. Python plugins are run by an external Python interpreter (unlike the SWIG-based plugins which run in an interpreter embedded into KiCad), and KiCad will automatically manage the creation of a virtual environment for each plugin using the chosen Python interpreter. On macOS and Windows, KiCad will continue to ship with its own Python interpreter, which will be used by the IPC system by default if the user does not specify a different interpreter. On Linux, KiCad uses the first version of Python found in the user's PATH by default. Executable plugins are run as separate processes with an arbitrary command line, and can be used to launch plugins written in compiled languages, or any other kind of external tool that does not require a Python environment.

### === Debugging

There are a few ways to get debug information from KiCad that might be useful while developing

against the IPC API, including trace output from KiCad as well as a log of all API requests and responses.

To enable API-related trace output from KiCad itself (which is particularly useful for debugging Python plugins that are being loaded by KiCad), set the following environment variables before launching KiCad:

```
[source,sh]
```

```

```

```
KICAD_ALLOC_CONSOLE=1 # If you are on Windows, this variable is required to show any output
KICAD_ENABLE_WXTRACE=1 # This enables KiCad's tracing system even when running a release build
WXTRACE=KICAD_API # This enables trace output for the API subsystem
```

```

```

To enable the API log file, create an advanced config file in your KiCad

link:[https://docs.kicad.org/8.0/en/kicad/kicad.html#settings\[configuration directory\]](https://docs.kicad.org/8.0/en/kicad/kicad.html#settings[configuration directory])

if you don't have one already (a plain text file named `kicad\_advanced`), and add the following

line:

```
[source]
```

```

```

```
EnableAPILogging=1
```

```

```

This will create a file at `\${KICAD\_DOCUMENTS\_HOME}/<version>/logs/api.log` containing every API request and response at the Protobuf message level.

NOTE: The API log file can grow quite large, so be sure to disable it when you are done debugging.

Plugins using the Python runtime are launched from a virtual environment created by KiCad for that plugin. You can find the virtual environment for each plugin located in a cache folder

`\${KICAD\_CACHE\_HOME}/python-environments/<plugin\_identifier>`. The default `KICAD\_CACHE\_HOME` is platform-dependent: `~/Library/Caches/KiCad/<version>` on macOS,

`C:\Users\<username>\AppData\Local\KiCad\<version>` on Windows, and `~/.cache/KiCad/<version>` on

most Linux systems. Activating this virtual environment will allow you to run the plugin from a terminal or IDE, manually install Python packages, and debug the plugin using the Python debugger.

### === Python Bindings

``link:https://gitlab.com/kicad/code/kicad-python[kicad-python]`` is the official Python bindings library for the IPC API. It is a wrapper around the Protobuf-based API that exposes Python classes and helper methods that make it easier to interact with the IPC API from Python.

The ``kicad-python`` library is available on `link:https://pypi.org/project/kicad-python/[PyPI]`.

Automatically-generated documentation for ``kicad-python`` is available online at `https://docs.kicad.org/kicad-python-main/`.

There are some examples of scripts and plugins in the ``examples`` directory of the ``kicad-python`` repository that may be a good starting point for developing your own tools.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\ipc-api\for-kicad-developers\\_index.en.adoc

*Resumo: --- date: 2024-02-06T10:30:00+10:00 title: For KiCad Developers weight: 16 --- :toc: == API Documentation for KiCad developers The IPC API is implemented inside KiCad by a server thread that listens on a UNIX socket for connections using the nanomsg next generation (nng) protocol. At ...*

---

date: 2024-02-06T10:30:00+10:00

title: For KiCad Developers

weight: 16

---

:toc:

== API Documentation for KiCad developers

The IPC API is implemented inside KiCad by a server thread that listens on a UNIX socket for connections using the nanomsg next generation (nng) protocol. At the moment, this socket operates in request-reply mode, with KiCad as the server, so asynchronous notifications to API clients is not possible. This server passes messages to the rest of KiCad using a wxWidgets event to cross onto the main (UI) thread. As with all other interactive KiCad events, the rest of API processing happens on the UI thread.

Messages are contained within an envelope structure, which is unpacked and then dispatched to a request handler according to the type of the interior Protobuf message. Request handlers are functions that typically belong to a subclass of the ``API_HANDLER`` class. The low-level infrastructure of the API all lives in ``kicommon`` and is shared between all parts of KiCad, but request handlers are dynamically registered and so can be attached to specific frames. If a certain message does not have a handler registered to it, the API server will return an error to the client.

Handlers are processed one by one, and it is possible to register more than one handler for a given message type. This is useful for situations where a message has some specifying target information that can narrow down its effect to a subset of available handlers. For example, the ``GetOpenDocuments`` message takes a ``DocumentType`` parameter that specifies which type of documents to query. Each open editor frame can register a handler for the same message, and return



...

### === Transport and wire protocol

The underlying transport mechanism for the API is [link:https://github.com/nanomsg/nng](https://github.com/nanomsg/nng) [nng], which is a library providing messaging primitives, including inter-process communication (IPC). The IPC mechanism used by KiCad's API is to serialize protocol buffers to bytes and send them over a UNIX socket. KiCad does not currently make use of any of the more advanced features of nng.

The socket is opened at ``/tmp/kicad/api.sock`` on macOS and Linux, and in a subdirectory of the user's temporary file directory on Windows. If multiple instances of KiCad are launched, the socket filename for every KiCad instance other than the first will be ``api-<PID>.sock``, where ``<PID>`` is the process identifier of the KiCad instance.

### === Protocol Buffers

The API itself is implemented as [link:https://protobuf.dev/\[Protocol Buffers\]](https://protobuf.dev/[Protocol Buffers]) (protobufs), a way of describing and serializing messages that, if used correctly, can provide stability for API clients while allowing KiCad internals to evolve. It is important for every KiCad developer who works on the API to read and understand the protobuf

[link:https://protobuf.dev/programming-guides/dos-donts/\[programming best practices\]](https://protobuf.dev/programming-guides/dos-donts/[programming best practices]) and [link:https://protobuf.dev/programming-guides/api/\[API best practices\]](https://protobuf.dev/programming-guides/api/[API best practices]), as the KiCad API attempts to follow these guidelines in most circumstances. Some of the most important practices are:

1. Care must be taken whenever evolving the API in a way that seeks to deprecate, rename, or otherwise change the existing messages and fields. In general, the API should be designed as much as possible to support both the current state of KiCad and anything we know about our desired future state, to avoid needing to deprecate lots of messages in the future.
2. Plain data types should be used sparingly. It is almost always a better idea in terms of future-proofing and API evolution to wrap data types in a container message, even if these types are represented by a single plain old data variable in KiCad's C++ internals. This is particularly true for boolean values: they should almost never be included in protobuf messages. Instead, an enum type should be defined that distinguishes between UNKNOWN (which should always have the value of ``0``) and ``false``. This also makes it possible to swap out the boolean for a tri-state



at a later point in time with no compatibility issues.

3. Be careful about message nesting. It is not always a good idea to attempt to duplicate the object hierarchy of KiCad's internal C++ classes into a hierarchy of messages. Sometimes, KiCad's object hierarchy comes more from developer convenience or history than logical design, and this hierarchy doesn't always make sense at an abstract conceptual level. The API should, in general, be *conceptually* logical and not have its design influenced by how KiCad's C++ is designed.

### === Enumerations

Exposing enumerations to the API requires special care to minimize the chance of bugs and compatibility issues. To expose a new C++ enum type to the API, do the following:

1. Define a new protobuf enum for the type. This enum should have a CamelCase name that clearly describes the type -- use this as a chance to double-check if the KiCad type is named clearly.
2. Fill out the values for the protobuf enum. Each value should be an UPPER\_SNAKE\_CASE name, and begin with a prefix to avoid namespace conflicts (protobuf enums are implemented as plain enums, not C++ enum classes). That prefix is conventionally the abbreviation of the CamelCase enum name, for example `StrokeLineStyle` has values like `SLS_SOLID`, but this can be deviated from where it makes sense. The first enum value must always be `<prefix>_UNKNOWN` and must be assigned the value `0`. This value represents a message where this enum has not been set, and does not map to an equivalent C++ enum value. Because of this, and because protobuf enums may not contain negative numbers, it is generally not going to be the case that there is a 1:1 mapping between C++ enum value and protobuf enum value.
3. Define a specialization of `FromProtoEnum` and `ToProtoEnum` for your new enum. There are several source files where these specializations could go, based on what compilation unit your enum's C++ definition lives in. For example, shared (common) enums go in `common/api/api_enums.cpp`.
4. Add your enum to the QA tests in `qa/tests/api/test_api_enums.cpp`. Check that the tests pass, which will confirm that your To/From function implementations are correct.  
Note that as enum definitions evolve over time in KiCad, the protobuf versions must never have values deleted or modified: they can only have values deprecated and new values added! Use the

``ToProtoEnum`/`FromProtoEnum`` functions to handle any changes in how the values should map to KiCad internals.

### === Adding, Modifying, and Removing API surface

Please follow these guidelines when making any changes or additions to the API or to code that depends on the API surface (for example, when adding, removing, or modifying the behavior of an object's properties):

1. Never rename, re-order, or change the functional meaning of existing fields in any Protobuf messages. The only changes permitted are to add new fields or to remove deprecated fields by commenting them out (preserving their original field index, which must never be re-used).
2. Never remove fields in a bugfix release of KiCad. If a field is deprecated, add a comment above it noting the deprecation (and any replacement, if applicable). The field must remain in the message until the next major KiCad release (at minimum). If it is necessary to deprecate a field in a bugfix release, the serialization code must continue supporting the deprecated field as best as possible (for example, serializing a default value even if the field no longer exists on the source object, and accepting but ignoring the value when deserializing).
3. Never remove or change the meaning of any Protobuf enum values. If enums on the KiCad side change such that a Protobuf enum value no longer makes sense, mark it as deprecated with an appropriate comment, and update the ``ToProtoEnum`` and ``FromProtoEnum`` functions to handle the deprecated value in whatever way makes sense.
4. Please document fields that are added to existing messages with a note such as ``// Since: 9.0.1`` in the comment line above the field. These comments will be included in client bindings, so adding information about when new APIs were introduced will help make sure the binding documentation is kept up-to-date.

### === Object Serialization

Objects on the drawing canvas (in other words, the KiCad classes that represent "real things" that the user places, modifies, etc) are all subclasses of the ``SERIALIZABLE`` interface. This means that in order to expose them to the API, all you need to do is:

1. Define a protobuf message describing that object
2. Add the object to the QA tests in ``qa/test/api/test_api_proto.cpp`` -- you may need to extend the ``api_kitchen_sink.kicad_pcb`` test file with instances of your object. Make sure there is at least one instance of your object that has all its properties set to non-default values for best test coverage.
3. Implement the ``::Serialize`` and ``::Deserialize`` methods, and iterate on them until the QA tests pass.

When adding new object messages, look at what exists already and try to be consistent. Design for the desired conceptual representation of an object, even if that doesn't completely match the current C++ implementation. And only include "concrete" data about the objects in the message. Calculated/computed properties of an object should rarely be included in an object's main message.

Be careful about datatypes as well: as described above, plain data types (ints, bools, strings) are usually not the right choice to describe a property, as they can limit the ability to evolve that property over time. Prefer enums and container messages.

Use protobuf message hierarchies sparingly -- it is generally not a good idea to encode KiCad's C++ class hierarchies into messages as described above. For example, in KiCad, a ``PCB_TRACK`` and a ``PCB_VIA`` are related by inheritance, but there are separate ``Track`` and ``Arc`` protobuf messages that duplicate their shared properties, rather than defining the ``Arc`` message as containing an inner ``Track`` message. The cost of a slight increase in code duplication is worth it because it prevents confusing/convoluted API surfaces (protobuf does not support inheritance, so the arc properties would need to be accessed as ``arc.track.start`` and ``arc.mid`` for example) and reduces interdependence between messages that could make API evolution more painful in the future.

### === Common data types

The ``base_types.proto`` file contains a number of data type definitions that are used throughout the API. Use these (and expand them) instead of defining more specific types, where it makes sense. Some of the types to be aware of: ``KIID``, ``Vector2``, ``Distance``, ``Angle``, ``Ratio``, ``Color``, etc.

Note that all physical distances that represent concrete object properties in the API are represented as 64-bit integer nanometer values, regardless of what part of KiCad they come from.

### === API Handlers

A handler function is any function-like construct with the following signature:

```
```cpp
HANDLER_RESULT<ResponseType>( HandlerType::* aHandler )( RequestType&, const HANDLER_CONTEXT& )
...

```

In this signature, `RequestType` and `ResponseType` are protobuf message classes, and `HANDLER_RESULT<T>` is a typedef for `tl::expected<T, ApiResponseStatus>`. `tl::expected` is a library that backports `std::expected` to older C++ and adds some functionality beyond the STL spec. This type represents either an expected value, or an unexpected value that contains more information about why something failed. The expected value is always just the response message that we want to send back to the client, and the unexpected value, `ApiResponseStatus`, is a message that contains a status code as well as an error message string.

For example:

```
```cpp
e.set_status(ApiStatusCode::AS_BAD_REQUEST);
e.set_error_message(fmt::format("the client {} already has a commit in progress",
 aCtx.ClientName));

return tl::unexpected(e);
...

```

Notice that the error message begins lowercase and has no punctuation. This is because the error returned by this handler will almost always be composed with other fragments to form a full sentence (for example, the text `"KiCad API error: "` might be prepended).

The status code `ApiStatusCode::AS_UNHANDLED` is used as a special flag to note that this handler can't handle the given request, but there was nothing in particular wrong with the request. This is used in situations when the same request is routed to multiple handlers, one after the other, in case one of them is able to handle the request.

The base class `API_HANDLER_EDITOR` is used to provide many of the common handlers that all the

graphical editors in KiCad need, such as object CRUD, document retrieval, etc. This is then specialized into ``API_HANDLER_PCB``, ``API_HANDLER_SCH``, and so on. Handlers that don't require an editor frame to be open are in ``API_HANDLER_COMMON``.

Handlers always get passed a ``HANDLER_CONTEXT`` structure that contains information about the API request that is in flight. This can be used to tell apart multiple different API clients, for example.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-bindings\pcbnew\ index.en.adoc

*Resumo: --- date: 2016-04-09T16:50:16+02:00 title: PCB Python Bindings weight: 18 --- :toc: == Deprecation notice WARNING: The SWIG-based Python bindings in KiCad are deprecated as of KiCad 9.0 and will be removed in a future version. They will be replaced by the link:../ipc-api/[IPC API], whi...*

---

date: 2016-04-09T16:50:16+02:00

title: PCB Python Bindings

weight: 18

---

:toc:

== Deprecation notice

WARNING: The SWIG-based Python bindings in KiCad are deprecated as of KiCad 9.0 and will be removed in a future version. They will be replaced by the link:../ipc-api/[IPC API], which is a stable interface that is accessible from many languages including Python. The current plan is to remove the SWIG bindings in KiCad 10.0. This plan is subject to delay based on development timelines and community feedback. KiCad 10.0 is currently planned for release in February 2026.

Check out the link:<https://gitlab.com/kicad/code/kicad-python>[kicad-python library] for a Pythonic interface to the IPC API.

== Introduction

KiCad implements a Python plugin interface so that external Python plugins can be run from within the PCB editor. The interface is generated using the `Simplified Wrapper and Interface Generator` or <http://www.swig.org>[SWIG]. SWIG is instructed to translate specific C/{cpp} header files into other languages using `interface` files. These files ultimately decide what C/{cpp} functions, classes and other declarations are exported and can be found in `*pcbnew/swig/*`.

During build-time the SWIG interface files are used to generate the corresponding .py files. These files are installed into Python's system-wide `*dist-packages*` repository, thus they can be imported by any Python 3

interpreter installed on the system.

WARNING: Since this interface is a raw binding layer over KiCad rather than a true API, it is unstable and will generally change between KiCad major versions. While the development team will make reasonable efforts to maintain compatibility of function, there are no guarantees on strict compatibility, so plugins will need to handle situations such as function calls and data types being renamed from time to time.

Python bindings are provided for the PCB editor only at this time. Using Python from within the other parts of KiCad is not supported. The Python binding module is called ``pcbnew``, a reference to the internal name of the PCB Editor (which was its official name in old versions of KiCad).

#### == Existing PCB Editor Python Bindings documentation

The PCB Editor Python bindings can be used stand-alone, i.e. no instance of the PCB Editor is running and the board project to be manipulated is loaded and saved from and to file. This approach is shown with some examples in the <https://docs.kicad.org/master/en/pcbnew/pcbnew.html> [documentation].

Another documentation source is the auto-generated Doxygen reference of the bindings. It can be found here:

- \* <http://docs.kicad.org/doxygen-python-6.0/namespacepcbnew.html> [KiCad 6.0]
- \* <http://docs.kicad.org/doxygen-python-7.0/namespacepcbnew.html> [KiCad 7.0]
- \* <http://docs.kicad.org/doxygen-python-8.0/namespacepcbnew.html> [KiCad 8.0]
- \* <http://docs.kicad.org/doxygen-python-nightly/namespacepcbnew.html> [KiCad Nightly]

#### == "Action Plugin" Support

Besides the stand-alone usage of the generated Python plugin interface, additional support regarding online manipulation of board projects is available for the PCB Editor. Plugins using this feature are called *\*Action Plugins\** and they are accessible using a PCB Editor menu entry that can be found under *\*Tools->External Plugins\**. KiCad plugins that follow the *\*Action Plugin\** conventions can be made to show up as external plugins in that menu and optionally as top toolbar button. The user can run the plugin resulting in calling a defined entry function in the Python plugin's code.

This function can then be used to access and manipulate the currently loaded board from the Python script environment.

### === Typical Plugin Structure

The \*Action Plugin\* support is implemented in the PCB editor by discovering Python packages and Python script files in specific directories on startup.

In order for the discovery process to work, the following requirements must be met.

- \* The plugin must be installed in the KiCad plugins search paths as documented in ``scripting/kicadplugins.i``. You can always discover the search path for your setup by opening the scripting console and entering the command:

```
`import pcbnew; print(pcbnew.PLUGIN_DIRECTORIES_SEARCH)`
```

Currently on a Linux Installation the plugins search path is

```
* `/usr/share/kicad/scripting/plugins/``
* `~/.kicad/scripting/plugins`
* `~/.kicad_plugins/``
```

On Windows

```
* `%KICAD_INSTALL_PATH%/share/kicad/scripting/plugins`
* `%APPDATA%/Roaming/kicad/scripting/plugins`
```

On macOS, there is a security feature that makes it easier to add scripting plugins to the `~/Library...` path than to `kicad.app`, but the search path is

```
* `/Applications/kicad/Kicad/Contents/SharedSupport/scripting/plugins`
* `~/Library/Application Support/kicad/scripting/plugins`
```

- \* Alternatively a symbolic link can be created in the KiCad plugin path link to the plugin file/folder in another location of the file system. This can be useful for development.

- \* The plugin must be written as a simple Python script (\*.py) located in the



plugin search path. Note that this method is preferred for small plugins consisting of a single .py file.

- \* Alternatively the plugin must be implemented as a Python package conforming to the Python package standard definitions (See <https://docs.python.org/2/tutorial/modules.html#packages> [6.4. Packages]. Note that this method is preferred for larger plugin projects consisting of multiple .py files and resource files such as dialogs or images.
- \* The Python plugin must contain a class derived from `pcbnew.ActionPlugin` and it's `register()` method must be called within the plugin.

The following examples demonstrate the plugin requirements.

#### === Simple Plugin Example

The folder structure of the simple plugin is fairly straight forward.

A single Python script file is placed into a directory that is present in the KiCad plugin path.

```

+ ~/.kicad_plugins/ # A folder in the KiCad plugin path
- simple_plugin.py
 - simple_plugin.png (optional)

```

The file `simple\_plugin.py` contains the following.

[source,python]

```

import pcbnew

import os

class SimplePlugin(pcbnew.ActionPlugin):

 def defaults(self):

 self.name = "Plugin Name as shown in Pcbnew: Tools->External Plugins"

 self.category = "A descriptive category name"

 self.description = "A description of the plugin and what it does"
```

```

 self.show_toolbar_button = False # Optional, defaults to False

 self.icon_file_name = os.path.join(os.path.dirname(__file__), 'simple_plugin.png') # Optional, de

def Run(self):

 # The entry function of the plugin that is executed on user action

 print("Hello World")

SimplePlugin().register() # Instantiate and register to Pcbnew

```

Note that if specified `icon\_file\_name` must contain absolute path to the plugin icon.  
It must be png file, recommended size is 24x24 pixels. Alpha channel for opacity is supported.  
If icon is not specified a generic tool icon will be used.

An additional property `self.dark\_icon\_file\_name` may be specified to provide an alternate icon for dark window themes. If this property is not present, the icon specified in `icon\_file\_name` will be used when the dark theme is active;

`show\_toolbar\_button` only defines a default state for plugin toolbar button. Users can override it in the PCB Editor preferences.

### === Complex Plugin Example

The complex plugin example represents a single Python package that is imported on startup of the editor. When the Python package is imported, the `\_\_init\_\_.py` file is executed and is thus a perfect place to instantiate and register the plugin to KiCad.

The big advantage here is, that you can modularize your plugin much better and include other files without cluttering the KiCad plugin directory.

Additionally, the same plugin can be executed standalone using `python -m` e.g. to perform tests on the Python code.

The following folder structure shows how complex plugins are implemented:

```

+ ~/.kicad_plugins/ # this directory has to be in the plugin path
+ complex_plugin/ # The plugin directory (A Python package)
```

- `__init__.py` # This file is executed when the package is imported (on PCB editor startup)
- `__main__.py` # This file is optional. See below
- `complex_plugin_action.py` # The ActionPlugin derived class lives here
- `complex_plugin_utils.py` # Other Python parts of the plugin
- `icon.png`
- + `otherstuff/`
  - `otherfile.png`
  - `misc.txt`

----

It is recommended to name the file containing the ActionPlugin derived class as  
`<package-name>_action.py`.`

In this case the file is named `complex_plugin_action.py`` with the following  
 contents:

[source,python]

----

```
import pcbnew
```

```
import os
```

```
class ComplexPluginAction(pcbnew.ActionPlugin):
```

```
 def defaults(self):
```

```
 self.name = "A complex action plugin"
```

```
 self.category = "A descriptive category name"
```

```
 self.description = "A description of the plugin"
```

```
 self.show_toolbar_button = True # Optional, defaults to False
```

```
 self.icon_file_name = os.path.join(os.path.dirname(__file__), 'icon.png') # Optional
```

```
 def Run(self):
```

```
 # The entry function of the plugin that is executed on user action
```

```
 print("Hello World")
```

----

The `__init__.py`` file is then used to instantiate and register the plugin to

Pcbnew as follows.

[source,python]

----

```
from .complex_plugin_action import ComplexPluginAction # Note the relative import!
ComplexPluginAction().register() # Instantiate and register to PCB editor

```

As described in <https://www.python.org/dev/peps/pep-0338/> [PEP 338] Python can execute packages (or modules) as scripts. This can be useful to implement a command-line stand-alone version of your KiCad plugin with minimum effort. In order to implement this feature, a `__main__.py` file is created in the package directory.

This file can be executed by running the following command.

```
python -m <package_name>
```

Make sure that your current directory is the parent directory of the package directory when running the command.

In these examples, this would be `~/kicad_plugins`.

When running the command the Python interpreter runs

`~/complex_plugin/__init__.py` followed by `~/complex_plugin/__main__.py`.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\apis-and-binding\pcbnew\ index.zh-cn.adoc

```
Resumo: --- date: 2016-04-09T16:50:16+02:00 title: PcbNew weight: 18 --- :toc: KiCad
Python Python Pcbnew ` `
http://www.swig.org[SWIG] SWIG `interface` C/C++
C/C++ *pcbnew/swg/*
...
```

---

date: 2016-04-09T16:50:16+02:00

title: PcbNew

weight: 18

---

:toc:

KiCad Python Python Pcbnew

` ` http://www.swig.org[SWIG]

SWIG `interface` C/C++

C/C++

\*pcbnew/swg/\*

SWIG .py

Python \*dist-Packages\*

Python3

== Pcbnew Python API

Pcbnew Python API Pcbnew

https://docs.kicad.org/master/en/pcbnew/pcbnew.html#scripting[ ]

API DOORT

http://docs.kicad.org/doxygen-python/namespacepcbnew.html[ ]

== " "

Python Pcbnew

##### \*#####\* Pcbnew ##### \* -> #####\*

## \*#####\* ##### KiCad #####

##### Python ##### Entry #####

##### Python #####

=== #####

\*#####\* ##### Pcbnew ##### Python ## Python #####

#####

\* ##### KiCad ##### `scriting/kicadplugins.i` #####

#####

`import pcbnew; print pcbnew.PLUGIN\_DIRECTORIES\_SEARCH`

### Linux #####

\* `/usr/share/kicad/scripting/plugins/``

\* `~/.kicad/scripting/plugins`

\* `~/.kicad\_plugins/``

■ Windows ■

\* `%KICAD\_INSTALL\_PATH%/share/kicad/scripting/plugins`

\* `%APPDATA%/Roaming/kicad/scripting/plugins`

■ macOS ##### ~/Library... ##### kicad.app ■

#####

\* `/Applications/kicad/Kicad/Contents/SharedSupport/scripting/plugins`

\* `~/Library/Application Support/kicad/scripting/plugins`

\* ##### KiCad #####/#####

\* ##### Python ## (\*.py)■

##### .py #####

```

* ##### Python ##### Python ■ (■■■
https://docs.python.org/2/tutorial/modules.html#packages[6.4.■])■
.py ##### (#####)

* Python ##### `pcbnew.ActionPlugin` ##### `register()` #####

#####

=== #####

#####

■■ Python ##### KiCad #####

+ ~/.kicad_plugins/ # KiCad #####
- simple_plugin.py
- simple_plugin.png (■■)

`simple_plugin.py` #####

[source,python]

import pcbnew

import os

class SimplePlugin(pcbnew.ActionPlugin):
 def defaults(self):
 self.name = "##### Pcbnew■Tools->External Plugins ■■■"
 self.category = "#####"
 self.description = "#####"
 self.show_toolbar_button = False # ##### False
 self.icon_file_name = os.path.join(os.path.dirname(__file__), 'simple_plugin.png') # ##### ""
 def Run(self):
 # #####

```

```

print("Hello World")

SimplePlugin().register() # Pcbnew

icon_file_name`
PNG 26x26
Alpha
show_toolbar_button`
pcbnew

===

Pcbnew Python
Python `__init__.py`

Pcbnew

KiCad

`python -m`

Python

+ ~/.kicad/plugins/ #
+ complex_plugin/ # (Python)
- __init__.py # (Pcbnew)
- __main__.py #
- complex_plugin_action.py # ActionPlugin
- complex_plugin_utils.py # Python
- icon.png
+ otherstuff/
- otherfile.png
- misc.txt

```



----

##### ActionPlugin ##### `<package-name>\_action.py`■

##### `complex\_plugin\_action.py`#####

[source,python]

----

import pcbnew

import os

class ComplexPluginAction(pcbnew.ActionPlugin):

def defaults(self):

self.name = "#####"

self.category = "#####"

self.description = "#####"

self.show\_toolbar\_button = True # ##### False

self.icon\_file\_name = os.path.join(os.path.dirname(\_\_file\_\_), 'icon.png') # ■■

def Run(self):

# #####

print("Hello World")

----

##### `\_\_init\_\_.py` ##### Pcbnew#####

[source,python]

----

from .complex\_plugin\_action import ComplexPluginAction # #####

ComplexPluginAction().register() # ##### Pcbnew

----

■■ Python <https://www.python.org/dev/peps/pep-0338/> [PEP 338] ##### (■■■) #####

##### KiCad #####

##### `\_\_main\_\_.py` ■■■

#####

```
python -m <package_name>
```

```
■■■■■■■■■■ `~/kicad_plugins`■
```

Python

```
`/complex_plugin/__init__.py` ■■ `/complex_plugin/__main__.py`.
```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\ index.en.adoc

*Resumo: --- title: Build weight: 5 pre: "<i class='fas fa-chevron-right'></i> " --- == Building KiCad from Source If you are a user and not a developer, please consider using one of the prebuilt packages of KiCad which can be found at the [https://kicad.org/download/\[download\]](https://kicad.org/download/[download]) page on the <https://...>*

---

title: Build

weight: 5

pre: "<i class='fas fa-chevron-right'></i> "

---

== Building KiCad from Source

If you are a user and not a developer, please consider using one of the prebuilt packages

of KiCad which can be found at the [https://kicad.org/download/\[download\]](https://kicad.org/download/[download]) page on the [https://kicad.org/\[K](https://kicad.org/[K)

This document contains the instructions on how to build KiCad

from source on the supported platforms. It is not intended as a guide for installing or building

link:./getting-started/#\_library\_dependencies[library dependencies]. Please consult your platforms docum

installing packages or the source code when building the library dependencies. Currently the

supported platforms are Windows Versions 7-10, just about any version of Linux, and macOS

10.14 or newer. You may be able to build KiCad on other platforms but it is not supported. On

Windows and Linux the [https://gcc.gnu.org/\[GNU GCC\]](https://gcc.gnu.org/[GNU GCC]) is the only supported compiler and on macOS <http://cl>

only supported compiler.

== Pages

{{% children description="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\ index.zh-cn.adoc

[illegible]

— — —

title: ■■

```
weight: 5
```

```
pre: "<i class='fas fa-chevron-right'></i> "
```

— — —

== ■■■■■■ KiCad

**XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX**

■■ <https://kicad.org/>[KiCad ■■] ■■ KiCad ■ <https://kicad.org/download/>[■■] ■■■■■■■■■■

[illegible][illegible]

**■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■**    **■■■■■■■■■ Windows ■■ 7-10■■■■■■■■■■ Linux**

■ MacOS 10.9-10.13 ■ ■■■■■■■■■■■■■■■■■■■■■■ KiCad ■■■■■■■■■■ ■ Windows ■ Linux ■

<https://gcc.gnu.org/>[GNU GCC] ■■■■■■■■■■■■ MacOS ■ <http://clang.llvm.org/>[Clang]

1111111111111111



```
{{% children description="true" %}}
```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\compile-options\ index.en.adoc

Resumo: --- title: Build Options weight: 17 summary: Summary of CMake build configuration options. --- These are the build options that can be passed to CMake during configuration. == All Platforms [cols="4,12,1",options="header"] |=== |Option |Description |Default |KICAD\_SCRIPTING\_W...

---

title: Build Options

weight: 17

summary: Summary of CMake build configuration options.

---

These are the build options that can be passed to CMake during configuration.

== All Platforms

[cols="4,12,1",options="header"]

|===

|Option

|Description

|Default

|KICAD\_SCRIPTING\_WXPYTHON

|Build wxPython implementation for wx interface building in Python and py.shell.

|ON

|KICAD\_INSTALL\_DEMOS

|Install KiCad demos and examples.

|ON

|KICAD\_BUILD\_QA\_TESTS

|Build software Quality assurance unit tests.

|ON

|KICAD\_SPICE

|Build KiCad with internal Spice simulator.

|ON

|KICAD\_BUILD\_I18N

|Build the translation language libraries

|OFF

|KICAD\_I18N\_UNIX\_STRICT\_PATH

|Install the language libraries to the standard UNIX install path of

  \${CMAKE\_INSTALL\_PREFIX}/share/locale

|OFF

|

BUILD\_SMALL\_DEBUG\_FILES

|In debug build: create smaller binaries. On Windows, binaries created by link option -g3 are  
  \*very large\* (more than 1Gb for Pcbnew, and more than 3Gb for the full KiCad suite). This  
  option create binaries using link option -g1 that create much smaller files, but there are  
  less info in debug (However the file names and line numbers are available).

|OFF

|MAINTAIN\_PNGS

|Allow build/rebuild bitmap icons used in menus from the corresponding .svg file. Set to  
  true if you are a PNG maintainer and have the required tools given in the  
  bitmaps\_png/CMakeLists.txt file.

|OFF

|KICAD\_IPC\_API

|Build KiCad with support for the IPC API server (requires the `nng` library)

|ON

|===

== Platform Specific

[cols="4,12,1",options="header"]

|===

|Option

|Description

|Default

|KICAD\_WIN32\_DPI\_AWARE

|Turn on DPI awareness for Windows builds only.

|OFF

|KICAD\_WIN32\_CONTEXT\_WINFIBER

|Use win32 fibers for libcontext.

|OFF

|KICAD\_USE\_EGL

|Build KiCad with EGL backend support for Wayland.

|OFF

|KICAD\_USE\_BUNDLED\_GLEW

|Use the bundled version of GLEW - only available when KICAD\_USE\_EGL is set.

|OFF

|===

== Developer Specific

[cols="4,12,1",options="header"]

|===

|Option

|Description

|Default

|KICAD\_SANITIZE\_ADDRESS

|Build KiCad with address sanitizer (ASan) options. +

WARNING: May cause errors with Gold, Lld, Mold linkers.

|OFF

|KICAD\_SANITIZE\_THREADS

|Build KiCad with thread sanitizer (TSan) options. +

WARNING: May cause errors with Gold, Lld, Mold linkers.

|OFF

|KICAD\_STDLIB\_DEBUG

|Build KiCad with libstdc++ debug flags enabled.

|OFF

|KICAD\_STDLIB\_LIGHT\_DEBUG

|Build KiCad with libstdc++ with -Wp,-D\_GLIBCXX\_ASSERTIONS flag enabled. +

Not as intrusive as KICAD\_STDLIB\_DEBUG

|OFF

|KICAD\_DRC\_PROTO

|Build the DRC prototype QA tool.

|OFF

|KICAD\_BUILD\_PNS\_DEBUG\_TOOL

|Build the P&S debugging/playground QA tool.

|OFF

|KICAD\_GAL\_PROFILE

|Enable profiling info for GAL.

|OFF

|KICAD\_USE\_VALGRIND

|Build KiCad with valgrind stack tracking enabled.

|OFF

|===

== Notes

=== Note 1

Python 3 is required to build KiCad. The path to Python is normally determined automatically by a CMake script, but if needed, `PYTHON\_EXECUTABLE` can be defined when invoking cmake



( use ``-DPYTHON_EXECUTABLE=<python path>`` ) to specify a particular Python binary.

#### === Note 2

These Symbols are always defined, and are not an option for cmake invocation:

##### `*COMPILING_DLL*`

This is a signal to `import_export.h`, and when present, toggles the interpretation of the `#defines` in that file. Its purpose should not be extended beyond this.

##### `*USE_KIWAY_DLLS*`

Comes from CMake as a user configuration variable, settable in the Cmake user interface. It decides if KiCad will be built with the `*.kiface` program modules.

##### `*BUILD_KIWAY_DLL*`

Comes from CMake, but at the 2nd tier, not the top tier. By 2nd tier, something like `pcbnew/CMakeLists.txt`, not `/CMakeLists.txt` is meant. It is not a user configuration variable. Instead, the 2nd tier `CMakeLists.txt` file looks at the top level ``USE_KIWAY_DLLS`` and decides how the object files under the 2nd tier's control will be built. If it decides it wants to march in lockstep with ``USE_KIWAY_DLLS``, then this local `CMakeLists.txt` file may pass a defined ``BUILD_KIWAY_DLL`` (singular) on the compiler command line to the pertinent set of compilation steps under its control.

#### === Note 3

When building with ``KICAD_BUILD_I18N`` on Linux systems, `gettext` needs the rule files ``shared-mime-info.its`` and ``metainfo.its`/`appdata.its`` to translate the Linux

metadata files.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\compile-options\ index.zh-cn.adoc

Resumo: --- title: 编译选项 weight: 17 summary: CMake 编译选项 ---  
cmake 编译选项 == 编译选项 [cols="4,12,1",options="header"] |=== | | |  
|KICAD\_SCRIPTING | KiCad 编译选项 Py...

---

title: 编译选项

weight: 17

summary: CMake 编译选项

---

编译选项 cmake 编译选项

== 编译选项

[cols="4,12,1",options="header"]

|===

KICAD_SCRIPTING	KiCad 编译选项 Python 编译选项	ON	
KICAD_SCRIPTING_MODULES	pcbnew Python 编译选项_pcbnew.{pyd,so}编译选项 Python 编译选项 WXPYTHON python 编译选项 wxPytho n编译选项	ON	
KICAD_SCRIPTING_PYTHON3	Python 3 编译选项 2 编译选项	OFF	
KICAD_SCRIPTING_WXPYTHON	Python py.shell 编译选项 WX 编译选项 wxPython 编译选项	ON	
KICAD_SCRIPTING_WXPYTHON_PHOENIX	wxPython 编译选项	OFF	
KICAD_SCRIPTING_ACTION_MENU	python 编译选项	ON	
KICAD_USE_OCC	OpenCascade 编译选项	ON	
KICAD_INSTALL_DEMOS	KiCad 编译选项	ON	
KICAD_BUILD_QA_TESTS		ON	
KICAD_SPICE	Spice 编译选项 KiCad	ON	
KICAD_BUILD_I18N		OFF	
KICAD_I18N_UNIX_STRICT_PATH	UNIX 编译选项 +		

```

 ${CMAKE_INSTALL_PREFIX}/share/locale
| OFF

| BUILD_SMALL_DEBUG_FILES | ████████████████████ +

 █ Windows ████████ -g3 ██████████ *████* +

 (pcbnew █ 1 GB████ kicad ██████ 3 GB) +

 ██████████ -g1 ██████████+

 █ debug ████████ (██████████████) +

| OFF

| MAINTAIN_PNGS | ███████ .svg █████/██████████████████ +

 █████PNG██████████ bitmap_png/CMakeLists.txt █ +

 ████████████████████ true

| OFF

|===

== ██████████

[cols="4,12,1",options="header"]

|===

| █ | █ | █

| KICAD_SANITIZE | █ sanitizer █████KiCad█ +

 █████ gold ██████████

| OFF

| KICAD_STDLIB_DEBUG | █ libstdc++ ███████████ KiCad█ | OFF

| KICAD_STDLIB_LIGHT_DEBUG | █ libstdc++ █ KiCad██████ -Wp,-D_GLIBCXX_ASSERTIONS █████ +

 █ KICAD_STDLIB_DEBUG ██████████

| OFF

| KICAD_BUILD_PARALLEL_CL_MP | █ /MP ███████████(██████████████████)█

| OFF

| KICAD_USE_VALGRIND | █ valgrind ███████████ KiCad█ | OFF

|===

== █
```

```
`KICAD_SCRIPTING` █ `KICAD_SCRIPTING` █ `KICAD_SCRIPTING_MODULES` █
```

```
█ cmake ##### `PYTHON_EXECUTABLE`
```

```
(█ `-DPYTHON_EXECUTABLE=<python █>/python.exe` █ python2)
```

```
#####Windows ##### python.exe##### python2█
```

```
python ##### exec █
```

```
=== █ 1
```

```
KICAD_SCRIPTING ##### Python #####
```

```
#####
```

```
`KICAD_SCRIPTING` █ OFF#####
```

```
`KICAD_SCRIPTING_MODULES, KICAD_SCRIPTING_ACTION_MENU,KICAD_SCRIPTING_PYTHON3
```

```
KICAD_SCRIPTING_WXPYTHON, KICAD_SCRIPTING_WXPYTHON_PHOENIX`
```

```
=== █ 2
```

```
`KICAD_SCRIPTING_WXPYTHON_PHOENIX` ##### `KICAD_SCRIPTING_WXPYTHON` █
```

```
█ wxWidgets #####
```

```
=== █ 3
```

```
cmake
```

```
COMPILING_DLL
```

```
import_export.h
```

```
#defines █
```

```
#####
```

```
USE_KIWAY_DLLS
```

```
CMake█ CMake
```



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\getting-started\ index.en.adoc

*Resumo: --- title: Getting Started weight: 10 --- == Development Tools Before you begin building KiCad, there are a few tools required in addition to your compiler. Some of these tools are required to build from source and some are optional. === CMake Build Configuration Tool <https://cma...>*

---

title: Getting Started

weight: 10

---

### == Development Tools

Before you begin building KiCad, there are a few tools required in addition to your compiler. Some of these tools are required to build from source and some are optional.

#### === CMake Build Configuration Tool

<https://cmake.org>[CMake] is the build configuration and makefile generation tool used by KiCad. It is re

[#git,reftext=Git]

#### === Git Version Control System

The official source code repository is hosted on <https://gitlab.com>[GitLab] and requires <https://git-scm.com> the latest source. If you prefer to use <https://github.com>[GitHub] there is a read only mirror of the of KiCad repository. The previous official hosting location at <https://launchpad.net/kicad/>[Launchpad] is still a mirror. Changes should be submitted as [https://docs.gitlab.com/ee/user/project/merge\\_requests/creating\\_](https://docs.gitlab.com/ee/user/project/merge_requests/creating_merge_requests.html) will not review changes submitted on GitHub or Launchpad as those platforms are mirrors only.

#### === Doxygen Code Documentation Generator

The KiCad source code is documented using <https://www.doxygen.nl/index.html>[Doxygen] which parses the KiCad source and builds a dependency tree along with the source documentation into HTML. Doxygen is only required if you are going to build the KiCad documentation.

#### === SWIG Simplified Wrapper and Interface Generator

<http://www.swig.org/>[SWIG] is used to generate the Python scripting language extensions for KiCad. SWIG is required if you are not going to build the KiCad scripting extension.

## == Library Dependencies

This section includes a list of library dependencies required to build KiCad. It does not include any dependencies of the libraries. Please consult the library's documentation for any additional dependencies. Some of these libraries are optional depending on your build configuration. This is not a guide on how to install the library dependencies using your system's package management tools or how to build the library from source. Consult the appropriate documentation to perform these tasks.

### === wxWidgets Cross Platform GUI Library

<http://wxwidgets.org/>[wxWidgets] is the graphical user interface (GUI) library used by KiCad. As of version 7.0, KiCad is developed and tested against wxWidgets 3.2. The KiCad team will not perform testing or bugfixing against older versions of wxWidgets, and may inadvertently introduce changes that break compilation or function when building against older versions. We welcome patches to fix build issues against earlier versions of wxWidgets as long as these patches do not change functionality when compiling against more modern versions. These patches should be the minimum necessary to get KiCad working, rather than attempting to backport functionality from the newer wxWidgets API (unless doing so is trivial).

On macOS we use a custom fork of wxWidgets -- see the macOS build instructions for details.

### === Boost {cpp} Libraries

The <https://www.boost.org/>[Boost] {cpp} library version 1.71 or greater is required to build KiCad.

### === GLEW OpenGL Extension Wrangler Library

The <http://glew.sourceforge.net/>[OpenGL Extension Wrangler] is an OpenGL helper library used by the KiCad abstraction library (GAL) and is always required to build KiCad.

### === ZLib Library

The <http://www.zlib.net/>[ZLib] development library is used by KiCad to handle compressed 3d models (.stp) and is always required to build KiCad.



### === GLM OpenGL Mathematics Library

The <http://glm.g-truc.net/>[OpenGL Mathematics Library] is an OpenGL helper library used by the KiCad graph abstraction library (GAL) and is always required to build KiCad.

### === GLUT OpenGL Utility Toolkit Library

The <https://www.opengl.org/resources/libraries/glut/>[OpenGL Utility Toolkit] is an OpenGL helper library and abstraction library (GAL) and is always required to build KiCad.

### === Cairo 2D Graphics Library

The <http://cairographics.org/>[Cairo] 2D graphics library is used as a fallback rendering canvas when OpenGL is not available and is always required to build KiCad.

### === Python Programming Language

The <https://www.python.org/>[Python] programming language is used to provide scripting support to KiCad. It is

### === wxPython Library

The <http://wxpython.org/>[wxPython] library is used to provide a scripting console for Pcbnew. It needs to be installed unless the <<wxPython scripting>> build configuration option is disabled. When building KiCad with wxPython support, make sure the version of the wxWidgets library and the version of wxPython installed on your system are the same. Mismatched versions have been known to cause runtime issues.

### === Curl Multi-Protocol File Transfer Library

The <http://curl.haxx.se/libcurl/>[Curl Multi-Protocol File Transfer Library] is used to provide secure internet file transfer access for the Plugin and Content Manager.

[#libocct, ref=OpenCascade]

### === OpenCascade Library

<https://www.opencascade.com/content/overview>[Open CASCADE Technology (OCC)] is used to provide

support for loading and saving 3D model file formats such as STEP. KiCad requires OCC 7.5.0 or higher. When building OCC locally, use the option BUILD\_MODULE\_Draw=OFF to make building easier

```
[#ngspice,reftext=Ngspice]
```

```
==== Ngspice Library
```

The <https://sourceforge.net/projects/ngspice/>[Ngspice Library] is used to provide Spice simulation support in the KiCad editor. Make sure the version of ngspice library used was built with the `--with-ngshared` option. This library needs to be installed unless the Spice build option is disabled.

```
[#protobuf,reftext=Protobuf]
```

```
==== Protocol Buffers (protobuf)
```

The <https://protobuf.dev/>[protobuf] library is used to provide structured serialization of KiCad data for the IPC API. It is required even when the IPC API is not enabled, as it is also used as part of QA testing and is likely to be used in other applications in the future. KiCad requires protobuf version 3.x, and must be built with the same version of protobuf that is deployed as a library on the target system.

```
[#nng,reftext=NNG]
```

```
==== Nanomsg Next Generation (nng)
```

The <https://nng.nanomsg.org/>[nng] library is used to provide a communications channel between KiCad and third-party plugins and applications for the IPC API. It is required when KICAD\_IPC\_API is enabled.

```
== KiCad Build Configuration Options
```

KiCad has many build options that can be configured to build different options depending on the availability of support for each option on a given platform. This section documents these options and their default values.

```
=== IPC API
```

The KICAD\_IPC\_API option is used to enable the experimental IPC API server. When this option is enabled, the `<nng>` library must be available.

```
[#wxpython_scripting,reftext=wxPython scripting]
```

```
=== wxPython Scripting Support
```

The KICAD\_SCRIPTING\_WXPYTHON option is used to enable building the wxPython interface into Pcbnew including the wxPython console.

### === Integrated Spice simulator

The KICAD\_SPICE option is used to control if the Spice simulator interface for Eeschema is built. When this option is enabled, it requires <<ngspice>> to be available as a shared library. This option is enabled by default.

### === STEP/IGES support for the 3D viewer

The KICAD\_USE\_OCC is used for the 3D viewer plugin to support STEP and IGES 3D models. Build tools and plugins related to OpenCascade (OCC) are enabled with this option. When enabled it requires <<libocct>> to be available. This option is enabled by default.

### === Wayland EGL support

The KICAD\_USE\_EGL option switches the OpenGL backend from using X11 bindings to Wayland EGL bindings. This option is only relevant on Linux when running wxWidgets 3.1.5+ with the EGL backend of the wxGLCanvas (which is the default option, but can be disabled in the wxWidgets build).

By default, setting KICAD\_USE\_EGL will use a in-tree version of the GLEW library (that is compiled with the additional flags needed to run on an EGL canvas) statically linked into KiCad. If the system version of GLEW supports EGL (it must be compiled with the GLEW\_EGL flag), then it can be used instead by setting KICAD\_USE\_BUNDLED\_GLEW to OFF.

### === Windows HiDPI Support

The KICAD\_WIN32\_DPI\_AWARE option makes the Windows manifest file for KiCad use a DPI aware version, which tells Windows that KiCad wants Per Monitor V2 DPI awareness (requires Windows 10 version 1607 and later).

### === Development Analysis Tools

KiCad can be compiled with support for several features to aid in the catching and debugging of runtime memory issues

#### ==== Valgrind support

The KICAD\_USE\_VALGRIND option is used to enable Valgrind's stack annotation feature in the tool framework. This provides the ability for Valgrind to trace memory allocations and accesses in the tool framework and reduce the number of false positives reported. This option is disabled by default.

#### ==== {cpp} standard library debugging

KiCad provides two options to enable debugging assertions contained in the GCC {cpp} standard library: KICAD\_STDLIB\_DEBUG and KICAD\_STDLIB\_LIGHT\_DEBUG. Both these options are disabled by default, and only one should be turned on at a time with KICAD\_STDLIB\_DEBUG taking precedence.

The KICAD\_STDLIB\_LIGHT\_DEBUG option enables the light-weight standard library assertions by passing ``_GLIBCXX_ASSERTIONS`` into CXXFLAGS. This enables things such as bounds checking on strings, arrays and vectors, as well as null pointer checks for smart pointers.

The KICAD\_STDLIB\_DEBUG option enables the full set of standard library assertions by passing ``_GLIBCXX_DEBUG`` into CXXFLAGS. This enables full debugging support for the standard library.

#### ==== Address Sanitizer support

The KICAD\_SANITIZE\_ADDRESS option enables <https://clang.llvm.org/docs/AddressSanitizer.html> [Address Sanitizer (ASan)] support to trace memory allocations and accesses to identify problems. This option is disabled by default. The Address Sanitizer contains several runtime options to tailor its behavior that are described in more detail in its <https://github.com/google/sanitizers/wiki/AddressSanitizerFlags#documentation>.

Analogously, the KICAD\_SANITIZE\_THREADS option enables <https://clang.llvm.org/docs/ThreadSanitizer.html> [Thread Sanitizer (TSan)]. Its runtime options are described <https://github.com/google/sanitizers/wiki/ThreadSanitizerFlags#here>.

These options are not supported on all build systems, and are known to have problems when using MinGW. They may also cause errors when using a linker other than the GNU linker, for example Gold, Lld, Mold.

=== Demos and Examples

The KiCad source code includes some demos and examples to showcase the program. You can choose whether install them or not with the `KICAD_INSTALL_DEMOS` option. You can also select where to install them with the `KICAD_DEMOS` variable. On Linux the demos are installed in `$PREFIX/share/kicad/demos` by default.

### === Quality assurance (QA) unit tests

The `KICAD_BUILD_QA_TESTS` option allows building unit tests binaries for quality assurance as part of the default build. This option is enabled by default.

If this option is disabled, the QA binaries can still be built by manually specifying the target. For example, with ``make``:

- \* Build all QA binaries: ``make qa_all``
- \* Build a specific test: ``make qa_pcbnew``
- \* Build all unit tests: ``make qa_all_tests``
- \* Build all test tool binaries: ``make qa_all_tools``

For more information about testing KiCad, see [\[this page\]\(testing.md\)](#).

### === KiCad Build Version

The KiCad version string is defined by the output of ``git describe --dirty`` when git is available or the version string defined in `CMakeModules/KiCadVersion.cmake` with the value of `KICAD_VERSION_EXTRA` appended to the former. If the `KICAD_VERSION_EXTRA` variable is not defined, it is not appended to the version string. If the `KICAD_VERSION_EXTRA` variable is defined it is appended along with a leading `'-'` to the full version string as follows:

```
(KICAD_VERSION[-KICAD_VERSION_EXTRA])
```

The build script automatically creates the version string information from the `<<git>>` repository information as follows:

```
(5.0.0-rc2-dev-100-g5a33f0960)
```

```
|
```

output of "git describe --dirty" if git is available.

### === KiCad Config Directory

The default KiCad configuration directory is ``kicad``. On Linux this is located at ``~/.config/kicad``, on MSW, this is ``C:\Documents and Settings\username\Application Data\kicad`` and on MacOS, this is ``~/Library/Preferences/kicad``. Inside the configuration directory, subdirectories will be created for each KiCad minor version, meaning that multiple versions of KiCad can share the same directory.

The base configuration directory can be overridden by specifying the `KICAD_CONFIG_DIR` string at compile time.

NOTE: Setting `KICAD_CONFIG_DIR` should be considered deprecated as of KiCad 5.99, as the config directory is versioned and there should not be any need to set a custom directory.

### === Running from the Build Directory

Normally, KiCad needs to be installed before running in order to locate data files and shared libraries. Developers may be interested in running specific KiCad binaries from inside the build directory instead of installing, as this can sometimes be a faster way to test things. The environment variable ``KICAD_RUN_FROM_BUILD_DIR`` can be set in order to change how KiCad looks up paths for shared libraries, resources, and other data files. Note that setting this variable does not change how KiCad looks for symbol/footprint/3D model libraries.

### === Setting the path to Python

KiCad relies on a specific Python version on Windows and macOS. Normally, the path to this Python installation is set by the corresponding packaging scripts for those platforms, but in some situations, it can be preferable to set a custom Python interpreter for development or testing purposes. On Windows, you must set the environment variable ``KICAD_USE_EXTERNAL_PYTHONHOME`` in order for KiCad to use the ``PYTHONHOME`` environment variable instead of the default (hard-coded) path to Python. This is so that ``PYTHONHOME`` set on user machines does not inadvertently break KiCad. See the Windows build instructions for details on how to use this variable to run KiCad from the build directory.

### == Getting the KiCad Source Code

There are several ways to get the KiCad source. If you want to build the stable version you can download the source archive from the <https://gitlab.com/kicad/code/kicad/> repository. Use the

other archive program to extract the source on your system. If you are using tar, use the following command:

```
```sh
tar -xaf kicad_src_archive.tar.xz
```
```

If you are contributing directly to the KiCad project on GitLab, you can create a local copy on your machine by using the following command:

```
```sh
git clone https://gitlab.com/kicad/code/kicad.git
```
```

Here is a list of source links:

Stable release archives: <https://kicad.org/download/source/>

Development branch: <https://gitlab.com/kicad/code/kicad/tree/master>

GitHub mirror: <https://github.com/KiCad/kicad-source-mirror>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\getting-started\ index.zh-cn.adoc

[illegible]

— — —

```
title: ■■
```

```
weight: 10
```

— — —

== ☐ ☐ ☐ ☐

**KiCad**

**XXXXXXXXXXXXXXXXXXXXXXXXXXXX**

=== CMake ██████████

https://cmake.org[CMake] ■ KiCad ■■■■■■■■ Makefile ■■■■■■■■■■

=== Git ██████████

```
■■■■■■■■■■■■■■■■■■■■ https://gitlab.com/[GitLab] ■■■■ https://git-scm.com/[git] ■■■■■■■■■■■■■■■■■■■■
```

■■■■■■■■ https://github.com/[GitHub]■■■■■■ KiCad ■■■■■■■■

■■■■■■■■■■ https://launchpad.net/kicad/[Launchpad] ■■■■■■■■■■

■■■■ https://docs.gitlab.com/ee/user/project/merge\_requests/creating\_merge\_requests.html[■■■■] ■■ Git

GitHub Launchpad

=== Doxygen 

[illegible]

■■■■■■■■ KiCad ■■■■■■■■ Doxygen■

```
===== RISCv =====
=== SWIG [REDACTED]
```

http://www.swig.org/[SWIG] ■■■■■ KiCad ■ Python ■■■■■

KiCad SWIG







== KiCad ■■■■■■

== ■■■■

```

=== Python 3
KICAD_SCRIPTING_PYTHON3 Python 3 Python 2
[KICAD_SCRIPTING](#scripting_opt)

```

```
KICAD_SCRIPTING_MODULES ██████████ KiCad ███ Python ███
██ [KICAD_SCRIPTING](#scripting_opt)██
```

```
KICAD_SCRIPTING_WXPYTHON █████ wxPython █████ Pcbnew █████ wxPython █████
██ [KICAD_SCRIPTING](#scripting_opt)██
```

[illegible]

```
KICAD_SCRIPTING_ACTION_MENU Python Pcbnew
[KICAD_SCRIPTING] (# scripting_opt)
```

=== ■■ Spice ■■■



```
==== KiCad
```



...

■■■■■■■■■■

== ☐ ☐ ☐ ☐

**KiCad**

### === Boost C++ ■■■

■■■■■ [http://mingw.org/\[MinGW\]](http://mingw.org/[MinGW]) ■ Windows ■■■ Boost■■■■■■■ KiCad ■ <https://gitlab.com/kicad/code/kicad/>

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\linux\ index.en.adoc

*Resumo: --- title: Linux weight: 11 summary: Instructions for Linux using gcc tags: ["linux"] --- == Building KiCad on Linux To perform a full build on Linux, run the following commands: [source,sh] `` cd <your kicad source mirror> mkdir -p build/release mkdir -p build/debug ...*

---

title: Linux

weight: 11

summary: Instructions for Linux using gcc

tags: ["linux"]

---

== Building KiCad on Linux

To perform a full build on Linux, run the following commands:

[source,sh]

```

cd <your kicad source mirror>

mkdir -p build/release

mkdir -p build/debug # Optional for debug build.

cd build/release

cmake -DCMAKE_BUILD_TYPE=RelWithDebInfo \

../..

make

sudo make install

```

If the CMake configuration fails, determine the missing dependencies (see <<Dependencies>>) and install them on your system.

[NOTE]

--

If CMake fails at finding Protobuf even after installing the dependencies, try enabling

`KICAD\_USE\_CMAKE\_FINDPROTOBUF`, i.e.:



```
[source,sh]
```

```
...
```

```
cmake -DCMAKE_BUILD_TYPE=RelWithDebInfo \
```

```
-DKICAD_USE_CMAKE_FINDPROTOBUF=ON \
```

```
../..
```

```
...
```

```
--
```

By default, CMake sets the install path on Linux to ``usr/local``.

Use the ``CMAKE_INSTALL_PREFIX`` option to specify a different install path.

We recommend using the ``RelWithDebInfo`` build type for personal release builds, as this will include debugging symbols that will give you more useful stack traces in case you encounter a crash.

Replace ``RelWithDebInfo`` with ``Debug`` for debug builds.

### === Dependencies

The distribution-specific packages that have to be installed to build KiCad can be found in the nightly package sources:

\* <https://gitlab.com/kicad/packaging/kicad-ubuntu-builder/kicad-daily-package/-/blob/dailybuild/debian/control>

\* <https://gitlab.com/kicad/packaging/kicad-fedora-builder/-/blob/master/templates/kicad-nightly.spec> [Fedora]

\* <https://aur.archlinux.org/cgit/aur.git/tree/PKGBUILD?h=kicad-nightly> [Arch Linux/Manjaro] (``depends`` and

### === Tips and Tricks

#### ==== Ninja

KiCad builds faster using the Ninja build system in place of ``make``. To use Ninja, you can specify Ninja output on your CMake command line:

```
[source,sh]
```

```
...
```

```
cmake -G Ninja -DCMAKE_BUILD_TYPE=RelWithDebInfo ../..
```

```
ninja
```

```
sudo ninja install
```

```
...
```

```
==== Linker
```

Build speed will be further improved by using a linker different than the default BFD linker (``ld``), for example ``gold`` (fast), ``lld`` (faster), or ``mold`` (fastest). To change the linker, specify it by passing the ``-fuse-ld=<linker name>`` flag via the ``-DCMAKE_CXX_FLAGS`` CMake option:

```
[source,sh]
```

```
...
```

```
cmake -G Ninja -DCMAKE_BUILD_TYPE=RelWithDebInfo -DCMAKE_CXX_FLAGS=-fuse-ld=lld ../../
```

```
...
```

GCC versions lower than 12.1.0 do not support ``-fuse-ld=mold``. Read

<https://github.com/rui314/mold#how-to-use> to learn how to use ``mold`` in that case.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\linux\ index.zh-cn.adoc

```
Resumo: --- title: Linux weight: 11 summary: ■■ gcc ■ Linux ■■■■ tags: ["linux"] --- == ■ Linux
■■■ KiCad ■■ Linux ■■■■■■■■■■■■■■■■■■■■■ [source,sh] `` cd <■■ kicad ■■■■■■■>
mkdir -p build/release mkdir build/debug # ■■■■■■■■■■■■■■■■■■■■■ cd build/release cmake
-DCMAKE_BUILD_TYPE=RelWi...
```

— — —

```
title: Linux
```

```
weight: 11
```

```
summary: ■■ gcc ■ Linux ■■■■
```

```
tags: ["linux"]
```

— — —

== ■ Linux ■■■ KiCad

**Linux**

[source, sh]

...

```
cd <■■ kicad ■■■■■■>
```

```
mkdir -p build/release
```

```
mkdir build/debug # ████████████████████
```

```
cd build/release
```

```
cmake -DCMAKE_BUILD_TYPE=RelWithDebInfo \
```

.. / .. /

make

```
sudo make install
```

...

[illegible]

```
■■■■■■CMake ■■ Linux ■■■■■■■■■■■■ `/usr/local`■
```

```
■■ `CMAKE_INSTALL_PREFIX` ■■■■■■■■■■■■■■■■■■■■■■
```

```
■■■■■■■■■■ `RelWithDebInfo` ■■■■■■■■■■■■■■■■
```

**XXXXXXXXXXXXXXXXXXXX**

```

■■■■■■■■■■ `RelWithDebInfo` ■■■■ `Debug`■

```

=== ■■■■■■

==== Ninja

KiCad ■■ Ninja ■■■■■■ `make` ■■■■■■■■■■ Ninja ■■■■ CMake ■■■■■■ Ninja ■■■■

[source,sh]

...

cmake -G Ninja -DCMAKE\_BUILD\_TYPE=RelWithDebInfo ../../..

ninja

sudo ninja install

...

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\macos\ index.en.adoc

*Resumo: --- title: macOS weight: 12 summary: Instructions for macOS using cmake and clang tags: ["macos"] --- :toc: == Building KiCad on macOS Building on macOS requires care, as specific versions of dependencies are required in order for all KiCad features to compile and work properly. To si...*

---

title: macOS

weight: 12

summary: Instructions for macOS using cmake and clang

tags: ["macos"]

---

:toc:

== Building KiCad on macOS

Building on macOS requires care, as specific versions of dependencies are required in order for all KiCad features to compile and work properly. To simplify this process, we strongly recommend that all macOS users use our <https://gitlab.com/kicad/packaging/kicad-mac-builder> [kicad-mac-builder] utility, which contains the toolchain that produces the official macOS release builds of KiCad.

This utility can be used to set up a development environment for KiCad even if you just wish to build the sources without creating a full release package (DMG containing the KiCad applications and libraries).

Building without ``kicad-mac-builder`` is possible but is not supported by the KiCad development team. If you wish to pursue this route, please use the latest state of the kicad-mac-builder repository for guidance as to which packages to install and how to configure and build them.

NOTE: KiCad requires a custom fork of wxWidgets on macOS to work properly. This fork is hosted at <https://gitlab.com/kicad/code/wxWidgets> [the KiCad GitLab]. Currently, the ``kicad/macos-wx-3.2`` branch should be used to build the master branch of KiCad. If you use ``kicad-mac-builder`` to set up your build environment, the correct version of wxWidgets will be downloaded and built for you automatically.

=== Prerequisites

As of version 7, KiCad requires macOS 11 or higher to build (the build outputs can be run on some older versions of macOS). KiCad supports Apple's arm64 architecture as well as x86\_64, and the

packaging scripts can produce a "universal binary" that will run on either architecture. You must take care to maintain a consistent architecture when building on arm64, which `kicad-mac-builder` will try to ensure for you. Building some of the dependencies for `arm64` and some for `x86\_64` will result in linker errors (or Python errors) later in the process.

=== Setting up development environment using kicad-mac-builder

This guide assumes you already have the appropriate Apple C++ development toolchain (Xcode) for your macOS release installed. See Apple's documentation for details on how to install Xcode or the Xcode command-line tools. `kicad-mac-builder` will not install this for you.

To obtain `kicad-mac-builder` and set up the KiCad build dependencies, run the following on an Apple arm64 machine:

```
[source,sh]
```

```
...
```

```
softwareupdate --install-rosetta --agree-to-license # only required if you did not already install rosetta
```

```
cd <your preferred working directory>
```

```
git clone https://gitlab.com/kicad/packaging/kicad-mac-builder.git
```

```
cd kicad-mac-builder
```

```
./ci/arm64-on-arm64/bootstrap-arm64-on-arm64.sh
```

```
WX_SKIP_DOXYGEN_VERSION_CHECK=1 ./build.py --arch arm64 --target setup-kicad-dependencies
```

```
...
```

Or, on an x86\_64 (Intel) machine:

```
[source,sh]
```

```
...
```

```
cd <your preferred working directory>
```

```
git clone https://gitlab.com/kicad/packaging/kicad-mac-builder.git
```

```
cd kicad-mac-builder
```

```
./ci/x86_64-on-x86_64/bootstrap-x86_64-on_x86_64.sh
```

```
WX_SKIP_DOXYGEN_VERSION_CHECK=1 ./build.py --arch x86_64 --target setup-kicad-dependencies
```

```
...
```

NOTE: The first command, `bootstrap.sh`, will install Homebrew if it is not already installed, and

install all the KiCad dependencies that are available as Homebrew packages. You may wish to manually install the required dependencies instead of running this script. If so, simply inspect the script to see the current list of required Homebrew packages to install. The example bootstrap scripts are used for native compilation on the two Apple architectures. There is also an `x86\_64-on-arm64` option that can be used for cross-compilation on arm64 machines.

**WARNING:** The bootstrapping scripts are designed to run in a "clean" installation of macOS on our CI build machines. If you already have Homebrew installed to a non-standard directory, do not run `bootstrap.sh`. Instead, inspect the script and adapt the commands in it to your environment. If you already have Python installed, especially if you use a tool like `pyenv` to manage Python versions, you must ensure that the `python3` that is found first on your `PATH` matches the target architecture you are building KiCad for.

At the end of the `kicad-mac-builder` build process, `build.py` will print a list of suggested CMake arguments to the terminal.

**\*\*It is recommended you save either the independent list of variables OR the toolchain file path. You will need these when configuring your KiCad build.\*\***

The use of the toolchain file means you only have to set `-DCMAKE_TOOLCHAIN_FILE=<path>` in the cmake arguments later. Future reruns of KMB will keep the toolchain file updated.

You can rerun build.py to get all the variables again at any time.

=== Building KiCad

Now you are ready to build KiCad itself. Run the following to obtain and build KiCad:

```
[source,sh]
```

```
...
```

```
cd <your preferred working directory>
```

```
git clone https://gitlab.com/kicad/code/kicad.git
```

```
cd kicad
```

```
mkdir -p build/release
```

```
mkdir build/debug # Optional for debug build.
```

```
cd build/release

cmake <arguments from kicad-mac-builder> ../../

make

make install

...
```

Paste in the arguments you saved from earlier after the ``cmake`` command. Note that you may want to inspect and modify some of the arguments before using them:

By default, ``kicad-mac-builder`` will set the ``CMAKE_INSTALL_PREFIX`` to `../build/kicad-dest`` inside your ``kicad-mac-builder`` directory. Edit the arguments provided by ``kicad-mac-builder`` if you want to install KiCad to a different location.

By default, ``kicad-mac-builder`` will set ``CMAKE_BUILD_TYPE`` to ``RelWithDebInfo`` to create an optimized release build with debugging symbols. Change this to ``Debug`` to create an unoptimized build that can be debugged using ``lldb``.

NOTE: We recommend using Ninja instead of ``make`` for faster builds. To do so, run ``brew install ninja`` and then add ``-G Ninja`` to your ``cmake`` arguments.

### === Running and debugging

On macOS, starting from 7.99 nightlies, you can set the ``KICAD_RUN_FROM_BUILD_DIR`` environment variable and launch any KiCad executable from the build directory for run or debug. This is generally done in the target launch configuration options of IDEs like CLion.

You can also create and run the entire app bundle by running ``make install`` (or ``ninja install``) to package ``KiCad.app`` and then launch that. You can use ``lldb`` to debug the application, or attach to a running copy.

The installed package will be self-signed by the installation process. This will allow it to run on the local machine, but this package cannot be distributed to other machines without triggering Apple's security measures.

### === Updating dependencies



At the moment, ``kicad-mac-builder`` is designed to run in a "clean-slate" environment and does not automatically handle dependency updates. From time to time, you may wish to update your KiCad build dependencies. To do so:

1. Run ``git pull`` inside your ``kicad-mac-builder`` folder to sync with KiCad upstream.
2. Delete the contents of the ``./build`` directory.
3. Re-run the ``setup-kicad-dependencies`` step as described above.

NOTE: It is possible to rebuild only certain dependencies by deleting certain folders inside the ``./build`` directory, however this is an advanced usage and will not be documented here. Inspect the ``cmake`` files inside the ``kicad-mac-builder`` subdirectory to figure out what to do.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\macos\ index.zh-cn.adoc

[illegible]

— — —

```
title: macOS
```

weight: 12

```
summary: macOS ■■ cmake ■ clang ■■■
```

```
tags: ["macos"]
```

— — —

```
:toc:
```

== ■ macOS ■■■ KiCad

```
■ V5 ■■■macOS ■■■■■■■■■■■■■ https://gitlab.com/kicad/packaging/kicad-mac-builder[kicad-mac-builder]■
```

macOS

```
kicad-mac-builder ██████████
```

[illegible]

**■ macOS**

[illegible]

KiCad ██████████ MacPorts █ Homebrew ████████████████████ wxWidget ████████████████████

■■■■■■■■■■GitHub ■■■■ <https://github.com/KiCad/wxWidgets>[KiCad ■ wxWidget ■■■]■

```
■■■■■■■■■■■■■■■■■■■■/■■■■■■■■ `kicad/macos-wx-3.0` ■■■■
```

**wxWidgets**

[source, sh]

...

```
cd <■■ wxWidgets ■■■■■>
```

```
git clone -b kicad/macos-wx-3.0 https://gitlab.com/kicad/code/wxWidgets.git
```

```
mkdir wx-build
cd wx-build
../wxWidgets/configure \
 --prefix=`pwd`/../wx-bin \
 --with-opengl \
 --enable-aui \
 --enable-html \
 --enable-stl \
 --enable-richtext \
 --with-libjpeg=builtin \
 --with-libpng=builtin \
 --with-regex=builtin \
 --with-libtiff=builtin \
 --with-zlib=builtin \
 --with-expat=builtin \
 --without-liblzma \
 --with-macosx-version-min=10.11 \
 --enable-universal-binary=i386,x86_64 \
 CC=clang \
 CXX=clang++
```

```
make
```

```
make install
```

```
...
```

```
■■■■■■■■■■ `<■■ wxWidgets ■■■■■>/wx-bin` ■■■ wxWidgets ■■■■■
```

```
■■■■■■■■■■■■■■■■ Python ■■■■■ KiCad■
```

```
[source,sh]
```

```
...
```

```
cd <■■ kicad ■■■■■>
```

```
mkdir -p build/release
```

```
mkdir build/debug # ■■■■■■■■■■■■
```

```
cd build/release
```

```
cmake -DCMAKE_C_COMPILER=clang \
```

[illegible]

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\windows-msvc\ index.en.adoc

*Resumo: --- title: Windows (Visual Studio) weight: 14 summary: Guide on building KiCad using Microsoft Visual Studio and vcpkg tags: ["windows"] --- :toc: == Building using Visual Studio (2019, 2022) === Environment Setup ==== Visual Studio You must first install <https://visualstudio.microso...>*

---

title: Windows (Visual Studio)

weight: 14

summary: Guide on building KiCad using Microsoft Visual Studio and vcpkg

tags: ["windows"]

---

:toc:

== Building using Visual Studio (2019, 2022)

=== Environment Setup

==== Visual Studio

You must first install [https://visualstudio.microsoft.com/vs/\[Visual Studio\]](https://visualstudio.microsoft.com/vs/[Visual Studio]) with the **Desktop development**

Additionally, you'll need to make sure the optional component <https://docs.microsoft.com/en-us/cpp/build/>

==== vcpkg

KiCad uses vcpkg for dependencies and uses **manifest mode** to declare the dependencies and our kicad regis

. Obtain vcpkg for your system from <https://github.com/microsoft/vcpkg>

. In order to benefit from pre-built packages, checkout the specific vcpkg commit used by KiCad's contin

. Bootstrap vcpkg, so the vcpkg tool is installed

In summary, decide where you want vcpkg to be installed and run the following commands:

[source,powershell]

...

```
git clone https://github.com/microsoft/vcpkg.git
```

```
cd vcpkg
```

```
Replace commit hash with that defined as $vcpkgCommit of https://gitlab.com/kicad/packaging/kicad-win-b
git checkout ef7dbf94b9198bc58f45951adcf1f041fc5ea0
```

```
.\bootstrap-vcpkg.bat
```

```
...
```

```
=== KiCad Specific Setup
```

```
==== 1. Manual installation of SWIG
```

SWIG must be installed manually. Obtain the latest `swigwin` package from <https://sourceforge.net/projects/swig/files/swigwin/> (at the time of this writing, the latest is `swigwin-4.1.1`) and extract the zip file to a known location.

```
==== 2. Configuring NuGet package source
```

In order to benefit from pre-built packages that will significantly speed up your first build, you should

For this, you need the `nuget.exe` command line utility. This can be obtained at <https://www.nuget.org/download>

Go to the directory where your nuget.exe is located and run:

```
[source,powershell]
```

```
...
```

```
./nuget.exe sources add -Name kicad-gitlab -Source "https://gitlab.com/api/v4/projects/27426693/packages/generic"
```

```
...
```

NOTE: For this to work, you must ensure your local copy of vcpkg is checked out at the same commit as is r

```
==== 3. CMakeSettings.json
```

Contained in the build root is a `CMakeSettings.json.sample`

```
. Copy and rename this file to `CMakeSettings.json`
```

```
. Edit your renamed `CMakeSettings.json` to:
```

```
.. Update the `VcPkgDir` environment variable up top to match the location of your vcpkg clone.
```

```
.. Update the `SwigExePath` environment variable up top to match the location of where you extracted the S
```

```
[source,json]
```

```

```

```
{ "VcPkgDir": "D:/vcpkg/" },
...
{ "SwigExePath": "D:/swigwin-4.1.1/swig.exe" },

```

#### ==== 4. "Open Folder" in Visual Studio

- \* Launch Visual Studio (only after completing the above steps).

- \* When the initial wizard launches, select to **\*\*Open a local folder\*\***.

This is the correct way to make Visual Studio directly handle *\*CMake\** projects.

- \* Select the build root folder.

- \* Ensure ``x64-Debug`` build configuration is selected. This will start the cmake configuration process and

NOTE: If correctly configured, vcpkg should download the pre-built binaries of all dependencies from the Internet. However, if there are any differences in your build environment, this step will take a long time (several minutes). At some points, it might appear as if the process is stuck because the output window doesn't update for minutes.

- \* Wait until the "CMake in Visual Studio" tab appears and the CMake process finishes with the message ``CMake``

#### ==== 5. Running and debugging

Running or debugging KiCad directly from the build directory through Visual Studio requires that you set certain environment variables so that KiCad can find runtime dependencies and Python works. To configure the runtime environment for programs run from Visual Studio, edit the ``launch.vs.json`` file in the project root directory. To open this file, select Debug and Launch Settings for kicad from the Debug menu.

NOTE: If you have multiple launch configurations, for example to debug standalone pcbnew or eeschema in addition to kicad, you will need to configure each one separately.

The variable ``KICAD_RUN_FROM_BUILD_DIR`` must be present (it can be set to any value) to run from the build directory. Setting this variable allows KiCad to find dynamic libraries when running from the build directory.

The variable ``KICAD_USE_EXTERNAL_PYTHONHOME`` must be present (it can be set to any value) when running from either the build or the install directory, which allows you to specify ``PYTHONHOME`` in

the environment. Normally, KiCad on Windows uses a Python that is bundled and placed in a specific location by the installer, and when running from Visual Studio, Python will be in a different location.

The variable ``PYTHONHOME`` must be present and set to the location of the Python installed by vcpkg.

The variable ``PYTHONPATH`` must be present and set to include the paths to the ``pcbnew`` python module and the ``kicad_pyshell`` module. The former is built next to ``pcbnew.exe`` in the build directory, and the latter lives in the source tree in the ``scripting`` directory.

Use the ``env`` section of each configuration entry to set the required environment variables, including the path to the ``vcpkg`` installed packages directory, which will allow KiCad to find dynamic libraries from dependencies. For example, the below configuration allows running and debugging ``kicad.exe`` from the build directory.

Create this file as ``<kicad_source>/vs/launch.vs.json`` to have a baseline/working default launch configuration:

```
[source,json]
```

```
...
```

```
{
```

```
 "version": "0.2.1",
```

```
 "defaults": {},
```

```
 "configurations": [
```

```
 {
```

```
 "type": "default",
```

```
 "project": "CMakeLists.txt",
```

```
 "projectTarget": "kicad.exe (kicad\\kicad.exe)",
```

```
 "name": "kicad.exe (kicad\\kicad.exe)",
```

```
 "env": {
```

```
 "KICAD_RUN_FROM_BUILD_DIR": "1",
```

```
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",
```

```
 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
```

```
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
```

```
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
```

```
 }
```



```

},
{
 "type": "default",
 "project": "CMakeLists.txt",
 "projectTarget": "pcbnew.exe (pcbnew\\pcbnew.exe)",
 "name": "pcbnew.exe (pcbnew\\pcbnew.exe)",
 "env": {
 "KICAD_RUN_FROM_BUILD_DIR": "1",
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",
 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
 }
},
{
 "type": "default",
 "project": "CMakeLists.txt",
 "projectTarget": "eeschema.exe (eeschema\\eeschema.exe)",
 "name": "eeschema.exe (eeschema\\eeschema.exe)",
 "env": {
 "KICAD_RUN_FROM_BUILD_DIR": "1",
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",
 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
 }
},
{
 "type": "default",
 "project": "CMakeLists.txt",
 "projectTarget": "gerbview.exe (gerbview\\gerbview.exe)",
 "name": "gerbview.exe (gerbview\\gerbview.exe)",
 "env": {
 "KICAD_RUN_FROM_BUILD_DIR": "1",
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",

```

```

 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
 }
},
{
 "type": "default",
 "project": "CMakeLists.txt",
 "projectTarget": "pl_editor.exe (pagelayout_editor\\pl_editor.exe)",
 "name": "pl_editor.exe (pagelayout_editor\\pl_editor.exe)",
 "env": {
 "KICAD_RUN_FROM_BUILD_DIR": "1",
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",
 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
 }
},
{
 "type": "default",
 "project": "CMakeLists.txt",
 "projectTarget": "pcb_calculator.exe (pcb_calculator\\pcb_calculator.exe)",
 "name": "pcb_calculator.exe (pcb_calculator\\pcb_calculator.exe)",
 "env": {
 "KICAD_RUN_FROM_BUILD_DIR": "1",
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",
 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
 }
},
{
 "type": "default",
 "project": "CMakeLists.txt",
 "projectTarget": "bitmap2component.exe (bitmap2component\\bitmap2component.exe)",

```

```

 "name": "bitmap2component.exe (bitmap2component\\bitmap2component.exe)",
 "env": {
 "KICAD_RUN_FROM_BUILD_DIR": "1",
 "KICAD_USE_EXTERNAL_PYTHONHOME": "1",
 "PYTHONHOME": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\tools\\python3",
 "PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
 "PATH": "${cmake.buildRoot}\\vcpkg_installed\\x64-windows\\debug\\bin;${cmake.buildRoot}\\common;
 }
}
]
}
...

```

=== Visual Studio Extras

==== Trailing Whitespace Remover (Extension)

It is *\*highly recommended\** users install the link:<https://marketplace.visualstudio.com/items?itemName=Mad>

==== natvis definitions for libraries

Visual Studio supports defining decoders for objects in debug views.

You can find some useful ones here:

- <https://github.com/wxWidgets/wxWidgets/blob/master/misc/msvc/wxWidgets.natvis>
- [https://github.com/nlohmann/json/blob/develop/nlohmann\\_json.natvis](https://github.com/nlohmann/json/blob/develop/nlohmann_json.natvis)
- <https://github.com/Open-Cascade-SAS/OCCT/blob/master/dox/debug/occt.natvis>

Simply download the files and drop them into:

```
`%USERPROFILE%\Documents\Visual Studio 2022\Visualizers`
```

VS will load them after it starts up.

=== Advanced

WARNING: It is recommended to only try these changes after getting a basic configuration working using the

==== Binary caching

By default vcpkg will bundle up each dependency and store it in a *binary cache* which maintains copies of

The binary cache is located usually in %LOCALAPPDATA%\vcpkg\archives

If storage space consumed is a problem.

You may change the location of the binary cache by setting the environment variable `VCPKG\_DEFAULT\_BINARY\_

or

You may disable binary caching by setting the environment variable `VCPKG\_FEATURE\_FLAGS` with value `'-bin

==== Manifest mode

The KiCad repository is configured to use link:<https://learn.microsoft.com/en-us/vcpkg/users/manifests>[Ma

The benefits of using this is that it ensures the developer's dependencies always match that of the projec

The negative side of manifest mode is that whenever you update your version of visual studio or navigate

If this is deemed undesirable, it is possible to disable manifest mode locally by following these steps:

. Copy vcpkg-configuration.json from kicad root into your vcpkg root

. Manually run a vcpkg install command for all dependencies currently defined in the KiCad root `vcpkg.js

+

----

.\vcpkg.exe install --recurse --triplet x64-windows boost-algorithm boost-bimap boost-filesystem boost-fun

----

. {empty}

+

----

.\vcpkg upgrade --no-dry-run

----

. Set cmake variable `VCPKG\_MANIFEST\_MODE` to `OFF`

. Ensure launch.vs.json `PATH` and `PYTHONHOME` variables point to the vcpkg folder (instead of the one in

+

----

```
"PYTHONHOME": "C:\\PATH\\TO\\vcpkg_installed\\x64-windows\\tools\\python3",
"PYTHONPATH": "${cmake.buildRoot}\\pcbnew;${projectDir}\\scripting",
"PATH": "C:\\PATH\\TO\\vcpkg\\installed\\x64-windows\\debug\\bin;${env.PATH}",
```

----

. Delete cmake cache and reconfigure

WARNING: Disabling manifest mode means you have to manually ensure that the dependencies you have installed

=== Troubleshooting

==== vcpkg cannot finish installing a dependency

Antivirus software is known to block interim steps in the package build process. Try temporarily disabling

==== Error: Couldn't find the versions database file

If this occurs, a mismatch between vcpkg and registries occurred when it was checking your already installed

The easiest fix is to simply `Delete Cache and Reconfigure` under the Project menu option

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\windows-msvs2\ index.en.adoc

*Resumo: --- title: Windows (MSYS2) weight: 13 summary: Guide on building KiCad using MSYS2 tags: ["windows"] --- :toc: == Building using MSYS2 WARNING: MSYS2 is the legacy build system for Windows due to KiCad's historical roots. KiCad has switched to MSVC (Microsoft Visual Studio) from vers...*

---

title: Windows (MSYS2)

weight: 13

summary: Guide on building KiCad using MSYS2

tags: ["windows"]

---

:toc:

== Building using MSYS2

WARNING: MSYS2 is the legacy build system for Windows due to KiCad's historical roots.

KiCad has switched to MSVC (Microsoft Visual Studio) from version 6.0 and onwards for development and release.

Building via MSYS2 is still possible but does not receive a high level of attention.

=== Setup

The <https://www.msys2.org/>[MSYS2] project provides packages for all of the required dependencies to build KiCad.

To setup the MSYS2

build environment, download and run the *\*MSYS2 64-bit Installer\** available from the msys2 home page.

After the installer is finished, update to the latest

package versions by running the ``msys2_shell.cmd`` file located in the MSYS2 install path and

running the command ``pacman -Syu``. If the msys2-runtime package is updated, close the shell

and run ``msys2_shell.cmd``.

=== Building

The following commands assume you are building for 64-bit Windows, and that you already have

the KiCad source code in a folder called ``kicad-source`` in your home directory. See below

for changes if you need to build for 32-bit instead. At the command prompt run the the

following commands:

[source,bash]

----

```
pacman -S base-devel \
 git \
 mingw-w64-ucrt-x86_64-cmake \
 mingw-w64-ucrt-x86_64-doxygen \
 mingw-w64-ucrt-x86_64-gcc \
 mingw-w64-ucrt-x86_64-python \
 mingw-w64-ucrt-x86_64-pkg-config \
 mingw-w64-ucrt-x86_64-swig \
 mingw-w64-ucrt-x86_64-boost \
 mingw-w64-ucrt-x86_64-cairo \
 mingw-w64-ucrt-x86_64-glew \
 mingw-w64-ucrt-x86_64-curl \
 mingw-w64-ucrt-x86_64-wxPython \
 mingw-w64-ucrt-x86_64-toolchain \
 mingw-w64-ucrt-x86_64-glm \
 mingw-w64-ucrt-x86_64-opencascade \
 mingw-w64-ucrt-x86_64-ngspice \
 mingw-w64-ucrt-x86_64-zlib \
 mingw-w64-ucrt-x86_64-libgit2 \
 mingw-w64-ucrt-x86_64-wxwidgets3.2-msw \
 mingw-w64-ucrt-x86_64-protobuf \
 mingw-w64-ucrt-x86_64-nng

cd kicad-source

mkdir -p build/release

mkdir build/debug # Optional for debug build.

cd build/release

cmake -DCMAKE_BUILD_TYPE=Release \
-G "MSYS Makefiles" \
 -DCMAKE_PREFIX_PATH=/ucrt64 \
 -DCMAKE_INSTALL_PREFIX=/ucrt64 \
 -DDEFAULT_INSTALL_PATH=/ucrt64 \
 -DOCC_INCLUDE_DIR=/ucrt64/include/opencascade \
 ../../..

make -j N install # Where N is the number of concurrent threads that your system can handle.
```

----

NOTE: Since `nng` has only provided packages for `CLANG64`, `CLANGARM64`, and `UCRT64` environments, this article recommends `UCRT64` as the building environment.

For 32-bit builds, run `mingw32.exe` and change `ucrt-x86\_64` to `i686` in the package names and change the paths in the cmake configuration from `/ucrt64` to `/mingw32`.

NOTE: msys2 has deprecated 32-bit support due to cygwin, it's upstream dependency eliminating 32-bit support.

For debug builds, run the cmake command with `-DCMAKE\_BUILD\_TYPE=Debug` from the `build/debug` folder.

### === MSYS2 with CLion

KiCad in combination with MSYS2 can be configured to be used with CLion to provide a nice IDE experience.

### ==== Toolchain Setup

First you must register MSYS2 as a toolchain, or namely, the compiler.

File > Preferences to open the Settings window.

Navigate to Build, Execution, Development and then the Toolchains page.

Add a new toolchain, and configure it as such

- \* Name: `MSYS2-MinGW64`
- \* Environment Path: `\mingw64\`
- \* CMake: `\mingw64\bin\cmake.exe`

All other fields will become automatically populated.

### ==== Project Setup

File > Open and select the folder containing the kicad source.



CLion may attempt to start CMake generation and fail, this is ok.

Open the Settings window again.

Navigate to Build, Execution, Development and then the CMake page.

These settings are saved to the project.

You want to create a Debug configuration as such

```
* Name: `Debug-MSYS2`
* Build-Type: `Debug`
* Toolchain: `MSYS2-MinGW64`
* CMake options:
 ``sh
 -G "MinGW Makefiles"
 -DCMAKE_PREFIX_PATH=/mingw64
 -DCMAKE_INSTALL_PREFIX=/mingw64
 -DDEFAULT_INSTALL_PATH=/mingw64
 ...
* Build-directory: `build/debug-msys2`
```

You may now trigger the "Reload CMake Cache" option in CLion to generate the cmake project

You should delete the "junk" build folder (usually name cmake-build-debug-xxxx) it may have created in the source before it was changed above. We change the build folder because we have a gitignore for `/build`

Warning: Receiving warning messages about Boost versions is normal.

### === Known MSYS2 Build Issues

There are some known issues that are specific to MSYS2. This section provides a list of the currently known issues when building KiCad using MSYS2.

### ==== wxwidgets 3.1

You get an error that wxwidgets 3.1 is not found

```

```
pacman -R mingw-w64-x86_64-wxwidgets
```

```
rm -rf build/release # change to your cmake cache folder
```

```
pacman -S mingw-w64-x86_64-wxmsw3.1
```

```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\build\windows-msvs2\ index.zh-cn.adoc

Resumo: --- title: Windows (MSYS2) weight: 13 summary: ■■ MSYS2 ■■ KiCad ■■■ tags: ["windows"] --- :toc: == ■■ MSYS2 ■■ === ■■ [https://www.msys2.org/\[MSYS2\]](https://www.msys2.org/[MSYS2]) ■■■■ KiCad ■■■■ MSYS2■■■■■ msys2 ■■■■ \*MSYS2 64 ■■■■\*■ ■■■■ MSYS2 ■■■■ `msys2\_shell.cmd` ■■■■...

---

title: Windows (MSYS2)

weight: 13

summary: ■■ MSYS2 ■■ KiCad ■■■

tags: ["windows"]

---

:toc:

== ■■ MSYS2 ■■

=== ■■

[https://www.msys2.org/\[MSYS2\]](https://www.msys2.org/[MSYS2]) ■■■■ KiCad ■■■■

■■■ MSYS2■■■■■ msys2 ■■■■ \*MSYS2 64 ■■■■\*■

■■■■■ MSYS2 ■■■■ `msys2\_shell.cmd` ■■■■ `pacman-Syu`■

■■■■■ `msys2-runtime` ■■■■ shell ■■■ `msys2\_shell.cmd`■

=== ■■

■■■■■ 64 ■ Windows ■■■■ `kicad-source` ■■■■ KiCad ■■■■

■■■■■ 32 ■■■■

[source,bash]

----

pacman -S base-devel \

git \

mingw-w64-ucrt-x86\_64-cmake \

mingw-w64-ucrt-x86\_64-doxxygen \

mingw-w64-ucrt-x86\_64-gcc \

mingw-w64-ucrt-x86\_64-python \

```
mingw-w64-ucrt-x86_64-pkg-config \
mingw-w64-ucrt-x86_64-swig \
mingw-w64-ucrt-x86_64-boost \
mingw-w64-ucrt-x86_64-cairo \
mingw-w64-ucrt-x86_64-glew \
mingw-w64-ucrt-x86_64-curl \
mingw-w64-ucrt-x86_64-wxPython \
mingw-w64-ucrt-x86_64-toolchain \
mingw-w64-ucrt-x86_64-glm \
mingw-w64-ucrt-x86_64-opencascade \
mingw-w64-ucrt-x86_64-ngspice \
mingw-w64-ucrt-x86_64-zlib \
mingw-w64-ucrt-x86_64-libgit2 \
mingw-w64-ucrt-x86_64-wxwidgets3.2-msw \
mingw-w64-ucrt-x86_64-protobuf \
mingw-w64-ucrt-x86_64-nng

cd kicad-source

mkdir -p build/release

mkdir build/debug # ■■■■■■■■■■■■

cd build/release

cmake -DCMAKE_BUILD_TYPE=Release \
 -G "MSYS Makefiles" \
 -DCMAKE_PREFIX_PATH=/ucrt64 \
 -DCMAKE_INSTALL_PREFIX=/ucrt64 \
 -DDEFAULT_INSTALL_PATH=/ucrt64 \
 -DOCC_INCLUDE_DIR=/ucrt64/include/opencascade \
 ../../

make -j N install # ■■ N ■■■■■■■■■■■■

NOTE: ■■ `nng` ■■ `CLANG64` ■ `CLANGARM64` ■ `UCRT64` ■■■■■■■■■■, ■■■■■■■■■■ `UCRT64` ■■■■■■■■■■

■■ 32 ■■■■■■■■ `mingw32.exe`■■■■■■■ `ucrt-x86_64` ■■ `i686`■■■ cmake ■■■■■■■■ `/ucrt64` ■■ `/mingw32`■■■■■■■

NOTE: ■■ cygwin■■■■■■■■■■■■■■■■■■■■ 32 ■■■■■msys2 ■■■■■■■■■■ 32 ■■
■■■■■■■■■■ `build/debug` ■■■■■■■■ `-DCMAKE_BUILD_TYPE=Debug` ■■ cmake ■■■■
=== ■ Clion ■ MSYS2
```

■ MSYS2 ■■■■■■ KiCad ■■■■■■ Clion ■■■■■■■■■■■■ IDE ■■■

==== toolchain ■■

■■■■■■■■ MSYS2 ■■■ toolchain■■■■■■■■

■■■■■■■ `Files > preferences`■

■■■ Build■Execution■Development■■■■■■■ Toolchains ■■■

■■■■ toolchain■■■■■■■■■■■■■■■

\* Name: `MSYS2-MinGW64`

\* Environment Path: `<■■■ msys2 ■■■■■■>\mingw64\`

\* CMake: `<■■■ msys2 ■■■■■■>\mingw64\bin\cmake.exe`

■■■■■■■■■■■■■■■

==== ■■■■

File > Open ■ select ■■ kicad ■■■■■■

Clion ■■■■■■■■ CMake ■■■■■■■■■■■■■■■■■■■■

■■■■■■■■■■■■■

■■■ Build■Execution■Development■■■■■■■ CMake ■■■

■■■■■■■■■■■■■■■

■■■■■■■■■■■■■

\* Name: `Debug-MSYS2`

\* Build-Type: `Debug`

\* Toolchain: `MSYS2-MinGW64`

\* CMake ■■:

``sh

— — — —

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\ index.en.adoc

Resumo: --- title: Components weight: 7 pre: "<i class='fas fa-chevron-right'></i> " --- {{% children description="true" %}}

---

title: Components

weight: 7

pre: "<i class='fas fa-chevron-right'></i> "

---

{{% children description="true" %}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\ index.zh-cn.adoc

Resumo: --- title: ■■ weight: 7 pre: "<i class='fas fa-chevron-right'></i> " --- {{% children description="true" %}}

---

title: ■■

weight: 7

pre: "<i class='fas fa-chevron-right'></i> "

---

{{% children description="true" %}}



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\plugins\ index.en.adoc

*Resumo: --- title: Plugins Framework weight: 19 --- The KiCad plugin system is a framework for extending the capabilities of KiCad using shared libraries. One of the main advantages of using a plugin is that it is not necessary to rebuild the KiCad suite while developing a plugin; in fact, plugins ...*

---

title: Plugins Framework

weight: 19

---

The KiCad plugin system is a framework for extending the capabilities of KiCad using shared libraries. One of the main advantages of using a plugin is that it is not necessary to rebuild the KiCad suite while developing a plugin; in fact, plugins can be built with the aid of a very small set of headers from the KiCad source tree. Removing the requirement to build KiCad during plugin development greatly increases productivity by ensuring that the developer only compiles code directly related to the plugin which is being developed and thus reducing the time required for each build and test cycle.

Plugins were initially developed for the 3D model viewer to make it possible to support more types of 3D models without requiring major changes to the KiCad source for each new model type supported. The plugin framework was later generalized so that in the future developers can create different classes of plugins. Currently only 3D plugins are implemented within KiCad but it is envisioned that a PCB plugin will eventually be developed to make it possible for users to implement data Importers and Exporters.

[[plugin-classes]]

== Plugin Classes

Plugins are divided into Plugin Classes since each plugin addresses problems in a specific domain and therefore requires an interface unique to that domain. For example, the 3D model plugins load 3D model data from files and translate that data into a format which

can be displayed by the 3D viewer. A PCB Import/Export plugin would take PCB data and export to other electrical or mechanical data formats, or translate a foreign format into a KiCad PCB. At the moment only the 3D Plugin Class has been developed and it will be the focus of this document.

Implementing a Plugin Class requires creating code within the KiCad source tree which manages the loading of plugin code. Within the KiCad source tree, the file ``plugins/ldr/pluginldr.h`` declares the base class for all plugin loaders. This class declares the most basic functions which we would expect to find in any KiCad plugin (boilerplate code) and its implementation provides basic checks on version compatibility between the plugin loader and the available plugins. The header ``plugins/ldr/3d/pluginldr3D.h`` declares a loader for the 3D Plugin Class. The loader is responsible for loading a given plugin and making its functions available to KiCad. Each instance of a plugin loader represents an actual plugin implementation and acts as a transparent bridge between KiCad and the plugin's features. The loader is not the only code required within KiCad to support plugins: we also need code to discover the plugins and code to invoke the functions of the plugins via the plugin loader. In the case of the 3D plugins the discovery and invocation functions are all contained within the `S3D_CACHE` class.

Plugin developers do not need to be concerned with the details of KiCad's internal code for managing plugins unless a new Plugin Class is being developed; a plugin only needs to define the functions declared by their specific plugin class. The header ``include/plugins/kicad_plugin.h`` declares the generic functions required of all KiCad plugins; these functions identify the Plugin Class, provide the name of the specific plugin, provide version information for the Plugin Class API, provide version information for the specific plugin, and provide a basic version compatibility check on the Plugin Class API. In brief, these functions are:

[source,c]

-----

/\* Return a UTF-8 string naming the Plugin Class \*/

char const\* GetKicadPluginClass( void );

/\* Return version information for the Plugin Class API \*/

void GetClassVersion( unsigned char\* Major, unsigned char\* Minor,  
                    unsigned char\* Patch, unsigned char\* Revision );

/\*

Return true if the version check implemented in the plugin  
determines that the given Plugin Class API is compatible.

\*/

bool CheckClassVersion( unsigned char Major,  
                        unsigned char Minor, unsigned char Patch, unsigned char Revision );

/\* Return the name of the specific plugin, for example "PLUGIN\_3D\_VRML" \*/

const char\* GetKicadPluginName( void );

/\* Return version information for the specific plugin \*/

void GetPluginVersion( unsigned char\* Major, unsigned char\* Minor,  
                        unsigned char\* Patch, unsigned char\* Revision );

-----

[[class-plugin-3d]]

=== Plugin Class: PLUGIN\_3D

The header ``include/plugins/3d/3d_plugin.h`` declares the functions  
which must be implemented by all 3D plugins and defines a number of  
functions which are required by the plugin and which the user must  
not reimplement. The defined functions which the user must not

reimplement are:

[source,c]

-----

```

/* Returns the Plugin Class name "PLUGIN_3D" */
char const* GetKicadPluginClass(void);

/* Return version information for the PLUGIN_3D API */
void GetClassVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);

/*
 Performs basic version checks enforced by the developers of
 the loader for the PLUGIN_3D class and returns true if the
 checks pass
*/
bool CheckClassVersion(unsigned char Major, unsigned char Minor,
 unsigned char Patch, unsigned char Revision);

The functions which the user must implement are as follows:
[source,c]

/* Return the number of extension strings supported by the plugin */
int GetNExtensions(void);

/*
 Return the requested extension string; valid values are 0 to
 GetNExtensions() - 1
*/
char const* GetModelExtension(int aIndex);

/* Return the total number of file filters supported by the plugin */
int GetNFilters(void);

/*
 Return the file filter requested; valid values are 0 to
 GetNFilters() - 1
*/
char const* GetFileFilter(int aIndex);

```

```

/*
 Return true if the plugin can render this type of 3D model.

 In some cases a plugin may not yet provide a visual model
 and must return false.

*/
bool CanRender(void);

/* Load the specified model and return a pointer to its visual model data */
SCENEGRAPH* Load(char const* aFileName);

```

## == Tutorials: 3D Plugin Class

This section contains a description of two very simple plugins of the `PLUGIN_3D` class and walks the user through the setup and building of the code.

### [[basic-3d-plugin]]

#### === Basic 3D Plugin

This tutorial walks the user through the development of a very basic 3D plugin named "PLUGIN\_3D\_DEM01". The purpose of this tutorial is only to demonstrate the construction of a very basic 3D plugin which does nothing other than provide a few filter strings which permit the KiCad user to filter file names while browsing for 3D models. The code demonstrated here is the absolute minimum requirement for any 3D plugin and can be used as a template for creating more advanced plugins.

In order to build the demo project we require the following:

- \* <https://cmake.org/>[CMake]
- \* KiCad plugin headers

\* KiCad Scene Graph library `kicad\_3dsg`

To automatically detect the KiCad headers and library we shall use a CMake FindPackage script; the script supplied in this tutorial should work on Linux and Windows if the relevant header files are installed to `\${KICAD\_ROOT\_DIR}/kicad` and the KiCad Scene Graph library is installed in `\${KICAD\_ROOT\_DIR}/lib`.

To start let's create a project directory and the FindPackage script:

```
[source,bash]
```

```

```

```
mkdir demo && cd demo
```

```
export DEMO_ROOT=${PWD}
```

```
mkdir CMakeModules && cd CMakeModules
```

```
cat > FindKICAD.cmake << _EOF
```

```
find_path(KICAD_INCLUDE_DIR kicad/plugins/kicad_plugin.h
```

```
 PATHS ${KICAD_ROOT_DIR}/include $ENV{KICAD_ROOT_DIR}/include
```

```
 DOC "Kicad plugins header path."
```

```
)
```

```
if(NOT ${KICAD_INCLUDE_DIR} STREQUAL "KICAD_INCLUDE_DIR-NOTFOUND")
```

```
 # attempt to extract the version information from sg_version.h
```

```
 find_file(KICAD_SGVERSION sg_version.h
```

```
 PATHS ${KICAD_INCLUDE_DIR}
```

```
 PATH_SUFFIXES kicad/plugins/3dapi
```

```
 NO_DEFAULT_PATH)
```

```
 if(NOT ${KICAD_SGVERSION} STREQUAL "KICAD_SGVERSION-NOTFOUND")
```

```
 # extract the "#define KICADSG_VERSION*" lines
```

```
 file(STRINGS ${KICAD_SGVERSION} _version REGEX "^#define.*KICADSG_VERSION.*")
```

```
 foreach(SVAR ${_version})
```

```

 string(REGEX MATCH KICADSG_VERSION_[M,A,J,O,R,I,N,P,T,C,H,E,V,I,S]* _VARNAME ${SVAR})
 string(REGEX MATCH [0-9]+ _VALUE ${SVAR})

 if(NOT ${_VARNAME} STREQUAL "" AND NOT ${_VALUE} STREQUAL "")
 set($_${_VARNAME} ${_VALUE})
 endif()

 endforeach()

 #ensure that NOT SG3D_VERSION* will evaluate to '0'
 if(NOT _KICADSG_VERSION_MAJOR)
 set(_KICADSG_VERSION_MAJOR 0)
 endif()

 if(NOT _KICADSG_VERSION_MINOR)
 set(_KICADSG_VERSION_MINOR 0)
 endif()

 if(NOT _KICADSG_VERSION_PATCH)
 set(_KICADSG_VERSION_PATCH 0)
 endif()

 if(NOT _KICADSG_VERSION_REVISION)
 set(_KICADSG_VERSION_REVISION 0)
 endif()

 set(KICAD_VERSION ${_KICADSG_VERSION_MAJOR}.${_KICADSG_VERSION_MINOR}.${_KICADSG_VERSION_PATCH}.
 unset(KICAD_SGVERSION CACHE)
endif()
endif()

find_library(KICAD_LIBRARY

 NAMES kicad_3dsg

 PATHS

```

```

 ${KICAD_ROOT_DIR}/lib $ENV{KICAD_ROOT_DIR}/lib

 ${KICAD_ROOT_DIR}/bin $ENV{KICAD_ROOT_DIR}/bin

DOC "Kicad scenegraph library path."

)

include(FindPackageHandleStandardArgs)

FIND_PACKAGE_HANDLE_STANDARD_ARGS(KICAD

 REQUIRED_VARS

 KICAD_INCLUDE_DIR

 KICAD_LIBRARY

 KICAD_VERSION

 VERSION_VAR KICAD_VERSION)

mark_as_advanced(KICAD_INCLUDE_DIR)

set(KICAD_VERSION_MAJOR ${_KICADSG_VERSION_MAJOR} CACHE INTERNAL "")
set(KICAD_VERSION_MINOR ${_KICADSG_VERSION_MINOR} CACHE INTERNAL "")
set(KICAD_VERSION_PATCH ${_KICADSG_VERSION_PATCH} CACHE INTERNAL "")
set(KICAD_VERSION_TWEAK ${_KICADSG_VERSION_REVISION} CACHE INTERNAL "")

_EOF

```

Kicad and its plugin headers must be installed; if they are installed to a user directory or under `/opt` on Linux, or you are using Windows, you will need to set the `KICAD\_ROOT\_DIR` environment variable to point to the directory containing the KiCad `include` and `lib` directories. For OS X the FindPackage script presented here may require some adjustments.

To configure and build the tutorial code we will use CMake and create a `CMakeLists.txt` script file:

```

[source,bash]

```



```

cd ${DEMO_ROOT}

cat > CMakeLists.txt << _EOF

declare the name of the project

project(PLUGIN_DEMO)

check that we have a version of CMake with all required features

cmake_minimum_required(VERSION 2.8.12 FATAL_ERROR)

inform CMake of where to find the FindKICAD script

set(CMAKE_MODULE_PATH ${PROJECT_SOURCE_DIR}/CMakeModules)

attempt to discover the installed kicad headers and library

and set the variables:

KICAD_INCLUDE_DIR

KICAD_LIBRARY

find_package(KICAD 1.0 REQUIRED)

add the kicad include directory to the compiler's search path

include_directories(${KICAD_INCLUDE_DIR}/kicad)

create a plugin named s3d_plugin_demo1

add_library(s3d_plugin_demo1 MODULE

 src/s3d_plugin_demo1.cpp

)

```

\_EOF

-----

The first demo project is very basic; it consists of a single file with no external link dependencies other than the compiler defaults. We start by creating a source directory:

[source,bash]

-----

```
cd ${DEMO_ROOT}
```

```
mkdir src && cd src
export DEMO_SRC=${PWD}

```

Now we create the plugin source itself:

```
.s3d_plugin_demo1.cpp
[source,c]

#include <iostream>

// the 3d_plugin.h header defines the functions required of 3D plugins
#include "plugins/3d/3d_plugin.h"

// define the version information of this plugin; do not confuse this
// with the Plugin Class version which is defined in 3d_plugin.h
#define PLUGIN_3D_DEM01_MAJOR 1
#define PLUGIN_3D_DEM01_MINOR 0
#define PLUGIN_3D_DEM01_PATCH 0
#define PLUGIN_3D_DEM01_REVNO 0

// implement the function which provides users with this plugin's name
const char* GetKicadPluginName(void)
{
 return "PLUGIN_3D_DEM01";
}

// implement the function which provides users with this plugin's version
void GetPluginVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision)
{
 if(Major)
 *Major = PLUGIN_3D_DEM01_MAJOR;
 if(Minor)
 *Minor = PLUGIN_3D_DEM01_MINOR;
```

```

 if(Patch)

 *Patch = PLUGIN_3D_DEM01_PATCH;

 if(Revision)

 *Revision = PLUGIN_3D_DEM01_REVNO;
return;
}

// number of extensions supported; on *NIX systems the extensions are
// provided twice - once in lower case and once in upper case letters
#ifdef _WIN32

 #define NEXTS 7

#else

 #define NEXTS 14

#endif

// number of filter sets supported

#define NFILS 5

// define the extension strings and filter strings which this
// plugin will supply to the user
static char ext0[] = "wrl";
static char ext1[] = "x3d";
static char ext2[] = "emn";
static char ext3[] = "iges";
static char ext4[] = "igs";
static char ext5[] = "stp";
static char ext6[] = "step";

#ifdef _WIN32

static char fil0[] = "VRML 1.0/2.0 (*.wrl)|*.wrl";
static char fil1[] = "X3D (*.x3d)|*.x3d";
static char fil2[] = "IDF 2.0/3.0 (*.emn)|*.emn";
static char fil3[] = "IGESv5.3 (*.igs;*.iges)|*.igs;*.iges";
static char fil4[] = "STEP (*.stp;*.step)|*.stp;*.step";

```

```

#else

static char ext7[] = "WRL";
static char ext8[] = "X3D";
static char ext9[] = "EMN";
static char ext10[] = "IGES";
static char ext11[] = "IGS";
static char ext12[] = "STP";
static char ext13[] = "STEP";

static char fil0[] = "VRML 1.0/2.0 (*.wrl;*.WRL)|*.wrl;*.WRL";
static char fil1[] = "X3D (*.x3d;*.X3D)|*.x3d;*.X3D";
static char fil2[] = "IDF 2.0/3.0 (*.emn;*.EMN)|*.emn;*.EMN";
static char fil3[] = "IGESv5.3 (*.igs;*.iges;*.IGS;*.IGES)|*.igs;*.iges;*.IGS;*.IGES";
static char fil4[] = "STEP (*.stp;*.step;*.STP;*.STEP)|*.stp;*.step;*.STP;*.STEP";

#endif

// instantiate a convenient data structure for accessing the
// lists of extension and filter strings
static struct FILE_DATA
{
 char const* extensions[NEXTS];
 char const* filters[NFILS];

 FILE_DATA()
 {
 extensions[0] = ext0;
 extensions[1] = ext1;
 extensions[2] = ext2;
 extensions[3] = ext3;
 extensions[4] = ext4;
 extensions[5] = ext5;
 extensions[6] = ext6;
 filters[0] = fil0;
 filters[1] = fil1;
 filters[2] = fil2;
 }
};

```

```

 filters[3] = fil3;

 filters[4] = fil4;

#ifdef _WIN32

 extensions[7] = ext7;

 extensions[8] = ext8;

 extensions[9] = ext9;

 extensions[10] = ext10;

 extensions[11] = ext11;

 extensions[12] = ext12;

 extensions[13] = ext13;

#endif

 return;

 }

} file_data;

// return the number of extensions supported by this plugin
int GetNExtensions(void)
{
 return NEXTS;
}

// return the indexed extension string
char const* GetModelExtension(int aIndex)
{
 if(aIndex < 0 || aIndex >= NEXTS)
 return NULL;

 return file_data.extensions[aIndex];
}

// return the number of filter strings provided by this plugin
int GetNFilters(void)

```

```

{
 return NFILS;
}

// return the indexed filter string
char const* GetFileFilter(int aIndex)
{
 if(aIndex < 0 || aIndex >= NFILS)
 return NULL;

 return file_data.filters[aIndex];
}

// return false since this plugin does not provide visualization data
bool CanRender(void)
{
 return false;
}

// return NULL since this plugin does not provide visualization data
SCENEGRAPH* Load(char const* aFileName)
{
 // this dummy plugin does not support rendering of any models
 return NULL;
}

```

This source file meets all the minimum requirements to implement a 3D plugin. The plugin does not produce any data for rendering models but it can provide KiCad with a list of supported model file extensions and file extension filters to enhance the 3D model file selection dialog. Within KiCad the extension strings are used to select the plugins which may be used to load a specified model; for example, if the plugin is `wrl` then KiCad will invoke each plugin which claims to support the extension

`wrl` until a plugin returns visualization data. The file filters provided by each plugin are passed to the 3D file selector dialog to improve the browsing UI.

To build the plugin:

```
[source,bash]
```

```

```

```
cd ${DEMO_ROOT}
```

```
export KICAD_ROOT_DIR if necessary
```

```
mkdir build && cd build
```

```
cmake .. && make
```

```

```

The plugin will be built but not installed; you must copy the plugin file to KiCad's plugin directory if you wish to load the plugin.

```
[[advanced-3d-plugin]]
```

```
=== Advanced 3D Plugin
```

This tutorial walks the user through the development of a 3D plugin named "PLUGIN\_3D\_DEM02". The purpose of this tutorial is to demonstrate the construction of a very basic scene graph which the KiCad previewer can render. The plugin claims to handle files of type `txt`. Although the file must exist in order for the cache manager to invoke the plugin, the file contents are not processed by this plugin; instead, the plugin simply creates a scene graph containing a pair of tetrahedra. This tutorial assumes that the first tutorial had been completed and that the CMakeLists.txt and FindKICAD.cmake script files have been created.

Place the new source file in the same directory as the previous

tutorial's source file and we will extend the previous tutorial's CMakeLists.txt file to build this tutorial. Since this plugin will

create a scene graph for KiCad we need to link to KiCad's scene graph library `kicad\_3dsg`. KiCad's Scene Graph Library provides a set of classes which can be used to build the Scene Graph Object; the Scene Graph Object is an intermediate data visualization format used by the 3D Cache Manager. All plugins which support model visualization must translate the model data into a scene graph via this library.

The first step is to extend `CMakeLists.txt` to build this tutorial project:  
[source,bash]

```

cd ${DEMO_ROOT}

cat >> CMakeLists.txt << _EOF
add_library(s3d_plugin_demo2 MODULE
 src/s3d_plugin_demo2.cpp
)

target_link_libraries(s3d_plugin_demo2 ${KICAD_LIBRARY})
_EOF

```

Now we change to the source directory and create the source file:

```
[source,bash]

cd ${DEMO_SRC}

.s3d_plugin_demo2.cpp
[source,c]

#include <cmath>

// 3D Plugin Class declarations
#include "plugins/3d/3d_plugin.h"

// interface to KiCad Scene Graph Library
```



```

#include "plugins/3dapi/ifsg_all.h"

// version information for this plugin

#define PLUGIN_3D_DEM02_MAJOR 1
#define PLUGIN_3D_DEM02_MINOR 0
#define PLUGIN_3D_DEM02_PATCH 0
#define PLUGIN_3D_DEM02_REVNO 0

// provide the name of this plugin
const char* GetKicadPluginName(void)
{
 return "PLUGIN_3D_DEM02";
}

// provide the version of this plugin
void GetPluginVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision)
{
 if(Major)
 *Major = PLUGIN_3D_DEM02_MAJOR;

 if(Minor)
 *Minor = PLUGIN_3D_DEM02_MINOR;

 if(Patch)
 *Patch = PLUGIN_3D_DEM02_PATCH;

 if(Revision)
 *Revision = PLUGIN_3D_DEM02_REVNO;

 return;
}
// number of extensions supported
#ifdef _WIN32
#define NEXTS 1

```

```

#else

#define NEXTS 2

#endif

// number of filter sets supported

#define NFILS 1

static char ext0[] = "txt";

#ifdef _WIN32

static char fil0[] = "demo (*.txt)|*.txt";

#else

static char ext1[] = "TXT";

static char fil0[] = "demo (*.txt;*.TXT)|*.txt;*.TXT";

#endif

static struct FILE_DATA
{
 char const* extensions[NEXTS];

 char const* filters[NFILS];

 FILE_DATA()
 {
 extensions[0] = ext0;

 filters[0] = fil0;

#ifdef _WIN32

 extensions[1] = ext1;

#endif

 return;

 }
} file_data;
int GetNExtensions(void)
{

```

```

 return NEXTS;
 }

char const* GetModelExtension(int aIndex)
{
 if(aIndex < 0 || aIndex >= NEXTS)
 return NULL;

 return file_data.extensions[aIndex];
}

int GetNFilters(void)
{
 return NFILS;
}
char const* GetFileFilter(int aIndex)
{
 if(aIndex < 0 || aIndex >= NFILS)
 return NULL;

 return file_data.filters[aIndex];
}

// return true since this plugin can provide visualization data
bool CanRender(void)
{
 return true;
}

// create the visualization data
SCENEGRAPH* Load(char const* aFileName)

```

```

{
 // For this demonstration we create a tetrahedron (tx1) consisting
 // of a SCENEGRAPH (VRML Transform) which in turn contains 4
 // SGSHAPE (VRML Shape) objects representing each of the sides of
 // the tetrahedron. Each Shape is associated with a color (SGAPPEARANCE)
 // and a SGFACESET (VRML Geometry->indexedFaceSet). Each SGFACESET is
 // associated with a vertex list (SGCOORDS), a per-vertex normals
 // list (SGNORMALS), and a coordinate index (SGCOORDINDEX). One shape
 // is used to represent each face so that we may use per-vertex-per-face
 // normals.
 //
 // The tetrahedron in turn is a child of a top level SCENEGRAPH (tx0)
 // which has a second SCENEGRAPH child (tx2) which is a transformation
 // of the tetrahedron tx1 (rotation + translation). This demonstrates
 // the reuse of components within the scene graph hierarchy.

 // define the vertices of the tetrahedron
 // face 1: 0, 3, 1
 // face 2: 0, 2, 3
 // face 3: 1, 3, 2
 // face 4: 0, 1, 2
 double SQ2 = sqrt(0.5);
 SGPOINT vert[4];
 vert[0] = SGPOINT(1.0, 0.0, -SQ2);
 vert[1] = SGPOINT(-1.0, 0.0, -SQ2);
 vert[2] = SGPOINT(0.0, 1.0, SQ2);
 vert[3] = SGPOINT(0.0, -1.0, SQ2);

 // create the top level transform; this will hold all other
 // scenegraph objects; a transform may hold other transforms and
 // shapes
 IFSG_TRANSFORM* tx0 = new IFSG_TRANSFORM(true);
 // create the transform which will house the shapes
 IFSG_TRANSFORM* tx1 = new IFSG_TRANSFORM(tx0->GetRawPtr());

```

```

// add a shape which we will use to define one face of the tetrahedron;

// shapes hold facesets and appearances

IFSG_SHAPE* shape = new IFSG_SHAPE(*tx1);
// add a faceset; these contain coordinate lists, coordinate indices,

// vertex lists, vertex indices, and may also contain color lists and

// their indices.

IFSG_FACESET* face = new IFSG_FACESET(*shape);

IFSG_COORDS* cp = new IFSG_COORDS(*face);

cp->AddCoord(vert[0]);
cp->AddCoord(vert[3]);
cp->AddCoord(vert[1]);

// coordinate indices - note: enforce triangles;
// in real plugins where it is not necessarily possible
// to determine which side a triangle is visible from,
// 2 point orders must be specified for each triangle
IFSG_COORDINDEX* coordIdx = new IFSG_COORDINDEX(*face);
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);

// create an appearance; appearances are owned by shapes

// magenta
IFSG_APPEARANCE* material = new IFSG_APPEARANCE(*shape);
material->SetSpecular(0.1, 0.0, 0.1);
material->SetDiffuse(0.8, 0.0, 0.8);
material->SetAmbient(0.2, 0.2, 0.2);
material->SetShininess(0.2);

// normals
IFSG_NORMALS* np = new IFSG_NORMALS(*face);
SGVECTOR nval = S3D::CalcTriNorm(vert[0], vert[3], vert[1]);

```

```

np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

//
// Shape2
// Note: we reuse the IFSG* wrappers to create and manipulate new
// data structures.
//
shape->NewNode(*tx1);
face->NewNode(*shape);
coordIdx->NewNode(*face);
cp->NewNode(*face);
np->NewNode(*face);

// vertices
cp->AddCoord(vert[0]);
cp->AddCoord(vert[2]);
cp->AddCoord(vert[3]);

// indices
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);

// normals
nval = S3D::CalcTriNorm(vert[0], vert[2], vert[3]);
np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

// color (red)
material->NewNode(*shape);
material->SetSpecular(0.2, 0.0, 0.0);
material->SetDiffuse(0.9, 0.0, 0.0);
material->SetAmbient(0.2, 0.2, 0.2);

```

```

material->SetShininess(0.1);

//
// Shape3
//
shape->NewNode(*tx1);
face->NewNode(*shape);
coordIdx->NewNode(*face);
cp->NewNode(*face);
np->NewNode(*face);

// vertices
cp->AddCoord(vert[1]);
cp->AddCoord(vert[3]);
cp->AddCoord(vert[2]);

// indices
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);

// normals
nval = S3D::CalcTriNorm(vert[1], vert[3], vert[2]);
np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

// color (green)
material->NewNode(*shape);
material->SetSpecular(0.0, 0.1, 0.0);
material->SetDiffuse(0.0, 0.9, 0.0);
material->SetAmbient(0.2, 0.2, 0.2);
material->SetShininess(0.1);
//
// Shape4

```

```

//
shape->NewNode(*tx1);
face->NewNode(*shape);
coordIdx->NewNode(*face);
cp->NewNode(*face);
np->NewNode(*face);

// vertices
cp->AddCoord(vert[0]);
cp->AddCoord(vert[1]);
cp->AddCoord(vert[2]);

// indices
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);
// normals
nval = S3D::CalcTriNorm(vert[0], vert[1], vert[2]);
np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

// color (blue)
material->NewNode(*shape);
material->SetSpecular(0.0, 0.0, 0.1);
material->SetDiffuse(0.0, 0.0, 0.9);
material->SetAmbient(0.2, 0.2, 0.2);
material->SetShininess(0.1);

// create a copy of the entire tetrahedron shifted Z+2 and rotated 2/3PI
IFS_G_TRANSFORM* tx2 = new IFS_G_TRANSFORM(tx0->GetRawPtr());
tx2->AddRefNode(*tx1);
tx2->SetTranslation(SGPOINT(0, 0, 2));
tx2->SetRotation(SGVECTOR(0, 0, 1), M_PI*2.0/3.0);
SGNODE* data = tx0->GetRawPtr();
// delete the wrappers

```



```

 delete shape;

 delete face;

 delete coordIdx;

 delete material;

 delete cp;

 delete np;

 delete tx0;

 delete tx1;

 delete tx2;

 return (SCENEGRAPH*)data;
}

```

## == Application Programming Interface (API)

Plugins are implemented via Application Programming Interface (API) implementations. Each Plugin Class has its specific API and in the 3D Plugin tutorials we have seen examples of the implementation of the 3D Plugin API as declared by the header ``3d_plugin.h``. Plugins may also rely on other APIs defined within the KiCad source tree; in the case of 3D plugins, all plugins which support visualization of models must interact with the Scene Graph API as declared in the header ``ifsg_all.h`` and its included headers.

This section describes the details of available Plugin Class APIs and other KiCad APIs which may be required for implementations of plugin classes.

## === Plugin Class APIs

There is currently only one plugin class declared for KiCad: the 3D Plugin Class. All KiCad plugin classes must implement

a basic set of functions declared in the header file ``kicad_plugin.h``; these declarations are referred to as the Base Kicad Plugin Class.

No implementation of the Base Kicad Plugin Class exists; the header file exists purely to ensure that plugin developers implement these defined functions in each plugin implementation. Within KiCad, each instance of a Plugin Loader implements the API presented by a plugin as though the Plugin Loader is a class providing the plugin's services. This is achieved by the Plugin Loader class providing a public interface containing function names which are similar to those implemented by the plugin; the argument lists may vary to accommodate the need to inform the user of any problems which may be encountered if, for example, no plugin is loaded. Internally the Plugin Loader uses a stored pointer to each API function to invoke each function on behalf of the user.

#### ==== API: Base Kicad Plugin Class

The Base Kicad Plugin Class is defined by the header file ``kicad_plugin.h``. This header must be included in the declaration of all other plugin classes; for an example see the 3D Plugin Class declaration in the header file ``3d_plugin.h``. The prototypes for these functions were briefly described in <<plugin-classes,Plugin Classes>>. The API is implemented by the base plugin loader as defined in ``pluginldr.cpp``.

To help make sense of the functions required by the base KiCad plugin header we must look at what happens in the base Plugin Loader class. The Plugin Loader class declares a virtual function ``Open()`` which takes the full path to the plugin to be loaded. The implementation of the ``Open()`` function within a specific plugin class loader will initially invoke the protected ``open()`` function of the base plugin loader; this base ``open()`` function attempts to find the address of each of the required basic plugin functions; once the addresses of each function have been retrieved, a number of checks are enforced:

- . Plugin ``GetKicadPluginClass()`` is invoked and the result is compared to the Plugin Class string provided by the Plugin Loader implementation; if

these strings do not match then the opened plugin is not intended for the Plugin Loader instance.

- . Plugin ``GetClassVersion()`` is invoked to retrieve the Plugin Class API Version implemented by the plugin.
- . Plugin Loader virtual ``GetLoaderVersion()`` function is invoked to retrieve the Plugin Class API Version implemented by the loader.
- . The Plugin Class API Version reported by the plugin and the loader are required to have the same Major Version number, otherwise they are considered incompatible. This is the most basic version test and it is enforced by the base plugin loader.
- . Plugin ``CheckClassVersion()`` is invoked with the Plugin Class API Version information of the Plugin Loader; if the Plugin supports the given version then it returns ``true`` to indicate success. If successful the loader creates a `PluginInfo` string based on the results of ``GetKicadPluginName()`` and ``GetPluginVersion()``, and the plugin loading procedure continues within the Plugin Loader's ``Open()`` implementation.

#### ==== API: 3D Plugin Class

The 3D Plugin Class is declared by the header file ``3d_plugin.h`` and it extends the required plugin functions as described in `<<class-plugin-3d,Plugin Class: PLUGIN_3D>>`. The corresponding Plugin Loader is defined in ``pluginldr3D.cpp`` and the loader implements the following public functions in addition to the required API functions:

[source,c]

-----

```
/* Open the plugin specified by the full path "aFullFileName" */
```

```
bool Open(const wxString& aFullFileName);
```

```
/* Close the currently opened plugin */
```

```
void Close(void);
```

```
/* Retrieve the Plugin Class API Version implemented by this Plugin Loader */
```

```
void GetLoaderVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Revision, unsigned char* Patch) const;

```

The required 3D Plugin Class functions are exposed via the following functions:

```
[source,c]
```

```

```

```
/* returns the Plugin Class or NULL if no plugin loaded */
```

```
char const* GetKicadPluginClass(void);
```

```
/* returns false if no plugin loaded */
```

```
bool GetClassVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);
```

```
/* returns false if the class version check fails or no plugin is loaded */
```

```
bool CheckClassVersion(unsigned char Major, unsigned char Minor,
 unsigned char Patch, unsigned char Revision);
```

```
/* returns the Plugin Name or NULL if no plugin loaded */
```

```
const char* GetKicadPluginName(void);
```

```
/*
```

```
 returns false if no plugin is loaded, otherwise the arguments
 contain the result of GetPluginVersion()
```

```
*/
```

```
bool GetVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);
```

```
/*
```

```
 sets aPluginInfo to an empty string if no plugin is loaded,
 otherwise aPluginInfo is set to a string of the form:
```

```
[NAME]:[MAJOR].[MINOR].[PATCH].[REVISION] where
NAME = name provided by GetKicadPluginClass()
```

```

 MAJOR, MINOR, PATCH, REVISION = version information from
 GetPluginVersion()

*/

void GetPluginInfo(std::string& aPluginInfo);

```

In typical situations, the user would do the following:

- . Create an instance of `KICAD\_PLUGIN\_LDR\_3D`.
- . Invoke `Open( "/path/to/myplugin.so" )` to open a specific plugin.  
The return value must be checked to ensure that the plugin loaded as desired.
- . Invoke any of the 3D Plugin Class calls as exposed by `KICAD\_PLUGIN\_LDR\_3D`.
- . Invoke `Close()` to close (unlink) the plugin.
- . Destroy the `KICAD\_PLUGIN\_LDR\_3D` instance.

#### === Scenegraph Class APIs

The Scenegraph Class API is defined by the header `ifsg\_all.h` and its included headers. The API consists of a number of helper routines with the namespace `S3D` as defined in `ifsg\_api.h` and wrapper classes defined by the various `ifsg\_\*.h` headers; the wrappers support the underlying scene graph classes which, taken together, form a scene graph structure which is compatible with VRML2.0 static scene graphs. The headers, structures, classes and their public functions are as follows:

```

.sg_version.h

[source,c]

/*

 Defines version information of the SceneGraph Classes.

 All plugins which use the scenegraph class should include this header
 and check the version information against the version reported by
 S3D::GetLibVersion() to ensure compatibility

*/

#define KICADSG_VERSION_MAJOR 2
#define KICADSG_VERSION_MINOR 0

```

```
#define KICADSG_VERSION_PATCH 0
```

```
#define KICADSG_VERSION_REVISION 0
```

```

```

```
.sg_types.h
```

```
[source,c]
```

```

```

```
/*
```

```
 Defines the SceneGraph Class Types; these types
 are closely related to VRML2.0 node types.
```

```
*/
```

```
namespace S3D
```

```
{
```

```
 enum SGTYPES
```

```
 {
```

```
 SGTYPE_TRANSFORM = 0,
```

```
 SGTYPE_APPEARANCE,
```

```
 SGTYPE_COLORS,
```

```
 SGTYPE_COLORINDEX,
```

```
 SGTYPE_FACESET,
```

```
 SGTYPE_COORDS,
```

```
 SGTYPE_COORDINDEX,
```

```
 SGTYPE_NORMALS,
```

```
 SGTYPE_SHAPE,
```

```
 SGTYPE_END
```

```
 };
```

```
};
```

```

```

The `sg\_base.h` header contains declarations of basic data types used

by the scenegraph classes.

```
.sg_base.h
```

```
[source,c]
```

```

/*
 This is an RGB color model equivalent to the VRML2.0
 RGB model where each color may have a value within the

 range [0..1].

*/

class SGCOLOR
{
public:
 SGCOLOR();

 SGCOLOR(float aRVal, float aGVal, float aBVal);

 void GetColor(float& aRedVal, float& aGreenVal, float& aBlueVal) const;
 void GetColor(SGCOLOR& aColor) const;
 void GetColor(SGCOLOR* aColor) const;

 bool SetColor(float aRedVal, float aGreenVal, float aBlueVal);
 bool SetColor(const SGCOLOR& aColor);
 bool SetColor(const SGCOLOR* aColor);
};

class SGPOINT
{
public:
 double x;
 double y;
 double z;

public:
 SGPOINT();

 SGPOINT(double aXVal, double aYVal, double aZVal);

 void GetPoint(double& aXVal, double& aYVal, double& aZVal);

```

```

 void GetPoint(SGPOINT& aPoint);
 void GetPoint(SGPOINT* aPoint);

 void SetPoint(double aXVal, double aYVal, double aZVal);
 void SetPoint(const SGPOINT& aPoint);
};

/*
 A SGVECTOR has 3 components (x,y,z) similar to a point; however
 a vector ensures that the stored values are normalized and
 prevents direct manipulation of the component variables.
*/
class SGVECTOR
{
public:
 SGVECTOR();
 SGVECTOR(double aXVal, double aYVal, double aZVal);

 void GetVector(double& aXVal, double& aYVal, double& aZVal) const;

 void SetVector(double aXVal, double aYVal, double aZVal);
 void SetVector(const SGVECTOR& aVector);

 SGVECTOR& operator=(const SGVECTOR& source);
};

The `IFSG_NODE` class is the base class for all scenegraph nodes. All
scenegraph objects implement the public functions of this class but in
some cases a particular function may have no meaning for a specific
class.

.ifsg_node.h
[source,c]

```



```

class IFSG_NODE
{
public:
 IFSG_NODE();
 virtual ~IFSG_NODE();

 /**
 * Function Destroy
 * deletes the scenegraph object held by this wrapper
 */
 void Destroy(void);

 /**
 * Function Attach
 * associates a given SGNODE* with this wrapper
 */
 virtual bool Attach(SGNODE* aNode) = 0;

 /**
 * Function NewNode
 * creates a new node to associate with this wrapper
 */
 virtual bool NewNode(SGNODE* aParent) = 0;
 virtual bool NewNode(IFSG_NODE& aParent) = 0;

 /**
 * Function GetRawPtr()
 * returns the raw internal SGNODE pointer
 */
 SGNODE* GetRawPtr(void);

 /**
 * Function GetNodeType
 * returns the type of this node instance
 */

```

```

S3D::SGTYPES GetNodeType(void) const;

/**
 * Function GetParent
 * returns a pointer to the parent SGNODE of this object
 * or NULL if the object has no parent (ie. top level transform)
 * or if the wrapper is not currently associated with an SGNODE.
 */
SGNODE* GetParent(void) const;

/**
 * Function SetParent
 * sets the parent SGNODE of this object.
 *
 * @param aParent [in] is the desired parent node
 * @return true if the operation succeeds; false if
 * the given node is not allowed to be a parent to
 * the derived object.
 */
bool SetParent(SGNODE* aParent);

/**
 * Function GetNodeTypeName
 * returns the text representation of the node type
 * or NULL if the node somehow has an invalid type
 */
const char * GetNodeTypeName(S3D::SGTYPES aNodeType) const;

/**
 * Function AddRefNode
 * adds a reference to an existing node which is not owned by
 * (not a child of) this node.
 *
 * @return true on success
 */

```

```

bool AddRefNode(SGNODE* aNode);

bool AddRefNode(IFSG_NODE& aNode);

/**
 * Function AddChildNode
 *
 * adds a node as a child owned by this node.
 *
 * @return true on success
 */

bool AddChildNode(SGNODE* aNode);

bool AddChildNode(IFSG_NODE& aNode);

};

```

`IFSG\_TRANSFORM` is similar to a VRML2.0 Transform node; it may contain any number of child IFSG\_SHAPE and IFSG\_TRANSFORM nodes and any number of referenced IFSG\_SHAPE and IFSG\_TRANSFORM nodes. A valid scenegraph must have a single `IFSG\_TRANSFORM` object as a root.

.ifsg\_transform.h

[source,c]

```

/**
 * Class IFSG_TRANSFORM
 *
 * is the wrapper for the VRML compatible TRANSFORM block class SCENEGRAPH
 */

class IFSG_TRANSFORM : public IFSG_NODE
{
public:

 IFSG_TRANSFORM(bool create);

 IFSG_TRANSFORM(SGNODE* aParent);
 bool SetScaleOrientation(const SGVECTOR& aScaleAxis, double aAngle);

```

```

 bool SetRotation(const SGVECTOR& aRotationAxis, double aAngle);

 bool SetScale(const SGPOINT& aScale);

 bool SetScale(double aScale);

 bool SetCenter(const SGPOINT& aCenter);

 bool SetTranslation(const SGPOINT& aTranslation);
/* various base class functions not shown here */

};

```

`IFSG\_SHAPE` is similar to a VRML2.0 Shape node; it must contain a single child or reference FACESET node and may contain a single child or reference APPEARANCE node.

```

.ifsg_shape.h
[source,c]

/**
 * Class IFSG_SHAPE
 * is the wrapper for the SGSHAPE class
 */

class IFSG_SHAPE : public IFSG_NODE
{
public:
 IFSG_SHAPE(bool create);
 IFSG_SHAPE(SGNODE* aParent);
 IFSG_SHAPE(IFSG_NODE& aParent);

 /* various base class functions not shown here */
};

```

`IFSG\_APPEARANCE` is similar to a VRML2.0 Appearance node, however,

at the moment it only represents the equivalent of an Appearance node containing a Material node.

```
.ifsg_appearance.h
[source,c]

class IFSG_APPEARANCE : public IFSG_NODE
{
public:
 IFSG_APPEARANCE(bool create);
 IFSG_APPEARANCE(SGNODE* aParent);
 IFSG_APPEARANCE(IFSG_NODE& aParent);

 bool SetEmissive(float aRVal, float aGVal, float aBVal);
 bool SetEmissive(const SGCOLOR* aRGBColor);
 bool SetEmissive(const SGCOLOR& aRGBColor);

 bool SetDiffuse(float aRVal, float aGVal, float aBVal);
 bool SetDiffuse(const SGCOLOR* aRGBColor);
 bool SetDiffuse(const SGCOLOR& aRGBColor);

 bool SetSpecular(float aRVal, float aGVal, float aBVal);
 bool SetSpecular(const SGCOLOR* aRGBColor);
 bool SetSpecular(const SGCOLOR& aRGBColor);

 bool SetAmbient(float aRVal, float aGVal, float aBVal);
 bool SetAmbient(const SGCOLOR* aRGBColor);
 bool SetAmbient(const SGCOLOR& aRGBColor);
 bool SetShininess(float aShininess);
 bool SetTransparency(float aTransparency);

 /* various base class functions not shown here */

 /* the following functions make no sense within an
 appearance node and always return a failure code
```

```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

`IFSG\_FACESET` is similar to a VRML2.0 Geometry node which contains an IndexedFaceSet node. It must contain a single child or reference COORDS node, a single child COORDINDEX node, and a single child or reference NORMALS node; in addition there may be a single child or reference COLORS node. A simplistic normals calculation function is provided to aid the user in assigning normal values to surfaces. The deviations from the VRML2.0 analogue are as follows:

- . Normals are always per-vertex.
- . Colors are always per vertex.
- . The coordinate index set must describe triangular faces only.

.ifsg\_faceset.h

[source,c]

-----

/\*\*

\* Class IFSG\_FACESET

\* is the wrapper for the SGFACESET class

\*/

class IFSG\_FACESET : public IFSG\_NODE

{

public:

IFSG\_FACESET( bool create );

IFSG\_FACESET( SGNODE\* aParent );

```

 IFSG_FACESET(IFSG_NODE& aParent);

 bool CalcNormals(SGNODE** aPtr);

 /* various base class functions not shown here */
};

.ifsg_coords.h
[source,c]

/**
 * Class IFSG_COORDS
 * is the wrapper for SGCORDS
 */
class IFSG_COORDS : public IFSG_NODE
{
public:
 IFSG_COORDS(bool create);
 IFSG_COORDS(SGNODE* aParent);
 IFSG_COORDS(IFSG_NODE& aParent);

 bool GetCoordsList(size_t& aListSize, SGPOINT*& aCoordsList);
 bool SetCoordsList(size_t aListSize, const SGPOINT* aCoordsList);
 bool AddCoord(double aXValue, double aYValue, double aZValue);
 bool AddCoord(const SGPOINT& aPoint);

 /* various base class functions not shown here */

 /* the following functions make no sense within a
 coords node and always return a failure code

 bool AddRefNode(SGNODE* aNode);
 bool AddRefNode(IFSG_NODE& aNode);

```

```

 bool AddChildNode(SGNODE* aNode);
 bool AddChildNode(IFSG_NODE& aNode);
 */
};

```

`IFSG\_COORDINDEX` is similar to a VRML2.0 coordIdx[] set except it must exclusively describe triangular faces, which implies that the total number of indices is divisible by 3.

.ifsg\_coordindex.h

[source,c]

-----

/\*\*

\* Class IFSG\_COORDINDEX

\* is the wrapper for SGCOORDINDEX

\*/

```

class IFSG_COORDINDEX : public IFSG_INDEX

```

```

{

```

```

public:

```

```

 IFSG_COORDINDEX(bool create);

```

```

 IFSG_COORDINDEX(SGNODE* aParent);

```

```

 IFSG_COORDINDEX(IFSG_NODE& aParent);

```

```

 bool GetIndices(size_t& nIndices, int*& aIndexList);

```

```

 bool SetIndices(size_t nIndices, int* aIndexList);

```

```

 bool AddIndex(int aIndex);

```

```

 /* various base class functions not shown here */

```

```

 /* the following functions make no sense within a
 coordindex node and always return a failure code

```



```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

`IFSG\_NORMALS` is equivalent to a VRML2.0 Normals node.

.ifsg\_normals.h

[source,c]

```

/**
 * Class IFSG_NORMALS
 * is the wrapper for the SGNORMALS class
 */

class IFSG_NORMALS : public IFSG_NODE
{
public:
 IFSG_NORMALS(bool create);

 IFSG_NORMALS(SGNODE* aParent);

 IFSG_NORMALS(IFSG_NODE& aParent);

 bool GetNormalList(size_t& aListSize, SGVECTOR*& aNormalList);

 bool SetNormalList(size_t aListSize, const SGVECTOR* aNormalList);

 bool AddNormal(double aXValue, double aYValue, double aZValue);

 bool AddNormal(const SGVECTOR& aNormal);

 /* various base class functions not shown here */

 /* the following functions make no sense within a
 normals node and always return a failure code
 */

```

```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

`IFSG\_COLORS` is similar to a VRML2.0 colors[] set.

.ifsg\_colors.h

[source,c]

-----

/\*\*

\* Class IFSG\_COLORS

\* is the wrapper for SGCOLORS

\*/

class IFSG\_COLORS : public IFSG\_NODE

{

public:

IFSG\_COLORS( bool create );

IFSG\_COLORS( SGNODE\* aParent );

IFSG\_COLORS( IFSG\_NODE& aParent );

bool GetColorList( size\_t& aListSize, SGCOLOR\*& aColorList );

bool SetColorList( size\_t aListSize, const SGCOLOR\* aColorList );

bool AddColor( double aRedValue, double aGreenValue, double aBlueValue );

bool AddColor( const SGCOLOR& aColor );

/\* various base class functions not shown here \*/

/\* the following functions make no sense within a

normals node and always return a failure code

bool AddRefNode( SGNODE\* aNode );

```

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

The remaining API functions are defined in `ifsg\_api.h` as follows:

```

.ifsg_api.h
[source,c]

namespace S3D
{
 /**
 * Function GetLibVersion retrieves version information of the
 * kicad_3dsg library
 */
 SGLIB_API void GetLibVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);

 // functions to extract information from SGNODE pointers
 SGLIB_API S3D::SGTYPES GetSGNodeType(SGNODE* aNode);
 SGLIB_API SGNODE* GetSGNodeParent(SGNODE* aNode);
 SGLIB_API bool AddSGNodeRef(SGNODE* aParent, SGNODE* aChild);
 SGLIB_API bool AddSGNodeChild(SGNODE* aParent, SGNODE* aChild);
 SGLIB_API void AssociateSGNodeWrapper(SGNODE* aObject, SGNODE** aRefPtr);

 /**
 * Function CalcTriNorm
 * returns the normal vector of a triangle described by vertices p1, p2, p3
 */
 SGLIB_API SGVECTOR CalcTriNorm(const SGPOINT& p1, const SGPOINT& p2, const SGPOINT& p3);
 /**

```

```

* Function WriteCache

* writes the SGNODE tree to a binary cache file
*
* @param aFileName is the name of the file to write
* @param overwrite must be set to true to overwrite an existing file
* @param aNode is any node within the node tree which is to be written
* @return true on success
*/

SGLIB_API bool WriteCache(const char* aFileName, bool overwrite, SGNODE* aNode,
 const char* aPluginInfo);

/**
* Function ReadCache
* reads a binary cache file and creates an SGNODE tree
*
* @param aFileName is the name of the binary cache file to be read
* @return NULL on failure, on success a pointer to the top level SCENEGRAPH node;
* if desired this node can be associated with an IFSG_TRANSFORM wrapper via
* the IFSG_TRANSFORM::Attach() function.
*/

SGLIB_API SGNODE* ReadCache(const char* aFileName, void* aPluginMgr,
 bool (*aTagCheck)(const char*, void*));

/**
* Function WriteVRML
* writes out the given node and its subnodes to a VRML2 file
*
* @param filename is the name of the output file
* @param overwrite should be set to true to overwrite an existing VRML file
* @param aTopNode is a pointer to a SCENEGRAPH object representing the VRML scene
* @param reuse should be set to true to make use of VRML DEF/USE features
* @return true on success
*/

SGLIB_API bool WriteVRML(const char* filename, bool overwrite, SGNODE* aTopNode,
 bool reuse, bool renameNodes);

```

```

// NOTE: The following functions are used in combination to create a VRML
// assembly which may use various instances of each SG* representation of a module.
// A typical use case would be:
// 1. invoke 'ResetNodeIndex()' to reset the global node name indices
// 2. for each model pointer provided by 'S3DCACHE->Load()', invoke 'RenameNodes()' once;
// this ensures that all nodes have a unique name to present to the final output file.
// Internally, RenameNodes() will only rename the given node and all Child subnodes;
// nodes which are only referenced will not be renamed. Using the pointer supplied
// by 'S3DCACHE->Load()' ensures that all nodes but the returned node (top node) are
// children of at least one node, so all nodes are given unique names.
// 3. if SG* trees are created independently of S3DCACHE->Load() the user must invoke
// RenameNodes() as appropriate to ensure that all nodes have a unique name
// 4. create an assembly structure by creating new IFSG_TRANSFORM nodes as appropriate
// for each instance of a component; the component base model as returned by
// S3DCACHE->Load() may be added to these IFSG_TRANSFORM nodes via 'AddRefNode()';
// set the offset, rotation, etc of the IFSG_TRANSFORM node to ensure correct
// 5. Ensure that all new IFSG_TRANSFORM nodes are placed as child nodes within a
// top level IFSG_TRANSFORM node in preparation for final node naming and output
// 6. Invoke RenameNodes() on the top level assembly node
// 7. Invoke WriteVRML() as normal, with renameNodes = false, to write the entire assembly
// structure to a single VRML file
// 8. Clean up by deleting any extra IFSG_TRANSFORM wrappers and their underlying SG*
// classes which have been created solely for the assembly output

```

```

/**

```

```

 * Function ResetNodeIndex
 *
 * resets the global SG* class indices
 *
 * @param aNode may be any valid SGNODE
 */

```

```

SGLIB_API void ResetNodeIndex(SGNODE* aNode);

```

```

/**

```

```

 * Function RenameNodes
 *
 * renames a node and all children nodes based on the current

```

```

 * values of the global SG* class indices
 *
 * @param aNode is a top level node
 */
SGLIB_API void RenameNodes(SGNODE* aNode);
/**
 * Function DestroyNode
 *
 * deletes the given SG* class node. This function makes it possible
 * to safely delete an SG* node without associating the node with
 * its corresponding IFSG* wrapper.
 */
SGLIB_API void DestroyNode(SGNODE* aNode);

// NOTE: The following functions facilitate the creation and destruction
// of data structures for rendering

/**
 * Function GetModel
 *
 * creates an S3DMODEL representation of aNode (raw data, no transforms)
 *
 * @param aNode is the node to be transcribed into an S3DMODEL representation
 * @return an S3DMODEL representation of aNode on success, otherwise NULL
 */
SGLIB_API S3DMODEL* GetModel(SCENEGRAPH* aNode);

/**
 * Function Destroy3DModel
 *
 * frees memory used by an S3DMODEL structure and sets the pointer to
 * the structure to NULL
 */
SGLIB_API void Destroy3DModel(S3DMODEL** aModel);

/**
 * Function Free3DModel
 *
 * frees memory used internally by an S3DMODEL structure

```

```

 */

SGLIB_API void Free3DModel(S3DMODEL& aModel);

/**
 * Function Free3DMesh
 * frees memory used internally by an SMESH structure
 */
SGLIB_API void Free3DMesh(SMESH& aMesh);

/**
 * Function New3DModel
 * creates and initializes an S3DMODEL struct
 */
SGLIB_API S3DMODEL* New3DModel(void);

/**
 * Function Init3DMaterial
 * initializes an SMATERIAL struct
 */
SGLIB_API void Init3DMaterial(SMATERIAL& aMat);

/**
 * Function Init3DMesh
 * creates and initializes an SMESH struct
 */
SGLIB_API void Init3DMesh(SMESH& aMesh);
};

```

For actual usage examples of the Scenegraph API see the  
 <<advanced-3d-plugin,Advanced 3D Plugin tutorial>> above and the KiCad VRML1, VRML2,  
 and X3D parsers.

=== Contributors  
 Cirilo Bernardo

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\plugins\ index.zh-cn.adoc

*Resumo: --- title: Plugins Framework weight: 19 --- The KiCad plugin system is a framework for extending the capabilities of KiCad using shared libraries. One of the main advantages of using a plugin is that it is not necessary to rebuild the KiCad suite while developing a plugin; in fact, plugins ...*

---

title: Plugins Framework

weight: 19

---

The KiCad plugin system is a framework for extending the capabilities of KiCad using shared libraries. One of the main advantages of using a plugin is that it is not necessary to rebuild the KiCad suite while developing a plugin; in fact, plugins can be built with the aid of a very small set of headers from the KiCad source tree. Removing the requirement to build KiCad during plugin development greatly increases productivity by ensuring that the developer only compiles code directly related to the plugin which is being developed and thus reducing the time required for each build and test cycle.

Plugins were initially developed for the 3D model viewer to make it possible to support more types of 3D models without requiring major changes to the KiCad source for each new model type supported. The plugin framework was later generalized so that in the future developers can create different classes of plugins. Currently only 3D plugins are implemented within KiCad but it is envisioned that a PCB plugin will eventually be developed to make it possible for users to implement data Importers and Exporters.

[[plugin-classes]]

== Plugin Classes

Plugins are divided into Plugin Classes since each plugin addresses problems in a specific domain and therefore requires an interface unique to that domain. For example, the 3D model plugins load 3D model data from files and translate that data into a format which



can be displayed by the 3D viewer. A PCB Import/Export plugin would take PCB data and export to other electrical or mechanical data formats, or translate a foreign format into a KiCad PCB. At the moment only the 3D Plugin Class has been developed and it will be the focus of this document.

Implementing a Plugin Class requires creating code within the KiCad source tree which manages the loading of plugin code. Within the KiCad source tree, the file ``plugins/ldr/pluginldr.h`` declares the base class for all plugin loaders. This class declares the most basic functions which we would expect to find in any KiCad plugin (boilerplate code) and its implementation provides basic checks on version compatibility between the plugin loader and the available plugins. The header ``plugins/ldr/3d/pluginldr3D.h`` declares a loader for the 3D Plugin Class. The loader is responsible for loading a given plugin and making its functions available to KiCad. Each instance of a plugin loader represents an actual plugin implementation and acts as a transparent bridge between KiCad and the plugin's features. The loader is not the only code required within KiCad to support plugins: we also need code to discover the plugins and code to invoke the functions of the plugins via the plugin loader. In the case of the 3D plugins the discovery and invocation functions are all contained within the `S3D_CACHE` class.

Plugin developers do not need to be concerned with the details of KiCad's internal code for managing plugins unless a new Plugin Class is being developed; a plugin only needs to define the functions declared by their specific plugin class. The header ``include/plugins/kicad_plugin.h`` declares the generic functions required of all KiCad plugins; these functions identify the Plugin Class, provide the name of the specific plugin, provide version information for the Plugin Class API, provide version information for the specific plugin, and provide a basic version compatibility check on the Plugin Class API. In brief, these functions are:

[source,c]

-----

/\* Return a UTF-8 string naming the Plugin Class \*/

char const\* GetKicadPluginClass( void );

/\* Return version information for the Plugin Class API \*/

void GetClassVersion( unsigned char\* Major, unsigned char\* Minor,  
                    unsigned char\* Patch, unsigned char\* Revision );

/\*

Return true if the version check implemented in the plugin  
determines that the given Plugin Class API is compatible.

\*/

bool CheckClassVersion( unsigned char Major,  
                        unsigned char Minor, unsigned char Patch, unsigned char Revision );

/\* Return the name of the specific plugin, for example "PLUGIN\_3D\_VRML" \*/

const char\* GetKicadPluginName( void );

/\* Return version information for the specific plugin \*/

void GetPluginVersion( unsigned char\* Major, unsigned char\* Minor,  
                        unsigned char\* Patch, unsigned char\* Revision );

-----

[[class-plugin-3d]]

=== Plugin Class: PLUGIN\_3D

The header ``include/plugins/3d/3d_plugin.h`` declares the functions  
which must be implemented by all 3D plugins and defines a number of  
functions which are required by the plugin and which the user must  
not reimplement. The defined functions which the user must not

reimplement are:

[source,c]

-----

```

/* Returns the Plugin Class name "PLUGIN_3D" */
char const* GetKicadPluginClass(void);

/* Return version information for the PLUGIN_3D API */
void GetClassVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);

/*
 Performs basic version checks enforced by the developers of
 the loader for the PLUGIN_3D class and returns true if the
 checks pass
*/
bool CheckClassVersion(unsigned char Major, unsigned char Minor,
 unsigned char Patch, unsigned char Revision);

The functions which the user must implement are as follows:
[source,c]

/* Return the number of extension strings supported by the plugin */
int GetNExtensions(void);

/*
 Return the requested extension string; valid values are 0 to
 GetNExtensions() - 1
*/
char const* GetModelExtension(int aIndex);

/* Return the total number of file filters supported by the plugin */
int GetNFilters(void);

/*
 Return the file filter requested; valid values are 0 to
 GetNFilters() - 1
*/
char const* GetFileFilter(int aIndex);

```

```

/*
 Return true if the plugin can render this type of 3D model.

 In some cases a plugin may not yet provide a visual model
 and must return false.

*/
bool CanRender(void);

/* Load the specified model and return a pointer to its visual model data */
SCENEGRAPH* Load(char const* aFileName);

```

## == Tutorials: 3D Plugin Class

This section contains a description of two very simple plugins of the `PLUGIN_3D` class and walks the user through the setup and building of the code.

### [[basic-3d-plugin]]

#### === Basic 3D Plugin

This tutorial walks the user through the development of a very basic 3D plugin named "PLUGIN\_3D\_DEM01". The purpose of this tutorial is only to demonstrate the construction of a very basic 3D plugin which does nothing other than provide a few filter strings which permit the KiCad user to filter file names while browsing for 3D models. The code demonstrated here is the absolute minimum requirement for any 3D plugin and can be used as a template for creating more advanced plugins.

In order to build the demo project we require the following:

- \* <https://cmake.org/>[CMake]
- \* KiCad plugin headers

\* KiCad Scene Graph library `kicad\_3dsg`

To automatically detect the KiCad headers and library we shall use a CMake FindPackage script; the script supplied in this tutorial should work on Linux and Windows if the relevant header files are installed to `\${KICAD\_ROOT\_DIR}/kicad` and the KiCad Scene Graph library is installed in `\${KICAD\_ROOT\_DIR}/lib`.

To start let's create a project directory and the FindPackage script:

```
[source,bash]

mkdir demo && cd demo
export DEMO_ROOT=${PWD}
mkdir CMakeModules && cd CMakeModules
cat > FindKICAD.cmake << _EOF
find_path(KICAD_INCLUDE_DIR kicad/plugins/kicad_plugin.h
 PATHS ${KICAD_ROOT_DIR}/include $ENV{KICAD_ROOT_DIR}/include
 DOC "Kicad plugins header path."
)

if(NOT ${KICAD_INCLUDE_DIR} STREQUAL "KICAD_INCLUDE_DIR-NOTFOUND")

 # attempt to extract the version information from sg_version.h
 find_file(KICAD_SGVERSION sg_version.h
 PATHS ${KICAD_INCLUDE_DIR}
 PATH_SUFFIXES kicad/plugins/3dapi
 NO_DEFAULT_PATH)

 if(NOT ${KICAD_SGVERSION} STREQUAL "KICAD_SGVERSION-NOTFOUND")

 # extract the "#define KICADSG_VERSION*" lines
 file(STRINGS ${KICAD_SGVERSION} _version REGEX "^#define.*KICADSG_VERSION.*")

 foreach(SVAR ${_version})
```

```

 string(REGEX MATCH KICADSG_VERSION_[M,A,J,O,R,I,N,P,T,C,H,E,V,I,S]* _VARNAME ${SVAR})
 string(REGEX MATCH [0-9]+ _VALUE ${SVAR})

 if(NOT ${_VARNAME} STREQUAL "" AND NOT ${_VALUE} STREQUAL "")
 set($_${_VARNAME} ${_VALUE})
 endif()

 endforeach()

 #ensure that NOT SG3D_VERSION* will evaluate to '0'
 if(NOT _KICADSG_VERSION_MAJOR)
 set(_KICADSG_VERSION_MAJOR 0)
 endif()

 if(NOT _KICADSG_VERSION_MINOR)
 set(_KICADSG_VERSION_MINOR 0)
 endif()

 if(NOT _KICADSG_VERSION_PATCH)
 set(_KICADSG_VERSION_PATCH 0)
 endif()

 if(NOT _KICADSG_VERSION_REVISION)
 set(_KICADSG_VERSION_REVISION 0)
 endif()

 set(KICAD_VERSION ${_KICADSG_VERSION_MAJOR}.${_KICADSG_VERSION_MINOR}.${_KICADSG_VERSION_PATCH}.
unset(KICAD_SGVERSION CACHE)
endif()
endif()

find_library(KICAD_LIBRARY

 NAMES kicad_3dsg

 PATHS

```

```

 ${KICAD_ROOT_DIR}/lib $ENV{KICAD_ROOT_DIR}/lib

 ${KICAD_ROOT_DIR}/bin $ENV{KICAD_ROOT_DIR}/bin

DOC "Kicad scenegraph library path."

)

include(FindPackageHandleStandardArgs)

FIND_PACKAGE_HANDLE_STANDARD_ARGS(KICAD

 REQUIRED_VARS

 KICAD_INCLUDE_DIR

 KICAD_LIBRARY

 KICAD_VERSION

 VERSION_VAR KICAD_VERSION)

mark_as_advanced(KICAD_INCLUDE_DIR)

set(KICAD_VERSION_MAJOR ${_KICADSG_VERSION_MAJOR} CACHE INTERNAL "")
set(KICAD_VERSION_MINOR ${_KICADSG_VERSION_MINOR} CACHE INTERNAL "")
set(KICAD_VERSION_PATCH ${_KICADSG_VERSION_PATCH} CACHE INTERNAL "")
set(KICAD_VERSION_TWEAK ${_KICADSG_VERSION_REVISION} CACHE INTERNAL "")

_EOF

```

Kicad and its plugin headers must be installed; if they are installed to a user directory or under `/opt` on Linux, or you are using Windows, you will need to set the `KICAD\_ROOT\_DIR` environment variable to point to the directory containing the KiCad `include` and `lib` directories. For OS X the FindPackage script presented here may require some adjustments.

To configure and build the tutorial code we will use CMake and create a `CMakeLists.txt` script file:

```

[source,bash]

```

```

cd ${DEMO_ROOT}

cat > CMakeLists.txt << _EOF

declare the name of the project

project(PLUGIN_DEMO)

check that we have a version of CMake with all required features

cmake_minimum_required(VERSION 2.8.12 FATAL_ERROR)

inform CMake of where to find the FindKICAD script

set(CMAKE_MODULE_PATH ${PROJECT_SOURCE_DIR}/CMakeModules)

attempt to discover the installed kicad headers and library

and set the variables:

KICAD_INCLUDE_DIR

KICAD_LIBRARY

find_package(KICAD 1.0 REQUIRED)

add the kicad include directory to the compiler's search path

include_directories(${KICAD_INCLUDE_DIR}/kicad)

create a plugin named s3d_plugin_demo1

add_library(s3d_plugin_demo1 MODULE

 src/s3d_plugin_demo1.cpp

)

```

\_EOF

-----

The first demo project is very basic; it consists of a single file with no external link dependencies other than the compiler defaults. We start by creating a source directory:

[source,bash]

-----

```
cd ${DEMO_ROOT}
```



```
mkdir src && cd src
export DEMO_SRC=${PWD}

```

Now we create the plugin source itself:

```
.s3d_plugin_demo1.cpp
[source,c]

#include <iostream>

// the 3d_plugin.h header defines the functions required of 3D plugins
#include "plugins/3d/3d_plugin.h"

// define the version information of this plugin; do not confuse this
// with the Plugin Class version which is defined in 3d_plugin.h
#define PLUGIN_3D_DEM01_MAJOR 1
#define PLUGIN_3D_DEM01_MINOR 0
#define PLUGIN_3D_DEM01_PATCH 0
#define PLUGIN_3D_DEM01_REVNO 0

// implement the function which provides users with this plugin's name
const char* GetKicadPluginName(void)
{
 return "PLUGIN_3D_DEM01";
}

// implement the function which provides users with this plugin's version
void GetPluginVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision)
{
 if(Major)
 *Major = PLUGIN_3D_DEM01_MAJOR;
 if(Minor)
 *Minor = PLUGIN_3D_DEM01_MINOR;
```

```

 if(Patch)

 *Patch = PLUGIN_3D_DEM01_PATCH;

 if(Revision)

 *Revision = PLUGIN_3D_DEM01_REVNO;
return;
}

// number of extensions supported; on *NIX systems the extensions are
// provided twice - once in lower case and once in upper case letters
#ifdef _WIN32

 #define NEXTS 7

#else

 #define NEXTS 14

#endif

// number of filter sets supported

#define NFILS 5

// define the extension strings and filter strings which this
// plugin will supply to the user
static char ext0[] = "wrl";
static char ext1[] = "x3d";
static char ext2[] = "emn";
static char ext3[] = "iges";
static char ext4[] = "igs";
static char ext5[] = "stp";
static char ext6[] = "step";

#ifdef _WIN32

static char fil0[] = "VRML 1.0/2.0 (*.wrl)|*.wrl";
static char fil1[] = "X3D (*.x3d)|*.x3d";
static char fil2[] = "IDF 2.0/3.0 (*.emn)|*.emn";
static char fil3[] = "IGESv5.3 (*.igs;*.iges)|*.igs;*.iges";
static char fil4[] = "STEP (*.stp;*.step)|*.stp;*.step";

```

```

#else

static char ext7[] = "WRL";
static char ext8[] = "X3D";
static char ext9[] = "EMN";
static char ext10[] = "IGES";
static char ext11[] = "IGS";
static char ext12[] = "STP";
static char ext13[] = "STEP";

static char fil0[] = "VRML 1.0/2.0 (*.wrl;*.WRL)|*.wrl;*.WRL";
static char fil1[] = "X3D (*.x3d;*.X3D)|*.x3d;*.X3D";
static char fil2[] = "IDF 2.0/3.0 (*.emn;*.EMN)|*.emn;*.EMN";
static char fil3[] = "IGESv5.3 (*.igs;*.iges;*.IGS;*.IGES)|*.igs;*.iges;*.IGS;*.IGES";
static char fil4[] = "STEP (*.stp;*.step;*.STP;*.STEP)|*.stp;*.step;*.STP;*.STEP";

#endif

// instantiate a convenient data structure for accessing the
// lists of extension and filter strings
static struct FILE_DATA
{
 char const* extensions[NEXTS];
 char const* filters[NFILS];

 FILE_DATA()
 {
 extensions[0] = ext0;
 extensions[1] = ext1;
 extensions[2] = ext2;
 extensions[3] = ext3;
 extensions[4] = ext4;
 extensions[5] = ext5;
 extensions[6] = ext6;
 filters[0] = fil0;
 filters[1] = fil1;
 filters[2] = fil2;
 }
};

```

```

 filters[3] = fil3;

 filters[4] = fil4;

#ifdef _WIN32

 extensions[7] = ext7;

 extensions[8] = ext8;

 extensions[9] = ext9;

 extensions[10] = ext10;

 extensions[11] = ext11;

 extensions[12] = ext12;

 extensions[13] = ext13;

#endif

 return;

 }

} file_data;

// return the number of extensions supported by this plugin
int GetNExtensions(void)
{
 return NEXTS;
}

// return the indexed extension string
char const* GetModelExtension(int aIndex)
{
 if(aIndex < 0 || aIndex >= NEXTS)
 return NULL;

 return file_data.extensions[aIndex];
}

// return the number of filter strings provided by this plugin
int GetNFilters(void)

```

```

{
 return NFILS;
}

// return the indexed filter string
char const* GetFileFilter(int aIndex)
{
 if(aIndex < 0 || aIndex >= NFILS)
 return NULL;

 return file_data.filters[aIndex];
}

// return false since this plugin does not provide visualization data
bool CanRender(void)
{
 return false;
}

// return NULL since this plugin does not provide visualization data
SCENEGRAPH* Load(char const* aFileName)
{
 // this dummy plugin does not support rendering of any models
 return NULL;
}

```

This source file meets all the minimum requirements to implement a 3D plugin. The plugin does not produce any data for rendering models but it can provide KiCad with a list of supported model file extensions and file extension filters to enhance the 3D model file selection dialog. Within KiCad the extension strings are used to select the plugins which may be used to load a specified model; for example, if the plugin is `wrl` then KiCad will invoke each plugin which claims to support the extension

`wrl` until a plugin returns visualization data. The file filters provided by each plugin are passed to the 3D file selector dialog to improve the browsing UI.

To build the plugin:

```
[source,bash]
```

```

```

```
cd ${DEMO_ROOT}
```

```
export KICAD_ROOT_DIR if necessary
```

```
mkdir build && cd build
```

```
cmake .. && make
```

```

```

The plugin will be built but not installed; you must copy the plugin file to KiCad's plugin directory if you wish to load the plugin.

```
[[advanced-3d-plugin]]
```

```
=== Advanced 3D Plugin
```

This tutorial walks the user through the development of a 3D plugin named "PLUGIN\_3D\_DEM02". The purpose of this tutorial is to demonstrate the construction of a very basic scene graph which the KiCad previewer can render. The plugin claims to handle files of type `txt`. Although the file must exist in order for the cache manager to invoke the plugin, the file contents are not processed by this plugin; instead, the plugin simply creates a scene graph containing a pair of tetrahedra. This tutorial assumes that the first tutorial had been completed and that the CMakeLists.txt and FindKICAD.cmake script files have been created.

Place the new source file in the same directory as the previous

tutorial's source file and we will extend the previous tutorial's CMakeLists.txt file to build this tutorial. Since this plugin will

create a scene graph for KiCad we need to link to KiCad's scene graph library `kicad\_3dsg`. KiCad's Scene Graph Library provides a set of classes which can be used to build the Scene Graph Object; the Scene Graph Object is an intermediate data visualization format used by the 3D Cache Manager. All plugins which support model visualization must translate the model data into a scene graph via this library.

The first step is to extend `CMakeLists.txt` to build this tutorial project:  
[source,bash]

```

cd ${DEMO_ROOT}

cat >> CMakeLists.txt << _EOF
add_library(s3d_plugin_demo2 MODULE
 src/s3d_plugin_demo2.cpp
)

target_link_libraries(s3d_plugin_demo2 ${KICAD_LIBRARY})
_EOF

```

Now we change to the source directory and create the source file:

```
[source,bash]

cd ${DEMO_SRC}

.s3d_plugin_demo2.cpp
[source,c]

#include <cmath>

// 3D Plugin Class declarations
#include "plugins/3d/3d_plugin.h"

// interface to KiCad Scene Graph Library
```

```

#include "plugins/3dapi/ifsg_all.h"

// version information for this plugin

#define PLUGIN_3D_DEM02_MAJOR 1
#define PLUGIN_3D_DEM02_MINOR 0
#define PLUGIN_3D_DEM02_PATCH 0
#define PLUGIN_3D_DEM02_REVNO 0

// provide the name of this plugin
const char* GetKicadPluginName(void)
{
 return "PLUGIN_3D_DEM02";
}

// provide the version of this plugin
void GetPluginVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision)
{
 if(Major)
 *Major = PLUGIN_3D_DEM02_MAJOR;

 if(Minor)
 *Minor = PLUGIN_3D_DEM02_MINOR;

 if(Patch)
 *Patch = PLUGIN_3D_DEM02_PATCH;

 if(Revision)
 *Revision = PLUGIN_3D_DEM02_REVNO;

 return;
}
// number of extensions supported
#ifdef _WIN32
#define NEXTS 1

```



```

#else

#define NEXTS 2

#endif

// number of filter sets supported

#define NFILS 1

static char ext0[] = "txt";

#ifdef _WIN32

static char fil0[] = "demo (*.txt)|*.txt";

#else

static char ext1[] = "TXT";

static char fil0[] = "demo (*.txt;*.TXT)|*.txt;*.TXT";

#endif

static struct FILE_DATA
{
 char const* extensions[NEXTS];

 char const* filters[NFILS];

 FILE_DATA()
 {
 extensions[0] = ext0;

 filters[0] = fil0;

#ifdef _WIN32

 extensions[1] = ext1;

#endif

 return;

 }
} file_data;
int GetNExtensions(void)
{

```

```

 return NEXTS;
 }

char const* GetModelExtension(int aIndex)
{
 if(aIndex < 0 || aIndex >= NEXTS)
 return NULL;

 return file_data.extensions[aIndex];
}

int GetNFilters(void)
{
 return NFILS;
}
char const* GetFileFilter(int aIndex)
{
 if(aIndex < 0 || aIndex >= NFILS)
 return NULL;

 return file_data.filters[aIndex];
}

// return true since this plugin can provide visualization data
bool CanRender(void)
{
 return true;
}

// create the visualization data
SCENEGRAPH* Load(char const* aFileName)

```

```

{
 // For this demonstration we create a tetrahedron (tx1) consisting
 // of a SCENEGRAPH (VRML Transform) which in turn contains 4
 // SGSHAPE (VRML Shape) objects representing each of the sides of
 // the tetrahedron. Each Shape is associated with a color (SGAPPEARANCE)
 // and a SGFACESET (VRML Geometry->indexedFaceSet). Each SGFACESET is
 // associated with a vertex list (SGCOORDS), a per-vertex normals
 // list (SGNORMALS), and a coordinate index (SGCOORDINDEX). One shape
 // is used to represent each face so that we may use per-vertex-per-face
 // normals.
 //
 // The tetrahedron in turn is a child of a top level SCENEGRAPH (tx0)
 // which has a second SCENEGRAPH child (tx2) which is a transformation
 // of the tetrahedron tx1 (rotation + translation). This demonstrates
 // the reuse of components within the scene graph hierarchy.

 // define the vertices of the tetrahedron
 // face 1: 0, 3, 1
 // face 2: 0, 2, 3
 // face 3: 1, 3, 2
 // face 4: 0, 1, 2
 double SQ2 = sqrt(0.5);
 SGPOINT vert[4];
 vert[0] = SGPOINT(1.0, 0.0, -SQ2);
 vert[1] = SGPOINT(-1.0, 0.0, -SQ2);
 vert[2] = SGPOINT(0.0, 1.0, SQ2);
 vert[3] = SGPOINT(0.0, -1.0, SQ2);

 // create the top level transform; this will hold all other
 // scenegraph objects; a transform may hold other transforms and
 // shapes
 IFSG_TRANSFORM* tx0 = new IFSG_TRANSFORM(true);
 // create the transform which will house the shapes
 IFSG_TRANSFORM* tx1 = new IFSG_TRANSFORM(tx0->GetRawPtr());

```

```

// add a shape which we will use to define one face of the tetrahedron;

// shapes hold facesets and appearances

IFSG_SHAPE* shape = new IFSG_SHAPE(*tx1);
// add a faceset; these contain coordinate lists, coordinate indices,

// vertex lists, vertex indices, and may also contain color lists and

// their indices.

IFSG_FACESET* face = new IFSG_FACESET(*shape);

IFSG_COORDS* cp = new IFSG_COORDS(*face);

cp->AddCoord(vert[0]);
cp->AddCoord(vert[3]);
cp->AddCoord(vert[1]);

// coordinate indices - note: enforce triangles;
// in real plugins where it is not necessarily possible
// to determine which side a triangle is visible from,
// 2 point orders must be specified for each triangle
IFSG_COORDINDEX* coordIdx = new IFSG_COORDINDEX(*face);
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);

// create an appearance; appearances are owned by shapes

// magenta
IFSG_APPEARANCE* material = new IFSG_APPEARANCE(*shape);
material->SetSpecular(0.1, 0.0, 0.1);
material->SetDiffuse(0.8, 0.0, 0.8);
material->SetAmbient(0.2, 0.2, 0.2);
material->SetShininess(0.2);

// normals
IFSG_NORMALS* np = new IFSG_NORMALS(*face);
SGVECTOR nval = S3D::CalcTriNorm(vert[0], vert[3], vert[1]);

```

```

np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

//
// Shape2
// Note: we reuse the IFSG* wrappers to create and manipulate new
// data structures.
//
shape->NewNode(*tx1);
face->NewNode(*shape);
coordIdx->NewNode(*face);
cp->NewNode(*face);
np->NewNode(*face);

// vertices
cp->AddCoord(vert[0]);
cp->AddCoord(vert[2]);
cp->AddCoord(vert[3]);

// indices
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);

// normals
nval = S3D::CalcTriNorm(vert[0], vert[2], vert[3]);
np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

// color (red)
material->NewNode(*shape);
material->SetSpecular(0.2, 0.0, 0.0);
material->SetDiffuse(0.9, 0.0, 0.0);
material->SetAmbient(0.2, 0.2, 0.2);

```

```

material->SetShininess(0.1);

//
// Shape3
//
shape->NewNode(*tx1);
face->NewNode(*shape);
coordIdx->NewNode(*face);
cp->NewNode(*face);
np->NewNode(*face);

// vertices
cp->AddCoord(vert[1]);
cp->AddCoord(vert[3]);
cp->AddCoord(vert[2]);

// indices
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);

// normals
nval = S3D::CalcTriNorm(vert[1], vert[3], vert[2]);
np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

// color (green)
material->NewNode(*shape);
material->SetSpecular(0.0, 0.1, 0.0);
material->SetDiffuse(0.0, 0.9, 0.0);
material->SetAmbient(0.2, 0.2, 0.2);
material->SetShininess(0.1);
//
// Shape4

```

```

//
shape->NewNode(*tx1);
face->NewNode(*shape);
coordIdx->NewNode(*face);
cp->NewNode(*face);
np->NewNode(*face);

// vertices
cp->AddCoord(vert[0]);
cp->AddCoord(vert[1]);
cp->AddCoord(vert[2]);

// indices
coordIdx->AddIndex(0);
coordIdx->AddIndex(1);
coordIdx->AddIndex(2);
// normals
nval = S3D::CalcTriNorm(vert[0], vert[1], vert[2]);
np->AddNormal(nval);
np->AddNormal(nval);
np->AddNormal(nval);

// color (blue)
material->NewNode(*shape);
material->SetSpecular(0.0, 0.0, 0.1);
material->SetDiffuse(0.0, 0.0, 0.9);
material->SetAmbient(0.2, 0.2, 0.2);
material->SetShininess(0.1);

// create a copy of the entire tetrahedron shifted Z+2 and rotated 2/3PI
IFS_G_TRANSFORM* tx2 = new IFS_G_TRANSFORM(tx0->GetRawPtr());
tx2->AddRefNode(*tx1);
tx2->SetTranslation(SGPOINT(0, 0, 2));
tx2->SetRotation(SGVECTOR(0, 0, 1), M_PI*2.0/3.0);
SGNODE* data = tx0->GetRawPtr();
// delete the wrappers

```

```

 delete shape;

 delete face;

 delete coordIdx;

 delete material;

 delete cp;

 delete np;

 delete tx0;

 delete tx1;

 delete tx2;

 return (SCENEGRAPH*)data;
}

```

## == Application Programming Interface (API)

Plugins are implemented via Application Programming Interface (API) implementations. Each Plugin Class has its specific API and in the 3D Plugin tutorials we have seen examples of the implementation of the 3D Plugin API as declared by the header ``3d_plugin.h``. Plugins may also rely on other APIs defined within the KiCad source tree; in the case of 3D plugins, all plugins which support visualization of models must interact with the Scene Graph API as declared in the header ``ifsg_all.h`` and its included headers.

This section describes the details of available Plugin Class APIs and other KiCad APIs which may be required for implementations of plugin classes.

## === Plugin Class APIs

There is currently only one plugin class declared for KiCad: the 3D Plugin Class. All KiCad plugin classes must implement

a basic set of functions declared in the header file ``kicad_plugin.h``; these declarations are referred to as the Base Kicad Plugin Class.



No implementation of the Base Kicad Plugin Class exists; the header file exists purely to ensure that plugin developers implement these defined functions in each plugin implementation. Within KiCad, each instance of a Plugin Loader implements the API presented by a plugin as though the Plugin Loader is a class providing the plugin's services. This is achieved by the Plugin Loader class providing a public interface containing function names which are similar to those implemented by the plugin; the argument lists may vary to accommodate the need to inform the user of any problems which may be encountered if, for example, no plugin is loaded. Internally the Plugin Loader uses a stored pointer to each API function to invoke each function on behalf of the user.

#### ==== API: Base Kicad Plugin Class

The Base Kicad Plugin Class is defined by the header file ``kicad_plugin.h``. This header must be included in the declaration of all other plugin classes; for an example see the 3D Plugin Class declaration in the header file ``3d_plugin.h``. The prototypes for these functions were briefly described in <<plugin-classes,Plugin Classes>>. The API is implemented by the base plugin loader as defined in ``pluginldr.cpp``.

To help make sense of the functions required by the base KiCad plugin header we must look at what happens in the base Plugin Loader class. The Plugin Loader class declares a virtual function ``Open()`` which takes the full path to the plugin to be loaded. The implementation of the ``Open()`` function within a specific plugin class loader will initially invoke the protected ``open()`` function of the base plugin loader; this base ``open()`` function attempts to find the address of each of the required basic plugin functions; once the addresses of each function have been retrieved, a number of checks are enforced:

- . Plugin ``GetKicadPluginClass()`` is invoked and the result is compared to the Plugin Class string provided by the Plugin Loader implementation; if

these strings do not match then the opened plugin is not intended for the Plugin Loader instance.

- . Plugin ``GetClassVersion()`` is invoked to retrieve the Plugin Class API Version implemented by the plugin.
- . Plugin Loader virtual ``GetLoaderVersion()`` function is invoked to retrieve the Plugin Class API Version implemented by the loader.
- . The Plugin Class API Version reported by the plugin and the loader are required to have the same Major Version number, otherwise they are considered incompatible. This is the most basic version test and it is enforced by the base plugin loader.
- . Plugin ``CheckClassVersion()`` is invoked with the Plugin Class API Version information of the Plugin Loader; if the Plugin supports the given version then it returns ``true`` to indicate success. If successful the loader creates a `PluginInfo` string based on the results of ``GetKicadPluginName()`` and ``GetPluginVersion()``, and the plugin loading procedure continues within the Plugin Loader's ``Open()`` implementation.

#### ==== API: 3D Plugin Class

The 3D Plugin Class is declared by the header file ``3d_plugin.h`` and it extends the required plugin functions as described in `<<class-plugin-3d,Plugin Class: PLUGIN_3D>>`. The corresponding Plugin Loader is defined in ``pluginldr3D.cpp`` and the loader implements the following public functions in addition to the required API functions:

[source,c]

-----

```
/* Open the plugin specified by the full path "aFullFileName" */
```

```
bool Open(const wxString& aFullFileName);
```

```
/* Close the currently opened plugin */
```

```
void Close(void);
```

```
/* Retrieve the Plugin Class API Version implemented by this Plugin Loader */
```

```
void GetLoaderVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Revision, unsigned char* Patch) const;

```

The required 3D Plugin Class functions are exposed via the following functions:

```
[source,c]
```

```

```

```
/* returns the Plugin Class or NULL if no plugin loaded */
```

```
char const* GetKicadPluginClass(void);
```

```
/* returns false if no plugin loaded */
```

```
bool GetClassVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);
```

```
/* returns false if the class version check fails or no plugin is loaded */
```

```
bool CheckClassVersion(unsigned char Major, unsigned char Minor,
 unsigned char Patch, unsigned char Revision);
```

```
/* returns the Plugin Name or NULL if no plugin loaded */
```

```
const char* GetKicadPluginName(void);
```

```
/*
```

```
 returns false if no plugin is loaded, otherwise the arguments
 contain the result of GetPluginVersion()
```

```
*/
```

```
bool GetVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);
```

```
/*
```

```
 sets aPluginInfo to an empty string if no plugin is loaded,
 otherwise aPluginInfo is set to a string of the form:
```

```
[NAME]:[MAJOR].[MINOR].[PATCH].[REVISION] where
NAME = name provided by GetKicadPluginClass()
```

```

 MAJOR, MINOR, PATCH, REVISION = version information from
 GetPluginVersion()

*/

void GetPluginInfo(std::string& aPluginInfo);

```

In typical situations, the user would do the following:

- . Create an instance of `KICAD\_PLUGIN\_LDR\_3D`.
- . Invoke `Open( "/path/to/myplugin.so" )` to open a specific plugin.  
The return value must be checked to ensure that the plugin loaded as desired.
- . Invoke any of the 3D Plugin Class calls as exposed by `KICAD\_PLUGIN\_LDR\_3D`.
- . Invoke `Close()` to close (unlink) the plugin.
- . Destroy the `KICAD\_PLUGIN\_LDR\_3D` instance.

#### === Scenegraph Class APIs

The Scenegraph Class API is defined by the header `ifsg\_all.h` and its included headers. The API consists of a number of helper routines with the namespace `S3D` as defined in `ifsg\_api.h` and wrapper classes defined by the various `ifsg\_\*.h` headers; the wrappers support the underlying scene graph classes which, taken together, form a scene graph structure which is compatible with VRML2.0 static scene graphs. The headers, structures, classes and their public functions are as follows:

```

.sg_version.h

[source,c]

/*

 Defines version information of the SceneGraph Classes.

 All plugins which use the scenegraph class should include this header
 and check the version information against the version reported by
 S3D::GetLibVersion() to ensure compatibility

*/

#define KICADSG_VERSION_MAJOR 2
#define KICADSG_VERSION_MINOR 0

```

```
#define KICADSG_VERSION_PATCH 0
```

```
#define KICADSG_VERSION_REVISION 0
```

```

```

```
.sg_types.h
```

```
[source,c]
```

```

```

```
/*
```

```
 Defines the SceneGraph Class Types; these types
 are closely related to VRML2.0 node types.
```

```
*/
```

```
namespace S3D
```

```
{
```

```
 enum SGTYPES
```

```
 {
```

```
 SGTYPE_TRANSFORM = 0,
```

```
 SGTYPE_APPEARANCE,
```

```
 SGTYPE_COLORS,
```

```
 SGTYPE_COLORINDEX,
```

```
 SGTYPE_FACESET,
```

```
 SGTYPE_COORDS,
```

```
 SGTYPE_COORDINDEX,
```

```
 SGTYPE_NORMALS,
```

```
 SGTYPE_SHAPE,
```

```
 SGTYPE_END
```

```
 };
```

```
};
```

```

```

The `sg\_base.h` header contains declarations of basic data types used

by the scenegraph classes.

```
.sg_base.h
```

```
[source,c]
```

```

/*
 This is an RGB color model equivalent to the VRML2.0
 RGB model where each color may have a value within the

 range [0..1].

*/

class SGCOLOR
{
public:
 SGCOLOR();

 SGCOLOR(float aRVal, float aGVal, float aBVal);

 void GetColor(float& aRedVal, float& aGreenVal, float& aBlueVal) const;
 void GetColor(SGCOLOR& aColor) const;
 void GetColor(SGCOLOR* aColor) const;

 bool SetColor(float aRedVal, float aGreenVal, float aBlueVal);
 bool SetColor(const SGCOLOR& aColor);
 bool SetColor(const SGCOLOR* aColor);
};

class SGPOINT
{
public:
 double x;
 double y;
 double z;

public:
 SGPOINT();

 SGPOINT(double aXVal, double aYVal, double aZVal);

 void GetPoint(double& aXVal, double& aYVal, double& aZVal);

```

```

void GetPoint(SGPOINT& aPoint);

void GetPoint(SGPOINT* aPoint);

void SetPoint(double aXVal, double aYVal, double aZVal);

void SetPoint(const SGPOINT& aPoint);

};

/*
 A SGVECTOR has 3 components (x,y,z) similar to a point; however
 a vector ensures that the stored values are normalized and
 prevents direct manipulation of the component variables.
*/

class SGVECTOR
{
public:
 SGVECTOR();

 SGVECTOR(double aXVal, double aYVal, double aZVal);

 void GetVector(double& aXVal, double& aYVal, double& aZVal) const;

 void SetVector(double aXVal, double aYVal, double aZVal);

 void SetVector(const SGVECTOR& aVector);

 SGVECTOR& operator=(const SGVECTOR& source);

};

The `IFSG_NODE` class is the base class for all scenegraph nodes. All
scenegraph objects implement the public functions of this class but in
some cases a particular function may have no meaning for a specific
class.

.ifsg_node.h

[source,c]

```

```

class IFSG_NODE
{
public:
 IFSG_NODE();
 virtual ~IFSG_NODE();

 /**
 * Function Destroy
 * deletes the scenegraph object held by this wrapper
 */
 void Destroy(void);

 /**
 * Function Attach
 * associates a given SGNODE* with this wrapper
 */
 virtual bool Attach(SGNODE* aNode) = 0;

 /**
 * Function NewNode
 * creates a new node to associate with this wrapper
 */
 virtual bool NewNode(SGNODE* aParent) = 0;
 virtual bool NewNode(IFSG_NODE& aParent) = 0;

 /**
 * Function GetRawPtr()
 * returns the raw internal SGNODE pointer
 */
 SGNODE* GetRawPtr(void);

 /**
 * Function GetNodeType
 * returns the type of this node instance
 */

```



```

S3D::SGTYPES GetNodeType(void) const;

/**
 * Function GetParent
 * returns a pointer to the parent SGNODE of this object
 * or NULL if the object has no parent (ie. top level transform)
 * or if the wrapper is not currently associated with an SGNODE.
 */
SGNODE* GetParent(void) const;

/**
 * Function SetParent
 * sets the parent SGNODE of this object.
 *
 * @param aParent [in] is the desired parent node
 * @return true if the operation succeeds; false if
 * the given node is not allowed to be a parent to
 * the derived object.
 */
bool SetParent(SGNODE* aParent);

/**
 * Function GetNodeTypeName
 * returns the text representation of the node type
 * or NULL if the node somehow has an invalid type
 */
const char * GetNodeTypeName(S3D::SGTYPES aNodeType) const;

/**
 * Function AddRefNode
 * adds a reference to an existing node which is not owned by
 * (not a child of) this node.
 *
 * @return true on success
 */

```

```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 /**
 * Function AddChildNode
 *
 * adds a node as a child owned by this node.
 *
 * @return true on success
 */

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);
};

```

`IFSG\_TRANSFORM` is similar to a VRML2.0 Transform node; it may contain any number of child IFSG\_SHAPE and IFSG\_TRANSFORM nodes and any number of referenced IFSG\_SHAPE and IFSG\_TRANSFORM nodes. A valid scenegraph must have a single `IFSG\_TRANSFORM` object as a root.

.ifsg\_transform.h

[source,c]

```

/**
 * Class IFSG_TRANSFORM
 *
 * is the wrapper for the VRML compatible TRANSFORM block class SCENEGRAPH
 */

class IFSG_TRANSFORM : public IFSG_NODE
{
public:

 IFSG_TRANSFORM(bool create);

 IFSG_TRANSFORM(SGNODE* aParent);
 bool SetScaleOrientation(const SGVECTOR& aScaleAxis, double aAngle);

```

```

 bool SetRotation(const SGVECTOR& aRotationAxis, double aAngle);

 bool SetScale(const SGPOINT& aScale);

 bool SetScale(double aScale);

 bool SetCenter(const SGPOINT& aCenter);

 bool SetTranslation(const SGPOINT& aTranslation);
/* various base class functions not shown here */

};

```

`IFSG\_SHAPE` is similar to a VRML2.0 Shape node; it must contain a single child or reference FACESET node and may contain a single child or reference APPEARANCE node.

```

.ifsg_shape.h
[source,c]

/**
 * Class IFSG_SHAPE
 * is the wrapper for the SGSHAPE class
 */

class IFSG_SHAPE : public IFSG_NODE
{
public:
 IFSG_SHAPE(bool create);
 IFSG_SHAPE(SGNODE* aParent);
 IFSG_SHAPE(IFSG_NODE& aParent);

 /* various base class functions not shown here */
};

```

`IFSG\_APPEARANCE` is similar to a VRML2.0 Appearance node, however,

at the moment it only represents the equivalent of an Appearance node containing a Material node.

```
.ifsg_appearance.h
[source,c]

class IFSG_APPEARANCE : public IFSG_NODE
{
public:
 IFSG_APPEARANCE(bool create);
 IFSG_APPEARANCE(SGNODE* aParent);
 IFSG_APPEARANCE(IFSG_NODE& aParent);

 bool SetEmissive(float aRVal, float aGVal, float aBVal);
 bool SetEmissive(const SGCOLOR* aRGBColor);
 bool SetEmissive(const SGCOLOR& aRGBColor);

 bool SetDiffuse(float aRVal, float aGVal, float aBVal);
 bool SetDiffuse(const SGCOLOR* aRGBColor);
 bool SetDiffuse(const SGCOLOR& aRGBColor);

 bool SetSpecular(float aRVal, float aGVal, float aBVal);
 bool SetSpecular(const SGCOLOR* aRGBColor);
 bool SetSpecular(const SGCOLOR& aRGBColor);

 bool SetAmbient(float aRVal, float aGVal, float aBVal);
 bool SetAmbient(const SGCOLOR* aRGBColor);
 bool SetAmbient(const SGCOLOR& aRGBColor);
 bool SetShininess(float aShininess);
 bool SetTransparency(float aTransparency);

 /* various base class functions not shown here */

 /* the following functions make no sense within an
 appearance node and always return a failure code
```

```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

`IFSG\_FACESET` is similar to a VRML2.0 Geometry node which contains an IndexedFaceSet node. It must contain a single child or reference COORDS node, a single child COORDINDEX node, and a single child or reference NORMALS node; in addition there may be a single child or reference COLORS node. A simplistic normals calculation function is provided to aid the user in assigning normal values to surfaces. The deviations from the VRML2.0 analogue are as follows:

- . Normals are always per-vertex.
- . Colors are always per vertex.
- . The coordinate index set must describe triangular faces only.

.ifsg\_faceset.h

[source,c]

-----

/\*\*

\* Class IFSG\_FACESET

\* is the wrapper for the SGFACESET class

\*/

class IFSG\_FACESET : public IFSG\_NODE

{

public:

IFSG\_FACESET( bool create );

IFSG\_FACESET( SGNODE\* aParent );

```

 IFSG_FACESET(IFSG_NODE& aParent);

 bool CalcNormals(SGNODE** aPtr);

 /* various base class functions not shown here */
};

.ifsg_coords.h
[source,c]

/**
 * Class IFSG_COORDS
 * is the wrapper for SGCORDS
 */
class IFSG_COORDS : public IFSG_NODE
{
public:
 IFSG_COORDS(bool create);
 IFSG_COORDS(SGNODE* aParent);
 IFSG_COORDS(IFSG_NODE& aParent);

 bool GetCoordsList(size_t& aListSize, SGPOINT*& aCoordsList);
 bool SetCoordsList(size_t aListSize, const SGPOINT* aCoordsList);
 bool AddCoord(double aXValue, double aYValue, double aZValue);
 bool AddCoord(const SGPOINT& aPoint);

 /* various base class functions not shown here */

 /* the following functions make no sense within a
 coords node and always return a failure code

 bool AddRefNode(SGNODE* aNode);
 bool AddRefNode(IFSG_NODE& aNode);

```

```

 bool AddChildNode(SGNODE* aNode);
 bool AddChildNode(IFSG_NODE& aNode);
 */
};

```

`IFSG\_COORDINDEX` is similar to a VRML2.0 coordIdx[] set except it must exclusively describe triangular faces, which implies that the total number of indices is divisible by 3.

.ifsg\_coordindex.h

[source,c]

-----

/\*\*

\* Class IFSG\_COORDINDEX

\* is the wrapper for SGCOORDINDEX

\*/

```

class IFSG_COORDINDEX : public IFSG_INDEX

```

```

{

```

```

public:

```

```

 IFSG_COORDINDEX(bool create);

```

```

 IFSG_COORDINDEX(SGNODE* aParent);

```

```

 IFSG_COORDINDEX(IFSG_NODE& aParent);

```

```

 bool GetIndices(size_t& nIndices, int*& aIndexList);

```

```

 bool SetIndices(size_t nIndices, int* aIndexList);

```

```

 bool AddIndex(int aIndex);

```

```

 /* various base class functions not shown here */

```

```

 /* the following functions make no sense within a
 coordindex node and always return a failure code

```

```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

`IFSG\_NORMALS` is equivalent to a VRML2.0 Normals node.

.ifsg\_normals.h

[source,c]

```

/**
 * Class IFSG_NORMALS
 * is the wrapper for the SGNORMALS class
 */

class IFSG_NORMALS : public IFSG_NODE
{
public:
 IFSG_NORMALS(bool create);

 IFSG_NORMALS(SGNODE* aParent);

 IFSG_NORMALS(IFSG_NODE& aParent);

 bool GetNormalList(size_t& aListSize, SGVECTOR*& aNormalList);

 bool SetNormalList(size_t aListSize, const SGVECTOR* aNormalList);

 bool AddNormal(double aXValue, double aYValue, double aZValue);

 bool AddNormal(const SGVECTOR& aNormal);

 /* various base class functions not shown here */

 /* the following functions make no sense within a
 normals node and always return a failure code
 */

```



```

 bool AddRefNode(SGNODE* aNode);

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

`IFSG\_COLORS` is similar to a VRML2.0 colors[] set.

.ifsg\_colors.h

[source,c]

-----

/\*\*

\* Class IFSG\_COLORS

\* is the wrapper for SGCOLORS

\*/

class IFSG\_COLORS : public IFSG\_NODE

{

public:

IFSG\_COLORS( bool create );

IFSG\_COLORS( SGNODE\* aParent );

IFSG\_COLORS( IFSG\_NODE& aParent );

bool GetColorList( size\_t& aListSize, SGCOLOR\*& aColorList );

bool SetColorList( size\_t aListSize, const SGCOLOR\* aColorList );

bool AddColor( double aRedValue, double aGreenValue, double aBlueValue );

bool AddColor( const SGCOLOR& aColor );

/\* various base class functions not shown here \*/

/\* the following functions make no sense within a

normals node and always return a failure code

bool AddRefNode( SGNODE\* aNode );

```

 bool AddRefNode(IFSG_NODE& aNode);

 bool AddChildNode(SGNODE* aNode);

 bool AddChildNode(IFSG_NODE& aNode);

 */
};

```

The remaining API functions are defined in `ifsg\_api.h` as follows:

```

.ifsg_api.h
[source,c]

namespace S3D
{

 /**
 * Function GetLibVersion retrieves version information of the
 * kicad_3dsg library
 */
 SGLIB_API void GetLibVersion(unsigned char* Major, unsigned char* Minor,
 unsigned char* Patch, unsigned char* Revision);

 // functions to extract information from SGNODE pointers
 SGLIB_API S3D::SGTYPES GetSGNodeType(SGNODE* aNode);
 SGLIB_API SGNODE* GetSGNodeParent(SGNODE* aNode);
 SGLIB_API bool AddSGNodeRef(SGNODE* aParent, SGNODE* aChild);
 SGLIB_API bool AddSGNodeChild(SGNODE* aParent, SGNODE* aChild);
 SGLIB_API void AssociateSGNodeWrapper(SGNODE* aObject, SGNODE** aRefPtr);

 /**
 * Function CalcTriNorm
 * returns the normal vector of a triangle described by vertices p1, p2, p3
 */
 SGLIB_API SGVECTOR CalcTriNorm(const SGPOINT& p1, const SGPOINT& p2, const SGPOINT& p3);
 /**

```

```

* Function WriteCache

* writes the SGNODE tree to a binary cache file
*
* @param aFileName is the name of the file to write
* @param overwrite must be set to true to overwrite an existing file
* @param aNode is any node within the node tree which is to be written
* @return true on success
*/

SGLIB_API bool WriteCache(const char* aFileName, bool overwrite, SGNODE* aNode,
 const char* aPluginInfo);

/**
* Function ReadCache
* reads a binary cache file and creates an SGNODE tree
*
* @param aFileName is the name of the binary cache file to be read
* @return NULL on failure, on success a pointer to the top level SCENEGRAPH node;
* if desired this node can be associated with an IFSG_TRANSFORM wrapper via
* the IFSG_TRANSFORM::Attach() function.
*/

SGLIB_API SGNODE* ReadCache(const char* aFileName, void* aPluginMgr,
 bool (*aTagCheck)(const char*, void*));

/**
* Function WriteVRML
* writes out the given node and its subnodes to a VRML2 file
*
* @param filename is the name of the output file
* @param overwrite should be set to true to overwrite an existing VRML file
* @param aTopNode is a pointer to a SCENEGRAPH object representing the VRML scene
* @param reuse should be set to true to make use of VRML DEF/USE features
* @return true on success
*/

SGLIB_API bool WriteVRML(const char* filename, bool overwrite, SGNODE* aTopNode,
 bool reuse, bool renameNodes);

```

```

// NOTE: The following functions are used in combination to create a VRML
// assembly which may use various instances of each SG* representation of a module.
// A typical use case would be:
// 1. invoke 'ResetNodeIndex()' to reset the global node name indices
// 2. for each model pointer provided by 'S3DCACHE->Load()', invoke 'RenameNodes()' once;
// this ensures that all nodes have a unique name to present to the final output file.
// Internally, RenameNodes() will only rename the given node and all Child subnodes;
// nodes which are only referenced will not be renamed. Using the pointer supplied
// by 'S3DCACHE->Load()' ensures that all nodes but the returned node (top node) are
// children of at least one node, so all nodes are given unique names.
// 3. if SG* trees are created independently of S3DCACHE->Load() the user must invoke
// RenameNodes() as appropriate to ensure that all nodes have a unique name
// 4. create an assembly structure by creating new IFSG_TRANSFORM nodes as appropriate
// for each instance of a component; the component base model as returned by
// S3DCACHE->Load() may be added to these IFSG_TRANSFORM nodes via 'AddRefNode()';
// set the offset, rotation, etc of the IFSG_TRANSFORM node to ensure correct
// 5. Ensure that all new IFSG_TRANSFORM nodes are placed as child nodes within a
// top level IFSG_TRANSFORM node in preparation for final node naming and output
// 6. Invoke RenameNodes() on the top level assembly node
// 7. Invoke WriteVRML() as normal, with renameNodes = false, to write the entire assembly
// structure to a single VRML file
// 8. Clean up by deleting any extra IFSG_TRANSFORM wrappers and their underlying SG*
// classes which have been created solely for the assembly output

```

```

/**

```

```

 * Function ResetNodeIndex
 *
 * resets the global SG* class indices
 *
 * @param aNode may be any valid SGNODE
 */

```

```

SGLIB_API void ResetNodeIndex(SGNODE* aNode);

```

```

/**

```

```

 * Function RenameNodes
 *
 * renames a node and all children nodes based on the current

```

```

 * values of the global SG* class indices
 *
 * @param aNode is a top level node
 */
SGLIB_API void RenameNodes(SGNODE* aNode);
/**
 * Function DestroyNode
 *
 * deletes the given SG* class node. This function makes it possible
 * to safely delete an SG* node without associating the node with
 * its corresponding IFSG* wrapper.
 */
SGLIB_API void DestroyNode(SGNODE* aNode);

// NOTE: The following functions facilitate the creation and destruction
// of data structures for rendering

/**
 * Function GetModel
 *
 * creates an S3DMODEL representation of aNode (raw data, no transforms)
 *
 * @param aNode is the node to be transcribed into an S3DMODEL representation
 * @return an S3DMODEL representation of aNode on success, otherwise NULL
 */
SGLIB_API S3DMODEL* GetModel(SCENEGRAPH* aNode);

/**
 * Function Destroy3DModel
 *
 * frees memory used by an S3DMODEL structure and sets the pointer to
 * the structure to NULL
 */
SGLIB_API void Destroy3DModel(S3DMODEL** aModel);

/**
 * Function Free3DModel
 *
 * frees memory used internally by an S3DMODEL structure

```

```

 */

SGLIB_API void Free3DModel(S3DMODEL& aModel);

/**
 * Function Free3DMesh
 * frees memory used internally by an SMESH structure
 */
SGLIB_API void Free3DMesh(SMESH& aMesh);

/**
 * Function New3DModel
 * creates and initializes an S3DMODEL struct
 */
SGLIB_API S3DMODEL* New3DModel(void);

/**
 * Function Init3DMaterial
 * initializes an SMATERIAL struct
 */
SGLIB_API void Init3DMaterial(SMATERIAL& aMat);

/**
 * Function Init3DMesh
 * creates and initializes an SMESH struct
 */
SGLIB_API void Init3DMesh(SMESH& aMesh);
};

```

For actual usage examples of the Scenegraph API see the  
 <<advanced-3d-plugin,Advanced 3D Plugin tutorial>> above and the KiCad VRML1, VRML2,  
 and X3D parsers.

=== Contributors  
 Cirilo Bernardo

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\settings\ index.en.adoc

*Resumo: --- title: Settings Framework weight: 10 --- The settings framework manages application settings, as well as projects. This document explains how to make use of the framework as well as some of its inner workings. == Source Code Guide Most of the relevant code is in `common/settings` a...*

---

title: Settings Framework

weight: 10

---

The settings framework manages application settings, as well as projects. This document explains how to make use of the framework as well as some of its inner workings.

== Source Code Guide

Most of the relevant code is in `common/settings` and `common/project`.

[cols=2\*,options="header"]

|===

| {cpp} Class              | Description                                                                |
|--------------------------|----------------------------------------------------------------------------|
| `SETTINGS_MANAGER`       | Loads and unloads settings files and projects                              |
| `JSON_SETTINGS`          | The base class for all settings objects. Represents a single JSON file.    |
| `NESTED_SETTINGS`        | A `JSON_SETTINGS` object stored within another (i.e. without its own file) |
| `PARAM`                  | A parameter: helper class for storing data inside a `JSON_SETTINGS`        |
| `APP_SETTINGS_BASE`      | Base class for application (frame) settings                                |
| `COLOR_SETTINGS`         | A subclass of `JSON_SETTINGS` designed for storing color themes            |
| `COMMON_SETTINGS`        | The settings available to every part of KiCad                              |
| `PROJECT_FILE`           | A `JSON_SETTINGS` representing a project (`.kicad_pro`) file               |
| `PROJECT_LOCAL_SETTINGS` | A `JSON_SETTINGS` representing a project local state (`.kicad_prl`) file   |

|===

== Where Settings are Stored

There are four main places a setting might be stored:

1. In `COMMON\_SETTINGS`: this is a setting that is shared between all parts of KiCad.
2. In an application settings object (subclass of `APP\_SETTINGS\_BASE`). These objects, such as

- ``EESchema_SETTINGS`` and ``PCBNEW_SETTINGS``, store settings that are specific to a portion of KiCad. In particular, these objects are compiled inside the context of their respective application, so they have access to data types that may not be part of ``common``.
3. In the ``PROJECT_FILE``, where they will be specific to a loaded project. This is true of most of the settings found in the Board / Schematic Setup dialogs. Currently, KiCad only supports having one project loaded at a time, and a number of places in the code expect that a ``PROJECT`` object will always be available. Because of this, the ``SETTINGS_MANAGER`` will always ensure that a "dummy" ``PROJECT_FILE`` is available even when no project has been loaded by the user. This dummy project can be modified in memory but not saved to disk.
  4. In the ``PROJECT_LOCAL_SETTINGS`` object, where they will be specific to a loaded project. This file is for settings that are "local state", such as which board layers are visible, that should (for many users, at least) not be checked in to source control. Any setting here should be transient, meaning there will be no ill effect if the entire file is deleted.

#### == JSON\_SETTINGS

The ``JSON_SETTINGS`` class is the backbone of the settings infrastructure. It is a subclass of the ``nlohmann::json::basic_json`` class provided by ``thirdparty/nlohmann_json/nlohmann/json.hpp``. As such, anytime raw manipulation of the underlying JSON data is needed, you can use the [https://nlohmann.github.io/json/api/basic\\_json/\[standard nlohmann::json API\]](https://nlohmann.github.io/json/api/basic_json/[standard%20nlohmann::json%20API]). The JSON contents represent the **state of the file on disk**, not the state of the data exposed to {cpp}. Synchronization between the two is done via parameters (see below) and takes place right after loading from disk and right before saving to disk.

#### == Parameters

Parameters establish the link between {cpp} data and content in the JSON file. In general, parameters consist of a **path**, **pointer**, and **default value**. The path is a string of the form ``"x.y.z"``, where each component represents a nested JSON dictionary key. The pointer is a pointer to the {cpp} member variable that holds the data accessible to consumers of the ``JSON_SETTINGS``. The default value is used to update the pointer when the data is missing from the JSON file.

Parameters are subclasses of ``PARAM_BASE`` in ``include/settings/parameters.h``. There are a number of helpful subclasses created to make it easier to store complex data in JSON files. The basic ``PARAM`` class is templated and is useful for storing any data type can be serialized to JSON automatically. A basic instantiation of a ``PARAM`` might look like:



[source,cpp]

```
...

 m_params.emplace_back(new PARAM<int>("appearance.icon_scale",
 &m_Appearance.icon_scale, 0));

...
```

Here, `m_Appearance.icon_scale` is a public member of the settings object (an `int` inside a `struct`). `"appearance.icon_scale"` is the **path** to store the value in the JSON file, and `0` is the default value. This would result in JSON looking like this:

[source,json]

```
...

 {
 "appearance": {
 "icon_scale": 0
 }
 }

...
```

Note that it is possible to use custom types with `PARAM<>` as long as they have a `to_json` and `from_json` defined. See `COLOR4D` for an example of this.

For storing complex data types, it is sometimes easiest to use `PARAM_LAMBDA<>`, which allows you to define a "getter" and "setter" as part of the parameter definition. You can use this to build a `nlohmann::json` object and store it as the "value" of your parameter. For examples of how this is done, see `NET_SETTINGS`.

## == NESTED\_SETTINGS

The `NESTED_SETTINGS` class is like a `JSON_SETTINGS` but instead of a file for a backing store, it uses another `JSON_SETTINGS` object. The entire contents of a `NESTED_SETTINGS` are stored as the value of a particular key in the parent file. This has two key benefits:

1. You can split up large sets of settings in to more manageable pieces
2. You can hide knowledge about the nested settings from the parent settings object

For example, many portions of the project file are stored as ``NESTED_SETTINGS`` objects inside the ``PROJECT_FILE``. These objects, including ``SCHEMATIC_SETTINGS``, ``NET_SETTINGS``, and ``BOARD_DESIGN_SETTINGS``, are compiled as part of `eeschema` or `pcbnew`, so they have access to data types not available in common (where ``PROJECT_FILE`` is compiled).

When the outer file is loaded, all of the data for the nested settings is there in the underlying ``nlohmann::json`` data store -- it's just not used until the appropriate ``NESTED_SETTINGS`` is loaded.

``NESTED_SETTINGS`` objects can have shorter lifecycles than the parent. This is required because in some cases (such as with the project file), the parent can stay resident in one frame (the KiCad manager, for example) while a frame that uses a nested settings inside it can be created and destroyed. When the nested settings is destroyed, it ensures that its data is stored to the JSON data of the parent. The parent ``JSON_SETTINGS`` can then be saved to disk, if desired.

== Schema Version and Migrations

Settings objects have a `**schema version**`, which is a const integer that can be incremented when a migration is needed. The schema version in the code is compared to that in the loaded file, and if the file version is lower (older), `**migrations**` are run to bring the data in the file up to date.

`**Migrations**` are functions that are responsible for making the necessary changes from one schema version to another. They act on the `**underlying JSON data**`, before parameter loading has taken place.

Migrations are not always needed when changing a settings file. You are free to add or remove parameters without changing the schema version or writing migrations. If you add parameters, they will be added to the JSON file and initialized to their default value. If you remove parameters, they will be silently dropped from the JSON file the next time the settings are saved. Migration is only needed when you need to make changes to the JSON file that depend on the current state. For example, if you decide to rename a settings key, but want to preserve the user's present setting.

If you need to make a "breaking change" to a settings file:

1. Increment the schema version
2. Write a migration that makes the necessary changes to the underlying ``nlohmann::json`` object
3. Call ``JSON_SETTINGS::registerMigration`` in the constructor for the object

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\settings\ index.zh-cn.adoc

Resumo: --- title: 设置管理器 weight: 10 ---  
设置管理器是 KiCad 的一个组件，用于管理项目的设置。它位于 `common/settings` 目录，并包含 `common/project` 目录。该组件使用 C++ 编写，并依赖于 `SETTINGS\_MANAGER` 和 `JSON\_SETTINGS` 库。

---

title: 设置管理器

weight: 10

---

设置管理器

设置管理器是 KiCad 的一个组件，用于管理项目的设置。

== 概述 ==

设置管理器位于 `common/settings` 目录，并包含 `common/project` 目录。

[cols=2\*,options="header"]

|===

|                          |                                         |
|--------------------------|-----------------------------------------|
| C++                      | 设置管理器                                   |
| `SETTINGS_MANAGER`       | 设置管理器                                   |
| `JSON_SETTINGS`          | 设置管理器 JSON 设置                           |
| `NESTED_SETTINGS`        | 设置管理器 (嵌套设置) 设置 `JSON_SETTINGS` 设置      |
| `PARAM`                  | 设置管理器 `JSON_SETTINGS` 设置 helper         |
| `APP_SETTINGS_BASE`      | 设置管理器 (应用设置) 设置                         |
| `COLOR_SETTINGS`         | 设置管理器 `JSON_SETTINGS` 设置                |
| `COMMON_SETTINGS`        | 设置管理器 KiCad 设置                          |
| `PROJECT_FILE`           | 设置管理器 (`.kicad_pro`) 设置 `JSON_SETTINGS` |
| `PROJECT_LOCAL_SETTINGS` | 设置管理器 (`.kicad_prl`) 设置 `JSON_SETTINGS` |

|===

== 设置 ==

设置管理器

1. 设置管理器 `COMMON\_SETTINGS` 设置 KiCad 设置
2. 设置管理器 (应用设置) 设置  
设置管理器 (应用设置) 设置 KiCad 设置

```
..... `common`
```

```
3. █ `PROJECT_FILE`
```

```
 █ Board/Schematic Setup (██/██)
```

```
 █ KiCad `PROJECT`
```

```
 `SETTINGS_MANAGER` "dummy" █ `Project_FILE`
```

```

```

```
4. █ `PROJECT_LOCAL_SETTINGS`
```

```
 "██"
```

```
 (.....)
```

```

```

```
== JSON_SETTINGS
```

```
`JSON_SETTINGS`
```

```
█ `thirdparty/nlohmann_json/nlohmann/json.hpp` █ `nlohmann::json::basic_json`
```

```
..... JSON https://nlohmann.github.io/json/api/basic_json/ [█ nlohmann::js
```

```
JSON █ **.....**..... C++
```

```
.....(██).....
```

```
== █
```

```
..... C++ █ JSON
```

```
..... **██**███ █ **███ █
```

```
███ `x.y.z` JSON
```

```
..... C++ `JSON_SETTINGS`
```

```
..... JSON
```

```
███ `include/settings/parameters.h` █ `PARAM_BASE`
```

```
..... JSON
```

```
███ `PARAM` JSON
```

```
`PARAM`
```

```
[source,cpp]
```

```
```
```

```

        m_params.emplace_back( new PARAM<int>( "appearance.icon_scale",
                                                &m_Appearance.icon_scale, 0 ) );
    }

```

```

    m_Appearance.icon_scale` (struct` int`)
    "appearance.icon_scale"` JSON **`*`0` JSON

```

```

[source,json]

```

```

    {
        "appearance": {
            "icon_scale": 0
        }
    }

```

```

PARAM<>` to_json` from_json`
COLOR4D`

```

```

PARAM_LAMBDA<>` "getter" "setter"
nlohmann::json` "value"
NET_SETTINGS`

```

```

== NESTED_SETTINGS

```

```

NESTED_SETTINGS` JSON_SETTINGS` JSON_SETTINGS`
NESTED_SETTINGS`

```

- 1.
- 2.

```

NESTED_SETTINGS` PROJECT_FILE`
SCHEMATIC_SETTINGS` NET_SETTINGS` BOARD_DESIGN_SETTINGS`
eesschema pcbnew (PROJECT_FILE`)

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\sexpr\ index.en.adoc

Resumo: --- title: S-Expressions weight: 21 --- An s-expression is a text stream or string, in the same vein as XML, consisting of a sequence of elements. Each element is either an atom or list. An atom corresponds to a string, while a list corresponds to an s-expression. The following grammar r...

title: S-Expressions

weight: 21

An s-expression is a text stream or string, in the same vein as XML, consisting of a sequence of elements. Each element is either an atom or list. An atom corresponds to a string, while a list corresponds to an s-expression.

The following grammar represents our definition of an s-expression:

```
sexpr  ::= ( sx )
sx      ::= atom sxtail | sexpr sxtail | NULL
sxtail  ::= sx | NULL
atom    :: quoted | value
quoted  :: "ws_string"
value   :: nws_string
```

An atom can either be a quoted string, which is a string containing whitespace surrounded by double quotes, or a non-whitespace string that does not require surrounding quotes.

The s-expression syntax used in Kicad uses two quoting/syntax strategies, given by the needs of the Specctra DSN specification and of our own non-specctra needs. The Specctra DSN specification is not very clear with regard to quoting and on top of that there is Freerouter's interpretation, which would actually supercede anything in the Specctra DSN spec anyway, due to a desire to be compatible with Freerouter.

We have our own needs, which go beyond those of the Specctra DSN spec, so we support the two syntaxes or quoting protocols for quoted atoms:

1. Specctra quoting protocol (specctraMode)
2. Kicad quoting protocol (non-specctraMode)

We can control our own destiny better by having a separately defined mode for non Specctra DSN files.

To summarize, in specctraMode Freerouter dictates to us what we need to do. In non-specctraMode, which can be thought of as Kicad mode, we have our own quoting protocol and can make changes without breaking the specctraMode.

There needs to be agreement between how a file is saved, and how a file is read back in, in either mode, to fulfill the round-tripping requirements. A file written using one mode may not necessarily be readable using the other mode, although it might be. Just don't count on it.

In Kicad mode:

OUTPUTFORMATTER::Quoted() is the tool to wrap s-expression atoms.

DSNLEXER::NextTok() is basically the inverse function, and reads tokens back in.

These two must agree, so that what is written out comes back in un-altered.

The decision to wrap the string or not is left to the Quoted() function. If the string is wrapped, it will also escape internal double quotes, \n's and \r's.

Any null string is wrapped in quotes, and so is any string which starts with

'#', so that it is not confused with an s-expression comment.

== Kicad S-expression Syntax and Quoting Protocol (non-specctraMode):

. Some atoms are considered keywords, and constitute a grammar superimposed on the s-expressions. All keywords are ASCII and lowercase. International characters are not to be used here.

. All Kicad s-expression files are saved using a UTF8 encoding and should

support any international characters in the atoms which are not keywords.

. DSNLEXER::NextTok() requires that any token be on a single line of input. If you want to save a multi-line string, Quoted() will automatically escape the \n

or `\r` for you and put the output on a single line. It should round-trip fine.

. There can be escape sequences in a quoted string only. Escape sequences allow foreign tools to generate byte patterns in the input stream. C style 2 byte hex codes are supported, and so are 3 byte octal escape sequences. See `DSNLEXER::NextTok()` for the full list of escape sequences, by searching file `dsnlexer.cpp` for the string "ESCAPE SEQUENCES". Any use of the escape mechanism must still produce UTF-8 encoded text after the escape handling is applied.

. Just because an escape sequence is supported on input, does not mean that `OUTPUTFORMATTER::Quoted()` must generate such an escape sequence for output. For example, having true tabs in the s-expression file is OK. So that will not be escaped on output. Other similar cases exist.

. Backslash is the escape byte.

specetraMode

KiCad

OUTPUTFORMATTER::Quoted() s

DSNLEXER::NextTok()

`Quoted()`

`\n` `r`

'#' s

== KiCad S- (specetraMode)

. s-

ASCII

. KiCad S- UTF8

. DSNLEXER::NextTok()

Quoted() \n r

.

C 2 3

DSNLEXER::NextTok() dsnlexer.cpp " "

UTF-8

. OUTPUTFORMATTER::Quoted()

S-

XXXXXXXXXXXX

XXXXXXXXXX

■ ■ ■ ■ ■ ■ ■ ■ ■ ■

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\testing\ index.en.adoc

Resumo: --- title: Testing weight: 20 --- :toc: == Unit tests KiCad has a limited number of unit tests, which can be used to check that certain functionality works. Tests are registered using <https://cmake.org/cmake/help/latest/module/CTest.html>[CTest], part of CMake. CTest gathers all the ...

title: Testing

weight: 20

:toc:

== Unit tests

KiCad has a limited number of unit tests, which can be used to check that certain functionality works.

Tests are registered using <https://cmake.org/cmake/help/latest/module/CTest.html>[CTest], part of CMake. CTest gathers all the

disparate test programs and runs them. Most {cpp} unit

tests are written using the https://www.boost.org/doc/libs/1_68_0/libs/test/doc/html/index.html[Boost Unit Test Framework] but this is not required to add a test to the testing suite.

The test CMake targets generally start with ``qa_``, the names of the tests within CTest are the same but without the ``qa_`` prefix.

=== Running tests

You can run all tests after building with ``make test`` or ``ctest``. The latter option allows many CTest options which can be useful, especially in automated or CI environments.

==== Running specific tests

To run a specific test executable, you can just run with ``ctest`` or run the executable directly. Running directly is often the simplest way when

working on a specific test and you want access to the test executable's arguments. For example:

```
[source,sh]
----

# run the libcommon tests
cd /path/to/kicad/build
qa/tests/common/qa_common [parameters]
----
```

For Boost unit tests, you can see the options for the test with `<test> --help`.
Common useful patterns:

- * `<test> -t "Utf8/*"` runs all tests in the `Utf8` test suite.
- * `<test> -t "Utf8/UniIterNull"` runs only a single test in a specific suite.
- * `<test> -l all` adds more verbose debugging to the output.
- * `<test> --list_content` lists the test suites and test cases within the test program. You can use these for arguments to `-t`.

You can rebuild just a specific test with CMake to avoid rebuilding everything when working on a small area, e.g. `make qa_common`.

==== Automated testing

The unit tests can be run on automated Continuous Integration (CI) systems.

By default, tests output human-readable results, which is useful when developing or debugging, but not so useful for automated test reporting.

Systems that can parse XML test results can enable these by setting the `KICAD_TEST_XML_OUTPUT` option to `ON`. The test results are then output as files ending in `.xml` in the `qa` subdirectory.

Test results are written to the build directory as follows:

- * Boost units tests: one XML file per test with the extension `.boost-results.xml`

* Python unit tests: one directory per test with the extension ``.xunit-results.xml``.

These directories contain one ``.xml`` file per Python test case file.

=== Writing Boost tests

Boost unit tests are straightforward to write. Individual test cases can be registered with:

[source,cpp]

```
BOOST_AUTO_TEST_CASE( SomeTest )
```

```
{
```

```
    BOOST_CHECK_EQUAL( 1, 1 );
```

```
}
```

There is a range of functions like ``BOOST_CHECK``, which are documented

https://www.boost.org/doc/libs/1_68_0/libs/test/doc/html/boost_test/utf_reference/testing_tool_ref.html

Using the most specific function is preferred, as that

allows Boost to provide more detailed failures: ``BOOST_CHECK( foo == bar )`` only reports a mismatch, ``BOOST_CHECK_EQUAL( foo, bar )`` will show the values of each.

To output debug messages, you can use ``BOOST_TEST_MESSAGE`` in the unit tests, which will be visible only if you set the ``.l`` parameter to ``.message`` or higher. This colours the text differently to make it stand out from other testing messages and standard output.

You can also use ``std::cout``, ``printf``, ``wxLogDebug`` and so on for debug messages inside tested functions (i.e. where you don't have access to the Boost unit test headers). These will always be printed, so take care to remove them before committing, or they'll show up when KiCad runs normally!

==== Expected failures

Sometimes, it is helpful to check in tests that do not pass. However, it is bad

practise to intentionally check in commits that break builds (which is what happens if you cause `make test` to fail).

Boost provides a method of declaring that some specific tests are allowed to fail. This syntax is not consistently available in all supported Boost versions, so you should use the following construct:

[source,cpp]

```
#include <unit_test_utils/unit_test_utils.h>
```

```
// On platforms with older boosts, the test will be excluded entirely
```

```
#ifdef HAVE_EXPECTED_FAILURES
```

```
// Declare a test case with 1 "allowed" failure (out of 2, in this case)
```

```
BOOST_AUTO_TEST_CASE( SomeTest, *boost::unit_test::expected_failures( 1 ) )
```

```
{
```

```
    BOOST_CHECK_EQUAL( 1, 1 );
```

```
// This check fails, but does not cause a test suite failure
```

```
    BOOST_CHECK_EQUAL( 1, 2 );
```

```
    // Further failures *would* be a test suit failure
```

```
}
```

```
#endif
```

When run, this produces output somewhat like this:

[source,sh]

```
qa/common/test_mytest.cpp(123): error: in "MyTests/SomeTest": check 1 == 2 has failed [1 != 2
```

```
*** No errors detected
```

And the unit test executable returns `0` (success).

Checking in a failing test is a strictly temporary situation, used to illustrate

the triggering of a bug prior to fixing it. This is advantageous, not only from a "project history" perspective, but also to ensure that the test you write to catch the bug in question does, in fact, catch the bug in the first place.

==== Assertions

It is possible to check for assertions in unit tests. When running the unit tests, ``wxASSERT`` calls are caught and re-thrown as exceptions. You can then use the ``CHECK_WX_ASSERT`` macro to check this is called in Debug builds. In Release builds, the check is not run, as ``wxASSERT`` is disabled in these builds.

You can use this to ensure that code rejects invalid input correctly.

=== Python modules

The Pcbnew Python modules have some test programs in the ``qa`` directory. You must have the ``KICAD_SCRIPTING_MODULES`` option on in CMake to build the modules and enable this target.

The main test script is ``qa/test.py`` and the test units are in ``qa/testcases``. All the test units can be run using ``ctest python``, which runs ``test.py``.

You can also run an individual case manually, by making sure the modules are built, adding them to ``PYTHONPATH`` and running the test from the source tree:

```
[source,sh]
----
make pcbnew_python_module
export PYTHONPATH=/path/to/kicad/build/pcbnew
cd /path/to/kicad/source/qa
python2 testcase/test_001_pcb_load.py
```

```
----
==== Diagnosing segfaults
```

Although the module is Python, it links against a {cpp} library (the same one used by KiCad Pcbnew), so it can segfault if the library has a defect.

You can run the tests in GDB to trace this:

```
[source,sh]
```

```
----
```

```
$ gdb
```

```
(gdb) file python2
```

```
(gdb) run testcases/test_001_pcb_load.py
```

```
----
```

If the test segfaults, you will get a familiar backtrace, just like if you were running pcbnew under GDB.

== Utility programs

KiCad includes some utility programs that can be used for debugging, profiling, analysing or developing certain parts of the code without having to invoke the full GUI program.

Generally, they are part of the `qa\_\*\_tools` QA executables, each one containing the relevant tools for that library. To list the tools in a given program, pass the `-l` parameter. Most tools provide help with the `-h` argument.

To invoke a program:

```
qa_<lib>_tools <tool name> [-h] [tool arguments]
```

Below is a brief outline of some available tools. For full information and command-line parameters, refer to the tools' usage test (`-h`).

- * `common\_tools` (the common library and core functions):

- * `coroutine`: A simple coroutine example

- * ``io_benchmark``: Show relative speeds of reading files using various IO techniques.
- * ``qa_pcbnew_tools`` (pcbnew-related functions):
 - * ``drc``: Run and benchmark certain DRC functions on a user-provided ``.kicad_pcb`` files
 - * ``pcb_parser``: Parse user-provided ``.kicad_pcb`` files
 - * ``polygon_generator``: Dump polygons found on a PCB to the console
 - * ``polygon_triangulation``: Perform triangulation of zone polygons on PCBs

== Fuzz testing

It is possible to run fuzz testing on some parts of KiCad. To do this for a generic function, you need to be able to pass some kind of input from the fuzz testing tool to the function under test.

For example, to use the <http://lcamtuf.coredump.cx/afl/> [AFL fuzzing tool], you will need:

- * A test executable that can:
 - * Receive input from ``stdin`` to be run by ``afl-fuzz``.
 - * Optional: process input from a filename to allow ``afl-tmin`` to minimise the input files.
- * To compile this executable with an AFL compiler, to enable the instrumentation that allows the fuzzer to detect the fuzzing state.

For example, the ``qa_pcbnew_tools`` executable (which contains ``pcb_parser``, a fuzz testing tool for ``.kicad_pcb`` file parsing) can be compiled like this:

```
[source,sh]
----
```

```
mkdir build
```

```
cd build
```

```
cmake -DCMAKE_CXX_COMPILER=/usr/bin/afl-clang-fast++ -DCMAKE_C_COMPILER=/usr/bin/afl-clang-fast ../kicad_
```

```
make qa_pcbnew_tools
```

```
----
```

You may need to disable core dumps and CPU frequency scaling on your system (AFL will warn you if you should do this). For example, as root:

[source,sh]

```
# echo core >/proc/sys/kernel/core_pattern
# echo performance | tee cpu*/cpufreq/scaling_governor
```

To fuzz, run the executable via ``afl-fuzz``:

```
afl-fuzz -i fuzzin -o fuzzout -m500 qa/pcbnew_tools/qa_pcbnew_tools pcb_parser
```

where:

- * ``-i`` is a directory of files to use as fuzz input "seeds"
- * ``-o`` is a directory to write the results (including inputs that provoke crashes or hangs)
- * ``-t`` is the maximum time that a run is allowed to take before being declared a "hang"
- * ``-m`` is the memory allowed to use (this often needs to be bumped, as KiCad code tends to use a lot of memory to initialise)

The AFL TUI will then display the fuzzing progress, and you can use the hang- or crash-provoking inputs to debug code as needed.

== Run-time debugging

KiCad can be debugged at run-time, either under a full debugger such as GDB, or using simple methods like logging debug to the console.

=== Printing debug

If you are compiling KiCad yourself, you can simply add debugging statements to relevant places in the code, for example:

```
wxLogDebug( "Value of variable: %d", my_int );
```

This produces debug output that can only be seen when compiling

in Debug mode.

You can also use ``std::cout`` and ``printf``.

Ensure you do not leave this kind of debugging in place when submitting code.

=== Printing trace

Some parts of the code have "trace" that can be enabled selectively according to a "mask", for example:

```
wxLogTrace( "TRACEMASK", "My trace, value: %d", my_int );
```

This will not be printed by default. To show it, set the ``WXTRACE`` environment variable when you run KiCad to include the masks you wish to enable:

```
$ WXTRACE="TRACEMASK,OTHERMASK" kicad
```

When printed, the debug will be prefixed with a timestamp and the trace mask:

```
11:22:33: Trace: (TRACEMASK) My trace, value: 42
```

If you add a trace mask, define and document the mask as a variable in ``include/trace_helpers.h``. This will add it to the link:[http://docs.kicad.org/doxygen/group\\$__trace__env__\\$vars.html](http://docs.kicad.org/doxygen/group$__trace__env__$vars.html)[trace mask documentation].

Some available masks:

* Core KiCad functions:

- * ``KICAD_KEY_EVENTS``
- * ``KicadScrollSettings``
- * ``KICAD_FIND_ITEM``
- * ``KICAD_FIND_REPLACE``
- * ``KICAD_NGSPICE``
- * ``KICAD_PLUGINLOADER``

- * `GAL\_PROFILE`
- * `GAL\_CACHED\_CONTAINER`
- * `PNS`
- * `CN`
- * `SCROLL\_ZOOM` - for the scroll-wheel zooming logic in GAL

* Plugin-specific (including "standard" KiCad formats):

- * `3D\_CACHE`
- * `3D\_SG`
- * `3D\_RESOLVER`
- * `3D\_PLUGIN\_MANAGER`
- * `KI\_TRACE\_CCAMERA`
- * `PLUGIN\_IDF`
- * `PLUGIN\_VRML`
- * `KICAD\_SCH\_LEGACY\_PLUGIN`
- * `KICAD\_GEDA\_PLUGIN`
- * `KICAD\_PCB\_PLUGIN`

== Advanced configuration

There are some advance configuration options, which are mostly used for development or testing purposes.

To set these options, you can create the file `kicad\_advanced` and set the keys as desired (the http://docs.kicad.org/doxygen/namespaceAC__KEYS.html [advanced config documentation] for a never need to set these keys for normal usage - if you do, that's a bug.

Any features enabled though the advanced configuration system are considered experimental and therefore unsuitable for production use. These features are explicitly not supported or considered fully tested. Issues are still welcome for defects discovered.

== Router debugging

The push and shove (PNS) router has some debugging tools.
 === PNG debug graphics

Setting the ``ShowRouterDebugGraphics`` advanced config enables graphics which show some internal state of the router:

`image::images/pns_debug_graphics.png[alt="Screenshot of PNS debug graphics"]`

=== PNS logging

There is a logging function that allows the router to store and save a log of events that can be used to replay the events that lead to a problem.

To create a PNS log dump:

- * Set the advanced config option ``EnableRouterDump=1`` and restart KiCad
- * During routing, after recreating the issue, press ``0``.
- * Save the ``pns.log`` file where you want

To view a PNS log, you need to build an extra tool:

- * Set the ``KICAD_BUILD_PNS_DEBUG_TOOL`` CMake setting to ``ON``
- * Build the ``pns_debug_tool`` tool
- * Run this tool with ``./qa/tools/pns/pns_debug_tool replay path/to/pns.log``

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\testina\ index.zh-cn.adoc

Resumo: --- title: ■■■■ weight: 20 --- :toc: == ■■■■ KiCad ■■■■
■■■■ CMake ■
<https://cmake.org/cmake/help/latest/module/CTest.html>[CTest]■■■■ CTest
■■■■ C++ ■■■■
https://www.boost.org/doc/libs/1_68_0/libs/test/doc/html/index.html[Boost ■■■■...

title: ■■■■

weight: 20

:toc:

== ■■■■

KiCad ■■■■

■■■■

■■■■ CMake ■ <https://cmake.org/cmake/help/latest/module/CTest.html>[CTest]■■■■

CTest ■■■■

■■■ C++ ■■■■ https://www.boost.org/doc/libs/1_68_0/libs/test/doc/html/index.html[Boost ■■■■

■■■■

■■ CMake ■■■■ `qa\_` ■■■ CTest ■■■■

■■■ `qa\_` ■■■

=== ■■■■

■■■■ `make test` ■ `ctest` ■■■■

■■■■ CTest ■■■■ CI ■■■■

==== ■■■■

■■■■■ `ctest` ■■■■

■■■■■

■■■

— — — —

— — — —

11/11/2019

██████████████████████`-t`██████

==

[illegible]

```

■■■■■■■■■■ `qa` ■■■■■■ `xml` ■■■■■■

```

Python `.xml``

Boost ██████████


```

// ██████ boosts ████████████████████

#ifdef HAVE_EXPECTED_FAILURES

// ██████████ 1 █ "████" ███ (██████ 2 █)
BOOST_AUTO_TEST_CASE( SomeTest, *boost::unit_test::expected_failures( 1 ) )
{
    BOOST_CHECK_EQUAL( 1, 1 );

    // ████████████████████████████████
    BOOST_CHECK_EQUAL( 1, 2 );

    // █████████ *████* ██████████
}

#endif
-----

████████████████████████████████████████

[source,sh]
-----
qa/common/test_mytest.cpp(123): error: in "MyTests/SomeTest": check 1 == 2 has failed [1 != 2
*** No errors detected
-----

████████████████████████████████████████ `0` (██)█

████████████████████████████████████████
████████████████████████████████████████
██████ "████" ████████████████████
████████████████████████████████████████ bug █████████████████████████████████████████ bug█

==== ███

████████████████████████████████████████

```



```
(gdb) file python2
(gdb) run testcases/test_001_pcb_load.py
----
```

XXXXXXXXXXXXXXXXXXXX

■■■■ GDB ■■■■ pcbnew ■■■■

== ☐ ☐ ☐ ☐

[illegible]

■■■■■■■■■■ GUI ■■■■

[illegible]

■■■■■■■■■■■■■■■■■■■■ ' -l' ■■■■■■■■■■■■■■■■■■■■ ' -h' ■■■■■■■■

■■■■■■■■■■

```
qa_<lib>_tools <tool name> [-h] [tool arguments]
```

■■■■■■■■■■

■■■■■■■■■■ (` -h `)■■

```
* `common_tools` (■■■■■■■■■■)■
```

```
* `coroutine`: ████████████████████
```

```
* `io benchmark`: ████████ IO ████████████████████
```

```
* `qa_pcbnew_tools` (pcbnew ■■■■)■
```

```
* `drc`: ■■■■■■ `.kicad_pcb` ■■■■■■ DRC■■■■■■■■■■■■■■■■
```

```
* `pcb_parser`: ■■■■■■ `kicad_pcb` ■■
```

```
* `polygon_generator`: ■ PCB ■■■■■■■■■■■■■■
```

```
* `polygon_triangulation`: ■ PCB ■■■■■■■■■■■■■■■■■■■■
```

== ☐ ☐ ☐ ☐

KiCad

[illegible]

[REDACTED]

XXXXXXXXXXXXXXXXXXXX

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\tool-framework\ index.en.adoc

Resumo: --- title: Tool Framework weight: 18 --- :toc: This document briefly outlines the structure of the tool system in the GAL canvases. == Introduction The GAL (Graphics Abstraction Layer) framework provides a powerful method of easily adding tools to KiCad. Compared to the older "legac...

title: Tool Framework

weight: 18

:toc:

This document briefly outlines the structure of the tool system in the GAL canvases.

== Introduction

The GAL (Graphics Abstraction Layer) framework provides a powerful method of easily adding tools to KiCad. Compared to the older "legacy" canvas, GAL tools are more flexible, powerful and much easier to write.

A GAL "tool" is a class which provides one or more "actions" to perform. An action can be a simple one-off action (e.g. "zoom in" or "flip object"), or an interactive process (e.g. "manually edit polygon points").

Some examples of tools in the Pcbnew GAL are:

- * The selection tool - the "normal" tool. This tool enters a state where items can be added to a list of selected objects, which are then made available for other tools to act on.

(pcbnew/tools/selection_tool.cpp, pcbnew/tools/selection_tool.h)

- * The edit tool - this tool is active when a component is "picked up", and tracks the mouse position to allow the user to move a component.

Aspects of editing (e.g. flip) are also made available for use by hotkeys or other tools.

(pcbnew/tools/edit_tool.cpp,pcbnew/tools/edit_tool.h)

- * The drawing tool - this tool controls the process of drawing graphics elements such as line segments and circles.

(pcbnew/tools/drawing_tool.cpp,pcbnew/tools/drawing_tool.h)

- * The zoom tool - allows the user to zoom in and out.

== Major parts of a tool

There are two main aspects to tools: the actions and the the tool class.

=== Tool actions

The ``TOOL_ACTION`` class acts as a handle for the GAL framework to call on actions provided by tools. Generally, every action, interactive or not, has a ``TOOL_ACTION`` instance. This provides:

- * A "name", which is of the format ``pcbnew.ToolName.actionName``, which is used internally to dispatch the action
- * A "scope", which determines when the tools is available:
 - * ``AS_CONTEXT``, when the action is specific to a particular tool. For example, ``pcbnew.InteractiveDrawing.incWidth`` increases the width of a line while the line is still being drawn.
 - * ``AS_GLOBAL``, when the tool can always be invoked, by a hotkey, or during the execution of a different tool. For example, the zoom actions can be accessed from the selection tool's menu during the interactive selection process.
- * A "default hotkey", which is used if the user doesn't provide their own configuration.
- * A "menu item", which is the (translatable) string shown when this tool is accessed from a menu.
- * A "menu description", which is the string shown in the menu item's tooltip and provides a more detailed description if needed.
- * An "icon", which is shown in menus and on buttons for the action
- * "Flags" which include:
 - * ``AF_ACTIVATE`` which indicates that the tool enters an active state. When

a tool is active it will keep receiving UI events, such as mouse clicks or key presses, which are normally handled in an event loop (see `TOOL_INTERACTIVE::Wait()`).

- * A parameter, which allows different actions to call the same function with different effects, for example "step left" and "step right".

=== The tool class

GAL tools inherit the ``TOOL_BASE`` class. A Pcbnew tool will generally inherit from ``PCB_TOOL``, which is a ``TOOL_INTERACTIVE``, which is a ``TOOL_BASE``. Eeschema tools inherit directly from ``TOOL_INTERACTIVE``.

The tool class for a tool can be fairly lightweight - much of the functionality is inherited from the tool's base classes. These base classes provide access to several things, particularly:

- * Access to the parent frame (a ``wxWindow``, which can be used to modify the viewport, set cursors and status bar content, etc.
 - * Use the function ``getEditFrame<T>()``, where ``T`` is the frame subclass you want. In ``PCB_TOOL``, this is likely ``PCB_EDIT_FRAME``.
- * Access to the ``TOOL_MANAGER`` which can be used to access other tools' actions.
- * Access to the "model" (some sort of ``EDA_ITEM``) which backs the tool.
 - * Access with ``getModel<T>()``. In ``PCB_TOOL``, the model type ``T`` is ``BOARD``, which can be used to access and modify the PCB content.
- * Access to the ``KIGFX::VIEW`` and ``KIGFX::VIEW_CONTROLS``, which are used to manipulate the GAL canvas.

The major parts of tool's implementation are the functions used by the ``TOOL_MANAGER`` to set up and manage the tool:

- * Constructor and destructor to establish whatever class members are required.
- * The `TOOL_BASE` class requires a string to be passed for the tool name, which normally looks like ``pcbnew.ToolName``.

- * ``Init()`` function (optional), which is commonly used to fill in a context menu, either belonging to this tool, or access another tool's menu and add items to that. This function is called once, when the tool is registered with the tool manager.
- * ``Reset()`` function, called when the model (e.g. the ``BOARD``) is reloaded, when the GAL canvas is switched, and also just after tool registration. Any resource claimed from the GAL view or the model must be released in this function, as they could become invalid.
- * ``setTransitions()`` function, which maps tool actions to functions within the tool class.
- * One or more functions to call when actions are invoked. Many actions can invoke the same function if desired. The functions have the following signature:
 - * `int TOOL_CLASS::FunctionName( const TOOL_EVENT& aEvent )`
 - * Returning 0 means success.
 - * These functions are called by the ``TOOL_MANAGER`` in case an associated event arrives (association is created with `TOOL_INTERACTIVE::Go()` function).
 - * These can generally be private, as they are not called directly by any other code, but are invoked by the tool manager's coroutine framework according to the ``setTransitions()`` map.

=== Interactive actions

The action handlers for an interactive actions handle repeated actions from the tool manager in a loop, until an action indicating that the tool should exit.

Interactive tools also normally indicate that they are active with a cursor change and by setting a status string.

[source,cpp]

```
int TOOL_NAME::someAction( const TOOL_EVENT& aEvent )
{
    auto& frame = *getEditFrame<PCB_EDIT_FRAME>();
```

```

// set tool hint and cursor (actually looks like a crosshair)
frame.SetToolID( ID_LOCAL_RATSNEST_BUTT,
                 wxCURSOR_PENCIL, _( "Select item to move left" ) );
getViewControls()->ShowCursor( true );

// activate the tool, now it will be the first one to receive events
// you can skip this, if you are writing a handler for a single action
// (e.g. zoom in), opposed to interactive tool that requires further
// events to operate (e.g. dragging a component)
Activate();

// the main event loop
while( OPT_TOOL_EVENT evt = Wait() )
{
    if( evt->IsCancel() || evt->IsActivate() )
    {
        // end of interactive tool
        break;
    }
    else if( evt->IsClick( BUT_LEFT ) )
    {
        // do something here
    }
    // other events...
}

// reset the PCB frame to how it was when we got it
frame.SetToolID( ID_NO_TOOL_SELECTED, wxCURSOR_DEFAULT, wxEmptyString );
getViewControls()->ShowCursor( false );

return 0;
}

----
=== The tool menu
Top level tools, i.e. tools that the user enters directly, usually
provide their own context menu. Tools that are called only from other

```

tools' interactive modes add their menu items to those tools' menus.

To use a ``TOOL_MENU`` in a top level tool, simply add one as a member and initialize it with a reference to the tools at construction time:
[source,cpp]

```
class TOOL_NAME: public PCB_TOOL
{
public:
    TOOL_NAME() :
        PCB_TOOL( "pcbnew.MyNewTool" ),
        m_menu( *this )
    {}

```

```
private:

```

```
    TOOL_MENU m_menu;

```

```
}
```

You can then add a menu accessor, or provide a custom function to allow other tools to add any other actions, or a subset that you think appropriate.

You can then invoke the menu from an interactive tool loop by calling ``m_menu.ShowContextMenu()``. Clicking on the tool's entry in this menu will trigger the action - there is no further action needed in your tool's event loop.

Commit objects

The ``COMMIT`` class manages changes to ``EDA_ITEMS``, which combines changes on any number of items into a single undo/redo action.

When editing PCBs, changes to the PCB are managed by the derived ``BOARD_COMMIT`` class.

This class takes either a ``PCB_BASE_FRAME`` or a ``PCB_TOOL`` as an argument. Using ``PCB_TOOL`` is more appropriate for a GAL tool, since there's no need to go through a frame class if not required.

The procedure of a commit is:

- * Construct an appropriate ``COMMIT`` object
- * Before modifying any item, add it to the commit with ``Modify( item )`` so that the current item state can be stored as an undo point.
- * When adding a new item, call ``Add( item )``. Do not delete the added item, unless you are going to abort the commit.
- * When removing an item, call ``Remove( item )``. You should not delete the removed item, it will be stored in the undo buffer.
- * Finalize the commit with ``Push( "Description" )``. If you performed no modifications, additions or removals, this is a no-op, so you don't need to check if you made any changes before pushing.

If you want to abort a commit, you can just destruct it, without calling ``Push()``. The underlying model won't be updated.

As an example:

[source,cpp]

```
// Construct commit from current PCB_TOOL
```

```
BOARD_COMMIT commit( this );
```

```
BOARD_ITEM* modifiedItem = getSomeItemToModify();  
// tell the commit we're going to change the item
```

```
commit.Modify( modifiedItem );
```

```
// update the item
```

```
modifiedItem->Move( x, y );
```

```
// create a new item
```



```

PCB_SHAPE* newItem = new PCB_SHAPE;

// ... set up item here

// add to commit
commit.Add( newItem );

// update the model and add the undo point
commit.Push( "Modified one item, added another" );
-----

== Tutorial: Adding a new tool

```

Without getting too heavily into the details of how the GAL tool framework is implemented under the surface, let's look at how you could add a brand new tool to Pcbnew. Our tool will have the following (rather useless) functions:

- * An interactive tool which will allow the user to select a point, choose from the items at that point and then move that item 10mm to the left.
- * While in this mode, the context menu will have more options:
 - * Use of the "normal" canvas zoom and grid options
 - * A non-interactive tool which will add a fixed circle at a fixed point.
 - * A way to invoke the non-interactive "unfill all zones" tool from the PCB_EDITOR_CONTROL tool.

```
## Declare tool actions {#declare-actions}
```

The first step is to add tool actions. We will implement two actions named:

- * ``Pcbnew.UselessTool.MoveItemLeft`` - the interactive tool
 - * ``Pcbnew.UselessTool.FixedCircle`` - the non-interactive tool.
- The "unfill tool" already exists with the name

```
`pcbnew.EditorControl.zoneUnfillAll`.
```

This guide assumes we will be adding a tool to Pcbnew, but the procedure for other GAL-capable canvases will be similar.

In ``pcbnew/tools/pcb_actions.h``, we add the following to the ``PCB_ACTIONS`` class, which declares our tools:

```
[source,cpp]
```

```
----
```

```
static TOOL_ACTION uselessMoveItemLeft;
```

```
static TOOL_ACTION uselessFixedCircle;
```

```
----
```

Definitions of actions generally happen in the `.cpp` of the relevant tool.

It doesn't actually matter where the definition occurs (the declaration is enough to use the action), as long as it's linked in the end.

Similar tools should always be defined together.

In our case, since we're making a new tool, this will be in ``pcbnew/tools/useless_tool.cpp``. If adding actions to existing tools, the prefix of the tool string (e.g. ``"Pcbnew.UselessTool"``) will be a strong indicator as to where to define the tool.

The tools definitions look like this:

```
[source,cpp]
```

```
----
```

```
TOOL_ACTION COMMON_ACTIONS::uselessMoveItemLeft(  
    "pcbnew.UselessTool.MoveItemLeft",  
    AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'L' ),  
    _( "Move item left" ), _( "Select and move item left" ) );
```

```
TOOL_ACTION COMMON_ACTIONS::uselessFixedCircle(  
    "pcbnew.UselessTool.FixedCircle",
```

```
AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'C' ),
_( "Fixed circle" ), _( "Add a fixed size circle in a fixed place" ),
add_circle_xpm );
----
```

We have defined hotkeys for each action, and they are both global. This means you can use ``Shift+Ctrl+L`` and ``Shift-Ctrl-C`` to access each tool respectively.

We defined an icon for one of the tools, which should appear in any menu the item is added to, along with the given label and explanatory tooltip.

We now have two actions defined, but they are not connected to anything. We need to define a functions which implement the right actions. You can add these to an existing tool (for example `PCB_EDITOR_CONTROL`, which deals with many general PCB modification operation like zone filling), or you can write a whole new tool to keep things separate and give you more scope for adding tool state.

We will write our own tool to demonstrate the process.

=== Add tool class declaration

Add a new tool class header ``pcbnew/tools/useless_tool.h`` containing the following class:

[source, cpp]

```

-----
class USELESS_TOOL : public PCB_TOOL
{
public:
    USELESS_TOOL();

    ~USELESS_TOOL();
    ///< React to model/view changes

```

```

void Reset( RESET_REASON aReason ) override;

///< Basic initialization

bool Init() override;
///< Bind handlers to corresponding TOOL_ACTIONS

void setTransitions() override;

private:

    ///< 'Move selected left' interactive tool

    int moveLeft( const TOOL_EVENT& aEvent );

    ///< Internal function to perform the move left action

    void moveLeftInt();

    ///< Add a fixed size circle

    int fixedCircle( const TOOL_EVENT& aEvent );

    ///< Menu model displayed by the tool.

    TOOL_MENU m_menu;
};
-----

```

=== Implement tool class methods

In the `pcbnew/tools/useless\_tool.cpp`, implement the required methods.
 In this file, you might also add free function helpers, other classes,
 and so on.

You will need to add this file to the `pcbnew/CMakeLists.txt` to
 build it.

Below you will find the contents of useless_tool.cpp:

[source,cpp]

```

#include "useless_tool.h"

#include <class_draw_panel_gal.h>
#include <view/view_controls.h>
#include <view/view.h>
#include <tool/tool_manager.h>
#include <board_commit.h>

// For frame ToolID values
#include <pcbnew_id.h>

// For action icons
#include <bitmaps.h>

// Items tool can act on
#include <class_board_item.h>
#include <class_drawsegment.h>

// Access to other PCB actions and tools
#include "pcb_actions.h"
#include "selection_tool.h"

/*
 * Tool-specific action definitions
 */

TOOL_ACTION PCB_ACTIONS::uselessMoveItemLeft(
    "pcbnew.UselessTool.MoveItemLeft",
    AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'L' ),
    _( "Move item left" ), _( "Select and move item left" ) );

TOOL_ACTION PCB_ACTIONS::uselessFixedCircle(
    "pcbnew.UselessTool.FixedCircle",
    AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'C' ),
    _( "Fixed circle" ), _( "Add a fixed size circle in a fixed place" ),

```

```

        add_circle_xpm );

/*
 * USELESS_TOOL implementation
 */

USELESS_TOOL::USELESS_TOOL() :
    PCB_TOOL( "pcbnew.UselessTool" ),
    m_menu( *this )
{
}

USELESS_TOOL::~~USELESS_TOOL()
{
}

void USELESS_TOOL::Reset( RESET_REASON aReason )
{
}

bool USELESS_TOOL::Init()
{
    auto& menu = m_menu.GetMenu();

    // add our own tool's action
    menu.AddItem( PCB_ACTIONS::uselessFixedCircle );

    // add the PCB_EDITOR_CONTROL's zone unfill all action
    menu.AddItem( PCB_ACTIONS::zoneUnfillAll );

    // Add standard zoom and grid tool actions
    m_menu.AddStandardSubMenus( *getEditFrame<PCB_BASE_FRAME>() );
    return true;
}

```

```

void USELESS_TOOL::moveLeftInt()
{
    // we will call actions on the selection tool to get the current
    // selection. The selection tools will handle item disambiguation
    PCB_SELECTION_TOOL* selectionTool = m_toolMgr->GetTool<PCB_SELECTION_TOOL>();
    assert( selectionTool );

    // call the actions
    m_toolMgr->RunAction( PCB_ACTIONS::selectionClear, true );
    m_toolMgr->RunAction( PCB_ACTIONS::selectionCursor, true );
    selectionTool->SanitizeSelection();

    const SELECTION& selection = selectionTool->GetSelection();

    // nothing selected, return to event loop
    if( selection.Empty() )
        return;
    BOARD_COMMIT commit( this );

    // iterate BOARD_ITEM* container, moving each item
    for( auto item : selection )
    {
        commit.Modify( item );
        item->Move( wxPoint( -5 * IU_PER_MM, 0 ) );
    }

    // push commit - if selection were empty, this is a no-op
    commit.Push( "Move left" );
}

int USELESS_TOOL::moveLeft( const TOOL_EVENT& aEvent )
{
    auto& frame = *getEditFrame<PCB_EDIT_FRAME>();

    // set tool hint and cursor (actually looks like a crosshair)

```

```

frame.SetToolID( ID_NO_TOOL_SELECTED,
                 wxCURSOR_PENCIL, _( "Select item to move left" ) );

getViewControls()->ShowCursor( true );

Activate();

// handle tool events for as long as the tool is active
while( OPT_TOOL_EVENT evt = Wait() )
{
    if( evt->IsCancel() || evt->IsActivate() )
    {
        // end of interactive tool
        break;
    }
    else if( evt->IsClick( BUT_RIGHT ) )
    {
        m_menu.ShowContextMenu();
    }
    else if( evt->IsClick( BUT_LEFT ) )
    {
        // invoke the main action logic
        moveLeftInt();

        // keep showing the edit cursor
        getViewControls()->ShowCursor( true );
    }
}

// reset the PCB frame to how it was we got it
frame.SetToolID( ID_NO_TOOL_SELECTED, wxCURSOR_DEFAULT, wxEmptyString );
getViewControls()->ShowCursor( false );

// exit action
return 0;

```



```
}
```

```
int USELESS_TOOL::fixedCircle( const TOOL_EVENT& aEvent )
```

```
{
```

```
    // new circle to add (ideally use a smart pointer)  
    PCB_SHAPE* circle = new PCB_SHAPE;
```

```
    // Set the circle attributes
```

```
    circle->SetShape( S_CIRCLE );
```

```
    circle->SetWidth( 5 * IU_PER_MM );
```

```
    circle->SetStart( wxPoint( 50 * IU_PER_MM, 50 * IU_PER_MM ) );
```

```
    circle->SetEnd( wxPoint( 80 * IU_PER_MM, 80 * IU_PER_MM ) );
```

```
    circle->SetLayer( LAYER_ID::F_Silks );
```

```
    // commit the circle to the BOARD
```

```
    BOARD_COMMIT commit( this );
```

```
    commit.Add( circle );
```

```
    commit.Push( _( "Draw a circle" ) );
```

```
    return 0;
```

```
}
```

```
void USELESS_TOOL::setTransitions()
```

```
{
```

```
    Go( &USELESS_TOOL::fixedCircle, PCB_ACTIONS::uselessFixedCircle.MakeEvent() );
```

```
    Go( &USELESS_TOOL::moveLeft, PCB_ACTIONS::uselessMoveItemLeft.MakeEvent() );
```

```
}
```

```
----
```

```
=== Register the tool
```

The last step is to register the tool in the tool manager.
This is done in the frame's ``setupTools()`` function for whichever
``EDA_DRAW_FRAME`` support that tool.

=== Build and run

When this is all done, you should have modified the following files:

- * ``pcbnew/tools/common_actions.h`` - action declarations
- * ``pcbnew/tools/useless_tool.h`` - tool header
- * ``pcbnew/tools/useless_tool.cpp`` - action definitions and tool implementation
- * ``pcbnew/tools/tools_common.cpp`` - registration of the tool
- * ``pcbnew/CMakeLists.txt`` - for building the new .cpp files

When you run Pcbnew, you should be able to press ``Shift+Ctrl+L`` to enter the "move item left" tool - the cursor will change to a crosshair and "Select item to move left" appears in the bottom right corner.

When you right-click, you get a menu, which contains an entry for our "create fixed circle" tool and one for the existing "unfill all zones" tool which we added to the menu. You can also use ``Shift+Ctrl+C`` to access the fixed circle action.

Congratulations, you have just created your first KiCad tool!

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\components\tool-framework\ index.zh-cn.adoc

```
Resumo: --- title: ■■■■ weight: 18 --- :toc: ■■■■■■■ GAL ■■■■■■■■■ = ■■ GAL
(■■■■) ■■■■■■■■■■■■■■■■■■■ KiCad ■■■■ "■■" ■■■■■GAL
■■■■■■■■■■ GAL "■■" ■■■■■■■■■■■ "■■" ■■■
■■■■■■■■■■(■■ "■■" ■ "■■■■") ■■■■■■■■■(■■ "■■■■■■■■") Pcbnew
GAL ■■■■■■■■■ * ■■■■ - "...
```

— — —

```
title: ■■■■
```

weight: 18

— — —

```
:toc:
```

■■■■■■■■■■ GAL ■■■■■■■■■■

== ■■

[illegible]

000 "00" 00000GAL 00000000000000000000

GAL "■■" ■■■■■■■■■■ "■■" ■■■

§ 87(2)(b) ("§ 87(2)(b)")

██████████ (████ "██████████████████")████

Pcbnew GAL ■■■■■■■■■■

* ■■■■ - "normal" ■■■■■■■■■■■■■■■■■■■■

□ □

■■■■■■■■■■

(pcbnew/tools/selection_tool.cpp, pcbnew/tools/selection_tool.h)

* ■■■■ - ■■■■■■■■ "picked up" ■■■■■■■■

[REDACTED]

██████████ (**██████**) **██**

```

_____(_____,_____)
(pcbnew/tools/edit_tool.cpp,pcbnew/tools/edit_tool.h)

```

```

    (pcbnew/tools/drawing_tool.cpp,pcbnew/tools/drawing_tool.h)

*  -

==

=====

=====

==

`TOOL_ACTION` GAL

===== `TOOL_ACTION`

=====

*  `pcbnew.ToolName.actionName`

*  " "

*  `AS_CONTEXT`

    `pcbnew.InteractiveDrawing.incWidth`

*  `AS_GLOBAL`

    " "

*  " "

*  " "

*  " "

*  " "

*  `AF_ACTIVATE`

    UI

    ( TOOL_INTERACTIVE::Wait())

*  " " " "

==

```


[illegible]


```

TOOL_MENU m_menu;
}

-----

#####

#####
##### `m_menu.ShowContextMenu()` #####
##### - #####

## #####

`COMMIT` ##### `EDA_ITEMS` #####
#####/#####
##### PCB ##### PCB ##### `BOARD_COMMIT` #####

##### `PCB_BASE_FRAME` ■ `PCB_TOOL` #####
##### GAL ##### `PCB_TOOL` #####

##### frame ■■

#####

* ##### `COMMIT` ■■
* ##### `Modify( item )` #####
#####
* ##### `Add( item )`■
#####
* ##### `Remove( item )`■
#####
* ■■ `Push( "Description" )` #####
#####
#####

##### `Push()`■

#####
#####
[source,cpp]

```


[illegible]

```

*      PCB_EDITOR_CONTROL
"unfill all zones"

##      {#declare-actions}

* `Pcbnew.UselessTool.MoveItemLeft` -
* `Pcbnew.UselessTool.FixedCircle` -

`pcbnew.EditorControl.zoneUnfillAll`
" "

Pcbnew
GAL

`pcbnew/tools/pcb_actions.h` `PCB_ACTIONS`

[source, cpp]
----
static TOOL_ACTION uselessMoveItemLeft;
static TOOL_ACTION uselessFixedCircle;
----

.cpp
( )

`pcbnew/tools/unuble_tool.cpp`
" `Pcbnew.UselessTool`" )

```

— — — —

```

TOOL_ACTION COMMON_ACTIONS::uselessFixedCircle(
    "pcbnew.UselessTool.FixedCircle",
    AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'C' ),
    _( "■■■" ), _( "■■■■■■■■■■■■■■■■■■■■" ),
    add_circle_xpm );

```

— — — —

[illegible][illegible][illegible]

■■■■■■■■■■

== [REDACTED]

```
■■■■■■■■■■ `pcbnew/tools/inusable_tool.h`■■
■■■■■■■■
```

— — — —

■■■■■■ useless_tool.cpp ■■■■

[source,cpp]

#include "useless_tool.h"

#include <class_draw_panel_gal.h>

#include <view/view_controls.h>

#include <view/view.h>

#include <tool/tool_manager.h>

#include <board_commit.h>

// ■■■■■■ ID ■

#include <pcbnew_id.h>

// ■■■■■■

#include <bitmaps.h>

// ■■■■■■■■■■

#include <class_board_item.h>

#include <class_drawsegment.h>

// ■■■■ PCB ■■■■■■

#include "pcb_actions.h"

#include "selection_tool.h"

/*

* ■■■■■■■■■■

*/

```
TOOL_ACTION PCB_ACTIONS::uselessMoveItemLeft(  
    "pcbnew.UselessTool.MoveItemLeft",  
    AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'L' ),  
    _( "■■■■■" ), _( "■■■■■■■■■■" ) );  
TOOL_ACTION PCB_ACTIONS::uselessFixedCircle(  
    "pcbnew.UselessTool.FixedCircle",
```

```

        AS_GLOBAL, MD_CTRL + MD_SHIFT + int( 'C' ),
        _( "■■■■" ), _( "■■■■■■■■■■■■■■■■■■■■" ),
        add_circle_xpm );

/*
 * USELESS_TOOL ■■
 */

USELESS_TOOL::USELESS_TOOL() :
    PCB_TOOL( "pcbnew.UselessTool" ),
    m_menu( *this )
{
}

USELESS_TOOL::~~USELESS_TOOL()
{}

void USELESS_TOOL::Reset( RESET_REASON aReason )
{
}

bool USELESS_TOOL::Init()
{
    auto& menu = m_menu.GetMenu();

    // ■■■■■■■■■■■■■■■■■■■■■■

    menu.AddItem( PCB_ACTIONS::uselessFixedCircle );

    // ■■ PCB_EDITOR_CONTROL's ■■■■■■■■■■■■■■■■■■■■■■

    menu.AddItem( PCB_ACTIONS::zoneUnfillAll );

    // ■■■■■■■■■■■■■■■■■■■■■■

    m_menu.AddStandardSubMenus( *getEditFrame<PCB_BASE_FRAME>() );

```

```

        return true;
    }

void USELESS_TOOL::moveLeftInt()
{
    // ████████████████████████████████████████

    // ████████████████████

    PCB_SELECTION_TOOL* selectionTool = m_toolMgr->GetTool<PCB_SELECTION_TOOL>();
    assert( selectionTool );

    // ██████

    m_toolMgr->RunAction( PCB_ACTIONS::selectionClear, true );
    m_toolMgr->RunAction( PCB_ACTIONS::selectionCursor, true );
    selectionTool->SanitizeSelection();

    const SELECTION& selection = selectionTool->GetSelection();

    // ████████████████████████████████████████

    if( selection.Empty() )
        return;

    BOARD_COMMIT commit( this );

    // ███ BOARD_ITEM* ████████████████████

    for( auto item : selection )
    {
        commit.Modify( item );
        item->Move( wxPoint( -5 * IU_PER_MM, 0 ) );
    }

    // push commit - ████████████████████████████████████████

    commit.Push( "Move left" );
}
int USELESS_TOOL::moveLeft( const TOOL_EVENT& aEvent )
{

```

```

auto& frame = *getEditFrame<PCB_EDIT_FRAME>();

// ■■■■■■■■■■ (■■■■■■■■■■■)
frame.SetToolID( ID_NO_TOOL_SELECTED,
                 wxCURSOR_PENCIL, _( "■■■■■■■■■■■" ) );

getViewControls()->ShowCursor( true );

Activate();

// ■■■■■■■■■■■■■■■■■■■■■■
while( OPT_TOOL_EVENT evt = Wait() )
{
    if( evt->IsCancel() || evt->IsActivate() )
    {
        // ■■■■■■■■
        break;
    }
    else if( evt->IsClick( BUT_RIGHT ) )
    {
        m_menu.ShowContextMenu();
    }
    else if( evt->IsClick( BUT_LEFT ) )
    {
        // ■■■■■■■■
        moveLeftInt();

        // ■■■■■■■■
        getViewControls()->ShowCursor( true );
    }
}

// ■ PCB ■■■■■■■■■■■■■■■■■■■■■■
frame.SetToolID( ID_NO_TOOL_SELECTED, wxCURSOR_DEFAULT, wxEmptyString );
getViewControls()->ShowCursor( false );

```



```
// ■■■■  
return 0;  
  
}  
  
int USELESS_TOOL::fixedCircle( const TOOL_EVENT& aEvent )  
{  
  
    // ■■■■■■ (■■■■■■■■■■)   
  
    PCB_SHAPE* circle = new PCB_SHAPE;  
  
  
    // ■■■■■■  
  
    circle->SetShape( S_CIRCLE );  
  
    circle->SetWidth( 5 * IU_PER_MM );  
  
    circle->SetStart( wxPoint( 50 * IU_PER_MM, 50 * IU_PER_MM ) );  
  
    circle->SetEnd( wxPoint( 80 * IU_PER_MM, 80 * IU_PER_MM ) );  
  
    circle->SetLayer( LAYER_ID::F_Silks );  
  
  
    // ■■■■■■ BOARD ■  
  
    BOARD_COMMIT commit( this );  
  
    commit.Add( circle );  
  
    commit.Push( _( "■■■■■" ) );  
  
  
    return 0;  
  
}  
  
  
  
  
void USELESS_TOOL::setTransitions()  
{  
  
    Go( &USELESS_TOOL::fixedCircle, PCB_ACTIONS::uselessFixedCircle.MakeEvent() );  
  
    Go( &USELESS_TOOL::moveLeft, PCB_ACTIONS::uselessMoveItemLeft.MakeEvent() );  
  
}  
  
----  
  
=== ■■■■■■  
■■■■■■■■■■■■■■■■■■■■
```

```
██████████ `EDA_DRAW_FRAME` █
██████████ `setupTools()` ██████████
```

```
=== ██████
```

```
████████████████████████████████████████
```

```
* `pcbnew/tools/common_actions.h` - ██████
* `pcbnew/tools/useless_tool.h` - ██████
* `pcbnew/tools/useless_tool.cpp` - ██████████
* `pcbnew/tools/tools_common.cpp` - ██████
* `pcbnew/CMakeLists.txt` - ██████████ .cpp █
```

```
██████ Pcbnew ██████████ `Shift+Ctrl+L`
```

```
██ "████████" █-████████████████
```

```
████████ "████████████████"█
```

```
████████████████████████████████████████
```

```
████████████████ "██████" ██████
```

```
████████████████████████████████████████ "██████████" ██████
```

```
████████ `Shift+Ctrl+C` ██████████
```

```
████████████████████████████████████████ KiCad ████
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\ index.en.adoc

Resumo: --- title: File Formats weight: 40 pre: "<i class='fas fa-chevron-right'></i> " --- :TOC: ==
Formats {{% children description="false" sort="weight" %}}

title: File Formats

weight: 40

pre: "<i class='fas fa-chevron-right'></i> "

:TOC:

== Formats

{{% children description="false" sort="weight" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\legacy-4-to-6\ index.en.adoc

Resumo: --- title: Legacy Formats (4.0 up to 6.0) weight: 49 pre: "<i class='fas fa-chevron-right'></i> " --- .Summary The file formats from versions 4.0 up to but not including 6.0. <!--more--> == Legacy Format (4.0 up to 6.0) Older documentation for the non-s-expression schematic file forma...

title: Legacy Formats (4.0 up to 6.0)

weight: 49

pre: "<i class='fas fa-chevron-right'></i> "

.Summary The file formats from versions 4.0 up to but not including 6.0.

<!--more-->

== Legacy Format (4.0 up to 6.0)

Older documentation for the non-s-expression schematic file format and older printed circuit board s-expression format is [link:legacy_file_format_documentation.pdf](#)[available here].

NOTE: The old printed circuit board file format document is not up to date and should ****not**** be used as a reference.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\legacv-ncb\ index.en.adoc

Resumo: --- title: Legacy Board Format (pre 4.0) weight: 50 --- .Summary The printed circuit board file format prior to version 4.0. <!--more--> WARNING: This is for the PCB file format before the S expression format introduced in KiCad 4.0. This documentation is a mostly verbatim copy o...

title: Legacy Board Format (pre 4.0)

weight: 50

.Summary The printed circuit board file format prior to version 4.0.

<!--more-->

WARNING: This is for the PCB file format before the S expression format introduced in KiCad 4.0.

This documentation is a mostly verbatim copy of what was written back then and the quality may be poor. This is only included as a reference and is not maintained.

==■Information about V1 version:

* Board files (*.brd files) are in ASCII format.

* Dimensions are in 1/10000 inch, except for the page size (in 1/1000 inch).

First line is something as:

PCBNEW-BOARD Version 1 date 02/04/2011 15:04:20

All the following descriptions are like this:

```

\$DESCRIPTION

some data

...

\$endDESCRIPTION

```

When <DESCRIPTION> is an identifier which gives the meaning of the data between \$DESCRIPTION and \$endDESCRIPTION.

Example:

...

\$GENERAL

encoding utf-8

LayerCount 2

Ly 1FFF8001

Links 66

NoConn 0

Di 24940 20675 73708 40323

Ndraw 16

Ntrack 267

Nzone 1929

Nmodule 29

Nnets 26

\$EndGENERAL

\$SHEETDESCR

Sheet A4 11700 8267

Title ""

Date "23 feb 2004"

Rev ""

Comp ""

Comment1 ""

Comment2 ""

Comment3 ""

Comment4 ""

\$EndSHEETDESCR

...

== ■Information about V2 version:

The file format is exactly the same format, and the extension is still .brd.

However, dimensions are in mm (floating notation), except for the page size (in 1/1000 inch).

Because the internal Pcbnew unit is now 1nm, the integer coordinates in 1/10000 inch cannot be used in files. Of course, the Pcbnew versions which are in nm are able to read the V1 version files, but can only write files in V2 version. The V2 version should be seen as a temporary

way to store boards without loss of resolution.

First line is something as:

`PCBNEW-BOARD Version 2 date 22/02/2013 15:04:20`

All the following descriptions are like this:

```

\$DESCRIPTION

some data

...

\$endDESCRIPTION

```

Example:

```

PCBNEW-BOARD Version 2 date 22/02/2013 10:33:30

# Created by Pcbnew(2013-02-20 BZR 3963)-testing

\$GENERAL

encoding utf-8

Units mm

LayerCount 2

EnabledLayers 1FFF8001

Links 200

NoConn 0

Di 69.241669 24.89454 202.336401 196.2404

Ndraw 19

Ntrack 779

Nzone 0

BoardThickness 1.6002

Nmodule 25

Nnets 111

\$EndGENERAL

```

== Information about new "S expression" version:

For Pcbnew versions in nanometers, the default file format is now using "S expressions".

This new format uses mm for coordinates, fixes issues (like spaces in names) in V1 and V2

versions, and is more human readable than the older format. The new file extension is .kicad_pcb

Here is a sample:

...

```
(kicad_pcb (version 3) (host pcbnew "(2013-01-12 BZR 3902)-testing")
```

```
  (general
    (links 200)
    (no_connects 0)
    (area 69.241669 24.89454 202.336401 196.2404)
    (thickness 1.6002)
    (drawings 19)
    (tracks 779)
    (zones 0)
    (modules 25)
    (nets 111)
  )
```

```
  (page A4)
  (title_block
    (title Demo)
    (rev 2.C)
    (company Kicad)
  )
```

...

== ■Layer numbering:

Tracks and other items (texts, drawings ...) use one layer.

Pads and vias use several layers.

There are 16 copper layers and 13 technical layers.

The layer parameter used in descriptions has the value:

|===

|value|■layer name |

|0■|Copper layer .3+|"Copper" layers
 |1 to 14|■Inner layers
 |15| Component layer
 |16■|Copper side adhesive layer .16+|"Technical" layers
 |17■|Component side adhesive layer
 |18■|Copper side Solder paste layer
 |19■|Component Solder paste layer
 |20■|Copper side Silk screen layer
 |21■|Component Silk screen layer
 |22■|Copper side Solder mask layer
 |23■|Component Solder mask layer
 |24■|Draw layer (Used for general drawings)
 |25■|Comment layer (Other layer used for general drawings)
 |26■|EC01 layer (Other layer used for general drawings)
 |27■|EC02 layer (Other layer used for general drawings)
 |28■|Edge layer. Items on Edge layer are seen on all layers
 |29■|Not yet used
 |30■|Not yet used
 |31■|Not yet used
 |===

Mask layer:

Sometimes, a mask layer parameter is used.

It is a 32 bits mask used to indicate a layer group usage (0 up to 32 layers).

A mask layer parameter is given in hexadecimal form.

Bit 0 is the copper layer, bit 1 is the inner 1 layer, and so on...(Bit 27 is the Edge layer).

Mask layer is the ORed mask of the used layers

==■First line of description:

Format:

`PCBNEW-BOARD Version <version number> date <date>-<time>`
 Date and time are useful only for information (not used by pcbnew).
 ==■\$GENERAL
 This data is useful only when loading file.

It is used by Pcbnew for displaying activity when loading data.

|===

|\$GENERAL█| Start description

|Ly 1FFF8001█|Obsolete (used for old pcbnew compatibility)

|Links 66█|Total number of connections

|NoConn 0█|Remaining connections

|Di 24940 20675 73708 40323█|Bounding box coordinates: +

X_start Y_start X_end Y_end

|Ndraw 16█|Number of draw items like edge segments, texts...

|Ntrack 267█|Number of track segments

|Nzone 1929█|Number of zone segments

|Nmodule 29█|Number of modules

|Nnets 26█|Number of nets

|\$EndGENERAL | End description

|===

==█\$SHEETDESCR

This the page size and texts.

|===

|\$SHEETDESCR | Start description

|Sheet A4 11700 8267 | <Page size> X_size Y_size in mils (1/1000 inch)

|Title "" | Title text

|Date "23 feb 2004" | Date text

|Rev ""█| Revision text

|Comp "" | Company name text

|Comment1 "" | Comment text, line 1

|Comment2 "" | Comment text, line 2

|Comment3 "" | Comment text, line 3

|Comment4 "" | Comment text, line 4

|\$EndSHEETDESCR | End description

|===

==█\$SETUP block:

This data block is used for design settings

This is useful only for board edition.

Example:

...

\$SETUP

InternalUnit 0.000100 INCH

Layers 2

Layer[0] Cuivre signal

Layer[15] Composant signal

TrackWidth 250

TrackWidthHistory 25

TrackWidthHistory 170

TrackWidthHistory 250

TrackClearence 110

ZoneClearence 150

DrawSegmWidth 150

EdgeSegmWidth 50

ViaSize 600

ViaDrill 250

ViaSizeHistory 600

MicroViaSize 200

MicroViaDrill 80

MicroViasAllowed 0

TextPcbWidth 170

TextPcbSize 600 800

EdgeModWidth 150

TextModSize 600 600

TextModWidth 120

PadSize 1500 2500

PadDrill 1200

AuxiliaryAxisOrg 29500 55500

\$EndSETUP

...

|===

```

| $SETUP | Start block "SETUP"

|InternalUnit 0.000100 INCH■| Internal unit for Pcbnew, all coordinates are in this unit

| Layers 2 | Number of layers (2 = double sided board) must be 1 to 16

| Layer[0] Cuivre signal | layer  name and type +
                                name = name given to the layer by the user (here: "cuivre" +
                                type = signal (not current used in Pcbnew)

| Layer[15] Composant signal |

| TrackWidth 250 | Current track width

| TrackWidthHistory 170 .3+|Last used track widths

| TrackWidthHistory 250

| TrackWidthHistory 400

| TrackClearence 100 | Isolation for DRC (Design rules check)

| ZoneClearence 200■| Isolation used in zone filling

| DrawSegmWidth 120■| Current segment width for drawings on technical layers

| EdgeSegmWidth 120■| Current segment width for drawings on "edge layer"

| ViaSize 700 | Current via size

| ViaDrill 250 | Via drill for this board

| ViaSizeHistory 450 .3+|Last used via sizes

| ViaSizeHistory 650

| ViaSizeHistory 700


| TextPcbWidth 120 | Current text width for texts on copper or technical layers. This is not for text on t
| TextPcbSize 600 600 | Current text X Y size

| EdgeModWidth 120 | Current Segment width for footprint edition

| TextModSize 120 600 | Current text XY size for texts for footprint edition

| TextModWidth 120 | Current text width for texts for footprint edition

| PadSize 700 700 | Current X Y pad size (footprint edition)

| PadDrill 320 | Current pad drill

| AuxiliaryAxisOrg 0 0 | Auxiliary axis position +
                                (Auxiliary axis is the reference coordinate (0 0 coordinate) for EXCELLON drilling)

| $EndSETUP■| End block "SETUP"

|===

==■$EQUIPOT
$EQUIPOT describes a net name.

```

```

|===
|$EQUIPOT | Start block

|Na 2 "N-000026"| Na <internal net number> « net name »

|St ~ |

|$EndEQUIPOT | End block

|===

```

Note1:

Internal net number is an arbitrary number.

It is computed by Pcbnew when compiling netlist.

Note2:

Net 0 is not a real net.

Net 0 is the net number used internally by Pcbnew for all the no connected pads.

Example:

```

...

$EQUIPOT;

Na 0 ""

St ~

$EndEQUIPOT

$EQUIPOT

Na 1 "DONE"

St ~

$EndEQUIPOT

$EQUIPOT

Na 2 "N-000026"

St ~

$EndEQUIPOT

$EQUIPOT

Na 3 "TD0/PROG"

St ~

$EndEQUIPOT

...

```

==■\$MODULE

Description start by:

```
`$MODULE <module name>``
```

And ends with

```
`$EndMODULE <module name>``
```

Module description has four sections:

1. ■ General description (fixed size)
2. ■ Field description (variable size)
3. ■ Drawing description (variable size)
4. ■ Pad description. (variable size)
5. ■ 3D shape information.

Note:

All coordinates are relative to the module position.

Its means the coordinates of segments, pads, texts ... are given for a module in position 0, rotation 0. If a module is rotated or mirrored, real coordinates must be computed according to the real position and rotation.

=== ■ General description:

|===

|\$MODULE bornier6 | \$MODULE <module lib name>

|Po 62000 30500 2700 15 3EC0C28A 3EBF830C ~-■| Po Xpos Ypos Orientation(0.1deg) Layer TimeStamp Attribut1

Attribut1 = ~or 'F' for autoplacement (F = Fixed, ~= moveable)

Attribut2 = ~or 'P' for autoplacement (P = autoplaced)

|Li bornier6 | Li <module lib name>

|Cd Bornier d'alimentation 4 pins | Cd comment description (displayed when browsing libraries)

|Kw DEV■| Kw Keyword1 Keyword2 ... (for footprint selection by keywords)

|Sc 3EBF830C | Sc TimeStampOp

|Op 0 0 0■| Op <rotation cost 90 deg> <rotation cost 180 deg> for auto place. +

rotation cost = 0 (no rotation allowed) to 10 (null cost)

|===

Note:

Usually, components are on layer 15 (component layer) or 0 (copper layer).

If the component is on layer 0, it is "mirrored". The "mirror axis is the X axis

===■Field Description:

There are 2 to 12 fields

Field 0 = component reference (U1, R5 ...) (required)

Field 1 = component value (10K, 74LS02 ...) (required)

Other fields (optional) are comments.

Format:

```
`T<field number> <Xpos> <Ypos> <Xsize> <Ysize> <rotation> <penWidth> N <visible> <layer> "text"``
```

|===

|Field|■Units|■Meaning

|field number|■enumeration|■0=>reference, 1=>value, etc.

|Xpos|■tenths of mils (.0001 inches)|■The horizontal offset relative to the module's overall position

|Ypos|■tenths of mils (.0001 inches)|■The vertical offset relative to the module's overall position

|Xsize|■tenths of mils (.0001 inches)|■The horizontal size of the character 'M'

|Ysize|■tenths of mils (.0001 inches)|■The vertical size of the character 'M'

|rotation|■tenths of degrees|■Angular rotation from horizontal, counterclockwise

|penWidth|■tenths of mils (.0001 inches)|■Width of the pen used to draw characters

|N|■none|■flag for the parser?

|visible|■boolean|■I=> invisible, V=> visible

|layer|■enumeration|■see layer numbers above

|===

Examples:

|===

|T0 500 -3000 1030 629 2700 120 N V 21 "P1"■|T0 => reference

|T1 0 3000 1201 825 2700 120 N V 21 "CONN_6"■|T1 => value

|===

===■Drawings:

Tells how to draw module shape.

They cannot be on a copper layer (DRC ignore them)

Drawings are segment, circle, arc, polygon.

==== ■Draw segment:

|===

|DS -6000 -1500 -6000 1500 120 21■| DS is a Draw Segment +

DS Xstart Ystart Xend Yend Width Layer

|DS 6000 1500 6000 -1500 120 21 ■| An other Draw Segment

|===

==== ■Circle:

|===

|DC Xcentre Ycentre Xpoint Ypoint Width Layer■| DC is a Draw Circle +

Xpoint, Ypoint is a point on the circle.

|===

==== Arc:

|===

|DA Xcentre Ycentre Xstart_point Ystart_point angle width layer■| DA is a Draw Arc +

angle is the arc angle in 0.1 deg

|===

==== Polygon:

|===

|DP 0 0 0 0 corners_count width layer | Draw Polygon +

First line of a polygon. +

The polygon should be closed, otherwise this is a poly-line. .

width is the thickness of outlines.

| D1 corner_posx corner_posy | Corner coordinate +

(corners_count lines like this)

|===

====■Pad Descriptions:

All the pads of this footprint are listed here (Many \$PAD/\$EndPAD sections here)..

See \$PAD description.

==== ■\$SHAPE3D

3D shape information:

The real shape description is a vrml file, build by Wings3d.

This shape can be scaled, moved and rotated.

This is because a single 3D shape can be used for many footprints (for instance, we use the shape resistor.wrl for several resistor footprints, by tuning the X, Y, Z scale of the 3D shape according to the different size of resistor footprints). Some smd footprints are using this feature. For the same reasons, the 3D shape can be moved (by the move factor) and/or rotated. *Real shape unit is 0.1 inch (1 unit vrml = 0.1 inch = 2.54 millimeter).*

An other reason exists: when a footprint is very big (a big connector) or very small (a small SMD resistor) we must create a 3D shape small or bigger than real size, in order to use easily the 3D modeler.

|===

|\$SHAPE3D | Start description

|Na "device/bornier_6.wrl" | FileName (default path is kicad/modules/packages3d/)

|Sc 1.000000 1.000000 1.000000 | X Y Z scale factor

|Of 0.000000 0.000000 0.000000 | X Y Z offset (move vector, in 3D units (0.1 inch))

|Ro 0.000000 0.000000 0.000000 | X Y Z rotation (in degree)

|\$EndSHAPE3D | End description

|===

The 3D shape coordinates are relative to the footprint coordinates.

The 3D shape must be scale, moved and rotated according to the parameters Sc Of and Ro, and after moved and rotated according to the footprint coordinates and rotation.

If the footprint is « inverted » (that is, located on copper side) the 3D shape must be « inverted » too.

NOTE: A footprint may have several 3D shapes (for instance an integrated circuit and his socket).

====■\$PAD

Pads have different shapes and attributes.

Pad shapes are:

- * Circle.
- * Oblong(or oval).
- * Rectangular (Square is like a rectangle).
- * Trapeze.

Pad attributes are:

- * Normal (Has usually a hole)
- * Smd (used for Surface Mounted Devices). Has no hole.
- * Connector (used for connectors like a PC Board Bus connector)
- * Mechanical. (Like a hole for mechanical use)

And shape can be draw with an offset related to the drilling hole.

The hole shale is round or oblong

|===

|\$PAD█| Start description

|Sh "2" C 1500 1500 0 0 2700 | Shape: <pad name> shape Xsize Ysize Xdelta Ydelta Orientation

|Dr 600 0 0 +

or (oblong hole) +

Dr 600 0 0 0 600 650

| Drill <Pad drill> Xoffset Yoffset (round hole) +

or (oblong hole) +

Drill <Pad drill.x> Xoffset Yoffset <Hole shape> <Pad drill.x> <Pad drill.y>

|At STD N 00E0FFFF█| Attributs: <Pad type> N <layer mask>

|Ne 8 "GND" | Net reference of the pad: <netnumber> <net name>

|Po -3000 0█| X_pos Y_pos (relative to the module position)

|\$EndPAD | End description

|===

Note:

<Pad type> is the Pad Attribute. It is one of: "STD" "SMD" "CONN" "HOLE" "MECA".

Shape is one of:

- * C (circle)
- * R (Rectangular).

* 0 (Oblong)

* T (Trapèze)

Hole shape = 0 (0 for Oblong)

Example:

...

\$PAD

Sh "3" C 1500 1500 0 0 2700

Dr 600 0 0

At STD N 00E0FFFF

Ne 10 "TD0_1"

Po -1000 0

\$EndPAD

...

==■Graphic items:

There are drawing items like segments, circles, texts, targets and cotations.

=== \$DRAWSEGMENT

Draw segments are:

* segments (strait line)

* circles

* arcs

==== Line:

|===

|\$DRAWSEGMENT | Start description

|Po 0 67500 39000 65500 39000 120 | Position shape Xstart Ystart Xend Yend width

|De 28 0 900 0 0 | Description layer type angle timestamp status

|\$EndDRAWSEGMENT | End description

|===

Note:

* shape = 0

* Angle is used only for arc segments (unused for line, left for compatibility).

==== Circle:

|===

|\$DRAWSEGMENT | Start description

|Po 1 67500 39000 65500 39000 120 | Position shape Xcentre Ycentre Xend Yend width

|De 28 0 900 0 0 | Description layer type angle timestamp status

|\$EndDRAWSEGMENT | End description

|===

Note:

* shape = 1

* Angle is used only for arc segments (unused for circle, left for compatibility).

* End is a point of this circle. (If Xend or Yend is 0, the other coordinate is the radius)

==== Arc:

|===

|\$DRAWSEGMENT | Start description

|Po 2 67500 39000 65500 39000 120 | Position shape Xstart Ystart Xend Yend width

|De 28 0 900 0 0 | Description layer type angle timestamp status

|\$EndDRAWSEGMENT | End description

|===

Note:

* shape = 2

* start and end are the 2 points of the arc. angle is the arc angle (in 0.1 degree).

Center coordinates are computed by pcbnew from start, end and angle.

Currently, only 90 degrees arcs are supported.(thereby, angle = 900)

Example:

```\n

\$DRAWSEGMENT

Po 0 67500 34000 67500 39000 120

De 28 0 900 0

\$EndDRAWSEGMENT

...

===■\$TEXTPCB

|===

|\$TEXTPCB | Start description

|Te "TDI" | Text "string"

|Po 57250 35750 600 600 150 0 |■Position Xstart Ystart Xsize Ysize Width rotation

|De 15 1 B98C Normal |■Description layer normal timestamp style +

normal = 0 : text is mirrored. +

normal = 1 : text is normal. +

style = Normal or Italic

|\$EndTEXTPCB | End description

|===

Example:

...

\$TEXTPCB

Te "TCK"

Po 57250 33500 600 600 150 0

De 15 1 B98C Normal

\$EndTEXTPCB

...

===■\$MIRE

■ shape 1

■shape 0

|===

| \$MIREPCB | Start description

| Po 0 28 28000 51000 5000 150 00000000 | Position shape Xpos Ypos size width timestamp

| \$EndMIREPCB | End description

|===

=== ■\$COTATION

|===

| \$COTATION■| Start description

| Ge 0 24 0■| General shape layer timestamp +

currently, shape = 0.

| Te "4,5500'"■| Text "string" +

string is the cotation value in inches or millimeters

| Po 50250 5791 600 800 170 0 1■| Position (for text) Xpos Ypos Xsize Ysize width orient normal

| Sb 0 27500 6501 73000 6501 150 .7+| ■Coordinates of segments (axis, arrows...)

| Sd 0 73000 9000 73000 5081 150

| Sg 0 27500 9000 27500 5081 150

| S1 0 73000 6501 72557 6731 150

| S2 0 73000 6501 72557 6271 150

| S3 0 27500 6501 27943 6731 150

| S4 0 27500 6501 27943 6271 150

| \$EndCOTATION■| End description

|===

==■Track, vias and Zone section:

===■\$TRACK

Track section describes tracks and vias on copper layers.

Each track (or via) has a two line description:

For a track segment:

\*\*Po\*\*sition shape Xstart Ystart Xend Yend width +

\*\*De\*\*scription layer 0 netcode timestamp status

Shape parameter is set to 0 (reserved for future changes).

For a via:

\*\*Po\*\*sition shape Xstart Ystart Xend Yend diameter +

\*\*De\*\*scription layer 1 netcode timestamp status

For a via, layer parameter gives :

On the 4 less significant bits: the starting layer of the via +

On the 4 next bits: the ending layer.

For instance, a via starting at copper kayer (layer 0) end ending at component layer

(layer 15 has the layer parameter set to F0 hexadecimal or 240 decimal. + Shape parameter

is the via type (through = 3, blind = 2, buried = 1) + Timestamp parameters are set to 0

(reserved for future changes). +

Status parameter can be set to 0 (Used internally for routing information).

|===

|\$TRACK■ | Start description

|Po 0 36750 37000 36550 37000 250■| Position shape Xstart Ystart Xend Yend width

width = diameter for a via

|De 15 0 1 0 400■ | Description layer type netcode timestamp status +

type = 0 for a track segment. +

type = 1 for a via

|Po 0 39000 36750 38750 37000 250 .2+| An other track

|De 15 0 1 0 0

|Po 3 53500 27000 53500 27000 650 .2+|This is a via (via "through") from layer 15 (component) to layer 0

|De 15 1 14 0 0

|\$EndTRACK | End description

|===

=== ■\$ZONE

Zone section is like track section. (There is no via in Zone section).

It is used to handle a zone filling, from a zone outline.

|===

|\$ZONE |■Start description

|Po 0 67100 33700 67100 38600 100 .2+| Same as track description

|De 0 0 2 3EDDB09D 0

|\$EndZONE |■End description

|===

===■\$CZONE\_OUTLINE

Describes the main outlines of a zone and the outlines of filled areas (solid polygons)

inside the zone main outlines. Outlines of filled areas can be missing (if the zone is not currently filled). Because a zone handles thermal reliefs, there are options to describe pads in zones options and thermal reliefs parameters.

Example:

...

\$CZONE\_OUTLINE

ZInfo 47868246 1 "GND"

ZLayer 0

ZAux 4 E

ZClearance 150 T

ZMinThickness 190

ZOptions 0 32 F 200 200

ZCorner 74750 51750 0

ZCorner 74750 13250 0

ZCorner 29750 13250 0

ZCorner 29750 51750 1

....

\$POLYSCORNERS

74655 51655 0 0

74655 13345 0 0

...

\$endPOLYSCORNERS

\$endCZONE\_OUTLINE

...

|===

|\$CZONE\_OUTLINE | Start description

|ZInfo 478E3FC8 1 "/aux\_sheet/INPUT"■<Time stamp> <internal netcode> "net name"

|ZLayer 0■Layer (0 = copper, 15 = component, 1 ..14 = inner layers)

|ZAux 4 E■<corners count> <zone hatching option>

|zone hatching option = N (none), E (edge hatching) or F (full hatching)

|ZClearance 200 T■<Zone clearance> <pads option = I, T or X>

|I = pads in zone

|T = Thermal reliefs



```

|X = pads not in zone.

|ZMinThickness 190■<Zone min thickness (for copper zone)>

|ZOptions 0 32 F 200 200■<fill mode> <arc approx> <antipad thickness> <thermal stubs width>

|fill mode = 0 (use solid polygons) or 1 (use segments)

|arc approx = 16 or 32 (segments count to approximate a 360 arc)

|ZCorner 49450 19150 0■First corner (external outline)

|ZCorner 40600 19150 0■Next corner

|ZCorner 40600 22850 0

|ZCorner 49450 22850 1■End corner (flag = 1)

|$POLYSCORNERS■Start of filled areas outlines

|74655 51655 0 0■First corner (first filled area outline)

|74655 13345 0 0■Next corner

|$endPOLYSCORNERS

|$endCZONE_OUTLINE | End description

|===

```

Other example:

...

```

$CZONE_OUTLINE■Start description of an other outline

ZInfo 47B3E800 3 "VCC"

ZLayer 1

ZAux 8 F

ZClearance 200 T

ZMinThickness 190■Zone min thickness (for copper zone)

ZOptions 0 32 F 200 200

ZCorner 49704 23032 0■First corner (external outline)

ZCorner 49704 18940 0

ZCorner 46140 19024 0

ZCorner 46148 20000 0

ZCorner 45250 20000 0

ZCorner 44750 21250 0

ZCorner 43750 22250 0

ZCorner 46176 23068 1■End corner (flag = 1)

ZCorner 48450 19900 0■First corner (this is a hole)

```

ZCorner 48450 20800 0

ZCorner 47350 20800 0

ZCorner 47250 19900 1■End corner (flag = 1)

\$EndCZONE\_OUTLINE■End description

...

=== \$EndBOARD

\$EndBOARD terminates the whole board description.

Must be the last line.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-footprint\ index.en.adoc

Resumo: --- title: Footprint Library File Format weight: 42 --- :TOC: .Summary The s-expression footprint library file format. <!--more--> == Introduction This documents the s-expression footprint library file format for all versions of KiCad from 6.0. \* Footprint library files use the `....

---

title: Footprint Library File Format

weight: 42

---

:TOC:

.Summary The s-expression footprint library file format.

<!--more-->

== Introduction

This documents the s-expression footprint library file format for all versions of KiCad from 6.0.

\* Footprint library files use the `.kicad\_mod` extension.

\* Footprint library files can only define a single footprint.

\* Footprint libraries are defined a folder containing one or more footprint library files.

NOTE: This file format was introduced with the launch of KiCad 4.0.

NOTE: Prior to version 6 of KiCad, strings were only quoted when necessary. Saving an older board file to the latest file format will result in these strings being quoted even though there is no functional change in the board itself.

== Layout

A footprint library file includes the following sections:

\* <<\_header\_section,Header>>

\* <<\_footprint\_section,Footprint Definition>>

## == Header Section

The ``footprint`` token indicates that it is KiCad footprint library file. This section is required.

NOTE: Third party scripts should not use ``pcbnew`` as the generator identifier. Please use some other identifier so that bugs introduced by third party generators are not confused with a footprint library file created by KiCad.

```
...

(footprint "NAME" <1>
 (version VERSION) <2>
 (generator GENERATOR) <3>

 ;; contents of the footprint library file... <4>
)
...
```

<1> The footprint ``NAME`` is a quoted string that defines the name of the footprint.

<2> The ``version`` token attribute defines the board version using the YYYYMMDD date format.

<3> The ``generator`` token attribute defines the program used to write the file.

<4> The footprint definition goes here.

## == Footprint Section

See the `xref:../sexpr-intro/index.adoc#_footprint[footprint]` in the s-expression board common definitions.

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-intro\ index.en.adoc

*Resumo: --- title: S-Expression Format weight: 41 --- :TOC: .Summary An introduction to the s-expression file format. <!--more--> == Introduction KiCad uses an s-expression file format for symbol libraries, footprint libraries, schematics, printed circuit boards, and title block and border ...*

---

title: S-Expression Format

weight: 41

---

:TOC:

.Summary An introduction to the s-expression file format.

<!--more-->

== Introduction

KiCad uses an s-expression file format for symbol libraries, footprint libraries, schematics, printed circuit boards, and title block and border worksheets.

=== Syntax

- \* Syntax is based on the Specctra DSN file format.
- \* Token definitions are delimited by opening ``(`` and closing ``)`` parenthesis.
- \* All tokens are lowercase.
- \* Tokens cannot contain any white space characters or special characters other than the underscore `\_` character.
- \* All strings are quoted using the double quote character (`"`) and are UTF-8 encoded.
- \* Tokens can have zero or more attributes.
- \* Human readability is a design goal.

=== Conventions

In order to use the file format documentation properly, there are a few notation conventions that must be understood.

- \* Token attributes are upper case descriptive names. For example ``(at X Y)`, X is the

horizontal coordinate and Y is the vertical coordinate.

- \* Some tokens have a limited number of possible attribute values which are separated by a logical or character '|'. For example `(visible yes|no)` the only valid attributes for the `visible` token are `yes` or `no`.
- \* Some tokens have optional attributes which are enclosed in square braces. For example `(paper A0 [portrait])` the page portrait setting is optional.

### === Coordinates and Sizes

- \* All values are given in millimeters.
- \* Exponential floating point values are not used for readability purposes.
- \* All coordinates are relative to the origin of their containing object.

### == Common Syntax

This section defines all syntax that is shared across the symbol library, footprint library, schematic, board, and work sheet file formats.

### === Library Identifier

The xref:../sexpr-symbol-lib/index.adoc#\_introduction[schematic symbol library] and xref:../sexpr-footprint/index.adoc#\_introduction[printed circuit board footprint library] file formats use library identifiers. Library identifiers are defined as a quoted string using the "LIBRARY\_NICKNAME:ENTRY\_NAME" format where "LIBRARY\_NICKNAME" is the nickname of the library in the symbol or footprint library table and "ENTRY\_NAME" is the name of the symbol or footprint in the library separated by a colon.

NOTE: The "LIBRARY\_NICKNAME" is not stored in the library files because a library cannot know what the assigned library table nickname is in advance. Only the "ENTRY\_NAME" is saved in the library files.

### === Position Identifier

The `at` token defines the positional coordinates and rotation of an object.

```\n(at

```

X                                     <1>
Y                                     <2>
[ANGLE]                             <3>
)
...

```

<1> The X attribute defines the horizontal position of the object.

<2> The Y attribute defines the vertical position of the object.

<3> The optional ANGLE attribute defines the rotational angle of the object. Not all objects have rotational position definitions.

NOTE: Symbol `text` ANGLES are stored in tenth's of a degree. All other ANGLES are stored in degrees.

=== Coordinate Point List

The `pts` token defines a list of X/Y coordinate points.

```

...

(pts
  (xy X Y)                             <1>
  ...
  (xy X Y)
)
...

```

<1> The `xy` token defines a single X and Y coordinate pair. The number of points is determined by the object type.

=== Stroke Definition

The `stroke` token defines how the outlines of graphical objects are drawn.

```

(stroke
  (width WIDTH)                <1>
  (type TYPE)                  <2>
  (color R G B A)              <3>
)
...

```

<1> The ``width`` token attribute defines the line width of the graphic object.

<2> The ``type`` token attribute defines the line style of the graphic object. Valid stroke line styles are:

```

* `dash`
* `dash_dot`
* `dash_dot_dot` (from version 7)
* `dot`
* `default`
* `solid`

```

<3> The ``color`` token attributes define the line red, green, blue, and alpha color settings.

=== Text Effects

All text objects can have an optional ``effects`` section that defines how the text is displayed.

```

...

(effects
  (font                <1>
    [(face FACE_NAME)] <2>
    (size HEIGHT WIDTH) <3>
    [(thickness THICKNESS)] <4>
    [bold]              <5>
    [italic]            <6>
    [(line_spacing LINE_SPACING)] <7>
  )
  [(justify [left | right] [top | bottom] [mirror])] <8><9>
  [hide]          <10>
)

```



```
)  
...
```

- <1> The ``font`` token attributes define how the text is shown.
- <2> The optional ``face`` token indicates the font family. It should be a TrueType font family name or "KiCad Font" for the KiCad stroke font. (from version 7)
- <3> The ``size`` token attributes define the font height and width.
- <4> The ``thickness`` token attribute defines the line thickness of the font.
- <5> The ``bold`` token specifies if the font should be bold.
- <6> The ``italic`` token specifies if the font should be italicized.
- <7> The ``line_spacing`` token specifies the spacing between lines as a ratio of standard line-spacing.
(Not yet supported)
- <8> The optional ``justify`` token attributes define if the text is justified horizontally ``right`` or ``left`` and/or vertically ``top`` or ``bottom`` and/or mirrored. If the justification is not defined, then the text is center justified both horizontally and vertically and not mirrored.
- <9> The ``mirror`` token is only supported in the PCB Editor and Footprints.
- <10> The optional ``hide`` token defines if the text is hidden.

=== Page Settings

The ``paper`` token defines the drawing page size and orientation.

```
...
```

```
(paper  
  PAPER_SIZE | WIDTH HEIGHT          <1>  
  [portrait]                          <2>  
)  
...
```

- <1> Valid pages sizes are A0, A1, A2, A3, A4, A5, A, B, C, D, and E or the WIDTH and HEIGHT attributes are used for custom user defined page sizes.
 - <2> The ``portrait`` token defines if the page is shown in the portrait mode. If not defined, the landscape page layout mode is used.
- === Title Block

The `title\_block` token defines the contents of the title block.

...

```
(title_block
  (title "TITLE")                                <1>
  (date "DATE")                                  <2>
  (rev "REVISION")                              <3>
  (company "COMPANY_NAME")                      <4>
  (comment N "COMMENT")                         <5>
)
```

...

<1> The `title` token attribute is a quoted string that defines the document title.

<2> The `date` token attribute is a quoted string that defines the document date using the YYYY-MM-DD format.

<3> The `rev` token attribute is a quoted string that defines the document revision.

<4> The `company` token attribute is a quoted string that defines the document company name.

<5> The `comment` token attributes define the document comments where N is a number from 1 to 9 and COMMENT is a quoted string.

=== Properties

The `property` token defines a key value pair for storing user defined information.

...

```
(property
  "KEY"                                           <1>
  "VALUE"                                         <2>
)
```

...

<1> The property key attribute is a string that defines the name of the property. Property keys must be unique.

<2> The property value attribute is a string associated with the key attribute.

=== Universally Unique Identifier

The ``uuid`` token defines an universally unique identifier.

```
...  
  
(uuid  
  UUID                                <1><2>  
)  
...
```

<1> The UUID attribute is a Version 4 (random) UUID that should be globally unique. KiCad UUIDs are generated using the https://en.wikipedia.org/wiki/Mersenne_Twister[mt19937 Mersenne Twister] algorithm.

<2> Files converted from legacy versions of KiCad (prior to 6.0) have their locally-unique timestamps re-encoded in UUID format.

=== Images

The ``image`` token defines an embedded image. This section will not exist if no images are present.

```
...  
  
(image  
  POSITION_IDENTIFIER                <1>  
  [(scale SCALAR)]                 <2>  
  [(layer LAYER_DEFINITIONS)]      <3>  
  UNIQUE_IDENTIFIER                <4>  
  (data IMAGE_DATA)                <5>  
)  
...
```

<1> The POSITION_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates] of the image.

- <2> The optional ``scale`` token attribute defines the `SCALE_FACTOR` of the image.
- <3> The ``layer`` token attribute defines the associated board layer of the image using one
`<<_canonical_layer_names,canonical layer name>>`.
Only used by board and footprint images.
- <4> The `UNIQUE_IDENTIFIER` defines the
`xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]`
for the image.
- <5> The ``data`` token attribute defines the image data in the
`https://en.wikipedia.org/wiki/Portable_Network_Graphics[portable network graphics format (PNG)]`
encoded with `https://en.wikipedia.org/wiki/Base64#MIME[MIME type base64]`.

== Board Common Syntax

This section defines all syntax that is shared across the footprint library and printed circuit board file formats.

== Board Coordinates

- * The minimum internal unit for printed circuit board and footprint files is one nanometer so there is maximum resolution of six decimal places or 0.000001 mm. Any precision beyond six places will be truncated.

== Layers

All drawable board and footprint objects exist on a ``layer`` which is defined in the drawable item definition. All layers can be renamed by the user.

NOTE: Internally, all layer names are canonical. User defined layer names are only used for display and output purposes.

```
...  
(layer
```

```

    LAYER_DEFINITION                                <1>
)
...

```

<1> Layer definitions can be specified as a list of one or more

<<_canonical_layer_names,canonical layer names>> or with a '*' wildcard to represent all layers that match the rest of the wildcard. For instance, `pass:[\*].Cu` represents all of the copper layers. This only applies to
 <<_canonical_layer_names, canonical layers names>>.

=== Capacity

- * 60 total layers.
- * 32 copper layers.
- * 8 paired technical layers for silk screen, solder mask, solder paste, and adhesive.
- * 4 user pre-defined layers for drawings, engineering change order (ECO), and comments.
- * 1 layer to define the board outline.
- * 1 layer to define the board margins.
- * 9 optional user definable layers.

=== Canonical Layer Names

The table below list all of the canonical layer names used in the file format.

[options="header"]

|=====

|Canonical Name | Description

|F.Cu | Front copper layer

|In1.Cu | Inner copper layer 1

|In2.Cu | Inner copper layer 2

|In3.Cu | Inner copper layer 3

|In4.Cu | Inner copper layer 4

|In5.Cu | Inner copper layer 5

|In6.Cu | Inner copper layer 6

|In7.Cu | Inner copper layer 7

|In8.Cu | Inner copper layer 8

|In9.Cu | Inner copper layer 9
|In10.Cu | Inner copper layer 10
|In11.Cu | Inner copper layer 11
|In12.Cu | Inner copper layer 12
|In13.Cu | Inner copper layer 13
|In14.Cu | Inner copper layer 14
|In15.Cu | Inner copper layer 15
|In16.Cu | Inner copper layer 16
|In17.Cu | Inner copper layer 17
|In18.Cu | Inner copper layer 18
|In19.Cu | Inner copper layer 19
|In20.Cu | Inner copper layer 20
|In21.Cu | Inner copper layer 21
|In22.Cu | Inner copper layer 22
|In23.Cu | Inner copper layer 23
|In24.Cu | Inner copper layer 24
|In25.Cu | Inner copper layer 25
|In26.Cu | Inner copper layer 26
|In27.Cu | Inner copper layer 27
|In28.Cu | Inner copper layer 28
|In29.Cu | Inner copper layer 29
|In30.Cu | Inner copper layer 30
|B.Cu | Back copper layer
|B.Adhes | Back adhesive layer
|F.Adhes | Front adhesive layer
|B.Paste | Back solder paste layer
|F.Paste| Front solder paste layer
|B.SilkS | Back silk screen layer
|F.SilkS | Front silk screen layer
|B.Mask | Back solder mask layer
|F.Mask | Front solder mask layer
|Dwgs.User | User drawing layer
|Cmts.User | User comment layer
|Eco1.User | User engineering change order layer 1
|Eco2.User | User engineering change order layer 2

```

|Edge.Cuts | Board outline layer
|F.CrtYd | Footprint front courtyard layer
|B.CrtYd | Footprint back courtyard layer
|F.Fab | Footprint front fabrication layer
|B.Fab | Footprint back fabrication layer
|User.1 | User definable layer 1
|User.2 | User definable layer 2
|User.3 | User definable layer 3
|User.4 | User definable layer 4
|User.5 | User definable layer 5
|User.6 | User definable layer 6
|User.7 | User definable layer 7
|User.8 | User definable layer 8
|User.9 | User definable layer 9
|=====

```

=== Footprint

The `footprint` token defines a footprint.

NOTE: Prior to version 6, the `footprint` token was referred to as `module`.

...

```

(footprint
  ["LIBRARY_LINK"] <1>
  [locked] <2>
  [placed] <3>
  (layer LAYER_DEFINITIONS) <4>
  (tedit TIME_STAMP) <5>
  [(uuid UUID)] <6>
  [POSITION_IDENTIFIER] <7>
  [(descr "DESCRIPTION")] <8>
  [(tags "NAME")] <9>
  [(property "KEY" "VALUE") ...] <10>

```

| | |
|--|------|
| (path "PATH") | <11> |
| [(autoplacement_cost90 COST)] | <12> |
| [(autoplacement_cost180 COST)] | <13> |
| [(solder_mask_margin MARGIN)] | <14> |
| [(solder_paste_margin MARGIN)] | <15> |
| [(solder_paste_ratio RATIO)] | <16> |
| [(clearance CLEARANCE)] | <17> |
| [(zone_connect CONNECTION_TYPE)] | <18> |
| [(thermal_width WIDTH)] | <19> |
| [(thermal_gap DISTANCE)] | <20> |
| [ATTRIBUTES] | <21> |
| [(private_layers LAYER_DEFINITIONS)] | <22> |
| [(net_tie_pad_groups PAD_GROUP_DEFINITIONS)] | <23> |
| GRAPHIC_ITEMS... | <24> |
| PADS... | <25> |
| ZONES... | <26> |
| GROUPS... | <27> |
| 3D_MODEL | <28> |

)

...

- <1> The "LIBRARY_LINK" attribute defines the link to footprint library of the footprint. This only applies to footprints defined in the board file format.
- <2> The optional `locked` token defines a flag to indicate the footprint cannot be edited.
- <3> The optional `placed` token defines a flag to indicate that the footprint has not been placed.
- <4> The `layer` token defines the <<canonical_layer_names, canonical layer>> the footprint is placed.
- <5> The `tedit` token defines a the last time the footprint was edited.
- <6> The `uuid` token defines the unique identifier for the footprint. This only applies to footprints defined in the board file format.
- <7> The <<position_identifier, POSITION_IDENTIFIER>> defines the X and Y coordinates and rotational angle of the footprint. This only applies to footprints defined in the board file format.
- <8> The optional `tags` token defines a string of search tags for the footprint.
- <9> The optional `descr` token defines a string containing the description of the footprint.
- <10> The optional `property` token defines a property for the footprint.

- <11> The ``path`` token defines the hierarchical path of the schematic symbol linked to the footprint. This only applies to footprints defined in the board file format.
- <12> The optional ``autoplace_cost90`` token defines the vertical cost of when using the automatic footprint placement tool. Valid values are integers 1 through 10. This only applies to footprints defined in the board file format.
- <13> The optional ``autoplace_cost180`` token defines the horizontal cost of when using the automatic footprint placement tool. Valid values are integers 1 through 10. This only applies to footprints defined in the board file format.
- <14> The optional ``solder_mask_margin`` token defines the solder mask distance from all pads in the footprint. If not set, the board ``solder_mask_margin`` setting is used.
- <15> The optional ``solder_paste_margin`` token defines the solder paste distance from all pads in the footprint. If not set, the board ``solder_paste_margin`` setting is used.
- <16> The optional ``solder_paste_ratio`` token defines the percentage of the pad size used to define the solder paste for all pads in the footprint. If not set, the board ``solder_paste_ratio`` setting is used.
- <17> The optional ``clearance`` token defines the clearance to all board copper objects for all pads in the footprint. If not set, the board ``clearance`` setting is used.
- <18> The optional ``zone_connect`` token defines how all pads are connected to filled zone. If not defined, then the zone ``connect_pads`` setting is used. Valid connection types are integers values from 0 to 3 which defines:
- * 0 - Pads are not connect to zone.
 - * 1 - Pads are connected to zone using thermal reliefs.
 - * 2 - Pads are connected to zone using solid fill.
- <19> The optional ``thermal_width`` token defined the thermal relief spoke width used for zone connections for all pads in the footprint. This only affects pads connected to zones with thermal reliefs. If not set, the zone ``thermal_width`` setting is used.
- <20> The optional ``thermal_gap`` is the distance from the pad to the zone of thermal relief connections for all pads in the footprint. If not set, the zone ``thermal_gap`` setting is used. If not set, the zone ``thermal_gap`` setting is used.
- <21> The optional `<<_footprint_attributes,attributes section>>` defines the attributes of the footprint.
- <22> An optional list of `<<_canonical_layer_names, canonical layer names>>` which are private to the footprint.
- <23> An optional list of `<<_net_tie_pad_groups, net-tie pad groups>>`.
- <24> The graphic objects section is a list of one or more

<<_footprint_graphics_items, graphical objects>> in the footprint. At a minimum, the reference designator and value <<_footprint_text, text objects>> are defined. All other graphical objects are optional.

<25> The optional pads section is a list of <<_footprint_pad, pads>> in the footprint.

<26> The optional zones section is a list of
<<_zone, keep out zones>> in the footprint.

<27> The optional groups section is a list of <<_group, grouped objects>> in the footprint.

<28> The <<_footprint_3d_model, 3D model section>> defines the 3D model object associated with the footprint.

==== Footprint Attributes

Footprint `attr` token defines the list of attributes of the footprint.

```
...
(attr
    TYPE                                <1>
    [board_only]                        <2>
    [exclude_from_pos_files]            <3>
    [exclude_from_bom]                  <4>
)
...
```

<1> The TYPE token defines the type of footprint. Valid footprint types are `smd` and `through\_hole`.

<2> The optional `board\_only` token indicates that the footprint is only defined in the board and has no reference to any schematic symbol.

<3> The optional `exclude\_from\_pos\_files` token indicates that the footprint position information should not be included when creating position files.

<4> The optional `exclude\_from\_bom` token indicates that the footprint should be excluded when creating bill of materials (BOM) files.

==== Net-tie Pad Groups

A space-separated list of quoted strings, each containing a comma-separated list of pad names.

Nets attached to pads within a single pad-group are allowed to short.

==== Footprint Graphics Items

Footprint graphical items define all of the drawing items that are used in the <<_footprint,footprint definition>>. This includes <<_footprint_text,text>>, <<_footprint_text_box,text boxes>>, <<_footprint_line,lines>>, <<_footprint_rectangle,rectangles>>, <<_footprint_circle,circles>>, <<_footprint_arc,arcs>>, <<_footprint_polygon,polygons>>, <<_footprint_curve,curves>>, and <<_dimension,dimensions>>.

NOTE: Footprint graphic items starting with `fp\_` are not valid outside of a footprint definition.

==== Footprint Images

See the <<_images,images>> section. This section will not exist if there are no images on the footprint. Footprint images are not displayed on the PCB when a footprint is placed, only in the footprint editor.

===== Footprint Text

The `fp\_text` token defines text in a <<_footprint,footprint definition>>.

...

```
(fp_text
  TYPE                                <1>
  "TEXT"                             <2>
  POSITION_IDENTIFIER                  <3>
  [unlocked]                         <4>
  (layer LAYER_DEFINITION)           <5>
  [hide]                             <6>
  (effects TEXT_EFFECTS)             <7>
  (uuid UUID)                        <8>
)
```

...

<1> The TYPE attribute defines the type of text. Valid types are `reference`, `value`, and `user`.

- <2> The "TEXT" attribute is a quoted string that defines the text.
- <3> The <<_position_identifier, POSITION_IDENTIFIER>> defines the X and Y position coordinates and optional orientation angle of the text.
- <4> The optional `unlocked` token indicates if the text orientation can be anything other than the upright orientation.
- <5> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the text resides on.
- <6> The optional [hide] token, defines if the text is hidden.
- <7> The `effects` token defines how the <<_text_effects, text is displayed>>.
- <8> The `uuid` token defines the unique identifier of the text object.

==== Footprint Text Box

(from version 7)

The `fp\_text\_box` token defines a rectangle containing line-wrapped text.

...

```
(fp_text_box
  [locked]                                <1>
  "TEXT"                                  <2>
  [(start X Y)]                           <3>
  [(end X Y)]                             <4>
  [(pts (xy X Y) (xy X Y) (xy X Y) (xy X Y))] <5>
  [(angle ROTATION)]                      <6>
  (layer LAYER_DEFINITION)                <7>
  (uuid UUID)                             <8>
  TEXT_EFFECTS                            <9>
  [STROKE_DEFINITION]                     <10>
  [(render_cache RENDER_CACHE)]           <11>
)
```

...

- <1> The optional `locked` token specifies if the text box can be moved.
- <2> The content of the text box
- <3> The `start` token defines the top-left of a cardinally oriented text box.

- <4> The ``end`` token defines the bottom-right of a cardinally oriented text box.
- <5> The ``pts`` token defines the four corners of a non-cardianlly oriented text box. The corners must be in order, but the winding can be either direction.
- <6> The optional ``angle`` token defines the rotation of the text box in degrees.
- <7> The ``layer`` token defines the <<_canonical_layer_names, canonical layer>> the text box resides on.
- <8> The ``uuid`` token defines the unique identifier of the text box.
- <9> The <<_text_effects, TEXT_EFFECTS>> describe the style of the text in the text box.
- <10> The <<_stroke_definition, STROKE_DEFINITION>> describes the style of an optional border to be drawn around the text box.
- <11> If the ``TEXT_EFFECTS`` prescribe a TrueType font then a render cache should be given in case the font can not be found on the current system.

NOTE: If ``angle`` is not given, or is a cardinal angle (0, 90, 180 or 270), then the text box MUST have ``start`` and ``end`` tokens.

NOTE: If ``angle`` is given and is not a cardinal angle, then the text box MUST have a ``pts`` token (with 4 pts).

==== Footprint Line

The ``fp_line`` token defines a graphic line in a <<_footprint, footprint definition>>.

...

```

(fp_line
  (start X Y)                                <1>
  (end X Y)                                  <2>
  (layer LAYER_DEFINITION)                   <3>
(width WIDTH)                                <4>
  STROKE_DEFINITION                           <5>
  [(locked)]                                 <6>
  (uuid UUID)                                <7>
)

```

...

- <1> The `start` token defines the coordinates of the beginning of the line.
- <2> The `end` token defines the coordinates of the end of the line.
- <3> The `layer` token defines the <<canonical_layer_names, canonical layer>> the line resides on.
- <4> The `width` token defines the line width. (prior to version 7)
- <5> The <<stroke_definition, STROKE_DEFINITION>> describes the width and style of the line.
(from version 7)
- <6> The optional `locked` token defines if the line cannot be edited.
- <7> The `uuid` token defines the unique identifier of the line object.

==== Footprint Rectangle

The `fp\_rect` token defines a graphic rectangle in a <<footprint, footprint definition>>.

...

```
(fp_rect
  (start X Y)                                <1>
  (end X Y)                                  <2>
  (layer LAYER_DEFINITION)                   <3>
  (width WIDTH)                             <4>
  STROKE_DEFINITION                          <5>
  [(fill yes | no)]                          <6>
  [(locked)]                                <7>
  (uuid UUID)                               <8>
)
```

...

- <1> The `start` token defines the coordinates of the upper left corner of the rectangle.
- <2> The `end` token defines the coordinates of the low right corner of the rectangle.
- <3> The `layer` token defines the <<canonical_layer_names, canonical layer>> the rectangle resides on.
- <4> The `width` token defines the line width of the rectangle. (prior to version 7)
- <5> The <<stroke_definition, STROKE_DEFINITION>> describes the line width and style of the rectangle. (from version 7)
- <6> The optional `fill` token defines if the rectangle is filled. If not defined, the rectangle

is not filled.

<7> The optional `locked` token defines if the rectangle cannot be edited.

<8> The `uuid` token defines the unique identifier of the rectangle object.

==== Footprint Circle

The `fp\_circle` token defines a graphic circle in a <<_footprint, footprint definition>>.

...

```
(fp_circle
  (center X Y)                <1>
  (end X Y)                   <2>
  (layer LAYER_DEFINITION)    <3>
  (width WIDTH)               <4>
  STROKE_DEFINITION            <5>
  [(fill yes | no)]           <6>
  [(locked)]                   <7>
  (uuid UUID)                 <8>
)
```

...

<1> The `center` token defines the coordinates of the center of the circle.

<2> The `end` token defines the coordinates of the end of the radius of the circle.

<3> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the circle resides on.

<4> The `width` token defines the line width of the circle. (prior to version 7)

<5> The <<_stroke_definition, STROKE_DEFINITION>> describes the line width and style of the circle.
(from version 7)

<6> The optional `fill` token defines if the circle is filled. If not defined, the circle is not filled.

<7> The optional `locked` token defines if the circle cannot be edited.

<8> The `uuid` token defines the unique identifier of the circle object.

==== Footprint Arc

The `fp\_arc` token defines a graphic arc in a <<_footprint, footprint definition>>.

...

```

(fp_arc
  (start X Y) <1>
  (mid X Y) <2>
  (end X Y) <3>
  (layer LAYER_DEFINITION) <4>
  (width WIDTH) <5>
  STROKE_DEFINITION <6>
  [(locked)] <7>
  (uuid UUID) <8>
)
...

```

<1> The `start` token defines the coordinates of the start position of the arc radius.

<2> The `mid` token defines the coordinates of the midpoint along the arc.

<3> The `end` token defines the coordinates of the end position of the arc radius.

<4> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the arc resides on.

<5> The `width` token defines the line width of the arc. (prior to version 7)

<6> The <<_stroke_definition, STROKE_DEFINITION>> describes the line width and style of the arc.

(from version 7)

<7> The optional `locked` token defines if the arc cannot be edited.

<8> The `uuid` token defines the unique identifier of the arc object.

==== Footprint Polygon

The `fp\_poly` token defines a graphic polygon in a <<_footprint, footprint definition>>.

```

...

(fp_poly
  COORDINATE_POINT_LIST <1>
  (layer LAYER_DEFINITION) <2>
  (width WIDTH) <3>
  STROKE_DEFINITION <4>
  [(fill yes | no)] <5>
  [(locked)] <6>
  (uuid UUID) <7>
)

```



```
)  
...  

```

<1> The COORDINATE_POINT_LIST defines the list of

<<_coordinate_point_list, X/Y coordinates>> of the polygon outline.

<2> The `layer` token defines the <<_canonical_layer_names,canonical layer>> the polygon resides on.

<3> The `width` token defines the line width of the polygon. (prior to version 7)

<4> The <<_stroke_definition, STROKE_DEFINITION>> describes the line width and style of the polygon.
(from version 7)

<5> The optional `fill` token defines if the polygon is filled. If not defined, the polygon is not filled.

<6> The optional `locked` token defines if the polygon cannot be edited.

<7> The `uuid` token defines the unique identifier of the polygon object.

===== Footprint Curve

The `fp\_curve` token defines a graphic

https://en.wikipedia.org/wiki/B%C3%A9zier_curve#Quadratic_B%C3%A9zier_curves[Cubic Bezier curve]

in a <<_footprint,footprint definition>>.

```
...  

```

```
(fp_curve
```

```
    COORDINATE_POINT_LIST                                <1>
```

```
    (layer LAYER_DEFINITION)                             <2>
```

```
    (width WIDTH)                                         <3>
```

```
    STROKE_DEFINITION                                    <4>
```

```
    [(locked)]                                           <5>
```

```
    (uuid UUID)                                          <6>
```

```
)  

```

```
...  

```

<1> The COORDINATE_POINT_LIST defines the four

<<_coordinate_point_list, X/Y coordinates>> of each point of the curve.

<2> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the curve resides on.

- <3> The `width` token defines the line width of the curve. (prior to version 7)
- <4> The <<_stroke_definition, STROKE_DEFINITION>> describes the line width and style of the curve.
(from version 7)
- <5> The optional `locked` token defines if the curve cannot be edited.
- <6> The `uuid` token defines the unique identifier of the curve object.

==== Footprint Pad

The `pad` token defines a pad in a <<_footprint, footprint definition>>.

...

```
(pad
  "NUMBER"                                <1>
  TYPE                                    <2>
  SHAPE                                  <3>
  POSITION_IDENTIFIER                      <4>
  [(locked)]                             <5>
  (size X Y)                             <6>
  [(drill DRILL_DEFINITION)]             <7>
  (layers "CANONICAL_LAYER_LIST")        <8>
  [(property PROPERTY)]                  <9>
  [(remove_unused_layer)]                 <10>
  [(keep_end_layers)]                    <11>
  [(roundrect_rratio RATIO)]             <12>
  [(chamfer_ratio RATIO)]                 <13>
  [(chamfer CORNER_LIST)]                <14>
  (net NUMBER "NAME")                    <15>
  (uuid UUID)                            <16>
  [(pinfunction "PIN_FUNCTION")]          <17>
  [(pintype "PIN_TYPE")]                  <18>
  [(die_length LENGTH)]                  <19>
  [(solder_mask_margin MARGIN)]           <20>
  [(solder_paste_margin MARGIN)]          <21>
  [(solder_paste_margin_ratio RATIO)]     <22>
  [(clearance CLEARANCE)]                <23>
```

```

        [(zone_connect ZONE)]                                <24>
        [(thermal_width WIDTH)]                              <25>
        [(thermal_gap DISTANCE)]                             <26>
        [CUSTOM_PAD_OPTIONS]                                  <27>
        [CUSTOM_PAD_PRIMITIVES]                              <28>
    )
    ...

```

- <1> The "NUMBER" attribute is the pad number.
- <2> The pad TYPE can be defined as `thru\_hole`, `smd`, `connect`, or `np\_thru\_hole`.
- <3> The pad SHAPE can be defined as `circle`, `rect`, `oval`, `trapezoid`, `roundrect`, or `custom`.
- <4> The POSITION_IDENTIFIER defines the
 <<_position_identifer,X and Y coordinates and optional orientation angle>> of the pad.
- <5> The optional `locked` token defines if the footprint pad can be edited.
- <6> The `size` token defines the width and height of the pad.
- <7> The optional <<_pad_drill_definition,pad DRILL_DEFINITION>> defines the pad drill requirements.
- <8> The `layers` token defines the <<_layers,layer or layers>> the pad reside on.
- <9> The optional `property` token defines any special properties for the pad. Valid properties are
 `pad\_prop\_bga`, `pad\_prop\_fiducial\_glob`, `pad\_prop\_fiducial\_loc`, `pad\_prop\_testpoint`,
 `pad\_prop\_heatsink`, `pad\_prop\_heatsink`, and `pad\_prop\_castellated`.
- <10> The optional `remove\_unused\_layer` token specifies that the copper should be removed from any layers the pad is not connected to.
- <11> The optional `keep\_end\_layers` token specifies that the top and bottom layers should be retained when removing the copper from unused layers.
- <12> The optional `roundrect\_rratio` token defines the scaling factor of the pad to corner radius for rounded rectangular and chamfered corner rectangular pads. The scaling factor is a number between 0 and 1.
- <13> The optional `chamfer\_ratio` token defines the scaling factor of the pad to chamfer size. The scaling factor is a number between 0 and 1.
- <14> The optional `chamfer` token defines a list of one or more rectangular pad corners that get chamfered. Valid chamfer corner attributes are `top\_left`, `top\_right`, `bottom\_left`, and `bottom\_right`.
- <15> The optional `net` token defines the integer number and name string of the net connection for the pad.

- <16> The ``uuid`` token defines the unique identifier of the pad object.
- <17> The optional ``pinfunction`` token attribute defines the associated schematic symbol pin name.
- <18> The optional ``pintype`` token attribute defines the associated schematic pin electrical type.
- <19> The optional ``die_length`` token attribute defines the die length between the component pad and physical chip inside the component package.
- <20> The optional ``solder_mask_margin`` token attribute defines the distance between the pad and the solder mask for the pad. If not set, the footprint ``solder_mask_margin`` is used.
- <21> The optional ``solder_paste_margin`` token attribute defines the distance the solder paste should be changed for the pad.
- <22> The optional ``solder_paste_margin_ratio`` token attribute defines the percentage to reduce the pad outline by to generate the solder paste size.
- <23> The optional ``clearance`` token attribute defines the clearance from all copper to the pad. If not set, the footprint ``clearance`` is used.
- <24> The optional ``zone_connection`` token attribute defines type of zone connect for the pad. If not defined, the footprint ``zone_connection`` setting is used. Valid connection types are integers values from 0 to 3 which defines:
- * 0 - Pad is not connect to zone.
 - * 1 - Pad is connected to zone using thermal relief.
 - * 2 - Pad is connected to zone using solid fill.
- <25> The optional ``thermal_width`` token attribute defines the thermal relief spoke width used for zone connection for the pad. This only affects a pad connected to a zone with a thermal relief. If not set, the footprint ``thermal_width`` setting is used.
- <26> The optional ``thermal_gap`` token attribute defines the distance from the pad to the zone of the thermal relief connection for the pad. This only affects a pad connected to a zone with a thermal relief. If not set, the footprint ``thermal_gap`` setting is used.
- <27> The optional `<<_custom_pad_options,custom pad options>>` defines the options when a custom pad is defined.
- <28> The optional `<<_custom_pad_primitives,custom pad primitives>>` defines the drawing objects and options used to define a custom pad.

==== Pad Drill Definition

The ``drill`` token defines the drill attributes for a `<<_footprint_pad,footprint pad>>`.

...

```

(drill
  [oval] <1>
  DIAMETER <2>
  [WIDTH] <3>
  [(offset X Y)] <4>
)
...

```

<1> The optional `oval` token defines if the drill is oval instead of round.

<2> The diameter attribute defines the drill diameter.

<3> The optional width attribute defines the width of the slot for oval drills.

<4> The optional `offset` token defines the drill offset coordinates from the center of the pad.

==== Custom Pad Options

The optional `options` token attributes define the settings used for custom pads. This token is only used when a <<_footprint_pad,custom pad>> is defined.

```

...
(options
  (clearance CLEARANCE_TYPE) <1>
  (anchor PAD_SHAPE) <2>
)
...

```

<1> The `clearance` token defines the type of clearance used for a custom pad. Valid clearance types are `outline` and `convexhull`.

<2> The `anchor` token defines the anchor pad shape of a custom pad. Valid anchor pad shapes are `rect` and `circle`.

==== Custom Pad Primitives

The optional `primitives` token defines a list of graphical items used to define the outline of a custom pad shape. This token is only used when a <<_footprint_pad,custom pad>> is defined.

...

```
(primitives
  GRAPHIC_ITEMS... <1>
  (width WIDTH) <2>
  [(fill yes)] <3>
)
```

...

- <1> The graphical items is a list of graphical <<_graphical_line,lines>>, <<_graphical_rectangle,rectangles>>, <<_graphical_arc,arcs>>, <<_graphical_circle,circles>>, <<_graphical_curve,curves>>, <<_graphical_polygon,polygons>>, and <<_annotation_bounding_box,annotation bounding boxes>> that define the shape of the custom pad (annotation bounding boxes from version 7). The item definitions only include the geometrical information that defines the item. The annotation bounding box defines the location (and size) of the pad number and netname.
- <2> The `width` token defines the line width of the <<_graphical_items_section,graphical items>>.
- <3> The optional `fill` token attribute `yes` indicates the geometry defined by the <<_graphical_items_section,graphical items>> should be filled.

==== Footprint 3D Model

The `model` token defines the 3D model associated with a <<_footprint,footprint>>.

...

```
(model
  "3D_MODEL_FILE" <1>
  (at (xyz X Y Z)) <2>
  (scale (xyz X Y Z)) <3>
  (rotate (xyz X Y Z)) <4>
)
```

...

- <1> The 3D_MODEL_FILE attribute is the path and file name of the 3D model.
- <2> The `at` token specifies the 3D position coordinates of the model relative to the footprint.
- <3> The `scale` token specifies the model scale factor for each 3D axis.

<4> The `rotate` token specifies the model rotation for each 3D axis relative to the footprint.

=== Graphic Items

The graphical items are footprint and board items that are outside of the connectivity items. This includes graphical items on technical, user, and copper layers. Graphical items are also used to define complex <<_footprint_pad,pad>> geometries.

==== Graphical Text

The `gr\_text` token defines graphical text.

```
...  
  
(gr_text  
  "TEXT"                                <1>  
  POSITION_IDENTIFIER                    <2>  
  (layer LAYER_DEFINITION [knockout])    <3>  
  (uuid UUID)                           <4>  
  (effects TEXT_EFFECTS)                 <5>  
)  
...
```

<1> The "TEXT" attribute is a quoted string that defines the text.

<2> The POSITION_IDENTIFER defines the

<<_position_identifier,X and Y coordinates and optional orientation angle>> of the text.

<3> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the text resides on.

It is optionally followed by a `knockout` token indicating the text should be knocked out.

<4> The `uuid` token defines the unique identifier of the text object.

<5> The TEXT_EFFECTS defines how the <<_text_effects,text is displayed>>.

=== Graphical Text Box

(from version 7)

The `gr\_text\_box` token defines a rectangle containing line-wrapped text.

...

```
(gr_text_box
  [locked] <1>
  "TEXT" <2>
  [(start X Y)] <3>
  [(end X Y)] <4>
  [(pts (xy X Y) (xy X Y) (xy X Y) (xy X Y))] <5>
  [(angle ROTATION)] <6>
  (layer LAYER_DEFINITION) <7>
  (uuid UUID) <8>
  TEXT_EFFECTS <9>
  [STROKE_DEFINITION] <10>
  [(render_cache RENDER_CACHE)] <11>
)
```

...

<1> The optional `locked` token specifies if the text box can be moved.

<2> The content of the text box

<3> The `start` token defines the top-left of a cardinally oriented text box.

<4> The `end` token defines the bottom-right of a cardinally oriented text box.

<5> The `pts` token defines the four corners of a non-cardianlly oriented text box. The corners must be in order, but the winding can be either direction.

<6> The optional `angle` token defines the rotation of the text box in degrees.

<7> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the text box resides on.

<8> The `uuid` token defines the unique identifier of the text box.

<9> The <<_text_effects, TEXT_EFFECTS>> describe the style of the text in the text box.

<10> The <<_stroke_definition, STROKE_DEFINITION>> describes the style of an optional border to be drawn around the text box.

<11> If the `TEXT\_EFFECTS` prescribe a TrueType font then a render cache should be given in case the font can not be found on the current system.

NOTE: If `angle` is not given, or is a cardinal angle (0, 90, 180 or 270), then the text box MUST have `start` and `end` tokens.

NOTE: If `angle` is given and is not a cardinal angle, then the text box MUST have a `pts` token

(with 4 pts).

==== Graphical Line

The ``gr_line`` token defines a graphical line.

...

```
(gr_line
  (start X Y)                <1>
  (end X Y)                  <2>
  [(angle ANGLE)]            <3>
  (layer LAYER_DEFINITION)   <4>
  (width WIDTH)              <5>
  (uuid UUID)                <6>
)
```

...

<1> The ``start`` token defines the coordinates of the beginning of the line.

<2> The ``end`` token defines the coordinates of the end of the line.

<3> The optional ``angle`` token defines the rotational angle of the line.

<4> The ``layer`` token defines the <<_canonical_layer_names, canonical layer>> the line resides on.

<5> The ``width`` token defines the line width.

<6> The ``uuid`` token defines the unique identifier of the line object.

==== Graphical Rectangle

The ``gr_rect`` token defines a graphical rectangle.

...

```
(gr_rect
  (start X Y)                <1>
  (end X Y)                  <2>
  (layer LAYER_DEFINITION)   <3>
  (width WIDTH)              <4>
```

```

    [(fill yes | no]]                <5>
    (uuid UUID)                      <6>
)
...

```

- <1> The ``start`` token defines the coordinates of the upper left corner of the rectangle.
- <2> The ``end`` token defines the coordinates of the low right corner of the rectangle.
- <3> The ``layer`` token defines the <<_canonical_layer_names, canonical layer>> the rectangle resides on.
- <4> The ``width`` token defines the line width of the rectangle.
- <5> The optional ``fill`` token defines how the rectangle is filled. If not defined, the rectangle is not filled.
- <6> The ``uuid`` token defines the unique identifier of the rectangle object.

==== Graphical Circle

The ``gr_circle`` token defines a graphical circle.

```

...

(gr_circle
  (center X Y)                      <1>
  (end X Y)                         <2>
  (layer LAYER_DEFINITION)         <3>
  (width WIDTH)                    <4>
  [(fill yes | no]]                <5>
  (uuid UUID)                      <6>
)
...

```

- <1> The ``center`` token defines the coordinates of the center of the circle.
- <2> The ``end`` token defines the coordinates of the end of the radius of the circle.
- <3> The ``layer`` token defines the <<_canonical_layer_names, canonical layer>> the circle resides on.
- <4> The ``width`` token defines the line width of the circle.
- <5> The optional ``fill`` token defines how the circle is filled. If not defined,

the circle is not filled.

<6> The `uuid` token defines the unique identifier of the circle object.

==== Graphical Arc

The `gr\_arc` token defines a graphical arc.

...

```
(gr_arc
  (start X Y)                <1>
  (mid X Y)                  <2>
  (end X Y)                  <3>
  (layer LAYER_DEFINITION)   <4>
  (width WIDTH)              <5>
  (uuid UUID)                <6>
)
```

...

<1> The `start` token defines the coordinates of the start position of the arc radius.

<2> The `mid` token defines the coordinates of the midpoint along the arc.

<3> The `end` token defines the coordinates of the end position of the arc radius.

<4> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the arc resides on.

<5> The `width` token defines the line width of the arc.

<6> The `uuid` token defines the unique identifier of the arc object.

==== Graphical Polygon

The `gr\_poly` token defines a graphical polygon.

...

```
(gr_poly
  COORDINATE_POINT_LIST      <1>
  (layer LAYER_DEFINITION)    <2>
  (width WIDTH)               <3>
  [(fill yes | no)]           <4>
```

```

        (uuid UUID)                                <5>
    )
...

```

<1> The COORDINATE_POINT_LIST defines the list of

<<_coordinate_point_list, X/Y coordinates>> of the polygon outline.

<2> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the polygon resides on.

<3> The `width` token defines the line width of the polygon.

<4> The optional `fill` token defines how the polygon is filled. If not defined, the polygon is not filled.

<5> The `uuid` token defines the unique identifier of the polygon object.

==== Graphical Curve

The `bezier` token defines a graphic

https://en.wikipedia.org/wiki/B%C3%A9zier_curve#Quadratic_B%C3%A9zier_curves[Cubic Bezier curve].

```

...
( bezier
    COORDINATE_POINT_LIST                                <1>
    ( layer LAYER_DEFINITION)                             <2>
    ( width WIDTH)                                         <3>
    ( uuid UUID)                                           <4>
)
...

```

<1> The COORDINATE_POINT_LIST defines the list of

<<_coordinate_point_list, X/Y coordinates>> of the four pointS of the curve.

<2> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the curve resides on.

<3> The `width` token defines the line width of the curve.

<4> The `uuid` token defines the unique identifier of the curve object.

==== Annotation Bounding Box (from version 7)

The ``gr_bbox`` token defines a bounding box inside which annotations (such as pad numbers and netnames) will be shown.

```
...  
  
(gr_bbox  
  (start X Y)                <1>  
  (end X Y)                  <2>  
)  
...
```

<1> The ``start`` token defines the coordinates of the upper left corner of the rectangle.

<2> The ``end`` token defines the coordinates of the low right corner of the rectangle.

==== Dimension

The ``dimension`` token defines a dimension object.

```
...  
  
(dimension  
  [locked]                    <1>  
  (type DIMENSION_TYPE)      <2>  
  (layer LAYER_DEFINITION)    <3>  
  (uuid UUID)                 <4>  
  (pts (xy X Y) (xy X Y))     <5>  
  [(height HEIGHT)]           <6>  
  [(orientation ORIENTATION)] <7>  
  [(leader_length LEADER_LENGTH)] <8>  
  [(gr_text GRAPHICAL_TEXT)]  <9>  
  [(format DIMENSION_FORMAT)] <10>  
  (style DIMENSION_STYLE)     <11>  
)  
...
```

<1> The optional ``locked`` token specifies if the dimension can be moved.

<2> The ``type`` token attribute defines the type of dimension. Valid dimension types are

- `aligned`, `leader`, `center`, `orthogonal`, and `radial` (`radial` from version 7).
- <3> The `layer` token defines the xref:../sexpr-intro/index.adoc#_canonical_layer_names[canonical layer] the polygon resides on.
 - <4> The `uuid` token defines the unique identifier of the dimension object.
 - <5> The `pts` token attributes define the list of `xy` coordinates of the dimension.
 - <6> The optional `height` token attribute defines the height of aligned dimensions.
 - <7> The optional `orientation` token attribute defines the rotation angle for orthogonal dimensions.
 - <8> The optional `leader\_length` token attribute defines the distance from the marked radius to the knee for radial dimensions.
 - <9> The optional `gr\_text` token attributes define the dimension text formatting for all dimension types except center dimensions.
 - <10> The optional `format` token attributes define the <<_dimension_format,dimension formatting>> for all dimension types except center dimensions.
 - <11> The `style` token attributes define the <<_dimension_style,dimension style>> information.

==== Dimension Format

The `format` token attributes define the text formatting of the dimension.

...

```
(format
  [(prefix "PREFIX")]                <1>
  [(suffix "SUFFIX")]                <2>
  (units UNITS)                      <3>
  (units_format UNITS_FORMAT)        <4>
  (precision PRECISION)              <5>
  [(override_value "VALUE")]         <6>
  [(suppress_zeros yes | no)]        <7>
)
```

...

- <1> The optional `prefix` token attribute defines the string to add to the beginning of the dimension text.
- <2> The optional `suffix` token attribute defines the string to add to the end of the dimension

text.

<3> The `units` token attribute defines the dimension units used to display the dimension text.

Valid units are as follows:

- * 0 - Inches.
- * 1 - Mils.
- * 2 - Millimeters.
- * 3 - Automatic.

<4> The `units\_format` token attribute defines how the unit's suffix is formatted. Valid units formats are as follows:

- * 0 - No suffix.
- * 1 - Bare suffix.
- * 2 - Wrap suffix in parenthesis.

<5> The `precision` token attribute defines the number of significant digits to display. From version 7, a `precision` above 5 indicates a units-scaled precision:

- * 6 - 0.00 in / 0 mils / 0.0 mm
- * 7 - 0.000 in / 0 mils / 0.00 mm
- * 8 - 0.0000 in / 0.0 mils / 0.000mm
- * 9 - 0.00000 in / 0.00 mils / 0.0000mm

<6> The optional `override\_value` token attribute defines the text to substitute for the actual physical dimension.

<7> The optional `suppress\_zeros` token removes all trailing zeros from the dimension text.

The only valid attributes are `yes` and `no`.

==== Dimension Style

...

(style

(thickness THICKNESS) <1>

(arrow_length LENGTH) <2>

(text_position_mode MODE) <3>

[(arrow_direction DIRECTION)] <4>

[(extension_height HEIGHT)] <5>

[(text_frame TEXT_FRAME_TYPE)] <6>

[(extension_offset OFFSET)] <7>

[(keep_text_aligned yes | no)] <8>

)
...

- <1> The ``thickness`` token attribute defines the line thickness of the dimension.
- <2> The ``arrow_length`` token attribute defines the length of the dimension arrows.
- <3> The ``text_position_mode`` token attribute defines the position mode of the dimension text.
- Valid position modes are as follows:
- * 0 - Text is outside the dimension line.
 - * 1 - Text is in line with the dimension line.
 - * 2 - Text has been manually placed by the user.
- <4> The ``arrow_direction`` token attribute defines the direction of the dimension arrows.
- Only ``aligned`` and ``orthogonal`` dimensions support this attribute. Valid directions are as follows:
- * ``outward``: The arrows face outward, pointing away from midpoint of the crossbar.
 - * ``inward``: The arrows face inward, pointing towards the midpoint of the crossbar.
- <5> The optional ``extension_height`` token attribute defines the length of the extension lines past the dimension crossbar.
- <6> The optional ``text_frame`` token attribute defines the style of the frame around the dimension text. This only applies to ``leader`` dimensions. Valid text frames are as follows:
- * 0 - No text frame.
 - * 1 - Rectangle.
 - * 2 - Circle.
 - * 3 - Rounded rectangle.
- <7> The optional ``extension_offset`` token attribute defines the distance from feature points to extension line start.
- <8> The optional ``keep_text_aligned`` token indicates that the dimension text should be kept in line with the dimension crossbar. When not defined, the dimension text is shown horizontally regardless of the orientation of the dimension.

=== Zone

The ``zone`` token defines a zone on the board or footprint. Zones serve two purposes in KiCad: filled copper zones and keep out areas.

(zone

| | |
|--|------|
| (net NET_NUMBER) | <1> |
| (net_name "NET_NAME") | <2> |
| (layer LAYER_DEFINITION) | <3> |
| (uuid UUID) | <4> |
| [(name "NAME")] | <5> |
| (hatch STYLE PITCH) | <6> |
| [(priority PRIORITY)] | <7> |
| (connect_pads [CONNECTION_TYPE] (clearance CLEARANCE)) | <8> |
| (min_thickness THICKNESS) | <9> |
| [(filled_areas_thickness no)] | <10> |
| [ZONE_KEEPOUT_SETTINGS] | <11> |
| ZONE_FILL_SETTINGS | <12> |
| (polygon COORDINATE_POINT_LIST) | <13> |
| [ZONE_FILL_POLYGONS...] | <14> |
| [ZONE_FILL_SEGMENTS...] | <15> |

)

...

- <1> The `net` token attribute defines by the net ordinal number which net in the xref:../sexpr-pcb/index.adoc#_nets_section[nets section] that the zone is part of.
- <2> The `net\_name` token attribute defines the xref:../sexpr-pcb/index.adoc#_nets_section[name of the net] if the zone is not a keep out area. The net name attribute will be an empty string if the zone is a keep out area.
- <3> The `layer` token defines the <<canonical_layer_names, canonical layer>> the zone resides on.
- <4> The `uuid` token defines the unique identifier of the zone object.
- <5> The optional `name` token attribute defines the name of the zone if one has been assigned.
- <6> The `hatch` token attributes define the zone outline display hatch style and pitch. Valid hatch styles are `none`, `edge`, and `full`.
- <7> The optional `priority` attribute defines the zone priority if it is not zero.
- <8> The `connect\_pads` token attributes define the pad connection type and clearance. Valid pad connection types are `thru\_hole\_only`, `full`, and `no`. If the pad connection type is not defined, thermal relief pad connections are used.
- <9> The `min\_thickness` token attributed defines the minimum fill width allowed in the zone.
- <10> The optional `filled\_areas\_thickness` attribute `no` specifies if the zone like width is not used when determining the zone fill area. This is to maintain compatibility with older

board files that included the line thickness when performing zone fills when it is not defined.

<11> The optional <<_zone_keep_out_settings,zone keep out settings>> section defines the keep out items if the zone defines as a keep out area.

<12> The <<_zone_fill_settings,zone fill settings section>> defines how the zone is to be filled.

- * 0 - All footprint pads are not connect to zone.
- * 1 - All footprint pads are connected to zone using thermal relief.
- * 2 - All footprint pads are connected to zone using solid fill.
- * 3 - Only footprint through hole pads are connected to zone using thermal relief. Surface mount pads are connected using solid fill.

<13> The `polygon` token attribute defines the COORDINATE_POINT_LIST of <<_coordinate_point_list, X/Y coordinates>> of corner points of the polygon outline. the corners of the zone outline polygon.

<14> The optional <<_zone_fill_polygons,zone fill polygons section>> defines all of the polygons used to fill the zone. This section will not exist if the zone has not been filled or is filled with segments.

<15> The optional <<_zone_fill_segments, zone fill segments section>> defines a list of track segments used to fill the zone. This is only used when boards prior to version 4 of KiCad are loaded.

==== Zone Keep Out Settings

The optional `keepout` token attributes define which objects should be kept out of the zone. This section only applies to keep out zones.

...

```
(keepout
  (tracks KEEPOUT)                <1>
  (vias KEEPOUT)                  <2>
  (pads KEEPOUT)                  <3>
  (copperpour KEEPOUT)            <4>
  (footprints KEEPOUT)            <5>
)
```

...

<1> The `tracks` token attribute defines whether or not tracks should be excluded from the keep out area. Valid attributes are `allowed` and `not\_allowed`.

- <2> The `vias` token attribute defines whether or not vias should be excluded from the keep out area. Valid attributes are `allowed` and `not\_allowed`.
- <3> The `pads` token attribute defines whether or not pads should be excluded from the keep out area. Valid attributes are `allowed` and `not\_allowed`.
- <4> The `copperpour` token attribute defines whether or not copper pours should be excluded from the keep out area. Valid attributes are `allowed` and `not\_allowed`.
- <5> The `footprints` token attribute defines whether or not footprints should be excluded from the keep out area. Valid attributes are `allowed` and `not\_allowed`.

==== Zone Fill Settings

The `fill` token attributes define how the zone is to be filled.

```

...
(fill
  [yes]                                     <1>
  [(mode FILL_MODE)]                       <2>
  (thermal_gap GAP)                        <3>
  (thermal_bridge_width WIDTH)             <4>
  [(smoothing STYLE)]                     <5>
  [(radius RADIUS)]                       <6>
  [(island_removal_mode MODE)]             <7>
  [(island_area_min AREA)]                <8>
  [(hatch_thickness THICKNESS)]            <9>
  [(hatch_gap GAP)]                       <10>
  [(hatch_orientation ORIENTATION)]        <11>
  [(hatch_smoothing_level LEVEL)]          <12>
  [(hatch_smoothing_value VALUE)]          <13>
  [(hatch_border_algorithm TYPE)]          <14>
  [(hatch_min_hole_area AREA)]             <15>
)
...

```

- <1> The `yes` token specifies if the zone should be filled. If not specified, the zone is not filled and no additional attributes are required.

<2> The optional ``mode`` token attribute defines how the zone is filled. The only valid fill mode is ``hatched``. When not defined, the fill mode is solid.

<3> The optional ``thermal_gap`` token attribute defines the distance from the zone to all pad thermal relief connections to the zone.

<4> The optional ``thermal_bridge_width`` token attribute defines the spoke width for all pad thermal relief connection to the zone.

<5> The optional ``smoothing`` token attributes define the style of corner smoothing.
Valid smoothing styles are ``chamfer`` and ``fillet``.

<6> The optional ``radius`` token defines the radius of the corner smoothing.

<7> The optional ``island_removal_mode`` token attribute defines the island removal mode. Valid island removal modes are:

- * 0 - Always remove islands.
- * 1 - Never remove islands.
- * 2 - Minimum area island to allow.

<8> The optional ``island_area_min`` token attribute defines the minimum allowable zone island.
This only valid when the remove islands mode is set to 2.

<9> The optional ``hatch_thickness`` token attribute defines the thickness for hatched fills.

<10> The optional ``hatch_gap`` token attribute defines the distance between lines for hatched fills.

<11> The optional ``hatch_orientation`` token attribute defines the line angle for hatched fills.

<12> The optional ``hatch_smoothing_level`` token attribute defines how hatch outlines are smoothed.
Valid hatch smoothing levels are:

- * 0 - No smoothing.
- * 1 - Fillet.
- * 2 - Arc minimum.
- * 3 - Arc maximum.

<13> The optional ``hatch_smoothing_value`` token attribute defines the ratio between the hole and the chamfer/fillet size.

<14> The optional ``hatch_border_algorithm`` token attribute defines the if the zone line thickness is used when performing a hatch fill. Valid values for the hatch border algorithm are:

- * 0 - Use zone minimum thickness.
- * 1 - Use hatch thickness.

<15> The optional ``hatch_min_hole_area`` token attribute defines the minimum area a hatch file hole can be.

==== Zone Fill Polygons
The ``filled_polygon`` token defines the polygons used to fill the zone. This token will not exist if the zone has not been filled.

...

```
(filled_polygon
  (layer LAYER_DEFINITION) <1>
  COORDINATE_POINT_LIST <2>
)
```

...

<1> The `layer` token attribute defines the <<_canonical_layer_names, canonical layer>> the zone fill resides on.

<2> The COORDINATE_POINT_LIST defines the list of polygon

<<_coordinate_point_list, X/Y coordinates>> used to fill the zone.
==== Zone Fill Segments

The `filled\_segments` token defines the segments used to fill the zone. This is only used when loading boards prior to version 4 which filled zones with segments. Once the zone has been refilled, it will be filled with polygons and this token will not exist.

...

```
(fill_segments
  (layer LAYER_DEFINITION) <1>
  COORDINATED_POINT_LIST <2>
)
```

...

<1> The `layer` token attribute defines the <<_canonical_layer_names,canonical layer>> the zone fill resides on.

<2> The COORDINATE_POINT_LIST defines the list of

<<_coordinate_point_list,X and Y coordinates>> of the segments used to fill the zone.

== Group

The `group` token defines a group of items.

```

...

(group
  "NAME"                                <1>
  (id UUID)                             <2>
  (members UUID1 ... UUIDN)             <3>
)
...

```

<1> The name attribute defines the name of the group.

<2> The `id` token attribute defines the unique identifier of the group.

<3> The `members` token attributes define a list of unique identifiers of the objects belonging to the group.

== Schematic and Symbol Library Common Syntax

This section defines all syntax that is shared across the symbol library and schematic file formats.

=== Schematic Coordinates

* The minimum internal unit for schematic and symbol library files is one nanometer so there is maximum resolution of four decimal places or 0.0001 mm. Any precision beyond four places will be truncated.

=== Symbol Unit Identifier

Symbol unit identifiers define how symbol units are identified. The unit identifier is a quoted string have the format "NAME_UNIT_STYLE". "NAME" is the parent symbol name. "UNIT" is an integer that identifies which unit the symbol represents. A "UNIT" value of zero (0) indicates that the symbol is common to all units. The "STYLE" indicates which body style the unit represents. NOTE: This identifier is a temporary solution until the full symbol inheritance model is

implemented.

NOTE: KiCad only supports two body styles so the only valid values for the "STYLE" are 1 and 2.

=== Fill Definition

The ``fill`` token defines how schematic and symbol library graphical items are filled.

...

```
(fill
  (type none | outline | background)          <1>
)
```

...

<1> The ``fill`` token attributes define how the arc is filled. The table below describes the fill type modes.

The table below defines the schematic and symbol graphical object fill modes.

[options="header"]

|===

|Token |Description

|none |Graphic item not filled.

|outline |Graphic item filled with the line color.

|background |Graphic filled with the theme background color.

|===

=== Symbols

The ``symbol`` token defines a symbol or sub-unit of a parent symbol. There can be zero or more ``symbol`` tokens in a symbol library file.

...

```
(symbol
  "LIBRARY_ID" | "UNIT_ID"          <1>
```

| | |
|--------------------------------------|------|
| [(extends "LIBRARY_ID")] | <2> |
| [(pin_numbers hide)] | <3> |
| [(pin_names [(offset OFFSET)] hide)] | <4> |
| (in_bom yes no) | <5> |
| (on_board yes no) | <6> |
| SYMBOL_PROPERTIES... | <7> |
| GRAPHIC_ITEMS... | <8> |
| PINS... | <9> |
| UNITS... | <10> |
| [(unit_name "UNIT_NAME")] | <11> |
|) | |
| ... | |

<1> Each symbol must have a unique

<<_library_identifier,"LIBRARY_ID">> for each top level symbol in the library or a unique <<_symbol_unit_identifier,"UNIT_ID">> for each unit embedded in a parent symbol. Library identifiers are only valid at top level symbols and unit identifiers are only valid as unit symbols inside a parent symbol.

<2> The optional `extends` token attribute defines the <<_library_identifier,"LIBRARY_ID">> of another symbol inside the current library from which to derive a new symbol. Extended symbols currently can only have different <<_symbol_properties, SYMBOL_PROPERTIES>> than their parent symbol.

<3> The optional `pin\_numbers` token defines the visibility setting of the symbol pin numbers for the entire symbol. If not defined, the all of the pin numbers in the symbol are visible.

<4> The optional `pin\_names` token defines the attributes for all of the pin names of the symbol. The optional `offset` token defines the pin name offset for all pin names of the symbol. If not defined, the pin name offset is 0.508mm (0.020"). If the `pin\_name` token is not defined, the all symbol pins are shown with the default offset.

<5> The `in\_bom` token, defines if a symbol is to be include in the bill of material output. The only valid attributes are yes and no.

<6> The `on\_board` token, defines if a symbol is to be exported from the schematic to the printed circuit board. The only valid attributes are yes and no.

<7> The <<_symbol_properties,SYMBOL_PROPERTIES>> is a list of properties that define the symbol. The following properties are mandatory when defining a parent symbol: "Reference", "Value", "Footprint", and "Datasheet". All other properties are optional. Unit symbols cannot have

any properties.

- <8> The <<_symbol_graphic_items,GRAPHIC ITEMS>> section is list of graphical arcs, circles, curves, lines, polygons, rectangles and text that define the symbol drawing. This section can be empty if the symbol has no graphical items.
- <9> The <<_symbol_pin,PINS>> section is a list of pins that are used by the symbol. This section can be empty if the symbol does not have any pins.
- <10> The optional UNITS can be one or more child `symbol` tokens embedded in a parent `symbol`.
- <11> The optional `unit\_name` token defines the display name of a subunit in the symbol editor and symbol chooser. It is only permitted for child `symbol` tokens embedded in a parent `symbol`.

==== Symbol Properties

The `property` token defines a symbol property when used inside a `symbol` definition.

NOTE: Symbol properties are different than <<_properties,general purpose properties>> defined above.

```
...
(property
  "KEY"                                <1>
  "VALUE"                              <2>
  (id N)                               <3>
  POSITION_IDENTIFIER                   <4>
  TEXT_EFFECTS                         <5>
}
```

- <1> The "KEY" string defines the name of the property and must be unique.
- <2> The "VALUE" string defines the value of the property.
- <3> The `id` token defines an integer ID for the property and must be unique.
- <4> The POSITION_IDENTIFIER defines the <<_position_identififer,X and Y coordinates and rotation angle>> of the property.
- <5> The TEXT_EFFECTS section defines how the <<_text_effects,text is displayed>>.
- ==== Mandatory Symbol Properties

The table below defines the mandatory properties for parent symbols.

.Mandatory Properties

[options="header",cols="25%,15%,60%,20%"]

|===

| Key | Ordinal | Description | Empty Allowed |
|-----|---------|-------------|---------------|
|-----|---------|-------------|---------------|

| | | | |
|-----------|---|-----------------------------|----|
| Reference | 0 | Symbol reference designator | No |
|-----------|---|-----------------------------|----|

| | | | |
|-------|---|---------------------|----|
| Value | 1 | Symbol value string | No |
|-------|---|---------------------|----|

| | | | |
|-----------|---|---|-----|
| Footprint | 2 | Symbol footprint <<_library_identifier,library identifier>> | Yes |
|-----------|---|---|-----|

| | | | |
|-----------|---|-----------------------|-----|
| Datasheet | 3 | Symbol datasheet link | Yes |
|-----------|---|-----------------------|-----|

|===

===== Reserved Symbol Property Keys

The list below is the list of property keys reserve by KiCad and cannot be user for user defined properties.

* `ki\_keywords`

* `ki\_description`

* `ki\_locked`

* `ki\_fp\_filters`

==== Symbol Graphic Items

This section documents the various graphical objects used in symbol definitions.

==== Symbol Arc

The `arc` token defines a graphical arc in a symbol definition.

...

(arc

(start X Y) <1>

(mid X Y) <2>

```

        (end X Y)                                <3>

        STROKE_DEFINITION                        <4>

        FILL_DEFINITION                          <5>

    )
...

```

- <1> The `start` token defines the coordinates of start point of the arc.
- <2> The `mid` token defines the coordinates of mid point of the arc.
- <3> The `end` token defines the coordinates of end point of the arc.
- <4> The STROKE_DEFINITION defines how the arc <<_stroke_definition,outline is drawn>>.
- <5> The `fill` token attributes define how the arc is <<_fill_definition,filled>>.

==== Symbol Circle

The `circle` token defines a graphical circle in a symbol definition.

```

...

(circle
    (center X Y)                                <1>

    (radius RADIUS)                            <2>

    STROKE_DEFINITION                          <3>

    FILL_DEFINITION                            <4>

)
...

```

- <1> The `center` token defines the coordinates of center point of the circle.
- <2> The radius token defines the length of the radius of the circle.
- <3> The STROKE_DEFINITION defines how the circle <<_stroke_definition,outline is drawn>>.
- <4> The FILL_DEFINITION defines how the circle is <<_fill_definition,filled>>.

==== Symbol Curve

The `bezier` token defines a graphical .

https://en.wikipedia.org/wiki/B%C3%A9zier_curve#Quadratic_B%C3%A9zier_curves[Qubic Bezier curve].

```

(bezier
  COORDINATE_POINT_LIST          <1>
  STROKE_DEFINITION              <2>
  FILL_DEFINITION                <3>
)
...

```

<1> The COORDINATE_POINT_LIST defines the four

<<_coordinate_point_list, X/Y coordinates>> of each point of the curve.

<2> The STROKE_DEFINITION defines how the curve <<_stroke_definition, outline is drawn>>.

<3> The FILL_DEFINITION defines how the curve is <<_fill_definition, filled>>.

==== Symbol Line

The `polyline` token defines one or more graphical lines that may or may not define a polygon.

```

...

(polyline
  COORDINATE_POINT_LIST          <1>
  STROKE_DEFINITION              <2>
  FILL_DEFINITION                <3>
)
...

```

<1> The COORDINATE_POINT_LIST defines the list of

<<_coordinate_point_list, X/Y coordinates>> of the line(s). There must be a minimum of two points.

<2> The STROKE_DEFINITION defines how the polygon formed by the lines

<<_stroke_definition, outline is drawn>>.

<3> The `fill` token attributes define how the polygon formed by the lines is

<<_fill_definition, filled>>.

==== Symbol Rectangle

The `rectangle` token defines a graphical rectangle in a symbol definition.

```

...
(rectangle

```

```

        (start X Y)                                <1>
        (end X Y)                                  <2>
        STROKE_DEFINITION                          <3>
        FILL_DEFINITION                            <4>
    )
...

```

<1> The `start` token attributes define the coordinates of the start point of the rectangle.

<2> The `end` token attributes define the coordinates of the end point of the rectangle.

<3> The STROKE_DEFINITION defines how the rectangle <<_stroke_definition,outline is drawn>>.

<4> The FILL_DEFINITION defines how the rectangle is <<_fill_definition,filled>>.

==== Symbol Text

The `text` token defines graphical text in a symbol definition.

```

...
    (text
        "TEXT"                                     <1>
        POSITION_IDENTIFIER                         <2>
        (effects TEXT_EFFECTS)                    <3>
    )
...

```

<1> The "TEXT" attribute is a quoted string that defines the text.

<2> The POSITION_IDENTIFIER defines the

<<_position_identifier,X and Y coordinates and rotation angle>> of the text.

<3> The TEXT_EFFECTS defines how the <<_text_effects,text is displayed>>.

==== Symbol Pin

The `pin` token defines a pin in a symbol definition.

```

...
    (pin

```

```

    PIN_ELECTRICAL_TYPE                <1>
    PIN_GRAPHIC_STYLE                  <2>
    POSITION_IDENTIFIER                  <3>
    (length LENGTH)                    <4>
    (name "NAME" TEXT_EFFECTS)         <5>
    (number "NUMBER" TEXT_EFFECTS)     <6>
  )
...

```

- <1> The PIN_ELECTRICAL_TYPE defines the pin electrical connection. See table below for valid pin electrical connection types and descriptions.
- <2> The PIN_GRAPHICAL_STYLE defines the graphical style used to draw the pin. See table below for valid pin graphical styles and descriptions.
- <3> The POSITION_IDENTIFIER defines the
 <<_position_identififer,X and Y coordinates and rotation angle>> of the connection point of the pin relative to the symbol origin position. The only supported rotation angles for pins are 0, 90, 180, and 270 degrees.
- <4> The `length` token attribute defines the LENGTH of the pin.
- <5> The `name` token defines a quoted string containing the NAME of the pin and the TEXT_EFFECTS defines how the <<_text_effects,text is displayed>>.
- <6> The `number` token defines a quoted string containing the NUMBER of the pin and the TEXT_EFFECTS defines how the <<_text_effects,text is displayed>>.

The table below defines the pin electrical types.

```
[options=header,cols="1,3"]
```

```
|===
```

| Token | Description |
|---------------|--|
| input | Pin is an input. |
| output | Pin is an output. |
| bidirectional | Pin can be both input and output. |
| tri_state | Pin is a tri-state output. |
| passive | Pin is electrically passive. |
| free | Not internally connected. |
| unspecified | Pin does not have a specified electrical type. |

| | |
|----------------|-----------------------------------|
| power_in | Pin is a power input. |
| power_out | Pin is a power output. |
| open_collector | Pin is an open collector output. |
| open_emitter | Pin is an open emitter output. |
| no_connect | Pin has no electrical connection. |
| === | |

The table below defines the pin graphical styles.

[options=header,cols="30%,^70%"]

| | |
|-----------------|--|
| === | |
| Token | Pin Image |
| line | image:images/pinshape_normal_16.png[images/pinshape_normal_16] |
| inverted | image:images/pinshape_invert_16.png[images/pinshape_invert_16] |
| clock | image:images/pinshape_clock_normal_16.png[images/pinshape_clock_normal_16] |
| inverted_clock | image:images/pinshape_clock_invert_16.png[images/pinshape_clock_invert_16] |
| input_low | image:images/pinshape_active_low_input_16.png[images/pinshape_active_low_input_16] |
| clock_low | image:images/pinshape_clock_active_low_16.png[images/pinshape_clock_active_low_16] |
| output_low | image:images/pinshape_active_low_output_16.png[images/pinshape_active_low_output_16] |
| edge_clock_high | image:images/pinshape_clock_fall_16.png[images/pinshape_clock_fall_16] |
| non_logic | image:images/pinshape_nonlogic_16.png[images/pinshape_nonlogic_16] |
| === | |

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-npcb\ index.en.adoc

Resumo: --- title: Board File Format weight: 43 --- :TOC: .Summary The s-expression printed circuit board file format. <!--more--> == Introduction This documents the s-expression board file format for all versions of KiCad from 6.0. * Printed circuit board files use the `.kicad\_pcb` exten...

title: Board File Format

weight: 43

:TOC:

.Summary The s-expression printed circuit board file format.

<!--more-->

== Introduction

This documents the s-expression board file format for all versions of KiCad from 6.0.

* Printed circuit board files use the `.kicad\_pcb` extension.

NOTE: This file format was introduced with the launch of KiCad 4.0.

NOTE: Prior to version 6 of KiCad, strings were only quoted when necessary. Saving an older board file to the latest file format will result in these strings being quoted even though there is no functional change in the board itself.

== Layout

A board file includes the following sections:

* <<_header_section,Header>>

* <<_general_section,General>>

* <<_layers_section,Layers>>

* <<_setup_section,Setup>>

- * <<_property_section,Properties>>
- * <<_nets_section,Nets>>
- * <<_footprint_section,Footprints>>
- * <<_graphic_items_section,Graphic Items>>
- * <<_images,Images>>
- * <<_tracks_section,Tracks>>
- * <<_zones_section,Zones>>
- * <<_group_section,Groups>>

NOTE: The section order is not critical other than the header must be the first token. Some sections can may omitted.

== Header Section

The `kicad\_pcb` token indicates that it is KiCad board file. This section is required.

NOTE: Third party scripts should not use `pcbnew` as the generator identifier. Please use some other identifier so that bugs introduced by third party generators are not confused with the board file created by KiCad.

...

(kicad_pcb

(version VERSION) <1>

(generator GENERATOR) <2>

;; contents of board file... <3>

)

...

<1> The `version` token attribute defines the board version using the YYYYMMDD date format.

<2> The `generator` token attribute defines the program used to write the file.

<3> The remaining sections of the board definition goes here.

== General Section

The ``general`` token define general information about the board. This section is required.

NOTE: Most of the redundant information in the ``general`` section prior to version 6 has been removed. The removed information does not affect the board output.

```
...  
  
  (general  
    (thickness THICKNESS)                <1>  
  )  
...
```

<1> The ``thickness`` token attribute defines the overall board thickness.

== Page Section

See the `xref:../sexpr-intro/index.adoc#_page_settings`[page settings definition] in the common s-expression section. This section is required.

== Layers Section

The ``layers`` token defines all of the layers used by the board. This section is required.

```
...  
  
  (layers  
    (  
      ORDINAL                <1>  
      "CANONICAL_NAME"       <2>  
      TYPE                   <3>  
      ["USER_NAME"]          <4>  
    )  
  
    ;; remaining layers...  
  )
```

...

- <1> The layer `ORDINAL` is an integer used to associate the layer stack ordering. This is mostly to ensure correct mapping when the number of layers is increased in the future.
- <2> The <<_canonical_layer_names,`CANONICAL\_NAME`>> is the layer name defined for internal board use.
- <3> The layer `TYPE` defines the type of layer and can be defined as `jumper`, `mixed`, `power`, `signal`, or `user`.
- <4> The optional `USER\_NAME` attribute defines the custom user name.

== Setup Section

The `setup` token is used to store the current settings such as default item sizes and other options used by the board. This section is required.

[source,lisp]

```
(setup
  [(STACK_UP_SETTINGS)]                <1>
  (pad_to_mask_clearance CLEARANCE)    <2>
  [(solder_mask_min_width MINIMUM_WIDTH)] <3>
  [(pad_to_paste_clearance CLEARANCE)]  <4>
  [(pad_to_paste_clearance_ratio RATIO)] <5>
  [(aux_axis_origin X Y)]              <6>
  [(grid_origin X Y)]                  <7>
  (PLOT_SETTINGS)                      <8>
)
```

- <1> The optional <<_stack_up_settings,`STACK\_UP\_SETTINGS`>> define the parameters required to manufacture the board.
- <2> The `pad\_to\_mask\_clearance` token defines the clearance between footprint pads and the solder mask.
- <3> The optional `solder\_mask\_min\_width` defines the minimum solder mask width. If not defined,

the minimum width is zero.

- <4> The optional ``pad_to_paste_clearance`` defines the clearance between footprint pads and the solder paste layer. If not defined, the clearance is zero.
- <5> The optional ``pad_to_paste_clearance_ratio`` is the percentage (from 0 to 100) of the footprint pad to make the solder paste. If not defined, the ratio is 100% (the same size as the pad).
- <6> The optional ``aux_axis_origin`` defines the auxiliary origin if it is set to anything other than (0,0).
- <7> The optional ``grid_origin`` defines the grid original if it is set to anything other than (0,0).
- <8> The `<<_plot_settings,`PLOT_SETTINGS`>>` define how the board was last plotted.

=== Stack Up Settings

The optional ``stackup`` token defines the board stack up settings and is defined in the `<<_setup_section,setup section>>`.

```
...  
  
(stackup  
  (LAYER_STACK_UP_DEFINITIONS)           <1>  
  [(copper_finish "FINISH")]              <2>  
  [(dielectric_constraints yes | no)]      <3>  
  [(edge_connector yes | bevelled)]       <4>  
  [(castellated_pads yes)]                <5>  
  [(edge_plating yes)]                    <6>  
)  
...
```

- <1> The layer stack up definitions is a list of layer `<<_stack_up_layer_settings,settings for each layer>>` required to manufacture a board including the dielectric material between the actual layers defined in the board editor.
- <2> The optional ``copper_finish`` token is a string that defines the copper finish used to manufacture the board.
- <3> The optional ``dielectric_constraints`` token define if the board should meet all dielectric requirements.
- <4> The optional ``edge_connector`` token defines if the board has an edge connector and if the edge connector is bevelled.

<5> The optional `castellated\_pads` token defines if the board edges contain castellated pads.

<6> The optional `edge\_plating` token defines if the board edges should be plated.

=== Stack Up Layer Settings

The `layer` token defines the stack up setting of a single layer in the board

<<_stack_up_settings,stack up settings>>.

```
...
    (layer
      "NAME" | dielectric                                <1>
      NUMBER                                              <2>
      (type "DESCRIPTION")                               <3>
      [(color "COLOR")]                                  <4>
      [(thickness THICKNESS)]                             <5>
      [(material "MATERIAL")]                             <6>
      [(epsilon_r DIELECTRIC_RESISTANCE)]                 <7>
      [(loss_tangent LOSS_TANGENT)]                       <8>
    )
  ...
```

<1> The layer name attribute is either one of the

<<_canonical_layer_names,canonical copper or technical layer names>> listed in the table above
or `dielectric ID` if it is dielectric layer.

<2> The layer number attribute defines the stack order of the layer.

<3> The layer `type` token defines a string that describes the layer.

<4> The optional layer `color` token defines a string that describes the layer color. This is
only used on solder mask and silkscreen layers.

<5> The optional layer `thickness` token defines the thickness of the layer where appropriate.

<6> The optional layer `material` token defines a string that describes the layer material where
appropriate.

<7> The optional layer `epsilon\_r` token defines the dielectric constant of the layer material.

<8> The optional layer `loss\_tangent` token defines the dielectric loss tangent of the layer

=== Plot Settings

The `pcbplotparams` token defines the plotting and printing settings used for the last plot
and is defined in the <<_setup_section,set up section>>.

...

```
(pcbplotparams
  (layerselection HEXADECIMAL_BIT_SET) <1>
  (disableapertmacros true | false) <2>
  (usegerberextensions true | false) <3>
  (usegerberattributes true | false) <4>
  (usegerberadvancedattributes true | false) <5>
  (creategerberjobfile true | false) <6>
  (svguseinch true | false) <7>
  (svgprecision PRECISION) <8>
  (excludeedgelayer true | false) <9>
  (plotframeref true | false) <10>
  (viasonmask true | false) <11>
  (mode MODE) <12>
  (useauxorigin true | false) <13>
  (hpglpennumber NUMBER) <14>
  (hpglpenspeed SPEED) <15>
  (hpglpendingiameter DIAMETER) <16>
  (dxfpolygonmode true | false) <17>
  (dxfimperialunits true | false) <18>
  (dxfusepcbnewfont true | false) <19>
  (psnegative true | false) <20>
  (psa4output true | false) <21>
  (plotreference true | false) <22>
  (plotvalue true | false) <23>
  (plotinvisibletext true | false) <24>
  (sketchpadsonfab true | false) <25>
  (subtractmaskfromsilk true | false) <26>
  (outputformat FORMAT) <27>
  (mirror true | false) <28>
  (drillshape SHAPE) <29>
  (scaleselection 1) <30>
  (outputdirectory "PATH") <31>
)
```

...

- <1> The ``layersselection`` token defines a hexadecimal bit set of the layers to plot.
 - <2> The ``disableapertmacros`` token defines if aperture macros are to be used in gerber plots.
 - <3> The ``usegerberextensions`` token defines if the Protel layer file name extensions are to be used in gerber plots.
 - <4> The ``usegerberattributes`` token defines if the X2 extensions are used in gerber plots.
 - <5> The ``usegerberadvancedattributes`` token defines if the netlist information should be included in gerber plots.
 - <6> The ``creategerberjobfile`` token defines if a job file should be created when plotting gerber files.
 - <7> The ``svguseinch`` token defines if inch units should be use when plotting SVG files.
 - <8> The ``svgprecision`` token defines the units precision used when plotting SVG files.
 - <9> The ``excludeedgelayer`` token defines if the board edge layer is plotted on all layers.
 - <10> The ``plotframeref`` token defines if the border and title block should be plotted.
 - <11> The ``viasonmask`` token defines if the vias are to be tented.
 - <12> The ``mode`` token defines the plot mode. An attribute of 1 plots in the normal mode and an attribute of 2 plots in the outline (sketch) mode.
 - <13> The ``useauxorigin`` token determines if all coordinates are offset by the defined user origin.
 - <14> The ``hpglpennumber`` token defines the integer pen number used for HPGL plots.
 - <15> The ``hpglpenspeed`` token defines the integer pen speed used for HPGL plots.
 - <16> The ``hpglpendiameter`` token defines the floating point pen size for HPGL plots.
 - <17> The ``dxfpolygonmode`` token defines if the polygon mode should be used for DXF plots.
 - <18> The ``dxfimperialunits`` token defines if imperial units should be used for DXF plots.
 - <19> The ``dxfusepcbnewfont`` token defines if the Pcbnew font (vector font) or the default font should be used for DXF plots.
 - <20> The ``psnegative`` token defines if the output should be the negative for PostScript plots.
 - <21> The ``psa4output`` token defines if the A4 page size should be used for PostScript plots.
 - <22> The ``plotreference`` token defines if hidden reference field text should be plotted.
 - <23> The ``plotvalue`` token defines if hidden value field text should be plotted.
 - <24> The ``plotinvisibletext`` token defines if hidden text other than the reference and value fields should be plotted.
 - <25> The ``sketchpadsonfab`` token defines if pads should be plotted in the outline (sketch) mode.
 - <26> The ``subtractmaskfromsilk`` toke defines if the solder mask layers should be subtracted from the silk screen layers for gerber plots.
 - <27> The ``outputformat`` token defines the last plot type.
- * 0 - gerber

* 1 - PostScript

* 2 - SVG

* 3 - DXF

* 4 - HPGL

* 5 - PDF

<28> The `mirror` token defines if the plot should be mirrored.

<29> The `drillshape` token defines the type of drill marks used for drill files.

<30> The `scaleselection` token defines ****DOCUMENT ME****.

<31> The `outputdirectory` token defines the path relative to the current project path where the plot files will be saved.

== Property Section

See the [xref:../sexpr-intro/index.adoc#_properties\[properity definition\]](#) in the s-expression common section. If no properties are defined, this section will not exist.

== Nets Section

The `net` token defines a net for the board. This section is required.

NOTE: The net class section has been moved out of the board file into the design rules file.

...

(net

ORDINAL <1>

"NET_NAME" <2>

)

...

<1> The ordinal attribute is an integer that defines the net order.

<2> The net name is a string that defines the name of the net.

== Footprint Section

See the [xref:../sexpr-intro/index.adoc#_footprint\[footprint\]](#) in the s-expression board common

definitions. This section will not exist if there are no footprints on the board.

`== Graphic Items Section`

See the `xref:../sexpr-intro/index.adoc#_graphic_items[Graphic Items]` section in the s-expression board common definitions. This section will not exist if there are no graphics on the board.

`== Images Section`

See the `xref:../sexpr-intro/index.adoc#_images[Images]` section in the s-expression board common definitions. This section will not exist if there are no images on the board.

`== Tracks Section`

This section lists all of `<<_track_segment_syntax,segment>>`, `<<_track_via_syntax,via>>`, and `<<_track_arc_syntax,arc>>` objects that make up tracks on the board.

`=== Track Segment`

The ``segment`` token defines a track segment.

`...`

```
(segment
  (start X Y)                <1>
  (end X Y)                  <2>
  (width WIDTH)              <3>
  (layer LAYER_DEFINITION)   <4>
  [(locked)]                 <5>
  (net NET_NUMBER)           <6>
  (tstamp UUID)              <7>
)
```

`...`

- <1> The `start` token defines the coordinates of the beginning of the line.
- <2> The `end` token defines the coordinates of the end of the line.
- <3> The `width` token defines the line width.
- <4> The `layer` token defines the <<_canonical_layer_names, canonical layer>> the track segment resides on.
- <5> The optional `locked` token defines if the line cannot be edited.
- <6> The `net` token defines by the net ordinal number which net in the <<_net_section,net section>> that the segment is part of.
- <7> The `tstamp` token defines the unique identifier of the line object.

=== Track Via

The `via` token defines a track via.

...

```
(via
  [TYPE]                                <1>
  [(locked)]                            <2>
  (at X Y)                              <3>
  (size DIAMETER)                       <4>
  (drill DIAMETER)                      <5>
  (layers LAYER1 LAYER2)                <6>
  [(remove_unused_layers)]              <7>
  [(keep_end_layers)]                   <8>
  [(free)]                              <9>
  (net NET_NUMBER)                      <10>
  (tstamp UUID)                         <11>
)
```

...

- <1> The optional type attribute specifies the via type. Valid via types are `blind` and `micro`.

If no type is defined, the via is a through hole type.

- <2> The optional `locked` token defines if the line cannot be edited.
- <3> The `at` token attributes define the coordinates of the center of the via.
- <4> The `size` token attribute defines the diameter of the via annular ring.

- <5> The `drill` token attribute defines the drill diameter of the via.
- <6> The `layers` token attributes define the <<canonical_layer_names, canonical layer set>> the via connects.
- <7> The optional `remove\_unused\_layers` token specifies ****DOCUMENT ME****.
- <8> The optional `keep\_end\_layers` token specifies ****DOCUMENT ME****. This token is only defined when the `remove\_unused\_layers` token is defined.
- <9> The optional `free` token indicates that the via is free to be moved outside it's assigned net.
- <10> The `net` token attribute defines by net ordinal number which net in the <<_net_section,net section>> that the segment is part of.
- <11> The `tstamp` token defines the unique identifier of the line object.

=== Track Arc

The `arc` token defines a track arc.

...

```
(arc
  (start X Y)                <1>
  (mid X Y)                  <2>
  (end X Y)                   <3>
  (width X Y)                 <4>
  (layer LAYER_DEFINITION)    <5>
  [(locked)]                  <6>
  (net NET_NUMBER)            <7>
  (tstamp UUID)               <8>
)
```

...

- <1> The `start` token defines the coordinates of the beginning of the arc.
- <2> The `mid` token defines the coordinates of the mid point of the radius of the arc.
- <3> The `end` token defines the coordinates of the end of the arc.
- <4> The `width` token defines the line width.
- <5> The `layer` token defines the <<canonical_layer_names, canonical layer>> the track arc resides on.

<6> The optional ``locked`` token defines if the line cannot be edited.

<7> The ``net`` token defines by the net ordinal number which net in the
 `<<_net_section,net section>>` that the segment is part of.

<8> The ``tstamp`` token defines the unique identifier of the line object.

== Zones Section

See the `xref:../sexpr-intro/index.doc#_zone`[zone definition] in the s-expression board common definitions. This section will not exist if there are no zones on the board.

== Group Section

See the `xref:../sexpr-intro/index.doc#_group`[group definition] in the s-expression board common definitions. This section will not exist if there are no groups on the board.

== Board Example:

...

```
(kicad_pcb (version 3) (host pcbnew "(2013-02-20 BZR 3963)-testing")
```

```
(general
  (links 2)
  (no_connects 0)
  (area 57.924999 28.924999 74.075001 42.075001)
  (thickness 1.6)
  (drawings 5)
  (tracks 5)
  (zones 0)
  (modules 2)
  (nets 3)
)
(page A4)
```

```
(layers
  (15 top_side.Cu signal)
  (2 Inner2.Cu signal)
  (1 Inner1.Cu signal)
  (0 bottom_side.Cu signal)
  (16 B.Adhes user)
  (17 F.Adhes user)
  (18 B.Paste user)
  (19 F.Paste user)
  (20 B.SilkS user)
  (21 F.SilkS user)
  (22 B.Mask user)
  (23 F.Mask user)
  (24 Dwgs.User user)
  (25 Cmts.User user)
  (26 Eco1.User user)
  (27 Eco2.User user)
  (28 Edge.Cuts user)
)
(setup
  (last_trace_width 0.254)
  (trace_clearance 0.254)
  (zone_clearance 0.2)
  (zone_45_only no)
  (trace_min 0.254)
  (segment_width 0.2)
  (edge_width 0.15)
  (via_size 0.889)
  (via_drill 0.635)
  (via_min_size 0.889)
  (via_min_drill 0.508)
  (uvia_size 0.508)
  (uvia_drill 0.127)
  (uvias_allowed no)
  (uvia_min_size 0.508)
```

```
(uvia_min_drill 0.127)
(pcb_text_width 0.3)
(pcb_text_size 1.5 1.5)
(mod_edge_width 0.15)
(mod_text_size 1.5 1.5)
(mod_text_width 0.15)
(pad_size 0.0005 0.0005)
(pad_drill 0)
(pad_to_mask_clearance 0.2)
(aux_axis_origin 0 0)
(visible_elements 7FFFFFFF)
(pcbplotparams
  (layerselection 3178497)
  (usegerberextensions true)
  (excludeedgelayer true)
  (linewidth 50000)
  (plotframeref false)
  (viasonmask false)
  (mode 1)
  (useauxorigin false)
  (hpglpennumber 1)
  (hpglpenspeed 20)
  (hpglpendingiameter 15)
  (hpglpenoverlay 2)
  (psnegative false)
  (psa4output false)
  (plotreference true)
  (plotvalue true)
  (plotothertext true)
  (plotinvisibletext false)
  (padsonsilk false)
  (subtractmaskfromsilk false)
  (outputformat 1)
  (mirror false)
  (drillshape 1)
```

```

        (scaleselection 1)
        (outputdirectory ""))
    )

    (net 0 "")
    (net 1 /SIGNAL)
    (net 2 GND)
    (net_class Default "Ceci est la Netclass par d  faut"
      (clearance 0.254)
      (trace_width 0.254)
      (via_dia 0.889)
      (via_drill 0.635)
      (uvia_dia 0.508)
      (uvia_drill 0.127)
      (add_net "")
      (add_net /SIGNAL)
    )

    (net_class POWER ""
      (clearance 0.254)
      (trace_width 0.5)
      (via_dia 1.2)
      (via_drill 0.635)
      (uvia_dia 0.508)
      (uvia_drill 0.127)
      (add_net GND)
    )

    (module R3 (layer top_side.Cu) (tedit 4E4C0E65) (tstamp 5127A136)
      (at 66.04 33.3502)
      (descr "Resistance 3 pas")
      (tags R)
      (path /5127A011)
      (autoplace_cost180 10)
      (fp_text reference R1 (at 0 0.127) (layer F.Silks) hide

```

```

    (effects (font (size 1.397 1.27) (thickness 0.2032)))
  )
  (fp_text value 330K (at 0 0.127) (layer F.Silks)
    (effects (font (size 1.397 1.27) (thickness 0.2032)))
  )
  (fp_line (start -3.81 0) (end -3.302 0) (layer F.Silks) (width 0.2032))
  (fp_line (start 3.81 0) (end 3.302 0) (layer F.Silks) (width 0.2032))
  (fp_line (start 3.302 0) (end 3.302 -1.016) (layer F.Silks) (width 0.2032))
  (fp_line (start 3.302 -1.016) (end -3.302 -1.016) (layer F.Silks) (width 0.2032))
  (fp_line (start -3.302 -1.016) (end -3.302 1.016) (layer F.Silks) (width 0.2032))
  (fp_line (start -3.302 1.016) (end 3.302 1.016) (layer F.Silks) (width 0.2032))
  (fp_line (start 3.302 1.016) (end 3.302 0) (layer F.Silks) (width 0.2032))
  (fp_line (start -3.302 -0.508) (end -2.794 -1.016) (layer F.Silks) (width 0.2032))
  (pad 1 thru_hole circle (at -3.81 0) (size 1.397 1.397) (drill 0.812799)
    (layers *.Cu *.Mask F.Silks)
    (net 1 /SIGNAL)
  )
  (pad 2 thru_hole circle (at 3.81 0) (size 1.397 1.397) (drill 0.812799)
    (layers *.Cu *.Mask F.Silks)
    (net 2 GND)
  )
  (model discret/resistor.wrl
    (at (xyz 0 0 0))
    (scale (xyz 0.3 0.3 0.3))
    (rotate (xyz 0 0 0))
  )
)

(module CP4 (layer top_side.Cu) (tedit 5127A26C) (tstamp 5127A146)
  (at 66.1416 36.8808)
  (descr "Condensateur polarise")
  (tags CP)
  (path /50FD6D39)
  (fp_text reference C1 (at 0.508 0) (layer F.Silks)
    (effects (font (size 1.27 1.397) (thickness 0.254)))
  )

```



```

)
(fp_text value 10uF (at 0.8584 2.1192) (layer F.Silks) hide
  (effects (font (size 1.27 1.143) (thickness 0.254))))
)
(fp_line (start 5.08 0) (end 4.064 0) (layer F.Silks) (width 0.3048))
(fp_line (start 4.064 0) (end 4.064 1.016) (layer F.Silks) (width 0.3048))
(fp_line (start 4.064 1.016) (end -3.556 1.016) (layer F.Silks) (width 0.3048))
(fp_line (start -3.556 1.016) (end -3.556 -1.016) (layer F.Silks) (width 0.3048))
(fp_line (start -3.556 -1.016) (end 4.064 -1.016) (layer F.Silks) (width 0.3048))
(fp_line (start 4.064 -1.016) (end 4.064 0) (layer F.Silks) (width 0.3048))
(fp_line (start -5.08 0) (end -4.064 0) (layer F.Silks) (width 0.3048))
(fp_line (start -3.556 0.508) (end -4.064 0.508) (layer F.Silks) (width 0.3048))
(fp_line (start -4.064 0.508) (end -4.064 -0.508) (layer F.Silks) (width 0.3048))
(fp_line (start -4.064 -0.508) (end -3.556 -0.508) (layer F.Silks) (width 0.3048))
(pad 1 thru_hole rect (at -5.08 0) (size 1.397 1.397) (drill 0.812799)
  (layers *.Cu *.Mask F.Silks)
  (net 1 /SIGNAL)
)
(pad 2 thru_hole circle (at 5.08 0) (size 1.397 1.397) (drill 0.812799)
  (layers *.Cu *.Mask F.Silks)
  (net 2 GND)
)
(model discret/c_pol.wrl
  (at (xyz 0 0 0))
  (scale (xyz 0.4 0.4 0.4))
  (rotate (xyz 0 0 0))
)
)
)

(gr_text TEST (at 62 31) (layer top_side.Cu)
  (effects (font (size 1.5 1.5) (thickness 0.3))))
)

(gr_line (start 58 42) (end 58 29) (angle 90) (layer Edge.Cuts) (width 0.15))
(gr_line (start 74 42) (end 58 42) (angle 90) (layer Edge.Cuts) (width 0.15))
(gr_line (start 74 29) (end 74 42) (angle 90) (layer Edge.Cuts) (width 0.15))

```

```

(gr_line (start 58 29) (end 74 29) (angle 90) (layer Edge.Cuts) (width 0.15))

(segment (start 61.0616 36.8808) (end 61.0616 34.5186) (width 0.254) (layer bottom_side.Cu) (net 1))
(segment (start 61.0616 34.5186) (end 62.23 33.3502) (width 0.254) (layer bottom_side.Cu) (net 1) (tstamp
(segment (start 69.85 33.3502) (end 70.993 33.3502) (width 0.5) (layer bottom_side.Cu) (net 2))
(segment (start 71.2216 33.5788) (end 71.2216 36.8808) (width 0.5) (layer bottom_side.Cu) (net 2) (tstamp
(segment (start 70.993 33.3502) (end 71.2216 33.5788) (width 0.5) (layer bottom_side.Cu) (net 2) (tstamp

(zone (net 2) (net_name GND) (layer bottom_side.Cu) (tstamp 5127A1B2) (hatch edge 0.508)
  (connect_pads (clearance 0.2))
  (min_thickness 0.1778)
  (fill (arc_segments 16) (thermal_gap 0.254) (thermal_bridge_width 0.4064))
  (polygon
    (pts
      (xy 59 30) (xy 73 30) (xy 73 41) (xy 59 41)
    )
  )
)
)
)
)

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-schematic\ index.en.adoc

*Resumo: --- title: Schematic File Format weight: 45 --- :TOC: .Summary The s-expression schematic file format. <!--more--> == Introduction This documents the s-expression schematic file format for all versions of KiCad from 6.0. * Schematic files use the `.kicad\_sch` extension. ==...*

title: Schematic File Format

weight: 45

:TOC:

.Summary The s-expression schematic file format.

<!--more-->

== Introduction

This documents the s-expression schematic file format for all versions of KiCad from 6.0.

* Schematic files use the `.kicad\_sch` extension.

=== Instance Path

Because KiCad schematics can support multiple instances of the same schematic using hierarchical sheets, information for shared sheets is done using paths consisting of the xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifiers] that represent the hierarchical path for the sheet the instance separated by a forward slash ('/'). A typical instance path would look like:

...

"/00000000-0000-0000-0000-00004b3a13a4/00000000-0000-0000-0000-00004b617b88"

...

WARNING: The first identifier must be the root <<_hierarchical_sheet_section, sheet>> which is the same identifier as the root schematic file.

=== Label and Pin Shapes

The table below defines the valid shape tokens <<_global_label_section,global labels>>, <<_hierarchical_label_section,hierarchical labels>>, and <<_hierarchical_sheet_pin_definition, hierarchical sheet pins>>.

[options="header",cols="25%,50%,^25%",]

|===

|Token

|Definition

|Image

|input

|Label or pin is an input shape

|image:images/label-shape-input.png[images/label_shape_input]

|output

|Label or pin is an output shape

|image:images/label-shape-output.png[images/label_shape_output]

|bidirectional

|Label or pin is a bidirectional shape

|image:images/label-shape-bidirectional.png[images/label_shape_bidirectional]

|tri_state

|Label or pin is a tri-state shape

|image:images/label-shape-tristate.png[images/label_shape_tristate]

|passive

|Label or pin is a tri-state shape

|image:images/label-shape-passive.png[images/label_shape_passive]

|===

== Layout

A schematic file includes the following sections:

- * <<_header_section,Header>>
- * <<_unique_identifier_section,Unique Identifier>>
- * xref:../sexpr-intro/index.adoc#_page_settings[Page Settings]
- * xref:../sexpr-intro/index.adoc#_title_block[Title Block Section]
- * <<_library_symbol_section,Symbol Library Symbol Definition>>
- * <<_junction_section,Junction Section>>
- * <<_no_connect_section,No Connect Section>>
- * <<_wire_and_bus_section,Wire and Bus Section>>
- * <<_image_section,Image Section>>
- * <<_graphical_line_section,Graphical Line Section>>
- * <<_graphical_text_section,Graphical Text Section>>
- * <<_local_label_section,Local Label Section>>
- * <<_global_label_section,Global Label Section>>
- * <<_symbol_section,Symbol Section>>
- * <<_hierarchical_sheet_section,Hierarchical Sheet Section>>
- * <<_root_sheet_instance_section,Root Sheet Instance Section>>

== Header Section

The `kicad\_sch` token indicates that it is KiCad schematic file. This section is required.

NOTE: Third party scripts should not use `eeschema` as the generator identifier. Please use some other identifier so that bugs introduced by third party generators are not confused with a schematic file created by KiCad.

...

```
(kicad_sch
  (version VERSION)                                <1>
  (generator GENERATOR)                             <2>

  ;; contents of the schematic file...               <3>
)
```

...

<1> The `version` token attribute defines the schematic version using the YYYYMMDD date format.

<2> The `generator` token attribute defines the program used to write the file.

<3> The schematic sections go here.

== Unique Identifier Section

The `uuid` token defines the globally unique identifier that identifies the schematic.

...

UNIQUE_IDENTIFIER <1>

...

NOTE Only the root schematic identifier is used as the virtual root sheet identifier. All other identifiers are belong to <<_hierarchical_sheet_section,hierarchical sheet objects>>.

<1> The UNIQUE_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier] for the schematic file. This identifier is used when creating hierarchical sheet paths which are used to reference symbol instance data and <<_hierarchical_sheet_instance_section,hierarchical sheet instance>> information.

== Library Symbol Section

The `lib\_symbols` token defines a symbol library contain all of the symbols used in the schematic.

...

(lib_symbols
SYMBOL_DEFINITIONS... <1>
)

...

<1> A list of 0 or more xref:../sexpr-intro/index.adoc#_symbols[symbols].

== Junction Section

The ``junction`` token defines a junction in the schematic. The junction section will not exist if there are no junctions in the schematic.

```
...  
  
(junction  
    POSITION_IDENTIFIER                <1>  
    (diameter DIAMETER)              <2>  
    (color R G B A)                  <3>  
    UNIQUE_IDENTIFIER                <4>  
)  
...
```

<1> The POSITION_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates] of the junction.

<2> The ``diameter`` token attribute defines the DIAMETER of the junction. A diameter of 0 is the default diameter in the system settings.

<3> The ``color`` token attributes define the Red, Green, Blue, and Alpha transparency of the junction. If all four attributes are 0, the default junction color is used.

<4> The UNIQUE_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier] for the junction.

== No Connect Section

The ``no_connect`` token defines a unused pin connection in the schematic. The no connect section will not exist if there are not any no connects in the schematic.

```
...  
  
(no_connect  
    POSITION_IDENTIFIER                <1>  
    UNIQUE_IDENTIFIER                <2>  
)  
...
```

<1> The POSITION_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates] of the no connect.

<2> The UNIQUE_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]
for the no connect.

== Bus Entry Section

The `bus\_entry` token defines a bus entry in the schematic. The bus entry section will not exist if there are no bus entries in the schematic.

...

(bus_entry

POSITION_IDENTIFIER <1>

(size X Y) <2>

STROKE_DEFINITION <3>

UNIQUE_IDENTIFIER <4>

)

...

<1> The POSITION_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates] of the bus entry.

<2> The `size` token attributes define the X and Y distance of the end point from the position of the bus entry.

<3> The STROKE_DEFINITION defines how the bus entry

xref:../sexpr-intro/index.adoc#_stroke_definition[is drawn].

<4> The UNIQUE_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]
for the bus entry.

== Wire and Bus Section

The `wire` and `bus` tokens define wires and buses in the schematic. This section will not exist if there are no wires or buses in the schematic.

...

```
(wire | bus
    COORDINATE_POINT_LIST          <1>
    STROKE_DEFINITION              <2>
    UNIQUE_IDENTIFIER              <3>
)
```

...

<1> The COORDINATE_POINT_LIST defines the list of

xref:../sexpr-intro/index.adoc#_coordinate_point_list[X and Y coordinates] of start and end points of the wire or bus.

<2> The STROKE_DEFINITION defines how the wire or bus

xref:../sexpr-intro/index.adoc#_stroke_definition[is drawn].

<3> The UNIQUE_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier] for the wire or bus.

== Image Section

See common xref:../sexpr-intro/index.adoc#_images[Images] section.

== Graphical Line Section

The `polyline` token defines one or more lines that may or may not represent a polygon. This section will not exist if there are no lines in the schematic.

...

```
(polyline
    COORDINATE_POINT_LIST          <1>
    STROKE_DEFINITION              <2>
    UNIQUE_IDENTIFIER              <3>
)
```

...

<1> The COORDINATE_POINT_LIST defines the list of

xref:../sexpr-intro/index.adoc#_coordinate_point_list[X/Y coordinates] of to draw line(s)


```

    "TEXT"                                <1>

    POSITION_IDENTIFIER                     <2>

    TEXT_EFFECTS                           <3>

    UNIQUE_IDENTIFIER                       <4>

)
...
<1> The TEXT is a quoted string that defines the label.

<2> The POSITION_IDENTIFIER defines the

    xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates and rotation angle]

    of the label.

<3> The TEXT_EFFECTS section defines how the

    xref:../sexpr-intro/index.adoc#_text_effects[label text is drawn].

<4> The UNIQUE_IDENTIFIER defines the

    xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]

    for the label.

```

== Global Label Section

The `global\_label` token defines a label name that is visible across all schematics in a design. This section will not exist if no global labels are defined in the schematic.

```

...

(global_label

    "TEXT"                                <1>

    (shape SHAPE)                          <2>

    [(fields_autoplaced)]                  <3>

    POSITION_IDENTIFIER                     <4>

    TEXT_EFFECTS                           <5>

    UNIQUE_IDENTIFIER                       <6>

    PROPERTIES                             <7>

)
...

```

<1> The TEXT is a quoted string that defines the global label.

- <2> The ``shape`` token attribute defines the way the global label is drawn. See table below for global label shapes.
- <3> The optional ``fields_autoplace`` is a flag that indicates that any PROPERTIES associated with the global label have been place automatically.
- <4> The POSITION_IDENTIFIER defines the
`xref:../sexpr-intro/index.adoc#_position_identifier`[X and Y coordinates and rotation angle] of the label.
- <5> The TEXT_EFFECTS section defines how the
`xref:../sexpr-intro/index.adoc#_text_effects`[global label text is drawn].
- <6> The UNIQUE_IDENTIFIER defines the
`xref:../sexpr-intro/index.adoc#_universally_unique_identifier`[universally unique identifier] for the global label.
- <7> The PROPERTIES section defines the
`xref:../sexpr-intro/index.adoc#_symbol_property`[properties] of the global label.
 Currently, the only supported property is the inter-sheet reference.

== Hierarchical Label Section

The ``hierarchical_label`` section defines labels that are used by

`<<_hierarchical_sheet_section,hierarchical sheets>>` to define connections between sheet in hierarchical designs. This section will not exist if no global labels are defined in the schematic.

...

```
(hierarchical_label
  "TEXT"                                     <1>
  (shape SHAPE)                             <2>
  POSITION_IDENTIFIER                         <3>
  TEXT_EFFECTS                             <4>
  UNIQUE_IDENTIFIER                         <5>
)
```

...

<1> The TEXT is a quoted string that defines the hierarchical label.

<2> The `shape` token attribute defines the way the hierarchical label is drawn. See table below for hierarchical label shapes.

<3> The POSITION_IDENTIFIER defines the
xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates and rotation angle]
of the label.

<4> The TEXT_EFFECTS section defines how the
xref:../sexpr-intro/index.adoc#_text_effects[hierarchical label text is drawn].

<5> The UNIQUE_IDENTIFIER defines the
xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]
for the hierarchical label.

== Symbol Section

The `symbol` token in the symbol section of the schematic defines an instance of a symbol from
<<_library_symbol_section,the library symbol section>> of the schematic.

...

```
(symbol
  "LIBRARY_IDENTIFIER" <1>
  POSITION_IDENTIFIER <2>
  (unit UNIT) <3>
  (in_bom yes|no) <4>
  (on_board yes|no) <5>
  UNIQUE_IDENTIFIER <6>
  PROPERTIES <7>
  (pin "1" (uuid e148648c-6605-4af1-832a-31eaf808c2f8)) <8>
  (instances <9>
    (project "PROJECT_NAME" <10>
      (path "PATH_INSTANCE" <11>
        (reference "REFERENCE") <12>
        (unit UNIT) <13>
      )
      ;; Optional symbol instances for this `project`...
    )
  )
)
```

```

        ;; Optional symbol instances for other `project`...
    )
)
...

```

- <1> The `xref:../sexpr-intro/index.adoc#_library_identifier[LIBRARY_IDENTIFIER]` defines which symbol in the `<<_library_symbol_section,library symbol section>>` of the schematic that this schematic symbol references.
- <2> The `POSITION_IDENTIFIER` defines the `xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates and angle of rotation]` of the symbol.
- <3> The ``unit`` token attribute defines which unit in the symbol library definition that the schematic symbol represents.
- <4> The ``in_bom`` token attribute determines whether the schematic symbol appears in any bill of materials output.
- <5> The ``on_board`` token attribute determines if the footprint associated with the symbol is exported to the board via the netlist.
- <6> The `UNIQUE_IDENTIFIER` defines the `xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]` for the symbol. This is used to map the symbol the `<<_symbol_instance_section,symbol instance information>>`.
- <7> The `PROPERTIES` section defines a list of `xref:../sexpr-intro/index.adoc#_symbol_property[symbol properties]` of the schematic symbol.
- <8> The ``pin`` token attributes define ???.
- <9> The ``instances`` token defines a list of symbol instances grouped by project. Every symbol will have a least one instance.
- <10> The ``project`` token attribute defines the name of the project to which the instance data belongs. There can be instance data from other project when schematics are shared across multiple projects. The projects will be sorted by the ``PROJECT_NAME`` in alphabetical order.
- <11> The ``path`` token attribute is the `<<_instance_path,path to the sheet instance>>` for the instance data.
- <12> The ``reference`` token attribute is a string that defines the reference designator for the symbol instance.
- <13> The ``unit`` token attribute is a integer ordinal that defines the symbol unit for the symbol instance. For symbols that do not define multiple units, this will always be 1.

== Hierarchical Sheet Section

The ``sheet`` token defines a hierarchical sheet of the schematic.

...

```
(sheet
  POSITION_IDENTIFIER <1>
  (size WIDTH HEIGHT) <2>
  [(fields_autoplaced)] <3>
  STROKE_DEFINITION <4>
  FILL_DEFINITION <5>
  UNIQUE_IDENTIFIER <6>
  SHEET_NAME_PROPERTY <7>
  FILE_NAME_PROPERTY <8>
  HIERARCHICAL_PINS <9>
  (instances <10>
    (project "PROJECT_NAME" <11>
      (path "PATH_INSTANCE" <12>
        (page "PAGE_NUMBER") <13>
      )
    )
    ;; Optional sheet instances for this `project`...
  )
  ;; Optional sheet instances for other `project`...
)
)
```

...

<1> The POSITION_IDENTIFIER defines the

xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates and angle of rotation]
of the sheet in the schematic.

<2> The ``size`` token attributes define the WIDTH and HEIGHT of the sheet.

<3> The optional ``fields_autoplaced`` token indicates if the properties have been automatically placed.

- <4> The STROKE_DEFINITION defines how the sheet
- xref:../sexpr-intro/index.adoc#_stroke_definition[outline is drawn].
- <5> The FILL_DEFINITION defines how the sheet is
- xref:../sexpr-intro/index.adoc#_fill_definition[filled].
- <6> The UNIQUE_IDENTIFIER defines the
- xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]
- for the sheet. This is used to map the sheet
- <<_symbol_instance_section,symbol instance information>> and
- <<_hierarchical_sheet_instance_section,sheet instance information>>.
- <7> The SHEET_PROPERTY_NAME is a xref:../sexpr-intro/index.adoc#_symbol_property[property] that
- defines the name of the sheet. This property is mandatory.
- <8> The FILE_NAME_PROPERTY is a xref:../sexpr-intro/index.adoc#_symbol_property[property] that
- defines the file name of the sheet. This property is mandatory.
- <9> The HIERARCHICAL_PINS section is a list of
- <<_hierarchical_sheet_pin_definition, hierarchical pins>> that map a
- <<_hierarchical_label_section,hierarchical label>> defined in the associated schematic file.
- <10> The `instances` token defines a list of sheet instances grouped by project. Every sheet
- will have a least one instance.
- <11> The `project` token attribute defines the name of the project to which the instance data
- belongs. There can be instance data from other project when schematics are shared across
- multiple projects. The projects will be sorted by the `PROJECT\_NAME` in alphabetical order.
- <12> The `path` token attribute is the <<_instance_path,path to the sheet instance>> for the
- sheet instance data.
- <13> The `page` token attribute is a string that defines the page number for the sheet instance.

=== Hierarchical Sheet Pin Definition

The `pin` token in a <<_hierarchical_sheet_section,sheet>> object defines an electrical connection between the sheet in a schematic with the <<_hierarchical_label_section,hierarchical label>> defined in the associated schematic file.

...

```
(pin
  "NAME"                                     <1>
  input | output | bidirectional | tri_state | passive    <2>
```



```

        POSITION_IDENTIFIER                                <3>
        TEXT_EFFECTS                                     <4>
        UNIQUE_IDENTIFIER                                <5>
    )
    ...

```

- <1> The "NAME" attribute defines the name of the sheet pin. It must have an identically named <<_hierarchical_label_section,hierarchical label>> in the associated schematic file.
- <2> The electrical connect type token defines the type of electrical connect made by the sheet pin.
- <3> The POSITION_IDENTIFIER defines the
xref:../sexpr-intro/index.adoc#_position_identifier[X and Y coordinates and angle of rotation]
of the pin in the sheet.
- <4> The TEXT_EFFECTS section defines how the
xref:../sexpr-intro/index.adoc#_text_effects[pin name text is drawn].
- <5> The UNIQUE_IDENTIFIER defines the
xref:../sexpr-intro/index.adoc#_universally_unique_identifier[universally unique identifier]
for the pin.

== Root Sheet Instance Section

```

    ...

    (path
        "/"                                                <1>
        (page "PAGE")                                       <2>
    )
    ...

```

- <1> The instance path is always empty ("/") since there are no sheets pointing to the root sheet.
- <2> The `page` token defines the page number of the root sheet. Page numbers can be any valid string.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-symbol-lib\ index.en.adoc

Resumo: --- title: Symbol Library File Format weight: 44 --- :TOC: .Summary The s-expression symbol library file format. <!--more--> == Introduction This documents the s-expression symbol library file format for all versions of KiCad from 6.0. * Symbol library files use the `.kicad\_sym` ...

title: Symbol Library File Format

weight: 44

:TOC:

.Summary The s-expression symbol library file format.

<!--more-->

== Introduction

This documents the s-expression symbol library file format for all versions of KiCad from 6.0.

* Symbol library files use the `.kicad\_sym` extension.

* Symbol library files can define one or more symbols.

== Layout

A symbol library file includes the following sections:

* <<_header_section,Header>>

* <<_symbol_section,Symbol Definition>>

== Header Section

The `kicad\_symbol\_lib` token indicates that it is KiCad symbol library file. This section is required.

NOTE: Third party scripts should not use `kicad\_symbol\_editor` as the generator identifier. Please use some other identifier so that bugs introduced by third party generators are

not confused with a footprint library file created by KiCad.

...

```
(kicad_symbol_lib
  (version VERSION)                <1>
  (generator GENERATOR)            <2>

  ;; contents of the symbol library file...  <3>
)
```

...

<1> The `version` token attribute defines the symbol library version using the YYYYMMDD date format.

<2> The `generator` token attribute defines the program used to write the file.

<3> The symbol definitions go here. Symbol library files can have zero or more symbols.

== Symbol Section

The `symbol` token defines a symbol in the library.

...

```
[SYMBOL_DEFINITION]                <1>

...
```

...

<1> The xref:../sexpr-intro/index.adoc#_symbols[SYMBOL_DEFINITION] defines the symbol(s) in the library file.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\file-formats\sexpr-worksheet\ index.en.adoc

Resumo: --- title: Work Sheet File Format weight: 46 --- :TOC: .Summary The s-expression work sheet file format. <!--more--> == Introduction This documents the s-expression work sheet file format for all versions of KiCad from 6.0. Work sheet files are used to change the default border a...

title: Work Sheet File Format

weight: 46

:TOC:

.Summary The s-expression work sheet file format.

<!--more-->

== Introduction

This documents the s-expression work sheet file format for all versions of KiCad from 6.0. Work sheet files are used to change the default border and title block for schematics and boards.

* Work sheet files use the ``.kicad_wks`` extension.

=== Work Sheet Coordinates

* The minimum internal unit for work sheet files is 1 micrometer so there is maximum resolution of three decimal places or 0.001 mm. Any precision beyond three places will be truncated.

=== Object Incrementing

All graphical objects can be drawn multiple times with a given repeat count and X and/or Y incremental distances. The direction of the increment is controlled by defining a start corner and/or end corner depending on the graphical object type. The table below defines the corner tokens and their meaning.

```
[options=header,cols="1,3"]
```

```
|===
```

```
| Token| Description
```

```
| ltcorner| Top left corner of the start or end point.
```

```
| lbcorner| Bottom left corner of the start or end point.
```

```
| rbcorner| Bottom right corner of the start or end point.
```

```
| rtcorner| Top right corner of the start or end point.
```

```
|===
```

```
== Layout
```

A work sheet file includes the following sections:

```
* <<_header_section,Header>>
```

```
* <<_set_up_section,Set Up Section>>
```

```
* <<_drawing_object_section,Drawing Object Section>>
```

```
== Header Section
```

The `kicad\_wks` token indicates that it is KiCad work sheet file. This section is required.

NOTE: Third party scripts should not use `pl\_editor` as the generator identifier. Please use some other identifier so that bugs introduced by third party generators are not confused with a work sheet file created by KiCad.

```
...
```

```
(kicad_wks  
(version VERSION)
```

```
<1>
```

```
(generator GENERATOR)
```

```
<2>
```

```
;; contents of the schematic file...
```

```
<3>
```

```
)
```

```
...
```

<1> The `version` token attribute defines the work sheet version using the YYYYMMDD date format.

<2> The `generator` token attribute defines the program used to write the file.

<3> The work sheet sections go here.

== Set Up Section

The ``setup`` token defines the configuration information for the work sheet.

```
...  
  
(setup  
  (textsize WIDTH HEIGHT)           <1>  
  (linewidth WIDTH)                 <2>  
  (textlinewidth WIDTH)             <3>  
  (left_margin DISTANCE)            <4>  
  (right_margin DISTANCE)           <5>  
  (top_margin DISTANCE)             <6>  
  (bottom_margin DISTANCE)          <7>  
)  
...
```

<1> The ``textsize`` token attributes define the default WIDTH and HEIGHT of text.

<2> The ``linewidth`` token attribute defines the default WIDTH of lines.

<3> The ``textlinewidth`` token attribute define the default WIDTH of the lines used to draw text.

<4> The ``left_margin`` token attributed defines the DISTANCE from the left edge of the page.

<5> The ``right_margin`` token attributed defines the DISTANCE from the right edge of the page.

<6> The ``top_margin`` token attributed defines the DISTANCE from the top edge of the page.

<7> The ``bottom_margin`` token attributed defines the DISTANCE from the bottom edge of the page.

== Drawing Object Section

The drawing object section can contain zero or more `<<_title_block_text,title block text>>`,

`<<_graphical_line,graphical line>>`, `<<_graphical_rectangle,graphical rectangle>>`,

`<<_graphical_polygon,graphical polygon>>`, or `<<_image,image>>`. The objects are ordered

as they are added to the work sheet.

=== Title Block Text

The `tbtext` token attributes define text used in the title block of a work sheet.

...

```
(tbtext
  "TEXT"                                <1>
  (name "NAME")                         <2>
  (pos X Y [CORNER])                   <3>
  (font [(size WIDTH HEIGHT)] [bold] [italic]) <4>
  [(repeat COUNT)]                     <5>
  [(incrx DISTANCE)]                   <6>
  [(incry DISTANCE)]                   <7>
  [(comment "COMMENT")]                <8>
)
```

...

<1> The `tbtext` token attribute defines the TEXT string.

<2> The `name` token attribute defines the NAME of the text object.

<3> The `pos` token attributes define the X and Y coordinates the text. The optional CORNER attribute is used to define the <<_object_incrementing,initial corner>> for repeating incremental text.

<4> The `font` token attributes define how the text is drawn. The optional `size` token attributes define the size of the font used to draw the text. If not defined, the default text size defined in the <<_set_up_section,set up section>> is used. The optional `bold` token indicates the text be drawn with a bold font. The optional `italic` token indicates the text be drawn italicized.

<5> The optional `repeat` token attribute defines the COUNT for repeated incremental text.

<6> The optional `incrx` token attribute defines the repeat DISTANCE on the X axis.

<7> The optional `incry` token attribute defines the repeat DISTANCE on the Y axis.

<8> The optional `comment` token attribute is a comment for the text object.

=== Graphical Line

The `line` token attributes define how a line is drawn in the work sheet.

...

```
(line
```

```

    (name "NAME")                                <1>
    (start X Y [CORNER])                          <2>
    (end X Y [CORNER])                            <3>
    [(repeat COUNT)]                             <4>
    [(incrx DISTANCE)]                           <5>
    [(incry DISTANCE)]                           <6>
    [(comment "COMMENT")]                        <7>
  )
...

```

<1> The `name` token attribute defines the NAME of the line object.

<2> The `start` token attributes define the X and Y coordinates of the start point of the line.
The optional CORNER attribute defines the <<_object_incrementing,initial corner>> for repeating incremental lines.

<3> The `end` token attributes define the X and Y coordinates of the end point of the line.
The optional CORNER attribute defines the <<_object_incrementing,end corner>> for repeating incremental lines.

<4> The optional `repeat` token attribute defines the COUNT for repeated incremental lines.

<5> The optional `incrx` token attribute defines the repeat DISTANCE on the X axis.

<6> The optional `incry` token attribute defines the repeat DISTANCE on the Y axis.

<7> The optional `comment` token attribute is a comment for the line object.

=== Graphical Rectangle

The `rect` token attributes define how a rectangle is drawn in the work sheet.

```

...

(rect
  (name "NAME")                                <1>
  (start X Y [CORNER])                          <2>
  (end X Y [CORNER])                            <3>
  [(repeat COUNT)]                             <4>
  [(incrx DISTANCE)]                           <5>
  [(incry DISTANCE)]                           <6>
  [(comment "COMMENT")]                        <7>
)

```



```

)
...
<1> The `name` token attribute defines the NAME of the rectangle object.
<2> The `start` token attributes define the X and Y coordinates of the start point of the
      rectangle. The optional CORNER attribute defines the <<_object_incrementing,initial corner>>
      for repeating incremental rectangles.
<3> The `end` token attributes define the X and Y coordinates of the end point of the rectangle.
      The optional CORNER attribute defines the <<_object_incrementing,end corner>> for repeating
      incremental rectangles.
<4> The optional `repeat` token attribute defines the COUNT for repeated incremental rectangles.
<5> The optional `incrx` token attribute defines the repeat DISTANCE on the X axis.
<6> The optional `incry` token attribute defines the repeat DISTANCE on the Y axis.
<7> The optional `comment` token attribute is a comment for the rectangle object.

```

=== Graphical Polygon

The `polygon` token defines a graphical polygon. This section will not exist if there are no polygons in the work sheet.

```

...
(
  (polygon
    (name "NAME") <1>
    (pos X Y [CORNER]) <2>
    [(rotate ANGLE)] <3>
    [(linewidth WIDTH)] <4>
    COORDINATE_POINT_LIST <5>
    [(repeat COUNT)] <6>
    [(incrx DISTANCE)] <7>
    [(incry DISTANCE)] <8>
    [(comment "COMMENT")] <9>
  )
)
...

```

```

<1> The `name` token attribute defines the NAME of the polygon object.
<2> The `pos` token attributes define the X and Y coordinates the text. The optional CORNER

```

attribute is used to define the <<_object_incrementing,initial corner>> for repeating incremental polygons.

<3> The optional `rotate` token attribute defines the rotation angle of the polygon object.

<4> The optional `linewidth` token attribute defines the width of all of the polygons. If not defined, the default line width in the <<_set_up_section,set up section>> is used.

<5> The COORDINATE_POINT_LIST defines the list of
xref:../sexpr-intro/index.adoc#_coordinate_point_list[X/Y coordinates] of to draw line(s) between. A minimum of two points is required.

<6> The optional `repeat` token attribute defines the COUNT for repeated incremental polygons.

<7> The optional `incrx` token attribute defines the repeat DISTANCE on the X axis.

<8> The optional `incry` token attribute defines the repeat DISTANCE on the Y axis.

<9> The optional `comment` token attribute is a comment for the polygon object.

=== Image

The `image` token defines one or more embedded images. This section will not exist if no images are in the work sheet.

...

```
(bitmap
  (name "NAME") <1>
  (pos X Y ) <2>
  (scale SCALAR) <3>
  [(repeat COUNT)] <4>
  [(incrx DISTANCE)] <5>
  [(incry DISTANCE)] <6>
  [(comment "COMMENT")] <7>
  (pngdata IMAGE_DATA) <8>
)
```

...

<1> The `name` token attribute defines the NAME of the image.

<2> The `pos` token attributes define the X and Y coordinates of the image. The optional CORNER attribute defines the <<_object_incrementing,start corner>> for repeating incremental images.

- <3> The ``scale`` token attribute defines the `SCALE_FACTOR` of the image.
- <4> The optional ``repeat`` token attribute defines the `COUNT` for repeated incremental image.
- <5> The optional ``incrx`` token attribute defines the repeat `DISTANCE` on the X axis.
- <6> The optional ``incry`` token attribute defines the repeat `DISTANCE` on the Y axis.
- <7> The optional ``comment`` token attribute is a comment for the image object.
- <8> The ``pngdata`` token attribute defines the `<<_image_data,IMAGE_DATA>>` in the https://en.wikipedia.org/wiki/Portable_Network_Graphics[portable network graphics format (PNG)].

==== Image Data

The ``data`` token defines the raw image data.

```
...  
  
    (data XX1 ... XXN )                                <1>  
  
    ...  
...
```

- <1> The ``data`` token attributes define the hexadecimal byte data separated by a space. A maximum of 32 bytes will be defined for each ``data`` token. The ``data`` tokens are defined until all of the image data is defined.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\getting-started\ index.en.adoc

Resumo: --- title: Getting Started weight: 1 pre: "<i class='fas fa-chevron-right'></i> " aliases: - /en/contribute/ --- == Contributing to KiCad (application) development === Developer mailing list The first thing to do before anything is to join the link:https://groups.google.com/a/kic...

title: Getting Started

weight: 1

pre: "<i class='fas fa-chevron-right'></i> "

aliases:

- /en/contribute/

== Contributing to KiCad (application) development

=== Developer mailing list

The first thing to do before anything is to join the

link:https://groups.google.com/a/kicad.org/g/devlist[KiCad Developers Mailing List].

Here you can ask broad questions and present your ideas or plans if it's beyond a bug fix.

=== Obtaining the code

KiCad uses link:https://git-scm.com/book/en/v2/Getting-Started-What-is-Git[Git]

for source control.

If you are new to git, it is highly suggested you

find and follow the many tutorials available online like

link:http://learngitbranching.js.org/[this one]

and/or read the git link:https://git-scm.com/doc[documentation].

We also are dedicated to using GitLab as our primary hosting platform for our Git repositories. All repos can be found <https://gitlab.com/kicad/>[here].

The repository for the main application can be found <https://gitlab.com/kicad/code/kicad/>[here]

=== Compiling the code

Follow the instruction in the link:../build/[documentation] corresponding to your platform to set up a working build environment and successfully build KiCad from source.

=== Code Documentation

To familiarize yourself with the code base you can read the documentation generated by Doxygen. When submitting new code, please remember to update the documentation descriptions. You can run ``make doxygen-docs`` to generate the documentation locally.

The latest version of the same docs are also available on the Jenkins server, see

link:<http://docs.kicad.org/doxygen/namespaces.html>[KiCad Developer Docs for the {cpp} API].

You can also find various developer notes in the Doxygen docs, see

link:<http://docs.kicad.org/doxygen/pages.html>[the related pages].

=== Before you submit

After you make changes, please ensure your code meets the link:../rules-guidelines/code-style/[KiCad Coding Style Policy]. Your commit messages should follow the rules stated in the link:../rules-guidelines/commit/[KiCad Commit Message Format Policy]

If you feel like working on the user interface, you will find useful reading the link:../rules-guidelines/ui/[User Interface Guidelines].

It's important for us to keep the codebase readable by all developers. Your patches will not be accepted until they adhere to the rules set forth in these policies.

Programming is an iterative process, don't worry if you have to go back and make changes to your patches,
=== Submitting the code
All patches should be submitted as a **merge request** on GitLab.

See this https://docs.gitlab.com/ee/user/project/merge_requests/creating_merge_requests.html[How to create merge requests]

*Note: There is a GitHub mirror of KiCad but all pull requests are ignored, we only accept changes on GitLab

=== Fix any CI issues

The GitLab repository has Continuous Integration (CI) enabled. This means it automatically runs processing the code can compile to coding style policy.

You can find the status of the CI job on the merge request page and see its output. If you need help, you can ask for help on our [link:https://groups.google.com/a/kicad.org/g/devlist](https://groups.google.com/a/kicad.org/g/devlist) [mailing list].

== Starter / Beginner Patches

Don't have any ideas in general on what to do but want to help?

You might want to look into [link:++https://gitlab.com/kicad/code/kicad/issues?scope=all&utf8=%E2%9C%93&state=opened](https://gitlab.com/kicad/code/kicad/issues?scope=all&utf8=%E2%9C%93&state=opened)

Or for example if you are an macOS user, you might want to check the following

[link:++https://gitlab.com/kicad/code/kicad/issues?scope=all&utf8=%E2%9C%93&state=opened&label_name\[\]=macos](https://gitlab.com/kicad/code/kicad/issues?scope=all&utf8=%E2%9C%93&state=opened&label_name[]=macos)

== Help

If you encounter any problems with building or developing KiCad, you may ask for guidance on our [link:https://groups.google.com/a/kicad.org/g/devlist](https://groups.google.com/a/kicad.org/g/devlist) [mailing list]. If you prefer real-time communication, you may also ask on our [link:++https://discord.gg/xEPC8QXFnS++](https://discord.gg/xEPC8QXFnS) [unofficial developer help channel on Discord].

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\getting-started\ index.zh-cn.adoc

[illegible]

```

---
title: ■■
weight: 1
pre: "<i class='fas fa-chevron-right'></i> "
aliases:
- /zh-cn/contribute/
---
```

[illegible][illegible]

```
=== ████

KiCad ████ link:https://git-scm.com/book/en/v2/Getting-Started-What-is-Git[Git]

██████████
```

[illegible]

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\ index.en.adoc

Resumo: --- title: Rules and Guidelines weight: 6 pre: "<i class='fas fa-chevron-right'></i> " ---
{{% children description="true" %}}

title: Rules and Guidelines

weight: 6

pre: "<i class='fas fa-chevron-right'></i> "

{{% children description="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\ index.zh-cn.adoc

Resumo: --- title: ■■■■■ weight: 6 pre: "<i class='fas fa-chevron-right'></i> " --- {{% children description="true" %}}

title: ■■■■■

weight: 6

pre: "<i class='fas fa-chevron-right'></i> "

{{% children description="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\anti-patterns\ index.en.adoc

*Resumo: --- title: Anti-Patterns weight: 11 summary: Anti-pattern guidelines for writing code for the KiCad project. --- :toc: == Introduction The purpose of this document is to provide the guidelines for how **not** to write code for the KiCad project. Anti-patterns are code practices that S...*

title: Anti-Patterns

weight: 11

summary: Anti-pattern guidelines for writing code for the KiCad project.

:toc:

== Introduction

The purpose of this document is to provide the guidelines for how **not** to write code for the KiCad project. Anti-patterns are code practices that seem to occur often but shouldn't. If your code contains any of these patterns, please fix them.

WARNING: Do not modify this document without the consent of the project leader.

All changes to this document require approval.

=== Bare Enumerations

Bare enums are declared like this

```
```c++
```

```
enum LAST_LAYOUT {
```

```
 NONE,
```

```
 ALIAS,
```

```
 PARENT
```

```
};
```

```
```
```

These are problematic

because they declare the simple keywords `NONE`, `ALIAS` and `PARENT` into the

global scope. These then clash with enums or worse, defines, that exist in other header or source files used in the project.

The solution is to use

[https://en.cppreference.com/w/cpp/language/enum#Scoped_enumerations\[scoped enums\]](https://en.cppreference.com/w/cpp/language/enum#Scoped_enumerations[scoped_enums]).

In this form, the enum is

```
```c++
enum class LAST_LAYOUT {
 NONE,
 ALIAS,
 PARENT
};

LAST_LAYOUT l = LAST_LAYOUT::NONE;

switch(l)
{
 case LAST_LAYOUT::NONE : std::cout << "NONE\n"; break;
 case LAST_LAYOUT::ALIAS : std::cout << "ALIAS\n"; break;
 case LAST_LAYOUT::PARENT : std::cout << "PARENT\n"; break;
}
```
```

=== Dereferencing Pointers

Dereferencing an invalid pointer almost always results in a crash. ****Never****

assume a pointer is valid. Even if the code in question has never crashed before, that doesn't mean that someone won't break something in the future. Use

assertions to help developers catch invalid pointers during development. Even better than assertions, you can use the

[link:++https://docs.wxwidgets.org/3.2/group__group__funcmacro__debug.html++](https://docs.wxwidgets.org/3.2/group__group__funcmacro__debug.html)[wxWidgets debugging macros] which can raise assertions on debug builds and gracefully handle run time issues in release builds. If you are concerned about pulling in [https://www.wxwidgets.org/\[wxWidgets\]](https://www.wxwidgets.org/[wxWidgets]) user interface code,

there are header only C++ assertion libraries available.

Avoid the temptation to silently hide potentially bad pointers. The following code:

```
```c++
void SomeFunction(SomeObject* somePointer)
{
 if(somePointer)
 {
 somePointer->DeReferencedMethod();
 }
}
```
```

should be replaced with:

```
```c++
void SomeFunction(SomeObject* somePointer)
{
 // This will trigger a wxWidgets assertion dialog in debug builds and silently
 // return in release builds which is far better than crashing.
 wxCHECK(somePointer, /* void */)

 somePointer->DeReferencedMethod();
}
```
```

=== wxUpdateUIEvent Abuse

Avoid using `link:++https://docs.wxwidgets.org/3.2/classwx\_update\_u\_i\_event.html++` [

``wxUpdateUIEvent``] for anything other than the methods provided by the event object.

Updating controls in a ``wxUpdateUIEvent`` handler will typically trigger other control

events that in turn will fire more `wxUpdateUIEvents` which results in an infinite event loop that can cause the user interface to become less responsive.

If you are not sure you are abusing ``wxUpdateUIEvent``, the advanced configuration setting ``UpdateUIEventInterval`` allows you to set the time in milliseconds which the update events are generated or -1 to disable all update events. If slowing or disabling the update events makes the user interface more responsive, a ``wxUpdateUIEvent`` handler is the problem.

=== Translating Partial Sentences

Never break an translated sentence into multiple ``_()`` tags. This prevents translations from understanding your intention and from creating grammatically correct sentences in languages other than English.

For example the following is incorrect:

```
```c++
ShowReport(_("Duplicate instances of ") + m_changeArray[j].NewRefDes);
...

```

This should be replaced by the following:

```
```c++
ShowReport( wxString::Format( _( "Duplicate instances of %s" ), m_changeArray[j].NewRefDes ) );
...

```

The new formulation allows a translator to move the object of the sentence. In the original formulation, the object (the ``NewRefDes`` string) would always appear at the end of the sentence, which may not be grammatically correct in non-English languages.

Similarly, do not break sentences into parts like this:

```
```c++
wxString verb = updateMode ? _("Update") : _("Change");
wxString warning = _("%s all items on the board?");

wxMessageBox(wxString::Format(warning, verb));
...

```

In English, the word `Update` is both a noun and a verb. Without context, the translator will not know which version to use. Additionally, it will not be clear to the translator that the `verb` string is used by the `warning` string as they will not appear together in the translation file.

Instead, we must write the sentences explicitly:

```
```c++
wxString msg = updateMode ? _( "Update all items on the board?" ) :
                             _( "Change all items on the board?" );

wxMessageBox( msg );
...

```

=== Dialogs

==== Breaking Close Event Handling

Modal and Quasi-modal dialog windows closure is handled automatically when the standard button IDs (`wxID_OK`, `wxID_CANCEL`, `wxID_CLOSE`, etc.) as well as the close button title bar decorator. There is no need to handle [link:++https://docs.wxwidgets.org/3.2/classwx_close_event.html++](https://docs.wxwidgets.org/3.2/classwx_close_event.html)`[wxCloseEvent]` directly unless the dialog has special requirement such as vetoing the event. Very few dialogs require any special handling of close event. For more information see the [link:++https://docs.wxwidgets.org/3.2/overview_windowdeletion.html#overview_windowdeletion_close++](https://docs.wxwidgets.org/3.2/overview_windowdeletion.html#overview_windowdeletion_close++)`[wxWidgets closing windows documentation]`. If you do not fully understand the default dialog close event handling, do not implement one in your dialog. Doing so will most likely break the default handling.

==== Avoid Direct Access of Parent

Avoid passing a specific parent window pointer type to the dialog and saving it for use dialog methods. At best, this is a bad coding practice as it limits the re-usability of the dialog to a given parent window type. At worst, it can

cause crashes in <<_mode_less_dialogs,mode-less dialog windows>> when accessing the point in the dialog object destructor.

If you need to pass information to the parent window, use the

link:++https://docs.wxwidgets.org/3.2/overview_events.html++[wxWidgets events] instead. This:

```
```c++
MY_DIALOG::MY_DIALOG(SCH_EDIT_FRAME* aParent)
{
 m_frame = aParent;
}

void MY_DIALOG::SomeMethod()
{
 m_frame->SomeFrameMethod();
}

...

```

should be replaced with this:

```
```c++
MY_DIALOG::MY_DIALOG( wxWindow* aParent )
{
}

void MY_DIALOG::SomeMethod()
{
    wxWindow* parent = GetParent();

    if( parent )
    {
        SOME_EVENT evt();

        // If the parent doesn't handle this event it goes into the bit bucket.
    }
}

```

```

        parent->HandleWindowEvent( evt );
    }
}
...

```

==== Object Property Modifiers

Modal and Quasi-modal dialog windows should be implemented as simple object property modifiers. Avoid modifying properties of live objects. Make a copy of the object being modified to transfer property information between the dialog controls and the object properties.

```

...C++

MY_DIALOG::MY_DIALOG( wxWindow* aParent, const LIB_PIN& aPin )
{
    m_pinCopy( m_Pin );    // Make a copy of the LIB_PIN object to modify.
}
...

```

==== Handling the OK Button

Dismissing a modal or quasi-modal dialog window by clicking on the "OK" button does not indicate that any of the object properties have been changed. Always compare the properties from the dialog object against the properties of the original object. Only set the document modified flag if the object properties have been modified.

```

...C++

MY_DIALOG dlg( this, m_somePin );
if( dlg.ShowQuasiModal() == wxID_OK && dlg.GetPin() != m_somePin )
{
    // Update the undo/redo handling here.

    m_somePin = dlg.GetPin();
    // Set modified flag here.
}

```

...

==== Mode Specific Coding

Avoid adding mode specific code to dialogs. The dialog cannot know how it is going to be shown in advance. Making assumptions about how the dialog is shown from within the dialog can lead to unexpected bugs.

```C++

```
void MY_DIALOG::OnCloseEvent(wxCloseEvent& aEvent)
{
 // The code will clean up the dialog when it is mode-less but it also will
 // completely bypass the automatic data transfer handling for modal and
 // quasi-modal dialogs.
 Destroy();
}
...

```

#### ==== Mode-less Dialogs

##### ===== Memory Management

[https://www.wxwidgets.org/\[wxWidgets\]](https://www.wxwidgets.org/[wxWidgets]) mode-less dialogs are always created on the heap using the C++ `new` operator. Therefore, it is the developers responsibility to manage the memory allocated for the dialog. However, [https://www.wxwidgets.org/\[wxWidgets\]](https://www.wxwidgets.org/[wxWidgets]) windows object memory should never be cleaned up using the C++ `delete` operator. [https://www.wxwidgets.org/\[wxWidgets\]](https://www.wxwidgets.org/[wxWidgets]) provides the [https://docs.wxwidgets.org/3.2/classwx\\_window.html#a6bf0c5be864544d9ce0560087667b7fc](https://docs.wxwidgets.org/3.2/classwx_window.html#a6bf0c5be864544d9ce0560087667b7fc)[Destroy] method to perform any required window tear down and then deletes the allocated memory.

##### ===== Dialog Life Time

[https://www.wxwidgets.org/\[wxWidgets\]](https://www.wxwidgets.org/[wxWidgets]) does **not** guarantee that a parent window will out live a mode-less dialog created by it. Therefore, attempting to access the parent window from

the dialog's destructor <<\_avoid\_direct\_access\_of\_parent, (See Avoid Direct Access of Parent)>> may crash. If you have to access the parent from the the dialog destructor, check to make sure the dialog has been shown in either the modal or quasi-modal mode.

Don't do this:

```
```c++
MY_DIALOG::~MY_DIALOG()
{
    m_parent->SomeParentWindowMethod(); // May crash if the dialog is mode-less.
}
...

```

instead do this:

```
```c++
MY_DIALOG::~MY_DIALOG()
{
 // Ensures the parent is still valid.
 if(IsModal() || IsQuasiModal()
 m_parent->SomeParentWindowMethod();
}
...

```

=== S-Expression File Format Anti-patterns

==== Unquoted strings

Always quote strings in KiCad file formats, whether or not they contain user-generated data or you think they might need to be quoted.

```
...

// Do this
(generator "eeschema")
// Not this (assuming that 'eeschema' is not a token)
(generator eeschema)

```

...

#### ==== Non-standard boolean flags

Use the tokens `yes` and `no` for booleans in the file format. All boolean flags should be a two-element list of the form `(token [yes|no])`. Do not use implicit-true booleans. Boolean flags may be omitted from formatting where it makes sense to do so (and the parser should have a defined default value that will be assumed if the flag is missing), but if the boolean token is present, an explicit value must also be present.

...

// Do this

```
(my_item
 (hide yes)
)
```

// Or this

```
(my_item
 (show no)
)
```

// Not this (an implicitly-true boolean)

```
(my_item
 (hide)
)
```

// And not this (a boolean outside an enclosing list)

```
(my_item hide yes)
```

...

#### ==== Ignoring unneeded or deprecated tokens implicitly

When implementing a parser that needs to skip over tokens in a file that are not needed, always do so explicitly, by parsing the tokens and doing nothing with them. Do not do this implicitly by

skipping a certain number of symbols.

```
```c++
// Do this

for( token = NextTok(); token != T_RIGHT && token != EOF; token = NextTok() )
{
    if( token == T_LEFT )
        token = NextTok();

    switch( token )
    {
    case T_generator:
        // Skip (generator "generatorname")
        NeedSYMBOL();
        NeedRIGHT();
        break;
    //...
    }
}

// Don't do this

for( token = NextTok(); token != T_RIGHT && token != EOF; token = NextTok() )
{
    if( token == T_LEFT )
        token = NextTok();

    switch( token )
    {
    case T_version:
        m_requiredVersion = parseInt( FromUTF8().mb_str( wxConvUTF8 ) );
        NeedRIGHT();

        // Skip (generator "generatorname")
        NeedLEFT();
        NeedSYMBOL();
    }
}
```

```

        NeedSYMBOL();

        NeedRIGHT();

        break;

    //...

}

}

...

```

=== Formatting & Parsing

==== Formatting

Dealing with locale is terrible and ineffiecient.

When writing output for a file, avoid the use of ``printf``, both the libc implementation and relatives like

Instead, utilize the `{fmt}` library which provides locale-neutral formatting of floats and is far more per

```

...

double x,y;

fmt::print( m_file, "ORIGIN {} {}", x, y );

...

```

An additional benefit of ``fmt::print`` when used with a `FILE*` handle (optional), is its ability to throw ex

IO activity. This simplifies error handling to a top-level try/catch block instead of needing to check ev

==== Parsing

When parsing files, avoid the use of ``strtod``. ``strtod`` is dependent on the locale for correct parsing. Instead utilize ``fast_float::from_char``, the ``fast_float::chars_format::skip_white_space`` option for the c

can be used to give it compatibility with `strtod`'s whitespace skipping ability.

```

...

double                dval{};

fast_float::from_chars_result res = fast_float::from_chars( str.data(), str.data() + str.size(), dval,

fast_float::chars_format::skip_white_space

```

...

`std::from_char` should not be used for doubles. It is not available in macOS libc++ unlike Linux and Windows. fast_float::from_char in benchmarking is also about 2-3x faster than std::from_char.`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\anti-patterns\ index.zh-cn.adoc

[illegible]

— — —

```
title: ■■■
```

weight: 11

```
summary: ■ KiCad ■■■■■■■■■■■■■■■■■■■■
```

...

```
:toc:
```

== ■■

KiCad

WARNING: ████████████████████████████████

XXXXXXXXXXXXXXXXXXXX

== ■■■

■■■■■■■■■■

` ``C++

```
enum LAST_LAYOUT {
```

NONE,

ALIAS,

PARENT

};

...

[illegible]

```

■■■■■■■■■■ NONE ■■■■ ALIAS ■■■■ PARENT ■■■■ NONE ■■■■
■■■■■■■■ https://en.cppreference.com/w/cpp/language/enum#Scoped_enumerations[■■■■] ■■■■■■■■■■

```

``C++

```
C++
enum class LAST_LAYOUT {
```



```
{
    assert( somePointer )

    somePointer->DeReferencedMethod();
}
```

```
=== wxUpdateUIEvent ■■■
```

[illegible]

```
■■■■■■■■■■ `wxUpdateUIEvent` ■■■■■■ `UpdateUIEventInterval` ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ -1 ■■■
```

== [REDACTED]

XXXXXXXXXXXX ` \_() ` XXXX

■■■■■■■■■■ :

` `` C++

```
ShowReport( _( "Duplicate instances of " ) + m_changeArray[j].NewRefDes );
```

...

■■■■■ :

` ` `C++

```
ShowReport( wxString::Format( _( "Duplicate instances of %s" ), m_changeArray[j].NewRefDes ) );
```

...

```
##### `NewRefDes` #####  
#####:
```

` ` `C++

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-policy\ index.en.adoc

Resumo: --- title: Code Design Guidelines weight: 5 summary: The code design guidelines are rules that must be met for any contribution to KiCad's application code base. --- :toc: == 1. Introduction The purpose of this document is to provide a guide for KiCad developers about source ...

title: Code Design Guidelines

weight: 5

summary: The code design guidelines are rules that must be met for any
contribution to KiCad's application code base.

:toc:

== 1. Introduction

The purpose of this document is to provide a guide for KiCad developers about source code dos and don'ts in KiCad. It is not a comprehensive guide because it does not cover all topics. However, it is expected that all of the topics covered by this document are followed by all developers contributing code to the KiCad project.

== 2. Library Dependencies

KiCad is a cross platform project. Therefore, all dependency libraries must be packaged for all

[https://www.kicad.org/help/system-requirements/\[supported platforms\]](https://www.kicad.org/help/system-requirements/[supported platforms]).

If packages are not available on a given platform, it is the responsibility of the developer introducing any new dependencies to ensure that they are packaged before submitting the new dependency. Platform specific features will not be accepted.

== 3. Low Level Object Design

All KiCad low level objects not directly related to user interface design must be free of user interface code dependencies. This includes all `SCH\_\*`, `LIB\_\*`,

``PCB_*`, `FP_*`, and I/O plugin objects.`

`:link-with-underscores: https://docs.wxwidgets.org/3.0/group\_\_group\_\_funcmacro\_\_debug.html`

NOTE: The only exception is the `{link-with-underscores}[wxWidgets Debugging Macros]`.

The reason for this is that the wxWidgets user interface code is only used in debug builds. This has the advantage of developers being made aware of coding issues without having to run from the command line or in a debugger to see assertion messages.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-policy\ index.zh-cn.adoc

[illegible]

— — —

```
title: ■■■■■
```

```
weight: 5
```

```
summary: ■■■■■■ KiCad ■■■■■■■■■■■■■■■■■■■■■■
```

— — —

```
:toc:
```

== 1. ■■

KiCad KiCad

== 2. ☐ ☐ ☐ ☐ ☐ ☐

```
KiCad ■■■■■■■■■■ ■■■■■■■■■■■■■■■■■■■■■■ https://www.kicad.org/help/system-requirements/[■■■■■] ■■■■■■■■■■■■■■■■■■■■■■
```

== 3. ■■■■■■

```
■■■■■■■■■■■■■■■■■■■■ KiCad ■■■■■■■■■■■■■■■■■■■■ ■■■■■ `SCH_*`■■`LIB_*`■■`PCB_*`■■`FP_*` ■ `I/O` ■■■■
```

```
:link-with-underscores: https://docs.wxwidgets.org/3.0/group__group__funcmacro__debug.html
```

NOTE: `{link-with-underscores}[wxWidgets]` `wxWidgets`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\code-style\ index.adoc

Resumo: --- title: Code Style Policy weight: 2 summary: The code style guidelines that must be met for any contribution to KiCad's application codebase. --- :toc: == 1. Introduction The purpose of this document is to provide a reference guide for KiCad developers about how source code ...

title: Code Style Policy

weight: 2

summary: The code style guidelines that must be met for any contribution to
KiCad's application codebase.

:toc:

== 1. Introduction

The purpose of this document is to provide a reference guide for KiCad developers about how source code should be styled and formatted in KiCad. It is not a comprehensive programming guide because it does not discuss many things such as software engineering strategies, source directories, existing classes, or how to internationalize text. The goal is to make all of the KiCad source conform to this guide.

== 1.1 Why Coding Style Matters

You may be thinking to yourself that using the style defined in this document will not make you a good programmer and you would be correct. Any given coding style is no substitute for experience. However, any experienced coder will tell that the only thing worse than looking at code that is not in your preferred coding style, is looking at twenty different coding styles that are not your preferred coding style. Consistency makes a) problems easier to spot, and b) looking at code for long periods of time more tolerable.

== 1.2 Enforcement

The KiCad coding police are not going to break down your door and beat you with your keyboard if you don't follow these guidelines (although there are those who would argue that they should). However, there are

some very sound reasons why you should follow them. If you are contributing patches, you are much more likely to be taken seriously by the primary developers if your patches are formatted correctly. Busy developers don't have the time to go back and reformat your code. If you have a desire to become a regular KiCad developer with commit access to the development branch, you're not likely to get a glowing recommendation by the lead developers if you will not follow these guidelines. It is just good programming courtesy to follow this policy because it is respectful of the investment already made by the existing developers. The other KiCad developers will appreciate your effort.

****Warning****

****Do not modify this document without the consent of the project leader. All changes to this document require approval.****

== 1.3 Tools

There are some tools that can help you format your code easily.

<https://clang.llvm.org/docs/ClangFormat.html>[clang-format] is a formatting tool that can both be used to provide code-style automation to your editor of choice, as well as allow git to check formatting when committing (using a "Git hook"). You should install this program to be able to use the Git hooks.

The style config file is ``_clang-format``, and should be picked up automatically by ``clang-format`` when the ``--style=file`` option is set.

To enable the Git hooks (only needs to be done once per Git repo):
[source,bash]

```
git config core.hooksPath .githooks
```

Set the ``git clang-format`` tool to use the provided ``_clang-format`` file:

```
[source,bash]
```

```
----
```

```
git config clangFormat.style file
```

```
----
```

Then, to enable the format checker, set the `kicad.check-format` Git config to "true" for the KiCad repo:

```
[source,bash]
```

```
----
```

```
git config kicad.check-format true
```

```
----
```

Without this config, the format checker will not run on commit, but you can still check files staged for commit manually (see below).

If the hook is enabled, when you commit a change, you will be told if you have caused any style violations (only in your changed code). You can then fix the errors, either manually, or with the tools below.

If you are warned about formatting errors, but you are sure your style is correct, you can still commit:

```
[source,bash]
```

```
----
```

```
git commit --no-verify
```

```
----
```

=== 1.3.1 Correcting Formatting Errors

There is a Git aliases file that provides the right commands to show and correct formatting errors. Add to your repository config by running this command from

the source directory:

```
[source,bash]
```

```
----
```

```
git config --add include.path $(pwd)/tools/git/format_alias
```

Then you can use the following aliases:

- * ``git check-format``: show any formatting warnings (but make no changes)
- * ``git fix-format``: correct formatting (you will need to ``git add`` afterwards)

These aliases use a script, ``tools/check_coding.sh``, which takes care of only checking the formatting for files that should be formatted. This script has other uses:

- * Make (or see only) violations in files modified in the previous commit (useful when interactive-rebasing):

```
* `check_coding.sh --amend [--diff]`  
== 2. Naming Conventions
```

Before delving into anything as esoteric as indentation and formatting, naming conventions need to be addressed. This section does not attempt to define what names you use for your code. Rather, it defines the style for naming. See the references section for links to some excellent coding references. When defining multiple word names use the following conventions for improved readability:

- Use underscores for all upper and all lower case variables to make multiple word names more readable.
- Use camel case for mixed case variable names.

Avoid mixing camel case and underscores.

****Examples****

```
CamelCaseName          // if camelcase, then no underscores  
  
all_lower_case_name  
  
ALL_UPPER_CASE_NAME
```

=== 2.1 Class, Type Definitions, Name Space, and Macro Names

Class, typedef, enum, name space, and macro names should be comprised of all capital letters.

****Examples****

[source,cpp]

```
-----  
  
    class SIMPLE  
  
    #define LONG_MACRO_WITH_UNDERSCORES  
  
    typedef boost::ptr_vector<PIN>      PIN_LIST;  
  
    enum KICAD_T {...};  
  
-----
```

=== 2.2 Local, Private and Automatic Variables

The first character of automatic, static local, and private variable names must be lower case. This indicates that the variable will not be “visible” outside of the function, file, or class where they are defined, respectively. The limited visibility is being acknowledged with the lowercase starting letter, where lowercase is considered to be less boisterous than uppercase.

****Examples****

[source,cpp]

```
-----  
  
    int i;  
  
    double aPrivateVariable;  
  
    static char* static_variable = NULL;  
  
-----
```

Private class and struct members must be prefixed with ``m_`` and the first character after the ``m_`` prefix must also be lowercase:

[source,cpp]

```
-----  
private:
```

```
int m_privateData;
```

=== 2.3 Public and Global Variables

The first character of public and global variable names must be uppercase. This indicates that the variable is visible outside the class or file in which it was defined. (An exception is the use of prefix ``g_`` which is also sometimes used to indicate a global variable.)

****Example****

[source,cpp]

```
char* GlobalVariable;
```

In general, classes should not use public member variables, and instead should use getter/setter methods to access private members. The exception is classes that are essentially data structures with some helper methods. For example, the ``SEG`` class is used frequently as a data structure representing a line segment between two points. This class has public member variables ``A`` and ``B`` storing those points. This is acceptable because the ``SEG`` class meets that definition of being essentially a data structure, and because there is no need for side-effects when changing ``A`` or ``B``.

=== 2.4 Local, Private and Static Functions

The first character of local, private, and static functions should be lower case. This indicates that the function is not visible outside the class or file where it is defined.

****Example****

[source,cpp]

```
bool isModified();
```

```
static int buildList( int* list );
```

=== 2.5 Function Arguments

Function arguments are prefixed with an 'a' to indicate these are arguments to a function. The 'a' stands for "argument", and it also enables clever and concise Doxygen comments.

****Example****

[source,cpp]

```
----  
  
    /**  
     * Copy aFoo into this instance.  
     */  
  
    void SetFoo( int aFoo );  
  
----
```

Notice how the reader can say "a Foo" to himself when reading this.

=== 2.6 Pointers

It is not desired to identify a pointer by building a 'p' into the variable name. The pointer aspect of the variable pertains to type, not purpose.

****Example****

[source,cpp]

```
----  
  
    MODULE*    module;  
  
----
```

The purpose of the variable is that it represents a MODULE. Something like ``p_module`` would only make that harder to discern.

Use smart pointers where it makes sense to simplify memory management.

Where using smart pointers, the STL types ``std::shared_ptr`` / ``std::unique_ptr`` are preferred. Do not use Boost smart pointers.

=== 2.7 Accessing Member Variables and Member Functions

We do not use ``this->`` to access either member variables or member

functions from within the containing class. We let {cpp} perform this for us.

=== 2.8 Use of 'auto'

We do -not- use `auto` to reduce repetition. We do use it to increase readability. This generally means -only- use `auto` where `std::lib` gets overly verbose (such as iterators or `std::make_shared`), or when not using `auto` would cause line-wraps that can't otherwise be avoided.

****Example****

[source,cpp]

```
auto    board = m_frame->GetBoard();           // Not permitted, use the actual type name
BOARD*  board = m_frame->GetBoard();           // OK
auto    it    = someComplexSTLType.begin();    // OK, improves readability

for( auto& item : container )                  // Discouraged where the actual type name isn't very long
for( TYPE& item : container )                  // Preferred
for( auto& [key, value] : map )                // C++17 structured binding; acceptable when readable
----
```

=== 2.9 Casting

In most circumstances, use of C-style casting is not permitted. Explicit {cpp}-style casting should be used instead.

****Example****

[source,cpp]

```
PCB_TRACK* track = ( PCB_TRACK* )item;        // Not permitted
PCB_TRACK* track = static_cast<PCB_TRACK*>( item ); // OK (when used safely)
PCB_TRACK* track = dynamic_cast<PCB_TRACK*>( item ); // OK
```

== 3. Commenting

Comments in KiCad typically fall into two categories: in line code

comments and Doxygen comments. In line comments have no set formatting rules other than they should have the same indent level as the code if they do not follow a statement. In line comments that follow statements should not exceed 119 columns unless absolutely necessary. This prevents word wrapping in an editor when the viewable columns is set to 120. In line comments can use either the {cpp} or the C commenting style, but {cpp} comments are preferred for single line comments or comments consisting of only a few lines.

Avoid stating the obvious in comments. Adding a comment that states this is a dtor, ctor, function, iterator, etc. just adds noise to the comment. Any sufficiently experience developer can recognize this. Avoid comments that state what code does. It should be obvious what code does or it should be rewritten so that it is obvious.

=== 3.1 Blank Lines Above Comments

If a comment is the first thing on a line, then that comment should have one or more blank lines above them. One blank line is preferred.

=== 3.2 Doxygen

Doxygen is a {cpp} source code documenting tool used by the project. Descriptive *.html files can be generated from the source code by installing Doxygen and building the target named ****doxygen-docs****.

[source,sh]

```
...  
  
    cd <kicad_build_base>  
  
    make doxygen-docs  
  
...
```

The generated source *.html files will be placed into
<kicad_project_base>/Documentation/doxygen/html/.

Doxygen comments are used to build developer documentation from the source code. They should normally be only placed in header files (.h) and not in source files (.cpp). This eliminates the obligation to keep two comments

in agreement with each other. If the class, function, or enum, etc. is only defined in a source file and not present in any header file, in which case the Doxygen comments should go into the source file. Again, avoid duplicating the Doxygen comments in both the header and source files.

KiCad uses the JAVADOC comment style defined in the <http://www.doxygen.nl/manual/docblocks.html>`[doccode]` section of the Doxygen <http://www.doxygen.nl/manual/>`[manual]`. Don't forget to use the <https://www.doxygen.nl/manual/commands.html>`[special Doxygen tags]` : bug, todo, deprecated, etc., so other developers can quickly get useful information about your code. It is good practice to actually generate the Doxygen *.html files by building target doxygen-docs, and then to review the quality of your Doxygen comments with a web browser before submitting a patch.

Avoid defining class and function names and argument and return data types. This redundant information can easily be read by other developers and shows up as redundant information in the generated documentation.

NOTE: Many legacy Doxygen comments in KiCad start with the function name on a blank line before the rest of the comment. This style is no longer acceptable, and modifications to those legacy function signatures is a good opportunity to remove these lines from the Doxygen comments.

Use <https://www.doxygen.nl/manual/markdown.html>`[Doxygen's markdown]` syntax where possible instead of HTML tags. Markdown makes for more readable comments than mark up languages.

Use <https://www.doxygen.nl/manual/autolink.html>`[Doxygen links]` when referring to other code in Doxygen comments. This makes information easier to find for other developers.

Group related sections of comments together as much as possible using the <https://www.doxygen.nl/manual/grouping.html>`[Doxygen grouping commands]`. This makes finding related information easier than having it spread across

multiple document pages.

==== 3.2.1 Function Comments

These go into a header file, unless the function is a private (i.e. static) function known only to a source file. The format of a function comment is chosen to serve a dual purpose role: delineation of the function declaration within the source code and to create a consistent leading sentence in the Doxygen html output. The chosen format is to use a descriptive single line sentence, followed by a blank line, followed by an optional detailed description as the shown in the example below.

****Example****

[source,cpp]

```
----  
  
    /**  
     * Format and write text to an output stream.  
     *  
     * A really detailed description goes here if it's needed.  
     *  
     * @param aNestLevel is the multiple of spaces to precede the output with.  
     * @param aFmt is a printf() style format string.  
     * @param ... is a variable list of parameters that will get blended into  
     *   the output under control of the format string.  
     * @return the number of characters output.  
     * @throw IO_ERROR, if there is a problem outputting.  
     */  
  
    int PRINTF_FUNC Print( int aNestLevel, const char* aFmt, ... );  
  
----
```

The single line description goes on the 2nd line of the comment. The @return keyword if present, should describe the return value followed by a hyphen. The @param keyword names a function parameter and the text following should flow like a normal English sentence including proper punctuation.

==== 3.2.2 Class Comments

A class comment describes a class declaration by giving the purpose and

use of the class. Its format is similar to a function comment. Doxygen can use the html `\<p\>` (paragraph designation) to begin a new paragraph in its output. So if the text of the comment is large, break it put into multiple paragraphs as required.

****Example****

[source,cpp]

```
/**
 * An interface (abstract) class used to output UTF8 text in a
 * convenient way.
 *
 * The primary interface is "printf() like" but with support for
 * indentation control. The destination of the 8 bit wide text is
 * up to the implementer.
 *
 * <p>
 * The implementer only has to implement the write() function, but
 * can also optionally re-implement GetQuoteChar().
 *
 * <p>
 * If you want to output a wxString, then use CONV_TO_UTF8() on it
 * before passing it as an argument to Print().
 *
 * <p>
 * Since this is an abstract interface, only classes derived from
 * this one may actually be used.
 */
class OUTPUTFORMATTER
{
    ----
```

== 4. Formatting

This section defines the formatting style used in the KiCad source.

=== 4.1 Indentation

The indentation level for the KiCad source code is defined as four

spaces. Please do not use tabs.

==== 4.1.1 Defines

There should be only one space after a ``#define`` statement.

==== 4.1.2 Column Alignment

Please try to align multiple consecutive similar lines into consistent columns when possible, such as `#define` lines which can be thought of as containing 4 columns: ``#define``, symbol, value, and comment. Notice how all 4 columns are aligned in the example below.

[source,cpp]

```
-----  
  
    #define LN_RED      12      // my favorite  
  
    #define LN_GREEN    13      // eco friendly  
  
-----
```

Another common case is the declaration of automatic variables. These are preferably shown in columns of type and variable name.

=== 4.2 Blank Lines

==== 4.2.1 Function Declarations

There should be 1 blank line above a function declaration in a class file if that function declaration is presented with a Javadoc comment. This is consist with the statement above about blank lines above comments.

==== 4.2.2 Function Definitions

Function definitions in `*.cpp` files will not typically be accompanied by any comment, since those are normally only in the header file. It is desirable to set off the function definition within the `*.cpp` file by leaving two blank lines above the function definition.

==== 4.2.3 Control Statements

There should be one blank line before the opening statement and after

the closing curly brace or statement for all control statement blocks so that it is easy to see where control blocks begin and end. This includes ``if``, ``for``, ``while``, ``do``, and ``switch`` control blocks.

For example, a blank line is required here between the variable declaration and the ``if`` statement:

[source,cpp]

```
bool isTrue = checkSomething();
```

```
if( isTrue )
```

```
    doSomething();
```

Curly braces themselves count as blank lines for the purposes of this style rule. For example, a nested control statement may be written as:

[source,cpp]

```
while( aCondition )
```

```
{
```

```
    if( checkSomething() )
```

```
    {
```

```
        break;
```

```
    }
```

```
}
```

=== 4.3 Line Length

The maximum line width is 120 columns. An exception to this is a long quoted string such as the internationalized text required to satisfy MSV{cpp}, described below.

=== 4.4 Line-breaking Strings

The KiCad project team no longer supports compiling with Microsoft

Visual {cpp}. When you need to break long strings into smaller substrings, please use the C99 compliant method for improved readability. Using any of previously accepted methods defined below for breaking long internationalized strings will no longer be accepted.

****Examples****

[source,cpp]

```
// This works with C99 compliant compilers is the **only** accepted method:
```

```
wxChar* foo = _( "this is a long string broken "  
                 "into pieces for readability." );
```

```
// This works with MSVC, breaks POEdit, and is **not** acceptable:
```

```
wxChar* foo = _( "this is a long string broken "  
                 L"into pieces for readability" );
```

```
// This works with MSVC, is ugly, and is **not** accepted:
```

```
wxChar* foo = _( "this is a long string \  
broken into pieces for readability" );
```

A second acceptable solution is to simply put the text all on one line, even if it exceeds the 99 character line length limit. However, the preferred method is to break strings within the 99 character limit whenever possible to prevent wrapping.

=== 4.5 Line-breaking Expressions

When line breaking expressions the operators should appear at the beginning of a line, not at the end.

[source,cpp]

```
if( SomeMethodCall( some_parameter, other_parameter )  
    || some_local_variable == foo )
```

=== 4.6 Trailing Whitespace

Many programming editors conveniently indent your code for you. Some of them do it rather poorly and leave trailing whitespace. Thankfully, most editors come with a remove trailing whitespace macro or at least a setting to make trailing whitespace visible so you can see it and manually remove it. Trailing whitespace is known to break some text parsing tools. It also leads to unnecessary diffs in the version control system. Please remove trailing whitespace.

=== 4.7 Multiple Statements per Line

It is generally preferred that each statement be placed on its own line. This is especially true for statements without keywords.

[source,cpp]

```
x=1; y=2; z=3; // Bad, should be on separate lines.
```

=== 4.8 Braces

Braces should be placed on the line proceeding the keyword and indented to the same level. It is not necessary to use braces if there is only a single line statement after the keyword. In the case of if..else if..else, indent all to the same level.

[source,cpp]

```
void function()  
{  
    if( foo )  
    {  
        statement1;  
        statement2;  
    }  
}
```

```

        else if( bar )
        {
            statement3;

            statement4;
        }
        else
            statement5;
    }
----

```

Braces are required if the control statement spans more than one line, even if the control block is a single line. This makes it easier to visually parse.

[source,cpp]

```

----
    if( GetSomeProperty( parameter ) == SOME_CONSTANT_VALUE
        || GetSomeProperty( parameter ) == SOME_OTHER_CONSTANT_VALUE )
    {
        single_statement;
    }
----

```

=== 4.9 Parenthesis

Parenthesis should be placed immediately after function names and keywords. Spaces should be placed after the opening parenthesis, before the closing parenthesis, and between the comma and the next argument in functions. No space is needed if a function has no arguments.

[source,cpp]

```

----
    void Function( int aArg1, int aArg2 )
    {
        while( busy )
        {
            if( a || b || c )

```



```

        doSomething();
    else
        doSomethingElse();
}
}
----

```

=== 4.10 Switch Formatting

The case statement is to be indented to the same level as the switch.

[source,cpp]

```

----
switch( foo )
{
case 1:
    doOne();
    break;
case 2:
    doTwo();
    // Fall through.
default:
    doDefault();
}
----

```

It is preferred to place all cases on a single line when that makes the code more readable. This is often done for look-ups or mapping functions. In this case, you will have to manually align for readability as appropriate and reject clang-format's suggested changes, if you use it:

[source,cpp]

```

----
switch( m_orientation )
{
case PIN_RIGHT: m_orientation = PIN_UP;    break;

```

```

        case PIN_UP:    m_orientation = PIN_LEFT;  break;

        case PIN_LEFT:  m_orientation = PIN_DOWN;  break;

        case PIN_DOWN:  m_orientation = PIN_RIGHT; break;

    }
-----

```

=== 4.11 Lambdas

The braces and statements of the body should be indented as you would a method, with the braces lined up under the capture block:

[source,cpp]

```

-----

    auto belowCondition = []( const SELECTION& aSel )
    {
        return g_CurrentSheet->Last() != g_RootSheet;
    };

-----
or:

```

[source,cpp]

```

-----

    auto belowCondition =
    {
        []( const SELECTION& aSel )
        {
            return g_CurrentSheet->Last() != g_RootSheet;
        };
    };

-----

```

=== 4.12 Class Definition Layout

When defining classes, member variables should be placed at the bottom and methods should be placed above the member variables. The scope ordering of the class should be public, protect, then private. Do not redefine the same scope multiple times in a row. Here is an example

class definition:

[source,cpp]

```

-----

```

```

class F00
{
public:
    F00();

    void FooPublicMethod();

protected:
    void fooProtectedMethod();

private:
    void fooPrivateMethod();

    // Private not redefined here unless no private methods.
    int m_privateMemberVariable;
};
-----

```

=== 4.13 Getters and Setters

Class methods used to read and write from private class members without any other side effects are permitted to violate several of the normal formatting rules in order to improve legibility. These methods can exist all on one line, with no blank line between:

```

[source,cpp]
-----
public:
    wxString GetFoo() const { return m_foo; }
    void SetFoo( const wxString& aFoo ) { m_foo = aFoo; }
-----

```

== 5. License Statement

There is a file called `copyright.h`, which you can copy into the top of your new source files and edit the `\<author\>` field. KiCad depends on the copyright enforcement capabilities of copyright law, and this

means that source files must be copyrighted and not be released into the public domain. Each source file has one or more owners.

== 6. Debugging Output

Debugging output is a common method for validating code. However, it

should not always be active in debug builds. This makes it difficult for

other developers to see their debugging output and can have a significant

impact on the performance of debug builds. If you need to use debugging

output, use [link:https://docs.wxwidgets.org/3.2/group__group__funcmacro__log.html#ga9c530ae20eb423744f908](https://docs.wxwidgets.org/3.2/group__group__funcmacro__log.html#ga9c530ae20eb423744f908)

instead of ``printf`` or `{cpp}` output stream. If

you accidentally leave the debugging output in the source, it will expand

to nothing on release builds. All debugging output code should be removed

from the source tree before pushing changes to the main KiCad repo. Do not

comment out debugging output. This just adds more cruft to the code base.

If you need to leave debugging output on, for future testing, use tracing

output (see 6.1).

=== 6.1 Using Tracing for Debugging Output

There are occasions when you want to see debugging output to ensure

existing code performs as expected. In this case, use

[link:https://docs.wxwidgets.org/3.2/group__group__funcmacro__log.html#ga947e317db477914c12b13c4534867ec9](https://docs.wxwidgets.org/3.2/group__group__funcmacro__log.html#ga947e317db477914c12b13c4534867ec9)

which allows debugging output to be controlled by the ``WXTRACE`` environment

variable. When using `wxLogTrace`, the trace environment variable string should

be documented by either adding it to the ``trace_helper.{h/cpp}`` source files

or locally using the <https://www.doxygen.nl/index.html> [Doxygen]

comment ``\ingroup trace_env_vars``. To prevent ``WXTRACE`` name space conflicts,

all trace variable strings should be prefixed with `"KICAD_"`.

== 7. Header Files

Project *.h source files should:

- contain a license statement
- contain a nested include ``#ifndef``

- be fully self-contained and not depend on other headers that are not included within it.

The license statement was described above.

=== 7.1 Nested Include #ifndef

Each header file should include an `#ifndef` which is commonly used to prevent compiler errors in the case where the header file is seen multiple times in the code stream presented to the compiler. Just after the license statement, at the top of the file there should be lines similar to these (but with a file name specific token other than `RICHIO\_H\_`):

[source,cpp]

```
#ifndef RICHIO_H_
#define RICHIO_H_
```

And at the very bottom of the header file, use a line like this one:

[source,cpp]

```
#endif // RICHIO_H_
```

The `#ifndef` wrapper begins after the license statement, and ends at the very bottom of the file. It is important that it wrap any nested `#include` statements, so that the compiler can skip them if the

`#ifndef` evaluates to false, which will reduce compilation time.

=== 7.2 Headers Without Unsatisfied Dependencies

Any header file should include other headers that it depends on. (Note:

KiCad is not at this point now, but this section is a goal of the

project.)

It should be possible to run the compiler on any header file within the project, and with proper include paths being passed to the compiler, the

header file should compile without error.

****Example****

```
$ cd path_to_kicad_source/include  
$ g++ `wx-config --cxxflags` -I . xnode.h -o /tmp/junk
```

Such structuring of the header files removes the need within a client *.cpp file to include some project header file before some other project header file. (A client *.cpp file is one that intends to ****use, not implement,**** the public API exposed within the header file.)

Client code should not have to piece together things that a header file wishes to expose. The exposing header file should be viewed as a fully sufficient ****ticket to use**** the public API of that header file.

This is not saying anything about how much to expose, only that that which is exposed needs to be fully usable merely by including the header file that exposes it, with no additional includes.

For situations where there is a class header file and an implementation *.cpp file, it is desirable to hide as much of the private implementation as is practical and any header file that is not needed as part of the public API can and should be included only in the implementation *.cpp file. However, the number one concern of this section is that client (using) code can use the public API which is exposed in the header file, merely by including that one header file.

== 8. When in Doubt...

When editing existing source code files and there are multiple acceptable code formatting options or no formatting is defined, follow the existing formatting in the file.

== 9. I Wrote X Lines of Code Before I Read This Document

It's OK. We all make mistakes. Fortunately, KiCad provides a configuration file for the code beautifier uncrustify. Uncrustify won't fix your naming problems but it does a pretty decent job of formatting your source code. There are a few places where uncrustify makes some less than ideal indentation choices. It struggles with the string declaration macros `wxT("")` and `\_("")` and functions used as arguments to other functions. After you uncrustify your source code, please review the indentation for any glaring errors and manually fix them. See the uncrustify [website][uncrustify] for more information.

[uncrustify]: <http://uncrustify.sourceforge.net/>

== 10. Show Me an Example

Nothing drives the point home like an example. The source file `richio.h` below was taken directly from the KiCad source.

[source,cpp]

```
-----
/*
 * This program source code file is part of KICAD, a free EDA CAD application.
 *
 * Copyright (C) 2007-2010 SoftPLC Corporation, Dick Hollenbeck <dick@softplc.com>
 * Copyright (C) 2007 KiCad Developers, see AUTHORS.txt for contributors.
 *
 * This program is free software; you can redistribute it and/or
 * modify it under the terms of the GNU General Public License
 * as published by the Free Software Foundation; either version 2
 * of the License, or (at your option) any later version.
 *
 * This program is distributed in the hope that it will be useful,
 * but WITHOUT ANY WARRANTY; without even the implied warranty of
 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 * GNU General Public License for more details.
 *
```

```

* You should have received a copy of the GNU General Public License
* along with this program; if not, you may find one here:
* http://www.gnu.org/licenses/old-licenses/gpl-2.0.html
* or you may search the http://www.gnu.org website for the version 2 license,
* or you may write to the Free Software Foundation, Inc.,
* 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
*/

#ifndef RICHIO_H_
#define RICHIO_H_

// This file defines 3 classes useful for working with DSN text files and is named
// "richio" after its author, Richard Hollenbeck, aka Dick Hollenbeck.

#include <string>
#include <vector>

// I really did not want to be dependent on wxWidgets in richio
// but the errorText needs to be wide char so wxString rules.
#include <wx/wx.h>
#include <cstdio>      // FILE

/**
 * A class used to hold an error message and may be used to throw exceptions
 * containing meaningful error messages.
 */

struct IOError
{
    wxString    errorText;
    IOError( const wxChar* aMsg ) :
        errorText( aMsg )

```



```

    {
    }

    IOError( const wxString& aMsg ) :
errorText( aMsg )
    {
    }

};

/**
 * Read single lines of text into a buffer and increments a line number counter.
 */
class LINE_READER
{
public:

    /**
     * @param aFile is an open file in "ascii" mode, not binary mode.
     * @param aMaxLineLength is the number of bytes to use in the line buffer.
     */
    LINE_READER( FILE* aFile, unsigned aMaxLineLength );

    ~LINE_READER()
    {
        delete[] line;
    }

    /**
     int CharAt( int aNdx )
     {
         if( (unsigned) aNdx < capacity )
             return (char) (unsigned char) line[aNdx];
         return -1;
     }

```

```

*/

/**
 * Read a line of text into the buffer and increments the line number
 * counter.
 *
 * @return is the number of bytes read, 0 at end of file.
 * @throw IO_ERROR when a line is too long.
 */
int ReadLine();

operator char* ()
{
    return line;
}

int LineNumber()
{
    return lineNum;
}

unsigned Length()
{
    return length;
}

protected:

int FILE* fp;
        lineNum;

        unsigned maxLineLength;
        unsigned length;
        char* line;
        unsigned capacity;
};

```

```

/**
 * An interface (abstract class) used to output ASCII text in a convenient way.
 *
 * The primary interface is printf() like with support for indentation control.
 * The destination of the 8 bit wide text is up to the implementer. If you want
 * to output a wxString, then use CONV_TO_UTF8() on it before passing it as an
 * argument to Print().
 * <p>
 * Since this is an abstract interface, only classes derived from this one
 * will be the implementations.
 * </p>
 */
class OUTPUTFORMATTER
{

#ifdef __GNUG__ // The GNU {cpp} compiler defines this

// When used on a {cpp} function, we must account for the "this" pointer,
// so increase the STRING-INDEX and FIRST-TO_CHECK by one.
// See http://docs.freebsd.org/info/gcc/gcc.info.Function\_Attributes.html
// Then to get format checking during the compile, compile with -Wall or -Wformat
#define PRINTF_FUNC      __attribute__ ((format (printf, 3, 4)))

#else

#define PRINTF_FUNC      // nothing

#endif

public:

    /**
     * Format and write text to the output stream.
     *
     * @param nestLevel is the multiple of spaces to preceed the output with.
     * @param fmt is a printf() style format string.
     * @param ... is a variable list of parameters that will get blended into

```

```

    * the output under control of the format string.
    * @return the number of characters output.
    * @throw IO_ERROR if there is a problem outputting, such as a full disk.
    */
virtual int PRINTF_FUNC Print( int nestLevel, const char* fmt, ... ) = 0;

/**
    * Return the quoting character required for aWrapee.
    *
    * Return the quote character as a single character string for a given
    * input wrapee string. If the wrapee does not need to be quoted,
    * the return value is "" (the null string), such as when there are no
    * delimiters in the input wrapee string. If you want the quote character
    * to be assuredly not "", then pass in "(" as the wrapee.
    * <p>
    * Implementations are free to override the default behavior, which is to
    * call the static function of the same name.
    * </p>
    *
    * @param aWrapee is a string that might need wrapping on each end.
    * @return the quote character as a single character string, or ""
    * if the wrapee does not need to be wrapped.
    */
virtual const char* GetQuoteChar( const char* aWrapee ) = 0;

virtual ~OUTPUTFORMATTER() {}

/**
    * Get the quote character according to the Specctra DSN specification.
    *
    * @param aWrapee is a string that might need wrapping on each end.
    * @param aQuoteChar is a single character C string which provides the current
    * quote character, should it be needed by the wrapee.
    *
    * @return the quote_character as a single character string, or ""

```

```

    *   if the wrapee does not need to be wrapped.
    */

    static const char* GetQuoteChar( const char* awrapee, const char* aQuoteChar );
};

```

```

/**
 * Implement an OUTPUTFORMATTER to a memory buffer.
 */

class STRINGFORMATTER : public OUTPUTFORMATTER
{
public:

    /**
     * Reserve space in the buffer
     */
    STRINGFORMATTER( int aReserve = 300 ) :
        buffer( aReserve, '\0' )
    {
    }

    /**
     * Clears the buffer and empties the internal string.
     */
    void Clear()
    {
        mystring.clear();
    }

    /**
     * Remove whitespace, '(', and ')' from the internal string.
     */
    void StripUseless();
    std::string GetString()

```

```

        {
            return mystring;
        }
//-----<OUTPUTFORMATTER>-----

    int PRINTF_FUNC Print( int nestLevel, const char* fmt, ... );

    const char* GetQuoteChar( const char* wrapee );

//-----</OUTPUTFORMATTER>-----

private:

    std::vector<char>      buffer;

    std::string            mystring;

    int sprintf( const char* fmt, ... );

    int vprintf( const char* fmt, va_list ap );

};

#endif // RICHIO_H_
-----

```

== 11. Resources

There are plenty of excellent resources on the Internet on {cpp} coding styles and coding dos and don'ts. Here are a few useful ones. In most cases, the coding styles do not follow the KiCad coding style but there is plenty of other good information here. Besides, most of them have some great humor that makes them enjoyable to read. Who knows, you might even learn something new.

- <http://www.possibility.com/Cpp/CppCodingStandard.html>[{cpp} Coding Standard]
- <https://git.kernel.org/pub/scm/linux/kernel/git/stable/linux.git/tree/Documentation/process/coding-style>
- <http://www.cs.caltech.edu/courses/cs11/material/cpp/donnie/cpp-ops.html>[{cpp} Operator Overloading Guide]
- http://en.wikipedia.org/wiki/Programming_style[Wikipedia's Programming Style Page]

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\contentrules-guidelines\code-style\ index.zh-cn.adoc

[illegible]

```
---  
title: ██████  
  
weight: 2  
  
summary: ██████ KiCad ████████████████████████████████████████
```

```

- - -
:toc:

```

== 1. ■■

[illegible]

== 1.1 ■■■■■■■■■■

== 1.2 ■■■■

[illegible]

```
git config kicad.check-format true
```

```
##### commit#####  
#####
```

```
#### hook#####  
#####
```

```
#####
```

```
[source,bash]
```

```
git commit --no-verify
```

```
=== 1.3.1 #####
```

```
### git ##(alias) #####  
#####
```

```
[source,bash]
```

```
git config --add include.path $(pwd)/helpers/git/format_alias
```

```
#####
```

```
* `git check-format`: #####  
* `git fix-format`: #### `git add`■
```

```
##### `tools/check-coding.sh`#####  
#####
```

[illegible]

```
* `check_coding.sh --amend [--diff]`
```

== 2. ☐☐☐☐

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

- 
- (camel case)

■■■■■■■■■■

* * ☐ ☐ * *

— — — —

```
CamelCaseName          // ██████████  
  
    all_lower_case_name  
ALL_UPPER_CASE_NAME
```

— — — —

=== 2.1 ■■■ ■■■■■ ■■■■■■■■■

```
■ (class), ■■■■ (typedef), ■■ (enum), ■■■■ (name space) ■■ (macro) ■■■■■■■■■■
```

* * * *

[source, cpp]

— — — —

```
class SIMPLE

#define LONG_MACRO_WITH_UNDERSCORES

typedef boost::ptr_vector<PIN>      PIN_LIST;

enum KICAD_T {...};
```

— — — —

=== 2.2 ■■■■■ ■■■■■■■■■■

...

```
make doxygen-docs
```

...

```
<kicad_project_base>/Documentation/doxygen/html/.
```

■■■■■■■■■■

XX

Doxygen

■■■■■■■■■■ Doxygen ■■■■■■

[illegible]

■■■■■■■■■■

HTML Markdown HTML

■■■■■■■■■■

XX

[source,cpp]

```
/**
 * An interface (abstract) class used to output UTF8 text in a
 * convenient way.
 *
 * The primary interface is "printf() like" but with support for
 * indentation control. The destination of the 8 bit wide text is
 * up to the implementer.
 *
 * <p>
 * The implementer only has to implement the write() function, but
 * can also optionally re-implement GetQuoteChar().
 *
 * <p>
 * If you want to output a wxString, then use CONV_TO_UTF8() on it
 * before passing it as an argument to Print().
 *
 * <p>
 * Since this is an abstract interface, only classes derived from
 * this one may actually be used.
 */
```

```
class OUTPUTFORMATTER
```

```
{
```

== 4. ■■■

■■■■■■ KiCad ■■■■■■■■

=== 4.1 ■■

KiCad ■■■■■■■■■■ 4 ■■■■■■■■■■ (tab)■

==== 4.1.1 define ■■

`#define` ■■■■■■■■■■.

KiCad ██████████ Visual C++ █████

* * ☐ ☐ * *

```
// This works with C99 compliant compilers is the only accepted method:
```

99

[illegible]

[source, cpp]

— — — —

```
x=1; y=2; z=3; // ■■■■■■■■■■
```

— — — —

=== 4.7 ■■■

XX

```

##### if..else if..else #####

```

[source, cpp]

— — — —

```
void function()
{
    if( foo )
    {
        statement1;
        statement2;
    }
    else if( bar )
    {
        statement3;
        statement4;
    }
    else
        statement5;
}
```

— — — —

=== 4.8 ■■

[REDACTED]

[REDACTED]

— — — —

— — — —

— — — —

— — — —

— — — —

```
switch( m_orientation )
{
    case PIN_RIGHT: m_orientation = PIN_UP;    break;
    case PIN_UP:    m_orientation = PIN_LEFT;  break;
    case PIN_LEFT:  m_orientation = PIN_DOWN;  break;
    case PIN_DOWN:  m_orientation = PIN_RIGHT; break;
}
```

XX

```

-----
    auto belowCondition = []( const SELECTION& aSel )
    {
        return g_CurrentSheet->Last() != g_RootSheet;
    };
-----

```

[source, cpp]

[illegible]


```
(XXXXXXXXXX `RICHIO_H_`):
```

```
[source,cpp]
```

```
----
```

```
    #ifndef RICHIO_H_
```

```
    #define RICHIO_H_
```

```
----
```

```
XXXXXXXXXXXXXXXXXXXX
```

```
[source,cpp]
```

```
----
```

```
    #endif // RICHIO_H_
```

```
----
```

```
`#ifndef` XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
XXXXXX `#include` XXXXXX `#ifndef` XXXXXXXXXXXXXXXXXXXX
```

```
XXXXXXXXXXXX
```

```
=== 7.2 XXXXXXXXXXXX
```

```
XXXXXXXXXXXXXXXXXXXX
```

```
XXXXKiCad XXXXXXXXXXXXXXXXXXXX
```

```
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

```
XXXXXXXXXXXXXXXXXXXX
```

```
**XX**
```

```
$ cd /svn/kicad/testing.checkout/include
```

```
$ g++ wx-config --cxxflags -I . xnode.h -o /tmp/junk
```

```
XXXXXXXXXXXX *.cpp XXXXXXXXXXXX
```

```
XXXXXXXXXXXXXXXXXXXX
```

```
XXXX *.cpp XXXXXXXXXXXXXXXXXXXX API XXXX
```



```

#####

##### API  **  *

#####

#####

##### *.cpp #####

##### API  *.cpp #####

#####

##### API

== 8.  ....
#####

#####

== 9.  n

##### KiCad  uncrustify 
uncrustify 
  uncrustify 
  wxT("")  \_("") 
  uncrustify 
  uncrustify [website][uncrustify] 

[uncrustify]: http://uncrustify.sourceforge.net/

== 10. 
#####

richio.h  KiCad 

[source,cpp]

----

/*

```

* This program source code file is part of KICAD, a free EDA CAD application.
*
* Copyright (C) 2007-2010 SoftPLC Corporation, Dick Hollenbeck <dick@softplc.com>
* Copyright (C) 2007 KiCad Developers, see change_log.txt for contributors.
*
* This program is free software; you can redistribute it and/or
* modify it under the terms of the GNU General Public License
* as published by the Free Software Foundation; either version 2
* of the License, or (at your option) any later version.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
* GNU General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with this program; if not, you may find one here:
* <http://www.gnu.org/licenses/old-licenses/gpl-2.0.html>
* or you may search the <http://www.gnu.org> website for the version 2 license,
* or you may write to the Free Software Foundation, Inc.,
* 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
*/

```
#ifndef RICHIO_H_
```

```
#define RICHIO_H_
```

```
// This file defines 3 classes useful for working with DSN text files and is named  
// "richio" after its author, Richard Hollenbeck, aka Dick Hollenbeck.
```

```
#include <string>
```

```
#include <vector>
```

```
// I really did not want to be dependent on wxWidgets in richio
```

```
// but the errorText needs to be wide char so wxString rules.
```

```
#include <wx/wx.h>
#include <cstdio>      // FILE
```

```
/**
```

```
 * A class used to hold an error message and may be used to throw exceptions
```

```
 * containing meaningful error messages.
```

```
*/
```

```
struct IOError
```

```
{
```

```
    wxString    errorText;
```

```
    IOError( const wxChar* aMsg ) :
```

```
        errorText( aMsg )
```

```
    {
```

```
    }
```

```
    IOError( const wxString& aMsg ) :
```

```
        errorText( aMsg )
```

```
    {
```

```
    }
```

```
};
```

```
/**
```

```
 * Read single lines of text into a buffer and increments a line number counter.
```

```
*/
```

```
class LINE_READER
```

```
{
```

```
protected:
```

```
    FILE*          fp;
```

```
    int            lineNum;
```

```
    unsigned       maxLineLength;
```

```

        unsigned        length;

        char*           line;

        unsigned        capacity;

public:

    /**
     * @param aFile is an open file in "ascii" mode, not binary mode.
     * @param aMaxLineLength is the number of bytes to use in the line buffer.
     */
    LINE_READER( FILE* aFile, unsigned aMaxLineLength );

    ~LINE_READER()
    {
        delete[] line;
    }

    /**
     int CharAt( int aNdx )
     {
         if( (unsigned) aNdx < capacity )
             return (char) (unsigned char) line[aNdx];
         return -1;
     }
    */

    /**
     * Read a line of text into the buffer and increments the line number
     * counter.
     *
     * @return is the number of bytes read, 0 at end of file.
     * @throw IO_ERROR when a line is too long.
     */
    int ReadLine();

    operator char* ()

```

```

    {
        return line;
    }

    int LineNumber()
    {
        return lineNum;
    }

    unsigned Length()
    {
        return length;
    }
};

```

```

/**
 * An interface (abstract class) used to output ASCII text in a convenient way.
 *
 * The primary interface is printf() like with support for indentation control.
 * The destination of the 8 bit wide text is up to the implementer. If you want
 * to output a wxString, then use CONV_TO_UTF8() on it before passing it as an
 * argument to Print().
 * <p>
 * Since this is an abstract interface, only classes derived from this one
 * will be the implementations.
 * </p>
 */

class OUTPUTFORMATTER
{

    #if defined( __GNUG__ )    // The GNU C++ compiler defines this
    // When used on a C++ function, we must account for the "this" pointer,
    // so increase the STRING-INDEX and FIRST-TO_CHECK by one.

```

```

// See http://docs.freebsd.org/info/gcc/gcc.info.Function\_Attributes.html
// Then to get format checking during the compile, compile with -Wall or -Wformat

#define PRINTF_FUNC      __attribute__ ((format (printf, 3, 4)))

#else

#define PRINTF_FUNC      // nothing

#endif

public:

    /**
     * Format and write text to the output stream.
     *
     * @param nestLevel is the multiple of spaces to precede the output with.
     * @param fmt is a printf() style format string.
     * @param ... is a variable list of parameters that will get blended into
     * the output under control of the format string.
     * @return the number of characters output.
     * @throw IO_ERROR if there is a problem outputting, such as a full disk.
     */
    virtual int PRINTF_FUNC Print( int nestLevel, const char* fmt, ... ) = 0;

    /**
     * Return the quoting character required for awrapee.
     *
     * Return the quote character as a single character string for a given
     * input wrapee string. If the wrappee does not need to be quoted,
     * the return value is "" (the null string), such as when there are no
     * delimiters in the input wrapee string. If you want the quote character
     * to be assuredly not "", then pass in "(" as the wrappee.
     *
     * <p>
     * Implementations are free to override the default behavior, which is to
     * call the static function of the same name.
     *
     * </p>
     */

```

```

    * @param awrapee is a string that might need wrapping on each end.
    * @return the quote character as a single character string, or ""
    * if the wrapee does not need to be wrapped.
    */
virtual const char* GetQuoteChar( const char* awrapee ) = 0;

virtual ~OUTPUTFORMATTER() {}

/**
 * Get the quote character according to the Specctra DSN specification.
 *
 * @param awrapee is a string that might need wrapping on each end.
 * @param aQuoteChar is a single character C string which provides the current
 * quote character, should it be needed by the wrapee.
 *
 * @return the quote_character as a single character string, or ""
 * if the wrapee does not need to be wrapped.
 */
static const char* GetQuoteChar( const char* awrapee, const char* aQuoteChar );
};

/**
 * Implement an OUTPUTFORMATTER to a memory buffer.
 */
class STRINGFORMATTER : public OUTPUTFORMATTER
{
    std::vector<char>    buffer;
    std::string         mystring;

    int sprint( const char* fmt, ... );
    int vprint( const char* fmt, va_list ap );

public:
    /**

```

```

        * Reserve space in the buffer

        */

    STRINGFORMATTER( int aReserve = 300 ) :
buffer( aReserve, '\0' )

    {

    }

    /**

    * Clears the buffer and empties the internal string.

    */

    void Clear()

    {

        mystring.clear();

    }

    /**

    * Remove whitespace, '(', and ')' from the internal string.

    */

    void StripUseless();

    std::string GetString()

    {

        return mystring;

    }

    //-----<OUTPUTFORMATTER>-----

    int PRINTF_FUNC Print( int nestLevel, const char* fmt, ... );

    const char* GetQuoteChar( const char* wrapee );

    //-----</OUTPUTFORMATTER>-----

};
#endif // RICHIO_H_

```

```

----
== 11. ■■■■

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\commit\ index.en.adoc

Resumo: --- title: Commit Message Format Policy weight: 3 summary: The guidelines describing how git commit messages should be formatted. --- :toc: == Commit Message Format Policy Commit messages must begin with a brief subject line. The subject line limit is 72 characters. If there is a bod...

title: Commit Message Format Policy

weight: 3

summary: The guidelines describing how git commit messages should be formatted.

:toc:

== Commit Message Format Policy

Commit messages must begin with a brief subject line. The subject line limit is 72 characters. If there is a body message, it must be separated from the subject line by a blank line and wrapped at 75 characters.

The body of a commit message should explain what the commit does and why. Do not explain **how** the changes work as the code itself should do that.

== Linking a Commit to an Issue

If your commit fixes an issue that has been reported in the <https://gitlab.com/kicad/code/kicad/issues>[issue tracker], add a blank line after the subject line or message body and add a line indicating the fixed issue number to your commit message. In such cases, GitLab will automatically close the issue and add a link to the commit in the issue.

For example, the following line will automatically close issue #1234567:

Fixes <https://gitlab.com/kicad/code/kicad/issues/1234567>

There is an `<<commit_fixes_alias, alias>>` to simplify this step. Read more about automatic issue closing in the

https://docs.gitlab.com/ee/user/project/issues/managing_issues.html#closing-issues-automatically[GitLab d

== Changelog Tags

To facilitate following the code changes, include a changelog tag to indicate modifications noticeable by the users. There are three types of changelog tags:

- `ADDED` to denote a new feature.
- `CHANGED` to indicate a modification of an existing feature.
- `REMOVED` to inform about removal of an existing feature.

There is no need to add changelog tags for commits that do not modify the way the users interact with the software, such as code refactoring or a bug fix for unexpected behavior. The purpose of the changelog tags is to generate release notes and notify the documentation maintainers about changes.

=== Making the Documentation Developers Aware of Changes

When a commit with changelog tag is pushed, the committer should create a new issue in the <https://gitlab.com/kicad/services/kicad-doc/issues>[documentation repository] to notify the documentation maintainers. Include a link to the commit containing the reported changes.

=== Extracting Changelogs

Thanks to the changelog tags, it is easy to extract the changelog using git commands:

```
```sh
git log -E --grep="ADD[ED]?:|REMOVE[D]?:|CHANGE[D]?:" --since="1 Jan 2017"
 git log -E --grep="ADD[ED]?:|REMOVE[D]?:|CHANGE[D]?:" <commit hash>
```
```

KiCad provides an `<<commit_changelog_alias, alias>>` to shorten the changelog extraction commands.

=== Example

Following is an example of a properly formatted commit message:

Eeschema: Adding line styling options

ADDED: Add support in Eeschema for changing the default line style,
width and color on a case-by-case basis.

CHANGED: "Wire" lines now optionally include data on the line style,
width and color if they differ from the default.

Fixes <https://gitlab.com/kicad/code/kicad/issues/594059>

Fixes <https://gitlab.com/kicad/code/kicad/issues/1405026>

== Git Aliases File

There is a file containing helpful git aliases located at
`tools/git/fixes\_alias`. To install it, run in the source repository:

```
```sh
```

```
git config --add include.path $(pwd)/tools/git/fixes_alias
```

```
```
```

```
[[commit_fixes_alias]]
```

=== 'fixes' Alias

Once the alias configuration file is installed, it may be used to amend the
most recent commit to include the bug report link:

```
git fixes 1234567
```

For example, the command below will append a line to the last commit message:

```
Fixes https://gitlab.com/kicad/code/kicad/issues/1234567
```

```
[[commit_changelog_alias]]
```

=== 'changelog' Alias

With the alias configuration file installed, changelogs can be extracted by running the following:

```
```sh
 git changelog --since="1 Jan 2017"
 git changelog <commit hash>
```
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\commit\ index.zh-cn.adoc

Resumo: --- title: 72 weight: 2 summary: 72 git 72 --- :toc: ==
72 72 72 ==
[https://gitlab.com/kicad/code/kicad/issues\[issue 72\]](https://gitlab.com/kicad/code/kicad/issues[issue 72]) 72...

title: 72

weight: 2

summary: 72 git 72

:toc:

== 72

72

72 72

72 72

72

72

== 72

72 [https://gitlab.com/kicad/code/kicad/issues\[issue 72\]](https://gitlab.com/kicad/code/kicad/issues[issue 72]) 72

72

72 GitLab 72

72 #1234567

Fixes <https://gitlab.com/kicad/code/kicad/issues/1234567>

72 <<commit_fixes_alias, alias>> 72

72 [https://docs.gitlab.com/ee/user/project/issues/managing_issues.html#closing-issues-automatically\[Gi](https://docs.gitlab.com/ee/user/project/issues/managing_issues.html#closing-issues-automatically[Gi)

72

== 72

width and color on a case-by-case basis.

CHANGED: "Wire" lines now optionally include data on the line style, width and color if they differ from the default.

Fixes <https://gitlab.com/kicad/code/kicad/issues/594059>

Fixes <https://gitlab.com/kicad/code/kicad/issues/1405026>

— — — —

```
== git █
```

```
■■ `helpers/git/fixes_alias` ■■■■■■■■■■■■ git ■■■■■■■■
```

■■■■■■■■■■

```
``sh
```

```
git config --add include.path $(pwd)/helpers/git/fixes_alias
```

...

```
[[commit_fixes_alias]]
```

=== 'fixes' ■■

[illegible]

1111

```
git fixes 1234567
```

[illegible]

Fixes <https://gitlab.com/kicad/code/kicad/issues/1234567>

[[commit_changelog_alias]]

```
=== 'change log' ■■
```

[illegible]

sh


```
git changelog --since="1 Jan 2017"
```

```
git changelog <commit hash>
```

```
...
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\culture\ index.en.adoc

Resumo: --- title: KiCad Developer Culture weight: 6 summary: The guidelines describing how the lead developer team interacts with each other. --- :toc: == Purpose This document lays out the desired ways of working for the KiCad lead development team. It is meant to provide a basic introductio...

title: KiCad Developer Culture

weight: 6

summary: The guidelines describing how the lead developer team interacts with each other.

:toc:

== Purpose

This document lays out the desired ways of working for the KiCad lead development team.

It is meant to provide a basic introduction for new developers as well as a reference

for current lead developers in how to manage and resolve uncertainty and conflicts.

=== Base Guidelines

- We are a team of equals.
- We respect our userbase.
- We respect each others' contributions.
- The code we contribute belongs to everyone.
- In a disagreement, everyone gives a little.
- We prioritize our families, our health and our offline lives ahead of KiCad.

== Discussion

=== We are a team of equals

This means that your opinions will be given equal weight with every other person on the lead developer team.

In the event a decision is deadlocked after multiple developers have weighed in, the resolution will be made by the lead developer team. We also recognize that we each bring different experiences to the team. We will try to give weight to the

=== We respect our userbase

We all come to this project, developers and users, with differing expectations, experiences and english fluency. When we interact with each other, it is inevitable that these differences will lead to conflict over politeness, appropriate expression of opinion, and other _impedance mismatches_ we might have in our communications.

As lead developers, our behavior in public project spaces reflects on the project as a whole. We will hold ourselves to a higher standard in our behavior than the standard to which we hold the end users.

We will not respond to any issue report, merge request or forum post when we feel annoyed or irritated by the content of the post. We provide a Zulip channel where lead developers can tag others to take on the discussion.

1. Post a link to the page in question
2. (optional) Express any frustrations we have
3. Say why this content is wrong

(1) and (3) are required. (2) is optional but available if it helps to diffuse the emotion around the content.

Failing to follow this guideline will inevitably lead to drama. And drama sucks time from both you, the contributor, and the lead developer team as we end up dealing with the response and not the actual content.

=== We respect each others' contributions

While we all make mistakes, we will not revert the contributions of other developers without their explicit consent, even when we think that they might not have implemented something in accordance with our views of the policies. We each are responsible for the quality of our own contributions.

If there is a disagreement over a commit, it must be worked out over e-mail/Zulip/video call/etc with the person committing the code.

We do not fight in the code base.

In the event that a problematic commit has been made to the codebase and the person responsible is not available to discuss it, then the commit can be reverted after publicly (either on GitLab or Zulip)

discussing and agreeing on this with the rest of the lead development team.

When we disagree with a contribution made by another developer, we will address it directly with them politely. Examples of polite feedback might include:

> This code doesn't work for me when I...

Or

> I think that this code will cause problems because...

Examples of rude feedback that we will avoid include:

> This code stinks/sucks/is really bad/etc

Or

> Whoever screwed up this part of the codebase...

Naturally, we are all welcome to provide ourselves with as much impolite feedback on code we have written as we can handle. :)

=== The code we contribute belongs to everyone

We are a free/libre open source community. Everything that we contribute to the KiCad project belongs to

When we commit code to the KiCad codebase, we are standing on the shoulders of everyone who has done so before

=== In a disagreement, everyone gives a little

We will frequently come to a point in discussion of either the specification document or code itself where

We decide which parts of a feature are more important to us and ask for those parts to exist, giving up on the rest. We offer our opinions in ways that make it known how important the opinion is and why. For example:
> It is very important that I am able to modify the start point of lines and arcs in the same way because
Or

> I have a preference for the print dialog being non-modal so that I can see the preview update in real t

It is important to assess our own priorities when entering a conversation with other developers. Not ever

NOTE: Each developer on the team is highly skilled and if more than one is disagreeing with you, it is al

We will give extra consideration to the concerns raised by the developers who actively use a feature and

If the developers involved in the discussion cannot agree, after each has moderated their position to acc

=== We prioritize our families, our health and our offline lives ahead of KiCad
KiCad is a wonderful place to contribute to the community. We strive to be open and engaged with each oth

We will design our systems and procedures in such a way that facilitates anyone needing to take an unexpec

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\culture\ index.zh-cn.adoc

Resumo: --- title: KiCad weight: 6 summary: --- :toc:

== KiCad

=== -

- - -

KiCad

title: KiCad

weight: 6

summary:

:toc:

==

KiCad

===

-

-

-

-

-

- KiCad

==

===

> ■■■■■■/■■/■■■■■/■■■

[illegible]

== 

KiCad

[illegible][illegible]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

[illegible]

>

NOTE: [REDACTED]


```
=== ████████████████████ KiCad ████
```

[illegible]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\icon-design\ index.adoc

Resumo: --- title: Icon Design Guidelines weight: 5 summary: The style guidelines that should be used for visual asset (icon, etc.) changes or additions. --- :toc: == 0. Community Contributions In general, KiCad does not accept contributions of graphic assets (icons, etc.) from the community d...

title: Icon Design Guidelines

weight: 5

summary: The style guidelines that should be used for visual asset (icon, etc.) changes or additions.

:toc:

== 0. Community Contributions

In general, KiCad does not accept contributions of graphic assets (icons, etc.) from the community directly. The lead development team may make small tweaks to icons themselves, but aims to employ professional graphic designers for larger changes and development of new assets.

Community contributors looking to add new features to KiCad that require new art assets (for example, adding a tool that requires a toolbutton icon) may create placeholder art to be used until a final asset can be created. This placeholder art may be modified or replaced at the discretion of the KiCad lead development team in coordination with an external designer.

This policy is aimed at achieving a consistent and unified look and feel for KiCad and also removing debate over art assets from the review process for community contributions. We still welcome feedback and suggestions related to art assets from the community, and will consider this type of input when discussing changes or additions to KiCad's art assets.

The following guidelines are presented for reference and represent the current consensus of the lead development team. New placeholder art assets should attempt to follow these guidelines.

== 1. Look and Feel

The KiCad icon design guidelines are intended to create a consistent visual style for icons across KiCad. The visual style is intended to provide a

balance between each icon being unique enough that it is easy to locate, but not so unique that there is no consistent theme among all the icons and it looks like each was designed by a different person. The general principles of that visual style are:

1. **Flat design**: icons should not use gradients, shadows, or other “3D” effects.
2. **Standard color palette**: icons should make use of a restricted color palette, listed in this document. Additions to or changes to this color palette must be discussed with the lead development team, as it could require changing many icons for the sake of consistency.
3. **Use color sparingly where shape is sufficient**: color should be used to clarify differences between icons that have similar shapes. Icons that can convey their meaning through shape alone (and not be confused with other icons) should be monochrome, just using the primary color (Dark Grey in the light theme)
4. **Pixel alignment**: icons are designed as vectors but used as bitmaps. Vector graphics must be designed for proper pixel alignment at the target icon size(s) to prevent blurriness.
5. **Consistency**: icons describing the same concept should be consistent in their use of color and shape to describe that concept. For example, all icons that include control points should make those control points Blue in color.
6. **Minimalism**: not much detail is preserved in a 24x24 icon. Be sparing with the use of fine features, especially when those fine features are all that tell one icon apart from another.
7. **Window theme aware**: even setting aside those operating systems with “dark modes”, the window background color of KiCad can vary quite a lot across operating systems. Be careful when using colors in ways that may disappear against the window background. In particular, Accent Gray, White, and Schematic Tan will be very hard to see against the window background. Only use these colors on top of a background of a different color to create sufficient contrast.

== 2. Technical Requirements and Licensing

Icons must be developed as SVG files. Building and testing icon changes requires you to have Inkscape and pngcrush installed, as detailed in the CMakeLists.txt file in the bitmaps_png source

directory. If your version of pngcrush does not match that used by the lead development team (1.8.13), you will see a large number of differences in your source tree.

Icons must be licensed as Creative Commons Attribution-ShareAlike (CC-BY-SA) using an embedded license in the SVG file. This can be added in Inkscape using the Document Properties dialog.

== 3. Authoring Software

SVG files must be edited in Inkscape 1.0 or higher. While other packages such as Adobe Illustrator are able to export SVG files, they export only the look of the icon. They frequently skip other details such as layers, hidden lines, clipping, grids and licenses that make the file easier to edit in the future. We recommend making use of the Icon Preview feature in Inkscape to make sure your vector graphics are properly aligned to the pixel grid and will be clear at the target size.

== 4. Grids

The icon file must have a grid set in the Inkscape SVG file. The grid units must be `px` with an origin at `0,0` and spacing of `0.5 px`. The Minor grid line color should be `#ceceff20` and the major grid line color should be `#3f3fff40`. There should be a major grid line every 2 lines.

This allows both even and odd sized line widths to be pixel aligned on the grid. This is set in the Document Properties window as follows:

```
image::grids.png[Grid settings]
```

== 5. Icon Sizes

```
[%header,cols="1,4a"]
```

```
|===
```

```
|Size    |Uses
```

```
|16x16   |* Some UI buttons
```

```
        * Appearance panel visibility toggles
```

```
        * File icons
```

```
|24x24   |* All toolbar buttons
```

* All menu icons (at the moment)

|48x48 |* Main program icons in KiCad manager

|128x128|* Main program icons (ico files)

|===

== 6. Colors

With few exceptions, only use the colors in these tables for SVG objects (additional colors will exist in the generated bitmaps due to blending).

=== 6.1. Light Theme

[%header,cols="1,1a,4a"]

|===

| Color Name | Color Value | Uses/Notes |
|------------|-------------|------------|
|------------|-------------|------------|

| | | |
|--------------|-----------|---|
| Primary Gray | `#545454` | This is the default color to use for all strokes. |
|--------------|-----------|---|

Note that in dense fills (e.g. Save, Print, Paste icons) it will appear

darker than the identical grey in other icons. For these cases we use `#606060``.

| | | |
|-------------|-----------|--|
| Medium Grey | `#848484` | Used for inactive objects to reduce contrast compared to Dark Grey |
|-------------|-----------|--|

| | | |
|-------------|-----------|---|
| Accent Grey | `#B9B9B9` | Used for the hole inside a via and the fill inside graphic shapes |
|-------------|-----------|---|

| | | |
|--------------|-----------|--|
| Primary Blue | `#1A81C4` | Used to accentuate certain details and for "back copper" in PcbNew |
|--------------|-----------|--|

| | | |
|-------------|-----------|---|
| Accent Blue | `#39B4EA` | Used to show zone fill in some places, and as an accent color |
|-------------|-----------|---|

| | | |
|-------------|-----------|--|
| Primary Red | `#BF2641` | Used for accents, badges, and "front copper" in PcbNew |
|-------------|-----------|--|

| | | |
|------|-----------|--|
| Gold | `#F29100` | Used for via copper, and (rarely) as an accent |
|------|-----------|--|

| | | |
|-----------|-----------|--|
| PCB Green | `#489648` | Used in the PcbNew program icon for traces |
|-----------|-----------|--|

| | | |
|----------------|-----------|--|
| PCB Dark Green | `#006400` | Used in the PcbNew program icon for soldermask |
|----------------|-----------|--|

| | | |
|---------------|-----------|---|
| Schematic Tan | `#D0C5AC` | Used in the Eeschema icon and to represent schematic sheets |
|---------------|-----------|---|

| | | |
|------------|-----------|--|
| Pure White | `#FFFFFF` | Used for contrast against dark colors and separation between objects |
|------------|-----------|--|

| | | |
|-----------|-----------|--|
| Area Fill | `#F3F3F3` | Used for large fills of white (e.g. New) instead of Pure White |
|-----------|-----------|--|

|===

=== 6.2. Dark Theme

[%header,cols="1,1a,4a"]

|===

| Color Name | Color Value | Uses/Notes |
|------------|-------------|------------|
|------------|-------------|------------|

| | | |
|--------------|-----------|---|
| Primary Gray | `#DED3DD` | This is the default color to use for all strokes. |
|--------------|-----------|---|

Note that in dense fills (e.g. Save, Print, Paste icons) it will appear darker than the identical grey in other icons. For these cases we use #`606060`.

| | | |
|----------------|-----------|--|
| Medium Grey | `#848484` | Used for inactive objects to reduce contrast compared to Dark Grey |
| Accent Grey | `#E0E0E0` | Used for the hole inside a via and the fill inside graphic shapes |
| Primary Blue | `#42B8EB` | Used to accentuate certain details and for "back copper" in PcbNew |
| Accent Blue | `#1A81C4` | Used to show zone fill in some places, and as an accent color |
| Primary Red | `#F2647E` | Used for accents, badges, and "front copper" in PcbNew |
| Gold | `#F29100` | Used for via copper, and (rarely) as an accent |
| PCB Green | `#489648` | Used in the PcbNew program icon for traces |
| PCB Dark Green | `#006400` | Used in the PcbNew program icon for soldermask |
| Schematic Tan | `#D0C5AC` | Used in the Eeschema icon and to represent schematic sheets |
| Pure White | `#FFFFFF` | Used for contrast against dark colors and separation between objects |
| Area Fill | `#545454` | Used for large fills of white (e.g. New) instead of Pure White |

|===

== 7. Lines and Fills

Line weights in SVG files should usually be `1.5px` or heavier, to ensure that in the final bitmap, there are pixels with the true color no matter the placement of the line with regards to the pixel grid. Horizontal and vertical lines should usually be `2px` where they convey the main meaning of the image. 1px lines are OK when part of a larger whole.

Line weights representing certain concepts should be kept consistent throughout the icon set where practical. For example, graphical shape drawing tools use `2px` lines always.

In general the icon set uses "flat filled" shapes where applicable. Maintain this visual style when creating new icons. Note that not all shapes must be filled -- stroked shapes with no fill can be used (along with the window background color) to create a contrasting filled area. Strokes should be constant-width in general to avoid looking like hand-drawn brush strokes ("cartoon style").

Fills should use solid colors in almost all instances. Gradients should be used sparingly, and

generally not to create "3D" effects or the appearance of lighting/shadows.

== 8. Fonts

We use two fonts in the icons: Noto Sans and Tiresias LPFont Bold. Noto Sans is used by default for all text. Tiresias is used for the "Ki" logo. Noto Sans may be used in different weights and spacing, e.g. Noto Sans Bold, Semi-condensed, if needed for spacing or line weight.

Tiresias LPFont Bold may only be used as Tiresias LPFont Bold without substitution.

== 9. Badges

Badges are symbols that overlay other icons to add meaning. These symbols come from a shared library (badges.svg in the sources directory). Always use the appropriate badge with consistent placement (you can copy/paste from the badges SVG) rather than creating new artwork that conveys the same meaning as a badge.

Badges should generally be used without modification, but in some cases it is helpful to add a 1px-1.5px stroke border (in Pure White for the light theme) to the outside of the badge to ensure visual separation between the badge and the icon content underneath.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\icon-design\ index.zh-cn.adoc

[illegible]

— — —

```
title: ■■■■■■
```

```
weight: 2
```

summary: XXXXXXXXXXXXXXXXXXXX

...

```
:toc:
```

== 1. ■■■■■

KiCad ■■■■■■■■■■ KiCad ■■■■■■■■■■■■■■■■■■■■

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[REDACTED]

■■■■■■■■■■

- [illegible]

[illegible]

| Pure White (■■) | `#FFFFFF` | ■■■■■■■■■■■■■■■■■■

```
|Off White (■■■) |`#F3F3F3` |■■■■■■■■■■ (■■■■)■■■■■■■■
```

| = = =

=== 6.2. ■■■■

* * * *

== 7. ☐ ☐ ☐ ☐ ☐

SVG `1.5px`

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

■■■■■■■■■■ `2px` ■■■■■■■■■■

[illegible]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

■■■■■■■■■■ `2p<sub>x</sub>` ■■

■■■■■■■■■■

XXXXXXXXXXXXXXXXXXXX - XXXXXXXXXXXXXXXX (XXXXXXXXXX) XXXXXXXXXXXXXXXXXXXXXX

[illegible][illegible]

■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ "3D" ■■■■■■/■■■■■■■■

== 8. ■■

■■■■■■■■■■■■■■■■■■■■■Noto Sans ■ Tiresas LPFont Bold■

■■■■■■■■■■ Noto Sans■

Tiresas ■■■■ "Ki" ■■■■

■■■■■■■■■■ Noto Sans ■■■■■■■■■■■■■■■■■■■■ Noto Sans ■■■■■■■■

Tiresas LPFont Bold ■■■■ Tiresas LPFont Bold■■■■■■■

== 9. ☐☐

XXXXXXXXXXXXXXXXXXXX

■■■■■■■■■■ (■■■■■ badges.svg)■

XXXXXXXXXXXX (**XXXXXX** SVG **XX/XX**)**XXXXXXXXXXXX**

[illegible]

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\release-policy\ index.en.adoc

Resumo: --- title: Stable Release Policy weight: 4 summary: The stable release policy provides guidelines for stable releases provided by the KiCad project. --- :toc: == 1 Introduction The purpose of this document is to provide the guidelines for creating releases for the KiCad project...

title: Stable Release Policy

weight: 4

summary: The stable release policy provides guidelines for stable releases
provided by the KiCad project.

:toc:

== 1 Introduction

The purpose of this document is to provide the guidelines for creating releases
for the KiCad project.

NOTE: This document is applicable to all stable releases after version 6.0.0.

WARNING: Do not modify this document without the consent of the project leader.

All changes to this document require approval.

=== 1.1 Versioning Scheme

KiCad uses a typical [major].[minor].[bug fix] versioning scheme. Each new
version is a simple incremental integer of the previous version. New major
releases will reset the minor and bug fix version back to 0.

=== 1.2 Restrictions

No board, schematic, footprint library, symbol library, or project file format
changes are allowed during a major release cycle except to fix known bugs.

Changes to configuration files are acceptable.

Minor and bug fix releases are only valid for the current stable major release.

Once a new stable major version is released, the previous stable version is
considered a no longer supported (dead) branch.

== 2 Major Release Policy

Major releases will occur annually by January 31st of a given calendar year.

This corresponds with the annual <https://fosdem.org/>[FOSDEM] conference.

The following table outlines the release schedule dates.

.Major Release Schedule

[%header,cols="1,5"]

|===

|Date

|Milestone

|February 1st

|New feature merge window opens.

|September 30th

|New feature merge window closes.

Bug fixing only period begins.

|December 1st

|String freeze begins.

|December 15th

|Release candidate 1 tagged.

|January 14th

|Library, documentation, and, translation repository freeze.
Bug fix freeze.

|January 15th

|Source code repository tagged with next major version and branched.

Begin package build and upload to website.

|January 31st

|New version release announcement.

|===

WARNING: Features not ready by the merge window close will have to wait until the next merge window. *No exceptions.*

NOTE: Only the source code repository branch is mandatory. All other repositories are branched if the development team determines it is necessary.

== 3 Minor Release Policy

Features from the current development branch of KiCad can be back ported to the current stable branch provided the following criteria is met:

- The the last feature commit was pushed to the development branch at least 60 days prior to merging into the current stable branch.
- The the last known issue filed against the feature occurred at least 30 days prior to merging into the current stable branch.
- The cherry pick to current stable can be performed without pulling any other dependent code that does meets the file format change criteria above.

A new minor release will include all of the bug fixes included in the current bug fix release so the bug fix version will be reset to 0 for new minor version releases.

NOTE: Back ports from the development branch can only be applied to the current stable branch. Back porting to older stable versions is not allowed.

== 4 Bug Fix Release Policy

Bug fix releases are at the discretion of the lead development team.

Bug fix releases will be announced 14 days in advance of the release by the project manager to allow time for all required release actions to be completed. A release candidate ``-rc1`` tag will be created a minimum of three days before

the final release. The release candidate will be announced by the project leader on the [https://www.kicad.org/blog/\[KiCad blog\]](https://www.kicad.org/blog/[KiCad blog]) along with the usual KiCad social media sites.

During the release candidate period, only regression fixes since the last bug fix release are allowed. All other bug fixes must wait until after the bug fix release period and release announcement are completed.

If a regression is fixed in the release candidate before the three day minimum testing period ends, a new incremental release candidate will be created and the three day minimum testing period begins from the date of the new release candidate. This process repeats until no new regressions are found in a release candidate. Multiple regressions may be fixed between release candidates.

The final bug fix release will be tagged if no new regressions occur within three days of the last release candidate.

NOTE: Bug fixes cannot contain translatable string changes except for spelling and grammar errors. New strings are allowed assuming they do not clash with any existing strings.

NOTE: Bug fixes can only applied to the current stable release.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\release-policy\ index.zh-cn.adoc

```
Resumo: --- title: ■■■■■■■■ weight: 4 summary: ■■■■■■ KiCad ■■■■■■■■■■■■■■■■■■■■■■ ---
:toc: == 1 ■■ ■■■■■■■■■■ KiCad ■■■■■■■■■■■■■■■■■■■■■■ NOTE: ■■■■■■ 6.0.0
```

[illegible]

— — —

```
title: ██████████
```

weight: 4

```
summary: ■■■■■■ KiCad ■■■■■■■■■■■■■■■■■■■■
```

— — —

```
:toc:
```

== 1 ■■

KiCad

NOTE: ■■■■■■ 6.0.0 ■■■■■■■■■■

WARNING: ██

=== 1.1 ■■■■■■

[illegible]

=== 1.2 ■■■■

[REDACTED]

[illegible]

== 2

```

■■■■■■■■■■ 1 ■ 31 ■■■■■■■■■■ https://fosdem.org/[FOSDEM] ■■■■■■■■■■
■■■■■■■■

```

```
[%header,cols="1,5"]
```

| = = =



| 2 ■ 1 ■

| 9 ■ 30 ■

████████████████████

■■■■■■■■■■

| 12 ■ 1 ■

██████████

| 12 ■ 15 ■

|■■■■ RC1 ■■■■

| 1 ■ 14 ■

| ■■■■■■

■■■■■■■■

| 1 ■ 15 ■

■■■■■■■■■■

| 1 ■ 31 ■

████████████████████

||

— — —

WARNING:

NOTE:

== 3

KiCad

- 60

- ██████████ 30 ████████

[illegible]

0

NOTE:

== 4 ■■■■■■

XXXXXXXXXXXXXXXXXXXX

30

[illegible]

NOTE: ■■■■■■■■■■

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\rules-guidelines\ui\ index.en.adoc

Resumo: --- title: User Interface Policy weight: 10 summary: Rules on how the user interface elements should be implemented. --- :toc: == Introduction This document defines the guidelines for user interface development in KiCad. Developers are expected to following these guidelines as closely...

title: User Interface Policy

weight: 10

summary: Rules on how the user interface elements should be implemented.

:toc:

== Introduction

This document defines the guidelines for user interface development in KiCad. Developers are expected to following these guidelines as closely as possible when contributing user interface code to the KiCad project.

== Follow platform-specific guidelines

Except for the cases listed below, KiCad follows the platform-specific user interface guidelines for each supported platform on that platform. This means there may be differences in UI behavior/look-and-feel between the platforms where their guidelines differ.

The user interface guidelines for each supported platform are:

* GNOME (GTK): <https://developer.gnome.org/hig/stable/>

* macOS: <https://developer.apple.com/design/human-interface-guidelines/macOS/overview/themes/>

* Windows: <https://docs.microsoft.com/en-us/windows/win32/uxguide/guidelines>

IMPORTANT: UI behavior that is inconsistent with the platform default or that would override platform defaults/theme settings must be avoided.
== Text and strings

=== Text Capitalization

For all visible text used within KiCad, follow recommendations in the capitalization section in the <https://developer.gnome.org/hig/guidelines/writing-style.html> [writing style section of the GNOME User Interface Guidelines]. This applies to all Menus, Titles, Labels, Tooltips, Buttons, etc.

The capitalization for the application names is KiCad, Eeschema, CvPcb, GerbView, and Pcbnew. All strings that have application names that are visible to the user should be capitalized this way. It's also a good idea use this capitalization in source code comments as well to prevent confusion of new contributors.

=== Capitalization Styles

There are two styles of capitalization used in the user interface elements: header capitalization and sentence capitalization. This section defines the capitalization style and when each type of capitalization should be used.

==== Header Capitalization

When using header capitalization all words are capitalized with the following exceptions:

- * Articles: a, an, the.
- * Conjunctions: and, but, for, not, so, yet ...
- * Prepositions of three or fewer letters: at, for, by, in, to ...

==== Sentence Capitalization

When capitalizing sentences, capitalize the first letter of the first word, and any other words normally capitalized in sentences such as proper nouns.

=== Capitalization Table

The following table indicates the capitalization style to use for each type

of user interface element.

```
[cols=2*,options="header"]  
  
|===  
|Element | Style  
|Check box labels | Sentence  
|Command button labels | Header  
|Column heading labels | Header  
|Desktop background object labels | Header  
|Dialog messages | Sentence  
|Drop-down combination box labels | Sentence  
|Drop-down list box labels | Sentence  
|Field labels | Sentence  
|Group box and window frame labels | Header  
|Hypertext links | Sentence  
|Items in drop-down and list controls | Sentence  
|List box labels | Sentence  
|Menu items | Header  
|Menu items in applications | Header  
|Menu titles in applications | Header  
|Property names displayed in the Properties Panel | Header  
|Radio button labels | Sentence  
|Slider labels | Sentence  
|Spin box labels | Sentence  
|Tabbed section titles | Header  
|Text box labels | Sentence  
|Text on web pages | Sentence  
|Titlebar labels | Header  
|Toolbar button labels | Header  
|Tooltips | Sentence  
|Webpage titles and navigational elements | Header  
|===
```

=== Trailing Periods

* Phrases, such as checkbox labels, button labels, dialog box titles, etc., should

not have trailing periods.

- * Fully-formed sentences, such as error messages, should have trailing periods.

There are some edge-cases:

- * Tooltips are generally phrases and therefore have no trailing periods. However, when they are multiple sentences, each sentence in the tooltip should have a period, including the last one.

- * ERC and DRC messages are often sentences, but should NOT have trailing periods.

This makes them easier to scan.

=== Ellipses in menu entries

Menu entries which open a dialog to collect more information before performing an action should have an ellipsis at the end. Menu entries whose action is to open a window or dialog should not. e.g.:

- * Save As...

- * Change Symbols...

- * Clearance Resolution

- * Calculator Tools

=== Quoting

Often text strings will be quoted for display which may be used in controls that render HTML. Using angle brackets will cause grief for HTML rendering controls so text should be quoted with single quotes '. e.g.:

- * 'filename.kicad_pcb'

- * 'longpath/subdir'

- * 'FOOTPRINTNAME'

- * 'anything else'

=== Abbreviations

All user interface strings should be spelled out for translation purposes.

The only exceptions are units such as mm, in, etc. or universally accepted abbreviations across languages such as PCB.

== Dialogs

This section defines how dialog boxes should be designed. The KiCad project uses the [https://developer.gnome.org/hig/stable/\[GNOME User Interface Guidelines\]](https://developer.gnome.org/hig/stable/[GNOME User Interface Guidelines]) for laying out dialogs. When designing dialogs, follow the <https://developer.gnome.org/hig/stable/visual-layout.html.en> User Interface Guidelines]. KiCad's dialogs may either be designed with <https://github.com/wxFormBuilder/wxFormBuilder> or created by hand. Existing dialogs must be maintained in the same way as they have been implemented. Please use the latest <https://github.com/wxFormBuilder/wxFormBuilder/releases> to avoid version mismatch between developers.

=== Escape Key Termination

Please note that the escape key termination only works properly if there is a dialog button defined with an ID of `wxID_CANCEL` or setting the escape button ID using [link:http://docs.wxwidgets.org/3.0/classwx_dialog.html#a585869988e308f549128a6a065f387c6](http://docs.wxwidgets.org/3.0/classwx_dialog.html#a585869988e308f549128a6a065f387c6) is called during dialog initialization. The former is the preferred method for handling escape key dialog termination. There is a checkbox in `wxFormBuilder` for setting the "default" control, and this is the one fired when the "enter" key is pressed.

=== Dialog Layout with Sizers

Use `wxWidgets` "sizers" in all dialogs, no matter how simple they are. Using absolute sizing in dialogs is forbidden in KiCad. See the [link:http://docs.wxwidgets.org/3.0/overview_sizer.html](http://docs.wxwidgets.org/3.0/overview_sizer.html) for more information on using sizers. Configure the sizers so that as the dialog window is expanded, the most sensible use of the increased dialog window occurs automatically by the sizers. For example, in the DRC dialog of `Pcbnew`, sizers should be used to expand the text control to use the full available free window area, so that the user's view of the items in the text

control is maximized as he/she expands the dialog window, making it easier to read more DRC error messages. In other dialogs without one component more important than the others, the sizers might be configured to position the controls to sensible positions near the perimeter of the increasingly larger dialog box, not necessarily leaving them all bundled tightly together. The dialog box should look nice at any size large enough to show all the user interface elements.

Avoid defining initial dialog sizes if possible. Let the sizers do their job. After the dialog is fit to the sizers, set the minimum size to the current size to prevent the dialog controls from being obscured when resizing the dialog. If the labels or text of the dialog controls are, set or changed at run time. Rerun `wxWindow::Fit()` to allow the dialog to re-size and adjust for the new control widths. This can all be done after the dialog is created but before it is shown or use class methods to re-size the dialog as required. Reset the minimum size to the updated dialog size.

Dialog windows should not exceed 1024 x 768 when displayed in a 13 point font. Note that the font used by end users is not something that you control from within the dialog, but for testing purposes please do not exceed this dialog size should the user have selected a font size of 13 points. If your dialog exceeds this limit, please redesign the dialog using tabs or some other paging method to reduce the size of the dialog.

=== Dialog Base Class

The KiCad project has a base class which most if not all dialogs should be derived from. When using `wxFormBuilder`, please add the following settings to the "Dialog" tab:

```
* subclass.name    <- DIALOG_SHIM
* subclass.header  <- dialog_shim.h
```

This will provide for an override of the `Show( bool ) wxWindow()` function

and provide retentive size and position for the session. For more information, see the

[link:https://gitlab.com/kicad/code/kicad/-/blob/master/common/dialog_shim.cpp](https://gitlab.com/kicad/code/kicad/-/blob/master/common/dialog_shim.cpp)[DIALOG_SHIM class source code]

Use tooltips to explain the functionality of each non-obvious control.

This is important because the help files and the wiki often lag behind the source code.

=== Transferring Data To and From Controls

Dialog data must be transferred to the dialog controls on dialog initialization and transferred from controls when the dialog is dismissed by the default affirmative action (typically clicking the wxID_OK button) or the clicking the wxID_APPLY button. The wxWidgets dialog framework has support for this by using validators. Please read the

https://docs.wxwidgets.org/3.0/overview_validator.html[wxValidator Overview] in the <http://docs.wxwidgets.org/3.0/>[wxWidgets documentation]. In the past, data transfer was handled in various default button handlers virtually all of which were broken. Do not implement default button handlers in your dialog code. Use validators to transfer data to and from controls and allow the default dialog button handlers work the way they were designed.

=== Internationalization

To generate a list of strings occurring in a dialog, one needs to enable 'internationalize' checkbox in the project properties when using wxFormbuilder. Otherwise, it will not be possible to translate the dialog.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\source-doxvaen\ index.en.html

Resumo: --- title: Source Code Docs weight: 10 pre: "<i class='fas fa-chevron-right'></i> " ---
<meta http-equiv="refresh" content="0; url=https://docs.kicad.org/doxygen"/> <p>Redirecting to
Doxygen...</p> <p> If the redirect does not occur, you can c...

title: Source Code Docs

weight: 10

pre: "<i class='fas fa-chevron-right'></i> "

<meta http-equiv="refresh" content="0; url=https://docs.kicad.org/doxygen"/>

<p>Redirecting to Doxygen...</p>

<p>

 If the redirect does not occur, you can click here

</p>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\source-doxvaen\ index.zh-cn.html

```

Resumo: --- title: ■■■■■ weight: 10 pre: "<i class='fas fa-chevron-right'></i> " --- <meta
http-equiv="refresh" content="0; url=https://docs.kicad.org/doxygen/"> <p>■■■■■
Doxygen...</p> <p> ■■■■■■■■■■■■■■ <a href="https://docs.kicad.org/doxygen">■■■■■</a>
</p>

```

— — —

```
title: ■■■■■
```

```
weight: 10
```

```
pre: "<i class='fas fa-chevron-right'></i> "
```

— — —

```
<meta http-equiv="refresh" content="0; url=https://docs.kicad.org/doxygen"/>
```

<p>■■■■■■ Doxygen...</p>

<p>

■■■■■■■■■■■■■■■■■■■■ <https://docs.kicad.org/doxygen>■■■■■■■■■■■■■■■■■■■■

</p>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\content\translation\ index.en.adoc

Resumo: --- title: Translation weight: 10 pre: "<i class='fas fa-chevron-right'></i> " --- ==
Translating the KiCad GUI KiCad translations are managed by Weblate. The
link:[https://hosted.weblate.org/projects/kicad/master-source/\[Weblate project\]](https://hosted.weblate.org/projects/kicad/master-source/[Weblate project]) is periodically
synchronized with the KiCad sour...

title: Translation

weight: 10

pre: "<i class='fas fa-chevron-right'></i> "

== Translating the KiCad GUI

KiCad translations are managed by Weblate.

The link:[https://hosted.weblate.org/projects/kicad/master-source/\[Weblate project\]](https://hosted.weblate.org/projects/kicad/master-source/[Weblate project]) is periodically
synchronized with the KiCad source code repository on GitLab to apply newly-created translations
and to import new or changed source (English) text into Weblate so that it can be translated.

Please see the link:<https://docs.weblate.org/en/latest/user/translating.html>[Weblate documentation]
for details on how to use the Weblate interface to translate KiCad.

At this time, the French translation of KiCad is managed outside of Weblate by Jean-Pierre Charras,
so French is not available as one of the translated languages to edit in Weblate.

Please use the developers email list for any questions or issues relating to translating KiCad.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\content-footer.html

Resumo: *<i class='fa-fw fas fa-calendar'></i> Last Modified <time datetime="{{ dateFormat .Site.Params.dateFormat .Page.Lastmod }}">{{ dateFormat .Site.Params.dateFormat .Page.Lastmod }}* </time> {{- partial "term-list.html" (dict "page" . "taxonomy" "categories" "icon" "layer-group") }}

<i class='fa-fw fas fa-calendar'></i> Last Modified <time datetime="{{ dateFormat .Site.Params.dateFormat .Page.Lastmod }}">{{ dateFormat .Site.Params.dateFormat .Page.Lastmod }}

{{- partial "term-list.html" (dict

"page" .

"taxonomy" "categories"

"icon" "layer-group"

) }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\custom-footer.html

Resumo: `<script> anchors.add(); </script>`

```
<script>
```

```
anchors.add();
```

```
</script>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\custom-header.html

Resumo: {{ \$assetBusting := not .Site.Params.disableAssetsBusting }} <link href="{{"css/asciidoctor.css" | relURL}}{{ if \$assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"> {{ \$js := resources.Get "js/anchor.min.js" | resources.Minify | resources.Fingerprint }} <script type="t...

```
{{ $assetBusting := not .Site.Params.disableAssetsBusting }}
```

```
<link href="{{"css/asciidoctor.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="sty
```

```
{{ $js := resources.Get "js/anchor.min.js" | resources.Minify | resources.Fingerprint }}
```

```
<script type="text/javascript" src="{{ $js.Permalink }}"></script>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\favicon.html

Resumo: <link rel="icon" type="image/png" href="/favicon-32x32.png" sizes="32x32"> <link rel="icon" type="image/png" href="/favicon-96x96.png" sizes="96x96"> <link rel="icon" type="image/png" href="/favicon-16x16.png" sizes="16x16">

```
<link rel="icon" type="image/png" href="/favicon-32x32.png" sizes="32x32">
```

```
    <link rel="icon" type="image/png" href="/favicon-96x96.png" sizes="96x96">
```

```
    <link rel="icon" type="image/png" href="/favicon-16x16.png" sizes="16x16">
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\layouts\partials\logo.html

Resumo: `<a id="logo" href="{{ (cond (and (ne .Site.Params.landingPageURL nil) (.Site.IsMultiLingual)) .Site.Params.landingPageURL "/") }}">  </a>`

```
<a id="logo" href="{{ (cond (and (ne .Site.Params.landingPageURL nil) (.Site.IsMultiLingual)) .Site.Params.landingPageURL "/") }}">
  
</a>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-do
cs\static\css\asciidoctor.css

Resumo: / AsciiDoctor default stylesheet | MIT License | <https://asciidoctor.org> */ /* Remove comment around @import statement below when using as a custom stylesheet */ /*@import url("//fonts.googleapis.com/css?family=Open+Sans:300,300italic,400,400italic,600,600italic%7CNot+Serif:400,400italic,700,700...")*

```
/* AsciiDoctor default stylesheet | MIT License | https://asciidoctor.org */
```

```
/* Remove comment around @import statement below when using as a custom stylesheet */
```

```
/*@import url("//fonts.googleapis.com/css?family=Open+Sans:300,300italic,400,400italic,600,600italic%7CNo
```

```
abbr, acronym{text-transform:uppercase;font-size:90%;color:rgba(0,0,0,.8);border-bottom:1px dotted #ddd;cu
```

```
abbr{text-transform:none}
```

```
blockquote{margin:0 0 1.25em;padding:.5625em 1.25em 0 1.1875em;border-left:1px solid #ddd}
```

```
blockquote cite{display:block;font-size:.9375em;color:rgba(0,0,0,.6)}
```

```
blockquote cite:before{content:"\2014 \0020"}
```

```
blockquote cite a,blockquote cite a:visited{color:rgba(0,0,0,.6)}
```

```
blockquote,blockquote p{line-height:1.6;color:rgba(0,0,0,.85)}
```

```
.admonitionblock>table{border-collapse:separate;border:0;background:none;width:100%}
```

```
.admonitionblock>table td.icon{text-align:center;width:80px}
```

```
.admonitionblock>table td.icon img{max-width:none}
```

```
.admonitionblock>table td.icon .title{font-weight:bold;font-family:"Open Sans","DejaVu Sans",sans-serif;t
```

```
.admonitionblock>table td.content{padding-left:1.125em;padding-right:1.25em;}
```

```
.admonitionblock>table td.content>:last-child>:last-child{margin-bottom:0}
```

```
.exampleblock>.content{border-style:solid;border-width:1px;border-color:#e6e6e6;margin-bottom:1.25em;padding:1.25em 1.25em 0 1.25em}
```

```
.exampleblock>.content>:first-child{margin-top:0}
```

```
.exampleblock>.content>:last-child{margin-bottom:0}
```

```
.sidebarblock{border-style:solid;border-width:1px;border-color:#e0e0dc;margin-bottom:1.25em;padding:1.25em}
```

```
.sidebarblock>:first-child{margin-top:0}
```

```
.sidebarblock>:last-child{margin-bottom:0}
```

```
.sidebarblock>.content>.title{color:#7a2518;margin-top:0;text-align:center}
```

```
.exampleblock>.content>:last-child>:last-child,.exampleblock>.content .olist>ol>li:last-child>:last-child
```

```
.literalblock pre,.listingblock pre:not(.highlight),.listingblock pre[class="highlight"],.listingblock pre
```

```
.sidebarblock .literalblock pre,.sidebarblock .listingblock pre:not(.highlight),.sidebarblock .listingblo
```

```
.literalblock pre,.literalblock pre[class],.listingblock pre,.listingblock pre[class]{-webkit-border-radius:
```

```
.literalblock pre.nowrap,.literalblock pre[class].nowrap,.listingblock pre.nowrap,.listingblock pre[class]
```



```

@media only screen and (min-width:768px){.literalblock pre,.literalblock pre[class],.listingblock pre,.li
@media only screen and (min-width:1280px){.literalblock pre,.literalblock pre[class],.listingblock pre,.l
.literalblock.output pre{color:#f7f7f8;background-color:rgba(0,0,0,.9)}
.listingblock pre.highlightjs{padding:0}
.listingblock pre.highlightjs>code{padding:1em;-webkit-border-radius:4px;border-radius:4px}
.listingblock pre.prettyprint{border-width:0}
.listingblock>.content{position:relative}
.listingblock code[data-lang]:before{display:none;content:attr(data-lang);position:absolute;font-size:.75
.listingblock:hover code[data-lang]:before{display:block}
.listingblock.terminal pre .command:before{content:attr(data-prompt);padding-right:.5em;color:#999}
.listingblock.terminal pre .command:not([data-prompt]):before{content:"$"}
table.pyhlttable{border-collapse:separate;border:0;margin-bottom:0;background:none}
table.pyhlttable td{vertical-align:top;padding-top:0;padding-bottom:0;line-height:1.45}
table.pyhlttable td.code{padding-left:.75em;padding-right:0}
pre.pygments .lineno,table.pyhlttable td:not(.code){color:#999;padding-left:0;padding-right:.5em;border-ri
pre.pygments .lineno{display:inline-block;margin-right:.25em}
table.pyhlttable .linenodiv{background:none!important;padding-right:0!important}
.quoteblock{margin:0 1em 1.25em 1.5em;display:table}
.quoteblock>.title{margin-left:-1.5em;margin-bottom:.75em}
.quoteblock blockquote,.quoteblock blockquote p{color:rgba(0,0,0,.85);font-size:1.15rem;line-height:1.75;
.quoteblock blockquote{margin:0;padding:0;border:0}
.quoteblock blockquote:before{content:"\201c";float:left;font-size:2.75em;font-weight:bold;line-height:.6
.quoteblock blockquote>.paragraph:last-child p{margin-bottom:0}
.quoteblock .attribution{margin-top:.5em;margin-right:.5ex;text-align:right}
.quoteblock .quoteblock{margin-left:0;margin-right:0;padding:.5em 0;border-left:3px solid rgba(0,0,0,.6)}
.quoteblock .quoteblock blockquote{padding:0 0 0 .75em}
.quoteblock .quoteblock blockquote:before{display:none}
.verseblock{margin:0 1em 1.25em 1em}
.verseblock pre{font-family:"Open Sans","DejaVu Sans",sans;font-size:1.15rem;color:rgba(0,0,0,.85);font-w
.verseblock pre strong{font-weight:400}
.verseblock .attribution{margin-top:1.25rem;margin-left:.5ex}
.quoteblock .attribution,.verseblock .attribution{font-size:.9375em;line-height:1.45;font-style:italic}
.quoteblock .attribution br,.verseblock .attribution br{display:none}
.quoteblock .attribution cite,.verseblock .attribution cite{display:block;letter-spacing:-.025em;color:rg
.quoteblock.abstract{margin:0 0 1.25em 0;display:block}

```

```

.quoteblock.abstract blockquote,.quoteblock.abstract blockquote p{text-align:left;word-spacing:0}

.quoteblock.abstract blockquote:before,.quoteblock.abstract blockquote p:first-of-type:before{display:none}

table.tableblock{max-width:100%;border-collapse:separate}

table.tableblock,th.tableblock,td.tableblock{border:0 solid #dedede}

table.grid-all th.tableblock,table.grid-all td.tableblock{border-width:0 1px 1px 0}

table.grid-all tfoot>tr>th.tableblock,table.grid-all tfoot>tr>td.tableblock{border-width:1px 1px 0 0}

table.grid-cols th.tableblock,table.grid-cols td.tableblock{border-width:0 1px 0 0}

table.grid-all *>tr>.tableblock:last-child,table.grid-cols *>tr>.tableblock:last-child{border-right-width:1px}

table.grid-rows th.tableblock,table.grid-rows td.tableblock{border-width:0 0 1px 0}

table.grid-all tbody>tr:last-child>th.tableblock,table.grid-all tbody>tr:last-child>td.tableblock,table.grid-rows tfoot>tr>th.tableblock,table.grid-rows tfoot>tr>td.tableblock{border-width:1px 0 0 0}

table.frame-all{border-width:1px}

table.frame-sides{border-width:0 1px}

table.frame-topbot{border-width:1px 0}

th.halign-left,td.halign-left{text-align:left}

th.halign-right,td.halign-right{text-align:right}

th.halign-center,td.halign-center{text-align:center}

th.valign-top,td.valign-top{vertical-align:top}

th.valign-bottom,td.valign-bottom{vertical-align:bottom}

th.valign-middle,td.valign-middle{vertical-align:middle}

table thead th,table tfoot th{font-weight:bold}

tbody tr th{display:table-cell;line-height:1.6;background:#f7f8f7}

tbody tr th,tbody tr th p,tfoot tr th,tfoot tr th p{color:rgba(0,0,0,.8);font-weight:bold}

p.tableblock>code:only-child{background:none;padding:0}

p.tableblock{font-size:1em;margin:0}

td>div.verse{white-space:pre}

#body p.tableblock img{margin:0 auto;}

ol{margin-left:1.75em}

ul li ol{margin-left:1.5em}

dl dd{margin-left:1.125em}

dl dd:last-child,dl dd:last-child>:last-child{margin-bottom:0}

ol>li p,ul>li p,ul dd,ol dd,.olist .olist,.ulist .ulist,.ulist .olist,.olist .ulist{margin-bottom:.625em}

ul.unstyled,ol.unnumbered,ul.checklist,ul.none{list-style-type:none}

ul.unstyled,ol.unnumbered,ul.checklist{margin-left:.625em}

ul.checklist li>p:first-child>.fa-square-o:first-child,ul.checklist li>p:first-child>.fa-check-square-o:first-child

```

```

ul.checklist li>p:first-child>input[type="checkbox"]:first-child{width:1em;position:relative;top:1px}
ul.inline{margin:0 auto .625em auto;margin-left:-1.375em;margin-right:0;padding:0;list-style:none;overflow:
ul.inline>li{list-style:none;float:left;margin-left:1.375em;display:block}
ul.inline>li>{*{display:block}
.unstyled dl dt{font-weight:400;font-style:normal}
ol.arabic{list-style-type:decimal}
ol.decimal{list-style-type:decimal-leading-zero}
ol.loweralpha{list-style-type:lower-alpha}
ol.upperalpha{list-style-type:upper-alpha}
ol.lowerroman{list-style-type:lower-roman}
ol.upperroman{list-style-type:upper-roman}
ol.lowergreek{list-style-type:lower-greek}
.hdlist>table,.colist>table{border:0;background:none}
.hdlist>table>tbody>tr,.colist>table>tbody>tr{background:none}
td.hdlist1,td.hdlist2{vertical-align:top;padding:0 .625em}
td.hdlist1{font-weight:bold;padding-bottom:1.25em}
.literalblock+.colist,.listingblock+.colist{margin-top:-.5em}
.colist>table tr>td:first-of-type{padding:0 .75em;line-height:1}
.colist>table tr>td:last-of-type{padding:.25em 0}
.thumb,.th{line-height:0;display:inline-block;border:solid 4px #fff;-webkit-box-shadow:0 0 0 1px #ddd;box
.imageblock.left,.imageblock[style*="float:left"]{margin:.25em .625em 1.25em 0}
.imageblock.right,.imageblock[style*="float:right"]{margin:.25em 0 1.25em .625em}
.imageblock>.title{margin-bottom:0}
.imageblock.thumb,.imageblock.th{border-width:6px}
.imageblock.thumb>.title,.imageblock.th>.title{padding:0 .125em}
.image.left,.image.right{margin-top:.25em;margin-bottom:.25em;display:inline-block;line-height:0}
.image.left{margin-right:.625em}
.image.right{margin-left:.625em}
a.image{text-decoration:none;display:inline-block}
a.image object{pointer-events:none}
sup.footnote,sup.footnoteref{font-size:.875em;position:static;vertical-align:super}
sup.footnote a,sup.footnoteref a{text-decoration:none}
sup.footnote a:active,sup.footnoteref a:active{text-decoration:underline}
#footnotes{padding-top:.75em;padding-bottom:.75em;margin-bottom:.625em}
#footnotes hr{width:20%;min-width:6.25em;margin:-.25em 0 .75em 0;border-width:1px 0 0 0}

```

```
#footnotes .footnote{padding:0 .375em 0 .225em;line-height:1.3334;font-size:.875em;margin-left:1.2em;text-align:right}
#footnotes .footnote a:first-of-type{font-weight:bold;text-decoration:none}
#footnotes .footnote:last-of-type{margin-bottom:0}
#content #footnotes{margin-top:-.625em;margin-bottom:0;padding:.75em 0}
.gist .file-data>table{border:0;background:#fff;width:100%;margin-bottom:0}
.gist .file-data>table td.line-data{width:99%}
div.unbreakable{page-break-inside:avoid}
.big{font-size:larger}
.small{font-size:smaller}
.underline{text-decoration:underline}
.overline{text-decoration:overline}
.line-through{text-decoration:line-through}
.aqua{color:#00bfbf}
.aqua-background{background-color:#00fafafa}
.black{color:#000}
.black-background{background-color:#000}
.blue{color:#0000bf}
.blue-background{background-color:#0000fafa}
.fuchsia{color:#bf00bf}
.fuchsia-background{background-color:#fafa00fa}
.gray{color:#606060}
.gray-background{background-color:#7d7d7d}
.green{color:#006000}
.green-background{background-color:#007d00}
.lime{color:#00bf00}
.lime-background{background-color:#00fafa}
.maroon{color:#600000}
.maroon-background{background-color:#7d0000}
.navy{color:#000060}
.navy-background{background-color:#00007d}
.olive{color:#606000}
.olive-background{background-color:#7d7d00}
.purple{color:#600060}
.purple-background{background-color:#7d007d}
.red{color:#bf0000}
```

```

.red-background{background-color:#fa0000}

.silver{color:#909090}

.silver-background{background-color:#bcbcbc}

.teal{color:#006060}

.teal-background{background-color:#007d7d}

.white{color:#bfbfbf}

.white-background{background-color:#fafafa}

.yellow{color:#bfbf00}

.yellow-background{background-color:#fafa00}
span.icon>.fa{cursor:default}

.admonitionblock td.icon [class^="fa icon-"]{font-size:2.5em;text-shadow:1px 1px 2px rgba(0,0,0,.5);cursor:default}
.admonitionblock td.icon .icon-note:before{content:"\f05a";color:#19407c}
.admonitionblock td.icon .icon-tip:before{content:"\f0eb";text-shadow:1px 1px 2px rgba(155,155,0,.8);color:#19407c}
.admonitionblock td.icon .icon-warning:before{content:"\f071";color:#bf6900}
.admonitionblock td.icon .icon-caution:before{content:"\f06d";color:#bf3400}
.admonitionblock td.icon .icon-important:before{content:"\f06a";color:#bf0000}

.conum[data-value]{display:inline-block;color:#fff!important;background-color:rgba(0,0,0,.8);-webkit-border-radius:50%;border-radius:50%;padding:2px 5px}
.conum[data-value] *{color:#fff!important}
.conum[data-value]+b{display:none}
.conum[data-value]:after{content:attr(data-value)}

pre .conum[data-value]{position:relative;top:-.125em}

b.conum *{color:inherit!important}

.conum:not([data-value]):empty{display:none}

dt,th.tableblock,td.content,div.footnote{text-rendering:optimizeLegibility}
h1,h2,p,td.content,span.alt{letter-spacing:-.01em}
p strong,td.content strong,div.footnote strong{letter-spacing:-.005em}
p,blockquote,dt,td.content,span.alt{font-size:1.0625rem}
p{margin-bottom:1.25rem}

.sidebarblock p,.sidebarblock dt,.sidebarblock td.content,p.tableblock{font-size:1em}

.exampleblock>.content{background-color:#fffef7;border-color:#e0e0dc;-webkit-box-shadow:0 1px 4px #e0e0dc}

.print-only{display:none!important}

@media print{@page{margin:1.25cm .75cm}

*{-webkit-box-shadow:none!important;box-shadow:none!important;text-shadow:none!important}

a{color:inherit!important;text-decoration:underline!important}

a.bare,a[href^="#"],a[href^="mailto:"]{text-decoration:none!important}

```

```

a[href^="http:"]:not(.bare):after,a[href^="https:"]:not(.bare):after{content:" (" attr(href) ")";display:inline-block}
abbr[title]:after{content:" (" attr(title) ")"}
pre,blockquote,tr,img,object,svg{page-break-inside:avoid}
thead{display:table-header-group}
svg{max-width:100%}
p,blockquote,dt,td.content{font-size:1em;orphans:3;widows:3}
h2,h3,#toctitle,.sidebarblock>.content>.title{page-break-after:avoid}
#toc,.sidebarblock,.exampleblock>.content{background:none!important}
#toc{border-bottom:1px solid #ddd;d8!important;padding-bottom:0!important}
.sect1{padding-bottom:0!important}
.sect1+.sect1{border:0!important}
#header>h1:first-child{margin-top:1.25rem}
body.book #header{text-align:center}
body.book #header>h1:first-child{border:0!important;margin:2.5em 0 1em 0}
body.book #header .details{border:0!important;display:block;padding:0!important}
body.book #header .details span:first-child{margin-left:0!important}
body.book #header .details br{display:block}
body.book #header .details br+span:before{content:none!important}
body.book #toc{border:0!important;text-align:left!important;padding:0!important;margin:0!important}
body.book #toc,body.book #preamble,body.book h1.sect0,body.book .sect1>h2{page-break-before:always}
.listingblock code[data-lang]:before{display:block}
#footer{background:none!important;padding:0 .9375em}
#footer-text{color:rgba(0,0,0,.6)!important;font-size:.9em}
.hide-on-print{display:none!important}
.print-only{display:block!important}
.hide-for-print{display:none!important}
.show-for-print{display:inherit!important}}
details{width: 75%;margin: 0 0 auto 0;background: #ddd;margin-bottom: .5rem;box-shadow: 0 .1rem 1rem -.5rem #ddd}
summary{padding: 1rem;display: block;padding-left: 2.2rem;position: relative;cursor: pointer;}
summary:before {content: '';border-width: .4rem;border-style: solid;border-color: transparent transparent transparent transparent;position: absolute;left: -1.1rem;top: 50%;transform: translateY(-50%);}
details[open] > summary:before{transform: rotate(90deg);}
details summary::-webkit-details-marker{display:none;}
details .content {padding-left: 2.2rem;}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\editorconfig

Resumo: # <https://editorconfig.org> root = true [] charset = utf-8 end_of_line = lf indent_size = 2 indent_style = space trim_trailing_whitespace = true [*css] indent_size = 4 [*js] insert_final_newline = true [*md] trim_trailing_whitespace = false*

<https://editorconfig.org>

root = true

[*]

charset = utf-8

end_of_line = lf

indent_size = 2

indent_style = space

trim_trailing_whitespace = true

[*.css]

indent_size = 4

[*.js]

insert_final_newline = true

[*.md]

trim_trailing_whitespace = false

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\.gitignore

Resumo: .DS_Store .githubhooks/hooks.log .hugo_build.lock exampleSite/public
exampleSite/hugo*.exe **/*.xcf **/*.zip*

.DS_Store

.githubhooks/hooks.log

.hugo_build.lock

exampleSite/public*

exampleSite/hugo*.exe

**/*.xcf

**/*.zip

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\arenrc.is

Resumo: module.exports = { changelogFilename: "CHANGELOG.md", dataSource: "milestones", groupBy: { "Enhancements": ["feature",], "Fixes": ["bug"], "Maintenance": ["task",], "Uncategorised": ["closed",], }, ignoreLabel...

```
module.exports = {  
  
  changelogFilename: "CHANGELOG.md",  
  
  dataSource: "milestones",  
  
  groupBy: {  
  
    "Enhancements": [  
  
      "feature",  
  
    ],  
  
    "Fixes": [  
  
      "bug"  
  
    ],  
  
    "Maintenance": [  
  
      "task",  
  
    ],  
  
    "Uncategorised": [  
  
      "closed",  
  
    ],  
  
  },  
  
  ignoreLabels: [  
  
    "asciidoc",  
  
    "blocked",  
  
    "browser",  
  
    "device",  
  
    "helpwanted",  
  
    "hugo",  
  
    "idea",  
  
    "mermaid",  
  
    "needsfeedback",  
  
    "undecided",  
  
  ],  
  
  ignoreIssuesWith: [  
  
    "discussion",  
  
  ],  
  
}
```

```
    "documentation",
    "duplicate",
    "invalid",
    "support",
    "unresolved",
    "update",
    "wontchange",
  ],
  ignoreTagsWith: [
    "Relearn",
    "x",
  ],
  milestoneMatch: "{{tag_name}}",
  onlyMilestones: true,
  template: {
    group: "\n### {{heading}}\n",
    release: ({ body, date, release }) => `## ${release} (` + date.replace( /(\d+)\.(\d+)\.(\d+)/, '$3-$2-$1') + `)`,
  },
};
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\imabotconfia

Resumo: { "schedule": "daily", "ignoredFiles": ["static/*"], "prTitle": "autobot: optimize images" }

```
{  
  "schedule": "daily",  
  "ignoredFiles": [  
    "static/*"  
  ],  
  "prTitle": "autobot: optimize images"  
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\.issuetracker

Resumo: # Integration with Issue Tracker # # (note that '\' need to be escaped). [issuetracker "GitHub Rule"] regex = "#(\\d+)" url = "https://github.com/McShelby/hugo-theme-relearn/issues/\$1"

Integration with Issue Tracker

#

(note that '\' need to be escaped).

[issuetracker "GitHub Rule"]

regex = "#(\\d+)"

url = "https://github.com/McShelby/hugo-theme-relearn/issues/\$1"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\CHANGELOG.md

Resumo: # Changelog ## 6.0.0 (2024-04-27) ### Enhancements - **feature** **breaking** theme: unify description [#845](https://github.com/McShelby/hugo-theme-relearn/issues/845) - **feature** schema: add schema support in meta data [#844](https://github.com/McShelby/hugo-theme-relearn/issues/844)

Changelog

6.0.0 (2024-04-27)

Enhancements

- **feature** **breaking** theme: unify description [#845](https://github.com/McShelby/hugo-theme-relearn/issues/845)
- **feature** schema: add schema support in meta data [#844](https://github.com/McShelby/hugo-theme-relearn/issues/844)
- **feature** include: use Hugo's resources [#835](https://github.com/McShelby/hugo-theme-relearn/issues/835)
- **feature** math: allow to work with Hugo's passthrough configuration [#832](https://github.com/McShelby/hugo-theme-relearn/issues/832)
- **feature** i18n: add Romanian translation [#828](https://github.com/McShelby/hugo-theme-relearn/issues/828)
- **feature** **breaking** menu: remove menuTitle frontmatter [#714](https://github.com/McShelby/hugo-theme-relearn/issues/714)
- **feature** **breaking** theme: end support for Internet Explorer 11 [#584](https://github.com/McShelby/hugo-theme-relearn/issues/584)

Fixes

- **bug** frontmatter: move frontmatter config for exampleSite out of root [#843](https://github.com/McShelby/hugo-theme-relearn/issues/843)
- **bug** images: color outline using primary color [#838](https://github.com/McShelby/hugo-theme-relearn/issues/838)
- **bug** **breaking** variant: avoid Hugo permission errors on build [#831](https://github.com/McShelby/hugo-theme-relearn/issues/831)
- **bug** theme: unwanted paragraph break with AsciiDoc [#829](https://github.com/McShelby/hugo-theme-relearn/issues/829)

Maintenance

- **task** **breaking** swagger: remove shortcode [#847](https://github.com/McShelby/hugo-theme-relearn/issues/847)
- **task** **breaking** search: remove JSON outputformat for search index [#846](https://github.com/McShelby/hugo-theme-relearn/issues/846)
- **task** theme: sync to Hugo's implementation [#841](https://github.com/McShelby/hugo-theme-relearn/issues/841)
- **task** **change** fontawesome: update to 6.5.2 [#834](https://github.com/McShelby/hugo-theme-relearn/issues/834)

5.27.0 (2024-04-07)

Enhancements

- **feature** theme: simplify title generation [#825](https://github.com/McShelby/hugo-theme-relearn/issues/825)

- **feature** theme: adjust to Hugo's build-in code [#824](https://github.com/McShelby/hugo-theme-relearn)
- **feature****change** link: warn if fragment is not found [#823](https://github.com/McShelby/hugo-theme-relearn)
- **feature** theme: add styling for selected HTML elements [#822](https://github.com/McShelby/hugo-theme-relearn)
- **feature** a11y: improve search box [#821](https://github.com/McShelby/hugo-theme-relearn/issues/821)
- **feature****change** dependencies: make loader more versatile [#820](https://github.com/McShelby/hugo-theme-relearn)
- **feature** nav: scroll to prev/next heading using keyboard shortcut [#819](https://github.com/McShelby/hugo-theme-relearn)
- **feature** breadcrumb: use .LinkTitle instead of .Title if available [#816](https://github.com/McShelby/hugo-theme-relearn)

Fixes

- **bug** scrollbar: scroll bar in side menu gets stuck in dragged state on mobile [#808](https://github.com/McShelby/hugo-theme-relearn)

5.26.2 (2024-03-18)

Enhancements

- **feature** icons: use fixed width to ease layout [#812](https://github.com/McShelby/hugo-theme-relearn)

Fixes

- **bug** search: broken since version 5.26.1 [#813](https://github.com/McShelby/hugo-theme-relearn/issues/813)
 - **bug** search: fix result links for pages in root [#810](https://github.com/McShelby/hugo-theme-relearn/issues/810)
-

5.26.1 (2024-03-17)

Fixes

- **bug** mermaid: show reset button after pan [#807](https://github.com/McShelby/hugo-theme-relearn/issues/807)
- **bug** openapi: make it run for `file://` protocol [#806](https://github.com/McShelby/hugo-theme-relearn/issues/806)
- **bug** theme: fix relative path detection if `relativeURLs=false` [#804](https://github.com/McShelby/hugo-theme-relearn/issues/804)

5.26.0 (2024-03-16)

Enhancements

- **[**feature**]** image: add lazy loading image effect option [#803](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **[**feature**]** render-hook: support Markdown attributes [#795](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **[**feature**]** theme: support full page width [#752](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **[**bug**]** clipboard: fix broken style if block code is in table [#790](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **[**bug**]** nav: browser back navigation does not jump to the correct position [#509](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Maintenance

- **[**task**]** build: update all available actions to nodejs 20 [#802](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **[**task**]** openapi: update swagger-ui to 5.11.10 [#798](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **[**task**]** mermaid: update to 10.9.0 [#797](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.25.0 (2024-02-29)

Enhancements

- **[**feature**][**change**]** theme: print out GitInfo in page footer if configured [#786](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **[**feature**][**change**]** resources: new shortcode to deprecate attachments shortcode [#22](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **[**bug**]** swagger: fix compat warning [#787](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.24.3 (2024-02-28)

Fixes

- **[**bug**]** theme: avoid crash on 404 if author settings want to warn [#785](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.24.2 (2024-02-24)

Enhancements

- **feature** image: adjust to Hugo 0.123 [#777](https://github.com/McShelby/hugo-theme-relearn/issues/777)

Fixes

- **bug** link: resolve fragments [#775](https://github.com/McShelby/hugo-theme-relearn/issues/775)

5.24.1 (2024-02-18)

Enhancements

- **feature** link: make resolution reporting configurable [#774](https://github.com/McShelby/hugo-theme-relearn/issues/774)

5.24.0 (2024-02-17)

Enhancements

- **feature** theme: compatibility with Hugo 0.123 [#771](https://github.com/McShelby/hugo-theme-relearn/issues/771)

- **feature** topbar: support editURL in frontmatter [#764](https://github.com/McShelby/hugo-theme-relearn/issues/764)

- **feature** menu: use --MENU-WIDTH-S to adjust mobile flyout [#761](https://github.com/McShelby/hugo-theme-relearn/issues/761)

- **feature** figure: support built-in shortcode [#746](https://github.com/McShelby/hugo-theme-relearn/issues/746)

- **feature** theme: make heading a template [#744](https://github.com/McShelby/hugo-theme-relearn/issues/744)

- **feature** taxonomy: make arrow nav browse through terms [#742](https://github.com/McShelby/hugo-theme-relearn/issues/742)

- **feature** theme: switch from config.toml to hugo.toml [#741](https://github.com/McShelby/hugo-theme-relearn/issues/741)

- **feature** button: make non-interactive if used as mock [#740](https://github.com/McShelby/hugo-theme-relearn/issues/740)

- **feature****change** topbar: allow text for button [#739](https://github.com/McShelby/hugo-theme-relearn/issues/739)

- **feature** theme: run hugo demo site without warning [#736](https://github.com/McShelby/hugo-theme-relearn/issues/736)

- **feature** menu: make swipe handler passive [#735](https://github.com/McShelby/hugo-theme-relearn/iss
- **feature** i18n: support standard Hugo options [#733](https://github.com/McShelby/hugo-theme-relearn
- **feature** a11y: show tab focus on images [#730](https://github.com/McShelby/hugo-theme-relearn/issu
- **feature** a11y: improve discovering links on keyboard navigation [#726](https://github.com/McShelby
- **feature****change** variant: increase contrast for light themes [#722](https://github.com/McShelby
- **feature** theme: break build if minimum Hugo version is not matched [#719](https://github.com/McShe
- **feature** taxonomy: humanize term on missing term title [#713](https://github.com/McShelby/hugo-ther

Fixes

- **bug** taxonomy: display translated title [#772](https://github.com/McShelby/hugo-theme-relearn/issu
- **bug** highlight: fix codefence syntax in Hugo >= 0.121.0 [#749](https://github.com/McShelby/hugo-th
- **bug** link: fix links to pages containing dots in their name [#748](https://github.com/McShelby/hug
- **bug** image: get resource images if link is prefixed with `./` [#747](https://github.com/McShelby/h
- **bug** theme: switch dependency colors on OS color scheme change [#745](https://github.com/McShelby/L
- **bug** clipboard: fix $O(n^2)$ buttons [#738](https://github.com/McShelby/hugo-theme-relearn/issues/738
- **bug** button: fix whitespacing in FF [#737](https://github.com/McShelby/hugo-theme-relearn/issues/73
- **bug** i18n: fix warning messages for zh-CN [#732](https://github.com/McShelby/hugo-theme-relearn/iss
- **bug** mermaid: fix zoom button [#725](https://github.com/McShelby/hugo-theme-relearn/issues/725)
- **bug** theme: fix JS errors on `hugo --minify` [#724](https://github.com/McShelby/hugo-theme-relearn
- **bug** include: fix whitespacing in codefences [#723](https://github.com/McShelby/hugo-theme-relearn

5.23.2 (2023-11-03)

Enhancements

- **feature** taxonomy: improve taxonomy page [#712](https://github.com/McShelby/hugo-theme-relearn/iss
- **feature** taxonomy: warn on missing term title [#709](https://github.com/McShelby/hugo-theme-relearn

Fixes

- **bug** taxonomy: fix sorting of terms on content pages [#710](https://github.com/McShelby/hugo-theme

5.23.1 (2023-10-30)

Enhancements

- **taxonomy**: improve term page [#705](https://github.com/McShelby/hugo-theme-relearn/issues/705)

Fixes

- **variant**: fix typo in chroma-learn.css [#708](https://github.com/McShelby/hugo-theme-relearn/issues/708)
- **links**: ignore local markdown links linking to files with extension [#707](https://github.com/McShelby/hugo-theme-relearn/issues/707)

5.23.0 (2023-10-29)

Enhancements

- **taxonomy**: allow for content on term pages [#701](https://github.com/McShelby/hugo-theme-relearn/issues/701)
- **theme**: write full file path on warnings [#699](https://github.com/McShelby/hugo-theme-relearn/issues/699)
- **theme**: show anchor link and copy to clipboard button on mobile [#697](https://github.com/McShelby/hugo-theme-relearn/issues/697)
- **config**: adjust to changes in Hugo 0.120 [#693](https://github.com/McShelby/hugo-theme-relearn/issues/693)
- **variants**: add more contrast to neon [#692](https://github.com/McShelby/hugo-theme-relearn/issues/692)
- **mermaid**: only show zoom reset button if zoomed [#691](https://github.com/McShelby/hugo-theme-relearn/issues/691)
- **menu**: add additional sort options [#684](https://github.com/McShelby/hugo-theme-relearn/issues/684)
- **theme**: add social media meta information [#683](https://github.com/McShelby/hugo-theme-relearn/issues/683)
- **theme**: simplify additional JS dependencies [#682](https://github.com/McShelby/hugo-theme-relearn/issues/682)
- **links**: warn if ref/relref is used falsly [#681](https://github.com/McShelby/hugo-theme-relearn/issues/681)
- **menu**: make width configurable [#677](https://github.com/McShelby/hugo-theme-relearn/issues/677)
- **tabs**: use color for link of inactive tabs [#675](https://github.com/McShelby/hugo-theme-relearn/issues/675)
- **taxonomy**: modularize term list generation [#671](https://github.com/McShelby/hugo-theme-relearn/issues/671)
- **theme**: remove warnings with `hugo --printI18nWarnings` [#670](https://github.com/McShelby/hugo-theme-relearn/issues/670)
- **theme**: implement portable linking [#377](https://github.com/McShelby/hugo-theme-relearn/issues/377)

Fixes

- **links**: extra space before link text [#700](https://github.com/McShelby/hugo-theme-relearn/issues/700)

- **[**bug**]** mermaid: reset zoom correctly [#690](https://github.com/McShelby/hugo-theme-relearn/issues/690)
- **[**bug**]** theme: fix mobile layout for width=48rem [#676](https://github.com/McShelby/hugo-theme-relearn/issues/676)
- **[**bug**]** frontmatter: resemble documented shortcode style [#672](https://github.com/McShelby/hugo-theme-relearn/issues/672)
- **[**bug**]** taxonomy: display terms in pages if `removePathAccents=true` [#669](https://github.com/McShelby/hugo-theme-relearn/issues/669)

Maintenance

- **[**task**]** mermaid: update mermaid to 10.6.0 [#703](https://github.com/McShelby/hugo-theme-relearn/issues/703)
- **[**task**]** openapi: update swagger-ui to 5.9.1 [#702](https://github.com/McShelby/hugo-theme-relearn/issues/702)

5.22.1 (2023-10-02)

Enhancements

- **[**feature**]** i18n: add Swahili translation [#666](https://github.com/McShelby/hugo-theme-relearn/issues/666)
- **[**feature**]** math: hide unrendered math [#663](https://github.com/McShelby/hugo-theme-relearn/issues/663)
- **[**feature**]** tabs: improve a11y by removing duplicate hidden title [#662](https://github.com/McShelby/hugo-theme-relearn/issues/662)
- **[**feature**]** mermaid: improve zoom UX [#659](https://github.com/McShelby/hugo-theme-relearn/issues/659)

Fixes

- **[**bug**]** variant: fix sidebar-flyout borders color for zen [#667](https://github.com/McShelby/hugo-theme-relearn/issues/667)
- **[**bug**]** clipboard: fix RTL location of tooltip [#661](https://github.com/McShelby/hugo-theme-relearn/issues/661)
- **[**bug**]** clipboard: ignore RTL for code [#660](https://github.com/McShelby/hugo-theme-relearn/issues/660)
- **[**bug**]** expand: fix aria-controls [#658](https://github.com/McShelby/hugo-theme-relearn/issues/658)
- **[**bug**]** theme: fix id generation for markdownified titles [#657](https://github.com/McShelby/hugo-theme-relearn/issues/657)
- **[**bug**]** mermaid: avoid graph bombing on hugo --minify [#656](https://github.com/McShelby/hugo-theme-relearn/issues/656)
- **[**bug**]** mermaid: fix width for some graphs [#655](https://github.com/McShelby/hugo-theme-relearn/issues/655)

5.22.0 (2023-09-26)

Enhancements

- **[**feature**]** mermaid: add pan&zoom reset [#651](https://github.com/McShelby/hugo-theme-relearn/issues/651)

- **feature** markdown: add interlace color for tables [#648](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **feature** search: add breadcrumb to dedicated search results [#647](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **feature****change** menu: optionally disable index pages for sections [#642](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **bug** variants: restore generator zoom [#650](https://github.com/McShelby/hugo-theme-relearn/issues/650)
- **bug** clipboard: malused Fontawesome style [#649](https://github.com/McShelby/hugo-theme-relearn/issues/649)
- **bug****change** theme: avoid id collisions between headings and theme [#646](https://github.com/McShelby/hugo-theme-relearn/issues/646)
- **bug** theme: remove HTML validation errors [#644](https://github.com/McShelby/hugo-theme-relearn/issues/644)
- **bug** breadcrumb: remove superflous whitespace between items [#643](https://github.com/McShelby/hugo-theme-relearn/issues/643)

5.21.0 (2023-09-18)

Enhancements

- **feature** topbar: make buttons configurable [#639](https://github.com/McShelby/hugo-theme-relearn/issues/639)
- **feature****change** menu: fix footer padding [#637](https://github.com/McShelby/hugo-theme-relearn/issues/637)

Fixes

- **bug** breadcrumb: don't ignore spaces for separator [#636](https://github.com/McShelby/hugo-theme-relearn/issues/636)
- **bug** theme: fix snyk code issues [#633](https://github.com/McShelby/hugo-theme-relearn/issues/633)
- **bug** images: apply image effects to lightbox images [#631](https://github.com/McShelby/hugo-theme-relearn/issues/631)

Maintenance

- **task** openapi: update to swagger 5.7.2 [#641](https://github.com/McShelby/hugo-theme-relearn/issues/641)

5.20.0 (2023-08-26)

Enhancements

- ```
- [**feature**][**change**] theme: support for colored borders between menu and content [#626](https://github.com/McShelby/hugo-theme-openapi)
- [**feature**] image: allow option to apply image effects globally [#623](https://github.com/McShelby/hugo-theme-openapi)
- [**feature**][**change**] openapi: switch to light syntaxhighlighting where applicable [#621](https://github.com/McShelby/hugo-theme-openapi)
- [**feature**] images: document usage of images with links [#576](https://github.com/McShelby/hugo-theme-openapi)
Fixes
```

- ```
- [**bug**] highlight: fix rendering for Hugo < 0.111 [#630](https://github.com/McShelby/hugo-theme-reveal)
- [**bug**] search: remove link underline on dedicated search page [#627](https://github.com/McShelby/hugo-theme-reveal)
- [**bug**] highlight: don't switch to block view if hl_inline=true [#618](https://github.com/McShelby/hugo-theme-reveal)
- [**bug**] variant: minor adjustments to zen variants [#617](https://github.com/McShelby/hugo-theme-reveal)
- [**bug**] mermaid: lazy render graph if it is initially hidden [#187](https://github.com/McShelby/hugo-theme-reveal)
```

Maintenance

- **[**task**]** openapi: update to swagger 5.4.1 [#620](https://github.com/McShelby/hugo-theme-relearn/issue

— — —

```
## 5.19.0 (2023-08-12)
```

Enhancements

- ```
- [**feature**] highlight: add title parameter [#616](https://github.com/McShelby/hugo-theme-relearn/issues/616)
- [**feature**] variant: signal variant switch as event [#614](https://github.com/McShelby/hugo-theme-relearn/issues/614)
- [**feature**] variant: add zen variant in light and dark [#613](https://github.com/McShelby/hugo-theme-relearn/issues/613)
- [**feature**] i18n: add Hungarian translation [#604](https://github.com/McShelby/hugo-theme-relearn/issues/604)
- [**feature**] mermaid: update to 10.3.0 [#601](https://github.com/McShelby/hugo-theme-relearn/issues/601)
```

### ### Fixes

- ```
- [**bug**] siteparam: avoid halt if param is a map/slice [#611](https://github.com/McShelby/hugo-theme-relearn)
- [**bug**] mermaid: fix broken zoom since update to v10 [#608](https://github.com/McShelby/hugo-theme-relearn)
- [**bug**] mermaid: variant generator diagram does not respond to events [#607](https://github.com/McShelby/hugo-theme-relearn)
- [**bug**] print: avoid chroma leak for relearn-dark [#605](https://github.com/McShelby/hugo-theme-relearn)
### Maintenance
- [**task**] mermaid: update to 10.3.1 [#610](https://github.com/McShelby/hugo-theme-relearn/issues/610)
```

```
### Maintenance
```

- **[**task**]** mermaid: update to 10.3.1 [#610](https://github.com/McShelby/hugo-theme-relearn/issues/610)

5.18.0 (2023-07-27)

Enhancements

- **[**feature**][**change**]** shortcodes: add more deprecation warnings [#598](https://github.com/McShelby/hugo-theme-relearn/commit/598)
- **[**feature**][**change**]** shortcodes: change `context` parameter to `page` if called as partial [#595](https://github.com/McShelby/hugo-theme-relearn/commit/595)
- **[**feature**]** siteparam: support nested parameters and text formatting [#590](https://github.com/McShelby/hugo-theme-relearn/commit/590)
- **[**feature**][**change**]** a11y: improve when tabbing through links [#581](https://github.com/McShelby/hugo-theme-relearn/commit/581)

Fixes

- **[**bug**]** openapi: inherit RTL setting from Hugo content [#600](https://github.com/McShelby/hugo-theme-relearn/commit/600)
- **[**bug**]** 404: fix display in RTL [#597](https://github.com/McShelby/hugo-theme-relearn/issues/597)
- **[**bug**]** highlight: fix position of copy-to-clipboard button in RTL [#594](https://github.com/McShelby/hugo-theme-relearn/commit/594)
- **[**bug**]** openapi: fix spelling [#593](https://github.com/McShelby/hugo-theme-relearn/issues/593)
- **[**bug**]** search: fix typo in output format [#591](https://github.com/McShelby/hugo-theme-relearn/issues/591)
- **[**bug**]** tabs: fix tab selection by groupid [#582](https://github.com/McShelby/hugo-theme-relearn/issues/582)
- **[**bug**]** theme: restore compat with Hugo 0.95.0 [#580](https://github.com/McShelby/hugo-theme-relearn/commit/580)
- **[**bug**][**change**]** theme: improve display of links [#577](https://github.com/McShelby/hugo-theme-relearn/commit/577)

5.17.1 (2023-06-22)

Enhancements

- **[**feature**][**change**]** highlight: make copy to clipboard appear on hover [#574](https://github.com/McShelby/hugo-theme-relearn/commit/574)

5.17.0 (2023-06-22)

Enhancements

- **[**feature**]** highlight: add configurable line breaks [#169](https://github.com/McShelby/hugo-theme-relearn/commit/169)

Fixes

- **theme:** support Hugo 0.114.0 [#573](https://github.com/McShelby/hugo-theme-relearn/issues/573)
- **taxonomy:** fix number tags [#570](https://github.com/McShelby/hugo-theme-relearn/issues/570)
- **highlight:** improve copy to clipboard [#569](https://github.com/McShelby/hugo-theme-relearn/issues/569)

5.16.2 (2023-06-10)

Enhancements

- **theme:** revamp 404 page [#566](https://github.com/McShelby/hugo-theme-relearn/issues/566)

5.16.1 (2023-06-09)

Enhancements

- **theme:** add deprecation warnings [#565](https://github.com/McShelby/hugo-theme-relearn/issues/565)

Fixes

- **mermaid:** allow for YAML frontmatter inside of graph [#564](https://github.com/McShelby/hugo-theme-relearn/issues/564)
- **alias:** fix redirect URLs in case of empty BaseURL [#562](https://github.com/McShelby/hugo-theme-relearn/issues/562)

5.16.0 (2023-06-08)

Enhancements

- **tabs:** add title and icon option [#552](https://github.com/McShelby/hugo-theme-relearn/issues/552)
- **shortcodes:** add style option to mimic code box color scheme [#551](https://github.com/McShelby/hugo-theme-relearn/issues/551)
- **tabs:** support color options [#550](https://github.com/McShelby/hugo-theme-relearn/issues/550)
- **favicon:** add light & dark option for OS's preferred color scheme [#549](https://github.com/McShelby/hugo-theme-relearn/issues/549)

Fixes

- **[**bug**]** icon: remove whitespace on start [#560](https://github.com/McShelby/hugo-theme-relearn/issues/560)
- **[**bug**]** shortcodes: avoid superfluous margin at start and end of content [#558](https://github.com/McShelby/hugo-theme-relearn/issues/558)
- **[**bug**]** expand: fix html encoding of finishing content tag [#557](https://github.com/McShelby/hugo-theme-relearn/issues/557)
- **[**bug**]** icon: fix output "raw HTML omitted" with goldmark config unsafe=false [#555](https://github.com/McShelby/hugo-theme-relearn/issues/555)

5.15.2 (2023-05-29)

Enhancements

- **[**feature**]** taxonomy: add support for category default taxonomy [#541](https://github.com/McShelby/hugo-theme-relearn/issues/541)

Fixes

- **[**bug**]** attachments: work for Hugo < 0.112 [#546](https://github.com/McShelby/hugo-theme-relearn/issues/546)

5.15.1 (2023-05-25)

Fixes

- **[**bug**]** shortcodes: intermediately use random ids instead of .Ordinal [#543](https://github.com/McShelby/hugo-theme-relearn/issues/543)

5.15.0 (2023-05-25)

Enhancements

- **[**feature**]** tab: new shortcode to display single tab [#538](https://github.com/McShelby/hugo-theme-relearn/issues/538)
- **[**feature**][**change**]** tabs: treat groupid as unique if not set [#537](https://github.com/McShelby/hugo-theme-relearn/issues/537)
- **[**feature**]** expand: indent expanded content [#536](https://github.com/McShelby/hugo-theme-relearn/issues/536)

- **feature** notice: make boxes more prominent [#535](https://github.com/McShelby/hugo-theme-relearn/issues/535)

Fixes

- **bug** attachments: fix build error since Hugo 0.112 [#540](https://github.com/McShelby/hugo-theme-relearn/issues/540)

Maintenance

- **task** chore: update Mermaid to 9.4.3 [#534](https://github.com/McShelby/hugo-theme-relearn/issues/534)
- **task** mermaid: update to 10.2.0 [#499](https://github.com/McShelby/hugo-theme-relearn/issues/499)

5.14.3 (2023-05-20)

Fixes

- **bug** tags: show taxonomy toc for standard installation [#533](https://github.com/McShelby/hugo-theme-relearn/issues/533)

5.14.2 (2023-05-20)

Fixes

- **bug** tags: translate breadcrumb and title for taxonomy [#532](https://github.com/McShelby/hugo-theme-relearn/issues/532)

5.14.1 (2023-05-20)

No changelog for this release.

5.14.0 (2023-05-19)

Enhancements

- **feature** tags: improve search index for tags [#531](https://github.com/McShelby/hugo-theme-relearn/issues/531)

- **feature** tags: increase readability of taxonomy pages [#530](https://github.com/McShelby/hugo-theme-relearn/commit/530)
- **feature** nav: make breadcrumb separator configurable [#529](https://github.com/McShelby/hugo-theme-relearn/commit/529)
- **feature** i18n: add translation for default taxonomies [#528](https://github.com/McShelby/hugo-theme-relearn/commit/528)
- **feature** theme: set appropriate defaults for all theme specific params [#516](https://github.com/McShelby/hugo-theme-relearn/commit/516)
- **feature** theme: allow to display tags below article [#513](https://github.com/McShelby/hugo-theme-relearn/commit/513)

Fixes

- **bug** shortcode: make .context always a page [#527](https://github.com/McShelby/hugo-theme-relearn/commit/527)

5.13.2 (2023-05-17)

Fixes

- **bug** print: enable print for pages with _build options [#522](https://github.com/McShelby/hugo-theme-relearn/commit/522)

5.13.1 (2023-05-16)

Fixes

- **bug** openapi: allow toc to scroll page [#526](https://github.com/McShelby/hugo-theme-relearn/commit/526)

5.13.0 (2023-05-14)

Enhancements

- **feature****change** openapi: replace implementation with swagger-ui [#523](https://github.com/McShelby/hugo-theme-relearn/commit/523)

Fixes

- **bug** variant: avoid leaking shadows in neon print style [#524](https://github.com/McShelby/hugo-theme-relearn/commit/524)

5.12.6 (2023-05-04)

Enhancements

- **feature** theme: better HTML titles and breadcrumbs for search and tag pages [#521](https://github.com/McShelby/hugo-theme-mcshelby)

Fixes

- **bug** menu: avoid hiding of expander on hover when active item has children [#520](https://github.com/McShelby/hugo-theme-mcshelby)
- **bug** menu: showVisitedLinks not working for some theme variants [#518](https://github.com/McShelby/hugo-theme-mcshelby)
- **bug** theme: fix resource URLs for 404 page on subdirectories [#515](https://github.com/McShelby/hugo-theme-mcshelby)

5.12.5 (2023-03-28)

Fixes

- **bug** expand: not properly expanded when used in bullet point list [#508](https://github.com/McShelby/hugo-theme-mcshelby)

5.12.4 (2023-03-24)

Fixes

- **bug** theme: disableExplicitIndexURLs param is not working as expected [#505](https://github.com/McShelby/hugo-theme-mcshelby)

5.12.3 (2023-03-14)

Fixes

- **bug** attachments: fix links if only one language is present [#503](https://github.com/McShelby/hugo-theme-mcshelby)
- **bug** shortcodes: allow markdown for title and content [#502](https://github.com/McShelby/hugo-theme-mcshelby)

5.12.2 (2023-03-03)

Fixes

- **bug** menu: fix state for alwaysopen=false + collapsibleMenu=false [#498](https://github.com/McShelby/hugo-theme-relearn/issues/498)

5.12.1 (2023-02-26)

Enhancements

- **feature** variant: add relearn bright theme [#493](https://github.com/McShelby/hugo-theme-relearn/issues/493)

Fixes

- **bug** generator: fix setting of colors [#494](https://github.com/McShelby/hugo-theme-relearn/issues/494)

5.12.0 (2023-02-24)

Enhancements

- **feature** frontmatter: support VSCode Front Matter extension [#481](https://github.com/McShelby/hugo-theme-relearn/pull/481)
- **feature** theme: make expand and image ids stable [#477](https://github.com/McShelby/hugo-theme-relearn/pull/477)
- **feature** variant: set scrollbar color to dark for dark variants [#471](https://github.com/McShelby/hugo-theme-relearn/pull/471)
- **feature** i18n: add full RTL support [#470](https://github.com/McShelby/hugo-theme-relearn/issues/470)
- **feature** piratify: fix some quirks, arrr [#469](https://github.com/McShelby/hugo-theme-relearn/issues/469)
- **feature****change** theme: optimization for huge screen sizes [#466](https://github.com/McShelby/hugo-theme-relearn/pull/466)

Fixes

- **bug** i18n: write code ltr even for rtl languages [#492](https://github.com/McShelby/hugo-theme-relearn/pull/492)

- **bug** anchor: fix link in FF when served from file system [#482](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **bug** shortcodes: don't break build and render for invalid parameters [#480](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **bug** nav: restore scroll position on browser back [#476](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **bug** variant: avoid style leak for auto style [#473](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Maintenance

- **task** build: add imagebot [#485](https://github.com/McShelby/hugo-theme-relearn/issues/485)

5.11.2 (2023-02-07)

Fixes

- **bug** tabs: nested tabs content is not displayed [#468](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.11.1 (2023-02-06)

Fixes

- **bug** variant: include missing `theme-auto.css` in distribution [#467](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.11.0 (2023-02-05)

Enhancements

- **feature** i18n: add Czech translation [#455](https://github.com/McShelby/hugo-theme-relearn/issues/455)
- **feature****change** lightbox: switch to CSS-only solution [#451](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **feature****change** variant: add support for `prefers-color-scheme` [#445](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **feature****change** expand: refactor for a11y [#339](https://github.com/McShelby/hugo-theme-relearn/commit/00)

- **feature** **change** mermaid: make zoom configurable [#144](https://github.com/McShelby/hugo-theme-relearn)

Fixes

- **bug** swagger: avoid errors when using invalid rapi-doc fragment ids [#465](https://github.com/McShelby/hugo-theme-relearn)
- **bug** search: fix oddities in keyboard handling [#463](https://github.com/McShelby/hugo-theme-relearn)
- **bug** badge: fix text color for IE11 [#462](https://github.com/McShelby/hugo-theme-relearn/issues/462)
- **bug** mermaid: rerender graph if search term is present and variant is switched [#460](https://github.com/McShelby/hugo-theme-relearn)
- **bug** tags: show tag on pages when tag has space [#459](https://github.com/McShelby/hugo-theme-relearn)
- **bug** edit: remove double slash on root page link [#450](https://github.com/McShelby/hugo-theme-relearn)

Maintenance

- **task** build: add moving version tags [#453](https://github.com/McShelby/hugo-theme-relearn/issues/453)
- **task** **change** theme: remove jQuery [#452](https://github.com/McShelby/hugo-theme-relearn/issues/452)
- **task** build: check for release notes before release [#448](https://github.com/McShelby/hugo-theme-relearn)

5.10.2 (2023-01-25)

Fixes

- **bug** nav: fix breadcrumb for huge installations [#446](https://github.com/McShelby/hugo-theme-relearn)

5.10.1 (2023-01-25)

Fixes

- **bug** print: fix image links with relative path [#444](https://github.com/McShelby/hugo-theme-relearn)

5.10.0 (2023-01-25)

Enhancements

- **feature** shortcodes: support for accent color [#440](https://github.com/McShelby/hugo-theme-relearn)
- **feature** shortcodes: add color parameter where applicable [#438](https://github.com/McShelby/hugo-theme-relearn)
- **feature** theme: announce translations as alternate links [#422](https://github.com/McShelby/hugo-theme-relearn)

Fixes

- **bug** nav: fix breadcrumbs for deeply nested sections [#442](https://github.com/McShelby/hugo-theme-relearn)
- **bug** theme: improve whitespacing in tables [#441](https://github.com/McShelby/hugo-theme-relearn)

5.9.4 (2023-01-23)

Fixes

- **bug** variant: fix search icon and text color [#437](https://github.com/McShelby/hugo-theme-relearn)

5.9.3 (2023-01-22)

Fixes

- **bug** nav: fix left/right navigation for horizontal scrolling [#435](https://github.com/McShelby/hugo-theme-relearn)
- **bug****breaking** theme: allow pages on top level [#434](https://github.com/McShelby/hugo-theme-relearn)

Maintenance

- **task** build: switch to wildcard version of actions [#428](https://github.com/McShelby/hugo-theme-relearn)

5.9.2 (2022-12-30)

Fixes

- **bug** search: apply dependency scripts for Hindi and Japanese [#427](https://github.com/McShelby/hugo-theme-relearn)

5.9.1 (2022-12-23)

Enhancements

- **feature** theme: make external link target configurable [#426](https://github.com/McShelby/hugo-theme-relearn/issues/426)
-

5.9.0 (2022-12-23)

Enhancements

- **feature****change** theme: open external links in separate tab [#419](https://github.com/McShelby/hugo-theme-relearn/issues/419)
- **feature** theme: make it a Hugo module [#417](https://github.com/McShelby/hugo-theme-relearn/issues/417)

Fixes

- **bug****change** attachments: fix incorrect links for defaultContentLanguageInSubdir=true [#425](https://github.com/McShelby/hugo-theme-relearn/issues/425)

5.8.1 (2022-12-11)

Fixes

- **bug** theme: fix alias for home page if defaultContentLanguageInSubdir=true [#414](https://github.com/McShelby/hugo-theme-relearn/issues/414)

5.8.0 (2022-12-08)

Enhancements

- **feature** icon: add new shortcode [#412](https://github.com/McShelby/hugo-theme-relearn/issues/412)

- **feature** theme: style and document markdown extensions [#411](https://github.com/McShelby/hugo-theme-relearn/issues/411)
- **feature** badge: add new shortcode [#410](https://github.com/McShelby/hugo-theme-relearn/issues/410)
- **feature** theme: add accent color [#409](https://github.com/McShelby/hugo-theme-relearn/issues/409)

Fixes

- **bug** theme: fix spacing for tag flyout in FF [#413](https://github.com/McShelby/hugo-theme-relearn/issues/413)

5.7.0 (2022-11-29)

Enhancements

- **feature** button: refactor for a11y [#372](https://github.com/McShelby/hugo-theme-relearn/issues/372)

Fixes

- **bug** search: don't freeze browser on long search terms [#408](https://github.com/McShelby/hugo-theme-relearn/issues/408)
- **bug** search: fix searchbox placeholder color in FF and IE [#405](https://github.com/McShelby/hugo-theme-relearn/issues/405)
- **bug****change** i18n: rename Korean translation from country to lang code [#404](https://github.com/McShelby/hugo-theme-relearn/issues/404)

Maintenance

- **task** search: update lunr languages to 1.10.0 [#403](https://github.com/McShelby/hugo-theme-relearn/issues/403)

5.6.6 (2022-11-23)

Enhancements

- **feature** search: make build and js forgiving against config errors [#400](https://github.com/McShelby/hugo-theme-relearn/issues/400)

Fixes

- **bug** variant: minor color adjustments [#402](https://github.com/McShelby/hugo-theme-relearn/issues/402)
- **bug** variant: fix generator for use of neon [#401](https://github.com/McShelby/hugo-theme-relearn/issues/401)

5.6.5 (2022-11-19)

Fixes

- **[**bug**]** menu: relax usage of background color [#399](https://github.com/McShelby/hugo-theme-relearn/issues/399)

5.6.4 (2022-11-19)

Fixes

- **[**bug**]** theme: make alias pages usable by file:// protocol [#398](https://github.com/McShelby/hugo-theme-relearn/issues/398)

5.6.3 (2022-11-19)

Fixes

- **[**bug**]** theme: be compatible with Hugo >= 0.95.0 [#397](https://github.com/McShelby/hugo-theme-relearn/issues/397)

5.6.2 (2022-11-19)

Fixes

- **[**bug**]** theme: build breaks sites without "output" section in config [#396](https://github.com/McShelby/hugo-theme-relearn/issues/396)

5.6.1 (2022-11-19)

Fixes

- **[**bug**]** theme: fix image distortion [#395](https://github.com/McShelby/hugo-theme-relearn/issues/395)

5.6.0 (2022-11-18)

Enhancements

- **[**feature**]** toc: improve keyboard handling [#390](https://github.com/McShelby/hugo-theme-relearn/issues/390)
- **[**feature**]** search: improve keyboard handling [#387](https://github.com/McShelby/hugo-theme-relearn/issues/387)
- **[**feature**]** search: add dedicated search page [#386](https://github.com/McShelby/hugo-theme-relearn/issues/386)
- **[**feature**]** theme: make creation of generator meta tag configurable [#383](https://github.com/McShelby/hugo-theme-relearn/issues/383)
- **[**feature**]** theme: increase build performance [#380](https://github.com/McShelby/hugo-theme-relearn/issues/380)

Fixes

- **[**bug**]** mermaid: avoid leading whitespace [#394](https://github.com/McShelby/hugo-theme-relearn/issues/394)
- **[**bug**]** theme: fix build errors when referencing SVGs in markdown [#393](https://github.com/McShelby/hugo-theme-relearn/issues/393)
- **[**bug**]** variant: avoid neon to leak into IE11 fallback [#392](https://github.com/McShelby/hugo-theme-relearn/issues/392)
- **[**bug**]** theme: fix urls for file:// protocol in sitemap [#385](https://github.com/McShelby/hugo-theme-relearn/issues/385)
- **[**bug**]** theme: add id to h1 elements [#384](https://github.com/McShelby/hugo-theme-relearn/issues/384)
- **[**bug**]** rss: fix display of hidden subpages [#382](https://github.com/McShelby/hugo-theme-relearn/issues/382)
- **[**bug**]** nav: fix key navigation when pressing wrong modifiers [#379](https://github.com/McShelby/hugo-theme-relearn/issues/379)

Maintenance

- **[**task**]** mermaid: update to version 9.2.2 [#391](https://github.com/McShelby/hugo-theme-relearn/issues/391)

5.5.3 (2022-11-10)

Fixes

- **[**bug**]** tags: fix non-latin tag display on pages [#378](https://github.com/McShelby/hugo-theme-relearn/issues/378)

5.5.2 (2022-11-08)

Fixes

- **theme: fix typo in 404.html** [#376](https://github.com/McShelby/hugo-theme-relearn/issues/376)
- **theme: allow menu items and children to be served by file:// protocol** [#375](https://github.com/McShelby/hugo-theme-relearn/issues/375)

5.5.1 (2022-11-07)

Fixes

- **theme: fix overflowing issue with anchors and tooltips** [#364](https://github.com/McShelby/hugo-theme-relearn/issues/364)

5.5.0 (2022-11-06)

Enhancements

- **optimize page load for images** [#304](https://github.com/McShelby/hugo-theme-relearn/issues/304)

Fixes

- **theme: fix context in render hooks** [#373](https://github.com/McShelby/hugo-theme-relearn/issues/373)
- **print: make canonical URL absolute** [#371](https://github.com/McShelby/hugo-theme-relearn/issues/371)

5.4.3 (2022-11-05)

Enhancements

- **history: refactor for a11y** [#341](https://github.com/McShelby/hugo-theme-relearn/issues/341)

Fixes

- **theme: fix multilang links when site served from subdirectory** [#370](https://github.com/McShelby/hugo-theme-relearn/issues/370)

5.4.2 (2022-11-05)

Maintenance

- **[**task**]** build: change set-output to env vars [#348](https://github.com/McShelby/hugo-theme-relearn/issues/348)

5.4.1 (2022-11-05)

Fixes

- **[**bug**]** mermaid: fix Gantt chart width [#365](https://github.com/McShelby/hugo-theme-relearn/issues/365)

5.4.0 (2022-11-01)

Enhancements

- **[**feature**]** math: allow passing of parameters with codefence syntax [#363](https://github.com/McShelby/hugo-theme-relearn/issues/363)
- **[**feature**]** i18n: add Finnish translation [#361](https://github.com/McShelby/hugo-theme-relearn/issues/361)
- **[**feature**]** mermaid: allow passing of parameters with codefence syntax [#360](https://github.com/McShelby/hugo-theme-relearn/issues/360)
- **[**feature**]** i18n: support RTL [#357](https://github.com/McShelby/hugo-theme-relearn/issues/357)
- **[**feature**][**change**]** button: add option for target [#351](https://github.com/McShelby/hugo-theme-relearn/issues/351)
- **[**feature**][**change**]** theme: allow to be served by file:// protocol [#349](https://github.com/McShelby/hugo-theme-relearn/issues/349)

5.3.3 (2022-10-09)

Fixes

- **[**bug**]** archetypes: fix frontmatter on home.md template [#346](https://github.com/McShelby/hugo-theme-relearn/issues/346)

5.3.2 (2022-10-08)

Fixes

- **bug** nav: change defunct keyboard shortcuts [#344](https://github.com/McShelby/hugo-theme-relearn/)

5.3.1 (2022-10-08)

Enhancements

- **feature** i18n: update Spanish translation [#343](https://github.com/McShelby/hugo-theme-relearn/iss
- **feature** theme: option to align images [#327](https://github.com/McShelby/hugo-theme-relearn/issue

5.3.0 (2022-10-07)

Enhancements

- **feature** expander: improve whitespace between label and content [#338](https://github.com/McShelby
- **feature** swagger: improve print version [#333](https://github.com/McShelby/hugo-theme-relearn/issu

Fixes

- **bug** print: fix links of subsections [#340](https://github.com/McShelby/hugo-theme-relearn/issues/)
- **bug** theme: remove W3C validator errors [#337](https://github.com/McShelby/hugo-theme-relearn/issu
- **bug** children: remove unused `page` parameter from docs [#336](https://github.com/McShelby/hugo-th
- **bug** print: remove menu placeholder in Firefox [#335](https://github.com/McShelby/hugo-theme-relea
- **bug** swagger: fix download button overflow [#334](https://github.com/McShelby/hugo-theme-relearn/i
- **bug****change** a11y: remove WCAG errors where applicable [#307](https://github.com/McShelby/hugo

5.2.4 (2022-10-02)

Fixes

- **bug** theme: remove HTML5 validator errors [#329](https://github.com/McShelby/hugo-theme-relearn/issues/329)

5.2.3 (2022-09-12)

Fixes

- **bug** print: chapter pages overwrite font-size [#328](https://github.com/McShelby/hugo-theme-relearn/issues/328)

5.2.2 (2022-08-23)

Fixes

- **bug** print: fix urls for uglyURLs=true [#322](https://github.com/McShelby/hugo-theme-relearn/issues/322)

5.2.1 (2022-08-05)

Enhancements

- **feature** i18n: improve Japanese translation [#318](https://github.com/McShelby/hugo-theme-relearn/issues/318)

Fixes

- **bug** nav: prev/next ignores ordersectionby [#320](https://github.com/McShelby/hugo-theme-relearn/issues/320)

Maintenance

- **task** task: bump Hugo minimum requirement to 0.95 [#319](https://github.com/McShelby/hugo-theme-relearn/issues/319)

5.2.0 (2022-08-03)

Enhancements

- **feature** **change** menu: expand collapsed menus if search term is found in submenus [#312](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **bug** print: switch mermaid and swagger style before print [#316](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **bug** theme: fix chapter margins on big screens [#315](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.1.2 (2022-07-18)

Fixes

- **bug** print: reset mermaid theme to light [#313](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **bug** mermaid: header is showing up in FF [#311](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.1.1 (2022-07-15)

Fixes

- **bug** tags: don't count tags if page is hidden [#310](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.1.0 (2022-07-15)

Enhancements

- **feature** **change** print: make print url deterministic [#309](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **feature** theme: allow overriding partials for output formats [#308](https://github.com/McShelby/hugo-theme-relearn/commit/00)

5.0.3 (2022-07-07)

Fixes

- **[**bug**]** ie11: no styles after rework of archetypes [#306](https://github.com/McShelby/hugo-theme-relearn)

5.0.2 (2022-07-07)

Fixes

- **[**bug**]** theme: load CSS if JS is disabled [#305](https://github.com/McShelby/hugo-theme-relearn/issues/305)

5.0.1 (2022-07-07)

Enhancements

- **[**feature**][**breaking**]** theme: optimize loading of js and css [#303](https://github.com/McShelby/hugo-theme-relearn/pull/303)

5.0.0 (2022-07-05)

Enhancements

- **[**feature**][**change**]** archetypes: modularize rendering [#300](https://github.com/McShelby/hugo-theme-relearn/pull/300)
- **[**feature**]** history: don't reload page when history gets cleared [#299](https://github.com/McShelby/hugo-theme-relearn/pull/299)
- **[**feature**]** menu: replace expander by fontawesome chevrons [#296](https://github.com/McShelby/hugo-theme-relearn/pull/296)
- **[**feature**]** theme: align content with topbar icon limits [#290](https://github.com/McShelby/hugo-theme-relearn/pull/290)
- **[**feature**]** button: allow for empty href [#288](https://github.com/McShelby/hugo-theme-relearn/issues/288)
- **[**feature**]** i18n: make Simplified Chinese the standard language for the `zn` code [#287](https://github.com/McShelby/hugo-theme-relearn/pull/287)
- **[**feature**]** clipboard: move head styles to stylesheet [#286](https://github.com/McShelby/hugo-theme-relearn/pull/286)
- **[**feature**]** math: add mathjax rendering [#235](https://github.com/McShelby/hugo-theme-relearn/issues/235)
- **[**feature**]** theme: allow for page heading modification [#139](https://github.com/McShelby/hugo-theme-relearn/pull/139)

Fixes

- **[**bug**]** favicon: fix URL if site resides in subfolder [#302](https://github.com/McShelby/hugo-theme-relearn/pull/302)

- **bug** code: show copy-to-clipboard marker for blocklevel code [#298](https://github.com/McShelby/hugo-theme-relearn/issues/298)
- **bug** menu: make active expander visible on hover [#297](https://github.com/McShelby/hugo-theme-relearn/issues/297)
- **bug** print: disable arrow navigation [#294](https://github.com/McShelby/hugo-theme-relearn/issues/294)
- **bug** print: add missing page break after index or section [#292](https://github.com/McShelby/hugo-theme-relearn/issues/292)
- **bug** theme: use more space on wide screens [#291](https://github.com/McShelby/hugo-theme-relearn/issues/291)
- **bug** theme: fix size of chapter heading [#289](https://github.com/McShelby/hugo-theme-relearn/issues/289)

Maintenance

- **task** chore: update RapiDoc 9.3.3 [#301](https://github.com/McShelby/hugo-theme-relearn/issues/301)
- **task** chore: update Mermaid 9.1.3 [#293](https://github.com/McShelby/hugo-theme-relearn/issues/293)

4.2.5 (2022-06-23)

Fixes

- **bug** swagger: javascript code does not load in documentation [#285](https://github.com/McShelby/hugo-theme-relearn/issues/285)
- **bug** children: descriptions not working [#284](https://github.com/McShelby/hugo-theme-relearn/issues/284)
- **bug** print: fix empty page for shortcut links [#283](https://github.com/McShelby/hugo-theme-relearn/issues/283)

4.2.4 (2022-06-23)

Fixes

- **bug** theme: fix url for logo and home button [#282](https://github.com/McShelby/hugo-theme-relearn/issues/282)

4.2.3 (2022-06-23)

Fixes

- **bug****breaking** include: second parameter is ignored [#281](https://github.com/McShelby/hugo-theme-relearn/issues/281)

4.2.2 (2022-06-23)

No changelog for this release.

4.2.1 (2022-06-23)

No changelog for this release.

4.2.0 (2022-06-23)

Enhancements

- **feature** **change** tabs: don't change tab selection if panel does not contain item [#279](https://github.com/McShelby/hugo-theme-relearn/issues/279)
- **feature** shortcodes: convert to partials [#277](https://github.com/McShelby/hugo-theme-relearn/issues/277)

Fixes

- **bug** swagger: avoid builtin syntaxhighlighting [#280](https://github.com/McShelby/hugo-theme-relearn/issues/280)
- **bug** search: fix console message for missing lunr translations [#278](https://github.com/McShelby/hugo-theme-relearn/issues/278)
- **bug** tabs: fix wrapping when having many tabs [#272](https://github.com/McShelby/hugo-theme-relearn/issues/272)

4.1.1 (2022-06-18)

Fixes

- **bug** notice: fix layout when content starts with heading [#275](https://github.com/McShelby/hugo-theme-relearn/issues/275)

4.1.0 (2022-06-12)

Enhancements

- **feature** i18n: support multilang content [#271](https://github.com/McShelby/hugo-theme-relearn/issues/271)

4.0.5 (2022-06-12)

Fixes

- **bug** i18n: Vietnamese language with wrong lang code [#270](https://github.com/McShelby/hugo-theme-relearn/issues/270)
- **bug** i18n: fix search for non western languages [#269](https://github.com/McShelby/hugo-theme-relearn/issues/269)

4.0.4 (2022-06-07)

Enhancements

- **feature** theme: improve keyboard navigation for scrolling [#268](https://github.com/McShelby/hugo-theme-relearn/issues/268)

Fixes

- **bug** swagger: adjust font-size for method buttons [#267](https://github.com/McShelby/hugo-theme-relearn/issues/267)
- **bug** menu: hide expander when only hidden subpages [#264](https://github.com/McShelby/hugo-theme-relearn/issues/264)
- **bug** theme: make compatible with Hugo 0.100.0 [#263](https://github.com/McShelby/hugo-theme-relearn/issues/263)

Maintenance

- **task** swagger: update rapidoc to 9.3.2 [#266](https://github.com/McShelby/hugo-theme-relearn/issues/266)
- **task** mermaid: update to 9.1.1 [#265](https://github.com/McShelby/hugo-theme-relearn/issues/265)

4.0.3 (2022-06-05)

Enhancements

- **feature** toc: add scrollbar [#262](https://github.com/McShelby/hugo-theme-relearn/issues/262)

4.0.2 (2022-06-05)

Fixes

- **theme**: let browser scroll page on CTRL+f [#242](https://github.com/McShelby/hugo-theme-relearn/commit/00)

4.0.1 (2022-06-05)

No changelog for this release.

4.0.0 (2022-06-05)

Enhancements

- **shortcodes**: add named parameter if missing [#260](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **theme**: remove --MAIN-ANCHOR-color from stylesheet [#256](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **i18n**: add Italian translation [#254](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **attachments**: support for brand colors [#252](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **notice**: support for brand colors [#251](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **config**: remove custom_css [#248](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **theme**: use proper file extension for page-meta.go [#246](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **variant**: add support for brand color variables [#239](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **i18n**: add Polish translation [#237](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **shortcodes**: accept boolean parameters if given as string [#261](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **print**: adjust button and tab size [#259](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **print**: show Mermaid if requested in frontmatter [#255](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **theme**: adjust thin scrollbar slider [#244](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **mobile**: fix broken scrollbar [#243](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **theme**: fix display of tooltip for heading anchor [#241](https://github.com/McShelby/hugo-theme-relearn/commit/00)

3.4.1 (2022-04-03)

Fixes

- **theme:** fix IE11 incompatibilities [#234](https://github.com/McShelby/hugo-theme-relearn/issues/234)

3.4.0 (2022-04-03)

Enhancements

- **i18n:** add Traditional Chinese translation [#233](https://github.com/McShelby/hugo-theme-relearn/pull/233)
- **menu:** expand/collapse menu items without navigation [#231](https://github.com/McShelby/hugo-theme-relearn/pull/231)
- **print:** add option to print whole chapter [#230](https://github.com/McShelby/hugo-theme-relearn/pull/230)
- **theme:** apply user supplied content footer below content [#229](https://github.com/McShelby/hugo-theme-relearn/pull/229)

Fixes

- **theme:** scroll to heading on initial load [#232](https://github.com/McShelby/hugo-theme-relearn/pull/232)

3.3.0 (2022-03-28)

Enhancements

- **theme:** add CSS font variables [#227](https://github.com/McShelby/hugo-theme-relearn/issues/227)
- **swagger:** add support for oas/swagger documentation [#226](https://github.com/McShelby/hugo-theme-relearn/pull/226)

Fixes

- **variant:** make variant switch work on slow networks [#228](https://github.com/McShelby/hugo-theme-relearn/pull/228)

3.2.1 (2022-03-25)

Fixes

- **[**bug**]** print: fix minor inconsistencies [#225](https://github.com/McShelby/hugo-theme-relearn/issues/225)
- **[**bug**]** print: show more than just the title page [#224](https://github.com/McShelby/hugo-theme-relearn/issues/224)
- **[**bug**]** theme: align content scrollbar to the right on big screens [#223](https://github.com/McShelby/hugo-theme-relearn/issues/223)

3.2.0 (2022-03-19)

Enhancements

- **[**feature**]****[**change**]** mermaid: support differing themes for color variant switch [#219](https://github.com/McShelby/hugo-theme-relearn/issues/219)
- **[**feature**]** mermaid: load javascript on demand [#218](https://github.com/McShelby/hugo-theme-relearn/issues/218)

Maintenance

- **[**task**]** mermaid: update to 8.14.0 [#220](https://github.com/McShelby/hugo-theme-relearn/issues/220)

3.1.1 (2022-03-16)

Enhancements

- **[**feature**]** i18n: add Korean translation [#217](https://github.com/McShelby/hugo-theme-relearn/issues/217)

3.1.0 (2022-03-15)

Enhancements

- **[**feature**]** notice: add icon parameter [#212](https://github.com/McShelby/hugo-theme-relearn/issues/212)
- **[**feature**]** mobile: remove breadcrumb ellipsis [#211](https://github.com/McShelby/hugo-theme-relearn/issues/211)

Fixes

- **[**bug**]** theme: make storage of multiple Hugo sites on same server distinct [#214](https://github.com/McShelby/hugo-theme-relearn/issues/214)

- **variant:** switch breadcrumb color in Chrome [#213](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **mobile:** improve behavior of sidebar menu [#210](https://github.com/McShelby/hugo-theme-relearn/commit/00)

3.0.4 (2022-02-24)

Enhancements

- **theme:** improve font loading [#201](https://github.com/McShelby/hugo-theme-relearn/issues/201)
- **variant:** fix inconsistent color variable naming [#200](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **variant:** fix occasional fail when resetting generator [#208](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **docs:** don't move header on logo hover in IE11 [#207](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **variant:** avoid flash of menu header when non default variant is active [#206](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **theme:** fix wrong HTML closing tag order in chapters [#205](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **theme:** adjust breadcrumb and title for empty home page titles [#202](https://github.com/McShelby/hugo-theme-relearn/commit/00)

3.0.3 (2022-02-23)

Enhancements

- **tags:** show tag count in taxonomy list [#195](https://github.com/McShelby/hugo-theme-relearn/commit/00)

Fixes

- **theme:** remove Hugo build warning if page is not file based [#197](https://github.com/McShelby/hugo-theme-relearn/commit/00)
- **tags:** adhere to titleSeparator [#196](https://github.com/McShelby/hugo-theme-relearn/issues/196)
- **theme:** hide footer divider and variant selector in IE11 [#194](https://github.com/McShelby/hugo-theme-relearn/commit/00)

3.0.2 (2022-02-23)

Enhancements

- **feature** tags: sort by name [#193](https://github.com/McShelby/hugo-theme-relearn/issues/193)

3.0.1 (2022-02-23)

Enhancements

- **feature** children: set containerstyle automatically according to style [#192](https://github.com/McShelby/hugo-theme-relearn/issues/192)

Fixes

- **bug** theme: revert fontawesome to version 5 for IE11 compat [#191](https://github.com/McShelby/hugo-theme-relearn/issues/191)

3.0.0 (2022-02-22)

Enhancements

- **feature** variant: build a variant generator [#188](https://github.com/McShelby/hugo-theme-relearn/issues/188)
- **feature** nav: only show toc if the page has headings [#182](https://github.com/McShelby/hugo-theme-relearn/issues/182)
- **feature****breaking** theme: change default colors to Relearn defaults [#181](https://github.com/McShelby/hugo-theme-relearn/issues/181)
- **feature** variant: add a variant selector [#178](https://github.com/McShelby/hugo-theme-relearn/issues/178)
- **feature****breaking** menu: rework footer UX [#177](https://github.com/McShelby/hugo-theme-relearn/issues/177)
- **feature** theme: support for dark mode [#175](https://github.com/McShelby/hugo-theme-relearn/issues/175)
- **feature** docs: use light syntax highlighting theme [#174](https://github.com/McShelby/hugo-theme-relearn/issues/174)
- **feature** notice: tweak dull colors [#173](https://github.com/McShelby/hugo-theme-relearn/issues/173)
- **feature** theme: rework header UX [#151](https://github.com/McShelby/hugo-theme-relearn/issues/151)

Fixes

- **bug** search: remove additional X in filled out search box in IE11 [#190](https://github.com/McShelby/hugo-theme-relearn/issues/190)
- **bug** clipboard: localize tooltips [#186](https://github.com/McShelby/hugo-theme-relearn/issues/186)
- **bug** print: hide sidebar on Mac [#183](https://github.com/McShelby/hugo-theme-relearn/issues/183)
- **bug** menu: fix scrollbar height [#180](https://github.com/McShelby/hugo-theme-relearn/issues/180)

- **[**bug**][**change**]** search: fix color change for icons on hover [#176](https://github.com/McShelby/hugo-theme-relearn/issues/176)

2.9.6 (2022-02-07)

Fixes

- **[**bug**]** menu: remove debug output [#171](https://github.com/McShelby/hugo-theme-relearn/issues/171)

2.9.5 (2022-02-07)

Fixes

- **[**bug**]** menu: let arrow navigation respect ordersectionsby configuration [#170](https://github.com/McShelby/hugo-theme-relearn/issues/170)

2.9.4 (2022-02-06)

Fixes

- **[**bug**]** exampleSite: fix links in official documentation [#168](https://github.com/McShelby/hugo-theme-relearn/issues/168)

2.9.3 (2022-02-06)

Fixes

- **[**bug**]** menu: invalid URL when the shortcut is an internal link [#163](https://github.com/McShelby/hugo-theme-relearn/issues/163)

2.9.2 (2021-11-26)

Enhancements

- **feature** theme: add theme version info to head [#158](https://github.com/McShelby/hugo-theme-relearn)

Fixes

- **bug** theme: fix selection of *.ico files as favicons [#160](https://github.com/McShelby/hugo-theme-relearn)

2.9.1 (2021-11-22)

Fixes

- **bug** menu: fix significantly low performance for collecting of meta info [#157](https://github.com/McShelby/hugo-theme-relearn)

2.9.0 (2021-11-19)

Fixes

- **bug****breaking** relref: fix inconsistent behavior [#156](https://github.com/McShelby/hugo-theme-relearn)
- **bug** search: make dropdown stick to search field when scrolling [#155](https://github.com/McShelby/hugo-theme-relearn)
- **bug** menu: align long text properly [#154](https://github.com/McShelby/hugo-theme-relearn/issues/154)
- **bug** copyToClipboard: add missing right border for inline code if `disableInlineCopyToClipboard=true`
- **bug** menu: show hidden sibling pages reliably [#152](https://github.com/McShelby/hugo-theme-relearn)
- **bug** menu: bring active item in sight for large menus [#149](https://github.com/McShelby/hugo-theme-relearn)

2.8.3 (2021-11-09)

Fixes

- **bug** mermaid: let zoom reset to initial size [#145](https://github.com/McShelby/hugo-theme-relearn)
- **bug** mermaid: remove whitespace from big graphs [#143](https://github.com/McShelby/hugo-theme-relearn)

2.8.2 (2021-11-08)

Fixes

- **bug** mermaid: always load javascript to avoid break if code fences are used [#142](https://github.com/McShelby/hugo-theme-relearn/issues/142)

2.8.1 (2021-11-04)

Fixes

- **bug** search: don't break JS in multilang setup if search is disabled [#140](https://github.com/McShelby/hugo-theme-relearn/issues/140)

2.8.0 (2021-11-03)

Enhancements

- **feature** toc: make disableTOC globally available via config.toml [#133](https://github.com/McShelby/hugo-theme-relearn/issues/133)
- **feature** mermaid: only load javascript if necessary [#95](https://github.com/McShelby/hugo-theme-relearn/issues/95)
- **feature** **change** theme: switch font [#83](https://github.com/McShelby/hugo-theme-relearn/issues/83)
- **feature** theme: make favicon configurable [#2](https://github.com/McShelby/hugo-theme-relearn/issues/2)

Fixes

- **bug** mermaid: assert that window.mermaid is actually mermaid [#136](https://github.com/McShelby/hugo-theme-relearn/issues/136)
- **bug** menu: remove usage of Hugo's UniqueID [#131](https://github.com/McShelby/hugo-theme-relearn/issues/131)
- **bug** theme: reduce margin for children shortcode [#130](https://github.com/McShelby/hugo-theme-relearn/issues/130)
- **bug** theme: left-align h3 in chapters [#129](https://github.com/McShelby/hugo-theme-relearn/issues/129)
- **bug** theme: align copy link to clipboard [#128](https://github.com/McShelby/hugo-theme-relearn/issues/128)

2.7.0 (2021-10-24)

Enhancements

- **feature** notice: support custom titles [#124](https://github.com/McShelby/hugo-theme-relearn/issues/124)

2.6.0 (2021-10-21)

Fixes

- **bug** theme: generate correct links if theme served from subdirectory [#120](https://github.com/McShelby/hugo-theme-relearn/issues/120)

2.5.1 (2021-10-12)

Fixes

- **bug** security: fix XSS for malicious image URLs [#117](https://github.com/McShelby/hugo-theme-relearn/issues/117)

2.5.0 (2021-10-08)

Enhancements

- **feature****change** syntax highlight: provide default colors for unknown languages [#113](https://github.com/McShelby/hugo-theme-relearn/issues/113)

Fixes

- **bug** security: fix XSS for malicious URLs [#114](https://github.com/McShelby/hugo-theme-relearn/issues/114)
- **bug** menu: write correct local shortcut links [#112](https://github.com/McShelby/hugo-theme-relearn/issues/112)

2.4.1 (2021-10-07)

Fixes

- **[**bug**]** theme: remove runtime styles from print [#111](https://github.com/McShelby/hugo-theme-relearn/)
-

2.4.0 (2021-10-07)

Enhancements

- **[**feature**]** lang: add vietnamese translation [#109](https://github.com/McShelby/hugo-theme-relearn/)
- **[**feature**][**change**]** theme: simplify stylesheet for color variants [#107](https://github.com/McShelby/hugo-theme-relearn/)
- **[**feature**]** hidden pages: remove from RSS feed, JSON, taxonomy etc [#102](https://github.com/McShelby/hugo-theme-relearn/)
- **[**feature**]** theme: announce alternative content in header [#101](https://github.com/McShelby/hugo-theme-relearn/)
- **[**feature**]** menu: frontmatter option to change sort predicate [#98](https://github.com/McShelby/hugo-theme-relearn/)
- **[**feature**]** menu: add default setting for menu expansion [#97](https://github.com/McShelby/hugo-theme-relearn/)
- **[**feature**]** theme: improve print style [#93](https://github.com/McShelby/hugo-theme-relearn/issues/93)
- **[**feature**]** theme: improve style [#92](https://github.com/McShelby/hugo-theme-relearn/issues/92)

Fixes

- **[**bug**]** include: don't generate additional HTML if file should be displayed "as is" [#110](https://github.com/McShelby/hugo-theme-relearn/)
- **[**bug**]** attachments: fix broken links if multilang config is used [#105](https://github.com/McShelby/hugo-theme-relearn/)
- **[**bug**]** theme: fix sticky header to remove horizontal scrollbar [#82](https://github.com/McShelby/hugo-theme-relearn/)

Maintenance

- **[**task**]** chore: update fontawesome [#94](https://github.com/McShelby/hugo-theme-relearn/issues/94)
-

2.3.2 (2021-09-20)

Fixes

- **docs:** rename history pirate translation [#91](https://github.com/McShelby/hugo-theme-relearn/)

2.3.1 (2021-09-20)

Fixes

- **docs:** rename english pirate translation to avoid crash on rendering [#90](https://github.com/)

2.3.0 (2021-09-13)

Fixes

- **theme:** fix usage of section element [#88](https://github.com/McShelby/hugo-theme-relearn/issu

Maintenance

- **theme:** ensure IE11 compatibility [#89](https://github.com/McShelby/hugo-theme-relearn/issues.
- **docs:** Arrr! showcase multilang featurre [#87](https://github.com/McShelby/hugo-theme-relearn

2.2.0 (2021-09-09)

Enhancements

- **sitemap:** hide hidden pages from sitemap and SEO indexing [#85](https://github.com/McShelby

Fixes

- **theme:** fix showVisitedLinks in case Hugo is configured to modify relative URLs [#86](https://)

Maintenance

- **task** theme: switch from data-vocabulary to schema [#84](https://github.com/McShelby/hugo-theme-relearn)

2.1.0 (2021-09-07)

Enhancements

- **feature** search: open expand if it contains search term [#80](https://github.com/McShelby/hugo-theme-relearn)
- **feature** menu: scroll active item into view [#79](https://github.com/McShelby/hugo-theme-relearn/issues/79)
- **feature** search: disable search in hidden pages [#76](https://github.com/McShelby/hugo-theme-relearn/issues/76)
- **feature** search: improve readability of index.json [#75](https://github.com/McShelby/hugo-theme-relearn/issues/75)
- **feature** search: increase performance [#74](https://github.com/McShelby/hugo-theme-relearn/issues/74)
- **feature** search: improve search context preview [#73](https://github.com/McShelby/hugo-theme-relearn/issues/73)

Fixes

- **bug****change** search: hide non-site content [#81](https://github.com/McShelby/hugo-theme-relearn/issues/81)
- **bug** menu: always hide hidden sub pages [#77](https://github.com/McShelby/hugo-theme-relearn/issues/77)

2.0.0 (2021-08-28)

Enhancements

- **feature** tabs: enhance styling [#65](https://github.com/McShelby/hugo-theme-relearn/issues/65)
- **feature** theme: improve readability [#64](https://github.com/McShelby/hugo-theme-relearn/issues/64)
- **feature** menu: show hidden pages if accessed directly [#60](https://github.com/McShelby/hugo-theme-relearn/issues/60)
- **feature****change** theme: treat pages without title as hidden [#59](https://github.com/McShelby/hugo-theme-relearn/issues/59)
- **feature** search: show search results if field gains focus [#58](https://github.com/McShelby/hugo-theme-relearn/issues/58)
- **feature** theme: add partial templates for pre/post menu entries [#56](https://github.com/McShelby/hugo-theme-relearn/issues/56)
- **feature** theme: make chapter archetype more readable [#55](https://github.com/McShelby/hugo-theme-relearn/issues/55)
- **feature** children: add parameter for container style [#53](https://github.com/McShelby/hugo-theme-relearn/issues/53)
- **feature** theme: make content a template [#50](https://github.com/McShelby/hugo-theme-relearn/issues/50)

- **feature** menu: control menu expansion with alwaysopen parameter [#49](https://github.com/McShelby/)
- **feature** include: new shortcode to include other files [#43](https://github.com/McShelby/hugo-theme-relearn/)
- **feature** theme: adjust print styles [#35](https://github.com/McShelby/hugo-theme-relearn/issues/35)
- **feature****change** code highlighter: switch to standard hugo highlighter [#32](https://github.com/McShelby/hugo-theme-relearn/issues/32)

Fixes

- **bug****change** arrow-nav: default sorting ignores ordersectionsby [#63](https://github.com/McShelby/hugo-theme-relearn/issues/63)
- **bug****change** children: default sorting ignores ordersectionsby [#62](https://github.com/McShelby/hugo-theme-relearn/issues/62)
- **bug****change** arrow-nav: fix broken links on (and below) hidden pages [#61](https://github.com/McShelby/hugo-theme-relearn/issues/61)
- **bug** theme: remove superfluous singular taxonomy from taxonomy title [#46](https://github.com/McShelby/hugo-theme-relearn/issues/46)
- **bug****change** theme: missing --MENU-HOME-LINK-HOVER-color in documentation [#45](https://github.com/McShelby/hugo-theme-relearn/issues/45)
- **bug** theme: fix home link when base URL has some path [#44](https://github.com/McShelby/hugo-theme-relearn/issues/44)

Maintenance

- **task** docs: include changelog in exampleSite [#33](https://github.com/McShelby/hugo-theme-relearn/issues/33)

1.2.0 (2021-07-26)

Enhancements

- **feature** theme: adjust copy-to-clipboard [#29](https://github.com/McShelby/hugo-theme-relearn/issues/29)
- **feature** attachments: adjust style between notice boxes and attachments [#28](https://github.com/McShelby/hugo-theme-relearn/issues/28)
- **feature** theme: adjust blockquote contrast [#27](https://github.com/McShelby/hugo-theme-relearn/issues/27)
- **feature** expand: add option to open on page load [#25](https://github.com/McShelby/hugo-theme-relearn/issues/25)
- **feature** expand: rework styling [#24](https://github.com/McShelby/hugo-theme-relearn/issues/24)
- **feature** attachments: sort output [#23](https://github.com/McShelby/hugo-theme-relearn/issues/23)
- **feature** notice: make restyling of notice boxes more robust [#20](https://github.com/McShelby/hugo-theme-relearn/issues/20)
- **feature** notice: fix contrast issues [#19](https://github.com/McShelby/hugo-theme-relearn/issues/19)
- **feature** notice: align box colors to common standards [#18](https://github.com/McShelby/hugo-theme-relearn/issues/18)
- **feature** notice: use distinct icons for notice box type [#17](https://github.com/McShelby/hugo-theme-relearn/issues/17)

Fixes

- **[**bug**]** attachments: support i18n for attachment size [#21](https://github.com/McShelby/hugo-theme-relearn/issues/21)
- **[**bug**]** notice: support i18n for box labels [#16](https://github.com/McShelby/hugo-theme-relearn/issues/16)
- **[**bug**]** notice: support multiple blocks in one box [#15](https://github.com/McShelby/hugo-theme-relearn/issues/15)

Maintenance

- **[**task**]** dependency: upgrade jquery to 3.6.0 [#30](https://github.com/McShelby/hugo-theme-relearn/issues/30)

1.1.1 (2021-07-04)

Maintenance

- **[**task**]** theme: prepare for new hugo theme registration [#13](https://github.com/McShelby/hugo-theme-relearn/issues/13)

1.1.0 (2021-07-02)

Enhancements

- **[**feature**]** mermaid: expose options in config.toml [#4](https://github.com/McShelby/hugo-theme-relearn/issues/4)

Fixes

- **[**bug**]** mermaid: config option for CDN url not used [#12](https://github.com/McShelby/hugo-theme-relearn/issues/12)
- **[**bug**]** mermaid: only highlight text in HTML elements [#10](https://github.com/McShelby/hugo-theme-relearn/issues/10)
- **[**bug**]** mermaid: support pan & zoom for graphs [#9](https://github.com/McShelby/hugo-theme-relearn/issues/9)
- **[**bug**]** mermaid: code fences not always rendered [#6](https://github.com/McShelby/hugo-theme-relearn/issues/6)
- **[**bug**]** mermaid: search term on load may bomb chart [#5](https://github.com/McShelby/hugo-theme-relearn/issues/5)

Maintenance

- **[**task**]** mermaid: update to 8.10.2 [#7](https://github.com/McShelby/hugo-theme-relearn/issues/7)

1.0.1 (2021-07-01)

Maintenance

- **[**task**]** Prepare for hugo showcase [#3](https://github.com/McShelby/hugo-theme-relearn/issues/3)

1.0.0 (2021-07-01)

Maintenance

- **[**task**]** Fork project [#1](https://github.com/McShelby/hugo-theme-relearn/issues/1)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\LICENSE

Resumo: The MIT License (MIT) Copyright (c) 2021 Sören Weber Copyright (c) 2017 Valere JEANTET Copyright (c) 2016 MATHIEU CORNIC Copyright (c) 2014 Grav Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software")...

The MIT License (MIT)

Copyright (c) 2021 Sören Weber

Copyright (c) 2017 Valere JEANTET

Copyright (c) 2016 MATHIEU CORNIC

Copyright (c) 2014 Grav

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\README.md

Resumo: # Hugo Relearn Theme A theme for [Hugo](https://gohugo.io/) designed for documentation. [★ What's new in the latest release ★](https://mcshelby.github.io/hugo-theme-relearn/basics/migration) ![Image of the Relearn theme in light and dark mode on phone, tablet and desktop](https://github.com/McShelby/hugo-theme-relearn/blob/master/assets/images/preview.png)

Hugo Relearn Theme

A theme for [Hugo](https://gohugo.io/) designed for documentation.

[★ What's new in the latest release ★](https://mcshelby.github.io/hugo-theme-relearn/basics/migration)

![Image of the Relearn theme in light and dark mode on phone, tablet and desktop](https://github.com/McShelby/hugo-theme-relearn/blob/master/assets/images/preview.png)

Motivation

The Relearn theme is a fork of the great [Learn theme](https://github.com/matcornic/hugo-theme-learn) with

Features

- **Wide set of usage scenarios**
 - Responsive design for mobile usage
 - Looks nice on paper (if it has to)
 - Usable offline, no external dependencies
 - [Usable from your local file system via `file://` protocol](https://mcshelby.github.io/hugo-theme-relearn/basics/usage#local-file-system)
 - Support for the [VSCode Front Matter extension](https://github.com/estruf/vscode-front-matter) for on
 - [Support for Open Graph, Schema and Twitter Cards](https://mcshelby.github.io/hugo-theme-relearn/basics/branding#social-media)
- **Configurable theming and visuals**
 - [Configurable brand images](https://mcshelby.github.io/hugo-theme-relearn/basics/branding#change-the-brand)
 - [Automatic switch for light/dark variant depending on your OS settings](https://mcshelby.github.io/hugo-theme-relearn/basics/branding#light-dark-mode)
 - Predefined light, dark and color variants
 - [User selectable variants](https://mcshelby.github.io/hugo-theme-relearn/basics/branding#multiple-variants)
 - [Stylesheet generator](https://mcshelby.github.io/hugo-theme-relearn/basics/generator)
 - [Configurable syntax highlighting](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/highlight)
- **Unique theme features**
 - [Print whole chapters or even the complete site](https://mcshelby.github.io/hugo-theme-relearn/basics/print)
 - In page search

- [Site search](https://mcshelby.github.io/hugo-theme-relearn/basics/customization#activate-search)
 - [Dedicated search page](https://mcshelby.github.io/hugo-theme-relearn/basics/customization#activate-dedicated-search)
 - [Taxonomy support](https://mcshelby.github.io/hugo-theme-relearn/cont/taxonomy)
 - [Configurable topbar buttons](https://mcshelby.github.io/hugo-theme-relearn/basics/topbar)
 - [Unlimited nested menu items](https://mcshelby.github.io/hugo-theme-relearn/cont/pages)
 - [Configurable shortcut links](https://mcshelby.github.io/hugo-theme-relearn/cont/menushortcuts)
 - Hidden pages
 - ****Multi language support****
 - [Full support for languages written right to left](https://mcshelby.github.io/hugo-theme-relearn/cont/rtl)
 - [Available languages](https://mcshelby.github.io/hugo-theme-relearn/cont/i18n#basic-configuration): All languages supported by Hugo
 - [Search support for mixed language content](https://mcshelby.github.io/hugo-theme-relearn/cont/i18n#search)
 - ****Additional Markdown features****
 - [Support for GFM (GitHub Flavored Markdown)](https://mcshelby.github.io/hugo-theme-relearn/cont/markdown#github-flavored-markdown)
 - [Image effects like sizing, shadow, border and alignment](https://mcshelby.github.io/hugo-theme-relearn/cont/markdown#image-effects)
 - [Image lightbox](https://mcshelby.github.io/hugo-theme-relearn/cont/markdown#lightbox)
 - ****Shortcodes galore****
 - [Display resources contained in a page bundle](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/bundle)
 - [Marker badges](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/badge)
 - [Configurable buttons](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/button)
 - [List child pages](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/children)
 - [Expand areas to reveal content](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/expand)
 - [Font Awesome icons](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/icon)
 - [Inclusion of other files](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/include)
 - [Math and chemical formulae using MathJax](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/math)
 - [Mermaid diagrams for flowcharts, sequences, gantt, pie, etc.](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/mermaid)
 - [Colorful boxes](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/notice)
 - [OpenAPI specifications using Swagger UI](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/openapi)
 - [Reveal your site's configuration parameter](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/reveal)
 - [Single tabbed panels](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/tab) and [multiple tabbed panels](https://mcshelby.github.io/hugo-theme-relearn/shortcodes/tabs)
- ## Installation & Usage

For a detailed description of the theme's capabilities visit the [official documentation](https://mcshelby.github.io/hugo-theme-relearn/)

Changelog

See the [What's New](https://mcshelby.github.io/hugo-theme-relearn/basics/migration) page for release history

Contributions

You are most welcome to contribute bugfixes or new features. Check the [contribution guidelines](https://r

License

The Relearn theme is licensed under the [MIT License](https://github.com/McShelby/hugo-theme-relearn/blob

Credits

This theme would not be possible without the work of [many others](https://mcselby.github.io/hugo-theme-

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\archetypes\chapter.md

Resumo: +++ archetype = "chapter" title = "{{ replace .Name "-" " " | title }}" weight = 1 +++ This is a new chapter.

+++

archetype = "chapter"

title = "{{ replace .Name "-" " " | title }}"

weight = 1

+++

This is a new chapter.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\archetypes\default.md

Resumo: +++ title = "{{ replace .Name "-" " " | title }}" +++ This is a new page.

+++

title = "{{ replace .Name "-" " " | title }}"

+++

This is a new page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\archetypes\home.md

Resumo: +++ archetype = "home" title = "{{ replace .Name "-" " " | title }}" +++ This is a new home page.

+++

archetype = "home"

title = "{{ replace .Name "-" " " | title }}"

+++

This is a new home page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\auto.css

*Resumo: @import "{{ printf "%s-%s.css" .prefix .light }}" screen and (prefers-color-scheme: light);
@import "{{ printf "%s-%s.css" .prefix .dark }}" screen and (prefers-color-scheme: dark);*

```
@import "{{ printf "%s-%s.css" .prefix .light }}" screen and (prefers-color-scheme: light);
```

```
@import "{{ printf "%s-%s.css" .prefix .dark }}" screen and (prefers-color-scheme: dark);
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-learn.css

Resumo: / based on base16-snazzy */ /* Background */ .bg { color: #e2e4e5; background-color: #282a36; } /* PreWrapper */ .chroma { color: #e2e4e5; background-color: #282a36; } /* Other */ .chroma .x { } /* Error */ .chroma .err { color: #ff5c57 } /* CodeLine */ .chroma .cl { } /* LineLink */ .chroma .lnlinks { outline: none; text-decoration: none; color: inherit } /* LineTableTD */ .chroma .lntd { vertical-align: top; padding: 0; margin: 0; border: 0; } /* LineTable */ .chroma .lntable { border-spacing: 0; padding: 0; margin: 0; border: 0; } /* LineHighlight */ .chroma .hl { background-color: #505050 } /* LineNumbersTable */ .chroma .lnt { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; } /* LineNumbers */ .chroma .ln { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; } /* Line */ .chroma .line { display: flex; } /* Keyword */ .chroma .k { color: #ff6ac1 } /* KeywordConstant */ .chroma .kc { color: #ff6ac1 } /* KeywordDeclaration */ .chroma .kd { color: #ff5c57 } /* KeywordNamespace */ .chroma .kn { color: #ff6ac1 } /* KeywordPseudo */ .chroma .kp { color: #ff6ac1 } /* KeywordReserved */ .chroma .kr { color: #ff6ac1 } /* KeywordType */ .chroma .kt { color: #9aedfe } /* Name */ .chroma .n { } /* NameAttribute */ .chroma .na { color: #57c7ff } /* NameBuiltin */ .chroma .nb { color: #ff5c57 } /* NameBuiltinPseudo */ .chroma .bp { } /* NameClass */ .chroma .nc { color: #f3f99d } /* NameConstant */ .chroma .no { color: #ff9f43 } /* NameDecorator */ .chroma .nd { color: #ff9f43 } /* NameEntity */ .chroma .ni { } /* NameException */ .chroma .ne { } /* NameFunction */ .chroma .nf { color: #57c7ff } /* NameFunctionMagic */ .chroma .fm { } */*

```
/* based on base16-snazzy */
```

```
/* Background */ .bg { color: #e2e4e5; background-color: #282a36; }
```

```
/* PreWrapper */ .chroma { color: #e2e4e5; background-color: #282a36; }
```

```
/* Other */ .chroma .x { }
```

```
/* Error */ .chroma .err { color: #ff5c57 }
```

```
/* CodeLine */ .chroma .cl { }
```

```
/* LineLink */ .chroma .lnlinks { outline: none; text-decoration: none; color: inherit }
```

```
/* LineTableTD */ .chroma .lntd { vertical-align: top; padding: 0; margin: 0; border: 0; }
```

```
/* LineTable */ .chroma .lntable { border-spacing: 0; padding: 0; margin: 0; border: 0; }
```

```
/* LineHighlight */ .chroma .hl { background-color: #505050 }
```

```
/* LineNumbersTable */ .chroma .lnt { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; }
```

```
/* LineNumbers */ .chroma .ln { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; }
```

```
/* Line */ .chroma .line { display: flex; }
```

```
/* Keyword */ .chroma .k { color: #ff6ac1 }
```

```
/* KeywordConstant */ .chroma .kc { color: #ff6ac1 }
```

```
/* KeywordDeclaration */ .chroma .kd { color: #ff5c57 }
```

```
/* KeywordNamespace */ .chroma .kn { color: #ff6ac1 }
```

```
/* KeywordPseudo */ .chroma .kp { color: #ff6ac1 }
```

```
/* KeywordReserved */ .chroma .kr { color: #ff6ac1 }
```

```
/* KeywordType */ .chroma .kt { color: #9aedfe }
```

```
/* Name */ .chroma .n { }
```

```
/* NameAttribute */ .chroma .na { color: #57c7ff }
```

```
/* NameBuiltin */ .chroma .nb { color: #ff5c57 }
```

```
/* NameBuiltinPseudo */ .chroma .bp { }
```

```
/* NameClass */ .chroma .nc { color: #f3f99d }
```

```
/* NameConstant */ .chroma .no { color: #ff9f43 }
```

```
/* NameDecorator */ .chroma .nd { color: #ff9f43 }
```

```
/* NameEntity */ .chroma .ni { }
```

```
/* NameException */ .chroma .ne { }
```

```
/* NameFunction */ .chroma .nf { color: #57c7ff }
```

```
/* NameFunctionMagic */ .chroma .fm { }
```

```
/* NameLabel */ .chroma .nl { color: #ff5c57 }

/* NameNamespace */ .chroma .nn { }

/* NameOther */ .chroma .nx { }

/* NameProperty */ .chroma .py { }

/* NameTag */ .chroma .nt { color: #ff6ac1 }

/* NameVariable */ .chroma .nv { color: #ff5c57 }

/* NameVariableClass */ .chroma .vc { color: #ff5c57 }

/* NameVariableGlobal */ .chroma .vg { color: #ff5c57 }

/* NameVariableInstance */ .chroma .vi { color: #ff5c57 }

/* NameVariableMagic */ .chroma .vm { }

/* Literal */ .chroma .l { }

/* LiteralDate */ .chroma .ld { }

/* LiteralString */ .chroma .s { color: #5af78e }

/* LiteralStringAffix */ .chroma .sa { color: #5af78e }

/* LiteralStringBacktick */ .chroma .sb { color: #5af78e }

/* LiteralStringChar */ .chroma .sc { color: #5af78e }

/* LiteralStringDelimiter */ .chroma .dl { color: #5af78e }

/* LiteralStringDoc */ .chroma .sd { color: #5af78e }

/* LiteralStringDouble */ .chroma .s2 { color: #5af78e }

/* LiteralStringEscape */ .chroma .se { color: #5af78e }

/* LiteralStringHeredoc */ .chroma .sh { color: #5af78e }

/* LiteralStringInterpol */ .chroma .si { color: #5af78e }

/* LiteralStringOther */ .chroma .sx { color: #5af78e }

/* LiteralStringRegex */ .chroma .sr { color: #5af78e }

/* LiteralStringSingle */ .chroma .s1 { color: #5af78e }

/* LiteralStringSymbol */ .chroma .ss { color: #5af78e }

/* LiteralNumber */ .chroma .m { color: #ff9f43 }

/* LiteralNumberBin */ .chroma .mb { color: #ff9f43 }

/* LiteralNumberFloat */ .chroma .mf { color: #ff9f43 }

/* LiteralNumberHex */ .chroma .mh { color: #ff9f43 }

/* LiteralNumberInteger */ .chroma .mi { color: #ff9f43 }

/* LiteralNumberIntegerLong */ .chroma .il { color: #ff9f43 }

/* LiteralNumberOct */ .chroma .mo { color: #ff9f43 }

/* Operator */ .chroma .o { color: #ff6ac1 }

/* OperatorWord */ .chroma .ow { color: #ff6ac1 }
```

```
/* Punctuation */ .chroma .p { }

/* Comment */ .chroma .c { color: #78787e }

/* CommentHashbang */ .chroma .ch { color: #78787e }

/* CommentMultiline */ .chroma .cm { color: #78787e }

/* CommentSingle */ .chroma .c1 { color: #78787e }

/* CommentSpecial */ .chroma .cs { color: #78787e }

/* CommentPreproc */ .chroma .cp { color: #78787e }

/* CommentPreprocFile */ .chroma .cpf { color: #78787e }

/* Generic */ .chroma .g { }

/* GenericDeleted */ .chroma .gd { color: #ff5c57 }

/* GenericEmph */ .chroma .ge { text-decoration: underline }

/* GenericError */ .chroma .gr { color: #ff5c57 }

/* GenericHeading */ .chroma .gh { font-weight: bold }

/* GenericInserted */ .chroma .gi { font-weight: bold }

/* GenericOutput */ .chroma .go { color: #43454f }

/* GenericPrompt */ .chroma .gp { }

/* GenericStrong */ .chroma .gs { font-style: italic }

/* GenericSubheading */ .chroma .gu { font-weight: bold }

/* GenericTraceback */ .chroma .gt { }

/* GenericUnderline */ .chroma .gl { text-decoration: underline }

/* TextWhitespace */ .chroma .w { }
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-neon.css

```
Resumo: /* based on rrt */ /* Background */ .bg { color: #f8f8f2; background-color: #000000; } /*  
PreWrapper */ .chroma { color: #f8f8f2; background-color: #000000; } /* Other */ .chroma .x { } /*  
Error */ .chroma .err { } /* CodeLine */ .chroma .cl { } /* LineLink */ .chroma .lnlinks { outline: no...
```

```
/* based on rrt */  
  
/* Background */ .bg { color: #f8f8f2; background-color: #000000; }  
  
/* PreWrapper */ .chroma { color: #f8f8f2; background-color: #000000; }  
  
/* Other */ .chroma .x { }  
  
/* Error */ .chroma .err { }  
  
/* CodeLine */ .chroma .cl { }  
  
/* LineLink */ .chroma .lnlinks { outline: none; text-decoration: none; color: inherit }  
  
/* LineTableTD */ .chroma .lntd { vertical-align: top; padding: 0; margin: 0; border: 0; }  
  
/* LineTable */ .chroma .lntable { border-spacing: 0; padding: 0; margin: 0; border: 0; }  
  
/* LineHighlight */ .chroma .hl { background-color: #363638 }  
  
/* LineNumbersTable */ .chroma .lnt { white-space: pre; -webkit-user-select: none; user-select: none; margin: 0; }  
  
/* LineNumbers */ .chroma .ln { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; }  
  
/* Line */ .chroma .line { display: flex; }  
  
/* Keyword */ .chroma .k { color: #ff0000 }  
  
/* KeywordConstant */ .chroma .kc { color: #ff0000 }  
  
/* KeywordDeclaration */ .chroma .kd { color: #ff0000 }  
  
/* KeywordNamespace */ .chroma .kn { color: #ff0000 }  
  
/* KeywordPseudo */ .chroma .kp { color: #ff0000 }  
  
/* KeywordReserved */ .chroma .kr { color: #ff0000 }  
  
/* KeywordType */ .chroma .kt { color: #ee82ee }  
  
/* Name */ .chroma .n { }  
  
/* NameAttribute */ .chroma .na { }  
  
/* NameBuiltin */ .chroma .nb { }  
  
/* NameBuiltinPseudo */ .chroma .bp { }  
  
/* NameClass */ .chroma .nc { }  
  
/* NameConstant */ .chroma .no { color: #7fffd4 }  
  
/* NameDecorator */ .chroma .nd { }  
  
/* NameEntity */ .chroma .ni { }  
  
/* NameException */ .chroma .ne { }  
  
/* NameFunction */ .chroma .nf { color: #ffff00 }  
  
/* NameFunctionMagic */ .chroma .fm { }
```

```
/* NameLabel */ .chroma .nl { }
/* NameNamespace */ .chroma .nn { }
/* NameOther */ .chroma .nx { }
/* NameProperty */ .chroma .py { }
/* NameTag */ .chroma .nt { }
/* NameVariable */ .chroma .nv { color: #eedd82 }
/* NameVariableClass */ .chroma .vc { }
/* NameVariableGlobal */ .chroma .vg { }
/* NameVariableInstance */ .chroma .vi { }
/* NameVariableMagic */ .chroma .vm { }
/* Literal */ .chroma .l { }
/* LiteralDate */ .chroma .ld { }
/* LiteralString */ .chroma .s { color: #87ceeb }
/* LiteralStringAffix */ .chroma .sa { color: #87ceeb }
/* LiteralStringBacktick */ .chroma .sb { color: #87ceeb }
/* LiteralStringChar */ .chroma .sc { color: #87ceeb }
/* LiteralStringDelimiter */ .chroma .dl { color: #87ceeb }
/* LiteralStringDoc */ .chroma .sd { color: #87ceeb }
/* LiteralStringDouble */ .chroma .s2 { color: #87ceeb }
/* LiteralStringEscape */ .chroma .se { color: #87ceeb }
/* LiteralStringHeredoc */ .chroma .sh { color: #87ceeb }
/* LiteralStringInterpol */ .chroma .si { color: #87ceeb }
/* LiteralStringOther */ .chroma .sx { color: #87ceeb }
/* LiteralStringRegex */ .chroma .sr { color: #87ceeb }
/* LiteralStringSingle */ .chroma .s1 { color: #87ceeb }
/* LiteralStringSymbol */ .chroma .ss { color: #ff6600 }
/* LiteralNumber */ .chroma .m { color: #ff6600 }
/* LiteralNumberBin */ .chroma .mb { color: #ff6600 }
/* LiteralNumberFloat */ .chroma .mf { color: #ff6600 }
/* LiteralNumberHex */ .chroma .mh { color: #ff6600 }
/* LiteralNumberInteger */ .chroma .mi { color: #ff6600 }
/* LiteralNumberIntegerLong */ .chroma .il { color: #ff6600 }
/* LiteralNumberOct */ .chroma .mo { color: #ff6600 }
/* Operator */ .chroma .o { }
/* OperatorWord */ .chroma .ow { }
```



```
/* Punctuation */ .chroma .p { }

/* Comment */ .chroma .c { color: #00ff00 }

/* CommentHashbang */ .chroma .ch { color: #00ff00 }

/* CommentMultiline */ .chroma .cm { color: #00ff00 }

/* CommentSingle */ .chroma .c1 { color: #00ff00 }

/* CommentSpecial */ .chroma .cs { color: #00ff00 }

/* CommentPreproc */ .chroma .cp { color: #e5e5e5 }

/* CommentPreprocFile */ .chroma .cpf { color: #e5e5e5 }

/* Generic */ .chroma .g { }

/* GenericDeleted */ .chroma .gd { }

/* GenericEmph */ .chroma .ge { }

/* GenericError */ .chroma .gr { }

/* GenericHeading */ .chroma .gh { }

/* GenericInserted */ .chroma .gi { }

/* GenericOutput */ .chroma .go { }

/* GenericPrompt */ .chroma .gp { }

/* GenericStrong */ .chroma .gs { }

/* GenericSubheading */ .chroma .gu { }

/* GenericTraceback */ .chroma .gt { }

/* GenericUnderline */ .chroma .gl { }

/* TextWhitespace */ .chroma .w { }

}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-relearn-dark.css

Resumo: / based on monokai */ /* Background */ .bg { color: #f8f8f2; background-color: #2b2b2b; } /* PreWrapper */ .chroma { color: #f8f8f2; background-color: #2b2b2b; } /* Other */ .chroma .x { } /* Error */ .chroma .err { color: #cc66cc; } /* CodeLine */ .chroma .cl { } /* LineLink */ .chroma .ln...*

```
/* based on monokai */

/* Background */ .bg { color: #f8f8f2; background-color: #2b2b2b; }

/* PreWrapper */ .chroma { color: #f8f8f2; background-color: #2b2b2b; }

/* Other */ .chroma .x { }

/* Error */ .chroma .err { color: #cc66cc; }

/* CodeLine */ .chroma .cl { }

/* LineLink */ .chroma .lnlinks { outline: none; text-decoration: none; color: inherit }

/* LineTableTD */ .chroma .lntd { vertical-align: top; padding: 0; margin: 0; border: 0; }

/* LineTable */ .chroma .lntable { border-spacing: 0; padding: 0; margin: 0; border: 0; }

/* LineHighlight */ .chroma .hl { background-color: #404042 }

/* LineNumbersTable */ .chroma .lnt { white-space: pre; -webkit-user-select: none; user-select: none; margin: 0; }

/* LineNumbers */ .chroma .ln { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; }

/* Line */ .chroma .line { display: flex; }

/* Keyword */ .chroma .k { color: #66d9ef }

/* KeywordConstant */ .chroma .kc { color: #66d9ef }

/* KeywordDeclaration */ .chroma .kd { color: #66d9ef }

/* KeywordNamespace */ .chroma .kn { color: #f92672 }

/* KeywordPseudo */ .chroma .kp { color: #66d9ef }

/* KeywordReserved */ .chroma .kr { color: #66d9ef }

/* KeywordType */ .chroma .kt { color: #66d9ef }

/* Name */ .chroma .n { }

/* NameAttribute */ .chroma .na { color: #a6e22e }

/* NameBuiltin */ .chroma .nb { }

/* NameBuiltinPseudo */ .chroma .bp { }

/* NameClass */ .chroma .nc { color: #a6e22e }

/* NameConstant */ .chroma .no { color: #66d9ef }

/* NameDecorator */ .chroma .nd { color: #a6e22e }

/* NameEntity */ .chroma .ni { }

/* NameException */ .chroma .ne { color: #a6e22e }

/* NameFunction */ .chroma .nf { color: #a6e22e }
```

```
/* NameFunctionMagic */ .chroma .fm { }
/* NameLabel */ .chroma .nl { }
/* NameNamespace */ .chroma .nn { }
/* NameOther */ .chroma .nx { color: #a6e22e }
/* NameProperty */ .chroma .py { }
/* NameTag */ .chroma .nt { color: #f92672 }
/* NameVariable */ .chroma .nv { }
/* NameVariableClass */ .chroma .vc { }
/* NameVariableGlobal */ .chroma .vg { }
/* NameVariableInstance */ .chroma .vi { }
/* NameVariableMagic */ .chroma .vm { }
/* Literal */ .chroma .l { color: #ae81ff }
/* LiteralDate */ .chroma .ld { color: #e6db74 }
/* LiteralString */ .chroma .s { color: #e6db74 }
/* LiteralStringAffix */ .chroma .sa { color: #e6db74 }
/* LiteralStringBacktick */ .chroma .sb { color: #e6db74 }
/* LiteralStringChar */ .chroma .sc { color: #e6db74 }
/* LiteralStringDelimiter */ .chroma .dl { color: #e6db74 }
/* LiteralStringDoc */ .chroma .sd { color: #e6db74 }
/* LiteralStringDouble */ .chroma .s2 { color: #e6db74 }
/* LiteralStringEscape */ .chroma .se { color: #ae81ff }
/* LiteralStringHeredoc */ .chroma .sh { color: #e6db74 }
/* LiteralStringInterpol */ .chroma .si { color: #e6db74 }
/* LiteralStringOther */ .chroma .sx { color: #e6db74 }
/* LiteralStringRegex */ .chroma .sr { color: #e6db74 }
/* LiteralStringSingle */ .chroma .s1 { color: #e6db74 }
/* LiteralStringSymbol */ .chroma .ss { color: #e6db74 }
/* LiteralNumber */ .chroma .m { color: #ae81ff }
/* LiteralNumberBin */ .chroma .mb { color: #ae81ff }
/* LiteralNumberFloat */ .chroma .mf { color: #ae81ff }
/* LiteralNumberHex */ .chroma .mh { color: #ae81ff }
/* LiteralNumberInteger */ .chroma .mi { color: #ae81ff }
/* LiteralNumberIntegerLong */ .chroma .il { color: #ae81ff }
/* LiteralNumberOct */ .chroma .mo { color: #ae81ff }
/* Operator */ .chroma .o { color: #f92672 }
```

```
/* OperatorWord */ .chroma .ow { color: #f92672 }
/* Punctuation */ .chroma .p { }
/* Comment */ .chroma .c { color: #75715e }
/* CommentHashbang */ .chroma .ch { color: #75715e }
/* CommentMultiline */ .chroma .cm { color: #75715e }
/* CommentSingle */ .chroma .c1 { color: #75715e }
/* CommentSpecial */ .chroma .cs { color: #75715e }
/* CommentPreproc */ .chroma .cp { color: #75715e }
/* CommentPreprocFile */ .chroma .cpf { color: #75715e }
/* Generic */ .chroma .g { }
/* GenericDeleted */ .chroma .gd { color: #f92672 }
/* GenericEmph */ .chroma .ge { font-style: italic }
/* GenericError */ .chroma .gr { }
/* GenericHeading */ .chroma .gh { }
/* GenericInserted */ .chroma .gi { color: #a6e22e }
/* GenericOutput */ .chroma .go { }
/* GenericPrompt */ .chroma .gp { }
/* GenericStrong */ .chroma .gs { font-weight: bold }
/* GenericSubheading */ .chroma .gu { color: #75715e }
/* GenericTraceback */ .chroma .gt { }
/* GenericUnderline */ .chroma .gl { }
/* TextWhitespace */ .chroma .w { }
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\chroma-relearn-light.css

Resumo: / based on monokailight */ /* Background */ .bg { color: #272822; background-color: #fafafa; } /* PreWrapper */ .chroma { color: #272822; background-color: #fafafa; } /* Other */ .chroma .x { } /* Error */ .chroma .err { color: #960050; } /* CodeLine */ .chroma .cl { } /* LineLink */ .chrom...*

```
/* based on monokailight */

/* Background */ .bg { color: #272822; background-color: #fafafa; }

/* PreWrapper */ .chroma { color: #272822; background-color: #fafafa; }

/* Other */ .chroma .x { }

/* Error */ .chroma .err { color: #960050; }

/* CodeLine */ .chroma .cl { }

/* LineLink */ .chroma .lnlinks { outline: none; text-decoration: none; color: inherit }

/* LineTableTD */ .chroma .lntd { vertical-align: top; padding: 0; margin: 0; border: 0; }

/* LineTable */ .chroma .lntable { border-spacing: 0; padding: 0; margin: 0; border: 0; }

/* LineHighlight */ .chroma .hl { background-color: #e1e1e1 }

/* LineNumbersTable */ .chroma .lnt { white-space: pre; -webkit-user-select: none; user-select: none; margin: 0; }

/* LineNumbers */ .chroma .ln { white-space: pre; -webkit-user-select: none; user-select: none; margin-right: 10px; }

/* Line */ .chroma .line { display: flex; }

/* Keyword */ .chroma .k { color: #00a8c8 }

/* KeywordConstant */ .chroma .kc { color: #00a8c8 }

/* KeywordDeclaration */ .chroma .kd { color: #00a8c8 }

/* KeywordNamespace */ .chroma .kn { color: #f92672 }

/* KeywordPseudo */ .chroma .kp { color: #00a8c8 }

/* KeywordReserved */ .chroma .kr { color: #00a8c8 }

/* KeywordType */ .chroma .kt { color: #00a8c8 }

/* Name */ .chroma .n { color: #111111 }

/* NameAttribute */ .chroma .na { color: #75af00 }

/* NameBuiltin */ .chroma .nb { color: #111111 }

/* NameBuiltinPseudo */ .chroma .bp { color: #111111 }

/* NameClass */ .chroma .nc { color: #75af00 }

/* NameConstant */ .chroma .no { color: #00a8c8 }

/* NameDecorator */ .chroma .nd { color: #75af00 }

/* NameEntity */ .chroma .ni { color: #111111 }

/* NameException */ .chroma .ne { color: #75af00 }

/* NameFunction */ .chroma .nf { color: #75af00 }
```

```
/* NameFunctionMagic */ .chroma .fm { color: #111111 }
/* NameLabel */ .chroma .nl { color: #111111 }
/* NameNamespace */ .chroma .nn { color: #111111 }
/* NameOther */ .chroma .nx { color: #75af00 }
/* NameProperty */ .chroma .py { color: #111111 }
/* NameTag */ .chroma .nt { color: #f92672 }
/* NameVariable */ .chroma .nv { color: #111111 }
/* NameVariableClass */ .chroma .vc { color: #111111 }
/* NameVariableGlobal */ .chroma .vg { color: #111111 }
/* NameVariableInstance */ .chroma .vi { color: #111111 }
/* NameVariableMagic */ .chroma .vm { color: #111111 }
/* Literal */ .chroma .l { color: #ae81ff }
/* LiteralDate */ .chroma .ld { color: #d88200 }
/* LiteralString */ .chroma .s { color: #d88200 }
/* LiteralStringAffix */ .chroma .sa { color: #d88200 }
/* LiteralStringBacktick */ .chroma .sb { color: #d88200 }
/* LiteralStringChar */ .chroma .sc { color: #d88200 }
/* LiteralStringDelimiter */ .chroma .dl { color: #d88200 }
/* LiteralStringDoc */ .chroma .sd { color: #d88200 }
/* LiteralStringDouble */ .chroma .s2 { color: #d88200 }
/* LiteralStringEscape */ .chroma .se { color: #8045ff }
/* LiteralStringHeredoc */ .chroma .sh { color: #d88200 }
/* LiteralStringInterpol */ .chroma .si { color: #d88200 }
/* LiteralStringOther */ .chroma .sx { color: #d88200 }
/* LiteralStringRegex */ .chroma .sr { color: #d88200 }
/* LiteralStringSingle */ .chroma .s1 { color: #d88200 }
/* LiteralStringSymbol */ .chroma .ss { color: #d88200 }
/* LiteralNumber */ .chroma .m { color: #ae81ff }
/* LiteralNumberBin */ .chroma .mb { color: #ae81ff }
/* LiteralNumberFloat */ .chroma .mf { color: #ae81ff }
/* LiteralNumberHex */ .chroma .mh { color: #ae81ff }
/* LiteralNumberInteger */ .chroma .mi { color: #ae81ff }
/* LiteralNumberIntegerLong */ .chroma .il { color: #ae81ff }
/* LiteralNumberOct */ .chroma .mo { color: #ae81ff }
/* Operator */ .chroma .o { color: #f92672 }
```

```
/* OperatorWord */ .chroma .ow { color: #f92672 }
/* Punctuation */ .chroma .p { color: #111111 }
/* Comment */ .chroma .c { color: #a7a187 }
/* CommentHashbang */ .chroma .ch { color: #a7a187 }
/* CommentMultiline */ .chroma .cm { color: #a7a187 }
/* CommentSingle */ .chroma .c1 { color: #a7a187 }
/* CommentSpecial */ .chroma .cs { color: #a7a187 }
/* CommentPreproc */ .chroma .cp { color: #a7a187 }
/* CommentPreprocFile */ .chroma .cpf { color: #a7a187 }
/* Generic */ .chroma .g { }
/* GenericDeleted */ .chroma .gd { }
/* GenericEmph */ .chroma .ge { font-style: italic }
/* GenericError */ .chroma .gr { }
/* GenericHeading */ .chroma .gh { }
/* GenericInserted */ .chroma .gi { }
/* GenericOutput */ .chroma .go { }
/* GenericPrompt */ .chroma .gp { }
/* GenericStrong */ .chroma .gs { font-weight: bold }
/* GenericSubheading */ .chroma .gu { }
/* GenericTraceback */ .chroma .gt { }
/* GenericUnderline */ .chroma .gl { }
/* TextWhitespace */ .chroma .w { }
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\format-print.css

Resumo: @import "{{ printf "theme-%s.css" .themevariant.identifier }}" ; @import "{{ printf "chroma-%s.css" .themevariant.chroma }}" ; #R-sidebar { display: none; } #R-body { margin-left: 0 !important; margin-right: 0 !important; min-width: 100% !important; max-width: 100% !impo...

```
@import "{{ printf "theme-%s.css" .themevariant.identifier }}" ;
```

```
@import "{{ printf "chroma-%s.css" .themevariant.chroma }}" ;
```

```
#R-sidebar {
```

```
    display: none;
```

```
}
```

```
#R-body {
```

```
    margin-left: 0 !important;
```

```
    margin-right: 0 !important;
```

```
    min-width: 100% !important;
```

```
    max-width: 100% !important;
```

```
    width: 100% !important;
```

```
}
```

```
#R-body #navigation {
```

```
    display: none;
```

```
}
```

```
html{
```

```
    font-size: 8.763pt;
```

```
}
```

```
body {
```

```
    background-color: rgba( 255, 255, 255, 1 );
```

```
}
```

```
code.copy-to-clipboard-code {
```

```
    border-start-end-radius: 2px;
```

```
    border-end-end-radius: 2px;
```

```
    border-inline-end-width: 1px;
```

```
}
```

```
pre:not(.mermaid) {
```

```
    border: 1px solid rgba( 204, 204, 204, 1 );
```

```
}
```

```
#R-body #R-topbar{
```



```

background-color: rgba( 255, 255, 255, 1 ); /* avoid background bleeding*/
border-bottom: 1px solid rgba( 221, 221, 221, 1 );
border-radius: 0;
color: rgba( 119, 119, 119, 1 );
padding-left: 0; /* for print, we want to align with the footer to ease the layout */
padding-right: 0;
}

#R-body .topbar-button {

    /* we don't need the buttons while printing */

    /* we need !important to turn off JS topbar button handling setting element styles */
    display: none !important;
}

@media screen and (max-width: 47.999rem) {

    #R-body .topbar-breadcrumbs {

        visibility: visible;

    }

}

#R-body .copy-to-clipboard-button {

    display: none;

}

#R-body .svg-reset-button {

    display: none;

}

#R-body h1, #R-body h2, #R-body h3, #R-body .article-subheading, #R-body h4, #R-body h5, #R-body h6 {

    /* better contrast for colored elements */

    color: rgba( 0, 0, 0, 1 );
}
#R-body th, #R-body td,

#R-body code, #R-body strong, #R-body b,

#R-body li, #R-body dd, #R-body dt,

#R-body p,

#R-body a, #R-body button, #R-body .badge .badge-content {

    /* better contrast for colored elements */

```

```

        color: rgba( 0, 0, 0, 1 );
    }
    #R-body .anchor{
        display: none;
    }
    #R-body pre:not(.mermaid),
    #R-body code {
        background-color: rgba( 255, 255, 255, 1 );
        border-color: rgba( 221, 221, 221, 1 );
    }

    hr{
        border-bottom: 1px solid rgba( 221, 221, 221, 1 );
    }
    #R-body #R-body-inner {
        overflow: visible; /* turn off limitations for perfect scrollbar */
        /* reset paddings for chapters in screen */
        padding: 0 3.25rem 4rem 3.25rem;
    }

    #R-body #R-body-inner h1 {
        border-bottom: 1px solid rgba( 221, 221, 221, 1 );
        margin-bottom: 2rem;
        padding-bottom: .75rem;
    }
    #R-body-inner .chapter h3:first-of-type {
        margin-top: 2rem;
    }

    /* Children shortcode */
    .children p,
    .children-li p,
    .children-h2 p,
    .children-h3 p {
        font-size: 1rem;
    }

```

```
}
```

```
.footline {
```

```
    /* in print mode show footer line to signal reader the end of document */
```

```
    border-top: 1px solid rgba( 221, 221, 221, 1 );
```

```
    color: rgba( 119, 119, 119, 1 );
```

```
    margin-top: 1.5rem;
```

```
    padding-top: .75rem;
```

```
}
```

```
h1 + .footline{
```

```
    /* if we have no content in the page we remove the footer as it is of no real value in print */
```

```
    display: none;
```

```
}
```

```
#R-body #R-body-inner .headline a,
```

```
#R-body #R-body-inner .footline a,
```

```
#R-body #R-body-inner .btn a {
```

```
    text-decoration: none;
```

```
}
```

```
#R-body #R-body-inner a {
```

```
    /* in print we want to distinguish links in our content from
```

```
    normal text even if printed black/white;
```

```
    don't use a.highlight in selector to also get links that are
```

```
    put as HTML into markdown */
```

```
    text-decoration-line: underline;
```

```
}
```

```
#R-topbar{
```

```
    /* the header is sticky which is not suitable for print; */
```

```
    position: initial;
```

```
}
```

```
#R-topbar > .topbar-wrapper {
```

```
    background-color: initial;
```

```
}
```

```
#R-body .topbar-sidebar-divider {
```

```

        border-width: 0;
    }
    .term-list {
        display: none;
    }
    mark.search {
        background: inherit;
        color: inherit;
    }
    .mermaid.zoom:hover {
        border-color: transparent;
    }
    div.box > .box-content {
        background-color: rgba( 255, 255, 255, 1 );
    }

    .btn,
    #R-body .tab-nav-button {
        color: rgba( 0, 0, 0, 1 );
    }
    #R-body .tab-nav-button.active {
        border-bottom-color: rgba( 255, 255, 255, 1 );
        color: rgba( 0, 0, 0, 1 );
    }
    #R-body .tab-nav-button.active > .tab-nav-text {
        background-color: rgba( 255, 255, 255, 1 );
    }
    #R-body .tab-content-text {
        background-color: rgba( 255, 255, 255, 1 );
        color: rgba( 0, 0, 0, 1 );
    }

    article {
        break-before: page;
    }

```

```
#R-body-inner > * > article:first-of-type {  
    break-before: avoid;  
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-blue.css

Resumo: :root { --MAIN-TEXT-color: rgba(50, 50, 50, 1); / Color of text by default */
--MAIN-TITLES-TEXT-color: rgba(94, 94, 94, 1); /* Color of titles h2-h3-h4-h5-h6 */
--MAIN-TITLES-H1-color: rgba(34, 34, 34, 1); /* text color of h1 titles */ --MAIN-LINK-color:
rgba(28, 144, 243, 1);*

```
:root {

  --MAIN-TEXT-color: rgba( 50, 50, 50, 1 ); /* Color of text by default */

  --MAIN-TITLES-TEXT-color: rgba( 94, 94, 94, 1 ); /* Color of titles h2-h3-h4-h5-h6 */

  --MAIN-TITLES-H1-color: rgba( 34, 34, 34, 1 ); /* text color of h1 titles */

  --MAIN-LINK-color: rgba( 28, 144, 243, 1 ); /* Color of links */

  --MAIN-LINK-HOVER-color: rgba( 22, 122, 208, 1 ); /* Color of hovered links */

  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* color of text by default */


  --CODE-theme: learn; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 226, 228, 229, 1 ); /* fallback color for code text */

  --CODE-BLOCK-BG-color: rgba( 40, 42, 54, 1 ); /* fallback color for code background */

  --CODE-BLOCK-BORDER-color: rgba( 40, 42, 54, 1 ); /* color of block code border */

  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* color for inline code text */

  --CODE-INLINE-BG-color: rgba( 255, 250, 233, 1 ); /* color for inline code background */

  --CODE-INLINE-BORDER-color: rgba( 248, 232, 200, 1 ); /* color of inline code border */


  --MENU-HOME-LINK-color: rgba( 45, 54, 63, 1 ); /* Color of the home button text */

  --MENU-HOME-LINK-HOVER-color: rgba( 0, 0, 0, 1 ); /* Color of the hovered home button text */


  --MENU-HEADER-BG-color: rgba( 28, 144, 243, 1 ); /* Background color of menu header */

  --MENU-HEADER-BORDER-color: rgba( 51, 161, 255, 1 ); /*Color of menu header border */


  --MENU-SEARCH-color: rgba( 255, 255, 255, 1 ); /* Color of search field text */

  --MENU-SEARCH-BG-color: rgba( 22, 122, 208, 1 ); /* Search field background color (by default borders

  --MENU-SEARCH-BORDER-color: rgba( 51, 161, 255, 1 ); /* Override search field border color */


  --MENU-SECTIONS-ACTIVE-BG-color: rgba( 32, 39, 43, 1 ); /* Background color of the active section and

  --MENU-SECTIONS-BG-color: rgba( 37, 44, 49, 1 ); /* Background color of other sections */

  --MENU-SECTIONS-LINK-color: rgba( 204, 204, 204, 1 ); /* Color of links in menu */

  --MENU-SECTIONS-LINK-HOVER-color: rgba( 230, 230, 230, 1 ); /* Color of links in menu, when hovered

  --MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 119, 119, 119, 1 ); /* Color of active category text */
```

```
--MENU-SECTION-ACTIVE-CATEGORY-BG-color: rgba( 255, 255, 255, 1 ); /* Color of background for the act.

--MENU-VISITED-color: rgba( 28, 144, 243, 1 ); /* Color of 'page visited' icons in menu */

--MENU-SECTION-SEPARATOR-color: rgba( 32, 39, 43, 1 ); /* Color of <hr> separator in menu */


/* base styling for boxes */

--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* color of the title text */

--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* color of the content background */

--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* fixed color of the content text */

}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-green.css

Resumo: :root { --MAIN-TEXT-color: rgba(50, 50, 50, 1); / Color of text by default */
--MAIN-TITLES-TEXT-color: rgba(94, 94, 94, 1); /* Color of titles h2-h3-h4-h5-h6 */
--MAIN-TITLES-H1-color: rgba(34, 34, 34, 1); /* text color of h1 titles */ --MAIN-LINK-color:
rgba(89, 154, 62...*

```
:root {

  --MAIN-TEXT-color: rgba( 50, 50, 50, 1 ); /* Color of text by default */

  --MAIN-TITLES-TEXT-color: rgba( 94, 94, 94, 1 ); /* Color of titles h2-h3-h4-h5-h6 */

  --MAIN-TITLES-H1-color: rgba( 34, 34, 34, 1 ); /* text color of h1 titles */

  --MAIN-LINK-color: rgba( 89, 154, 62, 1 ); /* Color of links */

  --MAIN-LINK-HOVER-color: rgba( 63, 109, 44, 1 ); /* Color of hovered links */

  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* color of text by default */


  --CODE-theme: learn; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 226, 228, 229, 1 ); /* fallback color for code text */

  --CODE-BLOCK-BG-color: rgba( 40, 42, 54, 1 ); /* fallback color for code background */

  --CODE-BLOCK-BORDER-color: rgba( 40, 42, 54, 1 ); /* color of block code border */

  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* color for inline code text */

  --CODE-INLINE-BG-color: rgba( 255, 250, 233, 1 ); /* color for inline code background */

  --CODE-INLINE-BORDER-color: rgba( 248, 232, 200, 1 ); /* color of inline code border */


  --MENU-HOME-LINK-color: rgba( 46, 59, 46, 1 ); /* Color of the home button text */

  --MENU-HOME-LINK-HOVER-color: rgba( 0, 0, 0, 1 ); /* Color of the hovered home button text */


  --MENU-HEADER-BG-color: rgba( 116, 181, 89, 1 ); /* Background color of menu header */

  --MENU-HEADER-BORDER-color: rgba( 156, 212, 132, 1 ); /*Color of menu header border */


  --MENU-SEARCH-color: rgba( 255, 255, 255, 1 ); /* Color of search field text */

  --MENU-SEARCH-BG-color: rgba( 89, 154, 62, 1 ); /* Search field background color (by default borders .

  --MENU-SEARCH-BORDER-color: rgba( 132, 199, 103, 1 ); /* Override search field border color */


  --MENU-SECTIONS-ACTIVE-BG-color: rgba( 27, 33, 28, 1 ); /* Background color of the active section and

  --MENU-SECTIONS-BG-color: rgba( 34, 39, 35, 1 ); /* Background color of other sections */

  --MENU-SECTIONS-LINK-color: rgba( 204, 204, 204, 1 ); /* Color of links in menu */

  --MENU-SECTIONS-LINK-HOVER-color: rgba( 230, 230, 230, 1 ); /* Color of links in menu, when hovered

  --MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 119, 119, 119, 1 ); /* Color of active category text */
```



```
--MENU-SECTION-ACTIVE-CATEGORY-BG-color: rgba( 255, 255, 255, 1 ); /* Color of background for the act.

--MENU-VISITED-color: rgba( 89, 154, 62, 1 ); /* Color of 'page visited' icons in menu */

--MENU-SECTION-SEPARATOR-color: rgba( 24, 33, 28, 1 ); /* Color of <hr> separator in menu */


/* base styling for boxes */

--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* color of the title text */

--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* color of the content background */

--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* fixed color of the content text */

}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-learn.css

Resumo: :root { --MAIN-TEXT-color: rgba(50, 50, 50, 1); / Color of text by default */
--MAIN-TITLES-TEXT-color: rgba(94, 94, 94, 1); /* Color of titles h2-h3-h4-h5-h6 */
--MAIN-TITLES-H1-color: rgba(34, 34, 34, 1); /* text color of h1 titles */ --MAIN-LINK-color:
rgba(0, 189, 243...*

```
:root {

  --MAIN-TEXT-color: rgba( 50, 50, 50, 1 ); /* Color of text by default */

  --MAIN-TITLES-TEXT-color: rgba( 94, 94, 94, 1 ); /* Color of titles h2-h3-h4-h5-h6 */

  --MAIN-TITLES-H1-color: rgba( 34, 34, 34, 1 ); /* text color of h1 titles */

  --MAIN-LINK-color: rgba( 0, 189, 243, 1 ); /* Color of links */

  --MAIN-LINK-HOVER-color: rgba( 0, 130, 167, 1 ); /* Color of hovered links */

  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* color of text by default */


  --CODE-theme: learn; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 226, 228, 229, 1 ); /* fallback color for code text */

  --CODE-BLOCK-BG-color: rgba( 40, 42, 54, 1 ); /* fallback color for code background */

  --CODE-BLOCK-BORDER-color: rgba( 40, 42, 54, 1 ); /* color of block code border */

  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* color for inline code text */

  --CODE-INLINE-BG-color: rgba( 255, 247, 221, 1 ); /* color for inline code background */

  --CODE-INLINE-BORDER-color: rgba( 251, 240, 203, 1 ); /* color of inline code border */


  --MENU-HOME-LINK-color: rgba( 224, 224, 224, 1 ); /* Color of the home button text */

  --MENU-HOME-LINK-HOVER-color: rgba( 240, 240, 240, 1 ); /* Color of the hovered home button text */


  --MENU-HEADER-BG-color: rgba( 132, 81, 161, 1 ); /* Background color of menu header */

  --MENU-HEADER-BORDER-color: rgba( 156, 111, 182, 1 ); /*Color of menu header border */


  --MENU-SEARCH-color: rgba( 255, 255, 255, 1 ); /* Color of search field text */

  --MENU-SEARCH-BG-color: rgba( 118, 72, 144, 1 ); /* Search field background color (by default borders

  --MENU-SEARCH-BORDER-color: rgba( 145, 94, 174, 1 ); /* Override search field border color */


  --MENU-SECTIONS-ACTIVE-BG-color: rgba( 37, 31, 41, 1 ); /* Background color of the active section and

  --MENU-SECTIONS-BG-color: rgba( 50, 42, 56, 1 ); /* Background color of other sections */

  --MENU-SECTIONS-LINK-color: rgba( 204, 204, 204, 1 ); /* Color of links in menu */

  --MENU-SECTIONS-LINK-HOVER-color: rgba( 230, 230, 230, 1 ); /* Color of links in menu, when hovered

  --MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 119, 119, 119, 1 ); /* Color of active category text */
```

```

--MENU-SECTION-ACTIVE-CATEGORY-BG-color: rgba( 255, 255, 255, 1 ); /* Color of background for the act.

--MENU-VISITED-color: rgba( 0, 189, 243, 1 ); /* Color of 'page visited' icons in menu */

--MENU-SECTION-SEPARATOR-color: rgba( 42, 35, 47, 1 ); /* Color of <hr> separator in menu */


/* base styling for boxes */

--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* color of the title text */

--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* color of the content background */

--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* fixed color of the content text */
}


body a#R-logo,
body a#R-logo:hover,
body #R-logo svg,
body #R-logo svg * {
    color: var(--INTERNAL-MENU-SEARCH-color);
    fill: var(--INTERNAL-MENU-SEARCH-color) !important;
}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-neon.css

Resumo: :root { --PRIMARY-color: rgba(243, 0, 178, 1); / brand primary color */
--SECONDARY-color: rgb(50, 189, 243, 1); /* brand secondary color */ --ACCENT-color: rgba(255, 255, 0, 1); /* brand accent color, used for search highlights */ --MAIN-TEXT-color: rgba(224, 224, 224,...*

```
:root {

  --PRIMARY-color: rgba( 243, 0, 178, 1 ); /* brand primary color */

  --SECONDARY-color: rgb( 50, 189, 243, 1 ); /* brand secondary color */

  --ACCENT-color: rgba( 255, 255, 0, 1 ); /* brand accent color, used for search highlights */


  --MAIN-TEXT-color: rgba( 224, 224, 224, 1 ); /* text color of content and h1 titles */

  --MAIN-LINK-HOVER-color: rgb( 80, 215, 255, 1 ); /* hovered link color of content */

  --MAIN-BG-color: rgba( 16, 16, 16, 1 ); /* background color of content */


  /* optional overwrites for specific headers */

  --MAIN-TITLES-TEXT-color: rgba( 243, 0, 178, 1 ); /* text color of h2-h6 titles and transparent box titles */

  --MAIN-TITLES-H3-color: rgba( 255, 255, 0, 1 ); /* text color of h3-h6 titles */

  --MAIN-TITLES-H4-color: rgba( 154, 111, 255, 1 ); /* text color of h4-h6 titles */


  --CODE-theme: neon; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 248, 248, 242, 1 ); /* fallback text color of block code; should be adjusted to the CODE-theme */

  --CODE-BLOCK-BG-color: rgba( 0, 0, 0, 1 ); /* fallback background color of block code; should be adjusted to the CODE-theme */

  --CODE-INLINE-color: rgba( 130, 229, 80, 1 ); /* text color of inline code */

  --CODE-INLINE-BG-color: rgba( 40, 42, 54, 1 ); /* background color of inline code */

  --CODE-INLINE-BORDER-color: rgba( 70, 70, 70, 1 ); /* border color of inline code */


  --BROWSER-theme: dark; /* name of the theme for browser scrollbars of the main section */

  --MERMAID-theme: dark; /* name of the default Mermaid theme for this variant, can be overridden in hugo.toml */

  --OPENAPI-theme: dark; /* name of the default OpenAPI theme for this variant, can be overridden in hugo.toml */

  --OPENAPI-CODE-theme: tomorrow-night; /* name of the default OpenAPI code theme for this variant, can be overridden in hugo.toml */


  --MENU-HEADER-BG-color: rgba( 0, 0, 0, 0 ); /* background color of menu header */


  --MENU-HOME-LINK-color: rgba( 255, 255, 255, 1 ); /* home button color if configured */

  --MENU-HOME-LINK-HOVER-color: rgba( 208, 208, 208, 1 ); /* hovered home button color if configured */

  --MENU-SEARCH-color: rgba( 248, 248, 248, 1 ); /* text and icon color of search box */
```

```

--MENU-SEARCH-BG-color: rgba( 16, 16, 16, .6 ); /* background color of search box */
--MENU-SEARCH-BORDER-color: rgba( 232, 232, 232, 1 ); /* border color of search box */

--MENU-SECTIONS-BG-color: linear-gradient( 165deg, rgba( 243, 0, 178, .825 ) 0%, rgba( 28, 144, 243,
--MENU-SECTIONS-ACTIVE-BG-color: rgba( 0, 0, 0, .166 ); /* background color of the active menu section
--MENU-SECTIONS-LINK-color: rgba( 255, 255, 255, 1 ); /* link color of menu topics */
--MENU-SECTIONS-LINK-HOVER-color: rgba( 208, 208, 208, 1 ); /* hovered link color of menu topics */
--MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 86, 255, 232, 1 ); /* text color of the displayed menu top
--MENU-SECTION-SEPARATOR-color: rgba( 186, 186, 186, 1 ); /* separator color between menu sections and

--MENU-VISITED-color: rgba( 51, 161, 255, 1 ); /* icon color of visited menu topics if configured */

/* base styling for boxes */
--BOX-CAPTION-color: rgba( 240, 240, 240, 1 ); /* text color of colored box titles */
--BOX-BG-color: rgba( 8, 8, 8, 1 ); /* background color of colored boxes */
--BOX-TEXT-color: initial; /* text color of colored box content */

/* optional base colors for colored boxes as in badges, buttons, notice, etc. shortcode */
--BOX-BLUE-color: rgba( 48, 117, 229, 1 ); /* background color of blue boxes */
--BOX-BLUE-TEXT-color: var( --BOX-BLUE-color ); /* text color of blue boxes */
--BOX-GREEN-color: rgba( 42, 178, 24, 1 ); /* background color of green boxes */
--BOX-GREEN-TEXT-color: var( --BOX-GREEN-color ); /* text color of green boxes */
--BOX-GREY-color: rgba( 128, 128, 128, 1 ); /* background color of grey boxes */
--BOX-GREY-TEXT-color: var( --BOX-GREY-color ); /* text color of grey boxes */
--BOX-ORANGE-color: rgba( 237, 153, 9, 1 ); /* background color of orange boxes */
--BOX-ORANGE-TEXT-color: var( --BOX-ORANGE-color ); /* text color of orange boxes */
--BOX-RED-color: rgba( 224, 62, 62, 1 ); /* background color of red boxes */
--BOX-RED-TEXT-color: var( --BOX-RED-color ); /* text color of red boxes */
}

```

```

body a#R-logo,
body a#R-logo:hover,
body #R-logo svg,
body #R-logo svg * {
    color: var(--INTERNAL-MENU-SEARCH-BORDER-color);

```

```
        fill: var(--INTERNAL-MENU-SEARCH-BORDER-color) !important;
    }

body a#R-logo{
    text-shadow:
        0 0 1px var(--INTERNAL-MENU-SEARCH-BORDER-color),
        0 0 2px var(--INTERNAL-MENU-SEARCH-BORDER-color),
        0 0 4px var(--INTERNAL-MENU-SEARCH-BORDER-color),
        0 0 8px rgba( 128, 128, 128, 1 ),
        0 0 4px var(--INTERNAL-MENU-SECTIONS-LINK-HOVER-color),
        0 0 8px var(--INTERNAL-MENU-SECTIONS-LINK-HOVER-color);
}
```

```
body h1 {
    color: rgba( 255, 255, 255, 1 );
    text-shadow:
        0 0 1px rgba( 255, 255, 255, 1 ),
        0 0 2px rgba( 255, 255, 255, 1 ),
        0 0 4px rgba( 255, 255, 255, 1 ),
        0 0 8px rgba( 255, 255, 255, 1 ),
        0 0 3px var(--INTERNAL-MAIN-TITLES-H1-color),
        0 0 6px var(--INTERNAL-MAIN-TITLES-H1-color),
        0 0 8px var(--INTERNAL-MAIN-TITLES-H1-color);
}
```

```
body h2 {
    color: rgba( 255, 255, 255, 1 );
    text-shadow:
        0 0 1px rgba( 255, 255, 255, 1 ),
        0 0 2px rgba( 255, 255, 255, 1 ),
        0 0 8px rgba( 128, 128, 128, 1 ),
        0 0 4px var(--INTERNAL-MAIN-TITLES-H2-color),
        0 0 8px var(--INTERNAL-MAIN-TITLES-H2-color),
        0 0 10px var(--INTERNAL-MAIN-TITLES-H2-color);
}
```

```
body h3, body .article-subheading {  
    color: rgba( 255, 255, 255, 1 );  
    text-shadow:  
        0 0 1px rgba( 255, 255, 255, 1 ),  
        0 0 2px rgba( 255, 255, 255, 1 ),  
        0 0 8px rgba( 128, 128, 128, 1 ),  
        0 0 4px var(--INTERNAL-MAIN-TITLES-H3-color),  
        0 0 8px var(--INTERNAL-MAIN-TITLES-H3-color),  
        0 0 10px var(--INTERNAL-MAIN-TITLES-H3-color);  
}
```

```
body h4 {  
    color: rgba( 255, 255, 255, 1 );  
    text-shadow:  
        0 0 1px rgba( 255, 255, 255, 1 ),  
        0 0 2px rgba( 255, 255, 255, 1 ),  
        0 0 8px rgba( 128, 128, 128, 1 ),  
0 0 4px var(--INTERNAL-MAIN-TITLES-H4-color),  
        0 0 8px var(--INTERNAL-MAIN-TITLES-H4-color),  
        0 0 10px var(--INTERNAL-MAIN-TITLES-H4-color);  
}
```

```
body h5 {  
    color: rgba( 255, 255, 255, 1 );  
    text-shadow:  
        0 0 1px rgba( 255, 255, 255, 1 ),  
        0 0 3px rgba( 255, 255, 255, 1 ),  
        0 0 6px rgba( 128, 128, 128, 1 ),  
        0 0 4px var(--INTERNAL-MAIN-TITLES-H5-color),  
        0 0 8px var(--INTERNAL-MAIN-TITLES-H5-color);  
}
```

```
body h6 {  
    color: rgba( 255, 255, 255, 1 );  
    text-shadow:
```

```

    0 0 1px rgba( 255, 255, 255, 1 ),
    0 0 2px rgba( 255, 255, 255, 1 ),
    0 0 4px rgba( 128, 128, 128, 1 ),
    0 0 4px var(--INTERNAL-MAIN-TITLES-H6-color),
    0 0 8px var(--INTERNAL-MAIN-TITLES-H6-color);
}

```

```

.swagger-ui h4,
.swagger-ui h5,
.swagger-ui h6{
    color: rgba( 255, 255, 255, 1 ) !important;
}

```

```

body #R-sidebar .searchbox button:hover{
    color: rgba( 255, 255, 255, 1 );
    text-shadow:
        0 0 1px rgba( 255, 255, 255, 1 ),
        0 0 2px rgba( 255, 255, 255, 1 ),
        0 0 8px rgba( 128, 128, 128, 1 ),
        0 0 4px var(--INTERNAL-MENU-SEARCH-color),
        0 0 8px var(--INTERNAL-MENU-SEARCH-color);
}

```

```

body #R-sidebar select:hover,
body #R-sidebar .collapsible-menu li:not(.active) > label:hover,
body #R-sidebar .menu-control:hover,
body #R-sidebar a:hover,
body #R-prefooter button:hover {
    color: rgba( 255, 255, 255, 1 );
    text-shadow:
        0 0 1px rgba( 255, 255, 255, 1 ),
        0 0 2px rgba( 255, 255, 255, 1 ),
        0 0 8px rgba( 128, 128, 128, 1 ),
        0 0 4px var(--INTERNAL-MENU-SECTIONS-LINK-HOVER-color),
        0 0 8px var(--INTERNAL-MENU-SECTIONS-LINK-HOVER-color);
}

```



```
}
```

```
body #R-sidebar li.active > label,
```

```
body #R-sidebar li.active > :is( a, span ) {
```

```
    color: rgba( 255, 255, 255, 1 );
```

```
    text-shadow:
```

```
        0 0 1px rgba( 255, 255, 255, 1 ),
```

```
    0 0 2px rgba( 255, 255, 255, 1 ),
```

```
        0 0 8px rgba( 128, 128, 128, 1 ),
```

```
        0 0 4px var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-color),
```

```
        0 0 8px var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-color);
```

```
}
```

```
body #R-homelinks a:hover {
```

```
    color: rgba( 255, 255, 255, 1 );
```

```
    text-shadow:
```

```
        0 0 1px rgba( 255, 255, 255, 1 ),
```

```
        0 0 2px rgba( 255, 255, 255, 1 ),
```

```
        0 0 8px rgba( 128, 128, 128, 1 ),
```

```
        0 0 4px var(--INTERNAL-MENU-HOME-LINK-HOVER-color),
```

```
        0 0 8px var(--INTERNAL-MENU-HOME-LINK-HOVER-color);
```

```
}
```

```
body h1 a,
```

```
body h2 a,
```

```
body h3 a,
```

```
body h4 a,
```

```
body h5 a,
```

```
body h6 a,
```

```
body .anchor {
```

```
    text-shadow: none;
```

```
}
```

```
body .badge,
```

```
body .btn,
```

```

body div.box {
    box-shadow:
        0 0 1px rgba( 255, 255, 255, 1 ),
        0 0 2px rgba( 255, 255, 255, 1 ),
        0 0 4px rgba( 128, 128, 128, 1 ),
        0 0 4px var(--VARIABLE-BOX-color);
}

body .badge > .badge-content,
body .btn,
body .btn > *,
body div.box > .box-label {
    text-shadow:
        0 0 1px rgba( 255, 255, 255, 1 ),
        0 0 2px rgba( 255, 255, 255, 1 ),
        0 0 4px rgba( 128, 128, 128, 1 ),
        0 0 4px var(--VARIABLE-BOX-CAPTION-color);
}

body .tab-panel-cstyle:not(.transparent),
body .badge.cstyle:not(.transparent),
body .btn.cstyle {
    --VARIABLE-BOX-TEXT-color: var(--VARIABLE-BOX-CAPTION-color);
}

body .badge.cstyle.transparent,
body .btn.cstyle.transparent {
    --VARIABLE-BOX-BG-color: var(--INTERNAL-BOX-BG-color);
}

body .btn.cstyle.transparent > * {
    border-color: var(--VARIABLE-BOX-color);
    color: var(--VARIABLE-BOX-CAPTION-color);
}
body .btn.cstyle.interactive.transparent > *:hover,
body .btn.cstyle.interactive.transparent > *:active,

```

```

body .btn.cstyle.interactive.transparent > *:focus {
    background-color: var(--INTERNAL-MAIN-TITLES-TEXT-color);
    color: var(--INTERNAL-MAIN-TEXT-color);
}

body .box.cstyle.transparent {
    box-shadow: none;
}

@media print {
    #R-body h1,
    #R-body h2,
    #R-body h3, #R-body .article-subheading,
    #R-body h4,
    #R-body h5,
    #R-body h6 {
        text-shadow: none;
    }

    #R-body .badge,
    #R-body .badge > .badge-content,
    #R-body .btn,
    #R-body .btn > *,
    #R-body div.box,
    #R-body div.box > .box-label {
        box-shadow: none;
        text-shadow: none;
    }

    #R-body .badge.cstyle:not(.transparent),
    #R-body .btn.cstyle {
        --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-NEUTRAL-TEXT-color);
    }
}

/* if we are in print chapter preview our @media statement from
above will not apply, so we have to repeat it here */

```

```

.print #R-body h1,
.print #R-body h2,
.print #R-body h3, .print #R-body .article-subheading,
.print #R-body h4,
.print #R-body h5,
.print #R-body h6 {
    text-shadow: none;
}

.print #R-body .badge,
.print #R-body .badge > .badge-content,
.print #R-body .btn,
.print #R-body .btn > *,
.print #R-body div.box,
.print #R-body div.box > .box-label {
    box-shadow: none;
    text-shadow: none;
}

.print #R-body .badge.cstyle:not(.transparent),
.print #R-body .btn.cstyle {
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-NEUTRAL-TEXT-color);
}

#R-content-wrapper {
    --ps-thumb-color: rgba( 208, 208, 208, 1 );
    --ps-thumb-hover-color: rgba( 204, 204, 204, 1 );
}

}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-red.css

Resumo: :root { --MAIN-TEXT-color: rgba(50, 50, 50, 1); / Color of text by default */
--MAIN-TITLES-TEXT-color: rgba(94, 94, 94, 1); /* Color of titles h2-h3-h4-h5-h6 */
--MAIN-TITLES-H1-color: rgba(34, 34, 34, 1); /* text color of h1 titles */ --MAIN-LINK-color:
rgba(243, 28, 28...*

```
:root {

  --MAIN-TEXT-color: rgba( 50, 50, 50, 1 ); /* Color of text by default */

  --MAIN-TITLES-TEXT-color: rgba( 94, 94, 94, 1 ); /* Color of titles h2-h3-h4-h5-h6 */

  --MAIN-TITLES-H1-color: rgba( 34, 34, 34, 1 ); /* text color of h1 titles */

  --MAIN-LINK-color: rgba( 243, 28, 28, 1 ); /* Color of links */

  --MAIN-LINK-HOVER-color: rgba( 208, 22, 22, 1 ); /* Color of hovered links */

  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* color of text by default */


  --CODE-theme: learn; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 226, 228, 229, 1 ); /* fallback color for code text */

  --CODE-BLOCK-BG-color: rgba( 40, 42, 54, 1 ); /* fallback color for code background */

  --CODE-BLOCK-BORDER-color: rgba( 40, 42, 54, 1 ); /* color of block code border */

  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* color for inline code text */

  --CODE-INLINE-BG-color: rgba( 255, 250, 233, 1 ); /* color for inline code background */

  --CODE-INLINE-BORDER-color: rgba( 248, 232, 200, 1 ); /* color of inline code border */


  --MENU-HOME-LINK-color: rgba( 56, 43, 43, 1 ); /* Color of the home button text */

  --MENU-HOME-LINK-HOVER-color: rgba( 0, 0, 0, 1 ); /* Color of the hovered home button text */


  --MENU-HEADER-BG-color: rgba( 220, 16, 16, 1 ); /* Background color of menu header */

  --MENU-HEADER-BORDER-color: rgba( 226, 49, 49, 1 ); /*Color of menu header border */


  --MENU-SEARCH-color: rgba( 255, 255, 255, 1 ); /* Color of search field text */

  --MENU-SEARCH-BG-color: rgba( 185, 0, 0, 1 ); /* Search field background color (by default borders + ... */

  --MENU-SEARCH-BORDER-color: rgba( 239, 32, 32, 1 ); /* Override search field border color */


  --MENU-SECTIONS-ACTIVE-BG-color: rgba( 43, 32, 32, 1 ); /* Background color of the active section and ... */

  --MENU-SECTIONS-BG-color: rgba( 49, 37, 37, 1 ); /* Background color of other sections */

  --MENU-SECTIONS-LINK-color: rgba( 204, 204, 204, 1 ); /* Color of links in menu */

  --MENU-SECTIONS-LINK-HOVER-color: rgba( 230, 230, 230, 1 ); /* Color of links in menu, when hovered */

  --MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 119, 119, 119, 1 ); /* Color of active category text */
```

```
--MENU-SECTION-ACTIVE-CATEGORY-BG-color: rgba( 255, 255, 255, 1 ); /* Color of background for the act.

--MENU-VISITED-color: rgba( 243, 28, 28, 1 ); /* Color of 'page visited' icons in menu */

--MENU-SECTION-SEPARATOR-color: rgba( 43, 32, 32, 1 ); /* Color of <hr> separator in menu */


/* base styling for boxes */

--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* color of the title text */

--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* color of the content background */

--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* fixed color of the content text */

}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-relearn-bright.css

Resumo: :root { --PRIMARY-color: rgba(131, 201, 50, 1); / brand primary color */
--SECONDARY-color: rgba(99, 128, 208, 1); /* brand secondary color */ --ACCENT-color: rgb(255, 102, 78, 1); /* brand accent color, used for search highlights */ --MAIN-TEXT-color: rgba(0, 0, 0, 1)...*

```
:root {

  --PRIMARY-color: rgba( 131, 201, 50, 1 ); /* brand primary color */

  --SECONDARY-color: rgba( 99, 128, 208, 1 ); /* brand secondary color */

  --ACCENT-color: rgb( 255, 102, 78, 1 ); /* brand accent color, used for search highlights */


  --MAIN-TEXT-color: rgba( 0, 0, 0, 1 ); /* text color of content and h1 titles */

  --MAIN-LINK-HOVER-color: rgba( 32, 40, 145, 1 ); /* hovered link color of content */

  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* background color of content */

  --MAIN-TITLES-TEXT-color: rgba( 16, 16, 16, 1 ); /* text color of h2-h6 titles and transparent box titles */


  --CODE-theme: relearn-light; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 39, 40, 34, 1 ); /* fallback text color of block code; should be adjusted to match the theme */

  --CODE-BLOCK-BG-color: rgba( 250, 250, 250, 1 ); /* fallback background color of block code; should be adjusted to match the theme */

  --CODE-BLOCK-BORDER-color: rgba( 216, 216, 216, 1 ); /* border color of block code */

  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* text color of inline code */

  --CODE-INLINE-BG-color: rgba( 255, 250, 233, 1 ); /* background color of inline code */

  --CODE-INLINE-BORDER-color: rgba( 248, 232, 200, 1 ); /* border color of inline code */


  --BROWSER-theme: light; /* name of the theme for browser scrollbars of the main section */

  --MERMAID-theme: default; /* name of the default Mermaid theme for this variant, can be overridden in hugo.toml */

  --OPENAPI-theme: light; /* name of the default OpenAPI theme for this variant, can be overridden in hugo.toml */

  --OPENAPI-CODE-theme: idea; /* name of the default OpenAPI code theme for this variant, can be overridden in hugo.toml */


  --MENU-HEADER-BG-color: rgba( 0, 0, 0, 0 ); /* background color of menu header */

  --MENU-HEADER-SEPARATOR-color: rgba( 96, 96, 96, 1 ); /* separator color between menu header and menu items */


  --MENU-HOME-LINK-color: rgba( 64, 64, 64, 1 ); /* home button color if configured */

  --MENU-HOME-LINK-HOVER-color: rgba( 0, 0, 0, 1 ); /* hovered home button color if configured */

  --MENU-SEARCH-color: rgba( 64, 64, 64, 1 ); /* text and icon color of search box */

  --MENU-SEARCH-BG-color: rgba( 255, 255, 255, .2 ); /* background color of search box */
```

```

--MENU-SEARCH-BORDER-color: transparent; /* border color of search box */

--MENU-SECTIONS-BG-color: rgba( 131, 201, 50, 1 ); /* background of the menu; this is NOT just a color
--MENU-SECTIONS-ACTIVE-BG-color: transparent; /* background color of the active menu section */
--MENU-SECTIONS-LINK-color: rgba( 50, 50, 50, 1 ); /* link color of menu topics */
--MENU-SECTIONS-LINK-HOVER-color: rgba( 255, 255, 255, 1 ); /* hovered link color of menu topics */
--MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 50, 50, 50, 1 ); /* text color of the displayed menu topic
--MENU-SECTION-SEPARATOR-color: rgba( 96, 96, 96, 1 ); /* separator color between menu sections and m

--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* text color of colored box titles */
--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* background color of colored boxes */
--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* text color of colored box content */
}

body a#R-logo,
body a#R-logo:hover,
body #R-logo svg,
body #R-logo svg * {
    color: var(--MENU-SEARCH-color);
    fill: var(--MENU-SEARCH-color) !important;
}

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-relearn-dark.css

Resumo: :root { --PRIMARY-color: rgba(125, 201, 3, 1); / brand primary color */
--SECONDARY-color: rgba(108, 140, 227, 1); /* brand secondary color */ --ACCENT-color: rgb(255, 102, 78, 1); /* brand accent color, used for search highlights */ --MAIN-TEXT-color: rgba(224, 224, 224, 1); /* text color of content and h1 titles */*

```
:root {  
  
  --PRIMARY-color: rgba( 125, 201, 3, 1 ); /* brand primary color */  
  
  --SECONDARY-color: rgba( 108, 140, 227, 1 ); /* brand secondary color */  
  
  --ACCENT-color: rgb( 255, 102, 78, 1 ); /* brand accent color, used for search highlights */  
  
  
  --MAIN-TEXT-color: rgba( 224, 224, 224, 1 ); /* text color of content and h1 titles */  
  
  --MAIN-LINK-HOVER-color: rgba( 147, 176, 255, 1 ); /* hovered link color of content */  
  
  --MAIN-BG-color: rgba( 32, 32, 32, 1 ); /* background color of content */  
  
  --MAIN-TITLES-TEXT-color: rgba( 255, 255, 255, 1 ); /* text color of h2-h6 titles and transparent box  
  
  
  --CODE-theme: relearn-dark; /* name of the chroma stylesheet file */  
  
  --CODE-BLOCK-color: rgba( 248, 248, 242, 1 ); /* fallback text color of block code; should be adjusted  
  --CODE-BLOCK-BG-color: rgba( 43, 43, 43, 1 ); /* fallback background color of block code; should be adjusted  
  --CODE-BLOCK-BORDER-color: rgba( 71, 71, 71, 1 ); /* border color of block code */  
  
  --CODE-INLINE-color: rgba( 130, 229, 80, 1 ); /* text color of inline code */  
  
  --CODE-INLINE-BG-color: rgba( 45, 45, 45, 1 ); /* background color of inline code */  
  
  --CODE-INLINE-BORDER-color: rgba( 70, 70, 70, 1 ); /* border color of inline code */  
  
  
  --BROWSER-theme: dark; /* name of the theme for browser scrollbars of the main section */  
  
  --MERMAID-theme: dark; /* name of the default Mermaid theme for this variant, can be overridden in hugo  
  --OPENAPI-theme: dark; /* name of the default OpenAPI theme for this variant, can be overridden in hugo  
  --OPENAPI-CODE-theme: obsidian; /* name of the default OpenAPI code theme for this variant, can be overridden in hugo  
  
  
  --MENU-HOME-LINK-color: rgba( 64, 64, 64, 1 ); /* home button color if configured */  
  
  --MENU-HOME-LINK-HOVER-color: rgba( 0, 0, 0, 1 ); /* hovered home button color if configured */  
  
  
  --MENU-SEARCH-color: rgba( 224, 224, 224, 1 ); /* text and icon color of search box */  
  
  --MENU-SEARCH-BG-color: rgba( 50, 50, 50, 1 ); /* background color of search box */  
  
  --MENU-SEARCH-BORDER-color: rgba( 224, 224, 224, 1 ); /* border color of search box */  
  --MENU-SECTIONS-BG-color: rgba( 43, 43, 43, 1 ); /* background of the menu; this is NOT just a color value  
  --MENU-SECTIONS-LINK-color: rgba( 186, 186, 186, 1 ); /* link color of menu topics */
```

```
--MENU-SECTIONS-LINK-HOVER-color: rgba( 255, 255, 255, 1 ); /* hovered link color of menu topics */
--MENU-SECTIONS-ACTIVE-BG-color: rgba( 50, 50, 50, 1 ); /* background color of the active menu section
--MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 130, 229, 80, 1 ); /* text color of the displayed menu top
--MENU-SECTION-SEPARATOR-color: rgba( 96, 96, 96, 1 ); /* separator color between menu sections and m

--MENU-VISITED-color: rgba( 72, 106, 201, 1 ); /* icon color of visited menu topics if configured */

--BOX-CAPTION-color: rgba( 240, 240, 240, 1 ); /* text color of colored box titles */
--BOX-BG-color: rgba( 20, 20, 20, 1 ); /* background color of colored boxes */
--BOX-TEXT-color: rgba( 224, 224, 224, 1 ); /* text color of colored box content */
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-relearn-light.css

Resumo: :root { --PRIMARY-color: rgba(125, 201, 3, 1); / brand primary color */
--SECONDARY-color: rgba(72, 106, 201, 1); /* brand secondary color */ --ACCENT-color: rgb(255, 102, 78); /* brand accent color, used for search highlights */ --MAIN-TEXT-color: rgba(0, 0, 0, 1); /*...*

```
:root {

  --PRIMARY-color: rgba( 125, 201, 3, 1 ); /* brand primary color */

  --SECONDARY-color: rgba( 72, 106, 201, 1 ); /* brand secondary color */

  --ACCENT-color: rgb( 255, 102, 78 ); /* brand accent color, used for search highlights */


  --MAIN-TEXT-color: rgba( 0, 0, 0, 1 ); /* text color of content and h1 titles */

  --MAIN-LINK-HOVER-color: rgba( 32, 40, 145, 1 ); /* hovered link color of content */

  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* background color of content */

  --MAIN-TITLES-TEXT-color: rgba( 16, 16, 16, 1 ); /* text color of h2-h6 titles and transparent box titles */


  --CODE-theme: relearn-light; /* name of the chroma stylesheet file */

  --CODE-BLOCK-color: rgba( 39, 40, 34, 1 ); /* fallback text color of block code; should be adjusted to match the theme */

  --CODE-BLOCK-BG-color: rgba( 250, 250, 250, 1 ); /* fallback background color of block code; should be adjusted to match the theme */

  --CODE-BLOCK-BORDER-color: rgba( 216, 216, 216, 1 ); /* border color of block code */

  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* text color of inline code */

  --CODE-INLINE-BG-color: rgba( 255, 250, 233, 1 ); /* background color of inline code */

  --CODE-INLINE-BORDER-color: rgba( 248, 232, 200, 1 ); /* border color of inline code */


  --BROWSER-theme: light; /* name of the theme for browser scrollbars of the main section */

  --MERMAID-theme: default; /* name of the default Mermaid theme for this variant, can be overridden in h1 */

  --OPENAPI-theme: light; /* name of the default OpenAPI theme for this variant, can be overridden in h1 */

  --OPENAPI-CODE-theme: idea; /* name of the default OpenAPI code theme for this variant, can be overridden in h1 */


  --MENU-HOME-LINK-color: rgba( 64, 64, 64, 1 ); /* home button color if configured */

  --MENU-HOME-LINK-HOVER-color: rgba( 0, 0, 0, 1 ); /* hovered home button color if configured */


  --MENU-SEARCH-color: rgba( 224, 224, 224, 1 ); /* text and icon color of search box */

  --MENU-SEARCH-BG-color: rgba( 50, 50, 50, 1 ); /* background color of search box */

  --MENU-SEARCH-BORDER-color: rgba( 224, 224, 224, 1 ); /* border color of search box */

  --MENU-SECTIONS-BG-color: rgba( 40, 40, 40, 1 ); /* background of the menu; this is NOT just a color value, it's a gradient */

  --MENU-SECTIONS-ACTIVE-BG-color: rgba( 0, 0, 0, .166 ); /* background color of the active menu section
```

```
--MENU-SECTIONS-LINK-color: rgba( 186, 186, 186, 1 ); /* link color of menu topics */  
--MENU-SECTIONS-LINK-HOVER-color: rgba( 255, 255, 255, 1 ); /* hovered link color of menu topics */  
--MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 68, 68, 68, 1 ); /* text color of the displayed menu topic */  
--MENU-SECTION-SEPARATOR-color: rgba( 96, 96, 96, 1 ); /* separator color between menu sections and menu items */  
  
--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* text color of colored box titles */  
--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* background color of colored boxes */  
--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* text color of colored box content */  
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\assets\css\theme-relearn.css

Resumo: / this file is here for compatibility with older installations use theme-relearn-light instead */ @import "theme-relearn-light.css";*

```
/* this file is here for compatibility with older installations
```

```
    use theme-relearn-light instead */
```

```
@import "theme-relearn-light.css";
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-zen-dark.css

Resumo: :root { --PRIMARY-color: rgba(47, 129, 235, 1); / brand primary color */
--SECONDARY-color: rgba(47, 129, 235, 1); /* brand secondary color */
--MAIN-TOPBAR-BORDER-color: rgba(71, 71, 71, 1); /* border color between topbar and
content */ --MAIN-LINK-HOVER-color: rgb(112,...*

```
:root {  
  
  --PRIMARY-color: rgba( 47, 129, 235, 1 ); /* brand primary color */  
  
  --SECONDARY-color: rgba( 47, 129, 235, 1 ); /* brand secondary color */  
  
  
  --MAIN-TOPBAR-BORDER-color: rgba( 71, 71, 71, 1 ); /* border color between topbar and content */  
  
  --MAIN-LINK-HOVER-color: rgb(112, 174, 245); /* hovered link color of content */  
  
  --MAIN-BG-color: rgba( 32, 32, 32, 1 ); /* background color of content */  
  
  --MAIN-TEXT-color: rgba( 224, 224, 224, 1 ); /* text color of content and h1 titles */  
  
  --MAIN-TITLES-TEXT-color: rgba( 255, 255, 255, 1 ); /* text color of h2-h6 titles and transparent box  
  
  
  --CODE-theme: relearn-dark; /* name of the chroma stylesheet file */  
  
  --CODE-BLOCK-color: rgba( 248, 248, 242, 1 ); /* fallback text color of block code; should be adjusted  
  --CODE-BLOCK-BG-color: rgba( 43, 43, 43, 1 ); /* fallback background color of block code; should be adjusted  
  --CODE-BLOCK-BORDER-color: rgba( 71, 71, 71, 1 ); /* border color of block code */  
  
  --CODE-INLINE-color: rgba( 130, 229, 80, 1 ); /* text color of inline code */  
  
  --CODE-INLINE-BG-color: rgba( 45, 45, 45, 1 ); /* background color of inline code */  
  
  --CODE-INLINE-BORDER-color: rgba( 71, 71, 71, 1 ); /* border color of inline code */  
  
  
  --BROWSER-theme: dark; /* name of the theme for browser scrollbars of the main section */  
  
  --MERMAID-theme: dark; /* name of the default Mermaid theme for this variant, can be overridden in hugob  
  --OPENAPI-theme: dark; /* name of the default OpenAPI theme for this variant, can be overridden in hugob  
  --OPENAPI-CODE-theme: obsidian; /* name of the default OpenAPI code theme for this variant, can be over  
  
  
  --MENU-BORDER-color: rgba( 71, 71, 71, 1 ); /* border color between menu and content */  
  
  --MENU-TOPBAR-BORDER-color: rgba( 39, 39, 39, 1 ); /* separator color of vertical line between menu and  
  --MENU-TOPBAR-SEPARATOR-color: rgba( 71, 71, 71, 1 ); /* separator color of vertical line between menu  
  --MENU-HEADER-BG-color: transparent; /* background color of menu header */  
  
  --MENU-HEADER-BORDER-color: transparent; /* border color between menu header and menu */  
  
  --MENU-HEADER-SEPARATOR-color: rgba( 71, 71, 71, .66 ); /* separator color between menu header and menu  
  --MENU-HOME-LINK-color: rgba( 224, 224, 224, 1 ); /* home button color if configured */  
  
  --MENU-HOME-LINK-HOVER-color: rgba( 47, 129, 235, 1 ); /* hovered home button color if configured */
```

```

--MENU-SEARCH-color: rgba( 47, 129, 235, 1 ); /* text and icon color of search box */
--MENU-SEARCH-BG-color: rgba( 32, 32, 32, 1 ); /* background color of search box */
--MENU-SEARCH-BORDER-color: rgba( 71, 71, 71, .66 ); /* border color of search box */

--MENU-SECTIONS-BG-color: rgba( 39, 39, 39, 1 ); /* background of the menu; this is NOT just a color v
--MENU-SECTIONS-ACTIVE-BG-color: transparent; /* background color of the active menu section */
--MENU-SECTIONS-LINK-color: rgba( 224, 224, 224, .75 ); /* link color of menu topics */
--MENU-SECTIONS-LINK-HOVER-color: rgba( 47, 129, 235, 1 ); /* hoverd link color of menu topics */
--MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 47, 129, 235, 1 ); /* text color of the displayed menu top
--MENU-SECTION-ACTIVE-CATEGORY-BG-color: rgba( 32, 32, 32, 1 ); /* background color of the displayed m
--MENU-SECTION-SEPARATOR-color: rgba( 71, 71, 71, .66 ); /* separator color between menu sections and

--BOX-CAPTION-color: rgba( 240, 240, 240, 1 ); /* text color of colored box titles */
--BOX-BG-color: rgba( 20, 20, 20, 1 ); /* background color of colored boxes */
--BOX-TEXT-color: rgba( 224, 224, 224, 1 ); /* text color of colored box content */

--BOX-GREY-color: rgba( 71, 71, 71, 1 ); /* background color of grey boxes */
}

body a#R-logo,
body a#R-logo:hover,
body #R-logo svg,
body #R-logo svg * {
    color: var(--MENU-HOME-LINK-color);
    fill: var(--MENU-HOME-LINK-color) !important;
}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\assets\css\theme-zen-light.css

Resumo: :root { --PRIMARY-color: rgba(26, 115, 232, 1); / brand primary color */
--SECONDARY-color: rgba(26, 115, 232, 1); /* brand secondary color */
--MAIN-TOPBAR-BORDER-color: rgba(210, 210, 210, 1); /* border color between topbar and
content */ --MAIN-LINK-HOVER-color: rgba(...*

```
:root {  
  
  --PRIMARY-color: rgba( 26, 115, 232, 1 ); /* brand primary color */  
  
  --SECONDARY-color: rgba( 26, 115, 232, 1 ); /* brand secondary color */  
  
  
  --MAIN-TOPBAR-BORDER-color: rgba( 210, 210, 210, 1 ); /* border color between topbar and content */  
  
  --MAIN-LINK-HOVER-color: rgba( 32, 40, 145, 1 ); /* hoverd link color of content */  
  
  --MAIN-BG-color: rgba( 255, 255, 255, 1 ); /* background color of content */  
  
  --MAIN-TEXT-color: rgba( 0, 0, 0, 1 ); /* text color of content and h1 titles */  
  
  --MAIN-TITLES-TEXT-color: rgba( 16, 16, 16, 1 ); /* text color of h2-h6 titles and transparent box titles */  
  
  
  --CODE-theme: relearn-light; /* name of the chroma stylesheet file */  
  
  --CODE-BLOCK-color: rgba( 39, 40, 34, 1 ); /* fallback text color of block code; should be adjusted to match the theme */  
  --CODE-BLOCK-BG-color: rgba( 250, 250, 250, 1 ); /* fallback background color of block code; should be adjusted to match the theme */  
  --CODE-BLOCK-BORDER-color: rgba( 210, 210, 210, 1 ); /* border color of block code */  
  
  --CODE-INLINE-color: rgba( 94, 94, 94, 1 ); /* text color of inline code */  
  --CODE-INLINE-BG-color: rgba( 255, 250, 233, 1 ); /* background color of inline code */  
  --CODE-INLINE-BORDER-color: rgba( 248, 232, 200, 1 ); /* border color of inline code */  
  
  
  --BROWSER-theme: light; /* name of the theme for browser scrollbars of the main section */  
  
  --MERMAID-theme: default; /* name of the default Mermaid theme for this variant, can be overridden in h1 */  
  
  --OPENAPI-theme: light; /* name of the default OpenAPI theme for this variant, can be overridden in h1 */  
  --OPENAPI-CODE-theme: idea; /* name of the default OpenAPI code theme for this variant, can be overridden in h1 */  
  
  
  --MENU-BORDER-color: rgba( 210, 210, 210, 1 ); /* border color between menu and content */  
  
  --MENU-TOPBAR-BORDER-color: rgba( 247, 247, 247, 1 ); /* border color of vertical line between menu and topbar */  
  --MENU-TOPBAR-SEPARATOR-color: rgba( 210, 210, 210, 1 ); /* separator color of vertical line between menu and topbar */  
  
  --MENU-HEADER-BG-color: transparent; /* background color of menu header */  
  
  --MENU-HEADER-BORDER-color: transparent; /* border color between menu header and menu */  
  
  --MENU-HEADER-SEPARATOR-color: rgba( 210, 210, 210, .66 ); /* separator color between menu header and menu */  
  --MENU-HOME-LINK-color: rgba( 64, 64, 64, 1 ); /* home button color if configured */  
  
  --MENU-HOME-LINK-HOVER-color: rgba( 26, 115, 232, 1 ); /* hoverd home button color if configured */
```



```

--MENU-SEARCH-color: rgba( 26, 115, 232, 1 ); /* text and icon color of search box */
--MENU-SEARCH-BG-color: rgba( 255, 255, 255, 1 ); /* background color of search box */
--MENU-SEARCH-BORDER-color: rgba( 210, 210, 210, .66 ); /* border color of search box */

--MENU-SECTIONS-BG-color: rgba( 134, 134, 134, .066 ); /* background of the menu; this is NOT just a color */
--MENU-SECTIONS-ACTIVE-BG-color: transparent; /* background color of the active menu section */
--MENU-SECTIONS-LINK-color: rgba( 16, 16, 16, 1 ); /* link color of menu topics */
--MENU-SECTIONS-LINK-HOVER-color: rgba( 26, 115, 232, 1 ); /* hovered link color of menu topics */
--MENU-SECTION-ACTIVE-CATEGORY-color: rgba( 26, 115, 232, 1 ); /* text color of the displayed menu topic */
--MENU-SECTION-ACTIVE-CATEGORY-BG-color: rgba( 255, 255, 255, 1 ); /* background color of the displayed menu topic */
--MENU-SECTION-SEPARATOR-color: rgba( 210, 210, 210, .66 ); /* separator color between menu sections */

--BOX-CAPTION-color: rgba( 255, 255, 255, 1 ); /* text color of colored box titles */
--BOX-BG-color: rgba( 255, 255, 255, .833 ); /* background color of colored boxes */
--BOX-TEXT-color: rgba( 16, 16, 16, 1 ); /* text color of colored box content */

--BOX-GREY-color: rgba( 210, 210, 210, 1 ); /* background color of grey boxes */
}

body a#R-logo,
body a#R-logo:hover,
body #R-logo svg,
body #R-logo svg * {
    color: var(--MENU-HOME-LINK-color);
    fill: var(--MENU-HOME-LINK-color) !important;
}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\frontmatter\database\pinnedItemsDb.json

Resumo: {}

 $\{$

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite.frontmatter\database\taxonomvDb.json

Resumo: {}

 $\{$

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config_default\hugo.toml

Resumo: # this is a required setting for this theme to appear on <https://themes.gohugo.io/> # change this to a value appropriate for you; if your site is served from a subdirectory # set it like "https://example.com/mysite/" baseURL = "https://example.com/" # required value to serve this page from a we...

```
# this is a required setting for this theme to appear on https://themes.gohugo.io/
```

```
# change this to a value appropriate for you; if your site is served from a subdirectory
```

```
# set it like "https://example.com/mysite/"
```

```
baseURL = "https://example.com/"
```

```
# required value to serve this page from a webserver AND the file system;
```

```
# if you don't want to serve your page from the file system, you can also set this value
```

```
# to false
```

```
relativeURLs = true # true -> rewrite all site-relative URLs (those with a leading slash) to be relative
```

```
# if you set uglyURLs to false, this theme will append 'index.html' to any page bundle link
```

```
# so your site can be also served from the file system; if you don't want that,
```

```
# set disableExplicitIndexURLs=true in the [params] section
```

```
uglyURLs = false    # true -> basic/index.html -> basic.html
```

```
# the directory where Hugo reads the themes from; this is specific to your
```

```
# installation and most certainly needs be deleted or changed
```

```
themesdir = "../.."
```

```
# yeah, well, obviously a mandatory setting for your site, if you want to
```

```
# use this theme ;-)
```

```
theme = "hugo-theme-relearn"
```

```
# make sure your defaultContentLanguage is the first one in the [languages]
```

```
# array below, as the theme needs to make assumptions on it
```

```
defaultContentLanguage = "en"
```

```
# if you want to get rrrrid o' ourrr pirrrrates nonsense uncomment th' next line
```

```
# disableLanguages = ['pir']
```

```
# the site's title of this showcase; you should change this ;-)
```

```
title = "Hugo Relearn Theme"
```

```
# Don't use any auto-generated summaries
```

```
summaryLength = 10
```

```
[outputs]
```

```
# add `search` to the home to support Lunr search; This is a mandatory setting
# for the side wide search functionality

# add `searchpage` to the home to create a dedicated searchpage

# add `print` to home, section and page to activate the feature to print whole
# chapters

home = ["html", "rss", "print", "search", "searchpage"]

section = ["html", "rss", "print"]

page = ["html", "rss", "print"]
```

```
[markup]
```

```
[markup.highlight]
```

```
# line numbers in a table layout will shift if code is wrapping, so better
# not use it; visually both layouts have the same look and behavior

lineNumbersInTable = false


# the shipped variants come with their own modified chroma syntax highlighting
# stylesheets which are linked in your generated HTML pages; you can use Hugo to generate
# own stylesheets to your liking and use them in your variant;
# if you want to use Hugo's internal styles instead of the shipped stylesheets:
# - remove `noClasses` or set `noClasses = true`
# - set `style` to a predefined style name
# note: with using the internal styles, the `--CODE-theme` setting in your variant
# stylesheet will be ignored and the internal style is used for all variants and
# even print

noClasses = false

# style = "tango"
```

```
[markup.goldmark]
```

```
# this is required for the themes exampleSite to make the piratify shortcode work

duplicateResourceFiles = true


# activated for this showcase to use HTML and JavaScript; decide on your own needs;
# if in doubt, remove this line
```

```

renderer.unsafe = true

[markup.goldmark.extensions]

[markup.goldmark.extensions.passthrough]

    enable = true

[markup.goldmark.extensions.passthrough.delimiters]

    # the settings chosen here match the default initialization
    # of the MathJax library chosen by the theme;
    # if you want to adjust to different values you also need
    # to set them in `[params] mathJaxInitialize`
    inline = [['\(', '\)'], ['$ ', '$']]
    block  = [['\[', '\]'], ['$$ ', '$$']]

# showcase of the menu shortcuts; you can use relative URLs linking
# to your content or use fully-qualified URLs to link outside of
# your project
[languages]
[languages.en]

    title = "Hugo Relearn Theme"

    weight = 1

    languageName = "English"

    # Language dependent settings:
    # Use case https://gohugo.io/content-management/multilingual/#translation-by-content-directory
    #contentDir = "content/en"

[languages.en.params]

    landingPageName = "<i class='fa-fw fas fa-home'></i> Home"

[[languages.en.menu.shortcuts]]

    name = "<i class='fa-fw fab fa-github'></i> GitHub repo"

    identifier = "ds"

    url = "https://github.com/McShelby/hugo-theme-relearn"

    weight = 10
[[languages.en.menu.shortcuts]]

```

```

name = "<i class='fa-fw fas fa-camera'></i> Showcases"
pageRef = "showcase/"
weight = 20

[[languages.en.menu.shortcuts]]
name = "<i class='fa-fw fas fa-bullhorn'></i> Credits"
pageRef = "more/credits/"
weight = 30

[[languages.en.menu.shortcuts]]
name = "<i class='fa-fw fas fa-tags'></i> Tags"
pageRef = "tags/"
weight = 40

[[languages.en.menu.shortcuts]]
name = "<i class='fa-fw fas fa-layer-group'></i> Categories"
pageRef = "categories/"
weight = 50

# this is ourrr way t' showcase th' multilang settings by
# doing autotrrranlat'n of th' english content; we are
# lazy and don't supporrt furrther trrranslations; arrr,
# don't take it t' serrrious, fello'; it's prrretty hacky and:
# NOT MEANT FER PRRRODUCTION! ARRR!

[languages.pir]
title = "Cap'n Hugo Relearrrn Theme"
weight = 2
languageCode = "art-pir"
languageDirection = "rtl"
languageName = "Arrr! ■ Pirrrates ■"
# Language dependent settings:
# Use case https://gohugo.io/content-management/multilingual/#translation-by-content-directory
#contentDir = "content/pir"
[languages.pir.params]

```

```
landingPageName = "<i class='fa-fw fas home'></i> Arrr! Home"
```

```
[[languages.pir.menu.shortcuts]]
```

```
name = "<i class='fa-fw fab fa-github'></i> GitHub repo"
```

```
identifier = "ds"
```

```
url = "https://github.com/McShelby/hugo-theme-relearn"
```

```
weight = 10
```

```
[[languages.pir.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-camera'></i> Showcases"
```

```
pageRef = "showcase/"
```

```
weight = 20
```

```
[[languages.pir.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-bullhorn'></i> Crrredits"
```

```
pageRef = "more/credits/"
```

```
weight = 30
```

```
[[languages.pir.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-tags'></i> Arrr! Tags"
```

```
pageRef = "tags/"
```

```
weight = 40
```

```
[[languages.pir.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-layer-group'></i> Categorrrries"
```

```
pageRef = "categories/"
```

```
weight = 50
```

```
# mounts are only needed in this showcase to access the publicly available screenshots and CHANGELOG;
```

```
# remove this section if you don't need further mounts
```

```
[module]
```

```
[[module.mounts]]
```

```
source = 'archetypes'
```

```
target = 'archetypes'
```

```
[[module.mounts]]
```



```

    source = 'assets'

    target = 'assets'

# Language dependent settings:

# Use case https://gohugo.io/content-management/multilingual/#translation-by-filename

[[module.mounts]]
    source = 'content'
target = 'content'

# Use case https://gohugo.io/content-management/multilingual/#translation-by-content-directory

# [[module.mounts]]

# lang = 'en'

# source = 'content/en'

# target = 'content'

# [[module.mounts]]

# lang = 'pir'

# source = 'content/pir'

# target = 'content'

[[module.mounts]]

    source = 'data'

    target = 'data'

[[module.mounts]]

    source = 'i18n'

    target = 'i18n'

[[module.mounts]]

    source = 'layouts'

    target = 'layouts'

[[module.mounts]]

    source = 'static'

    target = 'static'

# just for this documentation to expose our config in the docs

[[module.mounts]]

    source = 'config'

    target = 'assets/config'

# just for this documentation to expose the GitHub hero image in the docs

```

```
[[module.mounts]]

    source = '../images'

    target = 'assets/images'

# just for this documentation to expose the CHANGELOG.md in the docs

[[module.mounts]]

    source = '../CHANGELOG.md'

    target = 'assets/CHANGELOG.md'

# just for this documentation to expose the README.md in the docs

[[module.mounts]]

    source = '../README.md'

    target = 'assets/README.md'

[params]

# Demo setting for displaying the siteparam shortcode the docs.
siteparam.test.text = "A **nested** option <b>with</b> formatting"

# Extension to the image effects only for the docs.
imageEffects.bg-white = true
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config_default\param s.toml

*Resumo: # If an option value is said to be not set, you can achieve the same behavior # by giving it an empty string value. #####
Hugo # These options usually apply to other themes as well. # The author of your site. # Def...*

```
# If an option value is said to be not set, you can achieve the same behavior  
# by giving it an empty string value.
```

```
#####
```

```
# Hugo
```

```
# These options usually apply to other themes as well.
```

```
# The author of your site.
```

```
# Default: not set
```

```
# This will be used in HTML meta tags, the opengraph protocol and twitter  
# cards.
```

```
# You can also set `author.email` if you want to publish this information.
```

```
author.name = "Sören Weber"
```

```
# The social media image of your site.
```

```
# Default: not set
```

```
# This is used for generating social media meta information for the opengraph  
# protocol and twitter cards.
```

```
# This can be overridden in the page's frontmatter.
```

```
images = [ "images/hero.png" ]
```

```
# Admin options for social media.
```

```
# Default: not set
```

```
# Configuration for the Open Graph protocol and Twitter Cards adhere to Hugo's  
# implementation. See the Hugo docs for possible values.
```

```
social.facebook_admin = ""
```

```
social.twitter = ""
```

```
#####
```

```
# Relearn Theme
```

```

# These options are specific to the Relearn theme.

+++++

# Branding

# These options set your overall visual appearance.

# Used color variants.

# Default: "auto"

# This sets one or more color variants, available to your readers to choose
# from. You can
# - set a single value eg. "zen-light"
# - an array like [ "neon", "learn" ]
# - an array with options like [ { identifier = "neon" }, { identifier = "learn" } ]
# The last form allows to set further options for each variant.
# The `identifier` is mandatory. You can also set `name` which overrides the
# value displayed in the variant selector.
# If the array has more than one entry, a variant selector
# is shown in the lower part of the menu. The first entry in the array is the
# default variant, used for first time visitors.
# The theme ships with the following variants: "relearn-bright",
# "relearn-light", "relearn-dark", "zen-light", "zen-dark", "neon", "learn",
# "blue", "green", "red". In addition you can use auto mode variants. See the
# docs for a detailed explanation.

# You can also define your own variants. See the docs how this works. Also,
# the docs provide an interactive theme generator to help you with this task.

themeVariant = [
  ■{ identifier = "relearn-auto",  name = "Relearn Light/Dark", auto = [] },
  ■{ identifier = "relearn-light" },
  ■{ identifier = "relearn-dark" },
  ■{ identifier = "relearn-bright" },
  { identifier = "zen-auto",      name = "Zen Light/Dark", auto = [ "zen-light", "zen-dark" ] },
  ■{ identifier = "zen-light" },
  ■{ identifier = "zen-dark" },
  ■{ identifier = "retro-auto",   name = "Retro Learn/Neon", auto = [ "learn", "neon" ] },
  ■{ identifier = "neon" },

```

```
■{ identifier = "learn"      },
■{ identifier = "blue"      },
■{ identifier = "green"     },
■{ identifier = "red"       }
]
```

```
#++++++
```

```
# General
```

```
# These options are defining general, non visual behavior.
```

```
# Avoid new asset URLs on build.
```

```
# Default: false
```

```
# By default JavaScript-files and CSS-files get a unique ID on each rebuild.
```

```
# This makes sure, the user always has the latest version and not some stale
```

```
# copy of his browser cache. Anyways, it can be desireable to turn this
```

```
# off in certain circumstances. For example if you have Hugo's dev server
```

```
# running. Also some proxies dislike this optimization.
```

```
disableAssetsBusting = false
```

```
# Avoid generator meta tags.
```

```
# Default: false
```

```
# Set this to true if you want to disable generation for generator meta tags
```

```
# of Hugo and the theme in your HTML head. In this case also don't forget to
```

```
# set Hugo's disableHugoGeneratorInject=true. Otherwise Hugo will generate a
```

```
# meta tag into your home page anyways.
```

```
disableGeneratorVersion = false
```

```
# Avoid unique IDs.
```

```
# Default: false
```

```
# In various situations the theme generates non stable unique ids to be used
```

```
# in HTML fragment links. This can be undesirable for example when testing
```

```
# the output for changes. If you disable the random id generation, the theme
```

```
# may not function correctly anymore.
```

```
disableRandomIds = false
```

```
# Multilanguage content.
```

```
# Default: not set

# If your pages contain further languages besides the main one used, add all
# those auxiliary languages here. This will create a search index with
# support for all used languages of your site.
# This is handy for example if you are writing in Spanish but have lots of
# source code on your page which typically uses English terminology.
additionalContentLanguage = [ "en" ]


# Additional code dependencies.
# Default: See hugo.toml of the theme
# The theme provides a mechanism to load further JavaScript and CSS
# dependencies on demand only if they are needed. This comes in handy if you
# want to add own shortcodes that depend on additional code to be loaded.
# See the docs how this works.
# [relearn.dependencies]


#####

# Topbar

# These options modify the topbar appearance.
# Hide the table of contents button.

# Default: false
# If the TOC button is hidden, also the keyboard shortcut is disabled.
# This can be overridden in the page's frontmatter.

disableToc = false


# Hide the breadcrumbs.

# Default: false
# If the breadcrumbs are hidden, the title of the displayed page will still be
# shown in the topbar.

disableBreadcrumb = false


# Hide Next and Previous navigation buttons.

# Default: false
# If the navigation buttons are hidden, also the keyboard shortcuts are
# disabled.
```

```

disableNextPrev = false

# The URL prefix to edit a page.
# Default: not set
# If set, an edit button will be shown in the topbar. If the button is hidden,
# also the keyboard shortcuts are disabled. The value can contain the macro
# `${FilePath}` which will be replaced by the file path of your displayed page.
# If no `${FilePath}` is given in the value, the value is treated as if the
# `${FilePath}` was appended at the end of the value. This can be overridden
# in the pages frontmatter. This is useful if you want to give the opportunity
# for people to create merge request for your content.
editURL = "https://github.com/McShelby/hugo-theme-relearn/edit/main/exampleSite/content/${FilePath}"

+++++

# Menu
# These options modify the menu appearance.

# Hide the search box.
# Default: false
# If the search box is disabled, the search functionality is disabled too.
# This will also cause the keyboard shortcut to be disabled and the dedicated
# search page is not linked although it might be configured.
disableSearch = false

# Hide the Home entry.
# Default: false
# If shown, a Home button will appear below the search bar and the main menu.
# It links to your the home page of the current language.
disableLandingPageButton = true

# The order of main menu submenus.
# Default: "weight"
# Submenus can be ordered by "weight", "title", "linktitle", "modifieddate",
# "expirydate", "publishdate", "date", "length" or "default" (adhering to
# Hugo's default sort order). This can be overridden in the pages frontmatter.

```

```
ordersectionsby = "weight"

# The initial expand state of submenus.
# Default: not set
# This controls whether submenus will be expanded (true), or collapsed (false)
# in the menu. If not set, the first menu level is set to false, all others
# levels are set to true. This can be overridden in the page's frontmatter.
# If the displayed page has submenus, they will always been displayed expanded
# regardless of this option.

alwaysopen = ""

# Shows expander for submenus.
# Default: false
# If set to true, a submenu in the sidebar will be displayed in a collapsible
# tree view and a clickable expander is set in front of the entry.
# This can be overridden in the page's frontmatter.

collapsibleMenu = true

# Shows checkmarks for visited pages of the main menu.
# Default: false
# This also causes the display of the `Clear History` entry in the lower part
# of the menu to remove all checkmarks. The checkmarks will also been removed
# if you regenerate your site as the ids are not stable.

showVisitedLinks = true

# Hide heading above the shortcut menu.
# Default: false
# The title for the heading can be overwritten in your i18n files. See Hugo's
# documentation how to do this.

disableShortcutsTitle = false

# Hide the language switcher.
# Default: false
# If you have more than one language configured, a language switcher is
# displayed in the lower part of the menu. This option lets you explicitly
```



```

# turn this behavior off.

disableLanguageSwitchingButton = false

#####

# Hidden pages

# These options configure how hidden pages are treated.

# A page flagged as hidden, is only removed from the main menu if you are
# currently not on this page or the hidden page is not part of current page's
# ancestors. For all other functionality in Hugo a hidden page behaves like any
# other page if not otherwise configured.

# Hide hidden pages from search.

# Default: false

# Hides hidden pages from the suggestions of the search box and the dedicated
# search page.

disableSearchHiddenPages = false

# Hide hidden pages for web crawlers.

# Default: false

# Avoids hidden pages from showing up in the sitemap and on Google (et all),
# otherwise they may be indexed by search engines

disableSeoHiddenPages = true

# Hide hidden pages for taxonomies.

# Default: false

# Hides hidden pages from showing up on the taxonomy and terms pages. If this
# reduces term counters to zero, an empty but not linked term page will be
# created anyhow.

disableTagHiddenPages = false

#####

# Content

# These options modify how your content is displayed.
# Title separator.

# Default: ":::"

```

```
# Changes the title separator used when concatenating the page title with the
# site title. This is consistently used throughout the theme.
titleSeparator = "::"

# Breadcrumb separator.
# Default: ">"
# Changes the breadcrumb separator used in the topbars breadcrumb area and for
# search results and term pages.
breadcrumbSeparator = ">"

# Hide the root breadcrumb.
# Default: false
# The root breadcrumb is usually the home page of your site. Because this is
# always accessible by clicking on the logo, you may want to reduce clutter
# by removing this from your breadcrumb.
disableRootBreadcrumb = true

# Hide breadcrumbs term pages.
# Default: false
# If you have lots of taxonomy terms, the term pages may seem cluttered with
# breadcrumbs to you, so this is the option to turn off breadcrumbs on term
# pages. Only the page title will then be shown on the term pages.
disableTermBreadcrumbs = false

#####
# Highlight
# These options configure how code is displayed.

# Hide copy-to-clipboard for inline code.
# Default: false
# This removes the copy-to-clipboard button from your inline code.
disableInlineCopyToClipboard = true

# Always show copy-to-clipboard for block code.
# Default: false
```

```

# The theme only shows the copy-to-clipboard button if you hover over the code
# block. Set this to true to disable the hover effect and always show the
# button.

disableHoverBlockCopyToClipboard = false


# Wrap for code blocks.

# Default: true

# By default lines of code blocks wrap around if the line is too long to be
# displayed on screen. If you dislike this behavior, you can reconfigure it
# here.

# Note that lines always wrap in print mode regardless of this option.

# This can be overridden in the page's frontmatter or given as a parameter to
# individual code blocks.

highlightWrap = true


+++++

# Include

# These options configure how the include shortcode works.


# What to do when path is not resolved.

# Default: ""

# You can control what should happen if a path can not be resolved to as
# a resource or via the file system. If not set, no output will be written
# for the unresolved path. If set to `warning` the same happens and an additional
# warning is printed. If set to `error` an error message is printed and the build
# is aborted.

include.errorlevel = "error"


+++++

# Images

# These options configure how images are displayed.


# What to do when local image link is not resolved.

# Default: ""

# You can control what should happen if a local image can not be resolved to as

```

```
# a resource. If not set, the unresolved link is written as given into the resulting
# output. If set to `warning` the same happens and an additional warning is
# printed. If set to `error` an error message is printed and the build is
# aborted.
# Please note that this can not resolve files inside of your `static` directory.
image.errorlevel = "error"
```

```
# Image effects.
# See the documentation for how you can even add your own arbitrary effects to
# the list.
# All effects can be overridden in the page's frontmatter or through URL parameter
# given to the image. See the documentation for details.
```

```
# Default: false
imageEffects.border = true
# Default: true
imageEffects.lazy = true
# Default: true
imageEffects.lightbox = true
# Default: false
imageEffects.shadow = false
```

```
#+-----+
```

```
# Links
# These options configure how links are displayed.
```

```
# What to do when local page link is not resolved.
# Default: ""
# You can control what should happen if a local link can not be resolved to a
# page. If not set, the unresolved link is written as given into the resulting
# output. If set to `warning` the same happens and an additional warning is
# printed. If set to `error` an error message is printed and the build is
# aborted.
# Please note that with Hugo < 0.123.0 + `uglyURLs=true` this can lead to false
# negatives.
```

```
link.errorlevel = "error"
```

```
# How to open external links.
```

```
# Default: "_blank"
```

```
# For external links you can define how they are opened in your browser. All
```

```
# values for the HTML `target` attribute of the `a` element are allowed. The
```

```
# default value opens external links in a separate browser tab. If you want
```

```
# to open those links in the same tab, use "_self".
```

```
externalLinkTarget = "_self"
```

```
# Generate link URLs the Hugo way.
```

```
# Default: false
```

```
# If set to true, the theme behaves like a standard Hugo installation and
```

```
# appends no index.html to prettyURLs. As a trade off, your build project will
```

```
# not be servable from the file system.
```

```
disableExplicitIndexURLs = false
```

```
#+-----+
```

```
# MathJax
```

```
# These options configure how math formulae are displayed.
```

```
# Initialization options for MathJax.
```

```
# Default: not set
```

```
# A JSON value. See the MathJaxdocumentation for possible parameter.
```

```
# This can be overridden in the page's frontmatter.
```

```
mathJaxInitialize = "{}"
```

```
# Only load MathJax if needed.
```

```
# Default: true
```

```
# If a Math shortcode is found, the option will be ignored and
```

```
# MathJax will be loaded regardlessly. The option is still useful in case you
```

```
# are using scripting to set up your graph. In this case no shortcode or
```

```
# codefence is involved and the library is not loaded by default. In this case
```

```
# you can set `disableMathJax=false` in your frontmatter to force the library to
```

```
# be loaded.
```

```

# This can be overridden in the page's frontmatter.

disableMathJax = true


# URL for external MathJax library.
# Default: not set
# Specifies the remote location of the MathJax library. By default the shipped
# version will be used.
# This can be overridden in the page's frontmatter.

customMathJaxURL = "" # "https://unpkg.com/mathjax/es5/tex-mml-chtml.js"


+++++

# Mermaid

# These options configure how Mermaid graphs are displayed.


# Make graphs panable and zoomable
# Default: false
# For huge graphs it can be helpful to make them zoomable. Zoomable graphs come
# with a reset button for the zoom.
# This can be overridden in the page's frontmatter or given as a parameter to
# individual graphs.

mermaidZoom = true


# Initialization options for Mermaid.
# Default: not set
# A JSON value. See the Mermaid documentation for possible parameter.
# This can be overridden in the page's frontmatter.

mermaidInitialize = "{ \"securityLevel\": \"loose\" }"


# Only load Mermaid if needed.
# Default: true
# If a Mermaid shortcode or codefence is found, the option will be ignored and
# Mermaid will be loaded regardlessly. The option is still useful in case you
# are using scripting to set up your graph. In this case no shortcode or
# codefence is involved and the library is not loaded by default. In this case
# you can set `disableMermaid=false` in your frontmatter to force the library to

```

```

# be loaded.

# This can be overridden in the page's frontmatter.
disableMermaid = true


# URL for external Mermaid library.

# Default: not set

# Specifies the remote location of the Mermaid library. By default the shipped
# version will be used.

# This can be overridden in the page's frontmatter.
customMermaidURL = "" # "https://unpkg.com/mermaid/dist/mermaid.min.js"


+++++

# OpenApi

# These options configure how OpenAPI specifications are displayed.


# Only load OpenAPI if needed.

# Default: true

# If a OpenAPI shortcode is found, the option will be ignored and
# OpenAPI will be loaded regardlessly. The option is still useful in case you
# are using scripting to set up your graph. In this case no shortcode or
# codefence is involved and the library is not loaded by default. In this case
# you can set `disableOpenapi=false` in your frontmatter to force the library to
# be loaded.

# This can be overridden in the page's frontmatter.
disableOpenapi = true


# URL for external OpenAPI library.

# Default: not set

# Specifies the remote location of the OpenAPI library. By default the shipped
# version will be used.

# This can be overridden in the page's frontmatter.
customOpenapiURL = "" # "https://unpkg.com/swagger-ui-dist/swagger-ui-bundle.js"

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config\github\hugo.toml

Resumo: baseURL = "https://mcshelby.github.io/hugo-theme-relearn/" relativeURLs = false

baseURL = "https://mcshelby.github.io/hugo-theme-relearn/"

relativeURLs = false

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\config\testing\hugo.toml

Resumo: # We disable this for testing the exampleSite; you must do so too # if you want to use the themes parameter disableGeneratorVersion=true; # otherwise Hugo will create a generator tag on your home page disableHugoGeneratorInject = true # We are pretty sure, to not have unintentionally untransla...

```
# We disable this for testing the exampleSite; you must do so too

# if you want to use the themes parameter disableGeneratorVersion=true;

# otherwise Hugo will create a generator tag on your home page
disableHugoGeneratorInject = true


# We are pretty sure, to not have unintentionally untranslated titles;
# it may happen in case when shortcodes want to set an automatic title
# out of a given style setting (this is allowed to fail for non severity styles)
# enableMissingTranslationPlaceholders = true


# Audit your published site for problems
# https://discourse.gohugo.io/t/audit-your-published-site-for-problems/35184/12

[minify]

  [minify.tdewolff]

    [minify.tdewolff.html]

      keepComments = true


[params]

  disableGeneratorVersion = true

  disableAssetsBusting = true

  disableRandomIds = true
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\ index.en.md

*Resumo: +++ archetype = "home" description = "A theme for Hugo designed for documentation."
title = "Hugo Relearn Theme" +++ {{% replaceRE
"https://mcshelby.github.io/hugo-theme-relearn/" "" %}} {{< include "README.md" "true" >}} {{%
/replaceRE %}}*

+++

archetype = "home"

description = "A theme for Hugo designed for documentation."

title = "Hugo Relearn Theme"

+++

{{% replaceRE "https://mcshelby.github.io/hugo-theme-relearn/" "" %}}

{{< include "README.md" "true" >}}

{{% /replaceRE %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\ index.pir.md

Resumo: +++ archetype = "home" description = "A theme fer Cap'n Hugo designed fer documentat'n." title = "Cap'n Hugo Relearrn Theme" +++ {{< piratify true >}}

+++

archetype = "home"

description = "A theme fer Cap'n Hugo designed fer documentat'n."

title = "Cap'n Hugo Relearrn Theme"

+++

{{< piratify true >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics_index.en.md

Resumo: +++ archetype = "chapter" title = "Basics" weight = 1 +++ Discover what this Hugo theme is all about and the core-concepts behind it.

+++

archetype = "chapter"

title = "Basics"

weight = 1

+++

Discover what this Hugo theme is all about and the core-concepts behind it.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics_index.nir.md

Resumo: +++ archetype = "chapter" title = "Basics" weight = 1 +++ {{< piratify >}}

+++

archetype = "chapter"

title = "Basics"

weight = 1

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\branding\ index.en.md

Resumo: +++ categories = ["custom", "theming"] title = "Branding" weight = 24 +++ The Relearn theme provides configuration options to change your site's colors, favicon and logo. This allows you to easily align your site visuals to your desired style. Most of these options are exposed through so call...

+++

```
categories = ["custom", "theming"]
```

```
title = "Branding"
```

```
weight = 24
```

+++

The Relearn theme provides configuration options to change your site's colors, favicon and logo. This allows

A color variant lets you customize various visual effects of your site like almost any color, used fonts,

The Relearn theme ships with a wide set of different color variants. You can use them as-is, copy them over

Once configured in your `hugo.toml`, you can select them with the variant selector at the bottom of the menu

```
## Change the Variant (Simple) {#theme-variant}
```

```
### Single Variant
```

Set the `themeVariant` value to the name of your theme file. That's it! Your site will be displayed in the

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
  themeVariant = "relearn-light"
```

```
{{< /multiconfig >}}
```

```
{{% notice note %}}
```

Your theme variant file must reside in your site's `assets/css` directory and the file name must start with

If you want to make changes to a shipped color variant, create a copy in your site's `assets/css` directory
{{% /notice %}}

Multiple Variants

You can also set multiple variants. In this case, the first variant is the default chosen on first view a

```
{{< multiconfig file=hugo >}}  
[params]  
  themeVariant = [ "relearn-light", "relearn-dark" ]  
{{< /multiconfig >}}
```

```
{{% notice tip %}}
```

The theme provides an advanced configuration mode, combining the functionality for multiple variants with

Although all options documented here are still working, the advanced configuration options are the recomm

```
{{% /notice %}}
```

Adjust to OS Settings

You can also cause the site to adjust to your OS settings for light/dark mode. Just set the `themeVariant

You can use the `auto` value with the single or multiple variants option. If you are using multiple varian

```
{{< multiconfig file=hugo >}}  
[params]  
  themeVariant = [ "auto", "red" ]  
{{< /multiconfig >}}
```

If you don't configure anything else, the theme will default to use `relearn-light` for light mode and `re

In the above example, you would end with `red` for light mode and the default of `relearn-dark` for dark m
If you don't like that behavior, you can explicitly set `themeVariantAuto`. The first entry in the array :

```
{{< multiconfig file=hugo >}}  
[params]  
  themeVariantAuto = [ "learn", "neon" ]  
{{< /multiconfig >}}
```

Change the Favicon

If your favicon is a SVG, PNG or ICO, just drop your image in your site's `static/images/` directory and rename it to `favicon.png`.

If you want to adjust your favicon according to your OS settings for light/dark mode, add the image files `favicon.png` and `favicon-dark.png`.

If no favicon file is found, the theme will lookup the alternative filename `logo` in the same location and use it as a fallback.

If you need to change this default behavior, create a new file `layouts/partials/favicon.html` in your site.

```
````html {title="layouts/partials/favicon.html"}
<link rel="icon" href="/images/favicon.bmp" type="image/bmp">
````
```

Change the Logo

Create a new file in `layouts/partials/logo.html` of your site. Then write any HTML you want. You could use the following as a starting point:

```
{{% notice note %}}
```

The size of the logo will adapt automatically.

```
{{% /notice %}}
```

Syntax Highlighting

If you want to switch the syntax highlighting theme together with your color variant, you need to configure the theme variant.

You can use one of the shipped stylesheet files or use Hugo to generate a file for you. The file must be named `syntax-highlighting.css`.

For an example, take a look into [`theme-relearn-light.css`](https://github.com/McShelby/hugo-theme-relearn-light/blob/master/static/css/theme-relearn-light.css).

Change the Variant (Advanced) {#theme-variant-advanced}

The theme offers a new way to configure theme variants and all of the aspects above inside of a single config file. Like with the [multiple variants](#multiple-variants) option, you are defining your theme variants in an array. Again, in this case, the first variant is the default chosen on first view and a variant selector will be added to the top of the page.

```
{< multiconfig file=hugo >}}
```



```

[params]

    themeVariant = [ "relearn-light", "relearn-dark" ]

{{< /multiconfig >}}

```

you now write it that way:

```

{{< multiconfig file=hugo >}}

```

```

[params]

    [[params.themeVariant]]

        identifier = "relearn-light"

    [[params.themeVariant]]

        identifier = "relearn-dark"

```

```

{{< /multiconfig >}}

```

The `identifier` option is mandatory and equivalent to the string in the first example. Further options c

Parameter

| Name | Default | Notes |
|------------|----------------------------|---|
| identifier | <code><empty></code> | Must correspond to the name of a color variant either in your |
| name | see notes | The name to be displayed in the variant selector. If not set, |
| auto | <code><empty></code> | If set, the variant is treated as an [auto mode variant](#adj |

Example Configuration of This Site

```

{{< multiconfig file=hugo >}}

```

```

[params]

    [[params.themeVariant]]

        identifier = "relearn-auto"

        name = "Relearn Light/Dark"

        auto = []

    [[params.themeVariant]]

        identifier = "relearn-light"

    [[params.themeVariant]]

        identifier = "relearn-dark"

```

```

[[params.themeVariant]]
    identifier = "zen-auto"
    name = "Zen Light/Dark"
    auto = [ "zen-light", "zen-dark" ]
[[params.themeVariant]]
    identifier = "zen-light"
[[params.themeVariant]]
    identifier = "zen-dark"
[[params.themeVariant]]
    identifier = "neon"
{{< /multiconfig >}}

```

Modify Shipped Variants

In case you like a shipped variant but only want to tweak some aspects, you have two choices:

1. Copy and change

You can copy the shipped variant file from the theme's ``assets/css`` directory to the site's ``assets/css`` directory.

2. Create and import

You can create a new variant file in the site's ``assets/css`` directory and give it a new name. Import the new variant file in the theme's ``assets/css`` directory.

For example, you want to use the ``relearn-light`` variant but want to change the syntax highlighting settings.

```

` `` `css {title="assets/css/theme-my-branding.css"}
@import "theme-relearn-light.css";

:root {
    --CODE-theme: neon; /* name of the chroma stylesheet file */
    --CODE-BLOCK-color: rgba( 226, 228, 229, 1 ); /* fallback color for code text */
    --CODE-BLOCK-BG-color: rgba( 40, 42, 54, 1 ); /* fallback color for code background */
}
` `` `

```

Afterwards put this in your `hugo.toml` to use your new variant:

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
    themeVariant = "my-branding"
```

```
{{< /multiconfig >}}
```

In comparison to `_copy and change_`, this has the advantage that you profit from any adjustments to the

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\branding\ index.pir.md

Resumo: +++ categories = ["custom", "theming"] title = "Brrrand'n" weight = 24 +++ {{< piratify >}}

+++

categories = ["custom", "theming"]

title = "Brrrand'n"

weight = 24

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\configuration\ index.en.md

Resumo: +++ tags = ["config"] title = "Configuration" weight = 20 +++ On top of [Hugo's global configuration options](https://gohugo.io/overview/configuration/), the Relearn theme lets you define further options unique to the theme in your `hugo.toml`. Note that some of these options are explained...

+++

```
tags = ["config"]
```

```
title = "Configuration"
```

```
weight = 20
```

+++

On top of [Hugo's global configuration options](https://gohugo.io/overview/configuration/), the Relearn theme

Note that some of these options are explained in detail in other sections of this documentation.

All config options

The values reflect the options active in this documentation. The defaults can be taken from the [annotated

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
{{% include "config/_default/params.toml" %}}
```

```
{{< /multiconfig >}}
```

Annotated config options

```
````toml {title="hugo.toml"}
```

```
[params]
```

```
{{% include "config/_default/params.toml" %}}
```

```
````
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\configuration\ index.nir.md

Resumo: +++ tags = ["config"] title = "Configurrrat'n" weight = 20 +++ {{< piratify >}}

+++

tags = ["config"]

title = "Configurrrat'n"

weight = 20

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\customization\ index.en.md

Resumo: +++ title = "Customization" weight = 25 +++ ## Usage scenarios The theme is usable in different scenarios, requiring the following mandatory settings in your `hugo.toml`. All settings not mentioned can be set to your liking. #### Public Web Server from Root {{< multiconfig file=hugo >}}...

+++

title = "Customization"

weight = 25

+++

Usage scenarios

The theme is usable in different scenarios, requiring the following mandatory settings in your `hugo.toml`

Public Web Server from Root

{{< multiconfig file=hugo >}}

baseUrl = "https://example.com/"

{{< /multiconfig >}}

Public Web Server from Subdirectory

{{< multiconfig file=hugo >}}

baseUrl = "https://example.com/mysite/"

relativeURLs = false

{{< /multiconfig >}}

Private Web Server (LAN)

The same settings as with any of the public web server usage scenarios or

{{< multiconfig file=hugo >}}

baseUrl = "/"

relativeURLs = true

{{< /multiconfig >}}

File System

```
{{< multiconfig file=hugo >}}
```

```
baseUrl = "/"
```

```
relativeURLs = true
```

```
{{< /multiconfig >}}
```

```
{{% notice warning %}}
```

Using a `baseUrl` with a subdirectory and `relativeURLs=true` are mutually exclusive due to the fact, that

If you need both, you have to generate your site twice but with different settings into separate directories.

```
{{% /notice %}}
```

```
{{% notice note %}}
```

Sublemental pages (like `sitemap.xml`, `rss.xml`) and generated social media links inside of your pages will

```
{{% /notice %}}
```

```
{{% notice info %}}
```

If you are using `uglyURLs=false` (Hugo's default), the theme will append an additional `index.html` to a

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
    disableExplicitIndexURLs = true
```

```
{{< /multiconfig >}}
```

```
{{% /notice %}}
```

Activate search

If not already present, add the following lines in your `hugo.toml` file.

```
{{< multiconfig file=hugo >}}
```

```
[outputs]
```

```
    home = ["html", "rss", "search"]
```

```
{{< /multiconfig >}}
```

This will generate a search index file at the root of your public folder ready to be consumed by the Lunr

Activate dedicated search page

You can add a dedicated search page for your page by adding the `searchpage` outputformat to your home page.

```
{{< multiconfig file=hugo >}}

[outputs]

  home = ["html", "rss", "search", "searchpage"]

{{< /multiconfig >}}
```

You can access this page by either clicking on the magnifier glass or by typing some search term and pressing enter.

![Screenshot of the dedicated search page](search_page.png?&width=60pc)

{{% notice note %}}

To have Hugo create the dedicated search page successfully, you must not generate the URL `http://example.com/search`.

To make sure, there is no duplicate content for any given URL of your project, run `hugo --printPathWarnings`.

{{% /notice %}}

Activate print support

You can activate print support to add the capability to print whole chapters or even the complete site. Just add the following to your config file.

```
{{< multiconfig file=hugo >}}

[outputs]

  home = ["html", "rss", "print", "search"]

  section = ["html", "rss", "print"]

  page = ["html", "rss", "print"]

{{< /multiconfig >}}
```

This will add a little printer icon in the top bar. It will switch the page to print preview when clicked.

{{% notice note %}}

The resulting URL will not be [configured ugly](https://gohugo.io/templates/output-formats/#configure-output-formats). Nevertheless, if you're unhappy with the resulting URLs you can manually redefine `outputFormats.print` in your config file.

```
{{% /notice %}}
```

Home Button Configuration

If the `disableLandingPageButton` option is set to `false`, a Home button will appear on the left menu. It is an alternative for clicking on the logo. To edit the appearance, you will have to configure the `landingPageName` for the defined languages:

```
{{< multiconfig file=hugo >}}  
[languages]  
[languages.en]  
[languages.en.params]  
landingPageName = "<i class='fa-fw fas fa-home'></i> Home"  
[languages.pir]  
[languages.pir.params]  
landingPageName = "<i class='fa-fw fas fa-home'></i> Arrr! Homme"  
{{< /multiconfig >}}
```

If this option is not configured for a specific language, they will get their default values:

```
{{< multiconfig >}}  
landingPageName = "<i class='fa-fw fas fa-home'></i> Home"  
{{< /multiconfig >}}
```

The home button is going to look like this:

```
![Default Home Button](home_button_defaults.png?width=18.75rem)
```

Social Media Meta Tags

You can add social media meta tags for the [Open Graph](https://gohugo.io/templates/internal/#open-graph)

Change the Menu Width

The menu width adjusts automatically for different screen sizes.

| Name | Screen Width | Menu Width |
|------|---------------|------------|
| S | < 48rem | 14.375rem |
| M | 48rem - 60rem | 14.375rem |
| L | >= 60rem | 18.75rem |

The values for the screen width breakpoints aren't configurable.

If you want to adjust the menu width you can define the following CSS variables in your `custom-header.htm

```

````css
:root {
 --MENU-WIDTH-S: 14.375rem;
 --MENU-WIDTH-M: 14.375rem;
 --MENU-WIDTH-L: 18.75rem;
}
````

```

Change the Main Area's Max Width

By default the main area width will only grow to a certain extent if more vertical screen space is availa

If you are unhappy with the default, you can define the following CSS variable in your `custom-header.htm

```

````css
:root {
 --MAIN-WIDTH-MAX: 80.25rem;
}
````

```

Own Shortcodes with JavaScript Dependencies

Certain shortcodes make use of additional dependencies like JavaScript and CSS files. The theme only loads You can you use this mechanism in your own shortcodes. Say you want to add a shortcode `myshortcode` that

1. Write the shortcode file `layouts/shortcodes/myshortcode.html` and add the following line

```

````go {title="layouts/shortcodes/myshortcode.html"}

```

```

 {{- .Page.Store.Set "hasMyShortcode" true }}
....

```

1. Add the following snippet to your `hugo.toml`

```

{{< multiconfig file=hugo >}}
[params.relearn.dependencies]
 [params.relearn.dependencies.myshortcode]
 name = "MyShortcode"
{{< /multiconfig >}}

```

1. Add the dependency loader file `layouts/partials/dependencies/myshortcode.html`. The loader file will look like this:

```

* `header`: if called at the end of the HTML `head` element
* `footer`: if called at the end of the HTML `body` element

````go {title="layouts/partials/dependencies/myshortcode.html"}
{{- if eq .location "footer" }}
  <script src="https://www.unpkg.com/jquery/dist/jquery.js"></script>
{{- end }}
````

```

Character casing is relevant!

- the `name` setting in your `hugo.toml` must match the key (that needs to be prefixed with a `has`) you use in your shortcode
- the key on `params.relearn.dependencies` in your `hugo.toml` must match the base file name of your loader

See the `math`, `mermaid` and `openapi` shortcodes for examples.

```

{{% notice note %}}

```

If you are really into customization of the theme and want to use the dependency loader for your own local dependencies:

```

````go
{{- partial "dependencies.html" (dict "page" . "location" "mylocation") }}
````

```

```
{{% /notice %}}
```

## ## Output Formats

Certain parts of the theme can be changed for support of your own [output formats](https://gohugo.io/templating/)

## ## React to Variant Switches in JavaScript

Once a color variant is fully loaded, either initially or by switching the color variant manually with the theme switcher, you can react to it in JavaScript.

```
````javascript
document.addEventListener( 'themeVariantLoaded', function( e ){
    console.log( e.detail.variant ); // `relearn-light`
});
````
```

## ## Partial

The Relearn theme has been built to be as configurable as possible by defining multiple [partials](https://gohugo.io/layouts/partials/).

In ``themes/hugo-theme-relearn/layouts/partials/``, you will find all the partials defined for this theme.

This theme defines the following partials :

- ``header.html``: the header of the page. See [output-formats](#output-formats)
- ``footer.html``: the footer of the page. See [output-formats](#output-formats)
- ``body.html``: the body of the page. The body may contain one or many articles. See [output-formats](#output-formats)
- ``article.html``: the output for a single article, can contain elements around your content. See [output-formats](#output-formats)
- ``menu.html``: left menu. `_Not meant to be overwritten_`
- ``search.html``: search box. `_Not meant to be overwritten_`
- ``custom-header.html``: custom headers in page. Meant to be overwritten when adding CSS imports. Don't forget to add the CSS file in the `hugo.toml` file.
- ``custom-footer.html``: custom footer in page. Meant to be overwritten when adding JavaScript. Don't forget to add the JS file in the `hugo.toml` file.
- ``favicon.html``: the favicon
- ``heading.html``: side-wide configuration to change the pages title headings.
- ``heading-pre.html``: side-wide configuration to prepend to pages title headings. If you override this, it will be prepended to the title.

- ``heading-post.html``: side-wide configuration to append to pages title headings. If you override this, it is your responsibility
- ``logo.html``: the logo, on top left hand corner
- ``meta.html``: HTML meta tags, if you want to change default behavior
- ``menu-pre.html``: side-wide configuration to prepend to menu items. If you override this, it is your responsibility
- ``menu-post.html``: side-wide configuration to append to menu items. If you override this, it is your responsibility
- ``menu-footer.html``: footer of the left menu
- ``toc.html``: table of contents
- ``content.html``: the content page itself. This can be overridden if you want to display page's meta data
- ``content-header.html``: header above the title, has a default implementation but you can overwrite it if you want
- ``content-footer.html``: footer below the content, has a default implementation but you can overwrite it if you want

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\customization\ index.pir.md

Resumo: +++ title = "Customizat'n" weight = 25 +++ {{< piratify >}}

+++

title = "Customizat'n"

weight = 25

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\generator\ index.en.md

*Resumo: +++ categories = "theming" disableMermaid = false title = "Stylesheet generator" weight = 26 +++ This interactive tool may help you to generate your own color variant stylesheet. {{% expand "Show usage instructions" %}} To get started, first select a color variant from the variant select...*

+++

categories = "theming"

disableMermaid = false

title = "Stylesheet generator"

weight = 26

+++

This interactive tool may help you to generate your own color variant stylesheet.

{{% expand "Show usage instructions" %}}

To get started, first select a color variant from the variant selector in the lower left sidebar that fits your needs.

The graph is interactive and reflect the current colors. You can click on any of the colored boxes to adjust the color.

The arrowed lines reflect how colors are inherited through different parts of the theme if the descendant has the same color.

To better understand this select the `neon` variant and modify the different heading colors. There, colors are inherited from the parent.

Once you've changed a color, the variant selector will show a "My custom variant" entry and your changes are applied to the graph.

Once you are satisfied, you can download the new variants file and copy it into your site's `assets/css` folder.

Eg. if your new variants file is named `theme-my-custom-variant.css`, you have to set `themeVariant='my-custom-variant'` in your config file.

See the docs for [further configuration options](basics/branding)

{{% /expand %}}

{{% button style="secondary" icon="download" href="javascript:window.variants&&variants.getStylesheet();this.closeModal();" %}}

{{% button style="warning" icon="trash" href="javascript:window.variants&&variants.resetVariant();this.closeModal();" %}}  
<div id="R-vargenerator" class="mermaid zoomable" style="background-color: var(--INTERNAL-MAIN-TEXT-color); padding: 10px; border: 1px solid #ccc;">

```

graph TD
 subgraph "Color Variants"
 direction TB
 V1[Variant 1]
 V2[Variant 2]
 V3[Variant 3]
 V4[Variant 4]
 V5[Variant 5]
 V6[Variant 6]
 V7[Variant 7]
 V8[Variant 8]
 V9[Variant 9]
 V10[Variant 10]
 V11[Variant 11]
 V12[Variant 12]
 V13[Variant 13]
 V14[Variant 14]
 V15[Variant 15]
 V16[Variant 16]
 V17[Variant 17]
 V18[Variant 18]
 V19[Variant 19]
 V20[Variant 20]
 end
 V1 --> V2
 V1 --> V3
 V1 --> V4
 V1 --> V5
 V1 --> V6
 V1 --> V7
 V1 --> V8
 V1 --> V9
 V1 --> V10
 V1 --> V11
 V1 --> V12
 V1 --> V13
 V1 --> V14
 V1 --> V15
 V1 --> V16
 V1 --> V17
 V1 --> V18
 V1 --> V19
 V1 --> V20
 V2 --> V3
 V2 --> V4
 V2 --> V5
 V2 --> V6
 V2 --> V7
 V2 --> V8
 V2 --> V9
 V2 --> V10
 V2 --> V11
 V2 --> V12
 V2 --> V13
 V2 --> V14
 V2 --> V15
 V2 --> V16
 V2 --> V17
 V2 --> V18
 V2 --> V19
 V2 --> V20
 V3 --> V4
 V3 --> V5
 V3 --> V6
 V3 --> V7
 V3 --> V8
 V3 --> V9
 V3 --> V10
 V3 --> V11
 V3 --> V12
 V3 --> V13
 V3 --> V14
 V3 --> V15
 V3 --> V16
 V3 --> V17
 V3 --> V18
 V3 --> V19
 V3 --> V20
 V4 --> V5
 V4 --> V6
 V4 --> V7
 V4 --> V8
 V4 --> V9
 V4 --> V10
 V4 --> V11
 V4 --> V12
 V4 --> V13
 V4 --> V14
 V4 --> V15
 V4 --> V16
 V4 --> V17
 V4 --> V18
 V4 --> V19
 V4 --> V20
 V5 --> V6
 V5 --> V7
 V5 --> V8
 V5 --> V9
 V5 --> V10
 V5 --> V11
 V5 --> V12
 V5 --> V13
 V5 --> V14
 V5 --> V15
 V5 --> V16
 V5 --> V17
 V5 --> V18
 V5 --> V19
 V5 --> V20
 V6 --> V7
 V6 --> V8
 V6 --> V9
 V6 --> V10
 V6 --> V11
 V6 --> V12
 V6 --> V13
 V6 --> V14
 V6 --> V15
 V6 --> V16
 V6 --> V17
 V6 --> V18
 V6 --> V19
 V6 --> V20
 V7 --> V8
 V7 --> V9
 V7 --> V10
 V7 --> V11
 V7 --> V12
 V7 --> V13
 V7 --> V14
 V7 --> V15
 V7 --> V16
 V7 --> V17
 V7 --> V18
 V7 --> V19
 V7 --> V20
 V8 --> V9
 V8 --> V10
 V8 --> V11
 V8 --> V12
 V8 --> V13
 V8 --> V14
 V8 --> V15
 V8 --> V16
 V8 --> V17
 V8 --> V18
 V8 --> V19
 V8 --> V20
 V9 --> V10
 V9 --> V11
 V9 --> V12
 V9 --> V13
 V9 --> V14
 V9 --> V15
 V9 --> V16
 V9 --> V17
 V9 --> V18
 V9 --> V19
 V9 --> V20
 V10 --> V11
 V10 --> V12
 V10 --> V13
 V10 --> V14
 V10 --> V15
 V10 --> V16
 V10 --> V17
 V10 --> V18
 V10 --> V19
 V10 --> V20
 V11 --> V12
 V11 --> V13
 V11 --> V14
 V11 --> V15
 V11 --> V16
 V11 --> V17
 V11 --> V18
 V11 --> V19
 V11 --> V20
 V12 --> V13
 V12 --> V14
 V12 --> V15
 V12 --> V16
 V12 --> V17
 V12 --> V18
 V12 --> V19
 V12 --> V20
 V13 --> V14
 V13 --> V15
 V13 --> V16
 V13 --> V17
 V13 --> V18
 V13 --> V19
 V13 --> V20
 V14 --> V15
 V14 --> V16
 V14 --> V17
 V14 --> V18
 V14 --> V19
 V14 --> V20
 V15 --> V16
 V15 --> V17
 V15 --> V18
 V15 --> V19
 V15 --> V20
 V16 --> V17
 V16 --> V18
 V16 --> V19
 V16 --> V20
 V17 --> V18
 V17 --> V19
 V17 --> V20
 V18 --> V19
 V18 --> V20
 V19 --> V20

```



```
{{% button style="secondary" icon="download" href="javascript:window.variants&&variants.getStyleSheet();t
{{% button style="warning" icon="trash" href="javascript:window.variants&&variants.resetVariant();this.bl
```

```
<script>
```

```
window.variants && variants.generator('#R-vargenerator');
```

```
</script>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\generator\ index.pir.md

*Resumo: +++ categories = "theming" title = "Stylesheet generrrat'r" weight = 26 +++ {{< piratify >}}*

+++

categories = "theming"

title = "Stylesheet generrrat'r"

weight = 26

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\history\ index.en.md

*Resumo: +++ disableToc = false title = "History" weight = 30 +++ {{% include "CHANGELOG.md" true %}}*

+++

disableToc = false

title = "History"

weight = 30

+++

{{% include "CHANGELOG.md" true %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\history\ index.nir.md

Resumo: +++ disableToc = false title = "Historry" weight = 30 +++ {{< piratify >}}

+++

disableToc = false

title = "Historry"

weight = 30

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\installation\ index.en.md

*Resumo: +++ tags = ["documentation"] title = "Installation" weight = 15 +++ The following steps are here to help you initialize your new website. If you don't know Hugo at all, we strongly suggest you learn more about it by following this [great documentation for beginners](https://gohugo.io/overview...*

+++

```
tags = ["documentation"]
```

```
title = "Installation"
```

```
weight = 15
```

+++

The following steps are here to help you initialize your new website. If you don't know Hugo at all, we s

{{% notice tip %}}

The following tutorial leads you through the steps of creating a first, minimal new site.

You don't need to edit any files besides your `hugo.toml` and only need to execute the commands in the gi

{{% /notice %}}

### ## Create your Project

Hugo provides the `new` command to create a new website:

```
```shell
```

```
hugo new site my-new-site
```

```
```
```

After that change into the directory:

```
```shell
```

```
cd my-new-site
```

```
```
```

Every upcoming command will be executed from inside your new site's root.

### ## Install the Theme

### ### Downloading as Archive

You can [download the theme as .zip archive](https://github.com/McShelby/hugo-theme-relearn/archive/main.zip).

Afterwards add this at the end of your `hugo.toml`.

```
{{< multiconfig file=hugo >}}
theme = "hugo-theme-relearn"
{{< /multiconfig >}}
```

### ### Using Hugo's Module System

You can install the Relearn theme by following [the standard documentation](https://gohugo.io/hugo-modules/).

```
```shell
hugo mod init example.com
```
```

Afterwards add this at the end of your `hugo.toml`.

```
{{< multiconfig file=hugo >}}
[module]
 [[module.imports]]
 path = 'github.com/McShelby/hugo-theme-relearn'
{{< /multiconfig >}}
```

### ### Using Git Submodules

If you plan to store your project in a git repository you can create one with:

```
```shell
git init
```
```

Now add the theme as a submodule by:

```
```shell
git submodule add https://github.com/McShelby/hugo-theme-relearn.git themes/hugo-theme-relearn
```

```
````
```

Afterwards add this at the end of your `hugo.toml`.

```
{{< multiconfig file=hugo >}}
theme = "hugo-theme-relearn"
{{< /multiconfig >}}
```

## Create your Home Page

If you don't create a home page, yet, the theme will generate a placeholder text with instructions on how

Start your journey by creating a home page:

```
````shell  
hugo new --kind home _index.md  
````
```

The newly created home page `content/\_index.md` is empty and you obviously should add some meaningful content

## Create your First Chapter Page

Chapters are meant to be top level pages that contain other child pages. They have a special layout style

Now create your first chapter page with the following command:

```
````shell  
hugo new --kind chapter basics/_index.md  
````
```

When opening the newly created file `content/basics/\_index.md`, you should see the `weight` frontmatter with

## Create your First Content Pages

Then create content pages inside the previously created chapter. Here are three ways to create content in

```
````shell  
hugo new basics/first-content/_index.md
```

```
hugo new basics/second-content/index.md
```

```
hugo new basics/third-content.md
```

```
~~~~
```

Feel free to edit those files by adding some sample content and replacing the `title` value in the beginning.

```
{{% notice note %}}
```

Please note that Hugo overrides the default archetype template coming with this theme when using `hugo new`.

```
{{% /notice %}}
```

```
## Testing your Website Locally
```

Launch your new web site by using the following command:

```
~~~~shell
```

```
hugo serve
```

```
~~~~
```

Go to [`http://localhost:1313`](http://localhost:1313) in your browser.

You should notice a few things:

1. The home page contains your provided text.
2. You have the menu **Basics** in the sidebar. Clicking on it reveals three submenus with names equal to the content files.
3. While you are running `hugo serve` your page refreshes automatically when you change a content page. No need to restart the server.

```
## Build and Deploy your Website
```

When your site is ready to be deployed, run the following command:

```
~~~~shell
```

```
hugo
```

```
~~~~
```

A `public` directory will be generated, containing all content and assets for your web site.

It now can be deployed to any web server by simply uploading its contents or you can check out one of [Hugo deployment methods](https://gohugo.io/hosting/).

```
{{% notice note %}}
```


If you are storing your web site in git, commit all but the `public` directory.

```
{{% /notice %}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\installation\ index.bir.md

Resumo: +++ tags = ["documentat'n"] title = "Installat'n" weight = 15 +++ {{< piratify >}}

+++

tags = ["documentat'n"]

title = "Installat'n"

weight = 15

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\migration\ index.en.md

Resumo: +++ disableToc = false title = "What's New" weight = 2 +++ This document shows you what's new in the latest release and flags it with one of the following badges. For a detailed list of changes, see the [history page](basics/history). - {{% badge color="fuchsia" icon="fa-fw fab fa-hackerra...

+++

disableToc = false

title = "What's New"

weight = 2

+++

This document shows you what's new in the latest release and flags it with one of the following badges. For

- {{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.121.0{{% /badge %}} The minimum

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} A change that requires action by you after

- {{% badge style="note" title=" " %}}Change{{% /badge %}} A change in default behavior that may requires

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Marks new behavior you might f

<!--GH-ACTION-RELEASE-MILESTONE-->

6.0.0 (2024-04-27) {#600}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} This release requires you to move your se

This was necessary to avoid permission errors on build if running in certain Unix configurations.

In addition it is not allowed anymore to `@import` your chroma stylesheet from inside of your variant s

Say, your chroma stylesheet is named `chroma-monokai.css`, you have to add the following inside your va
````css

```

--CODE-theme: monokai;
....

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} The parameter `description` in your `hugo

With the newly introduced unified handling of descriptions throughout the theme, the only place the old

For migration, move the `description` parameter of your `hugo.toml` into the frontmatter section of your

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} Search support for the `json` outputformat

Change it to `search` for the homepage in your `hugo.toml`. See the docs for [detailed configuration](ba

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} The frontmatter option `menuTitle` [deprece

Additionally, if set, `linkTitle` will now be used instead of `title` to generate the breadcrumb.

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} The `swagger` shortcode [deprecated in 5.3

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} Support for Internet Explorer 11 was fina

- {{% badge style="note" title=" " %}}Change{{% /badge %}} With the removal of support for Internet Explor

You may experience slight changes for some icons. In addition you have additional ~1700 icons [to chose

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The [`children` shortcode](shortcodes/children

Previously, the summary erroneously was ignored which now can lead to different output if you set `desc
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The [`include` shortcode](short

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Math is now usable without enc

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Translation into Romanian.

```

## 5.27.0 (2024-04-07) {#5270}

- {{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.121.0{{% /badge %}} This release
  - {{% badge style="note" title=" " %}}Change{{% /badge %}} If the theme is configured to generate warnings
  - {{% badge style="note" title=" " %}}Change{{% /badge %}} The [dependency loader](basics/customization#overriding-dependency-loader)
- The configuration in your `hugo.toml` does not require the `location` parameter anymore. If you still use the old configuration, you can remove the parameter without any issue.
- With the new mechanism, your dependency loader now receives an additional `location` parameter instead of the old `url` parameter.
- By that you can now call the dependency mechanism in your own overridden partials by giving it a distinct name.
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Additional styling was added for the dependency loader
  - {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} You now can scroll forward and backward in the dependency loader
  - {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The breadcrumbs used in the top navigation bar

---

## 5.26.0 (2024-03-18) {#5260}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The lazy loading of images is now supported
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} It is now possible to [adjust the width of the content area](basics/customization#adjusting-the-width-of-the-content-area)
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Images and Codefences are now supported in the footer
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme has updated its Mermaid version to 10.9.0
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} This release fixes a long outstanding issue

---

## 5.25.0 (2024-02-29) {#5250}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} This release deprecates the [``attachments`` shortcodes]

If you are using Hugo below 0.123

Anyways, users are strongly advised to migrate as the `attachments` shortcode will not receive support a

- Change If you run Hugo with [GitInfo](https://gohugo..

## 5.24.0 (2024-02-28) 

- 0.112.4 This release

- Change The topbar button received a way to add text n
- Change The frontmatter option `menuTitle` is now depre

- Change The light themes have a bit more contrast for c

- New If the theme can not resolve a

Please note that a page link will generate false negatives if `uglyURLs=true` and it references an ordin

Please note that an image link will generate false negatives if the file resides in your `static` direc

- New You now can configure addition

The advanced functionality allows you to set an explicit name for a theme variant and now allows for mu

- New New partial for defining the h

- New Support for Hugo's built-in [`

- New On taxonomy and term pages you

- New In additiion to the existing [

- New Improvements for accessibility
- New The `editURL` config parameter
- New The themes [config](basics/con

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Restored compatibility with Hugo

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Restored compatibility with Hugo

---

## 5.23.0 (2023-11-03) {#5230}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} With {{% badge color="fuchsia" icon="fa-fw fab" %}}

Change your previous setting from

```
{{< multiconfig file=hugo >}}
[params]
 author = "Hugo"
{{< /multiconfig >}}
```

to

```
{{< multiconfig file=hugo >}}
[params]
 author.name = "Hugo"
{{< /multiconfig >}}
```

- {{% badge style="note" title=" " %}}Change{{% /badge %}} Taxonomy [term pages](https://gohugo.io/content

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Taxonomy and term pages are now

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} It is now possible to print cus

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} It is now possible to adjust t

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} This release adds social media

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} This release comes with additi

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme now provides a mechan

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme has updated its Merma

-  New This release adds portable Markdown links

Previously it was not possible to use pure Markdown links in a configuration independent way to link to other parts of the documentation.

You could work around this by using the ``relref`` shortcode (eg ``[generator]({%/* relref "../generator" %})``).

Now it's possible to use the same path of a call to ``relref`` in a plain Markdown link (eg ``[generator]({%/* relref "../generator" %})``).

The following types of linking are supported:

| link                                             | description                                 |
|--------------------------------------------------|---------------------------------------------|
| -----                                            | -----                                       |
| <code>`[generator](en/basics/generator)`</code>  | absolute from your project root (multilang) |
| <code>`[generator](/en/basics/generator)`</code> | absolute from your project root (multilang) |
| <code>`[generator](basics/generator)`</code>     | absolute from your current language root    |
| <code>`[generator](/basics/generator)`</code>    | absolute from your current language root    |
| <code>`[generator](../generator)`</code>         | relative from the current page              |
| <code>`[generator](../generator)`</code>         | relative from the current page              |

---

## 5.22.0 (2023-10-02) 

-  Change This release fixes an issue where in unfortunate cases the documentation would not build correctly.

If you haven't modified anything, everything is fine. Otherwise you have to check your custom CSS rules to make sure they still work.

-  Change You can now have structural sections in the hierarchy of the documentation.

This can come in handy, if content for such a section page doesn't make much sense to you. See [the documentation] for more details.

This feature may require you to make changes to your existing installation if you are already using `_structured``.

In this case it is advised to remove the ``title`` from the headless branch parent's frontmatter, as it will be overwritten by the new feature.

-  New It is now possible to overwrite the default title of a page.



- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` If a Mermaid graph is zoomable
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` It is now possible to remove t
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` The output of the dedicated se
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Table rows now change their ba
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Translation into Swahili. This

---

## 5.21.0 (2023-09-18) `{#5210}`

- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` We made changes to the menu footer to improve a
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` This release comes with an awe
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` The theme has updated its Swag

---

## 5.20.0 (2023-08-26) `{#5200}`

- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` The theme has updated its Swagger dependency t

With this comes a change in the light theme variants of `Relearn Bright`, `Relearn Light` and `Zen Light`

Additionally, the syntaxhighlighting inside of openapi for printing was switched to a light scheme for a

If you dislike this change, you can revert this in your theme variants CSS by adding

```

````css
--OPENAPI-CODE-theme: obsidian;
--PRINT-OPENAPI-CODE-theme: obsidian;
````

```

- {{% badge style="note" title=" " %}}Change{{% /badge %}} For consistency reasons, we renamed the CSS va

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme variants `Zen Light`

Those borders are now configurable by using the CSS variables `--MAIN-TOPBAR-BORDER-color`, `--MENU-BOR

For existing variants nothing has changed visually.

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The default values for the [im

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} This release fixes a long outst

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Restored compatibility with Hu

---

## 5.19.0 (2023-08-12) {#5190}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The [highlight` shortcode](sh

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme has added two new co

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme now [dispatches the c

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme has updated its Merma

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Translation into Hungarian.

---

## 5.18.0 (2023-07-27) {#5180}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The theme adds additional warnings for depreca

- {{% badge style="note" title=" " %}}Change{{% /badge %}} There are visual improvements in displaying te

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Restored compatibility with Hu

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The [siteparam` shortcode](sh

---

## 5.17.0 (2023-06-22) {#5170}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The default behavior for the copy-to-clipboard

The copy-to-clipboard button for code blocks will now only be displayed if the reader hovers the code b

If you dislike this new behavior you can turn it off and revert to the old behavior by adding `[params]

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Restored compatibility with Hu

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The new `[highlight` shortcode

In addition it offers some extensions. Currently only the `wrap` extension option is provided to contro

---

## 5.16.0 (2023-06-10) {#5160}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The theme now provides warnings for deprecated

`DEPRECATION` warnings mark features that still work but may be removed in the future.

`UNSUPPORTED` warnings mark features that will not work anymore.

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The 404 error page was revamped. Hopefully you

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The `[tabs` shortcode](shortco

The visuals are now slightly different compared to previous versions. Most noteable, if you now display

Additionally the `name` parameter was renamed to `title` but you don't need to change anything yet as t

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme now optionally suppor

---

## 5.15.0 (2023-05-29) {#5150}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} Restored compatibility with Hugo {{% badge color="blue" %}}

The `[`attachments` shortcode](shortcodes/attachments)` has compatibility issues with newer Hugo versions.

It is [planned to refactor](https://github.com/McShelby/hugo-theme-relearn/issues/22) the ``attchments``.

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The `[`tabs` shortcode](shortcodes/tabs)` has changed.

Formerly all tab views without a ``groupid`` were treated as so they belong to the same group. Now, each

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The already known ``tabs`` has a new

Additionally for such a use case, the whitespace between a tab outline and the code is removed if only a

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Besides the `_tag_` [taxonomy](co

---

## 5.14.0 (2023-05-20) {#5140}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The taxonomy pages received some

Hugo's default taxonomies ``tags`` and ``categories`` are already contained in the theme's `i18n` files. If you

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} To give you more flexibility in

This came out of the requirement to customize the position of article tags, which by default are displayed

So how to adjust the position of tags starting from the theme's default where tags are only shown above

1. Hide tags above title: Overwrite ``content-header.html`` with an empty file.
2. Show tags between title and content: Overwrite ``heading-post.html`` and add ``{{ partial "tags.html" . }}`.
3. Show tags below content: Overwrite ``content-footer.html`` and add ``{{ partial "tags.html" . }}`` to it.

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The new parameter ``breadcrumbs``

---

## 5.13.0 (2023-05-17) {#5130}

- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` The ``swagger`` shortcode was deprecated in favor

Additionally, the implemantion of this shortcode was switched from RapiDoc to [SwaggerUI](https://github.com

---

## 5.12.0 (2023-05-04) {#5120}

- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` In the effort to comply with WCAG standards, th
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Support for the great [VSCode I

The theme provides Front Matter snippets for its shortcodes. Currently only English and German is support

```
````json {title="frontmatter.json"}
{
  ...
  "frontMatter.extends": [
    "./vscode-frontmatter/snippets.en.json"
  ]
  ...
}
```

- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Support for languages that are
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` The scrollbars are now colored

5.11.0 (2023-02-07) {#5110}

- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` The theme removed the popular [jQuery](https:// In case you made changes to the theme that are depending on this library you can place a copy of jQuery
````html {title="layouts/partials/custom-header.html"}  
<script src="{{"js/jquery.min.js"| relURL}}" defer></script>

....

- {{% badge style="note" title=" " %}}Change{{% /badge %}} [Mermaid](shortcodes/mermaid#parameter) diagram

The default setting of `on`, in effect since 1.1.0, changed back to `off` as there was interference with

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The theme is now capable to visually [adapt to

This is also the new default setting if you haven't configured `themeVariant` in your `hugo.toml`.

Additionally you can configure the variants to be taken for light/dark mode with the new `themeVariantA

This is not supported for Internet Explorer 11, which still displays in the `relearn-light` variant.

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The JavaScript code for handling image lightbox

This also changed the [lightbox effects](cont/markdown#lightbox) parameter from `featherlight=false` to

- {{% badge style="note" title=" " %}}Change{{% /badge %}} In the effort to comply with WCAG standards, t

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Translation into Czech. This l

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} [GitHub releases](https://gith

---

## 5.10.0 (2023-01-25) {#5100}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The [attachments](shortcodes.

Additionally the `--ACCENT-color` brand color introduced in version 5.8.0 is now supported with these s

---

## 5.9.0 (2022-12-23) {#590}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} With this version it is now possible to n  
It was later discovered, that this causes pages only meant to be displayed in the `More` section of the

To [get rid](cont/menushortcuts#shortcuts-to-pages-inside-of-your-project) of this undesired behavior you

1. Make the page file a [headless branch bundle](https://gohugo.io/content-management/page-bundles/#headless-branch-bundle)

```
{{< multiconfig fm=true >}}
title = "Showcase"
[_build]
 render = "always"
 list = "never"
 publishResources = true
{{< /multiconfig >}}
```

2. Store the page file for below a parent headless branch bundle and add the following frontmatter to h

```
{{< multiconfig fm=true >}}
[_build]
 render = "never"
 list = "never"
 publishResources = false
{{< /multiconfig >}}
```

In this case, the file itself can be a branch bundle, leaf bundle or simple page (see exampleSite's `cont

```
{{< multiconfig fm=true >}}
title = "Credits"
{{< /multiconfig >}}
```

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The required folder name for the [ `attachments`

Previously, the attachments for leaf bundles in non-multilang setups were required to be in a `files` s

This added unnecessary complexity. So attachments for leaf bundles in non-multilang setups can now also

- {{% badge style="note" title=" " %}}Change{{% /badge %}} Absolute links prefixed with `http://` or `http

You can revert back to the old behavior by defining `externalLinkTarget="\_self"` in the `params` section

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme now supports [Hugo's

---

## 5.8.0 (2022-12-08) {#580}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The new [``badge`` shortcode](short

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The new [``icon`` shortcode](short

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The theme now supports some of

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} A new color `--ACCENT-color` wa

---

## 5.7.0 (2022-11-29) {#570}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The Korean language translation for this theme

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The [``button`` shortcode](short

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The search now supports the Ko

---

## 5.6.0 (2022-11-18) {#560}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} This release introduces an add

To activate this feature, you need to [configure it](basics/customization#activate-dedicated-search-page

You can access the search page by either clicking on the magnifier glass or pressing enter inside of the  
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Keyboard handling for the TOC a  
Pressing `CTRL+ALT+t` now will not only toggle the TOC overlay but also places the focus to the first h  
The search received its own brand new keyboard shortcut `CTRL+ALT+f`. This will focus the cursor inside



-  New You are now able to turn off the

To [\[configure this\]\(basics/configuration\)](#) in your `hugo.toml` make sure to set Hugo's `disableHugoGenerator`

-  New Creation of your project gets a

This addresses increased build time with the 5.x releases. The theme now heavily caches partial results

---

## 5.5.0 (2022-11-06) 

-  Change The way images are processed has changed. Now

For that the JavaScript code to handle the [\[lightbox and image effects\]\(cont/markdown#image-effects\)](#) on

If you have used HTML directly in your Markdown files, this now has the downside that it doesn't respect

| Old                                                                         | New                                                           |
|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| -----                                                                       |                                                               |
| <code>&lt;img src="pic.png?width=20vw&amp;classes=shadow,border"&gt;</code> | <code>&lt;img src="pic.png" style="width:20vw;" class=</code> |

---

## 5.4.0 (2022-11-01) 

-  Change [\[With the proper settings\]\(basics/customization\)](#)

Please note that the searchbox will only work for this if you reconfigure your `outputformat` for the home

-  Change The `[`button` shortcode](shortcodes/button)` has

-  New The `[`math` shortcode](shortco`

-  New Support for languages that are

-  New Translation into Finnish (Suom

---

## 5.3.0 (2022-10-07) {#530}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} In the effort to comply with WCAG standards, the
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} [Image formatting](cont/markdown)
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Printing for the [swagger`sh

---

## 5.2.0 (2022-08-03) {#520}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} If you've set `collapsibleMenu = true` in your

---

## 5.1.0 (2022-07-15) {#510}

- {{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.95.0{{% /badge %}} This release
- {{% badge style="note" title=" " %}}Change{{% /badge %}} Because the print preview URLs were non determin

You can revert this behavior by overwriting the `print` output format setting in your `hugo.toml` to:

```
{{< multiconfig file=hugo >}}
```

```
[outputFormats]
```

```
 [outputFormats.print]
```

```
 name= "print"
```

```
 baseName = "index"
```

```
 path = "_print"
```

```
 isHTML = true
```

```
 mediaType = 'text/html'
```

```
 permalinkable = false
```

```
{{< /multiconfig >}}
```

---

## 5.0.0 (2022-07-05) {#500}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} The theme changed how JavaScript and CSS

```
````html
```

```
<script defer src="myscript.js"></script>
```

```
````
```

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The way [archetypes](cont/archetypes) are used

Your existing markdown files will still work like before and therefore you don't need to change anything

- for your home page, add the frontmatter parameter `archetype = "home"` and remove the leading heading

- for all files containing the deprecated frontmatter parameter `chapter = true`, replace it with `archetype = "chapter"

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The frontmatter options `pre` / `post` were removed

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Adding new partials `heading-partial`

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The new shortcode `math` is available

---

## 4.2.0 (2022-06-23) {#420}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} The second parameter for the [`include`](include) shortcode

If you've used the second boolean parameter, you have to rename it and invert its value to achieve the same result

- {{% badge style="note" title=" " %}}Change{{% /badge %}} Previously, if the [`tabs`](tabs) shortcode had a `shortcodes` parameter

- {{% badge style="note" title=" " %}}Change{{% /badge %}} The `landingPageURL` was removed from `hugo.toml`

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} All shortcodes can now be also used in the `content` directory

---

## 4.1.0 (2022-06-12) {#410}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} While fixing issues with the s

---

## 4.0.0 (2022-06-05) {#400}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} The `custom\_css` config parameter was rem

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} Because anchor hover color was not config

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} All shortcodes now support nam

This applies to [`expand`](shortcodes/expand), [`include`](shortcodes/include), [`notice`](shortcodes/n

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The [`button`](shortcodes/butt

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} New colors `--PRIMARY-color` and

These two colors are the default for other, more specific color variables. You don't need to change any

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Translation into Polish. This

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The documentation for all shor

---

## 3.4.0 (2022-04-03) {#340}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} If you had previously overwritten the `cu

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} If you prefer expandable/collap

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} You can activate [print support

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Translation into Traditional C

---

## 3.3.0 (2022-03-28) {#330}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Introduction of new CSS variab

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} The new shortcode `swagger` is

---

## 3.2.0 (2022-03-19) {#320}

- {{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.93.0{{% /badge %}} This release

- {{% badge style="note" title=" " %}}Change{{% /badge %}} In this release the Mermaid JavaScript library

The option is still useful in case you are using scripting to set up your graph. In this case no shortco

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Additional color variant variab

---

## 3.1.0 (2022-03-15) {#310}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} [``attachment``](shortcodes/atta

---

## 3.0.0 (2022-02-22) {#300}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} We made changes to the menu footer. If you

This change was made to allow your own menu footer to be placed right after the so called prefooter tha

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} We have changed the default colors from t

This change will only affect your installation if you've not set the `themeVariant` parameter in your `M

Note, that this will also affect your site if viewed with Internet Explorer 11 but in this case it can m

- {{% badge style="note" title=" " %}}Change{{% /badge %}} Due to a bug, that we couldn't fix in a genera

- {{% badge style="note" title=" " %}}Change{{% /badge %}} For consistency reasons, we renamed `--MENU-SE

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} With this release you are now

To make this possible, we have introduced a lot more color variables you can use in [your color variants]

To see what's now possible, see the new variants `relearn-dark` and `neon` that are coming with this release

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} To make the creation of new variants

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} You can now configure multiple variants

Note, that the new variant selector will not work with Internet Explorer 11 as it does not support CSS variables

---

## 2.9.0 (2021-11-19) {#290}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} This release removes the themes implementation

In a standard compliant form you must not link to the `\*.md` file but to its logical name. You'll see, that

| Type          | Non-Standard                     | Standard               |
|---------------|----------------------------------|------------------------|
| Branch bundle | `basics/configuration/_index.md` | `basics/configuration` |
| Leaf bundle   | `basics/configuration/index.md`  | `basics/configuration` |
| Page          | `basics/configuration.md`        | `basics/configuration` |

If you've linked from a page of one language to a page of another language, conversion is a bit more difficult

Also, the old themes implementation allowed refs to non-existing content. This will cause Hugo's implementation

In the best case your usage of the old implementation is already standard compliant and you don't need to change

You may see errors on the console after the update in the form:  
````shell

ERROR 2021/11/19 22:29:10 [en] REF_NOT_FOUND: Ref "basics/configuration/_index.md": "hugo-theme-relearn"

~~~~

In this case, you must apply one of two options:

1. Start up a text editor with regular expression support for search and replace. Search for ``(ref\s+"[`
2. Copy the old implementation files ``theme/hugo-theme-relearn/layouts/shortcode/ref.html`` and ``theme/h`

---

## 2.8.0 (2021-11-03) {#280}

- `{{% badge style="note" title=" " %}}`Change`{{% /badge %}}` Although never officially documented, this rel
- `{{% badge style="info" icon="plus-circle" title=" " %}}`New`{{% /badge %}}` The theme now supports favicons
- `{{% badge style="info" icon="plus-circle" title=" " %}}`New`{{% /badge %}}` You can hide the table of cont

---

## 2.7.0 (2021-10-24) {#270}

- `{{% badge style="info" icon="plus-circle" title=" " %}}`New`{{% /badge %}}` Optional second parameter for

---

## 2.6.0 (2021-10-21) {#260}

- `{{% badge style="info" icon="plus-circle" title=" " %}}`New`{{% /badge %}}` Your site can now be served fr

---

## 2.5.0 (2021-10-08) {#250}

- `{{% badge style="note" title=" " %}}`Change`{{% /badge %}}` New colors `--CODE-BLOCK-color`` and `--CODE-BL`

---

## 2.4.0 (2021-10-07) {#240}

- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` Creation of customized stylesheets was simplified.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Hidden pages are displayed by default.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` You can define the expansion of a page.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` New frontmatter ``ordersections`` is added.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Alternate content of a page is possible.

---

### ## 2.3.0 (2021-09-13) {#230}

- `{{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.81.0{{% /badge %}}` This release is the first one to be released on the `hackerrank` channel.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Showcase multilanguage features.

---

### ## 2.2.0 (2021-09-09) {#220}

- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Hidden pages are displayed by default.

---

### ## 2.1.0 (2021-09-07) {#210}

- `{{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.69.0{{% /badge %}}` This release is the first one to be released on the `hackerrank` channel.
- `{{% badge style="note" title=" " %}}Change{{% /badge %}}` In case the site's structure contains additional pages, the menu will scroll the active page to the top.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` Hidden pages are indexed for the search engine.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` If a search term is found in a page, the menu will scroll the active page to the top.
- `{{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}}` The menu will scroll the active page to the top.

---



## 2.0.0 (2021-08-28) {#200}

- {{% badge style="note" title=" " %}}Change{{% /badge %}} Syntax highlighting was switched to the [built-in](https://github.com/mermaid-js/mermaid/blob/master/packages/mermaid/src/renderers/default-renderer/renderer.ts) one.
- {{% badge style="note" title=" " %}}Change{{% /badge %}} In the predefined stylesheets there was a typo in the `pre` tag.
- {{% badge style="note" title=" " %}}Change{{% /badge %}} `--MENU-HOME-LINK-color`` and `--MENU-HOME-LINK-color`` were fixed.
- {{% badge style="note" title=" " %}}Change{{% /badge %}} Arrow navigation and `children`` shortcode were added.
- {{% badge style="note" title=" " %}}Change{{% /badge %}} If hidden pages are accessed directly by typing the URL, a 404 error is shown.
- {{% badge style="note" title=" " %}}Change{{% /badge %}} A page without a `title`` will be treated as `hidden``.
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} You can define the expansion style for the `children`` shortcode.
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} New partials for defining preprocessor functions.
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Shortcode `[`children`]`(shortcode `children``).
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} New shortcode `[`include`]`(shortcode `include``).

---

## 1.2.0 (2021-07-26) {#120}

- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} Shortcode `[`expand`]`(shortcode `expand``).


---

## 1.1.0 (2021-07-02) {#110}

- {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} [Mermaid](shortcodes/mermaid) diagrams can no longer be used in the `pre`` tag.
- {{% badge style="info" icon="plus-circle" title=" " %}}New{{% /badge %}} [`Mermaid``](shortcodes/mermaid) shortcode.

---

## 1.0.0 (2021-07-01) {#100}

-  0.65.0  The requirements
-  New  Initial fork of the [Learn the

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\migration\ index.pir.md

*Resumo: +++ disableToc = false title = "What's New" weight = 2 +++ {{< piratify true >}}*

+++

disableToc = false

title = "What's New"

weight = 2

+++

{{< piratify true >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\requirements\ index.en.md

*Resumo: +++ categories = "basic" disableToc = true title = "Requirements" weight = 10 +++  
Thanks to the simplicity of Hugo, this page is as empty as this theme needs requirements. Just  
download at least version {{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.121.0{{% /badg...*

+++

categories = "basic"

disableToc = true

title = "Requirements"

weight = 10

+++

Thanks to the simplicity of Hugo, this page is as empty as this theme needs requirements.

Just download at least version {{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title=" " %}}0.121.0{{% /badg...

{{% figure src="magic.gif" link="https://gohugo.io" alt="Magic" caption="It's a kind of magic" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\requirements\ index.nir.md

*Resumo: +++ categories = "basic" disableToc = true title = "Requirrrements" weight = 10 +++ {{< piratify >}}*

+++

categories = "basic"

disableToc = true

title = "Requirrrements"

weight = 10

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\topbar\\_index.en.md

*Resumo: +++ title = "Topbar Modification" weight = 27 +++ The theme comes with a reasonably configured topbar. ![Topbar on mobile devices](topbar-closed.png) Nevertheless, your requirements may differ from this configuration. Luckily the theme got you covered as the themebar, its buttons and the...*

+++

title = "Topbar Modification"

weight = 27

+++

The theme comes with a reasonably configured topbar.

![Topbar on mobile devices](topbar-closed.png)

Nevertheless, your requirements may differ from this configuration. Luckily the theme got you covered as

{{% notice tip %}}

All mentioned file names below can be clicked and show you the implementation for a better understanding.

{{% /notice %}}

### ## Areas

The default configuration comes with three predefined areas that may contain an arbitrary set of buttons.

![Topbar with default areas marked](topbar-areas.png)

- **[\*\*start\*\*]**(<https://github.com/McShelby/hugo-theme-relearn/blob/main/layouts/partials/topbar/area/start>)
- **[\*\*end\*\*]**(<https://github.com/McShelby/hugo-theme-relearn/blob/main/layouts/partials/topbar/area/end.html>)
- **[\*\*more\*\*]**(<https://github.com/McShelby/hugo-theme-relearn/blob/main/layouts/partials/topbar/area/more.html>)

While you can not add additional areas in the topbar, you are free to configure additional buttons that b

### ## Buttons

The theme ships with the following predefined buttons (from left to right in the screenshot)

- {{% button style="transparent" icon="bars" %}}{{% /button %}} **[\*\*sidebar\*\*]**(<https://github.com/McShelby/hugo-theme-relearn/blob/main/layouts/partials/topbar/area/start>)
- {{% button style="transparent" icon="list-alt" %}}{{% /button %}} **[\*\*toc\*\*]**(<https://github.com/McShelby/hugo-theme-relearn/blob/main/layouts/partials/topbar/area/start>)

- `{{% button style="transparent" icon="pen" %}}{{% /button %}} [**edit**](https://github.com/McShelby/hugo-theme-stack)`
- `{{% button style="transparent" icon="print" %}}{{% /button %}} [**print**](https://github.com/McShelby/hugo-theme-stack)`
- `{{% button style="transparent" icon="chevron-left" %}}{{% /button %}} [**prev**](https://github.com/McShelby/hugo-theme-stack)`
- `{{% button style="transparent" icon="chevron-right" %}}{{% /button %}} [**next**](https://github.com/McShelby/hugo-theme-stack)`
- `{{% button style="transparent" icon="ellipsis-v" %}}{{% /button %}} [**more**](https://github.com/McShelby/hugo-theme-stack)`

Not all buttons are displayed at every given time. This is configurable (see below if interested).

## ## Redefining Areas

Each predefined area and button comes in their own file. By that it is easy for you to overwrite an area.

Eg. you can redefine the predefined `_end_` area by adding the file `[`layouts/partials/topbar/area/end.html`]`

The below example sets an explicit value for the ``onempty`` parameter, overriding the specific default value.

```
````go
{{ partial "topbar/button/more.html" (dict
    "page" .
    "onempty" "disable"
)}}
````
```

## ## Defining own Buttons

### ### Button Types

The theme distinguishes between two types of buttons:

- `[**button**](#button)`: a clickable button that either browses to another site, triggers a user defined action or opens a modal.
- `[**area-button**](#area-button)`: the template for the `{{% button style="transparent" icon="ellipsis-v" %}}` button.

### ### Button Parameter

#### #### Screen Widths and Actions

Depending on the screen width you can configure how the button should behave. Screen width is divided into three categories:

- `**s**`: (controlled by the ``onwidths`` parameter) mobile layout where the menu sidebar is hidden

- `**m**`: (controlled by the ``onwidthm`` parameter) desktop layout with visible sidebar while the content area is small
- `**l**`: (controlled by the ``onwidthl`` parameter) desktop layout with visible sidebar once the content area is large

For each width class, you can configure one of the following actions:

- ``show``: the button is displayed in its given area
- ``hide``: the button is removed
- ``area-XXX``: the button is moved from its given area into the area ``XXX``; eg. this is used to move buttons from the sidebar to the main content area

#### Hiding and Disabling Stuff

While hiding a button depending on the screen size can be configured with the above described `_hide_` action, there are other conditions for hiding buttons.

For example, the `_print_` button in its default configuration should only be displayed if print support was detected.

Another preferred condition for hiding a button is, if the displayed overlay is empty. This is the case for buttons like `_print_` or `_help_`.

This parameter can have one of the following values:

- ``disable``: the button displayed in disabled state if the overlay is empty
- ``hide``: the button is removed if the overlay is empty

If you want to disable a button containing `_no overlay_`, this can be achieved by an empty ``href`` parameter.

## Reference

### Button

Contains the basic button functionality and is used as a base implementation for all other buttons (`[`lay`

Call this from your own button templates if you want to implement a button without an overlay like the `_p`

For displaying an area in the button's overlay, see `[Area-Button](#area-button)`.

#### Parameter

| Name  | Default | Notes |
|-------|---------|-------|
| ----- | -----   | ----- |



|                     |                                      |                                                                |
|---------------------|--------------------------------------|----------------------------------------------------------------|
| <b>**page**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | Mandatory reference to the page.                               |
| <b>**class**</b>    | <code>_&amp;lt;empty&amp;gt;_</code> | Mandatory unique class name for this button. Displaying two b  |
| <b>**href**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | Either the destination URL for the button or JavaScript code   |
| <b>**icon**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | [Font Awesome icon name](shortcodes/icon#finding-an-icon).     |
| <b>**onempty**</b>  | <code>`disable`</code>               | Defines what to do with the button if the content parameter w  |
| <b>**onwidths**</b> | <code>`show`</code>                  | The action, that should be executed if the site is displayed   |
| <b>**onwidthm**</b> | <code>`show`</code>                  | See above.                                                     |
| <b>**onwidthl**</b> | <code>`show`</code>                  | See above.                                                     |
| <b>**hint**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | Arbitrary text displayed in the tooltip.                       |
| <b>**title**</b>    | <code>_&amp;lt;empty&amp;gt;_</code> | Arbitrary text for the button.                                 |
| <b>**content**</b>  | <code>_&amp;lt;empty&amp;gt;_</code> | Arbitrary HTML to put into the content overlay. This parameter |

**### Area-Button**

Contains the basic functionality to display area overlay buttons ([`layouts/partial
 s/topbar/func/area-but

Call this from your own button templates if you want to implement a button with an area overlay like the

**#### Parameter**

| Name                | Default                              | Notes                                                         |  |
|---------------------|--------------------------------------|---------------------------------------------------------------|--|
| -----               | -----                                | -----                                                         |  |
| <b>**page**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | Mandatory reference to the page.                              |  |
| <b>**area**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | Mandatory unique area name for this area. Displaying two area |  |
| <b>**icon**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | [Font Awesome icon name](shortcodes/icon#finding-an-icon).    |  |
| <b>**onempty**</b>  | <code>`disable`</code>               | Defines what to do with the button if the content overlay is  |  |
| <b>**onwidths**</b> | <code>`show`</code>                  | The action, that should be executed if the site is displayed  |  |
| <b>**onwidthm**</b> | <code>`show`</code>                  | See above.                                                    |  |
| <b>**onwidthl**</b> | <code>`show`</code>                  | See above.                                                    |  |
| <b>**hint**</b>     | <code>_&amp;lt;empty&amp;gt;_</code> | Arbitrary text displayed in the tooltip.                      |  |
| <b>**title**</b>    | <code>_&amp;lt;empty&amp;gt;_</code> | Arbitrary text for the button.                                |  |

**### Predefined Buttons**

The predefined buttons by the theme (all other buttons besides the `_more_` and `_toc_` button in [`layouts/p`

Call these from your own redefined area templates if you want to use default button behavior.

The `<varying>` parameter values are different for each button and configured for standard behavior as seen below.

#### Parameter

| Name                      | Default                                | Notes                                                         |
|---------------------------|----------------------------------------|---------------------------------------------------------------|
| -----                     | -----                                  | -----                                                         |
| <code>**page**</code>     | <code>_&amp;lt;empty&amp;gt;_</code>   | Mandatory reference to the page.                              |
| <code>**onwidths**</code> | <code>_&amp;lt;varying&amp;gt;_</code> | The action, that should be executed if the site is displayed. |
| <code>**onwidthm**</code> | <code>_&amp;lt;varying&amp;gt;_</code> | See above.                                                    |
| <code>**onwidthl**</code> | <code>_&amp;lt;varying&amp;gt;_</code> | See above.                                                    |

### Predefined Overlay-Buttons

The predefined buttons by the theme that open an overlay (the `_more_` and `_toc_` button in `[`layouts/partial`

Call these from your own redefined area templates if you want to use default button behavior utilizing overlay buttons.

The `<varying>` parameter values are different for each button and configured for standard behavior as seen below.

#### Parameter

| Name                      | Default                                | Notes                                                                |
|---------------------------|----------------------------------------|----------------------------------------------------------------------|
| -----                     | -----                                  | -----                                                                |
| <code>**page**</code>     | <code>_&amp;lt;empty&amp;gt;_</code>   | Mandatory reference to the page.                                     |
| <code>**onempty**</code>  | <code>`disable`</code>                 | Defines what to do with the button if the content overlay is closed. |
| <code>**onwidths**</code> | <code>_&amp;lt;varying&amp;gt;_</code> | The action, that should be executed if the site is displayed.        |
| <code>**onwidthm**</code> | <code>_&amp;lt;varying&amp;gt;_</code> | See above.                                                           |
| <code>**onwidthl**</code> | <code>_&amp;lt;varying&amp;gt;_</code> | See above.                                                           |

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\basics\topbar\\_index.nir.md

Resumo: +++ title = "Topbarr Modificat'n" weight = 27 +++ {{< piratify >}}

+++

title = "Topbarr Modificat'n"

weight = 27

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\content\_index.en.md

*Resumo: +++ archetype = "chapter" title = "Content" weight = 2 +++ Find out how to create and organize your content quickly and intuitively.*

+++

archetype = "chapter"

title = "Content"

weight = 2

+++

Find out how to create and organize your content quickly and intuitively.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\index.pir.md

Resumo: +++ archetype = "chapter" title = "Rambl'n" weight = 2 +++ {{< piratify >}}

+++

archetype = "chapter"

title = "Rambl'n"

weight = 2

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\contlarchetypes\ index.en.md

*Resumo: +++ title = "Archetypes" weight = 3 +++ Using the command: `hugo new [relative new content path]`, you can start a content file with the date and title automatically set. While this is a welcome feature, active writers need more: [archetypes](https://gohugo.io/content/archetypes/). These are p...*

+++

title = "Archetypes"

weight = 3

+++

Using the command: `hugo new [relative new content path]`, you can start a content file with the date and

The Relearn theme defines some few archetypes of pages but you are free to define new ones to your liking

## Predefined Archetypes

### Home {#archetypes-home}

A **Home** page is the starting page of your project. It's best to have only one page of this kind in your

![Home page](pages-home.png?width=60pc)

To create a home page, run the following command

```
````shell
```

```
hugo new --kind home _index.md
```

```
````
```

This leads to a file with the following content

```
````toml {title="_index.md"}
```

+++

archetype = "home"

title = "{{ replace .Name "-" " " | title }}"

+++

Lorem Ipsum.

~~~~

Chapter {#archetypes-chapter}

A **Chapter** displays a page meant to be used as introduction for a set of child pages. Commonly, it contains

![Chapter page](pages-chapter.png?width=60pc)

To create a chapter page, run the following command

```
```shell
```

```
hugo new --kind chapter <name>/_index.md
```

```
```
```

This leads to a file with the following content

```
```toml {title="_index.md"}
```

```
+++
```

```
archetype = "chapter"
```

```
title = "{{ replace .Name "-" " " | title }}"
```

```
weight = 1
```

```
+++
```

Lorem Ipsum.

~~~~

The `weight` number will be used to generate the subtitle of the chapter page, set the number to a consecutive

### Default {#archetypes-default}

A **Default** page is any other content page. If you set an unknown archetype in your frontmatter, this archetype

![Default page](pages-default.png?width=60pc)

To create a default page, run either one of the following commands

```
````shell
hugo new <chapter>/<name>/_index.md
````
```

or

```
````shell
hugo new <chapter>/<name>.md
````
```

This leads to a file with the following content

```
````toml {title="*.md"}
+++
title = "{{ replace .Name "-" " " | title }}"
+++

Lorem Ipsum.
````
```

## Self defined Archetypes

If you are in need of further archetypes you can define your own or even redefine existing ones.

### Template

Define a template file in your project at `archetypes/<kind>.md` and make sure it has at least the frontmatter

```
````toml {title="&lt;kind&gt;.md"}
+++
archetype = "<kind>"
+++
````
```

Afterwards you can generate new content files of that kind with the following command

```
````shell
hugo new --kind <kind> <name>/_index.md
```


....

Partial

To define how your archetypes are rendered, define corresponding partial files in your projects directory

If you use an unknown archetype in your frontmatter, the `default` archetype will be used to generate the

Related to each archetype, several `_hook_` partial files in the form of `<hook>.html` can be given inside

The following hooks are used:

| Name | Notes |
|------------|---|
| styleclass | Defines a set of CSS classes to be added to the HTML's <code><main></code> element. You can |
| article | Defines the HTML how to render your content |

Take a look at the existing archetypes of this theme to get an idea how to utilize it.

Output formats

Each hook file can be overridden of a specific [output format](https://gohugo.io/templates/output-formats)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\larchetypes\ index.nir.md

Resumo: +++ title = "Arrrchetypes" weight = 3 +++ {{< piratify >}}

+++

title = "Arrrchetypes"

weight = 3

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\frontmatter\ index.en.md

*Resumo: +++ title = "Frontmatter" weight = 2 +++ Each Hugo page **has to define** a [frontmatter](https://gohugo.io/content/front-matter/). ## All Frontmatter Options The values reflect example options. The defaults can be taken from the [annotated example](#annotated-frontmatter-options) below....*

+++

title = "Frontmatter"

weight = 2

+++

Each Hugo page **has to define** a [frontmatter](https://gohugo.io/content/front-matter/).

All Frontmatter Options

The values reflect example options. The defaults can be taken from the [annotated example](#annotated-frontmatter-options).

```
{{< multiconfig fm=true >}}
```

```
{{% include "frontmatter.toml" %}}
```

```
{{< /multiconfig >}}
```

Annotated Frontmatter Options

```
````toml {title="toml"}
```

+++

```
{{% include "frontmatter.toml" %}}+++
```

```
````
```

Some Detailed Examples

Add Icon to a Menu Entry

In the page frontmatter, add a ``menuPre`` param to insert any HTML code before the menu label. The example

```
{{< multiconfig fm=true >}}
```

```
title = "GitHub repo"
```

```
menuPre = "<i class='fab fa-github'></i> "
```

```
{{< /multiconfig >}}
```

```
![Title with icon](frontmatter-icon.png?width=18.75rem)
```

Ordering Sibling Menu/Page Entries

Hugo provides a [flexible way](https://gohugo.io/content/ordering/) to handle order for your pages.

The simplest way is to set `weight` parameter to a number.

```
{{< multiconfig fm=true >}}
```

```
title = "My page"
```

```
weight = 5
```

```
{{< /multiconfig >}}
```

Using a Custom Title for Menu Entries

By default, the Relearn theme will use a page's `title` attribute for the menu item.

But a page's title has to be descriptive on its own while the menu is a hierarchy. Hugo adds the `linkTitle`

For example (for a page named `content/install/linux.md`):

```
{{< multiconfig fm=true >}}
```

```
title = "Install on Linux"
```

```
linkTitle = "Linux"
```

```
{{< /multiconfig >}}
```

Override Expand State Rules for Menu Entries

You can change how the theme expands menu entries on the side of the content with the `alwaysopen` setting

The theme generates the menu based on the following rules:

- all parent entries of the active page including their siblings are shown regardless of any settings

- immediate children entries of the active page are shown regardless of any settings
- if not overridden, all other first level entries behave like they would have been given ``alwaysopen=false``
- if not overridden, all other entries of levels besides the first behave like they would have been given ``alwaysopen=false``
- all visible entries show their immediate children entries if ``alwaysopen=true``; this proceeds recursively
- all remaining entries are not shown

You can see this feature in action on the example page for `[children shortcode](shortcodes/children)` and `[children shortcode](shortcodes/children)`.

Disable Section Pages

You may want to structure your pages in a hierarchical way but don't want to generate pages for those sections.

To stay with the initial example: Suppose you want ``level-one`` appear in the sidebar but don't want to generate pages for those sections.

For this, open ``content/level-one/_index.md`` and add the following frontmatter

```
{{< multiconfig fm=true >}}
collapsibleMenu = true
[_build]
  render = "never"
{{< /multiconfig >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\frontmatter\ index.nir.md

Resumo: +++ title = "Frrrontmatter" weight = 2 +++ {{< piratify >}}

+++

title = "Frrrontmatter"

weight = 2

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\content\frontmatter\frontmatter.toml

*Resumo: # If an option value is said to be not set, you can achieve the same behavior # by giving it an empty string value. #####
Hugo # These options usually apply to other themes as well. # The social media image of your ...*

If an option value is said to be not set, you can achieve the same behavior
by giving it an empty string value.

#####

Hugo

These options usually apply to other themes as well.

The social media image of your page.

Default: not set

This is used for generating social media meta information for the opengraph
protocol and twitter cards.

If not set, the set value of your site's hugo.toml is used.

images = ["images/hero.png"]

The title of your page.

Default: not set

A page without a title is treated as a hidden page.

title = "Example Page"

The description of your page.

Default: not set

This is used for generating HTML meta tags, social media meta information
for the opengraph protocol and twitter cards.

If not set, the set value of your site's hugo.toml is used for the html

meta tag, social media meta information for the opengraph protocol and
twitter cards.

description = ""

#####

Relearn Theme

```
# These options are specific to the Relearn theme.

#####

# Topbar

# These options modify the topbar appearance.

# Hide the table of contents button.

# Default: false

# If the TOC button is hidden, also the keyboard shortcut is disabled.

# If not set, the set value of your site's hugo.toml is used.

disableToc = false

# Hide the breadcrumbs.

# Default: false

# If the breadcrumbs are hidden, the title of the displayed page will still be

# shown in the topbar.

disableBreadcrumb = false

# Hide Next and Previous navigation buttons.

# Default: false

# If the navigation buttons are hidden, also the keyboard shortcuts are

# disabled.

disableNextPrev = false

# The URL prefix to edit a page.

# Default: not set

# If set, an edit button will be shown in the topbar. If the button is hidden,

# also the keyboard shortcuts are disabled. The value can contain the macro

# `${FilePath}` which will be replaced by the file path of your displayed page.

# If not set, the set value of your site's hugo.toml is used. If the global

# parameter is given but you want to hide the button for the displayed page,

# you can set the value to an empty string. If instead of hiding you want to have

# an disabled button, you can set the value to a string containing just spaces.

# This is useful if you want to give the opportunity for people to create merge

# request for your content.
```



```

editURL = ""

#####

# Menu

# These options modify the menu appearance.

# Prefix for the title in main menu.
# Default: not set
# The title of the page in the menu will be prefixed by this HTML content.
menuPre = ""

# Suffix for the title in main menu.
# Default: not set
# The title of the page in the menu will be suffixed by this HTML content.
menuPost = ""

# The order of main menu submenus.
# Default: "weight"
# Submenus can be ordered by "weight", "title", "linktitle", "modifieddate",
# "expirydate", "publishdate", "date", "length" or "default" (adhering to
# Hugo's default sort order).
# If not set, the value of the parent menu entry is used.
ordersectionsby = "weight"

# The initial expand state of submenus.
# Default: not set
# This controls whether submenus will be expanded (true), or collapsed (false)
# in the menu. If not set, the first menu level is set to false, all others
# levels are set to true. If not set, the value of the parent menu entry is used.
# If the displayed page has submenus, they will always been displayed expanded
# regardless of this option.
alwaysopen = ""

# Shows expander for submenus.
# Default: false

```

```

# If set to true, a submenu in the sidebar will be displayed in a collapsible
# tree view and a clickable expander is set in front of the entry.
# If not set, the set value of your site's hugo.toml is used.
collapsibleMenu = true

#####

# Hidden pages
# These options configure how hidden pages are treated.
# A page flagged as hidden, is only removed from the main menu if you are
# currently not on this page or the hidden page is not part of current page's
# ancestors. For all other functionality in Hugo a hidden page behaves like any
# other page if not otherwise configured.

# Hide a page's menu entry.
# Default: false
# If this value is true, the page is hidden from the menu.
hidden = false

#####

# Content
# These options modify how your content is displayed.

# Prefix for the title in the content area.
# Default: not set
# The title of the page heading will be prefixed by this HTML content.
headingPre = ""

# Suffix for the title in the content area.
# Default: not set
# The title of the page heading will be suffixed by this HTML content.
headingPost = ""

# Display name of the page's last editor.
# Default: not set
# If set, it will be displayed in the default footer.

```

```
LastModifierDisplayName = ""
```

```
# Email address of the page's last editor.
```

```
# Default: not set
```

```
# If set together with LastModifierDisplayName, it will be displayed in the
```

```
# default footer.
```

```
LastModifierEmail = ""
```

```
+++++
```

```
# Highlight
```

```
# These options configure how code is displayed.
```

```
# Wrap for code blocks.
```

```
# Default: true
```

```
# By default lines of code blocks wrap around if the line is too long to be
```

```
# displayed on screen. If you dislike this behavior, you can reconfigure it
```

```
# here.
```

```
# Note that lines always wrap in print mode regardless of this option.
```

```
# If not set, the set value of your site's hugo.toml is used or given as a
```

```
# parameter to individual code blocks.
```

```
highlightWrap = true
```

```
+++++
```

```
# Images
```

```
# These options configure how images are displayed.
```

```
# Image effects.
```

```
# See the documentation for how you can even add your own arbitrary effects to
```

```
# the list.
```

```
# All effect values default to the values of your site's hugo.toml and can be
```

```
# overridden through URL parameter given to the image. See the documentation for
```

```
# details.
```

```
# Default: false
```

```
imageEffects.border = true
```

```

# Default: true

imageEffects.lazy = true

# Default: true

imageEffects.lightbox = true

# Default: false

imageEffects.shadow = false


+++++

# MathJax

# These options configure how math formulae are displayed.
# Initialization options for MathJax.

# Default: not set

# A JSON value. See the MathJaxdocumentation for possible parameter.

# If not set, the set value of your site's hugo.toml is used.

mathJaxInitialize = "{}"


# Only load MathJax if needed.

# Default: true

# If a Math shortcode is found, the option will be ignored and

# MathJax will be loaded regardlessly. The option is still useful in case you

# are using scripting to set up your graph. In this case no shortcode or

# codefence is involved and the library is not loaded by default. In this case

# you can set `disableMathJax=false` in your frontmatter to force the library to

# be loaded.

# If not set, the set value of your site's hugo.toml is used.

disableMathJax = true


# URL for external MathJax library.

# Default: not set

# Specifies the remote location of the MathJax library. By default the shipped

# version will be used.

# If not set, the set value of your site's hugo.toml is used.

customMathJaxURL = "" # "https://unpkg.com/mathjax/es5/tex-mml-ctml.js"


+++++

```

```

# Mermaid

# These options configure how Mermaid graphs are displayed.

# Make graphs panable and zoomable
# Default: false
# For huge graphs it can be helpful to make them zoomable. Zoomable graphs come
# with a reset button for the zoom.
# If not set, the set value of your site's hugo.toml is used or given as a
# parameter to individual graphs.
mermaidZoom = true

# Initialization options for Mermaid.
# Default: not set
# A JSON value. See the Mermaid documentation for possible parameter.
# If not set, the set value of your site's hugo.toml is used.
mermaidInitialize = "{ \"securityLevel\": \"loose\" }"

# Only load Mermaid if needed.
# Default: true
# If a Mermaid shortcode or codefence is found, the option will be ignored and
# Mermaid will be loaded regardlessly. The option is still useful in case you
# are using scripting to set up your graph. In this case no shortcode or
# codefence is involved and the library is not loaded by default. In this case
# you can set `disableMermaid=false` in your frontmatter to force the library to
# be loaded.
# If not set, the set value of your site's hugo.toml is used.
disableMermaid = true

# URL for external Mermaid library.
# Default: not set
# Specifies the remote location of the Mermaid library. By default the shipped
# version will be used.
# If not set, the set value of your site's hugo.toml is used.
customMermaidURL = "" # "https://unpkg.com/mermaid/dist/mermaid.min.js"
+++++

```

```
# OpenApi

# These options configure how OpenAPI specifications are displayed.

# Only load OpenAPI if needed.

# Default: true

# If a OpenAPI shortcode is found, the option will be ignored and
# OpenAPI will be loaded regardlessly. The option is still useful in case you
# are using scripting to set up your graph. In this case no shortcode or
# codefence is involved and the library is not loaded by default. In this case
# you can set `disableOpenapi=false` in your frontmatter to force the library to
# be loaded.

# If not set, the set value of your site's hugo.toml is used.
disableOpenapi = true

# URL for external OpenAPI library.

# Default: not set

# Specifies the remote location of the OpenAPI library. By default the shipped
# version will be used.

# If not set, the set value of your site's hugo.toml is used.
customOpenapiURL = "" # "https://unpkg.com/swagger-ui-dist/swagger-ui-bundle.js"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\contli18n\index.en.md

Resumo: +++ linktitle = "Multilingual" title = "Multilingual and i18n" weight = 7 +++ The Relearn theme is fully compatible with Hugo multilingual mode. - Available languages: Arabic, Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Hindi, Hungarian, Indones...

+++

linktitle = "Multilingual"

title = "Multilingual and i18n"

weight = 7

+++

The Relearn theme is fully compatible with Hugo multilingual mode.

- Available languages: Arabic, Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Hindi, Hungarian, Indonesian, Japanese, Korean, Malay, Polish, Portuguese, Russian, Spanish, Swedish, Thai, Turkish, Vietnamese, Welsh, Yiddish, Zulu
- Full support for languages written right to left
- Automatic menu generation from multilingual content
- In-browser language switching

![[i18n menu](i18n-menu.gif?width=18.75rem)]

Basic configuration

After learning [how Hugo handle multilingual websites](https://gohugo.io/content-management/multilingual/).

For example with current English and Piratized English website.

{{% notice note %}}

Make sure your default language is defined as the first one in the `[languages]` array, as the theme needs it.

{{% /notice %}}

{{< multiconfig file=hugo >}}

defaultContentLanguage = "en"

[languages]
[languages.en]

```

title = "Hugo Relearn Theme"

weight = 1

languageName = "English"

[languages.pir]

title = "Cap'n Hugo Relearrn Theme"

weight = 2

languageName = "Arrr! Pirrrates"

{{< /multiconfig >}}

```

Then, for each new page, append the `_id_` of the language to the file.

- Single file ``my-page.md`` is split in two files:
 - in English: ``my-page.md``
 - in Piratized English: ``my-page.pir.md``
- Single file ``_index.md`` is split in two files:
 - in English: ``_index.md``
 - in Piratized English: ``_index.pir.md``

```
{{% notice info %}}
```

Be aware that only translated pages are displayed in menu. It's not replaced with default language content

```
{{% /notice %}}
```

```
{{% notice tip %}}
```

Use `[slug](https://gohugo.io/content-management/multilingual/#translate-your-content)` frontmatter parameter

```
{{% /notice %}}
```

```
## Search
```

In case each page's content is written in one single language only, the above configuration will already work

```
{{% notice warning %}}
```

Although the theme supports a wide variety of supported languages, the site's search via the `[Lunr](https://lunrjs.com/)` You'll see error reports in your browsers console log for each unsupported language. Currently unsupported

- Czech

- Indonesian
- Polish
- Swahili

```
{{% /notice %}}
```

```
### Search with mixed language support
```

In case your page's content contains text in multiple languages (e.g. you are writing a Russian documenta

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
    additionalContentLanguage = [ "en" ]
```

```
{{< /multiconfig >}}
```

As this is an array, you can add multiple additional languages.

```
{{% notice note %}}
```

Keep in mind that the language code required here, is the base language code. E.g. if you have additional

```
{{% /notice %}}
```

```
## Overwrite translation strings
```

Translations strings are used for common default values used in the theme (_Edit_ button, _Search placeho

To override these values, create a new file in your local i18n folder `i18n/<idlanguage>.toml` and inspire

```
## Disable language switching
```

Switching the language in the browser is a great feature, but for some reasons you may want to disable it

Just set `disableLanguageSwitchingButton=true` in your `hugo.toml`

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
    disableLanguageSwitchingButton = true
```

```
{{< /multiconfig >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\contli18n_index.nir.md

Resumo: +++ linktitle = "Multilingual" title = "Multilingual an' i18n" weight = 7 +++ {{< piratify >}}

+++

linktitle = "Multilingual"

title = "Multilingual an' i18n"

weight = 7

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\imageeffects.en.md

Resumo: +++ title = "Image Effects" weight = 5 +++ The theme supports non-standard [image effects](cont/markdown#image-effects). | Name | Description | | ----- |
----- | | bord...

+++

title = "Image Effects"

weight = 5

+++

The theme supports non-standard [image effects](cont/markdown#image-effects).

| Name | Description | |
|----------|---|--|
| ----- | ----- | |
| border | Draws a light thin border around the image | |
| lazy | Lets the image be lazy loaded | |
| lightbox | The image will be clickable to show it enlarged | |
| shadow | Draws a shadow around the image to make it appear hovered/glowing | |

As [described](cont/markdown#image-effects), you can add this to the URL query parameter, but this may be

Instead, you can configure the defaults in your `hugo.toml` as well as overriding these default in the page

Explicitly set URL query parameter will override the defaults in effect for a page.

Without any settings in your `hugo.toml` this defaults to

```
{{< multiconfig file=hugo >}}
```

```
[params]
```

```
  [params.imageEffects]
```

```
    border = false
```

```
    lazy = true
```

```
    lightbox = true
```

```
    shadow = false
```

```
{{< /multiconfig >}}
```

This can be overridden in a pages frontmatter by eg.

```
{{< multiconfig fm=true >}}  
[imageEffects]  
    border = true  
{{< /multiconfig >}}
```

Or by explicitly override settings by URL query parameter

```
````md {title="URL"}  
![Minion](https://octodex.github.com/images/minion.png?lightbox=false&bg-white=true)
````
```

The settings applied to the above image would be

```
{{< multiconfig >}}  
border = true  
lazy = true  
lightbox = false  
shadow = false  
bg-white = true  
{{< /multiconfig >}}
```

This ends up in the following HTML where the parameter are converted to CSS classes.

```
````html {title="HTML"}  

````  
## Extending
```

As you can see in the above example, the `bg-white` parameter is not initially supported in the themes default

```
{{% notice note %}}
```

If no extended parameter like `bg-white` in the example is set on the URL, a `class="nobg-white"` in the HTML

```
{{% /notice %}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\imageeffects.bir.md

Resumo: +++ title = "Image Effects" weight = 5 +++ {{< piratify >}}

+++

title = "Image Effects"

weight = 5

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\markdown.en.md

*Resumo: +++ tags = ["Content"] title = "Markdown Syntax" weight = 4 +++ Let's face it: Writing content for the web is tiresome. WYSIWYG editors help alleviate this task, but they generally result in horrible code, or worse yet, ugly web pages. **Markdown** is a better way to write **HTML**, without...*

+++

```
tags = ["Content"]
```

```
title = "Markdown Syntax"
```

```
weight = 4
```

+++

Let's face it: Writing content for the web is tiresome. WYSIWYG editors help alleviate this task, but they

Markdown is a better way to write **HTML**, without all the complexities and ugliness that usually accom

Some of the key benefits are:

1. Markdown is simple to learn, with minimal extra characters so it's also quicker to write content.
2. Less chance of errors when writing in Markdown.
3. Produces valid HTML output.
4. Keeps the content and the visual display separate, so you cannot mess up the look of your site.
5. Write in any text editor or Markdown application you like.
6. Markdown is a joy to use!

John Gruber, the author of Markdown, puts it like this:

> The overriding design goal for Markdown's formatting syntax is to make it as readable as possible. The

> <cite>John Gruber</cite>

{{% notice tip %}}

{{% icon bookmark %}} Bookmark this page for easy future reference!

{{% /notice %}}

Standard and Extensions

If not otherwise noted, the showed examples adhere to the [Commonmark](https://commonmark.org/help/) stan

- `{{% badge color="darkgray" icon="fa-fw fab fa-github" %}}GFM{{% /badge %}}` Extension on top of standard
- `{{% badge color="#888cc4" icon="fa-fw fab fa-markdown" %}}PHP{{% /badge %}}` Extension on top of standard
- `{{% badge color="darkorange" icon="lightbulb" %}}Pants{{% /badge %}}` Extension by John Gruber adhering
- `{{% badge color="#7dc903" icon="fa-fw fas fa-puzzle-piece" %}}Relearn{{% /badge %}}` Extension specific
- `{{% badge color="orangered" icon="fa-fw fas fa-code" %}}HTML{{% /badge %}}` If the [usage of HTML](https

Paragraphs

In Markdown your content usually spans the whole available document width. This is called a block. Blocks

Any text not starting with a special sign is written as normal, plain text paragraph block and must be sep

```
````md
```

Lorem ipsum dolor sit amet, graecis denique ei vel, at duo primis mandamus.

Et legere occurreret pri, animal tacimates complectitur ad cum. Cu eum inermis inimicus efficiendi. Labore

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

Lorem ipsum dolor sit amet, graecis denique ei vel, at duo primis mandamus.

Et legere occurreret pri, animal tacimates complectitur ad cum. Cu eum inermis inimicus efficiendi. Labore

```
{{% /notice %}}
```

Headings

A good idea is to structure your content using headings and subheadings. HTML-headings from `h1` through

In Hugo you usually don't use `h1` as this is generated by your theme and you should only have one such e

```
````md
```

```
h1 Heading
```



## h2 Heading

### h3 Heading

#### h4 Heading

##### h5 Heading

##### h6 Heading

~~~~

{{% notice style="secondary" icon="eye" title="Result" %}}

# h1 Heading

## h2 Heading

### h3 Heading

#### h4 Heading

##### h5 Heading

##### h6 Heading

{{% /notice %}}

## Horizontal Rules

To further structure your content you can add horizontal rules. They create a "thematic break" between paragraphs.

~~~~md

Lorem ipsum dolor sit amet, graecis denique ei vel, at duo primis mandamus.

---

Et legere occurreret pri, animal tacimates complectitur ad cum. Cu eum inermis inimicus efficiendi. Labore

~~~~~

{{% notice style="secondary" icon="eye" title="Result" %}}

Lorem ipsum dolor sit amet, graecis denique ei vel, at duo primis mandamus.

---

Et legere occurreret pri, animal tacimates complectitur ad cum. Cu eum inermis inimicus efficiendi. Labore

{{% /notice %}}

## ## Text Markers

### ### Bold

You can show importance of a snippet of text with a heavier font-weight by enclosing it with two asterisks  
~~~~~md

I am rendered with **bold text**

~~~~~

{{% notice style="secondary" icon="eye" title="Result" %}}

I am rendered with **bold text**

{{% /notice %}}

### ### Italics

You can emphasize a snippet of text with italics by enclosing it with underscores `\_`.

~~~~~md

I am rendered with *italicized text*

~~~~~

{{% notice style="secondary" icon="eye" title="Result" %}}

I am rendered with *italicized text*

{{% /notice %}}

### ### Strikethrough

{{% badge color="darkgray" icon="fa-fw fab fa-github" %}}GFM{{% /badge %}} You can do strikethroughs by e

```
~~~~md
```

~~Strike through this text~~

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

~~Strike through this text~~

```
{{% /notice %}}
```

### Marked Text

```
{{% badge color="orangered" icon="fa-fw fas fa-code" %}}HTML{{% /badge %}} You can mark text in the prede
```

```
~~~~html
```

<mark>Parts</mark> of this text <mark>are marked!</mark>

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

<mark>Parts</mark> of this text <mark>are marked!</mark>

```
{{% /notice %}}
```

## Special Typesetting

### Text Substitution

```
{{% badge color="darkorange" icon="lightbulb" %}}Pants{{% /badge %}} You can combine multiple punctuation
```

```
~~~~md
```

Double quotes ``"`` and single quotes ``` of enclosed text are replaced by **"double curly quotes"** and **"**

Double dashes ``--`` and triple dashes ``---`` are replaced by en-dash **--** and em-dash **---** entities.

Double arrows pointing left `<<` or right `>>` are replaced by arrow **<<** and **>>** entities.

Three consecutive dots `...` are replaced by an ellipsis **...** entity.

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

Double quotes ``"``` and single quotes ``'``` of enclosed text are replaced by `***"double curly quotes"***` and `***`

Double dashes ``--`` and triple dashes ``---`` are replaced by en-dash `**--**` and em-dash `**---**` entities.

Double arrows pointing left ``<<`` or right ``>>`` are replaced by arrow `**<<***` and `**>>***` entities.

Three consecutive dots ``...`` are replaced by an ellipsis `**...**` entity.

`{{% /notice %}}`

### ### Keyboard Shortcuts

`{{% badge color="orangered" icon="fa-fw fas fa-code" %}}``HTML{{% /badge %}}` You can use the ``<kbd>`` element

`````html`

Press `<kbd>STRG</kbd>` `<kbd>ALT</kbd>` `<kbd>DEL</kbd>` to end your shift early.

``````

`{{% notice style="secondary" icon="eye" title="Result" %}}`

Press `<kbd>STRG</kbd>` `<kbd>ALT</kbd>` `<kbd>DEL</kbd>` to end your shift early.

`{{% /notice %}}`

### ### Sub and Super Script

`{{% badge color="orangered" icon="fa-fw fas fa-code" %}}``HTML{{% /badge %}}` You can also use the ``<sub>`` and

`````html`

How many liters H`<sub>2</sub>`0 fit into 1dm`<sup>3</sup>`?

``````

`{{% notice style="secondary" icon="eye" title="Result" %}}`

How many liters H`<sub>2</sub>`0 fit into 1dm`<sup>3</sup>`?

`{{% /notice %}}`

## ## Lists

### ### Unordered

You can write a list of items in which the order of the items does not explicitly matter.

It is possible to nest lists by indenting an item for the next sublevel.

You may use any of ``-``, ``*`` or ``+`` to denote bullets for each list item but should not switch between those

```
````md
- Lorem ipsum dolor sit amet
- Consectetur adipiscing elit
  - Vestibulum laoreet porttitor sem
  - Ac tristique libero volutpat at
- Nulla volutpat aliquam velit
  - Phasellus iaculis neque
  - Purus sodales ultricies
- Faucibus porta lacus fringilla vel
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
- Lorem ipsum dolor sit amet
- Consectetur adipiscing elit
- Vestibulum laoreet porttitor sem
 - Ac tristique libero volutpat at
- Nulla volutpat aliquam velit
 - Phasellus iaculis neque
 - Purus sodales ultricies
- Faucibus porta lacus fringilla vel
{{% /notice %}}
```

### ### Ordered

You can create a list of items in which the order of items does explicitly matter.

It is possible to nest lists by indenting an item for the next sublevel.

Markdown will automatically number each of your items consecutively. This means, the order number you are

```
````md
```

1. Lorem ipsum dolor sit amet
3. Consectetur adipiscing elit
 1. Integer molestie lorem at massa
 7. Facilisis in pretium nisl aliquet
99. Nulla volutpat aliquam velit
 1. Faucibus porta lacus fringilla vel
 1. Aenean sit amet erat nunc
17. Eget porttitor lorem

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

1. Lorem ipsum dolor sit amet
1. Consectetur adipiscing elit
  1. Integer molestie lorem at massa
  7. Facilisis in pretium nisl aliquet
99. Nulla volutpat aliquam velit
  1. Faucibus porta lacus fringilla vel
  1. Aenean sit amet erat nunc
17. Eget porttitor lorem

```
{{% /notice %}}
```

```
Tasks
```

```
{{% badge color="darkgray" icon="fa-fw fab fa-github" %}}GFM{{% /badge %}} You can add task lists resultin
```

```
````md
```

- [x] Basic Test
- [] More Tests
 - [x] View
 - [x] Hear
 - [] Smell

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

- [x] Basic Test

- [ ] More Tests

- [x] View

- [x] Hear

- [ ] Smell

{{% /notice %}}

### ### Definitions

{{% badge color="#888cc4" icon="fa-fw fab fa-markdown" %}}PHP{{% /badge %}} Definition lists are made of

A definition list in Markdown Extra is made of a single-line term followed by a colon and the definition

If you add empty lines around the definition terms, additional vertical space will be generated. Also mul

````md

Apple

: Pomaceous fruit of plants of the genus Malus in the family Rosaceae.

: An American computer company.

Orange

: The fruit of an evergreen tree of the genus Citrus.

 You can make juice out of it.

: A telecommunication company.

 You can't make juice out of it.

````

{{% notice style="secondary" icon="eye" title="Result" %}}

Apple

: Pomaceous fruit of plants of the genus Malus in the family Rosaceae.

: An American computer company.

Orange

: The fruit of an evergreen tree of the genus Citrus.

    You can make juice out of it.

: A telecommunication company.

You can't make juice out of it.

```
{{% /notice %}}
```

## Code

### Inline Code

Inline snippets of code can be wrapped with backticks `` ` ``.

```
````md
```

In this example, ``<div></div>`` is marked as code.

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

In this example, ``<div></div>`` is marked as code.

```
{{% /notice %}}
```

### Indented Code Block

A simple code block can be generated by indenting several lines of code by at least two spaces.

```
````md
```

Be impressed by my advanced code:

```
    // Some comments
```

```
    line 1 of code
```

```
    line 2 of code
```

```
    line 3 of code
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

Be impressed by my advanced code:

```
 // Some comments
```

```
 line 1 of code
```

```
 line 2 of code
```



line 3 of code

```
{{% /notice %}}
```

### Fenced Code Block

If you want to gain more control of your code block you can enclose your code by at least three backticks

```
{{% badge color="darkgray" icon="fa-fw fab fa-github" %}}GFM{{% /badge %}}
```

 You can also add a language sp

See [\[Code Highlighting\]\(shortcodes/highlight\)](#) for additional documentation.

```
````plaintext
```

```
```js
```

```
{
 name: "Claus",
 surname: "Santa",
 profession: "courier",
 age: 666,
 address: {
 city: "North Pole",
 postalCode: 1,
 country: "Arctic"
 },
 friends: ["Dasher", "Dancer", "Prancer", "Vixen", "Comet", "Cupid", "Donder", "Blitzen", "Rudolph"]
};
```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
```js
```

```
{
  name: "Claus",
  surname: "Santa",
  profession: "courier",
  age: 666,
```

```

        address: {
            city: "North Pole",
            postalCode: 1,
            country: "Arctic"
        },
        friends: [ "Dasher", "Dancer", "Prancer", "Vixen", "Comet", "Cupid", "Donder", "Blitzen", "Rudolph" ]
    };
    ...

    {{% /notice %}}

```

Tables

{{% badge color="darkgray" icon="fa-fw fab fa-github" %}}GFM{{% /badge %}} You can create tables by adding

```

````md
| Option | Description |
|-----|-----|
| data | path to data files to supply the data that will be passed into templates. |
| engine | engine to be used for processing templates. Handlebars is the default. |
| ext | extension to be used for dest files. |
````

```

```

{{% notice style="secondary" icon="eye" title="Result" %}}
| Option | Description |
|-----|-----|
| data   | path to data files to supply the data that will be passed into templates. |
| engine | engine to be used for processing templates. Handlebars is the default. |
| ext    | extension to be used for dest files. |
{{% /notice %}}

```

Aligned Columns

Adding a colon on the left and/or right side of the dashes below any heading will align the text for that

```

````md

```

| Option | Number | Description                                                               |
|--------|--------|---------------------------------------------------------------------------|
| data   | 1      | path to data files to supply the data that will be passed into templates. |
| engine | 2      | engine to be used for processing templates. Handlebars is the default.    |
| ext    | 3      | extension to be used for dest files.                                      |

{{% notice style="secondary" icon="eye" title="Result" %}}

| Option | Number | Description                                                               |
|--------|--------|---------------------------------------------------------------------------|
| data   | 1      | path to data files to supply the data that will be passed into templates. |
| engine | 2      | engine to be used for processing templates. Handlebars is the default.    |
| ext    | 3      | extension to be used for dest files.                                      |

{{% /notice %}}

## Blockquotes

For quoting blocks of content from another source within your document add `>` before any text you want to quote.

Blockquotes can also be nested.

```

````md
> Donec massa lacus, ultricies a ullamcorper in, fermentum sed augue. Nunc augue, aliquam non hendrerit a
>
> > Sed adipiscing elit vitae augue consectetur a gravida nunc vehicula. Donec auctor odio non est accums
>
> Mauris sit amet ligula egestas, feugiat metus tincidunt, luctus libero. Donec congue finibus tempor. Ve
````

```

{{% notice style="secondary" icon="eye" title="Result" %}}

```

> Donec massa lacus, ultricies a ullamcorper in, fermentum sed augue. Nunc augue, aliquam non hendrerit a
>
> > Sed adipiscing elit vitae augue consectetur a gravida nunc vehicula. Donec auctor odio non est accums
>
> Mauris sit amet ligula egestas, feugiat metus tincidunt, luctus libero. Donec congue finibus tempor. Ve

```

```
{{% /notice %}}
```

## ## Links

### ### Autolink

```
{{% badge color="darkgray" icon="fa-fw fab fa-github" %}}GFM{{% /badge %}} Absolute URLs will automatically
~~~~md
```

This is a link to <https://example.com>.

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

This is a link to <https://example.com>.

```
{{% /notice %}}
```

### ### Basic Link

You can explicitly define links in case you want to use non-absolute URLs or want to give different text.

```
~~~~md
```

[Assemble](http://assemble.io)

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

[Assemble](http://assemble.io)

```
{{% /notice %}}
```

### ### Link with Tooltip

For even further information, you can add an additional text, displayed in a tooltip on hovering over the

```
~~~~md
```

[Upstage](https://github.com/upstage/ "Visit Upstage!")

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
[Upstage](https://github.com/upstage/ "Visit Upstage!")
{{% /notice %}}
```

### ### Link References

Links can be simplyfied for recurring reuse by using a reference ID to later define the URL location. This

```
~~~~md
```

```
[Example][somelinkID]
```

```
[somelinkID]: https://example.com "Go to example domain"
```

```
~~~~
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
[Example][somelinkID]
```

```
[somelinkID]: https://example.com "Go to example domain"
```

```
{{% /notice %}}
```

### ### Footnotes

```
{{% badge color="#888cc4" icon="fa-fw fab fa-markdown" %}}PHP{{% /badge %}}
```

 Footnotes work mostly like re

Usually the list of footnotes will be shown at the end of your document. If we use a footnote in a notice

Footnotes can contain block elements, which means that you can put multiple paragraphs, lists, blockquotes

```
~~~~md
```

```
That's some text with a footnote[^1]
[^1]: And that's the footnote.
```

```
That's some more text with a footnote.[^someid]
```

```
[^someid]:
```

Anything of interest goes here.

Blue light glows blue.

~~~~

{{% notice style="secondary" icon="eye" title="Result" %}}

That's some text with a footnote[^1]

[^1]: And that's the footnote.

That's some more text with a footnote.[^someid]

[^someid]:

Anything of interest goes here.

Blue light glows blue.

{{% /notice %}}

Images

Basic Images

Images have a similar syntax to links but include a preceding exclamation mark.

~~~~md

![Spock](https://octodex.github.com/images/spocktocat.png)

~~~~

{{% notice style="secondary" icon="eye" title="Result" %}}

![Spock](https://octodex.github.com/images/spocktocat.png?width=20vw)

{{% /notice %}}

Image with Tooltip

Like links, images can also be given a tooltip.

~~~~md

![Picard](https://octodex.github.com/images/jean-luc-picard.jpg "Jean Luc Picard")

````

```
{{% notice style="secondary" icon="eye" title="Result" %}}
![[Picard]](https://octodex.github.com/images/jean-luc-picat.jpg?width=20vw "Jean Luc Picard")
{{% /notice %}}
```

### ### Image References

Images can also be linked by reference ID to later define the URL location. This simplyfies writing if you

````md

```
![[La Forge]][laforge]
```

```
[[laforge]: https://octodex.github.com/images/trekkie.jpg "Geordi La Forge"
```

````

```
{{% notice style="secondary" icon="eye" title="Result" %}}
![[La Forge]][laforge]
```

```
[[laforge]: https://octodex.github.com/images/trekkie.jpg?width=20vw "Geordi La Forge"
```

```
{{% /notice %}}
```

### ### Image Effects

```
{{% badge color="#7dc903" icon="fa-fw fas fa-puzzle-piece" %}}Relearn{{% /badge %}} This theme allows adding
```

### #### Resizing

Add query parameter ``width`` and/or ``height`` to the link image to resize the image. Values are CSS values

````md

```
![[Minion]](https://octodex.github.com/images/minion.png?width=20vw)
```

````

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Minion](https://octodex.github.com/images/minion.png?width=20vw)
```

```
{{% /notice %}}
```

```
````md
```

```
! [Minion](https://octodex.github.com/images/minion.png?height=50px)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Minion](https://octodex.github.com/images/minion.png?height=50px)
```

```
{{% /notice %}}
```

```
````md
```

```
! [Minion](https://octodex.github.com/images/minion.png?height=50px&width=40vw)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Minion](https://octodex.github.com/images/minion.png?height=50px&width=40vw)
```

```
{{% /notice %}}
```

#### #### CSS Classes

Add a query parameter `classes` to the link image to add CSS classes. Add some of the predefined values on

#### ##### Shadow

```
````md
```

```
! [Spidertocat](https://octodex.github.com/images/spidertocat.png?classes=shadow)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Spidertocat](https://octodex.github.com/images/spidertocat.png?width=20vw&classes=shadow,noborder)
```

```
{{% /notice %}}
```

#### ##### Border

```
````md
```



```
! [DrOctocat](https://octodex.github.com/images/droctocat.png?classes=border)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [DrOctocat](https://octodex.github.com/images/droctocat.png?width=20vw&classes=border,noshadow)
```

```
{{% /notice %}}
```

```
##### Left
```

```
````md
```

```
! [Supertocat](https://octodex.github.com/images/okal-eltocat.jpg?classes=left)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Supertocat](https://octodex.github.com/images/okal-eltocat.jpg?width=20vw&classes=left)
```

```
{{% /notice %}}
```

```
##### Right
```

```
````md
```

```
! [Riddlocat](https://octodex.github.com/images/riddlocat.jpg?classes=right)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Riddlocat](https://octodex.github.com/images/riddlocat.jpg?width=20vw&classes=right)
```

```
{{% /notice %}}
```

```
##### Inline
```

```
````md
```

```
! [Spidertocat](https://octodex.github.com/images/spidertocat.png?classes=inline)
```

```
! [DrOctocat](https://octodex.github.com/images/droctocat.png?classes=inline)
```

```
! [Supertocat](https://octodex.github.com/images/okal-eltocat.jpg?classes=inline)
```

```
! [Riddlocat](https://octodex.github.com/images/riddlocat.jpg?classes=inline)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
! [Spidertocat](https://octodex.github.com/images/spidertocat.png?width=10vw&classes=inline)
```

```
![DrOctocat](https://octodex.github.com/images/droctocat.png?width=10vw&classes=inline)
```

```
![Supertocat](https://octodex.github.com/images/okal-eltoecat.jpg?width=10vw&classes=inline)
```

```
![Riddlocat](https://octodex.github.com/images/riddlocat.jpg?width=10vw&classes=inline)
```

```
{{% /notice %}}
```

#### ##### Combination

```
````md
```

```
![X-tocat](https://octodex.github.com/images/xtocat.jpg?classes=shadow,border,left)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
![X-tocat](https://octodex.github.com/images/xtocat.jpg?width=20vw&classes=shadow,border,left)
```

```
{{% /notice %}}
```

#### #### Lightbox

Add the query parameter `lightbox=false` to the image link to disable the lightbox.

```
````md
```

```
![Homercat](https://octodex.github.com/images/homercat.png?lightbox=false)
```

```
````
```

```
{{% notice style="secondary" icon="eye" title="Result" %}}
```

```
![Homercat](https://octodex.github.com/images/homercat.png?width=20vw&lightbox=false)
```

```
{{% /notice %}}
```

```
{{% notice note %}}
```

If you want to wrap an image in a link and `lightbox=true` is your default setting, you have to explicitly

```
````md
```

```
[![Homercat](https://octodex.github.com/images/homercat.png?lightbox=false)](https://octodex.github.com/#)
```

```
````
```

```
[![Homercat](https://octodex.github.com/images/homercat.png?width=20vw&lightbox=false)](https://octodex.g
```

{{% /notice %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\markdown.nir.md

Resumo: +++ tags = ["Content"] title = "Marrrkdown rules" weight = 4 +++ {{< piratify >}}

+++

tags = ["Content"]

title = "Marrrkdown rules"

weight = 4

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\menushortcuts.en.md

*Resumo: +++ title = "Menu extra shortcuts" weight = 6 +++ You can define additional menu entries or shortcuts in the navigation menu without any link to content. ## Basic configuration Edit the website configuration `hugo.toml` and add a `[[menu.shortcuts]]` entry for each link your want to add....*

+++

title = "Menu extra shortcuts"

weight = 6

+++

You can define additional menu entries or shortcuts in the navigation menu without any link to content.

## Basic configuration

Edit the website configuration `hugo.toml` and add a `[[menu.shortcuts]]` entry for each link your want to

Example from the current website:

```
{{< multiconfig file=hugo >}}
```

```
[[menu.shortcuts]]
```

```
name = "<i class='fa-fw fab fa-github'></i> GitHub repo"
```

```
identifier = "ds"
```

```
url = "https://github.com/McShelby/hugo-theme-relearn"
```

```
weight = 10
```

```
[[menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-camera'></i> Showcases"
```

```
url = "showcase/"
```

```
weight = 11
```

```
[[menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-bookmark'></i> Hugo Documentation"
```

```
identifier = "hugodoc"
```

```
url = "https://gohugo.io/"
```

```
weight = 20
```

```
[[menu.shortcuts]]
name = "<i class='fa-fw fas fa-bullhorn'></i> Credits"
url = "more/credits/"
weight = 30
```

```
[[menu.shortcuts]]
name = "<i class='fa-fw fas fa-tags'></i> Tags"
url = "tags/"
weight = 40
{{< /multiconfig >}}
```

By default, shortcuts are preceded by a title. This title can be disabled by setting `disableShortcutsTitle`. However, if you want to keep the title but change its value, it can be overridden by changing your local configuration.

For example, in your local `en.toml` file, add the following content

```
````toml {title="en.toml"}
[Shortcuts-Title]
other = "<Your value>"
````
```

Read more about `[hugo menu]` (<https://gohugo.io/extras/menus/>) and `[hugo i18n translation strings]` (<https://gohugo.io/extras/translation-strings/>)

## Configuration for Multilingual mode {#i18n}

When using a multilingual website, you can set different menus for each language. In the `hugo.toml` file,

Example from the current website:  

```
{{< multiconfig file=hugo >}}
```

```
[languages]

[languages.en]

    title = "Hugo Relearn Theme"

    weight = 1

    languageName = "English"

[languages.en.params]
```

```
landingPageName = "<i class='fa-fw fas fa-home'></i> Home"
```

```
[[languages.en.menu.shortcuts]]
```

```
name = "<i class='fa-fw fab fa-github'></i> GitHub repo"
```

```
identifier = "ds"
```

```
url = "https://github.com/McShelby/hugo-theme-relearn"
```

```
weight = 10
```

```
[[languages.en.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-camera'></i> Showcases"
```

```
pageRef = "showcase/"
```

```
weight = 11
```

```
[[languages.en.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-bookmark'></i> Hugo Documentation"
```

```
identifier = "hugodoc"
```

```
url = "https://gohugo.io/"
```

```
weight = 20
```

```
[[languages.en.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-bullhorn'></i> Credits"
```

```
pageRef = "more/credits/"
```

```
weight = 30
```

```
[[languages.en.menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-tags'></i> Tags"
```

```
pageRef = "tags/"
```

```
weight = 40
```

```
[languages.pir]
```

```
title = "Cap'n Hugo Relearrn Theme"
```

```
weight = 1
```

```
languageName = "Arrr! Pirrrates"
```

```
[languages.pir.params]
```

```
landingPageName = "<i class='fa-fw fas fa-home'></i> Arrr! Home"
```

```

[[languages.pir.menu.shortcuts]]
    name = "<i class='fa-fw fab fa-github'></i> GitHub repo"
    identifier = "ds"
    url = "https://github.com/McShelby/hugo-theme-relearn"
    weight = 10

[[languages.pir.menu.shortcuts]]
    name = "<i class='fa-fw fas fa-camera'></i> Showcases"
    pageRef = "showcase/"
    weight = 11

[[languages.pir.menu.shortcuts]]
    name = "<i class='fa-fw fas fa-bookmark'></i> Cap'n Hugo Documentat'n"
    identifier = "hugodoc"
    url = "https://gohugo.io/"
    weight = 20
[[languages.pir.menu.shortcuts]]
    name = "<i class='fa-fw fas fa-bullhorn'></i> Crrredits"
    pageRef = "more/credits/"
    weight = 30

[[languages.pir.menu.shortcuts]]
    name = "<i class='fa-fw fas fa-tags'></i> Arrr! Tags"
    pageRef = "tags/"
    weight = 40
{{< /multiconfig >}}

```

Read more about [hugo menu](https://gohugo.io/extras/menus/) and [hugo multilingual menus](https://gohugo.io/extras/multilingual-menus/)

## Shortcuts to pages inside of your project

If you have shortcuts to pages inside of your project and you don't want them to show up in page menu section, you can use the following configuration:

1. Make the page file for the shortcut a [headless branch bundle](https://gohugo.io/content-management/page-bundles/#headless-branch-bundle)
 

```

{{< multiconfig fm=true >}}
title = "Showcase"

```



```
[_build]
  render = "always"
  list = "never"
  publishResources = true
{{< /multiconfig >}}
```

2. Store the page file for the shortcut below a parent headless branch bundle and add the following front

```
{{< multiconfig fm=true >}}
[_build]
  render = "never"
  list = "never"
  publishResources = false
{{< /multiconfig >}}
```

In this case, the file itself can be a branch bundle, leaf bundle or simple page (see exampleSite's `C

```
{{< multiconfig fm=true >}}
title = "Credits"
{{< /multiconfig >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\menushortcuts.pir.md

*Resumo: +++ title = "Menu extrrra shorrrtcuts" weight = 6 +++ {{< piratify >}}*

+++

title = "Menu extrrra shorrrtcuts"

weight = 6

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\pages\index.en.md

Resumo: +++ title = "Pages organization" weight = 1 +++ In **Hugo**, pages are the core of your site. Once it is configured, pages are definitely the added value to your documentation site. ## Folders Organize your site like [any other Hugo project](https://gohugo.io/content/organization/). Typi...

+++

title = "Pages organization"

weight = 1

+++

In **Hugo**, pages are the core of your site. Once it is configured, pages are definitely the added value

## Folders

Organize your site like [any other Hugo project](https://gohugo.io/content/organization/). Typically, you

````plaintext

content

■ ■ ■ level-one

■ ■ ■ ■ level-two

■ ■ ■ ■ level-three

■ ■ ■ ■ level-four

■ ■ ■ ■ ■ \_index.md <-- /level-one/level-two/level-three/level-four

■ ■ ■ ■ ■ page-4-a.md <-- /level-one/level-two/level-three/level-four/page-4-a

■ ■ ■ ■ ■ page-4-b.md <-- /level-one/level-two/level-three/level-four/page-4-b

■ ■ ■ ■ ■ page-4-c.md <-- /level-one/level-two/level-three/level-four/page-4-c

■ ■ ■ ■ \_index.md <-- /level-one/level-two/level-three

■ ■ ■ ■ page-3-a.md <-- /level-one/level-two/level-three/page-3-a

■ ■ ■ ■ page-3-b.md <-- /level-one/level-two/level-three/page-3-b

■ ■ ■ ■ page-3-c.md <-- /level-one/level-two/level-three/page-3-c

■ ■ ■ ■ \_index.md <-- /level-one/level-two

■ ■ ■ ■ page-2-a.md <-- /level-one/level-two/page-2-a

■ ■ ■ ■ page-2-b.md <-- /level-one/level-two/page-2-b

■ ■ ■ ■ page-2-c.md <-- /level-one/level-two/page-2-c

■ ■ ■ ■ \_index.md <-- /level-one

```

■   ■■■ page-1-a.md           <-- /level-one/page-1-a
■   ■■■ page-1-b.md           <-- /level-one/page-1-b
■   ■■■ page-1-c.md           <-- /level-one/page-1-c
■■■ _index.md                 <-- /
■■■ page-top.md               <-- /page-top
~~~~

```

```
{{% notice note %}}
```

`\_index.md` is required in each folder, it's your "folder home page"

```
{{% /notice %}}
```

```
Create your project
```

The following steps are here to help you initialize your new website. If you don't know Hugo at all, we s

Hugo provides a `new` command to create a new website.

```

~~~~shell
hugo new site <new_project>
~~~~

```

The Relearn theme provides [archetypes](cont/archetypes) to help you create this kind of pages.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\pages\index.nir.md

Resumo: +++ title = "planks orrrrganizat'n" weight = 1 +++ {{< piratify >}}

+++

title = "planks orrrrganizat'n"

weight = 1

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\taxonomy.en.md

*Resumo: +++ categories = ["taxonomy", "content"] tags = "tutorial" title = "Taxonomy" weight = 8  
+++ The Relearn theme supports Hugo's default taxonomies \_tag\_ and \_category\_ out of the box. ## Configuration Just add tags and/or categories to any page. They can be given as a single string or a...*

+++

```
categories = ["taxonomy", "content"]
```

```
tags = "tutorial"
```

```
title = "Taxonomy"
```

```
weight = 8
```

+++

The Relearn theme supports Hugo's default taxonomies `_tag_` and `_category_` out of the box.

### ## Configuration

Just add tags and/or categories to any page. They can be given as a single string or an array of strings.

```
{{< multiconfig fm=true >}}
```

```
categories = ["taxonomy", "content"]
```

```
tags = "tutorial"
```

```
title = "Taxonomy"
```

```
{{< /multiconfig >}}
```

### ## Behavior

The tags are displayed at the top of the page in alphabetical order.

The categories are displayed at the bottom of the page in alphabetical order in the default implementation.

Each item is a link to a taxonomy page displaying all the articles with the given term.

### ## List all the tags

In the ``hugo.toml`` file you can add a shortcut to display all the tags and categories

```
{{< multiconfig file=hugo >}}
```

```
[[menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-tags'></i> Tags"
```

```
url = "/tags"
```

```
[[menu.shortcuts]]
```

```
name = "<i class='fa-fw fas fa-layer-group'></i> Categories"
```

```
url = "/categories"
```

```
{{< /multiconfig >}}
```

```
Customization
```

If you define [custom taxonomies](<https://gohugo.io/content-management/taxonomies/#configure-taxonomies>) a

```
````go
```

```
{{ partial "term-list.html" (dict
```

```
  "page" .
```

```
  "taxonomy" "categories"
```

```
  "icon" "layer-group"
```

```
) }}
```

```
````
```

```
Parameter
```

| Name            | Default                  | Notes                                                                                                                  |
|-----------------|--------------------------|------------------------------------------------------------------------------------------------------------------------|
| -----           | -----                    | -----                                                                                                                  |
| <b>page</b>     | <code>&amp;empty;</code> | Mandatory reference to the page.                                                                                       |
| <b>taxonomy</b> | <code>&amp;empty;</code> | The plural name of the taxonomy to display as used in your fr                                                          |
| <b>class</b>    | <code>&amp;empty;</code> | Additional CSS classes set on the outermost generated HTML el                                                          |
| <b>style</b>    | <code>primary</code>     | The style scheme used if <b>class</b> is <code>tags</code> .<br>- by sev                                               |
| <b>color</b>    | see notes                | The [CSS color value]( <a href="https://developer.mozilla.org/en-US/doc">https://developer.mozilla.org/en-US/doc</a> ) |
| <b>icon</b>     | <code>&amp;empty;</code> | An optional [Font Awesome icon name]( <a href="https://fontawesome.com/icons">shortcodes/icon#finding-</a>             |

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\cont\taxonomy.nir.md

Resumo: +++ categories = ["taxonomy", "content"] tags = "tutorial" title = "Taxonomy" weight = 8 +++ {{< piratify >}}

+++

categories = ["taxonomy", "content"]

tags = "tutorial"

title = "Taxonomy"

weight = 8

+++

{{< piratify >}}



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\\_index.en.md

*Resumo: +++ archetype = "chapter" hidden = true title = "Development" weight = 4 +++ This chapter contains information only needed for development and maintaining the theme.*  
*{{%children containerstyle="div" style="h2" description="true" %}}*

+++

archetype = "chapter"

hidden = true

title = "Development"

weight = 4

+++

This chapter contains information only needed for development and maintaining the theme.

{{%children containerstyle="div" style="h2" description="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\\_index.pir.md

*Resumo: +++ archetype = "chapter" hidden = true title = "Development" weight = 4 +++ {{< piratify >}}*

+++

archetype = "chapter"

hidden = true

title = "Development"

weight = 4

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\contributing\ index.en.md

*Resumo: +++ description = "What to know if you want to contribute" title = "Contributing" +++ ## Code Quality A new release can happen at any time from the `main` branch of the [GitHub project](https://github.com/McShelby/hugo-theme-relearn) without further acknowledgment. This makes it necessary t...*

+++

description = "What to know if you want to contribute"

title = "Contributing"

+++

### ## Code Quality

A new release can happen at any time from the `main` branch of the [GitHub project](https://github.com/McShelby/hugo-theme-relearn) without further acknowledgment.

Stay simple for the user by focusing on the mantra "convention over configuration".

At installation the site should work reasonable without (m)any configuration.

Stay close to the Hugo way.

Don't use npm or any preprocessing, our contributors may not be front-end developers.

Document new features in the exampleSite. This also contains entries to the [What's new](basics/migration) page.

Don't break existing features if you don't have to.

Remove reported issue from the browser's console.

Check for unnecessary whitespace and correct indentation of your resulting HTML.

### ## Conventional Commits

Write commit messages in the [conventional commit](https://www.conventionalcommits.org/en/v1.0.0/) format. Following is an incomplete list of some of the used conventional commit types. Be creative.

| Common | Feature | Structure | Shortcodes |
|--------|---------|-----------|------------|
| -----  | -----   | -----     | -----      |

|            |            |                 |             |  |
|------------|------------|-----------------|-------------|--|
| build      | a11y       | favicon         | attachments |  |
| browser    | archetypes | search          | badge       |  |
| chore      | alias      | menu            | button      |  |
| docs       | generator  | history         | children    |  |
| shortcodes | i18n       | scrollbar       | expand      |  |
| theme      | mobile     | nav             | icon        |  |
|            | print      | toc             | include     |  |
|            | rss        | clipboard       | math        |  |
|            | variant    | syntaxhighlight | mermaid     |  |
|            |            | boxes           | notice      |  |
|            |            |                 | openapi     |  |
|            |            |                 | piratify    |  |
|            |            |                 | siteparam   |  |
|            |            |                 | tabs        |  |

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\contributing\ index.pir.md

*Resumo: +++ description = "What to know if you want to contribute" title = "Contributing" +++ {{< piratify >}}*

+++

description = "What to know if you want to contribute"

title = "Contributing"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\maintain\ index.en.md

*Resumo: +++ description = "What to know as a maintainer" title = "Maintaining" +++ ## Semver  
This project tries to follow the [semver policy](https://semver.org/) - although not followed 100%  
in the past. Usually an entry of {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} on  
the [W...*

+++

description = "What to know as a maintainer"

title = "Maintaining"

+++

## Semver

This project tries to follow the [semver policy](https://semver.org/) - although not followed 100% in the

Usually an entry of {{% badge style="warning" title=" " %}}Breaking{{% /badge %}} on the [What's new](bas

All other entries on the [What's new](basics/migration) page will increase the minor release number.

Releases resulting in a new major or minor number are called main release.

Releases containing bugfixes only, are only increasing the patch release number. Those releases don't res

Entries on the [What's new](basics/migration) page are checked and enforced during the `version-release`

## Managing Issues

Issues are categorized and managed by assigning [labels](#labels) to it.

Once working on an issue, assign it to a fitting maintainer.

When done, close the ticket. Once an issue is closed, it needs to be assigned to next release milestone.

A once released ticket is not allowed to be reopened and rereleased in a different milestone. This would

## Managing Pull Requests

If a PR is merged and closed it needs an accompanied issue assigned to. If there is no issue for a PR, the  
You can assign multiple PRs to one issue as long as they belong together.

Usually set the same labels and milestone for the PR as for the accompanied issue.

## ## Labels

### ### Kind

An issue that results in changesets must have exactly one of the following labels. This needs to be assigned

| Label         | Description                                |
|---------------|--------------------------------------------|
| documentation | Improvements or additions to documentation |
| discussion    | This issue was converted to a discussion   |
| task          | Maintenance work                           |
| feature       | New feature or request                     |
| bug           | Something isn't working                    |

### ### Impact

If the issue would cause a new main release due to [semver semantics](#semver) it needs one of the according

| Label    | Description                                             |
|----------|---------------------------------------------------------|
| change   | Introduces changes with existing installations          |
| breaking | Introduces breaking changes with existing installations |

### ### Declination

If an issue does not result in changesets but is closed anyways, it must have exactly one of the following

| Label      | Description                               |
|------------|-------------------------------------------|
| duplicate  | This issue or pull request already exists |
| invalid    | This doesn't seem right                   |
| support    | Request for achieving a special goal      |
| unresolved | No progress on this issue                 |
| update     | A change in behavior after update         |

| {{% badge color="#9fa2a5" %}}wontchange{{% /badge %}} | This will not be worked on |

### ### Halt

You can assign one further label out of the following list to signal readers that development on an open

| Label                                                    | Description                                 |
|----------------------------------------------------------|---------------------------------------------|
| -----                                                    | -----                                       |
| {{% badge color="#998f6b" %}}blocked{{% /badge %}}       | Depends on other issue to be fixed first    |
| {{% badge color="#998f6b" %}}idea{{% /badge %}}          | A valuable idea that's currently not worked |
| {{% badge color="#998f6b" %}}undecided{{% /badge %}}     | No decision was made yet                    |
| {{% badge color="#6426ff" %}}helpwanted{{% /badge %}}    | Great idea, send in a PR                    |
| {{% badge color="#6426ff" %}}needsfeedback{{% /badge %}} | Further information is needed               |

### ### 3rd-Party

If the issue is not caused by a programming error in the themes own code, you can label the causing progr

| Label                                               | Description                                        |
|-----------------------------------------------------|----------------------------------------------------|
| -----                                               | -----                                              |
| {{% badge color="#e550a7" %}}asciidoc{{% /badge %}} | This is a topic related to processing of AsciiDoc  |
| {{% badge color="#e550a7" %}}browser{{% /badge %}}  | This is a topic related to the browser but not the |
| {{% badge color="#e550a7" %}}device{{% /badge %}}   | This is a topic related to a certain device        |
| {{% badge color="#e550a7" %}}hugo{{% /badge %}}     | This is a topic related to Hugo itself but not the |
| {{% badge color="#e550a7" %}}mermaid{{% /badge %}}  | This is a topic related to Mermaid itself but not  |

## ## Making Releases

A release is based on a milestone named like the release itself - just the version number, eg: `1.2.3`. I

Making releases is automated by the `version-release` GitHub Action. It requires the version number of the

Treat released milestones as immutable. Don't rerelease an already released milestone. An already released  
During execution of the action a few things are checked. If a check fails the action fails, resulting in  
The following checks will be enforced  
- the milestone exists



- there is at least one closed issue assigned to the milestone
- all assigned issues for this milestone are closed
- if it's a main release, there must be a new ``<major>.<minor>`` at the beginning of the [What's new](basics/whats-new/index.html) page
- if it's a patch release, there must be the ``<major>.<minor>`` from the previous release at the beginning

After a successful run of the action

- the [History](https://mcshelby.github.io/hugo-theme-relearn/basics/history/index.html) page is updated,
- the [What's new](https://mcshelby.github.io/hugo-theme-relearn/basics/migration/index.html) page is updated
- the version number for the ``<meta generator>`` is updated
- the updated files are committed
- the milestone is closed
- the repository is tagged with the version number (eg. `1.2.3`), the main version number (eg. `1.2.x`) and the patch version number (eg. `1.2.3-patch`)
- a new entry in the [GitHub release list](https://github.com/McShelby/hugo-theme-relearn/releases) with the version number and the patch version number
- the [official documentation](https://mcshelby.github.io/hugo-theme-relearn/index.html) is built and deployed
- the version number for the ``<meta generator>`` is updated to a temporary and committed (this helps to determine the next patch release)
- a new milestone for the next patch release is created (this can later be renamed to a main release if needed)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\maintain\ index.pir.md

Resumo: +++ *description = "What to know as a maintainer" title = "Maintaining" +++ {{< piratify >}}*

+++

description = "What to know as a maintainer"

title = "Maintaining"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\screenshots\ index.en.md

*Resumo: +++ description = "Recipe to create various documentation screenshots" title = "Screenshots" +++ Sometimes screenshots need to be redone. This page explains how to create the different screenshots, tools and settings ## Common \*\*Creation\*\*:* - Use English translation - Empty search -...

+++

description = "Recipe to create various documentation screenshots"

title = "Screenshots"

+++

Sometimes screenshots need to be redone. This page explains how to create the different screenshots, tools

## Common

**Creation:**

- Use English translation
- Empty search
- Remove history checkmarks but leave it on the page thats used for the screenshot
- After resize of the page into the required resolution, reload the page to have all scrollbars in default

## Demo Screenshot

**Content:**

A meaningful full-screen screenshot of an interesting page.

The content should be:

- timeless: not showing any dates or often edited content
- interesting: show a bunch of interesting elements like headings, code, etc
- balanced: no cluttering with overpresent elements or coloring
- aligned: aligned outlines

**Used by:**

- Hugo Themes info: <https://themes.gohugo.io/themes/hugo-theme-relearn/> \_1000 x 1500 @ 1\_

**Page URL:** [Screenshot Link](shortcodes/notice)

**\*\*Creation\*\*:**

- save as `images/screenshot.png`

**\*\*Remarks\*\*:**

The location is mandatory due to Hugo's theme site builder.

**\*\*Preview\*\*** `images/screenshot.png`:

![Screenshot](/images/screenshot.png?width=50%25&height=50%25)

## Hero Image

**\*\*Content\*\*:**

Show the [Demo Screenshot](#demo-screenshot) page on different devices and different themes. Composition

The content should be:

- consistent: always use the same page for all devices
- pleasing: use a delightful background

**\*\*Used by\*\*:**

- Hugo Themes gallery: <https://themes.gohugo.io/tags/docs/> \_900 x 600\_
- Hugo Themes notes: <https://themes.gohugo.io/themes/hugo-theme-relearn/> \_1280 x 640\_
- GitHub project site: <https://github.com/McShelby/hugo-theme-relearn> \_1280 x 640\_
- GitHub social media preview: <https://github.com/McShelby/hugo-theme-relearn/settings> \_1280 x 640\_

**\*\*Page URL\*\*:** [Hero Image Link](shortcodes/notice)

**\*\*Creation\*\*:**

- Template: <http://www.pixeden.com/psd-web-elements/psd-screen-web-showcase>
- Desktop: light theme \_1440 x 900 @ 1\_

- Tablet: light theme \_778 x 1038 @ 1\_
- Phone: dark theme \_450 x 801 @ .666\_
- From original template size resize to \_2700 x 1800\_ centered, scale to \_900 x 600\_ and save as `images/`
- From original template size resize to \_3000 x 1500\_ offset y: \_-330\_, scale to \_1280 x 640\_ and save as

**\*\*Remarks\*\*:**

The location of `images/tn.png` is mandatory due to Hugo's theme site builder.

**\*\*Preview\*\*** `images/hero.png`:

![[Hero]](/images/hero.png?width=50%25&height=50%25)

**\*\*Preview\*\*** `images/tn.png`:

![[tn]](/images/tn.png?width=50%25&height=50%25)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\dev\screenshots\ index.pir.md

*Resumo: +++ description = "Recipe t' create various documentat'n scrrreenshots" title = "Scrrrenshots" +++ {{< piratify >}}*

+++

description = "Recipe t' create various documentat'n scrrreenshots"

title = "Scrrrenshots"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more\\_index.en.md

*Resumo: +++ [\_build] render = "never" list = "never" publishResources = false +++ {{%children containerstyle="div" style="h2" description="true" %}}*

+++

[\_build]

render = "never"

list = "never"

publishResources = false

+++

{{%children containerstyle="div" style="h2" description="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more\\_index.pir.md

Resumo: +++ [\_build] render = "never" list = "never" publishResources = false +++ {{< piratify >}}

+++

[\_build]

render = "never"

list = "never"

publishResources = false

+++

{{< piratify >}}



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more\credits\\_index.en.md

*Resumo: +++ title = "Credits" +++ ## Contributors Special thanks to [everyone who has contributed](https://github.com/McShelby/hugo-theme-relearn/graphs/contributors) to this project. Many thanks to [Mathieu Cornic](https://github.com/matcornic) for his work on porting the [Learn theme](https://g...*

+++

title = "Credits"

+++

### ## Contributors

Special thanks to [everyone who has contributed](https://github.com/McShelby/hugo-theme-relearn/graphs/contributors) to this project.

Many thanks to [Mathieu Cornic](https://github.com/matcornic) for his work on porting the [Learn theme](https://github.com/matcornic/hugo-theme-relearn).

Many thanks to [Andy Miller](https://github.com/rhukster) for initially creating the [Learn theme](https://github.com/matcornic/hugo-theme-relearn).

### ## Theme Dependencies

- [autoComplete](https://github.com/Pixabay/JavaScript-autoComplete) - A lightweight and powerful vanilla JavaScript autocomplete library
- [clipboard.js](https://clipboardjs.com) - A modern approach to copy text to clipboard
- [d3-zoom](https://github.com/d3/d3-zoom) - Pan and zoom SVG, HTML or Canvas using mouse or touch input
- [d3-color](https://github.com/d3/d3-color) - Color spaces! RGB, HSL, Cubehelix, CIELAB, and more
- [d3-dispatch](https://github.com/d3/d3-dispatch) - Register named callbacks and call them with arguments
- [d3-ease](https://github.com/d3/d3-ease) - Easing functions for smooth animation
- [d3-interpolate](https://github.com/d3/d3-interpolate) - Interpolate numbers, colors, strings, arrays, objects, etc.
- [d3-selection](https://github.com/d3/d3-selection) - Transform the DOM by selecting elements and joining data
- [d3-timer](https://github.com/d3/d3-timer) - An efficient queue for managing thousands of concurrent timers
- [d3-transition](https://github.com/d3/d3-transition) - Animated transitions for D3 selections
- [d3-drag](https://github.com/d3/d3-drag) - Drag and drop SVG, HTML or Canvas using mouse or touch input
- [Font Awesome](https://fontawesome.com) - The internet's icon library and toolkit
- [JS-YAML](https://github.com/nodeca/js-yaml) - JavaScript YAML parser and dumper
- [Lunr](https://lunrjs.com) - Enables a great search experience without the need for external, server-side search engines
- [Lunr Languages](https://github.com/MihaiValentin/lunr-languages) - A collection of languages stemmers and tokenizers
- [MathJax](https://mathjax.org/) - Beautiful math and chemical formulae in all browsers

- [Mermaid](https://mermaid-js.github.io/mermaid) - Generation of diagram and flowchart from text in a simple language
- [Perfect Scrollbar](https://perfectscrollbar.com) - A minimalistic but perfect custom scrollbar plugin
- [SwaggerUI](https://github.com/swagger-api/swagger-ui) - Generate beautiful documentation from a Swagger definition
- [WorkSans](https://weiweihuanghuang.github.io/Work-Sans/) - Work Sans is a 9 weight typeface family based on the classic Helvetica

## ## Docs Dependencies

- [github-buttons](https://github.com/buttons/github-buttons) - Unofficial github:buttons

## ## Tooling Dependencies

- [GitHub](https://github.com) - Continuous deployment, testing and hosting of this project's sources and dependencies
- Various GitHub Actions
  - https://github.com/actions/checkout
  - https://github.com/actions/setup-node
  - https://github.com/Akkjon/close-milestone
  - https://github.com/andstor/file-reader-action
  - https://github.com/ashley-taylor/regex-property-action
  - https://github.com/Kaven-Universe/github-action-current-date-time
  - https://github.com/mingjun97/file-regex-replace
  - https://github.com/octokit/graphql-action
  - https://github.com/peaceiris/actions-gh-pages
  - https://github.com/peaceiris/actions-hugo
  - https://github.com/WyriHaximus/github-action-create-milestone
  - https://github.com/WyriHaximus/github-action-next-semvers
- [gren](https://github.com/github-tools/github-release-notes) - A releasenotes generator for GitHub
- [Hugo](https://gohugo.io/) - The static site generator of your choice

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\more\credits\\_index.pir.md

*Resumo: +++ title = "Crrredits" +++ {{< piratify >}}*

+++

title = "Crrredits"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\\_index.en.md

*Resumo: +++ archetype = "chapter" title = "Shortcodes" ordersectionsby = "title" weight = 3 +++ Hugo uses Markdown for its simple content format. However, there are a lot of things that Markdown doesn't support well. You could use pure HTML to expand possibilities. But this happens to be a bad id...*

+++

archetype = "chapter"

title = "Shortcodes"

ordersectionsby = "title"

weight = 3

+++

Hugo uses Markdown for its simple content format. However, there are a lot of things that Markdown doesn't

But this happens to be a bad idea. Everyone uses Markdown because it's pure and simple to read even non-r

To avoid this limitations, Hugo created [shortcodes](https://gohugo.io/extras/shortcodes/). A shortcode is

The Relearn theme provides multiple shortcodes on top of existing ones.

```
{{%children containerstyle="div" style="h2" description="true" %}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\\_index.nir.md

*Resumo: +++ archetype = "chapter" title = "Shorrrrtcodes" ordersectionsby = "title" weight = 3  
+++ {{< piratify >}}*

+++

archetype = "chapter"

title = "Shorrrrtcodes"

ordersectionsby = "title"

weight = 3

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.en.files\hugo.txt

*Resumo: This is a small text*

This is a small text

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.en.md

*Resumo: +++ description = "List of files attached to a page" hidden = "true" title = "Attachments" +++ {{% notice warning %}} This shortcode is deprecated in favor of the new [`resources`` shortcode](shortcodes/resources). See [migration instructions](#migration) below. The examples on this page w...*

+++

description = "List of files attached to a page"

hidden = "true"

title = "Attachments"

+++

{{% notice warning %}}

This shortcode is deprecated in favor of the new [`resources`` shortcode](shortcodes/resources). See [migration instructions](#migration) below.

The examples on this page were removed.

{{% /notice %}}

The ``attachments`` shortcode displays a list of files attached to a page with adjustable color, title and description.

### ## Migration

While this shortcode will still be available for some time, it does not receive support anymore. Start to migrate your pages to the new `[resources`]` shortcode.

The [`resources`` shortcode](shortcodes/resources) leverages Hugo's resource feature for page bundles. It is the recommended way to manage attachments in Hugo.

To migrate your pages apply the following steps:

1. If a page is not already a [page bundle](https://gohugo.io/content-management/page-bundles/) convert it into a page bundle.
2. Move your files to a valid destination inside of your page bundle (depending if you have a branch or a bundle).
3. Change the calls from the ``attachments`` shortcode to the [`resources`` shortcode](shortcodes/resources).

Multilanguage features are not supported directly by the shortcode anymore but rely on Hugo's handling for multilanguage.

### ## Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from a regular Hugo template.

```
{{< tabs groupid="shortcode-parameter">}}
{{% tab title="shortcode" %}}
```

```
````go
{{%/ attachments sort="asc" */%}}
```

```
{{% /tab %}}
{{% tab title="partial" %}}
```

```
````go
{{ partial "shortcodes/attachments.html" (dict
 "page" .
 "sort" "asc"
)}}
````
```

```
{{% /tab %}}
{{< /tabs >}}
```

Parameter

| Name | Default | Notes |
|---------|-------------|---|
| style | transparent | The style scheme used for the box.

- by severity: info, note |
| color | see notes | The [CSS color value](https://developer.mozilla.org/en-US/docs/Web/CSS/color) set to the le |
| title | see notes | Arbitrary text for the box title. Depending on the style there may be |
| icon | see notes | [Font Awesome icon name](shortcodes/icon#finding-an-icon) set to the le |
| sort | asc | Sorting the output in ascending or descending order. |
| pattern | .* | A [regular expressions](https://en.wikipedia.org/wiki/Regular_expression) |

Setup

Single language

The shortcode lists files found in a specific folder. The name of the folder depends on your page type (e.g. leaf bundle).

1. If your page is a leaf bundle, attachments must be placed in a nested index.files folder, accordingly.


```

> * content
>   * _index.md
>   * page
>     * index.md
>     * **index.files**
>       * attachment.pdf

```

2. If your page is a branch bundle, attachments must be placed in a nested `\_index.files` folder, according

{{% badge style="warning" title=" " %}}Warning{{% /badge %}} This is only available for Hugo < `0.112`

```

> * content
>   * _index.md
>   * page
>     * _index.md
>     * **_index.files**
>       * attachment.pdf

```

3. For simple pages, attachments must be placed in a folder named like your page and ending with `.files`

{{% badge style="warning" title=" " %}}Warning{{% /badge %}} This is only available for Hugo < `0.112`

```

> * content
>   * _index.md
>   * **page.files**
>     * attachment.pdf
>   * page.md

```

Multilingual

Be aware that if you use a multilingual website, you will need to have as many folders as languages and th

Eg. for a site in English and Piratish:

```

> * content
>   * index.en.md

```

```
> * index.pir.md
> * page
> * index.en.md
> * index.pir.md
> * **index.en.files**
> * attachment.pdf
> * **index.pir.files**
> * attachment.pdf
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.nir.files\NoTreasure.txt

Resumo: Harr, nothn' to see herre

Harr, nothn' to see herre

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\attachments\index.nir.md

Resumo: +++ description = "Th' Attachments shorrrtcode displays a list o' files attached t' a plank" hidden = "true" title = "Attachments" +++ {{< piratify >}}

+++

description = "Th' Attachments shorrrtcode displays a list o' files attached t' a plank"

hidden = "true"

title = "Attachments"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\badge.en.md

Resumo: +++ description = "Marker badges to display in your text" title = "Badge" +++ The `badge` shortcode displays little markers in your text with adjustable color, title and icon. {{% badge %}}Important{{% /badge %}} {{% badge style="primary" title="Version" %}}6.6.6{{% /badge %}} {{% badge s...

+++

description = "Marker badges to display in your text"

title = "Badge"

+++

The `badge` shortcode displays little markers in your text with adjustable color, title and icon.

```
{{% badge %}}Important{{% /badge %}}
```

```
{{% badge style="primary" title="Version" %}}6.6.6{{% /badge %}}
```

```
{{% badge style="red" icon="angle-double-up" %}}Captain{{% /badge %}}
```

```
{{% badge style="info" %}}New{{% /badge %}}
```

```
{{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" %}}Awesome{{% /badge %}}
```

Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from

```
{{< tabs groupId="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{%/ * badge %}}Important{{% /badge */%}}
```

```
{{%/ * badge style="primary" title="Version" %}}6.6.6{{% /badge */%}}
```

```
{{%/ * badge style="red" icon="angle-double-up" %}}Captain{{% /badge */%}}
```

```
{{%/ * badge style="info" %}}New{{% /badge */%}}
```

```
{{%/ * badge color="fuchsia" icon="fa-fw fab fa-hackerrank" %}}Awesome{{% /badge */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```

````go
{{ partial "shortcodes/badge.html" (dict
 "page" .
 "content" "Important"
)}}

{{ partial "shortcodes/badge.html" (dict
 "page" .
 "style" "primary"
 "title" "Version"
 "content" "6.6.6"
)}}

{{ partial "shortcodes/badge.html" (dict
 "page" .
 "style" "red"
 "icon" "angle-double-up"
 "content" "Captain"
)}}

{{ partial "shortcodes/badge.html" (dict
 "page" .
 "style" "info"
 "content" "New"
)}}

{{ partial "shortcodes/badge.html" (dict
 "page" .
 "color" "fuchsia"
 "icon" "fab fa-hackerrank"
 "content" "Awesome"
)}}
````

{{% /tab %}}

{{< /tabs >}}

```

Parameter

| | | | |
|------|---------|-------|--|
| Name | Default | Notes | |
|------|---------|-------|--|

| | | |
|--------------------------------------|--------------------------------|---|
| ----- ----- ----- | | |
| **style** | `default` | The style scheme used for the badge.

- by severity: `info` |
| **color** | see notes | The [CSS color value](https://developer.mozilla.org/en-US/docs/Web/CSS/color_value) |
| **title** | see notes | Arbitrary text for the badge title. Depending on the **style** |
| **icon** | see notes | [Font Awesome icon name](https://fontawesome.com/icons) set |
| _**&lt;content&gt;**_ | _&lt;empty&gt;_ | Arbitrary text for the badge. |

Examples

Style

By Severity

```

````go
{{%/ * badge style="info" %}}New{{% /badge */%}}
{{%/ * badge style="note" %}}Change{{% /badge */%}}
{{%/ * badge style="tip" %}}Optional{{% /badge */%}}
{{%/ * badge style="warning" %}}Breaking{{% /badge */%}}
````

```

```

{{% badge style="info" %}}New{{% /badge %}}
{{% badge style="note" %}}Change{{% /badge %}}
{{% badge style="tip" %}}Optional{{% /badge %}}
{{% badge style="warning" %}}Breaking{{% /badge %}}

```

By Brand Colors

```

````go
{{%/ * badge style="primary" icon="bullhorn" title="Announcement" %}}Mandatory{{% /badge */%}}
{{%/ * badge style="secondary" icon="bullhorn" title="Announcement" %}}Optional{{% /badge */%}}
{{%/ * badge style="accent" icon="bullhorn" title="Announcement" %}}Special{{% /badge */%}}
````

```

```

{{% badge style="primary" icon="bullhorn" title="Announcement" %}}Mandatory{{% /badge %}}
{{% badge style="secondary" icon="bullhorn" title="Announcement" %}}Optional{{% /badge %}}

```

```
{{% badge style="accent" icon="bullhorn" title="Announcement" %}}Special{{% /badge %}}
```

By Color

```
````go
```

```
{{%/ * badge style="blue" icon="palette" title="Color" %}}Blue{{% /badge */%}}
```

```
{{%/ * badge style="green" icon="palette" title="Color" %}}Green{{% /badge */%}}
```

```
{{%/ * badge style="grey" icon="palette" title="Color" %}}Grey{{% /badge */%}}
```

```
{{%/ * badge style="orange" icon="palette" title="Color" %}}Orange{{% /badge */%}}
```

```
{{%/ * badge style="red" icon="palette" title="Color" %}}Red{{% /badge */%}}
```

```
````
```

```
{{% badge style="blue" icon="palette" title="Color" %}}Blue{{% /badge %}}
```

```
{{% badge style="green" icon="palette" title="Color" %}}Green{{% /badge %}}
```

```
{{% badge style="grey" icon="palette" title="Color" %}}Grey{{% /badge %}}
```

```
{{% badge style="orange" icon="palette" title="Color" %}}Orange{{% /badge %}}
```

```
{{% badge style="red" icon="palette" title="Color" %}}Red{{% /badge %}}
```

By Special Color

```
````go
```

```
{{%/ * badge style="default" icon="palette" title="Color" %}}Default{{% /badge */%}}
```

```
{{%/ * badge style="transparent" icon="palette" title="Color" %}}Transparent{{% /badge */%}}
```

```
````
```

```
{{% badge style="default" icon="palette" title="Color" %}}Default{{% /badge %}}
```

```
{{% badge style="transparent" icon="palette" title="Color" %}}Transparent{{% /badge %}}
```

Variants

Without Icon and Title Text

```
````go
```

```
{{%/ * badge %}}6.6.6{{% /badge */%}}
```

```
{{%/ * badge style="info" icon=" " title=" " %}}Awesome{{% /badge */%}}
```

```
{{%/ * badge style="red" %}}Captain{{% /badge */%}}
```



````

```
{{% badge %}}6.6.6{{% /badge %}}  
{{% badge style="info" icon=" " title=" " %}}Awesome{{% /badge %}}  
{{% badge style="red" %}}Captain{{% /badge %}}
```

Without Icon

````go

```
{{%/ * badge title="Version" %}}6.6.6{{% /badge */%}}
{{%/ * badge style="info" icon=" " %}}Awesome{{% /badge */%}}
{{%/ * badge style="red" title="Rank" %}}Captain{{% /badge */%}}
```

````

```
{{% badge title="Version" %}}6.6.6{{% /badge %}}  
{{% badge style="info" icon=" " %}}Awesome{{% /badge %}}  
{{% badge style="red" title="Rank" %}}Captain{{% /badge %}}
```

Without Title Text

````go

```
{{%/ * badge icon="star" %}}6.6.6{{% /badge */%}}
{{%/ * badge style="info" title=" " %}}Awesome{{% /badge */%}}
{{%/ * badge style="red" icon="angle-double-up" %}}Captain{{% /badge */%}}
```

````

```
{{% badge icon="star" %}}6.6.6{{% /badge %}}  
{{% badge style="info" title=" " %}}Awesome{{% /badge %}}  
{{% badge style="red" icon="angle-double-up" %}}Captain{{% /badge %}}
```

All Set

````go

```
{{%/ * badge icon="star" title="Version" %}}6.6.6{{% /badge */%}}
{{%/ * badge style="info" %}}Awesome{{% /badge */%}}
```

```
{{%/ * badge style="red" icon="angle-double-up" title="Rank" %}}Captain{{% /badge */%}}
` `` `
```

```
{{% badge icon="star" title="Version" %}}6.6.6{{% /badge %}}
```

```
{{% badge style="info" %}}Awesome{{% /badge %}}
```

```
{{% badge style="red" icon="angle-double-up" title="Rank" %}}Captain{{% /badge %}}
Override for Severity
```

```
` `` `go
```

```
{{%/ * badge style="info" icon="rocket" title="Feature" %}}Awesome{{% /badge */%}}
```

```
` `` `
```

```
{{% badge style="info" icon="rocket" title="Feature" %}}Awesome{{% /badge %}}
```

```
Other
```

```
With User-Defined Color, Font Awesome Brand Icon and Markdown Title and Content
```

```
` `` `go
```

```
{{%/ * badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title="**Font**" %}}**Awesome**{{% /badge */%}}
```

```
` `` `
```

```
{{% badge color="fuchsia" icon="fa-fw fab fa-hackerrank" title="**Font**" %}}**Awesome**{{% /badge %}}
```

```
With Icon Content
```

You can combine the badge with the [``icon`` shortcode](shortcodes/icon) to create even more stunning visual

In this case you need to declare ``{{</ * badge */>}}`` instead of ``{{%/ * badge */%}}``. Note, that in this case

```
` `` `go
```

```
{{</ * badge style="primary" icon="angle-double-up" >}}{{% icon skull-crossbones %}}{{< /badge */>}}
```

```
{{</ * badge style="primary" icon="angle-double-up" >}}{{% icon skull-crossbones %}} Pirate{{< /badge */>}}
```

```
{{</ * badge style="primary" title="Rank" >}}{{% icon skull-crossbones %}}{{< /badge */>}}
```

```
{{</ * badge style="primary" title="Rank" >}}{{% icon skull-crossbones %}} Pirate{{< /badge */>}}
```

{{</\* badge style="primary" icon="angle-double-up" title="Rank" >}}{{% icon skull-crossbones %}}{{< /badge >}}

{{</\* badge style="primary" icon="angle-double-up" title="Rank" >}}{{% icon skull-crossbones %}} Pirate{{< /badge >}}

....

{{< badge style="primary" icon="angle-double-up" >}}{{% icon skull-crossbones %}}{{< /badge >}}

{{< badge style="primary" icon="angle-double-up" >}}{{% icon skull-crossbones %}} Pirate{{< /badge >}}

{{< badge style="primary" title="Rank" >}}{{% icon skull-crossbones %}}{{< /badge >}}

{{< badge style="primary" title="Rank" >}}{{% icon skull-crossbones %}} Pirate{{< /badge >}}

{{< badge style="primary" icon="angle-double-up" title="Rank" >}}{{% icon skull-crossbones %}}{{< /badge >}}

{{< badge style="primary" icon="angle-double-up" title="Rank" >}}{{% icon skull-crossbones %}} Pirate{{< /badge >}}

#### Inside of Text

....go

Lorem ipsum dolor sit amet, graecis denique ei vel, at duo primis mandamus. {{%/\* badge style="blue" icon="angle-double-up" title="Rank" >}}

....

Lorem ipsum dolor sit amet, graecis denique ei vel, at duo primis mandamus. {{% badge style="blue" icon="angle-double-up" title="Rank" >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\badges.md

Resumo: `+++ description = "Marker badges t' display 'n yer text" title = "Badge" +++ {{< piratify >}}`

`+++`

`description = "Marker badges t' display 'n yer text"`

`title = "Badge"`

`+++`

`{{< piratify >}}`

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\button.en.md

*Resumo: +++ description = "Clickable buttons" title = "Button" +++ The `button` shortcode displays a clickable button with adjustable color, title and icon. {{% button href="https://gohugo.io/" %}}Get Hugo{{% /button %}} {{% button href="https://gohugo.io/" style="warning" icon="dragon" %}}Get Hug...*

+++

description = "Clickable buttons"

title = "Button"

+++

The `button` shortcode displays a clickable button with adjustable color, title and icon.

```
{{% button href="https://gohugo.io/" %}}Get Hugo{{% /button %}}
```

```
{{% button href="https://gohugo.io/" style="warning" icon="dragon" %}}Get Hugo{{% /button %}}
```

### ## Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{%/ * button href="https://gohugo.io/" %}}Get Hugo{{% /button */%}}
```

```
{{%/ * button href="https://gohugo.io/" style="warning" icon="dragon" %}}Get Hugo{{% /button */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```
````go
```

```
{{ partial "shortcodes/button.html" (dict
```

```
  "page" .
```

```
  "href" "https://gohugo.io/"
```

```
  "content" "Get Hugo"
```

```

)}}
{{ partial "shortcodes/button.html" (dict
  "page" .
  "href" "https://gohugo.io/"
  "style" "warning"
  "icon" "dragon"
  "content" "Get Hugo"
)}}
````

```

```

{{% /tab %}}
{{< /tabs >}}

```

Once the button is clicked, it opens another browser tab for the given URL.

### Parameter

| Name                       | Default                  | Notes                                                                                                                 |
|----------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------|
| -----                      | -----                    | -----                                                                                                                 |
| <b>href</b>                | <code>&amp;empty;</code> | Either the destination URL for the button or JavaScript code                                                          |
| <b>style</b>               | <code>transparent</code> | The style scheme used for the button.<br>- by severity: <code>info</code> , <code>warning</code> , <code>error</code> |
| <b>color</b>               | see notes                | The [CSS color value](https://developer.mozilla.org/en-US/docs/Web/CSS/color-value)                                   |
| <b>icon</b>                | see notes                | [Font Awesome icon name](shortcodes/icon#finding-an-icon) set                                                         |
| <b>iconposition</b>        | <code>left</code>        | Places the icon to the <code>left</code> or <code>right</code> of the title.                                          |
| <b>target</b>              | see notes                | The destination frame/window if <b>href</b> is an URL. Otherwise                                                      |
| <b>type</b>                | see notes                | The [button type](https://developer.mozilla.org/en-US/docs/Web/HTML/Element/button)                                   |
| <code>&amp;content;</code> | see notes                | Arbitrary text for the button title. Depending on the <b>style</b>                                                    |

### Examples

#### Style

#### By Severity

```

````go
{{%/* button href="https://gohugo.io/" style="info" */}}Get Hugo{{% /button */}}

```

```
{{%/ * button href="https://gohugo.io/" style="note" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="tip" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="warning" %}}Get Hugo{{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" style="info" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="note" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="tip" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="warning" %}}Get Hugo{{% /button %}}
```

By Brand Colors

```
....go
{{%/ * button href="https://gohugo.io/" style="primary" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="secondary" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="accent" %}}Get Hugo{{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" style="primary" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="secondary" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="accent" %}}Get Hugo{{% /button %}}
```

By Color

```
....go
{{%/ * button href="https://gohugo.io/" style="blue" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="green" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="grey" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="orange" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="red" %}}Get Hugo{{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" style="blue" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="green" %}}Get Hugo{{% /button %}}
```

```
{{% button href="https://gohugo.io/" style="grey" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="orange" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="red" %}}Get Hugo{{% /button %}}
```

By Special Color

```
````go
{{%/ * button href="https://gohugo.io/" style="default" %}}Get Hugo{{% /button */%}}
{{%/ * button href="https://gohugo.io/" style="transparent" %}}Get Hugo{{% /button */%}}
````
```

```
{{% button href="https://gohugo.io/" style="default" %}}Get Hugo{{% /button %}}
{{% button href="https://gohugo.io/" style="transparent" %}}Get Hugo{{% /button %}}
```

Icon

Empty

```
````go
{{%/ * button href="https://gohugo.io/" icon=" " %}}{{% /button */%}}
````
```

```
{{% button href="https://gohugo.io/" icon=" " %}}{{% /button %}}
```

Only

```
````go
{{%/ * button href="https://gohugo.io/" icon="download" %}}{{% /button */%}}
````
```

```
{{% button href="https://gohugo.io/" icon="download" %}}{{% /button %}}
```

To the Left

```
````go
```



```
{{%/ * button href="https://gohugo.io/" icon="download" %}}Get Hugo{{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" icon="download" %}}Get Hugo{{% /button %}}
```

#### To the Right

```
....go
{{%/ * button href="https://gohugo.io/" icon="download" iconposition="right" %}}Get Hugo{{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" icon="download" iconposition="right" %}}Get Hugo{{% /button %}}
```

#### Override for Severity

```
....go
{{%/ * button href="https://gohugo.io/" icon="dragon" style="warning" %}}Get Hugo{{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" icon="dragon" style="warning" %}}Get Hugo{{% /button %}}
```

### Target

```
....go
{{%/ * button href="https://gohugo.io/" target="_self" %}}Get Hugo in same window{{% /button */%}}
{{%/ * button href="https://gohugo.io/" %}}Get Hugo in new Window/Frame (default){{% /button */%}}
....
```

```
{{% button href="https://gohugo.io/" target="_self" %}}Get Hugo in same Window/Frame{{% /button %}}
{{% button href="https://gohugo.io/" %}}Get Hugo in new Window/Frame (default){{% /button %}}
```

### Other

#### With User-Defined Color, Font Awesome Brand Icon and Markdown Title  
....go

```
{{%/ * button href="https://gohugo.io/" color="fuchsia" icon="fa-fw fab fa-hackerrank" %}}Get **Hugo**{{% /button */%}}
```

```
````
```

```
{{% button href="https://gohugo.io/" color="fuchsia" icon="fa-fw fab fa-hackerrank" %}}Get **Hugo**{{% /button %}}
```

Severity Style with All Defaults

```
````go
```

```
{{%/ * button href="https://gohugo.io/" style="tip" %}}{{% /button */%}}
```

```
````
```

```
{{% button href="https://gohugo.io/" style="tip" %}}{{% /button %}}
```

Button to Internal Page

```
````go
```

```
{{%/ * button href="/index.html" %}}Home{{% /button */%}}
```

```
````
```

```
{{% button href="/index.html" %}}Home{{% /button %}}
```

Button with JavaScript Action

If your JavaScript action does not change the focus afterwards, make sure to call `this.blur()` in the end

```
````go
```

```
{{%/ * button style="primary" icon="bullhorn" href="javascript:alert('Hello world!');this.blur();" %}}Shout
```

```
````
```

```
{{% button style="primary" icon="bullhorn" href="javascript:alert('Hello world!');this.blur();" %}}Shout
```

Button within a `form` Element

To use native HTML elements in your Markdown, add this in your `hugo.toml`

```
````toml
```

```
[markup.goldmark.renderer]
```

```
unsafe = true
```

```
````
```

```
````html
```

```
<form action="../../search.html" method="get">
```

```
 <input name="search-by-detail" class="search-by" type="search">
```

```
 {{%/ * button type="submit" style="secondary" icon="search" %}}Search{{%/button */%}}
```

```
</form>
```

```
````
```

```
<form action="../../search.html" method="get">
```

```
  <div class="searchform" style="width: 20vw;">
```

```
    <input name="search-by-detail" class="search-by" type="search" placeholder="Search...">
```

```
    {{%/ button type="submit" style="secondary" icon="search" %}}Search{{%/button %}}
```

```
  </div>
```

```
</form>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\button.pir.md

Resumo: +++ description = "Nice buttons on yer plank" title = "Button" +++ {{< piratify >}}

+++

description = "Nice buttons on yer plank"

title = "Button"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\ index.en.md

Resumo: +++ alwaysopen = false description = "List the child pages of a page" title = "Children" +++ The `children` shortcode lists the child pages of the current page and its descendants. {{% children sort="weight" %}} ## Usage While the examples are using shortcodes with named parameter yo...

+++

alwaysopen = false

description = "List the child pages of a page"

title = "Children"

+++

The `children` shortcode lists the child pages of the current page and its descendants.

```
{{% children sort="weight" %}}
```

Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{%/ * children sort="weight" */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```
````go
```

```
{{ partial "shortcodes/children.html" (dict
```

```
 "page" .
```

```
 "sort" "weight"
```

```
)}}}
```

```
````
```

```
{{% /tab %}}
{{< /tabs >}}
```

Parameter

| Name | Default | Notes |
|-----------------------|----------------------|---|
| ----- | ----- | ----- |
| containerstyle | <code>`ul`</code> | Choose the style used to group all children. It could be any HTML element. |
| style | <code>`li`</code> | Choose the style used to display each descendant. It could be any HTML element. |
| showhidden | <code>`false`</code> | When <code>`true`</code> , child pages hidden from the menu will be displayed. |
| description | <code>`false`</code> | When <code>`true`</code> shows a short text under each page in the list. When <code>`true`</code> and <code>showhidden</code> is <code>`true`</code> , the description will be displayed for hidden pages too. |
| depth | <code>`1`</code> | The depth of descendants to display. For example, if the value is <code>`2`</code> , the first level of children will be displayed, and the first level of children of the first level of children will be displayed. |
| sort | <code>`auto`</code> | The sort criteria of the displayed list.

- <code>`auto`</code> default |

Examples

All Default

```
````go
{{%/ children */%}}
````
```

```
{{% children %}}
```

With Description

```
````go
{{%/ children description="true" */%}}
````
{{%children description="true" %}}
```

Infinite Depth and Hidden Pages

```
````go
{{%/ children depth="999" showhidden="true" */%}}
```

````

```
{{% children depth="999" showhidden="true" %}}
```

Heading Styles for Container and Elements

````go

```
{{%/ * children containerstyle="div" style="h2" depth="3" description="true" */%}}
```

````

```
{{% children containerstyle="div" style="h2" depth="3" description="true" %}}
```

Dirs for Group and Element Styles

````go

```
{{%/ * children containerstyle="div" style="div" depth="3" */%}}
```

````

```
{{% children containerstyle="div" style="div" depth="3" %}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\ index.nir.md

Resumo: +++ alwaysopen = false description = "List th' child planks on a plank" title = "Children"
+++ {{< piratify >}}

+++

alwaysopen = false

description = "List th' child planks on a plank"

title = "Children"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\ index.en.md

Resumo: +++ alwaysopen = false description = "This is a demo child page" tags = ["children", "non-hidden"] title = "page 1" weight = 10 +++ This is a demo child page. ## Subpages of this page {{% children showhidden="true" %}}

+++

alwaysopen = false

description = "This is a demo child page"

tags = ["children", "non-hidden"]

title = "page 1"

weight = 10

+++

This is a demo child page.

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\ index.pir.md

Resumo: +++ alwaysopen = false description = "This be a demo child plank" tags = ["children", "non-hidden"] title = "plank 1" weight = 10 +++ {{< piratify >}}

+++

alwaysopen = false

description = "This be a demo child plank"

tags = ["children", "non-hidden"]

title = "plank 1"

weight = 10

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\ index.en.md

Resumo: +++ alwaysopen = true description = "This is a demo child page" tags = ["children", "non-hidden"] title = "page 1-1" +++ This is a demo child page with a hidden child. You can still access the hidden child [directly](shortcodes/children/children-1/children-1-1/children-1-1-1) or via the sear...

+++

alwaysopen = true

description = "This is a demo child page"

tags = ["children", "non-hidden"]

title = "page 1-1"

+++

This is a demo child page with a hidden child. You can still access the hidden child [directly](shortcodes/children/children-1/children-1-1/children-1-1-1) or via the sear...

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\ index.bir.md

Resumo: +++ alwaysopen = true description = "This be a demo child plank" tags = ["children", "non-hidden"] title = "plank 1-1" +++ {{< piratify >}}

+++

alwaysopen = true

description = "This be a demo child plank"

tags = ["children", "non-hidden"]

title = "plank 1-1"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\ index.en.md

*Resumo: +++ description = "This is a hidden demo child page" hidden = true tags = ["children", "the hidden"] title = "page 1-1-1 (hidden)" +++ This is a **hidden** demo child page. This page and all its children are hidden in the menu, arrow navigation and children shortcode as long as you aren't vi...*

+++

description = "This is a hidden demo child page"

hidden = true

tags = ["children", "the hidden"]

title = "page 1-1-1 (hidden)"

+++

This is a **hidden** demo child page. This page and all its children are hidden in the menu, arrow navigation and children shortcode as long as you aren't vi...

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\ index.pir.md

Resumo: +++ description = "This be a hidden demo child plank" hidden = true tags = ["children", "the hidden"] title = "plank 1-1-1 (hidden)" +++ {{< piratify >}}

+++

description = "This be a hidden demo child plank"

hidden = true

tags = ["children", "the hidden"]

title = "plank 1-1-1 (hidden)"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\children-1-1-1-1_index.en.md

*Resumo: +++ description = "This is a non-hidden demo child page of a hidden parent page" tags = ["children", "the hidden"] title = "page 1-1-1-1" +++ This is a **non-hidden** demo child page of a hidden parent page with a hidden child. You can still access the hidden child [directly](shortcodes/child...*

+++

description = "This is a non-hidden demo child page of a hidden parent page"

tags = ["children", "the hidden"]

title = "page 1-1-1-1"

+++

This is a **non-hidden** demo child page of a hidden parent page with a hidden child. You can still access the hidden child [directly](shortcodes/child...

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\children-1-1-1-1_index.bir.md

Resumo: +++ description = "This be a non-hidden demo child plank o' a hidden parrent plank" tags = ["children", "the hidden"] title = "plank 1-1-1-1" +++ {{< piratify >}}

+++

description = "This be a non-hidden demo child plank o' a hidden parrent plank"

tags = ["children", "the hidden"]

title = "plank 1-1-1-1"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\children-1-1-1-1\children-1-1-1-1-1\ index.en.md

*Resumo: +++ description = "This is a hidden demo child page" hidden = true tags = ["children", "the hidden"] title = "page 1-1-1-1-1 (hidden)" +++ This is a **hidden** demo child page. This page and all its children are hidden in the menu, arrow navigation and children shortcode as long as you aren't...*

+++

description = "This is a hidden demo child page"

hidden = true

tags = ["children", "the hidden"]

title = "page 1-1-1-1-1 (hidden)"

+++

This is a **hidden** demo child page. This page and all its children are hidden in the menu, arrow navigation and children shortcode as long as you aren't...

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\children-1-1-1-1\children-1-1-1-1-1\ index.pir.md

Resumo: +++ description = "This be a hidden demo child plank" hidden = true tags = ["children", "the hidden"] title = "plank 1-1-1-1-1 (hidden)" +++ {{< piratify >}}

+++

description = "This be a hidden demo child plank"

hidden = true

tags = ["children", "the hidden"]

title = "plank 1-1-1-1-1 (hidden)"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\children-1-1-1-1\children-1-1-1-1-1\index.en.md

*Resumo: +++ description = "This is a non-hidden demo child page of a hidden parent page" tags = ["children", "the hidden"] title = "page 1-1-1-1-1" +++ This is a **non-hidden** demo child page of a hidden parent page.*

+++

description = "This is a non-hidden demo child page of a hidden parent page"

tags = ["children", "the hidden"]

title = "page 1-1-1-1-1"

+++

This is a **non-hidden** demo child page of a hidden parent page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-1\children-1-1-1-1\children-1-1-1-1-1\index.pir.md

*Resumo: +++ description = "This be a non-hidden demo child plank on a hidden parrent plank"
tags = ["children", "the hidden"] title = "plank 1-1-1-1-1" +++ {{< piratify >}}*

+++

description = "This be a non-hidden demo child plank on a hidden parrent plank"

tags = ["children", "the hidden"]

title = "plank 1-1-1-1-1"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-2\ index.en.md

Resumo: +++ description = "This is a demo child page" tags = ["children", "headless", "non-hidden"] title = "page 1-1-2 (headless)" [_build] render = "never" +++ This is a headless child page. While the heading is displayed in the theme for hierarchical views like the menu, the `children` shor...

+++

description = "This is a demo child page"

tags = ["children", "headless", "non-hidden"]

title = "page 1-1-2 (headless)"

[_build]

render = "never"

+++

This is a headless child page.

While the heading is displayed in the theme for hierarchical views like the menu, the `children` shortcode

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-2\ index.pir.md

Resumo: +++ description = "This be a demo child plank" tags = ["children", "headless", "non-hidden"] title = "plank 1-1-2 (headless)" [_build] render = "never" +++ {{< piratify >}}

+++

description = "This be a demo child plank"

tags = ["children", "headless", "non-hidden"]

title = "plank 1-1-2 (headless)"

[_build]

render = "never"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-2\children-1-1-2-1_index.en.md

Resumo: +++ description = "This is a demo child page" tags = ["children", "non-hidden"] title = "page 1-1-2-1" +++ This is a plain demo child page.

+++

description = "This is a demo child page"

tags = ["children", "non-hidden"]

title = "page 1-1-2-1"

+++

This is a plain demo child page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-2\children-1-1-2-1_index.pir.md

Resumo: +++ description = "This be a demo child plank" tags = ["children", "non-hidden"] title = "plank 1-1-2-1" +++ {{< piratify >}}

+++

description = "This be a demo child plank"

tags = ["children", "non-hidden"]

title = "plank 1-1-2-1"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-2\children-1-1-2-2_index.en.md

Resumo: +++ description = "This is a demo child page" tags = ["children", "non-hidden"] title = "page 1-1-2-2" +++ This is a plain demo child page.

+++

description = "This is a demo child page"

tags = ["children", "non-hidden"]

title = "page 1-1-2-2"

+++

This is a plain demo child page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-2\children-1-1-2-2_index.pir.md

Resumo: +++ *description = "This be a demo child plank" tags = ["children", "non-hidden"] title = "plank 1-1-2-2" +++ {{< piratify >}}*

+++

description = "This be a demo child plank"

tags = ["children", "non-hidden"]

title = "plank 1-1-2-2"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-3\ index.en.md

Resumo: +++ description = "This is a demo child page" tags = ["children", "non-hidden"] title = "page 1-1-3" +++ This is a plain demo child page.

+++

description = "This is a demo child page"

tags = ["children", "non-hidden"]

title = "page 1-1-3"

+++

This is a plain demo child page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-1\children-1-1\children-1-1-3\ index.pir.md

Resumo: +++ description = "This be a demo child plank" tags = ["children", "non-hidden"] title = "plank 1-1-3" +++ {{< piratify >}}

+++

description = "This be a demo child plank"

tags = ["children", "non-hidden"]

title = "plank 1-1-3"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-2\ index.en.md

*Resumo: +++ alwaysopen = false tags = ["children", "non-hidden"] title = "page 2" weight = 20
+++ This is a demo child page with no description. So its content is used as description.*

+++

alwaysopen = false

tags = ["children", "non-hidden"]

title = "page 2"

weight = 20

+++

This is a demo child page with no description.

So its content is used as description.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-2\ index.pir.md

*Resumo: +++ alwaysopen = false tags = ["children", "non-hidden"] title = "plank 2" weight = 20
+++ {{< piratify >}}*

+++

alwaysopen = false

tags = ["children", "non-hidden"]

title = "plank 2"

weight = 20

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3\ index.en.md

Resumo: +++ alwaysopen = false description = "This is a demo child page" tags = ["children", "non-hidden"] title = "page 3" weight = 30 +++ This is a demo child page. ## Subpages of this page {{% children showhidden="true" %}}

+++

alwaysopen = false

description = "This is a demo child page"

tags = ["children", "non-hidden"]

title = "page 3"

weight = 30

+++

This is a demo child page.

Subpages of this page

{{% children showhidden="true" %}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3\ index.pir.md

Resumo: +++ alwaysopen = false description = "This be a demo child plank" tags = ["children", "non-hidden"] title = "plank 3" weight = 30 +++ {{< piratify >}}

+++

alwaysopen = false

description = "This be a demo child plank"

tags = ["children", "non-hidden"]

title = "plank 3"

weight = 30

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3\test3.en.md

Resumo: +++ description = "This is a plain page test nested in a parent" tags = ["children", "non-hidden"] title = "page 3-1" +++ This is a plain demo child page.

+++

description = "This is a plain page test nested in a parent"

tags = ["children", "non-hidden"]

title = "page 3-1"

+++

This is a plain demo child page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-3\test3.pir.md

Resumo: +++ description = "This be a plain plank test nested 'n a parrent" tags = ["children", "non-hidden"] title = "plank 3-1" +++ {{< piratify >}}

+++

description = "This be a plain plank test nested 'n a parrent"

tags = ["children", "non-hidden"]

title = "plank 3-1"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-4\ index.en.md

*Resumo: +++ alwaysopen = false description = "This is a hidden demo child page" hidden = true tags = ["children", "the hidden"] title = "page 4 (hidden)" weight = 40 +++ This is a **hidden** demo child page. This page and all its children are hidden in the menu, arrow navigation and children short...*

+++

alwaysopen = false

description = "This is a hidden demo child page"

hidden = true

tags = ["children", "the hidden"]

title = "page 4 (hidden)"

weight = 40

+++

This is a **hidden** demo child page. This page and all its children are hidden in the menu, arrow navigation and children short...

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\children-4\ index.pir.md

Resumo: +++ alwaysopen = false description = "This be a hidden demo child plank" hidden = true tags = ["children", "the hidden"] title = "plank 4 (hidden)" weight = 40 +++ {{< piratify >}}

+++

alwaysopen = false

description = "This be a hidden demo child plank"

hidden = true

tags = ["children", "the hidden"]

title = "plank 4 (hidden)"

weight = 40

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\test.en.md

Resumo: --- description: | This is a plain page test, and the beginning of a YAML multiline description... tags: - "Children" title: "page X" weight: 1 --- This is a plain demo child page.

description: |

This is a plain page test, and the beginning of a YAML multiline description...

tags:

- "Children"

title: "page X"

weight: 1

This is a plain demo child page.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\children\test.nir.md

Resumo: --- description: | This be a plain plank test, an' th' beginn'n o' a YAML multiline description... tags: - "Children" title: "plank X" weight: 1 --- {{< piratify >}}

description: |

This be a plain plank test, an' th' beginn'n o' a YAML multiline description...

tags:

- "Children"

title: "plank X"

weight: 1

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\expand.en.md

Resumo: +++ description = "Expandable/collapsible sections of text" title = "Expand" +++ The `expand` shortcode displays an expandable/collapsible section of text. {{% expand title="Expand me..." %}}Thank you! That's some text with a footnote^[1] ^[1]: And that's the footnote. That's some ...

+++

description = "Expandable/collapsible sections of text"

title = "Expand"

+++

The `expand` shortcode displays an expandable/collapsible section of text.

{{% expand title="Expand me..." %}}Thank you!

That's some text with a footnote^[1]

^[1]: And that's the footnote.

That's some more text with a footnote.^[^someid]

^[^someid]:

Anything of interest goes here.

Blue light glows blue.

{{% /expand %}}

Usage

While the examples are using shortcodes with named parameter you are free to use positional as well or all.

{{< tabs groupid="shortcode-parameter">}}

{{% tab title="shortcode" %}}

~~~~go

{{%/ \* expand title="Expand me..." \*/%}}Thank you!{{%/ \* /expand \*/%}}

````

```
{{% /tab %}}

{{% tab title="shortcode (positional)" %}}
```

```
````go

{{%/ * expand "Expand me..." */%}}Thank you!{{%/ * /expand */%}}

````
```

```
{{% /tab %}}

{{% tab title="partial" %}}
```

```
````go

{{ partial "shortcodes/expand.html" (dict
  "page" .
  "title" "Expand me..."
  "content" "Thank you!"
)}}

````
```

```
{{% /tab %}}

{{< /tabs >}}
```

### Parameter

| Name      | Position | Default        | Notes                                                       |
|-----------|----------|----------------|-------------------------------------------------------------|
| title     | 1        | "Expand me..." | Arbitrary text to appear next to the expand/collapse button |
| open      | 2        | false          | When true the content text will be initially shown          |
| <content> |          | <empty>        | Arbitrary text to be displayed on expand.                   |

## Examples

### All Defaults

```
````go
```



```
{{%/ * expand */%}}Yes, you did it!{{%/ * /expand */%}}
```

```
....
```

```
{{% expand %}}Yes, you did it!{{% /expand %}}
```

```
### Initially Expanded
```

```
````go
```

```
{{%/ * expand title="Expand me..." open="true" */%}}No need to press you!{{%/ * /expand */%}}
```

```
....
```

```
{{% expand title="Expand me..." open="true" %}}No need to press you!{{% /expand %}}
```

```
### Arbitrary Text
```

```
````go
```

```
{{%/ * expand title="Show me almost endless possibilities" */%}}
```

You can add standard markdown syntax:

- multiple paragraphs
- bullet point lists
- emphasized, **bold** and even **bold emphasized** text
- [links](https://example.com)
- etc.

```
``plaintext
```

...and even source code

```
...
```

> the possibilities are endless (almost - including other shortcodes may or may not work)

```
{{%/ * /expand */%}}
```

```
....
```

```
{{% expand title="Show me almost endless possibilities" %}}
```

You can add standard markdown syntax:

- multiple paragraphs
- bullet point lists
- emphasized, **bold** and even **bold emphasized** text
- [links](https://example.com)
- etc.

```
```plaintext
```

```
...and even source code
```

```
```
```

> the possibilities are endless (almost - including other shortcodes may or may not work)

```
{{% /expand %}}
```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\expand.pir.md

*Resumo: +++ description = "Displays an expand'ble/collaps'ble sect'n o' text on yer plank" title = "Expand" +++ {{< piratify >}}*

+++

description = "Displays an expand'ble/collaps'ble sect'n o' text on yer plank"

title = "Expand"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\highlight.en.md

*Resumo: +++ description = "Render code with a syntax highlighter" title = "Highlight" +++ The `highlight` shortcode renders your code with a syntax highlighter. {{< highlight lineNos="true" type="py" wrap="true" title="python" >}} print("Hello World!") {{< /highlight >}} ## Usage This short...*

```
+++

description = "Render code with a syntax highlighter"

title = "Highlight"

+++
```

The `highlight` shortcode renders your code with a syntax highlighter.

```
{{< highlight lineNos="true" type="py" wrap="true" title="python" >}}

print("Hello World!")

{{< /highlight >}}
```

## Usage

This shortcode is fully compatible with Hugo's [`highlight` shortcode](<https://gohugo.io/content-management/shortcodes/#highlight>).

It is called interchangeably in the same way as Hugo's own shortcode providing positional parameter or by

You are free to also call this shortcode from your own partials. In this case it resembles Hugo's [`highlight` shortcode]

While the examples are using shortcodes with named parameter it is recommended to use codefences instead.

```
{{< tabs groupid="shortcode-parameter">}}

{{% tab title="codefence" %}}
```

```
````md

````py { lineNos="true" wrap="true" title="python" }

print("Hello World!")

```

````

{{% /tab %}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{</* highlight lineNos="true" type="py" wrap="true" title="python" */>}}
```

```
print("Hello World!")
```

```
{{</* /highlight */>}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="shortcode (positional)" %}}
```

```
````go
```

```
{{</* highlight py "lineNos=true,wrap=true,title=python" */>}}
```

```
print("Hello World!")
```

```
{{</* /highlight */>}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```
````go
```

```
{{ partial "shortcodes/highlight.html" (dict
```

```
  "page"      .
```

```
  "content"   "print(\"Hello World!\")"
```

```
  "lineNos"   "true"
```

```
  "type"      "py"
```

```
  "wrap"      "true"
```

```
  "title"     "python"
```

```
)}}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial (compat)" %}}
```

```
````go
```

```
{{ partial "shortcodes/highlight.html" (dict
  "page"      .
  "content" "print(\"Hello World!\")"
  "options" "lineNos=true,wrap=true,title=python"
  "type"      "py"
)}}
....
```

```
{{% /tab %}}
{{< /tabs >}}
```

### Parameter

| Name                                 | Position | Default                  | Notes                                                                  |
|--------------------------------------|----------|--------------------------|------------------------------------------------------------------------|
| -----                                | -----    | -----                    | -----                                                                  |
| <b>**type**</b>                      | 1        | <code>&amp;empty;</code> | The language of the code to highlight. Choose from                     |
| <b>**title**</b>                     |          | <code>&amp;empty;</code> | <b>**Extension**</b> . Arbitrary title for code. This disp             |
| <b>**wrap**</b>                      |          | see notes                | <b>**Extension**</b> . When <code>`true`</code> the content may wrap o |
| <b>**options**</b>                   | 2        | <code>&amp;empty;</code> | An optional, comma-separated list of zero or more                      |
| <code>&amp;lt;option&amp;gt;</code>  |          | <code>&amp;empty;</code> | Any of [Hugo's supported options](https://gohugo..                     |
| <code>&amp;lt;content&amp;gt;</code> |          | <code>&amp;empty;</code> | Your code to highlight.                                                |

### Configuration

Default values for [Hugo's supported options](https://gohugo.io/functions/highlight/#options) can be set v

Default values for extension options can be set via params settings in your ``hugo.toml`` or be overwritten

### Global Configuration File

You can configure the color style used for code blocks in your [color variants stylesheet](basics/branding)

```
#### Recommended Settings
{{< multiconfig file=hugo >}}
```

```
[markup]
```

```

[markup.highlight]
    lineNumbersInTable = false
    noClasses = false
{{< /multiconfig >}}

```

#### Optional Settings

```

{{< multiconfig file=hugo >}}
[params]
    highlightWrap = true
{{< /multiconfig >}}

```

### Page's Frontmatter

```

{{< multiconfig fm=true >}}
highlightWrap = true
{{< /multiconfig >}}
## Examples

```

### Line Numbers with Starting Offset

As mentioned above, line numbers in a `table` layout will shift if code is wrapping, so better use `inline`

```

```go
{{< /* highlight lineNos="true" lineNoStart="666" type="py" */>}}
# the hardest part is to start writing code; here's a kickstart; just copy and paste this; it's free; the
print("Hello")
print(" ")
print("World")
print("!")
{{< /* /highlight */>}}
```

```

```

{{< highlight lineNos="true" lineNoStart="666" type="py" >}}
# the hardest part is to start writing code; here's a kickstart; just copy and paste this; it's free; the

```

```
print("Hello")
print(" ")
print("World")
print("!")
{{< /highlight >}}
```

### Codefence with Title

```
````md
```py { title="python" }
# a bit shorter
print("Hello World!")
```
````
```

```
```py { title="python" }
# a bit shorter
print("Hello World!")
```
```

### With Wrap

```
````go
{{< /* highlight type="py" wrap="true" hl_lines="2" */>}}
# Quicksort Python One-liner
lambda L: [] if L==[] else qsort([x for x in L[1:] if x< L[0]]) + L[0:1] + qsort([x for x in L[1:] if x>=L[0]])
# Some more stuff
{{< /* /highlight */>}}
````
```

```
{{< highlight type="py" wrap="true" hl_lines="2" >}}
# Quicksort Python One-liner
```



```
lambda L: [] if L==[] else qsort([x for x in L[1:] if x< L[0]]) + L[0:1] + qsort([x for x in L[1:] if x>=L[0]])
# Some more stuff

{{< /highlight >}}
```

### Without Wrap

```
````go
{{</* highlight type="py" wrap="false" hl_lines="2" */>}}

# Quicksort Python One-liner

lambda L: [] if L==[] else qsort([x for x in L[1:] if x< L[0]]) + L[0:1] + qsort([x for x in L[1:] if x>=L[0]])
# Some more stuff

{{</* /highlight */>}}

````
```

```
{{< highlight type="py" wrap="false" hl_lines="2">}}

# Quicksort Python One-liner

lambda L: [] if L==[] else qsort([x for x in L[1:] if x< L[0]]) + L[0:1] + qsort([x for x in L[1:] if x>=L[0]])
# Some more stuff

{{< /highlight >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\highlight.nir.md

*Resumo: +++ description = "Render code with a syntax highlighter" title = "Highlight" +++ {{< piratify true >}}*

+++

description = "Render code with a syntax highlighter"

title = "Highlight"

+++

{{< piratify true >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\icon.en.md

*Resumo: +++ aliases = "/cont/icons" description = "Nice icons for your page" title = "Icon" +++  
The `icon` shortcode displays icons using the [Font Awesome](https://fontawesome.com) library.  
{{% icon exclamation-triangle %}} {{% icon angle-double-up %}} {{% icon skull-crossbones %}}  
## Usage ...*

+++

aliases = "/cont/icons"

description = "Nice icons for your page"

title = "Icon"

+++

The `icon` shortcode displays icons using the [Font Awesome](https://fontawesome.com) library.

{{% icon exclamation-triangle %}}

{{% icon angle-double-up %}}

{{% icon skull-crossbones %}}

## Usage

While the examples are using shortcodes with positional parameter you are free to also call this shortcode

{{< tabs groupid="shortcode-parameter">}}

{{% tab title="shortcode" %}}

````go

{{%/ \* icon icon="exclamation-triangle" \*/%}}

{{%/ \* icon icon="angle-double-up" \*/%}}

{{%/ \* icon icon="skull-crossbones" \*/%}}

````

{{% /tab %}}

{{% tab title="shortcode (positional)" %}}

````go

{{%/ \* icon exclamation-triangle \*/%}}

```
{{%/ * icon angle-double-up */%}}
{{%/ * icon skull-crossbones */%}}
....
```

```
{{% /tab %}}
{{% tab title="partial" %}}
```

```
....go
{{ partial "shortcodes/icon.html" (dict
    "page" .
    "icon" "exclamation-triangle"
)}}
{{ partial "shortcodes/icon.html" (dict
    "page" .
    "icon" "angle-double-up"
)}}
{{ partial "shortcodes/icon.html" (dict
    "page" .
    "icon" "skull-crossbones"
)}}
....
```

```
{{% /tab %}}
{{< /tabs >}}
```

### Parameter

| Name            | Position | Default                  | Notes                                                      |
|-----------------|----------|--------------------------|------------------------------------------------------------|
| -----           | -----    | -----                    | -----                                                      |
| <b>**icon**</b> | 1        | <code>&amp;empty;</code> | [Font Awesome icon name](#finding-an-icon) to be displayed |

### Finding an icon

Browse through the available icons in the [Font Awesome Gallery](https://fontawesome.com/v6/search?m=free)

Once on the Font Awesome page for a specific icon, for example the page for the [heart](https://fontawesome.com/v6/icons/heart)

### ### Customising Icons

Font Awesome provides many ways to modify the icon

- Change color (by default the icon will inherit the parent color)
- Increase or decrease size
- Rotate
- Combine with other icons

Check the full documentation on [web fonts with CSS](https://fontawesome.com/how-to-use/web-fonts-with-css)

## ## Examples

### ### Standard Usage

```
````go
```

Built with `{{%/ * icon heart */%}}` by Relearn and Hugo

```
````
```

Built with `{{% icon heart %}}` by Relearn and Hugo

### ### Advanced HTML Usage

While the shortcode simplifies using standard icons, the icon customization and other advanced features of

```
````html
```

Built with `<i class="fas fa-heart"></i>` by Relearn and Hugo

```
````
```

Built with `<i class="fas fa-heart"></i>` by Relearn and Hugo

To use these native HTML elements in your Markdown, add this in your ``hugo.toml``:

```
````toml
```

```
[markup.goldmark.renderer]
```

```
unsafe = true
```

```
.....
```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\icon.bir.md

*Resumo: +++ aliases = "/pir/cont/icons" description = "Nice ay'cons fer yer plank" title = "Icon"*  
*+++ {{< piratify >}}*

+++

aliases = "/pir/cont/icons"

description = "Nice ay'cons fer yer plank"

title = "Icon"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\include\INCLUDE ME.md

*Resumo: You can add standard markdown syntax: - multiple paragraphs - bullet point lists - emphasized, **bold** and even **bold emphasized** text - `[links](https://example.com)` - etc.<sup>[^etc]</sup> `[^etc]`: Et Cetera (English: `/t s t r/`), abbreviated to etc., etc, et cet., is a Latin expression that ...*

You can add standard markdown syntax:

- multiple paragraphs
- bullet point lists
- emphasized, **bold** and even **bold emphasized** text
- `[links](https://example.com)`
- etc.<sup>[^etc]</sup>

`[^etc]`: Et Cetera (English: `/t s t r/`), abbreviated to etc., etc, et cet., is a Latin expression that

`````plaintext`

...and even source code

`````

> the possibilities are endless (almost - including other shortcodes may or may not work) (almost - inclu



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\include\ index.en.md

*Resumo: +++ description = "Displays content from other files" title = "Include" +++ The `include` shortcode includes other files from your project inside of the current page. ## Usage While the examples are using shortcodes with named parameter you are free to use positional as well or also call...*

+++

description = "Displays content from other files"

title = "Include"

+++

The `include` shortcode includes other files from your project inside of the current page.

### ## Usage

While the examples are using shortcodes with named parameter you are free to use positional as well or also

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{%/ * include file="shortcodes/include/INCLUDE_ME.md" */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="shortcode (positional)" %}}
```

```
````go
```

```
{{%/ * include "shortcodes/include/INCLUDE_ME.md" */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```
````go
```

```
{{ partial "shortcodes/include .html" (dict
```

```
"page" .
"file" "shortcodes/include/INCLUDE_ME.md"
)}}
....
```

```
{{% /tab %}}
{{< /tabs >}}
```

The included files can even contain Markdown and will be taken into account when generating the table of contents.

### Parameter

| Name                        | Position | Default                  | Notes                                                                                                 |
|-----------------------------|----------|--------------------------|-------------------------------------------------------------------------------------------------------|
| -----                       | -----    | -----                    | -----                                                                                                 |
| <b>**file**</b>             | 1        | <code>&amp;empty;</code> | The path to the file to be included. Path resolution is relative to the file including the shortcode. |
| <b>**hidefirstheading**</b> | 2        | <code>false</code>       | When <code>true</code> and the included file contains headings, the first heading will be hidden.     |

### Examples

#### Arbitrary Content

```
....go
{{%/ include "shortcodes/include/INCLUDE_ME.md" */%}}
....
```

```
{{% include "shortcodes/include/INCLUDE_ME.md" %}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\include\ index.pir.md

Resumo: +++ *description = "Displays content from other Marrrkdown files" title = "Include" +++*  
{{< piratify >}}

+++

description = "Displays content from other Marrrkdown files"

title = "Include"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\math.en.md

*Resumo: +++ description = "Beautiful math and chemical formulae" title = "Math" +++ The `math` shortcode generates beautiful formatted math and chemical formulae using the [MathJax](https://mathjax.org/) library. {{< math align="center" >}} \$\$\left( \sum\_{k=1}^n a\_k b\_k \right)^2 \leq \left( \sum\_{k=1}^n a\_k^2 \right) \left( \sum\_{k=1}^n b\_k^2 \right)\$*

+++

description = "Beautiful math and chemical formulae"

title = "Math"

+++

The `math` shortcode generates beautiful formatted math and chemical formulae using the [MathJax](https://mathjax.org/)

{{< math align="center" >}}

\$\$\left( \sum\_{k=1}^n a\_k b\_k \right)^2 \leq \left( \sum\_{k=1}^n a\_k^2 \right) \left( \sum\_{k=1}^n b\_k^2 \right)\$

{{< /math >}}

### ## Usage

While the examples are using shortcodes with named parameter it is recommended to use codefences instead.

You are free to also call this shortcode from your own partials.

Math is also usable without enclosing it in a shortcode or codefence but [requires configuration](#passthru)

{{< tabs groupid="shortcode-parameter">}}

{{% tab title="codefence" %}}

````md

```math { align="center" }

\$\$\left( \sum\_{k=1}^n a\_k b\_k \right)^2 \leq \left( \sum\_{k=1}^n a\_k^2 \right) \left( \sum\_{k=1}^n b\_k^2 \right)\$

```

````

{{% /tab %}}

{{% tab title="shortcode" %}}

```

````go

{{< /* math align="center" */>}}


$$\left(\sum_{k=1}^n a_k b_k\right)^2 \leq \left(\sum_{k=1}^n a_k^2\right) \left(\sum_{k=1}^n b_k^2\right)$$


{{< /* /math */>}}

````

```

```

{{% /tab %}}

{{% tab title="partial" %}}

```

```

````go

{{ partial "shortcodes/math.html" (dict

  "page"      .

  "content"   "$\left(\sum_{k=1}^n a_k b_k\right)^2 \leq \left(\sum_{k=1}^n a_k^2\right) \left(\sum_{k=1}^n b_k^2\right)$"

  "align"     "center"

)}}

````

```

```

{{% /tab %}}

{{% tab title="passthrough" %}}

```

```

````md


$$\left(\sum_{k=1}^n a_k b_k\right)^2 \leq \left(\sum_{k=1}^n a_k^2\right) \left(\sum_{k=1}^n b_k^2\right)$$


````

```

```

{{% /tab %}}

{{< /tabs >}}

```

```

### Parameter
| Name | Default | Notes |
|-----|-----|-----|
| **align** | `center` | Allowed values are `left`, `center` or `right`. |
| _**&lt;content&gt;**_ | _&lt;empty&gt;_ | Your formulae. |

```

```

## Configuration
MathJax is configured with default settings but you can customize MathJax's default settings for all of your pages.
The JSON object of your `hugo.toml` / frontmatter is forwarded into MathJax's configuration object.

```

See [MathJax documentation](https://docs.mathjax.org/en/latest/options/index.html) for all allowed settings.

### ### Global Configuration File

This example reflects the default configuration also used if you don't define `mathJaxInitialize`

```
{{< multiconfig file=hugo >}}
[params]
  mathJaxInitialize = "{ \"tex\": { \"inlineMath\": [[\"\\(\", \"\\)\", [\"$\", \"$\"]], displayMath: [\"\\[\", \"\\]\"] } } }"
{{< /multiconfig >}}
```

### ### Page's Frontmatter

Usually you don't need to redefine the global initialization settings for a single page. But if you do, you can use the `mathJaxInitialize` variable in the page's frontmatter.

Eg. If you have redefined the delimiters to something exotic like `@` symbols in your global config, but want to use the default delimiters on a single page, you can do:

```
{{< multiconfig fm=true >}}
mathJaxInitialize = "{ \"html\": { \"displayAlign\": \"left\" }, { \"tex\": { \"inlineMath\": [[\"\\(\", \"\\)\", [\"$\", \"$\"]], displayMath: [\"\\[\", \"\\]\"] } } }"
{{< /multiconfig >}}
```

### ### Passthrough Configuration

You can use your math without enclosing it in a shortcode or codefence by using a [passthrough configuration].

```
{{< multiconfig file=hugo >}}
[markup]
  [markup.goldmark]
    [markup.goldmark.extensions]
      [markup.goldmark.extensions.passthrough]
        enable = true
      [markup.goldmark.extensions.passthrough.delimiters]
        inline = [['\\(', '\\)'], ['$ ', '$']]
        block  = [['\\[', '\\]'], ['$$ ', '$$']]
{{< /multiconfig >}}
```

In this case you have to tell the theme that your page contains math by setting this in your page's frontmatter:

```
{{< multiconfig fm=true >}}
disableMathJax = false
{{< /multiconfig >}}
```

See the [example](#passthrough) on how it makes using math really easy.

## ## Examples

### ### Inline Math

```
````md
Inline math is generated if you use a single ``$` as a delimiter around your formulae: {{</* math */>}}$sqrt{2}
````
```

Inline math is generated if you use a single ``\$` as a delimiter around your formulae: {{< math >}}\$sqrt{2}

### ### Blocklevel Math with Right Alignment

```
````md
If you delimit your formulae by two consecutive ``$$` it generates a new block.

{{</* math align="right" */>}}
$$\left( \sum_{k=1}^n a_k b_k \right)^2 \leq \left( \sum_{k=1}^n a_k^2 \right) \left( \sum_{k=1}^n b_k^2 \right)
{{</* /math */>}}
````
```

If you delimit your formulae by two consecutive ``\$\$` it generates a new block.

```
{{< math align="right" >}}
$$\left( \sum_{k=1}^n a_k b_k \right)^2 \leq \left( \sum_{k=1}^n a_k^2 \right) \left( \sum_{k=1}^n b_k^2 \right)
{{< /math >}}
```

### ### Codefence

You can also use codefences.

```
````md
```math
$$\left( \sum_{k=1}^n a_k b_k \right)^2 \leq \left( \sum_{k=1}^n a_k^2 \right) \left( \sum_{k=1}^n b_k^2 \right)
```
````
```

```
````math
$$\left( \sum_{k=1}^n a_k b_k \right)^2 \leq \left( \sum_{k=1}^n a_k^2 \right) \left( \sum_{k=1}^n b_k^2 \right)
````
```

### Passthrough

This works for block as well as inline math but is only available if you are using the [passthrough configuration](https://github.com/remarkjs/remark-math#passthrough).

With passthrough configuration you can just drop your math without enclosed by shortcodes or codefences but you must use the `math` shortcode.

```
````md
$$\left|
\begin{array}{cc}
a & b \\
c & d
\end{array}
\right|
$$
````
```

```
$$\left|
\begin{array}{cc}
a & b \\
c & d
\end{array}
\right|
$$
```

### Chemical Formulae

```
````md
```

```
{{</* math */>}}
```



$$\text{Hg}^{2+} \rightarrow [\text{I}^-] \text{HgI}_2 \rightarrow [\text{I}^-] [\text{Hg}^{\text{II}}\text{I}_4]^{2-}$$

.....

$$\{\{< \text{math} >\}$$

$$\text{Hg}^{2+} \rightarrow [\text{I}^-] \text{HgI}_2 \rightarrow [\text{I}^-] [\text{Hg}^{\text{II}}\text{I}_4]^{2-}$$

$$\{\{< /math >\}$$

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\math.pir.md

*Resumo: +++ description = "Beaut'fl math and chemical formulae" title = "Math" +++ {{< piratify true >}}*

+++

description = "Beaut'fl math and chemical formulae"

title = "Math"

+++

{{< piratify true >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\mermaid.en.md

*Resumo: +++ description = "Generate diagrams and flowcharts from text" title = "Mermaid" +++  
The `mermaid` shortcode generates diagrams and flowcharts from text, in a similar manner as Markdown using the [Mermaid](https://mermaidjs.github.io/) library. {{< mermaid align="center">}} graph LR; ...*

+++

description = "Generate diagrams and flowcharts from text"

title = "Mermaid"

+++

The `mermaid` shortcode generates diagrams and flowcharts from text, in a similar manner as Markdown using

{{< mermaid align="center">}}

graph LR;

    If --> Then

    Then --> Else

{{< /mermaid >}}

## Usage

While the examples are using shortcodes with named parameter it is recommended to use codefences instead.

You are free to also call this shortcode from your own partials.

{{< tabs groupid="shortcode-parameter">}}

{{% tab title="codefence" %}}

````md

``mermaid { align="center" zoom="true" }

graph LR;

    If --> Then

    Then --> Else

````

````

{{% /tab %}}

```
{{% tab title="shortcode" %}}

````go

{{</* mermaid align="center" zoom="true" */>}}

graph LR;

    If --> Then

    Then --> Else

{{</* /mermaid */>}}

````
```

```
{{% /tab %}}

{{% tab title="partial" %}}
```

```
````go

{{ partial "shortcodes/mermaid.html" (dict

    "page"      .

    "content" "graph LR;\nIf --> Then\nThen --> Else"

    "align"      "center"

    "zoom"      "true"

)}}

````
```

```
{{% /tab %}}

{{< /tabs >}}
```

The generated graphs can be panned by dragging them and zoomed by using the mousewheel. On mobile devices

| ### Parameter                                                                                             |                                |                                                               |  |  |  |
|-----------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------|--|--|--|
| Name                                                                                                      | Default                        | Notes                                                         |  |  |  |
| ----- ----- -----                                                                                         |                                |                                                               |  |  |  |
| <b>**align**</b>                                                                                          | `center`                       | Allowed values are `left`, `center` or `right`.               |  |  |  |
| <b>**zoom**</b>                                                                                           | see notes                      | Whether the graph is pan- and zoomable.<br><br>If not set the |  |  |  |
| <b>_**&amp;lt;content&amp;gt;**_</b>                                                                      | <b>_&amp;lt;empty&amp;gt;_</b> | Your Mermaid graph.                                           |  |  |  |
| ## Configuration                                                                                          |                                |                                                               |  |  |  |
| Mermaid is configured with default settings. You can customize Mermaid's default settings for all of your |                                |                                                               |  |  |  |

The JSON object of your `hugo.toml` / frontmatter is forwarded into Mermaid's `mermaid.initialize()` function.

See [Mermaid documentation](https://mermaid-js.github.io/mermaid/#/Setup?id=mermaidapi-configuration-defaults).

The `theme` setting can also be set by your used color variant. This will be the sitewide default and can be overridden per page.

### ### Global Configuration File

```
{{< multiconfig file=hugo >}}

[params]

mermaidInitialize = "{ \"theme\": \"dark\" }"

mermaidZoom = true

{{< /multiconfig >}}
```

### ### Page's Frontmatter

```
{{< multiconfig fm=true >}}

mermaidInitialize = "{ \"theme\": \"dark\" }"

mermaidZoom = true

{{< /multiconfig >}}
```

## ## Examples

### ### Flowchart with YAML-Title

```
````go
{{< /* mermaid */ >}}

---

title: Example Diagram

---

graph LR;
    A[Hard edge] -->|Link text| B(Round edge)
    B --> C{<strong>Decision</strong>}
    C -->|One| D[Result one]
    C -->|Two| E[Result two]
```

```
{{</* /mermaid */>}}
```

```
````
```

```
{{< mermaid >}}
```

```
---
```

```
title: Example Diagram
```

```
---
```

```
graph LR;
```

```
    A[Hard edge] -->|Link text| B(Round edge)
```

```
    B --> C{<strong>Decision</strong>}
```

```
    C -->|One| D[Result one]
```

```
    C -->|Two| E[Result two]
```

```
{{< /mermaid >}}
```

```
### Sequence Diagram with Configuration Directive
```

```
````go
```

```
{{</* mermaid */>}}
```

```
%%{init:{'fontFamily':'monospace', 'sequence':{'showSequenceNumbers':true}}}%%
```

```
sequenceDiagram
```

```
    Alice->>John: Hello John, how are you?
```

```
    loop Healthcheck
```

```
        John->>John: Fight against hypochondria
```

```
    end
```

```
    Note right of John: Rational thoughts!
```

```
    John-->>Alice: Great!
```

```
    John->>Bob: How about you?
```

```
    Bob-->>John: Jolly good!
```

```
{{</* /mermaid */>}}
```

```
````
```

```
{{< mermaid >}}
```

```
%%{init:{'fontFamily':'monospace', 'sequence':{'showSequenceNumbers':true}}}%%
```

```
sequenceDiagram
```

```
    Alice->>John: Hello John, how are you?
```

```
    loop Healthcheck
```

```

        John->>John: Fight against hypochondria

    end

    Note right of John: Rational thoughts!

    John-->>Alice: Great!

    John->>Bob: How about you?

    Bob-->>John: Jolly good!

    {{< /mermaid >}}

```

### ### Class Diagram with Codefence Syntax

```

````go
```mermaid
classDiagram
    Animal <|-- Duck
    Animal <|-- Fish
    Animal <|-- Zebra
    Animal : +int age
    Animal : +String gender
    Animal: +isMammal()
    Animal: +mate()
    class Duck{
        +String beakColor
        +swim()
        +quack()
    }
    class Fish{
        -int sizeInFeet
        -canEat()
    }
    class Zebra{
        +bool is_wild
        +run()
    }
````

```

```
````mermaid
```

```
classDiagram
```

```
Animal <|-- Duck
```

```
    Animal <|-- Fish
```

```
    Animal <|-- Zebra
```

```
    Animal : +int age
```

```
    Animal : +String gender
```

```
    Animal: +isMammal()
```

```
    Animal: +mate()
```

```
class Duck{
```

```
    +String beakColor
```

```
    +swim()
```

```
    +quack()
```

```
}
```

```
class Fish{
```

```
    -int sizeInFeet
```

```
    -canEat()
```

```
}
```

```
class Zebra{
```

```
    +bool is_wild
```

```
    +run()
```

```
}
```

```
````
```

```
### State Diagram Aligned to the Right
```

```
````go
```

```
{{< /* mermaid align="right" */>}}
```

```
stateDiagram-v2
```

```
    open: Open Door
```

```
    closed: Closed Door
```

```
    locked: Locked Door
```

```
    open --> closed: Close
```

```
    closed --> locked: Lock
```

```
    locked --> closed: Unlock
```



```

        closed --> open: Open
    {{</ * /mermaid */>}}
    ....

    {{< mermaid align="right" >}}
stateDiagram-v2
    open: Open Door
    closed: Closed Door
    locked: Locked Door
    open --> closed: Close
    closed --> locked: Lock
    locked --> closed: Unlock
    closed --> open: Open
    {{< /mermaid >}}

```

### Entity Relationship Model with Non-Default Mermaid Theme

```

    ....go
    {{</ * mermaid */>}}
    %%{init:{"theme":"forest"}}%%
erDiagram
    CUSTOMER }|..|{ DELIVERY-ADDRESS : has
    CUSTOMER ||--o{ ORDER : places
    CUSTOMER ||--o{ INVOICE : "liable for"
    DELIVERY-ADDRESS ||--o{ ORDER : receives
    INVOICE ||--|{ ORDER : covers
    ORDER ||--|{ ORDER-ITEM : includes
    PRODUCT-CATEGORY ||--|{ PRODUCT : contains
    PRODUCT ||--o{ ORDER-ITEM : "ordered in"
    {{</ * /mermaid */>}}
    ....

    {{< mermaid >}}
    %%{init:{"theme":"forest"}}%%
erDiagram

```

```

    CUSTOMER }|..|{ DELIVERY-ADDRESS : has
    CUSTOMER ||--o{ ORDER : places
    CUSTOMER ||--o{ INVOICE : "liable for"
    DELIVERY-ADDRESS ||--o{ ORDER : receives
    INVOICE ||--|{ ORDER : covers
    ORDER ||--|{ ORDER-ITEM : includes
    PRODUCT-CATEGORY ||--|{ PRODUCT : contains
    PRODUCT ||--o{ ORDER-ITEM : "ordered in"
  }{< /mermaid >}}

```

### User Journey

```

````go
{{< /* mermaid */>}}
journey
    title My working day
    section Go to work
        Make tea: 5: Me
        Go upstairs: 3: Me
        Do work: 1: Me, Cat
    section Go home
        Go downstairs: 5: Me
        Sit down: 3: Me
  {{< /* /mermaid */>}}
````

```

```

{{< mermaid >}}
journey
    title My working day
    section Go to work
        Make tea: 5: Me
        Go upstairs: 3: Me
        Do work: 1: Me, Cat
    section Go home
        Go downstairs: 5: Me

```

Sit down: 3: Me

```
{{< /mermaid >}}
```

### GANTT Chart

```
````go
```

```
{{< /* mermaid */>}}
```

gantt

dateFormat YYYY-MM-DD

title Adding GANTT diagram functionality to Mermaid

section A section

Completed task :done, des1, 2014-01-06,2014-01-08

Active task :active, des2, 2014-01-09, 3d

Future task : des3, after des2, 5d

Future task2 : des4, after des3, 5d

section Critical tasks

Completed task in the critical line :crit, done, 2014-01-06,24h  
Implement parser and jison :crit, done, after des1, 2d

Create tests for parser :crit, active, 3d

Future task in critical line :crit, 5d

Create tests for renderer :2d

Add to Mermaid :1d

```
{{< /* /mermaid */>}}
```

```
````
```

```
{{< mermaid >}}
```

gantt

dateFormat YYYY-MM-DD

title Adding GANTT diagram functionality to Mermaid

section A section

Completed task :done, des1, 2014-01-06,2014-01-08

Active task :active, des2, 2014-01-09, 3d

Future task : des3, after des2, 5d

Future task2 : des4, after des3, 5d

section Critical tasks

```

    Completed task in the critical line :crit, done, 2014-01-06,24h
    Implement parser and jison          :crit, done, after des1, 2d
    Create tests for parser             :crit, active, 3d
    Future task in critical line        :crit, 5d
    Create tests for renderer           :2d
    Add to Mermaid                     :1d
{{< /mermaid >}}

```

### Pie Chart without Zoom

```

````go
{{< /* mermaid zoom="false" */>}}
pie title Pets adopted by volunteers
    "Dogs" : 386
    "Cats" : 85
    "Rats" : 15
{{< /* /mermaid */>}}
````

```

```

{{< mermaid zoom="false" >}}
pie title Pets adopted by volunteers
    "Dogs" : 386
    "Cats" : 85
    "Rats" : 15
{{< /mermaid >}}

```

### Quadrant Chart

```

````go
{{< /* mermaid */>}}
pie title Pets adopted by volunteers
    title Reach and engagement of campaigns
    x-axis Low Reach --> High Reach
    y-axis Low Engagement --> High Engagement
    quadrant-1 We should expand

```

```

    quadrant-2 Need to promote
    quadrant-3 Re-evaluate
    quadrant-4 May be improved
    Campaign A: [0.3, 0.6]
    Campaign B: [0.45, 0.23]
    Campaign C: [0.57, 0.69]
    Campaign D: [0.78, 0.34]
    Campaign E: [0.40, 0.34]
    Campaign F: [0.35, 0.78]
  }
}

```

```

graph LR
    title Reach and engagement of campaigns
    x-axis Low Reach --> High Reach
    y-axis Low Engagement --> High Engagement
    quadrant-1 We should expand
    quadrant-2 Need to promote
    quadrant-3 Re-evaluate
    quadrant-4 May be improved
    Campaign A: [0.3, 0.6]
    Campaign B: [0.45, 0.23]
    Campaign C: [0.57, 0.69]
    Campaign D: [0.78, 0.34]
    Campaign E: [0.40, 0.34]
    Campaign F: [0.35, 0.78]
  }
}

```

```

### Requirement Diagram

```

```

go
requirementDiagram
requirement test_req {
  id: 1
}

```

```

        text: the test text.

        risk: high

        verifymethod: test

    }

    element test_entity {

        type: simulation

    }

    test_entity - satisfies -> test_req
}{{</ * /mermaid */>}}
....

}{{< mermaid >}}

requirementDiagram

    requirement test_req {

        id: 1

        text: the test text.

        risk: high

        verifymethod: test

    }

    element test_entity {

        type: simulation

    }

    test_entity - satisfies -> test_req
}{{< /mermaid >}}
### Git Graph

....go

}{{</ * mermaid */>}}

gitGraph

    commit

```

```
    commit
    branch develop
    checkout develop
    commit
    commit
    checkout main
    merge develop
    commit
    commit
  {{</* /mermaid */>}}
  ....
```

```
  {{< mermaid >}}
  gitGraph
    commit
    commit
    branch develop
    checkout develop
    commit
    commit
    checkout main
    merge develop
    commit
    commit
  {{< /mermaid >}}
```

### C4 Diagrams

....go

```
{{</* mermaid */>}}
```

C4Context

```
  title System Context diagram for Internet Banking System
```

```
  Enterprise_Boundary(b0, "BankBoundary0") {
```

```
    Person(customerA, "Banking Customer A", "A customer of the bank, with personal bank accounts.")
    Person(customerB, "Banking Customer B")
```

```

Person_Ext(customerC, "Banking Customer C", "desc")

Person(customerD, "Banking Customer D", "A customer of the bank, <br/> with personal bank accounts.")

System(SystemAA, "Internet Banking System", "Allows customers to view information about their bank acc

Enterprise_Boundary(b1, "BankBoundary") {

    SystemDb_Ext(SystemE, "Mainframe Banking System", "Stores all of the core banking information abo

    System_Boundary(b2, "BankBoundary2") {
        System(SystemA, "Banking System A")
        System(SystemB, "Banking System B", "A system of the bank, with personal bank accounts. next line
    }

    System_Ext(SystemC, "E-mail system", "The internal Microsoft Exchange e-mail system.")
    SystemDb(SystemD, "Banking System D Database", "A system of the bank, with personal bank accounts

    Boundary(b3, "BankBoundary3", "boundary") {
SystemQueue(SystemF, "Banking System F Queue", "A system of the bank.")
        SystemQueue_Ext(SystemG, "Banking System G Queue", "A system of the bank, with personal bank acco
    }
}

BiRel(customerA, SystemAA, "Uses")
BiRel(SystemAA, SystemE, "Uses")
Rel(SystemAA, SystemC, "Sends e-mails", "SMTP")
Rel(SystemC, customerA, "Sends e-mails to")

UpdateElementStyle(customerA, $fontColor="red", $bgColor="grey", $borderColor="red")
UpdateRelStyle(customerA, SystemAA, $textColor="blue", $lineColor="blue", $offsetX="5")
UpdateRelStyle(SystemAA, SystemE, $textColor="blue", $lineColor="blue", $offsetY="-10")
UpdateRelStyle(SystemAA, SystemC, $textColor="blue", $lineColor="blue", $offsetY="-40", $offsetX="-50")
UpdateRelStyle(SystemC, customerA, $textColor="red", $lineColor="red", $offsetX="-50", $offsetY="20")

```



```

UpdateLayoutConfig($c4ShapeInRow="3", $c4BoundaryInRow="1")
{{</ * /mermaid *>}}
....

{{< mermaid >}}
C4Context
    title System Context diagram for Internet Banking System
    Enterprise_Boundary(b0, "BankBoundary0") {
        Person(customerA, "Banking Customer A", "A customer of the bank, with personal bank accounts.")
        Person(customerB, "Banking Customer B")
        Person_Ext(customerC, "Banking Customer C", "desc")

        Person(customerD, "Banking Customer D", "A customer of the bank, <br/> with personal bank accounts.")

        System(SystemAA, "Internet Banking System", "Allows customers to view information about their bank acc

    Enterprise_Boundary(b1, "BankBoundary") {

        SystemDb_Ext(SystemE, "Mainframe Banking System", "Stores all of the core banking information abo

        System_Boundary(b2, "BankBoundary2") {
            System(SystemA, "Banking System A")
            System(SystemB, "Banking System B", "A system of the bank, with personal bank accounts. next line
        }

        System_Ext(SystemC, "E-mail system", "The internal Microsoft Exchange e-mail system.")
        SystemDb(SystemD, "Banking System D Database", "A system of the bank, with personal bank accounts

        Boundary(b3, "BankBoundary3", "boundary") {
            SystemQueue(SystemF, "Banking System F Queue", "A system of the bank.")
            SystemQueue_Ext(SystemG, "Banking System G Queue", "A system of the bank, with personal bank acco
        }
    }
}
BiRel(customerA, SystemAA, "Uses")

```

```

BiRel(SystemAA, SystemE, "Uses")

Rel(SystemAA, SystemC, "Sends e-mails", "SMTP")

Rel(SystemC, customerA, "Sends e-mails to")


UpdateElementStyle(customerA, $fontColor="red", $bgColor="grey", $borderColor="red")

UpdateRelStyle(customerA, SystemAA, $textColor="blue", $lineColor="blue", $offsetX="5")

UpdateRelStyle(SystemAA, SystemE, $textColor="blue", $lineColor="blue", $offsetY="-10")
UpdateRelStyle(SystemAA, SystemC, $textColor="blue", $lineColor="blue", $offsetY="-40", $offsetX="-50")

UpdateRelStyle(SystemC, customerA, $textColor="red", $lineColor="red", $offsetX="-50", $offsetY="20")


UpdateLayoutConfig($c4ShapeInRow="3", $c4BoundaryInRow="1")
{{< /mermaid >}}

```

### ### Mindmaps

```

````go
{{< /* mermaid */>}}

mindmap
  root((mindmap))
    Origins
      Long history
      ::icon(fa fa-book)
      Popularisation
        British popular psychology author Tony Buzan
    Research
      On effectiveness<br/>and features
      On Automatic creation
      Uses
        Creative techniques
        Strategic planning
        Argument mapping
    Tools
      Pen and paper
      Mermaid
{{< /* /mermaid */>}}

```

````

```
{{< mermaid >}}
```

```
mindmap
```

```
  root((mindmap))
```

```
    Origins
```

```
      Long history
```

```
      ::icon(fa fa-book)
```

```
      Popularisation
```

```
        British popular psychology author Tony Buzan
```

```
    Research
```

```
      On effectiveness<br/>and features
```

```
      On Automatic creation
```

```
    Uses
```

```
      Creative techniques
```

```
      Strategic planning
```

```
      Argument mapping
```

```
    Tools
```

```
      Pen and paper
```

```
      Mermaid
```

```
{{< /mermaid >}}
```

```
### Timeline
```

```
````go
```

```
{{< /* mermaid */>}}
```

```
timeline
```

```
  title History of Social Media Platform
```

```
  2002 : LinkedIn
```

```
  2004 : Facebook
```

```
        : Google
```

```
  2005 : Youtube
```

```
  2006 : Twitter
```

```
{{< /* /mermaid */>}}
```

````

```

{{< mermaid >}}
timeline
    title History of Social Media Platform
    2002 : LinkedIn
    2004 : Facebook
           : Google
    2005 : Youtube
    2006 : Twitter
{{< /mermaid >}}

```

### Sankey

```

````go
{{< /* mermaid */>}}
sankey-beta

%% source,target,value
Electricity grid,Over generation / exports,104.453
Electricity grid,Heating and cooling - homes,113.726
Electricity grid,H2 conversion,27.14
{{< /* /mermaid */>}}
````

```

```

{{< mermaid >}}
sankey-beta

```

```

%% source,target,value
Electricity grid,Over generation / exports,104.453
Electricity grid,Heating and cooling - homes,113.726
Electricity grid,H2 conversion,27.14
{{< /mermaid >}}

```

```

### XYChart
````go
{{< /* mermaid */>}}

```

xychart-beta

```
    title "Sales Revenue"

    x-axis [jan, feb, mar, apr, may, jun, jul, aug, sep, oct, nov, dec]

    y-axis "Revenue (in $)" 4000 --> 11000

    bar [5000, 6000, 7500, 8200, 9500, 10500, 11000, 10200, 9200, 8500, 7000, 6000]

    line [5000, 6000, 7500, 8200, 9500, 10500, 11000, 10200, 9200, 8500, 7000, 6000]

{{</* /mermaid */>}}

....
```

{{< mermaid >}}

xychart-beta

```
    title "Sales Revenue"

    x-axis [jan, feb, mar, apr, may, jun, jul, aug, sep, oct, nov, dec]

    y-axis "Revenue (in $)" 4000 --> 11000

    bar [5000, 6000, 7500, 8200, 9500, 10500, 11000, 10200, 9200, 8500, 7000, 6000]

    line [5000, 6000, 7500, 8200, 9500, 10500, 11000, 10200, 9200, 8500, 7000, 6000]

{{< /mermaid >}}
```

### Block Diagram  
``go

{{</\* mermaid \*/>}}

block-beta

columns 1

```
    db(("DB"))

    blockArrowId6["&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;"]>(down)

    block:ID

        A

        B["A wide one in the middle"]

        C

    end

    space

    D

    ID --> D

    C --> D

    style B fill:#969,stroke:#333,stroke-width:4px
```

```
{{</ * /mermaid */>}}
```

```
....
```

```
{{< mermaid >}}
```

```
block-beta
```

```
columns 1
```

```
db(("DB"))
```

```
blockArrowId6<["&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;"]>(down)
```

```
block:ID
```

```
A
```

```
B["A wide one in the middle"]
```

```
C
```

```
end
```

```
space
```

```
D
```

```
ID --> D
```

```
C --> D
```

```
style B fill:#969,stroke:#333,stroke-width:4px
```

```
{{< /mermaid >}}
```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\mermaid.bir.md

*Resumo: +++ description = "Generrrat'n o' diagrrram an' flowcharrt frrom text 'n a similar manner as Marrrkdown" title = "Merrrmaid" +++ {{< piratify true >}}*

+++

description = "Generrrat'n o' diagrrram an' flowcharrt frrom text 'n a similar manner as Marrrkdown"

title = "Merrrmaid"

+++

{{< piratify true >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\nofice.en.md

*Resumo: +++ description = "Disclaimers to help you structure your page" title = "Notice" +++ The `notice` shortcode shows various types of disclaimers with adjustable color, title and icon to help you structure your page. {{% notice style="primary" title="There may be pirates" icon="skull-crossbone..."*

+++

description = "Disclaimers to help you structure your page"

title = "Notice"

+++

The `notice` shortcode shows various types of disclaimers with adjustable color, title and icon to help y

```
{{% notice style="primary" title="There may be pirates" icon="skull-crossbones" %}}
```

It is all about the boxes.

```
{{% /notice %}}
```

### ## Usage

While the examples are using shortcodes with named parameter you are free to use positional as well or al

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{%/ * notice style="primary" title="There may be pirates" icon="skull-crossbones" */%}}
```

It is all about the boxes.

```
{{%/ * /notice */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="shortcode (positional)" %}}
```

```
````go
```

```
{{%/ * notice primary "There may be pirates" "skull-crossbones" */%}}
```

It is all about the boxes.



```
{{%/ * /notice */%}}
....
```

```
{{% /tab %}}
{{% tab title="partial" %}}
```

```
....`go
{{ partial "shortcodes/notice.html" (dict
  "page" .
  "style" "primary"
  "title" "There may be pirates"
  "icon" "skull-crossbones"
  "content" "It is all about the boxes."
)}}
....
```

```
{{% /tab %}}
{{< /tabs >}}
```

### Parameter

| Name                                   | Position | Default                | Notes                                                                                                                                  |
|----------------------------------------|----------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| -----                                  | -----    | -----                  | -----                                                                                                                                  |
| <b>style</b>                           | 1        | <code>`default`</code> | The style scheme used for the box.<br><br>- by severity: <code>`info`</code> , <code>`no</code>                                        |
| <b>color</b>                           |          | see notes              | The [CSS color value](https://developer.mozilla.org/en-US/docs/Web/CSS/color) (https://developer.mozilla.org/en-US/docs/Web/CSS/color) |
| <b>title</b>                           | 2        | see notes              | Arbitrary text for the box title. Depending on the <b>style</b> there m                                                                |
| <b>icon</b>                            | 3        | see notes              | [Font Awesome icon name](shortcodes/icon#finding-an-icon) set to the                                                                   |
| <code>_&amp;lt;content&amp;gt;_</code> |          |                        | <code>_&amp;lt;empty&amp;gt;_</code>   Arbitrary text to be displayed in box.                                                          |

## Examples  
### By Severity

#### Info with markup

```
....`go
```

```
{{%/ * notice style="info" */%}}
```

An **information** disclaimer

You can add standard markdown syntax:

- multiple paragraphs
- bullet point lists
- emphasized, **bold** and even **bold emphasized** text
- [links](https://example.com)
- etc.

```
```plaintext
```

...and even source code

```
```
```

> the possibilities are endless (almost - including other shortcodes may or may not work)

```
{{%/ * /notice */%}}
```

```
````
```

```
{{% notice style="info" %}}
```

An **information** disclaimer

You can add standard markdown syntax:

- multiple paragraphs
- bullet point lists
- emphasized, **bold** and even **bold emphasized** text
- [links](https://example.com)
- etc.

```
```plaintext
```

...and even source code

```
```
```

> the possibilities are endless (almost - including other shortcodes may or may not work)

```
{{% /notice %}}
```

#### Note

````go

```
{{%/ * notice style="note" */%}}
```

A **\*\*notice\*\*** disclaimer

```
{{%/ * /notice */%}}
```

````

```
{{% notice style="note" %}}
```

A **\*\*notice\*\*** disclaimer

```
{{% /notice %}}
```

#### Tip

````go

```
{{%/ * notice style="tip" */%}}
```

A **\*\*tip\*\*** disclaimer

```
{{%/ * /notice */%}}
```

````

```
{{% notice style="tip" %}}
```

A **\*\*tip\*\*** disclaimer

```
{{% /notice %}}
```

#### Warning

````go

```
{{%/ * notice style="warning" */%}}
```

A **\*\*warning\*\*** disclaimer

```
{{%/ * /notice */%}}
```

````

```
{{% notice style="warning" %}}
```

A **\*\*warning\*\*** disclaimer

```
{{% /notice %}}
```

### #### Warning with Non-Default Title and Icon

```
````go
{{%/ * notice style="warning" title="Here are dragons" icon="dragon" */%}}
A **warning** disclaimer
{{%/ * /notice */%}}
````
```

```
{{% notice style="warning" title="Here are dragons" icon="dragon" %}}
A **warning** disclaimer
{{% /notice %}}
```

### #### Warning without a Title and Icon

```
````go
{{%/ * notice style="warning" title=" " icon=" " */%}}
A **warning** disclaimer
{{%/ * /notice */%}}
````
```

```
{{% notice style="warning" title=" " icon=" " %}}
A **warning** disclaimer
{{% /notice %}}
```

### ### By Brand Colors

#### #### Primary with Title only

```
````go
{{%/ * notice style="primary" title="Primary" */%}}
A **primary** disclaimer
{{%/ * /notice */%}}
````
{{% notice style="primary" title="Primary" %}}
A **primary** disclaimer
```

```
{{% /notice %}}
```

#### Secondary with Icon only

```
````go
{{%/ * notice style="secondary" icon="stopwatch" */%}}
A **secondary** disclaimer
{{%/ * /notice */%}}
````
```

```
{{% notice style="secondary" icon="stopwatch" %}}
A **secondary** disclaimer
{{% /notice %}}
```

#### Accent

```
````go
{{%/ * notice style="accent" */%}}
An **accent** disclaimer
{{%/ * /notice */%}}
````
```

```
{{% notice style="accent" %}}
An **accent** disclaimer
{{% /notice %}}
```

### By Color

#### Blue without a Title and Icon

```
````go
{{%/ * notice style="blue" */%}}
A **blue** disclaimer
{{%/ * /notice */%}}
````
```

```
{{% notice style="blue" %}}
```

```
A **blue** disclaimer
```

```
{{% /notice %}}
```

```
#### Green with Title only
```

```
````go
```

```
{{%/ notice style="green" title="Green" */%}}
```

```
A **green** disclaimer
```

```
{{%/ /notice */%}}
```

```
````
```

```
{{% notice style="green" title="Green" %}}
```

```
A **green** disclaimer
```

```
{{% /notice %}}
```

```
#### Grey with Icon only
```

```
````go
```

```
{{%/ notice style="grey" icon="bug" */%}}
```

```
A **grey** disclaimer
```

```
{{%/ /notice */%}}
```

```
````
```

```
{{% notice style="grey" icon="bug" %}}
```

```
A **grey** disclaimer
```

```
{{% /notice %}}
```

```
#### Orange with Title and Icon
```

```
````go
```

```
{{%/ notice style="orange" title="Orange" icon="bug" */%}}
```

```
A **orange** disclaimer
```

```
{{%/ /notice */%}}
```

```
````
```

```
{{% notice style="orange" title="Orange" icon="bug" %}}
```

```
A **orange** disclaimer
```

```
{{% /notice %}}
```

```
#### Red without a Title and Icon
```

```
````go
```

```
{{%/ * notice style="red" */%}}
```

```
A red disclaimer
```

```
{{%/ * /notice */%}}
```

```
````
```

```
{{% notice style="red" %}}
```

```
A red disclaimer
```

```
{{% /notice %}}
```

```
### By Special Color
```

```
#### Default with Positional Parameter
```

```
````go
```

```
{{%/ * notice default "Pay Attention to this Note!" "skull-crossbones" */%}}
```

```
Some serious information.
```

```
{{%/ * /notice */%}}
```

```
````
```

```
{{% notice default "Pay Attention to this Note!" "skull-crossbones" %}}
```

```
Some serious information.
```

```
{{% /notice %}}
```

```
#### Transparent with Title and Icon
```

```
````go
```

```
{{%/ * notice style="transparent" title="Pay Attention to this Note!" icon="skull-crossbones" */%}}
```

```
Some serious information.
```

```
{{%/ * /notice */%}}
```

```
````
```

```
{{% notice style="transparent" title="Pay Attention to this Note!" icon="skull-crossbones" %}}  
Some serious information.  
{{% /notice %}}
```

### With User-Defined Color, Font Awesome Brand Icon and Markdown Title

```
````go  
{{%/ * notice color="fuchsia" title="**Hugo**" icon="fa-fw fab fa-hackerrank" */%}}  
Victor? Is it you?  
{{%/ * /notice */%}}  
````
```

```
{{% notice color="fuchsia" title="**Hugo**" icon="fa-fw fab fa-hackerrank" %}}  
Victor? Is it you?  
{{% /notice %}}
```



## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\nofice.nir.md

Resumo: +++ description = "Disclaimerrrs t' help ye strrructurrre yer plank" title = "Notice" +++  
{{< piratify >}}

+++

description = "Disclaimerrrs t' help ye strrructurrre yer plank"

title = "Notice"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi\ index.en.md

*Resumo: --- description: "UI for your OpenAPI / Swagger specifications" title: "OpenAPI" --- The `openapi` shortcode uses the [Swagger UI](https://github.com/swagger-api/swagger-ui) library to display your OpenAPI / Swagger specifications. ## Usage While the examples are using shortcodes with na...*

---

description: "UI for your OpenAPI / Swagger specifications"

title: "OpenAPI"

---

The `openapi` shortcode uses the [Swagger UI](https://github.com/swagger-api/swagger-ui) library to display your OpenAPI / Swagger specifications.

### ## Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from

```
{{< tabs groupId="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{</* openapi src="https://petstore3.openapi.io/api/v3/openapi.json" */>}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```
````go
```

```
{{ partial "shortcodes/openapi.html" (dict
```

```
  "page" .
```

```
  "src" "https://petstore3.openapi.io/api/v3/openapi.json"
```

```
)}}}
```

```
````
```

```
{{% /tab %}}
```

```
{{< /tabs >}}
```

### Parameter

| Name    | Default         | Notes                                                           |
|---------|-----------------|-----------------------------------------------------------------|
| -----   | -----           | -----                                                           |
| **src** | _&lt;empty&gt;_ | The URL to the OpenAPI specification file. This can be relative |

{{% notice note %}}

If you want to print out (or generate a PDF) from your OpenAPI documentation, don't initiate printing directly

Instead, open the [print preview](basics/customization#activate-print-support) in your browser and initiate printing

{{% /notice %}}

## Example

### Using Local File

```
````go
{{< /* openapi src="petstore.json" */>}}
````

{{< openapi src="petstore.json" >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi\ index.pir.md

Resumo: --- description: "Adds UI for OpenAPI / Swaggerrr Specificat'ns" title: "OpenAPI" ---  
{{< piratify >}}

---

description: "Adds UI for OpenAPI / Swaggerrr Specificat'ns"

title: "OpenAPI"

---

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi\petstore.json

*Resumo: { "openapi": "3.0.2", "info": { "title": "Swagger Petstore - OpenAPI 3.0", "description": "This is a sample Pet Store Server based on the OpenAPI 3.0 specification. You can find out more about\nSwagger at [http://swagger.io](http://swagger.io). In the third iteration of the pet store, we'...*

```
{
  "openapi": "3.0.2",
  "info": {
    "title": "Swagger Petstore - OpenAPI 3.0",
    "description": "This is a sample Pet Store Server based on the OpenAPI 3.0 specification. You can find
    "termsOfService": "http://swagger.io/terms/",
    "contact": {
      "email": "apiteam@swagger.io"
    },
    "license": {
      "name": "Apache 2.0",
      "url": "http://www.apache.org/licenses/LICENSE-2.0.html"
    },
    "version": "1.0.18"
  },
  "externalDocs": {
    "description": "Find out more about Swagger",
    "url": "http://swagger.io"
  },
  "servers": [
    {
      "url": "/api/v3"
    }
  ],
  "tags": [
    {
      "name": "pet",
      "description": "Everything about your Pets",
      "externalDocs": {
        "description": "Find out more",
```

```

        "url": "http://swagger.io"
    },
    {
        "name": "store",
        "description": "Access to Petstore orders",
        "externalDocs": {
            "description": "Find out more about our store",
            "url": "http://swagger.io"
        },
        {
            "name": "user",
            "description": "Operations about user"
        }
    ],
    "paths": {
        "/pet": {
            "put": {
                "tags": [
                    "pet"
                ],
                "summary": "Update an existing pet",
                "description": "Update an existing pet by Id",
                "operationId": "updatePet",
                "requestBody": {
                    "description": "Update an existent pet in the store",
                    "content": {
                        "application/json": {
                            "schema": {
                                "$ref": "#/components/schemas/Pet"
                            }
                        },
                        "application/xml": {
                            "schema": {

```

```
        "$ref": "#/components/schemas/Pet"
      }
    },
    "application/x-www-form-urlencoded": {
      "schema": {
        "$ref": "#/components/schemas/Pet"
      }
    }
  },
  "required": true
},
"responses": {
  "200": {
    "description": "Successful operation",
    "content": {
      "application/xml": {
        "schema": {
          "$ref": "#/components/schemas/Pet"
        }
      },
      "application/json": {
        "schema": {
          "$ref": "#/components/schemas/Pet"
        }
      }
    }
  },
  "400": {
    "description": "Invalid ID supplied"
  },
  "404": {
    "description": "Pet not found"
  },
  "405": {
    "description": "Validation exception"
  }
}
```

```
        }
      },
      "security": [
        {
          "petstore_auth": [
            "write:pets",
            "read:pets"
          ]
        }
      ],
      "post": {
        "tags": [
          "pet"
        ],
        "summary": "Add a new pet to the store",
        "description": "Add a new pet to the store",
        "operationId": "addPet",
        "requestBody": {
          "description": "Create a new pet in the store",
          "content": {
            "application/json": {
              "schema": {
                "$ref": "#/components/schemas/Pet"
              }
            },
            "application/xml": {
              "schema": {
                "$ref": "#/components/schemas/Pet"
              }
            },
            "application/x-www-form-urlencoded": {
              "schema": {
                "$ref": "#/components/schemas/Pet"
              }
            }
          }
        }
      }
    }
  }
}
```



```
        {}
    },
    "required": true
},
"responses": {
    "200": {
        "description": "Successful operation",
        "content": {
            "application/xml": {
                "schema": {
                    "$ref": "#/components/schemas/Pet"
                }
            },
            "application/json": {
                "schema": {
                    "$ref": "#/components/schemas/Pet"
                }
            }
        }
    },
    "405": {
        "description": "Invalid input"
    },
    "security": [
        {
            "petstore_auth": [
                "write:pets",
                "read:pets"
            ]
        }
    ]
},
"/pet/findByStatus": {
```

```

    "get": {
      "tags": [
        "pet"
      ],
      "summary": "Finds Pets by status",
      "description": "Multiple status values can be provided with comma separated strings",
      "operationId": "findPetsByStatus",
      "parameters": [
        {
          "name": "status",
          "in": "query",
          "description": "Status values that need to be considered for filter",
          "required": false,
          "explode": true,
          "schema": {
            "type": "string",
            "default": "available",
            "enum": [
              "available",
              "pending",
              "sold"
            ]
          }
        }
      ],
      "responses": {
        "200": {
          "description": "successful operation",
          "content": {
            "application/xml": {
              "schema": {
                "type": "array",
                "items": {
                  "$ref": "#/components/schemas/Pet"
                }
              }
            }
          }
        }
      }
    }
  }
}

```

```
        {}
      },
      "application/json": {
        "schema": {
          "type": "array",
          "items": {
            "$ref": "#/components/schemas/Pet"
          }
        }
      }
    }
  },
  "400": {
    "description": "Invalid status value"
  },
  "security": [
    {
      "petstore_auth": [
        "write:pets",
        "read:pets"
      ]
    }
  ]
},
"/pet/findByTags": {
  "get": {
    "tags": [
      "pet"
    ],
    "summary": "Finds Pets by tags",
    "description": "Multiple tags can be provided with comma separated strings. Use tag1, tag2, tag3 for",
    "operationId": "findPetsByTags",
    "parameters": [
```

```

{
  "name": "tags",
  "in": "query",
  "description": "Tags to filter by",
  "required": false,
  "explode": true,
  "schema": {
    "type": "array",
    "items": {
      "type": "string"
    }
  }
},
{
  "responses": {
    "200": {
      "description": "successful operation",
      "content": {
        "application/xml": {
          "schema": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Pet"
            }
          }
        },
        "application/json": {
          "schema": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/Pet"
            }
          }
        }
      }
    }
  }
}

```

```
    },
    "400": {
      "description": "Invalid tag value"
    }
  },
  "security": [
    {
      "petstore_auth": [
        "write:pets",
        "read:pets"
      ]
    }
  ],
  "/pet/{petId}": {
    "get": {
      "tags": [
        "pet"
      ],
      "summary": "Find pet by ID",
      "description": "Returns a single pet",
      "operationId": "getPetById",
      "parameters": [
        {
          "name": "petId",
          "in": "path",
          "description": "ID of pet to return",
          "required": true,
          "schema": {
            "type": "integer",
            "format": "int64"
          }
        }
      ]
    }
  ],
}
```

```
    "responses": {
      "200": {
        "description": "successful operation",
        "content": {
          "application/xml": {
            "schema": {
              "$ref": "#/components/schemas/Pet"
            }
          },
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/Pet"
            }
          }
        }
      },
      "400": {
        "description": "Invalid ID supplied"
      },
      "404": {
        "description": "Pet not found"
      }
    },
    "security": [
      {
        "api_key": []
      },
      {
        "petstore_auth": [
          "write:pets",
          "read:pets"
        ]
      }
    ]
  },
}
```

```
    "post": {
      "tags": [
        "pet"
      ],
      "summary": "Updates a pet in the store with form data",
      "description": "",
      "operationId": "updatePetWithForm",
      "parameters": [
        {
          "name": "petId",
          "in": "path",
          "description": "ID of pet that needs to be updated",
          "required": true,
          "schema": {
            "type": "integer",
            "format": "int64"
          }
        },
        {
          "name": "name",
          "in": "query",
          "description": "Name of pet that needs to be updated",
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "status",
          "in": "query",
          "description": "Status of pet that needs to be updated",
          "schema": {
            "type": "string"
          }
        }
      ],
    },
  ],
}
```

```
    "responses": {
      "405": {
        "description": "Invalid input"
      }
    },
    "security": [
      {
        "petstore_auth": [
          "write:pets",
          "read:pets"
        ]
      }
    ],
    "delete": {
      "tags": [
        "pet"
      ],
      "summary": "Deletes a pet",
      "description": "",
      "operationId": "deletePet",
      "parameters": [
        {
          "name": "api_key",
          "in": "header",
          "description": "",
          "required": false,
          "schema": {
            "type": "string"
          }
        },
        {
          "name": "petId",
          "in": "path",
          "description": "Pet id to delete",
```



```

    "required": true,
    "schema": {
      "type": "integer",
      "format": "int64"
    }
  ],
  "responses": {
    "400": {
      "description": "Invalid pet value"
    }
  },
  "security": [
    {
      "petstore_auth": [
        "write:pets",
        "read:pets"
      ]
    }
  ]
},
{
  "/pet/{petId}/uploadImage": {
    "post": {
      "tags": [
        "pet"
      ],
      "summary": "uploads an image",
      "description": "",
      "operationId": "uploadFile",
      "parameters": [
        {
          "name": "petId",
          "in": "path",
          "description": "ID of pet to update"
        }
      ]
    }
  }
}

```

```
        "required": true,
        "schema": {
            "type": "integer",
            "format": "int64"
        }
    },
    {
        "name": "additionalMetadata",
        "in": "query",
        "description": "Additional Metadata",
        "required": false,
        "schema": {
            "type": "string"
        }
    }
],
    "requestBody": {
        "content": {
            "application/octet-stream": {
                "schema": {
                    "type": "string",
                    "format": "binary"
                }
            }
        }
    },
    "responses": {
        "200": {
            "description": "successful operation",
            "content": {
                "application/json": {
                    "schema": {
                        "$ref": "#/components/schemas/ApiResponse"
                    }
                }
            }
        }
    }
}
```

```

        {}
    }
    },
    "security": [
        {
            "petstore_auth": [
                "write:pets",
                "read:pets"
            ]
        }
    ]
}

],
{
    "/store/inventory": {
        "get": {
            "tags": [
                "store"
            ],
            "summary": "Returns pet inventories by status",
            "description": "Returns a map of status codes to quantities",
            "operationId": "getInventory",
            "responses": {
                "200": {
                    "description": "successful operation",
                    "content": {
                        "application/json": {
                            "schema": {
                                "type": "object",
                                "additionalProperties": {
                                    "type": "integer",
                                    "format": "int32"
                                }
                            }
                        }
                    }
                }
            }
        }
    }
}

```

```
        {}
    },
    "security": [
        {
            "api_key": []
        }
    ]
},
{
    "/store/order": {
        "post": {
            "tags": [
                "store"
            ],
            "summary": "Place an order for a pet",
            "description": "Place a new order in the store",
            "operationId": "placeOrder",
            "requestBody": {
                "content": {
                    "application/json": {
                        "schema": {
                            "$ref": "#/components/schemas/Order"
                        }
                    },
                    "application/xml": {
                        "schema": {
                            "$ref": "#/components/schemas/Order"
                        }
                    },
                    "application/x-www-form-urlencoded": {
                        "schema": {
                            "$ref": "#/components/schemas/Order"
                        }
                    }
                }
            }
        }
    }
}
```

```

    },
    "responses": {
      "200": {
        "description": "successful operation",
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/Order"
            }
          }
        }
      },
      "405": {
        "description": "Invalid input"
      }
    }
  },
  "/store/order/{orderId}": {
    "get": {
      "tags": [
        "store"
      ],
      "summary": "Find purchase order by ID",
      "description": "For valid response try integer IDs with value <= 5 or > 10. Other values will generate errors.",
      "operationId": "getOrderById",
      "parameters": [
        {
          "name": "orderId",
          "in": "path",
          "description": "ID of order that needs to be fetched",
          "required": true,
          "schema": {
            "type": "integer",
            "format": "int64"
          }
        }
      ]
    }
  }
}

```

```

        }
    }
},
    "responses": {
        "200": {
            "description": "successful operation",
            "content": {
                "application/xml": {
                    "schema": {
                        "$ref": "#/components/schemas/Order"
                    }
                },
                "application/json": {
                    "schema": {
                        "$ref": "#/components/schemas/Order"
                    }
                }
            }
        },
        "400": {
            "description": "Invalid ID supplied"
        },
        "404": {
            "description": "Order not found"
        }
    },
    "delete": {
        "tags": [
            "store"
        ],
        "summary": "Delete purchase order by ID",
        "description": "For valid response try integer IDs with value < 1000. Anything above 1000 or noninteger will not be accepted",
        "operationId": "deleteOrder",
        "parameters": [

```

```

    {
      "name": "orderId",
      "in": "path",
      "description": "ID of the order that needs to be deleted",
      "required": true,
      "schema": {
        "type": "integer",
        "format": "int64"
      }
    }
  ],
  "responses": {
    "400": {
      "description": "Invalid ID supplied"
    },
    "404": {
      "description": "Order not found"
    }
  }
},
{
  "/user": {
    "post": {
      "tags": [
        "user"
      ],
      "summary": "Create user",
      "description": "This can only be done by the logged in user.",
      "operationId": "createUser",
      "requestBody": {
        "description": "Created user object",
        "content": {
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/User"
            }
          }
        }
      }
    }
  }
}

```

```

}
    },
    "application/xml": {
        "schema": {
            "$ref": "#/components/schemas/User"
        }
    },
    "application/x-www-form-urlencoded": {
        "schema": {
            "$ref": "#/components/schemas/User"
        }
    }
},
"responses": {
    "default": {
        "description": "successful operation",
        "content": {
            "application/json": {
                "schema": {
                    "$ref": "#/components/schemas/User"
                }
            },
            "application/xml": {
                "schema": {
                    "$ref": "#/components/schemas/User"
                }
            }
        }
    }
},
"/user/createWithList": {
    "post": {

```



```

    "tags": [
      {
        "name": "user"
      }
    ],
    "summary": "Creates list of users with given input array",
    "description": "Creates list of users with given input array",
    "operationId": "createUsersWithListInput",
    "requestBody": {
      "content": {
        "application/json": {
          "schema": {
            "type": "array",
            "items": {
              "$ref": "#/components/schemas/User"
            }
          }
        }
      }
    },
    "responses": {
      "200": {
        "description": "Successful operation",
        "content": {
          "application/xml": {
            "schema": {
              "$ref": "#/components/schemas/User"
            }
          },
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/User"
            }
          }
        }
      },
      "default": {

```

```

        "description": "successful operation"
    },
    {
        "summary": "Logs user into the system",
        "description": "",
        "operationId": "loginUser",
        "parameters": [
            {
                "name": "username",
                "in": "query",
                "description": "The user name for login",
                "required": false,
                "schema": {
                    "type": "string"
                }
            },
            {
                "name": "password",
                "in": "query",
                "description": "The password for login in clear text",
                "required": false,
                "schema": {
                    "type": "string"
                }
            }
        ],
        "responses": {
            "200": {

```

```

    "description": "successful operation",
    "headers": {
      "X-Rate-Limit": {
        "description": "calls per hour allowed by the user",
        "schema": {
          "type": "integer",
          "format": "int32"
        }
      },
      "X-Expires-After": {
        "description": "date in UTC when token expires",
        "schema": {
          "type": "string",
          "format": "date-time"
        }
      }
    },
    "content": {
      "application/xml": {
        "schema": {
          "type": "string"
        }
      },
      "application/json": {
        "schema": {
          "type": "string"
        }
      }
    },
    "400": {
      "description": "Invalid username/password supplied"
    }
  }
}
```

```

    },
    "/user/logout": {
      "get": {
        "tags": [
          "user"
        ],
        "summary": "Logs out current logged in user session",
        "description": "",
        "operationId": "logoutUser",
        "parameters": [],
        "responses": {
          "default": {
            "description": "successful operation"
          }
        }
      }
    },
    "/user/{username}": {
      "get": {
        "tags": [
          "user"
        ],
        "summary": "Get user by user name",
        "description": "",
        "operationId": "getUserByName",
        "parameters": [
          {
            "name": "username",
            "in": "path",
            "description": "The name that needs to be fetched. Use user1 for testing. ",
            "required": true,
            "schema": {
              "type": "string"
            }
          }
        ]
      }
    }
  }

```

```

    ],
    "responses": {
      "200": {
        "description": "successful operation",
        "content": {
          "application/xml": {
            "schema": {
              "$ref": "#/components/schemas/User"
            }
          },
          "application/json": {
            "schema": {
              "$ref": "#/components/schemas/User"
            }
          }
        }
      },
      "400": {
        "description": "Invalid username supplied"
      },
      "404": {
        "description": "User not found"
      }
    },
    "put": {
      "tags": [
        "user"
      ],
      "summary": "Update user",
      "description": "This can only be done by the logged in user.",
      "operationId": "updateUser",
      "parameters": [
        {
          "name": "username",

```

```

        "in": "path",
        "description": "name that needs to be updated",
        "required": true,
        "schema": {
            "type": "string"
        }
    ],
    "requestBody": {
        "description": "Update an existent user in the store",
        "content": {
            "application/json": {
                "schema": {
                    "$ref": "#/components/schemas/User"
                }
            },
            "application/xml": {
                "schema": {
                    "$ref": "#/components/schemas/User"
                }
            },
            "application/x-www-form-urlencoded": {
                "schema": {
                    "$ref": "#/components/schemas/User"
                }
            }
        }
    },
    "responses": {
        "default": {
            "description": "successful operation"
        }
    }
},
{
    "delete": {

```

```

    "tags": [
      {
        "name": "user"
      }
    ],
    "summary": "Delete user",
    "description": "This can only be done by the logged in user.",
    "operationId": "deleteUser",
    "parameters": [
      {
        "name": "username",
        "in": "path",
        "description": "The name that needs to be deleted",
        "required": true,
        "schema": {
          "type": "string"
        }
      }
    ],
    "responses": {
      "400": {
        "description": "Invalid username supplied"
      },
      "404": {
        "description": "User not found"
      }
    }
  },
  {
    "components": {
      "schemas": {
        "Order": {
          "type": "object",
          "properties": {
            "id": {
              "type": "object",

```

```
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "example": 10
          },
          "petId": {
            "type": "integer",
            "format": "int64",
            "example": 198772
          },
          "quantity": {
            "type": "integer",
            "format": "int32",
            "example": 7
          },
          "shipDate": {
            "type": "string",
            "format": "date-time"
          },
          "status": {
            "type": "string",
            "description": "Order Status",
            "example": "approved",
            "enum": [
              "placed",
              "approved",
              "delivered"
            ]
          },
          "complete": {
            "type": "boolean"
          }
        },
        "xml": {
```



```
        "name": "order"
      },
    ],
    "petId": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64",
          "example": 10
        },
        "petId": {
          "type": "integer",
          "format": "int64",
          "example": 198772
        },
        "quantity": {
          "type": "integer",
          "format": "int32",
          "example": 7
        },
        "shipDate": {
          "type": "string",
          "format": "date-time"
        },
        "status": {
          "type": "string",
          "description": "Order Status",
          "example": "approved",
          "enum": [
            "placed",
            "approved",
            "delivered"
          ]
        }
      }
    }
  },
}
```

```

    "complete": {
      "type": "boolean"
    },
    "xml": {
      "name": "order"
    },
    "quantity": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64",
          "example": 10
        },
        "petId": {
          "type": "integer",
          "format": "int64",
          "example": 198772
        },
        "quantity": {
          "type": "integer",
          "format": "int32",
          "example": 7
        },
        "shipDate": {
          "type": "string",
          "format": "date-time"
        },
        "status": {
          "type": "string",
          "description": "Order Status",
          "example": "approved",
          "enum": [

```

```
        "placed",
        "approved",
        "delivered"
    ]
},
    "complete": {
        "type": "boolean"
    },
    "xml": {
        "name": "order"
    },
    "shipDate": {
        "type": "object",
        "properties": {
            "id": {
                "type": "integer",
                "format": "int64",
                "example": 10
            },
            "petId": {
                "type": "integer",
                "format": "int64",
                "example": 198772
            },
            "quantity": {
                "type": "integer",
                "format": "int32",
                "example": 7
            },
            "shipDate": {
                "type": "string",
                "format": "date-time"
            },
```

```
"status": {
  "type": "string",
  "description": "Order Status",
  "example": "approved",
  "enum": [
    "placed",
    "approved",
    "delivered"
  ],
  "complete": {
    "type": "boolean"
  },
  "xml": {
    "name": "order"
  },
  "status": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "example": 10
      },
      "petId": {
        "type": "integer",
        "format": "int64",
        "example": 198772
      },
      "quantity": {
        "type": "integer",
        "format": "int32",
        "example": 7
      }
    }
  }
}
```

```
    },
    "shipDate": {
      "type": "string",
      "format": "date-time"
    },
    "status": {
      "type": "string",
      "description": "Order Status",
      "example": "approved",
      "enum": [
        "placed",
        "approved",
        "delivered"
      ]
    },
    "complete": {
      "type": "boolean"
    }
  },
  "xml": {
    "name": "order"
  }
},
"complete": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "example": 10
    },
    "petId": {
      "type": "integer",
      "format": "int64",
      "example": 198772
    }
  }
}
```

```
        },
        "quantity": {
            "type": "integer",
            "format": "int32",
            "example": 7
        },
        "shipDate": {
            "type": "string",
            "format": "date-time"
        },
        "status": {
            "type": "string",
            "description": "Order Status",
            "example": "approved",
            "enum": [
                "placed",
                "approved",
                "delivered"
            ]
        },
        "complete": {
            "type": "boolean"
        }
    },
    "xml": {
        "name": "order"
    }
}

"xml": {
    "name": "order"
}

"Customer": {
    "type": "object",
```

```
    "properties": {
      "id": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "example": 100000
          },
          "username": {
            "type": "string",
            "example": "fehgyu"
          },
          "address": {
            "type": "array",
            "xml": {
              "name": "addresses",
              "wrapped": true
            },
            "items": {
              "$ref": "#/components/schemas/Address"
            }
          }
        },
        "xml": {
          "name": "customer"
        }
      },
      "username": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "example": 100000
```

```
    },
    "username": {
      "type": "string",
      "example": "fehguy"
    },
    "address": {
      "type": "array",
      "xml": {
        "name": "addresses",
        "wrapped": true
      },
      "items": {
        "$ref": "#/components/schemas/Address"
      }
    }
  },
  "xml": {
    "name": "customer"
  }
},
{
  "address": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "example": 100000
      },
      "username": {
        "type": "string",
        "example": "fehguy"
      },
      "address": {
        "type": "array",
        "xml": {
```



```

    "name": "addresses",

    "wrapped": true

  },

  "items": {

    "$ref": "#/components/schemas/Address"
  }

},

  "xml": {

    "name": "customer"

  }

},

  "xml": {

    "name": "customer"

  }

},

  "Address": {

    "type": "object",

    "properties": {

      "street": {

        "type": "object",

        "properties": {

          "street": {

            "type": "string",

            "example": "437 Lytton"

          },

          "city": {

            "type": "string",

            "example": "Palo Alto"

          },

          "state": {

            "type": "string",

            "example": "CA"

          },

```

```

    "zip": {
      "type": "string",
      "example": "94301"
    },
    "xml": {
      "name": "address"
    },
    "city": {
      "type": "object",
      "properties": {
        "street": {
          "type": "string",
          "example": "437 Lytton"
        },
        "city": {
          "type": "string",
          "example": "Palo Alto"
        },
        "state": {
          "type": "string",
          "example": "CA"
        },
        "zip": {
          "type": "string",
          "example": "94301"
        }
      }
    },
    "xml": {
      "name": "address"
    },
    "state": {
      "type": "object",

```

```
    "properties": {
      "street": {
        "type": "string",
        "example": "437 Lytton"
      },
      "city": {
        "type": "string",
        "example": "Palo Alto"
      },
      "state": {
        "type": "string",
        "example": "CA"
      },
      "zip": {
        "type": "string",
        "example": "94301"
      }
    },
    "xml": {
      "name": "address"
    },
    "zip": {
      "type": "object",
      "properties": {
        "street": {
          "type": "string",
          "example": "437 Lytton"
        },
        "city": {
          "type": "string",
          "example": "Palo Alto"
        },
        "state": {
          "type": "string",
```

```

    "example": "CA"
  },
  "zip": {
    "type": "string",
    "example": "94301"
  },
  "xml": {
    "name": "address"
  },
  "xml": {
    "name": "address"
  },
  "Category": {
    "type": "object",
    "properties": {
      "id": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "example": 1
          },
          "name": {
            "type": "string",
            "example": "Dogs"
          }
        }
      },
      "xml": {
        "name": "category"
      }
    }
  }
}
```

```
    },
    "name": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64",
          "example": 1
        },
        "name": {
          "type": "string",
          "example": "Dogs"
        }
      },
      "xml": {
        "name": "category"
      }
    }
  },
  "xml": {
    "name": "category"
  }
},
{
  "User": {
    "type": "object",
    "properties": {
      "id": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64",
            "example": 10
          },
          "username": {
```

```
        "type": "string",
        "example": "theUser"
    },
    "firstName": {
        "type": "string",
        "example": "John"
    },
    "lastName": {
        "type": "string",
        "example": "James"
    },
    "email": {
        "type": "string",
        "example": "john@email.com"
    },
    "password": {
        "type": "string",
        "example": "12345"
    },
    "phone": {
        "type": "string",
        "example": "12345"
    },
    "userStatus": {
        "type": "integer",
        "description": "User Status",
        "format": "int32",
        "example": 1
    },
    "xml": {
        "name": "user"
    },
    "username": {
```

```
        "type": "object",
        "properties": {
            "id": {
                "type": "integer",
                "format": "int64",
                "example": 10
            },
            "username": {
                "type": "string",
                "example": "theUser"
            },
            "firstName": {
                "type": "string",
                "example": "John"
            },
            "lastName": {
                "type": "string",
                "example": "James"
            },
            "email": {
                "type": "string",
                "example": "john@email.com"
            },
            "password": {
                "type": "string",
                "example": "12345"
            },
            "phone": {
                "type": "string",
                "example": "12345"
            },
            "userStatus": {
                "type": "integer",
                "description": "User Status",
                "format": "int32",
```

```
"example": 1
{
  },
  "xml": {
    "name": "user"
  },
  "firstName": {
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "example": 10
      },
      "username": {
        "type": "string",
        "example": "theUser"
      },
      "firstName": {
        "type": "string",
        "example": "John"
      },
      "lastName": {
        "type": "string",
        "example": "James"
      },
      "email": {
        "type": "string",
        "example": "john@email.com"
      },
      "password": {
        "type": "string",
        "example": "12345"
      },
    }
  }
}
```



```
    "phone": {
      "type": "string",
      "example": "12345"
    },
    "userStatus": {
      "type": "integer",
      "description": "User Status",
      "format": "int32",
      "example": 1
    }
  },
  "xml": {
    "name": "user"
  }
},
"lastName": {
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "example": 10
    },
    "username": {
      "type": "string",
      "example": "theUser"
    },
    "firstName": {
      "type": "string",
      "example": "John"
    },
    "lastName": {
      "type": "string",
      "example": "James"
    }
  }
}
```

```

    "email": {
      "type": "string",
      "example": "john@email.com"
    },
    "password": {
      "type": "string",
      "example": "12345"
    },
    "phone": {
      "type": "string",
      "example": "12345"
    },
    "userStatus": {
      "type": "integer",
      "description": "User Status",
      "format": "int32",
      "example": 1
    },
    "xml": {
      "name": "user"
    },
    "email": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64",
          "example": 10
        },
        "username": {
          "type": "string",
          "example": "theUser"
        }
      }
    }
  }
}
```

```
    "firstName": {
      "type": "string",
      "example": "John"
    },
    "lastName": {
      "type": "string",
      "example": "James"
    },
    "email": {
      "type": "string",
      "example": "john@email.com"
    },
    "password": {
      "type": "string",
      "example": "12345"
    },
    "phone": {
      "type": "string",
      "example": "12345"
    },
    "userStatus": {
      "type": "integer",
      "description": "User Status",
      "format": "int32",
      "example": 1
    },
    "xml": {
      "name": "user"
    },
    "password": {
      "type": "object",
      "properties": {
        "id": {
```

```
        "type": "integer",
        "format": "int64",
        "example": 10
    },
    "username": {
        "type": "string",
        "example": "theUser"
    },
    "firstName": {
        "type": "string",
        "example": "John"
    },
    "lastName": {
        "type": "string",
        "example": "James"
    },
    "email": {
        "type": "string",
        "example": "john@email.com"
    },
    "password": {
        "type": "string",
        "example": "12345"
    },
    "phone": {
        "type": "string",
        "example": "12345"
    },
    "userStatus": {
        "type": "integer",
        "description": "User Status",
        "format": "int32",
        "example": 1
    }
}
```

```

    "xml": {
      "name": "user"
    },
    "phone": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64",
          "example": 10
        },
        "username": {
          "type": "string",
          "example": "theUser"
        },
        "firstName": {
          "type": "string",
          "example": "John"
        },
        "lastName": {
          "type": "string",
          "example": "James"
        },
        "email": {
          "type": "string",
          "example": "john@email.com"
        },
        "password": {
          "type": "string",
          "example": "12345"
        },
        "phone": {
          "type": "string",
          "example": "12345"
        }
      }
    }
  }
}
```

```
        },
        "userStatus": {
            "type": "integer",
            "description": "User Status",
            "format": "int32",
            "example": 1
        }
    },
    "xml": {
        "name": "user"
    }
},

    "userStatus": {
        "type": "object",
        "properties": {
            "id": {
                "type": "integer",
                "format": "int64",
                "example": 10
            },
            "username": {
                "type": "string",
                "example": "theUser"
            },
            "firstName": {
                "type": "string",
                "example": "John"
            },
            "lastName": {
                "type": "string",
                "example": "James"
            },
            "email": {
                "type": "string",
                "example": "john@email.com"
```

```
    },
    "password": {
      "type": "string",
      "example": "12345"
    },
    "phone": {
      "type": "string",
      "example": "12345"
    },
    "userStatus": {
      "type": "integer",
      "description": "User Status",
      "format": "int32",
      "example": 1
    },
    "xml": {
      "name": "user"
    }
  },
  "xml": {
    "name": "user"
  }
},
{
  "Tag": {
    "type": "object",
    "properties": {
      "id": {
        "type": "object",
        "properties": {
          "id": {
            "type": "integer",
            "format": "int64"
          },

```

```

    "name": {
      "type": "string"
    },
    "xml": {
      "name": "tag"
    },
    "name": {
      "type": "object",
      "properties": {
        "id": {
          "type": "integer",
          "format": "int64"
        },
        "name": {
          "type": "string"
        },
        "xml": {
          "name": "tag"
        }
      },
      "xml": {
        "name": "tag"
      },
      "Pet": {
        "required": [
          "name",
          "photoUrls"
        ],
        "type": "object",
        "properties": {

```



```
        "id": {
          "required": [
            "name",
            "photoUrls"
          ],
          "type": "object",
          "properties": {
            "id": {
              "type": "integer",
              "format": "int64",
              "example": 10
            },
            "name": {
              "type": "string",
              "example": "doggie"
            },
            "category": {
              "$ref": "#/components/schemas/Category"
            },
            "photoUrls": {
              "type": "array",
              "xml": {
                "wrapped": true
              },
              "items": {
                "type": "string",
                "xml": {
                  "name": "photoUrl"
                }
              }
            },
            "tags": {
              "type": "array",
              "xml": {
                "wrapped": true
              }
            }
          }
        }
      }
    }
  }
}
```

```
    },
    "items": {
      "$ref": "#/components/schemas/Tag"
    }
  },
  "status": {
    "type": "string",
    "description": "pet status in the store",
    "enum": [
      "available",
      "pending",
      "sold"
    ]
  },
  "xml": {
    "name": "pet"
  },
  "name": {
    "required": [
      "name",
      "photoUrls"
    ],
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "example": 10
      },
      "name": {
        "type": "string",
        "example": "doggie"
      },

```

```
        "category": {
            "$ref": "#/components/schemas/Category"
        },
        "photoUrls": {
            "type": "array",
            "xml": {
                "wrapped": true
            },
            "items": {
                "type": "string",
                "xml": {
                    "name": "photoUrl"
                }
            }
        },
        "tags": {
            "type": "array",
            "xml": {
                "wrapped": true
            },
            "items": {
                "$ref": "#/components/schemas/Tag"
            }
        },
        "status": {
            "type": "string",
            "description": "pet status in the store",
            "enum": [
                "available",
                "pending",
                "sold"
            ]
        },
        "xml": {

```

```
"name": "pet"
}
},
"category": {
  "required": [
    "name",
    "photoUrls"
  ],
  "type": "object",
  "properties": {
    "id": {
      "type": "integer",
      "format": "int64",
      "example": 10
    },
    "name": {
      "type": "string",
      "example": "doggie"
    },
    "category": {
      "$ref": "#/components/schemas/Category"
    },
    "photoUrls": {
      "type": "array",
      "xml": {
        "wrapped": true
      },
      "items": {
        "type": "string",
        "xml": {
          "name": "photoUrl"
        }
      }
    },
    "tags": {
```

```
        "type": "array",
        "xml": {
            "wrapped": true
        },
        "items": {
            "$ref": "#/components/schemas/Tag"
        }
    },
    "status": {
        "type": "string",
        "description": "pet status in the store",
        "enum": [
            "available",
            "pending",
            "sold"
        ]
    },
    "xml": {
        "name": "pet"
    },
    "photoUrls": {
        "required": [
            "name",
            "photoUrls"
        ],
        "type": "object",
        "properties": {
            "id": {
                "type": "integer",
                "format": "int64",
                "example": 10
            },
            "name": {
```

```
        "type": "string",
        "example": "doggie"
    },
    "category": {
        "$ref": "#/components/schemas/Category"
    },
    "photoUrls": {
        "type": "array",
        "xml": {
            "wrapped": true
        },
        "items": {
            "type": "string",
            "xml": {
                "name": "photoUrl"
            }
        }
    },
    "tags": {
        "type": "array",
        "xml": {
            "wrapped": true
        },
        "items": {
            "$ref": "#/components/schemas/Tag"
        }
    },
    "status": {
        "type": "string",
        "description": "pet status in the store",
        "enum": [
            "available",
            "pending",
            "sold"
        ]
    }
}
```

```

    }
  },
  "xml": {
    "name": "pet"
  },
  "tags": {
    "required": [
      "name",
      "photoUrls"
    ],
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
        "example": 10
      },
      "name": {
        "type": "string",
        "example": "doggie"
      },
      "category": {
        "$ref": "#/components/schemas/Category"
      },
      "photoUrls": {
        "type": "array",
        "xml": {
          "wrapped": true
        },
        "items": {
          "type": "string",
          "xml": {
            "name": "photoUrl"
          }
        }
      }
    }
  }
}
```

```
    {}
  },
  "tags": {
    "type": "array",
    "xml": {
      "wrapped": true
    },
    "items": {
      "$ref": "#/components/schemas/Tag"
    }
  },
  "status": {
    "type": "string",
    "description": "pet status in the store",
    "enum": [
      "available",
      "pending",
      "sold"
    ]
  },
  "xml": {
    "name": "pet"
  },
  "status": {
    "required": [
      "name",
      "photoUrls"
    ],
    "type": "object",
    "properties": {
      "id": {
        "type": "integer",
        "format": "int64",
```



```
        "example": 10
    },
    "name": {
        "type": "string",
        "example": "doggie"
    },
    "category": {
        "$ref": "#/components/schemas/Category"
    },
    "photoUrls": {
        "type": "array",
        "xml": {
            "wrapped": true
        },
        "items": {
            "type": "string",
            "xml": {
                "name": "photoUrl"
            }
        }
    },
    "tags": {
        "type": "array",
        "xml": {
            "wrapped": true
        },
        "items": {
            "$ref": "#/components/schemas/Tag"
        }
    },
    "status": {
        "type": "string",
        "description": "pet status in the store",
        "enum": [
            "available",
```

```

    "pending",
    "sold"
  ]
}
},
  "xml": {
    "name": "pet"
  }
}
},
  "xml": {
    "name": "pet"
  }
},
  "ApiResponse": {
    "type": "object",
    "properties": {
      "code": {
        "type": "object",
        "properties": {
          "code": {
            "type": "integer",
            "format": "int32"
          },
          "type": {
            "type": "string"
          },
          "message": {
            "type": "string"
          }
        }
      },
      "xml": {
        "name": "##default"
      }
    },
  },

```

```
        "type": {
          "type": "object",
          "properties": {
            "code": {
              "type": "integer",
              "format": "int32"
            },
            "type": {
              "type": "string"
            },
            "message": {
              "type": "string"
            }
          },
          "xml": {
            "name": "##default"
          },
          "message": {
            "type": "object",
            "properties": {
              "code": {
                "type": "integer",
                "format": "int32"
              },
              "type": {
                "type": "string"
              },
              "message": {
                "type": "string"
              }
            },
            "xml": {
              "name": "##default"
            }
          }
        }
      },
      "xml": {
        "name": "##default"
      }
    }
  }
}
```

```

    }
  },
  "xml": {
    "name": "##default"
  }
}

},
"requestBodies": {
  "Pet": {
    "description": "Pet object that needs to be added to the store",
    "content": {
      "application/json": {
        "schema": {
          "$ref": "#/components/schemas/Pet"
        }
      },
      "application/xml": {
        "schema": {
          "$ref": "#/components/schemas/Pet"
        }
      }
    }
  }
},
"UserArray": {
  "description": "List of user object",
  "content": {
    "application/json": {
      "schema": {
        "type": "array",
        "items": {
          "$ref": "#/components/schemas/User"
        }
      }
    }
  }
}

```

```

    }
  },
  "securitySchemes": {
    "petstore_auth": {
      "type": "oauth2",
      "flows": {
        "implicit": {
          "authorizationUrl": "https://petstore3.swagger.io/oauth/authorize",
          "scopes": {
            "write:pets": "modify pets in your account",
            "read:pets": "read your pets"
          }
        }
      }
    }
  },
  "api_key": {
    "type": "apiKey",
    "name": "api_key",
    "in": "header"
  }
}

```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\openapi\petstore.vaml

*Resumo: openapi: 3.0.2 info: title: Swagger Petstore - OpenAPI 3.0 description: |- This is a sample Pet Store Server based on the OpenAPI 3.0 specification. You can find out more about Swagger at [http://swagger.io](http://swagger.io). In the third iteration of the pet store, we've switche...*

openapi: 3.0.2

info:

title: Swagger Petstore - OpenAPI 3.0

description: |-

This is a sample Pet Store Server based on the OpenAPI 3.0 specification. You can find out more about Swagger at [http://swagger.io](http://swagger.io). In the third iteration of the pet store, we've switched to the new OpenAPI 3.0 specification, in order to improve the API. You can now help us improve the API whether it's by making changes to the definition itself or to the Swagger UI examples. That way, with time, we can improve the API in general, and expose some of the new features in OAS3.

Some useful links:

- [The Pet Store repository](https://github.com/swagger-api/swagger-petstore)
- [The source API definition for the Pet Store](https://github.com/swagger-api/swagger-petstore/blob/master/src/main/resources/openapi.yaml)

termsOfService: http://swagger.io/terms/

contact:

email: apiteam@swagger.io

license:

name: Apache 2.0

url: http://www.apache.org/licenses/LICENSE-2.0.html

version: 1.0.18

externalDocs:

description: Find out more about Swagger

url: http://swagger.io

servers:

- url: /api/v3

tags:

- name: pet

description: Everything about your Pets

externalDocs:

description: Find out more

url: http://swagger.io

```

- name: store

  description: Access to Petstore orders

  externalDocs:
    description: Find out more about our store
    url: http://swagger.io

- name: user

  description: Operations about user

paths:
  /pet:
    put:
      tags:
        - pet

      summary: Update an existing pet

      description: Update an existing pet by Id

      operationId: updatePet

      requestBody:
        description: Update an existent pet in the store

        content:
          application/json:
            schema:
              $ref: "#/components/schemas/Pet"

          application/xml:
            schema:
              $ref: "#/components/schemas/Pet"

          application/x-www-form-urlencoded:
            schema:
              $ref: "#/components/schemas/Pet"

        required: true

      responses:
        "200":
          description: Successful operation

          content:
            application/xml:
              schema:
                $ref: "#/components/schemas/Pet"

```

```
    application/json:
      schema:
        $ref: "#/components/schemas/Pet"
  "400":
    description: Invalid ID supplied
  "404":
    description: Pet not found
  "405":
    description: Validation exception
security:
  - petstore_auth:
      - write:pets
      - read:pets
post:
  tags:
    - pet
  summary: Add a new pet to the store
  description: Add a new pet to the store
  operationId: addPet
  requestBody:
    description: Create a new pet in the store
    content:
      application/json:
        schema:
          $ref: "#/components/schemas/Pet"
      application/xml:
        schema:
          $ref: "#/components/schemas/Pet"
      application/x-www-form-urlencoded:
        schema:
          $ref: "#/components/schemas/Pet"
  required: true
responses:
  "200":
    description: Successful operation
```



```
    content:
      application/xml:
        schema:
          $ref: "#/components/schemas/Pet"
      application/json:
        schema:
          $ref: "#/components/schemas/Pet"
    "405":
      description: Invalid input
  security:
    - petstore_auth:
        - write:pets
        - read:pets
/pet/findByStatus:
  get:
    tags:
      - pet
    summary: Finds Pets by status
    description: Multiple status values can be provided with comma separated strings
    operationId: findPetsByStatus
  parameters:
    - name: status
      in: query
      description: Status values that need to be considered for filter
      required: false
      explode: true
      schema:
        type: string
        default: available
        enum:
          - available
          - pending
          - sold
  responses:
    "200":
```

```

    description: successful operation
    content:
      application/xml:
        schema:
          type: array
          items:
            $ref: "#/components/schemas/Pet"
      application/json:
        schema:
          type: array
          items:
            $ref: "#/components/schemas/Pet"
    "400":
      description: Invalid status value
  security:
    - petstore_auth:
        - write:pets
        - read:pets
/pet/findByTags:
  get:
    tags:
      - pet
    summary: Finds Pets by tags
    description:
      "Multiple tags can be provided with comma separated strings. Use\
      \ tag1, tag2, tag3 for testing."
    operationId: findPetsByTags
    parameters:
      - name: tags
        in: query
        description: Tags to filter by
        required: false
        explode: true
        schema:
          type: array

```

```

        items:
            type: string
    responses:
        "200":
            description: successful operation
            content:
                application/xml:
                    schema:
                        type: array
                        items:
                            $ref: "#/components/schemas/Pet"
                application/json:
                    schema:
                        type: array
                        items:
                            $ref: "#/components/schemas/Pet"
        "400":
            description: Invalid tag value
    security:
        - petstore_auth:
            - write:pets
            - read:pets
/pet/{petId}:
    get:
        tags:
            - pet
        summary: Find pet by ID
        description: Returns a single pet
        operationId: getPetById
        parameters:
            - name: petId
              in: path
              description: ID of pet to return
              required: true
              schema:

```

```
        type: integer
        format: int64
responses:
  "200":
    description: successful operation
    content:
      application/xml:
        schema:
          $ref: "#/components/schemas/Pet"
      application/json:
        schema:
          $ref: "#/components/schemas/Pet"
  "400":
    description: Invalid ID supplied
  "404":
    description: Pet not found
security:
  - api_key: []
  - petstore_auth:
      - write:pets
      - read:pets
post:
  tags:
    - pet
  summary: Updates a pet in the store with form data
  description: ""
  operationId: updatePetWithForm
  parameters:
    - name: petId
      in: path
      description: ID of pet that needs to be updated
      required: true
      schema:
        type: integer
        format: int64
```

```

- name: name

  in: query

  description: Name of pet that needs to be updated

  schema:

    type: string

- name: status

  in: query

  description: Status of pet that needs to be updated

  schema:

    type: string

responses:

  "405":

    description: Invalid input

security:

  - petstore_auth:

    - write:pets

    - read:pets

delete:

  tags:

    - pet

  summary: Deletes a pet

  description: ""

  operationId: deletePet

  parameters:

    - name: api_key

      in: header

      description: ""

      required: false

      schema:

        type: string

    - name: petId

      in: path

      description: Pet id to delete

      required: true

      schema:

```

```

        type: integer
        format: int64
responses:
  "400":
    description: Invalid pet value
security:
  - petstore_auth:
      - write:pets
      - read:pets
/pet/{petId}/uploadImage:
  post:
    tags:
      - pet
    summary: uploads an image
    description: ""
    operationId: uploadFile
    parameters:
      - name: petId
        in: path
        description: ID of pet to update
        required: true
        schema:
          type: integer
          format: int64
      - name: additionalMetadata
        in: query
        description: Additional Metadata
        required: false
        schema:
          type: string
    requestBody:
      content:
        application/octet-stream:
          schema:
            type: string

```

```

        format: binary
responses:
  "200":
    description: successful operation
    content:
      application/json:
        schema:
          $ref: "#/components/schemas/ApiResponse"
security:
  - petstore_auth:
      - write:pets
      - read:pets
/store/inventory:
  get:
    tags:
      - store
    summary: Returns pet inventories by status
    description: Returns a map of status codes to quantities
    operationId: getInventory
    responses:
      "200":
        description: successful operation
        content:
          application/json:
            schema:
              type: object
              additionalProperties:
                type: integer
                format: int32
    security:
      - api_key: []
/store/order:
  post:
    tags:
      - store

```

```

summary: Place an order for a pet
description: Place a new order in the store
operationId: placeOrder
requestBody:
  content:
    application/json:
      schema:
        $ref: "#/components/schemas/Order"
    application/xml:
      schema:
        $ref: "#/components/schemas/Order"
    application/x-www-form-urlencoded:
      schema:
        $ref: "#/components/schemas/Order"
  responses:
    "200":
      description: successful operation
      content:
        application/json:
          schema:
            $ref: "#/components/schemas/Order"
    "405":
      description: Invalid input
/store/order/{orderId}:
  get:
    tags:
      - store
    summary: Find purchase order by ID
    description:
      For valid response try integer IDs with value <= 5 or > 10. Other
      values will generate exceptions.
    operationId: getOrderById
    parameters:
      - name: orderId
        in: path

```



```
    description: ID of order that needs to be fetched
    required: true
    schema:
      type: integer
      format: int64
  responses:
    "200":
      description: successful operation
      content:
        application/xml:
          schema:
            $ref: "#/components/schemas/Order"
        application/json:
          schema:
            $ref: "#/components/schemas/Order"
    "400":
      description: Invalid ID supplied
    "404":
      description: Order not found
delete:
  tags:
    - store
  summary: Delete purchase order by ID
  description:
    For valid response try integer IDs with value < 1000. Anything
    above 1000 or nonintegers will generate API errors
  operationId: deleteOrder
  parameters:
    - name: orderId
      in: path
      description: ID of the order that needs to be deleted
      required: true
      schema:
        type: integer
        format: int64
```

```

    responses:
      "400":
        description: Invalid ID supplied
      "404":
        description: Order not found
/user:
  post:
    tags:
      - user
    summary: Create user
    description: This can only be done by the logged in user.
    operationId: createUser
    requestBody:
      description: Created user object
      content:
        application/json:
          schema:
            $ref: "#/components/schemas/User"
        application/xml:
          schema:
            $ref: "#/components/schemas/User"
        application/x-www-form-urlencoded:
          schema:
            $ref: "#/components/schemas/User"
    responses:
      default:
        description: successful operation
        content:
          application/json:
            schema:
              $ref: "#/components/schemas/User"
          application/xml:
            schema:
              $ref: "#/components/schemas/User"
/user/createWithList:

```

```

post:
  tags:
    - user

  summary: Creates list of users with given input array
  description: Creates list of users with given input array
  operationId: createUsersWithListInput
  requestBody:
    content:
      application/json:
        schema:
          type: array
          items:
            $ref: "#/components/schemas/User"
  responses:
    "200":
      description: Successful operation
      content:
        application/xml:
          schema:
            $ref: "#/components/schemas/User"
        application/json:
          schema:
            $ref: "#/components/schemas/User"
      default:
        description: successful operation

/user/login:
  get:
    tags:
      - user

    summary: Logs user into the system
    description: ""

    operationId: loginUser

    parameters:
      - name: username
        in: query

```

```

    description: The user name for login
    required: false
    schema:
      type: string
  - name: password
    in: query
    description: The password for login in clear text
    required: false
    schema:
      type: string
responses:
  "200":
    description: successful operation
    headers:
      X-Rate-Limit:
        description: calls per hour allowed by the user
        schema:
          type: integer
          format: int32
      X-Expires-After:
        description: date in UTC when token expires
        schema:
          type: string
          format: date-time
    content:
      application/xml:
        schema:
          type: string
      application/json:
        schema:
          type: string
  "400":
    description: Invalid username/password supplied
/user/logout:
  get:

```

```

tags:
  - user

summary: Logs out current logged in user session

description: ""

operationId: logoutUser

parameters: []

responses:
  default:
    description: successful operation
/user/{username}:
get:
tags:
  - user

summary: Get user by user name

description: ""

operationId: getUserByName

parameters:
  - name: username
    in: path
    description: "The name that needs to be fetched. Use user1 for testing. "
required: true
    schema:
      type: string
responses:
  "200":
    description: successful operation
    content:
      application/xml:
        schema:
          $ref: "#/components/schemas/User"
      application/json:
        schema:
          $ref: "#/components/schemas/User"
  "400":
    description: Invalid username supplied

```

```
"404":
  description: User not found

put:
  tags:
    - user

  summary: Update user

  description: This can only be done by the logged in user.

  operationId: updateUser

  parameters:
    - name: username
      in: path
      description: name that needs to be updated
      required: true
      schema:
        type: string

  requestBody:
    description: Update an existent user in the store

    content:
      application/json:
        schema:
          $ref: "#/components/schemas/User"

      application/xml:
        schema:
          $ref: "#/components/schemas/User"

      application/x-www-form-urlencoded:
        schema:
          $ref: "#/components/schemas/User"

  responses:
    default:
      description: successful operation

delete:
  tags:
    - user

  summary: Delete user

  description: This can only be done by the logged in user.
```

```
operationId: deleteUser

parameters:
  - name: username
    in: path
    description: The name that needs to be deleted
    required: true
    schema:
      type: string

responses:
  "400":
description: Invalid username supplied
  "404":
description: User not found

components:
  schemas:
    Order:
      type: object
      properties:
        id:
          type: object
          properties:
            id:
              type: integer
              format: int64
              example: 10
            petId:
              type: integer
              format: int64
              example: 198772
            quantity:
              type: integer
              format: int32
              example: 7
            shipDate:
              type: string
```

```
        format: date-time
status:
  type: string
  description: Order Status
  example: approved
  enum:
    - placed
    - approved
    - delivered
complete:
  type: boolean
xml:
  name: order
petId:
  type: object
properties:
  id:
    type: integer
    format: int64
    example: 10
  petId:
    type: integer
    format: int64
    example: 198772
  quantity:
    type: integer
    format: int32
    example: 7
  shipDate:
    type: string
    format: date-time
status:
  type: string
  description: Order Status
  example: approved
```



enum:

- placed
- approved
- delivered

complete:

type: boolean

xml:

name: order

quantity:

type: object

properties:

id:

type: integer

format: int64

example: 10

petId:

type: integer

format: int64

example: 198772

quantity:

type: integer

format: int32

example: 7

shipDate:

type: string

format: date-time

status:

type: string

description: Order Status

example: approved

enum:

- placed
- approved
- delivered

complete:

```
        type: boolean
    xml:
        name: order
    shipDate:
        type: object
    properties:
        id:
            type: integer
            format: int64
            example: 10
        petId:
            type: integer
            format: int64
            example: 198772
        quantity:
            type: integer
            format: int32
            example: 7
        shipDate:
            type: string
            format: date-time
        status:
            type: string
            description: Order Status
            example: approved
enum:
    - placed
    - approved
    - delivered
    complete:
        type: boolean
    xml:
        name: order
    status:
        type: object
```

properties:

id:

type: integer

format: int64

example: 10

petId:

type: integer

format: int64

example: 198772

quantity:

type: integer

format: int32

example: 7

shipDate:

type: string

format: date-time

status:

type: string

description: Order Status

example: approved

enum:

- placed
- approved
- delivered

complete:

type: boolean

xml:

name: order

complete:

type: object

properties:

id:

type: integer

format: int64

example: 10

```
    petId:
      type: integer
      format: int64
      example: 198772
    quantity:
      type: integer
      format: int32
      example: 7
    shipDate:
      type: string
      format: date-time
    status:
      type: string
      description: Order Status
      example: approved
enum:
  - placed
  - approved
  - delivered
  complete:
    type: boolean
  xml:
    name: order
xml:
  name: order
Customer:
  type: object
  properties:
    id:
      type: object
      properties:
        id:
          type: integer
          format: int64
          example: 100000
```

```
    username:
      type: string
      example: fehguy
    address:
      type: array
      xml:
        name: addresses
        wrapped: true
      items:
        $ref: "#/components/schemas/Address"
  xml:
    name: customer
username:
  type: object
properties:
  id:
    type: integer
    format: int64
    example: 100000
  username:
    type: string
    example: fehguy
  address:
    type: array
    xml:
      name: addresses
      wrapped: true
    items:
      $ref: "#/components/schemas/Address"
  xml:
    name: customer
address:
  type: object
properties:
  id:
```

```

        type: integer
        format: int64
        example: 100000
    username:
        type: string
example: fehguy
    address:
        type: array
        xml:
            name: addresses
            wrapped: true
        items:
            $ref: "#/components/schemas/Address"
    xml:
        name: customer
xml:
    name: customer
Address:
    type: object
    properties:
        street:
            type: object
            properties:
                street:
                    type: string
                    example: 437 Lytton
                city:
                    type: string
                    example: Palo Alto
                state:
                    type: string
                    example: CA
                zip:
                    type: string
                    example: "94301"

```

```
xml:
  name: address
city:
  type: object
  properties:
    street:
      type: string
      example: 437 Lytton
    city:
      type: string
      example: Palo Alto
    state:
      type: string
      example: CA
    zip:
      type: string
      example: "94301"
xml:
  name: address
state:
  type: object
  properties:
    street:
      type: string
      example: 437 Lytton
    city:
      type: string
      example: Palo Alto
    state:
      type: string
example: CA
    zip:
      type: string
      example: "94301"
xml:
```

```
      name: address
zip:
  type: object
  properties:
    street:
      type: string
      example: 437 Lytton
    city:
      type: string
      example: Palo Alto
    state:
      type: string
      example: CA
    zip:
      type: string
      example: "94301"
  xml:
    name: address
xml:
  name: address
Category:
  type: object
  properties:
    id:
      type: object
      properties:
        id:
          type: integer
          format: int64
          example: 1
        name:
          type: string
          example: Dogs
    xml:
      name: category
```



```
    name:
      type: object
      properties:
        id:
          type: integer
          format: int64
          example: 1
        name:
          type: string
          example: Dogs
      xml:
        name: category
  xml:
    name: category
User:
  type: object
  properties:
    id:
      type: object
      properties:
        id:
          type: integer
          format: int64
          example: 10
        username:
          type: string
          example: theUser
        firstName:
          type: string
          example: John
        lastName:
          type: string
          example: James
        email:
          type: string
```

```
    example: john@email.com
password:
    type: string
    example: "12345"
phone:
    type: string
    example: "12345"
userStatus:
    type: integer
    description: User Status
    format: int32
    example: 1
xml:
    name: user
username:
    type: object
    properties:
        id:
            type: integer
            format: int64
            example: 10
        username:
            type: string
            example: theUser
        firstName:
            type: string
            example: John
        lastName:
            type: string
            example: James
        email:
            type: string
            example: john@email.com
        password:
            type: string
```

```
        example: "12345"
    phone:
        type: string
        example: "12345"
    userStatus:
        type: integer
        description: User Status
        format: int32
        example: 1
    xml:
name: user
    firstName:
        type: object
    properties:
        id:
            type: integer
            format: int64
            example: 10
        username:
            type: string
            example: theUser
        firstName:
            type: string
            example: John
        lastName:
            type: string
            example: James
        email:
            type: string
            example: john@email.com
        password:
            type: string
            example: "12345"
        phone:
            type: string
```

```
        example: "12345"
    userStatus:
        type: integer
        description: User Status
        format: int32
        example: 1
    xml:
        name: user
    lastName:
        type: object
    properties:
        id:
            type: integer
            format: int64
            example: 10
        username:
            type: string
            example: theUser
        firstName:
            type: string
            example: John
        lastName:
            type: string
            example: James
        email:
            type: string
            example: john@email.com
        password:
            type: string
            example: "12345"
        phone:
            type: string
            example: "12345"
        userStatus:
            type: integer
```

description: User Status

format: int32

example: 1

xml:

name: user

email:

type: object

properties:

id:

type: integer

format: int64

example: 10

username:

type: string

example: theUser

firstName:

type: string

example: John

lastName:

type: string

example: James

email:

type: string

example: john@email.com

password:

type: string

example: "12345"

phone:

type: string

example: "12345"

userStatus:

type: integer

description: User Status

format: int32

example: 1

```
xml:
  name: user
password:
  type: object
  properties:
    id:
      type: integer
      format: int64
      example: 10
    username:
      type: string
      example: theUser
    firstName:
      type: string
      example: John
    lastName:
      type: string
      example: James
    email:
      type: string
      example: john@email.com
    password:
      type: string
      example: "12345"
    phone:
type: string
      example: "12345"
    userStatus:
      type: integer
      description: User Status
      format: int32
      example: 1
xml:
  name: user
phone:
```

```
type: object
properties:
  id:
    type: integer
    format: int64
    example: 10
  username:
    type: string
    example: theUser
  firstName:
    type: string
    example: John
  lastName:
    type: string
    example: James
  email:
    type: string
    example: john@email.com
  password:
    type: string
    example: "12345"
  phone:
    type: string
    example: "12345"
  userStatus:
    type: integer
    description: User Status
    format: int32
    example: 1
  xml:
    name: user
userStatus:
  type: object
  properties:
    id:
```

```
        type: integer
        format: int64
        example: 10
    username:
        type: string
        example: theUser
    firstName:
        type: string
        example: John
    lastName:
        type: string
        example: James
    email:
        type: string
        example: john@email.com
password:
    type: string
    example: "12345"
    phone:
        type: string
        example: "12345"
    userStatus:
        type: integer
        description: User Status
        format: int32
        example: 1
    xml:
        name: user
    xml:
        name: user
Tag:
    type: object
    properties:
        id:
            type: object
```



```
  properties:
    id:
      type: integer
      format: int64
    name:
      type: string
  xml:
    name: tag
name:
  type: object
  properties:
    id:
      type: integer
      format: int64
    name:
      type: string
  xml:
    name: tag
xml:
  name: tag
Pet:
  required:
    - name
    - photoUrls
  type: object
  properties:
    id:
      required:
        - name
        - photoUrls
      type: object
      properties:
        id:
          type: integer
          format: int64
```

```
    example: 10
  name:
    type: string
    example: doggie
  category:
    $ref: "#/components/schemas/Category"
  photoUrls:
    type: array
    xml:
      wrapped: true
    items:
      type: string
      xml:
        name: photoUrl
  tags:
    type: array
    xml:
      wrapped: true
    items:
      $ref: "#/components/schemas/Tag"
  status:
    type: string
    description: pet status in the store
    enum:
      - available
      - pending
      - sold
  xml:
    name: pet
name:
  required:
    - name
    - photoUrls
  type: object
  properties:
```

```
    id:
      type: integer
      format: int64
      example: 10
    name:
      type: string
      example: doggie
    category:
      $ref: "#/components/schemas/Category"
    photoUrls:
      type: array
      xml:
        wrapped: true
      items:
        type: string
        xml:
          name: photoUrl
    tags:
      type: array
      xml:
        wrapped: true
      items:
        $ref: "#/components/schemas/Tag"
    status:
      type: string
      description: pet status in the store
      enum:
        - available
        - pending
        - sold
  xml:
    name: pet
  category:
    required:
      - name
```

```
- photoUrls
type: object
properties:
  id:
    type: integer
    format: int64
    example: 10
  name:
    type: string
    example: doggie
  category:
    $ref: "#/components/schemas/Category"
  photoUrls:
    type: array
    xml:
      wrapped: true
    items:
      type: string
      xml:
        name: photoUrl
  tags:
    type: array
    xml:
      wrapped: true
    items:
      $ref: "#/components/schemas/Tag"
  status:
    type: string
    description: pet status in the store
    enum:
      - available
      - pending
      - sold
xml:
  name: pet
```

```
photoUrls:
  required:
    - name
    - photoUrls
  type: object
  properties:
    id:
      type: integer
      format: int64
      example: 10
    name:
      type: string
      example: doggie
    category:
      $ref: "#/components/schemas/Category"
    photoUrls:
      type: array
      xml:
        wrapped: true
      items:
        type: string
        xml:
          name: photoUrl
    tags:
      type: array
      xml:
        wrapped: true
      items:
        $ref: "#/components/schemas/Tag"
    status:
      type: string
      description: pet status in the store
      enum:
        - available
        - pending
```

```
        - sold
xml:
  name: pet
tags:
  required:
    - name
    - photoUrls
  type: object
  properties:
    id:
      type: integer
      format: int64
      example: 10
    name:
      type: string
      example: doggie
    category:
      $ref: "#/components/schemas/Category"
    photoUrls:
      type: array
      xml:
        wrapped: true
      items:
        type: string
        xml:
          name: photoUrl
    tags:
      type: array
      xml:
        wrapped: true
      items:
        $ref: "#/components/schemas/Tag"
    status:
      type: string
      description: pet status in the store
```

```
    enum:
      - available
      - pending
      - sold
  xml:
    name: pet
  status:
    required:
      - name
      - photoUrls
type: object
  properties:
    id:
      type: integer
      format: int64
      example: 10
    name:
      type: string
      example: doggie
    category:
      $ref: "#/components/schemas/Category"
    photoUrls:
      type: array
      xml:
        wrapped: true
      items:
        type: string
        xml:
          name: photoUrl
    tags:
      type: array
      xml:
        wrapped: true
      items:
        $ref: "#/components/schemas/Tag"
```

```
    status:
      type: string
      description: pet status in the store
      enum:
        - available
        - pending
        - sold
    xml:
      name: pet
  xml:
    name: pet
ApiResponse:
  type: object
  properties:
    code:
      type: object
      properties:
        code:
          type: integer
          format: int32
        type:
          type: string
        message:
          type: string
      xml:
        name: "##default"
    type:
      type: object
      properties:
        code:
          type: integer
          format: int32
        type:
          type: string
        message:
```



```
type: string

  xml:
    name: "##default"

  message:
    type: object

  properties:
    code:
      type: integer
      format: int32

    type:
      type: string

    message:
      type: string

  xml:
    name: "##default"

  xml:
    name: "##default"

requestBodies:

  Pet:
    description: Pet object that needs to be added to the store

    content:
      application/json:
        schema:
          $ref: "#/components/schemas/Pet"

      application/xml:
        schema:
          $ref: "#/components/schemas/Pet"

  UserArray:
    description: List of user object

    content:
      application/json:
        schema:
          type: array

          items:
            $ref: "#/components/schemas/User"
```

```
securitySchemes:
  petstore_auth:
    type: oauth2
    flows:
      implicit:
        authorizationUrl: https://petstore3.swagger.io/oauth/authorize
        scopes:
          write:pets: modify pets in your account
          read:pets: read your pets
  api_key:
    type: apiKey
    name: api_key
    in: header
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\MaybeTreasure.en.txt

*Resumo: Nothing to see here :-(*

Nothing to see here :-(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\MavbeTreasure.nir.txt

*Resumo: Harrr, me found a trrreasure!!!*

Harrr, me found a trrreasure!!!

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\NoTreasure.en.txt

*Resumo: Nothing to see here :-(*

Nothing to see here :-(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\Treasure.pir.txt

*Resumo: Harrr, me found a trrreasure!!!*

Harrr, me found a trrreasure!!!

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\index.en.md

*Resumo: +++ description = "List resources contained in a page bundle" title = "Resources" [[resources]] name = 'MaybeTreasure.txt' src = 'MaybeTreasure.en.txt' +++ The `resources` shortcode displays the [titles](https://gohugo.io/methods/resource/title/) of resources contained in a [page bundle]...*

+++

description = "List resources contained in a page bundle"

title = "Resources"

[[resources]]

name = 'MaybeTreasure.txt'

src = 'MaybeTreasure.en.txt'

+++

The `resources` shortcode displays the [titles](https://gohugo.io/methods/resource/title/) of resources contained in a [page bundle]

{{% resources sort="asc" %}}

## Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from a template

{{< tabs groupid="shortcode-parameter">}}

{{% tab title="shortcode" %}}

~~~~go

{{%/resources sort="asc" %/}}

~~~~

{{% /tab %}}

{{% tab title="partial" %}}

~~~~go

{{ partial "shortcodes/resources.html" (dict

"page" .

"sort" "asc"

```
)}}
....
```

```
{{% /tab %}}
{{< /tabs >}}
```

Multilanguage features are not supported directly by the shortcode but rely on Hugo's handling for resource

Parameter

| Name | Default | Notes |
|----------------|----------------------------|--|
| ----- | ----- | ----- |
| style | <code>`transparent`</code> | The style scheme used for the box.

- by severity: <code>`info`</code> , <code>`note`</code> , <code>`warning`</code> , <code>`error`</code> |
| color | see notes | The [CSS color value](https://developer.mozilla.org/en-US/docs/Web/CSS/color-value) |
| title | see notes | Arbitrary text for the box title. Depending on the style there may be a default |
| icon | see notes | [Font Awesome icon name](https://fontawesome.com/icons) set to the left of the title |
| sort | <code>`asc`</code> | Sorting the output in <code>`asc`</code> ending or <code>`desc`</code> ending order. |
| pattern | <code>`.*`</code> | A [regular expressions](https://en.wikipedia.org/wiki/Regular_expression) |

Examples

Custom Title, List of Resources Ending in png, jpg or gif

```
....go
{{%/ resources title="Related **files**" pattern=".*\.(png|jpg|gif)" /%/}}
....
```

```
{{% resources title="Related **files**" pattern=".*\.(png|jpg|gif)" /%}}
```

Info Styled Box, Descending Sort Order

```
....go
{{%/ resources style="info" sort="desc" /%/}}
....
```

```
{{% resources style="info" sort="desc" /%}}
```


With User-Defined Color and Font Awesome Brand Icon

```
```\go
```

```
{{%/resources color="fuchsia" icon="fa-fw fab fa-hackerrank" /%}}
```

```
```\
```

```
{{%resources color="fuchsia" icon="fa-fw fab fa-hackerrank" /%}}
```

Style, Color, Title and Icons

For further examples for **style**, **color**, **title** and **icon**, see the [`notice` shortcode`](short

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\resources\index.pir.md

Resumo: +++ description = "List Rresources shorrrtcode contained in a plank bundle" title = "Resources" [[resources]] name = 'MaybeTreasure.txt' src = 'MaybeTreasure.pir.txt' +++ {{% resources /%}} {{< piratify >}}

+++

description = "List Rresources shorrrtcode contained in a plank bundle"

title = "Resources"

[[resources]]

name = 'MaybeTreasure.txt'

src = 'MaybeTreasure.pir.txt'

+++

{{% resources /%}}

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\siteparam.en.md

Resumo: +++ description = "Get value of site params" title = "SiteParam" +++ The `siteparam` shortcode prints values of site params. ## Usage While the examples are using shortcodes with named parameter you are free to use positional as well or call this shortcode from your own partials. {{< ...

```
+++
```

```
description = "Get value of site params"
```

```
title = "SiteParam"
```

```
+++
```

The `siteparam` shortcode prints values of site params.

Usage

While the examples are using shortcodes with named parameter you are free to use positional as well or call

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{%/ * siteparam name="editURL" */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="shortcode (positional)" %}}
```

```
````go
```

```
{{%/ * siteparam "editURL" */%}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}
```

```
````go
```

```
{{ partial "shortcodes/siteparam.html" (dict
```

```

 "page" .
 "name" "editURL"
)}}


```

```

{{% /tab %}}
{{< /tabs >}}

```

### Parameter

| Name     | Position | Default         | Notes                                       |
|----------|----------|-----------------|---------------------------------------------|
| -----    | -----    | -----           | -----                                       |
| **name** | 1        | _&lt;empty&gt;_ | The name of the site param to be displayed. |

### Examples

### `editURL` from `hugo.toml`

```

```go
`editURL` value: {{%/ * siteparam name="editURL" */%}}
...

```

```

`editURL` value: {{% siteparam name="editURL" %}}

```

Nested parameter with Markdown and HTML formatting

To use formatted parameter, add this in your `hugo.toml`:

```

{{< multiconfig file=hugo >}}

[markup.goldmark.renderer]
unsafe = true

{{< /multiconfig >}}

```

Now values containing Markdown will be formatted correctly.

```

{{< multiconfig file=hugo >}}
[params]

```

```
[params.siteparam.test]

    text = "A **nested** parameter <b>with</b> formatting"
{{< /multiconfig >}}

```go
Formatted parameter: {{%/* siteparam name="siteparam.test.text" */%}}
...

Formatted parameter: {% siteparam name="siteparam.test.text" %}}
```

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\siteparam.nir.md

*Resumo: +++ description = "Get value o' ship parrams varriables 'n yer plank" title = "SiteParam" +++ {{< piratify >}}*

+++

description = "Get value o' ship parrams varriables 'n yer plank"

title = "SiteParam"

+++

{{< piratify >}}

## Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tab.en.md

*Resumo: +++ description = "Show content in a single tab" title = "Tab" +++ You can use a `tab` shortcode to display a single tab. This is especially useful if you want to flag your code example with an explicit language. If you want multiple tabs grouped together you can wrap your tabs into the ...*

+++

description = "Show content in a single tab"

title = "Tab"

+++

You can use a `tab` shortcode to display a single tab.

This is especially useful if you want to flag your code example with an explicit language.

If you want multiple tabs grouped together you can wrap your tabs into the [ `tabs` shortcode ](shortcodes/

```
{{% tab title="c" %}}
```

```
```python
```

```
printf("Hello World!");
```

```
```
```

```
{{% /tab %}}
```

## Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
```go
```

```
{{%/* tab title="c" */%}}
```

```
```c
```

```
printf("Hello World!");
```

```

...

{{%/ * /tab */%}}

....

{{% /tab %}}

{{% tab title="partial" %}}

```go
{{ partial "shortcodes/tab.html" (dict
    "page" .
    "title" "c"
    "content" ("```c\nprintf(\"Hello World!\")\n```" | .RenderString)
)}}
....

{{% /tab %}}

{{< /tabs >}}

```

Parameter

| Name | Default | Notes |
|-----------------|---------------|--|
| ----- | ----- | ----- |
| style | see notes | The style scheme used for the tab. If you don't set a style a |
| color | see notes | The [CSS color value](https://developer.mozilla.org/en-US/doc |
| title | see notes | Arbitrary title for the tab. Depending on the style there |
| icon | see notes | [Font Awesome icon name](shortcodes/icon#finding-an-icon) set |
| _content | _empty | Arbitrary text to be displayed in the tab. |

Examples

Single Code Block with Collapsed Margins

```

```go
{{%/ * tab title="Code" */%}}

```python
printf("Hello World!");

```



```
```
```

```
{{%/ * /tab */%}}
```

```
````
```

```
{{% tab title="Code" %}}
```

```
```python
```

```
printf("Hello World!");
```

```
```
```

```
{{% /tab %}}
```

```
### Mixed Markdown Content
```

```
```go
```

```
{{%/ * tab title="_**Mixed**_" */%}}
```

A tab can not only contain code but arbitrary text. In this case text **and** code will get a margin.

```
```python
```

```
printf("Hello World!");
```

```
```
```

```
{{%/ * /tab */%}}
```

```
````
```

```
{{% tab title="_**Mixed**_" %}}
```

A tab can not only contain code but arbitrary text. In this case text **and** code will get a margin.

```
```python
```

```
printf("Hello World!");
```

```
```
```

```
{{% /tab %}}
```

```
### Understanding `style` and `color` Behavior
```

The `style` parameter affects how the `color` parameter is applied.

````go

```
{{</ * tabs */>}}
```

```
{{%/ * tab title="just colored style" style="blue" */%}}
```

The `style` parameter is set to a color style.

This will set the background to a lighter version of the chosen style color as configured in your theme variant.

```
{{%/ * /tab */%}}
```

```
{{%/ * tab title="just color" color="blue" */%}}
```

Only the `color` parameter is set.

This will set the background to a lighter version of the chosen CSS color value.

```
{{%/ * /tab */%}}
```

```
{{%/ * tab title="default style and color" style="default" color="blue" */%}}
```

The `style` parameter affects how the `color` parameter is applied.

The `default` style will set the background to your `--MAIN-BG-color` as configured for your theme variant.

```
{{%/ * /tab */%}}
```

```
{{%/ * tab title="just severity style" style="info" */%}}
```

The `style` parameter is set to a severity style.

This will set the background to a lighter version of the chosen style color as configured in your theme variant.

```
{{%/ * /tab */%}}
```

```
{{%/ * tab title="severity style and color" style="info" color="blue" */%}}
```

The `style` parameter affects how the `color` parameter is applied.

This will set the background to a lighter version of the chosen CSS color value and also affects the chosen severity style.

```
{{%/ * /tab */%}}
```

```
{{</ * /tabs */>}}
```

````

```
{{< tabs >}}
```

```
{{% tab title="just colored style" style="blue" %}}
```

The `style` parameter is set to a color style.

This will set the background to a lighter version of the chosen style color as configured in your theme variant.

```
{{% /tab %}}
```

```
{{% tab title="just color" color="blue" %}}
```

Only the `color` parameter is set.

This will set the background to a lighter version of the chosen CSS color value.

```
{{% /tab %}}
```

```
{{% tab title="default style and color" style="default" color="blue" %}}
```

The `style` parameter affects how the `color` parameter is applied.

The `default` style will set the background to your `--MAIN-BG-color` as configured for your theme variant.

```
{{% /tab %}}
```

```
{{% tab title="just severity style" style="info" %}}
```

The `style` parameter is set to a severity style.

This will set the background to a lighter version of the chosen style color as configured in your theme variant.

```
{{% /tab %}}
```

```
{{% tab title="severity style and color" style="info" color="blue" %}}
```

The `style` parameter affects how the `color` parameter is applied.

This will set the background to a lighter version of the chosen CSS color value and also affects the chosen severity style.

```
{{% /tab %}}
```

```
{{< /tabs >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tab.bir.md

Resumo: +++ *description = "Show rrrambl'n 'n a single tab" title = "Tab" +++ {{< piratify >}}*

+++

description = "Show rrrambl'n 'n a single tab"

title = "Tab"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tabs.en.md

Resumo: +++ description = "Show content in tabbed views" title = "Tabs" +++ The `tabs` shortcode displays arbitrary content in an unlimited number of tabs. This comes in handy eg. for providing code snippets for multiple languages. If you just want a single tab you can instead call the [tab` sh...

+++

description = "Show content in tabbed views"

title = "Tabs"

+++

The `tabs` shortcode displays arbitrary content in an unlimited number of tabs.

This comes in handy eg. for providing code snippets for multiple languages.

If you just want a single tab you can instead call the [tab` shortcode](shortcodes/tab) standalone.

```
{{< tabs title="hello." >}}
```

```
{{% tab title="py" %}}
```

```
```python
```

```
print("Hello World!")
```

```
```
```

```
{{% /tab %}}
```

```
{{% tab title="sh" %}}
```

```
```bash
```

```
echo "Hello World!"
```

```
```
```

```
{{% /tab %}}
```

```
{{% tab title="c" %}}
```

```
```c
```

```
printf("Hello World!");
```

```
...
```

```
{{% /tab %}}
```

```
{{< /tabs >}}
```

### ## Usage

While the examples are using shortcodes with named parameter you are free to also call this shortcode from

See the [``tab`` shortcode](shortcodes/tab) for a description of the parameter for nested tabs.

```
{{< tabs groupid="shortcode-parameter">}}
```

```
{{% tab title="shortcode" %}}
```

```
````go
```

```
{{</ * tabs title="hello." */>}}
```

```
{{%/* tab title="py" */%}}
```

```
```python
```

```
print("Hello World!")
```

```
...
```

```
{{%/* /tab */%}}
```

```
{{%/* tab title="sh" */%}}
```

```
```bash
```

```
echo "Hello World!"
```

```
...
```

```
{{%/* /tab */%}}
```

```
{{%/* tab title="c" */%}}
```

```
```c
```

```
printf("Hello World!");
```

```
...
```

```
{{%/* /tab */%}}
```

```
{{</ * /tabs */>}}
```

```
````
```

```
{{% /tab %}}
```

```
{{% tab title="partial" %}}

```go
{{ partial "shortcodes/tabs.html" (dict
 "page" .
 "title" "hello."
 "content" (slice
 (dict
 "title" "py"
 "content" ("```python\nprint(\"Hello World!\")\n```" | .RenderString)
)
 (dict
 "title" "sh"
 "content" ("```bash\nnecho \"Hello World!\"\n```" | .RenderString)
)
 (dict
 "title" "c"
 "content" ("```c\nprintf(\"Hello World!\");\n```" | .RenderString)
)
)
)}}
```
```

```
{{% /tab %}}
{{< /tabs >}}
```

Parameter

| Name | Default | Notes |
|----------------|-----------|---|
| ----- | ----- | ----- |
| groupid | <random>_ | Arbitrary name of the group the tab view belongs to.
 |
| style | <empty>_ | Sets a default value for every contained tab. Can be over |
| color | <empty>_ | Sets a default value for every contained tab. Can be over |
| title | <empty>_ | Arbitrary title written in front of the tab view. |
| icon | <empty>_ | [Font Awesome icon name](shortcodes/icon#finding-an-icon |

| `_**<content>*_` | `_<empty>_` | Arbitrary number of tabs defined with the ``tab`` sub-shortcut

Examples

Behavior of the ``groupid``

See what happens to the tab views while you select different tabs.

While pressing a tab of Group A switches all tab views of Group A in sync (if the tab is available), the

```
{{< tabs >}}

{{% tab title="Group A, Tab View 1" %}}
    ``go

{{</* tabs groupid="a" */>}}

{{%/* tab title="json" */%}}

{{</* highlight json "linenos=true" */>}}

{ "Hello": "World" }

{{</* /highlight */>}}

{{%/* /tab */%}}

{{%/* tab title="_**XML*_ stuff" */%}}
``xml

<Hello>World</Hello>

...

{{%/* /tab */%}}

{{%/* tab title="text" */%}}

    Hello World

{{%/* /tab */%}}

{{</* /tabs */>}}

...

{{% /tab %}}

{{% tab title="Group A, Tab View 2" %}}
    ``go

{{</* tabs groupid="a" */>}}

{{%/* tab title="json" */%}}

{{</* highlight json "linenos=true" */>}}
```



```

{ "Hello": "World" }

{{</ * /highlight * />}}

{{%/* /tab */%}}

{{%/* tab title="XML stuff" */%}}

`` `xml

<Hello>World</Hello>

...

{{%/* /tab */%}}

{{</ * /tabs * />}}

....

{{% /tab %}}

{{% tab title="Group B" %}}

`` `` go

{{</ * tabs groupid="b" * />}}

{{%/* tab title="json" */%}}

{{</ * highlight json "linenos=true" * />}}

{ "Hello": "World" }

{{</ * /highlight * />}}

{{%/* /tab */%}}

{{%/* tab title="XML stuff" */%}}

`` `xml

<Hello>World</Hello>

...

{{%/* /tab */%}}

{{</ * /tabs * />}}

....

{{% /tab %}}

{{< /tabs >}}

```

Group A, Tab View 1

```

{{< tabs groupid="tab-example-a" >}}

{{% tab title="json" %}}
{{< highlight json "linenos=true" >}}

```

```
{ "Hello": "World" }

{{< /highlight >}}

{{% /tab %}}

{{% tab title="_**XML**_ stuff" %}}

```xml

<Hello>World</Hello>

...

{{% /tab %}}

{{% tab title="text" %}}
Hello World

{{% /tab %}}

{{< /tabs >}}
```

#### Group A, Tab View 2

```
{{< tabs groupid="tab-example-a" >}}

{{% tab title="json" %}}

{{< highlight json "linenos=true" >}}

{ "Hello": "World" }

{{< /highlight >}}

{{% /tab %}}

{{% tab title="XML stuff" %}}

```xml

<Hello>World</Hello>

...

{{% /tab %}}

{{< /tabs >}}
```

Group B

```
{{< tabs groupid="tab-example-b" >}}

{{% tab title="json" %}}

{{< highlight json "linenos=true" >}}

{ "Hello": "World" }
```

```

{{< /highlight >}}

{{% /tab %}}

{{% tab title="XML stuff" %}}

```xml

<Hello>World</Hello>

```

{{% /tab %}}

{{< /tabs >}}

```

Nested Tab Views and Color

In case you want to nest tab views, the parent tab that contains nested tab views needs to be declared with

You can also set style and color parameter for all tabs and overwrite them on tab level. See the [tab] s

```

```go

{{</* tabs groupid="main" style="primary" title="Rationale" icon="thumbtack" */>}}

{{</* tab title="Text" */>}}

Simple text is possible here...

{{</* tabs groupid="tabs-example-language" */>}}

{{%/* tab title="python" */>}}

Python is super easy.

- most of the time.
- if you don't want to output unicode

{{%/* /tab */>}}

{{%/* tab title="bash" */>}}

Bash is for hackers.

{{%/* /tab */>}}

{{</* /tabs */>}}

{{</* /tab */>}}

{{</* tab title="Code" style="default" color="darkorchid" */>}}

...but no markdown
{{</* tabs groupid="tabs-example-language" */>}}

```

```

{{%/ * tab title="python" */%}}
```python
print("Hello World!")
```

{{%/ * /tab */%}}

{{%/ * tab title="bash" */%}}
```bash
echo "Hello World!"
```

{{%/ * /tab */%}}
{{</ * /tabs */>}}
{{</ * /tab */>}}
{{</ * /tabs */>}}
```

{{< tabs groupid="main" style="primary" title="Rationale" icon="thumbtack" >}}
{{< tab title="Text" >}}

Simple text is possible here...

{{< tabs groupid="tabs-example-language" >}}
{{% tab title="python" %}}

Python is super easy.


- most of the time.
- if you don't want to output unicode

{{% /tab %}}
{{% tab title="bash" %}}

Bash is for hackers.

{{% /tab %}}
{{< /tabs >}}
{{< /tab >}}


{{< tab title="Code" style="default" color="darkorchid" >}}

...but no markdown

{{< tabs groupid="tabs-example-language" >}}
{{% tab title="python" %}}

```

```
```python
print("Hello World!")
```

{{% /tab %}}

{{% tab title="bash" %}}

```bash
echo "Hello World!"
```

{{% /tab %}}

{{< /tabs >}}

{{< /tab >}}

{{< /tabs >}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\shortcodes\tabs.nir.md

Resumo: +++ description = "Synchr'nize select'n o' content 'n different tabbed views" title = "Tabs" +++ {{< piratify >}}

+++

description = "Synchr'nize select'n o' content 'n different tabbed views"

title = "Tabs"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\showcase_index.en.md

*Resumo: +++ title = "Showcase" [_build] render = "always" list = "never" publishResources = true
+++ ## Poésieland by Barbara Post A collection of poems with requirements for improved
taxonomy support, adjusted menu width and additional JavaScript dependencies. [![Poésieland
image](poes...*

+++

title = "Showcase"

[_build]

render = "always"

list = "never"

publishResources = true

+++

Poésieland by Barbara Post

A collection of poems with requirements for improved taxonomy support, adjusted menu width and additional

[![Poésieland image](poesieland.png?width=60pc&lightbox=false)](<http://poesieland.free.fr/>)

GoboLinux Wiki by NEONsys.org

A Linux distribution wiki with customized CSS and the inspiration for the theme's Neon variant.

[![GoboLinux image](gobolinux.png?width=60pc&lightbox=false)](<https://wiki.gobolinux.org/>)

BITS by Dr. Lutz Gollan

Governmental IT security training with additional requirements for accessibility and title customization.

[![BITS image](bits-train.png?width=60pc&lightbox=false)](<https://bits-training.de/training/>)

Pamasol Electrics by Pamasol

A classical documentation site in the domain of automation technology with a custom branding variant.

[![Pamasol Electrics](pamasol-electrics-portal.png?width=60pc&lightbox=false)](<https://pamasol.github.io/>)

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\showcase_index.nir.md

Resumo: +++ title = "Showcase" [_build] render = "always" list = "never" publishResources = true
+++ {{< piratify >}}

+++

title = "Showcase"

[_build]

render = "always"

list = "never"

publishResources = true

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags_index.en.md

Resumo: +++ +++ You can define optional content in your overridden taxonomy page. As well you can define optional `title` and `singulartitle` that will override the values from your `hugo.toml` or of your translation files. ## Just an example heading The TOC will contain this heading and the index...

+++

+++

You can define optional content in your overridden taxonomy page. As well you can define optional `title`

Just an example heading

The TOC will contain this heading and the index headings below.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags_index.pir.md

Resumo: +++ title = "Tag-a-taggs" singulartitle = "Tagga" +++ {{< piratify >}}

+++

title = "Tag-a-taggs"

singulartitle = "Tagga"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags\the-hidden\ index.en.md

Resumo: +++ title = "a secret" +++ This lists all pages that are hidden from the home page. This includes pages that define `hidden=true` in their frontmatter as well as descendents of hidden pages. When giving term pages, you should give it a title. Otherwise it will print out a warning and will us...

+++

title = "a secret"

+++

This lists all pages that are hidden from the home page. This includes pages that define `hidden=true` in

When giving term pages, you should give it a title. Otherwise it will print out a warning and will use the

While internally this term is called `hidden`, it is referenced in the resulting english pages as `a secret`

Just an example heading

The TOC will contain this heading and the index headings below.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\content\tags\the-hidden\ index.bir.md

Resumo: +++ title = "hush, matey" +++ {{< piratify >}}

+++

title = "hush, matey"

+++

{{< piratify >}}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\frontmatter.json

Resumo: { "\$schema": "https://frontmatter.codes/frontmatter.schema.json",
"frontMatter.content.defaultSorting": "LastModifiedAsc", "frontMatter.content.hideFm": false,
"frontMatter.content.pageFolders": [{ "contentTypes": ["default"]...

```
{  
  "$schema": "https://frontmatter.codes/frontmatter.schema.json",  
  "frontMatter.content.defaultSorting": "LastModifiedAsc",  
  "frontMatter.content.hideFm": false,  
  "frontMatter.content.pageFolders": [  
    {  
      "contentTypes": [  
        "default"  
      ],  
      "path": "[[workspace]]/content",  
      "title": "Docs"  
    }  
  ],  
  "frontMatter.content.publicFolder": "static",  
  "frontMatter.extends": [  
    "../vscode-frontmatter/snippets.en.json"  
  ],  
  "frontMatter.framework.id": "hugo",  
  "frontMatter.framework.startCommand": "hugo server -p 1313 --bind 0.0.0.0 --navigateToChanged",  
  "frontMatter.git.commitMesage": "docs: changes via Front Matter editor",  
  "frontMatter.git.enabled": true,  
  "frontMatter.global.activeMode": "Editor",  
  "frontMatter.global.modes": [  
    {  
      "id": "Power",  
      "features": [  
        "dashboard.data.view",  
        "dashboard.snippets.manage",  
        "dashboard.snippets.view",  
        "dashboard.taxonomy.view",  
        "panel.actions",
```

```

        "panel.contentType",
        "panel.globalSettings",
        "panel.metadata",
        "panel.otherActions",
        "panel.recentlyModified",
        "panel.seo"
    ]
},
{
    "id": "Editor",
    "features": [
        "dashboard.snippets.view",
        "dashboard.taxonomy.view",
        "panel.actions",
        "panel.metadata"
    ]
}
],
"frontMatter.preview.host": "http://localhost:1313",
"frontMatter.preview.pathName": "{{pathToken.relPath}}/",
"frontMatter.taxonomy.categories": [],
"frontMatter.taxonomy.contentTypes": [
    {
        "fields": [
            {
                "name": "title",
                "title": "Titel",
                "type": "string"
            },
            {
                "default": " ",
                "name": "description",
                "title": "Description",
                "type": "string"
            }
        ],

```

```
    {
      "name": "weight",
      "title": "Weight",
      "type": "number"
    },
    {
      "name": "toc",
      "title": "Create TOC",
      "type": "boolean"
    }
  ],
  "name": "default",
  "pageBundle": true,
  "previewPath": null
}

],
"frontMatter.taxonomy.frontMatterType": "TOML"
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\custom-header.html

Resumo: `<style> #R-body img.bg-white { background-color: white; } </style>`

`<style>`

`#R-body img.bg-white {`

`background-color: white;`

`}`

`</style>`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\menu-footer.html

Resumo: `<span class="github-buttons"></span> <p>Built with <a href="https://github.com/McShelby/hugo-theme-relearn" title="love"><i class="fas fa-heart"></i></a> by <a href="https://gohugo.io/">Hugo</a></p> <script> function githubButtonsScheme(){ ...`

```
<span class="github-buttons"></span>
```

```
<p>Built with <a href="https://github.com/McShelby/hugo-theme-relearn" title="love"><i class="fas fa-heart"></i></a> by <a href="https://gohugo.io/">Hugo</a></p>
```

```
<script>
```

```
function githubButtonsScheme(){
```

```
    var scheme = 'light';
```

```
    var colorPropertyValue = window.getComputedStyle( document.querySelector( '#R-sidebar' ) ).color;
```

```
    var colorValues = colorPropertyValue.match( /\d+/g ).map( function( e ){ return parseInt(e, 10);
```

```
    if( colorValues.length === 3 && ((0.2126 * colorValues[0]) + (0.7152 * colorValues[1]) + (0.0722 * colorValues[2])) > 127 )
```

```
        // Luma, https://en.wikipedia.org/wiki/Luma_%28video%29, SMPTE C, Rec. 709 weightings
```

```
        scheme = 'dark';
```

```
    }
```

```
    return scheme;
```

```
}
```

```
function githubButtonsInit(){
```

```
    if( !window.githubButtons ){
```

```
        // wait for the script to load
```

```
        setTimeout( githubButtonsInit, 50 );
```

```
        return;
```

```
    }
```

```
    var scheme = githubButtonsScheme();
```

```
    var githubButtonsHTML = `
```

```
        <a class="github-button" href="https://github.com/McShelby/hugo-theme-relearn/archive/main.zip" data-color-scheme="${scheme}">Download
```

```
        <a class="github-button" href="https://github.com/McShelby/hugo-theme-relearn" data-color-scheme="${scheme}">View Source
```

```
        <a class="github-button" href="https://github.com/McShelby/hugo-theme-relearn/fork" data-color-scheme="${scheme}">Fork
```

```
    `;
```

```
    document.querySelector( '.github-buttons' ).innerHTML = githubButtonsHTML;
```

```
    document.querySelectorAll( '.github-button' ).forEach( function( anchor ){
```

```
        anchor.dataset.colorScheme = scheme;
```

```
        window.githubButtons.render( anchor, function( el ){
            anchor.parentNode.replaceChild( el, anchor );
        } );
    }
}
```

```
        });
    });
}

document.addEventListener( 'themeVariantLoaded', function( e ){

    // we have to wait until the CSS class .default-animation has settled and the buttons have

    setTimeout( githubButtonsInit, 400 );

});

window.matchMedia('(prefers-color-scheme: dark)').addEventListener('change', event => {

    setTimeout( githubButtonsInit, 400 );

});
</script>

<script async src="{{"js/github-buttons.js" | relURL}}"{ if not .Site.Params.disableAssetsBusting
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\menu-pre.html

Resumo: {{ if (eq .Params.archetype "chapter") }}<b style="display: inline-block; font-weight: 200; padding-left: .3rem; text-align: left; width: 1.1rem;">{{ .Params.weight }}. {{ end }}

{{ if (eq .Params.archetype "chapter") }}<b style="display: inline-block; font-weight: 200; padding-left:

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\shortcodes\multiconfig.html

Resumo: {{- /* Heavily modified from https://github.com/gohugoio/hugoDocs/blob/master/_vendor/github.com/gohugoio/gohugoioTheme/layouts/shortcodes/code-toggle.html Renders syntax-highlighted configuration data in TOML, YAML and JSON formats. @param {Page} [page] The page to render on. @par...

```
{{- /*
    Heavily modified from https://github.com/gohugoio/hugoDocs/blob/master/_vendor/github.com/gohugoio/gohugoioTheme/layouts/shortcodes/code-toggle.html

    Renders syntax-highlighted configuration data in TOML, YAML and JSON formats.

    @param {Page} [page] The page to render on.
    @param {string} [content] Plain content to render.
    @param {string} [config] The section of site.Data.docs.config to render.
    @param {string} [dataKey] Only render specific section
    @param {string} [file] The file name to display above the rendered code.
    @param {bool} [fm=false] If true, render the code as front matter.
    @param {bool} [skipHeader=false] If false, omit top level key(s) when rendering a section of site.Data.

    @returns {template.HTML}
*/}}

{{- /* Get parameters. */}}
{{- $page := .page }}
{{- $content := .content }}
{{- $config := .config }}
{{- $dataKey := .dataKey }}
{{- $file := .file }}
{{- $fm := false }}
{{- if in (slice "false" false 0) .fm }}
    {{- $fm = false }}
{{- else if in (slice "true" true 1) .fm }}
    {{- $fm = true }}
{{- end }}

{{- $skipHeader := false }}
{{- if in (slice "false" false 0) .skipHeader }}
```

```

    {{- $skipHeader = false }}

{{- else if in (slice "true" true 1) .skipHeader }}

    {{- $skipHeader = true }}

{{- end }}


{{- /* Define constants. */}}

{{- $delimiters := dict "toml" "+++" "yaml" "---" }}

{{- $langs := slice "toml" "yaml" "json" }}


{{- /* Render. */}}

{{- $code := "" }}

{{- if $config }}

    {{- $file = $file | default "hugo" }}

    {{- $sections := (split $config ".") }}

    {{- $configSection := index $page.Site.Data.docs.config $sections }}

    {{- $code = dict $sections $configSection }}

    {{- if $skipHeader }}

        {{- $code = $configSection }}

    {{- end }}

{{- else if $dataKey }}

    {{- $file = $file | default $dataKey }}

    {{- $sections := (split $dataKey ".") }}

    {{- $code = index $page.Site.Data.docs $sections }}

{{- else }}

    {{- $code = $content }}

{{- end }}

{{- $params := dict "page" $page "groupid" "config-code" }}

{{- with $file }}

    {{- $params = $params | merge (dict "title" (printf "%s%s" . (cond $fm "" "."))) }}

{{- end }}

{{- $contentparam := slice }}

{{- range $langs }}

    {{- /* Remove toml comments. */}}

    {{- $hcode := $code | replaceRE `#.*(\r\n|\r|\n)?` "" }}

    {{- $hcode = $hcode | transform.Remarshal . }}

```

```
{{- if and $fm (in (slice "toml" "yaml") .) }}  
  {{- $placeholder := (index $delimiters .) }}  
  {{- $hCode = printf "%s\n%s%s\n" $placeholder $hCode $placeholder }}  
{{- end }}  
  {{- $contentparam = $contentparam | append (dict "title" . "content" (printf "````%s\n%s````" . $hCode  
{{- end }}  
{{- $params = $params | merge (dict "content" $contentparam) }}  
{{- partial "shortcodes/tabs.html" $params }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\shortcodes\piratifyv.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'piratify' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'piratify' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $content := .content }}

{{- $pagefield := cond (ne $content nil) nil (.pagefield | default "Content") }}

{{- $writenotice := cond (ne .writenotice nil) .writenotice false }}

{{- $langtrg := "pir" }}

{{- $langsrc := cond (eq $page.Language.Lang $langtrg) (.langsrc | default "en") $page.Language.Lang }}

{{- $baseURL := urls.Parse site.BaseURL }}

{{- $baseURLpath := $baseURL.Path | default "/" }}

{{- $l := $page.RelPermalink }}

{{- $c := "" }}

{{- $srcPage := "" }}

{{- if ne $content nil }}

    ■{{- $c = $content }}

{{- else if eq $pagefield "Content" }}

    ■{{- $c = $page.Content }}

{{- else if eq $pagefield "TableOfContents" }}

    ■{{- $c = $page.TableOfContents }}

{{- end }}

{{- range $page.AllTranslations }}

    ■{{- if eq .Language.Lang $langsrc }}

        ■■{{- $l = .RelPermalink }}

        ■■{{- if ne $content nil }}

            ■■■{{- $c = $content }}

            ■■{{- else if eq $pagefield "Content" }}

                ■■■{{- $c = .Content }}

                ■■■{{- $srcPage = . }}
```

```

■ ■ {{- else if eq $pagefield "TableOfContents" }}
■ ■ ■ {{- $c = .TableOfContents }}
■ ■ {{- end }}
■ ■ {{- break }}
■ {{- end }}
{{- end }}

{{- if eq $page.Language.Lang $langtrg }}
■ {{- if $writenotice }}
■ ■ {{- partial "shortcodes/notice.html" (dict
■ ■ ■ "page" $page
■ ■ ■ "content" "<p>Fello' pirrrates, grog made us dizzy! Be awarrre <b>some stuff may look weird</b> in th
■ ■ ■ "icon" "skull-crossbones"
■ ■ ■ "style" "warning"
■ ■ ■ "title" "Arrr! Pirrrates"
■ ■ ) }}
■ {{- end }}
■ {{- $words := dict
■ ■ "Hugo" "Cap'n Hugo"
■ ■ "Info" "Ahoi"
■ ■ "Note" "Avast"
■ ■ "Tip" "Smarrrt Arrrse"
■ ■ "Warning" "Arrr"
■ ■ "good" "bloody"
■ ■ "shortcodes" "shorrtrcodes"
■ ■ "Shortcodes" "Shorrtrcodes"
■ ■ "Mermaid" "Merrrmaid"
■ ■ "Markdown" "Marrrkdown"
■ ■ "Markup" "Marrrkup"
■ ■ "markup" "marrrkup"
■ ■ "for" "fer"
"Your" "Yer"
■ ■ "your" "yer"
■ ■ "You" "Ye"
■ ■ "you" "ye"
■ ■ "the" "th'"

```


■ ■ "The" "Th' "
■ ■ "is" "be"
■ ■ "Is" "Be"
■ ■ "are" "be"
■ ■ "Are" "Be"
■ ■ "Of" "O' "
■ ■ "of" "o' "
■ ■ "To" "T' "
■ ■ "to" "t' "
■ ■ "in" "'n"
■ ■ "With" "Wit' "
■ ■ "with" "wit' "
■ ■ "Where" "Whar' "
■ ■ "where" "whar' "
■ ■ "After" "Aft"
■ ■ "And" "An' "
■ ■ "and" "an' "
■ ■ "Load" "Board"
■ ■ "load" "board"
■ ■ "Loaded" "Boarded"
■ ■ "loaded" "boarded"
■ ■ "Content" "Rrrambling"
■ ■ "content" "rrrambling"
■ ■ "icon" "ay'con"
■ ■ "Icon" "Ay'con"
■ ■ "icons" "ay'cons"
■ ■ "Icons" "Ay'cons"
■ ■ "syntax" "rules"
■ ■ "Syntax" "Rules"
■ ■ "Site" "Ship"
■ ■ "site" "ship"
■ ■ "Page" "Plank"
■ ■ "page" "plank"
■ ■ "Pages" "Planks"
■ ■ "pages" "planks"

```

■"Relearn" "Relearrn"

■"Learn" "Learrrn"

■-}}

■{- $specials := dict

■"(\w)ing([\s\n<.,;?!:~])" "'n"

■"(\w)ings([\s\n<.,;?!:~])" "'ns"

■"(\w)tion([\s\n<.,;?!:~])" "'t'n"

■"(\w)tions([\s\n<.,;?!:~])" "'t'ns"

■"(\w)(?:[aeiou])ble([\s\n<.,;?!:~])" "'ble"

■"(\w)(?:[aeiou])mize([\s\n<.,;?!:~])" "'mize"

■"(\w)(?:[aeiou])mizes([\s\n<.,;?!:~])" "'mizes"

■"(\w)(?:[aeiou])nize([\s\n<.,;?!:~])" "'nize"

■"(\w)(?:[aeiou])nizes([\s\n<.,;?!:~])" "'nizes"

■-}}

■{- $links := slice

■"href"

■-}}

■{- $fix := dict

■"warn'n" "warning"

■"sect'n" "section"
"n Cap'n" "n"

■"Avast right o' John" "Note right of John"

■-}}

■{- range $from, $to := $words }}

■{- $c = replaceRE (printf "([\s\n>])%s([\s\n<.,;?!:~])" $from) (printf "${1}%s${2}" $to) $c }}

■{- end }}

■{- range $from, $to := $specials }}

■{- $c = replaceRE $from (printf "${1}%s${2}" $to) $c }}

■{- end }}

■{- range $attr := $links }}

■{- $c = replaceRE (printf "\\b(%s)(=\\\"%s[^\"]*?\")" $attr $baseURLpath) "${1} data-piratify${2}" $c }}

■{- $m := findRESubmatch (printf "%s data-piratify=\\\"(%s)([^\"]*?)\\\"" $attr $baseURLpath) $c }}

■{- range $m }}

■{- $r := printf "%s=\\\"%s\\\"" $attr (index . 2) }}

■{- $u := urls.Parse (index . 2) }}

```

```

■■■■{{- if and (not $u.IsAbs) $u.Path }}

■■■■{{- $r = printf "%s=\"%s%s/%s\" \"$attr $baseUrlpath $langtrg (index . 2) }}" }}

■■■■{{- end }}

■■■■{{- $c = replace $c (index . 0) $r }}

■■{{- end }}

■{{- end }}

■{{- range $from, $to := $fix }}

■■{{- $c = replace $c $from $to }}

■{{- end }}

■{{- if $srcPage }}

■■{{- range $page.Site.Params.relearn.dependencies }}

■■■■{{- $has := printf "has%s" .name }}

■■■■{{- $page.Store.Set $has (or ($page.Store.Get $has) ($srcPage.Store.Get $has)) }}

■■{{- end }}

■{{- end }}

{{- end }}

{{- $c | safeHTML }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\shortcodes\replaceRE.html

Resumo: {{- replaceRE .pattern .replacement .input | safeHTML }}

`{{- replaceRE .pattern .replacement .input | safeHTML }}`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\partials\toc.html

Resumo: `{{- partial "shortcodes/piratify.html" (dict "page" . "pagefield" "TableOfContents") }}`

```
{{- partial "shortcodes/piratify.html" (dict
    "page" .
    "pagefield" "TableOfContents"
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\shortcodes\multiconfig.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/multiconfig.html" (dict "page" .Page "content" .Inner "config" (.Get "config") "dataKey" (.Get "dataKey") "file" (.Get "file") "fm" (.Get "fm") "skipHeader" (.Get "skipHeader..."

```
{{- $_hugo_config := `{ "version": 1 }` }}
```

```
{{- partial "shortcodes/multiconfig.html" (dict
```

```
    "page"          .Page
```

```
    "content"       .Inner
```

```
    "config"        (.Get "config")
```

```
    "dataKey"       (.Get "dataKey")
```

```
    "file"          (.Get "file")
```

```
    "fm"            (.Get "fm")
```

```
    "skipHeader"    (.Get "skipHeader")
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\shortcodes\piratifyv.html

Resumo: {{- partial "shortcodes/piratify.html" (dict "page" .Page "pagefield" "Content" "writenotice" (.Get "writenotice" | default (.Get 0))) }}

```
{{- partial "shortcodes/piratify.html" (dict  
  "page"          .Page  
  "pagefield"     "Content"  
  "writenotice"   (.Get "writenotice" | default (.Get 0))  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\layouts\shortcodes\replaceRE.html

Resumo: {{- partial "shortcodes/replaceRE.html" (dict "page" .Page "pattern" (.Get "pattern" | default (.Get 0)) "replacement" (.Get "replacement" | default (.Get 1)) "input" .Inner) }}

```
{{- partial "shortcodes/replaceRE.html" (dict  
  "page"      .Page  
  "pattern"    (.Get "pattern" | default (.Get 0))  
  "replacement" (.Get "replacement" | default (.Get 1))  
  "input"      .Inner  
) }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\makeTransByConentDir.is

Resumo: // Converts a multilang content folder given in the form of "Translation by Filename" // into the form of "Translation by content directory" // see

<https://gohugo.io/content-management/multilingual/#translate-your-content> const fs = require('fs'); const path = require('path'); function getL...

```
// Converts a multilang content folder given in the form of "Translation by Filename"
```

```
// into the form of "Translation by content directory"
```

```
// see https://gohugo.io/content-management/multilingual/#translate-your-content
```

```
const fs = require('fs');
```

```
const path = require('path');
```

```
function getLanguages(directoryPath) {
```

```
  const langs = {};
```

```
  try {
```

```
    const files = fs.readdirSync(directoryPath);
```

```
    files.forEach((file) => {
```

```
      const filePath = path.join(directoryPath, file);
```

```
      const regex = /^(.*?)\.([^.]+)\.([^.]+)$/;
```

```
      const match = file.match(regex);
```

```
      if (match) {
```

```
        const fileName = match[1];
```

```
        const fileLang = match[2];
```

```
        const fileExtension = match[3];
```

```
        langs[fileLang] = true;
```

```
      } else {
```

```
        try {
```

```
          const stats = fs.statSync(filePath);
```

```
          if (stats.isDirectory()) {
```

```
            Object.assign(langs, getLanguages(filePath));
```

```
          }
```

```
        } catch (err) {
```

```
          console.error(`Error reading file/directory ${filePath}: ${err}`);
```

```
        }
```

```
      }
```

```

    });
  } catch (err) {
    console.error(`Error reading directory ${directoryPath}: ${err}`);
  }
  return langs;
}

function processDirectory(directoryPath, oldDirectory, newDirectory, langs) {
  try {
    const files = fs.readdirSync(directoryPath);
    files.forEach((file) => {
      const relSubDirectory = directoryPath.replace(oldDirectory, '');
      const filePath = path.join(directoryPath, file);
      try {
        const stats = fs.statSync(filePath);
        const langRegex = /^(.*?)\.([^.]+)\.([^.]+)$/;
        const langMatch = file.match(langRegex);
        if (langMatch) {
          if (stats.isDirectory() || stats.isFile()) {
            // language files are be copied over as is
            // language directories are completely copied over as is, no need to scan its content as it al
            const fileName = langMatch[1];
            const fileLang = langMatch[2];
            const fileExtension = langMatch[3];
            const newFileDirectory = path.join(newDirectory, fileLang, relSubDirectory);
            const newFilePath = path.join(newFileDirectory, fileName + '.' + fileExtension);
            try {
              fs.mkdirSync(newFileDirectory, { recursive: true });
              fs.cpSync(filePath, newFilePath, { recursive: true });
            } catch (err) {
              console.error(`Error copying file/directory ${filePath} to ${newFilePath}: ${err}`);
              return false;
            }
          }
        }
      } else {

```

```

    if (stats.isDirectory()) {
        // non-language directories by itself are irrelevant, but let's check for their content
        if (!processDirectory(filePath, oldDirectory, newDirectory, langs)) {
            return false;
        }
    } else if (stats.isFile()){
        // non-language files are a different beast: copy the file into all languages that don't have it
        const nonLangRegex = /^(.*?)(\.[^.]*)?$/;
        const nonLangMatch = file.match(nonLangRegex);
        const fileName = nonLangMatch[1];
        const fileExtension = nonLangMatch.length > 3 ? nonLangMatch[3] : "";
        Object.keys(langs).forEach((fileLang) => {
            const langFilePath = path.join(directoryPath, fileName + '.' + fileLang + '.' + fileExtension);
            const langExists = fs.existsSync(langFilePath);
            if (!langExists) {
                const newFileDirectory = path.join(newDirectory, fileLang, relSubDirectory);
                const newFilePath = path.join(newFileDirectory, fileName + '.' + fileExtension);
                try {
                    fs.mkdirSync(newFileDirectory, { recursive: true });
                    fs.cpSync(filePath, newFilePath, { recursive: true });
                } catch (err) {
                    console.error(`Error copying file ${filePath} to ${newFilePath}: ${err}`);
                    return false;
                }
            }
        });
    }
} catch (err) {
    console.error(`Error reading file/directory ${filePath}: ${err}`);
    return false;
}
});
} catch (err) {
    console.error(`Error reading directory ${directoryPath}: ${err}`);
}

```

```

        return false;
    }
    return true;
}

function modifyConfig(configDirectory) {

}

function runThatShit(contentDirectory) {
    const sourceDirectory = contentDirectory;
    const backupDirectory = contentDirectory + ".backup";
    const targetDirectory = contentDirectory + ".temp";

    // check directories
    try {
        fs.accessSync(sourceDirectory, fs.constants.W_OK | fs.constants.R_OK);
    } catch (err) {
        console.error(`No read/write permission for directory ${sourceDirectory}: ${err}`);
        return false;
    }

    /*
    try {
        fs.statSync(backupDirectory);
        console.error(`Backup directory from last failed conversion still present ${backupDirectory}`);
        return false;
    } catch (err) {}
    */

    // Make space for the conversion
    try {
        fs.rmSync(targetDirectory, { recursive: true });
    } catch (err) {
        try {
            fs.statSync(targetDirectory);

```

```

        console.error(`Error removing directory ${targetDirectory}: ${err}`);
        return false;
    } catch (err) {}
}

try {
    fs.rmSync(backupDirectory, { recursive: true });
} catch (err) {
    try {
        fs.statSync(backupDirectory);

        console.error(`Error removing directory ${backupDirectory}: ${err}`);
        return false;
    } catch (err) {}
}

// convert that shit
const langs = getLanguages(sourceDirectory);

if( !processDirectory(sourceDirectory, sourceDirectory, targetDirectory, langs) ){
    return false;
}

// move final result around
try {
    fs.renameSync(sourceDirectory, backupDirectory);
    fs.renameSync(targetDirectory, sourceDirectory);
    fs.rmSync(backupDirectory, { recursive: true });
} catch (err) {
    console.error(`Error deleting/renaming directories: ${err}`);
    return false;
}

// edit the config file accordingly
modifyConfig(path.join(sourceDirectory, ".."));

return true;
}
const contentDirectory = path.join(__dirname, 'content');
```

```
runThatShit(contentDirectory);
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-dos\themes\hugo-theme-relearn\exampleSite\static\js\github-buttons.is

Resumo: `/*! * github-buttons v2.27.0 McShelby/hugo-theme-relearn#155 - make render() available on window.githubButtons * (c) 2023 ■■■■ * @license BSD-2-Clause */ (function () { 'use strict'; var document = window.document; var location = document.location; var Math = wi...`

`/*!`

`* github-buttons v2.27.0`

`McShelby/hugo-theme-relearn#155`

`- make render() available on window.githubButtons`

`* (c) 2023 ■■■■`

`* @license BSD-2-Clause`

`*/`

`(function () {`

`'use strict';`

`var document = window.document;`

`var location = document.location;`

`var Math = window.Math;`

`var HTMLElement = window.HTMLElement;`

`var XMLHttpRequest = window.XMLHttpRequest;`

`var buttonClass = 'github-button';`

`var iframeURL = 'https://' + (/* istanbul ignore next */ 'buttons.github.io') + '/buttons.html';`

`var domain = 'github.com';`

`var apiBaseURL = 'https://api.' + domain;`

`var useXHR = XMLHttpRequest && 'prototype' in XMLHttpRequest && 'withCredentials' in XMLHttpRequest.prototype`

`var useShadowDOM = useXHR && HTMLElement && 'attachShadow' in HTMLElement.prototype && !('prototype' in`

`var forEach = function (obj, func) {`

`for (var i = 0, len = obj.length; i < len; i++) {`

```

        func(obj[i]);
    }
};

var createElementInDocument = function (document) {
    return function (tag, props, children) {
        var el = document.createElement(tag);
        if (props != null) {
            for (var prop in props) {
                var val = props[prop];
                if (val != null) {
                    if (el[prop] != null) {
                        el[prop] = val;
                    } else {
                        el.setAttribute(prop, val);
                    }
                }
            }
        }
        if (children != null) {
            forEach(children, function (child) {
                el.appendChild(typeof child === 'string' ? document.createTextNode(child) : child);
            });
        }
        return el
    }
};

```

```

var createElement = createElementInDocument(document);

```

```

var dispatchOnce = function (func) {
    var onceToken;
    return function () {
        if (!onceToken) {
            onceToken = 1;

```



```

        func.apply(this, arguments);
    }
}

};

var hasOwnProperty = function (obj, prop) {
    return {}.hasOwnProperty.call(obj, prop)
};

var toLowerCase = function (obj) {
    return ('' + obj).toLowerCase()
};

var stringify = function (obj, sep, eq, encodeURIComponent) {
    if (sep == null) {
        sep = '&';
    }
    if (eq == null) {
        eq = '=';
    }
    if (encodeURIComponent == null) {
        encodeURIComponent = window.encodeURIComponent;
    }
    var params = [];
    for (var name in obj) {
        var value = obj[name];
        if (value != null) {
            params.push(encodeURIComponent(name) + eq + encodeURIComponent(value));
        }
    }
    return params.join(sep)
};

var parse = function (str, sep, eq, decodeURIComponent) {
    if (sep == null) {

```

```

        sep = '&';
    }
    if (eq == null) {
        eq = '=';
    }
    if (decodeURIComponent == null) {
        decodeURIComponent = window.decodeURIComponent;
    }
    var obj = {};
    forEach(str.split(sep), function (entry) {
        if (entry !== '') {
            var ref = entry.split(eq);
            obj[decodeURIComponent(ref[0])] = (ref[1] != null ? decodeURIComponent(ref.slice(1).join(eq)) : undefined);
        }
    });
    return obj;
};

```

```

var onEvent = function (target, eventName, func) {
    /* istanbul ignore else: IE lt 9 */
    if (target.addEventListener) {
        target.addEventListener(eventName, func, false);
    } else {
        target.attachEvent('on' + eventName, func);
    }
};

```

```

var offEvent = function (target, eventName, func) {
    /* istanbul ignore else: IE lt 9 */
    if (target.removeEventListener) {
        target.removeEventListener(eventName, func, false);
    } else {
        target.detachEvent('on' + eventName, func);
    }
};

```

```

var onceEvent = function (target, eventName, func) {
    var callback = function () {
        offEvent(target, eventName, callback);
        return func.apply(this, arguments)
    };
    onEvent(target, eventName, callback);
};

var onceReadyStateChange = /* istanbul ignore next: IE lt 9 */ function (target, regex, func) {
    if (target.readyState !== null) {
        var eventName = 'readystatechange';
        var callback = function () {
            if (regex.test(target.readyState)) {
                offEvent(target, eventName, callback);
                return func.apply(this, arguments)
            }
        };
        onEvent(target, eventName, callback);
    }
};

var defer = /* istanbul ignore next */ function (func) {
    if (document.readyState === 'complete' || (document.readyState !== 'loading' && !document.documentElement.addEventListener)) {
        setTimeout(func);
    } else {
        if (document.addEventListener) {
            var callback = dispatchOnce(func);
            onceEvent(document, 'DOMContentLoaded', callback);
            onceEvent(window, 'load', callback);
        } else {
            onceReadyStateChange(document, /m/, func);
        }
    }
};
var buttonsCssText = "body{margin:0}a{text-decoration:none;outline:0}.widget{display:inline-block;overflow:visible}";

```

```

var light = ".btn:focus-visible,.social-count:focus-visible{outline:2px solid #0969da;outline-offset:-2px}";

var lightHighContrast = ".btn:focus-visible,.social-count:focus-visible{outline:2px solid #0349b4;outline-offset:-2px}";
var dark = ".btn:focus-visible,.social-count:focus-visible{outline:2px solid #2f81f7;outline-offset:-2px}";

var darkDimmed = ".btn:focus-visible,.social-count:focus-visible{outline:2px solid #539bf5;outline-offset:-2px}";

var darkHighContrast = ".btn:focus-visible,.social-count:focus-visible{outline:2px solid #71b7ff;outline-offset:-2px}";

var widgetColorSchemes = {
  light: light,
  light_high_contrast: lightHighContrast,
  dark: dark,
  dark_dimmed: darkDimmed,
  dark_high_contrast: darkHighContrast
};

var getColorSchemeMediaQuery = function (systemColorScheme, widgetColorScheme) {
  return '@media(prefers-color-scheme:' + systemColorScheme + '){' + widgetColorSchemes[hasOwnProperty(widgetColorScheme)] + '}';
};

var getColorScheme = function (declarations) {
  if (declarations == null) {
    return widgetColorSchemes.light
  }

  if (hasOwnProperty(widgetColorSchemes, declarations)) {
    return widgetColorSchemes[declarations]
  }
};

var colorSchemes = parse(declarations, ';', ':', function (str) {
  return str.replace(/^[ \t\n\f\r]+|[ \t\n\f\r]+$/g, '');
});

return widgetColorSchemes[hasOwnProperty(widgetColorSchemes, colorSchemes['no-preference'])] ? colorSchemes['no-preference'] : widgetColorSchemes.light;

```

```

        getColorSchemeMediaQuery('light', colorSchemes.light) +
        getColorSchemeMediaQuery('dark', colorSchemes.dark)
    };

var data = {
    "comment-discussion": {
        heights: {
            "16": {
                width: 16,
                path: "<path d=\"M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.57"
            }
        }
    },
    download: {
        heights: {
            "16": {
                width: 16,
                path: "<path d=\"M2.75 14A1.75 1.75 0 0 1 1 12.25v-2.5a.75.75 0 0 1 1.5 0v2.5c0 .138.112.25.25"
            }
        }
    },
    eye: {
        heights: {
            "16": {
                width: 16,
                path: "<path d=\"M8 2c1.981 0 3.671.992 4.933 2.078 1.27 1.091 2.187 2.345 2.637 3.023a1.62 1.62"
            }
        }
    },
    heart: {
        heights: {
            "16": {
                width: 16,
                path: "<path d=\"m8 14.25.345.666a.75.75 0 0 1-.69 0l-.008-.004-.018-.01a7.152 7.152 0 0 1-.31-
            }
        }
    }
};

```

```
    },
    "issue-opened": {
      heights: {
        "16": {
          width: 16,
          path: "<path d=\"M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z\"></path><path d=\"M8 0a8 8 0 1 1 0 16Z\"></path>"
        }
      }
    },
    "mark-github": {
      heights: {
        "16": {
          width: 16,
          path: "<path d=\"M8 0c4.42 0 8 3.58 8 8a8.013 8.013 0 0 1-5.45 7.59c-.4.08-.55-.17-.55-.38 0-.2 0-.4.08-.55.17-.38.55-.55.872-1.51Z\"></path><path d=\"M0 0 16 0 16 16 0 16Z\"></path>"
        }
      }
    },
    "package": {
      heights: {
        "16": {
          width: 16,
          path: "<path d=\"m8.878.392 5.25 3.045c.54.314.872.89.872 1.514v6.098a1.75 1.75 0 0 1-.872 1.514Z\"></path><path d=\"M0 0 16 0 16 16 0 16Z\"></path>"
        }
      }
    },
    play: {
      heights: {
        "16": {
          width: 16,
          path: "<path d=\"M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Z\"></path><path d=\"M0 0 16 0 16 16 0 16Z\"></path>"
        }
      }
    },
    "repo-forked": {
```

```

    heights: {
      "16": {
        width: 16,
        path: "<path d=\"M5 5.372v.878c0 .414.336.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1
      }
    },
    "repo-template": {
      heights: {
        "16": {
          width: 16,
          path: "<path d=\"M13.25 8a.75.75 0 0 1 .75.75v4.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1
        }
      },
      star: {
        heights: {
"16": {
          width: 16,
          path: "<path d=\"M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.21.612a.75.75 0 0 1 .416 1.279l-3.0
        }
      }
    }
  };

```

```

var octicon = function (icon, height) {
  icon = toLowerCase(icon).replace(/^octicon-/ , '');
  if (!hasOwnProperty(data, icon)) {
    icon = 'mark-github';
  }
}

```

```

var defaultHeight = height >= 24 && /* istanbul ignore next */ 24 in data[icon].heights ? /* istanbul

```

```

var svg = data[icon].heights[defaultHeight];
return '<svg viewBox="0 0 ' + svg.width + ' ' + defaultHeight + '" width="' + (height * svg.width / d
};

```

```

var queues = {};

var fetch = function (url, func) {
    var queue = queues[url] || (queues[url] = []);
    if (queue.push(func) > 1) {
        return
    }

    var callback = dispatchOnce(function () {
        delete queues[url];
        while ((func = queue.shift())) {
            func.apply(null, arguments);
        }
    });

    if (useXHR) {
        var xhr = new XMLHttpRequest();
        onEvent(xhr, 'abort', callback);
        onEvent(xhr, 'error', callback);
        onEvent(xhr, 'load', function () {
            var data;
            try {
                data = JSON.parse(this.responseText);
            } catch (error) {
                callback(error);
                return
            }
            callback(this.status !== 200, data);
        });
        xhr.open('GET', url);
        xhr.send();
    } else {
        var contentWindow = this || window;
        contentWindow._ = function (json) {
            contentWindow._ = null;

```



```

        callback(json.meta.status !== 200, json.data);
    };

    var script = createElementInDocument(contentWindow.document)('script', {
        async: true,
src: url + (url.indexOf('?') !== -1 ? '&' : '?') + 'callback=_'
    });

    var onloadend = /* istanbul ignore next: IE lt 9 */ function () {
        if (contentWindow._) {
            contentWindow._({
                meta: {}
            });
        }
    };

    onEvent(script, 'load', onloadend);
    onEvent(script, 'error', onloadend);
    onceReadyStateChange(script, /de|m/, onloadend);
    contentWindow.document.getElementsByTagName('head')[0].appendChild(script);
}
};

```

```

var render$1 = function (root, options, func) {
    var createElement = createElementInDocument(root.ownerDocument);

    var style = root.appendChild(createElement('style', {
        type: 'text/css'
    }));

    var cssText = buttonsCssText + getColorScheme(options['data-color-scheme']);

    /* istanbul ignore if: IE lt 9 */
    if (style.styleSheet) {
        style.styleSheet.cssText = cssText;
    } else {
        style.appendChild(root.ownerDocument.createTextNode(cssText));
    }
}

```

```

var isLarge = toLowerCase(options['data-size']) === 'large';

var btn = createElement('a', {
  className: 'btn',
  href: options.href,
  rel: 'noopener',
  target: '_blank',
  title: options.title || undefined,
  'aria-label': options['aria-label'] || undefined,
  innerHTML: octicon(options['data-icon'], isLarge ? 16 : 14) + '&nbsp;';
}, [
  createElement('span', {}, [options['data-text'] || ''])
]);

var widget = root.appendChild(createElement('div', {
  className: 'widget' + (isLarge ? ' widget-lg' : '')
}, [
  btn
]));

var hostname = btn.hostname.replace(/\.$/ , '');
if (('.' + hostname).substring(hostname.length - domain.length) !== ('.' + domain)) {
  btn.removeAttribute('href');
  func(widget);
  return
}

var path = ('/' + btn.pathname).split(/\/+/);
if (((hostname === domain || hostname === 'gist.' + domain) && path[3] === 'archive') ||
    (hostname === domain && path[3] === 'releases' && (path[4] === 'download' || (path[4] === 'latest' &
    (hostname === 'codeload.' + domain))) {
  btn.target = '_top';
}

if (toLowerCase(options['data-show-count']) !== 'true' ||

```

```

    hostname !== domain ||
    path[1] === 'marketplace' ||
    path[1] === 'sponsors' ||
    path[1] === 'orgs' ||
    path[1] === 'users' ||
    path[1] === '-' ) {
    func(widget);
    return
  }

  var href, property;
  if (!path[2] && path[1]) {
    property = 'followers';
    href = '?tab=followers';
  } else if (!path[3] && path[2]) {
    property = 'stargazers_count';
    href = '/stargazers';
  } else if (!path[4] && path[3] === 'subscription') {
    property = 'subscribers_count';
    href = '/watchers';
  } else if (!path[4] && path[3] === 'fork') {
    property = 'forks_count';
    href = '/forks';
  } else if (path[3] === 'issues') {
    property = 'open_issues_count';
    href = '/issues';
  } else {
    func(widget);
    return
  }

  var api = path[2] ? '/repos/' + path[1] + '/' + path[2] : '/users/' + path[1];
  fetch.call(this, apiBaseURL + api, function (error, json) {
    if (!error) {
      var data = json[property];
    }
  });

```

```

        widget.appendChild(createElement('a', {
            className: 'social-count',
            href: json.html_url + href,
            rel: 'noopener',
            target: '_blank',
            'aria-label': data + ' ' + property.replace(/_count$/, '').replace('_', ' ').slice(0, data < 2 ? 1 : 2),
        }, [
            ('' + data).replace(/\B(?=(\d{3})+(?!\\d))/g, ',')
        ]));
    }
    func(widget);
});

};

var parseOptions = function (anchor) {
    var options = {
        href: anchor.href,
        title: anchor.title,
        'aria-label': anchor.getAttribute('aria-label')
    };

    forEach(['icon', 'color-scheme', 'text', 'size', 'show-count'], function (option) {
        var attribute = 'data-' + option;
        options[attribute] = anchor.getAttribute(attribute);
    });

    if (options['data-text'] == null) {
        options['data-text'] = anchor.textContent || anchor.innerText;
    }

    return options
};

var devicePixelRatio = window.devicePixelRatio || /* istanbul ignore next */ 1;
var ceilPixel = function (px) {
    return (devicePixelRatio > 1 ? Math.ceil(Math.round(px * devicePixelRatio) / devicePixelRatio * 2) / 2 : px);
};

```

```
};
```

```
var get = function (el) {  
  var width = el.offsetWidth;  
  var height = el.offsetHeight;  
  if (el.getBoundingClientRect) {  
    var boundingClientRect = el.getBoundingClientRect();  
    width = Math.max(width, ceilPixel(boundingClientRect.width));  
    height = Math.max(height, ceilPixel(boundingClientRect.height));  
  }  
  return [width, height]  
};
```

```
var set = function (el, size) {  
  el.style.width = size[0] + 'px';  
  el.style.height = size[1] + 'px';  
};
```

```
var render = function (options, func) {  
  if (options == null || func == null) {  
    return  
  }  
  if (options.getAttribute) {  
    options = parseOptions(options);  
  }  
  if (useShadowDOM) {  
    var host = createElement('span');  
    render$1(host.attachShadow({ mode: 'closed' })), options, function () {  
      func(host);  
    });  
  } else {  
    var iframe = createElement('iframe', {  
      src: 'javascript:0',  
      title: options.title || undefined,  
      allowtransparency: true,
```

```

        scrolling: 'no',
        frameBorder: 0
    });

    set(iframe, [0, 0]);

    iframe.style.border = 'none';

    var callback = function () {
var contentWindow = iframe.contentWindow;

        var body;

        try {

            body = contentWindow.document.body;

        } catch (_) /* istanbul ignore next: IE 11 */ {

            document.body.appendChild(iframe.parentNode.removeChild(iframe));

            return

        }

        offEvent(iframe, 'load', callback);

        render$1.call(contentWindow, body, options, function (widget) {

            var size = get(widget);

            iframe.parentNode.removeChild(iframe);

            onceEvent(iframe, 'load', function () {

                set(iframe, size);

            });

            iframe.src = iframeURL + '#' + (iframe.name = stringify(options));

            func(iframe);

        });

    };

    onEvent(iframe, 'load', callback);

    document.body.appendChild(iframe);

}

};

if (location.protocol + '//' + location.host + location.pathname === iframeURL) {

    render$1(document.body, parse(window.name || location.hash.replace(/^#/, '')), function () {});

} else {

    defer(function () {

        var anchors = document.querySelectorAll

```

```

? document.querySelectorAll('a.' + buttonClass)

: (function () {
    var results = [];

    forEach(document.getElementsByTagName('a'), function (a) {
        if ((' ' + a.className + ' ').replace(/[ \t\n\f\r]+/g, ' ').indexOf(' ' + buttonClass + ' '
            results.push(a);
        }
    });

    return results

})();

forEach(anchors, function (anchor) {
    render(anchor, function (el) {
        anchor.parentNode.replaceChild(el, anchor);
    });
});

});

}

window.githubButtons = { render: render };

})();

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\test-hugo.bat

Resumo: @echo off setlocal enabledelayedexpansion set hugo_prefix= set hugo_version= if not "%~1"==" " (set hugo_prefix=.hugo set hugo_version=.%1) rem Relearn themes exampleSite set "themeDir=.." if not exist "%themeDir%\layouts\partials\version.txt" (rem other sites stored par...

```
@echo off

setlocal enabledelayedexpansion

set hugo_prefix=
set hugo_version=
if not "%~1"==" " (
    set hugo_prefix=.hugo
    set hugo_version=.%1
)

rem Relearn themes exampleSite
set "themeDir=.."
if not exist "%themeDir%\layouts\partials\version.txt" (
    rem other sites stored parallel to Relearn themes directory
    set "themeDir=..\hugo-theme-relearn"
)
if not exist "%themeDir%\layouts\partials\version.txt" (
    rem other sites stored inside of repos directory parallel to Relearn theme directory
    set "themeDir=..\..\hugo-theme-relearn"
)
if not exist "%themeDir%\layouts\partials\version.txt" (
    rem regular theme users
    set "themeDir=themes\hugo-theme-relearn"
)
if not exist "%themeDir%\layouts\partials\version.txt" (
    rem theme users with custom theme name
    set "themeDir=themes\relearn"
)
if not exist "%themeDir%\layouts\partials\version.txt" (
    echo Relearn theme not found.
    set "version="
```



```

) else (
    set /p version=<"%themeDir%\layouts\partials\version.txt"
    set "version=.%version!"
)
echo %version%>"metrics%version%%hugo_prefix%%hugo_version%.log"

set config=--environment testing
if exist "config\testing" (
    rem seems we are in the themes exampleSite, no need to copy anything
) else if exist "config.toml" (
    set config=--config config.toml,%themeDir%\exampleSite\config\testing\hugo.toml
) else if exist "hugo.toml" (
    set config=--config hugo.toml,%themeDir%\exampleSite\config\testing\hugo.toml
) else if exist "config" (
    copy /e /i /y "%themeDir%\exampleSite\config\testing" "config\testing"
) else if exist "hugo" (
    copy /e /i /y "%themeDir%\config\testing" "hugo\testing"
)

echo on
hugo%hugo_version% %config% --printPathWarnings --templateMetrics --templateMetricsHints --cleanDestination
@echo off

set "start_dir=%CD%\public%version%%hugo_prefix%%hugo_version%"
set "output_file=dir%version%%hugo_prefix%%hugo_version%.log"
if exist "%output_file%" del "%output_file%"
for /r "%start_dir%" %%F in (*) do (
    set "file=%%F"
    echo !file:%start_dir%\=! >> "%output_file%"
)
move /Y "dir%version%%hugo_prefix%%hugo_version%.log" "public%version%%hugo_prefix%%hugo_version%\dir.log"

move /Y "metrics%version%%hugo_prefix%%hugo_version%.log" "public%version%%hugo_prefix%%hugo_version%\metrics.log"
For /F "UseBackQ Delims==" %A In ("public%version%%hugo_prefix%%hugo_version%\metrics.log") Do Set "lastline=%A"
echo %lastline%

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\exampleSite\test-hugo.min.bat

Resumo: @echo off setlocal enabledelayedexpansion call "test-hugo.bat" 0.121.0

```
@echo off
```

```
setlocal enabledelayedexpansion
```

```
call "test-hugo.bat" 0.121.0
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\go.mod

Resumo: module github.com/McShelby/hugo-theme-relearn go 1.18

module github.com/McShelby/hugo-theme-relearn

go 1.18

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\hugo.toml

Resumo: [module] [module.hugoVersion] min = "0.121.0" [mediaTypes] [mediaTypes."text/javascript"] suffixes = ["js"] [outputFormats] [outputFormats.print] name="print" baseName = "index.print" isHTML = true mediaType = 'text/html' permalinkable = false ...

[module]

[module.hugoVersion]

min = "0.121.0"

[mediaTypes]

[mediaTypes."text/javascript"]

suffixes = ["js"]

[outputFormats]

[outputFormats.print]

name= "print"

baseName = "index.print"

isHTML = true

mediaType = 'text/html'

permalinkable = false

noUgly = true

[outputFormats.search]

name= "search"

baseName = "index.search"

isPlainText = true

mediaType = 'text/javascript'

permalinkable = false

noUgly = true

[outputFormats.searchpage]

name= "searchpage"

baseName = "search"

isHTML = true

mediaType = 'text/html'

permalinkable = false

```
noUgly = true
```

```
[params.relearn.dependencies]
```

```
  [params.relearn.dependencies.mathjax]
```

```
    name = "MathJax"
```

```
  [params.relearn.dependencies.mermaid]
```

```
    name = "Mermaid"
```

```
  [params.relearn.dependencies.openapi]
```

```
    name = "OpenApi"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-do
cs\themes\hugo-theme-relearn\i18n\ar.toml

Resumo: [Reading-direction] other = "rtl" [Search] other = "■■■■■" [Search-placeholder] other = "...■■■■■" [Clear-search] other = "■■■ ■■■■" [No-results-found] other = "■■ ■■■
■■■■■ ■■■ ■■■■ ■■ \"{0}\" [N-results-found] other = "■■ ■■■■■■ ■■■ {1} ■■■■
■■ \"{0}\" [Clear-History]...

[Reading-direction]

```
other = "rtl"
```

[Search]

```
other = "██████"
```

[Search-placeholder]

```
other = "...██████"
```

[Clear - search]

```
other = "████ █████"
```

[No-results-found]

```
other = "■■ ■■■ ■■■■■■ ■■■ ■■■■■ ■■ \"{0}\""
```

[N-results-found]

```
other = "■■ ■■■■■■ ■■■ {1} ■■■■■ ■■ \"{0}\""
```

[Clear-History]

```
other = "    "
```

[Reset-view]

```
other = "■■■■■ ■■■■■ ■■■■■ ■■■■■"
```

[View-reset]

```
other = "■■■ ■■■■■ ■■■■■!"
```

[Attachments-label]

```
other = "██████"
```

[title-404]

```
other = "████ █████"
```

[message-404]

```
other = ".\\_([a-zA-Z0-9])_/[0-9]{4}. [0-9]{4} [0-9]{4} [0-9]{4} [0-9]{4} [0-9]{4}"
```

[Go-to-homepage]

```
other = "XXXXXXXX XX XXXXXXX XXXXXXXXXX"
```

[Edit-this-page]

```
other = "■■■"
```

[Print-this-chapter]

```
other = "██████ ███████ █████████"
```

[More-action]

```
other = "██████"
```

[Shortcuts-Title]

```
other = "■■■■■"
```

[Expand-title]

```
other = "... ██████████"
```

[Navigation-toggle]

```
other = "██████"
```

[Toc-toggle]

```
other = "■■■■ ■■■■■■■■■■"
```

[Byte-symbol]

```
other = "B"
```

[Kilobyte-symbol]

```
other = "KB"
```

[Megabyte-symbol]

```
other = "MB"
```

[note]

```
other = "■■■■■"
```

[info]

other = "■■■■■■■■"

[tip]

other = "■■■■■"

[warning]

other = "■■■■■"

[Copy-to-clipboard]

other = "■■■ ■■■ ■■■■■■■"

[Copied-to-clipboard]

other = "■■■■ ■■■ ■■■■■■■!"

[Copy-link-to-clipboard]

other = "■■■ ■■■■■ ■■■ ■■■■■■■"

[Link-copied-to-clipboard]

other = "■■■■ ■■■ ■■■ ■■■■■■■!"

[Chapter]

other = "{{.}} ■■■■■"

[Language]

other = "■■■■■"

[Theme]

other = "■■■■■"

[Submenu]

other = "{{.}} ■■■■■ ■■■■■"

[Subsections]

other = "{{.}} ■■■■■ ■■■■■"

[tags]

other = "■■■■■■■■ ■■■■■■"

[tag]

other = "■■■■ ■■■■■■"

[categories]

other = "■■■■"

[category]

other = "■■■"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-do-cs\themes\hugo-theme-relearn\i18n\cs.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Hledat" [Search-placeholder] other = "Hledat..." [Clear-search] other = "Vymazat vyhledávání" [No-results-found] other = "Žádné výsledky pro \"{0}\"" [N-results-found] other = "{1} výsledk■ pro \"{0}\"" [Clear-History] othe...

[Reading-direction]

other = "ltr"

[Search]

other = "Hledat"

[Search-placeholder]

other = "Hledat..."

[Clear-search]

other = "Vymazat vyhledávání"

[No-results-found]

other = "Žádné výsledky pro \"{0}\""

[N-results-found]

other = "{1} výsledk■ pro \"{0}\""

[Clear-History]

other = "Vymazat historii"

[Reset-view]

other = "Obnovit zobrazení"

[View-reset]

other = "Resetovat zobrazení!"

[Attachments-label]

other = "Přiložky"

[title-404]

other = "Nelokalizované"

[message-404]

other = "Ups. Zdá se, že tato stránka neexistuje _(▀)_/."

[Go-to-homepage]

other = "Přejít na domovskou stránku"

[Edit-this-page]

other = "Upravit"

[Print-this-chapter]

other = "Vytisknout kapitolu"

[More-action]

other = "Více"

[Shortcuts-Title]

other = "Více"

[Expand-title]

other = "Rozbalit..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Obsah"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Poznámka"

[info]

other = "Info"

[tip]

other = "Tip"

[warning]

other = "Varování"

[Copy-to-clipboard]

other = "Kopírovat"

[Copied-to-clipboard]

other = "Zkopírováno!"

[Copy-link-to-clipboard]

other = "Kopírovat odkaz"

[Link-copied-to-clipboard]

other = "Odkaz zkopírován!"

[Chapter]

other = "Kapitola {{.}}"

[Language]

other = "Jazyk"

[Theme]

other = "Motiv"

[Submenu]

other = "Podmenu {{.}}"

[Subsections]

other = "Podsekcce {{.}}"

[tags]

other = "Klí■ová Slova"

[tag]

other = "Klí■ové Slovo"

[categories]

other = "Kategorie"

[category]

other = "Kategorie"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\de.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Suchen" [Search-placeholder] other = "Suchen..." [Clear-search] other = "Suche löschen" [No-results-found] other = "Keine Ergebnisse gefunden für \"{0}\"" [N-results-found] other = "{1} Ergebnisse gefunden für \"{0}\"" [Clea...

[Reading-direction]

other = "ltr"

[Search]

other = "Suchen"

[Search-placeholder]

other = "Suchen..."

[Clear-search]

other = "Suche löschen"

[No-results-found]

other = "Keine Ergebnisse gefunden für \"{0}\""

[N-results-found]

other = "{1} Ergebnisse gefunden für \"{0}\""

[Clear-History]

other = "Verlauf löschen"

[Reset-view]

other = "Ansicht zurücksetzen"

[View-reset]

other = "Ansicht zurückgesetzt!"

[Attachments-label]

other = "Anhänge"

[title-404]

other = "Nicht gefunden"

[message-404]

other = "Huch. Diese Seite scheint nicht zu existieren __(■)_/_."

[Go-to-homepage]

other = "Gehe zur Homepage"

[Edit-this-page]

other = "Bearbeiten"

[Print-this-chapter]

other = "Ganzes Kapitel drucken"

[More-action]

other = "Mehr"

[Shortcuts-Title]

other = "Mehr"

[Expand-title]

other = "Erweitere mich..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Inhalt"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Anmerkung"

[info]

other = "Info"

[tip]

other = "Tipp"

[warning]

other = "Warnung"

[Copy-to-clipboard]

other = "In Zwischenablage kopieren"

[Copied-to-clipboard]

other = "In Zwischenablage kopiert!"

[Copy-link-to-clipboard]

other = "Link in Zwischenablage kopieren"

[Link-copied-to-clipboard]

other = "Link in Zwischenablage kopiert!"

[Chapter]

other = "Kapitel {{.}}"

[Language]

other = "Sprache"

[Theme]

other = "Theme"

[Submenu]

other = "Untermenu {{.}}"

[Subsections]

other = "Unterabschnitte von {{.}}"

[tags]

other = "Stichworte"

[tag]

other = "Stichwort"

[categories]

other = "Kategorien"

[category]

other = "Kategorie"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\en.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Search" [Search-placeholder] other = "Search..." [Clear-search] other = "Clear search" [No-results-found] other = "No results found for \"{0}\"" [N-results-found] other = "{1} results found for \"{0}\"" [Clear-History] othe...

[Reading-direction]

other = "ltr"

[Search]

other = "Search"

[Search-placeholder]

other = "Search..."

[Clear-search]

other = "Clear search"

[No-results-found]

other = "No results found for \"{0}\""

[N-results-found]

other = "{1} results found for \"{0}\""

[Clear-History]

other = "Clear History"

[Reset-view]

other = "Reset view"

[View-reset]

other = "View reset!"

[Attachments-label]

other = "Attachments"

[title-404]

other = "Not found"

[message-404]

other = "Whoops. Looks like this page doesn't exist _(▀)_/."

[Go-to-homepage]

other = "Go to homepage"

[Edit-this-page]

other = "Edit"

[Print-this-chapter]

other = "Print whole chapter"

[More-action]

other = "More"

[Shortcuts-Title]

other = "More"

[Expand-title]

other = "Expand me..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Table of Contents"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Note"

[info]

other = "Info"

[tip]

other = "Tip"

[warning]

other = "Warning"

[Copy-to-clipboard]

other = "Copy to clipboard"

[Copied-to-clipboard]

other = "Copied to clipboard!"

[Copy-link-to-clipboard]

other = "Copy link to clipboard"

[Link-copied-to-clipboard]

other = "Copied link to clipboard!"

[Chapter]

other = "Chapter {{.}}"

[Language]

other = "Language"

[Theme]

other = "Theme"

[Submenu]

```
other = "Submenu {{.}}"
```

```
[Subsections]
```

```
other = "Subsections of {{.}}"
```

```
[tags]
```

```
other = "Tags"
```

```
[tag]
```

```
other = "Tag"
```

```
[categories]
```

```
other = "Categories"
```

```
[category]
```

```
other = "Category"
```

Archivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\es.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Buscar" [Search-placeholder] other = "Buscar..." [Clear-search] other = "Borrar búsqueda" [No-results-found] other = "No se han encontrado resultados para \"{0}\"" [N-results-found] other = "{1} resultados encontrados para \"{0}\""

[Reading-direction]

other = "ltr"

[Search]

other = "Buscar"

[Search-placeholder]

other = "Buscar..."

[Clear-search]

other = "Borrar búsqueda"

[No-results-found]

other = "No se han encontrado resultados para \"{0}\""

[N-results-found]

other = "{1} resultados encontrados para \"{0}\""

[Clear-History]

other = "Borrar Historial"

[Reset-view]

other = "Restablecer vista"

[View-reset]

other = "¡Ver reajuste!"

[Attachments-label]

other = "Adjuntos"

[title-404]

other = "Sin localizar"

[message-404]

other = "Ups. Parece que la página no existe _(▀)_/."

[Go-to-homepage]

other = "Ir al inicio"

[Edit-this-page]

other = "Editar"

[Print-this-chapter]

other = "Imprimir todo el capítulo"

[More-action]

other = "Más"

[Shortcuts-Title]

other = "Más"

[Expand-title]

other = "Expandir..."

[Navigation-toggle]

other = "Menú"

[Toc-toggle]

other = "Tabla de contenido"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Nota"

[info]

other = "Información"

[tip]

other = "Consejo"

[warning]

other = "Aviso"

[Copy-to-clipboard]

other = "Copiar en el portapapeles"

[Copied-to-clipboard]

other = "¡Copiado al portapapeles!"

[Copy-link-to-clipboard]

other = "Copiar enlace al portapapeles"

[Link-copied-to-clipboard]

other = "¡Enlace copiado al portapapeles!"

[Chapter]

other = "Capítulo {{.}}"

[Language]

other = "Idioma"

[Theme]

other = "Tema"

[Submenu]

other = "Submenú {{.}}"

[Subsections]

other = "Subsecciones de {{.}}"

[tags]

other = "Etiquetas"

[tag]

other = "Etiqueta"

[categories]

other = "Categorías"

[category]

other = "Categoría"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-dos\themes\hugo-theme-relearn\i18n\fi.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Etsi" [Search-placeholder] other = "Etsi..." [Clear-search] other = "Tyhjennä haku" [No-results-found] other = "Ei tuloksia haulle \"{0}\"" [N-results-found] other = "{1} tulosta löytyi haulle \"{0}\"" [Clear-History] other...

[Reading-direction]

other = "ltr"

[Search]

other = "Etsi"

[Search-placeholder]

other = "Etsi..."

[Clear-search]

other = "Tyhjennä haku"

[No-results-found]

other = "Ei tuloksia haulle \"{0}\""

[N-results-found]

other = "{1} tulosta löytyi haulle \"{0}\""

[Clear-History]

other = "Tyhjennä historia"

[Reset-view]

other = "Palauta näkymä"

[View-reset]

other = "Näkymä nollattu!"

[Attachments-label]

other = "Liitteet"

[title-404]

other = "Paikantamaton"

[message-404]

other = "Sivua ei ole _(■)_/."

[Go-to-homepage]

other = "Etusivulle"

[Edit-this-page]

other = "Muokkaa"

[Print-this-chapter]

other = "Tulosta koko luku"

[More-action]

other = "Lisää"

[Shortcuts-Title]

other = "Lisää"

[Expand-title]

other = "Laajenna..."

[Navigation-toggle]

other = "Valikko"

[Toc-toggle]

other = "Sisältö"

[Byte-symbol]

other = "T"

[Kilobyte-symbol]

other = "KT"

[Megabyte-symbol]

other = "MT"

[note]

other = "Huom"

[info]

other = "Info"

[tip]

other = "Vihje"

[warning]

other = "Varoitus"

[Copy-to-clipboard]

other = "Kopioi leikepöydälle"

[Copied-to-clipboard]

other = "Kopioitu leikepöydälle!"

[Copy-link-to-clipboard]

other = "Kopioi linkki leikepöydälle"

[Link-copied-to-clipboard]

other = "Linkki kopioitu leikepöydälle!"

[Chapter]

other = "Luku {{.}}"

[Language]

other = "Kieli"

[Theme]

other = "Teema"

[Submenu]

other = "Alavalikko {{.}}"

[Subsections]

other = "Osa {{.}}"

[tags]

other = "Tunnisteet"

[tag]

other = "Tag"

[categories]

other = "Luokat"

[category]

other = "Kategoria"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\fr.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Rechercher" [Search-placeholder] other = "Rechercher..." [Clear-search] other = "Recherche claire" [No-results-found] other = "Aucun résultat trouvé pour \"{0}\"" [N-results-found] other = "{1} résultats trouvés pour \"{0}\"" ...

[Reading-direction]

other = "ltr"

[Search]

other = "Rechercher"

[Search-placeholder]

other = "Rechercher..."

[Clear-search]

other = "Recherche claire"

[No-results-found]

other = "Aucun résultat trouvé pour \"{0}\""

[N-results-found]

other = "{1} résultats trouvés pour \"{0}\""

[Clear-History]

other = "Supprimer l'historique"

[Reset-view]

other = "Réinitialiser la vue"

[View-reset]

other = "Vue réinitialisée!"

[Attachments-label]

other = "Pièces jointes"

[title-404]

other = "Non localisé"

[message-404]

other = "Oups. On dirait que cette page n'existe pas __(■)_/"

[Go-to-homepage]

other = "Vers la page d'accueil"

[Edit-this-page]

other = "Éditer"

[Print-this-chapter]

other = "Imprimer le chapitre entier"

[More-action]

other = "Aller plus loin"

[Shortcuts-Title]

other = "Aller plus loin"

[Expand-title]

other = "Déroulez-moi..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Table des matières"

[Byte-symbol]

other = "o"

[Kilobyte-symbol]

other = "ko"

[Megabyte-symbol]

other = "Mo"

[note]

other = "Remarque"

[info]

other = "Information"

[tip]

other = "Astuce"

[warning]

other = "Avertissement"

[Copy-to-clipboard]

other = "Copier dans le presse-papiers"

[Copied-to-clipboard]

other = "Copié dans le presse-papiers!"

[Copy-link-to-clipboard]

other = "Copier le lien dans le presse-papiers"

[Link-copied-to-clipboard]

other = "Lien copié dans le presse-papiers!"

[Chapter]

other = "Chapitre {{.}}"

[Language]

other = "Langue"

[Theme]

other = "Thème"

[Submenu]

other = "Sous-menu {{.}}"

[Subsections]

other = "Sous-sections de {{.}}"

[tags]

other = "Mots-clés"

[tag]

other = "Mot-clé"

[categories]

other = "Catégories"

[category]

other = "Catégorie"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\hi.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "🔍" [Search-placeholder] other = "🔍..." [Clear-search] other = "🗑️ 🔍 🔍 🔍 🔍" [No-results-found] other = "\"{0}\" 🔍 🔍 🔍 🔍 🔍 🔍 🔍 🔍 🔍 🔍" [N-results-found] other = "\"{0}\" 🔍 🔍 {1} 🔍 🔍 🔍 🔍" [Clear-History] ...

[Reading-direction]

other = "ltr"

[Search]

other = "🔍"

[Search-placeholder]

other = "🔍..."

[Clear-search]

other = "🗑️ 🔍 🔍 🔍"

[No-results-found]

other = "\"{0}\" 🔍 🔍 🔍 🔍 🔍 🔍 🔍 🔍 🔍 🔍"

[N-results-found]

other = "\"{0}\" 🔍 🔍 {1} 🔍 🔍 🔍 🔍"

[Clear-History]

other = "🗑️ 🔍 🔍 🔍"

[Reset-view]

other = "🗑️ 🔍 🔍 🔍"

[View-reset]

other = "🗑️ 🔍 🔍 🔍!"

[Attachments-label]

other = "📎 (📎)"

[title-404]

other = "📎"

[message-404]

other = "■■ ■■■■■ ■■■ ■■■■■■■■ ■■!"

[Go-to-homepage]

other = "■■■■■ ■■■■■ ■■ ■■■"

[Edit-this-page]

other = "■■■■■■■ ■■■■"

[Print-this-chapter]

other = "■■■■■ ■■■■■■ ■■■■■■■ ■■■■"

[More-action]

other = "■■■■■ ■■■■■■■ ■■■■■■"

[Shortcuts-Title]

other = "■■■■■ ■■■■■■■ ■■■■■■"

[Expand-title]

other = "■■■■■■■ ■■■..."

[Navigation-toggle]

other = "Menú"

[Toc-toggle]

other = "■■■■■■■■■"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "■■■"

[info]

other = "■■■■■■■■"

[tip]

other = "■■■"

[warning]

other = "■■■■■■■■"

[Copy-to-clipboard]

other = "■■■■■■■■■■ ■■ ■■■■■■■■■■ ■■■■■"

[Copied-to-clipboard]

other = "■■■■■■■■■■ ■■ ■■■■ ■■■■ ■■■!"

[Copy-link-to-clipboard]

other = "■■■■■■■■■■ ■■ ■■■■ ■■ ■■■■■■■■■■ ■■■■■"

[Link-copied-to-clipboard]

other = "■■■■■ ■■■■■■■■■■ ■■ ■■■ ■■■■■■■■■■ ■■■■!"

[Chapter]

other = "■■■■■■■ {{.}}"

[Language]

other = "■■■■"

[Theme]

other = "■■■■"

[Submenu]

other = "■■■■■■■ {{.}}"

[Subsections]

other = "{{.}} ■■ ■■■■■"

[tags]

other = "■■■■"

[tag]

other = "■■■■■■"

[categories]

other = "■■■■■■■■■■"

[category]

other = "■■■■■"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\i18n\hu.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Keresés" [Search-placeholder] other = "Keresés..." [No-results-found] other = "Nincs találat a(z) \"{0}\" kifejezésre" [N-results-found] other = "{1} találat a(z) \"{0}\" kifejezésre" [Clear-History] other = "Előzmények törlése..."

[Reading-direction]

other = "ltr"

[Search]

other = "Keresés"

[Search-placeholder]

other = "Keresés..."

[No-results-found]

other = "Nincs találat a(z) \"{0}\" kifejezésre"

[N-results-found]

other = "{1} találat a(z) \"{0}\" kifejezésre"

[Clear-History]

other = "Előzmények törlése"

[Reset-view]

other = "Nézet visszaállítása"

[View-reset]

other = "Visszaállítás megtekintése!"

[Clear-search]

other = "Keresések törlése"

[Attachments-label]

other = "Csatolmányok"

[title-404]

other = "Az oldal nem található"

[message-404]

other = "Hoppá. Úgy t^unik, hogy ez az oldal nem létezik .""/>"

[Go-to-homepage]

other = "Menj a kezd^őlapra"

[Edit-this-page]

other = "Szerkesztés"

[Print-this-chapter]

other = "Teljes fejezet nyomtatása"

[More-action]

other = "Egyebek"

[Shortcuts-Title]

other = "Egyebek"

[Expand-title]

other = "Nyiss ki..."

[Navigation-toggle]

other = "Menü"

[Toc-toggle]

other = "Tartalomjegyzék"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Jegyzet"

[info]

other = "Infó"

[tip]

other = "Tipp"

[warning]

other = "Figyelem"

[Copy-to-clipboard]

other = "Vágólapra másolás"

[Copied-to-clipboard]

other = "Vágólapra másolva!"

[Copy-link-to-clipboard]

other = "Link vágólapra másolása"

[Link-copied-to-clipboard]

other = "Link vágólapra másolva!"

[Chapter]

other = "{{.}} fejezet"

[Language]

other = "Nyelv"

[Theme]

other = "Téma"

[Submenu]

other = "{.}" almenü"

[Subsections]

other = "{.}" alszekciói"

[tags]

other = "Címkék"

[tag]

other = "Címke"

[categories]

other = "Kategóriák"

[category]

other = "Kategória"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\id.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Telusuri" [Search-placeholder] other = "Telusuri..." [Clear-search] other = "Hapus pencarian" [No-results-found] other = "Tidak ada hasil yang ditemukan untuk \"{0}\"" [N-results-found] other = "Ditemukan {1} hasil untuk \"{0}\"..."

[Reading-direction]

other = "ltr"

[Search]

other = "Telusuri"

[Search-placeholder]

other = "Telusuri..."

[Clear-search]

other = "Hapus pencarian"

[No-results-found]

other = "Tidak ada hasil yang ditemukan untuk \"{0}\""

[N-results-found]

other = "Ditemukan {1} hasil untuk \"{0}\""

[Clear-History]

other = "Bersihkan Riwayat"

[Reset-view]

other = "Setel ulang tampilan"

[View-reset]

other = "Lihat ulang!"

[Attachments-label]

other = "Lampiran"

[title-404]

other = "Tidak terletak"

[message-404]

other = "Oops. Sepertinya halaman ini tidak ada _(■)_/."

[Go-to-homepage]

other = "Ke halaman depan"

[Edit-this-page]

other = "Mengedit"

[Print-this-chapter]

other = "Mencetak seluruh bab"

[More-action]

other = "Lainnya"

[Shortcuts-Title]

other = "Lainnya"

[Expand-title]

other = "Bentangkan..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Daftar isi"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Nota"

[info]

other = "Info"

[tip]

other = "Ujung"

[warning]

other = "Peringatan"

[Copy-to-clipboard]

other = "Salin ke clipboard"

[Copied-to-clipboard]

other = "Disalin ke clipboard!"

[Copy-link-to-clipboard]

other = "Salin link ke clipboard"

[Link-copied-to-clipboard]

other = "Link disalin ke clipboard!"

[Chapter]

other = "Bab {{.}}"

[Language]

other = "Bahasa"

[Theme]

other = "Tema"

[Submenu]

```
other = "Submenu {{.}}"
```

```
[Subsections]
```

```
other = "Subbagian {{.}}"
```

```
[tags]
```

```
other = "Tag"
```

```
[tag]
```

```
other = "Tag"
```

```
[categories]
```

```
other = "Kategori"
```

```
[category]
```

```
other = "Kategori"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\it.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Cerca" [Search-placeholder] other = "Cerca..." [Clear-search] other = "Cancella ricerca" [No-results-found] other = "Nessun risultato trovato per \"{0}\"" [N-results-found] other = "{1} risultati trovati per \"{0}\"" [Clear-...

[Reading-direction]

other = "ltr"

[Search]

other = "Cerca"

[Search-placeholder]

other = "Cerca..."

[Clear-search]

other = "Cancella ricerca"

[No-results-found]

other = "Nessun risultato trovato per \"{0}\""

[N-results-found]

other = "{1} risultati trovati per \"{0}\""

[Clear-History]

other = "Reimposta storico"

[Reset-view]

other = "Azzeramento vista"

[View-reset]

other = "Vista azzerata!"

[Attachments-label]

other = "Allegati"

[title-404]

other = "Non localizzato"

[message-404]

other = "Oh no! Sembra che la pagina da te cercata non esista _(■)_/."

[Go-to-homepage]

other = "Ritorna alla pagina iniziale"

[Edit-this-page]

other = "Modifica"

[Print-this-chapter]

other = "Stampa l'intero capitolo"

[More-action]

other = "Altro"

[Shortcuts-Title]

other = "Altro"

[Expand-title]

other = "Espandi..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Indice"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Nota"

[info]

other = "Informazione"

[tip]

other = "Suggerimento"

[warning]

other = "Attenzione"

[Copy-to-clipboard]

other = "Copia nella clipboard"

[Copied-to-clipboard]

other = "Copia dalla clipboard!"

[Copy-link-to-clipboard]

other = "Copia collegamento in clipboard"

[Link-copied-to-clipboard]

other = "Collegamento copiato dalla clipboard!"

[Chapter]

other = "Capitolo {{.}}"

[Language]

other = "Lingua"

[Theme]

other = "Tema"

[Submenu]

other = "Sottomenu {{.}}"

[Subsections]

other = "Sottosezioni di {{.}}"

[tags]

other = "Tag"

[tag]

other = "Tag"

[categories]

other = "Categorie"

[category]

other = "Categoria"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ia.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "■" [Search-placeholder] other = "■..." [Clear-search] other = "■■■■■■" [No-results-found] other = "\"{0}\" ■■■■■■■■■■" [N-results-found] other = "\"{0}\" ■ {1} ■■■■■■■■■■" [Clear-History] other = "■■■■" [Reset-view]...

[Reading-direction]

other = "ltr"

[Search]

other = "■"

[Search-placeholder]

other = "■..."

[Clear-search]

other = "■■■■■■"

[No-results-found]

other = "\"{0}\" ■■■■■■■■■■"

[N-results-found]

other = "\"{0}\" ■ {1} ■■■■■■■■■■"

[Clear-History]

other = "■■■■"

[Reset-view]

other = "■■■■■■■■"

[View-reset]

other = "■■■■■■■■"

[Attachments-label]

other = "■"

[title-404]

other = "■■■"

[message-404]

```
other = "■■■■■■■■■■■■■■■■■■■■ \_\_(■)\_/."
```

[Go-to-homepage]

```
other = "██████████"
```

[Edit-this-page]

```
other = "██"
```

[Print-this-chapter]

```
other = "██████████"
```

[More-action]

```
other = "■■"
```

[Shortcuts-Title]

```
other = "██"
```

[Expand-title]

```
other = "■■..."
```

[Navigation-toggle]

```
other = "████"
```

[Toc-toggle]

```
other = "██"
```

[Byte-symbol]

```
other = "B"
```

[Kilobyte-symbol]

```
other = "KB"
```

[Megabyte-symbol]

```
other = "MB"
```

[note]

```
other = "██"
```

[info]

other = "■■"

[tip]

other = "■■■"

[warning]

other = "■■"

[Copy-to-clipboard]

other = "■■■■■■■■■■"

[Copied-to-clipboard]

other = "■■■■■■■■■■!"

[Copy-link-to-clipboard]

other = "■■■■■■■■■■■■■■■■■■■■"

[Link-copied-to-clipboard]

other = "■■■■■■■■■■■■■■■■■■■■!"

[Chapter]

other = "■{.}■"

[Language]

other = "■■"

[Theme]

other = "■■■"

[Submenu]

other = "■■■■■■■ {.}"

[Subsections]

other = "{.}■■■■■■■■■■"

[tags]

other = "■■"

[tag]

other = "■■"

[categories]

other = "■■■■■"

[category]

other = "■■■■■"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ko.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "🔍" [Search-placeholder] other = "🔍🔍🔍🔍🔍🔍🔍🔍" [Clear-search] other = "🔍🔍🔍🔍" [No-results-found] other = "\"{0}\"🔍🔍🔍🔍🔍🔍🔍🔍. " [N-results-found] other = "\"{0}\"🔍🔍 {1}🔍🔍🔍🔍🔍🔍🔍🔍. " [Clear-History] other = "🔍🔍🔍🔍" ...

[Reading-direction]

other = "ltr"

[Search]

other = "🔍"

[Search-placeholder]

other = "🔍🔍🔍🔍🔍🔍🔍🔍"

[Clear-search]

other = "🔍🔍🔍🔍"

[No-results-found]

other = "\"{0}\"🔍🔍🔍🔍🔍🔍🔍🔍. "

[N-results-found]

other = "\"{0}\"🔍🔍 {1}🔍🔍🔍🔍🔍🔍🔍🔍. "

[Clear-History]

other = "🔍🔍🔍🔍"

[Reset-view]

other = "🔍🔍🔍🔍"

[View-reset]

other = "🔍🔍🔍🔍!"

[Attachments-label]

other = "🔍🔍🔍🔍"

[title-404]

other = "🔍🔍🔍🔍"

[message-404]

other = "■■■■ ■■ ■■■■■■."

[Go-to-homepage]

other = "■■■■"

[Edit-this-page]

other = "■■"

[Print-this-chapter]

other = "■■ ■ ■■"

[More-action]

other = "■■ ■■"

[Shortcuts-Title]

other = "■■ ■■"

[Expand-title]

other = "■ ■■"

[Navigation-toggle]

other = "■■"

[Toc-toggle]

other = "■■"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

code snippet ■■ comment(■■)■■ ■■ ■■■ ■■ ■■ ■■ ■■■■■.

other = "■"

[info]

■■ ■■■ learn theme ■■ ■■■ ■■■■ ■■ ■■ ■■■■■.

other = "■■"

[tip]

■■■ ■■■■ ■■ ■■■■, note, info■ ■■■ ■ ■ ■■■ ■■■ ■■ ■■■■ ■■■■■.

other = "■■■"

[warning]

other = "■■"

[Copy-to-clipboard]

other = "■■■■■ ■■"

[Copied-to-clipboard]

other = "■■■■■ ■■■■■■!"

[Copy-link-to-clipboard]

other = "■■■ ■■■■■ ■■"

[Link-copied-to-clipboard]

other = "■■■■■ ■■■ ■■■■■■!"

[Chapter]

other = "{{.}}■"

[Language]

other = "■■"

[Theme]

other = "■■"

[Submenu]

other = "■■ ■■ {{.}}"

[Subsections]

other = "{.}.{}■ ■■ ■■"

[tags]

other = "■■"

[tag]

other = "■■"

[categories]

other = "■■■■"

[category]

other = "■■■■"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\nl.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Zoeken" [Search-placeholder] other = "Zoeken..." [Clear-search] other = "Zoekopdracht wissen" [No-results-found] other = "Geen resultaten gevonden voor \"{0}\"" [N-results-found] other = "{1} resultaten gevonden voor \"{0}\""
...

[Reading-direction]

other = "ltr"

[Search]

other = "Zoeken"

[Search-placeholder]

other = "Zoeken..."

[Clear-search]

other = "Zoekopdracht wissen"

[No-results-found]

other = "Geen resultaten gevonden voor \"{0}\""

[N-results-found]

other = "{1} resultaten gevonden voor \"{0}\""

[Clear-History]

other = "Wis geschiedenis"

[Reset-view]

other = "Weergave opnieuw instellen"

[View-reset]

other = "Opnieuw instellen weergeven!"

[Attachments-label]

other = "Bijlagen"

[title-404]

other = "Niet gelokaliseerd"

[message-404]

other = "Blijkbaar bestaat deze pagina niet \\\(■)\/."

[Go-to-homepage]

other = "Naar startpagina"

[Edit-this-page]

other = "Bewerken"

[Print-this-chapter]

other = "Het hele hoofdstuk afdrukken"

[More-action]

other = "Snelkoppelingen"

[Shortcuts-Title]

other = "Snelkoppelingen"

[Expand-title]

other = "Lees meer..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Inhoudsopgave"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Notitie"

[info]

other = "Info"

[tip]

other = "Fooi"

[warning]

other = "Waarschuwing"

[Copy-to-clipboard]

other = "Naar klembord kopiëren"

[Copied-to-clipboard]

other = "Gekopieerd naar klembord!"

[Copy-link-to-clipboard]

other = "Link naar klembord kopiëren"

[Link-copied-to-clipboard]

other = "Link gekopieerd naar klembord!"

[Chapter]

other = "Hoofdstuk {{.}}"

[Language]

other = "Taal"

[Theme]

other = "Thema"

[Submenu]

other = "Submenu {{.}}"

[Subsections]

other = "Subsecties van {{.}}"

[tags]

other = "Tags"

[tag]

other = "Tag"

[categories]

other = "Categorieën"

[category]

other = "Categorie"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\pt-br.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Searrrch" [Search-placeholder] other = "Searrrch..." [Clear-search] other = "Clearrrr searrrch" [No-results-found] other = "No rrresults found fer \"{0}\"" [N-results-found] other = "{1} rrresults found fer \"{0}\"" [Clear-Hi...

[Reading-direction]

other = "ltr"

[Search]

other = "Searrrch"

[Search-placeholder]

other = "Searrrch..."

[Clear-search]

other = "Clearrrr searrrch"

[No-results-found]

other = "No rrresults found fer \"{0}\""

[N-results-found]

other = "{1} rrresults found fer \"{0}\""

[Clear-History]

other = "Clearrrr Historrry"

[Reset-view]

other = "Rrreset view"

[View-reset]

other = "View rrreset!"

[Attachments-label]

other = "Attachments"

[title-404]

other = "Not found"

[message-404]

other = "Whoops. Looks like this plank doesn't exist _(▀)_/."

[Go-to-homepage]

other = "Go t' homeplank"

[Edit-this-page]

other = "Edit"

[Print-this-chapter]

other = "Prrrint whole chapterrr"

[More-action]

other = "Morrrre"

[Shortcuts-Title]

other = "Morrrre"

[Expand-title]

other = "Expand me..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Table o' Contents"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Avast"

[info]

other = "Ahoi"

[tip]

other = "Smarrrt arrrse"

[warning]

other = "Arrr"

[Copy-to-clipboard]

other = "Copy t' clipboard"

[Copied-to-clipboard]

other = "Copied t' clipboard!"

[Copy-link-to-clipboard]

other = "Copy link t' clipboard"

[Link-copied-to-clipboard]

other = "Copied link t' clipboard!"

[Chapter]

other = "T' chapterrr {{.}}"

[Language]

other = "Language"

[Theme]

other = "Theme"

[Submenu]

other = "Submenu {{.}}"

[Subsections]

other = "Subsections of {{.}}"

[tags]

other = "Tags"

[tag]

other = "Tag"

[categories]

other = "Categories"

[category]

other = "Category"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\pl.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Szukaj" [Search-placeholder] other = "Szukaj..." [Clear-search] other = "Wyczyść wyszukiwanie" [No-results-found] other = "Nie znaleziono wyników dla \"{0}\"" [N-results-found] other = "Znaleziono {1} wyników dla \"{0}\"" [C...

[Reading-direction]

other = "ltr"

[Search]

other = "Szukaj"

[Search-placeholder]

other = "Szukaj..."

[Clear-search]

other = "Wyczyść wyszukiwanie"

[No-results-found]

other = "Nie znaleziono wyników dla \"{0}\""

[N-results-found]

other = "Znaleziono {1} wyników dla \"{0}\""

[Clear-History]

other = "Wyczyść historię"

[Reset-view]

other = "Resetowanie widoku"

[View-reset]

other = "Widok zresetowany!"

[Attachments-label]

other = "Załączniki"

[title-404]

other = "Niezlokalizowany"

[message-404]

other = "Ups. Wygląda na to, że strona nie istnieje _(▀)_/."

[Go-to-homepage]

other = "Idź do strony paczki"

[Edit-this-page]

other = "Edycja"

[Print-this-chapter]

other = "Drukowanie całego rozdziału"

[More-action]

other = "Więcej"

[Shortcuts-Title]

other = "Więcej"

[Expand-title]

other = "Rozwiń mnie..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Spis treści"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Uwaga"

[info]

other = "Info"

[tip]

other = "Porada"

[warning]

other = "Ostrzeżenie"

[Copy-to-clipboard]

other = "Kopiuj do schowaka"

[Copied-to-clipboard]

other = "Skopiowano do schowka!"

[Copy-link-to-clipboard]

other = "Kopiuj link do schowka"

[Link-copied-to-clipboard]

other = "Skopiowano link do schowka!"

[Chapter]

other = "Rozdział {{.}}"

[Language]

other = "Język"

[Theme]

other = "Kompozycja"

[Submenu]

other = "Podmenu {{.}}"

[Subsections]

other = "Podsekcje z {{.}}"

[tags]

other = "Tagi"

[tag]

other = "Tag"

[categories]

other = "Kategorie"

[category]

other = "Kategoria"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\pt.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Procurar" [Search-placeholder] other = "Procurar..." [Clear-search] other = "Limpar pesquisa" [No-results-found] other = "Nenhum resultado encontrado para \"{0}\"" [N-results-found] other = "{1} resultados encontrados para \"{0}\""

[Reading-direction]

other = "ltr"

[Search]

other = "Procurar"

[Search-placeholder]

other = "Procurar..."

[Clear-search]

other = "Limpar pesquisa"

[No-results-found]

other = "Nenhum resultado encontrado para \"{0}\""

[N-results-found]

other = "{1} resultados encontrados para \"{0}\""

[Clear-History]

other = "Limpar Histórico"

[Reset-view]

other = "Repor vista"

[View-reset]

other = "Ver reposição!"

[Attachments-label]

other = "Anexos"

[title-404]

other = "Não localizado"

[message-404]

other = "Ops. Parece que a página não existe _(▀)_/."

[Go-to-homepage]

other = "Ir para o início"

[Edit-this-page]

other = "Editar"

[Print-this-chapter]

other = "Imprimir capítulo inteiro"

[More-action]

other = "Mais"

[Shortcuts-Title]

other = "Mais"

[Expand-title]

other = "Expandir..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Índice"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Nota"

[info]

other = "Informação"

[tip]

other = "Dica"

[warning]

other = "Aviso"

[Copy-to-clipboard]

other = "Copiar para a área de transferência"

[Copied-to-clipboard]

other = "Copiado para a área de transferência!"

[Copy-link-to-clipboard]

other = "Link de cópia para a área de transferência"

[Link-copied-to-clipboard]

other = "Link copiado para a área de transferência!"

[Chapter]

other = "Capítulo {{.}}"

[Language]

other = "Idioma"

[Theme]

other = "Tema"

[Submenu]

other = "Submenu {{.}}"

[Subsections]

other = "Subsecções de {{.}}"

[tags]

other = "Etiquetas"

[tag]

other = "Etiqueta"

[categories]

other = "Categorias"

[category]

other = "Categoria"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\ro.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Caut" [Search-placeholder] other = "Caut..." [Clear-search] other = "terge cutare" [No-results-found] other = "Nu s-au gsit rezultate pentru \"{0}\"" [N-results-found] other = "{1} rezultate gsite pentru \"{0}\"" [Cle...

[Reading-direction]

other = "ltr"

[Search]

other = "Caut"

[Search-placeholder]

other = "Caut..."

[Clear-search]

other = "terge cutare"

[No-results-found]

other = "Nu s-au gsit rezultate pentru \"{0}\""

[N-results-found]

other = "{1} rezultate gsite pentru \"{0}\""

[Clear-History]

other = "terge istoricul"

[Reset-view]

other = "Reseteaz vizualizarea"

[View-reset]

other = "Vizualizare resetat!"

[Attachments-label]

other = "Ataamente"

[title-404]

other = "Neg■sit"

[message-404]

other = "Ups. Se pare c■ acest pagin■ nu exist■ \"_(■)_/\"."

[Go-to-homepage]

other = "Mergi la pagina principal■"

[Edit-this-page]

other = "Editeaz■"

[Print-this-chapter]

other = "Tipre■te întregul capitol"

[More-action]

other = "Mai mult"

[Shortcuts-Title]

other = "Mai mult"

[Expand-title]

other = "Extinde-m■ ..."

[Navigation-toggle]

other = "Meniu"

[Toc-toggle]

other = "Cuprins"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Not■"

[info]

other = "Info"

[tip]

other = "Sfat"

[warning]

other = "Avertizare"

[Copy-to-clipboard]

other = "Copiaz■ în clipboard"

[Copied-to-clipboard]

other = "Copiat în clipboard!"

[Copy-link-to-clipboard]

other = "Copiaz■ linkul în clipboard"

[Link-copied-to-clipboard]

other = "Link copiat în clipboard!"

[Chapter]

other = "Capitolul {{.}}"

[Language]

other = "Limb■"

[Theme]

other = "Tem■"

[Submenu]

other = "Submeniu {{.}}"

[Subsections]

other = "Subsecțiuni ale {{.}}"

[tags]

other = "Etichete"

[tag]

other = "Etichetă"

[categories]

other = "Categorii"

[category]

other = "Categorie"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-do
cs\themes\hugo-theme-relearn\i18n\ru.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "██████" [Search-placeholder] other = "██████..." [Clear-search] other = "██████████ ████████" [No-results-found] other = "██████████ ████████████████████ \'{0}\'" [N-results-found] other = "{1} ████████████████████ ███████████ ████████████████████ \'{0}\'" [Clear-History...

[Reading-direction]

```
other = "ltr"
```

[Search]

```
other = "■■■■■"
```

[Search-placeholder]

```
other = "██████..."
```

[Clear - search]

```
other = "XXXXXXXXXX XXXXXX"
```

[No-results-found]

```
other = "■■■■■■■ ■■ ■■■■■■■■ ■■■ \"{0}\"
```

[N-results-found]

```
other = "{1} ██████████ ████████ ███ \"{0}\""
```

[Clear-History]

```
other = "XXXXXXXXXX XXXXXXXXXX"
```

[Reset-view]

```
other = "■■■  ■ ■■■■■"
```

[View-reset]

```
other = "XXXXXXXXXX XXXXX!"
```

[Attachments-label]

```
other = "XXXXXXXXXXXXXXXX XXXXXX"
```

[title-404]

```
other = "██ ██████████"
```

[message-404]

other = "■■■■. ■■■■■■■■ ■■■■■ ■■■■■ ■■■■■■■■ ■■■■ ~_(■)_/".

[Go-to-homepage]

other = "■■■■■■■■ ■■ ■■■■■■■■"

[Edit-this-page]

other = "■■■■■■■■■■■■■■■■"

[Print-this-chapter]

other = "■■■■■■■ ■■■■ ■■■■■"

[More-action]

other = "■■■■"

[Shortcuts-Title]

other = "■■■■"

[Expand-title]

other = "■■■■■■■■■■■■■■■■..."

[Navigation-toggle]

other = "■■■■■"

[Toc-toggle]

other = "■■■■■■■■■■■■■■■■"

[Byte-symbol]

other = "■"

[Kilobyte-symbol]

other = "■■"

[Megabyte-symbol]

other = "■■"

[note]

other = "■■■■■■■■■■"

[info]

other = "■■■■■■■■■■"

[tip]

other = "■■■■■"

[warning]

other = "■■■■■■■■"

[Copy-to-clipboard]

other = "■■■■■■■■■■ ■■■■■"

[Copied-to-clipboard]

other = "■■■■■■■■■■ ■■■■■ ■■■■■!"

[Copy-link-to-clipboard]

other = "■■■■■■■■■■ ■■■■■ ■■■■■ ■■■■■"

[Link-copied-to-clipboard]

other = "■■■■■■ ■■■■■■■■■■■ ■■■■■ ■■■■■!"

[Chapter]

other = "■■■■■ {{.}}"

[Language]

other = "■■■■"

[Theme]

other = "■■■■"

[Submenu]

other = "■■■■■■■■ {{.}}"

[Subsections]

other = "■■■■■■■■■■ {{.}}"

[tags]

other = "■■■■■"

[tag]

other = "Tag"

[categories]

other = "■■■■■■■■■■"

[category]

other = "■■■■■■■■■■"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\sw.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Tafuta" [Search-placeholder] other = "Tafuta..." [Clear-search] other = "Futa utafutaji" [No-results-found] other = "Hakuna matokeo yaliyopatikana kwa \"{0}\"" [N-results-found] other = "Matokeo {1} yamepatikana kwa \"{0}\"" ...

[Reading-direction]

other = "ltr"

[Search]

other = "Tafuta"

[Search-placeholder]

other = "Tafuta..."

[Clear-search]

other = "Futa utafutaji"

[No-results-found]

other = "Hakuna matokeo yaliyopatikana kwa \"{0}\""

[N-results-found]

other = "Matokeo {1} yamepatikana kwa \"{0}\""

[Clear-History]

other = "Futa Historia"

[Reset-view]

other = "Weka upya mwonekano"

[View-reset]

other = "Tazama kuweka upya!"

[Attachments-label]

other = "Viambatisho"

[title-404]

other = "Haipatikani"

[message-404]

other = "Lo! Inaonekana ukurasa huu haupo ˘_(■)_/˘."

[Go-to-homepage]

other = "Nenda kwenye ukurasa wa kwanza"

[Edit-this-page]

other = "Hariri"

[Print-this-chapter]

other = "Chapisha sura nzima"

[More-action]

other = "Zaidi"

[Shortcuts-Title]

other = "Zaidi"

[Expand-title]

other = "Nipanue..."

[Navigation-toggle]

other = "Menyu"

[Toc-toggle]

other = "Jedwali la Yaliyomo"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Kumbuka"

[info]

other = "Habari"

[tip]

other = "Kidokezo"

[warning]

other = "Onyo"

[Copy-to-clipboard]

other = "Nakili kwenye ubao wa kunakili"

[Copied-to-clipboard]

other = "Imenakiliwa kwenye ubao wa kunakili!"

[Copy-link-to-clipboard]

other = "Nakili kiungo kwenye ubao wa kunakili"

[Link-copied-to-clipboard]

other = "Imenakili kiungo kwenye ubao wa kunakili!"

[Chapter]

other = "Sura ya {{.}}"

[Language]

other = "Lugha"

[Theme]

other = "Mandhari"

[Submenu]

```
other = "Menyu ndogo {{.}}"
```

```
[Subsections]
```

```
other = "Vifungu vidogo vya {{.}}"
```

```
[tags]
```

```
other = "Tagi"
```

```
[tag]
```

```
other = "Tagi"
```

```
[categories]
```

```
other = "Kategoria"
```

```
[category]
```

```
other = "Kategoria"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\tr.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Ara" [Search-placeholder] other = "Ara..." [Clear-search] other = "Aramay■ temizle" [No-results-found] other = "\"{0}\" için sonuç bulunamad■" [N-results-found] other = "\"{0}\" için {1} sonuç bulundu" [Clear-History] other...

[Reading-direction]

other = "ltr"

[Search]

other = "Ara"

[Search-placeholder]

other = "Ara..."

[Clear-search]

other = "Aramay■ temizle"

[No-results-found]

other = "\"{0}\" için sonuç bulunamad■"

[N-results-found]

other = "\"{0}\" için {1} sonuç bulundu"

[Clear-History]

other = "Geçmi■i Temizle"

[Reset-view]

other = "Görünümü s■f■rla"

[View-reset]

other = "Görünüm s■f■rland■!"

[Attachments-label]

other = "Ekler"

[title-404]

other = "Konumsuz"

[message-404]

other = "Ups. Görünüme göre böyle bir sayfa yok _(▀)_/"

[Go-to-homepage]

other = "Anasayfaya dön"

[Edit-this-page]

other = "Düzenlemek"

[Print-this-chapter]

other = "Bölümün tamamını yazdır"

[More-action]

other = "Dahası Var"

[Shortcuts-Title]

other = "Dahası Var"

[Expand-title]

other = "Genilet..."

[Navigation-toggle]

other = "Menü"

[Toc-toggle]

other = "İçindekiler"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Not"

[info]

other = "Bilgi"

[tip]

other = "Bah■i■"

[warning]

other = "Uyar■"

[Copy-to-clipboard]

other = "Panoya kopyala"

[Copied-to-clipboard]

other = "Panoya kopyalanm■■!"

[Copy-link-to-clipboard]

other = "Ba■lant■y■ panoya kopyala"

[Link-copied-to-clipboard]

other = "Panoya ba■lant■ kopyalanm■■!"

[Chapter]

other = "{.}. Bölüm"

[Language]

other = "Dil"

[Theme]

other = "Tema"

[Submenu]


```
other = "Alt menü {{.}}"
```

```
[Subsections]
```

```
other = "{{.}} alt bölümleri"
```

```
[tags]
```

```
other = "Etiketler"
```

```
[tag]
```

```
other = "Etiket"
```

```
[categories]
```

```
other = "Kategoriler"
```

```
[category]
```

```
other = "Kategori"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\i18n\vi.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "Tìm kiếm" [Search-placeholder] other = "Tìm kiếm..." [Clear-search] other = "Xóa tìm kiếm" [No-results-found] other = "Không tìm thấy kết quả nào cho \"{0}\"" [N-results-found] other = "{1} kết quả tìm thấy cho \"{0}\"" ...

[Reading-direction]

other = "ltr"

[Search]

other = "Tìm kiếm"

[Search-placeholder]

other = "Tìm kiếm..."

[Clear-search]

other = "Xóa tìm kiếm"

[No-results-found]

other = "Không tìm thấy kết quả nào cho \"{0}\""

[N-results-found]

other = "{1} kết quả tìm thấy cho \"{0}\""

[Clear-History]

other = "Xóa lịch sử.."

[Reset-view]

other = "Bắt lại đang xem"

[View-reset]

other = "Xem lại!"

[Attachments-label]

other = "Tệp tin đính kèm"

[title-404]

other = "Không xác định vị trí"

[message-404]

other = "Tiếc quá! Có vẻ như trang này không tồn tại _(ツ)_/".

[Go-to-homepage]

other = "Trở lại trang chủ"

[Edit-this-page]

other = "Biên tập"

[Print-this-chapter]

other = "In toàn bộ chương"

[More-action]

other = "Nội dung khác"

[Shortcuts-Title]

other = "Nội dung khác"

[Expand-title]

other = "Mở rộng..."

[Navigation-toggle]

other = "Menu"

[Toc-toggle]

other = "Mở rộng"

[BinaryPrefix-kilobyte]

other = "kb"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "Ghi chú"

[info]

other = "Thông tin"

[tip]

other = "Mẹo vớt"

[warning]

other = "Cảnh báo"

[Copy-to-clipboard]

other = "Sao chép vào bảng tạm"

[Copied-to-clipboard]

other = "Sao chép vào bảng tạm!"

[Copy-link-to-clipboard]

other = "Sao chép nôi kết vào bảng tạm"

[Link-copied-to-clipboard]

other = "Liên kết được sao chép vào bảng tạm!"

[Chapter]

other = "Chương {{.}}"

[Language]

other = "Ngôn ngữ"

[Theme]

other = "Tài"

[Submenu]

other = "Menu con {{.}}"

[Subsections]

other = "Ti■u m■c c■a {{.}}"

[tags]

other = "Th■"

[tag]

other = "Nhấn"

[categories]

other = "Th■ lo■i"

[category]

other = "Lo■i"

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\zh.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "🔍" [Search-placeholder] other = "🔍..." [Clear-search] other = "🗑️" [No-results-found] other = "🔍\{0}\{1} 🔍" [Clear-History] other = "🗑️" [Reset-view] other = "🔄..."

[Reading-direction]

other = "ltr"

[Search]

other = "🔍"

[Search-placeholder]

other = "🔍..."

[Clear-search]

other = "🗑️"

[No-results-found]

other = "🔍\{0}\{1} 🔍"

[N-results-found]

other = "🔍\{0}\{1} 🔍"

[Clear-History]

other = "🗑️"

[Reset-view]

other = "🔄"

[View-reset]

other = "🔄"

[Attachments-label]

other = "📎"

[title-404]

other = "🔍"

[message-404]

```
other = "■■■ ■■■■■■■■■■ ^\\_(■)_/■"
```

[Go-to-homepage]

```
other = "████"
```

[Edit-this-page]

```
other = "██"
```

[Print-this-chapter]

```
other = "████"
```

[More-action]

```
other = "██"
```

[Shortcuts-Title]

```
other = "██"
```

[Expand-title]

```
other = "██"
```

[Navigation-toggle]

```
other = "■■"
```

[Toc-toggle]

```
other = "■■"
```

[Byte-symbol]

```
other = "B"
```

[Kilobyte-symbol]

```
other = "KB"
```

[Megabyte-symbol]

```
other = "MB"
```

[note]

```
other = "██"
```

[info]

other = "■"

[tip]

other = "■"

[warning]

other = "■"

[Copy-to-clipboard]

other = "■■■■■■"

[Copied-to-clipboard]

other = "■■■■■■■"

[Copy-link-to-clipboard]

other = "■■■■■■■■■"

[Link-copied-to-clipboard]

other = "■■■■■■■■■"

[Chapter]

other = "■{.}■"

[Language]

other = "■"

[Theme]

other = "■"

[Submenu]

other = "■■■{.}"

[Subsections]

other = "{.} ■■■■"


```
[tags]  
other = "■■"
```

```
[tag]  
other = "■■"
```

```
[categories]  
other = "■■"
```

```
[category]  
other = "■■"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\zh_cn.toml

Resumo: [Reading-direction] other = "ltr" [Search] other = "🔍" [Search-placeholder] other = "🔍..." [Clear-search] other = "🗑️" [No-results-found] other = "🔍\ \"{0}\ "🔍"
[N-results-found] other = "🔍\ \"{0}\ "🔍 {1} 🔍" [Clear-History] other = "🗑️" [Reset-view]
other = "🔍..."

[Reading-direction]

other = "ltr"

[Search]

other = "🔍"

[Search-placeholder]

other = "🔍..."

[Clear-search]

other = "🗑️"

[No-results-found]

other = "🔍\ \"{0}\ "🔍"

[N-results-found]

other = "🔍\ \"{0}\ "🔍 {1} 🔍"

[Clear-History]

other = "🗑️"

[Reset-view]

other = "🔍"

[View-reset]

other = "🔍"

[Attachments-label]

other = "🔍"

[title-404]

other = "🔍"

[message-404]

```
other = "■■■ ■■■■■■■■■■ ~\\_(~)~/~■"
```

[Go-to-homepage]

```
other = "████"
```

[Edit-this-page]

```
other = "██"
```

[Print-this-chapter]

```
other = "████"
```

[More-action]

```
other = "██"
```

[Shortcuts-Title]

```
other = "██"
```

[Expand-title]

```
other = "██"
```

[Navigation-toggle]

```
other = "■■"
```

[Toc-toggle]

```
other = "██"
```

[Byte-symbol]

```
other = "B"
```

[Kilobyte-symbol]

```
other = "KB"
```

[Megabyte-symbol]

```
other = "MB"
```

[note]

```
other = "██"
```

[info]

other = "■"

[tip]

other = "■"

[warning]

other = "■"

[Copy-to-clipboard]

other = "■■■■■■"

[Copied-to-clipboard]

other = "■■■■■■"

[Copy-link-to-clipboard]

other = "■■■■■■■■"

[Link-copied-to-clipboard]

other = "■■■■■■■■"

[Chapter]

other = "■{.}■"

[Language]

other = "■"

[Theme]

other = "■"

[Submenu]

other = "■■■{.}"

[Subsections]

other = "{.} ■■■"

```
[tags]  
other = "■■"
```

```
[tag]  
other = "■■"
```

```
[categories]  
other = "■■"
```

```
[category]  
other = "■■"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\i18n\zh_tw.toml

*Resumo: [Reading-direction] other = "ltr" [Search] other = "■" [Search-placeholder] other = "■..." [Clear-search] other = "■■■■" [No-results-found] other = "■■■\{0}\■■■"
[N-results-found] other = "■\{0}\■■ {1} ■■■" [Clear-History] other = "■■■■■■" [Reset-view]
other = "■■■..."*

[Reading-direction]

other = "ltr"

[Search]

other = "■"

[Search-placeholder]

other = "■..."

[Clear-search]

other = "■■■■"

[No-results-found]

other = "■■■\{0}\■■■"

[N-results-found]

other = "■\{0}\■■ {1} ■■■"

[Clear-History]

other = "■■■■■■"

[Reset-view]

other = "■■■■"

[View-reset]

other = "■■■■■■"

[Attachments-label]

other = "■"

[title-404]

other = "■■■"

[message-404]

other = "████████████████████"

[Go-to-homepage]

other = "████"

[Edit-this-page]

other = "████"

[Print-this-chapter]

other = "████"

[More-action]

other = "██"

[Shortcuts-Title]

other = "██"

[Expand-title]

other = "██"

[Navigation-toggle]

other = "██"

[Toc-toggle]

other = "██"

[Byte-symbol]

other = "B"

[Kilobyte-symbol]

other = "KB"

[Megabyte-symbol]

other = "MB"

[note]

other = "██"

[info]

other = "■"

[tip]

other = "■"

[warning]

other = "■"

[Copy-to-clipboard]

other = "■■■■■■"

[Copied-to-clipboard]

other = "■■■■■■■"

[Copy-link-to-clipboard]

other = "■■■■■■■■■"

[Link-copied-to-clipboard]

other = "■■■■■■■■■"

[Chapter]

other = "■{.}■"

[Language]

other = "■"

[Theme]

other = "■"

[Submenu]

other = "■■■■{.}"

[Subsections]

other = "{.} ■■■■"


```
[tags]  
other = "■■"
```

```
[tag]  
other = "■■"
```

```
[categories]  
other = "■■"
```

```
[category]  
other = "■■"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\404.html

Resumo: <!DOCTYPE html> {{- partialCached "page-meta.hugo" . .RelPermalink }} {{- \$outputFormat := partial "output-format.hugo" . }} <html lang="{{ .Page.Language.LanguageCode | default "en" }}" dir="{{ .Page.Language.LanguageDirection | default (T "Reading-direction") | default "ltr" }}" itemscope itemt...

```
<!DOCTYPE html>
```

```
{{- partialCached "page-meta.hugo" . .RelPermalink }}
```

```
{{- $outputFormat := partial "output-format.hugo" . }}
```

```
<html lang="{{ .Page.Language.LanguageCode | default "en" }}" dir="{{ .Page.Language.LanguageDirection | default (T "Reading-direction") | default "ltr" }}" itemscope itemt...
```

```
<head>
```

```
    {{- partial "meta.html" . }}
```

```
    {{- $title := partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true) }}
```

```
<title>{{ $title }}</title>
```

```
<base href="{{ .Site.BaseURL }}">
```

```
    {{- partialCached "favicon.html" . }}
```

```
    {{- partial "stylesheet.html" (dict "page" . "outputFormat" $outputFormat) }}
```

```
<style>
```

```
    p {
```

```
        text-align: center
```

```
    }
```

```
    .notfound #R-body {
```

```
        margin-inline-start: 0;
```

```
        max-width: 100%;
```

```
        min-width: 100%;
```

```
        width: 100%;
```

```
    }
```

```
    .notfound h1 {
```

```
        color: var(--MAIN-TEXT-color);
```

```
        line-height: 1;
```

```
        font-size: 5rem;
```

```
        overflow: hidden;
```

```
    }
```

```
    .notfound h1 span {
```

```
        font-size: 6.5rem;
```

```
        font-weight: 500;
```

```
    }
```

```

        .notfound h1 i {
            font-size: 5rem;
            vertical-align: text-top;
        }
        .notfound h2 {
            color: var(--MAIN-TEXT-color);
            font-size: 2.5rem;
            font-weight: 500;
            padding: 0;
            text-align: center;
        }
        #shrug svg,
        #shrug svg * {
            color: #000000;
            color: var(--MAIN-TEXT-color);
            fill: #000000 !important;
            fill: var(--MAIN-TEXT-color) !important;
        }
        #shrug svg{
            transform: scaleX(-1);
            width: 15rem;
        }
    </style>

    {{- partial "custom-header.html" . }}
</head>

<body class="mobile-support html notfound" data-url="{{ partial "relLangPrettyUglyURL.hugo" (dict "to"
    <div id="R-body" class="default-animation">
        <main id="R-body-inner" class="chapter" tabindex="-1">
            <div class="flex-block-wrapper">
<article>
            <h1 id="404"><span>4</span>{{ partial "shortcodes/icon.html" (dict "page" . "icon" "far fa-fr
            <h2 id="{{ T "title-404" | plainify | anchorize }}">{{ T "title-404" }}</h2>
            <p></p>
            <p>{{ T "message-404" }}</p>
            <p></p>

```

```
<p><a href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" .Site.Home) }}">{{ T "Go-to-home" }}</a>
<p id="shrug">

<svg xmlns="http://www.w3.org/2000/svg"

viewBox="0 0 512.000000 512.000000"

preserveAspectRatio="xMidYMid meet">

<g transform="translate(0.000000,512.000000) scale(0.100000,-0.100000)"
style="fill:#000000;stroke:none;">

<path d="M2359 4821 c-330 -72 -613 -312 -803 -681 -53 -102 -74 -133 -105
-154 -46 -32 -103 -113 -121 -170 -7 -23 -11 -72 -8 -120 3 -65 10 -91 33
-134 36 -66 91 -117 161 -149 30 -13 54 -30 54 -38 0 -33 56 -199 94 -281 54
-115 110 -196 192 -283 35 -38 64 -71 64 -74 0 -3 -17 -11 -37 -18 -57 -18
-170 -77 -238 -122 -75 -52 -213 -184 -270 -259 -51 -68 -46 -74 -75 101 -12
68 -32 150 -45 182 -65 160 -179 253 -342 279 -125 20 -234 85 -376 224 -103
101 -149 127 -233 134 -115 9 -217 -48 -272 -152 -38 -73 -38 -177 0 -259 68
-146 246 -382 417 -554 l101 -102 96 -533 c52 -293 104 -556 113 -583 67 -191
246 -315 455 -315 138 0 251 46 347 142 l49 49 0 -256 c0 -208 3 -263 15 -293
20 -47 50 -79 97 -103 36 -18 71 -19 838 -19 780 0 802 1 840 20 44 22 82 68
99 119 7 22 11 122 11 278 l0 244 49 -49 c96 -96 209 -142 347 -142 209 0 388
124 455 315 9 27 61 290 113 583 l96 533 101 102 c171 172 349 408 417 554 38
82 38 186 0 259 -55 104 -157 161 -272 152 -84 -7 -130 -33 -233 -134 -142
-139 -251 -204 -376 -224 -163 -26 -277 -119 -342 -279 -13 -32 -33 -114 -45
-182 -29 -175 -24 -169 -75 -101 -101 134 -259 264 -423 346 l-72 36 92 93
c51 50 109 116 128 144 l35 52 57 1 c164 0 310 134 325 298 7 74 -10 147 -48
207 -26 40 -30 60 -40 168 -24 283 -91 497 -213 682 -155 232 -387 382 -706
456 -128 30 -405 35 -521 10z m426 -197 c120 -20 265 -71 362 -125 106 -60
242 -196 302 -302 70 -125 126 -307 146 -479 9 -70 13 -69 -153 -32 -360 81
-724 280 -888 486 -63 79 -100 105 -160 114 -61 9 -107 -10 -204 -83 -144
-109 -279 -163 -403 -163 l-59 0 37 68 c50 92 164 240 233 303 118 108 259
183 402 214 88 18 275 18 385 -1z m-295 -674 c108 -107 232 -191 421 -284 207
-103 534 -206 656 -206 60 0 123 -64 123 -125 0 -43 -27 -93 -62 -115 -26 -17
-43 -20 -83 -15 -134 16 -135 15 -203 -90 -69 -106 -230 -260 -332 -318 -255
-143 -537 -153 -781 -26 -242 126 -419 382 -469 679 -15 90 -43 124 -111 135
-89 15 -129 56 -129 132 0 49 18 82 58 109 30 20 40 22 154 17 103 -4 138 -2
210 16 136 32 283 108 388 199 l35 31 19 -27 c10 -15 58 -65 106 -112z m-2091
```

-974 c186 -176 301 -240 493 -276 119 -23 182 -109 213 -290 8 -52 42 -230 75
-395 78 -394 103 -549 95 -588 -29 -136 -171 -202 -287 -134 -25 15 -55 42
-67 60 -21 34 -54 197 -131 642 -23 132 -46 256 -52 275 -7 23 -43 65 -109
128 -220 210 -444 522 -425 595 9 37 44 67 78 67 22 0 49 -19 117 -84z m4489
54 c38 -36 39 -67 2 -138 -75 -145 -239 -351 -399 -504 -66 -63 -102 -105
-109 -128 -6 -19 -29 -143 -52 -275 -77 -445 -110 -608 -131 -642 -12 -18 -42
-45 -67 -60 -116 -68 -258 -2 -287 134 -8 39 17 194 95 588 33 165 67 343 75
395 31 181 94 267 213 290 192 36 307 100 493 276 96 91 125 103 167 64z
m-2850 -536 c56 -270 324 -461 595 -424 205 28 393 204 439 411 6 30 14 58 18
62 8 10 128 -34 190 -70 166 -96 311 -245 387 -398 57 -113 57 -117 28 -287
-56 -322 -58 -411 -13 -510 74 -161 263 -254 420 -205 45 14 47 14 38 -2 -17
-33 -87 -88 -133 -106 -68 -26 -179 -17 -240 18 -25 15 -92 78 -150 142 l-105
114 -4 97 c-3 91 -5 97 -31 120 -38 33 -96 33 -134 0 l-28 -24 -3 -476 -3
-476 -749 0 -749 0 -3 481 -3 481 -28 24 c-38 33 -96 33 -134 0 -26 -23 -28
-29 -31 -120 l-4 -97 -105 -114 c-58 -64 -125 -127 -150 -142 -61 -35 -172
-44 -240 -18 -46 18 -116 73 -133 106 -9 16 -7 16 38 2 157 -49 346 44 420
205 45 99 43 188 -13 510 -29 170 -29 174 28 287 97 197 295 373 507 451 60
22 65 19 78 -42z m421 -4 c96 -15 253 -8 346 14 33 8 62 13 64 10 11 -10 -35
-99 -74 -141 -175 -195 -480 -111 -559 154 l-7 21 73 -23 c40 -13 111 -29 157
-35z"/>
<path d="M2236 3664 c-20 -20 -26 -37 -26 -68 0 -52 20 -81 65 -96 70 -23 141
42 127 116 -13 71 -113 100 -166 48z"/>
<path d="M2865 3548 c-94 -51 -61 -188 45 -188 103 0 141 138 50 185 -34 18
-67 19 -95 3z"/>
<path d="M2308 3093 c-29 -18 -48 -52 -48 -86 0 -33 36 -86 62 -92 134 -31
266 -55 303 -55 63 0 95 32 95 92 0 82 -11 88 -230 133 -144 29 -147 29 -182
8z"/>
</g>
</svg>

</p>
</article>
</div>
</main>
</div>
</body>

</html>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-codeblock-math.html

Resumo: {{- partial "shortcodes/math.html" (dict "page" .Page "attributes" .Attributes "content" .Inner "align" (index .Attributes "align")) }}

```
{{- partial "shortcodes/math.html" (dict  
    "page"      .Page  
    "attributes" .Attributes  
    "content"   .Inner  
    "align"     (index .Attributes "align")  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-codeblock-mermaid.html

Resumo: {{- partial "shortcodes/mermaid.html" (dict "page" .Page "attributes" .Attributes "content" .Inner "align" (index .Attributes "align")) }}

```
{{- partial "shortcodes/mermaid.html" (dict  
  
    "page"          .Page  
  
    "attributes"    .Attributes  
  
    "content"       .Inner  
  
    "align"         (index .Attributes "align")  
  
    ) }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-codeblock.html

Resumo: {{- partial "shortcodes/highlight.html" (dict "page" .Page "attributes" .Attributes "content" .Inner "options" .Options "type" .Type) }}

```
{{- partial "shortcodes/highlight.html" (dict  
    "page"      .Page  
    "attributes" .Attributes  
    "content"   .Inner  
    "options"   .Options  
    "type"      .Type  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-image.html

Resumo: {{- \$id := "" }} {{- partial "shortcodes/image.html" (dict "page" .Page "url" .Destination "title" .Title "alt" .Text "id" \$id "attributes" .Attributes) }}

```
{{- $id := "" }}
```

```
{{- partial "shortcodes/image.html" (dict
```

```
    "page" .Page
```

```
    "url" .Destination
```

```
    "title" .Title
```

```
    "alt" .Text
```

```
    "id" $id
```

```
    "attributes" .Attributes
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts_default_markup\render-link.html

Resumo: {{- partial "shortcodes/link.html" (dict "page" .Page "url" .Destination "title" .Title "content" .Text) }}

```
{{- partial "shortcodes/link.html" (dict  
  "page" .Page  
  "url" .Destination  
  "title" .Title  
  "content" .Text  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\ default\index.html

Resumo: {{- partial "_main.hugo" . }}

{{- partial "_main.hugo" . }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\default\index.search.is

Resumo: {{- partialCached "page-meta.hugo" . .RelPermalink }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- \$pages := slice }} {{- range .Site.Pages }} {{- if and .Title .RelPermalink (or (ne (.Scratch.Get "rele...

```
{{- partialCached "page-meta.hugo" . .RelPermalink }}

{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- $pages := slice }}

{{- range .Site.Pages }}

    {{- if and .Title .RelPermalink (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.displayHiddenStem true)) }}

        {{- $tags := slice }}

        {{- range .GetTerms "tags" }}

            {{- $tags = $tags | append (partial "pageHelper/title.hugo" (dict "page" .Page "linkTitle" true "format" $format)) }}

        {{- end }}

        {{- $pages = $pages | append (dict

            "uri" (partial "relLangPrettyUglyURL.hugo" (dict "to" .))

            "title" (partial "pageHelper/title.hugo" (dict "page" . "format" $format "outputFormat" $outputFormat))

            "tags" $tags

            "breadcrumb" (partial "breadcrumbs.html" (dict "page" . "dirOnly" true) | plainify | htmlUnescape | chomp)

            "description" (or .Description .Summary | plainify | htmlUnescape | chomp)

            "content" (.Plain | htmlUnescape | chomp)

        ) }}

    {{- end }}

{{- end -}}
```

```
var relearn_search_index = {{ $pages | jsonify (dict "indent" " ") }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\ default\list.html

Resumo: {{- partial "_main.hugo" . }}

{{- partial "_main.hugo" . }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\default\rss.xml

Resumo: {{- / based on Hugo 0.125.5 rss.xml */}} {{- partialCached "page-meta.hugo" .RelPermalink }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- /* Deprecate site.Author.email in favor of site.Params.author.em...*

```
{{- /* based on Hugo 0.125.5 rss.xml */}}

{{- partialCached "page-meta.hugo" . .RelPermalink }}

{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- /* Deprecate site.Author.email in favor of site.Params.author.email */}}

{{- $authorEmail := "" }}

{{- if and .Site.Params.author (reflect.IsMap .Site.Params.author) .Site.Params.author.email }}

    {{- $authorEmail = .Site.Params.author.email }}

{{- else }}

    {{- with .Site.Author.email }}

        {{- $authorEmail = . }}

        {{- $hugoVersion := "0.120.0" }}

        {{- if ge hugo.Version $hugoVersion }}

            {{- warnf "The author key in site configuration is deprecated. Use params.author.email instead." }}

        {{- end }}

    {{- end }}

{{- end }}

{{- /* Deprecate site.Author.name in favor of site.Params.author.name */}}

{{- $authorName := partialCached "authorname.hugo" . }}

{{- $pages := .Pages }}

{{- $limit := .Site.Config.Services.RSS.Limit }}

{{- if ge $limit 1 }}

    {{- $pages = $pages | first $limit }}

{{- end }}

{{- $page := . }}

{{- printf "<?xml version=\"1.0\" encoding=\"utf-8\" standalone=\"yes\"?>" | safeHTML }}

<rss version="2.0" xmlns:atom="http://www.w3.org/2005/Atom">
  <channel>
```

```

<title>{{ partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true "format"
<link>{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true) }}</link>

<description>{{ or .Description .Summary | plainify | htmlUnescape | chomp | transform.XMLEscape | safeHTML }}
<generator>Hugo</generator>

<language>{{ site.Language.LanguageCode }}</language>{{ with $authorEmail }}
<managingEditor>{{ . }}{{ with $authorName }} ({{ . }}){{ end }}</managingEditor>{{ end }}{{ with $authorEmail }}
<webMaster>{{ . }}{{ with $authorName }} ({{ . }}){{ end }}</webMaster>{{ end }}{{ with .Site.Copyright }}
<copyright>{{ . }}</copyright>{{ end }}{{ if not .Date.IsZero }}
<lastBuildDate>{{ (index $pages.ByLastmod.Reverse 0).Lastmod.Format "Mon, 02 Jan 2006 15:04:05 -0700" }}
{{- with .OutputFormats.Get "rss" -}}
{{ printf "<atom:link href=%q rel=\"%self\" type=%q />" ( partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true) ) }}
{{- end -}}
{{- range $pages -}}
    {{ $relearnIsHiddenFrom := index ($page.Scratch.Get "relearnIsHiddenFrom") .RelPermalink }}
    ■ {{- if and .Permalink .Title (or (not $relearnIsHiddenFrom) (ne .Site.Params.disableSeoHiddenPages true)) -}}
        <item>
            <title>{{ partial "pageHelper/title.hugo" (dict "page" . "format" $format "outputFormat" $outputFormat) }}
            <link>{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true) }}</link>
            <pubDate>{{ .PublishDate.Format "Mon, 02 Jan 2006 15:04:05 -0700" | safeHTML }}</pubDate>
            {{- with $authorEmail }}<author>{{ . }}{{ with $authorName }} ({{ . }}){{ end }}</author>{{ end -}}
            <guid>{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true) }}</guid>
            <description>{{ or .Description .Summary | plainify | htmlUnescape | chomp | transform.XMLEscape | safeHTML }}
        </item>
    {{- end -}}
{{- end -}}
</channel>
</rss>

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\ default\single.html

Resumo: {{- partial "_main.hugo" . }}

{{- partial "_main.hugo" . }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\ default\sitemap.xml

Resumo: `{{- /* based on Hugo 0.125.5 sitemap.xml */}} {{- partialCached "page-meta.hugo" .
.RelPermalink }} {{- printf "<?xml version=\"1.0\" encoding=\"utf-8\" standalone=\"yes\" ?>" |
safeHTML }} <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
xmlns:xhtml="http://www.w3.org/1999/xhtml"> {{...`

```
{{- /* based on Hugo 0.125.5 sitemap.xml */}}

{{- partialCached "page-meta.hugo" . .RelPermalink }}

{{- printf "<?xml version=\"1.0\" encoding=\"utf-8\" standalone=\"yes\" ?>" | safeHTML }}

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9" xmlns:xhtml="http://www.w3.org/1999/xhtml">

{{- range where .Pages "Sitemap.Disable" "ne" true }}

    {{- if and .Title .RelPermalink (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.disableSitemap true)) }}

        <url>

            <loc>{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true) }}</loc>{{ if not .Lastmod.IsZero }}
            <lastmod>{{ safeHTML ( .Lastmod.Format "2006-01-02T15:04:05-07:00" ) }}</lastmod>{{ end }}{{ with .Sitemap.Changefreq }}
            <changefreq>{{ . }}</changefreq>{{ end }}{{ if ge .Sitemap.Priority 0.0 }}
            <priority>{{ .Sitemap.Priority }}</priority>{{ end }}{{ if .IsTranslated }}{{ range $index, $trans := .Translations }}
            <xhtml:link rel="alternate" hreflang="x-default" href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" $trans "abs" true) }}" />
            <xhtml:link rel="alternate" hreflang="{{ .Language.LanguageCode }}" href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" $trans "abs" true) }}" />
            {{ end }}
        </url>

    {{- end -}}

{{- end }}

</urlset>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\default\taxonomv.html

Resumo: {{- partialCached "page-meta.hugo" . .RelPermalink }} {{- partial "header.html" . }}
<article> <header class="headline"> </header> {{- \$page := . }} {{- \$title := partial
"pageHelper/title.hugo" (dict "page" .) }} <h1 id="{{ \$title | plainify | anchorize }}"...

```
{{- partialCached "page-meta.hugo" . .RelPermalink }}
```

```
{{- partial "header.html" . }}
```

```
<article>
```

```
<header class="headline">
```

```
</header>
```

```
{{- $page := . }}
```

```
{{- $title := partial "pageHelper/title.hugo" (dict "page" .) }}
```

```
<h1 id="{{ $title | plainify | anchorize }}">{{ $title }}</h1>
```

```
{{- .Content }}
```

```
{{- $lastCapital := "" }}
```

```
{{- $pages := partialCached "partials/pageHelper/taxonomyPages.html" . . }}
```

```
{{- range $pages }}
```

```
    {{- $capital := substr .Title 0 1 | upper }}
```

```
    {{- if ne $lastCapital $capital }}
```

```
        {{- if ne $lastCapital "" }}
```

```
</ul>
```

```
    {{- end }}
```

```
<h2 id="{{ $capital | plainify | anchorize }}">{{ $capital }}</h2>
```

```
<ul class="columnize">
```

```
    {{- end }}
```

```
    {{- /* display terms of a taxonomy */ }}
```

```
    <li><a href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" .Page) }}">{{ .Title }}</a> ({{ .Count }})
```

```
    {{- $lastCapital = $capital }}
```

```
{{- end }}
```

```
{{- if ne $lastCapital "" }}
```

```
</ul>
```

```
{{- end }}
```

```
<footer class="footline">
```

```
</footer>
```

</article>

{{- partial "footer.html" . }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\default\term.html

```
Resumo: {{- partialCached "page-meta.hugo" . .RelPermalink }} {{- partial "header.html" . }}
<article> <header class="headline"> </header> {{- $page := . }} {{- $title := partial
"pageHelper/title.hugo" (dict "page" .) }} <h1 id="{{ $title | plainify | anchorize }}"...
```

```
{{- partialCached "page-meta.hugo" . .RelPermalink }}
```

```
{{- partial "header.html" . }}
```

```
<article>
```

```
<header class="headline">
```

```
</header>
```

```
{{- $page := . }}
```

```
{{- $title := partial "pageHelper/title.hugo" (dict "page" .) }}
```

```
<h1 id="{{ $title | plainify | anchorize }}">{{ $title }}</h1>
```

```
{{- .Content }}
```

```
{{- $lastCapital := "" }}
```

```
{{- $pages := partialCached "partials/pageHelper/termPages.html" . . }}
```

```
{{- range $pages }}
```

```
    {{- $capital := substr .Title 0 1 | upper }}
```

```
    {{- if ne $lastCapital $capital }}
```

```
        {{- if ne $lastCapital "" }}
```

```
</ul>
```

```
    {{- end }}
```

```
<h2 id="{{ $capital | plainify | anchorize }}">{{ $capital }}</h2>
```

```
<ul class="columnize">
```

```
    {{- end }}
```

```
    {{- /* display pages of a term */ }}
```

```
    {{- $breadcrumb := "" }}
```

```
    {{- if (ne .Page.Site.Params.disableTermBreadcrumbs true) }}
```

```
        {{- $breadcrumb = partial "breadcrumbs.html" (dict "page" .Page "dirOnly" true) | plainify | htmlUnescape }}
```

```
    {{- end }}
```

```
<li><a href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" .Page) }}">{{ .Title }}</a>{{ with $breadcrumb }}
```

```
    {{- $lastCapital = $capital }}
```

```
{{- end }}
```

```
{{- if ne $lastCapital "" }}
```

```
</ul>
```

```
{{- end }}
```

```
<footer class="footline">
```

```
</footer>
```

```
</article>
```

```
{{- partial "footer.html" . }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\alias.html

Resumo: `{{- /* based on Hugo 0.125.5 alias.html */}} <!DOCTYPE html> <html> <head> {{- $url := .Permalink }} {{- if site.BaseURL }} {{- $url = replace .Permalink site.BaseURL "/" }} {{- end }} {{- $url = replace $url "/" "/" }} {{- with site.Home.GetPage $url }} ...`

```
{{- /* based on Hugo 0.125.5 alias.html */}}

<!DOCTYPE html>

<html>

  <head>

    {{- $url := .Permalink }}

    {{- if site.BaseURL }}

      {{- $url = replace .Permalink site.BaseURL "/" }}

    {{- end }}

    {{- $url = replace $url "/" "/" }}

    {{- with site.Home.GetPage $url }}

      {{- /* if defaultContentLanguageInSubdir=false we are ending here for home page of the default language */}}

      {{- $url = partial "relLangPrettyUglyURL.hugo" (dict "to" .) }}

    {{- else }}

      {{- $url_alt := replaceRE "^/[^\"]*(/.*)" "${1}" $url }}

      {{- with site.Home.GetPage $url_alt }}

        {{- /* if defaultContentLanguageInSubdir=true we are ending here for home page */}}

        {{- $url = partial "relLangPrettyUglyURL.hugo" (dict "to" .) }}

      {{- else }}

        {{- /* for regular aliases we are ending here with no original page found */}}

        {{- $url = partial "relLangPrettyUglyURL.hugo" (dict "link" $url) }}

      {{- end }}

    {{- end }}

    <meta charset="utf-8">

    <meta name="robots" content="noindex">

    <meta http-equiv="refresh" content="0; url={{ $url }}">

    {{- $link := "<link href=\"%s\" rel=\"%s\">" }}

    <title>{{ $url }}</title>

    {{ (printf $link $url "canonical") | safeHTML }}

  </head>

</html>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\BaseName.hugo

Resumo: `{{- $ret := path.Base (strings.TrimSuffix (path.Ext .) .) }} {{- return $ret }}`

```
{{- $ret := path.Base (strings.TrimSuffix (path.Ext .) .) }}
```

```
{{- return $ret }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\ main.hugo

Resumo: {{- partialCached "page-meta.hugo" . .RelPermalink }} {{- \$outputFormat := partial "output-format.hugo" . }} {{- partial "output-partial.hugo" (dict "base" "header" "page" . "parameter" . "outputFormat" \$outputFormat) }} {{- if not .File }} {{- partial "output-partial.hugo" (dict "base" "body"...

```
{{- partialCached "page-meta.hugo" . .RelPermalink }}
```

```
{{- $outputFormat := partial "output-format.hugo" . }}
```

```
{{- partial "output-partial.hugo" (dict "base" "header" "page" . "parameter" . "outputFormat" $outputFormat) }}
```

```
{{- if not .File }}
```

```
    {{- partial "output-partial.hugo" (dict "base" "body" "page" . "parameter" (dict "page" . "content" (partial "content" .))) }}
{{- else }}
```

```
    {{- partial "output-partial.hugo" (dict "base" "body" "page" . "parameter" (dict "page" . "content" (partial "content" .))) }}
{{- end }}
```

```
{{- partial "output-partial.hugo" (dict "base" "footer" "page" . "parameter" . "outputFormat" $outputFormat) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypevpe.hugo

Resumo: {{- \$hook := .hook }} {{- \$page := .page }} {{- \$parameter := .parameter }} {{- \$outputFormat := .outputFormat }} {{- if not \$outputFormat }} {{- \$outputFormat = partial "output-format.hugo" \$page }} {{- end }} {{- \$archetype := "default" }} {{- if not \$page.File }} {{- else if \$page.Para...

```
{{- $hook := .hook }}

{{- $page := .page }}

{{- $parameter := .parameter }}

{{- $outputFormat := .outputFormat }}

{{- if not $outputFormat }}

    {{- $outputFormat = partial "output-format.hugo" $page }}

{{- end }}

{{- $archetype := "default" }}

{{- if not $page.File }}

{{- else if $page.Params.archetype }}

    {{- $archetype = $page.Params.archetype }}

{{- else if $page.Params.chapter }}

    {{- $archetype = "chapter" }}

    {{- if findRE `(?s)<h1.*?>.??</h1>` .Content }}

        {{- $archetype = "deprecated-chapter" }}

    {{- end }}

{{- else if $page.IsHome }}

    {{- $archetype = "home" }}

    {{- if findRE `(?s)<h1.*?>.??</h1>` .Content }}

        {{- $archetype = "deprecated-home" }}

    {{- end }}

{{- end }}

{{- end }}

{{- $f := printf "/layouts/partials/archetypes/%s" $archetype }}

{{- if not (partialCached "fileExists.hugo" $f $f) }}

    {{- $archetype = "default" }}

{{- end }}

{{- partial "output-partial.hugo" (dict "base" (printf "archetypes/%s/%s" $archetype $hook) "page" $page )
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\chapter\article.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- with \$page }} <article class="chapter"> <header class="headline"> {{- partial "content-header.html" . }} </header> {{ partial "heading-pre.html" . }}<div class="article-subheading">{{ T "Chap...

{{- \$page := .page }}

{{- \$content := .content }}

{{- with \$page }}

<article class="chapter">

<header class="headline">

{{- partial "content-header.html" . }}

</header>

{{ partial "heading-pre.html" . }}<div class="article-subheading">{{ T "Chapter" .Params.Weight }}</div>

{{ partial "heading.html" . }}{{ partial "heading-post.html" . }}

{{ \$content | safeHTML }}

<footer class="footline">

{{- partial "content-footer.html" . }}

</footer>

</article>

{{- end }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\chapter\styleclass.html

Resumo: chapter narrow

chapter narrow

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\default\article.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- with \$page }} <article class="default">
<header class="headline"> {{- partial "content-header.html" . }} </header> {{ partial
"heading-pre.html" . }}{{ partial "heading.html" . }}{{ partial "...

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- with $page }}
```

```
    <article class="default">
```

```
        <header class="headline">
```

```
            {{- partial "content-header.html" . }}
```

```
        </header>
```

```
    {{ partial "heading-pre.html" . }}{{ partial "heading.html" . }}{{ partial "heading-post.html" . }}
```

```
    {{ $content | safeHTML }}
```

```
        <footer class="footline">
```

```
            {{- partial "content-footer.html" . }}
```

```
        </footer>
```

```
    </article>
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\default\styleclass.html

Resumo: default

default

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\deprecated-chapter\article.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- with \$page }} {{- warnf "%q: DEPRECATED usage of old 'chapter' archetype found, remove 'chapter=true' and add 'archetype=\"chapter\"' to your frontmatter and remove the leading h3 and h1 headings; see [https://mcshelby.github.io/hugo-theme-re...](\"https://mcshelby.github.io/hugo-theme-re...\")

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- with $page }}
```

```
    {{- warnf "%q: DEPRECATED usage of old 'chapter' archetype found, remove 'chapter=true' and add 'archetype='\"
```

```
        <article class="chapter deprecated">
```

```
            <header class="headline">
```

```
                {{- partial "content-header.html" . }}
```

```
            </header>
```

```
{{ $content | safeHTML }}
```

```
    <footer class="footline">
```

```
        {{- partial "content-footer.html" . }}
```

```
    </footer>
```

```
</article>
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\deprecated-chapter\styleclass.html

Resumo: chapter narrow

chapter narrow

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\deprecated-home\article.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- with \$page }} {{- warnf "%q: DEPRECATED usage of old 'home' archetype found, add 'archetype=\"home\"" to your frontmatter and remove the leading h1 heading; see <https://mcshelby.github.io/hugo-theme-relearn/basics/migration#500>" \$page.File.F...

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- with $page }}
```

```
    {{- warnf "%q: DEPRECATED usage of old 'home' archetype found, add 'archetype=\"home\"" to your frontma
```

```
        <article class="home deprecated">
```

```
            <header class="headline">
```

```
                {{- partial "content-header.html" . }}
```

```
            </header>
```

```
        {{ $content | safeHTML }}
```

```
        <footer class="footline">
```

```
            {{- partial "content-footer.html" . }}
```

```
        </footer>
```

```
    </article>
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\deprecated-home\styleclass.html

Resumo: home

home

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\home\article.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- with \$page }} <article class="home">
<header class="headline"> {{- partial "content-header.html" . }} </header> {{ partial
"heading-pre.html" . }}{{ partial "heading.html" . }}{{ partial "hea...

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- with $page }}
```

```
    <article class="home">
```

```
        <header class="headline">
```

```
            {{- partial "content-header.html" . }}
```

```
        </header>
```

```
    {{ partial "heading-pre.html" . }}{{ partial "heading.html" . }}{{ partial "heading-post.html" . }}
```

```
    {{ $content | safeHTML }}
```

```
        <footer class="footline">
```

```
            {{- partial "content-footer.html" . }}
```

```
        </footer>
```

```
    </article>
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\archetypes\home\styleclass.html

Resumo: home

home

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\article.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- \$outputFormat := .outputFormat }} {{- \$hook := "article" }} {{- partialCached "archetype.hugo" (dict "hook" \$hook "page" \$page "parameter" (dict "page" \$page "content" \$content) "outputFormat" \$outputFormat) \$page.RelPermalink \$outputFormat \$...

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- $outputFormat := .outputFormat }}
```

```
{{- $hook := "article" }}
```

```
{{- partialCached "archetype.hugo" (dict "hook" $hook "page" $page "parameter" (dict "page" $page "content"
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\authorname.hugo

Resumo: `{{- $authorName := "" }} {{- if .Site.Params.author }} {{- if reflect.IsMap .Site.Params.author }} {{- with .Site.Params.author.name }} {{- $authorName = . }} {{- end }} {{- else }} {{- warnf "DEPRECATED usage of 'params.author' config parameter found, replace it with `p...`

```
{{- $authorName := "" }}

{{- if .Site.Params.author }}

    {{- if reflect.IsMap .Site.Params.author }}

        {{- with .Site.Params.author.name }}

            {{- $authorName = . }}

        {{- end }}

    {{- else }}

        {{- warnf "DEPRECATED usage of 'params.author' config parameter found, replace it with `params.author

        {{- $authorName = .Site.Params.author }}

    {{- end }}

{{- else }}

    {{- with .Site.Author.name }}

        {{- $authorName = . }}

        {{- $hugoVersion := "0.120.0" }}

        {{- if ge hugo.Version $hugoVersion }}

            {{- warnf "The author key in site configuration is deprecated. Use params.author.name instead." }}

        {{- end }}

    {{- end }}

{{- end }}

{{- return $authorName }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\bodyv.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- \$outputFormat := partial "output-format.hugo" .page }} {{- partial "single-article.hugo" (dict "page" \$page "content" \$content "outputFormat" \$outputFormat) }}

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- $outputFormat := partial "output-format.hugo" .page }}
```

```
{{- partial "single-article.hugo" (dict "page" $page "content" $content "outputFormat" $outputFormat) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\bodyv.print.html

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- \$outputFormat := partial "output-format.hugo" .page }} {{- partial "nested-article.hugo" (dict "page" \$page "outputFormat" \$outputFormat) }}

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- $outputFormat := partial "output-format.hugo" .page }}
```

```
{{- partial "nested-article.hugo" (dict "page" $page "outputFormat" $outputFormat) }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\body.searchpage.html

Resumo: {{- \$page := .page }} {{- \$title := partial "pageHelper/title.hugo" (dict "page" .page) }}
<article class="default"> <header class="headline"> </header> <h1 id="{{ \$title | plainify | anchorize }}">{{ \$title }}</h1> <search> ...

```
{{- $page := .page }}
```

```
{{- $title := partial "pageHelper/title.hugo" (dict "page" .page) }}
```

```
<article class="default">
```

```
<header class="headline">
```

```
</header>
```

```
<h1 id="{{ $title | plainify | anchorize }}">{{ $title }}</h1>
```

```
<search>
```

```
<form action="javascript:triggerSearch()">
```

```
<div class="searchform">
```

```
<label class="a11y-only" for="R-search-by-detail">{{ T "Search" }}</label>
```

```
<input data-search-input id="R-search-by-detail" class="search-by" name="search-by" type="text">
```

```
{{- partial "shortcodes/button.html" (dict
```

```
"page" $page
```

```
"type" "submit"
```

```
"style" "secondary"
```

```
"icon" "search"
```

```
"content" (T "Search")
```

```
}}}
```

```
</div>
```

```
</form>
```

```
</search>
```

```
<div class="searchhint">
```

```
</div>
```

```
<hr>
```

```
<div id="R-searchresults">
```

```
</div>
```

```
<footer class="footline">
```

```
</footer>
```

```
</article>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\breadcrumbs.html

Resumo: {{- \$page := .page }} {{- \$to := \$page }} {{- \$pageurl := partial "relLangPrettyUglyURL.hugo" (dict "to" \$page) }} {{- \$lasturl := partial "relLangPrettyUglyURL.hugo" (dict "to" \$page) }} {{- if .dirOnly }} {{- \$page = \$page.Parent }} {{- \$to = \$page }} {{- \$lasturl = partial "relLangPr...

```
{{- $page := .page }}

{{- $to := $page }}

{{- $pageurl := partial "relLangPrettyUglyURL.hugo" (dict "to" $page) }}

{{- $lasturl := partial "relLangPrettyUglyURL.hugo" (dict "to" $page) }}

{{- if .dirOnly }}

    {{- $page = $page.Parent }}

    {{- $to = $page }}

    {{- $lasturl = partial "relLangPrettyUglyURL.hugo" (dict "to" $page) }}

{{- end }}

{{- $depth := add 1 (int (partial "pageHelper/depth.hugo" (dict "page" $page))) }}

{{- if .page.Site.Params.disableRootBreadcrumb }}

    {{- $depth = add $depth -1 }}

{{- end }}

{{- $breadcrumb := slice }}

{{- range seq $depth }}

    {{- if $to }}

        {{- if or $to.Title (eq $to.Kind "taxonomy") (eq $to.Kind "term") }}

            {{- $breadcrumb = $breadcrumb | append $to }}

        {{- end }}

    {{- else }}

        {{- break }}

    {{- end }}

    {{- $to = $to.Parent }}

{{- end }}

{{- $len := len $breadcrumb -}}

{{- $breadcrumbReversed := slice }}

{{- range seq $len }}

    {{- $breadcrumbReversed = $breadcrumbReversed | append (index $breadcrumb (sub $len .)) }}

{{- end }}

{{- $depth := 0 }}
{{- range $i, $e := $breadcrumbReversed }}
```

```
{{- $to := $e }}  
{{- $depth = add $depth 1 }}  
{{- $title := partial "pageHelper/title.hugo" (dict "page" $to "linkTitle" true) }}  
{{- $url := partial "relLangPrettyUglyURL.hugo" (dict "to" $to) }}  
{{- $isPage := eq $url $pageurl }}  
{{- $isLast := eq $url $lasturl }}  
{{- $link := and $url (not $isPage) }}  
{{- printf "<li" | safeHTML }}  
        itemscope itemtype="https://schema.org/ListItem" itemprop="itemListElement">{{ if $link }}<a  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\content-footer.htm

Resumo: {{- \$LastModifierDisplayName := "" }} {{- \$LastModifierEmail := "" }} {{- \$Date := "" }} {{- with .GitInfo }} {{- with .AuthorName }} {{- \$LastModifierDisplayName = . }} {{- end }} {{- with .AuthorEmail }} {{- \$LastModifierEmail = . }} {{- end }} {{- with .AuthorDate }}...

```
{{- $LastModifierDisplayName := "" }}

{{- $LastModifierEmail := "" }}

{{- $Date := "" }}

{{- with .GitInfo }}

    {{- with .AuthorName }}

        {{- $LastModifierDisplayName = . }}

    {{- end }}

    {{- with .AuthorEmail }}

        {{- $LastModifierEmail = . }}

    {{- end }}

    {{- with .AuthorDate }}

        {{- $Date = . | time.Format ":date_medium" }}

    {{- end }}

{{- else }}

    {{- with .Params.LastModifierDisplayName }}

        {{- $LastModifierDisplayName = . }}

    {{- end }}

    {{- with .Params.LastModifierEmail }}

        {{- $LastModifierEmail = . }}

    {{- end }}

    {{- with .Date }}

        {{- $Date = . | time.Format ":date_medium" }}

    {{- end }}

{{- end }}

{{- if $LastModifierDisplayName }}

    <i class='fa-fw fas fa-user'></i> {{ with $LastModifierEmail }}<a href="mailto:{{ . }}">{{ . }}</a>

    {{- with $Date }}

        <i class='fa-fw fas fa-calendar'></i> {{ . }}

    {{- end }}

{{- end }}

{{- end }}

{{- partial "term-list.html" (dict
```

```
"page" .  
"taxonomy" "categories"  
"icon" "layer-group"  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\content-header.html

Resumo: {{- partial "tags.html" . }}

```
{{- partial "tags.html" . }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\content.html

Resumo: {{- .Content }}

{{- .Content }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\custom-comments.html

Resumo: <!-- import your comments system {{ template "_internal/disqus.html" . }} -->

```
<!-- import your comments system
```

```
{{ template "_internal/disqus.html" . }}
```

```
-->
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\custom-footer.html

Resumo: <!-- Partial intended to be overwritten with tags loaded at the end of the page loading (usually for Javascript) <script> console.log("running some javascript"); </script> -->

```
<!-- Partial intended to be overwritten with tags loaded at the end of the page loading (usually for Javascript)
```

```
<script>
```

```
    console.log("running some javascript");
```

```
</script>
```

```
-->
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\custom-header.html

Resumo: <!-- Partial intended to be overwritten to add custom headers, like CSS or any other info <style> / Custom css */ </style> -->*

```
<!-- Partial intended to be overwritten to add custom headers, like CSS or any other info
<style>

    /* Custom css */

</style>

-->
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies.htm

Resumo: {{- \$page := .page }} {{- \$location := .location }} {{- \$outputFormat := .outputFormat | default (partial "output-format.hugo" \$page) }} {{- range \$k, \$v := \$page.Site.Params.relearn.dependencies }} {{- \$has := printf "has%s" \$v.name }} {{- \$nestedhas := printf "nestedHas%s" \$v.name }} {...

```
{{- $page := .page }}
```

```
{{- $location := .location }}
```

```
{{- $outputFormat := .outputFormat | default (partial "output-format.hugo" $page) }}
```

```
{{- range $k, $v := $page.Site.Params.relearn.dependencies }}
```

```
■{{- $has := printf "has%s" $v.name }}
```

```
■{{- $nestedhas := printf "nestedHas%s" $v.name }}
```

```
    {{- $wants := or ($page.Page.Store.Get $has) (and ($page.Page.Store.Get (printf "%sIsNested" $outputFormat
```

```
■{{- if and $wants }}
```

```
■ ■{{- if $v.location }}
```

```
■ ■ ■{{- warnf "DEPRECATED parameter 'location' for dependency '%s' configured in your hugo.toml, query the
```

```
■ ■ {{- end }}
```

```
■ ■ {{- if or (not $v.location) (eq $location $v.location) }}
```

```
■ ■ ■{{- $dep := printf "dependencies/%s.html" $k }}
```

```
■ ■ ■{{- partial $dep (dict "page" $page "location" $location) }}
```

```
■ ■ {{- end }}
```

```
■ {{- end }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies\mathjax.html

Resumo: {{- \$page := .page }} {{- \$location := .location }} {{- if eq \$location "footer" }} {{- with \$page }} {{- \$init := "{}" }} {{- if isset .Params "mathjaxinitialize" }} {{- \$init = .Params.mathJaxInitialize }} {{- else if isset .Site.Params "mathjaxinitialize" }} {{- ...

```
{{- $page := .page }}

{{- $location := .location }}

{{- if eq $location "footer" }}

  {{- with $page }}

    {{- $init := "{}" }}

    {{- if isset .Params "mathjaxinitialize" }}

      {{- $init = .Params.mathJaxInitialize }}

    {{- else if isset .Site.Params "mathjaxinitialize" }}

      {{- $init = .Site.Params.mathJaxInitialize }}

    {{- end }}

    <script>

      function useMathJax( config ){

        window.MathJax = Object.assign( window.MathJax || {}, {

          tex: {

            inlineMath: [['\\(', '\\)'], ['$ ', '$']], // inline

            displayMath: [['\\[', '\\]'], ['$$ ', '$$']], // block

          },

          options: {

            enableMenu: false // avoid translation hassle for context menu

          }

        }, config );

        useMathJax( JSON.parse({{ $init }}) );

      }

    </script>

    {{- if and (isset .Params "custommathjaxurl") .Params.customMathJaxURL }}

    <script id="MathJax-script" async src="{{ .Params.customMathJaxURL }}"></script>

    {{- else if and (isset .Site.Params "custommathjaxurl") .Site.Params.customMathJaxURL }}

    <script id="MathJax-script" async src="{{ .Site.Params.customMathJaxURL }}"></script>

    {{- else }}

    <script id="MathJax-script" async src="{{ "js/mathjax/tex-mml-cthtml.js" | relURL }}" {{ if not .Site.Params }}{{- end }}>

    {{- end }}
```

{{- end }}

{{- end }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies\mermaid.html

Resumo: {{- \$page := .page }} {{- \$location := .location }} {{- if eq \$location "footer" }} {{- with \$page }} <script src="{{"js/d3/d3-color.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script> <script src="{{"js/d3/d3-dispatch.min.js" | re...

```
{{- $page := .page }}

{{- $location := .location }}

{{- if eq $location "footer" }}

    {{- with $page }}

        <script src="{{"js/d3/d3-color.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-dispatch.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-drag.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-ease.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-interpolate.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-selection.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-timer.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-transition.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/d3/d3-zoom.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        <script src="{{"js/js-yaml.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        {{- if and (isset .Params "custommermaidurl") .Params.customMermaidURL }}

            <script src="{{ .Params.customMermaidURL }}" defer></script>

        {{- else if and (isset .Site.Params "custommermaidurl") .Site.Params.customMermaidURL }}

            <script src="{{ .Site.Params.customMermaidURL }}" defer></script>

        {{- else }}

            <script src="{{"js/mermaid.min.js" | relURL}} {{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

        {{- end }}

        {{- $init := "{}" }}

        {{- if isset .Params "mermaidinitialize" }}

            {{- $init = .Params.mermaidInitialize }}

        {{- else if isset .Site.Params "mermaidinitialize" }}

            {{- $init = .Site.Params.mermaidInitialize }}

        {{- end }}

        <script>

            window.themeUseMermaid = JSON.parse({{ $init }});

        </script>
```

{{- end }}

{{- end }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\dependencies\openapi.html

Resumo: `{{- $page := .page }} {{- $location := .location }} {{- if eq $location "footer" }} {{- with $page }} <script src="{{"js/js-yaml.min.js" | relURL}}{{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script> {{- $urlOpenapi := "" }} {{- $relOpenapi := "...`

```
{{- $page := .page }}

{{- $location := .location }}

{{- if eq $location "footer" }}

  {{- with $page }}

    <script src="{{"js/js-yaml.min.js" | relURL}}{{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}" defer></script>

    {{- $urlOpenapi := "" }}

    {{- $relOpenapi := "" }}

    {{- $cssInProject := false }}

    {{- if and (isset .Params "customopenapiurl") .Params.customOpenapiURL }}

      {{- $urlOpenapi = .Params.customOpenapiURL }}

      {{- $relOpenapi = .Params.customOpenapiURL }}

    {{- else if and (isset .Site.Params "customopenapiurl") .Site.Params.customOpenapiURL }}

      {{- $urlOpenapi = .Site.Params.customOpenapiURL }}

      {{- $relOpenapi = .Site.Params.customOpenapiURL }}

    {{- else }}

      {{- $urlOpenapi = printf "%s%s" ("js/swagger-ui/swagger-ui-bundle.js" | relURL) (cond .Site.Params.disableAssetsBusting "" ".min") }}

      {{- $relOpenapi = printf "%s%s" ("/js/swagger-ui/swagger-ui-bundle.js") (cond .Site.Params.disableAssetsBusting "" ".min") }}

      {{- $cssInProject = true }}

    {{- end }}

    <script>window.noZensmooth = true;</script>

    <script src="{{ $urlOpenapi }}" defer></script>

    {{- $urlOpenapi := replace $urlOpenapi "swagger-ui-bundle" "swagger-ui-standalone-preset" }}

    <script src="{{ $urlOpenapi }}" defer></script>

    {{- $relOpenapi := replace $relOpenapi "swagger-ui-bundle" "swagger-ui" }}

    {{- $relOpenapi := replace $relOpenapi ".js" ".css" }}

    <script>

      window.themeUseOpenapi = { css: {{ $relOpenapi }}, cssInProject: {{ $cssInProject | safeJS }}, assets: [] }

    </script>

  {{- end }}

{{- end }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\favicon.html

Resumo: {{- \$assetBusting := not .Site.Params.disableAssetsBusting }} {{- \$faviconMatch := false }} {{- \$svg := dict "ext" "svg" "type" "type=\"image/svg+xml\"" }} {{- \$png := dict "ext" "png" "type" "type=\"image/png\"" }} {{- \$ico := dict "ext" "ico" "type" "type=\"image/x-icon\"" s...

```
{{- $assetBusting := not .Site.Params.disableAssetsBusting }}

{{- $faviconMatch := false }}

{{- $svg := dict "ext" "svg" "type" "type=\"image/svg+xml\"" }}
{{- $png := dict "ext" "png" "type" "type=\"image/png\"" }}
{{- $ico := dict "ext" "ico" "type" "type=\"image/x-icon\"" sizes=\"any\" }}

{{- $faviconTypes := slice $svg $png $ico }}
{{- $faviconNames := slice "favicon" "logo" }}
{{- range $faviconNames }}
    {{- $faviconName := . }}
    {{- range $faviconTypes }}
        {{- if fileExists (printf "/static/images/%s.%s" $faviconName .ext) }}
            {{- $faviconMatch = true }}
<link href="{{ printf "images/%s.%s" $faviconName .ext | relURL }}"{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"
        {{- end }}
        {{- if (fileExists (printf "/static/images/%s-light.%s" $faviconName .ext)) }}
            {{- $faviconMatch = true }}
<link href="{{ printf "images/%s-light.%s" $faviconName .ext | relURL }}"{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"
        {{- end }}
        {{- if (fileExists (printf "/static/images/%s-dark.%s" $faviconName .ext)) }}
            {{- $faviconMatch = true }}
<link href="{{ printf "images/%s-dark.%s" $faviconName .ext | relURL }}"{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"
        {{- end }}
    {{- end }}
    {{- if $faviconMatch }}
        {{- break }}
    {{- end }}
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\fileExists.hugo

Resumo: {{- return fileExists . }}

```
{{- return fileExists . }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\footer.html

Resumo: </div> </main><!-- #R-body-inner --> {{- partial "custom-comments.html" . }} </div><!-- #R-body --> {{- \$outputFormat := partial "output-format.hugo" .Page }} {{- partial "output-partial.hugo" (dict "base" "menu" "page" . "parameter" . "outputFormat" \$outputFormat) }} <SC...

</div>

</main><!-- #R-body-inner -->

{{- partial "custom-comments.html" . }}

</div><!-- #R-body -->

{{- \$outputFormat := partial "output-format.hugo" .Page }}

{{- partial "output-partial.hugo" (dict "base" "menu" "page" . "parameter" . "outputFormat" \$outputFormat

<script src="{{"js/clipboard.min.js" | relURL}}{{ if not .Site.Params.disableAssetsBusting }}?{{ now.

<script src="{{"js/perfect-scrollbar.min.js" | relURL}}{{ if not .Site.Params.disableAssetsBusting }}

{{- partial "dependencies.html" (dict "page" . "location" "footer" "outputFormat" \$outputFormat) }}

<script src="{{"js/theme.js" | relURL}}{{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}

{{- partial "custom-footer.html" . }}

</body>

</html>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\get-format.hugo

Resumo: `{{/* https://discourse.gohugo.io/t/question-about-printf-v/22923/4 GetCurrentOutput` Retrieves the OuputFormat of the page, from a list of predefined outputs `@author @regisphilibert` with modification by `@McShelby` `@context Page (.)` `@access public` `@return A String` among t...

```
{{/*  
  
    https://discourse.gohugo.io/t/question-about-printf-v/22923/4  
  
    GetCurrentOutput  
  
    Retrieves the OuputFormat of the page, from a list of predefined outputs  
  
    @author @regisphilibert with modification by @McShelby  
  
    @context Page (.)  
  
    @access public  
  
    @return A String among the predefined list  
  
    @example - Go Template  
        {{ $currentOutputFormat := partial "func/GetCurrentOutput" . }}  
  
    @warning This partial cannot be cached.  
*/}}  
  
{{/* We create a slice listing the concerned output formats */}}  
{{- $outputs := slice }}  
{{- range .OutputFormats }}  
    ■{{- $outputs = $outputs | append .Name }}  
{{- end }}  
{{- $alt := slice }}  
  
{{/* We range on the page's Alternative Output Formats which returns all output formats  
except the current one. */}}  
{{- range .AlternativeOutputFormats }}  
  
{{/* If an output format matches one in the concerned list, we add it to our slice of outputs */}}  
    {{- if in $outputs .Name }}
```

```
        {{- $alt = $alt | append .Name }}

    {{- end }}

{{- end }}

{{- $current := "default" }}

{{/* If any alternate output formats part of the "concerned" ones have been found, we range on them. */}}

{{- range $outputs }}

    {{/* If the output format is not listed as an "alternate", it means it is the current one. */}}

    {{- if not (in $alt .) }}

        {{- $current = . }}

    {{- end }}

{{- end }}

{{- return .OutputFormats.Get $current }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\get-theme-variant.s.hugo

Resumo: {{- \$page := . }} {{- \$autores := resources.Get "css/auto.css" }} {{- \$printres := resources.Get "css/format-print.css" }} {{- \$nonautothemevariants := slice }} {{- / we need relearn-light in every case for the print styles */}} {{- \$refthemevariants := slice | append "relearn-light" }} {{-...*

```
{{- $page := . }}
```

```
{{- $autores := resources.Get "css/auto.css" }}
```

```
{{- $printres := resources.Get "css/format-print.css" }}
```

```
{{- $nonautothemevariants := slice }}
```

```
{{- /* we need relearn-light in every case for the print styles */}}
```

```
{{- $refthemevariants := slice | append "relearn-light" }}
```

```
{{- /*
```

Unification run:

- convert from old forms to slice of dicts

- add default name property

- convert auto property to slice

- save non auto variants to later assign them as default for missing auto variants

- mark variants configured by the user

```
*/}}
```

```
{{- $tempthemevariants := slice | append (.Site.Params.themeVariant | default "auto" ) }}
```

```
{{- $themevariants := slice }}
```

```
{{- range $tempthemevariant := $tempthemevariants }}
```

```
    {{- $themevariant := $tempthemevariant }}
```

```
    {{- if not (reflect.IsMap $themevariant) }}
```

```
        {{- $themevariant = dict "identifier" $tempthemevariant }}
```

```
    {{- end }}
```

```
    {{- if not $themevariant.name }}
```

```
        {{- $themevariant = collections.Merge $themevariant (dict "name" ($themevariant.identifier | humanize
```

```
    {{- end }}
```

```
    {{- if eq $themevariant.identifier "auto" }}
```

```
        {{- $themevariant = collections.Merge $themevariant (dict "auto" ($themevariant.auto | default slice)
```

```
    {{- end }}
```

```
    {{- if not (isset $themevariant "auto") }}
```

```
        {{- $nonautothemevariants = $nonautothemevariants | append $themevariant.identifier }}
```

```

{{- end }}

{{- $themevariant = collections.Merge $themevariant (dict "config" true) }}

{{- $themevariants = $themevariants | append $themevariant }}

{{- end }}

{{- /*
Auto run:
- fill up auto property with defaults
- save variants referenced by auto configuration
- write variant CSS file based on auto template
- add chroma property
- write chroma CSS file based on auto template
*/}}

{{- $defaultautothemevariants := slice }}

{{- $defaultautothemevariants = $defaultautothemevariants | append (index .Site.Params.themeVariantAuto 0) }}
{{- $defaultautothemevariants = $defaultautothemevariants | append (index .Site.Params.themeVariantAuto 1) }}
{{- $tempthemevariants = $themevariants }}

{{- $themevariants = slice }}

{{- range $tempthemevariant := $tempthemevariants }}

    {{- $themevariant := $tempthemevariant }}

    {{- if collections.IsSet $themevariant "auto" }}

        {{- $light := index $themevariant.auto 0 | default (index $defaultautothemevariants 0) }}
        {{- $dark := index $themevariant.auto 1 | default (index $defaultautothemevariants 1) }}

        {{- $themevariant = collections.Merge $themevariant (dict "auto" (slice | append $light | append $dark)) }}
        {{- $refthemevariants = $refthemevariants | append $themevariant.auto }}

        {{- $cssres := $autores | resources.ExecuteAsTemplate (printf "css/theme-%s.css" $themevariant.identifier) $themevariant }}
        {{- /* the following code causes Hugo to generate our css file - although it is in comments */}}<!--

        {{- $themevariant = collections.Merge $themevariant (dict "chroma" $themevariant.identifier) }}
        {{- $cssres = $autores | resources.ExecuteAsTemplate (printf "css/chroma-%s.css" $themevariant.chroma) $themevariant }}
        {{- /* the following code causes Hugo to generate our css file - although it is in comments */}}<!--

    {{- end }}

    {{- $themevariants = $themevariants | append $themevariant }}

{{- end }}

{{- /*

```

Ref run:

- add variants referenced by auto properties
- add default name property

*/}}

```
{{- range $refthemevariant := $refthemevariants }}
```

```
    {{- if not (index (collections.Where $themevariants "identifier" $refthemevariant) 0) }}
```

```
        {{- $themevariant := (dict "identifier" $refthemevariant "name" ($refthemevariant | humanize | string) "auto" true) }}
```

```
        {{- $themevariants = $themevariants | append $themevariant }}
```

```
    {{- end }}
```

```
{{- end }}
```

```
{{- /*
```

Non-auto run:

- write variant CSS file and all imported variant CSS files

- add chroma property from deepest imported variant

- write chroma CSS file (just the root one because they are not allowed to be nested and the deepest one will be the one that is used)

*/}}

```
{{- $tempthemevariants = $themevariants }}
```

```
{{- $themevariants = slice }}
```

```
{{- range $tempthemevariant := $tempthemevariants }}
```

```
    {{- $themevariant := $tempthemevariant }}
```

```
    {{- if not (collections.IsSet $themevariant "auto") }}
```

```
        {{- $themevariant = partial "get-theme-details.html" (dict "themevariant" $themevariant "identifier" $themevariant.identifier) }}
```

```
        {{- $cssres := resources.Get (printf "css/chroma-%s.css" $themevariant.chroma) }}
```

```
        {{- if not $cssres }}
```

```
            {{- errorf "\"chroma-%s.css\": file not found in \"assets/css\"; if you are migrating from a theme v1.0, please rename the file to \"chroma-%s.css\" and move it to the assets/css directory" $themevariant.chroma }}
```

```
        {{- end }}
```

```
        {{- /* the following code causes Hugo to generate our css file - although it is in comments */}}<!-- {{ $cssres := resources.Get (printf "css/chroma-%s.css" $themevariant.chroma) }}
```

```
    {{- end }}
```

```
    {{- $themevariants = $themevariants | append $themevariant }}
```

```
{{- end }}
```

```
{{- $cssres := $printres | resources.ExecuteAsTemplate "css/format-print.css" (dict "themevariant" (index $themevariants 0)) }}
```

```
{{- /* the following code causes Hugo to generate our css file - although it is in comments */}}<!-- {{ $cssres := resources.Get (printf "css/format-print.css" (dict "themevariant" (index $themevariants 0)) }}
```

```
{{- return collections.Where $themevariants "config" true }}
```



```

{{- define "partials/get-theme-details.html" }}

    {{- $themevariant := .themevariant }}

    {{- $identifier := .identifier }}

    {{- $themecontent := "" }}

    {{- with resources.Get (printf "css/theme-%s.css" $identifier) }}

        {{- $themecontent = .Content }}

    {{- else }}

        {{- errorf "\"theme-%s.css\": file not found in \"assets/css\"; if you are migrating from a theme version" }}

    {{- end }}

    {{- $chroma := "" }}

    {{- range findRESubmatch `[ \t]*@import\s+[^$]*?chroma-([^.]*?)\.css` $themecontent }}

        {{- $chroma = index . 1 }}

        {{- errorf "\"theme-%s.css\": UNSUPPORTED use of @import for chroma stylesheet, instead use '--CODE-theme: %s'" }}

    {{- end }}

    {{- range findRESubmatch `[ \t]*@import\s+[^$]*?theme-([^.]*?)\.css` $themecontent }}

        {{- $subidentifier := index . 1 }}

        {{- $themevariant = partial "get-theme-details.html" (dict "themevariant" $themevariant "identifier" $subidentifier) }}

        {{- $chroma = $themevariant.chroma }}

    {{- end }}

    {{- range findRESubmatch `[ \t]*--CODE-theme\s*:\s*([^\s;]*)\s*` $themecontent }}

        {{- $chroma = index . 1 }}

    {{- end }}

    {{- if not $chroma }}

        {{- $chroma = "relearn-light" }}

        {{- $themecontent = replaceRE `(:root\s*\[[ \t]*\)(\s*)` (printf "${1}${2}--CODE-theme: %s;${2}" $chroma) $themecontent }}

    {{- end }}

    {{- $themevariant = collections.Merge $themevariant (dict "chroma" $chroma) }}

    {{- $cssres := $themecontent | resources.FromString (printf "css/theme-%s.css" $identifier) }}

    {{- /* the following code causes Hugo to generate our css file - although it is in comments */}}<!-- {{- $cssres.Save }}

    {{- return $themevariant }}

{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\header.html

Resumo: <!DOCTYPE html> {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- \$basename := "index" }} {{- if eq \$outputFormat "searchpage" }} {{- \$basename = partial "BaseName.hugo" \$format.RelPermalink }} {{- end }} ...

```
<!DOCTYPE html>

{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- $basename := "index" }}

{{- if eq $outputFormat "searchpage" }}

    {{- $basename = partial "BaseName.hugo" $format.RelPermalink }}

{{- end }}

{{- if eq . .Site.Sites.First.Home }}

    {{- $hugoVersion := "0.121.0" }}

    {{- if lt hugo.Version $hugoVersion }}

        {{- errorf "The Relearn theme requires Hugo %s or later" $hugoVersion }}

    {{- end }}

{{- end }}

{{- if .Site.Params.description }}

    {{- warnf "UNSUPPORTED usage of 'params.description' config parameter found, move it to the frontmatter" }}

{{- end }}

<html lang="{{ .Page.Language.LanguageCode | default "en" }}" dir="{{ .Page.Language.LanguageDirection | default "ltr" }}">

<head>

    {{- partial "meta.html" . }}

    {{- $page := . }}

    {{- $link := "<link href=\"%s\" rel=\"%s\" type=\"%s\" title=\"%s\">" }}

    {{- $title := partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true "format" $format) }}

    <title>{{ $title }}</title>

    {{- if .IsTranslated -}}

        {{- range $index, $trans := .AllTranslations }}

            {{- if eq $index 0 }}

                <link href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true "basename" $basename) }}" rel="alternate" hreflang="{{ $trans.Language.LanguageCode }}" />

            {{- end }}

            <link href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true "basename" $basename) }}" rel="alternate" hreflang="{{ $trans.Language.LanguageCode }}" />

        {{- end }}

    {{- end }}
```

```

{{- end }}

{{- if not (and .Title (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.disableSeo
{{- else }}

    {{- range .AlternativeOutputFormats }}

        {{- if eq .Rel "canonical" }}
{{ (printf $link (partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true "basename" $basename))
        {{- else if eq $outputFormat "searchpage" }}
        {{- else if eq .Name "searchpage" }}
        {{- else if ne .Name "search" }}
{{ (printf $link (partial "relLangPrettyUglyURL.hugo" (dict "to" .)) .Rel .MediaType.Type ($title | h
        {{- end }}

    {{- end }}

{{- end }}

{{- partialCached "favicon.html" . }}

{{- partial "stylesheet.html" (dict "page" . "outputFormat" $outputFormat) }}

{{- partial "dependencies.html" (dict "page" . "location" "header" "outputFormat" $outputFormat) }}

{{- partial "custom-header.html" . }}
</head>

<body class="mobile-support {{ $outputFormat }}{{- if .Site.Params.disableInlineCopyToClipboard }} disal
<div id="R-body" class="default-animation">

    <div id="R-body-overlay"></div>

    <nav id="R-topbar">

        <div class="topbar-wrapper">

            <div class="topbar-sidebar-divider"></div>

            <div class="topbar-area topbar-area-start" data-area="start">

                {{- partial "topbar/area/start.html" . }}

            </div>
{{- $showBreadcrumb := (and (not .Params.disableBreadcrumb) (not .Site.Params.disableBreadcrumb)) }}

        {{- if $showBreadcrumb }}

            <ol class="topbar-breadcrumbs breadcrumbs highlightable" itemscope itemtype="http://schema.org/

                {{- partial "breadcrumbs.html" (dict "page" .) }}

            </ol>

        {{- else }}

```

```
<span class="topbar-breadcrumbs highlightable">

  {{ .Title }}

</span>

{{- end }}

<div class="topbar-area topbar-area-end" data-area="end">

  {{- partial "topbar/area/end.html" . }}

</div>

</div>

</nav>

{{- $hook := "styleclass" }}

<div id="R-main-overlay"></div>

<main id="R-body-inner" class="highlightable {{ partialCached "archetype.hugo" (dict "hook" $hook "}}

  <div class="flex-block-wrapper">
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\heading-post.html

Resumo: `{{ .Params.headingPost | safeHTML }}`

`{{ .Params.headingPost | safeHTML }}`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\heading-pre.html

Resumo: `{{ .Params.headingPre | safeHTML }}`

`{{ .Params.headingPre | safeHTML }}`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\heading.html

Resumo: `{{- $title := partial "pageHelper/title.hugo" (dict "page" .) }} <h1 id="{{ $title | plainify | anchorize }}">{{ $title }}</h1>`

```
{{- $title := partial "pageHelper/title.hugo" (dict "page" .) }}
```

```
<h1 id="{{ $title | plainify | anchorize }}">{{ $title }}</h1>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\indent.html

Resumo: `{{- $content := .content }} {{- $indentation := .indentation }} {{- replaceRE "(\\r\\n|\\r|\\n)"`
`(printf "$1%s" $indentation) (replaceRE "^" $indentation (trim $content " \\r\\t")) | safeHTML }}`

```
{{- $content := .content }}
```

```
{{- $indentation := .indentation }}
```

```
{{- replaceRE "(\\r\\n|\\r|\\n)" (printf "$1%s" $indentation) (replaceRE "^" $indentation (trim $content " \\n
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\initial.html

Resumo: {{- \$title := partial "pageHelper/title.hugo" (dict "page" .) }} {{- if not \$title }} {{- \$title := site.Title }} <h1 id="{{ \$title | plainify | anchorize }}">{{ \$title }}</h1> {{- end }} {{- "layouts/partials/initial.md" | readFile | .RenderString }}

```
{{- $title := partial "pageHelper/title.hugo" (dict "page" .) }}
```

```
{{- if not $title }}
```

```
    {{- $title := site.Title }}
```

```
    <h1 id="{{ $title | plainify | anchorize }}">{{ $title }}</h1>
```

```
{{- end }}
```

```
{{- "layouts/partials/initial.md" | readFile | .RenderString }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\initial.md

Resumo: ## Create this Page You need to create a file for this page. You can either - create a file in the `content` folder and fill it with Markdown content - inside a folder named by the page's title like `/\_index.md` or `<TITLE>/index.md` - named by the page's title like `<TITLE>.md` ...</i></p></div><div data-bbox="144 192 306 206" data-label="Text"><p>## Create this Page</p></div><div data-bbox="144 238 596 253" data-label="Text"><p>You need to create a file for this page. You can either</p></div><div data-bbox="144 286 898 395" data-label="List-Group">- create a file in the `content` folder and fill it with Markdown content- inside a folder named by the page's title like `<TITLE>/\_index.md` or `<TITLE>/index.md`- named by the page's title like `<TITLE>.md`- create a file in the `static` folder and fill it with HTML content- inside a folder named by the page's title like `<TITLE>/index.html`</div>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\logo.html

Resumo: <style> #R-logo svg, #R-logo svg * { color: #282828; color: var(--MENU-SECTIONS-BG-color); fill: #282828 !important; fill: var(--MENU-SECTIONS-BG-color) !important; opacity: .945; ...

<style>

```
#R-logo svg,
#R-logo svg * {
    color: #282828;
    color: var(--MENU-SECTIONS-BG-color);
    fill: #282828 !important;
    fill: var(--MENU-SECTIONS-BG-color) !important;
    opacity: .945;
}
a#R-logo {
    color: #282828;
    color: var(--MENU-SECTIONS-BG-color);
    font-family: 'Work Sans', 'Helvetica', 'Tahoma', 'Geneva', 'Arial', sans-serif;
    font-size: 1.875rem;
    font-weight: 300;
    margin-top: -.8125rem;
    max-width: 60%;
    text-transform: uppercase;
    width: 14.125rem;
    white-space: nowrap;
}
a#R-logo:hover {
    color: #282828;
    color: var(--MENU-SECTIONS-BG-color);
}
#R-logo svg {
    margin-bottom: -1.25rem;
    margin-inline-start: -1.47rem;
    margin-inline-end: .5rem;
    width: 40.5%;
}
```

```

@media only all and (max-width: 59.999rem) {
  a#R-logo {
    font-size: 1.5625rem;
    margin-top: -.1875rem;
  }
  #R-logo svg {
    margin-bottom: -.75rem;
    margin-inline-start: -1.47rem;
    margin-inline-end: .5rem;
  }
}

</style>

<a id="R-logo" href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" .Site.Home) }}">
  <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 64.044 64.044">
    <path d="M46.103 136.34c-.642-.394-1.222-2.242-1.98-2.358-.76-.117-1.353.506-1.618 1.519-.2" />
    <path d="M61.472 101.34v.002c-.3-.003-.603.01-.894.04-.544.055-1.39.165-1.778.306-1.238.364" />
    <path d="M83.128 98.116c-.484 1.875-1.057 3.757-2.486 5.033-.638.57-1.13.666-1.483.548-.401" />
    <path d="M76.694 128.845c-.85-.012-1.668.253-2.434.67-.01.592-.015 1.17.109 1.772.323 1.573" />
  </svg>Relearn
</a>

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\make-random-md 5.hugo

Resumo: {{- \$page := . }} {{- if (ne \$page.Site.Params.disableRandomIds true) }} {{- \$random := "" }} {{- \$set := split "0123456789abcdefghijklmnopqrstuvwxyz" "" }} {{- range (seq 16) }} {{- with (\$set | shuffle | first 1) }} {{- \$random = printf "%s%s" \$random . }} {{- end }} {{- end }} {...

```
{{- $page := . }}

{{- if (ne $page.Site.Params.disableRandomIds true) }}

    {{- $random := "" }}

    {{- $set := split "0123456789abcdefghijklmnopqrstuvwxyz" "" }}

    {{- range (seq 16) }}

        {{- with ($set | shuffle | first 1) }}

            {{- $random = printf "%s%s" $random . }}

            {{- end }}

        {{- end }}

        {{- md5 $random }}

    {{- else }}

        {{- printf "00000000000000000000000000000000" }}

    {{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu-footer.html

Resumo: <p>Built with <i class="fas fa-heart"></i> by Hugo</p>

<p>Built with <i class="fas fa-heart"></i> by Hugo</p>

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu-post.html

Resumo: `{{ if .Params.menuPost }}{{ .Params.menuPost | safeHTML }}{{ else }}{{ .Params.Post | safeHTML }}{{ end }}`

```
{{ if .Params.menuPost }}{{ .Params.menuPost | safeHTML }}{{ else }}{{ .Params.Post | safeHTML }}{{ end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu-pre.html

Resumo: `{{ if .Params.menuPre }}{{ .Params.menuPre | safeHTML }}{{ else }}{{ .Params.Pre | safeHTML }}{{ end }}`

```
{{ if .Params.menuPre }}{{ .Params.menuPre | safeHTML }}{{ else }}{{ .Params.Pre | safeHTML }}{{ end }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\menu.html

Resumo: {{- \$showvisitedlinks := .Site.Params.showVisitedLinks }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- \$basename := "index" }} {{- if eq \$outputFormat "searchpage" }} {{- \$base...

```
{{- $showvisitedlinks := .Site.Params.showVisitedLinks }}

{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- $basename := "index" }}

{{- if eq $outputFormat "searchpage" }}

    {{- $basename = partial "BaseName.hugo" $format.RelPermalink }}

{{- end }}

<aside id="R-sidebar" class="default-animation{{ if $showvisitedlinks }} showVisitedLinks{{ end }}">

    {{- $currentNode := . }}

    <div id="R-header-topbar" class="default-animation"></div>

    <div id="R-header-wrapper" class="default-animation">

        <div id="R-header" class="default-animation">

{{ partial "logo.html" . }}

            </div>

            {{- if not .Site.Params.disableSearch }}

{{ partial "search.html" . }}

                {{- end }}

            </div>

            <div id="R-homelinks" class="default-animation{{ if not .Site.Params.disableLandingPageButton }} homelinks">

                {{- if not .Site.Params.disableLandingPageButton }}

                    {{- if (ne .Site.Params.landingPageURL nil) }}

                        {{- warnf "%q: UNSUPPORTED usage of 'landingPageURL' config parameter found, remove it and opti" .Site.Params.landingPageURL }}

                    {{- end }}

                    <ul>

                        <li><a class="padding" href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" .Site.Home) }}">

                        </li>

                    </ul>

                {{- end }}

                <hr class="padding">

            </div>

            <div id="R-content-wrapper" class="highlightable">

                <div id="R-topics">
```

```

<ul class="enlarge morespace collapsible-menu">

    {{- $pages := partial "pageHelper/pagesBy.html" (dict "page" .Site.Home "hidden" true) }}

    {{- $defaultAlwaysopen := .Site.Params.alwaysopen | default false }}

    {{- range $pages }}

        {{- template "section-tree-nav" dict "sect" . "currentnode" $currentNode "showvisitedlinks" }}

    {{- end }}

</ul>

</div>

{{- $page := . }}

{{- $disableShortcutsTitle := .Site.Params.DisableShortcutsTitle }}

{{- with .Site.Menus.shortcuts }}

<div id="R-shortcuts">

    <div class="nav-title padding">{{ if not $disableShortcutsTitle }}{{ T "Shortcuts-Title" }}{{ end }}

    <ul class="space">

        {{- range sort . "Weight" }}

            {{- $shortcut := . }}

            {{- with $page.Site.GetPage (printf "%s" $shortcut.URL ) }}

                {{- $to := . }}

                <li>{{ $shortcut.Pre }}<a class="padding" href="{{ partial "relLangPrettyUglyURL.hugo" (dict "page" $page "url" $shortcut.URL "target" $to "lang" $page.Lang) }}">{{ $shortcut.Text }}</a>

                {{- else }}

                <li>{{ $shortcut.Pre }}<a class="padding" href="{{ $shortcut.URL | relLangURL }}">{{ safeHTML $shortcut.Text }}</a>

                {{- end }}

            {{- end }}

        {{- end }}

    </ul>

</div>

{{- end }}

{{- $siteLanguages := .Site.Languages }}

{{- $showlangswitch := and .Site.IsMultiLingual (not .Site.Params.disableLanguageSwitchingButton) }}
{{- $themevariants := partialCached "get-theme-variants.hugo" . }}

{{- $showvariantswitch := gt (int (len $themevariants)) 1 }}

{{- $footer := partial "menu-footer.html" . }}

{{- $showfooter := not (eq 0 (int (len ($footer | plainify)))) }}

<div class="padding footermargin footerLangSwitch footerVariantSwitch footerVisitedLinks footerFooter">

<div id="R-menu-footer">

    <hr class="padding default-animation footerLangSwitch footerVariantSwitch footerVisitedLinks footerFooter">

```

```

<div id="R-prefooter" class="footerLangSwitch footerVariantSwitch footerVisitedLinks{{if $showLangSwitch}}
  <ul>
    <li id="R-select-language-container" class="footerLangSwitch{{if $showLangSwitch}} showLangSwitch"
      <div class="padding menu-control">
        <i class="fa-fw fas fa-language"></i>
        <span>&nbsp;</span>
        <div class="control-style">
          <label class="a11y-only" for="R-select-language">{{ T "Language" }}</label>
          <select id="R-select-language" onchange="location = this.querySelector( this.value ).location">
            {{- $page := .Page }}
            {{- $pageLang := .Page.Language.Lang }}
            {{- range .Page.AllTranslations }}
              <option id="R-select-language-{{ .Language.Lang }}" value="#R-select-language-{{ .Language.Lang }}">{{ T .Language.Lang }}</option>
            {{- end }}
          </select>
        </div>
      <div class="clear"></div>
    </li>
    <li id="R-select-variant-container" class="footerVariantSwitch{{if $showVariantSwitch}} showVariantSwitch"
      <div class="padding menu-control">
        <i class="fa-fw fas fa-paint-brush"></i>
        <span>&nbsp;</span>
        <div class="control-style">
          <label class="a11y-only" for="R-select-variant">{{ T "Theme" }}</label>
          <select id="R-select-variant" onchange="window.variants && variants.changeVariant( this.value )">
            {{- $firstvariant := true }}
            {{- range $themevariants }}
              <option id="R-select-variant-{{ $themevariant.identifier }}" value="{{ $themevariant.identifier }}">{{ T $themevariant.identifier }}</option>
            {{- end }}
            {{- $firstvariant = false }}
          </select>
        </div>
      <div class="clear"></div>
    </li>
  </ul>
</div>

```

```

        </div>

        <script>window.variants && variants.markSelectedVariant();</script>
    </li>

    <li class="footerVisitedLinks{{if $showvisitedlinks}} showVisitedLinks{{end}}">
        <div class="padding menu-control">
            <i class="fa-fw fas fa-history"></i>

            <span>&nbsp;</span>

            <div class="control-style">
                <button onclick="clearHistory();">{{ T "Clear-History" }}</button>
            </div>

            <div class="clear"></div>
        </div>
    </li>
</ul>
</div>

<div id="R-footer" class="footerFooter{{if $showfooter}} showFooter{{end}}">
    {{- $footer }}
</div>
</div>

</div>

</aside>

{{- define "section-tree-nav" }}
    {{- $currentNode := .currentnode }}
    {{- $showvisitedlinks := .showvisitedlinks }}
    {{- $alwaysopen := .alwaysopen }}
    {{- $currentFileRelPermalink := .currentnode.RelPermalink }}
    {{- with .sect }}
        {{- $isSelf := eq .RelPermalink $currentFileRelPermalink }}
        {{- $isAncestor := and (not $isSelf) (.IsAncestor $currentNode) }}
        {{- $isActive := $isSelf }}
        {{- $pages := partial "pageHelper/pagesBy.html" (dict "page" . "hidden" true) }}
        {{- $relearnIsHiddenFrom := index ($currentNode.Scratch.Get "relearnIsHiddenFrom") .RelPermalink }}
        {{- $hidden := and $relearnIsHiddenFrom (not $.showhidden) (not $isSelf) (not $isAncestor) }}
        {{- if $hidden }}
        {{- else }}

```

```

{{- $numberOfVisibleChildren := 0 }}

{{- range $pages }}

    {{- $isSelfSub := eq .RelPermalink $currentFileRelPermalink }}

    {{- $isAncestorSub := and (not $isSelf) (.IsAncestor $currentNode) }}

    {{- $relearnIsSubHiddenFrom := index ($currentNode.Scratch.Get "relearnIsHiddenFrom") .RelPermalink }}

    {{- $subHidden := and $relearnIsSubHiddenFrom (not $.showhidden) (not $isSelfSub) (not $isAncestorSub) }}

    {{- $numberOfVisibleChildren = add $numberOfVisibleChildren (int (not $subHidden)) }}

{{- end }}

{{- safeHTML .Params.head }}

{{- if $numberOfVisibleChildren }}

    {{- $title := or .LinkTitle .Title }}

    {{- $url := partial "relLangPrettyUglyURL.hugo" (dict "to" .) }}

    {{- $isCollapsible := or (.Params.collapsibleMenu | default .Site.Params.collapsibleMenu) (not $.showvisitedlinks) }}

    {{- $currentAlwaysopen := .Params.alwaysopen | default $alwaysopen }}

    {{- $pageHash := md5 .Page }}

    {{- $isOpen := or $currentAlwaysopen $isSelf $isAncestor }}

<li data-nav-id="{{ $url }}" class="{{if $isActive }}active{{end}}{{if (or $isSelf $isAncestor) }}open{{end}}">
    {{- partial "menu-pre.html" . }}{{ $title }}{{ partial "menu-post.html" . }}

    {{- if $url }}{{ if $showvisitedlinks }}<i class="fa-fw fas fa-check read-icon"></i>{{ end }}{{ end }}

    {{- $defaultAlwaysopen := .Site.Params.alwaysopen | default true }}

    {{- range $pages }}

        {{- template "section-tree-nav" dict "sect" . "currentnode" $currentNode "showvisitedlinks" $showvisitedlinks }}

    {{- end }}</ul></li>

{{- else }}

    {{- $title := or .LinkTitle .Title }}

    {{- $url := partial "relLangPrettyUglyURL.hugo" (dict "to" .) }}

<li data-nav-id="{{ $url }}" class="{{if $isActive }}active{{end}}">{{ if $url }}<a class="padding-left: 20px;" href="{{ $url }}">{{ end }}
    {{- partial "menu-pre.html" . }}{{ $title }}{{ partial "menu-post.html" . }}

    {{- if $url }}{{ if $showvisitedlinks }}<i class="fa-fw fas fa-check read-icon"></i>{{ end }}{{ end }}

{{- end }}

{{- end }}

{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\meta.html

Resumo: <meta charset="utf-8"> {{- / to avoid that user swiping to the left leaves a gap on the right side, we set minimum-scale, even if not advised to */}} <meta name="viewport" content="height=device-height, width=device-width, initial-scale=1.0, minimum-scale=1.0"> {{- if (ne .Site...*

```
<meta charset="utf-8">
```

```
{{- /* to avoid that user swiping to the left leaves a gap on the right side, we set minimum-scale, even if not advised to */}}
```

```
<meta name="viewport" content="height=device-height, width=device-width, initial-scale=1.0, minimum-scale=1.0">
```

```
{{- if (ne .Site.Params.disableGeneratorVersion true) }}
```

```
    {{- $gen := hugo.Generator }}
```

```
    {{- $gen = replaceRE "\\s*/>$" ">" $gen }}
```

```
{{ $gen | safeHTML }}
```

```
    {{- $ver := partial "version.txt" }}
```

```
    {{- $ver := printf "<meta name=\"generator\" content=\"%s %s\">" "Relearn" $ver }}
```

```
{{ $ver | safeHTML }}
```

```
{{- end }}
```

```
{{- if not (and .Title (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.disableSeo))) }}
```

```
<meta name="robots" content="noindex, nofollow, noarchive, noimageindex">
```

```
{{- end }}
```

```
<meta name="description" content="{{ with or .Description .Summary | plainify | htmlUnescape | chomp | truncate 160 }}">
```

```
{{- $authorName := partialCached "authorname.hugo" . }}
```

```
<meta name="author" content="{{ $authorName }}">
```

```
{{- partial "twitter_cards.html" . }}
```

```
{{- partial "opengraph.html" . }}
```

```
{{- partial "schema.html" . }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\nested-article.hugo

Resumo: {{- \$page := .page }} {{- \$outputFormat := .outputFormat }} {{- \$page.Page.Store.Set (printf "%sIsNested" \$outputFormat) true }} {{- with \$page }} {{- \$currentNode := . }} {{- \$pages := partial "pageHelper/pagesBy.html" (dict "page" . "hidden" true) }} {{- template "section-print" dict "...

```
{{- $page := .page }}

{{- $outputFormat := .outputFormat }}

{{- $page.Page.Store.Set (printf "%sIsNested" $outputFormat) true }}

{{- with $page }}

    {{- $currentNode := . }}

    {{- $pages := partial "pageHelper/pagesBy.html" (dict "page" . "hidden" true) }}

    {{- template "section-print" dict "sect" . "currentnode" $currentNode "outputFormat" $outputFormat }}

    {{- if $pages }}

        <section>

            <h1 class="a11y-only">{{ T "Subsections" .Title }}</h1>

        {{- end }}

        {{- range $pages }}

            {{- template "section-tree-print" dict "sect" . "currentnode" $currentNode "outputFormat" $outputFormat }}

        {{- end }}

    {{- if $pages }}

        </section>

    {{- end }}

{{- end }}

{{- define "section-tree-print" }}

    {{- $currentNode := .currentnode }}

    {{- $outputFormat := .outputFormat }}

    {{- $currentFileRelPermalink := .currentnode.RelPermalink }}

    {{- with .sect }}

        {{- $isSelf := eq .RelPermalink $currentFileRelPermalink }}

        {{- $isAncestor := and (not $isSelf) (.IsAncestor $currentNode) }}

        {{- $pages := partial "pageHelper/pagesBy.html" (dict "page" . "hidden" true) }}

        {{- $relearnIsHiddenFrom := index ($currentNode.Scratch.Get "relearnIsHiddenFrom") .RelPermalink }}

        {{- $hidden := and $relearnIsHiddenFrom (not $.showhidden) (not $isSelf) (not $isAncestor) }}

        {{- if $hidden }}
        {{- else }}
```

```

{{- template "section-print" dict "sect" . "currentnode" $currentNode "outputFormat" $outputFormat }}

{{- if $pages }}

    <section>

        <h1 class="a11y-only">{{ T "Subsections" .Title }}</h1>

    {{- end }}

    {{- range $pages }}

        {{- template "section-tree-print" dict "sect" . "currentnode" $currentNode "outputFormat" $outputFormat }}

    {{- end }}

    {{- if $pages }}

        </section>

    {{- end }}

{{- end }}

{{- end }}

{{- end }}

{{- define "section-print" }}

    {{- $currentNode := .currentnode }}

    {{- $outputFormat := .outputFormat }}

    {{- with .sect }}

        {{- $page := . }}

        {{- partialCached "nested-content.hugo" (dict "page" $page "outputFormat" $outputFormat) $page.RelPermalink }}

        {{- range $page.Site.Params.relearn.dependencies }}

            {{- $has := printf "has%s" .name }}

            {{- $nestedhas := printf "nestedHas%s" .name }}

            {{- $currentNode.Page.Store.Set $nestedhas (or ($currentNode.Page.Store.Get $nestedhas) ($page.Page.Store.Get $nestedhas)) }}

        {{- end }}

    {{- end }}

{{- end }}

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\nested-content.hugo

Resumo: {{- \$page := .page }} {{- \$outputFormat := .outputFormat }} {{- \$content := "" }} {{- \$url := partial "relLangPrettyUglyURL.hugo" (dict "to" \$page) }} {{- if \$url }} {{- / if we have a relative link in a print page, our print URL is one level to deep; so we are making it absolute to our page ...*

```
{{- $page := .page }}
```

```
{{- $outputFormat := .outputFormat }}
```

```
{{- $content := "" }}
```

```
{{- $url := partial "relLangPrettyUglyURL.hugo" (dict "to" $page) }}
```

```
{{- if $url }}
```

```
■{{- /* if we have a relative link in a print page, our print URL is one level to deep; so we are making
```

```
■{{- $link_prefix := strings.TrimRight "/" $page.RelPermalink }}
```

```
■{{- $content = partial "output-partial.hugo" (dict "base" "content" "page" $page "parameter" $page "outp
```

```
■{{- $content = replaceRE "((?:src|href)\\s*=(?:\\s*[\"']\\s*)?)(\\.([\"'\\s>]*|([\\w]+[\"'\\s>:]*)([\"'\\s>]*
```

```
{{- end }}
```

```
{{- if $page.Title }}
```

```
■{{- partial "output-partial.hugo" (dict "base" "article" "page" $page "parameter" (dict "page" $page "co
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\opengraph.html

Resumo: {{- / based on Hugo 0.125.5 opengraph.html */}} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- \$basename := "index" }} {{- if eq \$outputFormat "searchpage" }} {{- \$basename = partial "BaseName.hugo" \$for...*

```
{{- /* based on Hugo 0.125.5 opengraph.html */}}

{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- $basename := "index" }}

{{- if eq $outputFormat "searchpage" }}

    {{- $basename = partial "BaseName.hugo" $format.RelPermalink }}

{{- end }}

<meta property="og:url" content="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" . "abs" true "base" $format) }}">

{{- with site.Title | plainify }}

    <meta property="og:site_name" content="{{ . }}">

{{- end }}

{{- with partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true "format" $format) }}

    <meta property="og:title" content="{{ . }}">

{{- end }}

{{- with or .Description .Summary | plainify | htmlUnescape | chomp }}

    <meta property="og:description" content="{{ . }}">

{{- end }}

{{- with or .Params.locale site.Language.LanguageCode site.Language.Lang }}

    <meta property="og:locale" content="{{ . }}">

{{- end }}

{{- if .IsPage }}

    <meta property="og:type" content="article">

    {{- with .FirstSection }}

        <meta property="article:section" content="{{ partial "pageHelper/title.hugo" (dict "page" . "format" $format) }}">

    {{- end }}

    {{- $iso8601 := "2006-01-02T15:04:05-07:00" }}

```

```

    {{- with .PublishDate }}
        <meta property="article:published_time" {{ .Format $iso8601 | printf "content=%q" | safeHTMLAttr }}>
    {{- end }}

    {{- with .Lastmod }}
        <meta property="article:modified_time" {{ .Format $iso8601 | printf "content=%q" | safeHTMLAttr }}>
    {{- end }}

    {{- range .GetTerms "tags" | first 6 }}
        <meta property="article:tag" content="{{ partial "pageHelper/title.hugo" (dict "page" .Page "linkTitle" .Page.Title) }}">
    {{- end }}

    {{- else }}
        <meta property="og:type" content="website">
    {{- end }}

    {{- with partial "_funcs/get-page-images" . }}
        {{- range . | first 6 }}
            <meta property="og:image" content="{{ .Permalink }}">
        {{- end }}
    {{- end }}

    {{- with .Params.audio }}
        {{- range . | first 6 }}
            <meta property="og:audio" content="{{ . | absURL }}">
        {{- end }}
    {{- end }}

    {{- with .Params.videos }}
        {{- range . | first 6 }}
            <meta property="og:video" content="{{ . | absURL }}">
        {{- end }}
    {{- end }}

    {{- range .GetTerms "series" }}
        {{- range .Pages | first 7 }}
            {{- if ne $ . }}
                <meta property="og:see_also" content="{{ .Permalink }}">
            {{- end }}
        {{- end }}
    {{- end }}

```

```

        {{- end }}
    {{- end }}
{{- end }}

{{- $facebookApp := "" }}
{{- with site.Params.social }}
    {{- if reflect.IsMap . }}
        {{- with .facebook_app_id }}
            {{- $facebookApp = . }}
        {{- end }}
    {{- end }}
{{- end }}
{{- end }}

{{- with site.Params.social }}
    {{- if reflect.IsMap . }}
        {{- with .facebook_app_id }}
            <meta property="fb:app_id" content="{{ . }}">
        {{- else }}
            {{- with .facebook_admin }}
                <meta property="fb:admins" content="{{ . }}">
            {{- end }}
        {{- end }}
    {{- end }}
{{- end }}
{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\output-format.hugo

Resumo: {{- \$page := . }} {{- \$format := "" }} {{- if reflect.IsMap \$page }} {{- \$format = \$page.format }} {{- \$page = \$page.page }} {{- else }} {{- \$format = partial "get-format.hugo" \$page }} {{- end }} {{- \$ret := "default" }} {{- if \$format }} {{ \$ret = \$format.Name | lower }} {{- end...}}

```
{{- $page := . }}

{{- $format := "" }}

{{- if reflect.IsMap $page }}

    {{- $format = $page.format }}

    {{- $page = $page.page }}

{{- else }}

    {{- $format = partial "get-format.hugo" $page }}

{{- end }}

{{- $ret := "default" }}

{{- if $format }}

    {{ $ret = $format.Name | lower }}

{{- end }}

{{- return $ret }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\output-partial.hugo

Resumo: {{- \$base := .base }} {{- \$page := .page }} {{- \$parameter := .parameter }} {{- \$outputFormat := .outputFormat }} {{- if not \$outputFormat }} {{- \$outputFormat = partial "output-format.hugo" \$page }} {{- end }} {{- \$suffix := partialCached "output-suffix.hugo" \$page \$page.RelPermalink \$outp...

```
{{- $base := .base }}

{{- $page := .page }}

{{- $parameter := .parameter }}

{{- $outputFormat := .outputFormat }}

{{- if not $outputFormat }}

    {{- $outputFormat = partial "output-format.hugo" $page }}

{{- end }}

{{- $suffix := partialCached "output-suffix.hugo" $page $page.RelPermalink $outputFormat }}

{{- $f := printf "/layouts/partials/%s.%s.%s" $base $outputFormat $suffix }}

{{- if or (not $outputFormat) (not (partialCached "fileExists.hugo" $f $f)) }}

    {{- $f = printf "/layouts/partials/%s.%s" $base $suffix }}

    {{- if partialCached "fileExists.hugo" $f $f }}

        {{- partial (printf "%s.%s" $base $suffix) $parameter }}

    {{- end }}

{{- else }}

    {{- partial (printf "%s.%s.%s" $base $outputFormat $suffix) $parameter }}

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\outout-suffix.hugo

Resumo: {{- \$format := partial "get-format.hugo" . }} {{- \$ret := "html" }} {{- if \$format }} {{- range first 1 \$format.MediaType.Suffixes }} {{- \$ret = . }} {{- end }} {{- end }} {{- return \$ret }}

```
{{- $format := partial "get-format.hugo" . }}

{{- $ret := "html" }}

{{- if $format }}

    {{- range first 1 $format.MediaType.Suffixes }}

        ■{{- $ret = . }}

    {{- end }}

{{- end }}

{{- return $ret }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\page-meta.hugo

Resumo: {{- \$currentNode := . }} {{- \$forceContent := \$currentNode.WordCount }} {{- \$currentNode.Scratch.Delete "relearnIsSelfFound" }} {{- \$currentNode.Scratch.Delete "relearnPrevPage" }} {{- \$currentNode.Scratch.Delete "relearnNextPage" }} {{- \$currentNode.Scratch.Delete "relearnIsHiddenNode..."

```
{{- $currentNode := . }}
```

```
{{- $forceContent := $currentNode.WordCount }}
```

```
{{- $currentNode.Scratch.Delete "relearnIsSelfFound" }}
```

```
{{- $currentNode.Scratch.Delete "relearnPrevPage" }}
```

```
{{- $currentNode.Scratch.Delete "relearnNextPage" }}
```

```
{{- $currentNode.Scratch.Delete "relearnIsHiddenNode" }}{{/* the node itself is flagged as hidden */}}
```

```
{{- $currentNode.Scratch.Delete "relearnIsHiddenStem" }}{{/* the node or one of its parents is flagged as
```

```
{{- $currentNode.Scratch.Delete "relearnIsHiddenFrom" }}{{/* the node is hidden from the current page */}}
```

```
{{- range $currentNode.Site.Params.relearn.dependencies }}
```

```
■{{- $has := printf "has%s" .name }}
```

```
■{{- $disable := printf "disable%s" .name }}
```

```
■{{- $wants := or (and (ne (index $currentNode.Params $disable) nil) (not (index $currentNode.Params $dis
```

```
■{{- if $wants }}
```

```
■■{{- $currentNode.Store.Set $has true }}
```

```
■{{- end }}
```

```
{{- end }}
```

```
{{- template "relearn-structure" dict "node" .Site.Home "currentnode" $currentNode "hiddenstem" false "hi
```

```
{{- define "relearn-structure" }}
```

```
■{{- $currentNode := .currentnode }}
```

```
■{{- $isSelf := eq $currentNode .node }}
```

```
■{{- $isDescendant := and (not $isSelf) (.node.IsDescendant $currentNode) }}
```

```
■{{- $isAncestor := and (not $isSelf) (.node.IsAncestor $currentNode) }}
```

```
■{{- $isOther := and (not $isDescendant) (not $isSelf) (not $isAncestor) }}
```

```
■{{- $isChildren := eq $currentNode .node.Parent }}
```

```
■{{- if $isSelf }}
```

```
■■{{- $currentNode.Scratch.Set "relearnIsSelfFound" true }}
```

```
■{{- end }}
```

```
■{{- $isSelfFound := eq ($currentNode.Scratch.Get "relearnIsSelfFound") true }}
```

```
■{{- $isPreSelf := and (not $isSelfFound) (not $isSelf) }}
```

```
■{{- $isPostSelf := and ($isSelfFound) (not $isSelf) }}
```



```

■{{- $hidden_node := or (.node.Params.hidden) (eq .node.Title "") }}
■{{- $hidden_stem := or $hidden_node .hiddenstem }}
■{{- $hidden_current_stem := or $hidden_node .hiddencurrent }}
■{{- $hidden_from_current := or (and $hidden_node (not $isAncestor) (not $isSelf) ) (and .hiddencurrent (
■{{- if $isSelf }}
■■{{- $currentNode.Scratch.Set "relearnIsHiddenNode" $hidden_node }}
■■{{- $currentNode.Scratch.Set "relearnIsHiddenStem" $hidden_stem }}
■{{- end }}
■{{- $currentNode.Scratch.SetInMap "relearnIsHiddenFrom" .node.RelPermalink $hidden_current_stem }}

■{{- if or (eq $currentNode.Kind "home") (eq $currentNode.Kind "section") (eq $currentNode.Kind "page") }}
■■{{- if not $hidden_from_current }}
■■■{{- if and $isPreSelf .node.RelPermalink }}
■■■■{{- $currentNode.Scratch.Set "relearnPrevPage" .node }}
■■■{{- else if and $isPostSelf .node.RelPermalink (eq ($currentNode.Scratch.Get "relearnNextPage") nil) }}
■■■■{{- $currentNode.Scratch.Set "relearnNextPage" .node }}
■■■{{- end }}
■■{{- end }}
■{{- end }}

■{{- $pages := partial "pageHelper/pagesBy.html" (dict "page" .node "hidden" true) }}
■{{- range $pages }}
■■{{- template "relearn-structure" dict "node" . "currentnode" $currentNode "hiddenstem" $hidden_stem "hi
■{{- end }}
{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\depth.hugo

Resumo: {{- / <https://discourse.gohugo.io/t/how-to-know-the-section-depth/37302/4> */ -}} {{- \$page := .page }} {{- \$depth := .depth | default 0 }} {{- with \$page.Parent }} {{- \$depth = add \$depth 1 }} {{- partial "pageHelper/depth.hugo" (dict "page" . "depth" \$depth) }} {{- else }} {{- \$depth ...*

```
{{- /* https://discourse.gohugo.io/t/how-to-know-the-section-depth/37302/4 */ -}}
```

```
{{- $page := .page }}
```

```
{{- $depth := .depth | default 0 }}
```

```
{{- with $page.Parent }}
```

```
    {{- $depth = add $depth 1 }}
```

```
    {{- partial "pageHelper/depth.hugo" (dict "page" . "depth" $depth) }}
```

```
{{- else }}
```

```
    {{- $depth }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\isHidden.html

Resumo: {{- return (or (not .Title) .Params.hidden) }}

{{- return (or (not .Title) .Params.hidden) }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\next.html

*Resumo: {{- \$collection := .collection }} {{- \$item := .item }} {{- \$found := false }} {{- \$result := "" }}
{{- range \$collection }} {{- if \$found }} {{- \$result = .Page.Page }} {{- break }} {{- else if eq \$item
.Page.Page }} {{- \$found = true }} {{- end }} {{- end }} {{- return \$...*

```
{{- $collection := .collection }}  
  
{{- $item := .item }}  
  
{{- $found := false }}  
  
{{- $result := "" }}  
  
{{- range $collection }}  
  
    {{- if $found }}  
■ {{- $result = .Page.Page }}  
■ {{- break }}  
    {{- else if eq $item .Page.Page }}  
■ {{- $found = true }}  
    {{- end }}  
  
{{- end }}  
  
{{- return $result }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\pagesBv.html

Resumo: {{- \$page := .page }} {{- / default sort order for the theme is historically by weight */}} {{- \$by := .by }} {{- if eq \$by "auto" }} {{- \$by = "" }} {{- end }} {{- \$by = \$by | default \$page.Params.ordersectionsby | default \$page.Site.Params.ordersectionsby | default "weight" }} {{- \$hidden...*

```
{{- $page := .page }}
```

```
{{- /* default sort order for the theme is historically by weight */}}
```

```
{{- $by := .by }}
```

```
{{- if eq $by "auto" }}
```

```
■{{- $by = "" }}
```

```
{{- end }}
```

```
{{- $by = $by | default $page.Params.ordersectionsby | default $page.Site.Params.ordersectionsby | default
```

```
{{- $hidden := .hidden }}
```

```
{{- $pages := slice }}
```

```
{{- if eq $by "weight" }}
```

```
■{{- $pages = $page.Pages.ByWeight }}
```

```
{{- else if or (eq $by "name") (eq $by "title") }}
```

```
■{{- $pages = $page.Pages.ByTitle }}
```

```
{{- else if eq $by "linktitle" }}
```

```
■{{- $pages = $page.Pages.ByLinkTitle }}
```

```
{{- else if eq $by "modifieddate" }}
```

```
■{{- $pages = $page.Pages.Lastmod }}
```

```
{{- else if eq $by "expirydate" }}
```

```
■{{- $pages = $page.Pages.ByExpiryDate }}
```

```
{{- else if eq $by "publishdate" }}
```

```
■{{- $pages = $page.Pages.ByPublishDate }}
```

```
{{- else if eq $by "date" }}
```

```
■{{- $pages = $page.Pages.ByDate }}
```

```
{{- else if eq $by "length" }}
```

```
■{{- $pages = $page.Pages.ByLength }}
```

```
{{- else if eq $by "default" }}
```

```
■{{- $pages = $page.Pages }}
```

```
{{- else }}
```

```
■{{- warnf "%q: Unknown pages sort order '%s'" $page.File.Filename }}  
■{{- $pages = $page.Pages }}  
{{- end }}
```

```
{{- if not $hidden }}  
■{{- $nonhiddenpages := slice }}  
■{{- range $page := $pages }}  
■■{{- if not (partial "pageHelper/isHidden.html" $page) }}  
■■■{{- $nonhiddenpages := $nonhiddenpages | append $page }}  
■■{{- end }}  
■{{- end }}  
■{{- $pages = $nonhiddenpages }}  
{{- end }}
```

```
{{- return $pages }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\prev.html

Resumo: {{- \$collection := .collection }} {{- \$item := .item }} {{- \$found := "" }} {{- \$result := "" }} {{- range \$collection }} {{- if eq \$item .Page.Page }} {{- \$result = \$found }} {{- break }} {{- end }} {{- \$found = .Page.Page }} {{- end }} {{- return \$result }}

```
{{- $collection := .collection }}
```

```
{{- $item := .item }}
```

```
{{- $found := "" }}
```

```
{{- $result := "" }}
```

```
{{- range $collection }}
```

```
    {{- if eq $item .Page.Page }}
```

```
    ■ {{- $result = $found }}
```

```
    ■ {{- break }}
```

```
    {{- end }}
```

```
    {{- $found = .Page.Page }}
```

```
{{- end }}
```

```
{{- return $result }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\taxonomyPages.html

Resumo: {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- \$pages := slice }} {{- range .Data.Terms }} {{- \$count := 0 }} {{- range .Pages }} {{- / count pages of term */}} {{- if and .Title .RelPermalin...*

```
{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- $pages := slice }}

{{- range .Data.Terms }}

    {{- $count := 0 }}

    {{- range .Pages }}

        {{- /* count pages of term */}}

        {{- if and .Title .RelPermalink (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.d

            {{- $count = add $count 1 }}

        {{- end }}

    {{- end }}

{{- if $count }}

    {{- $pages = $pages| append (dict "Title" (partial "pageHelper/title.hugo" (dict "page" .Page "linkTi

    {{- end }}

{{- end }}

{{- $pages = sort $pages ".Title" }}

{{- return $pages }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\termPages.html

Resumo: {{- \$pages := slice }} {{- range .Pages }} {{- if and .Title .RelPermalink (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.disableTagHiddenPages true)) }} {{- \$pages = \$pages | append (dict "Title" .Title "Page" .) }} {{- end }} {{- end }} {{- \$pages = sort \$pages ...

```
{{- $pages := slice }}
```

```
{{- range .Pages }}
```

```
    {{- if and .Title .RelPermalink (or (ne (.Scratch.Get "relearnIsHiddenStem") true) (ne .Site.Params.disableTagHiddenPages true) ) }}
```

```
        {{- $pages = $pages | append (dict "Title" .Title "Page" .) }}
```

```
    {{- end }}
```

```
{{- end }}
```

```
{{- $pages = sort $pages ".Title" }}
```

```
{{- return $pages }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\pageHelper\title.hugo

Resumo: {{- \$title := "" }} {{- with .page }} {{- if .Params.menuTitle }} {{- warnf "%q: UNSUPPORTED frontmatter 'menutitle' found, use 'linktitle' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#600" \$.File.Filename }} {{- end }} {{- \$format := \$.format | default ...

```
{{- $title := "" }}
```

```
{{- with .page }}
```

```
    {{- if .Params.menuTitle }}
```

```
        {{- warnf "%q: UNSUPPORTED frontmatter 'menutitle' found, use 'linktitle' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#600" $.File.Filename }}
```

```
    {{- end }}
```

```
    {{- $format := $.format | default (partial "get-format.hugo" .) }}
```

```
    {{- $outputFormat := $.outputFormat | default (partial "output-format.hugo" (dict "page" . "format" $format)) }}
```

```
    {{- $siteTitle := site.Title }}
```

```
    {{- $title = .Title }}
```

```
    {{- if $.linkTitle }}
```

```
        {{- $title = or $.page.LinkTitle $title }}
```

```
    {{- end }}
```

```
{{- if eq $outputFormat "searchpage" }}
```

```
    {{- $title = T "Search" }}
```

```
{{- else if eq .Kind "home" }}
```

```
    {{- $title = or $title $siteTitle }}
```

```
{{- else if eq .Kind "taxonomy" }}
```

```
    {{- $title = default (default .Data.Plural (i18n .Data.Plural)) .Params.Title }}
```

```
{{- else if eq .Kind "term" }}
```

```
    {{- $taxonomy_page := .Site.GetPage .Data.Plural }}
```

```
    {{- $taxonomy_title := default (default $taxonomy_page.Data.Singular (i18n $taxonomy_page.Data.Singular)) $taxonomy_page.Data.Singular }}
```

```
    {{- $term_title := default (humanize .Data.Term | strings.Title) .Title }}
```

```
    {{- if $.linkTitle }}
```

```
        {{- $title = printf "%s" $term_title }}
```

```
    {{- else if $.reverse }}
```

```
        {{- $title = printf "%s %s %s" $term_title (default "::" .Site.Params.titleSeparator) $taxonomy_title }}
```

```
    {{- else }}
```

```
        {{- $title = printf "%s %s %s" $taxonomy_title (default "::" .Site.Params.titleSeparator) $term_title }}
```

```
    {{- end }}
```

```
{{- end }}

{{- if $.fullyQualified }}
  {{- if and $title $siteTitle (not (eq $title $siteTitle)) }}
    {{- if $.reverse }}
      {{- $title = printf "%s %s %s" $title (default ":" site.Params.titleSeparator) $siteTitle }}
    {{- else }}
      {{- $title = printf "%s %s %s" $siteTitle (default ":" site.Params.titleSeparator) $title }}
    {{- end }}
  {{- end }}
{{- end }}

{{- end }}

{{- return $title }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\relBasePath.hugo

Resumo: {{- / generates an uphill path from the current page to the root of the site */}} {{- \$subdir := strings.TrimSuffix (relLangURL "/") (relLangURL "") }} {{- \$relBasePath := .RelPermalink }} {{- \$relBasePath = replaceRE "/[^/]*\$" "" \$relBasePath }} {{- \$relBasePath = strings.TrimPrefix \$subdir \$r...*

```
{{- /* generates an uphill path from the current page to the root of the site */}}
```

```
{{- $subdir := strings.TrimSuffix (relLangURL "/") (relLangURL "") }}
```

```
{{- $relBasePath := .RelPermalink }}
```

```
{{- $relBasePath = replaceRE "/[^/]*$" "" $relBasePath }}
```

```
{{- $relBasePath = strings.TrimPrefix $subdir $relBasePath }}
```

```
{{- $relBasePath = replaceRE "/[^/]*" "/.." $relBasePath }}
```

```
{{- $relBasePath = trim $relBasePath "/" }}
```

```
{{- if not $relBasePath }}
```

```
■{{- $relBasePath = "." }}
```

```
{{- end }}
```

```
{{- return $relBasePath }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\relBaseUri.hugo

Resumo: {{- / generates an uphill path from the current page to the root of the server */}} {{- \$subdir := strings.TrimSuffix (relLangURL "/") (relLangURL "") }} {{- \$relBaseUri := .RelPermalink }} {{- \$relBaseUri = replaceRE "[^/]*\$" "" \$relBaseUri }} {{- \$relBaseUri = replaceRE "[^/]*" "/" \$relBaseUri }} {{- \$relBaseUri = trim \$relBaseUri "/" }}*

```
{{- /* generates an uphill path from the current page to the root of the server */}}

{{- $subdir := strings.TrimSuffix (relLangURL "/") (relLangURL "") }}

{{- $relBaseUri := .RelPermalink }}

{{- $relBaseUri = replaceRE "[^/]*$" "" $relBaseUri }}

{{- $relBaseUri = replaceRE "[^/]*" "/" $relBaseUri }}

{{- $relBaseUri = trim $relBaseUri "/" }}

{{- if not $relBaseUri }}
  {{- $relBaseUri = "." }}
{{- end }}

{{- return $relBaseUri }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\relLangPrettyUglyURL.hugo

Resumo: {{- \$to := .to }} {{- \$abs := .abs }} {{- \$basename := .basename }} {{- \$link := "" }} {{- if isset . "link" }} {{- \$link = .link }} {{- else if not \$to }} {{- else if \$abs }} {{- \$link = \$to.Permalink }} {{- else }} {{- \$link = \$to.RelPermalink }} {{- end }} {{- if not \$basename }} ...

```
{{- $to := .to }}

{{- $abs := .abs }}

{{- $basename := .basename }}

{{- $link := "" }}

{{- if isset . "link" }}

■{{- $link = .link }}

{{- else if not $to }}

{{- else if $abs }}

■{{- $link = $to.Permalink }}

{{- else }}

■{{- $link = $to.RelPermalink }}

{{- end }}

{{- if not $basename }}

■{{- $basename = "index" }}

{{- end }}

{{- if and (ne site.Params.disableExplicitIndexURLs true) (eq (substr $link -1) "/" ) }}

■{{- $link = printf "%s%s.html" $link $basename }}

{{- end }}

{{- $link }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\schema.html

Resumo: {{- / based on Hugo 0.125.5 schema.html */}} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" . "format" \$format) }} {{- with partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true "format" \$format "outputFo...*

```
{{- /* based on Hugo 0.125.5 schema.html */}}

{{- $format := partial "get-format.hugo" . }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

{{- with partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true "format" $format "outputFo...

    <meta itemprop="name" content="{{{ . }}}">

{{- end }}

{{- with or .Description .Summary | plainify | htmlUnescape | chomp }}

    <meta itemprop="description" content="{{{ . }}}">

{{- end }}

{{- $ISO8601 := "2006-01-02T15:04:05-07:00" }}

{{- with .PublishDate }}

    <meta itemprop="datePublished" {{{ .Format $ISO8601 | printf "content=%q" | safeHTMLAttr }}}>

{{- end }}

{{- with .Lastmod }}

    <meta itemprop="dateModified" {{{ .Format $ISO8601 | printf "content=%q" | safeHTMLAttr }}}>

{{- end }}

{{- with .WordCount }}

    <meta itemprop="wordCount" content="{{{ . }}}">

{{- end }}

{{- $images := partial "_funcs/get-page-images" . }}

{{- range first 6 $images }}

    <meta itemprop="image" content="{{{ .Permalink }}}">

{{- end }}

{{- /*
Keywords precedence:
```

1. Use "keywords" term page titles.
2. Use "keywords" from front matter if "keywords" is not a taxonomy.
3. Use "tags" term page titles.
4. Use term page titles from all taxonomies.

```

*/}}

{{- $keywords := slice }}

{{- range .GetTerms "keywords" }}

    {{- $keywords = $keywords | append (partial "pageHelper/title.hugo" (dict "page" .Page "linkTitle" true)) }}

{{- else }}

    {{- with .Keywords }}

        {{- $keywords = . }}

    {{- else }}

        {{- range .GetTerms "tags" }}

            {{- $keywords = $keywords | append (partial "pageHelper/title.hugo" (dict "page" .Page "linkTitle" true)) }}

        {{- else }}

            {{- range $taxonomy, $_ := site.Taxonomies }}

                {{- range $.GetTerms $taxonomy }}

                    {{- $keywords = $keywords | append (partial "pageHelper/title.hugo" (dict "page" .Page "linkTitle" true)) }}

                {{- end }}

            {{- end }}

        {{- end }}

    {{- end }}

{{- end }}

{{- with $keywords }}

    <meta itemprop="keywords" content="{{ delimit . `,` }}">

{{- end }}

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\search.html

Resumo: {{- \$link := "" }} {{- with .Site.Home.OutputFormats.Get "json" }} {{- warnf "UNSUPPORTED usage of 'json' output format found, use 'search' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#600" }} {{- end }} {{- if .Site.Home.O...

```
{{- $link := "" }}

{{- with .Site.Home.OutputFormats.Get "json" }}

    {{- warnf "UNSUPPORTED usage of 'json' output format found, use 'search' instead; see https://m

{{- end }}

{{- if .Site.Home.OutputFormats.Get "search" }}

    {{- with .Site.Home.OutputFormats.Get "searchpage" }}

        {{- $link = partial "relLangPrettyUglyURL.hugo" (dict "to" .) }}

        {{- end }}

    {{- end }}

<search>{{ if $link }}<form action="{{ $link }}" method="get">{{ end }}

    <div class="searchbox default-animation">

        {{ if $link }}<button class="search-detail" type="submit" title="{{ T "Search" }}" (CTRL+ALT+F

        <label class="a11y-only" for="R-search-by">{{ T "Search" }}</label>

        <input data-search-input id="R-search-by" name="search-by" class="search-by" type="search" pl

        <button class="search-clear" type="button" data-search-clear="" title="{{ T "Clear-search" }}

    </div>

{{ if $link }}</form>{{ end }}</search>

{{- $assetBusting := not .Site.Params.disableAssetsBusting }}

{{- $pageBaseLang := replaceRE "([a-z]+).*" "${1}" .Page.Language.LanguageCode }}

{{- $contentlangs := (union (slice | append (.Site.Params.additionalContentLanguage | default slice

{{- $quotedcontentlangs := slice }}

{{- $missingcontentlangs := slice }}

{{- range $contentlangs }}

    {{- $f := printf "/static/js/lunr/lunr.%s.min.js" . }}

    {{- if partialCached "fileExists.hugo" $f $f }}

        {{- $quotedcontentlangs = $quotedcontentlangs | append (printf "'%s'" .) }}

    {{- else }}

        {{- $missingcontentlangs = $missingcontentlangs | append . }}

    {{- end }}

{{- end }}

{{- $contentlangs = $contentlangs | complement $missingcontentlangs }}
```

```

<script>
    var contentLangs=[{{ delimit $quotedcontentlangs ", " | safeJS }}];
</script>

<script src="{{ "js/auto-complete.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer>
<script src="{{ "js/lunr/lunr.min.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer>
<script src="{{ "js/lunr/lunr.stemmer.support.min.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer>
<script src="{{ "js/lunr/lunr.multi.min.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer>
{{- $tinyseg := false }}
{{- $wordcut := false }}
{{- range $contentlangs }}
    {{- if and (not $tinyseg) (or (eq . "ja")) }}
        {{- $tinyseg = true }}
<script src="{{ "js/lunr/tinyseg.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer>
        {{- end }}
    {{- if and (not $wordcut) (or (eq . "hi") (eq . "th")) }}
        {{- $wordcut = true }}
<script src="{{ "js/lunr/wordcut.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer>
        {{- end }}
    {{- $file := (printf "js/lunr/lunr.%s.min.js" .) }}
<script src="{{ $file | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer></script>
{{- end }}

<script src="{{ "js/search.js" | relURL }}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" defer></script>

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\attachments.html

Resumo: {{- \$page := .page }} {{- warnf "%q: DEPRECATED shortcode `attachments` found, use `resources` instead; see [https://mcshelby.github.io/hugo-theme-relearn/shortcodes/attachments#migration](\"https://mcshelby.github.io/hugo-theme-relearn/shortcodes/attachments#migration\")\" \$page.File.Filename }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECA...

```
{{- $page := .page }}

{{- warnf "%q: DEPRECATED shortcode `attachments` found, use `resources` instead; see https://mcshelby.github.io/hugo-theme-relearn/shortcodes/attachments#migration\" $page.File.Filename }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'attachments' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/shortcodes/attachments#migration\" $page.File.Filename }}

{{- end }}

{{- $color := .color | default "" }}
{{- $content := .content }}
{{- $style := .style | default "default" }}
{{- if and (not $color) (eq (len $color) 0) }}
    {{- $style = .style | default "transparent" }}
{{- end }}
{{- $title := .title }}
{{- if not $title }}

    {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}
    {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}
    {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}
    {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}
{{- end }}
{{- $title = trim ($title | default ("Attachments-label" | T)) " " }}
{{- $icon := .icon | default "" }}
{{- if and (not $icon) (eq (len $icon) 0) }}
    {{- $icon = "paperclip" }}
    {{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}
    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}
    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}
    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}
{{- end }}
{{- $icon = trim $icon " " }}
```

```

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- $sort := .sort | default "asc" }}

{{- $pattern := .pattern | default "" }}

{{- $defaultUrlPrefix := strings.TrimRight "/" $page.RelPermalink }}

{{- if .IsTranslated -}}

    {{- $defaultLanguage := (index $page.Site.Home.AllTranslations 0).Language.Lang }}

    {{- $defaultLanguagePage := index (where $page.AllTranslations "Language.Lang" $defaultLanguage) 0 }}

    {{- $defaultUrlPrefix = strings.TrimRight "/" $defaultLanguagePage.RelPermalink }}

{{- end }}

{{- $urlPrefix := strings.TrimRight "/" $page.RelPermalink }}

{{- with $page }}

{{- if ne .BundleType "leaf" }}

    {{- warnf "%q: UNSUPPORTED usage of 'attachments' shortcode found while using Hugo >= 0.112.0, use a lea

{{- end }}

<div class="box attachments cstyle {{ $style }}"{{ if $color }} style="--VARIABLE-BOX-color: {{ $color }}

    <div class="box-label">{{ if $icon }}<i class="{{ $icon }}"></i>{{ end }}{{ if and $icon $title }} {{ e

    <ul class="box-content attachments-files">

        {{- $fileDir := path.Dir (strings.TrimPrefix (path.Clean hugo.WorkingDir) (path.Clean .File.FileName)) }}

        {{- $fileDir = printf "%s/" (path.Clean (strings.TrimPrefix "/" $fileDir)) }}

        {{- $fileLink := $fileDir }}

        {{- $fileLink = strings.TrimPrefix "content/" $fileLink }}

        {{- $fileName := printf "%s.files" .File.BaseFileName }}

        {{- if and (eq .File.BaseFileName "index") (fileExists (printf "%sfiles" $fileDir)) }}

            {{- /* backward compat to < 5.9.0 behavior */}}

            {{- $fileName = "files" }}

        {{- end }}

        {{- $dir := printf "%s%s" $fileDir $fileName }}

        {{- if fileExists $dir }}

            {{- range sort (readDir $dir) "Name" $sort }}

{{- if findRE $pattern .Name}}

                {{- $size := .Size }}

                {{- $unit := "Byte-symbol" }}

                {{- if ge $size 1024 }}

```

```

        {{- $size = div $size 1024 }}

        {{- $unit = "Kilobyte-symbol" }}

    {{- end }}

    {{- if ge $size 1024 }}

        {{- $size = div $size 1024 }}

        {{- $unit = "Megabyte-symbol" }}

    {{- end }}

    {{- $unitsymbol := $unit | T }}

    {{- $link := (printf "%s%s/%s" $fileLink $fileName .Name) | relLangURL }}

    {{- /* Hugo stores the attachments always in the default language subdirectory */}}

    {{- $link = replace $link $urlPrefix $defaultUrlPrefix 1 }}

    <li><a href="{{ $link }}">{{.Name}}</a> ({{ $size }} {{ $unitsymbol }})</li>

    {{- end }}

    {{- end }}

    {{- end }}

</ul>

    {{- $content }}

</div>

{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\badge.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'badge' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$col...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'badge' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $color := .color | default "" }}

{{- $content := .content }}

{{- $style := .style | default "default" }}

{{- $title := .title }}

{{- if not $title }}

    {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}

{{- end }}

{{- $title = trim $title " " }}

{{- $icon := .icon | default "" }}

{{- if and (not $icon) (eq (len $icon) 0) }}

    {{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}

    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}

    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}

    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}

{{- end }}

{{- $icon = trim $icon " " }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- with $page -}}

<span class="badge cstyle {{ $style }}"{{ if or $icon $title }} badge-with-title{{ end }}">{{ if or $icon $title }}
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\button.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'button' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$co...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'button' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $color := .color | default "" }}

{{- $content := .content }}

{{- $href := (trim .href " ") | default "" }}

{{- $style := .style | default "default" }}

{{- if and (not $color) (eq (len $color) 0) }}

    {{- $style = .style | default "transparent" }}

{{- end }}

{{- $target := .target | default "" }}

{{- $type := .type | default "" }}

{{- $isButton := false }}

{{- $isLink := false }}

{{- if or $type (strings.HasPrefix $href "javascript:") }}

    {{- $isButton = true }}

    {{- $href = substr $href (len "javascript:") }}

    {{- if not $type }}

        {{- $type = "button" }}

    {{- end }}

{{- else if not $href }}

{{- else if and (eq (len $target) 0) (or (strings.HasPrefix $href "http://") (strings.HasPrefix $href "https://")) }}

    {{- $isLink = true }}

    {{- $target = "_blank" }}

    {{- if isset $page.Site.Params "externalLinkTarget" }}

        {{- $target = $page.Site.Params.externalLinkTarget }}

    {{- end }}

{{- else }}

```

```

    {{- $isLink = true }}

{{- end }}

{{- $title := .title | default ($content) }}

{{- if not $title }}

    {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}

{{- end }}

{{- $title = trim $title " " }}

{{- $icon := .icon | default "" }}

{{- if and (not $icon) (eq (len $icon) 0) }}

    {{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}

    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}

    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}

    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}

{{- end }}

{{- $icon = trim $icon " " }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- $iconposition := .iconposition | default "left" }}

{{- with $page -}}

<span class="btn cstyle {{ if or $isButton $isLink }}interactive {{ end }}{{ $style }}"{{ if $color }} st

    {{- if $isButton -}}

    <button onclick="{{ $href | safeJS }}"{{ if gt (len $type) 0 }} type="{{ $type }}"{{ end }}>

    {{- else if $isLink -}}

    <a href="{{ $href }}"{{ if gt (len $target) 0 }} target="{{ $target }}"{{ end }}>

    {{- else -}}

    <span>
{{- end }}

    {{- if and $icon (eq $iconposition "left") }}<i class="{{ $icon }}"></i>{{ end }}

    {{- if and $icon (eq $iconposition "left") $title }} {{ end }}

    {{- if $title }}<span class="title">{{- $title | safeHTML }}</span>{{ end }}

    {{- if and $icon (eq $iconposition "right") $title }} {{ end }}

```



```
{{- if and $icon (eq $iconposition "right") }}<i class="{{ $icon }}"></i>{{ end }}  
{{- if $isButton -}}  
</button>  
  
{{- else if $isLink -}}  
</a>  
  
{{- else -}}  
</span>  
  
{{- end -}}  
</span>  
  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\children.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'children' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'children' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $showhidden := .showhidden | default false }}

{{- if eq (printf "%T" $showhidden) "string" }}
    ■{{- $showhidden = (eq $showhidden "true") }}
{{- end }}

{{- $style := .style | default "li" }}
{{- $depth := .depth | default 1 }}
{{- $withDescription := .description | default false }}
{{- if eq (printf "%T" $withDescription) "string" }}
    ■{{- $withDescription = (eq $withDescription "true") }}
{{- end }}

{{- $sortTerm := .sort | lower }}
{{- $containerstyle := .containerstyle | default "ul" }}

{{- if( and (not (eq $style "li") ) (eq $containerstyle "ul" ) ) }}
    ■{{- $containerstyle = "div" }}
{{- end }}


{{- with $page }}

    {{ (printf "<%s class=\"children children-%s children-sort-%s\">" $containerstyle $style $sortTerm)|safeHTML }}

    ■{{- $pages := partial "pageHelper/pagesBy.html" (dict "page" . "hidden" true) }}

    ■{{- template "childs" dict "menu" $pages "containerstyle" $containerstyle "style" $style "showhidden" $showhidden }}

    {{ (printf "</%s>" $containerstyle)|safeHTML }}

{{- end }}


{{- define "childs" }}
    ■{{ $page := .page }}
```

```

■{{- range .menu }}

■■{{- $hidden := and (or (.Params.hidden) (eq .Title "")) (not $.showhidden) }}

    {{- if not $hidden }}

■■■{{- if not .IsHome }}

■■■■{{- if hasPrefix $.style "h" }}

■■■■■{{- $num := sub ( int (trim $.style "h") ) 1 }}

■■■■■{{- $numn := add $num $.count }}

    {{ (printf "<h%d>" $numn)|safeHTML }}{{ if .RelPermalink }}<a href="{{ partial "relLangPrettyUglyURL.hugo" }}{{ .RelPermalink }}">{{ .Title }}</a>{{ else }}{{ .Title }}</a>{{ end }}
    {{- if $.description }}

■{{- with or .Description .Summary -}}

<p>{{ . }}</p>

■{{- end }}

    {{- end }}

■■■■{{- else if eq $.style "li" }}

    {{ (printf "<%s>" $.style)|safeHTML }}{{ if .RelPermalink }}<a href="{{ partial "relLangPrettyUglyURL.hugo" }}{{ .RelPermalink }}">{{ .Title }}</a>{{ else }}{{ .Title }}</a>{{ end }}
    {{- if $.description }}

■{{- with or .Description .Summary -}}

<p>{{ . }}</p>

■{{- end }}

    {{- end }}

■■■■{{- else }}

    {{ (printf "<%s>" $.style)|safeHTML }}{{ if .RelPermalink }}<a href="{{ partial "relLangPrettyUglyURL.hugo" }}{{ .RelPermalink }}">{{ .Title }}</a>{{ else }}{{ .Title }}</a>{{ end }}
    {{- if $.description }}

■{{- with or .Description .Summary -}}

<p>{{ . }}</p>

■{{- end }}

    {{- end }}
    {{- end }}

■■■{{- end }}

■■■{{- if lt $.count $.depth }}

■■■■{{- if eq $.style "li" }}

    {{- (printf "<%s>" $.containerstyle)|safeHTML }}

```

```
■■■■{{- end }}
```

```
■■■■{{- $pages := partial "pageHelper/pagesBy.html" (dict "page" . "hidden" true) }}
```

```
■■■■{{- template "childs" dict "menu" $pages "containerstyle" $.containerstyle "style" $.style "showhidd
```

```
■■■■{{- if eq $.style "li" }}
```

```
{{- (printf "</%s>" $.containerstyle)|safeHTML }}
```

```
■■■■{{- end }}
```

```
■■■{{- end }}
```

```
■■■{{- if not .IsHome }}
```

```
■■■■{{- if eq $.style "li" }}
```

```
{{- (printf "</%s>" $.style)|safeHTML -}}
```

```
■■■■{{- end }}
```

```
■■■{{- end }}
```

```
■■{{- end }}
```

```
■{{- end }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\expand.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'expand' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$co...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'expand' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $content := .content }}

{{- $title := .title | default (T "Expand-title") }}

{{- $title = trim $title " " }}

{{- $expanded := .open | default false }}

{{- if eq (printf "%T" $expanded) "string" }}
    ■{{- $expanded = (eq $expanded "true") }}
{{- end }}

{{- $id := cond (or (eq .id nil) (eq .id "")) (partial "make-random-md5.hugo" $page) .id }}

{{- with $page }}

<div class="expand">

    <input type="checkbox" id="R-expand-{{ $id }}" aria-controls="R-expandcontent-{{ $id }}" {{ if $expanded }} checked="" {{ end }}>

    <label class="expand-label" for="R-expand-{{ $id }}" >

        <i class="fa-fw fas fa-chevron-down"></i>

        <i class="fa-fw fas fa-chevron-right"></i>

        {{ $title | .RenderString }}

    </label>

    <div id="R-expandcontent-{{ $id }}" class="expand-content">

        {{ if ne "<" (substr (strings.TrimLeft " \n\r\t" $content) 0 1) }}<p>{{ end }}<!-- we add a DOM element here to ensure the content is wrapped in a paragraph -->

        {{ $content | safeHTML }}</div><!-- no line break allowed here because of awkward behavior of Hugo 110 or earlier -->

    </div>

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\highlight.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'highlight' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- ...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'highlight' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- end }}

{{- $attributes := dict }}

{{- $otherAttributes := dict }}

{{- $content := "" }}

{{- $options := dict }}

{{- $otherOptions := dict }}

{{- $type := "" }}

{{- range $k, $v := . }}

    {{- if eq $k "context" }}

    {{- else if eq $k "page" }}

    {{- else if eq $k "attributes" }}

        {{- $attributes = $v }}

    {{- else if eq $k "content" }}

        {{- $content = trim $v "\n\r" }}

    {{- else if eq $k "options" }}

        {{- if eq (printf "%T" $v) "string" }}

            {{- range (split $v ",") }}

                {{- $pair := split . "=" }}

                {{- $options = $options | merge (dict (index $pair 0) (index $pair 1)) }}

            {{- end }}

        {{- else }}

            {{- $options = $v }}

        {{- end }}

    {{- else if eq $k "type" }}

        {{- $type = $v }}

    {{- else if eq $k "title" }}
```

```

        {{- $otherAttributes = $otherAttributes | merge (dict $k $v) }}
    {{- else if eq $k "wrap" }}

        {{- $otherAttributes = $otherAttributes | merge (dict $k $v) }}
    {{- else }}

        {{- $otherOptions = $otherOptions | merge (dict $k $v) }}
    {{- end }}
{{- end }}

{{- /* separate attributes from options */}}

{{- $hl_inline := false }}

{{- if and (isset $page.Params "markup") (isset $page.Params.markup "highlight") (isset $page.Params.markup "highlightwrap") }}
    {{- $hl_inline = $page.Params.markup.highlight.hl_inline }}
{{- end }}

{{- $options = $options | merge $otherOptions }}
{{- $otherOptions := dict }}

{{- range $k, $v := $options }}
    {{- if eq $k "hl_inline" }}
        {{- $hl_inline = $v }}
        {{- $otherOptions = (dict $k $v) | merge $otherOptions }}
    {{- else if eq $k "title" }}
        {{- $otherAttributes = (dict $k $v) | merge $otherAttributes }}
    {{- else if eq $k "wrap" }}
        {{- $otherAttributes = (dict $k $v) | merge $otherAttributes }}
    {{- else }}
        {{- $otherOptions = (dict $k $v) | merge $otherOptions }}
    {{- end }}
{{- end }}

{{- $options = $otherOptions }}

{{- /* separate shortcode attributes from rest */}}
{{- $title := "" }}

{{- $wrap := true }}

{{- if isset $page.Site.Params "highlightwrap" }}
    {{- $wrap = $page.Site.Params.highlightWrap }}
{{- end }}

```

```

{{- if isset $page.Params "highlightwrap" }}
    {{- $wrap = $page.Params.highlightWrap }}
{{- end }}

{{- $attributes = $attributes | merge $otherAttributes }}
{{- $otherAttributes := dict }}

{{- range $k, $v := $attributes }}
    {{- if eq $k "title" }}
        {{- $title = $v }}
    {{- else if eq $k "wrap" }}
        {{- $wrap = $v }}
    {{- else }}
        {{- $otherAttributes = (dict $k $v) | merge $otherAttributes }}
    {{- end }}
{{- end }}

{{- $attributes = $otherAttributes }}

{{- if eq (printf "%T" $wrap) "string" }}
    {{- $wrap = (eq $wrap "true") }}
{{- end }}

{{- /* enrich attributes */}}

{{- $attributes = merge $attributes (dict "class" (delimit (append (index $attributes "class" | default s
{{- if $wrap }}
    {{- $attributes = merge $options (dict "class" (delimit (append (index $attributes "class" | default sl
{{- end }}

{{- /* print da shtuff */}}

{{- $div := slice }}

{{- range $k, $v := $attributes }}
    {{- if $v }}
        {{- $div = $div | append (printf "%s=%q" $k $v | safeHTMLAttr) }}
    {{- end }}
{{- end }}

{{- $content = highlight $content $type $options }}

{{- $content = replaceRE "^(([\\s\\n\\r]*)(<pre\\s+?[\\s\\S]*)$)" "${1}<div class=\"highlight\">${2}</div>"
{{- $content = replaceRE "(class=\\")("^[\\"]*)\\\"" (printf "%s" (delimit $div " ")) $content 1 }}

```



```
{{- if and $title (not $hl_inline) }}  
  {{- partial "shortcodes/tab.html" (dict  
    "page" $page  
    "title" $title  
    "content" $content  
  )}}  
{{- else }}  
  {{- $content | safeHTML }}  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\icon.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'icon' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$icon...

```
{{- $page := .page }}
```

```
{{- if and (not $page) .context }}
```

```
    {{- $page = .context }}
```

```
    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'icon' found, use 'page' instead; see https
```

```
{{- end }}
```

```
{{- $icon := .icon | default "" }}
```

```
{{- $icon = trim $icon " " }}
```

```
{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}
```

```
    {{- $icon = printf "fa-fw fas fa-%s" $icon }}
```

```
{{- end }}
```

```
{{- with $page }}
```

```
    {{- if $icon -}}
```

```
<i class="{ { $icon } }"></i>
```

```
    {{- end }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\image.html

Resumo: {{- / based on Hugo 0.125.5 render-image.html */}} {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'image' found, use 'page' instead; see [https://mcshelby.github.io/hugo-theme-relearn/basics/migrati...](\"https://mcshelby.github.io/hugo-theme-relearn/basics/migrati...\")*

```
{{- /* based on Hugo 0.125.5 render-image.html */}}

{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'image' found, use 'page' instead; see http

{{- end }}

{{- $url := .url }}

{{- $title := .title }}

{{- $alt := .alt }}

{{- $effects := dict "border" false "lazy" true "lightbox" true "shadow" false }}

{{- if $page.Site.Params.imageeffects }}

    {{- $effects = merge $effects $page.Site.Params.imageeffects }}

{{- end }}

{{- if $page.Params.imageEffects }}

    {{- $effects = merge $effects $page.Params.imageEffects }}

{{- end }}

{{- $height := "auto" }}

{{- $width := "auto" }}

{{- $attributes := .attributes | default dict }}

{{- $dest_url := urls.Parse $url }}

{{- $dest_path := $dest_url.Path }}

{{- $image := "" }}

{{- if not $dest_url.IsAbs }}

    {{- with or

        ($page.Resources.Get $dest_url.Path)

        (resources.Get $dest_url.Path)

    }}

        {{- $image = . }}

    {{- end }}

    {{- with $image }}
```

```

    {{- $url = $image.RelPermalink }}

    {{- with $dest_url.RawQuery }}

        {{- $url = printf "%s?%s" $url . }}

    {{- end }}

    {{- with $dest_url.Fragment }}

        {{- $url = printf "%s#%s" $url . }}

    {{- end }}

{{- else }}

    {{- if eq $page.Site.Params.image.errorlevel "warning" }}

        {{- warnf "%q: image '%s' is not a resource but linked anyways" $page.File.Filename .url }}

    {{- else if eq $page.Site.Params.image.errorlevel "error" }}

        {{- errorf "%q: image '%s' is not a resource" $page.File.Filename .url }}

    {{- end }}

{{- end }}

{{- end }}

{{- if $dest_url.RawQuery }}

    {{- if $dest_url.Query.Has "classes" }}

        {{- $classes := slice | append (split ($dest_url.Query.Get "classes") ",") }}

        {{- range $classes }}

            {{- $k := . }}

            {{- $v := true }}

            {{- if strings.HasPrefix $k "no" }}

                {{- $k := strings.TrimPrefix "no" $k }}

                {{- $v := false }}

            {{- end }}

            {{- $effects = merge $effects (dict $k $v) }}

        {{- end }}

    {{- end }}

    {{- if $dest_url.Query.Has "featherlight" }}

        {{- warnf "%q: DEPRECATED usage of 'featherlight' image CSS class found, use 'lightbox' instead; see I }}
        {{- $effects = merge $effects (dict "lightbox" (ne ($dest_url.Query.Get "featherlight") "false")) }}

    {{- end }}

    {{- range $k, $v := $effects }}

        {{- if $dest_url.Query.Has $k }}

            {{- $effects = merge $effects (dict $k (ne ($dest_url.Query.Get $k) "false")) }}

        }}

```

```

    {{- end }}

{{- end }}

{{- with $dest_url.Query.Get "height" }}

    {{- $height = . }}

{{- end }}

{{- with $dest_url.Query.Get "width" }}

    {{- $width = . }}

{{- end }}

{{- end }}

{{- $classes := slice }}

{{- range $k, $v := $effects }}

    {{- $c := printf "%s%s" (cond $v "" "no") $k }}

    {{- $classes = $classes | append $c }}

{{- end }}

{{- $id := cond (or (eq .id nil) (eq .id "")) (partial "make-random-md5.hugo" $page) .id }}

{{- $attributes = merge $attributes (dict "alt" $alt "src" $url "title" ($title | transform.HTMLEscape)) }}

{{- if $effects.lazy }}

    {{- $attributes = merge $attributes (dict "loading" "lazy") }}

{{- end }}

{{- if $effects.lightbox -}}

<a href="#R-image-{{ $id }}" class="lightbox-link">

{{- end }}

{{- $attributes_figure := merge $attributes (dict "class" (delimit (append (index $attributes "class" | default "")) " "))) }}

{{- $attributes_figure = merge $attributes_figure (dict "style" (delimit (slice (index $attributes "style" | default "")) " "))) }}

<img

    {{- range $k, $v := $attributes_figure }}

        {{- if $v }}

            {{- printf " %s=%q" $k $v | safeHTMLAttr }}

        {{- end }}

    {{- end }}>

{{- if $effects.lightbox -}}

</a>

<a href="javascript:history.back();" class="lightbox-back" id="R-image-{{ $id }}">

{{- $attributes_lightbox := merge $attributes (dict "class" (delimit (append (index $attributes "class" | default "")) " "))) }}

<img

```

```
{{- range $k, $v := $attributes_lightbox }}  
  {{- if $v }}  
    {{- printf " %s=%q" $k $v | safeHTMLAttr }}  
  {{- end }}  
{{- end }}></a>  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\include.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'include' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$f...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'include' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $file := .file }}

{{- $content := "" }}

{{- with or
    ($page.Resources.Get $file)
    (resources.Get $file)
}}

    {{- $content = .Content }}

{{- else }}

    {{- if (fileExists $file) }}

        {{- $content = $file | readFile }}

    {{- else }}

        {{- if eq $page.Site.Params.include.errorlevel "warning" }}

            {{- warnf "%q: file '%s' is not a resource nor accessible via file system" $page.File.Filename $file }}

        {{- else if eq $page.Site.Params.include.errorlevel "error" }}

            {{- errorf "%q: image '%s' is not a resource nor accessible via file system" $page.File.Filename $file }}

        {{- end }}

    {{- end }}

{{- end }}

{{- $hideFirstHeading := .hidefirstheading | default false }}

{{- if eq (printf "%T" $hideFirstHeading) "string" }}

    ■{{- $hideFirstHeading = (eq $hideFirstHeading "true") }}

{{- end }}

{{- if $content }}

    ■{{- if $hideFirstHeading }}<div class="include hide-first-heading">
{{ end }}
```

■{{- with \$page }}

{{- \$content | safeHTML }}

■{{- end }}

■{{- if \$hideFirstHeading }}</div>{{ end }}

{{- end }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\link.html

Resumo: {{- / based on Hugo 0.125.5 render-link.html */}} {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'link' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration..." }}*

```
{{- /* based on Hugo 0.125.5 render-link.html */}}

{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'link' found, use 'page' instead; see https

{{- end }}

{{- $url := .url }}

{{- if strings.HasPrefix $url "HAHAHUGOSHORTCODE" }}

    {{- warnf "%q: WARNING you must call the ref / relref shortcode with '%% %%' instead of '< >' to work c

{{- end }}

{{- $attributes := dict }}

{{- $title := .title | default "" }}

{{- $title = trim $title " " }}

{{- $attributes = $attributes | merge (dict "title" ($title | transform.HTMLEscape)) }}

{{- $content := .content }}

{{- $target := .target | default "" }}

{{- $u := urls.Parse $url }}

{{- $href := $u.String }}

{{- $path := $u.Path }}

{{- if $u.IsAbs }}

    {{- $attributes = merge $attributes (dict "rel" "external") }}

    {{- $target = "_blank" }}

    {{- if isset $page.Site.Params "externallinktarget" }}

        {{- $target = $page.Site.Params.externallinktarget }}

    {{- end }}

    {{- $attributes = $attributes | merge (dict "target" $target) }}

{{- else }}

    {{- $linkPage := "" }}

    {{- if $path }}
        {{- with or
```

```

($page.Page.GetPage $path)

($page.Page.GetPage (strings.TrimRight "/" $path))

($page.Page.Resources.Get $path)

(and (ne $page.Page.BundleType "leaf") ($page.Page.CurrentSection.Resources.Get $path))

(resources.Get $path)
}}

{{- $linkPage = . }}

{{- else }}

{{- /* is it a link into another translation? */}}

{{- if strings.HasPrefix $path "/" }}

    {{- range $page.AllTranslations }}

        {{- $lang := .Language.Lang }}

        {{- $prefix := printf "%s" $lang }}

        {{- $suffix := strings.TrimPrefix $prefix $path| default "/" }}

        {{- /* with the second check we check if the prefix was finished;
            eg. /pir/index.html vs. /pirate/index.html, where the latter is
            an external address outside of this site */}}

        {{- if and (strings.HasPrefix $path $prefix) (strings.HasPrefix $suffix "/") }}

            {{- with or

                (.GetPage $suffix)

                (.GetPage (strings.TrimRight "/" $suffix))

                (.Resources.Get $suffix)

                (and (ne .BundleType "leaf") (.CurrentSection.Resources.Get $suffix))

                (resources.Get $suffix)

            }}

                {{- $linkPage = . }}

                {{- break }}

            {{- end }}

        {{- end }}

    {{- end }}

{{- end }}

{{- end }}

{{- end }}

{{- $linkPage = $page.Page }}

{{- end }}

```

```

{{- with $linkPage }}

  {{- $href = partial "relLangPrettyUglyURL.hugo" (dict "to" .) }}

  {{- with $u.RawQuery }}

    {{- $href = printf "%s?%s" $href . }}

  {{- end }}

  {{- with $u.Fragment }}

    {{- $ctx := dict

      "contentPath" $page.File.Filename

      "errorLevel" $page.Site.Params.link.errorlevel

      "page" $linkPage

      "parsedURL" $u

      "renderHookName" "link"

    }}

    {{- partial "inline/h-rh-l/validate-fragment.html" $ctx }}

    {{- $href = printf "%s#%s" $href . }}

  {{- end }}

{{- else }}

  {{- if eq $page.Site.Params.link.errorlevel "warning" }}

    {{- warnf "%q: link '%s' is not a page but linked anyways" $page.File.Filename $url }}

  {{- else if eq $page.Site.Params.link.errorlevel "error" }}

    {{- errorf "%q: link '%s' is not a page" $page.File.Filename $url }}

  {{- end }}

{{- end }}

{{- end }}

{{- $attributes = $attributes | merge (dict "href" $href) -}}

<a

  {{- range $k, $v := $attributes }}

    {{- if $v }}

      {{- printf " %s=%q" $k $v | safeHTMLAttr }}

    {{- end }}

  {{- end }}>{{ $content | safeHTML }}</a>

{{- define "partials/inline/h-rh-l/validate-fragment.html" }}

  {{- /*
  Validates the fragment portion of a link destination.

```

```

@context {string} contentPath The page containing the link.
@context {string} errorLevel The error level when unable to resolve destination; ignore (default), warn.
@context {page} page The page corresponding to the link destination
@context {struct} parsedURL The link destination parsed by urls.Parse.
@context {string} renderHookName The name of the render hook.
*/}}

{{- /* Initialize. */}}
{{- $contentPath := .contentPath }}
{{- $errorLevel := .errorLevel }}
{{- $p := .page }}
{{- $u := .parsedURL }}
{{- $renderHookName := .renderHookName }}

{{- /* Validate. */}}
{{- with $u.Fragment }}
    {{- if $p.Fragments.Identifiers.Contains . }}
        {{- if gt ($p.Fragments.Identifiers.Count .) 1 }}
            {{- $msg := printf "%q: duplicate heading ID %q found" $contentPath . }}
            {{- if eq $errorLevel "warning" }}
                {{- warnf $msg }}
            {{- else if eq $errorLevel "error" }}
                {{- errorf $msg }}
            {{- end }}
        {{- end }}
    {{- end }}
{{- else }}
    {{- /* Determine target path for warning and error message. */}}
    {{- $targetPath := "" }}
    {{- with $p.File }}
        {{- $targetPath = .Path }}
    {{- else }}
        {{- $targetPath = .Path }}
    {{- end }}
    {{- /* Set common message. */}}
    {{- $msg := printf "%q: heading ID %q not found in %q" $contentPath . $targetPath }}

```

```
{{- if eq $targetPath $contentPath }}  
    {{- $msg := printf "%q: heading ID %q not found" $contentPath . }}  
    {{- end }}  
  
    {{- /* Throw warning or error. */}}  
    {{- if eq $errorLevel "warning" }}  
        {{- warnf $msg }}  
    {{- else if eq $errorLevel "error" }}  
        {{- errorf $msg }}  
    {{- end }}  
{{- end }}  
{{- end }}  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\math.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'math' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$cont...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'math' found, use 'page' instead; see https
{{- end }}

{{- $content := .content }}

{{- $align := .align | default "center" }}


{{- /* separate shortcode attributes from rest */}}

{{- $attributes := .attributes | default dict }}

{{- $otherAttributes := dict }}

{{- range $k, $v := $attributes }}

    {{- if eq $k "align" }}

    {{- else }}

        {{- $otherAttributes = (dict $k $v) | merge $otherAttributes }}

    {{- end }}

{{- end }}

{{- $attributes = $otherAttributes }}


{{- /* enrich attributes */}}

{{- $attributes = merge $attributes (dict "class" (delimit (append (index $attributes "class" | default s
{{- $attributes = merge $attributes (dict "class" (delimit (append (index $attributes "class" | default s


{{- with $page }}

<span

    {{- range $k, $v := $attributes }}

        {{- if $v }}

            {{- printf " %s=%q" $k $v | safeHTMLAttr }}

        {{- end }}

    {{- end }}>{{ $content | safeHTML }}</span>
```

```
{{- .Store.Set "hasMathJax" true }}  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\mermaid.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'mermaid' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$c...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'mermaid' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $content := .content }}

{{- $align := .align | default "center" }}

{{- $zoom := $page.Site.Params.mermaidZoom | default false }}

{{- with $page.Params.mermaidZoom }}

    {{- $zoom = . }}

    {{- if eq (printf "%T" .) "string" }}

        {{- $zoom = (eq . "true") }}

    {{- end }}

{{- end }}

{{- with .zoom }}

    {{- $zoom = . }}

    {{- if eq (printf "%T" .) "string" }}

        {{- $zoom = (eq . "true") }}

    {{- end }}

{{- end }}


{{- /* separate shortcode attributes from rest */}}

{{- $attributes := .attributes | default dict }}

{{- $otherAttributes := dict }}

{{- range $k, $v := $attributes }}

    {{- if eq $k "align" }}

    {{- else if eq $k "zoom" }}

    {{- else }}

        {{- $otherAttributes = (dict $k $v) | merge $otherAttributes }}

    {{- end }}

{{- end }}
```



```
{{- end }}
```

```
{{- $attributes = $otherAttributes }}
```

```
{{- /* enrich attributes */}}
```

```
{{- $attributes = merge $attributes (dict "class" (delimit (append (index $attributes "class" | default s
```

```
{{- $attributes = merge $attributes (dict "class" (delimit (append (index $attributes "class" | default s
```

```
{{- $attributes = merge $attributes (dict "class" (delimit (append (index $attributes "class" | default s
```

```
{{- with $page }}
```

```
<pre
```

```
    {{- range $k, $v := $attributes }}
```

```
        {{- if $v }}
```

```
            {{- printf " %s=%q" $k $v | safeHTMLAttr }}
```

```
        {{- end }}
```

```
    {{- end }}>{{ replaceRE "&#39;" "'" ( replaceRE "&#34;" "\"" ( $content | safeHTML ) ) }}
```

```
{{- .Store.Set "hasMermaid" true }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\note.

```

Resumo: {{- $page := .page }} {{- if and (not $page) .context }} {{- $page = .context }} {{- warnf
"%q: DEPRECATED parameter 'context' for shortcode 'notice' found, use 'page' instead; see
https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{-
end }} {{- $co...

```

```

{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'notice' found, use 'page' instead; see https://github.com/alexanderreid/remark42/issues/121" }}

{{- end }}

{{- $color := .color | default "" }}

{{- $content := .content }}

{{- $style := .style | default "default" }}

{{- $title := .title }}

{{- if not $title }}

    {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}

{{- end }}

{{- $title = trim $title " " }}

{{- $icon := .icon | default "" }}

{{- if and (not $icon) (eq (len $icon) 0) }}

    {{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}

    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}

    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}

    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}

{{- end }}

{{- $icon = trim $icon " " }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- with $page }}

```

```
<div class="box notices cstyle {{ $style }}"{{ if $color }} style="--VARIABLE-BOX-color: {{ $color }};"{{
  <div class="box-label">{{ if $icon }}<i class="{{ $icon }}"></i>{{ end }}{{ if and $icon $title }} {{ en
```

```
<div class="box-content">

{{ if ne "<" (substr (strings.TrimSpace $content) 0 1) }}<p>{{ end }}<!-- we add a DOM element here -->

{{ $content | safeHTML }}</div><!-- no line break allowed here because of awkward behavior of Hugo 110 or earlier -->

</div>

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\openapi.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'openapi' found, use 'page' instead; see [https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180](\"https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180\")\" \$page.File.Filename }} {{- end }} {{- \$s...

```
{{- $page := .page }}
{{- if and (not $page) .context }}
    {{- $page = .context }}
    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'openapi' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}
{{- $src := .src }}
{{- $spec := "" }}
{{- $id := cond (or (eq .id nil) (eq .id "")) (partial "make-random-md5.hugo" $page) .id }}
{{- with $page }}
{{- with or
    (.Resources.Get $src)
    (resources.Get $src)
}}
    {{- $spec = .Content }}
{{- end }}
<div class="sc-openapi-wrapper is-loading helper-loading-container">
    <div
        class="sc-openapi-container"
        id="R-openapi-{{ $id }}"
        data-openapi-url="{{ $src }}"
        data-openapi-spec="{{ $spec | safeHTMLAttr }}"
    ></div>
</div>
{{- .Store.Set "hasOpenApi" true }}
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\resources.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'resources' found, use 'page' instead; see [https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180](\"https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180\")\" \$page.File.Filename }} {{- end }} {{- ...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'resources' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $color := .color | default "" }}

{{- $content := .content }}

{{- $style := .style | default "default" }}

{{- if and (not $color) (eq (len $color) 0) }}

    {{- $style = .style | default "transparent" }}

{{- end }}

{{- $title := .title }}

{{- if not $title }}

    {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}

{{- end }}

{{- $title = trim ($title | default ("Attachments-label" | T)) " " }}

{{- $icon := .icon | default "" }}

{{- if and (not $icon) (eq (len $icon) 0) }}

    {{- $icon = "paperclip" }}

    {{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}

    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}

    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}

    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}

{{- end }}

{{- $icon = trim $icon " " }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}
    {{- $icon = printf "fa-fw fas fa-%s" $icon }}
{{- end }}
```

```

{{- end }}

{{- $sort := .sort | default "asc" }}

{{- $pattern := .pattern | default "" }}

{{- with $page }}

    {{- if eq .BundleType "" }}

        {{- warnf "%q: UNSUPPORTED usage of 'resources' shortcode found, use a page bundle instead; see https://github.com/gohugoio/hugo/issues/2827" .BundleType }}

    {{- end }}

<div class="box attachments cstyle {{ $style }}"{{ if $color }} style="--VARIABLE-BOX-color: {{ $color }}"{{ end }}">

    <div class="box-label">{{ if $icon }}<i class="{{ $icon }}"></i>{{ end }}{{ if and $icon $title }} {{ $title }}{{ end }}</div>

    <ul class="box-content attachments-files">

{{- range sort .Resources "Name" $sort }}

    {{- if findRE $pattern .Name }}

        {{- $size := len .Content }}

        {{- $unit := "Byte-symbol" }}

        {{- if ge $size 1024 }}

            {{- $size = div $size 1024 }}

            {{- $unit = "Kilobyte-symbol" }}

        {{- end }}

        {{- if ge $size 1024 }}

            {{- $size = div $size 1024 }}

            {{- $unit = "Megabyte-symbol" }}

        {{- end }}

        {{- $unitsymbol := $unit | T }}

        <li><a href="{{ .RelPermalink }}">{{ .Name }}</a> ({{ $size }} {{ $unitsymbol }})</li>

    {{- end }}

{{- end }}

</ul>

{{- $content }}

</div>

{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\siteparam.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'siteparam' found, use 'page' instead; see [https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180](\"https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180\")\" \$page.File.Filename }} {{- end }} {{- ...

```
{{- $page := .page }}
```

```
{{- if and (not $page) .context }}
```

```
    {{- $page = .context }}
```

```
    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'siteparam' found, use 'page' instead; see I
```

```
{{- end }}
```

```
{{- $paramNames := split .name "." }}
```

```
{{- with $page }}
```

```
{{- $params := .Site.Params }}
```

```
{{- range $paramName := $paramNames }}
```

```
    {{- with $params }}
```

```
        {{- $params = index . (lower $paramName) }}
```

```
    {{- end }}
```

```
{{- end }}
```

```
{{- with $params }}
```

```
    {{- . }}
```

```
{{- end }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\swagger.html

Resumo: {{- \$page := .page }} {{- warnf "%q: UNSUPPORTED shortcode `swagger` found, use `openapi` instead; see [https://mcshelby.github.io/hugo-theme-relearn/basics/migration#600](\"https://mcshelby.github.io/hugo-theme-relearn/basics/migration#600\")\" \$page.File.Filename }}

```
{{- $page := .page }}
```

```
{{- warnf "%q: UNSUPPORTED shortcode `swagger` found, use `openapi` instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#600\"
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\tab.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'tab' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$tabs ...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'tab' found, use 'page' instead; see https:
{{- end }}

{{- $tabs := (slice | append (dict

    "color"    .color

    "content"  .content

    "icon"     .icon

    "name"     .name

    "style"    .style

    "title"    .title

)) }}

{{- partial "shortcodes/tabs.html" (dict

    "page"     $page

    "color"    ""

    "content"  $tabs

    "groupid"  ""

    "icon"     ""

    "style"    ""

    "title"    ""

) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\shortcodes\tabs.html

Resumo: {{- \$page := .page }} {{- if and (not \$page) .context }} {{- \$page = .context }} {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'tabs' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" \$page.File.Filename }} {{- end }} {{- \$grou...

```
{{- $page := .page }}

{{- if and (not $page) .context }}

    {{- $page = .context }}

    {{- warnf "%q: DEPRECATED parameter 'context' for shortcode 'tabs' found, use 'page' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $page.File.Filename }} {{- end }}

{{- $groupid := .groupid | default (partial "make-random-md5.hugo" $page) | plainify | anchorize }}

{{- $color := .color }}

{{- $style := .style }}

{{- $title := .title }}

{{- $icon := .icon }}

{{- $tabs := slice }}

{{- range $tab := (.content | default slice) }}

    {{- if and (not $tab.title) $tab.name }}

        {{- warnf "%q: DEPRECATED parameter 'name' for shortcode 'tab' found, use 'title' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#5180" $tab.File.Filename }}

        {{- $tab = merge $tab (dict "title" .name) }}

    {{- end }}

    {{- with $tab }}

        {{- $color := .color | default $color | default "" }}

        {{- $style := .style | default $style | default (cond (ne $color "") "filled" "initial") }}

        {{- $title := .title }}

        {{- if not $title }}

            {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}

            {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}

            {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}

            {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}

        {{- end }}

        {{- $title = trim $title " " }}

        {{- $icon := .icon | default "" }}

        {{- if and (not $icon) (eq (len $icon) 0) }}

            {{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}

        {{- end }}

    {{- end }}

    $tabs = $tabs | append $tab

{{- end }}
```

```

    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}

    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}

    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}

{{- end }}

{{- $icon = trim $icon " " }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- $tabs = $tabs | append (dict

    "color"    $color

    "content"  .content

    "icon"     $icon

    "itemid"   (printf "%s" ($title | $page.RenderString | plainify | anchorize) ($icon | plainify | anchorize))

    "style"    $style

    "title"    $title

) }}

{{- end }}

{{- end }}

{{- $color = .color | default "" }}

{{- $style = .style | default (cond (ne $color "") "filled" "initial") }}

{{- $title = .title }}

{{- if not $title }}

    {{- if eq $style "info" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "warning" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "note" }}{{ $title = $style | T }}{{ end }}

    {{- if eq $style "tip" }}{{ $title = $style | T }}{{ end }}

{{- end }}

{{- $title = trim $title " " }}

{{- $icon = .icon | default "" }}

{{- if and (not $icon) (eq (len $icon) 0) }}
{{- if eq $style "info" }}{{ $icon = default "info-circle" }}{{ end }}

    {{- if eq $style "warning" }}{{ $icon = default "exclamation-triangle" }}{{ end }}

    {{- if eq $style "note" }}{{ $icon = default "exclamation-circle" }}{{ end }}

    {{- if eq $style "tip" }}{{ $icon = default "lightbulb" }}{{ end }}

{{- end }}

```

```

{{- $icon = trim $icon " " }}
{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}
    {{- $icon = printf "fa-fw fas fa-%s" $icon }}
{{- end }}
{{- with $page }}
<div class="tab-panel" data-tab-group="{{ $groupid }}">
    <div class="tab-nav">
        <div class="tab-nav-title">{{ if $icon }}<i class="{{ $icon }}"></i>{{ end }}{{ if and $icon $title }}
{{- range $idx, $tab := $tabs }}
        <button
            data-tab-item="{{ .itemid }}"
            class="tab-nav-button tab-panel-style cstyle {{ .style }}{{ cond (eq $idx 0) " active" "" }}"{{ if .
            onclick="switchTab('{{ $groupid }}','{{ .itemid }}')"
        >
            <span class="tab-nav-text">{{ if .icon }}<i class="{{ .icon }}"></i>{{ end }}{{ if and .icon .title
        </button>
    {{- end }}
</div>
<div class="tab-content-container">
    {{- range $idx, $tab := $tabs }}
        <div
            data-tab-item="{{ .itemid }}"
            class="tab-content tab-panel-style cstyle {{ .style }}{{ cond (eq $idx 0) " active" "" }}"{{ if .col
            <div class="tab-content-text">
                {{ if ne "<" (substr (strings.TrimSpace .content) 0 1) }}<p>{{ end }}<!-- we add a DOM element h
                {{ .content | safeHTML }}</div><!-- no line break allowed here because of awkward behavior of Hugo 110 or
            </div>
        {{- end }}
    </div>
</div>
{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\single-article.hugo

Resumo: {{- \$page := .page }} {{- \$content := .content }} {{- \$outputFormat := .outputFormat }} {{- \$page.Page.Store.Set (printf "%sIsNested" \$outputFormat) false }} {{- partial "output-partial.hugo" (dict "base" "article" "page" \$page "parameter" (dict "page" \$page "content" \$content "outputFormat" \$ou...

```
{{- $page := .page }}
```

```
{{- $content := .content }}
```

```
{{- $outputFormat := .outputFormat }}
```

```
{{- $page.Page.Store.Set (printf "%sIsNested" $outputFormat) false }}
```

```
{{- partial "output-partial.hugo" (dict "base" "article" "page" $page "parameter" (dict "page" $page "con
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\stylesheet.html

Resumo: {{- \$page := .page }} {{- \$outputFormat := .outputFormat }} {{- if not \$page }} {{- \$page = . }} {{- \$outputFormat = partial "output-format.hugo" \$page }} {{- end }} {{- with \$page }} {{- \$assetBusting := not .Site.Params.disableAssetsBusting }} {{- /* https://githu...

```
{{- $page := .page }}

{{- $outputFormat := .outputFormat }}

{{- if not $page }}

    {{- $page = . }}

    {{- $outputFormat = partial "output-format.hugo" $page }}

{{- end }}

{{- with $page }}

    {{- $assetBusting := not .Site.Params.disableAssetsBusting }}

    {{- /* https://github.com/filamentgroup/loadCSS/blob/master/README.md#how-to-use */}}

    <link href="{{"css/fontawesome-all.min.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"
    <link href="{{"css/nucleus.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"
    <link href="{{"css/auto-complete.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"
    <link href="{{"css/perfect-scrollbar.min.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"
    <link href="{{"css/fonts.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"
    <link href="{{"css/theme.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"

    {{- $themevariants := partialCached "get-theme-variants.hugo" . }}

    {{- with index $themevariants 0 }}

    <link href="{{(printf "css/theme-%s.css" .identifier) | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"
    <link href="{{(printf "css/chroma-%s.css" .chroma) | safeHTML | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"

    {{- end }}

    <link href="{{"css/variant.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"
    <link href="{{"css/print.css" | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}" rel="stylesheet"

    {{- $f := printf "/static/css/format-%s.css" $outputFormat }}

    {{- if or (partialCached "fileExists.hugo" $f $f) (resources.Get (printf "/css/format-%s.css" $outputFormat)) }}

    <link href="{{(printf "css/format-%s.css" $outputFormat) | relURL}}{{ if $assetBusting }}?{{ now.Unix }}{{ end }}"

    {{- end }}

    <script src="{{"js/variant.js" | relURL}}{{ if not .Site.Params.disableAssetsBusting }}?{{ now.Unix }}{{ end }}">
    <script>

        window.relearn = window.relearn || {};

        window.relearn.relBasePath='{{ partial "relBasePath.hugo" $page | safeJS }}';

        window.relearn.relBaseUri='{{ partial "relBaseUri.hugo" $page | safeJS }}';
```

```

        window.relearn.absBaseUrl='{{ replaceRE "/"*$ " " .Site.BaseURL | safeJS }}';
    {{- with .Site.Home.OutputFormats.Get "search" }}
        window.index_js_url={{ "index.search.js" | relLangURL }};
    {{- end }}

    {{ "// variant stuff" | safeJS }}

    {{- $quotedthemevariants := slice }}

    {{- range $themevariants }}

        {{- $quotedthemevariants = $quotedthemevariants | append (printf "'%s'" .identifier) }}
    {{- end }}

    window.variants && variants.init( [ {{ delimit $quotedthemevariants ", " | safeJS }} ] );
    {{ "// translations" | safeJS }}

    {{ printf "window.T_Copy_to_clipboard = `%s`;" (T `Copy-to-clipboard`) | safeJS }}
    {{ printf "window.T_Copied_to_clipboard = `%s`;" (T `Copied-to-clipboard`) | safeJS }}
    {{ printf "window.T_Copy_link_to_clipboard = `%s`;" (T `Copy-link-to-clipboard`) | safeJS }}
    {{ printf "window.T_Link_copied_to_clipboard = `%s`;" (T `Link-copied-to-clipboard`) | safeJS }}
    {{ printf "window.T_Reset_view = `%s`;" (T `Reset-view`) | safeJS }}
    {{ printf "window.T_View_reset = `%s`;" (T `View-reset`) | safeJS }}
    {{ printf "window.T_No_results_found = `%s`;" (T "No-results-found") | safeJS }}
    {{ printf "window.T_N_results_found = `%s`;" (T "N-results-found") | safeJS }}

</script>
{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\tags.html

Resumo: `{{- partial "term-list.html" (dict "page" . "taxonomy" "tags" "class" "tags" ) }}`

```
{{- partial "term-list.html" (dict  
    "page" .  
    "taxonomy" "tags"  
    "class" "tags"  
 ) }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\term-list.html

Resumo: {{- \$page := .page }} {{- \$format := partial "get-format.hugo" \$page }} {{- \$outputFormat := partial "output-format.hugo" (dict "page" \$page "format" \$format) }} {{- \$taxonomy := .taxonomy }} {{- \$class := .class }} {{- \$color := .color | default "" }} {{- \$style := .style | default "" }} {{-...

```
{{- $page := .page }}

{{- $format := partial "get-format.hugo" $page }}

{{- $outputFormat := partial "output-format.hugo" (dict "page" $page "format" $format) }}

{{- $taxonomy := .taxonomy }}

{{- $class := .class }}

{{- $color := .color | default "" }}

{{- $style := .style | default "" }}

{{- if and (not $style) (eq (len $style) 0) }}

    {{- $color = .color | default "var(--INTERNAL-TAG-BG-color)" }}

{{- end }}

{{- $icon := .icon | default "" }}

{{- $icon = trim $icon " " }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- $taxonomy_page := $page.Site.GetPage $taxonomy }}

{{- $terms := slice | append (index $page.Params $taxonomy) }}

{{- $term_pages := slice }}

{{- range $terms }}

    {{- $term := . }}

    {{- $term_key := $term }}

    {{- with $page.Site.GetPage (printf "%s/%s" $taxonomy $term_key) }}

        {{- $term_pages = $term_pages | append (dict "Title" (partial "pageHelper/title.hugo" (dict "page" . "term" $term))) }}

    {{- else }}

        {{- $term = trim $term " " }}

        {{- if not $term }}

            {{- continue }}

        {{- end }}

        {{- $term_key = ($term | plainify | anchorize) }}

        {{- with $page.Site.GetPage (printf "%s/%s" $taxonomy $term_key) }}

            {{- $term_pages = $term_pages | append (dict "Title" (partial "pageHelper/title.hugo" (dict "page" . "term" $term))) }}

        {{- end }}

    {{- end }}

{{- $term_pages = $term_pages | sort "Title" "asc" }}
```

```

    {{- else }}

    {{- $term_key = ($term | urlize) }}

    {{- with $page.Site.GetPage (printf "%s/%s" $taxonomy $term_key) }}

        {{- $term_pages = $term_pages | append (dict "Title" (partial "pageHelper/title.hugo" (dict "page" $term_key))) }}

    {{- end }}

{{- end }}

{{- end }}

{{- end }}

{{- $taxonomy_title := partial "pageHelper/title.hugo" (dict "page" $taxonomy_page "format" $format "outputFormat" $outputFormat) }}

{{- with $term_pages }}

<div class=" taxonomy-{{ $taxonomy }} term-list cstyle {{ $style }} {{ $class }}" title="{{ $taxonomy_title }}">

    {{- if $icon }}

    <i class="{{ $icon }}"></i>

    {{- end }}

    <ul>

    {{- range sort . ".Title" }}

        {{- $to := .Term }}

        <li><a class="term-link" href="{{ partial "relLangPrettyUglyURL.hugo" (dict "to" $to) }}">{{ .Title }}</a>

        {{- end }}

    </ul>

</div>

{{- end }}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\toc-class.html

Resumo: {{- \$toc_content := partial "toc-id.html" . }} {{- \$toc_content = strings.Replace \$toc_content "id=\"TableOfContents\"" "class=\"TableOfContents\"" 1 }} {{- \$toc_content | safeHTML }}

```
{{- $toc_content := partial "toc-id.html" . }}
```

```
{{- $toc_content = strings.Replace $toc_content "id=\"TableOfContents\"" "class=\"TableOfContents\"" 1 }}
```

```
{{- $toc_content | safeHTML }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\toc-id.html

Resumo: {{- if or (eq .Kind "taxonomy") (eq .Kind "term") }} {{- \$lastCapital := "" }} {{- \$pages := slice }} {{- if eq .Kind "taxonomy" }} {{- \$pages = partialCached "partials/pageHelper/taxonomyPages.html" . . }} {{- else if eq .Kind "term" }} {{- \$pages = partialCached "partials/pag...

```
{{- if or (eq .Kind "taxonomy") (eq .Kind "term") }}

    {{- $lastCapital := "" }}

    {{- $pages := slice }}

    {{- if eq .Kind "taxonomy" }}

        {{- $pages = partialCached "partials/pageHelper/taxonomyPages.html" . . }}

    {{- else if eq .Kind "term" }}

        {{- $pages = partialCached "partials/pageHelper/termPages.html" . . }}

    {{- end }}

    {{- $toc_pages := "" }}

    {{- range $pages }}

        {{- $capital := substr .Title 0 1 | upper }}

        {{- if ne $lastCapital $capital }}

            {{- $toc_pages = printf "%s    <li><a href=\"%#s\">%s</a></li>\n" $toc_pages ($capital | plainify |
            {{- end }}

            {{- $lastCapital = $capital }}

        {{- end }}

    {{- $toc := trim (partial "toc.html" .) " \n\r\t" }}

    {{- if and (not $toc) $toc_pages }}

        {{- $toc = printf "<nav id=\"TableOfContents\"></nav>" }}

    {{- end }}

    {{- if and $toc $toc_pages }}

        {{- $toc = replaceRE "^(<nav id=\"TableOfContents\">)[\\s]*" "${1}\n    <ul>\n" $toc }}

        {{- $toc = replaceRE "^(<nav id=\"TableOfContents\">[\\s]*<ul>)[\\s]*<ul>[\\n\\r]*" "${1}\n" $toc }}

        {{- $toc = replaceRE "[\\s]*(</nav>)" "\n    </ul>\n${1}" $toc }}

        {{- $toc = replaceRE "[ \\t]*</ul>[\\s]*(</ul>[\\s]*</nav>)" "    ${1}" $toc }}

        {{- $toc = replaceRE "([ \\t]*</ul>[\\s]*</nav>)" (printf "%s${1}" $toc_pages) $toc }}

    {{- end }}

{{ $toc | safeHTML }}

{{- else }}

    {{- partial "toc.html" . }}

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\toc.html

Resumo: {{- .TableOfContents }}

{{- .TableOfContents }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\arealend.html

Resumo: {{- partial "topbar/button/edit.html" (dict "page" .)}} {{- partial "topbar/button/print.html" (dict "page" .)}} {{- partial "topbar/button/prev.html" (dict "page" .)}} {{- partial "topbar/button/next.html" (dict "page" .)}} {{- partial "topbar/button/more.html" (dict "page"

```
{{- partial "topbar/button/edit.html" (dict
  "page" .
)}}
{{- partial "topbar/button/print.html" (dict
  "page" .
)}}
{{- partial "topbar/button/prev.html" (dict
  "page" .
)}}
{{- partial "topbar/button/next.html" (dict
  "page" .
)}}
{{- partial "topbar/button/more.html" (dict
  "page" .
)}}
}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\area\start.html

Resumo: {{- partial "topbar/button/sidebar.html" (dict "page" .)}} {{- partial "topbar/button/toc.html" (dict "page" .)}}

```
{{- partial "topbar/button/sidebar.html" (dict
```

```
  "page" .
```

```
)}}}
```

```
{{- partial "topbar/button/toc.html" (dict
```

```
  "page" .
```

```
)}}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\edit.html

Resumo: {{- \$onwidths := cond (isset . "onwidths") .onwidths "area-more" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "show" }} {{- with .page }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "outpu...

```
{{- $onwidths := cond (isset . "onwidths") .onwidths "area-more" }}

{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}

{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}

{{- with .page }}

■{{- $format := partial "get-format.hugo" . }}

■{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

■{{- if and (eq $outputFormat "html") .File }}

■■{{- $filePath := printf "%s%s" (strings.TrimLeft "/" (replace .File.Dir "\\" "/")) .File.LogicalName }}

■■{{- $href := "" }}

■■{{- if .Site.Params.editURL }}

■■■{{- $href = .Site.Params.editURL }}

■■■{{- if not (strings.Contains $href "${FilePath}") }}

■■■■{{ $href = printf "%s%s" $href "${FilePath}" }}

■■■{{- end }}

■■{{- end }}

■■{{- if isset .Params "editurl" }}

■■■{{- $href = .Params.editURL }}

■■{{- end }}

■■{{- $href = strings.Replace $href "${FilePath}" $filePath }}

■■{{- if $href }}

■■■{{- partial "topbar/func/button.html" (dict

■■■■"page" .

■■■■"class" "topbar-button-edit"

■■■■"href" $href

■■■■"icon" "pen"

■■■■"onwidths" $onwidths

■■■■"onwidthm" $onwidthm

■■■■"onwidthl" $onwidthl

■■■■"hint" (printf "%s (CTRL+ALT+w)" (T "Edit-this-page"))

■■■)}}}
```


■ ■ {{- end }}

■ {{- end }}

{{- end }}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\more.html

Resumo: {{- \$onempty := cond (isset . "onempty") .onempty "hide" }} {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "show" }} {{- partial "topbar/func/area-button.html" (dic...

```
{{- $onempty := cond (isset . "onempty") .onempty "hide" }}  
  
{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}  
  
{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}  
  
{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}  
  
{{- partial "topbar/func/area-button.html" (dict  
  
  ■"page" .page  
  
  ■"area" "more"  
  
  ■"icon" "ellipsis-v"  
  
  ■"onempty" $onempty  
  
  ■"onwidths" $onwidths  
  
  ■"onwidthm" $onwidthm  
  
  ■"onwidthl" $onwidthl  
  
  ■"hint" (printf "%s" (T "More-action"))  
  
)}}}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\next.html

Resumo: {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "show" }} {{- with .page }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-for...

```
{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}
{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}
{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}
{{- with .page }}
■{{- $format := partial "get-format.hugo" . }}
■{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}
■{{- $showPrevNext := (and (not .Params.disableNextPrev) (not .Site.Params.disableNextPrev)) }}
■{{- if $showPrevNext }}
■■{{- $endarrow := "■" }}
■■{{- if eq (.Language.LanguageDirection | default (T "Reading-direction") | default "ltr") "rtl" }}
■■■{{- $endarrow = "■" }}
■■{{- end }}
■■{{- $next := .Scratch.Get "relearnNextPage" }}
■■{{- if eq $outputFormat "searchpage" }}
■■■{{- $next = "" }}
■■{{- else if eq .Page.Kind "term" }}
■■■{{- /* go to next term page */}}
■■■{{- $taxonomy_page := .Site.GetPage .Data.Plural }}
■■■{{- $pages := partialCached "partials/pageHelper/taxonomyPages.html" $taxonomy_page $taxonomy_page }}
■■■{{- $next = partial "partials/pageHelper/next.html" (dict "collection" $pages "item" .) }}
■■{{- else if eq .Page.Kind "taxonomy" }}
■■■{{- /* go to first term page */}}
■■■{{- $pages := partialCached "partials/pageHelper/taxonomyPages.html" . . }}
■■■{{- $next = (index $pages 0).Page }}
■■{{- end }}
■■{{- $nextTitle := partial "pageHelper/title.hugo" (dict "page" $next "format" $format "outputFormat" $outputFormat) }}
■■{{- partial "topbar/func/button.html" (dict
■■■"page" .
■■■"class" "topbar-button-next"
■■■"href" (partial "relLangPrettyUglyURL.hugo" (dict "to" $next))
```

```
■■■"icon" "chevron-right"

■■■"onwidths" $onwidths

■■■"onwidthm" $onwidthm

■■■"onwidthl" $onwidthl

■■■"hint" (printf "%s (%s)" $nextTitle ($endarrow | safeHTML))

■■)}}

■{{- end }}

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\prev.html

Resumo: {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "show" }} {{- with .page }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "output-for..."

```
{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}
{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}
{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}
{{- with .page }}
■{{- $format := partial "get-format.hugo" . }}
■{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}
■{{- $showPrevNext := (and (not .Params.disableNextPrev) (not .Site.Params.disableNextPrev)) }}
■{{- if $showPrevNext }}
■■{{- $startarrow := "■" }}
■■{{- if eq (.Language.LanguageDirection | default (T "Reading-direction") | default "ltr") "rtl" }}
■■■{{- $startarrow = "■" }}
■■{{- end }}
■■{{- $prev := .Scratch.Get "relearnPrevPage" | default .Site.Home }}
■■{{- if eq $outputFormat "searchpage" }}
■■■{{- $outputFormat = "html" }}
■■{{- else if eq .Page.Kind "home" }}
■■■{{- $prev = "" }}
■■{{- else if eq .Page.Kind "term" }}
■■■{{- /* go to previous term page or taxonomy page if it is the first term */}}
■■■{{- $taxonomy_page := .Site.GetPage .Data.Plural }}
■■■{{- $pages := partialCached "partials/pageHelper/taxonomyPages.html" $taxonomy_page $taxonomy_page }}
■■■{{- $prev = partial "partials/pageHelper/prev.html" (dict "collection" $pages "item" .) | default $taxonomy_page }}
■■{{- end }}
■■{{- $prevTitle := partial "pageHelper/title.hugo" (dict "page" $prev "format" $format "outputFormat" $outputFormat) }}
■■{{- partial "topbar/func/button.html" (dict
■■■"page" .
■■■"class" "topbar-button-prev"
■■■"href" (partial "relLangPrettyUglyURL.hugo" (dict "to" $prev))
■■■"icon" "chevron-left"
■■■"onwidths" $onwidths
```

```
■■■"onwidthm" $onwidthm
```

```
■■■"onwidthl" $onwidthl
```

```
■■■"hint" (printf "%s (%s)" $prevTitle ($startarrow | safeHTML))
```

```
■■)}}}
```

```
■{{- end }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\print.html

Resumo: {{- \$onwidths := cond (isset . "onwidths") .onwidths "area-more" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "show" }} {{- with .page }} {{- \$format := partial "get-format.hugo" . }} {{- \$outputFormat := partial "outpu..."

```
{{- $onwidths := cond (isset . "onwidths") .onwidths "area-more" }}

{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}

{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}

{{- with .page }}

■{{- $format := partial "get-format.hugo" . }}

■{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

■{{- $printFormat := .OutputFormats.Get "print" }}

■{{- if and (eq $outputFormat "html") $printFormat }}

■■{{- partial "topbar/func/button.html" (dict

■■■"page" .

■■■"class" "topbar-button-print"

■■■"href" $printFormat.RelPermalink

■■■"icon" "print"

■■■"onwidths" $onwidths

■■■"onwidthm" $onwidthm

■■■"onwidthl" $onwidthl

■■■"hint" (printf "%s (CTRL+ALT+p)" (T "Print-this-chapter"))

■■)}}

■{{- end }}

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\sidebar.html

Resumo: {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "hide" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "hide" }} {{- with .page }} {{- partial "topbar/func/button.html" (dict "page" . "class" "topbar-button-sideba...

```
{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}
{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "hide" }}
{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "hide" }}
{{- with .page }}
■{{- partial "topbar/func/button.html" (dict
■    "page" .
■    "class" "topbar-button-sidebar"
■    "href" "javascript:toggleNav()"
■    "icon" "bars"
■    "onwidths" $onwidths
■    "onwidthm" $onwidthm
■    "onwidthl" $onwidthl
■    "hint" (printf "%s (CTRL+ALT+n)" (T "Navigation-toggle"))
■)}}
{{- end }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\button\toc.html

Resumo: {{- \$onempty := cond (isset . "onempty") .onempty "hide" }} {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl := cond (isset . "onwidthl") .onwidthl "show" }} {{- with .page }} {{- \$format := partial "get...

```
{{- $onempty := cond (isset . "onempty") .onempty "hide" }}

{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}

{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}

{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}

{{- with .page }}

  {{- $format := partial "get-format.hugo" . }}

  {{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

  {{- $defaultDisableToc := .Site.Params.disableToc | default false }}

  {{- $currentDisableToc := .Params.disableToc | default $defaultDisableToc }}

  {{- if and (eq $outputFormat "html") (not $currentDisableToc) }}

    {{- $content := partial "toc-class.html" . }}

    {{- $hascontent := not (eq 0 (int (len ($content | plainify | chomp)))) }}

    {{- if not $hascontent }}

      {{- $content = " " }}

    {{- end }}

    {{- partial "topbar/func/button.html" (dict

      "page" .

      "class" "topbar-button-toc"

      "href" "javascript:toggleTopbarFlyout(this)"

      "icon" "list-alt"

      "onempty" $onempty

      "onwidths" $onwidths

      "onwidthm" $onwidthm

      "onwidthl" $onwidthl

      "hint" (printf "%s (CTRL+ALT+t)" (T "Toc-toggle"))

      "content" $content

    )}}

  {{- end }}

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\func\area-button.html

Resumo: {{- \$area := .area }} {{- \$icon := .icon }} {{- \$hint := .hint }} {{- \$title := .title }} {{- \$onempty := cond (isset . "onempty") .onempty "disable" }} {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} {{- \$onwidthl

```
...
{{- $area := .area }}

{{- $icon := .icon }}

{{- $hint := .hint }}

{{- $title := .title }}

{{- $onempty := cond (isset . "onempty") .onempty "disable" }}

{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}

{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}

{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}

{{- with .page }}

■{{- $format := partial "get-format.hugo" . }}

■{{- $outputFormat := partial "output-format.hugo" (dict "page" . "format" $format) }}

■{{- if and (eq $outputFormat "html") }}

■■{{- $content := printf "\n                                <div class=\"topbar-area topbar-area-%s\" data-area=\"%s\">

■■{{- partial "topbar/func/button.html" (dict

■■■"page" .

■■■"class" (printf "topbar-button-%s" $area)

■■■"href" "javascript:toggleTopbarFlyout(this)"

■■■"icon" $icon

■■■"onempty" $onempty

■■■"onwidths" $onwidths

■■■"onwidthm" $onwidthm

■■■"onwidthl" $onwidthl

■■■"title" $title

■■■"hint" $hint

■■■"content" $content

■■)}}

■{{- end }}

{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\topbar\func\button.html

Resumo: {{- \$page := .page }} {{- \$class := .class | default "" }} {{- \$href := (trim .href " ") | default "" }} {{- \$onempty := cond (isset . "onempty") .onempty "disable" }} {{- \$onwidths := cond (isset . "onwidths") .onwidths "show" }} {{- \$onwidthm := cond (isset . "onwidthm") .onwidthm "show" }} ...

```
{{- $page := .page }}

{{- $class := .class | default "" }}

{{- $href := (trim .href " ") | default "" }}

{{- $onempty := cond (isset . "onempty") .onempty "disable" }}
{{- $onwidths := cond (isset . "onwidths") .onwidths "show" }}
{{- $onwidthm := cond (isset . "onwidthm") .onwidthm "show" }}
{{- $onwidthl := cond (isset . "onwidthl") .onwidthl "show" }}

{{- $target := .target | default "" }}

{{- $type := .type | default "" }}

{{- $isDisabled := not $href }}

{{- $isButton := false }}

{{- if or (not $href) (strings.HasPrefix $href "javascript:") }}

    {{- $isButton = true }}

    {{- $href = substr $href (len "javascript:") }}

    {{- if not $type }}

        {{- $type = "button" }}

    {{- end }}

{{- else if and (eq (len $target) 0) (or (strings.HasPrefix $href "http://") (strings.HasPrefix $href "https://")) }}

    {{- $target = "_blank" }}

    {{- if isset $page.Site.Params "externallinktarget" }}

        {{- $target = $page.Site.Params.externalLinkTarget }}

    {{- end }}

{{- end }}

{{- $title := (trim .title " ") | default "" }}
{{- $hint := (trim .hint " ") | default "" }}
{{- $icon := (trim .icon " ") | default "" }}

{{- if and $icon (not (findRE ".*?\\bfa-\\w.*?" $icon)) }}

    {{- $icon = printf "fa-fw fas fa-%s" $icon }}

{{- end }}

{{- $content := .content }}
<div class="topbar-button {{ $class }}" data-content-empty="{{ $onempty }}" data-width-s="{{ $onwidths }}" data-width-m="{{ $onwidthm }}" data-width-l="{{ $onwidthl }}" data-target="{{ $target }}" data-type="{{ $type }}" data-is-disabled="{{ $isDisabled }}" data-is-button="{{ $isButton }}" data-title="{{ $title }}" data-hint="{{ $hint }}" data-icon="{{ $icon }}" data-content="{{ $content }}">
```

```
{{- if $isDisabled -}}

    <span class="topbar-control">

{{- else if $isButton -}}

    <button class="topbar-control"{{ if $href }} onclick="{{ $href | safeJS }}"{{ end }}{{ if g

{{- else -}}

    <a class="topbar-control"{{ if $href }} href="{{ $href }}"{{ if gt (len $target) 0 }} target

{{- end }}

{{- if and $icon }}<i class="{{ $icon }}"></i>{{ end }}

{{- if and $icon $title }} {{ end }}

{{- if $title }}<span class="title">{{- $title | safeHTML }}</span>{{ end }}

{{- if $isDisabled -}}

    </span>

{{- else if $isButton -}}

    </button>

{{- else -}}

    </a>

{{- end }}

{{- if $content }}

    <div class="topbar-content">

        <div class="topbar-content-wrapper">

            {{- $content }}

        </div>

    </div>

{{- end }}

</div>
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\twitter_cards.html

Resumo: {{- / based on Hugo 0.125.5 twitter_cards.html */}} {{- \$images := partial "_funcs/get-page-images" . }} {{- with index \$images 0 }} <meta name="twitter:card" content="summary_large_image"> <meta name="twitter:image" content="{{ .Permalink }}"> {{- else }} <meta name="twitter:card..."*

```
{{- /* based on Hugo 0.125.5 twitter_cards.html */}}
```

```
{{- $images := partial "_funcs/get-page-images" . }}
```

```
{{- with index $images 0 }}
```

```
    <meta name="twitter:card" content="summary_large_image">
```

```
    <meta name="twitter:image" content="{{ .Permalink }}">
```

```
{{- else }}
```

```
    <meta name="twitter:card" content="summary">
```

```
{{- end }}
```

```
{{- with partial "pageHelper/title.hugo" (dict "page" . "fullyQualified" true "reverse" true) | plainify }}
```

```
    <meta name="twitter:title" content="{{ . }}">
```

```
{{- end }}
```

```
{{- with or .Description .Summary | plainify | htmlUnescape | chomp }}
```

```
    <meta name="twitter:description" content="{{ . }}">
```

```
{{- end }}
```

```
{{- $twitterSite := "" }}
```

```
{{- with site.Params.social }}
```

```
    {{- if reflect.IsMap . }}
```

```
        {{- with .twitter }}
```

```
            {{- $content := . }}
```

```
            {{- if not (strings.HasPrefix . "@") }}
```

```
                {{- $content = printf "@%v" . }}
```

```
            {{- end }}
```

```
        <meta name="twitter:site" content="{{ $content }}" />
```

```
    {{- end }}
```

```
    {{- end }}
```

```
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\partials\version.txt

Resumo: 6.0.0

6.0.0

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\attachments.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/attachments.html" (dict "page" .Page "color" (.Get "color") "content" .Inner "icon" (.Get "icon") "pattern" (.Get "pattern") "style" (.Get "style") "sort" (.Get "sort") "title" (.Get "title")) ...

```
{{- $_hugo_config := `{ "version": 1 }` }}  
  
{{- partial "shortcodes/attachments.html" (dict  
  
    "page"      .Page  
  
    "color"     (.Get "color")  
  
    "content"   .Inner  
  
    "icon"      (.Get "icon")  
  
    "pattern"   (.Get "pattern")  
  
    "style"     (.Get "style")  
  
    "sort"      (.Get "sort")  
  
    "title"     (.Get "title")  
  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\badge.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/badge.html" (dict "page" .Page "color" (.Get "color") "content" .Inner "icon" (.Get "icon") "style" (.Get "style") "title" (.Get "title")) }}

```
{{- $_hugo_config := `{ "version": 1 }` }}
```

```
{{- partial "shortcodes/badge.html" (dict
```

```
    "page"      .Page
```

```
    "color"     (.Get "color")
```

```
    "content"   .Inner
```

```
    "icon"      (.Get "icon")
```

```
    "style"     (.Get "style")
```

```
    "title"     (.Get "title")
```

```
) }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\button.html

Resumo: `{{- $_hugo_config := `{ "version": 1 }` }}` `{{- if (.Get "icon-position") }}` `{{- warnf "%q: DEPRECATED parameter 'icon-position' for shortcode 'button' found, use 'iconposition' instead; see https://mcshelby.github.io/hugo-theme-relearn/shortcodes/button#parameter" .Page.File.Filename }}` `{{- end...`

```
{{- $_hugo_config := `{ "version": 1 }` }}

{{- if (.Get "icon-position") }}

    {{- warnf "%q: DEPRECATED parameter 'icon-position' for shortcode 'button' found, use 'iconposition' in

{{- end }}

{{- partial "shortcodes/button.html" (dict

    "page"          .Page
    "color"          (.Get "color")
    "content"        .Inner
    "href"           (.Get "href")
    "icon"           (.Get "icon")
    "iconposition"   ((.Get "iconposition") | default (.Get "icon-position"))
    "style"          (.Get "style")
    "title"          (.Get "title")
    "target"         (.Get "target")
    "type"           (.Get "type")
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\children.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/children.html" (dict "page" .Page "containerstyle" (.Get "containerstyle") "description" (.Get "description") "depth" (.Get "depth") "showhidden" (.Get "showhidden") "sort" (.Get...

```
{{- $_hugo_config := `{ "version": 1 }` }}  
  
{{- partial "shortcodes/children.html" (dict  
  
    "page"                .Page  
  
    "containerstyle" (.Get "containerstyle")  
  
    "description"      (.Get "description")  
  
    "depth"            (.Get "depth")  
  
    "showhidden"       (.Get "showhidden")  
  
    "sort"             (.Get "sort")  
  
    "style"            (.Get "style")  
  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\expand.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- \$id := "" }} {{- partial "shortcodes/expand.html" (dict "page" .Page "content" .Inner "open" (.Get "open" | default (.Get 1)) "title" (.Get "title" | default (.Get 0)) "id" \$id) }}

```
{{- $_hugo_config := `{ "version": 1 }` }}
```

```
{{- $id := "" }}
```

```
{{- partial "shortcodes/expand.html" (dict
```

```
    "page"      .Page
```

```
    "content"   .Inner
```

```
    "open"      (.Get "open" | default (.Get 1))
```

```
    "title"     (.Get "title" | default (.Get 0))
```

```
    "id"        $id
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\highlight.html

Resumo: {{- \$content := "" }} {{- \$content = .InnerDeindent }} {{- \$attributes := dict }} {{- \$options := dict }} {{- \$type := "" }} {{- range \$k, \$v := .Params }} {{- if eq \$k 0 }} {{- \$type = \$v }} {{- else if eq \$k 1 }} {{- \$options = \$v }} {{- else if eq \$k "type" }} {{- \$ty...

```
{{- $content := "" }}

{{- $content = .InnerDeindent }}

{{- $attributes := dict }}

{{- $options := dict }}

{{- $type := "" }}

{{- range $k, $v := .Params }}

    {{- if eq $k 0 }}

        {{- $type = $v }}

    {{- else if eq $k 1 }}

        {{- $options = $v }}

    {{- else if eq $k "type" }}

        {{- $type = $v }}

    {{- else if eq $k "title" }}

        {{- $attributes = $attributes | merge (dict $k $v) }}

    {{- else if eq $k "wrap" }}

        {{- $attributes = $attributes | merge (dict $k $v) }}

    {{- else }}

        {{- $options = $options | merge (dict $k $v) }}

    {{- end }}

{{- end }}

{{- partial "shortcodes/highlight.html" (dict

    "page"          .Page

    "attributes"     $attributes

    "content"        $content

    "options"        $options

    "type"           $type

) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\icon.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/icon.html" (dict "page" .Page "icon" (.Get "icon" | default (.Get 0))) }}

```
{{- $_hugo_config := `{ "version": 1 }` }}  
  
{{- partial "shortcodes/icon.html" (dict  
  
    "page"      .Page  
  
    "icon"      (.Get "icon" | default (.Get 0))  
  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\include.html

Resumo: {{- if (.Get "showfirstheading") }} {{- warnf "%q: UNSUPPORTED parameter 'showfirstheading' for shortcode 'include' found, use 'hidefirstheading' instead; see [https://mcshelby.github.io/hugo-theme-relearn/basics/migration#420](\"https://mcshelby.github.io/hugo-theme-relearn/basics/migration#420\")\" .Page.File.Filename }} {{- end }} {{- partial \"shortcodes/include.ht...

```
{{- if (.Get "showfirstheading") }}
```

```
    {{- warnf "%q: UNSUPPORTED parameter 'showfirstheading' for shortcode 'include' found, use 'hidefirstheading' instead; see https://mcshelby.github.io/hugo-theme-relearn/basics/migration#420\" .Page.File.Filename }} {{- end }}
```

```
{{- end }}
```

```
{{- partial "shortcodes/include.html" (dict
```

```
    "page"                .Page
```

```
    "file"                (.Get "file" | default (.Get 0))
```

```
    "hidefirstheading" (.Get "hidefirstheading" | default (.Get 1))
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\math.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/math.html" (dict "page" .Page "content" .Inner "align" (.Get "align")) }}

```
{{- $_hugo_config := `{ "version": 1 }` }}
```

```
{{- partial "shortcodes/math.html" (dict
```

```
    "page"      .Page
```

```
    "content"  .Inner
```

```
    "align"    (.Get "align")
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\mermaid.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/mermaid.html" (dict "page" .Page "content" .Inner "align" (.Get "align") "zoom" (.Get "zoom")) }}

```
{{- $_hugo_config := `{ "version": 1 }` }}
```

```
{{- partial "shortcodes/mermaid.html" (dict
```

```
    "page"      .Page
```

```
    "content"  .Inner
```

```
    "align"    (.Get "align")
```

```
    "zoom"     (.Get "zoom")
```

```
) }}
```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\notice.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/notice.html" (dict "page" .Page "color" (.Get "color") "content" .Inner "icon" (.Get "icon" | default (.Get 2)) "style" (.Get "style" | default (.Get 0)) "title" (.Get "title" | default (.Get 1))) }}

```
{{- $_hugo_config := `{ "version": 1 }` }}  
  
{{- partial "shortcodes/notice.html" (dict  
  
    "page"      .Page  
  
    "color"     (.Get "color")  
  
    "content"   .Inner  
  
    "icon"      (.Get "icon" | default (.Get 2))  
  
    "style"     (.Get "style" | default (.Get 0))  
  
    "title"     (.Get "title" | default (.Get 1))  
  
    ) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\openapi.html

Resumo: `{{- $id := "" }} {{- partial "shortcodes/openapi.html" (dict "page" .Page "src" (.Get "src") "id" $id ) }}`

```
{{- $id := "" }}
```

```
{{- partial "shortcodes/openapi.html" (dict
```

```
    "page"      .Page
```

```
    "src"       (.Get "src")
```

```
    "id"        $id
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\resources.htm

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- partial "shortcodes/resources.html" (dict "page" .Page "color" (.Get "color") "content" .Inner "icon" (.Get "icon") "pattern" (.Get "pattern") "style" (.Get "style") "sort" (.Get "sort") "title" (.Get "title")) ...

```
{{- $_hugo_config := `{ "version": 1 }` }}  
  
{{- partial "shortcodes/resources.html" (dict  
  
    "page"      .Page  
  
    "color"     (.Get "color")  
  
    "content"   .Inner  
  
    "icon"      (.Get "icon")  
  
    "pattern"   (.Get "pattern")  
  
    "style"     (.Get "style")  
  
    "sort"      (.Get "sort")  
  
    "title"     (.Get "title")  
  
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\siteparam.htm

Resumo: {{- partial "shortcodes/siteparam.html" (dict "page" .Page "name" (.Get "name" | default (.Get 0))) }}

```
{{- partial "shortcodes/siteparam.html" (dict
  "page"      .Page
  "name"      (.Get "name" | default (.Get 0))
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\swagger.html

Resumo: {{- \$id := "" }} {{- partial "shortcodes/swagger.html" (dict "page" .Page "src" (.Get "src") "id" \$id) }}

```
{{- $id := "" }}
```

```
{{- partial "shortcodes/swagger.html" (dict
```

```
    "page"      .Page
```

```
    "src"       (.Get "src")
```

```
    "id"        $id
```

```
) }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\tab.html

Resumo: {{- \$_hugo_config := `{ "version": 1 }` }} {{- \$color := (.Get "color") }} {{- \$content := .Inner }} {{- \$icon := (.Get "icon") }} {{- \$name := (.Get "name") }} {{- \$style := (.Get "style") }} {{- \$title := (.Get "title") }} {{- \$tabs := slice }} {{- if and .Parent (.Parent.Scrat...

```
{{- $_hugo_config := `{ "version": 1 }` }}

{{- $color    := (.Get "color") }}

{{- $content := .Inner }}

{{- $icon     := (.Get "icon") }}

{{- $name     := (.Get "name") }}

{{- $style    := (.Get "style") }}

{{- $title    := (.Get "title") }}

{{- $tabs := slice }}

{{- if and .Parent (.Parent.Scratch.Get "tabs") }}

    {{- $tabs = .Parent.Scratch.Get "tabs" }}

{{- end }}

{{- $tabs = $tabs | append (dict

    "color"    $color

    "content"  $content

    "icon"     $icon

    "name"     $name

    "style"    $style

    "title"    $title

) }}

{{- if .Parent }}

    {{- $.Parent.Scratch.Set "tabs" $tabs }}

{{- else }}

    {{- /* if no containing tabs shortcode is present, we display this tab as single */}}

    {{- partial "shortcodes/tabs.html" (dict

        "page"      .Page

        "color"      ""

        "content"    $tabs

        "groupid"    ""

        "icon"        ""

        "style"       ""

        "title"       ""
```

```
) }}  
{{- end }}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\layouts\shortcodes\tabs.html

Resumo: {{- \$unused := .Inner }} {{- \$color := (.Get "color") }} {{- \$groupid := ((.Get "groupid") | default (.Get "groupId")) }} {{- if (.Get "groupId") }} {{- warnf "%q: DEPRECATED parameter 'groupId' for shortcode 'tabs' found, use 'groupid' instead; see

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\auto-complete.css

Resumo: .autocomplete-suggestions { text-align: start; color-scheme: only light; / set browser scrollbar color */ cursor: default; border: 1px solid rgba(204, 204, 204, 1); border-top: 0; background: rgba(255, 255, 255, 1); box-shadow: -1px 1px 3px rgba(0, 0, 0, .1)...*

```
.autocomplete-suggestions {  
    text-align: start;  
  
    color-scheme: only light; /* set browser scrollbar color */  
  
    cursor: default;  
  
    border: 1px solid rgba( 204, 204, 204, 1 );  
  
    border-top: 0;  
  
    background: rgba( 255, 255, 255, 1 );  
  
    box-shadow: -1px 1px 3px rgba( 0, 0, 0, .1 );  
  
    width: calc( 100% - 2rem );  
  
  
    /* core styles should not be changed */  
  
    position: absolute;  
  
    display: none;  
  
    z-index: 9999;  
  
    max-height: 10em;  
  
    max-height: calc( 100vh - 10em );  
  
    overflow: hidden;  
  
    overflow-y: auto;  
  
    box-sizing: border-box;  
}  
  
.autocomplete-suggestion {  
    position: relative;  
  
    cursor: pointer;  
  
    padding: .46em;  
  
    line-height: 1.5em;  
  
    white-space: nowrap;  
  
    overflow: hidden;  
  
    text-overflow: ellipsis;  
  
    color: rgba( 40, 40, 40, 1 );  
}  
  
.autocomplete-suggestion b {  
    font-weight: normal;
```

```

        color: rgba( 31, 141, 214, 1 );
    }

.autocomplete-suggestion.selected {
    background: rgba( 40, 40, 40, 1 );
    color: rgba( 255, 255, 255, 1 );
}

.autocomplete-suggestion: hover,
.autocomplete-suggestion: focus,
.autocomplete-suggestion: active,
.autocomplete-suggestion: hover > .context,
.autocomplete-suggestion: focus > .context,
.autocomplete-suggestion: active > .context,
#R-searchresults .autocomplete-suggestion: hover > .context,
#R-searchresults .autocomplete-suggestion: focus > .context,
#R-searchresults .autocomplete-suggestion: active > .context {
    background: rgba( 56, 56, 56, 1 );
    color: rgba( 255, 255, 255, 1 );
}

.autocomplete-suggestion > .breadcrumbs {
    font-size: .7869em;
    margin-inline-start: 1em;
    overflow: hidden;
    text-overflow: ellipsis;
}
.autocomplete-suggestion > .context {
    font-size: .7869em;
    margin-inline-start: 1em;
    overflow: hidden;
    text-overflow: ellipsis;
}

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\fontawesome-all.min.css

Resumo: /! * Font Awesome Free 6.5.2 by @fontawesome - https://fontawesome.com * License - https://fontawesome.com/license/free (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License) * Copyright 2024 Fonticons, Inc. */ .fa{font-family:var(--fa-style-family,"Font Awesome 6 Free");font-weight:var...*

/*!

* Font Awesome Free 6.5.2 by @fontawesome - https://fontawesome.com

* License - https://fontawesome.com/license/free (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)

* Copyright 2024 Fonticons, Inc.

*/

.fa{font-family:var(--fa-style-family,"Font Awesome 6 Free");font-weight:var(--fa-style,900)}.fa,.fa-brands

.fa-0:before{content:"\30"}.fa-1:before{content:"\31"}.fa-2:before{content:"\32"}.fa-3:before{content:"\33"}

.fa-sr-only,.fa-sr-only-focusable:not(:focus),.sr-only,.sr-only-focusable:not(:focus){position:absolute;w

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\fonts.css

Resumo: @font-face { font-family: 'Work Sans'; font-style: normal; font-weight: 200; src: url("../fonts/WorkSans-ExtraLight.woff2") format("woff2"), url("../fonts/WorkSans-ExtraLight.woff") format("woff"); font-display: swap; } @font-face { font-family: 'Work Sans'; fo...

```
@font-face {  
    font-family: 'Work Sans';  
  
    font-style: normal;  
  
    font-weight: 200;  
  
    src: url("../fonts/WorkSans-ExtraLight.woff2") format("woff2"), url("../fonts/WorkSans-ExtraLight.woff") format("woff");  
  
    font-display: swap;  
}
```

```
@font-face {  
    font-family: 'Work Sans';  
  
    font-style: normal;  
  
    font-weight: 300;  
  
    src: url("../fonts/WorkSans-Light.woff2") format("woff2"), url("../fonts/WorkSans-Light.woff") format("woff");  
  
    font-display: swap;  
}
```

```
@font-face {  
    font-family: 'Work Sans';  
  
    font-style: normal;  
  
    font-weight: 400;  
  
    src: url("../fonts/WorkSans-Regular.woff2") format("woff2"), url("../fonts/WorkSans-Regular.woff") format("woff");  
  
    font-display: swap;  
}
```

```
@font-face {  
    font-family: 'Work Sans';  
  
    font-style: normal;  
  
    font-weight: 500;  
  
    src: url("../fonts/WorkSans-Medium.woff2") format("woff2"), url("../fonts/WorkSans-Medium.woff") format("woff");  
  
    font-display: swap;  
}
```

```
@font-face {  
    font-family: 'Work Sans';  
    font-style: normal;  
    font-weight: 600;  
    src: url("../fonts/WorkSans-Bold.woff2") format("woff2"), url("../fonts/WorkSans-Bold.woff") format("v  
    font-display: swap;  
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-do-cs\themes\hugo-theme-relearn\static\css\nucleus.css

*Resumo: *, ::before, ::after { -webkit-box-sizing: border-box; -moz-box-sizing: border-box; box-sizing: border-box; } @-webkit-viewport { width: device-width; } @-moz-viewport { width: device-width; } @-o-viewport { width: device-width; } @viewport { width: device-width; } html...*

```
*, ::before, ::after {  
    -webkit-box-sizing: border-box;  
    -moz-box-sizing: border-box;  
    box-sizing: border-box; }
```

```
@-webkit-viewport {  
    width: device-width; }
```

```
@-moz-viewport {  
    width: device-width; }
```

```
@-o-viewport {  
    width: device-width; }
```

```
@viewport {  
    width: device-width; }
```

```
html {  
    font-size: 16px;  
    -webkit-text-size-adjust: 100%;  
    text-size-adjust: 100%; }
```

```
body {  
    margin: 0; }
```

article,

aside,

details,

figcaption,

figure,

footer,

header,

hgroup,

main,

nav,

```
section,

summary {

    display: block; }

audio,

canvas,

progress,

video {

    display: inline-block;

    vertical-align: baseline; }

audio:not([controls]) {

    display: none;

    height: 0; }

[hidden],

template {

    display: none; }

a {

    background: transparent;

    text-decoration: none; }

abbr[title] {

    border-bottom: 1px dotted; }

b,

strong {

    font-weight: bold; }

dfn {

    font-style: italic; }

sub,

sup {

    font-size: 0.8rem;
```

```
line-height: 0;
position: relative;
vertical-align: baseline; }
```

```
sup {
  top: -0.5em; }
```

```
sub {
  bottom: -0.25em; }
```

```
iframe {
  border: 0; }
```

```
img {
  border: 0;
  max-width: 100%; }
```

```
svg:not(:root) {
  overflow: hidden; }
```

```
figure {
  margin: 1rem 2.5rem; }
```

```
hr {
  height: 0; }
```

```
pre:not(.mermaid) {
  overflow: auto; }
```

```
button,
input,
optgroup,
select,
textarea {
  color: inherit;
```



```
    font: inherit;
    margin: 0; }

button {
    overflow: visible;
    padding: 0; }

button,
select {
    text-transform: none; }

button,
html input[type="button"],
input[type="reset"],
input[type="submit"] {
    -webkit-appearance: button;
    cursor: pointer; }
button[disabled],
html input[disabled] {
    cursor: default; }

button::-moz-focus-inner,
input::-moz-focus-inner {
    border: 0;
    padding: 0; }

input {
    line-height: normal; }

input[type="checkbox"],
input[type="radio"] {
    padding: 0; }

input[type="number"]::-webkit-inner-spin-button,
input[type="number"]::-webkit-outer-spin-button {
```

```
height: auto; }

input[type="search"] {
  -webkit-appearance: textfield; }

input[type="search"]::-webkit-search-cancel-button,
input[type="search"]::-webkit-search-decoration {
  -webkit-appearance: none; }

legend {
  border: 0;
  padding: 0; }

textarea {
  overflow: auto; }

optgroup {
  font-weight: bold; }

table {
  border-collapse: collapse;
  border-spacing: 0;
  table-layout: fixed;
  width: 100%; }

tr, td, th {
  vertical-align: middle; }

th, td {
  padding: 0.425rem 0; }

th {
  text-align: start; }
p {
  margin: 1rem 0; }
```

```
ul, ol {  
    margin-top: 1rem;  
    margin-bottom: 1rem; }  
  
ul ul, ul ol, ol ul, ol ol {  
    margin-top: 0;  
margin-bottom: 0; }
```

```
blockquote {  
    margin: 1.5rem 0;  
    padding-inline-start: 0.85rem; }
```

```
cite {  
    display: block;  
    font-size: 0.925rem; }  
  
cite:before {  
    content: "\2014 \0020"; }
```

```
pre:not(.mermaid) {  
    margin: 1.5rem 0;  
    padding: 0.938rem; }
```

```
code {  
    vertical-align: bottom; }
```

```
small {  
    font-size: 0.925rem; }
```

```
hr {  
    border-left: none;  
    border-right: none;  
    border-top: none;  
    margin: 1.5rem 0; }
```

```
fieldset {  
    border: 0;
```

```
padding: 0.938rem;
margin: 0 0 1rem 0; }

input,
label,
select {
    display: block; }

label {
    margin-bottom: 0.425rem; }
    label.required:after {
        content: "*"; }
    label abbr {
        display: none; }

textarea, input[type="email"], input[type="number"], input[type="password"], input[type="search"], input[
    -webkit-transition: border-color;
    -moz-transition: border-color;
    transition: border-color;
    border-radius: 0.1875rem;
    margin-bottom: 0.85rem;
    padding: 0.425rem 0.425rem;
    width: 100%; }
    textarea:focus, input[type="email"]:focus, input[type="number"]:focus, input[type="password"]:focus, in
        outline: none; }

textarea {
    resize: vertical; }

input[type="checkbox"], input[type="radio"] {
    display: inline;
    margin-inline-end: 0.425rem; }

input[type="file"] {
    width: 100%; }
```

```
select {  
  width: auto;  
  max-width: 100%;  
  margin-bottom: 1rem; }
```

```
button,  
input[type="submit"] {  
  cursor: pointer;  
  -webkit-user-select: none;  
  user-select: none;  
  white-space: nowrap;  
  border: inherit; }
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\perfect-scrollbar.min.css

Resumo: `.root{--ps-thumb-color:#aaa;--ps-thumb-hover-color:#999;--ps-rail-hover-color:#eee}.ps{overflow:hidden!important;overflow-anchor:none;-ms-overflow-style:none;touch-action:auto;-ms-touch-action:auto}.ps__rail-x{display:none;opacity:0;transition:background-color .2s linear,opacity .2s linear;-webkit-t...`

`:root{--ps-thumb-color:#aaa;--ps-thumb-hover-color:#999;--ps-rail-hover-color:#eee}.ps{overflow:hidden!im`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\print.css

Resumo: @import "format-print.css";

@import "format-print.css";

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\huco-theme-relearn\static\css\swagger-dark.css

Resumo: /* _____ /\ .==. .==. (())==(()) / "==" "=="\ / ____ || || ____\ _____
_____ | ____ \/\ | ...

/*

```

        _____
        /          \
        .==.      .==.
        (( ))==( ( ))
        / "=="      "=="\
        /____|| || ||____\

_____      _____      _____      _____
|  _  \  /  \  |  _  \  |  /  /
|  |  \  \ /  ^  \  |  |  \  \ |  /  /
|  |  )  /  / _ \  \ |  |  /  / |  _  \
|  |  /  /  _  \  \ |  _  \  |  |  \  \
_____ | _____ / _ /  _  \  \ |  _  \  \ |  _  \  \
|  _  \  |  _  /  /  \  |  _  \  |  _  |  _  \
|  |  \  \ |  _ /  ^  \  |  |  \  \ |  _  |  |  \  \
|  |  /  / |  _ /  / _ \  \ |  |  )  |  _  |  |  /  /
|  _  \  |  |  /  _  \  \ |  |  /  / |  _  |  _  \
|  _  \  \  \  / _ /  \  \  / |  _  |  _  \  \
```

<https://darkreader.org>

*/

/*! Dark reader generated CSS | Licensed under MIT <https://github.com/darkreader/darkreader/blob/main/LICENSE>

/* User-Agent Style */

```
html {
    background-color-relearn: var(--INTERNAL-MAIN-BG-color) !important;
}

html {
    color-scheme-relearn: var(--INTERNAL-BROWSER-theme) !important;
}

html, body {
    background-color-relearn: var(--INTERNAL-MAIN-BG-color);
```



```
}  
  
html, body {  
    border-color: #736b5e;  
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);  
}  
  
a {  
    color-relearn: var(--INTERNAL-MAIN-LINK-color);  
}  
  
table {  
    border-color: #545b5e;  
}  
  
::placeholder {  
    color: #b2aba1;  
}  
  
input:-webkit-autofill,  
textarea:-webkit-autofill,  
select:-webkit-autofill {  
    background-color: #404400 !important;  
    color-relearn: var(--INTERNAL-MAIN-TEXT-color) !important;  
}  
  
::-webkit-scrollbar {  
    background-color: #202324;  
    color: #aba499;  
}  
  
::-webkit-scrollbar-thumb {  
    background-color: #454a4d;  
}  
  
::-webkit-scrollbar-thumb:hover {  
background-color: #575e62;  
}  
  
::-webkit-scrollbar-thumb:active {  
    background-color: #484e51;  
}  
  
::-webkit-scrollbar-corner {  
    background-color-relearn: var(--INTERNAL-MAIN-BG-color);  
}
```

```

}

::selection {
    background-color: #004daa !important;
    color-relearn: var(--INTERNAL-MAIN-TEXT-color) !important;
}

::-moz-selection {
    background-color: #004daa !important;
    color-relearn: var(--INTERNAL-MAIN-TEXT-color) !important;
}

/* Text Style */

*:not(pre, pre *, code, .far, .fa, .glyphicon, [class*="vjs-"], .fab, .fa-github, .fas, .material-icons,
    font-family-relearn: var(--INTERNAL-MAIN-font) !important;
}

/* Invert Style */

.jfk-bubble.gtx-bubble, .captcheck_answer_label > input + img, span#closed_text > img[src^="https://www.g
    filter: invert(100%) hue-rotate(180deg) contrast(90%) !important;
}

/* Variables Style */

:root {
    --darkreader-neutral-background-relearn: var(--INTERNAL-MAIN-font);
    --darkreader-neutral-text-relearn: var(--INTERNAL-MAIN-TEXT-color);
    --darkreader-selection-background: #004daa;
    --darkreader-selection-text-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

/* Modified CSS */

.swagger-ui {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui a {
    background-color: transparent;
}

```

```
.swagger-ui abbr[title] {
    border-bottom-color: initial;
    text-decoration-color: initial;
}

.swagger-ui mark {
    background-color: rgb(153, 153, 0);
    color: rgb(232, 230, 227);
}

.swagger-ui legend {
    color: inherit;
}

.swagger-ui .debug * {
    outline-color: rgb(179, 151, 0);
}

.swagger-ui .debug-white * {
    outline-color: rgb(48, 52, 54);
}

.swagger-ui .debug-black * {
outline-color: rgb(140, 130, 115);
}

.swagger-ui .debug-grid {
    background-image: url("data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAgAAAAICAYAAADED76LAAAAGXRFWHRTB
    background-color: transparent;
}

.swagger-ui .debug-grid-16 {
    background-image: url("data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAABAAAAAQCAAAAAf8/9hAAAAGXRFWHRTB
    background-color: transparent;
}

.swagger-ui .debug-grid-8-solid {
    background-image: url("data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmci
    background-color: rgb(24, 26, 27);
}

.swagger-ui .debug-grid-16-solid {
    background-image: url("data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmci
    background-color: rgb(24, 26, 27);
```

```
}

.swagger-ui .outline {
    outline-color: initial;
}

.swagger-ui .outline-transparent {
    outline-color: transparent;
}

.swagger-ui .outline-0 {
    outline-color: initial;
}

@media screen and (min-width: 30em) {
    .swagger-ui .outline-ns {
        outline-color: initial;
    }

    .swagger-ui .outline-transparent-ns {
        outline-color: transparent;
    }

    .swagger-ui .outline-0-ns {
        outline-color: initial;
    }
}

@media screen and (min-width: 30em) and (max-width: 60em) {
    .swagger-ui .outline-m {
        outline-color: initial;
    }

    .swagger-ui .outline-transparent-m {
        outline-color: transparent;
    }

    .swagger-ui .outline-0-m {
        outline-color: initial;
    }
}

@media screen and (min-width: 60em) {
    .swagger-ui .outline-l {
        outline-color: initial;
    }
}
```

```
}

.swagger-ui .outline-transparent-l {
    outline-color: transparent;
}

.swagger-ui .outline-0-l {
    outline-color: initial;
}

}
.swagger-ui .b--black {
    border-color: rgb(140, 130, 115);
}

.swagger-ui .b--near-black {
    border-color: rgb(134, 125, 110);
}

.swagger-ui .b--dark-gray {
    border-color: rgb(123, 114, 101);
}

.swagger-ui .b--mid-gray {
    border-color: rgb(112, 104, 92);
}

.swagger-ui .b--gray {
    border-color: rgb(101, 94, 83);
}

.swagger-ui .b--silver {
    border-color: rgb(77, 83, 86);
}

.swagger-ui .b--light-silver {
    border-color: rgb(72, 78, 81);
}

.swagger-ui .b--moon-gray {
    border-color: rgb(62, 68, 70);
}

.swagger-ui .b--light-gray {
    border-color: rgb(53, 57, 59);
}
```

```
.swagger-ui .b--near-white {  
    border-color: rgb(51, 55, 57);  
}  
  
.swagger-ui .b--white {  
    border-color: rgb(48, 52, 54);  
}  
  
.swagger-ui .b--white-90 {  
    border-color: rgba(48, 52, 54, 0.9);  
}  
  
.swagger-ui .b--white-80 {  
    border-color: rgba(48, 52, 54, 0.8);  
}  
  
.swagger-ui .b--white-70 {  
    border-color: rgba(48, 52, 54, 0.7);  
}  
  
.swagger-ui .b--white-60 {  
    border-color: rgba(48, 52, 54, 0.6);  
}  
  
.swagger-ui .b--white-50 {  
    border-color: rgba(48, 52, 54, 0.5);  
}  
  
.swagger-ui .b--white-40 {  
    border-color: rgba(48, 52, 54, 0.4);  
}  
  
.swagger-ui .b--white-30 {  
    border-color: rgba(48, 52, 54, 0.3);  
}  
  
.swagger-ui .b--white-20 {  
    border-color: rgba(48, 52, 54, 0.2);  
}  
  
.swagger-ui .b--white-10 {  
    border-color: rgba(48, 52, 54, 0.1);  
}  
  
.swagger-ui .b--white-05 {  
    border-color: rgba(48, 52, 54, 0.05);  
}
```

```
}

.swagger-ui .b--white-025 {
    border-color: rgba(48, 52, 54, 0.02);
}

.swagger-ui .b--white-0125 {
    border-color: rgba(48, 52, 54, 0.01);
}

.swagger-ui .b--black-90 {
    border-color: rgba(140, 130, 115, 0.9);
}

.swagger-ui .b--black-80 {
    border-color: rgba(140, 130, 115, 0.8);
}

.swagger-ui .b--black-70 {
    border-color: rgba(140, 130, 115, 0.7);
}

.swagger-ui .b--black-60 {
    border-color: rgba(140, 130, 115, 0.6);
}

.swagger-ui .b--black-50 {
    border-color: rgba(140, 130, 115, 0.5);
}

.swagger-ui .b--black-40 {
    border-color: rgba(140, 130, 115, 0.4);
}

.swagger-ui .b--black-30 {
    border-color: rgba(140, 130, 115, 0.3);
}

.swagger-ui .b--black-20 {
    border-color: rgba(140, 130, 115, 0.2);
}

.swagger-ui .b--black-10 {
    border-color: rgba(140, 130, 115, 0.1);
}

.swagger-ui .b--black-05 {
```

```
        border-color: rgba(140, 130, 115, 0.05);
    }
    .swagger-ui .b--black-025 {
        border-color: rgba(140, 130, 115, 0.02);
    }
    .swagger-ui .b--black-0125 {
        border-color: rgba(140, 130, 115, 0.01);
    }
    .swagger-ui .b--dark-red {
        border-color: rgb(181, 3, 12);
    }
    .swagger-ui .b--red {
        border-color: rgb(162, 9, 0);
    }
    .swagger-ui .b--light-red {
        border-color: rgb(151, 20, 0);
    }
    .swagger-ui .b--orange {
        border-color: rgb(179, 69, 0);
    }
    .swagger-ui .b--gold {
        border-color: rgb(179, 128, 0);
    }
    .swagger-ui .b--yellow {
        border-color: rgb(179, 151, 0);
    }
    .swagger-ui .b--light-yellow {
        border-color: rgb(123, 109, 6);
    }
    .swagger-ui .b--purple {
        border-color: rgb(86, 40, 152);
    }
    .swagger-ui .b--light-purple {
        border-color: rgb(70, 12, 141);
    }
}
```



```
.swagger-ui .b--dark-pink {  
    border-color: rgb(191, 0, 128);  
}  
  
.swagger-ui .b--hot-pink {  
    border-color: rgb(159, 0, 96);  
}  
  
.swagger-ui .b--pink {  
    border-color: rgb(140, 0, 84);  
}  
  
.swagger-ui .b--light-pink {  
    border-color: rgb(130, 0, 73);  
}  
  
.swagger-ui .b--dark-green {  
    border-color: rgb(29, 184, 127);  
}  
  
.swagger-ui .b--green {  
    border-color: rgb(25, 171, 118);  
}  
  
.swagger-ui .b--light-green {  
    border-color: rgb(23, 114, 81);  
}  
  
.swagger-ui .b--navy {  
    border-color: rgb(129, 120, 106);  
}  
  
.swagger-ui .b--dark-blue {  
    border-color: rgb(0, 89, 208);  
}  
  
.swagger-ui .b--blue {  
    border-color: rgb(25, 78, 148);  
}  
  
.swagger-ui .b--light-blue {  
    border-color: rgb(0, 69, 133);  
}  
  
.swagger-ui .b--lightest-blue {  
    border-color: rgb(0, 73, 117);  
}
```

```
}

.swagger-ui .b--washed-blue {
    border-color: rgb(0, 105, 93);
}

.swagger-ui .b--washed-green {
    border-color: rgb(9, 101, 66);
}

.swagger-ui .b--washed-yellow {
    border-color: rgb(108, 92, 0);
}

.swagger-ui .b--washed-red {
    border-color: rgb(112, 0, 0);
}

.swagger-ui .b--transparent {
    border-color: transparent;
}

.swagger-ui .b--inherit {
    border-color: inherit;
}

.swagger-ui .shadow-1 {
    box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 4px 2px;
}

.swagger-ui .shadow-2 {
    box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 8px 2px;
}

.swagger-ui .shadow-3 {
    box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 4px 2px;
}

.swagger-ui .shadow-4 {
    box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 8px 0px;
}

.swagger-ui .shadow-5 {
    box-shadow: rgba(0, 0, 0, 0.2) 4px 4px 8px 0px;
}

@media screen and (min-width: 30em) {
```

```

.swagger-ui .shadow-1-ns {
    box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 4px 2px;
}

.swagger-ui .shadow-2-ns {
    box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 8px 2px;
}

.swagger-ui .shadow-3-ns {
    box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 4px 2px;
}

.swagger-ui .shadow-4-ns {
    box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 8px 0px;
}

.swagger-ui .shadow-5-ns {
    box-shadow: rgba(0, 0, 0, 0.2) 4px 4px 8px 0px;
}
}

@media screen and (min-width: 30em) and (max-width: 60em) {
    .swagger-ui .shadow-1-m {
        box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 4px 2px;
    }

    .swagger-ui .shadow-2-m {
        box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 8px 2px;
    }

    .swagger-ui .shadow-3-m {
        box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 4px 2px;
    }

    .swagger-ui .shadow-4-m {
        box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 8px 0px;
    }

    .swagger-ui .shadow-5-m {
        box-shadow: rgba(0, 0, 0, 0.2) 4px 4px 8px 0px;
    }
}

@media screen and (min-width: 60em) {
    .swagger-ui .shadow-1-l {

```

```

        box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 4px 2px;
    }

    .swagger-ui .shadow-2-l {
    box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 8px 2px;
    }

    .swagger-ui .shadow-3-l {
        box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 4px 2px;
    }

    .swagger-ui .shadow-4-l {
        box-shadow: rgba(0, 0, 0, 0.2) 2px 2px 8px 0px;
    }

    .swagger-ui .shadow-5-l {
        box-shadow: rgba(0, 0, 0, 0.2) 4px 4px 8px 0px;
    }
}

.swagger-ui .link {
    text-decoration-color: initial;
}

.swagger-ui .link:focus {
    outline-color: currentcolor;
}

.swagger-ui .black-90 {
    color: rgba(232, 230, 227, 0.9);
}

.swagger-ui .black-80 {
    color: rgba(232, 230, 227, 0.8);
}

.swagger-ui .black-70 {
    color: rgba(232, 230, 227, 0.7);
}

.swagger-ui .black-60 {
    color: rgba(232, 230, 227, 0.6);
}

.swagger-ui .black-50 {
    color: rgba(232, 230, 227, 0.5);
}

```

```
}

.swagger-ui .black-40 {
    color: rgba(232, 230, 227, 0.4);
}

.swagger-ui .black-30 {
    color: rgba(232, 230, 227, 0.3);
}

.swagger-ui .black-20 {
    color: rgba(232, 230, 227, 0.2);
}

.swagger-ui .black-10 {
    color: rgba(232, 230, 227, 0.1);
}

.swagger-ui .black-05 {
    color: rgba(232, 230, 227, 0.05);
}

.swagger-ui .white-90 {
    color: rgba(232, 230, 227, 0.9);
}

.swagger-ui .white-80 {
    color: rgba(232, 230, 227, 0.8);
}

.swagger-ui .white-70 {
    color: rgba(232, 230, 227, 0.7);
}

.swagger-ui .white-60 {
    color: rgba(232, 230, 227, 0.6);
}

.swagger-ui .white-50 {
    color: rgba(232, 230, 227, 0.5);
}

.swagger-ui .white-40 {
    color: rgba(232, 230, 227, 0.4);
}

.swagger-ui .white-30 {
```

```
        color: rgba(232, 230, 227, 0.3);
    }
    .swagger-ui .white-20 {
        color: rgba(232, 230, 227, 0.2);
    }
    .swagger-ui .white-10 {
        color: rgba(232, 230, 227, 0.1);
    }
    .swagger-ui .black {
        color: rgb(232, 230, 227);
    }
    .swagger-ui .near-black {
        color: rgb(221, 218, 214);
    }
    .swagger-ui .dark-gray {
        color: rgb(200, 195, 188);
    }
    .swagger-ui .mid-gray {
        color: rgb(178, 172, 162);
    }
    .swagger-ui .gray {
        color: rgb(157, 148, 136);
    }
    .swagger-ui .silver {
        color: rgb(168, 160, 149);
    }
    .swagger-ui .light-silver {
        color: rgb(178, 172, 162);
    }
    .swagger-ui .moon-gray {
        color: rgb(200, 195, 188);
    }
    .swagger-ui .light-gray {
        color: rgb(221, 218, 214);
    }
}
```

```
.swagger-ui .near-white {
    color: rgb(225, 222, 219);
}

.swagger-ui .white {
    color: rgb(232, 230, 227);
}

.swagger-ui .dark-red {
    color: rgb(251, 43, 53);
}

.swagger-ui .red {
    color: rgb(255, 74, 63);
}

.swagger-ui .light-red {
    color: rgb(255, 112, 90);
}

.swagger-ui .orange {
    color: rgb(255, 115, 26);
}

.swagger-ui .gold {
    color: rgb(255, 190, 26);
}

.swagger-ui .yellow {
    color: rgb(255, 219, 26);
}

.swagger-ui .light-yellow {
    color: rgb(250, 237, 146);
}

.swagger-ui .purple {
    color: rgb(146, 99, 213);
}

.swagger-ui .light-purple {
    color: rgb(164, 99, 242);
}

.swagger-ui .dark-pink {
    color: rgb(255, 55, 189);
}
```

```
}

.swagger-ui .hot-pink {
    color: rgb(255, 71, 182);
}

.swagger-ui .pink {
    color: rgb(255, 115, 199);
}

.swagger-ui .light-pink {
    color: rgb(255, 140, 205);
}

.swagger-ui .dark-green {
    color: rgb(128, 235, 195);
}

.swagger-ui .green {
    color: rgb(92, 231, 180);
}

.swagger-ui .light-green {
    color: rgb(145, 232, 200);
}

.swagger-ui .navy {
    color: rgb(211, 207, 201);
}

.swagger-ui .dark-blue {
    color: rgb(109, 186, 255);
}

.swagger-ui .blue {
    color: rgb(70, 151, 224);
}

.swagger-ui .light-blue {
    color: rgb(131, 200, 255);
}

.swagger-ui .lightest-blue {
    color: rgb(169, 222, 255);
}

.swagger-ui .washed-blue {
```



```
        color: rgb(198, 255, 249);
    }
    .swagger-ui .washed-green {
        color: rgb(192, 250, 228);
    }
    .swagger-ui .washed-yellow {
        color: rgb(255, 245, 190);
    }
    .swagger-ui .washed-red {
        color: rgb(255, 182, 182);
    }
    .swagger-ui .color-inherit {
        color: inherit;
    }
    .swagger-ui .bg-black-90 {
        background-color: rgba(0, 0, 0, 0.9);
    }
    .swagger-ui .bg-black-80 {
        background-color: rgba(0, 0, 0, 0.8);
    }
    .swagger-ui .bg-black-70 {
        background-color: rgba(0, 0, 0, 0.7);
    }
    .swagger-ui .bg-black-60 {
        background-color: rgba(0, 0, 0, 0.6);
    }
    .swagger-ui .bg-black-50 {
        background-color: rgba(0, 0, 0, 0.5);
    }
    .swagger-ui .bg-black-40 {
        background-color: rgba(0, 0, 0, 0.4);
    }
    .swagger-ui .bg-black-30 {
        background-color: rgba(0, 0, 0, 0.3);
    }
}
```

```
.swagger-ui .bg-black-20 {
    background-color: rgba(0, 0, 0, 0.2);
}

.swagger-ui .bg-black-10 {
    background-color: rgba(0, 0, 0, 0.1);
}

.swagger-ui .bg-black-05 {
    background-color: rgba(0, 0, 0, 0.05);
}

.swagger-ui .bg-white-90 {
    background-color: rgba(24, 26, 27, 0.9);
}

.swagger-ui .bg-white-80 {
    background-color: rgba(24, 26, 27, 0.8);
}

.swagger-ui .bg-white-70 {
    background-color: rgba(24, 26, 27, 0.7);
}

.swagger-ui .bg-white-60 {
    background-color: rgba(24, 26, 27, 0.6);
}

.swagger-ui .bg-white-50 {
    background-color: rgba(24, 26, 27, 0.5);
}

.swagger-ui .bg-white-40 {
    background-color: rgba(24, 26, 27, 0.4);
}

.swagger-ui .bg-white-30 {
    background-color: rgba(24, 26, 27, 0.3);
}

.swagger-ui .bg-white-20 {
    background-color: rgba(24, 26, 27, 0.2);
}

.swagger-ui .bg-white-10 {
    background-color: rgba(24, 26, 27, 0.1);
}
```

```
}

.swagger-ui .bg-black {
    background-color: rgb(0, 0, 0);
}

.swagger-ui .bg-near-black {
    background-color: rgb(13, 14, 14);
}

.swagger-ui .bg-dark-gray {
    background-color: rgb(38, 42, 43);
}

.swagger-ui .bg-mid-gray {
    background-color: rgb(64, 69, 72);
}

.swagger-ui .bg-gray {
    background-color: rgb(90, 97, 101);
}

.swagger-ui .bg-silver {
    background-color: rgb(82, 88, 92);
}

.swagger-ui .bg-light-silver {
    background-color: rgb(72, 78, 81);
}

.swagger-ui .bg-moon-gray {
    background-color: rgb(53, 57, 59);
}

.swagger-ui .bg-light-gray {
    background-color: rgb(34, 36, 38);
}

.swagger-ui .bg-near-white {
    background-color: rgb(30, 33, 34);
}

.swagger-ui .bg-white {
    background-color: rgb(24, 26, 27);
}

.swagger-ui .bg-transparent {
```

```
        background-color: transparent;
    }
    .swagger-ui .bg-dark-red {
        background-color: rgb(185, 3, 12);
    }
    .swagger-ui .bg-red {
        background-color: rgb(172, 9, 0);
    }
    .swagger-ui .bg-light-red {
        background-color: rgb(149, 20, 0);
    }
    .swagger-ui .bg-orange {
        background-color: rgb(204, 79, 0);
    }
    .swagger-ui .bg-gold {
        background-color: rgb(153, 110, 0);
    }
    .swagger-ui .bg-yellow {
        background-color: rgb(153, 129, 0);
    }
    .swagger-ui .bg-light-yellow {
        background-color: rgb(75, 67, 4);
    }
    .swagger-ui .bg-purple {
        background-color: rgb(75, 35, 132);
    }
    .swagger-ui .bg-light-purple {
        background-color: rgb(70, 12, 141);
    }
    .swagger-ui .bg-dark-pink {
        background-color: rgb(170, 0, 114);
    }
    .swagger-ui .bg-hot-pink {
        background-color: rgb(165, 0, 100);
    }
}
```

```
.swagger-ui .bg-pink {  
    background-color: rgb(127, 0, 76);  
}  
  
.swagger-ui .bg-light-pink {  
    background-color: rgb(106, 0, 60);  
}  
  
.swagger-ui .bg-dark-green {  
    background-color: rgb(15, 95, 66);  
}  
  
.swagger-ui .bg-green {  
    background-color: rgb(20, 135, 93);  
}  
  
.swagger-ui .bg-light-green {  
    background-color: rgb(21, 100, 79);  
}  
  
.swagger-ui .bg-navy {  
    background-color: rgb(0, 22, 54);  
}  
  
.swagger-ui .bg-dark-blue {  
    background-color: rgb(0, 54, 126);  
}  
  
.swagger-ui .bg-blue {  
    background-color: rgb(28, 87, 165);  
}  
  
.swagger-ui .bg-light-blue {  
    background-color: rgb(0, 59, 114);  
}  
  
.swagger-ui .bg-lightest-blue {  
    background-color: rgb(38, 41, 43);  
}  
  
.swagger-ui .bg-washed-blue {  
    background-color: rgb(0, 56, 52);  
}  
  
.swagger-ui .bg-washed-green {  
    background-color: rgb(5, 61, 45);
```

```
}

.swagger-ui .bg-washed-yellow {
    background-color: rgb(47, 40, 0);
}

.swagger-ui .bg-washed-red {
    background-color: rgb(70, 0, 0);
}

.swagger-ui .bg-inherit {
    background-color: inherit;
}

.swagger-ui .hover-black:focus,
.swagger-ui .hover-black:hover {
    color: rgb(232, 230, 227);
}

.swagger-ui .hover-near-black:focus,
.swagger-ui .hover-near-black:hover {
    color: rgb(221, 218, 214);
}

.swagger-ui .hover-dark-gray:focus,
.swagger-ui .hover-dark-gray:hover {
    color: rgb(200, 195, 188);
}

.swagger-ui .hover-mid-gray:focus,
.swagger-ui .hover-mid-gray:hover {
    color: rgb(178, 172, 162);
}

.swagger-ui .hover-gray:focus,
.swagger-ui .hover-gray:hover {
    color: rgb(157, 148, 136);
}

.swagger-ui .hover-silver:focus,
.swagger-ui .hover-silver:hover {
    color: rgb(168, 160, 149);
}

.swagger-ui .hover-light-silver:focus,
```

```
.swagger-ui .hover-light-silver:hover {
    color: rgb(178, 172, 162);
}

.swagger-ui .hover-moon-gray:focus,
.swagger-ui .hover-moon-gray:hover {
    color: rgb(200, 195, 188);
}

.swagger-ui .hover-light-gray:focus,
.swagger-ui .hover-light-gray:hover {
    color: rgb(221, 218, 214);
}

.swagger-ui .hover-near-white:focus,
.swagger-ui .hover-near-white:hover {
    color: rgb(225, 222, 219);
}

.swagger-ui .hover-white:focus,
.swagger-ui .hover-white:hover {
    color: rgb(232, 230, 227);
}

.swagger-ui .hover-black-90:focus,
.swagger-ui .hover-black-90:hover {
    color: rgba(232, 230, 227, 0.9);
}

.swagger-ui .hover-black-80:focus,
.swagger-ui .hover-black-80:hover {
    color: rgba(232, 230, 227, 0.8);
}

.swagger-ui .hover-black-70:focus,
.swagger-ui .hover-black-70:hover {
    color: rgba(232, 230, 227, 0.7);
}

.swagger-ui .hover-black-60:focus,
.swagger-ui .hover-black-60:hover {
    color: rgba(232, 230, 227, 0.6);
}
```

```
.swagger-ui .hover-black-50:focus,  
.swagger-ui .hover-black-50:hover {  
    color: rgba(232, 230, 227, 0.5);  
}  
  
.swagger-ui .hover-black-40:focus,  
.swagger-ui .hover-black-40:hover {  
    color: rgba(232, 230, 227, 0.4);  
}  
  
.swagger-ui .hover-black-30:focus,  
.swagger-ui .hover-black-30:hover {  
    color: rgba(232, 230, 227, 0.3);  
}  
  
.swagger-ui .hover-black-20:focus,  
.swagger-ui .hover-black-20:hover {  
    color: rgba(232, 230, 227, 0.2);  
}  
  
.swagger-ui .hover-black-10:focus,  
.swagger-ui .hover-black-10:hover {  
    color: rgba(232, 230, 227, 0.1);  
}  
  
.swagger-ui .hover-white-90:focus,  
.swagger-ui .hover-white-90:hover {  
    color: rgba(232, 230, 227, 0.9);  
}  
  
.swagger-ui .hover-white-80:focus,  
.swagger-ui .hover-white-80:hover {  
    color: rgba(232, 230, 227, 0.8);  
}  
  
.swagger-ui .hover-white-70:focus,  
.swagger-ui .hover-white-70:hover {  
    color: rgba(232, 230, 227, 0.7);  
}  
  
.swagger-ui .hover-white-60:focus,  
.swagger-ui .hover-white-60:hover {  
    color: rgba(232, 230, 227, 0.6);  
}
```



```
}

.swagger-ui .hover-white-50:focus,
.swagger-ui .hover-white-50:hover {
    color: rgba(232, 230, 227, 0.5);
}

.swagger-ui .hover-white-40:focus,
.swagger-ui .hover-white-40:hover {
    color: rgba(232, 230, 227, 0.4);
}

.swagger-ui .hover-white-30:focus,
.swagger-ui .hover-white-30:hover {
    color: rgba(232, 230, 227, 0.3);
}

.swagger-ui .hover-white-20:focus,
.swagger-ui .hover-white-20:hover {
    color: rgba(232, 230, 227, 0.2);
}

.swagger-ui .hover-white-10:focus,
.swagger-ui .hover-white-10:hover {
    color: rgba(232, 230, 227, 0.1);
}

.swagger-ui .hover-inherit:focus,
.swagger-ui .hover-inherit:hover {
    color: inherit;
}

.swagger-ui .hover-bg-black:focus,
.swagger-ui .hover-bg-black:hover {
    background-color: rgb(0, 0, 0);
}

.swagger-ui .hover-bg-near-black:focus,
.swagger-ui .hover-bg-near-black:hover {
    background-color: rgb(13, 14, 14);
}

.swagger-ui .hover-bg-dark-gray:focus,
.swagger-ui .hover-bg-dark-gray:hover {
```

```
        background-color: rgb(38, 42, 43);
    }
    .swagger-ui .hover-bg-mid-gray:focus,
    .swagger-ui .hover-bg-mid-gray:hover {
        background-color: rgb(64, 69, 72);
    }
    .swagger-ui .hover-bg-gray:focus,
    .swagger-ui .hover-bg-gray:hover {
        background-color: rgb(90, 97, 101);
    }
    .swagger-ui .hover-bg-silver:focus,
    .swagger-ui .hover-bg-silver:hover {
        background-color: rgb(82, 88, 92);
    }
    .swagger-ui .hover-bg-light-silver:focus,
    .swagger-ui .hover-bg-light-silver:hover {
        background-color: rgb(72, 78, 81);
    }
    .swagger-ui .hover-bg-moon-gray:focus,
    .swagger-ui .hover-bg-moon-gray:hover {
        background-color: rgb(53, 57, 59);
    }
    .swagger-ui .hover-bg-light-gray:focus,
    .swagger-ui .hover-bg-light-gray:hover {
        background-color: rgb(34, 36, 38);
    }
    .swagger-ui .hover-bg-near-white:focus,
    .swagger-ui .hover-bg-near-white:hover {
        background-color: rgb(30, 33, 34);
    }
    .swagger-ui .hover-bg-white:focus,
    .swagger-ui .hover-bg-white:hover {
        background-color: rgb(24, 26, 27);
    }
    .swagger-ui .hover-bg-transparent:focus,
```

```
.swagger-ui .hover-bg-transparent:hover {  
    background-color: transparent;  
}  
  
.swagger-ui .hover-bg-black-90:focus,  
.swagger-ui .hover-bg-black-90:hover {  
    background-color: rgba(0, 0, 0, 0.9);  
}  
  
.swagger-ui .hover-bg-black-80:focus,  
.swagger-ui .hover-bg-black-80:hover {  
    background-color: rgba(0, 0, 0, 0.8);  
}  
  
.swagger-ui .hover-bg-black-70:focus,  
.swagger-ui .hover-bg-black-70:hover {  
    background-color: rgba(0, 0, 0, 0.7);  
}  
  
.swagger-ui .hover-bg-black-60:focus,  
.swagger-ui .hover-bg-black-60:hover {  
    background-color: rgba(0, 0, 0, 0.6);  
}  
  
.swagger-ui .hover-bg-black-50:focus,  
.swagger-ui .hover-bg-black-50:hover {  
    background-color: rgba(0, 0, 0, 0.5);  
}  
  
.swagger-ui .hover-bg-black-40:focus,  
.swagger-ui .hover-bg-black-40:hover {  
    background-color: rgba(0, 0, 0, 0.4);  
}  
  
.swagger-ui .hover-bg-black-30:focus,  
.swagger-ui .hover-bg-black-30:hover {  
    background-color: rgba(0, 0, 0, 0.3);  
}  
  
.swagger-ui .hover-bg-black-20:focus,  
.swagger-ui .hover-bg-black-20:hover {  
    background-color: rgba(0, 0, 0, 0.2);  
}
```

```
.swagger-ui .hover-bg-black-10:focus,  
.swagger-ui .hover-bg-black-10:hover {  
    background-color: rgba(0, 0, 0, 0.1);  
}  
  
.swagger-ui .hover-bg-white-90:focus,  
.swagger-ui .hover-bg-white-90:hover {  
    background-color: rgba(24, 26, 27, 0.9);  
}  
  
.swagger-ui .hover-bg-white-80:focus,  
.swagger-ui .hover-bg-white-80:hover {  
    background-color: rgba(24, 26, 27, 0.8);  
}  
  
.swagger-ui .hover-bg-white-70:focus,  
.swagger-ui .hover-bg-white-70:hover {  
    background-color: rgba(24, 26, 27, 0.7);  
}  
  
.swagger-ui .hover-bg-white-60:focus,  
.swagger-ui .hover-bg-white-60:hover {  
    background-color: rgba(24, 26, 27, 0.6);  
}  
  
.swagger-ui .hover-bg-white-50:focus,  
.swagger-ui .hover-bg-white-50:hover {  
    background-color: rgba(24, 26, 27, 0.5);  
}  
  
.swagger-ui .hover-bg-white-40:focus,  
.swagger-ui .hover-bg-white-40:hover {  
    background-color: rgba(24, 26, 27, 0.4);  
}  
  
.swagger-ui .hover-bg-white-30:focus,  
.swagger-ui .hover-bg-white-30:hover {  
    background-color: rgba(24, 26, 27, 0.3);  
}  
  
.swagger-ui .hover-bg-white-20:focus,  
.swagger-ui .hover-bg-white-20:hover {  
    background-color: rgba(24, 26, 27, 0.2);  
}
```

```
}

.swagger-ui .hover-bg-white-10:focus,
.swagger-ui .hover-bg-white-10:hover {
    background-color: rgba(24, 26, 27, 0.1);
}

.swagger-ui .hover-dark-red:focus,
.swagger-ui .hover-dark-red:hover {
    color: rgb(251, 43, 53);
}

.swagger-ui .hover-red:focus,
.swagger-ui .hover-red:hover {
    color: rgb(255, 74, 63);
}

.swagger-ui .hover-light-red:focus,
.swagger-ui .hover-light-red:hover {
    color: rgb(255, 112, 90);
}

.swagger-ui .hover-orange:focus,
.swagger-ui .hover-orange:hover {
    color: rgb(255, 115, 26);
}

.swagger-ui .hover-gold:focus,
.swagger-ui .hover-gold:hover {
    color: rgb(255, 190, 26);
}

.swagger-ui .hover-yellow:focus,
.swagger-ui .hover-yellow:hover {
    color: rgb(255, 219, 26);
}

.swagger-ui .hover-light-yellow:focus,
.swagger-ui .hover-light-yellow:hover {
    color: rgb(250, 237, 146);
}

.swagger-ui .hover-purple:focus,
.swagger-ui .hover-purple:hover {
```

```
        color: rgb(146, 99, 213);
    }
    .swagger-ui .hover-light-purple:focus,
    .swagger-ui .hover-light-purple:hover {
        color: rgb(164, 99, 242);
    }
    .swagger-ui .hover-dark-pink:focus,
    .swagger-ui .hover-dark-pink:hover {
        color: rgb(255, 55, 189);
    }
    .swagger-ui .hover-hot-pink:focus,
    .swagger-ui .hover-hot-pink:hover {
        color: rgb(255, 71, 182);
    }
    .swagger-ui .hover-pink:focus,
    .swagger-ui .hover-pink:hover {
        color: rgb(255, 115, 199);
    }
    .swagger-ui .hover-light-pink:focus,
    .swagger-ui .hover-light-pink:hover {
        color: rgb(255, 140, 205);
    }
    .swagger-ui .hover-dark-green:focus,
    .swagger-ui .hover-dark-green:hover {
        color: rgb(128, 235, 195);
    }
    .swagger-ui .hover-green:focus,
    .swagger-ui .hover-green:hover {
        color: rgb(92, 231, 180);
    }
    .swagger-ui .hover-light-green:focus,
    .swagger-ui .hover-light-green:hover {
        color: rgb(145, 232, 200);
    }
    .swagger-ui .hover-navy:focus,
```

```
.swagger-ui .hover-navy: hover {
    color: rgb(211, 207, 201);
}

.swagger-ui .hover-dark-blue: focus,
.swagger-ui .hover-dark-blue: hover {
    color: rgb(109, 186, 255);
}

.swagger-ui .hover-blue: focus,
.swagger-ui .hover-blue: hover {
    color: rgb(70, 151, 224);
}

.swagger-ui .hover-light-blue: focus,
.swagger-ui .hover-light-blue: hover {
    color: rgb(131, 200, 255);
}

.swagger-ui .hover-lightest-blue: focus,
.swagger-ui .hover-lightest-blue: hover {
    color: rgb(169, 222, 255);
}

.swagger-ui .hover-washed-blue: focus,
.swagger-ui .hover-washed-blue: hover {
    color: rgb(198, 255, 249);
}

.swagger-ui .hover-washed-green: focus,
.swagger-ui .hover-washed-green: hover {
    color: rgb(192, 250, 228);
}

.swagger-ui .hover-washed-yellow: focus,
.swagger-ui .hover-washed-yellow: hover {
    color: rgb(255, 245, 190);
}

.swagger-ui .hover-washed-red: focus,
.swagger-ui .hover-washed-red: hover {
    color: rgb(255, 182, 182);
}
```

```
.swagger-ui .hover-bg-dark-red:focus,  
.swagger-ui .hover-bg-dark-red:hover {  
    background-color: rgb(185, 3, 12);  
}  
  
.swagger-ui .hover-bg-red:focus,  
.swagger-ui .hover-bg-red:hover {  
    background-color: rgb(172, 9, 0);  
}  
  
.swagger-ui .hover-bg-light-red:focus,  
.swagger-ui .hover-bg-light-red:hover {  
    background-color: rgb(149, 20, 0);  
}  
  
.swagger-ui .hover-bg-orange:focus,  
.swagger-ui .hover-bg-orange:hover {  
    background-color: rgb(204, 79, 0);  
}  
  
.swagger-ui .hover-bg-gold:focus,  
.swagger-ui .hover-bg-gold:hover {  
    background-color: rgb(153, 110, 0);  
}  
  
.swagger-ui .hover-bg-yellow:focus,  
.swagger-ui .hover-bg-yellow:hover {  
    background-color: rgb(153, 129, 0);  
}  
  
.swagger-ui .hover-bg-light-yellow:focus,  
.swagger-ui .hover-bg-light-yellow:hover {  
    background-color: rgb(75, 67, 4);  
}  
  
.swagger-ui .hover-bg-purple:focus,  
.swagger-ui .hover-bg-purple:hover {  
    background-color: rgb(75, 35, 132);  
}  
  
.swagger-ui .hover-bg-light-purple:focus,  
.swagger-ui .hover-bg-light-purple:hover {  
    background-color: rgb(70, 12, 141);
```



```
}

.swagger-ui .hover-bg-dark-pink:focus,
.swagger-ui .hover-bg-dark-pink:hover {
    background-color: rgb(170, 0, 114);
}

.swagger-ui .hover-bg-hot-pink:focus,
.swagger-ui .hover-bg-hot-pink:hover {
    background-color: rgb(165, 0, 100);
}

.swagger-ui .hover-bg-pink:focus,
.swagger-ui .hover-bg-pink:hover {
    background-color: rgb(127, 0, 76);
}

.swagger-ui .hover-bg-light-pink:focus,
.swagger-ui .hover-bg-light-pink:hover {
    background-color: rgb(106, 0, 60);
}

.swagger-ui .hover-bg-dark-green:focus,
.swagger-ui .hover-bg-dark-green:hover {
    background-color: rgb(15, 95, 66);
}

.swagger-ui .hover-bg-green:focus,
.swagger-ui .hover-bg-green:hover {
    background-color: rgb(20, 135, 93);
}

.swagger-ui .hover-bg-light-green:focus,
.swagger-ui .hover-bg-light-green:hover {
    background-color: rgb(21, 100, 79);
}

.swagger-ui .hover-bg-navy:focus,
.swagger-ui .hover-bg-navy:hover {
    background-color: rgb(0, 22, 54);
}

.swagger-ui .hover-bg-dark-blue:focus,
.swagger-ui .hover-bg-dark-blue:hover {
```

```
        background-color: rgb(0, 54, 126);
    }
    .swagger-ui .hover-bg-blue:focus,
    .swagger-ui .hover-bg-blue:hover {
        background-color: rgb(28, 87, 165);
    }
    .swagger-ui .hover-bg-light-blue:focus,
    .swagger-ui .hover-bg-light-blue:hover {
        background-color: rgb(0, 59, 114);
    }
    .swagger-ui .hover-bg-lightest-blue:focus,
    .swagger-ui .hover-bg-lightest-blue:hover {
        background-color: rgb(38, 41, 43);
    }
    .swagger-ui .hover-bg-washed-blue:focus,
    .swagger-ui .hover-bg-washed-blue:hover {
        background-color: rgb(0, 56, 52);
    }
    .swagger-ui .hover-bg-washed-green:focus,
    .swagger-ui .hover-bg-washed-green:hover {
        background-color: rgb(5, 61, 45);
    }
    .swagger-ui .hover-bg-washed-yellow:focus,
    .swagger-ui .hover-bg-washed-yellow:hover {
        background-color: rgb(47, 40, 0);
    }
    .swagger-ui .hover-bg-washed-red:focus,
    .swagger-ui .hover-bg-washed-red:hover {
        background-color: rgb(70, 0, 0);
    }
    .swagger-ui .hover-bg-inherit:focus,
    .swagger-ui .hover-bg-inherit:hover {
        background-color: inherit;
    }
    .swagger-ui .striped--light-silver:nth-child(2n+1) {
```

```

        background-color: rgb(72, 78, 81);
    }

    .swagger-ui .striped--moon-gray:nth-child(2n+1) {
        background-color: rgb(53, 57, 59);
    }

    .swagger-ui .striped--light-gray:nth-child(2n+1) {
        background-color: rgb(34, 36, 38);
    }

    .swagger-ui .striped--near-white:nth-child(2n+1) {
        background-color: rgb(30, 33, 34);
    }

    .swagger-ui .stripe-light:nth-child(2n+1) {
        background-color: rgba(24, 26, 27, 0.1);
    }

    .swagger-ui .stripe-dark:nth-child(2n+1) {
        background-color: rgba(0, 0, 0, 0.1);
    }

    .swagger-ui .strike {
        text-decoration-color: initial;
    }

    .swagger-ui .underline {
        text-decoration-color: initial;
    }

    .swagger-ui .no-underline {
        text-decoration-color: initial;
    }

    @media screen and (min-width: 30em) {
        .swagger-ui .strike-ns {
            text-decoration-color: initial;
        }

        .swagger-ui .underline-ns {
            text-decoration-color: initial;
        }

        .swagger-ui .no-underline-ns {
            text-decoration-color: initial;
        }
    }

```

```

    }
}
@media screen and (min-width: 30em) and (max-width: 60em) {
  .swagger-ui .strike-m {
    text-decoration-color: initial;
  }
  .swagger-ui .underline-m {
    text-decoration-color: initial;
  }
  .swagger-ui .no-underline-m {
    text-decoration-color: initial;
  }
}
@media screen and (min-width: 60em) {
  .swagger-ui .strike-l {
    text-decoration-color: initial;
  }
  .swagger-ui .underline-l {
    text-decoration-color: initial;
  }
  .swagger-ui .no-underline-l {
    text-decoration-color: initial;
  }
}
.swagger-ui .underline-hover:focus,
.swagger-ui .underline-hover:hover {
  text-decoration-color: initial;
}
.swagger-ui .shadow-hover::after {
  box-shadow: rgba(0, 0, 0, 0.2) 0px 0px 16px 2px;
}
.swagger-ui .nested-links a {
  color-relearn: var(--INTERNAL-MAIN-LINK-color);
}
.swagger-ui .nested-links a:focus,

```

```

.swagger-ui .nested-links a:hover {
    color-relearn: var(--INTERNAL-MAIN-LINK-HOVER-color);
}

.swagger-ui .opblock-tag {
    border-bottom-color: rgba(117, 109, 96, 0.3);
}

.swagger-ui .opblock-tag:hover {
    background-image: initial;
    background-color: rgba(0, 0, 0, 0.02);
}

.swagger-ui .opblock-tag {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock-tag small {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .parameter__type {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock {
    border-color: rgb(140, 130, 115);
    box-shadow: rgba(0, 0, 0, 0.19) 0px 0px 3px;
}

.swagger-ui .opblock .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color: rgb(96, 104, 108);
}

.swagger-ui .opblock.is-open .opblock-summary {
border-bottom-color: rgb(140, 130, 115);
}

.swagger-ui .opblock .opblock-section-header {
    background-image: initial;
    background-color: rgba(24, 26, 27, 0.8);
    box-shadow: rgba(0, 0, 0, 0.1) 0px 1px 2px;
}

```

```

.swagger-ui .opblock .opblock-section-header > label {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock .opblock-section-header h4 {
    color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .opblock .opblock-summary-method {
    background-image: initial;
    background-color: rgb(0, 0, 0);
    color: rgb(232, 230, 227);
    text-shadow: rgba(0, 0, 0, 0.1) 0px 1px 0px;
}

.swagger-ui .opblock .opblock-summary-operation-id,
.swagger-ui .opblock .opblock-summary-path,
.swagger-ui .opblock .opblock-summary-path__deprecated {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock .opblock-summary-path__deprecated {
    text-decoration-color: initial;
}

.swagger-ui .opblock .opblock-summary-description {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock.opblock-post {
    background-image: initial;
    background-color: rgba(42, 149, 112, 0.1);
    border-color-relearn: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-post .opblock-summary-method {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-post .opblock-summary {
    border-color-relearn: var(--INTERNAL-BOX-GREEN-color);
}

```

```

.swagger-ui .opblock.opblock-post .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-put {
    background-image: initial;
    background-color: rgba(174, 98, 3, 0.1);
    border-color-relearn: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-put .opblock-summary-method {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-put .opblock-summary {
    border-color-relearn: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-put .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-delete {
    background-image: initial;
    background-color: rgba(165, 5, 5, 0.1);
    border-color-relearn: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-delete .opblock-summary-method {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-delete .opblock-summary {
    border-color-relearn: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-delete .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-BOX-RED-color);
}

```

```

}

.swagger-ui .opblock.opblock-get {
  background-image: initial;
  background-color: rgba(1, 73, 145, 0.1);
  border-color-relearn: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-get .opblock-summary-method {
  background-image: initial;
  background-color-relearn: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-get .opblock-summary {
  border-color-relearn: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-get .tab-header .tab-item.active h4 span::after {
  background-image: initial;
  background-color-relearn: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-patch {
  background-image: initial;
  background-color: rgba(24, 149, 128, 0.1);
  border-color: rgb(22, 140, 114);
}

.swagger-ui .opblock.opblock-patch .opblock-summary-method {
  background-image: initial;
  background-color: rgb(24, 149, 128);
}

.swagger-ui .opblock.opblock-patch .opblock-summary {
  border-color: rgb(22, 140, 114);
}

.swagger-ui .opblock.opblock-patch .tab-header .tab-item.active h4 span::after {
  background-image: initial;
  background-color: rgb(24, 149, 128);
}

.swagger-ui .opblock.opblock-head {
  background-image: initial;

```



```

        background-color: rgba(103, 1, 193, 0.1);
        border-color: rgb(93, 1, 173);
    }

.swagger-ui .opblock.opblock-head .opblock-summary-method {
    background-image: initial;
    background-color: rgb(103, 1, 193);
}

.swagger-ui .opblock.opblock-head .opblock-summary {
border-color: rgb(93, 1, 173);
}

.swagger-ui .opblock.opblock-head .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color: rgb(103, 1, 193);
}

.swagger-ui .opblock.opblock-options {
    background-image: initial;
    background-color: rgba(10, 72, 134, 0.1);
    border-color: rgb(15, 101, 186);
}

.swagger-ui .opblock.opblock-options .opblock-summary-method {
    background-image: initial;
    background-color: rgb(10, 72, 134);
}

.swagger-ui .opblock.opblock-options .opblock-summary {
    border-color: rgb(15, 101, 186);
}

.swagger-ui .opblock.opblock-options .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color: rgb(10, 72, 134);
}

.swagger-ui .opblock.opblock-deprecated {
    background-image: initial;
    background-color: rgba(35, 38, 40, 0.1);
    border-color: rgb(54, 58, 60);
}

```

```
.swagger-ui .opblock.opblock-deprecated .opblock-summary-method {
    background-image: initial;
    background-color: rgb(35, 38, 40);
}

.swagger-ui .opblock.opblock-deprecated .opblock-summary {
    border-color: rgb(54, 58, 60);
}

.swagger-ui .opblock.opblock-deprecated .tab-header .tab-item.active h4 span::after {
    background-image: initial;
    background-color: rgb(35, 38, 40);
}

.swagger-ui .filter .operation-filter-input {
    border-color: rgb(57, 62, 64);
}

.swagger-ui .download-url-wrapper .failed,
.swagger-ui .filter .failed {
    color: rgb(255, 26, 26);
}

.swagger-ui .download-url-wrapper .loading,
.swagger-ui .filter .loading {
    color: rgb(178, 172, 162);
}

.swagger-ui .tab {
    list-style-image: initial;
}

.swagger-ui .tab li {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .tab li:first-of-type::after {
    background-image: initial;
    background-color: rgba(0, 0, 0, 0.2);
}

.swagger-ui .tab li button.tablinks {
    background-image: none;
    background-color: initial;
}
```

```

        border-color: initial;
        color: inherit;
    }
    .swagger-ui .opblock-description-wrapper,
    .swagger-ui .opblock-external-docs-wrapper,
    .swagger-ui .opblock-title_normal {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .opblock-description-wrapper h4,
    .swagger-ui .opblock-external-docs-wrapper h4,
    .swagger-ui .opblock-title_normal h4 {
        color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
    }
    .swagger-ui .opblock-description-wrapper p,
    .swagger-ui .opblock-external-docs-wrapper p,
    .swagger-ui .opblock-title_normal p {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .responses-inner h4{
        color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
    }
    .swagger-ui .responses-inner h5 {
        color-relearn: var(--INTERNAL-MAIN-TITLES-H5-TEXT-color);
    }
    .swagger-ui .response-col_status {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .response-col_status .response-undocumented {
        color: rgb(162, 154, 142);
    }
    .swagger-ui .response-col_links {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .response-col_links .response-undocumented {
        color: rgb(162, 154, 142);
    }

```

```

}

.swagger-ui .opblock-body pre.microlight {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-MAIN-BG-color);
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .download-contents {
    background-image: initial;
    background-color: rgb(91, 99, 103);
    color: rgb(232, 230, 227);
}

.swagger-ui .scheme-container {
    background-image: initial;
    background-color: rgb(24, 26, 27);
    box-shadow: rgba(0, 0, 0, 0.15) 0px 1px 2px 0px;
}

.swagger-ui .scheme-container .schemes > label {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .loading-container .loading::after {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .loading-container .loading::before {
border-color: rgba(140, 130, 115, 0.6) rgba(112, 104, 92, 0.1) rgba(112, 104, 92, 0.1);
}

.swagger-ui .response-control-media-type--accept-controller select {
    border-color: rgb(0, 217, 0);
}

.swagger-ui .response-control-media-type__accept-message {
    color: rgb(114, 255, 114);
}

.swagger-ui .no-margin {
    border-color: initial;
}

.swagger-ui section h3 {

```

```
        color-relearn: var(--INTERNAL-MAIN-TITLES-H3-TEXT-color);
    }
    .swagger-ui a.nostyle,
    .swagger-ui a.nostyle:visited {
        color: inherit;
        text-decoration-color: inherit;
    }
    .swagger-ui .fallback {
        color: rgb(178, 172, 162);
    }
    .swagger-ui .version-pragma__message code {
        background-color: rgb(43, 46, 48);
    }
    .swagger-ui span.token-string {
        color: rgb(178, 172, 162);
    }
    .swagger-ui span.token-not-formatted {
        color: rgb(178, 172, 162);
    }
    .swagger-ui .btn {
        background-image: initial;
        background-color: transparent;
        border-color: rgb(84, 91, 94);
        box-shadow: rgba(0, 0, 0, 0.1) 0px 1px 2px;
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .btn:hover {
        box-shadow: rgba(0, 0, 0, 0.3) 0px 0px 5px;
    }
    .swagger-ui .btn.cancel {
        background-color: transparent;
        border-color: rgb(150, 0, 0);
        color: rgb(255, 93, 93);
    }
    .swagger-ui .btn.authorize {
```

```
        background-color: transparent;

        border-color: rgb(38, 134, 90);

        color: rgb(88, 208, 153);
    }

    .swagger-ui .btn.authorize svg {

        fill: rgb(88, 208, 153);
    }

    .swagger-ui .btn.execute {

        background-color: rgb(24, 84, 153);

        border-color: rgb(23, 78, 143);

        color: rgb(232, 230, 227);
    }

    .swagger-ui .authorization__btn {
background-image: none;

        background-color: initial;

        border-color: initial;
    }

    .swagger-ui .model-box-control,
    .swagger-ui .models-control,
    .swagger-ui .opblock-summary-control {

        border-bottom-color: initial;
    }

    .swagger-ui .model-box-control:focus,
    .swagger-ui .models-control:focus,
    .swagger-ui .opblock-summary-control:focus {

        outline-color: initial;
    }

    .swagger-ui .expand-methods,
    .swagger-ui .expand-operation {

        background-image: none;

        background-color: initial;

        border-color: initial;
    }

    .swagger-ui .expand-methods:hover svg {

        fill: rgb(192, 186, 178);
    }
}
```

```

}

.swagger-ui .expand-methods svg {
    fill: rgb(161, 153, 141);
}

.swagger-ui button.invalid {
    background-image: initial;
    background-color: rgb(61, 3, 3);
    border-color: rgb(157, 5, 5);
}

.swagger-ui .copy-to-clipboard {
    background-image: initial;
    background-color: rgb(91, 99, 103);
    border-color: initial;
}

.swagger-ui .copy-to-clipboard button {
    background-color: initial;
    border-color: initial;
}

.swagger-ui select {
    background-color: rgb(29, 31, 32);
    border-color: rgb(116, 108, 96);
    box-shadow: rgba(0, 0, 0, 0.25) 0px 1px 2px 0px;
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui select[multiple] {
    background-image: initial;
    background-color: rgb(29, 31, 32);
}

.swagger-ui select.invalid {
    background-image: initial;
    background-color: rgb(61, 3, 3);
    border-color: rgb(157, 5, 5);
}

.swagger-ui label {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

```

```

}

.swagger-ui input[type="email"], .swagger-ui input[type="file"], .swagger-ui input[type="password"], .swa

.swagger-ui textarea {
background-image: initial;

    background-color: rgb(24, 26, 27);

    border-color: rgb(59, 64, 66);
}

.swagger-ui input[type="email"].invalid, .swagger-ui input[type="file"].invalid, .swagger-ui input[type="password"].invalid, .swagger-ui input[type="password"].invalid {
background-image: initial;

    background-color: rgb(61, 3, 3);

    border-color: rgb(157, 5, 5);
}

.swagger-ui input[disabled],
.swagger-ui select[disabled],
.swagger-ui textarea[disabled] {
    background-color: rgb(27, 29, 30);

    color: rgb(157, 148, 136);
}

.swagger-ui select[disabled] {
    border-color: rgb(82, 88, 92);
}

.swagger-ui textarea[disabled] {
    background-color: rgb(54, 58, 61);

    color: rgb(232, 230, 227);
}

.swagger-ui textarea {
    background-image: initial;

    background-color: rgba(24, 26, 27, 0.8);

    border-color: initial;

    color-relearn: var(--INTERNAL-MAIN-TEXT-color);

    outline-color: initial;
}

.swagger-ui textarea:focus {
    border-color: rgb(1, 74, 149);
}

```



```

}

.swagger-ui textarea.curl {
    background-image: initial;
    background-color: rgb(54, 58, 61);
    color: rgb(232, 230, 227);
}

.swagger-ui .checkbox {
    color: rgb(202, 197, 190);
}

.swagger-ui .checkbox p {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .checkbox input[type="checkbox"] + label > .item {
    background-image: initial;
    background-color: rgb(37, 40, 42);
    box-shadow: rgb(37, 40, 42) 0px 0px 0px 2px;
}

.swagger-ui .checkbox input[type="checkbox"]:checked + label > .item {
    background-image: url("data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmcici);
    background-color: rgb(37, 40, 42);
}

.swagger-ui .dialog-ux .backdrop-ux {
    background-image: initial;
    background-color: rgba(0, 0, 0, 0.8);
}

.swagger-ui .dialog-ux .modal-ux {
    background-image: initial;
    background-color: rgb(24, 26, 27);
    border-color: rgb(54, 58, 60);
    box-shadow: rgba(0, 0, 0, 0.2) 0px 10px 30px 0px;
}

.swagger-ui .dialog-ux .modal-ux-content p {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .dialog-ux .modal-ux-content h4 {

```

```
        color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
    }
    .swagger-ui .dialog-ux .modal-ux-header {
        border-bottom-color: rgb(54, 58, 60);
    }
    .swagger-ui .dialog-ux .modal-ux-header .close-modal {
        background-image: none;
        background-color: initial;
        border-color: initial;
    }
    .swagger-ui .dialog-ux .modal-ux-header h3 {
        color-relearn: var(--INTERNAL-MAIN-TITLES-H3-TEXT-color);
    }
    .swagger-ui .model {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .model .deprecated span,
    .swagger-ui .model .deprecated td {
        color: rgb(172, 165, 154) !important;
    }
    .swagger-ui .model .deprecated > td:first-of-type {
        text-decoration-color: initial;
    }
    .swagger-ui .model-toggle::after {
        background-image: url("data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmci");
        background-color: initial;
    }
    .swagger-ui .model-hint {
        background-image: initial;
        background-color: rgba(0, 0, 0, 0.7);
        color: rgb(219, 216, 212);
    }
    .swagger-ui .model .property {
        color: rgb(168, 160, 149);
    }
```

```
.swagger-ui .model .property.primitive {
    color: rgb(164, 157, 145);
}

.swagger-ui .model .external-docs,
.swagger-ui table.model tr.description {
    color: rgb(168, 160, 149);
}

.swagger-ui table.model tr.property-row .star {
    color: rgb(255, 26, 26);
}

.swagger-ui table.model tr.extension {
    color: rgb(157, 148, 136);
}

.swagger-ui section.models {
    border-color: rgba(117, 109, 96, 0.3);
}

.swagger-ui section.models.is-open h4 {
    border-bottom-color: rgba(117, 109, 96, 0.3);
}

.swagger-ui section.models h4 {
    color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui section.models h4:hover {
    background-image: initial;
    background-color: rgba(0, 0, 0, 0.02);
}

.swagger-ui section.models h5 {
    color-relearn: var(--INTERNAL-MAIN-TITLES-H5-TEXT-color);
}

.swagger-ui section.models .model-container {
    background-image: initial;
    background-color: rgba(0, 0, 0, 0.05);
}

.swagger-ui section.models .model-container:hover {
    background-image: initial;
```

```
        background-color: rgba(0, 0, 0, 0.07);
    }
    .swagger-ui section.models .model-box {
        background-image: none;
        background-color: initial;
    }
    .swagger-ui .model-box {
        background-image: initial;
        background-color: rgba(0, 0, 0, 0.1);
    }
    .swagger-ui .model-title {
        color-relearn: var(--INTERNAL-MAIN-TITLES-TEXT-color);
    }
    .swagger-ui .model-deprecated-warning {
        color: rgb(249, 70, 70);
    }
    .swagger-ui .prop-type {
        color: rgb(119, 144, 187);
    }
    .swagger-ui .prop-format {
        color-relearn: var(--INTERNAL-MAIN-TITLES-TEXT-color);
    }
    .swagger-ui .servers > label {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui table.headers td {
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui table.headers .header-example {
        color: rgb(168, 160, 149);
    }
    .swagger-ui table thead tr td,
    .swagger-ui table thead tr th {
        border-bottom-color: rgba(117, 109, 96, 0.2);
        color-relearn: var(--INTERNAL-MAIN-TEXT-color);
    }
```

```

}

.swagger-ui .parameter__name {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .parameter__name.required span {
    color: rgb(255, 26, 26);
}

.swagger-ui .parameter__name.required::after {
color: rgba(255, 26, 26, 0.6);
}

.swagger-ui .parameter__extension,
.swagger-ui .parameter__in {
    color: rgb(152, 143, 129);
}

.swagger-ui .parameter__deprecated {
    color: rgb(255, 26, 26);
}

.swagger-ui .response__extension {
    color: rgb(152, 143, 129);
}

.swagger-ui .topbar {
    background-color: rgb(20, 22, 23);
}

.swagger-ui .topbar a {
    color: rgb(232, 230, 227); text-decoration-color: initial;
}

.swagger-ui .topbar .download-url-wrapper input[type="text"] {
    border-color: rgb(83, 135, 53);
    outline-color: initial;
}

.swagger-ui .topbar .download-url-wrapper .select-label {
    color: rgb(223, 220, 215);
}

.swagger-ui .topbar .download-url-wrapper .select-label select {
    border-color: rgb(83, 135, 53);
}

```

```

        box-shadow: none;

        outline-color: initial;
    }

.swagger-ui .topbar .download-url-wrapper .download-url-button {

    background-image: initial;

    background-color: rgb(78, 128, 50);

    border-color: initial;

    color: rgb(232, 230, 227);
}

.swagger-ui .info li,
.swagger-ui .info p,
.swagger-ui .info table {

    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .info h1 {

    color-relearn: var(--INTERNAL-MAIN-TITLES-H1-TEXT-color);
}

.swagger-ui .info h2 {

    color-relearn: var(--INTERNAL-MAIN-TITLES-H2-TEXT-color);
}

.swagger-ui .info h3 {

    color-relearn: var(--INTERNAL-MAIN-TITLES-H3-TEXT-color);
}

.swagger-ui .info h4 {

    color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .info h5 {

    color-relearn: var(--INTERNAL-MAIN-TITLES-H5-TEXT-color);
}

.swagger-ui .info a {

    color-relearn: var(--INTERNAL-MAIN-LINK-color);
}

.swagger-ui .info a:hover {
color-relearn: var(--INTERNAL-MAIN-LINK-HOVER-color);
}

```

```
.swagger-ui .info .base-url {
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .info .title {
    color-relearn: var(--INTERNAL-MAIN-TITLES-TEXT-color);
}

.swagger-ui .info .title small {
    background-image: initial;
    background-color: rgb(91, 99, 103);
}

.swagger-ui .info .title small.version-stamp {
    background-color: rgb(110, 153, 3);
}

.swagger-ui .info .title small pre {
    color: rgb(232, 230, 227);
}

.swagger-ui .auth-container {
    border-bottom-color: rgb(54, 58, 60);
}

.swagger-ui .auth-container:last-of-type {
    border-color: initial;
}

.swagger-ui .auth-container .errors {
    background-color: rgb(61, 0, 0);
    color-relearn: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .scopes h2 {
    color-relearn: var(--INTERNAL-MAIN-TITLES-H2-TEXT-color);
}

.swagger-ui .scopes h2 a {
    color-relearn: var(--INTERNAL-MAIN-LINK-color);
    text-decoration-color: initial;
}

.swagger-ui .errors-wrapper {
    background-image: initial;
```

```

        background-color: rgba(165, 5, 5, 0.1);
        border-color: rgb(157, 5, 5);
    }

.swagger-ui .errors-wrapper .errors h4 {
    color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .errors-wrapper .errors small {
    color-relearn: var(--INTERNAL-MAIN-TITLES-TEXT-color);
}

.swagger-ui .errors-wrapper .errors .error-line {
    text-decoration-color: initial;
}

.swagger-ui .errors-wrapper hgroup h4 {
    color-relearn: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .markdown pre,
.swagger-ui .renderedMarkdown pre {
    background-image: none;
    background-color: initial;
    color: rgb(232, 230, 227);
}

.swagger-ui .markdown code,
.swagger-ui .renderedMarkdown code {
background-image: initial;

    background-color: rgba(0, 0, 0, 0.05);
    color: rgb(154, 38, 254);
}

body {
    background-image: initial;
    background-color-relearn: var(--INTERNAL-MAIN-BG-color);
}

/* Override Style */

.vimvixen-hint {
    background-color: #7b5300 !important;
}

```



```
        border-color: #d8b013 !important;
        color: #f3e8c8 !important;
    }
    ::placeholder {
        opacity: 0.5 !important;
    }
    #edge-translate-panel-body,
    .MuiTypography-body1,
    .nfe-quote-text {
        color: var(--darkreader-neutral-text) !important;
    }
    gr-main-header {
        background-color: #0f3a48 !important;
    }
    .tou-z65h9k,
    .tou-mignzq,
    .tou-1b6i2ox,
    .tou-lnqlqk {
        background-color: var(--darkreader-neutral-background) !important;
    }
    .tou-75mvi {
        background-color: #032029 !important;
    }
    .tou-ta9e87,
    .tou-1w3fhi0,
    .tou-1b8t2us,
    .tou-py7lfi,
    .tou-1lpmd9d,
    .tou-1frrtv8,
    .tou-17ezmgn {
        background-color: #0a0a0a !important;
    }
    .tou-uknfeu {
        background-color: #231603 !important;
    }
```

```
.tou-6i3zyv {
    background-color: #19576c !important;
}

embed[type="application/pdf"][src="about:blank"] { filter: invert(100%) contrast(90%); }

/* Relearn Fix Style */
.swagger-ui select {
    background-image: url("data:image/svg+xml;charset=utf-8,<svg xmlns='\"http://www.w3.org/2000/svg\"' view");
}

.swagger-ui .model-toggle::after {
    background-image: url("data:image/svg+xml;charset=utf-8,<svg xmlns='\"http://www.w3.org/2000/svg\"' wid");
}

.swagger-ui section.models .model-container {
background-color: rgba(0, 0, 0, 0.25);
}

.swagger-ui section.models .model-container:hover {
    background-color: rgba(0, 0, 0, 0.5);
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\swagger.css

Resumo: / Styles to make Swagger-UI fit into our theme */ @import "fonts.css"; @import "variant-internal.css"; body{ line-height: 1.574; font-weight: 300; margin: 0; overflow: hidden; } body, .swagger-ui .info *, #relearn-swagger-ui .renderedMarkdown *, #relearn-swagger-ui p...*

/ Styles to make Swagger-UI fit into our theme */*

```
@import "fonts.css";
```

```
@import "variant-internal.css";
```

```
body{
```

```
    line-height: 1.574;
```

```
    font-weight: 300;
```

```
    margin: 0;
```

```
    overflow: hidden;
```

```
}
```

```
body,
```

```
.swagger-ui .info *,
```

```
#relearn-swagger-ui .renderedMarkdown *,
```

```
#relearn-swagger-ui p{
```

```
    font-size: 1.015625rem;
```

```
}
```

```
.swagger-ui .scheme-container{
```

```
    padding-left: 1rem;
```

```
    padding-right: 1rem;
```

```
}
```

```
.swagger-ui .wrapper{
```

```
    padding-left: 0;
```

```
    padding-right: 0;
```

```
}
```

```
h2 {
```

```
    font-weight: 500;
```

```
}
```

```
svg{
```

```
    fill: var(--INTERNAL-MAIN-TEXT-color);
```

```
}
```

```

.swagger-ui .info h2.title {
    color: var(--INTERNAL-MAIN-TITLES-H2-TEXT-color);
}

.relearn-expander{
    display: block;
    float: right;
    margin: .5rem;
}

#relearn-swagger-ui{
    clear: both;
}

/* Styles extracted from swagger-dark.css generated by Dark Reader */

html {
    background-color: var(--INTERNAL-MAIN-BG-color) !important;
}

html {
    color-scheme: var(--INTERNAL-BROWSER-theme) !important;
}

html, body {
    background-color: var(--INTERNAL-MAIN-BG-color);
}

html, body {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

a {
    color: var(--INTERNAL-MAIN-LINK-color);
}

input:-webkit-autofill,
textarea:-webkit-autofill,
select:-webkit-autofill {
    color: var(--INTERNAL-MAIN-TEXT-color) !important;
}

::-webkit-scrollbar-corner {

```

```

        background-color: var(--INTERNAL-MAIN-BG-color);
    }
    ::selection {
        color: var(--INTERNAL-MAIN-TEXT-color) !important;
    }
    ::-moz-selection {
        color: var(--INTERNAL-MAIN-TEXT-color) !important;
    }
    *:not(pre, pre *, code, .far, .fa, .glyphicon, [class*="vjs-"], .fab, .fa-github, .fas, .material-icons,
        font-family: var(--INTERNAL-MAIN-font) !important;
    }
    :root {
        --darkreader-neutral-background: var(--INTERNAL-MAIN-BG-color);
        --darkreader-neutral-text: var(--INTERNAL-MAIN-TEXT-color);
        --darkreader-selection-text: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui {
        color: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .nested-links a {
        color: var(--INTERNAL-MAIN-LINK-color);
    }
    .swagger-ui .nested-links a:focus,
    .swagger-ui .nested-links a:hover {
        color: var(--INTERNAL-MAIN-LINK-HOVER-color);
    }
    .swagger-ui .opblock-tag {
        color: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .opblock-tag small {
        color: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .parameter__type {
        color: var(--INTERNAL-MAIN-TEXT-color);
    }

```

```
.swagger-ui .opblock .opblock-section-header > label {
  color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock .opblock-section-header h4 {
  color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .opblock .opblock-summary-operation-id,
.swagger-ui .opblock .opblock-summary-path,
.swagger-ui .opblock .opblock-summary-path__deprecated {
  color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock .opblock-summary-description {
  color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock.opblock-post {
  border-color: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-post .opblock-summary-method {
  background-color: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-post .opblock-summary {
  border-color: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-post .tab-header .tab-item.active h4 span::after {
  background-color: var(--INTERNAL-BOX-GREEN-color);
}

.swagger-ui .opblock.opblock-put {
  border-color: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-put .opblock-summary-method {
  background-color: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-put .opblock-summary {
  border-color: var(--INTERNAL-BOX-ORANGE-color);
}
```

```

.swagger-ui .opblock.opblock-put .tab-header .tab-item.active h4 span::after {
    background-color: var(--INTERNAL-BOX-ORANGE-color);
}

.swagger-ui .opblock.opblock-delete {
    border-color: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-delete .opblock-summary-method {
    background-color: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-delete .opblock-summary {
    border-color: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-delete .tab-header .tab-item.active h4 span::after {
    background-color: var(--INTERNAL-BOX-RED-color);
}

.swagger-ui .opblock.opblock-get {
    border-color: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-get .opblock-summary-method {
    background-color: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-get .opblock-summary {
    border-color: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .opblock.opblock-get .tab-header .tab-item.active h4 span::after {
    background-color: var(--INTERNAL-BOX-BLUE-color);
}

.swagger-ui .tab li {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock-description-wrapper,
.swagger-ui .opblock-external-docs-wrapper,
.swagger-ui .opblock-title_normal {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

```

```
.swagger-ui .opblock-description-wrapper h4,
.swagger-ui .opblock-external-docs-wrapper h4,
.swagger-ui .opblock-title_normal h4 {
    color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .opblock-description-wrapper p,
.swagger-ui .opblock-external-docs-wrapper p,
.swagger-ui .opblock-title_normal p {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .responses-inner h4{
    color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .responses-inner h5 {
    color: var(--INTERNAL-MAIN-TITLES-H5-TEXT-color);
}

.swagger-ui .response-col_status {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .response-col_links {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .opblock-body pre.microlight {
    background-color: var(--INTERNAL-MAIN-BG-color);
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .scheme-container .schemes > label {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .loading-container .loading::after {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui section h3 {
    color: var(--INTERNAL-MAIN-TITLES-H3-TEXT-color);
}
```



```
.swagger-ui .btn {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui select {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui label {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui textarea {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .checkbox p {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .dialog-ux .modal-ux-content p {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .dialog-ux .modal-ux-content h4 {
    color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .dialog-ux .modal-ux-header h3 {
    color: var(--INTERNAL-MAIN-TITLES-H3-TEXT-color);
}

.swagger-ui .model {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui section.models h4 {
    color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui section.models h5 {
    color: var(--INTERNAL-MAIN-TITLES-H5-TEXT-color);
}

.swagger-ui .model-title {
color: var(--INTERNAL-MAIN-TITLES-TEXT-color);
```

```
}

.swagger-ui .prop-format {
    color: var(--INTERNAL-MAIN-TITLES-TEXT-color);
}

.swagger-ui .servers > label {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui table.headers td {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui table thead tr td,
.swagger-ui table thead tr th {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .parameter__name {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .info li,
.swagger-ui .info p,
.swagger-ui .info table {
    color: var(--INTERNAL-MAIN-TEXT-color);
}

.swagger-ui .info h1 {
    color: var(--INTERNAL-MAIN-TITLES-H1-TEXT-color);
}

.swagger-ui .info h2 {
    color: var(--INTERNAL-MAIN-TITLES-H2-TEXT-color);
}

.swagger-ui .info h3 {
    color: var(--INTERNAL-MAIN-TITLES-H3-TEXT-color);
}

.swagger-ui .info h4 {
    color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
}

.swagger-ui .info h5 {
```

```
        color: var(--INTERNAL-MAIN-TITLES-H5-TEXT-color);
    }
    .swagger-ui .info a {
        color: var(--INTERNAL-MAIN-LINK-color);
    }
    .swagger-ui .info a:hover {
        color: var(--INTERNAL-MAIN-LINK-HOVER-color);
    }
    .swagger-ui .info .base-url {
        color: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .info .title {
        color: var(--INTERNAL-MAIN-TITLES-TEXT-color);
    }
    .swagger-ui .auth-container .errors {
        color: var(--INTERNAL-MAIN-TEXT-color);
    }
    .swagger-ui .scopes h2 {
        color: var(--INTERNAL-MAIN-TITLES-H2-TEXT-color);
    }
    .swagger-ui .scopes h2 a {
        color: var(--INTERNAL-MAIN-LINK-color);
    }
    .swagger-ui .errors-wrapper .errors h4 {
        color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
    }
    .swagger-ui .errors-wrapper .errors small {
        color: var(--INTERNAL-MAIN-TITLES-TEXT-color);
    }
    .swagger-ui .errors-wrapper hgroup h4 {
        color: var(--INTERNAL-MAIN-TITLES-H4-TEXT-color);
    }
    body {
        background-color: var(--INTERNAL-MAIN-BG-color);
    }
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\tags.css

Resumo: / Tags */ .tags{ margin-left: 1rem; margin-top: 1rem; } .tags.term-list ul > li ~ li:before { content: " " } #R-body .tags a.term-link { border-bottom-right-radius: 3px; border-top-right-radius: 3px; box-shadow: 0 1px 2px rgba(0, 0, 0, .2); display: i...*

```
/* Tags */
```

```
.tags{  
    margin-left: 1rem;  
    margin-top: 1rem;  
}
```

```
.tags.term-list ul > li ~ li:before {  
    content: " "  
}
```

```
#R-body .tags a.term-link {  
    border-bottom-right-radius: 3px;  
    border-top-right-radius: 3px;  
    box-shadow: 0 1px 2px rgba( 0, 0, 0, .2 );  
    display: inline-block;  
    font-size: 0.8em;  
    font-weight: 400;  
    line-height: 2em;  
    margin: 0 0 8px -1px;  
    margin-inline-end: 16px;  
    padding: 0 10px 0 12px;  
    position: relative;  
}
```

```
#R-body .tags a.term-link:before {  
    border-color: transparent;  
    border-style: solid;  
    border-width: 1em 1em 1em 0;  
    content: "";  
    left: -1em;
```

```
height: 0;

position: absolute;

top:0;

width: 0;

}
```

```
#R-body .tags a.term-link:after {

border-radius: 100%;

content: "";

left: 1px;

height: 5px;

position: absolute;

top: 10px;

width: 5px;

}
```

```
#R-body .tags a.term-link:hover:after {

width: 5px;

}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\theme.css

Resumo: @charset "UTF-8"; @import "tags.css"; / until browsers don't let us set length values based on dppx, we need a way to calculate them ourself */ :root { --dpr: 1; --bpx: 1; --bpx1: 1; } @media (min-resolution: 105dpi) { :root { --dpr: 1.1; --bpx: 1.1; ...*

```
@charset "UTF-8";
```

```
@import "tags.css";
```

```
/* until browsers don't let us set length values based on dppx, we  
need a way to calculate them ourself */
```

```
:root {
```

```
  --dpr: 1;
```

```
  --bpx: 1;
```

```
  --bpx1: 1;
```

```
}
```

```
@media (min-resolution: 105dpi) {
```

```
  :root {
```

```
    --dpr: 1.1;
```

```
    --bpx: 1.1;
```

```
    --bpx1: calc(1/1.1);
```

```
  }
```

```
}
```

```
@media (min-resolution: 115dpi) {
```

```
  :root {
```

```
    --dpr: 1.2;
```

```
    --bpx: 1.2;
```

```
    --bpx1: calc(1/1.2);
```

```
  }
```

```
}
```

```
@media (min-resolution: 120dpi) {
```

```
  :root {
```

```
    --dpr: 1.25;
```

```
    --bpx: 1.25;
```

```
    --bpx1: calc(1/1.25);
```

```
}
```

```
}

@media (min-resolution: 128dpi) {

  :root {

    --dpr: 1.333;

    --bpx: 1.333;

    --bpx1: calc(1/1.333);

  }

}

@media (min-resolution: 144dpi) {

  :root {

    --dpr: 1.5;

    --bpx: 1.5;

    --bpx1: calc(1/1.5);

  }

}

@media (min-resolution: 160dpi) {

  :root {

    --dpr: 1.666;

    --bpx: 1.666;

    --bpx1: calc(1/1.666);

  }

}

@media (min-resolution: 168dpi) {

  :root {

    --dpr: 1.75;

    --bpx: 1.75;

    --bpx1: calc(1/1.75);

  }

}

@media (min-resolution: 192dpi) {

  :root {

    --dpr: 2;

    --bpx: 1;

    --bpx1: 1;

  }

}
```

```
}

@media (min-resolution: 240dpi) {

  :root {

    --dpr: 2.5;

    --bpx: 1.25;

    --bpx1: calc(1/1.25);

  }

}

@media (min-resolution: 288dpi) {

  :root {

    --dpr: 3;

    --bpx: 1;

    --bpx1: 1;

  }

}

@media (min-resolution: 384dpi) {

  :root {

    --dpr: 4;

    --bpx: 1;

    --bpx1: 1;

  }

}

@media (min-resolution: 480dpi) {

  :root {

    --dpr: 5;

    --bpx: 1.25;

    --bpx1: calc(1/1.25);

  }

}

@media (min-resolution: 576dpi) {

  :root {

    --dpr: 6;

    --bpx: 1.5;

    --bpx1: calc(1/1.5);

  }

}
```



```
}

@media (min-resolution: 768dpi) {

  :root {

    --dpr: 8;

    --bpx: 1;

    --bpx1: 1;

  }

}

html {

  height: 100%;

  width: 100%;

}

body {

  display: flex;

  flex-direction: row-reverse; /* to allow body to have initial focus for PS in some browsers and better

  font-size: 1.015625rem;

  font-weight: 300;

height: 100%;

  justify-content: flex-end;

  line-height: 1.574;

  /* overflow: hidden; PSC removed for #242 #243 #244; to avoid browser scrollbar to flicker before we c

  width: 100%;

}

b,

strong,

label,

th {

  font-weight: 600;

}

ul {

  list-style: disc;
```

```
}
```

```
dt {  
    font-style: italic;  
}
```

```
dd {  
    display: list-item;  
    list-style: circle;  
}
```

```
.default-animation{  
    transition: all 0.35s ease;  
}
```

```
#R-sidebar {  
    display: flex;  
    flex-basis: auto;  
    flex-direction: column;  
    flex-grow: 0;  
    flex-shrink: 0;  
    font-size: .953125rem;  
    height: 100%;  
    inset-inline-start: 0;  
    line-height: 1.574;  
    min-height: 100%;  
    position: fixed;  
    min-width: var(--INTERNAL-MENU-WIDTH-L);  
    max-width: var(--INTERNAL-MENU-WIDTH-L);  
    width: var(--INTERNAL-MENU-WIDTH-L);  
}
```

```
#R-sidebar a{  
    text-decoration: none;  
}
```

```
#R-header-wrapper {  
    text-align: center;  
    padding: 1rem;  
    position: relative;  
}  
#R-header {  
    border-block-end: 1px solid transparent;  
    position: relative;  
    z-index: 1;  
}  
#R-header a {  
    display: inline-block;  
}
```

```
.searchbox {  
    border-radius: 4px;  
    border-style: solid;  
    border-width: 1px;  
    position: relative;  
    margin-top: 1rem;  
}
```

```
.searchbox > :first-child {  
    inset-inline-start: .5rem;  
    position: absolute;  
}
```

```
.searchbox > button {  
    -webkit-appearance: none;  
    appearance: none;  
    background-color: transparent;  
    border: 0;  
    margin: 0;  
    padding: 0;  
    top: .25rem;
```

```
}
```

```
.searchbox > i {  
    top: .45rem;  
}
```

```
.searchbox > :last-child {  
    inset-inline-end: .5rem;  
    position: absolute;  
}
```

```
#R-sidebar .searchbox > :first-child,  
#R-sidebar .searchbox > :last-child{  
    opacity: .65;  
}
```

```
#R-sidebar .searchbox button:hover {  
    opacity: 1;  
}
```

```
.searchbox input {  
    display: inline-block;  
    width: 100%;  
    height: 1.875rem;  
    background: transparent;  
    border: 0;  
    padding-bottom: 0;  
    padding-inline-end: 1.6rem;  
    padding-inline-start: 1.8rem;  
    padding-top: 0;  
    margin: 0;  
    font-weight: 300;  
}  
.searchbox input::placeholder {  
    opacity: .45;
```

```
}
```

```
#R-content-wrapper {  
  --ps-rail-hover-color: rgba( 176, 176, 176, .25 );  
  display: flex;  
  flex-direction: column;  
  flex: 1; /* fill rest of vertical space */  
  overflow: hidden;  
  position: relative; /* PS */  
  z-index: 100;  
}
```

```
#R-sidebar .padding {  
  padding: 0 1rem;  
}
```

```
.footerFooter {  
  font-size: .8125rem;  
  padding-top: 2rem;  
  padding-bottom: .75rem;  
  text-align: center;  
}
```

```
.footerFooter > * {  
  margin: 0 auto;  
}
```

```
#R-footer > hr:first-child {  
  margin-top: 0;  
}
```

```
/* increase specificity to override following #R-content-wrapper hr style */
```

```
#R-footer > hr:nth-child(n) {  
  margin-left: 0;  
  margin-right: 0;
```

```
}
```

```
#R-sidebar ul {  
    list-style: none;  
    padding: 0;  
    margin: 0;  
}
```

```
#R-sidebar ul li {  
    padding: 0;  
}
```

```
#R-sidebar ul li.visited + span {  
    margin-inline-end: 1rem;  
}
```

```
#R-sidebar ul li .read-icon {  
    display: none;  
    font-size: .8125rem;  
    inset-inline-end: 1rem;  
    margin: .25rem 0 0 0;  
    min-width: 1rem;  
    position: absolute;  
}
```

```
#R-sidebar ul li.visited > a .read-icon {  
    display: inline;  
}
```

```
#R-sidebar .nav-title {  
    font-size: 2rem;  
    font-weight: 200;  
    letter-spacing: -.02175em;  
    line-height: 110%;  
    margin: 1.2rem 0 .8rem 0;
```

```

padding-inline-start: 1rem;

text-rendering: optimizeLegibility;

text-transform: uppercase;
}

#R-sidebar .footermargin {

    flex-grow: 1;
}

#R-content-wrapper hr {

    border-bottom-style: solid;

    border-bottom-width: 1px;

    margin: 1.5rem 1rem 1rem 1rem;
}

#R-body {

    display: flex;

    flex-basis: 100%;

    flex-direction: column;

    flex-grow: 1;

    flex-shrink: 0;

    height: 100%;

    margin-inline-start: var(--INTERNAL-MENU-WIDTH-L);

    min-height: 100%;

    overflow-wrap: break-word; /* avoid x-scrolling of body if it is too large to fit */

    position: relative; /* PS */

    min-width: calc( 100% - var(--INTERNAL-MENU-WIDTH-L) );

    max-width: calc( 100% - var(--INTERNAL-MENU-WIDTH-L) );

    width: calc( 100% - var(--INTERNAL-MENU-WIDTH-L) );

    z-index: 70;
}

#R-body img,

#R-body figure > figcaption > h4,
#R-body figure > figcaption > p,

```

```
#R-body .video-container {  
    display: block;  
    margin-left: auto;  
    margin-right: auto;  
    padding: 0;  
    text-align: center;  
}
```

```
#R-body img:not(.lightbox-image).left {  
    margin-left: 0;  
}  
#R-body img:not(.lightbox-image).right {  
    margin-right: 0;  
}
```

```
#R-body img:not(.lightbox-image).border,  
#R-body .video-container.border {  
    background-clip: padding-box;  
    border: 1px solid rgba( 134, 134, 134, .333 );  
}
```

```
#R-body img:not(.lightbox-image).shadow,  
#R-body .video-container.shadow {  
    box-shadow: 0 10px 30px rgba( 176, 176, 176, .666 );  
}
```

```
#R-body img:not(.lightbox-image).inline {  
    display: inline;  
    margin: 0;  
    vertical-align: bottom;  
}
```

```
#R-body figure > figcaption{  
    margin: 0;  
}
```



```

#R-body figure > figcaption > h4{
    font-size: 1.0rem;
    font-weight: 500;
    margin: 0;
}

#R-body figure > figcaption > p{
    font-size: .85rem;
    font-weight: 300;
    margin-top: .15rem;
}

#R-body figure > figcaption > h4 + p{
    margin-top: 0;
}

#R-body-inner {
    display: flex;
    flex: auto;
    flex-direction: column;
    overflow-y: auto;
    padding: 0 3.25rem 4rem 3.25rem;
    position: relative; /* PS */
}

@media screen and (max-width: 59.999rem) {
    #R-body-inner {
        padding: 0 2rem 1rem 2rem;
    }
}

@media screen and (max-width: 47.999rem) {
    #R-body-inner {
        padding: 0 1.25rem .375rem 1.25rem;
    }
}

#R-topbar a:hover:empty,
#R-topbar a:active:empty,
#R-topbar a:focus:empty,

```

```
#R-topbar a:hover :not(i),
#R-topbar a:active :not(i),
#R-topbar a:focus :not(i),
#R-topbar button:hover :not(i),
#R-topbar button:active :not(i),
#R-topbar button:focus :not(i),
#R-topbar .title:hover,
#R-topbar .title:active,
#R-topbar .title:focus,
.topbar-content a:hover,
.topbar-content a:active,
.topbar-content a:focus,
article a:hover,
article a:active,
article a:focus,
article a:hover .copy-to-clipboard,
article a:active .copy-to-clipboard,
article a:focus .copy-to-clipboard {
    text-decoration: underline;
}
.topbar-content a:hover,
.topbar-content a:active,
.topbar-content a:focus,
article a:hover,
article a:active,
article a:focus,
article a:hover .copy-to-clipboard,
article a:active .copy-to-clipboard,
article a:focus .copy-to-clipboard,
article a.lightbox-back:hover > img:only-child:empty,
article a.lightbox-back:active > img:only-child:empty,
article a.lightbox-back:focus > img:only-child:empty
article .btn > button:hover,
article .btn > button:active,
article .btn > button:focus{
```

```

        outline: none;
    }

    article a:hover > img:only-child:empty,
    article a:active > img:only-child:empty,
    article a:focus > img:only-child:empty{
        outline: .15rem solid var(--INTERNAL-MAIN-LINK-HOVER-color);
    }

    #R-body-inner:focus-visible{
        /* remove focus indicator for programatically set focus */
        outline: none;
    }

    #R-body h1 + hr {
        margin-bottom: 2rem;
        margin-top: -1rem;
    }

    #R-body .flex-block-wrapper {
        margin-left: auto;
        margin-right: auto;
        max-width: calc( var(--INTERNAL-MAIN-WIDTH-MAX) - var(--INTERNAL-MENU-WIDTH-L) - 2 * 3.25rem );
        width: 100%;
    }

    body:not(.print) #R-body .narrow .flex-block-wrapper {
        max-width: calc( var(--INTERNAL-MAIN-WIDTH-MAX) - var(--INTERNAL-MENU-WIDTH-L) - 2 * 9.75rem );
    }

    /* we limit width if we have large screens */
    body.main-width-max #R-body .flex-block-wrapper {
        width: calc( var(--INTERNAL-MAIN-WIDTH-MAX) - var(--INTERNAL-MENU-WIDTH-L) - 2 * 3.25rem );
    }

    body.main-width-max:not(.print) #R-body .narrow .flex-block-wrapper {
        width: calc( var(--INTERNAL-MAIN-WIDTH-MAX) - var(--INTERNAL-MENU-WIDTH-L) - 2 * 9.75rem );
    }

    body:not(.print) #R-body-inner.narrow {
        padding: 0 9.75rem 2rem 9.75rem;
    }

```

```

}

@media screen and (max-width: 59.999rem) {
  body:not(.print) #R-body-inner.narrow {
    padding: 0 6.5rem 1rem 6.5rem;
  }
}

@media screen and (max-width: 47.999rem) {
  body:not(.print) #R-body-inner.narrow {
    padding: 0 3.25rem .375rem 3.25rem;
  }
}

#R-body-inner div.article-subheading,
#R-body-inner .chapter.deprecated h3:first-of-type {
  font-weight: 200;
  margin-top: 0;
  text-align: center;
}

body:not(.print) #R-body-inner.narrow div.article-subheading{
  margin-top: 2rem;
}

@media screen and (max-width: 59.999rem) {
  body:not(.print) #R-body-inner.narrow div.article-subheading{
    margin-top: 1rem;
  }
}

@media screen and (max-width: 47.999rem) {
  body:not(.print) #R-body-inner.narrow div.article-subheading{
    margin-top: .375rem;
  }
}

body:not(.print) #R-body-inner.narrow p {
  font-size: 1.2rem;
  text-align: justify;
}

```

```
}
```

```
mark {
```

```
    background: transparent;

    border-radius: 0.8em 0.3rem;

    -webkit-box-decoration-break: clone;

    box-decoration-break: clone;

    color: rgba( 0, 0, 0, 1 );

    -webkit-print-color-adjust: exact;

    color-adjust: exact;
```

```
    margin: 0 -0.4rem;
padding: 0.1em 0.4rem;
```

```
}
```

```
kbd {
```

```
    background-color: rgba( 134, 134, 134, .166 );

    border-color: rgba( 134, 134, 134, .5 );

    border-radius: 0.25rem;

    border-style: solid;

    border-width: 1px;

    box-shadow: 0 .0625rem 0 .0625rem rgba( 134, 134, 134, .5 );

    -webkit-print-color-adjust: exact;

    color-adjust: exact;

    font-size: 0.75rem;

    line-height: 1;

    min-width: 0.75rem;

    padding: .125rem .3125rem .125rem .3125rem;

    position: relative;

    text-align: center;

    top: -.125rem;
```

```
}
```

```
h1 {
```

```
    font-size: 3.25rem;

    font-weight: 200;
```

```
margin: 0.85rem 0 1rem 0;

/* big titles cause a horizontal scrollbar - fixing this by wrapping text */
overflow-wrap: break-word;
overflow-x: hidden;
text-align: center;
text-rendering: optimizeLegibility;
text-transform: uppercase;
}
```

```
body:not(.print) #R-body-inner.narrow h1 {
    border-bottom: 4px solid rgba( 134, 134, 134, .125 );
    font-size: 3.5rem;
}
```

```
@media only screen and (min-width: 48rem) and (max-width: 59.999rem) {
    body:not(.print) #R-body-inner.narrow h1 {
        font-size: 2.8rem;
    }
}
```

```
@media only screen and (max-width: 47.999rem) {
    body:not(.print) #R-body-inner.narrow h1 {
        font-size: 2.5rem;
    }
}
```

```
h2 {
    font-size: 2.2rem;
    font-weight: 500;
}
```

```
h3, .article-subheading {
    font-size: 1.8rem;
    font-weight: 500;
}
```

```
h4 {
    font-size: 1.85rem;
```

```
font-weight: 300;
```

```
}
```

```
h5 {
```

```
    font-size: 1.6rem;
```

```
    font-weight: 300;
```

```
}
```

```
h6 {
```

```
    font-size: 1.3rem;
```

```
    font-weight: 300;
```

```
}
```

```
h2, h3, .article-subheading, h4, h5, h6 {
```

```
    letter-spacing: -.0625rem;
```

```
    margin: 2rem 0 1rem 0;
```

```
    /* big titles cause a horizontal scrollbar - fixing this by wrapping text */
```

```
    overflow-wrap: break-word;
```

```
    overflow-x: hidden;
```

```
    text-rendering: optimizeLegibility;
```

```
}
```

```
h2, h3, h4, h5, h6 {
```

```
    /* leave space for anchor to avoid overflow */
```

```
    padding-inline-end: 2rem;
```

```
}
```

```
blockquote {
```

```
    border-inline-start: .6rem solid rgba( 134, 134, 134, .4 );
```

```
}
```

```
blockquote p {
```

```
    font-size: 1.06640625rem;
```

```
    font-style: italic;
```

```
    opacity: .75;
```

```
    text-align: justify;
}
```

```
blockquote cite {
    display: block;
    font-weight: bold;
    opacity: .5;
    padding-top: .5rem;
    text-align: end;
}
```

```
/* colored boxes */
```

```
.cstyle {
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-NEUTRAL-color);
    --VARIABLE-BOX-CAPTION-color: var(--INTERNAL-BOX-CAPTION-color);
    --VARIABLE-BOX-BG-color: var(--INTERNAL-BOX-BG-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-NEUTRAL-TEXT-color);
    -webkit-print-color-adjust: exact;
    color-adjust: exact;
}
```

```
div.box {
    margin: 1.5rem 0;
    border-style: solid;
    border-width: 1px;
}
```

```
div.box > .box-label {
    font-weight: 500;
    padding: .2rem .6rem;
}
```

```
div.box > .box-content {
    padding-top: 1rem;
```



```
padding-bottom: 1rem;

padding-left: 1rem;

padding-right: 1rem;
}
```

```
p:empty {

    /* in case of image render hook, Hugo may generate empty <p>s that we want to ignore */
    display: none;
}
```

```
/* in case of image render hook, Hugo may generate empty <p>s that we want to ignore as well, so a simple
#R-body table th > :nth-child(1 of :not(:empty)),
#R-body table th > :nth-child(1 of :not(:empty)) :nth-child(1 of :not(:empty)),
#R-body table td > :nth-child(1 of :not(:empty)),
#R-body table td > :nth-child(1 of :not(:empty)) :nth-child(1 of :not(:empty)),
#R-body div.box > .box-content > :nth-child(1 of :not(:empty)),
#R-body div.box > .box-content > :nth-child(1 of :not(:empty)) :nth-child(1 of :not(:empty)),
#R-body div.expand > .expand-content-text > :nth-child(1 of :not(:empty)),
#R-body div.expand > .expand-content-text > :nth-child(1 of :not(:empty)) :nth-child(1 of :not(:empty)),
#R-body div.tab-content > .tab-content-text > :nth-child(1 of :not(:empty)),
#R-body div.tab-content > .tab-content-text > :nth-child(1 of :not(:empty)) :nth-child(1 of :not(:empty))
    margin-top: 0;
}
```

```
#R-body table th > :nth-last-child(1 of :not(:empty)),
#R-body table th > :nth-last-child(1 of :not(:empty)) :nth-last-child(1 of :not(:empty)),
#R-body table th > div.highlight:last-child pre:not(.mermaid),
#R-body table td > :nth-last-child(1 of :not(:empty)),
#R-body table td > :nth-last-child(1 of :not(:empty)) :nth-last-child(1 of :not(:empty)),
#R-body table td > div:last-child pre:not(.mermaid),
#R-body div.box > .box-content > :nth-last-child(1 of :not(:empty)),
#R-body div.box > .box-content > :nth-last-child(1 of :not(:empty)) :nth-last-child(1 of :not(:empty)),
#R-body div.box > .box-content > div:last-child pre:not(.mermaid),
#R-body div.expand > .expand-content-text > :nth-last-child(1 of :not(:empty)),
#R-body div.expand > .expand-content-text > :nth-last-child(1 of :not(:empty)) :nth-last-child(1 of :not(:empty))
```

```
#R-body div.expand > .expand-content-text > div:last-child pre:not(.mermaid),
#R-body div.tab-content > .tab-content-text > :nth-last-child(1 of :not(:empty)),
#R-body div.tab-content > .tab-content-text > :nth-last-child(1 of :not(:empty)) :nth-last-child(1 of :not(:empty)),
#R-body div.tab-content > .tab-content-text > div:last-child pre:not(.mermaid) {
    margin-bottom: 0;
}
```

```
/* resources shortcode */
```

```
div.attachments .box-content {
    display: block;
    margin: 0;
    padding-inline-start: 1.75rem;
}
/* Children shortcode */
```

```
.children p {
    font-size: .8125rem;
    margin-bottom: 0;
    margin-top: 0;
    padding-bottom: 0;
    padding-top: 0;
}
```

```
.children-li p {
    font-size: .8125rem;
    font-style: italic;
}
```

```
.children-h2 p,
.children-h3 p {
    font-size: .8125rem;
    margin-bottom: 0;
    margin-top: 0;
    padding-bottom: 0;
```

```
padding-top: 0;
}
```

```
#R-body-inner .children h2,
#R-body-inner .children h3,
#R-body-inner .children h4,
#R-body-inner .children h5,
#R-body-inner .children h6 {
    margin-bottom: 0;
    margin-top: 1rem;
}
```

```
#R-body-inner ul.children-h2,
#R-body-inner ul.children-h3,
#R-body-inner ul.children-h4,
#R-body-inner ul.children-h5,
#R-body-inner ul.children-h6 {
    /* if we display children with style=h2 but without a containerstyle
    a ul will be used for structuring; we remove default indention for uls
    in this case */
    padding-inline-start: 0;
}
```

```
code,
kbd,
pre:not(.mermaid),
samp {
    font-size: .934375rem;
    vertical-align: baseline;
}
```

```
code {
    border-radius: 2px;
    border-style: solid;
    border-width: 1px;
    -webkit-print-color-adjust: economy;
```

```
    color-adjust: economy;
    padding-left: 2px;
    padding-right: 2px;
    white-space: nowrap;
}
```

```
span.copy-to-clipboard {
    display: inline-block;
    white-space: nowrap;
}
```

```
code.copy-to-clipboard-code {
    border-end-end-radius: 0;
    border-start-end-radius: 0;
    border-inline-end-width: 0;
}
```

```
pre:not(.mermaid) {
    border-radius: 2px;
    border-style: solid;
    border-width: 1px;
    -webkit-print-color-adjust: economy;
    color-adjust: economy;
    line-height: 1.15;
    padding: 1rem;
    position: relative;
}
```

```
/* pre:not(.mermaid):has( code ), */
```

```
/* the :has() operator isn't available in FF yet, so we patch this by JS */
```

```
pre:not(.mermaid).pre-code {
    direction: ltr;
    text-align: left;
}
pre:not(.mermaid) code {
    background-color: inherit;
```

```

border: 0;

color: inherit;

-webkit-print-color-adjust: economy;

color-adjust: economy;

font-size: .9375rem;

margin: 0;

padding: 0;
}

div.highlight{
    position: relative;
}

/* we may have special treatment if highlight shortcode was used in table lineno mode */
div.highlight > div{
    border-style: solid;
    border-width: 1px;
}

/* remove default style for usual markdown tables */
div.highlight > div table{
    background-color: transparent;
    border-width: 0;
    margin: 0;
}

div.highlight > div td{
    border-width: 0;
}

#R-body div.highlight > div a {
    line-height: inherit;
}

#R-body div.highlight > div a:after {
    display: none;
}

/* disable selection for lineno cells */
div.highlight > div td:first-child:not(:last-child){
    -webkit-user-select: none;

```

```

        user-select: none;
    }

    /* increase code column to full width if highlight shortcode was used in table lineno mode */
    div.highlight > div td:not(:first-child):last-child{
        width: 100%;
    }

    /* add scrollbars if highlight shortcode was used in table lineno mode */
    div.highlight > div table{
        display: block;
        overflow: auto;
    }

    div.highlight:not(.wrap-code) pre:not(.mermaid){
        overflow: auto;
    }

    div.highlight:not(.wrap-code) pre:not(.mermaid) code{
        white-space: pre;
    }

    div.highlight.wrap-code pre:not(.mermaid) code{
        white-space: pre-wrap;
    }

    /* remove border from row cells if highlight shortcode was used in table lineno mode */
    div.highlight > div td > pre:not(.mermaid) {
        border-radius: 0;
        border-width: 0;
    }

    /* in case of table lineno mode we want to move each row closer together - besides the edges
    this usually applies only to wrapfix tables but it doesn't hurt for non-wrapfix tables too */
    div.highlight > div tr:not(:first-child) pre:not(.mermaid){
        padding-top: 0;
    }

    div.highlight > div tr:not(:last-child) pre:not(.mermaid){
        padding-bottom: 0;
    }

    /* in case of table lineno mode we want to move each columns closer together on the inside */
    div.highlight > div td:first-child:not(:last-child) pre:not(.mermaid){

```

```

padding-right: 0;
}
div.highlight > div td:not(:first-child):last-child pre:not(.mermaid){
padding-left: 0;
}

hr {
border-bottom: 4px solid rgba( 134, 134, 134, .125 );
}

#R-body-inner pre:not(.mermaid) {
white-space: pre-wrap;
}

table {
border: 1px solid rgba( 134, 134, 134, .333 );
margin-bottom: 1rem;
margin-top: 1rem;
table-layout: auto;
}

th,
thead td {
background-color: rgba( 134, 134, 134, .166 );
border: 1px solid rgba( 134, 134, 134, .333 );
-webkit-print-color-adjust: exact;
color-adjust: exact;
padding: 0.5rem;
}

td {
border: 1px solid rgba( 134, 134, 134, .333 );
padding: 0.5rem;
}

tbody > tr:nth-child(even) > td {

```

```
        background-color: rgba( 134, 134, 134, .045 );
    }

    .tooltipped {
        position: relative;
    }

    .tooltipped:after {
        background: rgba( 0, 0, 0, 1 );
        border: 1px solid rgba( 119, 119, 119, 1 );
        border-radius: 3px;
        color: rgba( 255, 255, 255, 1 );
        content: attr(aria-label);
        display: none;
        font-family: "Work Sans", "Helvetica", "Tahoma", "Geneva", "Arial", sans-serif;
        font-size: .6875rem;
        font-weight: normal;
        -webkit-font-smoothing: subpixel-antialiased;
        letter-spacing: normal;
        line-height: 1.5;
        padding: 5px 8px;
        pointer-events: none;
        position: absolute;
        text-align: center;
        text-decoration: none;
        text-shadow: none;
        text-transform: none;
        white-space: pre;
        word-wrap: break-word;
        z-index: 140;
    }

    .tooltipped:before {
        border: 5px solid transparent;
        color: rgba( 0, 0, 0, 1 );
```



```
    content: "";
    display: none;
    height: 0;
    pointer-events: none;
    position: absolute;
    width: 0;
    z-index: 150;
}
```

```
.tooltipped: hover: before,
.tooltipped: hover: after,
.tooltipped: active: before,
.tooltipped: active: after,
.tooltipped: focus: before,
.tooltipped: focus: after {
    display: inline-block;
    text-decoration: none;
}
```

```
.tooltipped-s: after,
.tooltipped-se: after,
.tooltipped-sw: after {
    margin-top: 5px;
    right: 50%;
    top: 100%;
}
```

```
.tooltipped-s: before,
.tooltipped-se: before,
.tooltipped-sw: before {
    border-bottom-color: rgba( 0, 0, 0, .8 );
    bottom: -5px;
    margin-right: -5px;
    right: 50%;
    top: auto;
```

```
}
```

```
.tooltipped-se:after {  
    left: 50%;  
    margin-left: -15px;  
    right: auto;  
}
```

```
.tooltipped-sw:after {  
    margin-right: -15px;  
}
```

```
.tooltipped-n:after,  
.tooltipped-ne:after,  
.tooltipped-nw:after {  
    bottom: 100%;  
    margin-bottom: 5px;  
    right: 50%;  
}
```

```
.tooltipped-n:before,  
.tooltipped-ne:before,  
.tooltipped-nw:before {  
    border-top-color: rgba( 0, 0, 0, .8 );  
    bottom: auto;  
    margin-right: -5px;  
    right: 50%;  
    top: -5px;  
}
```

```
.tooltipped-ne:after {  
    left: 50%;  
    margin-left: -15px;  
    right: auto;  
}
```

```
.tooltipped-nw:after {  
    margin-right: -15px;  
}
```

```
.tooltipped-s:after,  
.tooltipped-n:after {  
    transform: translateX(50%);  
}
```

```
.tooltipped-w:after {  
    bottom: 50%;  
    margin-right: 5px;  
    right: 100%;  
    transform: translateY(50%);  
}
```

```
.tooltipped-w:before {  
    border-left-color: rgba( 0, 0, 0, .8 );  
    bottom: 50%;  
    left: -5px;  
    margin-top: -5px;  
    top: 50%;  
}
```

```
.tooltipped-e:after {  
    bottom: 50%;  
    left: 100%;  
    margin-left: 5px;  
    transform: translateY(50%);  
}
```

```
.tooltipped-e:before {  
    border-right-color: rgba( 0, 0, 0, .8 );  
    bottom: 50%;  
    margin-top: -5px;
```

```
    right: -5px;
    top: 50%;
}
```

```
#R-topbar {
    min-height: 3rem;
    position: relative;
    z-index: 170;
}
```

```
#R-topbar > .topbar-wrapper {
    align-items: center;
    background-color: rgba( 134, 134, 134, .066 );
    display: flex;
    flex-basis: 100%;
    flex-direction: row;
    height: 100%;
}
```

```
.topbar-button {
    display: inline-block;
    position: relative;
}
.topbar-button:not([data-origin]) {
    display: none;
}
```

```
.topbar-button > .topbar-control {
    display: inline-block;
    padding-left: 1rem;
    padding-right: 1rem;
}
```

```
.topbar-wrapper > .topbar-area-start > .topbar-button > .topbar-control {
    border-inline-end: 1px solid rgba( 134, 134, 134, .333 );
}
```

```
.topbar-wrapper > .topbar-area-end > .topbar-button > .topbar-control {  
    border-inline-start: 1px solid rgba( 134, 134, 134, .333 );  
}
```

```
.topbar-button > button:disabled i,  
.topbar-button > span i {  
    color: rgba( 134, 134, 134, .333 );  
}
```

```
.topbar-button button{  
    -webkit-appearance: none;  
    appearance: none;  
    background-color: transparent;  
}
```

```
.topbar-sidebar-divider {  
    border-inline-start-style: solid;  
    border-inline-start-width: 1px;  
    margin-inline-end: -1px;  
    width: 1px;  
}
```

```
.topbar-sidebar-divider::after {  
    content: "\00a0";  
}
```

```
.topbar-wrapper > .topbar-area-start {  
    display: flex;  
    flex-direction: row;  
    flex-shrink: 0;  
}
```

```
.topbar-wrapper > .topbar-area-end {  
    display: flex;  
    flex-direction: row;  
    flex-shrink: 0;  
}  
.topbar-wrapper > .topbar-hidden {
```

```

        display: none;
    }

    html[dir="rtl"] .topbar-button-prev i,
    html[dir="rtl"] .topbar-button-next i {
        transform: scaleX(-1);
    }

    .topbar-content {
        top: .75rem;
    }
    .topbar-wrapper > .topbar-area-start .topbar-content {
        inset-inline-start: 1.5rem;
    }
    .topbar-wrapper > .topbar-area-end .topbar-content {
        inset-inline-end: 1.5rem;
    }
    .topbar-content .topbar-content{
        /* we don't allow flyouts in flyouts; come on, don't get funny... */
        display: none;
    }

    .topbar-breadcrumbs {
        flex-grow: 1;
        margin: 0;
        padding: 0 1rem;
    }

    @media screen and (max-width: 47.999rem) {
        .topbar-breadcrumbs {
            /* we just hide the breadcrumbs instead of display: none;
            this makes sure that the breadcrumbs are still usable for
            accessibility */
            visibility: hidden;
        }
    }
}

```

```
.breadcrumbs {
    min-width: 0;
    overflow: hidden;
    text-overflow: ellipsis;
    width: 100%;
    white-space: nowrap;
}

.breadcrumbs meta {
    display: none;
}

.breadcrumbs li {
    display: inline-block;
}

#R-body a[aria-disabled="true"] {
    pointer-events: none;
    text-decoration: none;
}

@media screen and (max-width: 59.999rem) {
    #R-sidebar {
        min-width: var(--INTERNAL-MENU-WIDTH-M);
        max-width: var(--INTERNAL-MENU-WIDTH-M);
        width: var(--INTERNAL-MENU-WIDTH-M);
    }
    #R-body {
        margin-inline-start: var(--INTERNAL-MENU-WIDTH-M);
        min-width: calc( 100% - var(--INTERNAL-MENU-WIDTH-M) );
        max-width: calc( 100% - var(--INTERNAL-MENU-WIDTH-M) );
        width: calc( 100% - var(--INTERNAL-MENU-WIDTH-M) );
    }
}
@media screen and (max-width: 47.999rem) {
```

```

/* we don't support sidebar flyout in mobile */

.mobile-support #R-sidebar {

    inset-inline-start: calc( -1 * var(--INTERNAL-MENU-WIDTH-S) );

    min-width: var(--INTERNAL-MENU-WIDTH-S);

    max-width: var(--INTERNAL-MENU-WIDTH-S);

    width: var(--INTERNAL-MENU-WIDTH-S);

}

.mobile-support #navshow{

    display: inline;

}

.mobile-support #R-body {

    min-width: 100%;

    max-width: 100%;

    width: 100%;

}

.mobile-support #R-body {

    margin-inline-start: 0;

}

.mobile-support.sidebar-flyout {

    overflow: hidden;

}

.mobile-support.sidebar-flyout #R-sidebar {

    inset-inline-start: 0;

    z-index: 90;

}

.mobile-support.sidebar-flyout #R-body {

    margin-inline-start: var(--INTERNAL-MENU-WIDTH-S);

    overflow: hidden;

}

.mobile-support.sidebar-flyout #R-body-overlay{

    background-color: rgba( 134, 134, 134, .5 );

    bottom: 0;

    cursor: pointer;

    height: 100vh;

    left: 0;

```



```
        position: absolute;

        right: 0;

        top: 0;

        z-index: 190;
    }
}
```

```
.copy-to-clipboard-button {

    border-start-start-radius: 0;

    border-start-end-radius: 2px;

    border-end-end-radius: 2px;

    border-end-start-radius: 0;

    border-style: solid;

    border-width: 1px;

    cursor: pointer;

    font-size: .934375rem;

    line-height: 1.15;
}
```

```
span > .copy-to-clipboard-button {

    border-start-start-radius: 0;

    border-start-end-radius: 2px;

    border-end-end-radius: 2px;

    border-end-start-radius: 0;
}
.copy-to-clipboard-button > i {

    font-size: .859625rem;
}
```

```
/* only show copy to clipboard on hover for code blocks if configured */
```

```
div.highlight .copy-to-clipboard-button {

    display: none;
}
```

```
@media (any-hover: none) {
```

```
    /* if there is at least one input device that does not support hover, we want to force the copy button
```

```

div.highlight .copy-to-clipboard-button {
    display: block;
}
}
div.highlight:hover .copy-to-clipboard-button {
    display: block;
}
.disableHoverBlockCopyToClipboard div.highlight .copy-to-clipboard-button {
    display: block;
}

div.highlight > div table + .copy-to-clipboard-button > i,
div.highlight pre:not(.mermaid) + .copy-to-clipboard-button > i,
.copy-to-clipboard-code + .copy-to-clipboard-button > i {
    padding-left: 5px;
    padding-right: 5px;
}

div.highlight > div table + .copy-to-clipboard-button,
div.highlight pre:not(.mermaid) + .copy-to-clipboard-button,
pre:not(.mermaid) > .copy-to-clipboard-button {
    background-color: rgba( 160, 160, 160, .2 );
    border-radius: 2px;
    border-style: solid;
    border-width: 1px;
    right: 4px;
    padding: 5px 3px;
    position: absolute;
    top: 4px;
}

.disableInlineCopyToClipboard span > code.copy-to-clipboard-code + span.copy-to-clipboard-button {
    display: none;
}
.disableInlineCopyToClipboard span > code.copy-to-clipboard-code {

```

```
border-start-end-radius: 2px;

border-end-end-radius: 2px;

border-inline-end-width: 1px;
}
```

```
#R-homelinks {
  padding: 0;
}
```

```
#R-homelinks ul {
  margin: .5rem 0;
}
```

```
#R-homelinks hr {
  border-bottom-style: solid;
border-bottom-width: 1px;

  margin: 0 1rem 3px 1rem;
}
```

```
option {
  color: initial;
}
```

```
.expand {
  margin-bottom: 1rem;

  margin-top: 1rem;

  position: relative;
}
```

```
.expand > input {
  -webkit-appearance: none;

  appearance: none;

  cursor: pointer;
}
```

```
.expand > label {
  cursor: pointer;
}
```

```

    display: inline;
    font-weight: 300;
    inset-inline-start: 0;
    line-height: 1.1;
    margin-top: .2rem;
    position: absolute;
}

.expand > input:active + label,
.expand > input:focus + label,
.expand > label:hover {
    text-decoration: underline;
}

.expand > label > .fas {
    font-size: .8rem;
    width: .6rem;
}

.expand > .expand-content {
    margin-inline-start: 1rem;
    margin-top: .5rem;
}

/* closed expander */
.expand > input + label + div {
    display: none;
}

.expand > input + label > .fa-chevron-down {
    display: none;
}

.expand > input + label > .fa-chevron-right {
    display: inline-block;
}

/* open expander */

```

```

.expand > input:checked + label + div {
  display: block;
}

.expand > input:checked + label > .fa-chevron-down {
  display: inline-block;
}

.expand > input:checked + label > .fa-chevron-right {
  display: none;
}

/* adjust expander for RTL reading direction */
html[dir="rtl"] .expand > .expand-label > i.fa-chevron-right {
  transform: scaleX(-1);
}

#R-body footer.footline{
  margin-top: 2rem;
}

.headline i,
.footline i{
  margin-inline-start: .5rem;
}

.headline i:first-child,
.footline i:first-child{
  margin-inline-start: 0;
}

.mermaid-container {
  margin-bottom: 1.7rem;
  margin-top: 1.7rem;
}

.mermaid {

```

```

display: inline-block;

border: 1px solid transparent;

padding: .5rem .5rem 0 .5rem;

position: relative;

/* don't use display: none, as this will cause no rendering by Mermaid */

visibility: hidden;

width: 100%;
}

.mermaid-container.zoomable > .mermaid:hover {

    border-color: rgba( 134, 134, 134, .333 );
}

.mermaid.mermaid-render {

    visibility: visible;
}

.mermaid > svg {

    /* remove inline height from generated diagram */

    height: initial !important;
}

.mermaid-container.zoomable > .mermaid > svg {

    cursor: grab;
}

.svg-reset-button {

    background-color: rgba( 160, 160, 160, .2 );

    border-radius: 2px;

    border-style: solid;
border-width: 1px;

    cursor: pointer;

    display: none;

    font-size: .934375rem;

    line-height: 1.15;

    padding: 5px 3px;

    position: absolute;

    right: 4px;

```

```

        top: 4px;
    }

    .mermaid:hover .svg-reset-button.zoomed {

        display: block;
    }

    @media (any-hover: some) {

        /* if there is at least one input device that does not support hover, we want to force the reset button to be visible */
        .svg-reset-button.zoomed {

            display: block;
        }
    }

    .svg-reset-button > i {

        font-size: .859625rem;

        padding-left: 5px;

        padding-right: 5px;
    }

    .mermaid-code {

        display: none;
    }

    .include.hide-first-heading h1:first-of-type,
    .include.hide-first-heading h2:first-of-type,
    .include.hide-first-heading h3:first-of-type,
    .include.hide-first-heading h4:first-of-type,
    .include.hide-first-heading h5:first-of-type,
    .include.hide-first-heading h6:first-of-type {

        display: none;
    }

    .include.hide-first-heading h1 + h2:first-of-type,
    .include.hide-first-heading h1 + h3:first-of-type,
    .include.hide-first-heading h2 + h3:first-of-type,
    .include.hide-first-heading h1 + h4:first-of-type,

```

```

.include.hide-first-heading h2 + h4:first-of-type,
.include.hide-first-heading h3 + h4:first-of-type,
.include.hide-first-heading h1 + h5:first-of-type,
.include.hide-first-heading h2 + h5:first-of-type,
.include.hide-first-heading h3 + h5:first-of-type,
.include.hide-first-heading h4 + h5:first-of-type,
.include.hide-first-heading h1 + h6:first-of-type,
.include.hide-first-heading h2 + h6:first-of-type,
.include.hide-first-heading h3 + h6:first-of-type,
.include.hide-first-heading h4 + h6:first-of-type,
.include.hide-first-heading h5 + h6:first-of-type {
    display: block;
}

/* Table of contents */

.topbar-flyout #R-main-overlay{
bottom: 0;

    cursor: pointer;

    left: 0;

    position: absolute;

    right: 0;

    top: 3rem;

    z-index: 160;
}

.topbar-content {
    border: 0 solid rgba( 134, 134, 134, .166 );

    box-shadow: 1px 2px 5px 1px rgba( 134, 134, 134, .2 );

    height: 0;

    opacity: 0;

    overflow: hidden;

    position: absolute;

    visibility: hidden;

    width: 0;

```



```

        z-index: 180;
    }

.topbar-button.topbar-flyout .topbar-content {
    border-width: 1px;
    height: auto;
    opacity: 1;
    visibility: visible;
    width: auto;
}

.topbar-content .topbar-content-wrapper {
    background-color: rgba( 134, 134, 134, .066 );
}

.topbar-content-wrapper {
    --ps-rail-hover-color: rgba( 176, 176, 176, .25 );
    max-height: 90vh;
    overflow: hidden;
    padding: .5rem 1rem;
    position: relative; /* PS */
}

.topbar-content .topbar-button .topbar-control {
    border-width: 0;
    padding: 0;
}

.topbar-content .topbar-button .topbar-control {
    border-width: 0;
    padding: .5rem 0;
}

#TableOfContents,
.TableOfContents {
    font-size: .8125rem;

```

```
}

#TableOfContents ul,

.TableOfContents ul {
    list-style: none;
    margin: 0;
    padding: 0 1rem;
}
#TableOfContents > ul,
.TableOfContents > ul {
    padding: 0;
}

#TableOfContents li,
.TableOfContents li {
    white-space: nowrap;
}

#TableOfContents > ul > li > a,
.TableOfContents > ul > li > a {
    font-weight: 500;
}

.btn {
    border-radius: 4px;
    display: inline-block;
    font-size: .9rem;
    font-weight: 500;
    line-height: 1.1;
    margin-bottom: 0;
    touch-action: manipulation;
    -webkit-user-select: none;
    user-select: none;
}

.btn.interactive {
    cursor: pointer;
}
```

```
}
```

```
.btn > span,
```

```
.btn > a {
```

```
    display: block;
```

```
}
```

```
.btn > :where(button) {
```

```
    -webkit-appearance: none;
```

```
    appearance: none;
```

```
    border-width: 0;
```

```
    margin: 0;
```

```
    padding: 0;
```

```
}
```

```
.btn > * {
```

```
    background-color: transparent;
```

```
    border-radius: 4px;
```

```
    border-style: solid;
```

```
    border-width: 1px;
```

```
    padding: 6px 12px;
```

```
    text-align: center;
```

```
    touch-action: manipulation;
```

```
    -webkit-user-select: none;
```

```
    user-select: none;
```

```
    white-space: nowrap;
```

```
}
```

```
.btn > *:after {
```

```
    /* avoid breakage if no content is given */
```

```
    content: "\200b"
```

```
}
```

```
#R-body #R-body-inner .btn > *.highlight:after {
```

```
    background-color: transparent;
```

```
}
```

```
.btn.interactive > .btn-interactive:focus {  
    outline: none;  
}
```

```
.btn.interactive > *:hover,  
.btn.interactive > *:active,  
.btn.interactive > *:focus {  
    text-decoration: none;  
}
```

```
/* anchors */
```

```
.anchor {  
    cursor: pointer;  
    font-size: .5em;  
    margin-inline-start: .66em;  
    margin-top: .9em;  
    position: absolute;  
    visibility: hidden;  
}
```

```
@media (any-hover: none) {
```

```
    /* if there is at least one input device that does not support hover, we want to force the copy button
```

```
    .anchor {  
        visibility: visible;  
    }  
}
```

```
h2:hover .anchor,
```

```
h3:hover .anchor,
```

```
h4:hover .anchor,
```

```
h5:hover .anchor,
```

```
h6:hover .anchor {  
    visibility: visible;  
}
```

```
/* Redfines headers style */
```

```
h1 a,
```

```
h2 a,
```

```
h3 a,
```

```
h4 a,
```

```
h5 a,
```

```
h6 a {
```

```
    font-weight: inherit;
```

```
}
```

```
#R-body h1 + h2,
```

```
#R-body h1 + h3,
```

```
#R-body h1 + h4,
```

```
#R-body h1 + h5,
```

```
#R-body h1 + h6,
```

```
#R-body h2 + h3,
```

```
#R-body h2 + h4,
```

```
#R-body h2 + h5,
```

```
#R-body h2 + h6,
```

```
#R-body h3 + h4,
```

```
#R-body h3 + h5,
```

```
#R-body h3 + h6,
```

```
#R-body h4 + h5,
```

```
#R-body h4 + h6,
```

```
#R-body h5 + h6 {
```

```
    margin-top: 1rem;
```

```
}
```

```
.menu-control .control-style {
```

```
    cursor: pointer;
```

```
    height: 1.574em;
```

```
    overflow: hidden;
```

```
}
```

```
.menu-control i {
```

```
    padding-top: .25em;
```

```
}
```

```
.menu-control i,
```

```
.menu-control span {
```

```
    cursor: pointer;
```

```
    display: block;
```

```
    float: left;
```

```
}
```

```
html[dir="rtl"] .menu-control i,
```

```
html[dir="rtl"] .menu-control span {
```

```
    float: right;
```

```
}
```

```
.menu-control :hover,
```

```
.menu-control i:hover,
```

```
.menu-control span:hover {
```

```
    cursor: pointer;
```

```
}
```

```
.menu-control select,
```

```
.menu-control button {
```

```
    -webkit-appearance: none;
```

```
    appearance: none;
```

```
    height: 1.33rem;
```

```
    outline: none;
```

```
    width: 100%;
```

```
}
```

```
.menu-control button:active,
```

```
.menu-control button:focus,
```

```
.menu-control select:active,
```

```
.menu-control select:focus{
```

```
    outline-style: solid;
```

```
}
```

```
.menu-control select {
```

```
    background-color: transparent;
```

```

        background-image: none;

        border: none;

        box-shadow: none;

        padding-left: 0;

        padding-right: 0;
    }
    .menu-control option {

        color: rgba( 0, 0, 0, 1 );

        padding: 0;

        margin: 0;
    }


    .menu-control button {

        background-color: transparent;
        ■cursor: pointer;

        display: block;

        text-align: start;
    }


    .clear {

        clear: both;
    }


    .footerLangSwitch,
    .footerVariantSwitch,
    .footerVisitedLinks,
    .footerFooter {

        display: none;
    }


    .showLangSwitch,
    .showVariantSwitch,
    .showVisitedLinks,
    .showFooter {

        display: block;
    }

```

```
}
```

```
/* clears the 'X' from Chrome's search input */
```

```
input[type="search"]::-webkit-search-decoration,
```

```
input[type="search"]::-webkit-search-cancel-button,
```

```
input[type="search"]::-webkit-search-results-button,
```

```
input[type="search"]::-webkit-search-results-decoration { display: none; }
```

```
span.math:has(> mjx-container[display]) {
```

```
    display: block;
```

```
}
```

```
@supports selector(.math:has(> mjx-container)){
```

```
    .math{
```

```
        visibility: hidden;
```

```
    }
```

```
    .math:has(> mjx-container){
```

```
        visibility: visible;
```

```
    }
```

```
}
```

```
.math.align-left > mjx-container{
```

```
    text-align: left !important;
```

```
}
```

```
.math.align-center > mjx-container{
```

```
    text-align: center !important;
```

```
}
```

```
.math.align-right > mjx-container{
```

```
    text-align: right !important;
```

```
}
```

```
.scrollbar-measure {
```

```
    /* https://davidwalsh.name/detect-scrollbar-width */
```

```
    height: 100px;
```

```
    overflow: scroll;
```



```
■position: absolute;
■width: 100px;
■top: -9999px;
}
```

```
.a11y-only {
  /* idea taken from https://www.filamentgroup.com/lab/a11y-form-labels.html */
  clip-path: polygon(0 0, 1px 0, 1px 1px, 0 1px);
  overflow: hidden;
  position: absolute;
  height: 1px;
  transform: translateY(-100%);
  transition: transform .5s cubic-bezier(.18,.89,.32,1.28);
  white-space: nowrap;
  width: 1px;
}
```

```
/* filament style for making action visible on focus - not adapted yet
```

```
.a11y-only:focus {
  position: fixed;
  height: auto;
  overflow: visible;
  clip: auto;
  white-space: normal;
  margin: 0 0 0 -100px;
  top: -.3em;
  left: 50%;
  text-align: center;
  width: 200px;
  background: rgba( 255, 255, 255, 1 );
  color: rgba( 54, 133, 18, 1 );
  padding: .8em 0 .7em;
  font-size: 16px;
  z-index: 5000;
  text-decoration: none;
}
```

```
border-bottom-right-radius: 8px;

border-bottom-left-radius: 8px;

outline: 0;

transform: translateY(0%);
}
*/
```

```
.mermaid-container.align-right {
    text-align: right;
}
```

```
.mermaid-container.align-center {
    text-align: center;
}
```

```
.mermaid-container.align-left {
    text-align: left;
}
```

```
.searchform {
display: flex;
}
```

```
.searchform input {
    flex: 1 0 60%;

    border-radius: 4px;

    border: 2px solid rgba( 134, 134, 134, .125 );

    background: rgba( 134, 134, 134, .125 );

    display: block;

    margin: 0;

    margin-inline-end: .5rem;
}
```

```
.searchform input::-webkit-input-placeholder,
.searchform input::placeholder {
```

```
        color: rgba( 134, 134, 134, 1 );
        opacity: .666;
    }

    .searchform .btn {
        display: inline-flex;
    }

    .searchhint {
        margin-top: 1rem;
        height: 1.5rem;
    }

    #R-searchresults a.autocomplete-suggestion {
        display: block;
        font-size: 1.3rem;
        font-weight: 500;
        line-height: 1.5rem;
        padding: 1rem;
        text-decoration: none;
    }

    #R-searchresults a.autocomplete-suggestion:after {
        height: 0;
    }

    #R-searchresults .autocomplete-suggestion > .breadcrumbs {
        font-size: .9rem;
        font-weight: 400;
        margin-top: .167em;
        padding-left: .2em;
        padding-right: .2em;
    }
    #R-searchresults .autocomplete-suggestion > .context {
        font-size: 1rem;
```

```
    font-weight: 300;

    margin-top: .66em;

    padding-left: .1em;

    padding-right: .1em;
}
```

```
.badge {

    border-radius: 3px;

    display: inline-block;
    font-size: .8rem;

    font-weight: 500;

    vertical-align: middle;
}
```

```
.badge > * {

    border-radius: 3px;

    border-style: solid;

    border-width: 1px;

    display: inline-block;

    padding: 0 .25rem
}
```

```
.badge > .badge-title {

    background-color: rgba( 16, 16, 16, 1 );

    border-inline-end: 0;

    border-start-end-radius: 0;

    border-end-end-radius: 0;

    color: rgba( 240, 240, 240, 1 );

    filter: contrast(2);

    opacity: .75;
}
```

```
.badge.badge-with-title > .badge-content {

    border-start-start-radius: 0;

    border-end-start-radius: 0;
}
```

```
}
```

```
.badge-content:after {  
    /* avoid breakage if no content is given */  
    content: "\200b";  
}
```

```
/* task list and its checkboxes */  
article ul > li:has(> input[type="checkbox"]) {  
    list-style: none;  
    margin-inline-start: -1rem;  
}
```

```
article ul > li:has(> input[type="checkbox"]>::before {  
    content: "\200B"; /* accessibilty for Safari https://developer.mozilla.org/en-US/docs/Web/CSS/list-st  
}
```

```
/* https://moderncss.dev/pure-css-custom-checkbox-style/ */  
article ul > li > input[type="checkbox"] {  
    -webkit-appearance: none;  
    appearance: none;  
    /* For iOS < 15 */  
    border: 0.15em solid currentColor;  
    border-radius: 0.15em;  
    display: inline-grid;  
    font: inherit;  
    height: 1.15em;  
    margin: 0;  
    place-content: center;  
    transform: translateY(-0.075em);  
    width: 1.15em;  
}
```

```
article ul > li > input[type="checkbox"]::before {  
    box-shadow: inset 1em 1em var(--INTERNAL-PRIMARY-color);
```

```

clip-path: polygon(14% 44%, 0 65%, 50% 100%, 100% 16%, 80% 0%, 43% 62%);
content: "";
height: 0.65em;
transform: scale(0);
transform-origin: bottom left;
transition: 120ms transform ease-in-out;
width: 0.65em;
/* Windows High Contrast Mode fallback must be last */
background-color: CanvasText;
}

```

```

article ul > li > input[type="checkbox"]:checked::before {
    transform: scale(1);
}

```

```

/* CSS Lightbox https://codepen.io/gschier/pen/kyRXVx */
.lightbox-back {
    align-items: center;
    background: rgba( 0, 0, 0, .8 );
    bottom: 0;
    display: none;
    justify-content: center;
    left: 0;
    position: fixed;
    right: 0;
    text-align: center;
    top: 0;
    white-space: nowrap;
    z-index: 1999;
}

```

```

.lightbox-back:target {
    display: flex;
}
.lightbox-back img {

```

```

    max-height: 95%;

    max-width: 95%;

    overflow: auto;

    padding: min(2vh, 2vw);
}

/* basic menu list styles (non-collapsible) */

#R-sidebar ul > li > :is( a, span ) {
    display: block;
    position: relative;
}

#R-sidebar ul.space > li > * {
    padding-bottom: .125rem;
    padding-top: .125rem;
}

#R-sidebar ul.space > li > ul {
    padding-bottom: 0;
    padding-top: 0;
}

#R-sidebar ul.morespace > li > * {
padding-bottom: .25rem;

    padding-top: .25rem;
}

#R-sidebar ul.morespace > li > ul {
    padding-bottom: 0;
    padding-top: 0;
}

#R-sidebar ul.enlarge > li > :is( a, span ) {
    font-size: 1.1rem;
    line-height: 2rem;
}

```

```
#R-sidebar ul.enlarge > li > a > .read-icon {
    margin-top: .5rem;
}

#R-sidebar ul.enlarge > li > ul > li:last-child {
    padding-bottom: 1rem;
}

#R-sidebar ul ul {
    padding-inline-start: 1rem;
}

/* collapsible menu style overrides */

#R-sidebar ul.collapsible-menu > li {
    position: relative;
}

#R-sidebar ul.collapsible-menu > li > input {
    -webkit-appearance: none;
    appearance: none;
    cursor: pointer;
    display: inline-block;
    margin-left: 0;
    margin-right: 0;
    margin-top: .65rem;
    position: absolute;
    width: 1rem;
    z-index: 1;
}

#R-sidebar ul.collapsible-menu.enlarge > li > input {
    margin-top: .9rem;
}

#R-sidebar ul.collapsible-menu > li > label {
    cursor: pointer;
```



```

    display: inline-block;

    inset-inline-start: 0;

    margin-bottom: 0; /* nucleus */

    padding-inline-start: .125rem;

    position: absolute;

    width: 1rem;

    z-index: 2;
}

#R-sidebar ul.collapsible-menu.enlarge > li > label {

    font-size: 1.1rem;

    line-height: 2rem;
}
#R-sidebar ul.collapsible-menu > li > label:after {

    content: "";

    display: block;

    height: 1px;

    transition: width 0.5s ease;

    width: 0%;
}

#R-sidebar ul.collapsible-menu > li > label:hover:after {

    width: 100%;
}

#R-sidebar ul.collapsible-menu > li > label > .fas {

    font-size: .8rem;

    width: .6rem;
}

#R-sidebar ul.collapsible-menu > li > :is( a, span ) {

    display: inline-block;

    width: 100%;
}

/* menu states for not(.collapsible-menu) */

```

```

#R-sidebar ul ul {
    display: none;
}

#R-sidebar ul > li.parent > ul,
#R-sidebar ul > li.active > ul,
#R-sidebar ul > li.alwaysopen > ul {
    display: block;
}

/* closed menu */

#R-sidebar ul.collapsible-menu > li > input + label ~ ul {
    display: none;
}

#R-sidebar ul.collapsible-menu > li > input + label > .fa-chevron-down {
    display: none;
}
#R-sidebar ul.collapsible-menu > li > input + label > .fa-chevron-right {
    display: inline-block;
}

/* open menu */

#R-sidebar ul.collapsible-menu > li > input:checked + label ~ ul {
    display: block;
}

#R-sidebar ul.collapsible-menu > li > input:checked + label > .fa-chevron-down {
    display: inline-block;
}
#R-sidebar ul.collapsible-menu > li > input:checked + label > .fa-chevron-right {
    display: none;
}

```

```
/* adjust menu for RTL reading direction */

html[dir="rtl"] #R-sidebar ul.collapsible-menu > li > label > i.fa-chevron-right {
    transform: scaleX(-1);
}

.columnize{
    column-count: 2;
}

@media screen and (min-width: 79.25rem) {
    .columnize{
        column-count: 3;
    }
}

.columnize > *{
    break-inside: avoid-column;
}

.columnize .breadcrumbs{
    font-size: .859625rem;
}

#R-body .tab-panel{
    margin-bottom: 1.5rem;
    margin-top: 1.5rem;
}

#R-body .tab-nav{
    display: flex;
    flex-wrap: wrap;
}

#R-body .tab-nav-title{
    font-size: .9rem;
}
```

```

    font-weight: 400;

    line-height: 1.42857143;

    padding: .2rem 0;

    margin-inline-start: .6rem;
}

#R-body .tab-nav-button{
    -webkit-appearance: none;

    appearance: none;

    background-color: transparent;

    border: 1px solid transparent;

    display: block;

    font-size: .9rem;

    font-weight: 300;

    line-height: 1.42857143;

    margin-inline-start: .6rem;
}

#R-body .tab-nav-button.active{
    border-radius: 2px 2px 0 0;

    cursor: default;
}

#R-body .tab-nav-button > .tab-nav-text{
    border-bottom-style: solid;
    border-bottom-width: .15rem;

    display: block;

    padding: .2rem .6rem 0 .6rem;
}

/* https://stackoverflow.com/a/46452396 */
#R-body .tab-nav-button.active > .tab-nav-text{
    border-bottom-color: transparent;

    border-radius: 1px 1px 0 0;

    text-shadow: -0.06ex 0 0 currentColor, 0.06ex 0 0 currentColor;
}

```

```

@supports (-webkit-text-stroke-width: 0.04ex){

  #R-body .tab-nav-button.active > .tab-nav-text{

    text-shadow: -0.03ex 0 0 currentColor, 0.03ex 0 0 currentColor;

    -webkit-text-stroke-width: 0.04ex;

  }
}

#R-body .tab-content{

  border-style: solid;

  border-width: 1px;

  display: none;

  /* if setting a border to 1px, a browser instead sets it to 1dppx which is not
  usable as a unit yet, so we have to calculate it ourself */

  margin-top: calc( -1px / var(--bpx) );

  z-index: 10;

}

#R-body .tab-content.active{

  display: block;

}

#R-body .tab-content-text{

  padding: 1rem;

}

/* remove margin if only a single code block is contained in the tab (FF without :has using .codify style
#R-body .tab-content.codify > .tab-content-text{

  padding: 0;

}

#R-body .tab-content-text:has(> div.highlight:only-child){

  padding: 0;

}

/* remove border from code block if single in tab */
#R-body .tab-content-text > div.highlight:only-child > div,

```

```
#R-body .tab-content-text > div.highlight:only-child pre:not(.mermaid),
#R-body .tab-content-text > pre:not(.mermaid).pre-code:only-child{
    border-width: 0;
}
```

```
/* bordering the menu and topbar */
```

```
#R-topbar {
    border-bottom-style: solid;
    border-bottom-width: 1px;
}
```

```
#R-header-topbar {
    border-bottom-color: transparent;
    border-bottom-style: solid;
border-bottom-width: 1px;

    border-inline-end-style: solid;
    border-inline-end-width: 1px;
    height: 3rem;
    position: absolute;
    top: 0;
    width: 100%;
    z-index: 1;
}
```

```
#R-header-wrapper,
#R-homelinks,
#R-content-wrapper > * {
    border-inline-end-style: solid;
    border-inline-end-width: 1px;
}
```

```
#topics > ul {
    margin-top: 1rem;
}
```

```
#R-sidebar ul.collapsible-menu li.active > a{  
    border-style: solid;  
    border-width: 1px;  
    padding-bottom: calc( .25rem - var(--bpx1)*1px);  
    padding-left: calc( 1rem - var(--bpx1)*1px);  
    padding-right: calc( 1rem - var(--bpx1)*1px);  
    padding-top: calc( .25rem - var(--bpx1)*1px);  
    width: calc(100% + var(--bpx1)*1px);  
}
```

```
#R-menu-footer {  
    padding-bottom: 1rem;  
}
```

```
#R-topics {  
    padding-top: 1rem;  
}
```

```
.term-list ul,  
.term-list li {  
    list-style: none;  
    display: inline;  
    padding: 0;  
}  
.term-list i ~ ul > li:before{  
    content: " "  
}  
.term-list ul > li ~ li:before {  
    content: " | "  
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\variant-internal.css

Resumo: :root { / initially use section background to avoid flickering on load when a non default variant is active; this is only possible because every color variant defines this variable, otherwise we would have been lost */ --INTERNAL-PRIMARY-color: var(--PRIMARY-color, var(--MENU-HEADER-...*

```
:root {

    /* initially use section background to avoid flickering on load when a non default variant is active;
    this is only possible because every color variant defines this variable, otherwise we would have been
    lost */
    --INTERNAL-PRIMARY-color: var(--PRIMARY-color, var(--MENU-HEADER-BG-color, rgba( 0, 0, 0, 0 ))); /* no
    --INTERNAL-SECONDARY-color: var(--SECONDARY-color, var(--MAIN-LINK-color, rgba( 72, 106, 201, 1 )));
    --INTERNAL-ACCENT-color: var(--ACCENT-color, rgba( 255, 255, 0, 1 ));

    --INTERNAL-MAIN-TOPBAR-BORDER-color: var(--MAIN-TOPBAR-BORDER-color, transparent);
    --INTERNAL-MAIN-LINK-color: var(--MAIN-LINK-color, var(--SECONDARY-color, rgba( 72, 106, 201, 1 )));
    --INTERNAL-MAIN-LINK-HOVER-color: var(--MAIN-LINK-HOVER-color, var(--INTERNAL-MAIN-LINK-color));
    --INTERNAL-MAIN-BG-color: var(--MAIN-BG-color, rgba( 255, 255, 255, 1 ));

    --INTERNAL-MAIN-TEXT-color: var(--MAIN-TEXT-color, rgba( 16, 16, 16, 1 ));
    --INTERNAL-MAIN-TITLES-TEXT-color: var(--MAIN-TITLES-TEXT-color, var(--INTERNAL-MAIN-TEXT-color));

    --INTERNAL-MAIN-TITLES-H1-color: var(--MAIN-TITLES-H1-color, var(--INTERNAL-MAIN-TEXT-color));
    --INTERNAL-MAIN-TITLES-H2-color: var(--MAIN-TITLES-H2-color, var(--INTERNAL-MAIN-TITLES-TEXT-color));
    --INTERNAL-MAIN-TITLES-H3-color: var(--MAIN-TITLES-H3-color, var(--INTERNAL-MAIN-TITLES-H2-color));
    --INTERNAL-MAIN-TITLES-H4-color: var(--MAIN-TITLES-H4-color, var(--INTERNAL-MAIN-TITLES-H3-color));
    --INTERNAL-MAIN-TITLES-H5-color: var(--MAIN-TITLES-H5-color, var(--INTERNAL-MAIN-TITLES-H4-color));
    --INTERNAL-MAIN-TITLES-H6-color: var(--MAIN-TITLES-H6-color, var(--INTERNAL-MAIN-TITLES-H5-color));

    --INTERNAL-MAIN-font: var(--MAIN-font, "Work Sans", "Helvetica", "Tahoma", "Geneva", "Arial", sans-serif);
    --INTERNAL-MAIN-TITLES-TEXT-font: var(--MAIN-TITLES-TEXT-font, var(--INTERNAL-MAIN-font));

    --INTERNAL-MAIN-TITLES-H1-font: var(--MAIN-TITLES-H1-font, var(--INTERNAL-MAIN-font));
    --INTERNAL-MAIN-TITLES-H2-font: var(--MAIN-TITLES-H2-font, var(--INTERNAL-MAIN-TITLES-TEXT-font));
    --INTERNAL-MAIN-TITLES-H3-font: var(--MAIN-TITLES-H3-font, var(--INTERNAL-MAIN-TITLES-H2-font));
    --INTERNAL-MAIN-TITLES-H4-font: var(--MAIN-TITLES-H4-font, var(--INTERNAL-MAIN-TITLES-H3-font));
    --INTERNAL-MAIN-TITLES-H5-font: var(--MAIN-TITLES-H5-font, var(--INTERNAL-MAIN-TITLES-H4-font));
    --INTERNAL-MAIN-TITLES-H6-font: var(--MAIN-TITLES-H6-font, var(--INTERNAL-MAIN-TITLES-H5-font));
```



```
--INTERNAL-CODE-theme: var(--CODE-theme, relearn-light);

--INTERNAL-CODE-font: var(--CODE-font, "Consolas", menlo, monospace);

--INTERNAL-CODE-BLOCK-color: var(--CODE-BLOCK-color, var(--MAIN-CODE-color, rgba( 39, 40, 34, 1 )));

--INTERNAL-CODE-BLOCK-BG-color: var(--CODE-BLOCK-BG-color, var(--MAIN-CODE-BG-color, rgba( 250, 250, 250, 1 )));

--INTERNAL-CODE-BLOCK-BORDER-color: var(--CODE-BLOCK-BORDER-color, var(--MAIN-CODE-BG-color, var(--INTERNAL-CODE-BLOCK-color)));

--INTERNAL-CODE-INLINE-color: var(--CODE-INLINE-color, rgba( 94, 94, 94, 1 ));

--INTERNAL-CODE-INLINE-BG-color: var(--CODE-INLINE-BG-color, rgba( 255, 250, 233, 1 ));

--INTERNAL-CODE-INLINE-BORDER-color: var(--CODE-INLINE-BORDER-color, rgba( 251, 240, 203, 1 ));


--INTERNAL-BROWSER-theme: var(--BROWSER-theme, light);

--INTERNAL-MERMAID-theme: var(--CONFIG-MERMAID-theme, var(--MERMAID-theme, var(--INTERNAL-PRINT-MERMAID-theme, light)));

--INTERNAL-OPENAPI-theme: var(--CONFIG-OPENAPI-theme, var(--OPENAPI-theme, var(--SWAGGER-theme, var(--INTERNAL-PRINT-OPENAPI-theme, light))));

--INTERNAL-OPENAPI-CODE-theme: var(--CONFIG-OPENAPI-CODE-theme, var(--OPENAPI-CODE-theme, --INTERNAL-PRINT-OPENAPI-CODE-theme, light));


--INTERNAL-TAG-BG-color: var(--TAG-BG-color, var(--INTERNAL-PRIMARY-color));


--INTERNAL-MENU-BORDER-color: var(--MENU-BORDER-color, transparent);

--INTERNAL-MENU-TOPBAR-BORDER-color: var(--MENU-TOPBAR-BORDER-color, var(--INTERNAL-MENU-HEADER-BG-color));

--INTERNAL-MENU-TOPBAR-SEPARATOR-color: var(--MENU-TOPBAR-SEPARATOR-color, transparent);

--INTERNAL-MENU-HEADER-BG-color: var(--MENU-HEADER-BG-color, var(--PRIMARY-color, rgba( 0, 0, 0, 0 )));

--INTERNAL-MENU-HEADER-BORDER-color: var(--MENU-HEADER-BORDER-color, var(--INTERNAL-MENU-HEADER-BG-color));

--INTERNAL-MENU-HEADER-SEPARATOR-color: var(--MENU-HEADER-SEPARATOR-color, var(--INTERNAL-MENU-HEADER-BG-color));


--INTERNAL-MENU-HOME-LINK-color: var(--MENU-HOME-LINK-color, rgba( 50, 50, 50, 1 ));

--INTERNAL-MENU-HOME-LINK-HOVER-color: var(--MENU-HOME-LINK-HOVER-color, var(--MENU-HOME-LINK-HOVERED-color, #000000));


--INTERNAL-MENU-SEARCH-color: var(--MENU-SEARCH-color, var(--MENU-SEARCH-BOX-ICONS-color, rgba( 224, 224, 224, 1 )));

--INTERNAL-MENU-SEARCH-BG-color: var(--MENU-SEARCH-BG-color, rgba( 50, 50, 50, 1 ));

--INTERNAL-MENU-SEARCH-BORDER-color: var(--MENU-SEARCH-BORDER-color, var(--MENU-SEARCH-BOX-color, var(--INTERNAL-MENU-SEARCH-color)));


--INTERNAL-MENU-SECTIONS-ACTIVE-BG-color: var(--MENU-SECTIONS-ACTIVE-BG-color, rgba( 0, 0, 0, .166 ));

--INTERNAL-MENU-SECTIONS-BG-color: var(--MENU-SECTIONS-BG-color, rgba( 40, 40, 40, 1 ));

--INTERNAL-MENU-SECTIONS-LINK-color: var(--MENU-SECTIONS-LINK-color, rgba( 186, 186, 186, 1 ));

--INTERNAL-MENU-SECTIONS-LINK-HOVER-color: var(--MENU-SECTIONS-LINK-HOVER-color, var(--INTERNAL-MENU-SECTIONS-LINK-color));

--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-color: var(--MENU-SECTION-ACTIVE-CATEGORY-color, rgba( 68, 68, 68, 1 ));
```

```
--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-BG-color: var(--MENU-SECTION-ACTIVE-CATEGORY-BG-color, var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-BORDER-color));
```

```
--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-BORDER-color: var(--MENU-SECTION-ACTIVE-CATEGORY-BORDER-color, var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-BG-color));
```

```
--INTERNAL-MENU-VISITED-color: var(--MENU-VISITED-color, var(--INTERNAL-SECONDARY-color));
```

```
--INTERNAL-MENU-SECTION-SEPARATOR-color: var(--MENU-SECTION-SEPARATOR-color, var(--MENU-SECTION-HR-color));
```

```
--INTERNAL-BOX-CAPTION-color: var(--BOX-CAPTION-color, rgba( 255, 255, 255, 1 ));
```

```
--INTERNAL-BOX-BG-color: var(--BOX-BG-color, rgba( 255, 255, 255, .833 ));
```

```
--INTERNAL-BOX-TEXT-color: var(--BOX-TEXT-color, var(--INTERNAL-MAIN-TEXT-color));
```

```
--INTERNAL-BOX-BLUE-color: var(--BOX-BLUE-color, rgba( 48, 117, 229, 1 ));
```

```
--INTERNAL-BOX-GREEN-color: var(--BOX-GREEN-color, rgba( 42, 178, 24, 1 ));
```

```
--INTERNAL-BOX-GREY-color: var(--BOX-GREY-color, rgba( 160, 160, 160, 1 ));
```

```
--INTERNAL-BOX-ORANGE-color: var(--BOX-ORANGE-color, rgba( 237, 153, 9, 1 ));
```

```
--INTERNAL-BOX-RED-color: var(--BOX-RED-color, rgba( 224, 62, 62, 1 ));
```

```
--INTERNAL-BOX-INFO-color: var(--BOX-INFO-color, var(--INTERNAL-BOX-BLUE-color));
```

```
--INTERNAL-BOX-NEUTRAL-color: var(--BOX-NEUTRAL-color, var(--INTERNAL-BOX-GREY-color));
```

```
--INTERNAL-BOX-NOTE-color: var(--BOX-NOTE-color, var(--INTERNAL-BOX-ORANGE-color));
```

```
--INTERNAL-BOX-TIP-color: var(--BOX-TIP-color, var(--INTERNAL-BOX-GREEN-color));
```

```
--INTERNAL-BOX-WARNING-color: var(--BOX-WARNING-color, var(--INTERNAL-BOX-RED-color));
```

```
--INTERNAL-BOX-BLUE-TEXT-color: var(--BOX-BLUE-TEXT-color, var(--INTERNAL-BOX-TEXT-color));
```

```
--INTERNAL-BOX-GREEN-TEXT-color: var(--BOX-GREEN-TEXT-color, var(--INTERNAL-BOX-TEXT-color));
```

```
--INTERNAL-BOX-GREY-TEXT-color: var(--BOX-GREY-TEXT-color, var(--INTERNAL-BOX-TEXT-color));
```

```
--INTERNAL-BOX-ORANGE-TEXT-color: var(--BOX-ORANGE-TEXT-color, var(--INTERNAL-BOX-TEXT-color));
```

```
--INTERNAL-BOX-RED-TEXT-color: var(--BOX-RED-TEXT-color, var(--INTERNAL-BOX-TEXT-color));
```

```
--INTERNAL-BOX-INFO-TEXT-color: var(--BOX-INFO-TEXT-color, var(--INTERNAL-BOX-BLUE-TEXT-color));
```

```
--INTERNAL-BOX-NEUTRAL-TEXT-color: var(--BOX-NEUTRAL-TEXT-color, var(--INTERNAL-BOX-GREY-TEXT-color));
```

```
--INTERNAL-BOX-NOTE-TEXT-color: var(--BOX-NOTE-TEXT-color, var(--INTERNAL-BOX-ORANGE-TEXT-color));
```

```
--INTERNAL-BOX-TIP-TEXT-color: var(--BOX-TIP-TEXT-color, var(--INTERNAL-BOX-GREEN-TEXT-color));
```

```
--INTERNAL-BOX-WARNING-TEXT-color: var(--BOX-WARNING-TEXT-color, var(--INTERNAL-BOX-RED-TEXT-color));
```

```
/* print style, values taken from relearn-light as it is used as a default print style */
```

```
--INTERNAL-PRINT-MAIN-BG-color: var(--PRINT-MAIN-BG-color, rgba( 255, 255, 255, 1 ));
```

```
--INTERNAL-PRINT-CODE-font: var(--PRINT-CODE-font, "Consolas", menlo, monospace);
--INTERNAL-PRINT-TAG-BG-color: var(--PRINT-TAG-BG-color, rgba( 125, 201, 3, 1 ));
--INTERNAL-PRINT-MAIN-font: var(--PRINT-MAIN-font, "Work Sans", "Helvetica", "Tahoma", "Geneva", "Arial");
--INTERNAL-PRINT-MAIN-TEXT-color: var(--PRINT-MAIN-TEXT-color, rgba( 16, 16, 16, 1 ));
--INTERNAL-PRINT-MERMAID-theme: var(--PRINT-MERMAID-theme, default);
--INTERNAL-PRINT-OPENAPI-theme: var(--PRINT-OPENAPI-theme, var(--PRINT-SWAGGER-theme, light));
--INTERNAL-PRINT-OPENAPI-CODE-theme: var(--PRINT-OPENAPI-CODE-theme, idea);

--INTERNAL-MENU-WIDTH-S: var(--MENU-WIDTH-S, 14.375rem);
--INTERNAL-MENU-WIDTH-M: var(--MENU-WIDTH-M, 14.375rem);
--INTERNAL-MENU-WIDTH-L: var(--MENU-WIDTH-L, 18.75rem);
--INTERNAL-MAIN-WIDTH-MAX: var(--MAIN-WIDTH-MAX, 81.25rem);
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\css\variant.css

Resumo: @import "variant-internal.css"; html { color-scheme: only var(--INTERNAL-BROWSER-theme); } body { background-color: var(--INTERNAL-MAIN-BG-color); color: var(--INTERNAL-MAIN-TEXT-color); font-family: var(--INTERNAL-MAIN-font); } a, .anchor, .topbar-button button, #R...

```
@import "variant-internal.css";

html {

    color-scheme: only var(--INTERNAL-BROWSER-theme);

}

body {

    background-color: var(--INTERNAL-MAIN-BG-color);

    color: var(--INTERNAL-MAIN-TEXT-color);

    font-family: var(--INTERNAL-MAIN-font);

}

a,

.anchor,

.topbar-button button,

#R-searchresults .autocomplete-suggestion {

    color: var(--INTERNAL-MAIN-LINK-color);

}

a:hover,

a:active,

a:focus,

.anchor:hover,

.anchor:active,

.anchor:focus,

.topbar-button button:hover,

.topbar-button button:active,

.topbar-button button:focus{

    color: var(--INTERNAL-MAIN-LINK-HOVER-color);

}

#R-sidebar {
```

```

        background: var(--INTERNAL-MENU-SECTIONS-BG-color);
    }

    #R-header-wrapper {
        background-color: var(--INTERNAL-MENU-HEADER-BG-color);
        color: var(--INTERNAL-MENU-SEARCH-color);
    }

    .searchbox {
        border-color: var(--INTERNAL-MENU-SEARCH-BORDER-color);
        background-color: var(--INTERNAL-MENU-SEARCH-BG-color);
    }

    #R-sidebar .searchbox > :first-child,
    #R-sidebar .searchbox > :last-child {
        color: var(--INTERNAL-MENU-SEARCH-color);
    }

    .searchbox input::-webkit-input-placeholder,
    .searchbox input::placeholder {
        color: var(--INTERNAL-MENU-SEARCH-color);
    }

    #R-sidebar .collapsible-menu label,
    #R-sidebar .menu-control,
    #R-sidebar :is( a, span ) {
        color: var(--INTERNAL-MENU-SECTIONS-LINK-color);
    }
    #R-sidebar select:hover,
    #R-sidebar .collapsible-menu li:not(.active) > label:hover,
    #R-sidebar .menu-control:hover,
    #R-sidebar a:hover {
        color: var(--INTERNAL-MENU-SECTIONS-LINK-HOVER-color);
    }
    #R-sidebar ul.enlarge > li.parent,
    #R-sidebar ul.enlarge > li.active {

```

```
background-color: var(--INTERNAL-MENU-SECTIONS-ACTIVE-BG-color);
}

#R-sidebar li.active > label,
#R-sidebar li.active > a {
    color: var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-color);
}

#R-sidebar li.active > a {
    background-color: var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-BG-color);
}

#R-sidebar ul li > a .read-icon {
    color: var(--INTERNAL-MENU-VISITED-color);
}

#R-sidebar .nav-title {
    color: var(--INTERNAL-MENU-SECTIONS-LINK-color);
}

#R-content-wrapper hr {
    border-color: var(--INTERNAL-MENU-SECTION-SEPARATOR-color);
}

#R-footer {
    color: var(--INTERNAL-MENU-SECTIONS-LINK-color);
}

mark {
    background-image: linear-gradient(
        to right,
        color-mix( in srgb, var(--INTERNAL-ACCENT-color) 20%, transparent ),
        color-mix( in srgb, var(--INTERNAL-ACCENT-color) 90%, transparent ) 4%,
        color-mix( in srgb, var(--INTERNAL-ACCENT-color) 40%, transparent )
    );
```

```
}
```

```
kbd {
```

```
  color: var(--INTERNAL-TEXT-color);
```

```
  font-family: var(--INTERNAL-CODE-font);
```

```
}
```

```
h1 {
```

```
  color: var(--INTERNAL-MAIN-TITLES-H1-color);
```

```
  font-family: var(--INTERNAL-MAIN-TITLES-H1-font);
```

```
}
```

```
h2 {
```

```
  color: var(--INTERNAL-MAIN-TITLES-H2-color);
```

```
  font-family: var(--INTERNAL-MAIN-TITLES-H2-font);
```

```
}
```

```
h3, .article-subheading {
```

```
  color: var(--INTERNAL-MAIN-TITLES-H3-color);
```

```
  font-family: var(--INTERNAL-MAIN-TITLES-H3-font);
```

```
}
```

```
h4 {
```

```
  color: var(--INTERNAL-MAIN-TITLES-H4-color);
```

```
  font-family: var(--INTERNAL-MAIN-TITLES-H4-font);
```

```
}
```

```
h5 {
```

```
  color: var(--INTERNAL-MAIN-TITLES-H5-color);
```

```
  font-family: var(--INTERNAL-MAIN-TITLES-H5-font);
```

```
}
```

```
h6 {
```

```
  color: var(--INTERNAL-MAIN-TITLES-H6-color);
```

```
  font-family: var(--INTERNAL-MAIN-TITLES-H6-font);
```

```
}
```

```
div.box {  
    background-color: var(--VARIABLE-BOX-color);  
    border-color: var(--VARIABLE-BOX-color);  
}
```

```
div.box > .box-label {  
    color: var(--VARIABLE-BOX-CAPTION-color);  
}
```

```
div.box > .box-content {  
    background-color: var(--VARIABLE-BOX-BG-color);  
    color: var(--VARIABLE-BOX-TEXT-color);  
}
```

```
.cstyle.info {  
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-INFO-color);  
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-INFO-TEXT-color);  
}
```

```
.cstyle.warning {  
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-WARNING-color);  
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-WARNING-TEXT-color);  
}
```

```
.cstyle.note {  
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-NOTE-color);  
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-NOTE-TEXT-color);  
}
```

```
.cstyle.tip {  
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-TIP-color);  
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-TIP-TEXT-color);  
}
```



```
.cstyle.primary {
    --VARIABLE-BOX-color: var(--INTERNAL-PRIMARY-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-MAIN-TEXT-color);
}
.cstyle.secondary {
    --VARIABLE-BOX-color: var(--INTERNAL-SECONDARY-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-MAIN-TEXT-color);
}

.cstyle.accent {
    --VARIABLE-BOX-color: var(--INTERNAL-ACCENT-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-MAIN-TEXT-color);
}

.cstyle.blue {
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-BLUE-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-BLUE-TEXT-color);
}

.cstyle.green {
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-GREEN-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-GREEN-TEXT-color);
}

.cstyle.grey {
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-GREY-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-GREY-TEXT-color);
}

.cstyle.orange {
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-ORANGE-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-ORANGE-TEXT-color);
}

.cstyle.red {
```

```

    --VARIABLE-BOX-color: var(--INTERNAL-BOX-RED-color);

    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-BOX-RED-TEXT-color);
}

.cstyle.code {
    --VARIABLE-BOX-color: var(--INTERNAL-CODE-BLOCK-BORDER-color);
    --VARIABLE-BOX-CAPTION-color: var(--INTERNAL-CODE-BLOCK-color);
    --VARIABLE-BOX-BG-color: var(--INTERNAL-CODE-BLOCK-BG-color);
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-CODE-BLOCK-color);
}

.cstyle.transparent {
    --VARIABLE-BOX-color: transparent;
    --VARIABLE-BOX-CAPTION-color: var(--INTERNAL-MAIN-TITLES-TEXT-color);
    --VARIABLE-BOX-BG-color: transparent;
    --VARIABLE-BOX-TEXT-color: var(--INTERNAL-MAIN-TEXT-color);
}

code,
kbd,
pre:not(.mermaid),
samp {
    font-family: var(--INTERNAL-CODE-font);
}

code {
    background-color: var(--INTERNAL-CODE-INLINE-BG-color);
    border-color: var(--INTERNAL-CODE-INLINE-BORDER-color);
    color: var(--INTERNAL-CODE-INLINE-color);
}

pre:not(.mermaid) {
    background-color: var(--INTERNAL-CODE-BLOCK-BG-color);
    border-color: var(--INTERNAL-CODE-BLOCK-BORDER-color);
    color: var(--INTERNAL-CODE-BLOCK-color);
}

```

```
}
```

```
div.highlight > div {  
    background-color: var(--INTERNAL-CODE-BLOCK-BG-color);  
    border-color: var(--INTERNAL-CODE-BLOCK-BORDER-color);  
}
```

```
table {  
    background-color: var(--INTERNAL-MAIN-BG-color);  
}
```

```
.lightbox-back img{  
    background-color: var(--INTERNAL-MAIN-BG-color);  
}
```

```
#R-topbar {  
    background-color: var(--INTERNAL-MAIN-BG-color);  
}
```

```
.topbar-sidebar-divider {  
    border-inline-start-color: var(--INTERNAL-MENU-TOPBAR-SEPARATOR-color);  
}
```

```
@media screen and (max-width: 47.999rem) {  
    .topbar-sidebar-divider {  
        border-inline-start-color: transparent;  
    }  
}
```

```
#R-body a[aria-disabled="true"],  
#R-searchresults .autocomplete-suggestion > .context {  
    color: var(--INTERNAL-MAIN-TEXT-color);  
}
```

```
#R-searchresults .autocomplete-suggestion > .breadcrumbs {  
    color: var(--INTERNAL-PRIMARY-color);  
}
```

```
}
```

```
.copy-to-clipboard-button {  
    background-color: var(--INTERNAL-CODE-INLINE-BG-color);  
    border-color: var(--INTERNAL-CODE-INLINE-BORDER-color);  
    color: var(--INTERNAL-CODE-INLINE-color);  
    font-family: var(--INTERNAL-CODE-font);  
}
```

```
.copy-to-clipboard-button:hover {  
    background-color: var(--INTERNAL-CODE-INLINE-color);  
    color: var(--INTERNAL-CODE-INLINE-BG-color);  
}
```

```
div.highlight > div table + .copy-to-clipboard-button,  
div.highlight pre:not(.mermaid) + .copy-to-clipboard-button,  
pre:not(.mermaid) .copy-to-clipboard-button {  
    border-color: transparent;  
    color: var(--INTERNAL-MAIN-LINK-color);  
}
```

```
div.highlight > div table + .copy-to-clipboard-button:hover,  
div.highlight pre:not(.mermaid) + .copy-to-clipboard-button:hover,  
pre:not(.mermaid) .copy-to-clipboard-button:hover {  
    background-color: var(--INTERNAL-MAIN-LINK-color);  
    border-color: var(--INTERNAL-MAIN-LINK-color);  
    color: var(--INTERNAL-CODE-BLOCK-BG-color);  
}
```

```
.expand > label {  
    color: var(--INTERNAL-MAIN-LINK-color);  
}
```

```
.expand > label:hover,  
.expand > label:active,
```

```
.expand > label:focus,  
.expand > input:hover + label,  
.expand > input:active + label,  
.expand > input:focus + label{  
    color: var(--INTERNAL-MAIN-LINK-HOVER-color);  
}  
  
.svg-reset-button {  
    border-color: transparent;  
    color: var(--INTERNAL-MAIN-LINK-color);  
}  
  
.svg-reset-button:hover {  
    background-color: var(--INTERNAL-MAIN-LINK-color);  
    border-color: var(--INTERNAL-MAIN-LINK-color);  
    color: var(--INTERNAL-MAIN-BG-color);  
}  
  
#R-homelinks {  
    background-color: var(--INTERNAL-MENU-HEADER-BORDER-color);  
}  
  
#R-homelinks a {  
    color: var(--INTERNAL-MENU-HOME-LINK-color);  
}  
  
#R-homelinks a:hover {  
    color: var(--INTERNAL-MENU-HOME-LINK-HOVER-color);  
}  
  
#R-homelinks hr {  
    border-color: var(--INTERNAL-MENU-HEADER-SEPARATOR-color);  
}  
  
.topbar-content {  
    background-color: var(--INTERNAL-MAIN-BG-color);
```

```

}

.btn {
    background-color: var(--VARIABLE-BOX-color);
}

.btn > * {
    border-color: var(--VARIABLE-BOX-color);
    color: var(--VARIABLE-BOX-CAPTION-color);
}

.btn.interactive > *:hover,
.btn.interactive > *:active,
.btn.interactive > *:focus {
    background-color: var(--VARIABLE-BOX-BG-color);
    color: var(--VARIABLE-BOX-TEXT-color);
}

.btn.cstyle.transparent {
    --VARIABLE-BOX-BG-color: var(--INTERNAL-BOX-BG-color);
}

.btn.cstyle.interactive.transparent:hover,
.btn.cstyle.interactive.transparent:focus,
.btn.cstyle.interactive.transparent:active,
.btn.cstyle.interactive.transparent:has(a:hover),
.btn.cstyle.interactive.transparent:has(a:focus),
.btn.cstyle.interactive.transparent:has(a:active) {
    background-color: var(--INTERNAL-BOX-NEUTRAL-color);
}

.btn.cstyle.transparent > * {
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-NEUTRAL-color);
    --VARIABLE-BOX-TEXT-color: var(--VARIABLE-BOX-CAPTION-color);
}

```

```

#R-body .tags {
    --VARIABLE-TAGS-color: var(--INTERNAL-MAIN-BG-color);
    --VARIABLE-TAGS-BG-color: var(--VARIABLE-BOX-color);
}

#R-body .tags a.term-link {
    background-color: var(--VARIABLE-TAGS-BG-color);
    color: var(--VARIABLE-TAGS-color);
}

#R-body .tags a.term-link:before {
    border-right-color: var(--VARIABLE-TAGS-BG-color);
}

#R-body .tags a.term-link:after {
    background-color: var(--VARIABLE-TAGS-color);
}

.badge > * {
    border-color: var(--VARIABLE-BOX-TEXT-color);
}

.badge > .badge-content {
    background-color: var(--VARIABLE-BOX-color);
    color: var(--VARIABLE-BOX-CAPTION-color);
}

.badge.cstyle.transparent{
    --VARIABLE-BOX-BG-color: var(--INTERNAL-BOX-BG-color);
}

article ul > li > input[type="checkbox"] {
    background-color: var(--INTERNAL-MAIN-BG-color); /* box background */
    color: var(--INTERNAL-MAIN-TEXT-color);
}

```

```
#R-body .tab-nav-button {
    color: var(--INTERNAL-MAIN-LINK-color);
}

#R-body .tab-nav-button:not(.active):hover,
#R-body .tab-nav-button:not(.active):active,
#R-body .tab-nav-button:not(.active):focus {
    color: var(--INTERNAL-MAIN-LINK-HOVER-color);
}

#R-body .tab-nav-button.active {
    background-color: var(--VARIABLE-BOX-color);
    border-bottom-color: var(--VARIABLE-BOX-BG-color);
    color: var(--VARIABLE-BOX-TEXT-color);
}

#R-body .tab-nav-button > .tab-nav-text{
    border-bottom-color: var(--VARIABLE-BOX-color);
}

#R-body .tab-nav-button.active > .tab-nav-text{
    background-color: var(--VARIABLE-BOX-BG-color);
}

#R-body .tab-nav-button:not(.active):hover > .tab-nav-text,
#R-body .tab-nav-button:not(.active):active > .tab-nav-text,
#R-body .tab-nav-button:not(.active):focus > .tab-nav-text {
    border-bottom-color: var(--INTERNAL-MAIN-LINK-HOVER-color);
}

#R-body .tab-content{
    background-color: var(--VARIABLE-BOX-color);
    border-color: var(--VARIABLE-BOX-color);
}

#R-body .tab-content-text{
    background-color: var(--VARIABLE-BOX-BG-color);
    color: var(--VARIABLE-BOX-TEXT-color);
}
```



```
}
```

```
.tab-panel-style.cstyle.initial,  
.tab-panel-style.cstyle.default {  
    --VARIABLE-BOX-BG-color: var(--INTERNAL-MAIN-BG-color);  
}
```

```
.tab-panel-style.cstyle.transparent {  
    --VARIABLE-BOX-color: rgba( 134, 134, 134, .4 );  
    --VARIABLE-BOX-BG-color: transparent;  
}
```

```
#R-body .tab-panel-style.cstyle.initial.tab-nav-button.active,  
#R-body .tab-panel-style.cstyle.default.tab-nav-button.active,  
#R-body .tab-panel-style.cstyle.transparent.tab-nav-button.active{  
    background-color: var(--VARIABLE-BOX-BG-color);  
    border-left-color: var(--VARIABLE-BOX-color);  
    border-right-color: var(--VARIABLE-BOX-color);  
    border-top-color: var(--VARIABLE-BOX-color);  
}  
#R-body .tab-panel-style.cstyle.code.tab-nav-button:not(.active){  
    --VARIABLE-BOX-color: var(--INTERNAL-BOX-NEUTRAL-color);  
}
```

```
#R-body .tab-panel-style.cstyle.initial.tab-content,  
#R-body .tab-panel-style.cstyle.default.tab-content,  
#R-body .tab-panel-style.cstyle.transparent.tab-content{  
    background-color: var(--VARIABLE-BOX-BG-color);  
}
```

```
#R-topbar {  
    border-bottom-color: var(--INTERNAL-MAIN-TOPBAR-BORDER-color);  
}
```

```
#R-header-topbar {
```

```
        border-inline-end-color: var(--INTERNAL-MENU-TOPBAR-BORDER-color);
    }

@media screen and (max-width: 47.999rem) {
    .mobile-support #R-header-topbar {
        border-inline-end-color: var(--INTERNAL-MENU-BORDER-color);
    }
}

#R-header-wrapper,
#R-homelinks,
#R-content-wrapper > * {
    border-inline-end-color: var(--INTERNAL-MENU-BORDER-color);
}

#R-sidebar ul.collapsible-menu li.active > a{
    border-bottom-color: var(--INTERNAL-MENU-BORDER-color);
    border-top-color: var(--INTERNAL-MENU-BORDER-color);
    border-inline-start-color: var(--INTERNAL-MENU-BORDER-color);
    border-inline-end-color: var(--INTERNAL-MENU-SECTION-ACTIVE-CATEGORY-BORDER-color);
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\islauto-complete.is

Resumo: / JavaScript autoComplete v1.0.4+ McShelby/hugo-theme-relearn#155 - PR #46, PR #75: introducing selectorToInsert and anchor to it - sticky dropdown on scrolling McShelby/hugo-theme-relearn#387 - don't empty search input if no data-val is...*

/*

JavaScript autoComplete v1.0.4+

McShelby/hugo-theme-relearn#155

- PR #46, PR #75: introducing selectorToInsert and anchor to it
- sticky dropdown on scrolling

McShelby/hugo-theme-relearn#387

- don't empty search input if no data-val is given
- don't delete search term but close suggestions when suggestions are open
- delete search term when suggestions are closed

McShelby/hugo-theme-relearn#452

- register focus event ignoring minChars because that doesn't make sense

McShelby/hugo-theme-relearn#452

- on ESC, close overlay without deleting search term if overlay is open
- on ESC, delete search term if overlay is closed
- on UP, preventDefault to keep cursor in position

Copyright (c) 2014 Simon Steinberger / Pixabay

GitHub: <https://github.com/Pixabay/JavaScript-autoComplete>

License: <http://www.opensource.org/licenses/mit-license.php>

*/

var autoComplete = (function(){

// "use strict";

function autoComplete(options){

if (!document.querySelector) return;

// helpers

function hasClass(el, className){ return el.classList ? el.classList.contains(className) : new RegExp

function addEvent(el, type, handler){

if (el.attachEvent) el.attachEvent('on'+type, handler); else el.addEventListener(type, handler

```

    }

    function removeEvent(el, type, handler){

        if (el.detachEvent) el.detachEvent('on'+type, handler); else el.removeEventListener(type, handler);

    }

    function live(elClass, event, cb, context){

        addEvent(context || document, event, function(e){

            var found, el = e.target || e.srcElement;

            while (el && !(found = hasClass(el, elClass))) el = el.parentElement;

            if (found) cb.call(el, e);

        });

    }

    var o = {

        selector: 0,

        source: 0,

        minChars: 3,

        delay: 150,

        offsetLeft: 0,

        offsetTop: 1,

        cache: 1,

        menuClass: '',

        selectorToInsert: 0,

        renderItem: function (item, search){

            // escape special characters

            search = search.replace(/[-\/\\^$*+?.()|[\]{}]/g, '\\$&');

            var re = new RegExp("(" + search.split(' ').join('|') + ")", "gi");

            return '<div class="autocomplete-suggestion" data-val="' + item + '">' + item.replace(re,

        },

        onSelect: function(e, term, item){}

    };

    for (var k in options) { if (options.hasOwnProperty(k)) o[k] = options[k]; }

    // init

    var elems = typeof o.selector == 'object' ? [o.selector] : document.querySelectorAll(o.selector);

    for (var i=0; i<elems.length; i++) {

```

```

var that = elems[i];

// create suggestions container "sc"
that.sc = document.createElement('div');
that.sc.className = 'autocomplete-suggestions '+o.menuClass;

that.autocompleteAttr = that.getAttribute('autocomplete');
that.setAttribute('autocomplete', 'off');

that.cache = {};

that.last_val = '';

■■■var parentElement;

    if (typeof o.selectorToInsert === "string" && document.querySelector(o.selectorToInsert) inst

■■■■parentElement = document.querySelector(o.selectorToInsert);
■■■}

■■■that.updateSC = function(resize, next){

    var rect = that.getBoundingClientRect();

■■■■var parentOffsetLeft = 0;

    var parentOffsetTop = 0;
    var pageXOffset = 0;
    var pageYOffset = 0;

    if (parentElement != false) {
        parentOffsetLeft = parentElement.getBoundingClientRect().left;
        parentOffsetTop = parentElement.getBoundingClientRect().top;
    } else {
        pageXOffset = window.pageXOffset || document.documentElement.scrollLeft;
        pageYOffset = window.pageYOffset || document.documentElement.scrollTop;
    }

    // Is this really the job of the tool or should it be deferred to the user?

    // that.sc.style.left = Math.round(rect.left + pageXOffset + o.offsetLeft - parentOffsetL
    // that.sc.style.top = Math.round(rect.bottom + pageYOffset + o.offsetTop - parentOffsetT
    // that.sc.style.width = Math.round(rect.right - rect.left) + 'px'; // outerWidth

    if (!resize) {
        that.sc.style.display = 'block';
        if (!that.sc.maxHeight) { that.sc.maxHeight = parseInt((window.getComputedStyle ? get

```

```

        if (!that.sc.suggestionHeight) that.sc.suggestionHeight = that.sc.querySelector('.autocomplete-suggestion').height;
        if (that.sc.suggestionHeight)
            if (!next) that.sc.scrollTop = 0;
            else {
                var scrTop = that.sc.scrollTop, selTop = next.getBoundingClientRect().top - that.sc.scrollTop;
                if (selTop + that.sc.suggestionHeight - that.sc.maxHeight > 0)
                    that.sc.scrollTop = selTop + that.sc.suggestionHeight + scrTop - that.sc.maxHeight;
                else if (selTop < 0)
                    that.sc.scrollTop = selTop + scrTop;
            }
    }
}

addEvent(window, 'resize', that.updateSC);

if (typeof o.selectorToInsert === "string" && document.querySelector(o.selectorToInsert) instanceof Element)
    document.querySelector(o.selectorToInsert).appendChild(that.sc);
} else {
    document.body.appendChild(that.sc);
}

live('autocomplete-suggestion', 'mouseleave', function(e){
    var sel = that.sc.querySelector('.autocomplete-suggestion.selected');
    if (sel) setTimeout(function(){ sel.className = sel.className.replace('selected', ''); }, 100);
}, that.sc);

live('autocomplete-suggestion', 'mouseover', function(e){
    var sel = that.sc.querySelector('.autocomplete-suggestion.selected');
    if (sel) sel.className = sel.className.replace('selected', '');
    this.className += ' selected';
}, that.sc);

live('autocomplete-suggestion', 'mousedown', function(e){
    if (hasClass(this, 'autocomplete-suggestion')) { // else outside click
        var v = this.getAttribute('data-val');
        that.value = v;
        o.onSelect(e, v, this);
    }
});

```

```

        that.sc.style.display = 'none';
    }
}, that.sc);

that.blurHandler = function(){
    try { var over_sb = document.querySelector('.autocomplete-suggestions: hover'); } catch(e) {}
    if (!over_sb) {
        that.last_val = that.value;
        that.sc.style.display = 'none';
        setTimeout(function(){ that.sc.style.display = 'none'; }, 350); // hide suggestions on blur
    } else if (that !== document.activeElement) setTimeout(function(){ that.focus(); }, 20);
};

addEvent(that, 'blur', that.blurHandler);

var suggest = function(data){
    var val = that.value;
    that.cache[val] = data;
    if (data.length && val.length >= o.minChars) {
        var s = '';
        for (var i=0; i<data.length; i++) s += o.renderItem(data[i], val);
        that.sc.innerHTML = s;
        that.updateSC(0);
    }
    else
        that.sc.style.display = 'none';
}

that.keydownHandler = function(e){
    var key = window.event ? e.keyCode : e.which;

    // down (40), up (38)
    if ((key == 40 || key == 38) && that.sc.innerHTML) {
        e.preventDefault();

        var next, sel = that.sc.querySelector('.autocomplete-suggestion.selected');
        if (!sel) {
            next = (key == 40) ? that.sc.querySelector('.autocomplete-suggestion') : that.sc.

```

```

        next.className += ' selected';

        if (next.getAttribute('data-val')) that.value = next.getAttribute('data-val');
    } else {
        next = (key == 40) ? sel.nextSibling : sel.previousSibling;

        if (next) {
            sel.className = sel.className.replace('selected', '');
            next.className += ' selected';

            if (next.getAttribute('data-val')) that.value = next.getAttribute('data-val')
        }

        else {
            sel.className = sel.className.replace('selected', '');

            that.value = that.last_val;

            next = 0;
        }
    }

    that.updateSC(0, next);

    return false;
}

// esc
else if (key == 27) {
    if (that.sc.style.display != 'none') {
        // just close the overlay if it's open, and prevent other listeners
        // from recognizing it; this is not for you!

        e.preventDefault();
        e.stopImmediatePropagation();

        that.sc.style.display = 'none';

        var sel = that.sc.querySelector('.autocomplete-suggestion.selected');

        if (sel) {
            that.focus();
        }
    }

    else {
        // if no overlay is open, we want to remove the search term and also
        // want other listeners to recognize it

        that.value = '';
    }
}

```



```

        }
    }
    // enter
    else if (key == 13 || key == 9) {
        var sel = that.sc.querySelector('.autocomplete-suggestion.selected');
        if (sel && that.sc.style.display != 'none') { o.onSelect(e, sel.getAttribute('data-val')); }
    }
};
addEvent(that, 'keydown', that.keydownHandler);

that.keyupHandler = function(e){
    var key = window.event ? e.keyCode : e.which;
    if (!key || (key < 35 || key > 40) && key != 13 && key != 27) {
        var val = that.value;
        if (val.length >= o.minChars) {
            if (val != that.last_val) {
                that.last_val = val;
                clearTimeout(that.timer);
                if (o.cache) {
                    if (val in that.cache) { suggest(that.cache[val]); return; }
                    // no requests if previous suggestions were empty
                    for (var i=1; i<val.length-o.minChars; i++) {
                        var part = val.slice(0, val.length-i);
                        if (part in that.cache && !that.cache[part].length) { suggest([]); return; }
                    }
                }
            }
            that.timer = setTimeout(function(){ o.source(val, suggest) }, o.delay);
        }
    } else {
        that.last_val = val;
        that.sc.style.display = 'none';
    }
};
addEvent(that, 'keyup', that.keyupHandler);

```

```

        that.focusHandler = function(e){

            that.last_val = '\n';

            that.keyupHandler(e)

        };

        addEvent(that, 'focus', that.focusHandler);

    }

    // public destroy method
    this.destroy = function(){

        for (var i=0; i<elems.length; i++) {

            var that = elems[i];

            removeEvent(window, 'resize', that.updateSC);

            removeEvent(that, 'blur', that.blurHandler);

            removeEvent(that, 'focus', that.focusHandler);

            removeEvent(that, 'keydown', that.keydownHandler);

            removeEvent(that, 'keyup', that.keyupHandler);

            if (that.autocompleteAttr)

                that.setAttribute('autocomplete', that.autocompleteAttr);

            else

                that.removeAttribute('autocomplete');

            try {

                if (o.selectorToInsert && document.querySelector(o.selectorToInsert).contains(that.sc)

                    document.querySelector(o.selectorToInsert).removeChild(that.sc);

                } else {

                    document.body.removeChild(that.sc);

                }

            } catch (error) {

                console.log('Destroying error: can\'t find target selector', error);

                throw error;

            }

            that = null;

        }

    };

}

return autoComplete;

```

```
})();
```

```
(function(){  
    if (typeof define === 'function' && define.amd)  
        define('autoComplete', function () { return autoComplete; });  
    else if (typeof module !== 'undefined' && module.exports)  
        module.exports = autoComplete;  
    else  
        window.autoComplete = autoComplete;  
})();
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\clipboard.min.js

Resumo: /! * clipboard.js v2.0.4 * <https://zenorocha.github.io/clipboard.js> * * Licensed MIT © Zeno Rocha */ !function(t,e){"object"===typeof exports&&"object"===typeof module?module.exports=e():"function"===typeof define&&define.amd?define([],e):"object"===typeof exports?exports.ClipboardJS=e():t.C...*

/*!

* clipboard.js v2.0.4

* <https://zenorocha.github.io/clipboard.js>

*

* Licensed MIT © Zeno Rocha

*/

!function(t,e){"object"===typeof exports&&"object"===typeof module?module.exports=e():"function"===typeof de

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\ld3\ld3-color.min.js

Resumo: // <https://d3js.org/d3-color/> v3.1.0 Copyright 2010-2022 Mike Bostock

```
!function(t,e){"object"==typeof exports&&"undefined"!=typeof  
module?e(exports):"function"==typeof  
define&&define.amd?define(["exports"],e):e((t="undefined"!=typeof  
globalThis?globalThis:t||self).d3=t.d3||{})}(this,(function(t){"u...
```

// <https://d3js.org/d3-color/> v3.1.0 Copyright 2010-2022 Mike Bostock

```
!function(t,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports):"function"==typeof define&
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\ld3\ld3-dispatch.min.js

Resumo: // <https://d3js.org/d3-dispatch/> v3.0.1 Copyright 2010-2021 Mike Bostock

```
!function(n,e){"object"==typeof exports&&"undefined"!=typeof  
module?e(exports):"function"==typeof  
define&&define.amd?define(["exports"],e):e((n="undefined"!=typeof  
globalThis?globalThis:n||self).d3=n.d3||{})}(this,(function(n)...
```

// <https://d3js.org/d3-dispatch/> v3.0.1 Copyright 2010-2021 Mike Bostock

```
!function(n,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports):"function"==typeof define&
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\ld3\ld3-drag.min.js

Resumo: // <https://d3js.org/d3-drag/> v3.0.0 Copyright 2010-2021 Mike Bostock

```
!function(e,t){"object"===typeof exports&&"undefined"!==typeof  
module?t(exports,require("d3-dispatch"),require("d3-selection")):"function"===typeof  
define&&define.amd?define(["exports","d3-dispatch","d3-selection"],t):t((e="undefined..."
```

// <https://d3js.org/d3-drag/> v3.0.0 Copyright 2010-2021 Mike Bostock

```
!function(e,t){"object"===typeof exports&&"undefined"!==typeof module?t(exports,require("d3-dispatch"),require("d3-selection")):"function"===typeof  
define&&define.amd?define(["exports","d3-dispatch","d3-selection"],t):t((e="undefined..."
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\d3\d3-ease.min.js

Resumo: // <https://d3js.org/d3-ease/> v3.0.1 Copyright 2010-2021 Mike Bostock, 2001 Robert Penner
!function(n,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports):"function"==typeof
define&&define.amd?define(["exports"],e):e((n="undefined"!=typeof
globalThis?globalThis:n||self).d3=n.d3||{})}(t...

// <https://d3js.org/d3-ease/> v3.0.1 Copyright 2010-2021 Mike Bostock, 2001 Robert Penner

!function(n,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports):"function"==typeof define&

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\ld3\ld3-interpolate.min.js

Resumo: // <https://d3js.org/d3-interpolate/> v3.0.1 Copyright 2010-2021 Mike Bostock

*!function(t,n){"object"===typeof exports&&"undefined"!==typeof
module?n(exports,require("d3-color")):"function"===typeof
define&&define.amd?define(["exports","d3-color"],n):n((t="undefined"!==typeof
globalThis?globalThis:t||self))}*

// <https://d3js.org/d3-interpolate/> v3.0.1 Copyright 2010-2021 Mike Bostock

!function(t,n){"object"===typeof exports&&"undefined"!==typeof module?n(exports,require("d3-color")):"funct.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\isld3\d3-selection.min.js

Resumo: // <https://d3js.org/d3-selection/> v3.0.0 Copyright 2010-2021 Mike Bostock

```
!function(t,n){"object"==typeof exports&&"undefined"!=typeof  
module?n(exports):"function"==typeof  
define&&define.amd?define(["exports"],n):n((t="undefined"!=typeof  
globalThis?globalThis:t||self).d3=t.d3||{})}(this,(function(t...
```

// <https://d3js.org/d3-selection/> v3.0.0 Copyright 2010-2021 Mike Bostock

```
!function(t,n){"object"==typeof exports&&"undefined"!=typeof module?n(exports):"function"==typeof define&
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\d3\d3-timer.min.js

Resumo: // <https://d3js.org/d3-timer/> v3.0.1 Copyright 2010-2021 Mike Bostock

```
!function(t,n){"object"===typeof exports&&"undefined"!==typeof  
module?n(exports):"function"===typeof  
define&&define.amd?define(["exports"],n):n((t="undefined"!==typeof  
globalThis?globalThis:t||self).d3=t.d3||{})(this,(function(t){"u...
```

// <https://d3js.org/d3-timer/> v3.0.1 Copyright 2010-2021 Mike Bostock

```
!function(t,n){"object"===typeof exports&&"undefined"!==typeof module?n(exports):"function"===typeof define&
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\isld3\d3-transition.min.js

Resumo: // <https://d3js.org/d3-transition/> v3.0.1 Copyright 2010-2021 Mike Bostock

!function(t,n){"object"==typeof exports&&"undefined"!=typeof module?n(exports,require("d3-selection"),require("d3-dispatch"),require("d3-timer"),require("d3-interpolate"),require("d3-color"),require("d3-ease")):"function"==t...

// <https://d3js.org/d3-transition/> v3.0.1 Copyright 2010-2021 Mike Bostock

!function(t,n){"object"==typeof exports&&"undefined"!=typeof module?n(exports,require("d3-selection"),req

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\ld3\ld3-zoom.min.js

Resumo: // <https://d3js.org/d3-zoom/> v3.0.0 Copyright 2010-2021 Mike Bostock

!function(t,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports,require("d3-dispatch"),require("d3-drag"),require("d3-interpolate"),require("d3-selection"),require("d3-transition")):"function"==typeof define&&define....

// <https://d3js.org/d3-zoom/> v3.0.0 Copyright 2010-2021 Mike Bostock

!function(t,e){"object"==typeof exports&&"undefined"!=typeof module?e(exports,require("d3-dispatch"),requ.

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lis-vaml.min.js

Resumo: */*! js-yaml 4.1.0 <https://github.com/nodeca/js-yaml> @license MIT */*

!function(e,t){"object"===typeof exports&&"undefined"!==typeof module?t(exports):"function"===typeof define&&define.amd?define(["exports"],t):t((e="undefined"!==typeof globalThis?globalThis:e||self).jsyaml={})}(this,(function(e){"use s...

/! js-yaml 4.1.0 <https://github.com/nodeca/js-yaml> @license MIT */*

!function(e,t){"object"===typeof exports&&"undefined"!==typeof module?t(exports):"function"===typeof define&&define.amd?define(["exports"],t):t((e="undefined"!==typeof globalThis?globalThis:e||self).jsyaml={})}(this,(function(e){"use s...

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.ar.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r():r()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.da.min.is

Resumo: /! * Lunr languages, `Danish` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Danish` language
* https://github.com/MihaiValentin/lunr-languages

*

* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*

* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.de.min.js

*Resumo: `/* * Lunr languages, `German` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /* * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...`*

`/*!`

`* Lunr languages, `German` language
* https://github.com/MihaiValentin/lunr-languages`

`*`

`* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/`

`*/`

`/*!`

`* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/`

`*`

`* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/`

`*/`

`!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.du.min.is

Resumo: /! * Lunr languages, `Dutch` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * *...*

/*!

* Lunr languages, `Dutch` language
* https://github.com/MihaiValentin/lunr-languages
*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/
*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/
*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/
*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.en.min.js

Resumo: /! * Lunr languages, `English` language * This is build in into lunr and theirfore needs no other configuration * * Copyright 2022, Sören Weber * <http://www.mozilla.org/MPL/> */*

/*!

* Lunr languages, `English` language

* This is build in into lunr and theirfore needs no other configuration

*

* Copyright 2022, Sören Weber

* <http://www.mozilla.org/MPL/>

*/

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.es.min.js

Resumo: /! * Lunr languages, `Spanish` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Spanish` language
* https://github.com/MihaiValentin/lunr-languages

*

* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*

* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(e,s){"function"==typeof define&&define.amd?define(s):"object"==typeof exports?module.exports=s(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.fi.min.js

Resumo: /! * Lunr languages, `Finnish` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Finnish` language
* https://github.com/MihaiValentin/lunr-languages

*

* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*

* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(i,e){"function"==typeof define&&define.amd?define(e):"object"==typeof exports?module.exports=e(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.fr.min.js

Resumo: /! * Lunr languages, `French` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `French` language
* https://github.com/MihaiValentin/lunr-languages

*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r():r()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.hu.min.js

Resumo: /! * Lunr languages, `Hungarian` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ *...*

/*!

* Lunr languages, `Hungarian` language
* https://github.com/MihaiValentin/lunr-languages
*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/
*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/
*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/
*/

!function(e,n){"function"==typeof define&&define.amd?define(n):"object"==typeof exports?module.exports=n(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.it.min.js

Resumo: /! * Lunr languages, `Italian` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Italian` language
* https://github.com/MihaiValentin/lunr-languages

*

* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*

* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.ia.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r():r()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\lunr\lunr.ip.min.js

Resumo: module.exports=require("../lunr.js");

module.exports=require("../lunr.js");

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.ko.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r():r()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.min.js

*Resumo: /** * lunr - <http://lunrjs.com> - A bit like Solr, but much smaller and not as bright - 2.3.9 *
Copyright (C) 2020 Oliver Nightingale * @license MIT */ !function(){var e=function(t){var r=new e.Builder;return r.pipeline.add(e.trimmer,e.stopWordFilter,e.stemmer),r.searchPipeline.add(e.stemme...*

*/***

** lunr - <http://lunrjs.com> - A bit like Solr, but much smaller and not as bright - 2.3.9*

** Copyright (C) 2020 Oliver Nightingale*

** @license MIT*

**/*

!function(){var e=function(t){var r=new e.Builder;return r.pipeline.add(e.trimmer,e.stopWordFilter,e.ste...

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.multi.min.is

Resumo: !function(e,t){"function"==typeof define&&define.amd?define(t):"object"==typeof exports?module.exports=t():t()(e.lunr)}(this,function(){return function(e){e.multiLanguage=function(){for(var t=Array.prototype.slice.call(arguments),i=t.join("-"),r="",n=[],s=[],p=0;p<t.length;++p)"en"==t[p]?r+="\\w",n...

`!function(e,t){"function"==typeof define&&define.amd?define(t):"object"==typeof exports?module.exports=t(`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.nl.min.js

Resumo: /! * Lunr languages, `Dutch` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * *...*

/*!

* Lunr languages, `Dutch` language
* https://github.com/MihaiValentin/lunr-languages

*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(r,e){"function"==typeof define&&define.amd?define(e):"object"==typeof exports?module.exports=e(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.no.min.js

Resumo: /! * Lunr languages, `Norwegian` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ *...*

/*!

* Lunr languages, `Norwegian` language
* https://github.com/MihaiValentin/lunr-languages
*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/
*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/
*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/
*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.pt.min.is

Resumo: /! * Lunr languages, `Portuguese` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ ...*

/*!

* Lunr languages, `Portuguese` language
* https://github.com/MihaiValentin/lunr-languages
*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/
*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/
*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/
*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.ro.min.js

Resumo: /! * Lunr languages, `Romanian` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Romanian` language
* https://github.com/MihaiValentin/lunr-languages

*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(e,i){"function"==typeof define&&define.amd?define(i):"object"==typeof exports?module.exports=i(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.ru.min.js

Resumo: /! * Lunr languages, `Russian` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Russian` language
* https://github.com/MihaiValentin/lunr-languages

*

* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*

* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(e,n){"function"==typeof define&&define.amd?define(n):"object"==typeof exports?module.exports=n(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\lunr\lunr.stemmer.support.min.js

Resumo: !function(r,t){"function"==typeof define&&define.amd?define(t):"object"==typeof exports?module.exports=t():t)(r.lunr)}(this,function(){return function(r){r.stemmerSupport={Among:function(r,t,i,s){if(this.toCharArray=function(r){for(var t=r.length,i=new Array(t),s=0;s<t;s++)i[s]=r.charCodeAt(s);retu...

!function(r,t){"function"==typeof define&&define.amd?define(t):"object"==typeof exports?module.exports=t(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.sv.min.js

Resumo: /! * Lunr languages, `Swedish` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Swedish` language
* https://github.com/MihaiValentin/lunr-languages
*
* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/
*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/
*
* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/
*/

!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.ta.min.js

Resumo: !function(e,t){"function"==typeof define&&define.amd?define(t):"object"==typeof exports?module.exports=t():t()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,t){"function"==typeof define&&define.amd?define(t):"object"==typeof exports?module.exports=t(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.th.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r():r()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.tr.min.js

Resumo: /! * Lunr languages, `Turkish` language *
https://github.com/MihaiValentin/lunr-languages * * Copyright 2014, Mihai Valentin *
http://www.mozilla.org/MPL/ */ /*! * based on * Snowball JavaScript Library v0.3 *
http://code.google.com/p/urim/ * http://snowball.tartarus.org/ * ...*

/*!

* Lunr languages, `Turkish` language
* https://github.com/MihaiValentin/lunr-languages

*

* Copyright 2014, Mihai Valentin
* http://www.mozilla.org/MPL/

*/

/*!

* based on
* Snowball JavaScript Library v0.3
* http://code.google.com/p/urim/
* http://snowball.tartarus.org/

*

* Copyright 2010, Oleg Mazko
* http://www.mozilla.org/MPL/

*/

!function(r,i){"function"==typeof define&&define.amd?define(i):"object"==typeof exports?module.exports=i(

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\lunr.vi.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r():r()(e.lunr)}(this,function(){return function(e){if(void 0===e)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===e.stemmerSupport)throw new Er...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\lunr.zh.min.js

Resumo: !function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(require("@node-rs/jieba")):r()(e.lunr)}(this,function(e){return function(r,t){if(void 0===r)throw new Error("Lunr is not present. Please include / require Lunr before this script.");if(void 0===r...

```
!function(e,r){"function"==typeof define&&define.amd?define(r):"object"==typeof exports?module.exports=r(
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\lunr\tinvsed.is

Resumo: */** * export the module via AMD, CommonJS or as a browser global * Export code from <https://github.com/umdjs/umd/blob/master/returnExports.js> */ ;(function (root, factory) { if (typeof define === 'function' && define.amd) { // AMD. Register as an anonymous module. defin...*

```
/**
 * export the module via AMD, CommonJS or as a browser global
 * Export code from https://github.com/umdjs/umd/blob/master/returnExports.js
 */
;(function (root, factory) {
    if (typeof define === 'function' && define.amd) {
        // AMD. Register as an anonymous module.
        define(factory)
    } else if (typeof exports === 'object') {
        /**
         * Node. Does not work with strict CommonJS, but
         * only CommonJS-like environments that support module.exports,
         * like Node.
         */
        module.exports = factory()
    } else {
        // Browser globals (root is window)
        factory()(root.lunr);
    }
})(this, function () {
    /**
     * Just return a value to define the module export.
     * This example returns an object, but the module
     * can return a function as the exported value.
     */

    return function(lunr) {
        // TinySegmenter 0.1 -- Super compact Japanese tokenizer in Javascript
        // (c) 2008 Taku Kudo <taku@chasen.org>
        // TinySegmenter is freely distributable under the terms of a new BSD licence.
        // For details, see http://chasen.org/~taku/software/TinySegmenter/LICENCE.txt
```

```

function TinySegmenter() {

    var patterns = {

        "[■■■■■■■■■■■■■■■■■■■■]" : "M",

        "[■-■■■■■■]" : "H",

        "[■-■]" : "I",

        "[■-■■■■-■■■■]" : "K",

        "[a-zA-Z■-■■-■]" : "A",

        "[0-9■-■]" : "N"

    }

    this.chartype_ = [];

    for (var i in patterns) {

        var regexp = new RegExp(i);

        this.chartype_.push([regexp, patterns[i]]);

    }


    this.BIAS__ = -332

    this.BC1__ = {"HH":6,"II":2461,"KH":406,"OH":-1378};

    this.BC2__ = {"AA":-3267,"AI":2744,"AN":-878,"HH":-4070,"HM":-1711,"HN":4012,"HO":3761,"IA":1329};

    this.BC3__ = {"HH":996,"HI":626,"HK":-721,"HN":-1307,"HO":-836,"IH":-301,"KK":2762,"MK":1079,"MM":1079};

    this.BP1__ = {"BB":295,"OB":304,"OO":-125,"UB":352};

    this.BP2__ = {"BO":60,"OO":-1762};

    this.BQ1__ = {"BHH":1150,"BHM":1521,"BII":-1158,"BIM":886,"BMH":1208,"BNH":449,"BOH":-91,"BOO":719};

    this.BQ2__ = {"BHH":118,"BHI":-1159,"BHM":466,"BIH":-919,"BKK":-1720,"BK0":864,"OHH":-1139,"OHM":1079};

    this.BQ3__ = {"BHH":-792,"BHI":2664,"BII":-299,"BKI":419,"BMH":937,"BMM":8335,"BNN":998,"BOH":719};

    this.BQ4__ = {"BHH":-3895,"BIH":3761,"BII":-4654,"BIK":1348,"BKK":-1806,"BMI":-3385,"BOO":-12390};

    this.BW1__ = {"",■":660,"",■":727,"B1■":1404,"B1■":542,"■■":660,"■■":727,"■■":1682,"■■":1505,"■■":1505};

    this.BW2__ = {"..":-11822,"11":-669,"■■":-5730,"—":-13175,"■■":-1609,"■■":2490,"■■":-1350,"■■":1505};

    this.BW3__ = {"■■":-2194,"■■":719,"■■":3846,"■.":-1185,"■■":-1185,"■■":5308,"■■":2079,"■■":1505};

    this.TC1__ = {"AAA":1093,"HHH":1029,"HHM":580,"HII":998,"HOH":-390,"HOM":-331,"IHI":1169,"IOH":-142,"IOI":1079};

    this.TC2__ = {"HHO":2088,"HII":-1023,"HMM":-1154,"IHI":-1965,"KKH":703,"OII":-2649};

    this.TC3__ = {"AAA":-294,"HHH":346,"HHI":-341,"HII":-1088,"HIK":731,"HOH":-1486,"IHH":128,"IHI":1079};

    this.TC4__ = {"HHH":-203,"HHI":1344,"HHK":365,"HHM":-122,"HHN":182,"HHO":669,"HHI":804,"HII":679};

    this.TQ1__ = {"BHHH":-227,"BHHI":316,"BHIH":-132,"BIHH":60,"BIII":1595,"BNHH":-744,"BOHH":225,"BOO":719};

    this.TQ2__ = {"BIHH":-1401,"BIII":-1033,"BKAK":-543,"BOOO":-5591};

    this.TQ3__ = {"BHHH":478,"BHMM":-1073,"BHIH":222,"BHII":-504,"BIIH":-116,"BIII":-105,"BMHI":-864};

```

```

this.TQ4__ = {"BHHH":-721,"BHMH":-3604,"BHII":-966,"BIIH":-607,"BIII":-2181,"OAAA":-2763,"OAKK"
this.TW1__ = {"■■■■":-4681,"■■■■":2026};

this.TW2__ = {"■■■■":-2049,"■■■■":-1256,"■■■■":-2434,"■■■■":3873,"■■■■":-4430,"■■■■":-1049,"■■■■"
this.TW3__ = {"■■■■":-1734,"■■■■":1314,"■■■■":-4314,"■■■■":-5483,"■■■■":-5989,"■■■■":-6247,"■■■"
this.TW4__ = {"■■■":8576,"■■■■":8576,"■■■■":-2348,"■■■■":2958,"■■■":1516,"■■■■":1516,"■■■■":153
this.UC1__ = {"A":484,"K":93,"M":645,"O":-505};

this.UC2__ = {"A":819,"H":1059,"I":409,"M":3987,"N":5775,"O":646};

this.UC3__ = {"A":-1370,"I":2311};

this.UC4__ = {"A":-2643,"H":1809,"I":-1032,"K":-3450,"M":3565,"N":3876,"O":6646};

this.UC5__ = {"H":313,"I":-1238,"K":-799,"M":539,"O":-831};

this.UC6__ = {"H":-506,"I":-253,"K":87,"M":247,"O":-387};

this.UP1__ = {"O":-214};

this.UP2__ = {"B":69,"O":935};

this.UP3__ = {"B":189};

this.UQ1__ = {"BH":21,"BI":-12,"BK":-99,"BN":142,"B0":-56,"OH":-95,"OI":477,"OK":410,"00":-2422
this.UQ2__ = {"BH":216,"BI":113,"OK":1759};

this.UQ3__ = {"BA":-479,"BH":42,"BI":1913,"BK":-7198,"BM":3160,"BN":6427,"B0":14761,"OI":-827,"O
this.UW1__ = {"",":156,"■":156,"■":-463,"■":-941,"■":-127,"■":-553,"■":121,"■":505,"■":-201,"■"
this.UW2__ = {"",":-829,"■":-829,"■":892,"■":-645,"■":3145,"■":-538,"■":505,"■":134,"■":-502,"■"
this.UW3__ = {"",":4889,"1":-800,"-":-1723,"■":4889,"■":-2311,"■":5827,"■":2670,"■":-3573,"■":-
this.UW4__ = {"",":3930,".":3508,"■":-4841,"■":3930,"■":3508,"■":4999,"■":1895,"■":3798,"■":-5
this.UW5__ = {"",":465,".":-299,"1":-514,"E2":-32768,"]":-2762,"■":465,"■":-299,"■":363,"■":165
this.UW6__ = {"",":227,".":808,"1":-270,"E1":306,"■":227,"■":808,"■":-307,"■":189,"■":241,"■":-

return this;

}

TinySegmenter.prototype.ctype_ = function(str) {
    for (var i in this.chartype_) {
        if (str.match(this.chartype_[i][0])) {
            return this.chartype_[i][1];
        }
    }
}

return "0";

}

TinySegmenter.prototype.ts_ = function(v) {

```

```

    if (v) { return v; }

    return 0;
}

```

```

TinySegmenter.prototype.segment = function(input) {

    if (input == null || input == undefined || input == "") {

        return [];

    }

    var result = [];

    var seg = ["B3", "B2", "B1"];
    var ctype = ["0", "0", "0"];
    var o = input.split("");

    for (i = 0; i < o.length; ++i) {

        seg.push(o[i]);

        ctype.push(this.ctype_(o[i]))

    }

    seg.push("E1");
seg.push("E2");

    seg.push("E3");

    ctype.push("0");

    ctype.push("0");

    ctype.push("0");

    var word = seg[3];

    var p1 = "U";

    var p2 = "U";

    var p3 = "U";

    for (var i = 4; i < seg.length - 3; ++i) {

        var score = this.BIAS__;

        var w1 = seg[i-3];

        var w2 = seg[i-2];

        var w3 = seg[i-1];

        var w4 = seg[i];

        var w5 = seg[i+1];

        var w6 = seg[i+2];

        var c1 = ctype[i-3];

```

```

var c2 = ctype[i-2];
var c3 = ctype[i-1];
var c4 = ctype[i];
var c5 = ctype[i+1];
var c6 = ctype[i+2];

score += this.ts_(this.UP1__[p1]);
score += this.ts_(this.UP2__[p2]);
score += this.ts_(this.UP3__[p3]);
score += this.ts_(this.BP1__[p1 + p2]);
score += this.ts_(this.BP2__[p2 + p3]);
score += this.ts_(this.UW1__[w1]);
score += this.ts_(this.UW2__[w2]);
score += this.ts_(this.UW3__[w3]);
score += this.ts_(this.UW4__[w4]);
score += this.ts_(this.UW5__[w5]);
score += this.ts_(this.UW6__[w6]);
score += this.ts_(this.BW1__[w2 + w3]);
score += this.ts_(this.BW2__[w3 + w4]);
score += this.ts_(this.BW3__[w4 + w5]);
score += this.ts_(this.TW1__[w1 + w2 + w3]);
score += this.ts_(this.TW2__[w2 + w3 + w4]);
score += this.ts_(this.TW3__[w3 + w4 + w5]);
score += this.ts_(this.TW4__[w4 + w5 + w6]);
score += this.ts_(this.UC1__[c1]);
score += this.ts_(this.UC2__[c2]);
score += this.ts_(this.UC3__[c3]);
score += this.ts_(this.UC4__[c4]);
score += this.ts_(this.UC5__[c5]);
score += this.ts_(this.UC6__[c6]);
score += this.ts_(this.BC1__[c2 + c3]);
score += this.ts_(this.BC2__[c3 + c4]);
score += this.ts_(this.BC3__[c4 + c5]);
score += this.ts_(this.TC1__[c1 + c2 + c3]);
score += this.ts_(this.TC2__[c2 + c3 + c4]);
score += this.ts_(this.TC3__[c3 + c4 + c5]);

```

```

        score += this.ts_(this.TC4__[c4 + c5 + c6]);
    // score += this.ts_(this.TC5__[c4 + c5 + c6]);

    score += this.ts_(this.UQ1__[p1 + c1]);

    score += this.ts_(this.UQ2__[p2 + c2]);

    score += this.ts_(this.UQ3__[p3 + c3]);

    score += this.ts_(this.BQ1__[p2 + c2 + c3]);

    score += this.ts_(this.BQ2__[p2 + c3 + c4]);
score += this.ts_(this.BQ3__[p3 + c2 + c3]);

    score += this.ts_(this.BQ4__[p3 + c3 + c4]);

    score += this.ts_(this.TQ1__[p2 + c1 + c2 + c3]);

    score += this.ts_(this.TQ2__[p2 + c2 + c3 + c4]);

    score += this.ts_(this.TQ3__[p3 + c1 + c2 + c3]);

    score += this.ts_(this.TQ4__[p3 + c2 + c3 + c4]);

    var p = "0";

    if (score > 0) {

        result.push(word);

        word = "";

        p = "B";

    }

    p1 = p2;

    p2 = p3;

    p3 = p;

    word += seg[i];

}

result.push(word);


    return result;

}

lunr.TinySegmenter = TinySegmenter;

};

});

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\lunr\wordcut.is

Resumo: (function(f){if(typeof exports==="object"&&typeof module!=="undefined"){module.exports=f()}else if(typeof define==="function"&&define.amd){define([],f)}else{var g;if(typeof window!=="undefined"){g=window}else if(typeof global!=="undefined"){g=global}else if(typeof self!=="undefined"){g=self}else{g=t...

```
(function(f){if(typeof exports==="object"&&typeof module!=="undefined"){module.exports=f()}else if(typeof  
var _ = require("underscore");
```

```
var Acceptors = {
```

```
  creators: null,
```

```
  current: null,
```

```
  tag: null,
```

```
  init: function() {
```

```
    this.creators = [];
```

```
    this.current = [];
```

```
    this.tag = {};
```

```
  },
```

```
  reset: function() {
```

```
    this.current = [];
```

```
    this.tag = {}
```

```
  },
```

```
  transit: function(ch) {
```

```
    var self = this;
```

```
    self.creators.forEach(function(creator) {
```

```
      var acceptor = creator.createAcceptor(self.tag);
```

```
      if (acceptor)
```

```
        self.current.push(acceptor);
```

```
    });
```

```
    var _current = [];
```

```
    self.tag = {};
```

```

    for (var i = 0; i < self.current.length; i++) {
        var _acceptor = self.current[i]
        , acceptor = _acceptor.transit(ch);

        if (!acceptor.isError) {
            _current.push(acceptor);
            self.tag[acceptor.tag] = acceptor;
        }
    }
    self.current = _current;

},

getFinalAcceptors: function() {
    return this.current.filter(function(acceptor) {
        return acceptor.isFinal;
    });
}

};

module.exports = function() {
    var acceptors = _.clone(Acceptors);
    acceptors.init();
    return acceptors;
};

}, {"underscore":25}], 2:[function(require,module,exports){
(function (__dirname){
var LEFT = 0;

var RIGHT = 1;

var path = require("path");
var glob = require("glob");

var WordcutDict = {
    init: function (dictPathFile, withDefault, words) {
        withDefault = withDefault || false

```

```

defaultDict = path.normalize(__dirname + "/..") + "/data/tdict-*.txt";
this.dict=[]

var dictPathIsDefined = dictPathFile !== undefined

var dictPath = (withDefault || !dictPathIsDefined) ? [defaultDict]: [];
var dictPathFile = dictPathFile || defaultDict

if(dictPathIsDefined){
  if (Array.isArray(dictPathFile)) {
    dictPath.concat.apply(dictPath, dictPathFile);
  } else {
    dictPath.push(dictPathFile)
  }
}

this.addFiles(dictPath, false)

if(words!==undefined){
  this.addWords(words, false)
}

this.finalizeDict();
},

addWords: function(words, finalize){
  finalize = finalize===undefined || finalize;
  this.dict.push.apply(this.dict, words)
  if(finalize){
    this.finalizeDict();
  }
},

finalizeDict: function(){
  this.dict = this.sortuniq(this.dict);
},
addFiles: function(files, finalize){
  finalize = finalize===undefined || finalize;

```

```
for (var i = 0; i < 1; i++) {  
    words = "■.■.\n■.■.■.\n■.■.■.\n■.■.\n■.■.■.\n■.■.\n■.■.■.\n■.■.\n■.■.■.\n■.■.■.\n■.■.■.\n■.■.■.\n■.■.■.\n■.■.■.\n".split(/[\r\n]+/).filter(function (w) {  
        return w.length > 1;  
    })  
  
    this.addWords(words, false)  
}  
  
if(finalize){  
    this.finalizeDict();  
}  
},  
dictSeek: function (l, r, ch, strOffset, pos) {  
    var ans = null;  
  
    while (l <= r) {  
  
        var m = Math.floor((l + r) / 2),  
            dict_item = this.dict[m],  
            len = dict_item.length;  
  
        if (len <= strOffset) {  
            l = m + 1;  
        } else {  
            var ch_ = dict_item[strOffset];  
  
            if (ch_ < ch) {  
                l = m + 1;  
            } else if (ch_ > ch) {  
                r = m - 1;  
            } else {  
                ans = m;  
  
                if (pos == LEFT) {  
                    r = m - 1;  
                } else {  
                    l = m + 1;  
                }  
            }  
        }  
    }  
}
```

```

    }

    return ans;
},

isFinal: function (acceptor) {
    return this.dict[acceptor.l].length == acceptor.strOffset;
},

createAcceptor: function () {
    return {
        l: 0,
        r: this.dict.length - 1,
        strOffset: 0,
        isFinal: false,
        dict: this,
        transit: function (ch) {
            return this.dict.transit(this, ch);
        },
        isError: false,
        tag: "DICT",
        w: 1,
        type: "DICT"
    };
},

transit: function (acceptor, ch) {
    var l = this.dictSeek(acceptor.l,
        acceptor.r,
        ch,
        acceptor.strOffset,
        LEFT);
    if (l !== null) {
        var r = this.dictSeek(l,
            acceptor.r,
            ch,

```

```

        acceptor.strOffset,
        RIGHT);
acceptor.l = l;

    acceptor.r = r;

    acceptor.strOffset++;

    acceptor.isFinal = this.isFinal(acceptor);
} else {
    acceptor.isError = true;
}

return acceptor;
},

sortuniq: function(a){
    return a.sort().filter(function(item, pos, arr){
        return !pos || item !== arr[pos - 1];
    })
},

flatten: function(a){
    //[[1,2],[3]] -> [1,2,3]
    return [].concat.apply([], a);
}
};

module.exports = WordcutDict;

}).call(this, "/dist/tmp")
}, {"glob":16, "path":22}], 3:[function(require,module,exports){
var WordRule = {
    createAcceptor: function(tag) {
        if (tag["WORD_RULE"])
            return null;

        return {strOffset: 0,
            isFinal: false,
            transit: function(ch) {

```

```

        var lch = ch.toLowerCase();
        if (lch >= "a" && lch <= "z") {
            this.isFinal = true;
            this.strOffset++;
        } else {
            this.isError = true;
        }
        return this;
    },
    isError: false,
    tag: "WORD_RULE",
    type: "WORD_RULE",
    w: 1};
}
};

```

```

var NumberRule = {
    createAcceptor: function(tag) {
        if (tag["NUMBER_RULE"])
            return null;

        return {strOffset: 0,
            isFinal: false,
            transit: function(ch) {
                if (ch >= "0" && ch <= "9") {
                    this.isFinal = true;
                    this.strOffset++;
                } else {
                    this.isError = true;
                }
                return this;
            },
            isError: false,
            tag: "NUMBER_RULE",
            type: "NUMBER_RULE",

```

```

        w: 1};

    }

};

var SpaceRule = {
    tag: "SPACE_RULE",
    createAcceptor: function(tag) {

        if (tag["SPACE_RULE"])
            return null;

        return {strOffset: 0,
            isFinal: false,
            transit: function(ch) {
                if (ch == " " || ch == "\t" || ch == "\r" || ch == "\n" ||
                    ch == "\u00A0" || ch=="\u2003"//nbsp and emsp
                ) {
                    this.isFinal = true;
                    this.strOffset++;
                } else {
                    this.isError = true;
                }
                return this;
            },
            isError: false,
            tag: SpaceRule.tag,
            w: 1,
            type: "SPACE_RULE"};
    }
}


```

```

var SingleSymbolRule = {
    tag: "SINSYM",
    createAcceptor: function(tag) {
        return {strOffset: 0,

```



```

        isFinal: false,
        transit: function(ch) {
            if (this.strOffset == 0 && ch.match(/^[\@(\)\\/\,\-\.\`"]$/)) {
                this.isFinal = true;
                this.strOffset++;
            } else {
                this.isError = true;
            }
            return this;
        },
        isError: false,
        tag: "SINSYM",
        w: 1,
        type: "SINSYM"};
    }
}
var LatinRules = [WordRule, SpaceRule, SingleSymbolRule, NumberRule];

module.exports = LatinRules;

},{}],4:[function(require,module,exports){
var _ = require("underscore")
    , WordcutCore = require("./wordcut_core");
var PathInfoBuilder = {

    /*
        buildByPartAcceptors: function(path, acceptors, i) {
            var
                genInfos = partAcceptors.reduce(function(genInfos, acceptor) {

            }, []);

            return genInfos;
        }
    */

```

```

buildByAcceptors: function(path, finalAcceptors, i) {
    var self = this;
    var infos = finalAcceptors.map(function(acceptor) {
        var p = i - acceptor.strOffset + 1
        , _info = path[p];

        var info = {p: p,
                    mw: _info.mw + (acceptor.mw === undefined ? 0 : acceptor.mw),
                    w: acceptor.w + _info.w,
                    unk: (acceptor.unk ? acceptor.unk : 0) + _info.unk,
                    type: acceptor.type};

        if (acceptor.type == "PART") {
            for(var j = p + 1; j <= i; j++) {
                path[j].merge = p;
            }
            info.merge = p;
        }

        return info;
    });

    return infos.filter(function(info) { return info; });
},

fallback: function(path, leftBoundary, text, i) {
    var _info = path[leftBoundary];
    if (text[i].match(/[\u0E48-\u0E4E]/)) {
        if (leftBoundary != 0)
            leftBoundary = path[leftBoundary].p;
        return {p: leftBoundary,
                mw: 0,
                w: 1 + _info.w,
                unk: 1 + _info.unk,
                type: "UNK"};
    } else if(leftBoundary > 0 && path[leftBoundary].type != "UNK") {

```

```

        leftBoundary = path[leftBoundary].p;
        return {p: leftBoundary,
                w: 1 + _info.w,
                unk: 1 + _info.unk,
type: "UNK"};
        } else {
            return {p: leftBoundary,
                    mw: _info.mw,
                    w: 1 + _info.w,
                    unk: 1 + _info.unk,
                    type: "UNK"};
        }
    },

    build: function(path, finalAcceptors, i, leftBoundary, text) {
        var basicPathInfos = this.buildByAcceptors(path, finalAcceptors, i);
        if (basicPathInfos.length > 0) {
            return basicPathInfos;
        } else {
            return [this.fallback(path, leftBoundary, text, i)];
        }
    }
};

module.exports = function() {
    return _.clone(PathInfoBuilder);
}

}, {"/wordcut_core":8, "underscore":25}], 5:[function(require,module,exports){
var _ = require("underscore");

var PathSelector = {
    selectPath: function(paths) {
        var path = paths.reduce(function(selectedPath, path) {

```

```

        if (selectedPath == null) {
            return path;
        } else {
            if (path.unk < selectedPath.unk)
                return path;

            if (path.unk == selectedPath.unk) {
                if (path.mw < selectedPath.mw)
                    return path

                if (path.mw == selectedPath.mw) {
                    if (path.w < selectedPath.w)
                        return path;
                }
            }

            return selectedPath;
        }
    }, null);
    return path;
},

createPath: function() {
    return [{p:null, w:0, unk:0, type: "INIT", mw:0}];
}
};

module.exports = function() {
    return _.clone(PathSelector);
};

}, {"underscore":25}], 6:[function(require,module,exports){
function isMatch(pat, offset, ch) {

    if (pat.length <= offset)

        return false;

    var _ch = pat[offset];

    return _ch == ch ||

        (_ch.match(/[■■]/) && ch.match(/[■-■]/)) ||

```

```

        (_ch.match(/[■-■]/) && ch.match(/[■-■]/)) ||
        (_ch.match(/\u0E49/) && ch.match(/\u0E48-\u0E4B/)));
    }

    var Rule0 = {
        pat: "■■■■■",
        createAcceptor: function(tag) {
            return {strOffset: 0,
                    isFinal: false,
                    transit: function(ch) {
                        if (isMatch(Rule0.pat, this.strOffset, ch)) {
                            this.isFinal = (this.strOffset + 1 == Rule0.pat.length);
                            this.strOffset++;
                        } else {
                            this.isError = true;
                        }
                        return this;
                    },
                    isError: false,
                    tag: "THAI_RULE",
                    type: "THAI_RULE",
                    w: 1};
        }
    };
};

```

```

    var PartRule = {
        createAcceptor: function(tag) {
            return {strOffset: 0,
                    patterns: [
                        "■■", "■■", "■■", "■■■", "■■■", "■■■", "■■■", "■■■"
                    ],
                    isFinal: false,
                    transit: function(ch) {
                        var offset = this.strOffset;
                        this.patterns = this.patterns.filter(function(pat) {

```

```

        return isMatch(pat, offset, ch);
    });

    if (this.patterns.length > 0) {
        var len = 1 + offset;

        this.isFinal = this.patterns.some(function(pat) {
            return pat.length == len;
        });

        this.strOffset++;
    } else {
        this.isError = true;
    }

    return this;
},
isError: false,
tag: "PART",
type: "PART",
unk: 1,
w: 1};
}
};

```

```

var ThaiRules = [Rule0, PartRule];

```

```

module.exports = ThaiRules;

```

```

},{}],7:[function(require,module,exports){
var sys = require("sys")

    , WordcutDict = require("./dict")
    , WordcutCore = require("./wordcut_core")
    , PathInfoBuilder = require("./path_info_builder")
    , PathSelector = require("./path_selector")
    , Acceptors = require("./acceptors")
    , latinRules = require("./latin_rules")
    , thaiRules = require("./thai_rules")

```

```

, _ = require("underscore");

var Wordcut = Object.create(WordcutCore);

Wordcut.defaultPathInfoBuilder = PathInfoBuilder;

Wordcut.defaultPathSelector = PathSelector;

Wordcut.defaultAcceptors = Acceptors;

Wordcut.defaultLatinRules = latinRules;

Wordcut.defaultThaiRules = thaiRules;

Wordcut.defaultDict = WordcutDict;


Wordcut.initNoDict = function(dict_path) {
    var self = this;

    self.pathInfoBuilder = new self.defaultPathInfoBuilder;

    self.pathSelector = new self.defaultPathSelector;

    self.acceptors = new self.defaultAcceptors;

    self.defaultLatinRules.forEach(function(rule) {
        self.acceptors.creators.push(rule);
    });

    self.defaultThaiRules.forEach(function(rule) {
        self.acceptors.creators.push(rule);
    });
};

Wordcut.init = function(dict_path, withDefault, additionalWords) {
    withDefault = withDefault || false;

    this.initNoDict();

    var dict = _.clone(this.defaultDict);

    dict.init(dict_path, withDefault, additionalWords);

    this.acceptors.creators.push(dict);
};

module.exports = Wordcut;
},{"/acceptors":1,"/dict":2,"/latin_rules":3,"/path_info_builder":4,"/path_selector":5,"/thai_rules":6}

```

```

var WordcutCore = {

    buildPath: function(text) {

        var self = this

        , path = self.pathSelector.createPath()

        , leftBoundary = 0;

        self.acceptors.reset();

        for (var i = 0; i < text.length; i++) {
var ch = text[i];

            self.acceptors.transit(ch);


            var possiblePathInfos = self

                .pathInfoBuilder

                .build(path,

                    self.acceptors.getFinalAcceptors(),

                    i,

                    leftBoundary,

                    text);

            var selectedPath = self.pathSelector.selectPath(possiblePathInfos)


            path.push(selectedPath);

            if (selectedPath.type !== "UNK") {

                leftBoundary = i;

            }

        }

        return path;

    },

    pathToRanges: function(path) {

        var e = path.length - 1

        , ranges = [];


        while (e > 0) {

            var info = path[e]

            , s = info.p;


```



```

    if (info.merge !== undefined && ranges.length > 0) {
        var r = ranges[ranges.length - 1];
        r.s = info.merge;
        s = r.s;
    } else {
        ranges.push({s:s, e:e});
    }
    e = s;
}
return ranges.reverse();
},

```

```

rangesToText: function(text, ranges, delimiter) {
    return ranges.map(function(r) {
        return text.substring(r.s, r.e);
    }).join(delimiter);
},

```

```

cut: function(text, delimiter) {
    var path = this.buildPath(text)
    , ranges = this.pathToRanges(path);
    return this
        .rangesToText(text, ranges,
            (delimiter === undefined ? "|" : delimiter));
},

```

```

cutIntoRanges: function(text, noText) {
    var path = this.buildPath(text)
    , ranges = this.pathToRanges(path);

    if (!noText) {
        ranges.forEach(function(r) {
            r.text = text.substring(r.s, r.e);
        });
    }
}

```

```

        return ranges;
    },

    cutIntoArray: function(text) {
        var path = this.buildPath(text)
            , ranges = this.pathToRanges(path);

        return ranges.map(function(r) {
            return text.substring(r.s, r.e)
        });
    }
};

module.exports = WordcutCore;

},{}],9:[function(require,module,exports){
// http://wiki.commonjs.org/wiki/Unit_Testing/1.0
//
// THIS IS NOT TESTED NOR LIKELY TO WORK OUTSIDE V8!
//
// Originally from narwhal.js (http://narwhaljs.org)
// Copyright (c) 2009 Thomas Robinson <280north.com>
//
// Permission is hereby granted, free of charge, to any person obtaining a copy
// of this software and associated documentation files (the 'Software'), to
// deal in the Software without restriction, including without limitation the
// rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
// sell copies of the Software, and to permit persons to whom the Software is
// furnished to do so, subject to the following conditions:
//
// The above copyright notice and this permission notice shall be included in
// all copies or substantial portions of the Software.
//
// THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
// IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

```

```
// FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
// AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
// ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
// WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
```

```
// when used in node, this will actually load the util module we depend on
// versus loading the builtin util module as happens otherwise
// this is a bug in node module loading as far as I am concerned
var util = require('util/');
```

```
var pSlice = Array.prototype.slice;
var hasOwn = Object.prototype.hasOwnProperty;
```

```
// 1. The assert module provides functions that throw
// AssertionError's when particular conditions are not met. The
// assert module must conform to the following interface.
```

```
var assert = module.exports = ok;
```

```
// 2. The AssertionError is defined in assert.
// new assert.AssertionError({ message: message,
//                               actual: actual,
//                               expected: expected })
```

```
assert.AssertionError = function AssertionError(options) {
  this.name = 'AssertionError';
  this.actual = options.actual;
  this.expected = options.expected;
  this.operator = options.operator;
  if (options.message) {
    this.message = options.message;
    this.generatedMessage = false;
  } else {
    this.message = getMessage(this);
    this.generatedMessage = true;
  }
}
```

```

    }

    var stackStartFunction = options.stackStartFunction || fail;

    if (Error.captureStackTrace) {
        Error.captureStackTrace(this, stackStartFunction);
    }
    else {
        // non v8 browsers so we can have a stacktrace
        var err = new Error();
        if (err.stack) {
            var out = err.stack;

            // try to strip useless frames
            var fn_name = stackStartFunction.name;
            var idx = out.indexOf('\n' + fn_name);
            if (idx >= 0) {
                // once we have located the function frame
                // we need to strip out everything before it (and its line)
                var next_line = out.indexOf('\n', idx + 1);
                out = out.substring(next_line + 1);
            }

            this.stack = out;
        }
    }
};

// assert.AssertionError instanceof Error
util.inherits(assert.AssertionError, Error);

function replacer(key, value) {
    if (util.isUndefined(value)) {
        return '';
    }
    if (util.isNumber(value) && !isFinite(value)) {

```

```

        return value.toString();
    }
    if (util.isFunction(value) || util.isRegExp(value)) {
        return value.toString();
    }
    return value;
}

function truncate(s, n) {
    if (util.isString(s)) {
        return s.length < n ? s : s.slice(0, n);
    } else {
        return s;
    }
}

function getMessage(self) {
    return truncate(JSON.stringify(self.actual, replacer), 128) + ' ' +
        self.operator + ' ' +
        truncate(JSON.stringify(self.expected, replacer), 128);
}

// At present only the three keys mentioned above are used and
// understood by the spec. Implementations or sub modules can pass
// other keys to the AssertionError's constructor - they will be
// ignored.

// 3. All of the following functions must throw an AssertionError
// when a corresponding condition is not met, with a message that
// may be undefined if not provided. All assertion methods provide
// both the actual and expected values to the assertion error for
// display purposes.

function fail(actual, expected, message, operator, stackStartFunction) {
    throw new assert.AssertionError({

```

```

        message: message,
        actual: actual,
        expected: expected,
        operator: operator,
        stackStartFunction: stackStartFunction
    });
}

// EXTENSION! allows for well behaved errors defined elsewhere.
assert.fail = fail;

// 4. Pure assertion tests whether a value is truthy, as determined
// by !!guard.
// assert.ok(guard, message_opt);
// This statement is equivalent to assert.equal(true, !!guard,
// message_opt);. To test strictly for the value true, use
// assert.strictEqual(true, guard, message_opt);.

function ok(value, message) {
    if (!value) fail(value, true, message, '==', assert.ok);
}
assert.ok = ok;

// 5. The equality assertion tests shallow, coercive equality with
// ==.
// assert.equal(actual, expected, message_opt);

assert.equal = function equal(actual, expected, message) {
    if (actual !== expected) fail(actual, expected, message, '==', assert.equal);
};

// 6. The non-equality assertion tests for whether two objects are not equal
// with != assert.notEqual(actual, expected, message_opt);
assert.notEqual = function notEqual(actual, expected, message) {
    if (actual == expected) {

```

```

    fail(actual, expected, message, '!=', assert.notEqual);
  }
};

// 7. The equivalence assertion tests a deep equality relation.
// assert.deepEqual(actual, expected, message_opt);

assert.deepEqual = function deepEqual(actual, expected, message) {
  if (!_deepEqual(actual, expected)) {
    fail(actual, expected, message, 'deepEqual', assert.deepEqual);
  }
};

function _deepEqual(actual, expected) {
  // 7.1. All identical values are equivalent, as determined by ===.
  if (actual === expected) {
    return true;
  }

  } else if (util.isBuffer(actual) && util.isBuffer(expected)) {
    if (actual.length !== expected.length) return false;

    for (var i = 0; i < actual.length; i++) {
      if (actual[i] !== expected[i]) return false;
    }

    return true;

  // 7.2. If the expected value is a Date object, the actual value is
  // equivalent if it is also a Date object that refers to the same time.
  } else if (util.isDate(actual) && util.isDate(expected)) {
    return actual.getTime() === expected.getTime();

  // 7.3 If the expected value is a RegExp object, the actual value is
  // equivalent if it is also a RegExp object with the same source and
  // properties (`global`, `multiline`, `lastIndex`, `ignoreCase`).

```

```

    } else if (util.isRegExp(actual) && util.isRegExp(expected)) {
        return actual.source === expected.source &&
            actual.global === expected.global &&
            actual.multiline === expected.multiline &&
            actual.lastIndex === expected.lastIndex &&
            actual.ignoreCase === expected.ignoreCase;

        // 7.4. Other pairs that do not both pass typeof value == 'object',
        // equivalence is determined by ==.
    } else if (!util.isObject(actual) && !util.isObject(expected)) {
        return actual == expected;

        // 7.5 For all other Object pairs, including Array objects, equivalence is
        // determined by having the same number of owned properties (as verified
        // with Object.prototype.hasOwnProperty.call), the same set of keys
        // (although not necessarily the same order), equivalent values for every
        // corresponding key, and an identical 'prototype' property. Note: this
        // accounts for both named and indexed properties on Arrays.
    } else {
        return objEquiv(actual, expected);
    }
}

function isArguments(object) {
    return Object.prototype.toString.call(object) == '[object Arguments]';
}
function objEquiv(a, b) {
    if (util.isNullOrUndefined(a) || util.isNullOrUndefined(b))
        return false;

    // an identical 'prototype' property.
    if (a.prototype !== b.prototype) return false;

    // if one is a primitive, the other must be same
    if (util.isPrimitive(a) || util.isPrimitive(b)) {
        return a === b;
    }
}

```



```

var aIsArgs = isArguments(a),
    bIsArgs = isArguments(b);
if ((aIsArgs && !bIsArgs) || (!aIsArgs && bIsArgs))
    return false;
if (aIsArgs) {
    a = pSlice.call(a);
    b = pSlice.call(b);
    return _deepEqual(a, b);
}
var ka = objectKeys(a),
    kb = objectKeys(b),
    key, i;
// having the same number of owned properties (keys incorporates
// hasOwnProperty)
if (ka.length != kb.length)
    return false;
//the same set of keys (although not necessarily the same order),
ka.sort();
kb.sort();
//~~~cheap key test
for (i = ka.length - 1; i >= 0; i--) {
    if (ka[i] != kb[i])
        return false;
}
//equivalent values for every corresponding key, and
//~~~possibly expensive deep test
for (i = ka.length - 1; i >= 0; i--) {
    key = ka[i];
    if (!_deepEqual(a[key], b[key])) return false;
}
return true;
}

// 8. The non-equivalence assertion tests for any deep inequality.
// assert.notDeepEqual(actual, expected, message_opt);

```

```

assert.notDeepEqual = function notDeepEqual(actual, expected, message) {
  if (!_deepEqual(actual, expected)) {
    fail(actual, expected, message, 'notDeepEqual', assert.notDeepEqual);
  }
};

// 9. The strict equality assertion tests strict equality, as determined by ===.
// assert.strictEqual(actual, expected, message_opt);

assert.strictEqual = function strictEqual(actual, expected, message) {
  if (actual !== expected) {
    fail(actual, expected, message, '===', assert.strictEqual);
  }
};
// 10. The strict non-equality assertion tests for strict inequality, as
// determined by !==. assert.notStrictEqual(actual, expected, message_opt);

assert.notStrictEqual = function notStrictEqual(actual, expected, message) {
  if (actual === expected) {
    fail(actual, expected, message, '!==', assert.notStrictEqual);
  }
};

function expectedException(actual, expected) {
  if (!actual || !expected) {
    return false;
  }

  if (Object.prototype.toString.call(expected) == '[object RegExp]') {
    return expected.test(actual);
  } else if (actual instanceof expected) {
    return true;
  } else if (expected.call({}, actual) === true) {
    return true;
  }
}

```

```

    return false;
}

function _throws(shouldThrow, block, expected, message) {
    var actual;

    if (util.isString(expected)) {
        message = expected;
        expected = null;
    }

    try {
        block();
    } catch (e) {
        actual = e;
    }

    message = (expected && expected.name ? ' (' + expected.name + ').' : '.') +
        (message ? ' ' + message : '.');

    if (shouldThrow && !actual) {
        fail(actual, expected, 'Missing expected exception' + message);
    }

    if (!shouldThrow && expectedException(actual, expected)) {
        fail(actual, expected, 'Got unwanted exception' + message);
    }

    if ((shouldThrow && actual && expected &&
        !expectedException(actual, expected)) || (!shouldThrow && actual)) {
        throw actual;
    }
}
// 11. Expected to throw an error:
// assert.throws(block, Error_opt, message_opt);

```

```

assert.throws = function(block, /*optional*/error, /*optional*/message) {
  _throws.apply(this, [true].concat(pSlice.call(arguments)));
};

```

```

// EXTENSION! This is annoying to write outside this module.
assert.doesNotThrow = function(block, /*optional*/message) {
  _throws.apply(this, [false].concat(pSlice.call(arguments)));
};

```

```

assert.ifError = function(err) { if (err) {throw err;}};

```

```

var objectKeys = Object.keys || function (obj) {
  var keys = [];
  for (var key in obj) {
    if (hasOwn.call(obj, key)) keys.push(key);
  }
  return keys;
};

```

```

}, {"util/":28}],10:[function(require,module,exports){
'use strict';
module.exports = balanced;
function balanced(a, b, str) {
  if (a instanceof RegExp) a = maybeMatch(a, str);
  if (b instanceof RegExp) b = maybeMatch(b, str);

  var r = range(a, b, str);

  return r && {
    start: r[0],
    end: r[1],
    pre: str.slice(0, r[0]),
    body: str.slice(r[0] + a.length, r[1]),
    post: str.slice(r[1] + b.length)
  };
};

```

```
}
```

```
function maybeMatch(reg, str) {  
    var m = str.match(reg);  
    return m ? m[0] : null;  
}
```

```
balanced.range = range;  
function range(a, b, str) {  
    var begs, beg, left, right, result;  
    var ai = str.indexOf(a);  
    var bi = str.indexOf(b, ai + 1);  
    var i = ai;  
  
    if (ai >= 0 && bi > 0) {  
        begs = [];  
        left = str.length;  
  
        while (i >= 0 && !result) {  
            if (i == ai) {  
                begs.push(i);  
                ai = str.indexOf(a, i + 1);  
            } else if (begs.length == 1) {  
                result = [ begs.pop(), bi ];  
            } else {  
                beg = begs.pop();  
                if (beg < left) {  
                    left = beg;  
                    right = bi;  
                }  
  
                bi = str.indexOf(b, i + 1);  
            }  
  
            i = ai < bi && ai >= 0 ? ai : bi;  
        }  
    }  
}
```

```

    }

    if (begs.length) {
        result = [ left, right ];
    }
}

return result;
}

}, {}], 11: [function(require, module, exports) {
var concatMap = require('concat-map');
var balanced = require('balanced-match');

module.exports = expandTop;

var escSlash = '\0SLASH'+Math.random()+'\0';
var escOpen = '\0OPEN'+Math.random()+'\0';
var escClose = '\0CLOSE'+Math.random()+'\0';
var escComma = '\0COMMA'+Math.random()+'\0';
var escPeriod = '\0PERIOD'+Math.random()+'\0';

function numeric(str) {
    return parseInt(str, 10) == str
        ? parseInt(str, 10)
        : str.charCodeAt(0);
}

function escapeBraces(str) {
    return str.split('\\\\').join(escSlash)
        .split('\\{').join(escOpen)
        .split('\\}').join(escClose)
        .split('\\,',').join(escComma)
        .split('\\.').join(escPeriod);
}

```

```

function unescapeBraces(str) {
    return str.split(escSlash).join('\\')
        .split(escOpen).join('{')
        .split(escClose).join('}')
        .split(escComma).join(',')
        .split(escPeriod).join('.');
}

// Basically just str.split(","), but handling cases
// where we have nested braced sections, which should be
// treated as individual members, like {a,{b,c},d}
function parseCommaParts(str) {
    if (!str)
        return [''];

    var parts = [];

    var m = balanced('{', '}', str);

    if (!m)
        return str.split(',');

    var pre = m.pre;
    var body = m.body;
    var post = m.post;
    var p = pre.split(',');

    p[p.length-1] += '{' + body + '}';
    var postParts = parseCommaParts(post);
    if (post.length) {
        p[p.length-1] += postParts.shift();
        p.push.apply(p, postParts);
    }

    parts.push.apply(parts, p);
}

```

```

    return parts;
}

function expandTop(str) {
    if (!str)
        return [];

    // I don't know why Bash 4.3 does this, but it does.
    // Anything starting with {} will have the first two bytes preserved
    // but *only* at the top level, so {},a}b will not expand to anything,
    // but a{},b}c will be expanded to [a}c,abc].
    // One could argue that this is a bug in Bash, but since the goal of
    // this module is to match Bash's rules, we escape a leading {}
    if (str.substr(0, 2) === '{}') {
        str = '\\{\\}' + str.substr(2);
    }

    return expand(escapeBraces(str), true).map(unescapeBraces);
}

function identity(e) {
    return e;
}

function embrace(str) {
    return '{' + str + '}';
}

function isPadded(el) {
    return /^-?0\d/.test(el);
}

function lte(i, y) {
    return i <= y;
}
function gte(i, y) {

```



```

    return i >= y;
}
function expand(str, isTop) {
    var expansions = [];

    var m = balanced('{', '}', str);
    if (!m || /\$\$/ .test(m.pre)) return [str];

    var isNumericSequence = /^-?\d+\.\.\.-?\d+(?:\.\.\.-?\d+)?$/ .test(m.body);
    var isAlphaSequence = /^[a-zA-Z]\.\.[a-zA-Z](?:\.\.\.-?\d+)?$/ .test(m.body);
    var isSequence = isNumericSequence || isAlphaSequence;
    var isOptions = m.body.indexOf(',') >= 0;
    if (!isSequence && !isOptions) {
        // {a},b}
        if (m.post.match(/,.*\}/)) {
            str = m.pre + '{' + m.body + escClose + m.post;
            return expand(str);
        }
        return [str];
    }

    var n;
    if (isSequence) {
        n = m.body.split(/\.\./);
    } else {
        n = parseCommaParts(m.body);
        if (n.length === 1) {
            // x{{a,b}}y ==> x{a}y x{b}y
            n = expand(n[0], false).map(embrace);
            if (n.length === 1) {
                var post = m.post.length
                    ? expand(m.post, false)
                    : [''];
                return post.map(function(p) {
                    return m.pre + n[0] + p;
                });
            }
        }
    }

```

```

        });
    }
}

// at this point, n is the parts, and we know it's not a comma set
// with a single entry.

// no need to expand pre, since it is guaranteed to be free of brace-sets
var pre = m.pre;
var post = m.post.length
    ? expand(m.post, false)
    : [''];

var N;

if (isSequence) {
    var x = numeric(n[0]);
    var y = numeric(n[1]);
    var width = Math.max(n[0].length, n[1].length)
    var incr = n.length == 3
        ? Math.abs(numeric(n[2]))
        : 1;
    var test = lte;
    var reverse = y < x;
    if (reverse) {
        incr *= -1;
test = gte;
    }
    var pad = n.some(isPadded);

    N = [];

    for (var i = x; test(i, y); i += incr) {
        var c;

```

```

    if (isAlphaSequence) {
        c = String.fromCharCode(i);
        if (c === '\\')
            c = '';
    } else {
        c = String(i);
        if (pad) {
            var need = width - c.length;
            if (need > 0) {
                var z = new Array(need + 1).join('0');
                if (i < 0)
                    c = '-' + z + c.slice(1);
                else
                    c = z + c;
            }
        }
    }
    N.push(c);
}

} else {
    N = concatMap(n, function(el) { return expand(el, false) });
}

for (var j = 0; j < N.length; j++) {
    for (var k = 0; k < post.length; k++) {
        var expansion = pre + N[j] + post[k];
        if (!isTop || isSequence || expansion)
            expansions.push(expansion);
    }
}

return expansions;
}
}, {"balanced-match":10, "concat-map":13}, 12:[function(require,module,exports){
}, {}], 13:[function(require,module,exports){
module.exports = function (xs, fn) {

```

```

    var res = [];

    for (var i = 0; i < xs.length; i++) {
        var x = fn(xs[i], i);

        if (isArray(x)) res.push.apply(res, x);

        else res.push(x);
    }

    return res;
};

var isArray = Array.isArray || function (xs) {
    return Object.prototype.toString.call(xs) === '[object Array]';
};
},{}],14:[function(require,module,exports){
// Copyright Joyent, Inc. and other Node contributors.
//
// Permission is hereby granted, free of charge, to any person obtaining a
// copy of this software and associated documentation files (the
// "Software"), to deal in the Software without restriction, including
// without limitation the rights to use, copy, modify, merge, publish,
// distribute, sublicense, and/or sell copies of the Software, and to permit
// persons to whom the Software is furnished to do so, subject to the
// following conditions:
//
// The above copyright notice and this permission notice shall be included
// in all copies or substantial portions of the Software.
//
// THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
// OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
// MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
// NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
// DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
// USE OR OTHER DEALINGS IN THE SOFTWARE.

function EventEmitter() {

```

```

    this._events = this._events || {};

    this._maxListeners = this._maxListeners || undefined;
}

module.exports = EventEmitter;

// Backwards-compat with node 0.10.x
EventEmitter.EventEmitter = EventEmitter;

EventEmitter.prototype._events = undefined;
EventEmitter.prototype._maxListeners = undefined;

// By default EventEmitters will print a warning if more than 10 listeners are
// added to it. This is a useful default which helps finding memory leaks.
EventEmitter.defaultMaxListeners = 10;

// Obviously not all Emitters should be limited to 10. This function allows
// that to be increased. Set to zero for unlimited.
EventEmitter.prototype.setMaxListeners = function(n) {
    if (!isNumber(n) || n < 0 || isNaN(n))
        throw TypeError('n must be a positive number');
    this._maxListeners = n;
    return this;
};

EventEmitter.prototype.emit = function(type) {
    var er, handler, len, args, i, listeners;

    if (!this._events)
        this._events = {};

    // If there is no 'error' event listener then throw.
    if (type === 'error') {
        if (!this._events.error ||
            (isObject(this._events.error) && !this._events.error.length)) {
            er = arguments[1];

```

```

        if (er instanceof Error) {
            throw er; // Unhandled 'error' event
        }

        throw TypeError('Uncaught, unspecified "error" event.');
    }
}

```

```

handler = this._events[type];

```

```

if (isUndefined(handler))
    return false;

```

```

if (isFunction(handler)) {
    switch (arguments.length) {
        // fast cases
        case 1:
            handler.call(this);
            break;
        case 2:
            handler.call(this, arguments[1]);
            break;
        case 3:
            handler.call(this, arguments[1], arguments[2]);
            break;
        // slower
        default:
            len = arguments.length;
            args = new Array(len - 1);
            for (i = 1; i < len; i++)
                args[i - 1] = arguments[i];
            handler.apply(this, args);
    }
}

```

```

} else if (isObject(handler)) {
    len = arguments.length;
    args = new Array(len - 1);

```

```

    for (i = 1; i < len; i++)
        args[i - 1] = arguments[i];

    listeners = handler.slice();
    len = listeners.length;
    for (i = 0; i < len; i++)
        listeners[i].apply(this, args);
}

return true;
};

EventEmitter.prototype.addListener = function(type, listener) {
    var m;

    if (!isFunction(listener))
        throw TypeError('listener must be a function');

    if (!this._events)
        this._events = {};

    // To avoid recursion in the case that type === "newListener"! Before
    // adding it to the listeners, first emit "newListener".
    if (this._events.newListener)
        this.emit('newListener', type,
            isFunction(listener.listener) ?
                listener.listener : listener);
    if (!this._events[type])
        // Optimize the case of one listener. Don't need the extra array object.
        this._events[type] = listener;
    else if (isObject(this._events[type]))
        // If we've already got an array, just append.
        this._events[type].push(listener);
    else
        // Adding the second element, need to change to array.

```

```

    this._events[type] = [this._events[type], listener];

    // Check for listener leak
    if (isObject(this._events[type]) && !this._events[type].warned) {
        var m;

        if (!isUndefined(this._maxListeners)) {
            m = this._maxListeners;
        } else {
            m = EventEmitter.defaultMaxListeners;
        }

        if (m && m > 0 && this._events[type].length > m) {
            this._events[type].warned = true;
            console.error('(node) warning: possible EventEmitter memory ' +
                'leak detected. %d listeners added. ' +
                'Use emitter.setMaxListeners() to increase limit.',
                this._events[type].length);
            if (typeof console.trace === 'function') {
                // not supported in IE 10
                console.trace();
            }
        }
    }
}

return this;
};

EventEmitter.prototype.on = EventEmitter.prototype.addListener;

EventEmitter.prototype.once = function(type, listener) {
    if (!isFunction(listener))
        throw TypeError('listener must be a function');

    var fired = false;
    function g() {

```



```

        this.removeListener(type, g);

        if (!fired) {
            fired = true;
            listener.apply(this, arguments);
        }
    }

    g.listener = listener;
    this.on(type, g);

    return this;
};

// emits a 'removeListener' event iff the listener was removed
EventEmitter.prototype.removeListener = function(type, listener) {

    var list, position, length, i;

    if (!isFunction(listener))
        throw TypeError('listener must be a function');

    if (!this._events || !this._events[type])
        return this;

    list = this._events[type];
    length = list.length;
    position = -1;

    if (list === listener ||
        (isFunction(list.listener) && list.listener === listener)) {
        delete this._events[type];
        if (this._events.removeListener)
            this.emit('removeListener', type, listener);
    } else if (isObject(list)) {

```

```

    for (i = length; i-- > 0;) {
        if (list[i] === listener ||
            (list[i].listener && list[i].listener === listener)) {
            position = i;
            break;
        }
    }

    if (position < 0)
        return this;

    if (list.length === 1) {
        list.length = 0;
        delete this._events[type];
    } else {
        list.splice(position, 1);
    }

    if (this._events.removeListener)
        this.emit('removeListener', type, listener);
}

return this;
};

```

```

EventEmitter.prototype.removeAllListeners = function(type) {
    var key, listeners;

    if (!this._events)
        return this;

    // not listening for removeListener, no need to emit
    if (!this._events.removeListener) {
        if (arguments.length === 0)
            this._events = {};
    }

```

```

        else if (this._events[type])
            delete this._events[type];

        return this;
    }
    // emit removeListener for all listeners on all events
    if (arguments.length === 0) {
        for (key in this._events) {
            if (key === 'removeListener') continue;
            this.removeAllListeners(key);
        }
        this.removeAllListeners('removeListener');
        this._events = {};
        return this;
    }

    listeners = this._events[type];

    if (isFunction(listeners)) {
        this.removeListener(type, listeners);
    } else {
        // LIFO order
        while (listeners.length)
            this.removeListener(type, listeners[listeners.length - 1]);
    }
    delete this._events[type];

    return this;
};

EventEmitter.prototype.listeners = function(type) {
    var ret;
    if (!this._events || !this._events[type])
        ret = [];
    else if (isFunction(this._events[type]))
        ret = [this._events[type]];

```

```

    else
        ret = this._events[type].slice();
    return ret;
};

EventEmitter.listenerCount = function(emitter, type) {
    var ret;
    if (!emitter._events || !emitter._events[type])
        ret = 0;
    else if (isFunction(emitter._events[type]))
        ret = 1;
    else
        ret = emitter._events[type].length;
    return ret;
};

function isFunction(arg) {
    return typeof arg === 'function';
}

function isNumber(arg) {
    return typeof arg === 'number';
}

function isObject(arg) {
    return typeof arg === 'object' && arg !== null;
}

function isUndefined(arg) {
    return arg === void 0;
}

},{}],15:[function(require,module,exports){
(function (process){
exports.alphasort = alphasort

```

```

exports.alphasorti = alphasorti
exports.setopts = setopts
exports.ownProp = ownProp
exports.makeAbs = makeAbs
exports.finish = finish
exports.mark = mark
exports.isIgnored = isIgnored
exports.childrenIgnored = childrenIgnored

function ownProp (obj, field) {
  return Object.prototype.hasOwnProperty.call(obj, field)
}

var path = require("path")
var minimatch = require("minimatch")
var isAbsolute = require("path-is-absolute")
var Minimatch = minimatch.Minimatch

function alphasorti (a, b) {
  return a.toLowerCase().localeCompare(b.toLowerCase())
}

function alphasort (a, b) {
  return a.localeCompare(b)
}

function setupIgnores (self, options) {
  self.ignore = options.ignore || []

  if (!Array.isArray(self.ignore))
    self.ignore = [self.ignore]

  if (self.ignore.length) {
    self.ignore = self.ignore.map(ignoreMap)
  }
}

```

```
}
```

```
function ignoreMap (pattern) {  
  var gmatcher = null  
  if (pattern.slice(-3) === '/*') {  
    var gpattern = pattern.replace(/(\/\*\*)+$/, '')  
    gmatcher = new Minimatch(gpattern)  
  }  
}
```

```
  return {  
    matcher: new Minimatch(pattern),  
    gmatcher: gmatcher  
  }  
}
```

```
function setopts (self, pattern, options) {  
  if (!options)  
    options = {}  
  // base-matching: just use globstar for that.  
  if (options.matchBase && -1 === pattern.indexOf("/")) {  
    if (options.noglobstar) {  
      throw new Error("base matching requires globstar")  
    }  
    pattern = "**/" + pattern  
  }  
}
```

```
self.silent = !!options.silent  
self.pattern = pattern  
self.strict = options.strict !== false  
self.realpath = !!options.realpath  
self.realpathCache = options.realpathCache || Object.create(null)  
self.follow = !!options.follow  
self.dot = !!options.dot  
self.mark = !!options.mark  
self.nodir = !!options.nodir
```

```

if (self.nodir)
    self.mark = true
self.sync = !!options.sync
self.nounique = !!options.nounique
self.nonull = !!options.nonull
self.nosort = !!options.nosort
self.nocase = !!options.nocase
self.stat = !!options.stat
self.noprocess = !!options.noprocess

self.maxLength = options.maxLength || Infinity
self.cache = options.cache || Object.create(null)
self.statCache = options.statCache || Object.create(null)
self.symlinks = options.symlinks || Object.create(null)

setupIgnores(self, options)

self.changedCwd = false
var cwd = process.cwd()
if (!ownProp(options, "cwd"))
    self.cwd = cwd
else {
    self.cwd = options.cwd
    self.changedCwd = path.resolve(options.cwd) !== cwd
}

self.root = options.root || path.resolve(self.cwd, "/")
self.root = path.resolve(self.root)
if (process.platform === "win32")
    self.root = self.root.replace(/\\/g, "/")

self.nomount = !!options.nomount

// disable comments and negation unless the user explicitly
// passes in false as the option.

```

```

options.nonegate = options.nonegate === false ? false : true
options.nocomment = options.nocomment === false ? false : true
deprecationWarning(options)

self.minimatch = new Minimatch(pattern, options)
self.options = self.minimatch.options
}
// TODO(isaacs): remove entirely in v6
// exported to reset in tests
exports.deprecationWarned
function deprecationWarning(options) {
  if (!options.nonegate || !options.nocomment) {
    if (process.noDeprecation !== true && !exports.deprecationWarned) {
      var msg = 'glob WARNING: comments and negation will be disabled in v6'
      if (process.throwDeprecation)
        throw new Error(msg)
      else if (process.traceDeprecation)
        console.trace(msg)
      else
        console.error(msg)

      exports.deprecationWarned = true
    }
  }
}

function finish (self) {
  var nou = self.nounique
  var all = nou ? [] : Object.create(null)

  for (var i = 0, l = self.matches.length; i < l; i++) {
    var matches = self.matches[i]

    if (!matches || Object.keys(matches).length === 0) {
      if (self.nonull) {
        // do like the shell, and spit out the literal glob

```



```

        var literal = self.minimatch.globSet[i]
        if (nou)
            all.push(literal)
        else
            all[literal] = true
    }
} else {
    // had matches
    var m = Object.keys(matches)
    if (nou)
        all.push.apply(all, m)
    else
        m.forEach(function (m) {
            all[m] = true
        })
}
}

if (!nou)
    all = Object.keys(all)

if (!self.nosort)
    all = all.sort(self.nocase ? alphasorti : alphasort)

// at *some* point we statted all of these
if (self.mark) {
    for (var i = 0; i < all.length; i++) {
        all[i] = self._mark(all[i])
    }
    if (self.nodir) {
        all = all.filter(function (e) {
            return !(/\/$/).test(e))
        })
    }
}

```

```

    if (self.ignore.length)
        all = all.filter(function(m) {
            return !isIgnored(self, m)
        })

    self.found = all
}

function mark (self, p) {
    var abs = makeAbs(self, p)
    var c = self.cache[abs]
    var m = p
    if (c) {
        var isDir = c === 'DIR' || Array.isArray(c)
        var slash = p.slice(-1) === '/'

        if (isDir && !slash)
            m += '/'

        else if (!isDir && slash)
            m = m.slice(0, -1)

        if (m !== p) {
            var mabs = makeAbs(self, m)
            self.statCache[mabs] = self.statCache[abs]
            self.cache[mabs] = self.cache[abs]
        }
    }

    return m
}

// lotta situps...

function makeAbs (self, f) {
    var abs = f
    if (f.charAt(0) === '/') {

```

```

        abs = path.join(self.root, f)
    } else if (isAbsolute(f) || f === '') {
        abs = f
    } else if (self.changedCwd) {
        abs = path.resolve(self.cwd, f)
    } else {
        abs = path.resolve(f)
    }
    return abs
}

```

```

// Return true, if pattern ends with globstar '**', for the accompanying parent directory.
// Ex:- If node_modules/** is the pattern, add 'node_modules' to ignore list along with it's contents

```

```

function isIgnored (self, path) {
    if (!self.ignore.length)
        return false

    return self.ignore.some(function(item) {
        return item.matcher.match(path) || !(item.gmatcher && item.gmatcher.match(path))
    })
}

```

```

function childrenIgnored (self, path) {
    if (!self.ignore.length)
        return false

    return self.ignore.some(function(item) {
        return !(item.gmatcher && item.gmatcher.match(path))
    })
}

```

```

}).call(this,require('_process'))
},{ "_process":24,"minimatch":20,"path":22,"path-is-absolute":23}],16:[function(require,module,exports){
(function (process){

```

```

// Approach:

//

// 1. Get the minimatch set
// 2. For each pattern in the set, PROCESS(pattern, false)
// 3. Store matches per-set, then uniq them
//

// PROCESS(pattern, inGlobStar)

// Get the first [n] items from pattern that are all strings
// Join these together. This is PREFIX.

// If there is no more remaining, then stat(PREFIX) and
// add to matches if it succeeds. END.

//

// If inGlobStar and PREFIX is symlink and points to dir
// set ENTRIES = []
// else readdir(PREFIX) as ENTRIES
// If fail, END

//

// with ENTRIES

// If pattern[n] is GLOBSTAR
// // handle the case where the globstar match is empty
// // by pruning it out, and testing the resulting pattern
// PROCESS(pattern[0..n] + pattern[n+1 .. $], false)
// // handle other cases.
// for ENTRY in ENTRIES (not dotfiles)
// // attach globstar + tail onto the entry
// // Mark that this entry is a globstar match
// PROCESS(pattern[0..n] + ENTRY + pattern[n .. $], true)
//

// else // not globstar
// for ENTRY in ENTRIES (not dotfiles, unless pattern[n] is dot)
// Test ENTRY against pattern[n]
// If fails, continue
// If passes, PROCESS(pattern[0..n] + item + pattern[n+1 .. $])
//

// Caveat:

```

```
// Cache all stats and readdir results to minimize syscall. Since all
// we ever care about is existence and directory-ness, we can just keep
// `true` for files, and [children,...] for directories, or `false` for
// things that don't exist.
```

```
module.exports = glob
```

```
var fs = require('fs')

var minimatch = require('minimatch')

var Minimatch = minimatch.Minimatch

var inherits = require('inherits')
var EE = require('events').EventEmitter

var path = require('path')

var assert = require('assert')

var isAbsolute = require('path-is-absolute')

var globSync = require('./sync.js')

var common = require('./common.js')

var alphasort = common.alphasort
var alphasorti = common.alphasorti
var setopts = common.setopts
var ownProp = common.ownProp
var inflight = require('inflight')
var util = require('util')

var childrenIgnored = common.childrenIgnored
var isIgnored = common.isIgnored

var once = require('once')
```

```
function glob (pattern, options, cb) {
  if (typeof options === 'function') cb = options, options = {}
  if (!options) options = {}

  if (options.sync) {
    if (cb)
      throw new TypeError('callback provided to sync glob')
  }
```

```

    return globSync(pattern, options)
  }

  return new Glob(pattern, options, cb)
}

glob.sync = globSync
var GlobSync = glob.GlobSync = globSync.GlobSync

// old api surface
glob.glob = glob

glob.hasMagic = function (pattern, options_) {
  var options = util._extend({}, options_)
  options.noprocess = true

  var g = new Glob(pattern, options)
  var set = g.minimatch.set
  if (set.length > 1)
    return true

  for (var j = 0; j < set[0].length; j++) {
    if (typeof set[0][j] !== 'string')
      return true
  }

  return false
}

glob.Glob = Glob
inherits(Glob, EE)
function Glob (pattern, options, cb) {

  if (typeof options === 'function') {
    cb = options
    options = null
  }

```

```

    }
    if (options && options.sync) {
        if (cb)
            throw new TypeError('callback provided to sync glob')
        return new GlobSync(pattern, options)
    }

    if (!(this instanceof Glob))
        return new Glob(pattern, options, cb)

    setopts(this, pattern, options)
    this._didRealPath = false

    // process each pattern in the minimatch set
    var n = this.minimatch.set.length

    // The matches are stored as {<filename>: true,...} so that
    // duplicates are automagically pruned.
    // Later, we do an Object.keys() on these.
    // Keep them as a list so we can fill in when nonull is set.
    this.matches = new Array(n)

    if (typeof cb === 'function') {
        cb = once(cb)
        this.on('error', cb)
        this.on('end', function (matches) {
            cb(null, matches)
        })
    }

    var self = this
    var n = this.minimatch.set.length

    this._processing = 0

    this.matches = new Array(n)
    this._emitQueue = []
    this._processQueue = []

```

```

    this.paused = false

    if (this.noprocess)
        return this

    if (n === 0)
        return done()

    for (var i = 0; i < n; i++) {
        this._process(this.minimatch.set[i], i, false, done)
    }

    function done () {
        --self._processing
        if (self._processing <= 0)
            self._finish()
    }
}

Glob.prototype._finish = function () {
    assert(this instanceof Glob)
    if (this.aborted)
        return
    if (this.realpath && !this._didRealpath)
        return this._realpath()

    common.finish(this)
    this.emit('end', this.found)
}

Glob.prototype._realpath = function () {
    if (this._didRealpath)
        return

    this._didRealpath = true

```



```

var n = this.matches.length
if (n === 0)
  return this._finish()

var self = this
for (var i = 0; i < this.matches.length; i++)
  this._realpathSet(i, next)

function next () {
  if (--n === 0)
    self._finish()
}
}

Glob.prototype._realpathSet = function (index, cb) {
  var matchset = this.matches[index]
  if (!matchset)
    return cb()

  var found = Object.keys(matchset)
  var self = this
  var n = found.length

  if (n === 0)
    return cb()

  var set = this.matches[index] = Object.create(null)
  found.forEach(function (p, i) {
    // If there's a problem with the stat, then it means that
    // one or more of the links in the realpath couldn't be
    // resolved.  just return the abs value in that case.
    p = self._makeAbs(p)
    fs.realpath(p, self.realpathCache, function (er, real) {
      if (!er)
        set[real] = true
    })
  })
}

```

```

        else if (er.syscall === 'stat')
            set[p] = true
        else
            self.emit('error', er) // srsly wtf right here

        if (--n === 0) {
            self.matches[index] = set
            cb()
        }
    })
}

```

```

Glob.prototype._mark = function (p) {
    return common.mark(this, p)
}

```

```

Glob.prototype._makeAbs = function (f) {
    return common.makeAbs(this, f)
}

```

```

Glob.prototype.abort = function () {
    this.aborted = true
    this.emit('abort')
}

```

```

Glob.prototype.pause = function () {
    if (!this.paused) {
        this.paused = true
        this.emit('pause')
    }
}

```

```

Glob.prototype.resume = function () {
    if (this.paused) {

```

```

    this.emit('resume')
    this.paused = false
    if (this._emitQueue.length) {
        var eq = this._emitQueue.slice(0)
        this._emitQueue.length = 0
        for (var i = 0; i < eq.length; i++) {
            var e = eq[i]
            this._emitMatch(e[0], e[1])
        }
    }
    if (this._processQueue.length) {
        var pq = this._processQueue.slice(0)
        this._processQueue.length = 0
        for (var i = 0; i < pq.length; i++) {
            var p = pq[i]
            this._processing--
            this._process(p[0], p[1], p[2], p[3])
        }
    }
}

Glob.prototype._process = function (pattern, index, inGlobStar, cb) {
    assert(this instanceof Glob)
    assert(typeof cb === 'function')

    if (this.aborted)
        return

    this._processing++
    if (this.paused) {
        this._processQueue.push([pattern, index, inGlobStar, cb])
        return
    }
    //console.error('PROCESS %d', this._processing, pattern)

```

```

// Get the first [n] parts of pattern that are all strings.

var n = 0

while (typeof pattern[n] === 'string') {

    n ++

}

// now n is the index of the first one that is *not* a string.


// see if there's anything else

var prefix

switch (n) {

    // if not, then this is rather simple

    case pattern.length:

        this._processSimple(pattern.join('/'), index, cb)

        return


    case 0:

        // pattern *starts* with some non-trivial item.

        // going to readdir(cwd), but not include the prefix in matches.

        prefix = null

        break


    default:

        // pattern has some string bits in the front.

        // whatever it starts with, whether that's 'absolute' like /foo/bar,

        // or 'relative' like ../baz

        prefix = pattern.slice(0, n).join('/')

        break

}

var remain = pattern.slice(n)


// get the list of entries.

var read

if (prefix === null)
    read = '.'

```

```

else if (isAbsolute(prefix) || isAbsolute(pattern.join('/'))) {
  if (!prefix || !isAbsolute(prefix))
    prefix = '/' + prefix
  read = prefix
} else
  read = prefix

var abs = this._makeAbs(read)

//if ignored, skip _processing
if (childrenIgnored(this, read))
  return cb()

var isGlobStar = remain[0] === minimatch.GLOBSTAR
if (isGlobStar)
  this._processGlobStar(prefix, read, abs, remain, index, inGlobStar, cb)
else
  this._processReaddir(prefix, read, abs, remain, index, inGlobStar, cb)
}

Glob.prototype._processReaddir = function (prefix, read, abs, remain, index, inGlobStar, cb) {
  var self = this
  this._readdir(abs, inGlobStar, function (er, entries) {
    return self._processReaddir2(prefix, read, abs, remain, index, inGlobStar, entries, cb)
  })
}

Glob.prototype._processReaddir2 = function (prefix, read, abs, remain, index, inGlobStar, entries, cb) {

  // if the abs isn't a dir, then nothing can match!
  if (!entries)
    return cb()

  // It will only match dot entries if it starts with a dot, or if
  // dot is set.  Stuff like @(.foo|.bar) isn't allowed.

```

```

var pn = remain[0]

var negate = !!this.minimatch.negate

var rawGlob = pn._glob

var dotOk = this.dot || rawGlob.charAt(0) === '.'

var matchedEntries = []
for (var i = 0; i < entries.length; i++) {
  var e = entries[i]

  if (e.charAt(0) !== '.' || dotOk) {
    var m
    if (negate && !prefix) {
      m = !e.match(pn)
    } else {
      m = e.match(pn)
    }

    if (m)
      matchedEntries.push(e)
  }
}

//console.error('prd2', prefix, entries, remain[0]._glob, matchedEntries)

var len = matchedEntries.length
// If there are no matched entries, then nothing matches.
if (len === 0)
  return cb()

// if this is the last remaining pattern bit, then no need for
// an additional stat *unless* the user has specified mark or
// stat explicitly. We know they exist, since readdir returned
// them.

if (remain.length === 1 && !this.mark && !this.stat) {
  if (!this.matches[index])
    this.matches[index] = Object.create(null)

```

```

    for (var i = 0; i < len; i++) {
        var e = matchedEntries[i]
        if (prefix) {
            if (prefix !== '/')
                e = prefix + '/' + e
            else
                e = prefix + e
        }

        if (e.charAt(0) === '/' && !this.nomount) {
            e = path.join(this.root, e)
        }

        this._emitMatch(index, e)
    }

    // This was the last one, and no stats were needed
    return cb()
}

// now test all matched entries as stand-ins for that part
// of the pattern.
remain.shift()
for (var i = 0; i < len; i++) {
    var e = matchedEntries[i]
    var newPattern
    if (prefix) {
        if (prefix !== '/')
            e = prefix + '/' + e
        else
            e = prefix + e
    }

    this._process([e].concat(remain), index, inGlobStar, cb)
}

cb()
}
Glob.prototype._emitMatch = function (index, e) {
    if (this.aborted)

```

```

    return

    if (this.matches[index][e])
      return

    if (isIgnored(this, e))
      return

    if (this.paused) {
      this._emitQueue.push([index, e])
      return
    }

    var abs = this._makeAbs(e)

    if (this.nodir) {
      var c = this.cache[abs]
      if (c === 'DIR' || Array.isArray(c))
        return
    }

    if (this.mark)
      e = this._mark(e)

    this.matches[index][e] = true

    var st = this.statCache[abs]
    if (st)
      this.emit('stat', e, st)

    this.emit('match', e)
  }

  Glob.prototype._readdirInGlobStar = function (abs, cb) {
    if (this.aborted)

```



```

    return
// follow all symlinked directories forever

// just proceed as if this is a non-globstar situation
if (this.follow)
    return this._readdir(abs, false, cb)

var lstatkey = 'lstat\0' + abs
var self = this
var lstatcb = inflight(lstatkey, lstatcb_)

if (lstatcb)
    fs.lstat(abs, lstatcb)

function lstatcb_ (er, lstat) {
    if (er)
        return cb()

    var isSym = lstat.isSymbolicLink()
    self.symlinks[abs] = isSym

    // If it's not a symlink or a dir, then it's definitely a regular file.
    // don't bother doing a readdir in that case.
    if (!isSym && !lstat.isDirectory()) {
        self.cache[abs] = 'FILE'
        cb()
    } else
        self._readdir(abs, false, cb)
}
}

Glob.prototype._readdir = function (abs, inGlobStar, cb) {
    if (this.aborted)
        return

    cb = inflight('readdir\0'+abs+'\0'+inGlobStar, cb)

```

```

    if (!cb)
        return

    //console.error('RD %j %j', +inGlobStar, abs)
    if (inGlobStar && !ownProp(this.symlinks, abs))
        return this._readdirInGlobStar(abs, cb)

    if (ownProp(this.cache, abs)) {
        var c = this.cache[abs]
        if (!c || c === 'FILE')
            return cb()

        if (Array.isArray(c))
            return cb(null, c)
    }

    var self = this
    fs.readdir(abs, readdirCb(this, abs, cb))
}

function readdirCb (self, abs, cb) {
    return function (er, entries) {
        if (er)
            self._readdirError(abs, er, cb)
        else
            self._readdirEntries(abs, entries, cb)
    }
}

Glob.prototype._readdirEntries = function (abs, entries, cb) {
    if (this.aborted)
        return

    // if we haven't asked to stat everything, then just
    // assume that everything in there exists, so we can avoid

```

```

// having to stat it a second time.
if (!this.mark && !this.stat) {
  for (var i = 0; i < entries.length; i++) {
    var e = entries[i]
    if (abs === '/')
      e = abs + e
    else
      e = abs + '/' + e
    this.cache[e] = true
  }
}

this.cache[abs] = entries
return cb(null, entries)
}

Glob.prototype._readdirError = function (f, er, cb) {
  if (this.aborted)
    return

  // handle errors, and cache the information
  switch (er.code) {
    case 'ENOTSUP': // https://github.com/isaacs/node-glob/issues/205
    case 'ENOTDIR': // totally normal. means it *does* exist.
      this.cache[this._makeAbs(f)] = 'FILE'
      break

    case 'ENOENT': // not terribly unusual
    case 'ELOOP':
    case 'ENAMETOOLONG':
    case 'UNKNOWN':
      this.cache[this._makeAbs(f)] = false
      break
    default: // some unusual error. Treat as failure.
      this.cache[this._makeAbs(f)] = false

```

```

        if (this.strict) {
            this.emit('error', er)

            // If the error is handled, then we abort
            // if not, we threw out of here
            this.abort()
        }

        if (!this.silent)
            console.error('glob error', er)

        break
    }

    return cb()
}
Glob.prototype._processGlobStar = function (prefix, read, abs, remain, index, inGlobStar, cb) {
    var self = this

    this._readdir(abs, inGlobStar, function (er, entries) {
        self._processGlobStar2(prefix, read, abs, remain, index, inGlobStar, entries, cb)
    })
}

Glob.prototype._processGlobStar2 = function (prefix, read, abs, remain, index, inGlobStar, entries, cb) {
    //console.error('pgs2', prefix, remain[0], entries)

    // no entries means not a dir, so it can never have matches
    // foo.txt/** doesn't match foo.txt
    if (!entries)
        return cb()

    // test without the globstar, and with every child both below
    // and replacing the globstar.
    var remainWithoutGlobStar = remain.slice(1)
    var gspref = prefix ? [ prefix ] : []
    var noGlobStar = gspref.concat(remainWithoutGlobStar)
    // the noGlobStar pattern exits the inGlobStar state
    this._process(noGlobStar, index, false, cb)
}

```

```

var isSym = this.symlinks[abs]
var len = entries.length

// If it's a symlink, and we're in a globstar, then stop
if (isSym && inGlobStar)
  return cb()

for (var i = 0; i < len; i++) {
  var e = entries[i]
  if (e.charAt(0) === '.' && !this.dot)
    continue

  // these two cases enter the inGlobStar state
  var instead = gspref.concat(entries[i], remainWithoutGlobStar)
  this._process(instead, index, true, cb)

  var below = gspref.concat(entries[i], remain)
  this._process(below, index, true, cb)
}

cb()
}

Glob.prototype._processSimple = function (prefix, index, cb) {
  // XXX review this. Shouldn't it be doing the mounting etc
  // before doing stat? kinda weird?
  var self = this
  this._stat(prefix, function (er, exists) {
    self._processSimple2(prefix, index, er, exists, cb)
  })
}

Glob.prototype._processSimple2 = function (prefix, index, er, exists, cb) {

  //console.error('ps2', prefix, exists)
  if (!this.matches[index])

```

```

    this.matches[index] = Object.create(null)

    // If it doesn't exist, then just mark the lack of results
    if (!exists)
        return cb()

    if (prefix && isAbsolute(prefix) && !this.nomount) {
        var trail = /[\/\\]$/ .test(prefix)

        if (prefix.charAt(0) === '/') {
            prefix = path.join(this.root, prefix)
        } else {
            prefix = path.resolve(this.root, prefix)

            if (trail)
                prefix += '/'
        }
    }

    if (process.platform === 'win32')
        prefix = prefix.replace(/\\/g, '/')

    // Mark this as a match
    this._emitMatch(index, prefix)
    cb()
}

// Returns either 'DIR', 'FILE', or false
Glob.prototype._stat = function (f, cb) {
    var abs = this._makeAbs(f)
    var needDir = f.slice(-1) === '/'

    if (f.length > this.maxLength)
        return cb()

    if (!this.stat && ownProp(this.cache, abs)) {
        var c = this.cache[abs]

```

```

    if (Array.isArray(c))
        c = 'DIR'

    // It exists, but maybe not how we need it
    if (!needDir || c === 'DIR')
        return cb(null, c)

    if (needDir && c === 'FILE')
        return cb()

    // otherwise we have to stat, because maybe c=true
    // if we know it exists, but not what it is.
}

var exists
var stat = this.statCache[abs]
if (stat !== undefined) {
    if (stat === false)
        return cb(null, stat)
    else {
        var type = stat.isDirectory() ? 'DIR' : 'FILE'
        if (needDir && type === 'FILE')
            return cb()
    }
} else {
    return cb(null, type, stat)
}

}

var self = this
var statcb = inflight('stat\0' + abs, lstatcb_)
if (statcb)
    fs.lstat(abs, statcb)

function lstatcb_ (er, lstat) {
    if (lstat && lstat.isSymbolicLink()) {

```

```

    // If it's a symlink, then treat it as the target, unless
    // the target does not exist, then treat it as a file.
    return fs.stat(abs, function (er, stat) {
      if (er)
        self._stat2(f, abs, null, lstat, cb)
      else
        self._stat2(f, abs, er, stat, cb)
    })
  } else {
    self._stat2(f, abs, er, lstat, cb)
  }
}
}

```

```

Glob.prototype._stat2 = function (f, abs, er, stat, cb) {
  if (er) {
    this.statCache[abs] = false
    return cb()
  }
}

```

```

var needDir = f.slice(-1) === '/'
this.statCache[abs] = stat

```

```

if (abs.slice(-1) === '/' && !stat.isDirectory())
  return cb(null, false, stat)

```

```

var c = stat.isDirectory() ? 'DIR' : 'FILE'
this.cache[abs] = this.cache[abs] || c

```

```

if (needDir && c !== 'DIR')
  return cb()

```

```

  return cb(null, c, stat)
}
}).call(this, require('_process'))

```



```

}, {"../common.js":15, "./sync.js":17, "_process":24, "assert":9, "events":14, "fs":12, "inflight":18, "inherits":19, "minimatch":20, "path-is-absolute":21, "process":22, "setopts":23, "util":24, "walk":25, "zlib":26}

(function (process){
  module.exports = globSync
  globSync.GlobSync = GlobSync

  var fs = require('fs')
  var minimatch = require('minimatch')
  var Minimatch = minimatch.Minimatch
  var Glob = require('./glob.js').Glob
  var util = require('util')
  var path = require('path')

  var assert = require('assert')
  var isAbsolute = require('path-is-absolute')

  var common = require('./common.js')
  var alphasort = common.alphasort
  var alphasorti = common.alphasorti
  var setopts = common.setopts
  var ownProp = common.ownProp
  var childrenIgnored = common.childrenIgnored

  function globSync (pattern, options) {
    if (typeof options === 'function' || arguments.length === 3)
      throw new TypeError('callback provided to sync glob\n'+
        'See: https://github.com/isaacs/node-glob/issues/167')

    return new GlobSync(pattern, options).found
  }

  function GlobSync (pattern, options) {
    if (!pattern)
      throw new Error('must provide pattern')

    if (typeof options === 'function' || arguments.length === 3)
      throw new TypeError('callback provided to sync glob\n'+
        'See: https://github.com/isaacs/node-glob/issues/167')

```

```

    if (!(this instanceof GlobSync))
        return new GlobSync(pattern, options)

    setopts(this, pattern, options)

    if (this.noprocess)
        return this

    var n = this.minimatch.set.length
    this.matches = new Array(n)
    for (var i = 0; i < n; i ++) {
        this._process(this.minimatch.set[i], i, false)
    }
    this._finish()
}

GlobSync.prototype._finish = function () {
    assert(this instanceof GlobSync)
    if (this.realpath) {
        var self = this

        this.matches.forEach(function (matchset, index) {
            var set = self.matches[index] = Object.create(null)
            for (var p in matchset) {
                try {
                    p = self._makeAbs(p)
                    var real = fs.realpathSync(p, self.realpathCache)
                    set[real] = true
                } catch (er) {
                    if (er.syscall === 'stat')
                        set[self._makeAbs(p)] = true
                    else
                        throw er
                }
            }
        })
    }
}

```

```

    }
    common.finish(this)
}

```

```

GlobSync.prototype._process = function (pattern, index, inGlobStar) {

    assert(this instanceof GlobSync)

    // Get the first [n] parts of pattern that are all strings.
    var n = 0
    while (typeof pattern[n] === 'string') {
        n ++
    }
    // now n is the index of the first one that is *not* a string.

    // See if there's anything else
    var prefix
    switch (n) {
        // if not, then this is rather simple
        case pattern.length:
            this._processSimple(pattern.join('/'), index)
            return

        case 0:
            // pattern *starts* with some non-trivial item.
            // going to readdir(cwd), but not include the prefix in matches.
            prefix = null
            break

        default:
            // pattern has some string bits in the front.
            // whatever it starts with, whether that's 'absolute' like /foo/bar,
            // or 'relative' like ../baz
            prefix = pattern.slice(0, n).join('/')
            break
    }

```

```

}

var remain = pattern.slice(n)

// get the list of entries.
var read
if (prefix === null)
  read = '.'
else if (isAbsolute(prefix) || isAbsolute(pattern.join('/'))) {
  if (!prefix || !isAbsolute(prefix))
    prefix = '/' + prefix
  read = prefix
} else
  read = prefix

var abs = this._makeAbs(read)

//if ignored, skip processing
if (childrenIgnored(this, read))
  return

var isGlobStar = remain[0] === minimatch.GLOBSTAR
if (isGlobStar)
  this._processGlobStar(prefix, read, abs, remain, index, inGlobStar)
else
  this._processReaddir(prefix, read, abs, remain, index, inGlobStar)
}

GlobSync.prototype._processReaddir = function (prefix, read, abs, remain, index, inGlobStar) {
  var entries = this._readdir(abs, inGlobStar)

  // if the abs isn't a dir, then nothing can match!
  if (!entries)
    return

```

```

// It will only match dot entries if it starts with a dot, or if
// dot is set.  Stuff like @(.foo|.bar) isn't allowed.
var pn = remain[0]
var negate = !!this.minimatch.negate
var rawGlob = pn._glob
var dotOk = this.dot || rawGlob.charAt(0) === '.'

var matchedEntries = []
for (var i = 0; i < entries.length; i++) {
  var e = entries[i]
  if (e.charAt(0) !== '.' || dotOk) {
    var m
    if (negate && !prefix) {
      m = !e.match(pn)
    } else {
      m = e.match(pn)
    }
    if (m)
      matchedEntries.push(e)
  }
}

var len = matchedEntries.length
// If there are no matched entries, then nothing matches.
if (len === 0)
  return

// if this is the last remaining pattern bit, then no need for
// an additional stat *unless* the user has specified mark or
// stat explicitly.  We know they exist, since readdir returned
// them.

if (remain.length === 1 && !this.mark && !this.stat) {
  if (!this.matches[index])
    this.matches[index] = Object.create(null)

```

```

    for (var i = 0; i < len; i ++) {
      var e = matchedEntries[i]
      if (prefix) {
        if (prefix.slice(-1) !== '/')
          e = prefix + '/' + e
        else
          e = prefix + e
      }

      if (e.charAt(0) === '/' && !this.nomount) {
        e = path.join(this.root, e)
      }

      this.matches[index][e] = true
    }
    // This was the last one, and no stats were needed
    return
  }

  // now test all matched entries as stand-ins for that part
  // of the pattern.
  remain.shift()
  for (var i = 0; i < len; i ++) {
    var e = matchedEntries[i]
    var newPattern
    if (prefix)
      newPattern = [prefix, e]
    else
      newPattern = [e]
    this._process(newPattern.concat(remain), index, inGlobStar)
  }
}

```

```

GlobSync.prototype._emitMatch = function (index, e) {
  var abs = this._makeAbs(e)

```

```

    if (this.mark)
        e = this._mark(e)

    if (this.matches[index][e])
        return

    if (this.nodir) {
        var c = this.cache[this._makeAbs(e)]
        if (c === 'DIR' || Array.isArray(c))
            return
    }

    this.matches[index][e] = true
    if (this.stat)
        this._stat(e)
}

GlobSync.prototype._readdirInGlobStar = function (abs) {
    // follow all symlinked directories forever
    // just proceed as if this is a non-globstar situation
    if (this.follow)
        return this._readdir(abs, false)

    var entries
    var lstat
    var stat
    try {
        lstat = fs.lstatSync(abs)
    } catch (er) {
        // lstat failed, doesn't exist
        return null
    }
    var isSym = lstat.isSymbolicLink()
    this.symlinks[abs] = isSym

```

```

    // If it's not a symlink or a dir, then it's definitely a regular file.
    // don't bother doing a readdir in that case.
    if (!isSym && !lstat.isDirectory())
        this.cache[abs] = 'FILE'
    else
        entries = this._readdir(abs, false)

    return entries
}

```

```

GlobSync.prototype._readdir = function (abs, inGlobStar) {
    var entries

    if (inGlobStar && !ownProp(this.symlinks, abs))
        return this._readdirInGlobStar(abs)

    if (ownProp(this.cache, abs)) {
        var c = this.cache[abs]
        if (!c || c === 'FILE')
            return null

        if (Array.isArray(c))
            return c
    }

    try {
        return this._readdirEntries(abs, fs.readdirSync(abs))
    } catch (er) {
        this._readdirError(abs, er)
        return null
    }
}

```

```

GlobSync.prototype._readdirEntries = function (abs, entries) {
    // if we haven't asked to stat everything, then just

```



```

    // assume that everything in there exists, so we can avoid
    // having to stat it a second time.
    if (!this.mark && !this.stat) {
        for (var i = 0; i < entries.length; i++) {
            var e = entries[i]
            if (abs === '/')
                e = abs + e
            else
                e = abs + '/' + e
            this.cache[e] = true
        }
    }

    this.cache[abs] = entries

    // mark and cache dir-ness
    return entries
}

GlobSync.prototype._readdirError = function (f, er) {
    // handle errors, and cache the information
    switch (er.code) {
        case 'ENOTSUP': // https://github.com/isaacs/node-glob/issues/205
        case 'ENOTDIR': // totally normal. means it *does* exist.
            this.cache[this._makeAbs(f)] = 'FILE'
            break
        case 'ENOENT': // not terribly unusual
        case 'ELOOP':
        case 'ENAMETOOLONG':
        case 'UNKNOWN':
            this.cache[this._makeAbs(f)] = false
            break

        default: // some unusual error. Treat as failure.
            this.cache[this._makeAbs(f)] = false
    }
}

```

```

        if (this.strict)
            throw er
        if (!this.silent)
            console.error('glob error', er)
        break
    }
}

GlobSync.prototype._processGlobStar = function (prefix, read, abs, remain, index, inGlobStar) {

    var entries = this._readdir(abs, inGlobStar)

    // no entries means not a dir, so it can never have matches
    // foo.txt/** doesn't match foo.txt
    if (!entries)
        return

    // test without the globstar, and with every child both below
    // and replacing the globstar.
    var remainWithoutGlobStar = remain.slice(1)
    var gspref = prefix ? [ prefix ] : []
    var noGlobStar = gspref.concat(remainWithoutGlobStar)

    // the noGlobStar pattern exits the inGlobStar state
    this._process(noGlobStar, index, false)

    var len = entries.length
    var isSym = this.symlinks[abs]

    // If it's a symlink, and we're in a globstar, then stop
    if (isSym && inGlobStar)
        return

    for (var i = 0; i < len; i++) {
        var e = entries[i]

```

```

    if (e.charAt(0) === '.' && !this.dot)
        continue

    // these two cases enter the inGlobStar state
    var instead = gspref.concat(entries[i], remainWithoutGlobStar)
    this._process(instead, index, true)

    var below = gspref.concat(entries[i], remain)
    this._process(below, index, true)
}
}

GlobSync.prototype._processSimple = function (prefix, index) {
    // XXX review this. Shouldn't it be doing the mounting etc
    // before doing stat? kinda weird?

    var exists = this._stat(prefix)
    if (!this.matches[index])
        this.matches[index] = Object.create(null)

    // If it doesn't exist, then just mark the lack of results
    if (!exists)
        return

    if (prefix && isAbsolute(prefix) && !this.nomount) {
        var trail = /[\\\/\]\$/.test(prefix)
        if (prefix.charAt(0) === '/') {
            prefix = path.join(this.root, prefix)
        } else {
            prefix = path.resolve(this.root, prefix)
            if (trail)
                prefix += '/'
        }
    }
}

if (process.platform === 'win32')

```

```

    prefix = prefix.replace(/\\/g, '/')

    // Mark this as a match
    this.matches[index][prefix] = true
}

// Returns either 'DIR', 'FILE', or false
GlobSync.prototype._stat = function (f) {
    var abs = this._makeAbs(f)
    var needDir = f.slice(-1) === '/'

    if (f.length > this.maxLength)
        return false

    if (!this.stat && ownProp(this.cache, abs)) {
        var c = this.cache[abs]

        if (Array.isArray(c))
            c = 'DIR'

        // It exists, but maybe not how we need it
        if (!needDir || c === 'DIR')
            return c

        if (needDir && c === 'FILE')
            return false

        // otherwise we have to stat, because maybe c=true
        // if we know it exists, but not what it is.
    }

    var exists
    var stat = this.statCache[abs]
    if (!stat) {
        var lstat

```

```

    try {
      lstat = fs.lstatSync(abs)
    } catch (er) {
      return false
    }
    if (lstat.isSymbolicLink()) {
      try {
        stat = fs.statSync(abs)
      } catch (er) {
        stat = lstat
      }
    } else {
      stat = lstat
    }
  }
}

this.statCache[abs] = stat

var c = stat.isDirectory() ? 'DIR' : 'FILE'
this.cache[abs] = this.cache[abs] || c

if (needDir && c !== 'DIR')
  return false

return c
}

GlobSync.prototype._mark = function (p) {
  return common.mark(this, p)
}

GlobSync.prototype._makeAbs = function (f) {
  return common.makeAbs(this, f)
}
}).call(this,require('_process'))
},{"./common.js":15,"./glob.js":16,"_process":24,"assert":9,"fs":12,"minimatch":20,"path":22,"path-is-abs

```

```

(function (process){
var wrappy = require('wrappy')
var reqs = Object.create(null)
var once = require('once')

module.exports = wrappy(inflight)

function inflight (key, cb) {
  if (reqs[key]) {
    reqs[key].push(cb)
    return null
  } else {
    reqs[key] = [cb]
    return makeres(key)
  }
}

function makeres (key) {
  return once(function RES () {
    var cbs = reqs[key]
    var len = cbs.length
    var args = slice(arguments)

    // XXX It's somewhat ambiguous whether a new callback added in this
    // pass should be queued for later execution if something in the
    // list of callbacks throws, or if it should just be discarded.
    // However, it's such an edge case that it hardly matters, and either
    // choice is likely as surprising as the other.
    // As it happens, we do go ahead and schedule it for later execution.
    try {
      for (var i = 0; i < len; i++) {
        cbs[i].apply(null, args)
      }
    } finally {
      if (cbs.length > len) {

```

```

        // added more in the interim.

        // de-zalgo, just in case, but don't call again.

        cbs.splice(0, len)

        process.nextTick(function () {

            RES.apply(null, args)

        })

    } else {

        delete reqs[key]

    }

}

})

}

function slice (args) {

    var length = args.length

    var array = []

    for (var i = 0; i < length; i++) array[i] = args[i]

    return array

}

}).call(this,require('_process'))

},{"_process":24,"once":21,"wrappy":29}],19:[function(require,module,exports){

if (typeof Object.create === 'function') {

    // implementation from standard node.js 'util' module

    module.exports = function inherits(ctor, superCtor) {

        ctor.super_ = superCtor

        ctor.prototype = Object.create(superCtor.prototype, {

            constructor: {

                value: ctor,

                enumerable: false,

                writable: true,

                configurable: true

            }

        });

```

```

    };
} else {
    // old school shim for old browsers
    module.exports = function inherits(ctor, superCtor) {
        ctor.super_ = superCtor
        var TempCtor = function () {}
        TempCtor.prototype = superCtor.prototype
        ctor.prototype = new TempCtor()
        ctor.prototype.constructor = ctor
    }
}

}, {}], 20: [function(require, module, exports) {
    module.exports = minimatch
    minimatch.Minimatch = Minimatch

    var path = { sep: '/' }
    try {
        path = require('path')
    } catch (er) {}

    var GLOBSTAR = minimatch.GLOBSTAR = Minimatch.GLOBSTAR = {}
    var expand = require('brace-expansion')

    var plTypes = {
        '!': { open: '(?!(', close: '')[^/]*?)',
        '?': { open: '(', close: ')?' },
        '+': { open: '(', close: ')+',
        '*': { open: '(', close: ')*',
        '@': { open: '(', close: '@)' }
    }

    // any single thing other than /
    // don't need to escape / when using new RegExp()
    var qmark = '[^/]'

```



```
// * => any number of characters
var star = qmark + '.*?'

// ** when dots are allowed. Anything goes, except .. and .
// not (^ or / followed by one or two dots followed by $ or /),
// followed by anything, any number of times.
var twoStarDot = '(?:?!?(?:\\|/|^)(?:\\.){1,2})($|\\|/)).)*?'

// not a ^ or / followed by a dot,
// followed by anything, any number of times.
var twoStarNoDot = '(?:?!?(?:\\|/|^)\\.).)*?'

// characters that need to be escaped in RegExp.
var reSpecials = charSet('(.).*{ }+?[ ]^$\\!')

// "abc" -> { a:true, b:true, c:true }
function charSet (s) {
  return s.split('').reduce(function (set, c) {
    set[c] = true
    return set
  }, {})
}

// normalizes slashes.
var slashSplit = /\|/

minimatch.filter = filter

function filter (pattern, options) {
  options = options || {}
  return function (p, i, list) {
    return minimatch(p, pattern, options)
  }
}

function ext (a, b) {
  a = a || {}
  b = b || {}
  return {}
}
```

```

    b = b || {}
    var t = {}
    Object.keys(b).forEach(function (k) {
        t[k] = b[k]
    })
    Object.keys(a).forEach(function (k) {
        t[k] = a[k]
    })
    return t
}

minimatch.defaults = function (def) {
    if (!def || !Object.keys(def).length) return minimatch

    var orig = minimatch

    var m = function minimatch (p, pattern, options) {
        return orig.minimatch(p, pattern, ext(def, options))
    }

    m.Minimatch = function Minimatch (pattern, options) {
        return new orig.Minimatch(pattern, ext(def, options))
    }

    return m
}

Minimatch.defaults = function (def) {
    if (!def || !Object.keys(def).length) return Minimatch
    return minimatch.defaults(def).Minimatch
}

function minimatch (p, pattern, options) {
    if (typeof pattern !== 'string') {
        throw new TypeError('glob pattern string required')
    }

```

```

    }

    if (!options) options = {}

    // shortcut: comments match nothing.
    if (!options.nocomment && pattern.charAt(0) === '#') {
        return false
    }

    // "" only matches ""
    if (pattern.trim() === '') return p === ''

    return new Minimatch(pattern, options).match(p)
}

function Minimatch (pattern, options) {
    if (!(this instanceof Minimatch)) {
        return new Minimatch(pattern, options)
    }

    if (typeof pattern !== 'string') {
        throw new TypeError('glob pattern string required')
    }

    if (!options) options = {}
    pattern = pattern.trim()

    // windows support: need to use /, not \
    if (path.sep !== '/') {
        pattern = pattern.split(path.sep).join('/')
    }

    this.options = options
    this.set = []
    this.pattern = pattern

```

```

    this.regexp = null
    this.negate = false
    this.comment = false
    this.empty = false

    // make the set of regexps etc.
    this.make()
}

Minimatch.prototype.debug = function () {}

Minimatch.prototype.make = make
function make () {
    // don't do it more than once.
    if (this._made) return

    var pattern = this.pattern
    var options = this.options

    // empty patterns and comments match nothing.
    if (!options.nocomment && pattern.charAt(0) === '#') {
        this.comment = true
        return
    }
    if (!pattern) {
        this.empty = true
        return
    }

    // step 1: figure out negation, etc.
    this.parseNegate()

    // step 2: expand braces
    var set = this.globSet = this.braceExpand()
    if (options.debug) this.debug = console.error

```

```

this.debug(this.pattern, set)

// step 3: now we have a set, so turn each one into a series of path-portion
// matching patterns.
// These will be regexps, except in the case of "**", which is
// set to the GLOBSTAR object for globstar behavior,
// and will not contain any / characters
set = this.globParts = set.map(function (s) {
  return s.split(slashSplit)
})

this.debug(this.pattern, set)

// glob --> regexps
set = set.map(function (s, si, set) {
  return s.map(this.parse, this)
}, this)
this.debug(this.pattern, set)

// filter out everything that didn't compile properly.
set = set.filter(function (s) {
  return s.indexOf(false) === -1
})

this.debug(this.pattern, set)

this.set = set
}

Minimatch.prototype.parseNegate = parseNegate
function parseNegate () {
  var pattern = this.pattern
  var negate = false
  var options = this.options
  var negateOffset = 0

```

```

    if (options.nonegate) return

    for (var i = 0, l = pattern.length
        ; i < l && pattern.charAt(i) === '!'
        ; i++) {

        negate = !negate
        negateOffset++
    }

    if (negateOffset) this.pattern = pattern.substr(negateOffset)
    this.negate = negate
}

// Brace expansion:
// a{b,c}d -> abd acd
// a{b,}c -> abc ac
// a{0..3}d -> a0d a1d a2d a3d
// a{b,c{d,e}f}g -> abg acdfg acefg
// a{b,c}d{e,f}g -> abdeg acdeg abdeg abdfg
//
// Invalid sets are not expanded.
// a{2..}b -> a{2..}b
// a{b}c -> a{b}c
minimatch.braceExpand = function (pattern, options) {
    return braceExpand(pattern, options)
}

Minimatch.prototype.braceExpand = braceExpand

function braceExpand (pattern, options) {
    if (!options) {
        if (this instanceof Minimatch) {
            options = this.options
        } else {
            options = {}
        }
    }

```

```

    }
}

pattern = typeof pattern === 'undefined'
    ? this.pattern : pattern
if (typeof pattern === 'undefined') {
    throw new TypeError('undefined pattern')
}

if (options.nobrace ||
    !pattern.match(/\{.*\}/)) {
    // shortcut. no need to expand.
    return [pattern]
}

return expand(pattern)
}

// parse a component of the expanded set.
// At this point, no pattern may contain "/" in it
// so we're going to return a 2d array, where each entry is the full
// pattern, split on '/', and then turned into a regular expression.
// A regexp is made at the end which joins each array with an
// escaped /, and another full one which joins each regexp with |.
//
// Following the lead of Bash 4.1, note that "***" only has special meaning
// when it is the *only* thing in a path portion. Otherwise, any series
// of * is equivalent to a single *. Globstar behavior is enabled by
// default, and can be disabled by setting options.noglobstar.
Minimatch.prototype.parse = parse
var SUBPARSE = {}
function parse (pattern, isSub) {
    if (pattern.length > 1024 * 64) {
        throw new TypeError('pattern is too long')
    }
}

```

```

var options = this.options

// shortcuts

if (!options.noglobstar && pattern === '**') return GLOBSTAR
if (pattern === '') return ''

var re = ''
var hasMagic = !!options.nocase
var escaping = false
// ? => one single character
var patternListStack = []
var negativeLists = []
var stateChar
var inClass = false
var reClassStart = -1
var classStart = -1
// . and .. never match anything that doesn't start with .,
// even when options.dot is set.
var patternStart = pattern.charAt(0) === '.' ? '' // anything
// not (start or / followed by . or .. followed by / or end)
: options.dot ? '(?! (?:(?!\.)(?:\\/|\\.){1,2} (?:$|\\|\\/)))'
: '(?!\\.\\.?)'
var self = this

function clearStateChar () {
  if (stateChar) {
    // we had some state-tracking character
    // that wasn't consumed by this pass.
    switch (stateChar) {
case '*':
      re += star
      hasMagic = true
      break
case '?':
      re += qmark

```



```

        hasMagic = true

        break

    default:

        re += '\\\' + stateChar

        break

    }

    self.debug('clearStateChar %j %j', stateChar, re)

    stateChar = false

}

}

```

```

for (var i = 0, len = pattern.length, c
    ; (i < len) && (c = pattern.charAt(i))
    ; i++) {

    this.debug('%s\t%s %s %j', pattern, i, re, c)

```

```

    // skip over any that are escaped.

```

```

    if (escaping && reSpecials[c]) {

```

```

        re += '\\\' + c

```

```

        escaping = false

```

```

        continue

```

```

    }

```

```

switch (c) {

```

```

    case '/':

```

```

        // completely not allowed, even escaped.

```

```

        // Should already be path-split by now.

```

```

        return false

```

```

    case '\\':

```

```

        clearStateChar()

```

```

        escaping = true

```

```

        continue

```

```

        // the various stateChar values

```

```

        // for the "extglob" stuff.

```

```

case '?':
case '*':
case '+':
case '@':
case '!':

    this.debug('%s\t%s %s %j <-- stateChar', pattern, i, re, c)

    // all of those are literals inside a class, except that
    // the glob [!a] means [^a] in regexp
    if (inClass) {
        this.debug(' in class')
        if (c === '!' && i === classStart + 1) c = '^'
        re += c
        continue
    }

    // if we already have a stateChar, then it means
    // that there was something like ** or +? in there.
    // Handle the stateChar, then proceed with this one.
    self.debug('call clearStateChar %j', stateChar)
    clearStateChar()
    stateChar = c

    // if extglob is disabled, then +(asdf|foo) isn't a thing.
    // just clear the statechar *now*, rather than even diving into
    // the patternList stuff.
    if (options.noext) clearStateChar()
continue

case '(':
    if (inClass) {
        re += '('
        continue
    }

    if (!stateChar) {

```

```

        re += '\\('
        continue
    }

    patternListStack.push({
        type: stateChar,
        start: i - 1,
        reStart: re.length,
        open: plTypes[stateChar].open,
        close: plTypes[stateChar].close
    })
    // negation is (?:(!js)[^/]*)
    re += stateChar === '!' ? '(?:(!(?:' : '(?:'
    this.debug('plType %j %j', stateChar, re)
    stateChar = false
    continue

case ')':
    if (inClass || !patternListStack.length) {
        re += '\\)'
        continue
    }

    clearStateChar()
    hasMagic = true
    var pl = patternListStack.pop()
    // negation is (?:(!js)[^/]*)
    // The others are (?:<pattern><type>
    re += pl.close
    if (pl.type === '!') {
        negativeLists.push(pl)
    }

    pl.reEnd = re.length
    continue
case '|':

```

```

        if (inClass || !patternListStack.length || escaping) {
            re += '\\|'
            escaping = false
            continue
        }

        clearStateChar()
re += '|'
        continue

// these are mostly the same in regexp and glob
case '[':
    // swallow any state-tracking char before the [
    clearStateChar()

    if (inClass) {
        re += '\\\' + c
        continue
    }

    inClass = true
    classStart = i
    reClassStart = re.length

    re += c
    continue

case ']':
    // a right bracket shall lose its special
    // meaning and represent itself in
    // a bracket expression if it occurs
    // first in the list. -- POSIX.2 2.8.3.2
    if (i === classStart + 1 || !inClass) {
        re += '\\\' + c
        escaping = false
        continue
    }

```

```

    }

    // handle the case where we left a class open.
    // "[z-a]" is valid, equivalent to "\[z-a\]"
    if (inClass) {
        // split where the last [ was, make sure we don't have
        // an invalid re. if so, re-walk the contents of the
        // would-be class to re-translate any characters that
        // were passed through as-is
        // TODO: It would probably be faster to determine this
        // without a try/catch and a new RegExp, but it's tricky
        // to do safely. For now, this is safe and works.
        var cs = pattern.substring(classStart + 1, i)
        try {
            RegExp('[' + cs + ']')
        } catch (er) {
            // not a valid class!
            var sp = this.parse(cs, SUBPARSE)
            re = re.substr(0, reClassStart) + '\\[' + sp[0] + '\\]'
            hasMagic = hasMagic || sp[1]
            inClass = false
            continue
        }
    }

    // finish up the class.
    hasMagic = true
    inClass = false
    re += c
    continue

default:
    // swallow any state char that wasn't consumed
    clearStateChar()
    if (escaping) {
        // no need

```

```

        escaping = false
    } else if (reSpecials[c]
        && !(c === '^' && inClass)) {
        re += '\\\'
    }

    re += c

    } // switch
} // for

// handle the case where we left a class open.
// "[abc" is valid, equivalent to "\[abc"
if (inClass) {
    // split where the last [ was, and escape it
    // this is a huge pita. We now have to re-walk
    // the contents of the would-be class to re-translate
    // any characters that were passed through as-is
    cs = pattern.substr(classStart + 1)
    sp = this.parse(cs, SUBPARSE)
    re = re.substr(0, reClassStart) + '\\[' + sp[0]
    hasMagic = hasMagic || sp[1]
}

// handle the case where we had a +( thing at the *end*
// of the pattern.
// each pattern list stack adds 3 chars, and we need to go through
// and escape any | chars that were passed through as-is for the regexp.
// Go through and escape them, taking care not to double-escape any
// | chars that were already escaped.
for (pl = patternListStack.pop(); pl; pl = patternListStack.pop()) {
    var tail = re.slice(pl.reStart + pl.open.length)
    this.debug('setting tail', re, pl)
    // maybe some even number of \, then maybe 1 \, followed by a |
    tail = tail.replace(/((?:\\{2}){0,64})(\\?)\|/g, function (_, $1, $2) {

```

```

    if (!$2) {
        // the | isn't already escaped, so escape it.
        $2 = '\\\
    }

    // need to escape all those slashes *again*, without escaping the
    // one that we need for escaping the | character.  As it works out,
    // escaping an even number of slashes can be done by simply repeating
    // it exactly after itself.  That's why this trick works.
    //
    // I am sorry that you have to see this.
    return $1 + $1 + $2 + '|'
})

this.debug('tail=%j\n  %s', tail, tail, pl, re)
var t = pl.type === '*' ? star
    : pl.type === '?' ? qmark
    : '\\\
' + pl.type

    hasMagic = true
    re = re.slice(0, pl.reStart) + t + '\\(' + tail
}

// handle trailing things that only matter at the very end.
clearStateChar()
if (escaping) {
    // trailing \
    re += '\\\
'
}

// only need to apply the nodot start if the re starts with
// something that could conceivably capture a dot
var addPatternStart = false
switch (re.charAt(0)) {
    case '.':

```

```

    case '[':
    case '(': addPatternStart = true
}

// Hack to work around lack of negative lookbehind in JS
// A pattern like: *!(x).!(y|z) needs to ensure that a name
// like 'a.xyz.yz' doesn't match. So, the first negative
// lookahead, has to look ALL the way ahead, to the end of
// the pattern.
for (var n = negativeLists.length - 1; n > -1; n--) {
    var nl = negativeLists[n]

    var nlBefore = re.slice(0, nl.reStart)
    var nlFirst = re.slice(nl.reStart, nl.reEnd - 8)
    var nlLast = re.slice(nl.reEnd - 8, nl.reEnd)
    var nlAfter = re.slice(nl.reEnd)

    nlLast += nlAfter

    // Handle nested stuff like (*.js|!(*.json)), where open parens
    // mean that we should *not* include the ) in the bit that is considered
    // "after" the negated section.
    var openParensBefore = nlBefore.split('(').length - 1
    var cleanAfter = nlAfter
    for (i = 0; i < openParensBefore; i++) {
        cleanAfter = cleanAfter.replace(/\)[+*?]?/, '')
    }
    nlAfter = cleanAfter

    var dollar = ''
    if (nlAfter === '' && isSub !== SUBPARSE) {
        dollar = '$'
    }

    var newRe = nlBefore + nlFirst + nlAfter + dollar + nlLast
    re = newRe

```



```

}

// if the re is not "" at this point, then we need to make sure
// it doesn't match against an empty path part.
// Otherwise a/* will match a/, which it should not.
if (re !== '' && hasMagic) {
    re = '(?=.)' + re
}

    if (addPatternStart) {
re = patternStart + re
    }

// parsing just a piece of a larger pattern.
if (isSub === SUBPARSE) {
    return [re, hasMagic]
}

// skip the regexp for non-magical patterns
// unescape anything in it, though, so that it'll be
// an exact match against a file etc.
if (!hasMagic) {
    return globUnescape(pattern)
}

var flags = options.nocase ? 'i' : ''
try {
    var regExp = new RegExp('^' + re + '$', flags)
} catch (er) {
    // If it was an invalid regular expression, then it can't match
    // anything. This trick looks for a character after the end of
    // the string, which is of course impossible, except in multi-line
    // mode, but it's not a /m regex.
    return new RegExp('$.')
}

```

```

    regExp._glob = pattern
    regExp._src = re

    return regExp
}

minimatch.makeRe = function (pattern, options) {
    return new Minimatch(pattern, options || {}).makeRe()
}

Minimatch.prototype.makeRe = makeRe
function makeRe () {
    if (this.regexp || this.regexp === false) return this.regexp

    // at this point, this.set is a 2d array of partial
    // pattern strings, or "".
    //
    // It's better to use .match(). This function shouldn't
    // be used, really, but it's pretty convenient sometimes,
    // when you just want to work with a regex.
    var set = this.set

    if (!set.length) {
        this.regexp = false
        return this.regexp
    }
    var options = this.options

    var twoStar = options.noglobstar ? star
        : options.dot ? twoStarDot
        : twoStarNoDot
    var flags = options.nocase ? 'i' : ''

    var re = set.map(function (pattern) {
    return pattern.map(function (p) {

```

```

        return (p === GLOBSTAR) ? twoStar
        : (typeof p === 'string') ? regExpEscape(p)
        : p._src
    }).join('\\\/')
}).join('|')

// must match entire pattern
// ending in a * or ** will make it less strict.
re = '^(:' + re + ')$'

// can match anything, as long as it's not this.
if (this.negate) re = '^(?!' + re + ').*$'

try {
    this.regexp = new RegExp(re, flags)
} catch (ex) {
    this.regexp = false
}
return this.regexp
}

minimatch.match = function (list, pattern, options) {
    options = options || {}
    var mm = new Minimatch(pattern, options)
    list = list.filter(function (f) {
        return mm.match(f)
    })
    if (mm.options.nonull && !list.length) {
        list.push(pattern)
    }
    return list
}

Minimatch.prototype.match = match
function match (f, partial) {

```

```

this.debug('match', f, this.pattern)

// short-circuit in the case of busted things.

// comments, etc.

if (this.comment) return false
if (this.empty) return f === ''

if (f === '/' && partial) return true

var options = this.options

// windows: need to use /, not \
if (path.sep !== '/') {
    f = f.split(path.sep).join('/')
}

// treat the test path as a set of pathparts.
f = f.split(slashSplit)
this.debug(this.pattern, 'split', f)

// just ONE of the pattern sets in this.set needs to match
// in order for it to be valid. If negating, then just one
// match means that we have failed.
// Either way, return on the first hit.
var set = this.set

this.debug(this.pattern, 'set', set)

// Find the basename of the path by looking for the last non-empty segment
var filename
var i
for (i = f.length - 1; i >= 0; i--) {
    filename = f[i]
    if (filename) break
}

for (i = 0; i < set.length; i++) {

```

```

    var pattern = set[i]

    var file = f

    if (options.matchBase && pattern.length === 1) {
        file = [filename]
    }

    var hit = this.matchOne(file, pattern, partial)

    if (hit) {
        if (options.flipNegate) return true

        return !this.negate
    }
}

// didn't get any hits.  this is success if it's a negative
// pattern, failure otherwise.
if (options.flipNegate) return false

return this.negate
}

// set partial to true to test if, for example,
// "/a/b" matches the start of "/*b/*d"
// Partial means, if you run out of file before you run
// out of pattern, then that's fine, as long as all
// the parts match.
Minimatch.prototype.matchOne = function (file, pattern, partial) {
    var options = this.options

    this.debug('matchOne',
        { 'this': this, file: file, pattern: pattern })

    this.debug('matchOne', file.length, pattern.length)

    for (var fi = 0,
        pi = 0,
        fl = file.length,
        pl = pattern.length

```

```

        ; (fi < fl) && (pi < pl)

        ; fi++, pi++) {
this.debug('matchOne loop')
var p = pattern[pi]
var f = file[fi]

this.debug(pattern, p, f)

// should be impossible.
// some invalid regexp stuff in the set.
if (p === false) return false

if (p === GLOBSTAR) {
this.debug('GLOBSTAR', [pattern, p, f])

    // "*"
    // a/**/b/**/c would match the following:
    // a/b/x/y/z/c
    // a/x/y/z/b/c
    // a/b/x/b/x/c
    // a/b/c
    // To do this, take the rest of the pattern after
    // the **, and see if it would match the file remainder.
    // If so, return success.
    // If not, the ** "swallows" a segment, and try again.
    // This is recursively awful.
    //
    // a/**/b/**/c matching a/b/x/y/z/c
    // - a matches a
    // - doublestar
    //   - matchOne(b/x/y/z/c, b/**/c)
    //     - b matches b
    //     - doublestar
    //       - matchOne(x/y/z/c, c) -> no
    //       - matchOne(y/z/c, c) -> no

```

```

//      - matchOne(z/c, c) -> no
//      - matchOne(c, c) yes, hit
var fr = fi
var pr = pi + 1
if (pr === pl) {
    this.debug('** at the end')
    // a ** at the end will just swallow the rest.
    // We have found a match.
    // however, it will not swallow /.x, unless
    // options.dot is set.
    // . and .. are *never* matched by **, for explosively
    // exponential reasons.
    for (; fi < fl; fi++) {
        if (file[fi] === '.' || file[fi] === '..' ||
            (!options.dot && file[fi].charAt(0) === '.')) return false
    }
    return true
}

// ok, let's see if we can swallow whatever we can.
while (fr < fl) {
    var swallowee = file[fr]

    this.debug('\nglobstar while', file, fr, pattern, pr, swallowee)

    // XXX remove this slice. Just pass the start index.
    if (this.matchOne(file.slice(fr), pattern.slice(pr), partial)) {
        this.debug('globstar found match!', fr, fl, swallowee)
        // found a match.
        return true
    } else {
        // can't swallow "." or ".." ever.
        // can only swallow ".foo" when explicitly asked.
        if (swallowee === '.' || swallowee === '..' ||
            (!options.dot && swallowee.charAt(0) === '.')) {

```

```

        this.debug('dot detected!', file, fr, pattern, pr)

        break
    }
    // ** swallows a segment, and continue.

    this.debug('globstar swallow a segment, and continue')

    fr++

}

}

// no match was found.

// However, in partial mode, we can't say this is necessarily over.

// If there's more *pattern* left, then
if (partial) {
    // ran out of file

    this.debug('\n>>> no match, partial?', file, fr, pattern, pr)

    if (fr === fl) return true
}

return false
}

// something other than **

// non-magic patterns just have to match exactly

// patterns with magic have been turned into regexps.

var hit

if (typeof p === 'string') {
    if (options.nocase) {
        hit = f.toLowerCase() === p.toLowerCase()
    } else {
        hit = f === p
    }

    this.debug('string match', p, f, hit)
} else {
    hit = f.match(p)

    this.debug('pattern match', p, f, hit)
}

```



```

    if (!hit) return false
  }

  // Note: ending in / means that we'll get a final ""
  // at the end of the pattern. This can only match a
  // corresponding "" at the end of the file.
  // If the file ends in /, then it can only match a
  // a pattern that ends in /, unless the pattern just
  // doesn't have any more for it. But, a/b/ should *not*
  // match "a/b/*", even though "" matches against the
  // [^/]*? pattern, except in partial mode, where it might
  // simply not be reached yet.
  // However, a/b/ should still satisfy a/*

  // now either we fell off the end of the pattern, or we're done.
  if (fi === fl && pi === pl) {
    // ran out of pattern and filename at the same time.
    // an exact hit!
    return true
  } else if (fi === fl) {
    // ran out of file, but still had pattern left.
    // this is ok if we're doing the match as part of
    // a glob fs traversal.
    return partial
  } else if (pi === pl) {
    // ran out of pattern, still have file left.
    // this is only acceptable if we're on the very last
    // empty segment of a file with a trailing slash.
    // a/* should match a/b/
    var emptyFileEnd = (fi === fl - 1) && (file[fi] === '')
    return emptyFileEnd
  }

  // should be unreachable.
  throw new Error('wtf?')

```

```

}

// replace stuff like \* with *
function globUnescape (s) {
  return s.replace(/\\(.)/g, '$1')
}

function regExpEscape (s) {
  return s.replace(/[-[\]{}()*+?.,\\^$|#\s]/g, '\\$&')
}

}, {"brace-expansion":11, "path":22}], 21:[function(require,module,exports){
var wrappy = require('wrappy')
module.exports = wrappy(once)
module.exports.strict = wrappy(onceStrict)

once.proto = once(function () {
  Object.defineProperty(Function.prototype, 'once', {
    value: function () {
      return once(this)
    },
    configurable: true
  })

  Object.defineProperty(Function.prototype, 'onceStrict', {
    value: function () {
      return onceStrict(this)
    },
    configurable: true
  })
})

function once (fn) {
  var f = function () {
    if (f.called) return f.value

```

```

        f.called = true

        return f.value = fn.apply(this, arguments)
    }

    f.called = false

    return f
}

function onceStrict (fn) {
    var f = function () {
        if (f.called)
            throw new Error(f.onceError)

        f.called = true

        return f.value = fn.apply(this, arguments)
    }

    var name = fn.name || 'Function wrapped with `once`'

    f.onceError = name + " shouldn't be called more than once"
    f.called = false

    return f
}

```

```

}, {"wrappy": 29}], 22: [function (require, module, exports) {
    (function (process) {
        // Copyright Joyent, Inc. and other Node contributors.
        //
        // Permission is hereby granted, free of charge, to any person obtaining a
        // copy of this software and associated documentation files (the
        // "Software"), to deal in the Software without restriction, including
        // without limitation the rights to use, copy, modify, merge, publish,
        // distribute, sublicense, and/or sell copies of the Software, and to permit
        // persons to whom the Software is furnished to do so, subject to the
        // following conditions:
        //
        // The above copyright notice and this permission notice shall be included
        // in all copies or substantial portions of the Software.
        //

```

```
// THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
// OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
// MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
// NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
// DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
// USE OR OTHER DEALINGS IN THE SOFTWARE.
```

```
// resolves . and .. elements in a path array with directory names there
// must be no slashes, empty elements, or device names (c:\) in the array
// (so also no leading and trailing slashes - it does not distinguish
// relative and absolute paths)
```

```
function normalizeArray(parts, allowAboveRoot) {
  // if the path tries to go above the root, `up` ends up > 0
  var up = 0;
  for (var i = parts.length - 1; i >= 0; i--) {
    var last = parts[i];
    if (last === '.') {
      parts.splice(i, 1);
    } else if (last === '..') {
      parts.splice(i, 1);
      up++;
    } else if (up) {
      parts.splice(i, 1);
      up--;
    }
  }
}
```

```
// if the path is allowed to go above the root, restore leading ..s
if (allowAboveRoot) {
  for (; up--; up) {
    parts.unshift('..');
  }
}
return parts;
```

```

}

// Split a filename into [root, dir, basename, ext], unix version
// 'root' is just a slash, or nothing.
var splitPathRe =
/^(\/?|)([\\s\S]*?)((?:\.{1,2}|[^\/]+?|)(\.[^\/]*|))(?:[\/]*)$/;
var splitPath = function(filename) {
  return splitPathRe.exec(filename).slice(1);
};

// path.resolve([from ...], to)
// posix version
exports.resolve = function() {
  var resolvedPath = '',
      resolvedAbsolute = false;

  for (var i = arguments.length - 1; i >= -1 && !resolvedAbsolute; i--) {
    var path = (i >= 0) ? arguments[i] : process.cwd();

    // Skip empty and invalid entries
    if (typeof path !== 'string') {
      throw new TypeError('Arguments to path.resolve must be strings');
    } else if (!path) {
      continue;
    }

    resolvedPath = path + '/' + resolvedPath;
    resolvedAbsolute = path.charAt(0) === '/';
  }

  // At this point the path should be resolved to a full absolute path, but
  // handle relative paths to be safe (might happen when process.cwd() fails)

  // Normalize the path
  resolvedPath = normalizeArray(filter(resolvedPath.split('/'), function(p) {

```

```

        return !!p;
    }}, !resolvedAbsolute).join('/');

    return ((resolvedAbsolute ? '/' : '') + resolvedPath) || '.';
};

// path.normalize(path)
// posix version
exports.normalize = function(path) {
    var isAbsolute = exports.isAbsolute(path),
        trailingSlash = substr(path, -1) === '/';

    // Normalize the path
    path = normalizeArray(filter(path.split('/'), function(p) {
        return !!p;
    }), !isAbsolute).join('/');

    if (!path && !isAbsolute) {
        path = '.';
    }
    if (path && trailingSlash) {
        path += '/';
    }

    return (isAbsolute ? '/' : '') + path;
};

// posix version
exports.isAbsolute = function(path) {
    return path.charAt(0) === '/';
};

// posix version
exports.join = function() {
    var paths = Array.prototype.slice.call(arguments, 0);

```

```

return exports.normalize(filter(paths, function(p, index) {
  if (typeof p !== 'string') {
    throw new TypeError('Arguments to path.join must be strings');
  }
  return p;
}).join('/'));
};

```

```

// path.relative(from, to)
// posix version
exports.relative = function(from, to) {
  from = exports.resolve(from).substr(1);
  to = exports.resolve(to).substr(1);

  function trim(arr) {
    var start = 0;
    for (; start < arr.length; start++) {
      if (arr[start] !== '') break;
    }

    var end = arr.length - 1;
    for (; end >= 0; end--) {
      if (arr[end] !== '') break;
    }

    if (start > end) return [];
    return arr.slice(start, end - start + 1);
  }

  var fromParts = trim(from.split('/'));
  var toParts = trim(to.split('/'));

  var length = Math.min(fromParts.length, toParts.length);
  var samePartsLength = length;

```

```

for (var i = 0; i < length; i++) {
    if (fromParts[i] !== toParts[i]) {
        samePartsLength = i;
        break;
    }
}

var outputParts = [];
for (var i = samePartsLength; i < fromParts.length; i++) {
    outputParts.push('..');
}

outputParts = outputParts.concat(toParts.slice(samePartsLength));

return outputParts.join('/');
};

exports.sep = '/';
exports.delimiter = ':';
exports.dirname = function(path) {
    var result = splitPath(path),
        root = result[0],
        dir = result[1];

    if (!root && !dir) {
        // No dirname whatsoever
        return '.';
    }

    if (dir) {
        // It has a dirname, strip trailing slash
        dir = dir.substr(0, dir.length - 1);
    }

    return root + dir;
};

```



```
};
```

```
exports.basename = function(path, ext) {  
    var f = splitPath(path)[2];  
    // TODO: make this comparison case-insensitive on windows?  
    if (ext && f.substr(-1 * ext.length) === ext) {  
        f = f.substr(0, f.length - ext.length);  
    }  
    return f;  
};
```

```
exports.extname = function(path) {  
    return splitPath(path)[3];  
};
```

```
function filter (xs, f) {  
    if (xs.filter) return xs.filter(f);  
    var res = [];  
    for (var i = 0; i < xs.length; i++) {  
        if (f(xs[i], i, xs)) res.push(xs[i]);  
    }  
    return res;  
}
```

```
// String.prototype.substr - negative index don't work in IE8  
var substr = 'ab'.substr(-1) === 'b'  
    ? function (str, start, len) { return str.substr(start, len) }  
    : function (str, start, len) {  
        if (start < 0) start = str.length + start;  
        return str.substr(start, len);  
    }  
;  
}).call(this, require('_process'))
```

```

}, {"_process":24}], 23: [function(require, module, exports) {
  (function (process) {
    'use strict';

    function posix(path) {
      ■return path.charAt(0) === '/';
    }
    function win32(path) {
      ■// https://github.com/nodejs/node/blob/b3fcc245fb25539909ef1d5eaa01dbf92e168633/lib/path.js#L56
      ■var splitDeviceRe = /^[a-zA-Z]:[\\\/]{2}[^\\\/]+[\\\/]+[^\n\r]+?([\\\/])?([\\s\S]*?)$/;
      ■var result = splitDeviceRe.exec(path);
      ■var device = result[1] || '';
      ■var isUnc = Boolean(device && device.charAt(1) !== ':');

      ■// UNC paths are always absolute
      ■return Boolean(result[2] || isUnc);
    }

    module.exports = process.platform === 'win32' ? win32 : posix;
    module.exports.posix = posix;
    module.exports.win32 = win32;

  }).call(this, require('_process'))
}, {"_process":24}], 24: [function(require, module, exports) {
  // shim for using process in browser
  var process = module.exports = {};

  // cached from whatever global is present so that test runners that stub it
  // don't break things. But we need to wrap it in a try catch in case it is
  // wrapped in strict mode code which doesn't define any globals. It's inside a
  // function because try/catches deoptimize in certain engines.

  var cachedSetTimeout;
  var cachedClearTimeout;
  function defaultSetTimeout() {
    throw new Error('setTimeout has not been defined');
  }

```

```

}

function defaultClearTimeout () {

    throw new Error('clearTimeout has not been defined');

}

(function () {

    try {

        if (typeof setTimeout === 'function') {

            cachedSetTimeout = setTimeout;

        } else {

            cachedSetTimeout = defaultSetTimeout;

        }

    } catch (e) {

        cachedSetTimeout = defaultSetTimeout;

    }

    try {

        if (typeof clearTimeout === 'function') {

            cachedClearTimeout = clearTimeout;

        } else {

            cachedClearTimeout = defaultClearTimeout;

        }

    } catch (e) {

        cachedClearTimeout = defaultClearTimeout;

    }

} ({}))

function runTimeout(fun) {

    if (cachedSetTimeout === setTimeout) {

        //normal environments in sane situations

        return setTimeout(fun, 0);

    }

    // if setTimeout wasn't available but was latter defined
    if ((cachedSetTimeout === defaultSetTimeout || !cachedSetTimeout) && setTimeout) {

        cachedSetTimeout = setTimeout;

        return setTimeout(fun, 0);

    }

    try {

```

```

        // when when somebody has screwed with setTimeout but no I.E. maddness
        return cachedSetTimeout(fun, 0);
    } catch(e){
        try {
            // When we are in I.E. but the script has been evaled so I.E. doesn't trust the global object
            return cachedSetTimeout.call(null, fun, 0);
        } catch(e){
            // same as above but when it's a version of I.E. that must have the global object for 'this',
            return cachedSetTimeout.call(this, fun, 0);
        }
    }
}

function runClearTimeout(marker) {
    if (cachedClearTimeout === clearTimeout) {
        //normal enviroments in sane situations
        return clearTimeout(marker);
    }
    // if clearTimeout wasn't available but was latter defined
    if ((cachedClearTimeout === defaultClearTimeout || !cachedClearTimeout) && clearTimeout) {
        cachedClearTimeout = clearTimeout;
        return clearTimeout(marker);
    }
    try {
        // when when somebody has screwed with setTimeout but no I.E. maddness
        return cachedClearTimeout(marker);
    } catch (e){
        try {
            // When we are in I.E. but the script has been evaled so I.E. doesn't trust the global object
            return cachedClearTimeout.call(null, marker);
        } catch (e){
            // same as above but when it's a version of I.E. that must have the global object for 'this',
            // Some versions of I.E. have different rules for clearTimeout vs setTimeout
            return cachedClearTimeout.call(this, marker);
        }
    }
}

```

```

    }
}

}

var queue = [];
var draining = false;
var currentQueue;
var queueIndex = -1;

function cleanUpNextTick() {
    if (!draining || !currentQueue) {
        return;
    }
    draining = false;
    if (currentQueue.length) {
        queue = currentQueue.concat(queue);
    } else {
        queueIndex = -1;
    }
    if (queue.length) {
        drainQueue();
    }
}

function drainQueue() {
    if (draining) {
        return;
    }
    var timeout = runTimeout(cleanUpNextTick);
    draining = true;

    var len = queue.length;
    while(len) {

```

```

        currentQueue = queue;

        queue = [];

        while (++queueIndex < len) {

            if (currentQueue) {

                currentQueue[queueIndex].run();

            }

        }

        queueIndex = -1;

        len = queue.length;

    }

    currentQueue = null;

    draining = false;

    runClearTimeout(timeout);
}

process.nextTick = function (fun) {

    var args = new Array(arguments.length - 1);

    if (arguments.length > 1) {

        for (var i = 1; i < arguments.length; i++) {

            args[i - 1] = arguments[i];

        }

    }

    queue.push(new Item(fun, args));

    if (queue.length === 1 && !draining) {

        runTimeout(drainQueue);

    }

};

// v8 likes predictable objects

function Item(fun, array) {

    this.fun = fun;

    this.array = array;

}

Item.prototype.run = function () {
    this.fun.apply(null, this.array);

```

```

};

process.title = 'browser';

process.browser = true;

process.env = {};

process.argv = [];

process.version = ''; // empty string to avoid regexp issues

process.versions = {};


function noop() {}
process.on = noop;

process.addListener = noop;

process.once = noop;

process.off = noop;

process.removeListener = noop;

process.removeAllListeners = noop;

process.emit = noop;

process.prependListener = noop;

process.prependOnceListener = noop;


process.listeners = function (name) { return [] }


process.binding = function (name) {
  throw new Error('process.binding is not supported');
};


process.cwd = function () { return '/' };

process.chdir = function (dir) {
  throw new Error('process.chdir is not supported');
};

process.umask = function() { return 0; };


}, {}], 25: [function(require, module, exports) {
//   Underscore.js 1.8.3
//   http://underscorejs.org
//   (c) 2009-2015 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors

```

```

//      Underscore may be freely distributed under the MIT license.

(function() {

    // Baseline setup
    // -----

    // Establish the root object, `window` in the browser, or `exports` on the server.
    var root = this;

    // Save the previous value of the `_` variable.
    var previousUnderscore = root._;

    // Save bytes in the minified (but not gzipped) version:
    var ArrayProto = Array.prototype, ObjProto = Object.prototype, FuncProto = Function.prototype;

    // Create quick reference variables for speed access to core prototypes.
    var
        push          = ArrayProto.push,
        slice         = ArrayProto.slice,
        toString      = ObjProto.toString,
        hasOwnProperty = ObjProto.hasOwnProperty;

    // All **ECMAScript 5** native function implementations that we hope to use
    // are declared here.

    var
        nativeIsArray = Array.isArray,
        nativeKeys    = Object.keys,
        nativeBind    = FuncProto.bind,
        nativeCreate  = Object.create;

    // Naked function reference for surrogate-prototype-swapping.
    var Ctor = function(){};

    // Create a safe reference to the Underscore object for use below.
    var _ = function(obj) {

```



```

    if (obj instanceof _) return obj;

    if (!(this instanceof _)) return new _(obj);

    this._wrapped = obj;
};

// Export the Underscore object for **Node.js**, with
// backwards-compatibility for the old `require()` API. If we're in
// the browser, add `_` as a global object.
if (typeof exports !== 'undefined') {
    if (typeof module !== 'undefined' && module.exports) {
        exports = module.exports = _;
    }
    exports._ = _;
} else {
    root._ = _;
}

// Current version.
_.VERSION = '1.8.3';

// Internal function that returns an efficient (for current engines) version
// of the passed-in callback, to be repeatedly applied in other Underscore
// functions.
var optimizeCb = function(func, context, argCount) {
    if (context === void 0) return func;
    switch (argCount == null ? 3 : argCount) {
        case 1: return function(value) {
            return func.call(context, value);
        };
        case 2: return function(value, other) {
            return func.call(context, value, other);
        };
        case 3: return function(value, index, collection) {
            return func.call(context, value, index, collection);
        };
    }
};

```

```

        case 4: return function(accumulator, value, index, collection) {
            return func.call(context, accumulator, value, index, collection);
        };
    }

    return function() {
        return func.apply(context, arguments);
    };
};

// A mostly-internal function to generate callbacks that can be applied
// to each element in a collection, returning the desired result – either
// identity, an arbitrary callback, a property matcher, or a property accessor.
var cb = function(value, context, argCount) {
    if (value == null) return _.identity;
    if (_.isFunction(value)) return optimizeCb(value, context, argCount);
    if (_.isObject(value)) return _.matcher(value);
    return _.property(value);
};

_.iteratee = function(value, context) {
    return cb(value, context, Infinity);
};

// An internal function for creating assigner functions.
var createAssigner = function(keysFunc, undefinedOnly) {
    return function(obj) {
        var length = arguments.length;
        if (length < 2 || obj == null) return obj;
        for (var index = 1; index < length; index++) {
            var source = arguments[index],
                keys = keysFunc(source),
                l = keys.length;
            for (var i = 0; i < l; i++) {
                var key = keys[i];
                if (!undefinedOnly || obj[key] === void 0) obj[key] = source[key];
            }
        }
    }
};

```

```

    }
    return obj;
};

};

// An internal function for creating a new object that inherits from another.
var baseCreate = function(prototype) {
    if (!_.isObject(prototype)) return {};
    if (nativeCreate) return nativeCreate(prototype);
    Ctor.prototype = prototype;
    var result = new Ctor;
    Ctor.prototype = null;
    return result;
};

var property = function(key) {
    return function(obj) {
        return obj == null ? void 0 : obj[key];
    };
};

// Helper for collection methods to determine whether a collection
// should be iterated as an array or as an object
// Related: http://people.mozilla.org/~jorendorff/es6-draft.html#sec-tolength
// Avoids a very nasty iOS 8 JIT bug on ARM-64. #2094
var MAX_ARRAY_INDEX = Math.pow(2, 53) - 1;
var getLength = property('length');
var isArrayLike = function(collection) {
    var length = getLength(collection);
    return typeof length == 'number' && length >= 0 && length <= MAX_ARRAY_INDEX;
};

// Collection Functions
// -----
// The cornerstone, an `each` implementation, aka `forEach`.

```

```

// Handles raw objects in addition to array-likes. Treats all
// sparse array-likes as if they were dense.

_.each = _.forEach = function(obj, iteratee, context) {
  iteratee = optimizeCb(iteratee, context);
  var i, length;
  if (isArrayLike(obj)) {
    for (i = 0, length = obj.length; i < length; i++) {
      iteratee(obj[i], i, obj);
    }
  } else {
    var keys = _.keys(obj);
    for (i = 0, length = keys.length; i < length; i++) {
      iteratee(obj[keys[i]], keys[i], obj);
    }
  }
  return obj;
};

// Return the results of applying the iteratee to each element.
_.map = _.collect = function(obj, iteratee, context) {
  iteratee = cb(iteratee, context);
  var keys = !isArrayLike(obj) && _.keys(obj),
      length = (keys || obj).length,
      results = Array(length);
  for (var index = 0; index < length; index++) {
    var currentKey = keys ? keys[index] : index;
    results[index] = iteratee(obj[currentKey], currentKey, obj);
  }
  return results;
};

// Create a reducing function iterating left or right.
function createReduce(dir) {
  // Optimized iterator function as using arguments.length
  // in the main function will deoptimize the, see #1991.

```

```

function iterator(obj, iteratee, memo, keys, index, length) {
  for (; index >= 0 && index < length; index += dir) {
    var currentKey = keys ? keys[index] : index;
    memo = iteratee(memo, obj[currentKey], currentKey, obj);
  }
  return memo;
}

return function(obj, iteratee, memo, context) {
  iteratee = optimizeCb(iteratee, context, 4);
  var keys = !isArrayLike(obj) && _.keys(obj),
      length = (keys || obj).length,
      index = dir > 0 ? 0 : length - 1;
  // Determine the initial value if none is provided.
  if (arguments.length < 3) {
    memo = obj[keys ? keys[index] : index];
    index += dir;
  }
  return iterator(obj, iteratee, memo, keys, index, length);
};
}

// **Reduce** builds up a single result from a list of values, aka `inject`,
// or `foldl`.
_.reduce = _.foldl = _.inject = createReduce(1);

// The right-associative version of reduce, also known as `foldr`.
_.reduceRight = _.foldr = createReduce(-1);

// Return the first value which passes a truth test. Aliased as `detect`.
_.find = _.detect = function(obj, predicate, context) {
  var key;
  if (isArrayLike(obj)) {
    key = _.findIndex(obj, predicate, context);
  } else {

```

```

        key = _.findKey(obj, predicate, context);
    }
    if (key !== void 0 && key !== -1) return obj[key];
};

// Return all the elements that pass a truth test.
// Aliased as `select`.
_.filter = _.select = function(obj, predicate, context) {
    var results = [];
    predicate = cb(predicate, context);
    _.each(obj, function(value, index, list) {
        if (predicate(value, index, list)) results.push(value);
    });
    return results;
};

// Return all the elements for which a truth test fails.
_.reject = function(obj, predicate, context) {
    return _.filter(obj, _.negate(cb(predicate)), context);
};

// Determine whether all of the elements match a truth test.
// Aliased as `all`.
_.every = _.all = function(obj, predicate, context) {
    predicate = cb(predicate, context);
    var keys = !isArrayLike(obj) && _.keys(obj),
        length = (keys || obj).length;
    for (var index = 0; index < length; index++) {
        var currentKey = keys ? keys[index] : index;
        if (!predicate(obj[currentKey], currentKey, obj)) return false;
    }
    return true;
};

// Determine if at least one element in the object matches a truth test.

```

```

// Aliased as `any`.
_.some = _.any = function(obj, predicate, context) {
  predicate = cb(predicate, context);
  var keys = !isArrayLike(obj) && _.keys(obj),
      length = (keys || obj).length;
  for (var index = 0; index < length; index++) {
    var currentKey = keys ? keys[index] : index;
    if (predicate(obj[currentKey], currentKey, obj)) return true;
  }
  return false;
};

// Determine if the array or object contains a given item (using `===`).
// Aliased as `includes` and `include`.
_.contains = _.includes = _.include = function(obj, item, fromIndex, guard) {
  if (!isArrayLike(obj)) obj = _.values(obj);
  if (typeof fromIndex != 'number' || guard) fromIndex = 0;
  return _.indexOf(obj, item, fromIndex) >= 0;
};

// Invoke a method (with arguments) on every item in a collection.
_.invoke = function(obj, method) {
  var args = slice.call(arguments, 2);
  var isFunc = _.isFunction(method);
  return _.map(obj, function(value) {
    var func = isFunc ? method : value[method];
    return func == null ? func : func.apply(value, args);
  });
};

// Convenience version of a common use case of `map`: fetching a property.
_.pluck = function(obj, key) {
  return _.map(obj, _.property(key));
};

// Convenience version of a common use case of `filter`: selecting only objects
// containing specific `key:value` pairs.

```

```

_.where = function(obj, attrs) {
    return _.filter(obj, _.matcher(attrs));
};

// Convenience version of a common use case of `find`: getting the first object
// containing specific `key:value` pairs.
_.findWhere = function(obj, attrs) {
    return _.find(obj, _.matcher(attrs));
};

// Return the maximum element (or element-based computation).
_.max = function(obj, iteratee, context) {
    var result = -Infinity, lastComputed = -Infinity,
        value, computed;
    if (iteratee == null && obj != null) {
        obj = isArrayLike(obj) ? obj : _.values(obj);
        for (var i = 0, length = obj.length; i < length; i++) {
            value = obj[i];
            if (value > result) {
                result = value;
            }
        }
    } else {
        iteratee = cb(iteratee, context);
        _.each(obj, function(value, index, list) {
            computed = iteratee(value, index, list);
            if (computed > lastComputed || computed === -Infinity && result === -Infinity) {
                result = value;
                lastComputed = computed;
            }
        });
    }
    return result;
};
// Return the minimum element (or element-based computation).

```



```

_.min = function(obj, iteratee, context) {
  var result = Infinity, lastComputed = Infinity,
      value, computed;
  if (iteratee == null && obj != null) {
    obj = isArrayLike(obj) ? obj : _.values(obj);
    for (var i = 0, length = obj.length; i < length; i++) {
      value = obj[i];
      if (value < result) {
        result = value;
      }
    }
  } else {
    iteratee = cb(iteratee, context);
    _.each(obj, function(value, index, list) {
      computed = iteratee(value, index, list);

      if (computed < lastComputed || computed === Infinity && result === Infinity) {
        result = value;
        lastComputed = computed;
      }
    });
  }
  return result;
};

```

```

// Shuffle a collection, using the modern version of the
// [Fisher-Yates shuffle](http://en.wikipedia.org/wiki/Fisher-Yates_shuffle).

```

```

_.shuffle = function(obj) {
  var set = isArrayLike(obj) ? obj : _.values(obj);
  var length = set.length;
  var shuffled = Array(length);
  for (var index = 0, rand; index < length; index++) {
    rand = _.random(0, index);
    if (rand !== index) shuffled[index] = shuffled[rand];
    shuffled[rand] = set[index];
  }
}

```

```

    return shuffled;
};

// Sample **n** random values from a collection.
// If **n** is not specified, returns a single random element.
// The internal `guard` argument allows it to work with `map`.
_.sample = function(obj, n, guard) {
    if (n == null || guard) {
        if (!isArrayLike(obj)) obj = _.values(obj);
        return obj[_.random(obj.length - 1)];
    }
    return _.shuffle(obj).slice(0, Math.max(0, n));
};

// Sort the object's values by a criterion produced by an iteratee.
_.sortBy = function(obj, iteratee, context) {
    iteratee = cb(iteratee, context);
    return _.pluck(_.map(obj, function(value, index, list) {
        return {
            value: value,
            index: index,
            criteria: iteratee(value, index, list)
        };
    })).sort(function(left, right) {
        var a = left.criteria;
        var b = right.criteria;
        if (a !== b) {
            if (a > b || a === void 0) return 1;
            if (a < b || b === void 0) return -1;
        }
        return left.index - right.index;
    })), 'value');
};
// An internal function used for aggregate "group by" operations.
var group = function(behavior) {

```

```

    return function(obj, iteratee, context) {
        var result = {};

        iteratee = cb(iteratee, context);
        _.each(obj, function(value, index) {
            var key = iteratee(value, index, obj);

            behavior(result, value, key);
        });

        return result;
    };
};

// Groups the object's values by a criterion. Pass either a string attribute
// to group by, or a function that returns the criterion.
_.groupBy = group(function(result, value, key) {
    if (_.has(result, key)) result[key].push(value); else result[key] = [value];
});

// Indexes the object's values by a criterion, similar to `groupBy`, but for
// when you know that your index values will be unique.
_.indexBy = group(function(result, value, key) {
    result[key] = value;
});

// Counts instances of an object that group by a certain criterion. Pass
// either a string attribute to count by, or a function that returns the
// criterion.
_.countBy = group(function(result, value, key) {
    if (_.has(result, key)) result[key]++; else result[key] = 1;
});

// Safely create a real, live array from anything iterable.
_.toArray = function(obj) {
    if (!obj) return [];
    if (_.isArray(obj)) return slice.call(obj);
    if (isArrayLike(obj)) return _.map(obj, _.identity);

```

```

    return _.values(obj);
};

// Return the number of elements in an object.
_.size = function(obj) {
    if (obj == null) return 0;
    return isArrayLike(obj) ? obj.length : _.keys(obj).length;
};

// Split a collection into two arrays: one whose elements all satisfy the given
// predicate, and one whose elements all do not satisfy the predicate.
_.partition = function(obj, predicate, context) {
    predicate = cb(predicate, context);
    var pass = [], fail = [];
    _.each(obj, function(value, key, obj) {
        (predicate(value, key, obj) ? pass : fail).push(value);
    });
    return [pass, fail];
};

// Array Functions
// -----

// Get the first element of an array. Passing n will return the first N
// values in the array. Aliased as `head` and `take`. The guard check
// allows it to work with `_.map`.
_.first = _.head = _.take = function(array, n, guard) {
    if (array == null) return void 0;
    if (n == null || guard) return array[0];
    return _.initial(array, array.length - n);
};

// Returns everything but the last entry of the array. Especially useful on
// the arguments object. Passing n will return all the values in
// the array, excluding the last N.

```

```
_.initial = function(array, n, guard) {  
    return slice.call(array, 0, Math.max(0, array.length - (n == null || guard ? 1 : n)));  
};
```

```
// Get the last element of an array. Passing **n** will return the last N  
// values in the array.
```

```
_.last = function(array, n, guard) {  
    if (array == null) return void 0;  
    if (n == null || guard) return array[array.length - 1];  
    return _.rest(array, Math.max(0, array.length - n));  
};
```

```
// Returns everything but the first entry of the array. Aliased as `tail` and `drop`.  
// Especially useful on the arguments object. Passing an **n** will return  
// the rest N values in the array.
```

```
_.rest = _.tail = _.drop = function(array, n, guard) {  
    return slice.call(array, n == null || guard ? 1 : n);  
};
```

```
// Trim out all falsy values from an array.
```

```
_.compact = function(array) {  
    return _.filter(array, _.identity);  
};
```

```
// Internal implementation of a recursive `flatten` function.
```

```
var flatten = function(input, shallow, strict, startIndex) {  
    var output = [], idx = 0;  
    for (var i = startIndex || 0, length = getLength(input); i < length; i++) {  
        var value = input[i];  
        if (isArrayLike(value) && (_.isArray(value) || _.isArguments(value))) {  
            //flatten current level of array or arguments object  
            if (!shallow) value = flatten(value, shallow, strict);  
            var j = 0, len = value.length;  
            output.length += len;  
            while (j < len) {
```

```

        output[idx++] = value[j++];
    }
    } else if (!strict) {
        output[idx++] = value;
    }
}
return output;
};

// Flatten out an array, either recursively (by default), or just one level.
_.flatten = function(array, shallow) {
    return flatten(array, shallow, false);
};

// Return a version of the array that does not contain the specified value(s).
_.without = function(array) {
    return _.difference(array, slice.call(arguments, 1));
};

// Produce a duplicate-free version of the array. If the array has already
// been sorted, you have the option of using a faster algorithm.
// Aliased as `unique`.
_.uniq = _.unique = function(array, isSorted, iteratee, context) {
    if (!_._.isBoolean(isSorted)) {
        context = iteratee;
        iteratee = isSorted;
        isSorted = false;
    }
    if (iteratee != null) iteratee = cb(iteratee, context);
    var result = [];
    var seen = [];
    for (var i = 0, length = getLength(array); i < length; i++) {
        var value = array[i],
            computed = iteratee ? iteratee(value, i, array) : value;
        if (isSorted) {
            if (!i || seen !== computed) result.push(value);
        }
    }

```

```

        seen = computed;
    } else if (iteratee) {
        if (!_contains(seen, computed)) {
            seen.push(computed);
            result.push(value);
        }
    } else if (!_contains(result, value)) {
        result.push(value);
    }
}
return result;
};

```

```

// Produce an array that contains the union: each distinct element from all of
// the passed-in arrays.

```

```

_.union = function() {
    return _.uniq(flatten(arguments, true, true));
};

```

```

// Produce an array that contains every item shared between all the
// passed-in arrays.

```

```

_.intersection = function(array) {
    var result = [];
    var argsLength = arguments.length;
    for (var i = 0, length = getLength(array); i < length; i++) {
        var item = array[i];
        if (!_contains(result, item)) continue;
        for (var j = 1; j < argsLength; j++) {
            if (!_contains(arguments[j], item)) break;
        }
        if (j === argsLength) result.push(item);
    }
    return result;
};

```

```

};
// Take the difference between one array and a number of other arrays.

```

```

// Only the elements present in just the first array will remain.
_.difference = function(array) {
  var rest = flatten(arguments, true, true, 1);
  return _.filter(array, function(value){
    return !_.contains(rest, value);
  });
};

// Zip together multiple lists into a single array -- elements that share
// an index go together.
_.zip = function() {
  return _.unzip(arguments);
};

// Complement of _.zip. Unzip accepts an array of arrays and groups
// each array's elements on shared indices
_.unzip = function(array) {
  var length = array && _.max(array, getLength).length || 0;
  var result = Array(length);

  for (var index = 0; index < length; index++) {
    result[index] = _.pluck(array, index);
  }
  return result;
};

// Converts lists into objects. Pass either a single array of `[key, value]`
// pairs, or two parallel arrays of the same length -- one of keys, and one of
// the corresponding values.
_.object = function(list, values) {
  var result = {};
  for (var i = 0, length = getLength(list); i < length; i++) {
    if (values) {
      result[list[i]] = values[i];
    } else {

```



```

        result[list[i][0]] = list[i][1];
    }
}

return result;
};

// Generator function to create the findIndex and findLastIndex functions
function createPredicateIndexFinder(dir) {
    return function(array, predicate, context) {
        predicate = cb(predicate, context);
        var length = getLength(array);
        var index = dir > 0 ? 0 : length - 1;
        for (; index >= 0 && index < length; index += dir) {
            if (predicate(array[index], index, array)) return index;
        }
        return -1;
    };
}

// Returns the first index on an array-like that passes a predicate test
_.findIndex = createPredicateIndexFinder(1);
_.findLastIndex = createPredicateIndexFinder(-1);

// Use a comparator function to figure out the smallest index at which
// an object should be inserted so as to maintain order. Uses binary search.
_.sortedIndex = function(array, obj, iteratee, context) {
    iteratee = cb(iteratee, context, 1);
    var value = iteratee(obj);
    var low = 0, high = getLength(array);
    while (low < high) {
        var mid = Math.floor((low + high) / 2);
        if (iteratee(array[mid]) < value) low = mid + 1; else high = mid;
    }
    return low;
};

```

```

// Generator function to create the indexOf and lastIndexOf functions
function createIndexFinder(dir, predicateFind, sortedIndex) {
  return function(array, item, idx) {
    var i = 0, length = getLength(array);
    if (typeof idx == 'number') {
      if (dir > 0) {
        i = idx >= 0 ? idx : Math.max(idx + length, i);
      } else {
        length = idx >= 0 ? Math.min(idx + 1, length) : idx + length + 1;
      }
    } else if (sortedIndex && idx && length) {
      idx = sortedIndex(array, item);
      return array[idx] === item ? idx : -1;
    }
    if (item !== item) {
      idx = predicateFind(slice.call(array, i, length), _.isNaN);
      return idx >= 0 ? idx + i : -1;
    }
    for (idx = dir > 0 ? i : length - 1; idx >= 0 && idx < length; idx += dir) {
      if (array[idx] === item) return idx;
    }
    return -1;
  };
}

// Return the position of the first occurrence of an item in an array,
// or -1 if the item is not included in the array.
// If the array is large and already in sort order, pass `true`
// for `isSorted` to use binary search.
_.indexOf = createIndexFinder(1, _.findIndex, _.sortedIndex);
_.lastIndexOf = createIndexFinder(-1, _.findLastIndex);

// Generate an integer Array containing an arithmetic progression. A port of
// the native Python `range()` function. See
// [the Python documentation](http://docs.python.org/library/functions.html#range).

```

```

_.range = function(start, stop, step) {
  if (stop == null) {
    stop = start || 0;
    start = 0;
  }
  step = step || 1;

  var length = Math.max(Math.ceil((stop - start) / step), 0);
  var range = Array(length);

  for (var idx = 0; idx < length; idx++, start += step) {
    range[idx] = start;
  }

  return range;
};

// Function (ahem) Functions
// -----
// Determines whether to execute a function as a constructor
// or a normal function with the provided arguments
var executeBound = function(sourceFunc, boundFunc, context, callingContext, args) {
  if (!(callingContext instanceof boundFunc)) return sourceFunc.apply(context, args);
  var self = baseCreate(sourceFunc.prototype);
  var result = sourceFunc.apply(self, args);
  if (_.isObject(result)) return result;
  return self;
};

// Create a function bound to a given object (assigning `this`, and arguments,
// optionally). Delegates to **ECMAScript 5**'s native `Function.bind` if
// available.
_.bind = function(func, context) {
  if (nativeBind && func.bind === nativeBind) return nativeBind.apply(func, slice.call(arguments, 1));
  if (!_isFunction(func)) throw new TypeError('Bind must be called on a function');

```

```

var args = slice.call(arguments, 2);
var bound = function() {
    return executeBound(func, bound, context, this, args.concat(slice.call(arguments)));
};
return bound;
};

```

```

// Partially apply a function by creating a version that has had some of its
// arguments pre-filled, without changing its dynamic `this` context. _ acts
// as a placeholder, allowing any combination of arguments to be pre-filled.

```

```

_.partial = function(func) {
    var boundArgs = slice.call(arguments, 1);
    var bound = function() {
        var position = 0, length = boundArgs.length;
        var args = Array(length);
        for (var i = 0; i < length; i++) {
            args[i] = boundArgs[i] === _ ? arguments[position++] : boundArgs[i];
        }
        while (position < arguments.length) args.push(arguments[position++]);
        return executeBound(func, bound, this, this, args);
    };
    return bound;
};

```

```

// Bind a number of an object's methods to that object. Remaining arguments
// are the method names to be bound. Useful for ensuring that all callbacks
// defined on an object belong to it.

```

```

_.bindAll = function(obj) {
    var i, length = arguments.length, key;
    if (length <= 1) throw new Error('bindAll must be passed function names');
    for (i = 1; i < length; i++) {
        key = arguments[i];
        obj[key] = _.bind(obj[key], obj);
    }
    return obj;
};

```

```

};

// Memoize an expensive function by storing its results.
_.memoize = function(func, hasher) {
  var memoize = function(key) {
    var cache = memoize.cache;

    var address = '' + (hasher ? hasher.apply(this, arguments) : key);
    if (!_.has(cache, address)) cache[address] = func.apply(this, arguments);
    return cache[address];
  };
  memoize.cache = {};
  return memoize;
};

// Delays a function for the given number of milliseconds, and then calls
// it with the arguments supplied.
_.delay = function(func, wait) {
  var args = slice.call(arguments, 2);
  return setTimeout(function(){
    return func.apply(null, args);
  }, wait);
};

// Defers a function, scheduling it to run after the current call stack has
// cleared.
_.defer = _.partial(_.delay, _, 1);

// Returns a function, that, when invoked, will only be triggered at most once
// during a given window of time. Normally, the throttled function will run
// as much as it can, without ever going more than once per `wait` duration;
// but if you'd like to disable the execution on the leading edge, pass
// `{leading: false}`. To disable execution on the trailing edge, ditto.
_.throttle = function(func, wait, options) {
  var context, args, result;
  var timeout = null;

```

```

var previous = 0;
if (!options) options = {};
var later = function() {
    previous = options.leading === false ? 0 : _.now();
    timeout = null;
    result = func.apply(context, args);
    if (!timeout) context = args = null;
};
return function() {
    var now = _.now();
    if (!previous && options.leading === false) previous = now;
    var remaining = wait - (now - previous);
    context = this;
    args = arguments;
    if (remaining <= 0 || remaining > wait) {
        if (timeout) {
            clearTimeout(timeout);
            timeout = null;
        }
        previous = now;
        result = func.apply(context, args);
        if (!timeout) context = args = null;
    } else if (!timeout && options.trailing !== false) {
        timeout = setTimeout(later, remaining);
    }
    return result;
};
};

```

```

// Returns a function, that, as long as it continues to be invoked, will not
// be triggered. The function will be called after it stops being called for
// N milliseconds. If `immediate` is passed, trigger the function on the
// leading edge, instead of the trailing.

_.debounce = function(func, wait, immediate) {
var timeout, args, context, timestamp, result;

```

```

var later = function() {
  var last = _.now() - timestamp;

  if (last < wait && last >= 0) {
    timeout = setTimeout(later, wait - last);
  } else {
    timeout = null;
    if (!immediate) {
      result = func.apply(context, args);
      if (!timeout) context = args = null;
    }
  }
};

return function() {
  context = this;
  args = arguments;
  timestamp = _.now();
  var callNow = immediate && !timeout;
  if (!timeout) timeout = setTimeout(later, wait);
  if (callNow) {
    result = func.apply(context, args);
    context = args = null;
  }

  return result;
};
};

// Returns the first function passed as an argument to the second,
// allowing you to adjust arguments, run code before and after, and
// conditionally execute the original function.
_.wrap = function(func, wrapper) {
  return _.partial(wrapper, func);
};

```

```

// Returns a negated version of the passed-in predicate.
_.negate = function(predicate) {
  return function() {
    return !predicate.apply(this, arguments);
  };
};

// Returns a function that is the composition of a list of functions, each
// consuming the return value of the function that follows.
_.compose = function() {
  var args = arguments;
  var start = args.length - 1;
  return function() {
    var i = start;
    var result = args[start].apply(this, arguments);
    while (i--) result = args[i].call(this, result);
    return result;
  };
};

// Returns a function that will only be executed on and after the Nth call.
_.after = function(times, func) {
  return function() {
    if (--times < 1) {
      return func.apply(this, arguments);
    }
  };
};

// Returns a function that will only be executed up to (but not including) the Nth call.
_.before = function(times, func) {
  var memo;
  return function() {
    if (--times > 0) {
      memo = func.apply(this, arguments);
    }
  };
};

```



```

    }

    if (times <= 1) func = null;

    return memo;

  };

};

// Returns a function that will be executed at most one time, no matter how
// often you call it. Useful for lazy initialization.
_.once = _.partial(_.before, 2);

// Object Functions
// -----

// Keys in IE < 9 that won't be iterated by `for key in ...` and thus missed.
var hasEnumBug = !{toString: null}.propertyIsEnumerable('toString');
var nonEnumerableProps = ['valueOf', 'isPrototypeOf', 'toString',
                          'propertyIsEnumerable', 'hasOwnProperty', 'toLocaleString'];

function collectNonEnumProps(obj, keys) {
  var nonEnumIdx = nonEnumerableProps.length;
  var constructor = obj.constructor;
  var proto = (_.isFunction(constructor) && constructor.prototype) || ObjProto;

  // Constructor is a special case.
  var prop = 'constructor';
  if (_.has(obj, prop) && !_.contains(keys, prop)) keys.push(prop);

  while (nonEnumIdx--) {
    prop = nonEnumerableProps[nonEnumIdx];

    if (prop in obj && obj[prop] !== proto[prop] && !_.contains(keys, prop)) {
      keys.push(prop);
    }
  }
}

// Retrieve the names of an object's own properties.

```

```

// Delegates to **ECMAScript 5**'s native `Object.keys`
_.keys = function(obj) {
  if (!_isObject(obj)) return [];
  if (nativeKeys) return nativeKeys(obj);
  var keys = [];
  for (var key in obj) if (_.has(obj, key)) keys.push(key);
  // Ahem, IE < 9.
  if (hasEnumBug) collectNonEnumProps(obj, keys);
  return keys;
};
// Retrieve all the property names of an object.
_.allKeys = function(obj) {
  if (!_isObject(obj)) return [];
  var keys = [];
  for (var key in obj) keys.push(key);
  // Ahem, IE < 9.
  if (hasEnumBug) collectNonEnumProps(obj, keys);
  return keys;
};

// Retrieve the values of an object's properties.
_.values = function(obj) {
  var keys = _.keys(obj);
  var length = keys.length;
  var values = Array(length);
  for (var i = 0; i < length; i++) {
    values[i] = obj[keys[i]];
  }
  return values;
};

// Returns the results of applying the iteratee to each element of the object
// In contrast to _.map it returns an object
_.mapObject = function(obj, iteratee, context) {
  iteratee = cb(iteratee, context);

```

```

var keys = _.keys(obj),
    length = keys.length,
    results = {},
    currentKey;

for (var index = 0; index < length; index++) {
    currentKey = keys[index];
    results[currentKey] = iteratee(obj[currentKey], currentKey, obj);
}

return results;
};

// Convert an object into a list of `[key, value]` pairs.
_.pairs = function(obj) {
    var keys = _.keys(obj);
    var length = keys.length;
    var pairs = Array(length);
    for (var i = 0; i < length; i++) {
        pairs[i] = [keys[i], obj[keys[i]]];
    }
    return pairs;
};

// Invert the keys and values of an object. The values must be serializable.
_.invert = function(obj) {
    var result = {};
    var keys = _.keys(obj);
    for (var i = 0, length = keys.length; i < length; i++) {
        result[obj[keys[i]]] = keys[i];
    }
    return result;
};

// Return a sorted list of the function names available on the object.
// Aliased as `methods`
_.functions = _.methods = function(obj) {

```

```

var names = [];

    for (var key in obj) {
        if (!_isFunction(obj[key])) names.push(key);
    }

    return names.sort();
};

// Extend a given object with all the properties in passed-in object(s).
_.extend = createAssigner(_.allKeys);

// Assigns a given object with all the own properties in the passed-in object(s)
// (https://developer.mozilla.org/docs/Web/JavaScript/Reference/Global_Objects/Object/assign)
_.extendOwn = _.assign = createAssigner(_.keys);

// Returns the first key on an object that passes a predicate test
_.findKey = function(obj, predicate, context) {
    predicate = cb(predicate, context);
    var keys = _.keys(obj), key;
    for (var i = 0, length = keys.length; i < length; i++) {
        key = keys[i];
        if (predicate(obj[key], key, obj)) return key;
    }
};

// Return a copy of the object only containing the whitelisted properties.
_.pick = function(object, oiteratee, context) {
    var result = {}, obj = object, iteratee, keys;
    if (obj == null) return result;
    if (!_isFunction(oiteratee)) {
        keys = _.allKeys(obj);
        iteratee = optimizeCb(oiteratee, context);
    } else {
        keys = flatten(arguments, false, false, 1);
        iteratee = function(value, key, obj) { return key in obj; };
        obj = Object(obj);
    }

```

```

    }

    for (var i = 0, length = keys.length; i < length; i++) {
        var key = keys[i];
        var value = obj[key];
        if (iteratee(value, key, obj)) result[key] = value;
    }

    return result;
};

// Return a copy of the object without the blacklisted properties.
_.omit = function(obj, iteratee, context) {
    if (_.isFunction(iteratee)) {
        iteratee = _.negate(iteratee);
    } else {
        var keys = _.map(flatten(arguments, false, false, 1), String);
        iteratee = function(value, key) {
            return !_.contains(keys, key);
        };
    }

    return _.pick(obj, iteratee, context);
};

// Fill in a given object with default properties.
_.defaults = createAssigner(_.allKeys, true);
// Creates an object that inherits from the given prototype object.
// If additional properties are provided then they will be added to the
// created object.
_.create = function(prototype, props) {
    var result = baseCreate(prototype);
    if (props) _.extendOwn(result, props);
    return result;
};

// Create a (shallow-cloned) duplicate of an object.
_.clone = function(obj) {

```

```

    if (!_isObject(obj)) return obj;

    return _.isArray(obj) ? obj.slice() : _.extend({}, obj);
};

// Invokes interceptor with the obj, and then returns obj.
// The primary purpose of this method is to "tap into" a method chain, in
// order to perform operations on intermediate results within the chain.
_.tap = function(obj, interceptor) {
    interceptor(obj);

    return obj;
};

// Returns whether an object has a given set of `key:value` pairs.
_.isMatch = function(object, attrs) {
    var keys = _.keys(attrs), length = keys.length;

    if (object == null) return !length;

    var obj = Object(object);

    for (var i = 0; i < length; i++) {
        var key = keys[i];

        if (attrs[key] !== obj[key] || !(key in obj)) return false;
    }

    return true;
};

// Internal recursive comparison function for `isEqual`.
var eq = function(a, b, aStack, bStack) {
    // Identical objects are equal. `0 === -0`, but they aren't identical.
    // See the [Harmony `egal` proposal](http://wiki.ecmascript.org/doku.php?id=harmony:egal).
    if (a === b) return a !== 0 || 1 / a === 1 / b;

    // A strict comparison is necessary because `null == undefined`.
    if (a == null || b == null) return a === b;

    // Unwrap any wrapped objects.
    if (a instanceof _) a = a._wrapped;
    if (b instanceof _) b = b._wrapped;

```

```

// Compare `[Class]` names.
var className = toString.call(a);
if (className !== toString.call(b)) return false;
switch (className) {
    // Strings, numbers, regular expressions, dates, and booleans are compared by value.
    case '[object RegExp]':
        // RegExps are coerced to strings for comparison (Note: '' + /a/i === '/a/i')
    case '[object String]':
        // Primitives and their corresponding object wrappers are equivalent; thus, `"5"` is
        // equivalent to `new String("5")`.
        return '' + a === '' + b;
    case '[object Number]':
        // `NaN`s are equivalent, but non-reflexive.
        // Object(NaN) is equivalent to NaN
        if (+a !== +a) return +b !== +b;
        // An `egal` comparison is performed for other numeric values.
        return +a === 0 ? 1 / +a === 1 / b : +a === +b;
    case '[object Date]':
    case '[object Boolean]':
        // Coerce dates and booleans to numeric primitive values. Dates are compared by their
        // millisecond representations. Note that invalid dates with millisecond representations
        // of `NaN` are not equivalent.
        return +a === +b;
}

var areArrays = className === '[object Array]';
if (!areArrays) {
    if (typeof a !== 'object' || typeof b !== 'object') return false;

    // Objects with different constructors are not equivalent, but `Object`s or `Array`s
    // from different frames are.
    var aCtor = a.constructor, bCtor = b.constructor;
    if (aCtor !== bCtor && !(_isFunction(aCtor) && aCtor instanceof aCtor &&
        _isFunction(bCtor) && bCtor instanceof bCtor)
        && ('constructor' in a && 'constructor' in b)) {

```

```

        return false;
    }
}

// Assume equality for cyclic structures. The algorithm for detecting cyclic
// structures is adapted from ES 5.1 section 15.12.3, abstract operation `JO`.

// Initializing stack of traversed objects.
// It's done here since we only need them for objects and arrays comparison.
aStack = aStack || [];
bStack = bStack || [];
var length = aStack.length;
while (length--) {
    // Linear search. Performance is inversely proportional to the number of
    // unique nested structures.
    if (aStack[length] === a) return bStack[length] === b;
}

// Add the first object to the stack of traversed objects.
aStack.push(a);
bStack.push(b);

// Recursively compare objects and arrays.
if (areArrays) {
    // Compare array lengths to determine if a deep comparison is necessary.
    length = a.length;
    if (length !== b.length) return false;
    // Deep compare the contents, ignoring non-numeric properties.
    while (length--) {
        if (!eq(a[length], b[length], aStack, bStack)) return false;
    }
} else {
    // Deep compare objects.
    var keys = _.keys(a), key;
    length = keys.length;
    // Ensure that both objects contain the same number of properties before comparing deep equality.

```



```

        if (_.keys(b).length !== length) return false;

        while (length--) {

            // Deep compare each member

            key = keys[length];
            if (!(_.has(b, key) && eq(a[key], b[key], aStack, bStack))) return false;

        }

    }

    // Remove the first object from the stack of traversed objects.

    aStack.pop();

    bStack.pop();

    return true;

};

```

```

// Perform a deep comparison to check if two objects are equal.
_.isEqual = function(a, b) {

    return eq(a, b);

};

```

```

// Is a given array, string, or object empty?

```

```

// An "empty" object has no enumerable own-properties.

```

```

_.isEmpty = function(obj) {

    if (obj == null) return true;

    if (isArrayLike(obj) && (_.isArray(obj) || _.isString(obj) || _.isArguments(obj))) return obj.length > 0;

    return _.keys(obj).length === 0;

};

```

```

// Is a given value a DOM element?

```

```

_.isElement = function(obj) {

    return !!(obj && obj.nodeType === 1);

};

```

```

// Is a given value an array?

```

```

// Delegates to ECMA5's native Array.isArray

```

```

_.isArray = nativeIsArray || function(obj) {

    return toString.call(obj) === '[object Array]';

};

```

```

};

// Is a given variable an object?
_.isObject = function(obj) {
  var type = typeof obj;
  return type === 'function' || type === 'object' && !!obj;
};

// Add some isType methods: isArguments, isFunction, isString, isNumber, isDate, isRegExp, isError.
_.each(['Arguments', 'Function', 'String', 'Number', 'Date', 'RegExp', 'Error'], function(name) {
  _['is' + name] = function(obj) {
    return toString.call(obj) === '[object ' + name + ']';
  };
});

// Define a fallback version of the method in browsers (ahem, IE < 9), where
// there isn't any inspectable "Arguments" type.
if (!_.isArguments(arguments)) {
  _.isArguments = function(obj) {
    return _.has(obj, 'callee');
  };
}

// Optimize `isFunction` if appropriate. Work around some typeof bugs in old v8,
// IE 11 (#1621), and in Safari 8 (#1929).
if (typeof /./ !== 'function' && typeof Int8Array !== 'object') {
  _.isFunction = function(obj) {
    return typeof obj == 'function' || false;
  };
}

// Is a given object a finite number?
_.isFinite = function(obj) {
  return isFinite(obj) && !isNaN(parseFloat(obj));
};

```

```

// Is the given value `NaN`? (NaN is the only number which does not equal itself).
_.isNaN = function(obj) {
    return _.isNumber(obj) && obj !== +obj;
};

// Is a given value a boolean?
_.isBoolean = function(obj) {
    return obj === true || obj === false || toString.call(obj) === '[object Boolean]';
};

// Is a given value equal to null?
_.isNull = function(obj) {
    return obj === null;
};

// Is a given variable undefined?
_.isUndefined = function(obj) {
    return obj === void 0;
};

// Shortcut function for checking if an object has a given property directly
// on itself (in other words, not on a prototype).
_.has = function(obj, key) {
    return obj != null && hasOwnProperty.call(obj, key);
};

// Utility Functions
// -----

// Run Underscore.js in *noConflict* mode, returning the `_` variable to its
// previous owner. Returns a reference to the Underscore object.
_.noConflict = function() {
    root._ = previousUnderscore;
    return this;
};

```

```

// Keep the identity function around for default iteratees.
_.identity = function(value) {
  return value;
};

// Predicate-generating functions. Often useful outside of Underscore.
_.constant = function(value) {
  return function() {
    return value;
  };
};

_.noop = function(){};

_.property = property;

// Generates a function for a given object that returns a given property.
_.propertyOf = function(obj) {
  return obj == null ? function(){} : function(key) {
    return obj[key];
  };
};

// Returns a predicate for checking whether an object has a given set of
// `key:value` pairs.
_.matcher = _.matches = function(attrs) {
  attrs = _.extendOwn({}, attrs);
  return function(obj) {
    return _.isMatch(obj, attrs);
  };
};

// Run a function **n** times.
_.times = function(n, iteratee, context) {
  var accum = Array(Math.max(0, n));

```

```

    iteratee = optimizeCb(iteratee, context, 1);

    for (var i = 0; i < n; i++) accum[i] = iteratee(i);

    return accum;
  };

  // Return a random integer between min and max (inclusive).
  _.random = function(min, max) {
    if (max == null) {
      max = min;
      min = 0;
    }

    return min + Math.floor(Math.random() * (max - min + 1));
  };

  // A (possibly faster) way to get the current timestamp as an integer.
  _.now = Date.now || function() {
    return new Date().getTime();
  };

  // List of HTML entities for escaping.
  var escapeMap = {
    '&': '&amp;',
    '<': '&lt;',
    '>': '&gt;',
    '"': '&quot;',
    "'": '&#x27;',
    '`': '&#x60;'
  };

  var unescapeMap = _.invert(escapeMap);

  // Functions for escaping and unescaping strings to/from HTML interpolation.
  var createEscaper = function(map) {
    var escaper = function(match) {
      return map[match];
    };
  };

```

```

    // Regexpes for identifying a key that needs to be escaped
    var source = '(?:' + _.keys(map).join('|') + ')';
    var testRegexp = RegExp(source);
    var replaceRegexp = RegExp(source, 'g');
    return function(string) {
        string = string == null ? '' : '' + string;
        return testRegexp.test(string) ? string.replace(replaceRegexp, escaper) : string;
    };
};

_.escape = createEscaper(escapeMap);
_.unescape = createEscaper(unescapeMap);

// If the value of the named `property` is a function then invoke it with the
// `object` as context; otherwise, return it.
_.result = function(object, property, fallback) {
    var value = object == null ? void 0 : object[property];
    if (value === void 0) {
        value = fallback;
    }
    return _.isFunction(value) ? value.call(object) : value;
};

// Generate a unique integer id (unique within the entire client session).
// Useful for temporary DOM ids.
var idCounter = 0;
_.uniqueId = function(prefix){
    var id = ++idCounter + '';
    return prefix ? prefix + id : id;
};

// By default, Underscore uses ERB-style template delimiters, change the
// following template settings to use alternative delimiters.
_.templateSettings = {
    evaluate      : /<%([\\s\\S]+?)%/g,
    interpolate  : /<%=([\\s\\S]+?)%/g,

```

```

    escape      : /<%-([\s\S]+?)%>/g
  };

  // When customizing `templateSettings`, if you don't want to define an
  // interpolation, evaluation or escaping regex, we need one that is
  // guaranteed not to match.
  var noMatch = /(.)^/;

  // Certain characters need to be escaped so that they can be put into a
  // string literal.
  var escapes = {
    "'":      "'",
    '\\':     '\\',
    '\r':     'r',
    '\n':     'n',
    '\u2028': 'u2028',
    '\u2029': 'u2029'
  };

  var escaper = /\\|'|\r|\n|\u2028|\u2029/g;

  var escapeChar = function(match) {
    return '\\' + escapes[match];
  };

  // JavaScript micro-templating, similar to John Resig's implementation.
  // Underscore templating handles arbitrary delimiters, preserves whitespace,
  // and correctly escapes quotes within interpolated code.
  // NB: `oldSettings` only exists for backwards compatibility.
  _.template = function(text, settings, oldSettings) {
    if (!settings && oldSettings) settings = oldSettings;

    settings = _.defaults({}, settings, _.templateSettings);

    // Combine delimiters into one regular expression via alternation.
    var matcher = RegExp([
      (settings.escape || noMatch).source,

```

```

(settings.interpolate || noMatch).source,
(settings.evaluate || noMatch).source
].join('|') + '$', 'g');

// Compile the template source, escaping string literals appropriately.
var index = 0;
var source = "__p+='";
text.replace(matcher, function(match, escape, interpolate, evaluate, offset) {
    source += text.slice(index, offset).replace(escaper, escapeChar);
    index = offset + match.length;

    if (escape) {
        source += "'+\n((__t=(" + escape + "))==null?'':_.escape(__t))+\n'";
    } else if (interpolate) {
        source += "'+\n((__t=(" + interpolate + "))==null?'':__t)+\n'";
    } else if (evaluate) {
        source += "';\n" + evaluate + "\n__p+='";
    }
});

// Adobe VMs need the match returned to produce the correct offset.
return match;
});
source += "';\n";

// If a variable is not specified, place data values in local scope.
if (!settings.variable) source = 'with(obj||{}){\n' + source + '}\n';

source = "var __t,__p='',__j=Array.prototype.join," +
    "print=function(){__p+=__j.call(arguments,'');};\n" +
    source + 'return __p;\n';

try {
    var render = new Function(settings.variable || 'obj', '_', source);
} catch (e) {
    e.source = source;

```



```

        throw e;
    }

    var template = function(data) {
        return render.call(this, data, _);
    };

    // Provide the compiled source as a convenience for precompilation.
    var argument = settings.variable || 'obj';
    template.source = 'function(' + argument + '){\n' + source + '\n}';

    return template;
};

// Add a "chain" function. Start chaining a wrapped Underscore object.
_.chain = function(obj) {
    var instance = _(obj);
    instance._chain = true;
    return instance;
};
// OOP
// -----
// If Underscore is called as a function, it returns a wrapped object that
// can be used OO-style. This wrapper holds altered versions of all the
// underscore functions. Wrapped objects may be chained.

// Helper function to continue chaining intermediate results.
var result = function(instance, obj) {
    return instance._chain ? _(obj).chain() : obj;
};

// Add your own custom functions to the Underscore object.
_.mixin = function(obj) {
    _.each(_.functions(obj), function(name) {
        var func = _[name] = obj[name];
    });
};

```

```

    _.prototype[name] = function() {
        var args = [this._wrapped];
        push.apply(args, arguments);
        return result(this, func.apply(_, args));
    };
});

};

// Add all of the Underscore functions to the wrapper object.
_.mixin(_);

// Add all mutator Array functions to the wrapper.
_.each(['pop', 'push', 'reverse', 'shift', 'sort', 'splice', 'unshift'], function(name) {
    var method = ArrayProto[name];
    _.prototype[name] = function() {
        var obj = this._wrapped;
        method.apply(obj, arguments);
        if ((name === 'shift' || name === 'splice') && obj.length === 0) delete obj[0];
        return result(this, obj);
    };
});

// Add all accessor Array functions to the wrapper.
_.each(['concat', 'join', 'slice'], function(name) {
    var method = ArrayProto[name];
    _.prototype[name] = function() {
        return result(this, method.apply(this._wrapped, arguments));
    };
});

// Extracts the result from a wrapped and chained object.
_.prototype.value = function() {
    return this._wrapped;
};

// Provide unwrapping proxy for some methods used in engine operations

```

```

// such as arithmetic and JSON stringification.
_.prototype.valueOf = _.prototype.toJSON = _.prototype.value;

_.prototype.toString = function() {
  return '' + this._wrapped;
};

// AMD registration happens at the end for compatibility with AMD loaders
// that may not enforce next-turn semantics on modules. Even though general
// practice for AMD registration is to be anonymous, underscore registers
// as a named module because, like jQuery, it is a base library that is
// popular enough to be bundled in a third party lib, but not be part of
// an AMD load request. Those cases could generate an error when an
// anonymous define() is called outside of a loader request.
if (typeof define === 'function' && define.amd) {
  define('underscore', [], function() {
    return _;
  });
}
}.call(this));

},{}],26:[function(require,module,exports){
arguments[4][19][0].apply(exports,arguments)
},{"dup":19}],27:[function(require,module,exports){
module.exports = function isBuffer(arg) {
  return arg && typeof arg === 'object'
    && typeof arg.copy === 'function'
    && typeof arg.fill === 'function'
    && typeof arg.readUInt8 === 'function';
}
},{}],28:[function(require,module,exports){
(function (process,global){
// Copyright Joyent, Inc. and other Node contributors.
//
// Permission is hereby granted, free of charge, to any person obtaining a

```

```

// copy of this software and associated documentation files (the
// "Software"), to deal in the Software without restriction, including
// without limitation the rights to use, copy, modify, merge, publish,
// distribute, sublicense, and/or sell copies of the Software, and to permit
// persons to whom the Software is furnished to do so, subject to the
// following conditions:
//
// The above copyright notice and this permission notice shall be included
// in all copies or substantial portions of the Software.
//
// THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
// OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
// MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
// NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
// DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
// USE OR OTHER DEALINGS IN THE SOFTWARE.

```

```

var formatRegExp = /%[sdj%]/g;
exports.format = function(f) {
  if (!isString(f)) {
    var objects = [];
    for (var i = 0; i < arguments.length; i++) {
      objects.push(inspect(arguments[i]));
    }
    return objects.join(' ');
  }

  var i = 1;
  var args = arguments;
  var len = args.length;
  var str = String(f).replace(formatRegExp, function(x) {
    if (x === '%%') return '%';
    if (i >= len) return x;
    switch (x) {

```

```

        case '%s': return String(args[i++]);
        case '%d': return Number(args[i++]);
        case '%j':
            try {
                return JSON.stringify(args[i++]);
            } catch (_) {
                return '[Circular]';
            }
        default:
            return x;
    }
});

for (var x = args[i]; i < len; x = args[++i]) {
    if (isNull(x) || !isObject(x)) {
        str += ' ' + x;
    } else {
        str += ' ' + inspect(x);
    }
}

return str;
};

// Mark that a method should not be used.

// Returns a modified function which warns once by default.
// If --no-deprecation is set, then it is a no-op.
exports.deprecate = function(fn, msg) {
    // Allow for deprecating things in the process of starting up.
    if (isUndefined(global.process)) {
        return function() {
            return exports.deprecate(fn, msg).apply(this, arguments);
        };
    }
    if (process.noDeprecation === true) {
        return fn;
    }

```

```

}

var warned = false;

function deprecated() {
  if (!warned) {
    if (process.throwDeprecation) {
      throw new Error(msg);
    } else if (process.traceDeprecation) {
      console.trace(msg);
    } else {
      console.error(msg);
    }
    warned = true;
  }
  return fn.apply(this, arguments);
}

return deprecated;
};

var debugs = {};
var debugEnviron;
exports.debuglog = function(set) {
  if (isUndefined(debugEnviron))
    debugEnviron = process.env.NODE_DEBUG || '';
  set = set.toUpperCase();
  if (!debugs[set]) {
    if (new RegExp('^\\b' + set + '\\b', 'i').test(debugEnviron)) {
      var pid = process.pid;
      debugs[set] = function() {
        var msg = exports.format.apply(exports, arguments);
        console.error('%s %d: %s', set, pid, msg);
      };
    } else {

```

```

        debugs[set] = function() {};

    }

}

return debugs[set];

};

/**
 * Echos the value of a value. Tries to print the value out
 * in the best way possible given the different types.
 *
 * @param {Object} obj The object to print out.
 * @param {Object} opts Optional options object that alters the output.
 */
/* legacy: obj, showHidden, depth, colors*/
function inspect(obj, opts) {
    // default options
    var ctx = {
        seen: [],
        stylize: stylizeNoColor
    };

    // legacy...
    if (arguments.length >= 3) ctx.depth = arguments[2];
    if (arguments.length >= 4) ctx.colors = arguments[3];
    if (isBoolean(opts)) {
        // legacy...
        ctx.showHidden = opts;
    } else if (opts) {
        // got an "options" object
        exports._extend(ctx, opts);
    }
    // set default options
    if (isUndefined(ctx.showHidden)) ctx.showHidden = false;
    if (isUndefined(ctx.depth)) ctx.depth = 2;
    if (isUndefined(ctx.colors)) ctx.colors = false;

```

```
    if (isUndefined(ctx.customInspect)) ctx.customInspect = true;
    if (ctx.colors) ctx.stylize = stylizeWithColor;
    return formatValue(ctx, obj, ctx.depth);
}
```

```
exports.inspect = inspect;
```

```
// http://en.wikipedia.org/wiki/ANSI\_escape\_code#graphics
```

```
inspect.colors = {
  'bold' : [1, 22],
  'italic' : [3, 23],
  'underline' : [4, 24],
  'inverse' : [7, 27],
  'white' : [37, 39],
  'grey' : [90, 39],
  'black' : [30, 39],
  'blue' : [34, 39],
  'cyan' : [36, 39],
  'green' : [32, 39],
  'magenta' : [35, 39],
  'red' : [31, 39],
  'yellow' : [33, 39]
};
```

```
// Don't use 'blue' not visible on cmd.exe
```

```
inspect.styles = {
  'special': 'cyan',
  'number': 'yellow',
  'boolean': 'yellow',
  'undefined': 'grey',
  'null': 'bold',
  'string': 'green',
  'date': 'magenta',
  // "name": intentionally not styling
  'regexp': 'red'
```



```
};
```

```
function stylizeWithColor(str, styleType) {  
  var style = inspect.styles[styleType];  
  
  if (style) {  
    return '\u001b[' + inspect.colors[style][0] + 'm' + str +  
      '\u001b[' + inspect.colors[style][1] + 'm';  
  } else {  
    return str;  
  }  
}
```

```
function stylizeNoColor(str, styleType) {  
  return str;  
}
```

```
function arrayToHash(array) {  
  var hash = {};  
  
  array.forEach(function(val, idx) {  
    hash[val] = true;  
  });  
  
  return hash;  
}
```

```
function formatValue(ctx, value, recurseTimes) {  
  // Provide a hook for user-specified inspect functions.  
  // Check that value is an object with an inspect function on it  
  if (ctx.customInspect &&
```

```

    value &&

    isFunction(value.inspect) &&

    // Filter out the util module, it's inspect function is special
    value.inspect !== exports.inspect &&

    // Also filter out any prototype objects using the circular check.
    !(value.constructor && value.constructor.prototype === value)) {
    var ret = value.inspect(recurseTimes, ctx);
    if (!isString(ret)) {
        ret = formatValue(ctx, ret, recurseTimes);
    }
    return ret;
}

// Primitive types cannot have properties
var primitive = formatPrimitive(ctx, value);
if (primitive) {
    return primitive;
}

// Look up the keys of the object.
var keys = Object.keys(value);
var visibleKeys = arrayToHash(keys);

if (ctx.showHidden) {
    keys = Object.getOwnPropertyNames(value);
}

// IE doesn't make error fields non-enumerable
// http://msdn.microsoft.com/en-us/library/ie/dww52sbt(v=vs.94).aspx
if (isError(value)
    && (keys.indexOf('message') >= 0 || keys.indexOf('description') >= 0)) {
    return formatError(value);
}

// Some type of object without properties can be shortcutteed.

```

```

if (keys.length === 0) {
  if (isFunction(value)) {
    var name = value.name ? ': ' + value.name : '';
    return ctx.stylize('[Function' + name + ']', 'special');
  }
  if (isRegExp(value)) {
    return ctx.stylize(RegExp.prototype.toString.call(value), 'regexp');
  }
  if (isDate(value)) {
    return ctx.stylize(Date.prototype.toString.call(value), 'date');
  }
  if (isError(value)) {
    return formatError(value);
  }
}

var base = '', array = false, braces = ['{', '}'];

// Make Array say that they are Array
if (isArray(value)) {
  array = true;
  braces = ['[', ']'];
}

// Make functions say that they are functions
if (isFunction(value)) {
  var n = value.name ? ': ' + value.name : '';
  base = ' [Function' + n + ']';
}

// Make RegExps say that they are RegExps
if (isRegExp(value)) {
  base = ' ' + RegExp.prototype.toString.call(value);
}
// Make dates with properties first say the date
if (isDate(value)) {

```

```

        base = ' ' + Date.prototype.toUTCString.call(value);
    }

    // Make error with message first say the error
    if (isError(value)) {
        base = ' ' + formatError(value);
    }

    if (keys.length === 0 && (!array || value.length == 0)) {
        return braces[0] + base + braces[1];
    }

    if (recurseTimes < 0) {
        if (isRegExp(value)) {
            return ctx.stylize(RegExp.prototype.toString.call(value), 'regex');
        } else {
            return ctx.stylize('[Object]', 'special');
        }
    }

    ctx.seen.push(value);

    var output;

    if (array) {
        output = formatArray(ctx, value, recurseTimes, visibleKeys, keys);
    } else {
        output = keys.map(function(key) {
            return formatProperty(ctx, value, recurseTimes, visibleKeys, key, array);
        });
    }

    ctx.seen.pop();

    return reduceToSingleString(output, base, braces);
}

```

```

function formatPrimitive(ctx, value) {
  if (isUndefined(value))
    return ctx.stylize('undefined', 'undefined');
  if (isString(value)) {
    var simple = '\'' + JSON.stringify(value).replace(/^"|"$/g, '')
      .replace(/'/g, '\\\'')
      .replace(/\\"/g, '\"') + '\'';
    return ctx.stylize(simple, 'string');
  }
  if (isNumber(value))
    return ctx.stylize('' + value, 'number');
  if (isBoolean(value))
    return ctx.stylize('' + value, 'boolean');
  // For some reason typeof null is "object", so special case here.
  if (isNull(value))
    return ctx.stylize('null', 'null');
}

```

```

function formatError(value) {
  return '[' + Error.prototype.toString.call(value) + ']';
}

```

```

function formatArray(ctx, value, recurseTimes, visibleKeys, keys) {
  var output = [];
  for (var i = 0, l = value.length; i < l; ++i) {
    if (hasOwnProperty(value, String(i))) {
      output.push(formatProperty(ctx, value, recurseTimes, visibleKeys,
        String(i), true));
    } else {
      output.push('');
    }
  }
  keys.forEach(function(key) {

```

```

    if (!key.match(/^\\d+$/)) {
        output.push(formatProperty(ctx, value, recurseTimes, visibleKeys,
            key, true));
    }
});
return output;
}

function formatProperty(ctx, value, recurseTimes, visibleKeys, key, array) {
    var name, str, desc;
    desc = Object.getOwnPropertyDescriptor(value, key) || { value: value[key] };
    if (desc.get) {
        if (desc.set) {
            str = ctx.stylize('[Getter/Setter]', 'special');
        } else {
            str = ctx.stylize('[Getter]', 'special');
        }
    } else {
        if (desc.set) {
            str = ctx.stylize('[Setter]', 'special');
        }
    }
    if (!hasOwnProperty(visibleKeys, key)) {
        name = '[' + key + ']';
    }
    if (!str) {
        if (ctx.seen.indexOf(desc.value) < 0) {
            if (isNull(recurseTimes)) {
                str = formatValue(ctx, desc.value, null);
            } else {
                str = formatValue(ctx, desc.value, recurseTimes - 1);
            }
            if (str.indexOf('\\n') > -1) {
                if (array) {

```

```

        str = str.split('\n').map(function(line) {
            return ' ' + line;
        }).join('\n').substr(2);
    } else {
str = '\n' + str.split('\n').map(function(line) {
        return ' ' + line;
    }).join('\n');
    }
}

} else {
    str = ctx.stylize('[Circular]', 'special');
}

}

if (isUndefined(name)) {
    if (array && key.match(/^d+$/)) {
        return str;
    }

    name = JSON.stringify(' ' + key);

    if (name.match(/^"([a-zA-Z_][a-zA-Z_0-9]*)"$/)) {
        name = name.substr(1, name.length - 2);
        name = ctx.stylize(name, 'name');
    } else {
        name = name.replace(/'/g, "\\'")
            .replace(/\\"/g, '"')
            .replace(/^(^|"$)/g, '"');
        name = ctx.stylize(name, 'string');
    }
}

return name + ': ' + str;
}

function reduceToSingleString(output, base, braces) {
    var numLinesEst = 0;

```

```

var length = output.reduce(function(prev, cur) {
    numLinesEst++;
    if (cur.indexOf('\n') >= 0) numLinesEst++;
    return prev + cur.replace(/\u001b\[\d\d?m/g, '').length + 1;
}, 0);

if (length > 60) {
    return braces[0] +
        (base === '' ? '' : base + '\n ') +
        ' ' +
        output.join(',\n ') +
        ' ' +
        braces[1];
}

return braces[0] + base + ' ' + output.join(', ') + ' ' + braces[1];
}

// NOTE: These type checking functions intentionally don't use `instanceof`
// because it is fragile and can be easily faked with `Object.create()`.
function isArray(ar) {
    return Array.isArray(ar);
}
exports.isArray = isArray;

function isBoolean(arg) {
    return typeof arg === 'boolean';
}
exports.isBoolean = isBoolean;

function isNull(arg) {
    return arg === null;
}
exports.isNull = isNull;

```



```
function isNullOrUndefined(arg) {
    return arg == null;
}
exports.isNullOrUndefined = isNullOrUndefined;

function isNumber(arg) {
    return typeof arg === 'number';
}
exports.isNumber = isNumber;

function isString(arg) {
    return typeof arg === 'string';
}
exports.isString = isString;

function isSymbol(arg) {
    return typeof arg === 'symbol';
}
exports.isSymbol = isSymbol;

function isUndefined(arg) {
    return arg === void 0;
}
exports.isUndefined = isUndefined;

function isRegExp(re) {
    return isObject(re) && objectToString(re) === '[object RegExp]';
}
exports.isRegExp = isRegExp;

function isObject(arg) {
    return typeof arg === 'object' && arg !== null;
}
exports.isObject = isObject;
function isDate(d) {
```

```

    return isObject(d) && objectToString(d) === '[object Date]';
}

exports.isDate = isDate;

function isError(e) {
    return isObject(e) &&
        (objectToString(e) === '[object Error]' || e instanceof Error);
}

exports.isError = isError;

function isFunction(arg) {
    return typeof arg === 'function';
}

exports.isFunction = isFunction;

function isPrimitive(arg) {
    return arg === null ||
        typeof arg === 'boolean' ||
            typeof arg === 'number' ||
            typeof arg === 'string' ||
            typeof arg === 'symbol' || // ES6 symbol
            typeof arg === 'undefined';
}

exports.isPrimitive = isPrimitive;

exports.isBuffer = require('./support/isBuffer');

function objectToString(o) {
    return Object.prototype.toString.call(o);
}

function pad(n) {
    return n < 10 ? '0' + n.toString(10) : n.toString(10);
}

```

```

var months = ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep',
              'Oct', 'Nov', 'Dec'];

// 26 Feb 16:19:34
function timestamp() {
    var d = new Date();
    var time = [pad(d.getHours()),
                pad(d.getMinutes()),
                pad(d.getSeconds())].join(':');
    return [d.getDate(), months[d.getMonth()], time].join(' ');
}

// log is just a thin wrapper to console.log that prepends a timestamp
exports.log = function() {
    console.log('%s - %s', timestamp(), exports.format.apply(exports, arguments));
};

/**
 * Inherit the prototype methods from one constructor into another.
 *
 * The Function.prototype.inherits from lang.js rewritten as a standalone
 * function (not on Function.prototype). NOTE: If this file is to be loaded
 * during bootstrapping this function needs to be rewritten using some native
 * functions as prototype setup using normal JavaScript does not work as
 * expected during bootstrapping (see mirror.js in r114903).
 *
 * @param {function} ctor Constructor function which needs to inherit the
 *     prototype.
 * @param {function} superCtor Constructor function to inherit prototype from.
 */
exports.inherits = require('inherits');
exports._extend = function(origin, add) {
    // Don't do anything if add isn't an object

```

```

    if (!add || !isObject(add)) return origin;

    var keys = Object.keys(add);
    var i = keys.length;
    while (i--) {
        origin[keys[i]] = add[keys[i]];
    }
    return origin;
};

function hasOwnProperty(obj, prop) {
    return Object.prototype.hasOwnProperty.call(obj, prop);
}

}).call(this,require('_process'),typeof global !== "undefined" ? global : typeof self !== "undefined" ? self :
, {"/support/isBuffer":27,"_process":24,"inherits":26}],29:[function(require,module,exports){
// Returns a wrapper function that returns a wrapped callback
// The wrapper function should do some stuff, and return a
// presumably different callback function.
// This makes sure that own properties are retained, so that
// decorations and such are not lost along the way.
module.exports = wrappy
function wrappy (fn, cb) {
    if (fn && cb) return wrappy(fn)(cb)

    if (typeof fn !== 'function')
        throw new TypeError('need wrapper function')

    Object.keys(fn).forEach(function (k) {
        wrapper[k] = fn[k]
    })

    return wrapper

    function wrapper() {

```

```

var args = new Array(arguments.length)
for (var i = 0; i < args.length; i++) {
    args[i] = arguments[i]
}
var ret = fn.apply(this, args)
var cb = args[args.length-1]
if (typeof ret === 'function' && ret !== cb) {
    Object.keys(cb).forEach(function (k) {
        ret[k] = cb[k]
    })
}
return ret
}
}

```

```

}, {}], {}, [7])(7)
});

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjaxla11y\assistive-mml.is

```

Resumo: !function(){
"use strict";
var t,e,i={62:function(t,e,i){
var o,s=this&&this.__extends||(o=func
tion(t,e){
return(o=Object.setPrototypeOf||{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var i in
e)Object.prototype.hasOwnProperty.call(e,i)&&(t[i]=e[i]))(t,e)},function(t,e...

```

```
!function(){ "use strict"; var t,e,i={62:function(t,e,i){var o,s=this&&this.__extends||(o=function(t,e){ret
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\la11y\complexity.js

Resumo: `!function(){
"use strict";
var t,e,o,i,r,n,l={589:function(t,e,o){
var
i,r=this&&this.__extends||(i=function(t,e){return(i=Object.setPrototypeOf({__proto__:[]})instanceof
Array&&function(t,e){t.__proto__=e})||function(t,e){for(var o in
e)Object.prototype.hasOwnProperty.call(e,o)&&(t[o]=e[o]))(t,e)},fun...`

`!function(){
"use strict";
var t,e,o,i,r,n,l={589:function(t,e,o){
var i,r=this&&this.__extends||(i=function`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\la11v\explorer.is

Resumo: !function(){
"use strict";
var t={18:function(t,e,o){
var r,n=this&&this.__extends||
(r=function(t,e){
return(r=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var o in
e)Object.prototype.hasOwnProperty.call(e,o)&&(t[o]=e[o])}(t,e)},
function(t,e){if...

!function(){
"use strict";
var t={18:function(t,e,o){
var r,n=this&&this.__extends||
(r=function(t,e){
return(r=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var o in
e)Object.prototype.hasOwnProperty.call(e,o)&&(t[o]=e[o])}(t,e)},
function(t,e){if...

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\la11y\semantic-enrich.is

Resumo: `!function(){
"use strict";
var t={433:function(t,e,r){
var n,i=this&&this.__extends||
(n=function(t,e){
return(n=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])}
(t,e)},function(t,e){i...`

`!function(){
"use strict";
var t={433:function(t,e,r){
var n,i=this&&this.__extends||
(n=function(t,e){
return`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\adaptors\liteDOM.js

Resumo: `!function(){“use strict”;var t,e,n,r,o,i,a,l,u={877:function(t,e,n){Object.defineProperty(e,“__esModule”,{value:!0}),e.LiteDocument=void 0;var r=n(946),o=function(){function t(){this.root=new r.LiteElement(“html”,{},[this.head=new r.LiteElement(“head”),this.body=new r.LiteElement(“body”)])},this.type...`

`!function(){“use strict”;var t,e,n,r,o,i,a,l,u={877:function(t,e,n){Object.defineProperty(e,“__esModule”,`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\core.is

Resumo: !function(){*"use strict";*var t,e,r,n,o,i,a,s,l,u,c,p,f,h,d,y,O,M,E,v,b,m,g,L,N,R,T,S,A,C,_,x,I,w,P,j,D,B,k,X,H,W,F,q,J,z,G,V,U,K,\$,Y,Z,Q,tt,et,rt,nt,ot,it,at,st,lt,ut,ct,pt,ft,ht,dt,yt,Ot,Mt,Et,vt,bt,m
t,gt,Lt={444:function(t,e,r){var
n,o=this&&this.__extends||(n=function(t,e){return(n=Object.setPrototypeOf

!function(){"use strict";*var t,e,r,n,o,i,a,s,l,u,c,p,f,h,d,y,O,M,E,v,b,m,g,L,N,R,T,S,A,C,_,x,I,w,P,j,D,B,*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\input\asciimath.is

Resumo: `!function(){var t={884:function(t,e,i){"use strict";var n,a=this&&this.__extends||(n=function on(t,e){return(n=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var i in e)Object.prototype.hasOwnProperty.call(e,i)&&(t[i]=e[i]))(t,e)},function(t,e){i...`

`!function(){var t={884:function(t,e,i){"use strict";var n,a=this&&this.__extends||(n=function(t,e){return`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\input\mml.is

Resumo: `!function(){
"use strict";
var t,e,r,a,o={236:function(t,e,r){
var a,o=this&&this.__extends||(
a=function(t,e){
return(a=Object.setPrototypeOf||({__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e})||function(t,e){
for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])})(t,e)},
functio...`

`!function(){
"use strict";
var t,e,r,a,o={236:function(t,e,r){
var a,o=this&&this.__extends||(
a=function(t,e){
return(a=Object.setPrototypeOf||({__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e})||function(t,e){
for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])})(t,e)},
functio...`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\mm\lenticle.s.is

```
Resumo: !function(){"use strict";var r={170:function(r,e,t){Object.defineProperty(e,"__esModule",{value:!0}),t(884).add({AElig:"\xc6",AMP:"&",Aacute:"\xc1",Abreve:"\u0102",Acirc:"\xc2",Acy:"\u0410",Agrave:"\xc0",Alpha:"\u0391",Amacr:"\u0100",And:"\u2a53",Aogon:"\u0104",Aring:"\xc5",Asign:"\u2254",Atilde:"\u00c3
```

```
!function(){ "use strict"; var r={170:function(r,e,t){Object.defineProperty(e,"__esModule",{value:!0}),t(88
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\mml\extensions\mml3.is

*Resumo: (function(){
"use strict";
var
__webpack_modules__={63:function(__unused_webpack_module,exports){function
createTransform(){var nodeRequire=eval("require"),dirname=eval("__dirname");try{nodeRequire
.resolve("saxon-js")}catch(e){throw Error("Saxon-js not found. Run the command:\n npm install
saxon-j...*

(function(){
"use strict";
var __webpack_modules__={63:function(__unused_webpack_module,exports){function c

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\mml\extensions\mml3.sef.ison

Resumo: {"N":"package","version":"10","packageVersion":"1","saxonVersion":"Saxon-JS 2.2","target":"JS","targetVersion":"2","name":"TOP-LEVEL","relocatable":"true","buildDateTime":"2021-05-15T07:04:31.151-04:00","ns":{"xml":"~ xsl":"~ m=http://www.w3.org/1998/Math/MathML c=http://exslt.org/common","C":{"N":"co",...

{"N":"package","version":"10","packageVersion":"1","saxonVersion":"Saxon-JS 2.2","target":"JS","targetVer:

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\input\tex-base.is

Resumo: !function(){*"use strict";var t={205:function(t,e,r){var n,o=this&&this.__extends||(n=function(t,e){return(n=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var r in e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r]))(t,e)},function(t,e){i...*

!function(){"use strict";var t={205:function(t,e,r){var n,o=this&&this.__extends||(n=function(t,e){return**

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathjax\input\tex-full.is

Resumo: `!function(){"use strict";var t={7205:function(t,e,r){var n,o=this&&this.__extends||(n=function(t,e){return(n=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var r in e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r]))(t,e)},function(t,e){...`

`!function(){"use strict";var t={7205:function(t,e,r){var n,o=this&&this.__extends||(n=function(t,e){return`
`/*!`

`*****`

`*`

`* mhchemParser.ts`

`* 4.1.0`

`*`

`* Parser for the \ce command and \pu command for MathJax and Co.`

`*`

`* mhchem's \ce is a tool for writing beautiful chemical equations easily.`

`* mhchem's \pu is a tool for writing physical units easily.`

`*`

`* -----`

`*`

`* Copyright (c) 2015-2021 Martin Hensel`

`*`

`* Licensed under the Apache License, Version 2.0 (the "License");`

`* you may not use this file except in compliance with the License.`

`* You may obtain a copy of the License at`

`*`

`* http://www.apache.org/licenses/LICENSE-2.0`

`*`

`* Unless required by applicable law or agreed to in writing, software`

`* distributed under the License is distributed on an "AS IS" BASIS,`

`* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.`

`* See the License for the specific language governing permissions and`

`* limitations under the License.`

`*`

`* -----`

`*`

`* https://github.com/mhchem/mhchemParser`

*

*/

Object.defineProperty(e,"__esModule",{value:!0}),e.mhchemParser=void 0;var r=function(){function t(){}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\input\tex.is

Resumo: !function(){*"use strict";*var t={7205:function(t,e,r){var n,a=this&&this.__extends||(n=function(t,e){return(n=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var r in e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r]))(t,e)},function(t,e){...

!function(){"use strict";*var t={7205:function(t,e,r){var n,a=this&&this.__extends||(n=function(t,e){return*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\action.is

*Resumo: !function(){
"use strict";
var t,a,o={669:function(t,a,o){Object.defineProperty(a,"__esModule",{value:!0}),a.ActionConfiguration=a.ActionMethods=void 0;
var e=o(251),n=o(193),i=o(871),r=o(360);
a.ActionMethods={},a.ActionMethods.Macro=r.default.Macro,a.ActionMethods.Toggle=function(t,a){for(var o,e=[];"...*

*!function(){
"use strict";
var t,a,o={669:function(t,a,o){Object.defineProperty(a,"__esModule",{value:!0}),*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\all-packages.is

```
Resumo: !function(){"use strict";var
t={7375:function(t,e,r){Object.defineProperty(e,"__esModule",{value:!0}),e.AllPackages=void 0,r(
2379),r(669),r(2577),r(6769),r(2133),r(2986),r(8243),r(6333),r(5774),r(7530),r(2286),r(2224),r(78
88),r(4558),r(6359),r(2079),r(4272),r(3646),r(2082),r(1738),r(205),r(7078),r(2...
```

```
!function(){"use strict";var t={7375:function(t,e,r){Object.defineProperty(e,"__esModule",{value:!0}),e.A
/*!
```

```
*****
```

```
*
```

```
* mhchemParser.ts
```

```
* 4.1.0
```

```
*
```

```
* Parser for the \ce command and \pu command for MathJax and Co.
```

```
*
```

```
* mhchem's \ce is a tool for writing beautiful chemical equations easily.
```

```
* mhchem's \pu is a tool for writing physical units easily.
```

```
*
```

```
* -----
```

```
*
```

```
* Copyright (c) 2015-2021 Martin Hensel
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*
```

```
* -----
```

```
*
```

* <https://github.com/mhchem/mhchemParser>

*

*/

Object.defineProperty(e,"__esModule",{value:!0}),e.mhchemParser=void 0;var r=function(){function t(){return

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\lams.is

Resumo: !function(){
"use strict";
var t,e,a,r,n={577:function(t,e,a){
var r,n,i=this&&this.__extends||(
r=function(t,e){
return(r=Object.setPrototypeOf||{__proto__:[]}
instanceof Array&&function(t,e){
t.__proto__=e}
||function(t,e){
for(var a in e)Object.prototype.hasOwnProperty.call(e,a)&&(t[a]=e[a]))(t,e)},
funct...

!function(){
"use strict";
var t,e,a,r,n={577:function(t,e,a){
var r,n,i=this&&this.__extends||(
r=function(t,e){
return(r=Object.setPrototypeOf||{__proto__:[]}
instanceof Array&&function(t,e){
t.__proto__=e}
||function(t,e){
for(var a in e)Object.prototype.hasOwnProperty.call(e,a)&&(t[a]=e[a]))(t,e)},
funct...

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\amscd.is

Resumo: `!function(){
"use strict";
var e,t,a,o={769:function(e,t,a){Object.defineProperty(t,"__esModule",{value:!0}),t.AmsCdConfiguration=void 0;var o=a(251);a(704),t.AmsCdConfiguration=o.Configuration.create("amscd",{handler:{character:["amscd_special"],macro:["amscd_macros"],environment:["amscd_environment"]...`

`!function(){
"use strict";
var e,t,a,o={769:function(e,t,a){Object.defineProperty(t,"__esModule",{value:!0}`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\autoload.is

Resumo: !function(){
"use strict";
var t,e,a={275:function(t,e,a){
var o=this&&this.__read||function(t,e){
var a="function"===typeof
Symbol&&t[Symbol.iterator];
if(!a)return t;
var o,r,n=a.call(t),i=[];
try{for(;;void 0===e||e-->0)&&!(o=n.next()).done;)
i.push(o.value)}
catch(t){r={error:t}}
finally{try{o&&!o.done&&(...

!function(){
"use strict";
var t,e,a={275:function(t,e,a){
var o=this&&this.__read||function(t,e){
var a="fun

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\bbox.is

Resumo: `!function(){
"use strict";
var t,a,e={133:function(t,a,e){Object.defineProperty(a,"__esModule",{value:!0}),a.BboxConfiguration=a.BboxMethods=void 0;
var o=e(251),n=e(871),i=e(402);a.BboxMethods={},a.BboxMethods.BBox=function(t,a){for(var e,o,n,u=t.GetBrackets(a,""),l=t.ParseArg(a),x=u.split(/,/),M=0,c=...`

`!function(){
"use strict";
var t,a,e={133:function(t,a,e){Object.defineProperty(a,"__esModule",{value:!0}),a`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\boldsymbol.is

Resumo: !function(){*"use strict"*;var t,a,o={986:function(t,a,o){var e=this&&this.__values||function(t){var a="function"==typeof Symbol&&Symbol.iterator,o=a&&t[a],e=0;if(o)return o.call(t);if(t&&"number"==typeof t.length)return{next:function(){return t&&e<=t.length&&(t=void 0),{value:t&&t[e++],done:!t}}};thr...

!function(){"use strict"*;var t,a,o={986:function(t,a,o){var e=this&&this.__values||function(t){var a="fun*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\braket.is

Resumo: `!function(){
"use strict";
var e,t,a,r,o={243:function(e,t,a){
var r;Object.defineProperty(t,"__esModule",{value:!0}),t.BraketConfiguration=void 0;
var o=a(251),n=a(519);
a(299),t.BraketConfiguration=o.Configuration.create("braket",{
handler:{character:["Braket-characters"],macro:["Braket-macros"]},
items:...`

`!function(){
"use strict";
var e,t,a,r,o={243:function(e,t,a){
var r;Object.defineProperty(t,"__esModule",{value:!0}),t.BraketConfiguration=void 0;
var o=a(251),n=a(519);
a(299),t.BraketConfiguration=o.Configuration.create("braket",{
handler:{character:["Braket-characters"],macro:["Braket-macros"]},
items:...`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\bussproofs.is

*Resumo: !function(){
"use strict";
var e,t,r,o,n,a={333:function(e,t,r){
var o;Object.defineProperty(t,"__esModule",{value:!0}),t.BussproofsConfiguration=void 0;
var n=r(251),a=r(854),i=r(378);r(116),t.BussproofsConfiguration=n.Configuration.create("bussproofs",{
handler:{macro:["Bussproofs-macros"],environment:...*

*!function(){
"use strict";
var e,t,r,o,n,a={333:function(e,t,r){
var o;Object.defineProperty(t,"__esModule",*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\cancel.is

Resumo: !function(){ "use strict"; var t, a, e = { 774: function(t, a, e) { Object.defineProperty(a, "__esModule", { value: !0 }); a.CancelConfiguration = a.CancelMethods = void 0; var n = e(251), o = e(108), i = e(871), c = e(398), r = e(975); a.CancelMethods = {}, a.CancelMethods.Cancel = function(t, a, e) { var n = t.GetBrackets(a, ""), o = t.ParseArg(a), i = ...

!function(){ "use strict"; var t, a, e = { 774: function(t, a, e) { Object.defineProperty(a, "__esModule", { value: !0 }); a

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\centernot.is

Resumo: !function(){
"use strict";
var e,t,a={286:function(e,t,a){
var n=this&&this.__values||function(e){
var t="function"===typeof
Symbol&&Symbol.iterator,a=t&&e[t],n=0;
if(a)return a.call(e);
if(e&&"number"===typeof
e.length)return{
next:function(){
return e&&n<=e.length&&(e=void
0),{value:e&&e[n++],done:!e}}};
thr...

!function(){
"use strict";
var e,t,a={286:function(e,t,a){
var n=this&&this.__values||function(e){
var t="fun

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\color.is

Resumo: !function(){ "use strict"; var e,o,t,r,a,n={224:function(e,o,t){Object.defineProperty(o,"__esModule",{value:!0}),o.ColorConfiguration=void 0; var r=t(871),a=t(251),n=t(162),l=t(358); new r.CommandMap("color",{color:"Color",textcolor:"TextColor",definecolor:"DefineColor",colorbox:"ColorBox",fcolorbox:"FC...

!function(){ "use strict"; var e,o,t,r,a,n={224:function(e,o,t){Object.defineProperty(o,"__esModule",{value

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\colortbl.is

Resumo: !function(){*"use strict"*;var t,e,a={558:function(t,e,a){var o,n=this&&this.__extends||(o=function(t,e){return(o=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var a in e)Object.prototype.hasOwnProperty.call(e,a)&&(t[a]=e[a])})(t,e)},function(t,...

!function(){*"use strict"*;var t,e,a={558:function(t,e,a){var o,n=this&&this.__extends||(o=function(t,e){re

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\colorv2.is

Resumo: !function(){*"use strict"*;var o,a,t={888:function(o,a,t){Object.defineProperty(a,"__esModule",{value:!0}),a.ColorConfiguration=a.ColorV2Methods=void 0;var n=t(871),e=t(251);a.ColorV2Methods={Color:function(o,a){var t=o.GetArgument(a),n=o.stack.env.color;o.stack.env.color=t;var e=o.ParseArg(a);n?o.sta...

!function(){"use strict"*;var o,a,t={888:function(o,a,t){Object.defineProperty(a,"__esModule",{value:!0}),a*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\confiamacros.is

Resumo: `!function(){
"use strict";
var t,a,e={359:function(t,a,e){
var
n,o=this&&this.__values||function(t){
var a="function"===typeof
Symbol&&Symbol.iterator,e=a&&t[a],n=0;
if(e)return e.call(t);
if(t&&"number"===typeof
t.length)return{
next:function(){
return t&&n<=t.length&&(t=void 0),
{value:t&&t[n++],done:!t}};
t...`

`!function(){
"use strict";
var t,a,e={359:function(t,a,e){
var n,o=this&&this.__values||function(t){
var a="f`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\enclose.is

Resumo: `!function(){
"use strict";
var a,t,e={272:function(a,t,e){Object.defineProperty(t,"__esModule",{value:!0}),t.EncloseConfiguration=t.EncloseMethods=t.ENCLOSE_OPTIONS=void 0;var o=e(251),n=e(871),r=e(398);t.ENCLOSE_OPTIONS={"data-arrowhead":1,color:1,mathcolor:1,background:1,mathbackground:1,"data-paddi...`

`!function(){
"use strict";
var a,t,e={272:function(a,t,e){Object.defineProperty(t,"__esModule",{value:!0}),`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\extpfeil.is

*Resumo: !function(){
"use strict";
var t,e,a={646:function(t,e,a){
Object.defineProperty(e,"__esModule",{value:!0});
e.ExtpfeilConfiguration=e.ExtpfeilMethods=void 0;
var o=a(251),n=a(871),r=a(939),i=a(892),u=a(417),x=a(402);
e.ExtpfeilMethods={},e.ExtpfeilMethods.xArrow=r.AmsMethods.xArrow,e.ExtpfeilMethods.NewE...*

*!function(){
"use strict";
var t,e,a={646:function(t,e,a){
Object.defineProperty(e,"__esModule",{value:!0});*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\laensymb.is

Resumo: !function(){*"use strict"*;var a,t,n={82:function(a,t,n){Object.defineProperty(t,"__esModule",{value:!0}),t.GensymbConfiguration=void 0;var e=n(251),o=n(108);new(n(871).CharacterMap)("gensymb-symbols",(function(a,t){var n=t.attributes||{};n.mathvariant=o.TextConstant.Variant.NORMAL,n.class="MathML-Unit...

!function(){"use strict"*;var a,t,n={82:function(a,t,n){Object.defineProperty(t,"__esModule",{value:!0}),t*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\html.is

Resumo: `!function(){
"use strict";
var t,a,e,n={738:function(t,a,e){
Object.defineProperty(a,"__esModule",{value:!0});
a.HtmlConfiguration=void 0;
var n=e(251),r=e(871),o=e(248);
new r.CommandMap("html_macros",{href:"Href",class:"Class",style:"Style",cssId:"Id"},o.default),
a.HtmlConfiguration=n.Configuration.create...`

`!function(){
"use strict";
var t,a,e,n={738:function(t,a,e){
Object.defineProperty(a,"__esModule",{value:!0}`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\mathtools.is

Resumo: !function(){*"use strict"*;var t,e,a,r,o,n,l={205:function(t,e,a){var r,o=this&&this.__values||function(t){var e="function"==typeof Symbol&&Symbol.iterator,a=e&&t[e],r=0;if(a)return a.call(t);if(t&&"number"==typeof t.length)return{next:function(){return t&&r<=t.length&&(t=void 0),{value:t&&t[r++],done...

!function(){"use strict"*;var t,e,a,r,o,n,l={205:function(t,e,a){var r,o=this&&this.__values||function(t){*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-dos\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\mhchem.is

```
Resumo: !function(){"use strict";var t,e,o={78:function(t,e,o){Object.defineProperty(e,"__esModule",{value:!0}),e.MhchemConfiguration=void 0;var n=o(251),a=o(871),r=o(402),i=o(360),p=o(939),c=o(652),u={};u.Macro=i.default.Macro,u.xArrow=p.AmsMethods.xArrow,u.Machine=function(t,e,o){try{var n=t.GetArgument(e...
```

```
!function(){"use strict";var t,e,o={78:function(t,e,o){Object.defineProperty(e,"__esModule",{value:!0}),e
/*!
```

```
*****
```

```
*
```

```
* mhchemParser.ts
```

```
* 4.1.0
```

```
*
```

```
* Parser for the \ce command and \pu command for MathJax and Co.
```

```
*
```

```
* mhchem's \ce is a tool for writing beautiful chemical equations easily.
```

```
* mhchem's \pu is a tool for writing physical units easily.
```

```
*
```

```
* -----
```

```
*
```

```
* Copyright (c) 2015-2021 Martin Hensel
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*
```

```
* -----
```

```
*
```

* <https://github.com/mhchem/mhchemParser>

*

*/

Object.defineProperty(e,"__esModule",{value:!0}),e.mhchemParser=void 0;var o=function(){function t(){return

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\newcommand.is

Resumo: `!function(){
"use strict";
var e,t,a,n,r,i={48:function(e,t,a){
var n;Object.defineProperty(t,"__esModule",{value:!0}),t.NewcommandConfiguration=void 0;
var r=a(251),i=a(205),o=a(406);a(297);var u=a(945),l=a(871);t.NewcommandConfiguration=r.Configuration.create("newcommand",{
handler:{macro:["Newcommand-...`

`!function(){
"use strict";
var e,t,a,n,r,i={48:function(e,t,a){
var n;Object.defineProperty(t,"__esModule",{`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\noerrors.is

Resumo: `!function(){
"use strict";
var o,n,r={634:function(o,n,r){
Object.defineProperty(n,"__esModule",{value:!0});
n.NoErrorsConfiguration=void 0;
var t=r(251);
n.NoErrorsConfiguration=t.Configuration.create("noerrors",{
nodes:{
error:function(o,n,r,t){
var e=o.create("token","mtext",{t.replace(/n/g," ")});
return...`

`!function(){
"use strict";
var o,n,r={634:function(o,n,r){
Object.defineProperty(n,"__esModule",{value:!0});`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\nonundefined.is

*Resumo: !function(){
"use strict";var n,o,t={999:function(n,o,t){var
e=this&&this.__values||function(n){var o="function"===typeof
Symbol&&Symbol.iterator,t=o&&n[o],e=0;if(t)return t.call(n);if(n&&"number"===typeof
n.length)return{next:function(){return n&&e>=n.length&&(n=void
0),{value:n&&n[e++],done:!n}}};thr...*

*!function(){
"use strict";var n,o,t={999:function(n,o,t){var e=this&&this.__values||function(n){var o="fun*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\physics.is

Resumo: `!function(){
"use strict";
var t,e,a,r,n={996:function(t,e,a){
var r;Object.defineProperty(e,"__esModule",{value:!0}),e.PhysicsConfiguration=void 0;
var n=a(251),i=a(855);a(842),e.PhysicsConfiguration=n.Configuration.create("physics",{
handler:{macro:["Physics-automatic-bracing-macros","Physics-vector-ma...`

`!function(){
"use strict";
var t,e,a,r,n={996:function(t,e,a){
var r;Object.defineProperty(e,"__esModule",{value:!0}),e.PhysicsConfiguration=void 0;
var n=a(251),i=a(855);a(842),e.PhysicsConfiguration=n.Configuration.create("physics",{
handler:{macro:["Physics-automatic-bracing-macros","Physics-vector-ma...`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\require.is

*Resumo: !function(){
"use strict";
var e,t,a={778:function(e,t,a){
var o=this&&this.__values||function(e){
var t="function"==typeof
Symbol&&Symbol.iterator,a=t&&e[t],o=0;
if(a)return a.call(e);
if(e&&"number"==typeof
e.length)return{
next:function(){
return e&&o<=e.length&&(e=void
0),{value:e&&e[o++],done:!e}}};
thr...*

*!function(){
"use strict";
var e,t,a={778:function(e,t,a){
var o=this&&this.__values||function(e){
var t="fun*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\setoptions.is

Resumo: !function(){*"use strict"*;var t,e,a={596:function(t,e,a){var

o=this&&this.__values||function(t){var e="function"==typeof

Symbol&&Symbol.iterator,a=e&&t[e],o=0;if(a)return a.call(t);if(t&&"number"==typeof

t.length)return{next:function(){return t&&o>=t.length&&(t=void 0),{value:t&&t[o++],done:!t}}};thr...

!function(){"use strict"*;var t,e,a={596:function(t,e,a){var o=this&&this.__values||function(t){var e="fun*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\tadformat.is

Resumo: !function(){
"use strict";
var t,o,n={941:function(t,o,n){
var a,r=this&&this.__extends||(a=function(t,o){
return(a=Object.setPrototypeOf||{__proto__:[]}
instanceof Array&&function(t,o){t.__proto__=o}
||function(t,o){for(var n in o)Object.prototype.hasOwnProperty.call(o,n)&&(t[n]=o[n])})(t,o)},
function(t,...

!function(){
"use strict";
var t,o,n={941:function(t,o,n){
var a,r=this&&this.__extends||(a=function(t,o){re

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\texcomp.is

Resumo: `!function(){
"use strict";
var t,e,n={845:function(t,e,n){Object.defineProperty(e,"__esModule",{value:!0}),e.TextcompConfiguration=void 0;var r=n(251);n(832),e.TextcompConfiguration=r.Configuration.create("textcomp",{handler:{macro:["textcomp-macros"]}})},832:function(t,e,n){Object.defineProperty(e,"__...`

`!function(){
"use strict";
var t,e,n={845:function(t,e,n){Object.defineProperty(e,"__esModule",{value:!0}),`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\texmacros.is

Resumo: `!function(){
"use strict";
var t,e,a,n,o={762:function(t,e,a){
var n;Object.defineProperty(e,"__esModule",{value:!0}),
e.TextMacrosConfiguration=e.TextBaseConfiguration=void 0;
var o=a(251),r=a(278),s=a(680),i=a(935),c=a(787),l=a(807);
function u(t,e,a,n){
var o=t.configuration.packageData.get("texmacros")...`

`!function(){
"use strict";
var t,e,a,n,o={762:function(t,e,a){
var n;Object.defineProperty(e,"__esModule",{value:!0}),
e.TextMacrosConfiguration=e.TextBaseConfiguration=void 0;
var o=a(251),r=a(278),s=a(680),i=a(935),c=a(787),l=a(807);
function u(t,e,a,n){
var o=t.configuration.packageData.get("texmacros")...`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\unicode.is

Resumo: !function(){ "use strict"; var t,e,a={376:function(t,e,a){Object.defineProperty(e,"__esModule",{value:!0}),e.UnicodeConfiguration=e.UnicodeMethods=void 0;var n=a(251),o=a(402),i=a(871),r=a(398),u=a(748),l=a(992);e.UnicodeMethods={},var c={};e.UnicodeMethods.Unicode=function(t,e){var a=t.GetBrackets(e)...

!function(){ "use strict"; var t,e,a={376:function(t,e,a){Object.defineProperty(e,"__esModule",{value:!0}),

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\upgreek.js

Resumo: !function(){*"use strict"*;var a,t,p={927:function(a,t,p){Object.defineProperty(t,"__esModule",{value:!0}),t.UpgreekConfiguration=void 0;var e=p(251),n=p(871),o=p(108);new n.CharacterMap("upgreek",(function(a,t){var p=t.attributes||{};p.mathvariant=o.TextConstant.Variant.NORMAL;var e=a.create("token","...

!function(){"use strict"*;var a,t,p={927:function(a,t,p){Object.defineProperty(t,"__esModule",{value:!0}),*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\input\tex\extensions\verb.is

Resumo: `!function(){
"use strict";
var t,a,e={768:function(t,a,e){
Object.defineProperty(a,"__esModule",{value:!0});
a.VerbConfiguration=a.VerbMethods=void 0;
var n=e(251),o=e(108),r=e(871),i=e(402);
a.VerbMethods={},a.VerbMethods.Verb=function(t,a){
var e=t.GetNext(),n=++t.i;
if(""===e)throw new i.default("Missing...");
return e;
}};
!function(){
"use strict";
var t,a,e={768:function(t,a,e){
Object.defineProperty(a,"__esModule",{value:!0});
a.VerbConfiguration=a.VerbMethods=void 0;
var n=e(251),o=e(108),r=e(871),i=e(402);
a.VerbMethods={},a.VerbMethods.Verb=function(t,a){
var e=t.GetNext(),n=++t.i;
if(""===e)throw new i.default("Missing...");
return e;
}};
}`

`!function(){
"use strict";
var t,a,e={768:function(t,a,e){
Object.defineProperty(a,"__esModule",{value:!0});
a.VerbConfiguration=a.VerbMethods=void 0;
var n=e(251),o=e(108),r=e(871),i=e(402);
a.VerbMethods={},a.VerbMethods.Verb=function(t,a){
var e=t.GetNext(),n=++t.i;
if(""===e)throw new i.default("Missing...");
return e;
}};
!function(){
"use strict";
var t,a,e={768:function(t,a,e){
Object.defineProperty(a,"__esModule",{value:!0});
a.VerbConfiguration=a.VerbMethods=void 0;
var n=e(251),o=e(108),r=e(871),i=e(402);
a.VerbMethods={},a.VerbMethods.Verb=function(t,a){
var e=t.GetNext(),n=++t.i;
if(""===e)throw new i.default("Missing...");
return e;
}};
}`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\latest.is

Resumo: `!function(){
"use strict";
var t={907:function(t,e){
var r=this&&this.__values||function(t){
var e="function"==typeof Symbol&&Symbol.iterator,r=e&&t[e],a=0;
if(r)return r.call(t);
if(t&&"number"==typeof t.length)return{
next:function(){
return t&&a<=t.length&&(t=void 0),{
value:t&&t[a++],done:!t}}};
throw new...`

`!function(){
"use strict";
var t={907:function(t,e){
var r=this&&this.__values||function(t){
var e="function"`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\loader.is

Resumo: !function(){ "use strict"; var e={515:function(e,t,r){var n=this&&this.__values||function(e){var t="function"===typeof Symbol&&Symbol.iterator,r=t&&e[t],n=0;if(r)return r.call(e);if(e&&"number"===typeof e.length)return{next:function(){return e&&n<=e.length&&(e=void 0),{value:e&&e[n++],done:!e}}};throw n...

`!function(){ "use strict"; var e={515:function(e,t,r){var n=this&&this.__values||function(e){var t="function"`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\mml-cthtml.is

Resumo: `!function(){
"use strict";
var t={351:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return(n=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])}
(t,e)},function(t,e){i...`

`!function(){
"use strict";
var t={351:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\mml-svg.is

Resumo: `!function(){
"use strict";
var Q={351:function(Q,t,T){
var e,r=this&&this.__extends||
(e=function(Q,t){
return(e=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(Q,t){
Q.__proto__=t}
||function(Q,t){
for(var T in
t)Object.prototype.hasOwnProperty.call(t,T)&&
(Q[T]=t[T])}(Q,t)},
function(Q,t){i...`

`!function(){
"use strict";
var Q={351:function(Q,t,T){
var e,r=this&&this.__extends||
(e=function(Q,t){
return`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\node-main.is

Resumo: (function(){
"use strict";
var __webpack_modules__={444:function(t,e,r){
var n,o=this&&t
his.__extends||(n=function(t,e){
return(n=Object.setPrototypeOf||{__proto__:[]}
instanceof
Array&&function(t,e){t.__proto__=e}
||function(t,e){for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])})
(t,e...
}

(function(){
"use strict";
var __webpack_modules__={444:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return(n=Object.setPrototypeOf||{__proto__:[]}
instanceof
Array&&function(t,e){t.__proto__=e}
||function(t,e){for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])
)
(t,e...
}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\outout\html.is

Resumo: !function(){
"use strict";
var t,e,r,o,n,i,a,s,l,h,c,u,p,d,f,m,y,v,b,x,g,M,_w,C,j,S,O,T,L,B,P,H,A,k,N,E,D,W,R,I,F,J,V,z,U,X,K,q,Q,G,Y,Z,\$,tt,et,rt,ot,nt,it,at,st,lt,ht,ct,ut={7016:function(t,e,r){
var o,n=this&&this.__extends||(o=function(t,e){return(o=Object.setPrototypeOf({__proto__:[]})instanceof A...

!function(){
"use strict";
var t,e,r,o,n,i,a,s,l,h,c,u,p,d,f,m,y,v,b,x,g,M,_w,C,j,S,O,T,L,B,P,H,A,k,N,E,D,W,R,I,F,J,V,z,U,X,K,q,Q,G,Y,Z,\$,tt,et,rt,ot,nt,it,at,st,lt,ht,ct,ut={7016:function(t,e,r){
var o,n=this&&this.__extends||(o=function(t,e){return(o=Object.setPrototypeOf({__proto__:[]})instanceof A...

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\output\html\font\stex.is

Resumo: !function(){*"use strict"*;var c={2308:function(c,f,i){var t,e=this&&this.__extends||(t=function on(c,f){return(t=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(c,f){c.__proto__=f}||function(c,f){for(var i in f)Object.prototype.hasOwnProperty.call(f,i)&&(c[i]=f[i]))}(c,f)},function(c,f){...

!function(){"use strict"*;var c={2308:function(c,f,i){var t,e=this&&this.__extends||(t=function(c,f){return*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\output\sva.is

Resumo: !function(){*"use strict";*var t,e,r,o,n,i,a,s,l,c,h,u,p,d,f,y,m,v,g,b,x,_,M,w,S,O,C,B,j,P,V,A,T,k,G,N,L,D,W,E,R,I,F,H,J,X,z,q,K,U,Q,Y,Z,\$,tt,et,rt,ot,nt,it,at,st,lt,ct,ht,ut,pt,dt={9250:function(t,e,r){var o=this&&this.__assign||function(){return(o=Object.assign)||function(t){for(var e,r=1,o=arguments...

!function(){*"use strict";*var t,e,r,o,n,i,a,s,l,c,h,u,p,d,f,y,m,v,g,b,x,_,M,w,S,O,C,B,j,P,V,A,T,k,G,N,L,D,

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\output\svg\fonts\tex.is

Resumo: !function(){*"use strict"*;var Q={2176:function(Q,T){var L,H=this&&this.__extends||(L=function(Q,T){return(L=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(Q,T){Q.__proto__=T}||function(Q,T){for(var L in T)Object.prototype.hasOwnProperty.call(T,L)&&(Q[L]=T[L]))(Q,T)},function(Q,T){if...

!function(){"use strict"*;var Q={2176:function(Q,T){var L,H=this&&this.__extends||(L=function(Q,T){return(*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\mathmaps\de.js

```
Resumo: { "de/si/prefixes.js": [{ "Y": "Yotta", "Z": "Zetta", "E": "Exa", "P": "Peta", "T": "Tera", "G": "Giga", "M": "Mega", "k": "Kilo", "h": "Hekto", "da": "Deka", "d": "Dezi", "c": "Zenti", "m": "Milli", "μ": "Mikro", "μ": "Mikro", "n": "Nano", "p": "Piko", "f": "Femto", "a": "Atto", "z": "Zepto", "y": "Yokto"}] ,  
"de/functions/algebra.js"...
```

```
{
  "de/si/prefixes.js":
    [{"Y":"Yotta","Z":"Zetta","E":"Exa","P":"Peta","T":"Tera","G":"Giga","M":"Mega","k":"Kilo","h":"Hekto","da":
      ,
    "de/functions/algebra.js":
      [{"locale":"de"}, {"category":"Algebra", "mappings":{"default":{"default":"Grad"}}, "key":"deg", "names":["deg"]
        ,
      "de/functions/elementary.js":
        [{"locale":"de"}, {"key":"log", "mappings":{"default":{"default":"Logarithmus"}}, "category":"Logarithm", "na
          ,
        "de/functions/hyperbolic.js":
          [{"locale":"de"}, {"key":"cosh", "mappings":{"default":{"default":"Kosinus hyperbolicus"}}, "category":"Hyper
            ,
          "de/functions/trigonometry.js":
            [{"locale":"de"}, {"key":"cos", "mappings":{"default":{"default":"Kosinus"}}, "category":"Trigonometric", "na
              ,
            "de/symbols/digits_rest.js":
              [{"locale":"de"}, {"key":"00B2", "mappings":{"default":{"default":"Quadrat"},"clearspeak":{"Exponent_Exponer
                ,
              "de/symbols/greek_rest.js":
                [{"locale":"de"}, {"key":"0394", "mappings":{"clearspeak":{"default":"Dreieck","TriangleSymbol_Delta":"groß
                  ,
                "de/symbols/greek-scripts.js":
                  [{"locale":"de"}, {"category":"Ll", "key":"1D26", "mappings":{"default":{"default":"Kapitälchen Gamma"}}}, {"c
                    ,
                  "de/symbols/greek-symbols.js":
                    [{"locale":"de"}, {"category":"Ll", "key":"03D0", "mappings":{"default":{"default":"beta"}}}, {"category":"LL
                      ,
                    "de/symbols/hebrew_letters.js":
                      [{"locale":"de"}, {"category":"Lo", "key":"2135", "mappings":{"default":{"default":"Alef-Symbol"}}}, {"categ
```

[illegible]

```
[{"locale":"de"}, {"category":"So", "key":"21BC", "mappings":{"default":{"default":"Linke Harpune mit Barb n"},
,
"de/symbols/math_non_characters.js":
[{"locale":"de"}, {"category":"Ll", "key":"210F", "mappings":{"default":{"default":"Planck-Konstante über zw"},
,
"de/symbols/math_symbols.js":
[{"locale":"de"}, {"key":"0021", "mappings":{"default":{"default":"Fakultät"}}, {"category":"Po"}, {"key":"002"},
,
"de/symbols/math_whitespace.js":
[{"locale":"de"}, {"category":"Zs", "key":"0020", "mappings":{"default":{"default":"Leerzeichen"}}, {"key":"0"},
,
"de/symbols/other_stars.js":
[{"locale":"de"}, {"category":"So", "key":"23E8", "mappings":{"default":{"default":"Dezimalexponentensymbol"},
,
"de/units/area.js":
[{"locale":"de"}, {"category":"area", "mappings":{"default":{"default":"Quadrat"}}, {"key":"sq", "names":["sq"},
,
"de/units/currency.js":
[{"locale":"de"}, {"locale":"de"}, {"key":"$", "mappings":{"default":{"default":"Dollar"}}, {"category":"curren"},
,
"de/units/energy.js":
[{"locale":"de"}, {"key":"W", "si":true, "mappings":{"default":{"default":"Watt"}}, {"category":"energy", "names"},
,
"de/units/length.js":
[{"locale":"de"}, {"key":"m", "si":true, "mappings":{"default":{"default":"Meter"}}, {"category":"length", "nam"},
,
"de/units/memory.js":
[{"locale":"de"}, {"key":"b", "mappings":{"default":{"plural":"Bits", "default":"Bit"}}, {"category":"memory", "n"},
,
"de/units/other.js":
[{"locale":"de"}, {"category":"other", "mappings":{"default":{"default":"Dutzend"}}, {"key":"doz", "names":["d"},
,
"de/units/speed.js":
[{"locale":"de"}, {"category":"speed", "mappings":{"default":{"default":"Knoten"}}, {"key":"kt", "names":["kt"},
,
```

```

"de/units/temperature.js":
[{"locale":"de"}, {"key":"F", "mappings":{"default":{"default":"Grad Fahrenheit"}}, "category":"temperature"
,
"de/units/time.js":
[{"locale":"de"}, {"category":"time", "si":true, "mappings":{"default":{"default":"Sekunde", "plural":"Sekunde"
,
"de/units/volume.js":
[{"locale":"de"}, {"category":"volume", "mappings":{"default":{"default":"Kubik"}}, "key":"cu", "names":["cu"
,
"de/units/weight.js":
[{"locale":"de"}, {"key":"lb", "mappings":{"default":{"default":"Pfund"}}, "category":"weight", "names":["lb"
,
"de/rules/clearspeak_german.js":
{"locale":"de", "domain":"clearspeak", "modality":"speech", "rules":[["Rule", "collapsed", "default", "[n] . (en
,
"de/rules/mathspeak_german.js":
{"locale":"de", "domain":"mathspeak", "modality":"speech", "rules":[["Rule", "collapsed", "default", "[n] . (en
,
"de/rules/prefix_german.js":
{"modality":"prefix", "locale":"de", "domain":"default", "rules":[["Rule", "numerator", "default", "[t] \"Zähler
,
"de/rules/summary_german.js":
{"modality":"summary", "locale":"de", "rules":[["Rule", "abstr-identifier", "default.default", "[t] \"langer B
}

```

Resumo: { "en/si/prefixes.js": [{"Y": "yotta", "Z": "zetta", "E": "exa", "P": "peta", "T": "tera", "G": "giga", "M": "mega", "K": "kilo", "h": "hecto", "da": "deka", "d": "deci", "c": "centi", "m": "milli", "μ": "micro", "μ": "micro", "n": "nano", "p": "pico", "f": "femto", "a": "atto", "z": "zepto", "y": "yocto"}], "en/functions/algebra.js"...

```
{
  "en/si/prefixes.js":
    [
      {
        "Y": "yotta",
        "Z": "zetta",
        "E": "exa",
        "P": "peta",
        "T": "tera",
        "G": "giga",
        "M": "mega",
        "k": "kilo",
        "h": "hecto",
        "da": "deca"
      }
    ],
  "en/functions/algebra.js":
    [
      {
        "locale": "en",
        "category": "Algebra",
        "mappings": {
          "default": {
            "default": "degree"
          }
        },
        "key": "deg",
        "names": [
          "degree"
        ]
      }
    ],
  "en/functions/elementary.js":
    [
      {
        "locale": "en",
        "category": "Logarithm",
        "mappings": {
          "default": {
            "default": "log"
          }
        },
        "key": "log",
        "names": [
          "logarithm"
        ]
      }
    ],
  "en/functions/hyperbolic.js":
    [
      {
        "locale": "en",
        "category": "Hyperbolic",
        "mappings": {
          "default": {
            "default": "hyperbolic cosine"
          }
        },
        "key": "cosh",
        "names": [
          "hyperbolic cosine"
        ]
      }
    ],
  "en/functions/trigonometry.js":
    [
      {
        "locale": "en",
        "category": "Trigonometric",
        "mappings": {
          "default": {
            "default": "cosine"
          }
        },
        "key": "cos",
        "names": [
          "cosine"
        ]
      }
    ],
  "en/symbols/digits_rest.js":
    [
      {
        "locale": "en",
        "category": "No",
        "mappings": {
          "default": {
            "default": "squared"
          }
        },
        "mathspeak": {
          "default": "squared"
        }
      }
    ],
  "en/symbols/greek_rest.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "0394",
        "mappings": {
          "clearspeak": {
            "default": "triangle"
          }
        },
        "names": [
          "triangle symbol"
        ]
      }
    ],
  "en/symbols/greek-scripts.js":
    [
      {
        "locale": "en",
        "category": "Ll",
        "key": "1D26",
        "mappings": {
          "default": {
            "default": "small cap Gamma"
          }
        },
        "mathspeak": {
          "default": "small cap Gamma"
        }
      }
    ],
  "en/symbols/greek-symbols.js":
    [
      {
        "locale": "en",
        "category": "Ll",
        "mappings": {
          "default": {
            "default": "beta"
          }
        },
        "key": "03D0",
        "category": "Ll",
        "names": [
          "beta symbol"
        ]
      }
    ],
  "en/symbols/hebrew_letters.js":
    [
      {
        "locale": "en",
        "category": "Lo",
        "mappings": {
          "default": {
            "default": "first transfinite cardinal",
            "alternates": [
              "aleph null"
            ]
          }
        },
        "key": "03D5",
        "category": "Lo",
        "names": [
          "aleph null"
        ]
      }
    ],
  "en/symbols/hebrew_symbols.js":
    [
      {
        "locale": "en",
        "category": "Lo",
        "key": "03D6",
        "mappings": {
          "default": {
            "default": "second transfinite cardinal",
            "alternates": [
              "aleph one"
            ]
          }
        },
        "key": "03D6",
        "category": "Lo",
        "names": [
          "aleph one"
        ]
      }
    ],
  "en/symbols/hebrew-letters.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03D7",
        "mappings": {
          "default": {
            "default": "third transfinite cardinal",
            "alternates": [
              "aleph two"
            ]
          }
        },
        "key": "03D7",
        "category": "Lu",
        "names": [
          "aleph two"
        ]
      }
    ],
  "en/symbols/hebrew-numbers.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03D8",
        "mappings": {
          "default": {
            "default": "fourth transfinite cardinal",
            "alternates": [
              "aleph three"
            ]
          }
        },
        "key": "03D8",
        "category": "Lu",
        "names": [
          "aleph three"
        ]
      }
    ],
  "en/symbols/hebrew-numerals.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03D9",
        "mappings": {
          "default": {
            "default": "fifth transfinite cardinal",
            "alternates": [
              "aleph four"
            ]
          }
        },
        "key": "03D9",
        "category": "Lu",
        "names": [
          "aleph four"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03DA",
        "mappings": {
          "default": {
            "default": "sixth transfinite cardinal",
            "alternates": [
              "aleph five"
            ]
          }
        },
        "key": "03DA",
        "category": "Lu",
        "names": [
          "aleph five"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-2.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03DB",
        "mappings": {
          "default": {
            "default": "seventh transfinite cardinal",
            "alternates": [
              "aleph six"
            ]
          }
        },
        "key": "03DB",
        "category": "Lu",
        "names": [
          "aleph six"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-3.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03DC",
        "mappings": {
          "default": {
            "default": "eighth transfinite cardinal",
            "alternates": [
              "aleph seven"
            ]
          }
        },
        "key": "03DC",
        "category": "Lu",
        "names": [
          "aleph seven"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-4.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03DD",
        "mappings": {
          "default": {
            "default": "ninth transfinite cardinal",
            "alternates": [
              "aleph eight"
            ]
          }
        },
        "key": "03DD",
        "category": "Lu",
        "names": [
          "aleph eight"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-5.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03DE",
        "mappings": {
          "default": {
            "default": "tenth transfinite cardinal",
            "alternates": [
              "aleph nine"
            ]
          }
        },
        "key": "03DE",
        "category": "Lu",
        "names": [
          "aleph nine"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-6.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03DF",
        "mappings": {
          "default": {
            "default": "eleventh transfinite cardinal",
            "alternates": [
              "aleph ten"
            ]
          }
        },
        "key": "03DF",
        "category": "Lu",
        "names": [
          "aleph ten"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-7.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E0",
        "mappings": {
          "default": {
            "default": "twelfth transfinite cardinal",
            "alternates": [
              "aleph eleven"
            ]
          }
        },
        "key": "03E0",
        "category": "Lu",
        "names": [
          "aleph eleven"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-8.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E1",
        "mappings": {
          "default": {
            "default": "thirteenth transfinite cardinal",
            "alternates": [
              "aleph twelve"
            ]
          }
        },
        "key": "03E1",
        "category": "Lu",
        "names": [
          "aleph twelve"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-9.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E2",
        "mappings": {
          "default": {
            "default": "fourteenth transfinite cardinal",
            "alternates": [
              "aleph thirteen"
            ]
          }
        },
        "key": "03E2",
        "category": "Lu",
        "names": [
          "aleph thirteen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-10.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E3",
        "mappings": {
          "default": {
            "default": "fifteenth transfinite cardinal",
            "alternates": [
              "aleph fourteen"
            ]
          }
        },
        "key": "03E3",
        "category": "Lu",
        "names": [
          "aleph fourteen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-11.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E4",
        "mappings": {
          "default": {
            "default": "sixteenth transfinite cardinal",
            "alternates": [
              "aleph fifteen"
            ]
          }
        },
        "key": "03E4",
        "category": "Lu",
        "names": [
          "aleph fifteen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-12.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E5",
        "mappings": {
          "default": {
            "default": "seventeenth transfinite cardinal",
            "alternates": [
              "aleph sixteen"
            ]
          }
        },
        "key": "03E5",
        "category": "Lu",
        "names": [
          "aleph sixteen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-13.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E6",
        "mappings": {
          "default": {
            "default": "eighteenth transfinite cardinal",
            "alternates": [
              "aleph seventeen"
            ]
          }
        },
        "key": "03E6",
        "category": "Lu",
        "names": [
          "aleph seventeen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-14.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E7",
        "mappings": {
          "default": {
            "default": "nineteenth transfinite cardinal",
            "alternates": [
              "aleph eighteen"
            ]
          }
        },
        "key": "03E7",
        "category": "Lu",
        "names": [
          "aleph eighteen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-15.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E8",
        "mappings": {
          "default": {
            "default": "twentieth transfinite cardinal",
            "alternates": [
              "aleph nineteen"
            ]
          }
        },
        "key": "03E8",
        "category": "Lu",
        "names": [
          "aleph nineteen"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-16.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03E9",
        "mappings": {
          "default": {
            "default": "twenty-first transfinite cardinal",
            "alternates": [
              "aleph twenty"
            ]
          }
        },
        "key": "03E9",
        "category": "Lu",
        "names": [
          "aleph twenty"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-17.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03EA",
        "mappings": {
          "default": {
            "default": "twenty-second transfinite cardinal",
            "alternates": [
              "aleph twenty-one"
            ]
          }
        },
        "key": "03EA",
        "category": "Lu",
        "names": [
          "aleph twenty-one"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-18.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03EB",
        "mappings": {
          "default": {
            "default": "twenty-third transfinite cardinal",
            "alternates": [
              "aleph twenty-two"
            ]
          }
        },
        "key": "03EB",
        "category": "Lu",
        "names": [
          "aleph twenty-two"
        ]
      }
    ],
  "en/symbols/hebrew-numerals-rest-19.js":
    [
      {
        "locale": "en",
        "category": "Lu",
        "key": "03EC",
        "mappings": {
          "default": {
            "default": "twenty-fourth transfinite cardinal",
            "alternates": [
              "aleph twenty-three"
            ]
          }
        },
        "key": "03EC",
        "category":
```



```
,
"en/symbols/math_non_characters.js":
[{"locale":"en"}, {"category":"Ll", "mappings":{"default":{"default":"italic h over two pi", "physics":"planck constant"}}, "key":"hbar"},
],
"en/symbols/math_symbols.js":
[{"locale":"en"}, {"category":"Po", "mappings":{"default":{"default":"exclamation mark"}}, "key":"0021"}, {"category":"Zs", "mappings":{"default":{"default":"space"}}, "key":"0020"}, {"category":"Zl", "mappings":{"default":{"default":"left arrow"}}, "key":"2190"}, {"category":"Zr", "mappings":{"default":{"default":"right arrow"}}, "key":"2192"}],
"en/symbols/math_whitespace.js":
[{"locale":"en"}, {"category":"Zs", "mappings":{"default":{"default":"space"}}, "key":"0020"}, {"category":"Zl", "mappings":{"default":{"default":"left arrow"}}, "key":"2190"}, {"category":"Zr", "mappings":{"default":{"default":"right arrow"}}, "key":"2192"}],
"en/symbols/other_stars.js":
[{"locale":"en"}, {"category":"So", "mappings":{"default":{"default":"decimal exponent symbol"}}, "key":"23E8"}, {"category":"So", "mappings":{"default":{"default":"percent symbol"}}, "key":"0025"}],
"en/units/area.js":
[{"locale":"en"}, {"category":"other", "mappings":{"default":{"default":"square"}}, "key":"sq", "names":["square"]}, {"category":"other", "mappings":{"default":{"default":"square meter"}}, "key":"m2", "names":["square meter"]}],
"en/units/currency.js":
[{"locale":"en"}, {"category":"currency", "key":"$", "mappings":{"default":{"default":"dollar"}}, "names":["dollar"]}],
"en/units/energy.js":
[{"locale":"en"}, {"category":"energy", "si":true, "mappings":{"default":{"default":"watt"}}, "key":"W", "names":["watt"]}],
"en/units/length.js":
[{"locale":"en"}, {"category":"length", "mappings":{"default":{"default":"foot", "plural":"feet"}}, "key":"ft", "names":["foot"]}],
"en/units/memory.js":
[{"locale":"en"}, {"category":"memory", "mappings":{"default":{"default":"bit"}}, "key":"b", "names":["bit"]}],
"en/units/other.js":
[{"locale":"en"}, {"category":"other", "mappings":{"default":{"default":"dozen"}}, "key":"doz", "names":["dozen"]}],
"en/units/speed.js":
[{"locale":"en"}, {"category":"speed", "mappings":{"default":{"default":"knot"}}, "key":"kt", "names":["knot"]}],
"en/units/temperature.js":
```

```

[{"locale": "en"}, {"category": "temperature", "mappings": {"default": {"default": "Fahrenheit"}}, "key": "F", "name": "Fahrenheit"},
,
"en/units/time.js":
[{"locale": "en"}, {"category": "time", "si": true, "mappings": {"default": {"default": "second"}}, "key": "s", "name": "second"},
,
"en/units/volume.js":
[{"locale": "en"}, {"category": "volume", "mappings": {"default": {"default": "cubic"}}, "key": "cu", "names": ["cu", "cubic"]},
,
"en/units/weight.js":
[{"locale": "en"}, {"category": "weight", "mappings": {"default": {"default": "dram"}}, "key": "dram", "names": ["dram", "dramm"]},
,
"en/rules/chromevox.js":
{"locale": "en", "domain": "chromevox", "modality": "speech", "rules": [{"Rule": "collapsed", "default": "[t] \\\"col", "collapse": true}],
,
"en/rules/clearspeak_english.js":
{"domain": "clearspeak", "locale": "en", "modality": "speech", "rules": [{"Rule": "collapsed", "default": "[t] \\\"col", "collapse": true}],
,
"en/rules/emacspeak_rules.js":
{"domain": "emacspeak", "locale": "en", "modality": "speech", "rules": [{"Rule": "stree", "default": "[n] ./*[1]", "collapse": true}],
,
"en/rules/mathspeak_english.js":
{"domain": "mathspeak", "locale": "en", "modality": "speech", "rules": [{"Rule": "collapsed", "default": "[t] \\\"col", "collapse": true}],
,
"en/rules/prefix_english.js":
{"modality": "prefix", "domain": "default", "locale": "en", "rules": [{"Rule": "numerator", "default": "[t] \\\"Numer", "collapse": true}],
,
"en/rules/summary_english.js":
{"locale": "en", "modality": "summary", "rules": [{"Rule": "abstr-identifier", "default": "default.default", "[t] \\\"long identifier"}]}

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\mathmaps\es.js

Resumo: { "es/si/prefixes.js": [{"Y": "yotta", "Z": "zetta", "E": "exa", "P": "peta", "T": "tera", "G": "giga", "M": "mega", "k": "kilo", "h": "hecto", "da": "deca", "d": "deci", "c": "centi", "m": "milil", "μ": "micro", "μ": "micro", "n": "nano", "p": "pico", "f": "femto", "a": "atto", "z": "zepto", "y": "yocto"}], "es/functions/algebra.js": ...

[illegible]

[illegible]

```
,
"es/symbols/math_non_characters.js":
[{"locale":"es"}, {"key":"210F", "mappings":{"default":{"default":"h barra"}}, "category":"Ll"}, {"category":
,
"es/symbols/math_symbols.js":
[{"locale":"es"}, {"key":"0021", "mappings":{"default":{"default":"factorial"}}, "category":"Po"}, {"key":"00
,
"es/symbols/math_whitespace.js":
[{"locale":"es"}, {"category":"Zs", "key":"0020", "mappings":{"default":{"default":"espacio"}}}, {"key":"00A0
,
"es/symbols/other_stars.js":
[{"locale":"es"}, {"category":"So", "key":"23E8", "mappings":{"default":{"default":"símbolo exponente decima
,
"es/units/area.js":
[{"locale":"es"}, {"key":"sq", "names":["sq", "sq."], "mappings":{"default":{"default":"cuadrado"}}, "category
,
"es/units/currency.js":
[{"locale":"es"}, {"key":"$", "mappings":{"default":{"default":"dólar"}}, "category":"currency", "names":["$"],
,
"es/units/energy.js":
[{"locale":"es"}, {"key":"W", "si":true, "names":["W", "w"], "mappings":{"default":{"default":"vatio"}}, "categ
,
"es/units/length.js":
[{"locale":"es"}, {"key":"m", "si":true, "names":["m"], "mappings":{"default":{"default":"metro"}}, "category"
,
"es/units/memory.js":
[{"locale":"es"}, {"key":"b", "names":["b"], "mappings":{"default":{"default":"bit"}}, "category":"memory"}, {
,
"es/units/other.js":
[{"locale":"es"}, {"key":"doz", "names":["doz", "doz.", "dz", "dz."], "mappings":{"default":{"default":"docena"}
,
"es/units/speed.js":
[{"locale":"es"}, {"key":"kt", "names":["kt", "kt."], "mappings":{"default":{"default":"nudo"}}, "category":"sp
,
"es/units/temperature.js":
```

```
{
  "es/units/temperature.js": {
    "locale": "es",
    "key": "F",
    "names": ["F", "F.", "°F"],
    "mappings": {
      "default": {
        "default": "grado Fahrenheit",
        "self::stree": "F"
      }
    },
    "category": "Temperature"
  },
  "es/units/time.js": {
    "locale": "es",
    "key": "s",
    "si": true,
    "names": ["s"],
    "mappings": {
      "default": {
        "default": "segundo",
        "self::stree": "s"
      }
    },
    "category": "Time"
  },
  "es/units/volume.js": {
    "locale": "es",
    "key": "bbl",
    "names": ["bbl.", "bbl"],
    "mappings": {
      "default": {
        "default": "barrile",
        "self::stree": "bbl"
      }
    },
    "category": "Volume"
  },
  "es/units/weight.js": {
    "locale": "es",
    "key": "lb",
    "names": ["lb", "lb."],
    "mappings": {
      "default": {
        "default": "libra",
        "self::stree": "lb"
      }
    },
    "category": "Weight"
  },
  "es/rules/mathspeak_spanish.js": {
    "locale": "es",
    "domain": "mathspeak",
    "modality": "speech",
    "rules": [
      "Rule",
      "collapsed",
      "default",
      "[n] . (en)"
    ]
  },
  "es/rules/prefix_spanish.js": {
    "locale": "es",
    "modality": "prefix",
    "domain": "default",
    "rules": [
      "Rule",
      "numerator",
      "default",
      "[t] \\\"numera"
    ]
  },
  "es/rules/summary_spanish.js": {
    "locale": "es",
    "modality": "summary",
    "rules": [
      "Rule",
      "stree",
      "default.default",
      "[n] ./*[1]",
      "self::stree"
    ]
  }
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\mathmaps\fr.js

Resumo: { "fr/si/prefixes.js": [{"Y": "yotta", "Z": "zetta", "E": "exa", "P": "péta", "T": "téra", "G": "giga", "M": "méga", "K": "kilo", "h": "hecto", "da": "déca", "d": "déci", "c": "centi", "m": "milli", "μ": "micro", "μ": "micro", "n": "nano", "p": "pico", "f": "femto", "a": "atto", "z": "zepto", "y": "yocto"}], "fr/functions/algebra.js"...

```
{
  "fr/si/prefixes.js":
  [{"Y":"yotta","Z":"zetta","E":"exa","P":"péta","T":"téra","G":"giga","M":"méga","k":"kilo","h":"hecto","d":"déca"},
  /
  "fr/functions/algebra.js":
  [{"locale":"fr"},{"category":"Algebra","mappings":{"default":{"default":"degré"}}, "key":"deg","names":["degré"]}],
  /
  "fr/functions/elementary.js":
  [{"locale":"fr"}, {"key":"log","mappings":{"default":{"default":"log"}}, "category":"Logarithm","names":["log"]}],
  /
  "fr/functions/hyperbolic.js":
  [{"locale":"fr"}, {"key":"cosh","mappings":{"default":{"default":"cosinus hyperbolique"}}, "category":"Hyperbolic"}],
  /
  "fr/functions/trigonometry.js":
  [{"locale":"fr"}, {"key":"cos","mappings":{"default":{"default":"cosinus"}}, "category":"Trigonometric","names":["cos"]}],
  /
  "fr/symbols/digits_rest.js":
  [{"locale":"fr"}, {"key":"00B2","mappings":{"default":{"default":"au carré"},"mathspeak":{"default":"au carré"}}}],
  /
  "fr/symbols/greek-rest.js":
  [{"locale":"fr"}, {"category":"Lu", "key":"0394","mappings":{"clearspeak":{"default":"triangle","TriangleSymbol":"triangle"}}}],
  /
  "fr/symbols/greek-scripts.js":
  [{"locale":"fr"}, {"category":"Ll", "key":"1D26","mappings":{"default":{"default":"petite gamma majuscule"}}}],
  /
  "fr/symbols/greek-symbols.js":
  [{"locale":"fr"}, {"key":"03D0","mappings":{"default":{"default":"bêta grec"}}, "category":"Ll"}, {"key":"03D1","mappings":{"default":{"default":"bêta grec minuscule"}}, "category":"Ll"}],
  /
  "fr/symbols/hebrew_letters.js":
  [{"locale":"fr"}, {"key":"2135","mappings":{"default":{"default":"alef"}}, "category":"Lo"}, {"key":"2136","mappings":{"default":{"default":"bet"}}, "category":"Lo"}],
  /
}
```

```
"fr/symbols/latin-lower-double-accent.js":
[{"locale":"fr"}, {"category":"Ll", "key":"01D6", "mappings":{"default":{"default":"u trémaa et macron"}}}, {"key":"01D6"}],
,
"fr/symbols/latin-lower-phonetic.js":
[{"locale":"fr"}, {"key":"00F8", "mappings":{"default":{"default":"o barré"}}}, {"category":"Ll", "key":"0111", "mappings":{"default":{"default":"o barré"}}}, {"key":"0111"}],
,
"fr/symbols/latin-lower-single-accent.js":
[{"locale":"fr"}, {"key":"00E0", "mappings":{"default":{"default":"a accent grave"}}}, {"category":"Ll", "key":"00E0", "mappings":{"default":{"default":"a accent grave"}}}, {"key":"00E0"}],
,
"fr/symbols/latin-rest.js":
[{"locale":"fr"}, {"category":"Ll", "key":"210E", "mappings":{"default":{"default":"constante de planck"}}}, {"key":"210E"}],
,
"fr/symbols/latin-upper-double-accent.js":
[{"locale":"fr"}, {"category":"Lu", "key":"01D5", "mappings":{"default":{"default":"U majuscule trémaa et macron"}}}, {"key":"01D5"}],
,
"fr/symbols/latin-upper-single-accent.js":
[{"locale":"fr"}, {"key":"00C0", "mappings":{"default":{"default":"A accent grave majuscule"}}}, {"category":"Lu", "key":"00C0", "mappings":{"default":{"default":"A accent grave majuscule"}}}, {"key":"00C0"}],
,
"fr/symbols/math_angles.js":
[{"locale":"fr"}, {"key":"22BE", "mappings":{"default":{"default":"angle droit avec arc"}}}, {"category":"Sm", "key":"22BE", "mappings":{"default":{"default":"angle droit avec arc"}}}, {"key":"22BE"}],
,
"fr/symbols/math_arrows.js":
[{"locale":"fr"}, {"key":"2190", "mappings":{"default":{"default":"flèche gauche"}}}, {"category":"Sm", "key":"2190", "mappings":{"default":{"default":"flèche gauche"}}}, {"key":"2190"}],
,
"fr/symbols/math_characters.js":
[{"locale":"fr"}, {"key":"2113", "mappings":{"default":{"default":"l minuscule en script"}}}, {"category":"Ll", "key":"2113", "mappings":{"default":{"default":"l minuscule en script"}}}, {"key":"2113"}],
,
"fr/symbols/math_delimiters.js":
[{"locale":"fr"}, {"key":"0028", "mappings":{"default":{"default":"parenthèse gauche", "alternative":"parentèse gauche"}}}, {"category":"Sm", "key":"0028", "mappings":{"default":{"default":"parenthèse gauche", "alternative":"parentèse gauche"}}}, {"key":"0028"}],
,
"fr/symbols/math_geometry.js":
[{"locale":"fr"}, {"key":"2500", "mappings":{"default":{"default":"filet horizontal fin"}}}, {"category":"So", "key":"2500", "mappings":{"default":{"default":"filet horizontal fin"}}}, {"key":"2500"}],
,
"fr/symbols/math_harpoons.js":
[{"locale":"fr"}, {"key":"21BC", "mappings":{"default":{"default":"harpon gauche avec dent dressée"}}}, {"category":"Sm", "key":"21BC", "mappings":{"default":{"default":"harpon gauche avec dent dressée"}}}, {"key":"21BC"}],
```

```
"fr/symbols/math_non_characters.js":
[{"locale":"fr"}, {"key":"210F","mappings":{"default":{"default":"constante de planck sur deux pi"}}, "category":
,
"fr/symbols/math_symbols.js":
[{"locale":"fr"}, {"key":"0021","mappings":{"default":{"default":"factorielle"},"category":"Po"}, {"key":"0
,
"fr/symbols/math_whitespace.js":
[{"locale":"fr"}, {"category":"Zs", "key":"0020", "mappings":{"default":{"default":"espace"}}}, {"key":"00A0"
,
"fr/symbols/other_stars.js":
[{"locale":"fr"}, {"category":"So", "key":"23E8", "mappings":{"default":{"default":"symbole exposant décimal
,
"fr/units/area.js":
[{"locale":"fr"}, {"category":"area", "mappings":{"default":{"default":"carrée"},"key":"sq", "names":["sq",
,
"fr/units/currency.js":
[{"locale":"fr"}, {"locale":"fr"}, {"key":"$","mappings":{"default":{"default":"dollar"},"category":"curren
,
"fr/units/energy.js":
[{"locale":"fr"}, {"key":"W", "si":true, "mappings":{"default":{"default":"watt"},"category":"energy", "name
,
"fr/units/length.js":
[{"locale":"fr"}, {"key":"m", "si":true, "mappings":{"default":{"default":"mètre"},"category":"Length", "nam
,
"fr/units/memory.js":
[{"locale":"fr"}, {"category":"memory", "mappings":{"default":{"default":"bit"},"key":"b", "names":["b"]}, {
,
"fr/units/other.js":
[{"locale":"fr"}, {"category":"other", "mappings":{"default":{"default":"douzaine"},"key":"doz", "names":["
,
"fr/units/speed.js":
[{"locale":"fr"}, {"category":"speed", "mappings":{"default":{"default":"nœud marin"},"key":"kt", "names":["
,
"fr/units/temperature.js":
```

```

[{"locale":"fr",{"key":"F","mappings":{"default":{"default":"farad"}},"names":["F","F. ","°F"]},{key":"C
,
"fr/units/time.js":
[{"locale":"fr",{"key":"s","si":true,"mappings":{"default":{"default":"seconde"}},"category":"time","name
,
"fr/units/volume.js":
[{"locale":"fr",{"key":"bbl","mappings":{"default":{"default":"baril"}},"category":"volume","names":["bb
,
"fr/units/weight.js":
[{"locale":"fr",{"key":"lb","mappings":{"default":{"default":"livre"}},"names":["lb","lb." ]},{key":"oz"
,
"fr/rules/clearspeak_french.js":
{"locale":"fr","domain":"clearspeak","modality":"speech","rules":[["Rule","collapsed","default","[n] . (en
,
"fr/rules/mathspeak_french.js":
{"locale":"fr","modality":"speech","domain":"mathspeak","rules":[["Rule","collapsed","default","[n] . (en
,
"fr/rules/prefix_french.js":
{"locale":"fr","modality":"prefix","domain":"default","rules":[["Rule","numerator","default","[t] \ "numéra
,
"fr/rules/summary_french.js":
{"locale":"fr","modality":"summary","rules":[["Rule","collapsed-masculine","default.default","[t] \ "compr
}

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\mathmaps\hi.js

Resumo: { "hi/si/prefixes.js": [{ "Y": "■", "Z": "■", "E": "■", "P": "■", "T": "■", "G": "■", "M": "■", "K": "■", "h": "■", "d": "■", "c": "■", "m": "■", "u": "■", "μ": "■", "n": "■", "p": "■", "f": "■", "a": "■", "z": "■", "y": "■"}], "hi/functions/algebra.js":

```
{
  "hi/si/prefixes.js":
    [{ "Y": "■", "Z": "■", "E": "■", "P": "■", "T": "■", "G": "■", "M": "■", "K": "■",
      ,
      "hi/functions/algebra.js":
        [{ "locale": "hi", { "locale": "hi", { "key": "deg", "category": "Algebra", "names": ["deg"], "mappings": { "default":
          ,
          "hi/functions/elementary.js":
            [{ "locale": "hi", { "key": "log", "category": "Logarithm", "names": ["log"], "mappings": { "default": { "default": "■
          ,
          "hi/functions/hyperbolic.js":
            [{ "locale": "hi", { "key": "cosh", "category": "Hyperbolic", "names": ["cosh"], "mappings": { "default": { "default":
          ,
          "hi/functions/trigonometry.js":
            [{ "locale": "hi", { "key": "cos", "category": "Trigonometric", "names": ["cos", "cosine"], "mappings": { "default":
          ,
          "hi/symbols/digits_rest.js":
            [{ "locale": "hi", { "category": "No", "mappings": { "default": { "default": "■■■■"}, "mathspeak": { "default": "■■■■
          ,
          "hi/symbols/greek-rest.js":
            [{ "locale": "hi", { "category": "Lu", "key": "0394", "mappings": { "clearspeak": { "default": "■■■■■■■■", "Triangles
          ,
          "hi/symbols/greek-scripts.js":
            [{ "locale": "hi", { "category": "Ll", "key": "1D26", "mappings": { "default": { "default": "■■■■ ■■■■■ ■■■■"}},
          ,
          "hi/symbols/greek-symbols.js":
            [{ "locale": "hi", { "category": "Ll", "key": "03D0", "mappings": { "default": { "default": "■■■■ ■■■■"}}, { "categ
          ,
          "hi/symbols/hebrew_letters.js":
            [{ "locale": "hi", { "category": "Lo", "key": "2135", "mappings": { "default": { "default": "■■■■ ■■■■■"}}, { "categ
```

```
"hi/symbols/latin-lower-double-accent.js":  
[{"locale":"hi"},{"category":"Ll","key":"01D6","mappings":{"default":{"default":"■■■■■■■■ ■■ ■■■■■■"}},  
/  
"hi/symbols/latin-lower-phonetic.js":  
[{"locale":"hi"},{"category":"Ll","key":"00F8","mappings":{"default":{"default":"■■■■■■ ■■ ■■■ ■■■■■"}},  
/  
"hi/symbols/latin-lower-single-accent.js":  
[{"locale":"hi"},{"category":"Ll","key":"00E0","mappings":{"default":{"default":"■■■■ ■■ ■■■ ■■■■■ ■"}},  
/  
"hi/symbols/latin-rest.js":  
[{"locale":"hi"},{"category":"Ll","key":"210E","mappings":{"default":{"default":"■■■■ ■■■■■■■■■"}},  
/  
"hi/symbols/latin-upper-double-accent.js":  
[{"locale":"hi"},{"category":"Lu","key":"01D5","mappings":{"default":{"default":"■■■■■■ ■■ ■■■■■■ ■"}},  
/  
"hi/symbols/latin-upper-single-accent.js":  
[{"locale":"hi"},{"category":"Lu","key":"00C0","mappings":{"default":{"default":"■■■■ ■■ ■■■ ■■■■■ ■"}},  
/  
"hi/symbols/math_angles.js":  
[{"locale":"hi"},{"category":"Sm","key":"22BE","mappings":{"default":{"default":"■■■■ ■■ ■■■ ■■■■ ■■■"}},  
/  
"hi/symbols/math_arrows.js":  
[{"locale":"hi"},{"category":"Sm","key":"2190","mappings":{"default":{"default":"■■■■ ■■ ■■■"}}},{ "cat  
/  
"hi/symbols/math_characters.js":  
[{"locale":"hi"},{"category":"Ll","key":"2113","mappings":{"default":{"default":"■■■■■■■■ ■■■ ■■"}},  
/  
"hi/symbols/math_delimiters.js":  
[{"locale":"hi"},{"category":"Ps","key":"0028","mappings":{"default":{"default":"■■■■ ■■■■"}}},{ "categ  
/  
"hi/symbols/math_geometry.js":  
[{"locale":"hi"},{"category":"So","key":"2500","mappings":{"default":{"default":"■■■■ ■■■■ ■■■■■ ■"}},  
/  
"hi/symbols/math_harpoons.js":
```

```
[{"locale": "hi"}, {"category": "So", "key": "21BC", "mappings": {"default": {"default": "■■■■■■■ ■■■ ■■ ■■ ■■ ■■"}},  
,  
"hi/symbols/math_non_characters.js":  
[{"locale": "hi"}, {"category": "Ll", "key": "210F", "mappings": {"default": {"default": "■■■■■■■ ■■■■■■■■■■ ■■■"}},  
,  
"hi/symbols/math_symbols.js":  
[{"locale": "hi"}, {"category": "Po", "key": "0021", "mappings": {"default": {"default": "■■■■■■■■■■■■■■■■■■■■ ■■■■■"}},  
,  
"hi/symbols/math_whitespace.js":  
[{"locale": "hi"}, {"category": "Zs", "key": "0020", "mappings": {"default": {"default": "■■■■■■■■■■"}}}, {"category": "Other"},  
,  
"hi/symbols/other_stars.js":  
[{"locale": "hi"}, {"category": "So", "key": "23E8", "mappings": {"default": {"default": "■■■■■■■ ■■■■■■■■■■ ■■■■■"}},  
,  
"hi/units/area.js":  
[{"locale": "hi"}, {"locale": "hi"}, {"key": "sq", "category": "other", "names": ["sq", "sq."], "mappings": {"default": {"default": "■■■■"}}, {"category": "Other"},  
,  
"hi/units/currency.js":  
[{"locale": "hi"}, {"category": "currency", "key": "$", "mappings": {"default": {"default": "■■■■"}}, {"names": ["$"], "category": "Other"},  
,  
"hi/units/energy.js":  
[{"locale": "hi"}, {"key": "W", "category": "energy", "names": ["W", "w"], "si": true, "mappings": {"default": {"default": "■■■■"}}, {"category": "Other"},  
,  
"hi/units/length.js":  
[{"locale": "hi"}, {"key": "ft", "category": "length", "names": ["ft", "ft."], "mappings": {"default": {"default": "■■■■"}}, {"category": "Other"},  
,  
"hi/units/memory.js":  
[{"locale": "hi"}, {"key": "b", "category": "memory", "names": ["b"], "mappings": {"default": {"default": "■■■■"}}, {"category": "Other"},  
,  
"hi/units/other.js":  
[{"locale": "hi"}, {"key": "doz", "category": "other", "names": ["doz", "doz.", "dz", "dz."], "mappings": {"default": {"default": "■■■■"}}, {"category": "Other"},  
,  
"hi/units/speed.js":  
[{"locale": "hi"}, {"key": "kt", "category": "speed", "names": ["kt", "kt."], "mappings": {"default": {"default": "■■■■"}}, {"category": "Other"}]
```

```
"hi/units/temperature.js":
[{"locale":"hi"}, {"key":"F","category":"temperature","names":["F","F.", "°F"],"mappings":{"default":{"default":"■"}},
,
"hi/units/time.js":
[{"locale":"hi"}, {"key":"s","category":"time","names":["s"],"si":true,"mappings":{"default":{"default":"■"}},
,
"hi/units/volume.js":
[{"locale":"hi"}, {"key":"cu","category":"volume","names":["cu","cu."],"mappings":{"default":{"default":"■"}},
,
"hi/units/weight.js":
[{"locale":"hi"}, {"key":"dram","category":"weight","names":["dr","dr."],"mappings":{"default":{"default":"■"}},
,
"hi/rules/clearspeak_hindi.js":
{"domain":"clearspeak","locale":"hi","modality":"speech","rules":[["Rule","collapsed","default","[t] \\"■■■■\\"",
,
"hi/rules/mathsspeak_hindi.js":
{"domain":"mathsspeak","locale":"hi","modality":"speech","rules":[["Rule","collapsed","default","[t] \\"■■■■\\"",
,
"hi/rules/prefix_hindi.js":
{"modality":"prefix","domain":"default","locale":"hi","rules":[["Rule","numerator","default","[t] \\"■■■■\\"",
,
"hi/rules/summary_hindi.js":
{"locale":"hi","modality":"summary","rules":[["Rule","abstr-identifier","default.default","[t] \\"■■■■■ ■■■■■\\"",
}
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\mathmaps\lit.js

```
Resumo: { "it/si/prefixes.js": {{"a":"atto","c":"centi","da":"deca","d":"deci","E":"exa","f":"femto","G":"giga","h":"etto","k":"chilo","M":"mega","m":"milli","n":"nano","P":"peta","p":"pico","T":"tera","Y":"yotta","y":"yocto","z":"zepto","Z":"zetta","μ":"micro","µ":"micro"}}, "it/functions/algebra.js"...
```

```
{
  "it/si/prefixes.js":
    [
      {
        "a": "atto",
        "c": "centi",
        "da": "deca",
        "d": "deci",
        "E": "exa",
        "f": "femto",
        "G": "giga",
        "h": "etto",
        "k": "chilo",
        "M": "mega",
        "P": "peta",
        "T": "tera",
        "Y": "yotta",
        "Z": "zetta"
      }
    ],
    "it/functions/algebra.js":
      [
        {
          "locale": "it",
          "key": "deg",
          "category": "Algebra",
          "names": ["deg"],
          "mappings": {
            "default": {}
          }
        }
      ],
    "it/functions/elementary.js":
      [
        {
          "locale": "it",
          "key": "log",
          "mappings": {
            "default": {
              "default": "logaritmo"
            },
            "category": "Logarithm",
            "names": []
          }
        }
      ],
    "it/functions/hyperbolic.js":
      [
        {
          "locale": "it",
          "key": "cosh",
          "mappings": {
            "default": {
              "default": "coseno iperbolico"
            },
            "category": "Hyperbolic",
            "names": []
          }
        }
      ],
    "it/functions/trigonometry.js":
      [
        {
          "locale": "it",
          "key": "cos",
          "mappings": {
            "default": {
              "default": "coseno"
            },
            "category": "Trigonometric",
            "names": []
          }
        }
      ],
    "it/symbols/digits_rest.js":
      [
        {
          "locale": "it",
          "key": "\u00B2",
          "mappings": {
            "default": {
              "default": "apice 2"
            },
            "category": "No",
            "key": "\u00B3"
          }
        }
      ],
    "it/symbols/greek-rest.js":
      [
        {
          "locale": "it",
          "key": "\u0394",
          "mappings": {
            "clearspeak": {
              "default": "triangolo",
              "TriangleSymbol_Delta": "Delta"
            }
          }
        }
      ],
    "it/symbols/greek-scripts.js":
      [
        {
          "locale": "it",
          "category": "Ll",
          "key": "\u0393",
          "mappings": {
            "default": {
              "default": "Gamma maiuscola piccola"
            }
          }
        }
      ],
    "it/symbols/greek-symbols.js":
      [
        {
          "locale": "it",
          "category": "Ll",
          "key": "\u03B2",
          "mappings": {
            "default": {
              "default": "beta arricciata"
            }
          },
          "category": "Lo",
          "key": "\u03C0",
          "mappings": {
            "default": {
              "default": "pi"
            }
          }
        }
      ],
    "it/symbols/hebrew_letters.js":
      [
        {
          "locale": "it",
          "key": "\u2135",
          "mappings": {
            "default": {
              "default": "alef"
            },
            "category": "Lo",
            "key": "\u2136",
            "mappings": {
              "default": {
                "default": "bet"
              }
            }
          }
        }
      ]
}
```

```
"it/symbols/latin-lower-double-accent.js":
[{"locale":"it",{"category":"Ll","key":"01D6","mappings":{"default":{"default":"u con diaeresi e macron"}},
,
"it/symbols/latin-lower-phonetic.js":
[{"locale":"it",{"key":"00F8","mappings":{"default":{"default":"o con tratto diagonale"}},category":"Ll"},
,
"it/symbols/latin-lower-single-accent.js":
[{"locale":"it",{"key":"00E0","mappings":{"default":{"default":"a con accento grave"}},category":"Ll"},
,
"it/symbols/latin-rest.js":
[{"locale":"it",{"key":"210E","mappings":{"default":{"default":"costante di planck"}},category":"Ll"},
,
"it/symbols/latin-upper-double-accent.js":
[{"locale":"it",{"category":"Lu","key":"01D5","mappings":{"default":{"default":"Latin Capital Lettera U con diaeresi e macron"}},
,
"it/symbols/latin-upper-single-accent.js":
[{"locale":"it",{"key":"00C0","mappings":{"default":{"default":"a maiuscola con accento grave"}},category":"Lu"},
,
"it/symbols/math_angles.js":
[{"locale":"it",{"category":"Sm","key":"22BE","mappings":{"default":{"default":"angolo retto con arco"}},
,
"it/symbols/math_arrows.js":
[{"locale":"it",{"key":"2190","mappings":{"default":{"default":"freccia verso sinistra"}},category":"Sm"},
,
"it/symbols/math_characters.js":
[{"locale":"it",{"category":"Ll","key":"2113","mappings":{"default":{"default":"script l minuscola"}},category":"Ll"},
,
"it/symbols/math_delimiters.js":
[{"locale":"it",{"key":"0028","mappings":{"default":{"default":"parentesi tonda aperta"}},category":"Ps"},
,
"it/symbols/math_geometry.js":
[{"locale":"it",{"category":"So","key":"2500","mappings":{"default":{"default":"box Drawings Light Horizontal Line"}},category":"So"},
,
"it/symbols/math_harpoons.js":
[{"locale":"it",{"key":"21BC","mappings":{"default":{"default":"arpione sinistro sopra"}},category":"So"}]
```

```
,
"it/symbols/math_non_characters.js":
[{"locale":"it"}, {"category":"Ll", "key":"210F", "mappings":{"default":{"default":"planck Constant Over Two"}, "category":"Po"}, {"key":"0021", "mappings":{"default":{"default":"punto esclamativo"}}}, {"key":"00A0", "mappings":{"default":{"default":"spazio"}}}, {"key":"0020", "mappings":{"default":{"default":"spazio"}}}, {"key":"23E8", "mappings":{"default":{"default":"simbolo decimale degli esponenti"}}, {"category":"So"}],
"it/symbols/math_symbols.js":
[{"locale":"it"}, {"key":"sq", "category":"other", "names":["sq", "sq."], "mappings":{"default":{"default":"quadrato"}, "category":"other"}],
"it/symbols/other_stars.js":
[{"locale":"it"}, {"key":"$ ", "mappings":{"default":{"plural":"dollari", "default":"dollaro"}}, {"category":"currency"}],
"it/units/area.js":
[{"locale":"it"}, {"key":"W", "mappings":{"default":{"plural":"watt", "default":"watt"}}, {"category":"energy"}],
"it/units/currency.js":
[{"locale":"it"}, {"key":"ft", "mappings":{"default":{"plural":"piedi", "default":"piede"}}, {"category":"length"}],
"it/units/energy.js":
[{"locale":"it"}, {"key":"b", "category":"memory", "names":["b"], "mappings":{"default":{"plural":"bit", "default":"byte"}, "category":"memory"}],
"it/units/length.js":
[{"locale":"it"}, {"key":"doz", "category":"other", "names":["doz", "doz.", "dz", "dz."], "mappings":{"default":{"default":"dozina"}, "category":"other"}],
"it/units/memory.js":
[{"locale":"it"}, {"key":"kt", "category":"speed", "names":["kt", "kt.", "nd"], "mappings":{"default":{"plural":"nodi"}, "category":"speed"}],
"it/units/speed.js":
[{"locale":"it"}, {"key":"kt", "category":"speed", "names":["kt", "kt.", "nd"], "mappings":{"default":{"plural":"nodi"}, "category":"speed"}],
"it/units/temperature.js":
```

```

[{"locale":"it"}, {"key":"F", "mappings":{"default":{"plural":"gradi fahrenheit", "default":"grado fahrenheit"},
'
"it/units/time.js":
[{"locale":"it"}, {"key":"s", "category":"time", "names":["s"], "si":true, "mappings":{"default":{"plural":"secondi", "default":"secondo"},
'
"it/units/volume.js":
[{"locale":"it"}, {"key":"cu", "category":"volume", "names":["cu", "cu."], "mappings":{"default":{"plural":"cubi", "default":"cubo"},
'
"it/units/weight.js":
[{"locale":"it"}, {"key":"dr", "mappings":{"default":{"plural":"dramme", "default":"dramma"}}, "category":"weight", "names":["dr"],
'
"it/rules/clearspeak_italian.js":
{"locale":"it", "domain":"clearspeak", "modality":"speech", "rules":[["Rule", "collapsed", "default", "[n] . (enunciato)",
'
"it/rules/mathspeak_italian.js":
{"domain":"mathspeak", "locale":"it", "modality":"speech", "rules":[["Rule", "collapsed", "default", "[n] . (enunciato)",
'
"it/rules/prefix_italian.js":
{"modality":"prefix", "domain":"default", "locale":"it", "rules":[["Rule", "numerator", "default", "[t] \\"numerator\\"",
'
"it/rules/summary_italian.js":
{"locale":"it", "modality":"summary", "rules":[["Rule", "collapsed-masculine", "default.default", "[t] \\"collapsed-masculine\\"",
}

```


Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\mathmaps\nemeth.is

Resumo: { "nemeth/si/prefixes.js": [{}], "nemeth/functions/algebra.js": [{"locale":"nemeth"}], "nemeth/functions/elementary.js": [{"locale":"nemeth"}], "nemeth/functions/hyperbolic.js": [{"locale":"nemeth"}], "nemeth/functions/trigonometry.js": [{"locale":"nemeth"}], "nemeth/symbol...

```
{
  "nemeth/si/prefixes.js":
  [{}],
  ,
  "nemeth/functions/algebra.js":
  [{"locale":"nemeth"}],
  ,
  "nemeth/functions/elementary.js":
  [{"locale":"nemeth"}],
  ,
  "nemeth/functions/hyperbolic.js":
  [{"locale":"nemeth"}],
  ,
  "nemeth/functions/trigonometry.js":
  [{"locale":"nemeth"}],
  ,
  "nemeth/symbols/currency_symbols.js":
  [{"locale":"nemeth"}, {"key":"0024", "category":"Sc", "mappings":{"default":{"default":"■"}}, {"key":"1F4B2"}],
  ,
  "nemeth/symbols/digits_rest.js":
  [{"locale":"nemeth"}, {"category":"No", "mappings":{"default":{"default":"■■■■■"}}, {"key":"00BC"}, {"category":"Ll"}],
  ,
  "nemeth/symbols/greek-rest.js":
  [{"locale":"nemeth"}],
  ,
  "nemeth/symbols/greek-scripts.js":
  [{"locale":"nemeth"}, {"category":"Ll", "key":"1D26", "mappings":{"default":{"default":""}}}, {"category":"Ll"}],
  ,
  "nemeth/symbols/greek-symbols.js":
  [{"locale":"nemeth"}, {"category":"Ll", "mappings":{"default":{"default":""}}, {"key":"03D0"}, {"category":"Ll"}]
```

```
,
"nemeth/symbols/hebrew_letters.js":
[{"locale":"nemeth"}, {"category":"Lo", "mappings":{"default":{"default":""}}, "key":"2135"}, {"category":"Lo"}],
"nemeth/symbols/latin_lower_double_accent.js":
[{"locale":"nemeth"}, {"category":"Ll", "key":"01D6", "mappings":{"default":{"default":""}}}, {"category":"Ll"}],
"nemeth/symbols/latin_lower_phonetic.js":
[{"locale":"nemeth"}, {"category":"Ll", "key":"00F8", "mappings":{"default":{"default":"■■■"}}}, {"category":"Ll"}],
"nemeth/symbols/latin_lower_single_accent.js":
[{"locale":"nemeth"}, {"category":"Ll", "key":"00E0", "mappings":{"default":{"default":"■■■"}}}, {"category":"Ll"}],
"nemeth/symbols/latin_rest.js":
[{"locale":"nemeth"}, {"category":"Mn", "key":"0363", "mappings":{"default":{"default":""}}}, {"category":"Mn"}],
"nemeth/symbols/latin_upper_double_accent.js":
[{"locale":"nemeth"}, {"category":"Lu", "key":"01D5", "mappings":{"default":{"default":""}}}, {"category":"Lu"}],
"nemeth/symbols/latin_upper_single_accent.js":
[{"locale":"nemeth"}, {"category":"Lu", "key":"00C0", "mappings":{"default":{"default":"■■■■"}}}, {"category":"Lu"}],
"nemeth/symbols/math_angles.js":
[{"locale":"nemeth"}, {"category":"Sm", "mappings":{"default":{"default":""}}, "key":"22BE"}, {"category":"Sm"}],
"nemeth/symbols/math_arrows.js":
[{"locale":"nemeth"}, {"category":"Sm", "mappings":{"default":{"default":"■■■■■"}}, "key":"2190"}, {"category":"Sm"}],
"nemeth/symbols/math_characters.js":
[{"locale":"nemeth"}, {"category":"Ll", "mappings":{"default":{"default":"■■■■"}}, "key":"2113"}, {"category":"Ll"}],
"nemeth/symbols/math_delimiters.js":
[{"locale":"nemeth"}, {"category":"Ps", "mappings":{"default":{"default":"■"}}, "key":"0028"}, {"category":"Ps"}],
"nemeth/symbols/math_geometry.js":
```

```
[{"locale": "nemeth"}, {"category": "So", "mappings": {"default": {"default": "■"}}, "key": "2500"}, {"category": "S",
,
"nemeth/symbols/math_harpoons.js":
[{"locale": "nemeth"}, {"category": "So", "mappings": {"default": {"default": "■"}}, "key": "21BC"}, {"category": "S",
,
"nemeth/symbols/math_non_characters.js":
[{"locale": "nemeth"}, {"category": "Ll", "mappings": {"default": {"default": ""}}, "key": "210F"}, {"category": "So",
,
"nemeth/symbols/math_symbols.js":
[{"locale": "nemeth"}, {"category": "Po", "mappings": {"default": {"default": "■"}}, "key": "0021"}, {"category": "P",
,
"nemeth/symbols/math_whitespace.js":
[{"locale": "nemeth"}, {"category": "Zs", "mappings": {"default": {"default": "■"}}, "key": "0020"}, {"category": "Z",
,
"nemeth/symbols/other_stars.js":
[{"locale": "nemeth"}, {"category": "So", "mappings": {"default": {"default": ""}}, "key": "23E8"}, {"category": "So",
,
"nemeth/units/energy.js":
[{"locale": "nemeth"}]
,
"nemeth/units/length.js":
[{"locale": "nemeth"}]
,
"nemeth/units/memory.js":
[{"locale": "nemeth"}]
,
"nemeth/units/other.js":
[{"locale": "nemeth"}]
,
"nemeth/units/speed.js":
[{"locale": "nemeth"}]
,
"nemeth/units/temperature.js":
[{"locale": "nemeth"}]
,
```

```
"nemeth/units/time.js":
[{"locale": "nemeth"}]
,
"nemeth/units/volume.js":
[{"locale": "nemeth"}]
,
"nemeth/units/weight.js":
[{"locale": "nemeth"}]
,
"nemeth/rules/nemeth_rules.js":
{"locale": "nemeth", "modality": "braille", "domain": "default", "rules": [{"Rule", "stree", "default", "[n] ./*[1]
}
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\sre\sre-node.is

*Resumo: "use strict"; Object.defineProperty(exports, "__esModule", { value: true }); var SRE = require("speech-rule-engine"); global.SRE = SRE; global.sre = Object.create(SRE); global.sre.Engine = { isReady: function () { return SRE.engineReady(); } };
sourceMappingURL=sre-node...*

```
"use strict";

Object.defineProperty(exports, "__esModule", { value: true });

var SRE = require("speech-rule-engine");

global.SRE = SRE;

global.sre = Object.create(SRE);

global.sre.Engine = {

    isReady: function () {

        return SRE.engineReady();

    }

};

///  
sourceMappingURL=sre-node.js.map
```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\js\mathjax\sre\sre_browser.js

Resumo: // Copyright 2014-2021 Volker Sorge // Copyright (c) 2016-2021 The MathJax Consortium // Licensed under the Apache License, Version 2.0 (the "License"); // you may not use this file except in compliance with the License. // You may obtain a copy of the License at // <http://www.apac...>

```
// Copyright 2014-2021 Volker Sorge
// Copyright (c) 2016-2021 The MathJax Consortium
//
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//
//      http://www.apache.org/licenses/LICENSE-2.0
//
// Unless required by applicable law or agreed to in writing, software
// distributed under the License is distributed on an "AS IS" BASIS,
// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
// See the License for the specific language governing permissions and
// limitations under the License.
/*
Copyright The Closure Library Authors.
SPDX-License-Identifier: Apache-2.0
*/

var $jscomp=$jscomp||{};$jscomp.scope={};$jscomp.createTemplateTagFirstArg=function(a){return a.raw=a;$jscomp
$jscomp.arrayFromIterator=function(a){for(var b,c=[];!(b=a.next()).done;)c.push(b.value);return c};$jscomp
$jscomp.getGlobal=function(a){a=["object"==typeof globalThis&&globalThis,a,"object"==typeof window&&>window
$jscomp.propertyToPolyfillSymbol={};$jscomp.POLYFILL_PREFIX="$jscp$";var $jscomp$lookupPolyfilledValue=fun
$jscomp.polyfillUnisolated=function(a,b,c,d){c=$jscomp.global;a=a.split(".");for(d=0;d<a.length-1;d++){var
$jscomp.polyfillIsolated=function(a,b,c,d){var e=a.split(".");a=1===e.length;d=e[0];d!=a&&d in $jscomp.po
$jscomp.propertyToPolyfillSymbol[e],$jscomp.defineProperty(d,e,{configurable:!0,writable:!0,value:b}}));$js
$jscomp.polyfill("Symbol",function(a){if(a)return a;var b=function(e,f){this.$jscomp$symbol$id_=e;$jscomp
$jscomp.polyfill("Symbol.iterator",function(a){if(a)return a;a=Symbol("Symbol.iterator");for(var b="Array
"es3");$jscomp.initSymbolAsyncIterator=function({});$jscomp.iteratorPrototype=function(a){a={next:a};a[Sym
$jscomp.polyfill("Array.prototype.keys",function(a){return a?a:function(){return $jscomp.iteratorFromArray
```

```
$jscomp.polyfill("Object.assign",function(a){return a||$jscomp.assign},"es6","es3");$jscomp.findInternal=
$jscomp.polyfill("Array.from",function(a){return a?a:function(b,c,d){c=null!=c?c:function(h){return h};var
$jscomp.polyfill("Object.entries",function(a){return a?a:function(b){var c=[],d;for(d in b)$jscomp.owns(b,
$jscomp.polyfill("String.prototype.repeat",function(a){return a?a:function(b){var c=$jscomp.checkStringArg
goog.exportPath_=function(a,b,c){a=a.split(".");c=c||goog.global;a[0]in c||"undefined"===typeof c.execScrip
goog.define=function(a,b){if(!COMPILED){var c=goog.global.CLOSURE_UNCOMPILED_DEFINES,d=goog.global.CLOSURE
goog.provide=function(a){if(goog.isInModuleLoader_())throw Error("goog.provide cannot be used within a mod
goog.getScriptNonce=function(a){if(a&&a!=goog.global)return goog.getScriptNonce_(a.document);null===goog.
goog.module=function(a){if("string"!==typeof a||!a||-1==a.search(goog.VALID_MODULE_RE_))throw Error("Inva
if(goog.moduleLoaderState_.moduleName)throw Error("goog.module may only be called once per module.");goog
goog.module.getInternal_=function(a){if(!COMPILED){if(a in goog.loadedModules_)return goog.loadedModules_
goog.isInEs6ModuleLoader_=function(){if(goog.moduleLoaderState_&&goog.moduleLoaderState_.type==goog.Module
goog.module.declareLegacyNamespace=function(){if(!COMPILED&&!goog.isInGoogModuleLoader_())throw Error("go
goog.declareModuleId=function(a){if(!COMPILED){if(!goog.isInEs6ModuleLoader_())throw Error("goog.declareM
a+'" has been loaded incorrectly.')}b=b.require(b.getCurrentModulePath());goog.loadedModules_[a]={exports
goog.getObjectByName=function(a,b){a=a.split(".");b=b||goog.global;for(var c=0;c<a.length;c++)if(b=b[a[c]
goog.require=function(a){if(!COMPILED){goog.ENABLE_DEBUG_LOADER&&goog.debugLoader_.requested(a);if(goog.i
goog.abstractMethod=function(){throw Error("unimplemented abstract method");};goog.addSingletonGetter=fun
goog.ASSUME_ES_MODULES_TRANSPILED=!1;goog.TRANSPILE_TO_LANGUAGE="";goog.TRANSPILER="transpile.js";goog.ha
goog.loadModule=function(a){var b=goog.moduleLoaderState_;try{goog.moduleLoaderState_={moduleName:"",decla
c):goog.SEAL_MODULE_EXPORTS&&Object.seal&&"object"===typeof c&&null!=c&&Object.seal(c),goog.loadedModules_
goog.loadFileSync_=function(a){if(goog.global.CLOSURE_LOAD_FILE_SYNC)return goog.global.CLOSURE_LOAD_FILE
goog.transpile_=function(a,b,c){var d=goog.global.$jscomp;d||(goog.global.$jscomp=d={});var e=d.transpile
goog.global.$gwtExport.$jscomp.transpile;d=goog.global.$jscomp;e=d.transpile}}e||(e=d.transpile=function(
goog.typeOf=function(a){var b=typeof a;if("object"==b)if(a){if(a instanceof Array)return"array";if(a inst
else if("function"==b&&"undefined"===typeof a.call)return"object";return b};goog.isArray=function(a){return
goog.getUid=function(a){return Object.prototype.hasOwnProperty.call(a,goog.UID_PROPERTY_)&&a[goog.UID_PRO
goog.cloneObject=function(a){var b=goog.typeOf(a);if("object"==b||"array"==b){if("function"===typeof a.cl
goog.bindJs_=function(a,b,c){if(!a)throw Error();if(2<arguments.length){var d=Array.prototype.slice.call(a
goog.partial=function(a,b){var c=Array.prototype.slice.call(arguments,1);return function(){var d=c.slice(
goog.globalEval=function(a){if(goog.global.execScript)goog.global.execScript(a,"JavaScript");else if(goog
goog.getCssName=function(a,b){if("."==String(a).charAt(0))throw Error('className passed in goog.getCssName
goog.setCssNameMapping=function(a,b){goog.cssNameMapping_=a;goog.cssNameMappingStyle_=b};!COMPILED&&goog.
goog.exportProperty=function(a,b,c){a[b]=c};goog.inherits=function(a,b){function c(){c.prototype=b.proto
goog.defineClass=function(a,b){var c=b.constructor,d=b.statics;c&&c!=Object.prototype.constructor||(c=fun
```

```
goog.defineClass.createSealingConstructor_=function(a,b){return goog.defineClass.SEAL_CLASS_INSTANCES?fun
goog.defineClass.applyProperties_=function(a,b){for(var c in b)Object.prototype.hasOwnProperty.call(b,c)&
!COMPILED&&goog.DEPENDENCIES_ENABLED&&(goog.inHtmlDocument_=function(){var a=goog.global.document;return
a=b?[b]:a.getElementsByTagName("SCRIPT");for(b=a.length-1;0<=b;--b){var c=a[b].src,d=c.lastIndexOf("?");d
var c="es3",d={es3:!1},e=!1,f=goog.global.navigator&&goog.global.navigator.userAgent?goog.global.navigator
a("es7",function(){return b("2 ** 2 == 4")});a("es8",function(){return b("async () => 1, true")});a("es9",
c.target}if(a in this.requiresTranspilation_)return this.requiresTranspilation_[a]?!0:!goog.inHtmlDocumen
this.idToPath_={};this.written_={};this.loadingDeps_=[];this.depsToLoad_=[];this.paused_=!1;this.factory_
0;e<a.length;e++)f(a[e]),b[e].onLoad(function(){++g==a.length&&c()})}else c()),goog.DebugLoader_.prototype
function(a){this.factory_=a},goog.DebugLoader_.prototype.load_=function(a){if(this.getPathFromDeps_()){va
a,goog.logToConsole_(a),Error(a)};},goog.DebugLoader_.prototype.loadDeps_=function(){for(var a=this,
return g},setModuleState:function(g){goog.moduleLoaderState_={type:g,moduleName:"",declareLegacyNamespace
g}},areDepsLoaded:function(){return a.areDepsLoaded_(d.requires)};try{d.load(f)}finally{c=!0}}()};b&&this
break}for(b=0;b<this.deferredQueue_.length;b++)if(this.deferredQueue_[b]==a.path){this.deferredQueue_.spl
function(a){return a in this.idToPath_?this.idToPath_[a]:a in this.dependencies_?a:null},goog.DebugLoader.
b,c)},goog.LoadController.prototype.setModuleState=function(a){},goog.LoadController.prototype.clearModu
a.indexOf("/")>0?b=a.substring(b+1):b=0;return a},goog.Dependency.prototype.onLoad=function(a){this.loa
function(a){delete goog.Dependency.callbackMap_[a]},goog.Dependency.callback_=function(a,b){if(a in goog.L
goog.global.document;if("complete"==b.readyState&&!goog.ENABLE_CHROME_APP_SAFE_SCRIPT_LOADING){if(/bdeps
' nonce="'+goog.getScriptNonce()+'"':"";d='<script src="'+this.path+'" '++(goog.DebugLoader_.IS_OLD_IE_?"on
(a.pause(),e.onreadystatechange=function(){if("loaded"==e.readyState||"complete"==e.readyState)a.loaded()
a.loaded():a.pause()}},goog.Es6ModuleDependency=function(a,b,c,d,e){goog.Dependency.call(this,a,b,c,d,e)}
"module";n.setAttribute("crossorigin",!0);var p=goog.getScriptNonce();p&&n.setAttribute("nonce",p);m?n.te
!0}else f=c;var g=goog.Dependency.registerCallback_(function(){goog.Dependency.unregisterCallback_(g);a.s
a.clearModuleState();a.loaded()});f(void 0,'goog.Dependency.callback_="'+k+'"')}else goog.logToConsole_(
goog.loadFileSync_(e.path);e.contents_&&(e.contents_=e.transform(e.contents_),e.contents_&&(e.contents_+=
n));a.loaded()}}function d(){var m=goog.global.document,n=goog.Dependency.registerCallback_(function(){g
else{var f=this.loadFlags.module==goog.ModuleType.ES6;this.lazyFetch_||b();var g=1<a.pending().length,h=g
l,c(),a.resume());goog.isFunction(l)&&l.apply(void 0,arguments)}else!goog.DebugLoader_.IS_OLD_IE_&&goog.
goog.PreTranspiledEs6ModuleDependency=function(a,b,c,d,e){goog.TransformedDependency.call(this,a,b,c,d,e)
function(a){this.needsTranspile_&&(a=this.transpiler_.transpile(a,this.getPathName()));return goog.LOAD_M
d){b=b||[];a=a.replace(/\\g,"/");var e=goog.normalizePath_(goog.basePath+a);d&&"boolean"!==typeof d||(d=
b,c,d,e,f,this.transpiler):f?new goog.TranspiledDependency(a,b,c,d,e,this.transpiler):e.module==goog.Modu
goog.TRUSTED_TYPES_POLICY_NAME?goog.createTrustedTypesPolicy(goog.TRUSTED_TYPES_POLICY_NAME+"#base"):null
sre.SystemExternal.document=sre.SystemExternal.documentSupported()?document:(new sre.SystemExternal.xmlDoc
```



```

sre.SystemExternal.commander=sre.SystemExternal.documentSupported()?null:sre.SystemExternal.require("comm
sre.SystemExternal.WGXPath=sre.Variables.WGXPath;sre.SystemExternal.wxgxpath=null;sre.BrowserUtil={};sre.B
sre.BrowserUtil.loadWGXPath_=function(a){sre.BrowserUtil.loadScript(sre.SystemExternal.WGXPath);sre.Brows
sre.BrowserUtil.installWGXPath_=function(a,b){var c=b||1;"undefined"===typeof wxgxpath&&10>c?setTimeout(fu
sre.BrowserUtil.loadScript=function(a){var b=sre.SystemExternal.document.createElement("script");b.type="
sre.DynamicProperties.prototype.allProperties=function(){var a=[];this.order_.forEach(goog.bind(function(
sre.DynamicCstr=function(a,b){this.components_=a;var c={},d;for(d in a){var e=a[d];c[d]=[e];sre.DynamicCstr
sre.DynamicCstr.prototype.getValues=function(){var a=[];this.order_.forEach(goog.bind(function(b){a.push(
sre.DynamicCstr.prototype.equal=function(a){var b=a.getAxes();if(this.order_.length!==b.length)return!1;f
sre.DynamicCstr.Values_.prototype.add=function(a,b){this.axisToValues[a][b]=!0};sre.DynamicCstr.Values_.p
sre.DynamicCstr.DEFAULT_ORDER=[sre.DynamicCstr.Axis.LOCALE,sre.DynamicCstr.Axis.MODALITY,sre.DynamicCstr.A
sre.DynamicCstr.DEFAULT_VALUES[sre.DynamicCstr.Axis.TOPIC]=sre.DynamicCstr.DEFAULT_VALUE;sre.DynamicCstr.I
sre.DynamicCstr.Comparator=function(){};sre.DynamicCstr.Comparator.prototype.getReference=function(){};sre
sre.DynamicCstr.DefaultComparator.prototype.getReference=function(){return this.reference_};sre.DynamicCstr
sre.DynamicCstr.DefaultComparator.prototype.match=function(a){var b=a.getAxes();return b.length===this.re
sre.DynamicCstr.DefaultComparator.prototype.compare=function(a,b){for(var c=!1,d=0,e;e=this.order_[d];d++
sre.DynamicProperties.create=function(a){for(var b=sre.DynamicCstr.DEFAULT_ORDER,c={},d=Array.prototype.s
sre.DynamicCstr.defaultCstr=function(){return sre.DynamicCstr.create.apply(null,sre.DynamicCstr.DEFAULT_O
"Table";this.mode=sre.Engine.Mode.SYNC;this.speech=sre.Engine.Speech.NONE;this.structure=!1;this.ruleSets:
sre.Engine.Speech={NONE:"none",SHALLOW:"shallow",DEEP:"deep"};sre.Engine.Markup={NONE:"none",PUNCTUATION:
sre.Engine.prototype.getAxisValues=function(){return sre.DynamicCstr.getAxisValues()};sre.Engine.defaultE
sre.Engine.prototype.setDynamicCstr=function(a){if(a)for(var b=Object.keys(a),c=0;c<b.length;c++){var d=b
[sre.DynamicCstr.DEFAULT_VALUES[sre.DynamicCstr.Axis.STYLE]]);c=this.comparators[this.domain];this.parser:
sre.Debugger.prototype.startDebugFile_=function(a){this.stream_=sre.SystemExternal.fs.createWriteStream(a
sre.Debugger.prototype.output_=function(a){this.outputFunction_.apply(console.info===this.outputFunction_
sre.Grammar.prototype.setCorrection=function(a,b){this.corrections_[a]=b};sre.Grammar.prototype.setPrepro
sre.Grammar.prototype.popState=function(){var a=this.stateStack_.pop(),b;for(b in a)this.setParameter(b,a
sre.Grammar.prototype.runProcessors_=function(a,b){for(var c in this.parameters_){var d=b[c];if(d){var e=
sre.Grammar.translateUnit_=function(a){a=sre.Grammar.prepareUnit_(a);var b=sre.Engine.getInstance(),c=sre
sre.Grammar.prepareUnit_=function(a){var b=a.match(/:unit$/);return b?a.slice(0,b.index).replace(/\s+/g,"
sre.Grammar.prototype.apply=function(a,b){this.currentFlags=b||{};a=this.currentFlags.adjust||this.curren
sre.Grammar.parseState=function(a){var b={};a=a.split(" ");for(var c=0,d=a.length;c<d;c++){var e=a[c].spl
sre.Grammar.addAnnotation_=function(a,b){return a+": "+b};sre.Grammar.noTranslateText_=function(a){a.match
sre.Grammar.getInstance().setCorrection("ignoreCaps",sre.Grammar.correctFont_);sre.XPathUtil={};sre.XPath
sre.XPathUtil.nameSpaces_={xhtml:"http://www.w3.org/1999/xhtml",mathml:"http://www.w3.org/1998/Math/MathM

```

[illegible]

[illegible]

```

{set:this.bottomFences,type:sre.SemanticAttr.Type.FENCE,role:sre.SemanticAttr.Role.BOTTOM},{set:this.neut
role:sre.SemanticAttr.Role.LATINLETTER,font:sre.SemanticAttr.Font.NORMAL},{set:this.capitalLatinFullWidth
type:sre.SemanticAttr.Type.IDENTIFIER,role:sre.SemanticAttr.Role.LATINLETTER,font:sre.SemanticAttr.Font.I
font:sre.SemanticAttr.Font.BOLDITALIC},{set:this.smallLatinScript,type:sre.SemanticAttr.Type.IDENTIFIER,r
role:sre.SemanticAttr.Role.LATINLETTER,font:sre.SemanticAttr.Font.BOLDSCRIPT},{set:this.smallLatinFraktur
{set:this.capitalLatinDoubleStruck,type:sre.SemanticAttr.Type.IDENTIFIER,role:sre.SemanticAttr.Role.LATIN
role:sre.SemanticAttr.Role.LATINLETTER,font:sre.SemanticAttr.Font.SANSSERIF},{set:this.capitalLatinSansSer
{set:this.smallLatinSansSerifItalic,type:sre.SemanticAttr.Type.IDENTIFIER,role:sre.SemanticAttr.Role.LATI
type:sre.SemanticAttr.Type.IDENTIFIER,role:sre.SemanticAttr.Role.LATINLETTER,font:sre.SemanticAttr.Font.S
font:sre.SemanticAttr.Font.DOUBLESTRUCKITALIC},{set:this.smallGreek,type:sre.SemanticAttr.Type.IDENTIFIER,
role:sre.SemanticAttr.Role.GREEKLETTER,font:sre.SemanticAttr.Font.BOLD},{set:this.smallGreekItalic,type:s
type:sre.SemanticAttr.Type.IDENTIFIER,role:sre.SemanticAttr.Role.GREEKLETTER,font:sre.SemanticAttr.Font.B
role:sre.SemanticAttr.Role.GREEKLETTER,font:sre.SemanticAttr.Font.SANSSERIFBOLDITALIC},{set:this.smallGree
{set:this.greekSpecialBold,type:sre.SemanticAttr.Type.IDENTIFIER,role:sre.SemanticAttr.Role.GREEKLETTER,f
font:sre.SemanticAttr.Font.NORMAL},{set:this.digitsNormal,type:sre.SemanticAttr.Type.NUMBER,role:sre.Sema
font:sre.SemanticAttr.Font.DOUBLESTRUCK},{set:this.digitsSansSerif,type:sre.SemanticAttr.Type.NUMBER,role
{set:this.otherNumbers,type:sre.SemanticAttr.Type.NUMBER,role:sre.SemanticAttr.Role.OTHERNUMBER},{set:thi
type:sre.SemanticAttr.Type.OPERATOR,role:sre.SemanticAttr.Role.PREFIXOP},{set:this.prefixOpsBold,type:sre
type:sre.SemanticAttr.Type.RELATION,role:sre.SemanticAttr.Role.EQUALITY},{set:this.inequalities,type:sre.s
role:sre.SemanticAttr.Role.ARROW},{set:this.sumOps,type:sre.SemanticAttr.Type.LARGEOP,role:sre.SemanticAt
type:sre.SemanticAttr.Type.OPERATOR,role:sre.SemanticAttr.Role.PREFIXFUNC}};this.meaning_=this.initMeaning
sre.SemanticAttr.Type={PUNCTUATION:"punctuation",FENCE:"fence",NUMBER:"number",IDENTIFIER:"identifier",TE
SUPERSCRIPT:"superscript",UNDERSCORE:"underscore",OVERSCORE:"overscore",TENSOR:"tensor",TABLE:"table",MUL
sre.SemanticAttr.Role={COMMA:"comma",ELLIPSIS:"ellipsis",FULLSTOP:"fullstop",DASH:"dash",PRIME:"prime",DE
MULTIACCENT:"multiaccent",OVERACCENT:"overaccent",UNDERACCENT:"underaccent",UNDEROVER:"underover",SUBSUP:
MULTIOP:"multiop",PREFIXOP:"prefix operator",POSTFIXOP:"postfix operator",LIMFUNC:"limit function",INFIXF
SET:"set",DETERMINANT:"determinant",ROWVECTOR:"rowvector",BINOMIAL:"binomial",SQUAREMATRIX:"squarematrix",
sre.SemanticAttr.Font={BOLD:"bold",BOLDFRAKTUR:"bold-fraktur",BOLDITALIC:"bold-italic",BOLDSCRIPT:"bold-s
UNKNOWN:"unknown"};sre.SemanticAttr.equal=function(a,b){return a.type===b.type&&a.role===b.role&&a.font===
sre.SemanticAttr.invisiblePlus=function(){return sre.SemanticAttr.getInstance().invisiblePlus_};sre.Seman
sre.SemanticAttr.isMatchingFenceRole=function(a,b){return a===sre.SemanticAttr.Role.OPEN&&b===sre.SemanticA
sre.SemanticAttr.isClosingFence=function(a){return a===sre.SemanticAttr.Role.CLOSE||a===sre.SemanticAttr.Ro
sre.SemanticAttr.prototype.isMatchingFence_=function(a,b){return-1!=this.neutralFences.indexOf(a)?a===b:th
sre.SemanticAttr.prototype.lookupMeaning_=function(a){return this.meaning_[a]}|{|role:sre.SemanticAttr.Role
sre.SemanticNode.prototype.querySelectorAll=function(a){for(var b=[],c=0,d;d=this.childNodes[c];c++)b=b.c

```

```

sre.SemanticNode.prototype.xml=function(a,b){var c=function(e,f){f=f.map(function(k){return k.xml(a,b)});
sre.SemanticNode.prototype.toString=function(a){var b=new sre.SystemExternal.xmlDOM.XMLSerializer,c=(new
sre.SemanticNode.prototype.allAttributes=function(){var a=[];a.push([sre.SemanticNode.Attribute.ROLE,this
this.id]);return a};sre.SemanticNode.prototype.addExternalAttributes_=function(a){for(var b in this.attri
sre.SemanticNode.prototype.toJson=function(){var a={};a[sre.SemanticNode.Attribute.TYPE]=this.type;for(var
sre.SemanticNode.prototype.updateContent=function(a,b){b=b?a.replace(/^[ \f\n\r\t\v\u200b]*/,"").replace(
sre.SemanticNode.prototype.removeMathmlNodes_=function(a){for(var b=this.mathml,c=0,d;d=a[c];c++)d=b.index
sre.SemanticNode.prototype.replaceChild=function(a,b){var c=this.childNodes.indexOf(a);if(-1!=c){a.parent
sre.SemanticNode.prototype.removeContentNode=function(a){a&&(a=this.contentNodes.indexOf(a),-1!=a&&this.c
sre.SemanticNode.prototype.equals=function(a){if(!a||this.type!=a.type||this.role!=a.role||this.textCon
sre.SemanticNode.prototype.displayTree_=function(a){a++;var b=Array(a).join("  "),c="";c+="\n"+b+this.toS
sre.SemanticNode.prototype.mathmlTreeString_=function(){return this.mathmlTree?this.mathmlTree.toString()
sre.SemanticNode.prototype.hasAnnotation=function(a,b){return(a=this.annotation[a])?-1!=a.indexOf(b):!1}
sre.SemanticNode.fromXml=function(a){var b=parseInt(a.getAttribute("id"),10);b=new sre.SemanticNode(b);b.
sre.SemanticNode.setAttribute_=function(a,b,c,d){d=d||c;(b=b.getAttribute(c))&&(a[d]=b)};sre.SemanticNode
sre.SemanticVisitor.prototype.visit=function(a,b){b=this.func(a,b);a.addAnnotation(this.domain,b[0]);for(
sre.SemanticAnnotations.prototype.annotate=function(a){for(var b=$jscomp.makeIterator(Object.keys(this.an
sre.SemanticOrdering.prototype.reduce=function(a){if(1>=a.length)return a;a=a.slice();this.sort(a);var b=
sre.SemanticOrdering.simpleFunction=function(a,b){return a.role===sre.SemanticAttr.Role.SIMPLEFUNC?1:b.ro
sre.SemanticDefault.prototype.size=function(){return Object.keys(this.map_).length};sre.SemanticCollator_
sre.SemanticCollator_.prototype.retrieveNode=function(a){return this.retrieve(a.textContent,a.font)};sre.S
sre.SemanticCollator_.prototype.reduce=function(){for(var a in this.map_)1!==(this.map_[a].length&&(this.ma
sre.SemanticNodeCollator=function(){sre.SemanticCollator_.call(this)};goog.inherits(sre.SemanticNodeColla
sre.SemanticNodeCollator.prototype.collateMeaning=function(){var a=new sre.SemanticMeaningCollator,b;for(
sre.SemanticMeaningCollator.prototype.add=function(a,b){var c=this.retrieve(a,b.font);c&&c.find(function(
sre.SemanticMeaningCollator.prototype.toString=function(){var a=[],b;for(b in this.map_){for(var c=Array(
sre.SemanticMeaningCollator.prototype.newDefault=function(){var a=this.default();this.reduce();var b=this
sre.SemanticNodeFactory.prototype.makeUnprocessed=function(a){var b=this.createNode_();b.mathml=[a];b.math
sre.SemanticNodeFactory.prototype.makeLeafNode=function(a,b){if(!a)return this.makeEmptyNode();a=this.mak
sre.SemanticAbstractParser.prototype.setFactory=function(a){this.factory_=a};sre.SemanticAbstractParser.p
sre.SemanticPred.isAccent=function(a){return sre.SemanticPred.isAttribute("type","FENCE")(a)||sre.Semanti
sre.SemanticPred.isSimpleFunctionScope=function(a){a=a.childNodes;if(0===a.length)return!0;if(1<a.length)
sre.SemanticPred.isBigOpBoundary=function(a){return sre.SemanticPred.isOperator(a)||sre.SemanticPred.isGe
sre.SemanticPred.isGeneralFunctionBoundary=function(a){return sre.SemanticPred.isRelation(a)||sre.Semanti
sre.SemanticPred.isRelation=function(a){return sre.SemanticPred.isAttribute("type","RELATION")(a)||sre.Sem

```

```

sre.SemanticPred.isEligibleEmbellishedFence=function(a){if(!a||!sre.SemanticPred.isFence(a))return!1;if(
"CLOSE")(c)&&sre.SemanticPred.isAttribute("type","TENSOR")(c)||sre.SemanticPred.isAttribute("role","OPEN"
sre.SemanticPred.tableIsMatrixOrVector=function(a){return!!a&&sre.SemanticPred.isFencedElement(a)&&sre.Sem
sre.SemanticPred.tableIsCases=function(a,b){return 0<b.length&&sre.SemanticPred.isAttribute("role","OPENF
sre.SemanticPred.isLimitBase=function(a){return sre.SemanticPred.isAttribute("type","LARGEOP")(a)||sre.Sem
sre.SemanticPred.isSimpleFunctionHead=function(a){return a.type===sre.SemanticAttr.Type.IDENTIFIER||a.role
sre.SemanticPred.isSimpleFunction=function(a){return sre.SemanticPred.isAttribute("type","IDENTIFIER")(a)
sre.SemanticPred.illegalSingleton_=[sre.SemanticAttr.Type.PUNCTUATION,sre.SemanticAttr.Type.PUNCTUATED,sre
sre.SemanticPred.scriptedElement_=[sre.SemanticAttr.Type.LIMUPPER,sre.SemanticAttr.Type.LIMLOWER,sre.Sema
sre.SemanticPred.isSingletonSetContent=function(a){var b=a.type;return-1!==sre.SemanticPred.illegalSingle
sre.SemanticPred.isNumber=function(a){return a.type===sre.SemanticAttr.Type.NUMBER&&(a.role===sre.Semanti
sre.SemanticPred.isImplicit=function(a){return a.role===sre.SemanticAttr.Role.IMPLICIT||a.role===sre.Sema
sre.SemanticPred.compareNeutralFences=function(a,b){return a.role===sre.SemanticAttr.Role.NEUTRAL&&b.role
sre.SemanticPred.elligibleLeftNeutral=function(a){return a.role!==sre.SemanticAttr.Role.NEUTRAL?!1:a.embe
sre.SemanticPred.elligibleRightNeutral=function(a){return a.role!==sre.SemanticAttr.Role.NEUTRAL?!1:a.embe
sre.SemanticHeuristics.run=function(a,b,c){var d=sre.SemanticHeuristics.lookup(a);return d&&!sre.Semantic
sre.SemanticHeuristic=function(){};sre.SemanticAbstractHeuristic=function(a){this.apply=a.method;this.app
sre.SemanticHeuristics.add("combine_juxtaposition",new sre.SemanticTreeHeuristic({method:function(a){for(
sre.SemanticHeuristics.add("propagateSimpleFunction",new sre.SemanticTreeHeuristic({predicate:function(a)
sre.SemanticHeuristics.add("simpleNamedFunction",new sre.SemanticTreeHeuristic({predicate:function(a){ret
sre.SemanticHeuristics.add("propagateComposedFunction",new sre.SemanticTreeHeuristic({predicate:function(
sre.SemanticHeuristics.add("multioperator",new sre.SemanticTreeHeuristic({method:function(a){if(!(a.role!
sre.SemanticHeuristics.add("convert_juxtaposition",new sre.SemanticMultiHeuristic({method:function(a){var
(f.type===sre.SemanticAttr.Type.OPERATOR||f.type===sre.SemanticAttr.Type.INFIXOP)}));return b.rel.length?s
sre.SemanticHeuristics.juxtapositionPrePost_=function(a){for(var b=[],c=[],d=a.comp.shift(),e=null;a.comp
sre.SemanticHeuristics.convertPrePost_=function(a,b,c){var d=null;if(!a.length)return d;var e=(c=c[c.leng
sre.SemanticHeuristics.recurseJuxtaposition_=function(a,b,c){if(!b.length)return a;var d=a.pop(),e=b.shif
e=sre.SemanticHeuristics.getInstance().factory.makeBranchNode(sre.SemanticAttr.Type.INFIXOP,[d,b.shift()
sre.SemanticPred.isImplicitOp(d)&&sre.SemanticPred.isImplicitOp(g)?(sre.Debugger.getInstance().output("Ju
d.childNodes.push(g),g.parentNode=d,e.parentNode=d,d.addMathmlNodes(e.mathml),d.addMathmlNodes(g.mathml),l
[e],e.textContent),h.role=sre.SemanticAttr.Role.IMPLICIT);a.push(h);return sre.SemanticHeuristics.recurse
sre.SemanticHeuristics.add("detect_cycle",new sre.SemanticTreeHeuristic({predicate:function(a){return"bra
sre.SemanticAttr.Type.MATRIX;a.role=sre.SemanticAttr.Role.CYCLE;var b=a.childNodes[0];b.type=sre.Semantic
sre.SemanticProcessor.prototype.identifierNode=function(a,b,c){if("MathML-Unit"===c)a.type=sre.SemanticAt
sre.SemanticAttr.Type.IDENTIFIER);sre.SemanticProcessor.exprFont_(a);return sre.SemanticHeuristics.run("s

```

```

sre.SemanticProcessor.matchSpaces_=function(a,b){for(var c=0,d;b[c];c++){var e=a[c].mathmlTree,f=a[c+1]
sre.SemanticProcessor.prototype.implicitNode=function(a){a=sre.SemanticProcessor.getInstance().getMixedNum
sre.SemanticProcessor.prototype.infixNode_=function(a,b){a=sre.SemanticProcessor.getInstance().factory_.ma
sre.SemanticProcessor.prototype.explicitMixed_=function(a){var b=sre.SemanticUtil.partitionNodes(a,function
[e[g],f[0]],[]),d.role=sre.SemanticAttr.Role.MIXED,a=a.concat(e.slice(0,g)),a.push(d),f.shift()):a=a.conc
sre.SemanticProcessor.prototype.prefixNode_=function(a,b){b=sre.SemanticUtil.partitionNodes(b,sre.Semantic
a.role=sre.SemanticAttr.Role.NEGATIVE,a=sre.SemanticProcessor.getInstance().concatNode_(a,b.comp.pop(),sre
sre.SemanticProcessor.prototype.text=function(a,b){sre.SemanticProcessor.exprFont_(a);a.type=sre.Semantic
sre.SemanticProcessor.prototype.row=function(a){a=a.filter(function(b){return!sre.SemanticPred.isAttribute
sre.SemanticProcessor.prototype.combineUnits_=function(a){var b=sre.SemanticUtil.partitionNodes(a,function
return a};

sre.SemanticProcessor.prototype.getMixedNumbers_=function(a){var b=sre.SemanticUtil.partitionNodes(a,func
d],[]),d.role=sre.SemanticAttr.Role.MIXED,a=a.concat(e.slice(0,f)),a.push(d):(a=a.concat(e),a.push(d))}re
sre.SemanticProcessor.prototype.getTextInRow_=function(a){if(1>=a.length)return a;var b=sre.SemanticUtil.
sre.SemanticProcessor.prototype.relationsInRow_=function(a){var b=sre.SemanticUtil.partitionNodes(a,sre.S
c.role})&&(a.role=c.role),a;a=sre.SemanticProcessor.getInstance().factory_.makeBranchNode(sre.SemanticAttr
sre.SemanticProcessor.prototype.operationsInRow_=function(a){if(0===a.length)return sre.SemanticProcessor
sre.SemanticPred.isOperator);b=sre.SemanticProcessor.getInstance().prefixNode_(sre.SemanticProcessor.getI
sre.SemanticProcessor.prototype.operationsTree_=function(a,b,c,d){d=d||[];if(0===a.length)return d.unshift
d);b=sre.SemanticProcessor.getInstance().appendOperand_(b,c,d);return a.div?sre.SemanticProcessor.getInsta
sre.SemanticProcessor.prototype.appendOperand_=function(a,b,c){if(a.type!==sre.SemanticAttr.Type.INFIXOP)
sre.SemanticProcessor.prototype.appendDivisionOp_=function(a,b,c){return b.role===sre.SemanticAttr.Role.D
sre.SemanticProcessor.prototype.appendLastOperand_=function(a,b,c){for(var d=a,e=a.childNodes[a.childNodes
sre.SemanticProcessor.prototype.appendMultiplicativeOp_=function(a,b,c){if(sre.SemanticPred.isImplicit(a)
sre.SemanticProcessor.prototype.appendAdditiveOp_=function(a,b,c){return sre.SemanticProcessor.getInstance
sre.SemanticProcessor.prototype.getFencesInRow_=function(a){a=sre.SemanticUtil.partitionNodes(a,sre.Semant
sre.SemanticProcessor.prototype.fences_=function(a,b,c,d){if(0===a.length&&0===c.length)return d[0];var e
c[c.length-1];g=a[0].role;if(g===sre.SemanticAttr.Role.OPEN||!(g===sre.SemanticAttr.Role.NEUTRAL||f&&sre.S
b,c,d);if(f&&sre.SemanticPred.compareNeutralFences(a[0],f)){if(!sre.SemanticPred.elligibleLeftNeutral(f)|
c.some(e))return c=sre.SemanticUtil.sliceNodes(c,e,!0),e=d.pop(),f=d.length-c.tail.length+1,g=sre.Semanti
b,c,d));

sre.SemanticProcessor.prototype.neutralFences_=function(a,b){if(0===a.length)return a;if(1===a.length)retu
b.shift(),d.unshift(c),d.concat(sre.SemanticProcessor.getInstance().neutralFences_(a,b));if(!sre.Semantic
sre.SemanticProcessor.prototype.combineFencedContent_=function(a,b,c,d){if(0===c.length)return a=sre.Semant
sre.SemanticProcessor.FENCE_TO_PUNCT_={};sre.SemanticProcessor.FENCE_TO_PUNCT_[sre.SemanticAttr.Role.NEUTR

```

```

sre.SemanticProcessor.fenceToPunct_=function(a){var b=sre.SemanticProcessor.FENCE_TO_PUNCT_[a.role];if(b)
sre.SemanticProcessor.prototype.horizontalFencedNode_=function(a,b,c){c=sre.SemanticProcessor.getInstance
sre.SemanticProcessor.prototype.classifyHorizontalFence_=function(a){a.role=sre.SemanticAttr.Role.LEFTRIG
sre.SemanticAttr.Role.COMMA?a.role=sre.SemanticAttr.Role.SETCOLLECT:1!==b[0].contentNodes.length||b[0].con
sre.SemanticProcessor.prototype.setExtension_=function(a){(a=a.childNodes[0].childNodes[0])&&a.type===sre
sre.SemanticProcessor.prototype.getPunctuationInRow_=function(a){if(1>=a.length)return a;var b=function(g
b(h)?!1:!0});if(0===c.rel.length)return a;var d=[],e=c.comp.shift();0<e.length&&d.push(sre.SemanticProces
sre.SemanticProcessor.prototype.punctuatedNode_=function(a,b){var c=sre.SemanticProcessor.getInstance().fa
"DUMMY"))?c.role=sre.SemanticAttr.Role.TEXT:b.every(sre.SemanticPred.isAttribute("role","SPACE"))?c.role=
sre.SemanticProcessor.MML_TO_LIMIT_={MSUB:{type:sre.SemanticAttr.Type.LIMLOWER,length:1},MUNDER:{type:sre
sre.SemanticProcessor.MML_TO_BOUNDS_={MSUB:{type:sre.SemanticAttr.Type.SUBSCRIPT,length:1,accent:!1},MSUP
sre.SemanticProcessor.prototype.accentRole_=function(a,b){if(!sre.SemanticPred.isAccent(a))return!1;a.rol
sre.SemanticProcessor.prototype.limitNode=function(a,b){if(!b.length)return sre.SemanticProcessor.getInsta
if(2===e){if(sre.SemanticPred.isAccent(b[1]))return c=this.accentNode_(c,[c,b[1]],[MSUBSUP:sre.SemanticAt
sre.SemanticAttr.Type.LIMLOWER)}return this.makeLimitNode_(c,b,null,f)}d=sre.SemanticProcessor.MML_TO_BOU
sre.SemanticProcessor.prototype.accentNode_=function(a,b,c,d,e){b=b.slice(0,d+1);d=b[1];var f=b[2];if(!e&
(g=sre.SemanticProcessor.getInstance().factory_.makeBranchNode(sre.SemanticAttr.Type.UNDERSCORE,[a,d],[[])
sre.SemanticProcessor.prototype.makeLimitNode_=function(a,b,c,d){if(d===sre.SemanticAttr.Type.LIMUPPER&&a
c&&(c.embellished=d);b.embellished=d;b.role=a.role;return b};sre.SemanticProcessor.prototype.getFunctions
sre.SemanticProcessor.CLASSIFY_FUNCTION_[sre.SemanticAttr.Role.INTEGRAL]="integral";sre.SemanticProcessor
sre.SemanticProcessor.classifyFunction_=function(a,b){if(a.type===sre.SemanticAttr.Type.APPL||a.type===sre
b);return"prefix"}return(b=sre.SemanticProcessor.CLASSIFY_FUNCTION_[a.role])?b:sre.SemanticPred.isSimpleF
sre.SemanticProcessor.prototype.getFunctionArgs_=function(a,b,c){switch(c){case "integral":b=sre.Semantic
a=sre.SemanticProcessor.getInstance().functionNode_(a,d);b.unshift(a);return b}c=sre.SemanticUtil.sliceNo
if(!c.head.length)return b.unshift(a),b;d=sre.SemanticProcessor.getInstance().row(c.head);a=sre.SemanticP
b.shift()),b.unshift(a),b;b.unshift(a);return b}};
sre.SemanticProcessor.prototype.getIntegralArgs_=function(a,b){b=b||[];if(0===a.length)return{integrand:b,
{integrand:b,intvar:c,rest:a.slice(2)};b.push(a.shift());return sre.SemanticProcessor.getInstance().getIn
sre.SemanticProcessor.prototype.functionNode_=function(a,b){var c=sre.SemanticProcessor.getInstance().fac
sre.SemanticPred.isAttribute("type","IDENTIFIER")(e)&&sre.SemanticPred.isAttribute("role","SIMPLEFUNC")(e
sre.SemanticProcessor.prototype.integralNode_=function(a,b,c){b=b||sre.SemanticProcessor.getInstance().fa
sre.SemanticProcessor.prototype.functionalNode_=function(a,b,c,d){var e=b[0];if(c){var f=c.parent;d.push(
sre.SemanticProcessor.prototype.tablesInRow=function(a){a=sre.SemanticUtil.partitionNodes(a,sre.SemanticP
sre.SemanticProcessor.tableToMatrixOrVector_=function(a){var b=a.childNodes[0];sre.SemanticPred.isAttribu
sre.SemanticProcessor.tableToVector_=function(a){var b=a.childNodes[0];b.type=sre.SemanticAttr.Type.VECTOR

```



```

sre.SemanticProcessor.tableToMatrix_=function(a){var b=a.childNodes[0];b.type=sre.SemanticAttr.Type.MATRIX;
sre.SemanticProcessor.tableToSquare_=function(a){var b=a.childNodes[0];sre.SemanticPred.isAttribute("role")
sre.SemanticProcessor.tableToCases_=function(a,b){for(var c=0,d=a.childNodes[c];c++)sre.SemanticProcess
sre.SemanticProcessor.tableToMultiline=function(a){if(sre.SemanticPred.tableIsMultiline(a)){a.type=sre.Sem
sre.SemanticProcessor.rewriteFencedLine_=function(a){var b=a.childNodes[0],c=a.childNodes[0].childNodes[0]
sre.SemanticProcessor.rowToLine_=function(a,b){b=b||sre.SemanticAttr.Role.UNKNOWN;sre.SemanticPred.isAttr
sre.SemanticProcessor.assignRoleToRow_=function(a,b){if(sre.SemanticPred.isAttribute("type","LINE")(a))a.
sre.SemanticProcessor.prototype.mfenced=function(a,b,c,d){if(c&&0<d.length){var e=sre.SemanticProcessor.n
b&&d.push(sre.SemanticProcessor.getInstance().factory_.makeContentNode(b));return sre.SemanticProcessor.g
sre.SemanticProcessor.number=function(a){if(a.type===sre.SemanticAttr.Type.UNKNOWN||a.type===sre.Semantic
sre.SemanticProcessor.numberRole_=function(a){if(a.role===sre.SemanticAttr.Role.UNKNOWN){var b=sre.Semant
d.role===sre.SemanticAttr.Role.INTEGER||d.type===sre.SemanticAttr.Type.PUNCTUATION})?a.role=sre.SemanticA
sre.SemanticProcessor.exprFont_=function(a){if(a.font===sre.SemanticAttr.Font.UNKNOWN){var b=sre.Semantic
sre.SemanticProcessor.prototype.fractionLikeNode=function(a,b,c,d){!d&&sre.SemanticUtil.isZeroLength(c)?(
b),d&&b.addAnnotation("general","bevelled"));return b};
sre.SemanticProcessor.prototype.fractionNode_=function(a,b){a=sre.SemanticProcessor.getInstance().factory
sre.SemanticProcessor.prototype.tensor=function(a,b,c,d,e){b=sre.SemanticProcessor.getInstance().factory_
b.embellished=sre.SemanticPred.isEmbellished(a);return b};
sre.SemanticProcessor.prototype.pseudoTensor=function(a,b,c){var d=function(g){return!sre.SemanticPred.is
sre.SemanticProcessor.prototype.scriptNode_=function(a,b,c){switch(a.length){case 0:a=sre.SemanticProcess
sre.SemanticProcessor.purgeFences_=function(a){var b=a.rel;a=a.comp;for(var c=[],d=[];0<b.length;){var e=
sre.SemanticProcessor.rewriteFencedNode_=function(a){var b=a.contentNodes[1],c=sre.SemanticProcessor.rewr
sre.SemanticProcessor.rewriteFence_=function(a,b){if(!b.embellished)return{node:a,fence:b};var c=b.childN
b.replaceChild(c,d.fence);b.mathmlTree&&-1===b.mathml.indexOf(b.mathmlTree)&&b.mathml.push(b.mathmlTree);
sre.SemanticProcessor.classifyMultiline=function(a){for(var b=0,c=a.childNodes.length,d;b<c&&!(d=a.child
sre.SemanticProcessor.classifyTable=function(a){var b=sre.SemanticProcessor.computeColumns_(a);sre.Semant
sre.SemanticProcessor.classifyByColumns_=function(a,b,c,d){d=function(g){return sre.SemanticProcessor.isP
0,f))?(a.role=sre.SemanticAttr.Role[c,!0]:!1};sre.SemanticProcessor.isEndRelation_=function(a,b,c){c=c?a
sre.SemanticProcessor.computeColumns_=function(a){for(var b=[],c=0,d=a.childNodes[c];c++)for(var e=0,f;
sre.SemanticProcessor.MATHJAX_FONTS={"-tex-caligraphic":sre.SemanticAttr.Font.CALIGRAPHIC,"-tex-caligraph
sre.SemanticProcessor.prototype.font=function(a){var b=sre.SemanticProcessor.MATHJAX_FONTS[a];return b?b:
sre.SemanticProcessor.prototype.proof=function(a,b,c){b.inference||b.axiom||console.log("Noise");if(b.axi
sre.SemanticProcessor.prototype.inference=function(a,b,c){if(b.inferenceRule)return c=this.getFormulas(a,
[c.conclusion,c.premises],b);c.mathmlTree=a;return c};sre.SemanticProcessor.prototype.getLabel=function(a,
sre.SemanticProcessor.prototype.getFormulas=function(a,b,c){b=b.length?this.findNestedRow(b,"inferenceRule

```

```
=this.factory_.makeBranchNode(sre.SemanticAttr.Type.PREMISES,d,[]);d.mathmlTree=b;c=this.factory_.makeBr  
sre.SemanticProcessor.prototype.findNestedRow_=function(a,b,c,d){if(3<c)return null;for(var e=0,f=f+a[e];  
sre.SemanticProcessor.findSemantics=function(a,b,c){c=null==c?null:c;return(a=sre.SemanticProcessor.getSem  
sre.SemanticProcessor.separateSemantics=function(a){var b={};a.split(";").forEach(function(c){var d=$jscom  
this),MROOT:goog.bind(this.root_,this),MSQRT:goog.bind(this.sqrt_,this),MTABLE:goog.bind(this.table_,this  
this),MENCLOSE:goog.bind(this.encoded_,this),MMULTISCRIPTS:goog.bind(this.multiscripts_,this),ANNOTATION  
sre.SemanticMathml.prototype.parse=function(a){sre.SemanticProcessor.getInstance().setNodeFactory(this.ge  
sre.SemanticMathml.prototype.rows_=function(a,b){var c=a.getAttribute("semantics");if(c&&c.match("bspr_")  
sre.SemanticMathml.prototype.fraction_=function(a,b){if(!b.length)return this.getFactory().makeEmptyNode(  
sre.SemanticMathml.prototype.root_=function(a,b){return b[1]?this.getFactory().makeBranchNode(sre.Semanti  
sre.SemanticMathml.prototype.table_=function(a,b){var c=a.getAttribute("semantics");if(c&&c.match("bspr_"  
sre.SemanticMathml.prototype.tableLabeledRow_=function(a,b){if(!b.length)return this.tableRow_(a,b);a=thi  
sre.SemanticMathml.prototype.tableCell_=function(a,b){a=this.parseList(sre.SemanticUtil.purgeNodes(b));a=  
sre.SemanticMathml.prototype.space_=function(a,b){var c=a.getAttribute("width"),d=c&&c.match(/[a-z]*$/);i  
sre.SemanticMathml.prototype.text_=function(a,b){b=this.leaf_(a,b);if(!a.textContent)return b;b.updateCon  
sre.SemanticMathml.prototype.number_=function(a,b){a=this.leaf_(a,b);sre.SemanticProcessor.number(a);retur  
sre.SemanticMathml.prototype.fenced_=function(a,b){b=this.parseList(sre.SemanticUtil.purgeNodes(b));var c;  
sre.SemanticMathml.prototype.encoded_=function(a,b){b=this.parseList(sre.SemanticUtil.purgeNodes(b));b=t  
sre.SemanticMathml.prototype.multiscripts_=function(a,b){if(!b.length)return this.getFactory().makeEmptyN  
sre.SemanticProcessor.getInstance().pseudoTensor(a,this.parseList(f),this.parseList(e));sre.SemanticMathr  
sre.SemanticMathml.prototype.leaf_=function(a,b){return 1===b.length&&b[0].nodeType!==sre.DomUtil.NodeType  
sre.SemanticTree.unitVisitor_=new sre.SemanticVisitor("general","unit",function(a,b){a.type!==sre.Semanti  
sre.SemanticTree.empty=function(){var a=sre.DomUtil.parseInput("<math/>"),b=new sre.SemanticTree(a);b.mat  
sre.SemanticTree.prototype.toString=function(a){return(new sre.SystemExternal.xmlDom.XMLSerializer).serial  
sre.SemanticTree.fromXml=function(a){var b=sre.SemanticTree.empty();a.childNodes[0]&&(b.root=sre.SemanticT  
sre.MathspeakUtil.spaceoutNumber=function(a){return sre.MathspeakUtil.spaceoutNodes(a,function(b){b.textC  
sre.MathspeakUtil.nestingBarriers=[sre.Semantic.Type.CASES,sre.Semantic.Type.CELL,sre.Semantic.Type.INTEG  
sre.MathspeakUtil.resetNestingDepth=function(a){sre.MathspeakUtil.nestingDepth={};return[a]};  
sre.MathspeakUtil.getNestingDepth=function(a,b,c,d,e,f){d=d||sre.MathspeakUtil.nestingBarriers;e=e||{};f=  
b});sre.MathspeakUtil.containsAttr=function(a,b){if(!a.attributes)return!1;a=sre.DomUtil.toArray(a.attribu  
sre.MathspeakUtil.computeNestingDepth_=function(a,b,c,d,e,f){if(e(a)||-1<c.indexOf(a.tagName)||sre.Mathspe  
sre.MathspeakUtil.fractionNestingDepth=function(a){return sre.MathspeakUtil.getNestingDepth("fraction",a,  
sre.MathspeakUtil.openingFractionVerbose=function(a){return sre.MathspeakUtil.nestedFraction(a,sre.Message  
sre.MathspeakUtil.openingFractionBrief=function(a){return sre.MathspeakUtil.nestedFraction(a,sre.Messages  
sre.MathspeakUtil.openingFractionSbrief=function(a){a=sre.MathspeakUtil.fractionNestingDepth(a);return 1=
```

```

sre.MathspeakUtil.closingFractionSbrief=function(a){a=sre.MathspeakUtil.fractionNestingDepth(a);return 1===a?
sre.MathspeakUtil.overFractionSbrief=function(a){a=sre.MathspeakUtil.fractionNestingDepth(a);return 1===a?
sre.MathspeakUtil.nestedSubSuper=function(a,b,c){for(;;a.parentNode;){var d=a.parentNode,e=d.parentNode;if(
f===sre.Semantic.Role.RIGHTSUPER))b=c.sup+sre.Messages.REGEXP.JOINER_SUBSUPER+b;a=e}return b.trim()};sre.M
sre.MathspeakUtil.superscriptVerbose=function(a){return sre.MathspeakUtil.nestedSubSuper(a,sre.Messages.M
sre.MathspeakUtil.baselineVerbose=function(a){return(a=sre.MathspeakUtil.nestedSubSuper(a,"",{sup:sre.Mes
sre.MathspeakUtil.radicalNestingDepth=function(a){return sre.MathspeakUtil.getNestingDepth("radical",a,["
sre.MathspeakUtil.getRootIndex=function(a){a="sqrt"===a.tagName?"2":sre.XPathUtil.evalXPath("children/*[1
sre.MathspeakUtil.indexRadicalVerbose=function(a){return sre.MathspeakUtil.nestedRadical(a,sre.Messages.M
sre.MathspeakUtil.indexRadicalBrief=function(a){return sre.MathspeakUtil.nestedRadical(a,sre.Messages.MS
sre.MathspeakUtil.underscoreNestingDepth=function(a){return sre.MathspeakUtil.getNestingDepth("underscore
sre.MathspeakUtil.overscoreNestingDepth=function(a){return sre.MathspeakUtil.getNestingDepth("overscore",
sre.MathspeakUtil.determinantIsSimple=function(a){if(a.tagName!==sre.Semantic.Type.MATRIX||a.getAttribute
sre.MathspeakUtil.generateBaselineConstraint=function(){var a=function(g){return g.map(function(h){return
sre.MathspeakUtil.removeParens=function(a){if(!a.childNodes.length||!a.childNodes[0].childNodes.length||!
sre.MathspeakUtil.generateTensorRuleStrings_=function(a){var b=[],c="",d="";a=parseInt(a,2);for(var e=0;5
sre.MathspeakUtil.generateTensorRules=function(a){var b=goog.bind(a.defineRule,a);a=goog.bind(a.defineSpee
h+="; [t]"+"k"+"Verbose";g+="; [t]"+"k"+"Brief";f+="-baseline";k=[f,"default",h,"self::tensor","((.//*[not(*)
"brief","sbrief"])};sre.Locale={};sre.Locale.nestingToString=function(a){switch(a){case 1:return sre.Mess
sre.Grammar.getInstance().setCorrection("localFont",sre.Locale.localFont);sre.Locale.localRole=function(a
sre.Locale.postfixCombiner=function(a,b,c){a=c?c+" "+a:a;return b?a+" "+b:a};sre.Numbers.de={};sre.Numbers
sre.Numbers.de.onePrefix_=function(a){return a===sre.Numbers.de.onesNumbers_[1]?"ein":a};sre.Numbers.de.h
sre.Numbers.de.numberToWords=function(a){if(a>Math.pow(10,36))return a.toString();for(var b=0,c="";0<a;).
sre.Numbers.de.wordOrdinal=function(a){return 1===a?"erste":3===a?"dritte":7===a?"siebte":8===a?"achte":s
sre.Locale.de={MS:{START:"Anfang",FRAC_V:"Bruch",FRAC_B:"Bruch",FRAC_S:"Bruch",END:"Ende",FRAC_OVER:"durc
MS_FUNC:{FRAC_NEST_DEPTH:sre.Locale.vulgarNestingDepth,RADICAL_NEST_DEPTH:function(a){return 1<a?sre.Numb
return new RegExp("((^"+a+" )|( "+a+"$))")}},MS_ROOT_INDEX:{2:"Quadrat",3:"Kubik"},FONT:{bold:"fettes","b
oldstyle:"antiquiertes","oldstyle-bold:"antiquiertes fettes",script:"Schreibschrift","sans-serif":"serif
"negative-circled-sans-serif":"schwarz eingekreistes serifenloses",comma:["Komma",germanPostfixCombiner],
vector:"Vektor",cases:"Fallunterscheidung",table:"Tabelle",unknown:"unbekannt"},ENCLOSE:{longdiv:"langer
horizontalstrike:"durchgestrichen",madruwb:"arabisches Fakult\u00e4tssymbol",updiagonalarrow:"Pfeil von l
b.toLowerCase()),PLURAL:function(a){return a},NUMBERS:sre.Numbers.de.NUMBERS,ALPHABETS:{latinSmall:"abcde
ALPHABET_TRANSFORMERS:{digit:{default:function(a){return 0===a?"null":sre.Numbers.de.numberToWords(a)},ma
sre.Grammar.getInstance().setCorrection("localFontNumber",function(a){var b=sre.Messages.FONT[a];void 0===
sre.Grammar.getInstance().setCorrection("masculine",function(a){return"dative"===sre.Grammar.getInstance(

```

```
sre.Numbers.en.hundredsToWords_=function(a){a%=1E3;var b=sre.Numbers.en.onesNumbers_[Math.floor(a/100)]?s
sre.Numbers.en.numberToWords=function(a){if(a>=Math.pow(10,36))return a.toString();for(var b=0,c="";0<a;)<
sre.Numbers.en.wordOrdinal=function(a){a=sre.Numbers.en.numberToWords(a);return a=a.match(/one$/)?a.slice
sre.Numbers.en.simpleOrdinal=function(a){var b=a%100,c=a.toString();if(10<b&&20>b)return c+"th";switch(a%
RADICAL_NEST_DEPTH:sre.Locale.nestingToString,COMBINE_ROOT_INDEX:function(a,b){return a},COMBINE_NESTED_F
"double-struck-italic":"double struck italic",fraktur:"fraktur",fullwidth:"fullwidth",italic:"italic",mon
"negative-circled":"black circled","double-circled":"double circled","circled-sans-serif":"circled sans s
squarematrix:"square matrix",multiline:"multiple lines",matrix:"matrix",vector:"vector",cases:"case statem
updiagonalarrow:"diagonal arrow",phasorangle:"phasor angle",unknown:"long division"},NAVIGATE:{COLLAPSIBL
latinCap:"ABCDEFGHIJKLMNOPQRSTUVWXYZ".split(""),greekSmall:"nabla;alpha;beta;gamma;delta;epsilon;zeta;eta
mathspeak:function(a){return a.toString()},clearspeak:function(a){return a.toString()}},letter:{default:f
sre.Numbers.es.largeNumbers_="";mil;mill\u00f3n;mil mill\u00f3nes;bill\u00f3n;mil bill\u00f3nes;trill\u00f
sre.Numbers.es.tensToWords_=function(a){var b=a%100;if(30>b)return sre.Numbers.es.onesNumbers_[b];a=sre.N
sre.Numbers.es.numberToWords=function(a){if(a>=Math.pow(10,36))return a.toString();for(var b=0,c="";0<a;)<
sre.Numbers.es.tensOrdinals_="d\u00e9cima vig\u00e9sima trig\u00e9sima cuadrag\u00e9sima quincuag\u00e9sim
sre.Numbers.es.numberToOrdinal=function(a,b){if(1999<a)return a.toString()+"a";if(12>=a)return sre.Numbers
sre.Numbers.es.simpleOrdinal=function(a){var b=sre.Grammar.getInstance().getParameter("gender");return a.
sre.Locale.es={MS:{START:"empezar",FRAC_V:"fracci\u00f3n",FRAC_B:"frac",FRAC_S:"frac",END:"finalizar",FRA
MS_FUNC:{FRAC_NEST_DEPTH:function(a){return!1},RADICAL_NEST_DEPTH:function(a){return""},COMBINE_ROOT_INDE
"bold-italic":"negrita cursiva","bold-script":"negrita script",caligraphic:"caligr\u00e9fica","caligraphi
"sans-serif-bold-italic":"sans serif negrita cursiva",unknown:"desconocida"},ROLE:{addition:"adici\u00f3n
ENCLOSE:{longdiv:"divisi\u00f3n larga",actuarial:"s\u00edmbolo actuarial",radical:"ra\u00edz cuadrada",bo
EMBELLISH:{"super":"super\u00e9ndice",sub:"sub\u00e9ndice",circled:["en circulo",sre.Locale.postfixCombine
squared:["en cuadrado",sre.Locale.postfixCombiner],"negative-squared":["en cuadrado negro",sre.Locale.pos
-1)+"ces":/.*c$/.test(a)?a.slice(0,-1)+"ques":/.*g$/.test(a)?a+"ues":/.*\u00f3n$/.test(a)?a.slice(0,-2)+"
greekCap:"Alfa Beta Gamma Delta \u00c9psilon Zeta Eta Theta Iota Kappa Lambda Mi Ni Xi \u00d3micron Pi Rho
ALPHABET_COMBINER:sre.Locale.prefixCombiner,UNIT_TIMES:"por"};sre.Numbers.fr={};sre.Numbers.fr.SUB_ISO="f
sre.Numbers.fr.largeNumbers_=";mille;millions;milliards;billions;mille billions;trillions;mille trillions
sre.Numbers.fr.hundredsToWords_=function(a){var b=a%1E3;a=sre.Numbers.fr.onesNumbers_[Math.floor(b/100)]?<
b[0].slice(1)):a.replace(/^-un$/,"-et-un")});
sre.Numbers.fr.numberToWords=function(a){if(a>=Math.pow(10,36))return a.toString();for(var b=0,c="";0<a;)<
""});sre.Numbers.fr.SMALL_ORDINAL={1:"uni\u00e8me",2:"demi",3:"tiers",4:"quart"};sre.Numbers.fr.numberToO
sre.Numbers.fr.simpleOrdinal=function(a){var b=sre.Grammar.getInstance().getParameter("gender");return 1=
OVERSCRIPT:"suscript"},MS_FUNC:{FRAC_NEST_DEPTH:function(a){return!1},RADICAL_NEST_DEPTH:sre.Locale.nesti
caligraphic:"en calligraphique","caligraphic-bold":"en calligraphique gras","double-struck":"ajour\u00e9"}
```

```
unknown:"inconnu"}, EMBELLISH:{"super":["exposant",sre.Locale.prefixCombiner],sub:["indice",sre.Locale.prefixCombiner]},
multiplication:"multiplication",subtraction:"soustraction",division:"division",equality:"\u00e9galit\u00e9",
cases:"d\u00e9claration de cas",table:"tableau",unknown:"inconnu"}, ENCLOSE:{longdiv:"longue division",act
madruwb:"symbole factorielle arabe",updiagonalarrow:"fl\u00eache diagonale montante",phasorangle:"angle d
DECIMAL_MARK:".",DIGIT_GROUP:"",JOINER_SUBSUPER:"- ",JOINER_FRAC:" ",SI:function(a,b){return a+b},PLURAL:
greekCap:"Alpha B\u00eata Gamma Delta Epsilon Z\u00eata \u00ceta Th\u00eata Iota Kappa Lambda M\u00fb N\u00f9",
digitPrefix:{default:""},ALPHABET_COMBINER:function(a,b,c){a=c?a+" "+c:a;return b?a+" "+b:a};sre.Numbers
sre.Numbers.hi.hundred_="\u0038\u004c";sre.Numbers.hi.largeNumbers_="\u0039\u001c\u003e\u0030 \u0032\u003
sre.Numbers.hi.hundredsToWords_=function(a){a%=1E3;var b=""+(sre.Numbers.hi.onesNumbers_[Math.floor(a/100
sre.Numbers.hi.numberToWords=function(a){if(a>=Math.pow(10,32))return a.toString();var b=0,c="",d=sre.Num
sre.Numbers.hi.numberToOrdinal=function(a,b){return 10>=a?sre.Numbers.hi.smallDenominators_[a]:sre.Numbers
sre.Numbers.hi.ordinalsFeminine_=" \u002a\u0039\u0032\u0040 \u0026\u0042\u0038\u0030\u0040 \u0024\u0040\u
sre.Numbers.hi.wordOrdinal=function(a){var b=sre.Grammar.getInstance().getParameter("gender");return 0>=a
sre.Numbers.hi.simpleSmallOrdinalsFeminine_=" \u0067\u0032\u0040 \u0068\u0030\u0040 \u0069\u0030\u0040 \u
sre.Numbers.hi.simpleOrdinal=function(a){var b=sre.Grammar.getInstance().getParameter("gender");return 0<
sre.Numbers.hi.NUMBERS={wordOrdinal:sre.Numbers.hi.wordOrdinal,simpleOrdinal:sre.Numbers.hi.simpleOrdinal
SUP:"\u0009\u0030\u004d\u0027\u004d\u0035",SUPERSCRIPT:"\u0009\u0030\u004d\u0027\u004d\u0035\u003e\u0028\u
ROOT:"\u002e\u0042\u0032",INDEX:"\u002e\u0042\u0032\u003e\u0002\u0015",UNDER:"\u0028\u003f\u001a\u0047",U
b,c){return a+b+c},FONT_REGEXP:function(a){return new RegExp("^( "+a.split(/ |-/).join("( |-)"+(" |-)"))},f
"double-struck":"\u0021\u002c\u0032-\u0038\u004d\u001f\u004d\u0030\u0015","double-struck-italic":"\u0021\u
script":"\u0032\u003f\u002a\u003f","sans-serif":"\u0038\u0002\u0038-\u0038\u0047\u0030\u003f\u002b\u003c",
EMBELLISH:{"super":"\u0038\u0041\u002a\u0030\u0038\u004d\u0015\u004d\u0030\u003f\u002a\u004d\u001f",sub:"
"circled-sans-serif":"\u0038\u0030\u004d\u0015\u003f\u0032 \u0038\u0048\u0002\u0038-\u0038\u0047\u0030\u00
ROLE:{addition:"\u002f\u004b\u0017",multiplication:"\u0017\u0041\u0023\u0028",subtraction:"\u0035\u004d\u
"set empty":"\u0030\u003f\u0015\u004d\u0024 \u0038\u002e\u0041\u001a\u004d\u001a\u002f","set extended":"\u
vector:"\u0038\u0026\u003f\u0036",cases:"\u002b\u0032\u0028 \u0009\u002a\u0036\u0030\u004d\u0024",table:"
circle:"\u0035\u0030\u004d\u0024\u0041\u0032",left:"\u0035\u003e\u002e \u000a\u0030\u004d\u0027\u004d\u00
downdiagonalstrike:"\u0005\u0027\u004b\u0017\u003e\u002e\u0040 \u0035\u003f\u0015\u0030\u004d\u0023 \u001
unknown:"\u0032\u0002\u002c\u003e \u0035\u003f\u002d\u003e\u001c\u0028"},NAVIGATE:{COLLAPSIBLE:"\u0028\u00
ALPHABETS:{latinSmall:"\u000f \u002c\u0040 \u0038\u0040 \u0021\u0040 \u0008 \u000f\u002b \u001c\u0040 \u00
greekSmall:"\u0028\u003e\u002c\u0032\u003e;\u0006\u0032\u004d\u002b\u003e;\u002c\u0040\u001f\u003e;\u0017
greekCap:"\u0006\u0032\u004d\u002b\u003e \u002c\u0040\u001f\u003e \u0017\u003e\u002e\u003e \u0021\u0047\u00
ALPHABET_TRANSFORMERS:{digit:{default:function(a){return 0===a?"\u0036\u0042\u0028\u004d\u002f":sre.Numbers
sre.Numbers.it.hundredsToWords_=function(a){a%=1E3;var b=sre.Numbers.it.onesNumbers_[Math.floor(a/100)]?s
sre.Numbers.it.numberToWords=function(a){if(a>=Math.pow(10,36))return a.toString();if(1===a&&sre.Grammar.
```

```
sre.Numbers.it.onesOrdinals_="zero primo secondo terzo quarto quinto sesto settimo ottavo nono decimo".sp
sre.Numbers.it.NUMBERS={wordOrdinal:sre.Numbers.it.wordOrdinal,simpleOrdinal:sre.Numbers.it.simpleOrdinal
sre.Locale.it={MS:{START:"inizio",FRAC_V:"frazione",FRAC_B:"frazione",FRAC_S:"frazione",END:"fine",FRAC_O
OVER:"sopra",OVERSCRIPT:"soprascritto"},MS_FUNC:{FRAC_NEST_DEPTH:function(a){return!1},RADICAL_NEST_DEPTH
caligraphic:"calligrafico","caligraphic-bold":"grassetto calligrafico","double-struck":"grassetto da lava
unknown:"sconosciuto"},EMBELLISH:{"super":["apice",sre.Locale.prefixCombiner],sub:["pedice",sre.Locale.pr
ROLE:{addition:"addizione",multiplication:"moltiplicazione",subtraction:"sottrazione",division:"divisione
cases:"comando switch",table:"tavola",unknown:"sconosciuto"},ENCLOSE:{longdiv:"divisione lunga",actuarial
phasorangle:"angolo fasore",unknown:"divisione lunga"},NAVIGATE:{COLLAPSIBLE:"collassabile",EXPANDABLE:"e
greekSmall:"nabla;alfa;beta;gamma;delta;epsilon;zeta greca;eta;theta;iota;kappa greca;lambda;mu;nu;xi;omi
mathspeak:function(a){return a.toString()},clearspeak:function(a){return a.toString()}},letter:{default:f
sre.Locale.nemeth={MS:{FRACTION_REPEAT:"\u2820",FRACTION_START:"\u2839",FRAC_V:"\u2839",FRAC_B:"Frac",FRA
OVERSCRIPT:"\u2823"},MS_FUNC:{FRAC_NEST_DEPTH:function(a){return!1},RADICAL_NEST_DEPTH:function(a){return
italic:"\u2828",monospace:"",normal:"",oldstyle:"",oldstyle-bold:"\u2838",script:"\u2808","sans-serif":
embellishCombiner},"double-circled":["\u282b\u2809\u2838\u282b\u282b\u2809\u2838\u282b",doubleEmbellishCom
subtraction:"subtraction",division:"division",equality:"equality",inequality:"inequality",element:"elemen
top:"overbar",bottom:"underbar",updiagonalstrike:"crossout",downdiagonalstrike:"crossout",verticalstrike:
NUMBERS:sre.Numbers.nemeth.NUMBERS,ALPHABETS:{latinSmall:"\u2830\u2801 \u2830\u2803 \u2830\u2809 \u2830\u2
greekSmall:"\u2828\u282b \u2828\u2801 \u2828\u2803 \u2828\u281b \u2828\u2819 \u2828\u2811 \u2828\u2835 \u2
ALPHABET_TRANSFORMERS:{digit:{default:sre.Numbers.nemeth.numberToWords},letter:{default:function(a){return
sre.SemanticSkeleton.prototype.populate_=function(a,b,c){if(sre.SemanticSkeleton.simpleCollapseStructure(a)
sre.SemanticSkeleton.makeSexp_=function(a){return sre.SemanticSkeleton.simpleCollapseStructure(a)?a.toStr
sre.SemanticSkeleton.fromString=function(a){return new sre.SemanticSkeleton(sre.SemanticSkeleton.fromStri
sre.SemanticSkeleton.fromNode_=function(a){if(!a)return[];var b=a.contentNodes;if(b.length){var c=b.map(s
sre.SemanticSkeleton.contentCollapseStructure=function(a){return!!a&&!sre.SemanticSkeleton.simpleCollapse
sre.SemanticSkeleton.collapsedLeafs=function(a){var b=function(c){return sre.SemanticSkeleton.simpleCollap
sre.SemanticSkeleton.tree_=function(a,b){if(!b)return[];if(!b.childNodes.length)return b.id;var c=b.id,d=
sre.SemanticSkeleton.addOwns_=function(a,b){var c=a.getAttribute(sre.EnrichMathml.Attribute.COLLAPSED);b=c
sre.SemanticSkeleton.realLeafs_=function(a){if(sre.SemanticSkeleton.simpleCollapseStructure(a))return[a];
sre.SemanticSkeleton.combineContentChildren=function(a,b,c){switch(a.type){case sre.Semantic.Type.RELSEQ:
c.unshift(b[0]),c;default:return c}};sre.EnrichMathml={};sre.EnrichMathml.Error=function(a){Error.call(th
sre.EnrichMathml.Attribute={ADDED:sre.EnrichMathml.ATTRIBUTE_PREFIX_"added",ALTERNATIVE:sre.EnrichMathml
"id",ANNOTATION:sre.EnrichMathml.ATTRIBUTE_PREFIX_"annotation",OPERATOR:sre.EnrichMathml.ATTRIBUTE_PREFI
"type"};sre.EnrichMathml.enrich=function(a,b){var c=a.cloneNode(!0);sre.EnrichMathml.walkTree(b.root);sre
sre.EnrichMathml.walkTree=function(a){var b=sre.EnrichCaseFactory.getCase(a);if(b){var c=b.getMathml();re
```

```

b=a.contentNodes.map(sre.EnrichMathml.cloneContentNode);sre.EnrichMathml.setOperatorAttribute_(a,b);var d=
c=sre.EnrichMathml.getInnerNode(c));c=sre.EnrichMathml.rewriteMfenced(c);sre.EnrichMathml.mergeChildren_
sre.EnrichMathml.introduceNewLayer=function(a,b){var c=sre.EnrichMathml.mathmlLca_(a),d=c.node,e=c.type;e
a=sre.EnrichMathml.childrenSubset_(c.parentNode,a),sre.DomUtil.replaceNode(c,d),a.forEach(function(f){d=a
sre.EnrichMathml.introduceLayerAboveLca=function(a,b,c){var d=sre.EnrichMathml.descendNode_(b);if(sre.Sema
sre.EnrichMathml.moveSemanticAttributes_=function(a,b){for(var c in sre.EnrichMathml.Attribute){var d=sre
sre.EnrichMathml.collateChildNodes_=function(a,b,c){var d=[];a=sre.DomUtil.toArray(a.childNodes);for(var c
sre.EnrichMathml.collectChildNodes_=function(a){var b=[];for(a=sre.DomUtil.toArray(a.childNodes);a.length
sre.EnrichMathml.mergeChildren_=function(a,b,c){c=c.role===sre.SemanticAttr.Role.IMPLICIT&&sre.SemanticHe
sre.EnrichMathml.insertNewChild_=function(a,b,c){if(b){for(var d=sre.EnrichMathml.parentNode_(b);d&&d.firs
sre.EnrichMathml.functionApplication_=function(a,b){var c=sre.SemanticAttr.functionApplication();if(a&&b&&
sre.EnrichMathml.mathmlLca_=function(a){var b=sre.EnrichMathml.attachedElement_(a);if(!b)return{type:sre.f
b.length?sre.EnrichMathml.lcaType.PRUNED:sre.EnrichMathml.validLca_(d[e+1],a[1])?sre.EnrichMathml.lcaType
sre.EnrichMathml.pathToRoot_=function(a,b){b=b||function(d){return!1};for(var c=[a];!b(a)&&!sre.SemanticU
sre.EnrichMathml.descendNode_=function(a){var b=sre.DomUtil.toArray(a.childNodes);if(!b)return a;b=b.filt
sre.EnrichMathml.unitChild_=function(a){var b=sre.EnrichMathml.parentNode_(a);return b&&sre.SemanticUtil.f
sre.EnrichMathml.isIgnorable_=function(a){if(a.nodeType!==sre.DomUtil.NodeType.ELEMENT_NODE||!a||sre.Sema
sre.EnrichMathml.addCollapsedAttribute=function(a,b){b=new sre.SemanticSkeleton(b);a.setAttribute(sre.Enr
sre.EnrichMathml.setAttributes=function(a,b){a.setAttribute(sre.EnrichMathml.Attribute.TYPE,b.type);for(va
b.parent.id);sre.EnrichMathml.setPostfix(a,b));sre.EnrichMathml.setPostfix=function(a,b){var c=[];"mglyph
sre.EnrichMathml.rewriteMfenced=function(a){if("MFENCED"!==sre.DomUtil.tagName(a))return a;for(var b=sre.f
sre.EnrichMathml.createInvisibleOperator_=function(a){var b=sre.DomUtil.createElement("mo"),c=sre.DomUtil
sre.EnrichMathml.getInnerNode=function(a){var b=sre.DomUtil.toArray(a.childNodes);if(!b)return a;b=b.filt
sre.EnrichMathml.formattedOutput=function(a,b,c,d){d=d||!1;sre.EnrichMathml.formattedOutput_(a,"Original
sre.EnrichMathml.removeAttributePrefix=function(a){return a.toString().replace(new RegExp(sre.EnrichMathm
sre.EnrichMathml.collapsePunctuated=function(a,b){var c=!b;b=b||[];var d=a.parent,e=a.contentNodes.map(f
sre.CaseBinomial.prototype.getMathml=function(){if(!this.semantic.childNodes.length)return this.mml;this.f
sre.CaseDoubleScript.prototype.getMathml=function(){var a=this.semantic.childNodes[0],b=a.childNodes[0],c
this.mml.getAttribute(sre.EnrichMathml.Attribute.ID))},this));this.mml.setAttribute(sre.EnrichMathml.Attr
sre.CaseMultiindex.prototype.completeMultiscript=function(a,b){var c=sre.DomUtil.toArray(this.mml.childNo
k||null)}}},this);e(a);c[d]&&"MPRESCRIPTS"!==sre.DomUtil.tagName(c[d])?this.mml.insertBefore(c[d],sre.Dom
sre.CaseMultiindex.multiscriptIndex=function(a){if(a.type===sre.SemanticAttr.Type.PUNCTUATED&&a.contentNo
sre.CaseMultiscripts.prototype.getMathml=function(){sre.EnrichMathml.setAttributes(this.mml,this.semantic
a.role);this.completeMultiscript(sre.SemanticSkeleton.interleaveIds(d,c),[])}else b=this.semantic.childNo
a.join(",");return this.mml};sre.CaseEmbellished=function(a){sre.AbstractEnrichCase.call(this,a);this.of

```



```

sre.MmlHighlighter.prototype.unhighlightNode=function(a){var b=a.node.getAttribute("style");b=b.replace("
sre.MmlHighlighter.prototype.isMactionNode=function(a){return a.tagName===this.mactionName};sre.SvgHighli
sre.SvgHighlighter.prototype.highlightNode=function(a){if(this.isHighlighted(a))return{node:a.previousSib
"g");a.parentNode.insertBefore(c,a);c.appendChild(a);var d=c.getBBox();c.parentNode.replaceChild(a,c)}else
this.colorString().foreground);return b};sre.SvgHighlighter.prototype.setHighlighted=function(a){"svg"===
sre.SvgHighlighter.prototype.isMactionNode=function(a){a=a.className|a.getAttribute("class");return(a=vo
sre.SvgV3Highlighter.prototype.highlightNode=function(a){if(this.isHighlighted(a))return{node:a, background
!0);var c=a.getBBox();b.setAttribute("x",c.x-40);b.setAttribute("y",c.y-40);b.setAttribute("width",c.widt
this.colorString().foreground);return b};sre.SvgV3Highlighter.prototype.unhighlightNode=function(a){var b
sre.SvgV3Highlighter.prototype.getMactionNodes=function(a){return sre.XpathUtil.evalXPath('//*[data-mml
sre.HighlighterFactory.highlighterMapping_={SVG:sre.SvgHighlighter,"SVG-V3":sre.SvgV3Highlighter,NativeMML
sre.WalkerUtil.getBySemanticId=function(a,b){return a.getAttribute(sre.EnrichMathml.Attribute.ID)===b?s
sre.RebuildStree.addAttributes=function(a,b,c){c&&1===b.childNodes.length&&b.childNodes[0].nodeType!==sre
sre.RebuildStree.prototype.assembleTree=function(a){var b=this.makeNode(a),c=sre.WalkerUtil.splitAttribut
e,!0)}e=function(f){f=sre.WalkerUtil.getBySemanticId(this.mathml,f);f=this.assembleTree(f);f.parent=b;ret
sre.RebuildStree.textContent=function(a,b,c){!c&&b.textContent?a.textContent=b.textContent:(b=sre.WalkerU
sre.RebuildStree.prototype.makeNode=function(a){var b=sre.WalkerUtil.getAttribute(a,sre.EnrichMathml.Attr
f=this.createNode(parseInt(f,10));f.type=b;f.role=c;f.font=d?d:sre.SemanticAttr.Font.UNKNOWN;f.parseAnnot
sre.RebuildStree.prototype.makePunctuated=function(a,b,c){var d=this.createNode(b[0]);d.type=sre.Semantic
sre.RebuildStree.prototype.makeIndex=function(a,b,c){sre.RebuildStree.isPunctuated(b)?this.makePunctuated
sre.RebuildStree.prototype.postProcess=function(a,b){b=sre.SemanticSkeleton.fromString(b).array;if(a.type
sre.SemanticAttr.Type.SUBSCRIPT)return this.makeIndex(a,b[2],sre.SemanticAttr.Role.RIGHTSUB),this.collaps
this.collapsedChildren_(b),a;if(a.type===sre.SemanticAttr.Type.PUNCTUATED)return sre.RebuildStree.isPunct
sre.SemanticAttr.Role.UNDEROVER,c.embellished=a.embellished,c.fencePointer=a.fencePointer,this.collapsedC
sre.RebuildStree.prototype.collapsedChildren_=function(a){var b=goog.bind(function(c){var d=this.nodeDict
sre.AudioUtil.sortClose=function(a,b){if(1>=a.length)return a;for(var c=[],d=0,e;b[b[d],a.length;d++)e.cl
sre.AudioUtil.personalityMarkup=function(a){sre.AudioUtil.PersonalityRanges_={};sre.AudioUtil.LastOpen_=
g,h,e,f,!0)}b=b.concat(sre.AudioUtil.finaliseMarkup_());return b=sre.AudioUtil.simplifyMarkup_(b)};
sre.AudioUtil.appendElement_=function(a,b){var c=a[a.length-1];if(c)if(sre.AudioUtil.isSpanElement(b)&&sre
sre.AudioUtil.simplifyMarkup_=function(a){for(var b={},c=[],d=0,e;a[a[d];d++)if(sre.AudioUtil.isMarkupEle
g),d+=2):d+=1:(sre.AudioUtil.copyValues_(e,b),c.push(e))}}else sre.AudioUtil.appendElement_(c,e);return c
sre.AudioUtil.isMarkupElement=function(a){return"object"===typeof a&&a.open};sre.AudioUtil.isPauseElement
sre.AudioUtil.appendMarkup_=function(a,b,c,d,e,f){if(f){if(f=a[a.length-1])var g=f[sre.Engine.personality
Object.keys(c).length&&a.push(c);b.string&&a.push({span:[b],join:d});e&&a.push(e)};
sre.AudioUtil.personalityDiff_=function(a,b){if(!b)return a;var c={};for(h in sre.Engine.personalityProps

```

```
c.close.slice();0<a.length;){var h=sre.AudioUtil.LastOpen_.pop();d=sre.BaseUtil.setdifference(h,a);a=sre.
sre.AbstractAudioRenderer.prototype.merge=function(a){for(var b="",c=a.length-1,d=0,e=a[d];d++>0;b+=e.str
sre.MarkupRenderer.prototype.prosodyElement=goog.abstractMethod;sre.AcssRenderer=function(){sre.MarkupRen
sre.AcssRenderer.prototype.markup=function(a){this.setScaleFunction(-2,2,0,10,0);a=sre.AudioUtil.personalL
sre.AcssRenderer.prototype.error=function(a){return'(error '+sre.EventUtil.Move[a.toString()]+')';sre.A
sre.AcssRenderer.prototype.prosodyElement=function(a,b){b=this.applyScaleFunction(b);switch(a){case sre.E
sre.PunctuationRenderer.prototype.markup=function(a){a=sre.AudioUtil.personalityMarkup(a);for(var b="",c=
sre.PunctuationRenderer.prototype.pause=function(a){return sre.PunctuationRenderer.PAUSE_PUNCTUATION_["num
sre.XmlRenderer.prototype.markup=function(a){this.setScaleFunction(-2,2,-100,100,2);a=sre.AudioUtil.person
1)).forEach(goog.bind(function(h){b.push(this.prosodyElement(h,e[h]));c.push(h)},this))}return b.join(" "
sre.SableRenderer.prototype.prosodyElement=function(a,b){b=this.applyScaleFunction(b);switch(a){case sre.L
sre.SsmlRenderer.prototype.prosodyElement=function(a,b){b=Math.floor(this.applyScaleFunction(b));b=0>b?b.
sre.SsmlStepRenderer.prototype.merge=function(a){for(var b=[],c=0;c<a.length;c++){var d=a[c],e=d.attribut
sre.AuralRendering.prototype.markup=function(a){var b=sre.AuralRendering.rendererMapping_[sre.Engine.getI
sre.AuralRendering.prototype.finalize=function(a){var b=sre.AuralRendering.rendererMapping_[sre.Engine.ge
sre.AuralRendering.ofType=function(a){return sre.AuralRendering.rendererMapping_[sre.Engine.getInstance()
sre.AuralRendering.xmlInstance=new sre.SsmlRenderer;sre.AuralRendering.registerRenderer(sre.Engine.Markup
sre.AuditoryDescription.prototype.clone=function(){if(this.personality){var a={};for(var b in this.person
sre.AuditoryDescription.prototype.toString=function(){return'AuditoryDescription(context="'+this.context+
sre.AuditoryDescription.prototype.equals=function(a){return this.context==a.context&&this.text==a.text&&t
sre.SpeechRule.Type.fromString=function(a){switch(a){case "[n]":return sre.SpeechRule.Type.NODE;case "[m]
sre.SpeechRule.Type.toString=function(a){switch(a){case sre.SpeechRule.Type.NODE:return"[n]";case sre.Spe
sre.SpeechRule.Component.fromString=function(a){var b={};b.type=sre.SpeechRule.Type.fromString(a.substring
a.indexOf(" ("),-1==c?(b.content=a.trim(),a=""):(b.content=a.substring(0,c).trim(),a=a.slice(c).trim())}a
sre.SpeechRule.Component.grammarFromString=function(a){return sre.Grammar.parseInput(a)};sre.SpeechRule.C
sre.SpeechRule.Component.attributesFromString=function(a){if("(?!a[0]|)")!=a.slice(-1))throw new sre.Sp
sre.SpeechRule.Component.prototype.attributesToString=function(){var a=this.getAttributes(),b=this.gramma
sre.SpeechRule.Action.fromString=function(a){a=sre.SpeechRule.splitString_(a,";").filter(function(f){retu
sre.SpeechRule.Precondition=function(a,b){this.query=a;this.constraints=b||[];this.priority=this.calculat
sre.SpeechRule.Precondition.queryPriorities_=[/^self::\.*\[.+\]$/,/^self::[\w-]+\[.+\]$]/;sre.SpeechRule.P
sre.SpeechRule.Precondition.prototype.toString=function(){var a=this.constraints.join(", ");return this.q
sre.SpeechRule.splitString_=function(a,b){for(var c=[],d="";""!=a;){var e=a.search(b);if(-1==e){if(0!=(a.
return c};sre.SpeechRule.OutputError=function(a){sre.Engine.Error.call(this,a);this.name="RuleError";goo
sre.SpeechRuleFunctions.CustomQueries=function(){sre.SpeechRuleFunctions.Store_.call(this,"CQF",{}});goo
goog.inherits(sre.SpeechRuleFunctions.ContextFunctions,sre.SpeechRuleFunctions.Store_);sre.SpeechRuleFunc
```

```

sre.SpeechRuleContext.prototype.applySelector=function(a,b){return this.applyCustomQuery(a,b)||sre.XPathU
sre.SpeechRuleContext.prototype.constructString=function(a,b){if(!b)return"";if(''==b.charAt(0))return b
sre.SpeechRuleContext.prototype.parse=function(a){a=Array.isArray(a)?a:Object.entries(a);for(var b=0,c=c=
sre.AbstractTrieNode.prototype.getChild=function(a){return this.children_[a]};sre.AbstractTrieNode.prototy
sre.StaticTrieNode=function(a,b){sre.AbstractTrieNode.call(this,a,b);this.kind=sre.TrieNode.Kind.STATIC;t
sre.StaticTrieNode.prototype.toString=function(){return this.getRule()?this.constraint+"\n==> "+this.getR
sre.DynamicTrieNode=function(a){sre.AbstractTrieNode.call(this,a,function(b){return b===a});this.kind=sre
sre.TrieNodeFactory.constraintTest_=function(a){if(a.match(/^self:.*$/))return function(g){return!0};if(a
g.hasAttribute(d)}}if(a.match(/^@w+="[\w\d ]+"$/)){a=a.split("=");d=a[0].slice(1);var e=a[1].slice(1,-1)
if(a.match(/^not\(\s*contains\(\s*@grammar\s*,\s*"[\w\d ]+"\s*\)\s*\)$/))return a=a.split(''),e=a[1],fun
g.parentNode.childNodes[f]===g}}return null};sre.QueryTrieNode=function(a,b){this.context_=b;sre.StaticTr
sre.BooleanTrieNode=function(a,b){this.context_=b;sre.StaticTrieNode.call(this,a,sre.TrieNodeFactory.cons
sre.Trie.prototype.addNode_=function(a,b,c,d){var e=a.getChild(b);e||(e=sre.TrieNodeFactory.getNode(c,b,d
sre.Trie.prototype.lookupRules=function(a,b){for(var c=[this.root],d=[];b.length;){for(var e=b.shift(),f=
sre.Trie.prototype.hasSubtrie=function(a){for(var b=this.root,c=0,d=a.length;c<d;c++){if(b=b.getChild(a[c]
sre.Trie.prototype.printWithDepth_=function(a,b,c){var d=Array(b+2).join(b)+" ": "";c+=d+a.toString()+"\n";a=a.getChild
sre.Trie.prototype.collectRules_=function(a){var b=[];for(a=[a];a.length;){var c=a.shift();if(c.getKind()===sre.Trie
sre.Trie.prototype.enumerate_=function(a,b){b=b||[];a=a.getChildren();for(var c=0,d=a[c];c++)d.kind===s
this.customTranscriptions={}};sre.BaseRuleStore.prototype.lookupRule=function(a,b){if(!a||a.nodeType!=sre
sre.BaseRuleStore.prototype.defineRule=function(a,b,c,d,e){try{var f=sre.SpeechRule.Action.fromString(c),
sre.BaseRuleStore.prototype.deleteRule=function(a){a=this.speechRules_.indexOf(a);-1!=a&&this.speechRules.
sre.BaseRuleStore.prototype.evaluateString=goog.abstractMethod;sre.BaseRuleStore.prototype.evaluateWhitesp
sre.BaseRuleStore.prototype.debugSpeechRule=function(a,b){var c=a.precondition,d=a.context.applyQuery(b,c
sre.BaseRuleStore.prototype.removeDuplicates=function(a){for(var b=this.speechRules_.length-1,c=c=this.sp
sre.BaseRuleStore.prototype.pickMostConstraint_=function(a,b){var c=sre.Engine.getInstance().comparator;b
sre.BaseRuleStore.prototype.compareStaticConstraints_=function(a,b){if(a.length!=b.length)return!1;for(var c=0,d=d=
sre.BaseRuleStore.prototype.getSpeechRules=function(){return this.speechRules_};sre.BaseRuleStore.prototype
sre.BaseRuleStore.prototype.parsePrecondition=function(a,b){var c=this.parsePrecondition_(a);a=c[0];c=c.s
sre.BaseRuleStore.prototype.parse=function(a){this.modality=a.modality||this.modality;this.locale=a.local
sre.BaseRuleStore.prototype.prune=function(a){var b=a.pop();(a=this.trie.byConstraint(a))&&a.removeChild(b
sre.MathStore.prototype.initialize=function(){this.initialized||(this.annotations(),this.setSpeechRules(t
sre.MathStore.prototype.defineUniqueRuleAlias=function(a,b,c,d){var e=this.parseCstr(b),f=this.findRule(g
sre.MathStore.prototype.defineRuleAlias=function(a,b,c){var d=this.findRule(function(e){return e.name==a}
sre.MathStore.prototype.defineRulesAlias=function(a,b,c){var d=this.findAllRules(function(g){return g.name
sre.MathStore.prototype.addAlias_=function(a,b,c){b=this.parsePrecondition(b,c);b=new sre.SpeechRule(a.na

```

```

sre.MathStore.prototype.defineSpecialisedRule=function(a,b,c,d){var e=this.parseCstr(b),f=this.findRule(g
sre.MathStore.prototype.evaluateString=function(a){var b=[];if(a.match(/^\s+$/))return b;var c=this.match
"]+"));c?(b.push(this.evaluateCharacter(c.number)),e=e.substring(c.length)):f?(b.push(this.evaluateCharac
sre.MathStore.prototype.matchNumber_=function(a){var b=a.match(new RegExp("^"+sre.Messages.REGEXP.NUMBER))
sre.MathStore.prototype.parse=function(a){sre.MathStore.superClass_.parse.call(this,a);this.annotators=a.
sre.ClearspeakPreferences.PREFERENCES=new sre.DynamicProperties({AbsoluteValue:["Auto","AbsEnd","Cardinal
"Reciprocal"],ImpliedTimes:["Auto","MoreImpliedTimes","None"],Log:["Auto","LnAsNaturalLog"],Matrix:"Auto
"Length"],Roots:["Auto","PosNegSqRoot","PosNegSqRootEnd","RootEnd"],SetMemberSymbol:["Auto","Belongs","El
sre.ClearspeakPreferences.comparator=function(){return new sre.ClearspeakPreferences.Comparator(sre.Engine
sre.ClearspeakPreferences.Comparator=function(a,b){sre.DynamicCstr.DefaultComparator.call(this,a,b);this.
sre.ClearspeakPreferences.Comparator.prototype.compare=function(a,b){var c=sre.ClearspeakPreferences.Comp
sre.ClearspeakPreferences.Parser=function(){sre.DynamicCstr.Parser.call(this,[sre.DynamicCstr.Axis.LOCAL
sre.ClearspeakPreferences.Parser.prototype.parse=function(a){var b=sre.ClearspeakPreferences.Parser.super
sre.ClearspeakPreferences.Parser.prototype.fromPreference=function(a){return sre.ClearspeakPreferences.fr
sre.ClearspeakPreferences.toPreference=function(a){for(var b=Object.keys(a),c=[],d=0;d<b.length;d++)c.push
sre.ClearspeakPreferences.getLocalePreferences_=function(a){var b={},c;for(c in a)if(a[c].speech&&a[c].spe
sre.ClearspeakPreferences.smartPreferences=function(a,b){b=sre.ClearspeakPreferences.getLocalePreferences
id:"clearspeak-"+c,variable:"speechRules",{type:"rule",{type:"label",content:"Preferences for "+a},{typ
sre.ClearspeakPreferences.REVERSE_MAPPING_=[["AbsoluteValue",sre.SemanticAttr.Type.FENCED,sre.SemanticAttr
""],["Functions",sre.SemanticAttr.Type.APPL,sre.SemanticAttr.Role.SIMPLEFUNC],["ImpliedTimes",sre.Semanti
sre.SemanticAttr.Type.MULTILINE,sre.SemanticAttr.Role.TABLE],["MultiLineLabel",sre.SemanticAttr.Type.TABL
sre.SemanticAttr.Role.TABLE],["MultysymbolDot",sre.SemanticAttr.Type.OPERATOR,sre.SemanticAttr.Role.MULTIPL
["Sets",sre.SemanticAttr.Type.FENCED,sre.SemanticAttr.Role.SETEXT],["TriangleSymbol",sre.SemanticAttr.Type
sre.ClearspeakPreferences.findPreference=function(a,b){return"default"===a?sre.ClearspeakPreferences.AUTO
sre.Engine.getInstance().parsers.clearspeak=new sre.ClearspeakPreferences.Parser;sre.AlphabetGenerator={}
sre.AlphabetGenerator.Embellish={SUPER:"super",SUB:"sub",CIRCLED:"circled",PARENTHESESIZED:"parenthesized",
sre.AlphabetGenerator.Domains_={small:["default"],capital:["default"],digit:["default"]};
sre.AlphabetGenerator.makeDomains_=function(){var a=sre.Messages.ALPHABET_PREFIXES,b=sre.Messages.ALPHABE
sre.AlphabetGenerator.generate=function(a,b){var c=sre.Engine.getInstance().locale;sre.Engine.getInstance
f,g,sre.Messages.ALPHABETS[e.base],e.font,e.category,!!e.capital)}sre.Engine.getInstance().locale=c;sre.L
sre.AlphabetGenerator.getFont=function(a){a="normal"===a||"fullwidth"===a?"":sre.Messages.FONT[a]||sre.Me
sre.AlphabetGenerator.alphabetRules=function(a,b,c,d,e,f,g){e=sre.AlphabetGenerator.getFont(e);for(var h=
sre.AlphabetGenerator.numberRules=function(a,b,c,d,e,f){d=sre.AlphabetGenerator.getFont(d);for(var g=0,h,
sre.AlphabetGenerator.makeLetter=function(a,b,c,d,e,f,g,h,k,l){for(var m=0,n;n=l[m];m++){var p=n in g?g[n]
sre.AlphabetGenerator.INTERVALS=[{interval:["1D400","1D419"],base:sre.AlphabetGenerator.Base.LATINCAP,sub

```

subst:{},capital:!1,category:"Ll",font:sre.AlphabetGenerator.Font.BOLDFRAKTUR},{interval:["1D468","1D481"],
{interval:["1D4EA","1D503"],base:sre.AlphabetGenerator.Base.LATINSMALL,subst:{},capital:!1,category:"Ll",
font:sre.AlphabetGenerator.Font.DOUBLESTRUCK},{interval:["1D504","1D51D"],base:sre.AlphabetGenerator.Base
font:sre.AlphabetGenerator.Font.FULLWIDTH},{interval:["FF41","FF5A"],base:sre.AlphabetGenerator.Base.LATIN
"1D689"],base:sre.AlphabetGenerator.Base.LATINCAP,subst:{},capital:!0,category:"Lu",font:sre.AlphabetGener
category:"Ll",font:sre.AlphabetGenerator.Font.NORMAL},{interval:["1D49C","1D4B5"],base:sre.AlphabetGenera
{interval:["1D5A0","1D5B9"],base:sre.AlphabetGenerator.Base.LATINCAP,subst:{},capital:!0,category:"Lu",for
subst:{},capital:!1,category:"Ll",font:sre.AlphabetGenerator.Font.SANSSERIFITALIC},{interval:["1D5D4","1D
{interval:["1D656","1D66F"],base:sre.AlphabetGenerator.Base.LATINSMALL,subst:{},capital:!1,category:"Ll",
capital:!1,category:"Ll",font:sre.AlphabetGenerator.Font.NORMAL},{interval:["1D6A8","1D6C0"],base:sre.Alph
"1D71B"],base:sre.AlphabetGenerator.Base.GREEKSMALL,subst:{},capital:!1,category:"Ll",font:sre.AlphabetGener
category:"Lu",font:sre.AlphabetGenerator.Font.SANSSERIFBOLD},{interval:["1D76F","1D78F"],base:sre.Alphabete
{interval:["0030","0039"],base:sre.AlphabetGenerator.Base.DIGIT,subst:{},offset:0,category:"Nd",font:sre.A
subst:{"245F":"24EA"},offset:0,category:"No",font:sre.AlphabetGenerator.Embellish.CIRCLED},{interval:["32
{interval:["2487","249B"],base:sre.AlphabetGenerator.Base.DIGIT,subst:{2487:"1F100"},offset:0,category:"No
subst:{},offset:1,category:"No",font:sre.AlphabetGenerator.Embellish.DOUBLECIRCLED},{interval:["277F","27
category:"Nd",font:sre.AlphabetGenerator.Font.FULLWIDTH},{interval:["1D7CE","1D7D7"],base:sre.AlphabetGener
base:sre.AlphabetGenerator.Base.DIGIT,subst:{},offset:0,category:"Nd",font:sre.AlphabetGenerator.Font.SAN
font:sre.AlphabetGenerator.Embellish.CIRCLED},{interval:["24D0","24E9"],base:sre.AlphabetGenerator.Base.L
{interval:["1F130","1F149"],base:sre.AlphabetGenerator.Base.LATINCAP,subst:{},capital:!0,category:"So",for
sre.MathSimpleStore.prototype.lookupRule=function(a,b){a=this.getSpeechRules().filter(function(c){return :
sre.MathCompoundStore=function(){this.subStores_={};this.locale=sre.DynamicCstr.DEFAULT_VALUES[sre.Dynamic
sre.MathCompoundStore.prototype.setupStore_=function(a,b){a.locale=this.locale;a.modality=this.modality;b
sre.MathCompoundStore.prototype.changeLocale_=function(a){if(!a.locale&&!a.modality)return!1;this.locale=
sre.MathCompoundStore.prototype.addFunctionRules=function(a){if(!this.changeLocale_(a)){var b=a.names,c=a
sre.MathCompoundStore.prototype.addSiUnitRules=function(a){for(var b=\$jscomp.makeIterator(Object.keys(this
sre.Locale[this.locale].SI(e,a.mappings[g][k]))this.addUnitRules_(c)}this.addUnitRules_(a));sre.MathCompo
sre.MathCompoundStore.prototype.enumerate=function(a){a=a||{};for(var b in this.subStores_)a=this.subStore
sre.MathMap.getInstance=function(){var a=sre.MathMap.oldInst_();a.loadLocale();return a};sre.MathMap.proto
sre.MathMap.prototype.retrieveFiles=function(a,b){var c=sre.Engine.getInstance().mode===sre.Engine.Mode.A
sre.MathMap.prototype.parseMaps=function(a){a=JSON.parse(a);this.addMaps(a)};sre.MathMap.prototype.addMaps
sre.MathMap.prototype.retrieveMaps=function(a){sre.AlphabetGenerator.generate(a,this.store);if(sre.Engine
sre.MathMap.prototype.getJsonIE_=function(a,b){var c=b||1;sre.BrowserUtil.mapsForIE?this.addMaps(sre.Brow
sre.MathMap.getJsonAjax_=function(a,b){var c=new XMLHttpRequest;c.onreadystatechange=function(){4===c.read
sre.NemethUtil.overBevelledFraction=function(a){a=sre.MathspeakUtil.fractionNestingDepth(a);return Array(a

[illegible]

[illegible]

```

sre.SpeechRuleEngine.prototype.makeSet_=function(a,b){return b&&Object.keys(b).length?a.split(":")[a];s
sre.SpeechRuleEngine.prototype.enumerate=function(a){return this.activeStore_.trie.enumerate(a)};sre.Spee
sre.SpeechGeneratorUtil.recomputeMarkup=function(a){a=sre.SpeechGeneratorUtil.recomputeSpeech(a);return s
sre.SpeechGeneratorUtil.addModality=function(a,b,c){b=sre.SpeechGeneratorUtil.recomputeMarkup(b);a.setAtt
sre.SpeechGeneratorUtil.computePrefix_=function(a){var b=sre.SemanticTree.fromRoot(a);b=sre.XPathUtil.eva
sre.SpeechGeneratorUtil.nodeAtPosition_=function(a,b){var c=b[0];if(!a.parent)return c;for(var d=[];a;)d.p
sre.SpeechGeneratorUtil.connectMactions=function(a,b,c){b=sre.DomUtil.querySelectorAll(b,"maction");for(va
h.setAttribute(sre.EnrichMathml.Attribute.PARENT,f),h.setAttribute(sre.EnrichMathml.Attribute.TYPE,"dummy
sre.SpeechGeneratorUtil.connectAllMactions=function(a,b){a=sre.DomUtil.querySelectorAll(a,"maction");for(v
sre.SpeechGeneratorUtil.computeSummary_=function(a){return a?sre.SpeechRuleEngine.getInstance().runInSett
sre.AbstractSpeechGenerator.prototype.getSpeech=goog.abstractMethod;sre.AbstractSpeechGenerator.prototype
sre.ColorGenerator.prototype.generateSpeech=function(a,b){this.getRebuilt()||this.setRebuilt(new sre.Rebu
sre.ColorGenerator.prototype.colorLeaves_=function(a){var b=this,c=[];sre.ColorGenerator.visitStree_(this
e,d.$jscomp$loop$prop$color$12))&&this.contrast.increment()}};sre.ColorGenerator.prototype.colorLeave_=fun
sre.ColorGenerator.visitStree_=function(a,b,c){if(a.childNodes.length){if(a.contentNodes.length&&("punctu
b,c))}}else c[a.id]||b.push(a.id)};sre.DirectSpeechGenerator=function(){sre.AbstractSpeechGenerator.call(
sre.TreeSpeechGenerator.prototype.getSpeech=function(a,b){var c=this.generateSpeech(a,b);a.setAttribute(t
f))}return c};sre.NodeSpeechGenerator=function(){sre.TreeSpeechGenerator.call(this)};goog.inherits(sre.No
sre.EventUtil.EventType={CLICK:"click",DBLCLICK:"dblclick",MOUSEDOWN:"mousedown",MOUSEUP:"mouseup",MOUSEOV
sre.EventUtil.Event.prototype.remove=function(){this.src.removeEventListener(this.type,this.callback)};sre
sre.Focus.prototype.toString=function(){return"Primary:"+this.domPrimary_+" Nodes:"+this.domNodes_;sre.F
sre.Focus.factory=function(a,b,c,d){var e=function(h){return sre.WalkerUtil.getBySemanticId(d,h)},f=c.nod
sre.Focus.generateAllVisibleNodes_=function(a,b,c,d){for(var e=function(m){return sre.WalkerUtil.getBySem
sre.Levels.prototype.get=function(a){var b=this.peak();return!b||0>a||a>=b.length?null:b[a]};sre.Levels.p
sre.Walker.move={UP:"up",DOWN:"down",LEFT:"left",RIGHT:"right",REPEAT:"repeat",DEPTH:"depth",ENTER:"enter
this.rebuilt_=this.xml_=null;this.keyMapping={};this.keyMapping[sre.EventUtil.KeyCode.UP]=goog.bind(this.
goog.bind(this.depth,this);this.keyMapping[sre.EventUtil.KeyCode.HOME]=goog.bind(this.home,this);this.key
this);this.keyMapping[sre.EventUtil.KeyCode.GREATER]=goog.bind(this.nextRules,this);this.active_=!1;this.
sre.AbstractWalker.prototype.isActive=function(){return this.active_};sre.AbstractWalker.prototype.toggle
sre.AbstractWalker.prototype.getFocus=function(a){this.focus_||(this.focus_=sre.Focus.factory(this.rootId
sre.AbstractWalker.prototype.speech=function(){var a=this.getFocus().getDomNodes();if(!a.length)return"";
sre.AbstractWalker.prototype.mergePrefix_=function(a,b){b=b||[];var c=this.isSpeech()?this.prefix_():"";ca
sre.AbstractWalker.prototype.postfix_=function(){var a=this.getFocus().getDomNodes();return a[0]?sre.Walk
sre.AbstractWalker.prototype.down=function(){this.moved=sre.Walker.move.DOWN;return this.getFocus()};sre.
sre.AbstractWalker.prototype.depth=function(){this.moved=this.isSpeech()?sre.Walker.move.DEPTH:sre.Walker

```



```

sre.AbstractWalker.prototype.depth_=function(){var a=sre.Grammar.getInstance().getParameter("depth");sre.
var e=sre.AuralRendering.getInstance();d&&c.push(d);sre.Grammar.getInstance().setParameter("depth",a);ret
sre.AbstractWalker.prototype.expand=function(){var a=this.getFocus().getDomPrimary();a=this.actionable_(a)
sre.AbstractWalker.prototype.collapsible=function(a){return!!this.actionable_(a)&&0<a.childNodes.length};
sre.AbstractWalker.prototype.updateFocus=function(){this.setFocus(sre.Focus.factory(this.getFocus().getSer
sre.AbstractWalker.prototype.rebuildStree=function(){var a=new sre.RebuildStree(this.getXml());this.rootI
sre.AbstractWalker.prototype.previousLevel=function(){var a=this.getFocus().getDomPrimary();return a?sre.l
sre.AbstractWalker.prototype.nextLevel=function(){var a=this.getFocus().getDomPrimary();if(a){var b=sre.W
d=this.getRebuilt().nodeDict[this.primaryId()];b=d.childNodes.map(c);c=d.contentNodes.map(c);return 0===b
sre.AbstractWalker.prototype.summary=function(){this.moved=this.isSpeech()?sre.Walker.move.SUMMARY:sre.Wa
sre.AbstractWalker.prototype.detail=function(){this.moved=this.isSpeech()?sre.Walker.move.DETAIL:sre.Walk
sre.AbstractWalker.prototype.detail_=function(){var a=this.getFocus().getSemanticPrimary().id.toString();
sre.AbstractWalker.prototype.virtualize=function(a){this.cursors.push({focus:this.getFocus(),levels:this.
sre.AbstractWalker.prototype.update=function(a){this.generator.setOptions(a);sre.System.getInstance().set
sre.AbstractWalker.prototype.nextRules=function(){var a=this.generator.getOptions();if("speech"!==a.moda
sre.AbstractWalker.prototype.nextStyle=function(a,b){if("mathspeak"===a){a=["default","brief","sbrief"];v
a,c>=d.length-1?d[0]:d[c+1]}}return b};sre.AbstractWalker.prototype.previousRules=function(){var a=this.g
sre.DummyWalker.prototype.initLevels=function(){};sre.SemanticWalker=function(a,b,c,d){sre.AbstractWalker
sre.SemanticWalker.prototype.up=function(){sre.SemanticWalker.superClass_.up.call(this);var a=this.previous
sre.SemanticWalker.prototype.combineContentChildren=function(a,b,c,d){switch(a){case sre.SemanticAttr.Type
[c[0],d[0],c[1]]});case sre.SemanticAttr.Type.CASES:return[this.focusFromId(d[0],[c[0],d[0]])];case sre.S
default:return d.map(goog.bind(this.singletonFocus,this))}};sre.SemanticWalker.prototype.combinePunctuati
sre.SemanticWalker.prototype.makePairList=function(a,b){if(0===a.length)return[];if(1===a.length)return[t
sre.SemanticWalker.prototype.right=function(){sre.SemanticWalker.superClass_.right.call(this);var a=this.
sre.SyntaxWalker.prototype.down=function(){sre.SyntaxWalker.superClass_.down.call(this);var a=this.nextLev
sre.SyntaxWalker.prototype.combineContentChildren=function(a,b,c,d){switch(a){case sre.SemanticAttr.Type.L
d;case sre.SemanticAttr.Type.PUNCTUATED:return b===sre.SemanticAttr.Role.TEXT?sre.BaseUtil.interleaveList
sre.SyntaxWalker.prototype.right=function(){sre.SyntaxWalker.superClass_.right.call(this);var a=this.level
goog.bind(this.jumpCell,this);this.keyMapping[sre.EventUtil.KeyCode["6"]]=goog.bind(this.jumpCell,this);t
sre.TableWalker.prototype.move=function(a){this.key_=a;a=sre.TableWalker.superClass_.move.call(this,a);th
sre.TableWalker.ELIGIBLE_CELL_ROLES=[sre.SemanticAttr.Role.DETERMINANT,sre.SemanticAttr.Role.ROWVECTOR,sre
sre.TableWalker.prototype.eligibleCell_=function(){var a=this.getFocus().getSemanticPrimary();return this
sre.TableWalker.prototype.verticalMove_=function(a){var b=this.previousLevel();if(!b)return null;var c=th
sre.TableWalker.prototype.jumpCell=function(){if(!this.isInTable_())||null===this.key_)return this.getFocus
sre.TableWalker.prototype.jumpCell_=function(a,b){this.firstJump?this.virtualize(!1):(this.firstJump=this

```

```

sre.TableWalker.prototype.isLegalJump_=function(a,b){var c=sre.DomUtil.querySelectorAllByAttrValue(this.g
sre.TableWalker.prototype.isInTable_=function(){for(var a=this.getFocus().getSemanticPrimary();a;){if(-1!
sre.ProcessorFactory.print=function(a,b){a=sre.ProcessorFactory.get_(a);return sre.Engine.getInstance().p
sre.Processor=function(a,b){this.name=a;this.process=b.processor;this.processor=(this.postprocess=b.postpr
sre.KeyProcessor.getKey_=function(a){return"string"===typeof a?sre.EventUtil.KeyCode[a.toUpperCase()]:a};
new sre.Processor("semantic",{processor:function(a){a=sre.DomUtil.parseInput(a);return sre.Semantic.xmlTr
e=d[f];f++)e=sre.SpeechGeneratorUtil.computeMarkup(e),g.setAttribute("speech",b.finalize(e));return a},pp
new sre.Processor("json",{processor:function(a){a=sre.DomUtil.parseInput(a,sre.Engine.Error);return sre.S
g.id+""]",d)[0];h=sre.SpeechGeneratorUtil.computeMarkup(h);g.speech=e.finalize(h);g.children&&g.children.f
new sre.Processor("enriched",{processor:function(a){return sre.Enrich.semanticMathmlSync(a)},postprocessor
new sre.Processor("walker",{processor:function(a){var b=sre.SpeechGeneratorFactory.generator("Node");sre.l
return sre.Processor.LocalState_.walker},print:function(a){return sre.Processor.LocalState_.walker.speech
sre.System.prototype.setupEngine=function(a){var b=sre.Engine.getInstance();"default"!==a.domain||"speech
b.setupBrowsers();b.setDynamicCstr();sre.L10n.setLocale();sre.SpeechRuleEngine.getInstance().updateEngine
sre.System.prototype.configBlocks_=function(a){if(!sre.Engine.getInstance().config&&sre.Engine.getInstance
sre.System.setAsync=function(){sre.Engine.isReady()||setTimeout(sre.System.setAsync,500);sre.System.getInst
sre.System.prototype.toSpeech=function(a){return sre.System.getInstance().processString("speech",a)};sre.S
sre.System.prototype.toEnriched=function(a){return sre.System.getInstance().processString("enriched",a)};
sre.System.prototype.fileToDescription=function(a,b){sre.System.getInstance().processFile("description",a
sre.System.prototype.inputFileSync_=function(a){try{var b=sre.SystemExternal.fs.readFileSync(a,{encoding:
sre.System.prototype.inputFileAsync_=function(a,b){sre.SystemExternal.fs.readFile(a,{encoding:"utf8"},go
sre.System.prototype.processFileAsync_=function(a,b,c){this.files_++;sre.System.getInstance().inputFileAs
sre.System.prototype.move=function(a){return sre.ProcessorFactory.keypress("move",a)};sre.System.prototype

```

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\startup.is

Resumo: !function(){*"use strict";var e={515:function(e,t,r){var n=this&&this.__values||function(e){var t="function"===typeof Symbol&&Symbol.iterator,r=t&&e[t],n=0;if(r)return r.call(e);if(e&&"number"===typeof e.length)return{next:function(){return e&&n>=e.length&&(e=void 0),{value:e&&e[n++],done:!e}}};throw n...*

!function(){"use strict";var e={515:function(e,t,r){var n=this&&this.__values||function(e){var t="function"**

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathjax\tex-cthtml-full.is

Resumo: `!function(){
"use strict";
var t={351:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return(n=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])}(t,e)},
function(t,e){i...`

`!function(){
"use strict";
var t={351:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return`
`/*!`

`*****`

`*`

`* mhchemParser.ts`

`* 4.1.0`

`*`

`* Parser for the \ce command and \pu command for MathJax and Co.`

`*`

`* mhchem's \ce is a tool for writing beautiful chemical equations easily.`

`* mhchem's \pu is a tool for writing physical units easily.`

`*`

`* -----`

`*`

`* Copyright (c) 2015-2021 Martin Hensel`

`*`

`* Licensed under the Apache License, Version 2.0 (the "License");`

`* you may not use this file except in compliance with the License.`

`* You may obtain a copy of the License at`

`*`

`* http://www.apache.org/licenses/LICENSE-2.0`

`*`

`* Unless required by applicable law or agreed to in writing, software`

`* distributed under the License is distributed on an "AS IS" BASIS,`

`* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.`

`* See the License for the specific language governing permissions and`

`* limitations under the License.`

`*`

`* -----`

`*`

`* https://github.com/mhchem/mhchemParser`

*

*/

Object.defineProperty(e,"__esModule",{value:!0}),e.mhchemParser=void 0;var r=function(){function t(){}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\tex-chtml.is

Resumo: !function(){*"use strict";var t={351:function(t,e,r){var n,o=this&&this.__extends||(n=function(t,e){return(n=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var r in e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r]))(t,e)},function(t,e){i...*

!function(){"use strict";var t={351:function(t,e,r){var n,o=this&&this.__extends||(n=function(t,e){return**

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\tex-mml-cht.html.is

Resumo: `!function(){
"use strict";
var t={351:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return(n=Object.setPrototypeOf||
{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])}(t,e)},
function(t,e){i...`

`!function(){
"use strict";
var t={351:function(t,e,r){
var n,o=this&&this.__extends||
(n=function(t,e){
return`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\tex-mml-sva.is

Resumo: !function(){*"use strict";var t={351:function(t,e,Q){var T,r=this&&this.__extends||(T=function(t,e){return(T=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var Q in e)Object.prototype.hasOwnProperty.call(e,Q)&&(t[Q]=e[Q]))(t,e)},function(t,e){i...*

!function(){"use strict";var t={351:function(t,e,Q){var T,r=this&&this.__extends||(T=function(t,e){return**

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathjax\tex-svg-full.is

```
Resumo: !function(){"use strict";var t={351:function(t,e,r){var Q,n=this&&this.__extends||(Q=function(t,e){return(Q=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var r in e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])})(t,e)},function(t,e){i...
```

```
!function(){"use strict";var t={351:function(t,e,r){var Q,n=this&&this.__extends||(Q=function(t,e){return
```

```
/*!
```

```
*****
```

```
*
```

```
* mhchemParser.ts
```

```
* 4.1.0
```

```
*
```

```
* Parser for the \ce command and \pu command for MathJax and Co.
```

```
*
```

```
* mhchem's \ce is a tool for writing beautiful chemical equations easily.
```

```
* mhchem's \pu is a tool for writing physical units easily.
```

```
*
```

```
* -----
```

```
*
```

```
* Copyright (c) 2015-2021 Martin Hensel
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*
```

```
* -----
```

```
*
```

```
* https://github.com/mhchem/mhchemParser
```

*

*/

Object.defineProperty(e,"__esModule",{value:!0}),e.mhchemParser=void 0;var r=function(){function t(){}

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\tex-svg.is

Resumo: !function(){*"use strict";*var t={351:function(t,e,Q){var T,r=this&&this.__extends||(T=function(t,e){return(T=Object.setPrototypeOf||{__proto__:[]})instanceof Array&&function(t,e){t.__proto__=e}||function(t,e){for(var Q in e)Object.prototype.hasOwnProperty.call(e,Q)&&(t[Q]=e[Q]))(t,e)},function(t,e){i...

!function(){"use strict";*var t={351:function(t,e,Q){var T,r=this&&this.__extends||(T=function(t,e){return*

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\ui\lazv.is

Resumo: !function(){
"use strict";
var t,e,r={335:function(t,e,r){
var a,n=this&&this.__extends||(a=function(t,e){
return(a=Object.setPrototypeOf||{__proto__:[]})instanceof
Array&&function(t,e){t.__proto__=e}||function(t,e){for(var r in
e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r])})(t,e)},function(t,...

!function(){
"use strict";
var t,e,r={335:function(t,e,r){
var a,n=this&&this.__extends||(a=function(t,e){re

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\ui\menu.is

Resumo: `!function(){
"use strict";
var t,e,n,o,i,r,s={21:function(t,e,n){
var o,i=this&&this.__extends||(
o=function(t,e){
return(o=Object.setPrototypeOf||{__proto__:[]})instanceof
Array&&function(t,e){
t.__proto__=e}||function(t,e){
for(var n in
e)Object.prototype.hasOwnProperty.call(e,n)&&(t[n]=e[n])})(t,e)},func...`

`!function(){
"use strict";
var t,e,n,o,i,r,s={21:function(t,e,n){
var o,i=this&&this.__extends||(o=function(`

Arquivo: KnowledgePack-20250920-1710\downloads\kicad-dev-docs\themes\hugo-theme-relearn\static\is\mathiax\ui\safe.is

Resumo: `!function(){
"use strict";
var t,e,r,n,a={63:function(t,e,r){
var n,a=this&&this.__extends||(n=
function(t,e){
return(n=Object.setPrototypeOf||{__proto__:[]}
instanceof Array&&function(t,e){
t.__proto__=e}
||function(t,e){
for(var r in e)Object.prototype.hasOwnProperty.call(e,r)&&(t[r]=e[r]))(t,e)},
function...`

`!function(){
"use strict";
var t,e,r,n,a={63:function(t,e,r){
var n,a=this&&this.__extends||(n=function(t,e)`