

	TESTER NAME: Zahul Al Minangi					
	TEST DATE: March 28th 2023					
	LANGUAGE TESTED: Indonesia					
Test Id	Test Case	Expect Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case
Test Condition: Login Feature						
1	Success Login, with valid email and password	{ "credentials": { "access_token": "bcd8299b229e2c8aac4b542ae96e24632ad11125b52e9ce856309c525d0d6c b0", "expired_in": 1672322216, } }	{ "credentials": { "access_token": "bcd8299b229e2c8aac4b542ae96e24632ad11125b52e9ce856309c525d0 d6cb0", "expired_in": 1672322216, } }	Pass	1.Fill email with data valid/registered 2.Fill password with data valid as email registered	Positive
2	Failed Login with empty email & valid password	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_LOGIN" } Status Code	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_LOGIN" } Status Code	Fail	1. Did not fill in the email row, left blank 2.Fill password with data valid as email registered	Negative
3	Failed Login with empty email & empty password	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_LOGIN" } Status Code	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_LOGIN" } Status Code	Fail	1. Did not fill in the email row, left blank 2. Did not fill in the password row, left blank	Negative
4	Failed Login with valid email & empty password	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	Fail	1. Did not fill in the email row, left blank 2.Fill password with data valid as email registered	Negative
5	Failed Login with email not registered & password random	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	Fail	1. Email diisi dengan invalid email atau email yang tidak terdaftar 2. Password diisi dengan invalid password atau password yang tidak terdaftar	Negative
6	Failed Login with valid email & invalid password	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	Fail	1. Email is filled with invalid email or unregistered email 2. Password is filled in with an invalid password or unregistered password	Negative
7	Failed Login with invalid email & valid password	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" } Status Code	Fail	1. Email is filled with invalid email or unregistered email 2. Password is filled in with a valid password	Negative
8	Failed Login with email over max length	{ "data": "Email/Password melebihih maksimal karakter", "message": "Gagal Login", "status": "FAILED_LOGIN" } Status Code	{ "data": "Email/Password melebihih maksimal karakter", "message": "Gagal Login", "status": "FAILED_LOGIN" } Status Code	Fail	1. Email is filled with over max length email 2. Password is filled in with a valid password	
9	Failed Login with password over max length	{ "data": "Email/Password melebihih maksimal karakter", "message": "Gagal Login", "status": "FAILED_LOGIN" } Status Code	{ "data": "Email/Password melebihih maksimal karakter", "message": "Gagal Login", "status": "FAILED_LOGIN" } Status Code	Fail	1. Email is filled wwith a valid email / registered 2. Password is filled in with over max length email	Negative
Test Id	Test Case	Expect Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case
Test Condition: Register Feature						

1	Success Register	{ "data": "berhasil", "message": "created user!", "status": "SUCCESS_REGISTER" }	{ "data": "berhasil", "message": "created user!", "status": "SUCCESS_REGISTER" }	Pass	1. Fill email with valid data 2.Fill password with valid data 3.Fill name with valid data	Positive
2	Failed Register with empty email	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	1. Empty field in email 2.Fill password with valid data 3.Fill name with valid data	Negative
3	Failed Register with empty password	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with valid data 2.Empty field in password 3.Fill name with valid data	Negative
4	Failed Register with empty name	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with valid data 2.Fill password with valid data 3.Empty field in name	Negative
5	Failed Register with all request body is empty	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	Empty all field	Negative
6	Failed Register with duplicate email	{ "data": "Email sudah terdaftar, gunakan Email lain", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email sudah terdaftar, gunakan Email lain", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with registered data 2.Fill password with valid data 3.Fill name with valid data	Negative
7	Failed Register with invalid email	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email tidak valid", "message": "Cek kembali email anda", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email without symbol @ / invalid data 2.Fill password with valid data 3.Fill name with valid data	Negative
8	Failed Register with symbol in password	{ "data": "Nama atau password tidak valid", "message": "Tidak boleh mengandung symbol", "status": "FAILED_REGISTER" } Status Code	{ "data": "Nama atau password tidak valid", "message": "Tidak boleh mengandung symbol", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with valid data 2.Fill password with symbol / invalid data 3.Fill name with valid data	Negative
9	Failed Register with symbol in name	{ "data": "Nama atau password tidak valid", "message": "Tidak boleh mengandung symbol", "status": "FAILED_REGISTER" } Status Code	{ "data": "Nama atau password tidak valid", "message": "Tidak boleh mengandung symbol", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with valid data 2.Fill password with valid data 3.Fill name with symbol / invalid data	Negative
10	Failed Register with email over max length	{ "data": "Email/Username/Password melebihi maksimal karakter", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email/Username/Password melebihi maksimal karakter", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with 500 character data 2.Fill password with valid data 3.Fill name with valid data	Negative
11	Failed Register with password over max length	{ "data": "Email/Username/Password melebihi maksimal karakter", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	{ "data": "Email/Username/Password melebihi maksimal karakter", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" } Status Code	Fail	1. Fill email with valid data 2.Fill password with 500 character data 3.Fill name with valid data	Negative

12	Failed Register with name over max length	{ "data": "Email/Username/Password melebihi maksimal karakter", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" }	{ "data": "Email/Username/Password melebihi maksimal karakter", "message": "Gagal Registrasi", "status": "FAILED_REGISTER" }	Fail	1. Fill email with valid data 2.Fill password with valid data 3.Fill name with 500 character data	Negative
		Status Code	Status Code			
Test Id	Test Case	Expect Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case
Test Condition: List User Feature						
1	Success List User Success Without Params	{ "data": [{ "email": "sitampan@gmail.com", "username": "tampam berani" },], }	{ "data": [{ "email": "sitampan@gmail.com", "username": "tampam berani" },], }	Pass	Hit API list without params	Positive
2	Success List User Success Filter Username	{ "data": [{ "email": "jagocoba@gmail.com", "username": "michael" },], }	{ "data": [{ "email": "jagocoba@gmail.com", "username": "michael" },], }	Pass	Hit API list with params : Fill params username with valid data	Negative
3	Success List User Success Filter Email	{ "data": [{ "email": "jagocoba@gmail.com", "username": "michael" },], }	{ "data": [{ "email": "jagocoba@gmail.com", "username": "michael" },], }	Pass	Hit API list with params : Fill params email with valid data	Negative
4	Success List User Success Match username & email	{ "data": [{ "email": "jagocoba@gmail.com", "username": "michael" },], }	{ "data": [{ "email": "jagocoba@gmail.com", "username": "michael" },], }	Pass	Hit API list with params : Fill params username & email with valid data	Negative
5	Success List User Success Filter & Pagination	{ "data": [{ "email": "rap-tes@gmail.com", "username": "test1-ap" },], }	{ "data": [{ "email": "rap-tes@gmail.com", "username": "test1-ap" },], }	Pass	Hit API list with params : Fill params username / email valid data with page & limit	Negative
Test Id	Test Case	Expect Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case
Test Condition: Update Profile						
1	Success Update Profile Name	{ "data": "Username Anda menjadi tomy hans", "message": "Berhasil Perbarui Profile", "status": "SUCCESS_UPDATE_PROFILE" }	{ "data": "Username Anda menjadi tomy hans", "message": "Berhasil Perbarui Profile", "status": "SUCCESS_UPDATE_PROFILE" }	Pass	1.Fill Authorization with token data login 2.Fill name with valid data	Positive
2	Success Update Profile Password	{ "data": "Password Anda menjadi jago123456", "message": "Berhasil Perbarui Profile", "status": "SUCCESS_UPDATE_PROFILE" }	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>500 Internal Server Error</title> <h1>Internal Server Error</h1> <p>The server encountered an internal error and was unable to	Fail	1.Fill Authorization with token data login 2.Fill password with valid data	Positive
3	Success Update Profile Email	{ "data": "Email Anda menjadi jagocobayuk1251@gmail.com", "message": "Berhasil Perbarui Profile", "status": "SUCCESS_UPDATE_PROFILE" }	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>500 Internal Server Error</title> <h1>Internal Server Error</h1> <p>The server encountered an internal error and was unable to complete your request. Either the server is overloaded or there is an	Fail	1.Fill Authorization with token data login 2.Fill email with valid data	Positive
4	Failed Update Profile Name Over Max Length	{ "data": "Username melebihi maksimal karakter", "message": "Gagal Update Profile", "status": "FAILED_UPDATE_PROFILE" }	{ "data": "Username melebihi maksimal karakter", "message": "Gagal Update Profile", "status": "FAILED_UPDATE_PROFILE" }	Fail	1.Fill Authorization with token data login 2.Fill name with 500 character data	Negative
5	Failed Update Profile Name Empty	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	Fail	1.Fill Authorization with token data login 2.Name with empty data	Negative

Test Id	Test Case	Expect Result	Actual Result	Pass/Fail	Test Step	Positive/Negative Case
Test Condition: Delete User						
1	Success Delete User	{ "data": "Sedih melihatmu pergi michaelyus", "message": "Berhasil Hapus User", "status": "SUCCESS_DELETE_PROFILE" }	{ "data": "Sedih melihatmu pergi michaelyus", "message": "Berhasil Hapus User", "status": "SUCCESS_DELETE_PROFILE" }	Pass	1.Fill Authorization with token data login 2.Fill password with valid data	Positive
2	Success Delete User Success Email,Password,Name	{ "data": "Sedih melihatmu pergi tomyer", "message": "Berhasil Hapus User", "status": "SUCCESS_DELETE_PROFILE" }	{ "data": "Sedih melihatmu pergi tomyer", "message": "Berhasil Hapus User", "status": "SUCCESS_DELETE_PROFILE" }	Pass	1.Fill Authorization with token data login 2.Fill email with valid data 3.Fill password with valid data 4.Fill name with valid data	Positive
3	Failed Delete User Password Wrong	{ "data": "Salah Password", "message": "Gagal Hapus Akun", "status": "FAILED_DELETE_PROFILE" }	{ "data": "Salah Password", "message": "Gagal Hapus Akun", "status": "FAILED_DELETE_PROFILE" }	Pass	1.Fill Authorization with token data login 2.Fill password with invalid data	Negative
4	Failed Delete User Password Empty	{ "data": "Password tidak boleh kosong", "message": "Gagal Hapus Akun", "status": "FAILED_DELETE_PROFILE" }	{ "data": "Email/Username/Password tidak boleh kosong", "message": "Gagal Hapus Akun", "status": "FAILED_DELETE_PROFILE" }	Fail	1.Fill Authorization with token data login 2.Password with empty data	Negative
5	Failed Delete User Token Wrong	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	{ "data": "User's not found", "message": "Email atau Password Anda Salah", "status": "FAILED_LOGIN" }	Pass	1.Fill Authorization with token invalid data login 2.Fill password with valid data	Negative
6	Failed Delete User with Email	{ "data": "Hanya menggunakan password", "message": "Gagal Hapus Akun", "status": "FAILED_DELETE_PROFILE" }	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>500 Internal Server Error</title> <h1>Internal Server Error</h1> <p>The server encountered an internal error and was unable to complete your request. Either the server is overloaded or there is an error in the application.</p>	Fail	1.Fill Authorization with token data login 2.Fill email with valid data	Negative
7	Failed Delete User with Name	{ "data": "Hanya menggunakan password", "message": "Gagal Hapus Akun", "status": "FAILED_DELETE_PROFILE" }	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN"> <title>500 Internal Server Error</title> <h1>Internal Server Error</h1> <p>The server encountered an internal error and was unable to complete your request. Either the server is overloaded or there is an error in the application.</p>	Fail	1.Fill Authorization with token data login 2.Fill name with valid data	Negative