

SIMILAR VIDEO TUTORIAL



This video shows the replacement procedure of a similar car part on another vehicle

Important!

This replacement procedure can be used for:

BMW 5 Touring (E39) 520i 2.0, BMW 5 Touring (E39) 523i 2.5, BMW 5 Touring (E39) 540i 4.4, BMW 5 Touring (E39) 528i 2.8, BMW 5 Touring (E39) 530d 3.0, BMW 5 Touring (E39) 525tds 2.5, BMW 5 Touring (E39) 520d 2.0, BMW 5 Touring (E39) 525d 2.5, BMW 5 Touring (E39) 520i 2.2, BMW 5 Touring (E39) 525i 2.5, BMW 5 Touring (E39) 530i 3.0

The steps may slightly vary depending on the car design.

This tutorial was created based on the replacement procedure for a similar car part on: BMW 5 Saloon (E39) 520i 2.0

REPLACEMENT: POLLEN FILTER – BMW 5 TOURING (E39). TOOLS YOU NEED:



- Fender cover

[Buy tools](#)

Replacement: pollen filter – BMW 5 Touring (E39). Professionals recommend:


- Replace the cabin filter at least once every six months, in early spring and autumn seasons.
- Follow the terms, recommendations and requirements of the part operation provided by the manufacturer.
- If the air flow into the cabin has sharply reduced, replace the filter before a scheduled maintenance.
- All work should be done with the engine stopped.

REPLACEMENT: POLLEN FILTER – BMW 5 TOURING (E39). USE THE FOLLOWING PROCEDURE:


1 Open the bonnet.

2 Use a fender protection cover to prevent damaging paintwork and plastic parts of the car.

3 Release the cabin filter cover clips.



4 Remove the cabin filter housing cover.



5

Remove the filter element from the filter housing.




Replacement: pollen filter – BMW 5 Touring (E39). Professionals recommend:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.

6

Clean the cabin filter housing and cover.




AUTODOC recommends:

- Remove any debris from the cabin filter housing carefully to prevent contamination of the ventilation duct.

7

Release the cabin filter cover clips.




8

Remove the cabin filter housing cover.



9

Remove the filter element from the filter housing.




Replacement: pollen filter – BMW 5 Touring (E39). Tip from AUTODOC:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.

10

Clean the cabin filter housing and cover.



Replacement: pollen filter – BMW 5 Touring (E39). Professionals recommend:

- Remove any debris from the cabin filter housing carefully to prevent contamination of the ventilation duct.

11

Insert a new filter element into the filter housing. Make sure that the filter edge fits tight to the housing.



AUTODOC recommends:

- Replacement: pollen filter – BMW 5 Touring (E39). Be sure to position the filtering element correctly. Avoid misalignment.
- Follow the air flow direction arrow on the filter.


12

Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



13

Insert a new filter element into the filter housing. Make sure that the filter edge fits tight to the housing.




AUTODOC recommends:

- Replacement: pollen filter – BMW 5 Touring (E39). Be sure to position the filtering element correctly. Avoid misalignment.
- Follow the air flow direction arrow on the filter.

14

Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



15

Remove the fender protection cover.

16

Close the hood.

17

Switch on the ignition.

18

Switch on the air conditioning system. This is necessary in order to make sure that the component operates properly.

19

Switch off the ignition.

WELL DONE! 👍

VIEW MORE TUTORIALS