

VIDEO TUTORIAL



Important!

This replacement procedure can be used for:

BMW 5 Saloon (E39) 525tds 2.5, BMW 5 Saloon (E39) 523i 2.5, BMW 5 Saloon (E39) 528i 2.8, BMW 5 Saloon (E39) 540i 4.4, BMW 5 Saloon (E39) 535i 3.5, BMW 5 Touring (E39) 520i 2.0, BMW 5 Touring (E39) 523i 2.5, BMW 5 Touring (E39) 540i 4.4, BMW 5 Saloon (E39) 525td 2.5, BMW 5 Touring (E39) 528i 2.8, BMW 5 Saloon (E39) 530d 3.0, BMW 5 Touring (E39) 530d 3.0, BMW 5 Saloon (E39) M5, BMW 5 Touring (E39) 525tds 2.5, BMW 5 Saloon (E39) 520i 2.0, (+ 10)

The steps may slightly vary depending on the car design.

REPLACEMENT: POLLEN FILTER – BMW E39. TOOLS YOU NEED:



- Fender cover

BUY TOOLS


Replacement: pollen filter – BMW E39. Professionals recommend:

- Replace the cabin filter at least once every six months, in early spring and autumn seasons.
- Follow the terms, recommendations and requirements of the part operation provided by the manufacturer.
- If the air flow into the cabin has sharply reduced, replace the filter before a scheduled maintenance.
- All work should be done with the engine stopped.

REPLACEMENT: POLLEN FILTER – BMW E39. USE THE FOLLOWING PROCEDURE:

1

Open the bonnet.




2

Use a fender protection cover to prevent damaging paintwork and plastic parts of the car.




3

Release the cabin filter cover clips.



4

Remove the cabin filter housing cover.



5

Remove the filter element from the filter housing.




Replacement: pollen filter – BMW E39. Professionals recommend:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.

6

Clean the cabin filter housing and cover.




Replacement: pollen filter – BMW E39. AUTODOC experts recommend:

- Remove any debris from the cabin filter housing carefully to prevent contamination of the ventilation duct.

7

Release the cabin filter cover clips.



8

Remove the cabin filter housing cover.



9

Remove the filter element from the filter housing.



Replacement: pollen filter – BMW E39. Tip from AUTODOC:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.

10

Clean the cabin filter housing and cover.



Replacement: pollen filter – BMW E39. Professionals recommend:

- Remove any debris from the cabin filter housing carefully to prevent contamination of the ventilation duct.

11

Insert a new filter element into the filter housing. Make sure that the filter edge fits tight to the housing.



AUTODOC recommends:

- Replacement: pollen filter – BMW E39. Be sure to position the filtering element correctly. Avoid misalignment.
- Follow the air flow direction arrow on the filter.


12

Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



13

Insert a new filter element into the filter housing. Make sure that the filter edge fits tight to the housing.




AUTODOC recommends:

- Replacement: pollen filter – BMW E39. Be sure to position the filtering element correctly. Avoid misalignment.
- Follow the air flow direction arrow on the filter.

14

Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



- 15 Remove the fender protection cover.



- 16 Close the hood.



- 17 Switch on the ignition.



- 18 Switch on the air conditioning system. This is necessary in order to make sure that the component operates properly.



19

Switch off the ignition.



WELL DONE! 

VIEW MORE TUTORIALS

AUTODOC – TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

AUTODOC MOBILE APP: GREAT DEALS AND CONVENIENT SHOPPING



+ AUTODOC

GET IT ON
Google Play

Download on the
App Store

Download

A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

BUY SPARE PARTS FOR BMW

POLLEN FILTER: A WIDE SELECTION