

## <AppML> Products - 完整的应用程序

### 源代码

#### HTML 源代码

```
<html>
<body>

<h1>Products</h1>

<div id="Form01"></div>
<div id="List01"></div><br>

<table id="Template01" class="appmltable" style="width:100%;display:none">
<tr>
<th></th>
<th>Product Name</th>
<th>Category</th>
<th>Supplier</th>
</tr>
<tr id="appml_row">
<td style="cursor:pointer" onclick="productForm.run('Form01','Template02','#ProductID#')">
</td>
<td>#ProductName#</td>
<td>#CategoryName#</td>
<td>#SupplierName#</td>
</tr>
</table>

<div id="Template02" class="appmlform" style="width:100%;display:none">
<label>ProductName:</label><input id="ProductName">
<label>Supplier:</label>
<select id="SupplierID" data-appmlapplication="Models/Dropdown_Suppliers">
</select>
<label>Category:</label>
<select id="CategoryID" data-appmlapplication="Models/Dropdown_Categories">
</select>
<label>Unit:</label><input id="Unit">
<label>Price:</label><input id="Price">
</div>

<script src="appml.js"></script>
<script>
var products,productForm
products=new AppML("appml.php","Models/Products");
products.run("List01","Template01");
productForm=new AppML("appml.php","Models/Products");
productForm.displayType="form";
```

```
</script>
```

```
</body>
```

```
</html>
```

[← AppML 案例 Customers](#)

[AppML 未来的应用程序 →](#)

[✎ 点我分享笔记](#)