

A APPENDIX: INTERVIEW QUESTIONS AND SCRIPT

[Introduction script: Hello, welcome. Thanks for participating in the interview! As I've explained a bit (in the email), I'm here at [REDACTED] to write my thesis on arsenic in the collection. I'm mostly going to look at metadata of books already tested, and see if there're patterns in there that tells us what makes a book likely to be arsenic positive. But before that, I would like to have a understanding of the general arsenic detection workflow here at [REDACTED] how the books are selected to be tested in the first place. And these interviews will be really helpful in that. So thanks again!]

[Review consent form with the interviewee, ensure signature is obtained before the start of the interview]

- (1) Could you describe your current role in the [REDACTED] and how that relates to dealing with arsenic?
- (2) Which stage within the arsenic detection workflow do you consider yourself to be involved in?
- (3) Do you handle books directly at any point?
 - (a) If so, where do they come from,
 - (b) and where do you send them off to once you're done with them?
- (4) Do you perform any selection of books at your stage for identifying them as potentially arsenic and needing to be tested?
 - (a) If so, what are the features you look for in books selected for testing?
 - (b) Why?
 - (c) Do you consider the entire collection of [REDACTED] at large when you're making these selections?
 - (i) If yes, how?

[Short transition script, indicating we are moving on to more open-ended, future-oriented questions.]

- (5) What do you think about the future of understanding arsenic in [REDACTED]'s collection?
- (6) Are you looking for guidance/ recommendation for your current work regarding arsenic?
 - (a) If yes, can you describe what kind of guidance/recommendation would be meaningful/actionable to you personally, or not at all?
- (7) Do you have anything else to add?
- (8) Do you have any questions for me?

[Closing script, asking if the interviewee would like to be contacted for follow up interviews, and thank them again for participating.]

	Background Question	SS1	SS2	SS3	SS4	Closing Question
1	X					
2	X		X			
3			X	X		
3(a)			X	X		
3(b)			X	X		
4			X			
4(a)		X	X			
4(b)		X	X			
4(c)			X			
5					X	
6					X	
6(a)					X	
7						X
8						X

Table 9: Matrix Table

Aspects of an Interview Protocol	Yes	No	N/A
Interview Protocol Structure			
Beginning questions are factual in nature	X		
Key questions are majority of the questions and are placed between beginning and ending questions	X		
Questions at the end of interview protocol are reflective and provide participant an opportunity to share closing comments	X		
A brief script throughout the interview protocol provides smooth transitions between topic areas	X		
Interviewer closes with expressed gratitude and any intents to stay connected or follow up	X		
Overall, interview is organized to promote conversational flow	X		
Writing of Interview Questions Statements			
Questions/statements are free from spelling error(s)	X		
Only one question is asked at a time	X		
Most questions ask participants to describe experiences and feelings			X
Questions are mostly open ended	X		
Questions are written in a non-judgmental manner	X		
Length of Interview Protocol			
All questions are needed	X		
Questions/statements are concise	X		
Comprehension			
Questions/statements are devoid of academic language	X		
Questions/statements are easy to understand	X		

Table 10: Self-checklist

B APPENDIX: IPR MATRIX TABLE AND SELF-CHECKLIST

It is worth noting that the qualitative data extracted from these interviews are only meant to be a (smaller) part of my research methods. Thus, they are not meant to answer the main research questions, but only parts of the sub-questions.

- SS1: How can prominent features in the metadata be identified to help with pattern recognition?
- SS2: How was the current sample selected and what effect does the selection bias have on the sample's representation of the entire collection?
- SS3: What are the current testing practices at .
- SS4: What types of future recommendations ctionable and meaningful to the team at .

D XSLT SCRIPT

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:xs="http://www.w3.org/2001/XMLSchema" exclude-result-prefixes="xs" version="2.0">
  <xsl:output method="text" encoding="UTF-8"/>
  <xsl:template match="/">
    <xsl:apply-templates select="collection/record/holding"/>
  </xsl:template>
  <xsl:template match="holding">
    <xsl:value-of select="..@mms_id"/><xsl:text>&#09;</xsl:text>
    <xsl:for-each select="..index/sgn_excel/sgn">
      <xsl:if test="position()&gt;1"><xsl:text> ; </xsl:text></xsl:if>
      <xsl:value-of select="."/>
    </xsl:for-each>
    <xsl:text>&#09;</xsl:text>
    <xsl:for-each select="..index/sgn_match/sgn">
      <xsl:if test="position()&gt;1"><xsl:text> ; </xsl:text></xsl:if>
      <xsl:value-of select="."/>
    </xsl:for-each>
    <xsl:text>&#09;</xsl:text>
    <xsl:value-of select="..datafield[@tag='260']/subfield[@code='a']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="..datafield[@tag='260']/subfield[@code='b']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="..datafield[@tag='260']/subfield[@code='c']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="..datafield[@tag='300']/subfield[@code='a']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="..datafield[@tag='300']/subfield[@code='b']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="..datafield[@tag='300']/subfield[@code='c']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="@mms_id_holding"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="@shelfmark"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="datafield[@tag='852']/subfield[@code='c']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="datafield[@tag='852']/subfield[@code='h']"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="datafield[@tag='852']/subfield[@code='x'] [1]"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="datafield[@tag='852']/subfield[@code='x'] [2]"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="datafield[@tag='852']/subfield[@code='z'] [1]"/><xsl:text>&#09;</xsl:text>
    <xsl:value-of select="datafield[@tag='852']/subfield[@code='z'] [2]"/>
    <xsl:text>&#10;</xsl:text>
  </xsl:template>
</xsl:stylesheet>
```

Present name	Latin /other name
Amsterdam	Amstelodami
Florence	Florentiae
Franeker	Fraekerae
The Hague	Hagea-comitis / s'Hage
Leiden	Leidae Batavorum
Leeuwarden	Leovardiae
Katwijk	Lugduni Batav
Paris	Lutetia
Rotterdam	Roterodami
Utrecht	Trajecti ad Rhenum
Würzburg	Wirceburgi
Antwerp	Thantwerpen
Delft	Delphis
Dordrecht	Dordraci
Douai	Dovay
Erfurt	Erphordiae
Fossombrone	Forosempronii
Frankfurt	Francofvrti
Bologna	Impressum Bononiae
Leipzig	Imprimé à Leipsick
Ulm	Ulmae
Mannheim	Mannhemii
Mainz	Mogvntiae
Oxford	Oxonii
Venice	venetie

Table 11: Common Latin / other names in the dataset

E COMMON LATIN/OTHER NAMES IN THE DATASET

Most names in this table are found in the RBMS/BSC Latin Place Names File, created and maintained by Robert L. Maxwell, Harold B. Lee Library, Brigham Young University. Initially created 1997 with the assistance of Karen Larson. ¹

¹<https://rbms.info/lpn/>

First position Code	Description
A	printed material published in book form
F	manuscripts including typoscirpt
I	loose image
K	loose catographic material
M	sheet music
V	objects

Table 3: Document-type code first position

Second position code	Description
a	Single-part document, including in a series
b	Periodical or umbrella title of a series
c	Umbrella title Multi-part Publication (mp)
f	Non-independent 'deeltitel' within mp
F	Independent 'deeltitel' within mp

Table 4: Document-type code second position