

SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT AND IDENTIFICATION

PRODUCT NAME : Amoil Amtec
 PRODUCT TYPE : Synthetic Metal Lubricants
 SUPPLIER : Amoil (Malaysia) Sdn. Bhd.
 ADDRESS : 14, Jalan Tembaga SD 5/2, Bandar Sri Damansara,
 Kepong, 52200 Kuala Lumpur.
 TEL : 603 – 62746563, 6273 4269
 FAX : 603 – 6273 4267

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION	CAS NO.	WT%
This product is non-hazardous. This product contains no known carcinogens. No special warning labels are required under OSHA 29 CFR 1910.1200.	Mixture	100

SECTION 3: HAZARDS IDENTIFICATION

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 4: FIRST AID MEASURES

GENERAL INFORMATION: Provide rest, warmth and fresh air.

INHALATION:

Remove to fresh air. If any breathing difficulty or discomfort develops or recurs obtain medical attention.

INGESTION:

Rinse mouth out of water (do not swallow), do not give victim anything to drink if they are unconscious, do not induce vomiting and get medical attention immediately.

SKIN:

Immediately remove contaminated clothing, rinse immediately with plenty of water and get medical attention if any discomfort continues.

EYES:

Rinse the eye with water immediately, continue to rinse for at least 15 minutes and get medical attention if any discomfort continues.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water/mist/foam/CO2/dry powder "ALL ACCEPTABLE"

SPECIAL FIRE FIGHTING PROCEDURES

- ☞ Keep run-off water out of sewers and water sources. Dike for water control.
- ☞ Avoid water in straight hose stream; will scatter and spread fire.
- ☞ Cool containers exposed to flames with water until well after the fire is out.
- ☞ Move container from fire area if it can be done without risk.
- ☞ Keep up-wind to avoid fumes.

UNUSUAL FIRE & EXPLOSION HAZARDS

Not flammable but combustible if exposed to external flame. No explosion hazard.

HAZARDOUS COMBUSTION PRODUCTS:

Fire or high temperatures create:

Toxic gases/vapours/fumes of:

- Carbon dioxide (CO₂)
- Carbon monoxide (CO)
- Oxides of: Phosphorus.

PROTECTIVE MEASURES IN FIRE:

Use self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

- ☞ Evacuate the area.
- ☞ Wear suitable protective clothing gloves and eye/face protection.
- ☞ Wear suitable respiratory protection.

SPILL CLEAN-UP METHODS:

- ☞ Ensure no materials enter drains or water course.
- ☞ Contain and absorb onto sand, earth or vermiculite.
- ☞ Place in marked container and dispose of as solid waste in accordance with local waste disposal regulations.

SECTION 7: HANDLING AND STORAGE

USAGE PRECAUTIONS

- ☞ Avoid contact with skin, eyes and clothing.
- ☞ Wear gloves, overalls and eye protection.
- ☞ The work area should be adequately ventilated.

STORAGE PRECAUTIONS

- ☞ Keep in cool, dry, ventilated storage and closed containers.
- ☞ Keep in original container.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT COMMENTS:

OES = Occupational Exposure Standard, 3mg/m³, substance with an OES Triphenyl Phosphate.

VENTILATION:

At room temperature handle in a well ventilated area. Exhaust ventilation must be used at elevated temperatures or where exposure to mist or vapours is possible.

RESPIRATORS:

If exposure to spray, mist or vapours is possible wear respirator face mask with appropriate cartridge.

PROTECTIVE GLOVES:

- ☞ Gloves butyl or nitrile rubber
- ☞ Selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances.
- ☞ Breakthrough time is dependent on the characteristics of the brand of glove used, consult your supplier.
- ☞ Gloves should be replaced immediately if signs of degradation are observed.

EYE PROTECTION: Safety glasses or goggles.

OTHER PROTECTION:

Provide eyewash station and safety shower.

HYGIENIC WORK PRACTICES:

- ☞ Eating, drinking and smoking should be prohibited in the work area. Store away from food and foodstuffs.
- ☞ Work in accordance with good industrial practice of the chemical industry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	: Liquid
COLOUR	: Colorless
ODOUR	: None
SOLUBILITY	: Immiscible with water
BOILING POINT (°C)	: > 300°C @ 760 mmHg
DENSITY/SPECIFIC GRAVITY (g/ml)	: 1.17 @ 20°C
VISCOSITY @ 25°C	: 57 cSt
SOLUBILITY DESCRIPTION	: Immiscible with water.
DECOMPOSITION TEMP. (°C)	: >300
FLASH POINT (°C)	: >220°C
AUTO IGNITION TEMPERATURE (°C)	: 585°C

SECTION 10: STABILITY AND REACTIVITY

STABILITY: No particular stability concerns.

CONDITIONS TO AVOID: Hydrolysis in water produces Phenols

HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition and combustion produce noxious fumes containing oxides of carbon and phosphorus.

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL DATA:

Acute toxicity: LD50. Oral. Rat >5000 mg/kg

SKIN CONTACT:

☞ Non-irritant

☞ Not a skin sensitizer

EYE CONTACT:

☞ Non irritant

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY INFORMATION:

☞ Toxic to aquatic organisms

☞ May cause long-term adverse effects in the aquatic environment

DEGRADABILITY:

Readily biodegradable.

WATER HAZARD CLASSIFICATION:

2. Self-classified.

SECTION 13: DISPOSAL CONSIDERATION

DISPOSAL METHODS:

Liquid material should be incinerated. Material absorbed onto sand or earth should be disposed of as solid waste in accordance with local regulations. Empty packaging may contain product residue and due consideration should be given prior to disposal.

SECTION 14: TRANSPORT INFORMATION

UN No. ROAD	: UN3082
UK ROAD TRANSPORT CLASS	: 9
UK ROAD PACK GR.	: III
ADR CLASS NO.	: 9
ADR CLASS	: Class 9: Miscellaneous dangerous substances and articles.
ADR PACK GR.	: III
HAZARD NO. (ADR)	: 90 Environmentally hazardous substance; miscellaneous dangerous substances.

ADR CLASSIFICATION CODE	: MG
CEPIC TEC (R) NO.	: 90GM6-III
PROPER SHIPPING NAME	: Environmentally Hazardous Substance, Liquid, N.O.S
RID CLASS NO.	: 9
UN NO. SEA	: 3082
IMDG CLASS	: 9
IMDG PACK GR.	: III
UN NO. AIR	: 3082
ICAO CLASS	: 9
AIR PACK GR.	: III

SECTION 15: REGULATORY INFORMATION

LABELLING FOR SUPPLY

RISK PHRASES:

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES:

S61 Avoid release to the environment. Refer to special instruction/safety data sheets.

EU DIRECTIVE:

This safety sheet is provided in compliance with the Safety Sheet Directive (91/155/EEC) as amended by 93/112/EC and 2001/58/EC

SECTION 16: OTHER INFORMATION

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of The Amoil Company's knowledge; however, The Amoil Company makes no warranty whatsoever, expressed or implied of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the result to be obtained from use thereof. The Amoil Company assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks

Date of printing	:	10 June 2015
Date of issue	:	31 July 2007
Date of previous issue	:	31 July 2007
Remark	:	