Section 4 - Comparitive Structural Analysis Pt.1

Isabel Philip (A16855684)

Here we run through s complete "pipeline" of structural analysis that begins with a single seqeunce idenitifer and ends in a PCA analysis.

```
library(bio3d)
```

Step 1. Get a sequence

Step 1: Create a sequence for the protein we are interested in. We will take ADK "1ake_A"

```
id <- "1ake_A"
aa <- get.seq(id)
```

```
Warning in get.seq(id): Removing existing file: seqs.fasta
```

```
Fetching... Please wait. Done.
```

```
aa
```

```
             1        .         .         .         .         .         60
pdb|1AKE|A   MRIILLGAPGAGKGTQAQFIMEKYGIPQISTGDMLRAAVKSGSELGKQAKDIMDAGKLVT
             1        .         .         .         .         .         60

            61        .         .         .         .         .        120
pdb|1AKE|A   DELVIALVKERIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFDVPDELIVDRI
            61        .         .         .         .         .        120

           121        .         .         .         .         .        180
pdb|1AKE|A   VGRRVHAPSGRVYHVKFNPPKVEGKDDVTGEELTTRKDDQEETVRKRLVEYHQMTAPLIG
```

```
           121        .         .         .         .         .         180

           181        .         .         .   214
pdb|1AKE|A   YYSKEAEAGNTKYAKVDGTKPVAEVRADLEKILG
           181        .         .         .   214

Call:
  read.fasta(file = outfile)

Class:
  fasta

Alignment dimensions:
  1 sequence rows; 214 position columns (214 non-gap, 0 gap)

+ attr: id, ali, call
```

Step 2. Run a Blast Search

Run a BLAST search of the PDB for all related seqeunces to our input `aa`

```
#blast <- blast.pdb(aa)
```

```
#hits <- plot(blast)
```

```
hits <- NULL
hits$pdb.id <- c('1AKE_A','6S36_A','6RZE_A','3HPR_A','1E4V_A','5EJE_A','1E4Y_A','3X2S_A','6HA
```

Step 3. Download Structures

These are the top hit (18) - i.e. all the structures in the PDB database related to our input sequence.

```
hits$pdb.id
```

```
 [1] "1AKE_A" "6S36_A" "6RZE_A" "3HPR_A" "1E4V_A" "5EJE_A" "1E4Y_A" "3X2S_A"
 [9] "6HAP_A" "6HAM_A" "4K46_A" "3GMT_A" "4PZL_A"
```

```
# Download releated PDB files
files <- get.pdb(hits$pdb.id, path="pdbs", split=TRUE, gzip=TRUE)
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1AKE.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6S36.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6RZE.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3HPR.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4V.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/5EJE.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4Y.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3X2S.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAP.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAM.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4K46.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3GMT.pdb.gz exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4PZL.pdb.gz exists. Skipping download
```

```
  |
  |                                                                      |   0%
  |
  |=====                                                                 |   8%
  |
  |===========                                                           |  15%
  |
  |================                                                      |  23%
  |
  |======================                                                |  31%
  |
  |============================                                          |  38%
  |
  |==================================                                    |  46%
  |
  |========================================                              |  54%
  |
  |=============================================                         |  62%
  |
  |=================================================                     |  69%
  |
  |=======================================================               |  77%
  |
  |============================================================          |  85%
  |
  |==================================================================    |  92%
  |
  |======================================================================| 100%
```

Step 4. Align and Sequence

```
# Align releated PDBs
pdbs <- pdbaln(files, fit = TRUE, exefile="msa")
```

```
Reading PDB files:
pdbs/split_chain/1AKE_A.pdb
```

```
pdbs/split_chain/6S36_A.pdb
pdbs/split_chain/6RZE_A.pdb
pdbs/split_chain/3HPR_A.pdb
pdbs/split_chain/1E4V_A.pdb
pdbs/split_chain/5EJE_A.pdb
pdbs/split_chain/1E4Y_A.pdb
pdbs/split_chain/3X2S_A.pdb
pdbs/split_chain/6HAP_A.pdb
pdbs/split_chain/6HAM_A.pdb
pdbs/split_chain/4K46_A.pdb
pdbs/split_chain/3GMT_A.pdb
pdbs/split_chain/4PZL_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
..   PDB has ALT records, taking A only, rm.alt=TRUE
....   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
...

Extracting sequences

pdb/seq: 1   name: pdbs/split_chain/1AKE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 2   name: pdbs/split_chain/6S36_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 3   name: pdbs/split_chain/6RZE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 4   name: pdbs/split_chain/3HPR_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 5   name: pdbs/split_chain/1E4V_A.pdb
pdb/seq: 6   name: pdbs/split_chain/5EJE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 7   name: pdbs/split_chain/1E4Y_A.pdb
pdb/seq: 8   name: pdbs/split_chain/3X2S_A.pdb
pdb/seq: 9   name: pdbs/split_chain/6HAP_A.pdb
pdb/seq: 10   name: pdbs/split_chain/6HAM_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 11   name: pdbs/split_chain/4K46_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 12   name: pdbs/split_chain/3GMT_A.pdb
pdb/seq: 13   name: pdbs/split_chain/4PZL_A.pdb
```

```
pdbs
```

```
                                 1        .         .         .         40
[Truncated_Name:1]1AKE_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:2]6S36_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:3]6RZE_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:4]3HPR_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:5]1E4V_A.pdb     ----------MRIILLGAPVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:6]5EJE_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:7]1E4Y_A.pdb     ----------MRIILLGALVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:8]3X2S_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:9]6HAP_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:10]6HAM_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:11]4K46_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMAKFGIPQIS
[Truncated_Name:12]3GMT_A.pdb    ----------MRLILLGAPGAGKGTQANFIKEKFGIPQIS
[Truncated_Name:13]4PZL_A.pdb    TENLYFQSNAMRIILLGAPGAGKGTQAKIIEQKYNIAHIS
                                           **^*****  *******  *  *^ *  **
                                 1        .         .         .         40

                                41        .         .         .         80
[Truncated_Name:1]1AKE_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:2]6S36_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:3]6RZE_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:4]3HPR_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:5]1E4V_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:6]5EJE_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDACKLVTDELVIALVKE
[Truncated_Name:7]1E4Y_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:8]3X2S_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDCGKLVTDELVIALVKE
[Truncated_Name:9]6HAP_A.pdb     TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVRE
[Truncated_Name:10]6HAM_A.pdb    TGDMLRAAIKSGSELGKQAKDIMDAGKLVTDEIIIALVKE
[Truncated_Name:11]4K46_A.pdb    TGDMLRAAIKAGTELGKQAKSVIDAGQLVSDDIILGLVKE
[Truncated_Name:12]3GMT_A.pdb    TGDMLRAAVKAGTPLGVEAKTYMDEGKLVPDSLIIGLVKE
[Truncated_Name:13]4PZL_A.pdb    TGDMIRETIKSGSALGQELKKVLDAGELVSDEFIIKIVKD
                                 ****^*  ^* *^ **   *  ^*   ** *  ^^ ^*^^
                                41        .         .         .         80

                                81        .         .         .         120
[Truncated_Name:1]1AKE_A.pdb     RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:2]6S36_A.pdb     RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:3]6RZE_A.pdb     RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:4]3HPR_A.pdb     RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:5]1E4V_A.pdb     RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
```

```
[Truncated_Name:6]5EJE_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:7]1E4Y_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:8]3X2S_A.pdb    RIAQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:9]6HAP_A.pdb    RICQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:10]6HAM_A.pdb   RICQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:11]4K46_A.pdb   RIAQDDCAKGFLLDGFPRTIPQADGLKEVGVVVDYVIEFD
[Truncated_Name:12]3GMT_A.pdb   RLKEADCANGYLFDGFPRTIAQADAMKEAGVAIDYVLEID
[Truncated_Name:13]4PZL_A.pdb   RISKNDCNNGFLLDGVPRTIPQAQELDKLGVNIDYIVEVD
                                *^   *   *^* ** **** **  ^   *^ ^**^^* *
                               81        .         .         .         120

                              121        .         .         .         160
[Truncated_Name:1]1AKE_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:2]6S36_A.pdb    VPDELIVDKIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:3]6RZE_A.pdb    VPDELIVDAIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:4]3HPR_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDGTG
[Truncated_Name:5]1E4V_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:6]5EJE_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:7]1E4Y_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:8]3X2S_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:9]6HAP_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:10]6HAM_A.pdb   VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:11]4K46_A.pdb   VADSVIVERMAGRRAHLASGRTYHNVYNPPKVEGKDDVTG
[Truncated_Name:12]3GMT_A.pdb   VPFSEIIERMSGRRTHPASGRTYHVKFNPPKVEGKDDVTG
[Truncated_Name:13]4PZL_A.pdb   VADNLLIERITGRRIHPASGRTYHTKFNPPKVADKDDVTG
                                *    ^^^ ^ *** *  *** **  ^*****  *** **
                              121        .         .         .         160

                              161        .         .         .         200
[Truncated_Name:1]1AKE_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:2]6S36_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:3]6RZE_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:4]3HPR_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:5]1E4V_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:6]5EJE_A.pdb    EELTTRKDDQEECVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:7]1E4Y_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:8]3X2S_A.pdb    EELTTRKDDQEETVRKRLCEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:9]6HAP_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:10]6HAM_A.pdb   EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:11]4K46_A.pdb   EDLVIREDDKEETVLARLGVYHNQTAPLIAYYGKEAEAGN
[Truncated_Name:12]3GMT_A.pdb   EPLVQRDDDKEETVKKRLDVYEAQTKPLITYYGDWARRGA
[Truncated_Name:13]4PZL_A.pdb   EPLITRTDDNEDTVKQRLSVYHAQTAKLIDFYRNFSSTNT
                                * *  * ** *^ *  **  *   *  ** ^*
```

```
                              161        .         .         .         200

                              201        .         .      227
[Truncated_Name:1]1AKE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:2]6S36_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:3]6RZE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:4]3HPR_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:5]1E4V_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:6]5EJE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:7]1E4Y_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:8]3X2S_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:9]6HAP_A.pdb    T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:10]6HAM_A.pdb   T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:11]4K46_A.pdb   T--QYLKFDGTKAVAEVSAELEKALA-
[Truncated_Name:12]3GMT_A.pdb   E-------NGLKAPA-----YRKISG-
[Truncated_Name:13]4PZL_A.pdb   KIPKYIKINGDQAVEKVSQDIFDQLNK
                                         *
                              201        .         .      227

Call:
  pdbaln(files = files, fit = TRUE, exefile = "msa")

Class:
  pdbs, fasta

Alignment dimensions:
  13 sequence rows; 227 position columns (204 non-gap, 23 gap)

+ attr: xyz, resno, b, chain, id, ali, resid, sse, call
```

Step 5. PCA

Let's use our old friend PCA to make sense of these confusing, complicated structure relationships.

```
pc <- pca(pdbs)
plot(pc)
```



showing there's 3 different clusters/ conformations

Let's make a trajectory (or movie) of the main conformational changes captured by PC1. We will use the `mktrj()` function for this…

```
mktrj(pc, file ="pca_result.pdb")
```

Upload file into molstar.org/viewer/ and see through playing video. Easier to view/ understand

Back of the Envelope Comparison of the PDB size to UniProt

```
uniprot <- 253206171
pdb <- 231029
pdb/uniprot *100
```

```
[1] 0.09124146
```