- [1] J. Hoffman, D. Wang, F. Yu, and T. Darrell, "FCNs in the Wild: Pixel-Level Adversarial and Constraint-Based Adaptation," *arXiv*, Dec. 2016.
- [2] Y. Luo, P. Liu, T. Guan, J. Yu, and Y. Yang, "Significance-Aware Information Bottleneck for Domain Adaptive Semantic Segmentation," in *Proc. of ICCV*, (Seoul, Korea), pp. 6778–6787, Oct. 2019.
- [3] J. Hoffman, E. Tzeng, T. Park, J.-Y. Zhu, P. Isola, K. Saenko, A. A. Efros, and T. Darrell, "CyCADA: Cycle-Consistent Adversarial Domain Adaptation," in *Proc. of ICML*, (Stockholm, Sweden), pp. 1989–1998, July 2018.
- [4] Y. Zou, Z. Yu, B. V. K. Vijaya Kumar, and J. Wang, "Unsupervised Domain Adaptation for Semantic Segmentation via Class-Balanced Self-Training," in *Proc. of ECCV*, (Munich, Germany), pp. 289–305, Sept. 2018.
- [5] Z. Wu, X. Han, Y.-L. Lin, M. G. Uzunbas, T. Goldstein, S. N. Lim, and L. S. Davis, "DCAN: Dual Channel-Wise Alignment Networks for Unsupervised Scene Adaptation," in *Proc. of ECCV*, (Munich, Germany), pp. 535–552, Sept. 2019.
- [6] Y. Luo, L. Zheng, T. Guan, J. Yu, and Y. Yang, "Taking a Closer Look at Domain Shift: Category-Level Adversaries for Semantics Consistent Domain Adaptation," in *Proc. of CVPR*, (Long Beach, CA, USA), pp. 2507–2516, June 2019.
- [7] Y.-H. Tsai, K. Sohn, S. Schulter, and M. Chandraker, "Domain Adaptation for Structured Output via Discriminative Patch Representations," in *Proc. of ICCV*, (Seoul, Korea), pp. 1456–1465, Oct. 2019.
- [8] S. Zhao, B. Li, X. Yue, Y. Gu, P. Xu, R. Hu, H. Chai, and K. Keutzer, "Multi-Source Domain Adaptation for Semantic Segmentation," in *Proc. of NeurIPS*, (Vancouver, Canada), pp. 7285–7298, Dec. 2019.
- [9] Z. Wang, M. Yu, Y. Wei, R. Feris, J. Xiong, W. mei Hwu, T. S. Huang, and H. Shi, "Differential Treatment for Stuff and Things: A Simple Unsupervised Domain Adaptation Method for Semantic Segmentation," in *Proc. of CVPR*, (Seattle, WA, USA), pp. 12635–12644, June 2020.
- [10] Y. Yang and S. Soatto, "FDA: Fourier Domain Adaptation for Semantic Segmentation," in *Proc. of CVPR*, (Seattle, WA, USA), pp. 4085–4095, June 2020.
- [11] M. Kim and H. Byun, "Learning Texture Invariant Representation for Domain Adaptation of Semantic Segmentation," in *Proc. of CVPR*, (Seattle, WA, USA), pp. 12975–12984, June 2020.
- [12] J. Choi, T. Kim, and C. Kim, "Self-Ensembling With GAN-based Data Augmentation for Domain Adaptation in Semantic Segmentation," in *Proc. of ICCV*, (Seoul, Korea), pp. 6830–6840, Oct. 2019.
- [13] R. Gong, W. Li, Y. Chen, and L. V. Gool, "DLOW: Domain Flow for Adaptation and Generalization," in *Proc. of CVPR*, (Long Beach, CA, USA), June 2019.
- [14] Y.-H. Tsai, W.-C. Hung, S. Schulter, K. Sohn, M.-H. Yang, and M. Chandraker, "Learning to Adapt Structured Output Space for Semantic Segmentation," in *Proc. of CVPR*, (Salt Lake City, UT, USA), pp. 7472–7481, June 2018.
- [15] C.-Y. Lee, T. Batra, M. H. Baig, and D. Ulbricht, "Sliced Wasserstein Discrepancy for Unsupervised Domain Adaptation," in *Proc. of CVPR*, (Long Beach, CA, USA), June 2019.
- [16] L. Du, J. Tan, H. Yang, J. Feng, X. Xue, Q. Zheng, X. Ye, and X. Zhang, "SSF-DAN: Separated Semantic Feature Based Domain Adaptation Network for Semantic Segmentation," in *Proc. of ICCV*, (Seoul, Korea), pp. 982–991, Oct. 2019.
- [17] T.-H. Vu, H. Jain, M. Bucher, M. Cord, and P. Perez, "ADVENT: Adversarial Entropy Minimization for Domain Adaptation in Semantic Segmentation," in *Proc. of CVPR*, (Long Beach, CA, USA), June 2019.
- [18] F. Pan, I. Shin, F. Rameau, S. Lee, and I. S. Kweon, "Unsupervised Intra-Domain Adaptation for Semantic Segmentation Through Self-Supervision," in *Proc. of CVPR*, (Seattle, WA, USA), pp. 3764–3773, June 2020.
- [19] M. Chen, H. Xue, and D. Cai, "Domain Adaptation for Semantic Segmentation With Maximum Squares Less," in Press of ICCV (Search Verse), pp. 2000, 2000